R3850 - 1.1 Hos. 14

Length of Stay by Diagnosis, United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals: U.S. Total[2] (2)	Short-Term Nonfederal Hospitals: Number in Books (3)	Short-Term Nonfederal Hospitals: Percent in Books (4)	Beds: U.S. Total[2] (5)	Beds: Number in Books (6)	Beds: Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1]*ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2]*Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	899371	3.4	10	1	1	3	4	5	7	13
20-34	502935	4.1	25	<1	1	3	4	7	11	28
35-49	208030	5.8	39	1	1	4	7	12	17	31
50-64	178926	6.3	40	1	1	5	8	13	17	32
65+	180181	7.2	49	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	327936	2.9	10	<1	1	2	3	5	8	15
20-34	615241	3.6	11	<1	1	3	5	7	9	16
35-49	312362	4.8	22	<1	1	3	6	10	13	22
50-64	295581	5.7	32	1	1	4	8	12	16	27
65+	289352	6.8	51	1	2	4	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	610891	4.6	30	1	1	3	5	8	11	30
20-34	460196	5.3	39	1	1	3	6	11	16	32
35-49	390293	6.9	46	1	2	5	8	14	19	34
50-64	645797	7.8	51	1	2	6	10	15	20	37
65+	1239094	9.6	75	2	3	7	12	19	25	48
B. *Operated*										
0-19 YRS	244520	5.2	67	1	1	3	5	10	17	49
20-34	690877	5.4	36	1	2	4	6	9	14	32
35-49	434564	7.4	61	1	2	6	9	15	21	43
50-64	533356	9.8	101	2	2	7	12	21	28	56
65+	737065	13.0	153	2	2	10	17	28	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1969443	4.4	25	1	1	3	5	8	12	27
B. *Operated*	1840492	4.5	24	<1	1	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	3346271	7.4	58	1	2	5	9	15	21	40
B. *Operated*	2640382	8.7	99	1	2	6	11	19	28	56
1. SINGLE DX	3809935	4.5	25	1	1	3	5	9	13	25
2. MULTIPLE DX	5986653	8.0	76	1	2	5	10	17	24	47
A. NOT OPERATED	5315714	6.3	48	1	2	4	8	13	18	35
B. OPERATED	4480874	7.0	72	1	1	4	8	16	22	46
TOTAL 0-19 YRS	2082718	3.9	23	1	1	3	4	6	9	25
20-34	2269249	4.6	28	1	1	3	5	8	12	28
35-49	1345269	6.4	45	1	1	5	8	13	18	34
50-64	1653660	7.9	65	1	2	6	10	16	22	42
65+	2445692	10.1	98	2	2	7	13	21	29	55
GRAND TOTAL	**9796588**	**6.6**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	351713	3.8	23	1	1	3	4	7	9	24
20-34	502935	4.1	25	<1	1	3	4	7	11	28
35-49	208030	5.8	39	1	1	4	7	12	17	31
50-64	178926	6.3	40	1	1	5	8	13	17	32
65+	180181	7.2	49	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	327606	2.9	10	<1	1	2	3	5	8	15
20-34	615241	3.6	11	<1	1	3	5	7	9	16
35-49	312382	4.8	22	<1	1	3	6	10	13	22
50-64	295581	5.7	32	1	1	4	8	12	16	27
65+	289352	6.8	51	1	2	4	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354545	4.5	34	1	1	3	5	8	12	32
20-34	460196	5.3	39	1	1	3	6	11	16	32
35-49	390293	6.9	46	1	2	5	8	14	19	34
50-64	645797	7.9	51	1	2	6	10	15	20	37
65+	1239094	9.6	75	2	3	7	12	19	25	48
B. *Operated*										
0-19 YRS	235082	4.6	45	<1	1	3	5	9	14	37
20-34	690877	5.4	36	1	2	4	6	9	14	32
35-49	434564	7.4	61	1	2	6	9	15	21	43
50-64	533356	9.8	101	2	2	7	12	21	28	56
65+	737065	13.0	153	2	2	10	17	28	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1421785	4.9	33	1	1	3	6	10	14	30
B. *Operated*	1840162	4.5	24	<1	1	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	3089925	7.7	60	1	2	5	10	16	21	40
B. *Operated*	2630944	8.7	97	1	2	6	11	19	27	55
1. SINGLE DX	3261947	4.7	28	1	1	3	6	10	14	27
2. MULTIPLE DX	5720869	8.1	77	1	2	5	10	17	24	48
A. NOT OPERATED	4511710	6.8	53	1	1	5	8	14	20	37
B. OPERATED	4471106	7.0	71	1	1	4	8	16	22	45
TOTAL 0-19 YRS	1268946	3.9	27	<1	1	3	4	7	10	27
20-34	2269249	4.6	28	1	1	3	5	8	12	28
35-49	1345269	6.4	45	1	1	5	8	13	18	34
50-64	1653660	7.9	65	1	2	6	10	16	22	42
65+	2445692	10.1	98	2	2	7	13	21	29	55
GRAND TOTAL	**8982816**	**6.9**	**62**	**1**	**1**	**4**	**8**	**15**	**21**	**41**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9074	3.3	5	1	1	3	4	6	7	12
20-34	3903	3.4	6	1	1	3	4	6	8	12
35-49	1494	3.7	8	1	1	3	5	7	9	15
50-64	1005	3.9	7	1	1	3	5	7	9	13
65+	859	4.5	11	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	127	5.7	17	2	2	5	7	9	12	26
20-34	212	5.8	15	2	2	5	7	9	12	24
35-49	92	7.3	31	2	3	6	9	17	22	27
50-64	44	8.5	64	3	4	7	9	14	17	54
65+	29	8.8	31	1	4	7	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8900	3.9	8	1	2	3	5	7	9	15
20-34	3566	3.9	9	1	1	3	5	7	9	15
35-49	2154	4.8	13	1	2	4	6	9	11	20
50-64	2558	5.1	13	1	2	4	6	9	12	18
65+	4251	6.6	35	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	189	9.5	182	2	3	6	9	17	24	96
20-34	280	7.4	25	3	3	6	9	13	19	27
35-49	218	10.0	83	2	3	7	12	18	24	54
50-64	234	10.6	60	3	4	8	13	20	25	49
65+	322	14.0	129	4	4	11	17	25	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16335	3.5	6	1	1	3	4	6	8	13
B. *Operated*	504	6.5	24	2	3	5	8	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	21429	4.7	16	1	2	4	6	9	11	20
B. *Operated*	1243	10.4	98	3	3	8	13	20	25	57
1. SINGLE DX	16839	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	22672	5.0	22	1	2	4	6	9	12	22
A. NOT OPERATED	37764	4.2	12	1	1	3	5	8	10	17
B. OPERATED	1747	9.3	80	2	3	7	11	18	24	52
TOTAL 0-19 YRS	18290	3.7	9	1	1	3	4	6	8	14
20-34	7961	3.8	9	1	1	3	5	7	9	15
35-49	3958	4.7	17	1	1	4	6	9	11	21
50-64	3841	5.2	17	1	2	4	6	9	12	21
65+	5461	6.7	40	2	2	5	8	13	17	31
GRAND TOTAL	**39511**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	6.8	26	1	2	5	9	14	18	24
20-34	166	12.8	82	2	4	11	17	22	35	56
35-49	128	13.3	155	2	3	10	17	28	32	68
50-64	131	12.4	124	2	3	10	16	22	33	60
65+	116	12.4	82	1	2	11	17	22	32	44
B. *Operated*										
0-19 YRS	15	9.3	53	1	1	6	15	22	23	23
20-34	96	10.6	59	1	2	10	15	20	22	40
35-49	74	13.6	112	2	3	11	18	22	35	57
50-64	123	13.5	107	3	4	11	17	23	30	66
65+	88	13.7	95	2	4	11	21	25	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	10.7	143	3	3	5	15	25	37	60
20-34	157	15.6	158	4	5	12	19	30	40	83
35-49	258	16.9	222	3	4	13	21	40	57	99+
50-64	333	16.2	221	2	4	12	20	36	47	76
65+	501	16.3	149	3	5	13	21	32	42	77
B. *Operated*										
0-19 YRS	13	12.7	89	1	2	12	20	25	27	27
20-34	79	18.5	212	3	7	15	23	33	53	74
35-49	168	20.6	255	4	5	16	26	47	62	94
50-64	268	16.7	154	4	5	14	21	33	49	99+
65+	426	21.2	251	4	6	17	28	41	54	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	613	12.1	103	2	3	10	16	22	32	51
B. *Operated*	396	12.7	93	2	3	11	17	22	28	52
2. MULTIPLE DX										
A. *Not Operated*	1296	16.1	183	3	4	13	21	33	44	89
B. *Operated*	954	19.5	222	4	6	16	25	38	54	99
1. SINGLE DX	1009	12.3	99	2	3	10	16	22	30	51
2. MULTIPLE DX	2250	17.5	203	3	5	14	22	36	49	93
A. NOT OPERATED	1909	14.8	161	2	4	12	19	30	41	78
B. OPERATED	1350	17.5	194	3	4	14	22	35	50	88
TOTAL 0-19 YRS	147	8.9	75	1	2	6	12	18	24	48
20-34	498	14.2	128	2	4	12	18	28	36	71
35-49	628	16.7	211	2	4	13	21	37	54	99+
50-64	855	15.4	171	3	4	12	19	31	43	77
65+	1131	17.5	185	3	5	14	23	34	45	91
GRAND TOTAL	**3259**	**15.9**	**176**	**3**	**4**	**13**	**20**	**32**	**44**	**85**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	10.3	78	1	2	8	13	25	31	32
20-34	12	12.6	160	2	2	6	26	32	33	33
35-49	10	6.0	18	1	1	5	10	12	13	13
50-64	16	12.1	412	1	2	6	9	30	68	83
65+	14	11.7	95	1	2	11	15	19	35	40
B. *Operated*										
0-19 YRS	38	6.1	67	<1	1	3	7	18	30	31
20-34	40	8.9	85	1	2	6	12	20	29	43
35-49	30	14.6	185	2	2	10	22	34	38	57
50-64	24	10.8	95	<1	1	7	18	29	49	99+
65+	38	11.7	94	1	2	10	15	27	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	12.4	123	3	3	8	18	31	34	34
20-34	26	15.8	203	2	3	10	23	44	49	51
35-49	40	13.5	144	2	3	11	16	29	34	63
50-64	50	11.3	108	2	3	9	14	26	30	48
65+	83	13.7	113	3	4	11	17	29	40	47
B. *Operated*										
0-19 YRS	27	18.6	400	1	2	11	28	48	60	73
20-34	60	14.9	272	1	2	10	22	37	45	99+
35-49	58	18.3	285	4	5	13	26	37	69	99
50-64	86	19.5	263	2	3	16	28	50	72	99+
65+	95	26.5	438	4	8	21	36	48	77	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	10.8	156	1	2	7	13	30	32	73
B. *Operated*	170	10.2	108	1	1	6	15	28	33	54
2. MULTIPLE DX										
A. *Not Operated*	207	13.3	129	2	3	10	17	28	39	49
B. *Operated*	326	20.4	344	2	3	15	29	45	65	99+
1. SINGLE DX	243	10.3	122	1	2	7	14	28	32	59
2. MULTIPLE DX	533	17.6	272	2	3	12	24	40	51	99
A. NOT OPERATED	280	12.6	136	2	3	9	16	29	35	50
B. OPERATED	496	16.9	286	1	2	12	25	38	53	99+
TOTAL 0-19 YRS	94	11.2	191	1	1	5	15	30	42	66
20-34	138	13.1	199	1	2	8	19	32	41	99
35-49	138	15.2	211	2	3	11	21	34	41	88
50-64	176	15.3	223	1	3	10	23	36	52	99+
65+	230	18.5	286	2	3	13	24	40	47	92
GRAND TOTAL	**776**	**15.3**	**236**	**2**	**2**	**10**	**22**	**36**	**46**	**94**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1047	2.9	3	1	1	3	4	5	6	8
20-34	427	3.0	2	<1	1	3	4	5	6	8
35-49	113	3.7	3	2	2	3	4	5	7	11
50-64	50	3.7	3	1	2	4	4	6	6	10
65+	17	4.2	4	1	1	4	6	6	7	8
B. *Operated*										
0-19 YRS	106	1.9	1	<1	1	2	2	3	4	6
20-34	36	2.1	1	1	1	2	2	3	3	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1658	3.3	4	1	1	3	4	6	7	10
20-34	574	3.8	5	1	2	3	4	6	8	12
35-49	212	4.3	6	1	2	4	5	7	9	13
50-64	150	5.1	8	2	2	5	6	9	10	15
65+	87	7.9	36	2	3	6	11	15	20	31
B. *Operated*										
0-19 YRS	80	3.3	13	1	1	2	3	7	10	20
20-34	24	6.0	29	1	2	4	8	12	19	24
35-49	10	6.1	20	1	1	5	8	13	14	14
50-64	8	9.0	37	2	2	8	13	18	19	19
65+	5	9.8	12	5	5	10	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1654	3.0	3	1	1	3	4	5	6	8
B. *Operated*	145	1.9	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	2681	3.7	6	1	2	3	5	6	8	13
B. *Operated*	127	4.6	21	1	1	3	6	11	15	22
1. SINGLE DX	1799	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX	2808	3.8	7	1	2	3	5	6	8	14
A. NOT OPERATED	4335	3.5	5	1	1	3	4	6	7	12
B. OPERATED	272	3.2	12	1	1	2	3	7	11	19
TOTAL 0-19 YRS	2891	3.1	4	1	1	3	4	5	6	9
20-34	1061	3.5	5	1	1	3	4	6	7	11
35-49	338	4.1	5	1	2	4	5	7	8	13
50-64	208	5.0	9	2	2	4	6	8	10	16
65+	109	7.4	32	2	3	6	10	13	19	30
GRAND TOTAL	**4607**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1088	5.5	14	2	2	4	7	10	12	18
20-34	127	7.2	42	2	3	5	9	12	19	35
35-49	69	9.6	91	2	2	7	12	18	24	60
50-64	101	8.6	44	2	3	7	10	16	19	41
65+	308	10.7	47	3	4	9	13	19	25	36
B. *Operated*										
0-19 YRS	34	8.3	24	3	3	7	11	13	20	23
20-34	12	11.3	81	<1	3	9	15	23	33	35
35-49	6	17.0	118	8	8	13	21	35	37	37
50-64	9	18.4	185	3	5	15	27	39	47	47
65+	25	18.6	144	5	6	17	27	40	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1331	7.0	37	2	2	5	9	13	16	26
20-34	460	10.6	86	2	3	8	14	20	30	44
35-49	540	10.7	60	3	4	9	13	20	30	44
50-64	1262	12.4	80	4	5	10	15	22	30	49
65+	4922	14.6	107	5	6	12	17	27	34	62
B. *Operated*										
0-19 YRS	121	13.9	137	3	4	11	16	28	39	91
20-34	174	20.4	232	3	5	16	31	46	59	99+
35-49	206	18.7	247	4	5	13	24	45	56	99+
50-64	437	22.0	251	6	7	17	31	47	72	99+
65+	1261	24.6	283	7	9	20	31	49	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1693	6.9	31	2	2	5	9	13	16	30
B. *Operated*	86	13.4	108	3	4	10	17	30	39	80
2. MULTIPLE DX										
A. *Not Operated*	8515	12.6	95	3	4	10	15	23	31	55
B. *Operated*	2199	22.6	269	5	7	18	30	47	63	99+
1. SINGLE DX	1779	7.3	37	2	2	6	9	14	18	32
2. MULTIPLE DX	10714	14.7	147	3	4	11	18	29	40	78
A. NOT OPERATED	10208	11.7	89	3	3	10	14	22	30	53
B. OPERATED	2285	22.3	266	5	7	18	29	47	63	99+
TOTAL 0-19 YRS	2574	6.7	34	2	2	5	8	12	16	28
20-34	773	12.2	132	2	3	9	15	29	37	63
35-49	821	12.7	122	3	4	9	15	26	37	68
50-64	1809	14.6	138	4	5	11	18	30	40	89
65+	6516	16.4	155	5	6	13	20	31	42	80
GRAND TOTAL	**12493**	**13.6**	**138**	**3**	**4**	**11**	**17**	**28**	**37**	**73**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2).	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	6.8	22	2	2	6	10	13	14	21
20-34	233	6.5	35	2	2	5	9	12	15	21
35-49	159	6.6	34	2	2	5	8	13	16	31
50-64	124	7.0	61	2	3	5	7	13	18	47
65+	104	8.3	41	2	2	7	10	17	21	34
B. *Operated*										
0-19 YRS	50	9.2	53	1	2	8	12	16	22	38
20-34	26	11.4	95	1	2	9	14	29	30	35
35-49	36	13.1	147	3	4	9	14	32	42	57
50-64	26	15.7	126	4	5	11	22	34	37	44
65+	24	16.7	209	2	3	13	19	45	48	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	774	7.4	29	2	2	6	10	13	16	23
20-34	290	6.9	25	1	2	6	9	13	15	25
35-49	258	8.1	30	2	3	6	11	16	19	28
50-64	388	9.5	60	3	4	7	11	19	24	48
65+	641	10.9	62	3	4	9	13	20	27	42
B. *Operated*										
0-19 YRS	91	14.7	172	2	4	13	17	23	35	82
20-34	77	13.7	157	3	4	10	17	30	32	72
35-49	88	19.5	307	3	5	14	25	42	56	90
50-64	132	20.6	287	4	6	15	27	50	60	86
65+	176	22.6	297	4	6	19	30	45	65	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1483	6.9	30	2	2	5	9	13	15	24
B. *Operated*	162	12.5	121	2	3	10	15	29	35	53
2. MULTIPLE DX										
A. *Not Operated*	2351	8.7	45	2	3	7	11	16	21	35
B. *Operated*	564	19.2	267	3	5	14	24	42	57	88
1. SINGLE DX	1645	7.4	42	2	2	6	10	14	17	34
2. MULTIPLE DX	2915	10.7	105	2	3	8	13	21	30	59
A. NOT OPERATED	3834	8.0	40	2	2	6	10	15	19	32
B. OPERATED	726	17.7	241	3	4	13	22	40	52	83
TOTAL 0-19 YRS	1778	7.5	36	2	2	6	10	14	16	26
20-34	626	7.8	53	2	2	6	10	14	20	33
35-49	541	9.8	104	2	3	7	12	19	28	56
50-64	670	11.5	130	3	3	8	14	24	35	66
65+	945	12.9	130	3	4	9	16	26	36	66
GRAND TOTAL	**4560**	**9.5**	**85**	**2**	**3**	**7**	**12**	**18**	**25**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2735	3.8	5	1	2	3	5	7	9	12
20-34	1559	4.4	8	1	2	4	6	8	10	14
35-49	316	5.3	11	2	2	5	7	9	12	15
50-64	74	6.5	22	1	2	5	8	12	18	21
65+	13	6.1	40	2	2	4	6	15	23	25
B. *Operated*										
0-19 YRS	42	5.0	7	2	2	4	6	8	10	16
20-34	18	7.9	23	2	2	8	10	14	17	19
35-49	11	10.0	32	2	3	10	14	18	21	21
50-64	5	6.8	36	1	1	7	10	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	979	4.6	10	1	2	4	6	8	11	16
20-34	669	5.0	11	1	2	4	6	9	11	16
35-49	199	6.7	23	2	2	6	8	13	16	26
50-64	90	9.2	129	2	3	6	10	14	29	74
65+	59	14.0	123	3	4	11	17	26	36	61
B. *Operated*										
0-19 YRS	32	6.9	22	2	3	6	9	14	22	99+
20-34	33	12.3	138	3	3	9	15	20	39	62
35-49	19	14.9	311	4	5	11	15	23	58	84
50-64	17	17.4	140	6	7	12	27	31	42	48
65+	8	30.3	575	2	7	30	54	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4697	4.2	7	1	2	3	5	7	9	14
B. *Operated*	76	6.6	19	2	2	5	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	1996	5.5	24	2	2	4	7	10	13	23
B. *Operated*	109	13.3	194	3	3	9	16	30	48	99+
1. SINGLE DX	4773	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX	2105	5.9	35	2	2	4	7	11	14	29
A. NOT OPERATED	6693	4.5	13	1	2	4	6	8	10	16
B. OPERATED	185	10.5	133	2	3	7	12	21	32	94
TOTAL 0-19 YRS	3788	4.1	7	1	2	3	5	7	9	14
20-34	2279	4.7	12	1	2	4	6	9	11	16
35-49	545	6.2	29	2	2	5	7	12	14	25
50-64	186	8.8	93	2	2	6	10	17	27	63
65+	80	14.4	184	2	3	11	18	31	47	94
GRAND TOTAL	**6878**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1526	3.3	10	1	1	3	4	6	7	12
20-34	343	4.5	8	1	2	4	6	8	9	17
35-49	158	5.4	15	<1	2	4	7	11	13	21
50-64	321	6.2	31	1	2	5	8	11	14	31
65+	693	7.4	40	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS	11	7.0	37	2	2	4	9	17	22	22
20-34	25	4.0	12	<1	1	3	5	9	12	15
35-49	20	6.0	23	<1	1	5	9	43	99+	99+
50-64	32	7.2	46	1	2	5	9	14	21	33
65+	56	7.8	41	1	2	6	11	18	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2040	3.9	7	1	2	3	5	7	9	14
20-34	447	5.4	20	2	2	5	7	9	12	19
35-49	237	6.9	23	2	3	6	9	11	14	26
50-64	803	7.9	39	2	3	6	10	15	19	36
65+	3072	10.4	79	3	3	8	13	20	28	48
B. *Operated*										
0-19 YRS	58	9.9	103	2	3	7	11	20	37	47
20-34	42	13.1	241	2	2	8	15	28	67	99+
35-49	51	15.0	208	2	3	10	17	41	46	68
50-64	97	14.9	172	2	3	11	19	35	45	85
65+	326	18.1	195	3	5	14	24	40	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3041	4.8	22	1	1	4	6	9	12	24
B. *Operated*	144	6.7	35	1	2	5	9	16	21	99+
2. MULTIPLE DX										
A. *Not Operated*	6599	7.6	54	2	2	5	9	15	21	39
B. *Operated*	574	16.1	192	2	4	12	21	37	47	96
1. SINGLE DX	3185	4.9	23	1	1	4	6	9	13	25
2. MULTIPLE DX	7173	8.3	70	2	2	6	10	17	24	45
A. NOT OPERATED	9640	6.7	46	1	2	5	8	13	19	36
B. OPERATED	718	14.2	175	2	3	10	19	33	45	99+
TOTAL 0-19 YRS	3635	3.8	11	1	1	3	4	6	8	15
20-34	857	5.4	29	1	2	4	7	9	12	27
35-49	466	7.2	48	1	2	6	9	13	19	46
50-64	1253	8.0	52	2	2	6	10	15	20	41
65+	4147	10.5	87	2	3	8	13	21	29	51
GRAND TOTAL	**10358**	**7.2**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	721	5.9	13	2	2	5	7	11	13	18
20-34	1813	7.3	22	2	3	6	9	13	15	25
35-49	566	8.5	30	2	3	7	11	16	20	29
50-64	286	8.3	34	2	3	7	10	15	21	31
65+	115	10.1	51	3	4	9	13	17	25	38
B. *Operated*										
0-19 YRS	8	12.0	61	4	5	10	16	25	27	27
20-34	100	7.4	44	1	1	6	11	15	20	30
35-49	59	8.2	31	1	2	7	12	17	18	21
50-64	31	7.9	50	1	1	7	12	15	25	28
65+	21	10.9	24	2	3	12	14	16	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	6.9	24	2	2	6	9	12	14	26
20-34	913	7.9	24	2	3	7	10	14	17	26
35-49	432	9.0	40	2	3	8	11	16	21	31
50-64	426	10.4	72	3	3	9	13	19	25	44
65+	358	12.1	99	3	4	10	15	22	33	68
B. *Operated*										
0-19 YRS	13	9.3	46	1	1	9	14	19	20	20
20-34	123	11.0	68	2	3	9	15	19	26	42
35-49	76	11.5	63	2	3	9	15	22	26	41
50-64	101	12.4	101	2	2	9	16	29	37	73
65+	89	16.9	142	4	6	14	20	34	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3501	7.4	25	2	3	6	9	13	16	27
B. *Operated*	219	8.2	41	1	1	8	12	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	2390	9.0	49	2	3	7	11	16	21	37
B. *Operated*	402	12.7	96	2	3	11	16	24	33	50
1. SINGLE DX	3720	7.4	26	2	3	6	9	13	16	28
2. MULTIPLE DX	2792	9.6	58	2	3	8	12	18	22	41
A. NOT OPERATED	5891	8.1	35	2	3	7	10	14	19	31
B. OPERATED	621	11.1	81	1	2	9	15	21	29	47
TOTAL 0-19 YRS	1003	6.3	17	2	2	5	8	11	14	20
20-34	2949	7.6	26	2	3	7	10	14	16	28
35-49	1133	8.9	37	2	3	7	11	17	21	30
50-64	844	9.8	64	2	3	8	12	19	25	41
65+	583	12.4	97	3	4	10	15	22	33	63
GRAND TOTAL	**6512**	**8.3**	**40**	**2**	**3**	**7**	**10**	**15**	**20**	**33**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2091	4.2	5	1	2	4	5	7	9	12
20-34	656	4.8	9	2	2	4	6	8	10	15
35-49	120	5.7	13	2	2	5	7	10	13	18
50-64	32	6.2	11	1	2	6	8	11	13	14
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	25	6.0	21	1	1	4	10	13	14	16
20-34	16	7.3	11	3	4	7	9	13	13	13
35-49	7	8.3	10	4	5	8	10	13	14	14
50-64	2	4.5	5	3	3	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2459	4.7	8	2	2	4	6	8	10	15
20-34	829	5.6	12	2	2	5	7	10	12	16
35-49	160	6.7	14	2	3	6	9	12	14	19
50-64	45	7.5	14	2	3	7	9	13	15	18
65+	11	11.5	64	3	4	9	14	26	27	27
B. *Operated*										
0-19 YRS	50	7.9	50	2	2	6	10	12	25	42
20-34	46	10.2	48	4	4	9	13	16	23	36
35-49	16	11.1	32	3	4	10	14	21	21	21
50-64	14	10.1	61	1	1	8	15	22	25	26
65+	5	11.8	25	5	5	11	16	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2900	4.4	7	1	2	4	6	8	9	13
B. *Operated*	50	6.7	16	1	2	7	9	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	3504	5.1	10	2	2	4	6	9	11	16
B. *Operated*	131	9.5	48	2	3	8	12	17	22	37
1. SINGLE DX	2950	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	3635	5.2	12	2	2	4	7	9	11	17
A. NOT OPERATED	6404	4.8	8	2	2	4	6	8	10	15
B. OPERATED	181	8.7	40	2	3	7	11	16	20	36
TOTAL 0-19 YRS	4625	4.5	8	2	2	4	6	8	9	14
20-34	1547	5.4	12	2	2	5	7	10	12	16
35-49	303	6.6	15	2	3	6	8	12	14	20
50-64	93	7.4	21	2	2	7	9	13	15	24
65+	17	11.4	46	3	4	9	15	24	26	27
GRAND TOTAL	**6585**	**4.9**	**10**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	2	<1	<1	1	2	3	6	7
20-34	38	1.5	1	<1	<1	<1	1	3	4	4
35-49	10	1.5	1	<1	<1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	926	1.9	2	<1	<1	2	2	3	4	6
20-34	2372	2.2	4	<1	<1	2	3	4	5	8
35-49	585	2.5	4	<1	<1	2	3	4	6	11
50-64	168	2.5	3	<1	1	2	3	4	5	11
65+	49	3.3	10	<1	<1	2	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	26	<1	<1	1	4	7	15	23
20-34	38	3.0	10	<1	<1	1	4	6	11	14
35-49	15	4.8	51	<1	1	2	6	8	24	29
50-64	6	10.3	119	2	2	7	9	30	32	32
65+	7	3.4	11	<1	<1	3	5	9	10	10
B. *Operated*										
0-19 YRS	197	3.2	26	<1	1	2	3	5	7	28
20-34	697	3.1	5	<1	1	2	4	6	8	13
35-49	337	4.2	31	1	1	3	4	7	11	23
50-64	155	5.2	33	1	1	3	6	11	19	27
65+	67	6.1	48	<1	1	4	7	13	18	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*	4100	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	86	4.0	30	<1	<1	2	5	8	14	31
B. *Operated*	1453	3.7	20	1	1	3	4	7	9	22
1. SINGLE DX	4167	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1539	3.8	20	<1	1	3	4	7	9	23
A. NOT OPERATED	153	2.9	19	<1	<1	1	3	6	8	29
B. OPERATED	5553	2.6	8	<1	<1	2	3	5	6	13
TOTAL 0-19 YRS	1160	2.1	6	<1	<1	2	2	4	5	8
20-34	3145	2.4	4	<1	<1	2	3	4	6	9
35-49	947	3.1	15	<1	<1	2	3	6	8	15
50-64	330	3.9	21	<1	1	2	4	8	11	25
65+	124	4.9	32	<1	1	3	6	9	14	34
GRAND TOTAL	**5706**	**2.6**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6420	3.0	4	1	1	3	4	5	6	9
20-34	1815	3.4	6	<1	1	3	4	6	8	12
35-49	777	4.0	9	1	1	3	5	8	10	14
50-64	436	4.4	11	1	2	3	5	9	10	16
65+	404	4.7	20	1	1	4	5	9	11	26
B. *Operated*										
0-19 YRS	172	4.3	28	1	1	3	5	8	10	38
20-34	105	5.2	21	1	2	4	6	11	14	61
35-49	34	8.3	62	1	2	6	10	15	25	40
50-64	30	9.0	66	<1	1	7	14	18	29	33
65+	9	13.2	159	3	3	6	25	33	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6015	3.4	6	1	1	3	4	6	7	12
20-34	2398	4.3	11	1	1	3	5	8	10	17
35-49	1478	4.7	12	1	2	4	6	8	11	18
50-64	1662	5.6	23	2	2	4	7	10	13	21
65+	2516	6.3	26	2	2	5	8	12	14	25
B. *Operated*										
0-19 YRS	191	6.5	70	1	2	4	7	11	20	42
20-34	182	8.3	55	2	2	6	10	16	23	44
35-49	121	9.7	66	2	3	8	11	17	26	48
50-64	147	11.7	118	2	3	8	14	25	37	59
65+	165	14.4	138	4	5	11	17	29	40	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9852	3.3	6	1	1	3	4	6	7	11
B. *Operated*	350	5.6	39	1	1	4	6	11	18	40
2. MULTIPLE DX										
A. *Not Operated*	14069	4.5	15	1	2	4	5	8	11	18
B. *Operated*	806	9.9	96	2	2	7	12	21	29	53
1. SINGLE DX	10202	3.3	7	1	1	3	4	6	7	13
2. MULTIPLE DX	14875	4.7	21	1	2	4	6	9	12	22
A. NOT OPERATED	23921	4.0	11	1	1	3	5	7	9	16
B. OPERATED	1156	8.6	83	1	2	6	10	18	26	51
TOTAL 0-19 YRS	12798	3.2	6	1	1	3	4	5	7	11
20-34	4500	4.1	12	1	1	3	5	8	10	18
35-49	2410	4.8	16	1	2	4	6	9	11	19
50-64	2275	5.8	30	1	2	4	7	11	14	27
65+	3094	6.6	36	2	2	5	8	12	16	32
GRAND TOTAL	**25077**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	281	4.4	7	2	2	4	5	8	10	15
20-34	188	4.6	7	2	2	4	6	8	9	14
35-49	80	4.7	17	1	2	4	5	9	15	20
50-64	45	5.8	9	2	2	5	7	10	12	14
65+	23	6.4	23	2	2	5	8	11	16	24
B. *Operated*										
0-19 YRS	9	4.2	6	2	2	4	6	8	8	8
20-34	4	7.5	49	4	4	4	11	18	18	18
35-49	4	9.0	21	3	3	9	12	14	14	14
50-64	6	12.5	68	2	2	12	19	23	24	24
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	4.9	8	1	2	4	6	9	11	14
20-34	108	5.8	16	2	2	5	7	10	11	25
35-49	58	6.9	128	1	2	4	7	10	16	74
50-64	54	7.0	16	3	3	6	9	13	14	21
65+	42	10.9	114	2	3	8	14	19	25	66
B. *Operated*										
0-19 YRS	6	4.8	19	<1	<1	3	6	12	13	13
20-34	6	11.2	73	4	4	9	15	25	26	26
35-49	8	14.4	69	4	5	14	20	26	28	28
50-64	8	14.1	66	4	5	13	15	27	32	32
65+	10	15.4	62	4	5	15	19	26	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	4.7	9	2	2	4	6	8	11	16
B. *Operated*	25	7.5	37	2	2	5	10	18	20	24
2. MULTIPLE DX										
A. *Not Operated*	362	6.5	46	1	2	5	8	11	15	33
B. *Operated*	38	12.6	66	2	4	13	16	24	30	33
1. SINGLE DX	642	4.8	11	2	2	4	6	8	11	18
2. MULTIPLE DX	400	7.1	51	2	2	5	8	13	18	33
A. NOT OPERATED	979	5.3	24	2	2	4	6	9	12	20
B. OPERATED	63	10.6	60	2	2	9	15	20	27	33
TOTAL 0-19 YRS	396	4.5	8	1	2	4	6	8	10	15
20-34	306	5.2	13	2	2	4	6	9	12	18
35-49	150	6.2	67	1	2	4	7	13	19	49
50-64	113	7.3	24	2	3	6	9	13	16	27
65+	77	10.0	84	2	3	7	13	19	23	57
GRAND TOTAL	**1042**	**5.7**	**27**	**2**	**2**	**4**	**7**	**10**	**14**	**24**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	360	5.1	11	1	2	4	7	9	11	16
20-34	645	4.8	9	<1	2	4	6	8	10	15
35-49	111	4.9	17	1	1	4	6	10	12	22
50-64	46	5.1	25	<1	<1	3	7	13	18	20
65+	36	4.1	25	<1	1	3	5	7	14	27
B. *Operated*										
0-19 YRS	83	3.8	14	<1	1	2	4	8	11	22
20-34	267	2.8	9	<1	<1	2	3	5	8	14
35-49	76	3.1	7	<1	<1	2	3	8	9	12
50-64	42	4.6	16	1	2	3	6	11	14	18
65+	16	3.9	6	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	6.1	19	2	2	5	7	11	14	22
20-34	470	5.7	11	2	3	5	7	10	12	18
35-49	110	7.2	31	1	2	6	9	15	19	27
50-64	90	9.9	90	1	1	8	12	21	28	50
65+	129	9.3	50	2	2	8	13	18	25	37
B. *Operated*										
0-19 YRS	72	6.0	20	1	2	5	7	12	15	23
20-34	190	6.9	84	1	1	5	8	12	20	55
35-49	88	6.6	41	1	1	4	9	15	23	28
50-64	54	11.5	245	1	2	6	13	27	31	90
65+	48	14.8	143	1	2	13	22	27	43	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1198	4.9	11	1	2	4	6	9	11	18
B. *Operated*	484	3.2	10	<1	<1	2	4	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	1049	6.8	29	2	2	5	8	13	16	28
B. *Operated*	452	8.1	98	1	2	5	10	18	26	53
1. SINGLE DX	1682	4.4	12	<1	1	4	6	8	11	18
2. MULTIPLE DX	1501	7.2	50	1	2	5	9	14	19	35
A. NOT OPERATED	2247	5.8	20	1	2	5	7	11	14	25
B. OPERATED	936	5.6	58	<1	1	3	7	12	19	43
TOTAL 0-19 YRS	765	5.4	15	1	2	4	7	10	12	20
20-34	1572	5.0	20	<1	1	4	6	9	11	20
35-49	385	5.6	27	1	1	4	7	11	16	26
50-64	232	8.4	107	1	1	5	11	18	26	53
65+	229	9.3	74	1	2	7	13	22	26	44
GRAND TOTAL	**3183**	**5.7**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	4.2	13	<1	<1	3	6	9	12	16
20-34	111	4.0	17	<1	<1	2	5	9	12	20
35-49	74	5.2	48	<1	1	3	6	10	17	44
50-64	46	5.5	81	<1	<1	3	7	11	11	61
65+	54	6.2	22	2	2	4	8	13	17	20
B. *Operated*										
0-19 YRS	33	6.2	85	<1	1	3	7	12	17	52
20-34	74	7.7	97	1	2	5	9	15	20	65
35-49	99	6.5	21	1	2	6	9	13	15	63
50-64	116	7.3	53	1	1	6	10	13	17	46
65+	89	8.9	81	1	2	7	11	17	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	5.3	39	1	1	4	6	9	13	32
20-34	163	8.1	93	1	2	5	8	16	24	59
35-49	151	9.0	128	1	2	6	9	16	35	58
50-64	235	8.4	110	<1	<1	6	10	20	24	68
65+	321	12.0	153	2	3	9	14	22	31	66
B. *Operated*										
0-19 YRS	38	12.6	88	<1	1	11	19	32	67	99+
20-34	79	11.9	139	1	2	10	16	32	76	99+
35-49	140	15.7	292	1	2	9	21	44	59	99+
50-64	223	14.3	269	2	3	9	16	37	62	99+
65+	186	17.1	409	2	3	9	21	44	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	4.7	29	<1	<1	3	6	11	13	20
B. *Operated*	411	7.4	62	1	2	6	10	15	19	48
2. MULTIPLE DX										
A. *Not Operated*	1143	8.7	111	1	2	6	10	17	25	61
B. *Operated*	666	15.0	289	2	2	9	19	41	65	99+
1. SINGLE DX	839	6.0	47	<1	<1	4	8	13	17	45
2. MULTIPLE DX	1809	11.0	185	1	2	7	13	24	43	96
A. NOT OPERATED	1571	7.6	92	<1	1	5	9	15	22	59
B. OPERATED	1077	12.1	215	1	2	8	14	28	52	99+
TOTAL 0-19 YRS	487	5.6	43	<1	1	4	7	11	17	45
20-34	427	7.7	89	<1	<1	5	9	17	23	82
35-49	464	9.9	158	1	1	6	11	22	39	80
50-64	620	10.1	164	<1	1	7	12	21	38	88
65+	650	12.5	216	2	2	8	15	25	44	95
GRAND TOTAL	**2648**	**9.4**	**147**	**<1**	**1**	**6**	**11**	**20**	**32**	**86**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.8	14	<1	<1	2	5	8	14	17
20-34	29	4.2	11	<1	<1	4	5	9	12	15
35-49	14	5.9	19	<1	1	5	9	12	16	17
50-64	9	5.0	31	1	1	4	5	14	19	19
65+	7	6.7	86	<1	<1	3	7	23	27	27
B. *Operated*										
0-19 YRS	42	4.5	14	1	2	4	5	7	9	25
20-34	23	6.2	31	<1	<1	5	8	14	20	21
35-49	14	7.1	19	<1	2	6	10	12	16	17
50-64	3	7.0	3	6	6	6	8	9	9	9
65+	5	7.0	41	3	3	4	10	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.4	11	1	2	4	5	7	11	17
20-34	38	6.4	23	2	2	5	8	12	16	25
35-49	32	7.4	24	2	3	5	10	15	18	19
50-64	20	9.9	100	1	2	6	13	21	34	43
65+	22	9.0	34	3	4	7	10	18	22	25
B. *Operated*										
0-19 YRS	36	4.7	5	2	2	4	6	8	9	10
20-34	51	10.9	168	1	3	7	15	23	33	99+
35-49	32	11.9	103	1	1	9	19	26	34	37
50-64	14	12.7	74	5	5	10	17	27	32	33
65+	17	14.1	169	2	3	11	15	25	46	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	4.5	19	<1	1	3	5	10	15	22
B. *Operated*	87	5.6	21	<1	1	4	6	11	17	24
2. MULTIPLE DX										
A. *Not Operated*	186	6.5	31	2	2	5	8	15	17	25
B. *Operated*	150	10.2	114	1	2	7	13	23	32	84
1. SINGLE DX	201	5.0	20	<1	1	4	6	10	15	23
2. MULTIPLE DX	336	8.1	71	2	2	5	10	17	25	45
A. NOT OPERATED	300	5.7	27	1	1	4	7	12	17	25
B. OPERATED	237	8.5	84	1	2	6	10	20	25	61
TOTAL 0-19 YRS	207	4.3	11	1	1	4	5	7	11	17
20-34	141	7.5	80	<1	1	5	9	16	22	85
35-49	92	8.7	55	1	2	7	10	18	24	36
50-64	46	9.6	77	1	2	6	13	20	27	43
65+	51	10.2	90	2	3	8	13	22	25	58
GRAND TOTAL	**537**	**6.9**	**54**	**1**	**2**	**5**	**8**	**16**	**21**	**35**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.9	8	<1	1	3	5	7	9	15
20-34	185	3.9	12	<1	<1	3	5	8	10	16
35-49	113	5.2	14	1	1	4	7	10	13	17
50-64	32	5.8	42	1	2	4	5	11	14	37
65+	14	6.3	7	3	3	6	8	10	12	12
B. *Operated*										
0-19 YRS	39	6.2	62	<1	1	2	9	17	19	41
20-34	474	5.7	31	1	2	4	7	12	16	28
35-49	269	5.8	27	1	1	5	8	12	14	30
50-64	114	5.9	26	1	2	4	8	14	16	25
65+	32	6.3	57	2	2	3	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	6.4	21	1	2	6	9	11	16	22
20-34	410	6.9	49	1	2	5	8	13	18	34
35-49	350	8.7	50	2	3	7	11	17	22	35
50-64	227	10.0	69	2	3	8	12	18	24	50
65+	197	10.2	54	3	4	8	13	20	24	36
B. *Operated*										
0-19 YRS	48	9.0	52	1	2	8	13	15	19	43
20-34	682	9.0	81	2	2	6	11	17	24	52
35-49	466	9.9	82	2	2	8	13	21	26	46
50-64	268	11.4	93	2	2	9	16	22	27	72
65+	112	15.4	126	3	3	14	21	31	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	4.5	14	<1	<1	4	6	9	11	17
B. *Operated*	928	5.8	31	1	2	4	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*	1418	8.2	51	2	2	6	10	16	21	35
B. *Operated*	1576	10.1	88	2	2	8	14	21	26	53
1. SINGLE DX	1376	5.4	26	<1	1	4	7	11	14	28
2. MULTIPLE DX	2994	9.2	71	2	2	7	12	19	24	46
A. NOT OPERATED	1866	7.3	44	1	2	6	9	14	19	34
B. OPERATED	2504	8.5	71	1	2	6	11	18	23	46
TOTAL 0-19 YRS	425	6.1	27	1	2	4	8	12	16	22
20-34	1751	7.1	56	1	2	5	9	14	19	41
35-49	1198	8.2	57	1	2	6	10	16	22	39
50-64	641	9.7	74	2	2	7	13	19	24	54
65+	355	11.4	84	2	3	9	15	23	29	51
GRAND TOTAL	**4370**	**8.0**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**42**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	13	1	1	3	6	10	10	10
20-34	3	4.7	21	2	2	2	8	10	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	4	5.0	10	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	4	3.0	8	1	1	2	5	7	7	7
20-34	3	18.7	444	6	6	7	34	43	43	43
35-49	5	6.8	10	4	4	6	9	11	11	11
50-64	3	12.0	169	4	4	5	21	27	27	27
65+	5	7.4	58	2	2	4	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	32	1	1	3	6	15	16	16
20-34	7	5.0	3	3	3	5	6	8	8	8
35-49	15	7.4	26	3	3	6	9	12	20	23
50-64	33	7.8	31	2	2	5	10	18	20	22
65+	40	12.2	266	2	3	8	11	33	41	92
B. *Operated*										
0-19 YRS	6	5.2	15	1	1	5	9	10	10	10
20-34	16	9.8	67	2	3	8	13	32	77	99+
35-49	16	7.8	107	2	2	4	9	14	35	44
50-64	26	12.5	270	2	2	8	13	50	77	99+
65+	14	12.0	133	2	2	9	16	47	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.9	9	1	1	4	7	10	10	10
B. *Operated*	20	8.8	106	1	1	5	9	23	35	43
2. MULTIPLE DX										
A. *Not Operated*	101	9.1	126	2	3	6	10	17	27	68
B. *Operated*	78	10.3	151	2	2	8	13	27	64	99+
1. SINGLE DX	36	7.0	65	1	1	5	8	11	25	43
2. MULTIPLE DX	179	9.6	136	2	2	7	10	20	39	99+
A. NOT OPERATED	117	8.5	112	2	2	6	10	16	23	61
B. OPERATED	98	10.0	141	2	2	7	11	24	51	99+
TOTAL 0-19 YRS	21	4.4	16	1	1	3	6	10	13	16
20-34	29	9.0	86	2	3	6	10	28	43	99+
35-49	37	7.4	56	2	3	5	9	12	20	44
50-64	65	9.8	132	2	2	7	11	21	33	96
65+	63	11.3	204	2	2	8	14	32	46	99
GRAND TOTAL	**215**	**9.2**	**125**	**2**	**2**	**6**	**10**	**19**	**35**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	5	1	1	1	5	6	6	6
20-34	20	4.8	12	1	1	4	6	10	13	14
35-49	63	5.8	27	<1	1	4	7	14	16	25
50-64	230	6.5	64	1	1	5	8	13	17	34
65+	243	6.6	72	1	1	5	7	13	18	59
B. *Operated*										
0-19 YRS	33	5.6	14	2	2	4	8	11	13	16
20-34	96	5.2	18	1	2	4	7	9	15	23
35-49	326	6.6	55	1	2	4	9	14	21	47
50-64	1057	7.6	94	1	1	4	9	18	26	55
65+	1195	6.9	76	1	2	4	8	16	23	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	24	<1	1	5	10	12	18	19
20-34	30	8.3	82	1	2	5	8	24	29	38
35-49	152	8.4	96	1	2	6	9	19	28	51
50-64	630	8.6	92	1	2	6	10	18	27	47
65+	726	9.6	104	1	2	6	12	21	30	53
B. *Operated*										
0-19 YRS	13	8.5	120	1	1	3	11	22	37	40
20-34	67	12.5	217	1	2	7	17	28	48	70
35-49	391	14.8	232	2	2	10	21	35	49	77
50-64	1564	15.1	269	2	2	10	20	37	51	95
65+	1959	13.5	210	2	2	9	17	32	46	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	6.4	61	1	1	5	7	12	17	39
B. *Operated*	2707	7.1	78	1	2	4	9	16	23	48
2. MULTIPLE DX										
A. *Not Operated*	1551	9.0	97	1	2	6	11	20	29	51
B. *Operated*	3994	14.2	236	2	2	9	18	34	49	90
1. SINGLE DX	3270	6.9	75	1	1	4	8	15	22	47
2. MULTIPLE DX	5545	12.8	203	2	2	8	16	30	44	85
A. NOT OPERATED	2114	8.3	89	1	1	6	10	18	27	50
B. OPERATED	6701	11.3	184	1	2	7	14	27	41	81
TOTAL 0-19 YRS	66	6.1	37	1	1	4	8	12	17	37
20-34	213	7.9	99	1	2	5	8	18	26	56
35-49	932	10.3	149	1	2	6	13	25	38	61
50-64	3481	11.1	184	1	2	6	14	27	39	82
65+	4123	10.5	153	1	2	6	13	24	36	71
GRAND TOTAL	**8815**	**10.6**	**163**	**1**	**2**	**6**	**13**	**25**	**37**	**75**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	19	6.9	14	2	2	7	8	12	15	17
50-64	102	7.5	45	1	2	5	11	17	20	33
65+	138	8.8	102	1	2	6	11	17	30	57
B. *Operated*										
0-19 YRS										
20-34	2	9.5	25	6	6	9	13	13	13	13
35-49	44	13.8	137	1	3	12	20	25	30	68
50-64	245	14.3	168	1	2	11	20	30	37	73
65+	308	12.9	168	2	2	9	18	30	39	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.8	4	2	2	5	6	7	7	7
35-49	46	9.6	50	2	2	8	14	22	26	28
50-64	317	9.4	79	1	2	7	12	20	28	44
65+	482	10.6	123	2	3	7	12	25	33	53
B. *Operated*										
0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	7	18.4	371	2	2	17	24	51	57	57
35-49	99	23.4	354	3	4	19	32	57	71	99+
50-64	659	19.8	269	3	4	16	25	43	60	95
65+	864	20.0	286	3	4	15	27	44	59	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	8.2	73	1	2	6	11	17	21	46
B. *Operated*	599	13.5	165	1	2	10	19	29	38	68
2. MULTIPLE DX										
A. *Not Operated*	849	10.1	102	2	2	7	12	23	30	48
B. *Operated*	1631	20.1	283	3	4	16	27	44	60	99
1. SINGLE DX	860	11.9	143	1	2	8	16	26	35	62
2. MULTIPLE DX	2480	16.7	244	2	3	12	23	39	53	84
A. NOT OPERATED	1110	9.6	96	1	2	7	12	21	29	47
B. OPERATED	2230	18.3	260	2	3	14	25	41	57	94
TOTAL 0-19 YRS	2	11.0	50	6	6	11	16	16	16	16
20-34	15	12.1	204	2	2	6	16	25	49	57
35-49	208	16.8	251	2	3	12	24	42	58	87
50-64	1323	15.3	210	2	2	11	21	34	46	77
65+	1792	15.4	228	2	3	10	21	35	48	84
GRAND TOTAL	**3340**	**15.4**	**222**	**2**	**3**	**11**	**21**	**35**	**48**	**80**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	6.3	48	1	1	4	6	19	20	20
35-49	33	10.0	217	1	2	5	9	24	38	79
50-64	89	6.8	62	1	1	5	9	14	20	45
65+	195	8.5	67	1	2	6	11	17	25	45
B. *Operated*										
0-19 YRS	4	10.8	99	2	2	8	17	25	25	25
20-34	12	14.4	37	4	7	14	16	24	26	26
35-49	86	15.3	136	2	5	13	21	28	37	91
50-64	256	16.3	132	2	5	14	20	30	34	58
65+	514	17.3	121	3	5	15	22	30	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	6.2	18	1	2	5	7	14	16	17
35-49	101	7.5	48	1	1	5	10	17	26	29
50-64	431	8.0	64	1	2	5	10	18	24	42
65+	998	10.3	113	2	2	7	13	20	31	61
B. *Operated*										
0-19 YRS	5	19.4	67	9	9	21	27	27	27	27
20-34	49	16.2	139	3	4	14	20	30	39	64
35-49	242	18.3	161	3	6	15	22	34	43	67
50-64	998	19.7	198	4	7	16	25	36	47	76
65+	2319	21.4	198	5	8	18	27	39	49	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	8.1	81	1	1	5	10	17	25	46
B. *Operated*	872	16.7	125	2	5	15	21	30	36	58
2. MULTIPLE DX										
A. *Not Operated*	1553	9.4	95	1	2	6	12	19	29	52
B. *Operated*	3613	20.6	196	5	7	17	26	38	47	81
1. SINGLE DX	1195	14.4	127	2	3	12	19	28	34	57
2. MULTIPLE DX	5166	17.3	192	2	4	14	23	34	44	75
A. NOT OPERATED	1876	9.2	93	1	2	6	11	19	28	50
B. OPERATED	4485	19.9	184	4	7	17	25	36	46	77
TOTAL 0-19 YRS	9	15.6	91	2	4	13	25	27	27	27
20-34	90	12.7	107	2	3	11	16	26	31	55
35-49	462	14.8	155	2	3	12	20	29	40	70
50-64	1774	15.7	176	2	3	13	21	31	40	69
65+	4026	17.5	187	3	4	15	23	34	44	75
GRAND TOTAL	**6361**	**16.7**	**181**	**2**	**3**	**14**	**22**	**33**	**42**	**73**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	9.0	77	1	1	7	15	22	24	24
50-64	6	4.2	11	1	1	4	5	9	10	10
65+	6	8.2	13	2	3	8	10	13	13	13
B. *Operated*										
0-19 YRS	2	18.0	50	13	13	18	23	23	23	23
20-34	6	10.8	33	7	7	9	11	21	22	22
35-49	9	13.0	51	4	6	10	17	25	25	25
50-64	34	14.8	42	6	8	13	17	27	29	30
65+	40	19.8	88	8	9	18	23	34	39	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	9.3	47	3	3	8	15	17	17	17
35-49	17	5.8	55	<1	1	3	7	13	25	31
50-64	51	9.2	82	1	3	6	10	21	30	48
65+	76	11.0	189	2	3	7	11	22	38	76
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	11	18.3	107	9	10	15	21	36	42	43
35-49	67	19.1	151	7	8	16	23	36	48	61
50-64	167	20.3	179	8	8	17	25	43	54	94
65+	310	24.0	285	8	9	19	29	47	56	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.2	37	1	1	7	10	15	20	24
B. *Operated*	91	16.6	70	7	8	15	22	28	34	43
2. MULTIPLE DX										
A. *Not Operated*	148	9.8	134	1	2	6	11	20	31	70
B. *Operated*	556	22.2	236	8	9	17	27	44	55	86
1. SINGLE DX	110	15.0	76	2	6	13	20	26	31	42
2. MULTIPLE DX	704	19.6	240	4	5	16	25	40	52	83
A. NOT OPERATED	167	9.5	123	1	2	6	10	17	30	67
B. OPERATED	647	21.4	216	8	9	17	26	41	52	84
TOTAL 0-19 YRS	3	21.0	52	13	13	23	26	27	27	27
20-34	21	14.4	86	4	6	13	16	26	36	43
35-49	100	15.6	146	1	2	13	20	29	41	60
50-64	258	17.0	161	4	5	14	22	33	49	69
65+	432	21.1	271	4	6	17	26	42	54	84
GRAND TOTAL	**814**	**19.0**	**220**	**3**	**5**	**15**	**24**	**39**	**51**	**82**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.9	12	2	2	4	5	10	14	14
35-49	40	7.4	64	1	1	5	9	17	22	43
50-64	189	6.2	68	1	1	4	7	13	16	54
65+	354	7.1	47	1	2	5	8	14	21	38
B. *Operated*										
0-19 YRS	8	10.5	121	2	2	7	13	29	35	35
20-34	56	11.7	45	3	4	10	15	20	22	43
35-49	310	12.1	30	3	7	11	14	18	22	31
50-64	1372	12.6	37	3	7	12	15	19	23	34
65+	2715	14.9	62	3	8	13	18	24	28	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.0	33	1	1	7	14	15	15	15
20-34	55	8.2	80	1	2	5	10	15	21	55
35-49	237	8.5	69	2	2	6	10	17	26	41
50-64	1115	8.3	63	1	2	6	10	18	23	43
65+	2952	9.7	86	2	3	7	12	20	27	53
B. *Operated*										
0-19 YRS	11	19.3	176	6	9	17	25	68	95	99+
20-34	155	15.1	87	5	6	13	18	27	35	51
35-49	832	15.5	87	5	8	13	18	26	34	51
50-64	4352	16.7	98	6	8	15	20	27	35	56
65+	12761	20.4	150	8	10	17	25	35	45	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	6.8	54	1	2	5	8	14	20	44
B. *Operated*	4461	13.9	53	3	7	13	17	22	27	40
2. MULTIPLE DX										
A. *Not Operated*	4365	9.3	80	2	2	6	11	20	26	48
B. *Operated*	18111	19.3	137	7	9	16	23	33	42	71
1. SINGLE DX	5053	13.1	59	2	4	12	16	22	26	41
2. MULTIPLE DX	22476	17.3	142	3	5	15	22	31	40	67
A. NOT OPERATED	4957	9.0	77	2	2	6	11	19	26	47
B. OPERATED	22572	18.2	125	7	9	16	22	31	40	66
TOTAL 0-19 YRS	25	13.8	141	2	2	12	18	35	63	99+
20-34	275	12.7	83	3	4	11	16	22	31	49
35-49	1419	13.4	79	3	4	12	16	23	30	47
50-64	7028	14.3	92	3	4	12	18	25	31	52
65+	18782	17.7	144	3	5	15	22	32	41	69
GRAND TOTAL	**27529**	**16.5**	**129**	**3**	**5**	**14**	**21**	**30**	**38**	**63**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	5.3	27	<1	<1	4	6	14	17	17
35-49	39	5.3	16	1	1	4	7	9	12	21
50-64	154	6.8	49	1	1	5	7	18	22	34
65+	331	8.2	89	1	2	5	10	18	24	47
B. *Operated*										
0-19 YRS	4	11.0	23	4	4	13	14	14	14	14
20-34	47	10.8	46	2	3	10	16	21	22	25
35-49	279	12.7	48	2	3	12	16	22	25	37
50-64	1179	13.6	65	2	4	13	17	22	27	44
65+	2039	14.9	95	2	3	14	19	26	31	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	10	2	2	6	7	11	11	11
20-34	42	8.5	92	<1	1	6	10	17	32	45
35-49	133	7.6	50	1	2	5	10	16	20	37
50-64	697	8.3	60	1	2	6	11	18	22	44
65+	1621	10.7	119	2	2	7	13	23	32	57
B. *Operated*										
0-19 YRS	5	16.2	200	3	3	11	27	37	37	37
20-34	70	16.4	117	3	5	13	20	35	39	48
35-49	446	16.6	111	4	6	14	20	28	35	56
50-64	2699	17.7	126	4	6	16	22	31	39	61
65+	5964	20.4	171	4	7	18	26	36	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	7.5	72	1	2	5	9	17	23	42
B. *Operated*	3548	14.3	81	2	3	13	18	24	29	45
2. MULTIPLE DX										
A. *Not Operated*	2499	9.8	99	1	2	6	12	21	28	54
B. *Operated*	9184	19.4	156	4	7	17	24	35	44	71
1. SINGLE DX	4081	13.4	85	2	3	13	18	24	28	45
2. MULTIPLE DX	11683	17.3	159	3	4	15	23	33	42	68
A. NOT OPERATED	3032	9.4	95	1	2	6	12	20	27	52
B. OPERATED	12732	18.0	141	3	5	16	23	32	40	67
TOTAL 0-19 YRS	16	10.3	84	2	3	7	13	23	33	37
20-34	167	12.3	99	2	2	10	16	24	36	46
35-49	897	13.6	91	2	3	12	18	24	30	54
50-64	4729	14.9	111	2	4	13	19	27	35	55
65+	9955	17.3	161	3	4	15	23	32	41	69
GRAND TOTAL	**15764**	**16.3**	**143**	**2**	**4**	**14**	**21**	**31**	**39**	**64**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	12	<1	<1	3	6	10	11	11
20-34	15	7.1	21	2	2	6	9	16	17	17
35-49	33	5.2	53	<1	<1	2	7	13	18	36
50-64	81	7.3	52	1	1	5	10	16	22	37
65+	171	7.7	44	1	2	6	10	15	22	36
B. *Operated*										
0-19 YRS	19	8.0	25	2	2	7	11	15	17	18
20-34	25	12.3	98	2	3	10	14	26	35	42
35-49	74	12.5	57	2	2	13	16	22	28	37
50-64	203	14.7	122	2	5	12	18	29	35	62
65+	309	15.3	130	2	3	13	22	30	37	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.0	9	1	1	3	6	8	11	11
20-34	42	6.5	28	1	2	5	7	11	19	28
35-49	102	7.7	39	1	2	6	10	17	19	32
50-64	376	9.2	68	1	2	7	12	18	25	41
65+	716	10.6	93	2	2	8	14	21	29	48
B. *Operated*										
0-19 YRS	20	18.4	424	3	5	11	20	35	67	96
20-34	51	13.8	94	2	4	10	19	31	34	38
35-49	160	19.5	187	5	7	15	24	40	52	63
50-64	679	20.1	181	6	7	17	25	39	49	70
65+	1472	21.2	184	5	8	18	27	39	50	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	7.2	45	1	1	5	9	15	20	37
B. *Operated*	630	14.5	116	2	3	12	19	29	34	58
2. MULTIPLE DX										
A. *Not Operated*	1259	9.7	79	1	2	7	13	19	27	46
B. *Operated*	2382	20.6	185	5	7	17	26	39	49	74
1. SINGLE DX	941	12.1	104	1	2	9	16	26	31	51
2. MULTIPLE DX	3641	16.8	175	2	4	14	22	34	44	67
A. NOT OPERATED	1570	9.2	73	1	2	7	12	19	26	44
B. OPERATED	3012	19.3	176	4	6	16	25	36	47	69
TOTAL 0-19 YRS	73	9.0	159	1	1	6	11	18	26	83
20-34	133	10.5	76	2	3	7	13	23	32	39
35-49	369	13.5	138	1	2	11	17	28	38	58
50-64	1339	15.5	158	2	3	12	20	31	40	62
65+	2668	16.8	171	2	4	14	22	33	43	68
GRAND TOTAL	**4582**	**15.8**	**164**	**2**	**3**	**13**	**21**	**32**	**42**	**65**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.5	33	3	3	12	15	15	15	15
35-49	34	6.9	35	3	3	5	8	11	12	37
50-64	120	7.5	40	1	1	6	9	15	18	31
65+	212	9.2	97	1	2	6	11	19	29	56
B. *Operated*										
0-19 YRS										
20-34	7	11.7	70	2	2	11	19	22	22	22
35-49	48	17.3	240	2	3	15	23	32	45	92
50-64	185	17.1	107	4	6	15	22	30	38	56
65+	337	18.4	137	4	6	17	23	32	39	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	21	7.1	37	1	1	5	9	17	21	24
35-49	128	9.6	156	1	2	6	11	17	35	62
50-64	634	9.1	64	1	2	7	11	19	25	38
65+	1264	10.6	91	2	3	8	13	22	30	47
B. *Operated*										
0-19 YRS	3	14.3	136	4	4	12	23	27	27	27
20-34	32	19.3	148	3	7	16	27	33	47	50
35-49	171	19.8	167	5	7	17	25	38	46	62
50-64	1104	21.3	216	5	7	18	27	40	52	81
65+	2115	22.3	182	6	9	19	28	39	49	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	8.5	73	1	2	6	10	18	25	48
B. *Operated*	577	17.8	135	3	5	16	22	32	38	60
2. MULTIPLE DX										
A. *Not Operated*	2050	10.0	87	2	2	7	12	21	28	46
B. *Operated*	3425	21.9	192	6	8	19	28	39	50	76
1. SINGLE DX	947	14.2	131	2	3	12	19	27	35	54
2. MULTIPLE DX	5475	17.4	185	3	4	14	23	35	44	70
A. NOT OPERATED	2420	9.8	85	2	2	7	12	20	28	47
B. OPERATED	4002	21.3	186	5	8	18	27	38	48	76
TOTAL 0-19 YRS	6	9.2	88	2	2	5	12	25	27	27
20-34	64	14.0	124	2	2	11	19	31	33	50
35-49	381	14.9	187	2	3	11	19	33	43	62
50-64	2043	16.3	183	2	3	13	22	33	41	74
65+	3928	17.5	176	3	4	15	23	34	43	67
GRAND TOTAL	**6422**	**16.9**	**179**	**2**	**4**	**14**	**23**	**34**	**43**	**68**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	22	4.9	12	1	1	4	7	10	13	14
35-49	335	6.6	92	1	1	4	8	13	22	58
50-64	1355	6.6	58	1	1	4	8	15	20	40
65+	1558	7.7	70	1	1	5	10	17	24	41
B. *Operated*										
0-19 YRS	5	15.2	51	5	5	15	19	25	25	25
20-34	47	11.3	48	2	4	10	17	21	25	31
35-49	698	11.4	62	2	3	10	15	22	26	36
50-64	2994	11.5	71	2	2	10	15	22	26	40
65+	3472	11.7	89	2	2	10	16	23	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	26	1	1	5	7	13	19	19
20-34	57	7.9	50	1	1	6	11	16	23	32
35-49	1376	8.1	70	1	1	6	10	18	24	43
50-64	6886	9.1	80	1	2	6	12	20	26	44
65+	8863	10.4	91	2	2	8	13	22	29	47
B. *Operated*										
0-19 YRS	17	14.1	42	6	8	13	15	20	29	34
20-34	113	14.7	114	3	3	13	19	30	38	49
35-49	1634	14.5	124	3	4	12	18	28	35	59
50-64	9328	15.3	130	3	4	13	20	29	37	60
65+	11876	16.3	153	3	4	13	21	32	40	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3271	7.1	67	1	1	4	9	16	22	42
B. *Operated*	7216	11.6	79	2	2	10	16	22	27	43
2. MULTIPLE DX										
A. *Not Operated*	17192	9.7	85	1	2	7	13	21	28	46
B. *Operated*	22968	15.7	142	3	4	13	20	30	39	63
1. SINGLE DX	10487	10.2	79	1	2	8	14	21	26	43
2. MULTIPLE DX	40160	13.1	127	2	3	10	17	27	35	58
A. NOT OPERATED	20463	9.3	83	1	2	7	12	20	27	45
B. OPERATED	30184	14.8	130	2	4	12	19	28	37	60
TOTAL 0-19 YRS	33	11.7	50	2	4	12	15	20	24	34
20-34	239	11.5	88	1	2	9	16	24	32	45
35-49	4043	11.1	102	1	2	9	15	23	30	51
50-64	20563	12.1	110	2	2	10	16	25	32	53
65+	25769	13.1	127	2	3	10	17	27	35	58
GRAND TOTAL	**50647**	**12.5**	**118**	**2**	**2**	**10**	**17**	**26**	**33**	**55**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	3	2	2	5	6	6	6	6
20-34	16	4.9	8	1	2	5	6	7	12	14
35-49	35	5.7	103	1	1	2	5	9	21	58
50-64	132	5.5	39	1	1	4	7	10	15	38
65+	118	7.6	103	1	1	4	9	18	29	55
B. *Operated*										
0-19 YRS	20	14.8	149	<1	1	14	17	31	42	52
20-34	54	8.6	106	1	1	6	12	20	25	63
35-49	255	8.8	87	1	1	5	13	21	26	38
50-64	1098	7.7	76	1	1	3	12	19	23	42
65+	1018	7.3	83	1	1	3	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.2	88	1	1	4	7	21	32	35
20-34	31	5.5	9	1	2	5	8	10	11	12
35-49	94	6.9	52	1	1	5	9	16	20	36
50-64	329	8.3	84	1	2	5	10	17	27	43
65+	406	10.0	160	1	2	6	12	22	39	78
B. *Operated*										
0-19 YRS	14	10.4	58	2	4	8	13	19	29	32
20-34	46	12.0	68	3	4	10	15	25	30	43
35-49	217	14.3	178	2	2	12	19	30	41	70
50-64	1171	14.6	196	1	2	12	20	32	42	79
65+	1325	15.3	228	1	2	12	21	34	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	6.3	69	1	1	3	7	13	21	49
B. *Operated*	2445	7.7	82	1	1	3	12	19	24	43
2. MULTIPLE DX										
A. *Not Operated*	873	8.8	115	1	2	5	10	18	32	66
B. *Operated*	2773	14.9	207	2	2	12	20	32	45	80
1. SINGLE DX	2754	7.6	81	1	1	3	12	19	24	44
2. MULTIPLE DX	3646	13.4	192	1	2	10	18	30	42	77
A. NOT OPERATED	1182	8.1	104	1	1	5	9	17	28	60
B. OPERATED	5218	11.5	161	1	1	8	16	27	37	66
TOTAL 0-19 YRS	55	10.4	102	1	2	7	15	18	33	51
20-34	147	8.6	69	1	1	6	11	16	25	44
35-49	601	10.3	125	1	1	7	15	23	31	56
50-64	2730	10.6	139	1	1	7	15	24	33	61
65+	2867	11.4	176	1	2	7	16	27	39	72
GRAND TOTAL	**6400**	**10.9**	**152**	**1**	**1**	**7**	**15**	**25**	**35**	**65**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	160	3.0	8	<1	<1	2	4	5	7	18
20-34	48	6.5	76	<1	1	4	6	8	32	43
35-49	28	5.2	19	1	1	3	8	13	13	15
50-64	70	7.6	79	1	2	4	8	21	25	48
65+	89	8.4	65	<1	1	6	11	21	26	77
B. *Operated*										
0-19 YRS	197	7.6	52	1	2	6	10	16	21	40
20-34	220	8.2	56	1	2	5	10	18	21	37
35-49	196	8.2	78	1	1	5	10	18	25	48
50-64	329	9.0	77	1	2	6	12	22	28	35
65+	392	9.4	75	1	2	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	4.2	22	<1	1	3	5	8	14	27
20-34	121	6.5	46	1	1	4	8	14	18	34
35-49	84	7.5	68	1	1	4	8	20	26	38
50-64	200	7.9	69	1	2	5	9	17	25	45
65+	318	10.2	134	1	2	6	14	24	38	99+
B. *Operated*										
0-19 YRS	91	9.9	82	1	2	7	12	22	28	49
20-34	127	14.1	206	2	2	10	19	35	53	99+
35-49	137	12.6	170	1	3	9	16	26	35	63
50-64	386	16.9	251	2	3	12	21	38	55	88
65+	643	16.0	201	2	3	12	21	37	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	5.6	47	<1	1	4	6	12	21	40
B. *Operated*	1334	8.7	70	1	2	6	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	897	7.8	84	1	1	5	9	18	26	57
B. *Operated*	1384	15.3	208	2	3	11	20	35	49	92
1. SINGLE DX	1729	8.0	66	1	1	5	10	18	24	42
2. MULTIPLE DX	2281	12.4	173	1	2	8	16	28	40	79
A. NOT OPERATED	1292	7.1	74	1	1	4	8	17	25	53
B. OPERATED	2718	12.1	151	1	2	8	16	26	38	70
TOTAL 0-19 YRS	622	5.8	43	<1	1	4	7	13	18	34
20-34	516	9.1	101	1	2	6	11	21	30	55
35-49	445	9.2	106	1	1	6	12	22	29	50
50-64	985	11.8	160	1	2	8	15	26	37	68
65+	1442	12.5	154	1	2	9	17	28	40	80
GRAND TOTAL	**4010**	**10.5**	**132**	**1**	**2**	**7**	**14**	**24**	**34**	**66**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	27	5.9	40	<1	1	4	7	13	17	31
35-49	48	4.3	16	1	1	4	5	8	9	25
50-64	73	5.0	14	1	1	4	7	10	12	18
65+	49	5.4	23	1	1	5	6	9	18	27
B. *Operated*										
0-19 YRS	24	4.5	13	<1	1	3	6	11	13	13
20-34	371	5.1	16	1	1	4	7	10	12	20
35-49	509	5.4	20	1	1	4	7	10	12	18
50-64	665	6.1	21	1	2	5	8	12	15	21
65+	551	6.9	44	1	2	5	9	14	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.0	57	1	1	9	16	17	17	17
20-34	66	5.8	39	<1	1	4	7	12	17	37
35-49	100	6.0	44	1	1	4	7	12	19	39
50-64	190	7.2	51	1	2	5	9	15	21	41
65+	227	9.7	108	1	2	7	11	22	32	51
B. *Operated*										
0-19 YRS	8	7.5	49	2	2	6	9	19	23	23
20-34	158	8.3	65	1	2	6	10	16	24	42
35-49	266	8.3	39	2	2	7	12	16	20	32
50-64	487	9.7	74	2	2	7	12	20	25	44
65+	619	11.5	120	2	2	8	15	25	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	5.0	20	1	1	4	6	10	13	26
B. *Operated*	2120	5.9	26	1	2	4	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	588	7.8	73	1	2	5	9	17	25	48
B. *Operated*	1538	10.0	87	2	2	8	13	21	28	46
1. SINGLE DX	2321	5.9	26	1	1	4	8	12	15	25
2. MULTIPLE DX	2126	9.4	84	1	2	7	12	20	27	46
A. NOT OPERATED	789	7.1	61	1	1	5	8	15	22	45
B. OPERATED	3658	7.7	56	1	2	6	10	16	21	37
TOTAL 0-19 YRS	41	5.5	26	<1	1	4	8	13	16	23
20-34	622	6.0	33	1	1	5	8	12	15	30
35-49	923	6.2	30	1	1	5	8	12	16	29
50-64	1415	7.4	46	1	2	6	10	15	20	35
65+	1446	9.3	90	1	2	6	12	20	28	48
GRAND TOTAL	**4447**	**7.6**	**57**	**1**	**2**	**5**	**9**	**15**	**22**	**40**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	85	<1	<1	7	14	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	2.1	1	1	1	2	3	4	4	4
50-64	14	4.2	6	<1	1	4	7	7	8	8
65+	55	6.5	73	1	1	4	8	13	28	42
B. *Operated*										
0-19 YRS	26	3.2	24	<1	<1	2	2	7	14	24
20-34	143	3.5	16	<1	<1	2	4	7	10	27
35-49	487	3.2	15	<1	<1	2	3	7	10	19
50-64	1194	2.8	8	<1	<1	2	3	6	8	14
65+	2513	3.7	22	<1	1	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	12	8.3	28	2	2	3	12	16	18	18
35-49	24	7.1	38	1	2	6	10	16	19	24
50-64	64	7.7	51	1	1	5	10	18	25	33
65+	216	10.1	172	1	1	6	11	25	34	71
B. *Operated*										
0-19 YRS	4	3.5	14	<1	<1	2	6	9	9	9
20-34	90	8.3	127	<1	1	4	11	21	26	58
35-49	337	5.0	77	<1	1	2	5	11	16	41
50-64	1100	5.4	63	<1	1	3	6	12	18	35
65+	3054	6.9	72	1	1	4	9	16	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	5.5	53	<1	1	3	7	11	17	41
B. *Operated*	4363	3.4	17	<1	<1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	320	9.2	132	1	1	6	11	21	31	57
B. *Operated*	4585	6.5	72	1	1	3	8	15	22	44
1. SINGLE DX	4446	3.4	18	<1	<1	2	4	7	11	20
2. MULTIPLE DX	4905	6.6	76	1	1	3	8	15	23	45
A. NOT OPERATED	403	8.5	118	1	1	5	10	18	31	54
B. OPERATED	8948	4.9	48	<1	1	3	5	11	17	35
TOTAL 0-19 YRS	36	3.3	22	<1	<1	2	2	9	13	24
20-34	246	5.5	63	<1	<1	3	6	13	20	54
35-49	859	4.0	41	<1	<1	2	4	9	13	27
50-64	2372	4.2	37	<1	<1	2	4	9	14	26
65+	5838	5.6	57	<1	1	3	6	13	19	38
GRAND TOTAL	**9351**	**5.1**	**51**	**<1**	**1**	**3**	**5**	**12**	**17**	**36**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	36	4.8	40	1	1	3	6	10	17	34
35-49	213	4.8	26	1	1	3	6	10	15	27
50-64	348	5.5	43	1	1	4	6	12	16	30
65+	284	7.1	71	1	1	4	8	16	25	51
B. *Operated*										
0-19 YRS	23	4.9	15	1	2	3	8	10	12	16
20-34	652	6.1	11	1	2	6	8	10	12	16
35-49	3217	6.6	13	1	2	6	8	11	12	17
50-64	5160	7.3	16	2	3	7	9	11	14	20
65+	5334	8.0	19	2	3	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	19	1	1	6	9	12	12	12
20-34	127	8.0	71	1	1	6	10	19	27	43
35-49	825	8.2	89	1	1	5	10	19	27	49
50-64	2071	9.3	93	1	1	6	12	21	30	47
65+	2608	11.6	127	2	2	8	15	26	35	67
B. *Operated*										
0-19 YRS	12	8.9	11	2	5	9	11	13	14	14
20-34	494	8.6	54	2	3	7	10	13	16	39
35-49	3144	9.0	45	2	3	8	10	15	20	36
50-64	6403	10.3	64	3	4	9	12	17	24	46
65+	9194	11.8	82	3	5	10	14	21	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	5.8	49	1	1	4	7	12	18	35
B. *Operated*	14386	7.4	16	2	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	5636	10.2	109	1	2	7	13	23	31	58
B. *Operated*	19247	10.8	70	3	4	9	12	19	25	49
1. SINGLE DX	15269	7.3	18	2	2	7	9	12	14	21
2. MULTIPLE DX	24883	10.6	79	2	3	9	12	19	27	51
A. NOT OPERATED	6519	9.6	103	1	2	6	12	22	30	55
B. OPERATED	33633	9.3	50	2	3	8	11	16	21	40
TOTAL 0-19 YRS	42	6.0	17	<1	1	5	9	12	13	16
20-34	1309	7.2	35	1	2	6	9	12	14	29
35-49	7399	7.7	37	1	2	7	9	13	17	32
50-64	13982	9.0	52	2	3	8	10	15	21	40
65+	17420	10.5	72	2	4	9	12	19	26	49
GRAND TOTAL	**40152**	**9.3**	**59**	**2**	**3**	**8**	**11**	**16**	**22**	**43**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	108	3.4	5	<1	1	3	4	5	7	14
35-49	246	4.2	10	1	2	4	4	7	9	17
50-64	323	4.1	12	1	2	3	4	6	10	24
65+	288	4.9	22	2	2	4	5	8	13	29
B. *Operated*										
0-19 YRS	7	4.7	8	1	1	5	7	8	8	8
20-34	544	5.3	19	1	1	4	7	11	13	20
35-49	656	6.2	28	1	2	5	8	12	16	27
50-64	530	6.1	38	1	2	4	8	12	16	31
65+	386	7.2	92	2	2	4	8	14	20	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	86	5.7	27	1	1	4	7	12	20	23
35-49	271	7.0	49	1	1	5	9	17	21	33
50-64	381	7.4	81	1	2	4	8	17	23	42
65+	409	8.2	109	1	2	4	9	18	28	59
B. *Operated*										
0-19 YRS	6	8.7	63	2	2	6	12	22	23	23
20-34	407	8.5	64	1	2	7	11	17	21	43
35-49	683	10.5	114	2	2	7	12	23	32	54
50-64	760	12.2	131	2	2	9	16	25	34	61
65+	723	12.4	159	2	2	9	15	25	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	4.3	14	1	2	4	4	7	11	23
B. *Operated*	2123	6.1	40	1	2	4	8	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	1147	7.5	80	1	2	4	9	17	22	46
B. *Operated*	2579	11.2	125	2	2	8	14	23	33	59
1. SINGLE DX	3088	5.5	32	1	2	4	7	11	15	29
2. MULTIPLE DX	3726	10.1	114	2	2	7	12	21	30	56
A. NOT OPERATED	2112	6.0	52	1	2	4	6	12	19	37
B. OPERATED	4702	8.9	93	1	2	6	11	18	26	52
TOTAL 0-19 YRS	13	6.5	34	1	2	6	7	14	21	23
20-34	1145	6.3	37	1	1	5	8	13	17	26
35-49	1856	7.7	66	1	2	5	9	16	22	45
50-64	1994	8.3	88	2	2	5	10	19	25	47
65+	1806	9.1	119	2	2	5	11	19	29	58
GRAND TOTAL	**6814**	**8.0**	**82**	**1**	**2**	**5**	**10**	**17**	**24**	**49**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.6	6	<1	1	4	5	8	10	10
35-49	43	3.6	2	2	2	3	4	5	6	9
50-64	282	3.7	5	1	1	4	4	5	6	12
65+	333	4.6	32	1	1	3	4	7	11	33
B. *Operated*										
0-19 YRS	4	3.8	8	1	1	3	6	7	7	7
20-34	53	6.5	13	<1	1	6	9	10	13	17
35-49	265	6.0	13	1	1	6	8	10	11	19
50-64	1516	6.3	15	1	1	7	8	11	13	18
65+	1609	7.0	30	1	2	7	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	12.1	612	<1	1	4	9	35	82	90
35-49	68	4.7	32	1	1	4	4	8	15	37
50-64	381	6.4	62	1	1	4	7	14	19	44
65+	711	8.6	99	1	1	5	10	22	31	58
B. *Operated*										
0-19 YRS	11	11.2	28	3	5	9	16	18	20	20
20-34	101	8.4	38	1	2	7	11	15	21	68
35-49	632	8.1	30	1	2	7	9	14	18	28
50-64	2765	9.0	53	1	2	8	11	16	21	39
65+	3416	10.9	94	2	2	9	13	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	668	4.1	18	1	1	3	4	6	9	23
B. *Operated*	3447	6.6	22	1	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	1173	7.7	90	1	1	4	9	17	28	49
B. *Operated*	6925	9.9	72	2	2	8	12	18	24	50
1. SINGLE DX	4115	6.2	22	1	2	6	8	11	14	22
2. MULTIPLE DX	8098	9.5	75	1	2	8	11	18	25	50
A. NOT OPERATED	1841	6.4	67	1	1	4	6	14	23	43
B. OPERATED	10372	8.8	58	1	2	8	11	16	21	42
TOTAL 0-19 YRS	17	8.4	35	1	2	8	12	17	19	20
20-34	175	7.9	67	<1	2	7	9	13	18	77
35-49	1008	7.1	27	1	2	7	9	12	16	26
50-64	4944	7.7	42	1	2	7	9	14	17	32
65+	6069	9.3	79	1	2	8	11	18	25	51
GRAND TOTAL	**12213**	**8.4**	**60**	**1**	**2**	**7**	**10**	**16**	**21**	**42**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.3	6	<1	1	5	6	7	9	10
20-34	64	2.3	2	<1	1	2	3	5	5	6
35-49	316	2.6	8	<1	1	2	2	5	8	17
50-64	709	2.8	19	1	1	2	2	5	7	20
65+	551	3.4	23	1	1	2	3	7	11	27
B. *Operated*										
0-19 YRS	35	7.7	13	4	4	7	8	11	16	21
20-34	124	8.5	70	4	5	7	9	12	15	37
35-49	185	9.8	27	3	5	9	12	16	21	28
50-64	420	10.6	34	3	6	9	12	18	22	35
65+	285	13.4	66	4	6	11	16	24	29	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	23	2	2	5	6	8	18	22
20-34	71	3.6	9	<1	1	2	5	7	9	16
35-49	440	4.1	36	<1	1	2	4	8	14	35
50-64	1586	4.4	41	1	1	2	4	9	15	32
65+	1501	7.2	76	1	1	4	9	17	24	46
B. *Operated*										
0-19 YRS	17	10.8	39	5	5	9	12	19	26	30
20-34	159	9.7	32	4	5	8	11	17	22	32
35-49	574	12.0	74	5	6	9	14	21	29	52
50-64	1553	15.2	112	5	7	12	19	28	35	60
65+	1602	19.2	157	7	8	16	24	36	46	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1661	3.0	18	1	1	2	3	5	9	22
B. *Operated*	1049	10.9	48	4	5	9	13	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	3614	5.5	56	1	1	3	6	13	20	39
B. *Operated*	3905	16.1	129	5	7	13	20	30	40	61
1. SINGLE DX	2710	6.0	44	1	1	3	9	14	18	31
2. MULTIPLE DX	7519	11.0	123	1	2	8	15	24	33	55
A. NOT OPERATED	5275	4.7	45	1	1	2	5	11	17	36
B. OPERATED	4954	15.0	117	5	6	12	18	28	37	59
TOTAL 0-19 YRS	89	7.1	23	2	2	6	8	12	17	27
20-34	418	7.2	44	1	1	6	9	13	16	31
35-49	1515	7.5	60	1	1	6	10	16	21	39
50-64	4268	8.7	91	1	1	6	12	20	27	48
65+	3939	12.0	141	1	2	9	17	27	36	57
GRAND TOTAL	**10229**	**9.7**	**107**	**1**	**1**	**7**	**13**	**22**	**30**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	1	1	2	3	5	5	5
20-34	16	5.0	13	1	1	5	7	9	12	14
35-49	10	6.0	20	1	1	5	9	12	14	14
50-64	42	4.5	19	1	1	3	5	10	13	24
65+	76	5.3	57	1	1	4	5	12	16	50
B. *Operated*										
0-19 YRS	8	5.0	19	<1	<1	4	7	12	14	14
20-34	20	6.1	35	<1	1	3	9	16	19	20
35-49	59	7.6	61	1	2	5	11	17	19	48
50-64	123	7.4	40	1	2	6	10	16	22	27
65+	253	8.4	72	2	2	5	11	17	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	13	4.3	20	1	1	3	4	9	16	18
35-49	17	4.8	34	2	2	3	4	6	20	27
50-64	87	6.8	44	1	1	5	9	14	20	35
65+	149	10.9	107	1	2	8	15	22	32	52
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	26	8.4	27	2	2	7	13	16	17	18
35-49	80	10.1	67	2	2	8	14	21	24	42
50-64	201	14.4	167	2	3	11	19	31	42	73
65+	497	16.0	180	2	3	12	23	34	41	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	5.0	37	1	1	3	5	11	14	24
B. *Operated*	463	7.9	60	1	2	5	11	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	268	8.8	83	1	2	5	12	19	27	48
B. *Operated*	806	14.7	164	2	3	11	20	31	40	75
1. SINGLE DX	612	7.1	56	1	2	4	9	15	20	33
2. MULTIPLE DX	1074	13.3	151	2	3	10	18	29	38	69
A. NOT OPERATED	417	7.5	70	1	1	4	9	16	23	44
B. OPERATED	1269	12.2	137	2	2	9	17	28	35	65
TOTAL 0-19 YRS	17	4.8	22	<1	<1	3	7	14	14	14
20-34	75	6.3	26	1	1	5	9	15	17	20
35-49	166	8.4	62	1	2	6	12	18	22	43
50-64	453	10.1	110	1	2	7	13	23	31	58
65+	975	12.4	146	2	2	9	17	29	36	61
GRAND TOTAL	**1686**	**11.0**	**125**	**1**	**2**	**7**	**15**	**25**	**33**	**58**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	176	5.1	54	1	1	2	6	11	16	45
65+	637	6.8	58	1	1	5	8	14	22	36
B. *Operated*										
0-19 YRS	8	6.9	10	2	3	7	9	10	11	11
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49	63	7.5	50	1	2	5	10	17	23	31
50-64	1778	7.3	32	1	2	6	10	15	18	28
65+	6205	7.6	33	2	2	6	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.3	123	2	2	5	15	29	32	32
20-34	3	5.0	13	1	1	6	7	8	8	8
35-49	38	6.8	38	1	2	4	9	15	20	26
50-64	804	8.2	58	1	2	6	11	18	22	37
65+	4584	10.1	93	2	2	7	13	21	28	48
B. *Operated*										
0-19 YRS	13	10.9	33	3	5	9	13	18	24	26
20-34	4	6.0	22	1	1	5	9	12	12	12
35-49	66	10.3	58	2	3	8	15	19	25	38
50-64	2621	10.4	74	2	3	8	13	20	27	44
65+	14571	11.5	82	2	4	9	14	22	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	819	6.4	57	1	1	4	7	14	21	37
B. *Operated*	8057	7.6	33	2	2	6	10	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	5436	9.8	87	2	2	7	12	21	28	47
B. *Operated*	17275	11.3	81	2	3	9	14	22	28	48
1. SINGLE DX	8876	7.5	35	2	2	6	9	14	18	29
2. MULTIPLE DX	22711	10.9	83	2	3	8	14	21	28	48
A. NOT OPERATED	6255	9.4	85	1	2	7	12	20	27	47
B. OPERATED	25332	10.1	69	2	3	8	13	19	26	44
TOTAL 0-19 YRS	30	9.0	49	1	2	8	11	16	26	32
20-34	11	5.3	11	1	1	6	7	10	12	12
35-49	170	8.3	52	2	2	6	12	18	23	32
50-64	5379	8.9	59	2	2	7	11	18	23	38
65+	25997	10.2	75	2	3	8	13	20	26	46
GRAND TOTAL	**31587**	**10.0**	**72**	**2**	**3**	**8**	**12**	**20**	**26**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.5	11	1	2	5	7	9	13	16
20-34	86	4.9	14	1	1	5	6	10	13	18
35-49	23	3.7	7	<1	1	4	5	7	9	11
50-64	11	3.3	16	1	1	1	5	9	14	14
65+	7	6.0	81	1	1	3	5	22	26	26
B. *Operated*										
0-19 YRS	61	6.0	27	2	2	4	8	13	15	31
20-34	576	5.6	21	1	2	4	7	11	15	23
35-49	242	5.0	14	1	2	4	6	9	11	16
50-64	110	6.1	33	2	2	4	7	12	17	32
65+	123	8.4	94	2	2	5	11	18	23	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.6	13	1	2	5	6	9	11	23
20-34	186	5.8	24	1	2	5	7	10	13	31
35-49	60	6.4	29	1	2	5	7	12	18	28
50-64	29	5.5	15	1	1	5	6	12	14	15
65+	26	9.0	72	2	2	5	11	24	28	32
B. *Operated*										
0-19 YRS	29	11.1	67	3	4	11	13	18	21	46
20-34	263	10.0	91	2	3	8	13	20	25	41
35-49	139	9.3	80	1	2	7	13	19	22	47
50-64	99	9.7	100	2	3	7	11	19	33	56
65+	123	11.4	95	2	3	9	14	27	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.7	15	1	1	5	6	9	13	19
B. *Operated*	1112	5.8	30	1	2	4	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	342	6.1	27	1	2	5	7	11	15	28
B. *Operated*	653	10.1	90	2	3	8	13	20	28	53
1. SINGLE DX	1264	5.7	28	1	2	4	7	11	15	25
2. MULTIPLE DX	995	8.7	72	2	2	6	11	18	25	43
A. NOT OPERATED	494	5.7	24	1	1	5	6	11	14	27
B. OPERATED	1765	7.4	56	1	2	5	9	15	21	38
TOTAL 0-19 YRS	156	6.8	32	2	2	5	8	13	16	31
20-34	1111	6.6	41	1	2	5	8	13	18	29
35-49	464	6.4	39	1	2	5	8	13	16	32
50-64	249	7.3	60	1	2	5	9	14	19	43
65+	279	9.7	94	2	2	7	12	23	29	49
GRAND TOTAL	**2259**	**7.0**	**50**	**1**	**2**	**5**	**8**	**14**	**20**	**37**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	3	<1	<1	4	5	5	5	5
20-34	2	2.0		2	2	2	2	2	2	2
35-49	17	3.3	9	<1	<1	3	3	6	11	14
50-64	100	3.8	32	1	1	2	4	7	14	33
65+	277	6.1	61	1	1	4	7	14	23	42
B. *Operated*										
0-19 YRS	24	5.4	20	<1	1	4	8	12	14	18
20-34	115	4.4	17	1	1	3	5	9	14	22
35-49	572	4.6	18	1	1	3	6	9	14	23
50-64	3126	4.9	25	1	1	3	6	10	15	25
65+	6762	5.7	30	1	2	4	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	4	4	4	4	4
20-34	5	3.6	2	2	2	3	5	5	5	5
35-49	35	8.2	206	1	1	3	7	26	34	75
50-64	331	6.9	87	1	1	4	8	15	23	51
65+	1122	9.3	91	1	2	6	12	20	29	50
B. *Operated*										
0-19 YRS	16	13.3	253	2	3	6	18	56	86	99+
20-34	50	8.3	71	1	1	5	12	22	29	35
35-49	343	8.1	86	1	2	5	10	18	25	38
50-64	2884	8.7	91	1	2	5	11	20	27	46
65+	10157	10.0	101	2	2	7	13	22	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	401	5.4	51	1	1	3	6	12	19	37
B. *Operated*	10599	5.4	28	1	2	4	6	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	1501	8.7	93	1	2	6	11	20	27	50
B. *Operated*	13450	9.6	99	2	2	6	12	21	29	52
1. SINGLE DX	11000	5.4	29	1	2	4	6	11	16	26
2. MULTIPLE DX	14951	9.6	99	2	2	6	12	21	29	52
A. NOT OPERATED	1902	8.0	86	1	1	5	10	18	26	50
B. OPERATED	24049	7.8	72	1	2	5	9	17	24	44
TOTAL 0-19 YRS	53	7.2	99	1	1	4	7	17	38	98
20-34	172	5.5	36	1	1	3	6	13	16	30
35-49	967	5.9	52	1	1	4	7	13	18	33
50-64	6441	6.7	61	1	2	4	8	15	22	39
65+	18318	8.3	78	2	2	5	10	18	25	46
GRAND TOTAL	**25951**	**7.8**	**73**	**1**	**2**	**5**	**9**	**17**	**24**	**44**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.8	10	<1	<1	1	3	6	11	15
20-34	7	6.4	44	1	1	3	12	17	17	17
35-49	20	5.7	22	<1	1	5	8	11	15	20
50-64	64	5.0	34	1	1	3	6	8	13	39
65+	113	7.7	110	1	1	5	8	19	24	67
B. *Operated*										
0-19 YRS	49	9.9	16	3	5	10	13	15	17	18
20-34	35	11.2	23	3	7	10	14	17	20	25
35-49	196	11.2	29	2	3	11	14	18	22	29
50-64	601	11.5	47	2	4	11	15	19	21	29
65+	704	12.5	65	2	3	12	16	22	26	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	8	<1	1	2	3	7	11	11
20-34	38	6.1	29	1	1	5	7	13	20	24
35-49	91	8.0	61	1	1	5	10	19	26	33
50-64	444	9.3	86	1	2	6	12	21	27	45
65+	761	10.6	93	2	2	8	14	23	30	44
B. *Operated*										
0-19 YRS	45	12.8	57	6	7	12	15	19	23	50
20-34	53	13.2	80	3	5	11	16	25	33	44
35-49	315	14.4	77	4	5	12	18	25	34	48
50-64	1154	15.8	109	3	6	14	20	29	35	59
65+	1947	17.5	126	3	6	16	22	31	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	6.2	70	1	1	4	7	14	20	47
B. *Operated*	1585	11.9	52	2	3	11	15	20	23	37
2. MULTIPLE DX										
A. *Not Operated*	1360	9.7	87	1	2	7	13	22	29	44
B. *Operated*	3514	16.5	115	3	6	14	21	30	37	57
1. SINGLE DX	1816	11.1	58	2	2	10	15	19	23	37
2. MULTIPLE DX	4874	14.6	117	2	3	12	19	28	35	55
A. NOT OPERATED	1591	9.2	86	1	2	6	12	21	28	44
B. OPERATED	5099	15.1	100	3	5	13	19	26	34	54
TOTAL 0-19 YRS	147	8.2	43	<1	1	8	12	15	17	32
20-34	133	10.3	57	1	2	9	14	18	25	40
35-49	622	12.2	64	2	3	11	15	23	28	40
50-64	2263	13.1	95	2	3	11	17	24	31	52
65+	3525	14.7	116	2	3	13	19	28	35	55
GRAND TOTAL	**6690**	**13.7**	**103**	**2**	**3**	**12**	**18**	**25**	**33**	**53**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	1	<1	1	2	2	3	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	6.0	19	3	3	4	9	11	11	11
50-64	7	5.3	4	3	3	5	6	8	9	9
65+	5	14.2	86	6	6	11	18	30	30	30
B. *Operated*										
0-19 YRS	37	4.7	11	<1	1	4	7	9	11	14
20-34	13	4.1	4	2	2	4	5	7	7	7
35-49	33	3.3	3	1	1	3	4	5	7	8
50-64	61	3.5	5	1	1	3	4	7	9	10
65+	81	5.5	36	1	2	4	5	10	15	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.8	43	<1	1	2	4	13	21	28
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	7.5	58	1	1	5	11	20	21	21
50-64	18	4.2	4	1	1	4	5	7	8	8
65+	24	6.1	19	1	2	5	8	13	15	18
B. *Operated*										
0-19 YRS	12	10.8	333	<1	1	4	13	32	61	66
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	5	4.4	6	2	2	5	6	8	8	8
50-64	56	6.4	27	2	2	4	8	16	18	20
65+	81	8.3	97	1	2	5	10	17	28	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	5.0	32	1	1	3	6	11	14	30
B. *Operated*	225	4.4	17	1	2	3	5	8	10	27
2. MULTIPLE DX										
A. *Not Operated*	69	5.3	25	1	1	4	7	12	14	27
B. *Operated*	158	7.6	84	1	2	4	9	16	21	52
1. SINGLE DX	258	4.5	19	1	1	3	5	9	11	30
2. MULTIPLE DX	227	6.9	67	1	1	4	8	15	19	51
A. NOT OPERATED	102	5.2	27	1	1	4	6	11	14	29
B. OPERATED	383	5.7	47	1	2	4	6	12	16	38
TOTAL 0-19 YRS	86	5.0	64	<1	1	3	5	11	16	52
20-34	19	4.1	4	1	2	4	6	7	7	7
35-49	47	4.1	12	1	1	3	5	8	11	21
50-64	142	4.8	15	1	2	4	6	9	14	19
65+	191	7.0	63	1	2	4	5	14	24	46
GRAND TOTAL	**485**	**5.6**	**43**	**1**	**1**	**4**	**6**	**11**	**16**	**35**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	5.1	46	1	1	3	6	10	14	40
20-34	82	8.2	135	1	2	5	8	16	33	68
35-49	163	7.0	37	1	2	5	9	15	18	92
50-64	233	10.4	127	2	2	7	13	24	32	94
65+	191	12.9	232	2	3	7	14	30	44	78
B. *Operated*										
0-19 YRS	172	12.8	90	2	5	11	16	21	26	53
20-34	233	12.6	52	3	5	11	16	22	27	63
35-49	287	15.4	152	2	5	13	18	29	40	66
50-64	393	18.0	189	5	7	14	21	36	46	92
65+	272	19.8	205	4	6	16	24	39	49	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	6.7	78	1	1	4	7	15	21	64
20-34	122	7.6	57	1	2	5	10	17	21	40
35-49	221	10.8	163	2	2	7	13	23	36	91
50-64	468	12.3	164	2	2	9	16	29	43	99+
65+	430	15.0	196	3	3	10	19	35	45	89
B. *Operated*										
0-19 YRS	187	19.9	310	2	5	14	28	50	67	99+
20-34	151	19.4	284	3	5	16	24	42	72	99+
35-49	243	20.9	335	3	5	16	26	46	70	99+
50-64	413	27.0	370	7	9	20	37	61	71	99+
65+	392	28.2	362	7	9	24	40	62	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	783	9.3	130	1	2	6	11	20	31	76
B. *Operated*	1357	16.2	155	3	6	13	19	31	42	72
2. MULTIPLE DX										
A. *Not Operated*	1388	11.9	162	2	2	8	15	29	41	92
B. *Operated*	1386	24.5	357	5	7	19	32	57	72	99+
1. SINGLE DX	2140	13.7	157	2	3	11	17	28	39	72
2. MULTIPLE DX	2774	18.2	299	2	3	13	24	45	63	99+
A. NOT OPERATED	2171	11.0	152	1	2	7	13	26	39	86
B. OPERATED	2743	20.4	274	4	6	15	25	46	63	99+
TOTAL 0-19 YRS	620	12.1	179	1	2	9	15	29	46	95
20-34	588	12.7	143	2	2	10	17	24	37	92
35-49	914	14.3	207	2	3	10	18	31	43	90
50-64	1507	17.5	261	2	3	13	22	41	57	99+
65+	1285	19.7	290	3	4	15	26	46	61	98
GRAND TOTAL	**4914**	**16.2**	**242**	**2**	**3**	**12**	**21**	**38**	**54**	**98**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	3	4	5	5	5
20-34	8	6.5	52	1	2	4	6	19	24	24
35-49	3	11.0	49	6	6	8	16	19	19	19
50-64	3	11.0	156	1	1	7	20	25	25	25
65+	6	8.5	19	2	2	8	11	15	15	15
B. *Operated*										
0-19 YRS	14	16.1	148	1	3	14	18	28	46	51
20-34	16	13.9	62	2	5	15	18	26	28	28
35-49	16	14.1	178	3	4	12	16	25	47	57
50-64	28	17.9	240	6	7	15	18	31	56	79
65+	20	22.8	449	3	5	13	35	61	67	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	11	<1	<1	2	3	9	11	11
20-34	7	6.7	11	3	3	8	10	11	11	11
35-49	14	18.4	560	1	2	10	26	47	80	89
50-64	16	7.9	29	2	2	8	10	16	20	21
65+	39	15.7	240	2	3	10	21	35	58	66
B. *Operated*										
0-19 YRS	30	21.7	220	2	3	19	32	44	48	52
20-34	29	20.6	147	5	7	19	31	46	97	99+
35-49	34	26.2	361	3	8	20	33	57	61	81
50-64	44	20.1	208	3	5	18	26	50	59	99+
65+	44	33.0	464	8	10	30	43	82	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	7.1	44	1	1	5	8	19	24	25
B. *Operated*	94	17.3	231	3	5	14	19	34	56	75
2. MULTIPLE DX										
A. *Not Operated*	84	12.7	230	2	2	8	14	26	46	81
B. *Operated*	181	24.7	312	3	6	20	34	52	78	99+
1. SINGLE DX	120	15.1	208	1	3	12	18	28	52	73
2. MULTIPLE DX	265	20.9	316	2	3	17	30	48	66	99+
A. NOT OPERATED	110	11.4	191	1	2	8	12	24	35	75
B. OPERATED	275	22.2	296	3	5	18	30	49	66	99+
TOTAL 0-19 YRS	58	15.8	206	1	1	13	24	39	48	52
20-34	60	15.3	127	2	4	13	24	34	46	99+
35-49	67	21.0	364	2	3	16	26	51	59	88
50-64	91	17.0	200	3	3	13	21	33	54	91
65+	109	23.6	420	3	4	17	34	63	77	99+
GRAND TOTAL	**385**	**19.1**	**289**	**2**	**3**	**15**	**26**	**46**	**61**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	16	<1	1	2	4	7	12	22
20-34	71	2.8	2	1	1	3	4	5	5	8
35-49	77	3.3	7	1	1	3	4	5	6	18
50-64	60	5.3	70	1	2	3	4	9	18	55
65+	45	5.3	20	1	2	4	6	9	17	20
B. *Operated*										
0-19 YRS	76	7.8	52	3	3	5	9	14	27	36
20-34	336	4.9	7	2	3	4	6	8	10	16
35-49	316	5.3	12	2	3	4	6	9	11	20
50-64	262	6.5	41	3	3	5	7	11	18	44
65+	141	8.5	57	3	4	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	4.8	21	1	1	4	6	11	16	22
20-34	81	3.7	7	1	1	3	5	8	9	13
35-49	81	4.5	17	1	1	3	5	10	13	21
50-64	134	7.5	73	1	2	5	9	19	24	77
65+	188	9.7	106	2	2	7	13	22	26	50
B. *Operated*										
0-19 YRS	90	9.1	125	2	3	6	9	15	21	71
20-34	294	7.0	61	3	3	5	8	12	14	30
35-49	322	7.7	43	3	3	5	9	14	20	37
50-64	350	10.6	123	3	3	6	12	23	35	59
65+	308	13.1	178	3	4	9	15	27	35	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	3.9	22	1	1	3	4	6	10	22
B. *Operated*	1131	6.0	27	2	3	5	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	547	6.9	66	1	2	4	8	16	22	42
B. *Operated*	1364	9.6	108	3	3	6	11	19	29	59
1. SINGLE DX	1447	5.6	27	2	2	4	6	10	14	28
2. MULTIPLE DX	1911	8.8	97	2	2	6	10	18	26	55
A. NOT OPERATED	863	5.8	52	1	1	4	6	13	20	37
B. OPERATED	2495	8.0	75	3	3	5	9	15	22	46
TOTAL 0-19 YRS	292	6.6	64	1	1	4	8	13	18	39
20-34	782	5.4	29	2	2	4	6	9	12	21
35-49	796	6.0	27	2	2	4	7	11	15	31
50-64	806	8.3	88	2	3	5	9	18	26	57
65+	682	10.7	128	2	3	7	13	22	30	62
GRAND TOTAL	**3358**	**7.4**	**70**	**2**	**2**	**5**	**8**	**15**	**21**	**43**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.5	14	<1	1	3	6	11	12	17
20-34	60	7.4	46	1	2	5	10	17	22	32
35-49	229	6.1	46	1	1	4	7	12	19	34
50-64	655	7.6	60	1	1	5	9	17	24	39
65+	995	9.3	95	1	2	6	12	21	29	47
B. *Operated*										
0-19 YRS	57	7.1	35	1	1	6	10	14	16	28
20-34	124	6.9	45	1	1	5	9	15	21	37
35-49	405	7.4	65	1	1	5	10	16	22	32
50-64	1068	9.5	86	1	2	7	12	21	27	43
65+	1410	9.7	96	1	2	7	13	21	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	5.9	58	1	1	4	8	12	18	32
20-34	638	7.2	71	1	2	5	8	15	21	45
35-49	2576	8.7	86	1	2	6	11	19	28	46
50-64	8803	9.4	86	1	2	6	12	20	28	47
65+	13511	11.3	113	2	2	8	14	24	33	55
B. *Operated*										
0-19 YRS	122	11.3	90	2	3	9	14	22	28	48
20-34	667	11.7	136	2	2	9	14	24	32	67
35-49	2585	12.9	143	2	2	9	17	27	37	66
50-64	8412	14.4	161	2	3	11	19	30	41	71
65+	11475	15.6	172	2	3	12	21	32	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1985	8.2	76	1	1	5	10	18	26	42
B. *Operated*	3064	9.2	86	1	2	6	12	20	27	45
2. MULTIPLE DX										
A. *Not Operated*	25662	10.2	101	1	2	7	13	22	30	51
B. *Operated*	23261	14.7	164	2	3	11	19	31	41	71
1. SINGLE DX	5049	8.8	82	1	2	6	11	20	27	44
2. MULTIPLE DX	48923	12.4	136	2	2	9	16	27	36	61
A. NOT OPERATED	27647	10.1	100	1	2	7	13	22	30	50
B. OPERATED	26325	14.1	158	2	3	11	19	30	40	69
TOTAL 0-19 YRS	359	7.7	66	1	1	6	10	16	22	37
20-34	1489	9.2	102	1	2	6	11	19	26	60
35-49	5795	10.4	114	1	2	7	13	23	31	55
50-64	18938	11.6	125	1	2	8	15	25	34	58
65+	27391	12.9	141	2	3	9	17	28	37	62
GRAND TOTAL	**53972**	**12.0**	**132**	**2**	**2**	**9**	**16**	**26**	**35**	**60**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.5	11	<1	1	2	5	8	9	18
20-34	303	3.4	15	1	1	2	4	8	11	15
35-49	114	3.9	29	1	1	2	4	8	11	34
50-64	91	4.9	55	1	1	3	6	9	14	46
65+	74	5.6	32	<1	1	4	7	13	16	31
B. *Operated*										
0-19 YRS	288	7.4	34	1	2	6	9	15	18	28
20-34	822	7.7	41	1	2	7	10	16	20	29
35-49	337	7.9	51	1	2	6	10	17	22	34
50-64	190	10.6	146	2	2	7	14	21	30	73
65+	148	10.7	109	2	2	8	13	26	29	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	5.0	50	<1	1	3	5	8	16	44
20-34	374	5.4	44	1	1	3	6	12	18	34
35-49	157	6.6	62	1	1	4	7	14	25	37
50-64	183	8.5	69	1	1	6	11	20	26	41
65+	239	9.9	98	1	1	7	13	23	32	48
B. *Operated*										
0-19 YRS	71	10.4	50	2	3	9	13	21	27	33
20-34	390	12.0	144	2	2	9	14	25	35	63
35-49	193	12.8	127	2	3	10	17	24	35	76
50-64	214	15.6	179	2	3	11	21	33	42	64
65+	218	17.7	207	3	4	14	24	38	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	4.0	25	1	1	2	5	8	12	30
B. *Operated*	1785	8.3	60	1	2	6	11	17	22	35
2. MULTIPLE DX										
A. *Not Operated*	1016	7.2	68	1	1	4	9	17	25	41
B. *Operated*	1086	13.9	160	2	3	10	18	29	40	70
1. SINGLE DX	2420	7.1	54	1	1	5	9	15	20	34
2. MULTIPLE DX	2102	10.6	127	1	1	7	14	24	34	57
A. NOT OPERATED	1651	5.9	54	1	1	3	7	13	20	38
B. OPERATED	2871	10.4	105	1	2	8	13	22	29	56
TOTAL 0-19 YRS	475	7.1	40	1	1	6	9	15	19	30
20-34	1889	7.4	66	1	1	5	10	16	22	37
35-49	801	8.3	76	1	1	6	11	19	24	42
50-64	678	10.8	137	1	1	7	14	25	33	57
65+	679	12.1	145	1	2	9	16	28	38	63
GRAND TOTAL	**4522**	**8.8**	**91**	**1**	**1**	**6**	**11**	**19**	**27**	**48**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	4.1	25	<1	<1	2	5	10	14	21
20-34	[illegible]	10.5	217	<1	<1	4	12	31	43	65
35-49	37	6.7	49	<1	1	4	7	19	24	30
50-64	82	5.8	45	1	1	3	6	14	23	33
65+	217	7.4	70	1	1	5	10	14	20	42
B. *Operated*										
0-19 YRS	210	9.4	160	<1	1	5	12	23	28	86
20-34	60	15.9	235	1	2	10	25	31	42	82
35-49	46	10.7	108	1	2	7	15	26	35	46
50-64	105	7.6	61	1	2	5	10	15	28	37
65+	125	8.3	44	2	2	7	11	15	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	6.0	51	<1	1	4	7	13	18	33
20-34	77	7.9	97	1	1	4	9	18	30	52
35-49	53	6.2	26	1	2	5	8	14	16	24
50-64	329	8.0	77	1	1	5	10	16	23	46
65+	1205	9.8	93	1	2	7	12	20	28	53
B. *Operated*										
0-19 YRS	164	20.5	324	2	3	16	27	46	65	93
20-34	69	26.7	438	2	3	24	44	64	72	99+
35-49	56	15.8	176	2	3	11	24	37	46	49
50-64	302	12.7	126	2	3	9	16	27	34	57
65+	733	14.7	178	3	4	11	18	31	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	696	5.8	56	<1	<1	3	7	13	20	36
B. *Operated*	546	9.6	123	1	1	6	12	23	30	71
2. MULTIPLE DX										
A. *Not Operated*	1958	8.7	84	1	2	6	11	18	26	47
B. *Operated*	1324	15.6	209	3	3	11	20	35	48	77
1. SINGLE DX	1242	7.5	89	<1	<1	4	10	17	26	44
2. MULTIPLE DX	3282	11.5	146	1	2	8	14	26	37	66
A. NOT OPERATED	2654	8.0	78	<1	1	5	10	17	24	44
B. OPERATED	1870	13.9	191	2	3	9	18	31	44	75
TOTAL 0-19 YRS	991	8.5	143	<1	<1	4	10	22	30	72
20-34	243	15.6	302	1	1	9	25	42	54	87
35-49	192	10.2	109	1	2	7	13	25	34	48
50-64	818	9.5	96	1	2	6	12	21	29	47
65+	2280	11.1	122	1	2	8	14	23	33	62
GRAND TOTAL	**4524**	**10.4**	**134**	**1**	**1**	**7**	**13**	**24**	**33**	**65**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	4.7	29	<1	<1	4	6	10	13	23
20-34	123	5.8	71	<1	<1	4	6	12	20	49
35-49	145	6.2	57	<1	<1	4	8	16	19	37
50-64	219	5.7	54	<1	<1	3	7	12	21	37
65+	398	6.1	79	1	1	3	7	15	25	45
B. *Operated*										
0-19 YRS	77	12.3	231	<1	1	8	13	30	43	81
20-34	103	13.7	218	1	1	7	25	39	40	57
35-49	130	15.5	300	1	2	8	25	38	51	80
50-64	184	17.1	305	2	3	9	29	47	58	99+
65+	250	13.6	182	2	3	8	20	33	42	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	6.7	40	1	1	5	9	16	21	29
20-34	165	8.1	95	1	1	5	10	17	25	48
35-49	265	8.9	113	<1	1	5	11	21	28	53
50-64	437	8.1	79	1	1	5	11	19	26	40
65+	1310	7.5	74	1	1	5	10	18	24	46
B. *Operated*										
0-19 YRS	90	24.9	370	2	4	19	36	53	62	79
20-34	179	26.9	368	2	5	27	37	53	70	98
35-49	230	22.5	307	2	4	19	33	44	57	90
50-64	418	23.5	400	2	3	16	37	52	64	93
65+	845	19.3	318	3	4	12	28	46	59	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	5.8	62	<1	1	3	7	12	20	40
B. *Operated*	744	14.7	245	1	2	8	24	39	45	81
2. MULTIPLE DX										
A. *Not Operated*	2344	7.8	79	1	1	5	10	18	25	44
B. *Operated*	1762	21.8	350	3	4	15	33	49	61	88
1. SINGLE DX	1811	9.4	156	<1	1	5	10	28	39	62
2. MULTIPLE DX	4106	13.8	243	1	1	8	18	36	48	76
A. NOT OPERATED	3411	7.1	74	1	1	4	9	17	24	43
B. OPERATED	2506	19.7	329	2	3	13	30	45	58	86
TOTAL 0-19 YRS	516	10.0	174	<1	1	5	11	27	40	62
20-34	570	14.5	273	1	1	7	23	38	49	80
35-49	770	13.6	234	1	1	7	20	35	44	73
50-64	1258	14.1	270	1	1	7	19	40	52	81
65+	2803	11.4	188	1	1	6	14	30	42	67
GRAND TOTAL	**5917**	**12.4**	**220**	**1**	**1**	**7**	**16**	**34**	**44**	**73**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.8	11	<1	<1	3	5	9	10	18
20-34	171	4.4	23	1	1	3	6	9	14	26
35-49	300	5.7	69	<1	1	3	7	12	17	60
50-64	796	5.9	43	1	1	4	8	14	18	37
65+	1108	7.9	82	1	1	5	10	19	26	44
B. *Operated*										
0-19 YRS	107	8.4	69	1	1	6	11	22	28	36
20-34	242	8.6	66	1	2	5	12	20	27	40
35-49	517	8.0	58	1	2	6	10	18	22	39
50-64	1276	8.9	66	1	2	6	12	19	26	38
65+	1520	10.5	91	2	2	8	14	22	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.9	35	1	1	4	8	11	16	32
20-34	182	7.0	48	1	1	5	8	15	22	34
35-49	563	7.3	62	1	1	5	10	16	22	41
50-64	2036	8.6	86	1	1	6	11	19	26	47
65+	3932	10.5	114	1	2	7	13	23	32	55
B. *Operated*										
0-19 YRS	70	14.2	253	1	2	9	18	33	51	84
20-34	182	14.6	218	2	3	9	18	33	50	68
35-49	566	14.9	222	2	3	10	18	33	46	72
50-64	2007	16.2	217	2	3	12	21	35	47	91
65+	3882	17.6	218	3	4	14	23	38	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2452	6.6	63	1	1	4	8	15	21	39
B. *Operated*	3662	9.4	76	1	2	7	12	20	27	42
2. MULTIPLE DX										
A. *Not Operated*	6798	9.5	100	1	1	7	12	21	29	52
B. *Operated*	6707	16.8	219	2	4	12	22	36	47	87
1. SINGLE DX	6114	8.3	73	1	1	5	11	19	25	42
2. MULTIPLE DX	13505	13.1	173	1	2	9	17	29	41	70
A. NOT OPERATED	9250	8.7	92	1	1	6	11	19	27	50
B. OPERATED	10369	14.2	181	2	3	10	19	31	42	74
TOTAL 0-19 YRS	339	7.9	98	1	1	5	9	19	28	51
20-34	777	8.7	100	1	1	5	10	20	29	52
35-49	1946	9.5	121	1	1	6	11	20	31	63
50-64	6115	10.8	134	1	2	7	14	24	33	64
65+	10442	12.8	160	1	2	9	17	28	39	66
GRAND TOTAL	**19619**	**11.6**	**147**	**1**	**2**	**8**	**15**	**26**	**36**	**64**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	2	1	1	2	3	5	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	2.3	2	<1	<1	2	3	4	4	4
65+	3	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	200	3.4	10	<1	1	3	4	6	9	17
20-34	508	3.1	3	<1	1	3	4	5	6	9
35-49	614	3.2	2	1	1	3	4	5	6	9
50-64	803	3.5	5	1	2	3	4	6	7	11
65+	580	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	6	3.7	11	<1	<1	3	4	9	10	10
65+	8	5.3	10	1	1	5	7	10	10	10
B. *Operated*										
0-19 YRS	35	5.2	147	1	1	2	4	7	9	74
20-34	130	3.6	9	1	2	3	4	7	9	17
35-49	202	4.0	7	1	2	3	5	7	9	14
50-64	386	4.7	13	1	2	4	5	8	11	20
65+	451	5.9	30	2	2	5	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.5	2	<1	<1	2	3	5	5	6
B. *Operated*	2705	3.5	4	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	27	3.3	8	<1	<1	2	5	8	10	10
B. *Operated*	1204	5.0	22	1	2	4	6	9	12	23
1. SINGLE DX	2725	3.4	4	1	1	3	4	6	7	11
2. MULTIPLE DX	1231	4.9	22	1	2	4	6	9	12	23
A. NOT OPERATED	47	2.9	5	<1	<1	2	4	6	9	10
B. OPERATED	3909	3.9	10	1	2	3	5	6	9	16
TOTAL 0-19 YRS	248	3.6	29	<1	1	2	4	6	9	17
20-34	644	3.2	4	1	1	3	4	5	6	10
35-49	823	3.4	4	1	1	3	4	6	7	10
50-64	1199	3.9	8	1	2	3	5	6	8	15
65+	1042	4.8	17	1	2	4	6	8	11	20
GRAND TOTAL	**3956**	**3.9**	**10**	**1**	**2**	**3**	**5**	**6**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	3	<1	1	2	4	4	7	9
20-34	42	2.7	5	<1	1	2	3	4	5	14
35-49	129	2.7	4	<1	1	2	3	5	8	10
50-64	250	2.4	4	<1	1	2	3	5	7	10
65+	312	2.7	10	<1	1	2	3	5	7	17
B. *Operated*										
0-19 YRS	186	3.5	10	1	1	2	4	8	10	14
20-34	262	5.4	28	<1	1	3	8	12	16	24
35-49	681	4.0	16	1	1	2	5	10	13	20
50-64	2000	3.5	13	1	1	2	4	9	11	17
65+	2486	3.9	20	1	1	2	4	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.0	24	1	1	3	5	7	9	27
20-34	63	5.2	50	<1	1	4	7	8	10	47
35-49	145	4.8	26	1	1	3	6	10	12	28
50-64	448	4.6	19	1	1	3	6	9	12	23
65+	904	5.6	29	1	1	4	7	12	16	28
B. *Operated*										
0-19 YRS	80	5.6	19	1	1	4	8	11	13	22
20-34	264	7.7	75	1	1	5	9	16	21	48
35-49	773	7.0	41	1	2	5	9	14	20	32
50-64	2794	6.7	45	1	1	4	9	14	19	30
65+	5018	8.2	74	1	2	5	11	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	2.6	6	<1	1	2	3	5	7	12
B. *Operated*	5615	3.8	18	1	1	2	4	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	1589	5.2	27	1	1	4	7	11	14	27
B. *Operated*	8929	7.6	62	1	1	5	10	16	21	40
1. SINGLE DX	6399	3.7	17	1	1	2	4	9	12	20
2. MULTIPLE DX	10518	7.2	58	1	1	5	10	16	21	38
A. NOT OPERATED	2373	4.3	22	1	1	3	5	9	13	23
B. OPERATED	14544	6.1	48	1	1	3	8	14	19	33
TOTAL 0-19 YRS	346	3.9	13	1	1	2	5	9	11	20
20-34	631	6.2	50	1	1	4	8	13	18	38
35-49	1728	5.3	31	1	1	3	8	12	15	27
50-64	5492	5.1	32	1	1	3	7	12	16	26
65+	8720	6.5	56	1	1	4	9	15	20	35
GRAND TOTAL	**16917**	**5.9**	**45**	**1**	**1**	**3**	**8**	**13**	**18**	**32**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.2	2	<1	<1	2	3	5	6	6
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	7	1.9	1	<1	<1	2	2	4	4	4
50-64	8	2.9	2	<1	<1	3	4	5	6	6
65+	6	5.0	14	1	1	4	9	10	10	10
B. *Operated*										
0-19 YRS	313	2.0	3	<1	1	2	2	3	5	10
20-34	240	3.2	12	<1	<1	2	3	8	10	18
35-49	256	3.9	13	1	1	2	5	9	12	18
50-64	342	4.5	17	<1	1	2	7	11	14	18
65+	218	5.1	32	1	1	2	6	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	8	12.6	476	1	1	5	9	49	66	66
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	17	4.9	22	<1	1	3	6	10	17	20
65+	28	7.9	39	2	2	7	10	14	19	33
B. *Operated*										
0-19 YRS	66	3.0	17	<1	1	2	2	6	13	23
20-34	66	5.6	42	1	1	3	6	14	22	27
35-49	104	6.4	37	1	2	5	9	13	20	31
50-64	213	7.3	44	1	2	5	10	16	21	28
65+	240	10.0	86	1	2	7	16	24	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.7	4	<1	<1	2	3	5	7	10
B. *Operated*	1369	3.7	16	<1	1	2	4	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	61	6.9	88	1	1	5	8	12	18	62
B. *Operated*	689	7.5	59	1	1	4	10	19	24	34
1. SINGLE DX	1410	3.7	16	<1	1	2	4	9	12	18
2. MULTIPLE DX	750	7.5	62	1	1	4	10	19	24	34
A. NOT OPERATED	102	5.2	59	<1	1	3	6	10	13	49
B. OPERATED	2058	5.0	34	<1	1	2	6	12	17	27
TOTAL 0-19 YRS	398	2.2	6	<1	1	2	2	3	6	14
20-34	319	3.9	31	<1	<1	2	4	10	13	26
35-49	371	4.5	21	1	1	2	7	10	13	22
50-64	580	5.5	29	1	1	3	8	13	16	24
65+	492	7.7	64	1	2	4	10	19	25	35
GRAND TOTAL	**2160**	**5.0**	**35**	**<1**	**1**	**2**	**6**	**12**	**17**	**27**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	2.0	4	<1	<1	2	2	3	5	12
20-34	49	2.6	6	<1	<1	2	3	5	8	13
35-49	45	2.8	5	<1	<1	2	4	5	8	9
50-64	47	3.2	14	<1	<1	2	3	9	12	16
65+	32	2.7	5	<1	<1	2	3	5	8	11
B. *Operated*										
0-19 YRS	2352	2.9	5	<1	1	2	3	5	6	12
20-34	2734	2.8	6	<1	1	2	3	5	7	12
35-49	2993	2.8	7	<1	<1	2	3	5	7	14
50-64	2935	3.0	8	<1	1	2	3	5	8	14
65+	1300	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	9	<1	<1	1	3	5	8	17
20-34	40	3.4	8	<1	1	3	5	7	9	14
35-49	52	4.1	13	<1	<1	3	6	8	10	19
50-64	81	5.4	25	1	1	4	7	10	14	26
65+	81	5.9	19	1	1	5	8	12	15	19
B. *Operated*										
0-19 YRS	349	3.8	31	1	1	3	4	6	11	24
20-34	872	4.3	20	1	1	3	5	9	12	22
35-49	1421	4.5	19	1	1	3	5	9	12	24
50-64	2054	5.3	35	1	1	3	6	11	15	30
65+	1352	6.1	50	1	2	4	7	13	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	2.7	7	<1	<1	2	3	5	8	14
B. *Operated*	12314	2.9	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	296	4.6	18	<1	1	3	6	10	13	20
B. *Operated*	6048	5.0	33	1	1	3	6	10	15	29
1. SINGLE DX	12526	2.9	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	6344	5.0	32	1	1	3	6	10	15	29
A. NOT OPERATED	508	3.8	14	<1	<1	3	5	9	11	18
B. OPERATED	18362	3.6	16	<1	1	2	4	7	10	20
TOTAL 0-19 YRS	2782	3.0	8	<1	1	2	3	5	7	14
20-34	3695	3.2	10	<1	1	2	4	6	8	16
35-49	4511	3.3	11	<1	1	2	4	6	9	17
50-64	5117	3.9	20	<1	1	3	4	8	11	22
65+	2765	4.8	31	1	1	3	5	10	14	28
GRAND TOTAL	**18870**	**3.6**	**16**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	2.4	3	<1	<1	2	3	5	6	7
20-34	23	4.2	31	<1	1	3	4	8	16	28
35-49	17	3.3	24	<1	<1	1	3	7	16	21
50-64	10	3.5	18	<1	<1	2	4	10	15	15
65+	23	6.4	34	<1	1	4	10	15	18	21
B. *Operated*										
0-19 YRS	2242	2.3	10	<1	<1	2	2	4	7	12
20-34	996	2.6	6	<1	<1	2	3	5	7	13
35-49	760	3.2	13	<1	<1	2	3	7	10	20
50-64	693	3.2	13	<1	<1	2	3	6	9	18
65+	460	3.6	13	<1	<1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	3.3	22	<1	<1	1	4	8	12	27
20-34	32	4.5	33	<1	1	3	5	8	12	32
35-49	20	3.9	6	<1	1	3	6	8	8	8
50-64	42	8.1	47	1	2	6	11	16	24	30
65+	82	8.3	73	2	2	6	10	17	23	51
B. *Operated*										
0-19 YRS	483	3.6	23	<1	<1	2	4	8	14	30
20-34	509	4.1	34	<1	<1	2	4	9	13	31
35-49	595	4.2	25	<1	<1	2	5	9	13	27
50-64	706	5.5	57	<1	1	3	6	12	17	42
65+	527	7.9	112	<1	1	4	9	19	27	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.6	18	<1	1	2	4	7	14	27
B. *Operated*	5151	2.7	10	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	280	5.7	46	<1	1	3	7	13	17	32
B. *Operated*	2820	5.1	53	<1	<1	3	6	12	18	41
1. SINGLE DX	5284	2.8	11	<1	<1	2	3	5	8	16
2. MULTIPLE DX	3100	5.1	52	<1	1	3	6	12	18	37
A. NOT OPERATED	413	5.0	38	<1	1	3	6	12	17	30
B. OPERATED	7971	3.6	27	<1	<1	2	4	8	12	26
TOTAL 0-19 YRS	2889	2.6	12	<1	<1	2	3	5	8	17
20-34	1560	3.2	17	<1	<1	2	3	6	9	20
35-49	1392	3.6	19	<1	<1	2	4	8	12	23
50-64	1451	4.4	37	<1	<1	2	5	10	15	29
65+	1092	6.1	70	<1	1	3	7	15	21	46
GRAND TOTAL	**8384**	**3.6**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	9	2.4	9	<1	<1	1	2	7	10	10
50-64	7	2.1	1	1	1	3	3	3	3	3
65+	4	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1060	1.9	1	<1	<1	2	2	3	3	4
20-34	2412	1.9	1	<1	<1	2	2	3	3	5
35-49	1553	2.1	1	<1	1	2	2	3	4	6
50-64	695	2.4	2	1	1	2	3	3	5	8
65+	407	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	6	4.3	9	1	1	5	5	9	9	9
35-49	10	3.2	6	1	1	2	5	7	8	8
50-64	10	5.8	54	1	1	4	5	16	26	26
65+	7	6.0	27	<1	<1	4	11	13	13	13
B. *Operated*										
0-19 YRS	126	2.3	2	1	1	2	3	3	5	8
20-34	708	2.6	4	<1	1	2	3	4	6	10
35-49	969	3.0	6	1	1	2	3	5	7	14
50-64	629	3.7	20	1	2	3	4	7	10	17
65+	477	4.6	21	2	2	3	5	9	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.5	4	<1	<1	2	3	4	8	10
B. *Operated*	6127	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	36	4.6	23	1	1	3	5	9	13	26
B. *Operated*	2909	3.3	12	1	1	2	3	6	8	17
1. SINGLE DX	6157	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	2945	3.3	12	1	1	2	3	6	8	17
A. NOT OPERATED	66	3.6	15	<1	1	3	4	8	11	24
B. OPERATED	9036	2.4	5	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	1191	1.9	1	<1	<1	2	2	3	3	5
20-34	3134	2.1	2	<1	<1	2	2	3	4	7
35-49	2541	2.4	3	<1	1	2	3	4	5	9
50-64	1341	3.0	11	1	1	2	3	5	7	15
65+	895	3.7	13	1	2	3	4	7	10	21
GRAND TOTAL	**9102**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	91	3.7	6	1	1	3	5	7	8	15
35-49	131	3.0	4	<1	<1	3	4	6	7	10
50-64	36	2.8	4	<1	<1	2	4	6	7	8
65+	12	4.5	8	2	2	4	5	8	11	12
B. *Operated*										
0-19 YRS	13	5.8	8	1	2	7	8	9	10	10
20-34	2061	5.7	7	1	2	6	7	8	9	12
35-49	6458	6.1	7	1	2	6	8	9	10	13
50-64	1248	5.9	10	1	2	6	8	9	10	15
65+	115	7.4	16	2	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	195	3.1	8	<1	1	2	4	7	8	14
35-49	554	3.5	9	<1	1	3	5	8	9	14
50-64	150	3.8	14	<1	1	3	5	7	10	15
65+	93	8.7	64	2	2	6	10	18	26	43
B. *Operated*										
0-19 YRS	38	6.1	8	1	2	6	8	10	12	13
20-34	5836	6.4	10	1	2	6	8	9	11	17
35-49	28297	6.9	11	2	2	7	8	10	12	18
50-64	6183	7.3	15	1	2	7	9	11	14	21
65+	818	10.3	54	2	4	9	12	18	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	3.3	5	<1	1	3	4	6	7	12
B. *Operated*	9895	6.0	8	1	2	6	8	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	992	3.9	17	<1	1	3	5	8	10	21
B. *Operated*	41172	7.0	12	2	2	7	8	10	12	19
1. SINGLE DX	10166	5.9	8	1	2	6	8	9	10	13
2. MULTIPLE DX	42164	6.9	13	1	2	7	8	10	12	19
A. NOT OPERATED	1263	3.8	15	<1	1	3	5	8	10	19
B. OPERATED	51067	6.8	12	1	2	7	8	10	12	18
TOTAL 0-19 YRS	52	5.9	8	1	2	6	8	9	11	13
20-34	8183	6.1	10	1	2	6	8	9	11	16
35-49	35440	6.7	10	1	2	7	8	10	11	17
50-64	7617	7.0	15	1	2	7	8	11	13	20
65+	1038	9.8	51	2	3	8	11	17	22	35
GRAND TOTAL	**52330**	**6.7**	**12**	**1**	**2**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	5	3.0	9	1	1	2	4	8	8	8
20-34	83	3.4	5	<1	1	3	5	7	8	9
35-49	104	4.7	7	1	1	5	7	8	9	11
50-64	69	3.2	9	<1	1	2	4	7	8	15
65+	20	4.7	15	<1	1	3	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	146	6.0	30	1	2	6	7	8	12	28
35-49	441	6.2	12	1	2	6	8	10	11	19
50-64	162	6.4	21	1	2	6	8	11	14	26
65+	52	7.9	34	1	2	8	10	15	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	9	<1	<1	2	4	8	8	8
B. *Operated*	281	3.9	8	<1	1	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	10	2.7	5	<1	<1	2	4	6	8	8
B. *Operated*	803	6.3	19	1	2	6	8	10	13	24
1. SINGLE DX	286	3.9	8	<1	1	3	6	8	9	13
2. MULTIPLE DX	813	6.2	19	1	2	6	8	10	13	24
A. NOT OPERATED	15	2.8	6	<1	<1	2	4	8	8	8
B. OPERATED	1084	5.7	17	1	1	6	7	9	12	22
TOTAL 0-19 YRS	7	3.0	7	1	1	2	4	7	8	8
20-34	231	5.1	22	1	1	5	7	8	9	25
35-49	552	5.8	12	1	2	6	7	9	11	17
50-64	233	5.4	19	<1	1	5	8	10	14	24
65+	76	6.9	30	1	1	7	9	14	19	24
GRAND TOTAL	**1099**	**5.6**	**17**	**1**	**1**	**6**	**7**	**9**	**12**	**22**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	1	1	4	4	5	5	5
20-34	16	2.8	5	<1	<1	2	4	6	7	8
35-49	3	4.0	19	<1	<1	2	7	9	9	9
50-64	4	4.0	6	2	2	4	6	7	7	7
65+	3	5.0	12	1	1	7	7	7	7	7
B. *Operated*										
0-19 YRS	416	5.3	3	4	4	6	7	8	8	12
20-34	1641	5.7	3	3	4	6	6	7	8	11
35-49	543	6.5	6	4	4	6	7	9	10	14
50-64	349	7.9	9	4	5	7	9	12	14	20
65+	214	9.5	18	5	6	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	5	1	1	3	5	7	7	7
20-34	13	3.5	10	<1	<1	3	5	9	11	11
35-49	14	4.4	20	1	1	3	5	13	15	15
50-64	7	9.6	71	1	1	6	15	22	24	24
65+	9	11.0	54	2	2	15	17	19	21	21
B. *Operated*										
0-19 YRS	258	6.4	5	4	4	6	7	9	11	15
20-34	1675	6.4	6	4	4	6	7	9	10	15
35-49	1297	7.4	10	4	5	7	8	10	13	22
50-64	963	9.0	20	5	6	8	10	13	16	26
65+	712	12.4	57	6	6	10	14	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.4	6	<1	<1	2	5	7	8	9
B. *Operated*	3163	6.3	6	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	51	6.0	35	1	1	4	8	16	17	24
B. *Operated*	4905	8.0	21	4	5	7	9	12	16	26
1. SINGLE DX	3194	6.3	7	4	4	6	7	9	10	16
2. MULTIPLE DX	4956	8.0	21	4	5	7	9	12	16	26
A. NOT OPERATED	82	5.0	25	<1	1	3	6	14	16	23
B. OPERATED	8068	7.4	16	4	4	6	8	11	14	23
TOTAL 0-19 YRS	687	6.0	4	4	4	6	7	8	9	13
20-34	3345	6.0	4	3	4	6	7	8	9	14
35-49	1857	7.1	9	4	5	7	8	10	12	20
50-64	1323	8.7	17	5	6	8	10	13	16	23
65+	938	11.7	49	6	6	10	14	19	23	35
GRAND TOTAL	**8150**	**7.3**	**16**	**4**	**4**	**6**	**8**	**11**	**14**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	25	3.1	5	<1	<1	3	4	6	7	9
20-34	94	3.2	8	<1	<1	2	5	7	7	15
35-49	92	3.2	8	<1	1	2	4	6	8	16
50-64	39	2.7	5	<1	<1	2	3	7	8	9
65+	23	3.5	10	<1	1	2	4	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.2	19	1	1	1	4	11	11	11
35-49	2	13.0	162	4	4	13	22	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	11	3.0	3	<1	1	2	5	6	6	6
20-34	79	4.7	7	<1	1	5	6	8	9	13
35-49	94	5.5	12	1	1	5	7	9	12	18
50-64	64	4.8	19	1	1	3	7	9	11	23
65+	47	6.2	38	1	2	4	8	15	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.5	8	<1	<1	3	6	6	6	6
B. *Operated*	270	3.1	7	<1	<1	2	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	8	5.5	56	1	1	2	7	19	22	22
B. *Operated*	295	5.1	16	1	1	5	7	9	13	21
1. SINGLE DX	274	3.1	7	<1	<1	2	5	6	8	13
2. MULTIPLE DX	303	5.2	17	1	1	4	7	9	13	22
A. NOT OPERATED	12	4.8	39	<1	<1	2	6	14	21	22
B. OPERATED	565	4.2	13	<1	1	3	6	8	10	20
TOTAL 0-19 YRS	37	3.1	4	<1	<1	2	4	6	7	9
20-34	176	3.9	8	<1	1	3	6	7	8	13
35-49	190	4.4	13	<1	1	3	6	8	10	21
50-64	104	4.0	15	<1	1	2	6	8	9	22
65+	70	5.3	30	1	1	3	7	13	16	29
GRAND TOTAL	**577**	**4.2**	**14**	**<1**	**1**	**3**	**6**	**8**	**10**	**20**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.1	1	<1	<1	2	3	4	4	4
20-34	92	2.5	4	<1	1	2	3	4	6	12
35-49	64	3.4	4	<1	1	3	5	6	7	9
50-64	38	3.2	8	1	1	2	3	6	8	16
65+	33	3.7	8	1	1	3	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	7.0	12	3	3	9	9	9	9	9
B. *Operated*										
0-19 YRS	7	2.6	7	<1	<1	1	3	7	8	8
20-34	35	3.3	12	<1	<1	2	4	6	12	17
35-49	34	3.3	5	<1	1	3	5	6	8	11
50-64	44	4.8	19	1	2	3	5	12	15	19
65+	70	6.5	36	2	2	4	9	14	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	6.5	1	6	6	6	7	7	7	7
B. *Operated*	241	3.0	5	<1	1	2	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	5	5.4	11	2	2	4	9	9	9	9
B. *Operated*	190	4.8	23	1	1	3	5	11	15	24
1. SINGLE DX	243	3.0	5	<1	1	2	4	6	8	12
2. MULTIPLE DX	195	4.8	22	1	1	3	6	10	15	24
A. NOT OPERATED	7	5.7	8	2	2	6	8	9	9	9
B. OPERATED	431	3.8	14	<1	1	3	4	8	11	18
TOTAL 0-19 YRS	22	2.2	3	<1	<1	2	3	4	6	8
20-34	128	2.7	6	<1	1	2	3	5	7	15
35-49	99	3.4	4	<1	1	3	5	6	8	10
50-64	83	4.0	14	1	1	3	4	9	14	18
65+	106	5.6	28	1	2	4	8	12	15	30
GRAND TOTAL	**438**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**8**	**11**	**17**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	7	3.0	10	<1	<1	2	3	9	10	10
20-34	51	2.6	2	<1	1	2	3	5	6	8
35-49	58	5.0	22	1	1	3	7	11	16	21
50-64	131	3.6	10	<1	1	2	4	9	11	14
65+	217	3.3	11	1	1	2	4	5	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	3	3.3	4	1	1	4	5	5	5	5
65+	12	6.3	27	2	2	4	8	15	18	19
B. *Operated*										
0-19 YRS	7	5.6	45	<1	<1	3	6	17	20	20
20-34	34	6.0	71	1	1	3	7	12	29	40
35-49	57	5.7	46	<1	1	3	7	15	19	39
50-64	129	6.9	74	1	1	4	9	17	23	48
65+	286	6.7	52	1	2	4	8	17	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*	464	3.5	12	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	18	5.4	21	1	1	4	6	12	17	19
B. *Operated*	513	6.6	58	1	1	4	8	16	22	40
1. SINGLE DX	468	3.5	12	1	1	2	4	7	10	19
2. MULTIPLE DX	531	6.5	57	1	1	4	8	16	21	40
A. NOT OPERATED	22	4.9	19	1	1	4	6	10	15	19
B. OPERATED	977	5.1	38	1	1	3	5	11	18	32
TOTAL 0-19 YRS	14	4.3	27	<1	<1	2	5	11	18	20
20-34	85	4.0	32	<1	1	2	4	7	9	37
35-49	118	5.3	33	1	1	3	7	12	16	28
50-64	263	5.3	44	1	1	3	6	11	17	43
65+	519	5.2	37	1	1	3	5	12	19	31
GRAND TOTAL	**999**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**18**	**32**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	83	1.6	1	<1	<1	1	2	2	3	6
20-34	40	1.8	1	<1	<1	2	2	3	4	6
35-49	15	2.9	12	<1	<1	2	3	4	12	15
50-64	17	2.0	3	<1	<1	1	2	4	6	7
65+	20	2.6	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	4	6.5	18	<1	<1	7	9	11	11	11
65+	5	4.6	5	1	1	6	6	6	6	6
B. *Operated*										
0-19 YRS	22	2.1	1	1	1	2	2	4	4	5
20-34	6	3.2	2	1	1	3	4	5	5	5
35-49	5	6.2	81	<1	<1	2	9	22	22	22
50-64	13	4.8	23	<1	1	3	8	12	15	16
65+	10	3.9	8	1	1	3	5	8	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	1	1	1	2	3	3	3	3
B. *Operated*	175	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	14	4.4	11	<1	<1	5	6	8	10	11
B. *Operated*	56	3.6	15	1	1	2	4	7	11	22
1. SINGLE DX	180	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	70	3.7	14	<1	1	2	5	8	11	21
A. NOT OPERATED	19	3.8	9	<1	<1	3	6	8	10	11
B. OPERATED	231	2.3	6	<1	<1	2	2	4	7	15
TOTAL 0-19 YRS	111	1.7	1	<1	<1	2	2	3	3	6
20-34	46	2.0	2	<1	1	2	2	4	5	6
35-49	23	3.8	25	<1	<1	2	4	9	17	22
50-64	35	3.6	14	<1	<1	2	4	10	11	16
65+	35	3.2	5	1	1	2	4	7	8	10
GRAND TOTAL	**250**	**2.4**	**6**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	3.3	7	1	1	2	4	7	9	11
35-49	31	2.2	2	<1	1	2	3	4	5	7
50-64	42	3.1	5	<1	1	2	5	7	8	9
65+	63	5.5	41	<1	1	3	6	11	17	40
B. *Operated*										
0-19 YRS	41	10.8	46	<1	3	10	14	16	18	42
20-34	163	12.8	111	2	5	11	14	21	28	78
35-49	284	11.4	49	2	3	10	14	21	26	36
50-64	407	12.8	61	2	3	12	16	22	27	48
65+	258	17.8	172	3	5	15	22	32	41	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.6	2	<1	<1	2	3	5	5	5
20-34	18	4.8	28	1	1	3	5	11	18	22
35-49	34	6.4	25	1	2	5	9	15	17	22
50-64	83	9.6	188	1	2	6	10	27	56	99+
65+	291	12.7	174	2	3	9	16	27	48	99+
B. *Operated*										
0-19 YRS	36	15.0	87	5	6	11	22	25	42	99+
20-34	119	18.3	188	3	7	15	23	39	58	99+
35-49	243	18.5	203	4	7	14	24	42	56	99+
50-64	483	21.0	255	4	7	17	27	45	62	99+
65+	474	27.4	358	5	9	23	37	58	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.9	21	<1	1	2	5	8	10	22
B. *Operated*	1153	13.5	95	2	3	12	16	25	30	59
2. MULTIPLE DX										
A. *Not Operated*	435	11.1	162	2	2	7	13	24	42	99+
B. *Operated*	1355	22.4	286	4	8	17	30	51	65	99+
1. SINGLE DX	1312	12.3	96	2	2	11	16	23	28	52
2. MULTIPLE DX	1790	19.6	279	3	4	15	26	46	63	99+
A. NOT OPERATED	594	9.2	134	1	2	6	11	21	30	97
B. OPERATED	2508	18.3	217	3	6	14	23	38	55	99+
TOTAL 0-19 YRS	88	11.4	72	1	2	10	16	23	25	80
20-34	321	13.8	147	2	3	11	16	26	39	84
35-49	592	13.5	131	2	2	11	17	27	39	84
50-64	1015	16.1	187	2	3	13	20	32	51	99+
65+	1086	19.9	297	2	4	15	26	45	63	99+
GRAND TOTAL	3102	16.6	214	2	3	12	21	36	52	99+

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	5	3.4	5	1	1	3	5	7	7	7
50-64	6	2.7	3	<1	<1	2	4	5	5	5
65+	4	5.5	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	124	3.7	1	2	2	4	4	5	6	7
20-34	1033	3.9	2	2	3	4	4	5	6	8
35-49	1172	4.0	2	2	3	4	5	5	6	10
50-64	940	4.3	8	2	3	4	5	6	7	11
65+	352	5.1	10	3	3	4	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	2.6	3	<1	<1	2	4	5	5	5
35-49	12	5.8	14	1	1	6	9	10	10	10
50-64	10	5.7	20	2	2	5	6	12	17	17
65+	17	10.9	90	1	3	6	15	21	33	39
B. *Operated*										
0-19 YRS	27	4.6	11	2	3	4	5	8	10	19
20-34	286	4.4	5	2	3	4	5	6	8	12
35-49	518	4.8	9	2	3	4	5	7	9	15
50-64	562	6.2	31	3	3	5	6	11	15	26
65+	374	7.8	47	3	3	6	9	14	22	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.6	5	<1	<1	4	5	7	8	8
B. *Operated*	3621	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	46	7.2	49	<1	1	5	9	16	21	39
B. *Operated*	1767	5.8	25	3	3	5	6	10	13	27
1. SINGLE DX	3638	4.2	4	2	3	4	5	6	7	11
2. MULTIPLE DX	1813	5.9	26	3	3	5	6	10	14	27
A. NOT OPERATED	63	6.2	40	<1	1	5	8	13	18	37
B. OPERATED	5388	4.7	12	2	3	4	5	7	9	18
TOTAL 0-19 YRS	153	3.8	3	2	2	4	4	5	6	9
20-34	1326	4.0	3	2	3	4	5	5	6	11
35-49	1707	4.3	4	2	3	4	5	6	7	12
50-64	1518	5.0	17	3	3	4	5	7	10	22
65+	747	6.6	32	3	3	5	7	12	17	31
GRAND TOTAL	5451	4.7	12	2	3	4	5	7	9	19

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	11	3	3	3	4	10	13	13
20-34	47	3.3	6	1	1	3	4	6	9	13
35-49	27	3.7	10	<1	1	3	5	6	8	17
50-64	22	6.9	53	1	2	5	8	10	21	37
65+	16	7.1	76	1	1	4	8	15	30	36
B. *Operated*										
0-19 YRS	28	10.8	63	4	4	9	11	21	32	39
20-34	160	9.2	24	3	4	8	11	16	19	29
35-49	171	8.6	27	3	3	8	11	14	18	27
50-64	213	8.4	39	3	4	7	9	16	20	32
65+	118	10.5	72	3	4	8	12	19	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	1	4	4	4	5	6	6	6
20-34	54	5.7	11	2	3	4	8	10	12	16
35-49	43	5.9	16	1	2	5	8	10	12	23
50-64	64	8.3	47	1	2	7	11	19	24	31
65+	58	9.1	56	1	3	6	13	22	25	34
B. *Operated*										
0-19 YRS	18	9.7	39	4	4	8	12	18	25	28
20-34	146	11.7	115	3	4	9	12	23	32	57
35-49	205	11.9	120	3	4	10	15	21	34	58
50-64	361	12.1	111	3	4	9	15	26	35	68
65+	319	14.3	156	4	4	10	19	30	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.6	26	1	1	3	5	9	12	36
B. *Operated*	690	9.1	40	3	4	8	11	16	22	36
2. MULTIPLE DX										
A. *Not Operated*	223	7.3	36	1	2	6	9	14	22	29
B. *Operated*	1049	12.6	127	3	4	9	16	27	37	67
1. SINGLE DX	811	8.4	40	2	3	7	10	15	20	36
2. MULTIPLE DX	1272	11.7	115	3	4	8	14	25	33	62
A. NOT OPERATED	344	6.4	34	1	2	4	8	13	18	32
B. OPERATED	1739	11.2	95	3	4	8	13	22	31	53
TOTAL 0-19 YRS	59	9.1	49	3	3	7	11	14	26	38
20-34	407	9.0	60	2	3	7	10	16	23	42
35-49	446	9.6	74	2	3	8	12	18	23	45
50-64	660	10.4	83	3	3	7	13	21	30	52
65+	511	12.6	128	3	4	9	17	27	38	59
GRAND TOTAL	**2083**	**10.4**	**88**	**3**	**3**	**8**	**12**	**21**	**28**	**51**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	16	2.2	4	<1	<1	1	3	5	6	7
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	4	2.8	12	1	1	1	5	8	8	8
65+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-19 YRS	51	2.3	2	<1	1	2	3	4	6	8
20-34	2885	3.8	6	1	1	3	6	7	8	10
35-49	1238	4.7	8	1	1	5	7	8	9	12
50-64	290	4.6	9	1	1	4	7	8	10	12
65+	136	5.5	21	1	1	4	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	2.0	2	<1	<1	1	2	5	5	6
35-49	19	3.8	36	<1	<1	1	4	9	18	26
50-64	9	6.3	73	<1	<1	2	8	21	27	27
65+	6	7.0	52	1	1	5	7	20	21	21
B. *Operated*										
0-19 YRS	34	3.2	9	<1	<1	2	3	7	8	15
20-34	2020	5.0	10	1	2	5	7	8	10	15
35-49	1404	6.4	13	2	2	6	8	10	11	19
50-64	443	6.7	21	2	2	6	8	11	13	22
65+	213	7.9	38	2	2	7	10	13	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.7	5	<1	<1	2	4	6	7	8
B. *Operated*	4600	4.2	7	1	1	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	75	3.4	25	<1	<1	1	4	7	11	27
B. *Operated*	4114	5.8	15	1	2	6	7	9	11	19
1. SINGLE DX	4627	4.2	7	1	1	3	6	8	9	11
2. MULTIPLE DX	4189	5.8	15	1	2	6	7	9	11	20
A. NOT OPERATED	102	3.2	19	<1	<1	1	4	6	9	26
B. OPERATED	8714	4.9	11	1	1	5	7	8	10	15
TOTAL 0-19 YRS	86	2.7	5	<1	<1	2	3	6	7	13
20-34	4962	4.3	8	1	1	4	6	8	9	12
35-49	2664	5.6	12	1	2	6	7	9	10	17
50-64	746	5.8	18	1	2	6	8	10	12	20
65+	358	7.0	33	1	2	6	9	12	17	32
GRAND TOTAL	**8816**	**4.9**	**12**	**1**	**1**	**5**	**7**	**8**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	17	5.7	29	2	2	4	6	15	20	21
65+	15	6.7	28	2	2	5	9	16	19	20
B. *Operated*										
0-19 YRS	11	4.8	11	<1	1	5	8	9	10	10
20-34	143	4.3	10	1	1	3	6	9	10	14
35-49	262	4.7	12	<1	1	4	7	10	11	16
50-64	462	4.8	19	1	1	3	7	10	13	20
65+	620	5.1	28	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	10	4.9	14	1	1	4	6	11	14	14
50-64	30	8.0	191	1	1	3	8	16	43	67
65+	42	12.0	128	2	3	9	16	26	36	60
B. *Operated*										
0-19 YRS	5	5.0	39	<1	<1	2	7	16	16	16
20-34	90	6.0	24	1	1	5	8	13	17	22
35-49	323	7.2	35	1	2	6	9	14	19	33
50-64	657	7.9	46	1	2	6	10	17	21	32
65+	1023	9.7	94	2	2	7	13	20	26	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	5.4	26	<1	1	4	6	14	19	21
B. *Operated*	1498	4.9	20	1	1	3	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	86	9.4	136	1	2	5	11	19	35	64
B. *Operated*	2098	8.6	68	1	2	7	11	18	23	37
1. SINGLE DX	1537	4.9	21	1	1	3	7	10	13	21
2. MULTIPLE DX	2184	8.6	71	1	2	7	11	18	24	39
A. NOT OPERATED	125	8.2	105	1	2	5	10	17	25	62
B. OPERATED	3596	7.0	51	1	2	5	9	15	20	34
TOTAL 0-19 YRS	18	4.7	16	<1	1	3	7	10	14	16
20-34	238	4.9	16	1	1	4	7	10	13	19
35-49	599	6.0	26	1	1	5	8	11	16	25
50-64	1166	6.6	41	1	1	5	9	14	19	31
65+	1700	8.1	75	1	2	5	10	18	23	41
GRAND TOTAL	**3721**	**7.1**	**53**	**1**	**2**	**5**	**9**	**15**	**20**	**35**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	4.4	52	<1	1	3	5	8	10	36
20-34	188	4.0	13	<1	1	3	5	8	11	21
35-49	231	4.0	19	1	1	3	5	7	10	19
50-64	297	4.8	23	1	1	3	6	10	14	25
65+	476	5.8	34	1	1	4	7	12	17	32
B. *Operated*										
0-19 YRS	639	4.0	15	<1	1	3	5	9	12	19
20-34	1023	4.7	21	<1	1	3	6	9	13	23
35-49	1014	4.7	23	1	1	3	6	9	13	24
50-64	1559	4.8	24	1	1	3	6	11	13	21
65+	1667	5.7	33	1	1	3	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	4.5	30	<1	1	3	5	10	13	36
20-34	273	5.5	41	<1	1	4	7	11	14	40
35-49	361	6.2	64	<1	1	4	8	12	18	28
50-64	786	6.4	43	1	1	4	8	14	19	34
65+	1868	9.0	93	1	2	6	11	19	27	52
B. *Operated*										
0-19 YRS	234	9.5	149	1	2	6	11	21	31	81
20-34	705	7.9	72	1	2	6	9	17	23	45
35-49	922	7.8	79	1	2	6	9	15	20	51
50-64	1745	9.3	90	1	2	7	12	19	27	52
65+	3143	11.3	124	2	2	8	15	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	4.9	29	1	1	3	6	10	14	28
B. *Operated*	5902	4.9	25	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	3451	7.6	74	1	1	5	9	17	23	44
B. *Operated*	6749	9.9	107	2	2	7	13	21	29	56
1. SINGLE DX	7247	4.9	26	1	1	3	6	11	14	24
2. MULTIPLE DX	10200	9.1	97	1	2	6	11	19	27	53
A. NOT OPERATED	4796	6.8	63	1	1	4	8	15	21	41
B. OPERATED	12651	7.6	75	1	2	5	10	17	23	45
TOTAL 0-19 YRS	1189	5.2	52	<1	1	3	6	11	16	35
20-34	2189	5.8	41	1	1	4	7	12	17	34
35-49	2528	6.0	51	1	1	4	8	12	17	38
50-64	4387	6.9	58	1	1	4	9	15	20	41
65+	7154	9.0	94	1	2	6	12	19	27	51
GRAND TOTAL	**17447**	**7.4**	**71**	**1**	**1**	**5**	**9**	**16**	**22**	**44**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.3	2	<1	1	2	3	4	5	5
20-34	44	2.9	5	<1	1	2	4	6	7	12
35-49	51	4.2	13	<1	1	3	5	8	11	22
50-64	44	4.3	10	1	1	4	6	9	11	14
65+	46	4.8	20	<1	1	4	6	11	13	22
B. *Operated*										
0-19 YRS	89	3.6	2	2	2	3	4	5	6	10
20-34	763	4.1	3	2	3	4	5	6	7	10
35-49	1045	4.2	3	2	3	4	5	6	6	10
50-64	993	4.6	4	3	3	4	5	6	8	13
65+	467	5.0	8	3	3	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.1	3	1	1	3	4	5	7	8
20-34	97	3.9	17	1	1	3	5	7	8	27
35-49	141	4.7	12	<1	1	4	6	9	13	15
50-64	196	5.5	22	1	1	4	7	12	14	24
65+	233	7.1	44	2	2	5	8	14	17	28
B. *Operated*										
0-19 YRS	29	4.4	2	2	3	4	5	6	8	8
20-34	237	5.0	10	3	3	4	6	7	10	18
35-49	508	5.6	10	3	3	5	6	10	12	18
50-64	786	6.5	19	3	3	5	7	11	15	24
65+	604	8.7	51	3	4	6	10	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.9	12	<1	1	3	5	8	11	20
B. *Operated*	3357	4.4	4	2	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	687	5.6	28	1	1	4	7	11	14	26
B. *Operated*	2164	6.7	26	3	3	5	7	12	16	28
1. SINGLE DX	3559	4.3	4	2	3	4	5	6	8	12
2. MULTIPLE DX	2851	6.4	27	2	3	5	7	12	16	28
A. NOT OPERATED	889	5.2	24	1	1	4	7	10	14	23
B. OPERATED	5521	5.3	14	2	3	4	6	8	12	23
TOTAL 0-19 YRS	155	3.5	3	1	1	3	4	5	6	8
20-34	1141	4.2	6	2	2	4	5	6	7	12
35-49	1745	4.6	6	2	3	4	5	7	9	14
50-64	2019	5.4	13	2	3	4	6	9	12	21
65+	1350	7.0	37	2	3	5	8	14	17	32
GRAND TOTAL	**6410**	**5.3**	**16**	**2**	**3**	**4**	**6**	**9**	**12**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	5.0	15	1	1	4	7	9	13	18
20-34	520	5.2	17	1	2	4	7	9	12	18
35-49	408	5.2	12	1	2	4	7	9	12	19
50-64	314	5.6	19	1	1	5	7	10	13	21
65+	210	7.7	36	1	2	6	10	14	19	27
B. *Operated*										
0-19 YRS	153	5.5	29	2	3	4	5	9	12	22
20-34	741	5.1	8	2	3	4	5	7	10	17
35-49	582	4.7	6	2	3	4	5	7	8	15
50-64	432	5.0	8	2	3	4	6	7	11	15
65+	174	5.9	16	3	3	5	7	9	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.4	16	1	2	4	7	11	13	21
20-34	654	6.4	26	1	2	5	8	11	15	23
35-49	991	7.1	24	2	3	6	9	12	17	25
50-64	1359	8.1	40	2	3	6	10	15	20	33
65+	1978	10.9	78	3	3	9	14	20	27	49
B. *Operated*										
0-19 YRS	52	6.9	28	2	3	5	8	13	17	33
20-34	347	7.5	58	3	3	5	8	14	18	34
35-49	438	7.3	41	2	3	5	8	14	20	36
50-64	539	9.1	68	2	3	6	12	18	24	47
65+	472	14.1	189	3	4	10	18	31	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1629	5.6	19	1	2	4	7	10	13	21
B. *Operated*	2082	5.1	10	2	3	4	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	5133	8.7	53	2	3	7	11	17	22	37
B. *Operated*	1848	9.6	97	2	3	6	11	20	28	60
1. SINGLE DX	3711	5.3	14	2	2	4	6	9	12	19
2. MULTIPLE DX	6981	8.9	65	2	3	7	11	18	23	44
A. NOT OPERATED	6762	7.9	46	2	2	6	10	15	20	34
B. OPERATED	3930	7.2	56	2	3	5	7	14	20	42
TOTAL 0-19 YRS	533	5.4	21	1	2	4	6	10	13	21
20-34	2262	5.9	24	2	2	5	7	10	14	23
35-49	2419	6.2	22	2	3	5	8	11	15	25
50-64	2644	7.5	40	2	3	6	9	14	19	34
65+	2834	10.9	94	3	3	8	14	21	28	60
GRAND TOTAL	**10692**	**7.7**	**50**	**2**	**3**	**5**	**9**	**15**	**20**	**36**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1567	6.3	22	2	2	6	8	11	12	19
20-34	1126	5.7	12	2	2	5	7	10	12	17
35-49	1288	6.3	13	2	3	6	8	10	12	19
50-64	1835	6.6	16	2	3	6	8	11	14	19
65+	1554	7.2	29	<1	2	6	9	13	16	26
B. *Operated*										
0-19 YRS	3	8.3	30	3	3	8	12	14	14	14
20-34	16	7.8	42	1	2	6	11	13	23	27
35-49	27	8.8	43	2	3	7	12	17	22	32
50-64	51	8.2	43	1	2	8	10	15	18	42
65+	43	11.1	63	2	4	10	14	17	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	916	6.2	36	1	2	5	8	11	15	33
20-34	1999	6.4	22	1	2	5	8	12	15	26
35-49	4283	7.5	30	2	3	6	9	13	16	28
50-64	9487	8.1	31	2	3	7	10	14	18	28
65+	13177	9.5	53	3	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	44	8.2	34	2	3	7	9	17	21	28
20-34	244	11.1	97	2	2	8	14	23	31	57
35-49	628	12.2	99	2	4	10	15	22	29	70
50-64	1564	13.5	117	3	4	11	17	26	35	60
65+	1812	17.3	224	3	5	13	21	36	53	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7370	6.5	19	2	2	6	8	11	14	20
B. *Operated*	140	9.2	49	2	2	8	12	16	19	42
2. MULTIPLE DX										
A. *Not Operated*	29862	8.4	41	2	3	7	10	15	19	33
B. *Operated*	4292	14.7	163	2	4	11	18	29	40	84
1. SINGLE DX	7510	6.5	20	2	2	6	8	11	14	21
2. MULTIPLE DX	34154	9.2	61	2	3	7	11	17	22	43
A. NOT OPERATED	37232	8.0	37	2	3	7	10	14	18	31
B. OPERATED	4432	14.5	160	2	4	11	18	29	40	83
TOTAL 0-19 YRS	2530	6.3	27	1	2	5	8	11	14	21
20-34	3385	6.5	26	2	2	5	8	12	15	27
35-49	6226	7.7	36	2	3	6	9	13	17	30
50-64	12937	8.5	43	2	3	7	10	15	20	35
65+	16586	10.1	76	3	3	8	12	19	25	51
GRAND TOTAL	**41664**	**8.7**	**54**	**2**	**3**	**7**	**11**	**16**	**21**	**40**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2449	5.0	19	1	2	4	6	9	12	19
20-34	1696	5.0	12	1	2	4	6	9	11	18
35-49	660	6.5	24	2	2	5	8	12	15	20
50-64	462	7.2	16	2	3	7	10	13	15	18
65+	306	8.4	46	1	3	7	11	15	18	38
B. *Operated*										
0-19 YRS	15	7.6	9	3	4	7	10	11	13	13
20-34	16	12.3	129	4	5	8	15	23	41	49
35-49	9	10.8	9	5	6	11	12	15	16	16
50-64	5	17.2	322	7	7	10	22	49	49	49
65+	4	21.8	364	8	8	14	32	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1718	5.6	19	1	2	4	7	10	13	22
20-34	2318	6.3	27	2	2	5	8	11	14	28
35-49	1538	8.6	49	2	3	7	11	16	21	35
50-64	1673	9.9	54	3	3	8	12	17	22	39
65+	2092	12.3	87	3	4	10	15	23	30	54
B. *Operated*										
0-19 YRS	71	10.4	34	3	4	9	14	17	21	33
20-34	240	13.8	136	3	4	10	17	26	34	66
35-49	191	18.7	247	4	6	13	24	42	62	99+
50-64	241	23.4	305	6	8	18	30	48	63	94
65+	298	24.2	259	7	10	20	31	55	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5573	5.6	20	1	2	4	7	10	13	20
B. *Operated*	49	11.9	111	4	5	9	13	19	49	50
2. MULTIPLE DX										
A. *Not Operated*	9339	8.5	54	2	3	7	11	16	22	38
B. *Operated*	1041	19.6	246	4	6	15	25	41	59	99+
1. SINGLE DX	5622	5.6	21	1	2	5	7	10	13	20
2. MULTIPLE DX	10380	9.6	84	2	3	7	12	19	27	54
A. NOT OPERATED	14912	7.4	43	2	2	6	9	14	19	33
B. OPERATED	1090	19.3	243	4	6	15	25	41	58	99+
TOTAL 0-19 YRS	4253	5.3	20	1	2	4	7	10	13	20
20-34	4270	6.2	31	2	2	5	8	11	15	29
35-49	2398	8.8	67	2	3	7	11	16	23	50
50-64	2381	10.7	91	3	3	8	13	19	27	55
65+	2700	13.2	118	3	4	10	16	26	35	71
GRAND TOTAL	**16002**	**8.2**	**66**	**2**	**2**	**6**	**10**	**16**	**22**	**46**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1146	6.1	17	2	2	5	8	10	13	21
20-34	1437	6.0	18	2	2	5	8	11	13	21
35-49	1807	6.7	14	2	3	6	8	11	13	19
50-64	2601	7.2	20	2	3	6	9	12	15	22
65+	2236	7.8	24	3	3	7	10	13	16	24
B. *Operated*										
0-19 YRS	12	8.5	53	1	2	6	10	21	24	25
20-34	58	8.3	49	1	2	7	12	16	24	33
35-49	68	10.9	192	2	2	6	12	22	34	87
50-64	208	8.5	81	2	2	5	11	19	29	50
65+	194	10.3	183	2	2	4	14	23	40	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	896	6.1	26	1	2	5	8	11	15	22
20-34	3637	7.3	33	2	2	6	9	13	17	30
35-49	7380	8.1	31	2	3	7	10	14	18	28
50-64	15877	9.0	41	3	4	8	11	16	20	33
65+	20090	10.3	65	3	4	8	13	19	24	45
B. *Operated*										
0-19 YRS	85	10.2	105	2	2	8	12	19	25	61
20-34	1128	11.3	123	2	2	8	14	23	33	61
35-49	2277	15.0	180	2	3	11	19	32	43	79
50-64	5336	17.5	243	2	4	13	23	39	55	99+
65+	7092	21.1	315	3	4	16	29	49	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9227	6.9	19	2	3	6	9	12	14	22
B. *Operated*	540	9.4	128	2	2	5	12	22	32	56
2. MULTIPLE DX										
A. *Not Operated*	47880	9.2	50	3	3	8	11	16	21	37
B. *Operated*	15918	18.3	266	2	4	14	24	42	58	99+
1. SINGLE DX	9767	7.1	26	2	3	6	9	12	15	25
2. MULTIPLE DX	63798	11.5	119	3	3	8	14	23	33	69
A. NOT OPERATED	57107	8.9	46	2	3	7	11	16	20	35
B. OPERATED	16458	18.0	264	2	3	13	24	41	57	99+
TOTAL 0-19 YRS	2139	6.3	25	1	2	5	8	11	14	23
20-34	6260	7.7	49	2	2	6	9	14	20	36
35-49	11532	9.2	67	2	3	7	11	17	24	47
50-64	24022	10.7	97	3	3	8	12	20	29	59
65+	29612	12.7	145	3	4	9	15	26	37	79
GRAND TOTAL	**73565**	**10.9**	**109**	**2**	**3**	**8**	**13**	**21**	**31**	**65**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	2	1	1	3	4	5	5	6
20-34	49	3.5	7	<1	<1	3	5	8	8	12
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	118	3.5	4	1	1	3	5	6	7	10
20-34	659	3.9	6	1	1	4	6	7	8	11
35-49	55	3.7	6	<1	1	3	5	7	8	13
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.1	4	1	1	3	4	7	8	8
20-34	101	4.1	6	1	2	3	5	7	10	13
35-49	20	5.3	22	<1	1	3	9	12	14	16
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	138	4.7	9	<1	1	5	7	8	10	15
20-34	1116	4.8	10	1	1	5	6	8	10	16
35-49	144	6.1	12	1	2	6	7	9	13	19
50-64	11	4.4	14	<1	1	3	5	11	12	12
65+	4	12.8	26	8	8	11	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	3.3	5	<1	<1	3	4	7	8	11
B. *Operated*	834	3.8	6	1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	152	4.1	8	1	1	3	5	8	10	14
B. *Operated*	1413	4.9	10	1	1	5	7	8	10	17
1. SINGLE DX	912	3.8	6	<1	1	3	5	7	8	11
2. MULTIPLE DX	1565	4.9	10	1	1	5	7	8	10	16
A. NOT OPERATED	230	3.8	7	1	1	3	5	8	10	13
B. OPERATED	2247	4.5	9	1	1	4	6	8	9	15
TOTAL 0-19 YRS	305	3.9	7	1	1	3	6	7	8	12
20-34	1925	4.4	8	1	1	4	6	8	9	14
35-49	221	5.4	12	1	2	5	7	9	12	18
50-64	17	3.9	9	<1	1	3	4	10	12	12
65+	9	7.8	34	2	2	7	11	17	20	20
GRAND TOTAL	**2477**	**4.5**	**9**	**1**	**1**	**4**	**6**	**8**	**9**	**15**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	575	3.3	12	1	1	2	4	7	9	20
20-34	599	4.6	17	1	1	3	6	8	11	21
35-49	463	4.9	24	1	1	4	6	9	12	24
50-64	387	4.9	18	1	1	4	6	10	12	24
65+	421	5.7	34	1	1	4	7	12	15	28
B. *Operated*										
0-19 YRS	57	5.4	27	1	1	4	7	10	16	30
20-34	99	6.7	25	1	2	5	10	12	16	28
35-49	84	7.1	52	1	2	5	9	12	17	42
50-64	134	6.9	28	1	3	6	9	11	15	30
65+	84	11.0	111	2	3	8	13	23	30	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	777	4.2	25	1	1	3	5	9	11	27
20-34	1363	5.4	27	1	1	4	7	10	14	27
35-49	1598	6.2	34	1	2	5	8	12	15	30
50-64	2371	6.8	47	1	2	5	8	13	17	37
65+	4766	8.3	60	2	2	6	10	16	21	39
B. *Operated*										
0-19 YRS	76	7.5	44	2	2	6	9	15	21	37
20-34	224	10.1	81	2	2	8	12	21	30	67
35-49	337	11.3	150	2	3	8	13	26	38	81
50-64	521	12.5	151	3	4	9	15	25	36	88
65+	558	16.3	205	3	4	12	22	36	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2445	4.6	21	1	1	3	6	9	12	23
B. *Operated*	458	7.5	50	1	2	6	9	13	21	40
2. MULTIPLE DX										
A. *Not Operated*	10875	7.0	48	1	2	5	9	14	19	35
B. *Operated*	1716	13.0	161	2	3	9	16	28	39	88
1. SINGLE DX	2903	5.1	27	1	1	4	6	10	13	26
2. MULTIPLE DX	12591	7.8	68	1	2	6	9	16	22	45
A. NOT OPERATED	13320	6.6	44	1	2	5	8	13	18	33
B. OPERATED	2174	11.8	142	2	3	8	14	26	37	77
TOTAL 0-19 YRS	1485	4.1	22	1	1	3	5	8	11	23
20-34	2285	5.7	32	1	1	4	7	11	16	30
35-49	2482	6.7	52	1	2	5	8	13	18	38
50-64	3413	7.5	63	1	2	5	9	14	20	44
65+	5829	8.9	79	2	2	6	11	18	25	50
GRAND TOTAL	**15494**	**7.3**	**61**	**1**	**2**	**5**	**9**	**15**	**21**	**42**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.8	119	2	2	5	8	19	29	99+
20-34	16	9.8	115	<1	1	4	18	29	30	30
35-49	11	5.9	7	3	3	5	7	10	11	11
50-64	25	7.8	20	1	2	8	10	14	17	18
65+	93	8.0	92	<1	<1	5	9	20	31	48
B. *Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	12	8.3	192	1	1	4	8	24	47	51
35-49	9	10.6	77	3	3	8	13	25	31	31
50-64	10	7.5	42	2	2	5	12	17	22	22
65+	11	17.0	561	3	4	7	20	52	80	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	155	7.8	46	1	2	6	11	17	21	97
20-34	77	9.6	97	1	3	6	11	25	31	51
35-49	151	11.7	111	2	3	9	15	25	30	43
50-64	342	12.9	151	2	4	9	16	25	37	72
65+	1528	13.5	118	3	4	10	17	27	37	58
B. *Operated*										
0-19 YRS	21	15.6	367	2	3	8	16	36	64	85
20-34	67	10.4	99	2	4	7	12	25	32	93
35-49	100	16.1	244	5	5	10	21	37	47	79
50-64	122	17.5	247	3	5	13	23	36	51	98
65+	357	21.3	226	5	6	17	29	43	52	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	8.0	86	<1	<1	5	9	19	28	63
B. *Operated*	45	10.5	214	2	2	5	11	23	37	83
2. MULTIPLE DX										
A. *Not Operated*	2253	12.8	119	3	4	9	16	26	35	60
B. *Operated*	667	18.5	235	4	5	14	25	39	51	91
1. SINGLE DX	241	8.4	110	<1	1	5	10	20	30	74
2. MULTIPLE DX	2920	14.1	152	3	4	10	18	30	39	71
A. NOT OPERATED	2449	12.4	118	2	3	9	16	25	35	60
B. OPERATED	712	18.0	237	3	5	13	25	38	50	88
TOTAL 0-19 YRS	230	8.5	94	1	2	6	11	18	23	99+
20-34	172	9.9	104	1	2	6	11	25	31	61
35-49	271	13.1	160	3	3	9	16	29	36	64
50-64	499	13.6	172	2	4	10	17	26	39	78
65+	1989	14.7	149	3	4	11	19	31	40	68
GRAND TOTAL	**3161**	**13.7**	**151**	**2**	**3**	**10**	**17**	**30**	**39**	**71**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	387	10.7	44	1	3	10	14	19	21	29
20-34	117	10.2	44	<1	<1	10	14	18	21	31
35-49	4	6.8	32	1	1	6	11	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	11	17.7	709	1	1	13	19	96	99+	99+
20-34	7	6.0	32	2	2	3	9	16	17	17
35-49	18	2.7	1	1	1	3	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	565	10.7	56	2	3	10	14	20	22	39
20-34	256	11.3	69	<1	<1	11	14	21	28	42
35-49	24	8.1	25	3	3	7	10	15	19	25
50-64										
65+										
B. *Operated*										
0-19 YRS	45	16.1	99	2	3	14	20	28	32	55
20-34	34	14.6	190	2	5	11	15	27	38	77
35-49	13	6.8	18	2	3	6	8	14	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	10.5	44	<1	2	10	14	18	21	30
B. *Operated*	36	7.9	254	1	1	3	10	18	69	99+
2. MULTIPLE DX										
A. *Not Operated*	845	10.8	59	<1	3	10	14	20	23	40
B. *Operated*	92	14.3	129	2	3	12	17	27	35	68
1. SINGLE DX	544	10.3	58	<1	2	10	14	18	21	32
2. MULTIPLE DX	937	11.1	67	1	3	10	14	20	25	42
A. NOT OPERATED	1353	10.7	53	<1	3	10	14	19	22	34
B. OPERATED	128	12.5	170	2	2	10	16	26	36	96
TOTAL 0-19 YRS	1008	11.0	61	2	3	10	14	20	22	38
20-34	414	11.1	73	<1	<1	10	14	20	27	40
35-49	59	6.1	21	1	2	5	8	12	15	24
50-64										
65+										
GRAND TOTAL	**1481**	**10.8**	**64**	**<1**	**2**	**10**	**14**	**20**	**22**	**39**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.6	21	<1	1	3	5	13	20	99+
20-34	67	4.0	24	<1	<1	3	5	8	10	33
35-49	39	4.4	89	<1	<1	2	4	8	15	58
50-64	22	4.3	28	<1	<1	3	4	7	16	26
65+	6	5.5	32	2	2	3	4	16	17	17
B. *Operated*										
0-19 YRS	69	7.8	5	4	5	7	8	12	13	15
20-34	1031	8.2	10	5	6	8	9	11	13	18
35-49	714	8.7	12	5	6	8	10	12	13	19
50-64	94	10.0	19	6	7	9	11	14	16	32
65+	4	6.3	21	1	1	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	7.9	227	1	2	3	6	29	87	99+
20-34	230	5.4	33	1	1	4	6	12	17	52
35-49	369	6.9	73	1	1	5	8	15	23	42
50-64	326	7.6	43	2	2	6	9	14	19	38
65+	131	8.7	38	2	3	7	11	16	22	30
B. *Operated*										
0-19 YRS	49	7.7	17	2	4	7	9	14	21	99+
20-34	1485	9.4	44	5	5	8	10	14	18	47
35-49	1715	9.9	42	5	6	9	11	15	20	42
50-64	460	10.2	53	4	5	9	11	16	22	50
65+	43	14.2	164	3	4	10	17	33	45	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	4.4	36	<1	<1	3	5	9	15	79
B. *Operated*	1912	8.5	11	5	6	8	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*	1142	7.1	65	1	2	5	8	15	23	55
B. *Operated*	3752	9.8	46	5	5	8	10	15	20	47
1. SINGLE DX	2110	8.1	15	3	5	8	9	12	13	19
2. MULTIPLE DX	4894	9.2	51	2	4	8	10	15	20	48
A. NOT OPERATED	1340	6.7	61	1	1	4	8	14	21	58
B. OPERATED	5664	9.3	34	5	5	8	10	13	17	38
TOTAL 0-19 YRS	268	7.0	84	1	2	5	8	13	25	99+
20-34	2813	8.5	32	3	5	8	9	12	16	38
35-49	2837	9.1	40	3	5	8	10	14	18	38
50-64	902	9.1	47	2	3	8	11	15	21	40
65+	184	9.8	72	2	3	7	12	18	25	51
GRAND TOTAL	**7004**	**8.8**	**41**	**2**	**4**	**8**	**10**	**13**	**18**	**41**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	421	3.4	13	<1	<1	2	4	8	11	20
20-34	300	4.6	29	<1	<1	3	5	9	14	29
35-49	193	4.5	13	<1	<1	4	6	10	11	16
50-64	218	4.6	26	<1	<1	3	6	10	13	26
65+	154	6.9	87	<1	1	4	8	14	21	71
B. *Operated*										
0-19 YRS	141	4.5	16	1	1	3	6	10	12	17
20-34	230	4.8	17	1	1	4	6	9	12	19
35-49	246	5.9	29	1	1	5	7	11	16	29
50-64	207	5.2	19	1	1	4	7	11	14	19
65+	115	7.9	82	1	2	4	11	21	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	519	5.5	37	1	1	4	7	11	17	39
20-34	476	6.5	45	1	2	5	8	13	17	32
35-49	773	6.6	39	1	2	5	8	12	16	35
50-64	954	8.0	55	2	2	6	10	16	21	35
65+	1240	9.4	67	2	3	7	12	19	25	41
B. *Operated*										
0-19 YRS	129	9.7	140	1	2	7	10	27	48	99+
20-34	422	9.0	68	2	2	7	11	17	25	54
35-49	645	9.1	93	1	2	7	11	17	25	48
50-64	704	10.3	105	1	2	7	13	22	31	55
65+	631	13.8	162	2	3	10	17	31	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1286	4.5	29	<1	<1	3	5	9	13	26
B. *Operated*	939	5.5	29	1	1	4	7	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	3962	7.7	54	1	2	6	9	15	21	38
B. *Operated*	2531	10.6	115	2	2	8	13	23	32	60
1. SINGLE DX	2225	4.9	29	<1	1	3	6	10	14	27
2. MULTIPLE DX	6493	8.8	80	1	2	6	11	18	25	49
A. NOT OPERATED	5248	6.9	50	1	1	5	9	14	20	35
B. OPERATED	3470	9.2	97	1	2	6	11	19	28	54
TOTAL 0-19 YRS	1210	5.1	40	<1	1	3	6	11	16	42
20-34	1428	6.6	47	1	1	5	8	13	18	34
35-49	1857	7.1	56	1	2	5	9	13	18	38
50-64	2083	8.1	69	1	2	6	10	17	24	41
65+	2140	10.5	102	2	2	8	13	22	30	54
GRAND TOTAL	**8718**	**7.8**	**70**	**1**	**2**	**5**	**10**	**16**	**23**	**45**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	60	3.3	3	1	1	3	4	6	6	9
35-49	144	4.9	11	1	2	4	6	8	10	18
50-64	189	4.5	8	1	2	4	6	8	9	13
65+	209	5.7	20	1	2	5	8	12	14	21
B. *Operated*										
0-19 YRS										
20-34	8	4.0	5	2	2	3	5	7	8	8
35-49	33	4.5	16	1	1	3	6	11	13	17
50-64	48	4.7	18	<1	<1	3	6	11	14	18
65+	66	6.9	118	<1	1	4	9	16	19	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.4	3	3	3	4	5	7	7	7
20-34	76	5.9	68	1	2	4	6	9	14	58
35-49	287	6.1	21	2	2	5	7	11	13	22
50-64	665	6.8	27	2	2	5	8	12	15	27
65+	1406	8.1	38	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	14	7.2	63	1	1	5	7	17	27	30
35-49	47	7.1	25	2	2	6	9	14	17	24
50-64	120	9.2	109	2	2	7	11	17	22	66
65+	251	14.5	154	2	3	11	19	33	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	4.9	13	1	2	4	6	9	12	17
B. *Operated*	155	5.6	60	<1	1	3	6	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	2439	7.4	35	2	3	6	9	14	17	31
B. *Operated*	433	12.0	133	2	2	9	15	25	37	56
1. SINGLE DX	760	5.0	22	1	1	4	6	10	13	20
2. MULTIPLE DX	2872	8.1	52	2	3	6	10	15	22	40
A. NOT OPERATED	3044	6.9	31	2	2	5	8	13	16	29
B. OPERATED	588	10.3	121	1	2	7	13	23	33	55
TOTAL 0-19 YRS	9	4.7	6	2	2	4	6	9	10	10
20-34	158	4.9	41	1	1	4	5	8	10	30
35-49	511	5.7	19	1	2	5	7	10	13	22
50-64	1022	6.6	34	2	2	5	8	12	15	26
65+	1932	8.5	59	2	3	7	11	16	23	42
GRAND TOTAL	**3632**	**7.5**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**38**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	3.2	10	1	1	2	4	6	7	18
20-34	175	3.5	11	1	1	3	4	6	8	22
35-49	216	4.0	12	1	1	3	5	8	10	18
50-64	269	4.5	16	1	1	3	6	8	11	22
65+	765	6.5	29	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	9	4.8	18	1	1	3	6	12	12	12
20-34	4	5.0	9	2	2	5	7	8	8	8
35-49	10	7.5	51	1	1	5	12	19	21	21
50-64	11	10.4	83	2	2	10	12	22	34	35
65+	20	12.7	46	4	5	13	18	25	59	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2714	4.0	13	1	1	3	5	7	10	18
20-34	1484	4.4	15	1	1	3	5	8	11	20
35-49	1953	5.8	30	1	2	4	7	11	16	30
50-64	4169	7.0	33	2	2	5	9	13	17	30
65+	17090	10.0	73	2	3	8	12	19	25	46
B. *Operated*										
0-19 YRS	80	13.1	241	2	3	8	16	35	52	99
20-34	162	10.0	157	1	2	7	12	20	30	71
35-49	219	11.8	134	1	2	8	16	24	35	64
50-64	463	13.2	175	2	2	9	19	28	42	77
65+	1449	19.1	220	4	6	15	25	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1855	4.9	21	1	1	4	6	9	13	25
B. *Operated*	54	9.4	54	1	2	8	13	21	26	97
2. MULTIPLE DX										
A. *Not Operated*	27410	8.3	60	2	2	6	10	17	22	40
B. *Operated*	2373	16.4	211	2	3	12	22	36	51	99+
1. SINGLE DX	1909	5.0	22	1	1	4	6	10	14	26
2. MULTIPLE DX	29783	9.0	77	2	2	7	11	18	25	49
A. NOT OPERATED	29265	8.1	58	2	2	6	10	16	22	40
B. OPERATED	2427	16.3	208	2	3	12	21	35	50	99+
TOTAL 0-19 YRS	3233	4.1	20	1	1	3	5	7	10	22
20-34	1825	4.8	30	1	1	3	6	9	13	25
35-49	2398	6.2	41	1	2	4	7	12	17	34
50-64	4912	7.4	49	2	2	5	9	15	20	36
65+	19324	10.5	89	2	3	8	13	21	28	55
GRAND TOTAL	**31692**	**8.7**	**74**	**2**	**2**	**6**	**11**	**18**	**24**	**48**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	4.3	12	<1	1	3	5	8	11	17
20-34	130	4.0	5	<1	1	4	5	7	8	11
35-49	212	4.2	7	<1	1	4	5	8	9	14
50-64	160	4.9	8	1	1	5	7	8	10	12
65+	546	5.2	17	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	34	4.9	4	1	3	5	7	8	8	9
20-34	45	6.9	29	1	2	5	7	14	18	26
35-49	79	6.4	16	2	2	6	8	13	14	21
50-64	55	7.5	23	1	2	7	10	14	16	26
65+	136	7.9	25	2	3	7	10	14	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	5.0	13	1	2	4	6	9	11	18
20-34	366	5.6	23	1	2	5	7	10	12	29
35-49	744	5.8	17	1	2	5	7	11	14	22
50-64	1326	6.8	24	1	2	6	9	12	16	25
65+	5643	8.0	46	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	63	8.5	47	2	3	6	11	15	18	42
20-34	161	6.9	21	2	2	6	9	13	14	25
35-49	478	8.8	34	2	3	7	11	16	20	30
50-64	686	10.5	54	3	4	9	13	18	24	41
65+	2104	12.3	85	4	5	10	15	22	29	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1257	4.7	12	1	1	4	6	9	11	17
B. *Operated*	349	7.1	22	2	2	6	9	13	15	26
2. MULTIPLE DX										
A. *Not Operated*	8394	7.4	39	2	2	6	9	14	18	31
B. *Operated*	3492	11.1	71	3	4	9	14	20	27	48
1. SINGLE DX	1606	5.2	15	1	1	4	7	10	12	19
2. MULTIPLE DX	11886	8.5	51	2	3	7	10	16	20	38
A. NOT OPERATED	9651	7.0	36	1	2	6	9	13	17	30
B. OPERATED	3841	10.8	68	3	4	9	13	19	26	46
TOTAL 0-19 YRS	621	5.1	17	1	2	4	6	9	12	22
20-34	702	5.7	21	1	2	5	7	10	13	26
35-49	1513	6.5	24	1	2	5	8	13	16	25
50-64	2227	7.8	36	1	2	7	10	15	18	29
65+	8429	8.9	58	2	3	7	11	16	22	42
GRAND TOTAL	**13492**	**8.1**	**48**	**2**	**2**	**7**	**10**	**15**	**20**	**35**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1393	4.5	12	<1	1	4	6	9	10	15
20-34	1785	6.3	24	1	2	5	8	11	15	24
35-49	360	6.3	16	1	2	6	8	11	14	21
50-64	37	5.2	24	<1	1	4	7	12	15	24
65+	9	5.8	8	1	1	6	7	9	10	10
B. *Operated*										
0-19 YRS	4	9.3	8	6	6	9	11	12	12	12
20-34	34	10.9	72	2	3	8	14	19	34	39
35-49	11	10.5	56	2	2	8	14	23	25	25
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1081	6.1	30	1	2	5	8	11	14	29
20-34	1710	8.0	39	2	3	7	10	15	19	32
35-49	475	9.4	61	2	3	8	12	16	22	40
50-64	104	8.2	46	2	2	7	10	15	22	35
65+	31	7.4	26	2	2	5	10	15	19	20
B. *Operated*										
0-19 YRS	50	12.7	95	2	3	11	16	24	32	52
20-34	186	15.4	150	3	4	12	20	31	38	56
35-49	45	14.8	149	2	5	11	17	37	43	48
50-64	22	15.0	147	1	2	12	22	36	38	39
65+	6	12.7	73	4	4	15	23	85	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3584	5.6	19	1	1	5	7	10	13	21
B. *Operated*	50	10.7	61	2	3	8	13	19	25	39
2. MULTIPLE DX										
A. *Not Operated*	3401	7.6	40	2	2	6	9	14	19	32
B. *Operated*	309	14.8	139	2	4	12	20	32	38	62
1. SINGLE DX	3634	5.7	20	1	1	5	7	10	13	22
2. MULTIPLE DX	3710	8.2	53	2	2	6	10	16	21	37
A. NOT OPERATED	6985	6.6	31	1	2	5	8	12	16	28
B. OPERATED	359	14.2	130	2	3	11	19	31	38	52
TOTAL 0-19 YRS	2528	5.3	23	1	1	4	7	10	13	23
20-34	3715	7.6	42	1	2	6	9	14	19	34
35-49	891	8.4	51	2	2	7	11	15	20	38
50-64	164	8.4	61	1	2	6	11	17	26	39
65+	46	7.8	31	2	2	6	10	18	22	99+
GRAND TOTAL	**7344**	**6.9**	**38**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	894	2.2	8	<1	<1	1	2	5	7	16
20-34	294	3.9	18	<1	<1	3	5	9	11	24
35-49	237	3.9	22	<1	1	3	5	8	11	19
50-64	435	4.4	31	<1	1	3	6	10	12	26
65+	1831	4.0	20	<1	1	3	5	9	12	21
B. *Operated*										
0-19 YRS	143	7.2	86	1	2	5	7	11	19	58
20-34	94	7.4	37	1	2	6	9	13	21	32
35-49	113	8.1	33	1	2	7	11	15	19	30
50-64	194	7.7	44	1	2	6	10	14	20	38
65+	413	8.8	37	2	3	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	776	3.8	34	<1	<1	2	5	8	12	29
20-34	617	5.7	32	1	1	4	7	12	17	25
35-49	929	5.8	32	1	1	4	8	12	16	25
50-64	2452	6.0	41	1	1	4	8	13	18	29
65+	10209	7.3	51	1	1	5	9	15	20	36
B. *Operated*										
0-19 YRS	169	8.2	79	1	2	6	9	16	23	46
20-34	287	10.6	77	2	3	9	13	19	28	49
35-49	469	11.4	110	2	3	9	14	22	27	68
50-64	1062	12.3	107	2	3	10	16	24	31	59
65+	3794	13.8	122	3	4	11	17	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3691	3.6	19	<1	<1	2	4	8	11	20
B. *Operated*	957	8.1	46	1	2	7	10	15	20	33
2. MULTIPLE DX										
A. *Not Operated*	14983	6.7	47	1	1	5	9	14	19	34
B. *Operated*	5781	13.0	116	3	4	10	16	26	34	62
1. SINGLE DX	4648	4.5	28	<1	<1	3	6	10	14	25
2. MULTIPLE DX	20764	8.5	74	1	1	6	11	18	24	45
A. NOT OPERATED	18674	6.1	43	<1	1	4	8	13	18	32
B. OPERATED	6738	12.3	109	2	3	10	15	24	32	59
TOTAL 0-19 YRS	1982	3.7	33	<1	<1	2	4	8	12	25
20-34	1292	6.5	45	<1	1	5	8	14	19	33
35-49	1748	7.2	59	1	1	5	9	15	19	38
50-64	4143	7.5	65	1	1	5	10	16	22	38
65+	16247	8.5	74	1	1	6	11	18	24	45
GRAND TOTAL	**25412**	**7.8**	**68**	**1**	**1**	**5**	**10**	**17**	**23**	**42**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.4	13	<1	<1	3	4	6	10	21
20-34	28	4.9	22	1	1	3	5	12	18	19
35-49	19	5.3	15	1	1	4	9	11	11	11
50-64	15	2.5	9	<1	<1	<1	2	8	10	11
65+										
B. *Operated*										
0-19 YRS	4	12.3	15	8	8	12	15	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64	1	29.0		29	29	29	29	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	4.8	42	1	1	3	5	8	13	42
20-34	130	6.4	41	1	1	4	8	15	19	33
35-49	47	6.9	30	1	1	4	11	15	17	24
50-64	16	7.4	10	2	3	7	10	12	12	12
65+	13	10.0	48	1	2	10	14	20	24	25
B. *Operated*										
0-19 YRS	18	11.6	127	<1	1	9	14	30	38	42
20-34	25	11.9	68	2	2	10	18	22	27	31
35-49	8	14.8	145	1	2	10	24	33	36	36
50-64	7	12.7	47	2	3	13	19	20	20	20
65+	3	9.7	30	6	6	7	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	3.8	15	<1	<1	3	4	9	11	19
B. *Operated*	8	12.5	69	3	3	12	16	25	29	29
2. MULTIPLE DX										
A. *Not Operated*	379	5.9	40	1	1	4	7	13	16	30
B. *Operated*	61	12.1	87	1	2	10	18	24	32	41
1. SINGLE DX	169	4.2	20	<1	<1	3	5	10	13	26
2. MULTIPLE DX	440	6.8	51	1	1	4	8	15	20	37
A. NOT OPERATED	540	5.3	33	<1	1	4	6	11	15	28
B. OPERATED	69	12.2	84	2	2	10	17	24	31	41
TOTAL 0-19 YRS	294	4.9	40	<1	1	3	5	10	14	38
20-34	184	6.9	45	1	2	4	9	17	21	31
35-49	76	7.4	44	1	1	4	11	15	21	33
50-64	39	7.0	42	<1	<1	7	10	15	20	29
65+	16	9.9	42	1	2	9	14	19	23	25
GRAND TOTAL	**609**	**6.1**	**44**	**<1**	**1**	**4**	**7**	**14**	**18**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	787	4.0	13	1	1	3	5	7	9	16
20-34	193	4.7	24	<1	1	3	5	10	13	29
35-49	204	3.9	22	<1	1	2	5	8	12	22
50-64	197	5.1	21	<1	1	4	7	11	16	21
65+	316	4.8	50	<1	1	3	6	9	14	32
B. *Operated*										
0-19 YRS	435	6.0	28	1	2	5	7	11	14	26
20-34	335	7.3	26	2	3	6	9	13	16	26
35-49	210	8.2	40	2	3	7	10	15	18	43
50-64	249	8.7	45	2	3	7	10	15	21	37
65+	237	10.0	81	2	3	8	13	18	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	869	4.5	16	1	1	3	6	9	12	19
20-34	480	5.3	15	1	1	4	7	10	12	18
35-49	665	6.1	20	1	1	5	8	12	15	23
50-64	1226	6.8	37	1	2	5	9	13	17	30
65+	2434	8.2	63	1	2	6	10	17	22	39
B. *Operated*										
0-19 YRS	267	7.7	69	2	2	6	9	14	18	52
20-34	427	10.1	74	2	3	8	12	21	28	53
35-49	477	11.8	94	2	4	9	15	22	31	52
50-64	871	12.3	93	3	4	10	16	24	31	49
65+	1603	14.2	146	3	4	11	18	28	39	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1697	4.3	23	1	1	3	5	8	12	21
B. *Operated*	1466	7.7	43	2	2	6	9	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	5674	6.8	43	1	1	5	9	14	19	32
B. *Operated*	3645	12.5	116	2	3	9	16	25	33	60
1. SINGLE DX	3163	5.9	35	1	1	4	7	12	15	28
2. MULTIPLE DX	9319	9.0	79	1	2	7	11	19	25	47
A. NOT OPERATED	7371	6.2	39	1	1	5	8	13	17	31
B. OPERATED	5111	11.1	100	2	3	8	14	22	30	56
TOTAL 0-19 YRS	2358	5.0	24	1	1	4	6	10	13	25
20-34	1435	7.1	41	1	2	6	9	13	19	37
35-49	1556	7.9	54	1	1	6	10	16	21	41
50-64	2543	8.7	63	1	2	7	11	18	24	42
65+	4590	10.1	102	1	2	7	13	21	29	56
GRAND TOTAL	**12482**	**8.2**	**70**	**1**	**2**	**6**	**10**	**17**	**23**	**44**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3312	2.2	2	1	1	2	3	4	5	7
20-34	611	2.3	2	1	1	2	3	4	5	7
35-49	100	3.0	4	1	1	2	4	6	7	10
50-64	29	3.1	3	1	1	3	4	5	6	8
65+	11	2.9	4	<1	1	3	3	5	8	8
B. *Operated*										
0-19 YRS	1548	4.0	4	2	2	4	5	6	7	11
20-34	486	4.4	5	2	2	4	5	6	8	13
35-49	68	5.2	10	2	3	4	6	9	12	17
50-64	18	4.9	4	2	3	5	6	7	9	11
65+	11	8.5	31	1	2	9	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1460	2.9	4	1	1	2	4	5	6	9
20-34	307	3.2	5	1	1	3	4	6	7	11
35-49	77	3.8	7	1	1	3	5	7	9	13
50-64	31	4.9	19	1	1	3	6	12	15	20
65+	17	5.2	4	2	3	5	6	8	9	10
B. *Operated*										
0-19 YRS	610	4.7	6	2	3	4	5	8	9	14
20-34	275	5.6	12	2	3	5	6	9	12	17
35-49	62	7.9	27	3	4	6	9	14	18	27
50-64	13	6.9	12	3	4	6	9	12	14	14
65+	14	8.6	22	3	3	8	12	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4063	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2131	4.1	4	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	1892	3.0	5	1	1	2	4	5	7	10
B. *Operated*	974	5.2	10	2	3	5	6	8	11	17
1. SINGLE DX	6194	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2866	3.8	8	1	1	3	5	7	8	14
A. NOT OPERATED	5955	2.5	3	1	1	2	3	5	6	9
B. OPERATED	3105	4.5	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	6930	3.0	4	1	1	3	4	5	6	10
20-34	1679	3.6	7	1	1	3	5	6	8	13
35-49	307	4.7	14	1	1	4	6	9	12	18
50-64	91	4.6	11	1	2	4	6	8	12	18
65+	53	6.3	19	1	2	5	8	12	16	20
GRAND TOTAL	**9060**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	4.4	7	1	2	4	5	8	9	12
20-34	97	3.8	7	1	1	3	5	6	8	14
35-49	35	4.4	7	1	2	3	6	8	9	10
50-64	5	3.6	3	<1	<1	4	5	6	6	6
65+	11	5.0	10	1	2	4	6	10	13	13
B. *Operated*										
0-19 YRS	447	3.3	8	<1	1	2	4	8	9	14
20-34	363	3.2	8	<1	1	2	4	6	8	14
35-49	201	3.2	7	<1	1	2	4	6	9	16
50-64	106	3.6	11	<1	1	2	4	9	11	20
65+	70	3.6	9	<1	1	3	4	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	4.7	8	1	2	4	6	8	10	14
20-34	99	4.9	10	1	2	4	6	10	12	16
35-49	48	5.1	11	2	2	4	7	10	11	17
50-64	50	6.1	17	2	3	5	8	11	17	18
65+	29	8.3	40	2	2	7	11	19	23	26
B. *Operated*										
0-19 YRS	236	4.0	10	<1	1	3	5	8	11	14
20-34	191	5.8	27	<1	1	4	7	13	18	25
35-49	126	5.5	29	1	2	4	6	12	17	26
50-64	130	6.1	23	1	2	4	8	13	16	21
65+	97	9.6	105	1	2	6	12	23	30	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	4.3	7	1	2	4	5	8	9	13
B. *Operated*	1187	3.3	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	699	5.0	11	1	2	4	6	9	11	18
B. *Operated*	780	5.7	34	1	1	4	7	12	16	29
1. SINGLE DX	2024	3.7	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1479	5.4	23	1	2	4	7	10	14	24
A. NOT OPERATED	1536	4.6	9	1	2	4	6	8	10	16
B. OPERATED	1967	4.3	20	<1	1	3	5	9	13	22
TOTAL 0-19 YRS	1845	4.2	8	1	1	3	5	8	9	14
20-34	750	4.2	14	<1	1	3	5	8	12	20
35-49	410	4.2	15	1	1	3	5	9	12	19
50-64	291	5.1	19	1	2	4	7	11	15	19
65+	207	7.2	65	1	2	4	8	16	24	45
GRAND TOTAL	**3503**	**4.4**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**19**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	7.2	164	<1	1	3	6	14	38	66
20-34	116	11.0	135	1	1	7	15	27	37	53
35-49	42	10.4	254	1	1	7	12	20	63	99+
50-64	46	11.7	102	<1	2	9	15	29	35	42
65+	96	13.8	136	2	2	12	19	28	36	60
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	2	16.5	265	5	5	16	28	28	28	28
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	8.5	171	1	1	4	9	19	37	69
20-34	151	11.2	111	1	2	8	14	26	39	99
35-49	132	11.0	111	1	1	8	14	25	34	76
50-64	198	12.1	157	1	2	8	16	28	42	70
65+	438	13.4	153	2	3	9	16	29	43	78
B. *Operated*										
0-19 YRS										
20-34	8	31.5	364	2	6	33	56	83	99+	99+
35-49	4	21.3	495	<1	<1	15	34	53	53	53
50-64	11	16.6	563	2	2	6	18	59	75	76
65+	33	18.5	283	4	6	13	24	39	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	11.4	151	1	1	8	15	26	36	66
B. *Operated*	5	11.0	104	4	4	5	17	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	962	12.2	144	1	2	9	15	28	41	75
B. *Operated*	56	20.2	364	2	4	14	29	55	85	99+
1. SINGLE DX	343	11.4	150	1	1	7	15	26	36	66
2. MULTIPLE DX	1018	12.6	159	1	2	9	16	29	42	92
A. NOT OPERATED	1300	12.0	145	1	2	8	15	28	39	70
B. OPERATED	61	19.4	347	2	4	13	28	54	81	99+
TOTAL 0-19 YRS	82	7.8	164	1	1	4	7	16	37	68
20-34	275	11.7	139	1	2	8	15	29	41	89
35-49	180	11.1	152	1	1	7	14	25	35	99
50-64	256	12.2	162	1	2	8	15	28	42	75
65+	568	13.7	158	2	3	10	17	29	42	88
GRAND TOTAL	**1361**	**12.3**	**156**	**1**	**2**	**9**	**15**	**28**	**41**	**81**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	532	2.7	9	1	1	2	3	5	8	17
20-34	490	5.2	48	1	1	3	6	10	18	34
35-49	223	7.7	97	1	1	5	9	18	25	48
50-64	380	10.8	149	1	2	6	14	24	33	67
65+	2440	11.3	131	2	2	8	14	24	35	68
B. *Operated*										
0-19 YRS	11	5.2	12	<1	1	5	8	10	12	12
20-34	10	7.9	39	2	3	6	8	17	25	25
35-49	9	5.9	10	2	3	5	8	11	12	12
50-64	13	10.8	143	1	2	8	15	22	42	46
65+	71	14.5	138	2	3	12	20	30	36	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	611	5.6	93	1	1	3	6	10	19	54
20-34	1106	7.8	65	1	2	5	10	16	23	42
35-49	721	9.7	100	2	2	7	12	21	28	65
50-64	1341	13.4	166	2	3	9	17	30	41	84
65+	12091	13.2	164	3	3	9	16	28	43	99+
B. *Operated*										
0-19 YRS	34	11.1	443	1	1	4	11	78	98	99+
20-34	66	13.6	284	2	2	9	14	27	58	91
35-49	58	16.2	248	2	3	11	25	59	99+	99+
50-64	161	19.7	337	3	4	15	25	51	63	99+
65+	1150	21.6	309	4	6	17	29	54	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4065	9.2	115	1	1	6	11	21	30	59
B. *Operated*	114	11.9	119	2	2	9	15	26	36	52
2. MULTIPLE DX										
A. *Not Operated*	15870	12.4	156	2	3	9	15	27	40	99+
B. *Operated*	1469	20.6	317	3	5	16	28	54	86	99+
1. SINGLE DX	4179	9.3	116	1	1	6	12	21	31	59
2. MULTIPLE DX	17339	13.1	175	2	3	9	16	29	45	99+
A. NOT OPERATED	19935	11.7	149	2	2	8	15	26	38	99+
B. OPERATED	1583	19.9	307	3	4	15	27	52	82	99+
TOTAL 0-19 YRS	1188	4.5	68	1	1	2	4	8	14	48
20-34	1672	7.2	71	1	1	5	9	16	22	44
35-49	1011	9.6	110	1	2	7	11	22	30	78
50-64	1895	13.4	182	2	3	9	17	30	42	86
65+	15752	13.5	175	2	3	10	17	30	46	99+
GRAND TOTAL	**21518**	**12.3**	**165**	**2**	**2**	**8**	**15**	**28**	**41**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	11.8	137	1	1	7	18	31	31	31
65+	111	13.5	176	2	3	9	18	26	44	91
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	6	15.5	49	8	8	15	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	5	10.0	22	7	7	8	12	18	18	18
50-64	50	15.9	194	3	4	12	19	35	45	63
65+	699	14.0	172	3	4	10	17	32	48	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	4	22.5	554	7	7	13	37	57	57	57
65+	52	19.6	323	3	5	17	34	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	13.4	173	2	3	9	18	26	43	90
B. *Operated*	6	15.5	49	8	8	15	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	755	14.1	175	3	4	10	17	32	48	99+
B. *Operated*	57	19.8	325	3	5	17	33	99+	99+	99+
1. SINGLE DX	123	13.5	167	2	3	9	18	26	42	90
2. MULTIPLE DX	812	14.5	188	3	4	11	18	34	58	99+
A. NOT OPERATED	872	14.0	175	3	4	10	17	31	47	99+
B. OPERATED	63	19.4	299	3	5	17	27	99+	99+	99+
TOTAL 0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	7	10.0	36	2	3	8	16	18	18	18
50-64	59	16.0	207	3	4	12	19	37	52	63
65+	868	14.3	182	3	4	10	18	33	55	99+
GRAND TOTAL	**935**	**14.4**	**185**	**3**	**4**	**10**	**18**	**33**	**56**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	11	<1	1	1	3	6	10	16
20-34	471	5.1	16	1	2	5	5	8	12	24
35-49	900	5.1	18	1	2	5	5	8	11	24
50-64	517	6.0	27	1	2	5	6	11	15	25
65+	136	8.6	91	2	2	5	9	17	26	52
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64	3	10.0	73	2	2	9	16	19	19	19
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.5	70	1	1	6	9	11	22	52
20-34	1660	6.6	28	1	2	5	8	11	16	29
35-49	3189	6.8	32	2	2	5	8	12	16	30
50-64	2549	8.1	52	2	2	6	9	16	22	38
65+	951	10.4	98	2	3	7	13	22	28	57
B. *Operated*										
0-19 YRS										
20-34	38	12.0	119	2	3	8	17	31	46	99+
35-49	115	14.5	198	2	4	9	16	32	44	75
50-64	124	16.2	204	3	4	12	21	33	49	99+
65+	87	19.4	164	5	7	15	26	45	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2047	5.5	25	1	2	5	5	9	14	25
B. *Operated*	6	9.7	41	2	2	10	13	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	8397	7.6	46	2	2	6	9	14	21	36
B. *Operated*	364	16.0	187	3	5	12	20	36	48	99+
1. SINGLE DX	2053	5.5	25	1	2	5	5	9	14	25
2. MULTIPLE DX	8761	7.9	55	2	2	6	9	15	22	41
A. NOT OPERATED	10444	7.2	43	1	2	5	8	14	20	34
B. OPERATED	370	15.9	186	3	4	12	20	36	48	99+
TOTAL 0-19 YRS	71	5.9	56	1	1	4	8	11	16	47
20-34	2170	6.4	28	1	2	5	8	11	16	29
35-49	4205	6.7	36	1	2	5	8	12	16	31
50-64	3193	8.1	57	2	2	6	9	16	22	42
65+	1175	10.9	108	2	3	7	14	23	32	59
GRAND TOTAL	**10814**	**7.5**	**50**	**2**	**2**	**5**	**8**	**14**	**21**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	7.8	96	<1	1	3	10	19	25	54
20-34	161	7.3	128	1	1	4	7	14	32	62
35-49	36	7.8	61	1	1	5	10	16	28	36
50-64	22	6.0	33	1	1	4	7	13	19	26
65+	24	7.9	45	1	2	5	11	21	22	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	12.4	275	1	1	7	13	32	49	93
20-34	558	7.6	59	1	1	6	10	14	21	41
35-49	199	9.0	67	2	2	8	11	17	21	55
50-64	209	8.8	57	2	2	7	11	19	25	41
65+	342	10.3	97	2	3	7	12	20	31	54
B. *Operated*										
0-19 YRS	2	49.5	2113	17	17	49	82	82	82	82
20-34	14	10.7	54	<1	1	9	17	22	22	22
35-49	5	23.2	357	2	2	16	41	46	46	46
50-64	11	17.5	200	5	7	12	18	40	54	55
65+	22	15.4	138	4	5	14	24	41	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	7.4	100	1	1	4	9	17	25	50
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	1439	9.0	90	1	2	7	11	18	27	52
B. *Operated*	54	16.6	227	2	3	13	21	40	53	99
1. SINGLE DX	317	7.5	99	1	1	4	9	16	25	50
2. MULTIPLE DX	1493	9.3	97	1	2	7	11	18	29	54
A. NOT OPERATED	1755	8.7	92	1	2	6	10	17	27	52
B. OPERATED	55	16.6	223	2	3	13	20	40	52	99
TOTAL 0-19 YRS	206	11.1	238	1	1	6	13	29	44	89
20-34	733	7.6	74	1	1	5	10	14	22	44
35-49	240	9.1	75	1	2	7	11	17	23	55
50-64	242	8.9	65	2	2	7	11	19	25	43
65+	389	10.4	97	2	3	7	12	22	32	54
GRAND TOTAL	**1810**	**9.0**	**98**	**1**	**2**	**6**	**11**	**18**	**28**	**54**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	395	20.3	313	2	3	17	29	45	72	99+
20-34	4706	15.3	187	2	2	12	20	33	43	71
35-49	2239	15.0	164	2	3	12	20	30	40	63
50-64	985	16.2	166	2	4	14	21	32	40	69
65+	204	18.1	225	2	3	15	22	35	51	72
B. *Operated*										
0-19 YRS										
20-34	6	24.7	289	2	2	29	33	46	47	47
35-49	5	21.8	358	2	2	18	35	50	50	50
50-64	6	29.8	748	7	8	20	36	77	82	82
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	23.0	320	2	3	20	34	50	60	75
20-34	1988	16.3	206	2	3	13	22	35	44	80
35-49	1265	16.6	177	3	4	14	22	34	43	70
50-64	777	18.6	217	3	5	15	24	37	51	82
65+	317	19.3	202	4	5	16	27	39	53	99+
B. *Operated*										
0-19 YRS	6	47.7	1092	13	14	35	87	90	90	90
20-34	79	25.4	261	3	6	23	36	51	56	99+
35-49	69	26.5	218	10	11	26	31	40	56	81
50-64	50	25.2	204	7	10	21	34	46	56	99+
65+	26	30.0	224	10	11	31	39	60	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8529	15.6	186	2	3	12	21	33	43	72
B. *Operated*	18	24.8	414	2	4	20	33	49	69	82
2. MULTIPLE DX										
A. *Not Operated*	4552	17.3	207	2	4	14	23	36	47	79
B. *Operated*	230	26.8	259	6	10	24	35	50	63	99+
1. SINGLE DX	8547	15.6	187	2	3	12	21	33	43	72
2. MULTIPLE DX	4782	17.7	214	2	4	14	24	37	48	81
A. NOT OPERATED	13081	16.2	194	2	3	13	22	34	44	75
B. OPERATED	248	26.6	269	6	9	24	35	50	63	99+
TOTAL 0-19 YRS	606	21.5	329	2	3	17	31	48	70	99+
20-34	6779	15.7	195	2	3	12	21	34	44	74
35-49	3578	15.8	173	2	3	13	21	32	42	66
50-64	1818	17.5	194	3	4	15	23	35	44	78
65+	548	19.3	217	3	5	16	26	39	54	99
GRAND TOTAL	**13329**	**16.4**	**198**	**2**	**3**	**13**	**22**	**34**	**45**	**76**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	19.7	293	2	3	15	28	42	51	81
20-34	316	14.1	183	2	3	10	18	31	41	90
35-49	89	11.4	77	1	3	10	15	21	27	46
50-64	34	11.7	56	1	2	12	14	23	27	32
65+	5	16.2	82	5	5	17	23	28	28	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	25.8	559	3	5	19	39	69	81	99+
20-34	131	17.5	187	3	5	14	24	35	42	74
35-49	50	16.1	177	3	4	13	21	33	48	99+
50-64	28	13.8	138	2	2	11	19	29	33	56
65+	16	12.3	104	1	2	9	18	26	35	39
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	9	28.6	437	5	7	23	37	62	75	75
35-49	2	18.5	41	14	14	18	23	23	23	23
50-64	5	16.8	91	2	2	17	23	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	556	14.7	186	2	3	11	19	31	41	75
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	280	18.2	261	3	4	13	25	39	58	88
B. *Operated*	17	24.2	282	3	6	21	29	41	63	75
1. SINGLE DX	556	14.7	186	2	3	11	19	31	41	75
2. MULTIPLE DX	297	18.5	264	3	4	14	25	39	59	87
A. NOT OPERATED	836	15.9	214	2	3	12	21	34	43	84
B. OPERATED	17	24.2	282	3	6	21	29	41	63	75
TOTAL 0-19 YRS	168	21.8	385	3	3	17	31	48	69	91
20-34	456	15.3	194	2	3	12	20	34	42	79
35-49	141	13.2	116	2	3	11	18	26	32	76
50-64	67	13.0	92	2	2	12	17	26	30	52
65+	21	13.2	97	2	3	11	19	27	33	39
GRAND TOTAL	**853**	**16.0**	**216**	**2**	**3**	**12**	**21**	**35**	**43**	**83**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	973	20.9	318	2	4	16	29	46	62	97
20-34	7360	15.7	199	1	2	12	21	34	44	77
35-49	3633	15.2	173	2	3	12	20	32	42	72
50-64	1731	16.2	158	2	3	14	22	32	41	64
65+	461	16.8	174	2	3	14	22	34	40	81
B. *Operated*										
0-19 YRS										
20-34	16	31.6	361	3	7	29	46	50	68	76
35-49	12	25.3	381	3	4	18	36	56	66	68
50-64	10	17.4	67	8	8	17	26	59	97	99+
65+	2	21.5	25	18	18	21	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	501	20.7	322	2	4	15	29	47	65	99+
20-34	3737	16.8	228	2	3	13	22	37	49	77
35-49	2599	16.5	186	2	4	13	22	34	45	72
50-64	1721	17.6	203	2	4	14	23	36	47	82
65+	753	18.0	211	3	4	14	24	39	50	92
B. *Operated*										
0-19 YRS	16	38.6	566	9	14	34	46	84	87	88
20-34	171	25.0	364	5	7	20	31	55	71	99
35-49	168	26.4	402	7	8	20	34	55	77	99
50-64	124	27.6	290	9	10	23	35	55	67	94
65+	60	28.2	352	6	10	24	41	64	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14158	16.0	196	2	3	13	21	34	45	76
B. *Operated*	40	25.7	295	4	7	23	36	50	72	99+
2. MULTIPLE DX										
A. *Not Operated*	9311	17.2	216	2	3	13	23	37	49	79
B. *Operated*	539	26.8	366	6	8	22	35	57	72	99+
1. SINGLE DX	14198	16.0	197	2	3	13	21	34	45	77
2. MULTIPLE DX	9850	17.7	229	2	4	14	23	38	50	83
A. NOT OPERATED	23469	16.5	205	2	3	13	22	35	46	78
B. OPERATED	579	26.7	361	6	8	22	35	57	72	99+
TOTAL 0-19 YRS	1490	21.0	325	2	4	16	29	47	64	99
20-34	11284	16.2	213	2	3	12	21	35	46	78
35-49	6412	16.0	188	2	3	13	21	33	44	74
50-64	3586	17.3	188	2	4	14	23	35	44	75
65+	1276	18.1	209	3	4	15	24	38	50	94
GRAND TOTAL	**24048**	**16.7**	**211**	**2**	**3**	**13**	**22**	**35**	**47**	**80**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	25.7	700	1	2	18	44	70	94	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	23.6	755	1	1	20	69	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	22.8	197	1	3	30	36	88	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	25.7	700	1	2	18	44	70	94	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	29	23.6	755	1	1	20	69	99+	99+	99+
B. *Operated*	6	22.8	197	1	3	30	36	88	99+	99+
1. SINGLE DX	55	25.7	700	1	2	18	44	70	94	99+
2. MULTIPLE DX	35	23.5	650	1	1	25	58	99+	99+	99+
A. NOT OPERATED	84	25.0	711	1	2	18	51	86	99+	99+
B. OPERATED	6	22.8	197	1	3	30	36	88	99+	99+
TOTAL 0-19 YRS	90	24.8	674	1	2	19	49	88	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**90**	**24.8**	**674**	**1**	**2**	**19**	**49**	**88**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	495	19.2	367	1	3	13	26	48	63	97
20-34	3392	14.3	161	1	3	11	20	30	41	62
35-49	3338	15.1	157	2	3	12	20	31	39	60
50-64	2854	17.6	183	2	4	15	24	36	45	68
65+	1971	21.7	230	3	6	19	29	42	53	75
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	16	25.9	155	6	12	23	33	46	50	52
35-49	17	22.8	149	6	7	22	34	36	44	48
50-64	20	24.3	183	6	8	21	32	45	49	53
65+	14	32.4	348	4	5	34	43	54	66	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	18.8	295	2	2	14	29	46	61	99+
20-34	4189	15.3	189	2	3	11	21	33	43	74
35-49	4312	15.9	179	2	3	12	21	34	43	71
50-64	4140	18.9	217	3	4	15	26	39	49	73
65+	4000	21.9	263	4	5	18	30	44	56	87
B. *Operated*										
0-19 YRS	31	29.0	568	7	9	20	38	70	85	93
20-34	274	26.2	323	5	7	22	36	52	69	99
35-49	339	26.9	299	6	9	22	36	52	64	96
50-64	356	27.7	302	7	9	25	37	52	63	95
65+	412	31.4	336	8	11	28	44	61	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12050	16.7	192	2	3	13	23	35	45	69
B. *Operated*	68	26.3	210	5	8	25	35	48	52	67
2. MULTIPLE DX										
A. *Not Operated*	17272	18.0	221	2	4	14	24	38	49	81
B. *Operated*	1412	28.3	324	7	9	25	38	55	69	99+
1. SINGLE DX	12118	16.8	192	2	3	14	23	35	45	69
2. MULTIPLE DX	18684	18.8	236	3	4	15	26	40	51	84
A. NOT OPERATED	29322	17.5	209	2	4	14	24	37	47	75
B. OPERATED	1480	28.2	319	7	9	25	38	54	69	99+
TOTAL 0-19 YRS	1158	19.2	336	1	3	14	28	48	63	99+
20-34	7871	15.3	186	2	3	11	21	33	43	70
35-49	8006	16.0	181	2	3	13	22	33	43	69
50-64	7370	18.9	212	3	4	15	26	39	48	74
65+	6397	22.4	264	4	6	19	30	45	56	88
GRAND TOTAL	**30802**	**18.0**	**220**	**2**	**4**	**14**	**24**	**38**	**49**	**78**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	378	17.3	210	2	3	14	23	36	47	75
20-34	3205	14.9	153	1	3	12	20	30	38	62
35-49	2649	14.6	125	2	4	12	20	29	36	56
50-64	1748	16.5	145	2	4	14	22	31	39	61
65+	670	19.1	220	3	5	16	25	36	49	81
B. *Operated*										
0-19 YRS										
20-34	9	23.9	187	9	12	20	24	47	56	56
35-49	10	25.6	648	7	8	18	28	64	94	94
50-64	18	23.4	259	6	7	20	38	48	53	55
65+	6	28.7	236	5	7	28	32	51	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	22.0	389	2	4	17	29	49	68	92
20-34	2162	16.5	191	2	3	13	22	34	43	74
35-49	2038	16.8	174	3	4	14	22	34	43	69
50-64	1877	18.6	181	3	5	16	25	36	45	69
65+	1077	21.2	217	4	6	18	28	41	52	76
B. *Operated*										
0-19 YRS	8	36.9	413	9	12	35	53	62	66	66
20-34	131	24.2	319	2	6	20	32	52	64	99+
35-49	147	24.6	261	7	9	21	33	50	57	81
50-64	154	28.6	338	9	11	21	37	55	68	84
65+	117	33.9	423	8	11	33	47	69	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8650	15.6	152	2	3	13	21	31	39	62
B. *Operated*	43	24.8	311	6	8	20	31	50	55	94
2. MULTIPLE DX										
A. *Not Operated*	7451	18.0	199	3	4	15	24	36	46	75
B. *Operated*	557	27.7	345	7	9	22	37	55	70	95
1. SINGLE DX	8693	15.6	153	2	3	13	21	31	39	62
2. MULTIPLE DX	8008	18.7	215	3	4	15	25	37	48	77
A. NOT OPERATED	16101	16.7	175	2	4	14	22	33	42	69
B. OPERATED	600	27.5	342	7	9	22	37	55	69	95
TOTAL 0-19 YRS	683	19.5	298	2	4	15	25	41	59	87
20-34	5507	15.8	174	2	3	13	21	32	40	68
35-49	4844	15.9	154	2	4	13	21	31	40	65
50-64	3797	18.1	177	3	4	15	24	35	44	68
65+	1870	21.3	242	4	6	18	28	42	54	81
GRAND TOTAL	**16701**	**17.1**	**185**	**2**	**4**	**14**	**22**	**34**	**44**	**71**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	12.6	180	1	1	8	17	26	35	70
20-34	1545	11.3	129	1	2	8	15	25	32	56
35-49	939	11.2	99	1	2	9	15	23	30	48
50-64	669	13.4	128	1	2	10	18	29	37	55
65+	633	12.8	137	1	2	10	18	28	35	57
B. *Operated*										
0-19 YRS	3	8.3	46	3	3	6	13	16	16	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	5	3.6	22	1	1	2	5	12	12	12
50-64	8	6.3	16	2	3	5	9	13	13	13
65+	22	10.5	109	1	2	6	13	30	34	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	14.1	225	1	2	10	20	38	52	99+
20-34	1320	12.3	131	1	2	9	17	27	37	64
35-49	928	13.4	151	2	3	10	18	29	37	62
50-64	1198	13.6	144	2	3	11	18	28	35	64
65+	2705	11.8	109	2	3	9	15	25	33	60
B. *Operated*										
0-19 YRS	7	12.4	119	1	1	10	19	30	32	32
20-34	58	23.6	397	5	7	18	31	65	85	99+
35-49	62	22.8	263	4	6	18	35	46	59	97
50-64	108	19.9	232	3	5	16	29	41	51	99+
65+	274	20.7	274	3	5	16	28	47	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4142	11.9	128	1	2	9	16	26	34	56
B. *Operated*	40	8.2	75	1	1	5	12	20	30	36
2. MULTIPLE DX										
A. *Not Operated*	6453	12.6	132	2	3	9	16	27	36	64
B. *Operated*	509	21.0	276	4	5	17	29	46	59	99+
1. SINGLE DX	4182	11.9	128	1	2	9	16	26	34	56
2. MULTIPLE DX	6962	13.2	147	2	3	10	17	29	38	71
A. NOT OPERATED	10595	12.3	131	1	2	9	16	27	35	62
B. OPERATED	549	20.1	272	3	4	16	28	45	59	99+
TOTAL 0-19 YRS	668	13.3	199	1	2	9	18	30	43	81
20-34	2925	12.0	138	1	2	9	16	27	36	64
35-49	1934	12.6	134	1	2	9	16	28	35	60
50-64	1983	13.8	145	2	3	11	18	29	37	64
65+	3634	12.6	132	2	3	9	16	27	36	70
GRAND TOTAL	**11144**	**12.7**	**140**	**1**	**2**	**9**	**17**	**28**	**36**	**65**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	6.3	92	<1	1	3	5	14	28	48
20-34	1312	5.7	44	<1	1	3	7	13	19	35
35-49	1101	5.9	48	<1	1	4	7	14	20	34
50-64	669	6.1	44	<1	1	4	7	14	20	33
65+	345	6.0	47	1	1	4	7	13	18	35
B. *Operated*										
0-19 YRS	4	5.5	18	1	1	5	8	11	11	11
20-34	8	4.1	12	<1	<1	3	6	10	11	11
35-49	14	5.1	16	1	1	4	7	11	13	14
50-64	20	5.6	12	1	1	5	8	10	12	13
65+	5	7.4	20	2	2	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397	6.4	84	1	1	3	7	18	27	74
20-34	2186	7.6	70	1	1	5	9	20	25	38
35-49	2447	7.6	70	1	2	5	9	18	26	43
50-64	1897	6.9	50	1	2	4	8	16	22	36
65+	1845	6.8	42	1	2	5	8	14	20	35
B. *Operated*										
0-19 YRS	16	12.1	151	1	1	7	19	30	39	43
20-34	154	7.9	80	1	1	5	10	22	28	39
35-49	151	10.4	104	1	2	7	12	26	28	47
50-64	117	11.9	95	2	3	9	15	24	30	49
65+	74	13.4	146	3	4	10	17	24	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3750	5.9	49	<1	1	4	7	13	20	36
B. *Operated*	51	5.4	14	1	1	4	8	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	8772	7.2	60	1	1	5	8	17	23	38
B. *Operated*	512	10.5	105	1	2	7	13	25	30	49
1. SINGLE DX	3801	5.9	49	<1	1	4	7	13	20	36
2. MULTIPLE DX	9284	7.4	63	1	1	5	9	18	24	41
A. NOT OPERATED	12522	6.8	58	1	1	4	8	16	22	38
B. OPERATED	563	10.0	99	1	2	7	12	24	29	49
TOTAL 0-19 YRS	740	6.5	89	<1	1	3	6	17	28	55
20-34	3660	6.9	62	1	1	4	8	18	23	37
35-49	3713	7.2	65	1	1	4	8	17	25	42
50-64	2703	6.9	52	1	1	4	8	16	22	37
65+	2269	6.9	47	1	2	5	8	14	21	38
GRAND TOTAL	**13085**	**7.0**	**60**	**1**	**1**	**4**	**8**	**16**	**23**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	939	18.3	404	1	2	11	27	55	81	99+
20-34	4038	10.2	108	1	2	7	14	23	30	51
35-49	3238	11.0	105	1	2	8	15	24	31	51
50-64	1709	12.2	119	2	3	9	16	26	33	51
65+	793	14.6	164	2	3	11	20	31	40	64
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	23	13.6	161	3	4	10	17	40	71	99+
35-49	32	18.9	265	1	2	15	26	40	49	73
50-64	9	7.3	24	2	2	6	10	15	15	15
65+	3	17.0	31	11	11	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1032	18.8	398	1	2	12	27	52	76	99+
20-34	5043	11.7	121	1	2	8	16	26	33	50
35-49	4722	11.8	112	2	3	8	16	26	32	49
50-64	3185	12.2	115	2	3	9	17	27	34	49
65+	2736	12.3	116	3	3	9	16	26	34	55
B. *Operated*										
0-19 YRS	58	25.4	378	4	5	20	41	52	70	99+
20-34	340	19.4	228	4	5	16	26	38	50	95
35-49	377	20.4	185	5	6	18	27	39	46	72
50-64	280	19.7	211	4	6	15	26	43	52	92
65+	211	20.7	236	5	7	16	27	43	62	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10717	11.8	144	1	2	8	16	27	36	65
B. *Operated*	68	15.7	201	2	3	13	21	37	50	95
2. MULTIPLE DX										
A. *Not Operated*	16718	12.4	136	2	3	9	17	27	36	60
B. *Operated*	1266	20.2	220	4	6	17	27	40	52	91
1. SINGLE DX	10785	11.8	145	1	2	8	16	27	36	65
2. MULTIPLE DX	17984	12.9	146	2	3	9	17	28	38	64
A. NOT OPERATED	27435	12.2	140	2	2	8	16	27	36	63
B. OPERATED	1334	20.0	220	4	6	16	27	40	52	93
TOTAL 0-19 YRS	2030	18.7	401	1	2	12	28	53	77	99+
20-34	9444	11.4	123	1	2	8	15	26	33	52
35-49	8369	11.9	117	2	2	8	16	26	33	52
50-64	5183	12.6	124	2	3	9	17	28	35	53
65+	3743	13.3	137	2	3	10	17	28	37	62
GRAND TOTAL	**28769**	**12.5**	**146**	**2**	**2**	**9**	**17**	**28**	**37**	**65**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	877	10.9	233	1	1	5	14	33	49	99+
20-34	2121	9.0	113	1	1	5	12	21	31	56
35-49	1090	8.7	102	1	1	5	11	20	27	53
50-64	468	8.5	80	1	1	5	11	20	27	48
65+	191	9.5	103	1	1	6	13	19	32	50
B. *Operated*										
0-19 YRS	18	5.9	50	1	2	3	7	14	25	30
20-34	130	8.2	38	1	3	8	9	12	21	37
35-49	92	5.9	34	1	2	5	8	9	14	37
50-64	111	6.2	35	2	2	5	7	11	14	36
65+	42	4.6	10	1	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1216	13.1	279	1	1	7	17	35	58	99+
20-34	3820	10.2	132	1	1	6	13	24	33	64
35-49	1953	10.3	121	1	2	7	14	24	33	56
50-64	1143	10.1	118	1	2	7	13	23	31	52
65+	761	10.7	121	1	2	7	14	23	33	61
B. *Operated*										
0-19 YRS	44	19.9	402	2	3	13	30	54	71	99+
20-34	275	17.1	270	2	3	11	24	41	53	82
35-49	186	15.3	194	2	3	10	21	31	44	70
50-64	190	10.9	136	2	2	7	13	25	37	81
65+	113	14.3	164	3	3	10	21	34	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4747	9.3	130	1	1	5	12	22	32	63
B. *Operated*	393	6.6	35	1	2	5	9	11	15	36
2. MULTIPLE DX										
A. *Not Operated*	8893	10.7	148	1	2	7	14	25	35	69
B. *Operated*	808	15.0	219	2	3	9	20	35	50	95
1. SINGLE DX	5140	9.1	123	1	1	5	11	21	32	60
2. MULTIPLE DX	9701	11.0	155	1	2	7	14	26	36	72
A. NOT OPERATED	13640	10.2	142	1	1	6	13	24	34	69
B. OPERATED	1201	12.2	174	2	2	8	15	30	42	78
TOTAL 0-19 YRS	2155	12.3	263	1	1	6	15	35	54	99+
20-34	6346	10.1	132	1	1	6	13	24	33	63
35-49	3321	10.0	119	1	1	6	13	22	31	55
50-64	1912	9.6	107	1	2	6	12	22	31	49
65+	1107	10.6	121	1	2	7	14	23	33	68
GRAND TOTAL	**14841**	**10.3**	**145**	**1**	**1**	**6**	**13**	**25**	**35**	**70**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	803	11.5	160	<1	<1	4	22	30	35	45
20-34	5908	11.8	107	1	2	7	21	28	30	35
35-49	6217	10.6	98	1	2	5	19	28	29	34
50-64	3404	10.0	94	1	2	5	15	27	29	34
65+	868	10.7	96	1	2	6	19	27	29	36
B. *Operated*										
0-19 YRS	2	14.0	338	<1	<1	13	27	27	27	27
20-34	14	21.9	116	5	6	26	29	32	39	41
35-49	20	12.1	114	1	2	9	18	25	34	41
50-64	14	13.1	138	2	2	8	25	32	35	36
65+	8	11.9	108	2	2	9	21	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1416	19.5	236	1	1	21	33	40	44	51
20-34	10419	12.6	120	1	2	7	22	29	31	42
35-49	13237	11.0	93	2	2	7	16	28	30	37
50-64	10115	11.5	103	2	2	7	17	28	30	42
65+	4110	12.4	102	2	3	9	20	28	30	42
B. *Operated*										
0-19 YRS	30	17.8	279	<1	<1	12	32	42	43	54
20-34	380	18.7	150	2	4	18	28	33	37	60
35-49	615	17.3	143	3	5	14	26	32	38	62
50-64	607	18.5	162	3	6	15	27	34	41	67
65+	297	20.5	199	5	7	17	28	39	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17200	10.9	103	1	2	6	21	28	30	35
B. *Operated*	58	14.7	132	2	2	11	26	29	34	41
2. MULTIPLE DX										
A. *Not Operated*	39297	12.0	111	1	2	7	20	28	31	42
B. *Operated*	1929	18.5	162	3	5	15	27	34	41	66
1. SINGLE DX	17258	10.9	104	1	2	6	21	28	30	35
2. MULTIPLE DX	41226	12.3	115	2	2	7	21	28	32	43
A. NOT OPERATED	56497	11.7	109	1	2	7	20	28	30	41
B. OPERATED	1987	18.4	161	3	5	15	27	34	41	66
TOTAL 0-19 YRS	2251	16.6	224	<1	1	13	29	37	42	50
20-34	16721	12.5	117	1	2	7	22	29	31	40
35-49	20089	11.1	97	1	2	7	18	28	30	37
50-64	14140	11.4	106	2	2	7	18	28	30	41
65+	5283	12.6	111	2	3	9	20	28	31	44
GRAND TOTAL	**58484**	**11.9**	**112**	**1**	**2**	**7**	**21**	**28**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	12.7	86	2	3	11	13	29	34	36
20-34	687	11.7	55	2	3	11	15	21	28	35
35-49	154	12.3	42	2	4	12	15	18	27	32
50-64	17	12.2	65	<1	2	12	14	25	31	33
65+	4	14.5	19	11	11	14	18	20	20	20
B. *Operated*										
0-19 YRS										
20-34	6	7.7	19	1	1	9	11	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	14.6	100	1	4	13	16	28	36	59
20-34	1986	12.8	41	3	5	13	16	18	23	37
35-49	817	12.9	31	4	6	13	16	17	21	33
50-64	118	12.3	39	3	6	12	15	17	25	34
65+	22	14.8	87	4	5	11	21	30	32	35
B. *Operated*										
0-19 YRS	3	15.7	5	13	13	17	17	17	17	17
20-34	232	15.7	56	8	10	15	17	18	30	59
35-49	89	15.5	48	7	9	15	17	19	29	47
50-64	13	19.4	163	13	13	15	18	34	55	60
65+	5	21.8	159	9	9	15	33	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	876	11.9	53	2	3	11	15	21	28	35
B. *Operated*	6	7.7	19	1	1	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2997	12.9	40	3	5	13	16	18	23	36
B. *Operated*	342	15.9	59	8	10	15	17	19	31	56
1. SINGLE DX	882	11.8	53	2	3	11	15	21	28	35
2. MULTIPLE DX	3339	13.2	42	3	6	13	16	18	23	38
A. NOT OPERATED	3873	12.7	43	3	5	13	16	18	24	35
B. OPERATED	348	15.7	60	8	9	15	17	19	31	56
TOTAL 0-19 YRS	71	14.3	93	2	4	13	16	28	36	55
20-34	2911	12.8	46	3	4	13	16	18	25	37
35-49	1060	13.1	34	4	6	13	16	17	22	34
50-64	148	12.9	55	3	6	13	15	19	27	39
65+	31	15.9	91	5	6	12	21	31	35	39
GRAND TOTAL	**4221**	**12.9**	**45**	**3**	**5**	**13**	**16**	**18**	**25**	**37**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	20.5	230	1	1	22	34	39	42	47
20-34	566	14.2	141	1	2	9	25	30	34	42
35-49	121	13.6	111	1	2	9	23	29	30	40
50-64	30	14.6	124	<1	2	15	22	29	31	44
65+	16	17.1	108	5	5	13	26	32	33	34
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	6.8	38	3	3	4	10	16	16	16
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	20.8	229	1	2	19	34	40	43	58
20-34	987	15.2	127	2	3	13	23	30	35	43
35-49	312	14.1	104	2	3	12	21	29	34	41
50-64	121	15.5	161	2	3	11	25	36	39	70
65+	66	15.2	95	2	3	13	22	29	30	42
B. *Operated*										
0-19 YRS	4	21.3	294	5	5	19	35	41	41	41
20-34	42	18.0	106	3	6	16	21	29	39	53
35-49	15	21.6	204	5	8	16	29	39	52	56
50-64	10	22.6	294	6	7	17	28	51	61	61
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	15.9	169	1	2	12	28	34	38	45
B. *Operated*	7	6.7	25	3	3	4	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1808	16.0	147	2	3	13	25	33	38	50
B. *Operated*	72	19.5	155	4	7	16	25	38	48	60
1. SINGLE DX	1020	15.8	168	1	2	12	28	34	38	45
2. MULTIPLE DX	1880	16.2	148	2	3	13	25	33	38	53
A. NOT OPERATED	2821	16.0	155	1	2	13	26	34	38	47
B. OPERATED	79	18.4	157	3	4	16	23	36	46	60
TOTAL 0-19 YRS	607	20.6	229	1	1	21	34	40	43	55
20-34	1599	14.9	132	1	2	12	24	30	34	44
35-49	449	14.2	110	2	3	12	22	29	33	42
50-64	162	15.7	163	2	3	12	24	34	40	61
65+	83	15.6	96	3	4	13	24	29	31	41
GRAND TOTAL	**2900**	**16.0**	**155**	**1**	**2**	**13**	**26**	**34**	**38**	**48**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	973	1.5	5	<1	<1	1	1	2	3	7
20-34	546	3.7	47	<1	<1	1	3	8	27	30
35-49	293	4.5	47	<1	<1	2	4	9	27	31
50-64	169	4.0	27	<1	<1	2	4	8	11	29
65+	77	3.9	30	<1	<1	2	3	10	20	25
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	677	3.4	50	<1	<1	1	2	6	15	36
20-34	1200	4.2	24	<1	<1	2	6	8	12	26
35-49	932	5.6	25	1	1	5	8	9	14	27
50-64	669	5.1	23	1	1	4	7	9	13	25
65+	274	5.7	36	<1	1	4	7	11	18	32
B. *Operated*										
0-19 YRS	21	5.6	158	<1	<1	1	3	15	39	55
20-34	61	5.9	37	<1	<1	4	8	14	21	26
35-49	31	9.0	49	1	2	8	12	19	20	32
50-64	33	8.1	53	<1	1	6	11	21	23	25
65+	20	9.7	114	1	1	7	14	32	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2058	2.8	26	<1	<1	1	2	5	8	30
B. *Operated*	6	5.7	27	<1	<1	5	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	3752	4.7	30	<1	<1	3	7	9	13	29
B. *Operated*	166	7.3	67	<1	1	5	10	19	23	53
1. SINGLE DX	2064	2.8	26	<1	<1	1	2	5	8	30
2. MULTIPLE DX	3918	4.8	32	<1	<1	3	7	9	14	30
A. NOT OPERATED	5810	4.0	30	<1	<1	2	5	8	13	30
B. OPERATED	172	7.3	66	<1	1	5	10	19	23	53
TOTAL 0-19 YRS	1671	2.3	26	<1	<1	1	2	3	6	30
20-34	1810	4.1	31	<1	<1	2	5	8	13	30
35-49	1257	5.4	31	<1	1	4	8	9	16	30
50-64	873	5.0	26	1	1	3	6	9	14	27
65+	371	5.5	40	<1	1	3	7	12	21	34
GRAND TOTAL	**5982**	**4.1**	**31**	**<1**	**<1**	**2**	**5**	**8**	**13**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	8.9	117	<1	1	3	13	28	32	43
20-34	481	8.7	102	<1	1	5	10	27	30	37
35-49	84	9.7	93	1	2	5	15	25	30	40
50-64	28	9.3	84	1	2	7	9	25	34	35
65+	10	10.3	69	2	2	8	20	22	24	24
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	9	8.9	58	<1	1	8	12	21	22	22
35-49	3	8.0	9	5	5	8	10	11	11	11
50-64	4	6.3	13	3	3	5	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	15.1	269	<1	1	7	26	41	51	61
20-34	1174	9.5	89	1	1	6	12	26	29	37
35-49	367	8.9	69	1	1	6	11	22	28	37
50-64	136	9.7	71	1	2	7	12	21	31	36
65+	93	9.1	64	2	2	6	11	22	28	35
B. *Operated*										
0-19 YRS	10	37.0	720	2	2	40	64	72	75	75
20-34	48	18.9	122	5	7	18	27	35	41	47
35-49	27	16.3	142	3	5	12	22	35	43	44
50-64	10	23.1	282	6	7	19	31	49	57	57
65+	11	16.7	97	7	7	15	26	31	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	830	8.9	104	<1	1	5	11	27	30	39
B. *Operated*	17	9.6	73	1	2	8	11	22	30	34
2. MULTIPLE DX										
A. *Not Operated*	2170	10.4	121	1	1	6	14	28	32	52
B. *Operated*	106	20.1	219	4	6	15	29	41	45	72
1. SINGLE DX	847	8.9	103	<1	1	5	11	27	30	38
2. MULTIPLE DX	2276	10.9	130	1	1	7	14	28	34	53
A. NOT OPERATED	3000	10.0	117	1	1	6	13	28	31	48
B. OPERATED	123	18.7	211	2	5	13	27	39	43	71
TOTAL 0-19 YRS	638	13.3	239	<1	1	6	22	37	46	63
20-34	1712	9.6	96	1	1	6	13	27	30	37
35-49	481	9.5	79	1	2	6	12	24	29	39
50-64	178	10.3	92	1	2	7	12	26	33	41
65+	114	9.9	71	2	2	7	11	24	29	35
GRAND TOTAL	**3123**	**10.4**	**124**	**1**	**1**	**6**	**14**	**28**	**32**	**49**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	277	3.8	25	1	1	3	4	7	8	24
20-34	419	4.2	13	<1	1	3	5	8	11	17
35-49	307	4.1	21	1	1	3	5	8	10	17
50-64	205	3.9	7	1	1	3	5	7	10	13
65+	118	5.0	12	1	2	4	7	9	11	21
B. *Operated*										
0-19 YRS	21	4.4	10	<1	1	3	6	9	10	11
20-34	32	5.3	11	1	2	5	8	10	12	12
35-49	36	6.7	37	1	2	5	9	13	15	34
50-64	19	4.9	29	1	2	3	6	12	19	23
65+	6	7.3	11	2	2	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	4.8	35	1	1	4	6	8	11	30
20-34	731	5.4	31	1	1	4	7	10	13	34
35-49	781	5.5	30	1	2	4	7	10	14	27
50-64	661	5.7	22	1	2	4	7	11	14	27
65+	740	6.0	22	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	15	4.8	4	1	2	5	6	8	8	8
20-34	85	8.6	78	1	1	6	10	17	27	49
35-49	95	9.2	71	2	3	7	12	17	18	55
50-64	80	9.5	57	2	3	8	12	17	21	44
65+	64	12.6	139	3	3	9	15	26	32	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1326	4.1	17	1	1	3	5	8	10	17
B. *Operated*	114	5.6	22	1	2	5	8	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	3234	5.6	27	1	2	4	7	10	14	28
B. *Operated*	329	9.6	82	2	2	7	12	18	26	51
1. SINGLE DX	1440	4.2	17	1	1	3	5	8	10	17
2. MULTIPLE DX	3563	5.9	34	1	2	4	7	11	16	30
A. NOT OPERATED	4560	5.1	25	1	1	4	6	10	13	26
B. OPERATED	443	8.6	70	1	2	7	11	16	22	38
TOTAL 0-19 YRS	634	4.4	29	1	1	3	5	7	10	28
20-34	1267	5.2	29	1	1	4	6	10	13	31
35-49	1209	5.4	32	1	1	4	7	11	14	27
50-64	965	5.6	23	1	2	4	7	11	15	27
65+	928	6.3	32	2	2	5	8	12	16	29
GRAND TOTAL	**5003**	**5.4**	**30**	**1**	**1**	**4**	**7**	**10**	**14**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1826	12.5	235	1	1	7	17	34	54	99+
20-34	2350	6.3	56	1	1	4	8	14	20	38
35-49	1266	7.0	61	1	1	4	9	16	22	37
50-64	450	7.2	57	1	1	5	9	17	22	41
65+	225	9.9	104	1	1	7	14	23	28	53
B. *Operated*										
0-19 YRS	8	8.8	75	1	1	7	21	69	99+	99+
20-34	11	8.8	88	1	1	5	13	26	26	26
35-49	10	7.5	18	3	3	6	11	14	14	14
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1861	13.8	305	1	1	7	17	41	58	97
20-34	3573	8.1	79	1	1	5	10	18	25	46
35-49	2152	8.2	68	1	1	5	10	18	25	41
50-64	1030	8.7	71	1	2	6	11	18	26	37
65+	763	9.7	90	1	2	7	13	20	26	47
B. *Operated*										
0-19 YRS	56	23.3	573	1	2	15	42	77	97	99+
20-34	139	12.8	162	1	2	10	16	28	46	99+
35-49	96	15.3	169	2	3	11	20	32	47	57
50-64	50	15.2	272	2	3	10	15	35	58	76
65+	49	20.4	287	4	5	15	30	44	52	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6117	8.5	120	1	1	5	10	21	30	77
B. *Operated*	30	8.3	54	1	2	7	13	23	26	99+
2. MULTIPLE DX										
A. *Not Operated*	9379	9.5	126	1	1	6	12	21	31	62
B. *Operated*	390	16.2	263	2	3	11	20	43	57	99+
1. SINGLE DX	6147	8.5	119	1	1	5	10	21	30	78
2. MULTIPLE DX	9769	9.7	133	1	1	6	12	22	33	64
A. NOT OPERATED	15496	9.1	124	1	1	5	11	21	31	64
B. OPERATED	420	15.6	252	2	3	11	19	42	56	99+
TOTAL 0-19 YRS	3751	13.3	276	1	1	7	17	38	57	99+
20-34	6073	7.6	73	1	1	5	10	17	24	45
35-49	3524	7.9	70	1	1	5	10	18	25	41
50-64	1530	8.5	75	1	2	6	11	18	25	42
65+	1038	10.2	107	1	2	7	14	22	29	52
GRAND TOTAL	**15916**	**9.3**	**128**	**1**	**1**	**5**	**11**	**22**	**31**	**66**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2549	16.2	398	1	2	7	23	52	70	99+
20-34	2914	8.4	87	1	1	5	10	19	28	49
35-49	1977	8.9	91	1	2	5	11	21	29	46
50-64	1107	10.8	113	1	2	7	15	24	32	48
65+	627	11.9	138	2	3	8	16	27	39	54
B. *Operated*										
0-19 YRS	44	11.2	338	1	1	3	12	31	56	83
20-34	51	10.5	205	1	1	4	13	23	40	76
35-49	52	7.8	81	1	2	5	8	17	29	48
50-64	42	11.0	118	2	3	6	15	30	35	41
65+	14	14.4	157	1	2	11	17	33	44	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2641	17.8	414	1	2	10	27	54	77	99+
20-34	4500	9.6	118	1	2	6	12	21	31	62
35-49	3609	9.5	94	1	2	6	12	21	29	48
50-64	2716	10.5	115	2	2	7	13	23	31	54
65+	2604	11.7	123	2	3	8	15	25	35	57
B. *Operated*										
0-19 YRS	117	24.3	567	2	2	19	44	79	99+	99+
20-34	283	15.8	223	1	3	11	22	36	50	87
35-49	308	16.6	262	3	4	11	21	39	56	80
50-64	287	16.6	200	3	4	12	22	36	44	76
65+	285	20.8	329	3	4	16	29	50	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9174	11.2	192	1	2	5	14	28	43	79
B. *Operated*	203	10.3	180	1	1	5	12	26	40	73
2. MULTIPLE DX										
A. *Not Operated*	16070	11.4	170	1	2	7	14	27	40	80
B. *Operated*	1280	18.1	289	2	4	13	24	43	60	99+
1. SINGLE DX	9377	11.2	191	1	2	6	14	28	43	79
2. MULTIPLE DX	17350	11.9	182	2	2	7	15	28	42	83
A. NOT OPERATED	25244	11.3	178	1	2	7	14	28	41	79
B. OPERATED	1483	17.0	281	2	3	11	23	41	58	99+
TOTAL 0-19 YRS	5351	17.1	411	1	2	8	26	54	74	99+
20-34	7748	9.4	112	1	2	6	12	21	31	59
35-49	5946	9.6	104	1	2	6	12	21	30	53
50-64	4152	11.0	122	2	2	7	14	25	33	56
65+	3530	12.5	148	2	3	8	16	28	39	66
GRAND TOTAL	**26727**	**11.7**	**185**	**1**	**2**	**7**	**14**	**28**	**42**	**81**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	8.1	93	1	1	4	12	23	38	99+
20-34	51	8.2	101	1	1	5	9	21	23	58
35-49	26	9.5	171	1	1	6	11	19	39	63
50-64	7	8.6	35	3	3	7	11	18	20	20
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	8	7.9	105	1	2	5	6	25	33	33
20-34	3	2.3		2	2	2	3	3	3	3
35-49	2	9.0	2	8	8	9	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	9.5	110	1	2	6	12	21	29	76
20-34	291	12.0	133	1	2	8	15	27	35	55
35-49	138	12.0	155	2	2	8	16	26	46	67
50-64	91	11.2	109	2	3	8	14	23	28	87
65+	28	9.8	70	2	3	6	14	23	31	32
B. *Operated*										
0-19 YRS	27	6.0	29	1	2	5	6	10	22	25
20-34	16	5.5	18	1	1	5	9	15	71	99+
35-49	11	17.8	552	1	1	13	17	53	80	83
50-64	7	6.9	65	2	2	2	8	21	24	24
65+	4	18.0	237	5	6	13	28	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	8.4	106	1	1	5	10	20	30	72
B. *Operated*	13	6.8	68	1	2	5	6	15	30	33
2. MULTIPLE DX										
A. *Not Operated*	726	11.2	127	1	2	8	14	25	33	65
B. *Operated*	65	8.7	145	1	2	6	9	21	34	97
1. SINGLE DX	138	8.2	102	1	1	5	9	20	31	67
2. MULTIPLE DX	791	11.0	128	1	2	7	14	25	33	68
A. NOT OPERATED	851	10.8	124	1	2	7	14	25	33	64
B. OPERATED	78	8.4	132	1	2	5	9	19	33	95
TOTAL 0-19 YRS	252	8.8	99	1	2	5	11	21	29	87
20-34	361	11.1	126	1	2	7	14	26	34	59
35-49	177	11.9	179	1	2	8	15	26	46	68
50-64	105	10.7	101	2	3	8	14	23	27	83
65+	34	10.4	90	2	3	6	15	26	32	40
GRAND TOTAL	**929**	**10.6**	**125**	**1**	**2**	**7**	**14**	**24**	**33**	**67**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1610	10.5	24	2	3	11	13	16	18	24
20-34	291	8.0	47	1	2	7	11	15	16	35
35-49	167	9.1	64	1	2	8	12	17	24	42
50-64	95	10.1	103	1	1	8	13	19	22	59
65+	50	12.9	61	2	3	14	17	20	26	42
B. *Operated*										
0-19 YRS	175	13.6	37	5	9	12	15	22	27	35
20-34	96	13.6	242	1	2	7	19	34	53	67
35-49	137	12.4	174	1	2	8	15	28	46	60
50-64	87	13.4	182	2	2	10	18	37	43	99+
65+	34	23.6	402	1	3	15	35	56	62	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1315	12.1	37	2	4	12	15	18	21	33
20-34	249	10.0	74	1	2	8	13	20	24	51
35-49	235	13.0	153	2	3	9	17	30	44	78
50-64	225	14.8	160	2	4	12	17	30	45	60
65+	213	20.2	226	3	6	16	26	40	53	71
B. *Operated*										
0-19 YRS	317	18.7	172	6	10	15	22	36	46	99+
20-34	169	22.5	361	3	4	17	32	50	79	99+
35-49	201	18.9	344	2	3	14	27	50	80	99+
50-64	234	21.9	319	2	4	17	32	50	70	99+
65+	156	31.1	442	4	7	28	47	72	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2213	10.1	35	2	3	11	13	16	18	27
B. *Operated*	529	13.9	162	2	3	11	16	30	43	66
2. MULTIPLE DX										
A. *Not Operated*	2237	13.0	90	2	4	12	15	22	30	56
B. *Operated*	1077	21.8	320	3	4	17	30	50	73	99+
1. SINGLE DX	2742	10.8	62	2	3	11	13	17	22	46
2. MULTIPLE DX	3314	15.9	182	2	4	12	19	32	47	90
A. NOT OPERATED	4450	11.5	65	2	3	11	14	19	24	46
B. OPERATED	1606	19.2	282	2	3	14	26	46	65	99+
TOTAL 0-19 YRS	3417	12.0	49	2	4	11	14	18	22	39
20-34	805	12.3	174	2	2	9	15	28	42	81
35-49	740	13.6	201	2	2	9	17	31	49	99+
50-64	641	16.5	231	2	3	12	22	41	52	99+
65+	453	23.4	331	3	5	18	32	55	67	99+
GRAND TOTAL	**6056**	**13.6**	**134**	**2**	**3**	**11**	**16**	**25**	**37**	**75**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	12	2	2	5	8	9	9	9
20-34	9	12.3	158	<1	<1	6	27	30	30	30
35-49	36	8.0	39	2	3	5	11	15	23	26
50-64	295	11.1	83	2	3	9	13	22	29	43
65+	769	10.8	76	2	3	9	14	21	25	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	5	6.6	13	3	3	5	10	11	11	11
50-64	21	14.3	145	2	3	12	22	24	38	55
65+	37	19.6	377	3	4	13	22	52	72	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.0	241	2	2	7	22	36	36	36
20-34	9	8.3	98	2	2	6	8	24	34	34
35-49	63	10.4	73	2	2	8	14	25	30	31
50-64	698	12.1	112	3	4	9	15	24	30	62
65+	4331	13.1	115	3	4	10	16	27	36	73
B. *Operated*										
0-19 YRS										
20-34	2	36.5	221	26	26	36	47	47	47	47
35-49	4	14.0	85	4	4	13	20	26	26	26
50-64	95	19.8	301	4	5	14	25	44	68	97
65+	573	21.0	231	5	6	18	28	45	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1112	10.8	77	2	3	9	14	21	27	44
B. *Operated*	63	16.8	282	3	3	12	21	30	56	80
2. MULTIPLE DX										
A. *Not Operated*	5105	12.9	114	3	4	10	16	26	35	71
B. *Operated*	674	20.8	240	5	6	17	28	45	64	99+
1. SINGLE DX	1175	11.1	90	2	3	9	14	22	27	48
2. MULTIPLE DX	5779	13.8	136	3	4	10	17	29	38	93
A. NOT OPERATED	6217	12.5	108	3	4	10	16	25	34	65
B. OPERATED	737	20.5	245	4	6	17	27	44	64	99+
TOTAL 0-19 YRS	7	9.7	142	2	2	6	9	31	36	36
20-34	20	13.0	188	<1	1	7	26	32	40	47
35-49	108	9.5	60	2	3	7	13	23	27	31
50-64	1109	12.5	126	3	4	9	16	24	33	67
65+	5710	13.6	130	3	4	10	17	28	38	85
GRAND TOTAL	**6954**	**13.4**	**129**	**3**	**4**	**10**	**17**	**28**	**37**	**80**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	10.7	73	2	2	9	15	20	32	34
20-34	907	8.7	49	1	2	7	12	16	20	38
35-49	1057	9.4	55	1	2	9	13	17	22	38
50-64	362	10.5	68	2	2	9	14	21	26	46
65+	53	9.5	38	2	2	9	14	18	21	97
B. *Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	182	9.4	93	1	2	6	12	21	25	52
35-49	215	8.4	69	1	2	6	12	16	23	39
50-64	65	12.6	167	2	2	9	15	35	45	59
65+	7	14.1	157	2	2	11	26	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	10.8	254	1	2	7	10	18	51	76
20-34	645	12.2	145	2	3	9	15	24	36	91
35-49	1051	12.0	107	2	3	10	16	23	32	66
50-64	705	13.0	123	3	3	10	17	25	38	96
65+	213	13.7	146	3	4	10	17	31	43	99+
B. *Operated*										
0-19 YRS	2	19.5	365	6	6	19	33	33	33	33
20-34	188	17.0	235	2	3	12	21	42	52	91
35-49	313	18.0	235	3	4	14	25	46	66	99+
50-64	263	17.4	233	3	4	13	23	40	60	99+
65+	79	16.0	195	2	4	14	22	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2430	9.3	55	1	2	8	13	17	22	41
B. *Operated*	472	9.4	94	1	2	6	13	20	26	48
2. MULTIPLE DX										
A. *Not Operated*	2638	12.4	125	2	3	10	16	25	35	90
B. *Operated*	845	17.4	230	3	4	13	23	44	61	99+
1. SINGLE DX	2902	9.3	61	1	2	8	13	18	23	44
2. MULTIPLE DX	3483	13.6	155	2	3	10	17	29	43	99+
A. NOT OPERATED	5068	10.9	94	2	3	9	14	21	29	64
B. OPERATED	1317	14.5	196	2	3	11	19	35	51	99+
TOTAL 0-19 YRS	80	10.8	129	1	2	8	14	21	33	65
20-34	1922	10.7	110	1	2	8	14	21	31	69
35-49	2636	11.4	106	2	3	9	15	22	31	71
50-64	1395	13.1	137	2	3	10	17	27	39	87
65+	352	13.6	144	2	4	10	17	30	44	99+
GRAND TOTAL	**6385**	**11.7**	**117**	**2**	**3**	**9**	**15**	**23**	**34**	**76**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2152	3.4	10	1	1	3	4	6	9	16
20-34	1564	3.7	15	1	1	3	5	7	9	16
35-49	802	4.1	14	1	1	3	5	9	11	19
50-64	527	4.6	23	1	1	3	5	9	11	24
65+	402	4.7	14	1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	40	8.0	70	2	2	5	10	16	20	49
20-34	61	7.6	50	2	2	5	10	16	23	37
35-49	34	5.8	17	1	1	5	9	11	14	18
50-64	36	4.9	14	1	2	3	7	10	14	16
65+	9	4.9	14	1	1	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1999	4.9	34	1	1	3	6	10	14	33
20-34	2164	6.0	45	1	1	4	7	12	16	34
35-49	1700	6.4	37	1	2	5	8	13	18	32
50-64	2090	7.1	45	1	2	5	9	14	19	36
65+	2414	8.3	67	2	2	6	10	16	23	44
B. *Operated*										
0-19 YRS	107	9.5	87	2	2	7	12	20	29	53
20-34	203	9.3	59	1	2	7	13	20	26	33
35-49	184	12.8	160	2	2	9	18	29	39	98
50-64	243	14.6	218	2	3	10	17	32	53	74
65+	225	16.9	207	3	5	13	22	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5447	3.8	14	1	1	3	5	7	10	17
B. *Operated*	180	6.7	40	1	2	5	9	13	18	35
2. MULTIPLE DX										
A. *Not Operated*	10367	6.6	48	1	2	5	8	13	19	36
B. *Operated*	962	13.1	164	2	3	9	17	28	43	75
1. SINGLE DX	5627	3.9	15	1	1	3	5	8	10	18
2. MULTIPLE DX	11329	7.2	61	1	2	5	9	15	21	43
A. NOT OPERATED	15814	5.6	38	1	1	4	7	11	16	32
B. OPERATED	1142	12.1	150	2	2	8	15	26	39	69
TOTAL 0-19 YRS	4298	4.3	25	1	1	3	5	8	12	25
20-34	3992	5.3	36	1	1	4	6	11	15	30
35-49	2720	6.2	42	1	1	4	8	13	18	33
50-64	2896	7.2	61	1	2	5	9	14	20	44
65+	3050	8.4	77	2	2	6	10	18	24	50
GRAND TOTAL	**16956**	**6.1**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	840	4.3	36	<1	1	3	5	9	13	44
20-34	1167	5.3	22	1	1	4	7	11	14	25
35-49	911	6.1	40	1	1	4	7	12	16	32
50-64	877	6.6	43	1	2	5	8	14	18	35
65+	1207	8.9	71	2	2	7	11	18	24	48
B. *Operated*										
0-19 YRS	745	5.8	50	1	2	4	7	11	15	41
20-34	776	7.3	58	1	2	5	10	15	21	39
35-49	748	7.0	44	1	2	5	9	15	20	33
50-64	685	8.0	94	1	2	5	10	17	23	60
65+	644	10.3	105	2	2	7	14	23	31	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1391	7.0	116	1	1	4	7	16	41	99+
20-34	1689	8.5	116	1	2	5	9	18	30	91
35-49	1695	9.6	128	2	2	6	11	20	30	80
50-64	2854	11.5	151	2	3	8	14	26	38	81
65+	7663	13.0	154	3	3	9	16	28	41	81
B. *Operated*										
0-19 YRS	1166	9.5	178	1	2	5	10	22	41	98
20-34	1360	11.9	197	1	2	7	15	30	49	99+
35-49	1330	13.7	212	2	2	9	18	33	51	99+
50-64	1772	15.3	243	2	3	10	20	37	56	99+
65+	2945	18.1	264	3	4	14	24	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5002	6.4	46	1	1	4	8	13	18	36
B. *Operated*	3598	7.6	71	1	2	5	10	16	23	44
2. MULTIPLE DX										
A. *Not Operated*	15292	11.3	147	2	2	8	14	25	38	87
B. *Operated*	8573	14.7	238	2	2	10	19	36	55	99+
1. SINGLE DX	8600	6.9	56	1	2	5	9	14	21	41
2. MULTIPLE DX	23865	12.5	182	2	2	8	16	29	44	99+
A. NOT OPERATED	20294	10.1	127	1	2	7	12	22	33	78
B. OPERATED	12171	12.6	199	2	2	8	16	31	46	99+
TOTAL 0-19 YRS	4142	7.0	109	1	1	4	7	15	28	99+
20-34	4992	8.5	113	1	2	5	10	19	30	82
35-49	4684	9.7	129	1	2	6	12	22	32	79
50-64	6188	11.5	164	2	2	7	14	27	40	85
65+	12459	13.7	177	2	3	10	17	30	44	91
GRAND TOTAL	**32465**	**11.0**	**155**	**1**	**2**	**7**	**14**	**26**	**39**	**88**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	971	2.9	4	1	1	2	4	5	6	10
20-34	2396	3.5	8	1	1	3	4	7	8	13
35-49	1585	3.9	10	1	1	3	5	7	9	15
50-64	530	4.0	10	1	1	3	5	8	10	16
65+	130	4.9	49	1	1	4	6	8	12	30
B. *Operated*										
0-19 YRS	38	3.9	6	2	2	3	5	7	9	13
20-34	172	4.3	8	1	2	4	5	8	9	16
35-49	160	4.8	13	1	2	4	6	9	12	19
50-64	70	5.3	19	1	2	4	6	11	14	22
65+	19	6.1	21	1	2	5	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	556	3.5	5	1	1	3	5	7	8	10
20-34	2239	4.8	14	1	2	4	6	9	11	19
35-49	2123	5.4	18	1	2	4	7	10	13	23
50-64	1119	5.4	17	1	2	4	7	10	13	21
65+	391	6.0	21	1	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	33	5.4	13	2	2	5	6	8	13	20
20-34	228	7.2	25	2	2	6	9	13	18	24
35-49	249	8.0	43	2	3	6	9	15	18	36
50-64	156	8.4	44	2	3	7	10	15	19	35
65+	64	7.4	36	2	2	6	10	14	18	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5612	3.6	9	1	1	3	4	7	9	14
B. *Operated*	459	4.6	12	1	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	6428	5.0	16	1	2	4	6	9	12	21
B. *Operated*	730	7.7	36	2	2	6	9	14	18	35
1. SINGLE DX	6071	3.7	9	1	1	3	5	7	9	14
2. MULTIPLE DX	7158	5.3	19	1	2	4	7	10	13	22
A. NOT OPERATED	12040	4.4	13	1	1	3	5	8	11	19
B. OPERATED	1189	6.5	29	2	2	5	8	13	16	25
TOTAL 0-19 YRS	1598	3.2	5	1	1	3	4	6	7	11
20-34	5035	4.3	12	1	1	3	5	8	10	18
35-49	4117	4.9	17	1	2	4	6	9	12	22
50-64	1875	5.2	18	1	2	4	6	10	13	22
65+	604	5.9	29	1	2	4	8	11	14	23
GRAND TOTAL	**13229**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.3	152	<1	<1	3	5	29	35	35
20-34	65	2.1	2	<1	<1	2	3	4	4	7
35-49	58	3.6	7	<1	<1	3	5	7	8	12
50-64	72	3.2	7	<1	<1	2	4	7	9	13
65+	25	3.4	5	<1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	135	2.1	1	<1	<1	2	2	3	4	6
20-34	2634	2.1	2	<1	<1	2	2	3	4	6
35-49	4490	2.2	2	<1	<1	2	3	3	4	8
50-64	4661	2.3	3	<1	1	2	3	4	4	8
65+	2708	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	3	<1	<1	2	4	5	6	6
20-34	84	4.0	9	1	1	3	5	8	11	15
35-49	154	4.7	12	<1	1	4	6	9	12	17
50-64	216	4.7	14	1	1	4	6	8	12	19
65+	132	5.3	20	1	1	4	6	11	15	22
B. *Operated*										
0-19 YRS	55	2.7	6	<1	1	2	3	4	7	15
20-34	750	2.9	7	<1	1	2	3	5	8	13
35-49	1714	3.7	14	1	1	2	4	7	11	18
50-64	2733	3.7	13	1	1	3	4	7	10	19
65+	2153	4.1	18	1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	3.1	10	<1	<1	2	4	6	7	12
B. *Operated*	14628	2.3	2	<1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	594	4.7	14	1	1	4	6	9	12	19
B. *Operated*	7405	3.7	14	1	1	3	4	7	11	19
1. SINGLE DX	14855	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	7999	3.8	14	1	1	3	4	8	11	19
A. NOT OPERATED	821	4.3	14	<1	1	3	5	8	11	18
B. OPERATED	22033	2.7	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	205	2.4	8	<1	1	2	3	4	5	13
20-34	3533	2.3	3	<1	<1	2	3	4	5	9
35-49	6416	2.7	6	<1	1	2	3	4	7	13
50-64	7682	2.9	7	<1	1	2	3	5	7	14
65+	5018	3.3	11	1	1	2	3	6	9	17
GRAND TOTAL	**22854**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	352	7.2	63	1	2	4	8	16	23	45
20-34	914	6.0	49	1	1	4	7	12	18	38
35-49	1006	6.2	56	1	1	4	7	12	17	36
50-64	1014	6.3	42	1	1	5	8	12	17	38
65+	798	7.1	53	1	2	5	9	15	20	36
B. *Operated*										
0-19 YRS	429	3.9	26	1	1	3	4	7	9	25
20-34	2722	4.0	13	1	1	3	5	7	10	18
35-49	3324	4.2	17	1	1	3	5	9	11	19
50-64	3152	4.0	21	1	1	3	4	8	11	24
65+	1399	4.5	24	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	210	7.6	93	1	2	4	9	18	26	63
20-34	834	7.2	59	1	2	5	9	14	20	52
35-49	1574	7.2	45	1	2	5	9	14	18	37
50-64	2329	8.4	74	2	2	6	10	16	23	49
65+	3264	9.6	87	2	3	7	12	18	25	54
B. *Operated*										
0-19 YRS	239	7.0	126	1	2	4	6	16	36	99+
20-34	1345	6.4	67	1	2	4	8	13	18	73
35-49	2018	7.0	64	1	2	4	8	15	20	44
50-64	2551	8.1	95	2	2	5	10	18	25	62
65+	1752	11.4	154	2	2	8	15	28	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4084	6.4	51	1	1	4	8	13	18	39
B. *Operated*	11026	4.1	19	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	8211	8.5	74	2	2	6	10	16	22	49
B. *Operated*	7905	8.3	100	2	2	5	10	18	27	74
1. SINGLE DX	15110	4.8	28	1	1	3	5	9	13	27
2. MULTIPLE DX	16116	8.4	86	2	2	6	10	17	25	62
A. NOT OPERATED	12295	7.8	67	1	2	6	10	15	21	46
B. OPERATED	18931	5.9	57	1	2	3	6	12	18	45
TOTAL 0-19 YRS	1230	6.1	70	1	1	3	6	14	21	57
20-34	5815	5.3	40	1	1	4	6	10	15	37
35-49	7922	5.8	41	1	2	4	7	12	16	32
50-64	9046	6.6	62	1	2	4	8	14	20	42
65+	7213	8.8	93	2	2	6	11	19	26	68
GRAND TOTAL	**31226**	**6.6**	**62**	**1**	**2**	**4**	**8**	**14**	**20**	**45**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	10	<1	<1	1	2	8	9	9
20-34	5	3.4	5	<1	<1	4	5	6	6	6
35-49	5	3.6	7	<1	<1	3	4	8	8	8
50-64	18	2.8	7	<1	1	2	3	8	9	9
65+	7	4.3	7	1	1	6	6	7	7	7
B. *Operated*										
0-19 YRS	232	4.6	7	1	2	4	6	8	10	14
20-34	466	4.8	7	2	2	4	6	8	9	15
35-49	521	4.7	7	1	2	4	6	8	9	13
50-64	1738	4.8	7	1	2	4	6	8	9	15
65+	1654	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.4	13	<1	<1	1	5	10	11	11
20-34	12	2.0	2	<1	<1	1	3	4	5	5
35-49	10	2.2	2	<1	<1	2	4	5	5	5
50-64	21	3.8	19	<1	<1	3	4	10	16	16
65+	43	4.6	24	<1	<1	3	5	11	13	27
B. *Operated*										
0-19 YRS	137	5.1	10	2	2	4	6	8	10	20
20-34	304	5.2	10	2	2	4	7	9	12	15
35-49	333	5.5	11	2	2	5	7	9	12	16
50-64	1366	5.4	11	2	2	5	7	9	12	18
65+	1766	5.7	12	2	2	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.2	7	<1	<1	2	5	7	8	9
B. *Operated*	4611	4.8	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	99	3.7	17	<1	<1	2	4	9	13	22
B. *Operated*	3906	5.5	11	2	2	5	7	9	12	18
1. SINGLE DX	4652	4.8	7	1	2	4	6	8	10	15
2. MULTIPLE DX	4005	5.5	12	2	2	5	7	9	12	18
A. NOT OPERATED	140	3.6	14	<1	<1	2	5	8	11	17
B. OPERATED	8517	5.2	9	2	2	4	6	9	11	16
TOTAL 0-19 YRS	388	4.7	8	1	2	4	6	8	10	15
20-34	787	4.9	8	2	2	4	6	8	10	15
35-49	869	5.0	9	1	2	4	6	8	10	15
50-64	3143	5.1	9	2	2	4	6	8	10	16
65+	3470	5.3	10	2	2	5	7	9	11	17
GRAND TOTAL	**8657**	**5.1**	**9**	**2**	**2**	**4**	**6**	**9**	**11**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.0		<1	1	1	1	1	1	1
20-34	6	2.3	2	1	1	2	2	5	5	5
35-49	21	2.1	1	<1	1	2	3	3	4	5
50-64	64	2.3	2	1	1	2	3	4	6	9
65+	114	2.2	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	18	3.3	9	1	1	2	4	5	10	14
20-34	54	3.6	5	1	2	3	4	7	9	12
35-49	210	3.0	5	1	1	2	3	5	7	13
50-64	670	3.2	6	1	1	2	4	6	8	11
65+	1284	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	3	<1	<1	1	3	5	5	5
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	15	2.7	2	<1	1	2	4	5	5	5
50-64	49	3.9	18	1	1	3	4	7	15	22
65+	161	4.2	22	1	1	3	5	7	10	24
B. *Operated*										
0-19 YRS	11	6.8	180	<1	1	3	5	22	45	47
20-34	23	4.3	10	1	2	3	5	10	12	13
35-49	61	4.6	14	1	2	3	6	9	11	23
50-64	378	4.1	11	1	2	3	5	9	11	18
65+	1209	4.7	18	1	2	3	6	9	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	2.1	2	1	1	2	3	4	5	8
B. *Operated*	2236	3.2	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	241	3.9	19	1	1	3	5	7	10	22
B. *Operated*	1682	4.6	17	1	2	3	5	9	12	22
1. SINGLE DX	2456	3.1	6	1	1	2	4	6	7	12
2. MULTIPLE DX	1923	4.5	18	1	2	3	5	9	12	22
A. NOT OPERATED	461	3.1	12	1	1	2	4	5	7	17
B. OPERATED	3918	3.8	12	1	1	3	4	7	10	18
TOTAL 0-19 YRS	56	3.1	40	<1	1	2	3	5	6	45
20-34	87	3.6	6	1	1	3	4	7	10	13
35-49	307	3.2	7	1	1	2	4	6	8	14
50-64	1161	3.5	8	1	1	3	4	7	9	16
65+	2768	3.9	13	1	1	3	5	7	10	19
GRAND TOTAL	**4379**	**3.7**	**12**	**1**	**1**	**3**	**4**	**7**	**10**	**18**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	4	<1	<1	1	2	6	6	6
20-34	10	2.6	10	1	1	2	2	7	11	11
35-49	16	2.0	2	<1	1	1	3	4	5	6
50-64	27	1.9	2	<1	1	1	3	4	5	5
65+	62	2.7	6	<1	1	2	4	6	9	11
B. *Operated*										
0-19 YRS	45	2.9	5	<1	1	2	4	4	5	15
20-34	59	3.1	5	1	1	3	4	6	7	14
35-49	149	3.3	6	1	1	3	4	6	8	12
50-64	329	3.1	9	1	1	2	3	5	8	16
65+	734	3.3	8	1	1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	2	<1	<1	1	3	4	4	4
20-34	10	6.3	44	1	1	4	8	17	22	22
35-49	31	4.4	17	<1	1	3	6	12	13	13
50-64	53	4.3	22	1	1	2	5	9	12	27
65+	156	5.5	27	1	1	4	6	13	20	94
B. *Operated*										
0-19 YRS	35	4.1	13	2	2	3	5	7	10	21
20-34	89	4.5	14	1	1	3	6	10	14	18
35-49	100	3.9	10	1	1	3	5	8	11	16
50-64	275	4.8	35	1	2	3	5	9	13	36
65+	827	4.7	29	1	2	3	5	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.4	5	<1	1	1	3	5	7	11
B. *Operated*	1316	3.2	8	1	1	2	4	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	258	5.0	25	1	1	3	6	12	18	31
B. *Operated*	1326	4.6	27	1	2	3	5	9	12	23
1. SINGLE DX	1437	3.1	8	1	1	2	4	5	8	15
2. MULTIPLE DX	1584	4.7	27	1	2	3	5	9	13	26
A. NOT OPERATED	379	4.2	20	1	1	3	5	10	13	27
B. OPERATED	2642	3.9	18	1	1	3	4	7	11	21
TOTAL 0-19 YRS	94	3.2	8	<1	1	2	4	6	7	18
20-34	168	4.0	13	1	1	3	5	9	11	18
35-49	296	3.5	8	1	1	3	4	7	10	15
50-64	684	3.8	21	1	1	3	4	7	11	24
65+	1779	4.1	20	1	1	3	5	8	11	21
GRAND TOTAL	**3021**	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	1.3		<1	<1	1	2	2	2	2
50-64	52	2.0	4	<1	<1	1	2	3	4	13
65+	196	2.3	3	<1	1	2	3	4	5	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	2499	2.4	1	1	1	2	3	3	4	7
50-64	16015	2.4	1	1	2	2	3	3	4	6
65+	61450	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	65	1.9	2	<1	<1	1	2	4	5	8
50-64	385	2.4	7	<1	<1	1	3	5	8	14
65+	1544	3.0	21	<1	1	2	3	7	9	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	1292	3.1	6	1	2	2	3	5	7	12
50-64	10769	3.1	6	2	2	2	3	5	6	11
65+	51280	3.3	9	2	2	3	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.2	3	<1	<1	2	3	4	5	10
B. *Operated*	79964	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	1994	2.9	18	<1	1	2	3	6	9	19
B. *Operated*	63341	3.3	8	2	2	3	3	5	7	15
1. SINGLE DX	80222	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX	65335	3.2	8	1	2	3	3	5	7	15
A. NOT OPERATED	2252	2.8	16	<1	1	2	3	6	9	19
B. OPERATED	143305	2.9	5	1	2	2	3	4	5	11
TOTAL 0-19 YRS										
20-34										
35-49	3866	2.6	3	1	1	2	3	4	5	9
50-64	27221	2.7	3	1	2	2	3	4	5	9
65+	114470	2.9	5	1	2	2	3	4	6	12
GRAND TOTAL	**145557**	**2.9**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	285	2.3	1	1	1	2	3	4	4	6
20-34	212	2.4	2	<1	1	2	3	4	5	8
35-49	307	2.2	1	1	1	2	3	3	4	5
50-64	621	2.4	1	1	1	2	3	3	4	6
65+	812	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	2	<1	<1	1	3	4	5	5
20-34	5	1.6	1	1	1	1	2	3	3	3
35-49	6	1.8	1	<1	<1	1	2	4	4	4
50-64	13	3.6	16	<1	1	2	3	12	14	14
65+	25	3.2	13	<1	1	2	4	6	12	17
B. *Operated*										
0-19 YRS	145	2.8	2	1	1	2	3	5	7	8
20-34	184	3.1	3	1	1	3	4	6	7	10
35-49	249	3.0	24	1	2	2	3	4	6	10
50-64	446	3.1	7	1	2	2	3	5	8	14
65+	789	3.0	4	1	2	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	2	3	3	4	4
B. *Operated*	2237	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	61	2.8	10	<1	<1	2	3	5	11	17
B. *Operated*	1813	3.0	7	1	2	2	3	5	7	12
1. SINGLE DX	2249	2.2	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	1874	3.0	7	1	2	2	3	5	7	12
A. NOT OPERATED	73	2.6	8	<1	<1	2	3	5	10	16
B. OPERATED	4050	2.6	4	1	1	2	3	4	5	10
TOTAL 0-19 YRS	446	2.4	2	1	1	2	3	4	5	7
20-34	403	2.7	2	1	1	2	3	5	6	9
35-49	563	2.6	11	1	1	2	3	4	4	7
50-64	1080	2.7	4	1	1	2	3	4	5	11
65+	1631	2.6	3	<1	1	2	3	4	5	10
GRAND TOTAL	**4123**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	1.9	3	<1	<1	1	2	4	6	9
20-34	43	4.0	8	<1	1	3	5	8	10	13
35-49	26	3.7	6	1	1	3	5	7	9	11
50-64	41	4.4	9	1	1	4	5	8	10	16
65+	54	4.6	6	1	2	4	6	9	9	12
B. *Operated*										
0-19 YRS	5972	1.6		<1	<1	2	2	2	2	3
20-34	1161	1.9	1	1	1	2	2	3	3	4
35-49	586	2.1	1	1	1	2	2	3	3	8
50-64	288	2.2	2	1	1	2	2	3	4	10
65+	198	2.3	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	1.4	2	<1	<1	1	1	3	3	8
20-34	63	3.9	19	<1	1	2	5	8	11	27
35-49	61	5.7	29	<1	1	4	8	12	14	33
50-64	156	6.1	19	1	2	5	8	12	15	24
65+	216	6.0	19	1	2	5	8	11	13	27
B. *Operated*										
0-19 YRS	1150	1.8	1	<1	1	2	2	2	3	5
20-34	352	2.1	2	1	1	2	2	3	4	8
35-49	250	2.4	3	1	1	2	2	4	4	13
50-64	238	4.3	56	1	1	2	4	9	13	27
65+	210	4.8	46	2	2	2	5	10	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.3	7	<1	<1	2	4	7	9	13
B. *Operated*	8205	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	733	4.3	19	<1	<1	3	6	10	13	22
B. *Operated*	2200	2.5	12	1	1	2	2	3	6	15
1. SINGLE DX	8489	1.8	1	<1	1	2	2	2	3	6
2. MULTIPLE DX	2933	2.9	15	<1	1	2	3	6	9	17
A. NOT OPERATED	1017	4.0	16	<1	<1	3	5	9	12	18
B. OPERATED	10405	1.9	3	<1	1	2	2	2	3	7
TOTAL 0-19 YRS	7479	1.7	1	<1	<1	2	2	2	2	4
20-34	1619	2.1	2	1	1	2	2	3	4	8
35-49	923	2.4	4	1	1	2	2	4	5	12
50-64	723	3.9	26	1	1	2	4	8	12	20
65+	678	4.4	24	1	2	3	5	9	12	25
GRAND TOTAL	**11422**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	781	2.1	4	<1	<1	1	3	5	6	9
20-34	170	3.3	11	<1	<1	2	4	7	9	16
35-49	109	3.6	11	<1	<1	3	5	8	12	15
50-64	129	4.3	24	<1	<1	3	5	9	14	27
65+	234	5.3	22	<1	1	4	6	11	15	25
B. *Operated*										
0-19 YRS	833	1.7	1	<1	<1	1	2	3	3	6
20-34	897	2.4	3	<1	<1	2	3	4	5	8
35-49	1244	2.1	2	<1	<1	2	2	3	4	7
50-64	1847	2.2	2	<1	<1	2	3	4	5	8
65+	2767	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	3.6	6	<1	1	3	5	7	8	12
20-34	179	4.0	13	<1	<1	3	5	8	11	19
35-49	152	4.5	13	<1	1	4	6	9	13	17
50-64	203	5.3	28	<1	1	4	7	10	13	27
65+	484	6.5	33	1	1	5	8	14	17	32
B. *Operated*										
0-19 YRS	308	2.8	9	<1	1	2	3	5	7	13
20-34	438	3.2	6	1	1	2	4	6	8	16
35-49	889	3.2	15	1	1	2	3	5	8	17
50-64	1974	3.2	10	1	1	2	3	5	7	17
65+	3409	3.6	14	1	1	3	4	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1423	3.1	11	<1	<1	2	4	6	9	17
B. *Operated*	7588	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1616	4.8	20	<1	1	4	6	10	13	22
B. *Operated*	7018	3.4	13	1	1	2	4	6	8	18
1. SINGLE DX	9011	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	8634	3.7	14	1	1	3	4	7	10	18
A. NOT OPERATED	3039	4.0	17	<1	<1	3	5	8	12	19
B. OPERATED	14606	2.8	8	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	2520	2.4	5	<1	<1	2	3	5	6	10
20-34	1684	2.9	6	<1	<1	2	3	5	7	13
35-49	2394	2.7	8	<1	<1	2	3	5	7	14
50-64	4153	2.9	9	<1	1	2	3	5	7	15
65+	6894	3.4	13	1	1	2	4	6	9	18
GRAND TOTAL	**17645**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1256	3.9	6	1	2	3	5	7	8	12
20-34	370	4.5	16	1	1	4	5	9	11	21
35-49	203	4.5	14	1	1	4	6	9	13	19
50-64	215	4.5	13	1	1	4	6	8	10	21
65+	309	4.7	12	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	196	3.0	5	<1	1	2	4	6	8	13
20-34	258	3.3	7	1	1	3	4	6	8	13
35-49	330	3.1	7	1	1	2	3	6	8	14
50-64	1168	2.8	5	1	1	2	3	5	7	12
65+	3198	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1013	4.7	11	1	2	4	6	8	10	14
20-34	322	5.1	12	1	2	4	7	10	12	17
35-49	311	5.4	18	1	1	4	7	11	13	23
50-64	512	5.6	21	1	2	4	7	10	13	24
65+	772	6.3	32	1	2	5	8	13	15	25
B. *Operated*										
0-19 YRS	285	5.2	20	1	2	4	6	10	13	24
20-34	422	5.1	42	1	2	4	6	9	12	35
35-49	458	5.2	25	1	2	4	6	12	14	29
50-64	1401	4.7	29	1	2	3	5	10	14	28
65+	3475	4.3	23	1	2	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2353	4.2	10	1	1	3	5	8	10	16
B. *Operated*	5150	2.8	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	2930	5.4	20	1	2	4	7	10	13	21
B. *Operated*	6041	4.6	26	1	2	3	5	9	13	25
1. SINGLE DX	7503	3.2	7	1	1	2	4	6	8	13
2. MULTIPLE DX	8971	4.8	24	1	2	3	6	9	13	24
A. NOT OPERATED	5283	4.9	16	1	2	4	6	9	11	19
B. OPERATED	11191	3.7	17	1	1	2	4	7	10	20
TOTAL 0-19 YRS	2750	4.2	10	1	2	4	5	8	10	14
20-34	1372	4.6	22	1	1	3	5	9	11	21
35-49	1302	4.6	18	1	1	3	6	9	13	22
50-64	3296	4.2	19	1	1	3	5	8	11	21
65+	7754	3.8	17	1	2	3	4	8	11	20
GRAND TOTAL	**16474**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.7	4	1	1	2	4	5	7	9
20-34	68	3.0	4	<1	1	3	4	6	7	10
35-49	75	3.9	7	<1	1	3	5	7	9	13
50-64	75	3.7	5	1	1	3	5	7	8	10
65+	53	4.1	7	1	2	3	6	7	8	16
B. *Operated*										
0-19 YRS	42	2.0	2	<1	<1	2	2	4	5	8
20-34	51	2.6	2	<1	1	2	3	4	5	9
35-49	43	2.8	2	1	1	2	3	4	6	9
50-64	85	3.4	6	1	2	2	4	6	8	14
65+	84	3.3	7	1	2	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	2.8	4	<1	1	2	4	6	7	10
20-34	138	5.1	29	1	1	4	6	11	13	35
35-49	156	5.0	17	1	1	4	6	9	12	26
50-64	239	5.6	20	1	2	4	7	11	16	24
65+	322	6.4	31	1	2	5	8	12	17	29
B. *Operated*										
0-19 YRS	72	2.5	3	1	1	2	3	4	7	9
20-34	105	4.5	17	1	2	3	5	10	14	22
35-49	105	4.9	37	1	1	3	6	9	12	36
50-64	197	5.2	20	1	2	4	7	11	15	22
65+	244	5.5	30	1	2	3	7	13	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	3.5	6	1	1	3	5	7	8	11
B. *Operated*	305	3.0	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	964	5.4	24	1	1	4	7	11	14	26
B. *Operated*	723	4.9	24	1	2	3	6	10	15	29
1. SINGLE DX	641	3.2	5	1	1	2	4	6	8	12
2. MULTIPLE DX	1687	5.2	24	1	1	4	6	11	14	28
A. NOT OPERATED	1300	4.9	20	1	1	4	6	10	13	25
B. OPERATED	1028	4.3	19	1	1	3	5	9	13	24
TOTAL 0-19 YRS	288	2.6	4	1	1	2	3	5	7	9
20-34	362	4.2	18	1	1	3	5	8	12	24
35-49	379	4.5	19	1	1	3	6	8	11	27
50-64	596	4.9	17	1	2	4	6	10	13	22
65+	703	5.5	27	1	2	4	7	11	16	30
GRAND TOTAL	**2328**	**4.6**	**20**	**1**	**1**	**3**	**6**	**9**	**13**	**24**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3222	2.9	4	<1	1	3	4	5	6	10
20-34	131	2.6	4	<1	<1	2	4	6	7	9
35-49	66	3.9	15	<1	<1	3	5	7	9	24
50-64	33	3.9	11	<1	<1	3	5	8	12	14
65+	32	4.3	7	1	1	4	6	7	10	13
B. *Operated*										
0-19 YRS	14765	1.2		<1	<1	<1	1	2	2	3
20-34	1174	2.1	1	<1	1	2	2	3	4	7
35-49	1040	2.1	1	1	1	2	2	3	4	5
50-64	1019	2.2	1	1	1	2	3	3	4	6
65+	383	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8879	3.5	6	1	1	3	4	6	8	13
20-34	318	4.1	15	<1	<1	3	5	8	10	20
35-49	193	5.0	16	<1	1	4	7	9	13	26
50-64	217	5.4	11	1	2	5	7	10	12	17
65+	243	7.1	31	1	2	6	9	13	18	32
B. *Operated*										
0-19 YRS	9955	1.7	2	<1	<1	1	2	2	3	8
20-34	1317	2.5	4	1	1	2	3	4	5	10
35-49	1112	2.8	6	1	1	2	3	4	6	13
50-64	1232	3.0	7	1	2	2	3	5	7	15
65+	544	3.9	24	1	2	3	4	8	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3484	2.9	4	<1	1	3	4	5	7	10
B. *Operated*	18381	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	9850	3.7	8	1	1	3	5	7	9	14
B. *Operated*	14160	2.0	4	<1	<1	2	2	3	4	11
1. SINGLE DX	21865	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	24010	2.7	7	<1	<1	2	3	5	7	13
A. NOT OPERATED	13334	3.5	7	1	1	3	4	6	8	13
B. OPERATED	32541	1.7	2	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	36821	2.0	4	<1	<1	1	2	4	5	9
20-34	2940	2.5	4	<1	1	2	3	4	6	10
35-49	2411	2.7	5	1	1	2	3	4	6	12
50-64	2501	2.9	6	1	1	2	3	5	7	13
65+	1202	4.0	21	1	1	3	4	8	12	23
GRAND TOTAL	**45875**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	3.6	7	<1	1	3	5	7	9	12
20-34	295	3.3	6	<1	<1	3	4	6	8	13
35-49	131	4.3	8	<1	1	3	6	7	9	15
50-64	78	4.7	17	<1	<1	4	6	9	11	25
65+	55	7.2	64	<1	2	4	8	14	21	49
B. *Operated*										
0-19 YRS	1419	1.7	6	<1	<1	1	2	3	4	10
20-34	256	2.9	8	<1	1	2	3	5	8	14
35-49	188	3.0	5	1	1	2	3	5	6	11
50-64	184	3.1	9	1	1	2	3	5	7	21
65+	97	4.3	22	<1	1	2	4	11	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	763	3.8	7	1	1	3	5	7	8	13
20-34	259	4.9	13	<1	1	4	6	9	12	18
35-49	176	4.9	11	<1	1	4	6	9	12	17
50-64	204	7.0	43	1	2	5	8	13	17	42
65+	204	10.8	143	2	3	7	12	20	32	67
B. *Operated*										
0-19 YRS	1367	2.3	8	<1	<1	2	2	4	6	15
20-34	326	3.7	9	1	1	3	4	7	9	16
35-49	248	4.1	44	1	1	3	4	7	13	23
50-64	322	5.5	56	1	2	3	5	11	20	49
65+	206	10.5	161	1	2	5	13	29	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	3.9	12	<1	<1	3	5	8	9	16
B. *Operated*	2144	2.2	7	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1606	5.4	35	<1	1	4	6	10	14	29
B. *Operated*	2469	3.8	36	<1	1	2	3	7	12	35
1. SINGLE DX	3109	2.7	9	<1	<1	2	3	6	8	14
2. MULTIPLE DX	4075	4.4	36	<1	1	3	5	9	13	32
A. NOT OPERATED	2571	4.8	27	<1	1	4	6	9	12	24
B. OPERATED	4613	3.0	23	<1	<1	2	3	6	9	26
TOTAL 0-19 YRS	3955	2.5	7	<1	<1	2	3	5	7	13
20-34	1136	3.7	10	<1	<1	3	5	7	9	16
35-49	743	4.0	20	<1	1	3	5	7	10	19
50-64	788	5.2	40	1	1	3	6	10	14	41
65+	562	9.2	127	1	2	5	10	21	34	62
GRAND TOTAL	**7184**	**3.7**	**25**	**<1**	**<1**	**2**	**4**	**7**	**10**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	3.7	6	1	1	3	4	7	8	14
20-34	634	3.8	9	1	1	3	5	7	9	14
35-49	1010	3.9	8	1	1	3	5	7	9	13
50-64	1408	3.7	7	1	1	3	5	7	8	14
65+	1399	4.2	9	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	20	2.6	1	1	2	2	3	4	5	6
20-34	182	3.1	2	1	2	3	4	5	6	8
35-49	270	3.7	5	1	2	3	4	6	9	11
50-64	346	4.1	8	2	2	3	5	7	9	14
65+	167	4.6	9	2	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.9	6	1	1	3	5	7	8	13
20-34	662	4.5	9	1	2	4	6	8	10	15
35-49	1398	4.9	13	1	2	4	6	9	11	17
50-64	3043	5.0	12	1	2	4	6	9	11	17
65+	5293	5.7	17	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	22	4.6	41	<1	1	3	4	8	19	31
20-34	73	6.9	30	2	2	6	9	14	19	27
35-49	160	6.7	23	1	2	6	9	13	16	24
50-64	343	8.1	37	2	3	6	10	16	19	34
65+	417	9.1	50	2	3	7	12	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4569	3.9	8	1	1	3	5	7	9	14
B. *Operated*	985	3.9	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	10497	5.3	15	1	2	4	7	10	12	19
B. *Operated*	1015	8.1	41	2	2	7	10	16	19	34
1. SINGLE DX	5554	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	11512	5.6	18	1	2	4	7	10	13	20
A. NOT OPERATED	15066	4.9	13	1	2	4	6	9	11	18
B. OPERATED	2000	6.0	28	2	2	4	8	12	16	27
TOTAL 0-19 YRS	261	3.8	9	1	1	3	4	7	8	15
20-34	1551	4.2	10	1	1	3	5	8	10	15
35-49	2838	4.5	12	1	2	4	6	8	10	16
50-64	5140	4.8	13	1	2	4	6	9	11	18
65+	7276	5.6	18	1	2	4	7	11	13	21
GRAND TOTAL	**17066**	**5.0**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	12	1.3		<1	<1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	11	2.5	4	<1	<1	2	4	6	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	105	2.3	1	1	1	2	3	3	4	5
20-34	857	2.3	1	1	1	2	3	3	4	5
35-49	1256	2.4	1	1	1	2	3	3	4	6
50-64	1309	2.4	1	1	1	2	3	3	4	5
65+	573	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	8	2.3	4	1	1	2	3	6	7	7
50-64	19	4.7	104	<1	<1	2	3	7	29	46
65+	10	4.1	8	1	1	4	6	8	9	9
B. *Operated*										
0-19 YRS	23	2.4	1	1	1	2	3	4	4	4
20-34	184	2.7	2	1	1	3	3	4	5	10
35-49	294	2.8	2	1	2	3	3	4	5	7
50-64	390	2.8	4	1	2	3	3	4	5	11
65+	216	2.9	2	1	2	3	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	4100	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	49	3.3	43	<1	<1	1	3	7	8	46
B. *Operated*	1107	2.8	3	1	2	3	3	4	5	10
1. SINGLE DX	4128	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX	1156	2.8	5	1	1	3	3	4	5	10
A. NOT OPERATED	77	2.8	29	<1	<1	1	3	6	8	36
B. OPERATED	5207	2.5	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	131	2.3	1	1	1	2	3	3	4	5
20-34	1063	2.4	1	1	1	2	3	3	4	6
35-49	1560	2.5	1	1	1	2	3	4	4	6
50-64	1729	2.5	3	1	1	2	3	3	4	6
65+	801	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**5284**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.6	6	<1	<1	2	3	6	8	13
20-34	135	3.2	11	<1	<1	2	4	6	8	15
35-49	148	3.5	5	<1	1	3	5	6	8	10
50-64	160	3.9	8	1	1	3	5	7	9	14
65+	80	4.5	11	<1	1	4	6	8	12	15
B. *Operated*										
0-19 YRS	2673	1.9	2	<1	<1	2	2	3	3	5
20-34	1817	2.2	2	1	1	2	3	3	4	7
35-49	1297	2.3	3	1	1	2	3	3	4	7
50-64	1109	2.3	1	1	1	2	3	3	4	7
65+	463	2.4	3	1	1	2	3	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	2.9	8	<1	<1	2	3	6	10	14
20-34	154	3.6	12	<1	<1	3	4	7	10	20
35-49	136	4.2	9	<1	1	4	6	8	10	14
50-64	242	5.5	25	1	1	4	7	11	15	21
65+	288	6.3	23	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	1808	2.0	1	<1	1	2	2	3	3	7
20-34	1201	2.4	2	1	1	2	3	3	4	9
35-49	1061	2.7	7	1	1	2	3	4	6	13
50-64	1083	3.2	14	1	1	2	3	5	8	17
65+	536	3.5	21	1	1	2	3	5	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	3.5	8	<1	1	3	4	7	8	13
B. *Operated*	7359	2.1	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	959	4.9	19	<1	1	4	6	10	13	20
B. *Operated*	5689	2.6	7	1	1	2	3	4	5	13
1. SINGLE DX	7984	2.2	3	<1	1	2	3	3	4	8
2. MULTIPLE DX	6648	2.9	10	1	1	2	3	5	8	16
A. NOT OPERATED	1584	4.3	15	<1	1	3	6	9	11	19
B. OPERATED	13048	2.3	4	<1	1	2	3	3	4	10
TOTAL 0-19 YRS	4722	2.0	2	<1	1	2	2	3	3	7
20-34	3307	2.4	3	1	1	2	3	4	5	9
35-49	2642	2.6	5	1	1	2	3	4	6	11
50-64	2594	3.1	10	1	1	2	3	5	8	16
65+	1367	3.8	17	1	1	3	4	8	10	19
GRAND TOTAL	**14632**	**2.5**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	6.4	26	2	2	5	8	13	15	29
20-34	78	7.1	30	2	2	6	8	14	18	28
35-49	27	6.4	20	2	2	6	8	11	17	22
50-64	10	6.7	14	3	3	5	10	12	14	14
65+	21	8.7	30	2	3	7	12	18	20	22
B. *Operated*										
0-19 YRS										
20-34	4	10.0	36	5	5	9	15	17	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64	5	7.6	59	2	2	2	15	17	17	17
65+	3	31.7	1166	2	2	24	58	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	7.9	60	2	2	5	11	15	19	47
20-34	85	9.4	80	2	3	6	10	21	27	45
35-49	105	7.4	31	1	2	6	9	15	20	27
50-64	147	9.1	65	2	2	7	10	19	27	45
65+	167	10.5	92	3	3	8	14	20	27	71
B. *Operated*										
0-19 YRS	6	8.3	19	2	2	8	13	13	13	13
20-34	22	13.9	100	2	4	12	16	25	39	45
35-49	31	9.9	89	2	2	7	13	27	33	34
50-64	69	15.4	149	2	2	13	21	33	38	54
65+	56	16.7	200	2	2	13	22	33	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	368	6.7	27	2	2	5	8	13	16	27
B. *Operated*	13	13.8	329	2	2	6	17	33	62	69
2. MULTIPLE DX										
A. *Not Operated*	614	9.0	69	2	3	6	11	18	24	45
B. *Operated*	184	14.5	149	2	2	12	20	32	37	77
1. SINGLE DX	381	6.9	38	2	2	5	8	14	17	28
2. MULTIPLE DX	798	10.3	92	2	2	7	13	21	30	47
A. NOT OPERATED	982	8.1	54	2	2	6	10	16	21	41
B. OPERATED	197	14.4	159	2	2	12	20	32	37	79
TOTAL 0-19 YRS	348	6.9	37	2	2	5	8	14	16	38
20-34	189	9.0	64	2	3	7	11	18	25	45
35-49	164	7.7	41	2	2	6	9	16	21	33
50-64	231	10.8	96	2	2	8	14	25	32	45
65+	247	12.0	131	2	3	9	16	24	33	88
GRAND TOTAL	**1179**	**9.2**	**77**	**2**	**2**	**7**	**11**	**19**	**26**	**45**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.0	135	1	1	3	4	9	29	59
20-34	80	4.5	12	1	2	4	6	8	10	21
35-49	111	4.0	7	1	1	3	5	7	9	14
50-64	100	5.0	14	1	2	4	6	10	12	21
65+	86	6.7	18	2	3	6	8	12	14	23
B. *Operated*										
0-19 YRS	26	5.4	53	1	1	2	5	19	23	25
20-34	129	7.7	71	2	2	7	11	14	17	43
35-49	295	7.0	31	1	2	5	11	15	17	21
50-64	468	7.5	45	2	2	4	12	17	19	31
65+	186	9.4	82	2	2	5	15	20	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.2	102	2	2	4	7	9	13	72
20-34	278	6.0	38	1	2	4	7	11	16	34
35-49	679	5.9	20	1	2	5	7	11	14	22
50-64	1223	7.5	40	2	2	6	10	14	18	31
65+	1707	9.9	69	2	3	8	12	19	25	42
B. *Operated*										
0-19 YRS	34	10.2	110	2	2	8	12	23	37	44
20-34	200	10.8	126	2	2	8	14	24	31	60
35-49	701	9.9	85	2	2	9	14	20	25	41
50-64	1709	12.6	142	2	2	11	17	26	34	67
65+	1198	14.8	178	2	2	12	21	31	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	5.1	21	1	2	4	6	9	12	21
B. *Operated*	1104	7.7	51	2	2	4	12	17	19	32
2. MULTIPLE DX										
A. *Not Operated*	3948	8.1	53	2	2	6	10	16	21	37
B. *Operated*	3842	12.7	145	2	2	11	17	27	35	64
1. SINGLE DX	1506	7.0	44	1	2	4	11	15	19	29
2. MULTIPLE DX	7790	10.4	103	2	2	8	14	22	29	52
A. NOT OPERATED	4350	7.9	50	2	2	6	10	15	20	37
B. OPERATED	4946	11.6	128	2	2	10	16	24	32	60
TOTAL 0-19 YRS	146	7.0	102	1	2	4	8	14	23	60
20-34	687	7.5	72	1	2	5	10	15	22	40
35-49	1786	7.5	51	2	2	5	10	16	19	34
50-64	3500	9.9	97	2	2	7	14	21	28	49
65+	3177	11.6	116	2	2	9	15	24	32	56
GRAND TOTAL	**9296**	**9.8**	**95**	**2**	**2**	**7**	**13**	**21**	**28**	**49**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	3.9	8	1	1	3	5	7	9	17
20-34	842	4.1	7	1	1	4	5	7	9	15
35-49	2010	4.6	10	1	2	4	6	8	10	16
50-64	2293	4.7	12	1	1	4	6	9	11	17
65+	1780	5.1	25	<1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	52	4.0	33	1	1	3	4	7	8	40
20-34	147	4.3	28	1	1	3	5	8	12	37
35-49	170	5.1	19	1	1	4	6	11	13	22
50-64	231	5.5	31	1	2	4	7	12	14	38
65+	107	6.1	47	1	2	4	7	13	17	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	307	4.6	9	1	1	4	6	8	10	14
20-34	2229	5.3	15	1	2	4	7	9	12	21
35-49	7387	5.8	17	2	2	5	7	11	13	21
50-64	12422	6.4	26	2	2	5	8	12	15	26
65+	14989	7.5	41	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	60	8.8	126	2	2	5	11	17	22	75
20-34	416	6.8	40	1	2	5	9	13	17	34
35-49	1239	9.0	57	2	2	7	12	18	23	41
50-64	2102	9.5	69	2	2	7	12	19	24	43
65+	1920	12.5	118	2	3	10	16	25	33	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7132	4.7	14	1	1	4	6	8	11	18
B. *Operated*	707	5.1	30	1	2	3	6	11	13	32
2. MULTIPLE DX										
A. *Not Operated*	37334	6.6	30	2	2	5	8	12	16	28
B. *Operated*	5737	10.2	84	2	2	8	13	20	26	50
1. SINGLE DX	7839	4.7	16	1	1	4	6	9	11	18
2. MULTIPLE DX	43071	7.1	39	2	2	5	9	13	18	31
A. NOT OPERATED	44466	6.3	28	2	2	5	8	12	15	27
B. OPERATED	6444	9.6	81	2	2	7	12	20	25	48
TOTAL 0-19 YRS	626	4.7	24	1	1	4	6	8	11	22
20-34	3634	5.2	17	1	2	4	6	9	12	21
35-49	10806	5.9	22	2	2	5	7	11	14	23
50-64	17048	6.6	31	2	2	5	8	12	16	27
65+	18796	7.8	50	2	2	6	9	15	20	37
GRAND TOTAL	**50910**	**6.7**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.1	24	2	2	5	8	15	16	16
20-34	56	4.6	8	2	2	4	6	9	10	14
35-49	221	5.9	16	2	2	5	7	10	12	21
50-64	502	5.6	14	2	2	5	7	10	13	18
65+	832	7.0	22	2	3	6	9	13	15	23
B. *Operated*										
0-19 YRS										
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49	33	5.5	26	2	2	2	10	13	14	20
50-64	89	4.1	27	1	2	2	4	8	14	31
65+	40	6.0	39	1	2	4	8	11	17	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	8.7	53	2	3	6	10	23	25	27
20-34	194	7.4	30	2	3	6	9	14	18	32
35-49	1438	7.7	31	2	3	6	9	14	18	29
50-64	4963	8.1	36	2	3	7	10	15	19	32
65+	12935	10.2	73	3	3	8	12	19	26	49
B. *Operated*										
0-19 YRS	2	13.5	181	4	4	13	23	23	23	23
20-34	31	8.0	23	2	2	8	12	14	17	19
35-49	255	8.7	45	2	2	7	12	18	22	31
50-64	860	11.0	101	2	2	8	14	24	30	52
65+	1563	15.9	164	2	4	13	20	32	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	6.3	19	2	2	5	8	11	14	21
B. *Operated*	165	4.8	30	1	2	2	6	12	14	33
2. MULTIPLE DX										
A. *Not Operated*	19450	9.4	61	3	3	7	11	18	23	44
B. *Operated*	2711	13.6	139	2	2	11	18	28	38	68
1. SINGLE DX	1783	6.2	20	2	2	5	8	11	14	21
2. MULTIPLE DX	22161	9.9	73	2	3	8	12	19	26	48
A. NOT OPERATED	21068	9.4	59	2	3	7	11	17	23	43
B. OPERATED	2876	13.1	137	2	2	10	17	27	37	67
TOTAL 0-19 YRS	29	8.4	51	2	3	5	10	23	24	27
20-34	284	6.9	26	2	2	6	8	13	17	27
35-49	1947	7.6	31	2	3	6	9	14	18	28
50-64	6414	8.3	45	2	3	7	10	15	20	37
65+	15270	10.6	83	3	3	8	13	20	27	53
GRAND TOTAL	**23944**	**9.7**	**70**	**2**	**3**	**7**	**12**	**18**	**25**	**47**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	5	1	1	3	6	7	7	7
20-34	47	4.4	11	<1	1	3	7	8	10	17
35-49	76	6.7	20	2	2	5	9	14	15	21
50-64	97	7.8	37	1	2	7	10	17	20	31
65+	143	8.3	42	1	2	7	11	16	22	29
B. *Operated*										
0-19 YRS	18	4.2	10	1	1	3	6	9	11	12
20-34	66	6.5	40	1	1	4	9	13	17	37
35-49	120	9.8	119	2	2	7	12	23	32	54
50-64	148	8.9	87	2	2	5	13	19	25	48
65+	102	8.3	74	1	2	6	11	17	21	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	6.3	44	1	2	4	8	11	21	36
20-34	106	5.9	23	1	1	5	8	12	18	21
35-49	285	8.1	38	2	2	7	10	16	18	33
50-64	705	9.4	55	2	3	7	12	18	24	36
65+	1616	11.9	108	2	3	9	15	24	32	55
B. *Operated*										
0-19 YRS	49	11.8	94	2	2	9	16	25	35	41
20-34	264	10.7	105	1	1	8	15	24	31	41
35-49	402	12.5	116	2	2	10	17	28	37	56
50-64	872	13.3	167	2	2	10	17	29	43	79
65+	871	16.8	212	2	3	13	23	36	46	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	7.1	33	1	2	6	9	15	18	29
B. *Operated*	454	8.4	84	1	2	5	11	18	25	48
2. MULTIPLE DX										
A. *Not Operated*	2756	10.5	86	2	3	8	13	21	28	50
B. *Operated*	2458	14.1	171	2	2	11	19	31	42	79
1. SINGLE DX	836	7.8	61	1	2	5	10	16	22	41
2. MULTIPLE DX	5214	12.2	129	2	3	9	16	26	36	62
A. NOT OPERATED	3138	10.1	81	2	3	8	13	20	27	49
B. OPERATED	2912	13.2	162	2	2	10	18	29	41	73
TOTAL 0-19 YRS	130	7.7	63	1	2	5	10	17	26	39
20-34	483	8.4	75	1	1	6	11	19	25	40
35-49	883	10.2	87	2	2	8	13	21	30	49
50-64	1822	11.2	115	2	2	8	14	23	31	61
65+	2732	13.1	144	2	3	10	17	28	38	69
GRAND TOTAL	**6050**	**11.6**	**122**	**2**	**2**	**9**	**15**	**25**	**34**	**60**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	9.4	17	2	4	10	12	14	15	16
20-34	275	10.7	16	3	6	11	13	16	17	20
35-49	3300	11.0	18	4	6	11	13	16	18	23
50-64	7664	11.7	20	5	7	11	14	17	19	26
65+	6761	12.4	25	5	7	12	15	18	21	28
B. *Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	65	9.9	41	2	2	10	13	18	19	36
35-49	460	11.4	45	2	2	11	14	18	21	30
50-64	955	[illegible]	39	2	2	12	15	19	23	31
65+	450	[illegible]	53	2	5	14	18	23	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	14.0	48	4	7	13	18	27	30	91
20-34	458	11.1	27	3	5	11	14	17	19	28
35-49	6919	11.7	25	4	6	11	14	18	20	27
50-64	24647	12.8	34	5	7	12	15	19	22	33
65+	40062	14.3	56	6	7	13	17	22	27	42
B. *Operated*										
0-19 YRS	16	17.5	241	1	2	14	23	49	52	52
20-34	168	12.5	99	2	2	11	16	27	30	78
35-49	2099	12.8	72	2	2	12	16	22	28	42
50-64	5944	15.5	98	2	5	14	19	26	33	55
65+	6207	20.1	148	6	9	17	25	35	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18016	11.8	22	5	7	12	14	17	20	26
B. *Operated*	1933	12.2	45	2	2	12	15	20	24	32
2. MULTIPLE DX										
A. *Not Operated*	72148	13.5	47	5	7	12	16	21	25	38
B. *Operated*	14434	17.0	124	2	6	15	21	30	38	65
1. SINGLE DX	19949	11.9	24	4	6	12	14	17	20	27
2. MULTIPLE DX	86582	14.1	61	5	7	13	17	22	28	44
A. NOT OPERATED	90164	13.2	42	5	7	12	15	20	24	37
B. OPERATED	16367	16.5	117	2	6	14	20	29	37	62
TOTAL 0-19 YRS	97	13.6	79	2	4	12	17	25	30	77
20-34	966	11.2	37	2	4	11	14	18	20	32
35-49	12778	11.7	32	3	5	11	14	18	21	30
50-64	39210	13.0	43	4	7	12	15	20	24	36
65+	53480	14.8	67	6	7	13	17	24	29	48
GRAND TOTAL	**106531**	**13.7**	**55**	**5**	**7**	**12**	**16**	**21**	**26**	**42**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	11	<1	<1	3	5	9	12	12
20-34	205	3.8	6	1	1	3	5	7	9	11
35-49	1823	4.2	9	1	1	3	6	8	9	15
50-64	3383	4.3	9	1	2	4	5	8	9	15
65+	3117	4.7	12	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	38	3.0	3	2	2	2	4	5	8	8
35-49	466	3.6	11	1	2	2	4	8	10	17
50-64	967	3.6	12	1	1	2	4	8	12	17
65+	278	5.0	32	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	6.0	28	2	2	4	6	12	17	28
20-34	594	5.2	14	1	2	4	7	10	12	18
35-49	6550	5.2	13	1	2	4	7	9	11	17
50-64	19711	5.6	15	2	2	5	7	10	13	20
65+	29492	6.5	24	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	15	10.5	44	2	3	9	16	18	22	23
20-34	190	6.0	23	2	2	4	9	12	16	20
35-49	3271	6.4	34	2	2	4	10	14	17	26
50-64	10476	7.3	48	2	2	5	11	16	19	30
65+	5794	9.8	80	2	2	8	14	20	27	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8539	4.4	10	1	2	4	6	8	10	16
B. *Operated*	1751	3.8	15	1	2	2	4	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	56396	6.0	20	2	2	5	8	11	14	22
B. *Operated*	19746	7.9	56	2	2	5	12	17	21	34
1. SINGLE DX	10290	4.3	11	1	2	3	6	8	10	16
2. MULTIPLE DX	76142	6.5	30	2	2	5	8	13	16	27
A. NOT OPERATED	64935	5.8	19	2	2	5	7	11	13	21
B. OPERATED	21497	7.6	54	2	2	5	11	16	21	34
TOTAL 0-19 YRS	77	6.4	32	1	2	4	8	15	18	27
20-34	1027	5.0	14	1	2	4	7	10	12	18
35-49	12110	5.3	18	1	2	4	7	11	13	20
50-64	34537	5.9	25	1	2	4	8	12	15	24
65+	38681	6.9	33	2	2	5	9	13	17	29
GRAND TOTAL	**86432**	**6.3**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.6	20	2	2	5	8	14	16	16
20-34	91	5.1	12	1	2	4	7	10	13	16
35-49	962	5.1	10	1	2	4	7	9	11	16
50-64	2665	5.5	11	2	2	5	7	10	12	17
65+	2663	6.2	17	2	2	5	8	11	14	21
B. *Operated*										
0-19 YRS										
20-34	12	5.8	35	1	1	4	7	15	20	21
35-49	192	7.5	25	2	2	7	10	13	17	26
50-64	486	7.2	23	1	2	7	10	13	16	22
65+	214	9.2	53	2	2	8	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	9	1	2	5	8	10	12	13
20-34	231	6.0	15	2	2	5	8	11	13	19
35-49	3983	6.3	18	2	2	5	8	11	14	22
50-64	14681	6.8	19	2	3	6	9	12	15	22
65+	23847	8.0	33	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	70	8.6	23	2	2	8	12	15	17	22
35-49	1504	9.7	58	2	2	9	13	18	22	40
50-64	5030	11.0	70	2	2	10	14	20	25	41
65+	3904	14.1	108	2	3	12	18	27	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6389	5.7	14	2	2	5	7	10	13	18
B. *Operated*	904	7.7	31	2	2	7	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	42761	7.4	27	2	3	6	9	13	16	26
B. *Operated*	10510	12.0	85	2	2	10	16	23	29	47
1. SINGLE DX	7293	6.0	16	2	2	5	8	11	13	21
2. MULTIPLE DX	53271	8.3	42	2	3	7	10	15	20	33
A. NOT OPERATED	49150	7.2	26	2	3	6	9	13	16	25
B. OPERATED	11414	11.7	82	2	2	10	15	22	28	45
TOTAL 0-19 YRS	29	6.4	13	2	2	5	9	11	13	16
20-34	404	6.2	18	1	2	5	8	12	14	20
35-49	6641	6.9	29	2	2	6	9	13	16	26
50-64	22862	7.6	33	2	2	6	10	14	18	29
65+	30628	8.6	46	2	3	7	11	16	21	35
GRAND TOTAL	**60564**	**8.0**	**39**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	6	1	1	3	5	8	8	8
20-34	65	4.0	9	1	1	3	5	8	10	14
35-49	730	4.7	12	1	2	4	6	9	12	17
50-64	1768	4.8	13	1	2	4	6	10	12	17
65+	1881	6.0	22	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	21	6.0	47	<1	1	2	10	15	22	25
20-34	180	4.8	16	2	2	2	8	11	13	17
35-49	3646	5.4	23	1	2	2	9	12	14	20
50-64	10001	6.1	31	2	2	3	10	13	16	24
65+	3655	7.4	46	2	2	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	7.2	34	2	2	5	9	15	20	27
20-34	234	5.6	18	1	2	4	7	10	13	26
35-49	3874	5.9	21	1	2	5	8	11	14	23
50-64	14792	6.7	25	2	2	5	9	12	15	25
65+	33624	8.6	47	2	3	7	11	16	21	36
B. *Operated*										
0-19 YRS	35	9.6	221	1	1	3	10	21	51	67
20-34	360	5.8	31	1	2	3	9	13	17	25
35-49	7234	6.7	39	2	2	4	10	14	18	28
50-64	23423	8.3	60	2	2	7	12	17	22	36
65+	14124	11.6	108	2	2	10	16	23	31	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4451	5.3	17	1	2	4	7	10	13	20
B. *Operated*	17503	6.2	33	2	2	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	52574	7.8	40	2	3	6	10	15	19	32
B. *Operated*	45176	9.0	75	2	2	8	13	19	24	42
1. SINGLE DX	21954	6.1	30	1	2	3	9	13	16	24
2. MULTIPLE DX	97750	8.4	56	2	2	7	11	17	22	37
A. NOT OPERATED	57025	7.6	38	2	2	6	10	14	18	32
B. OPERATED	62679	8.3	65	2	2	6	12	17	22	38
TOTAL 0-19 YRS	113	7.5	94	1	1	4	9	16	24	61
20-34	839	5.4	23	1	2	3	8	11	14	24
35-49	15484	6.1	30	1	2	4	9	13	16	25
50-64	49984	7.3	43	2	2	5	10	15	19	30
65+	53284	9.2	64	2	2	7	12	18	24	41
GRAND TOTAL	**119704**	**8.0**	**52**	**2**	**2**	**6**	**11**	**16**	**21**	**35**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	9.5	15	3	5	10	12	14	15	21
20-34	434	9.2	16	3	4	9	11	14	16	19
35-49	601	10.3	21	3	5	10	13	15	18	25
50-64	686	10.6	24	4	5	10	13	16	18	29
65+	635	11.6	24	5	6	11	14	18	21	26
B. *Operated*										
0-19 YRS	6	11.5	11	7	7	11	12	17	17	17
20-34	69	12.0	48	3	6	10	14	23	25	36
35-49	109	12.3	51	4	6	11	14	22	24	42
50-64	123	12.2	44	4	5	11	15	21	27	57
65+	101	14.2	51	7	8	13	17	21	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	11.8	41	2	3	12	15	20	24	30
20-34	573	10.6	30	2	4	10	13	17	20	29
35-49	1140	11.7	38	4	6	11	14	19	22	35
50-64	2339	12.5	41	5	6	11	15	19	24	37
65+	4310	14.4	64	6	7	13	17	24	30	46
B. *Operated*										
0-19 YRS	14	14.4	115	2	5	12	17	30	41	44
20-34	144	14.5	75	4	6	12	17	25	32	45
35-49	348	15.7	105	5	7	13	19	27	34	62
50-64	658	17.3	123	6	8	14	21	30	39	62
65+	999	20.5	168	7	9	17	25	38	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2388	10.5	22	4	5	10	13	16	18	25
B. *Operated*	408	12.7	48	5	6	11	15	22	26	40
2. MULTIPLE DX										
A. *Not Operated*	8408	13.2	54	5	6	12	16	22	26	41
B. *Operated*	2163	18.3	142	7	8	15	22	33	44	69
1. SINGLE DX	2796	10.8	27	4	5	10	13	16	20	29
2. MULTIPLE DX	10571	14.3	76	5	7	12	17	24	30	51
A. NOT OPERATED	10796	12.6	48	4	6	11	15	20	25	39
B. OPERATED	2571	17.4	132	6	8	14	21	31	42	68
TOTAL 0-19 YRS	98	11.4	42	2	5	11	13	17	23	37
20-34	1220	10.6	34	3	4	10	13	17	21	33
35-49	2198	12.0	47	4	6	11	14	19	24	37
50-64	3806	13.0	57	5	6	11	15	21	26	43
65+	6045	15.1	83	6	7	13	18	25	33	55
GRAND TOTAL	**13367**	**13.6**	**68**	**5**	**6**	**12**	**16**	**23**	**28**	**42**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	12.9	98	1	2	13	18	30	31	31
20-34	36	17.7	185	2	3	13	28	35	41	54
35-49	16	26.2	260	1	2	28	31	50	56	58
50-64	27	23.6	132	4	6	27	31	36	43	48
65+	27	30.1	272	8	9	30	38	46	59	82
B. *Operated*										
0-19 YRS	2	43.0		43	43	43	43	43	43	43
20-34	4	31.5	155	13	13	36	38	40	40	40
35-49	2	16.5	61	11	11	16	22	22	22	22
50-64	2	20.0	98	13	13	20	27	27	27	27
65+	6	33.7	198	21	21	31	40	55	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	26.1	215	3	4	28	38	43	51	54
20-34	235	24.9	212	1	4	28	34	43	48	60
35-49	144	26.2	183	4	7	28	36	44	47	58
50-64	202	27.9	206	4	7	29	37	44	48	70
65+	361	29.2	203	6	10	30	37	48	55	81
B. *Operated*										
0-19 YRS	7	48.3	89	35	36	50	55	61	62	62
20-34	113	36.4	313	8	14	35	49	61	68	92
35-49	74	33.4	214	11	15	31	44	51	62	67
50-64	114	37.1	227	11	18	36	47	57	69	99+
65+	144	39.0	250	11	17	39	49	60	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	22.4	219	2	4	24	31	40	47	65
B. *Operated*	16	30.4	174	12	13	31	40	43	53	57
2. MULTIPLE DX										
A. *Not Operated*	979	27.4	206	4	7	29	36	45	51	67
B. *Operated*	452	37.1	255	11	16	38	48	59	66	99+
1. SINGLE DX	136	23.3	219	3	4	25	31	42	47	61
2. MULTIPLE DX	1431	30.4	242	5	9	30	41	50	57	79
A. NOT OPERATED	1099	26.8	209	4	7	29	36	44	51	67
B. OPERATED	468	36.9	253	11	16	37	47	58	65	99+
TOTAL 0-19 YRS	60	26.2	271	2	3	28	41	48	53	61
20-34	388	27.7	273	2	5	29	40	49	55	75
35-49	236	28.4	207	5	8	28	39	45	52	65
50-64	345	30.6	228	5	9	31	42	49	56	87
65+	538	31.9	237	7	12	31	41	54	60	85
GRAND TOTAL	**1567**	**29.8**	**244**	**4**	**8**	**30**	**41**	**49**	**57**	**78**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.6	3	<1	1	2	3	5	6	9
20-34	214	2.7	3	<1	1	2	3	5	7	9
35-49	438	2.8	5	<1	1	2	4	6	7	11
50-64	580	2.8	5	<1	1	2	4	5	7	10
65+	476	3.8	9	1	1	3	5	8	9	16
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	6	3.8	16	2	2	2	3	11	12	12
35-49	5	6.4	13	2	2	8	9	10	10	10
50-64	20	3.9	13	1	2	2	5	8	13	16
65+	16	9.1	44	2	2	8	13	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	3.7	20	1	1	3	4	7	9	26
20-34	324	3.7	9	1	1	3	5	7	9	14
35-49	675	4.0	10	1	1	3	5	8	10	16
50-64	1706	4.8	17	1	1	4	6	9	11	18
65+	2530	6.2	24	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	7	5.3	10	1	2	4	7	10	11	11
20-34	19	9.5	370	<1	1	4	8	15	56	87
35-49	38	9.1	71	2	2	7	12	19	29	40
50-64	121	8.8	36	2	2	8	12	16	21	27
65+	220	13.3	138	3	4	10	16	27	36	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1829	3.0	6	<1	1	2	4	6	8	12
B. *Operated*	51	5.7	27	2	2	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	5343	5.3	20	1	1	4	7	10	13	21
B. *Operated*	405	11.2	114	2	2	9	14	23	30	81
1. SINGLE DX	1880	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	5748	5.7	29	1	2	4	7	11	15	25
A. NOT OPERATED	7172	4.7	17	1	1	4	6	9	12	20
B. OPERATED	456	10.6	107	2	2	8	13	21	29	77
TOTAL 0-19 YRS	240	3.2	11	1	1	2	4	6	8	16
20-34	563	3.5	20	<1	1	3	4	7	8	14
35-49	1156	3.7	11	1	1	3	5	7	10	16
50-64	2427	4.5	17	1	1	3	6	9	11	18
65+	3242	6.4	34	1	2	5	8	12	16	29
GRAND TOTAL	**7628**	**5.1**	**25**	**1**	**1**	**4**	**6**	**10**	**13**	**24**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.1	3	<1	1	2	3	4	5	9
20-34	378	2.3	3	<1	1	2	3	4	5	11
35-49	714	2.8	5	<1	1	2	4	5	7	11
50-64	1670	3.5	9	<1	1	3	4	7	10	15
65+	2104	4.2	12	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	5	5.0	11	2	2	4	8	9	9	9
35-49	23	4.2	11	1	2	2	6	8	12	15
50-64	92	5.2	16	1	2	4	7	11	14	20
65+	91	7.5	29	2	2	6	11	15	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	5.0	20	<1	1	3	8	12	14	20
20-34	466	3.7	9	1	1	3	5	7	10	15
35-49	1427	4.4	13	1	1	3	6	9	11	18
50-64	6534	5.6	21	1	1	4	7	11	14	22
65+	18173	7.5	47	2	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	10	17.5	294	2	3	12	25	47	48	48
20-34	14	8.3	39	1	2	7	15	16	17	18
35-49	117	7.1	35	1	2	5	10	15	18	60
50-64	636	10.4	84	2	2	8	13	20	30	49
65+	2122	14.2	128	3	4	11	18	27	37	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4894	3.6	10	1	1	3	5	7	9	16
B. *Operated*	213	6.0	22	1	2	5	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	26658	6.8	39	1	2	5	9	13	17	31
B. *Operated*	2899	13.0	119	2	3	10	17	26	35	61
1. SINGLE DX	5107	3.7	10	1	1	3	5	7	10	16
2. MULTIPLE DX	29557	7.4	50	1	2	6	9	15	19	36
A. NOT OPERATED	31552	6.3	36	1	2	5	8	12	16	29
B. OPERATED	3112	12.6	115	2	3	10	16	25	34	59
TOTAL 0-19 YRS	98	5.4	58	1	1	3	7	12	15	48
20-34	863	3.2	8	<1	1	2	4	6	9	15
35-49	2281	4.0	13	1	1	3	5	8	11	18
50-64	8932	5.5	26	1	1	4	7	11	14	24
65+	22490	7.9	56	1	2	6	10	15	21	38
GRAND TOTAL	**34664**	**6.9**	**46**	**1**	**2**	**5**	**9**	**14**	**18**	**34**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	3.4	11	<1	1	3	4	6	9	13
20-34	706	3.5	6	1	1	3	5	7	8	12
35-49	1225	3.9	9	1	1	3	5	8	9	14
50-64	1827	4.4	12	1	1	4	6	8	11	19
65+	2212	5.1	17	1	1	4	7	10	12	22
B. *Operated*										
0-19 YRS	33	4.6	26	1	1	3	5	11	20	22
20-34	83	5.5	15	1	2	4	8	11	12	17
35-49	214	5.5	23	1	2	4	8	11	14	25
50-64	597	6.7	26	2	2	6	9	13	16	26
65+	2093	7.7	25	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	4.3	16	1	1	3	5	9	12	21
20-34	1566	4.6	12	1	1	4	6	8	11	18
35-49	3881	5.3	19	1	2	4	7	10	12	20
50-64	10284	6.4	28	1	2	5	8	12	15	26
65+	22500	7.8	42	2	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	75	9.5	86	1	2	7	12	17	36	43
20-34	194	8.6	75	2	2	7	11	16	18	45
35-49	762	9.4	94	2	2	7	11	18	25	57
50-64	3199	10.1	76	2	2	8	13	20	26	47
65+	13248	12.1	82	3	4	10	15	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6249	4.4	13	1	1	3	6	8	11	19
B. *Operated*	3020	7.3	25	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	38638	7.0	36	2	2	6	9	13	17	30
B. *Operated*	17478	11.5	82	3	4	9	14	22	28	50
1. SINGLE DX	9269	5.3	19	1	1	4	7	11	13	22
2. MULTIPLE DX	56116	8.4	55	2	2	7	11	16	22	38
A. NOT OPERATED	44887	6.7	33	1	2	5	8	13	17	29
B. OPERATED	20498	10.9	76	2	3	9	14	21	27	47
TOTAL 0-19 YRS	794	4.5	24	1	1	3	5	9	13	30
20-34	2549	4.6	17	1	1	4	6	9	11	18
35-49	6082	5.5	29	1	2	4	7	11	14	27
50-64	15907	6.9	39	1	2	5	9	13	17	31
65+	40053	9.1	58	2	3	7	11	17	23	40
GRAND TOTAL	**65385**	**8.0**	**51**	**2**	**2**	**6**	**10**	**16**	**21**	**36**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.9	18	<1	1	3	7	11	14	18
20-34	33	6.2	24	1	2	4	9	12	18	21
35-49	196	6.7	29	1	2	5	8	13	16	29
50-64	1255	6.9	27	1	2	6	8	12	16	27
65+	6072	7.8	39	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	5	8.2	108	<1	<1	5	12	26	26	26
20-34	4	7.8	65	1	1	7	14	17	17	17
35-49	22	13.7	378	2	2	8	14	30	56	93
50-64	70	8.3	60	2	2	6	12	18	25	34
65+	160	14.3	202	2	3	10	17	28	41	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	388	7.0	42	1	1	5	9	15	18	37
20-34	411	8.1	44	2	2	6	10	16	20	38
35-49	2734	8.6	45	2	3	7	11	16	21	33
50-64	18459	9.2	48	2	3	7	11	17	22	35
65+	88927	10.6	70	3	4	8	13	20	26	46
B. *Operated*										
0-19 YRS	70	16.1	265	3	3	10	24	44	69	99+
20-34	94	10.3	105	1	2	7	13	22	37	83
35-49	449	12.8	108	2	2	10	17	26	35	48
50-64	2242	15.3	166	2	4	12	20	31	42	75
65+	8582	19.1	194	5	6	15	24	37	49	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7598	7.6	36	2	2	6	9	14	19	32
B. *Operated*	261	12.5	180	2	2	9	16	26	33	89
2. MULTIPLE DX										
A. *Not Operated*	110919	10.3	66	3	3	8	13	19	25	44
B. *Operated*	11437	18.1	188	4	6	15	23	36	48	86
1. SINGLE DX	7859	7.8	42	2	2	6	10	15	19	34
2. MULTIPLE DX	122356	11.0	83	3	4	9	14	21	28	51
A. NOT OPERATED	118517	10.1	65	3	3	8	13	19	25	43
B. OPERATED	11698	18.0	189	4	5	14	23	36	47	87
TOTAL 0-19 YRS	505	8.1	82	1	1	6	10	17	26	52
20-34	542	8.4	54	2	2	7	11	17	22	45
35-49	3401	9.1	57	2	3	7	11	17	23	38
50-64	22026	9.7	64	2	3	8	12	19	24	42
65+	103741	11.1	85	3	4	9	14	21	28	52
GRAND TOTAL	**130215**	**10.8**	**81**	**3**	**3**	**8**	**13**	**21**	**28**	**50**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	5.0	15	1	2	4	6	9	12	21
20-34	1001	4.7	13	1	2	4	6	9	11	18
35-49	1230	5.0	21	1	2	4	6	9	12	19
50-64	1131	6.1	29	1	2	5	7	11	15	34
65+	820	7.2	36	2	2	6	9	14	19	28
B. *Operated*										
0-19 YRS	189	4.4	36	1	1	2	5	9	13	29
20-34	324	5.2	22	1	2	3	8	12	15	22
35-49	766	5.1	24	1	2	2	7	12	15	22
50-64	1269	5.9	39	2	2	2	9	14	18	30
65+	703	7.4	52	2	2	3	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	390	6.1	40	1	2	4	7	11	15	33
20-34	1649	6.1	30	1	2	5	7	11	15	30
35-49	3176	6.9	34	2	2	5	9	13	17	29
50-64	6537	8.2	42	2	3	6	10	16	20	33
65+	10538	9.7	60	2	3	8	12	18	24	40
B. *Operated*										
0-19 YRS	166	7.1	60	1	2	4	10	15	22	34
20-34	605	10.0	107	2	2	8	13	20	28	68
35-49	1746	8.8	83	2	2	6	12	19	26	46
50-64	4369	9.9	98	2	2	8	14	22	28	49
65+	4607	13.4	146	2	2	11	18	28	36	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4468	5.6	25	1	2	4	7	10	14	25
B. *Operated*	3251	5.9	37	1	2	3	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	22290	8.5	50	2	3	7	11	16	21	36
B. *Operated*	11493	11.1	118	2	2	9	15	24	31	57
1. SINGLE DX	7719	5.7	30	1	2	4	7	12	16	27
2. MULTIPLE DX	33783	9.4	75	2	2	7	12	19	25	45
A. NOT OPERATED	26758	8.0	47	2	2	6	10	15	21	35
B. OPERATED	14744	10.0	105	2	2	7	14	22	29	53
TOTAL 0-19 YRS	1031	5.6	36	1	2	4	7	11	15	30
20-34	3579	6.3	41	1	2	5	8	12	16	32
35-49	6918	6.9	45	2	2	5	9	14	19	35
50-64	13306	8.4	61	2	2	6	11	17	23	39
65+	16668	10.5	86	2	2	8	14	21	28	48
GRAND TOTAL	**41502**	**8.7**	**69**	**2**	**2**	**6**	**11**	**18**	**24**	**42**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	29	3.9	4	2	2	4	5	6	7	11
50-64	72	5.0	13	1	2	4	6	10	13	18
65+	167	7.3	46	1	2	5	9	14	19	42
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	27	4.9	24	2	2	3	6	10	15	24
50-64	81	6.0	81	1	2	3	8	14	17	58
65+	54	7.8	81	1	2	5	10	16	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.3	22	2	3	6	10	15	17	17
20-34	36	5.3	20	1	1	4	7	10	14	23
35-49	346	5.7	17	1	2	5	7	11	14	20
50-64	1594	7.2	33	2	2	6	9	14	18	28
65+	6244	9.1	62	2	3	7	11	17	23	48
B. *Operated*										
0-19 YRS										
20-34	14	6.5	74	1	2	2	5	24	26	27
35-49	186	7.4	108	2	2	4	9	16	23	64
50-64	689	8.2	60	2	2	6	11	18	23	41
65+	1125	13.9	159	2	3	10	18	29	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	6.3	33	1	2	5	8	13	16	33
B. *Operated*	164	6.4	71	1	2	3	8	14	18	48
2. MULTIPLE DX										
A. *Not Operated*	8232	8.6	55	2	3	7	11	16	21	44
B. *Operated*	2014	11.3	128	2	2	8	15	24	32	72
1. SINGLE DX	436	6.3	48	1	2	4	8	13	17	40
2. MULTIPLE DX	10246	9.1	71	2	2	7	11	18	24	49
A. NOT OPERATED	8504	8.5	55	2	3	7	11	16	21	43
B. OPERATED	2178	10.9	126	2	2	8	14	24	32	69
TOTAL 0-19 YRS	13	7.2	21	2	3	6	9	15	17	17
20-34	55	5.4	32	1	1	4	6	13	21	27
35-49	588	6.1	46	2	2	4	8	12	16	30
50-64	2436	7.4	42	2	2	6	10	15	19	33
65+	7590	9.8	79	2	3	7	12	19	26	54
GRAND TOTAL	**10682**	**9.0**	**70**	**2**	**2**	**7**	**11**	**18**	**24**	**48**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	15	<1	1	6	8	11	12	12
20-34	23	4.7	25	<1	<1	2	8	14	15	16
35-49	27	6.2	62	<1	<1	3	7	17	27	29
50-64	31	6.4	56	<1	1	3	9	18	21	30
65+	31	10.6	131	<1	<1	5	18	24	29	52
B. *Operated*										
0-19 YRS	12	15.8	69	5	8	14	20	27	35	36
20-34	101	16.3	140	2	4	14	21	31	40	65
35-49	171	19.2	170	3	5	17	26	34	44	70
50-64	167	20.5	217	2	3	19	27	37	43	90
65+	52	23.6	384	5	8	17	30	50	87	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	8.1	161	<1	1	3	7	30	39	39
20-34	28	12.6	266	1	1	8	15	20	49	82
35-49	27	13.2	175	1	1	10	22	48	99+	99+
50-64	81	12.7	246	<1	1	7	18	32	48	74
65+	134	21.2	297	2	4	17	30	46	76	99+
B. *Operated*										
0-19 YRS	10	22.2	735	5	5	10	18	73	76	76
20-34	96	24.8	308	6	9	20	30	51	62	99
35-49	186	30.5	491	3	8	25	41	71	89	99+
50-64	303	30.6	446	6	9	26	40	71	95	99+
65+	160	30.1	377	7	9	25	42	64	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	7.1	71	<1	<1	3	10	18	24	37
B. *Operated*	503	19.4	202	3	5	17	25	36	44	88
2. MULTIPLE DX										
A. *Not Operated*	278	16.7	280	1	2	13	24	40	59	99+
B. *Operated*	755	29.6	430	6	9	25	39	67	88	99+
1. SINGLE DX	623	17.0	201	1	2	15	23	33	42	85
2. MULTIPLE DX	1033	26.1	422	2	5	22	37	63	84	99+
A. NOT OPERATED	398	13.8	236	<1	1	10	19	36	51	99+
B. OPERATED	1258	25.5	364	4	7	21	34	55	77	99+
TOTAL 0-19 YRS	38	13.7	274	1	2	9	14	32	58	76
20-34	248	18.1	246	1	3	15	22	39	51	84
35-49	411	23.1	363	2	3	19	31	53	73	99+
50-64	582	23.9	391	2	3	21	32	54	82	99+
65+	377	24.4	360	3	5	20	34	52	76	99+
GRAND TOTAL	**1656**	**22.7**	**358**	**2**	**3**	**19**	**31**	**50**	**73**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	62.0		62	62	62	62	62	62	62
50-64										
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	34.3	745	5	5	39	54	59	59	59
35-49	8	28.8	210	3	11	28	46	80	99+	99+
50-64	14	23.9	513	5	6	18	24	50	82	91
65+	15	26.3	208	10	10	25	34	52	56	57
B. *Operated*										
0-19 YRS	3	26.7	1346	4	4	7	53	69	69	69
20-34	9	51.4	1178	6	13	61	94	99+	99+	99+
35-49	19	45.8	589	17	21	50	88	99+	99+	99+
50-64	18	42.3	341	19	21	44	66	99+	99+	99+
65+	16	41.4	572	17	22	33	78	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*	40	26.6	330	5	7	24	36	54	73	99+
B. *Operated*	65	43.7	605	13	20	43	79	99+	99+	99+
1. SINGLE DX	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX	105	37.1	566	7	11	35	59	99+	99+	99+
A. NOT OPERATED	40	26.6	330	5	7	24	36	54	73	99+
B. OPERATED	67	43.7	595	13	20	43	79	99+	99+	99+
TOTAL 0-19 YRS	3	26.7	1346	4	4	7	53	69	69	69
20-34	12	47.2	1052	5	6	51	78	99	99+	99+
35-49	28	41.5	524	13	21	44	72	99+	99+	99+
50-64	32	34.3	488	7	11	36	52	91	99+	99+
65+	32	33.9	429	11	15	31	50	90	99+	99+
GRAND TOTAL	**107**	**37.3**	**561**	**7**	**12**	**35**	**60**	**99**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.6	18	<1	<1	1	5	9	14	17
20-34	17	6.8	31	1	1	6	8	14	19	22
35-49	31	12.9	388	<1	1	8	13	27	66	92
50-64	80	11.2	145	<1	1	7	15	25	36	62
65+	211	13.5	157	1	2	10	18	30	43	69
B. *Operated*										
0-19 YRS	36	12.5	86	3	4	10	16	24	32	46
20-34	67	10.8	103	2	2	9	13	19	20	61
35-49	82	13.7	157	2	3	11	16	27	34	76
50-64	183	14.2	161	2	4	11	17	28	40	87
65+	310	14.9	100	5	6	12	19	30	39	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	8.4	75	1	2	7	9	17	34	35
20-34	25	12.0	139	1	1	9	19	31	36	41
35-49	100	16.0	224	1	1	12	23	34	47	73
50-64	335	16.8	230	2	4	12	21	38	49	91
65+	985	19.1	235	3	5	15	25	41	53	99+
B. *Operated*										
0-19 YRS	58	21.3	426	2	3	14	30	53	65	90
20-34	78	21.9	261	4	7	18	33	57	68	99+
35-49	129	26.4	538	4	7	18	35	64	88	98
50-64	335	24.6	348	6	8	19	36	66	92	99+
65+	755	25.8	332	7	9	21	35	57	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	12.1	166	1	1	8	16	27	39	69
B. *Operated*	678	14.0	124	3	5	11	17	27	38	71
2. MULTIPLE DX										
A. *Not Operated*	1472	18.1	232	3	4	14	24	39	52	95
B. *Operated*	1355	25.2	356	6	8	20	35	58	78	99+
1. SINGLE DX	1034	13.4	139	2	3	10	17	27	38	70
2. MULTIPLE DX	2827	21.5	304	3	5	17	29	48	67	99+
A. NOT OPERATED	1828	16.9	225	2	3	13	23	37	50	92
B. OPERATED	2033	21.5	306	4	6	16	28	49	70	99+
TOTAL 0-19 YRS	138	14.3	258	1	2	9	18	35	50	87
20-34	187	15.2	199	2	2	11	21	38	57	99+
35-49	342	19.1	372	1	3	13	24	43	65	96
50-64	933	18.6	273	2	5	14	24	45	65	99+
65+	2261	20.3	260	4	6	16	27	43	59	99+
GRAND TOTAL	**3861**	**19.3**	**272**	**3**	**5**	**14**	**25**	**43**	**60**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	18.0	72	12	12	18	24	24	24	24
65+	5	24.8	534	4	4	14	41	61	61	61
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	13.8	128	1	1	14	23	26	26	26
35-49	23	23.0	404	4	7	14	32	60	65	72
50-64	101	23.9	398	3	4	19	32	54	83	99+
65+	324	25.8	322	6	8	22	32	55	68	99+
B. *Operated*										
0-19 YRS	4	13.5	51	6	6	18	41	99+	99+	99+
20-34	11	36.1	339	15	20	34	46	87	98	99+
35-49	20	39.1	407	17	18	39	65	99+	99+	99+
50-64	58	40.2	597	7	11	40	64	99+	99+	99+
65+	160	32.2	369	9	11	28	45	69	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	22.9	379	4	5	14	31	56	61	61
B. *Operated*	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	452	25.1	342	5	7	21	32	55	70	99+
B. *Operated*	253	34.5	433	9	12	31	50	90	99+	99+
1. SINGLE DX	9	22.8	330	4	6	14	34	51	61	61
2. MULTIPLE DX	705	28.5	394	6	9	24	40	65	92	99+
A. NOT OPERATED	459	25.1	342	5	7	21	32	55	69	99+
B. OPERATED	255	34.4	432	9	11	31	50	90	99+	99+
TOTAL 0-19 YRS	4	13.5	51	6	6	18	41	99+	99+	99+
20-34	15	30.1	374	3	9	27	42	79	95	99+
35-49	43	30.5	461	7	9	29	50	90	99+	99+
50-64	161	29.7	525	3	6	24	48	80	99+	99+
65+	491	27.8	347	7	9	24	37	61	78	99+
GRAND TOTAL	**714**	**28.4**	**393**	**6**	**9**	**24**	**39**	**65**	**91**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	4	<1	<1	4	5	6	6	6
20-34	3	3.3		3	3	3	4	4	4	4
35-49	26	4.9	8	1	1	4	7	9	10	11
50-64	125	4.3	10	1	2	3	6	10	11	14
65+	249	5.0	28	1	1	3	6	11	15	29
B. *Operated*										
0-19 YRS	9	6.2	23	2	2	5	8	14	15	15
20-34	24	5.8	19	1	2	4	7	12	16	18
35-49	272	6.6	28	2	2	6	8	13	16	23
50-64	2366	6.8	29	2	2	6	8	12	15	24
65+	3678	7.2	28	2	2	6	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	46.5	1301	21	21	46	72	72	72	72
20-34	7	5.4	15	1	1	5	9	11	11	11
35-49	45	6.1	48	1	1	5	8	15	24	99+
50-64	499	7.2	72	1	2	5	9	14	19	37
65+	1320	8.5	81	2	2	6	10	17	22	48
B. *Operated*										
0-19 YRS	10	8.2	93	1	1	4	9	25	30	30
20-34	29	11.7	82	2	3	9	17	24	30	37
35-49	488	8.8	55	2	2	7	11	18	24	44
50-64	4798	9.3	61	2	2	7	12	18	23	43
65+	8644	10.5	77	2	3	8	13	21	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	4.8	21	1	1	3	6	10	13	24
B. *Operated*	6349	7.0	28	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	1873	8.2	80	1	2	6	10	16	22	49
B. *Operated*	13969	10.1	71	2	3	8	13	20	25	45
1. SINGLE DX	6759	6.9	28	2	2	6	9	13	16	26
2. MULTIPLE DX	15842	9.8	72	2	2	8	12	19	25	46
A. NOT OPERATED	2283	7.5	71	1	2	5	9	15	21	45
B. OPERATED	20318	9.1	60	2	2	7	11	18	23	40
TOTAL 0-19 YRS	28	9.1	202	1	1	5	8	21	34	72
20-34	63	8.4	55	1	2	5	11	19	24	36
35-49	831	7.8	46	2	2	6	10	16	21	43
50-64	7788	8.3	53	2	2	7	10	16	21	37
65+	13891	9.4	66	2	2	7	12	19	24	42
GRAND TOTAL	**22601**	**9.0**	**61**	**2**	**2**	**7**	**11**	**18**	**23**	**40**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	3	15.7	65	7	7	17	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	6	23.7	751	2	2	10	46	67	69	69
50-64	42	17.9	276	2	2	12	24	48	61	99+
65+	111	17.3	218	3	4	12	26	38	54	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	26.6	650	8	8	15	33	69	88	88
35-49	34	15.1	285	2	3	9	20	28	42	93
50-64	210	15.7	232	3	4	11	20	41	59	99+
65+	356	18.6	254	3	5	14	24	40	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	13.5	62	7	7	12	20	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	160	17.7	247	2	4	12	25	45	58	99+
B. *Operated*	611	17.5	256	3	4	12	23	40	58	99+
1. SINGLE DX	4	13.5	62	7	7	12	20	23	23	23
2. MULTIPLE DX	771	17.5	254	3	4	12	23	42	58	99+
A. NOT OPERATED	160	17.7	247	2	4	12	25	45	58	99+
B. OPERATED	615	17.5	255	3	4	12	23	40	58	99+
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	26.1	588	8	8	18	31	66	86	88
35-49	40	16.4	347	2	3	10	20	37	57	93
50-64	253	16.0	238	2	4	11	22	45	58	99+
65+	470	18.3	244	3	5	13	24	40	58	99+
GRAND TOTAL	**775**	**17.5**	**253**	**3**	**4**	**12**	**23**	**41**	**58**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.7	16	2	3	5	8	13	15	15
20-34	27	7.9	41	2	2	7	10	17	21	30
35-49	91	9.1	105	1	2	8	11	16	20	66
50-64	359	10.0	92	2	2	7	12	22	32	50
65+	1068	12.2	99	3	3	9	16	25	32	51
B. *Operated*										
0-19 YRS	9	8.0	24	2	2	7	12	15	17	17
20-34	44	10.1	124	2	2	7	11	26	30	61
35-49	79	9.3	166	2	2	7	11	17	22	86
50-64	149	8.2	51	2	2	6	10	16	22	34
65+	191	10.8	125	2	2	7	14	22	29	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.5	25	1	1	5	8	14	18	19
20-34	63	11.4	164	1	2	9	14	20	31	85
35-49	394	10.7	97	2	3	8	13	21	29	52
50-64	2184	13.0	154	3	4	9	15	27	39	80
65+	8708	15.4	170	3	5	11	19	31	43	80
B. *Operated*										
0-19 YRS	11	15.9	79	6	7	14	19	30	36	37
20-34	54	11.1	91	2	3	9	13	18	35	49
35-49	177	14.8	182	2	4	10	19	38	46	92
50-64	782	15.9	214	3	4	11	20	36	54	94
65+	1520	19.4	252	4	5	15	25	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1554	11.4	98	2	3	8	15	24	31	51
B. *Operated*	472	9.6	107	2	2	7	12	19	26	60
2. MULTIPLE DX										
A. *Not Operated*	11372	14.7	166	3	4	11	18	30	41	80
B. *Operated*	2544	17.8	235	3	4	13	23	40	57	99+
1. SINGLE DX	2026	11.0	100	2	3	8	14	23	31	51
2. MULTIPLE DX	13916	15.3	180	3	4	11	19	32	44	89
A. NOT OPERATED	12926	14.3	159	3	4	11	18	29	40	77
B. OPERATED	3016	16.5	224	2	4	12	21	38	55	99+
TOTAL 0-19 YRS	52	8.8	47	1	2	7	12	18	19	37
20-34	188	10.5	116	2	2	8	12	19	30	56
35-49	741	11.4	129	2	3	8	13	23	35	68
50-64	3474	13.1	160	2	3	9	16	28	41	81
65+	11487	15.6	177	3	4	12	20	32	44	89
GRAND TOTAL	**15942**	**14.7**	**172**	**3**	**4**	**11**	**19**	**31**	**43**	**84**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	11.0	14	4	5	12	13	15	15	15
65+	19	11.2	80	3	3	9	15	22	32	38
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	19.0	539	1	1	10	38	56	58	58
20-34	13	21.6	448	3	6	15	36	71	94	99+
35-49	118	19.7	379	3	4	13	22	47	67	86
50-64	897	19.8	273	4	5	14	25	45	58	94
65+	3749	20.7	233	5	6	17	27	43	55	99+
B. *Operated*										
0-19 YRS	4	13.5	208	2	2	9	23	34	34	34
20-34	14	21.1	296	5	6	17	25	72	93	99+
35-49	49	21.6	468	2	5	14	30	77	99	99+
50-64	181	25.5	400	4	6	19	40	63	91	99+
65+	496	27.1	308	6	8	25	40	60	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	11.2	63	3	4	10	13	20	27	38
B. *Operated*	3	13.7	156	5	5	8	23	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	4784	20.5	245	5	6	16	27	43	56	99
B. *Operated*	744	26.2	342	5	7	23	39	63	99+	99+
1. SINGLE DX	28	11.4	68	3	4	10	14	23	29	38
2. MULTIPLE DX	5528	21.3	262	5	6	17	28	46	61	99+
A. NOT OPERATED	4809	20.5	244	4	6	16	27	43	56	98
B. OPERATED	747	26.1	341	5	7	23	39	62	99+	99+
TOTAL 0-19 YRS	11	17.0	394	1	1	10	29	51	57	58
20-34	28	20.9	348	5	6	16	25	70	99+	99+
35-49	168	20.2	402	3	4	13	23	58	80	99+
50-64	1084	20.7	298	4	6	15	28	49	64	99+
65+	4265	21.4	245	5	7	17	28	45	59	99+
GRAND TOTAL	**5556**	**21.2**	**261**	**5**	**6**	**17**	**28**	**46**	**61**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.3	36	1	1	4	6	8	21	26
20-34	111	4.0	7	1	2	3	5	8	9	13
35-49	382	4.4	11	1	1	3	6	9	11	18
50-64	1424	4.4	10	1	2	4	6	8	10	15
65+	4129	5.1	16	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	4	2.8	2	2	2	2	4	5	5	5
20-34	33	4.5	7	2	2	5	6	9	9	11
35-49	233	5.2	11	2	2	4	7	9	12	17
50-64	836	5.4	16	2	2	4	7	10	13	19
65+	919	6.1	26	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.8	26	1	1	4	8	13	16	25
20-34	187	4.7	12	1	2	4	6	9	11	18
35-49	1042	5.4	17	1	2	5	7	10	12	19
50-64	5879	6.3	26	2	2	5	8	11	15	23
65+	28323	8.0	53	2	3	6	10	15	19	41
B. *Operated*										
0-19 YRS	10	11.9	124	2	2	8	12	32	35	35
20-34	56	7.9	31	2	2	7	10	14	18	30
35-49	462	7.9	45	2	2	6	10	15	18	32
50-64	2620	8.3	45	2	2	7	11	16	20	32
65+	5222	11.6	117	2	3	9	14	23	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6062	4.8	14	1	2	4	6	9	11	18
B. *Operated*	2025	5.6	20	2	2	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	35488	7.6	47	2	2	6	9	14	18	37
B. *Operated*	8370	10.4	92	2	3	8	13	20	28	58
1. SINGLE DX	8087	5.0	16	1	2	4	6	9	12	19
2. MULTIPLE DX	43858	8.2	57	2	2	6	10	15	20	42
A. NOT OPERATED	41550	7.2	44	2	2	6	9	13	18	34
B. OPERATED	10395	9.5	82	2	2	7	12	19	26	52
TOTAL 0-19 YRS	87	6.3	41	1	1	4	8	13	21	33
20-34	387	5.0	14	1	2	4	6	10	12	19
35-49	2119	5.7	23	1	2	5	7	11	14	22
50-64	10759	6.5	29	2	2	5	8	12	15	26
65+	38593	8.1	59	2	2	6	10	15	21	43
GRAND TOTAL	**51945**	**7.7**	**52**	**2**	**2**	**6**	**9**	**14**	**19**	**39**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	6.2	28	<1	1	5	8	18	59	99+
20-34	57	6.4	23	1	2	6	9	12	18	22
35-49	172	7.9	86	1	2	6	10	15	20	84
50-64	973	10.5	118	2	2	7	13	22	34	68
65+	3997	12.4	125	2	3	9	16	26	34	63
B. *Operated*										
0-19 YRS	9	6.8	34	2	2	3	11	15	17	17
20-34	24	14.0	383	2	3	9	13	25	61	95
35-49	66	9.2	90	1	2	7	12	16	29	51
50-64	185	9.4	111	2	2	6	12	19	29	77
65+	322	13.8	176	2	2	10	18	30	40	99
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	10.7	89	2	2	8	14	21	26	45
20-34	107	9.3	90	2	2	7	11	19	33	79
35-49	672	12.0	137	2	3	9	15	26	37	92
50-64	4583	13.1	149	3	4	9	16	28	41	81
65+	22891	15.4	170	3	4	12	20	32	44	97
B. *Operated*										
0-19 YRS	8	16.6	349	1	2	8	26	48	53	53
20-34	56	17.2	246	3	5	11	22	38	55	72
35-49	225	15.3	193	2	4	11	16	37	51	68
50-64	1106	18.5	285	3	4	13	24	48	64	99+
65+	3198	23.2	334	4	6	18	33	56	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5218	11.8	123	2	3	9	15	25	34	65
B. *Operated*	606	11.8	157	2	2	8	15	26	37	89
2. MULTIPLE DX										
A. *Not Operated*	28299	14.9	167	3	4	11	19	31	44	94
B. *Operated*	4593	21.6	320	4	5	16	30	53	72	99+
1. SINGLE DX	5824	11.8	126	2	3	9	15	25	34	65
2. MULTIPLE DX	32892	15.8	194	3	4	12	20	34	49	99+
A. NOT OPERATED	33517	14.4	161	3	4	11	18	30	42	90
B. OPERATED	5199	20.4	311	3	5	15	28	50	70	99+
TOTAL 0-19 YRS	82	9.8	98	1	2	7	14	20	40	84
20-34	244	10.9	152	2	2	7	12	23	35	74
35-49	1135	11.9	143	2	3	8	14	26	38	84
50-64	6847	13.5	171	2	3	9	17	30	45	92
65+	30408	15.8	189	3	4	12	20	34	48	99+
GRAND TOTAL	**38716**	**15.2**	**185**	**3**	**4**	**11**	**19**	**33**	**47**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	6	8.8	3	7	7	8	11	11	11	11
65+	44	13.9	112	2	3	12	19	33	36	42
B. *Operated*										
0-19 YRS										
20-34	2	23.5	145	15	15	23	32	32	32	32
35-49	1	13.0		13	13	13	13	13	13	13
50-64	1	16.0		16	16	16	16	16	16	16
65+	3	45.3	1358	17	17	32	73	87	87	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	19.4	245	2	4	13	28	46	54	56
20-34	45	15.0	214	2	4	8	19	35	50	59
35-49	271	16.8	235	3	4	12	22	36	54	99+
50-64	1895	18.9	264	3	5	14	25	41	57	98
65+	9069	20.3	250	4	6	16	27	42	57	99+
B. *Operated*										
0-19 YRS	6	11.5	30	3	4	14	17	83	99+	99+
20-34	21	25.1	395	2	4	23	36	57	65	71
35-49	72	23.3	424	5	6	15	36	64	99	99+
50-64	428	25.7	396	5	7	21	36	65	88	99+
65+	1207	30.7	420	7	10	26	45	70	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	13.5	106	2	3	11	18	33	35	42
B. *Operated*	7	30.3	689	13	13	17	32	76	87	87
2. MULTIPLE DX										
A. *Not Operated*	11297	20.0	253	4	5	15	26	42	57	99+
B. *Operated*	1734	29.0	419	6	8	24	43	69	95	99+
1. SINGLE DX	59	15.5	194	2	4	12	19	33	37	83
2. MULTIPLE DX	13031	21.2	284	4	6	16	28	47	63	99+
A. NOT OPERATED	11349	19.9	252	4	5	15	26	42	57	99+
B. OPERATED	1741	29.0	420	6	8	24	43	69	95	99+
TOTAL 0-19 YRS	24	18.0	199	2	4	14	28	49	67	99+
20-34	68	18.4	283	2	4	12	28	45	54	69
35-49	345	18.1	280	3	4	13	24	45	64	99+
50-64	2330	20.1	294	4	5	15	27	46	65	99+
65+	10323	21.5	281	4	6	17	29	47	63	99+
GRAND TOTAL	**13090**	**21.1**	**284**	**4**	**6**	**16**	**28**	**47**	**63**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	13	1	1	3	4	11	12	12
20-34	64	4.5	31	<1	1	3	5	8	13	37
35-49	220	4.8	13	1	2	4	6	8	10	17
50-64	426	5.2	26	1	2	4	6	10	13	21
65+	1218	7.2	48	1	2	5	9	14	19	43
B. *Operated*										
0-19 YRS	14	9.1	54	<1	1	7	12	24	24	24
20-34	66	10.8	138	1	2	8	14	22	26	72
35-49	164	9.4	75	1	2	7	12	22	27	91
50-64	411	7.4	59	1	2	5	9	16	21	35
65+	550	7.4	66	1	2	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	7.9	86	1	2	5	8	24	38	99+
20-34	191	6.3	57	1	1	5	8	12	14	32
35-49	754	7.5	69	2	2	6	9	13	20	42
50-64	2583	8.8	83	2	3	6	10	17	25	65
65+	13960	10.7	106	2	3	8	13	21	30	82
B. *Operated*										
0-19 YRS	21	9.8	115	1	2	7	15	53	99+	99+
20-34	106	11.3	86	2	2	9	16	24	32	42
35-49	332	12.5	153	2	2	9	17	28	36	99+
50-64	1160	12.4	159	2	2	8	15	29	42	97
65+	2578	14.6	182	2	3	11	19	32	45	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1939	6.4	39	1	2	5	8	12	17	36
B. *Operated*	1205	7.9	69	1	2	6	10	17	23	39
2. MULTIPLE DX										
A. *Not Operated*	17533	10.2	102	2	3	7	12	20	29	79
B. *Operated*	4197	13.7	172	2	3	10	18	30	43	99+
1. SINGLE DX	3144	7.0	51	1	2	5	9	14	19	38
2. MULTIPLE DX	21730	10.9	117	2	3	8	13	23	33	83
A. NOT OPERATED	19472	9.9	97	2	3	7	12	20	28	75
B. OPERATED	5402	12.4	155	2	2	9	16	28	40	88
TOTAL 0-19 YRS	91	8.1	80	1	2	5	11	25	41	99+
20-34	427	8.0	79	1	1	5	10	17	23	41
35-49	1470	8.5	86	2	2	6	10	19	25	64
50-64	4580	9.3	99	2	2	6	11	19	29	70
65+	18306	10.9	115	2	3	8	13	23	32	82
GRAND TOTAL	**24874**	**10.4**	**110**	**2**	**3**	**7**	**13**	**22**	**31**	**79**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.0	2	2	2	3	4	5	5	5
35-49	16	2.6	2	1	1	2	4	4	6	6
50-64	56	3.3	5	1	2	3	4	7	8	11
65+	178	6.9	110	1	2	4	7	13	20	97
B. *Operated*										
0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	15	6.8	22	1	1	7	10	12	15	16
35-49	146	7.7	40	1	2	7	10	14	16	31
50-64	660	7.4	38	1	2	6	11	15	17	26
65+	747	8.8	76	1	2	6	12	19	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	20.5	185	6	7	18	21	43	46	46
20-34	12	5.7	10	2	2	6	7	9	13	14
35-49	69	5.6	16	1	2	5	7	12	14	19
50-64	565	6.9	34	1	2	5	9	14	18	26
65+	3531	10.1	87	2	3	8	12	20	28	59
B. *Operated*										
0-19 YRS	12	21.4	464	2	3	12	34	59	62	63
20-34	52	8.2	62	1	2	6	11	20	25	98
35-49	517	10.5	106	2	2	9	13	22	30	61
50-64	2915	12.6	148	2	2	10	16	27	39	73
65+	5832	18.0	253	2	3	14	24	40	54	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	5.8	81	1	2	4	6	11	17	91
B. *Operated*	1571	8.1	56	1	2	6	12	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	4183	9.6	80	2	3	7	12	19	27	57
B. *Operated*	9328	15.8	219	2	2	12	21	36	50	89
1. SINGLE DX	1825	7.8	60	1	2	5	11	16	21	40
2. MULTIPLE DX	13511	13.9	185	2	2	10	18	31	44	81
A. NOT OPERATED	4437	9.3	81	2	2	7	11	19	26	57
B. OPERATED	10899	14.7	203	2	2	11	19	33	47	84
TOTAL 0-19 YRS	21	18.6	342	2	2	13	25	51	60	63
20-34	83	7.3	45	2	2	6	10	15	22	81
35-49	748	9.3	86	1	2	8	12	18	26	58
50-64	4196	10.9	120	2	2	8	14	23	33	62
65+	10288	14.4	198	2	2	10	18	33	46	84
GRAND TOTAL	**15336**	**13.2**	**174**	**2**	**2**	**9**	**17**	**30**	**42**	**78**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	56	3.1	9	<1	<1	2	3	8	10	15
65+	195	4.8	14	<1	1	4	6	10	14	18
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	10	8.4	38	2	2	7	12	18	18	18
35-49	29	12.6	35	6	7	11	15	21	26	27
50-64	558	11.1	47	2	3	11	13	17	21	33
65+	1267	12.3	53	2	3	12	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	8	6.4	40	1	1	5	7	17	21	21
35-49	16	4.5	9	1	1	4	6	10	11	12
50-64	212	6.1	27	1	1	5	8	13	15	28
65+	1269	8.0	52	2	2	6	10	16	21	37
B. *Operated*										
0-19 YRS	7	11.1	8	7	7	11	13	15	15	15
20-34	35	12.6	68	2	3	11	18	26	30	33
35-49	88	13.6	91	2	2	11	16	27	35	42
50-64	1792	14.8	110	2	5	12	17	26	34	63
65+	4732	17.5	155	3	6	15	21	32	44	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	4.3	14	<1	1	3	6	10	13	17
B. *Operated*	1866	11.9	51	2	3	11	14	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	1507	7.7	48	1	2	6	10	15	20	36
B. *Operated*	6654	16.7	143	3	6	14	20	30	41	72
1. SINGLE DX	2124	11.0	53	2	2	11	14	19	22	33
2. MULTIPLE DX	8161	15.0	138	2	3	13	19	28	38	68
A. NOT OPERATED	1765	7.2	45	1	2	5	9	15	19	34
B. OPERATED	8520	15.7	127	2	5	13	19	28	37	67
TOTAL 0-19 YRS	12	8.9	18	1	2	10	12	14	15	15
20-34	56	10.5	65	1	2	9	16	22	27	33
35-49	136	12.1	77	1	2	10	15	26	29	42
50-64	2618	13.1	97	2	3	11	16	23	30	58
65+	7463	14.7	133	2	3	12	18	28	37	66
GRAND TOTAL	**10285**	**14.2**	**123**	**2**	**3**	**12**	**17**	**26**	**35**	**63**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.3	5	1	1	3	5	6	6	6
35-49	8	4.0	13	<1	<1	3	5	10	12	12
50-64	21	3.8	10	<1	1	3	5	9	11	12
65+	27	5.0	18	1	1	3	7	12	14	16
B. *Operated*										
0-19 YRS	26	3.0	7	<1	1	2	4	8	9	11
20-34	74	7.4	47	1	1	6	11	14	17	37
35-49	113	8.9	78	1	2	6	11	23	30	40
50-64	251	9.5	67	2	2	8	11	18	24	48
65+	279	9.8	78	2	2	8	12	17	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	7	4.4	4	1	1	5	6	6	6	6
35-49	16	3.9	6	1	1	4	5	8	9	9
50-64	34	4.4	15	<1	1	3	6	10	11	18
65+	78	6.6	30	1	2	5	8	14	17	29
B. *Operated*										
0-19 YRS	9	11.7	138	2	2	9	22	29	33	33
20-34	63	12.7	123	2	3	11	17	23	34	56
35-49	146	16.5	243	2	3	12	20	37	52	87
50-64	514	14.7	188	2	3	11	19	32	45	82
65+	771	16.5	190	2	4	13	20	35	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	4.4	13	<1	1	3	6	11	12	16
B. *Operated*	743	9.1	70	1	2	8	12	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	139	5.5	23	1	1	4	7	12	15	21
B. *Operated*	1503	15.7	192	2	3	12	20	33	45	80
1. SINGLE DX	804	8.7	68	1	2	7	11	17	24	40
2. MULTIPLE DX	1642	14.8	186	2	3	11	19	32	44	79
A. NOT OPERATED	200	5.2	20	1	1	4	7	12	14	19
B. OPERATED	2246	13.5	162	2	2	10	17	28	40	71
TOTAL 0-19 YRS	40	5.0	47	1	1	2	5	10	23	33
20-34	148	9.4	85	1	2	6	13	20	26	56
35-49	283	12.4	176	1	2	9	16	29	39	78
50-64	820	12.4	150	2	2	9	15	26	38	69
65+	1155	13.9	162	2	2	11	17	29	40	71
GRAND TOTAL	**2446**	**12.8**	**155**	**2**	**2**	**10**	**16**	**27**	**38**	**71**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	6.6	12	2	2	6	10	10	10	10
20-34	49	7.4	28	1	1	6	10	13	18	27
35-49	70	5.9	17	1	1	6	9	11	14	19
50-64	170	5.1	25	1	1	3	7	11	16	25
65+	200	6.6	31	1	1	6	9	12	16	27
B. *Operated*										
0-19 YRS	9	4.6	11	2	2	2	8	9	10	10
20-34	103	7.4	27	1	2	7	10	15	18	21
35-49	539	7.9	31	1	2	8	11	14	16	26
50-64	1800	9.0	41	1	2	9	12	16	19	29
65+	1956	9.6	56	1	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.3	14	1	1	7	9	11	11	11
20-34	42	9.4	30	2	3	9	14	17	20	23
35-49	100	8.1	58	1	2	6	10	18	21	41
50-64	382	7.3	40	1	1	6	10	14	19	34
65+	854	9.5	67	2	2	8	12	17	24	44
B. *Operated*										
0-19 YRS	21	9.9	39	2	2	10	13	19	22	23
20-34	136	12.1	116	2	3	9	15	24	32	60
35-49	947	12.5	107	2	3	11	15	24	30	56
50-64	4608	13.1	114	2	2	11	16	25	34	62
65+	7230	16.2	183	2	3	13	20	33	44	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	6.0	27	1	1	5	9	12	16	25
B. *Operated*	4407	9.1	46	1	2	9	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	1388	8.8	58	1	2	7	11	17	22	38
B. *Operated*	12942	14.8	155	2	3	12	18	29	40	74
1. SINGLE DX	4905	8.8	45	1	2	8	12	16	20	30
2. MULTIPLE DX	14330	14.2	148	2	3	11	18	28	39	72
A. NOT OPERATED	1886	8.1	52	1	2	7	11	15	20	36
B. OPERATED	17349	13.3	133	2	2	11	16	26	36	69
TOTAL 0-19 YRS	49	7.6	27	2	2	7	10	14	18	23
20-34	330	9.6	69	1	2	8	12	18	23	47
35-49	1656	10.5	81	2	2	9	13	20	26	47
50-64	6960	11.5	94	2	2	10	15	21	28	56
65+	10240	14.2	156	2	2	11	18	29	39	74
GRAND TOTAL	**19235**	**12.8**	**128**	**2**	**2**	**10**	**16**	**25**	**34**	**67**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	323	7.1	38	1	2	6	9	14	18	33
20-34	121	5.0	29	1	1	3	6	11	16	26
35-49	203	4.6	15	1	1	4	6	9	11	20
50-64	311	5.0	42	<1	1	3	6	10	15	22
65+	394	5.6	25	1	1	4	8	12	16	26
B. *Operated*										
0-19 YRS	73	4.4	18	1	1	2	7	10	11	21
20-34	162	6.6	78	<1	<1	4	8	13	19	38
35-49	506	6.7	36	1	2	5	9	14	17	26
50-64	1357	7.4	47	1	2	5	10	15	20	33
65+	1529	8.6	75	1	2	7	12	18	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	6.9	34	1	2	5	8	14	20	29
20-34	229	6.4	51	1	1	4	7	12	20	38
35-49	468	7.0	40	1	2	5	8	14	18	29
50-64	1148	7.1	45	1	2	5	9	14	20	35
65+	2848	9.4	83	2	2	7	12	19	26	55
B. *Operated*										
0-19 YRS	73	10.4	167	1	2	5	13	25	28	78
20-34	269	10.0	100	1	2	7	13	22	27	56
35-49	888	10.6	122	2	2	8	13	24	33	80
50-64	3503	12.4	153	2	2	9	16	26	39	74
65+	6350	16.3	234	2	3	12	21	36	52	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1352	5.6	32	1	1	4	7	12	15	26
B. *Operated*	3627	7.7	59	1	2	6	11	16	21	37
2. MULTIPLE DX										
A. *Not Operated*	4892	8.4	68	2	2	6	10	17	23	47
B. *Operated*	11083	14.4	201	2	2	11	18	32	46	90
1. SINGLE DX	4979	7.2	52	1	2	5	10	15	20	34
2. MULTIPLE DX	15975	12.6	168	2	2	9	16	27	40	78
A. NOT OPERATED	6244	7.8	61	1	2	6	10	16	21	42
B. OPERATED	14710	12.7	174	2	2	9	16	28	41	81
TOTAL 0-19 YRS	668	7.1	50	1	2	5	9	14	20	32
20-34	781	7.5	74	1	1	5	9	18	22	43
35-49	2065	8.2	77	1	2	6	10	17	24	51
50-64	6319	10.0	113	1	2	7	13	21	30	61
65+	11121	13.1	180	2	2	9	17	29	42	81
GRAND TOTAL	**20954**	**11.3**	**146**	**2**	**2**	**8**	**14**	**25**	**35**	**73**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	204	7.5	20	1	3	7	10	13	16	21
20-34	1780	7.6	17	2	3	7	10	13	15	22
35-49	2138	8.0	19	2	3	7	10	14	16	22
50-64	2381	8.3	17	3	4	8	10	13	16	21
65+	2184	9.1	20	3	4	8	11	15	17	23
B. *Operated*										
0-19 YRS	82	8.7	43	1	2	8	11	18	19	37
20-34	749	7.9	27	2	2	7	10	15	18	24
35-49	794	8.2	31	1	2	7	11	15	18	28
50-64	825	9.0	29	2	3	8	12	16	19	25
65+	602	10.3	36	2	3	10	13	17	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	7.7	19	2	3	7	10	12	17	20
20-34	1529	9.2	31	2	4	8	11	15	20	30
35-49	2915	9.8	34	3	4	9	12	17	20	32
50-64	5413	10.1	33	4	4	9	12	17	20	30
65+	7788	11.1	43	4	5	10	14	18	23	36
B. *Operated*										
0-19 YRS	71	9.9	53	2	3	10	12	16	17	48
20-34	791	10.9	57	2	3	10	14	20	25	41
35-49	1354	11.6	71	3	4	10	14	21	27	45
50-64	2249	12.2	74	3	4	10	15	22	28	47
65+	2958	14.0	96	4	5	12	17	24	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8687	8.3	19	2	3	8	10	14	16	22
B. *Operated*	3052	8.8	32	2	3	8	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	17792	10.4	38	3	4	9	13	17	21	32
B. *Operated*	7423	12.7	82	3	4	11	15	23	29	50
1. SINGLE DX	11739	8.4	22	2	3	8	11	14	17	23
2. MULTIPLE DX	25215	11.1	52	3	4	10	14	19	23	40
A. NOT OPERATED	26479	9.7	32	3	4	9	12	16	20	30
B. OPERATED	10475	11.5	70	2	4	10	14	21	26	45
TOTAL 0-19 YRS	504	8.1	28	2	3	7	11	14	17	27
20-34	4849	8.7	31	2	3	8	11	15	19	29
35-49	7201	9.5	38	2	3	8	12	16	20	32
50-64	10868	10.1	39	3	4	9	12	17	21	33
65+	13532	11.4	53	4	5	10	14	19	24	40
GRAND TOTAL	**36954**	**10.2**	**44**	**3**	**4**	**9**	**13**	**17**	**22**	**35**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	43	6.4	62	<1	<1	4	7	16	25	38
35-49	114	7.5	42	<1	1	6	10	16	22	31
50-64	179	10.1	80	1	2	8	13	18	27	50
65+	394	12.5	88	2	3	10	17	25	31	49
B. *Operated*										
0-19 YRS	108	3.4	3	1	1	3	4	6	7	8
20-34	2685	4.1	7	2	2	4	5	6	8	14
35-49	3665	4.6	11	2	2	4	5	7	9	20
50-64	2941	5.7	36	2	2	4	6	9	14	34
65+	1083	10.3	122	2	3	5	13	26	34	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	94	1	1	5	12	25	27	27
20-34	97	6.5	34	1	1	5	8	12	18	31
35-49	266	8.3	50	<1	1	7	11	16	23	37
50-64	651	11.1	86	1	3	9	14	21	28	51
65+	2121	13.6	110	3	4	11	17	27	34	61
B. *Operated*										
0-19 YRS	25	9.0	80	2	3	5	11	18	26	43
20-34	621	5.9	37	2	2	4	6	10	16	37
35-49	1360	6.7	37	2	3	5	7	13	19	32
50-64	2022	9.3	84	2	3	6	11	21	28	48
65+	1843	18.0	234	3	4	14	25	39	51	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	10.8	81	1	2	8	15	22	29	46
B. *Operated*	10482	5.3	32	2	2	4	5	9	13	32
2. MULTIPLE DX										
A. *Not Operated*	3141	12.4	101	2	3	10	16	25	32	52
B. *Operated*	5871	11.1	138	2	3	6	14	26	36	62
1. SINGLE DX	11212	5.7	37	2	2	4	6	10	16	34
2. MULTIPLE DX	9012	11.5	126	2	3	8	15	26	35	60
A. NOT OPERATED	3871	12.1	98	2	3	10	16	24	31	52
B. OPERATED	16353	7.4	78	2	2	4	7	16	25	48
TOTAL 0-19 YRS	139	4.6	25	1	1	3	5	7	13	29
20-34	3446	4.5	15	2	2	4	5	7	9	23
35-49	5405	5.3	22	2	2	4	6	9	13	26
50-64	5793	7.7	64	2	3	5	8	16	23	43
65+	5441	14.3	161	3	3	10	19	31	40	70
GRAND TOTAL	**20224**	**8.3**	**85**	**2**	**2**	**5**	**9**	**19**	**27**	**49**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.5	1	<1	1	2	3	4	5	5
20-34	301	2.8	4	<1	1	2	4	5	6	9
35-49	386	3.1	4	<1	1	3	4	6	7	10
50-64	360	2.9	4	<1	1	2	4	6	7	10
65+	251	3.7	8	<1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	87	4.0	4	1	2	4	5	7	8	9
20-34	2207	4.7	4	2	2	4	6	7	8	10
35-49	2780	4.9	5	2	3	5	6	8	9	13
50-64	1897	5.0	5	2	3	5	6	8	9	12
65+	684	5.9	11	3	3	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.1	5	1	1	3	4	6	8	11
20-34	497	3.7	8	1	1	3	5	7	8	14
35-49	888	4.2	9	1	1	4	5	8	10	16
50-64	1145	4.5	13	1	1	3	6	8	11	18
65+	1416	5.7	24	1	2	5	7	10	13	26
B. *Operated*										
0-19 YRS	245	4.7	5	1	2	5	6	7	9	11
20-34	6159	5.1	6	2	3	5	6	8	9	14
35-49	9469	5.5	8	3	3	5	6	9	10	16
50-64	7771	6.1	13	3	3	5	7	10	12	20
65+	3740	7.5	26	3	3	6	9	13	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1335	3.1	5	<1	1	3	4	6	7	10
B. *Operated*	7655	4.9	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	3998	4.7	16	1	1	4	6	9	11	19
B. *Operated*	27384	5.9	12	3	3	5	7	9	12	19
1. SINGLE DX	8990	4.7	6	1	2	4	6	8	9	13
2. MULTIPLE DX	31382	5.7	13	2	3	5	7	9	12	19
A. NOT OPERATED	5333	4.3	14	1	1	3	5	8	10	18
B. OPERATED	35039	5.7	11	2	3	5	7	9	11	18
TOTAL 0-19 YRS	421	4.1	5	1	2	4	5	7	8	11
20-34	9164	4.9	6	2	2	5	6	8	9	13
35-49	13523	5.3	8	2	3	5	6	8	10	15
50-54	11173	5.6	12	2	3	5	7	9	12	19
65+	6091	6.7	24	2	3	5	8	12	16	26
GRAND TOTAL	**40372**	**5.5**	**11**	**2**	**3**	**5**	**6**	**9**	**11**	**18**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	4.5	13	1	1	3	6	10	12	16
20-34	476	6.6	25	1	1	6	9	12	15	27
35-49	514	7.0	21	1	2	6	10	13	15	21
50-64	594	7.1	27	1	2	6	10	13	15	24
65+	921	7.6	41	1	2	6	10	14	18	27
B. *Operated*										
0-19 YRS	501	3.2	9	1	1	2	3	6	9	17
20-34	1781	3.4	14	1	1	2	3	7	11	18
35-49	873	4.7	22	1	1	3	6	11	14	20
50-64	590	7.7	46	1	2	6	10	15	19	35
65+	538	10.1	84	2	2	8	13	19	25	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	5.0	24	1	1	4	6	10	14	26
20-34	771	6.8	34	1	1	5	9	13	17	25
35-49	1385	7.4	33	1	2	6	10	15	18	28
50-64	2973	7.9	37	2	2	7	10	15	19	30
65+	6522	8.9	50	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	229	6.4	71	1	2	4	8	14	18	42
20-34	1444	6.1	58	1	1	3	7	14	19	39
35-49	1051	9.5	91	1	2	7	13	20	27	45
50-64	1781	12.7	125	2	3	10	16	25	33	65
65+	2716	14.8	154	2	4	12	18	29	38	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2644	7.0	30	1	2	6	9	13	16	25
B. *Operated*	4283	5.1	34	1	1	3	6	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	11876	8.3	44	2	2	7	11	16	20	32
B. *Operated*	7221	11.5	127	2	2	9	15	24	32	64
1. SINGLE DX	6927	5.8	33	1	1	4	8	12	16	26
2. MULTIPLE DX	19097	9.5	78	2	2	7	12	19	25	46
A. NOT OPERATED	14520	8.0	41	1	2	7	10	15	19	31
B. OPERATED	11504	9.1	102	1	2	6	12	20	28	53
TOTAL 0-19 YRS	1094	4.4	27	1	1	3	5	10	13	23
20-34	4472	5.2	35	1	1	3	7	11	15	28
35-49	3823	7.3	48	1	2	5	10	15	19	34
50-64	5938	9.2	68	2	2	7	12	18	24	43
65+	10697	10.3	84	2	3	8	13	20	27	51
GRAND TOTAL	**26024**	**8.5**	**69**	**1**	**2**	**6**	**11**	**17**	**23**	**42**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12906	2.7	3	1	1	2	3	5	6	9
20-34	2163	3.1	4	<1	<1	3	4	5	7	9
35-49	775	3.5	7	<1	1	3	4	6	7	12
50-64	520	4.0	7	<1	1	4	5	7	9	12
65+	457	4.6	8	<1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	2361	2.0	2	1	1	2	2	3	4	8
20-34	1061	2.4	3	1	1	2	3	4	5	10
35-49	210	3.6	15	1	1	2	4	7	9	24
50-64	133	4.4	28	<1	1	3	6	9	12	36
65+	75	3.4	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18962	3.5	6	1	1	3	4	6	8	12
20-34	3821	4.0	6	1	2	3	5	7	8	13
35-49	2196	4.8	11	1	2	4	6	9	10	17
50-64	2552	5.8	16	2	2	5	7	10	13	22
65+	4370	7.5	40	2	3	6	9	14	17	32
B. *Operated*										
0-19 YRS	1401	3.4	18	1	1	2	3	7	10	23
20-34	523	4.5	22	1	1	3	5	10	13	21
35-49	337	6.6	35	1	2	5	9	14	18	27
50-64	341	7.7	43	1	2	6	10	17	21	27
65+	350	12.1	123	2	2	9	15	26	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16821	2.9	4	<1	1	3	4	5	6	9
B. *Operated*	3840	2.3	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	31901	4.4	14	1	2	4	5	8	10	18
B. *Operated*	2952	5.5	44	1	1	3	7	13	18	31
1. SINGLE DX	20661	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	34853	4.5	16	1	1	3	5	8	11	20
A. NOT OPERATED	48722	3.9	11	1	1	3	5	7	9	16
B. OPERATED	6792	3.7	24	1	1	2	3	8	12	25
TOTAL 0-19 YRS	35630	3.1	5	1	1	3	4	6	7	11
20-34	7568	3.5	7	1	1	3	4	6	8	12
35-49	3518	4.6	13	1	2	4	6	8	11	19
50-64	3546	5.7	19	1	2	5	7	10	14	24
65+	5252	7.5	44	2	2	6	9	14	18	36
GRAND TOTAL	**55514**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14736	3.8	5	1	2	3	5	7	8	11
20-34	1124	4.0	5	1	2	4	5	7	8	11
35-49	1138	4.6	6	2	2	4	6	8	10	13
50-64	1183	5.3	10	2	2	5	7	9	11	16
65+	1461	6.0	13	2	3	5	7	10	12	20
B. *Operated*										
0-19 YRS	43	5.6	15	1	1	5	8	12	13	15
20-34	30	5.3	17	1	2	4	8	10	15	16
35-49	61	6.5	21	1	2	5	9	13	15	21
50-64	81	6.6	18	2	2	6	9	11	15	20
65+	57	8.2	44	1	2	6	11	17	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13216	4.5	7	2	2	4	6	8	9	14
20-34	2354	5.3	12	2	2	4	7	9	12	19
35-49	3733	6.1	15	2	3	5	8	11	13	20
50-64	8907	7.2	25	2	3	6	9	13	16	26
65+	17466	8.4	36	3	3	7	10	15	19	31
B. *Operated*										
0-19 YRS	154	7.9	42	2	3	6	10	15	20	40
20-34	195	8.9	60	2	2	7	12	17	23	38
35-49	376	9.4	66	2	3	8	11	17	23	38
50-64	820	11.0	82	2	3	9	14	22	29	45
65+	1231	13.7	113	3	4	11	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19642	4.1	6	1	2	4	5	7	9	13
B. *Operated*	272	6.6	24	1	2	5	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	45676	6.7	25	2	2	5	8	12	15	25
B. *Operated*	2776	11.7	93	2	3	9	15	23	30	51
1. SINGLE DX	19914	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	48452	7.0	31	2	2	6	9	13	16	28
A. NOT OPERATED	65318	5.9	21	2	2	5	7	11	14	23
B. OPERATED	3048	11.2	89	2	3	9	14	22	29	50
TOTAL 0-19 YRS	28149	4.1	6	1	2	4	5	7	9	13
20-34	3703	5.1	14	1	2	4	6	9	12	19
35-49	5308	6.0	18	2	2	5	7	11	13	22
50-64	10991	7.3	29	2	3	6	9	13	16	28
65+	20215	8.6	41	3	3	7	10	15	19	33
GRAND TOTAL	**68366**	**6.2**	**25**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.7	1	<1	<1	1	2	3	5	5
20-34	33	1.5	1	<1	<1	1	2	3	3	3
35-49	19	1.4		<1	<1	1	2	3	3	3
50-64	12	2.2	4	<1	<1	1	3	5	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2788	2.3	1	1	1	2	3	3	4	5
20-34	5996	2.3	1	1	1	2	3	3	4	5
35-49	2724	2.3	1	1	1	2	3	3	4	6
50-64	1280	2.3	1	1	1	2	3	3	4	6
65+	311	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	1.5	2	<1	<1	1	1	3	4	10
20-34	135	1.6	3	<1	<1	1	2	3	4	11
35-49	56	1.9	3	<1	<1	1	2	4	6	10
50-64	53	2.5	9	<1	<1	1	3	5	6	20
65+	22	2.3	4	<1	<1	2	3	4	7	10
B. *Operated*										
0-19 YRS	3653	2.5	1	1	1	2	3	4	4	6
20-34	9110	2.6	2	1	1	2	3	4	5	7
35-49	5126	2.8	3	1	1	3	3	4	5	9
50-64	2972	2.9	3	1	1	3	3	4	6	11
65+	773	3.3	7	1	1	3	4	5	7	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	1.6	1	<1	<1	1	2	3	3	7
B. *Operated*	13099	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	336	1.8	4	<1	<1	1	2	3	5	10
B. *Operated*	21634	2.7	2	1	1	2	3	4	5	8
1. SINGLE DX	13189	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	21970	2.7	2	1	1	2	3	4	5	8
A. NOT OPERATED	426	1.8	3	<1	<1	1	2	3	4	10
B. OPERATED	34733	2.5	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	6536	2.4	1	1	1	2	3	4	4	6
20-34	15274	2.5	2	1	1	2	3	4	4	6
35-49	7925	2.6	2	1	1	2	3	4	5	8
50-64	4317	2.8	3	1	1	2	3	4	5	10
65+	1107	3.0	6	1	1	3	3	5	6	13
GRAND TOTAL	**35159**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	<1	<1	1	4	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	5	4.2	21	<1	<1	1	8	11	11	11
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	137	2.1	3	<1	<1	2	2	3	4	9
20-34	279	2.3	2	<1	1	2	3	4	5	8
35-49	377	2.0	1	<1	<1	2	2	3	4	6
50-64	500	2.3	4	<1	1	2	3	4	5	6
65+	347	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.6	2	<1	<1	1	2	4	5	5
20-34	10	1.6	1	<1	<1	1	2	3	4	4
35-49	14	1.8	2	<1	<1	1	2	4	5	5
50-64	25	2.3	4	<1	<1	2	3	6	7	8
65+	21	4.4	9	1	1	4	6	8	11	13
B. *Operated*										
0-19 YRS	241	2.8	5	1	1	2	3	5	6	15
20-34	522	2.8	4	1	1	2	3	5	5	7
35-49	785	2.8	3	1	1	2	3	5	5	8
50-64	950	3.1	11	1	1	3	3	5	6	13
65+	590	3.5	12	1	1	3	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.9	9	<1	<1	1	4	8	10	11
B. *Operated*	1640	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	81	2.6	5	<1	<1	2	3	6	7	12
B. *Operated*	3088	3.0	8	1	1	3	3	5	6	13
1. SINGLE DX	1653	2.2	3	<1	1	2	3	4	4	6
2. MULTIPLE DX	3169	3.0	8	1	1	3	3	5	6	13
A. NOT OPERATED	94	2.6	6	<1	<1	2	3	6	7	12
B. OPERATED	4728	2.7	6	1	1	2	3	4	6	11
TOTAL 0-19 YRS	392	2.5	4	<1	1	2	3	4	6	14
20-34	812	2.6	3	1	1	2	3	4	5	7
35-49	1179	2.5	2	<1	1	2	3	4	5	7
50-64	1480	2.8	9	1	1	2	3	4	5	12
65+	959	3.1	9	1	1	2	4	5	8	15
GRAND TOTAL	**4822**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	1.8	2	<1	<1	1	2	4	5	7
20-34	108	2.1	2	<1	1	2	3	4	4	9
35-49	22	2.8	4	<1	1	2	4	6	7	7
50-64	4	2.5		2	2	2	3	3	3	3
65+	4	2.0	4	1	1	1	3	5	5	5
B. *Operated*										
0-19 YRS	59672	1.7	1	<1	1	2	2	2	3	4
20-34	15501	2.0	1	1	1	2	2	3	3	5
35-49	1431	2.2	1	1	1	2	2	3	4	6
50-64	243	2.3	2	1	1	2	3	3	5	9
65+	106	2.2	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1216	1.6	2	<1	<1	1	1	3	4	8
20-34	184	2.3	4	<1	<1	2	3	4	7	11
35-49	37	3.3	6	<1	<1	2	5	7	7	11
50-64	9	3.2	13	<1	<1	2	4	10	11	11
65+	11	4.3	8	<1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	29968	1.7	1	<1	1	2	2	2	3	4
20-34	2885	2.4	3	1	1	2	3	4	5	9
35-49	436	2.8	5	1	1	2	3	5	6	13
50-64	155	3.2	12	1	1	2	4	6	7	14
65+	80	4.3	20	1	2	3	4	9	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	76953	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1457	1.8	3	<1	<1	1	2	4	5	9
B. *Operated*	33524	1.8	1	<1	1	2	2	2	3	5
1. SINGLE DX	77440	1.8	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	34981	1.8	1	<1	1	2	2	2	3	6
A. NOT OPERATED	1944	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	110477	1.8	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	91205	1.7	1	<1	1	2	2	2	3	4
20-34	18678	2.1	1	1	1	2	2	3	4	6
35-49	1926	2.4	2	1	1	2	3	4	5	8
50-64	411	2.7	6	1	1	2	3	4	6	11
65+	201	3.1	11	1	1	2	3	7	9	19
GRAND TOTAL	**112421**	**1.8**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1790	3.1	4	1	1	3	4	5	6	9
20-34	1298	3.2	4	1	1	3	4	5	7	10
35-49	608	3.4	8	1	1	3	4	6	8	14
50-64	405	3.1	6	<1	1	2	4	6	8	13
65+	230	3.6	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	2235	2.5	5	<1	1	2	3	4	6	11
20-34	3704	2.4	3	<1	1	2	3	4	5	9
35-49	3194	2.4	3	<1	1	2	3	4	5	9
50-64	3200	2.3	3	<1	1	2	2	4	5	10
65+	1559	2.7	8	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1509	3.9	6	1	1	3	5	7	9	13
20-34	1115	4.3	10	1	1	4	5	7	9	15
35-49	979	4.7	10	1	2	4	6	9	10	17
50-64	1007	5.2	15	1	2	4	6	10	12	20
65+	963	6.4	23	1	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	1776	3.2	12	<1	1	2	4	6	9	17
20-34	3195	3.1	8	1	1	2	4	5	8	14
35-49	2866	3.5	17	1	1	3	4	6	9	18
50-64	3139	4.1	25	1	1	3	4	8	12	24
65+	1913	5.4	50	1	1	3	6	12	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4331	3.2	5	1	1	3	4	6	7	11
B. *Operated*	13892	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	5573	4.8	13	1	2	4	6	9	11	18
B. *Operated*	12889	3.8	21	1	1	3	4	7	11	23
1. SINGLE DX	18223	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	18462	4.1	19	1	1	3	5	8	11	22
A. NOT OPERATED	9904	4.1	10	1	1	3	5	7	10	16
B. OPERATED	26781	3.1	13	1	1	2	3	5	8	18
TOTAL 0-19 YRS	7310	3.1	7	<1	1	2	4	6	7	13
20-34	9312	3.0	6	1	1	2	4	5	7	12
35-49	7647	3.2	10	1	1	2	4	6	8	15
50-64	7751	3.4	15	1	1	2	4	7	10	19
65+	4665	4.6	31	1	1	3	5	10	14	28
GRAND TOTAL	**36685**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33387	4.5	7	2	2	4	6	7	9	13
20-34	7654	5.3	9	2	2	5	7	9	10	15
35-49	5459	5.9	10	2	3	5	7	10	12	17
50-64	4973	6.6	17	2	3	6	8	11	13	20
65+	7469	7.9	23	3	3	7	10	13	17	24
B. *Operated*										
0-19 YRS	171	7.9	39	1	2	7	10	14	18	38
20-34	202	8.9	32	2	2	8	12	16	19	26
35-49	371	9.5	46	2	2	8	12	17	22	35
50-64	544	9.8	44	2	2	9	13	18	23	31
65+	555	11.6	79	2	2	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27576	5.1	12	2	2	4	6	9	11	17
20-34	6779	6.5	21	2	3	5	8	11	14	23
35-49	7874	7.5	26	2	3	6	9	13	16	26
50-64	16081	8.8	36	3	4	7	11	15	19	31
65+	49572	11.3	66	3	4	9	14	20	26	44
B. *Operated*										
0-19 YRS	564	12.5	116	3	4	10	16	25	36	57
20-34	730	15.0	144	3	5	11	18	29	37	68
35-49	1245	15.0	139	3	5	12	19	29	36	72
50-64	2880	16.2	150	4	6	13	20	31	40	70
65+	6234	19.9	200	5	7	16	25	38	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58942	5.3	12	2	2	5	7	9	11	17
B. *Operated*	1843	10.0	55	2	2	9	13	19	24	37
2. MULTIPLE DX										
A. *Not Operated*	107882	8.8	49	2	3	7	11	16	21	36
B. *Operated*	11653	17.8	179	4	6	14	22	35	46	87
1. SINGLE DX	60785	5.5	14	2	2	5	7	10	12	19
2. MULTIPLE DX	119535	9.7	69	2	3	7	12	18	24	45
A. NOT OPERATED	166824	7.6	38	2	3	6	9	14	18	32
B. OPERATED	13496	16.8	170	3	5	13	21	33	44	82
TOTAL 0-19 YRS	61698	4.8	11	2	2	4	6	8	10	16
20-34	15365	6.3	25	2	3	5	8	11	14	27
35-49	14949	7.6	36	2	3	6	9	13	17	32
50-64	24478	9.3	53	3	3	7	11	17	22	38
65+	63830	11.8	83	3	4	9	14	22	28	52
GRAND TOTAL	**180320**	**8.2**	**54**	**2**	**3**	**6**	**10**	**16**	**21**	**39**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	952	2.9	3	1	1	3	4	5	6	9
20-34	626	3.2	4	1	1	3	4	6	7	10
35-49	421	3.6	4	1	2	3	4	6	7	11
50-64	394	4.2	8	1	2	4	5	7	9	14
65+	529	5.3	14	2	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	9	6.0	19	2	2	4	9	13	14	14
20-34	10	4.2	14	2	2	2	5	10	13	13
35-49	1	14.0		14	14	14	14	14	14	14
50-64	5	6.4	17	2	2	5	8	13	13	13
65+	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1357	3.5	5	1	1	3	4	6	7	12
20-34	1089	3.8	9	1	1	3	5	7	8	13
35-49	864	4.9	11	2	2	4	6	9	10	18
50-64	1255	5.5	14	2	2	5	7	10	12	21
65+	2809	6.9	25	2	3	6	9	12	16	25
B. *Operated*										
0-19 YRS	19	10.5	146	2	3	7	9	30	44	47
20-34	29	7.4	38	1	1	6	11	14	21	27
35-49	33	12.8	151	2	3	10	15	22	41	63
50-64	67	13.9	195	3	3	10	17	25	34	89
65+	104	14.8	119	4	5	11	19	32	38	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2922	3.7	7	1	1	3	4	7	8	13
B. *Operated*	27	6.3	24	2	2	5	9	14	15	20
2. MULTIPLE DX										
A. *Not Operated*	7374	5.3	17	1	2	4	7	10	13	21
B. *Operated*	252	13.1	140	3	3	10	16	27	37	58
1. SINGLE DX	2949	3.7	7	1	1	3	5	7	8	14
2. MULTIPLE DX	7626	5.6	23	1	2	4	7	10	14	24
A. NOT OPERATED	10296	4.9	15	1	2	4	6	9	12	19
B. OPERATED	279	12.5	133	2	3	9	15	25	35	57
TOTAL 0-19 YRS	2337	3.3	6	1	1	3	4	6	7	11
20-34	1754	3.6	8	1	1	3	4	6	8	13
35-49	1319	4.7	15	1	2	4	6	8	10	18
50-64	1721	5.6	22	2	2	4	7	10	13	23
65+	3444	6.9	29	2	2	5	8	13	16	28
GRAND TOTAL	**10575**	**5.1**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3910	3.6	5	1	1	3	5	6	7	11
20-34	664	3.9	8	<1	1	4	5	7	8	13
35-49	798	5.0	11	1	2	4	6	9	11	17
50-64	1266	5.9	15	2	2	5	7	11	13	21
65+	1827	6.7	22	2	2	6	8	12	15	23
B. *Operated*										
0-19 YRS	48	5.2	46	<1	1	3	7	11	15	42
20-34	97	4.4	12	<1	1	4	5	8	11	19
35-49	153	4.5	15	1	1	3	6	9	11	21
50-64	300	5.1	20	<1	1	3	7	11	14	20
65+	233	6.2	69	1	1	4	8	12	16	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3675	4.1	7	1	2	4	5	7	9	13
20-34	1284	5.0	15	1	2	4	6	9	11	17
35-49	2096	6.3	21	2	2	5	8	12	15	24
50-64	5274	7.5	34	2	3	6	9	14	18	30
65+	10783	8.8	44	3	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	75	7.7	34	1	2	7	10	14	17	36
20-34	172	8.1	59	2	2	6	10	16	26	48
35-49	494	7.8	54	1	2	6	10	16	21	33
50-64	1232	9.5	96	2	2	7	12	19	25	67
65+	1534	12.0	110	2	3	9	16	25	34	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8465	4.8	13	1	2	4	6	9	11	18
B. *Operated*	831	5.2	34	1	1	4	7	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	23112	7.3	35	2	2	6	9	14	18	30
B. *Operated*	3507	10.2	96	2	2	8	13	21	29	67
1. SINGLE DX	9296	4.8	15	1	2	4	6	9	11	19
2. MULTIPLE DX	26619	7.7	44	2	2	6	9	15	20	34
A. NOT OPERATED	31577	6.6	30	2	2	5	8	13	16	28
B. OPERATED	4338	9.3	88	1	2	7	12	20	27	60
TOTAL 0-19 YRS	7708	3.9	7	1	2	3	5	7	8	13
20-34	2217	4.9	17	1	2	4	6	9	11	19
35-49	3541	6.1	24	2	2	5	8	11	15	25
50-64	8072	7.5	41	2	2	6	9	14	18	33
65+	14377	8.8	50	2	3	7	11	17	21	38
GRAND TOTAL	**35915**	**7.0**	**38**	**2**	**2**	**5**	**9**	**13**	**18**	**32**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	5	1	1	4	4	7	7	7
20-34	14	4.8	9	2	2	4	6	8	12	13
35-49	96	5.8	22	2	2	5	7	12	15	27
50-64	493	7.6	42	2	2	6	9	14	19	34
65+	811	7.8	33	2	3	6	10	14	18	28
B. *Operated*										
0-19 YRS	9	12.3	116	2	3	10	14	30	38	38
20-34	16	10.5	23	4	6	10	14	17	20	21
35-49	38	9.0	24	<1	1	9	12	16	17	18
50-64	41	11.9	84	1	2	9	19	24	31	34
65+	23	14.1	157	3	4	10	19	39	42	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	10.6	217	<1	1	5	11	32	50	52
20-34	33	5.9	21	1	2	4	8	11	17	20
35-49	355	7.9	37	2	3	6	10	15	23	29
50-64	2493	9.5	65	2	3	7	11	17	23	41
65+	5329	10.2	71	2	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	8	10.4	125	2	3	5	13	29	36	36
20-34	61	14.0	60	5	6	13	18	24	29	41
35-49	98	16.9	242	3	4	14	21	31	57	98
50-64	367	16.4	204	3	5	12	21	34	49	88
65+	624	18.6	252	3	5	15	24	41	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1420	7.5	36	2	2	6	9	14	18	31
B. *Operated*	127	11.3	75	1	2	10	16	21	31	41
2. MULTIPLE DX										
A. *Not Operated*	8221	9.8	68	2	3	8	12	19	25	44
B. *Operated*	1158	17.5	226	3	5	13	22	36	59	99+
1. SINGLE DX	1547	7.8	40	2	2	6	10	15	19	34
2. MULTIPLE DX	9379	10.8	94	2	3	8	13	21	29	62
A. NOT OPERATED	9641	9.5	64	2	3	7	12	18	24	43
B. OPERATED	1285	16.9	215	3	4	13	22	35	55	99+
TOTAL 0-19 YRS	34	9.8	130	1	1	6	11	21	38	52
20-34	124	10.4	54	2	3	9	15	20	24	36
35-49	587	9.1	81	2	2	7	11	19	25	47
50-64	3394	10.0	82	2	3	7	12	19	26	52
65+	6787	10.7	91	2	3	8	13	21	29	63
GRAND TOTAL	**10926**	**10.4**	**87**	**2**	**3**	**8**	**13**	**20**	**27**	**58**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27752	3.5	4	1	2	3	4	6	7	10
20-34	7376	4.2	7	1	2	4	5	7	9	13
35-49	6286	5.1	10	1	2	4	6	9	11	15
50-64	5770	5.8	15	2	2	5	7	10	12	18
65+	3998	6.5	18	2	2	6	8	12	14	20
B. *Operated*										
0-19 YRS	70	5.4	13	1	2	5	7	10	12	17
20-34	53	7.6	18	2	3	7	10	14	16	18
35-49	94	7.1	26	1	2	6	9	15	17	23
50-64	86	8.5	31	2	2	7	11	16	17	27
65+	60	10.7	34	2	3	10	16	19	22	92
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15050	4.2	8	1	2	4	5	7	9	14
20-34	5751	5.2	13	1	2	4	7	9	12	19
35-49	7357	6.5	21	2	3	5	8	12	14	24
50-64	12416	7.6	31	2	3	6	9	13	17	28
65+	14456	8.7	41	2	3	7	11	15	20	33
B. *Operated*										
0-19 YRS	195	8.2	46	2	3	7	10	14	19	33
20-34	300	10.9	80	2	3	8	14	20	25	41
35-49	515	12.4	94	3	4	10	16	24	31	55
50-64	836	14.0	150	3	4	11	16	24	35	78
65+	885	16.0	176	4	5	13	20	30	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51182	4.3	8	1	2	4	5	8	9	14
B. *Operated*	363	7.8	27	2	2	7	10	16	18	25
2. MULTIPLE DX										
A. *Not Operated*	55030	6.6	27	2	2	5	8	12	16	26
B. *Operated*	2731	13.6	138	3	4	11	17	25	35	77
1. SINGLE DX	51545	4.3	9	1	2	4	5	8	10	15
2. MULTIPLE DX	57761	6.9	35	2	2	5	8	13	17	29
A. NOT OPERATED	106212	5.5	19	1	2	4	7	10	13	22
B. OPERATED	3094	12.9	128	3	4	10	16	24	33	73
TOTAL 0-19 YRS	43067	3.8	6	1	2	3	5	6	8	12
20-34	13480	4.8	12	1	2	4	6	8	11	18
35-49	14252	6.1	21	2	2	5	8	11	14	23
50-64	19108	7.3	34	2	3	6	9	13	17	29
65+	19399	8.6	45	2	3	7	11	15	20	35
GRAND TOTAL	**109306**	**5.7**	**24**	**1**	**2**	**4**	**7**	**11**	**14**	**24**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	4.3	6	2	2	4	6	7	9	14
20-34	102	5.2	11	2	2	5	7	10	13	15
35-49	601	6.3	24	1	2	5	8	11	15	24
50-64	3462	7.0	27	2	2	6	9	13	17	27
65+	5348	7.8	35	2	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	21	5.6	31	1	2	3	7	15	19	21
20-34	35	7.5	86	2	2	5	8	14	27	50
35-49	82	6.9	30	1	2	5	9	14	19	26
50-64	225	8.3	91	2	2	5	10	15	24	68
65+	225	10.7	118	1	2	8	14	22	30	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	6.3	27	1	2	5	8	13	19	31
20-34	308	7.2	33	2	2	5	9	14	19	29
35-49	2331	7.8	41	2	3	6	9	14	19	32
50-64	15898	9.0	51	2	3	7	11	16	21	37
65+	32824	10.0	66	3	3	8	12	19	25	44
B. *Operated*										
0-19 YRS	25	8.3	128	1	1	4	9	19	34	53
20-34	65	9.4	93	2	2	7	11	18	26	53
35-49	394	13.2	178	2	3	9	16	26	36	90
50-64	2075	14.0	160	2	3	11	17	31	44	99+
65+	3758	17.5	219	3	5	13	22	37	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9593	7.4	31	2	3	6	9	14	17	29
B. *Operated*	588	8.9	93	1	2	6	12	18	27	68
2. MULTIPLE DX										
A. *Not Operated*	51508	9.6	60	2	3	8	12	18	23	42
B. *Operated*	6317	15.9	199	3	4	12	20	34	49	99+
1. SINGLE DX	10181	7.5	35	2	3	6	9	14	18	30
2. MULTIPLE DX	57825	10.3	79	2	3	8	12	19	26	51
A. NOT OPERATED	61101	9.2	56	2	3	7	11	17	22	40
B. OPERATED	6905	15.3	194	2	4	11	19	33	47	99+
TOTAL 0-19 YRS	273	5.8	31	1	2	4	7	12	16	30
20-34	510	7.1	41	2	2	5	9	14	18	34
35-49	3408	8.1	57	2	3	6	9	15	20	39
50-64	21660	9.1	61	2	3	7	11	17	23	44
65+	42155	10.4	81	2	3	8	13	20	27	52
GRAND TOTAL	**68006**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**25**	**49**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	257	3.6	7	1	1	3	5	7	9	12
20-34	756	3.8	7	1	1	3	5	7	9	12
35-49	204	4.6	10	1	1	4	6	9	10	16
50-64	87	5.9	16	2	2	5	7	11	14	22
65+	45	6.6	13	2	3	6	9	11	14	17
B. *Operated*										
0-19 YRS	393	6.8	21	2	3	6	8	12	17	24
20-34	2159	6.4	16	2	3	5	8	11	15	21
35-49	610	6.9	24	2	3	5	8	13	16	26
50-64	316	7.4	30	2	3	6	9	14	19	26
65+	191	9.8	54	2	3	7	13	21	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	3.8	9	1	1	3	4	7	8	19
20-34	161	4.7	11	1	1	4	6	9	12	17
35-49	107	6.2	21	1	2	5	8	11	15	26
50-64	169	9.4	95	2	3	7	10	18	26	64
65+	337	9.9	56	2	3	8	13	20	24	34
B. *Operated*										
0-19 YRS	139	10.9	56	4	4	9	14	20	24	38
20-34	651	9.7	46	3	4	8	13	18	21	35
35-49	451	11.2	94	3	4	8	14	22	28	50
50-64	657	13.0	114	3	4	10	17	26	34	60
65+	890	14.5	146	3	4	11	19	30	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1349	4.1	9	1	1	3	5	8	10	15
B. *Operated*	3669	6.8	21	2	3	5	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	860	7.8	52	1	2	6	10	16	21	33
B. *Operated*	2788	12.3	105	3	4	9	15	25	32	54
1. SINGLE DX	5018	6.1	19	2	2	5	7	11	15	23
2. MULTIPLE DX	3648	11.2	97	2	3	8	14	23	31	53
A. NOT OPERATED	2209	5.5	29	1	1	4	7	11	15	26
B. OPERATED	6457	9.2	65	3	3	7	11	18	24	43
TOTAL 0-19 YRS	875	6.2	27	1	2	5	8	12	16	27
20-34	3727	6.4	22	2	2	5	8	12	16	23
35-49	1372	7.9	50	2	3	6	9	15	21	38
50-64	1229	10.6	90	3	3	8	13	21	28	53
65+	1463	12.6	115	3	4	9	16	26	32	53
GRAND TOTAL	**8666**	**8.2**	**58**	**2**	**3**	**6**	**10**	**17**	**22**	**39**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1358	3.8	14	1	1	3	4	7	9	15
20-34	899	4.0	12	<1	1	3	5	8	11	18
35-49	809	4.4	14	1	1	3	6	8	12	21
50-64	1097	5.1	21	1	1	4	6	10	13	24
65+	1500	6.8	41	1	2	5	9	14	17	29
B. *Operated*										
0-19 YRS	194	6.0	86	<1	1	3	7	13	17	51
20-34	428	8.0	57	1	2	6	10	17	24	35
35-49	737	7.8	48	1	2	6	10	15	19	38
50-64	1290	7.9	51	1	2	6	11	17	21	34
65+	1142	8.1	56	1	2	6	11	17	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2284	5.0	26	1	1	4	6	10	13	24
20-34	1543	5.8	27	1	1	4	7	12	15	26
35-49	2376	6.7	39	1	2	5	8	13	17	29
50-64	6005	7.8	44	2	2	6	10	15	20	35
65+	15585	10.2	71	2	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	411	10.4	157	1	1	7	13	27	37	71
20-34	796	12.0	156	1	2	8	15	26	37	66
35-49	1496	12.7	143	2	2	9	17	27	39	66
50-64	3649	12.7	133	2	3	9	17	27	36	70
65+	5670	15.5	176	2	3	12	20	32	42	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5663	5.0	23	1	1	4	6	10	14	23
B. *Operated*	3791	7.8	55	1	2	6	10	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	27793	8.7	60	2	2	7	11	17	22	40
B. *Operated*	12022	13.9	160	2	3	10	18	29	40	72
1. SINGLE DX	9454	6.1	38	1	1	4	8	13	17	29
2. MULTIPLE DX	39815	10.3	95	2	2	8	13	21	29	54
A. NOT OPERATED	33456	8.1	55	1	2	6	10	16	21	38
B. OPERATED	15813	12.4	141	2	2	9	16	27	36	65
TOTAL 0-19 YRS	4247	5.2	41	1	1	3	6	10	14	34
20-34	3666	7.0	63	1	1	4	8	15	21	42
35-49	5418	8.2	74	1	2	6	10	17	24	47
50-64	12041	9.1	76	1	2	7	11	19	26	48
65+	23897	11.1	100	2	3	8	14	22	30	54
GRAND TOTAL	**49269**	**9.5**	**87**	**1**	**2**	**7**	**12**	**20**	**27**	**50**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.0	4	<1	<1	3	4	5	7	9
20-34	235	3.0	6	<1	<1	2	4	6	8	12
35-49	142	3.2	9	<1	<1	2	4	7	9	16
50-64	91	3.8	16	<1	1	3	5	7	10	25
65+	37	4.2	15	<1	1	3	5	7	14	20
B. *Operated*										
0-19 YRS	10023	1.9	1	<1	<1	2	2	3	4	6
20-34	8873	2.2	2	<1	<1	2	2	4	5	7
35-49	2953	2.5	4	<1	1	2	3	4	5	9
50-64	1856	2.5	2	<1	1	2	3	4	5	9
65+	734	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	462	3.2	11	<1	<1	2	4	6	8	11
20-34	456	3.6	10	<1	<1	3	5	8	10	17
35-49	281	4.1	14	<1	<1	3	6	9	10	16
50-64	265	4.5	31	<1	1	3	5	9	13	26
65+	253	5.9	28	1	1	4	8	13	17	27
B. *Operated*										
0-19 YRS	4299	2.4	6	<1	<1	2	3	4	5	9
20-34	5136	2.8	8	<1	1	2	3	5	6	11
35-49	3330	2.9	9	1	1	2	3	5	7	14
50-64	3557	3.2	14	1	1	2	3	5	8	18
65+	2447	3.7	17	1	2	2	4	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	726	3.2	8	<1	<1	2	4	6	8	13
B. *Operated*	24439	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1717	4.0	18	<1	<1	3	5	8	11	20
B. *Operated*	18769	2.9	10	<1	1	2	3	5	7	15
1. SINGLE DX	25165	2.2	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX	20486	3.0	11	<1	1	2	3	5	7	16
A. NOT OPERATED	2443	3.8	15	<1	<1	3	5	8	10	18
B. OPERATED	43208	2.5	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	15005	2.1	3	<1	<1	2	2	4	5	7
20-34	14700	2.5	5	<1	1	2	3	4	5	9
35-49	6706	2.8	7	<1	1	2	3	5	7	12
50-64	5769	3.1	11	1	1	2	3	5	8	16
65+	3471	3.6	16	1	1	2	4	7	10	21
GRAND TOTAL	**45651**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	3.8	5	1	2	3	5	6	8	11
20-34	188	4.0	6	1	1	3	5	8	9	12
35-49	130	4.3	7	1	1	4	5	8	10	14
50-64	127	4.2	8	<1	1	4	5	8	10	14
65+	120	5.5	13	1	2	5	7	10	13	18
B. *Operated*										
0-19 YRS	631	2.5	3	<1	<1	2	3	5	6	10
20-34	683	3.1	5	<1	1	3	4	6	7	11
35-49	596	3.2	4	1	1	3	4	5	7	13
50-64	798	3.2	5	1	1	3	4	5	7	13
65+	591	3.8	9	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	649	4.3	6	1	2	4	5	7	9	13
20-34	223	4.6	9	1	2	4	6	8	11	16
35-49	209	5.7	15	1	2	5	7	10	13	20
50-64	300	6.6	22	2	2	6	8	12	16	26
65+	628	7.8	36	2	3	7	10	14	17	33
B. *Operated*										
0-19 YRS	290	3.7	18	<1	1	3	5	7	9	17
20-34	398	4.4	16	1	1	3	5	9	13	22
35-49	521	4.8	41	1	1	3	5	9	12	33
50-64	782	5.3	35	1	2	4	6	11	15	27
65+	826	6.5	55	1	2	4	7	14	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	979	4.2	7	1	1	4	5	7	10	14
B. *Operated*	3299	3.2	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	2009	5.9	21	1	2	5	7	11	14	25
B. *Operated*	2817	5.2	38	1	2	3	6	10	15	31
1. SINGLE DX	4278	3.4	6	<1	1	3	4	6	8	13
2. MULTIPLE DX	4826	5.5	31	1	2	4	7	11	14	27
A. NOT OPERATED	2988	5.3	17	1	2	4	7	10	13	21
B. OPERATED	6116	4.1	22	1	1	3	4	8	11	22
TOTAL 0-19 YRS	1984	3.5	7	<1	1	3	5	7	8	12
20-34	1492	3.8	9	1	1	3	5	7	9	16
35-49	1456	4.2	20	1	1	3	5	8	10	19
50-64	2007	4.6	21	1	1	3	5	9	12	22
65+	2165	6.1	37	1	2	4	7	12	17	31
GRAND TOTAL	**9104**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	796	3.5	10	1	1	3	4	7	9	16
20-34	773	3.5	6	<1	1	3	4	7	8	13
35-49	1124	3.6	8	1	1	3	5	7	8	13
50-64	1004	3.9	9	1	1	3	5	7	9	15
65+	780	4.4	14	1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	275	5.0	61	<1	1	2	6	10	17	30
20-34	381	5.2	18	1	1	4	8	10	13	23
35-49	528	6.3	39	1	1	5	8	12	14	26
50-64	740	6.0	30	1	1	5	8	12	15	29
65+	981	6.0	32	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	916	5.2	28	1	1	4	6	10	14	33
20-34	1744	4.7	12	1	2	4	6	8	10	18
35-49	3245	5.0	13	1	2	4	6	9	12	18
50-64	4454	5.5	17	1	2	5	7	10	13	20
65+	5778	6.8	33	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	313	9.7	149	1	2	6	12	21	37	89
20-34	812	7.7	58	1	2	6	9	14	18	43
35-49	1718	8.4	52	2	2	7	10	16	22	37
50-64	2962	8.8	64	1	2	7	11	18	23	49
65+	4651	10.5	108	2	2	8	13	22	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4477	3.8	9	1	1	3	5	7	9	15
B. *Operated*	2905	5.9	33	1	1	4	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	16137	5.8	23	1	2	5	7	11	14	24
B. *Operated*	10456	9.4	85	1	2	7	12	19	26	53
1. SINGLE DX	7382	4.6	20	1	1	3	6	9	12	21
2. MULTIPLE DX	26593	7.2	50	1	2	5	9	14	19	38
A. NOT OPERATED	20614	5.3	21	1	2	4	7	10	13	23
B. OPERATED	13361	8.7	76	1	2	7	11	17	24	49
TOTAL 0-19 YRS	2300	5.2	46	1	1	3	6	10	16	39
20-34	3710	5.1	23	1	1	4	7	10	12	23
35-49	6615	5.8	27	1	2	4	7	11	15	26
50-64	9160	6.4	35	1	2	5	8	12	17	30
65+	12190	8.0	65	1	2	6	10	16	22	44
GRAND TOTAL	**33975**	**6.7**	**45**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.5	12	1	2	4	6	8	9	20
20-34	404	4.4	9	1	1	4	6	8	10	15
35-49	599	4.9	11	1	2	4	6	9	11	16
50-64	608	4.9	11	1	2	4	6	9	11	16
65+	521	5.9	22	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	22	5.8	9	2	2	5	8	10	12	13
20-34	192	7.7	25	2	3	7	9	14	17	25
35-49	521	8.0	31	1	2	7	10	15	18	28
50-64	566	7.8	31	1	2	7	10	15	19	28
65+	517	8.5	42	1	2	7	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.6	22	2	2	4	6	11	17	24
20-34	594	6.0	17	2	2	5	7	11	13	20
35-49	1225	6.4	20	2	2	5	8	12	15	20
50-64	1875	6.8	20	2	2	6	8	12	15	22
65+	3236	8.3	38	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	27	7.4	19	2	2	7	11	13	16	17
20-34	332	9.2	55	2	3	7	11	17	24	40
35-49	992	9.1	48	2	3	8	11	16	21	34
50-64	1706	10.3	64	2	3	8	13	19	24	45
65+	2661	11.8	81	3	4	10	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2233	5.0	13	1	2	4	6	9	11	18
B. *Operated*	1818	8.0	33	1	2	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	7011	7.3	29	2	3	6	9	13	17	28
B. *Operated*	5718	10.7	70	2	3	9	13	20	26	45
1. SINGLE DX	4051	6.4	25	1	2	5	8	12	16	25
2. MULTIPLE DX	12729	8.9	50	2	3	7	11	17	22	36
A. NOT OPERATED	9244	6.8	26	2	2	6	8	12	16	27
B. OPERATED	7536	10.1	62	2	3	8	13	19	24	40
TOTAL 0-19 YRS	231	5.4	17	1	2	4	7	10	13	20
20-34	1522	6.5	27	1	2	5	8	12	15	26
35-49	3337	7.2	31	2	2	6	9	14	17	26
50-64	4755	7.9	40	2	2	6	10	15	19	33
65+	6935	9.5	57	2	3	8	12	18	24	38
GRAND TOTAL	**16780**	**8.3**	**45**	**2**	**3**	**7**	**10**	**16**	**20**	**34**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.6	7	1	2	4	6	9	10	11
20-34	160	4.4	6	2	2	4	6	7	9	12
35-49	318	5.2	7	2	2	5	6	8	10	15
50-64	485	5.4	7	2	3	5	7	8	10	14
65+	563	6.9	18	2	3	6	8	11	16	22
B. *Operated*										
0-19 YRS	13	6.2	6	1	3	7	8	9	11	11
20-34	140	9.0	22	3	4	8	11	15	19	25
35-49	240	9.0	24	3	4	8	11	15	17	27
50-64	393	9.7	33	3	4	8	12	16	20	33
65+	479	11.2	50	3	4	10	15	20	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.1	4	2	2	6	6	8	8	9
20-34	193	5.6	13	2	2	5	7	9	12	23
35-49	494	6.2	12	2	3	5	8	10	13	20
50-64	1217	7.3	26	3	3	6	9	12	16	26
65+	2821	9.4	46	3	4	8	11	16	21	37
B. *Operated*										
0-19 YRS	22	9.2	65	2	3	7	10	24	28	33
20-34	153	12.6	120	3	4	9	15	24	37	53
35-49	456	11.9	122	3	4	9	13	22	31	57
50-64	1145	13.1	107	4	5	10	16	24	32	59
65+	2852	15.2	148	4	5	12	19	29	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1579	5.8	12	2	3	5	7	9	12	19
B. *Operated*	1265	10.0	37	3	4	9	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	4756	8.4	38	3	3	7	10	15	19	33
B. *Operated*	4628	14.2	136	4	5	11	17	27	37	73
1. SINGLE DX	2844	7.7	28	2	3	6	9	14	17	26
2. MULTIPLE DX	9384	11.2	95	3	4	8	14	21	29	55
A. NOT OPERATED	6335	7.7	33	2	3	6	9	14	18	31
B. OPERATED	5893	13.3	118	4	5	10	16	25	34	63
TOTAL 0-19 YRS	119	5.8	19	1	2	5	7	9	11	27
20-34	646	7.7	48	2	3	6	9	14	20	39
35-49	1508	8.2	54	2	3	6	10	14	19	38
50-64	3240	9.3	62	3	3	7	11	17	23	43
65+	6715	11.8	97	3	4	9	14	22	30	56
GRAND TOTAL	**12228**	**10.4**	**81**	**3**	**4**	**8**	**13**	**20**	**26**	**51**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	625	3.7	6	1	1	3	5	7	8	12
20-34	2242	4.1	6	1	2	4	5	7	9	12
35-49	2366	4.4	8	1	2	4	6	8	10	14
50-64	1703	4.8	8	1	2	4	6	8	10	15
65+	1094	5.4	12	2	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	23	5.6	8	1	2	6	8	9	11	13
20-34	317	9.3	27	2	3	8	11	16	20	28
35-49	516	9.9	36	3	4	9	12	17	21	28
50-64	399	9.3	30	2	3	9	11	16	20	30
65+	185	9.8	38	1	3	9	12	17	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	491	4.8	10	1	2	4	6	9	12	17
20-34	2536	5.2	12	2	2	4	7	9	12	17
35-49	3868	5.7	14	2	2	5	7	10	13	20
50-64	4782	6.1	17	2	2	5	8	11	13	21
65+	6101	7.7	30	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	35	9.9	129	3	3	6	12	21	29	64
20-34	531	9.7	44	2	3	8	12	17	22	37
35-49	1036	11.0	66	3	4	9	14	20	25	41
50-64	1413	11.5	75	3	4	9	14	21	28	47
65+	1496	13.0	98	3	4	10	16	25	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8030	4.5	8	1	2	4	6	8	10	14
B. *Operated*	1440	9.5	32	2	3	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	17778	6.4	21	2	2	5	8	11	14	23
B. *Operated*	4511	11.6	79	3	4	9	14	22	27	47
1. SINGLE DX	9470	5.3	15	1	2	4	7	10	12	20
2. MULTIPLE DX	22289	7.5	37	2	3	6	9	14	18	32
A. NOT OPERATED	25808	5.8	18	2	2	5	7	10	13	22
B. OPERATED	5951	11.1	68	3	4	9	14	20	26	45
TOTAL 0-19 YRS	1174	4.4	13	1	2	4	5	8	10	17
20-34	5626	5.4	17	1	2	4	7	10	13	21
35-49	7786	6.3	25	2	2	5	8	12	15	25
50-64	8297	6.9	31	2	2	6	8	13	16	29
65+	8876	8.3	45	2	3	7	10	15	20	37
GRAND TOTAL	**31759**	**6.8**	**32**	**2**	**2**	**5**	**8**	**13**	**17**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	4.2	5	1	2	4	5	7	8	13
20-34	895	4.7	7	2	2	4	6	8	9	13
35-49	1088	5.1	7	2	2	5	6	8	10	13
50-64	1233	5.6	9	2	3	5	7	9	11	15
65+	1244	6.6	13	2	3	6	8	11	13	20
B. *Operated*										
0-19 YRS	41	6.3	11	2	2	6	8	10	12	15
20-34	339	9.2	27	4	5	8	10	14	17	30
35-49	489	9.9	22	5	5	9	12	16	19	28
50-64	584	10.3	39	4	5	9	12	17	21	36
65+	519	13.2	58	5	6	11	16	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	5.7	14	2	2	5	7	11	12	19
20-34	705	5.4	11	2	2	5	7	9	12	18
35-49	1270	5.9	13	2	3	5	7	10	12	20
50-64	2542	7.0	21	2	3	6	9	12	15	24
65+	4656	9.2	49	3	4	8	11	16	21	41
B. *Operated*										
0-19 YRS	38	13.0	170	3	4	9	14	25	37	75
20-34	262	12.7	125	4	5	10	14	24	30	63
35-49	600	12.7	87	4	5	10	15	23	29	51
50-64	1219	14.7	120	4	6	12	18	27	37	70
65+	2435	18.5	188	5	7	14	23	36	48	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4614	5.5	9	2	2	5	7	9	11	16
B. *Operated*	1972	10.7	40	4	5	9	12	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	9296	7.8	35	2	3	6	9	14	18	32
B. *Operated*	4554	16.4	159	5	6	13	20	31	43	77
1. SINGLE DX	6586	7.1	24	2	3	6	9	12	16	26
2. MULTIPLE DX	13850	10.6	92	3	3	8	13	20	28	56
A. NOT OPERATED	13910	7.1	28	2	3	6	8	12	16	28
B. OPERATED	6526	14.7	129	4	6	11	17	27	38	67
TOTAL 0-19 YRS	356	5.9	33	1	2	5	7	11	14	26
20-34	2201	6.6	33	2	2	5	8	11	15	28
35-49	3447	7.4	34	2	3	6	9	13	17	29
50-64	5578	8.7	53	3	3	7	10	16	21	40
65+	8854	11.6	103	3	4	9	14	22	31	59
GRAND TOTAL	**20436**	**9.5**	**73**	**2**	**3**	**7**	**11**	**18**	**25**	**49**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.6	3	1	2	3	5	6	6	6
20-34	45	6.0	13	2	3	5	7	10	13	19
35-49	66	6.2	13	2	2	5	7	12	14	17
50-64	87	6.5	11	2	2	6	9	11	13	17
65+	109	8.8	33	3	3	7	11	16	19	35
B. *Operated*										
0-19 YRS	7	8.1	30	<1	1	9	11	16	17	17
20-34	61	11.2	32	2	6	10	13	20	22	29
35-49	151	13.4	50	5	6	12	16	21	26	41
50-64	187	14.3	65	5	7	13	18	22	26	52
65+	153	15.3	67	5	7	14	17	26	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.0	28	2	2	3	11	14	14	14
20-34	44	9.0	82	2	3	7	11	13	20	60
35-49	122	6.8	14	2	3	6	9	11	13	23
50-64	194	7.3	15	2	3	7	10	12	14	20
65+	400	10.4	49	3	4	9	13	20	25	34
B. *Operated*										
0-19 YRS	4	14.0	21	10	10	13	17	20	20	20
20-34	66	15.8	76	6	7	14	21	30	32	45
35-49	254	16.2	119	5	7	13	21	29	39	77
50-64	414	18.6	154	6	7	16	23	34	42	69
65+	632	21.2	202	6	8	17	26	41	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	7.0	21	2	3	6	9	12	16	22
B. *Operated*	559	13.9	59	5	6	12	17	22	28	43
2. MULTIPLE DX										
A. *Not Operated*	767	8.9	39	2	3	7	11	16	21	32
B. *Operated*	1370	19.2	170	6	7	16	24	36	47	83
1. SINGLE DX	879	11.4	56	3	4	10	15	20	25	37
2. MULTIPLE DX	2137	15.5	147	3	5	12	20	30	40	66
A. NOT OPERATED	1087	8.4	34	2	3	7	10	15	19	31
B. OPERATED	1929	17.7	143	6	7	15	22	32	42	70
TOTAL 0-19 YRS	31	6.5	27	1	2	4	10	14	17	20
20-34	216	11.1	64	2	3	9	14	21	25	40
35-49	593	12.4	85	3	4	10	16	23	30	50
50-64	882	14.0	116	3	5	11	18	25	35	56
65+	1294	16.1	152	4	5	13	20	31	42	65
GRAND TOTAL	**3016**	**14.3**	**124**	**3**	**4**	**11**	**18**	**27**	**36**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2854	2.8	3	1	1	2	4	5	6	9
20-34	4485	3.4	6	1	1	3	4	6	8	11
35-49	3282	3.9	7	1	1	3	5	7	9	13
50-64	2118	4.2	10	1	1	3	5	7	9	15
65+	1304	4.9	15	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	72	4.9	10	1	2	4	6	9	11	17
20-34	328	5.8	17	<1	1	5	8	11	14	20
35-49	419	7.0	32	<1	2	6	9	13	16	27
50-64	372	6.7	34	<1	1	5	9	13	18	29
65+	267	7.3	41	<1	1	5	9	14	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3915	3.5	5	1	1	3	4	6	8	11
20-34	7905	4.6	11	1	2	4	6	8	10	16
35-49	9252	5.4	14	2	2	4	7	10	12	19
50-64	9724	5.9	17	2	2	5	7	11	13	21
65+	11571	7.2	33	2	3	6	9	13	16	30
B. *Operated*										
0-19 YRS	173	7.0	31	2	2	6	9	12	16	36
20-34	1229	7.9	38	2	3	6	10	15	18	30
35-49	2033	9.1	49	2	3	8	11	16	21	35
50-64	2557	9.6	56	2	3	8	12	18	23	41
65+	3122	11.2	71	3	4	9	14	21	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14043	3.7	7	1	1	3	5	7	8	13
B. *Operated*	1458	6.6	30	<1	1	5	8	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	42367	5.7	20	1	2	5	7	10	13	22
B. *Operated*	9114	9.7	58	2	3	8	12	18	24	40
1. SINGLE DX	15501	3.9	10	1	1	3	5	7	9	16
2. MULTIPLE DX	51481	6.4	29	2	2	5	8	12	16	28
A. NOT OPERATED	56410	5.2	18	1	2	4	6	10	12	20
B. OPERATED	10572	9.3	55	2	3	8	11	17	23	39
TOTAL 0-19 YRS	7014	3.3	6	1	1	3	4	6	7	12
20-34	13947	4.6	13	1	1	4	6	8	11	18
35-49	14986	5.6	20	1	2	4	7	10	13	22
50-64	14771	6.3	26	1	2	5	8	12	15	26
65+	16264	7.8	42	2	3	6	9	15	19	34
GRAND TOTAL	**66982**	**5.8**	**26**	**1**	**2**	**4**	**7**	**11**	**15**	**26**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	618	3.2	5	1	1	3	4	6	7	11
20-34	942	3.6	6	1	1	3	4	7	8	12
35-49	786	4.1	9	1	1	3	5	7	9	15
50-64	548	4.2	9	1	1	3	5	8	10	15
65+	384	5.0	13	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	322	4.5	8	2	2	4	5	8	9	12
20-34	99	9.0	58	2	3	7	11	18	29	37
35-49	163	11.3	44	3	4	10	14	20	23	39
50-64	154	12.8	90	2	3	11	17	24	31	46
65+	142	15.4	122	2	3	14	22	31	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	725	3.6	7	1	1	3	4	7	8	13
20-34	1586	4.8	14	1	2	4	6	9	11	19
35-49	1843	5.3	15	1	2	4	7	10	13	20
50-64	2029	5.9	21	1	2	5	7	11	15	23
65+	2548	7.0	34	2	2	6	9	13	17	31
B. *Operated*										
0-19 YRS	123	8.2	55	2	3	6	10	14	19	49
20-34	307	10.8	80	2	3	8	14	20	28	44
35-49	591	12.6	94	2	3	10	16	24	31	51
50-64	785	15.3	146	3	5	12	19	30	40	65
65+	1041	19.4	220	3	5	16	25	38	49	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3278	3.9	8	1	1	3	5	7	9	15
B. *Operated*	880	9.5	70	2	3	7	12	21	27	42
2. MULTIPLE DX										
A. *Not Operated*	8731	5.7	22	1	2	4	7	11	14	23
B. *Operated*	2847	15.4	163	3	4	12	20	32	41	70
1. SINGLE DX	4158	5.1	26	1	1	4	6	10	15	29
2. MULTIPLE DX	11578	8.1	74	2	2	5	10	17	24	46
A. NOT OPERATED	12009	5.2	19	1	2	4	6	10	13	22
B. OPERATED	3727	14.0	148	2	3	11	18	29	38	65
TOTAL 0-19 YRS	1788	4.0	11	1	1	3	5	7	9	15
20-34	2934	5.2	25	1	2	4	6	10	13	28
35-49	3383	6.6	39	1	2	5	8	14	18	32
50-64	3516	8.0	68	1	2	5	10	17	23	44
65+	4115	10.2	113	2	2	7	13	22	32	56
GRAND TOTAL	**15736**	**7.3**	**63**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	2.9	7	<1	1	2	4	5	7	13
20-34	132	2.7	5	<1	1	2	3	5	6	13
35-49	48	3.3	6	<1	1	3	4	7	8	12
50-64	21	5.0	13	<1	1	4	7	11	13	14
65+	11	4.3	16	<1	<1	3	5	10	15	15
B. *Operated*										
0-19 YRS	18698	3.7	3	2	2	3	4	5	7	10
20-34	12910	4.0	3	2	2	4	5	6	7	10
35-49	3561	4.5	5	2	2	4	5	7	8	12
50-64	1535	5.3	7	2	3	5	6	8	10	16
65+	539	6.5	11	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	2.8	5	1	1	2	4	5	6	13
20-34	74	3.4	6	1	1	3	5	7	8	11
35-49	27	4.3	7	1	1	4	6	8	10	12
50-64	19	5.7	11	1	2	5	8	10	13	14
65+	28	9.4	33	2	3	9	12	14	25	26
B. *Operated*										
0-19 YRS	2740	5.3	11	2	3	4	6	9	12	19
20-34	2558	5.7	16	2	3	5	7	9	12	20
35-49	1037	7.0	23	3	3	6	8	13	16	25
50-64	815	8.4	37	3	4	7	10	15	18	33
65+	565	10.8	68	4	4	9	13	19	24	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	3.0	7	<1	1	2	4	6	7	14
B. *Operated*	37243	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	240	4.2	13	1	1	3	6	9	11	15
B. *Operated*	7715	6.4	24	2	3	5	7	11	15	24
1. SINGLE DX	37649	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX	7955	6.3	23	2	3	5	7	11	15	24
A. NOT OPERATED	646	3.5	9	<1	1	3	4	7	9	14
B. OPERATED	44958	4.4	8	2	2	4	5	7	9	15
TOTAL 0-19 YRS	21724	3.9	4	2	2	4	4	6	7	12
20-34	15674	4.2	6	2	2	4	5	6	8	12
35-49	4673	5.0	10	2	3	4	6	8	10	18
50-64	2390	6.4	20	3	3	5	7	11	14	22
65+	1143	8.7	44	3	4	7	10	15	20	32
GRAND TOTAL	**45604**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	7.4	18	2	2	7	11	13	14	20
20-34	54	7.7	16	2	3	7	10	15	16	19
35-49	31	7.3	13	2	3	7	9	12	13	19
50-64	29	7.9	14	3	3	8	10	13	15	16
65+	20	10.6	22	2	5	10	15	16	18	20
B. *Operated*										
0-19 YRS	3698	7.3	14	3	3	7	9	12	14	20
20-34	2165	7.1	12	3	3	7	9	11	13	18
35-49	1249	8.0	14	3	4	7	10	12	14	22
50-64	1026	9.1	18	4	5	8	11	14	17	25
65+	537	10.9	29	5	6	10	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	8.9	32	2	2	8	14	16	18	21
20-34	23	8.9	12	3	5	9	12	13	15	16
35-49	22	9.2	23	4	5	8	11	16	19	23
50-64	23	13.4	73	3	4	12	18	23	33	35
65+	36	10.4	29	3	5	10	13	18	22	26
B. *Operated*										
0-19 YRS	1566	10.3	41	4	5	9	12	17	22	33
20-34	1095	10.4	41	4	5	9	12	18	22	34
35-49	849	11.6	51	5	6	10	14	18	23	41
50-64	1171	13.8	82	6	7	11	16	24	30	57
65+	1197	16.3	101	7	8	13	20	29	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	7.8	17	2	3	7	10	13	15	20
B. *Operated*	8675	7.8	16	3	4	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	127	10.2	35	3	4	9	13	17	21	33
B. *Operated*	5878	12.4	68	5	6	10	15	22	28	47
1. SINGLE DX	8882	7.8	16	3	4	7	10	12	15	22
2. MULTIPLE DX	6005	12.4	67	4	6	10	15	22	28	47
A. NOT OPERATED	334	8.7	25	2	3	8	11	15	17	24
B. OPERATED	14553	9.7	42	3	4	8	11	16	21	36
TOTAL 0-19 YRS	5360	8.2	23	3	4	7	10	13	16	26
20-34	3337	8.2	24	3	4	7	10	13	17	26
35-49	2151	9.5	32	4	5	8	11	15	19	31
50-64	2249	11.5	57	4	5	10	13	19	25	44
65+	1790	14.5	84	6	7	12	17	26	33	53
GRAND TOTAL	**14887**	**9.6**	**42**	**3**	**4**	**8**	**11**	**16**	**21**	**36**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	2.3	2	1	1	2	3	4	5	7
20-34	243	2.5	3	1	1	2	3	4	6	9
35-49	71	2.9	4	1	1	3	4	5	6	13
50-64	29	3.7	6	1	1	3	4	8	9	11
65+	11	3.5	4	1	1	4	5	6	7	7
B. *Operated*										
0-19 YRS	1761	4.2	4	2	2	4	5	6	8	12
20-34	1172	4.5	6	2	2	4	5	7	9	13
35-49	326	5.2	7	2	3	5	6	8	10	15
50-64	147	6.8	23	3	3	5	8	11	17	31
65+	56	7.4	16	3	4	6	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	2.8	4	1	1	2	4	5	7	10
20-34	138	3.1	6	1	1	3	4	6	8	12
35-49	39	3.9	4	1	2	4	5	7	7	8
50-64	33	4.7	10	1	2	4	6	9	11	16
65+	23	6.6	23	1	2	5	8	15	17	18
B. *Operated*										
0-19 YRS	921	5.3	13	2	3	4	6	9	11	17
20-34	785	6.1	18	3	3	5	7	10	13	21
35-49	221	7.8	22	3	3	6	9	14	17	26
50-64	152	9.9	50	3	4	8	12	20	24	30
65+	108	12.1	64	4	5	10	15	22	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	665	2.5	3	1	1	2	3	5	6	9
B. *Operated*	3462	4.6	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	421	3.4	7	1	1	3	4	6	8	16
B. *Operated*	2187	6.5	24	2	3	5	8	11	15	25
1. SINGLE DX	4127	4.7	6	1	2	4	5	7	9	14
2. MULTIPLE DX	2608	6.0	22	2	2	5	7	11	14	24
A. NOT OPERATED	1086	2.9	5	1	1	2	4	5	7	11
B. OPERATED	5649	5.3	14	2	3	4	6	9	12	20
TOTAL 0-19 YRS	3181	4.2	7	1	2	4	5	7	9	14
20-34	2338	4.8	11	1	2	4	6	8	10	16
35-49	657	5.7	14	2	2	5	7	10	13	21
50-64	361	7.7	36	2	3	6	9	15	20	30
65+	198	9.7	50	3	3	8	12	19	22	30
GRAND TOTAL	**6735**	**4.9**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	1.4	1	<1	<1	1	2	2	3	5
20-34	79	2.1	2	<1	<1	2	3	4	4	10
35-49	68	2.2	2	<1	<1	2	3	4	5	8
50-64	79	2.8	5	<1	<1	2	4	6	8	10
65+	99	3.5	14	<1	1	2	4	8	10	20
B. *Operated*										
0-19 YRS	13699	2.0	2	<1	<1	2	2	4	4	6
20-34	13581	3.4	2	1	2	3	4	5	6	8
35-49	12835	3.8	3	2	2	4	5	6	6	9
50-64	18746	4.1	3	2	2	4	5	6	7	10
65+	13825	4.6	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	1.5	4	<1	<1	1	1	2	4	11
20-34	121	2.2	5	<1	<1	1	3	5	7	11
35-49	150	2.5	6	<1	<1	2	3	5	6	14
50-64	289	3.4	13	<1	<1	2	4	7	9	18
65+	594	4.6	32	1	1	3	6	10	13	26
B. *Operated*										
0-19 YRS	6865	2.2	3	<1	<1	2	3	4	5	9
20-34	4314	4.1	5	2	2	4	5	6	8	12
35-49	6388	4.7	8	2	2	4	5	7	9	15
50-64	13530	5.3	12	2	3	5	6	9	11	18
65+	16104	6.8	26	2	3	5	8	12	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	2.3	5	<1	<1	1	3	4	6	11
B. *Operated*	72686	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1745	3.0	17	<1	<1	1	4	6	9	19
B. *Operated*	47201	5.2	17	1	2	4	6	9	12	21
1. SINGLE DX	73183	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX	48946	5.1	17	1	2	4	6	9	12	21
A. NOT OPERATED	2242	2.9	15	<1	<1	1	3	6	9	17
B. OPERATED	119887	4.2	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	21327	2.1	2	<1	<1	2	2	4	4	7
20-34	18095	3.5	3	1	2	3	4	5	6	9
35-49	19441	4.0	5	2	2	4	5	6	7	12
50-64	32644	4.6	7	2	2	4	5	7	9	15
65+	30622	5.8	18	2	3	5	7	10	13	23
GRAND TOTAL	**122129**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	1.9	8	<1	<1	1	2	3	4	19
20-34	12	2.1	3	1	1	1	3	5	6	6
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	24	2.0	2	<1	<1	1	3	4	5	6
65+	53	3.2	7	<1	1	2	5	6	8	14
B. *Operated*										
0-19 YRS	1001	2.2	2	<1	1	2	3	4	5	7
20-34	452	3.9	3	2	2	4	5	6	7	11
35-49	380	4.4	6	2	2	4	5	7	9	11
50-64	712	4.8	6	2	2	4	6	7	9	13
65+	1060	6.4	13	2	3	5	8	10	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.3	3	<1	<1	2	3	5	6	8
20-34	10	2.9	5	<1	<1	2	4	6	8	8
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	28	3.8	9	1	1	3	6	8	9	11
65+	130	6.1	45	1	1	4	8	11	16	39
B. *Operated*										
0-19 YRS	579	3.0	10	1	1	2	4	6	8	16
20-34	206	4.7	8	2	2	4	6	8	9	15
35-49	233	6.4	19	2	3	5	8	12	14	23
50-64	742	7.5	35	3	3	6	9	13	18	31
65+	2232	10.6	87	3	4	8	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.4	6	<1	<1	1	3	5	6	15
B. *Operated*	3605	4.4	9	1	1	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	211	4.8	32	1	1	3	6	10	14	30
B. *Operated*	3992	8.4	66	1	2	6	10	16	22	42
1. SINGLE DX	3741	4.3	9	1	1	4	5	8	10	16
2. MULTIPLE DX	4203	8.2	65	1	2	6	10	16	21	42
A. NOT OPERATED	347	3.9	23	<1	1	2	5	9	11	25
B. OPERATED	7597	6.5	43	1	2	5	8	12	17	35
TOTAL 0-19 YRS	1661	2.4	5	<1	1	2	3	4	6	10
20-34	680	4.1	5	1	2	4	5	7	8	12
35-49	622	5.1	12	2	2	4	6	9	11	21
50-64	1506	6.1	23	2	3	5	7	10	13	27
65+	3475	9.0	66	2	3	7	11	17	22	43
GRAND TOTAL	**7944**	**6.4**	**43**	**1**	**1**	**5**	**8**	**12**	**17**	**34**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	5	<1	<1	1	2	4	8	10
20-34	9	2.9	9	1	1	2	4	8	10	10
35-49	10	3.1	10	1	1	2	3	9	10	10
50-64	8	2.0	2	<1	<1	1	3	4	4	4
65+	6	5.3	29	<1	<1	4	5	15	16	16
B. *Operated*										
0-19 YRS	2197	2.0	1	<1	<1	2	2	3	4	6
20-34	870	3.2	3	1	1	3	4	5	6	9
35-49	1086	3.5	5	1	2	3	4	6	7	10
50-64	828	3.8	4	1	2	3	5	6	7	11
65+	355	4.5	9	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	1.7	3	<1	<1	1	1	4	5	10
20-34	23	2.2	6	<1	<1	1	3	5	9	10
35-49	45	2.7	4	<1	<1	2	4	6	6	11
50-64	53	5.2	24	<1	1	4	7	13	17	22
65+	70	6.5	40	1	1	5	7	15	17	33
B. *Operated*										
0-19 YRS	452	2.6	4	<1	1	2	3	5	7	10
20-34	436	4.7	11	1	2	4	6	8	9	15
35-49	815	4.9	11	2	2	4	6	9	11	17
50-64	928	6.1	23	2	2	5	7	11	14	23
65+	634	8.4	49	2	3	7	10	16	21	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.8	9	<1	<1	1	3	6	10	16
B. *Operated*	5336	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	294	3.7	20	<1	<1	2	5	8	12	22
B. *Operated*	3265	5.6	24	1	2	4	7	10	14	23
1. SINGLE DX	5387	3.0	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	3559	5.4	24	1	2	4	7	10	14	23
A. NOT OPERATED	345	3.5	18	<1	<1	2	4	8	11	22
B. OPERATED	8601	4.0	13	1	1	3	5	7	10	17
TOTAL 0-19 YRS	2770	2.1	2	<1	<1	2	2	3	4	8
20-34	1338	3.7	6	1	2	3	4	6	8	10
35-49	1956	4.1	8	1	2	3	5	7	9	14
50-64	1817	5.0	16	1	2	4	6	9	11	19
65+	1065	7.0	38	2	2	5	8	14	17	32
GRAND TOTAL	**8946**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	12	3.8	9	1	1	3	4	8	11	12
35-49	26	3.0	4	<1	<1	3	4	7	7	8
50-64	42	3.2	7	<1	<1	2	4	6	9	14
65+	49	4.4	14	1	1	3	5	8	14	21
B. *Operated*										
0-19 YRS	475	2.4	2	<1	1	2	3	4	6	7
20-34	1434	4.1	5	1	2	4	5	7	8	11
35-49	2301	5.2	8	2	2	5	6	8	10	15
50-64	2812	6.0	11	2	3	5	7	10	11	18
65+	1860	6.6	12	3	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	9	<1	<1	2	4	8	10	10
20-34	50	3.2	10	<1	<1	2	4	7	11	15
35-49	116	4.7	30	<1	1	4	6	9	11	30
50-64	236	5.5	48	1	1	4	7	10	14	30
65+	376	6.0	33	1	1	4	7	12	18	33
B. *Operated*										
0-19 YRS	124	4.0	15	<1	1	3	5	8	14	18
20-34	918	5.9	14	2	3	5	7	9	13	23
35-49	2010	7.4	24	2	3	6	9	13	16	26
50-64	3141	8.3	31	3	4	7	10	14	18	30
65+	2980	10.1	52	3	4	8	12	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.6	9	<1	1	3	4	7	9	17
B. *Operated*	8882	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	788	5.5	36	1	1	4	7	11	15	30
B. *Operated*	9173	8.4	37	3	3	7	10	15	19	31
1. SINGLE DX	9016	5.4	10	2	2	5	7	9	11	16
2. MULTIPLE DX	9961	8.1	37	2	3	7	10	15	19	31
A. NOT OPERATED	922	5.2	32	1	1	4	6	10	14	29
B. OPERATED	18055	6.9	26	2	3	6	8	12	16	26
TOTAL 0-19 YRS	614	2.8	5	<1	1	2	3	5	6	14
20-34	2414	4.7	9	1	2	4	6	8	10	16
35-49	4453	6.1	17	2	2	5	8	10	13	21
50-64	6231	7.1	24	2	3	6	9	12	16	25
65+	5265	8.5	40	2	3	7	10	15	19	32
GRAND TOTAL	**18977**	**6.8**	**26**	**2**	**2**	**6**	**8**	**12**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	3	1	2	3	4	5	6	8
20-34	222	3.9	5	1	2	3	5	7	8	12
35-49	603	4.0	8	1	2	3	5	7	9	16
50-64	840	4.1	6	1	2	4	5	7	9	13
65+	686	4.7	10	2	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	33	3.5	9	<1	1	2	5	7	9	14
20-34	81	7.8	15	2	3	8	9	12	15	22
35-49	178	8.0	14	3	4	8	9	13	14	20
50-64	237	8.0	16	2	3	8	10	12	15	27
65+	166	10.3	45	2	3	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.5	6	2	2	4	6	9	10	13
20-34	877	4.8	10	1	2	4	6	9	11	16
35-49	2822	4.9	11	1	2	4	6	9	11	17
50-64	5167	5.3	12	2	2	4	7	9	11	18
65+	7815	6.3	21	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	34	8.3	35	2	2	7	10	16	23	26
20-34	444	9.1	41	2	4	8	11	16	22	29
35-49	1150	9.5	38	2	4	8	11	16	20	33
50-64	1928	9.7	42	2	3	9	12	17	21	35
65+	2017	11.2	81	2	3	9	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2376	4.2	8	1	2	4	5	7	9	14
B. *Operated*	695	8.3	24	2	3	8	10	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	16757	5.7	16	2	2	5	7	10	13	20
B. *Operated*	5573	10.2	56	2	3	9	12	18	24	40
1. SINGLE DX	3071	5.1	14	1	2	4	7	9	12	19
2. MULTIPLE DX	22330	6.8	30	2	2	5	8	12	16	28
A. NOT OPERATED	19133	5.5	15	2	2	5	7	10	12	19
B. OPERATED	6268	9.9	53	2	3	8	12	18	23	39
TOTAL 0-19 YRS	168	4.9	15	1	2	4	6	9	12	23
20-34	1624	6.0	22	1	2	5	8	11	14	24
35-49	4753	6.0	21	2	2	5	8	11	14	23
50-64	8172	6.3	22	2	2	5	8	12	15	24
65+	10684	7.2	36	2	3	6	9	13	17	31
GRAND TOTAL	**25401**	**6.6**	**28**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	7	<1	<1	2	3	7	9	9
20-34	15	3.8	10	1	1	3	4	7	12	14
35-49	30	5.5	28	1	1	3	6	12	16	26
50-64	18	5.5	25	<1	<1	4	8	14	15	16
65+	18	4.9	7	1	1	5	6	8	10	11
B. *Operated*										
0-19 YRS	86	2.7	2	1	1	2	4	5	5	9
20-34	299	3.7	3	1	2	3	4	6	7	10
35-49	452	4.3	6	2	2	4	5	7	9	13
50-64	467	4.6	6	2	2	4	5	7	9	15
65+	457	5.6	17	2	2	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	<1	<1	2	3	4	4	4
20-34	23	4.3	6	1	1	4	6	8	9	10
35-49	43	5.3	17	1	2	4	7	11	13	21
50-64	57	5.0	15	1	1	4	6	9	12	21
65+	112	5.5	15	1	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	49	5.0	80	1	2	3	4	8	10	64
20-34	149	6.4	37	2	3	5	7	12	16	28
35-49	251	6.6	25	2	3	5	8	11	15	35
50-64	389	7.0	24	2	3	6	9	12	15	29
65+	629	8.9	46	3	3	7	10	17	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.8	18	<1	1	3	6	11	14	22
B. *Operated*	1761	4.5	9	2	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	243	5.1	15	1	1	4	7	10	12	21
B. *Operated*	1467	7.6	38	2	3	6	9	14	19	35
1. SINGLE DX	1851	4.5	9	1	2	4	5	8	9	15
2. MULTIPLE DX	1710	7.2	36	2	3	6	9	13	18	33
A. NOT OPERATED	333	5.0	16	1	1	4	6	10	13	21
B. OPERATED	3228	5.9	25	2	2	5	7	10	14	27
TOTAL 0-19 YRS	152	3.4	28	<1	1	3	4	5	8	13
20-34	486	4.5	15	1	2	4	5	7	10	19
35-49	776	5.1	15	2	2	4	6	9	12	22
50-64	931	5.6	16	2	2	5	7	10	13	20
65+	1216	7.3	34	2	3	6	9	13	18	30
GRAND TOTAL	**3561**	**5.8**	**24**	**2**	**2**	**5**	**7**	**10**	**14**	**26**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	27	3.2	14	<1	<1	2	4	7	10	19
50-64	43	3.7	14	<1	1	3	5	7	11	19
65+	87	4.9	22	1	2	3	6	10	13	28
B. *Operated*										
0-19 YRS	179	2.9	4	<1	1	2	3	5	7	12
20-34	439	4.1	7	1	2	3	5	7	9	15
35-49	757	4.9	11	2	2	4	6	9	11	18
50-64	935	6.0	14	2	3	5	8	10	13	20
65+	1097	8.2	30	3	3	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	1	<1	<1	2	3	4	4	4
20-34	17	4.1	6	1	1	4	5	7	9	10
35-49	49	5.0	18	1	2	4	6	10	13	22
50-64	127	6.4	36	1	2	5	8	13	17	33
65+	374	8.0	43	2	2	6	10	16	21	36
B. *Operated*										
0-19 YRS	55	7.0	48	1	2	5	9	13	22	39
20-34	208	6.5	31	2	2	5	8	12	17	30
35-49	710	8.0	46	2	3	6	10	15	18	27
50-64	1353	10.0	59	3	4	8	12	18	25	45
65+	2553	13.4	119	4	5	10	16	26	36	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.0	18	<1	1	3	5	8	12	19
B. *Operated*	3407	6.1	20	2	2	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	580	7.2	39	1	2	5	9	15	19	30
B. *Operated*	4879	11.3	93	3	4	9	14	21	29	59
1. SINGLE DX	3579	6.0	20	2	2	5	8	11	14	23
2. MULTIPLE DX	5459	10.8	89	2	3	8	13	21	28	54
A. NOT OPERATED	752	6.4	36	1	2	5	8	13	18	30
B. OPERATED	8286	9.1	69	2	3	7	11	17	24	45
TOTAL 0-19 YRS	254	3.7	16	<1	1	3	4	7	10	23
20-34	672	4.8	15	1	2	4	6	8	11	19
35-49	1543	6.3	30	2	2	5	8	12	15	23
50-64	2458	8.2	44	2	3	7	10	15	22	38
65+	4111	11.3	93	3	4	9	14	21	30	57
GRAND TOTAL	**9038**	**8.9**	**67**	**2**	**3**	**7**	**11**	**17**	**23**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	3.0	6	1	1	2	4	6	8	12
20-34	890	4.5	10	1	1	4	6	8	10	15
35-49	1364	4.8	12	1	2	4	6	8	11	20
50-64	1736	5.2	19	1	2	4	7	9	11	17
65+	2269	5.9	16	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	498	7.0	19	2	3	6	9	11	14	22
20-34	691	10.0	30	4	5	9	12	16	20	30
35-49	866	11.4	43	5	6	10	13	19	25	39
50-64	976	11.9	38	6	7	10	14	19	23	32
65+	1243	14.5	73	6	7	12	17	24	29	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	4.6	24	1	1	3	6	9	11	23
20-34	955	5.8	22	1	2	5	7	10	14	26
35-49	1572	6.6	31	2	2	5	8	12	15	28
50-64	3099	7.0	28	2	2	6	9	12	16	28
65+	7835	9.0	49	2	3	7	11	17	22	37
B. *Operated*										
0-19 YRS	458	10.0	60	3	4	8	12	18	24	45
20-34	969	13.2	100	5	6	11	16	24	31	58
35-49	1459	15.1	130	5	6	12	17	27	37	67
50-64	2649	17.5	146	6	7	14	21	32	43	74
65+	5513	20.0	170	7	9	16	24	37	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6843	5.1	15	1	2	4	6	9	12	18
B. *Operated*	4274	11.7	51	4	5	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	13852	7.9	41	2	2	6	10	15	19	34
B. *Operated*	11048	17.7	156	6	7	14	22	33	43	75
1. SINGLE DX	11122	7.6	39	1	2	6	10	15	19	30
2. MULTIPLE DX	24900	12.3	116	2	3	9	15	25	33	61
A. NOT OPERATED	20700	7.0	34	1	2	6	9	13	17	30
B. OPERATED	15322	16.1	134	5	7	13	19	29	39	70
TOTAL 0-19 YRS	1936	6.0	33	1	1	5	8	11	15	30
20-34	3505	8.4	55	2	2	7	10	16	21	37
35-49	5261	9.3	73	2	2	7	11	18	24	45
50-64	8460	10.5	90	2	3	8	13	21	28	52
65+	16860	12.6	116	2	3	10	16	25	33	61
GRAND TOTAL	**36022**	**10.8**	**97**	**2**	**3**	**8**	**14**	**22**	**29**	**55**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21825	3.1	5	1	1	3	4	5	6	10
20-34	9314	3.0	4	1	1	2	4	5	7	10
35-49	4282	3.4	6	1	1	3	4	6	8	11
50-64	3073	3.8	7	1	1	3	5	7	9	13
65+	3139	4.3	13	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	393	5.1	26	1	2	4	6	8	12	42
20-34	717	5.7	23	1	2	5	7	10	13	25
35-49	338	6.8	31	1	2	6	9	13	16	31
50-64	296	7.3	27	1	2	6	10	15	18	25
65+	197	7.9	36	1	2	7	10	15	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28059	3.8	7	1	2	3	5	6	8	13
20-34	9427	3.8	10	1	1	3	5	7	9	14
35-49	6739	4.8	12	1	2	4	6	9	11	17
50-64	9071	5.5	18	1	2	4	7	10	13	22
65+	18064	7.0	36	2	2	6	9	13	17	30
B. *Operated*										
0-19 YRS	607	8.4	113	2	3	6	9	17	31	99+
20-34	942	8.5	51	2	3	7	10	16	20	33
35-49	919	9.7	74	2	3	7	11	19	26	47
50-64	1236	10.7	74	2	3	9	14	20	27	48
65+	1879	14.3	125	3	4	11	18	27	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41633	3.2	6	1	1	3	4	6	7	11
B. *Operated*	1941	6.2	28	1	2	5	8	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	71360	4.9	18	1	2	4	6	9	12	21
B. *Operated*	5583	11.1	97	2	3	8	14	22	30	59
1. SINGLE DX	43574	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	76943	5.4	27	1	2	4	6	10	14	27
A. NOT OPERATED	112993	4.3	14	1	1	3	5	8	11	18
B. OPERATED	7524	9.9	84	2	3	7	12	20	27	52
TOTAL 0-19 YRS	50884	3.6	8	1	1	3	4	6	8	13
20-34	20400	3.7	11	1	1	3	5	7	9	15
35-49	12278	4.8	18	1	1	4	6	9	11	21
50-64	13676	5.7	24	1	2	4	7	11	14	25
65+	23279	7.3	45	2	2	5	9	14	19	35
GRAND TOTAL	**120517**	**4.7**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.4	6	2	2	4	6	8	9	9
20-34	260	4.8	6	1	2	4	6	8	9	12
35-49	1632	5.1	8	1	2	5	6	8	10	15
50-64	3523	5.3	11	1	2	5	7	9	11	15
65+	4933	5.5	15	1	2	5	7	10	12	18
B. *Operated*										
0-19 YRS	7	6.0	9	2	2	5	9	10	10	10
20-34	124	9.3	15	4	5	8	11	15	18	21
35-49	542	10.9	31	4	5	10	13	18	21	31
50-64	1108	11.9	37	3	5	11	14	19	22	35
65+	1030	13.3	66	2	4	12	17	22	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.1	14	1	2	5	9	11	13	15
20-34	240	5.9	13	2	2	5	8	11	13	18
35-49	1852	6.0	15	2	2	5	7	11	13	19
50-64	7017	6.2	18	2	2	5	8	11	14	21
65+	20955	7.5	33	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	15	10.2	68	1	2	8	13	18	31	35
20-34	211	11.7	67	5	6	10	14	19	21	51
35-49	1158	13.1	59	4	6	12	16	22	28	42
50-64	3704	14.2	86	4	5	12	17	25	31	52
65+	6735	16.7	153	3	5	14	21	31	42	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10361	5.3	12	1	2	5	7	9	11	16
B. *Operated*	2811	12.1	47	3	5	11	15	20	23	37
2. MULTIPLE DX										
A. *Not Operated*	30096	7.1	28	2	3	6	9	13	16	27
B. *Operated*	11823	15.5	124	4	5	13	19	28	37	62
1. SINGLE DX	13172	6.8	27	1	2	5	9	13	16	25
2. MULTIPLE DX	41919	9.4	69	2	3	7	12	18	24	45
A. NOT OPERATED	40457	6.6	25	2	2	6	8	12	15	25
B. OPERATED	14634	14.8	111	3	5	12	18	27	35	59
TOTAL 0-19 YRS	67	6.7	27	2	2	6	9	12	15	32
20-34	835	7.5	33	2	3	6	9	14	17	22
35-49	5184	7.8	35	2	3	6	10	15	18	31
50-64	15352	8.3	48	2	2	6	11	16	21	35
65+	33653	9.2	71	2	3	7	11	18	24	46
GRAND TOTAL	**55091**	**8.8**	**61**	**2**	**3**	**7**	**11**	**17**	**22**	**41**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	3.3	4	1	1	3	4	6	7	11
20-34	239	3.2	5	<1	1	3	4	6	7	10
35-49	198	3.3	5	<1	1	3	4	7	8	10
50-64	125	3.9	10	<1	1	3	5	7	9	17
65+	73	4.6	19	1	1	4	5	9	11	28
B. *Operated*										
0-19 YRS	656	3.0	4	1	1	3	4	5	7	10
20-34	4194	3.5	4	1	1	3	4	6	7	11
35-49	3882	3.6	6	1	1	3	4	6	8	13
50-64	2197	3.9	8	1	2	3	5	6	8	15
65+	799	4.6	14	2	2	4	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	4.1	11	<1	1	3	5	8	10	16
20-34	260	4.3	13	1	1	3	6	8	11	19
35-49	299	5.4	27	1	2	4	7	10	14	27
50-64	314	5.4	17	1	2	4	7	10	14	21
65+	321	7.8	67	2	2	6	10	15	21	49
B. *Operated*										
0-19 YRS	311	4.6	33	1	1	3	5	7	10	31
20-34	3151	4.6	14	1	2	4	5	8	10	19
35-49	3887	4.9	14	2	2	4	6	8	11	18
50-64	3409	5.7	26	2	2	4	6	10	13	27
65+	1804	8.2	76	2	3	6	9	16	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	3.5	7	<1	1	3	5	6	8	13
B. *Operated*	11728	3.7	6	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1318	5.7	32	1	1	4	7	11	15	29
B. *Operated*	12562	5.5	28	2	2	4	6	9	13	27
1. SINGLE DX	12489	3.7	6	1	1	3	4	6	8	12
2. MULTIPLE DX	13880	5.5	28	2	2	4	6	10	14	27
A. NOT OPERATED	2079	4.9	24	1	1	4	6	9	13	25
B. OPERATED	24290	4.6	18	1	2	4	5	8	11	22
TOTAL 0-19 YRS	1217	3.6	12	1	1	3	4	6	8	15
20-34	7844	3.9	9	1	1	3	5	7	8	15
35-49	8266	4.3	11	1	2	4	5	7	9	16
50-64	6045	5.0	19	1	2	4	6	9	12	23
65+	2997	7.1	60	2	2	5	8	14	20	43
GRAND TOTAL	**26369**	**4.6**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3212	3.7	11	1	1	3	5	7	9	17
20-34	5323	4.8	17	1	1	4	6	9	11	21
35-49	3832	4.9	16	1	1	4	6	9	12	21
50-64	2685	4.8	17	1	1	4	6	9	12	20
65+	2887	5.0	21	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	1000	7.0	56	1	1	5	9	14	21	38
20-34	2790	8.2	49	1	2	6	11	16	22	33
35-49	2116	8.2	54	1	2	6	11	16	22	35
50-64	1804	8.3	64	1	1	6	11	17	23	41
65+	1833	9.3	75	1	2	7	12	19	25	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2599	4.3	17	1	1	3	5	8	10	20
20-34	6540	5.8	25	1	2	4	7	11	14	24
35-49	6899	5.9	24	1	2	5	7	11	14	24
50-64	7929	6.2	25	2	2	5	8	11	15	25
65+	16273	7.3	43	2	2	6	9	14	19	35
B. *Operated*										
0-19 YRS	1078	10.9	135	1	2	7	13	24	36	63
20-34	4806	10.7	105	2	3	8	13	22	30	54
35-49	4785	11.4	116	2	3	8	14	23	33	61
50-64	5660	12.4	141	2	3	9	16	26	37	72
65+	8069	15.4	188	2	4	11	19	32	45	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17939	4.7	16	1	1	4	6	9	12	21
B. *Operated*	9543	8.3	59	1	2	6	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	40240	6.4	33	1	2	5	8	12	16	29
B. *Operated*	24398	12.8	148	2	3	9	16	27	38	70
1. SINGLE DX	27482	5.9	34	1	1	4	7	12	16	29
2. MULTIPLE DX	64638	8.8	86	2	2	6	10	18	26	52
A. NOT OPERATED	58179	5.9	28	1	2	4	7	11	15	27
B. OPERATED	33941	11.5	127	2	2	8	14	24	34	63
TOTAL 0-19 YRS	7889	5.3	42	1	1	3	6	10	15	35
20-34	19459	7.1	51	1	2	5	8	14	20	37
35-49	17632	7.4	58	1	2	5	9	15	21	39
50-64	18078	8.2	73	1	2	6	10	17	24	49
65+	29062	9.4	97	2	2	7	11	20	28	55
GRAND TOTAL	**92120**	**8.0**	**72**	**1**	**2**	**5**	**10**	**16**	**23**	**46**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0	288	1	1	13	25	25	25	25
20-34	112	7.9	52	2	2	6	9	19	23	35
35-49	244	9.6	68	1	2	7	13	21	27	39
50-64	307	9.3	55	2	3	7	12	18	24	37
65+	128	8.4	38	2	2	7	11	17	19	30
B. *Operated*										
0-19 YRS										
20-34	46	9.4	142	1	2	4	11	23	34	54
35-49	73	7.5	62	1	1	4	10	19	25	36
50-64	112	8.5	73	1	1	6	11	21	26	40
65+	39	12.4	94	1	1	11	16	25	32	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	15.4	141	3	4	11	27	29	35	42
20-34	718	11.9	109	2	3	8	17	28	30	52
35-49	2109	11.9	98	2	3	9	16	26	29	45
50-64	3075	13.0	114	3	4	10	17	25	33	57
65+	1548	13.3	114	3	4	10	17	26	32	60
B. *Operated*										
0-19 YRS	3	11.0	169	3	3	4	20	26	26	26
20-34	198	15.8	206	2	4	11	19	30	43	83
35-49	648	15.7	169	2	3	12	21	32	42	63
50-64	1035	16.4	191	2	3	13	21	34	49	74
65+	481	17.1	182	3	4	14	22	31	43	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	9.0	56	2	2	7	12	19	24	38
B. *Operated*	270	9.0	86	1	1	6	12	22	26	44
2. MULTIPLE DX										
A. *Not Operated*	7471	12.6	110	3	4	9	16	26	32	54
B. *Operated*	2365	16.3	184	2	3	13	21	32	44	73
1. SINGLE DX	1063	9.0	64	1	2	7	12	19	25	38
2. MULTIPLE DX	9836	13.5	130	2	4	10	18	28	35	60
A. NOT OPERATED	8264	12.3	106	2	3	9	16	26	31	52
B. OPERATED	2635	15.5	179	2	3	12	21	31	43	69
TOTAL 0-19 YRS	26	14.7	140	1	3	9	26	28	32	42
20-34	1074	12.1	127	2	3	8	17	28	33	55
35-49	3074	12.4	113	2	3	9	16	27	32	52
50-64	4529	13.4	131	2	3	10	17	27	36	62
65+	2196	13.8	128	3	4	11	18	26	34	61
GRAND TOTAL	**10899**	**13.1**	**125**	**2**	**3**	**10**	**17**	**27**	**34**	**58**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.0	10	1	1	4	7	10	11	12
20-34	89	5.1	29	1	1	3	7	11	13	30
35-49	149	7.7	64	1	2	5	9	16	21	45
50-64	249	8.0	50	1	1	6	11	17	22	35
65+	203	8.5	77	1	1	7	11	16	21	42
B. *Operated*										
0-19 YRS	79	3.8	21	1	1	2	4	8	12	27
20-34	434	2.9	10	1	1	2	3	6	9	16
35-49	401	3.2	14	1	1	2	3	7	12	19
50-64	487	4.8	37	1	1	2	6	12	18	28
65+	229	7.1	68	1	1	4	9	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	37	1	1	4	8	13	20	33
20-34	300	8.8	67	2	2	7	11	17	23	36
35-49	817	9.7	78	2	3	7	12	19	26	42
50-64	1889	10.7	81	2	3	8	13	21	28	50
65+	2024	12.4	111	3	4	9	15	24	32	56
B. *Operated*										
0-19 YRS	54	6.6	36	1	2	5	9	14	16	33
20-34	373	8.5	79	1	1	6	11	19	26	44
35-49	689	10.5	116	1	1	7	14	24	33	50
50-64	1438	11.6	136	1	2	9	16	26	32	58
65+	1272	15.1	176	2	2	12	21	32	41	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	715	7.6	58	1	1	6	10	16	21	37
B. *Operated*	1630	4.2	30	1	1	2	4	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	5086	11.0	93	2	3	8	14	21	29	53
B. *Operated*	3826	12.2	144	1	2	9	16	27	35	58
1. SINGLE DX	2345	5.2	41	1	1	3	7	12	17	29
2. MULTIPLE DX	8912	11.5	115	2	2	9	15	24	32	55
A. NOT OPERATED	5801	10.6	90	2	3	8	13	21	28	52
B. OPERATED	5456	9.8	123	1	1	6	14	24	31	54
TOTAL 0-19 YRS	214	5.2	29	1	1	3	7	11	16	31
20-34	1196	6.3	54	1	1	3	8	15	21	35
35-49	2056	8.5	85	1	1	6	11	18	26	48
50-64	4063	10.1	98	1	2	8	13	22	28	51
65+	3728	12.8	134	2	3	10	16	27	35	61
GRAND TOTAL	**11257**	**10.2**	**106**	**1**	**2**	**7**	**13**	**22**	**30**	**52**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	315	5.0	11	2	2	4	6	9	11	19
20-34	791	6.0	17	2	2	5	8	10	14	21
35-49	382	6.8	21	2	2	6	8	12	15	22
50-64	365	7.2	28	2	2	6	9	14	18	28
65+	217	8.2	44	2	2	7	10	15	19	30
B. *Operated*										
0-19 YRS	29	6.6	51	1	2	3	8	16	21	33
20-34	166	6.8	42	1	1	4	10	17	20	28
35-49	178	6.6	54	1	1	4	9	18	23	32
50-64	190	8.8	89	1	1	6	13	20	26	45
65+	148	9.8	94	1	1	8	14	20	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	213	6.0	21	1	2	5	8	11	15	25
20-34	692	7.3	29	2	3	6	9	13	16	30
35-49	924	9.7	75	2	3	7	12	20	25	50
50-64	1702	10.1	74	2	3	8	12	20	27	49
65+	1721	11.1	85	3	4	9	13	22	28	46
B. *Operated*										
0-19 YRS	44	11.8	173	1	2	5	19	31	46	51
20-34	233	12.8	117	2	2	10	17	28	37	48
35-49	364	13.6	184	2	2	10	16	29	41	81
50-64	709	15.9	216	2	2	12	21	35	46	91
65+	621	16.7	179	2	4	14	21	34	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2070	6.4	22	2	2	5	8	12	15	24
B. *Operated*	711	7.9	70	1	1	5	11	18	24	39
2. MULTIPLE DX										
A. *Not Operated*	5252	9.8	72	2	3	7	12	19	26	45
B. *Operated*	1971	15.3	188	2	3	11	20	32	44	77
1. SINGLE DX	2781	6.8	35	1	2	5	9	14	18	29
2. MULTIPLE DX	7223	11.3	109	2	3	8	14	23	32	56
A. NOT OPERATED	7322	8.9	60	2	3	7	11	17	23	41
B. OPERATED	2682	13.3	167	1	2	10	18	29	40	70
TOTAL 0-19 YRS	601	5.9	31	1	2	4	7	11	16	31
20-34	1882	7.4	40	1	2	6	9	14	19	35
35-49	1848	9.6	89	2	2	7	12	20	26	51
50-64	2966	11.1	112	2	3	8	14	23	31	58
65+	2707	12.1	111	2	3	9	15	24	32	58
GRAND TOTAL	**10004**	**10.1**	**93**	**2**	**2**	**7**	**12**	**21**	**28**	**51**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	209	3.4	5	<1	1	3	4	6	8	11
20-34	1446	3.2	4	1	1	3	4	6	7	10
35-49	1416	3.3	5	1	1	3	4	6	8	11
50-64	1543	3.9	7	1	1	3	5	7	9	13
65+	1453	5.2	15	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	1151	7.0	8	4	4	6	8	11	13	17
20-34	13594	6.9	6	4	5	6	8	10	12	15
35-49	12454	7.3	8	4	5	7	8	11	12	17
50-64	11967	8.0	10	5	5	7	9	12	14	19
65+	6933	9.8	21	5	6	9	11	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.3	8	1	1	4	5	8	9	14
20-34	1328	4.1	12	1	1	3	5	7	9	14
35-49	1729	4.7	10	1	1	4	6	9	10	16
50-64	3574	5.7	19	1	2	5	7	10	13	22
65+	7509	7.5	33	2	3	6	9	13	17	31
B. *Operated*										
0-19 YRS	641	8.9	22	4	5	8	10	14	17	25
20-34	8292	8.6	20	4	5	8	10	13	16	24
35-49	11047	9.3	25	5	5	8	11	15	18	28
50-64	16872	10.8	36	5	6	9	13	18	21	34
65+	18956	14.3	76	6	7	12	17	24	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6067	3.9	8	1	1	3	5	7	9	14
B. *Operated*	46099	7.7	11	4	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	14308	6.3	26	1	2	5	8	12	15	25
B. *Operated*	55808	11.4	50	5	6	9	14	19	24	39
1. SINGLE DX	52166	7.3	12	3	4	7	9	11	13	19
2. MULTIPLE DX	70116	10.3	49	3	4	9	13	18	23	37
A. NOT OPERATED	20375	5.6	22	1	2	4	7	10	14	23
B. OPERATED	101907	9.7	35	5	5	8	11	16	20	33
TOTAL 0-19 YRS	2169	7.0	15	2	3	6	8	12	14	20
20-34	24660	7.1	13	3	4	6	8	11	13	19
35-49	26646	7.8	18	3	4	7	9	12	15	23
50-64	33956	8.9	28	3	4	8	11	15	18	28
65+	34851	11.6	63	3	5	10	14	20	26	43
GRAND TOTAL	**122282**	**9.0**	**36**	**3**	**4**	**8**	**11**	**15**	**19**	**32**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	3.9	6	1	1	3	5	7	7	15
20-34	1139	3.6	5	1	1	3	5	7	8	11
35-49	1032	4.0	7	1	1	3	5	7	9	13
50-64	846	4.4	8	1	1	4	6	8	10	14
65+	805	5.7	18	2	2	5	7	10	13	18
B. *Operated*										
0-19 YRS	140	7.8	18	3	4	7	9	13	16	21
20-34	1395	7.7	12	4	5	7	9	12	14	20
35-49	1425	8.2	14	4	5	7	9	13	15	22
50-64	1056	9.2	17	5	5	8	11	14	17	23
65+	791	11.0	29	6	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.9	13	1	2	4	6	8	11	19
20-34	1033	4.5	10	1	2	4	6	8	10	15
35-49	1243	5.2	12	1	2	4	7	9	11	16
50-64	1803	6.0	19	2	2	5	8	11	13	20
65+	2993	8.2	35	2	3	7	10	14	18	30
B. *Operated*										
0-19 YRS	118	9.5	24	4	5	8	11	17	20	26
20-34	1663	9.3	24	4	5	8	11	15	18	25
35-49	2163	10.4	42	5	5	9	12	17	22	34
50-64	2438	12.1	54	5	6	10	15	20	25	40
65+	2953	15.8	101	6	7	13	19	28	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3993	4.3	10	1	1	4	6	8	10	15
B. *Operated*	4807	8.7	18	4	5	8	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	7222	6.5	25	2	2	5	8	12	15	26
B. *Operated*	9335	12.4	67	5	6	10	15	21	27	46
1. SINGLE DX	8800	6.7	19	1	2	6	9	12	15	21
2. MULTIPLE DX	16557	9.8	57	2	3	8	12	18	23	39
A. NOT OPERATED	11215	5.7	21	1	2	5	7	11	13	22
B. OPERATED	14142	11.1	53	5	5	9	13	19	24	40
TOTAL 0-19 YRS	579	6.2	19	1	2	5	8	12	15	22
20-34	5230	6.7	19	1	2	6	8	12	15	21
35-49	5863	7.6	29	2	3	7	9	14	17	27
50-64	6143	8.8	40	2	3	7	11	16	20	32
65+	7542	11.2	74	3	4	9	14	21	27	46
GRAND TOTAL	**25357**	**8.7**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.4	70	<1	1	3	8	15	29	33
20-34	108	3.5	5	1	1	3	5	6	7	10
35-49	128	3.9	8	1	1	4	5	7	9	13
50-64	143	4.3	12	1	1	4	6	8	10	15
65+	217	5.3	19	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	43	9.0	12	5	5	8	10	13	18	19
20-34	452	8.5	16	3	4	8	11	13	16	22
35-49	385	8.4	20	2	4	8	10	14	17	23
50-64	508	9.5	37	2	3	9	12	16	19	31
65+	823	12.0	59	2	3	11	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.2	6	2	2	5	7	8	8	8
20-34	90	4.8	9	1	1	4	6	9	11	13
35-49	102	5.2	11	1	2	5	7	9	11	18
50-64	239	5.4	11	1	2	5	7	10	12	17
65+	693	8.4	43	2	3	7	11	15	18	33
B. *Operated*										
0-19 YRS	38	11.9	32	5	6	11	14	18	19	35
20-34	336	10.4	31	5	5	9	12	16	20	33
35-49	408	12.6	95	5	6	11	14	20	25	71
50-64	881	13.8	83	4	6	12	17	22	29	65
65+	2383	17.9	132	5	7	15	22	31	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	610	4.5	14	1	1	4	6	8	11	22
B. *Operated*	2211	10.0	40	2	3	9	13	17	22	31
2. MULTIPLE DX										
A. *Not Operated*	1129	7.2	33	2	2	6	9	13	16	28
B. *Operated*	4046	15.8	115	4	6	13	19	27	35	64
1. SINGLE DX	2821	8.8	40	1	2	8	12	16	21	30
2. MULTIPLE DX	5175	13.9	110	3	4	12	18	26	33	60
A. NOT OPERATED	1739	6.2	28	1	2	5	8	12	14	26
B. OPERATED	6257	13.8	96	3	5	12	17	25	31	56
TOTAL 0-19 YRS	100	9.5	31	2	4	8	12	16	18	34
20-34	986	8.2	25	2	3	8	11	14	16	26
35-49	1023	9.2	57	2	2	8	12	16	20	43
50-64	1771	10.7	66	2	3	9	14	19	24	42
65+	4116	14.5	115	2	4	12	19	27	33	58
GRAND TOTAL	**7996**	**12.1**	**91**	**2**	**3**	**10**	**15**	**23**	**29**	**53**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.4	31	1	2	7	8	13	21	25
20-34	131	4.9	10	1	1	4	6	9	11	16
35-49	116	5.1	12	1	2	4	7	9	10	18
50-64	166	6.0	14	1	2	5	8	11	13	17
65+	265	6.3	18	1	2	5	9	12	15	20
B. *Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	90	8.5	49	1	1	7	13	18	23	29
35-49	138	8.3	45	1	2	7	11	19	22	30
50-64	134	9.3	57	2	2	8	13	19	22	35
65+	191	13.3	95	2	2	12	19	27	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.6	97	2	2	5	10	19	26	51
20-34	140	6.5	23	1	2	5	9	12	18	22
35-49	216	6.5	20	1	2	5	8	13	16	23
50-64	455	7.6	28	2	2	6	10	14	17	27
65+	1094	9.5	47	2	3	8	12	17	23	32
B. *Operated*										
0-19 YRS	33	16.5	186	2	3	13	19	32	53	55
20-34	148	11.9	73	2	3	11	16	23	27	34
35-49	289	13.1	95	2	3	11	16	25	33	49
50-64	523	16.5	175	2	5	13	21	31	41	76
65+	1051	19.9	185	3	6	17	26	37	48	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	5.8	15	1	2	5	8	10	14	20
B. *Operated*	555	10.3	70	1	2	8	15	21	27	37
2. MULTIPLE DX										
A. *Not Operated*	1934	8.5	40	2	3	7	11	16	20	30
B. *Operated*	2044	17.4	170	2	4	14	23	33	44	72
1. SINGLE DX	1250	7.8	44	1	2	6	10	16	21	33
2. MULTIPLE DX	3978	13.1	127	2	3	10	17	27	35	57
A. NOT OPERATED	2629	7.8	35	2	2	6	10	14	18	29
B. OPERATED	2599	15.9	157	2	3	13	21	31	40	68
TOTAL 0-19 YRS	81	11.5	132	2	2	8	15	25	37	55
20-34	509	8.0	46	1	2	6	11	17	21	31
35-49	759	9.1	62	2	2	7	12	18	24	40
50-64	1278	11.2	110	2	2	9	14	22	30	54
65+	2601	13.7	132	2	3	11	18	28	36	57
GRAND TOTAL	**5228**	**11.8**	**112**	**2**	**3**	**9**	**15**	**25**	**32**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	5.5	12	2	2	5	7	10	12	21
20-34	2395	6.1	21	2	2	5	7	10	13	24
35-49	2370	6.6	23	2	3	6	8	11	15	24
50-64	1518	6.9	25	2	3	6	8	12	16	24
65+	1044	7.2	20	2	3	6	9	13	15	22
B. *Operated*										
0-19 YRS	39	9.5	76	2	2	7	11	22	33	35
20-34	224	11.8	114	2	2	10	15	22	29	60
35-49	347	11.6	146	1	2	9	15	25	35	69
50-64	294	11.7	139	1	2	9	15	25	35	65
65+	184	11.8	97	2	2	10	15	22	32	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	6.6	33	2	2	5	8	12	14	32
20-34	3592	7.6	31	2	3	6	9	13	18	29
35-49	5445	8.2	35	2	3	7	10	15	18	31
50-64	4602	8.6	37	3	3	7	11	15	19	31
65+	4195	9.7	50	3	4	8	12	17	22	36
B. *Operated*										
0-19 YRS	67	16.4	216	2	3	11	23	38	50	97
20-34	669	16.6	199	3	5	12	21	33	46	76
35-49	1316	18.7	239	4	5	14	24	39	54	95
50-64	1446	19.5	271	4	6	15	23	41	59	92
65+	1371	19.6	197	4	7	16	24	37	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7676	6.5	22	2	2	5	8	12	15	24
B. *Operated*	1088	11.6	126	1	2	9	15	24	33	62
2. MULTIPLE DX										
A. *Not Operated*	18123	8.5	39	2	3	7	10	15	19	33
B. *Operated*	4869	18.9	232	4	5	15	23	38	53	89
1. SINGLE DX	8764	7.1	38	2	2	6	9	13	18	31
2. MULTIPLE DX	22992	10.7	97	3	3	8	13	20	28	58
A. NOT OPERATED	25799	7.9	35	2	3	7	10	14	18	30
B. OPERATED	5957	17.5	220	2	4	14	22	36	50	86
TOTAL 0-19 YRS	744	7.1	51	2	2	5	8	12	19	40
20-34	6880	8.1	56	2	3	6	9	15	21	40
35-49	9478	9.4	79	2	3	7	11	18	25	53
50-64	7860	10.4	101	2	3	8	12	19	27	60
65+	6794	11.4	94	3	4	9	14	22	29	56
GRAND TOTAL	**31756**	**9.7**	**84**	**2**	**3**	**7**	**12**	**19**	**25**	**53**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	443	3.1	6	1	1	3	4	6	7	11
20-34	598	3.6	8	1	1	3	5	7	8	15
35-49	655	4.4	9	1	1	4	6	8	10	14
50-64	858	4.7	11	1	1	4	6	8	10	18
65+	1518	6.1	20	1	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	32	5.4	15	<1	1	5	7	11	14	15
20-34	56	6.8	37	2	2	6	8	12	14	42
35-49	69	8.1	46	2	2	7	11	14	25	38
50-64	125	7.3	26	1	2	7	10	12	15	28
65+	182	10.4	52	2	3	9	14	20	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	638	4.2	11	1	1	3	5	8	10	16
20-34	1591	4.7	14	1	2	4	6	9	11	21
35-49	2465	6.0	21	2	2	5	7	11	14	25
50-64	4890	6.6	26	2	2	5	8	12	15	26
65+	12947	8.5	46	2	3	7	10	16	20	36
B. *Operated*										
0-19 YRS	66	8.4	64	1	2	6	11	18	21	46
20-34	297	9.1	63	2	2	7	12	18	22	39
35-49	605	10.6	78	2	3	8	13	21	27	41
50-64	1315	11.7	112	3	4	9	14	22	31	77
65+	3328	14.2	134	3	5	11	18	28	37	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4072	4.8	14	1	1	4	6	9	11	19
B. *Operated*	464	8.5	42	2	2	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	22531	7.4	38	2	2	6	9	14	18	32
B. *Operated*	5611	12.9	121	3	4	10	16	26	34	67
1. SINGLE DX	4536	5.2	18	1	1	4	7	10	12	22
2. MULTIPLE DX	28142	8.5	59	2	3	6	10	16	22	40
A. NOT OPERATED	26603	7.0	35	2	2	6	9	13	17	31
B. OPERATED	6075	12.6	117	3	4	9	15	25	33	65
TOTAL 0-19 YRS	1179	4.0	14	1	1	3	5	8	10	19
20-34	2542	5.0	22	1	1	4	6	10	13	23
35-49	3794	6.5	32	1	2	5	8	12	17	31
50-64	7188	7.3	45	2	2	6	9	14	18	33
65+	17975	9.3	66	2	3	7	11	18	24	45
GRAND TOTAL	**32678**	**8.0**	**55**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	4.1	11	1	1	3	5	7	10	19
20-34	42	6.0	12	1	2	5	9	12	12	13
35-49	39	6.5	64	1	2	5	7	10	20	48
50-64	44	7.5	30	1	2	6	10	15	19	24
65+	44	9.9	98	2	3	6	12	20	30	50
B. *Operated*										
0-19 YRS	35	3.9	12	1	1	3	6	8	11	14
20-34	32	7.0	20	1	2	7	10	12	15	18
35-49	44	9.4	96	1	2	6	12	20	23	59
50-64	38	11.4	168	1	1	8	14	20	35	73
65+	25	11.7	89	2	3	9	14	23	32	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.4	18	1	2	4	7	11	13	22
20-34	106	7.8	58	2	3	5	9	13	28	41
35-49	177	10.0	104	2	2	7	11	22	28	56
50-64	261	10.6	99	2	3	8	12	23	29	47
65+	320	11.8	87	3	4	9	15	24	31	55
B. *Operated*										
0-19 YRS	37	16.1	442	2	2	11	22	92	99+	99+
20-34	101	14.5	229	2	4	10	14	29	38	85
35-49	147	13.5	160	2	2	10	16	28	42	52
50-64	180	17.4	233	2	4	13	22	37	48	86
65+	176	18.7	242	4	5	14	23	38	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	5.4	29	1	2	4	6	10	14	26
B. *Operated*	174	8.6	86	1	1	6	11	17	22	55
2. MULTIPLE DX										
A. *Not Operated*	1191	9.2	77	2	2	6	11	19	27	48
B. *Operated*	641	16.3	233	2	4	12	21	35	49	89
1. SINGLE DX	630	6.3	47	1	1	4	8	13	18	41
2. MULTIPLE DX	1832	11.7	143	2	3	8	14	25	34	76
A. NOT OPERATED	1647	8.1	67	2	2	6	10	17	25	44
B. OPERATED	815	14.7	211	2	3	10	18	31	45	87
TOTAL 0-19 YRS	686	5.4	44	1	2	4	6	11	14	35
20-34	281	9.8	120	1	3	7	11	18	30	71
35-49	407	10.9	124	2	2	7	13	25	30	54
50-64	523	12.7	156	2	3	9	15	27	38	61
65+	565	13.8	147	3	4	10	18	27	40	79
GRAND TOTAL	**2462**	**10.3**	**124**	**2**	**2**	**7**	**12**	**23**	**30**	**58**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	473	5.2	21	<1	<1	4	7	11	13	19
20-34	88	5.4	15	1	2	4	7	10	12	20
35-49	64	5.6	19	1	2	4	7	12	15	20
50-64	64	7.2	61	1	2	5	8	12	27	42
65+	52	8.5	40	2	2	7	11	20	22	28
B. *Operated*										
0-19 YRS	188	4.1	15	1	2	3	5	9	12	20
20-34	209	4.5	20	1	2	3	5	9	14	24
35-49	132	4.4	22	1	1	3	4	10	13	26
50-64	100	6.6	42	1	2	4	9	13	23	30
65+	60	8.0	83	2	2	4	10	20	27	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	338	6.6	29	1	2	5	9	13	17	25
20-34	226	6.1	25	1	2	5	8	11	15	25
35-49	196	7.2	27	2	2	6	10	13	18	27
50-64	312	8.6	56	2	2	7	11	15	21	39
65+	660	11.2	86	2	3	9	14	22	28	54
B. *Operated*										
0-19 YRS	142	9.0	81	2	2	5	12	22	29	39
20-34	387	8.1	85	<1	1	5	10	18	26	42
35-49	323	9.9	111	<1	2	6	14	22	32	59
50-64	451	11.5	121	2	2	8	15	26	37	57
65+	435	15.4	176	2	3	11	21	33	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	5.7	26	<1	1	4	8	12	14	23
B. *Operated*	689	5.0	29	1	2	3	6	11	16	27
2. MULTIPLE DX										
A. *Not Operated*	1732	8.7	59	2	2	7	11	17	24	43
B. *Operated*	1738	11.2	129	1	2	8	15	25	34	58
1. SINGLE DX	1430	5.3	27	<1	1	4	7	11	15	26
2. MULTIPLE DX	3470	10.0	96	2	2	7	13	21	28	53
A. NOT OPERATED	2473	7.8	51	1	2	6	10	15	21	36
B. OPERATED	2427	9.5	108	1	2	6	12	22	30	54
TOTAL 0-19 YRS	1141	5.9	32	<1	1	4	8	12	16	28
20-34	910	6.5	50	1	2	4	8	13	19	32
35-49	715	7.7	68	1	2	5	10	17	23	47
50-64	927	9.7	89	2	2	7	12	21	28	53
65+	1207	12.5	122	2	3	9	16	26	34	59
GRAND TOTAL	**4900**	**8.6**	**80**	**1**	**2**	**6**	**11**	**19**	**26**	**48**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	5.2	10	1	2	4	7	10	11	15
20-34	29	4.0	12	<1	1	3	5	7	9	19
35-49	12	7.1	30	2	2	5	10	16	19	19
50-64	4	4.5	10	2	2	3	6	9	9	9
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	19	5.4	21	1	2	3	7	13	16	17
20-34	14	5.1	15	<1	1	5	6	10	15	16
35-49	12	7.4	30	2	3	6	8	16	21	22
50-64	4	12.8	25	8	8	12	17	18	18	18
65+	5	6.2	28	2	2	4	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	6.8	23	1	2	6	9	13	17	23
20-34	30	5.9	13	2	2	5	7	12	15	16
35-49	32	6.5	36	2	2	4	7	13	18	31
50-64	34	8.8	44	2	3	7	10	14	19	38
65+	67	11.6	102	2	4	9	14	26	31	53
B. *Operated*										
0-19 YRS	32	9.8	31	2	3	9	12	19	22	22
20-34	38	10.0	60	2	2	8	14	18	27	36
35-49	25	9.4	47	2	2	7	14	16	24	25
50-64	51	13.5	82	2	5	11	18	28	29	40
65+	52	17.1	334	2	2	12	21	50	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	5.2	11	1	2	4	7	10	11	18
B. *Operated*	54	6.4	25	1	2	5	8	15	17	22
2. MULTIPLE DX										
A. *Not Operated*	311	7.9	46	2	2	6	10	15	20	38
B. *Operated*	198	12.6	138	2	2	10	16	25	35	78
1. SINGLE DX	298	5.4	14	1	2	4	7	11	13	19
2. MULTIPLE DX	509	9.8	87	2	2	7	12	20	27	54
A. NOT OPERATED	555	6.7	33	1	2	5	8	13	17	29
B. OPERATED	252	11.3	120	2	2	8	14	22	31	63
TOTAL 0-19 YRS	396	6.2	19	1	2	5	8	11	15	21
20-34	111	6.7	35	1	2	5	8	15	18	34
35-49	81	7.6	38	2	2	5	12	16	20	29
50-64	93	11.3	68	2	3	9	14	23	29	40
65+	126	13.6	201	2	3	9	17	29	49	95
GRAND TOTAL	**807**	**8.2**	**64**	**2**	**2**	**6**	**10**	**16**	**21**	**43**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	2.0	4	1	1	1	2	4	7	10
20-34	48	3.5	12	<1	<1	2	4	8	12	15
35-49	93	3.3	13	1	1	2	3	8	11	20
50-64	203	2.5	10	<1	<1	1	3	6	8	18
65+	302	3.2	15	<1	<1	2	3	8	12	19
B. *Operated*										
0-19 YRS	72	10.7	145	1	2	5	16	25	35	62
20-34	261	6.9	64	<1	<1	4	9	18	25	36
35-49	252	6.8	65	<1	<1	4	9	17	23	39
50-64	396	6.8	66	<1	1	4	8	16	19	35
65+	350	7.6	84	<1	1	5	9	17	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.3	79	<1	1	3	6	10	13	60
20-34	253	5.3	38	<1	1	4	7	11	17	36
35-49	392	6.2	53	1	1	4	7	13	19	34
50-64	886	7.6	58	1	1	5	9	17	22	40
65+	2172	9.8	102	1	1	7	13	21	29	54
B. *Operated*										
0-19 YRS	207	13.0	278	1	1	7	15	32	68	99+
20-34	1163	11.1	180	<1	<1	6	15	28	41	68
35-49	1262	12.2	188	1	2	8	16	30	41	87
50-64	2237	11.7	153	<1	2	8	15	27	38	75
65+	2143	15.6	224	2	3	11	21	36	51	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	3.0	12	<1	<1	2	3	7	10	19
B. *Operated*	1331	7.2	75	<1	1	4	9	17	25	42
2. MULTIPLE DX										
A. *Not Operated*	3787	8.5	84	1	1	6	11	19	26	47
B. *Operated*	7012	12.9	193	<1	2	8	17	31	43	86
1. SINGLE DX	2015	5.8	58	<1	<1	3	7	14	20	37
2. MULTIPLE DX	10799	11.4	159	1	1	7	15	27	38	75
A. NOT OPERATED	4471	7.6	77	<1	1	5	10	18	24	45
B. OPERATED	8343	12.0	178	<1	1	8	16	29	41	81
TOTAL 0-19 YRS	401	9.9	201	1	1	5	12	25	43	87
20-34	1725	9.4	143	<1	<1	5	12	24	35	62
35-49	1999	9.9	147	<1	1	6	12	24	35	73
50-64	3722	9.7	121	<1	1	6	12	23	32	62
65+	4967	11.7	162	1	1	8	15	27	38	76
GRAND TOTAL	**12814**	**10.5**	**147**	**<1**	**1**	**7**	**14**	**25**	**36**	**70**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	3	<1	<1	1	4	5	6	6
20-34	20	4.4	14	<1	1	3	5	11	13	14
35-49	27	5.3	16	<1	1	5	6	9	16	16
50-64	52	6.5	29	1	1	5	9	16	17	20
65+	103	7.9	62	1	1	7	10	17	21	43
B. *Operated*										
0-19 YRS	12	9.1	78	1	2	6	15	23	26	27
20-34	23	7.4	38	1	2	5	13	17	20	21
35-49	25	5.1	23	<1	1	3	7	10	14	22
50-64	83	7.8	63	1	1	4	14	20	24	78
65+	80	11.3	140	<1	1	7	16	28	33	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.4	16	<1	<1	3	6	11	13	17
20-34	95	8.1	78	1	2	5	10	18	24	50
35-49	162	8.5	61	1	2	7	11	17	22	36
50-64	481	10.7	93	1	2	8	13	22	28	51
65+	2000	13.5	122	2	4	11	17	26	35	62
B. *Operated*										
0-19 YRS	40	12.2	171	<1	1	8	16	25	43	62
20-34	147	13.7	129	2	3	10	21	31	39	99+
35-49	206	16.0	225	2	3	12	21	37	44	81
50-64	424	18.5	238	1	3	15	25	39	49	74
65+	891	21.9	277	3	5	18	29	46	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	6.4	41	1	1	5	9	15	18	32
B. *Operated*	223	8.8	88	1	1	5	13	22	28	50
2. MULTIPLE DX										
A. *Not Operated*	2786	12.3	114	2	3	10	16	25	31	59
B. *Operated*	1708	19.4	254	2	4	15	27	41	52	87
1. SINGLE DX	448	7.6	66	1	1	5	10	18	22	47
2. MULTIPLE DX	4494	15.0	179	2	3	11	20	31	43	76
A. NOT OPERATED	3011	11.9	111	1	2	9	16	24	31	58
B. OPERATED	1931	18.2	246	2	3	14	25	39	51	84
TOTAL 0-19 YRS	123	7.0	85	<1	1	4	9	17	22	52
20-34	285	10.7	107	1	2	7	14	24	32	66
35-49	420	11.8	154	1	2	8	15	26	38	57
50-64	1040	13.4	165	1	2	9	18	29	39	69
65+	3074	15.6	182	2	4	12	21	32	44	78
GRAND TOTAL	**4942**	**14.3**	**173**	**2**	**3**	**11**	**19**	**31**	**41**	**75**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1204	4.1	3	2	2	4	5	6	7	10
20-34	1729	4.4	4	2	2	4	5	7	8	11
35-49	512	4.9	5	2	2	4	6	8	9	13
50-64	303	5.6	8	2	3	5	7	9	11	16
65+	242	6.5	21	2	3	6	8	11	13	26
B. *Operated*										
0-19 YRS	87	5.3	6	2	2	5	7	9	9	14
20-34	93	6.2	10	3	3	6	7	10	13	17
35-49	45	8.2	14	2	4	8	10	13	15	18
50-64	27	8.4	18	4	4	8	10	13	19	22
65+	28	8.6	37	3	4	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1036	5.0	6	2	2	5	6	8	9	13
20-34	1970	5.2	8	2	3	5	6	9	10	15
35-49	956	6.5	14	3	3	6	8	11	14	21
50-64	1131	7.5	26	3	3	6	9	13	15	25
65+	2139	9.4	42	3	4	8	11	16	21	35
B. *Operated*										
0-19 YRS	187	6.9	18	2	3	6	8	11	14	25
20-34	369	9.4	48	3	4	8	11	16	21	38
35-49	261	10.9	47	4	5	9	14	18	23	38
50-64	284	12.6	54	5	5	11	16	21	28	50
65+	454	15.6	91	5	7	13	19	28	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3990	4.6	6	2	2	4	6	7	9	13
B. *Operated*	280	6.7	14	2	3	6	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	7232	6.9	25	2	3	6	8	12	15	27
B. *Operated*	1555	11.8	66	4	5	10	14	21	28	42
1. SINGLE DX	4270	4.7	7	2	2	4	6	8	9	14
2. MULTIPLE DX	8787	7.8	35	2	3	6	9	14	18	33
A. NOT OPERATED	11222	6.1	19	2	3	5	7	11	14	23
B. OPERATED	1835	11.0	62	3	4	9	14	20	26	41
TOTAL 0-19 YRS	2514	4.7	6	2	2	4	6	7	9	13
20-34	4161	5.3	12	2	2	5	6	9	11	18
35-49	1774	6.7	20	2	3	6	8	12	15	23
50-64	1745	8.1	32	3	3	7	10	14	18	31
65+	2863	10.1	55	3	4	8	13	18	24	40
GRAND TOTAL	**13057**	**6.8**	**28**	**2**	**3**	**5**	**8**	**12**	**16**	**28**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1344	4.1	4	2	2	4	5	7	7	10
20-34	1901	4.5	5	2	2	4	5	7	8	11
35-49	543	4.9	7	2	2	4	6	8	9	15
50-64	335	5.6	12	2	3	5	7	10	12	18
65+	325	6.5	24	2	2	6	8	11	14	32
B. *Operated*										
0-19 YRS	161	5.1	11	1	1	5	7	9	12	17
20-34	268	6.6	19	1	2	6	9	13	16	19
35-49	128	7.0	35	1	2	6	9	13	21	31
50-64	126	7.8	30	2	2	7	10	14	19	27
65+	104	9.8	65	2	2	8	13	22	27	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1026	4.7	7	2	2	4	6	8	9	14
20-34	2120	5.3	10	2	2	5	7	9	11	16
35-49	999	6.7	36	2	3	5	8	11	14	27
50-64	1204	7.7	27	2	3	7	10	13	16	29
65+	2196	9.3	43	3	4	8	11	17	21	36
B. *Operated*										
0-19 YRS	311	7.7	50	1	2	6	9	14	18	38
20-34	670	8.3	46	2	3	7	10	15	19	36
35-49	496	11.2	107	2	3	8	13	23	31	59
50-64	720	12.7	99	2	4	10	16	24	31	65
65+	803	15.5	140	3	5	12	19	30	42	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4448	4.6	7	2	2	4	6	7	9	14
B. *Operated*	787	7.0	30	1	2	6	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	7545	7.0	29	2	3	6	8	12	16	27
B. *Operated*	3000	11.7	103	2	3	9	15	23	31	58
1. SINGLE DX	5235	4.9	11	2	2	4	6	8	10	18
2. MULTIPLE DX	10545	8.3	54	2	3	6	10	16	21	40
A. NOT OPERATED	11993	6.1	22	2	2	5	7	11	14	24
B. OPERATED	3787	10.7	91	2	3	8	13	22	29	55
TOTAL 0-19 YRS	2842	4.8	12	2	2	4	6	8	10	17
20-34	4959	5.4	15	2	2	5	7	9	11	19
35-49	2166	7.3	50	2	3	6	8	13	18	36
50-64	2385	8.9	53	2	3	7	11	17	22	40
65+	3428	10.5	73	3	4	8	13	20	26	50
GRAND TOTAL	**15780**	**7.2**	**43**	**2**	**2**	**5**	**8**	**14**	**18**	**35**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.5	3	1	1	2	3	5	5	9
20-34	1770	2.4	3	<1	1	2	3	4	6	9
35-49	2090	2.4	3	<1	1	2	3	5	6	8
50-64	1271	2.5	3	<1	1	2	3	5	6	8
65+	460	3.1	7	1	1	2	4	6	7	13
B. *Operated*										
0-19 YRS	88	7.3	30	2	3	6	9	12	15	35
20-34	994	8.0	19	2	3	8	10	13	16	22
35-49	1228	8.2	22	2	3	8	10	13	16	24
50-64	1238	8.6	24	2	3	8	11	14	16	24
65+	571	9.6	27	2	3	9	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	3.5	7	1	1	3	4	7	9	14
20-34	1171	3.2	6	1	1	3	4	6	7	11
35-49	1548	3.5	8	1	1	3	4	7	9	13
50-64	1603	4.2	19	1	1	3	5	8	11	18
65+	1228	5.8	31	1	2	4	7	11	15	29
B. *Operated*										
0-19 YRS	104	10.7	115	2	3	8	13	22	35	55
20-34	948	9.4	46	2	3	8	11	17	22	37
35-49	1417	9.8	50	2	3	9	12	17	22	37
50-64	2045	10.5	54	2	3	9	13	18	23	40
65+	1754	12.0	78	2	3	10	15	23	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5814	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	4119	8.4	23	2	3	8	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	5677	4.1	17	1	1	3	5	8	11	18
B. *Operated*	6268	10.6	61	2	3	9	13	20	25	40
1. SINGLE DX	9933	4.9	20	1	1	3	8	11	13	19
2. MULTIPLE DX	11945	7.5	50	1	2	6	10	15	21	35
A. NOT OPERATED	11491	3.3	11	1	1	2	4	6	8	15
B. OPERATED	10387	9.8	47	2	3	9	12	17	22	36
TOTAL 0-19 YRS	542	5.1	40	1	1	3	6	11	14	38
20-34	4883	5.1	24	1	1	3	7	11	14	24
35-49	6283	5.5	29	1	1	4	8	11	15	25
50-64	6157	6.8	39	1	1	5	9	14	17	31
65+	4013	8.8	59	1	2	7	11	18	23	36
GRAND TOTAL	**21878**	**6.4**	**38**	**1**	**1**	**4**	**9**	**13**	**17**	**30**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	722	2.3	2	1	1	2	3	4	5	7
20-34	6827	2.1	2	1	1	2	3	4	5	7
35-49	7877	2.1	2	1	1	2	3	4	5	7
50-64	4621	2.4	3	1	1	2	3	4	5	8
65+	1346	2.7	4	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	407	5.3	10	2	2	5	7	10	11	16
20-34	4118	5.7	12	2	2	5	8	10	12	17
35-49	5272	6.0	14	2	2	5	8	11	13	18
50-64	4043	6.6	18	2	2	6	9	12	14	20
65+	1509	7.4	22	2	2	7	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	2.9	3	1	1	2	4	6	6	7
20-34	1970	2.6	3	1	1	2	3	5	6	9
35-49	2688	2.9	4	1	1	2	4	5	7	10
50-64	2837	3.3	6	1	1	3	4	6	8	12
65+	1512	4.0	9	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	144	7.2	18	2	3	6	10	12	16	30
20-34	1767	7.3	28	2	3	6	9	13	16	24
35-49	2639	7.6	29	2	2	7	10	14	17	25
50-64	3300	8.8	37	2	3	8	11	16	20	30
65+	2343	10.8	65	2	3	9	14	20	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21393	2.2	2	1	1	2	3	4	5	7
B. *Operated*	15349	6.2	15	2	2	5	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	9211	3.1	5	1	1	2	4	6	7	12
B. *Operated*	10193	8.7	41	2	3	7	11	16	20	32
1. SINGLE DX	36742	3.9	12	1	1	3	5	8	11	16
2. MULTIPLE DX	19404	6.0	32	1	1	4	8	13	16	26
A. NOT OPERATED	30604	2.5	3	1	1	2	3	5	6	9
B. OPERATED	25542	7.2	27	2	2	6	9	13	16	25
TOTAL 0-19 YRS	1477	3.7	9	1	1	3	5	8	10	15
20-34	14682	3.8	12	1	1	3	5	8	10	16
35-49	18476	4.1	14	1	1	3	5	9	11	17
50-64	14801	5.1	22	1	1	4	7	11	14	21
65+	6710	6.9	41	1	2	5	9	14	18	31
GRAND TOTAL	**56146**	**4.6**	**20**	**1**	**1**	**3**	**6**	**10**	**13**	**20**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.5	8	1	1	3	4	7	9	17
20-34	201	2.9	5	1	1	2	4	6	8	12
35-49	174	3.1	7	1	1	2	4	6	8	14
50-64	210	3.9	13	1	1	3	5	8	10	16
65+	206	5.5	38	1	1	3	6	12	15	28
B. *Operated*										
0-19 YRS	1226	6.4	20	<1	1	7	9	12	14	19
20-34	773	7.2	27	1	1	7	10	14	17	24
35-49	648	6.7	29	1	2	5	9	13	17	25
50-64	727	6.3	28	1	1	4	9	14	17	25
65+	521	7.0	48	1	2	4	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	4.3	16	<1	1	3	5	8	12	21
20-34	356	4.2	13	1	1	3	5	8	10	21
35-49	364	5.4	22	1	1	4	7	10	15	24
50-64	706	6.9	33	1	2	5	9	14	19	28
65+	1672	9.8	86	2	3	7	12	19	26	49
B. *Operated*										
0-19 YRS	1379	7.5	35	1	1	7	10	14	17	28
20-34	1205	9.0	47	2	2	8	11	17	21	36
35-49	1247	10.0	75	2	2	8	13	20	25	46
50-64	2030	10.3	84	1	2	8	13	21	26	46
65+	2642	12.2	123	2	2	9	16	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	956	3.8	16	1	1	3	5	8	11	18
B. *Operated*	3895	6.6	28	1	1	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	3394	7.7	59	1	2	5	9	16	21	39
B. *Operated*	8503	10.2	84	1	2	8	13	20	27	48
1. SINGLE DX	4851	6.1	27	1	1	5	9	12	16	24
2. MULTIPLE DX	11897	9.5	79	1	2	7	12	19	25	46
A. NOT OPERATED	4350	6.8	52	1	1	5	8	14	20	36
B. OPERATED	12398	9.1	69	1	2	8	12	18	24	42
TOTAL 0-19 YRS	3066	6.5	27	<1	1	6	9	12	15	25
20-34	2535	7.3	37	1	2	6	10	14	18	28
35-49	2433	7.9	55	1	2	6	10	16	22	35
50-64	3673	8.5	64	1	2	6	11	18	23	38
65+	5041	10.6	103	2	2	8	14	22	30	55
GRAND TOTAL	**16748**	**8.5**	**66**	**1**	**2**	**7**	**11**	**17**	**23**	**41**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.2	2	1	1	2	3	4	6	7
20-34	460	2.2	3	<1	1	2	3	4	5	8
35-49	486	2.2	3	<1	1	2	3	4	5	7
50-64	311	2.4	3	1	1	2	3	5	5	9
65+	75	2.8	4	1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS	33	5.9	26	1	1	5	8	13	19	20
20-34	255	5.0	15	1	2	4	7	9	11	15
35-49	322	5.7	15	1	2	5	8	11	13	16
50-64	380	5.5	14	1	2	5	8	10	13	18
65+	306	5.8	21	1	2	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	2.7	4	<1	1	2	3	6	7	9
20-34	212	3.0	4	1	1	2	4	6	7	10
35-49	281	3.1	4	1	1	3	4	6	7	11
50-64	264	4.0	9	1	1	3	5	8	10	14
65+	201	6.1	37	1	2	4	7	12	18	35
B. *Operated*										
0-19 YRS	40	5.7	16	<1	1	6	7	12	14	18
20-34	207	7.0	67	1	2	5	9	13	18	31
35-49	351	7.9	52	2	2	6	10	15	22	31
50-64	661	7.6	38	2	2	6	10	15	18	27
65+	1276	10.2	80	2	3	8	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1384	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	1296	5.5	16	1	2	4	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	983	3.9	14	1	1	3	5	7	10	19
B. *Operated*	2535	8.9	65	2	2	7	11	17	22	40
1. SINGLE DX	2680	3.9	12	1	1	3	5	9	11	16
2. MULTIPLE DX	3518	7.5	56	1	2	5	10	15	20	37
A. NOT OPERATED	2367	3.0	8	1	1	2	4	6	7	14
B. OPERATED	3831	7.8	51	2	2	6	10	15	20	35
TOTAL 0-19 YRS	150	4.0	14	1	1	3	6	8	11	20
20-34	1134	3.9	21	1	1	3	5	8	10	19
35-49	1440	4.6	23	1	1	3	6	10	13	23
50-64	1616	5.5	25	1	1	4	8	12	15	22
65+	1858	8.7	68	2	2	7	11	17	23	42
GRAND TOTAL	**6198**	**5.9**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**29**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	413	3.1	5	1	1	3	4	5	6	9
20-34	377	2.9	5	<1	<1	2	4	5	6	13
35-49	185	3.3	7	<1	1	3	4	6	8	15
50-64	176	3.6	5	<1	1	3	5	7	8	10
65+	242	5.0	12	1	2	4	7	9	12	16
B. *Operated*										
0-19 YRS	531	2.4	4	<1	1	2	3	5	6	10
20-34	922	3.1	7	<1	1	2	4	6	8	13
35-49	926	3.1	6	<1	1	2	4	6	8	13
50-64	1048	3.2	8	1	1	2	4	6	8	14
65+	1341	4.0	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	522	3.8	5	1	1	3	5	7	8	12
20-34	697	4.3	9	1	2	4	5	8	9	16
35-49	508	5.5	16	1	2	4	7	10	13	21
50-64	700	5.9	15	2	2	5	7	11	14	21
65+	2150	8.2	43	2	3	7	10	15	19	35
B. *Operated*										
0-19 YRS	874	3.1	6	<1	1	2	4	6	8	12
20-34	1883	4.5	23	1	1	3	6	9	12	23
35-49	1951	5.1	25	1	1	4	6	10	13	22
50-64	2707	5.7	33	1	2	4	7	12	15	28
65+	4960	7.5	54	2	2	5	9	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	3.5	7	<1	1	3	4	6	8	13
B. *Operated*	4768	3.3	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	4577	6.5	30	2	2	5	8	12	16	28
B. *Operated*	12375	6.0	39	1	1	4	7	12	17	32
1. SINGLE DX	6161	3.3	8	1	1	2	4	6	8	14
2. MULTIPLE DX	16952	6.1	36	1	2	4	8	12	16	31
A. NOT OPERATED	5970	5.8	26	1	2	4	7	11	14	26
B. OPERATED	17143	5.2	32	1	1	3	6	11	15	28
TOTAL 0-19 YRS	2340	3.1	5	<1	1	2	4	6	7	11
20-34	3879	4.0	15	1	1	3	5	8	10	18
35-49	3570	4.5	19	1	1	3	6	9	12	21
50-64	4631	5.1	24	1	1	4	6	10	14	24
65+	8693	7.1	46	2	2	5	9	14	19	35
GRAND TOTAL	**23113**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.0	2	<1	<1	1	3	4	4	8
20-34	33	2.1	3	<1	<1	1	3	4	6	7
35-49	22	2.7	4	<1	<1	2	4	6	7	8
50-64	32	3.1	8	1	1	2	4	6	11	12
65+	70	3.5	7	1	1	3	5	6	7	15
B. *Operated*										
0-19 YRS	2476	1.8	3	<1	<1	1	2	3	4	8
20-34	1370	3.1	8	<1	1	2	4	6	8	14
35-49	1043	3.2	6	<1	1	2	4	6	8	13
50-64	1150	3.6	11	1	1	3	4	7	9	17
65+	1415	4.3	13	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	1.6	2	<1	<1	1	2	3	3	9
20-34	52	3.8	9	<1	1	3	6	9	10	13
35-49	41	4.3	14	1	1	3	5	10	14	15
50-64	87	4.9	15	1	1	4	6	11	14	18
65+	329	6.3	22	1	2	5	9	12	15	22
B. *Operated*										
0-19 YRS	2169	2.1	5	<1	<1	1	2	4	5	9
20-34	1719	3.8	12	1	1	3	5	8	10	17
35-49	1669	4.3	14	1	1	3	5	9	12	19
50-64	2357	5.0	22	1	2	4	6	10	13	23
65+	4246	7.1	51	2	2	5	9	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.9	5	<1	1	2	4	6	7	12
B. *Operated*	7454	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	577	5.2	19	<1	1	4	7	11	14	20
B. *Operated*	12160	4.9	30	1	1	3	6	10	14	25
1. SINGLE DX	7644	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX	12737	4.9	29	1	1	3	6	10	14	25
A. NOT OPERATED	767	4.6	17	<1	1	3	6	10	13	18
B. OPERATED	19614	4.2	23	<1	1	3	5	9	12	22
TOTAL 0-19 YRS	4746	1.9	4	<1	<1	1	2	3	5	9
20-34	3174	3.5	10	<1	1	2	4	7	10	15
35-49	2775	3.8	12	1	1	3	5	8	10	17
50-64	3626	4.5	18	1	1	3	6	9	12	22
65+	6060	6.4	41	1	2	4	8	13	17	30
GRAND TOTAL	**20381**	**4.2**	**22**	**<1**	**1**	**3**	**5**	**9**	**12**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2692	3.3	4	1	1	3	4	6	7	10
20-34	1760	3.3	5	<1	1	3	4	6	7	11
35-49	819	3.9	8	<1	1	3	5	7	9	13
50-64	888	4.4	10	<1	1	4	6	8	10	15
65+	1801	5.6	22	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	2000	2.5	6	<1	<1	2	3	5	7	12
20-34	1918	3.1	8	<1	1	2	4	6	9	14
35-49	1880	3.3	9	<1	1	2	4	7	9	15
50-64	2185	3.5	10	<1	1	2	4	7	9	15
65+	2718	4.7	16	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4099	4.2	9	1	2	4	5	7	9	15
20-34	3992	4.8	17	1	1	4	6	9	11	20
35-49	2900	6.1	27	1	2	5	7	11	14	27
50-64	5129	7.1	37	2	2	6	9	13	17	30
65+	20826	9.3	58	2	3	7	11	17	22	42
B. *Operated*										
0-19 YRS	2709	3.5	18	<1	1	2	4	8	10	18
20-34	3433	5.2	36	1	1	3	7	11	15	29
35-49	3736	5.8	41	1	1	4	7	12	16	33
50-64	6307	6.8	50	1	2	5	9	15	19	37
65+	12388	9.9	93	2	2	7	12	21	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7960	4.0	11	<1	1	3	5	8	9	16
B. *Operated*	10701	3.5	11	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	36946	7.7	47	2	2	6	10	14	19	36
B. *Operated*	28573	7.5	68	1	2	5	9	16	22	45
1. SINGLE DX	18661	3.7	11	<1	1	3	5	7	9	16
2. MULTIPLE DX	65519	7.6	56	1	2	6	10	15	20	40
A. NOT OPERATED	44906	7.0	42	1	2	5	9	14	18	33
B. OPERATED	39274	6.4	56	1	1	4	8	14	20	39
TOTAL 0-19 YRS	11500	3.5	10	<1	1	3	4	7	9	14
20-34	11103	4.4	20	<1	1	3	5	9	12	22
35-49	9335	5.2	28	1	1	4	7	10	14	27
50-64	14509	6.3	38	1	2	5	8	12	17	31
65+	37733	9.0	67	2	2	7	11	17	23	45
GRAND TOTAL	**84180**	**6.8**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**36**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.8	2	1	1	3	4	5	5	5
35-49	17	4.1	11	1	1	3	5	8	12	14
50-64	99	3.1	7	1	1	2	4	5	10	14
65+	260	3.7	10	<1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	25	5.6	7	2	2	6	7	9	11	12
20-34	61	3.1	7	1	1	2	4	6	9	14
35-49	577	4.0	8	1	1	3	5	8	9	14
50-64	8550	5.8	11	1	2	5	7	10	12	16
65+	15094	6.9	16	2	3	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	11	4.1	8	1	1	4	5	9	11	11
35-49	41	3.8	7	1	1	3	4	7	10	13
50-64	552	4.6	16	1	1	4	5	9	11	21
65+	2016	6.4	42	1	1	4	8	14	19	33
B. *Operated*										
0-19 YRS	36	7.4	31	1	2	6	9	15	22	23
20-34	92	5.4	17	1	2	4	7	11	13	23
35-49	785	5.9	22	1	1	5	8	12	15	21
50-64	12473	7.6	29	2	2	7	9	14	17	27
65+	33971	9.9	52	3	4	8	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	3.5	9	1	1	3	4	7	10	15
B. *Operated*	24307	6.4	14	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	2623	6.0	37	1	1	4	7	13	18	31
B. *Operated*	47357	9.2	47	2	3	8	11	17	21	36
1. SINGLE DX	24689	6.4	14	2	2	6	8	11	13	19
2. MULTIPLE DX	49980	9.1	47	2	3	7	11	16	21	36
A. NOT OPERATED	3005	5.7	34	1	1	4	7	12	16	30
B. OPERATED	71664	8.3	37	2	3	7	10	15	19	32
TOTAL 0-19 YRS	64	6.6	21	1	2	6	8	11	17	23
20-34	170	4.4	13	1	1	3	6	9	12	20
35-49	1420	5.0	17	1	1	4	6	10	13	20
50-64	21674	6.8	22	2	2	6	8	12	15	24
65+	51341	8.9	43	2	3	7	11	16	20	35
GRAND TOTAL	**74669**	**8.2**	**38**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.7	6	1	2	3	4	6	10	12
20-34	282	3.5	5	1	1	3	4	7	8	11
35-49	292	4.2	6	1	2	4	5	7	8	13
50-64	314	4.7	7	2	2	4	6	7	10	15
65+	164	4.8	7	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	80	2.6	4	<1	1	2	3	5	6	10
20-34	549	2.7	8	<1	1	2	3	5	8	13
35-49	697	2.6	4	<1	1	2	3	5	7	10
50-64	607	3.2	7	1	1	2	4	6	9	13
65+	348	3.7	9	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	6	1	2	3	4	6	8	14
20-34	324	4.4	9	1	2	4	6	8	10	15
35-49	488	4.8	8	2	2	4	6	8	10	16
50-64	726	5.1	8	2	2	5	7	8	10	15
65+	769	6.2	24	2	2	5	7	11	13	23
B. *Operated*										
0-19 YRS	77	4.2	14	1	1	3	6	9	12	19
20-34	669	3.8	12	1	1	3	5	8	10	15
35-49	1043	4.3	15	1	1	3	6	9	12	21
50-64	1523	5.3	22	1	1	4	7	10	14	24
65+	1344	7.3	40	2	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	4.2	6	1	2	4	5	7	9	14
B. *Operated*	2281	2.3	7	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	2340	5.3	14	2	2	5	7	9	11	18
B. *Operated*	4656	5.4	26	1	1	4	7	11	14	24
1. SINGLE DX	3370	3.4	7	1	1	3	4	6	8	12
2. MULTIPLE DX	6996	5.4	22	1	2	4	7	10	13	23
A. NOT OPERATED	3429	5.0	12	1	2	4	6	8	11	16
B. OPERATED	6937	4.6	21	1	1	3	6	9	13	23
TOTAL 0-19 YRS	227	3.5	8	1	1	3	4	7	9	14
20-34	1824	3.5	9	1	1	3	4	7	9	14
35-49	2520	3.9	11	1	1	3	5	8	10	16
50-64	3170	4.8	15	1	1	4	6	9	11	19
65+	2625	6.3	31	1	2	5	8	12	15	27
GRAND TOTAL	**10366**	**4.7**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.6	2	<1	<1	1	2	3	4	8
20-34	10	5.4	24	1	1	4	8	13	17	17
35-49	5	4.4	9	<1	<1	4	6	9	9	9
50-64	6	4.2	11	<1	<1	3	7	9	9	9
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	1388	2.2	2	<1	1	2	3	4	5	7
20-34	534	3.0	2	1	2	3	4	5	5	8
35-49	610	3.0	2	1	1	3	4	5	5	8
50-64	1085	3.3	3	1	2	3	4	5	6	10
65+	720	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	1.4	1	<1	<1	1	2	2	3	6
20-34	14	2.3	5	<1	1	1	2	5	8	9
35-49	15	3.5	8	<1	<1	3	4	5	10	12
50-64	19	2.7	3	<1	<1	2	3	5	7	8
65+	27	4.6	12	1	2	3	5	11	13	13
B. *Operated*										
0-19 YRS	1120	2.3	2	<1	1	2	3	4	5	8
20-34	276	3.8	8	1	2	3	4	6	7	19
35-49	408	3.8	6	1	2	3	5	6	8	12
50-64	928	4.7	11	2	2	4	5	9	11	18
65+	919	5.7	21	2	2	4	6	10	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.9	9	<1	<1	1	4	8	9	17
B. *Operated*	4337	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	182	2.3	5	<1	<1	1	3	5	7	13
B. *Operated*	3651	4.1	12	1	1	3	5	7	10	18
1. SINGLE DX	4393	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	3833	4.0	12	1	1	3	5	7	10	18
A. NOT OPERATED	238	2.4	6	<1	<1	1	3	5	8	13
B. OPERATED	7988	3.4	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	2648	2.2	2	<1	<1	2	3	4	5	7
20-34	834	3.3	4	1	1	3	4	5	6	11
35-49	1038	3.3	4	1	1	3	4	6	7	11
50-64	2038	3.9	7	1	2	3	5	7	9	14
65+	1668	4.8	14	2	2	4	5	8	11	21
GRAND TOTAL	**8226**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	515	4.1	7	1	1	4	5	7	9	12
20-34	938	4.4	6	1	1	4	6	8	9	12
35-49	496	4.8	13	1	2	4	6	8	9	13
50-64	386	5.8	9	2	3	5	7	10	11	14
65+	300	6.1	11	2	3	6	7	10	12	19
B. *Operated*										
0-19 YRS	185	3.5	5	1	1	3	4	6	8	12
20-34	342	4.3	17	1	1	3	5	8	10	16
35-49	268	4.4	10	1	2	3	6	8	10	15
50-64	220	5.0	12	1	2	4	6	10	12	17
65+	181	6.1	20	2	2	4	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	4.5	10	1	2	4	6	8	9	13
20-34	397	5.1	10	1	2	5	7	9	11	16
35-49	330	5.8	12	2	2	5	7	10	12	19
50-64	498	6.5	10	2	3	6	8	10	12	18
65+	704	8.2	27	3	4	7	10	14	17	28
B. *Operated*										
0-19 YRS	101	4.3	11	1	1	3	5	8	10	19
20-34	282	5.6	18	1	2	4	7	11	14	21
35-49	317	6.2	23	2	2	5	8	12	16	20
50-64	390	7.7	35	2	2	6	10	15	19	30
65+	515	9.4	44	2	3	8	12	17	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2635	4.8	9	1	2	4	6	8	10	13
B. *Operated*	1196	4.6	14	1	2	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	2075	6.5	18	2	3	6	8	11	14	21
B. *Operated*	1605	7.4	34	2	2	6	10	15	18	29
1. SINGLE DX	3831	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX	3680	6.9	25	2	2	6	9	13	16	25
A. NOT OPERATED	4710	5.6	14	1	2	5	7	10	12	19
B. OPERATED	2801	6.2	27	1	2	4	8	13	16	26
TOTAL 0-19 YRS	947	4.1	8	1	1	3	5	7	9	12
20-34	1959	4.7	11	1	2	4	6	8	10	16
35-49	1411	5.3	15	1	2	4	7	9	12	18
50-64	1494	6.4	17	2	2	5	8	11	14	22
65+	1700	7.9	30	2	3	7	10	14	18	29
GRAND TOTAL	**7511**	**5.8**	**19**	**1**	**2**	**5**	**7**	**11**	**13**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1067	1.6	1	<1	<1	1	2	2	3	4
20-34	267	1.9	1	<1	<1	2	2	3	3	6
35-49	161	1.9	1	<1	1	2	2	3	3	5
50-64	129	2.0	1	<1	<1	2	2	3	4	5
65+	85	2.3	1	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	2162	1.7	2	<1	<1	2	2	2	3	5
20-34	892	1.9	1	<1	1	2	2	3	3	4
35-49	506	2.0	2	<1	1	2	2	3	3	6
50-64	340	2.1	2	<1	1	2	2	3	4	11
65+	214	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	1.9	6	<1	<1	1	2	3	5	15
20-34	92	2.2	2	<1	1	2	3	3	4	9
35-49	116	3.1	9	<1	1	2	4	6	10	16
50-64	170	2.8	4	1	1	2	3	5	7	12
65+	141	4.5	36	1	2	3	4	9	14	33
B. *Operated*										
0-19 YRS	684	2.0	1	<1	<1	2	2	3	4	7
20-34	539	2.5	4	1	1	2	3	4	6	12
35-49	526	2.8	6	1	1	2	3	5	7	12
50-64	571	3.6	10	1	2	2	4	7	10	16
65+	626	5.3	35	1	2	3	6	11	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	4114	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	726	2.8	12	<1	<1	2	3	5	8	15
B. *Operated*	2946	3.2	13	1	1	2	3	6	9	19
1. SINGLE DX	5823	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	3672	3.2	13	<1	1	2	3	6	9	19
A. NOT OPERATED	2435	2.1	5	<1	<1	2	2	3	4	11
B. OPERATED	7060	2.4	7	<1	1	2	2	4	6	13
TOTAL 0-19 YRS	4120	1.7	2	<1	<1	2	2	2	3	6
20-34	1790	2.1	2	<1	1	2	2	3	4	8
35-49	1309	2.4	4	<1	1	2	2	4	6	11
50-64	1210	2.9	6	<1	1	2	3	5	8	13
65+	1066	4.4	27	1	1	3	4	9	13	27
GRAND TOTAL	**9495**	**2.3**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**12**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.0	2	<1	<1	1	2	4	5	8
20-34	221	2.5	4	<1	1	2	3	5	6	9
35-49	158	2.8	6	<1	1	2	3	6	8	13
50-64	125	3.0	8	<1	1	2	3	8	10	13
65+	75	3.3	10	<1	1	2	5	6	12	15
B. *Operated*										
0-19 YRS	2493	2.2	2	1	1	2	3	4	5	8
20-34	2019	2.6	4	<1	1	2	3	4	6	10
35-49	1320	3.0	8	1	1	2	4	5	7	11
50-64	1329	3.7	8	1	2	3	4	7	8	12
65+	564	4.1	15	1	2	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	3.0	6	<1	1	2	4	6	8	12
20-34	198	4.3	17	1	1	3	6	8	11	21
35-49	185	4.1	21	<1	1	3	5	9	11	26
50-64	207	4.2	18	1	1	3	5	9	12	22
65+	239	6.3	37	1	1	4	8	14	19	37
B. *Operated*										
0-19 YRS	866	2.8	5	1	1	2	3	5	7	10
20-34	1221	3.8	16	1	1	3	4	7	10	23
35-49	1192	4.7	30	1	1	3	5	9	12	28
50-64	1735	5.5	33	1	2	4	6	10	13	32
65+	1058	7.0	70	2	2	5	8	15	22	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	848	2.5	5	<1	1	2	3	5	7	12
B. *Operated*	7725	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	969	4.6	23	1	1	3	6	10	13	25
B. *Operated*	6072	4.9	34	1	1	3	5	9	13	32
1. SINGLE DX	8573	2.8	6	1	1	2	3	5	7	11
2. MULTIPLE DX	7041	4.8	32	1	1	3	6	9	13	31
A. NOT OPERATED	1817	3.6	15	<1	1	2	4	8	11	21
B. OPERATED	13797	3.7	19	1	1	3	4	7	10	22
TOTAL 0-19 YRS	3768	2.4	3	<1	1	2	3	4	5	9
20-34	3659	3.1	9	1	1	2	3	5	8	15
35-49	2855	3.8	19	1	1	3	4	7	10	21
50-64	3396	4.6	23	1	2	3	5	8	11	25
65+	1936	5.9	50	1	2	4	7	12	17	40
GRAND TOTAL	**15614**	**3.7**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	47	2.4	6	<1	<1	1	3	5	8	12
35-49	84	2.2	3	<1	<1	2	3	4	6	8
50-64	30	2.1	3	<1	<1	2	3	4	6	8
65+	14	3.9	11	1	1	3	4	8	13	14
B. *Operated*										
0-19 YRS	446	2.0	1	<1	<1	2	2	3	4	5
20-34	3714	2.3	2	<1	<1	2	3	4	5	6
35-49	9107	2.4	3	<1	1	2	3	4	5	8
50-64	4315	2.4	2	<1	1	2	3	4	5	8
65+	1644	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.4	6	<1	<1	3	5	7	9	9
20-34	60	3.6	8	<1	<1	3	5	8	10	11
35-49	122	4.1	12	1	1	3	5	9	11	17
50-64	66	3.9	10	<1	1	3	5	8	10	15
65+	56	4.2	9	1	1	4	6	9	10	14
B. *Operated*										
0-19 YRS	139	2.6	4	<1	1	2	3	5	7	11
20-34	1649	3.2	5	<1	1	2	4	6	8	13
35-49	4701	3.5	9	1	1	3	4	6	9	15
50-64	3006	3.6	10	1	2	3	4	7	9	15
65+	1618	4.2	15	2	2	3	5	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	2.3	4	<1	<1	2	3	5	7	11
B. *Operated*	19226	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	316	3.9	10	<1	1	3	5	8	10	15
B. *Operated*	11113	3.6	9	1	1	3	4	7	9	15
1. SINGLE DX	19409	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	11429	3.6	9	1	1	3	4	7	9	15
A. NOT OPERATED	499	3.4	8	<1	<1	2	5	7	9	14
B. OPERATED	30339	2.8	5	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	605	2.2	2	<1	<1	2	2	3	5	7
20-34	5470	2.6	4	<1	1	2	3	5	6	10
35-49	14014	2.8	5	<1	1	2	3	5	6	11
50-64	7417	2.9	5	1	1	2	3	5	7	11
65+	3332	3.4	9	1	2	2	4	6	9	15
GRAND TOTAL	**30838**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.5	4	1	1	3	4	7	8	9
20-34	287	3.3	5	<1	<1	3	4	5	6	12
35-49	122	3.7	7	<1	<1	3	5	8	9	11
50-64	52	2.9	5	<1	<1	2	4	7	8	9
65+	34	3.6	8	<1	<1	2	6	8	8	12
B. *Operated*										
0-19 YRS	1561	2.9	4	1	1	3	4	4	5	8
20-34	2928	3.1	5	<1	1	3	4	5	6	11
35-49	1944	2.9	4	<1	1	2	4	5	6	9
50-64	1467	3.0	4	1	1	2	4	5	6	11
65+	821	3.1	5	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.0	7	<1	1	4	5	8	9	12
20-34	228	3.9	9	<1	1	3	5	8	9	15
35-49	193	4.2	18	<1	<1	3	5	9	12	23
50-64	144	4.1	17	1	1	3	5	10	13	18
65+	165	7.0	80	1	1	5	9	15	20	33
B. *Operated*										
0-19 YRS	334	3.8	6	1	2	3	4	6	8	14
20-34	1284	4.0	15	1	1	3	5	7	9	16
35-49	1566	4.2	10	1	2	3	5	7	9	17
50-64	1412	4.7	19	1	2	4	5	8	11	21
65+	885	5.5	42	1	2	4	6	10	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	3.4	6	<1	<1	3	4	7	8	11
B. *Operated*	8721	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	799	4.7	28	<1	1	3	6	10	13	21
B. *Operated*	5481	4.4	19	1	2	3	5	8	11	20
1. SINGLE DX	9335	3.0	4	<1	1	3	4	5	6	10
2. MULTIPLE DX	6280	4.5	20	1	1	3	5	8	11	21
A. NOT OPERATED	1413	4.1	19	<1	1	3	5	8	11	19
B. OPERATED	14202	3.6	10	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2083	3.1	4	1	1	3	4	5	6	10
20-34	4727	3.4	8	<1	1	3	4	6	7	13
35-49	3825	3.5	8	<1	1	3	4	6	8	14
50-64	3075	3.8	12	1	1	3	4	7	9	17
65+	1905	4.5	31	1	1	3	5	9	12	26
GRAND TOTAL	**15615**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1372	2.6	3	1	1	2	3	5	6	8
20-34	2481	2.5	3	1	1	2	3	5	6	8
35-49	488	2.8	4	1	1	2	3	5	7	11
50-64	39	3.0	3	1	1	3	4	5	7	8
65+	8	3.5	10	1	1	2	5	9	10	10
B. *Operated*										
0-19 YRS	1994	4.4	6	1	2	4	6	7	9	12
20-34	6450	4.6	7	1	1	5	6	8	9	13
35-49	1663	5.9	9	2	2	6	7	9	11	15
50-64	304	6.7	6	2	4	7	8	10	11	14
65+	130	8.3	16	3	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	695	3.2	4	1	1	3	4	6	8	10
20-34	1669	3.2	6	1	1	3	4	6	8	12
35-49	473	4.0	9	1	1	3	5	8	10	15
50-64	59	4.6	12	1	2	4	6	8	12	18
65+	41	8.3	84	1	2	5	10	17	34	42
B. *Operated*										
0-19 YRS	1663	5.3	9	1	2	5	7	9	10	15
20-34	10569	5.8	10	1	2	6	7	9	11	17
35-49	4587	7.2	14	2	4	7	8	11	14	21
50-64	690	8.6	17	4	5	8	10	13	17	26
65+	345	12.0	67	5	6	10	14	19	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4388	2.6	3	1	1	2	3	5	6	9
B. *Operated*	10541	4.9	7	1	1	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2937	3.4	7	1	1	3	4	7	8	13
B. *Operated*	17854	6.3	14	2	2	6	8	10	13	19
1. SINGLE DX	14929	4.2	7	1	1	4	6	7	9	13
2. MULTIPLE DX	20791	5.9	14	1	2	6	7	10	12	19
A. NOT OPERATED	7325	2.9	5	1	1	2	4	5	7	10
B. OPERATED	28395	5.8	12	1	2	5	7	9	11	18
TOTAL 0-19 YRS	5724	4.1	7	1	1	4	5	7	9	13
20-34	21169	4.8	9	1	1	5	6	8	10	15
35-49	7211	6.4	13	1	2	6	8	10	13	19
50-64	1092	7.6	15	2	4	7	9	12	14	24
65+	524	10.7	58	3	5	9	13	18	23	42
GRAND TOTAL	**35720**	**5.2**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3470	4.3	6	2	2	4	5	7	8	12
20-34	8772	4.6	8	2	2	4	6	7	9	13
35-49	1081	5.4	10	2	2	5	7	9	11	16
50-64	80	6.7	25	2	3	6	8	11	18	27
65+	30	6.0	15	1	2	5	7	11	14	18
B. *Operated*										
0-19 YRS	991	5.4	12	1	2	5	7	10	12	16
20-34	5463	4.9	11	1	1	5	7	9	10	16
35-49	1353	5.9	17	1	2	6	8	11	13	21
50-64	196	7.2	39	1	2	6	9	14	18	33
65+	64	9.6	69	1	2	8	12	22	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1936	5.1	8	2	2	5	6	8	10	15
20-34	5819	5.3	10	2	2	5	7	9	11	16
35-49	1192	6.4	21	2	3	5	8	11	13	21
50-64	163	7.1	17	2	3	7	9	12	15	22
65+	92	9.3	56	2	3	7	11	18	28	35
B. *Operated*										
0-19 YRS	1508	6.4	19	1	2	6	8	11	14	20
20-34	14281	6.1	17	1	2	6	7	10	13	20
35-49	4696	7.8	26	2	2	7	9	13	17	27
50-64	565	10.4	62	3	4	8	12	20	25	44
65+	216	15.5	148	3	5	11	21	32	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13433	4.6	8	2	2	4	6	8	9	13
B. *Operated*	8067	5.2	14	1	1	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	9202	5.5	12	2	2	5	7	9	11	17
B. *Operated*	21266	6.7	23	1	2	6	8	11	15	24
1. SINGLE DX	21500	4.8	10	1	2	4	6	8	10	15
2. MULTIPLE DX	30468	6.3	20	1	2	6	8	11	14	22
A. NOT OPERATED	22635	4.9	9	2	2	4	6	8	10	15
B. OPERATED	29333	6.3	21	1	2	6	8	11	14	23
TOTAL 0-19 YRS	7905	5.0	10	1	2	4	6	9	11	16
20-34	34335	5.4	13	1	2	5	7	9	11	17
35-49	8322	7.0	23	2	2	6	8	12	15	25
50-64	1004	8.9	50	2	3	7	10	17	22	37
65+	402	12.4	116	2	3	9	16	27	34	75
GRAND TOTAL	**51968**	**5.7**	**16**	**1**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.4	4	<1	1	3	4	5	6	13
20-34	279	3.1	5	<1	1	3	4	6	8	11
35-49	60	3.1	4	1	1	3	4	6	7	10
50-64	6	3.2	2	<1	<1	3	4	5	5	5
65+										
B. *Operated*										
0-19 YRS	232	3.2	5	1	1	2	5	6	8	11
20-34	5065	4.3	7	<1	1	4	6	7	8	11
35-49	2524	5.7	6	1	2	6	7	8	9	12
50-64	156	5.8	7	1	2	6	7	9	9	11
65+	24	5.6	8	<1	1	6	8	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	5	1	1	3	5	7	8	11
20-34	341	3.8	11	<1	1	3	5	8	10	19
35-49	144	3.6	6	<1	<1	3	5	7	8	11
50-64	9	5.6	42	<1	<1	2	7	17	21	21
65+	5	5.6	16	1	1	6	9	10	10	10
B. *Operated*										
0-19 YRS	283	4.3	9	1	1	4	6	8	10	12
20-34	12166	5.7	9	1	2	6	7	9	10	15
35-49	12218	6.9	9	2	4	7	8	10	11	17
50-64	1425	7.8	17	4	5	7	8	11	14	22
65+	174	9.3	30	3	5	8	11	16	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	8001	4.7	7	<1	1	5	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	543	3.8	10	<1	1	3	5	7	9	17
B. *Operated*	26266	6.4	10	1	2	6	8	9	11	17
1. SINGLE DX	8394	4.6	7	<1	1	5	7	8	9	11
2. MULTIPLE DX	26809	6.3	10	1	2	6	8	9	11	17
A. NOT OPERATED	936	3.5	8	<1	1	3	5	7	9	14
B. OPERATED	34267	6.0	10	1	2	6	7	9	10	16
TOTAL 0-19 YRS	607	3.8	7	1	1	3	5	7	9	12
20-34	17851	5.2	9	1	1	6	7	8	9	14
35-49	14946	6.7	8	2	4	7	8	9	11	17
50-64	1596	7.5	17	2	5	7	8	11	13	22
65+	203	8.8	28	2	4	8	10	14	21	30
GRAND TOTAL	**35203**	**5.9**	**10**	**1**	**2**	**6**	**7**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	1	2	2	3	4	5	5	5
20-34	23	3.5	10	<1	<1	3	5	6	9	15
35-49	5	2.8	2	1	1	3	4	5	5	5
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	59	2.3	2	1	1	2	3	4	5	8
20-34	671	2.6	4	<1	1	2	3	5	7	10
35-49	478	2.6	3	<1	1	2	3	6	7	8
50-64	195	2.4	3	<1	<1	2	3	4	6	9
65+	67	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.6	7	1	2	5	6	8	10	11
20-34	64	3.5	5	<1	<1	3	5	6	7	12
35-49	18	4.7	11	1	1	4	7	10	11	11
50-64	8	4.1	6	1	1	4	6	7	7	7
65+	8	6.3	7	2	3	6	8	10	10	10
B. *Operated*										
0-19 YRS	101	3.5	10	1	1	2	4	8	10	18
20-34	2479	4.4	10	1	1	3	6	8	10	14
35-49	2427	5.1	12	1	1	5	7	9	11	16
50-64	796	4.6	16	1	1	3	7	9	11	20
65+	248	5.5	22	1	2	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.8	13	<1	<1	3	5	6	13	18
B. *Operated*	1470	2.5	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	119	4.1	6	<1	1	3	5	8	9	11
B. *Operated*	6051	4.8	12	1	1	4	7	9	11	16
1. SINGLE DX	1504	2.6	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	6170	4.7	12	1	1	4	7	9	10	16
A. NOT OPERATED	153	4.0	8	<1	1	3	5	7	10	15
B. OPERATED	7521	4.3	11	1	1	3	6	8	10	15
TOTAL 0-19 YRS	186	3.3	7	1	1	2	4	7	8	15
20-34	3237	4.0	9	<1	1	3	6	8	9	14
35-49	2928	4.7	12	1	1	4	7	9	10	15
50-64	999	4.2	14	<1	1	2	6	8	11	18
65+	324	4.9	19	1	2	3	7	10	13	23
GRAND TOTAL	**7674**	**4.3**	**11**	**1**	**1**	**3**	**6**	**8**	**10**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	3.3	5	1	1	3	4	6	7	10
20-34	671	3.4	4	<1	1	3	5	6	7	10
35-49	149	3.5	6	<1	<1	3	5	7	8	12
50-64	29	4.0	7	<1	1	4	5	7	11	11
65+	27	5.2	17	<1	<1	4	7	12	14	17
B. *Operated*										
0-19 YRS	405	2.5	2	<1	1	2	3	4	5	8
20-34	2875	2.3	3	<1	1	2	3	4	5	8
35-49	1259	2.3	3	<1	1	2	3	4	5	9
50-64	430	2.5	4	<1	1	2	3	4	6	10
65+	140	3.5	10	1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	4.2	6	1	1	4	6	7	9	12
20-34	790	4.5	7	1	2	4	6	8	10	14
35-49	239	5.3	13	1	2	5	7	10	12	18
50-64	119	6.8	61	1	2	5	8	13	15	39
65+	162	8.8	57	2	3	7	11	16	22	25
B. *Operated*										
0-19 YRS	231	3.6	9	1	1	3	5	7	9	15
20-34	1704	4.1	14	1	1	3	6	8	10	17
35-49	1070	4.5	14	1	1	3	6	9	11	17
50-64	433	5.4	63	1	1	3	6	11	16	36
65+	250	7.7	95	1	2	4	9	17	26	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1142	3.5	5	<1	1	3	5	6	7	11
B. *Operated*	5109	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1613	5.2	19	1	2	4	6	9	12	18
B. *Operated*	3688	4.6	26	1	1	3	6	9	12	24
1. SINGLE DX	6251	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	5301	4.8	24	1	1	4	6	9	12	22
A. NOT OPERATED	2755	4.5	14	1	1	4	6	8	10	16
B. OPERATED	8797	3.3	14	<1	1	2	4	7	9	17
TOTAL 0-19 YRS	1205	3.3	6	1	1	3	4	6	8	11
20-34	6040	3.2	8	<1	1	2	4	6	8	13
35-49	2717	3.5	10	<1	1	2	4	7	9	15
50-64	1011	4.3	38	<1	1	3	5	8	12	24
65+	579	6.9	64	1	2	4	8	15	19	36
GRAND TOTAL	**11552**	**3.6**	**14**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	12	3.9	6	<1	<1	3	6	8	9	9
35-49	25	3.9	11	<1	<1	3	6	7	9	14
50-64	33	3.5	9	<1	<1	3	5	8	10	12
65+	53	3.6	9	<1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	11	4.6	6	1	2	4	6	8	10	10
20-34	1623	5.9	6	2	3	6	7	9	10	15
35-49	2674	6.8	7	3	4	6	8	10	11	16
50-64	3716	7.4	8	4	5	7	8	11	13	17
65+	3145	7.9	11	4	5	7	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	87	3.0	7	<1	<1	2	4	6	8	12
35-49	150	3.0	10	<1	1	2	4	6	8	22
50-64	219	3.9	11	<1	1	3	5	8	10	16
65+	390	5.7	36	1	1	4	8	11	15	30
B. *Operated*										
0-19 YRS	40	7.0	15	1	2	7	9	12	13	21
20-34	5333	6.6	7	3	4	6	8	9	11	16
35-49	10086	7.5	9	4	5	7	9	11	13	19
50-64	8799	8.4	15	4	5	8	10	12	15	22
65+	7693	9.4	21	5	5	8	11	14	17	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	3.7	9	<1	<1	3	5	8	9	13
B. *Operated*	11169	7.2	9	4	4	7	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	846	4.5	23	<1	1	3	6	9	12	23
B. *Operated*	31951	8.0	14	4	5	7	9	12	15	22
1. SINGLE DX	11293	7.2	9	3	4	7	8	10	12	17
2. MULTIPLE DX	32797	8.0	15	4	5	7	9	12	14	22
A. NOT OPERATED	970	4.4	22	<1	1	3	6	9	11	22
B. OPERATED	43120	7.8	13	4	5	7	9	12	14	21
TOTAL 0-19 YRS	52	6.5	14	1	2	6	8	11	13	21
20-34	7055	6.4	7	2	4	6	7	9	11	16
35-49	12935	7.3	9	4	4	7	8	11	13	18
50-64	12767	8.0	13	4	5	7	9	12	14	20
65+	11281	8.8	20	4	5	8	10	14	16	25
GRAND TOTAL	**44090**	**7.7**	**13**	**4**	**4**	**7**	**9**	**12**	**14**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	1.9	2	≤1	≤1	2	2	3	4	7
20-34	53	1.9	2	≤1	≤1	1	2	4	5	8
35-49	12	1.4		≤1	≤1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	44	1.7	1	≤1	1	2	2	2	4	5
20-34	550	1.9	2	≤1	≤1	1	2	3	5	8
35-49	742	1.8	2	≤1	≤1	1	2	2	5	7
50-64	107	1.6	1	≤1	≤1	1	2	2	3	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	2	≤1	≤1	2	3	5	6	6
20-34	49	2.9	12	≤1	≤1	2	3	5	6	24
35-49	27	2.4	7	≤1	≤1	1	3	4	10	12
50-64	5	3.2	15	1	1	2	4	10	10	10
65+										
B. *Operated*										
0-19 YRS	37	3.0	6	1	1	2	3	6	7	14
20-34	787	3.4	9	≤1	1	2	5	7	8	14
35-49	1098	3.8	11	≤1	≤1	2	6	8	9	13
50-64	152	3.6	15	≤1	≤1	2	5	8	9	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	1.8	2	≤1	≤1	1	2	3	5	8
B. *Operated*	1443	1.8	2	≤1	≤1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	96	2.7	9	≤1	≤1	2	3	5	7	18
B. *Operated*	2074	3.6	10	≤1	≤1	2	6	8	9	14
1. SINGLE DX	1537	1.8	2	≤1	≤1	1	2	3	5	8
2. MULTIPLE DX	2170	3.6	10	≤1	≤1	2	6	8	9	14
A. NOT OPERATED	190	2.3	6	≤1	≤1	2	3	4	6	11
B. OPERATED	3517	2.9	8	≤1	≤1	2	3	7	8	12
TOTAL 0-19 YRS	125	2.2	3	≤1	1	2	2	4	5	9
20-34	1439	2.8	7	≤1	≤1	2	3	7	8	12
35-49	1879	3.0	8	≤1	≤1	2	4	7	8	12
50-64	264	2.8	10	≤1	≤1	2	3	7	8	21
65+										
GRAND TOTAL	**3707**	**2.8**	**8**	**≤1**	**≤1**	**2**	**3**	**7**	**8**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	492	2.2	2	≤1	≤1	2	3	4	5	7
20-34	1129	1.9	2	≤1	≤1	1	2	3	5	7
35-49	328	1.9	2	≤1	≤1	1	2	3	4	7
50-64	25	2.2	4	≤1	≤1	1	3	5	7	10
65+										
B. *Operated*										
0-19 YRS	1107	1.9	2	≤1	1	2	2	3	4	7
20-34	12660	2.1	3	≤1	≤1	2	2	4	6	8
35-49	13320	2.1	3	≤1	≤1	2	2	5	6	8
50-64	1761	2.0	3	≤1	≤1	2	2	3	6	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	428	3.1	6	1	1	2	4	6	7	14
20-34	1151	2.8	5	≤1	1	2	4	6	7	11
35-49	760	3.0	9	≤1	≤1	2	4	6	8	14
50-64	104	2.6	4	≤1	≤1	2	3	5	7	10
65+										
B. *Operated*										
0-19 YRS	990	2.9	7	1	1	2	3	6	7	12
20-34	17518	4.0	10	≤1	1	3	6	8	9	13
35-49	24127	4.4	12	≤1	1	3	7	8	10	15
50-64	3071	4.1	13	≤1	1	2	6	8	10	16
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1974	2.0	2	≤1	≤1	2	2	4	5	7
B. *Operated*	28848	2.1	3	≤1	≤1	2	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2443	2.9	6	≤1	1	2	4	6	7	12
B. *Operated*	45706	4.2	11	≤1	1	3	6	8	9	14
1. SINGLE DX	30822	2.1	3	≤1	≤1	2	2	4	6	8
2. MULTIPLE DX	48149	4.1	11	≤1	1	3	6	8	9	14
A. NOT OPERATED	4417	2.5	4	≤1	≤1	2	3	5	6	10
B. OPERATED	74554	3.4	9	≤1	≤1	2	5	7	9	13
TOTAL 0-19 YRS	3017	2.5	4	≤1	1	2	3	5	6	10
20-34	32458	3.2	8	≤1	≤1	2	5	7	8	12
35-49	38535	3.5	10	≤1	≤1	2	6	8	9	13
50-64	4961	3.3	10	≤1	≤1	2	5	8	9	14
65+										
GRAND TOTAL	**78971**	**3.3**	**9**	**≤1**	**≤1**	**2**	**5**	**7**	**8**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	38	2.7	5	<1	<1	2	4	6	7	10
50-64	67	2.9	6	<1	<1	2	4	7	8	10
65+	49	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	20	2.1	4	<1	<1	1	2	4	7	9
35-49	1169	1.7	1	<1	<1	2	2	2	3	7
50-64	4674	1.8	1	<1	<1	2	2	2	3	7
65+	1357	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	3.1	4	1	1	3	4	6	7	7
35-49	118	4.6	15	<1	1	3	6	10	13	18
50-64	218	3.7	12	<1	<1	3	5	8	11	17
65+	218	5.3	32	1	1	4	7	10	13	27
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	28	3.8	6	1	1	4	5	8	8	8
35-49	1253	3.1	8	<1	1	2	3	7	8	15
50-64	5617	3.2	10	<1	1	2	3	7	9	16
65+	2614	4.1	18	1	1	2	5	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.7	5	<1	<1	2	4	6	7	10
B. *Operated*	7222	1.9	2	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	563	4.5	20	<1	1	3	6	9	12	23
B. *Operated*	9516	3.4	12	<1	1	2	4	8	10	17
1. SINGLE DX	7380	1.9	2	<1	<1	2	2	3	3	8
2. MULTIPLE DX	10079	3.5	13	<1	1	2	4	8	10	17
A. NOT OPERATED	721	4.1	18	<1	<1	3	5	8	11	19
B. OPERATED	16738	2.7	8	<1	1	2	3	6	8	15
TOTAL 0-19 YRS	8	2.8	3	<1	<1	2	4	6	6	6
20-34	59	3.1	5	<1	1	2	4	7	8	9
35-49	2578	2.5	6	<1	<1	2	2	6	7	13
50-64	10576	2.6	7	<1	<1	2	2	6	8	13
65+	4238	3.6	15	1	1	2	4	8	11	19
GRAND TOTAL	**17459**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.1	2	<1	<1	2	3	4	5	7
20-34	480	2.4	3	<1	<1	2	3	5	6	9
35-49	133	2.9	7	<1	<1	2	3	5	9	13
50-64	43	3.6	11	<1	1	2	5	8	10	16
65+	44	4.6	21	<1	<1	3	6	10	17	21
B. *Operated*										
0-19 YRS	625	2.8	4	<1	<1	2	4	5	7	11
20-34	6665	2.9	5	<1	1	2	4	6	7	10
35-49	4800	3.1	8	<1	<1	2	4	7	8	13
50-64	3014	2.9	9	<1	<1	2	3	7	8	13
65+	994	3.6	23	<1	1	2	3	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.1	11	<1	1	2	4	6	8	14
20-34	503	3.2	7	<1	1	2	4	7	8	14
35-49	305	3.8	12	<1	1	3	5	8	10	18
50-64	201	4.8	28	<1	1	3	6	10	15	26
65+	309	7.2	44	1	2	5	9	14	18	41
B. *Operated*										
0-19 YRS	575	3.9	11	<1	1	3	5	7	9	16
20-34	8153	4.3	10	<1	1	4	6	8	9	15
35-49	10724	4.8	15	<1	1	5	7	9	10	17
50-64	6523	5.0	26	<1	1	3	7	9	12	23
65+	2717	6.9	55	1	2	5	9	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	2.6	5	<1	<1	2	3	5	7	12
B. *Operated*	16098	3.0	8	<1	<1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1466	4.4	22	<1	1	3	5	9	13	23
B. *Operated*	28692	4.9	20	<1	1	4	7	9	11	21
1. SINGLE DX	16981	3.0	7	<1	<1	2	4	6	8	12
2. MULTIPLE DX	30158	4.9	20	<1	1	4	7	9	11	21
A. NOT OPERATED	2349	3.7	16	<1	1	3	5	8	11	21
B. OPERATED	44790	4.2	17	<1	1	3	6	8	10	19
TOTAL 0-19 YRS	1531	3.2	8	<1	1	2	4	6	8	13
20-34	15801	3.6	8	<1	1	3	5	7	8	13
35-49	15962	4.3	13	<1	1	3	6	8	10	16
50-64	9781	4.3	22	<1	1	2	6	9	11	20
65+	4064	6.1	48	1	1	4	8	13	18	36
GRAND TOTAL	**47139**	**4.2**	**17**	**<1**	**1**	**3**	**6**	**8**	**10**	**19**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	960	2.1	2	<1	1	2	3	4	5	7
20-34	1377	2.3	9	<1	<1	2	3	5	6	8
35-49	283	3.0	5	<1	1	2	4	7	8	10
50-64	40	3.3	7	<1	<1	2	4	8	8	12
65+	25	5.4	14	1	2	5	7	11	13	16
B. *Operated*										
0-19 YRS	564	2.5	4	<1	1	2	3	5	7	10
20-34	5797	3.1	6	<1	<1	2	5	7	8	10
35-49	2657	5.9	11	1	1	6	8	10	11	16
50-64	1530	7.8	12	2	4	8	9	11	14	19
65+	782	8.9	16	3	5	9	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	582	2.6	4	<1	1	2	3	5	7	10
20-34	1530	2.8	6	<1	1	2	4	6	8	12
35-49	391	3.5	12	<1	1	3	5	7	9	13
50-64	147	4.9	28	1	1	4	6	9	14	28
65+	154	5.9	23	1	2	4	8	12	17	23
B. *Operated*										
0-19 YRS	635	3.5	8	<1	1	2	5	7	9	13
20-34	12748	4.6	9	<1	1	5	6	8	9	13
35-49	6901	6.6	12	1	2	6	8	10	12	18
50-64	2526	8.6	24	2	4	8	10	13	17	24
65+	1400	10.6	40	3	5	9	13	18	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2685	2.3	6	<1	<1	2	3	5	6	8
B. *Operated*	11330	4.8	13	<1	1	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2804	3.2	9	<1	1	2	4	7	8	14
B. *Operated*	24210	5.9	16	1	1	6	8	10	12	19
1. SINGLE DX	14015	4.3	13	<1	1	3	7	9	10	15
2. MULTIPLE DX	27014	5.6	16	1	1	6	7	10	12	19
A. NOT OPERATED	5489	2.7	8	<1	1	2	3	6	7	12
B. OPERATED	35540	5.5	16	<1	1	5	8	10	12	18
TOTAL 0-19 YRS	2741	2.6	4	<1	1	2	3	5	7	11
20-34	21452	3.9	9	<1	1	3	6	7	9	13
35-49	10232	6.2	12	1	2	6	8	10	12	17
50-64	4243	8.2	21	2	3	8	10	12	15	23
65+	2361	9.6	32	2	4	9	12	16	20	31
GRAND TOTAL	**41029**	**5.2**	**16**	**<1**	**1**	**5**	**7**	**9**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	4	<1	<1	1	2	5	7	8
20-34	120	2.4	6	<1	<1	1	3	5	6	13
35-49	11	2.6	3	<1	<1	2	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	471	4.9	2	3	3	5	6	7	8	9
20-34	6571	5.1	4	3	3	5	6	7	8	11
35-49	672	5.5	4	3	4	5	7	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	4	5	5	5
20-34	50	2.9	4	1	1	3	4	6	7	9
35-49	6	3.5	2	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	380	5.5	5	3	4	5	6	8	9	14
20-34	5272	5.6	6	3	4	5	6	8	9	13
35-49	760	6.3	7	3	4	6	7	9	11	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	2.4	6	<1	<1	2	3	5	6	10
B. *Operated*	7714	5.2	4	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	62	3.0	3	1	1	3	4	5	7	9
B. *Operated*	6412	5.6	6	3	4	5	6	8	9	13
1. SINGLE DX	7860	5.1	4	3	3	5	6	7	8	11
2. MULTIPLE DX	6474	5.6	6	3	4	5	6	8	9	13
A. NOT OPERATED	208	2.6	5	<1	<1	2	4	5	6	9
B. OPERATED	14126	5.4	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	872	5.1	4	2	3	5	6	7	8	12
20-34	12013	5.3	5	3	3	5	6	7	8	12
35-49	1449	5.9	6	3	4	6	7	8	10	14
50-64										
65+										
GRAND TOTAL	**14334**	**5.3**	**5**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	1.4	1	<1	<1	1	1	2	3	6
20-34	362	1.5	2	<1	1	1	2	2	3	5
35-49	53	1.4		<1	1	1	2	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6974	1.4		<1	<1	1	2	2	3	4
20-34	14972	1.3	1	<1	<1	1	1	2	2	4
35-49	1716	1.3	1	<1	<1	<1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	1.8	2	<1	<1	1	2	4	6	7
20-34	135	1.9	3	<1	<1	1	2	3	4	11
35-49	30	1.9	8	<1	<1	1	2	3	4	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1640	1.7	3	<1	<1	1	2	3	5	8
20-34	6207	1.9	4	<1	<1	1	2	4	6	11
35-49	1606	2.3	4	<1	<1	2	3	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	1.4	1	<1	1	1	2	2	3	5
B. *Operated*	23662	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	228	1.9	3	<1	<1	1	2	3	4	11
B. *Operated*	9453	2.0	4	<1	<1	1	2	4	6	10
1. SINGLE DX	24295	1.3	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	9681	2.0	4	<1	<1	1	2	4	6	10
A. NOT OPERATED	861	1.5	2	<1	<1	1	2	3	3	7
B. OPERATED	33115	1.5	2	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	8895	1.4	1	<1	<1	1	2	2	3	6
20-34	21676	1.5	2	<1	<1	1	1	2	3	7
35-49	3405	1.8	3	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**33976**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	14	1	1	2	6	9	9	9
20-34	9	2.8	5	<1	<1	2	3	6	8	8
35-49	4	4.3	7	2	2	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	7	3.3	4	1	1	3	5	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0		4	4	4	4	4	4	4
B. *Operated*	17	3.3	7	<1	1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	11	3.0	5	1	1	3	5	6	7	7
1. SINGLE DX	19	3.4	6	<1	1	2	4	8	9	9
2. MULTIPLE DX	12	3.1	5	1	1	3	5	6	7	7
A. NOT OPERATED	3	4.0		4	4	4	4	4	4	4
B. OPERATED	28	3.2	6	1	1	2	5	7	8	9
TOTAL 0-19 YRS	9	3.1	9	1	1	2	5	8	9	9
20-34	18	3.1	4	<1	1	3	4	6	7	8
35-49	4	4.3	7	2	2	4	6	7	7	7
50-64										
65+										
GRAND TOTAL	**31**	**3.3**	**5**	**1**	**1**	**3**	**4**	**7**	**8**	**9**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	989	1.7	1	<1	<1	1	2	3	4	6
20-34	3184	1.6	1	<1	<1	1	2	3	4	6
35-49	263	1.7	3	<1	<1	1	2	3	4	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6823	1.5	1	<1	<1	1	2	3	3	5
20-34	37981	1.5	1	<1	<1	1	2	2	3	5
35-49	4895	1.4	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	2.7	5	1	1	2	3	5	7	10
20-34	675	2.4	5	<1	1	2	3	4	6	13
35-49	58	2.2	2	<1	1	2	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	919	2.4	4	<1	1	2	3	5	6	10
20-34	5724	2.4	6	<1	1	2	3	5	7	11
35-49	1223	2.3	8	<1	1	2	3	4	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4456	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	49699	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	883	2.5	5	<1	1	2	3	5	6	12
B. *Operated*	7866	2.4	6	<1	1	2	3	5	6	11
1. SINGLE DX	54155	1.5	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	8749	2.4	6	<1	1	2	3	5	6	11
A. NOT OPERATED	5339	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	57565	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	8881	1.7	1	<1	<1	1	2	3	4	7
20-34	47564	1.6	2	<1	<1	1	2	3	4	7
35-49	6459	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**62904**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.0	4	<1	1	3	4	5	6	8
20-34	929	2.4	3	<1	1	2	3	5	6	8
35-49	99	1.9	2	<1	1	1	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	750	2.0	2	<1	1	2	2	4	5	7
20-34	6224	1.7	3	<1	<1	1	2	3	4	7
35-49	731	1.7	2	<1	<1	1	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.2	6	1	1	2	4	7	8	12
20-34	289	3.0	9	1	1	2	4	6	7	15
35-49	32	3.0	9	1	1	2	4	5	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	225	3.4	11	<1	1	3	4	6	9	16
20-34	1555	2.9	9	<1	1	2	4	6	8	16
35-49	290	2.9	8	<1	1	2	3	6	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	2.5	3	<1	1	2	3	5	6	8
B. *Operated*	7705	1.7	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	409	3.0	8	1	1	2	4	6	7	14
B. *Operated*	2070	3.0	9	<1	1	2	4	6	8	16
1. SINGLE DX	8964	1.8	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2479	3.0	9	<1	1	2	4	6	8	15
A. NOT OPERATED	1668	2.6	5	<1	1	2	3	5	6	10
B. OPERATED	9775	2.0	4	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	1294	2.5	4	<1	1	2	3	5	6	10
20-34	8997	2.0	4	<1	<1	1	2	4	5	9
35-49	1152	2.1	4	<1	<1	2	2	4	5	11
50-64										
65+										
GRAND TOTAL	**11443**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	983	2.2	2	<1	1	2	3	4	5	7
20-34	5247	2.4	3	<1	1	2	3	4	5	8
35-49	357	2.4	3	<1	1	2	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.8	1	<1	<1	1	3	3	4	4
20-34	115	2.8	10	<1	1	2	4	5	6	17
35-49	8	3.3	4	<1	<1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	204	3.2	5	1	1	3	4	6	7	10
20-34	1033	3.4	6	1	1	3	4	6	8	11
35-49	86	3.7	5	1	1	3	5	7	9	11
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.3	5	<1	1	3	5	7	8	8
20-34	85	3.6	11	1	1	3	4	8	10	19
35-49	7	3.6	3	2	2	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6587	2.4	3	<1	1	2	3	4	5	8
B. *Operated*	139	2.7	9	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	1323	3.4	6	1	1	3	4	6	8	11
B. *Operated*	105	3.5	10	1	1	3	5	7	9	17
1. SINGLE DX	6726	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1428	3.4	6	1	1	3	4	6	8	11
A. NOT OPERATED	7910	2.5	4	<1	1	2	3	5	6	9
B. OPERATED	244	3.0	10	<1	1	2	4	5	8	12
TOTAL 0-19 YRS	1216	2.4	2	<1	1	2	3	4	5	6
20-34	6480	2.6	4	<1	1	2	3	5	6	9
35-49	458	2.7	3	1	1	2	3	5	6	9
50-64										
65+										
GRAND TOTAL	**8154**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.0	2	<1	<1	1	3	4	5	6
20-34	334	2.3	3	<1	<1	2	3	4	5	10
35-49	18	2.3	2	1	1	2	2	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	14	2.0	1	1	1	2	2	4	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	7	<1	1	3	4	5	9	12
20-34	78	3.4	14	<1	1	3	4	6	10	24
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	11	3.3	6	1	1	2	5	7	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	2.3	3	<1	<1	2	3	4	5	9
B. *Operated*	18	1.9	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	98	3.3	13	<1	1	3	4	6	10	21
B. *Operated*	11	3.3	6	1	1	2	5	7	8	8
1. SINGLE DX	431	2.3	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	109	3.3	12	<1	1	3	4	6	8	20
A. NOT OPERATED	511	2.5	5	<1	<1	2	3	5	5	12
B. OPERATED	29	2.4	3	1	1	2	3	5	6	8
TOTAL 0-19 YRS	83	2.2	3	<1	<1	2	3	4	5	10
20-34	437	2.5	5	<1	1	2	3	5	6	13
35-49	20	2.4	2	1	1	2	3	5	5	5
50-64										
65+										
GRAND TOTAL	**540**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**5**	**5**	**12**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	960	3.4	5	1	1	3	4	6	7	11
20-34	4580	3.4	6	1	1	3	4	6	8	14
35-49	420	3.8	8	1	1	3	4	7	9	15
50-64										
65+										
B. *Operated*										
0-19 YRS	82	4.3	10	1	1	4	6	9	11	16
20-34	483	4.0	9	<1	1	3	5	8	10	15
35-49	45	4.2	12	<1	1	3	5	8	10	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	3.5	6	<1	1	3	4	6	9	13
20-34	1266	3.9	10	1	1	3	5	7	9	15
35-49	153	4.7	12	1	1	4	6	9	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	43	4.5	17	<1	1	4	6	8	11	23
20-34	297	4.2	15	<1	<1	3	6	9	12	20
35-49	28	6.0	52	<1	<1	4	7	19	24	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5960	3.5	6	1	1	3	4	6	8	14
B. *Operated*	610	4.1	9	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1653	3.9	10	1	1	3	5	7	9	15
B. *Operated*	368	4.4	18	<1	<1	3	6	9	12	22
1. SINGLE DX	6570	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2021	4.0	12	<1	1	3	5	8	10	18
A. NOT OPERATED	7613	3.5	7	1	1	3	4	6	8	14
B. OPERATED	978	4.2	13	<1	1	3	5	8	11	20
TOTAL 0-19 YRS	1319	3.5	6	1	1	3	4	6	8	12
20-34	6626	3.6	8	1	1	3	4	7	9	15
35-49	646	4.1	11	1	1	3	5	8	10	20
50-64										
65+										
GRAND TOTAL	**8591**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1117	3.3	3	1	1	3	4	6	7	10
20-34	5241	3.8	6	1	2	3	5	7	8	12
35-49	149	5.1	11	2	2	4	7	9	11	23
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.8	2	1	1	3	4	5	5	5
20-34	20	2.6	4	<1	1	2	3	4	7	10
35-49	3	7.0	61	2	2	3	13	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	3.7	6	1	2	3	5	6	8	13
20-34	1804	4.1	10	1	1	3	5	7	9	17
35-49	74	5.1	13	1	2	4	6	11	13	17
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.4	21	1	1	3	8	12	17	18
20-34	37	5.4	20	1	2	4	7	11	16	22
35-49	3	4.3		4	4	4	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6507	3.8	6	1	2	3	5	6	8	12
B. *Operated*	32	3.1	9	1	1	2	4	5	9	16
2. MULTIPLE DX										
A. *Not Operated*	2292	4.1	9	1	1	3	5	7	9	17
B. *Operated*	113	5.4	19	1	2	4	7	11	16	21
1. SINGLE DX	6539	3.8	6	1	2	3	5	6	8	12
2. MULTIPLE DX	2405	4.1	10	1	2	3	5	7	10	17
A. NOT OPERATED	8799	3.9	7	1	2	3	5	7	8	13
B. OPERATED	145	4.9	18	1	1	4	6	10	16	21
TOTAL 0-19 YRS	1563	3.4	5	1	1	3	4	6	7	11
20-34	7152	3.9	7	1	2	3	5	7	9	14
35-49	229	5.1	12	2	2	4	7	10	12	19
50-64										
65+										
GRAND TOTAL	**8944**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**14**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6158	1.2	1	<1	<1	<1	1	1	2	4
20-34	23120	1.2	1	<1	<1	<1	1	1	2	4
35-49	1146	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	563	1.2	1	<1	<1	<1	1	1	2	6
20-34	2380	1.3	2	<1	<1	<1	1	2	3	5
35-49	139	1.5	15	<1	<1	<1	1	2	3	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	500	1.6	2	<1	<1	1	2	3	4	7
20-34	1979	1.8	4	<1	<1	1	2	4	5	11
35-49	126	1.7	3	<1	<1	1	2	3	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	81	2.4	16	<1	<1	1	3	4	6	27
20-34	360	2.5	42	<1	<1	1	2	4	6	23
35-49	25	1.9	4	<1	<1	1	2	5	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30424	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	3082	1.3	3	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	2605	1.8	3	<1	<1	1	2	4	5	10
B. *Operated*	466	2.5	35	<1	<1	1	2	4	6	23
1. SINGLE DX	33506	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3071	1.9	8	<1	<1	1	2	4	5	11
A. NOT OPERATED	33029	1.2	1	<1	<1	<1	1	2	2	5
B. OPERATED	3548	1.4	7	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	7302	1.2	1	<1	<1	1	1	2	2	5
20-34	27839	1.2	2	<1	<1	<1	1	2	2	5
35-49	1436	1.3	2	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**36577**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	3.1	7	<1	1	2	4	7	9	13
20-34	1886	3.5	12	<1	1	3	4	6	10	17
35-49	167	3.9	24	<1	1	3	4	6	12	35
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.3	12	<1	1	2	4	7	13	14
20-34	194	4.3	23	1	1	3	5	9	12	24
35-49	23	4.1	14	1	1	3	4	8	14	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.5	11	<1	1	3	5	6	9	19
20-34	503	4.4	30	<1	1	3	5	9	12	35
35-49	38	4.6	91	1	1	3	4	5	8	61
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.0	54	1	1	2	9	16	16	16
20-34	75	4.6	22	1	1	3	6	8	14	23
35-49	5	4.0	8	1	1	4	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2206	3.5	13	<1	1	3	4	6	10	17
B. *Operated*	230	4.2	21	1	1	3	5	9	14	23
2. MULTIPLE DX										
A. *Not Operated*	594	4.4	32	<1	1	3	5	8	12	37
B. *Operated*	84	4.6	22	1	1	3	6	9	15	23
1. SINGLE DX	2436	3.6	14	<1	1	3	4	7	10	18
2. MULTIPLE DX	678	4.4	31	1	1	3	5	8	12	34
A. NOT OPERATED	2800	3.7	17	<1	1	3	4	7	10	20
B. OPERATED	314	4.3	21	1	1	3	5	9	14	23
TOTAL 0-19 YRS	223	3.2	8	<1	1	2	4	6	9	15
20-34	2658	3.8	17	<1	1	3	4	7	11	22
35-49	233	4.0	33	1	1	3	4	6	11	38
50-64										
65+										
GRAND TOTAL	**3114**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**21**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	496	2.0	4	<1	<1	1	2	4	5	10
20-34	2375	2.2	5	<1	<1	2	3	4	5	11
35-49	159	2.4	11	<1	<1	2	2	4	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	50	2.3	3	<1	<1	2	3	5	6	8
20-34	269	2.6	13	<1	<1	2	3	5	7	26
35-49	23	3.1	6	<1	<1	3	4	6	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	3.2	14	<1	<1	2	4	7	10	21
20-34	605	3.1	12	<1	1	2	4	6	8	17
35-49	34	3.2	9	<1	<1	3	4	6	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.6	18	<1	<1	3	6	12	13	17
20-34	126	3.7	13	<1	1	2	4	8	11	19
35-49	9	2.9	9	<1	<1	2	3	8	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3030	2.2	5	<1	<1	2	3	4	5	11
B. *Operated*	342	2.6	11	<1	<1	2	3	5	7	21
2. MULTIPLE DX										
A. *Not Operated*	784	3.1	13	<1	1	2	4	6	8	17
B. *Operated*	161	3.8	13	<1	<1	2	5	8	12	18
1. SINGLE DX	3372	2.3	6	<1	<1	2	3	4	5	11
2. MULTIPLE DX	945	3.3	13	<1	1	2	4	6	9	18
A. NOT OPERATED	3814	2.4	7	<1	<1	2	3	4	6	13
B. OPERATED	503	3.0	12	<1	<1	2	3	6	9	19
TOTAL 0-19 YRS	717	2.4	7	<1	<1	2	3	5	7	13
20-34	3375	2.5	7	<1	<1	2	3	5	6	14
35-49	225	2.6	10	<1	<1	2	3	5	8	15
50-64										
65+										
GRAND TOTAL	**4317**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1132	3.2	4	<1	1	3	4	5	7	10
20-34	2540	3.1	4	<1	1	3	4	5	6	9
35-49	65	3.1	4	<1	1	3	4	6	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	105	2.2	4	<1	<1	1	3	5	7	12
20-34	261	2.7	7	<1	<1	1	4	6	7	12
35-49	12	3.3	7	<1	<1	2	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1072	3.7	6	<1	1	3	5	6	7	11
20-34	2353	3.7	8	<1	1	3	5	6	8	12
35-49	78	3.8	6	<1	1	3	5	7	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	82	3.6	7	<1	<1	3	5	7	8	12
20-34	211	4.3	18	<1	<1	3	6	9	12	24
35-49	18	4.3	12	<1	1	3	7	9	11	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3737	3.2	4	<1	1	3	4	5	7	9
B. *Operated*	378	2.6	6	<1	<1	1	3	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	3503	3.7	7	<1	1	3	5	6	8	12
B. *Operated*	311	4.1	15	<1	<1	3	6	8	10	18
1. SINGLE DX	4115	3.1	4	<1	<1	3	4	5	7	10
2. MULTIPLE DX	3814	3.8	8	<1	1	3	5	6	8	13
A. NOT OPERATED	7240	3.4	6	<1	1	3	4	6	7	11
B. OPERATED	689	3.3	11	<1	<1	2	4	7	9	15
TOTAL 0-19 YRS	2391	3.4	5	<1	1	3	4	6	7	10
20-34	5365	3.4	6	<1	1	3	4	6	7	11
35-49	173	3.5	6	<1	1	3	5	7	8	11
50-64										
65+										
GRAND TOTAL	**7929**	**3.4**	**6**	**<1**	**1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	4.0	14	<1	1	3	5	8	10	21
20-34	2332	4.2	13	<1	1	3	5	8	11	18
35-49	329	4.5	12	1	1	3	6	9	12	16
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.6	8	<1	<1	3	5	8	9	13
20-34	196	3.6	14	<1	<1	2	5	7	10	21
35-49	33	5.4	48	<1	<1	3	6	12	16	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	826	3.7	13	<1	1	3	5	8	11	17
20-34	4477	4.2	17	<1	1	3	5	8	11	20
35-49	453	5.2	27	1	1	4	7	10	14	24
50-64										
65+										
B. *Operated*										
0-19 YRS	109	4.2	12	<1	1	3	6	8	11	18
20-34	599	5.4	45	<1	<1	4	7	12	16	28
35-49	50	5.5	23	1	2	4	7	11	15	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3023	4.2	13	<1	1	3	5	8	11	19
B. *Operated*	270	3.8	17	<1	<1	3	5	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	5756	4.2	17	<1	1	3	5	8	11	20
B. *Operated*	758	5.3	39	<1	1	4	7	11	16	25
1. SINGLE DX	3293	4.2	13	<1	1	3	5	8	11	19
2. MULTIPLE DX	6514	4.3	20	<1	1	3	5	9	12	21
A. NOT OPERATED	8779	4.2	16	<1	1	3	5	8	11	19
B. OPERATED	1028	4.9	34	<1	<1	3	6	10	15	25
TOTAL 0-19 YRS	1338	3.8	13	<1	1	3	5	8	10	18
20-34	7604	4.3	18	<1	1	3	5	8	11	20
35-49	865	5.0	22	1	1	4	6	10	12	21
50-64										
65+										
GRAND TOTAL	**9807**	**4.3**	**18**	**<1**	**1**	**3**	**5**	**9**	**11**	**20**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2628	2.3	8	<1	<1	1	3	4	6	11
20-34	11001	2.5	10	<1	<1	1	3	5	7	15
35-49	575	2.9	17	<1	<1	2	3	6	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	688	2.6	9	<1	<1	2	3	5	8	17
20-34	5541	2.7	8	<1	<1	2	3	5	6	14
35-49	360	2.8	5	<1	<1	2	4	5	7	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1126	3.1	10	<1	<1	2	4	6	8	17
20-34	4930	3.4	18	<1	<1	2	4	7	9	20
35-49	318	3.9	33	<1	<1	2	4	8	10	28
50-64										
65+										
B. *Operated*										
0-19 YRS	334	3.6	15	<1	<1	2	5	8	10	21
20-34	2304	3.6	25	<1	<1	2	4	7	11	25
35-49	318	2.7	12	<1	<1	<1	3	6	8	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14204	2.5	10	<1	<1	1	3	5	7	14
B. *Operated*	6589	2.7	8	<1	<1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	6374	3.3	17	<1	<1	2	4	7	9	20
B. *Operated*	2956	3.5	23	<1	<1	2	4	7	10	24
1. SINGLE DX	20793	2.5	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX	9330	3.4	19	<1	<1	2	4	7	10	21
A. NOT OPERATED	20578	2.7	12	<1	<1	2	3	5	8	16
B. OPERATED	9545	2.9	13	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	4776	2.6	9	<1	<1	2	3	5	7	15
20-34	23776	2.8	13	<1	<1	2	3	5	8	17
35-49	1571	3.0	17	<1	<1	2	4	6	8	18
50-64										
65+										
GRAND TOTAL	**30123**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	3.0	1	2	2	3	3	4	5	6
20-34	1546	3.4	4	2	2	3	4	5	5	13
35-49	122	3.7	4	2	2	3	4	5	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	143	4.7	27	2	2	3	4	7	12	37
20-34	819	4.6	15	2	2	4	5	7	9	24
35-49	86	5.9	53	2	2	4	6	8	19	41
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	495	3.2	4	2	2	3	4	4	5	12
20-34	2349	3.4	6	2	2	3	4	5	6	12
35-49	177	4.6	40	1	2	3	4	6	9	48
50-64										
65+										
B. *Operated*										
0-19 YRS	511	5.5	40	2	2	4	5	10	16	39
20-34	4637	5.8	38	2	3	4	6	9	14	37
35-49	525	6.3	32	2	3	5	7	11	17	31
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1999	3.4	4	2	2	3	4	5	5	11
B. *Operated*	1048	4.8	20	2	2	4	5	7	10	29
2. MULTIPLE DX										
A. *Not Operated*	3021	3.5	8	2	2	3	4	5	6	13
B. *Operated*	5673	5.8	38	2	3	4	6	9	15	34
1. SINGLE DX	3047	3.8	10	2	2	3	4	6	7	17
2. MULTIPLE DX	8694	5.0	29	2	2	4	5	8	12	30
A. NOT OPERATED	5020	3.4	6	2	2	3	4	5	6	13
B. OPERATED	6721	5.7	35	2	2	4	6	9	14	34
TOTAL 0-19 YRS	1480	4.1	19	2	2	3	4	6	9	25
20-34	9351	4.7	24	2	2	4	5	7	10	28
35-49	910	5.6	33	2	2	4	6	9	15	34
50-64										
65+										
GRAND TOTAL	**11741**	**4.7**	**24**	**2**	**2**	**4**	**5**	**7**	**10**	**28**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25149	2.8	1	1	2	3	3	4	4	5
20-34	143010	2.9	1	1	2	3	3	4	4	5
35-49	7137	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4585	2.8	1	1	2	3	3	4	4	5
20-34	27318	2.9	1	1	2	3	3	4	5	6
35-49	1430	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9727	2.7	1	1	1	3	3	4	4	6
20-34	55231	2.8	1	1	1	3	3	4	5	6
35-49	2675	2.8	2	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2573	2.9	2	1	2	3	3	4	5	7
20-34	35609	3.3	2	2	2	3	4	5	5	7
35-49	3494	3.6	2	2	2	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	175296	2.8	1	1	2	3	3	4	4	5
B. *Operated*	33333	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	67633	2.8	1	1	1	3	3	4	4	6
B. *Operated*	41676	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	208629	2.9	1	1	2	3	3	4	4	5
2. MULTIPLE DX	109309	3.0	2	1	2	3	4	4	5	6
A. NOT OPERATED	242929	2.8	1	1	2	3	3	4	4	6
B. OPERATED	75009	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	42034	2.8	1	1	2	3	3	4	4	5
20-34	261168	2.9	1	1	2	3	3	4	5	6
35-49	14736	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**317938**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

271: Placenta previa, delivere

1.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX									
A. *Not Operated*									
0-19 YRS	15								
20-34	114	3	1	1	3	4	5	6	7
35-49	8	3	1	1	3	4	5	6	10
50-64		80	2	2	5	9	24	29	29
65+									
B. *Operated*									
0-19 YRS	46								
20-34	601	29	2	3	5	7	14	22	25
35-49	74	59	3	4	6	7	15	25	44
50-64		172	3	4	6	8	23	39	70
65+									
2. MULTIPLE DX									
A. *Not Operated*									
0-19 YRS	19								
20-34	167	4	<1	1	3	4	6	8	9
35-49	14	21	1	2	3	4	7	11	19
50-64		10	1	2	4	5	9	12	13
65+									
B. *Operated*									
0-19 YRS	118								
20-34	1888	31	2	3	5	6	9	16	34
35-49	339	94	3	4	6	8	17	28	54
50-64		156	4	4	6	9	27	40	69
65+									
SUBTOTALS:									
1. SINGLE DX									
A. *Not Operated*	137								
B. *Operated*	721	8	1	1	3	4	5	7	14
2. MULTIPLE DX		69	3	4	6	7	15	25	47
A. *Not Operated*	200								
B. *Operated*	2345	18	1	2	3	4	7	10	18
1. SINGLE DX	858	101	3	4	6	8	17	30	55
2. MULTIPLE DX	2545	62	2	3	5	7	13	24	45
A. NOT OPERATED	337	96	3	3	6	8	16	29	54
B. OPERATED	3066	14	1	1	3	4	6	9	18
		93	3	4	6	8	17	29	54
TOTAL 0-19 YRS	198								
20-34	2770	27	2	2	5	6	9	15	33
35-49	435	80	2	3	6	7	15	25	51
50-64		154	3	4	6	8	25	39	69
65+									
GRAND TOTAL	**3403**	**87**	**2**	**3**	**6**	**7**	**15**	**27**	**52**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.5	1	1	1	2	3	4	4	6
20-34	667	3.0	5	1	1	3	4	4	5	8
35-49	48	2.6	1	1	1	3	4	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	126	4.2	4	1	2	4	5	7	7	9
20-34	722	4.6	10	2	2	4	6	7	8	12
35-49	45	4.4	3	1	2	5	6	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	2.8	2	1	1	3	3	4	5	8
20-34	816	3.1	3	1	1	3	4	5	6	10
35-49	52	2.9	2	1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	431	5.0	10	2	2	4	6	8	10	15
20-34	2661	5.0	11	2	2	5	6	7	9	19
35-49	286	5.3	12	2	2	5	6	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	2.9	5	1	1	3	4	4	5	8
B. *Operated*	893	4.5	9	1	2	4	6	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	1035	3.0	3	1	1	3	4	5	6	9
B. *Operated*	3378	5.0	11	2	2	5	6	8	9	18
1. SINGLE DX	1716	3.8	8	1	1	3	5	6	7	10
2. MULTIPLE DX	4413	4.6	10	1	2	4	6	7	9	16
A. NOT OPERATED	1858	3.0	4	1	1	3	4	4	5	8
B. OPERATED	4271	4.9	11	2	2	4	6	7	9	17
TOTAL 0-19 YRS	832	4.1	7	1	2	4	5	7	8	14
20-34	4866	4.3	10	1	2	4	5	7	8	15
35-49	431	4.6	10	1	2	4	6	7	9	14
50-64										
65+										
GRAND TOTAL	**6129**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	2	1	1	3	4	5	6	7
20-34	130	2.7	1	1	1	3	3	4	4	6
35-49	8	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.6	1	1	1	3	3	4	4	6
20-34	1721	2.9	1	1	1	3	4	4	5	7
35-49	108	2.9	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	2	<1	2	3	4	5	6	6
20-34	105	2.9	1	1	2	3	4	4	5	6
35-49	9	3.2	4	1	1	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	214	3.2	3	1	1	3	4	5	6	10
20-34	1918	3.4	4	1	2	3	4	5	6	10
35-49	148	3.7	3	2	2	4	4	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	2.7	1	1	1	3	3	4	5	6
B. *Operated*	2057	2.8	1	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	130	3.0	2	1	2	3	4	5	5	6
B. *Operated*	2280	3.4	4	1	2	3	4	5	6	10
1. SINGLE DX	2217	2.8	1	1	1	3	3	4	5	7
2. MULTIPLE DX	2410	3.4	4	1	2	3	4	5	6	10
A. NOT OPERATED	290	2.9	1	1	1	3	4	4	5	6
B. OPERATED	4337	3.1	3	1	1	3	4	5	5	8
TOTAL 0-19 YRS	480	2.9	2	1	1	3	4	4	5	8
20-34	3874	3.1	3	1	1	3	4	5	5	8
35-49	273	3.3	3	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**4627**	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.0	1	1	2	3	4	4	5	6
20-34	669	2.9	2	1	1	3	4	4	5	6
35-49	35	3.3	1	1	1	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	72	3.1	2	1	1	3	4	5	6	8
20-34	453	3.1	3	1	1	3	4	5	5	8
35-49	17	2.8	2	1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	146	3.2	2	1	2	3	4	5	6	9
20-34	711	3.0	2	1	2	3	4	4	5	7
35-49	35	3.4	11	1	1	3	4	5	8	20
50-64										
65+										
B. *Operated*										
0-19 YRS	146	3.4	4	2	2	3	4	5	6	9
20-34	861	3.5	2	1	2	3	4	5	6	9
35-49	63	4.1	11	1	1	3	4	7	8	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	852	3.0	2	1	1	3	4	4	5	6
B. *Operated*	542	3.1	3	1	1	3	4	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	892	3.1	2	1	2	3	4	5	5	8
B. *Operated*	1070	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	1394	3.0	2	1	1	3	4	4	5	7
2. MULTIPLE DX	1962	3.3	3	1	2	3	4	5	6	9
A. NOT OPERATED	1744	3.0	2	1	2	3	4	4	5	7
B. OPERATED	1612	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	512	3.2	2	1	2	3	4	5	6	8
20-34	2694	3.2	2	1	2	3	4	5	5	8
35-49	150	3.6	8	1	1	3	4	5	7	20
50-64										
65+										
GRAND TOTAL	**3356**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.5	2	2	2	3	4	5	6	8
20-34	414	3.6	4	2	2	3	4	5	6	9
35-49	24	3.6	1	2	2	4	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	32	4.1	3	2	2	4	5	7	7	8
20-34	286	4.8	18	2	3	4	6	7	8	17
35-49	22	5.3	4	3	3	5	7	8	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.1	10	1	2	3	4	8	12	18
20-34	617	4.0	10	1	2	3	5	6	8	21
35-49	43	5.1	75	1	2	3	4	6	18	48
50-64										
65+										
B. *Operated*										
0-19 YRS	254	5.5	17	2	3	5	6	8	12	25
20-34	3168	5.8	24	2	3	5	6	8	11	28
35-49	273	5.8	9	2	3	5	7	9	11	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	3.6	4	2	2	3	4	5	6	8
B. *Operated*	340	4.8	15	2	3	4	6	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	734	4.1	14	1	2	3	5	6	8	24
B. *Operated*	3695	5.8	23	2	3	5	6	8	11	27
1. SINGLE DX	817	4.1	9	2	2	4	5	6	7	10
2. MULTIPLE DX	4429	5.5	22	2	3	5	6	8	11	27
A. NOT OPERATED	1211	3.9	10	1	2	3	4	6	7	19
B. OPERATED	4035	5.7	22	2	3	5	6	8	11	27
TOTAL 0-19 YRS	399	4.9	13	2	2	4	6	8	10	22
20-34	4485	5.3	21	2	2	5	6	8	10	26
35-49	362	5.5	16	2	3	5	7	8	11	21
50-64										
65+										
GRAND TOTAL	**5246**	**5.3**	**20**	**2**	**2**	**4**	**6**	**8**	**10**	**24**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.9	2	1	1	3	4	4	4	9
20-34	647	2.9	1	1	2	3	4	4	5	7
35-49	62	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	789	4.9	2	2	3	5	6	7	7	9
20-34	5684	4.8	3	2	3	5	6	7	7	9
35-49	289	5.0	4	3	3	5	6	7	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.6	2	1	1	2	3	5	5	7
20-34	625	3.0	3	1	1	3	4	5	5	9
35-49	46	4.0	24	1	1	3	4	5	7	35
50-64										
65+										
B. *Operated*										
0-19 YRS	1328	5.3	7	2	3	5	6	7	9	13
20-34	10332	5.2	6	2	3	5	6	7	8	13
35-49	930	5.5	8	2	3	5	6	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	2.9	2	1	2	3	4	4	5	7
B. *Operated*	6762	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	749	3.0	4	1	1	3	4	5	5	9
B. *Operated*	12590	5.3	7	2	3	5	6	7	8	13
1. SINGLE DX	7555	4.6	3	2	3	5	6	6	7	9
2. MULTIPLE DX	13339	5.1	7	2	3	5	6	7	8	13
A. NOT OPERATED	1542	3.0	3	1	1	3	4	4	5	7
B. OPERATED	19352	5.1	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	2279	5.0	5	2	3	5	6	7	8	12
20-34	17288	4.9	5	2	3	5	6	7	8	11
35-49	1327	5.2	8	2	3	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	**20894**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	163	2.7	1	1	1	3	3	4	4	5
20-34	1311	2.9	1	1	2	3	3	4	5	6
35-49	65	2.7	2	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	619	3.8	2	2	2	3	5	6	7	8
20-34	3732	3.9	3	2	2	4	5	6	7	8
35-49	236	4.3	3	2	2	4	5	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	2.8	1	1	2	3	3	4	5	7
20-34	1589	2.9	2	1	2	3	3	4	5	7
35-49	116	3.0	3	1	1	3	4	5	6	12
50-64										
65+										
E. *Operated*										
0-19 YRS	1775	4.3	4	2	2	4	5	7	8	12
20-34	13557	4.5	5	2	2	4	6	7	8	11
35-49	1145	5.0	6	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1539	2.9	1	1	2	3	3	4	5	6
B. *Operated*	4587	3.9	3	2	2	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	1911	2.9	2	1	2	3	3	4	5	7
B. *Operated*	16477	4.5	5	2	2	4	6	7	8	11
1. SINGLE DX	6126	3.7	2	2	2	3	5	6	7	8
2. MULTIPLE DX	18388	4.4	5	2	2	4	5	7	8	11
A. NOT OPERATED	3450	2.9	1	1	2	3	3	4	5	7
B. OPERATED	21064	4.4	4	2	2	4	5	7	8	10
TOTAL 0-19 YRS	2763	4.0	4	2	2	4	5	6	7	10
20-34	20189	4.2	4	2	2	4	5	7	7	10
35-49	1562	4.7	6	2	2	4	6	7	8	11
50-64										
65+										
GRAND TOTAL	**24514**	**4.2**	**4**	**2**	**2**	**4**	**5**	**7**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	5	1	2	3	4	6	9	11
20-34	147	3.4	2	1	2	3	4	5	6	8
35-49	13	3.3	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1583	5.5	2	3	4	5	6	7	8	11
20-34	7844	5.5	2	4	4	5	6	7	8	9
35-49	342	5.8	3	4	4	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	27	2	2	4	6	11	16	27
20-34	158	3.5	2	1	2	3	4	5	7	8
35-49	18	3.0	1	1	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4044	6.0	5	4	4	6	7	8	10	14
20-34	20096	5.7	3	4	4	5	6	8	8	12
35-49	1234	6.1	8	4	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	3.4	2	1	2	3	4	5	6	8
B. *Operated*	9769	5.5	2	4	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	202	3.7	6	1	2	3	4	6	7	12
B. *Operated*	25374	5.8	4	4	4	6	7	8	9	13
1. SINGLE DX	9948	5.5	2	3	4	5	6	7	8	9
2. MULTIPLE DX	25576	5.8	4	3	4	6	7	8	9	13
A. NOT OPERATED	381	3.6	4	1	2	3	4	5	7	11
B. OPERATED	35143	5.7	3	4	4	5	6	7	8	12
TOTAL 0-19 YRS	5672	5.8	5	3	4	6	7	8	9	13
20-34	28245	5.6	3	3	4	5	6	7	8	11
35-49	1607	6.0	7	3	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**35524**	**5.7**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	3.1	1	2	2	3	4	4	5	6
20-34	1794	3.1	1	1	2	3	4	4	5	6
35-49	83	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	522	4.0	3	2	2	4	5	6	7	9
20-34	3155	4.2	3	2	2	4	5	6	7	9
35-49	165	4.3	4	2	2	4	5	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	448	3.1	4	1	2	3	4	4	5	6
20-34	2320	3.1	2	1	2	3	4	4	5	6
35-49	123	3.2	1	2	2	3	4	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1749	4.3	5	2	2	4	5	7	8	11
20-34	10838	4.4	5	2	2	4	5	7	8	11
35-49	759	4.7	4	2	2	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2206	3.1	1	1	2	3	4	4	5	6
B. *Operated*	3842	4.2	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	2891	3.1	2	1	2	3	4	4	5	6
B. *Operated*	13346	4.4	5	2	2	4	5	7	8	11
1. SINGLE DX	6048	3.8	3	2	2	4	5	6	7	8
2. MULTIPLE DX	16237	4.2	5	2	2	4	5	7	7	11
A. NOT OPERATED	5097	3.1	2	1	2	3	4	4	5	6
B. OPERATED	17188	4.4	5	2	2	4	5	7	7	11
TOTAL 0-19 YRS	3048	4.0	4	2	2	4	5	6	7	10
20-34	18107	4.1	4	2	2	4	5	6	7	10
35-49	1130	4.4	4	2	2	4	5	7	8	11
50-64										
65+										
GRAND TOTAL	**22285**	**4.1**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.0	1	1	2	3	4	4	4	5
20-34	345	3.1	2	1	2	3	4	4	5	7
35-49	30	3.1	2	2	2	3	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	179	4.3	3	2	2	4	5	6	7	9
20-34	1262	4.6	4	2	2	4	6	7	8	9
35-49	124	4.8	4	2	2	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	2.7	2	1	1	2	4	4	5	9
20-34	353	3.5	4	1	2	3	4	6	6	10
35-49	39	3.6	4	1	1	3	5	6	8	11
50-64										
65+										
B. *Operated*										
0-19 YRS	442	5.3	8	2	3	5	6	8	9	16
20-34	4077	5.5	16	2	3	5	6	8	9	20
35-49	442	6.1	27	2	3	5	7	8	10	36
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	3.1	1	1	2	3	4	4	5	7
B. *Operated*	1565	4.6	4	2	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	436	3.4	4	1	2	3	4	5	6	10
B. *Operated*	4961	5.5	17	2	3	5	6	8	9	20
1. SINGLE DX	1972	4.3	4	2	2	4	5	7	7	9
2. MULTIPLE DX	5397	5.3	16	2	3	5	6	8	9	19
A. NOT OPERATED	843	3.3	3	1	2	3	4	5	6	9
B. OPERATED	6526	5.3	14	2	3	5	6	7	8	16
TOTAL 0-19 YRS	697	4.7	7	2	2	5	6	7	8	14
20-34	6037	5.0	13	2	2	5	6	7	8	15
35-49	635	5.5	21	2	3	5	6	8	9	17
50-64										
65+										
GRAND TOTAL	**7369**	**5.0**	**13**	**2**	**2**	**5**	**6**	**7**	**8**	**15**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	2	1	1	3	4	5	6	6
20-34	239	3.1	2	1	2	3	4	5	6	8
35-49	19	2.9	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1183	5.4	2	3	4	5	6	7	8	9
20-34	19656	5.7	2	4	4	6	6	7	8	9
35-49	1201	6.0	2	4	4	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.2	4	1	1	4	6	7	8	8
20-34	228	3.4	3	1	2	3	4	6	7	8
35-49	22	3.4	3	1	1	3	5	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1547	5.6	5	3	4	5	6	7	8	15
20-34	34625	5.8	5	4	4	6	7	8	8	12
35-49	3242	6.3	10	4	4	6	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	3.1	2	1	2	3	4	5	6	8
B. *Operated*	22040	5.7	2	4	4	6	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	268	3.4	3	1	2	3	4	6	7	8
B. *Operated*	39414	5.8	6	4	4	6	7	8	8	12
1. SINGLE DX	22315	5.6	2	3	4	6	6	7	8	9
2. MULTIPLE DX	39682	5.8	6	3	4	6	7	8	8	12
A. NOT OPERATED	543	3.3	3	1	2	3	4	6	6	8
B. OPERATED	61454	5.8	4	4	4	6	7	7	8	11
TOTAL 0-19 YRS	2765	5.5	4	3	4	5	6	7	8	12
20-34	54748	5.7	4	3	4	6	6	7	8	11
35-49	4484	6.2	8	4	4	6	7	8	9	13
50-64										
65+										
GRAND TOTAL	**61997**	**5.8**	**4**	**3**	**4**	**6**	**7**	**7**	**8**	**11**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (22)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	694	3.3	3	2	2	3	4	4	5	9
20-34	41065	3.3	2	2	2	3	4	5	5	7
35-49	243	3.5	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	1534	3.6	4	2	2	3	4	5	6	9
20-34	31243	3.7	2	2	2	3	4	6	6	8
35-49	2205	3.9	3	2	2	4	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	732	3.5	5	2	2	3	4	5	6	9
20-34	42257	3.4	4	1	2	3	4	5	6	10
35-49	3305	3.7	5	2	2	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	19995	4.3	6	2	2	4	5	7	8	12
20-34	137786	4.5	8	2	2	4	5	7	8	13
35-49	12215	4.8	9	2	2	4	6	7	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50002	3.3	2	2	2	3	4	5	5	7
B. *Operated*	39982	3.7	3	2	2	3	4	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	52294	3.5	4	1	2	3	4	5	6	10
B. *Operated*	169996	4.5	7	2	2	4	5	7	8	13
1. SINGLE DX	89984	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	222290	4.2	7	2	2	4	5	7	8	13
A. NOT OPERATED	102296	3.4	3	2	2	3	4	5	6	9
B. OPERATED	209778	4.3	7	2	2	4	5	7	8	13
TOTAL 0-19 YRS	39855	3.9	5	2	2	3	4	6	7	12
20-34	253851	4.0	6	2	2	4	5	6	7	11
35-49	19768	4.4	7	2	2	4	5	7	8	14
50-64										
65+										
GRAND TOTAL	**312774**	**4.0**	**6**	**2**	**2**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1796	2.9	1	1	2	3	3	4	4	5
20-34	13303	3.0	1	1	2	3	3	4	4	6
35-49	668	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	942	2.9	1	1	2	3	3	4	5	6
20-34	6224	3.1	1	1	2	3	4	4	5	6
35-49	315	3.3	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1387	2.8	2	1	2	3	3	4	5	7
20-34	9669	2.9	1	1	2	3	3	4	5	6
35-49	526	2.9	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1738	3.2	2	1	2	3	4	5	6	10
20-34	14039	3.3	2	2	2	3	4	5	6	8
35-49	1107	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15767	3.0	1	1	2	3	3	4	4	6
B. *Operated*	7481	3.1	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	11582	2.9	1	1	2	3	3	4	5	6
B. *Operated*	16884	3.4	2	2	2	3	4	5	6	8
1. SINGLE DX	23248	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	28466	3.1	2	1	2	3	4	5	5	7
A. NOT OPERATED	27349	2.9	1	1	2	3	3	4	5	6
B. OPERATED	24365	3.3	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	5863	3.0	2	1	2	3	3	4	5	7
20-34	43235	3.1	2	1	2	3	4	4	5	7
35-49	2616	3.3	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**51714**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	343	2.7	1	1	2	3	3	4	4	5
20-34	2180	2.7	1	1	1	3	3	4	4	6
35-49	116	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3246	2.7	1	1	2	3	3	4	4	5
20-34	23283	2.7	1	1	1	3	3	4	4	5
35-49	1751	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	2.8	1	1	2	3	3	4	4	6
20-34	1896	2.7	2	1	1	3	3	4	5	7
35-49	118	2.7	1	1	1	3	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2961	2.9	3	1	2	3	3	4	5	8
20-34	25131	2.9	2	1	1	3	4	4	5	7
35-49	2265	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2639	2.7	1	1	1	3	3	4	4	6
B. *Operated*	28280	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	2289	2.7	2	1	1	3	3	4	5	6
B. *Operated*	30357	3.0	2	1	2	3	4	4	5	7
1. SINGLE DX	30919	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	32646	2.9	2	1	1	3	4	4	5	7
A. NOT OPERATED	4928	2.7	2	1	1	3	3	4	4	6
B. OPERATED	58637	2.9	2	1	1	3	3	4	5	6
TOTAL 0-19 YRS	6825	2.8	2	1	2	3	3	4	4	6
20-34	52490	2.8	2	1	1	3	3	4	5	6
35-49	4250	3.0	2	1	1	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**63565**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.9	1	1	2	3	3	4	4	7
20-34	1058	3.0	2	1	2	3	4	4	4	6
35-49	24	2.8	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3415	3.0	1	2	2	3	3	4	4	6
20-34	13307	3.1	1	2	2	3	4	4	5	6
35-49	391	3.3	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	2.9	1	1	2	3	3	5	6	7
20-34	831	3.0	2	1	2	3	4	4	5	7
35-49	23	3.0	1	1	1	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3921	3.1	2	2	2	3	4	4	5	8
20-34	15585	3.3	2	2	2	3	4	5	5	7
35-49	622	3.6	4	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1351	3.0	2	1	2	3	4	4	4	6
B. *Operated*	17113	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1055	3.0	2	1	2	3	4	4	5	7
B. *Operated*	20128	3.2	2	2	2	3	4	5	5	8
1. SINGLE DX	18464	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	21183	3.2	2	2	2	3	4	5	5	7
A. NOT OPERATED	2406	3.0	2	1	2	3	4	4	5	7
B. OPERATED	37241	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	7806	3.0	2	2	2	3	3	4	5	7
20-34	30781	3.2	2	2	2	3	4	4	5	7
35-49	1060	3.5	3	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**39647**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	2.8	1	1	2	3	3	4	4	6
20-34	881	2.9	1	1	2	3	3	4	4	7
35-49	35	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1338	2.9	1	2	2	3	3	4	4	6
20-34	5546	3.0	1	2	2	3	4	4	5	6
35-49	206	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	164	3.0	2	2	2	3	3	4	4	10
20-34	755	2.9	5	1	1	3	3	4	5	7
35-49	23	2.8	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1614	3.2	4	2	2	3	4	5	6	9
20-34	7504	3.3	3	1	2	3	4	5	5	8
35-49	365	3.8	4	2	2	3	4	6	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1147	2.9	1	1	2	3	3	4	4	6
B. *Operated*	7090	3.0	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	942	2.9	4	1	1	3	3	4	5	7
B. *Operated*	9483	3.3	3	2	2	3	4	5	6	9
1. SINGLE DX	8237	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	10425	3.3	3	1	2	3	4	5	5	8
A. NOT OPERATED	2089	2.9	3	1	2	3	3	4	5	7
B. OPERATED	16573	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	3347	3.1	3	2	2	3	3	4	5	8
20-34	14686	3.2	2	1	2	3	4	4	5	7
35-49	629	3.5	3	1	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**18662**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3525	3.1	3	1	2	3	4	5	6	9
20-34	15394	3.1	3	1	2	3	4	5	6	9
35-49	903	3.2	5	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	8575	3.3	3	2	2	3	4	5	6	9
20-34	43442	3.5	3	2	2	3	4	5	6	9
35-49	2309	3.8	5	2	2	3	4	6	7	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3942	3.2	5	1	1	3	4	5	6	10
20-34	17576	3.1	5	1	1	3	4	5	6	11
35-49	1213	3.3	6	1	1	3	4	5	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	14543	4.3	10	2	2	3	5	7	9	17
20-34	79455	4.3	10	2	2	4	5	7	8	16
35-49	6518	4.9	14	2	2	4	6	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19822	3.1	3	1	2	3	4	5	6	9
B. *Operated*	54326	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	22731	3.2	5	1	1	3	4	5	6	11
B. *Operated*	100516	4.4	10	2	2	4	5	7	9	17
1. SINGLE DX	74148	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	123247	4.1	9	2	2	3	5	7	8	16
A. NOT OPERATED	42553	3.1	4	1	1	3	4	5	6	10
B. OPERATED	154842	4.1	8	2	2	3	5	6	8	14
TOTAL 0-19 YRS	30585	3.7	7	1	2	3	4	6	8	13
20-34	155867	3.8	7	2	2	3	4	6	7	13
35-49	10943	4.4	11	2	2	4	5	7	9	16
50-64										
65+										
GRAND TOTAL	**197395**	**3.9**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	4.0	4	1	2	4	5	6	7	12
20-34	642	3.9	4	2	2	3	5	6	8	12
35-49	40	3.8	2	2	2	4	5	6	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	14	6.3	22	2	3	5	7	16	17	17
20-34	75	5.3	13	1	1	4	7	10	12	17
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	4.7	11	2	2	4	5	8	9	23
20-34	263	4.6	10	1	2	4	6	8	10	16
35-49	14	4.1	3	2	2	4	5	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	16	7.4	31	3	4	5	8	14	22	25
20-34	97	6.6	28	1	2	5	8	15	18	25
35-49	7	4.6	8	2	2	4	7	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	3.9	4	2	2	4	5	6	7	11
B. *Operated*	91	5.4	14	1	2	5	7	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	345	4.6	10	2	2	4	5	8	10	16
B. *Operated*	120	6.6	28	2	2	5	8	14	18	25
1. SINGLE DX	985	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX	465	5.1	15	2	2	4	6	9	13	24
A. NOT OPERATED	1239	4.1	6	2	2	4	5	7	8	13
B. OPERATED	211	6.1	22	1	2	5	8	12	17	24
TOTAL 0-19 YRS	310	4.4	8	2	2	4	5	7	9	16
20-34	1077	4.4	9	2	2	4	5	7	10	17
35-49	63	4.0	3	2	2	4	5	6	8	9
50-64										
65+										
GRAND TOTAL	**1450**	**4.4**	**9**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	1.7	1	<1	1	2	2	3	3	5
20-34	413	1.8	1	<1	<1	1	2	3	4	6
35-49	20	1.8	1	<1	<1	1	2	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	210	1.7	1	<1	1	1	2	3	4	6
20-34	1439	1.8	8	<1	<1	1	2	3	4	8
35-49	74	1.8	2	<1	1	2	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	5	5	7
20-34	164	2.5	3	1	1	2	3	5	6	8
35-49	14	2.6	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	100	2.4	3	1	1	2	3	5	5	10
20-34	718	2.8	5	1	1	2	3	6	8	11
35-49	59	3.2	5	<1	1	2	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	1723	1.8	7	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	211	2.5	2	1	1	2	3	5	5	8
B. *Operated*	877	2.8	5	1	1	2	3	6	8	11
1. SINGLE DX	2235	1.8	6	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1088	2.7	4	1	1	2	3	5	7	10
A. NOT OPERATED	723	2.0	2	<1	1	2	3	4	5	7
B. OPERATED	2600	2.1	6	<1	1	2	2	4	6	9
TOTAL 0-19 YRS	422	1.9	2	<1	1	2	2	4	5	7
20-34	2734	2.1	6	<1	1	2	2	4	5	9
35-49	167	2.4	3	<1	1	2	3	5	7	8
50-64										
65+										
GRAND TOTAL	**3323**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	3.7	7	<1	<1	3	4	7	10	14
20-34	459	4.0	10	1	1	3	5	8	10	15
35-49	28	6.5	28	2	2	4	9	13	18	24
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.0	7	1	1	3	3	5	7	17
20-34	597	3.4	9	<1	1	3	4	7	9	16
35-49	51	3.7	8	1	1	3	5	7	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.6	17	1	2	3	6	9	14	22
20-34	277	5.1	20	1	1	4	6	11	14	24
35-49	24	5.3	13	1	2	4	6	12	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	83	4.5	13	2	2	3	5	10	12	17
20-34	506	4.5	25	1	1	3	5	9	14	28
35-49	43	4.6	13	1	2	3	6	10	12	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	4.1	11	1	1	3	5	8	10	16
B. *Operated*	769	3.4	9	<1	1	3	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	363	5.0	19	1	2	4	6	10	14	23
B. *Operated*	632	4.5	22	1	1	3	5	9	14	25
1. SINGLE DX	1345	3.7	10	1	1	3	4	7	10	16
2. MULTIPLE DX	995	4.7	21	1	1	3	5	10	14	24
A. NOT OPERATED	939	4.5	14	1	1	3	5	9	12	18
B. OPERATED	1401	3.9	15	1	1	3	4	8	11	20
TOTAL 0-19 YRS	355	3.8	11	1	1	3	4	7	11	18
20-34	1839	4.1	16	1	1	3	5	8	12	20
35-49	146	4.8	15	1	1	3	6	10	12	17
50-64										
65+										
GRAND TOTAL	**2340**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**12**	**20**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2754	4.3	9	1	2	4	5	7	9	13
20-34	2672	4.6	8	1	2	4	6	8	10	15
35-49	1743	5.3	14	2	2	4	7	9	12	18
50-64	1572	6.2	18	2	3	5	8	11	14	23
65+	1523	7.7	33	2	3	6	9	14	17	30
B. *Operated*										
0-19 YRS	1370	4.9	19	1	1	4	6	9	11	19
20-34	1552	5.7	26	1	2	4	7	11	14	26
35-49	945	6.6	40	1	2	5	8	13	17	31
50-64	747	8.1	68	1	2	6	10	16	23	44
65+	565	9.6	87	2	3	7	12	19	25	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2565	4.8	12	2	2	4	6	8	11	18
20-34	3451	6.0	23	2	2	5	7	11	14	25
35-49	3324	7.3	31	2	3	6	9	13	16	29
50-64	5034	8.7	43	3	3	7	10	16	21	35
65+	8071	10.7	67	3	4	9	13	20	26	44
B. *Operated*										
0-19 YRS	1034	6.8	39	1	2	5	8	13	17	36
20-34	1928	9.4	83	2	3	7	11	19	27	50
35-49	1909	11.5	114	2	3	8	14	24	32	61
50-64	2447	15.1	198	3	4	11	19	33	45	79
65+	3069	18.0	219	3	5	14	23	37	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10264	5.3	16	2	2	4	7	9	12	20
B. *Operated*	5179	6.4	42	1	2	5	8	12	17	32
2. MULTIPLE DX										
A. *Not Operated*	22445	8.4	48	2	3	7	10	16	21	35
B. *Operated*	10387	13.4	166	2	3	9	17	29	41	75
1. SINGLE DX	15443	5.7	25	1	2	4	7	10	14	25
2. MULTIPLE DX	32832	9.9	91	2	3	7	12	20	28	53
A. NOT OPERATED	32709	7.4	40	2	2	6	9	14	18	32
B. OPERATED	15566	11.1	136	2	2	7	14	24	35	66
TOTAL 0-19 YRS	7723	4.9	16	1	2	4	6	9	11	19
20-34	9603	6.2	34	2	2	5	7	12	16	31
35-49	7921	7.8	53	2	2	6	9	15	20	37
50-64	9800	9.8	89	2	3	7	11	19	27	54
65+	13228	12.0	111	3	4	9	15	23	32	60
GRAND TOTAL	**48275**	**8.6**	**74**	**2**	**2**	**6**	**10**	**17**	**24**	**46**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1006	4.1	7	1	2	4	5	7	9	12
20-34	574	4.5	9	1	2	4	6	8	10	15
35-49	325	5.2	16	1	2	4	6	10	13	19
50-64	235	6.0	20	1	2	5	7	12	16	22
65+	218	7.4	39	1	2	6	9	14	20	31
B. *Operated*										
0-19 YRS	679	3.8	14	<1	<1	3	5	8	11	15
20-34	725	4.7	32	<1	1	3	6	9	13	30
35-49	441	5.1	32	<1	1	3	6	11	15	28
50-64	411	6.2	54	<1	1	4	7	13	19	46
65+	261	8.3	82	1	2	5	11	19	24	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1068	4.8	16	2	2	4	6	8	10	18
20-34	710	5.1	17	1	2	4	6	9	12	21
35-49	557	6.8	37	2	2	5	8	12	15	30
50-64	802	9.1	60	2	3	7	11	18	25	42
65+	1259	13.3	73	3	3	8	13	19	26	55
B. *Operated*										
0-19 YRS	517	5.7	27	1	1	4	7	13	16	27
20-34	627	8.1	75	1	2	6	9	16	25	47
35-49	616	9.3	89	2	2	6	11	21	30	49
50-64	813	12.3	131	2	3	9	16	28	37	64
65+	965	14.5	175	2	3	10	19	31	45	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2358	4.9	14	1	2	4	6	9	11	19
B. *Operated*	2517	5.2	37	<1	1	3	6	11	15	32
2. MULTIPLE DX										
A. *Not Operated*	4396	7.5	49	2	2	6	9	14	20	37
B. *Operated*	3538	10.6	120	2	2	7	13	24	34	60
1. SINGLE DX	4875	5.0	26	<1	1	4	6	10	13	27
2. MULTIPLE DX	7934	8.9	83	2	2	6	11	19	27	51
A. NOT OPERATED	6754	6.5	38	1	2	5	8	12	17	31
B. OPERATED	6055	8.4	93	1	1	5	10	19	28	52
TOTAL 0-19 YRS	3270	4.5	15	1	1	4	6	8	11	18
20-34	2636	5.6	35	1	1	4	7	11	15	33
35-49	1939	6.9	52	1	2	5	8	14	20	40
50-64	2261	9.4	86	1	2	7	12	20	28	49
65+	2703	11.4	114	2	3	8	14	24	32	60
GRAND TOTAL	**12809**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**22**	**45**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	3.8	31	<1	1	3	4	5	7	41
20-34	75	2.9	4	<1	<1	2	4	6	6	11
35-49	9	2.9	2	1	1	3	4	5	5	5
50-64	4	3.3	4	1	1	3	5	6	6	6
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	3420	3.6	4	1	2	3	4	6	7	11
20-34	6265	3.7	4	1	2	3	4	6	7	11
35-49	892	3.8	4	1	2	3	5	6	8	11
50-64	209	4.2	6	2	2	4	5	6	8	13
65+	36	5.0	18	2	2	4	5	9	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.6	5	<1	<1	2	4	5	7	10
20-34	63	3.1	8	<1	<1	1	5	8	10	12
35-49	20	5.6	15	<1	1	5	7	10	14	17
50-64	9	8.0	80	1	1	6	9	22	30	30
65+	11	11.4	97	1	2	6	19	26	31	31
B. *Operated*										
0-19 YRS	419	4.8	10	2	2	4	6	8	11	19
20-34	1015	4.7	11	2	2	4	6	8	11	16
35-49	349	5.5	24	2	2	4	6	10	13	28
50-64	144	6.7	32	2	3	5	7	14	21	29
65+	40	10.4	197	2	2	5	12	23	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.3	14	<1	1	3	4	5	7	14
B. *Operated*	10822	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	153	4.1	24	<1	<1	3	5	9	11	30
B. *Operated*	1967	5.1	19	2	2	4	6	9	12	23
1. SINGLE DX	10965	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	2120	5.1	20	1	2	4	6	9	12	23
A. NOT OPERATED	296	3.7	19	<1	<1	3	5	7	10	27
B. OPERATED	12789	3.9	7	1	2	3	5	6	8	13
TOTAL 0-19 YRS	3942	3.7	5	1	2	3	5	6	7	11
20-34	7418	3.8	5	1	2	3	5	6	8	12
35-49	1270	4.3	10	1	2	4	5	7	9	16
50-64	366	5.2	20	2	2	4	6	9	13	28
65+	89	8.2	113	2	2	4	9	17	30	64
GRAND TOTAL	**13085**	**3.9**	**7**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	2	<1	<1	2	3	5	6	6
20-34	25	3.8	7	<1	1	3	5	7	8	12
35-49	13	2.2	3	<1	<1	1	3	4	6	7
50-64	8	2.8	10	<1	<1	2	3	8	10	10
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	770	1.6	1	<1	<1	1	2	3	4	6
20-34	1067	1.8	2	<1	<1	1	2	3	4	9
35-49	824	1.9	3	<1	<1	1	2	3	4	9
50-64	641	2.1	6	<1	<1	2	2	4	5	10
65+	336	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.5	1	<1	<1	1	2	3	3	5
20-34	16	2.6	5	<1	<1	1	4	6	7	8
35-49	24	3.6	11	<1	<1	3	5	7	10	16
50-64	20	5.6	8	<1	2	6	7	9	11	12
65+	15	5.7	34	<1	1	3	7	16	20	21
B. *Operated*										
0-19 YRS	109	2.7	8	<1	<1	2	3	6	8	16
20-34	336	3.3	18	<1	<1	2	3	7	9	20
35-49	407	3.6	12	<1	<1	3	4	7	10	19
50-64	442	4.0	16	<1	1	3	5	9	11	21
65+	331	4.9	25	<1	1	3	6	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.0	5	<1	<1	2	4	6	7	12
B. *Operated*	3638	1.9	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	104	3.5	12	<1	<1	2	5	8	9	18
B. *Operated*	1625	3.9	17	<1	1	2	5	8	11	21
1. SINGLE DX	3698	1.9	3	<1	<1	1	2	3	4	9
2. MULTIPLE DX	1729	3.8	17	<1	<1	2	5	8	11	21
A. NOT OPERATED	164	3.3	10	<1	<1	2	5	7	8	16
B. OPERATED	5263	2.5	8	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	918	1.8	2	<1	<1	1	2	3	4	8
20-34	1444	2.2	6	<1	<1	2	2	4	6	12
35-49	1268	2.5	7	<1	<1	2	3	5	7	14
50-64	1111	3.0	11	<1	<1	2	3	6	9	17
65+	686	3.6	16	<1	<1	2	4	8	12	21
GRAND TOTAL	**5427**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1745	3.9	15	<1	1	3	5	8	11	22
20-34	1138	5.7	45	<1	<1	3	7	14	21	30
35-49	713	6.8	55	<1	1	4	8	17	24	35
50-64	714	7.7	61	<1	1	5	10	19	23	36
65+	929	10.0	90	1	2	7	13	22	30	49
B. *Operated*										
0-19 YRS	2662	2.7	12	<1	<1	2	3	5	8	17
20-34	3388	4.2	30	<1	<1	2	4	9	13	29
35-49	2463	4.8	48	<1	<1	3	5	10	16	35
50-64	2340	5.4	74	<1	1	3	5	13	21	46
65+	1937	9.5	150	<1	1	4	12	25	35	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1758	4.7	22	1	1	3	5	9	13	26
20-34	1711	7.7	85	1	1	5	9	17	24	47
35-49	1838	8.7	82	1	2	6	10	20	27	46
50-64	2918	10.5	94	2	3	8	13	22	30	54
65+	6497	13.2	135	3	4	10	17	27	36	69
B. *Operated*										
0-19 YRS	1328	5.8	80	<1	1	3	6	15	25	48
20-34	2867	11.1	221	1	1	5	14	32	46	99+
35-49	3113	11.1	216	1	2	5	14	30	46	87
50-64	4306	12.0	217	1	2	6	16	32	46	94
65+	6152	19.7	342	2	2	15	28	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5239	6.3	51	<1	1	4	8	15	21	35
B. *Operated*	12790	5.0	60	<1	<1	2	5	11	19	42
2. MULTIPLE DX										
A. *Not Operated*	14722	10.4	109	1	2	7	13	22	31	58
B. *Operated*	17766	13.9	270	1	2	7	20	37	54	99+
1. SINGLE DX	18029	5.4	58	<1	1	3	6	12	20	39
2. MULTIPLE DX	32488	12.3	200	1	2	7	16	30	44	88
A. NOT OPERATED	19961	9.4	97	1	2	6	12	21	28	53
B. OPERATED	30556	10.2	202	<1	1	4	13	28	43	87
TOTAL 0-19 YRS	7493	4.0	28	<1	1	2	4	8	12	28
20-34	9104	7.2	111	<1	1	3	8	18	28	64
35-49	8127	8.3	128	<1	1	4	9	20	30	66
50-64	10278	9.8	145	1	1	5	12	24	35	71
65+	15515	15.1	232	2	2	10	20	36	50	96
GRAND TOTAL	**50517**	**9.9**	**161**	**1**	**1**	**5**	**12**	**25**	**37**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	6.7	32	1	2	5	9	13	17	33
20-34	252	6.7	66	<1	2	5	8	12	16	30
35-49	231	7.1	29	1	2	6	10	14	17	27
50-64	165	8.2	37	2	2	6	11	15	20	34
65+	70	8.9	50	2	3	7	12	21	29	86
B. *Operated*										
0-19 YRS	54	10.0	244	<1	2	4	10	23	36	97
20-34	97	9.9	75	2	2	8	13	20	28	46
35-49	97	9.9	70	2	2	8	12	20	26	45
50-64	106	9.2	59	1	2	8	12	17	27	38
65+	44	11.7	66	2	3	9	15	21	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	8.3	60	2	2	6	10	18	23	57
20-34	675	8.1	47	1	2	6	11	16	20	36
35-49	676	9.3	87	2	3	7	11	18	25	50
50-64	835	10.5	83	2	3	8	13	20	26	45
65+	683	12.0	93	2	3	9	15	23	32	51
B. *Operated*										
0-19 YRS	95	13.6	249	2	2	7	17	40	51	93
20-34	372	14.5	228	2	2	10	19	32	46	96
35-49	360	14.7	178	3	3	11	19	31	45	99
50-64	470	16.2	210	3	4	12	21	34	47	94
65+	402	19.4	247	3	4	15	26	42	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	833	7.3	44	1	2	6	9	14	19	33
B. *Operated*	398	9.9	91	2	2	8	12	20	28	46
2. MULTIPLE DX										
A. *Not Operated*	3053	9.9	79	2	3	7	12	19	26	48
B. *Operated*	1699	16.1	222	2	3	12	21	35	50	96
1. SINGLE DX	1231	8.2	61	1	2	6	10	16	21	38
2. MULTIPLE DX	4752	12.1	139	2	3	9	15	26	35	71
A. NOT OPERATED	3886	9.3	73	2	2	7	12	18	25	46
B. OPERATED	2097	15.0	203	2	3	11	19	33	46	92
TOTAL 0-19 YRS	448	9.2	120	2	2	6	10	20	30	65
20-34	1396	9.7	110	1	2	7	12	20	29	62
35-49	1364	10.4	107	2	3	7	13	21	30	58
50-64	1576	11.9	123	2	3	9	15	24	33	64
65+	1199	14.3	155	3	4	11	18	30	40	71
GRAND TOTAL	**5983**	**11.3**	**125**	**2**	**3**	**8**	**14**	**24**	**33**	**64**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	417	6.4	38	1	2	5	8	12	17	31
20-34	282	7.2	26	2	3	6	9	14	18	24
35-49	524	7.7	33	2	3	6	10	15	19	28
50-64	860	8.6	47	2	3	7	11	18	21	30
65+	690	9.2	49	2	3	8	12	18	22	36
B. *Operated*										
0-19 YRS	89	7.5	129	1	1	4	9	16	24	70
20-34	291	7.7	55	2	2	5	10	15	22	37
35-49	614	7.9	58	2	2	5	10	17	21	38
50-64	1408	10.3	77	2	3	8	15	20	25	43
65+	905	13.0	109	2	3	11	17	24	31	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	7.6	70	2	2	5	9	16	24	99+
20-34	313	8.0	75	2	3	6	10	14	18	46
35-49	809	8.8	44	2	3	7	11	17	21	32
50-64	2313	9.7	53	2	3	8	12	19	23	37
65+	3407	10.9	70	3	3	9	14	21	27	46
B. *Operated*										
0-19 YRS	84	10.6	129	1	2	6	14	27	39	86
20-34	268	10.3	128	2	2	7	13	22	27	61
35-49	675	10.6	104	2	2	7	14	22	31	67
50-64	1998	13.3	155	2	3	10	17	27	38	75
65+	1994	16.6	195	3	4	13	20	34	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2773	8.1	42	2	3	6	10	16	21	30
B. *Operated*	3307	10.3	86	2	2	8	15	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	7057	10.0	62	2	3	8	13	19	25	44
B. *Operated*	5019	14.0	167	2	3	11	18	29	40	76
1. SINGLE DX	6080	9.3	67	2	2	7	13	19	24	39
2. MULTIPLE DX	12076	11.7	110	2	3	9	15	23	31	61
A. NOT OPERATED	9830	9.5	57	2	3	8	12	19	23	40
B. OPERATED	8326	12.5	138	2	3	9	17	26	35	68
TOTAL 0-19 YRS	805	7.3	67	1	2	5	9	15	23	76
20-34	1154	8.3	71	2	2	6	10	16	22	43
35-49	2622	8.8	62	2	2	7	11	19	23	42
50-64	6579	10.8	91	2	3	8	14	21	27	51
65+	6996	12.6	116	3	3	10	16	25	33	60
GRAND TOTAL	**18156**	**10.9**	**97**	**2**	**3**	**8**	**14**	**22**	**28**	**53**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.7	20	<1	1	3	7	8	16	20
20-34	58	5.8	32	<1	1	4	7	11	18	30
35-49	171	5.8	26	1	2	4	8	11	15	29
50-64	504	5.5	17	<1	1	4	7	11	13	20
65+	1126	6.9	32	1	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	62	4.3	29	1	1	3	5	7	9	38
20-34	812	4.5	18	1	1	3	5	9	12	23
35-49	1874	5.7	25	1	1	4	8	13	16	23
50-64	6174	9.4	46	2	2	9	14	18	21	29
65+	8681	14.5	56	3	5	14	18	23	27	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	48	<1	1	4	8	11	19	34
20-34	118	6.6	21	1	2	5	9	13	17	21
35-49	523	7.0	27	1	2	6	9	14	17	27
50-64	2221	7.1	26	2	2	6	9	13	16	25
65+	7654	9.0	56	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	62	7.3	100	1	1	3	9	18	23	60
20-34	641	5.2	33	1	1	3	6	11	15	26
35-49	1562	7.3	57	1	2	5	10	16	21	35
50-64	6014	11.1	82	2	2	10	16	22	27	43
65+	11277	17.1	112	3	5	16	21	29	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1877	6.4	27	1	1	5	8	13	17	25
B. *Operated*	17603	11.3	59	2	2	11	16	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	10540	8.4	48	2	3	7	11	16	21	36
B. *Operated*	19556	14.0	110	2	3	13	19	26	33	54
1. SINGLE DX	19480	10.8	58	2	2	10	16	20	24	33
2. MULTIPLE DX	30096	12.1	95	2	3	10	16	24	30	50
A. NOT OPERATED	12417	8.1	46	2	2	7	10	15	20	35
B. OPERATED	37159	12.7	88	2	2	12	17	23	29	46
TOTAL 0-19 YRS	166	5.7	58	1	1	3	6	12	19	41
20-34	1629	5.0	25	1	1	3	6	11	14	25
35-49	4130	6.5	38	1	2	4	9	14	17	29
50-64	14913	9.6	59	2	2	8	14	18	23	35
65+	28738	13.7	89	2	3	13	18	24	30	50
GRAND TOTAL	**49576**	**11.6**	**81**	**2**	**2**	**10**	**16**	**22**	**27**	**44**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	510	7.6	35	2	2	6	11	16	21	25
20-34	362	5.6	15	1	2	5	7	10	13	20
35-49	301	5.7	23	1	1	4	7	11	14	23
50-64	320	7.2	48	1	2	5	9	16	19	33
65+	387	6.9	33	1	2	5	8	14	18	29
B. *Operated*										
0-19 YRS	309	10.7	89	1	2	9	15	22	29	42
20-34	779	5.8	31	1	2	4	7	13	17	26
35-49	796	5.8	31	1	2	4	7	12	16	27
50-64	910	8.4	69	2	2	6	11	17	22	42
65+	579	13.2	93	2	3	12	17	24	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	9.4	57	1	2	7	13	21	24	35
20-34	437	7.4	37	2	2	6	9	14	18	33
35-49	512	7.4	43	1	2	5	9	15	20	35
50-64	905	7.9	43	2	3	6	10	15	19	31
65+	1918	9.8	81	2	3	7	12	19	27	51
B. *Operated*										
0-19 YRS	248	15.3	111	2	3	14	21	29	36	45
20-34	559	7.8	74	1	2	5	9	18	24	47
35-49	690	9.6	121	2	2	6	11	22	32	60
50-64	961	12.9	172	2	2	9	17	30	43	74
65+	1013	19.5	264	3	4	16	25	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	6.7	32	1	2	5	8	14	18	26
B. *Operated*	3373	8.2	65	1	2	5	11	18	23	39
2. MULTIPLE DX										
A. *Not Operated*	4101	8.8	63	2	3	7	11	17	23	43
B. *Operated*	3471	13.5	187	2	2	9	18	31	43	76
1. SINGLE DX	5253	7.7	53	1	2	5	10	17	21	36
2. MULTIPLE DX	7572	10.9	125	2	2	7	14	23	33	64
A. NOT OPERATED	5981	8.1	54	2	2	6	10	16	21	37
B. OPERATED	6844	10.9	134	2	2	7	15	24	35	64
TOTAL 0-19 YRS	1396	10.1	72	2	2	8	14	21	26	40
20-34	2137	6.6	42	1	2	5	8	14	19	34
35-49	2299	7.3	62	1	2	5	9	15	21	43
50-64	3096	9.5	96	2	2	6	12	20	28	55
65+	3897	12.5	145	2	3	9	16	26	37	69
GRAND TOTAL	**12825**	**9.6**	**98**	**2**	**2**	**6**	**12**	**20**	**28**	**55**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.4	3	<1	1	2	3	5	5	10
20-34	183	2.6	6	<1	<1	2	3	6	8	13
35-49	78	3.1	11	<1	<1	2	3	6	12	16
50-64	49	3.0	6	<1	1	2	4	7	9	11
65+	30	5.9	28	1	1	4	8	12	16	25
B. *Operated*										
0-19 YRS	4241	2.7	3	<1	1	2	4	5	6	9
20-34	9019	3.0	4	<1	1	2	4	5	7	11
35-49	4589	3.1	5	<1	1	2	4	6	7	11
50-64	2275	3.4	7	1	1	3	4	6	8	12
65+	575	4.0	12	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	2.3	8	<1	<1	1	3	4	7	15
20-34	223	2.6	9	<1	<1	1	3	6	9	16
35-49	156	3.0	11	<1	<1	1	4	8	10	14
50-64	144	4.0	22	<1	1	2	5	9	12	29
65+	98	6.9	27	1	1	6	10	14	18	23
B. *Operated*										
0-19 YRS	2361	3.2	5	1	1	3	4	6	7	11
20-34	6172	3.5	8	1	1	3	4	6	8	16
35-49	4038	3.6	10	1	1	3	4	7	9	16
50-64	3494	3.9	13	1	1	3	5	7	10	20
65+	1291	5.1	28	1	2	4	6	10	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	2.9	9	<1	<1	2	4	6	9	15
B. *Operated*	20699	3.0	5	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	739	3.5	16	<1	<1	2	4	9	11	19
B. *Operated*	17356	3.7	11	1	1	3	5	7	9	17
1. SINGLE DX	21127	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	18095	3.7	11	1	1	3	5	7	9	18
A. NOT OPERATED	1167	3.3	13	<1	<1	2	4	8	10	18
B. OPERATED	38055	3.3	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	6808	2.9	4	<1	1	2	4	5	6	10
20-34	15597	3.2	6	<1	1	2	4	6	7	12
35-49	8861	3.3	8	1	1	3	4	6	8	14
50-64	5962	3.7	11	1	1	3	5	7	9	18
65+	1994	4.9	23	1	2	3	6	9	14	25
GRAND TOTAL	**39222**	**3.3**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	3.6	8	1	1	3	4	7	9	15
20-34	484	3.8	13	<1	<1	3	5	8	11	19
35-49	352	4.5	16	<1	1	4	6	9	11	18
50-64	301	4.6	19	<1	1	3	6	10	12	23
65+	346	6.4	32	1	1	5	8	13	17	32
B. *Operated*										
0-19 YRS	4747	3.3	5	1	1	3	4	6	7	10
20-34	7295	3.6	6	1	1	3	4	6	7	12
35-49	2329	3.7	8	1	1	3	5	6	9	15
50-64	1254	4.6	18	1	1	3	5	9	13	25
65+	607	7.7	66	1	2	5	10	18	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	553	4.3	17	1	1	3	5	9	12	23
20-34	670	5.1	33	<1	1	4	6	10	15	32
35-49	643	5.7	27	1	1	4	7	11	16	26
50-64	803	6.7	48	1	1	5	8	12	17	36
65+	1564	8.4	56	2	2	7	11	16	21	35
B. *Operated*										
0-19 YRS	1793	4.0	14	1	1	3	5	7	10	20
20-34	3318	4.7	29	1	1	3	5	8	12	25
35-49	1718	5.2	35	1	2	3	6	10	15	27
50-64	1415	7.0	61	1	2	4	9	16	21	44
65+	1050	12.0	144	2	2	8	16	27	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2220	4.4	16	<1	1	3	5	9	12	21
B. *Operated*	16232	3.8	10	1	1	3	4	6	8	17
2. MULTIPLE DX										
A. *Not Operated*	4233	6.6	44	1	1	5	8	13	17	32
B. *Operated*	9294	5.8	50	1	2	4	6	12	18	38
1. SINGLE DX	18452	3.8	11	1	1	3	5	7	9	17
2. MULTIPLE DX	13527	6.1	49	1	1	4	7	13	18	36
A. NOT OPERATED	6453	5.8	35	1	1	4	7	12	16	29
B. OPERATED	25526	4.5	26	1	1	3	5	8	12	26
TOTAL 0-19 YRS	7830	3.6	8	1	1	3	4	6	8	15
20-34	11767	4.0	15	1	1	3	5	7	9	18
35-49	5042	4.5	21	1	1	3	5	9	12	23
50-64	3773	5.9	42	1	1	4	7	12	17	33
65+	3567	9.2	85	1	2	6	12	19	26	49
GRAND TOTAL	**31979**	**4.8**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	13	2	2	3	7	11	11	11
20-34	33	6.2	21	1	2	5	7	11	19	21
35-49	34	6.7	14	2	3	5	9	12	15	15
50-64	29	9.1	29	2	3	8	11	18	19	21
65+	13	10.5	102	2	3	6	13	27	31	32
B. *Operated*										
0-19 YRS	3	17.0	433	4	4	6	32	41	41	41
20-34	15	9.7	72	3	3	7	11	26	30	32
35-49	10	13.4	135	1	3	10	17	30	43	43
50-64	8	19.1	286	4	4	16	19	47	58	58
65+	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	11	2	2	6	8	10	10	10
20-34	41	7.2	26	2	2	6	9	15	16	28
35-49	66	7.8	24	2	2	7	10	15	18	20
50-64	87	7.7	45	1	2	6	9	14	21	37
65+	75	10.0	67	3	3	8	13	19	26	43
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	17	14.9	328	3	4	11	16	18	60	83
35-49	21	17.5	357	3	3	10	22	41	62	81
50-64	46	19.2	297	4	5	13	27	46	56	81
65+	30	16.1	180	2	3	13	21	39	45	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	7.5	31	2	2	6	10	15	20	28
B. *Operated*	38	13.9	157	3	4	10	17	31	42	58
2. MULTIPLE DX										
A. *Not Operated*	273	8.3	43	2	2	7	10	15	20	38
B. *Operated*	116	17.3	274	3	4	12	20	42	48	82
1. SINGLE DX	153	9.1	69	2	3	7	11	19	26	43
2. MULTIPLE DX	389	10.9	128	2	3	8	13	21	33	57
A. NOT OPERATED	388	8.0	40	2	2	7	10	15	20	33
B. OPERATED	154	16.4	246	3	4	11	20	41	47	81
TOTAL 0-19 YRS	15	7.8	93	2	2	6	9	11	33	41
20-34	106	8.5	85	2	3	6	10	16	21	54
35-49	131	9.5	95	2	3	7	11	17	21	53
50-64	170	11.6	146	2	3	8	14	23	40	59
65+	120	11.8	105	2	3	8	15	26	35	45
GRAND TOTAL	**542**	**10.4**	**112**	**2**	**3**	**7**	**12**	**20**	**32**	**55**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.6	12	2	2	3	6	10	13	15
20-34	144	6.6	22	1	2	6	9	13	15	21
35-49	587	6.3	24	1	2	5	8	12	14	29
50-64	1037	6.7	23	2	2	6	9	12	15	25
65+	1115	7.1	25	2	2	6	9	13	16	24
B. *Operated*										
0-19 YRS	21	6.7	14	2	2	8	9	11	13	16
20-34	279	6.5	23	1	2	5	9	13	16	22
35-49	1198	7.4	30	2	2	6	10	14	18	24
50-64	1689	7.6	34	1	2	6	10	15	19	28
65+	685	10.1	78	2	2	8	13	21	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.4	8	1	2	4	7	9	11	12
20-34	231	6.6	18	2	2	5	9	12	14	21
35-49	1531	7.2	22	2	3	6	9	13	16	26
50-64	4024	7.6	26	2	3	6	10	14	17	26
65+	7568	9.1	47	2	3	7	11	17	22	36
B. *Operated*										
0-19 YRS	17	9.5	40	2	3	9	12	19	23	25
20-34	231	9.0	53	2	2	8	11	17	24	41
35-49	1276	9.8	66	2	2	8	12	19	24	38
50-64	2649	10.8	81	2	3	9	14	21	27	46
65+	2329	14.9	160	2	4	12	19	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2902	6.8	24	2	2	6	9	13	15	25
B. *Operated*	3872	7.9	40	1	2	7	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	13373	8.4	38	2	3	7	11	15	19	32
B. *Operated*	6502	12.0	110	2	3	9	15	24	31	57
1. SINGLE DX	6774	7.4	34	1	2	6	10	14	18	28
2. MULTIPLE DX	19875	9.6	65	2	3	8	12	18	24	43
A. NOT OPERATED	16275	8.1	36	2	3	7	10	15	19	31
B. OPERATED	10374	10.5	88	2	2	8	13	21	27	50
TOTAL 0-19 YRS	76	6.5	20	2	2	5	9	12	15	24
20-34	885	7.2	31	2	2	6	9	14	17	29
35-49	4592	7.9	38	2	2	7	10	15	19	30
50-64	9399	8.4	45	2	2	7	11	16	20	34
65+	11697	10.2	76	2	3	8	12	19	26	48
GRAND TOTAL	**26649**	**9.0**	**58**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	7.1	31	2	2	6	9	13	16	21
20-34	3529	7.2	22	1	2	7	9	13	16	23
35-49	5321	7.8	26	2	2	7	10	14	17	25
50-64	3052	8.2	27	2	3	7	11	15	18	25
65+	978	9.2	30	2	3	8	12	16	19	28
B. *Operated*										
0-19 YRS	515	7.0	22	1	2	6	9	13	15	23
20-34	11842	8.2	32	1	2	7	11	15	19	28
35-49	17317	8.9	37	2	2	8	12	16	20	29
50-64	8373	9.5	41	2	2	9	12	18	21	30
65+	1777	11.5	64	2	2	10	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	7.8	26	2	2	7	10	13	16	28
20-34	1743	8.0	27	1	2	7	10	15	18	25
35-49	3618	8.8	34	2	3	8	11	16	19	30
50-64	3847	9.2	34	2	3	8	12	16	20	29
65+	3342	10.5	55	3	4	9	13	19	23	35
B. *Operated*										
0-19 YRS	116	10.7	59	2	3	9	14	23	28	58
20-34	3473	11.1	65	2	3	9	14	21	26	39
35-49	6888	11.6	68	2	3	10	15	22	27	41
50-64	6210	12.8	81	2	4	11	17	24	30	46
65+	2803	16.1	117	3	5	14	21	30	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13050	7.8	26	2	2	7	10	14	17	24
B. *Operated*	39824	8.9	38	1	2	8	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	12644	9.2	39	2	3	8	12	16	20	30
B. *Operated*	19490	12.5	81	2	3	10	16	23	30	45
1. SINGLE DX	52874	8.6	35	2	2	8	11	16	20	28
2. MULTIPLE DX	32134	11.2	67	2	3	9	14	21	26	41
A. NOT OPERATED	25694	8.5	33	2	3	7	11	15	19	28
B. OPERATED	59314	10.1	55	2	2	9	13	19	24	36
TOTAL 0-19 YRS	895	7.5	30	1	2	7	10	14	17	28
20-34	20587	8.5	37	1	2	7	11	16	20	30
35-49	33144	9.3	43	2	2	8	12	17	21	32
50-64	21482	10.2	52	2	3	9	13	19	23	36
65+	8900	12.3	81	2	4	10	16	23	29	45
GRAND TOTAL	**85008**	**9.6**	**49**	**2**	**2**	**8**	**12**	**18**	**22**	**34**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	6.5	16	2	2	6	9	12	13	19
20-34	765	6.8	18	2	2	6	9	12	14	21
35-49	1370	7.3	22	2	2	7	10	13	16	23
50-64	1006	7.6	26	2	2	7	10	13	16	23
65+	297	7.9	29	2	2	7	11	14	18	29
B. *Operated*										
0-19 YRS	60	7.4	32	1	2	7	9	15	20	26
20-34	1475	7.4	27	1	2	7	10	14	16	24
35-49	3949	8.0	30	2	2	7	10	15	18	27
50-64	2051	8.4	35	1	2	8	11	16	19	30
65+	344	10.2	59	2	2	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	6.4	16	1	1	6	9	12	14	15
20-34	406	8.1	39	1	2	7	10	15	19	33
35-49	1335	8.4	35	2	3	7	11	15	19	30
50-64	1563	8.4	29	2	3	7	11	15	18	27
65+	1318	9.4	54	2	3	8	12	17	22	34
B. *Operated*										
0-19 YRS	20	15.6	337	1	2	10	22	33	57	79
20-34	590	10.3	68	2	3	9	14	20	25	39
35-49	1935	10.1	55	2	3	8	13	19	23	36
50-64	1758	10.6	65	2	3	9	14	20	26	39
65+	524	15.0	175	2	3	12	19	30	38	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3481	7.3	23	2	2	6	10	13	15	23
B. *Operated*	7879	8.1	33	1	2	7	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	4642	8.7	39	2	3	7	11	16	19	30
B. *Operated*	4827	10.9	76	2	3	9	14	21	26	43
1. SINGLE DX	11360	7.8	30	2	2	7	10	14	18	27
2. MULTIPLE DX	9469	9.8	59	2	3	8	12	18	23	37
A. NOT OPERATED	8123	8.1	32	2	3	7	10	15	18	28
B. OPERATED	12706	9.1	51	2	2	8	12	17	22	35
TOTAL 0-19 YRS	143	8.1	75	1	2	6	10	15	22	39
20-34	3236	7.9	35	1	2	7	10	15	18	29
35-49	8589	8.4	36	2	2	7	11	16	19	30
50-64	6378	8.9	41	2	2	8	12	16	20	32
65+	2483	10.5	83	2	3	9	13	20	26	45
GRAND TOTAL	**20829**	**8.7**	**44**	**2**	**2**	**7**	**11**	**16**	**20**	**32**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	6.9	26	1	2	5	8	14	19	27
20-34	823	7.5	29	2	2	7	10	13	16	30
35-49	992	7.6	27	1	2	7	10	13	16	28
50-64	480	7.2	18	1	2	7	9	13	15	21
65+	107	7.2	28	1	2	6	10	14	16	28
B. *Operated*										
0-19 YRS	26	4.8	20	1	2	3	6	10	15	21
20-34	578	6.4	24	1	2	5	9	13	15	24
35-49	620	8.0	37	1	2	7	11	16	19	30
50-64	186	8.5	35	2	2	8	11	15	19	33
65+	14	9.4	27	2	4	8	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.1	25	1	1	6	8	12	18	27
20-34	691	8.2	32	2	3	7	10	14	18	31
35-49	1136	8.7	35	2	3	8	11	15	19	32
50-64	845	8.8	31	2	3	8	11	15	19	28
65+	459	8.7	30	2	3	7	12	16	18	29
B. *Operated*										
0-19 YRS	18	12.4	199	<1	2	9	13	29	49	59
20-34	379	10.0	50	2	2	9	13	18	21	30
35-49	562	11.0	68	2	3	10	14	19	26	40
50-64	296	10.8	53	2	3	10	14	20	25	38
65+	82	16.2	240	3	4	12	21	32	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2469	7.5	26	1	2	7	10	13	16	28
B. *Operated*	1424	7.3	32	1	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	3179	8.6	32	2	3	8	11	15	19	30
B. *Operated*	1337	11.0	73	2	3	10	14	20	25	40
1. SINGLE DX	3893	7.4	28	1	2	6	10	14	17	28
2. MULTIPLE DX	4516	9.3	46	2	3	8	12	17	21	33
A. NOT OPERATED	5648	8.1	30	2	3	7	10	14	18	29
B. OPERATED	2761	9.1	55	2	2	8	12	18	22	34
TOTAL 0-19 YRS	159	7.3	47	1	2	5	9	14	19	33
20-34	2471	7.8	33	1	2	7	10	14	18	29
35-49	3310	8.6	40	2	2	7	11	16	20	32
50-64	1807	8.7	33	2	3	8	11	15	19	28
65+	662	9.4	62	2	3	8	12	17	22	34
GRAND TOTAL	**8409**	**8.4**	**38**	**2**	**2**	**7**	**11**	**15**	**19**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.4	21	2	2	5	9	14	16	18
20-34	367	6.5	16	1	2	6	8	11	13	19
35-49	546	7.4	28	1	2	6	9	14	17	25
50-64	442	8.1	27	1	2	7	10	14	18	26
65+	290	8.3	23	2	3	8	10	15	18	23
B. *Operated*										
0-19 YRS	32	4.1	14	1	1	2	6	11	12	14
20-34	239	5.7	28	1	2	3	8	12	16	26
35-49	360	6.4	31	1	1	5	9	14	17	26
50-64	208	6.6	71	1	1	4	8	16	20	31
65+	58	7.3	30	1	1	7	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.0	8	2	2	5	8	10	11	12
20-34	287	7.8	20	2	3	7	9	14	18	22
35-49	639	8.5	33	2	3	8	11	15	18	26
50-64	862	9.0	30	3	4	8	11	15	20	27
65+	1109	10.1	41	3	4	8	13	18	22	31
B. *Operated*										
0-19 YRS	8	7.9	39	1	2	7	10	18	21	21
20-34	159	10.6	65	1	2	9	14	20	22	48
35-49	257	11.0	93	2	2	8	15	22	29	41
50-64	222	12.0	81	2	3	10	16	22	27	50
65+	200	15.6	110	3	5	13	20	29	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1670	7.6	24	2	2	7	10	14	17	25
B. *Operated*	897	6.2	39	1	1	4	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	2913	9.2	34	3	3	8	11	16	20	28
B. *Operated*	846	12.2	92	2	3	10	16	24	30	49
1. SINGLE DX	2567	7.1	30	1	2	6	9	14	17	25
2. MULTIPLE DX	3759	9.9	49	2	3	8	12	18	22	33
A. NOT OPERATED	4583	8.6	31	2	3	8	11	15	19	27
B. OPERATED	1743	9.2	74	1	2	7	13	19	25	39
TOTAL 0-19 YRS	81	5.5	18	1	1	5	8	12	14	20
20-34	1052	7.3	30	1	2	6	10	14	18	26
35-49	1802	8.1	41	1	2	7	10	15	19	30
50-64	1734	8.9	43	2	2	8	11	16	21	30
65+	1657	10.3	50	2	4	9	13	19	24	35
GRAND TOTAL	**6326**	**8.7**	**43**	**2**	**2**	**7**	**11**	**16**	**21**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	548	4.5	13	1	1	4	6	9	10	19
20-34	4993	6.3	21	1	2	5	8	12	15	23
35-49	6400	7.0	25	1	2	6	9	13	16	25
50-64	3754	7.3	26	1	2	6	9	14	17	25
65+	1624	7.5	28	1	2	6	10	14	18	25
B. *Operated*										
0-19 YRS	293	4.9	17	1	2	3	6	10	14	20
20-34	4030	5.6	26	1	1	4	8	12	15	23
35-49	5440	6.5	33	1	2	5	9	14	17	28
50-64	3367	7.5	40	1	2	6	10	15	20	29
65+	1418	10.8	72	1	2	9	15	22	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	492	5.0	16	1	1	4	7	10	13	19
20-34	4566	7.3	31	1	2	6	9	14	18	28
35-49	7381	8.1	33	2	3	7	10	15	19	29
50-64	6755	8.5	38	2	3	7	11	16	19	31
65+	6428	9.3	45	2	3	8	12	18	21	34
B. *Operated*										
0-19 YRS	161	6.8	45	1	2	4	9	14	22	32
20-34	2888	8.1	54	1	2	6	11	17	21	38
35-49	4903	9.5	65	2	2	8	12	19	24	38
50-64	4629	11.0	86	2	2	9	14	21	28	45
65+	3144	14.9	136	2	3	12	19	30	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17319	6.8	24	1	2	6	9	13	16	24
B. *Operated*	14548	6.9	38	1	2	5	9	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	25622	8.3	37	2	2	7	11	16	19	30
B. *Operated*	15725	10.7	89	2	2	9	14	22	28	46
1. SINGLE DX	31867	6.8	31	1	2	5	9	14	17	26
2. MULTIPLE DX	41347	9.2	58	2	2	7	12	18	23	38
A. NOT OPERATED	42941	7.7	32	1	2	6	10	15	18	28
B. OPERATED	30273	8.9	68	1	2	7	12	18	24	40
TOTAL 0-19 YRS	1494	5.0	18	1	1	4	7	10	13	22
20-34	16477	6.7	32	1	2	5	9	13	17	26
35-49	24124	7.7	38	1	2	6	10	15	19	30
50-64	18505	8.7	50	2	2	7	11	17	21	35
65+	12614	10.7	75	2	3	9	14	21	27	44
GRAND TOTAL	**73214**	**8.2**	**48**	**1**	**2**	**7**	**11**	**16**	**21**	**34**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	697	3.9	8	1	1	3	5	7	9	14
20-34	534	4.1	10	<1	<1	3	5	8	11	17
35-49	650	4.3	10	<1	1	4	6	8	10	15
50-64	626	4.8	12	<1	1	4	6	9	12	16
65+	377	5.8	15	1	2	5	8	11	13	18
B. *Operated*										
0-19 YRS	1411	2.5	5	<1	1	2	3	4	6	11
20-34	3376	2.9	5	<1	1	2	3	5	7	12
35-49	4700	3.0	5	<1	1	3	4	5	7	11
50-64	4549	3.2	7	<1	1	3	4	6	8	13
65+	1336	3.6	10	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.5	13	1	1	4	6	8	11	19
20-34	480	5.3	21	<1	1	4	7	10	12	18
35-49	801	6.0	20	1	2	5	8	11	15	22
50-64	1316	6.6	29	1	2	5	8	12	15	24
65+	1476	8.0	38	2	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	460	3.3	7	1	1	3	4	6	9	14
20-34	1678	4.1	24	1	1	3	5	8	10	21
35-49	2658	4.5	18	1	2	3	5	9	12	22
50-64	3264	4.7	20	1	2	4	5	9	12	21
65+	1514	6.9	62	1	2	4	8	14	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2884	4.5	11	<1	1	4	6	9	11	16
B. *Operated*	15372	3.0	6	<1	1	2	4	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	4364	6.7	30	1	2	5	9	13	16	26
B. *Operated*	9574	4.8	27	1	2	3	5	10	13	24
1. SINGLE DX	18256	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	13938	5.4	29	1	2	4	7	11	14	25
A. NOT OPERATED	7248	5.8	23	1	2	5	8	11	15	23
B. OPERATED	24946	3.7	15	<1	1	3	4	7	10	18
TOTAL 0-19 YRS	2859	3.2	7	<1	1	2	4	6	8	13
20-34	6068	3.5	13	<1	1	3	4	7	9	15
35-49	8809	3.8	11	<1	1	3	4	7	10	17
50-64	9755	4.3	16	<1	1	3	5	9	11	19
65+	4703	6.2	39	1	2	4	8	13	17	29
GRAND TOTAL	**32194**	**4.2**	**18**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	4	<1	1	2	3	4	7	8
20-34	16	2.8	22	<1	<1	2	2	3	15	20
35-49	13	1.9	4	<1	<1	1	2	5	7	8
50-64	26	2.3	6	<1	<1	1	2	6	8	11
65+	17	2.2	7	<1	<1	1	2	7	9	9
B. *Operated*										
0-19 YRS	1222	3.4	3	1	2	3	4	5	6	8
20-34	2678	3.5	4	1	2	3	4	5	6	9
35-49	2643	3.7	3	1	2	3	5	6	7	9
50-64	3426	3.9	5	1	2	4	5	6	7	11
65+	1866	4.2	9	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	1.1		<1	<1	1	1	2	2	2
20-34	62	1.9	4	<1	<1	1	2	4	7	9
35-49	85	2.0	4	<1	<1	1	2	4	6	9
50-64	137	2.5	6	<1	<1	1	3	6	7	12
65+	111	4.2	20	<1	<1	3	5	11	15	21
B. *Operated*										
0-19 YRS	981	3.8	3	2	2	4	5	6	7	9
20-34	3197	4.0	6	2	2	4	5	6	8	11
35-49	4308	4.2	5	2	2	4	5	7	8	13
50-64	7666	4.7	8	2	2	4	6	7	9	14
65+	4985	5.5	19	2	2	5	6	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.3	8	<1	<1	1	2	5	8	17
B. *Operated*	11835	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	428	2.7	9	<1	<1	1	3	6	9	16
B. *Operated*	21137	4.6	10	2	2	4	5	7	9	15
1. SINGLE DX	11922	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX	21565	4.6	10	2	2	4	5	7	9	15
A. NOT OPERATED	515	2.6	9	<1	<1	1	3	6	9	16
B. OPERATED	32972	4.3	8	2	2	4	5	7	8	14
TOTAL 0-19 YRS	2251	3.5	3	1	2	3	4	6	6	8
20-34	5953	3.8	5	1	2	3	5	6	7	10
35-49	7049	4.0	5	1	2	4	5	6	8	11
50-64	11255	4.4	7	2	2	4	5	7	9	13
65+	6979	5.1	16	2	2	4	6	9	11	20
GRAND TOTAL	**33487**	**4.3**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	3	4
20-34	34	1.4	1	<1	<1	1	2	2	3	5
35-49	37	2.8	4	<1	<1	2	4	6	7	7
50-64	24	3.1	4	<1	<1	3	5	6	7	7
65+	14	4.1	8	1	2	3	5	9	9	9
B. *Operated*										
0-19 YRS	2090	1.8	1	<1	<1	2	2	3	3	5
20-34	3815	1.9	1	<1	<1	2	2	3	4	6
35-49	2289	2.1	2	<1	<1	2	3	3	4	7
50-64	1566	2.5	3	<1	<1	2	3	4	6	9
65+	553	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	4	<1	<1	1	1	4	6	11
20-34	64	1.9	4	<1	<1	1	2	6	7	9
35-49	54	3.4	12	<1	1	2	4	8	13	15
50-64	62	4.0	8	<1	<1	3	6	9	9	13
65+	65	6.2	52	1	1	4	7	14	17	46
B. *Operated*										
0-19 YRS	226	2.3	2	<1	<1	2	3	4	5	8
20-34	755	2.8	6	<1	1	2	3	5	6	12
35-49	791	3.4	9	<1	1	3	4	6	9	16
50-64	916	3.8	13	<1	1	3	4	7	10	18
65+	516	5.2	23	1	2	4	6	11	15	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	2.4	4	<1	<1	2	3	5	7	9
B. *Operated*	10313	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	284	3.6	20	<1	<1	2	5	8	11	17
B. *Operated*	3204	3.6	12	<1	1	3	4	7	10	17
1. SINGLE DX	10447	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	3488	3.6	12	<1	1	3	4	7	10	17
A. NOT OPERATED	418	3.2	15	<1	<1	2	4	7	9	17
B. OPERATED	13517	2.4	5	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	2380	1.8	1	<1	<1	2	2	3	4	5
20-34	4668	2.0	2	<1	<1	2	2	3	4	7
35-49	3171	2.5	4	<1	<1	2	3	4	6	11
50-64	2568	3.0	7	<1	<1	2	3	5	7	14
65+	1148	4.2	17	<1	1	3	5	8	12	20
GRAND TOTAL	**13935**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	443	14.1	91	2	4	12	20	27	32	45
20-34	166	12.3	133	1	2	9	18	28	35	45
35-49	139	12.0	114	2	3	8	15	29	37	44
50-64	155	11.7	64	2	3	10	16	22	27	35
65+	111	14.1	166	2	3	10	16	32	46	64
3. *Operated*										
0-19 YRS	395	16.8	155	2	3	14	24	35	42	49
20-34	449	13.9	189	2	2	9	19	31	43	61
35-49	362	15.4	201	2	3	11	21	37	45	87
50-64	350	15.1	213	2	2	10	21	36	46	73
65+	295	15.4	185	2	3	12	21	34	47	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	16.7	110	2	3	15	25	30	35	41
20-34	223	13.2	186	<1	1	9	19	30	38	62
35-49	243	15.4	171	2	3	11	21	33	42	60
50-64	434	16.5	174	3	4	13	24	33	44	59
65+	548	17.3	194	3	4	14	22	40	47	71
B. *Operated*										
0-19 YRS	308	23.3	250	3	6	21	31	44	53	81
20-34	577	20.1	257	2	4	16	29	44	54	80
35-49	635	22.5	298	3	5	18	31	48	61	99+
50-64	1063	22.8	302	3	5	18	32	48	60	99+
65+	1179	24.1	330	4	6	19	34	53	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	13.1	106	2	3	10	18	27	34	47
B. *Operated*	1851	15.3	188	2	3	11	21	35	44	69
2. MULTIPLE DX										
A. *Not Operated*	1666	16.2	175	2	3	13	22	34	43	61
B. *Operated*	3762	22.8	300	3	5	18	32	48	61	99+
1. SINGLE DX	2865	14.5	160	2	3	11	20	31	42	60
2. MULTIPLE DX	5428	20.7	271	3	4	16	29	45	57	89
A. NOT OPERATED	2680	15.0	151	2	3	12	21	31	41	57
B. OPERATED	5613	20.3	276	2	4	16	29	45	56	92
TOTAL 0-19 YRS	1364	17.4	159	2	4	15	24	34	42	55
20-34	1415	16.1	220	1	2	11	23	38	47	69
35-49	1379	18.3	247	2	3	14	26	42	52	81
50-64	2002	19.2	256	3	4	15	27	44	53	88
65+	2133	20.6	282	3	5	16	29	46	59	99+
GRAND TOTAL	**8293**	**18.6**	**242**	**2**	**4**	**14**	**26**	**42**	**51**	**82**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	530	5.7	47	<1	1	4	7	13	18	39
20-34	607	3.9	21	<1	1	3	4	7	10	18
35-49	712	4.1	10	1	1	3	5	8	10	17
50-64	691	5.1	18	1	1	4	7	10	13	22
65+	1195	8.4	39	2	2	7	11	16	19	28
B. *Operated*										
0-19 YRS	3772	4.5	23	1	1	3	5	9	12	21
20-34	4136	4.5	20	1	2	3	5	9	11	21
35-49	2086	5.8	32	1	2	4	7	12	16	27
50-64	1609	7.3	41	2	2	5	10	15	19	31
65+	1147	12.1	87	2	3	10	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	5.3	33	1	1	3	7	11	17	32
20-34	882	4.5	16	1	1	3	6	8	11	21
35-49	1571	5.7	29	1	2	4	7	11	14	30
50-64	2796	7.8	49	2	2	6	9	16	21	36
65+	10579	11.1	75	3	3	9	14	21	26	46
B. *Operated*										
0-19 YRS	1226	5.5	44	1	1	3	6	11	17	40
20-34	2269	6.8	74	1	2	4	8	14	21	47
35-49	1873	8.8	104	2	2	5	11	18	26	52
50-64	2550	12.3	134	2	3	9	16	26	35	66
65+	3821	18.2	191	3	5	15	23	34	45	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3735	5.8	31	1	1	4	8	13	16	25
B. *Operated*	12750	5.7	36	1	2	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	16165	9.5	68	2	2	7	12	19	24	41
B. *Operated*	11739	11.9	151	2	2	8	16	26	35	68
1. SINGLE DX	16485	5.8	35	1	2	4	7	12	16	30
2. MULTIPLE DX	27904	10.5	104	2	2	8	14	22	29	55
A. NOT OPERATED	19900	8.8	63	1	2	7	11	18	23	39
B. OPERATED	24489	8.7	100	1	2	5	11	20	27	53
TOTAL 0-19 YRS	5865	4.8	30	1	1	3	5	10	14	28
20-34	7894	5.1	36	1	1	4	6	10	14	31
35-49	6242	6.5	53	1	2	4	8	13	18	38
50-64	7646	8.9	79	2	2	6	11	18	25	47
65+	16742	12.6	110	2	3	10	16	24	31	60
GRAND TOTAL	**44389**	**8.8**	**84**	**1**	**2**	**6**	**11**	**19**	**25**	**47**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.6	7	<1	<1	2	3	5	7	14
20-34	15	2.9	10	<1	<1	1	4	9	10	11
35-49	9	2.9	13	<1	<1	2	3	9	12	12
50-64	5	4.6	11	1	1	4	6	10	10	10
65+	9	8.0	52	2	2	5	11	20	24	24
B. *Operated*										
0-19 YRS	865	4.1	14	<1	1	3	5	7	9	14
20-34	757	3.5	16	<1	1	3	4	7	9	17
35-49	444	3.4	10	<1	1	2	4	7	8	15
50-64	392	4.2	11	1	1	3	5	8	10	16
55+	137	5.5	23	<1	1	4	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.0	4	<1	<1	1	2	5	6	11
20-34	39	2.6	6	<1	<1	1	3	7	8	11
35-49	40	4.8	34	<1	<1	2	6	14	19	23
50-64	45	9.3	167	1	1	4	10	30	39	60
65+	93	13.9	202	2	3	9	16	35	47	86
B. *Operated*										
0-19 YRS	697	5.2	41	1	2	4	6	9	12	39
20-34	810	4.8	32	1	2	3	5	9	12	28
35-49	575	4.9	20	1	2	4	6	9	12	24
50-64	657	6.5	41	1	2	5	8	12	17	32
65+	370	10.3	134	2	2	7	12	22	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.6	17	<1	<1	2	4	10	12	23
B. *Operated*	2595	3.9	14	<1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	262	8.0	131	<1	1	4	9	23	33	67
B. *Operated*	3109	5.9	49	1	2	4	7	11	16	40
1. SINGLE DX	2660	3.9	14	<1	1	3	5	7	10	17
2. MULTIPLE DX	3371	6.1	55	1	2	4	7	12	17	43
A. NOT OPERATED	327	7.1	111	<1	<1	3	8	17	30	65
B. OPERATED	5704	5.0	34	1	1	4	6	10	13	29
TOTAL 0-19 YRS	1634	4.5	25	<1	1	4	5	8	10	23
20-34	1621	4.2	24	<1	1	3	5	8	11	24
35-49	1068	4.3	16	1	1	3	5	8	11	23
50-64	1099	5.8	37	1	2	4	7	11	16	32
65+	609	9.7	125	2	2	6	11	21	31	72
GRAND TOTAL	**6031**	**5.1**	**38**	**1**	**1**	**4**	**6**	**10**	**14**	**32**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.1	15	<1	1	3	5	8	14	16
20-34	141	6.1	24	1	2	5	8	12	16	23
35-49	225	6.9	20	1	2	6	10	12	16	23
50-64	150	7.0	23	1	2	6	9	13	18	21
65+	89	7.3	29	1	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	10	3.3	7	<1	<1	2	4	8	9	9
20-34	129	6.5	43	1	2	4	8	16	20	33
35-49	233	5.8	30	1	2	4	7	13	16	25
50-64	137	7.2	88	1	2	4	9	15	21	36
65+	38	8.6	59	1	2	6	12	18	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	39	1	1	4	6	12	21	27
20-34	109	7.3	27	2	2	6	10	13	16	28
35-49	284	7.7	28	1	2	7	10	14	19	25
50-64	375	7.9	30	2	2	6	10	16	19	24
65+	473	9.1	39	2	3	8	12	17	21	31
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	73	8.1	58	1	2	6	10	18	24	38
35-49	158	9.1	44	2	2	8	13	17	22	32
50-64	169	10.8	81	2	2	8	14	22	28	56
65+	121	13.2	107	2	3	10	17	25	30	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	621	6.7	23	1	2	6	9	13	17	22
B. *Operated*	547	6.5	50	1	2	4	8	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	1259	8.2	33	2	2	7	11	16	19	27
B. *Operated*	523	10.5	75	2	2	8	14	21	28	51
1. SINGLE DX	1168	6.6	36	1	2	5	9	14	18	26
2. MULTIPLE DX	1782	8.9	47	2	2	7	11	17	22	33
A. NOT OPERATED	1880	7.7	31	2	2	6	10	15	18	26
B. OPERATED	1070	8.4	66	1	2	6	11	18	24	39
TOTAL 0-19 YRS	46	4.7	23	1	1	3	6	10	14	27
20-34	452	6.8	36	1	2	5	9	15	19	33
35-49	900	7.3	31	1	2	6	10	14	19	26
50-64	831	8.2	51	2	2	7	11	17	21	29
65+	721	9.5	53	2	3	8	12	18	24	38
GRAND TOTAL	**2950**	**8.0**	**44**	**1**	**2**	**6**	**10**	**16**	**20**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	666	3.5	8	<1	1	3	4	7	10	14
20-34	1590	4.7	17	<1	1	4	6	9	12	20
35-49	1662	5.3	21	1	1	4	7	10	13	23
50-64	1094	5.0	15	1	1	4	7	10	12	18
65+	717	6.1	27	1	1	5	8	13	17	25
B. *Operated*										
0-19 YRS	2413	4.7	24	<1	1	3	5	12	15	23
20-34	3410	4.0	18	<1	1	3	5	9	12	20
35-49	2460	4.5	20	1	1	3	5	10	14	24
50-64	2622	3.7	15	1	1	2	4	7	11	19
65+	1442	3.9	19	1	1	3	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	597	4.2	11	1	1	3	5	9	11	16
20-34	2240	6.0	23	1	1	5	8	12	15	22
35-49	3275	6.5	25	1	2	5	8	12	15	24
50-64	3197	6.5	28	1	2	5	8	13	16	28
65+	3503	7.9	43	2	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	1804	4.4	29	1	1	3	4	10	14	28
20-34	3374	4.8	32	1	1	3	5	10	15	29
35-49	2830	6.1	49	1	2	4	7	13	17	34
50-64	2927	7.0	73	1	2	4	8	15	21	48
65+	2124	9.2	101	1	2	6	12	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5729	5.0	19	<1	1	4	6	10	13	21
B. *Operated*	12387	4.2	19	1	1	3	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	12812	6.7	31	1	2	5	9	13	16	27
B. *Operated*	13059	6.2	58	1	2	4	7	14	19	39
1. SINGLE DX	18116	4.4	19	1	1	3	5	10	13	22
2. MULTIPLE DX	25871	6.5	45	1	2	4	8	13	18	33
A. NOT OPERATED	18541	5.2	28	1	2	5	8	12	15	25
B. OPERATED	25446	5.2	40	1	1	3	6	12	16	31
TOTAL 0-19 YRS	5520	4.4	22	1	1	3	5	10	14	23
20-34	10614	4.8	24	1	1	3	6	10	14	24
35-49	10227	5.7	30	1	2	4	7	12	15	27
50-64	9840	5.7	39	1	2	4	7	12	16	30
65+	7786	7.4	57	1	2	5	9	15	21	39
GRAND TOTAL	**43987**	**5.6**	**35**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	5	<1	1	5	6	7	8	8
20-34	71	6.0	14	2	3	5	7	10	14	22
35-49	83	6.5	11	2	3	6	9	11	12	16
50-64	33	6.7	15	2	2	6	8	13	15	16
65+	6	7.0	12	2	2	7	10	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	39	6.1	21	2	2	5	8	13	17	21
35-49	30	5.8	17	2	2	4	8	13	15	15
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.8	9	1	1	4	6	10	11	13
20-34	222	6.3	15	2	3	5	8	11	13	21
35-49	318	7.1	19	3	3	6	9	13	15	22
50-64	191	7.4	17	2	3	6	10	13	15	19
65+	96	8.0	37	2	2	7	10	13	24	32
B. *Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	78	8.5	38	2	3	7	10	16	21	33
35-49	96	10.1	66	3	3	9	12	17	19	55
50-64	48	7.6	30	3	3	6	10	15	18	26
65+	16	11.2	60	2	2	10	15	21	27	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	6.3	12	2	3	6	8	11	13	17
B. *Operated*	78	5.5	19	2	2	4	7	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	859	7.0	19	2	3	6	9	12	14	24
B. *Operated*	241	9.1	49	3	3	8	12	16	21	36
1. SINGLE DX	280	6.1	14	2	2	5	8	11	14	18
2. MULTIPLE DX	1100	7.4	27	2	3	6	9	13	16	26
A. NOT OPERATED	1061	6.8	18	2	3	6	9	12	14	23
B. OPERATED	319	8.2	44	2	3	7	11	15	19	32
TOTAL 0-19 YRS	46	4.7	8	<1	1	4	6	8	10	13
20-34	410	6.6	20	2	3	5	8	12	15	22
35-49	527	7.5	27	2	3	7	9	13	16	25
50-64	276	7.3	19	2	3	6	10	13	15	22
65+	121	8.2	40	2	2	7	11	14	23	31
GRAND TOTAL	**1380**	**7.2**	**24**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.9	15	<1	<1	2	3	6	9	24
20-34	21	5.4	20	1	1	4	6	14	15	17
35-49	13	4.8	14	1	1	3	7	9	13	14
50-64	8	2.9	3	1	1	2	4	5	6	6
65+	9	4.2	19	1	1	2	9	11	11	11
B. *Operated*										
0-19 YRS	262	7.2	42	2	2	6	9	12	17	38
20-34	50	8.2	53	2	2	7	11	15	19	44
35-49	39	10.1	62	2	2	9	13	19	22	42
50-64	21	10.9	107	1	2	7	13	29	34	38
65+	8	14.8	509	2	2	6	14	54	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	398	6.7	154	1	1	3	6	14	23	84
20-34	68	7.3	62	1	2	5	8	15	31	36
35-49	31	10.5	276	1	1	6	10	26	41	86
50-64	20	10.3	110	1	2	7	11	25	36	45
65+	37	7.0	34	1	1	6	11	15	18	22
B. *Operated*										
0-19 YRS	409	11.4	122	2	2	8	15	27	36	61
20-34	80	11.5	143	2	3	9	14	20	42	90
35-49	47	13.5	150	2	4	10	16	24	57	99+
50-64	48	17.7	233	2	3	15	25	39	69	99+
65+	26	17.5	183	2	3	14	28	38	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	3.4	15	<1	<1	2	4	7	11	21
B. *Operated*	380	8.0	59	2	2	6	10	14	20	43
2. MULTIPLE DX										
A. *Not Operated*	554	7.1	140	1	1	4	7	15	25	82
B. *Operated*	610	12.3	141	2	2	9	16	28	38	70
1. SINGLE DX	575	6.4	49	<1	1	4	9	13	18	39
2. MULTIPLE DX	1164	9.9	147	1	2	6	12	23	32	81
A. NOT OPERATED	749	6.2	110	<1	1	3	6	13	22	80
B. OPERATED	990	10.7	114	2	2	8	13	23	32	69
TOTAL 0-19 YRS	1213	7.9	110	1	1	5	9	18	27	70
20-34	219	8.8	89	1	2	7	11	18	27	64
35-49	130	10.9	144	1	2	9	13	21	29	89
50-64	97	13.5	180	1	2	9	18	30	45	85
65+	80	10.9	148	1	1	8	14	27	36	63
GRAND TOTAL	**1739**	**8.7**	**117**	**1**	**1**	**5**	**11**	**19**	**29**	**69**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	1.4	3	<1	<1	1	1	2	3	10
20-34	18	3.5	17	1	1	2	4	6	14	19
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	4	3.0	5	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	2062	2.2	2	<1	1	2	2	3	4	8
20-34	593	2.5	3	<1	1	2	3	4	5	10
35-49	317	2.8	3	1	1	2	3	4	6	10
50-64	378	2.6	2	1	1	2	3	4	5	9
65+	398	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	174	1.8	6	<1	<1	1	1	4	5	16
20-34	12	1.3		<1	<1	1	2	2	3	3
35-49	8	3.1	2	<1	1	3	4	5	5	5
50-64	12	3.0	8	<1	<1	2	4	7	10	10
65+	21	5.6	38	<1	1	3	7	14	20	26
B. *Operated*										
0-19 YRS	551	2.8	7	<1	1	2	3	5	7	17
20-34	200	3.4	7	1	1	3	4	6	9	13
35-49	163	3.1	4	1	1	2	4	5	7	11
50-64	345	3.0	7	1	2	2	3	5	6	15
65+	539	3.0	11	2	2	2	3	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	1.5	3	<1	<1	1	1	2	5	11
B. *Operated*	3748	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	227	2.3	9	<1	<1	1	2	5	8	19
B. *Operated*	1798	3.0	8	1	1	2	3	5	7	14
1. SINGLE DX	4235	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2025	2.9	8	<1	1	2	3	5	7	15
A. NOT OPERATED	714	1.7	5	<1	<1	1	1	3	6	13
B. OPERATED	5546	2.6	4	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	3245	2.1	3	<1	<1	2	2	4	5	9
20-34	823	2.8	4	<1	1	2	3	5	6	11
35-49	492	2.9	4	1	1	2	3	5	6	11
50-64	738	2.8	5	1	1	2	3	4	6	10
65+	962	2.9	8	1	2	2	3	4	6	13
GRAND TOTAL	**6260**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	3.1	9	<1	<1	2	4	7	8	14
20-34	70	3.7	6	<1	1	3	5	8	8	11
35-49	52	3.6	7	1	1	3	4	7	10	13
50-64	33	5.3	13	1	2	5	8	12	12	13
65+	23	5.6	11	2	3	4	8	11	12	13
B. *Operated*										
0-19 YRS	2128	5.1	28	1	1	2	8	10	13	24
20-34	457	6.0	64	1	1	3	8	11	15	36
35-49	273	6.6	41	1	2	3	10	14	19	31
50-64	149	6.6	43	1	2	3	10	14	18	31
65+	67	6.6	33	1	2	4	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	740	5.1	35	<1	1	3	6	10	15	34
20-34	232	5.2	28	1	1	4	6	10	14	32
35-49	178	6.2	33	1	2	4	7	14	21	28
50-64	140	6.8	25	2	2	5	8	13	16	25
65+	261	8.5	57	2	2	6	10	15	21	42
B. *Operated*										
0-19 YRS	2617	7.4	82	1	1	4	10	16	23	56
20-34	510	8.2	88	1	2	6	10	18	26	68
35-49	355	8.9	97	1	2	7	11	18	28	54
50-64	394	10.5	122	2	2	8	14	22	28	63
65+	287	12.9	152	2	2	10	17	29	36	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	3.6	9	<1	1	3	5	8	10	14
B. *Operated*	3074	5.4	36	1	1	3	8	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	1551	5.9	38	1	1	4	7	12	18	34
B. *Operated*	4163	8.3	95	1	2	6	11	18	26	58
1. SINGLE DX	3473	5.2	33	1	1	3	8	11	14	25
2. MULTIPLE DX	5714	7.6	80	1	1	5	10	16	24	50
A. NOT OPERATED	1950	5.5	33	1	1	4	7	11	15	31
B. OPERATED	7237	7.1	72	1	1	4	9	15	21	46
TOTAL 0-19 YRS	5706	6.0	54	1	1	3	8	13	18	39
20-34	1269	6.6	66	1	1	4	9	13	19	37
35-49	858	7.3	63	1	2	4	10	16	23	36
50-64	716	8.7	85	2	2	6	12	18	24	47
65+	638	10.2	102	2	2	7	13	21	30	52
GRAND TOTAL	**9187**	**6.7**	**64**	**1**	**1**	**4**	**9**	**14**	**20**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	6	<1	1	1	3	6	8	10
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1314	4.1	5	1	2	4	6	7	8	10
20-34	41	3.4	3	1	2	3	4	6	6	8
35-49	14	3.1	1	2	2	3	3	4	5	5
50-64	4	2.8	1	2	2	3	3	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	2.7	20	<1	<1	1	2	7	9	28
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	918	4.3	7	2	2	4	6	7	8	13
20-34	69	3.4	4	1	2	3	4	6	7	12
35-49	22	6.1	96	1	2	4	5	8	26	49
50-64	4	2.5		2	2	2	3	3	3	3
65+	3	7.7	54	2	2	5	13	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.5	5	<1	1	1	3	5	8	10
B. *Operated*	1374	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	106	2.7	19	<1	<1	1	2	7	9	28
B. *Operated*	1016	4.3	9	2	2	4	5	7	8	13
1. SINGLE DX	1398	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX	1122	4.1	10	1	1	4	5	7	8	14
A. NOT OPERATED	130	2.6	17	<1	<1	1	3	7	9	27
B. OPERATED	2390	4.2	7	1	2	4	5	7	8	11
TOTAL 0-19 YRS	2360	4.1	6	1	2	4	5	7	8	11
20-34	110	3.4	3	1	2	3	4	6	6	11
35-49	37	4.8	59	1	2	3	5	6	9	49
50-64	8	2.6	1	2	2	3	3	4	4	4
65+	5	5.6	36	1	1	4	8	16	16	16
GRAND TOTAL	**2520**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	4	1	1	2	4	6	7	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1308	4.0	3	2	2	4	5	6	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	5.4	18	1	2	4	7	11	13	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	294	6.2	25	2	3	5	7	11	13	25
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.8	4	1	1	2	4	6	7	10
B. *Operated*	1308	4.0	3	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	65	5.4	18	1	2	4	7	11	13	22
B. *Operated*	294	6.2	25	2	3	5	7	11	13	25
1. SINGLE DX	1420	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX	359	6.1	23	2	3	5	7	11	13	22
A. NOT OPERATED	177	3.7	11	1	1	3	5	7	10	18
B. OPERATED	1602	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1779	4.3	8	2	2	4	5	7	9	14
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**1779**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.0	18	<1	<1	2	3	6	8	22
20-34	37	3.9	10	1	1	3	4	8	12	15
35-49	32	3.8	6	1	1	3	5	7	9	11
50-64	25	3.4	7	<1	1	3	4	8	9	11
65+	34	3.6	9	<1	1	3	5	9	10	11
B. *Operated*										
0-19 YRS	972	4.8	31	<1	1	3	6	10	13	25
20-34	263	4.7	16	<1	1	3	7	10	12	20
35-49	143	6.3	39	1	1	4	8	13	17	35
50-64	99	7.0	62	<1	1	5	9	15	20	45
65+	79	6.6	51	<1	1	3	10	19	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	349	5.9	83	<1	1	4	6	11	19	35
20-34	72	5.3	16	1	2	4	7	10	11	23
35-49	67	4.9	9	1	1	4	7	9	10	12
50-64	90	5.6	24	1	1	4	6	11	15	28
65+	231	7.0	36	1	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	747	8.6	115	1	2	5	10	18	26	70
20-34	268	7.7	50	1	2	6	10	15	19	36
35-49	226	8.8	51	1	2	7	12	18	22	35
50-64	187	10.8	63	2	2	9	14	20	28	39
65+	276	12.8	137	2	2	9	17	27	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	517	3.1	16	<1	<1	2	3	7	9	19
B. *Operated*	1556	5.1	33	<1	1	3	7	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	809	6.0	51	1	1	4	7	11	15	42
B. *Operated*	1704	9.4	97	1	2	7	12	19	27	50
1. SINGLE DX	2073	4.6	29	<1	1	3	6	10	14	27
2. MULTIPLE DX	2513	8.3	85	1	2	6	10	17	25	49
A. NOT OPERATED	1326	4.9	39	<1	1	3	6	10	14	32
B. OPERATED	3260	7.4	71	1	1	5	9	15	22	44
TOTAL 0-19 YRS	2457	5.8	66	<1	1	3	7	12	18	49
20-34	640	6.0	32	1	1	5	8	12	15	26
35-49	468	7.2	41	1	1	6	9	15	19	32
50-64	401	8.2	57	1	2	6	11	16	22	37
65+	620	9.4	91	1	2	7	12	21	28	44
GRAND TOTAL	**4586**	**6.7**	**63**	**<1**	**1**	**4**	**8**	**14**	**20**	**42**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	1.4	1	<1	<1	1	1	3	4	4
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2803	2.6	2	1	1	2	3	4	5	7
20-34	248	3.2	3	1	1	3	4	5	6	8
35-49	62	3.0	3	1	1	3	3	5	7	9
50-64	19	3.0	1	2	2	3	4	4	5	5
65+	4	4.5	9	3	3	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	1.2		<1	<1	1	1	2	2	4
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	2141	2.8	3	<1	1	2	3	5	6	9
20-34	275	3.8	7	1	2	3	5	7	9	16
35-49	85	4.3	19	1	2	3	5	6	8	30
50-64	34	3.8	4	1	2	3	5	6	9	10
65+	13	7.3	38	2	2	5	9	17	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	3136	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	143	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2548	3.0	5	<1	1	3	4	5	7	10
1. SINGLE DX	3192	2.6	2	1	1	2	3	4	5	8
2. MULTIPLE DX	2691	2.9	5	<1	1	2	4	5	7	10
A. NOT OPERATED	199	1.4	1	<1	<1	1	1	2	4	5
B. OPERATED	5684	2.8	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	5126	2.6	3	<1	1	2	3	4	6	8
20-34	535	3.5	5	1	1	3	4	6	8	12
35-49	149	3.7	13	1	2	3	4	6	8	29
50-64	54	3.5	3	1	2	3	4	5	7	10
65+	19	6.6	29	2	2	4	8	15	19	22
GRAND TOTAL	**5883**	**2.8**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.5	3	<1	1	2	3	5	6	9
20-34	70	3.5	11	<1	<1	3	4	7	9	21
35-49	33	3.6	4	<1	1	4	5	6	7	8
50-64	36	4.2	9	1	1	3	6	9	10	12
65+	36	4.2	16	1	1	3	5	10	10	21
B. *Operated*										
0-19 YRS	2243	4.9	16	<1	1	4	7	10	12	16
20-34	841	4.1	10	<1	1	3	6	8	10	15
35-49	229	4.8	16	1	1	4	6	10	13	20
50-64	149	4.6	13	1	1	3	7	9	11	18
65+	77	6.0	35	1	1	5	7	11	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	193	2.9	8	<1	<1	2	4	6	9	15
20-34	154	5.2	21	1	2	4	7	9	12	20
35-49	180	5.8	19	1	2	5	7	11	14	25
50-64	173	5.5	19	1	2	4	7	11	14	21
65+	156	7.4	41	2	2	6	9	14	17	45
B. *Operated*										
0-19 YRS	1473	5.7	30	1	1	4	8	11	16	27
20-34	986	5.7	28	1	1	5	7	10	14	25
35-49	539	7.8	50	1	2	6	10	15	20	36
50-64	445	9.1	75	1	2	7	11	17	24	48
65+	355	6.8	58	1	2	7	12	18	25	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	3.3	8	<1	1	2	4	7	9	12
B. *Operated*	3539	4.7	15	<1	1	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	856	5.3	23	1	1	4	7	10	14	21
B. *Operated*	3798	6.7	42	1	1	5	9	13	18	33
1. SINGLE DX	3811	4.6	15	<1	1	4	6	9	11	16
2. MULTIPLE DX	4654	6.4	39	1	1	5	8	13	17	32
A. NOT OPERATED	1128	4.8	20	1	1	4	6	10	12	21
B. OPERATED	7337	5.7	30	1	1	4	8	11	15	26
TOTAL 0-19 YRS	4006	5.0	21	<1	1	4	7	10	13	21
20-34	2051	4.9	20	<1	1	4	6	9	12	20
35-49	981	6.6	37	1	2	5	8	13	17	28
50-64	803	7.3	53	1	2	5	9	14	19	39
65+	624	7.9	50	1	2	6	10	16	21	38
GRAND TOTAL	**8465**	**5.6**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	159	<1	<1	1	1	4	8	86
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1322	3.5	4	1	2	3	4	6	7	10
20-34	124	4.5	4	1	2	4	6	7	9	10
35-49	58	5.2	14	1	2	4	6	12	14	15
50-64	48	5.6	20	2	2	4	6	10	14	27
65+	19	4.4	6	1	1	5	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	1.3	1	<1	<1	1	1	2	4	6
20-34	4	3.3	11	1	1	2	5	8	8	8
35-49	5	2.0	1	1	1	2	3	3	3	3
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	6	3.3	8	<1	<1	3	5	8	8	8
B. *Operated*										
0-19 YRS	709	4.5	15	1	2	4	5	7	9	16
20-34	230	5.0	13	2	2	4	6	8	9	19
35-49	166	5.0	10	2	3	4	6	8	10	15
50-64	210	5.7	22	2	3	5	7	9	11	26
65+	81	6.0	10	3	3	5	7	10	12	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.5	156	<1	<1	1	1	4	7	86
B. *Operated*	1571	3.7	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	105	1.6	2	<1	<1	1	1	3	5	8
B. *Operated*	1396	4.9	15	2	2	4	6	8	10	18
1. SINGLE DX	1618	3.7	9	1	1	3	5	6	8	12
2. MULTIPLE DX	1501	4.7	15	1	2	4	6	8	9	17
A. NOT OPERATED	152	2.2	50	<1	<1	1	1	3	5	14
B. OPERATED	2967	4.3	10	1	2	4	5	7	9	15
TOTAL 0-19 YRS	2164	3.8	11	1	1	3	5	6	8	12
20-34	359	4.8	10	2	2	4	6	8	9	16
35-49	229	5.0	11	2	2	4	6	8	11	15
50-64	261	5.6	21	2	2	5	7	9	11	26
65+	106	5.6	10	1	3	5	7	9	11	17
GRAND TOTAL	**3119**	**4.2**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	649	3.3	29	<1	<1	2	3	7	11	29
20-34	230	5.5	20	<1	1	4	8	11	14	22
35-49	164	6.6	52	1	2	5	8	12	16	29
50-64	116	5.9	23	1	1	5	8	12	13	26
65+	61	6.2	15	1	1	6	8	11	14	19
B. *Operated*										
0-19 YRS	4736	4.3	21	1	1	3	5	9	12	23
20-34	1956	4.2	18	<1	1	3	5	9	12	21
35-49	1055	5.1	22	1	1	3	7	11	15	22
50-64	555	6.2	36	1	1	4	9	13	17	28
65+	211	8.3	106	1	1	5	10	18	23	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	816	5.3	77	<1	1	3	6	11	18	61
20-34	358	6.1	33	1	1	4	8	12	16	29
35-49	348	7.1	29	1	2	5	10	14	17	29
50-64	408	8.2	51	2	3	7	10	15	21	42
65+	412	9.0	38	2	3	8	12	18	22	31
B. *Operated*										
0-19 YRS	1810	6.4	61	1	1	4	7	14	18	43
20-34	1006	6.5	50	1	1	4	8	14	18	39
35-49	828	7.7	51	1	2	6	10	16	20	38
50-64	777	10.1	101	2	2	7	13	20	27	58
65+	399	12.1	122	2	2	9	16	28	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1220	4.5	31	<1	1	3	6	10	13	27
B. *Operated*	8513	4.6	24	1	1	3	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	2342	6.9	54	1	1	5	9	14	19	42
B. *Operated*	4820	7.7	72	1	2	5	10	16	23	44
1. SINGLE DX	9733	4.6	25	<1	1	3	6	10	13	24
2. MULTIPLE DX	7162	7.4	66	1	1	5	10	16	22	43
A. NOT OPERATED	3562	6.1	47	<1	1	4	8	13	17	39
B. OPERATED	13333	5.7	43	1	1	3	7	12	17	34
TOTAL 0-19 YRS	8011	4.8	37	1	1	3	6	10	14	32
20-34	3550	5.1	30	<1	1	3	6	11	14	26
35-49	2395	6.4	36	1	1	4	9	14	18	28
50-64	1856	8.2	69	1	2	6	11	17	22	44
65+	1083	9.9	84	1	2	7	13	21	29	49
GRAND TOTAL	**16895**	**5.8**	**44**	**1**	**1**	**4**	**7**	**13**	**17**	**34**

328: Perinatal conditions causing morbidity and mortality (750-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7298	3.6	21	1	1	2	3	7	11	24
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	157	7.7	136	<1	1	5	9	15	21	86
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4031	9.1	121	1	2	5	11	23	32	58
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	361	17.9	378	1	2	11	25	48	70	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7298	3.6	21	1	1	2	3	7	11	24
B. *Operated*	157	7.7	136	<1	1	5	9	15	21	86
2. MULTIPLE DX										
A. *Not Operated*	4031	9.1	121	1	2	5	11	23	32	58
B. *Operated*	361	17.9	378	1	2	11	25	48	70	99+
1. SINGLE DX	7455	3.7	24	1	1	2	4	7	12	24
2. MULTIPLE DX	4392	9.8	147	1	2	5	12	25	35	67
A. NOT OPERATED	11329	5.6	63	1	1	3	5	13	21	41
B. OPERATED	518	14.8	326	1	1	8	18	43	63	99+
TOTAL 0-19 YRS	11847	6.0	78	1	1	3	6	14	23	46
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	11847	6.0	78	1	1	3	6	14	23	46

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6913	3.0	7	1	1	2	4	5	7	13
20-34	3178	3.5	8	1	1	3	4	7	9	14
35-49	1586	4.0	11	1	1	3	5	8	10	16
50-64	1140	4.4	12	1	1	3	6	8	11	18
65+	938	4.9	16	1	1	4	6	9	13	19
B. *Operated*										
0-19 YRS	69	4.6	12	1	2	4	5	9	11	18
20-34	97	5.3	37	1	2	4	6	10	13	39
35-49	70	6.8	23	2	2	6	9	13	18	22
50-64	56	6.4	19	2	2	5	8	14	16	21
65+	36	7.2	13	2	4	7	9	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7838	3.6	13	1	1	3	4	7	9	16
20-34	3427	5.3	25	1	1	4	6	10	14	24
35-49	3218	6.0	30	1	2	5	7	11	15	29
50-64	4067	6.9	39	1	2	5	9	14	17	35
65+	5433	8.0	52	2	2	6	10	15	21	41
B. *Operated*										
0-19 YRS	211	7.6	50	1	2	6	9	17	21	41
20-34	340	8.9	72	1	2	7	10	17	26	54
35-49	325	11.0	113	2	3	8	13	22	28	64
50-64	447	12.7	112	3	4	9	17	25	33	70
65+	497	15.4	194	3	4	11	19	32	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13755	3.5	9	1	1	3	4	7	9	15
B. *Operated*	328	5.9	23	2	2	4	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	23983	5.7	33	1	1	4	7	11	15	30
B. *Operated*	1820	11.8	127	2	3	9	15	24	33	70
1. SINGLE DX	14083	3.6	9	1	1	3	4	7	9	15
2. MULTIPLE DX	25803	6.2	42	1	1	4	7	12	17	35
A. NOT OPERATED	37738	4.9	25	1	1	4	6	10	13	25
B. OPERATED	2148	10.9	116	2	3	8	14	22	31	65
TOTAL 0-19 YRS	15031	3.4	11	1	1	3	4	6	8	15
20-34	7042	4.7	21	1	1	3	6	9	12	23
35-49	5199	5.7	32	1	2	4	7	11	15	28
50-64	5710	6.9	43	1	2	5	8	14	18	35
65+	6904	8.1	62	2	2	6	10	16	22	45
GRAND TOTAL	**39886**	**5.2**	**32**	**1**	**1**	**4**	**6**	**10**	**15**	**29**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2387	3.1	5	1	1	3	4	5	6	10
20-34	585	4.5	10	1	2	4	5	8	11	16
35-49	351	4.9	11	2	2	4	6	9	12	19
50-64	333	5.2	13	1	2	5	6	9	11	17
65+	438	6.0	18	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	51	6.3	40	1	2	4	8	12	15	41
20-34	40	9.8	73	1	2	7	13	20	31	37
35-49	61	10.5	54	2	3	9	13	19	26	36
50-64	59	12.2	95	1	2	11	15	21	26	61
65+	56	11.9	67	2	3	11	15	20	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3600	3.5	6	1	1	3	4	6	8	13
20-34	1244	5.1	19	1	2	4	6	9	12	21
35-49	913	6.0	28	2	2	5	7	11	13	29
50-64	1584	7.1	35	2	3	6	9	13	16	31
65+	3160	8.0	45	2	3	6	10	15	19	34
B. *Operated*										
0-19 YRS	122	9.6	83	2	3	7	13	19	22	56
20-34	201	12.1	92	3	4	10	15	25	29	54
35-49	219	10.8	69	2	3	9	14	19	28	51
50-64	364	14.9	117	3	5	13	19	29	34	51
65+	485	16.6	152	4	5	13	22	35	43	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4094	3.9	10	1	1	3	5	7	9	15
B. *Operated*	267	10.2	69	2	2	9	13	19	25	41
2. MULTIPLE DX										
A. *Not Operated*	10501	5.8	29	1	2	4	7	11	15	27
B. *Operated*	1391	14.0	121	3	4	11	18	28	36	63
1. SINGLE DX	4361	4.3	16	1	1	3	5	8	11	19
2. MULTIPLE DX	11892	6.8	47	1	2	5	8	14	18	36
A. NOT OPERATED	14595	5.3	24	1	2	4	6	10	14	24
B. OPERATED	1658	13.4	115	3	4	11	17	28	35	60
TOTAL 0-19 YRS	6160	3.5	8	1	1	3	4	6	8	14
20-34	2070	5.7	29	1	2	4	7	11	15	28
35-49	1544	6.6	35	2	2	5	8	12	16	32
50-64	2340	8.2	55	2	3	6	10	16	22	36
65+	4139	8.8	64	2	3	7	11	17	23	44
GRAND TOTAL	**16253**	**6.1**	**40**	**1**	**2**	**4**	**7**	**12**	**17**	**32**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1110	3.0	5	1	1	2	4	5	7	11
20-34	2484	3.6	8	<1	1	3	4	7	9	14
35-49	1364	4.1	11	1	1	3	5	8	10	18
50-64	622	4.3	16	1	1	3	5	8	10	17
65+	249	4.6	19	<1	1	3	6	9	14	17
B. *Operated*										
0-19 YRS	49	3.5	5	1	1	3	5	7	8	10
20-34	214	5.1	46	1	2	4	6	10	11	22
35-49	179	5.6	21	2	2	4	7	11	15	23
50-64	129	5.0	20	1	2	3	6	10	15	22
65+	45	6.2	31	<1	2	4	9	13	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1129	3.5	6	1	1	3	4	6	8	13
20-34	3084	4.9	19	1	2	4	6	9	12	22
35-49	2549	5.5	19	1	2	4	7	10	14	23
50-64	1858	5.7	20	1	2	5	7	11	14	22
65+	1497	6.0	25	2	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	50	5.2	11	2	2	4	8	10	12	99
20-34	335	7.8	37	2	2	6	10	15	19	30
35-49	379	8.5	65	2	2	6	11	17	22	38
50-64	284	8.2	41	2	2	7	10	17	22	33
65+	235	10.6	63	2	3	9	13	19	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5829	3.7	10	1	1	3	5	7	9	15
B. *Operated*	616	5.2	29	1	2	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	10117	5.2	19	1	2	4	7	10	13	22
B. *Operated*	1283	8.5	51	2	2	7	11	17	22	35
1. SINGLE DX	6445	3.9	12	1	1	3	5	7	10	17
2. MULTIPLE DX	11400	5.6	24	1	2	4	7	11	14	25
A. NOT OPERATED	15946	4.7	16	1	1	4	6	9	12	20
B. OPERATED	1899	7.4	46	2	2	6	10	15	19	33
TOTAL 0-19 YRS	2338	3.3	6	1	1	3	4	6	8	12
20-34	6117	4.5	18	1	1	3	6	9	11	21
35-49	4471	5.3	22	1	2	4	7	10	14	23
50-64	2893	5.6	23	1	2	4	7	11	14	24
65+	2026	6.3	32	1	2	5	8	12	16	30
GRAND TOTAL	**17845**	**5.0**	**20**	**1**	**1**	**4**	**6**	**10**	**13**	**23**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.4	3	<1	<1	2	3	5	6	10
20-34	253	3.1	5	<1	1	3	4	6	7	12
35-49	366	3.5	5	1	1	3	5	6	7	12
50-64	664	3.8	8	1	1	3	5	7	8	12
65+	840	3.5	6	1	1	3	5	6	8	12
B. *Operated*										
0-19 YRS	161	2.2	3	<1	<1	1	3	5	6	8
20-34	167	4.6	8	1	1	4	6	8	9	13
35-49	291	4.7	7	1	1	4	6	8	10	13
50-64	444	5.1	8	1	2	5	6	8	10	13
65+	367	5.1	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	2.9	4	<1	1	2	4	6	7	9
20-34	210	3.9	7	<1	1	4	5	7	9	12
35-49	483	4.7	11	1	2	4	6	8	11	15
50-64	1138	4.5	11	1	1	4	6	8	10	17
65+	2194	5.2	26	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	99	3.3	8	1	1	2	5	8	9	13
20-34	135	5.4	14	1	1	5	8	10	12	19
35-49	243	5.8	20	1	2	5	7	9	13	32
50-64	633	6.1	21	1	2	5	8	11	13	23
65+	942	7.7	47	2	2	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2262	3.5	6	<1	1	3	5	6	8	12
B. *Operated*	1430	4.6	9	<1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	4212	4.8	19	1	1	4	6	9	12	21
B. *Operated*	2052	6.6	33	1	2	5	8	12	16	30
1. SINGLE DX	3692	3.9	7	<1	1	3	5	7	9	13
2. MULTIPLE DX	6264	5.4	24	1	1	4	7	10	13	23
A. NOT OPERATED	6474	4.3	15	1	1	4	5	8	10	18
B. OPERATED	3482	5.8	24	1	1	5	7	10	13	24
TOTAL 0-19 YRS	586	2.6	4	<1	<1	2	4	6	7	9
20-34	765	4.1	8	<1	1	4	5	8	9	13
35-49	1383	4.6	10	1	1	4	6	8	10	15
50-64	2879	4.8	13	1	1	4	6	9	11	17
65+	4343	5.4	27	1	1	4	7	10	14	25
GRAND TOTAL	**9956**	**4.8**	**18**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	3.4	8	<1	<1	3	4	6	8	12
20-34	204	3.5	6	<1	1	3	5	7	8	12
35-49	123	3.4	10	<1	1	3	4	6	7	20
50-64	142	3.7	10	<1	1	3	4	7	11	17
65+	106	3.2	8	<1	<1	2	4	7	8	15
B. *Operated*										
0-19 YRS	786	2.2	3	<1	<1	2	2	4	6	10
20-34	823	2.8	8	<1	<1	2	3	5	8	13
35-49	497	2.9	6	<1	1	2	3	5	8	15
50-64	431	3.2	8	<1	1	2	4	6	9	15
65+	245	3.4	8	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	3.9	10	1	1	3	5	7	9	18
20-34	387	4.1	10	1	1	3	5	8	10	16
35-49	458	4.8	24	1	1	4	6	9	12	20
50-64	504	5.7	26	1	2	4	7	12	15	23
65+	955	8.2	69	1	2	6	11	17	23	41
B. *Operated*										
0-19 YRS	223	3.8	9	1	1	3	5	7	10	15
20-34	390	6.0	34	1	1	4	8	13	18	31
35-49	356	6.1	43	1	2	4	7	13	18	34
50-64	457	8.0	94	1	2	4	11	18	26	63
65+	578	11.1	137	2	2	7	15	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	823	3.5	8	<1	1	3	4	7	8	14
B. *Operated*	2782	2.8	7	<1	1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	2674	6.0	40	1	1	4	7	12	17	32
B. *Operated*	2004	7.7	82	1	2	4	10	18	25	46
1. SINGLE DX	3605	2.9	7	<1	1	2	3	6	8	13
2. MULTIPLE DX	4678	6.7	59	1	2	4	8	14	21	41
A. NOT OPERATED	3497	5.4	34	1	1	4	6	11	15	29
B. OPERATED	4786	4.8	44	<1	1	2	5	11	16	33
TOTAL 0-19 YRS	1527	2.9	7	<1	1	2	4	6	8	13
20-34	1804	3.8	15	<1	1	3	4	8	11	20
35-49	1434	4.3	23	1	1	3	5	9	12	22
50-64	1634	5.5	42	1	1	3	6	12	17	31
65+	1884	8.2	86	1	2	5	10	18	25	47
GRAND TOTAL	**8283**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**31**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	4	<1	<1	5	6	7	7	7
20-34	7	11.6	407	<1	<1	5	7	47	57	57
35-49	9	9.0	37	3	3	7	15	18	19	19
50-64	21	9.0	31	1	2	9	13	16	18	21
65+	73	8.3	55	1	1	5	12	20	23	34
B. *Operated*										
0-19 YRS	68	5.4	41	<1	1	3	7	15	21	29
20-34	105	7.0	78	1	1	4	8	16	19	52
35-49	90	9.9	104	1	2	7	13	24	32	50
50-64	236	14.5	175	1	2	11	20	30	37	67
65+	528	17.4	188	3	4	14	23	35	49	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.8	35	1	1	3	5	15	19	19
20-34	18	9.9	109	2	2	6	8	29	35	37
35-49	19	11.0	114	1	2	8	13	23	38	47
50-64	118	11.1	86	2	3	9	14	24	31	44
65+	510	13.0	120	2	4	10	16	27	35	67
B. *Operated*										
0-19 YRS	59	8.7	51	1	2	7	13	21	23	28
20-34	163	13.9	259	2	2	8	18	34	45	84
35-49	314	17.5	237	2	3	15	24	42	54	99+
50-64	1074	23.0	289	3	6	18	31	48	62	99+
65+	3409	24.2	308	5	8	19	32	51	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.5	65	1	1	6	12	18	21	43
B. *Operated*	1027	14.2	173	1	2	11	19	30	40	74
2. MULTIPLE DX										
A. *Not Operated*	673	12.4	113	2	3	10	16	26	33	59
B. *Operated*	5019	23.0	303	4	6	19	31	48	64	99+
1. SINGLE DX	1143	13.6	165	1	2	10	18	30	39	72
2. MULTIPLE DX	5692	21.8	292	3	5	17	29	46	62	99+
A. NOT OPERATED	789	11.8	108	2	3	9	15	25	32	57
B. OPERATED	6046	21.5	292	3	5	17	29	46	62	99+
TOTAL 0-19 YRS	141	6.7	46	<1	1	4	9	18	22	28
20-34	293	11.1	197	1	2	6	14	25	41	79
35-49	432	15.5	210	2	2	11	21	38	49	99+
50-64	1449	20.5	269	3	4	16	28	44	56	95
65+	4520	21.9	287	4	6	17	29	46	62	99+
GRAND TOTAL	**6835**	**20.4**	**280**	**3**	**4**	**16**	**27**	**44**	**59**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	2.8	3	1	1	2	4	5	6	9
20-34	2780	3.0	4	<1	1	2	4	5	7	10
35-49	7697	3.2	4	1	1	3	4	6	7	10
50-64	6376	3.5	6	1	1	3	4	6	8	12
65+	2630	3.9	10	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	18	1.9	1	<1	1	2	2	3	4	4
20-34	283	3.4	7	1	2	2	4	7	9	14
35-49	1712	3.1	6	1	2	2	3	6	8	12
50-64	2020	3.2	8	1	2	2	3	6	9	15
65+	407	3.6	11	1	2	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	454	3.6	6	1	1	3	5	7	8	13
20-34	4101	4.0	9	1	1	3	5	7	9	15
35-49	14065	4.5	9	1	2	4	5	8	10	15
50-64	18830	4.6	11	1	2	4	6	8	10	16
65+	13921	5.2	16	1	2	4	6	10	12	20
B. *Operated*										
0-19 YRS	26	5.5	18	1	2	5	7	13	15	18
20-34	497	5.3	19	1	2	4	7	11	14	22
35-49	2967	5.2	22	1	2	4	7	11	14	22
50-64	4676	5.3	23	2	2	3	7	11	15	23
65+	1755	7.4	53	2	2	5	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19854	3.3	6	1	1	3	4	6	7	11
B. *Operated*	4440	3.2	7	1	2	2	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	51371	4.6	12	1	2	4	6	8	11	17
B. *Operated*	9921	5.7	28	2	2	4	8	12	15	25
1. SINGLE DX	24294	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	61292	4.8	15	1	2	4	6	9	12	19
A. NOT OPERATED	71225	4.3	10	1	1	3	5	8	10	16
B. OPERATED	14361	4.9	23	1	2	3	6	10	14	23
TOTAL 0-19 YRS	869	3.3	5	1	1	3	4	6	7	12
20-34	7661	3.7	8	1	1	3	5	7	9	15
35-49	26441	4.0	9	1	1	3	5	8	9	15
50-64	31902	4.4	12	1	2	3	5	8	11	17
65+	18713	5.2	19	1	2	4	6	10	13	22
GRAND TOTAL	**85586**	**4.4**	**13**	**1**	**2**	**3**	**5**	**8**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1451	3.3	13	1	1	2	4	7	9	16
20-34	206	2.5	3	<1	<1	2	3	5	6	9
35-49	233	3.5	8	1	1	3	4	7	9	15
50-64	313	3.7	10	<1	1	3	5	7	10	17
65+	347	4.6	17	<1	1	4	6	9	12	22
B. *Operated*										
0-19 YRS	107	3.8	14	<1	1	2	5	8	12	19
20-34	157	3.8	10	1	1	3	5	7	12	15
35-49	266	3.9	15	<1	1	3	5	8	11	21
50-64	510	4.4	14	1	1	3	6	9	12	18
65+	428	5.1	29	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1410	4.7	30	1	1	3	6	10	13	25
20-34	572	5.0	32	<1	1	3	6	10	15	35
35-49	804	5.1	25	1	1	4	6	10	14	25
50-64	2041	6.5	37	1	2	5	8	13	16	29
65+	3515	7.6	36	2	2	6	10	15	19	30
B. *Operated*										
0-19 YRS	138	7.3	56	1	1	4	9	17	23	49
20-34	222	6.8	52	1	1	4	9	15	19	39
35-49	553	6.2	31	1	2	4	8	12	17	30
50-64	1278	7.4	71	1	2	5	9	14	21	51
65+	1507	9.0	87	2	2	7	11	18	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2550	3.5	12	1	1	3	4	7	9	16
B. *Operated*	1468	4.4	18	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	8342	6.4	35	1	2	5	8	13	17	29
B. *Operated*	3698	7.9	71	1	2	5	10	16	22	48
1. SINGLE DX	4018	3.8	15	1	1	3	5	8	11	18
2. MULTIPLE DX	12040	6.9	47	1	2	5	9	14	19	36
A. NOT OPERATED	10892	5.7	32	1	1	4	7	12	16	28
B. OPERATED	5166	6.9	58	1	2	5	9	14	20	44
TOTAL 0-19 YRS	3106	4.2	24	1	1	3	5	8	12	23
20-34	1157	4.7	30	<1	1	3	6	10	14	32
35-49	1856	5.1	24	1	1	4	6	10	14	25
50-64	4142	6.3	44	1	2	5	8	13	17	34
65+	5797	7.6	49	1	2	6	10	15	20	37
GRAND TOTAL	**16058**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**32**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	2.3	3	1	1	2	3	4	5	9
20-34	1234	2.3	2	1	1	2	3	4	5	7
35-49	1260	2.4	10	<1	1	2	3	4	6	8
50-64	921	2.5	4	<1	1	2	3	5	6	10
65+	559	3.6	12	1	1	3	4	6	9	16
B. *Operated*										
0-19 YRS	489	1.7	2	<1	<1	1	2	3	4	7
20-34	290	4.7	17	1	1	3	6	9	12	21
35-49	336	5.2	35	1	1	4	7	10	12	18
50-64	314	5.9	18	1	2	5	8	11	13	22
65+	398	6.2	21	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	299	3.1	18	<1	1	2	4	6	7	13
20-34	944	3.2	7	1	1	2	4	6	8	14
35-49	1096	3.4	8	1	1	3	4	6	8	15
50-64	1320	4.3	20	1	1	3	5	8	11	19
65+	2631	6.6	43	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	534	2.7	9	<1	1	2	3	6	8	16
20-34	459	6.1	32	1	2	5	8	12	15	24
35-49	602	6.8	25	2	2	6	8	12	18	26
50-64	1011	8.7	54	2	3	7	11	16	20	40
65+	2539	10.9	68	2	3	9	14	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4299	2.5	6	1	1	2	3	5	6	10
B. *Operated*	1827	4.5	20	<1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	6290	4.9	28	1	1	3	6	10	13	24
B. *Operated*	5145	8.7	58	1	2	7	11	17	22	38
1. SINGLE DX	6126	3.1	11	<1	1	2	4	6	9	14
2. MULTIPLE DX	11435	6.6	45	1	1	5	8	14	19	33
A. NOT OPERATED	10589	3.9	20	1	1	3	5	8	11	21
B. OPERATED	6972	7.6	51	1	1	6	10	16	20	34
TOTAL 0-19 YRS	1647	2.4	7	<1	1	2	3	5	6	13
20-34	2927	3.4	12	1	1	2	4	7	9	16
35-49	3294	3.8	17	1	1	3	5	8	10	19
50-64	3566	5.2	31	1	1	4	7	11	14	24
65+	6127	8.1	55	1	2	6	10	17	22	38
GRAND TOTAL	**17561**	**5.4**	**36**	**1**	**1**	**4**	**7**	**12**	**16**	**29**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9167	2.5	3	1	1	2	3	5	6	8
20-34	9172	3.0	5	1	1	2	4	6	7	11
35-49	4849	3.6	7	1	1	3	5	7	8	13
50-64	3138	3.7	7	1	1	3	5	7	9	13
65+	2387	4.3	11	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	1096	4.0	6	1	2	3	5	7	9	12
20-34	1702	4.5	11	1	1	4	6	8	11	18
35-49	757	5.2	18	1	1	4	7	10	13	21
50-64	413	5.8	21	1	2	5	8	11	14	21
65+	237	6.8	35	1	2	5	9	14	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5415	3.1	7	1	1	3	4	6	7	12
20-34	8461	3.9	11	1	1	3	5	7	9	15
35-49	6555	4.7	13	1	2	4	6	9	11	18
50-64	6988	5.2	15	1	2	4	7	10	12	19
65+	9529	6.1	22	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	766	5.0	13	1	2	4	6	9	11	19
20-34	2289	6.4	27	1	2	5	8	12	15	26
35-49	1535	8.3	41	2	2	7	10	16	20	32
50-64	1384	9.0	57	2	3	7	11	17	22	37
65+	1379	10.9	78	2	3	9	14	20	26	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28713	3.1	6	1	1	2	4	6	8	12
B. *Operated*	4205	4.7	14	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	36948	4.7	15	1	1	4	6	9	12	19
B. *Operated*	7353	8.0	47	2	2	6	10	15	20	36
1. SINGLE DX	32918	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX	44301	5.3	22	1	1	4	7	10	13	23
A. NOT OPERATED	65661	4.0	12	1	1	3	5	8	10	17
B. OPERATED	11558	6.8	38	1	2	5	9	13	18	31
TOTAL 0-19 YRS	16444	2.9	5	1	1	2	4	5	7	11
20-34	21624	3.8	11	1	1	3	5	7	10	16
35-49	13696	4.8	16	1	1	4	6	9	12	21
50-64	11923	5.3	21	1	2	4	7	10	13	22
65+	13532	6.3	29	1	2	5	8	12	16	26
GRAND TOTAL	**77219**	**4.4**	**17**	**1**	**1**	**3**	**6**	**9**	**11**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	878	2.8	5	1	1	2	3	5	7	12
20-34	490	3.5	9	<1	1	3	5	7	8	14
35-49	375	3.2	8	<1	1	2	4	6	8	17
50-64	358	3.9	9	<1	1	3	5	8	10	16
65+	557	4.7	17	1	1	3	6	10	13	23
B. *Operated*										
0-19 YRS	62	4.1	18	1	1	3	5	7	13	25
20-34	209	4.9	15	1	1	4	7	9	12	20
35-49	180	4.8	15	1	1	4	6	9	11	18
50-64	169	5.4	32	<1	1	3	7	12	17	31
65+	169	5.9	48	1	1	4	7	11	18	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1836	3.5	11	1	1	3	4	6	8	16
20-34	1280	4.1	12	1	1	3	5	8	10	18
35-49	1413	5.3	23	1	1	4	7	10	14	22
50-64	2160	6.5	36	1	2	5	8	13	17	29
65+	4620	7.2	41	2	2	5	9	14	19	33
B. *Operated*										
0-19 YRS	149	7.3	68	1	2	5	8	16	25	42
20-34	439	6.9	34	1	2	6	8	13	16	29
35-49	537	8.8	78	1	2	7	11	18	23	42
50-64	780	9.9	85	1	2	8	13	20	27	45
65+	1127	12.6	126	2	2	9	17	27	36	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2658	3.5	10	<1	1	3	4	7	9	16
B. *Operated*	789	5.1	26	1	1	4	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	11309	5.9	32	1	2	4	7	12	16	28
B. *Operated*	3032	10.1	95	1	2	7	13	21	29	48
1. SINGLE DX	3447	3.9	14	1	1	3	5	8	10	18
2. MULTIPLE DX	14341	6.8	48	1	2	5	8	14	19	36
A. NOT OPERATED	13967	5.4	29	1	1	4	7	11	15	27
B. OPERATED	3821	9.1	85	1	2	7	11	19	26	45
TOTAL 0-19 YRS	2925	3.5	13	1	1	3	4	7	9	18
20-34	2418	4.6	17	1	1	4	6	9	12	21
35-49	2505	5.7	35	1	1	4	7	12	16	28
50-64	3467	6.9	47	1	2	5	9	14	19	34
65+	6473	7.9	59	1	2	6	10	16	22	41
GRAND TOTAL	**17788**	**6.2**	**43**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5867	3.9	25	1	1	3	4	7	10	23
20-34	3914	4.3	29	<1	1	3	5	8	12	26
35-49	3365	4.9	37	1	1	3	6	9	15	30
50-64	3894	5.0	43	1	1	3	6	10	14	35
65+	4844	5.6	42	1	1	4	7	11	15	33
B. *Operated*										
0-19 YRS	495	3.7	20	<1	1	2	4	8	11	27
20-34	1064	3.4	17	<1	1	2	4	7	10	19
35-49	1056	4.3	35	1	1	2	4	9	13	29
50-64	1187	4.9	42	1	1	3	6	11	16	34
65+	793	6.3	73	1	1	3	7	14	22	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6121	5.0	28	1	1	4	6	10	14	27
20-34	5291	4.6	20	1	1	4	5	8	11	23
35-49	6631	5.0	18	1	2	4	6	9	12	22
50-64	13179	6.1	33	1	2	5	8	12	16	30
65+	30163	7.4	45	2	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	493	8.7	146	1	1	4	10	23	36	76
20-34	1176	5.8	47	1	1	3	7	13	18	38
35-49	1483	7.0	70	1	1	5	9	14	19	46
50-64	2913	8.9	100	1	2	6	11	20	28	62
65+	4680	12.7	160	2	3	9	16	27	39	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21884	4.7	35	1	1	3	5	9	13	29
B. *Operated*	4595	4.5	39	<1	1	2	5	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	61385	6.4	37	1	2	5	8	12	17	31
B. *Operated*	10745	9.9	125	1	2	7	12	22	32	69
1. SINGLE DX	26479	4.7	35	1	1	3	5	9	13	30
2. MULTIPLE DX	72130	6.9	52	1	2	5	8	14	19	38
A. NOT OPERATED	83269	5.9	37	1	1	4	7	12	16	30
B. OPERATED	15340	8.3	105	1	1	5	10	19	28	60
TOTAL 0-19 YRS	12976	4.6	32	1	1	3	5	9	13	28
20-34	11445	4.5	26	1	1	3	5	8	12	26
35-49	12535	5.2	31	1	1	4	6	10	14	28
50-64	21173	6.3	46	1	2	4	8	13	17	36
65+	40480	7.8	62	1	2	6	9	15	21	42
GRAND TOTAL	**98609**	**6.3**	**48**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	891	2.3	4	1	1	2	3	4	6	10
20-34	93	3.6	7	1	1	3	5	7	10	12
35-49	29	4.1	9	1	1	4	5	8	12	13
50-64	29	5.1	18	2	2	5	6	8	13	24
65+	20	5.1	33	<1	1	3	6	11	19	25
B. *Operated*										
0-19 YRS	168	6.0	27	1	2	5	8	10	14	48
20-34	56	8.3	156	1	2	7	9	12	14	91
35-49	20	10.6	35	2	3	9	15	20	21	22
50-64	6	6.8	29	2	2	8	14	83	99+	99+
65+	3	7.7	9	5	5	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1807	3.3	21	1	1	2	4	7	9	19
20-34	414	5.5	36	1	1	4	7	10	15	27
35-49	183	7.3	62	1	1	5	9	16	24	41
50-64	135	7.6	42	1	2	5	10	17	22	31
65+	150	11.3	107	1	2	8	16	25	31	46
B. *Operated*										
0-19 YRS	546	10.9	196	1	2	6	11	30	45	99+
20-34	434	14.5	250	2	2	9	18	36	61	99+
35-49	192	14.3	273	1	2	9	16	39	61	99+
50-64	111	20.0	384	2	4	14	28	64	89	99+
65+	74	25.7	438	3	4	21	41	60	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	2.6	6	1	1	2	3	5	7	12
B. *Operated*	253	6.9	57	1	2	6	8	12	16	94
2. MULTIPLE DX										
A. *Not Operated*	2689	4.6	37	1	1	3	5	10	15	29
B. *Operated*	1357	14.1	266	1	2	8	17	39	60	99+
1. SINGLE DX	1315	3.4	19	1	1	2	4	7	9	19
2. MULTIPLE DX	4046	7.8	134	1	1	4	9	19	32	82
A. NOT OPERATED	3751	4.0	29	1	1	2	5	8	13	26
B. OPERATED	1610	12.9	240	1	2	8	15	35	57	99+
TOTAL 0-19 YRS	3412	4.4	54	1	1	2	5	9	13	44
20-34	997	9.4	154	1	1	6	10	22	35	96
35-49	424	10.4	166	1	2	7	12	23	39	98
50-64	281	12.2	213	2	2	7	15	30	61	99+
65+	247	15.1	248	1	2	10	21	39	53	99+
GRAND TOTAL	**5361**	**6.7**	**109**	**1**	**1**	**3**	**7**	**15**	**26**	**73**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	2.8	7	1	1	2	3	6	8	14
20-34	115	4.6	22	1	1	3	6	9	14	26
35-49	53	5.4	23	1	1	3	8	11	15	24
50-64	32	5.3	21	1	1	4	8	11	13	21
65+	31	10.0	105	1	2	7	11	26	35	42
B. *Operated*										
0-19 YRS	57	5.4	13	1	1	5	7	11	12	17
20-34	41	6.5	41	<1	1	4	10	14	16	33
35-49	20	8.0	27	1	2	7	12	16	17	17
50-64	4	13.8	436	2	2	4	25	45	45	45
65+	3	12.0	91	2	2	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	949	4.2	18	1	1	3	5	9	12	22
20-34	593	5.6	29	1	1	4	7	11	14	26
35-49	219	6.9	71	1	2	5	8	14	17	33
50-64	192	9.0	85	1	2	6	13	19	29	50
65+	216	11.9	119	2	2	8	17	26	35	81
B. *Operated*										
0-19 YRS	307	13.5	297	1	2	7	15	43	67	99+
20-34	409	14.5	264	1	2	9	18	36	56	98
35-49	162	14.0	282	1	2	9	17	35	64	99+
50-64	103	19.4	370	2	3	12	31	61	80	99+
65+	96	22.9	411	3	4	17	30	48	75	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	592	3.9	20	1	1	2	5	8	12	23
B. *Operated*	125	6.6	39	1	1	5	10	13	16	36
2. MULTIPLE DX										
A. *Not Operated*	2169	6.1	48	1	1	4	7	13	19	36
B. *Operated*	1077	15.4	306	1	2	10	20	41	64	99+
1. SINGLE DX	717	4.4	24	1	1	3	5	10	13	24
2. MULTIPLE DX	3246	9.1	153	1	1	5	11	22	35	91
A. NOT OPERATED	2761	5.6	43	1	1	4	7	12	18	34
B. OPERATED	1202	14.4	286	1	2	9	18	39	61	99+
TOTAL 0-19 YRS	1674	5.7	81	1	1	3	6	11	19	64
20-34	1158	8.7	130	1	1	5	10	19	29	68
35-49	454	9.3	151	1	2	6	11	18	30	98
50-64	331	11.9	196	1	2	7	15	32	49	99+
65+	346	14.8	223	2	3	10	21	33	42	91
GRAND TOTAL	**3963**	**8.3**	**133**	**1**	**1**	**5**	**10**	**19**	**31**	**78**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.8	1	<1	<1	1	2	3	4	6
20-34	196	2.2	3	<1	<1	1	3	4	6	9
35-49	75	2.3	2	<1	<1	2	3	4	6	7
50-64	19	3.2	13	<1	<1	2	3	9	12	14
65+	35	3.4	8	<1	1	3	5	9	9	12
B. *Operated*										
0-19 YRS	2397	2.1	3	<1	<1	2	3	4	5	8
20-34	2912	2.7	6	<1	1	2	3	5	6	10
35-49	773	3.1	5	1	1	2	4	6	7	11
50-64	270	3.3	9	<1	1	2	4	7	9	16
65+	126	5.2	33	1	1	3	6	13	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	2.2	3	<1	<1	2	3	4	5	8
20-34	872	2.7	6	<1	<1	2	3	6	7	13
35-49	370	3.4	11	<1	1	2	4	7	10	16
50-64	295	4.5	16	1	1	3	6	9	13	21
65+	569	6.8	47	1	2	5	9	14	21	38
B. *Operated*										
0-19 YRS	3804	3.5	16	1	1	2	4	7	9	18
20-34	6506	4.4	30	1	1	3	5	8	12	27
35-49	2200	5.3	41	1	1	4	6	10	15	33
50-64	964	6.8	75	1	1	4	8	13	19	51
65+	724	9.1	97	1	2	6	11	18	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	6478	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	2594	3.8	19	<1	1	2	5	8	11	22
B. *Operated*	14198	4.7	36	1	1	3	5	9	13	29
1. SINGLE DX	6911	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	16792	4.6	34	1	1	3	5	9	13	28
A. NOT OPERATED	3027	3.6	17	<1	<1	2	4	8	11	22
B. OPERATED	20676	4.1	28	<1	1	3	5	8	11	24
TOTAL 0-19 YRS	6797	2.9	11	<1	1	2	3	5	8	15
20-34	10486	3.8	22	1	1	3	4	7	10	21
35-49	3418	4.5	30	1	1	3	5	9	12	28
50-64	1548	5.7	53	1	1	4	7	12	17	40
65+	1454	7.7	72	1	2	5	10	16	22	44
GRAND TOTAL	**23703**	**4.0**	**26**	**<1**	**1**	**3**	**4**	**8**	**11**	**24**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	507	5.0	17	1	1	4	6	10	13	18
20-34	959	6.0	31	1	2	5	7	11	14	29
35-49	565	6.8	39	1	2	5	8	13	16	28
50-64	643	8.0	28	2	3	7	10	14	18	24
65+	1307	10.4	65	3	3	9	13	19	23	36
B. *Operated*										
0-19 YRS	69	12.9	151	2	3	10	16	25	45	62
20-34	134	12.2	90	3	4	10	15	22	34	50
35-49	70	12.8	116	2	3	10	14	27	38	53
50-64	47	11.7	125	2	2	8	14	28	38	59
65+	47	16.1	109	1	3	16	21	32	38	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1037	5.9	38	1	1	4	7	11	15	36
20-34	2244	6.3	30	1	2	5	8	12	15	27
35-49	1369	7.4	39	1	2	6	9	14	18	31
50-64	2326	9.6	58	2	3	8	12	18	23	35
65+	8821	12.2	74	3	4	10	15	22	28	47
B. *Operated*										
0-19 YRS	307	15.8	194	3	4	12	21	34	45	99+
20-34	872	16.7	245	3	4	12	21	40	54	99+
35-49	441	15.5	165	3	4	12	20	32	47	67
50-64	414	17.6	189	3	5	14	23	34	46	74
65+	837	21.1	225	6	7	17	27	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3981	7.8	45	1	2	6	10	15	19	31
B. *Operated*	367	12.9	114	2	3	10	16	26	38	52
2. MULTIPLE DX										
A. *Not Operated*	15797	10.2	66	2	3	8	13	20	25	42
B. *Operated*	2871	17.8	218	3	5	14	23	37	51	95
1. SINGLE DX	4348	8.2	53	2	2	6	10	16	20	37
2. MULTIPLE DX	18668	11.3	97	2	3	9	14	22	30	56
A. NOT OPERATED	19778	9.7	63	2	3	8	13	19	24	41
B. OPERATED	3238	17.2	208	3	4	13	22	36	49	91
TOTAL 0-19 YRS	1920	7.5	77	1	2	5	9	16	23	50
20-34	4209	8.6	95	1	2	6	10	18	26	56
35-49	2445	8.9	74	2	2	6	11	17	25	50
50-64	3430	10.3	77	2	3	8	13	20	25	45
65+	11012	12.7	91	3	4	10	16	23	30	54
GRAND TOTAL	**23016**	**10.7**	**90**	**2**	**3**	**8**	**14**	**21**	**28**	**52**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	12.2	251	1	2	5	11	40	52	54
20-34	38	10.9	246	1	1	7	10	18	56	73
35-49	13	8.8	43	<1	2	8	13	20	21	21
50-64	10	11.5	74	<1	2	9	13	26	27	27
65+	22	9.3	24	1	2	9	13	16	18	20
B. *Operated*										
0-19 YRS	16	18.3	271	2	4	13	20	46	58	63
20-34	36	24.4	420	4	4	18	31	59	67	85
35-49	13	22.2	508	3	5	19	24	41	82	92
50-64	7	13.9	46	6	6	15	20	22	22	22
65+	5	30.4	191	15	15	26	38	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	10.9	207	<1	1	5	13	35	57	99+
20-34	100	11.5	182	1	2	7	13	29	51	99+
35-49	53	9.2	161	1	1	6	10	21	33	77
50-64	60	13.6	270	2	3	8	14	30	57	82
65+	186	14.2	185	2	4	11	17	28	43	90
B. *Operated*										
0-19 YRS	67	37.3	565	9	11	40	73	99+	99+	99+
20-34	213	32.2	520	6	10	27	49	84	99+	99+
35-49	65	29.7	485	3	9	26	54	99+	99+	99+
50-64	44	39.6	825	7	10	40	72	99	99+	99+
65+	46	26.4	430	9	11	22	43	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	10.5	145	1	1	8	12	20	32	71
B. *Operated*	77	22.2	357	4	5	16	27	52	64	90
2. MULTIPLE DX										
A. *Not Operated*	436	12.6	196	1	2	8	15	29	47	92
B. *Operated*	435	32.7	551	7	10	28	58	99+	99+	99+
1. SINGLE DX	172	15.7	273	1	3	10	20	34	54	82
2. MULTIPLE DX	871	22.7	475	2	4	16	35	74	99+	99+
A. NOT OPERATED	531	12.2	187	1	2	8	14	27	44	88
B. OPERATED	512	31.2	536	5	9	26	52	94	99+	99+
TOTAL 0-19 YRS	132	25.3	547	1	3	20	51	99	99+	99+
20-34	387	24.1	488	2	4	18	38	71	91	99+
35-49	144	19.6	419	1	2	13	28	69	99	99+
50-64	121	22.9	597	3	4	13	36	73	96	99+
65+	259	16.2	242	3	4	12	20	40	78	99+
GRAND TOTAL	**1043**	**21.5**	**448**	**2**	**3**	**15**	**32**	**69**	**99**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.8	7	1	1	2	3	6	8	15
20-34	226	2.8	5	<1	1	2	3	5	7	10
35-49	269	3.3	7	1	1	3	4	6	8	13
50-64	320	4.3	9	1	1	3	5	8	10	15
65+	428	5.9	23	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	13	5.9	20	1	1	6	7	14	15	15
20-34	18	6.9	23	2	2	5	9	14	17	19
35-49	15	4.2	5	<1	1	4	6	6	8	9
50-64	9	7.8	29	2	2	7	11	16	19	19
65+	3	9.0	12	7	7	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	346	3.9	19	1	1	3	5	7	9	24
20-34	1373	4.4	13	1	1	3	5	9	11	19
35-49	1705	5.4	19	1	1	4	7	10	12	23
50-64	2601	6.7	31	1	2	5	8	13	17	26
65+	5272	9.1	59	2	3	7	11	17	23	39
B. *Operated*										
0-19 YRS	132	8.6	60	1	2	7	11	17	21	44
20-34	533	9.5	90	2	2	7	11	18	26	55
35-49	493	10.2	82	2	3	7	13	22	26	47
50-64	550	11.8	90	2	3	9	15	23	30	49
65+	742	18.0	187	4	5	14	23	36	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1302	4.3	14	1	1	3	5	8	11	18
B. *Operated*	58	6.2	19	1	2	5	8	13	15	19
2. MULTIPLE DX										
A. *Not Operated*	11297	7.3	43	1	2	6	9	14	19	32
B. *Operated*	2450	12.7	129	2	3	9	16	26	35	61
1. SINGLE DX	1360	4.4	14	1	1	3	6	8	11	19
2. MULTIPLE DX	13747	8.2	63	1	2	6	10	17	23	42
A. NOT OPERATED	12599	6.9	41	1	2	5	9	14	18	31
B. OPERATED	2508	12.5	128	2	3	9	16	26	35	61
TOTAL 0-19 YRS	550	5.0	32	1	1	3	6	10	15	28
20-34	2150	5.5	37	1	1	4	7	11	16	29
35-49	2482	6.1	34	1	2	5	7	12	16	30
50-64	3480	7.3	42	1	2	6	9	14	19	33
65+	6445	9.9	81	2	3	8	12	20	27	51
GRAND TOTAL	**15107**	**7.9**	**60**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	221	6.7	35	1	2	5	8	13	18	33
20-34	213	8.3	50	2	2	6	10	16	21	38
35-49	126	9.9	78	2	3	7	12	20	31	44
50-64	244	10.3	72	2	2	8	13	19	25	45
65+	926	12.6	83	3	4	11	16	22	31	46
B. *Operated*										
0-19 YRS	18	19.4	459	2	3	13	22	47	74	88
20-34	18	35.1	611	6	11	35	48	67	88	98
35-49	11	22.7	405	2	4	15	32	52	70	72
50-64	7	15.4	126	3	4	10	20	34	37	37
65+	18	18.8	53	10	12	16	26	29	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	678	8.3	71	2	2	6	10	17	22	42
20-34	853	11.7	116	2	3	9	14	25	38	53
35-49	470	13.2	159	3	4	9	16	25	40	66
50-64	912	13.0	107	3	4	10	16	25	31	52
65+	5390	15.5	122	4	5	13	20	28	36	67
B. *Operated*										
0-19 YRS	291	21.2	313	3	5	14	30	47	57	78
20-34	502	25.8	368	4	5	21	39	56	68	99+
35-49	244	27.4	369	6	8	21	43	58	66	99+
50-64	241	31.3	426	7	9	28	44	65	79	99+
65+	633	27.3	297	7	10	24	37	55	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	10.8	75	2	3	9	14	20	27	43
B. *Operated*	72	23.3	387	3	5	16	31	48	70	96
2. MULTIPLE DX										
A. *Not Operated*	8303	14.1	122	3	4	11	18	27	36	61
B. *Operated*	1911	26.5	350	5	7	22	38	56	68	99+
1. SINGLE DX	1802	11.3	94	2	3	9	14	21	30	49
2. MULTIPLE DX	10214	16.4	188	3	4	13	21	34	47	79
A. NOT OPERATED	10033	13.6	116	3	4	11	17	26	34	59
B. OPERATED	1983	26.4	352	5	7	22	38	56	69	99+
TOTAL 0-19 YRS	1208	11.3	161	2	2	7	13	27	39	66
20-34	1586	16.0	244	2	3	10	20	40	51	80
35-49	851	16.9	256	3	4	11	21	44	55	85
50-64	1404	15.7	207	3	4	11	19	33	47	80
65+	6967	16.2	146	4	5	13	21	31	41	74
GRAND TOTAL	**12016**	**15.7**	**177**	**3**	**4**	**12**	**20**	**33**	**45**	**76**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	455	3.4	23	<1	1	2	3	7	15	24
20-34	121	3.0	9	1	1	2	4	5	8	18
35-49	98	4.2	18	1	1	3	5	8	13	24
50-64	226	4.2	21	1	1	3	5	8	10	24
65+	844	6.4	42	1	1	5	8	13	17	35
B. *Operated*										
0-19 YRS	2245	4.3	27	1	1	2	4	12	17	23
20-34	357	4.7	23	1	1	3	5	8	14	26
35-49	297	6.0	81	1	1	4	6	10	15	59
50-64	449	5.5	23	1	1	4	6	10	15	27
65+	765	7.4	43	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	4.3	32	1	1	2	4	11	19	26
20-34	269	5.3	47	<1	1	3	6	11	17	41
35-49	297	5.8	51	<1	1	4	7	11	17	45
50-64	794	7.4	59	1	1	5	9	16	21	42
65+	3851	9.9	90	2	2	7	13	21	28	52
B. *Operated*										
0-19 YRS	2671	5.0	37	1	1	3	5	13	18	28
20-34	887	9.2	123	1	2	5	10	21	34	57
35-49	624	8.9	114	1	2	6	10	19	25	57
50-64	1215	10.1	121	2	2	7	12	22	32	62
65+	2817	13.5	168	2	3	10	17	30	40	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1744	5.0	33	1	1	3	6	11	16	29
B. *Operated*	4113	5.1	34	1	1	3	6	12	17	26
2. MULTIPLE DX										
A. *Not Operated*	5754	8.6	80	1	2	6	11	19	26	49
B. *Operated*	8214	9.4	121	1	1	6	12	22	31	61
1. SINGLE DX	5857	5.1	34	1	1	3	6	12	17	27
2. MULTIPLE DX	13968	9.1	105	1	1	6	12	21	29	55
A. NOT OPERATED	7498	7.7	71	1	1	5	10	17	24	45
B. OPERATED	12327	8.0	96	1	1	5	10	19	27	52
TOTAL 0-19 YRS	5914	4.5	32	1	1	2	5	12	17	25
20-34	1634	7.1	85	1	1	4	7	16	26	47
35-49	1316	7.2	88	1	1	4	8	15	22	53
50-64	2684	8.0	82	1	2	5	9	17	25	48
65+	8277	10.5	113	1	2	7	13	23	32	63
GRAND TOTAL	**19825**	**7.9**	**87**	**1**	**1**	**5**	**10**	**18**	**25**	**49**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	1.7	1	<1	1	1	2	3	4	7
20-34	75	2.2	3	<1	1	1	3	4	5	10
35-49	69	2.7	5	1	1	2	4	5	6	15
50-64	105	3.8	29	<1	1	3	4	7	8	36
65+	165	4.4	19	1	1	3	6	9	13	24
B. *Operated*										
0-19 YRS	4500	1.8	2	<1	1	1	2	3	5	8
20-34	1395	3.3	7	1	1	3	4	6	8	14
35-49	1060	3.1	6	1	1	3	4	6	7	13
50-64	1516	3.0	6	1	1	3	4	5	7	12
65+	1619	3.9	14	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	394	2.5	14	<1	1	2	3	5	6	19
20-34	370	3.7	21	<1	<1	2	5	7	9	21
35-49	218	3.7	13	<1	<1	3	5	7	11	17
50-64	402	5.2	29	<1	1	4	7	11	15	26
65+	1057	8.1	82	1	1	5	10	17	24	53
B. *Operated*										
0-19 YRS	4758	2.8	21	1	1	2	3	5	8	24
20-34	2561	5.5	50	1	1	4	6	10	16	44
35-49	1732	5.5	59	1	1	3	6	11	17	39
50-64	2686	4.9	41	1	1	3	5	10	15	29
65+	3849	7.2	72	1	1	4	9	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	675	2.8	12	<1	1	2	3	6	8	18
B. *Operated*	10090	2.7	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	2441	5.7	52	<1	1	3	7	13	17	38
B. *Operated*	15586	5.0	49	1	1	3	5	11	16	38
1. SINGLE DX	10765	2.7	7	1	1	2	3	5	7	13
2. MULTIPLE DX	18027	5.1	49	1	1	3	6	11	16	38
A. NOT OPERATED	3116	5.1	45	<1	1	3	6	12	16	35
B. OPERATED	25676	4.1	33	1	1	2	4	8	13	29
TOTAL 0-19 YRS	9913	2.3	12	<1	1	1	2	4	6	14
20-34	4401	4.6	34	1	1	3	5	9	12	31
35-49	3079	4.5	38	1	1	3	5	8	13	29
50-64	4709	4.3	29	1	1	3	5	8	12	25
65+	6690	6.5	61	1	1	4	8	14	20	42
GRAND TOTAL	**28792**	**4.2**	**35**	**1**	**1**	**2**	**5**	**9**	**13**	**30**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	4	<1	<1	2	3	6	7	9
20-34	81	2.8	6	<1	<1	2	3	5	8	13
35-49	35	3.8	9	<1	<1	3	5	8	10	12
50-64	41	2.9	4	<1	1	2	4	5	7	10
65+	49	4.0	10	<1	1	4	5	8	10	17
B. *Operated*										
0-19 YRS	1524	1.8	1	<1	<1	2	2	3	4	6
20-34	1872	2.1	4	<1	<1	2	3	4	5	9
35-49	700	2.3	4	<1	<1	2	3	4	6	10
50-64	416	2.4	3	<1	1	2	3	4	5	9
65+	267	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	222	2.8	21	<1	<1	2	3	5	7	29
20-34	412	2.3	5	<1	<1	1	3	5	7	12
35-49	163	3.4	18	<1	<1	2	4	7	11	22
50-64	152	4.9	41	<1	<1	3	6	10	14	35
65+	380	8.7	84	<1	1	6	11	20	25	45
B. *Operated*										
0-19 YRS	1662	2.4	7	<1	1	2	3	4	6	13
20-34	2709	3.0	15	<1	1	2	3	6	8	17
35-49	1247	3.5	22	<1	1	2	4	6	11	26
50-64	950	4.2	36	1	1	2	4	8	14	33
65+	691	6.1	58	1	1	3	7	14	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.1	6	<1	<1	2	4	6	9	12
B. *Operated*	4779	2.1	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1329	4.6	43	<1	<1	2	5	11	17	33
B. *Operated*	7259	3.4	22	<1	1	2	4	7	10	24
1. SINGLE DX	5058	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	8588	3.6	26	<1	1	2	4	7	11	26
A. NOT OPERATED	1608	4.4	37	<1	<1	2	5	9	14	31
B. OPERATED	12038	2.9	15	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	3481	2.2	5	<1	<1	2	2	4	5	10
20-34	5074	2.6	10	<1	<1	2	3	5	7	14
35-49	2145	3.1	16	<1	1	2	3	5	8	22
50-64	1559	3.8	28	<1	1	2	4	7	11	29
65+	1387	6.1	58	1	1	4	7	14	20	38
GRAND TOTAL	**13646**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**9**	**21**

35 : Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	16.2	204	1	1	15	26	39	43	82
20-34	24	8.9	135	1	1	5	11	16	35	55
35-49	31	8.6	96	1	1	5	10	18	33	46
50-64	112	11.6	122	1	2	8	16	26	33	57
65+	558	11.9	131	1	2	9	16	25	33	63
B. *Operated*										
0-19 YRS	239	11.2	93	2	3	8	13	26	31	50
20-34	161	11.3	77	3	4	9	13	20	26	57
35-49	250	12.6	65	5	6	11	15	20	27	57
50-64	1308	14.3	66	6	7	13	17	22	26	47
65+	8303	18.3	97	8	10	16	21	28	36	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	15.9	213	1	2	10	25	38	43	59
20-34	68	15.3	420	1	2	7	16	52	68	98
35-49	102	15.1	390	1	1	7	16	48	65	85
50-64	371	13.5	208	1	2	10	16	28	46	94
65+	2820	15.8	198	2	3	12	20	35	49	99+
B. *Operated*										
0-19 YRS	459	18.5	207	4	5	14	25	36	48	76
20-34	613	19.7	267	5	6	14	24	44	60	98
35-49	867	17.9	184	6	7	14	22	37	51	99+
50-64	4007	17.9	126	7	8	15	21	31	41	76
65+	35562	21.1	160	9	10	18	25	37	49	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	825	12.2	140	1	2	9	17	27	35	53
B. *Operated*	10261	17.4	96	7	9	15	20	28	35	61
2. MULTIPLE DX										
A. *Not Operated*	3530	15.5	209	1	3	12	20	35	49	99+
B. *Operated*	41508	20.7	160	8	10	17	25	37	49	96
1. SINGLE DX	11086	17.0	101	6	8	15	20	28	35	61
2. MULTIPLE DX	45038	20.3	166	7	9	17	24	36	49	97
A. NOT OPERATED	4355	14.9	198	1	3	11	19	33	47	95
B. OPERATED	51769	20.0	149	8	9	17	24	35	46	90
TOTAL 0-19 YRS	967	16.0	188	2	3	12	23	34	43	62
20-34	866	17.5	252	3	5	13	21	41	57	93
35-49	1250	16.4	181	4	6	13	20	34	49	97
50-64	5798	16.7	121	6	7	14	20	29	39	72
65+	47243	20.2	154	7	9	17	24	35	47	93
GRAND TOTAL	**56124**	**19.6**	**155**	**7**	**9**	**17**	**23**	**35**	**46**	**90**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	871	18.8	184	1	2	19	27	35	43	62
20-34	89	19.0	393	1	1	10	39	52	62	99+
35-49	32	15.8	316	<1	1	9	21	43	53	66
50-64	66	17.8	377	1	2	9	26	49	58	98
65+	234	19.4	399	2	2	12	26	55	68	99+
B. *Operated*										
0-19 YRS	996	16.8	224	1	2	13	25	36	46	66
20-34	367	15.3	170	2	3	12	18	32	44	66
35-49	115	14.6	165	1	2	11	21	29	45	77
50-64	163	18.9	259	3	5	14	22	44	54	81
65+	525	21.4	220	6	9	17	25	43	58	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1254	19.5	189	1	2	19	27	38	45	60
20-34	205	19.5	404	1	2	11	32	49	62	87
35-49	118	18.2	318	2	2	10	32	47	58	99+
50-64	248	24.1	478	2	3	17	41	58	67	89
65+	1005	22.0	418	3	4	15	31	58	78	99+
B. *Operated*										
0-19 YRS	2174	20.3	281	2	3	17	28	43	55	87
20-34	1684	22.4	350	3	5	17	29	52	69	99+
35-49	542	23.1	376	2	4	18	31	56	71	99+
50-64	717	25.5	373	5	8	21	35	61	89	99+
65+	2411	26.0	313	8	10	21	33	55	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	18.8	250	1	2	17	27	40	53	81
B. *Operated*	2166	17.7	218	2	3	14	23	37	49	77
2. MULTIPLE DX										
A. *Not Operated*	2830	20.7	319	2	3	17	29	48	61	99+
B. *Operated*	7528	23.3	328	3	5	19	31	51	69	99+
1. SINGLE DX	3458	18.1	230	2	2	15	25	39	51	78
2. MULTIPLE DX	10358	22.6	327	2	4	18	31	50	67	99+
A. NOT OPERATED	4122	20.1	298	1	2	17	28	45	58	98
B. OPERATED	9694	22.0	309	3	4	18	29	48	65	99+
TOTAL 0-19 YRS	5295	19.2	234	1	2	17	27	39	49	74
20-34	2345	20.9	335	2	4	15	28	49	64	99+
35-49	807	20.9	345	2	3	15	29	51	65	99+
50-64	1194	23.9	386	3	6	18	34	58	77	99+
65+	4175	24.1	337	4	7	19	32	55	75	99+
GRAND TOTAL	**13816**	**21.5**	**306**	**2**	**4**	**18**	**29**	**47**	**63**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	765	2.9	8	1	1	2	4	5	7	12
20-34	380	4.1	28	1	1	3	5	8	10	20
35-49	291	5.1	38	1	1	3	6	10	16	33
50-64	267	6.9	50	1	2	5	8	13	15	43
65+	353	9.1	78	2	2	7	12	17	28	55
B. *Operated*										
0-19 YRS	1900	4.5	26	1	1	3	5	9	11	27
20-34	1439	6.6	45	1	2	5	8	12	16	35
35-49	915	7.0	32	1	2	5	9	13	17	28
50-64	682	9.5	91	2	3	7	11	17	26	56
65+	444	13.3	131	2	4	11	17	25	34	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	958	3.4	17	1	1	2	4	7	9	16
20-34	764	4.7	22	1	1	3	6	9	12	25
35-49	544	6.1	43	1	1	4	7	12	15	34
50-64	741	8.4	72	1	2	6	10	18	24	44
65+	1376	12.1	110	2	3	9	15	24	33	54
B. *Operated*										
0-19 YRS	2822	7.1	85	1	1	4	8	15	23	51
20-34	3219	11.2	166	2	2	7	13	26	38	85
35-49	1877	11.2	143	2	3	7	13	24	35	73
50-64	1753	13.3	174	2	3	9	16	27	41	77
65+	1473	17.5	222	3	5	13	22	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2056	5.0	38	1	1	3	6	10	14	36
B. *Operated*	5380	6.8	56	1	2	5	8	14	18	42
2. MULTIPLE DX										
A. *Not Operated*	4383	7.5	72	1	1	5	9	16	23	44
B. *Operated*	11144	11.3	161	1	2	7	14	26	38	79
1. SINGLE DX	7436	6.3	52	1	1	4	8	13	17	40
2. MULTIPLE DX	15527	10.3	138	1	2	7	12	23	33	72
A. NOT OPERATED	6439	6.7	62	1	1	4	8	14	20	43
B. OPERATED	16524	9.9	131	1	2	6	12	22	32	71
TOTAL 0-19 YRS	6445	5.3	51	1	1	3	6	11	16	40
20-34	5802	8.7	116	1	2	5	10	18	29	53
35-49	3627	8.9	98	1	2	6	10	18	27	58
50-64	3443	11.0	132	2	3	8	13	22	32	70
65+	3646	14.2	164	2	4	11	17	30	42	82
GRAND TOTAL	**22963**	**9.0**	**114**	**1**	**2**	**6**	**11**	**20**	**29**	**61**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	367	2.7	7	<1	1	2	3	5	7	10
20-34	425	3.5	7	<1	1	3	4	7	10	13
35-49	323	4.1	12	1	1	3	5	8	11	19
50-64	398	4.5	11	1	1	4	6	9	11	17
65+	468	6.3	35	1	2	5	8	12	15	33
B. *Operated*										
0-19 YRS	2120	3.8	8	1	1	3	5	7	9	14
20-34	3143	4.7	11	1	2	4	6	8	10	18
35-49	2325	5.5	18	1	2	5	7	10	12	20
50-64	2216	6.4	19	2	3	5	8	11	14	21
65+	1389	8.4	34	2	3	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	600	3.1	9	<1	1	2	4	6	8	15
20-34	1121	4.1	17	<1	<1	3	5	8	11	21
35-49	799	4.9	33	<1	<1	3	6	10	13	28
50-64	1119	6.3	38	1	1	5	8	13	17	29
65+	2092	9.0	72	2	2	7	11	18	25	45
B. *Operated*										
0-19 YRS	3073	5.2	38	1	1	4	6	9	14	35
20-34	5861	6.3	42	1	2	5	7	11	16	34
35-49	4005	7.0	48	2	2	5	8	12	17	40
50-64	4539	8.5	70	2	3	6	10	15	21	49
65+	3736	12.2	112	3	4	9	15	23	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1981	4.3	17	1	1	3	5	9	11	20
B. *Operated*	11193	5.5	18	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	5731	6.3	47	<1	1	4	8	14	18	36
B. *Operated*	21214	7.8	66	2	2	6	9	15	21	46
1. SINGLE DX	13174	5.3	18	1	2	4	7	10	13	21
2. MULTIPLE DX	26945	7.5	62	1	2	5	9	14	20	44
A. NOT OPERATED	7712	5.8	40	<1	1	4	7	12	17	31
B. OPERATED	32407	7.0	51	1	2	5	8	13	18	39
TOTAL 0-19 YRS	6160	4.4	24	1	1	3	5	8	11	27
20-34	10550	5.4	30	1	2	4	6	10	13	28
35-49	7452	6.2	36	1	2	5	7	11	14	32
50-64	8272	7.4	50	2	2	6	9	13	18	38
65+	7685	10.3	86	2	3	8	13	20	27	53
GRAND TOTAL	**40119**	**6.8**	**49**	**1**	**2**	**5**	**8**	**13**	**18**	**38**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.1	2	1	1	1	3	4	5	8
20-34	65	2.8	5	<1	<1	2	4	6	7	12
35-49	29	2.4	2	<1	<1	2	3	4	5	7
50-64	31	3.5	12	1	1	2	5	7	9	18
65+	58	5.4	21	<1	1	4	7	12	14	23
B. *Operated*										
0-19 YRS	118	2.8	4	1	1	2	3	5	7	12
20-34	125	3.7	18	1	1	3	5	6	8	29
35-49	40	3.8	17	<1	1	3	4	5	12	25
50-64	21	4.4	12	2	2	4	4	8	14	16
65+	9	5.1	24	1	1	5	6	13	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	447	2.9	14	1	1	2	3	6	8	15
20-34	628	4.0	18	1	1	3	5	8	10	20
35-49	379	4.9	20	1	1	4	6	10	13	19
50-64	364	6.2	26	1	2	5	8	12	15	29
65+	788	9.7	73	2	2	7	13	20	25	45
B. *Operated*										
0-19 YRS	304	4.8	34	1	1	3	5	10	15	32
20-34	381	6.1	65	1	1	4	6	13	20	45
35-49	175	8.7	106	1	2	5	12	19	21	64
50-64	114	8.4	115	1	2	5	10	20	25	57
65+	169	13.5	121	1	3	10	20	28	33	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.1	9	<1	1	2	4	6	9	16
B. *Operated*	313	3.5	13	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	2606	6.0	42	1	1	4	8	13	18	33
B. *Operated*	1143	7.4	84	1	1	4	9	17	24	53
1. SINGLE DX	598	3.3	11	1	1	2	4	6	8	17
2. MULTIPLE DX	3749	6.4	55	1	1	4	8	14	20	39
A. NOT OPERATED	2891	5.7	40	1	1	4	7	12	17	33
B. OPERATED	1456	6.6	71	1	1	4	7	15	22	47
TOTAL 0-19 YRS	971	3.4	19	1	1	2	4	7	9	23
20-34	1199	4.6	33	1	1	3	5	9	13	29
35-49	623	5.8	47	1	1	4	7	13	16	28
50-64	530	6.4	45	1	1	5	8	13	18	29
65+	1024	10.0	81	1	2	7	13	22	28	53
GRAND TOTAL	**4347**	**6.0**	**50**	**1**	**1**	**4**	**7**	**14**	**19**	**36**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	98	1	1	3	5	10	23	55
20-34	4	4.0	1	3	3	4	5	5	5	5
35-49	6	7.5	50	2	2	6	8	20	21	21
50-64	5	8.6	47	2	2	5	16	16	16	16
65+	6	9.7	37	3	3	8	17	17	17	17
B. *Operated*										
0-19 YRS	13	8.4	148	1	1	3	8	27	38	41
20-34	12	7.1	21	2	3	6	8	16	16	16
35-49	6	6.2	11	1	1	6	8	11	11	11
50-64	4	4.5	16	<1	<1	3	7	10	10	10
65+	5	19.0	61	8	8	19	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.0	89	1	1	3	7	13	19	57
20-34	30	7.9	115	1	2	5	8	13	23	59
35-49	19	10.0	96	1	2	8	13	19	33	43
50-64	18	10.7	153	1	3	7	10	20	42	56
65+	35	10.9	92	2	3	8	13	25	33	44
B. *Operated*										
0-19 YRS	43	16.7	255	2	3	9	28	40	48	66
20-34	71	17.9	382	2	3	11	26	76	99+	99+
35-49	31	16.8	367	1	2	10	24	38	94	99+
50-64	20	25.3	462	7	8	21	39	96	99+	99+
65+	16	28.6	507	3	5	28	50	75	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	6.4	74	1	1	4	7	16	20	54
B. *Operated*	40	8.6	78	1	1	5	10	20	26	41
2. MULTIPLE DX										
A. *Not Operated*	180	8.2	103	1	1	5	10	18	26	58
B. *Operated*	181	19.2	375	2	3	12	30	55	99	99+
1. SINGLE DX	95	7.3	76	1	1	4	8	18	22	49
2. MULTIPLE DX	361	13.7	269	1	2	8	18	41	59	99+
A. NOT OPERATED	235	7.8	97	1	1	4	9	17	24	56
B. OPERATED	221	17.3	338	2	2	11	26	51	94	99+
TOTAL 0-19 YRS	168	8.8	157	1	1	4	9	27	40	62
20-34	117	13.8	289	2	2	8	18	51	87	99+
35-49	62	12.8	231	1	2	9	18	31	44	99+
50-64	47	16.1	319	2	3	10	21	52	94	99+
65+	62	16.0	244	2	3	11	20	37	58	97
GRAND TOTAL	**456**	**12.4**	**236**	**1**	**1**	**7**	**16**	**34**	**55**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.0	8	<1	<1	1	2	2	8	14
20-34	58	1.8	1	<1	<1	1	2	4	4	6
35-49	16	2.5	4	<1	<1	2	3	6	7	8
50-64	19	1.9	1	<1	<1	1	3	4	5	5
65+	37	3.0	13	1	1	2	3	6	10	19
B. *Operated*										
0-19 YRS	362	3.0	4	1	1	3	4	5	6	8
20-34	1214	3.1	3	1	1	3	4	5	6	8
35-49	354	3.1	3	1	1	3	4	5	6	9
50-64	167	2.7	4	<1	1	2	4	6	7	10
65+	205	2.7	10	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.8	11	<1	<1	2	4	5	8	17
20-34	148	2.3	5	<1	<1	1	3	5	6	13
35-49	69	3.1	7	<1	<1	2	4	6	6	16
50-64	70	4.6	15	<1	1	3	7	10	12	16
65+	185	6.4	42	1	1	5	9	14	18	45
B. *Operated*										
0-19 YRS	243	3.3	8	<1	1	3	4	5	8	17
20-34	949	3.5	8	1	1	3	4	6	7	15
35-49	397	3.9	14	1	1	3	5	7	10	26
50-64	268	5.3	52	1	1	3	6	12	19	34
65+	504	6.6	79	1	1	4	8	16	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.2	6	<1	<1	1	3	4	6	14
B. *Operated*	2302	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	517	4.2	23	<1	<1	2	5	10	13	22
B. *Operated*	2361	4.4	30	1	1	3	5	9	13	27
1. SINGLE DX	2452	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2878	4.4	29	<1	1	3	5	9	13	27
A. NOT OPERATED	667	3.8	20	<1	<1	2	5	9	13	19
B. OPERATED	4663	3.7	18	1	1	3	4	6	9	23
TOTAL 0-19 YRS	670	3.1	6	<1	1	3	4	5	6	15
20-34	2369	3.1	5	<1	1	3	4	5	6	11
35-49	836	3.5	9	<1	1	3	4	6	8	17
50-64	524	4.3	31	<1	1	3	5	9	13	26
65+	931	5.5	56	1	1	3	7	13	19	39
GRAND TOTAL	**5330**	**3.7**	**18**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.2	4	<1	<1	1	3	6	7	8
20-34	93	2.5	5	<1	<1	2	3	5	7	12
35-49	42	2.5	4	<1	<1	2	3	5	6	10
50-64	24	2.7	4	<1	1	2	4	6	7	7
65+	18	5.5	16	<1	1	4	8	11	13	14
B. *Operated*										
0-19 YRS	3151	3.0	4	1	1	3	4	5	6	9
20-34	6496	3.2	6	<1	1	3	4	6	7	10
35-49	3237	3.2	5	1	1	3	4	6	7	11
50-64	1736	3.4	5	1	1	3	5	6	8	11
65+	392	5.0	43	1	1	4	6	10	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	2.6	7	<1	<1	2	3	5	8	14
20-34	196	2.5	6	<1	<1	1	3	5	8	12
35-49	112	3.2	12	<1	<1	2	4	7	10	18
50-64	81	5.2	49	<1	<1	3	6	9	17	40
65+	64	7.6	53	1	1	5	9	16	22	38
B. *Operated*										
0-19 YRS	2672	3.4	6	1	1	3	4	6	7	12
20-34	6046	3.6	9	1	1	3	5	6	8	15
35-49	3123	3.7	10	1	1	3	5	7	9	16
50-64	2572	4.3	21	1	1	3	5	8	11	20
65+	922	5.9	47	1	2	4	7	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.6	6	<1	<1	2	3	6	7	11
B. *Operated*	15012	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	564	3.6	22	<1	<1	2	5	8	11	24
B. *Operated*	15335	3.8	13	1	1	3	5	7	9	18
1. SINGLE DX	15266	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	15899	3.8	14	1	1	3	5	7	9	19
A. NOT OPERATED	818	3.3	17	<1	<1	2	4	7	10	19
B. OPERATED	30347	3.5	10	1	1	3	4	6	8	14
TOTAL 0-19 YRS	6011	3.2	5	1	1	3	4	6	7	11
20-34	12831	3.3	7	<1	1	3	4	6	7	12
35-49	6514	3.5	8	1	1	3	4	6	8	13
50-64	4413	4.0	15	1	1	3	5	7	9	18
65+	1396	5.7	46	1	2	4	7	11	16	32
GRAND TOTAL	**31165**	**3.5**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	4.3	23	<1	1	3	6	10	15	22
20-34	142	5.9	39	<1	1	4	8	11	16	36
35-49	90	6.9	26	1	1	6	9	13	16	24
50-64	61	5.5	19	<1	1	4	8	10	15	20
65+	36	5.4	17	1	1	5	7	13	16	16
B. *Operated*										
0-19 YRS	556	3.2	16	<1	1	2	3	7	11	21
20-34	701	3.9	31	<1	1	2	4	8	13	23
35-49	315	4.8	27	1	1	3	6	12	15	25
50-64	208	4.6	33	1	1	3	5	10	15	33
65+	168	8.1	75	1	1	4	11	23	28	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	5.1	31	1	1	3	7	11	17	30
20-34	459	6.1	32	<1	1	5	8	11	15	29
35-49	323	7.7	37	1	2	6	10	15	18	33
50-64	176	8.5	71	1	2	7	11	16	21	47
65+	194	11.5	172	2	2	8	13	25	35	71
B. *Operated*										
0-19 YRS	765	5.4	62	1	1	3	6	14	20	36
20-34	1205	8.0	103	1	1	4	10	20	26	53
35-49	726	8.5	121	1	1	5	10	19	26	71
50-64	545	9.2	170	1	1	5	11	20	39	98
65+	444	11.2	161	1	2	7	15	29	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	5.6	28	1	1	4	8	11	16	24
B. *Operated*	1948	4.3	32	<1	1	2	5	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	1342	7.4	62	1	1	5	9	15	21	38
B. *Operated*	3685	8.1	118	1	1	4	10	20	29	65
1. SINGLE DX	2377	4.5	32	<1	1	3	5	10	15	28
2. MULTIPLE DX	5027	7.9	103	1	1	5	10	18	26	57
A. NOT OPERATED	1771	7.0	55	1	1	5	9	14	20	37
B. OPERATED	5633	6.8	91	1	1	3	8	16	24	53
TOTAL 0-19 YRS	1611	4.5	41	<1	1	2	5	10	17	32
20-34	2507	6.4	69	1	1	4	8	15	22	43
35-49	1454	7.4	78	1	1	5	9	16	22	50
50-64	990	7.9	118	1	1	4	9	16	26	73
65+	842	10.4	143	1	2	6	14	26	35	71
GRAND TOTAL	**7404**	**6.8**	**83**	**1**	**1**	**4**	**8**	**16**	**23**	**50**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	2.6	4	<1	1	2	3	5	7	10
20-34	221	2.6	4	<1	<1	2	3	6	7	9
35-49	132	3.2	8	<1	1	2	4	7	9	12
50-64	77	3.8	5	1	1	3	5	7	8	11
65+	97	6.1	31	1	1	5	7	15	18	28
B. *Operated*										
0-19 YRS	1026	3.3	5	<1	1	3	4	6	7	11
20-34	1514	3.6	5	<1	1	3	5	7	8	11
35-49	393	3.8	9	1	1	3	5	7	9	16
50-64	147	5.4	33	1	2	4	7	8	13	36
65+	61	7.5	42	2	2	6	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	2.5	5	<1	<1	2	3	5	7	11
20-34	356	3.3	14	<1	<1	2	4	7	10	19
35-49	249	4.8	29	<1	<1	3	6	10	12	27
50-64	308	5.3	19	<1	1	4	7	10	14	21
65+	476	7.8	43	1	2	6	10	15	21	38
B. *Operated*										
0-19 YRS	1994	4.2	8	1	1	4	5	7	9	14
20-34	3352	4.4	10	1	1	4	6	8	9	15
35-49	1103	5.0	18	1	2	4	6	9	11	18
50-64	418	7.2	40	1	2	6	8	14	19	33
65+	165	10.1	91	2	3	7	12	20	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	3.4	10	<1	1	2	4	7	9	17
B. *Operated*	3141	3.7	8	<1	1	3	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	1605	5.1	28	<1	<1	4	7	11	15	28
B. *Operated*	7032	4.8	15	1	1	4	6	8	10	20
1. SINGLE DX	3827	3.6	9	<1	1	3	5	7	8	14
2. MULTIPLE DX	8637	4.8	18	1	1	4	6	9	11	22
A. NOT OPERATED	2291	4.6	23	<1	1	3	6	10	13	26
B. OPERATED	10173	4.4	13	1	1	4	6	8	10	18
TOTAL 0-19 YRS	3395	3.7	7	1	1	3	5	7	8	13
20-34	5443	4.0	9	<1	1	4	5	7	9	14
35-49	1877	4.6	17	1	1	4	6	8	11	18
50-64	950	6.0	30	1	2	5	8	12	15	28
65+	799	8.0	53	2	2	6	10	16	22	41
GRAND TOTAL	**12464**	**4.5**	**15**	**1**	**1**	**4**	**6**	**8**	**10**	**20**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	373	4.9	11	1	2	4	7	10	12	15
20-34	3584	6.2	16	1	2	5	8	11	13	20
35-49	3564	6.7	16	2	3	6	8	11	14	21
50-64	1718	6.7	15	2	3	6	9	12	14	19
65+	548	7.4	32	2	3	6	10	13	16	29
B. *Operated*										
0-19 YRS	35	6.2	29	1	1	5	10	12	18	22
20-34	632	7.5	29	2	2	6	11	14	17	26
35-49	578	7.9	36	2	2	7	11	16	19	28
50-64	178	8.2	38	2	2	7	11	16	20	34
65+	21	11.0	60	2	3	10	15	20	28	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	479	5.2	13	1	1	5	7	10	12	17
20-34	4905	6.9	20	2	2	6	9	12	15	23
35-49	5936	7.7	23	2	3	7	10	14	16	24
50-64	4245	7.8	24	2	3	7	10	14	17	26
65+	3166	8.7	35	2	3	7	11	16	19	30
B. *Operated*										
0-19 YRS	50	8.5	29	2	3	7	11	16	18	25
20-34	827	10.0	48	2	3	9	13	19	23	34
35-49	990	10.9	55	2	3	10	14	20	25	38
50-64	574	11.7	59	3	4	10	15	21	26	37
65+	230	15.4	95	4	6	13	19	28	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9787	6.5	17	2	2	6	8	11	14	20
B. *Operated*	1444	7.8	34	2	2	7	11	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	18731	7.6	25	2	3	7	10	14	17	25
B. *Operated*	2671	11.1	59	2	3	10	14	21	25	39
1. SINGLE DX	11231	6.6	19	2	2	6	9	12	14	22
2. MULTIPLE DX	21402	8.1	30	2	3	7	10	15	18	28
A. NOT OPERATED	28518	7.2	22	2	3	6	9	13	16	24
B. OPERATED	4115	10.0	52	2	2	9	13	19	23	35
TOTAL 0-19 YRS	937	5.3	14	1	2	4	7	10	13	18
20-34	9948	6.9	22	2	2	6	9	13	16	24
35-49	11068	7.7	26	2	3	7	10	14	17	25
50-64	6715	7.9	27	2	3	7	10	14	17	27
65+	3965	8.9	41	2	3	7	11	16	20	33
GRAND TOTAL	**32633**	**7.6**	**27**	**2**	**3**	**6**	**10**	**14**	**17**	**26**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	565	3.4	8	1	1	3	4	7	9	14
20-34	2497	5.6	13	1	2	5	7	10	12	18
35-49	1996	6.2	18	1	2	5	8	11	14	21
50-64	860	6.2	17	1	2	5	8	11	14	21
65+	349	6.4	16	2	2	6	8	12	15	17
B. *Operated*										
0-19 YRS	27	5.4	29	1	1	3	7	10	15	27
20-34	568	6.1	20	1	2	5	8	13	15	21
35-49	485	7.1	31	1	2	5	10	14	18	26
50-64	110	6.7	25	1	2	5	10	12	17	25
65+	19	10.9	75	2	3	8	15	24	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1475	4.0	13	<1	1	3	5	7	10	16
20-34	6867	6.1	18	1	2	5	8	11	14	21
35-49	5779	7.0	23	1	2	6	9	13	16	23
50-64	3423	7.2	22	2	2	6	9	13	16	23
65+	2446	7.8	32	2	2	6	10	15	19	28
B. *Operated*										
0-19 YRS	77	5.4	21	1	1	4	7	12	15	22
20-34	974	8.6	39	2	2	7	12	17	21	29
35-49	953	9.5	49	2	2	8	12	18	22	35
50-64	429	10.5	71	2	2	9	14	21	25	43
65+	171	14.9	110	3	4	12	20	29	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6267	5.7	15	1	2	5	8	11	13	19
B. *Operated*	1209	6.6	27	1	2	5	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	19990	6.6	22	1	2	6	8	12	15	24
B. *Operated*	2604	9.6	55	2	2	8	12	18	24	36
1. SINGLE DX	7476	5.9	17	1	2	5	8	11	14	20
2. MULTIPLE DX	22594	7.0	27	1	2	6	9	13	17	26
A. NOT OPERATED	26257	6.4	21	1	2	5	8	12	15	22
B. OPERATED	3813	8.6	48	2	2	7	11	17	21	34
TOTAL 0-19 YRS	2144	3.9	12	1	1	3	5	8	10	17
20-34	10906	6.2	19	1	2	5	8	12	15	22
35-49	9213	7.1	26	1	2	6	9	13	16	25
50-64	4822	7.3	27	2	2	6	9	14	17	25
65+	2985	8.1	38	2	2	7	10	15	20	31
GRAND TOTAL	**30070**	**6.7**	**25**	**1**	**2**	**6**	**9**	**13**	**16**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	279	2.7	4	<1	1	2	3	5	6	12
20-34	382	2.8	6	<1	<1	2	4	6	8	12
35-49	270	3.6	15	<1	<1	3	4	7	9	17
50-64	187	4.3	13	<1	1	3	6	10	11	17
65+	152	5.2	15	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	555	2.8	3	1	1	2	4	5	6	9
20-34	1434	3.1	4	1	1	3	4	5	6	10
35-49	1063	3.5	4	1	1	3	4	6	7	11
50-64	1111	4.7	8	2	2	4	6	8	9	14
65+	356	5.8	16	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	499	2.4	5	<1	<1	1	3	5	7	10
20-34	1248	2.5	8	<1	<1	1	3	6	8	13
35-49	835	3.7	12	<1	<1	3	5	8	10	17
50-64	801	4.7	18	<1	<1	4	6	10	13	19
65+	1161	7.3	34	1	2	6	10	15	18	28
B. *Operated*										
0-19 YRS	557	3.0	9	1	1	3	4	5	6	14
20-34	1313	3.4	7	1	1	3	4	6	8	13
35-49	1012	4.3	9	1	2	4	5	8	10	15
50-64	1267	5.6	25	2	2	4	6	10	14	25
65+	649	8.1	56	2	3	6	9	16	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	3.5	10	<1	1	3	4	7	10	15
B. *Operated*	4519	3.8	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	4544	4.3	20	<1	<1	3	6	10	13	22
B. *Operated*	4798	4.8	21	1	2	4	5	9	12	24
1. SINGLE DX	5789	3.7	8	1	1	3	5	6	8	14
2. MULTIPLE DX	9342	4.6	21	<1	<1	3	6	9	13	23
A. NOT OPERATED	5814	4.1	18	<1	<1	3	5	9	12	21
B. OPERATED	9317	4.3	15	1	1	3	5	8	10	19
TOTAL 0-19 YRS	1890	2.7	5	<1	<1	2	3	5	6	11
20-34	4377	3.0	6	<1	<1	2	4	6	7	12
35-49	3180	3.8	9	<1	1	3	5	7	9	15
50-64	3366	5.0	17	1	2	4	6	9	12	20
65+	2318	7.1	37	1	2	5	9	14	18	29
GRAND TOTAL	**15131**	**4.2**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5763	1.6	1	<1	1	1	2	3	4	6
20-34	1715	2.3	4	<1	1	2	3	5	6	10
35-49	552	2.5	6	<1	1	2	3	5	6	11
50-64	267	2.9	5	<1	1	2	4	6	7	11
65+	180	3.3	22	1	1	2	4	6	9	18
B. *Operated*										
0-19 YRS	33	3.0	33	<1	1	2	2	5	6	34
20-34	18	3.1	7	<1	1	2	4	8	9	9
35-49	9	4.1	12	1	1	2	8	9	10	10
50-64	8	4.1	13	1	1	3	6	10	11	11
65+	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12979	2.1	5	1	1	1	2	4	6	10
20-34	8694	3.2	10	<1	1	2	4	7	9	14
35-49	3393	4.2	18	1	1	3	5	9	12	22
50-64	2353	4.8	20	1	1	4	6	10	13	21
65+	2681	6.9	56	1	1	5	9	15	20	39
B. *Operated*										
0-19 YRS	2002	4.0	39	1	1	2	4	8	13	34
20-34	2509	4.9	52	1	1	3	6	10	15	41
35-49	899	6.1	72	1	1	3	7	13	20	57
50-64	661	7.0	93	1	1	5	8	14	21	81
65+	742	10.3	138	1	2	6	12	26	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8477	1.9	3	<1	1	1	2	3	5	8
B. *Operated*	70	3.5	24	1	1	2	4	8	10	31
2. MULTIPLE DX										
A. *Not Operated*	30100	3.3	16	1	1	2	4	7	10	19
B. *Operated*	6813	5.6	68	1	1	3	6	12	19	48
1. SINGLE DX	8547	1.9	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	36913	3.7	26	1	1	2	4	8	11	25
A. NOT OPERATED	38577	3.0	13	1	1	2	3	6	9	18
B. OPERATED	6883	5.6	67	1	1	3	6	12	19	48
TOTAL 0-19 YRS	20777	2.2	8	1	1	1	2	4	6	12
20-34	12936	3.4	18	<1	1	2	4	7	9	18
35-49	4853	4.4	27	1	1	3	5	9	13	25
50-64	3289	5.1	35	1	1	4	6	10	14	26
65+	3605	7.4	74	1	1	5	9	16	23	48
GRAND TOTAL	**45460**	**3.4**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**23**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1911	1.9	6	<1	1	1	2	3	5	12
20-34	648	3.4	32	<1	1	2	3	7	10	22
35-49	214	3.7	54	<1	1	2	4	7	11	24
50-64	133	4.2	18	1	1	3	5	10	15	18
65+	140	6.1	36	1	1	4	9	15	20	41
B. *Operated*										
0-19 YRS	82	9.7	117	1	1	7	10	22	33	59
20-34	100	12.5	213	1	2	7	17	34	56	85
35-49	68	11.2	68	2	3	10	14	22	25	46
50-64	87	13.3	170	2	4	10	15	28	46	95
65+	155	14.6	130	3	5	11	18	30	35	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4577	2.9	24	<1	1	1	3	6	9	25
20-34	2775	4.6	51	<1	1	2	5	10	15	42
35-49	1076	5.1	45	<1	1	3	6	11	16	39
50-64	859	6.8	72	1	1	4	8	16	23	50
65+	1453	9.1	113	1	1	6	11	21	30	56
B. *Operated*										
0-19 YRS	941	14.1	369	1	1	7	20	55	81	99+
20-34	1207	15.3	398	<1	1	7	22	53	81	99+
35-49	519	16.1	403	1	1	9	22	56	76	99+
50-64	465	18.3	360	1	2	13	27	60	78	99+
65+	892	20.7	330	2	3	16	29	49	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3046	2.7	18	<1	1	1	3	5	9	19
B. *Operated*	492	12.7	145	2	3	9	16	27	38	66
2. MULTIPLE DX										
A. *Not Operated*	10740	4.7	53	<1	1	2	5	11	17	40
B. *Operated*	4024	16.6	378	1	1	10	24	53	77	99+
1. SINGLE DX	3538	4.0	48	<1	1	2	4	10	15	36
2. MULTIPLE DX	14764	8.0	170	1	1	3	8	22	39	97
A. NOT OPERATED	13786	4.3	46	<1	1	2	4	10	15	36
B. OPERATED	4516	16.2	354	1	1	10	23	50	73	99+
TOTAL 0-19 YRS	7511	4.1	79	<1	1	2	3	8	17	66
20-34	4730	7.3	164	<1	1	3	7	19	38	97
35-49	1877	8.2	171	<1	1	4	9	20	41	97
50-64	1544	10.4	189	1	1	5	13	27	43	99+
65+	2640	13.2	214	1	2	8	17	33	47	95
GRAND TOTAL	**18302**	**7.2**	**149**	**<1**	**1**	**3**	**7**	**19**	**34**	**88**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.2	9	1	1	2	4	7	11	14
20-34	127	3.4	5	1	1	3	5	7	8	10
35-49	57	4.5	10	<1	1	4	6	9	11	14
50-64	29	3.9	13	1	1	2	5	10	11	14
65+	17	4.4	11	1	1	4	7	9	11	12
B. *Operated*										
0-19 YRS	70	5.8	15	2	2	5	7	11	13	21
20-34	211	6.5	17	2	3	6	8	10	15	23
35-49	67	7.3	26	3	3	6	8	15	18	27
50-64	33	6.5	8	3	3	6	9	10	12	13
65+	9	7.2	24	1	2	5	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	267	4.0	13	1	1	3	5	7	11	18
20-34	504	4.8	13	1	1	4	6	9	12	18
35-49	298	5.6	20	1	2	4	7	11	14	25
50-64	272	6.5	38	1	2	5	8	12	17	28
65+	270	8.8	50	2	2	7	11	17	19	38
B. *Operated*										
0-19 YRS	423	10.1	104	3	3	7	11	19	29	65
20-34	1151	10.2	103	2	3	7	12	19	31	67
35-49	481	10.2	80	3	3	8	12	20	27	59
50-64	330	12.6	116	3	4	10	16	25	32	56
65+	306	16.0	258	3	4	11	19	35	49	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	3.7	8	1	1	3	5	8	9	14
B. *Operated*	390	6.5	18	2	3	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1611	5.8	27	1	2	4	7	12	15	25
B. *Operated*	2691	11.2	122	3	3	8	13	22	33	66
1. SINGLE DX	674	5.3	15	1	1	4	7	10	13	21
2. MULTIPLE DX	4302	9.1	93	2	2	6	11	18	26	58
A. NOT OPERATED	1895	5.4	25	1	1	4	7	11	14	24
B. OPERATED	3081	10.6	111	2	3	8	12	20	31	65
TOTAL 0-19 YRS	814	7.3	69	1	2	5	9	15	20	49
20-34	1993	8.0	72	1	2	6	9	15	22	52
35-49	903	8.1	57	2	2	6	10	15	21	44
50-64	664	9.4	84	1	2	7	12	19	27	52
65+	602	12.3	169	2	3	8	14	25	37	78
GRAND TOTAL	**4976**	**8.6**	**84**	**1**	**2**	**6**	**10**	**17**	**24**	**55**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	635	3.6	9	1	1	3	5	7	9	14
20-34	387	3.6	8	1	1	3	5	7	10	14
35-49	99	4.2	21	1	1	3	5	7	13	27
50-64	42	4.3	11	1	1	4	5	7	11	17
65+	22	5.4	41	1	1	3	7	14	20	28
B. *Operated*										
0-19 YRS	305	7.3	16	2	4	7	8	12	15	21
20-34	324	7.4	18	2	3	7	9	12	14	25
35-49	103	7.5	11	2	3	7	9	11	14	17
50-64	56	8.4	21	2	4	8	10	13	18	27
65+	26	11.1	47	2	3	11	13	19	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1471	4.1	13	1	1	3	5	8	11	16
20-34	1127	4.1	16	1	1	3	5	8	10	20
35-49	385	4.8	14	1	1	4	6	9	12	21
50-64	253	5.7	22	1	1	5	7	11	15	25
65+	237	8.4	68	2	2	6	11	17	21	43
B. *Operated*										
0-19 YRS	1357	11.4	119	3	4	8	12	22	32	60
20-34	2303	12.8	149	3	5	9	14	25	40	77
35-49	838	15.0	190	4	5	10	18	33	46	80
50-64	509	15.7	177	3	5	12	19	34	46	91
65+	321	17.9	244	3	4	13	21	39	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1185	3.7	10	1	1	3	5	7	10	15
B. *Operated*	814	7.6	18	2	3	7	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*	3473	4.6	20	1	1	3	6	9	12	22
B. *Operated*	5328	13.4	159	3	5	9	15	28	42	77
1. SINGLE DX	1999	5.3	17	1	1	4	7	10	13	19
2. MULTIPLE DX	8801	9.9	123	1	2	7	11	20	32	65
A. NOT OPERATED	4658	4.4	17	1	1	3	6	9	11	20
B. OPERATED	6142	12.6	144	3	4	9	14	25	38	74
TOTAL 0-19 YRS	3768	6.9	63	1	1	5	8	13	19	42
20-34	4141	9.2	107	1	2	7	10	18	28	63
35-49	1425	11.0	142	1	2	8	12	23	36	69
50-64	860	11.7	137	1	2	8	14	24	36	72
65+	606	13.4	182	2	2	10	17	29	44	75
GRAND TOTAL	**10800**	**9.1**	**106**	**1**	**2**	**7**	**10**	**18**	**28**	**61**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.8	8	<1	<1	2	4	5	9	16
20-34	29	2.7	5	<1	<1	2	3	5	8	10
35-49	8	2.9	4	<1	<1	2	4	6	6	6
50-64	6	4.0	5	1	1	4	5	7	7	7
65+	7	3.0	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS	479	2.6	4	<1	1	2	4	5	7	9
20-34	274	2.9	4	1	1	2	4	6	7	10
35-49	138	3.4	18	1	1	2	4	7	9	20
50-64	60	2.9	3	<1	1	3	4	5	6	8
65+	62	4.5	24	1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	3.1	5	<1	1	2	4	6	7	12
20-34	117	2.5	3	<1	<1	2	3	5	6	8
35-49	56	3.7	5	1	1	3	4	6	8	14
50-64	29	3.9	19	<1	<1	2	5	9	17	18
65+	36	5.1	24	<1	<1	3	8	11	13	24
B. *Operated*										
0-19 YRS	1084	3.7	16	1	1	3	5	7	10	19
20-34	986	4.2	18	1	1	3	5	8	10	19
35-49	410	4.1	11	1	1	3	5	8	11	17
50-64	226	5.7	35	1	2	4	6	12	16	32
65+	239	6.4	59	1	1	4	8	14	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.9	6	<1	<1	2	4	6	8	13
B. *Operated*	1013	2.9	7	1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	357	3.3	8	<1	1	3	4	6	8	14
B. *Operated*	2945	4.3	21	1	1	3	5	8	11	21
1. SINGLE DX	1111	2.9	7	<1	1	2	4	6	7	12
2. MULTIPLE DX	3302	4.2	20	1	1	3	5	8	11	21
A. NOT OPERATED	455	3.2	8	<1	1	2	4	6	8	14
B. OPERATED	3958	4.0	18	1	1	3	5	8	11	20
TOTAL 0-19 YRS	1730	3.3	12	1	1	2	4	7	8	16
20-34	1406	3.8	14	1	1	3	5	7	9	15
35-49	612	3.9	12	1	1	3	5	7	11	17
50-64	321	5.0	28	1	1	3	6	10	15	30
65+	344	5.9	48	1	1	4	7	13	18	29
GRAND TOTAL	**4413**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	2.3	5	<1	<1	2	3	4	5	15
20-34	182	2.5	5	<1	<1	2	3	5	7	12
35-49	95	2.4	3	<1	<1	2	3	5	5	9
50-64	41	2.9	7	<1	<1	2	3	7	9	11
65+	49	3.1	8	1	1	2	4	6	10	13
B. *Operated*										
0-19 YRS	838	2.1	7	<1	<1	1	2	4	5	9
20-34	505	2.9	9	<1	1	2	3	6	9	15
35-49	179	3.2	19	<1	<1	2	4	6	10	24
50-64	93	2.4	3	<1	1	2	3	5	6	9
65+	75	2.7	7	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1051	2.5	5	<1	1	2	3	5	6	11
20-34	1427	3.0	15	<1	<1	2	4	6	8	14
35-49	594	3.6	13	<1	1	2	5	7	10	16
50-64	535	4.1	17	<1	1	3	5	9	12	21
65+	1168	6.2	45	1	1	4	8	13	18	36
B. *Operated*										
0-19 YRS	2959	2.8	11	<1	1	2	3	6	8	17
20-34	3557	4.3	45	<1	<1	2	5	9	13	37
35-49	1501	4.3	31	<1	1	3	5	9	13	27
50-64	1092	5.6	58	<1	1	3	6	13	18	36
65+	1522	7.1	93	1	1	4	8	14	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	2.5	5	<1	<1	2	3	5	6	12
B. *Operated*	1690	2.5	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	4775	3.9	22	<1	1	2	5	8	12	21
B. *Operated*	10631	4.4	44	<1	1	2	5	9	14	35
1. SINGLE DX	2312	2.5	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	15406	4.2	37	<1	1	2	5	9	13	30
A. NOT OPERATED	5397	3.7	20	<1	1	2	4	8	11	21
B. OPERATED	12321	4.2	39	<1	1	2	5	9	13	32
TOTAL 0-19 YRS	5103	2.6	9	<1	1	2	3	5	7	15
20-34	5671	3.8	33	<1	<1	2	4	8	11	28
35-49	2369	4.0	25	<1	1	3	5	8	12	25
50-64	1761	4.9	42	<1	1	3	6	11	16	29
65+	2814	6.5	70	1	1	4	8	14	19	46
GRAND TOTAL	**17718**	**4.0**	**34**	**<1**	**1**	**2**	**5**	**8**	**12**	**28**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	2.3	4	<1	1	2	3	4	6	10
20-34	700	2.5	8	<1	1	2	3	5	6	10
35-49	197	2.7	5	<1	<1	2	3	5	7	12
50-64	61	3.3	9	1	1	2	4	6	7	19
65+	22	5.6	26	<1	1	4	9	14	17	19
B. *Operated*										
0-19 YRS	405	3.4	10	<1	1	2	4	7	10	16
20-34	556	4.5	15	1	1	4	6	8	10	21
35-49	173	5.5	28	<1	1	4	8	10	14	31
50-64	70	4.9	49	1	1	3	6	10	17	45
65+	19	6.9	111	<1	1	3	7	15	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	609	2.7	6	<1	1	2	3	6	7	14
20-34	1414	3.1	15	<1	1	2	4	6	8	18
35-49	469	3.3	16	<1	1	2	4	6	9	16
50-64	201	4.2	18	1	1	3	5	8	12	23
65+	130	7.7	52	1	2	6	10	17	24	35
B. *Operated*										
0-19 YRS	1089	5.7	49	1	1	4	7	11	15	34
20-34	2345	7.6	66	1	1	6	9	14	22	47
35-49	781	9.1	97	1	2	6	11	19	28	53
50-64	308	10.1	146	1	2	7	12	20	33	81
65+	151	10.9	120	1	2	7	15	25	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1317	2.6	7	<1	1	2	3	5	6	12
B. *Operated*	1223	4.3	19	<1	1	3	6	9	11	20
2. MULTIPLE DX										
A. *Not Operated*	2823	3.3	16	<1	1	2	4	6	9	19
B. *Operated*	4674	7.7	76	1	1	6	9	15	23	50
1. SINGLE DX	2540	3.4	14	<1	1	2	4	7	9	17
2. MULTIPLE DX	7497	6.0	58	1	1	4	7	12	18	42
A. NOT OPERATED	4140	3.1	13	<1	1	2	4	6	8	18
B. OPERATED	5897	7.0	66	1	1	5	8	14	20	47
TOTAL 0-19 YRS	2440	4.1	28	<1	1	2	5	9	12	23
20-34	5015	5.3	43	1	1	3	6	10	15	35
35-49	1620	6.3	63	1	1	4	8	12	19	45
50-64	640	7.0	91	1	1	4	8	16	21	64
65+	322	9.0	88	1	1	6	12	21	28	52
GRAND TOTAL	**10037**	**5.4**	**48**	**1**	**1**	**3**	**7**	**11**	**16**	**37**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	2.9	4	<1	1	2	4	6	7	10
20-34	449	2.6	4	<1	<1	2	3	5	7	10
35-49	191	3.4	9	<1	1	3	4	6	9	15
50-64	79	3.9	17	<1	1	3	5	7	11	25
65+	41	3.8	8	<1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	2119	2.2	5	<1	1	2	3	4	6	12
20-34	2948	2.5	7	<1	1	2	3	5	7	14
35-49	1272	2.4	6	<1	1	2	3	4	7	12
50-64	708	2.6	10	<1	1	2	3	5	7	15
65+	274	2.9	15	<1	1	2	3	6	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	711	3.4	13	<1	<1	2	4	6	9	23
20-34	1531	3.2	19	<1	<1	2	4	6	8	21
35-49	582	3.5	11	<1	<1	3	5	7	10	18
50-64	332	4.1	16	<1	<1	3	5	8	11	24
65+	289	6.5	51	<1	1	5	8	13	19	27
B. *Operated*										
0-19 YRS	4009	2.8	12	<1	1	2	3	6	8	18
20-34	7064	3.2	17	<1	<1	2	4	7	10	22
35-49	2802	3.5	27	<1	<1	2	4	7	11	26
50-64	1889	3.9	32	<1	1	2	4	8	12	29
65+	974	4.8	44	<1	1	2	5	11	16	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1061	3.0	6	<1	1	2	4	6	7	12
B. *Operated*	7321	2.4	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	3445	3.7	20	<1	<1	3	4	7	10	23
B. *Operated*	16738	3.3	21	<1	1	2	4	7	10	23
1. SINGLE DX	8382	2.5	7	<1	1	2	3	5	7	13
2. MULTIPLE DX	20183	3.4	21	<1	<1	2	4	7	10	23
A. NOT OPERATED	4506	3.5	17	<1	<1	2	4	7	9	21
B. OPERATED	24059	3.1	17	<1	1	2	3	6	9	21
TOTAL 0-19 YRS	7140	2.7	10	<1	1	2	3	5	7	16
20-34	11992	3.0	15	<1	<1	2	3	6	9	19
35-49	4847	3.2	19	<1	<1	2	4	6	9	22
50-64	3008	3.6	25	<1	1	2	4	7	11	26
65+	1578	4.7	41	<1	1	3	6	10	15	30
GRAND TOTAL	**28565**	**3.1**	**17**	**<1**	**<1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	392	2.9	5	<1	1	2	4	5	6	13
20-34	427	3.3	7	<1	1	2	4	7	8	13
35-49	135	3.7	13	<1	1	3	5	7	10	16
50-64	64	4.1	15	<1	1	3	4	8	10	22
65+	44	5.8	33	1	2	4	8	11	19	31
B. *Operated*										
0-19 YRS	1296	3.7	17	<1	1	2	4	7	11	22
20-34	1000	4.8	30	1	1	3	6	10	14	28
35-49	386	4.9	30	1	1	3	6	10	16	32
50-64	217	5.9	35	1	1	4	7	14	19	30
65+	150	9.3	76	1	1	6	13	21	28	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	649	3.7	9	<1	1	3	5	7	9	16
20-34	893	4.2	34	<1	<1	3	5	8	11	28
35-49	371	4.6	24	<1	1	3	6	9	12	30
50-64	285	6.5	28	<1	1	5	9	13	18	23
65+	357	9.8	89	1	2	7	12	19	30	57
B. *Operated*										
0-19 YRS	1928	5.8	62	1	1	3	6	12	20	43
20-34	2061	7.2	96	<1	1	4	8	16	26	53
35-49	835	8.2	131	1	1	5	9	18	27	61
50-64	569	9.8	117	<1	1	5	14	26	33	57
65+	463	12.9	149	1	2	9	19	30	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	3.3	9	<1	1	2	4	6	8	17
B. *Operated*	3049	4.6	29	1	1	3	5	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	2555	5.2	37	<1	1	3	6	10	15	31
B. *Operated*	5856	7.6	100	1	1	4	9	18	27	54
1. SINGLE DX	4111	4.3	24	1	1	3	5	9	13	27
2. MULTIPLE DX	8411	6.9	82	<1	1	4	8	16	24	49
A. NOT OPERATED	3617	4.6	30	<1	1	3	6	9	13	29
B. OPERATED	8905	6.6	78	1	1	4	7	15	23	47
TOTAL 0-19 YRS	4265	4.6	36	<1	1	3	5	9	14	34
20-34	4381	5.7	62	<1	1	3	6	12	18	45
35-49	1727	6.3	80	<1	1	4	7	13	20	49
50-64	1135	7.9	77	<1	1	5	10	19	27	46
65+	1014	11.0	116	1	2	8	15	25	33	59
GRAND TOTAL	**12522**	**6.0**	**64**	**<1**	**1**	**4**	**7**	**13**	**20**	**44**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	13	1	1	2	4	11	12	12
20-34	9	7.3	99	1	1	5	8	24	32	32
35-49	7	6.0	21	<1	1	3	11	12	12	12
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	20.0	338	7	7	20	33	33	33	33
B. *Operated*										
0-19 YRS	38	3.5	11	1	1	2	4	8	12	15
20-34	62	4.6	13	1	1	4	7	10	11	15
35-49	20	4.7	22	<1	<1	3	6	12	15	17
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65+	8	2.9	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	9	1	1	2	4	5	7	19
20-34	38	3.4	12	<1	<1	2	5	8	12	14
35-49	25	5.1	43	<1	1	2	5	9	25	27
50-64	24	6.0	14	<1	1	6	9	12	12	12
65+	32	11.2	115	1	1	6	17	29	33	35
B. *Operated*										
0-19 YRS	170	8.4	157	1	1	4	10	22	31	78
20-34	387	8.7	151	1	1	5	10	19	35	70
35-49	134	10.4	137	1	1	6	14	27	36	56
50-64	83	10.6	178	1	1	6	12	29	42	66
65+	26	17.1	485	1	1	6	22	57	68	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	5.7	56	1	1	3	7	12	25	33
B. *Operated*	133	4.1	13	<1	1	3	5	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	177	5.3	42	<1	1	3	6	12	22	32
B. *Operated*	800	9.4	165	1	1	5	10	23	38	68
1. SINGLE DX	170	4.5	22	<1	1	3	6	10	12	29
2. MULTIPLE DX	977	8.6	145	1	1	4	10	20	34	67
A. NOT OPERATED	214	5.3	44	<1	1	3	6	12	22	33
B. OPERATED	933	8.6	147	1	1	4	10	20	35	67
TOTAL 0-19 YRS	282	6.4	105	1	1	3	7	15	26	68
20-34	496	7.7	125	<1	1	4	9	17	27	65
35-49	186	8.9	113	1	1	5	12	23	32	55
50-64	115	9.0	138	1	1	6	10	19	35	63
65+	68	12.8	261	1	1	5	16	34	46	69
GRAND TOTAL	**1147**	**8.0**	**129**	**1**	**1**	**4**	**9**	**19**	**32**	**65**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	15.7	795	1	1	4	6	83	91	99+
20-34	115	4.9	39	<1	1	3	6	10	13	37
35-49	68	5.1	20	1	1	4	6	11	13	24
50-64	39	6.4	28	1	2	5	8	15	20	22
65+	61	9.8	110	2	2	6	12	22	28	60
B. *Operated*										
0-19 YRS	685	3.8	16	1	1	2	4	8	10	23
20-34	1145	4.1	22	1	1	3	5	8	11	21
35-49	575	4.8	32	1	1	3	5	10	14	33
50-64	341	5.1	31	1	2	3	5	11	16	26
65+	134	8.0	64	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	195	10.2	345	<1	1	4	9	63	99+	99+
20-34	421	8.0	99	1	1	5	10	20	31	72
35-49	291	7.9	117	1	2	5	9	15	21	76
50-64	252	9.7	87	2	2	7	12	21	32	48
65+	452	11.2	104	2	2	8	15	24	32	60
B. *Operated*										
0-19 YRS	819	4.5	40	1	1	3	5	9	14	34
20-34	1753	5.8	79	1	1	3	6	12	18	50
35-49	983	6.7	79	1	2	4	7	14	23	48
50-64	713	8.4	118	1	2	5	9	20	29	58
65+	417	15.1	269	2	2	10	19	36	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	8.4	239	1	1	4	7	17	52	93
B. *Operated*	2880	4.5	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	1611	9.4	133	1	2	6	11	22	33	99+
B. *Operated*	4685	7.0	103	1	2	4	7	15	25	57
1. SINGLE DX	3249	4.9	52	1	1	3	5	10	15	37
2. MULTIPLE DX	6296	7.6	112	1	2	4	8	17	28	67
A. NOT OPERATED	1980	9.2	153	1	1	5	11	21	34	96
B. OPERATED	7565	6.0	75	1	1	3	6	13	20	47
TOTAL 0-19 YRS	1785	5.4	109	1	1	3	5	9	19	90
20-34	3434	5.5	63	1	1	3	6	11	17	43
35-49	1917	6.3	70	1	2	4	7	13	19	45
50-64	1345	7.7	90	1	2	5	9	17	25	48
65+	1064	12.2	170	2	2	8	16	27	38	83
GRAND TOTAL	**9545**	**6.7**	**93**	**1**	**1**	**4**	**7**	**15**	**23**	**60**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	671	4.0	4	1	2	4	5	6	7	12
20-34	258	3.7	4	1	1	4	5	6	7	12
35-49	70	4.6	13	1	1	4	5	7	12	23
50-64	32	4.1	8	<1	1	4	5	7	8	15
65+	20	3.6	10	<1	1	3	4	7	11	14
B. *Operated*										
0-19 YRS	22	6.1	16	1	2	6	8	11	15	17
20-34	9	5.2	11	2	2	4	9	10	10	10
35-49	8	3.8	8	1	1	3	4	8	10	10
50-64	3	6.3	20	2	2	6	10	11	11	11
65+	11	3.5	7	<1	<1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1042	3.9	6	1	1	4	5	7	8	13
20-34	635	3.3	6	<1	1	3	4	6	7	13
35-49	222	4.0	9	<1	1	3	5	8	9	17
50-64	125	4.1	10	1	1	4	5	9	9	15
65+	163	5.9	27	1	2	5	7	12	16	27
B. *Operated*										
0-19 YRS	116	5.5	17	1	1	5	7	12	14	20
20-34	127	5.0	33	1	1	4	6	9	12	41
35-49	54	4.9	27	1	1	3	6	9	15	32
50-64	35	5.3	27	<1	1	4	6	12	14	28
65+	37	7.7	45	1	2	4	11	17	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1051	4.0	5	1	2	4	5	6	7	12
B. *Operated*	53	5.1	13	1	2	4	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	2187	3.9	8	1	1	3	5	7	9	15
B. *Operated*	369	5.4	28	1	1	4	7	11	14	28
1. SINGLE DX	1104	4.0	5	1	2	4	5	6	8	13
2. MULTIPLE DX	2556	4.1	12	1	1	4	5	7	10	17
A. NOT OPERATED	3238	3.9	7	1	1	4	5	6	8	14
B. OPERATED	422	5.4	26	1	1	4	7	11	14	28
TOTAL 0-19 YRS	1851	4.1	6	1	1	4	5	7	8	14
20-34	1029	3.6	9	<1	1	3	5	6	8	13
35-49	354	4.2	13	<1	1	4	5	8	10	18
50-64	195	4.4	13	<1	1	4	6	9	11	19
65+	231	5.9	29	1	1	4	7	13	17	28
GRAND TOTAL	**3660**	**4.1**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1823	2.1	4	<1	1	1	2	4	5	9
20-34	1462	2.6	5	<1	<1	2	3	5	7	12
35-49	649	3.2	7	<1	1	2	4	6	9	13
50-64	481	3.8	10	1	1	3	5	8	10	18
65+	723	5.1	20	1	1	4	7	10	14	22
B. *Operated*										
0-19 YRS	299	2.7	7	<1	1	2	3	6	7	13
20-34	305	3.7	10	<1	1	3	5	8	11	16
35-49	169	4.2	20	<1	1	2	5	9	11	26
50-64	138	5.5	32	1	1	4	6	11	16	33
65+	138	7.8	65	1	2	5	10	14	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6130	2.3	5	<1	1	2	3	5	6	11
20-34	7782	3.0	9	<1	<1	2	4	7	9	14
35-49	4118	4.1	18	<1	<1	3	5	9	11	20
50-64	3668	5.1	25	<1	1	4	7	11	14	23
65+	9627	8.0	58	1	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	844	4.2	27	<1	1	2	5	9	13	26
20-34	1201	5.1	35	<1	1	3	6	11	15	29
35-49	666	6.7	64	<1	1	4	8	14	19	53
50-64	627	9.1	82	1	2	6	12	20	26	41
65+	1060	13.7	142	2	3	11	18	30	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5138	3.0	9	<1	1	2	4	6	8	15
B. *Operated*	1049	4.3	24	<1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	31325	4.8	32	<1	1	3	6	11	14	28
B. *Operated*	4398	7.8	84	1	1	5	10	18	26	49
1. SINGLE DX	6187	3.2	11	<1	1	2	4	7	9	17
2. MULTIPLE DX	35723	5.2	39	<1	1	3	6	11	16	32
A. NOT OPERATED	36463	4.5	29	<1	1	3	6	10	14	26
B. OPERATED	5447	7.1	74	<1	1	4	9	17	23	46
TOTAL 0-19 YRS	9096	2.5	7	<1	1	2	3	5	7	13
20-34	10750	3.2	12	<1	<1	2	4	7	9	16
35-49	5602	4.3	23	<1	<1	3	5	9	12	21
50-64	4914	5.5	33	<1	1	4	7	12	16	27
65+	11548	8.3	67	1	2	6	11	17	23	44
GRAND TOTAL	**41910**	**4.9**	**35**	**<1**	**1**	**3**	**6**	**11**	**15**	**30**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.4	3	1	1	2	3	5	6	8
20-34	96	3.1	9	1	1	2	3	7	11	15
35-49	33	3.3	11	1	1	2	5	7	10	16
50-64	19	3.9	12	1	1	3	6	10	12	12
65+	8	4.6	25	1	1	2	7	13	15	15
B. *Operated*										
0-19 YRS	75	5.2	43	1	1	3	5	13	22	30
20-34	137	5.5	52	<1	1	3	6	13	17	40
35-49	96	4.5	26	<1	1	3	6	10	13	28
50-64	60	7.4	131	<1	1	3	7	19	32	55
65+	21	3.7	21	<1	1	2	4	8	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	2.8	6	1	1	2	3	6	7	11
20-34	240	3.7	13	<1	1	3	5	7	9	21
35-49	132	4.7	21	<1	1	3	6	10	14	24
50-64	69	5.7	36	1	1	3	8	14	17	29
65+	64	7.9	67	2	3	6	9	16	17	56
B. *Operated*										
0-19 YRS	254	7.4	106	1	1	3	8	19	29	54
20-34	545	8.2	132	1	1	4	9	19	36	60
35-49	291	6.8	108	1	1	3	7	16	27	61
50-64	205	9.9	204	1	1	5	11	24	41	72
65+	57	11.5	294	1	1	4	14	24	56	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	2.9	8	1	1	2	3	6	9	15
B. *Operated*	389	5.4	55	<1	1	3	6	12	19	35
2. MULTIPLE DX										
A. *Not Operated*	661	4.3	23	1	1	3	5	9	13	23
B. *Operated*	1352	8.1	141	1	1	4	9	19	34	61
1. SINGLE DX	639	4.4	38	<1	1	2	5	10	15	31
2. MULTIPLE DX	2013	6.9	105	1	1	3	7	16	25	58
A. NOT OPERATED	911	3.9	19	1	1	3	5	8	12	20
B. OPERATED	1741	7.5	123	1	1	4	8	18	30	59
TOTAL 0-19 YRS	579	5.1	59	1	1	2	5	12	19	40
20-34	1018	6.3	86	1	1	3	7	14	22	52
35-49	552	5.7	68	1	1	3	6	13	19	42
50-64	353	8.3	152	1	1	4	9	19	33	59
65+	150	8.5	150	1	1	5	9	17	23	71
GRAND TOTAL	**2652**	**6.3**	**90**	**1**	**1**	**3**	**7**	**14**	**23**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.2	1	<1	<1	1	1	1	2	5
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	33	1.6	2	<1	<1	1	2	3	5	7
20-34	16	1.9	1	<1	1	2	2	4	4	4
35-49	5	3.0	3	2	2	2	4	6	6	6
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.4	1	<1	<1	1	1	3	4	4
20-34	138	1.2	1	<1	<1	<1	<1	2	3	5
35-49	58	1.1		<1	<1	<1	<1	1	2	5
50-64	17	1.8	2	<1	<1	<1	2	4	5	5
65+	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	33	2.4	7	<1	<1	1	3	6	7	14
20-34	33	2.5	3	1	1	2	4	5	6	6
35-49	10	4.8	48	1	1	3	4	15	24	24
50-64	10	3.7	1	2	2	4	4	5	6	6
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.3	1	<1	<1	1	1	2	4	5
B. *Operated*	59	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	253	1.3	1	<1	<1	<1	<1	2	3	5
B. *Operated*	87	2.8	9	<1	1	2	4	6	6	20
1. SINGLE DX	109	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	340	1.7	3	<1	<1	<1	1	4	4	6
A. NOT OPERATED	303	1.3	1	<1	<1	<1	1	2	3	5
B. OPERATED	146	2.4	7	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	136	1.6	3	<1	<1	1	1	3	5	8
20-34	195	1.5	1	<1	<1	<1	1	3	4	6
35-49	81	1.7	7	<1	<1	<1	1	3	5	18
50-64	31	2.4	2	<1	<1	2	4	4	5	6
65+	6	1.7	1	<1	<1	<1	2	4	4	4
GRAND TOTAL	**449**	**1.7**	**3**	**<1**	**<1**	**<1**	**2**	**4**	**4**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1415	1.4	1	<1	<1	1	1	2	3	6
20-34	320	1.7	4	<1	<1	1	2	3	5	9
35-49	316	1.6	2	<1	<1	1	2	3	4	8
50-64	363	1.7	2	<1	<1	1	2	3	4	8
65+	322	2.1	9	<1	1	1	2	4	5	12
B. *Operated*										
0-19 YRS	336	2.3	6	<1	<1	1	2	5	7	15
20-34	105	3.6	14	<1	<1	2	4	10	11	17
35-49	62	2.8	10	<1	<1	2	3	6	9	18
50-64	69	3.6	38	1	1	2	3	9	12	40
65+	73	3.6	38	<1	1	2	4	8	10	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1109	1.9	3	<1	<1	1	2	3	5	10
20-34	382	2.7	13	<1	<1	1	3	6	10	18
35-49	379	3.1	19	<1	<1	1	3	7	12	17
50-64	503	2.9	10	<1	1	2	3	7	10	17
65+	880	4.1	23	1	1	2	5	10	14	23
B. *Operated*										
0-19 YRS	367	3.1	15	<1	1	2	3	7	10	20
20-34	152	6.8	57	1	1	4	9	16	27	38
35-49	175	6.5	76	<1	1	4	8	15	21	73
50-64	266	5.7	54	1	1	3	7	13	18	40
65+	489	7.7	84	1	1	4	10	18	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2736	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	645	2.9	15	<1	<1	1	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	3253	2.9	14	<1	<1	1	3	7	10	19
B. *Operated*	1449	5.9	60	1	1	3	7	15	20	39
1. SINGLE DX	3381	1.8	5	<1	<1	1	2	3	5	10
2. MULTIPLE DX	4702	3.8	30	<1	1	2	4	9	14	26
A. NOT OPERATED	5989	2.3	9	<1	<1	1	2	5	7	15
B. OPERATED	2094	5.0	48	<1	1	2	6	12	18	36
TOTAL 0-19 YRS	3227	1.8	4	<1	<1	1	2	3	5	10
20-34	959	3.1	20	<1	<1	1	3	8	11	26
35-49	932	3.2	26	<1	<1	1	3	8	12	24
50-64	1201	3.2	21	<1	1	2	3	7	11	20
65+	1764	4.7	42	1	1	2	5	11	17	30
GRAND TOTAL	**8083**	**3.0**	**20**	**<1**	**<1**	**1**	**3**	**7**	**11**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	91	6.6	39	1	1	4	10	14	20	31
20-34	70	6.9	36	<1	1	5	10	13	15	35
35-49	28	8.0	49	<1	<1	6	13	18	21	27
50-64	27	9.4	56	2	3	9	13	16	29	33
65+	12	16.1	127	5	5	14	18	36	41	42
B. *Operated*										
0-19 YRS	176	11.7	115	1	2	8	14	27	38	46
20-34	190	9.2	71	2	2	7	12	20	27	51
35-49	105	11.7	108	1	2	9	16	27	36	45
50-64	66	15.4	274	2	3	9	19	40	55	79
65+	64	17.9	170	2	3	14	26	36	39	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	303	8.4	79	1	1	6	11	18	25	39
20-34	233	9.1	88	1	2	7	12	19	23	50
35-49	165	11.0	129	1	2	8	15	22	27	57
50-64	141	12.8	120	1	2	10	18	27	34	60
65+	134	17.7	199	3	5	14	25	35	45	67
B. *Operated*										
0-19 YRS	517	18.1	270	2	3	14	25	40	51	84
20-34	685	18.6	281	2	3	13	26	43	57	99+
35-49	408	22.0	318	3	4	17	32	50	62	99+
50-64	351	24.9	378	2	5	22	36	52	72	99+
65+	344	31.9	488	5	7	28	46	68	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	7.7	49	1	1	6	11	15	20	35
B. *Operated*	601	12.0	130	2	2	9	15	28	37	55
2. MULTIPLE DX										
A. *Not Operated*	976	10.9	121	1	2	8	15	23	31	58
B. *Operated*	2305	22.0	353	2	4	17	32	49	65	99+
1. SINGLE DX	829	10.8	111	1	2	8	14	25	34	50
2. MULTIPLE DX	3281	18.7	310	2	3	13	26	44	60	95
A. NOT OPERATED	1204	10.3	109	1	2	7	14	22	29	53
B. OPERATED	2906	20.0	324	2	3	14	29	45	62	99
TOTAL 0-19 YRS	1087	13.4	194	1	2	9	17	32	41	68
20-34	1178	14.5	218	2	2	10	19	36	47	94
35-49	706	17.3	262	2	3	12	24	42	53	94
50-64	585	20.2	323	2	3	15	28	45	61	99
65+	554	26.5	421	3	5	21	37	61	72	99
GRAND TOTAL	**4110**	**17.1**	**280**	**2**	**2**	**12**	**24**	**41**	**55**	**92**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	911	5.0	21	1	1	3	7	10	13	23
20-34	517	5.0	26	1	1	3	7	11	14	26
35-49	223	5.8	39	1	1	4	7	13	18	33
50-64	121	7.1	60	1	1	5	9	17	20	40
65+	80	9.1	68	1	1	7	12	19	23	41
B. *Operated*										
0-19 YRS	161	8.9	85	1	1	6	11	21	28	37
20-34	128	8.9	70	1	2	6	11	19	27	40
35-49	80	10.7	97	1	1	8	15	23	29	49
50-64	48	11.0	108	1	1	8	16	22	33	49
65+	26	11.8	76	2	3	9	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3103	5.8	31	1	1	4	8	12	16	26
20-34	2212	5.4	33	<1	1	3	7	12	16	30
35-49	1098	6.4	43	<1	1	4	9	14	19	30
50-64	725	8.6	76	1	1	6	12	19	24	44
65+	613	12.6	154	2	2	9	16	26	40	64
B. *Operated*										
0-19 YRS	587	11.7	133	1	2	8	15	26	36	59
20-34	638	12.6	157	1	2	9	17	26	37	76
35-49	388	15.6	194	1	2	11	23	37	43	75
50-64	259	19.5	317	2	3	14	26	44	59	92
65+	244	25.4	342	4	5	23	35	57	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1852	5.4	30	1	1	4	7	12	15	27
B. *Operated*	443	9.6	85	1	1	7	13	22	29	39
2. MULTIPLE DX										
A. *Not Operated*	7751	6.6	51	1	1	4	9	15	19	34
B. *Operated*	2116	15.2	217	1	2	11	21	35	45	81
1. SINGLE DX	2295	6.2	43	1	1	4	8	14	19	32
2. MULTIPLE DX	9867	8.4	99	1	1	5	11	19	27	53
A. NOT OPERATED	9603	6.3	47	1	1	4	8	14	19	33
B. OPERATED	2559	14.3	199	1	2	10	20	33	43	77
TOTAL 0-19 YRS	4762	6.5	48	1	1	4	8	14	19	34
20-34	3495	6.8	64	<1	1	4	9	15	22	40
35-49	1789	8.5	92	1	1	5	11	20	27	46
50-64	1153	11.0	151	1	1	7	14	24	35	66
65+	963	15.5	226	2	3	11	21	36	49	80
GRAND TOTAL	**12162**	**8.0**	**90**	**1**	**1**	**5**	**10**	**18**	**26**	**48**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	3.1	11	<1	1	2	4	6	8	21
20-34	108	4.5	18	<1	1	3	5	9	14	22
35-49	55	6.0	49	<1	1	4	7	14	19	41
50-64	39	8.5	252	1	2	4	6	13	45	80
65+	16	9.0	57	<1	2	7	13	23	24	24
B. *Operated*										
0-19 YRS	175	2.5	8	<1	1	2	3	4	5	16
20-34	385	2.8	15	<1	<1	2	3	5	7	20
35-49	205	4.0	63	<1	1	2	3	5	12	51
50-64	84	3.5	15	<1	1	2	3	6	13	21
65+	19	3.3	10	<1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	3.8	32	1	1	2	4	7	11	27
20-34	339	7.3	103	1	1	4	8	16	25	65
35-49	200	6.1	35	1	1	5	8	12	17	32
50-64	160	9.7	126	1	2	6	12	22	32	54
65+	221	12.1	165	2	3	8	15	24	40	87
B. *Operated*										
0-19 YRS	404	3.6	41	1	1	2	3	6	11	45
20-34	835	5.1	96	1	1	2	4	11	20	83
35-49	333	6.3	106	<1	1	2	6	19	31	99+
50-64	217	7.6	167	1	1	3	8	17	40	99
65+	87	14.1	339	1	1	6	20	45	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	5.1	56	<1	1	3	6	11	15	32
B. *Operated*	868	3.1	25	<1	1	2	3	5	8	29
2. MULTIPLE DX										
A. *Not Operated*	1110	7.8	102	1	1	5	9	17	26	62
B. *Operated*	1876	5.7	110	1	1	2	5	13	25	84
1. SINGLE DX	1173	3.6	34	<1	1	2	3	6	11	29
2. MULTIPLE DX	2986	6.5	108	1	1	3	7	15	25	78
A. NOT OPERATED	1415	7.2	93	1	1	4	8	16	23	60
B. OPERATED	2744	4.9	85	<1	1	2	4	10	21	66
TOTAL 0-19 YRS	856	3.4	29	<1	1	2	3	6	10	34
20-34	1667	5.0	76	<1	1	2	5	11	18	56
35-49	793	5.6	74	1	1	3	6	13	24	55
50-64	500	7.7	138	1	1	4	9	17	32	81
65+	343	12.0	200	1	2	7	16	29	48	99+
GRAND TOTAL	**4159**	**5.7**	**89**	**1**	**1**	**3**	**5**	**13**	**22**	**63**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	744	2.6	10	<1	1	2	3	5	6	12
20-34	654	3.1	9	<1	1	2	4	6	9	17
35-49	263	4.1	11	1	1	3	6	8	12	15
50-64	133	4.5	15	1	1	3	6	9	14	19
65+	138	5.6	31	<1	1	4	7	12	15	31
B. *Operated*										
0-19 YRS	208	4.0	19	<1	1	2	5	10	12	21
20-34	350	5.2	39	<1	1	3	6	11	14	34
35-49	152	6.2	33	1	2	4	8	13	19	29
50-64	112	5.5	26	1	1	4	8	14	15	23
65+	56	7.2	71	<1	1	5	9	15	20	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1497	2.9	8	<1	1	2	3	6	8	14
20-34	2002	3.7	15	<1	<1	3	5	8	10	18
35-49	1048	4.7	20	<1	1	4	6	9	13	20
50-64	745	5.7	31	<1	1	4	7	12	16	28
65+	1319	8.3	56	1	2	6	11	17	22	38
B. *Operated*										
0-19 YRS	549	6.7	91	1	1	4	8	14	22	59
20-34	966	9.0	145	1	1	5	10	22	32	69
35-49	441	9.1	119	1	1	6	12	21	31	82
50-64	347	12.3	210	1	1	7	15	32	50	79
65+	287	17.1	274	2	3	13	23	40	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1932	3.3	12	<1	1	2	4	7	10	17
B. *Operated*	878	5.3	34	1	1	3	7	12	15	31
2. MULTIPLE DX										
A. *Not Operated*	6611	4.8	28	<1	1	3	6	10	14	26
B. *Operated*	2590	9.9	161	1	1	5	12	23	35	77
1. SINGLE DX	2810	3.9	20	1	1	2	5	8	12	22
2. MULTIPLE DX	9201	6.2	71	<1	1	4	7	14	21	47
A. NOT OPERATED	8543	4.5	25	<1	1	3	6	10	13	25
B. OPERATED	3468	8.7	133	1	1	5	10	21	32	70
TOTAL 0-19 YRS	2998	3.6	27	<1	1	2	4	7	11	25
20-34	3972	5.0	53	<1	1	3	6	10	16	39
35-49	1904	5.8	46	<1	1	4	7	12	16	34
50-64	1337	7.3	85	1	1	4	8	15	23	52
65+	1800	9.5	101	1	2	7	12	20	27	56
GRAND TOTAL	**12011**	**5.7**	**60**	**<1**	**1**	**3**	**7**	**12**	**18**	**41**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2601	1.9	4	<1	1	1	2	4	5	9
20-34	1410	2.3	6	<1	<1	2	3	4	6	12
35-49	533	2.7	13	<1	1	2	3	5	7	19
50-64	208	3.0	9	<1	1	2	4	7	8	16
65+	202	5.9	30	1	1	4	8	11	16	28
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	13.2	739	1	1	3	7	57	85	85
35-49	5	8.6	34	3	3	7	13	17	17	17
50-64	3	14.0	247	3	3	7	26	32	32	32
65+	8	5.1	11	1	1	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10480	3.0	23	<1	1	2	3	5	8	26
20-34	12361	4.0	33	<1	1	2	4	8	13	30
35-49	6459	4.9	45	1	1	3	5	10	16	34
50-64	3762	6.2	50	1	1	4	8	13	19	37
65+	5618	7.8	48	1	2	6	10	15	20	35
B. *Operated*										
0-19 YRS	100	7.7	91	1	1	5	9	18	28	82
20-34	464	9.4	167	1	1	5	12	25	38	96
35-49	278	11.6	215	1	1	7	14	29	48	99+
50-64	264	14.5	199	2	4	11	18	26	38	93
65+	428	15.6	144	3	5	12	20	31	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4954	2.3	8	<1	1	1	3	4	6	13
B. *Operated*	26	9.6	279	1	2	5	8	17	43	85
2. MULTIPLE DX										
A. *Not Operated*	38680	4.6	39	<1	1	3	5	10	15	32
B. *Operated*	1534	12.3	177	1	1	9	16	27	40	94
1. SINGLE DX	4980	2.4	9	<1	1	1	3	4	6	14
2. MULTIPLE DX	40214	4.9	46	<1	1	3	6	11	16	34
A. NOT OPERATED	43634	4.4	36	<1	1	2	5	10	14	30
B. OPERATED	1560	12.3	179	1	1	9	16	27	40	92
TOTAL 0-19 YRS	13182	2.8	20	<1	1	2	3	5	8	23
20-34	14244	4.0	36	<1	1	2	4	8	13	31
35-49	7275	5.0	51	<1	1	3	5	11	17	37
50-64	4237	6.6	62	1	1	4	8	14	20	39
65+	6256	8.3	58	1	2	6	10	16	22	40
GRAND TOTAL	**45194**	**4.7**	**43**	**<1**	**1**	**3**	**5**	**10**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1535	2.1	6	<1	1	1	2	5	6	10
20-34	811	1.9	3	<1	1	1	2	3	5	10
35-49	414	1.9	4	<1	1	1	2	4	5	8
50-64	234	2.0	6	1	1	1	2	4	6	15
65+	125	2.4	7	1	1	2	3	4	8	14
B. *Operated*										
0-19 YRS	17	5.5	17	1	1	3	8	11	14	16
20-34	37	3.2	8	<1	1	2	5	7	9	13
35-49	18	5.8	16	2	2	4	8	11	14	16
50-64	11	4.4	12	1	1	4	5	9	13	13
65+	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3281	2.2	7	<1	1	1	2	5	6	13
20-34	2235	2.7	16	<1	<1	2	3	5	8	20
35-49	1266	3.0	18	<1	<1	2	3	6	8	20
50-64	996	4.0	35	<1	1	2	5	9	13	27
65+	737	5.7	84	<1	1	3	7	12	18	49
B. *Operated*										
0-19 YRS	54	10.5	242	1	1	6	11	26	49	78
20-34	106	10.1	268	1	1	5	10	25	49	98
35-49	68	12.1	273	1	2	7	13	33	56	97
50-64	60	14.8	280	1	3	9	20	33	54	83
65+	61	14.9	186	2	3	9	19	36	48	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3119	2.0	5	<1	1	1	2	4	6	10
B. *Operated*	85	4.6	16	1	1	3	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	8515	3.0	22	<1	1	2	3	6	9	22
B. *Operated*	349	12.2	254	1	1	7	14	32	51	96
1. SINGLE DX	3204	2.1	5	<1	1	1	2	4	6	11
2. MULTIPLE DX	8864	3.4	34	<1	1	2	3	7	10	29
A. NOT OPERATED	11634	2.7	18	<1	1	1	3	6	8	19
B. OPERATED	434	10.7	216	1	1	6	12	28	46	87
TOTAL 0-19 YRS	4887	2.3	10	<1	1	1	2	5	6	13
20-34	3189	2.8	23	<1	<1	1	3	5	8	22
35-49	1766	3.1	28	<1	1	2	3	6	9	25
50-64	1301	4.2	47	<1	1	2	4	9	13	33
65+	925	5.9	87	<1	1	3	7	13	21	49
GRAND TOTAL	**12068**	**3.0**	**27**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1283	2.7	9	<1	1	2	3	6	8	13
20-34	811	2.7	10	<1	1	2	3	5	8	16
35-49	536	2.9	9	<1	1	2	4	6	9	15
50-64	417	3.1	10	<1	1	2	4	7	9	17
65+	337	3.8	12	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	17	6.1	10	1	2	5	8	11	12	12
20-34	35	10.9	140	1	2	6	11	28	41	45
35-49	27	12.1	155	2	2	7	15	33	41	49
50-64	30	8.2	72	<1	1	6	9	20	24	40
65+	17	7.9	56	1	2	6	11	20	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2060	3.5	20	1	1	2	4	7	10	20
20-34	1834	3.5	16	<1	1	2	4	7	10	20
35-49	1618	4.2	22	1	1	3	5	9	12	25
50-64	2310	5.7	35	1	1	4	7	12	16	32
65+	4098	7.4	42	1	2	6	9	15	19	32
B. *Operated*										
0-19 YRS	87	10.3	212	1	1	5	11	25	42	79
20-34	190	11.2	271	1	1	5	12	33	54	99+
35-49	210	13.8	308	1	1	8	18	40	67	99+
50-64	346	14.5	226	2	2	10	19	34	52	99+
65+	503	16.2	217	3	4	11	21	35	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3384	2.9	10	<1	1	2	3	6	8	15
B. *Operated*	126	9.5	100	1	2	6	11	24	33	46
2. MULTIPLE DX										
A. *Not Operated*	11920	5.4	33	1	1	4	7	11	15	28
B. *Operated*	1336	14.3	244	1	2	9	19	35	53	99+
1. SINGLE DX	3510	3.1	14	<1	1	2	4	7	9	19
2. MULTIPLE DX	13256	6.3	61	1	1	4	8	13	20	43
A. NOT OPERATED	15304	4.8	29	1	1	3	6	10	14	26
B. OPERATED	1462	13.9	234	1	2	9	18	33	52	99+
TOTAL 0-19 YRS	3447	3.4	22	1	1	2	4	7	10	20
20-34	2870	3.8	37	<1	1	2	4	7	12	33
35-49	2391	4.8	54	<1	1	3	5	10	16	43
50-64	3103	6.4	63	1	1	4	8	14	20	46
65+	4955	8.0	66	1	2	6	10	16	23	44
GRAND TOTAL	**16766**	**5.6**	**53**	**1**	**1**	**3**	**7**	**12**	**18**	**38**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	4.1	26	<1	<1	2	5	11	13	27
20-34	178	3.9	14	<1	<1	3	5	10	12	18
35-49	139	4.6	15	<1	1	4	7	9	13	18
50-64	150	5.9	28	1	1	4	8	12	14	24
65+	337	7.1	53	1	1	5	8	16	23	34
B. *Operated*										
0-19 YRS	831	5.0	29	<1	<1	3	6	10	14	27
20-34	1468	4.5	36	<1	1	3	5	10	15	33
35-49	1282	5.8	54	<1	1	3	7	13	18	37
50-64	1983	8.4	82	1	2	5	11	19	25	45
65+	3390	9.4	96	1	2	6	13	21	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	317	5.1	45	<1	1	3	6	11	18	34
20-34	466	5.8	43	<1	1	4	7	12	17	39
35-49	455	6.7	63	1	1	4	8	15	20	47
50-64	657	7.3	63	1	1	5	9	15	22	42
65+	1364	9.0	96	1	2	6	11	19	28	49
B. *Operated*										
0-19 YRS	1774	8.4	101	1	2	5	10	19	29	52
20-34	2820	7.5	96	1	1	4	9	17	27	50
35-49	3360	8.8	112	1	1	5	11	19	29	63
50-64	6437	10.8	142	1	2	7	14	24	35	68
65+	10080	12.7	169	2	2	9	17	29	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	5.5	34	<1	1	4	7	12	16	31
B. *Operated*	8954	7.5	75	1	1	4	10	17	24	42
2. MULTIPLE DX										
A. *Not Operated*	3259	7.5	74	1	1	5	9	16	23	42
B. *Operated*	24471	10.7	144	1	2	7	14	25	35	68
1. SINGLE DX	9895	7.3	71	1	1	4	10	17	23	41
2. MULTIPLE DX	27730	10.4	137	1	2	6	14	24	34	65
A. NOT OPERATED	4200	7.1	66	1	1	5	9	15	22	41
B. OPERATED	33425	9.9	128	1	2	6	13	23	32	61
TOTAL 0-19 YRS	3059	7.0	76	<1	1	4	8	15	23	47
20-34	4932	6.3	72	<1	1	3	7	14	22	45
35-49	5236	7.8	93	1	1	4	10	18	26	49
50-64	9227	10.0	123	1	2	6	13	22	31	61
65+	15171	11.5	146	1	2	8	15	26	36	66
GRAND TOTAL	**37625**	**9.6**	**121**	**1**	**2**	**6**	**12**	**22**	**31**	**59**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	680	1.8	2	<1	1	1	2	3	4	6
20-34	791	2.5	3	<1	1	2	3	5	6	9
35-49	408	3.0	4	1	1	3	4	5	7	10
50-64	448	3.8	6	1	1	3	5	7	8	11
65+	717	4.1	8	1	1	4	5	7	8	15
B. *Operated*										
0-19 YRS	570	2.0	4	<1	<1	1	2	3	5	12
20-34	839	2.8	6	<1	1	2	4	5	7	11
35-49	396	3.4	8	1	1	3	4	7	9	14
50-64	250	4.3	29	1	1	3	5	9	11	19
65+	255	5.4	22	1	1	4	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	2.3	5	<1	1	2	3	5	6	10
20-34	621	3.3	12	1	1	2	4	6	8	14
35-49	399	4.1	12	1	1	3	5	9	11	15
50-64	632	4.2	10	1	1	3	5	8	9	18
65+	1103	5.0	16	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	284	2.7	10	<1	1	2	3	6	8	18
20-34	658	4.5	28	1	1	3	6	9	13	23
35-49	365	5.2	39	1	1	4	7	11	14	21
50-64	421	7.0	48	1	1	5	9	15	21	31
65+	598	8.1	57	1	2	6	10	17	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3044	3.0	5	1	1	2	4	6	7	11
B. *Operated*	2310	3.1	11	<1	1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	3085	4.1	13	1	1	3	5	8	10	18
B. *Operated*	2326	5.8	42	1	1	4	7	13	17	30
1. SINGLE DX	5354	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	5411	4.8	26	1	1	3	6	10	14	24
A. NOT OPERATED	6129	3.5	9	1	1	3	5	7	9	15
B. OPERATED	4636	4.4	28	1	1	3	5	10	14	25
TOTAL 0-19 YRS	1864	2.1	4	<1	1	1	2	4	5	11
20-34	2909	3.2	12	1	1	2	4	6	9	15
35-49	1568	3.9	16	1	1	3	5	8	10	17
50-64	1751	4.8	22	1	1	4	6	9	13	24
65+	2673	5.5	26	1	2	4	7	10	15	25
GRAND TOTAL	**10765**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	284	5.5	10	2	2	5	7	10	11	17
20-34	537	5.7	15	2	2	5	7	11	13	19
35-49	434	6.8	24	2	3	5	8	12	16	26
50-64	354	8.0	40	2	2	7	10	14	18	30
65+	295	9.3	52	2	3	8	11	18	23	37
B. *Operated*										
0-19 YRS	250	7.0	54	1	2	6	9	13	15	21
20-34	475	8.2	57	1	2	6	10	17	23	41
35-49	354	8.8	66	1	2	6	11	20	26	37
50-64	327	10.8	105	2	2	7	14	23	30	55
65+	254	11.6	110	2	2	9	15	25	36	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	283	6.5	22	2	2	5	8	12	15	25
20-34	680	6.7	32	2	2	5	8	13	15	31
35-49	630	7.8	37	2	3	6	10	15	20	32
50-64	806	9.7	65	2	3	7	12	18	25	44
65+	901	11.5	87	3	4	9	14	22	28	49
B. *Operated*										
0-19 YRS	285	10.9	114	2	2	8	13	24	32	62
20-34	688	11.8	127	2	2	8	15	26	33	58
35-49	650	13.9	195	2	3	9	17	30	44	84
50-64	918	16.4	247	2	3	12	21	38	51	94
65+	964	17.2	217	3	4	13	23	37	51	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1904	6.9	29	2	2	6	8	13	16	29
B. *Operated*	1660	9.2	78	1	2	7	11	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	3300	8.9	59	2	3	7	11	17	23	42
B. *Operated*	3505	14.8	200	2	3	10	19	33	46	85
1. SINGLE DX	3564	8.0	53	2	2	6	10	16	22	37
2. MULTIPLE DX	6805	12.0	140	2	3	8	15	26	36	70
A. NOT OPERATED	5204	8.2	49	2	3	6	10	15	21	36
B. OPERATED	5165	13.0	168	2	3	9	16	29	40	76
TOTAL 0-19 YRS	1102	7.5	54	2	2	6	9	14	20	37
20-34	2380	8.2	66	2	2	6	10	17	24	43
35-49	2068	9.7	97	2	3	7	11	21	28	59
50-64	2405	12.2	148	2	3	8	15	25	37	72
65+	2414	13.5	146	2	4	10	17	29	38	70
GRAND TOTAL	**10369**	**10.6**	**114**	**2**	**3**	**7**	**13**	**22**	**31**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.3	13	1	1	2	4	6	10	19
20-34	353	4.1	19	1	1	3	5	9	11	21
35-49	302	5.2	17	1	1	4	7	11	13	20
50-64	300	6.3	30	1	2	5	8	13	18	28
65+	260	5.9	25	1	1	5	8	12	15	24
B. *Operated*										
0-19 YRS	224	4.6	32	<1	1	3	6	9	13	31
20-34	588	5.6	33	<1	1	4	7	12	15	31
35-49	552	6.2	42	1	1	4	8	13	16	43
50-64	562	7.6	71	1	2	5	10	16	22	48
65+	582	7.3	71	<1	1	4	10	17	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	3.9	22	1	1	2	5	8	11	25
20-34	781	4.7	30	1	1	3	6	9	12	23
35-49	770	6.3	45	1	1	5	8	13	18	29
50-64	955	7.5	59	1	2	5	9	14	21	38
65+	1261	9.0	76	1	2	7	11	18	25	50
B. *Operated*										
0-19 YRS	336	7.8	113	1	1	4	9	18	29	60
20-34	1171	8.3	80	1	1	6	10	17	26	53
35-49	1252	10.4	126	1	2	7	12	23	35	66
50-64	1716	12.3	176	1	2	8	16	28	41	82
65+	2218	13.3	193	1	2	9	18	31	43	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1358	5.1	22	1	1	4	7	11	14	24
B. *Operated*	2508	6.5	53	1	1	4	8	14	19	41
2. MULTIPLE DX										
A. *Not Operated*	4102	6.9	56	1	1	5	9	14	20	38
B. *Operated*	6693	11.3	156	1	2	7	14	26	39	75
1. SINGLE DX	3866	6.0	43	1	1	4	7	13	18	33
2. MULTIPLE DX	10795	9.7	123	1	2	6	12	22	32	63
A. NOT OPERATED	5460	6.4	48	1	1	4	8	13	18	34
B. OPERATED	9201	10.0	133	1	2	6	12	23	34	65
TOTAL 0-19 YRS	1038	5.2	55	1	1	3	6	11	18	39
20-34	2893	6.3	52	1	1	4	8	13	19	42
35-49	2876	7.9	81	1	1	5	10	16	24	55
50-64	3533	9.7	121	1	2	6	12	22	31	63
65+	4321	10.8	140	1	2	7	14	24	35	66
GRAND TOTAL	**14661**	**8.7**	**104**	**1**	**1**	**5**	**11**	**19**	**28**	**57**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.6	3	1	1	2	3	5	6	9
20-34	35	3.4	7	1	1	2	5	7	9	10
35-49	31	4.5	14	1	1	4	6	9	12	17
50-64	20	6.4	101	<1	1	3	7	14	30	45
65+	21	4.9	18	1	1	3	7	9	15	19
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	5.4	21	1	1	4	7	13	15	15
35-49	10	5.9	10	1	1	7	8	10	11	11
50-64	8	18.3	609	2	2	9	21	62	75	75
65+	7	6.4	45	1	1	3	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.2	6	1	1	3	4	6	8	13
20-34	99	4.8	15	<1	1	4	6	11	14	17
35-49	71	5.4	17	1	1	4	8	10	14	20
50-64	139	5.5	41	1	1	3	8	13	17	37
65+	158	5.4	39	1	1	3	6	13	18	31
B. *Operated*										
0-19 YRS	9	11.3	115	2	2	8	18	29	29	29
20-34	30	5.7	16	1	1	4	9	12	14	14
35-49	51	7.7	34	2	2	6	10	18	21	22
50-64	49	13.9	153	1	2	10	19	32	39	56
65+	49	14.8	243	1	2	11	18	28	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.6	18	1	1	3	5	7	9	18
B. *Operated*	34	8.6	175	1	1	6	9	15	29	75
2. MULTIPLE DX										
A. *Not Operated*	637	4.7	25	1	1	3	6	10	15	27
B. *Operated*	188	11.0	132	1	2	8	15	22	30	65
1. SINGLE DX	236	4.4	43	1	1	3	5	8	11	33
2. MULTIPLE DX	825	6.2	56	1	1	4	8	14	19	37
A. NOT OPERATED	839	4.5	23	1	1	3	5	10	14	25
B. OPERATED	222	10.7	138	1	2	7	14	21	30	67
TOTAL 0-19 YRS	275	3.3	10	1	1	2	4	6	8	15
20-34	172	4.7	14	1	1	4	6	10	14	16
35-49	163	6.0	23	1	1	5	8	11	17	22
50-64	216	8.0	105	1	1	4	10	19	28	50
65+	235	7.3	93	1	1	4	9	18	24	64
GRAND TOTAL	**1061**	**5.8**	**54**	**1**	**1**	**3**	**7**	**13**	**18**	**37**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	56	1.4	1	<1	<1	1	2	3	3	5
35-49	29	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	168	1.8	1	<1	<1	2	2	3	4	5
20-34	19232	1.8	1	<1	<1	1	2	3	4	5
35-49	7761	1.7	1	<1	<1	1	2	3	4	5
50-64	59	1.6	2	<1	<1	1	2	3	4	8
65+	16	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
20-34	286	1.2		<1	<1	1	1	2	2	4
35-49	106	1.4	1	<1	<1	<1	1	3	3	6
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	102	3.0	4	<1	<1	2	4	6	8	9
20-34	10910	2.3	3	<1	<1	2	3	4	5	8
35-49	5279	2.2	3	<1	<1	2	3	4	5	8
50-64	48	1.9	1	<1	<1	2	2	3	3	4
65+	9	2.2	4	<1	<1	2	2	5	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	1.4	1	<1	<1	1	2	3	3	5
B. *Operated*	27236	1.8	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	403	1.2	1	<1	<1	1	1	2	3	5
B. *Operated*	16348	2.3	3	<1	<1	2	3	4	5	8
1. SINGLE DX	27322	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	16751	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	489	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	43584	1.9	2	<1	<1	2	2	4	4	7
TOTAL 0-19 YRS	280	2.2	3	<1	<1	2	3	5	6	8
20-34	30484	1.9	2	<1	<1	2	2	4	4	7
35-49	13175	1.9	2	<1	<1	2	2	4	4	7
50-64	109	1.8	1	<1	<1	2	2	3	3	7
65+	25	2.3	3	<1	<1	2	3	5	6	7
GRAND TOTAL	**44073**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	6	25.5	162	12	12	23	30	46	48	48
1500-1749	29	17.9	42	8	9	18	22	25	27	37
1750-2499	8797	3.5	5	1	2	3	4	6	7	12
2500+	531348	3.1	2	1	2	3	4	5	6	7
B. *Operated*										
1-999 G	1	99.0		99	99	99	99	99	99+	99+
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749	2	26.0	50	21	21	26	31	31	31	31
1750-2499	12	9.8	102	<1	1	7	11	29	32	33
2500+	306	4.4	8	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	132	65.2	485	16	37	72	88	99+	99+	99+
1000-1499	983	42.0	260	18	24	41	52	64	71	93
1500-1749	1415	25.4	100	12	14	24	30	38	44	59
1750-2499	21582	7.8	45	2	2	5	10	16	21	32
2500+	224338	4.0	5	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	220	68.9	469	35	46	87	99+	99+	99+	99+
1000-1499	813	52.4	335	26	32	52	68	85	99+	99+
1500-1749	556	35.2	208	18	21	33	43	55	75	99+
1750-2499	1945	17.3	158	3	6	15	22	31	42	84
2500+	5099	8.4	85	2	3	6	9	16	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540180	3.1	2	1	2	3	4	5	6	7
B. *Operated*	322	5.2	51	2	2	4	6	8	11	32
2. MULTIPLE DX										
A. *Not Operated*	248450	4.6	21	2	2	4	5	7	9	24
B. *Operated*	8633	17.8	395	2	3	10	25	52	75	99+
1. SINGLE DX	540502	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	257083	5.0	40	2	2	4	5	7	11	37
A. NOT OPERATED	788630	3.5	9	1	2	3	4	5	7	13
B. OPERATED	8955	17.3	388	2	3	9	24	52	74	99+
TOTAL 1-999 G	353	67.6	478	28	45	80	99+	99+	99+	99+
1000-1499	1803	46.7	322	21	26	46	59	75	88	99+
1500-1749	2002	28.0	150	12	15	26	34	44	52	87
1750-2499	32336	7.2	51	2	2	5	9	16	21	34
2500+	761091	3.4	4	1	2	3	4	5	6	9
GRAND TOTAL	**797585**	**3.7**	**15**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	27.0	162	18	18	27	36	36	36	36
1500-1749	11	19.6	63	8	9	20	24	30	36	37
1750-2499	1240	5.0	10	2	2	4	6	8	11	17
2500+	4834	4.5	4	2	2	4	6	7	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	2	29.5	41	25	25	29	34	34	34	34
1750-2499	3	8.0	63	2	2	5	14	17	17	17
2500+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	20	69.3	314	32	53	76	88	99+	99+	99+
1000-1499	232	38.9	238	17	20	37	47	59	67	93
1500-1749	375	25.3	93	12	14	24	31	37	44	53
1750-2499	3415	9.4	43	3	3	7	13	18	22	30
2500+	2958	5.5	8	2	3	5	6	8	10	16
B. *Operated*										
1-999 G	37	67.9	358	27	52	80	99+	99+	99+	99+
1000-1499	174	52.4	278	25	30	52	63	81	88	99+
1500-1749	104	34.1	132	19	21	31	40	52	56	65
1750-2499	307	17.0	91	5	7	16	22	29	32	70
2500+	103	9.2	52	3	4	7	10	19	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6087	4.6	6	2	2	4	6	7	8	13
B. *Operated*	7	13.6	148	2	2	8	23	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	7000	9.8	97	3	3	6	11	21	29	52
B. *Operated*	725	29.4	478	5	7	25	45	68	87	99+
1. SINGLE DX	6094	4.6	6	2	2	4	6	7	8	13
2. MULTIPLE DX	7725	11.6	166	3	3	7	14	26	40	77
A. NOT OPERATED	13087	7.4	61	2	3	5	7	15	22	43
B. OPERATED	732	29.3	477	5	6	24	45	68	87	99+
TOTAL 1-999 G	57	68.4	337	29	53	79	99+	99+	99+	99+
1000-1499	408	44.6	299	19	24	43	57	72	83	99+
1500-1749	492	27.0	114	12	15	25	33	41	47	57
1750-2499	4965	8.8	46	2	3	6	12	18	22	31
2500+	7897	4.9	7	2	3	5	6	7	8	14
GRAND TOTAL	**13819**	**8.5**	**107**	**2**	**3**	**5**	**8**	**18**	**29**	**62**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	76	4.3	16	1	1	3	5	8	13	22
2500+	1315	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	45.5	1861	15	15	76	94	99+	99+	99+
1000-1499	17	42.7	252	18	22	43	55	67	68	68
1500-1749	26	23.6	88	8	10	25	32	35	38	45
1750-2499	231	8.9	63	2	2	6	12	19	24	35
2500+	620	4.1	18	1	2	3	5	7	9	15
B. *Operated*										
1-999 G	6	66.2	640	23	39	87	99+	99+	99+	99+
1000-1499	15	66.0	209	40	54	65	71	90	94	96
1500-1749	8	41.1	326	15	18	40	53	67	70	70
1750-2499	25	16.7	154	1	2	15	20	40	45	50
2500+	26	9.0	63	2	3	5	14	25	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1391	2.6	3	1	1	2	3	4	5	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	896	6.7	80	1	2	4	7	15	24	51
B. *Operated*	80	29.6	731	2	3	20	60	76	99+	99+
1. SINGLE DX	1392	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX	976	8.6	172	1	2	4	8	21	39	80
A. NOT OPERATED	2287	4.2	37	1	1	3	4	7	13	32
B. OPERATED	81	29.3	732	2	3	19	60	76	99+	99+
TOTAL 1-999 G	8	61.0	814	16	21	76	99+	99+	99+	99+
1000-1499	32	53.6	364	21	26	56	67	72	89	96
1500-1749	34	27.7	193	8	14	26	32	45	58	70
1750-2499	332	8.4	68	1	2	5	12	19	24	42
2500+	1962	3.1	9	1	1	3	3	5	7	13
GRAND TOTAL	**2368**	**5.1**	**81**	**1**	**1**	**3**	**4**	**9**	**17**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.5	7	<1	<1	1	3	5	9	15
20-34	73	2.5	10	<1	<1	2	2	4	11	18
35-49	29	3.3	11	<1	<1	2	4	7	9	17
50-64	35	3.1	6	<1	<1	3	4	6	7	13
65+	14	3.0	5	<1	<1	3	4	5	8	9
B. *Operated*										
0-19 YRS	2777	2.4	3	<1	<1	2	3	4	5	8
20-34	4382	2.6	4	<1	1	2	3	4	6	10
35-49	2013	2.7	5	<1	1	2	3	5	6	12
50-64	1640	3.1	9	<1	1	2	4	5	7	13
65+	1123	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	1.6	3	<1	<1	1	2	3	5	11
20-34	46	2.2	22	<1	<1	1	2	3	3	33
35-49	26	2.3	4	<1	1	1	3	5	8	8
50-64	21	5.4	87	<1	<1	2	4	19	32	35
65+	30	8.2	111	1	1	4	14	27	40	99+
B. *Operated*										
0-19 YRS	638	3.8	22	1	1	3	4	7	10	29
20-34	899	4.1	30	1	1	3	4	7	11	29
35-49	510	4.8	33	1	1	3	5	9	14	35
50-64	629	5.7	51	1	1	4	6	11	16	38
65+	720	9.3	88	2	2	6	12	20	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.7	8	<1	<1	2	3	5	9	16
B. *Operated*	11935	2.8	7	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	165	3.6	44	<1	<1	1	3	8	24	40
B. *Operated*	3396	5.5	49	1	1	3	6	12	17	38
1. SINGLE DX	12159	2.8	7	<1	1	2	3	5	6	13
2. MULTIPLE DX	3561	5.4	49	1	1	3	6	12	17	38
A. NOT OPERATED	389	3.1	24	<1	<1	2	3	6	11	32
B. OPERATED	15331	3.4	18	<1	1	2	4	6	9	22
TOTAL 0-19 YRS	3530	2.6	7	<1	1	2	3	4	6	12
20-34	5400	2.8	9	<1	1	2	3	5	6	13
35-49	2578	3.1	11	<1	1	2	3	5	8	17
50-64	2325	3.8	22	<1	1	3	4	7	10	23
65+	1887	6.4	56	1	2	4	7	14	20	41
GRAND TOTAL	**15720**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (?)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	5	1.4	1	1	1	1	2	3	3	3
65+	8	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	17	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	24	1.2	1	<1	<1	<1	<1	1	2	5
65+	18	1.6	6	<1	<1	<1	<1	2	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	1.5	2	<1	1	1	1	2	3	11
20-34	87	2.1	9	<1	<1	2	2	3	4	21
35-49	141	1.8	6	1	1	1	2	3	4	12
50-64	623	1.7	1	1	1	2	2	2	3	8
65+	613	1.9	2	1	1	2	2	3	3	9
B. *Operated*										
0-19 YRS	5	11.2	81	4	4	11	15	26	26	26
20-34	118	2.1	13	<1	<1	<1	<1	4	9	21
35-49	111	1.9	4	<1	<1	<1	2	4	8	10
50-64	221	3.5	29	<1	<1	<1	4	9	15	31
65+	96	4.3	32	<1	<1	2	5	9	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.8	2	<1	<1	1	2	3	5	6
B. *Operated*	61	1.2	2	<1	<1	<1	<1	1	2	10
2. MULTIPLE DX										
A. *Not Operated*	1545	1.8	2	1	1	2	2	2	3	9
B. *Operated*	551	3.1	23	<1	<1	<1	3	8	12	30
1. SINGLE DX	79	1.4	2	<1	<1	<1	1	2	3	10
2. MULTIPLE DX	2096	2.1	8	<1	<1	1	2	3	6	16
A. NOT OPERATED	1563	1.8	2	1	1	2	2	2	3	9
B. OPERATED	612	2.9	21	<1	<1	<1	3	7	11	27
TOTAL 0-19 YRS	87	2.0	11	<1	1	1	2	4	7	21
20-34	208	2.1	11	<1	<1	1	2	3	5	21
35-49	272	1.8	5	<1	<1	1	2	3	5	10
50-64	873	2.1	9	<1	<1	1	2	3	6	17
65+	735	2.2	7	<1	1	2	2	3	5	12
GRAND TOTAL	**2175**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**3**	**5**	**16**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6267	2.0	11	<1	<1	1	2	4	6	14
20-34	9059	2.0	12	<1	<1	<1	2	4	5	13
35-49	2710	2.6	16	<1	<1	1	3	5	7	20
50-64	3638	2.9	16	<1	<1	2	3	6	8	21
65+	3149	4.4	68	<1	<1	2	4	9	16	68
B. *Operated*										
0-19 YRS	2090	3.1	18	<1	<1	2	3	7	10	18
20-34	6955	3.0	11	<1	<1	2	4	7	9	14
35-49	3954	3.6	13	<1	1	2	5	8	11	16
50-64	3549	4.3	20	1	1	2	6	10	12	20
65+	3326	4.4	26	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5420	3.7	29	<1	<1	2	4	7	12	28
20-34	8177	4.0	43	<1	<1	2	4	7	14	33
35-49	9613	4.4	45	1	1	2	5	8	16	33
50-64	24358	4.2	37	1	1	2	5	8	12	32
65+	22216	5.9	73	1	1	3	6	13	21	49
B. *Operated*										
0-19 YRS	1848	5.0	67	<1	1	2	5	10	17	40
20-34	6061	4.6	51	<1	<1	3	5	9	14	43
35-49	6458	5.1	50	<1	1	3	6	11	15	41
50-64	9924	6.0	64	1	1	3	8	13	19	45
65+	10646	7.4	100	1	1	4	9	17	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24823	2.5	20	<1	<1	1	2	5	7	21
B. *Operated*	19874	3.6	16	<1	<1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	69784	4.7	50	1	1	3	5	9	17	38
B. *Operated*	34937	6.0	71	<1	1	3	7	13	19	49
1. SINGLE DX	44697	3.0	19	<1	<1	2	3	7	10	19
2. MULTIPLE DX	104721	5.1	58	1	1	3	5	11	18	42
A. NOT OPERATED	94607	4.1	43	<1	<1	2	4	8	14	35
B. OPERATED	54811	5.1	53	<1	1	3	6	11	16	40
TOTAL 0-19 YRS	15625	3.1	26	<1	<1	2	3	6	10	28
20-34	30252	3.3	29	<1	<1	2	3	7	10	28
35-49	22735	4.3	38	<1	1	2	5	9	13	31
50-64	41469	4.5	41	1	1	2	5	9	14	34
65+	39337	6.1	77	1	1	3	7	14	21	51
GRAND TOTAL	**149418**	**4.5**	**47**	**<1**	**<1**	**2**	**5**	**10**	**15**	**37**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD 9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
288	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatoceie
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, United States, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — see *also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457562	3.2	14	<1	1	2	4	6	8	17
20-34	884527	3.7	12	1	1	3	4	7	9	17
35-49	398667	5.0	23	1	1	3	6	10	13	24
50-64	367284	5.9	32	1	2	4	8	12	16	27
65+	360961	7.0	51	1	2	5	9	15	20	35
2. MULTIPLE DX										
0-19 YRS	384111	5.1	57	1	1	3	5	10	16	44
20-34	931648	5.3	34	1	2	4	6	9	14	31
35-49	614043	7.3	56	1	2	6	9	14	20	40
50-64	833794	9.3	84	2	2	7	12	19	26	50
65+	1330494	11.9	121	2	3	9	15	24	33	63
TOT. SINGLE DX	2469001	4.6	25	1	1	3	5	9	13	24
" MULTIPLE DX	4094090	8.5	85	1	2	6	10	18	26	51
TOTAL 0-19 YRS	841673	4.1	35	<1	1	3	4	7	11	31
20-34	1816175	4.5	24	1	1	3	5	8	11	25
35-49	1012710	6.4	44	1	2	5	8	13	17	34
50-64	1201078	8.2	71	1	2	6	10	17	23	45
65+	1691455	10.8	110	2	2	8	14	23	31	58
GRAND TOTAL	**6563091**	**7.0**	**66**	**1**	**2**	**4**	**8**	**15**	**22**	**43**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	313	11.1	90	1	2	9	14	22	32	54
20-34	456	14.4	127	4	5	12	17	24	38	69
35-49	513	13.9	84	3	5	11	18	25	31	56
50-64	730	16.1	136	5	6	13	19	30	40	80
65+	668	18.1	161	5	7	14	22	35	41	70
2. MULTIPLE DX										
0-19 YRS	520	17.7	286	2	3	13	24	48	73	99+
20-34	507	23.5	389	5	7	17	29	54	81	99+
35-49	677	22.8	337	6	7	17	30	54	80	99+
50-64	1362	25.0	328	7	9	19	33	57	75	99+
65+	1628	28.8	344	8	10	25	39	61	77	99+
TOT. SINGLE DX	2680	15.3	130	3	5	12	19	29	39	69
" MULTIPLE DX	4694	25.0	349	5	8	20	34	57	77	99+
TOTAL 0-19 YRS	833	15.2	223	2	2	11	20	37	59	99+
20-34	963	19.2	286	4	6	14	22	42	62	99
35-49	1190	18.9	248	4	7	14	23	41	61	99+
50-64	2092	21.9	279	6	8	17	28	48	67	99+
65+	2296	25.7	315	7	9	21	35	55	71	99+
GRAND TOTAL	**7374**	**21.5**	**291**	**4**	**7**	**16**	**28**	**48**	**67**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	10.1	63	3	3	8	12	18	28	43
20-34	236	13.6	113	3	5	11	16	25	35	86
35-49	243	16.4	164	5	6	13	19	30	39	88
50-64	350	17.1	156	5	6	14	20	33	45	99
65+	340	17.2	147	5	6	14	21	35	45	64
2. MULTIPLE DX										
0-19 YRS	376	19.0	379	3	5	11	27	59	86	99+
20-34	419	21.7	370	5	6	15	30	58	82	99+
35-49	406	24.9	428	5	7	18	36	63	87	99+
50-64	566	26.4	345	7	9	22	36	64	80	99+
65+	869	26.3	327	7	9	22	35	53	68	99+
TOT. SINGLE DX	1391	15.3	140	4	5	12	19	30	40	72
" MULTIPLE DX	2636	24.3	368	5	7	19	34	59	78	99+
TOTAL 0-19 YRS	598	15.7	280	3	4	9	18	42	68	99+
20-34	655	18.7	293	4	6	13	24	48	75	99+
35-49	649	21.7	346	5	7	15	28	52	72	99+
50-64	916	22.9	294	6	8	18	31	52	71	99+
65+	1209	23.8	293	6	8	19	31	49	63	98
GRAND TOTAL	**4027**	**21.2**	**308**	**5**	**6**	**16**	**28**	**49**	**68**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	484	5.9	16	2	3	5	7	9	11	19
20-34	173	6.8	14	2	3	6	9	12	14	19
35-49	81	7.1	22	2	3	6	8	12	18	26
50-64	54	9.4	40	3	4	8	12	16	24	34
65+	28	8.3	27	2	3	8	12	14	16	26
2. MULTIPLE DX										
0-19 YRS	461	9.1	103	2	3	6	10	17	32	60
20-34	363	12.2	178	3	3	8	13	31	57	99+
35-49	180	12.1	143	3	4	9	14	26	34	82
50-64	127	15.3	240	4	4	10	18	34	61	98
65+	51	19.0	309	3	6	12	24	51	62	99+
TOT. SINGLE DX	820	6.5	19	2	3	6	8	11	14	22
" MULTIPLE DX	1182	11.6	162	3	3	8	13	27	45	99+
TOTAL 0-19 YRS	945	7.5	61	2	3	6	8	12	18	52
20-34	536	10.5	132	3	3	7	12	21	45	99+
35-49	261	10.6	111	3	3	8	12	20	28	69
50-64	181	13.5	187	3	4	9	16	29	43	87
65+	79	15.2	234	3	3	10	16	42	57	93
GRAND TOTAL	**2002**	**9.5**	**110**	**2**	**3**	**7**	**10**	**18**	**31**	**76**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	275	8.0	35	2	3	7	10	13	18	29
20-34	59	11.4	50	4	4	10	14	22	35	99+
35-49	54	15.6	158	5	5	12	20	26	44	70
50-64	72	14.6	140	4	5	11	18	24	37	71
65+	145	18.5	166	6	7	15	24	34	45	69
2. MULTIPLE DX										
0-19 YRS	417	20.2	410	3	4	12	28	56	81	99+
20-34	143	20.9	359	6	6	14	26	55	67	99+
35-49	104	27.0	572	5	7	18	51	95	99+	99+
50-64	190	25.6	306	6	8	22	39	61	78	99+
65+	456	30.0	332	8	11	26	41	61	85	99+
TOT. SINGLE DX	605	12.3	111	3	4	9	15	24	32	66
" MULTIPLE DX	1310	25.0	393	5	6	20	37	62	85	99+
TOTAL 0-19 YRS	692	15.3	297	3	4	9	17	43	64	99+
20-34	202	18.1	287	5	6	12	22	49	65	99+
35-49	158	23.1	459	5	6	16	33	78	99+	99+
50-64	262	22.6	284	5	7	18	32	55	74	99+
65+	601	27.2	317	7	9	24	38	56	72	99+
GRAND TOTAL	**1915**	**21.0**	**338**	**4**	**5**	**15**	**29**	**52**	**72**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	7.2	57	2	2	6	8	13	17	46
20-34	116	10.0	107	1	2	7	12	17	27	57
35-49	71	14.2	127	3	4	12	18	30	43	52
50-64	59	13.2	172	2	3	9	16	27	44	64
65+	63	13.3	219	1	2	9	17	27	38	91
2. MULTIPLE DX										
0-19 YRS	1177	12.5	229	2	3	7	14	32	50	99
20-34	361	19.2	339	3	4	12	28	56	87	99+
35-49	212	19.1	295	3	4	14	28	53	74	99+
50-64	241	23.6	420	3	4	17	32	56	74	99+
65+	272	24.8	363	4	7	19	31	55	68	98
TOT. SINGLE DX	693	9.5	104	2	2	6	11	18	27	56
" MULTIPLE DX	2263	16.8	313	2	3	10	23	46	66	99+
TOTAL 0-19 YRS	1561	11.2	192	2	3	6	12	27	45	91
20-34	477	16.9	299	3	3	11	23	48	73	99+
35-49	283	17.8	258	3	4	13	25	46	67	99+
50-64	300	21.6	388	3	4	16	30	51	70	97
65+	335	22.6	356	3	4	17	29	50	67	99
GRAND TOTAL	**2956**	**15.1**	**274**	**2**	**3**	**9**	**19**	**40**	**59**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	12.7	132	4	5	9	15	25	39	63
20-34	855	10.3	38	4	5	9	12	17	21	33
35-49	1726	10.8	40	5	5	9	13	18	23	33
50-64	1688	11.9	47	5	6	10	14	20	25	36
65+	868	15.3	86	6	7	12	19	27	34	49
2. MULTIPLE DX										
0-19 YRS	75	17.4	153	4	6	15	26	48	99+	99+
20-34	728	15.7	168	5	6	12	19	31	46	93
35-49	1452	14.8	106	5	6	12	18	27	35	65
50-64	2430	17.5	183	6	7	13	21	34	48	90
65+	2120	22.0	237	7	8	17	28	43	58	97
TOT. SINGLE DX	5195	11.9	54	5	6	10	14	20	25	39
" MULTIPLE DX	6805	18.2	190	6	7	14	22	36	49	93
TOTAL 0-19 YRS	133	15.4	149	4	5	12	21	33	60	99+
20-34	1583	12.8	105	4	5	10	15	23	32	70
35-49	3178	12.7	75	5	6	10	15	23	29	51
50-64	4118	15.2	135	5	6	12	18	28	38	73
65+	2988	20.1	203	7	8	16	25	39	52	91
GRAND TOTAL	**12000**	**15.4**	**141**	**5**	**6**	**12**	**18**	**29**	**39**	**75**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	10.7	93	1	2	8	14	22	34	46
20-34	425	9.0	92	1	1	6	12	21	31	44
35-49	466	8.9	85	1	2	6	12	19	25	48
50-64	296	10.6	101	1	2	8	15	21	29	49
65+	129	14.4	164	2	2	12	19	28	36	70
2. MULTIPLE DX										
0-19 YRS	300	20.0	244	3	5	16	29	43	52	99+
20-34	624	13.9	200	2	2	9	19	34	47	88
35-49	742	13.0	166	2	2	9	16	31	41	62
50-64	673	15.9	211	2	2	12	21	35	46	74
65+	443	22.5	338	3	4	17	31	51	62	99+
TOT. SINGLE DX	1474	9.9	101	1	2	7	13	21	29	48
" MULTIPLE DX	2782	16.2	232	2	2	11	22	37	50	86
TOTAL 0-19 YRS	458	16.8	211	2	3	13	23	37	48	99
20-34	1049	11.9	163	1	2	8	15	30	40	70
35-49	1208	11.4	139	2	2	8	14	25	36	59
50-64	969	14.3	184	2	2	11	18	31	43	64
65+	572	20.6	310	2	4	16	28	46	60	97
GRAND TOTAL	**4256**	**14.0**	**195**	**2**	**2**	**10**	**18**	**32**	**45**	**77**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	183	3.6	19	<1	1	2	4	6	12	18
20-34	975	3.1	6	<1	1	2	3	6	8	14
35-49	1301	3.2	7	<1	1	2	4	6	9	16
50-64	1668	3.3	10	<1	1	3	4	6	9	16
65+	780	3.9	16	1	1	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	115	4.4	32	<1	1	3	4	9	11	34
20-34	589	5.0	34	1	1	3	5	12	16	28
35-49	800	5.8	44	1	2	3	7	12	18	34
50-64	1081	6.6	62	1	2	4	8	15	21	46
65+	634	7.8	79	1	2	4	9	20	28	53
TOT. SINGLE DX	4907	3.3	11	<1	1	2	4	6	9	16
" MULTIPLE DX	3219	6.3	56	1	2	4	7	14	21	41
TOTAL 0-19 YRS	298	3.9	24	<1	1	2	4	8	11	27
20-34	1564	3.8	18	<1	1	3	4	8	12	22
35-49	2101	4.2	24	1	1	3	4	9	12	26
50-64	2749	4.6	34	1	1	3	5	9	14	31
65+	1414	5.6	48	1	2	3	6	13	20	39
GRAND TOTAL	**8126**	**4.5**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	538	2.5	4	<1	1	2	3	4	5	9
20-34	3947	2.3	2	<1	<1	2	3	4	5	9
35-49	5736	2.4	3	<1	1	2	3	4	5	10
50-64	5712	2.5	4	<1	1	2	3	4	5	11
65+	3128	2.7	5	<1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	765	2.9	16	1	1	2	3	5	7	15
20-34	2390	3.5	20	1	1	2	4	7	10	25
35-49	2823	4.5	26	1	1	3	5	10	14	26
50-64	3861	4.6	25	1	1	3	5	10	15	27
65+	2756	5.5	47	1	1	3	6	12	18	33
TOT. SINGLE DX	19061	2.5	4	<1	1	2	3	4	5	10
" MULTIPLE DX	12595	4.5	30	1	1	3	5	10	14	28
TOTAL 0-19 YRS	1303	2.7	12	1	1	2	3	4	6	14
20-34	6337	2.8	9	<1	1	2	3	5	7	15
35-49	8559	3.1	12	<1	1	2	3	5	9	18
50-64	9573	3.4	14	<1	1	2	3	6	10	20
65+	5884	4.0	27	1	1	2	4	8	13	27
GRAND TOTAL	**31656**	**3.3**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.6	20	2	3	5	9	12	18	20
20-34	124	7.3	30	2	3	6	9	13	17	30
35-49	126	8.1	21	1	3	7	11	15	16	20
50-64	155	10.8	69	3	4	9	12	18	26	39
65+	180	12.2	53	4	5	10	15	21	24	41
2. MULTIPLE DX										
0-19 YRS	10	12.6	383	2	3	6	7	42	67	67
20-34	130	8.0	30	3	4	6	9	14	21	33
35-49	164	12.2	102	2	4	9	16	26	32	46
50-64	441	16.7	173	5	6	13	20	34	43	95
65+	964	19.2	195	6	7	15	23	36	49	91
TOT. SINGLE DX	601	9.8	49	2	3	8	12	17	22	36
" MULTIPLE DX	1709	17.0	180	4	6	13	21	33	45	89
TOTAL 0-19 YRS	26	8.9	159	2	3	5	9	17	29	67
20-34	254	7.6	30	2	4	6	9	14	19	32
35-49	290	10.4	71	2	3	8	13	20	27	42
50-64	595	15.2	153	4	5	12	18	31	40	87
65+	1144	18.1	180	5	7	14	22	34	46	90
GRAND TOTAL	**2310**	**15.1**	**156**	**4**	**5**	**12**	**19**	**30**	**40**	**82**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.5	25	1	2	4	6	13	16	22
20-34	116	5.0	42	<1	<1	2	6	10	18	37
35-49	154	6.1	31	<1	1	4	9	14	16	26
50-64	144	6.3	43	<1	1	4	8	13	17	38
65+	65	6.2	19	1	2	5	9	11	13	25
2. MULTIPLE DX										
0-19 YRS	33	3.8	16	1	1	3	4	8	10	22
20-34	147	8.4	53	1	1	6	12	18	24	31
35-49	221	9.7	75	1	2	7	14	22	29	40
50-64	221	10.5	103	2	3	7	13	22	27	67
65+	214	13.4	105	2	3	11	19	26	30	50
TOT. SINGLE DX	505	5.9	36	<1	1	4	8	12	16	32
" MULTIPLE DX	836	10.4	89	1	2	8	14	23	28	50
TOTAL 0-19 YRS	59	4.6	21	1	1	3	5	11	14	22
20-34	263	6.9	51	<1	1	4	10	16	23	36
35-49	375	8.2	60	1	2	5	11	17	26	35
50-64	365	8.8	84	1	2	6	11	18	25	56
65+	279	11.7	94	1	2	9	16	25	29	50
GRAND TOTAL	**1341**	**8.7**	**74**	**1**	**1**	**6**	**11**	**19**	**26**	**41**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	425	4.4	12	2	2	4	5	6	8	18
20-34	2844	4.3	4	2	3	4	5	6	7	13
35-49	3071	4.3	4	2	3	4	5	6	7	12
50-64	2515	4.6	7	3	3	4	5	6	8	14
65+	1072	5.5	18	3	3	5	6	8	12	22
2. MULTIPLE DX										
0-19 YRS	163	6.2	36	2	3	5	7	10	13	31
20-34	1045	5.8	30	3	3	5	6	9	13	26
35-49	1581	6.1	30	3	3	5	6	10	14	28
50-64	1923	7.1	38	3	3	5	8	13	19	32
65+	1331	9.1	62	3	4	6	11	18	24	37
TOT. SINGLE DX	9927	4.5	7	2	3	4	5	6	8	14
" MULTIPLE DX	6043	7.0	42	3	3	5	8	13	18	33
TOTAL 0-19 YRS	588	4.9	20	2	3	4	5	8	10	19
20-34	3889	4.7	12	2	3	4	5	7	9	17
35-49	4652	4.9	14	2	3	4	5	7	10	19
50-64	4438	5.7	23	3	3	4	6	9	13	26
65+	2403	7.5	46	3	3	5	8	14	20	34
GRAND TOTAL	**15970**	**5.5**	**22**	**3**	**3**	**4**	**6**	**9**	**13**	**26**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	773	2.4	2	1	1	2	3	4	5	8
20-34	486	3.5	7	1	1	3	4	6	7	12
35-49	333	4.0	6	1	2	3	5	7	9	14
50-64	387	4.8	8	2	2	4	6	8	9	14
65+	228	7.2	63	2	2	5	8	13	18	48
2. MULTIPLE DX										
0-19 YRS	107	4.4	15	1	1	3	6	8	12	20
20-34	309	7.2	52	1	2	5	8	15	21	42
35-49	384	7.8	47	2	3	5	9	15	21	42
50-64	653	9.0	67	3	3	6	10	17	25	57
65+	651	13.0	150	3	4	9	16	28	40	63
TOT. SINGLE DX	2207	3.8	14	1	1	3	4	7	9	17
" MULTIPLE DX	2104	9.5	91	2	3	6	11	20	29	53
TOTAL 0-19 YRS	880	2.6	5	1	1	2	3	4	6	11
20-34	795	4.9	28	1	2	3	5	9	14	32
35-49	717	6.0	32	2	2	4	7	11	16	36
50-64	1040	7.4	50	2	3	5	8	14	20	45
65+	879	11.5	134	3	3	7	14	26	33	60
GRAND TOTAL	**4311**	**6.6**	**59**	**1**	**2**	**4**	**7**	**13**	**21**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58	9.6	51	1	3	9	11	17	26	38
20-34	197	9.8	18	4	6	9	11	15	19	24
35-49	155	10.7	35	4	5	10	12	17	22	37
50-64	139	12.1	63	5	6	9	14	21	27	49
65+	76	14.9	114	4	4	11	18	33	41	49
2. MULTIPLE DX										
0-19 YRS	40	12.3	73	2	4	9	15	24	30	40
20-34	194	13.3	99	5	6	10	14	24	34	74
35-49	228	17.3	183	6	7	12	20	36	46	86
50-64	302	17.9	160	6	7	14	23	34	43	94
65+	215	20.9	197	5	8	17	27	41	51	91
TOT. SINGLE DX	625	11.2	50	4	5	9	13	19	23	42
" MULTIPLE DX	979	17.3	165	5	7	13	21	34	44	86
TOTAL 0-19 YRS	98	10.7	62	2	3	9	13	21	28	40
20-34	391	11.5	61	5	6	10	13	20	25	50
35-49	383	14.6	134	5	6	11	17	27	38	68
50-64	441	16.1	137	5	7	13	20	31	38	85
65+	291	19.3	182	4	7	16	25	38	48	80
GRAND TOTAL	**1604**	**14.9**	**129**	**4**	**6**	**11**	**18**	**30**	**38**	**69**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	650	1.3		<1	<1	1	2	2	2	5
20-34	159	1.7		<1	<1	1	2	3	3	5
35-49	198	1.9	5	<1	<1	1	2	3	4	10
50-64	368	2.1	6	<1	<1	2	2	3	5	10
65+	538	2.2	3	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	119	2.2	10	<1	<1	2	2	3	6	17
20-34	86	4.9	45	<1	1	2	5	13	26	31
35-49	243	4.7	52	<1	<1	2	5	11	17	32
50-64	430	5.0	31	<1	1	3	7	11	15	27
65+	672	5.7	53	<1	1	3	7	13	19	42
TOT. SINGLE DX	1913	1.8	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	1550	5.1	44	<1	1	3	6	12	17	34
TOTAL 0-19 YRS	769	1.5	2	<1	<1	1	2	2	3	7
20-34	245	2.8	19	<1	<1	2	3	5	8	28
35-49	441	3.5	33	<1	<1	2	3	8	13	28
50-64	798	3.7	22	<1	<1	2	4	9	12	23
65+	1210	4.2	34	<1	1	2	4	9	15	32
GRAND TOTAL	**3463**	**3.3**	**24**	**<1**	**<1**	**2**	**3**	**7**	**11**	**26**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	769	1.8		<1	<1	2	2	3	3	5
20-34	359	2.3	6	<1	<1	2	3	4	5	12
35-49	654	1.9	1	<1	<1	2	2	3	4	7
50-64	1200	2.0	1	<1	<1	2	2	3	4	6
65+	1550	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	988	3.0	19	<1	1	2	3	6	8	17
20-34	1286	3.7	23	<1	1	2	4	7	9	25
35-49	1029	3.8	37	<1	1	2	4	6	11	33
50-64	1773	3.5	19	1	1	2	4	6	10	25
65+	2427	4.9	48	1	1	2	5	12	18	38
TOT. SINGLE DX	4532	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	7503	4.0	33	1	1	2	4	8	13	31
TOTAL 0-19 YRS	1757	2.5	12	<1	1	2	3	4	6	13
20-34	1645	3.4	20	<1	1	2	4	7	9	23
35-49	1683	3.1	24	<1	1	2	3	5	8	22
50-64	2973	2.9	13	<1	1	2	3	5	7	17
65+	3977	3.8	33	<1	1	2	3	8	13	31
GRAND TOTAL	**12035**	**3.2**	**22**	**<1**	**1**	**2**	**3**	**6**	**9**	**24**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	158	1.9	1	<1	<1	2	2	3	4	6
20-34	157	2.7	37	1	1	2	3	3	4	8
35-49	155	2.3	1	1	1	2	3	3	4	7
50-64	230	2.5	1	1	1	2	3	4	4	6
65+	326	2.6	1	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	119	3.3	35	1	1	2	3	6	8	37
20-34	120	3.3	18	1	1	2	3	5	9	26
35-49	95	3.3	9	1	1	2	3	8	9	18
50-64	174	3.1	12	1	2	2	3	4	5	24
65+	384	3.7	26	1	2	3	3	6	9	24
TOT. SINGLE DX	1026	2.5	7	1	1	2	3	4	4	7
" MULTIPLE DX	892	3.4	22	1	1	2	3	5	8	25
TOTAL 0-19 YRS	277	2.5	17	<1	1	2	2	4	6	20
20-34	277	3.0	29	1	1	2	3	4	5	22
35-49	250	2.7	5	1	1	2	3	4	8	11
50-64	404	2.8	6	1	1	2	3	4	5	11
65+	710	3.2	15	1	2	3	3	5	7	15
GRAND TOTAL	**1918**	**2.9**	**14**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	1.5		<1	<1	1	2	2	3	5
20-34	45	1.9	5	<1	<1	1	2	3	3	17
35-49	56	2.0	2	<1	<1	2	2	3	6	9
50-64	45	1.9	1	<1	<1	2	2	3	4	7
65+	61	2.4	6	<1	<1	2	3	4	5	18
2. MULTIPLE DX										
0-19 YRS	58	2.3	3	<1	1	2	3	4	7	10
20-34	42	3.6	10	<1	1	3	5	7	9	18
35-49	38	4.9	34	<1	1	3	5	14	20	25
50-64	65	3.7	19	<1	1	2	3	10	16	20
65+	96	5.2	52	1	1	2	6	11	17	40
TOT. SINGLE DX	292	1.9	3	<1	<1	2	2	3	4	10
" MULTIPLE DX	299	4.1	28	1	1	2	4	9	15	30
TOTAL 0-19 YRS	143	1.9	2	<1	<1	1	2	3	5	9
20-34	87	2.7	9	<1	<1	2	3	6	7	18
35-49	94	3.2	17	<1	<1	2	3	6	11	24
50-64	110	3.0	13	<1	<1	2	3	5	14	18
65+	157	4.1	36	<1	1	2	4	9	15	39
GRAND TOTAL	**591**	**3.0**	**17**	**<1**	**<1**	**2**	**3**	**6**	**10**	**21**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	4.2	21	1	2	3	4	7	9	33
20-34	226	3.7	7	1	2	3	4	6	7	8
35-49	157	3.5	2	1	2	3	4	6	7	9
50-64	184	4.2	7	1	2	4	5	7	10	16
65+	613	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	48	4.9	12	1	2	4	6	9	13	20
20-34	103	4.9	11	2	2	4	6	8	13	20
35-49	117	5.0	22	2	2	4	5	9	11	31
50-64	289	4.9	15	1	2	4	5	9	13	22
65+	1019	4.9	20	2	2	4	6	7	11	23
TOT. SINGLE DX	1237	3.9	6	1	2	3	5	6	7	12
" MULTIPLE DX	1576	4.9	19	1	2	4	6	8	11	22
TOTAL 0-19 YRS	105	4.5	17	1	2	3	5	8	10	26
20-34	329	4.0	9	1	2	4	5	6	7	14
35-49	274	4.1	12	1	2	4	5	7	9	15
50-64	473	4.6	12	1	2	4	5	8	11	21
65+	1632	4.5	15	1	2	4	5	7	8	18
GRAND TOTAL	**2813**	**4.4**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	3.1	5	<1	1	2	4	6	7	14
20-34	340	2.3	4	<1	<1	2	2	4	5	10
35-49	350	2.1	2	<1	<1	2	2	4	5	8
50-64	330	2.0	1	<1	<1	2	2	3	4	7
65+	312	2.3	5	<1	<1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	366	4.5	29	1	1	4	5	8	11	25
20-34	317	4.4	12	1	1	3	5	8	10	19
35-49	189	4.0	12	1	1	3	5	8	12	20
50-64	220	4.9	48	1	1	3	5	11	17	32
65+	438	4.4	28	1	1	2	5	10	15	28
TOT. SINGLE DX	1561	2.3	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	1530	4.5	26	1	1	3	5	9	12	25
TOTAL 0-19 YRS	595	4.0	21	1	1	3	5	7	10	19
20-34	657	3.3	10	<1	1	2	4	6	9	14
35-49	539	2.7	7	<1	<1	2	3	5	7	15
50-64	550	3.2	23	<1	1	2	3	6	10	23
65+	750	3.5	20	<1	1	2	3	8	11	25
GRAND TOTAL	**3091**	**3.4**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	2.5	3	1	1	2	3	4	5	13
20-34	103	3.5	6	1	1	3	4	7	8	15
35-49	230	3.3	5	1	1	3	4	6	9	14
50-64	585	3.4	9	1	1	3	4	6	8	14
65+	1278	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	97	3.5	25	1	1	2	4	6	9	32
20-34	102	4.5	12	1	2	3	5	10	12	17
35-49	137	4.3	15	1	2	3	5	8	12	23
50-64	427	4.7	27	1	2	3	5	9	11	23
65+	1204	4.8	22	1	2	3	5	9	13	24
TOT. SINGLE DX	2371	3.3	7	1	1	3	4	6	8	14
" MULTIPLE DX	1967	4.6	23	1	2	3	5	9	12	23
TOTAL 0-19 YRS	272	2.9	12	1	1	2	3	5	6	15
20-34	205	4.0	10	1	1	3	5	8	11	16
35-49	367	3.7	10	1	1	3	4	7	9	18
50-64	1012	3.9	17	1	2	3	4	8	10	21
65+	2482	4.0	15	1	2	3	4	8	11	20
GRAND TOTAL	**4338**	**3.9**	**15**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	3.6	5	1	1	3	5	7	9	10
20-34	108	3.4	5	1	1	3	5	6	9	12
35-49	181	2.5	2	1	1	2	3	4	5	9
50-64	500	2.9	4	1	1	2	3	5	7	12
65+	913	3.2	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	204	5.3	16	1	1	4	7	11	13	21
20-34	201	4.7	12	1	1	4	6	10	12	17
35-49	159	4.4	12	1	1	4	6	9	12	19
50-64	412	4.9	23	1	1	3	6	11	15	30
65+	1059	5.1	45	1	1	3	6	10	14	34
TOT. SINGLE DX	1798	3.1	7	1	1	2	4	6	8	13
" MULTIPLE DX	2035	5.0	32	1	1	3	6	10	14	28
TOTAL 0-19 YRS	300	4.8	13	1	1	4	6	9	12	18
20-34	309	4.2	11	1	1	3	5	9	11	15
35-49	340	3.4	8	1	1	2	4	7	9	14
50-64	912	3.8	14	1	1	3	4	8	11	19
65+	1972	4.2	30	1	1	3	4	8	11	27
GRAND TOTAL	**3833**	**4.1**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.7	5	1	1	2	3	4	5	12
20-34	53	2.7	1	1	2	2	3	4	5	5
35-49	1261	2.7	1	1	2	2	3	4	4	7
50-64	8835	2.6	1	1	2	2	3	4	4	7
65+	33430	2.8	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	70	4.1	13	1	1	3	4	9	11	20
20-34	93	4.4	15	1	2	3	5	8	10	25
35-49	846	3.7	23	2	2	3	4	6	9	20
50-64	6909	3.5	12	2	2	3	4	5	8	17
65+	32353	3.9	18	2	2	3	4	6	10	22
TOT. SINGLE DX	43655	2.7	2	2	2	3	3	4	5	8
" MULTIPLE DX	40271	3.8	18	2	2	3	4	6	9	21
TOTAL 0-19 YRS	146	3.3	8	1	1	3	4	5	9	18
20-34	146	3.8	11	1	2	3	4	7	8	23
35-49	2107	3.1	11	1	2	3	3	4	6	12
50-64	15744	3.0	6	2	2	3	3	4	6	11
65+	65783	3.3	11	2	2	3	3	5	7	16
GRAND TOTAL	**83926**	**3.2**	**10**	**2**	**2**	**3**	**3**	**5**	**7**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	398	2.3	1	1	1	2	3	3	4	8
20-34	231	2.2	1	<1	1	2	2	3	4	8
35-49	1621	2.2		1	1	2	2	3	3	5
50-64	7759	2.2		1	1	2	2	3	4	5
65+	27595	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	204	2.8	5	1	1	2	3	5	7	17
20-34	224	3.4	18	1	1	2	4	6	9	33
35-49	855	3.0	13	1	2	2	3	5	7	19
50-64	4802	2.9	9	1	2	2	3	4	6	14
65+	20620	3.0	9	1	2	2	3	4	7	16
TOT. SINGLE DX	37604	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	26705	3.0	10	1	2	2	3	4	7	16
TOTAL 0-19 YRS	602	2.5	3	1	1	2	3	4	5	12
20-34	455	2.8	10	1	1	2	3	5	6	11
35-49	2476	2.4	5	1	1	2	3	3	4	9
50-64	12561	2.5	4	1	1	2	3	3	4	9
65+	48215	2.6	5	1	2	2	3	4	5	11
GRAND TOTAL	**64309**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.0	2	<1	<1	2	2	3	6	8
20-34	27	2.5	3	1	1	2	3	3	5	11
35-49	176	2.2		1	1	2	3	3	4	6
50-64	1188	2.2	1	1	1	2	3	3	4	6
65+	4259	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	9	2.2	2	<1	<1	2	3	5	5	5
20-34	21	2.5	1	<1	1	2	3	4	5	5
35-49	102	3.4	64	1	1	2	3	4	5	46
50-64	786	2.9	5	1	2	2	3	4	7	14
65+	3307	3.3	13	1	2	2	3	5	8	21
TOT. SINGLE DX	5666	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	4225	3.2	13	1	2	2	3	5	8	19
TOTAL 0-19 YRS	25	2.1	3	<1	<1	2	2	4	6	8
20-34	48	2.5	2	1	1	2	3	4	4	11
35-49	278	2.7	24	1	1	2	3	4	4	9
50-64	1974	2.5	3	1	1	2	3	4	5	10
65+	7566	2.8	7	1	2	2	3	4	5	13
GRAND TOTAL	**9891**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	4.5	6	1	2	4	6	8	9	14
20-34	480	4.7	7	2	2	4	6	8	9	14
35-49	520	4.6	6	1	2	4	6	8	9	13
50-64	1754	4.7	7	1	2	4	6	8	9	15
65+	1682	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
0-19 YRS	187	5.3	29	2	2	4	6	8	10	22
20-34	403	5.7	30	2	2	5	7	9	12	19
35-49	423	5.7	16	2	2	5	7	10	13	19
50-64	1534	5.5	17	2	2	5	7	10	12	22
65+	1887	5.7	14	2	2	5	7	10	12	20
TOT. SINGLE DX	4665	4.8	7	1	2	4	6	8	10	15
" MULTIPLE DX	4434	5.6	18	2	2	5	7	10	12	20
TOTAL 0-19 YRS	416	4.9	17	1	2	4	6	8	9	15
20-34	883	5.2	18	2	2	4	6	9	11	18
35-49	943	5.1	11	1	2	4	6	9	11	16
50-64	3288	5.1	12	2	2	4	6	9	11	17
65+	3569	5.4	11	2	2	5	7	9	11	18
GRAND TOTAL	**9099**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.0	4	<1	1	2	4	5	8	12
20-34	106	3.7	5	1	1	3	5	8	8	12
35-49	93	3.6	8	1	1	3	4	6	8	17
50-64	227	3.6	5	1	2	3	4	7	9	13
65+	551	3.4	5	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	126	4.6	52	1	1	3	5	9	11	99+
20-34	325	5.3	35	1	2	4	6	9	12	28
35-49	298	4.9	19	1	2	4	6	8	11	28
50-64	643	4.9	28	1	2	4	6	9	12	25
65+	1094	4.9	34	1	2	3	5	9	12	32
TOT. SINGLE DX	1066	3.4	6	1	1	3	4	6	8	13
" MULTIPLE DX	2486	4.9	32	1	2	4	6	9	12	32
TOTAL 0-19 YRS	215	3.9	33	1	1	3	5	7	10	86
20-34	431	4.9	28	1	1	4	6	8	11	23
35-49	391	4.6	17	1	2	4	5	8	11	21
50-64	870	4.6	23	1	2	3	5	8	11	22
65+	1645	4.4	25	1	2	3	5	8	11	25
GRAND TOTAL	**3552**	**4.5**	**25**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5948	1.6		<1	<1	2	2	2	2	3
20-34	1129	1.9		1	1	2	2	3	3	4
35-49	555	2.0		1	1	2	2	3	3	5
50-64	265	2.0		1	1	2	2	3	3	5
65+	186	2.0		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	1200	1.9	9	<1	1	2	2	2	3	6
20-34	362	2.4	12	1	1	2	2	3	4	14
35-49	258	2.2	1	1	1	2	2	3	4	6
50-64	217	2.7	8	1	1	2	3	4	6	21
65+	161	2.8	13	1	2	2	3	4	5	18
TOT. SINGLE DX	8083	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	2198	2.2	9	1	1	2	2	3	3	10
TOTAL 0-19 YRS	7148	1.7	2	<1	<1	2	2	2	2	3
20-34	1491	2.0	3	1	1	2	2	3	3	5
35-49	813	2.0	1	1	1	2	2	3	3	5
50-64	482	2.3	4	1	1	2	2	3	4	11
65+	347	2.4	7	1	1	2	2	3	4	8
GRAND TOTAL	**10281**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.1	1	<1	<1	2	3	3	4	5
20-34	15	3.4	16	1	1	2	3	8	15	17
35-49	10	1.8		1	1	2	2	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	7	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	19	4.9	159	1	1	2	3	4	33	57
20-34	14	4.0	39	<1	<1	2	4	8	21	25
35-49	7	5.3	54	2	2	3	3	18	22	22
50-64	8	15.0	586	1	1	2	23	57	64	64
65+	8	5.5	13	<1	<1	5	9	10	10	10
TOT. SINGLE DX	58	2.3	5	<1	1	2	2	3	5	16
" MULTIPLE DX	56	6.3	157	<1	1	2	4	10	37	64
TOTAL 0-19 YRS	43	3.3	71	<1	1	2	3	3	5	57
20-34	29	3.7	27	<1	<1	2	3	7	17	25
35-49	17	3.2	24	1	1	2	3	3	15	22
50-64	10	12.5	484	1	1	2	5	53	64	64
65+	15	3.6	11	<1	1	2	6	9	10	10
GRAND TOTAL	**114**	**4.3**	**83**	**<1**	**1**	**2**	**3**	**6**	**16**	**60**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	334	2.8	5	<1	1	2	3	6	8	12
20-34	309	3.1	4	1	1	2	4	6	7	10
35-49	227	3.4	9	1	1	3	4	6	9	18
50-64	282	3.2	6	1	1	2	4	6	7	14
65+	482	3.7	12	1	1	3	4	7	10	21
2. MULTIPLE DX										
0-19 YRS	337	4.4	21	1	1	3	5	9	13	27
20-34	541	4.9	34	1	2	3	5	9	14	32
35-49	296	5.1	26	1	2	3	6	11	13	30
50-64	453	5.6	43	1	2	4	6	12	18	35
65+	814	5.9	42	1	2	4	7	14	19	38
TOT. SINGLE DX	1634	3.3	8	1	1	2	4	6	8	14
" MULTIPLE DX	2441	5.3	36	1	2	3	6	11	16	34
TOTAL 0-19 YRS	671	3.6	14	1	1	2	4	7	11	17
20-34	850	4.3	24	1	1	3	5	8	12	23
35-49	523	4.4	19	1	1	3	5	9	12	26
50-64	735	4.7	30	1	2	3	5	9	14	31
65+	1296	5.1	33	1	2	3	6	11	16	31
GRAND TOTAL	**4075**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1421	2.0	1	<1	<1	2	2	3	4	7
20-34	526	2.1	3	<1	<1	2	2	4	5	11
35-49	268	2.1	2	<1	<1	2	2	4	5	9
50-64	307	2.5	5	<1	<1	2	3	5	7	13
65+	449	3.4	17	<1	1	2	3	6	11	21
2. MULTIPLE DX										
0-19 YRS	866	3.4	15	<1	1	2	4	6	8	25
20-34	512	5.1	60	<1	1	3	5	12	19	35
35-49	314	5.4	59	1	1	3	6	12	17	29
50-64	424	6.0	62	1	1	3	8	14	20	31
65+	745	9.1	114	1	2	6	12	21	29	59
TOT. SINGLE DX	2971	2.3	5	<1	<1	2	2	4	5	12
" MULTIPLE DX	2861	5.8	66	1	1	3	6	13	20	42
TOTAL 0-19 YRS	2287	2.5	8	<1	<1	2	3	4	6	13
20-34	1038	3.6	34	<1	<1	2	4	7	12	29
35-49	582	3.9	36	<1	<1	2	4	9	13	26
50-64	731	4.5	42	<1	1	2	5	11	15	27
65+	1194	7.0	86	1	1	3	9	17	24	47
GRAND TOTAL	**5832**	**4.0**	**38**	**<1**	**<1**	**2**	**4**	**9**	**14**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	2.1		1	1	2	3	3	3	5
20-34	966	2.3		1	1	2	3	3	4	5
35-49	1357	2.4	1	1	1	2	3	3	4	6
50-64	1385	2.4	1	1	1	2	3	3	4	6
65+	632	2.5	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
0-19 YRS	108	2.3		1	1	2	3	3	4	5
20-34	307	2.7	2	1	1	2	3	4	5	11
35-49	413	2.7	2	1	1	3	3	4	5	7
50-64	525	3.0	20	1	2	3	3	4	5	12
65+	268	2.9	2	1	2	3	3	4	5	12
TOT. SINGLE DX	4571	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	1621	2.8	8	1	1	3	3	4	5	11
TOTAL 0-19 YRS	339	2.2	1	1	1	2	3	3	4	5
20-34	1273	2.4	1	1	1	2	3	3	4	6
35-49	1770	2.4	2	1	1	2	3	4	4	6
50-64	1910	2.5	6	1	1	2	3	3	4	7
65+	900	2.6	2	1	1	2	3	4	5	8
GRAND TOTAL	**6192**	**2.5**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2374	1.9		1	1	2	2	3	3	4
20-34	1749	2.0		1	1	2	2	3	3	5
35-49	1311	2.1		1	1	2	2	3	3	5
50-64	1136	2.1		1	1	2	3	3	3	5
65+	404	2.1		1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	1748	2.1	1	1	1	2	2	3	3	6
20-34	1333	2.4	9	1	1	2	3	3	4	8
35-49	1143	2.6	5	1	1	2	3	4	5	11
50-64	1174	2.8	5	1	2	2	3	4	6	14
65+	520	3.0	9	1	2	2	3	4	7	17
TOT. SINGLE DX	6974	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	5918	2.5	5	1	1	2	3	3	4	10
TOTAL 0-19 YRS	4122	2.0	1	1	1	2	2	3	3	4
20-34	3082	2.2	4	1	1	2	2	3	3	6
35-49	2454	2.3	3	1	1	2	3	3	4	8
50-64	2310	2.5	3	1	1	2	3	3	4	9
65+	924	2.6	6	1	1	2	3	4	5	15
GRAND TOTAL	**12892**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13707	1.1		<1	<1	<1	1	1	2	4
20-34	393	1.8	2	<1	<1	1	2	3	4	10
35-49	311	2.0	4	<1	<1	2	2	3	4	10
50-64	269	1.9	3	<1	<1	2	2	3	4	9
65+	167	2.2	20	<1	<1	1	2	3	4	19
2. MULTIPLE DX										
0-19 YRS	7625	1.9	7	<1	<1	1	2	3	5	12
20-34	308	3.0	15	<1	1	2	3	7	11	18
35-49	267	3.8	49	<1	1	2	3	8	14	33
50-64	309	6.1	83	1	1	3	7	16	22	44
65+	226	8.5	152	1	1	4	10	21	29	77
TOT. SINGLE DX	14847	1.2	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	8735	2.3	17	<1	<1	1	2	4	7	18
TOTAL 0-19 YRS	21332	1.4	3	<1	<1	1	1	2	2	8
20-34	701	2.4	8	<1	<1	2	2	4	7	17
35-49	578	2.9	26	<1	<1	2	2	4	8	24
50-64	578	4.1	50	<1	1	2	3	9	17	31
65+	393	5.8	106	<1	1	2	6	15	23	60
GRAND TOTAL	**23582**	**1.6**	**7**	**<1**	**<1**	**1**	**1**	**2**	**4**	**12**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	688	2.6	5	1	1	2	3	4	5	8
20-34	606	2.7	4	1	1	2	3	4	5	9
35-49	438	2.9	5	1	1	2	3	5	6	10
50-64	422	2.9	2	1	2	3	3	5	6	9
65+	170	3.6	12	2	2	3	3	6	9	16
2. MULTIPLE DX										
0-19 YRS	979	3.1	11	1	1	2	3	4	6	15
20-34	790	3.0	4	1	1	2	3	5	7	12
35-49	641	3.1	7	1	1	3	3	5	7	16
50-64	731	4.0	25	1	2	3	4	6	11	31
65+	338	5.8	67	2	2	3	5	11	23	50
TOT. SINGLE DX	2324	2.8	5	1	1	2	3	4	6	10
" MULTIPLE DX	3479	3.5	18	1	2	3	3	5	9	24
TOTAL 0-19 YRS	1667	2.9	9	1	1	2	3	4	6	13
20-34	1396	2.8	5	1	1	2	3	4	6	10
35-49	1079	3.0	6	1	1	3	3	5	6	15
50-64	1153	3.6	17	1	2	3	4	5	8	21
65+	508	5.1	50	2	2	3	4	9	16	43
GRAND TOTAL	**5803**	**3.2**	**13**	**1**	**1**	**3**	**3**	**5**	**7**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	871	1.8	4	<1	<1	1	2	3	3	9
20-34	538	2.5	2	1	1	2	3	4	5	8
35-49	552	2.9	4	1	1	2	3	5	6	12
50-64	651	3.0	8	1	1	2	3	5	7	11
65+	229	3.1	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
0-19 YRS	691	2.3	9	<1	<1	2	2	3	6	16
20-34	365	3.1	9	1	1	2	3	5	7	17
35-49	375	3.3	9	1	1	2	3	6	10	18
50-64	443	4.4	35	1	2	3	4	8	14	40
65+	212	5.9	69	1	1	3	6	13	18	62
TOT. SINGLE DX	2841	2.5	5	<1	<1	2	3	4	6	10
" MULTIPLE DX	2086	3.4	23	<1	1	2	3	6	10	24
TOTAL 0-19 YRS	1562	2.0	7	<1	<1	1	2	3	5	12
20-34	903	2.8	5	1	1	2	3	4	6	13
35-49	927	3.1	7	1	1	2	3	5	7	15
50-64	1094	3.6	20	1	1	3	4	6	9	23
65+	441	4.5	39	1	1	3	4	9	13	35
GRAND TOTAL	**4927**	**2.9**	**13**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1023	2.5		1	1	2	3	4	4	5
20-34	2091	2.5	1	1	1	2	3	4	4	6
35-49	880	2.4	1	1	1	2	3	4	4	6
50-64	458	2.5	1	1	1	2	3	4	4	7
65+	111	3.3	13	1	2	3	3	5	6	25
2. MULTIPLE DX										
0-19 YRS	1492	2.6	1	1	1	3	3	4	5	7
20-34	3597	2.8	3	1	1	3	3	4	5	8
35-49	1911	3.1	6	1	1	3	3	5	6	14
50-64	1101	3.5	11	1	2	3	4	5	8	17
65+	315	3.9	11	1	2	3	4	7	10	19
TOT. SINGLE DX	4563	2.5	2	1	1	2	3	4	4	6
" MULTIPLE DX	8416	3.0	5	1	1	3	3	4	5	12
TOTAL 0-19 YRS	2515	2.6	1	1	1	2	3	4	4	6
20-34	5688	2.7	3	1	1	3	3	4	5	8
35-49	2791	2.9	5	1	1	3	3	4	5	11
50-64	1559	3.2	8	1	2	3	4	5	7	16
65+	426	3.7	12	1	2	3	4	7	9	19
GRAND TOTAL	**12979**	**2.8**	**4**	**1**	**1**	**3**	**3**	**4**	**5**	**9**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3048	2.4	1	1	1	2	3	4	5	6
20-34	6021	2.3	2	1	1	2	3	4	4	6
35-49	2669	2.3	1	1	1	2	3	4	4	6
50-64	1222	2.4	1	1	1	2	3	4	5	7
65+	358	2.8	5	1	1	2	3	4	6	12
2. MULTIPLE DX										
0-19 YRS	4064	2.6	5	1	1	2	3	4	5	9
20-34	9051	2.7	5	1	1	2	3	4	5	10
35-49	4894	3.0	8	1	1	3	3	4	6	14
50-64	2955	3.4	12	1	1	3	4	6	8	18
65+	952	4.4	27	1	1	3	5	9	14	25
TOT. SINGLE DX	13318	2.3	2	1	1	2	3	4	4	6
" MULTIPLE DX	21916	2.9	8	1	1	2	3	4	6	14
TOTAL 0-19 YRS	7112	2.5	4	1	1	2	3	4	5	8
20-34	15072	2.5	4	1	1	2	3	4	5	8
35-49	7563	2.8	6	1	1	2	3	4	5	11
50-64	4177	3.1	10	1	1	3	3	5	7	16
65+	1310	4.0	22	1	1	3	4	7	12	24
GRAND TOTAL	**35234**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**11**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	429	2.3	8	<1	<1	2	2	4	5	12
20-34	580	2.2	2	<1	<1	2	3	4	5	7
35-49	641	2.2	2	<1	<1	2	3	4	5	9
50-64	913	2.4	7	<1	<1	2	3	4	5	13
65+	1087	2.9	13	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	516	2.8	9	<1	1	2	3	5	7	16
20-34	923	2.9	12	1	1	2	3	5	6	12
35-49	1139	3.3	11	1	1	2	4	5	8	21
50-64	1536	3.9	24	1	1	3	4	7	11	26
65+	1713	6.3	56	1	2	3	8	14	22	46
TOT. SINGLE DX	3650	2.5	8	<1	<1	2	3	4	6	12
" MULTIPLE DX	5827	4.2	30	1	1	3	4	9	13	30
TOTAL 0-19 YRS	945	2.6	9	<1	1	2	3	4	6	15
20-34	1503	2.6	9	<1	1	2	3	4	5	10
35-49	1780	2.9	9	<1	1	2	3	5	6	16
50-64	2449	3.4	18	<1	1	2	3	6	9	23
65+	2800	5.0	43	1	1	3	5	11	16	39
GRAND TOTAL	**9477**	**3.6**	**22**	**<1**	**1**	**2**	**4**	**7**	**11**	**26**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1711	1.6	1	<1	<1	1	2	3	4	6
20-34	1351	2.3	5	<1	<1	2	3	5	6	9
35-49	554	3.4	5	<1	1	3	5	6	8	12
50-64	537	4.5	8	1	1	4	6	8	10	13
65+	377	4.9	12	1	1	4	6	10	12	17
2. MULTIPLE DX										
0-19 YRS	1840	2.7	12	<1	1	2	3	5	7	14
20-34	2170	3.7	23	1	1	2	4	7	10	23
35-49	912	4.7	26	1	1	3	6	9	12	23
50-64	908	5.9	30	1	2	5	7	11	14	26
65+	1189	7.5	56	1	2	6	9	14	20	46
TOT. SINGLE DX	4530	2.7	6	<1	<1	2	3	6	7	11
" MULTIPLE DX	7019	4.5	30	1	1	3	5	9	12	27
TOTAL 0-19 YRS	3551	2.2	8	<1	<1	2	2	4	5	10
20-34	3521	3.2	17	<1	1	2	4	6	8	19
35-49	1466	4.2	19	1	1	3	5	8	10	19
50-64	1445	5.4	23	1	2	4	7	10	12	23
65+	1566	6.9	47	1	2	5	8	13	18	42
GRAND TOTAL	**11549**	**3.8**	**22**	**<1**	**1**	**2**	**5**	**8**	**10**	**21**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	2.6	3	1	1	2	3	4	6	9
20-34	674	2.9	3	1	1	3	3	5	6	11
35-49	669	2.9	3	1	1	3	3	5	6	10
50-64	553	3.1	3	1	1	3	4	5	6	9
65+	265	3.9	8	1	2	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	173	4.3	20	1	2	3	5	10	13	23
20-34	700	4.3	32	1	1	3	4	8	12	27
35-49	758	4.4	23	1	2	3	5	8	13	25
50-64	714	5.0	38	1	2	3	5	10	15	33
65+	409	6.8	70	1	2	4	7	15	20	44
TOT. SINGLE DX	2342	3.0	4	1	1	3	4	5	6	11
" MULTIPLE DX	2754	4.9	37	1	2	3	5	10	14	33
TOTAL 0-19 YRS	354	3.4	12	1	1	2	4	6	10	17
20-34	1374	3.6	19	1	1	3	4	6	9	20
35-49	1427	3.7	15	1	1	3	4	6	9	20
50-64	1267	4.2	24	1	2	3	4	7	11	27
65+	674	5.7	48	1	2	3	6	12	17	34
GRAND TOTAL	**5096**	**4.0**	**23**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	296	2.9	9	<1	1	2	3	6	9	15
20-34	566	3.2	8	1	1	2	4	6	8	16
35-49	516	3.6	17	1	1	2	4	8	10	21
50-64	455	3.6	13	1	1	3	4	7	9	17
65+	234	4.1	14	1	1	3	5	9	11	24
2. MULTIPLE DX										
0-19 YRS	402	5.7	44	<1	1	3	7	14	21	31
20-34	736	4.6	38	1	1	3	5	9	13	30
35-49	772	4.9	41	1	1	3	5	10	15	34
50-64	782	5.6	40	1	1	4	6	12	17	32
65+	508	7.3	72	1	2	4	9	17	24	41
TOT. SINGLE DX	2067	3.5	13	1	1	2	4	7	9	17
" MULTIPLE DX	3200	5.5	47	1	1	3	6	12	18	33
TOTAL 0-19 YRS	698	4.5	31	<1	1	2	5	10	16	28
20-34	1302	4.0	26	1	1	3	4	8	11	24
35-49	1288	4.4	32	1	1	3	5	9	13	29
50-64	1237	4.9	31	1	1	3	5	10	15	30
65+	742	6.3	56	1	2	4	8	14	21	35
GRAND TOTAL	**5267**	**4.7**	**34**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7456	1.6		<1	<1	2	2	2	2	3
20-34	6155	1.7	1	<1	<1	2	2	2	2	4
35-49	1286	2.0	1	<1	<1	2	2	3	3	7
50-64	856	2.2	11	<1	1	2	2	3	3	10
65+	467	3.0	31	1	1	2	3	4	7	31
2. MULTIPLE DX										
0-19 YRS	2587	2.5	18	<1	1	2	2	4	6	21
20-34	3982	4.1	43	<1	1	2	3	10	16	35
35-49	2763	4.3	42	1	1	2	3	10	16	36
50-64	3301	5.1	58	1	1	2	5	12	19	46
65+	2932	7.0	96	1	2	3	8	18	27	72
TOT. SINGLE DX	16220	1.7	2	<1	<1	2	2	2	3	4
" MULTIPLE DX	15565	4.6	54	1	1	2	4	11	17	43
TOTAL 0-19 YRS	10043	1.8	5	<1	<1	2	2	2	3	7
20-34	10137	2.6	19	<1	<1	2	2	3	8	22
35-49	4049	3.6	31	<1	1	2	3	7	13	30
50-64	4157	4.5	50	1	1	2	4	10	16	39
65+	3399	6.5	89	1	2	3	7	16	25	69
GRAND TOTAL	**31785**	**3.2**	**30**	**<1**	**1**	**2**	**2**	**5**	**11**	**30**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	920	1.1		<1	<1	1	1	2	2	3
20-34	114	2.3	16	<1	<1	1	2	3	5	25
35-49	57	2.3	3	<1	<1	2	2	4	7	10
50-64	46	2.8	1	1	2	3	3	4	5	7
65+	20	2.6	4	<1	1	2	3	5	8	10
2. MULTIPLE DX										
0-19 YRS	709	1.6	13	<1	<1	1	2	2	2	11
20-34	214	5.0	75	<1	1	2	5	14	17	66
35-49	76	4.2	32	1	1	2	4	12	15	31
50-64	34	4.0	16	1	1	2	5	9	12	19
65+	30	10.3	192	<1	1	4	15	27	50	54
TOT. SINGLE DX	1157	1.4	2	<1	<1	1	1	2	3	7
" MULTIPLE DX	1063	2.8	36	<1	<1	1	2	5	12	37
TOTAL 0-19 YRS	1629	1.4	6	<1	<1	1	1	2	2	6
20-34	328	4.1	56	<1	<1	2	3	11	17	46
35-49	133	3.4	21	<1	1	2	3	9	13	26
50-64	80	3.3	8	1	1	3	4	7	9	17
65+	50	7.2	130	<1	1	3	5	21	28	54
GRAND TOTAL	**2220**	**2.1**	**19**	**<1**	**<1**	**1**	**2**	**3**	**6**	**19**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	267	2.1	2	<1	<1	2	3	4	4	8
20-34	478	2.3	7	<1	<1	2	2	4	5	9
35-49	790	2.2	2	<1	1	2	2	4	4	9
50-64	572	2.7	3	<1	1	2	3	4	5	10
65+	180	3.5	8	1	1	3	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	333	2.6	6	1	1	2	3	4	6	11
20-34	404	3.9	38	1	1	2	3	8	12	24
35-49	490	3.8	22	1	1	2	4	8	12	34
50-64	584	4.2	27	1	1	3	4	7	11	28
65+	289	6.5	103	1	2	3	6	14	23	58
TOT. SINGLE DX	2287	2.4	4	<1	1	2	3	4	5	10
" MULTIPLE DX	2100	4.1	37	1	1	2	4	8	12	32
TOTAL 0-19 YRS	600	2.4	4	<1	1	2	3	4	5	9
20-34	882	3.0	23	<1	1	2	3	5	9	20
35-49	1280	2.8	11	<1	1	2	3	4	7	17
50-64	1156	3.4	16	<1	1	2	4	5	8	21
65+	469	5.3	69	1	2	3	5	10	19	48
GRAND TOTAL	**4387**	**3.2**	**20**	**<1**	**1**	**2**	**3**	**5**	**8**	**22**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	450	2.8	2	1	1	2	3	5	6	9
20-34	1062	3.2	3	1	1	3	4	5	6	10
35-49	1188	3.5	3	1	2	3	4	5	6	11
50-64	1495	3.9	7	1	2	3	4	6	8	15
65+	1119	4.6	10	2	2	4	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	143	3.9	11	1	1	3	5	8	9	18
20-34	402	4.4	29	1	2	3	5	8	11	22
35-49	608	4.8	16	1	2	4	5	9	12	26
50-64	973	5.7	28	2	2	4	6	11	15	26
65+	1230	7.4	58	2	3	5	9	15	21	45
TOT. SINGLE DX	5314	3.7	6	1	2	3	4	6	8	14
" MULTIPLE DX	3356	5.9	38	2	2	4	7	11	16	32
TOTAL 0-19 YRS	593	3.1	5	1	1	3	4	5	7	10
20-34	1464	3.5	11	1	1	3	4	6	8	14
35-49	1796	3.9	8	1	2	3	4	6	9	17
50-64	2468	4.6	17	1	2	4	5	8	11	23
65+	2349	6.0	38	2	2	4	7	11	17	33
GRAND TOTAL	**8670**	**4.6**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**23**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	801	3.8	3	1	1	4	5	6	7	9
20-34	36	3.9	4	1	2	4	5	6	7	12
35-49	17	3.6	2	2	2	3	4	7	8	8
50-64	8	3.0	2	1	1	3	4	5	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	614	4.2	5	1	2	4	5	7	8	12
20-34	49	3.7	3	1	2	4	5	6	6	10
35-49	27	9.7	145	1	3	5	8	27	42	49
50-64	12	4.8	16	<1	1	4	5	11	15	16
65+	13	9.6	138	2	2	5	10	29	40	42
TOT. SINGLE DX	864	3.8	4	1	1	4	5	6	7	9
" MULTIPLE DX	715	4.5	14	1	2	4	5	7	8	20
TOTAL 0-19 YRS	1415	4.0	4	1	2	4	5	6	7	10
20-34	85	3.8	4	1	2	4	5	6	7	11
35-49	44	7.4	98	2	2	4	6	18	32	49
50-64	20	4.1	11	<1	1	3	5	8	12	16
65+	15	8.7	125	2	2	4	10	26	38	42
GRAND TOTAL	**1579**	**4.1**	**9**	**1**	**2**	**4**	**5**	**7**	**8**	**12**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1785	3.1	8	<1	<1	2	4	7	8	11
20-34	614	3.7	21	<1	<1	2	5	8	10	21
35-49	587	3.6	17	<1	1	2	4	7	10	22
50-64	1145	4.3	32	<1	1	2	4	10	14	28
65+	1220	4.5	35	1	1	3	5	10	14	29
2. MULTIPLE DX										
0-19 YRS	1514	3.5	15	<1	1	2	4	7	9	17
20-34	1032	4.9	40	<1	1	3	6	10	14	34
35-49	809	6.8	75	<1	1	4	7	16	25	47
50-64	1504	8.6	109	1	1	5	11	21	30	62
65+	2073	9.6	123	1	2	6	12	21	32	64
TOT. SINGLE DX	5351	3.8	23	<1	1	2	4	8	11	23
" MULTIPLE DX	6932	7.0	85	1	1	4	8	16	25	51
TOTAL 0-19 YRS	3299	3.3	12	<1	1	2	4	7	8	15
20-34	1646	4.5	34	<1	1	3	5	9	12	31
35-49	1396	5.5	54	<1	1	3	6	11	21	42
50-64	2649	6.7	81	1	1	3	8	16	25	51
65+	3293	7.7	97	1	2	4	9	17	28	53
GRAND TOTAL	**12283**	**5.6**	**60**	**<1**	**1**	**3**	**6**	**12**	**19**	**42**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23330	1.8		1	1	2	2	2	3	4
20-34	15392	2.0		1	1	2	2	3	3	5
35-49	1472	2.2	1	1	1	2	3	3	4	6
50-64	242	2.6	11	1	1	2	3	4	5	14
65+	89	3.5	21	1	1	2	3	6	13	25
2. MULTIPLE DX										
0-19 YRS	4622	2.1	4	1	1	2	2	3	4	8
20-34	2848	2.6	4	1	1	2	3	4	5	12
35-49	453	3.2	12	1	1	2	3	5	7	21
50-64	148	4.5	60	1	1	3	4	8	14	26
65+	71	9.0	159	1	2	3	10	24	45	58
TOT. SINGLE DX	40525	1.9	1	1	1	2	2	3	3	5
" MULTIPLE DX	8142	2.4	8	1	1	2	3	4	5	12
TOTAL 0-19 YRS	27952	1.9	1	1	1	2	2	3	3	5
20-34	18240	2.1	2	1	1	2	2	3	4	6
35-49	1925	2.5	4	1	1	2	3	4	5	10
50-64	390	3.3	31	1	1	2	3	5	8	22
65+	160	6.0	89	1	1	2	5	13	24	53
GRAND TOTAL	**48667**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37011	1.7		<1	1	2	2	2	2	3
20-34	1228	2.2	1	1	1	2	2	3	4	5
35-49	81	2.2		1	1	2	3	3	4	7
50-64	17	1.9		<1	1	2	2	2	3	4
65+	30	1.9		1	1	2	2	3	3	6
2. MULTIPLE DX										
0-19 YRS	22399	1.8	1	<1	1	2	2	2	3	5
20-34	393	2.5	2	1	1	2	3	4	5	9
35-49	38	3.1	5	1	1	2	3	6	8	12
50-64	14	2.9	5	1	1	2	3	5	9	10
65+	18	2.3	3	<1	1	2	2	6	8	8
TOT. SINGLE DX	38367	1.7	1	<1	1	2	2	2	2	4
" MULTIPLE DX	22862	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	59410	1.7	1	<1	1	2	2	2	3	4
20-34	1621	2.2	2	1	1	2	3	3	4	7
35-49	119	2.5	2	1	1	2	3	3	6	10
50-64	31	2.3	3	1	1	2	2	4	5	10
65+	48	2.0	2	1	1	2	2	3	6	8
GRAND TOTAL	**61229**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3328	1.4		<1	<1	1	2	2	2	3
20-34	48	1.8		1	1	2	2	3	3	3
35-49	8	1.9		1	1	2	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7172	1.4		<1	<1	1	2	2	2	3
20-34	55	2.5	5	1	1	2	3	4	5	16
35-49	11	2.6	1	2	2	2	3	4	5	5
50-64	5	6.0	29	<1	<1	4	10	14	14	14
65+	6	2.8	4	<1	<1	2	3	7	7	7
TOT. SINGLE DX	3387	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	7249	1.4	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	10500	1.4	1	<1	<1	1	2	2	2	3
20-34	103	2.2	3	1	1	2	2	3	4	11
35-49	19	2.3	1	1	1	2	3	4	5	5
50-64	6	5.8	24	<1	<1	4	9	13	14	14
65+	8	2.5	4	<1	<1	2	3	6	7	7
GRAND TOTAL	**10636**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1620	2.5	4	<1	1	2	3	5	6	12
20-34	1245	2.6	4	<1	1	2	3	4	6	10
35-49	480	3.2	12	1	1	2	4	5	8	16
50-64	480	4.7	58	1	1	2	5	9	15	45
65+	383	4.9	45	1	1	3	5	10	14	36
2. MULTIPLE DX										
0-19 YRS	592	3.1	10	<1	1	2	4	6	8	15
20-34	469	4.3	35	1	1	3	5	8	12	35
35-49	294	7.0	108	1	1	3	7	15	27	67
50-64	585	9.1	139	1	2	5	11	22	31	63
65+	542	10.3	163	1	2	6	14	22	29	85
TOT. SINGLE DX	4208	3.1	16	<1	1	2	3	5	8	17
" MULTIPLE DX	2482	6.8	99	1	1	3	7	15	24	58
TOTAL 0-19 YRS	2212	2.7	6	<1	1	2	3	5	7	13
20-34	1714	3.1	13	1	1	2	4	5	7	16
35-49	774	4.6	52	1	1	3	4	9	14	43
50-64	1065	7.1	108	1	1	3	8	16	27	60
65+	925	8.0	122	1	2	4	10	18	25	65
GRAND TOTAL	**6690**	**4.5**	**50**	**1**	**1**	**2**	**4**	**9**	**15**	**39**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	2.1	3	<1	<1	1	3	4	6	9
20-34	112	3.2	3	1	1	3	4	6	7	10
35-49	137	3.2	4	1	1	3	4	6	8	11
50-64	253	4.0	18	<1	1	3	5	8	10	18
65+	266	3.9	10	1	1	3	5	8	9	18
2. MULTIPLE DX										
0-19 YRS	442	3.7	11	1	1	3	4	6	7	10
20-34	96	5.0	27	<1	1	4	6	11	15	30
35-49	149	5.8	27	1	1	4	7	11	14	32
50-64	359	5.9	50	1	1	4	6	12	19	36
65+	645	6.7	56	1	2	5	8	14	17	42
TOT. SINGLE DX	1016	3.3	10	<1	<1	3	4	7	8	13
" MULTIPLE DX	1691	5.6	41	1	1	4	6	11	15	36
TOTAL 0-19 YRS	690	3.1	9	<1	<1	3	4	5	7	10
20-34	208	4.0	16	1	1	3	5	7	11	23
35-49	286	4.5	18	1	1	3	6	9	12	26
50-64	612	5.1	38	1	1	4	6	10	13	35
65+	911	5.9	45	1	1	4	7	12	16	38
GRAND TOTAL	**2707**	**4.7**	**30**	**<1**	**1**	**3**	**5**	**9**	**13**	**29**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	489	1.7	1	<1	<1	2	2	2	3	6
20-34	937	1.7	1	<1	<1	2	2	2	3	5
35-49	1508	2.0	3	<1	1	2	2	3	3	11
50-64	2402	2.1	3	<1	1	2	2	3	4	10
65+	1486	2.5	18	1	1	2	2	3	5	17
2. MULTIPLE DX										
0-19 YRS	127	3.0	43	<1	<1	2	2	5	8	42
20-34	265	3.1	26	1	1	2	3	5	8	22
35-49	712	4.2	40	1	1	2	4	10	17	39
50-64	1746	5.1	58	1	1	2	5	12	19	41
65+	1406	6.7	102	1	1	2	8	17	24	60
TOT. SINGLE DX	6822	2.1	7	<1	1	2	2	3	4	11
" MULTIPLE DX	4256	5.3	69	1	1	2	5	13	20	47
TOTAL 0-19 YRS	616	2.0	11	<1	<1	2	2	2	3	13
20-34	1202	2.0	7	<1	<1	2	2	3	4	11
35-49	2220	2.7	17	<1	1	2	2	4	8	24
50-64	4148	3.4	29	<1	1	2	3	7	11	30
65+	2892	4.5	64	1	1	2	3	10	18	47
GRAND TOTAL	**11078**	**3.3**	**33**	**<1**	**1**	**2**	**2**	**6**	**11**	**30**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.8	20	<1	1	2	5	9	16	19
20-34	40	4.4	20	<1	1	3	5	12	14	21
35-49	82	5.5	27	<1	1	3	10	15	17	74
50-64	174	9.1	74	1	1	8	14	19	23	44
65+	124	9.4	72	1	2	8	13	20	24	47
2. MULTIPLE DX										
0-19 YRS	33	10.8	379	1	2	3	10	52	74	99+
20-34	35	7.4	49	1	2	4	10	19	24	27
35-49	70	12.5	157	1	2	9	18	28	34	64
50-64	208	15.0	157	2	2	12	20	31	47	76
65+	201	17.4	266	2	2	14	24	43	61	99+
TOT. SINGLE DX	445	7.8	61	1	1	5	12	18	21	45
" MULTIPLE DX	547	14.8	210	2	2	11	20	32	50	99
TOTAL 0-19 YRS	58	7.8	234	<1	1	2	5	18	62	98
20-34	75	5.8	36	1	1	3	8	14	20	26
35-49	152	8.7	99	1	1	5	13	21	28	67
50-64	382	12.4	128	1	2	10	17	27	35	59
65+	325	14.3	208	2	2	11	19	32	46	91
GRAND TOTAL	**992**	**11.7**	**156**	**1**	**2**	**9**	**16**	**26**	**40**	**74**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	4	32.3	507	11	11	27	46	64	64	64
35-49	45	18.2	122	7	10	16	20	29	41	65
50-64	234	17.8	95	9	10	15	20	26	34	60
65+	146	19.1	82	9	10	16	23	31	39	50
2. MULTIPLE DX										
0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	3	3.3	6	1	1	3	5	6	6	6
35-49	54	24.9	181	10	12	20	32	44	48	73
50-64	384	25.7	288	10	12	20	32	50	65	99
65+	410	25.3	254	11	12	21	31	50	78	99+
TOT. SINGLE DX	431	18.3	98	9	10	16	21	29	36	58
" MULTIPLE DX	854	25.3	266	10	12	20	32	49	71	99+
TOTAL 0-19 YRS	5	4.6	11	2	2	4	6	10	10	10
20-34	7	19.9	495	1	1	11	28	57	64	64
35-49	99	21.8	164	10	11	18	27	42	48	70
50-64	618	22.7	229	10	11	18	27	42	59	92
65+	556	23.7	216	10	12	19	29	45	67	99+
GRAND TOTAL	**1285**	**23.0**	**220**	**10**	**11**	**18**	**28**	**43**	**60**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	36.0	2048	4	4	36	68	68	68	68
35-49	7	8.4	12	5	5	7	10	14	15	15
50-64	30	13.3	265	2	2	8	15	44	74	99+
65+	18	17.9	185	5	6	14	30	75	99+	99+
2. MULTIPLE DX										
0-19 YRS	19	22.5	520	1	3	13	38	69	88	99+
20-34	20	38.1	673	4	6	33	61	99	99+	99+
35-49	38	27.3	724	2	5	20	53	97	99+	99+
50-64	97	26.7	484	4	5	23	48	94	99+	99+
65+	137	33.8	522	5	9	33	59	99+	99+	99+
TOT. SINGLE DX	58	14.8	254	2	2	9	18	48	87	99+
" MULTIPLE DX	311	30.4	555	4	6	29	52	99	99+	99+
TOTAL 0-19 YRS	20	21.6	510	2	3	10	37	68	87	99+
20-34	22	37.9	707	4	5	33	62	98	99+	99+
35-49	45	24.4	659	2	5	13	46	89	99+	99+
50-64	127	23.5	462	2	4	16	45	75	99+	99+
65+	155	31.9	508	5	7	30	52	99+	99+	99+
GRAND TOTAL	**369**	**27.9**	**539**	**3**	**5**	**25**	**50**	**95**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	7.0	105	<1	<1	4	7	15	27	63
20-34	83	8.3	177	<1	1	4	9	19	59	88
35-49	125	8.4	183	1	1	3	8	22	50	82
50-64	180	10.2	194	1	1	5	11	26	51	71
65+	172	10.6	221	1	1	4	14	29	44	99
2. MULTIPLE DX										
0-19 YRS	275	18.2	440	1	2	11	36	90	99+	99+
20-34	283	26.0	510	2	3	19	47	72	99+	99+
35-49	283	26.1	543	2	3	22	46	92	99+	99+
50-64	824	27.9	596	2	2	25	50	82	99+	99+
65+	984	35.2	688	2	4	36	64	99+	99+	99+
TOT. SINGLE DX	714	9.1	179	1	1	4	10	23	42	80
" MULTIPLE DX	2649	29.2	628	2	3	27	54	91	99+	99+
TOTAL 0-19 YRS	429	14.2	349	1	1	7	21	65	99+	99+
20-34	366	22.0	490	1	2	14	40	67	92	99+
35-49	408	20.7	499	1	2	14	36	73	99+	99+
50-64	1004	24.7	570	1	2	18	45	76	99+	99+
65+	1156	31.6	696	2	2	30	59	95	99+	99+
GRAND TOTAL	**3363**	**24.9**	**600**	**1**	**2**	**18**	**47**	**82**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	6.2	38	1	1	4	9	13	16	36
20-34	439	6.4	47	1	1	4	9	14	19	29
35-49	786	7.1	40	1	1	5	10	15	19	29
50-64	1942	7.9	51	1	2	6	11	17	22	32
65+	2281	8.8	72	1	2	7	11	19	24	45
2. MULTIPLE DX										
0-19 YRS	106	8.8	100	1	1	5	12	19	35	49
20-34	769	10.1	93	2	2	7	13	22	31	65
35-49	1803	11.3	103	2	2	9	15	23	31	53
50-64	6072	12.4	113	2	3	10	16	25	33	59
65+	9357	14.5	150	2	3	11	19	29	39	66
TOT. SINGLE DX	5532	8.0	59	1	2	6	11	17	22	36
" MULTIPLE DX	18107	13.3	132	2	3	10	17	27	36	63
TOTAL 0-19 YRS	190	7.6	75	1	1	5	10	15	24	45
20-34	1208	8.7	80	1	2	6	11	18	27	54
35-49	2589	10.0	88	1	2	8	13	21	27	51
50-64	8014	11.3	102	2	2	9	15	23	31	54
65+	11638	13.4	140	2	3	10	17	27	36	64
GRAND TOTAL	**23639**	**12.0**	**120**	**2**	**2**	**9**	**16**	**25**	**33**	**58**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	5.0	28	<1	<1	3	9	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	3	14.0	229	2	2	9	25	31	31	31
20-34	4	46.3	1167	19	19	35	67	96	96	96
35-49	2	12.0	8	10	10	12	14	14	14	14
50-64	9	15.8	272	1	2	11	21	42	55	55
65+	6	13.5	86	2	2	13	23	24	24	24
TOT. SINGLE DX	6	3.2	15	<1	<1	2	3	10	11	11
" MULTIPLE DX	24	19.8	434	2	2	15	23	41	67	96
TOTAL 0-19 YRS	5	8.8	165	1	1	2	14	31	31	31
20-34	4	46.3	1168	19	19	35	67	96	96	96
35-49	3	8.7	37	2	2	10	13	14	14	14
50-64	12	13.1	227	<1	1	9	18	32	52	55
65+	6	13.5	86	2	2	13	23	24	24	24
GRAND TOTAL	**30**	**16.4**	**392**	**1**	**1**	**10**	**22**	**35**	**55**	**96**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	12.1	64	5	6	9	16	19	32	41
20-34	348	10.2	41	2	4	9	12	18	21	35
35-49	586	10.3	40	2	4	9	13	18	21	34
50-64	1239	11.5	66	2	3	10	15	21	26	38
65+	1156	11.7	74	1	2	10	16	22	27	40
2. MULTIPLE DX										
0-19 YRS	164	15.7	175	5	6	11	18	34	51	69
20-34	571	14.1	133	3	5	11	17	25	37	64
35-49	1022	14.7	127	3	4	11	19	28	36	64
50-64	3191	15.4	131	3	5	12	20	29	37	64
65+	4166	16.4	142	3	4	14	22	31	39	63
TOT. SINGLE DX	3390	11.2	63	2	3	10	14	21	25	38
" MULTIPLE DX	9114	15.7	137	3	4	13	21	30	38	63
TOTAL 0-19 YRS	225	14.7	147	5	6	10	17	33	43	65
20-34	919	12.6	102	3	5	10	16	22	30	60
35-49	1608	13.1	101	3	4	10	17	25	33	55
50-64	4430	14.3	116	2	4	11	19	27	34	57
65+	5322	15.4	131	2	4	13	20	29	37	60
GRAND TOTAL	**12504**	**14.5**	**121**	**2**	**4**	**12**	**19**	**28**	**36**	**59**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	13.3	70	5	6	11	17	19	33	42
20-34	49	11.9	33	5	6	10	15	18	25	31
35-49	209	14.4	46	7	8	13	18	22	27	37
50-64	793	15.0	55	7	8	13	18	24	28	44
65+	614	16.1	55	8	9	14	20	25	30	41
2. MULTIPLE DX										
0-19 YRS	26	14.9	55	7	8	12	20	27	31	34
20-34	79	17.4	91	7	8	15	22	32	45	99+
35-49	395	17.7	128	8	9	14	21	31	37	72
50-64	1787	19.1	116	8	9	17	23	32	41	74
65+	1748	20.9	142	9	10	18	25	36	44	70
TOT. SINGLE DX	1683	15.2	55	7	8	13	18	24	29	42
" MULTIPLE DX	4035	19.7	130	8	9	17	24	33	42	72
TOTAL 0-19 YRS	44	14.3	61	6	7	11	18	22	31	42
20-34	128	15.3	76	6	7	13	19	28	34	99+
35-49	604	16.5	102	7	8	14	20	28	35	61
50-64	2580	17.8	102	8	9	15	22	30	37	63
65+	2362	19.6	125	8	10	17	24	33	41	64
GRAND TOTAL	**5718**	**18.4**	**112**	**8**	**9**	**16**	**22**	**31**	**39**	**64**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	569	4.1	21	<1	1	2	5	10	14	20
20-34	548	6.1	32	1	1	4	8	15	18	28
35-49	968	6.6	35	1	1	5	9	14	18	31
50-64	1847	6.7	42	1	1	5	9	14	19	31
65+	1848	8.1	70	1	2	5	11	18	23	37
2. MULTIPLE DX										
0-19 YRS	709	9.2	150	1	1	6	11	21	30	89
20-34	1105	10.7	128	1	2	8	13	23	33	59
35-49	2275	10.7	114	2	2	8	13	23	31	59
50-64	5949	11.7	114	2	2	9	15	24	32	59
65+	8480	14.3	150	2	3	11	19	29	39	71
TOT. SINGLE DX	5780	6.8	49	1	1	5	9	15	20	33
" MULTIPLE DX	18518	12.6	136	2	2	9	17	26	35	66
TOTAL 0-19 YRS	1278	6.9	100	1	1	3	9	16	23	67
20-34	1653	9.2	101	1	2	6	12	20	28	53
35-49	3243	9.5	95	1	2	7	12	20	27	50
50-64	7796	10.5	102	1	2	8	14	22	29	57
65+	10328	13.2	142	2	2	10	18	28	37	68
GRAND TOTAL	**24298**	**11.2**	**121**	**1**	**2**	**8**	**15**	**24**	**32**	**61**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	6.1	26	2	2	5	7	10	20	27
20-34	242	5.8	12	2	2	5	7	10	12	17
35-49	67	7.5	32	2	2	6	9	15	23	27
50-64	64	7.8	41	1	2	6	11	18	21	28
65+	71	9.6	79	2	2	7	12	20	26	49
2. MULTIPLE DX										
0-19 YRS	88	14.0	298	2	3	7	14	32	55	80
20-34	187	10.6	95	2	3	8	14	21	30	48
35-49	125	11.5	118	2	3	9	15	26	34	99+
50-64	252	15.6	197	3	3	11	20	32	50	76
65+	342	15.8	182	2	3	13	22	33	42	91
TOT. SINGLE DX	485	6.9	32	2	2	5	8	13	18	28
" MULTIPLE DX	994	14.1	176	2	3	10	18	30	42	76
TOTAL 0-19 YRS	129	11.5	225	2	2	6	11	29	51	77
20-34	429	7.9	54	2	3	6	9	15	20	37
35-49	192	10.1	92	2	3	7	12	23	29	89
50-64	316	14.0	175	2	3	10	18	28	48	74
65+	413	14.7	170	2	3	11	20	31	40	88
GRAND TOTAL	**1479**	**11.7**	**140**	**2**	**3**	**8**	**15**	**26**	**35**	**73**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	476	6.4	21	2	3	5	8	11	14	24
20-34	2037	6.2	15	2	3	5	7	11	14	21
35-49	719	7.5	41	2	3	6	9	14	19	34
50-64	610	10.2	62	2	3	8	13	21	25	35
65+	435	12.7	76	3	4	10	17	24	30	44
2. MULTIPLE DX										
0-19 YRS	1018	13.4	207	3	4	9	15	29	49	86
20-34	1941	10.0	104	2	3	7	11	20	30	59
35-49	1515	12.2	114	3	4	9	15	24	36	64
50-64	2667	14.8	144	3	4	11	19	30	39	68
65+	3375	17.2	182	4	5	14	22	34	44	81
TOT. SINGLE DX	4277	7.7	38	2	3	6	9	15	20	33
" MULTIPLE DX	10516	14.2	158	3	4	10	18	30	41	74
TOTAL 0-19 YRS	1494	11.2	159	2	3	7	12	22	39	81
20-34	3978	8.1	63	2	3	6	9	15	21	48
35-49	2234	10.7	96	3	3	8	13	22	31	58
50-64	3277	13.9	133	3	4	11	18	28	37	66
65+	3810	16.7	173	4	5	13	22	34	43	78
GRAND TOTAL	**14793**	**12.3**	**132**	**3**	**3**	**9**	**15**	**26**	**36**	**67**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	566	6.3	29	1	2	6	7	9	12	22
20-34	565	7.6	39	1	2	6	10	15	20	31
35-49	527	7.7	62	1	1	6	10	17	21	41
50-64	702	8.7	65	1	2	6	12	19	24	44
65+	570	10.6	97	1	2	8	14	22	30	52
2. MULTIPLE DX										
0-19 YRS	255	10.0	103	1	2	7	13	21	28	51
20-34	663	11.8	121	1	2	9	15	26	36	61
35-49	896	12.1	129	2	2	9	15	26	35	57
50-64	2130	13.6	137	2	3	11	18	28	36	60
65+	2872	15.6	157	2	4	12	21	31	40	69
TOT. SINGLE DX	2930	8.2	61	1	2	6	10	17	22	40
" MULTIPLE DX	6816	13.9	145	2	3	11	18	29	37	63
TOTAL 0-19 YRS	821	7.5	55	1	2	6	8	13	19	35
20-34	1228	9.9	88	1	2	7	13	20	30	50
35-49	1423	10.5	109	1	2	8	13	23	31	54
50-64	2832	12.4	124	2	2	10	17	26	35	56
65+	3442	14.8	151	2	3	12	19	31	39	64
GRAND TOTAL	**9746**	**12.2**	**126**	**2**	**2**	**9**	**16**	**26**	**34**	**58**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	480	10.0	26	6	7	9	11	15	19	31
20-34	200	11.9	78	7	8	10	13	17	20	89
35-49	307	12.4	40	7	8	11	14	18	20	31
50-64	477	14.2	30	9	9	13	16	20	25	36
65+	276	16.2	53	9	10	14	18	24	32	45
2. MULTIPLE DX										
0-19 YRS	806	13.5	96	7	7	10	14	25	35	69
20-34	371	17.5	167	8	8	12	20	35	48	69
35-49	705	17.0	115	8	9	13	19	30	39	63
50-64	1988	19.2	123	9	10	16	23	33	43	69
65+	1930	22.4	173	10	11	18	27	39	52	80
TOT. SINGLE DX	1740	12.8	45	7	7	11	15	19	23	38
" MULTIPLE DX	5800	19.1	147	8	9	15	23	34	45	72
TOTAL 0-19 YRS	1286	12.2	73	7	7	10	13	20	30	58
20-34	571	15.5	143	7	8	11	17	28	44	75
35-49	1012	15.6	97	8	9	13	17	26	34	59
50-64	2465	18.3	109	9	10	15	21	31	39	66
65+	2206	21.7	162	10	11	18	26	37	50	76
GRAND TOTAL	**7540**	**17.7**	**130**	**8**	**9**	**14**	**21**	**31**	**41**	**69**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	14.3	44	8	8	11	20	24	25	25
20-34	51	10.6	9	7	8	10	12	15	18	21
35-49	1252	11.3	16	8	8	10	13	16	18	26
50-64	3870	12.1	19	8	8	11	14	17	20	28
65+	1559	13.7	33	8	9	12	16	21	24	35
2. MULTIPLE DX										
0-19 YRS	13	15.9	133	9	10	11	16	29	48	52
20-34	161	12.9	51	8	8	11	14	19	23	37
35-49	3977	13.3	40	8	8	11	15	20	25	38
50-64	14947	14.8	59	8	9	12	17	23	29	46
65+	8026	18.0	103	9	10	15	21	30	38	64
TOT. SINGLE DX	6738	12.3	23	8	8	11	14	18	21	30
" MULTIPLE DX	27124	15.5	72	8	9	13	18	25	31	52
TOTAL 0-19 YRS	19	15.4	102	8	9	11	17	24	40	52
20-34	212	12.4	42	7	8	11	14	18	21	36
35-49	5229	12.8	35	8	8	11	14	19	24	36
50-64	18817	14.2	52	8	9	12	16	22	27	44
65+	9585	17.3	95	9	9	14	20	29	36	61
GRAND TOTAL	**33862**	**14.9**	**64**	**8**	**9**	**12**	**17**	**24**	**30**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1393	2.1	3	1	1	2	2	2	5	11
20-34	977	3.4	11	1	2	2	3	7	10	18
35-49	5771	3.4	10	1	2	2	3	7	10	16
50-64	11133	3.3	10	1	2	2	3	7	10	17
65+	3558	3.9	17	1	2	2	4	9	13	20
2. MULTIPLE DX										
0-19 YRS	1915	3.2	30	1	1	2	2	6	10	25
20-34	1629	5.1	32	1	2	3	6	12	16	29
35-49	13788	4.8	27	1	2	2	6	11	15	24
50-64	34240	5.2	31	1	2	3	7	12	16	26
65+	16319	6.7	52	2	2	4	9	15	20	35
TOT. SINGLE DX	22832	3.3	12	1	2	2	3	7	10	17
" MULTIPLE DX	67891	5.4	36	1	2	3	7	13	17	29
TOTAL 0-19 YRS	3308	2.7	19	1	1	2	2	4	8	19
20-34	2606	4.4	25	1	2	2	5	10	14	27
35-49	19559	4.4	23	1	2	2	5	10	14	22
50-64	45373	4.7	27	1	2	2	6	11	15	24
65+	19877	6.2	48	2	2	3	8	14	19	33
GRAND TOTAL	**90723**	**4.9**	**31**	**1**	**2**	**2**	**6**	**11**	**15**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	5.4	21	1	2	4	6	10	18	22
20-34	64	5.6	13	1	2	4	8	11	13	18
35-49	206	8.2	40	2	2	6	12	17	21	27
50-64	889	8.0	38	2	2	6	11	16	20	29
65+	3594	7.3	31	2	2	6	9	14	18	27
2. MULTIPLE DX										
0-19 YRS	92	8.2	59	2	2	6	10	17	24	42
20-34	181	9.4	106	2	3	6	12	17	26	62
35-49	759	12.1	70	2	3	11	15	22	27	42
50-64	4570	12.7	81	3	4	11	17	24	29	45
65+	23780	13.4	104	3	4	11	17	26	33	55
TOT. SINGLE DX	4788	7.4	33	2	2	6	10	15	19	27
" MULTIPLE DX	29382	13.2	101	3	4	11	17	25	32	53
TOTAL 0-19 YRS	127	7.4	51	1	2	5	9	16	22	40
20-34	245	8.4	85	2	2	6	11	16	19	45
35-49	965	11.3	66	2	3	10	15	21	26	41
50-64	5459	12.0	78	2	3	10	16	23	28	44
65+	27374	12.6	100	3	4	10	16	24	31	52
GRAND TOTAL	**34170**	**12.4**	**95**	**2**	**3**	**10**	**16**	**24**	**31**	**50**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	9.5	70	3	6	8	9	15	18	62
20-34	66	8.7	26	2	2	8	11	15	20	24
35-49	251	6.2	25	2	2	4	9	13	16	25
50-64	406	6.3	37	2	2	4	8	13	17	31
65+	161	8.0	55	2	2	5	12	17	22	38
2. MULTIPLE DX										
0-19 YRS	109	13.3	110	4	5	10	16	23	33	61
20-34	216	13.8	150	2	4	11	17	28	47	99+
35-49	619	11.0	98	2	2	9	14	23	30	51
50-64	1518	11.8	113	2	3	9	16	24	33	58
65+	815	16.0	192	3	3	12	21	34	44	73
TOT. SINGLE DX	943	7.0	40	2	2	5	9	14	18	31
" MULTIPLE DX	3277	12.9	136	2	3	10	17	27	36	63
TOTAL 0-19 YRS	168	12.0	99	3	5	9	14	21	25	64
20-34	282	12.6	126	2	3	10	15	23	36	93
35-49	870	9.6	82	2	2	7	12	20	26	46
50-64	1924	10.6	102	2	2	8	14	22	30	56
65+	976	14.7	179	2	3	11	19	32	42	68
GRAND TOTAL	**4220**	**11.5**	**121**	**2**	**3**	**9**	**15**	**24**	**33**	**58**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	854	3.3	12	<1	<1	2	4	7	11	18
20-34	680	4.2	25	<1	1	2	5	11	14	24
35-49	931	3.9	24	<1	1	2	4	9	14	24
50-64	1341	4.1	31	<1	1	2	4	10	14	32
65+	1213	5.9	55	1	1	3	7	14	21	38
2. MULTIPLE DX										
0-19 YRS	1576	6.3	66	1	2	4	7	14	19	47
20-34	927	9.4	92	1	1	7	12	20	27	48
35-49	1618	9.8	107	1	2	7	13	21	29	56
50-64	4020	10.7	107	1	2	8	14	23	30	52
65+	8310	13.9	140	2	3	11	18	29	38	65
TOT. SINGLE DX	5019	4.4	33	<1	1	2	5	11	15	29
" MULTIPLE DX	16451	11.7	126	1	2	9	16	25	34	59
TOTAL 0-19 YRS	2430	5.3	50	<1	1	3	6	12	16	39
20-34	1607	7.2	70	1	1	4	9	17	23	39
35-49	2549	7.6	86	1	1	4	10	18	25	50
50-64	5361	9.1	97	1	1	6	12	21	28	47
65+	9523	12.9	137	2	2	10	17	27	36	62
GRAND TOTAL	**21470**	**10.0**	**114**	**1**	**1**	**7**	**14**	**23**	**31**	**55**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	3.4	2	1	2	3	4	6	7	8
20-34	2672	4.0	5	2	2	4	5	6	7	12
35-49	3607	4.4	6	2	2	4	5	7	9	14
50-64	2759	5.0	14	2	2	4	6	8	10	19
65+	791	6.2	28	2	3	5	7	11	15	29
2. MULTIPLE DX										
0-19 YRS	20	6.2	23	2	3	5	6	14	19	20
20-34	602	5.9	28	2	2	4	7	11	16	29
35-49	1324	6.5	31	2	3	5	7	12	16	28
50-64	1827	7.9	48	2	3	6	9	15	21	36
65+	915	11.0	111	3	3	8	14	22	32	54
TOT. SINGLE DX	9935	4.6	11	2	2	4	5	7	9	17
" MULTIPLE DX	4688	7.8	56	2	3	5	9	16	21	39
TOTAL 0-19 YRS	126	3.8	7	1	2	3	4	6	7	18
20-34	3274	4.3	10	2	2	4	5	7	8	17
35-49	4931	4.9	14	2	2	4	5	8	11	21
50-64	4586	6.1	30	2	3	5	7	11	15	30
65+	1706	8.8	79	2	3	6	10	18	25	44
GRAND TOTAL	**14623**	**5.6**	**27**	**2**	**2**	**4**	**6**	**10**	**14**	**28**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	11.0	189	2	2	8	12	20	25	87
20-34	131	7.9	44	1	2	7	10	16	21	32
35-49	510	9.6	35	2	2	9	12	17	21	31
50-64	1864	11.2	42	3	5	10	14	18	21	34
65+	1857	12.9	70	3	6	11	15	21	27	53
2. MULTIPLE DX										
0-19 YRS	222	15.6	215	3	5	11	18	38	53	99+
20-34	549	13.0	148	2	2	10	17	28	40	62
35-49	1696	14.7	143	2	4	12	18	29	40	88
50-64	6539	16.3	139	5	7	13	19	30	42	75
65+	8456	20.3	203	6	8	16	25	40	52	92
TOT. SINGLE DX	4449	11.6	58	2	4	10	14	19	24	42
" MULTIPLE DX	17462	18.0	178	4	7	14	22	35	47	86
TOTAL 0-19 YRS	309	14.3	212	2	3	10	16	32	52	94
20-34	680	12.0	133	2	2	9	16	25	37	5[illegible]
35-49	2206	13.5	123	2	4	11	16	26	36	79
50-64	8403	15.2	123	4	6	12	18	27	39	71
65+	10313	19.0	187	5	7	15	23	37	49	87
GRAND TOTAL	**21911**	**16.7**	**160**	**4**	**6**	**13**	**20**	**32**	**44**	**80**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49	3	14.3	17	11	11	13	17	19	19	19
50-64	12	12.6	9	8	9	12	14	16	19	20
65+	2	16.5	5	15	15	16	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	5	11.4	3	10	10	11	12	14	14	14
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	15.9	72	7	9	11	19	30	35	35
50-64	25	18.7	205	6	9	13	20	33	44	76
65+	20	22.9	216	5	10	20	28	37	55	71
TOT. SINGLE DX	18	14.2	22	8	9	13	15	20	25	28
" MULTIPLE DX	62	18.7	176	5	9	15	22	34	37	75
TOTAL 0-19 YRS	6	14.2	48	10	10	11	14	27	28	28
20-34	1	3.0		3	3	3	3	3	3	3
35-49	14	15.6	59	8	9	12	19	27	33	35
50-64	37	16.7	148	8	9	13	19	30	34	76
65+	22	22.3	199	6	11	19	26	36	52	71
GRAND TOTAL	**80**	**17.7**	**144**	**7**	**9**	**14**	**20**	**32**	**35**	**74**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.6	15	<1	1	3	5	10	12	19
20-34	122	3.0	18	<1	<1	<1	3	8	10	25
35-49	121	4.2	24	<1	<1	2	6	9	13	24
50-64	163	5.4	26	<1	<1	4	8	13	17	21
65+	147	6.9	58	<1	<1	5	9	15	20	45
2. MULTIPLE DX										
0-19 YRS	201	6.1	59	<1	1	4	7	14	16	49
20-34	1646	5.8	46	<1	<1	4	7	13	17	35
35-49	1845	7.0	62	<1	1	5	8	15	21	43
50-64	3500	7.6	77	<1	1	5	9	16	23	48
65+	3026	9.5	102	1	2	6	12	20	28	57
TOT. SINGLE DX	590	5.0	33	<1	<1	3	7	12	16	25
" MULTIPLE DX	10218	7.7	79	<1	1	5	10	16	24	49
TOTAL 0-19 YRS	238	5.9	53	<1	1	4	7	13	16	47
20-34	1768	5.6	45	<1	<1	4	7	12	17	32
35-49	1966	6.8	61	<1	<1	4	8	15	20	42
50-64	3663	7.5	75	<1	1	5	9	16	22	47
65+	3173	9.4	101	1	2	6	12	20	28	57
GRAND TOTAL	**10808**	**7.6**	**77**	**<1**	**1**	**5**	**9**	**16**	**23**	**49**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	917	8.2	90	1	1	6	10	14	21	53
20-34	843	7.1	72	1	1	4	9	15	21	41
35-49	1347	8.9	70	1	2	7	11	19	25	41
50-64	4446	9.0	53	2	3	7	11	16	21	37
65+	6079	10.0	54	2	3	8	13	18	22	37
2. MULTIPLE DX										
0-19 YRS	6988	18.8	379	2	3	11	26	52	72	99+
20-34	2618	10.4	143	1	1	7	13	24	36	71
35-49	3942	12.5	158	1	2	9	16	28	38	75
50-64	15073	13.4	143	2	3	10	17	27	38	75
65+	24663	15.9	169	3	5	12	20	31	43	78
TOT. SINGLE DX	13632	9.2	60	2	3	7	12	17	22	38
" MULTIPLE DX	53284	15.0	192	2	3	11	19	32	46	87
TOTAL 0-19 YRS	7905	17.6	358	2	3	10	23	49	68	99+
20-34	3461	9.6	128	1	1	6	12	22	33	67
35-49	5289	11.6	139	1	2	8	15	25	35	71
50-64	19519	12.4	126	2	3	10	15	25	34	69
65+	30742	14.7	152	3	4	11	18	29	39	73
GRAND TOTAL	**66916**	**13.9**	**170**	**2**	**3**	**10**	**17**	**29**	**41**	**80**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1685	3.1	13	<1	1	2	3	7	10	17
20-34	1982	4.2	18	<1	1	3	5	9	13	22
35-49	1392	4.6	22	<1	1	3	6	10	14	23
50-64	1576	6.1	35	1	1	4	8	13	18	29
65+	1352	7.6	51	1	2	5	10	16	21	35
2. MULTIPLE DX										
0-19 YRS	667	5.6	40	1	1	3	7	12	16	36
20-34	1302	8.5	75	1	2	6	11	18	25	45
35-49	1567	9.1	81	1	2	6	12	20	27	47
50-64	3150	10.5	92	2	2	8	14	22	29	50
65+	3903	12.7	126	2	2	10	17	26	34	57
TOT. SINGLE DX	7987	5.0	29	<1	1	3	6	11	15	27
" MULTIPLE DX	10589	10.5	102	1	2	8	14	23	30	51
TOTAL 0-19 YRS	2352	3.8	22	<1	1	2	4	8	12	23
20-34	3284	5.9	46	<1	1	3	7	13	18	33
35-49	2959	7.0	59	1	1	4	9	16	21	38
50-64	4726	9.0	78	1	2	7	12	20	26	43
65+	[illegible]	11.4	112	2	2	9	15	24	32	53
GRAND TOTAL	**1[illegible]**	**8.2**	**78**	**1**	**1**	**5**	**11**	**19**	**25**	**44**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	4.3	13	<1	1	3	6	8	11	21
20-34	157	6.1	19	1	2	5	8	11	15	22
35-49	134	8.4	66	1	2	7	10	15	22	49
50-64	309	9.2	50	3	3	8	11	17	23	39
65+	285	10.2	64	2	3	8	12	20	24	45
2. MULTIPLE DX										
0-19 YRS	43	9.0	76	1	2	9	11	17	23	53
20-34	205	8.7	57	2	3	8	10	14	16	37
35-49	282	12.5	140	3	4	9	15	24	38	61
50-64	801	12.7	134	3	5	9	15	25	36	75
65+	891	12.9	129	4	4	9	16	25	35	75
TOT. SINGLE DX	941	8.6	52	2	2	7	10	16	22	38
" MULTIPLE DX	2222	12.3	126	3	4	9	15	24	35	71
TOTAL 0-19 YRS	99	6.3	46	<1	1	4	9	12	18	38
20-34	362	7.6	42	1	2	7	9	13	15	32
35-49	416	11.2	120	2	3	8	13	22	32	58
50-64	1110	11.7	113	3	4	8	13	23	33	67
65+	1176	12.3	115	3	4	9	15	24	33	66
GRAND TOTAL	**3163**	**11.2**	**107**	**2**	**3**	**8**	**13**	**22**	**31**	**58**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	16	2	2	9	10	11	11	11
20-34	2	16.0	18	13	13	16	19	19	19	19
35-49	6	4.3	3	3	3	4	6	7	7	7
50-64	8	6.5	28	1	1	5	11	14	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34	5	11.0	87	3	3	7	17	26	26	26
35-49	3	10.0	93	3	3	6	17	21	21	21
50-64	7	21.4	519	5	6	11	31	61	67	67
65+	5	16.8	146	4	4	13	26	34	34	34
TOT. SINGLE DX	21	7.1	24	1	2	7	10	14	17	19
" MULTIPLE DX	20	16.0	246	3	4	10	22	35	52	67
TOTAL 0-19 YRS	4	7.8	16	2	2	9	10	11	11	11
20-34	7	12.4	67	3	3	13	18	25	26	26
35-49	9	6.2	33	3	3	4	6	15	21	21
50-64	15	13.5	296	1	2	8	13	37	59	67
65+	6	15.3	130	4	4	11	24	33	34	34
GRAND TOTAL	**41**	**11.4**	**149**	**2**	**2**	**8**	**13**	**25**	**35**	**67**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	31.0		31	31	31	31	31	31	31
35-49	2	22.5	685	4	4	22	41	41	41	41
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	47.1	232	33	34	45	65	94	99+	99+
20-34	2	39.0	162	30	30	39	48	48	48	48
35-49	2	26.0	338	13	13	26	39	39	39	39
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	12.0	32	8	8	12	16	16	16	16
TOT. SINGLE DX	5	17.8	291	4	4	8	33	41	41	41
" MULTIPLE DX	14	34.9	393	6	8	39	47	79	95	99+
TOTAL 0-19 YRS	9	38.1	496	5	6	42	51	89	99+	99+
20-34	3	36.3	102	30	30	31	44	48	48	48
35-49	4	24.3	345	4	4	26	40	41	41	41
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	12.0	32	8	8	12	16	16	16	16
GRAND TOTAL	**19**	**30.4**	**409**	**4**	**5**	**35**	**45**	**65**	**89**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1184	6.9	44	1	2	5	8	13	18	31
20-34	1154	8.7	54	2	2	7	10	17	24	39
35-49	960	9.1	73	2	2	7	10	18	25	44
50-64	1441	9.1	74	2	2	7	11	18	25	46
65+	1985	10.6	92	2	3	8	13	22	30	50
2. MULTIPLE DX										
0-19 YRS	1547	10.7	116	2	3	7	12	22	31	61
20-34	2686	12.9	144	3	4	9	15	27	39	72
35-49	3048	13.1	138	3	4	10	16	27	37	64
50-64	6917	14.0	150	3	4	10	17	29	39	70
65+	16844	14.9	147	3	4	12	18	29	40	71
TOT. SINGLE DX	6724	9.1	73	2	2	7	11	18	26	44
" MULTIPLE DX	31042	14.1	147	3	4	11	17	29	39	70
TOTAL 0-19 YRS	2731	9.1	89	1	2	7	10	19	27	54
20-34	3840	11.6	121	2	3	8	13	24	34	64
35-49	4008	12.1	126	2	3	9	15	25	34	61
50-64	8358	13.1	141	2	3	10	16	27	37	67
65+	18829	14.5	143	3	4	11	18	29	39	69
GRAND TOTAL	**37766**	**13.2**	**137**	**2**	**4**	**10**	**16**	**27**	**37**	**65**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	11.2	162	1	2	7	13	30	45	69
20-34	193	11.4	162	1	2	8	15	28	40	58
35-49	173	12.0	175	1	2	8	15	30	33	71
50-64	195	11.0	155	1	2	7	14	25	43	93
65+	165	13.4	163	2	2	9	18	30	38	65
2. MULTIPLE DX										
0-19 YRS	466	18.1	414	2	3	9	27	55	80	99+
20-34	542	16.9	264	2	3	11	24	38	55	99+
35-49	700	15.1	240	2	2	9	20	39	53	80
50-64	1350	15.1	216	1	2	10	21	36	46	93
65+	1502	20.8	305	3	4	16	29	45	57	89
TOT. SINGLE DX	892	11.8	163	1	2	8	15	29	39	68
" MULTIPLE DX	4560	17.5	281	2	3	12	25	42	56	95
TOTAL 0-19 YRS	632	16.3	357	2	2	8	23	48	71	99+
20-34	735	15.5	244	2	2	10	21	36	48	95
35-49	873	14.5	229	2	2	9	19	35	52	75
50-64	1545	14.6	210	1	2	10	20	36	46	93
65+	1667	20.0	296	2	4	15	28	43	56	88
GRAND TOTAL	**5452**	**16.6**	**266**	**2**	**2**	**11**	**23**	**40**	**53**	**93**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	276	3.7	18	<1	1	2	4	9	13	22
20-34	318	4.7	16	1	1	4	7	11	13	19
35-49	467	6.0	38	1	1	4	8	13	18	29
50-64	759	7.0	69	1	1	4	9	16	23	39
65+	1031	7.1	59	1	1	4	9	16	21	38
2. MULTIPLE DX										
0-19 YRS	244	7.6	90	1	1	4	9	18	32	69
20-34	702	8.4	91	1	2	6	10	16	25	68
35-49	1511	9.3	102	1	2	7	11	19	26	56
50-64	3221	10.1	120	1	2	7	12	21	30	64
65+	5533	12.1	141	2	3	9	15	26	36	69
TOT. SINGLE DX	2851	6.3	51	1	1	4	8	14	19	34
" MULTIPLE DX	11211	10.8	128	1	2	8	13	23	32	67
TOTAL 0-19 YRS	520	5.5	56	<1	1	3	7	13	20	47
20-34	1020	7.3	71	1	1	5	9	15	19	47
35-49	1978	8.5	89	1	2	6	10	18	24	52
50-64	3980	9.5	112	1	2	7	12	20	29	61
65+	6564	11.3	132	2	2	8	14	24	33	66
GRAND TOTAL	**14062**	**9.9**	**116**	**1**	**2**	**7**	**12**	**21**	**30**	**62**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1569	4.0	3	2	2	4	5	6	8	11
20-34	20	9.1	35	2	3	9	11	16	23	27
35-49	13	11.1	19	4	4	11	13	18	19	19
50-64	19	12.9	39	7	8	11	15	22	29	32
65+	25	19.6	272	3	9	15	24	37	57	80
2. MULTIPLE DX										
0-19 YRS	389	6.8	42	2	3	5	7	11	15	39
20-34	35	13.9	94	5	5	11	17	32	45	99+
35-49	36	15.5	135	4	7	12	19	28	33	67
50-64	82	19.8	194	7	8	15	25	38	48	73
65+	163	23.3	209	7	9	19	31	45	53	77
TOT. SINGLE DX	1646	4.5	14	2	2	4	5	7	10	17
" MULTIPLE DX	705	12.9	157	3	3	8	17	31	39	68
TOTAL 0-19 YRS	1958	4.6	13	2	2	4	5	7	9	15
20-34	55	12.1	78	3	4	10	15	26	35	97
35-49	49	14.3	108	4	7	11	18	25	30	67
50-64	101	18.5	172	7	8	14	24	34	43	72
65+	188	22.8	218	6	9	18	30	44	51	79
GRAND TOTAL	**2351**	**7.0**	**71**	**2**	**2**	**4**	**7**	**14**	**24**	**46**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.6	103	3	3	6	9	12	33	49
20-34	17	11.1	56	2	3	9	14	24	28	29
35-49	24	16.6	373	2	4	9	20	26	58	96
50-64	78	20.5	309	3	5	17	25	44	65	99
65+	136	21.4	342	4	5	16	25	47	63	99+
2. MULTIPLE DX										
0-19 YRS	137	23.3	465	4	5	18	37	74	99+	99+
20-34	88	20.0	279	3	7	15	31	58	99+	99+
35-49	135	27.4	438	5	6	23	42	67	95	99+
50-64	502	25.2	381	5	7	21	37	67	90	99+
65+	1904	27.0	353	6	8	23	38	62	88	99+
TOT. SINGLE DX	274	19.2	314	3	5	14	24	44	61	99+
" MULTIPLE DX	2766	26.3	368	5	8	22	38	64	92	99+
TOTAL 0-19 YRS	156	21.5	444	4	4	16	30	66	99	99+
20-34	105	18.6	253	3	5	14	28	50	99	99+
35-49	159	25.8	441	5	6	21	40	64	94	99+
50-64	580	24.6	374	5	7	19	36	65	88	99+
65+	2040	26.7	355	6	8	22	38	61	87	99+
GRAND TOTAL	**3040**	**25.7**	**367**	**5**	**7**	**21**	**37**	**63**	**88**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	6.3	64	1	2	5	7	9	12	55
20-34	484	5.8	13	<1	2	5	8	10	13	19
35-49	864	6.7	26	1	2	6	8	13	16	28
50-64	1046	6.8	28	<1	2	6	8	12	16	26
65+	1216	8.1	49	1	2	6	10	16	21	34
2. MULTIPLE DX										
0-19 YRS	186	8.2	78	2	2	6	9	14	20	55
20-34	1428	8.3	49	2	3	6	10	15	20	40
35-49	3110	8.9	55	2	3	7	11	16	22	39
50-64	5815	10.1	68	2	3	8	12	18	24	46
65+	10897	12.4	100	3	4	10	15	24	31	56
TOT. SINGLE DX	3696	7.0	35	<1	2	6	9	13	17	30
" MULTIPLE DX	21436	11.0	84	3	3	9	13	21	28	50
TOTAL 0-19 YRS	272	7.6	75	1	2	6	9	13	18	58
20-34	1912	7.7	41	2	2	6	9	14	18	37
35-49	3974	8.4	50	2	3	7	10	16	20	38
50-64	6861	9.6	64	2	3	8	12	17	23	44
65+	12113	12.0	98	3	4	9	15	23	31	55
GRAND TOTAL	**25132**	**10.4**	**79**	**2**	**3**	**8**	**13**	**20**	**27**	**49**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	10.3	32	4	5	9	12	19	24	25
20-34	269	11.9	33	6	7	10	14	19	24	35
35-49	556	13.3	46	7	8	11	16	21	26	43
50-64	617	14.6	57	7	8	13	17	23	28	38
65+	589	17.5	66	8	10	15	21	27	33	48
2. MULTIPLE DX										
0-19 YRS	20	18.7	218	7	9	13	22	28	52	75
20-34	283	17.3	178	7	8	13	19	32	42	73
35-49	905	17.5	150	8	8	14	20	30	39	77
50-64	1639	20.2	176	8	9	16	24	37	50	86
65+	2545	24.7	225	10	11	20	30	45	58	92
TOT. SINGLE DX	2044	14.7	58	7	8	13	18	24	29	43
" MULTIPLE DX	5392	21.7	204	8	9	18	26	40	53	86
TOTAL 0-19 YRS	33	15.4	159	5	7	11	18	26	29	75
20-34	552	14.6	115	6	7	11	17	25	33	66
35-49	1461	15.9	115	7	8	13	18	26	35	71
50-64	2256	18.7	150	8	9	15	22	33	44	83
65+	3134	23.3	203	9	11	19	28	43	54	85
GRAND TOTAL	**7436**	**19.8**	**174**	**8**	**9**	**16**	**24**	**36**	**47**	**83**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	14.0	33	8	8	14	17	23	23	23
35-49	25	20.8	94	9	11	19	27	35	38	44
50-64	97	22.0	94	11	12	20	27	34	44	53
65+	88	22.1	105	11	12	19	29	35	43	56
2. MULTIPLE DX										
0-19 YRS										
20-34	12	19.2	29	12	13	18	24	27	28	28
35-49	80	25.0	186	10	12	21	33	47	58	90
50-64	295	25.4	189	11	12	22	31	45	59	99+
65+	375	27.2	260	11	13	23	32	48	69	99
TOT. SINGLE DX	215	21.7	98	10	12	19	28	34	43	51
" MULTIPLE DX	762	26.1	222	11	13	22	32	46	60	99+
TOTAL 0-19 YRS										
20-34	17	17.6	34	9	10	16	23	26	27	28
35-49	105	24.0	167	10	12	20	33	43	56	81
50-64	392	24.5	168	11	12	21	30	43	54	96
65+	463	26.2	235	11	13	23	31	46	61	98
GRAND TOTAL	**977**	**25.1**	**198**	**11**	**12**	**22**	**30**	**44**	**57**	**97**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	9.8	17	6	6	8	12	16	19	19
20-34	224	10.9	22	6	7	9	13	17	21	29
35-49	364	11.3	26	6	7	10	13	18	21	27
50-64	344	11.9	27	6	7	10	14	18	21	35
65+	188	16.3	59	8	9	14	20	27	32	39
2. MULTIPLE DX										
0-19 YRS	12	17.4	245	4	5	12	22	40	57	60
20-34	234	14.5	126	6	7	11	16	25	38	65
35-49	476	14.2	81	6	7	12	17	23	29	54
50-64	650	16.6	103	7	8	14	20	29	37	62
65+	715	22.3	203	9	10	18	27	41	52	85
TOT. SINGLE DX	1132	12.2	34	6	7	10	14	20	24	34
" MULTIPLE DX	2087	17.8	147	7	8	14	21	32	43	77
TOTAL 0-19 YRS	24	13.6	141	5	6	10	14	24	40	60
20-34	458	12.7	79	6	7	10	14	21	27	57
35-49	840	12.9	59	6	7	11	15	21	25	45
50-64	994	15.0	82	7	8	12	18	25	33	54
65+	903	21.1	179	9	10	17	26	38	47	82
GRAND TOTAL	**3219**	**15.8**	**115**	**7**	**8**	**13**	**19**	**28**	**37**	**63**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	8.2	65	2	3	7	9	12	17	40
20-34	1372	8.5	15	5	6	8	9	12	14	26
35-49	1242	9.3	17	5	6	8	10	14	16	25
50-64	609	11.0	31	6	6	9	13	18	22	32
65+	519	14.3	72	6	7	11	17	26	31	45
2. MULTIPLE DX										
0-19 YRS	300	17.1	262	4	5	11	21	45	62	99+
20-34	2192	10.6	63	5	6	8	11	17	25	54
35-49	2887	11.6	68	5	6	9	12	20	28	51
50-64	2094	16.0	143	6	7	12	19	31	42	71
65+	2492	22.2	222	8	9	18	28	42	55	97
TOT. SINGLE DX	3956	9.9	33	5	6	8	11	15	20	33
" MULTIPLE DX	9965	15.1	148	6	6	11	18	30	41	75
TOTAL 0-19 YRS	514	13.4	199	3	4	8	15	32	47	97
20-34	3564	9.8	46	5	6	8	10	15	21	44
35-49	4129	10.9	55	5	6	9	12	18	25	46
50-64	2703	14.9	122	6	7	11	17	28	39	67
65+	3011	20.8	205	7	9	17	26	40	53	92
GRAND TOTAL	**13921**	**13.6**	**121**	**5**	**6**	**10**	**15**	**26**	**37**	**66**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	630	5.4	22	1	1	4	7	10	12	26
20-34	1508	6.1	23	1	1	5	8	12	15	23
35-49	1437	5.6	28	1	1	4	8	11	15	25
50-64	2595	4.6	21	1	1	2	7	11	14	21
65+	2947	5.0	37	1	1	2	6	11	16	28
2. MULTIPLE DX										
0-19 YRS	610	8.8	116	2	2	6	9	16	24	94
20-34	2161	8.7	58	2	3	7	10	16	23	37
35-49	3155	8.8	57	1	2	7	11	17	22	39
50-64	6887	8.9	67	1	2	7	11	18	23	43
65+	12680	11.3	107	1	2	9	15	23	31	56
TOT. SINGLE DX	9117	5.2	28	1	1	3	7	11	15	25
" MULTIPLE DX	25493	10.0	88	1	2	8	13	20	28	49
TOTAL 0-19 YRS	1240	7.1	71	1	2	5	8	12	18	50
20-34	3669	7.6	46	1	2	6	9	14	20	35
35-49	4592	7.8	51	1	1	6	10	15	20	35
50-64	9482	7.7	58	1	1	6	10	16	21	39
65+	15627	10.1	100	1	2	8	13	21	29	53
GRAND TOTAL	**34610**	**8.7**	**77**	**1**	**2**	**7**	**11**	**18**	**25**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	10.8	47	5	6	9	12	21	30	79
20-34	177	12.0	55	5	6	10	13	21	25	42
35-49	183	13.5	66	7	7	11	16	22	30	48
50-64	226	15.0	71	7	8	12	17	25	29	46
65+	314	16.7	71	8	9	15	19	27	34	57
2. MULTIPLE DX										
0-19 YRS	252	16.8	266	5	6	11	19	50	81	99+
20-34	619	15.6	139	6	7	12	17	29	44	68
35-49	624	18.8	180	7	8	14	23	36	50	72
50-64	1133	21.5	220	8	9	17	27	45	61	99+
65+	2203	23.2	237	8	10	19	28	45	58	97
TOT. SINGLE DX	983	14.4	69	6	7	12	17	25	31	47
" MULTIPLE DX	4831	20.9	222	7	8	16	26	43	57	99+
TOTAL 0-19 YRS	335	15.3	219	5	6	10	18	41	70	99+
20-34	796	14.8	123	6	7	11	16	27	39	66
35-49	807	17.6	160	7	8	13	21	33	47	71
50-64	1359	20.4	201	8	9	16	25	41	57	99+
65+	2517	22.4	221	8	10	18	27	43	56	95
GRAND TOTAL	**5814**	**19.8**	**203**	**7**	**8**	**15**	**24**	**39**	**54**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	13.3	106	5	6	10	14	25	38	55
20-34	543	13.5	56	6	7	11	16	22	28	41
35-49	964	12.7	35	7	8	11	14	19	25	36
50-64	2569	13.4	41	7	8	12	15	20	24	41
65+	3804	15.5	50	8	9	14	18	23	29	44
2. MULTIPLE DX										
0-19 YRS	276	18.8	269	6	7	13	24	47	67	99+
20-34	989	17.9	146	7	8	14	22	33	43	72
35-49	2183	16.1	100	7	8	13	18	27	36	66
50-64	7348	17.5	105	8	9	15	20	28	37	63
65+	17164	21.3	153	9	10	18	25	37	47	81
TOT. SINGLE DX	8021	14.3	49	7	8	13	17	22	27	42
" MULTIPLE DX	27960	19.7	142	9	10	16	23	34	44	77
TOTAL 0-19 YRS	417	16.9	221	5	6	11	20	39	56	99+
20-34	1532	16.4	119	7	8	13	19	29	39	61
35-49	3147	15.1	83	7	8	12	17	25	33	57
50-64	9917	16.4	92	8	9	14	19	27	34	59
65+	20968	20.2	140	9	10	17	24	35	45	77
GRAND TOTAL	**35981**	**18.5**	**126**	**8**	**9**	**15**	**22**	**32**	**41**	**71**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	9.2	30	3	4	8	12	19	20	24
20-34	41	9.2	22	3	4	9	11	15	18	27
35-49	62	11.9	30	6	7	11	14	17	20	38
50-64	107	12.9	38	5	7	11	16	22	25	34
65+	155	14.8	94	6	7	12	18	26	32	66
2. MULTIPLE DX										
0-19 YRS	64	18.6	393	3	5	12	21	64	80	99+
20-34	136	16.2	204	5	6	11	18	35	51	72
35-49	173	18.0	138	7	7	15	23	31	39	68
50-64	438	19.5	161	7	9	16	24	35	44	85
65+	912	23.3	222	8	10	19	28	43	55	87
TOT. SINGLE DX	396	12.8	60	5	6	11	15	22	26	40
" MULTIPLE DX	1723	21.1	209	7	8	17	26	40	53	85
TOTAL 0-19 YRS	95	15.5	293	3	4	11	19	40	69	99+
20-34	177	14.6	170	4	5	10	16	27	45	68
35-49	235	16.4	117	6	7	13	19	29	34	62
50-64	545	18.2	144	7	8	15	23	33	41	82
65+	1067	22.1	213	8	9	18	27	41	54	84
GRAND TOTAL	**2119**	**19.5**	**192**	**6**	**8**	**15**	**24**	**36**	**49**	**82**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	396	7.0	18	2	3	6	9	11	14	18
20-34	539	9.2	20	4	5	9	11	13	17	26
35-49	540	10.4	29	4	6	10	12	16	19	34
50-64	799	10.2	30	4	6	9	12	15	18	33
65+	994	11.4	53	4	5	10	13	18	22	38
2. MULTIPLE DX										
0-19 YRS	563	11.7	100	4	4	9	13	23	38	67
20-34	1130	13.0	101	5	5	10	15	23	34	67
35-49	1160	14.9	141	5	6	11	16	30	42	87
50-64	2051	15.3	119	6	7	12	18	28	38	72
65+	3424	17.3	150	6	7	14	20	33	43	76
TOT. SINGLE DX	3268	10.1	36	3	5	9	12	15	19	34
" MULTIPLE DX	8328	15.5	135	5	7	12	18	30	40	74
TOTAL 0-19 YRS	959	9.8	72	3	4	8	11	16	26	57
20-34	1669	11.8	79	4	5	9	13	21	28	56
35-49	1700	13.5	111	5	6	10	15	25	37	71
50-64	2850	13.9	99	5	6	11	16	25	35	64
65+	4418	16.0	135	5	7	13	18	30	40	71
GRAND TOTAL	**11596**	**14.0**	**113**	**5**	**6**	**11**	**16**	**26**	**37**	**65**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	9.7	30	3	5	8	12	16	23	27
20-34	40	12.6	99	2	4	10	15	24	28	58
35-49	82	15.3	128	4	6	13	19	25	40	64
50-64	154	15.7	77	5	7	14	20	28	34	44
65+	303	21.1	178	8	9	18	26	34	51	81
2. MULTIPLE DX										
0-19 YRS	79	19.8	269	6	8	14	25	59	89	99+
20-34	160	20.0	266	5	7	15	25	45	66	99+
35-49	335	22.2	263	7	9	17	27	50	66	99+
50-64	961	22.6	212	8	10	19	28	44	61	99+
65+	2301	26.4	240	10	12	23	34	49	61	99+
TOT. SINGLE DX	623	17.7	144	5	7	15	22	31	42	69
" MULTIPLE DX	3836	24.7	241	8	10	21	31	48	62	99+
TOTAL 0-19 YRS	123	16.2	207	5	6	13	21	35	73	99+
20-34	200	18.5	241	4	7	13	24	42	60	99+
35-49	417	20.9	244	6	8	16	25	48	64	99+
50-64	1115	21.6	199	7	9	18	27	42	56	99+
65+	2604	25.8	236	9	11	22	32	48	60	99+
GRAND TOTAL	**4459**	**23.7**	**234**	**8**	**10**	**20**	**30**	**46**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26354	4.3	5	2	2	4	5	7	9	13
20-34	17440	4.4	5	2	2	4	5	7	8	13
35-49	5312	5.3	8	2	3	5	6	9	11	16
50-64	2712	6.7	14	3	3	6	8	11	14	20
65+	1116	8.4	22	3	4	7	10	14	16	24
2. MULTIPLE DX										
0-19 YRS	6305	6.5	24	2	3	5	8	12	15	24
20-34	5390	6.7	25	3	3	5	8	12	15	26
35-49	2284	8.7	37	3	4	7	11	15	19	35
50-64	2100	11.0	62	4	4	9	13	19	25	43
65+	1827	14.0	97	5	6	11	17	25	32	55
TOT. SINGLE DX	52934	4.6	7	2	2	4	5	8	10	15
" MULTIPLE DX	17906	8.1	44	3	3	6	10	15	20	34
TOTAL 0-19 YRS	32659	4.7	10	2	2	4	5	8	10	17
20-34	22830	4.9	11	2	2	4	6	8	10	17
35-49	7596	6.3	20	2	3	5	8	11	14	23
50-64	4812	8.6	40	3	3	7	10	15	19	33
65+	2943	11.8	76	4	5	10	14	21	28	49
GRAND TOTAL	**70840**	**5.5**	**19**	**2**	**2**	**4**	**6**	**10**	**13**	**23**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	4.4	4	2	2	4	5	7	9	12
20-34	251	4.8	6	2	3	4	5	8	9	13
35-49	73	6.1	15	2	3	5	7	11	14	24
50-64	38	7.3	25	3	4	6	8	12	14	33
65+	12	11.0	30	4	5	10	15	20	21	21
2. MULTIPLE DX										
0-19 YRS	156	6.1	17	2	3	5	7	10	15	21
20-34	188	7.4	31	3	3	6	8	13	21	33
35-49	79	9.6	69	3	4	7	11	15	24	53
50-64	54	15.9	121	5	7	13	20	35	47	98
65+	38	14.0	51	6	7	11	21	26	31	99+
TOT. SINGLE DX	705	5.0	9	2	2	4	6	8	10	15
" MULTIPLE DX	515	8.7	54	3	3	6	10	17	23	48
TOTAL 0-19 YRS	487	5.0	10	2	2	4	6	8	10	18
20-34	439	5.9	19	2	3	5	7	9	13	28
35-49	152	7.9	46	3	3	6	9	14	16	47
50-64	92	12.3	99	4	4	8	16	25	38	79
65+	50	13.3	48	5	6	11	19	23	28	99
GRAND TOTAL	**1220**	**6.6**	**31**	**2**	**3**	**5**	**7**	**12**	**16**	**33**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	8.9	29	2	3	8	11	15	20	28
20-34	68	9.1	17	3	4	9	11	15	17	20
35-49	39	10.5	16	5	6	10	13	15	18	23
50-64	33	12.2	33	5	6	11	15	20	22	30
65+	21	13.6	49	6	7	11	18	21	27	34
2. MULTIPLE DX										
0-19 YRS	41	10.5	38	4	4	8	13	20	22	33
20-34	46	10.6	41	3	3	10	13	20	23	30
35-49	30	14.4	71	6	6	11	20	26	32	38
50-64	47	14.2	62	5	6	13	17	21	35	42
65+	37	20.4	189	7	8	15	26	38	53	66
TOT. SINGLE DX	248	10.0	28	3	4	9	12	17	20	28
" MULTIPLE DX	201	13.8	88	4	5	11	17	26	32	53
TOTAL 0-19 YRS	128	9.4	33	3	4	8	11	17	22	29
20-34	114	9.7	27	3	4	9	12	17	19	28
35-49	69	12.2	43	5	6	10	14	21	26	37
50-64	80	13.4	51	5	6	12	16	21	29	40
65+	58	17.9	148	6	7	15	21	32	47	65
GRAND TOTAL	**449**	**11.7**	**59**	**3**	**4**	**10**	**14**	**20**	**26**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	430	4.5	47	<1	1	3	5	10	12	29
20-34	652	5.0	16	1	1	4	7	10	14	21
35-49	478	5.0	21	1	1	4	6	10	12	23
50-64	812	4.8	27	1	1	3	6	10	13	25
65+	1278	5.5	28	1	2	4	7	12	16	27
2. MULTIPLE DX										
0-19 YRS	276	6.9	66	1	1	4	8	15	23	43
20-34	581	7.6	64	1	2	6	9	14	20	48
35-49	705	7.8	59	1	2	5	10	17	23	36
50-64	1741	9.1	83	2	2	7	11	18	25	46
65+	3761	10.9	102	2	3	8	14	22	30	54
TOT. SINGLE DX	3650	5.1	28	1	1	3	6	10	14	26
" MULTIPLE DX	7064	9.7	91	2	2	7	12	20	28	50
TOTAL 0-19 YRS	706	5.4	56	<1	1	3	6	11	17	38
20-34	1233	6.2	41	1	2	4	8	12	16	34
35-49	1183	6.7	46	1	2	5	8	13	19	34
50-64	2553	7.7	70	1	2	5	10	16	22	41
65+	5039	9.5	89	2	2	7	12	20	27	49
GRAND TOTAL	**10714**	**8.1**	**74**	**1**	**2**	**6**	**10**	**17**	**24**	**45**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	187	3.0	3	1	1	2	4	6	7	9
20-34	931	3.4	5	1	1	3	4	6	7	13
35-49	761	3.8	14	1	1	3	4	7	9	15
50-64	395	4.3	14	1	1	3	5	8	10	24
65+	145	5.6	35	1	2	4	7	10	14	39
2. MULTIPLE DX										
0-19 YRS	74	7.3	48	1	1	5	9	15	22	35
20-34	433	5.4	28	1	2	4	6	11	14	27
35-49	555	6.2	51	1	2	4	7	13	18	35
50-64	456	7.0	38	2	2	5	9	14	19	31
65+	315	10.8	133	3	3	7	13	23	29	65
TOT. SINGLE DX	2419	3.8	12	1	1	3	4	7	9	15
" MULTIPLE DX	1833	7.1	60	1	2	5	8	15	21	37
TOTAL 0-19 YRS	261	4.2	20	1	1	3	5	8	12	27
20-34	1364	4.0	14	1	1	3	5	7	10	18
35-49	1316	4.8	32	1	1	3	5	9	13	29
50-64	851	5.8	29	1	2	4	7	11	16	29
65+	460	9.2	108	2	2	6	11	20	27	59
GRAND TOTAL	**4252**	**5.2**	**35**	**1**	**1**	**4**	**6**	**10**	**15**	**30**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	11.3	56	3	6	10	13	16	23	52
20-34	83	13.6	64	3	4	12	18	24	28	44
35-49	226	14.9	50	4	8	13	18	24	29	40
50-64	739	15.6	47	8	9	14	18	23	27	45
65+	1029	18.1	77	9	10	16	21	28	32	55
2. MULTIPLE DX										
0-19 YRS	80	15.1	149	4	6	11	17	35	40	62
20-34	154	18.2	155	5	7	14	24	37	47	98
35-49	377	18.3	108	8	9	15	22	32	40	64
50-64	1697	20.0	120	9	10	17	23	34	41	66
65+	3295	23.2	169	10	11	20	28	40	50	83
TOT. SINGLE DX	2149	16.5	66	7	9	15	19	26	30	45
" MULTIPLE DX	5603	21.7	153	9	11	18	26	37	47	75
TOTAL 0-19 YRS	152	13.3	108	3	6	11	15	23	36	59
20-34	237	16.6	128	4	6	13	21	31	42	69
35-49	603	17.0	89	7	9	14	20	29	37	56
50-64	2436	18.7	102	9	10	16	22	30	38	61
65+	4324	22.0	152	10	11	19	27	37	47	77
GRAND TOTAL	**7752**	**20.2**	**134**	**8**	**10**	**17**	**24**	**34**	**43**	**70**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	852	4.8	29	1	1	4	6	9	12	21
20-34	3239	5.3	16	1	2	4	7	9	12	21
35-49	3490	5.5	17	1	1	5	7	10	13	20
50-64	3414	5.7	23	1	1	5	7	11	13	24
65+	3052	6.8	36	1	1	5	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	1231	6.4	32	1	2	5	8	12	16	33
20-34	7165	7.0	40	2	2	5	9	13	17	33
35-49	11095	7.7	41	2	3	6	9	14	19	33
50-64	15813	8.5	51	2	3	7	10	16	21	38
65+	23217	10.6	79	2	3	8	13	20	27	49
TOT. SINGLE DX	14047	5.7	24	1	1	5	7	11	14	24
" MULTIPLE DX	58521	9.0	61	2	3	7	11	17	23	42
TOTAL 0-19 YRS	2083	5.8	32	1	2	4	7	10	14	28
20-34	10404	6.5	34	1	2	5	8	12	15	29
35-49	14585	7.2	36	2	2	6	9	13	17	31
50-64	19227	8.0	48	2	2	6	10	15	20	35
65+	26269	10.2	76	2	3	8	13	20	26	47
GRAND TOTAL	**72568**	**8.4**	**55**	**2**	**2**	**6**	**10**	**16**	**21**	**40**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	2.7	3	<1	1	2	3	5	6	10
20-34	1341	3.5	3	1	2	3	4	6	7	9
35-49	1486	3.6	4	1	2	3	4	6	7	12
50-64	851	3.7	3	1	2	3	4	6	7	11
65+	288	4.1	8	2	2	4	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	61	4.4	11	1	2	4	5	8	10	22
20-34	958	4.3	9	1	2	4	5	7	8	17
35-49	1296	4.7	12	2	2	4	5	7	10	20
50-64	1101	5.2	15	2	2	4	6	9	11	23
65+	550	7.2	59	2	3	5	8	14	19	48
TOT. SINGLE DX	4138	3.6	4	1	2	3	4	6	7	11
" MULTIPLE DX	3966	5.1	20	2	2	4	6	9	11	24
TOTAL 0-19 YRS	233	3.2	6	1	1	2	4	6	8	14
20-34	2299	3.8	6	1	2	3	5	6	7	11
35-49	2782	4.1	8	1	2	4	5	7	9	15
50-64	1952	4.5	11	2	2	4	5	8	10	17
65+	838	6.2	44	2	2	4	7	12	15	43
GRAND TOTAL	**8104**	**4.3**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	2.8	2	<1	1	3	4	5	6	10
20-34	1503	3.1	2	<1	1	3	4	5	6	8
35-49	839	3.4	3	1	1	3	4	6	7	12
50-64	428	3.8	6	1	2	3	5	6	8	15
65+	247	4.8	22	1	2	4	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	131	3.8	6	1	1	3	5	6	8	15
20-34	1190	4.5	10	1	2	4	5	8	9	18
35-49	1308	5.0	12	2	2	4	6	8	11	22
50-64	1116	5.4	28	2	2	4	6	9	11	22
65+	754	8.0	56	2	3	6	9	17	23	35
TOT. SINGLE DX	3268	3.4	5	1	1	3	4	5	7	12
" MULTIPLE DX	4499	5.4	25	2	2	4	6	9	13	27
TOTAL 0-19 YRS	382	3.1	4	<1	1	3	4	5	7	11
20-34	2693	3.7	7	1	1	3	4	6	8	13
35-49	2147	4.4	10	1	2	4	5	7	9	15
50-64	1544	5.0	23	1	2	4	6	8	11	20
65+	1001	7.2	50	2	2	5	8	15	21	35
GRAND TOTAL	**7767**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**22**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	4.1	3	2	2	4	5	7	8	9
20-34	2131	4.7	3	2	3	4	6	7	8	10
35-49	2668	4.9	4	2	3	5	6	8	9	13
50-64	1838	5.0	5	2	3	5	6	8	9	13
65+	652	5.9	10	3	3	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	253	4.7	5	2	2	5	6	7	8	14
20-34	6213	5.3	8	2	3	5	6	8	10	15
35-49	9635	5.8	14	3	3	5	7	9	11	19
50-64	7975	6.3	16	3	3	5	7	10	13	22
65+	3855	8.0	36	3	4	6	9	15	19	33
TOT. SINGLE DX	7363	5.0	5	2	3	5	6	8	9	13
" MULTIPLE DX	27931	6.1	17	3	3	5	7	10	13	22
TOTAL 0-19 YRS	327	4.6	5	2	2	4	6	7	8	12
20-34	8344	5.1	7	2	3	5	6	8	9	14
35-49	12303	5.6	12	3	3	5	6	9	11	18
50-64	9813	6.1	15	3	3	5	7	10	13	21
65+	4507	7.7	33	3	3	6	9	14	18	32
GRAND TOTAL	**35294**	**5.9**	**15**	**3**	**3**	**5**	**7**	**9**	**12**	**21**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	287	3.4	5	1	1	3	4	6	8	11
20-34	1387	3.5	7	1	1	3	4	6	8	13
35-49	1069	3.6	6	1	1	3	4	6	8	12
50-64	685	4.2	12	1	1	3	5	8	10	18
65+	439	5.3	19	1	2	4	6	10	14	21
2. MULTIPLE DX										
0-19 YRS	175	6.1	59	1	2	4	7	12	18	43
20-34	891	5.4	49	1	2	4	6	9	14	34
35-49	998	6.0	45	1	2	4	7	11	16	34
50-64	1007	7.1	49	2	2	5	8	14	20	36
65+	949	9.9	95	2	3	7	12	22	30	65
TOT. SINGLE DX	3867	3.8	10	1	1	3	5	7	9	15
" MULTIPLE DX	4020	7.0	63	1	2	5	8	14	21	42
TOTAL 0-19 YRS	462	4.4	28	1	1	3	5	8	11	25
20-34	2278	4.2	25	1	1	3	5	7	10	19
35-49	2067	4.7	27	1	1	4	5	9	12	24
50-64	1692	5.9	36	1	2	4	7	12	17	31
65+	1388	8.4	76	2	2	6	10	18	25	48
GRAND TOTAL	**7887**	**5.5**	**39**	**1**	**2**	**4**	**6**	**10**	**15**	**32**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	15.6	94	2	3	16	21	30	33	33
20-34	28	12.4	64	2	5	9	18	25	28	32
35-49	27	11.7	306	1	1	6	15	22	34	92
50-64	38	14.7	196	<1	1	12	19	38	45	59
65+	26	12.3	83	1	2	10	19	27	29	30
2. MULTIPLE DX										
0-19 YRS	15	16.9	255	1	2	11	28	47	49	50
20-34	64	17.3	210	3	5	13	21	33	57	66
35-49	53	16.6	229	2	3	12	22	40	54	99
50-64	111	21.6	240	5	6	17	31	43	50	70
65+	143	22.2	290	3	5	17	29	44	54	85
TOT. SINGLE DX	128	13.1	158	1	2	10	18	27	32	66
" MULTIPLE DX	386	20.2	256	3	5	16	28	43	53	84
TOTAL 0-19 YRS	24	16.4	189	2	2	12	22	35	48	50
20-34	92	15.8	170	3	5	12	19	31	42	64
35-49	80	15.0	258	1	2	11	19	31	53	98
50-64	149	19.9	237	2	4	15	29	42	49	59
65+	169	20.7	271	2	4	17	28	42	53	83
GRAND TOTAL	**514**	**18.5**	**241**	**2**	**3**	**14**	**25**	**40**	**51**	**84**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	195	5.9	38	1	1	3	8	14	17	31
20-34	1006	4.8	32	1	1	2	6	11	14	29
35-49	993	5.1	37	1	1	2	7	13	17	28
50-64	1225	6.3	50	1	1	3	9	16	21	34
65+	780	8.4	85	1	1	5	12	19	24	45
2. MULTIPLE DX										
0-19 YRS	355	12.5	153	2	2	8	16	30	42	80
20-34	1540	11.0	123	1	2	8	13	23	32	64
35-49	2247	10.6	98	1	2	8	14	22	29	48
50-64	4357	12.3	122	1	2	10	16	25	32	58
65+	4508	14.6	130	2	3	12	19	28	36	60
TOT. SINGLE DX	4199	6.0	50	1	1	3	8	15	20	33
" MULTIPLE DX	13007	12.6	125	1	2	10	17	26	34	59
TOTAL 0-19 YRS	550	10.1	123	1	2	7	12	25	35	64
20-34	2546	8.5	97	1	1	6	11	19	26	54
35-49	3240	8.9	86	1	1	6	12	20	26	45
50-64	5582	10.9	113	1	2	8	15	23	31	53
65+	5288	13.7	129	1	2	11	18	28	35	59
GRAND TOTAL	**17206**	**11.0**	**115**	**1**	**2**	**8**	**15**	**24**	**31**	**54**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1305	7.2	10	4	4	7	8	11	13	18
20-34	15247	7.0	6	4	5	6	8	10	12	16
35-49	14048	7.5	9	4	5	7	8	11	13	18
50-64	13225	8.2	11	5	5	7	9	12	15	20
65+	7981	10.2	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
0-19 YRS	838	9.6	36	4	5	8	11	16	19	31
20-34	10502	9.1	25	5	5	8	11	14	18	29
35-49	13880	10.1	39	5	5	8	12	16	20	35
50-64	20517	11.5	48	5	6	10	14	19	24	40
65+	24086	15.6	94	6	7	13	19	27	34	57
TOT. SINGLE DX	51806	7.9	13	4	5	7	9	12	14	21
" MULTIPLE DX	69823	12.2	66	5	6	10	15	21	27	46
TOTAL 0-19 YRS	2143	8.2	22	4	5	7	9	13	16	25
20-34	25749	7.9	15	4	5	7	9	12	15	22
35-49	27928	8.7	26	5	5	7	10	14	17	27
50-64	33742	10.2	37	5	6	8	12	17	21	34
65+	32067	14.2	83	6	7	12	17	25	31	52
GRAND TOTAL	**121629**	**10.4**	**48**	**5**	**5**	**8**	**12**	**18**	**23**	**39**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	9.2	110	1	1	5	13	21	26	52
20-34	197	8.8	39	2	2	8	12	16	22	30
35-49	275	9.3	54	2	2	8	13	19	22	36
50-64	368	10.9	81	2	2	10	15	21	27	51
65+	692	14.6	102	2	3	13	19	27	33	50
2. MULTIPLE DX										
0-19 YRS	43	14.8	221	2	3	10	17	30	42	85
20-34	200	13.5	109	3	4	11	17	25	32	61
35-49	441	15.9	140	3	5	12	20	31	42	59
50-64	1082	18.7	181	4	6	16	23	36	47	82
65+	2670	21.1	172	5	8	18	27	37	47	77
TOT. SINGLE DX	1565	12.0	87	2	2	10	16	23	29	44
" MULTIPLE DX	4436	19.6	174	4	7	17	25	36	46	77
TOTAL 0-19 YRS	76	12.4	179	1	2	9	16	26	38	76
20-34	397	11.2	80	2	3	9	15	21	27	48
35-49	716	13.3	118	2	3	10	17	26	36	54
50-64	1450	16.8	168	2	4	14	22	32	43	78
65+	3362	19.8	165	3	7	17	25	35	45	74
GRAND TOTAL	**6001**	**17.6**	**163**	**3**	**4**	**15**	**23**	**33**	**43**	**71**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	7.5	41	1	2	7	10	15	20	31
20-34	374	7.0	51	1	1	5	9	16	20	32
35-49	582	7.9	83	1	1	5	10	17	25	49
50-64	565	9.4	112	1	1	5	12	23	32	59
65+	504	10.5	103	1	2	7	15	23	30	48
2. MULTIPLE DX										
0-19 YRS	78	15.5	176	2	2	11	22	33	41	60
20-34	500	13.0	181	2	2	9	16	27	42	81
35-49	1036	15.5	239	2	2	11	19	35	51	87
50-64	1566	16.6	247	2	3	12	21	36	51	88
65+	1884	17.6	235	2	3	14	24	36	51	85
TOT. SINGLE DX	2072	8.8	91	1	1	6	11	20	27	47
" MULTIPLE DX	5064	16.4	236	2	3	12	21	35	50	85
TOTAL 0-19 YRS	125	12.5	140	1	2	9	17	30	37	57
20-34	874	10.4	134	1	2	7	14	22	32	70
35-49	1618	12.8	197	1	2	9	16	29	42	84
50-64	2131	14.7	222	1	2	10	19	33	46	82
65+	2388	16.1	216	2	3	12	22	34	47	79
GRAND TOTAL	**7136**	**14.2**	**206**	**1**	**2**	**10**	**19**	**32**	**44**	**80**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1372	4.4	13	1	1	4	6	8	11	18
20-34	3945	5.1	19	1	2	4	6	9	12	23
35-49	3847	5.1	17	1	1	4	6	10	12	21
50-64	4575	4.9	20	1	1	4	6	10	12	23
65+	5387	5.9	34	1	1	4	8	12	16	27
2. MULTIPLE DX										
0-19 YRS	1198	6.0	37	1	2	4	7	11	14	34
20-34	6167	6.6	35	2	2	5	8	12	16	32
35-49	9710	7.0	38	2	2	5	8	13	17	32
50-64	17761	7.6	46	2	2	6	9	14	19	36
65+	36507	9.4	69	2	3	7	11	18	25	46
TOT. SINGLE DX	19126	5.3	23	1	1	4	7	10	13	24
" MULTIPLE DX	71343	8.3	58	2	2	6	10	16	22	40
TOTAL 0-19 YRS	2570	5.2	25	1	2	4	6	9	12	25
20-34	10112	6.0	30	1	2	5	7	11	15	28
35-49	13557	6.5	33	1	2	5	8	12	16	30
50-64	22336	7.0	43	1	2	5	9	13	18	34
65+	41894	9.0	66	2	2	7	11	17	24	44
GRAND TOTAL	**90469**	**7.7**	**52**	**1**	**2**	**6**	**9**	**15**	**20**	**38**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12209	2.1	1	<1	<1	2	3	4	4	6
20-34	12916	3.4	2	1	2	3	4	5	6	8
35-49	11596	3.7	2	2	2	3	4	5	6	9
50-64	16974	4.0	3	2	2	4	5	6	7	10
65+	13213	4.7	6	2	2	4	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	6019	2.5	11	<1	<1	2	3	4	6	12
20-34	4124	4.2	7	2	2	4	5	6	8	13
35-49	5780	4.8	11	2	2	4	6	8	10	18
50-64	12322	5.5	16	2	3	5	6	9	12	21
65+	16458	7.6	42	2	3	6	9	14	19	36
TOT. SINGLE DX	66908	3.6	4	1	2	3	4	6	7	10
" MULTIPLE DX	44703	5.7	27	1	2	4	7	10	14	27
TOTAL 0-19 YRS	18228	2.2	5	<1	<1	2	3	4	5	8
20-34	17040	3.6	3	1	2	3	4	5	6	9
35-49	17376	4.1	6	2	2	4	5	6	8	13
50-64	29296	4.7	10	2	2	4	5	7	9	16
65+	29671	6.3	28	2	3	5	7	11	15	28
GRAND TOTAL	**111611**	**4.4**	**14**	**1**	**2**	**4**	**5**	**7**	**10**	**19**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2522	1.7	1	<1	<1	1	2	3	4	6
20-34	1088	4.0	2	2	2	4	5	6	6	10
35-49	1615	4.4	2	2	3	4	5	6	7	10
50-64	2440	4.6	3	2	3	4	6	7	8	11
65+	1649	5.3	7	2	3	5	6	8	10	13
2. MULTIPLE DX										
0-19 YRS	1692	3.2	64	<1	<1	2	2	4	8	59
20-34	467	4.6	6	2	3	4	5	7	8	12
35-49	939	5.3	16	2	3	5	6	8	10	16
50-64	2147	6.1	17	3	3	5	7	10	13	21
65+	2398	8.1	39	3	3	6	9	14	19	33
TOT. SINGLE DX	9314	3.8	5	<1	1	4	5	6	8	11
" MULTIPLE DX	7643	5.9	37	1	1	5	7	10	14	31
TOTAL 0-19 YRS	4214	2.3	27	<1	<1	2	2	3	5	21
20-34	1555	4.2	4	2	2	4	5	6	7	10
35-49	2554	4.7	8	2	3	4	5	7	8	12
50-64	4587	5.3	10	2	3	5	6	8	10	18
65+	4047	6.9	29	3	3	6	8	12	16	27
GRAND TOTAL	**16957**	**4.8**	**21**	**<1**	**1**	**4**	**6**	**8**	**10**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	2.9	3	1	1	3	4	5	5	12
20-34	325	3.6	2	1	2	3	4	6	6	8
35-49	489	4.0	4	2	2	4	5	6	8	12
50-64	642	4.5	5	2	2	4	5	7	8	14
65+	857	6.2	15	2	3	5	8	10	13	22
2. MULTIPLE DX										
0-19 YRS	29	4.9	28	1	1	3	4	11	18	26
20-34	118	4.8	6	1	2	4	6	7	9	15
35-49	228	5.9	16	2	2	5	7	10	13	21
50-64	473	7.0	26	2	3	6	8	13	17	30
65+	1336	10.7	83	3	4	8	13	20	28	61
TOT. SINGLE DX	2395	4.8	9	2	2	4	6	8	10	16
" MULTIPLE DX	2184	9.0	64	2	3	7	11	17	23	42
TOTAL 0-19 YRS	111	3.4	11	1	1	3	4	5	7	21
20-34	443	3.9	4	1	2	4	5	6	7	11
35-49	717	4.6	9	2	2	4	5	8	10	16
50-64	1115	5.5	16	2	2	5	6	9	13	23
65+	2193	8.9	62	3	3	7	10	17	23	42
GRAND TOTAL	**4579**	**6.8**	**40**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2322	2.1	1	<1	1	2	2	3	4	6
20-34	1052	3.2	2	1	2	3	4	5	6	9
35-49	1420	3.6	4	1	2	3	4	6	7	10
50-64	1121	4.1	5	1	2	4	5	7	8	12
65+	527	5.1	10	1	2	4	6	9	11	18
2. MULTIPLE DX										
0-19 YRS	514	3.4	16	<1	1	2	4	7	9	23
20-34	517	4.9	12	1	2	4	6	8	11	19
35-49	1106	5.7	33	2	2	4	7	10	14	21
50-64	1413	7.1	33	2	3	5	8	13	17	31
65+	1138	9.6	64	3	3	7	12	18	24	48
TOT. SINGLE DX	6442	3.2	5	1	1	3	4	6	7	11
" MULTIPLE DX	4688	6.7	41	2	2	5	8	13	17	33
TOTAL 0-19 YRS	2836	2.3	4	<1	1	2	3	4	5	9
20-34	1569	3.8	7	1	2	3	5	6	8	13
35-49	2526	4.5	18	1	2	4	5	8	10	18
50-64	2534	5.8	23	2	2	4	7	10	14	26
65+	1665	8.2	52	2	3	6	10	16	21	42
GRAND TOTAL	**11130**	**4.7**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**24**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	512	2.5	2	<1	1	2	3	4	6	8
20-34	1600	4.1	5	1	2	4	5	7	8	11
35-49	2548	5.2	8	2	2	5	6	9	10	16
50-64	3161	6.1	11	2	3	6	8	10	12	18
65+	2182	6.9	14	3	3	6	8	11	13	21
2. MULTIPLE DX										
0-19 YRS	149	4.4	20	<1	1	3	5	11	14	19
20-34	1039	6.3	24	2	3	5	7	10	14	26
35-49	2394	8.0	35	3	3	7	9	14	18	30
50-64	3800	9.0	39	3	4	8	11	16	21	35
65+	3919	11.3	77	3	4	9	13	20	27	47
TOT. SINGLE DX	10003	5.5	11	2	2	5	7	9	11	17
" MULTIPLE DX	11301	9.3	53	3	3	8	11	17	22	39
TOTAL 0-19 YRS	661	2.9	7	<1	1	2	3	5	7	14
20-34	2639	4.9	14	2	2	4	6	8	10	20
35-49	4942	6.6	23	2	3	5	8	11	15	25
50-64	6961	7.7	29	2	3	6	9	13	17	29
65+	6101	9.7	60	3	4	8	11	17	23	41
GRAND TOTAL	**21304**	**7.5**	**37**	**2**	**3**	**6**	**9**	**13**	**18**	**31**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	4.2	24	1	1	3	5	10	12	31
20-34	123	6.5	14	2	3	6	8	11	14	22
35-49	197	7.8	15	2	3	8	10	13	14	21
50-64	261	8.2	17	3	4	8	10	13	16	21
65+	190	11.9	63	4	4	10	15	20	25	49
2. MULTIPLE DX										
0-19 YRS	86	10.0	108	1	2	7	12	28	39	79
20-34	226	10.6	37	5	5	9	12	19	24	37
35-49	537	10.9	39	5	6	9	13	18	22	38
50-64	817	12.4	58	6	6	10	14	20	26	45
65+	893	15.8	111	6	7	13	19	28	37	61
TOT. SINGLE DX	841	8.4	32	2	3	8	10	14	18	29
" MULTIPLE DX	2559	13.0	77	5	6	10	15	23	30	53
TOTAL 0-19 YRS	156	7.4	79	1	1	4	9	21	30	44
20-34	349	9.2	33	3	3	8	11	15	22	31
35-49	734	10.1	35	3	5	9	12	16	20	34
50-64	1078	11.4	52	4	6	10	13	19	24	41
65+	1083	15.1	105	5	6	12	18	27	36	60
GRAND TOTAL	**3400**	**11.9**	**70**	**3**	**5**	**10**	**14**	**21**	**27**	**47**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	770	4.0	15	<1	1	3	5	8	12	20
20-34	1188	5.2	21	1	1	4	7	10	13	22
35-49	926	6.4	41	1	2	5	8	13	18	34
50-64	1052	8.6	62	1	2	6	11	17	23	36
65+	922	10.3	84	1	2	8	14	21	27	45
2. MULTIPLE DX										
0-19 YRS	584	7.2	77	1	1	5	8	15	26	55
20-34	1618	8.7	88	1	2	6	10	19	26	51
35-49	2070	11.0	106	2	2	8	14	23	30	54
50-64	4073	13.7	143	2	3	10	18	28	37	65
65+	4966	16.2	165	2	4	13	21	32	41	70
TOT. SINGLE DX	4858	6.9	50	1	1	5	9	15	20	35
" MULTIPLE DX	13311	13.3	144	2	3	10	18	28	37	63
TOTAL 0-19 YRS	1354	5.4	45	1	1	3	6	11	16	38
20-34	2806	7.2	64	1	2	5	8	14	21	40
35-49	2996	9.6	91	1	2	7	12	21	28	51
50-64	5125	12.6	131	2	3	9	16	26	34	62
65+	5888	15.3	157	2	3	12	20	31	40	67
GRAND TOTAL	**18169**	**11.6**	**127**	**1**	**2**	**8**	**15**	**25**	**33**	**58**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	902	6.0	17	2	3	5	7	10	13	21
20-34	2105	6.6	20	2	3	6	8	11	15	25
35-49	885	9.1	39	3	4	7	11	16	23	35
50-64	718	11.6	61	4	5	10	14	20	26	38
65+	700	14.3	73	5	6	12	18	25	30	54
2. MULTIPLE DX										
0-19 YRS	1149	9.8	103	3	4	7	10	17	26	85
20-34	3598	9.0	75	3	4	7	10	16	23	52
35-49	2128	12.9	119	4	5	9	15	26	37	65
50-64	2181	17.9	191	5	6	14	22	36	48	85
65+	3096	21.1	208	7	8	17	26	40	51	92
TOT. SINGLE DX	5310	8.6	44	2	3	7	10	16	22	35
" MULTIPLE DX	12152	14.4	165	4	5	10	18	30	42	77
TOTAL 0-19 YRS	2051	8.1	69	2	3	6	9	14	19	55
20-34	5703	8.1	57	2	3	6	9	14	21	45
35-49	3013	11.8	99	3	4	9	14	23	32	60
50-64	2899	16.3	167	5	6	12	20	32	43	81
65+	3796	19.8	191	6	8	16	25	37	48	90
GRAND TOTAL	**17462**	**12.7**	**136**	**3**	**4**	**9**	**16**	**26**	**37**	**68**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1710	3.3	7	<1	1	2	4	7	9	13
20-34	8222	2.6	6	<1	<1	2	3	6	7	12
35-49	1355	2.6	6	<1	<1	2	3	5	7	11
50-64	230	3.5	13	1	1	2	4	8	11	18
65+	101	6.6	55	1	1	3	10	16	21	38
2. MULTIPLE DX										
0-19 YRS	1373	4.3	20	1	1	3	6	9	11	19
20-34	9235	3.3	12	<1	<1	2	4	7	10	16
35-49	1907	4.0	21	<1	1	2	5	9	13	22
50-64	383	7.8	79	1	1	5	10	18	24	48
65+	257	12.7	161	2	2	9	17	30	38	62
TOT. SINGLE DX	11618	2.8	8	<1	<1	2	3	6	8	13
" MULTIPLE DX	13155	3.8	21	<1	1	2	5	8	11	22
TOTAL 0-19 YRS	3083	3.8	13	<1	1	3	5	8	10	15
20-34	17457	3.0	10	<1	<1	2	3	6	8	15
35-49	3262	3.4	16	<1	<1	2	4	8	11	19
50-64	613	6.2	59	1	1	3	8	15	20	40
65+	358	11.0	139	1	2	7	15	24	36	56
GRAND TOTAL	**24773**	**3.3**	**15**	**<1**	**<1**	**2**	**4**	**7**	**10**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	7.0	18	1	2	6	9	12	14	22
20-34	1685	6.4	19	1	2	6	8	12	14	22
35-49	1204	9.0	36	2	3	8	11	16	20	33
50-64	999	10.4	44	3	4	9	13	17	22	33
65+	926	13.2	69	4	6	11	16	22	28	48
2. MULTIPLE DX										
0-19 YRS	629	10.0	119	1	2	7	11	20	31	70
20-34	4153	7.6	50	1	2	6	8	14	19	36
35-49	2562	11.6	95	2	4	9	14	23	31	52
50-64	2753	16.3	161	4	5	13	20	31	43	70
65+	3578	19.5	184	6	8	16	24	38	49	97
TOT. SINGLE DX	5177	9.1	43	2	2	8	11	16	21	34
" MULTIPLE DX	13675	13.3	142	2	4	10	17	28	38	68
TOTAL 0-19 YRS	992	8.9	84	1	2	7	10	16	23	55
20-34	5838	7.3	42	1	2	6	8	13	18	33
35-49	3766	10.8	78	2	3	8	13	20	28	49
50-64	3752	14.7	137	4	5	11	18	28	39	64
65+	4504	18.2	167	5	7	15	22	35	45	85
GRAND TOTAL	18852	12.1	119	2	3	9	15	25	33	61

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	8.7	14	3	4	8	11	14	17	19
20-34	216	9.3	14	5	6	8	10	14	17	22
35-49	279	11.2	19	6	7	10	13	17	20	28
50-64	570	12.2	21	7	8	11	15	18	21	26
65+	556	14.4	44	8	8	12	17	23	28	44
2. MULTIPLE DX										
0-19 YRS	304	12.7	151	4	5	9	14	21	34	75
20-34	459	13.9	110	6	7	10	16	26	33	64
35-49	634	15.5	116	6	7	12	18	27	38	73
50-64	1431	16.7	105	7	8	14	20	28	36	61
65+	2078	19.6	136	8	9	16	23	34	43	66
TOT. SINGLE DX	1732	12.1	31	6	7	11	15	19	22	33
" MULTIPLE DX	4906	17.2	129	7	8	14	21	30	40	65
TOTAL 0-19 YRS	415	11.6	118	4	5	9	12	19	28	72
20-34	675	12.4	85	6	6	9	14	22	29	57
35-49	913	14.2	91	6	7	11	16	23	32	63
50-64	2001	15.4	85	7	8	13	18	25	32	56
65+	2634	18.5	122	8	9	16	22	32	41	63
GRAND TOTAL	6638	15.9	108	7	8	13	19	28	36	61

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	593	7.6	40	2	2	6	10	15	18	29
20-34	1322	8.8	30	2	2	8	11	15	19	31
35-49	1289	9.1	33	2	3	8	11	14	17	30
50-64	1324	9.5	30	2	3	9	11	15	19	28
65+	645	10.5	48	2	2	9	13	17	22	41
2. MULTIPLE DX										
0-19 YRS	657	11.4	86	2	3	9	14	23	29	51
20-34	1724	13.3	134	2	3	10	16	27	37	62
35-49	1806	13.8	119	2	4	11	17	26	35	59
50-64	2349	14.0	117	2	4	11	17	26	36	60
65+	2071	15.9	155	2	4	13	20	30	41	77
TOT. SINGLE DX	5173	9.1	35	2	2	8	11	15	19	31
" MULTIPLE DX	8607	14.1	130	2	3	11	17	27	36	64
TOTAL 0-19 YRS	1250	9.6	68	2	2	8	12	19	25	46
20-34	3046	11.3	95	2	3	9	13	22	30	53
35-49	3095	11.9	89	2	3	9	14	22	30	55
50-64	3673	12.3	91	2	4	10	15	23	31	53
65+	2716	14.6	136	2	4	11	18	28	37	69
GRAND TOTAL	13780	12.2	100	2	3	10	15	23	31	55

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	7.4	16	2	2	7	10	12	13	23
20-34	1203	8.3	15	3	4	8	10	13	15	21
35-49	1629	8.6	15	3	4	8	10	13	16	21
50-64	1420	9.4	20	3	5	9	11	14	17	22
65+	575	9.9	21	3	5	9	12	16	18	23
2. MULTIPLE DX										
0-19 YRS	68	9.0	57	2	2	9	12	15	19	92
20-34	665	10.1	36	4	5	9	12	17	20	28
35-49	1033	10.8	46	3	5	9	13	17	21	36
50-64	1461	12.2	56	4	6	11	15	20	25	41
65+	1232	14.8	107	4	6	12	18	27	34	59
TOT. SINGLE DX	4928	8.9	18	3	4	8	11	14	16	22
" MULTIPLE DX	4459	12.2	68	4	5	10	15	21	26	47
TOTAL 0-19 YRS	169	8.1	33	2	2	8	11	13	16	51
20-34	1868	8.9	23	3	4	8	11	14	17	25
35-49	2662	9.5	29	3	4	9	11	15	18	29
50-64	2881	10.8	41	4	5	10	13	17	21	35
65+	1807	13.3	85	3	5	11	16	23	30	55
GRAND TOTAL	**9387**	**10.5**	**45**	**3**	**5**	**9**	**12**	**17**	**21**	**36**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	571	8.5	11	4	5	8	10	12	15	18
20-34	99	10.9	36	4	6	9	12	18	21	41
35-49	67	14.6	142	5	6	12	17	25	28	84
50-64	49	14.9	55	5	7	14	18	23	29	42
65+	69	17.0	37	10	11	16	21	26	30	33
2. MULTIPLE DX										
0-19 YRS	614	10.6	41	5	6	9	12	16	21	39
20-34	204	14.5	105	6	7	11	17	26	44	99+
35-49	150	17.3	141	6	7	14	23	32	50	99
50-64	212	20.0	182	6	9	16	24	37	51	94
65+	311	22.2	213	6	9	18	29	41	52	99
TOT. SINGLE DX	855	10.3	38	4	5	9	12	17	21	31
" MULTIPLE DX	1491	15.6	139	6	7	12	18	30	40	86
TOTAL 0-19 YRS	1185	9.6	28	4	6	8	11	15	17	29
20-34	303	13.3	85	6	7	10	15	22	36	84
35-49	217	16.5	143	5	7	13	21	29	44	94
50-64	261	19.1	162	6	8	16	23	35	44	90
65+	380	21.3	185	7	9	17	27	37	50	96
GRAND TOTAL	**2346**	**13.6**	**108**	**5**	**6**	**10**	**16**	**25**	**35**	**67**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	283	4.6	12	<1	1	4	6	9	12	19
20-34	1687	4.5	6	1	2	4	6	8	9	14
35-49	2063	4.5	7	1	2	4	6	8	9	15
50-64	1548	5.1	12	1	2	4	6	9	11	18
65+	580	6.1	25	2	2	5	8	11	15	24
2. MULTIPLE DX										
0-19 YRS	204	7.8	38	<1	1	6	11	16	19	28
20-34	799	6.3	30	2	2	5	8	11	14	23
35-49	1081	6.7	34	2	2	5	8	12	16	32
50-64	1294	7.5	37	2	2	6	9	14	19	33
65+	1014	10.6	86	2	3	8	13	21	28	46
TOT. SINGLE DX	6161	4.8	11	1	2	4	6	8	11	17
" MULTIPLE DX	4392	7.8	49	2	2	6	10	15	21	37
TOTAL 0-19 YRS	487	5.9	26	<1	1	4	8	12	16	26
20-34	2486	5.1	15	2	2	4	6	9	11	18
35-49	3144	5.3	18	2	2	4	7	9	12	22
50-64	2842	6.2	25	2	2	5	8	11	15	25
65+	1594	9.0	69	2	2	7	11	18	24	43
GRAND TOTAL	**10553**	**6.1**	**29**	**2**	**2**	**5**	**7**	**11**	**15**	**27**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3478	2.4	5	<1	<1	2	3	5	7	12
20-34	4892	3.8	11	<1	1	3	5	8	10	17
35-49	5473	4.0	14	<1	1	3	5	8	11	18
50-64	6563	3.8	14	1	1	2	5	8	10	19
65+	7682	4.6	25	1	1	3	6	10	13	24
2. MULTIPLE DX										
0-19 YRS	4045	3.6	24	<1	1	2	4	8	10	21
20-34	7428	6.2	46	1	1	4	8	12	17	36
35-49	9423	6.8	51	1	1	5	9	14	20	35
50-64	16845	7.4	65	1	1	5	9	16	21	42
65+	31331	10.3	109	1	2	7	13	22	31	61
TOT. SINGLE DX	28088	3.9	16	<1	1	2	5	8	11	19
" MULTIPLE DX	69072	8.3	83	1	1	6	10	18	25	49
TOTAL 0-19 YRS	7523	3.0	16	<1	1	2	4	7	9	17
20-34	12320	5.2	34	1	1	3	7	10	14	30
35-49	14896	5.8	39	1	1	4	7	12	17	30
50-64	23408	6.4	54	1	1	4	8	14	19	37
65+	39013	9.2	98	1	2	6	12	20	28	57
GRAND TOTAL	**97160**	**7.0**	**68**	**1**	**1**	**4**	**9**	**15**	**22**	**43**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	3.9	7	1	1	3	5	8	9	12
20-34	342	3.2	7	1	1	2	4	6	8	15
35-49	867	3.6	6	1	1	3	5	7	9	13
50-64	3386	3.9	12	1	1	3	5	7	9	18
65+	6955	4.7	14	1	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	75	4.9	27	<1	1	3	6	8	13	32
20-34	470	6.0	49	1	2	4	6	12	19	39
35-49	1098	5.3	31	1	1	4	6	11	15	33
50-64	4247	6.2	45	1	2	4	7	12	17	35
65+	12911	8.3	72	2	2	6	10	17	24	46
TOT. SINGLE DX	11612	4.3	13	1	2	3	5	8	10	18
" MULTIPLE DX	18801	7.5	64	1	2	5	9	16	22	43
TOTAL 0-19 YRS	137	4.4	18	1	1	3	6	8	11	24
20-34	812	4.8	34	1	1	3	5	10	15	35
35-49	1965	4.6	22	1	1	3	5	9	12	24
50-64	7633	5.2	32	1	2	4	6	10	14	31
65+	19866	7.0	55	2	2	5	8	14	20	39
GRAND TOTAL	**30413**	**6.3**	**47**	**1**	**2**	**4**	**7**	**13**	**18**	**36**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	6.2	25	1	1	5	8	12	15	25
20-34	426	5.7	21	1	1	4	8	12	14	24
35-49	643	6.5	28	1	2	5	9	13	15	26
50-64	1136	6.7	35	1	2	4	9	15	19	27
65+	1705	7.7	55	1	2	5	11	17	22	33
2. MULTIPLE DX										
0-19 YRS	628	10.4	123	2	3	7	12	21	29	65
20-34	765	10.5	156	1	2	7	12	25	38	86
35-49	1051	9.9	107	1	2	7	13	21	30	67
50-64	2375	11.2	118	2	2	8	15	25	32	58
65+	5742	13.6	159	2	3	10	18	29	39	74
TOT. SINGLE DX	4201	7.0	41	1	2	5	10	15	19	29
" MULTIPLE DX	10561	12.3	145	2	2	9	16	27	36	68
TOTAL 0-19 YRS	919	9.0	96	1	2	6	11	18	25	57
20-34	1191	8.8	113	1	2	6	11	18	28	65
35-49	1694	8.6	80	1	2	6	11	18	24	50
50-64	3511	9.8	96	1	2	7	13	22	28	51
65+	7447	12.3	141	2	2	9	16	26	35	66
GRAND TOTAL	**14762**	**10.8**	**121**	**2**	**2**	**8**	**14**	**24**	**31**	**61**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	820	1.5	2	<1	<1	1	2	2	3	6
20-34	87	2.4	5	<1	<1	2	2	4	6	15
35-49	64	2.4	2	<1	<1	2	3	4	6	7
50-64	61	3.1	7	<1	<1	2	4	7	8	15
65+	43	3.3	5	<1	1	3	4	7	9	10
2. MULTIPLE DX										
0-19 YRS	627	2.2	4	<1	<1	2	2	5	6	11
20-34	160	3.3	12	1	1	2	4	6	8	14
35-49	109	3.9	14	1	2	3	4	7	10	22
50-64	171	5.5	44	1	1	3	7	12	15	34
65+	179	8.2	95	2	2	5	9	18	23	52
TOT. SINGLE DX	1075	1.8	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	1246	3.8	29	<1	1	2	4	8	12	23
TOTAL 0-19 YRS	1447	1.8	3	<1	<1	1	2	3	5	9
20-34	247	3.0	10	<1	1	2	3	6	8	14
35-49	173	3.4	10	<1	1	2	4	7	8	17
50-64	232	4.8	35	<1	1	3	6	11	14	27
65+	222	7.2	82	1	2	5	8	15	21	48
GRAND TOTAL	**2321**	**2.9**	**18**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1341	5.8	14	1	1	5	8	11	12	16
20-34	679	3.8	13	<1	<1	2	5	8	10	17
35-49	421	4.8	11	1	1	4	7	9	11	17
50-64	459	4.7	13	1	1	4	6	9	11	19
65+	512	5.0	16	1	2	4	6	10	15	20
2. MULTIPLE DX										
0-19 YRS	682	5.8	29	1	1	4	8	12	16	28
20-34	508	5.6	39	1	1	4	7	12	16	33
35-49	521	6.7	43	1	2	5	9	13	18	34
50-64	738	7.1	62	1	2	5	9	14	21	41
65+	1119	8.7	88	2	2	6	10	18	27	50
TOT. SINGLE DX	3412	5.0	15	1	1	4	7	10	12	18
" MULTIPLE DX	3568	7.1	60	1	2	5	9	14	21	41
TOTAL 0-19 YRS	2023	5.8	20	1	1	5	8	11	13	21
20-34	1187	4.5	25	<1	1	3	6	10	12	23
35-49	942	5.8	30	1	2	4	8	11	15	28
50-64	1197	6.2	45	1	2	4	8	12	17	36
65+	1631	7.5	69	2	2	5	9	16	22	46
GRAND TOTAL	**6980**	**6.1**	**39**	**1**	**1**	**4**	**8**	**12**	**16**	**33**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1064	1.8	2	<1	<1	1	2	3	5	9
20-34	723	3.0	6	<1	<1	2	4	6	8	13
35-49	635	3.4	19	<1	<1	2	4	7	10	20
50-64	677	3.6	15	<1	1	2	4	8	11	19
65+	759	4.1	12	1	1	3	5	9	11	18
2. MULTIPLE DX										
0-19 YRS	1726	2.6	11	<1	<1	2	3	6	8	15
20-34	1907	5.3	34	<1	1	3	7	12	16	29
35-49	2092	6.5	50	1	1	4	8	13	18	38
50-64	2897	7.0	53	1	2	5	9	15	20	37
65+	5195	9.8	92	2	2	7	13	20	28	52
TOT. SINGLE DX	3858	3.1	11	<1	<1	2	4	7	9	16
" MULTIPLE DX	13817	7.2	65	1	1	5	9	16	22	41
TOTAL 0-19 YRS	2790	2.3	8	<1	<1	1	2	5	7	12
20-34	2630	4.7	28	<1	1	3	6	10	14	25
35-49	2727	5.7	45	<1	1	4	7	12	17	35
50-64	3574	6.4	48	1	1	4	8	14	18	34
65+	5954	9.1	86	1	2	7	12	19	27	48
GRAND TOTAL	**17675**	**6.3**	**56**	**<1**	**1**	**4**	**8**	**14**	**20**	**38**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	521	2.4	3	<1	<1	2	3	4	6	10
20-34	687	3.7	8	1	1	3	4	8	11	13
35-49	583	4.2	10	1	1	3	5	8	11	15
50-64	548	4.7	15	1	2	4	6	9	11	19
65+	616	4.8	11	1	2	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	534	2.9	15	<1	1	2	3	5	7	14
20-34	783	4.8	44	1	1	3	5	9	14	36
35-49	682	5.6	34	1	2	4	7	12	15	26
50-64	976	6.4	34	2	2	4	9	13	17	30
65+	1758	8.5	74	2	2	6	10	17	24	44
TOT. SINGLE DX	2955	4.0	11	1	1	3	5	8	10	15
" MULTIPLE DX	4733	6.4	52	1	2	4	8	14	18	36
TOTAL 0-19 YRS	1055	2.6	10	<1	<1	2	3	5	7	12
20-34	1470	4.3	28	1	1	3	5	9	11	27
35-49	1265	4.9	24	1	1	3	6	10	13	22
50-64	1524	5.8	28	1	2	4	8	11	16	29
65+	2374	7.5	61	2	2	5	9	15	21	39
GRAND TOTAL	**7688**	**5.5**	**38**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	5	2	2	6	7	8	8	8
20-34	239	7.5	9	4	5	7	8	10	12	20
35-49	1024	7.9	6	5	5	8	9	11	13	16
50-64	962	8.7	11	5	5	8	10	12	15	20
65+	533	9.7	13	5	6	9	11	14	16	23
2. MULTIPLE DX										
0-19 YRS	5	6.6	6	3	3	7	8	10	10	10
20-34	354	9.0	37	5	5	8	10	13	17	29
35-49	1503	9.4	22	5	6	8	10	14	18	28
50-64	1536	10.1	24	5	6	9	11	16	19	28
65+	975	12.3	50	6	7	10	14	21	26	40
TOT. SINGLE DX	2765	8.5	10	5	5	8	10	12	14	20
" MULTIPLE DX	4373	10.2	32	5	6	9	11	16	21	32
TOTAL 0-19 YRS	12	5.8	6	2	3	6	7	9	10	10
20-34	593	8.4	27	4	5	7	9	12	15	25
35-49	2527	8.8	17	5	5	8	10	13	16	24
50-64	2498	9.5	20	5	6	9	11	14	18	26
65+	1508	11.4	39	6	6	10	13	18	23	36
GRAND TOTAL	**7138**	**9.6**	**24**	**5**	**6**	**8**	**11**	**15**	**18**	**28**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	78	7.0	7	3	4	7	8	10	12	17
35-49	280	7.7	8	4	5	8	9	11	13	17
50-64	300	7.9	11	4	4	8	9	11	14	21
65+	187	8.1	11	4	5	8	10	12	15	19
2. MULTIPLE DX										
0-19 YRS	14	9.2	23	3	4	9	12	14	19	21
20-34	87	9.3	48	3	3	8	10	17	23	43
35-49	346	8.7	23	4	4	8	9	13	18	31
50-64	431	9.2	38	4	4	8	10	15	20	35
65+	348	10.9	52	4	5	9	13	19	23	34
TOT. SINGLE DX	845	7.8	10	4	4	8	9	11	14	18
" MULTIPLE DX	1226	9.6	39	4	4	8	11	16	21	34
TOTAL 0-19 YRS	14	9.2	24	3	4	9	12	14	19	21
20-34	165	8.2	31	3	4	7	9	13	18	38
35-49	626	8.3	17	4	5	8	9	12	15	26
50-64	731	8.7	28	4	4	8	10	13	17	29
65+	535	9.9	40	4	5	8	11	17	21	33
GRAND TOTAL	**2071**	**8.8**	**28**	**4**	**4**	**8**	**10**	**14**	**18**	**30**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.0	4	<1	<1	2	5	5	7	9
20-34	65	5.2	12	1	1	5	7	11	12	17
35-49	78	5.5	33	1	2	4	6	11	13	37
50-64	60	5.8	40	1	1	4	6	17	20	30
65+	47	6.9	32	1	2	4	10	16	18	24
2. MULTIPLE DX										
0-19 YRS	39	4.3	15	<1	1	3	5	10	13	18
20-34	108	7.4	59	1	2	5	9	16	22	43
35-49	111	9.1	66	1	2	7	12	18	22	45
50-64	158	8.7	62	1	2	6	11	17	27	41
65+	243	10.3	108	1	2	7	13	22	31	56
TOT. SINGLE DX	273	5.5	28	1	1	4	7	11	17	26
" MULTIPLE DX	659	8.9	79	1	2	6	11	18	27	43
TOTAL 0-19 YRS	62	3.8	12	<1	<1	3	5	8	11	17
20-34	173	6.5	43	1	1	5	8	14	17	28
35-49	189	7.6	56	1	2	5	9	16	20	43
50-64	218	7.9	58	1	2	5	10	17	24	37
65+	290	9.7	98	1	2	7	12	21	29	54
GRAND TOTAL	**932**	**7.9**	**66**	**1**	**2**	**5**	**10**	**17**	**22**	**42**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.3	35	<1	1	6	9	18	19	19
20-34	38	7.2	21	1	1	8	9	13	14	23
35-49	36	8.2	31	<1	<1	9	11	15	21	21
50-64	37	8.3	38	1	1	7	10	16	23	28
65+	25	7.8	20	1	3	7	10	11	19	21
2. MULTIPLE DX										
0-19 YRS	19	11.2	215	2	3	8	10	20	49	68
20-34	76	9.8	40	3	4	8	12	17	23	36
35-49	61	15.0	126	2	4	12	19	35	38	47
50-64	116	14.0	125	2	4	11	18	25	41	75
65+	141	16.8	212	3	3	13	21	32	46	80
TOT. SINGLE DX	148	7.8	28	1	1	7	10	14	19	27
" MULTIPLE DX	413	14.2	149	2	4	10	17	27	39	68
TOTAL 0-19 YRS	31	9.7	146	2	2	8	10	18	26	68
20-34	114	8.9	35	2	2	8	11	16	21	31
35-49	97	12.5	101	1	2	10	16	25	36	46
50-64	153	12.7	110	2	3	10	16	25	30	63
65+	166	15.4	193	3	3	11	20	31	43	78
GRAND TOTAL	**561**	**12.5**	**125**	**2**	**3**	**9**	**15**	**25**	**34**	**63**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	5.8	3	3	4	6	7	8	10	12
20-34	32	5.6	13	2	2	4	8	10	14	17
35-49	285	6.0	9	2	3	5	7	8	11	18
50-64	6652	6.5	9	4	4	6	8	10	12	17
65+	14725	7.4	14	4	4	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	39	10.7	42	4	4	9	13	22	24	31
20-34	62	8.5	67	3	4	7	9	13	17	60
35-49	553	9.0	47	3	4	7	11	17	21	39
50-64	11676	9.1	40	4	4	7	11	16	21	36
65+	40591	11.6	79	4	5	9	14	21	28	52
TOT. SINGLE DX	21717	7.1	13	4	4	6	8	11	13	20
" MULTIPLE DX	52921	11.0	72	4	5	8	13	20	27	49
TOTAL 0-19 YRS	62	8.9	34	4	4	7	10	17	22	30
20-34	94	7.5	51	2	3	6	9	12	17	46
35-49	838	8.0	37	3	4	6	9	14	19	32
50-64	18328	8.2	31	4	4	7	9	14	18	31
65+	55316	10.5	66	4	5	8	12	19	25	47
GRAND TOTAL	**74638**	**9.9**	**58**	**4**	**5**	**8**	**11**	**18**	**24**	**44**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.2	13	1	1	2	8	10	11	11
20-34	6	4.0	5	1	1	4	6	7	7	7
35-49	23	11.6	44	1	3	12	15	18	24	29
50-64	757	12.0	24	6	7	11	14	18	21	29
65+	1339	12.6	28	6	7	12	15	19	22	32
2. MULTIPLE DX										
0-19 YRS	13	5.8	50	1	1	3	6	17	24	26
20-34	10	10.7	42	<1	1	10	13	20	22	22
35-49	35	11.5	43	1	2	12	16	19	22	25
50-64	1092	14.5	58	7	8	13	17	23	28	46
65+	3861	16.0	83	7	8	14	19	26	32	55
TOT. SINGLE DX	2135	12.3	28	6	7	11	15	18	22	31
" MULTIPLE DX	5011	15.6	78	7	8	14	18	25	31	52
TOTAL 0-19 YRS	23	5.1	34	1	1	3	7	12	19	26
20-34	16	8.2	39	<1	1	8	11	18	21	22
35-49	58	11.6	43	1	2	12	16	19	22	29
50-64	1849	13.4	46	6	7	12	16	21	25	41
65+	5200	15.1	71	7	8	13	17	24	30	49
GRAND TOTAL	**7146**	**14.6**	**65**	**6**	**8**	**13**	**17**	**23**	**29**	**47**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.7	1	1	1	2	4	4	4	4
20-34	37	3.0	6	1	1	2	3	6	10	13
35-49	250	2.7	5	1	1	2	3	5	7	11
50-64	1834	3.0	7	1	1	2	3	5	7	14
65+	2752	3.6	12	1	1	2	4	7	10	19
2. MULTIPLE DX										
0-19 YRS	15	6.3	20	<1	2	6	10	11	16	17
20-34	36	4.3	7	1	1	4	6	8	10	11
35-49	254	5.2	32	1	2	3	6	11	15	30
50-64	1907	6.0	46	1	2	4	7	13	18	31
65+	4681	8.4	74	2	2	5	11	18	24	43
TOT. SINGLE DX	4880	3.3	11	1	1	2	4	6	9	17
" MULTIPLE DX	6893	7.6	66	1	2	5	10	17	23	40
TOTAL 0-19 YRS	22	5.1	17	1	1	4	7	11	14	17
20-34	73	3.6	7	1	1	3	4	8	10	13
35-49	504	3.9	20	1	1	2	4	8	12	23
50-64	3741	4.5	30	1	1	3	5	10	14	28
65+	7433	6.6	57	1	2	4	8	15	21	37
GRAND TOTAL	**11773**	**5.8**	**47**	**1**	**2**	**3**	**7**	**13**	**19**	**34**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	500	2.7	4	<1	1	2	3	5	6	10
20-34	468	3.2	7	1	1	3	4	6	7	12
35-49	355	3.8	19	1	1	3	4	6	9	28
50-64	353	3.8	9	1	2	3	4	7	9	17
65+	229	4.6	22	1	2	3	5	8	12	34
2. MULTIPLE DX										
0-19 YRS	329	3.1	8	1	1	2	3	6	9	16
20-34	339	5.2	27	1	1	4	6	11	15	32
35-49	279	6.4	58	1	2	4	8	13	19	43
50-64	409	7.8	83	2	2	5	9	18	27	66
65+	474	10.0	102	2	3	7	11	22	33	49
TOT. SINGLE DX	1905	3.4	11	1	1	3	4	6	8	17
" MULTIPLE DX	1830	6.8	66	1	2	4	8	15	22	46
TOTAL 0-19 YRS	829	2.8	6	<1	1	2	3	5	7	13
20-34	807	4.0	17	1	1	3	5	7	11	25
35-49	634	4.9	38	1	1	3	5	10	13	40
50-64	762	6.0	53	1	2	4	6	12	19	53
65+	703	8.2	83	2	2	5	9	18	27	45
GRAND TOTAL	**3735**	**5.1**	**41**	**1**	**1**	**3**	**5**	**10**	**16**	**38**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	663	3.0	5	1	1	3	4	5	7	12
20-34	884	4.4	14	1	1	3	5	8	11	22
35-49	412	4.1	7	1	2	3	5	8	9	14
50-64	398	5.1	22	2	2	4	6	11	14	19
65+	988	5.9	31	2	2	4	8	12	15	29
2. MULTIPLE DX										
0-19 YRS	537	3.3	10	1	1	3	4	6	8	16
20-34	555	6.0	42	1	2	4	7	13	19	27
35-49	306	6.9	70	2	2	4	8	13	19	47
50-64	704	8.4	74	2	2	5	10	18	25	46
65+	2631	10.9	101	2	3	8	14	23	31	53
TOT. SINGLE DX	3345	4.6	19	1	2	3	5	9	12	21
" MULTIPLE DX	4733	8.8	85	2	2	5	11	20	27	48
TOTAL 0-19 YRS	1200	3.2	7	1	1	3	4	5	7	13
20-34	1439	5.0	26	1	2	4	6	10	15	25
35-49	718	5.3	36	1	2	4	6	10	13	35
50-64	1102	7.2	58	2	2	4	9	15	21	42
65+	3619	9.5	87	2	2	6	12	20	28	49
GRAND TOTAL	**8078**	**7.1**	**62**	**1**	**2**	**4**	**9**	**16**	**22**	**42**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3438	2.4	1	1	1	2	3	4	5	7
20-34	420	2.5	2	1	1	2	3	5	5	8
35-49	40	2.7	2	<1	1	2	3	5	6	9
50-64	6	2.7	1	2	2	2	4	4	4	4
65+	7	4.4	9	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	1946	2.8	3	<1	1	2	3	5	7	9
20-34	169	3.9	8	1	1	3	5	7	9	18
35-49	25	3.2	3	1	2	3	4	6	7	8
50-64	7	5.1	3	3	3	5	6	8	8	8
65+	9	7.8	75	2	2	4	8	21	30	30
TOT. SINGLE DX	3911	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	2156	3.0	5	<1	1	2	4	5	7	10
TOTAL 0-19 YRS	5384	2.6	3	1	1	2	3	4	5	8
20-34	589	2.9	5	1	1	2	4	5	6	11
35-49	65	2.9	3	1	1	3	3	6	7	9
50-64	13	4.0	4	2	2	4	5	7	8	8
65+	16	6.3	47	1	2	4	8	9	24	30
GRAND TOTAL	**6067**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	665	2.3	3	1	1	2	3	4	5	7
20-34	607	2.5	2	<1	1	2	3	4	5	8
35-49	188	3.0	4	<1	1	2	4	5	6	13
50-64	78	3.5	5	1	2	3	4	7	9	11
65+	20	5.2	16	1	2	4	7	8	14	20
2. MULTIPLE DX										
0-19 YRS	274	3.0	7	1	1	2	3	5	7	11
20-34	270	3.6	18	<1	1	3	4	7	8	25
35-49	121	4.5	13	1	2	3	5	10	12	18
50-64	91	7.4	66	1	2	5	9	16	21	49
65+	50	11.0	178	2	2	8	14	22	29	88
TOT. SINGLE DX	1558	2.5	4	<1	1	2	3	4	6	10
" MULTIPLE DX	806	4.4	33	1	1	3	5	9	13	27
TOTAL 0-19 YRS	939	2.5	5	1	1	2	3	4	6	9
20-34	877	2.8	8	<1	1	2	3	5	7	13
35-49	309	3.6	8	1	1	3	4	7	10	16
50-64	169	5.6	42	1	2	4	6	11	16	30
65+	70	9.4	138	2	2	6	11	19	26	77
GRAND TOTAL	**2364**	**3.2**	**15**	**1**	**1**	**2**	**3**	**6**	**8**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.9	2	1	1	2	4	6	6	6
20-34	552	1.4	3	<1	<1	1	1	2	3	4
35-49	340	1.5	2	<1	<1	<1	1	2	3	9
50-64	53	3.0	9	<1	<1	2	4	8	10	13
65+	31	8.1	27	2	3	7	11	12	13	31
2. MULTIPLE DX										
0-19 YRS	5	3.0	8	1	1	2	4	8	8	8
20-34	199	3.8	30	<1	<1	2	4	8	12	30
35-49	236	3.9	21	<1	<1	2	4	9	14	24
50-64	88	6.5	24	1	2	6	9	13	15	26
65+	134	13.3	114	3	5	11	15	26	31	54
TOT. SINGLE DX	983	1.7	6	<1	<1	1	2	3	5	11
" MULTIPLE DX	662	6.1	57	<1	1	3	8	14	20	33
TOTAL 0-19 YRS	12	2.9	4	1	1	2	3	7	8	8
20-34	751	2.0	12	<1	<1	1	2	3	5	14
35-49	576	2.5	12	<1	<1	1	2	5	9	19
50-64	141	5.2	21	<1	1	4	7	12	13	20
65+	165	12.3	102	3	5	10	14	25	30	46
GRAND TOTAL	**1645**	**3.5**	**31**	**<1**	**<1**	**1**	**3**	**9**	**13**	**28**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2004	2.3	1	<1	1	2	3	4	5	7
20-34	2848	2.5	2	1	1	2	3	4	5	8
35-49	1975	2.7	2	1	1	2	3	4	5	8
50-64	1591	3.2	2	1	2	3	4	5	6	10
65+	779	3.5	3	2	2	3	4	5	6	12
2. MULTIPLE DX										
0-19 YRS	1168	2.6	9	<1	1	2	3	4	5	9
20-34	1516	3.0	5	1	1	3	4	5	6	11
35-49	1134	3.6	7	1	1	3	4	6	8	15
50-64	1447	4.7	12	2	2	4	5	9	12	19
65+	1071	6.1	28	2	2	4	7	12	17	27
TOT. SINGLE DX	9197	2.7	3	1	1	2	3	4	5	9
" MULTIPLE DX	6336	3.9	14	1	1	3	4	7	10	20
TOTAL 0-19 YRS	3172	2.4	5	<1	1	2	3	4	5	8
20-34	4364	2.7	3	1	1	2	3	4	5	9
35-49	3109	3.0	4	1	1	3	4	5	6	12
50-64	3038	3.9	8	1	2	3	4	7	9	15
65+	1850	5.0	20	2	2	4	6	9	14	23
GRAND TOTAL	**15533**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2315	1.8	3	<1	<1	2	2	2	3	8
20-34	1124	1.9	1	<1	1	2	2	3	3	5
35-49	680	2.1	3	<1	1	2	2	3	3	9
50-64	447	2.2	3	<1	1	2	2	3	4	11
65+	293	2.4	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	845	3.0	21	<1	1	2	3	5	9	28
20-34	729	3.3	12	1	1	2	3	7	9	17
35-49	831	4.0	21	1	1	2	5	9	12	26
50-64	871	4.5	22	1	2	3	5	10	12	24
65+	852	6.4	48	1	2	4	8	14	20	37
TOT. SINGLE DX	6750	1.9	3	<1	<1	2	2	3	3	8
" MULTIPLE DX	5092	4.5	33	1	1	2	5	10	15	31
TOTAL 0-19 YRS	4505	2.4	14	<1	<1	2	2	3	6	22
20-34	2266	2.4	6	<1	1	2	2	4	6	12
35-49	1881	3.1	13	<1	1	2	3	6	9	19
50-64	1724	3.7	17	1	1	2	4	8	11	21
65+	1466	5.4	48	1	1	3	6	12	19	34
GRAND TOTAL	**11842**	**3.1**	**18**	**<1**	**1**	**2**	**3**	**6**	**10**	**23**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	340	3.1	5	<1	<1	2	4	7	8	12
20-34	409	3.3	20	<1	<1	2	4	8	10	16
35-49	351	4.0	7	1	1	3	5	7	9	13
50-64	647	5.1	11	1	2	4	6	9	11	18
65+	360	5.6	33	1	2	4	7	10	13	22
2. MULTIPLE DX										
0-19 YRS	286	3.9	11	<1	1	3	5	8	11	17
20-34	372	6.7	53	1	1	4	9	14	16	40
35-49	519	6.8	52	1	2	5	8	12	17	39
50-64	1082	6.2	28	2	2	5	7	11	14	33
65+	645	7.3	55	2	2	5	9	15	22	55
TOT. SINGLE DX	2107	4.3	16	<1	1	3	6	8	10	18
" MULTIPLE DX	2904	6.4	41	1	2	5	8	12	16	37
TOTAL 0-19 YRS	626	3.5	9	<1	<1	3	5	7	8	15
20-34	781	4.9	39	<1	<1	3	6	10	14	35
35-49	870	5.7	36	1	2	4	7	10	14	30
50-64	1729	5.8	23	2	2	5	7	10	12	26
65+	1005	6.7	48	2	2	5	8	13	20	41
GRAND TOTAL	**5011**	**5.5**	**32**	**1**	**1**	**4**	**7**	**10**	**14**	**31**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1130	5.5	4	3	3	5	6	8	9	13
20-34	3877	5.5	4	2	3	5	6	8	9	13
35-49	540	6.2	6	2	4	6	7	9	11	15
50-64	97	7.7	17	2	4	7	9	13	16	24
65+	69	12.3	62	4	5	10	17	21	30	39
2. MULTIPLE DX										
0-19 YRS	1094	6.2	9	3	4	6	7	9	11	16
20-34	6460	6.2	9	3	4	6	7	9	11	18
35-49	1131	7.5	22	2	4	6	8	12	16	25
50-64	263	12.3	63	4	6	10	15	24	29	42
65+	268	17.9	131	7	8	14	22	30	43	63
TOT. SINGLE DX	5713	5.7	6	2	3	5	7	8	9	14
" MULTIPLE DX	9216	6.9	21	3	4	6	7	10	14	26
TOTAL 0-19 YRS	2224	5.8	7	3	3	5	7	8	10	14
20-34	10337	5.9	7	3	4	6	7	8	10	16
35-49	1671	7.1	18	2	4	6	8	11	15	22
50-64	360	11.1	55	3	5	9	13	21	27	39
65+	337	16.7	122	6	7	13	20	30	40	60
GRAND TOTAL	**14929**	**6.4**	**15**	**3**	**4**	**6**	**7**	**9**	**12**	**22**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	593	6.0	4	3	4	6	7	8	9	15
20-34	3652	6.0	4	4	4	6	7	8	9	14
35-49	1296	6.5	6	4	4	6	7	9	11	17
50-64	237	8.3	17	4	5	7	9	13	18	22
65+	142	11.2	51	5	6	9	13	19	22	42
2. MULTIPLE DX										
0-19 YRS	632	6.8	9	4	4	6	8	10	13	17
20-34	6858	6.8	10	4	4	6	8	10	12	19
35-49	3128	7.9	21	4	5	7	9	12	16	27
50-64	535	11.7	63	5	6	9	14	21	27	41
65+	475	17.3	157	6	7	14	21	31	41	72
TOT. SINGLE DX	5920	6.3	7	4	4	6	7	9	11	17
" MULTIPLE DX	11628	7.8	27	4	4	6	8	12	16	29
TOTAL 0-19 YRS	1225	6.4	7	4	4	6	7	9	11	16
20-34	10510	6.5	9	4	4	6	7	9	11	18
35-49	4424	7.5	18	4	5	6	8	11	15	24
50-64	772	10.7	52	5	5	8	12	19	24	37
65+	617	15.9	140	6	6	12	19	30	37	70
GRAND TOTAL	**17548**	**7.3**	**21**	**4**	**4**	**6**	**8**	**11**	**14**	**25**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.9	20	3	4	6	8	10	18	23
20-34	426	6.3	5	3	4	6	7	9	10	15
35-49	653	7.1	7	4	5	6	8	10	12	18
50-64	338	8.1	11	5	5	7	9	12	15	20
65+	175	10.7	34	6	6	9	13	17	22	38
2. MULTIPLE DX										
0-19 YRS	36	7.7	20	3	4	6	8	13	15	28
20-34	1446	7.3	11	4	5	6	8	11	14	21
35-49	2554	8.3	21	4	5	7	9	13	16	28
50-64	1005	11.5	66	5	6	9	13	20	26	49
65+	636	15.3	107	6	7	12	18	26	35	51
TOT. SINGLE DX	1610	7.5	13	4	5	7	8	11	14	21
" MULTIPLE DX	5677	9.4	43	4	5	7	10	16	21	36
TOTAL 0-19 YRS	54	7.4	20	3	4	6	8	12	15	28
20-34	1872	7.1	11	4	4	6	8	10	13	20
35-49	3207	8.1	19	4	5	7	9	12	15	26
50-64	1343	10.6	55	5	5	8	12	18	23	43
65+	811	14.3	95	6	7	11	17	24	34	49
GRAND TOTAL	**7287**	**9.0**	**37**	**4**	**5**	**7**	**10**	**15**	**20**	**34**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	4.0	10	1	1	3	5	7	9	14
20-34	859	3.6	6	<1	1	3	5	7	8	12
35-49	151	4.2	8	<1	1	3	6	8	9	13
50-64	18	5.1	22	1	1	3	7	10	16	20
65+	9	9.9	48	2	2	8	13	21	24	24
2. MULTIPLE DX										
0-19 YRS	256	5.1	14	1	2	4	6	9	12	24
20-34	2042	5.0	14	1	2	5	6	8	10	16
35-49	402	5.4	28	1	1	5	6	9	12	27
50-64	25	8.6	68	1	2	5	11	21	26	34
65+	21	14.1	128	5	5	11	15	28	44	53
TOT. SINGLE DX	1285	3.8	8	1	1	3	5	7	8	14
" MULTIPLE DX	2746	5.2	18	1	2	5	6	8	11	21
TOTAL 0-19 YRS	504	4.5	13	1	1	4	6	8	10	21
20-34	2901	4.6	12	1	1	4	6	8	9	15
35-49	553	5.1	23	1	1	5	6	9	12	19
50-64	43	7.1	51	1	1	5	9	18	22	34
65+	30	12.9	106	3	4	10	14	23	36	53
GRAND TOTAL	**4031**	**4.7**	**16**	**1**	**1**	**4**	**6**	**8**	**10**	**17**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	1.6	1	<1	<1	1	2	2	3	8
20-34	11272	1.4		<1	<1	1	2	2	2	4
35-49	4528	1.4		<1	<1	1	2	2	2	4
50-64	17	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.2	2	<1	<1	2	3	5	6	6
20-34	6957	1.9	3	<1	<1	1	2	3	4	8
35-49	3588	1.8	3	<1	<1	1	2	3	4	8
50-64	21	2.4	16	<1	<1	2	2	3	11	20
65+										
TOT. SINGLE DX	15893	1.4	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	10616	1.9	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	126	1.9	2	<1	<1	2	2	3	5	8
20-34	18229	1.6	2	<1	<1	1	2	2	3	6
35-49	8116	1.6	2	<1	<1	1	2	2	3	6
50-64	38	1.9	9	<1	<1	1	2	2	3	20
65+										
GRAND TOTAL	**26509**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	3.0	4	<1	1	2	4	6	7	11
20-34	9343	2.4	2	<1	1	2	3	4	5	7
35-49	3351	2.3	1	<1	1	2	3	4	5	7
50-64	22	4.0	18	<1	1	2	7	9	14	18
65+										
2. MULTIPLE DX										
0-19 YRS	144	3.9	5	1	2	3	5	7	8	13
20-34	14932	3.5	5	1	2	3	4	5	6	10
35-49	4209	3.5	7	1	1	3	4	6	7	13
50-64	35	8.3	68	2	2	7	10	17	23	42
65+										
TOT. SINGLE DX	12817	2.4	2	<1	1	2	3	4	5	7
" MULTIPLE DX	19320	3.5	6	1	1	3	4	5	7	11
TOTAL 0-19 YRS	245	3.5	5	1	1	3	4	6	8	12
20-34	24275	3.1	5	1	1	3	4	5	6	9
35-49	7560	3.0	5	<1	1	3	4	5	6	10
50-64	57	6.6	53	1	1	4	8	17	19	41
65+										
GRAND TOTAL	**32137**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	461	5.0	3	3	3	5	6	7	8	11
20-34	6979	4.9	3	2	3	5	6	7	8	10
35-49	948	4.9	5	<1	1	5	6	7	8	11
50-64	16	6.1	17	2	3	5	6	13	16	18
65+	7	6.0	34	1	1	5	7	16	18	18
2. MULTIPLE DX										
0-19 YRS	491	5.9	9	3	3	5	7	8	11	20
20-34	7303	5.3	6	2	3	5	6	8	9	13
35-49	1150	5.5	10	1	2	5	7	8	10	17
50-64	37	11.0	152	2	2	9	12	23	29	71
65+	16	15.9	116	5	7	12	20	33	41	44
TOT. SINGLE DX	8411	4.9	4	2	3	5	6	7	8	11
" MULTIPLE DX	8997	5.4	8	2	3	5	6	8	9	15
TOTAL 0-19 YRS	952	5.4	6	3	3	5	6	8	9	17
20-34	14282	5.1	5	2	3	5	6	7	8	12
35-49	2098	5.3	8	1	2	5	6	8	9	14
50-64	53	9.5	116	2	2	6	11	19	24	70
65+	23	12.9	111	1	2	11	16	28	37	44
GRAND TOTAL	**17408**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	2.0	1	<1	<1	2	2	3	4	6
20-34	3182	2.2	1	<1	1	2	3	3	4	7
35-49	1176	2.3	2	<1	<1	2	3	4	5	8
50-64	452	2.5	2	<1	1	2	3	4	5	9
65+	164	2.9	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
0-19 YRS	95	2.2	1	<1	<1	2	3	3	4	8
20-34	2104	2.6	3	<1	1	2	3	4	6	10
35-49	1134	3.1	10	<1	1	2	3	6	8	18
50-64	508	3.5	13	1	1	2	3	7	11	19
65+	236	5.4	34	1	2	3	6	12	18	28
TOT. SINGLE DX	5107	2.3	2	<1	1	2	3	4	4	8
" MULTIPLE DX	4077	3.0	9	<1	1	2	3	5	8	17
TOTAL 0-19 YRS	228	2.1	1	<1	<1	2	3	3	4	6
20-34	5286	2.3	2	<1	1	2	3	4	5	8
35-49	2310	2.7	6	<1	1	2	3	4	7	12
50-64	960	3.0	9	<1	1	2	3	5	8	17
65+	400	4.4	23	1	1	3	4	10	14	26
GRAND TOTAL	**9184**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.0	1	<1	<1	2	2	3	4	6
20-34	1461	2.1	3	<1	<1	2	2	3	4	9
35-49	1552	2.1	4	<1	<1	2	2	3	5	9
50-64	1077	2.5	6	<1	1	2	2	4	6	14
65+	511	4.6	32	1	1	2	6	9	12	24
2. MULTIPLE DX										
0-19 YRS	126	3.3	24	<1	1	2	3	6	9	34
20-34	2158	3.0	13	<1	1	2	3	6	8	18
35-49	3360	3.0	12	<1	1	2	3	6	8	18
50-64	2161	4.2	32	1	1	2	4	10	13	27
65+	1383	7.6	73	2	2	5	9	16	22	46
TOT. SINGLE DX	4710	2.5	8	<1	<1	2	2	4	7	13
" MULTIPLE DX	9188	4.0	29	<1	1	2	4	9	13	26
TOTAL 0-19 YRS	235	2.7	14	<1	<1	2	3	4	7	20
20-34	3619	2.6	10	<1	<1	2	3	5	7	15
35-49	4912	2.7	10	<1	1	2	3	5	8	15
50-64	3238	3.6	24	<1	1	2	3	8	12	23
65+	1894	6.8	64	1	2	4	8	15	20	41
GRAND TOTAL	**13898**	**3.5**	**23**	**<1**	**1**	**2**	**3**	**7**	**11**	**23**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	3.2	4	1	1	3	4	5	8	14
20-34	3003	2.9	4	1	1	3	3	5	6	9
35-49	259	2.9	2	1	1	3	4	5	5	11
50-64	5	1.6	2	1	1	1	2	4	4	4
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	47	4.5	7	1	2	4	7	9	9	13
20-34	771	4.2	19	1	1	3	5	8	10	23
35-49	101	4.0	17	1	1	3	4	7	11	25
50-64	11	2.7	3	1	1	2	4	6	6	6
65+	7	5.7	15	1	1	8	8	10	11	11
TOT. SINGLE DX	3410	2.9	4	1	1	3	3	5	6	9
" MULTIPLE DX	937	4.2	18	1	1	3	5	8	10	23
TOTAL 0-19 YRS	188	3.5	6	1	1	3	4	7	9	14
20-34	3774	3.2	8	1	1	3	4	5	7	12
35-49	360	3.2	7	1	1	3	4	5	6	14
50-64	16	2.4	3	1	1	2	3	6	6	6
65+	9	5.9	15	1	1	8	9	11	11	11
GRAND TOTAL	**4347**	**3.2**	**8**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	4.7	21	1	1	3	7	8	9	30
20-34	1165	5.3	7	1	1	6	7	8	9	11
35-49	428	5.0	8	1	1	5	7	8	9	12
50-64	119	3.3	12	<1	1	2	3	8	10	19
65+	72	4.1	22	1	1	2	4	9	14	26
2. MULTIPLE DX										
0-19 YRS	62	4.7	11	<1	1	5	6	8	11	19
20-34	1756	5.7	9	1	2	6	7	9	10	15
35-49	854	5.8	21	1	1	6	8	9	13	24
50-64	325	5.5	54	<1	1	2	7	13	19	35
65+	222	10.2	132	1	2	7	14	23	34	74
TOT. SINGLE DX	1829	5.0	9	1	1	5	7	8	9	13
" MULTIPLE DX	3219	6.0	27	1	1	6	7	10	13	27
TOTAL 0-19 YRS	107	4.7	16	1	1	4	7	8	10	24
20-34	2921	5.5	9	1	2	6	7	8	10	14
35-49	1282	5.5	17	1	1	6	7	9	11	21
50-64	444	4.9	44	<1	1	2	6	12	17	27
65+	294	8.7	112	1	2	4	11	23	30	64
GRAND TOTAL	**5048**	**5.6**	**21**	**1**	**1**	**6**	**7**	**9**	**11**	**23**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	7.0	7	4	4	6	8	10	13	18
20-34	5183	6.8	4	5	5	6	7	9	10	14
35-49	9317	7.1	4	5	5	7	8	9	10	15
50-64	3127	8.0	7	5	6	7	9	11	13	18
65+	1400	9.5	17	6	6	8	10	14	17	26
2. MULTIPLE DX										
0-19 YRS	229	8.2	16	4	5	7	9	14	16	25
20-34	24807	7.4	8	5	5	7	8	10	12	19
35-49	52478	7.8	9	5	5	7	8	10	13	20
50-64	14693	8.9	22	5	6	8	10	13	17	28
65+	5452	12.4	68	6	6	10	14	21	27	47
TOT. SINGLE DX	19091	7.3	7	5	5	7	8	10	11	17
" MULTIPLE DX	97659	8.1	16	5	5	7	9	11	15	24
TOTAL 0-19 YRS	293	8.0	15	4	5	7	9	13	15	24
20-34	29990	7.3	8	5	5	7	8	10	12	18
35-49	61795	7.7	9	5	5	7	8	10	12	19
50-64	17820	8.8	20	5	6	8	9	13	16	27
65+	6852	11.8	60	6	6	9	14	20	25	45
GRAND TOTAL	**116750**	**8.0**	**15**	**5**	**5**	**7**	**9**	**11**	**14**	**23**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	5.2	1	2	3	5	6	7	7	7
20-34	2906	5.7	2	4	4	5	6	7	8	12
35-49	2962	5.2	4	4	4	6	7	9	10	14
50-64	1425	7.8	6	5	5	7	9	11	13	17
65+	1243	8.5	7	5	6	8	10	12	14	18
2. MULTIPLE DX										
0-19 YRS	30	7.0	9	2	4	6	9	12	13	14
20-34	9648	6.3	6	4	4	6	7	9	10	15
35-49	15281	6.7	7	4	4	6	8	9	11	16
50-64	5300	8.2	13	5	5	8	9	12	14	20
65+	3810	9.6	20	5	6	8	11	14	18	28
TOT. SINGLE DX	8547	6.7	6	4	4	6	8	9	11	15
" MULTIPLE DX	34069	7.2	10	4	5	6	8	10	12	19
TOTAL 0-19 YRS	41	6.5	8	2	4	6	7	11	12	14
20-34	12554	6.1	5	4	4	6	7	8	10	14
35-49	18243	6.6	7	4	4	6	7	9	11	16
50-64	6725	8.1	12	5	5	7	9	12	14	19
65+	5053	9.4	18	5	6	8	10	14	17	26
GRAND TOTAL	**42616**	**7.1**	**10**	**4**	**4**	**6**	**8**	**10**	**12**	**18**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	89	11.2	15	6	7	10	13	17	18	23
35-49	96	12.0	18	6	8	11	14	17	20	26
50-64	66	13.5	29	7	8	12	17	20	24	32
65+	35	18.1	76	10	10	16	23	27	29	55
2. MULTIPLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	96	12.5	45	4	6	11	15	20	23	44
35-49	124	15.6	107	7	8	12	18	27	35	57
50-64	156	18.3	181	7	8	14	21	34	44	87
65+	104	21.2	144	8	9	18	26	39	46	60
TOT. SINGLE DX	288	12.8	31	6	8	12	15	19	23	29
" MULTIPLE DX	482	17.0	135	7	8	13	20	31	41	62
TOTAL 0-19 YRS	4	9.8	8	6	6	10	12	12	12	12
20-34	185	11.9	31	5	7	11	14	18	20	33
35-49	220	14.0	72	6	8	12	16	23	30	54
50-64	222	16.9	140	7	8	13	19	30	36	76
65+	139	20.4	129	8	9	18	25	37	46	56
GRAND TOTAL	**770**	**15.5**	**100**	**6**	**8**	**13**	**18**	**26**	**34**	**55**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	827	1.2		<1	<1	<1	1	2	2	4
20-34	3150	1.3		<1	<1	<1	1	2	2	5
35-49	400	1.3		<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	169	3.1	9	<1	<1	2	4	8	10	16
20-34	1144	3.0	16	<1	<1	2	3	7	10	18
35-49	392	2.4	5	<1	<1	2	3	5	6	14
50-64										
65+										
TOT. SINGLE DX	4377	1.3	1	<1	<1	<1	1	2	2	5
" MULTIPLE DX	1705	2.9	13	<1	<1	2	3	6	9	16
TOTAL 0-19 YRS	996	1.5	3	<1	<1	<1	1	2	4	10
20-34	4294	1.7	6	<1	<1	1	2	3	5	12
35-49	792	1.8	3	<1	<1	1	2	3	5	10
50-64										
65+										
GRAND TOTAL	**6082**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9127	1.8	1	<1	<1	1	2	3	4	8
20-34	60344	1.7	2	<1	<1	1	2	3	4	7
35-49	23120	1.7	1	<1	<1	1	2	2	3	7
50-64	8875	1.9	2	<1	<1	2	2	3	3	8
65+	2572	2.9	8	<1	1	2	3	5	9	16
2. MULTIPLE DX										
0-19 YRS	3286	3.2	11	1	1	2	4	6	8	15
20-34	32248	2.9	10	<1	1	2	3	6	8	15
35-49	27361	2.8	11	<1	<1	2	3	6	9	16
50-64	12217	3.3	19	<1	1	2	3	7	11	22
65+	5093	5.5	53	1	1	3	6	12	18	39
TOT. SINGLE DX	104038	1.8	2	<1	<1	1	2	3	4	7
" MULTIPLE DX	80205	3.1	15	<1	1	2	3	7	9	19
TOTAL 0-19 YRS	12413	2.2	5	<1	1	2	2	4	6	10
20-34	92592	2.1	5	<1	<1	2	2	4	6	10
35-49	50481	2.3	7	<1	<1	2	2	4	7	13
50-64	21092	2.7	13	<1	<1	2	2	5	8	18
65+	7665	4.6	40	1	1	2	5	10	16	32
GRAND TOTAL	**184243**	**2.3**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**14**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3135	1.1		<1	<1	1	1	1	2	3
20-34	9301	1.1		<1	<1	<1	1	1	2	3
35-49	1167	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1014	1.8	9	<1	<1	<1	1	3	6	12
20-34	4503	1.9	6	<1	<1	<1	2	4	6	14
35-49	1080	2.1	5	<1	<1	1	2	4	5	12
50-64										
65+										
TOT. SINGLE DX	13603	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	6597	1.9	7	<1	<1	<1	2	4	6	13
TOTAL 0-19 YRS	4149	1.3	3	<1	<1	<1	1	2	2	7
20-34	13804	1.4	3	<1	<1	<1	1	2	3	8
35-49	2247	1.6	3	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**20200**	**1.4**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1199	1.4		<1	<1	1	2	2	3	5
20-34	6252	1.4	1	<1	<1	1	2	2	3	6
35-49	783	1.4	1	<1	<1	1	2	2	3	5
50-64	22	1.9	2	<1	<1	1	2	3	6	8
65+	9	2.3	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	184	2.6	11	<1	<1	2	3	5	7	20
20-34	1298	2.4	7	<1	<1	2	3	5	6	14
35-49	292	2.6	17	<1	<1	2	3	4	7	13
50-64	34	9.4	197	<1	1	4	10	24	34	73
65+	29	11.1	111	1	1	7	18	29	34	35
TOT. SINGLE DX	8265	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1837	2.7	16	<1	<1	2	3	5	7	21
TOTAL 0-19 YRS	1383	1.6	2	<1	<1	1	2	3	4	7
20-34	7550	1.6	3	<1	<1	1	2	3	4	7
35-49	1075	1.7	6	<1	<1	1	2	3	4	8
50-64	56	6.5	133	<1	<1	2	6	18	27	71
65+	38	9.1	99	1	1	4	16	27	32	35
GRAND TOTAL	**10102**	**1.7**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	3.5	3	1	1	3	5	6	6	6
20-34	138	5.0	4	<1	1	5	6	7	9	10
35-49	22	6.1	11	<1	1	7	8	9	12	16
50-64	19	9.2	17	5	6	8	10	16	19	20
65+	20	8.9	8	4	5	9	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	26	4.8	3	2	3	5	6	7	9	9
20-34	429	5.7	5	2	3	6	7	8	9	15
35-49	54	6.9	20	1	2	6	8	11	16	28
50-64	38	9.2	21	6	6	8	10	14	21	25
65+	46	12.0	103	5	6	9	13	19	33	65
TOT. SINGLE DX	207	5.8	9	1	2	6	7	9	11	16
" MULTIPLE DX	593	6.5	18	2	3	6	7	9	12	24
TOTAL 0-19 YRS	34	4.5	4	1	2	5	6	6	8	9
20-34	567	5.5	5	2	3	5	7	8	9	13
35-49	76	6.6	18	1	2	6	8	10	15	26
50-64	57	9.2	20	6	6	8	10	15	19	25
65+	66	11.0	76	5	5	9	12	16	23	60
GRAND TOTAL	**800**	**6.3**	**16**	**2**	**3**	**6**	**7**	**9**	**12**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	139	2.9	5	<1	1	2	5	6	7	12
20-34	644	3.2	5	<1	<1	2	5	7	7	10
35-49	172	3.4	5	<1	1	3	4	7	8	12
50-64	147	4.0	4	2	2	4	5	6	7	11
65+	98	4.9	39	2	3	4	4	6	7	46
2. MULTIPLE DX										
0-19 YRS	88	4.4	12	1	1	4	6	7	9	21
20-34	869	4.1	14	1	1	3	6	8	9	18
35-49	251	4.1	11	<1	1	3	6	8	12	18
50-64	193	4.4	15	2	2	4	5	8	10	22
65+	224	5.3	20	2	3	4	5	11	15	22
TOT. SINGLE DX	1200	3.4	9	<1	1	3	5	6	7	11
" MULTIPLE DX	1625	4.3	15	1	1	3	5	8	10	19
TOTAL 0-19 YRS	227	3.5	9	<1	1	3	5	7	8	17
20-34	1513	3.7	11	<1	1	3	5	7	8	13
35-49	423	3.8	9	<1	1	3	5	7	9	15
50-64	340	4.2	11	2	2	4	5	6	9	12
65+	322	5.2	26	2	3	4	5	9	14	26
GRAND TOTAL	**2825**	**3.9**	**13**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	380	5.8	7	2	3	6	7	9	11	14
35-49	1063	6.7	6	3	4	6	8	10	11	15
50-64	1929	7.0	7	4	4	7	8	10	12	16
65+	1322	7.4	12	4	4	7	9	11	12	19
2. MULTIPLE DX										
0-19 YRS	9	8.7	30	1	3	7	10	17	21	21
20-34	636	7.3	15	3	4	7	9	12	14	24
35-49	2329	8.1	14	4	5	7	9	12	15	22
50-64	3239	8.5	17	4	5	8	10	13	16	24
65+	2502	9.4	22	4	5	8	11	15	18	28
TOT. SINGLE DX	4697	6.9	9	3	4	7	8	10	12	16
" MULTIPLE DX	8715	8.5	18	4	5	8	10	13	16	24
TOTAL 0-19 YRS	12	7.7	27	1	2	7	9	15	20	21
20-34	1016	6.7	13	2	3	6	8	11	13	20
35-49	3392	7.6	13	4	4	7	9	12	14	21
50-64	5168	7.9	14	4	5	7	9	12	14	22
65+	3824	8.7	20	4	5	8	10	14	17	26
GRAND TOTAL	**13412**	**8.0**	**16**	**4**	**4**	**7**	**9**	**12**	**15**	**23**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	122	3.5	9	<1	1	2	5	8	11	14
20-34	624	3.9	7	1	1	3	5	7	9	14
35-49	284	4.4	10	1	1	4	6	8	11	17
50-64	181	5.8	12	1	1	6	7	9	12	16
65+	81	7.9	43	1	2	7	10	13	15	43
2. MULTIPLE DX										
0-19 YRS	174	4.2	78	<1	1	2	4	7	14	49
20-34	394	5.5	58	1	1	4	6	10	13	32
35-49	288	6.1	20	1	1	5	8	11	14	23
50-64	287	9.1	54	2	3	7	11	16	23	35
65+	272	11.2	117	2	4	8	12	21	29	60
TOT. SINGLE DX	1292	4.5	13	1	1	4	6	8	10	16
" MULTIPLE DX	1415	7.3	69	1	1	5	9	14	19	40
TOTAL 0-19 YRS	296	3.9	50	<1	1	2	5	8	12	25
20-34	1018	4.5	28	1	1	4	5	8	10	23
35-49	572	5.2	16	1	1	4	7	10	11	20
50-64	468	7.8	41	1	2	7	9	14	18	32
65+	353	10.4	102	2	3	8	11	19	28	57
GRAND TOTAL	**2707**	**5.9**	**44**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	514	3.0	8	<1	<1	2	4	6	9	15
20-34	1555	3.3	10	<1	<1	2	4	7	9	17
35-49	532	3.9	15	<1	1	2	5	8	11	19
50-64	391	4.5	24	<1	1	3	6	9	12	19
65+	490	5.9	31	1	2	5	7	10	14	32
2. MULTIPLE DX										
0-19 YRS	402	4.3	23	1	1	3	5	10	12	18
20-34	1356	4.6	17	1	1	3	6	9	12	18
35-49	691	6.9	56	1	1	5	8	15	22	38
50-64	842	7.5	61	1	2	5	9	14	20	47
65+	1186	10.0	86	2	2	7	12	21	29	53
TOT. SINGLE DX	3482	3.8	16	<1	<1	2	5	8	10	19
" MULTIPLE DX	4477	6.9	56	1	1	5	8	14	20	41
TOTAL 0-19 YRS	916	3.6	16	<1	1	2	4	8	11	17
20-34	2911	3.9	14	<1	1	3	5	8	11	18
35-49	1223	5.6	41	<1	1	3	7	12	17	29
50-64	1233	6.5	51	1	2	5	8	13	18	44
65+	1676	8.8	74	2	2	6	10	18	26	49
GRAND TOTAL	**7959**	**5.6**	**41**	**<1**	**1**	**4**	**7**	**11**	**16**	**34**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	716	2.3	2	<1	<1	2	3	4	5	9
20-34	3276	2.2	2	<1	<1	2	3	4	5	7
35-49	1516	2.3	4	<1	<1	2	3	4	5	9
50-64	657	2.7	5	<1	1	2	3	4	7	13
65+	402	4.2	38	<1	1	3	4	8	11	31
2. MULTIPLE DX										
0-19 YRS	281	4.2	33	1	1	3	5	8	11	38
20-34	1243	3.6	14	<1	1	3	4	7	10	19
35-49	816	4.9	40	<1	1	3	5	10	14	34
50-64	655	6.2	71	1	1	3	7	14	21	48
65+	648	8.7	98	1	2	5	11	18	28	52
TOT. SINGLE DX	6567	2.4	6	<1	<1	2	3	4	5	10
" MULTIPLE DX	3643	5.3	50	1	1	3	6	11	17	38
TOTAL 0-19 YRS	997	2.9	12	<1	1	2	3	5	7	13
20-34	4519	2.6	6	<1	<1	2	3	4	6	12
35-49	2332	3.2	18	<1	1	2	3	6	9	22
50-64	1312	4.5	41	<1	1	3	4	9	14	34
65+	1050	7.0	80	1	2	4	8	16	22	48
GRAND TOTAL	**10210**	**3.4**	**23**	**<1**	**1**	**2**	**4**	**6**	**10**	**24**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.6	2	<1	<1	2	4	5	5	5
20-34	59	4.7	63	<1	1	3	5	9	10	55
35-49	78	7.2	53	1	2	5	10	17	19	43
50-64	103	7.1	31	1	2	6	10	15	18	26
65+	126	10.3	57	2	3	8	14	21	27	34
2. MULTIPLE DX										
0-19 YRS	5	10.0	33	2	2	9	15	17	17	17
20-34	34	8.6	47	1	1	6	13	16	23	31
35-49	66	10.2	77	2	2	8	14	23	33	90
50-64	96	15.4	205	2	3	11	20	33	51	68
65+	245	16.6	162	3	4	14	24	34	44	99+
TOT. SINGLE DX	377	7.7	53	1	2	5	10	17	21	34
" MULTIPLE DX	446	14.7	156	2	3	11	20	32	43	90
TOTAL 0-19 YRS	16	4.9	23	<1	1	3	7	13	16	17
20-34	93	6.1	60	<1	1	3	8	13	16	47
35-49	144	8.6	66	1	2	6	12	19	23	53
50-64	199	11.1	132	2	2	7	15	23	32	62
65+	371	14.5	136	3	3	11	21	31	38	82
GRAND TOTAL	**823**	**11.5**	**121**	**2**	**2**	**8**	**16**	**26**	**34**	**58**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	2.3	4	<1	<1	1	3	5	6	12
20-34	256	3.0	3	1	1	3	4	5	7	11
35-49	91	4.0	11	<1	1	3	5	8	10	18
50-64	60	4.1	9	1	1	3	5	8	11	15
65+	26	5.4	11	1	2	5	8	11	12	13
2. MULTIPLE DX										
0-19 YRS	127	2.9	22	<1	1	1	3	5	8	30
20-34	182	4.1	6	1	2	3	6	7	9	14
35-49	78	6.0	57	1	2	4	7	13	21	45
50-64	68	6.2	74	1	1	4	7	11	13	60
65+	38	9.6	106	1	2	8	11	18	20	63
TOT. SINGLE DX	545	3.3	7	<1	1	3	4	6	9	13
" MULTIPLE DX	493	4.8	39	1	1	3	6	9	13	31
TOTAL 0-19 YRS	239	2.6	14	<1	1	1	3	5	7	26
20-34	438	3.5	5	1	1	3	4	6	8	12
35-49	169	4.9	33	1	1	3	6	9	14	33
50-64	128	5.2	45	1	1	4	6	9	12	33
65+	64	7.9	71	1	2	6	10	16	18	57
GRAND TOTAL	**1038**	**4.0**	**23**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	1.7	1	<1	<1	1	2	4	5	5
20-34	73	2.7	15	<1	<1	1	3	6	8	26
35-49	20	3.2	9	<1	<1	3	4	5	10	15
50-64	9	1.8		<1	<1	2	2	3	3	3
65+	9	3.2	5	1	1	2	5	7	7	7
2. MULTIPLE DX										
0-19 YRS	36	4.1	43	<1	1	2	4	9	23	30
20-34	85	5.3	47	<1	1	3	6	14	17	41
35-49	27	3.3	12	1	1	2	3	9	12	15
50-64	28	8.0	98	1	1	4	9	16	36	43
65+	24	13.7	210	1	2	9	16	36	48	59
TOT. SINGLE DX	147	2.5	10	<1	<1	2	3	5	7	16
" MULTIPLE DX	200	6.2	77	<1	1	3	7	14	24	46
TOTAL 0-19 YRS	72	2.9	24	<1	<1	1	3	5	9	30
20-34	158	4.1	35	<1	<1	2	5	8	15	29
35-49	47	3.2	11	<1	1	2	3	7	12	15
50-64	37	6.5	81	<1	1	3	8	14	29	43
65+	33	10.8	175	1	2	7	12	29	42	59
GRAND TOTAL	**347**	**4.6**	**52**	**<1**	**<1**	**2**	**5**	**11**	**16**	**43**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7311	3.1	1	2	2	3	4	4	5	6
20-34	36395	3.3	1	2	2	3	4	4	5	6
35-49	1690	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9065	3.4	3	2	2	3	4	5	6	9
20-34	47250	3.6	3	2	2	3	4	5	6	9
35-49	2891	3.8	4	2	2	4	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	45396	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	59206	3.6	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	16376	3.3	3	2	2	3	4	4	5	8
20-34	83645	3.4	3	2	2	3	4	5	5	8
35-49	4581	3.7	4	2	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**104602**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	2.9		1	2	3	4	4	4	5
20-34	991	3.1	2	1	2	3	4	4	5	6
35-49	65	3.2		1	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	304	3.0	4	1	1	3	4	4	6	14
20-34	2273	3.4	4	1	2	3	4	5	6	11
35-49	234	3.6	5	1	2	3	4	6	8	13
50-64										
65+										
TOT. SINGLE DX	1152	3.1	2	1	2	3	4	4	5	6
" MULTIPLE DX	2811	3.4	5	1	2	3	4	5	6	12
TOTAL 0-19 YRS	400	3.0	3	1	1	3	4	4	5	11
20-34	3264	3.3	4	1	2	3	4	5	6	10
35-49	299	3.5	4	1	2	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**3963**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1066	3.1	1	2	2	3	4	4	5	7
20-34	6433	3.3	1	2	2	3	4	5	5	7
35-49	318	3.9	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1924	3.4	2	2	2	3	4	5	6	9
20-34	12335	3.6	2	2	2	3	4	5	6	9
35-49	826	3.7	3	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	7817	3.3	1	2	2	3	4	5	5	7
" MULTIPLE DX	15085	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	2990	3.3	2	2	2	3	4	5	5	8
20-34	18768	3.5	2	2	2	3	4	5	6	8
35-49	1144	3.6	3	2	2	3	4	5	6	10
50-64										
65+										
GRAND TOTAL	**22902**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38114	2.8	1	1	2	3	3	4	4	6
20-34	212593	2.9	1	1	2	3	3	4	5	6
35-49	10637	3.0	1	1	2	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	25915	3.0	3	1	2	3	3	4	5	9
20-34	166605	3.1	3	1	2	3	4	5	5	8
35-49	11150	3.4	4	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	261344	2.9	1	1	2	3	3	4	5	6
" MULTIPLE DX	203670	3.1	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	64029	2.9	2	1	2	3	3	4	5	7
20-34	379198	3.0	2	1	2	3	4	4	5	7
35-49	21787	3.2	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**465014**	**3.0**	**2**	**1**	**2**	**3**	**4**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4540	5.6	3	3	4	5	6	7	8	11
20-34	38139	5.7	3	4	4	6	6	7	8	10
35-49	2319	6.2	9	4	4	6	7	8	8	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	12014	6.3	16	4	4	6	7	9	11	18
20-34	98650	6.1	10	4	4	6	7	8	9	18
35-49	9127	6.7	19	4	4	6	7	9	11	24
50-64										
65+										
TOT. SINGLE DX	44998	5.7	4	4	4	6	6	7	8	10
" MULTIPLE DX	119791	6.2	11	4	4	6	7	8	10	19
TOTAL 0-19 YRS	16554	6.1	8	4	4	6	7	8	10	16
20-34	136789	6.0	9	4	4	6	7	8	9	16
35-49	11446	6.6	17	4	4	6	7	8	10	23
50-64										
65+										
GRAND TOTAL	**164789**	**6.1**	**9**	**4**	**4**	**6**	**7**	**8**	**9**	**17**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	345	5.6	2	4	4	5	6	7	8	12
20-34	2074	5.7	5	4	4	5	6	7	8	14
35-49	103	6.5	15	3	4	6	7	8	10	29
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	784	6.2	8	4	4	6	7	9	11	20
20-34	5296	6.3	14	4	4	6	7	8	10	19
35-49	518	7.3	35	4	4	6	7	10	14	36
50-64										
65+										
TOT. SINGLE DX	2522	5.7	6	4	4	5	6	7	8	14
" MULTIPLE DX	6598	6.3	15	4	4	6	7	8	11	21
TOTAL 0-19 YRS	1129	6.0	7	4	4	5	7	8	10	17
20-34	7370	6.1	12	4	4	6	7	8	9	18
35-49	621	7.2	32	4	4	6	7	10	14	36
50-64										
65+										
GRAND TOTAL	**9120**	**6.2**	**13**	**4**	**4**	**6**	**7**	**8**	**10**	**19**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.8	1	3	4	5	6	7	7	7
20-34	165	5.0	3	3	3	5	6	7	8	12
35-49	7	4.9	1	3	3	5	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.6	4	3	4	5	6	7	10	13
20-34	201	6.0	11	3	3	5	7	9	13	19
35-49	26	6.8	25	3	3	5	8	10	15	29
50-64										
65+										
TOT. SINGLE DX	198	5.0	3	3	3	5	6	7	7	11
" MULTIPLE DX	250	6.1	12	3	3	5	7	9	13	22
TOTAL 0-19 YRS	49	5.2	3	3	4	5	6	7	7	13
20-34	366	5.6	8	3	3	5	6	8	10	16
35-49	33	6.4	20	3	3	5	7	9	11	29
50-64										
65+										
GRAND TOTAL	**448**	**5.6**	**8**	**3**	**3**	**5**	**6**	**8**	**10**	**16**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2545	1.7		1	1	2	2	2	3	4
20-34	2724	1.8	1	1	1	2	2	3	3	5
35-49	224	1.7		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	503	2.1	1	1	1	2	2	3	4	8
20-34	701	2.4	3	1	1	2	3	4	5	10
35-49	102	2.3	2	1	1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	5493	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	1306	2.3	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	3048	1.8	1	1	1	2	2	3	3	5
20-34	3425	1.9	2	1	1	2	2	3	4	6
35-49	326	1.9	1	1	1	2	2	3	4	6
50-64										
65+										
GRAND TOTAL	**6799**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	4.2	17	<1	1	3	6	8	14	22
20-34	883	3.9	25	<1	<1	2	5	8	12	29
35-49	83	4.0	25	<1	<1	3	5	7	11	32
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	140	5.1	26	1	1	4	6	10	14	34
20-34	1012	4.4	36	<1	<1	2	5	10	16	30
35-49	603	1.7	9	<1	<1	<1	<1	1	6	17
50-64										
65+										
TOT. SINGLE DX	1156	4.0	24	<1	<1	3	5	8	12	28
" MULTIPLE DX	1755	3.5	28	<1	<1	<1	4	8	12	27
TOTAL 0-19 YRS	330	4.6	22	<1	1	3	6	9	14	25
20-34	1895	4.2	32	<1	<1	2	5	9	14	29
35-49	686	2.0	12	<1	<1	<1	<1	4	6	19
50-64										
65+										
GRAND TOTAL	**2911**	**3.7**	**27**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2641	2.4	2	<1	<1	2	3	4	4	7
20-34	13732	2.6	2	<1	<1	3	3	4	5	7
35-49	771	2.7	2	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2074	3.0	3	<1	1	3	4	4	5	9
20-34	12549	3.2	4	1	1	3	4	5	6	10
35-49	829	3.6	7	1	2	3	4	5	7	16
50-64										
65+										
TOT. SINGLE DX	17144	2.5	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	15452	3.2	5	1	1	3	4	5	6	10
TOTAL 0-19 YRS	4715	2.6	3	<1	<1	3	3	4	5	8
20-34	26281	2.9	4	<1	<1	3	3	4	5	8
35-49	1600	3.2	6	<1	<1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**32596**	**2.8**	**4**	**<1**	**<1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5442	2.8	1	1	2	3	3	4	4	5
20-34	30893	2.8	1	1	2	3	3	4	4	6
35-49	2045	2.9	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7238	3.1	4	1	2	3	3	4	5	10
20-34	42160	3.1	2	1	2	3	4	4	5	8
35-49	3136	3.3	4	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	38380	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	52534	3.1	3	1	2	3	4	4	5	8
TOTAL 0-19 YRS	12680	3.0	3	1	2	3	3	4	5	8
20-34	73053	3.0	2	1	2	3	3	4	5	7
35-49	5181	3.1	3	1	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**90914**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	161	3.0	6	<1	1	2	3	5	7	18
20-34	177	3.8	13	1	1	3	4	8	11	19
35-49	158	4.6	31	1	1	3	5	10	14	36
50-64	188	4.8	27	1	1	3	6	11	15	24
65+	136	5.9	35	2	2	4	7	14	18	29
2. MULTIPLE DX										
0-19 YRS	95	6.0	61	1	2	4	6	16	19	48
20-34	178	4.8	36	1	2	3	4	9	16	32
35-49	165	5.9	64	1	2	3	6	12	19	47
50-64	308	9.0	151	2	2	4	12	22	31	94
65+	247	12.1	169	2	2	8	17	31	49	99+
TOT. SINGLE DX	820	4.4	23	1	1	3	5	9	14	27
" MULTIPLE DX	993	8.2	120	2	2	4	10	21	31	63
TOTAL 0-19 YRS	256	4.1	29	1	1	3	4	7	15	24
20-34	355	4.3	25	1	2	3	4	8	13	29
35-49	323	5.3	49	1	2	3	5	11	16	41
50-64	496	7.4	108	1	2	3	9	19	24	63
65+	383	9.9	130	2	2	5	14	26	38	99+
GRAND TOTAL	**1813**	**6.5**	**80**	**1**	**2**	**3**	**7**	**16**	**23**	**54**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1340	3.8	2	2	3	4	4	5	6	8
20-34	2154	3.7	2	2	2	3	4	5	6	8
35-49	792	3.8	2	2	2	3	4	6	7	10
50-64	299	4.1	10	2	2	3	5	6	8	16
65+	53	5.5	30	1	2	4	5	13	20	29
2. MULTIPLE DX										
0-19 YRS	988	4.5	9	2	3	4	5	6	8	18
20-34	1359	4.3	4	2	3	4	5	6	8	14
35-49	538	4.8	28	2	2	4	5	7	10	29
50-64	217	6.6	65	2	2	4	7	11	21	44
65+	82	8.4	96	2	2	4	11	24	34	85
TOT. SINGLE DX	4638	3.8	3	2	2	4	4	5	6	9
" MULTIPLE DX	3184	4.7	17	2	2	4	5	7	9	23
TOTAL 0-19 YRS	2328	4.1	5	2	3	4	4	6	7	13
20-34	3513	3.9	3	2	2	4	5	6	7	10
35-49	1330	4.2	13	2	2	4	5	6	8	15
50-64	516	5.1	35	2	2	4	5	9	12	31
65+	135	7.2	72	2	2	4	7	21	26	62
GRAND TOTAL	**7822**	**4.2**	**9**	**2**	**2**	**4**	**5**	**6**	**7**	**15**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	441	2.8	3	1	1	2	3	5	6	10
20-34	675	3.0	4	1	1	2	4	5	7	10
35-49	167	3.4	6	1	1	3	4	7	9	13
50-64	43	3.7	7	1	1	2	6	8	9	12
65+	21	6.1	37	1	2	4	7	12	20	29
2. MULTIPLE DX										
0-19 YRS	1014	4.3	34	1	1	3	5	8	11	33
20-34	1685	4.9	36	1	1	3	5	9	13	30
35-49	461	6.0	45	1	2	4	7	12	15	48
50-64	197	8.9	93	2	2	6	11	17	26	59
65+	126	10.1	76	2	2	7	12	22	31	44
TOT. SINGLE DX	1347	3.1	5	1	1	2	4	5	7	11
" MULTIPLE DX	3483	5.3	44	1	1	3	6	10	15	36
TOTAL 0-19 YRS	1455	3.8	25	1	1	3	4	7	9	24
20-34	2360	4.4	28	1	1	3	5	8	11	27
35-49	628	5.3	37	1	2	4	6	10	14	29
50-64	240	8.0	82	1	2	6	10	16	23	53
65+	147	9.5	72	2	2	7	12	22	29	44
GRAND TOTAL	**4830**	**4.7**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	325	3.5	7	1	1	3	4	6	8	15
20-34	927	3.5	9	1	1	3	4	6	8	15
35-49	322	3.8	5	1	1	3	5	7	9	12
50-64	122	4.2	12	1	1	3	5	8	10	20
65+	55	6.4	35	1	2	4	8	15	19	28
2. MULTIPLE DX										
0-19 YRS	1084	6.0	56	1	2	4	7	12	17	41
20-34	2710	6.1	58	1	2	4	7	12	18	43
35-49	1075	6.7	73	1	2	4	8	13	19	51
50-64	454	8.5	110	1	2	6	9	17	27	71
65+	252	11.3	102	2	3	9	14	23	35	48
TOT. SINGLE DX	1751	3.7	10	1	1	3	4	7	9	16
" MULTIPLE DX	5575	6.6	69	1	2	4	8	13	19	47
TOTAL 0-19 YRS	1409	5.5	46	1	2	4	6	11	15	31
20-34	3637	5.4	48	1	1	3	6	10	15	36
35-49	1397	6.1	60	1	2	4	7	12	17	44
50-64	576	7.6	93	1	2	5	8	15	24	60
65+	307	10.4	94	2	2	8	13	21	29	48
GRAND TOTAL	**7326**	**5.9**	**56**	**1**	**2**	**4**	**7**	**12**	**17**	**42**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	4.2	9	1	1	3	5	9	10	15
20-34	97	3.8	8	<1	1	3	5	9	10	13
35-49	96	4.6	15	1	1	4	6	9	11	22
50-64	77	3.8	5	1	2	3	5	8	9	11
65+	29	3.7	3	1	1	4	5	6	7	7
2. MULTIPLE DX										
0-19 YRS	82	6.3	60	1	2	4	7	12	16	51
20-34	111	6.6	90	1	1	4	7	13	20	61
35-49	81	6.8	50	1	2	5	7	15	20	41
50-64	75	6.8	69	1	2	4	8	13	25	88
65+	48	9.1	82	2	2	5	13	22	38	99+
TOT. SINGLE DX	373	4.1	10	1	1	3	5	8	10	14
" MULTIPLE DX	397	6.9	71	1	2	4	8	15	21	60
TOTAL 0-19 YRS	156	5.3	37	1	2	4	6	10	14	23
20-34	208	5.3	54	<1	1	3	6	10	14	48
35-49	177	5.6	32	1	2	4	6	11	16	30
50-64	152	5.3	39	1	2	4	7	10	13	55
65+	77	7.1	59	1	2	5	8	17	23	84
GRAND TOTAL	**770**	**5.5**	**43**	**1**	**1**	**4**	**6**	**11**	**16**	**44**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1567	5.7	44	1	2	4	6	11	16	36
20-34	1543	4.8	27	1	1	3	5	9	12	27
35-49	1071	5.2	28	1	2	4	6	9	13	26
50-64	1331	6.5	35	2	2	5	8	11	14	28
65+	525	8.7	37	2	3	7	10	16	20	31
2. MULTIPLE DX										
0-19 YRS	978	7.8	83	2	2	5	8	17	27	47
20-34	1358	6.6	87	1	2	4	6	13	22	56
35-49	1325	6.9	81	2	2	4	7	13	23	50
50-64	1716	8.4	88	2	2	6	9	16	27	53
65+	908	14.1	221	2	3	9	18	33	51	99
TOT. SINGLE DX	6037	5.8	36	1	2	4	7	11	15	29
" MULTIPLE DX	6285	8.4	111	2	2	5	9	18	29	64
TOTAL 0-19 YRS	2545	6.5	60	1	2	4	7	13	20	43
20-34	2901	5.6	56	1	2	4	6	10	16	40
35-49	2396	6.1	58	1	2	4	7	11	17	42
50-64	3047	7.6	67	2	2	6	9	13	20	48
65+	1433	12.1	161	2	3	8	14	27	38	87
GRAND TOTAL	**12322**	**7.1**	**76**	**1**	**2**	**5**	**8**	**14**	**22**	**49**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	978	3.6	2	1	2	3	4	6	6	8
20-34	2010	3.7	3	1	2	3	4	6	7	9
35-49	1947	3.9	3	2	2	4	5	6	7	10
50-64	2421	4.2	4	2	2	4	5	6	8	12
65+	1105	4.7	7	2	2	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1014	3.9	2	2	2	4	5	6	7	10
20-34	2662	4.3	8	2	2	4	5	6	8	14
35-49	3615	4.5	10	2	2	4	5	7	9	16
50-64	6407	5.0	14	2	2	4	6	8	10	19
65+	3944	6.0	27	2	3	5	7	10	13	30
TOT. SINGLE DX	8461	4.0	4	2	2	4	5	6	7	11
" MULTIPLE DX	17642	5.0	16	2	2	4	6	8	10	20
TOTAL 0-19 YRS	1992	3.8	3	2	2	4	5	6	7	9
20-34	4672	4.0	7	2	2	4	5	6	7	11
35-49	5562	4.3	8	2	2	4	5	7	8	13
50-64	8828	4.8	12	2	2	4	6	7	9	17
65+	5049	5.7	24	2	3	5	6	9	12	27
GRAND TOTAL	**26103**	**4.7**	**12**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4986	3.8	22	1	1	3	4	6	9	28
20-34	6391	4.0	24	1	1	3	4	7	10	24
35-49	4554	4.6	29	1	1	3	5	8	12	30
50-64	3591	5.0	34	1	2	3	5	9	14	33
65+	1751	7.2	65	1	2	4	9	16	22	45
2. MULTIPLE DX										
0-19 YRS	2346	7.7	136	1	1	4	7	19	34	66
20-34	5289	7.7	131	1	1	4	7	18	32	68
35-49	4571	7.6	112	1	2	4	8	17	29	61
50-64	5457	9.4	140	2	2	5	11	22	34	69
65+	4233	14.4	218	2	3	10	19	34	49	90
TOT. SINGLE DX	21273	4.5	31	1	1	3	5	8	13	31
" MULTIPLE DX	21896	9.4	154	1	2	5	11	24	36	71
TOTAL 0-19 YRS	7332	5.1	62	1	1	3	5	9	17	44
20-34	11680	5.7	76	1	1	3	5	11	20	52
35-49	9125	6.1	73	1	2	4	6	12	20	49
50-64	9048	7.6	103	1	2	4	8	17	28	58
65+	5984	12.3	186	2	2	8	16	30	42	81
GRAND TOTAL	**43169**	**7.0**	**99**	**1**	**2**	**4**	**7**	**16**	**27**	**57**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1583	6.0	41	1	2	4	7	11	18	37
20-34	1428	5.1	31	1	2	4	6	9	12	28
35-49	584	5.8	26	1	2	4	7	11	15	27
50-64	457	9.1	81	2	2	7	11	18	26	54
65+	704	15.6	127	3	4	14	19	27	37	65
2. MULTIPLE DX										
0-19 YRS	818	9.9	144	1	2	5	11	24	36	64
20-34	1019	10.0	145	1	2	6	11	24	39	61
35-49	554	11.8	219	1	2	7	14	26	43	87
50-64	823	15.5	227	2	3	11	19	33	50	88
65+	2343	19.6	172	6	8	16	24	39	51	99+
TOT. SINGLE DX	4756	7.4	66	1	2	5	9	16	22	43
" MULTIPLE DX	5557	15.0	195	2	3	12	20	33	46	92
TOTAL 0-19 YRS	2401	7.3	80	1	2	4	8	15	25	54
20-34	2447	7.1	85	1	2	4	8	14	24	53
35-49	1138	8.7	130	1	2	5	9	18	27	77
50-64	1280	13.2	185	2	3	9	17	27	41	77
65+	3047	18.7	165	4	7	16	23	36	49	99+
GRAND TOTAL	**10313**	**11.5**	**150**	**2**	**2**	**7**	**15**	**26**	**37**	**73**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3240	2.7	9	<1	<1	2	3	4	6	18
20-34	5102	2.9	10	<1	1	2	3	5	7	13
35-49	2394	3.2	20	<1	1	2	3	5	7	19
50-64	2064	3.9	24	<1	1	3	4	7	11	26
65+	1664	6.4	58	1	2	4	8	15	21	37
2. MULTIPLE DX										
0-19 YRS	1067	4.8	44	1	1	3	5	9	17	37
20-34	1828	6.1	83	1	1	3	6	13	21	55
35-49	1087	6.7	94	1	1	4	7	15	24	62
50-64	1411	8.2	107	1	2	5	10	19	30	61
65+	2156	14.5	225	2	3	10	19	33	46	84
TOT. SINGLE DX	14464	3.4	21	<1	1	2	4	6	9	24
" MULTIPLE DX	7549	8.8	139	1	2	4	10	22	33	68
TOTAL 0-19 YRS	4307	3.2	19	<1	1	2	3	5	8	26
20-34	6930	3.7	32	<1	1	2	4	6	10	32
35-49	3481	4.3	46	<1	1	3	4	8	13	42
50-64	3475	5.6	63	1	1	3	5	12	19	46
65+	3820	11.0	169	1	2	6	14	26	37	74
GRAND TOTAL	**22013**	**5.3**	**68**	**<1**	**1**	**3**	**5**	**12**	**19**	**45**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	218	20.1	237	3	4	17	30	41	47	67
20-34	87	14.9	139	5	6	11	17	31	42	65
35-49	63	12.0	54	5	5	10	15	21	27	44
50-64	175	13.6	103	5	6	11	16	21	32	63
65+	756	17.7	111	7	9	15	20	28	36	69
2. MULTIPLE DX										
0-19 YRS	428	22.4	254	3	5	19	30	44	53	76
20-34	335	23.5	396	6	8	16	29	57	76	99+
35-49	180	22.9	342	6	7	15	31	52	64	97
50-64	527	18.7	213	6	7	14	22	41	53	95
65+	3230	20.7	162	8	10	17	25	37	51	99+
TOT. SINGLE DX	1299	17.1	135	5	7	14	20	30	41	67
" MULTIPLE DX	4700	20.9	201	7	9	17	25	41	54	99+
TOTAL 0-19 YRS	646	21.6	250	3	5	18	30	43	52	73
20-34	422	21.7	355	6	7	15	26	51	70	98
35-49	243	20.1	290	5	7	14	25	48	59	92
50-64	702	17.4	191	6	7	13	20	36	50	87
65+	3986	20.1	154	8	10	17	24	35	49	98
GRAND TOTAL	**5999**	**20.1**	**190**	**6**	**8**	**16**	**24**	**38**	**52**	**95**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	389	11.4	91	3	4	9	14	20	28	54
20-34	347	13.3	86	4	6	11	17	24	28	53
35-49	265	13.7	91	4	6	11	16	24	29	58
50-64	860	14.7	76	6	7	13	17	22	29	52
65+	4535	18.7	105	8	10	16	22	30	39	74
2. MULTIPLE DX										
0-19 YRS	838	18.0	190	5	6	14	22	34	47	71
20-34	1372	19.7	210	6	7	15	24	40	55	99+
35-49	987	19.1	204	6	7	15	23	36	50	94
50-64	2913	19.2	165	7	8	16	23	36	46	95
65+	20382	22.1	185	9	10	18	26	40	54	99+
TOT. SINGLE DX	6396	17.2	105	6	8	15	20	28	36	64
" MULTIPLE DX	26492	21.4	187	8	10	18	26	39	53	99+
TOTAL 0-19 YRS	1227	15.9	169	4	5	12	19	31	42	69
20-34	1719	18.4	192	5	7	14	23	36	51	95
35-49	1252	18.0	185	5	7	14	22	34	47	89
50-64	3773	18.2	149	7	8	15	21	33	43	89
65+	24917	21.5	173	9	10	18	25	38	52	99+
GRAND TOTAL	**32888**	**20.6**	**174**	**7**	**9**	**17**	**25**	**37**	**50**	**98**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	13.4	200	1	2	8	19	32	44	63
20-34	63	17.8	394	2	3	8	24	48	61	94
35-49	32	12.1	90	3	4	9	18	30	38	99+
50-64	51	14.7	231	2	3	10	17	34	45	85
65+	192	20.1	353	4	5	14	23	48	67	92
2. MULTIPLE DX										
0-19 YRS	877	16.4	247	1	2	12	25	36	46	84
20-34	238	23.8	416	3	4	18	33	57	81	99+
35-49	106	26.0	529	3	4	17	40	64	71	97
50-64	178	22.1	328	3	5	17	32	55	65	99+
65+	669	22.7	337	4	6	17	31	53	72	99+
TOT. SINGLE DX	955	15.0	249	1	2	10	21	34	49	82
" MULTIPLE DX	2068	20.3	328	2	3	15	28	48	63	99+
TOTAL 0-19 YRS	1494	15.1	230	1	2	10	24	34	45	78
20-34	301	22.5	417	3	4	16	32	57	77	99+
35-49	138	22.8	460	3	4	13	35	62	70	99+
50-64	229	20.4	315	2	4	15	28	49	63	99+
65+	861	22.1	341	4	6	17	29	52	70	59+
GRAND TOTAL	**3023**	**18.6**	**309**	**2**	**3**	**14**	**26**	**44**	**60**	**99**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	864	4.7	38	<1	1	2	5	13	19	27
20-34	808	3.8	20	<1	1	2	4	8	12	24
35-49	520	3.9	13	<1	1	3	5	8	11	17
50-64	586	4.8	41	1	1	3	5	10	13	33
65+	463	6.4	71	1	1	4	7	13	20	49
2. MULTIPLE DX										
0-19 YRS	1000	7.0	91	1	1	3	9	19	25	48
20-34	1158	7.3	104	1	1	4	8	16	26	59
35-49	714	7.9	112	1	1	4	9	17	31	57
50-64	947	7.8	114	1	1	4	9	18	26	60
65+	1084	11.2	175	1	2	6	14	27	42	66
TOT. SINGLE DX	3241	4.6	36	<1	1	3	5	10	15	30
" MULTIPLE DX	4903	8.3	123	1	1	4	10	20	29	59
TOTAL 0-19 YRS	1864	5.9	68	1	1	3	6	17	22	40
20-34	1966	5.9	73	<1	1	3	6	13	19	53
35-49	1234	6.3	75	1	1	4	7	13	21	50
50-64	1533	6.6	89	1	1	4	7	14	23	58
65+	1547	9.8	149	1	2	5	12	23	36	61
GRAND TOTAL	**8144**	**6.8**	**92**	**1**	**1**	**3**	**8**	**16**	**24**	**53**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3788	3.6	11	1	1	3	4	7	9	15
20-34	5163	4.4	15	1	1	4	5	8	10	19
35-49	3037	5.3	23	1	2	4	6	10	12	22
50-64	2560	6.4	26	2	2	5	8	11	15	24
65+	1718	8.6	39	2	3	7	11	16	21	30
2. MULTIPLE DX										
0-19 YRS	5000	5.4	51	1	1	3	6	10	16	43
20-34	8729	7.3	94	1	2	5	8	14	25	58
35-49	5315	7.8	88	1	2	5	9	15	23	59
50-64	5557	9.1	96	2	3	6	10	17	25	61
65+	5013	12.8	130	2	3	10	16	26	35	68
TOT. SINGLE DX	16266	5.1	22	1	1	4	6	10	13	23
" MULTIPLE DX	29614	8.3	98	1	2	5	9	17	26	58
TOTAL 0-19 YRS	8788	4.6	35	1	1	3	5	9	13	33
20-34	13892	6.2	67	1	1	4	7	11	18	48
35-49	8352	6.9	66	1	2	5	8	13	19	48
50-64	8117	8.2	76	2	3	6	9	15	21	52
65+	6731	11.7	111	2	3	9	15	24	32	59
GRAND TOTAL	**45880**	**7.2**	**73**	**1**	**2**	**5**	**8**	**14**	**21**	**48**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7730	2.5	10	<1	1	2	3	5	7	17
20-34	2274	3.7	15	1	1	3	5	7	10	20
35-49	1631	4.3	20	1	1	3	5	9	12	22
50-64	1849	4.4	28	1	1	3	5	9	12	26
65+	2090	5.4	35	1	1	3	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	8377	3.7	41	1	1	2	4	7	13	33
20-34	4191	6.6	83	1	1	4	7	14	23	51
35-49	2776	6.5	69	1	1	4	7	14	21	46
50-64	3734	7.4	89	1	1	4	8	16	25	54
65+	5776	10.3	139	1	2	6	13	23	34	70
TOT. SINGLE DX	15574	3.5	19	1	1	2	4	7	11	21
" MULTIPLE DX	24854	6.6	88	1	1	3	7	15	23	53
TOTAL 0-19 YRS	16107	3.1	27	1	1	2	3	6	10	25
20-34	6465	5.6	61	1	1	3	6	11	18	43
35-49	4407	5.7	52	1	1	4	7	12	17	40
50-64	5583	6.4	72	1	1	4	7	14	21	48
65+	7866	9.0	116	1	1	5	11	20	29	61
GRAND TOTAL	**40428**	**5.4**	**64**	**1**	**1**	**3**	**6**	**12**	**19**	**44**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	724	4.6	38	<1	1	2	5	13	17	29
20-34	644	3.0	13	<1	<1	2	3	6	9	20
35-49	323	3.9	32	<1	1	2	4	9	14	33
50-64	377	3.9	24	<1	1	2	4	9	13	24
65+	538	5.8	66	1	1	3	7	14	22	36
2. MULTIPLE DX										
0-19 YRS	759	6.1	88	<1	1	3	7	15	24	47
20-34	969	6.6	99	<1	1	3	7	16	24	53
35-49	569	7.2	99	1	1	4	9	17	28	63
50-64	648	8.0	121	1	1	4	10	18	31	64
65+	1220	10.5	160	1	1	6	13	26	38	70
TOT. SINGLE DX	2606	4.2	36	<1	1	2	5	10	16	31
" MULTIPLE DX	4165	7.9	122	1	1	4	10	20	30	64
TOTAL 0-19 YRS	1483	5.3	65	<1	1	2	6	14	21	43
20-34	1613	5.1	68	<1	1	2	5	12	20	46
35-49	892	6.0	78	<1	1	3	7	15	22	49
50-64	1025	6.5	89	1	1	3	8	14	24	55
65+	1758	9.0	136	1	1	5	11	23	35	69
GRAND TOTAL	**6771**	**6.5**	**92**	**<1**	**1**	**3**	**7**	**16**	**25**	**52**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	451	4.4	27	1	1	3	5	8	15	33
20-34	786	3.5	4	1	1	3	4	6	7	11
35-49	286	4.1	8	1	2	3	5	7	9	17
50-64	180	6.1	32	1	2	5	7	12	14	28
65+	160	10.9	78	2	3	8	15	21	26	48
2. MULTIPLE DX										
0-19 YRS	393	4.9	33	1	1	3	5	10	15	36
20-34	801	5.4	42	1	2	4	6	10	15	38
35-49	390	6.0	74	1	2	4	6	11	16	60
50-64	353	9.1	135	1	2	6	11	19	31	98
65+	378	17.2	221	2	3	14	22	38	51	95
TOT. SINGLE DX	1863	4.7	24	1	1	3	5	9	13	26
" MULTIPLE DX	2315	7.9	108	1	2	4	9	18	29	65
TOTAL 0-19 YRS	844	4.7	30	1	1	3	5	9	15	33
20-34	1587	4.4	25	1	1	3	5	8	11	28
35-49	676	5.2	48	1	2	4	6	9	13	34
50-64	533	8.1	103	1	2	5	10	15	26	85
65+	538	15.3	187	2	3	12	20	33	45	84
GRAND TOTAL	**4178**	**6.5**	**73**	**1**	**2**	**4**	**7**	**14**	**21**	**49**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3022	3.7	17	1	1	3	4	6	10	22
20-34	3029	3.6	13	1	1	3	4	6	9	20
35-49	1415	4.1	18	1	1	3	5	7	10	26
50-64	993	6.3	73	1	1	4	6	14	22	47
65+	491	12.4	175	2	2	8	16	30	42	68
2. MULTIPLE DX										
0-19 YRS	1806	5.4	45	1	1	3	5	11	19	36
20-34	2371	5.2	51	1	1	3	5	10	15	37
35-49	1437	6.7	86	1	2	4	7	14	23	49
50-64	1269	10.6	162	2	2	5	13	28	42	69
65+	1306	19.6	307	2	3	15	29	49	63	99+
TOT. SINGLE DX	8950	4.5	35	1	1	3	5	8	14	33
" MULTIPLE DX	8189	8.6	141	1	2	4	9	22	35	70
TOTAL 0-19 YRS	4828	4.3	29	1	1	3	4	8	14	29
20-34	5400	4.3	31	1	1	3	5	8	11	28
35-49	2852	5.4	54	1	1	3	5	10	17	41
50-64	2262	8.7	128	1	2	4	10	22	34	64
65+	1797	17.7	281	2	3	13	25	44	58	99+
GRAND TOTAL	**17139**	**6.5**	**90**	**1**	**1**	**3**	**6**	**15**	**25**	**54**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	8.8	20	3	4	8	11	14	17	25
20-34	8528	9.7	29	4	5	8	12	16	20	29
35-49	13871	10.3	32	4	5	9	12	17	21	30
50-64	6910	11.1	36	4	5	10	13	19	23	32
65+	1631	13.7	62	5	6	12	17	23	29	44
2. MULTIPLE DX										
0-19 YRS	124	14.9	232	3	4	9	17	35	51	99+
20-34	2703	13.2	81	5	6	11	16	23	31	49
35-49	5928	13.3	76	5	6	11	16	23	29	49
50-64	5685	14.7	98	5	6	12	18	26	32	56
65+	2750	19.4	161	7	8	16	24	35	44	75
TOT. SINGLE DX	31316	10.5	35	4	5	9	13	18	22	31
" MULTIPLE DX	17190	14.7	104	5	6	12	18	26	34	58
TOTAL 0-19 YRS	500	10.3	80	3	4	8	12	17	25	71
20-34	11231	10.5	45	4	5	9	13	18	22	36
35-49	19799	11.2	48	4	5	9	13	19	24	37
50-64	12595	12.7	68	5	6	11	15	22	27	43
65+	4381	17.3	132	6	7	14	21	31	40	68
GRAND TOTAL	**48506**	**12.0**	**64**	**4**	**5**	**10**	**14**	**21**	**26**	**43**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3009	2.9	3	1	1	2	4	5	6	8
20-34	7996	3.1	3	<1	1	3	4	5	6	9
35-49	4739	3.3	6	1	1	3	4	6	7	12
50-64	2865	3.6	7	1	1	3	5	6	8	14
65+	795	4.2	11	1	1	3	5	8	12	17
2. MULTIPLE DX										
0-19 YRS	2572	3.2	5	1	1	3	4	6	7	12
20-34	7097	3.5	7	1	1	3	4	6	8	14
35-49	4599	3.7	11	1	1	3	5	7	9	18
50-64	4772	4.1	14	1	1	3	5	8	11	19
65+	1992	5.2	29	1	2	3	6	10	15	28
TOT. SINGLE DX	19404	3.2	5	1	1	3	4	6	7	12
" MULTIPLE DX	21032	3.8	12	1	1	3	5	7	9	18
TOTAL 0-19 YRS	5581	3.1	5	1	1	3	4	5	6	10
20-34	15093	3.3	6	1	1	3	4	6	7	12
35-49	9338	3.5	9	1	1	3	4	6	8	15
50-64	7637	3.9	12	1	1	3	5	7	9	17
65+	2787	4.9	25	1	2	3	6	10	14	24
GRAND TOTAL	**40436**	**3.5**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5401	2.4	5	<1	1	2	3	4	5	11
20-34	8496	2.6	5	<1	1	2	3	5	6	11
35-49	4740	2.9	6	<1	1	2	3	5	7	13
50-64	3032	3.6	15	1	1	2	4	7	10	19
65+	1211	5.1	36	1	2	3	5	11	17	32
2. MULTIPLE DX										
0-19 YRS	2864	3.2	17	1	1	2	3	5	8	21
20-34	5860	3.5	19	<1	1	2	4	6	9	23
35-49	3688	4.4	34	1	1	3	5	9	13	28
50-64	3436	5.8	59	1	2	3	6	13	19	43
65+	1829	8.9	120	1	2	5	11	21	30	59
TOT. SINGLE DX	22880	2.9	9	<1	1	2	3	5	7	16
" MULTIPLE DX	17677	4.6	44	1	1	3	5	9	15	36
TOTAL 0-19 YRS	8265	2.7	10	<1	1	2	3	5	6	15
20-34	14356	2.9	11	<1	1	2	3	5	7	16
35-49	8428	3.6	20	<1	1	2	4	6	10	22
50-64	6468	4.7	40	1	1	3	5	9	15	36
65+	3040	7.4	91	1	2	4	8	17	25	50
GRAND TOTAL	**40557**	**3.6**	**25**	**<1**	**1**	**2**	**4**	**6**	**10**	**25**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	639	12.2	39	6	7	11	14	18	24	35
20-34	776	11.1	39	5	5	10	13	18	20	35
35-49	1214	10.5	29	4	5	9	13	17	21	29
50-64	629	10.8	43	4	5	9	13	18	22	38
65+	105	12.4	58	5	6	10	16	21	25	46
2. MULTIPLE DX										
0-19 YRS	418	17.9	196	6	8	14	21	35	56	99+
20-34	805	17.8	211	6	7	13	21	37	56	99+
35-49	1006	14.2	116	5	6	11	17	24	32	69
50-64	834	15.2	151	4	6	12	18	28	38	84
65+	275	22.3	272	6	8	17	29	49	65	99+
TOT. SINGLE DX	3363	11.1	38	4	5	10	13	18	22	35
" MULTIPLE DX	3338	16.5	176	5	6	12	20	31	46	94
TOTAL 0-19 YRS	1057	14.5	109	6	7	12	16	25	34	73
20-34	1581	14.5	138	5	6	11	16	27	38	92
35-49	2220	12.2	73	5	5	10	14	20	26	50
50-64	1463	13.3	110	4	5	10	16	24	32	67
65+	380	19.6	233	5	7	15	24	46	60	99+
GRAND TOTAL	**6701**	**13.7**	**114**	**5**	**6**	**11**	**16**	**25**	**33**	**74**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	467	4.2	7	1	2	4	5	8	9	14
20-34	1014	4.7	17	1	2	4	6	8	10	20
35-49	874	5.0	14	1	2	4	6	9	13	18
50-64	1193	4.8	18	1	2	4	6	9	11	24
65+	646	6.4	66	1	1	4	7	15	21	48
2. MULTIPLE DX										
0-19 YRS	390	5.5	20	2	2	4	7	10	11	23
20-34	842	6.5	59	1	2	4	7	12	19	52
35-49	822	6.7	57	1	2	5	7	12	18	42
50-64	1180	7.1	56	2	2	5	9	14	19	43
65+	879	9.6	127	2	2	6	11	21	33	76
TOT. SINGLE DX	4194	5.0	24	1	2	4	6	9	12	25
" MULTIPLE DX	4113	7.3	71	2	2	5	8	14	21	50
TOTAL 0-19 YRS	857	4.8	14	1	2	4	6	8	11	20
20-34	1856	5.5	37	1	2	4	6	10	14	32
35-49	1696	5.8	36	1	2	4	7	10	14	30
50-64	2373	6.0	39	1	2	4	7	11	16	31
65+	1525	8.3	105	1	2	5	9	18	29	61
GRAND TOTAL	**8307**	**6.1**	**48**	**1**	**2**	**4**	**7**	**12**	**17**	**39**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	16.6	153	5	6	13	17	38	46	52
20-34	217	13.6	50	7	8	12	15	22	27	41
35-49	525	13.9	33	8	9	13	16	20	25	37
50-64	2377	14.6	35	8	9	13	17	21	25	39
65+	4594	16.4	47	9	10	15	19	24	28	43
2. MULTIPLE DX										
0-19 YRS	34	19.0	182	4	8	14	21	39	44	69
20-34	267	16.8	108	8	8	14	18	30	38	57
35-49	625	17.4	103	8	9	15	20	31	39	79
50-64	2796	18.0	101	9	10	15	20	30	38	60
65+	7425	20.6	129	10	11	17	24	34	44	78
TOT. SINGLE DX	7733	15.6	44	8	9	14	18	23	27	42
" MULTIPLE DX	11147	19.7	123	9	10	17	23	33	42	73
TOTAL 0-19 YRS	54	18.1	170	4	8	14	20	39	44	68
20-34	484	15.3	85	7	8	13	17	25	33	55
35-49	1150	15.8	75	8	9	14	18	26	33	56
50-64	5173	16.4	74	8	9	14	18	26	32	54
65+	12019	19.0	102	9	11	16	22	30	38	65
GRAND TOTAL	**18880**	**18.0**	**94**	**9**	**10**	**16**	**20**	**29**	**37**	**62**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	10.1	81	2	3	8	12	24	26	45
20-34	80	12.5	61	3	4	10	15	24	29	41
35-49	126	13.8	55	6	8	12	16	23	28	43
50-64	587	15.3	46	7	8	14	18	24	28	43
65+	3119	17.9	80	9	10	16	21	27	33	53
2. MULTIPLE DX										
0-19 YRS	51	17.2	101	5	6	15	23	30	33	50
20-34	85	16.5	113	3	6	14	21	34	42	82
35-49	197	18.4	147	7	8	15	22	33	43	84
50-64	1332	19.6	141	8	9	16	23	36	47	99+
65+	12011	21.4	156	9	11	18	25	37	49	93
TOT. SINGLE DX	3969	17.2	77	8	9	16	20	26	32	51
" MULTIPLE DX	13676	21.2	155	9	10	18	25	37	48	93
TOTAL 0-19 YRS	108	13.4	103	3	3	10	19	27	31	48
20-34	165	14.5	92	3	5	12	18	27	38	49
35-49	323	16.6	116	7	8	13	19	28	39	69
50-64	1919	18.2	116	8	9	16	21	32	42	77
65+	15130	20.7	142	9	11	18	24	35	46	87
GRAND TOTAL	**17645**	**20.3**	**140**	**9**	**10**	**17**	**24**	**34**	**45**	**86**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1803	4.4	5	1	2	4	5	7	8	12
20-34	2743	5.0	17	1	2	4	6	8	10	16
35-49	1007	6.5	30	1	2	5	8	14	17	26
50-64	2111	13.3	57	2	4	13	17	22	26	40
65+	4097	16.8	60	7	9	16	20	25	30	44
2. MULTIPLE DX										
0-19 YRS	2042	5.2	12	2	2	5	6	8	10	20
20-34	3662	5.7	20	2	2	5	7	9	12	24
35-49	1441	7.1	50	2	2	5	8	15	19	39
50-64	2439	14.8	116	2	3	13	19	27	35	56
65+	5453	19.4	111	8	10	17	23	31	39	66
TOT. SINGLE DX	11761	10.6	68	2	2	9	16	20	24	37
" MULTIPLE DX	15037	12.2	110	2	3	9	17	25	32	54
TOTAL 0-19 YRS	3845	4.8	9	2	2	4	6	8	9	16
20-34	6405	5.4	19	2	2	5	6	9	11	21
35-49	2448	6.9	43	1	2	5	8	14	18	33
50-64	4550	14.1	89	2	3	13	18	24	31	49
65+	9550	18.3	91	8	10	16	21	29	36	60
GRAND TOTAL	**26798**	**11.5**	**92**	**2**	**3**	**9**	**16**	**23**	**29**	**48**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2272	3.4	2	1	2	3	4	5	6	9
20-34	4809	3.6	3	1	2	3	4	5	6	10
35-49	2016	3.8	8	1	2	3	5	6	8	13
50-64	2050	4.8	16	2	2	4	5	9	12	21
65+	957	6.5	31	2	2	5	8	13	17	29
2. MULTIPLE DX										
0-19 YRS	925	3.6	6	1	1	3	4	6	7	15
20-34	2247	4.0	14	1	1	3	5	7	9	16
35-49	1589	4.7	18	1	2	4	5	8	10	21
50-64	2325	5.9	32	2	2	4	7	11	15	29
65+	1513	8.8	75	2	3	6	10	18	25	41
TOT. SINGLE DX	12104	4.0	9	1	2	3	5	6	9	16
" MULTIPLE DX	8599	5.4	33	1	2	4	6	10	15	29
TOTAL 0-19 YRS	3197	3.4	4	1	2	3	4	5	6	10
20-34	7056	3.7	7	1	2	3	4	6	7	12
35-49	3605	4.2	13	1	2	3	5	7	9	18
50-64	4375	5.4	26	2	2	4	6	10	14	25
65+	2470	7.9	59	2	2	5	10	17	22	38
GRAND TOTAL	**20703**	**4.6**	**20**	**1**	**2**	**4**	**5**	**8**	**11**	**23**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1231	3.9	21	<1	<1	2	4	8	13	25
20-34	1345	3.7	13	<1	1	3	4	8	10	18
35-49	1372	3.3	12	<1	<1	2	4	7	9	16
50-64	1321	2.7	9	<1	<1	2	3	5	7	16
65+	475	3.7	23	<1	<1	2	4	8	13	26
2. MULTIPLE DX										
0-19 YRS	914	6.2	63	1	1	4	7	13	20	45
20-34	1105	7.1	73	1	1	4	8	16	24	44
35-49	892	6.7	65	1	1	4	8	15	23	48
50-64	1065	7.6	109	1	1	4	9	17	28	57
65+	670	12.0	183	1	2	7	16	30	44	99+
TOT. SINGLE DX	5744	3.4	15	<1	<1	2	4	7	10	20
" MULTIPLE DX	4646	7.7	97	1	1	4	9	18	28	54
TOTAL 0-19 YRS	2145	4.9	41	<1	1	3	5	10	16	33
20-34	2450	5.2	43	<1	1	3	6	11	16	35
35-49	2264	4.6	36	<1	1	3	5	10	15	33
50-64	2386	4.9	60	<1	<1	2	5	11	17	40
65+	1145	8.6	134	<1	1	4	11	22	33	71
GRAND TOTAL	**10390**	**5.3**	**56**	**<1**	**1**	**3**	**6**	**12**	**18**	**41**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2646	2.2	6	<1	<1	2	2	3	4	11
20-34	4422	2.2	5	<1	<1	2	2	3	5	11
35-49	2860	2.6	8	<1	<1	2	3	4	7	16
50-64	2244	3.2	15	<1	<1	2	3	6	9	21
65+	895	4.4	30	<1	1	3	5	9	13	23
2. MULTIPLE DX										
0-19 YRS	429	4.3	39	<1	1	2	4	9	13	41
20-34	1201	5.0	49	<1	1	3	5	11	16	41
35-49	1473	6.5	61	1	1	3	8	15	22	40
50-64	1841	8.0	107	1	2	4	10	18	26	54
65+	1418	11.4	158	2	2	7	15	28	38	79
TOT. SINGLE DX	13067	2.6	10	<1	<1	2	3	4	7	16
" MULTIPLE DX	6362	7.6	98	1	1	4	9	18	27	56
TOTAL 0-19 YRS	3075	2.5	12	<1	<1	2	2	4	6	16
20-34	5623	2.8	17	<1	<1	2	3	5	8	21
35-49	4333	3.9	30	<1	<1	2	4	8	14	29
50-64	4085	5.4	63	<1	1	3	5	12	19	41
65+	2313	8.7	121	1	1	5	11	21	30	67
GRAND TOTAL	**19429**	**4.2**	**45**	**<1**	**<1**	**2**	**4**	**9**	**15**	**35**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	113	1.8	1	<1	<1	2	2	3	4	6
20-34	244	2.3	3	<1	<1	2	3	4	5	10
35-49	468	2.5	4	<1	1	2	3	4	5	9
50-64	1445	2.4	2	<1	1	2	3	4	4	8
65+	958	2.5	2	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	78	5.0	39	1	1	2	5	14	17	36
20-34	181	4.6	35	<1	1	2	5	10	16	31
35-49	252	3.6	10	<1	1	3	4	7	11	15
50-64	748	3.8	26	1	1	2	4	7	11	21
65+	609	4.4	22	1	2	3	5	9	15	27
TOT. SINGLE DX	3228	2.4	3	<1	1	2	3	4	5	9
" MULTIPLE DX	1868	4.1	24	1	1	3	4	8	12	24
TOTAL 0-19 YRS	191	3.2	19	<1	1	2	3	6	11	22
20-34	425	3.3	18	<1	<1	2	3	6	10	20
35-49	720	2.9	7	<1	1	2	3	5	7	14
50-64	2193	2.8	11	1	1	2	3	4	6	14
65+	1567	3.2	11	1	1	2	3	5	9	18
GRAND TOTAL	**5096**	**3.0**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1163	2.1	2	<1	1	2	2	3	5	8
20-34	1856	2.4	3	<1	1	2	3	4	5	11
35-49	836	2.5	4	<1	1	2	3	4	6	12
50-64	470	2.6	6	<1	1	2	3	5	6	14
65+	172	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
0-19 YRS	1614	2.3	6	<1	1	2	3	4	6	14
20-34	2673	2.7	12	1	1	2	3	5	7	15
35-49	1103	2.9	16	<1	1	2	3	5	8	21
50-64	728	3.2	11	1	1	2	3	6	9	17
65+	295	4.2	33	1	1	3	4	8	12	37
TOT. SINGLE DX	4497	2.4	4	<1	1	2	3	4	5	11
" MULTIPLE DX	6413	2.8	12	1	1	2	3	5	7	17
TOTAL 0-19 YRS	2777	2.2	5	<1	1	2	3	4	5	11
20-34	4529	2.6	9	<1	1	2	3	5	6	13
35-49	1939	2.7	11	<1	1	2	3	5	7	16
50-64	1198	3.0	10	1	1	2	3	5	8	16
65+	467	3.6	23	1	1	2	4	7	9	25
GRAND TOTAL	**10910**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	641	2.5	4	<1	1	2	3	5	6	12
20-34	1262	3.1	8	<1	1	3	4	6	7	16
35-49	1347	3.3	5	<1	1	3	4	5	7	11
50-64	1557	4.2	15	1	1	3	5	7	9	15
65+	615	4.9	18	1	2	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	722	3.3	14	1	1	2	4	6	9	21
20-34	1402	4.4	36	1	1	3	5	8	12	35
35-49	1239	5.0	29	1	1	4	6	10	14	29
50-64	1574	6.1	42	1	2	4	7	12	17	36
65+	901	8.5	100	2	2	5	10	17	27	56
TOT. SINGLE DX	5422	3.6	11	<1	1	3	4	6	8	15
" MULTIPLE DX	5838	5.5	46	1	1	4	6	11	16	37
TOTAL 0-19 YRS	1363	2.9	10	<1	1	2	3	5	8	15
20-34	2664	3.8	24	<1	1	3	4	7	9	26
35-49	2586	4.1	18	1	1	3	5	7	10	21
50-64	3131	5.2	30	1	2	4	6	9	13	29
65+	1516	7.0	71	1	2	5	8	14	21	44
GRAND TOTAL	**11260**	**4.6**	**30**	**1**	**1**	**3**	**5**	**8**	**12**	**29**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1923	3.4	5	1	1	3	4	6	7	13
20-34	1610	4.0	11	1	1	3	5	7	9	19
35-49	917	3.8	10	1	1	3	5	6	8	18
50-64	616	4.6	21	1	2	4	5	8	11	28
65+	221	7.2	73	1	2	5	8	15	19	42
2. MULTIPLE DX										
0-19 YRS	1548	4.2	27	1	2	3	5	7	9	26
20-34	1281	5.3	49	1	1	4	6	9	15	48
35-49	810	5.7	60	1	2	4	6	10	16	56
50-64	646	6.9	71	1	2	4	8	14	21	53
65+	378	11.0	146	2	2	7	14	23	31	76
TOT. SINGLE DX	5287	4.0	14	1	1	3	5	7	9	18
" MULTIPLE DX	4663	5.7	58	1	2	4	6	11	17	49
TOTAL 0-19 YRS	3471	3.8	16	1	1	3	4	6	8	17
20-34	2891	4.6	28	1	1	3	5	8	11	30
35-49	1727	4.7	35	1	1	3	5	8	12	31
50-64	1262	5.8	48	1	2	4	6	11	16	38
65+	599	9.6	123	2	2	6	11	20	28	66
GRAND TOTAL	**9950**	**4.8**	**35**	**1**	**1**	**3**	**5**	**8**	**13**	**31**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	2.0	3	<1	1	1	2	3	5	9
20-34	376	3.2	23	<1	1	2	3	6	9	23
35-49	257	3.0	22	1	1	2	3	6	10	27
50-64	231	3.4	19	<1	1	2	3	6	13	21
65+	135	3.5	15	<1	1	2	4	7	12	23
2. MULTIPLE DX										
0-19 YRS	280	3.6	22	1	1	2	4	8	11	29
20-34	671	4.6	64	1	1	2	4	10	18	47
35-49	479	5.4	86	1	1	3	5	12	23	64
50-64	529	6.9	125	1	1	3	6	18	27	75
65+	344	9.0	183	1	1	3	10	23	42	77
TOT. SINGLE DX	1181	3.1	19	<1	1	2	3	6	10	22
" MULTIPLE DX	2303	5.8	98	1	1	3	5	14	25	63
TOTAL 0-19 YRS	462	3.0	16	<1	1	2	3	7	10	21
20-34	1047	4.1	50	<1	1	2	4	8	14	44
35-49	736	4.6	65	1	1	2	4	10	18	45
50-64	760	5.8	95	1	1	3	5	14	25	53
65+	479	7.5	142	1	1	3	8	18	35	71
GRAND TOTAL	**3484**	**4.9**	**73**	**1**	**1**	**2**	**4**	**11**	**20**	**49**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	18	<1	1	3	9	11	13	13
20-34	29	7.1	68	1	1	5	9	17	24	40
35-49	26	6.0	63	1	1	3	6	13	22	40
50-64	18	6.2	16	1	1	6	8	12	13	14
65+	21	10.4	87	1	1	8	13	24	32	36
2. MULTIPLE DX										
0-19 YRS	28	10.3	160	1	1	6	11	33	40	51
20-34	64	14.4	320	1	1	6	18	43	53	79
35-49	31	18.9	646	1	2	7	29	74	82	99+
50-64	67	21.6	373	3	4	14	35	54	67	95
65+	71	23.3	370	2	4	18	34	55	70	99+
TOT. SINGLE DX	108	7.0	57	1	1	5	9	14	21	40
" MULTIPLE DX	261	18.8	384	1	2	11	28	51	69	99+
TOTAL 0-19 YRS	42	8.4	119	1	1	5	9	18	38	51
20-34	93	12.1	252	1	1	6	14	38	49	74
35-49	57	13.1	417	1	1	5	12	47	76	99
50-64	85	18.3	337	2	3	10	28	50	58	91
65+	92	20.4	334	1	2	15	28	54	69	99+
GRAND TOTAL	**369**	**15.3**	**316**	**1**	**1**	**8**	**20**	**46**	**56**	**97**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.0	4	1	1	2	3	6	7	11
20-34	111	5.7	43	1	1	3	6	15	23	32
35-49	114	7.0	73	1	2	5	8	13	20	50
50-64	230	9.4	111	1	2	6	12	21	30	56
65+	350	10.9	141	2	2	7	13	24	36	62
2. MULTIPLE DX										
0-19 YRS	142	8.8	187	1	1	4	9	19	45	91
20-34	277	12.0	145	1	2	8	16	32	38	59
35-49	563	17.6	264	2	3	14	23	40	57	92
50-64	1475	20.8	270	3	4	17	29	45	58	99+
65+	2481	21.7	303	3	5	17	29	48	60	95
TOT. SINGLE DX	907	8.5	105	1	2	5	10	21	30	54
" MULTIPLE DX	4938	20.0	286	2	4	16	27	45	58	95
TOTAL 0-19 YRS	244	6.4	119	1	1	3	6	13	22	69
20-34	388	10.2	124	1	2	6	14	27	34	54
35-49	677	15.8	248	2	2	11	21	37	53	88
50-64	1705	19.3	264	2	4	15	27	44	57	99
65+	2831	20.4	296	3	4	16	28	45	58	93
GRAND TOTAL	**5845**	**18.3**	**276**	**2**	**3**	**14**	**25**	**42**	**56**	**91**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	10.4	36	3	4	9	13	17	24	26
20-34	28	14.5	106	5	5	10	17	31	38	44
35-49	27	18.6	307	5	5	15	24	31	41	95
50-64	96	20.6	212	6	7	18	25	39	50	99+
65+	240	20.8	188	7	8	17	27	37	52	99+
2. MULTIPLE DX										
0-19 YRS	27	26.0	506	6	9	16	34	57	82	91
20-34	136	26.7	427	6	7	21	40	69	93	99+
35-49	271	27.6	342	7	10	22	37	61	83	99+
50-64	1203	30.8	357	9	12	27	44	66	91	99+
65+	3408	31.4	392	9	11	27	43	67	88	99+
TOT. SINGLE DX	405	19.8	195	5	7	16	26	36	50	99
" MULTIPLE DX	5045	30.9	384	9	11	26	43	66	88	99+
TOTAL 0-19 YRS	41	20.7	397	4	5	13	26	47	69	91
20-34	164	24.6	392	5	7	18	37	60	81	99+
35-49	298	26.8	345	7	9	22	36	56	82	99+
50-64	1299	30.0	353	8	11	26	43	65	90	99+
65+	3648	30.7	386	9	11	26	42	66	86	99+
GRAND TOTAL	**5450**	**30.1**	**378**	**8**	**11**	**26**	**42**	**65**	**86**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	10.2	33	3	4	8	15	18	21	22
20-34	8	12.9	77	4	5	9	17	27	31	31
35-49	26	15.7	153	6	7	11	19	29	50	55
50-64	51	19.9	232	6	7	16	25	46	52	79
65+	253	19.5	170	6	8	16	25	35	50	84
2. MULTIPLE DX										
0-19 YRS	27	21.3	395	5	6	12	25	56	67	67
20-34	58	24.5	314	6	8	18	40	62	84	99+
35-49	109	27.6	346	6	8	22	44	63	95	99+
50-64	625	28.2	355	7	9	25	40	64	93	99+
65+	3549	26.4	343	7	9	21	36	59	81	99+
TOT. SINGLE DX	354	18.7	174	5	7	15	24	34	50	79
" MULTIPLE DX	4368	26.6	346	7	9	21	36	60	82	99+
TOTAL 0-19 YRS	43	17.1	286	4	5	9	20	48	61	67
20-34	66	23.1	299	5	7	17	37	57	72	99+
35-49	135	25.3	330	6	7	20	40	60	78	99+
50-64	676	27.6	350	7	9	24	39	63	90	99+
65+	3802	25.9	335	7	9	21	35	58	80	99+
GRAND TOTAL	**4722**	**26.0**	**337**	**7**	**9**	**21**	**36**	**58**	**81**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	7.2	28	1	1	5	12	14	17	20
20-34	23	12.8	110	2	3	9	19	26	34	45
35-49	24	14.6	224	2	4	9	17	30	55	63
50-64	52	20.5	250	2	4	18	33	43	50	99
65+	49	21.6	234	5	6	17	28	44	59	65
2. MULTIPLE DX										
0-19 YRS	30	19.8	315	2	3	11	32	47	58	65
20-34	66	27.7	399	4	6	24	45	70	99+	99+
35-49	156	28.8	410	6	9	24	42	69	91	99+
50-64	424	29.0	335	8	10	26	41	59	80	99+
65+	717	31.0	379	9	11	27	43	65	83	99+
TOT. SINGLE DX	167	17.4	218	2	4	13	23	41	48	75
" MULTIPLE DX	1393	29.8	372	7	10	26	42	65	83	99+
TOTAL 0-19 YRS	49	14.9	240	1	2	8	20	36	52	65
20-34	89	23.8	365	3	5	19	36	66	76	99+
35-49	180	26.9	408	4	6	23	40	67	86	99+
50-64	476	28.1	333	6	9	25	40	59	78	99+
65+	766	30.4	375	8	11	26	42	64	82	99+
GRAND TOTAL	**1560**	**28.4**	**370**	**5**	**8**	**25**	**40**	**63**	**81**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	4.9	24	<1	1	3	7	11	13	28
20-34	57	6.0	21	1	1	5	9	13	14	20
35-49	20	6.5	24	<1	<1	5	11	13	14	14
50-64	13	4.8	12	1	2	3	6	11	13	13
65+	6	5.2	27	1	1	4	6	14	15	15
2. MULTIPLE DX										
0-19 YRS	86	6.6	53	1	1	5	9	15	17	45
20-34	109	9.2	63	1	2	7	12	20	23	43
35-49	55	8.0	181	1	1	5	9	11	23	94
50-64	44	7.8	33	1	2	6	10	15	21	26
65+	19	12.5	441	2	2	6	11	27	65	94
TOT. SINGLE DX	168	5.5	23	1	1	4	8	12	14	20
" MULTIPLE DX	313	8.3	100	1	1	6	10	17	23	51
TOTAL 0-19 YRS	158	5.8	41	1	1	4	8	13	16	31
20-34	166	8.1	51	1	1	7	10	17	22	39
35-49	75	7.6	139	1	1	5	9	13	16	80
50-64	57	7.1	30	1	2	6	9	14	18	26
65+	25	10.7	347	1	2	5	10	22	46	94
GRAND TOTAL	**481**	**7.3**	**75**	**1**	**1**	**5**	**9**	**14**	**19**	**38**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	102	3.0	11	1	1	2	4	5	9	21
20-34	210	3.0	12	<1	1	2	3	6	8	15
35-49	156	4.1	27	<1	1	2	4	8	15	40
50-64	150	6.3	58	<1	1	4	7	14	22	41
65+	135	10.3	108	1	1	7	14	25	30	49
2. MULTIPLE DX										
0-19 YRS	99	3.6	20	1	1	2	4	7	12	24
20-34	249	6.6	98	<1	1	3	6	18	29	61
35-49	177	9.4	145	1	1	4	12	28	41	99+
50-64	374	13.8	235	1	2	8	19	33	52	97
65+	495	16.9	236	3	4	12	22	39	55	99+
TOT. SINGLE DX	753	5.2	49	<1	1	3	5	12	19	37
" MULTIPLE DX	1394	12.4	205	1	2	7	17	31	46	99+
TOTAL 0-19 YRS	201	3.3	16	1	1	2	4	6	10	23
20-34	459	5.0	62	<1	1	2	5	11	22	52
35-49	333	6.9	97	<1	1	3	8	18	29	99+
50-64	524	11.7	196	1	2	7	16	29	45	86
65+	630	15.5	216	2	3	11	21	35	48	99+
GRAND TOTAL	**2147**	**9.8**	**162**	**1**	**1**	**5**	**13**	**26**	**38**	**89**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	19.8	561	2	2	5	38	56	56	56
20-34	17	4.1	11	<1	1	3	5	8	13	15
35-49	11	4.5	6	1	2	4	6	9	9	9
50-64	29	7.2	26	2	3	4	11	16	17	19
65+	20	10.4	29	2	4	10	14	17	20	21
2. MULTIPLE DX										
0-19 YRS	5	11.4	142	2	2	11	31	93	99+	99+
20-34	17	7.8	70	2	2	4	9	24	27	28
35-49	12	6.8	32	2	2	5	10	15	20	21
50-64	35	13.9	251	2	3	10	14	28	38	87
65+	43	16.0	139	3	5	13	20	32	39	54
TOT. SINGLE DX	82	7.7	62	1	2	5	10	16	19	48
" MULTIPLE DX	112	12.9	161	2	2	9	17	29	34	92
TOTAL 0-19 YRS	10	15.6	332	2	2	9	32	74	98	99+
20-34	34	6.0	43	1	2	4	5	15	24	28
35-49	23	5.7	21	1	2	4	9	10	15	21
50-64	64	10.9	159	2	3	7	13	21	30	80
65+	63	14.2	111	3	5	13	17	29	33	53
GRAND TOTAL	**194**	**10.7**	**125**	**2**	**2**	**7**	**14**	**27**	**32**	**73**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1878	2.0	1	<1	<1	2	2	3	4	5
20-34	7160	2.1	2	<1	<1	2	2	3	4	8
35-49	12117	2.3	2	<1	1	2	3	3	5	10
50-64	7083	2.8	5	<1	1	2	3	5	8	12
65+	3952	3.7	13	1	1	2	4	8	11	17
2. MULTIPLE DX										
0-19 YRS	353	3.1	16	<1	1	2	3	6	8	13
20-34	2893	3.5	17	<1	1	2	4	7	10	20
35-49	6731	4.0	20	1	1	2	4	8	11	22
50-64	5901	5.4	39	1	2	3	7	12	16	33
65+	5346	8.3	87	2	2	5	10	18	26	48
TOT. SINGLE DX	32190	2.5	5	<1	1	2	3	4	6	12
" MULTIPLE DX	21224	5.4	46	1	2	3	6	12	17	35
TOTAL 0-19 YRS	2231	2.2	4	<1	<1	2	2	3	4	8
20-34	10053	2.5	7	<1	1	2	3	4	6	13
35-49	18848	2.9	10	<1	1	2	3	5	8	16
50-64	12984	4.0	23	1	1	2	4	9	12	24
65+	9298	6.4	61	1	2	3	8	14	20	41
GRAND TOTAL	**53414**	**3.7**	**23**	**<1**	**1**	**2**	**3**	**8**	**11**	**24**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	2.5	2	<1	1	2	3	4	5	9
20-34	264	3.2	6	<1	1	3	4	6	7	11
35-49	370	4.6	10	1	2	4	6	8	10	15
50-64	416	5.5	14	2	2	5	7	10	14	20
65+	715	6.8	20	2	2	6	9	12	15	24
2. MULTIPLE DX										
0-19 YRS	31	4.4	54	<1	1	3	3	8	12	42
20-34	108	5.6	35	1	2	4	7	10	15	34
35-49	356	7.1	37	2	3	5	8	13	18	38
50-64	600	8.2	66	2	2	6	10	15	20	48
65+	1304	11.5	91	3	4	9	14	22	30	53
TOT. SINGLE DX	2001	5.2	16	1	2	4	7	10	12	20
" MULTIPLE DX	2399	9.6	78	2	3	7	12	19	26	52
TOTAL 0-19 YRS	267	2.8	8	<1	1	2	3	4	5	10
20-34	372	3.9	16	1	1	3	5	7	9	18
35-49	726	5.8	25	2	2	5	7	10	14	25
50-64	1016	7.1	47	2	2	5	8	13	17	33
65+	2019	9.8	71	2	3	8	12	19	25	47
GRAND TOTAL	**4400**	**7.6**	**55**	**2**	**2**	**6**	**9**	**15**	**20**	**41**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	3.7	5	1	1	3	4	7	10	10
20-34	409	7.5	7	3	5	7	9	11	13	15
35-49	2223	7.5	8	4	5	7	9	11	13	17
50-64	3738	8.0	12	4	5	8	9	12	14	20
65+	3575	8.6	13	4	5	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	13	7.2	15	1	2	7	10	13	14	14
20-34	333	8.7	46	4	5	8	10	12	14	26
35-49	2256	8.8	26	4	5	8	10	13	16	29
50-64	4465	9.7	29	4	5	9	11	15	19	30
65+	5931	11.4	49	5	6	10	13	18	24	40
TOT. SINGLE DX	9964	8.1	12	4	5	8	9	12	14	20
" MULTIPLE DX	12998	10.3	40	4	5	9	12	16	21	35
TOTAL 0-19 YRS	32	5.1	12	1	2	4	7	11	12	14
20-34	742	8.0	26	4	5	7	9	12	13	16
35-49	4479	8.2	18	4	5	7	9	12	15	24
50-64	8203	8.9	23	4	5	8	10	14	17	28
65+	9506	10.4	37	5	5	9	12	16	21	36
GRAND TOTAL	**22962**	**9.3**	**29**	**4**	**5**	**8**	**11**	**15**	**18**	**30**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1156	3.2	4	1	1	3	4	5	6	9
20-34	3030	3.2	4	<1	1	3	4	6	7	10
35-49	2416	3.8	6	1	1	3	5	6	8	11
50-64	1170	3.8	5	1	2	3	5	6	8	13
65+	280	3.9	8	1	2	3	5	6	8	17
2. MULTIPLE DX										
0-19 YRS	369	4.1	7	1	2	3	5	7	10	16
20-34	1693	4.2	11	1	1	4	5	7	9	17
35-49	2929	4.7	14	1	2	4	6	8	10	18
50-64	1783	5.0	20	1	2	4	6	8	11	21
65+	472	6.8	55	2	2	5	7	13	20	57
TOT. SINGLE DX	8052	3.5	6	<1	1	3	4	6	7	11
" MULTIPLE DX	7246	4.8	18	1	2	4	5	8	11	21
TOTAL 0-19 YRS	1525	3.4	5	1	2	3	4	5	6	12
20-34	4723	3.6	7	<1	1	3	4	6	7	13
35-49	5345	4.3	11	1	2	4	5	7	9	15
50-64	2953	4.6	15	1	2	4	5	8	10	19
65+	752	5.7	40	1	2	4	6	10	17	38
GRAND TOTAL	**15298**	**4.1**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3301	3.6	3	1	2	3	4	6	7	11
20-34	6081	3.7	4	1	2	3	4	6	7	11
35-49	875	3.8	4	1	2	3	5	6	8	11
50-64	219	4.0	6	1	2	4	5	6	9	13
65+	44	5.5	20	1	2	4	6	15	17	20
2. MULTIPLE DX										
0-19 YRS	415	4.8	12	1	2	4	6	8	11	19
20-34	1012	5.1	16	2	2	4	6	9	13	22
35-49	375	6.0	33	2	2	4	7	11	14	35
50-64	165	6.8	29	2	3	5	8	13	18	28
65+	64	11.5	163	2	3	7	14	33	61	99+
TOT. SINGLE DX	10520	3.7	4	1	2	3	4	6	7	11
" MULTIPLE DX	2031	5.5	26	2	2	4	6	10	14	30
TOTAL 0-19 YRS	3716	3.8	5	1	2	3	5	6	7	12
20-34	7093	3.9	6	1	2	3	5	6	8	14
35-49	1250	4.4	14	1	2	4	5	8	10	19
50-64	384	5.2	18	1	2	4	5	10	13	25
65+	108	9.0	113	2	2	5	11	21	36	99+
GRAND TOTAL	**12551**	**4.0**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4540	2.3	6	<1	<1	2	2	4	6	13
20-34	5372	3.0	15	<1	<1	2	3	6	9	20
35-49	4693	3.2	17	<1	<1	2	3	6	9	20
50-64	4447	3.6	23	<1	<1	2	4	7	11	24
65+	3232	4.7	41	<1	<1	3	5	10	16	34
2. MULTIPLE DX										
0-19 YRS	1817	5.3	88	<1	1	2	5	10	17	55
20-34	3700	7.5	100	1	1	4	9	18	28	57
35-49	4935	7.8	84	1	1	5	9	18	26	51
50-64	7192	8.8	92	1	2	6	11	19	28	52
65+	9450	11.4	138	1	2	8	15	25	35	74
TOT. SINGLE DX	22284	3.3	20	<1	<1	2	3	6	10	22
" MULTIPLE DX	27094	9.1	111	1	2	6	11	21	30	60
TOTAL 0-19 YRS	6357	3.1	32	<1	<1	2	3	6	9	28
20-34	9072	4.9	55	<1	<1	3	5	10	17	41
35-49	9628	5.6	57	<1	<1	3	6	12	20	40
50-64	11639	6.8	73	<1	1	4	8	15	23	45
65+	12682	9.7	122	1	2	6	12	22	31	66
GRAND TOTAL	**49378**	**6.5**	**79**	**<1**	**1**	**3**	**8**	**15**	**23**	**49**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4512	4.3	24	<1	1	3	5	9	13	27
20-34	5226	5.1	36	<1	1	3	6	11	16	31
35-49	3198	6.1	53	<1	1	4	7	13	19	37
50-64	2808	7.4	77	1	1	5	9	16	23	47
65+	2629	9.2	109	1	1	5	12	21	30	55
2. MULTIPLE DX										
0-19 YRS	9886	5.5	65	<1	1	3	6	12	20	43
20-34	14940	6.7	91	<1	1	3	7	16	25	56
35-49	8641	9.5	143	<1	1	5	12	23	34	67
50-64	9269	12.6	195	1	2	8	16	30	44	85
65+	13241	16.7	272	1	2	12	23	42	59	99+
TOT. SINGLE DX	18373	6.0	56	<1	1	4	7	13	20	39
" MULTIPLE DX	55977	10.2	173	<1	1	5	13	26	40	80
TOTAL 0-19 YRS	14398	5.1	53	<1	1	3	6	11	17	39
20-34	20166	6.3	78	<1	1	3	7	14	22	50
35-49	11839	8.6	122	<1	1	5	10	20	30	60
50-64	12077	11.4	173	1	1	7	14	27	40	78
65+	15870	15.4	253	1	2	10	21	39	55	99+
GRAND TOTAL	**74350**	**9.2**	**148**	**<1**	**1**	**5**	**11**	**23**	**36**	**72**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	672	6.6	61	1	1	4	8	15	23	38
20-34	827	7.9	77	1	1	5	10	18	25	45
35-49	529	8.7	76	1	1	6	12	20	25	42
50-64	530	12.3	160	1	1	9	17	29	40	55
65+	676	17.0	195	2	2	14	25	36	42	76
2. MULTIPLE DX										
0-19 YRS	956	12.6	190	1	1	8	17	32	41	67
20-34	1433	14.8	222	1	2	11	21	34	44	93
35-49	1047	17.0	246	1	2	13	24	37	51	86
50-64	1353	20.4	326	2	2	16	29	47	61	99+
65+	2282	26.4	368	3	6	23	36	58	73	99+
TOT. SINGLE DX	3234	10.3	127	1	1	6	14	25	34	52
" MULTIPLE DX	7071	19.6	316	1	2	15	28	45	61	99+
TOTAL 0-19 YRS	1628	10.1	146	1	1	6	13	26	34	62
20-34	2260	12.3	180	1	2	8	17	29	39	81
35-49	1576	14.2	204	1	2	10	20	33	44	76
50-64	1883	18.1	293	1	2	14	25	43	56	98
65+	2958	24.2	344	2	5	20	33	52	69	99+
GRAND TOTAL	**10305**	**16.7**	**275**	**1**	**2**	**12**	**24**	**39**	**53**	**93**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	285	4.8	62	<1	1	2	4	9	21	45
20-34	425	4.6	42	<1	1	2	5	10	16	37
35-49	228	6.7	104	<1	1	3	6	19	33	66
50-64	168	7.2	134	<1	1	3	7	17	29	70
65+	98	9.9	140	1	1	4	17	26	32	99+
2. MULTIPLE DX										
0-19 YRS	268	7.5	161	1	1	2	6	21	37	67
20-34	455	13.7	288	1	1	6	22	42	62	99+
35-49	336	13.0	324	1	1	5	19	43	67	99+
50-64	345	15.5	398	1	2	7	20	49	74	99+
65+	350	20.8	450	1	2	15	34	60	86	99+
TOT. SINGLE DX	1204	5.8	82	<1	1	3	5	15	25	47
" MULTIPLE DX	1754	14.4	346	1	1	6	21	46	69	99+
TOTAL 0-19 YRS	553	6.1	112	<1	1	2	5	16	28	50
20-34	880	9.3	191	1	1	3	10	27	43	99+
35-49	564	10.4	244	1	1	4	12	35	54	99+
50-64	513	12.8	327	1	1	5	15	38	66	99+
65+	448	18.4	403	1	2	12	28	53	84	99+
GRAND TOTAL	**2958**	**10.9**	**256**	**1**	**1**	**4**	**14**	**34**	**53**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1748	2.3	3	<1	<1	2	2	4	6	10
20-34	1196	3.0	8	<1	<1	2	4	6	8	15
35-49	953	3.4	13	<1	1	2	4	6	8	17
50-64	1082	3.0	8	<1	1	2	4	5	6	15
65+	461	3.4	12	<1	1	3	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	978	3.5	29	<1	1	2	4	7	10	29
20-34	1277	5.1	27	<1	1	3	6	11	16	26
35-49	1360	6.0	60	1	1	4	7	11	17	47
50-64	2018	6.4	57	1	2	4	7	15	20	44
65+	1810	11.5	155	1	2	8	15	27	40	99+
TOT. SINGLE DX	5440	2.9	8	<1	1	2	3	5	7	14
" MULTIPLE DX	7443	7.0	81	1	1	4	8	16	23	62
TOTAL 0-19 YRS	2726	2.7	13	<1	<1	2	3	5	7	16
20-34	2473	4.1	19	<1	1	3	5	8	11	23
35-49	2313	4.9	42	<1	1	3	6	9	14	36
50-64	3100	5.2	43	1	1	3	5	11	17	35
65+	2271	9.9	138	1	2	6	13	23	36	99+
GRAND TOTAL	**12883**	**5.2**	**54**	**<1**	**1**	**3**	**6**	**11**	**18**	**42**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	3.5	5	1	1	3	4	6	7	14
20-34	119	5.6	51	1	1	3	6	10	21	41
35-49	111	4.8	17	1	1	3	6	12	14	20
50-64	104	5.5	40	1	1	3	6	14	19	32
65+	88	6.3	21	1	2	5	9	13	16	20
2. MULTIPLE DX										
0-19 YRS	158	7.1	97	1	1	5	8	14	22	55
20-34	265	7.6	53	2	2	5	9	14	22	37
35-49	287	9.3	78	2	2	7	11	17	27	52
50-64	439	10.3	98	2	3	8	12	20	25	52
65+	804	12.6	112	3	4	10	16	25	31	55
TOT. SINGLE DX	508	5.2	30	1	1	4	6	11	16	26
" MULTIPLE DX	1953	10.5	99	2	3	8	13	21	28	51
TOTAL 0-19 YRS	244	5.9	68	1	1	4	7	10	16	39
20-34	384	7.0	54	1	2	5	8	14	22	38
35-49	398	8.0	66	1	2	6	10	16	22	43
50-64	543	9.4	91	2	2	7	12	19	24	44
65+	892	12.0	107	2	3	9	15	24	29	53
GRAND TOTAL	**2461**	**9.4**	**89**	**2**	**2**	**7**	**12**	**20**	**26**	**48**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	799	4.2	15	1	1	3	5	9	12	20
20-34	10716	5.1	22	1	1	3	7	11	14	22
35-49	14231	5.5	26	1	1	3	7	12	15	24
50-64	7758	5.5	29	1	1	3	7	12	16	25
65+	2072	6.4	39	1	1	4	9	15	19	28
2. MULTIPLE DX										
0-19 YRS	487	6.3	43	1	1	4	8	14	19	30
20-34	6266	7.5	47	1	2	6	10	16	20	30
35-49	9677	8.0	53	1	2	6	11	16	21	35
50-64	8780	8.8	71	1	2	6	12	18	24	42
65+	4739	11.4	113	2	2	9	15	23	31	56
TOT. SINGLE DX	35576	5.4	26	1	1	3	7	12	15	24
" MULTIPLE DX	29949	8.6	69	1	2	6	11	18	23	41
TOTAL 0-19 YRS	1286	5.0	27	1	1	3	6	11	15	24
20-34	16982	6.0	33	1	1	4	8	13	17	26
35-49	23908	6.5	39	1	2	4	9	14	18	29
50-64	16538	7.2	54	1	2	5	10	16	21	35
65+	6811	9.9	96	1	2	7	13	21	28	50
GRAND TOTAL	**65525**	**6.9**	**48**	**1**	**2**	**4**	**9**	**15**	**19**	**33**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	298	5.3	46	1	2	3	6	11	15	29
20-34	972	5.6	48	1	2	3	7	11	16	32
35-49	1365	5.3	30	1	2	3	6	11	15	28
50-64	2660	4.8	24	1	2	3	6	10	14	23
65+	2627	5.2	40	1	2	3	6	11	15	29
2. MULTIPLE DX										
0-19 YRS	236	8.2	107	2	2	5	9	18	34	78
20-34	988	8.7	87	2	2	6	11	19	26	48
35-49	1919	8.4	93	2	2	6	10	17	25	59
50-64	6115	8.3	76	2	2	6	10	18	24	50
65+	8322	9.0	78	2	2	7	11	18	25	47
TOT. SINGLE DX	7922	5.1	34	1	2	3	6	10	15	27
" MULTIPLE DX	17580	8.7	80	2	2	6	11	18	25	49
TOTAL 0-19 YRS	534	6.6	75	1	2	4	8	14	22	52
20-34	1960	7.2	71	1	2	4	9	15	22	42
35-49	3284	7.1	70	1	2	5	9	15	21	42
50-64	8775	7.3	63	2	2	5	9	15	21	43
65+	10949	8.1	72	2	2	6	10	17	23	44
GRAND TOTAL	**25502**	**7.6**	**69**	**2**	**2**	**5**	**9**	**16**	**22**	**44**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.6	17	2	2	5	8	12	12	12
20-34	47	3.6	6	1	2	2	4	8	10	11
35-49	383	3.6	13	1	2	2	3	8	10	18
50-64	750	3.5	10	1	2	2	4	7	10	17
65+	224	3.8	11	1	2	2	4	9	12	17
2. MULTIPLE DX										
0-19 YRS	7	3.3	5	2	2	2	4	7	8	8
20-34	91	4.9	18	1	2	3	6	11	14	20
35-49	983	4.9	19	2	2	3	6	11	14	22
50-64	2556	5.1	27	2	2	3	6	12	16	25
65+	1111	6.5	42	1	2	4	9	14	19	31
TOT. SINGLE DX	1409	3.6	11	1	2	2	4	8	11	17
" MULTIPLE DX	4748	5.4	29	2	2	3	7	12	16	26
TOTAL 0-19 YRS	12	4.3	10	2	2	3	6	9	12	12
20-34	138	4.4	15	1	2	3	5	10	13	20
35-49	1366	4.5	18	2	2	3	5	10	14	21
50-64	3306	4.8	24	1	2	3	6	11	15	24
65+	1335	6.1	38	1	2	3	8	14	19	29
GRAND TOTAL	**6157**	**5.0**	**26**	**1**	**2**	**3**	**6**	**11**	**15**	**25**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	545	4.9	32	1	1	3	6	11	16	27
20-34	2345	5.9	27	1	1	4	8	12	15	23
35-49	2914	5.7	26	1	1	4	8	12	15	24
50-64	4415	5.4	25	1	1	3	8	12	15	22
65+	4154	5.7	33	1	1	3	8	13	16	27
2. MULTIPLE DX										
0-19 YRS	651	6.4	58	1	1	4	8	14	18	41
20-34	2834	8.0	65	1	2	6	11	16	22	39
35-49	5473	8.2	58	2	2	6	11	16	21	38
50-64	13533	8.2	63	2	2	6	11	17	22	40
65+	17938	10.0	87	2	2	8	13	20	27	49
TOT. SINGLE DX	14373	5.6	28	1	1	4	8	12	15	24
" MULTIPLE DX	40429	8.9	74	2	2	7	12	18	24	44
TOTAL 0-19 YRS	1196	5.7	47	1	1	3	7	13	17	36
20-34	5179	7.0	49	1	1	5	9	14	19	33
35-49	8387	7.3	49	1	2	5	10	15	19	34
50-64	17948	7.5	55	1	2	5	10	16	20	36
65+	22092	9.2	80	2	2	7	12	19	25	46
GRAND TOTAL	**54802**	**8.1**	**64**	**1**	**2**	**6**	**11**	**17**	**22**	**40**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45794	4.0	19	1	1	3	5	7	9	20
20-34	67200	4.5	22	1	1	3	5	9	12	24
35-49	48936	5.3	26	1	1	4	7	11	14	26
50-64	43281	6.1	32	1	2	5	8	12	16	28
65+	41353	7.6	45	2	2	6	9	15	19	35
2. MULTIPLE DX										
0-19 YRS	58815	5.1	42	1	1	4	6	9	14	36
20-34	91461	6.1	39	1	2	4	7	12	17	32
35-49	105594	7.2	42	2	2	5	9	14	19	33
50-64	175936	8.4	52	2	3	6	10	16	21	38
65+	338015	10.4	78	2	3	8	13	20	27	49
TOT. SINGLE DX	246564	5.4	30	1	1	4	7	11	14	28
" MULTIPLE DX	769821	8.6	64	2	2	6	11	17	23	42
TOTAL 0-19 YRS	104609	4.6	33	1	1	3	5	8	12	30
20-34	158661	5.4	33	1	1	4	7	10	15	30
35-49	154530	6.6	38	1	2	5	8	13	17	31
50-64	219217	7.9	49	2	2	6	10	15	20	36
65+	379368	10.1	76	2	3	8	12	20	26	48
GRAND TOTAL	**1016385**	**7.8**	**57**	**1**	**2**	**6**	**10**	**16**	**21**	**39**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16240	6.2	81	1	1	4	6	12	23	52
20-34	12485	8.7	80	1	2	6	10	18	26	45
35-49	12415	8.3	52	2	2	6	10	16	21	38
50-64	10282	8.4	50	2	2	7	11	16	21	38
65+	9223	9.8	74	2	3	8	12	18	25	48
2. MULTIPLE DX										
0-19 YRS	18968	7.8	104	1	2	4	8	18	28	59
20-34	19988	8.9	84	2	2	6	10	18	26	50
35-49	22581	9.1	63	2	3	7	11	17	23	43
50-64	34246	9.9	74	2	3	8	12	19	25	48
65+	69154	11.9	98	3	4	9	15	23	31	57
TOT. SINGLE DX	60645	8.1	71	1	2	6	10	16	23	44
" MULTIPLE DX	164937	10.3	90	2	3	8	13	20	28	53
TOTAL 0-19 YRS	35208	7.1	94	1	2	4	7	15	26	56
20-34	32473	8.8	83	2	2	6	10	18	26	49
35-49	34996	8.8	60	2	3	7	11	17	23	42
50-64	44528	9.5	69	2	3	7	12	18	24	45
65+	78377	11.7	96	3	4	9	14	22	30	56
GRAND TOTAL	**225582**	**9.7**	**86**	**2**	**3**	**7**	**12**	**19**	**27**	**51**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35858	4.0	18	1	1	3	5	7	9	19
20-34	18074	4.9	34	1	1	3	6	9	14	32
35-49	13565	5.8	33	1	2	4	7	12	16	29
50-64	14570	6.7	36	1	2	5	8	14	17	31
65+	15789	7.8	50	2	2	6	10	15	20	37
2. MULTIPLE DX										
0-19 YRS	45780	5.3	41	1	2	4	6	9	14	36
20-34	28895	6.2	50	1	1	4	7	12	18	37
35-49	34727	7.1	45	1	2	5	9	14	19	35
50-64	70003	8.3	51	2	2	6	10	16	21	37
65+	144411	10.2	75	2	3	8	13	19	26	47
TOT. SINGLE DX	97856	5.4	33	1	1	4	6	11	15	29
" MULTIPLE DX	323816	8.4	64	2	2	6	10	17	22	42
TOTAL 0-19 YRS	81638	4.7	32	1	1	3	5	8	11	30
20-34	46969	5.7	44	1	1	4	6	11	17	35
35-49	48292	6.7	42	1	2	5	8	13	18	34
50-64	84573	8.0	50	2	2	6	10	15	20	36
65+	160200	9.9	74	2	3	8	12	19	25	46
GRAND TOTAL	**421672**	**7.7**	**58**	**1**	**2**	**5**	**10**	**15**	**21**	**40**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) – *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) – *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Length of Stay by Diagnosis, North Central Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals: U.S. Total[2] (2)	Short-Term Nonfederal Hospitals: Number in Books (3)	Short-Term Nonfederal Hospitals: Percent in Books (4)	Beds: U.S. Total[2] (5)	Beds: Number in Books (6)	Beds: Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening — Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	344309	3.7	13	1	1	3	4	6	7	15
20-34	189445	4.4	31	<1	1	3	4	8	13	30
35-49	75688	6.2	46	1	1	4	7	13	20	33
50-64	64298	6.6	44	1	1	5	8	14	19	34
65+	63655	7.2	47	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	113971	3.0	10	<1	1	2	3	6	8	15
20-34	210894	3.9	11	1	1	3	5	7	9	16
35-49	103562	5.1	23	1	1	4	7	10	14	23
50-64	102304	6.0	32	1	2	4	8	13	16	27
65+	97796	6.9	47	1	2	4	9	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252339	4.9	32	1	2	4	5	8	12	32
20-34	184122	5.7	43	1	1	4	6	11	18	34
35-49	151543	7.2	48	1	2	5	9	14	20	35
50-64	245820	7.9	49	1	2	6	10	15	21	36
65+	452819	9.5	61	2	3	7	12	18	24	40
B. *Operated*										
0-19 YRS	90624	5.2	63	1	1	3	5	10	17	47
20-34	255614	5.7	35	1	2	4	6	10	14	32
35-49	159546	7.8	62	1	2	6	9	15	21	42
50-64	206246	10.1	99	2	2	7	13	21	28	54
65+	270931	13.1	136	2	2	10	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737395	4.7	28	1	1	3	5	9	13	28
B. *Operated*	628527	4.7	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1286643	7.5	52	1	2	5	9	15	21	37
B. *Operated*	982961	9.0	93	1	2	6	11	20	27	51
1. SINGLE DX	1365922	4.7	26	1	1	3	5	9	13	27
2. MULTIPLE DX	2269604	8.1	70	1	2	6	10	17	24	43
A. NOT OPERATED	2024038	6.5	45	1	2	4	8	13	19	34
B. OPERATED	1611488	7.3	70	1	2	5	9	16	23	44
TOTAL 0-19 YRS	801243	4.1	25	1	1	3	5	7	9	26
20-34	840075	4.9	31	1	1	4	6	9	13	29
35-49	490339	6.8	48	1	2	5	8	14	19	35
50-64	618668	8.2	65	1	2	6	10	17	23	42
65+	885201	10.2	86	2	2	8	13	21	28	47
GRAND TOTAL	**3635526**	**6.8**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**38**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139098	4.1	29	<1	1	3	5	7	10	29
20-34	189445	4.4	31	<1	1	3	4	8	13	30
35-49	75688	6.2	46	1	1	4	7	13	20	33
50-64	64298	6.6	44	1	1	5	8	14	19	34
65+	63655	7.2	47	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	113825	3.0	10	<1	1	2	3	6	8	15
20-34	210894	3.9	11	1	1	3	5	7	9	16
35-49	103562	5.1	23	1	1	4	7	10	14	23
50-64	102304	6.0	32	1	2	4	8	13	16	27
65+	97796	6.9	47	1	2	4	9	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145555	4.8	38	1	1	3	5	9	13	35
20-34	184122	5.7	43	1	1	4	6	11	18	34
35-49	151543	7.2	48	1	2	5	9	14	20	35
50-64	245820	7.9	49	1	2	6	10	15	21	36
65+	452819	9.5	61	2	3	7	12	18	24	40
B. *Operated*										
0-19 YRS	87407	4.7	43	1	1	3	5	9	14	35
20-34	255614	5.7	35	1	2	4	6	10	14	32
35-49	159546	7.8	62	1	2	6	9	15	21	42
50-64	206246	10.1	99	2	2	7	13	21	28	54
65+	270931	13.1	136	2	2	10	17	27	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532184	5.2	38	<1	1	3	6	10	15	31
B. *Operated*	628381	4.7	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	1179859	7.7	54	1	2	6	10	16	21	37
B. *Operated*	979744	8.9	91	1	2	6	11	19	27	50
1. SINGLE DX	1160565	4.9	30	1	1	3	6	10	14	28
2. MULTIPLE DX	2159603	8.3	71	1	2	6	10	17	24	44
A. NOT OPERATED	1712043	6.9	51	1	1	5	9	14	20	36
B. OPERATED	1608125	7.3	69	1	2	5	9	16	23	43
TOTAL 0-19 YRS	485885	4.2	30	1	1	3	5	7	11	29
20-34	840075	4.9	31	1	1	4	6	9	13	29
35-49	490339	6.8	48	1	2	5	8	14	19	35
50-64	618668	8.2	65	1	2	6	10	17	23	42
65+	885201	10.2	86	2	2	8	13	21	28	47
GRAND TOTAL	**3320168**	**7.1**	**60**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3277	3.4	5	1	1	3	4	6	7	11
20-34	1348	3.5	6	1	1	3	4	6	8	12
35-49	469	3.8	8	1	1	3	5	7	9	14
50-64	329	4.0	7	1	1	3	5	7	9	13
65+	304	4.6	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	43	6.0	22	2	2	5	7	10	16	25
20-34	59	6.4	21	2	2	5	7	11	15	27
35-49	27	7.6	40	2	3	6	8	19	23	25
50-64	11	7.7	18	4	4	7	9	14	19	19
65+	14	7.6	15	2	4	7	10	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3207	4.0	7	1	2	3	5	7	9	14
20-34	1263	3.9	8	1	1	3	5	7	9	14
35-49	731	4.9	13	1	2	4	6	9	11	17
50-64	849	5.3	16	1	2	4	6	10	13	23
65+	1449	6.5	26	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	67	8.2	92	2	3	6	9	13	18	68
20-34	101	7.4	32	2	3	6	8	13	21	31
35-49	79	9.7	88	2	3	7	11	19	24	58
50-64	100	9.6	36	3	3	8	12	17	21	32
65+	116	14.1	108	4	6	11	17	23	36	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5727	3.5	6	1	1	3	4	6	8	12
B. *Operated*	154	6.7	24	2	3	5	8	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	7499	4.7	13	1	2	4	6	9	11	18
B. *Operated*	463	10.1	76	3	3	8	12	19	24	57
1. SINGLE DX	5881	3.6	7	1	1	3	5	7	8	13
2. MULTIPLE DX	7962	5.0	19	1	2	4	6	9	12	22
A. NOT OPERATED	13226	4.2	11	1	1	3	5	8	10	16
B. OPERATED	617	9.2	65	2	3	7	11	18	23	52
TOTAL 0-19 YRS	6594	3.7	7	1	1	3	5	6	8	13
20-34	2771	3.9	9	1	1	3	5	7	9	15
35-49	1306	4.9	18	1	1	4	6	9	11	21
50-64	1289	5.3	17	1	2	4	6	10	13	23
65+	1883	6.7	32	2	2	5	8	13	17	27
GRAND TOTAL	**13843**	**4.4**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	6.1	17	<1	1	6	9	12	13	17
20-34	55	13.2	58	4	5	14	17	22	28	39
35-49	42	15.7	251	2	3	12	19	29	35	97
50-64	37	13.8	110	4	4	12	17	27	33	55
65+	33	12.2	116	<1	<1	10	14	25	42	45
B. *Operated*										
0-19 YRS	7	7.7	21	4	4	6	10	15	16	16
20-34	33	10.0	81	1	2	7	13	20	23	47
35-49	18	11.3	65	2	3	10	15	20	30	36
50-64	37	15.9	226	3	4	12	17	33	55	72
65+	18	14.6	130	2	3	15	17	25	41	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	11.6	143	4	4	6	14	25	41	48
20-34	46	12.0	73	3	5	9	15	26	33	37
35-49	64	14.8	170	2	3	13	18	32	44	96
50-64	98	17.9	298	3	4	13	22	36	60	86
65+	159	16.9	164	4	5	14	22	32	42	63
B. *Operated*										
0-19 YRS	6	11.5	115	1	1	10	19	26	27	27
20-34	19	16.6	214	1	2	14	26	29	48	63
35-49	41	18.3	207	3	4	14	25	39	44	71
50-64	78	16.4	123	4	5	15	20	29	33	65
65+	115	19.4	180	4	6	16	28	38	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	12.6	118	1	3	10	16	24	31	50
B. *Operated*	113	12.7	135	2	3	10	16	22	36	67
2. MULTIPLE DX										
A. *Not Operated*	383	16.0	190	3	4	13	20	32	41	76
B. *Operated*	259	18.0	168	3	5	15	25	34	45	71
1. SINGLE DX	311	12.6	124	2	3	10	16	23	33	59
2. MULTIPLE DX	642	16.8	182	3	5	14	22	32	43	74
A. NOT OPERATED	581	14.8	168	3	4	12	18	30	38	73
B. OPERATED	372	16.4	164	3	4	14	21	31	44	71
TOTAL 0-19 YRS	60	8.3	63	<1	1	6	10	17	24	46
20-34	153	12.6	88	2	4	10	16	26	29	47
35-49	165	15.5	190	3	3	13	19	32	43	93
50-64	250	16.5	205	3	4	13	20	31	41	72
65+	325	17.2	166	3	5	14	23	34	44	76
GRAND TOTAL	**953**	**15.4**	**167**	**3**	**4**	**12**	**19**	**31**	**39**	**71**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	9.1	36	2	3	9	12	18	20	20
20-34	3	14.3	209	5	5	7	25	31	31	31
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	3.8	5	1	1	3	5	8	8	8
20-34	8	9.1	119	2	2	4	12	28	33	33
35-49	3	34.7	380	21	21	26	49	57	57	57
50-64	6	10.3	84	3	3	7	12	26	28	28
65+	10	11.8	152	1	1	8	14	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	8	17.4	380	1	2	7	34	47	48	48
35-49	13	14.2	99	4	5	13	17	33	34	34
50-64	19	8.5	42	2	3	7	10	20	23	25
65+	24	11.8	86	3	3	9	15	25	32	39
B. *Operated*										
0-19 YRS	11	17.0	367	2	2	8	27	49	57	58
20-34	16	11.9	143	<1	1	8	21	37	78	99+
35-49	20	13.8	98	4	5	10	18	30	35	37
50-64	19	23.4	349	6	9	18	31	67	91	99+
65+	25	22.1	367	7	8	17	31	41	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.5	62	2	2	7	12	21	29	31
B. *Operated*	36	10.9	160	1	2	6	13	28	36	57
2. MULTIPLE DX										
A. *Not Operated*	65	12.0	111	2	3	8	16	25	35	48
B. *Operated*	91	18.1	274	2	4	13	27	41	57	99+
1. SINGLE DX	50	10.5	131	1	2	7	13	28	33	57
2. MULTIPLE DX	156	15.6	214	2	3	10	22	37	46	99
A. NOT OPERATED	79	11.6	102	2	3	8	14	25	34	47
B. OPERATED	127	16.1	251	2	2	10	25	38	52	99+
TOTAL 0-19 YRS	28	10.6	178	2	2	5	11	27	44	58
20-34	35	12.7	187	1	2	7	20	38	47	99+
35-49	39	14.9	140	4	4	12	21	33	36	57
50-64	45	15.0	223	3	3	10	20	33	58	99+
65+	59	16.2	236	2	3	10	23	37	41	89
GRAND TOTAL	**206**	**14.3**	**198**	**2**	**3**	**9**	**20**	**34**	**43**	**96**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	3.0	4	1	1	3	4	5	7	10
20-34	165	2.6	2	<1	<1	3	4	5	5	6
35-49	43	4.0	4	<1	1	4	5	6	7	12
50-64	17	3.4	2	<1	<1	4	4	5	6	6
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	31	2.1	1	1	1	2	2	3	4	7
20-34	11	2.1	1	1	1	2	2	4	5	5
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	712	3.5	4	1	2	3	4	6	7	9
20-34	224	3.8	5	1	2	3	5	6	8	13
35-49	70	4.3	7	1	2	4	5	8	10	14
50-64	52	6.1	13	2	2	5	8	11	14	18
65+	23	9.0	57	2	3	7	11	21	29	30
B. *Operated*										
0-19 YRS	19	3.5	24	<1	1	2	3	8	16	22
20-34	9	5.1	9	1	1	5	8	9	9	9
35-49	4	9.5	22	5	5	9	13	14	14	14
50-64	4	9.3	32	2	2	10	13	15	15	15
65+	3	11.3	9	8	8	12	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	628	3.0	3	<1	<1	3	4	5	6	9
B. *Operated*	44	2.1	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1081	3.9	7	1	2	3	5	6	8	14
B. *Operated*	39	5.7	26	1	1	3	9	13	15	22
1. SINGLE DX	672	2.9	3	<1	1	3	4	5	6	9
2. MULTIPLE DX	1120	3.9	8	1	2	3	5	6	9	14
A. NOT OPERATED	1709	3.5	6	1	1	3	4	6	7	12
B. OPERATED	83	3.8	16	1	1	2	4	9	13	20
TOTAL 0-19 YRS	1163	3.3	4	1	1	3	4	6	7	9
20-34	409	3.3	4	<1	<1	3	4	6	7	12
35-49	119	4.3	7	1	2	4	5	7	10	14
50-64	73	5.7	13	1	2	5	7	11	14	17
65+	28	8.9	50	2	2	7	11	17	29	30
GRAND TOTAL	**1792**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**13**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	310	5.5	11	2	2	5	7	10	12	16
20-34	48	6.6	24	2	3	5	9	11	15	29
35-49	28	8.0	21	2	3	7	11	14	16	20
50-64	29	9.1	91	2	3	7	10	17	26	51
65+	96	11.1	67	2	3	9	13	19	30	44
B. *Operated*										
0-19 YRS	9	10.7	28	4	5	10	13	19	21	21
20-34	4	14.3	225	<1	<1	10	25	35	35	35
35-49	4	19.5	166	8	8	16	29	37	37	37
50-64	2	11.5	13	9	9	11	14	14	14	14
65+	13	20.2	163	4	5	17	28	39	44	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	7.0	26	2	2	5	10	13	15	25
20-34	187	10.2	66	3	3	8	13	21	28	43
35-49	201	10.5	47	4	4	9	13	17	23	39
50-64	463	12.9	88	4	5	10	15	23	31	51
65+	1715	14.9	92	5	6	13	18	27	32	50
B. *Operated*										
0-19 YRS	43	12.9	63	3	4	11	17	23	30	37
20-34	82	20.2	184	4	7	16	30	40	47	61
35-49	88	19.1	228	4	5	14	27	46	54	89
50-64	152	22.2	226	7	8	19	31	48	67	99+
65+	443	24.8	257	8	10	20	32	48	63	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	7.0	33	2	2	5	9	12	16	31
B. *Operated*	32	16.2	128	4	5	13	22	36	37	45
2. MULTIPLE DX										
A. *Not Operated*	2993	12.9	85	3	4	11	16	24	31	46
B. *Operated*	808	22.6	239	6	8	18	30	46	60	99+
1. SINGLE DX	543	7.5	43	2	2	6	9	14	18	36
2. MULTIPLE DX	3801	14.9	133	3	5	12	19	29	37	66
A. NOT OPERATED	3504	12.0	82	3	4	10	15	23	30	46
B. OPERATED	840	22.3	236	6	7	18	30	45	58	99+
TOTAL 0-19 YRS	789	6.7	25	2	2	5	9	12	16	25
20-34	321	12.3	114	3	3	9	15	28	36	49
35-49	321	12.7	111	4	4	10	14	27	34	58
50-64	646	14.9	137	4	5	11	19	30	40	79
65+	2267	16.7	140	5	6	14	20	31	39	70
GRAND TOTAL	**4344**	**14.0**	**128**	**3**	**4**	**11**	**17**	**28**	**36**	**63**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	6.1	15	1	2	5	9	11	13	16
20-34	85	6.7	66	2	2	5	7	11	16	53
35-49	45	6.4	53	2	2	4	7	10	14	49
50-64	40	5.6	13	2	2	5	6	10	14	19
65+	36	7.6	27	2	2	6	10	16	20	21
B. *Operated*										
0-19 YRS	22	7.0	59	1	1	4	10	21	25	29
20-34	8	11.3	81	3	3	8	16	26	29	29
35-49	9	9.0	11	6	6	7	12	14	14	14
50-64	7	7.9	28	3	3	6	9	17	19	19
65+	13	12.8	138	2	2	12	16	26	42	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	6.9	26	2	3	6	9	12	15	26
20-34	90	6.5	22	<1	1	5	8	12	13	24
35-49	90	8.1	28	2	2	7	11	15	17	26
50-64	142	9.6	45	3	4	7	12	20	24	32
65+	229	10.4	49	3	4	8	14	20	23	36
B. *Operated*										
0-19 YRS	29	13.8	94	1	2	13	17	27	35	43
20-34	30	14.0	106	4	5	11	17	31	32	47
35-49	28	15.6	151	1	3	14	19	28	45	56
50-64	48	20.9	228	6	7	17	28	49	56	61
65+	60	22.6	251	4	6	19	31	46	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	6.3	28	2	2	5	8	11	14	21
B. *Operated*	59	9.3	69	1	2	7	12	20	26	44
2. MULTIPLE DX										
A. *Not Operated*	803	8.5	38	2	3	7	11	17	21	31
B. *Operated*	195	18.5	196	3	5	15	23	41	52	71
1. SINGLE DX	535	6.6	33	2	2	5	9	12	15	23
2. MULTIPLE DX	998	10.4	85	2	3	8	13	21	29	52
A. NOT OPERATED	1279	7.7	35	2	2	6	10	14	19	29
B. OPERATED	254	16.4	182	2	3	13	21	35	47	66
TOTAL 0-19 YRS	573	6.9	28	2	2	6	10	13	15	27
20-34	213	7.8	60	1	2	5	10	14	21	38
35-49	172	8.9	62	2	2	7	12	17	23	48
50-64	237	11.1	102	3	3	7	14	23	31	56
65+	338	12.4	108	3	4	9	16	23	35	56
GRAND TOTAL	**1533**	**9.1**	**70**	**2**	**2**	**7**	**11**	**18**	**24**	**46**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	678	4.2	6	1	2	4	5	7	9	12
20-34	390	4.8	12	2	2	4	6	8	10	14
35-49	81	5.7	18	1	2	5	7	10	13	26
50-64	16	7.5	25	1	2	7	8	15	19	21
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	15	5.5	6	2	3	5	8	9	10	10
20-34	6	11.3	22	7	7	9	15	19	19	19
35-49	4	14.3	28	10	10	13	18	21	21	21
50-64	2	9.0	98	2	2	9	16	16	16	16
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	233	5.2	13	2	2	4	6	9	11	22
20-34	173	5.6	10	2	2	5	7	10	12	16
35-49	57	6.7	20	2	2	6	8	14	17	21
50-64	29	8.6	50	3	3	7	10	14	31	32
65+	15	12.7	74	4	5	10	15	29	31	32
B. *Operated*										
0-19 YRS	12	8.4	20	2	3	8	11	35	88	99+
20-34	10	9.4	19	3	4	9	11	16	17	17
35-49	6	13.5	61	5	5	13	16	26	27	27
50-64	6	17.8	252	7	7	10	23	45	48	48
65+	4	37.0	1131	2	2	33	62	80	80	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	4.5	9	1	2	4	6	8	10	14
B. *Operated*	27	8.4	26	2	3	8	10	16	19	21
2. MULTIPLE DX										
A. *Not Operated*	507	5.9	19	2	2	5	7	11	13	26
B. *Operated*	38	14.0	220	3	4	9	16	38	66	99+
1. SINGLE DX	1193	4.6	10	1	2	4	6	8	10	15
2. MULTIPLE DX	545	6.5	37	2	2	5	8	11	15	32
A. NOT OPERATED	1673	4.9	12	1	2	4	6	9	11	18
B. OPERATED	65	11.6	145	2	4	9	13	21	46	97
TOTAL 0-19 YRS	938	4.5	8	1	2	4	6	8	10	14
20-34	579	5.2	13	2	2	4	6	9	11	17
35-49	148	6.6	24	2	2	5	8	13	16	27
50-64	53	9.3	70	2	3	7	10	17	30	48
65+	20	17.1	341	3	4	10	20	38	62	80
GRAND TOTAL	**1738**	**5.2**	**19**	**2**	**2**	**4**	**6**	**9**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	653	3.1	4	1	1	3	4	6	7	10
20-34	138	4.3	8	<1	<1	4	5	7	9	17
35-49	49	5.4	17	<1	1	5	7	10	12	25
50-64	110	5.5	20	<1	1	4	7	12	15	23
65+	280	7.4	34	1	2	6	10	14	20	30
B. *Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	8	3.6	4	1	1	4	5	6	6	6
35-49	8	4.4	18	<1	<1	3	5	12	14	14
50-64	10	4.2	12	1	1	3	4	10	12	12
65+	12	7.6	29	2	2	6	11	15	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	794	3.8	8	1	2	3	4	6	8	13
20-34	178	5.6	20	2	2	5	7	10	13	29
35-49	72	6.2	10	1	2	6	9	11	11	15
50-64	324	8.0	38	2	3	6	10	15	19	35
65+	1248	10.2	60	3	3	8	13	20	25	39
B. *Operated*										
0-19 YRS	12	10.4	108	2	3	6	14	26	36	38
20-34	18	13.9	176	2	3	9	14	29	45	55
35-49	21	13.6	230	2	3	9	15	30	52	68
50-64	42	14.1	116	2	3	11	18	32	40	41
65+	143	17.5	155	4	5	14	23	35	44	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1230	4.5	16	<1	1	3	6	9	12	22
B. *Operated*	41	5.2	18	1	1	4	7	12	13	20
2. MULTIPLE DX										
A. *Not Operated*	2616	7.5	45	2	2	5	9	15	20	36
B. *Operated*	236	15.9	156	3	5	12	20	34	42	57
1. SINGLE DX	1271	4.5	16	<1	1	3	6	9	12	22
2. MULTIPLE DX	2852	8.2	60	2	2	6	10	17	23	41
A. NOT OPERATED	3846	6.6	38	1	2	5	8	14	19	32
B. OPERATED	277	14.3	150	2	3	11	18	31	41	56
TOTAL 0-19 YRS	1462	3.6	7	1	1	3	4	6	8	12
20-34	342	5.5	27	<1	2	5	6	10	13	29
35-49	150	6.9	50	1	2	6	9	11	14	39
50-64	486	7.9	45	2	2	6	10	15	20	39
65+	1683	10.3	69	2	3	8	13	20	26	43
GRAND TOTAL	**4123**	**7.1**	**49**	**1**	**2**	**5**	**9**	**15**	**20**	**37**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	6.2	13	2	3	6	8	11	14	18
20-34	617	7.6	20	2	3	6	9	13	16	22
35-49	187	9.2	32	3	3	8	12	16	22	29
50-64	92	7.8	16	3	4	8	10	13	14	24
65+	28	10.2	55	2	3	8	12	18	30	33
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	35	8.6	25	1	2	9	11	14	18	23
35-49	16	11.1	35	1	2	12	17	18	18	18
50-64	9	10.3	11	3	5	10	12	14	14	14
65+	7	9.1	40	2	2	8	12	19	21	21
2. MULTIPLE DX										
A. *Not Operated*	—									
0-19 YRS	110	6.3	14	2	2	5	9	11	13	18
20-34	305	8.0	20	2	3	7	11	15	16	22
35-49	158	9.3	40	3	4	8	11	17	22	29
50-64	132	9.8	36	3	3	9	12	18	22	30
65+	94	11.3	77	3	4	9	14	21	31	48
B. *Operated*										
0-19 YRS	3	11.3	92	1	1	13	18	20	20	20
20-34	45	9.2	34	1	2	9	12	16	18	29
35-49	25	12.4	88	3	3	8	22	26	29	35
50-64	36	12.8	77	3	5	11	16	23	42	99+
65+	31	17.1	132	4	4	16	22	35	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1255	7.5	21	2	3	6	9	13	16	24
B. *Operated*	68	9.6	28	2	2	9	13	17	19	23
2. MULTIPLE DX										
A. *Not Operated*	799	8.7	35	2	3	7	11	16	20	30
B. *Operated*	140	12.5	83	2	3	11	16	24	34	53
1. SINGLE DX	1323	7.7	22	2	3	7	10	14	16	24
2. MULTIPLE DX	939	9.3	44	2	3	8	12	17	22	35
A. NOT OPERATED	2054	8.0	27	2	3	7	10	14	17	28
B. OPERATED	208	11.6	67	2	3	10	15	22	27	47
TOTAL 0-19 YRS	445	6.3	14	2	2	5	8	11	14	20
20-34	1002	7.8	21	2	3	7	10	14	16	22
35-49	386	9.5	39	3	3	8	12	17	23	29
50-64	269	9.5	36	3	3	9	12	17	22	34
65+	160	12.1	87	3	4	10	16	22	33	47
GRAND TOTAL	**2262**	**8.3**	**32**	**2**	**3**	**7**	**11**	**15**	**19**	**30**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	845	4.3	5	2	2	4	5	7	8	12
20-34	263	4.7	7	2	2	4	6	8	10	13
35-49	45	5.0	9	1	2	4	6	9	11	15
50-64	13	7.5	15	1	3	7	10	13	14	14
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	7	5.1	19	1	1	4	6	13	14	14
20-34	5	8.2	9	5	5	8	9	13	13	13
35-49	5	9.2	9	7	7	8	11	14	14	14
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1128	4.9	8	2	2	4	6	8	10	14
20-34	346	5.7	11	2	2	5	7	10	12	16
35-49	69	6.3	11	2	3	6	8	11	12	16
50-64	20	7.1	13	2	2	7	9	12	14	15
65+	4	7.5	30	3	3	6	11	15	15	15
B. *Operated*										
0-19 YRS	21	10.0	82	2	3	8	11	18	34	42
20-34	15	8.9	17	2	4	8	13	14	15	16
35-49	9	12.6	25	7	8	11	17	20	21	21
50-64	4	9.8	75	2	2	7	15	22	22	22
65+	1	18.0		18	18	18	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1167	4.4	6	2	2	4	6	8	9	13
B. *Operated*	18	7.2	14	1	2	7	8	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1567	5.2	9	2	2	4	6	9	11	15
B. *Operated*	50	10.3	50	2	4	9	12	18	22	42
1. SINGLE DX	1185	4.5	6	2	2	4	6	8	9	13
2. MULTIPLE DX	1617	5.3	11	2	2	5	7	9	12	16
A. NOT OPERATED	2734	4.9	8	2	2	4	6	8	10	15
B. OPERATED	68	9.5	42	2	3	8	12	16	21	39
TOTAL 0-19 YRS	2001	4.7	8	2	2	4	6	8	10	14
20-34	629	5.4	10	2	2	5	7	10	12	16
35-49	128	6.4	14	2	2	6	8	12	14	19
50-64	38	7.4	18	2	2	7	10	13	15	22
65+	6	9.5	36	3	3	8	15	18	18	18
GRAND TOTAL	**2802**	**5.0**	**9**	**2**	**2**	**4**	**6**	**9**	**11**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	27	1.3	1	<1	<1	<1	1	3	4	4
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	332	2.0	2	<1	<1	2	2	3	4	6
20-34	762	2.3	3	<1	<1	2	3	4	5	9
35-49	186	2.8	6	<1	1	2	3	5	7	12
50-64	58	3.2	6	1	1	3	4	6	9	12
65+	19	3.1	8	<1	<1	2	4	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	6	<1	<1	1	4	7	8	8
20-34	15	3.5	13	<1	<1	1	6	7	12	14
35-49	3	4.3	8	1	1	6	6	6	6	6
50-64	2	19.5	313	7	7	19	32	32	32	32
65+	5	3.6	14	<1	<1	3	5	10	10	10
B. *Operated*										
0-19 YRS	85	2.9	3	1	1	2	4	5	7	9
20-34	280	3.2	5	<1	1	3	4	6	7	11
35-49	125	3.9	8	1	1	3	5	7	9	16
50-64	57	5.7	24	1	2	4	8	11	19	23
65+	19	8.3	95	2	2	6	8	17	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	1.3	1	<1	<1	<1	1	3	4	4
B. *Operated*	1357	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	36	4.3	32	<1	<1	2	6	8	13	32
B. *Operated*	566	3.7	12	1	1	3	4	7	9	18
1. SINGLE DX	1395	2.3	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	602	3.7	13	<1	1	3	4	7	9	18
A. NOT OPERATED	74	2.7	18	<1	<1	1	3	6	8	28
B. OPERATED	1923	2.7	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	435	2.1	2	<1	<1	2	3	4	5	7
20-34	1084	2.5	4	<1	<1	2	3	4	6	10
35-49	317	3.2	7	<1	1	2	4	6	8	15
50-64	117	4.7	23	1	1	3	6	9	12	26
65+	44	5.4	51	<1	1	3	6	12	15	44
GRAND TOTAL	**1997**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1833	3.0	4	1	1	3	4	5	6	10
20-34	598	3.3	7	<1	<1	3	4	6	8	12
35-49	249	3.9	10	<1	<1	3	5	8	11	15
50-64	131	4.0	7	<1	1	4	5	8	10	12
65+	130	4.9	30	<1	1	3	5	10	11	35
B. *Operated*										
0-19 YRS	51	5.9	45	1	1	4	7	11	19	43
20-34	35	5.8	13	2	2	5	8	11	13	14
35-49	13	7.8	45	2	2	7	10	16	24	26
50-64	11	11.6	93	<1	1	8	18	25	32	33
65+	3	17.0	301	6	6	8	30	37	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1931	3.5	8	1	1	3	4	6	7	12
20-34	794	4.3	12	<1	1	4	5	8	10	17
35-49	450	4.8	11	1	2	4	6	9	11	18
50-64	545	5.7	36	1	2	4	7	11	13	25
65+	702	6.3	23	2	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	65	7.1	58	1	2	5	8	12	21	43
20-34	70	7.2	38	1	2	6	9	12	17	40
35-49	46	8.0	23	2	2	7	10	14	17	26
50-64	50	11.7	142	3	3	8	13	25	37	68
65+	55	14.3	162	3	4	10	15	36	53	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2941	3.2	7	<1	1	3	4	6	8	12
B. *Operated*	113	7.0	49	1	2	5	9	14	19	39
2. MULTIPLE DX										
A. *Not Operated*	4422	4.5	16	1	2	4	5	8	11	18
B. *Operated*	286	9.5	89	2	2	7	11	17	29	58
1. SINGLE DX	3054	3.4	9	<1	1	3	4	6	8	14
2. MULTIPLE DX	4708	4.8	22	1	2	4	6	9	12	22
A. NOT OPERATED	7363	4.0	13	1	1	3	5	7	10	16
B. OPERATED	399	8.8	79	1	2	7	10	17	26	52
TOTAL 0-19 YRS	3880	3.3	8	1	1	3	4	6	7	12
20-34	1497	4.1	12	<1	<1	3	5	8	10	17
35-49	758	4.7	13	<1	1	4	6	9	11	19
50-64	737	5.9	42	1	2	4	7	11	14	30
65+	890	6.7	38	1	2	5	8	12	16	37
GRAND TOTAL	**7762**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.1	8	2	2	5	7	9	10	12
20-34	36	4.8	9	1	2	5	6	7	12	14
35-49	15	5.7	28	1	2	4	6	16	17	17
50-64	5	6.2	9	1	1	7	8	9	9	9
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	8	1	2	4	5	8	10	12
20-34	20	5.6	8	2	2	5	7	10	11	12
35-49	13	13.2	514	1	2	4	8	54	72	76
50-64	10	8.7	30	3	3	7	11	17	21	21
65+	7	9.3	47	2	2	9	13	20	22	22
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	15.4	81	6	6	15	22	28	28	28
50-64	1	16.0		16	16	16	16	16	16	16
65+	6	18.0	61	11	11	15	19	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	5.2	12	1	2	5	7	9	12	17
B. *Operated*	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	75	7.3	106	2	2	5	8	12	19	69
B. *Operated*	15	14.0	79	1	3	15	18	28	32	33
1. SINGLE DX	91	5.2	12	1	2	5	7	10	12	17
2. MULTIPLE DX	90	8.4	107	2	2	5	10	16	22	65
A. NOT OPERATED	164	6.1	55	1	2	5	7	10	14	45
B. OPERATED	17	13.3	75	1	3	14	17	26	31	33
TOTAL 0-19 YRS	59	4.7	8	1	2	4	6	9	10	12
20-34	58	5.0	8	2	2	5	6	10	12	14
35-49	33	10.2	233	1	2	4	11	22	46	76
50-64	17	8.6	25	2	3	7	11	16	19	21
65+	14	13.0	65	2	4	12	16	23	31	33
GRAND TOTAL	**181**	**6.8**	**61**	**1**	**2**	**5**	**8**	**14**	**17**	**44**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	4.5	8	1	2	4	5	8	10	15
20-34	253	4.8	12	<1	<1	4	6	9	11	20
35-49	41	5.1	20	<1	1	4	6	11	15	21
50-64	7	5.7	29	<1	<1	3	11	13	13	13
65+	6	3.7	5	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	29	4.2	25	<1	1	2	5	8	15	25
20-34	97	3.1	6	<1	1	2	4	6	7	13
35-49	24	3.0	8	<1	<1	2	3	6	10	13
50-64	17	4.6	11	<1	1	4	6	7	12	15
65+	5	4.0	6	2	2	3	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	5.6	9	2	3	5	7	11	12	15
20-34	182	5.6	12	2	2	5	7	10	13	18
35-49	29	6.9	24	2	3	5	8	14	17	24
50-64	28	11.5	132	1	2	8	14	28	37	50
65+	52	9.1	40	2	2	8	13	18	23	26
B. *Operated*										
0-19 YRS	29	6.1	28	1	1	5	7	14	16	25
20-34	73	8.0	113	1	2	6	9	13	20	61
35-49	30	5.7	34	1	1	3	8	11	23	24
50-64	13	10.7	88	2	2	10	14	27	30	31
65+	19	20.3	214	2	3	19	24	45	49	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	4.8	12	<1	<1	4	6	9	12	20
B. *Operated*	172	3.4	10	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	376	6.6	28	2	3	5	8	13	16	26
B. *Operated*	164	8.9	110	1	2	6	10	20	27	53
1. SINGLE DX	602	4.4	12	<1	1	4	5	8	11	19
2. MULTIPLE DX	540	7.3	54	2	2	5	9	14	20	46
A. NOT OPERATED	806	5.6	20	<1	2	5	7	11	13	23
B. OPERATED	336	6.1	66	1	1	3	7	13	21	48
TOTAL 0-19 YRS	266	5.0	12	1	2	4	6	8	12	19
20-34	605	5.2	25	<1	1	4	6	9	12	20
35-49	124	5.3	23	<1	1	4	6	11	16	24
50-64	65	8.9	87	1	2	6	11	21	31	48
65+	82	11.0	103	2	2	8	14	23	29	49
GRAND TOTAL	**1142**	**5.8**	**34**	**<1**	**2**	**4**	**7**	**11**	**15**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	3.6	10	<1	<1	3	5	8	11	14
20-34	71	3.6	21	<1	<1	<1	5	11	14	20
35-49	25	6.3	109	<1	<1	3	6	12	26	52
50-64	15	3.4	12	<1	<1	2	4	11	11	11
65+	15	6.7	25	1	2	6	9	15	17	18
B. *Operated*										
0-19 YRS	16	5.1	14	2	2	3	8	12	13	13
20-34	32	6.4	28	1	2	5	9	13	19	24
35-49	34	6.9	33	1	2	5	10	16	24	99+
50-64	38	8.4	81	1	2	7	10	16	27	48
65+	27	8.4	52	2	2	6	10	19	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	5.0	18	<1	1	4	6	8	10	24
20-34	63	6.4	27	<1	2	5	7	13	16	29
35-49	60	9.2	91	<1	2	7	9	21	36	40
50-64	117	6.2	39	<1	<1	5	8	12	20	31
65+	115	12.5	125	3	3	9	15	23	40	60
B. *Operated*										
0-19 YRS	14	9.8	84	<1	2	7	17	31	83	99+
20-34	31	10.8	69	2	2	9	14	21	26	39
35-49	48	14.9	255	1	2	9	20	31	57	78
50-64	94	14.3	290	2	3	8	16	41	68	99+
65+	77	17.4	383	2	3	10	22	42	75	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	4.2	28	<1	<1	2	6	11	13	20
B. *Operated*	147	7.3	46	2	2	5	9	16	20	49
2. MULTIPLE DX										
A. *Not Operated*	484	7.8	67	<1	<1	5	9	16	23	44
B. *Operated*	264	14.6	276	2	3	9	18	33	59	99+
1. SINGLE DX	351	5.5	38	<1	<1	3	7	12	17	31
2. MULTIPLE DX	748	10.2	151	<1	2	7	12	23	35	85
A. NOT OPERATED	688	6.7	58	<1	<1	5	8	14	19	41
B. OPERATED	411	12.0	206	2	2	8	14	26	46	99+
TOTAL 0-19 YRS	237	4.8	20	<1	<1	4	6	9	13	31
20-34	197	6.1	37	<1	<1	4	8	14	19	28
35-49	167	9.9	138	<1	1	7	11	24	36	75
50-64	264	9.2	147	<1	<1	6	11	22	31	92
65+	234	13.2	205	2	3	9	16	26	44	94
GRAND TOTAL	**1099**	**8.7**	**120**	**<1**	**<1**	**6**	**10**	**19**	**30**	**74**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	16	<1	<1	2	4	7	15	15
20-34	14	3.7	13	<1	<1	3	4	6	13	15
35-49	6	7.5	31	<1	<1	7	9	16	17	17
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	11.3	186	2	2	5	21	27	27	27
B. *Operated*										
0-19 YRS	11	4.5	4	2	2	5	5	7	9	9
20-34	4	10.0	55	3	3	9	16	19	19	19
35-49	2	11.0	2	10	10	11	12	12	12	12
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.5	7	1	2	4	6	8	10	11
20-34	11	7.1	22	2	3	6	8	15	18	18
35-49	14	7.0	23	2	3	5	9	15	17	18
50-64	3	20.0	399	7	7	10	35	43	43	43
65+	4	9.5	22	5	5	8	12	16	16	16
B. *Operated*										
0-19 YRS	12	4.9	6	2	2	4	6	9	10	10
20-34	11	5.2	7	1	2	4	7	9	11	11
35-49	11	16.2	95	5	6	16	21	31	35	35
50-64	4	11.5	94	6	6	7	17	26	26	26
65+	4	13.8	58	8	8	11	18	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.5	27	<1	<1	3	5	13	15	27
B. *Operated*	19	6.7	19	2	3	5	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	69	6.4	35	2	2	5	8	11	16	38
B. *Operated*	42	9.4	63	2	3	7	11	22	27	35
1. SINGLE DX	67	5.1	26	<1	<1	4	6	13	16	26
2. MULTIPLE DX	111	7.5	47	2	2	6	9	16	21	38
A. NOT OPERATED	117	5.6	32	<1	1	4	7	11	16	32
B. OPERATED	61	8.6	50	2	3	6	10	20	25	34
TOTAL 0-19 YRS	84	4.3	9	<1	1	4	6	8	10	15
20-34	40	5.7	20	<1	1	4	7	13	16	19
35-49	33	10.4	62	2	3	9	15	21	28	35
50-64	10	12.3	158	2	4	7	10	34	43	43
65+	11	11.5	65	2	4	9	15	26	27	27
GRAND TOTAL	**178**	**6.6**	**40**	**<1**	**1**	**5**	**8**	**15**	**19**	**33**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.2	5	<1	<1	3	4	6	8	10
20-34	85	3.2	11	<1	<1	1	5	8	10	16
35-49	34	4.6	11	<1	1	4	7	9	11	12
50-64	10	3.7	4	<1	1	3	5	6	7	7
65+	5	6.6	11	4	4	6	8	12	12	12
B. *Operated*										
0-19 YRS	14	6.8	54	1	1	2	14	18	20	20
20-34	131	6.4	33	1	2	4	9	13	19	28
35-49	79	7.1	28	2	2	6	10	14	17	29
50-64	37	6.4	29	2	2	4	8	15	17	22
65+	10	5.2	14	2	2	4	7	11	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	7.5	21	1	2	7	9	14	16	22
20-34	160	5.8	23	<1	1	5	7	11	14	28
35-49	142	8.5	40	2	3	7	11	16	20	33
50-64	85	9.0	47	2	3	7	12	18	23	33
65+	66	11.2	49	4	4	9	15	20	26	36
B. *Operated*										
0-19 YRS	12	9.1	26	2	2	9	12	16	19	19
20-34	258	8.1	43	2	2	6	11	16	20	33
35-49	186	8.9	42	2	2	8	12	18	22	30
50-64	102	11.0	85	2	2	9	15	21	25	49
65+	42	17.7	125	3	5	18	23	33	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	174	3.6	10	<1	<1	3	5	9	10	13
B. *Operated*	271	6.6	31	1	2	5	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	596	7.9	35	1	2	7	10	15	19	32
B. *Operated*	600	9.5	61	2	2	7	13	19	24	41
1. SINGLE DX	445	5.4	25	<1	<1	4	7	12	15	23
2. MULTIPLE DX	1196	8.7	49	2	2	7	11	18	22	35
A. NOT OPERATED	770	6.9	33	<1	1	6	9	14	18	31
B. OPERATED	871	8.6	54	2	2	7	12	18	22	35
TOTAL 0-19 YRS	209	6.7	23	1	1	6	9	13	16	21
20-34	634	6.5	34	<1	1	5	9	13	17	30
35-49	441	8.1	38	2	2	7	10	16	20	32
50-64	234	9.3	62	2	2	7	12	19	22	42
65+	123	12.8	86	3	4	9	18	24	33	44
GRAND TOTAL	**1641**	**7.8**	**44**	**1**	**2**	**6**	**10**	**16**	**21**	**32**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	22	1	1	3	8	10	10	10
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49										
50-64	3	6.3	2	5	5	6	7	8	8	8
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	6.0	3	5	5	5	7	8	8	8
35-49	3	6.3	24	3	3	4	10	12	12	12
50-64	10	10.9	55	3	3	7	18	21	22	22
65+	12	6.7	19	3	3	5	8	15	16	16
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	6	8.0	13	3	3	8	10	13	13	13
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	11	13.1	242	2	2	9	13	35	55	57
65+	6	18.7	205	9	9	15	40	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.8	11	1	1	6	8	10	10	10
B. *Operated*	7	5.0	10	2	2	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	29	7.8	34	3	3	5	10	18	20	22
B. *Operated*	28	11.8	154	3	3	9	14	37	59	99+
1. SINGLE DX	16	5.4	10	1	2	5	7	10	11	11
2. MULTIPLE DX	57	9.8	95	3	3	7	13	19	37	97
A. NOT OPERATED	38	7.3	29	2	3	5	10	17	19	22
B. OPERATED	35	10.4	131	2	3	8	12	21	54	99+
TOTAL 0-19 YRS	6	4.2	12	1	1	3	6	10	10	10
20-34	12	7.0	10	2	3	7	9	11	13	13
35-49	9	6.2	14	3	3	4	10	12	12	12
50-64	25	11.0	128	2	3	8	15	21	31	57
65+	21	9.7	98	2	3	7	14	27	68	99+
GRAND TOTAL	**73**	**8.8**	**79**	**2**	**3**	**7**	**10**	**18**	**22**	**90**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	24	7.0	34	1	2	5	9	15	20	24
50-64	87	7.2	54	1	1	6	8	14	19	41
65+	85	6.6	81	1	1	4	7	13	17	59
B. *Operated*										
0-19 YRS	11	5.5	11	2	2	4	8	11	12	12
20-34	30	4.4	9	2	2	4	6	7	10	16
35-49	91	7.3	84	1	1	5	9	16	22	51
50-64	317	8.0	100	1	2	4	9	20	28	63
65+	382	6.9	75	1	2	4	8	15	23	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	10	6.2	27	1	1	6	8	14	19	19
35-49	55	9.3	128	2	2	6	10	23	39	60
50-64	204	9.1	101	2	2	6	10	20	28	51
65+	238	9.6	77	1	2	7	13	23	29	42
B. *Operated*										
0-19 YRS	5	8.0	69	1	1	3	16	18	18	18
20-34	25	11.6	142	1	2	7	16	25	42	47
35-49	124	14.4	235	2	2	9	20	30	47	79
50-64	568	15.4	244	2	2	11	22	38	54	95
65+	647	13.8	191	2	2	10	18	32	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	6.3	62	1	1	5	8	14	18	44
B. *Operated*	831	7.3	83	1	2	4	8	16	24	54
2. MULTIPLE DX										
A. *Not Operated*	510	9.3	91	1	2	6	10	21	29	44
B. *Operated*	1369	14.5	216	2	2	10	19	35	47	85
1. SINGLE DX	1030	7.2	79	1	1	4	8	16	23	53
2. MULTIPLE DX	1879	13.1	187	2	2	9	17	30	43	82
A. NOT OPERATED	709	8.6	84	1	2	6	10	18	27	44
B. OPERATED	2200	11.8	178	1	2	7	15	28	42	77
TOTAL 0-19 YRS	20	6.2	23	1	2	4	9	14	17	18
20-34	67	7.4	70	2	2	5	8	17	24	46
35-49	294	10.7	162	1	2	6	13	23	41	67
50-64	1176	11.7	179	1	2	7	15	28	40	80
65+	1352	10.7	141	1	2	7	14	24	35	64
GRAND TOTAL	**2909**	**11.0**	**157**	**1**	**2**	**7**	**14**	**25**	**38**	**69**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.5	41	3	3	7	12	12	12	12
35-49	4	8.8	38	2	2	8	13	17	17	17
50-64	31	10.2	83	2	2	7	15	23	25	41
65+	45	8.8	81	<1	1	6	12	18	23	46
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	17	15.5	69	4	5	14	22	29	31	31
50-64	84	15.2	181	2	2	13	23	30	44	66
65+	90	12.0	127	1	2	9	16	26	31	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	14	9.9	30	3	4	9	14	15	21	23
50-64	113	10.0	87	1	2	7	13	21	28	49
65+	165	10.3	99	2	2	7	12	24	31	49
B. *Operated*										
0-19 YRS										
20-34	3	31.3	496	17	17	20	48	57	57	57
35-49	24	23.0	291	3	6	20	31	55	78	99+
50-64	252	21.2	310	3	4	17	28	46	66	99+
65+	282	20.1	223	3	4	17	28	40	52	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	9.3	77	1	2	6	14	19	24	44
B. *Operated*	192	13.7	146	2	2	11	20	27	34	60
2. MULTIPLE DX										
A. *Not Operated*	297	10.2	91	2	2	7	13	23	30	49
B. *Operated*	564	20.8	266	3	4	17	28	44	59	94
1. SINGLE DX	274	12.4	129	1	2	9	18	26	33	55
2. MULTIPLE DX	853	17.2	231	2	3	13	24	38	52	80
A. NOT OPERATED	374	10.0	88	2	2	7	13	22	29	48
B. OPERATED	753	19.0	244	2	4	16	26	40	53	80
TOTAL 0-19 YRS										
20-34	6	20.3	356	3	4	15	20	53	57	57
35-49	59	16.8	175	3	5	14	23	32	50	97
50-64	480	16.8	244	2	3	13	23	36	53	81
65+	582	15.2	184	2	3	11	22	33	44	65
GRAND TOTAL	**1127**	**16.0**	**210**	**2**	**3**	**12**	**23**	**34**	**47**	**77**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.7	82	3	3	6	16	20	20	20
35-49	10	9.2	124	3	3	5	9	25	40	40
50-64	31	6.1	32	1	1	5	9	12	15	28
65+	55	8.7	45	2	3	7	12	16	22	37
B. *Operated*										
0-19 YRS	3	11.3	146	2	2	7	20	25	25	25
20-34	2	15.5	1	15	15	15	16	16	16	16
35-49	34	13.6	83	2	4	11	19	25	34	38
50-64	73	17.7	173	5	6	16	20	29	34	87
65+	147	18.2	114	5	6	17	22	33	39	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	5.7	14	1	1	5	6	12	14	14
35-49	21	7.8	43	1	2	5	9	17	25	26
50-64	156	7.3	44	1	2	5	9	17	21	35
65+	315	9.9	76	2	2	7	13	19	29	45
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	19	19.5	219	3	6	14	26	39	54	64
35-49	86	19.1	176	3	5	17	23	39	44	69
50-64	319	20.4	207	4	7	17	25	37	50	86
65+	727	21.7	182	5	8	19	27	38	48	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	8.0	49	1	2	5	10	15	22	39
B. *Operated*	259	17.4	127	4	6	16	22	30	36	56
2. MULTIPLE DX										
A. *Not Operated*	502	8.9	65	1	2	6	11	18	25	41
B. *Operated*	1152	21.1	189	5	7	18	26	38	48	74
1. SINGLE DX	358	14.8	123	2	4	13	19	28	35	53
2. MULTIPLE DX	1654	17.4	183	3	4	15	23	33	43	70
A. NOT OPERATED	601	8.8	63	1	2	6	11	18	25	40
B. OPERATED	1411	20.4	180	4	7	18	26	36	46	73
TOTAL 0-19 YRS	4	10.8	99	2	2	8	17	25	25	25
20-34	34	14.3	168	2	3	11	17	29	41	64
35-49	151	15.6	150	3	4	13	20	30	42	67
50-64	579	15.8	185	2	3	13	21	31	40	74
65+	1244	17.7	169	3	4	15	23	33	42	68
GRAND TOTAL	**2012**	**16.9**	**173**	**2**	**4**	**14**	**22**	**33**	**42**	**69**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	14.8	52	7	7	14	20	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34										
35-49	3	19.7	70	10	10	24	25	25	25	25
50-64	10	15.0	28	9	10	14	18	23	27	27
65+	19	19.6	109	7	8	18	24	37	42	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	50	3	3	8	13	13	13	13
35-49	5	5.6	27	1	1	3	9	14	14	14
50-64	20	7.6	37	<1	2	6	10	14	22	28
65+	30	12.5	218	2	3	9	12	26	36	78
B. *Operated*										
0-19 YRS										
20-34	6	21.2	168	10	10	15	31	42	43	43
35-49	24	20.3	194	7	8	17	25	44	52	62
50-64	65	22.5	215	8	9	18	26	50	60	68
65+	101	24.4	310	7	9	19	31	47	63	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	12.0	77	1	1	12	18	24	24	24
B. *Operated*	33	18.3	79	8	9	17	23	28	38	45
2. MULTIPLE DX										
A. *Not Operated*	57	10.0	135	1	3	6	11	20	29	75
B. *Operated*	196	23.1	259	7	9	18	27	47	60	83
1. SINGLE DX	38	17.5	81	7	8	16	23	26	37	45
2. MULTIPLE DX	253	20.2	261	4	5	16	26	41	59	82
A. NOT OPERATED	62	10.2	130	1	2	7	12	21	29	73
B. OPERATED	229	22.4	235	8	9	18	27	44	60	82
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	8	17.9	164	3	5	14	23	39	43	43
35-49	36	17.6	166	3	7	15	24	27	47	62
50-64	96	18.4	195	4	5	15	22	32	53	66
65+	150	21.4	286	5	6	17	27	41	60	83
GRAND TOTAL	**291**	**19.8**	**238**	**4**	**6**	**16**	**24**	**39**	**51**	**80**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3		4	4	4	5	5	5	5
35-49	11	8.0	49	2	2	5	10	21	22	22
50-64	63	5.3	37	1	1	4	6	10	14	40
65+	113	7.2	55	1	2	5	8	17	22	40
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	21	12.1	25	3	6	11	15	19	20	21
35-49	113	11.9	26	6	7	11	14	17	23	30
50-64	451	13.1	41	5	8	12	16	20	24	37
65+	868	15.2	49	5	9	14	18	23	28	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	19	5.6	19	1	2	4	7	10	16	21
35-49	83	6.9	42	2	2	5	7	13	17	41
50-64	378	8.0	61	1	2	5	10	16	22	44
65+	1069	8.9	65	2	2	6	11	19	25	40
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	55	15.3	95	5	6	13	19	26	33	59
35-49	290	16.0	101	5	7	13	19	29	38	49
50-64	1478	17.1	90	7	9	15	20	27	36	54
65+	4258	20.5	123	8	10	18	25	34	42	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	6.6	48	1	2	5	8	14	19	41
B. *Operated*	1454	14.2	46	5	8	13	17	22	27	37
2. MULTIPLE DX										
A. *Not Operated*	1551	8.5	62	2	2	6	10	18	24	41
B. *Operated*	6082	19.4	116	8	9	17	24	33	40	61
1. SINGLE DX	1645	13.3	52	2	5	12	16	22	26	38
2. MULTIPLE DX	7633	17.2	125	3	5	15	22	31	38	58
A. NOT OPERATED	1742	8.3	61	1	2	6	10	17	24	41
B. OPERATED	7536	18.4	107	7	9	16	22	31	38	59
TOTAL 0-19 YRS	4	10.5	71	1	1	11	17	19	19	19
20-34	99	12.3	77	3	4	11	17	21	28	50
35-49	497	13.4	85	3	5	11	17	24	32	46
50-64	2370	14.6	88	3	4	13	18	25	33	50
65+	6308	17.5	123	3	5	16	22	31	38	59
GRAND TOTAL	**9278**	**16.5**	**114**	**3**	**5**	**15**	**21**	**29**	**37**	**57**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	4.7	7	2	2	4	7	9	9	9
50-64	50	6.8	60	1	1	5	7	18	20	45
65+	112	9.1	104	1	2	6	10	22	28	53
B. *Operated*										
0-19 YRS	3	10.0	28	4	4	12	13	14	14	14
20-34	17	9.1	36	2	3	10	12	19	20	20
35-49	76	12.6	42	2	3	12	17	21	24	27
50-64	382	13.7	62	3	4	13	17	23	27	41
65+	654	14.9	80	2	3	15	19	25	29	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	16	8.1	114	<1	<1	4	10	17	35	43
35-49	54	6.8	50	1	1	5	7	16	20	38
50-64	271	7.8	60	1	2	5	9	16	21	39
65+	608	10.0	87	2	3	6	13	22	28	53
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	19	16.7	119	5	7	13	19	33	43	49
35-49	156	16.9	85	5	8	15	21	27	33	55
50-64	905	18.0	127	4	7	16	22	32	38	59
65+	2058	20.4	157	4	7	18	26	36	44	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	8.2	87	1	2	5	9	20	25	44
B. *Operated*	1132	14.2	71	2	3	14	18	24	28	40
2. MULTIPLE DX										
A. *Not Operated*	951	9.2	79	2	2	6	12	20	27	49
B. *Operated*	3139	19.5	146	4	7	17	24	34	42	64
1. SINGLE DX	1303	13.4	78	2	3	13	18	23	27	41
2. MULTIPLE DX	4090	17.1	150	3	4	15	23	32	40	61
A. NOT OPERATED	1122	9.0	80	1	2	6	11	20	26	46
B. OPERATED	4271	18.1	132	3	6	16	23	32	39	60
TOTAL 0-19 YRS	7	10.1	53	3	3	7	13	22	24	24
20-34	53	11.4	102	<1	2	10	15	21	34	49
35-49	293	13.6	81	2	3	13	18	24	29	42
50-64	1608	14.9	114	2	4	13	19	27	34	54
65+	3432	17.2	147	3	4	15	23	32	39	61
GRAND TOTAL	**5393**	**16.2**	**135**	**2**	**4**	**14**	**21**	**30**	**37**	**59**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	13	1	1	3	4	10	11	11
20-34	2	5.0		5	5	5	5	5	5	5
35-49	6	6.0	47	1	1	3	12	16	17	17
50-64	31	7.6	66	<1	1	4	11	16	23	40
65+	59	8.8	58	2	3	6	11	21	27	37
B. *Operated*										
0-19 YRS	4	8.5	30	2	2	8	12	15	15	15
20-34	9	11.7	141	2	3	10	11	30	42	42
35-49	20	16.8	84	6	7	14	22	31	35	38
50-64	74	17.8	182	4	7	12	24	34	51	63
65+	86	16.4	127	2	3	15	23	30	35	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	13	1	1	3	7	9	11	11
20-34	18	5.4	13	<1	1	5	7	9	14	17
35-49	33	7.5	23	1	3	7	9	16	17	20
50-64	143	9.8	89	1	2	7	12	19	29	45
65+	259	10.6	81	2	3	8	13	21	30	46
B. *Operated*										
0-19 YRS	6	13.8	107	6	6	9	18	31	33	33
20-34	20	11.0	47	2	3	9	14	22	24	25
35-49	54	20.4	194	5	7	16	25	39	52	69
50-64	223	20.4	169	6	8	17	26	35	49	81
65+	490	22.4	191	6	9	20	28	41	53	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	7.9	56	1	1	5	11	16	24	39
B. *Operated*	193	16.6	143	2	5	13	23	32	38	62
2. MULTIPLE DX										
A. *Not Operated*	462	9.8	77	1	2	7	12	19	28	45
B. *Operated*	793	21.3	184	6	8	18	27	40	52	72
1. SINGLE DX	298	13.5	130	2	2	11	18	29	35	59
2. MULTIPLE DX	1255	17.1	176	3	4	14	23	34	44	65
A. NOT OPERATED	567	9.5	74	1	2	7	12	19	28	44
B. OPERATED	986	20.4	180	5	7	17	26	38	49	68
TOTAL 0-19 YRS	26	6.9	50	1	1	6	10	15	21	33
20-34	49	8.8	55	2	3	7	11	19	23	42
35-49	113	15.2	150	2	4	13	20	31	39	63
50-64	471	15.9	165	2	4	12	22	31	42	62
65+	894	17.5	176	3	4	15	23	34	44	66
GRAND TOTAL	**1553**	**16.4**	**169**	**2**	**4**	**13**	**22**	**33**	**43**	**64**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	9.0	36	3	3	9	13	15	15	15
35-49	12	6.8	12	3	3	6	10	12	12	12
50-64	48	7.7	55	1	1	6	10	15	17	48
65+	65	10.4	119	1	2	6	13	25	33	58
B. *Operated*										
0-19 YRS										
20-34	3	13.3	97	2	2	18	19	20	20	20
35-49	12	13.1	52	1	2	14	18	21	24	25
50-64	46	18.3	102	4	7	16	23	34	38	45
65+	90	19.7	128	7	9	18	24	32	38	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	5.4	15	1	1	4	7	12	13	13
35-49	50	10.5	231	1	2	6	12	18	34	97
50-64	223	9.2	71	2	2	6	11	20	29	39
65+	463	11.2	93	2	3	8	14	23	32	52
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	13	20.9	154	4	7	18	29	36	46	49
35-49	64	23.5	210	5	7	21	30	46	55	62
50-64	367	21.8	203	6	8	18	27	39	48	80
65+	654	22.9	143	7	10	21	29	39	47	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	9.0	84	1	2	6	11	18	26	51
B. *Operated*	151	18.6	116	4	8	17	23	32	38	45
2. MULTIPLE DX										
A. *Not Operated*	747	10.4	95	2	3	8	13	22	30	46
B. *Operated*	1099	22.5	167	7	9	20	28	39	48	68
1. SINGLE DX	279	14.2	124	2	3	12	19	28	34	47
2. MULTIPLE DX	1846	17.6	173	3	4	15	24	35	42	64
A. NOT OPERATED	875	10.2	94	2	3	7	12	21	30	47
B. OPERATED	1250	22.0	162	6	9	20	28	39	46	68
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	30	13.3	130	1	2	11	18	30	32	49
35-49	138	16.4	230	2	3	12	22	37	46	66
50-64	684	16.4	181	2	4	13	22	34	40	68
65+	1272	17.7	154	3	4	15	24	34	42	61
GRAND TOTAL	**2125**	**17.2**	**168**	**3**	**4**	**15**	**23**	**34**	**41**	**63**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.6	5	1	1	3	6	7	7	7
35-49	110	6.4	88	1	1	4	8	12	14	54
50-64	494	7.2	64	1	1	5	9	15	20	44
65+	540	7.8	70	1	2	5	10	16	25	42
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	8.9	17	4	4	9	10	16	17	17
35-49	266	11.9	69	2	3	10	16	22	30	35
50-64	1074	12.3	73	2	3	11	16	23	27	42
65+	1147	12.4	92	2	3	10	17	24	30	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.7	52	6	6	7	16	19	19	19
20-34	24	7.2	34	1	1	6	10	15	18	24
35-49	526	8.7	79	1	2	6	10	18	27	45
50-64	2722	9.3	74	1	2	7	12	20	25	41
65+	3110	10.8	88	2	3	8	14	22	29	47
B. *Operated*										
0-19 YRS	9	15.4	66	5	7	14	17	28	34	34
20-34	46	16.9	106	4	6	14	22	34	37	50
35-49	581	15.4	138	3	4	12	20	30	39	58
50-64	3518	16.3	133	3	5	14	21	31	38	59
65+	4158	16.8	146	3	5	14	22	32	41	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1155	7.4	69	1	1	5	9	15	21	43
B. *Operated*	2501	12.3	81	2	3	10	16	23	29	44
2. MULTIPLE DX										
A. *Not Operated*	6385	10.0	82	1	2	7	13	21	28	45
B. *Operated*	8312	16.5	140	3	5	14	21	31	39	61
1. SINGLE DX	3656	10.7	82	1	2	9	15	22	27	44
2. MULTIPLE DX	14697	13.6	125	2	3	11	18	28	36	55
A. NOT OPERATED	7540	9.6	81	1	2	7	12	21	27	45
B. OPERATED	10813	15.5	129	3	4	13	20	30	38	58
TOTAL 0-19 YRS	13	13.5	63	5	5	13	17	23	32	34
20-34	94	11.7	90	1	2	10	15	23	34	45
35-49	1483	11.7	111	1	2	9	15	24	33	51
50-64	7808	12.7	112	2	3	10	17	26	33	53
65+	8955	13.6	124	2	3	11	18	27	36	54
GRAND TOTAL	**18353**	**13.1**	**118**	**2**	**3**	**10**	**17**	**26**	**34**	**53**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	4	2	2	4	6	6	6	6
20-34	3	5.0		5	5	5	5	5	5	5
35-49	18	2.8	3	<1	1	2	4	5	6	7
50-64	38	6.2	55	1	1	4	8	11	13	45
65+	30	6.2	68	1	1	3	6	21	28	31
B. *Operated*										
0-19 YRS	4	15.8	4	13	13	16	17	18	18	18
20-34	13	9.5	72	1	1	7	14	22	28	29
35-49	93	9.6	76	1	1	8	15	22	24	38
50-64	369	8.2	69	1	1	4	13	19	23	45
65+	312	8.0	82	1	1	3	12	21	26	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	12	5.3	12	1	1	4	8	10	11	11
35-49	28	4.3	11	1	1	3	6	8	10	15
50-64	117	8.4	68	1	2	6	10	18	23	42
65+	133	10.2	153	1	2	6	13	22	37	81
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	16	10.2	32	3	5	9	13	16	22	25
35-49	82	15.4	179	2	2	12	20	35	43	56
50-64	418	15.0	214	2	2	12	20	31	42	84
65+	474	15.0	184	1	2	12	20	31	43	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	5.4	45	1	1	3	6	10	16	39
B. *Operated*	791	8.3	75	1	1	4	13	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	293	8.6	101	1	2	6	10	18	28	67
B. *Operated*	991	14.9	194	2	2	12	20	31	42	74
1. SINGLE DX	886	8.0	72	1	1	4	12	19	25	39
2. MULTIPLE DX	1284	13.5	180	1	2	10	18	30	41	75
A. NOT OPERATED	388	7.8	89	1	2	5	9	17	25	52
B. OPERATED	1782	12.0	152	1	2	9	17	27	35	58
TOTAL 0-19 YRS	14	7.6	32	2	2	6	13	16	18	18
20-34	44	8.3	40	1	2	6	11	16	21	29
35-49	221	10.5	118	1	1	7	15	24	33	51
50-64	942	11.1	144	1	2	8	15	25	32	65
65+	949	11.7	153	1	2	8	16	27	37	57
GRAND TOTAL	**2170**	**11.3**	**143**	**1**	**2**	**8**	**16**	**26**	**35**	**57**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.6	13	<1	<1	3	5	6	13	18
20-34	15	6.0	53	<1	2	4	7	8	25	31
35-49	8	6.1	22	1	1	5	10	13	13	13
50-64	29	6.6	53	2	2	4	6	18	22	32
65+	34	8.2	66	<1	<1	7	11	16	24	42
B. *Operated*										
0-19 YRS	54	7.9	44	1	2	6	11	17	23	29
20-34	70	8.6	66	1	2	6	11	19	21	43
35-49	63	8.5	68	1	2	6	12	17	20	51
50-64	96	9.2	62	1	2	6	12	22	25	38
65+	117	9.8	75	2	2	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.2	41	<1	1	4	6	10	14	38
20-34	50	5.9	26	<1	1	4	8	13	17	25
35-49	29	7.6	59	1	1	4	9	20	27	30
50-64	82	7.5	41	1	2	5	10	17	23	27
65+	119	10.1	114	<1	1	6	14	25	36	67
B. *Operated*										
0-19 YRS	19	8.9	24	1	2	9	13	16	17	18
20-34	43	16.8	264	2	4	12	23	37	46	85
35-49	42	10.6	61	2	3	8	15	23	26	32
50-64	123	17.2	241	2	4	13	22	37	56	94
65+	211	15.8	211	2	3	11	20	38	47	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	5.8	41	<1	1	4	7	13	17	33
B. *Operated*	400	9.0	65	1	2	7	12	20	24	43
2. MULTIPLE DX										
A. *Not Operated*	320	7.9	70	1	1	5	9	19	26	44
B. *Operated*	438	15.5	206	2	3	11	20	33	45	79
1. SINGLE DX	541	8.2	60	1	2	6	11	18	23	42
2. MULTIPLE DX	758	12.3	162	1	2	8	16	28	39	72
A. NOT OPERATED	461	7.3	62	<1	1	4	9	17	25	42
B. OPERATED	838	12.4	149	2	2	9	16	27	38	66
TOTAL 0-19 YRS	168	6.0	34	1	1	4	8	14	17	28
20-34	178	9.6	118	1	2	6	12	21	32	50
35-49	142	8.8	62	1	2	6	12	19	24	34
50-64	330	11.5	141	1	2	8	15	26	33	66
65+	481	12.4	152	1	2	9	16	28	40	70
GRAND TOTAL	**1299**	**10.6**	**124**	**1**	**2**	**7**	**14**	**24**	**32**	**60**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	4.5	9	<1	<1	4	6	9	11	11
35-49	12	4.3	7	1	1	4	6	8	8	8
50-64	30	5.1	16	1	1	5	6	10	12	20
65+	20	5.7	21	1	2	5	7	13	18	18
B. *Operated*										
0-19 YRS	10	5.7	17	<1	1	5	8	12	13	13
20-34	80	5.8	19	1	2	4	8	12	15	21
35-49	140	5.6	13	1	1	6	8	10	11	17
50-64	163	6.5	25	1	2	5	9	14	17	25
65+	172	7.9	59	1	2	5	10	16	21	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	27	7.3	60	1	2	4	9	14	22	40
35-49	28	6.4	35	1	1	5	8	11	22	26
50-64	61	7.1	28	1	2	5	11	15	17	24
65+	90	10.0	134	1	2	7	10	20	44	58
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	60	10.5	116	1	1	8	13	21	36	58
35-49	78	9.4	51	2	2	8	12	20	24	34
50-64	148	9.9	75	2	2	8	13	21	28	37
65+	169	12.5	149	2	2	8	16	28	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.0	15	1	1	4	6	8	12	20
B. *Operated*	565	6.6	32	1	2	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	207	8.3	81	1	2	6	10	15	24	50
B. *Operated*	456	10.9	105	2	2	8	14	23	31	59
1. SINGLE DX	639	6.4	31	1	2	5	8	13	17	28
2. MULTIPLE DX	663	10.1	99	1	2	7	13	21	30	51
A. NOT OPERATED	281	7.5	66	1	1	5	9	15	20	48
B. OPERATED	1021	8.5	69	1	2	6	11	17	24	41
TOTAL 0-19 YRS	13	5.9	27	<1	<1	4	9	14	16	17
20-34	178	7.5	61	1	2	5	9	15	20	41
35-49	258	6.8	30	1	1	6	9	12	17	26
50-64	402	7.8	46	1	2	6	10	16	20	32
65+	451	10.0	111	1	2	7	13	21	30	54
GRAND TOTAL	**1302**	**8.3**	**68**	**1**	**2**	**6**	**10**	**17**	**23**	**43**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	5.2	7	2	2	6	7	8	8	8
65+	18	5.2	10	1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	36	3.5	7	<1	1	3	4	7	10	11
35-49	112	3.4	12	<1	1	2	4	7	10	21
50-64	266	3.1	8	<1	<1	2	3	7	10	14
65+	609	3.8	14	1	1	3	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	13.0		13	13	13	13	13	13	13
35-49	8	6.9	33	1	1	6	11	16	16	16
50-64	20	10.8	69	2	3	9	14	22	29	34
65+	74	10.7	115	1	2	6	13	31	33	43
B. *Operated*										
0-19 YRS										
20-34	14	3.4	4	<1	<1	3	5	6	8	8
35-49	91	4.9	96	<1	1	3	5	10	14	61
50-64	282	6.5	91	1	2	3	7	14	23	60
65+	900	7.6	69	1	2	5	10	17	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.2	9	1	2	5	8	9	10	11
B. *Operated*	1030	3.6	12	<1	1	2	4	7	11	18
2. MULTIPLE DX										
A. *Not Operated*	104	10.4	98	1	2	7	13	28	33	40
B. *Operated*	1287	7.1	76	1	2	4	9	16	23	42
1. SINGLE DX	1053	3.6	12	<1	1	2	4	8	11	17
2. MULTIPLE DX	1391	7.4	78	1	2	4	9	16	24	42
A. NOT OPERATED	127	9.4	86	1	2	6	11	25	32	38
B. OPERATED	2317	5.5	50	1	1	3	6	13	17	35
TOTAL 0-19 YRS	8	1.8		1	1	2	2	2	2	2
20-34	51	3.7	8	<1	1	3	5	7	11	13
35-49	211	4.2	50	<1	1	2	4	9	14	21
50-64	573	5.1	55	<1	1	3	5	11	16	39
65+	1601	6.3	54	1	1	4	8	15	21	36
GRAND TOTAL	**2444**	**5.7**	**53**	**1**	**1**	**3**	**7**	**13**	**19**	**35**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	3.3	4	1	1	3	4	7	7	7
35-49	58	5.4	45	1	1	4	6	10	19	36
50-64	122	5.8	43	1	1	4	7	14	17	34
65+	93	7.8	76	1	1	5	9	17	24	50
B. *Operated*										
0-19 YRS	8	5.5	13	2	2	4	9	10	10	10
20-34	204	6.8	12	1	2	7	9	11	12	16
35-49	1022	7.0	13	2	3	7	9	11	13	18
50-64	1619	7.9	16	2	3	8	10	12	14	21
65+	1686	8.6	19	2	4	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	47	7.7	41	1	1	6	10	12	23	32
35-49	242	8.6	67	1	1	6	11	18	29	44
50-64	751	8.6	76	1	1	6	11	20	27	40
65+	894	11.9	114	2	3	8	16	25	32	50
B. *Operated*										
0-19 YRS	6	9.2	18	2	2	10	12	14	14	14
20-34	177	8.7	33	3	4	8	10	13	17	37
35-49	990	9.6	52	3	4	8	11	15	21	40
50-64	2222	11.0	60	4	5	9	13	19	24	45
65+	3195	12.4	78	4	5	10	15	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	6.3	54	1	1	4	7	13	20	41
B. *Operated*	4539	7.9	16	2	3	8	10	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1935	10.1	94	1	2	7	13	23	30	45
B. *Operated*	6590	11.4	68	4	5	9	13	20	26	47
1. SINGLE DX	4822	7.8	19	2	3	7	10	12	15	23
2. MULTIPLE DX	8525	11.1	74	2	4	9	13	20	27	47
A. NOT OPERATED	2218	9.6	90	1	2	7	12	22	30	45
B. OPERATED	11129	10.0	50	3	4	8	11	17	21	39
TOTAL 0-19 YRS	16	6.6	17	<1	2	6	10	12	13	14
20-34	437	7.6	24	2	2	7	9	12	14	27
35-49	2312	8.3	38	2	3	7	10	13	18	34
50-64	4714	9.4	49	2	3	8	11	16	21	37
65+	5868	11.1	69	3	4	9	13	20	26	46
GRAND TOTAL	**13347**	**9.9**	**56**	**2**	**3**	**8**	**12**	**17**	**23**	**41**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	2.9	4	<1	<1	3	4	4	5	11
35-49	96	4.3	13	1	2	4	4	7	9	25
50-64	112	4.0	8	2	2	3	4	6	9	18
65+	103	4.6	17	1	2	4	5	7	11	27
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	221	5.6	16	1	2	5	7	11	14	18
35-49	251	6.6	27	1	2	5	9	13	15	27
50-64	196	6.4	33	2	2	4	8	13	17	34
65+	114	6.9	50	2	2	4	8	13	20	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	5.6	23	1	2	4	7	12	18	21
35-49	93	8.0	45	1	2	5	11	18	21	31
50-64	136	7.1	61	1	2	4	8	19	25	36
65+	150	8.3	111	1	2	5	9	17	31	61
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	177	7.5	28	1	2	7	10	15	19	24
35-49	248	10.9	100	2	2	8	13	22	31	53
50-64	286	12.4	118	2	3	9	17	24	31	66
65+	276	13.0	133	2	3	10	17	26	33	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	4.2	12	1	2	4	4	6	9	19
B. *Operated*	783	6.3	29	1	2	5	8	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	413	7.6	73	1	2	5	9	18	23	45
B. *Operated*	989	11.3	105	2	2	8	15	23	30	54
1. SINGLE DX	1128	5.7	25	1	2	4	7	11	14	25
2. MULTIPLE DX	1402	10.2	98	2	2	7	13	21	28	53
A. NOT OPERATED	758	6.0	48	1	2	4	6	12	19	35
B. OPERATED	1772	9.1	77	2	2	7	11	19	25	46
TOTAL 0-19 YRS	3	3.7	8	2	2	2	6	7	7	7
20-34	466	6.1	22	1	2	5	8	12	16	21
35-49	688	8.0	60	1	2	6	10	16	22	44
50-64	730	8.5	78	2	2	5	11	20	25	39
65+	643	9.5	105	2	2	6	11	19	29	57
GRAND TOTAL	**2530**	**8.2**	**70**	**1**	**2**	**5**	**10**	**17**	**23**	**43**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	24	3.9	2	2	2	4	5	5	6	9
50-64	130	3.5	3	1	1	4	4	5	6	9
65+	162	4.6	22	1	2	4	5	7	11	31
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	21	6.7	13	2	3	6	9	11	14	17
35-49	99	6.7	12	1	1	7	8	11	13	18
50-64	563	6.7	17	1	2	7	9	11	13	19
65+	615	7.2	33	1	2	7	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	27	3.4	6	1	1	2	4	6	8	12
50-64	149	6.1	56	1	2	4	6	14	17	38
65+	252	9.1	105	1	1	5	10	23	36	47
B. *Operated*										
0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34	37	10.1	70	2	2	8	12	19	31	39
35-49	246	8.7	34	2	3	8	10	15	17	30
50-64	1035	9.6	53	2	2	8	11	16	22	42
65+	1297	11.6	91	2	3	9	14	21	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	4.1	13	1	1	4	4	6	9	24
B. *Operated*	1299	6.9	24	1	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	429	7.7	85	1	1	4	9	17	26	44
B. *Operated*	2617	10.5	71	2	2	9	13	19	26	50
1. SINGLE DX	1619	6.4	23	1	2	6	8	11	14	22
2. MULTIPLE DX	3046	10.1	74	2	2	8	12	19	26	50
A. NOT OPERATED	749	6.2	57	1	1	4	6	12	21	39
B. OPERATED	3916	9.3	58	2	2	8	11	17	22	44
TOTAL 0-19 YRS	3	11.7	52	7	7	8	17	20	20	20
20-34	63	8.5	49	2	3	7	10	17	21	38
35-49	396	7.6	28	1	2	7	9	13	16	26
50-64	1877	8.0	42	1	2	7	10	15	18	34
65+	2326	9.7	78	1	2	8	12	19	25	51
GRAND TOTAL	**4665**	**8.8**	**59**	**1**	**2**	**8**	**11**	**16**	**22**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	5	5	5
20-34	30	2.0	2	<1	1	2	2	4	5	6
35-49	120	2.4	5	<1	1	2	2	5	6	14
50-64	219	2.9	16	1	1	2	3	5	8	26
65+	210	3.3	19	1	1	2	4	6	9	22
B. *Operated*										
0-19 YRS	17	7.4	8	3	4	7	9	11	12	13
20-34	55	8.3	9	5	5	8	10	14	15	17
35-49	65	8.8	16	3	4	8	11	15	16	22
50-64	137	11.2	26	5	6	10	14	18	20	27
65+	107	14.0	79	4	6	11	18	24	33	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.5	94	2	2	3	13	22	22	22
20-34	41	3.1	9	<1	<1	2	3	7	8	17
35-49	124	4.1	43	<1	1	2	4	7	15	40
50-64	549	4.7	56	1	1	3	5	9	15	37
65+	532	7.4	70	1	2	4	9	17	24	43
B. *Operated*										
0-19 YRS	5	17.2	67	9	9	14	22	30	30	30
20-34	57	9.8	21	5	6	9	11	16	21	24
35-49	191	13.2	94	5	6	10	16	23	31	60
50-64	541	16.4	131	5	7	13	20	29	40	70
65+	594	20.0	145	7	9	16	25	36	46	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	583	2.9	14	1	1	2	3	5	8	20
B. *Operated*	381	11.0	40	4	6	10	14	18	22	38
2. MULTIPLE DX										
A. *Not Operated*	1250	5.8	61	1	1	3	6	13	20	38
B. *Operated*	1388	17.2	135	6	7	14	22	32	42	60
1. SINGLE DX	964	6.1	40	1	1	4	9	14	18	30
2. MULTIPLE DX	2638	11.8	133	1	2	9	16	27	35	54
A. NOT OPERATED	1833	4.9	48	1	1	2	5	11	17	36
B. OPERATED	1769	15.9	121	5	7	13	19	30	38	59
TOTAL 0-19 YRS	30	8.4	42	2	2	7	11	17	22	30
20-34	183	6.6	22	1	1	6	9	13	16	22
35-49	500	7.8	71	1	1	6	10	17	22	46
50-64	1446	9.4	109	1	1	6	13	22	28	51
65+	1443	12.5	139	1	2	10	17	28	36	54
GRAND TOTAL	**3602**	**10.3**	**114**	**1**	**1**	**7**	**14**	**23**	**31**	**51**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.6	9	2	2	6	8	9	9	9
35-49	5	4.8	13	1	1	4	8	9	9	9
50-64	16	3.3	4	1	1	3	4	6	8	9
65+	29	6.0	24	1	2	4	7	14	18	20
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	5	10.2	77	1	1	10	18	20	20	20
35-49	18	8.8	38	<1	1	8	13	18	20	21
50-64	44	9.0	47	1	2	7	13	18	25	28
65+	100	8.4	52	2	2	6	12	16	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	33	5.9	13	1	2	5	8	12	13	14
65+	53	12.1	125	2	2	8	15	31	37	49
B. *Operated*										
0-19 YRS										
20-34	7	8.9	30	1	2	9	13	16	16	16
35-49	31	9.2	64	2	3	8	11	16	24	43
50-64	80	14.7	205	2	3	11	19	30	45	74
65+	191	17.2	199	2	4	13	24	37	46	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.1	17	1	2	4	7	10	14	20
B. *Operated*	169	8.6	49	1	2	7	12	17	25	30
2. MULTIPLE DX										
A. *Not Operated*	91	9.4	88	2	2	6	12	20	32	46
B. *Operated*	309	15.6	189	2	3	11	22	33	44	81
1. SINGLE DX	224	7.7	43	1	2	5	11	16	21	29
2. MULTIPLE DX	400	14.2	173	2	3	10	19	31	42	73
A. NOT OPERATED	146	7.8	65	1	2	5	9	17	23	42
B. OPERATED	478	13.1	151	2	2	10	17	29	39	70
TOTAL 0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	18	7.9	37	1	1	7	12	17	19	20
35-49	58	8.3	49	1	2	6	11	16	20	41
50-64	173	10.5	126	2	2	7	13	22	28	66
65+	373	13.3	153	2	2	9	18	31	39	68
GRAND TOTAL	**624**	**11.9**	**136**	**2**	**2**	**9**	**15**	**27**	**35**	**63**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	92	4.3	46	1	1	2	4	10	15	42
65+	262	6.6	84	1	1	3	7	14	23	51
B. *Operated*										
0-19 YRS	4	8.8	4	6	6	9	10	11	11	11
20-34	1	7.0		7	7	7	7	7	7	7
35-49	24	8.3	51	1	2	6	12	20	23	27
50-64	583	7.5	30	2	2	6	10	15	18	26
65+	1992	8.1	35	2	2	7	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	9	7.9	13	1	3	8	10	12	14	14
50-64	272	8.0	55	1	1	6	10	18	22	33
65+	1652	10.0	78	2	3	8	13	20	26	44
B. *Operated*										
0-19 YRS	4	7.3	12	3	3	7	10	11	11	11
20-34	2	9.5	13	7	7	9	12	12	12	12
35-49	27	11.1	53	2	3	9	16	19	23	32
50-64	952	11.1	82	2	3	9	13	20	28	45
65+	5128	11.8	76	3	4	10	15	22	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	6.0	74	1	1	3	7	13	22	51
B. *Operated*	2604	7.9	34	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	1935	9.7	75	2	3	7	12	20	26	44
B. *Operated*	6113	11.7	77	3	4	9	15	22	28	46
1. SINGLE DX	2961	7.7	39	2	2	6	10	15	18	30
2. MULTIPLE DX	8048	11.2	77	2	3	9	14	21	28	45
A. NOT OPERATED	2292	9.1	77	1	2	7	12	19	25	44
B. OPERATED	8717	10.6	67	2	3	9	13	20	26	43
TOTAL 0-19 YRS	9	7.2	12	1	2	9	10	11	11	11
20-34	6	7.2	9	3	3	7	8	12	12	12
35-49	61	9.4	47	2	2	8	14	19	21	31
50-64	1899	9.2	64	2	2	7	12	18	24	41
65+	9034	10.5	70	2	3	8	13	20	26	44
GRAND TOTAL	**11009**	**10.3**	**69**	**2**	**3**	**8**	**13**	**20**	**26**	**43**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	4	1	1	5	5	7	9	9
20-34	33	4.9	12	1	1	5	6	11	12	13
35-49	5	4.6	6	1	1	5	6	8	8	8
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	26	7.4	45	2	2	5	9	16	22	32
20-34	187	5.9	25	1	2	5	7	11	16	24
35-49	87	5.3	16	2	2	4	7	9	14	24
50-64	44	6.0	50	1	2	4	6	13	18	43
65+	46	8.2	42	2	2	5	13	18	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.3	6	<1	2	5	6	9	11	11
20-34	63	5.8	23	1	2	5	7	10	14	32
35-49	17	5.6	5	2	2	5	8	8	9	10
50-64	19	6.8	16	2	3	6	10	13	15	15
65+	6	5.3	11	2	2	4	9	10	10	10
B. *Operated*										
0-19 YRS	12	9.6	28	2	3	11	13	16	17	17
20-34	91	12.4	167	2	3	9	16	24	27	81
35-49	41	8.3	94	1	2	6	10	18	20	59
50-64	40	9.5	68	2	3	7	10	23	32	33
65+	49	14.2	124	3	3	11	21	35	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.7	10	1	1	5	6	9	12	13
B. *Operated*	390	6.2	29	2	2	5	7	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	119	5.9	17	1	2	5	7	10	13	21
B. *Operated*	233	11.4	124	2	3	8	14	25	33	61
1. SINGLE DX	440	6.0	27	1	2	5	7	12	16	27
2. MULTIPLE DX	352	9.5	94	2	2	7	12	19	27	40
A. NOT OPERATED	169	5.5	15	1	1	5	7	10	12	15
B. OPERATED	623	8.1	71	2	2	5	10	17	24	39
TOTAL 0-19 YRS	62	6.9	28	2	2	5	9	14	17	30
20-34	374	7.4	66	1	2	5	8	16	21	37
35-49	150	6.2	37	2	2	5	8	10	15	29
50-64	105	7.4	52	1	2	5	9	15	21	37
65+	101	10.9	90	2	3	8	14	25	34	39
GRAND TOTAL	**792**	**7.6**	**60**	**1**	**2**	**5**	**9**	**15**	**22**	**38**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64	26	5.1	69	1	1	3	6	7	18	44
65+	93	6.6	50	1	1	4	8	15	21	38
B. *Operated*										
0-19 YRS	8	4.1	9	1	1	4	7	8	8	8
20-34	41	4.5	24	1	1	3	6	10	15	25
35-49	160	5.0	22	1	1	3	6	11	16	24
50-64	979	5.1	29	1	1	3	6	12	16	26
65+	2221	5.9	34	1	2	4	7	13	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	9	8.6	148	1	1	2	12	30	33	33
50-64	109	7.4	99	1	1	4	8	15	24	54
65+	374	8.8	57	2	2	6	13	19	25	32
B. *Operated*										
0-19 YRS	5	16.0	580	3	3	6	20	59	59	59
20-34	13	9.8	81	1	2	5	14	26	28	29
35-49	114	8.7	63	1	2	6	11	20	27	34
50-64	1003	9.2	92	1	2	6	12	21	27	44
65+	3533	9.8	88	2	2	7	13	22	29	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	6.1	53	1	1	4	7	14	20	45
B. *Operated*	3409	5.6	32	1	2	4	7	12	17	27
2. MULTIPLE DX										
A. *Not Operated*	494	8.5	68	1	2	5	11	18	25	42
B. *Operated*	4668	9.6	89	2	2	7	12	22	28	46
1. SINGLE DX	3532	5.6	33	1	2	4	7	12	17	27
2. MULTIPLE DX	5162	9.5	87	2	2	6	12	21	28	45
A. NOT OPERATED	617	8.0	66	1	2	5	10	18	24	43
B. OPERATED	8077	7.9	69	1	2	5	10	18	25	42
TOTAL 0-19 YRS	13	8.7	235	1	1	5	7	18	51	59
20-34	56	5.6	41	1	1	3	6	15	22	29
35-49	287	6.5	44	1	1	4	8	16	21	33
50-64	2117	7.2	67	1	2	4	9	16	23	41
65+	6221	8.3	70	2	2	5	10	18	25	43
GRAND TOTAL	**8694**	**7.9**	**69**	**1**	**2**	**5**	**10**	**18**	**25**	**42**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.0	24	<1	1	3	7	13	15	15
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	8	7.6	37	1	1	6	10	17	20	20
50-64	21	4.5	12	1	2	4	5	9	13	15
65+	36	7.6	62	1	1	5	7	21	27	31
B. *Operated*										
0-19 YRS	20	9.3	20	1	2	10	12	14	16	18
20-34	17	9.7	15	2	3	10	12	15	16	16
35-49	61	11.4	29	2	4	11	14	18	20	30
50-64	207	12.2	80	2	4	12	15	19	22	43
65+	244	13.0	82	2	3	12	17	24	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	14	1	1	2	6	10	11	11
20-34	11	8.0	44	1	2	6	10	19	24	24
35-49	25	8.4	71	1	1	7	10	16	32	33
50-64	131	10.3	83	1	2	7	15	22	26	46
65+	291	10.9	89	1	2	8	15	23	30	43
B. *Operated*										
0-19 YRS	10	17.5	143	10	10	13	19	35	50	50
20-34	16	13.4	88	2	5	11	17	25	35	39
35-49	119	14.4	71	4	5	12	19	26	34	42
50-64	411	16.6	115	4	6	14	21	30	36	60
65+	717	17.4	107	3	6	15	22	31	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	6.3	41	1	2	4	7	15	21	30
B. *Operated*	549	12.3	71	2	3	11	15	20	25	44
2. MULTIPLE DX										
A. *Not Operated*	466	10.4	85	1	2	7	14	23	29	43
B. *Operated*	1273	16.8	107	4	6	15	21	30	36	56
1. SINGLE DX	624	11.6	71	2	2	11	15	20	25	44
2. MULTIPLE DX	1739	15.1	109	2	4	13	20	28	35	54
A. NOT OPERATED	541	9.8	80	1	2	7	13	22	29	42
B. OPERATED	1822	15.5	100	3	5	13	19	27	35	54
TOTAL 0-19 YRS	46	9.3	67	1	1	9	12	17	19	50
20-34	46	10.3	52	2	2	9	13	17	24	39
35-49	213	12.6	62	2	4	11	15	22	30	37
50-64	770	14.0	106	2	3	12	18	25	32	54
65+	1288	14.9	106	2	3	13	20	28	35	53
GRAND TOTAL	**2363**	**14.2**	**101**	**2**	**3**	**12**	**18**	**26**	**34**	**53**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	2	1	1	1	3	4	4	4
20-34										
35-49										
50-64	4	5.0	1	4	4	5	6	6	6	6
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	13	5.2	8	2	2	4	7	9	11	11
20-34	5	3.6	4	2	2	3	5	7	7	7
35-49	12	3.2	4	1	1	3	4	6	8	8
50-64	14	3.9	4	2	2	4	5	7	8	9
65+	25	6.4	73	2	2	4	5	9	32	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.0	15	1	1	3	4	11	13	13
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	8	4.4	2	2	2	4	5	6	6	6
65+	9	6.0	19	2	2	4	8	13	13	13
B. *Operated*										
0-19 YRS	2	41.5	1201	17	17	41	66	66	66	66
20-34	2	5.5	1	5	5	5	6	6	6	6
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	21	8.8	38	2	3	6	13	19	20	20
65+	34	9.9	81	2	2	6	14	24	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	8	1	1	4	5	8	10	10
B. *Operated*	69	4.9	31	2	2	3	5	8	9	36
2. MULTIPLE DX										
A. *Not Operated*	26	4.7	12	1	1	4	6	12	13	13
B. *Operated*	62	10.1	111	2	2	6	14	19	28	63
1. SINGLE DX	80	4.7	27	1	2	4	5	8	10	35
2. MULTIPLE DX	88	8.5	88	2	2	5	12	18	24	56
A. NOT OPERATED	37	4.4	11	1	1	4	6	9	13	13
B. OPERATED	131	7.4	75	2	2	4	8	16	24	44
TOTAL 0-19 YRS	29	6.7	145	1	1	3	6	12	19	66
20-34	8	3.8	5	1	1	3	5	7	7	7
35-49	15	3.5	5	1	1	3	5	8	8	8
50-64	47	6.3	23	2	2	4	6	15	19	20
65+	69	8.1	70	2	2	5	10	17	30	39
GRAND TOTAL	**168**	**6.7**	**62**	**1**	**2**	**4**	**7**	**14**	**19**	**39**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	4.1	34	1	1	3	4	9	10	39
20-34	34	9.3	198	1	1	4	11	19	38	73
35-49	75	6.1	15	1	2	5	8	13	15	79
50-64	82	10.0	89	2	3	8	11	21	27	53
65+	62	13.0	243	2	2	8	12	35	48	80
B. *Operated*										
0-19 YRS	57	12.6	50	2	5	10	16	22	28	36
20-34	81	12.8	43	3	6	12	17	19	26	80
35-49	109	17.5	217	3	6	14	19	33	45	78
50-64	122	18.9	212	5	7	15	24	38	48	99
65+	91	23.1	299	5	6	18	32	47	64	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.9	47	1	1	4	6	12	14	39
20-34	53	8.3	81	2	2	4	10	17	27	46
35-49	97	10.9	144	2	2	7	11	29	39	59
50-64	206	11.9	110	2	2	9	15	26	35	49
65+	151	15.2	136	3	4	11	21	34	40	49
B. *Operated*										
0-19 YRS	46	22.3	401	3	4	14	31	52	68	86
20-34	51	22.9	431	2	4	16	30	46	75	98
35-49	94	22.1	342	3	6	18	27	47	70	94
50-64	146	26.8	341	8	9	21	37	59	71	99+
65+	146	29.4	349	8	10	24	38	61	71	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	321	8.3	110	1	2	5	9	17	27	64
B. *Operated*	460	17.5	193	4	6	14	20	36	46	79
2. MULTIPLE DX										
A. *Not Operated*	563	11.7	121	2	2	8	15	28	37	49
B. *Operated*	483	25.8	365	4	7	21	34	56	70	99
1. SINGLE DX	781	13.8	179	2	2	10	17	30	43	76
2. MULTIPLE DX	1046	18.2	283	2	3	13	25	42	56	86
A. NOT OPERATED	884	10.5	119	1	2	7	12	24	35	53
B. OPERATED	943	21.8	298	4	6	17	28	47	64	98
TOTAL 0-19 YRS	227	10.4	160	1	2	6	12	25	35	68
20-34	219	13.5	194	2	2	10	17	28	42	85
35-49	375	14.7	223	2	3	10	18	33	46	86
50-64	556	17.1	232	2	3	12	23	38	51	97
65+	450	21.1	295	3	5	17	29	45	61	80
GRAND TOTAL	**1827**	**16.3**	**243**	**2**	**3**	**11**	**21**	**37**	**49**	**83**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	13.5	221	3	3	13	24	24	24	24
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	9.5	5	8	8	9	11	11	11	11
B. *Operated*										
0-19 YRS	4	25.5	310	12	12	19	37	51	51	51
20-34	4	14.3	42	5	5	16	18	20	20	20
35-49	4	9.3	25	5	5	8	13	16	16	16
50-64	12	15.9	160	6	7	13	17	29	50	54
65+	12	19.3	319	2	3	12	28	49	57	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	8.0		8	8	8	8	8	8	8
35-49	5	25.6	1347	2	2	7	42	89	89	89
50-64	8	8.1	37	2	2	7	10	18	21	21
65+	10	21.3	482	2	3	11	25	60	66	66
B. *Operated*										
0-19 YRS	4	16.8	316	2	2	12	30	41	41	41
20-34	7	14.6	104	1	2	16	26	79	99+	99+
35-49	8	31.0	383	2	6	27	49	56	58	58
50-64	21	21.6	291	4	5	16	28	53	60	63
65+	17	37.3	760	6	11	34	52	85	86	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	8.3	59	1	1	7	10	21	24	24
B. *Operated*	36	17.2	201	4	5	14	18	44	53	58
2. MULTIPLE DX										
A. *Not Operated*	25	16.7	477	2	2	8	22	54	72	89
B. *Operated*	57	26.4	469	3	5	19	36	62	85	99
1. SINGLE DX	43	15.7	187	3	4	11	18	39	52	58
2. MULTIPLE DX	82	23.4	486	2	3	17	34	59	84	96
A. NOT OPERATED	32	14.8	393	2	2	8	16	34	65	89
B. OPERATED	93	22.8	382	3	5	17	33	54	68	94
TOTAL 0-19 YRS	11	16.1	278	1	2	12	22	45	50	51
20-34	14	13.9	78	1	3	15	22	30	82	99+
35-49	17	24.3	589	2	3	16	36	57	78	89
50-64	42	17.0	220	3	5	12	19	39	56	63
65+	41	26.8	586	3	4	18	37	67	84	86
GRAND TOTAL	**125**	**20.8**	**394**	**2**	**4**	**15**	**25**	**53**	**67**	**92**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.7	12	<1	1	3	5	7	10	18
20-34	25	2.7	2	1	1	3	4	4	5	5
35-49	27	3.5	13	1	1	3	4	5	8	20
50-64	18	3.3	2	1	2	3	4	5	6	6
65+	12	5.9	27	1	2	4	6	16	17	17
B. *Operated*										
0-19 YRS	28	7.4	66	3	3	5	6	11	34	36
20-34	114	4.9	5	3	3	4	5	7	9	14
35-49	109	5.4	16	2	3	4	6	9	13	25
50-64	99	7.1	59	3	3	5	8	12	18	54
65+	45	8.3	35	3	4	6	9	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.9	23	1	2	5	8	11	16	23
20-34	43	4.1	7	1	2	4	5	8	9	13
35-49	34	4.3	10	1	1	3	6	10	10	11
50-64	45	7.0	40	1	2	5	8	20	25	99+
65+	62	8.6	65	2	2	5	11	21	23	40
B. *Operated*										
0-19 YRS	36	7.9	45	2	3	7	9	13	18	40
20-34	106	7.1	54	2	3	5	9	11	14	47
35-49	107	8.2	45	3	3	6	10	13	23	40
50-64	122	11.2	125	3	4	7	12	25	35	58
65+	104	15.3	251	4	4	11	17	31	40	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	3.6	10	1	1	3	4	5	8	19
B. *Operated*	395	6.1	30	3	3	5	6	10	14	33
2. MULTIPLE DX										
A. *Not Operated*	206	6.3	37	1	2	4	8	13	21	36
B. *Operated*	475	10.3	121	3	3	7	11	19	30	59
1. SINGLE DX	507	5.6	27	2	2	4	6	9	13	31
2. MULTIPLE DX	681	9.1	99	2	3	6	10	18	28	58
A. NOT OPERATED	318	5.3	29	1	1	4	6	11	19	29
B. OPERATED	870	8.4	84	3	3	5	9	15	23	51
TOTAL 0-19 YRS	116	6.3	39	1	2	5	7	11	17	37
20-34	288	5.4	25	2	2	4	6	9	11	22
35-49	277	6.2	29	2	2	5	7	11	14	32
50-64	284	8.6	86	2	3	5	9	19	26	58
65+	223	11.5	155	2	3	7	15	23	32	70
GRAND TOTAL	**1188**	**7.6**	**71**	**2**	**2**	**5**	**8**	**14**	**22**	**48**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	7	<1	1	3	5	7	9	12
20-34	19	6.7	36	1	2	5	6	18	20	22
35-49	80	5.1	26	1	1	4	6	11	16	27
50-64	245	8.1	76	1	1	5	10	18	26	40
65+	324	8.8	77	1	1	6	11	21	28	43
B. *Operated*										
0-19 YRS	22	7.7	41	1	1	7	12	14	20	28
20-34	38	5.9	18	2	2	5	8	10	14	22
35-49	120	8.5	49	1	2	7	12	19	24	30
50-64	326	10.2	92	1	2	7	13	23	29	45
65+	426	10.1	87	1	2	8	13	22	31	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.2	29	1	1	4	6	11	18	24
20-34	248	7.3	76	1	2	4	8	16	22	47
35-49	989	8.9	80	1	2	6	11	19	26	46
50-64	3541	9.2	79	2	2	6	12	20	27	43
65+	5182	10.9	90	2	3	8	14	23	30	46
B. *Operated*										
0-19 YRS	38	11.2	67	2	3	9	15	22	29	39
20-34	241	12.6	135	2	3	9	15	26	34	63
35-49	973	14.0	166	2	3	10	18	30	40	72
50-64	3269	15.2	163	2	3	12	20	31	42	67
65+	4279	16.0	161	3	4	13	21	32	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	7.9	69	1	1	5	10	18	26	39
B. *Operated*	932	9.7	81	1	2	7	12	22	28	45
2. MULTIPLE DX										
A. *Not Operated*	10005	10.0	86	2	2	7	13	21	28	45
B. *Operated*	8800	15.3	162	2	3	12	20	31	41	67
1. SINGLE DX	1627	8.9	77	1	2	6	11	21	27	45
2. MULTIPLE DX	18805	12.5	128	2	3	9	16	27	35	57
A. NOT OPERATED	10700	9.9	85	2	2	7	13	21	28	45
B. OPERATED	9732	14.8	157	2	3	11	20	31	40	65
TOTAL 0-19 YRS	132	7.0	45	1	1	5	10	15	22	34
20-34	546	9.5	104	2	2	6	11	21	27	52
35-49	2162	11.0	123	1	2	8	14	24	32	59
50-64	7381	11.9	125	2	2	8	15	26	34	57
65+	10211	12.9	126	2	3	10	17	27	36	56
GRAND TOTAL	**20432**	**12.2**	**125**	**2**	**3**	**9**	**16**	**26**	**35**	**56**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	4.7	20	1	1	3	8	10	14	18
20-34	98	3.5	22	1	1	2	4	9	11	26
35-49	45	4.1	49	<1	1	2	3	8	14	38
50-64	46	4.0	8	1	1	3	6	8	9	11
65+	25	5.1	48	<1	<1	3	6	13	19	34
B. *Operated*										
0-19 YRS	112	9.0	49	1	2	7	12	18	23	35
20-34	302	8.5	41	1	2	7	11	17	21	30
35-49	134	8.7	72	1	2	6	11	19	23	39
50-64	61	10.8	108	1	2	8	15	22	34	54
65+	50	10.2	75	2	3	8	13	26	31	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.6	90	1	1	4	6	14	28	46
20-34	127	5.6	48	<1	1	4	6	12	21	38
35-49	67	6.8	68	1	1	4	9	13	25	44
50-64	68	7.5	28	2	2	6	10	15	17	27
65+	89	9.8	95	<1	1	8	13	23	32	48
B. *Operated*										
0-19 YRS	23	10.3	47	2	3	10	13	22	25	27
20-34	146	11.9	132	2	3	8	15	25	36	58
35-49	71	12.2	71	2	3	11	17	25	32	86
50-64	84	17.7	206	3	5	14	23	41	48	68
65+	77	14.6	105	2	4	12	19	29	36	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	4.0	27	1	1	2	5	8	11	34
B. *Operated*	659	8.9	58	1	2	7	12	18	24	35
2. MULTIPLE DX										
A. *Not Operated*	375	7.2	64	1	1	5	9	15	23	44
B. *Operated*	401	13.6	131	2	3	10	17	28	38	59
1. SINGLE DX	892	7.7	54	1	1	6	10	17	22	35
2. MULTIPLE DX	776	10.5	109	1	2	8	14	23	33	54
A. NOT OPERATED	608	6.0	52	1	1	4	8	13	20	38
B. OPERATED	1060	10.7	91	2	2	8	14	22	30	53
TOTAL 0-19 YRS	178	8.4	53	1	2	6	11	18	23	41
20-34	673	7.9	66	1	1	5	10	17	23	39
35-49	317	8.5	74	1	1	6	11	20	27	40
50-64	259	11.0	127	1	2	7	14	24	34	58
65+	241	10.9	97	1	1	9	14	25	32	47
GRAND TOTAL	**1668**	**9.0**	**82**	**1**	**1**	**6**	**12**	**20**	**27**	**45**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	3.7	21	<1	<1	2	5	9	12	22
20-34	20	7.0	70	<1	<1	4	8	20	28	32
35-49	17	4.9	32	<1	<1	3	7	10	19	24
50-64	38	7.1	59	1	1	6	9	16	26	35
65+	81	6.7	49	1	1	5	10	14	19	42
B. *Operated*										
0-19 YRS	77	9.9	64	<1	1	7	16	24	26	82
20-34	25	13.8	136	1	2	10	21	30	39	41
35-49	17	11.9	155	1	2	7	12	33	42	46
50-64	46	7.2	43	1	1	5	10	13	18	35
65+	55	8.2	33	1	2	7	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	6.8	71	<1	1	4	8	13	24	46
20-34	38	8.3	89	<1	1	5	10	23	29	42
35-49	15	5.3	42	1	1	3	7	16	22	24
50-64	111	8.5	100	1	1	6	10	17	23	57
65+	467	9.7	85	1	2	7	12	21	28	46
B. *Operated*										
0-19 YRS	52	21.0	333	2	3	18	29	44	77	99
20-34	33	29.6	412	2	5	30	46	59	65	67
35-49	21	16.9	231	3	4	12	29	45	48	49
50-64	140	12.1	120	3	3	9	15	26	34	53
65+	326	14.2	166	3	4	10	18	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	5.3	39	<1	<1	3	6	12	17	34
B. *Operated*	220	9.5	69	1	2	7	13	22	27	42
2. MULTIPLE DX										
A. *Not Operated*	736	8.9	85	1	2	6	11	20	27	45
B. *Operated*	572	15.3	203	3	3	11	19	33	47	74
1. SINGLE DX	513	7.1	57	<1	<1	5	9	16	24	36
2. MULTIPLE DX	1308	11.7	147	1	2	8	15	27	36	64
A. NOT OPERATED	1029	7.9	75	<1	1	5	10	18	25	44
B. OPERATED	792	13.7	172	2	3	9	17	30	42	68
TOTAL 0-19 YRS	371	8.3	118	<1	<1	5	10	22	29	77
20-34	116	15.3	271	1	1	8	24	42	48	66
35-49	70	10.3	145	1	1	6	12	29	43	49
50-64	335	9.7	100	1	2	7	12	21	29	48
65+	929	10.9	113	2	2	8	14	23	31	54
GRAND TOTAL	**1821**	**10.4**	**126**	**1**	**1**	**7**	**13**	**24**	**32**	**58**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.4	40	<1	<1	4	5	9	11	41
20-34	53	4.1	15	<1	<1	3	5	8	12	20
35-49	48	6.0	27	<1	<1	5	8	11	18	22
50-64	61	4.4	21	<1	<1	3	6	10	16	20
65+	133	5.7	80	<1	1	3	6	12	19	44
B. *Operated*										
0-19 YRS	26	11.4	171	1	1	7	12	40	43	44
20-34	43	16.7	272	2	2	8	30	39	40	72
35-49	53	15.4	284	<1	1	7	28	40	50	65
50-64	79	18.7	322	2	3	10	32	55	66	99+
65+	101	14.5	191	2	3	8	25	37	44	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	7.2	39	1	1	5	9	16	19	33
20-34	67	6.9	40	1	1	5	10	16	19	32
35-49	86	7.6	77	<1	1	5	9	17	25	49
50-64	131	8.8	110	1	1	5	12	23	31	48
65+	471	7.2	61	1	1	5	10	15	22	37
B. *Operated*										
0-19 YRS	25	25.9	536	2	4	15	40	61	75	80
20-34	68	24.9	368	2	4	23	36	57	76	99+
35-49	81	22.4	310	3	5	19	34	40	49	94
50-64	174	25.7	450	3	4	22	39	60	71	99
65+	349	19.3	307	3	3	12	30	44	58	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	5.0	46	<1	<1	3	6	10	15	40
B. *Operated*	302	15.8	253	2	2	8	27	41	53	99+
2. MULTIPLE DX										
A. *Not Operated*	817	7.5	68	1	1	5	10	17	24	39
B. *Operated*	697	22.0	364	3	4	15	33	51	64	92
1. SINGLE DX	679	9.8	166	<1	<1	5	10	31	41	65
2. MULTIPLE DX	1514	14.2	256	1	2	8	19	37	51	78
A. NOT OPERATED	1194	6.7	62	<1	1	4	9	15	21	39
B. OPERATED	999	20.1	338	2	3	13	32	46	61	96
TOTAL 0-19 YRS	195	9.0	165	<1	<1	5	10	18	41	68
20-34	231	13.4	245	<1	1	7	20	38	51	80
35-49	268	13.3	224	<1	1	7	20	36	41	64
50-64	445	16.6	339	1	1	9	26	45	61	99+
65+	1054	11.7	191	1	1	6	14	32	42	68
GRAND TOTAL	**2193**	**12.8**	**232**	**1**	**1**	**7**	**16**	**35**	**46**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.6	6	<1	<1	3	5	6	9	11
20-34	41	4.6	21	1	1	2	6	11	15	19
35-49	111	6.1	54	<1	1	4	7	13	17	42
50-64	304	6.0	41	<1	1	4	8	14	18	39
65+	418	8.3	76	1	1	5	11	21	27	40
B. *Operated*										
0-19 YRS	35	7.8	39	2	2	6	12	17	18	28
20-34	91	8.1	44	2	2	6	12	17	20	31
35-49	201	8.5	56	2	2	6	11	18	21	40
50-64	493	8.8	54	2	2	7	11	18	24	36
65+	529	10.7	81	2	3	8	14	22	28	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	8.9	85	<1	1	6	9	27	32	33
20-34	53	6.3	30	1	1	5	8	12	17	28
35-49	183	7.1	36	<1	1	5	10	15	18	30
50-64	645	8.7	84	1	1	6	11	19	26	45
65+	1309	10.2	89	1	2	8	13	22	30	45
B. *Operated*										
0-19 YRS	26	12.4	174	1	1	7	19	30	44	51
20-34	75	15.9	265	2	4	9	19	39	60	68
35-49	212	13.8	189	3	3	10	16	25	40	74
50-64	814	16.7	233	2	4	12	21	36	49	87
65+	1529	17.3	203	3	4	13	23	36	46	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	900	6.9	59	1	1	4	9	17	23	38
B. *Operated*	1349	9.4	65	2	2	7	12	20	26	41
2. MULTIPLE DX										
A. *Not Operated*	2206	9.4	83	1	2	7	12	21	28	44
B. *Operated*	2656	16.7	213	3	4	12	22	35	46	80
1. SINGLE DX	2249	8.4	64	1	2	6	11	19	25	41
2. MULTIPLE DX	4862	13.4	167	2	2	10	17	29	40	68
A. NOT OPERATED	3106	8.7	77	1	1	6	11	19	27	43
B. OPERATED	4005	14.3	175	2	3	10	19	30	42	71
TOTAL 0-19 YRS	103	8.1	80	<1	1	5	10	18	28	46
20-34	260	9.4	119	1	1	6	12	19	29	66
35-49	707	9.3	99	1	2	7	11	19	26	56
50-64	2256	11.3	143	1	2	8	14	25	34	70
65+	3785	12.9	145	2	2	9	17	28	37	60
GRAND TOTAL	**7111**	**11.8**	**140**	**1**	**2**	**8**	**15**	**26**	**35**	**61**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	69	4.0	12	1	1	3	5	7	10	20
20-34	188	3.1	3	1	1	3	4	5	6	8
35-49	196	3.2	2	1	2	3	4	5	6	8
50-64	272	3.8	7	1	2	3	4	6	7	16
65+	204	4.0	5	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
0-19 YRS	15	8.2	336	1	2	3	5	9	58	74
20-34	47	3.7	6	1	2	3	4	8	9	13
35-49	61	4.0	7	1	2	3	5	7	9	15
50-64	144	5.2	23	1	2	4	5	9	11	27
65+	167	5.9	19	2	2	5	7	11	15	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.6	1	2	2	2	3	4	4	4
B. *Operated*	929	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	6	3.8	19	<1	<1	1	9	10	10	10
B. *Operated*	434	5.2	28	2	2	4	6	9	12	24
1. SINGLE DX	934	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	440	5.2	28	1	2	4	6	9	12	24
A. NOT OPERATED	11	3.3	10	<1	<1	2	4	9	10	10
B. OPERATED	1363	4.1	13	1	2	3	5	7	9	19
TOTAL 0-19 YRS	87	4.6	67	1	1	3	5	7	10	54
20-34	237	3.2	3	1	1	3	4	5	6	9
35-49	258	3.3	3	1	2	3	4	5	6	10
50-64	418	4.3	13	1	2	4	5	7	9	22
65+	374	4.9	12	2	2	4	6	9	11	20
GRAND TOTAL	**1374**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**	**19**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.1	5	1	1	2	4	7	8	9
20-34	15	3.5	10	1	1	3	4	5	12	14
35-49	41	3.1	4	<1	1	3	4	6	6	10
50-64	66	2.4	3	1	1	2	3	4	7	9
65+	72	2.8	5	1	1	2	4	5	6	13
B. *Operated*										
0-19 YRS	65	3.6	9	1	1	2	5	7	11	14
20-34	92	5.7	31	1	1	3	9	12	17	28
35-49	177	4.5	22	1	1	2	7	11	15	21
50-64	587	3.9	16	1	1	2	5	10	12	18
65+	602	4.7	27	1	1	3	6	11	14	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.5	3	1	1	4	5	6	6	6
20-34	26	5.5	31	<1	1	5	7	8	14	30
35-49	49	4.7	13	1	1	4	6	10	11	20
50-64	140	4.5	18	1	1	3	5	9	12	23
65+	290	5.5	19	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	29	6.4	19	1	1	6	9	12	13	20
20-34	112	8.9	121	1	1	6	11	17	23	62
35-49	305	7.3	33	1	2	6	10	13	17	27
50-64	986	7.2	40	1	2	5	10	15	19	28
65+	1559	8.7	71	1	2	6	12	18	23	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.8	5	1	1	2	4	5	7	12
B. *Operated*	1523	4.4	22	1	1	2	6	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	517	5.1	19	1	1	4	6	10	13	23
B. *Operated*	2991	8.0	59	1	2	6	11	17	21	38
1. SINGLE DX	1738	4.2	20	1	1	2	5	10	13	22
2. MULTIPLE DX	3508	7.6	54	1	2	5	10	16	20	35
A. NOT OPERATED	732	4.4	16	1	1	3	6	9	12	21
B. OPERATED	4514	6.8	49	1	1	4	10	15	19	33
TOTAL 0-19 YRS	127	4.1	12	1	1	3	6	9	11	15
20-34	245	7.0	74	1	1	4	9	14	19	49
35-49	572	5.9	28	1	1	4	9	12	15	23
50-64	1779	5.7	32	1	1	4	8	13	16	25
65+	2523	7.2	56	1	1	5	10	16	21	35
GRAND TOTAL	**5246**	**6.5**	**45**	**1**	**1**	**4**	**9**	**14**	**18**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	104	2.2	7	1	1	1	2	4	9	14
20-34	82	3.7	13	<1	1	2	4	8	11	17
35-49	78	4.1	17	1	1	2	5	9	13	20
50-64	100	4.8	16	<1	1	2	8	11	13	16
65+	63	5.5	31	1	1	2	10	13	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	25.7	1240	1	1	10	52	66	66	66
35-49	1	2.0		2	2	2	2	2	2	2
50-64	6	4.0	6	2	2	4	5	8	8	8
65+	12	6.9	13	2	2	6	10	11	14	14
B. *Operated*										
0-19 YRS	14	2.1	2	<1	1	2	2	3	5	6
20-34	23	6.3	59	1	1	2	11	18	26	27
35-49	34	6.1	22	1	2	5	9	12	15	19
50-64	64	7.8	35	2	2	6	12	16	19	24
65+	87	11.1	90	2	2	7	19	26	28	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	1	1	1	2	3	4	4	4
B. *Operated*	427	3.9	17	1	1	2	5	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	23	8.1	172	1	2	5	9	11	32	66
B. *Operated*	222	8.3	61	1	2	6	12	20	26	29
1. SINGLE DX	434	3.9	16	1	1	2	5	10	12	18
2. MULTIPLE DX	245	8.3	71	1	2	5	11	19	26	30
A. NOT OPERATED	30	6.8	137	1	1	4	8	10	14	66
B. OPERATED	649	5.4	36	1	1	2	7	14	19	27
TOTAL 0-19 YRS	121	2.2	6	1	1	2	2	4	8	13
20-34	109	4.8	58	<1	1	2	5	11	16	43
35-49	113	4.6	19	1	1	2	7	11	14	20
50-64	173	5.8	25	1	1	4	8	13	16	21
65+	163	8.6	68	1	2	5	12	23	26	30
GRAND TOTAL	**679**	**5.5**	**40**	**1**	**1**	**2**	**7**	**14**	**19**	**28**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.2	8	<1	<1	1	2	4	10	12
20-34	33	2.4	7	<1	<1	<1	3	5	8	13
35-49	28	2.9	7	<1	<1	2	4	8	9	9
50-64	24	1.8	1	<1	<1	1	2	3	4	5
65+	15	3.1	8	<1	<1	2	3	8	10	11
B. *Operated*										
0-19 YRS	790	2.9	4	1	1	2	3	5	6	11
20-34	873	3.0	9	1	1	2	3	5	7	14
35-49	853	3.2	7	1	1	2	4	6	8	15
50-64	822	3.1	6	<1	1	2	4	6	8	15
65+	347	3.6	11	1	1	3	4	6	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	9	<1	<1	3	6	9	9	9
20-34	18	3.6	8	<1	<1	3	5	8	9	9
35-49	14	3.8	7	<1	<1	3	6	7	9	9
50-64	31	5.9	34	1	1	4	7	13	21	27
65+	16	8.4	28	1	2	7	12	17	18	18
B. *Operated*										
0-19 YRS	121	3.6	9	1	1	3	4	6	9	18
20-34	335	4.6	24	1	1	3	5	9	12	20
35-49	543	4.9	23	1	1	3	6	10	14	28
50-64	731	6.0	48	1	2	4	7	13	17	40
65+	462	6.5	59	1	2	4	8	13	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	2.5	6	<1	<1	1	3	5	8	12
B. *Operated*	3685	3.1	7	1	1	2	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	88	5.3	23	<1	1	4	7	11	15	25
B. *Operated*	2192	5.5	39	1	2	4	6	11	15	30
1. SINGLE DX	3800	3.1	7	<1	1	2	4	5	7	14
2. MULTIPLE DX	2280	5.5	38	1	2	4	6	11	15	30
A. NOT OPERATED	203	3.7	15	<1	<1	2	5	8	11	20
B. OPERATED	5877	4.0	20	1	1	3	4	8	11	20
TOTAL 0-19 YRS	935	3.0	5	1	1	2	3	5	7	12
20-34	1259	3.4	14	1	1	2	4	6	8	17
35-49	1438	3.8	14	1	1	3	4	8	10	19
50-64	1608	4.4	28	1	1	3	5	9	13	27
65+	840	5.3	40	1	1	3	6	11	15	27
GRAND TOTAL	**6080**	**4.0**	**20**	**1**	**1**	**3**	**4**	**8**	**11**	**20**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	3	<1	1	2	3	5	6	7
20-34	8	6.6	81	<1	<1	4	7	22	28	28
35-49	6	5.7	62	<1	<1	2	7	20	21	21
50-64	3	7.7	40	4	4	4	12	15	15	15
65+	7	11.1	49	<1	1	10	16	20	21	21
B. *Operated*										
0-19 YRS	644	2.7	13	<1	<1	2	3	5	7	12
20-34	271	3.0	11	<1	1	2	3	5	8	20
35-49	211	3.6	16	<1	1	2	4	8	11	21
50-64	183	3.5	10	<1	1	2	4	7	10	16
65+	131	4.3	15	<1	1	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.6	10	<1	1	4	7	8	10	13
20-34	13	6.5	71	<1	1	3	8	16	29	32
35-49	6	5.3	7	3	3	5	8	8	8	8
50-64	10	7.3	73	1	1	4	8	20	30	30
65+	25	5.0	13	1	2	4	6	11	13	15
B. *Operated*										
0-19 YRS	153	3.5	18	<1	<1	2	4	7	15	23
20-34	174	4.4	21	<1	<1	3	5	9	15	22
35-49	198	5.1	35	<1	1	3	6	11	20	30
50-64	230	6.0	52	<1	1	3	7	14	19	42
65+	190	7.2	64	1	2	4	9	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	5.2	39	<1	<1	3	6	15	21	28
B. *Operated*	1440	3.1	13	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	79	5.4	28	<1	1	4	7	10	13	31
B. *Operated*	945	5.4	41	<1	1	3	6	13	19	34
1. SINGLE DX	1487	3.2	14	<1	<1	2	3	6	9	20
2. MULTIPLE DX	1024	5.4	40	<1	1	3	6	12	19	33
A. NOT OPERATED	126	5.3	32	<1	1	3	7	11	16	30
B. OPERATED	2385	4.0	25	<1	1	2	4	9	13	27
TOTAL 0-19 YRS	845	2.9	13	<1	<1	2	3	6	8	18
20-34	466	3.7	18	<1	1	2	4	8	11	26
35-49	421	4.3	26	<1	1	2	5	9	14	27
50-64	426	5.0	36	<1	1	3	6	11	15	30
65+	353	6.1	44	1	1	4	8	15	19	41
GRAND TOTAL	**2511**	**4.1**	**26**	**<1**	**1**	**2**	**4**	**9**	**13**	**27**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	5	2.2	2	<1	<1	2	3	4	4	4
35-49	3	1.7		1	1	2	2	2	2	2
50-64	3	1.7	1	1	1	1	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	220	2.0	1	<1	1	2	2	3	4	5
20-34	535	2.0	1	<1	1	2	2	3	3	5
35-49	401	2.1	1	<1	1	2	2	3	4	6
50-64	206	2.5	2	1	1	2	3	4	5	9
65+	138	2.7	2	1	2	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	3.4	5	1	1	4	5	6	6	6
50-64	6	7.3	88	1	1	4	7	24	26	26
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	28	2.6	2	1	1	2	3	5	6	6
20-34	207	2.8	3	1	1	2	3	5	7	10
35-49	305	3.2	7	1	1	2	3	6	7	16
50-64	208	4.3	39	1	2	3	4	8	10	34
65+	173	4.9	18	2	2	3	5	10	13	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.5	4	<1	<1	2	3	5	7	8
B. *Operated*	1500	2.2	1	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	15	5.0	38	1	1	4	5	7	21	26
B. *Operated*	921	3.6	16	1	1	3	4	7	9	18
1. SINGLE DX	1513	2.2	1	<1	1	2	2	3	4	7
2. MULTIPLE DX	936	3.7	17	1	1	3	4	7	9	19
A. NOT OPERATED	28	3.8	23	<1	1	3	5	7	10	26
B. OPERATED	2421	2.7	7	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	250	2.1	1	<1	1	2	2	3	4	6
20-34	748	2.2	2	<1	1	2	3	3	4	9
35-49	714	2.6	4	<1	1	2	3	4	6	9
50-64	423	3.4	22	1	1	2	3	6	8	18
65+	314	3.9	12	1	2	3	4	7	11	21
GRAND TOTAL	**2449**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	28	3.9	10	1	1	3	5	7	10	17
35-49	44	2.8	4	<1	<1	2	4	6	7	8
50-64	13	1.8	1	<1	<1	1	2	3	4	4
65+	6	4.0	3	2	2	4	5	6	6	6
B. *Operated*										
0-19 YRS	6	6.3	8	2	2	7	8	10	10	10
20-34	629	5.9	6	1	2	6	7	8	9	11
35-49	1832	6.6	7	2	2	7	8	9	10	14
50-64	353	6.4	9	2	2	7	8	9	10	16
65+	36	7.8	17	2	3	7	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	71	3.5	13	<1	<1	2	5	7	11	20
35-49	196	3.6	9	<1	1	3	5	8	9	14
50-64	45	4.9	25	1	1	4	6	8	12	32
65+	31	9.6	101	2	3	6	10	21	26	52
B. *Operated*										
0-19 YRS	8	6.9	7	3	3	7	9	11	11	11
20-34	1853	6.9	11	2	2	7	8	10	12	19
35-49	8886	7.4	11	2	5	7	8	10	13	19
50-64	1986	7.9	15	2	4	7	9	12	15	22
65+	269	10.9	38	3	5	9	13	20	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	3.1	6	<1	<1	3	4	6	7	14
B. *Operated*	2856	6.4	7	2	2	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	343	4.3	23	<1	1	3	5	8	11	25
B. *Operated*	13002	7.5	12	2	4	7	8	11	13	21
1. SINGLE DX	2948	6.3	7	1	2	7	8	9	10	14
2. MULTIPLE DX	13345	7.4	13	2	4	7	8	11	13	21
A. NOT OPERATED	435	4.1	19	<1	1	3	5	8	10	22
B. OPERATED	15858	7.3	12	2	4	7	8	10	13	20
TOTAL 0-19 YRS	15	6.3	9	1	2	7	8	10	11	11
20-34	2581	6.5	11	1	2	7	8	10	11	18
35-49	10958	7.2	10	2	4	7	8	10	12	18
50-64	2397	7.6	15	2	2	7	9	11	14	22
65+	342	10.3	42	2	4	9	12	19	23	31
GRAND TOTAL	**16293**	**7.2**	**12**	**2**	**3**	**7**	**8**	**10**	**13**	**20**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	28	3.8	7	1	1	3	7	7	8	9
35-49	39	5.2	7	1	1	6	7	8	9	11
50-64	27	3.2	10	1	1	2	3	8	9	15
65+	4	4.8	12	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	48	6.5	30	2	2	6	7	10	22	27
35-49	144	6.5	12	2	2	6	8	10	12	22
50-64	51	7.5	28	2	2	7	10	12	17	27
65+	21	7.3	32	1	2	7	10	15	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	<1	<1	4	8	8	8	8
B. *Operated*	101	4.2	8	1	1	3	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*	265	6.7	20	2	2	6	8	11	14	26
1. SINGLE DX	103	4.2	9	1	1	3	7	8	9	13
2. MULTIPLE DX	268	6.7	20	2	2	6	8	11	14	26
A. NOT OPERATED	5	3.6	7	<1	<1	3	5	8	8	8
B. OPERATED	366	6.0	18	1	2	6	8	10	12	25
TOTAL 0-19 YRS	4	3.3	11	1	1	2	5	8	8	8
20-34	76	5.5	23	1	1	5	7	8	14	26
35-49	185	6.1	12	1	2	6	8	9	11	20
50-64	79	6.0	26	1	1	5	8	11	15	27
65+	27	6.8	28	1	2	6	10	14	17	23
GRAND TOTAL	**371**	**6.0**	**18**	**1**	**2**	**6**	**8**	**10**	**12**	**25**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	7	3.1	8	<1	<1	2	5	8	8	8
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	165	5.9	3	4	4	6	7	8	9	13
20-34	576	5.8	3	4	4	6	6	8	9	12
35-49	202	6.7	6	4	4	6	7	9	10	16
50-64	112	8.1	8	5	5	8	9	12	14	18
65+	69	9.4	11	6	6	8	11	14	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	2	4	4	5	6	7	7	7
20-34	6	4.7	13	1	1	3	7	11	11	11
35-49	4	3.3	10	1	1	2	5	8	8	8
50-64	4	8.3	115	1	1	4	15	24	24	24
65+	5	11.6	74	2	2	15	18	21	21	21
B. *Operated*										
0-19 YRS	94	6.4	5	4	4	6	7	9	11	14
20-34	579	6.7	7	4	5	6	7	9	11	18
35-49	476	7.8	12	4	5	7	8	11	15	24
50-64	349	9.6	25	6	6	8	11	15	18	24
65+	251	12.9	54	7	7	11	15	22	24	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.0	5	<1	<1	2	4	6	8	8
B. *Operated*	1124	6.4	6	4	4	6	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	23	6.7	43	1	1	4	8	18	22	24
B. *Operated*	1749	8.4	23	4	5	7	9	14	17	25
1. SINGLE DX	1137	6.4	6	4	4	6	7	9	11	15
2. MULTIPLE DX	1772	8.4	23	4	5	7	9	14	17	25
A. NOT OPERATED	36	5.4	32	<1	1	3	7	15	20	24
B. OPERATED	2873	7.6	17	4	5	7	8	12	15	23
TOTAL 0-19 YRS	266	6.0	4	4	4	6	7	8	10	13
20-34	1168	6.2	5	4	4	6	7	8	10	16
35-49	684	7.4	11	4	5	7	8	10	13	22
50-64	466	9.2	22	5	6	8	10	14	17	24
65+	325	12.1	47	6	7	10	15	20	23	31
GRAND TOTAL	**2909**	**7.6**	**18**	**4**	**5**	**7**	**8**	**12**	**15**	**23**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34	22	3.0	7	<1	<1	2	5	7	8	9
35-49	28	3.5	14	<1	1	2	4	6	8	21
50-64	11	2.7	6	1	1	2	2	7	8	8
65+	7	4.7	15	2	2	2	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34	31	5.4	7	1	1	6	6	8	9	12
35-49	32	5.4	14	1	1	5	7	9	11	20
50-64	12	6.3	49	1	1	3	8	18	23	24
65+	10	5.8	27	2	2	3	7	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	13	<1	<1	3	6	6	6	6
B. *Operated*	72	3.3	10	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	88	5.5	17	1	1	5	7	9	14	22
1. SINGLE DX	74	3.3	10	<1	1	2	4	7	9	19
2. MULTIPLE DX	91	5.4	16	1	1	5	7	9	14	22
A. NOT OPERATED	5	3.0	4	<1	<1	2	4	6	6	6
B. OPERATED	160	4.5	15	1	1	3	6	8	11	21
TOTAL 0-19 YRS	8	2.4	2	<1	<1	2	3	4	5	5
20-34	54	4.4	8	<1	1	5	6	8	9	12
35-49	62	4.5	14	1	1	4	6	8	10	21
50-64	24	4.5	30	<1	1	2	7	10	18	24
65+	17	5.4	21	2	2	3	7	13	15	16
GRAND TOTAL	**165**	**4.4**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**21**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	32	2.4	2	1	1	2	3	4	5	8
35-49	17	3.2	2	1	2	3	5	5	6	6
50-64	14	2.6	5	1	1	2	3	5	8	9
65+	5	2.6		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	16	3.9	15	1	1	3	5	7	14	17
35-49	11	3.7	8	<1	1	3	5	8	11	11
50-64	17	5.7	26	2	2	4	7	15	18	19
65+	16	6.8	24	2	2	5	10	15	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	70	2.7	3	1	1	2	3	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	62	5.1	20	1	1	3	6	12	16	19
1. SINGLE DX	71	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	63	5.0	20	1	2	3	6	12	16	19
A. NOT OPERATED	2	4.5	13	2	2	4	7	7	7	7
B. OPERATED	132	3.8	12	1	1	3	4	8	12	18
TOTAL 0-19 YRS	5	2.4	2	<1	<1	2	4	4	4	4
20-34	48	2.9	7	1	1	2	4	5	7	17
35-49	29	3.6	5	1	2	3	5	6	7	11
50-64	31	4.3	18	1	1	3	5	9	17	19
65+	21	5.8	21	2	2	3	9	13	15	16
GRAND TOTAL	**134**	**3.8**	**12**	**1**	**1**	**3**	**4**	**8**	**12**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	13	2.6	4	<1	<1	2	3	6	8	8
35-49	19	5.1	25	<1	1	3	7	14	17	18
50-64	42	4.0	14	<1	1	2	5	11	12	15
65+	56	3.6	15	1	2	2	4	5	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	6	5.2	17	2	2	4	6	12	13	13
B. *Operated*										
0-19 YRS	5	5.8	66	<1	<1	2	9	20	20	20
20-34	10	3.3	6	<1	<1	3	4	7	8	8
35-49	20	6.9	80	<1	1	3	9	15	28	40
50-64	31	8.3	91	1	2	4	10	20	23	47
65+	94	6.3	58	1	1	3	7	14	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*	133	3.8	15	<1	1	2	4	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	8	5.1	13	2	2	4	6	11	13	13
B. *Operated*	160	6.5	64	1	1	3	8	15	22	40
1. SINGLE DX	135	3.8	15	<1	1	2	4	9	12	21
2. MULTIPLE DX	168	6.5	62	1	1	3	8	15	21	40
A. NOT OPERATED	10	4.8	12	1	1	4	6	10	13	13
B. OPERATED	293	5.3	43	1	1	3	6	12	19	37
TOTAL 0-19 YRS	8	4.3	42	<1	<1	2	4	15	20	20
20-34	23	2.9	5	<1	<1	2	4	7	8	8
35-49	40	6.0	51	<1	1	3	8	15	17	40
50-64	74	5.8	50	1	1	3	8	14	19	41
65+	158	5.3	42	1	1	3	5	12	20	33
GRAND TOTAL	**303**	**5.3**	**42**	**1**	**1**	**3**	**6**	**12**	**18**	**36**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	1.8	2	<1	<1	1	2	3	5	7
20-34	5	2.4	4	<1	<1	2	3	6	6	6
35-49	4	5.8	39	2	2	3	9	15	15	15
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	9.3	124	<1	<1	5	18	22	22	22
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	4	3.8	2	2	2	4	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	39	2.2	6	<1	<1	2	2	4	7	15
2. MULTIPLE DX										
A. *Not Operated*	4	3.5	8	<1	<1	3	6	6	6	6
B. *Operated*	15	4.6	29	<1	1	3	5	11	19	22
1. SINGLE DX	39	2.2	6	<1	<1	2	2	4	7	15
2. MULTIPLE DX	19	4.4	24	<1	<1	3	5	9	17	22
A. NOT OPERATED	4	3.5	8	<1	<1	3	6	6	6	6
B. OPERATED	54	2.9	13	<1	<1	2	3	5	10	22
TOTAL 0-19 YRS	27	1.8	2	<1	<1	1	2	3	4	7
20-34	7	2.1	3	<1	<1	2	2	5	6	6
35-49	7	7.3	65	<1	<1	4	12	21	22	22
50-64	8	2.6	12	<1	<1	1	2	8	11	11
65+	9	3.7	3	1	1	4	5	6	6	6
GRAND TOTAL	**58**	**2.9**	**13**	**<1**	**<1**	**2**	**3**	**6**	**9**	**21**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.6	18	1	1	2	5	11	11	11
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	18	2.2	2	<1	<1	2	2	5	6	6
65+	17	4.5	27	<1	1	3	5	14	18	19
B. *Operated*										
0-19 YRS	14	12.4	94	1	3	12	14	19	37	42
20-34	44	13.6	68	2	4	12	17	22	28	42
35-49	93	10.8	44	2	3	9	14	20	26	29
50-64	155	13.6	79	2	3	12	17	26	30	45
65+	79	17.9	139	3	5	16	22	35	42	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	10	3.8	12	1	1	3	5	9	12	12
35-49	17	5.9	18	1	2	4	8	14	15	15
50-64	27	7.6	61	1	1	5	9	25	39	99+
65+	92	10.7	99	2	3	8	13	23	28	57
B. *Operated*										
0-19 YRS	10	16.5	181	2	3	14	21	36	49	49
20-34	29	19.2	270	3	3	14	25	54	68	99+
35-49	47	19.6	305	3	5	15	23	48	67	99+
50-64	166	22.1	281	4	7	17	30	46	60	99+
65+	150	28.1	333	6	9	26	37	58	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.2	13	<1	1	2	4	6	11	19
B. *Operated*	385	13.8	87	2	3	12	17	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	148	9.0	81	1	2	6	11	20	27	76
B. *Operated*	402	23.7	310	3	7	19	31	52	69	99+
1. SINGLE DX	433	12.6	90	2	2	11	16	24	30	47
2. MULTIPLE DX	550	19.8	291	3	3	15	28	45	61	99+
A. NOT OPERATED	196	7.6	70	1	1	5	10	18	26	55
B. OPERATED	787	18.9	226	3	5	15	25	39	55	98
TOTAL 0-19 YRS	26	13.2	128	1	2	12	16	24	43	49
20-34	88	13.8	150	1	2	11	19	25	42	87
35-49	165	12.4	138	2	2	10	15	25	30	90
50-64	366	16.5	199	2	3	13	21	34	47	98
65+	338	19.8	274	2	4	16	27	42	59	87
GRAND TOTAL	**983**	**16.6**	**215**	**2**	**3**	**13**	**22**	**36**	**51**	**93**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	42	3.8	2	1	2	4	5	6	7	7
20-34	359	3.9	2	2	3	4	4	5	6	10
35-49	351	4.0	2	2	3	4	5	5	7	11
50-64	298	4.4	5	3	3	4	5	6	7	12
65+	118	5.2	6	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	5	6.4	17	1	1	8	10	10	10	10
50-64	2	5.5	1?	3	3	5	8	8	8	8
65+	5	11.4	239	3	3	5	14	39	39	39
B. *Operated*										
0-19 YRS	12	4.1	2	3	3	4	5	6	8	8
20-34	103	5.0	5	3	3	4	6	8	11	12
35-49	174	4.9	5	2	3	4	6	8	9	14
50-64	193	6.4	22	3	3	5	7	13	17	26
65+	135	8.4	50	3	3	6	9	15	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	4	1	1	4	5	7	7	7
B. *Operated*	1168	4.2	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	14	7.4	92	<1	1	4	8	13	33	39
B. *Operated*	617	6.1	22	3	3	5	7	10	14	27
1. SINGLE DX	1175	4.2	3	2	3	4	5	6	7	11
2. MULTIPLE DX	631	6.2	23	3	3	5	7	10	14	27
A. NOT OPERATED	21	6.1	64	<1	1	4	7	10	23	39
B. OPERATED	1785	4.9	11	2	3	4	5	8	10	20
TOTAL 0-19 YRS	54	3.9	2	1	2	4	5	6	7	8
20-34	464	4.1	3	2	3	4	5	6	7	11
35-49	532	4.3	4	2	3	4	5	6	8	12
50-64	496	5.2	12	3	3	4	5	8	11	23
65+	260	7.0	35	3	3	5	8	11	18	38
GRAND TOTAL	**1806**	**4.9**	**11**	**2**	**3**	**4**	**5**	**8**	**10**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	16	3.5	4	<1	1	3	5	5	8	9
35-49	11	5.1	18	<1	1	4	6	11	16	17
50-64	11	7.9	98	2	2	5	8	20	36	37
65+	2	25.5	221	15	15	25	36	36	36	36
B. *Operated*										
0-19 YRS	8	14.3	173	4	5	8	21	37	39	39
20-34	47	9.4	32	3	4	8	11	17	22	30
35-49	36	8.4	30	2	3	8	12	16	17	27
50-64	63	8.4	25	3	4	7	9	16	20	26
65+	30	10.3	40	2	5	8	14	20	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	22	6.4	13	2	3	5	8	12	14	16
35-49	10	6.7	10	3	3	6	9	11	13	13
50-64	17	8.0	39	2	3	6	11	13	22	27
65+	15	8.9	37	2	2	8	13	18	20	21
B. *Operated*										
0-19 YRS	5	9.4	3	7	7	9	10	12	12	12
20-34	56	11.7	91	3	5	10	12	22	29	55
35-49	66	12.3	91	4	5	10	15	25	37	44
50-64	129	13.8	169	3	4	9	17	30	43	77
65+	107	17.9	215	4	4	14	23	42	50	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.1	57	1	2	4	5	10	24	37
B. *Operated*	184	9.2	37	3	4	8	11	18	22	31
2. MULTIPLE DX										
A. *Not Operated*	65	7.4	25	2	3	6	10	13	17	26
B. *Operated*	363	14.4	159	4	4	10	18	31	43	69
1. SINGLE DX	227	8.6	42	2	3	7	10	17	22	36
2. MULTIPLE DX	428	13.3	145	3	4	9	17	28	42	67
A. NOT OPERATED	108	6.9	37	2	2	5	8	13	17	36
B. OPERATED	547	12.6	124	3	4	9	16	27	38	64
TOTAL 0-19 YRS	17	10.4	95	3	3	7	10	27	36	39
20-34	141	9.2	56	2	3	8	11	16	23	47
35-49	123	10.1	66	2	3	8	12	19	27	41
50-64	220	11.5	121	3	4	8	14	24	36	70
65+	154	15.7	177	3	4	11	19	33	46	67
GRAND TOTAL	**655**	**11.7**	**114**	**3**	**4**	**8**	**14**	**24**	**36**	**56**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	6	2.0	2	<1	<1	1	2	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	14	2.2	1	1	1	2	3	4	5	5
20-34	1004	4.0	6	1	1	3	6	7	8	11
35-49	400	4.8	7	1	1	5	7	8	9	12
50-64	94	5.0	9	1	2	5	7	10	10	12
65+	37	5.2	16	2	2	3	7	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	1.8	2	<1	<1	1	2	5	5	5
35-49	3	10.0	193	1	1	3	20	26	26	26
50-64	3	3.0	12	<1	<1	<1	5	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	3.0	4	<1	<1	3	4	6	6	6
20-34	752	5.3	11	1	2	5	7	9	11	19
35-49	483	6.6	16	2	2	7	8	10	12	25
50-64	152	7.1	20	2	2	7	9	13	16	24
65+	82	8.5	48	2	2	8	11	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.7	4	<1	<1	2	5	6	6	6
B. *Operated*	1549	4.3	7	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	28	<1	<1	1	3	6	14	26
B. *Operated*	1478	6.1	17	1	2	6	8	10	12	21
1. SINGLE DX	1559	4.3	7	1	1	4	6	8	9	11
2. MULTIPLE DX	1501	6.1	17	1	2	6	8	10	12	22
A. NOT OPERATED	33	2.9	20	<1	<1	1	3	6	7	26
B. OPERATED	3027	5.2	13	1	2	5	7	9	10	17
TOTAL 0-19 YRS	24	2.7	3	<1	1	2	3	6	6	6
20-34	1779	4.6	9	1	1	4	6	8	9	14
35-49	888	5.8	13	1	2	6	7	9	11	17
50-64	250	6.3	17	1	2	6	8	11	13	21
65+	119	7.5	40	2	2	7	9	13	19	34
GRAND TOTAL	**3060**	**5.2**	**13**	**1**	**2**	**5**	**7**	**9**	**10**	**17**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49										
50-64	7	2.6	1	2	2	2	3	4	4	4
65+	4	6.3	43	2	2	3	10	16	16	16
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	50	4.9	10	1	2	4	7	9	10	15
35-49	80	5.3	14	1	2	4	7	9	14	18
50-64	153	5.3	28	1	1	4	7	11	15	25
65+	184	5.4	22	1	1	4	8	11	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	6	3.2	7	1	1	2	4	8	8	8
65+	11	11.8	49	3	4	10	18	22	25	25
B. *Operated*										
0-19 YRS	3	6.7	65	2	2	2	13	16	16	16
20-34	36	6.8	19	1	2	6	8	13	15	18
35-49	130	8.3	51	1	2	6	10	18	23	36
50-64	220	8.0	46	2	2	7	10	16	21	31
65+	369	10.4	99	2	2	8	14	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.7	15	<1	1	3	4	7	14	16
B. *Operated*	470	5.3	21	1	1	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	20	8.0	47	1	2	5	10	19	22	25
B. *Operated*	758	9.1	73	2	2	7	12	19	24	39
1. SINGLE DX	483	5.3	21	1	1	4	7	10	14	21
2. MULTIPLE DX	778	9.1	72	2	2	7	12	19	24	39
A. NOT OPERATED	33	6.3	38	1	2	4	8	17	19	25
B. OPERATED	1228	7.7	56	1	2	6	10	16	21	37
TOTAL 0-19 YRS	6	5.8	31	2	2	4	8	15	16	16
20-34	89	5.6	14	1	2	5	8	10	13	17
35-49	212	7.0	38	1	2	5	8	14	20	34
50-64	386	6.7	39	1	2	5	9	13	19	30
65+	568	8.8	78	1	2	6	11	19	24	39
GRAND TOTAL	**1261**	**7.6**	**56**	**1**	**2**	**6**	**10**	**16**	**21**	**36**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	4.0	9	<1	1	3	6	8	10	16
20-34	80	4.0	11	<1	1	3	5	7	10	21
35-49	75	4.1	6	1	1	4	6	7	9	12
50-64	99	5.4	18	1	1	5	7	11	14	21
65+	166	5.6	36	<1	1	4	6	11	17	34
B. *Operated*										
0-19 YRS	196	4.5	17	1	1	3	6	9	12	20
20-34	338	5.1	31	1	1	3	6	10	15	26
35-49	310	4.7	19	1	1	3	6	9	13	24
50-64	465	4.9	24	1	1	3	6	11	13	21
65+	474	6.0	39	1	2	4	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	3.5	11	<1	1	2	4	9	12	14
20-34	110	6.7	49	1	2	5	8	12	16	48
35-49	141	6.1	82	1	1	4	8	11	18	34
50-64	311	6.4	34	1	1	5	8	13	18	27
65+	634	8.8	83	1	2	6	11	20	27	43
B. *Operated*										
0-19 YRS	75	9.2	131	2	2	5	11	21	30	68
20-34	243	8.0	83	2	2	6	9	16	23	44
35-49	332	7.7	84	1	2	6	9	15	20	94
50-64	630	9.8	98	2	2	7	13	20	28	52
65+	1051	11.5	104	2	3	9	15	24	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	4.9	21	<1	1	4	6	9	12	24
B. *Operated*	1783	5.2	28	1	1	3	7	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	1255	7.4	67	1	1	5	9	16	22	40
B. *Operated*	2331	10.1	100	2	2	7	13	21	29	52
1. SINGLE DX	2256	5.1	26	1	1	3	6	11	14	25
2. MULTIPLE DX	3586	9.1	90	1	2	6	12	19	27	47
A. NOT OPERATED	1728	6.7	55	1	1	5	8	14	20	37
B. OPERATED	4114	7.9	75	1	2	5	10	17	24	43
TOTAL 0-19 YRS	383	5.2	41	1	1	3	7	10	15	30
20-34	771	6.1	50	1	2	4	7	12	18	34
35-49	858	6.0	55	1	1	4	8	12	17	33
50-64	1505	7.3	61	1	2	5	9	15	21	41
65+	2325	9.2	85	1	2	6	12	20	27	45
GRAND TOTAL	**5842**	**7.6**	**69**	**1**	**2**	**5**	**9**	**17**	**23**	**42**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	1	1	1	3	5	5	5
20-34	16	3.3	9	<1	<1	2	5	6	10	12
35-49	17	5.8	27	<1	1	4	7	11	18	22
50-64	24	4.8	12	1	1	4	6	11	13	14
65+	21	4.0	11	<1	<1	3	5	10	11	12
B. *Operated*										
0-19 YRS	32	3.8	2	2	2	4	4	6	7	7
20-34	267	4.1	2	2	3	4	5	6	6	10
35-49	323	4.4	3	2	3	4	5	6	7	11
50-64	285	4.6	5	3	3	4	5	6	8	15
65+	161	5.0	5	2	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.4	4	1	1	3	4	6	8	8
20-34	37	4.5	15	<1	1	3	6	7	11	22
35-49	60	5.4	14	<1	1	4	8	11	13	16
50-64	74	6.1	27	1	2	5	7	13	14	32
65+	87	6.8	24	2	2	6	9	11	16	29
B. *Operated*										
0-19 YRS	11	4.0	2	2	2	4	4	6	8	8
20-34	76	5.4	14	3	3	4	6	8	10	27
35-49	166	6.0	13	2	3	5	7	11	12	23
50-64	270	7.5	23	3	4	6	9	14	17	24
65+	232	9.0	54	3	4	7	11	16	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.3	14	<1	1	3	5	10	12	19
B. *Operated*	1068	4.5	4	2	3	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	268	5.9	22	1	2	5	8	11	14	27
B. *Operated*	755	7.4	31	3	3	5	9	14	17	29
1. SINGLE DX	1155	4.5	4	2	3	4	5	6	8	13
2. MULTIPLE DX	1023	7.0	29	2	3	5	8	13	16	28
A. NOT OPERATED	355	5.5	20	1	1	4	7	11	14	22
B. OPERATED	1823	5.7	17	3	3	5	6	10	13	23
TOTAL 0-19 YRS	62	3.5	3	1	1	3	4	6	7	8
20-34	396	4.4	6	2	2	4	5	6	8	13
35-49	566	5.0	8	2	3	4	5	9	11	16
50-64	653	6.0	17	2	3	5	7	11	15	23
65+	501	7.1	34	2	3	5	8	14	16	30
GRAND TOTAL	**2178**	**5.6**	**17**	**2**	**3**	**4**	**6**	**10**	**13**	**23**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	4.8	11	1	1	4	7	9	11	17
20-34	219	5.5	19	1	2	5	7	10	13	29
35-49	166	5.5	13	1	2	5	8	10	12	19
50-64	143	5.1	12	<1	1	4	7	9	11	19
65+	88	6.9	24	<1	1	6	9	14	16	24
B. *Operated*										
0-19 YRS	50	4.9	9	3	3	4	5	8	9	20
20-34	243	5.2	9	2	3	5	6	8	11	18
35-49	189	4.6	5	2	3	4	5	6	8	14
50-64	158	5.2	9	3	3	5	6	7	11	20
65+	60	5.8	7	3	3	5	7	9	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	5.5	15	2	2	4	6	11	14	20
20-34	297	6.8	20	1	2	6	9	11	14	22
35-49	436	7.2	21	2	3	6	9	13	17	24
50-64	558	8.1	34	2	3	7	10	15	20	29
65+	815	10.3	48	3	3	9	13	19	23	35
B. *Operated*										
0-19 YRS	19	8.4	53	2	3	6	9	18	26	33
20-34	122	8.5	116	3	3	6	9	16	19	78
35-49	169	8.1	48	2	3	6	10	16	20	40
50-64	203	8.8	54	2	3	6	12	19	24	36
65+	174	13.3	158	3	4	10	18	28	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	5.5	16	1	2	5	7	10	13	20
B. *Operated*	700	5.1	8	2	3	4	6	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	2196	8.4	36	2	3	7	11	16	21	30
B. *Operated*	687	9.7	94	2	3	6	12	20	28	77
1. SINGLE DX	1389	5.3	12	1	2	5	6	9	11	19
2. MULTIPLE DX	2883	8.7	50	2	3	7	11	17	22	34
A. NOT OPERATED	2885	7.7	33	2	3	6	10	15	19	29
B. OPERATED	1387	7.4	56	2	3	5	8	14	20	38
TOTAL 0-19 YRS	232	5.4	16	1	2	4	7	10	14	20
20-34	881	6.3	31	2	2	5	7	10	14	26
35-49	960	6.6	23	2	3	5	8	12	16	25
50-64	1062	7.4	33	2	3	6	9	14	19	29
65+	1137	10.3	64	3	3	8	13	20	25	42
GRAND TOTAL	**4272**	**7.6**	**40**	**2**	**3**	**6**	**9**	**15**	**20**	**31**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	681	6.5	16	2	2	6	8	11	13	19
20-34	520	5.9	13	2	2	5	7	10	12	18
35-49	537	6.3	14	1	3	6	8	10	12	21
50-64	876	6.7	16	1	3	6	8	12	14	19
65+	686	6.8	33	<1	<1	6	9	13	16	23
B. *Operated*										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	6	4.3	6	<1	<1	4	6	8	8	8
35-49	9	11.1	77	2	3	11	13	24	32	32
50-64	23	9.2	66	1	2	8	10	15	25	42
65+	17	9.7	29	3	5	8	13	16	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	6.6	34	1	2	5	9	12	15	28
20-34	913	6.7	23	1	2	6	8	12	15	25
35-49	1930	7.8	31	2	3	7	10	13	17	29
50-64	4282	8.3	31	3	3	7	10	15	18	28
65+	5590	9.3	42	3	3	8	12	16	21	33
B. *Operated*										
0-19 YRS	18	11.2	53	3	4	9	17	22	26	28
20-34	108	12.8	130	2	3	10	15	24	35	62
35-49	299	12.8	97	3	4	11	16	23	31	65
50-64	728	13.9	101	4	5	11	17	27	35	55
65+	796	17.4	196	3	5	14	21	34	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3300	6.5	19	<1	2	6	8	11	14	20
B. *Operated*	57	9.2	50	2	2	8	12	16	21	41
2. MULTIPLE DX										
A. *Not Operated*	13093	8.5	36	2	3	7	10	15	19	30
B. *Operated*	1949	15.1	144	3	5	12	18	29	39	67
1. SINGLE DX	3357	6.5	19	<1	2	6	8	11	14	20
2. MULTIPLE DX	15042	9.3	55	2	3	8	11	17	22	39
A. NOT OPERATED	16393	8.1	33	2	3	7	10	14	18	29
B. OPERATED	2006	14.9	142	3	5	12	18	28	38	67
TOTAL 0-19 YRS	1079	6.6	23	1	2	6	9	11	14	23
20-34	1547	6.8	30	1	2	5	8	12	15	28
35-49	2775	8.1	38	2	3	7	10	14	18	32
50-64	5909	8.7	41	2	3	7	11	15	20	35
65+	7089	10.0	66	2	3	8	12	18	24	43
GRAND TOTAL	**18399**	**8.8**	**50**	**2**	**3**	**7**	**11**	**16**	**21**	**37**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	930	5.4	17	1	2	4	7	10	12	20
20-34	605	5.3	15	1	2	4	7	10	12	21
35-49	196	7.0	33	2	3	6	9	13	16	21
50-64	137	8.1	16	2	4	8	10	14	16	18
65+	91	8.3	16	2	3	8	11	13	15	21
B. *Operated*										
0-19 YRS	7	8.1	11	3	3	10	11	11	11	11
20-34	8	10.1	40	5	5	8	13	21	23	23
35-49	4	13.3	4	12	12	13	14	16	16	16
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	29.0	882	8	8	29	50	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	641	5.9	18	2	2	5	8	11	14	21
20-34	836	6.9	36	2	2	5	9	12	16	34
35-49	488	9.4	48	3	3	8	12	16	20	35
50-64	588	10.4	63	3	4	9	13	18	24	44
65+	686	12.4	66	3	5	10	15	22	28	44
B. *Operated*										
0-19 YRS	19	10.4	18	5	5	9	14	16	17	17
20-34	93	15.9	199	5	6	11	18	32	48	77
35-49	74	19.1	246	6	7	13	24	39	57	99+
50-64	93	23.1	300	7	8	17	29	48	61	96
65+	95	25.2	210	8	10	22	32	48	59	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1959	5.9	19	1	2	5	8	11	13	20
B. *Operated*	22	11.6	94	4	5	10	12	18	34	50
2. MULTIPLE DX										
A. *Not Operated*	3239	8.9	51	2	3	7	11	16	21	38
B. *Operated*	374	20.4	243	5	7	16	27	42	56	97
1. SINGLE DX	1981	5.9	20	1	2	5	8	11	13	20
2. MULTIPLE DX	3613	10.1	83	2	3	8	12	19	27	50
A. NOT OPERATED	5198	7.7	41	2	2	6	10	14	18	34
B. OPERATED	396	19.9	239	5	7	15	26	41	55	96
TOTAL 0-19 YRS	1597	5.6	18	1	2	5	7	11	13	20
20-34	1542	6.8	44	2	2	5	8	12	16	34
35-49	762	9.7	73	3	3	8	12	18	23	49
50-64	819	11.5	100	3	4	9	14	20	28	55
65+	874	13.4	96	3	5	11	16	25	34	54
GRAND TOTAL	**5594**	**8.6**	**65**	**2**	**2**	**7**	**11**	**16**	**22**	**44**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	506	6.4	18	2	2	6	8	10	13	24
20-34	643	6.4	18	2	2	6	8	11	14	21
35-49	806	6.9	14	2	3	6	9	12	14	20
50-64	1101	7.5	20	3	3	7	9	12	15	23
65+	841	7.7	18	3	3	7	10	12	16	23
B. *Operated*										
0-19 YRS	7	8.7	31	4	4	7	11	18	20	20
20-34	17	6.3	21	2	2	4	9	14	16	16
35-49	14	10.2	69	2	4	8	11	25	30	31
50-64	60	8.9	50	2	2	7	13	19	22	31
65+	59	9.6	116	2	2	4	17	22	29	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	438	6.6	34	2	2	5	8	12	15	24
20-34	1663	7.7	33	2	3	6	9	14	18	33
35-49	3400	8.3	27	3	3	7	10	14	18	28
50-64	7251	9.1	35	3	4	8	11	16	20	31
65+	8278	10.1	46	3	4	8	12	18	22	35
B. *Operated*										
0-19 YRS	28	10.7	99	2	3	9	13	19	27	53
20-34	480	12.1	126	2	3	9	15	24	36	64
35-49	934	14.9	163	3	4	11	18	30	40	69
50-64	2031	16.6	191	3	4	13	21	35	48	81
65+	2582	19.9	268	3	4	16	26	42	56	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3897	7.1	18	2	3	6	9	12	14	22
B. *Operated*	157	9.0	72	2	2	6	13	20	23	40
2. MULTIPLE DX										
A. *Not Operated*	21030	9.2	39	3	4	8	11	16	20	32
B. *Operated*	6055	17.3	220	3	4	13	22	37	50	83
1. SINGLE DX	4054	7.2	20	2	3	6	9	12	15	23
2. MULTIPLE DX	27085	11.0	91	3	4	8	13	21	28	54
A. NOT OPERATED	24927	8.9	36	3	4	8	11	15	20	31
B. OPERATED	6212	17.1	218	3	4	13	22	37	50	83
TOTAL 0-19 YRS	979	6.6	28	2	2	6	8	11	15	25
20-34	2803	8.1	49	2	3	7	10	15	20	38
35-49	5154	9.3	57	3	3	8	11	17	23	40
50-64	10443	10.4	73	3	4	8	12	19	26	50
65+	11760	12.1	110	3	4	9	14	23	31	60
GRAND TOTAL	**31139**	**10.5**	**83**	**3**	**4**	**8**	**12**	**20**	**27**	**52**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	3	<1	<1	3	4	5	6	6
20-34	26	3.3	8	<1	<1	2	4	7	9	12
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	42	3.5	5	1	1	3	5	7	8	9
20-34	230	4.2	7	<1	1	4	6	7	8	11
35-49	22	3.1	5	<1	<1	2	3	7	8	9
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	5	2	2	5	6	8	8	8
20-34	45	4.2	6	1	1	4	5	8	10	11
35-49	6	5.5	38	1	1	2	10	15	16	16
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	48	5.6	12	1	2	5	8	10	12	15
20-34	412	5.5	12	1	2	5	7	9	12	18
35-49	54	6.1	13	1	2	6	8	10	13	19
50-64	6	4.5	16	1	1	3	5	11	12	12
65+	1	12.0		12	12	12	12	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.1	6	<1	<1	2	4	7	8	12
B. *Operated*	295	4.0	6	<1	1	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	63	4.3	8	1	2	3	5	8	10	15
B. *Operated*	521	5.6	12	1	2	6	7	9	12	18
1. SINGLE DX	330	3.9	6	<1	1	3	6	7	8	11
2. MULTIPLE DX	584	5.4	12	1	2	5	7	9	12	17
A. NOT OPERATED	98	3.9	8	<1	1	3	5	8	10	14
B. OPERATED	816	5.0	10	1	1	5	7	9	11	17
TOTAL 0-19 YRS	105	4.5	9	1	1	4	6	8	10	15
20-34	713	4.9	10	1	1	5	7	8	10	17
35-49	83	5.2	14	1	1	5	7	9	12	18
50-64	9	3.9	11	1	1	3	4	9	12	12
65+	4	5.5	20	2	2	4	8	12	12	12
GRAND TOTAL	**914**	**4.9**	**10**	**1**	**1**	**5**	**7**	**9**	**10**	**16**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.5	13	1	1	3	4	7	9	22
20-34	265	4.9	23	1	1	4	6	8	13	30
35-49	188	5.6	42	1	1	4	7	10	20	36
50-64	164	5.0	21	1	1	4	6	10	12	26
65+	144	5.0	16	1	1	4	6	10	12	21
B. *Operated*										
0-19 YRS	23	5.1	10	1	2	4	7	10	11	12
20-34	41	6.5	33	1	2	5	10	12	16	30
35-49	27	5.6	19	1	1	5	9	12	13	16
50-64	39	6.2	9	2	3	6	9	10	12	13
65+	24	13.5	158	3	4	10	18	26	38	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	336	4.4	24	1	1	3	5	8	11	31
20-34	593	5.7	26	1	1	4	7	11	16	28
35-49	661	6.4	26	1	2	5	8	12	15	25
50-64	878	7.0	48	1	2	5	9	13	17	34
65+	1700	8.3	46	2	2	6	11	16	21	34
B. *Operated*										
0-19 YRS	29	7.7	63	1	2	6	8	15	22	42
20-34	99	10.6	108	1	2	8	14	23	35	78
35-49	137	10.9	89	2	3	8	13	23	31	50
50-64	210	12.0	152	2	3	9	14	24	31	91
65+	209	16.4	175	4	5	12	22	32	46	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	4.7	23	1	1	3	6	8	12	26
B. *Operated*	154	7.1	47	1	2	5	9	13	18	30
2. MULTIPLE DX										
A. *Not Operated*	4168	7.0	40	1	2	5	9	14	18	32
B. *Operated*	684	12.7	142	2	3	9	15	27	36	60
1. SINGLE DX	1160	5.1	27	1	1	4	6	10	13	28
2. MULTIPLE DX	4852	7.8	59	1	2	6	10	15	22	38
A. NOT OPERATED	5174	6.6	38	1	2	5	8	13	17	31
B. OPERATED	838	11.7	129	2	3	8	14	25	33	59
TOTAL 0-19 YRS	633	4.2	22	1	1	3	5	8	11	28
20-34	998	6.0	36	1	1	4	7	12	18	34
35-49	1013	6.8	40	1	2	5	8	13	19	33
50-64	1291	7.5	64	1	2	6	9	14	20	37
65+	2077	8.9	66	2	2	7	11	18	24	43
GRAND TOTAL	**6012**	**7.3**	**54**	**1**	**2**	**5**	**9**	**15**	**21**	**36**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	5.5	12	2	2	5	6	11	14	15
20-34	10	10.9	141	<1	<1	4	22	30	30	30
35-49	2	7.5	13	5	5	7	10	10	10	10
50-64	8	7.4	31	<1	<1	7	10	16	18	18
65+	57	5.6	56	<1	<1	4	7	11	16	42
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	10.0		10	10	10	10	10	10	10
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	7.4	29	1	2	6	11	15	17	26
20-34	32	9.7	76	3	3	7	10	25	31	35
35-49	68	12.6	83	2	3	10	18	28	30	42
50-64	130	12.9	119	2	3	10	16	22	35	54
65+	601	13.3	101	3	4	10	17	25	34	50
B. *Operated*										
0-19 YRS	12	10.8	67	1	2	10	15	22	28	29
20-34	16	16.1	234	4	5	9	18	35	54	62
35-49	25	24.6	297	5	7	19	34	49	60	65
50-64	41	23.5	360	5	7	20	26	43	68	97
65+	151	21.2	210	6	7	17	29	42	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	6.3	54	<1	<1	5	8	13	21	39
B. *Operated*	9	6.0	14	2	2	5	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	900	12.6	98	3	4	10	16	25	32	49
B. *Operated*	245	21.1	244	4	6	17	29	43	53	79
1. SINGLE DX	106	6.3	50	<1	<1	5	8	13	19	39
2. MULTIPLE DX	1145	14.4	141	3	4	11	18	29	39	63
A. NOT OPERATED	997	12.0	97	2	3	9	15	24	31	49
B. OPERATED	254	20.6	244	4	6	16	28	42	52	78
TOTAL 0-19 YRS	103	7.4	31	1	2	6	11	15	18	28
20-34	59	11.6	131	2	3	8	14	30	34	60
35-49	96	15.6	163	2	4	11	19	32	43	62
50-64	182	14.9	189	2	4	11	19	29	43	73
65+	811	14.2	133	3	4	11	18	29	38	58
GRAND TOTAL	**1251**	**13.7**	**139**	**2**	**3**	**10**	**17**	**29**	**37**	**62**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	8.7	31	<1	<1	9	12	14	18	23
20-34	49	8.3	51	<1	<1	9	12	19	20	32
35-49	2	7.5	85	1	1	7	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	4	6.0	27	1	1	10	33	99+	99+	99+
20-34	4	6.8	50	2	2	4	11	17	17	17
35-49	4	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	10.3	77	<1	1	10	13	19	22	48
20-34	87	8.9	60	<1	<1	8	14	21	25	30
35-49	6	8.7	15	5	5	8	10	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	14	13.1	104	2	2	11	22	28	30	31
20-34	6	24.5	693	5	6	16	20	71	77	77
35-49	4	8.3	36	3	3	7	13	16	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	8.6	36	<1	<1	9	12	15	19	28
B. *Operated*	12	5.4	24	1	2	3	10	34	87	99+
2. MULTIPLE DX										
A. *Not Operated*	265	9.8	70	<1	<1	9	13	19	22	47
B. *Operated*	24	15.2	248	2	2	12	20	28	45	77
1. SINGLE DX	199	8.4	35	<1	<1	9	12	15	19	33
2. MULTIPLE DX	289	10.3	86	<1	<1	9	14	20	25	48
A. NOT OPERATED	452	9.3	56	<1	<1	9	13	18	21	34
B. OPERATED	36	11.9	192	2	2	9	16	28	61	99+
TOTAL 0-19 YRS	326	9.7	59	<1	1	9	13	18	21	48
20-34	146	9.3	88	<1	<1	8	14	20	23	34
35-49	16	7.1	23	1	3	5	10	15	16	16
50-64										
65+										
GRAND TOTAL	**488**	**9.5**	**66**	**<1**	**<1**	**9**	**13**	**19**	**21**	**45**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	17	<1	<1	4	6	10	14	19
20-34	35	3.9	40	<1	<1	2	4	7	9	38
35-49	19	2.0	5	<1	<1	1	2	4	8	11
50-64	8	3.1	2	<1	<1	4	4	5	5	5
65+	4	6.5	50	2	2	3	10	17	17	17
B. *Operated*										
0-19 YRS	35	7.5	4	4	5	7	8	10	12	13
20-34	483	8.4	14	5	6	8	9	11	13	19
35-49	303	9.1	19	5	6	8	10	12	14	27
50-64	36	9.6	9	6	7	9	11	13	13	22
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.2	17	1	1	3	5	6	11	24
20-34	100	5.4	21	1	1	4	8	11	12	26
35-49	159	5.7	27	1	1	4	8	11	17	27
50-64	149	8.4	55	2	2	6	11	15	24	43
65+	54	8.1	31	1	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	15	7.1	8	2	4	7	9	12	12	12
20-34	696	10.0	52	5	5	8	11	15	20	55
35-49	825	10.3	42	5	6	9	11	15	19	42
50-64	213	9.9	23	4	5	9	12	16	20	33
65+	16	13.4	48	6	7	11	18	20	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.9	23	<1	<1	2	4	8	11	29
B. *Operated*	857	8.7	15	5	6	8	10	12	13	21
2. MULTIPLE DX										
A. *Not Operated*	496	6.6	36	1	1	5	9	14	17	32
B. *Operated*	1765	10.1	43	5	6	9	11	15	20	46
1. SINGLE DX	954	8.2	18	2	5	8	9	12	13	21
2. MULTIPLE DX	2261	9.4	44	2	4	8	11	15	19	42
A. NOT OPERATED	593	6.2	35	<1	1	4	8	12	17	32
B. OPERATED	2622	9.6	35	5	6	8	11	14	18	39
TOTAL 0-19 YRS	115	5.7	14	1	2	5	8	9	12	21
20-34	1314	8.9	38	3	5	8	10	13	17	41
35-49	1306	9.3	37	2	5	8	11	14	18	38
50-64	406	9.2	34	2	3	8	11	15	20	35
65+	74	9.2	40	2	3	8	14	18	20	31
GRAND TOTAL	**3215**	**9.0**	**36**	**2**	**4**	**8**	**10**	**14**	**18**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	185	3.5	11	<1	<1	3	4	8	11	16
20-34	108	4.9	27	1	1	4	6	9	11	36
35-49	74	4.8	9	1	2	4	6	10	11	14
50-64	67	5.0	11	<1	1	5	7	10	11	15
65+	71	6.1	38	1	2	5	7	10	15	40
B. *Operated*										
0-19 YRS	43	5.2	24	1	1	4	6	11	12	28
20-34	84	6.2	14	1	2	5	9	11	13	20
35-49	90	6.1	16	1	2	5	8	11	14	20
50-64	67	6.4	19	2	2	5	9	13	15	19
65+	44	7.6	100	1	1	4	8	16	34	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	5.6	30	1	1	4	7	11	15	33
20-34	197	6.1	24	2	2	5	8	11	16	26
35-49	294	7.0	35	1	2	6	9	12	17	33
50-64	372	7.7	43	2	2	6	10	15	20	36
65+	475	9.7	67	2	2	8	13	19	25	37
B. *Operated*										
0-19 YRS	46	8.7	83	1	2	7	9	13	41	99+
20-34	186	9.2	54	2	3	8	11	16	24	34
35-49	270	9.5	102	2	2	8	11	16	21	66
50-64	275	10.2	102	1	2	7	13	21	26	58
65+	240	13.5	137	2	3	10	16	28	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	4.6	19	<1	1	4	6	9	11	19
B. *Operated*	328	6.3	29	1	2	5	8	12	15	29
2. MULTIPLE DX										
A. *Not Operated*	1538	7.7	47	2	2	6	9	16	21	35
B. *Operated*	1017	10.5	103	2	2	8	12	20	29	59
1. SINGLE DX	833	5.2	23	<1	1	4	7	10	13	21
2. MULTIPLE DX	2555	8.8	71	2	2	7	11	17	24	44
A. NOT OPERATED	2043	6.9	42	1	2	5	9	14	19	33
B. OPERATED	1345	9.5	88	2	2	7	13	18	26	54
TOTAL 0-19 YRS	474	5.0	29	<1	1	4	6	10	14	38
20-34	575	6.9	35	1	2	5	9	12	17	29
35-49	728	7.6	57	2	2	6	9	13	18	39
50-64	781	8.3	62	1	2	6	10	17	22	44
65+	830	10.3	91	2	2	8	13	21	28	49
GRAND TOTAL	**3388**	**7.9**	**62**	**1**	**2**	**6**	**10**	**16**	**21**	**41**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	28	3.6	4	<1	1	3	5	6	8	9
35-49	50	4.8	10	<1	1	4	6	9	10	15
50-64	75	4.3	6	<1	1	4	6	7	9	12
65+	79	5.0	17	<1	<1	4	6	12	14	16
B *Operated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	15	6.2	25	<1	2	4	10	13	16	17
50-64	12	4.3	12	2	2	3	5	9	13	14
65+	15	8.1	43	1	2	6	13	19	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	30	5.9	30	2	2	4	5	12	16	29
35-49	123	6.1	23	1	2	5	8	10	13	27
50-64	283	7.0	28	2	3	6	9	12	15	29
65+	530	8.0	37	2	3	6	10	15	20	30
B. *Operated*										
0-19 YRS										
20-34	4	11.5	154	4	4	6	18	30	30	30
35-49	13	6.2	8	1	2	6	9	9	10	10
50-64	55	10.5	160	2	3	7	13	19	22	90
65+	92	14.6	166	2	3	11	18	33	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	4.6	11	<1	1	4	6	9	12	15
B. *Operated*	45	6.1	28	1	2	4	10	14	17	21
2. MULTIPLE DX										
A. *Not Operated*	970	7.4	32	2	3	6	9	14	18	29
B. *Operated*	164	12.5	156	2	3	9	15	25	37	74
1. SINGLE DX	278	4.8	14	<1	1	4	6	10	13	17
2. MULTIPLE DX	1134	8.1	53	2	3	6	10	15	21	38
A. NOT OPERATED	1203	6.8	29	2	2	5	9	13	16	29
B. OPERATED	209	11.1	136	2	2	8	14	23	33	60
TOTAL 0-19 YRS	5	4.2	3	3	3	3	5	7	7	7
20-34	65	5.1	27	1	2	4	5	9	15	30
35-49	201	5.8	19	1	2	5	7	10	13	21
50-64	425	6.9	43	2	2	5	9	12	15	28
65+	716	8.5	58	2	2	6	10	16	23	40
GRAND TOTAL	**1412**	**7.5**	**47**	**2**	**2**	**6**	**9**	**14**	**19**	**37**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	3.6	13	1	1	3	4	6	9	21
20-34	74	3.3	13	1	1	3	4	6	7	25
35-49	72	4.6	19	1	1	3	6	9	12	26
50-64	97	4.9	23	<1	1	4	6	8	12	28
65+	290	6.6	35	2	2	5	8	12	17	27
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	5	11.2	60	4	4	7	19	21	21	21
50-64	6	11.8	140	2	2	9	11	33	35	35
65+	9	11.1	24	5	5	9	16	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1060	4.1	10	1	2	3	5	7	10	15
20-34	614	4.8	16	1	2	4	6	9	12	22
35-49	751	6.3	42	1	2	4	8	12	18	35
50-64	1661	7.3	32	2	2	6	9	14	18	30
65+	6876	10.1	56	3	3	8	13	19	24	37
B. *Operated*										
0-19 YRS	28	11.7	96	2	3	8	17	27	33	38
20-34	67	11.2	128	2	2	9	14	21	29	69
35-49	93	13.6	167	1	2	10	17	30	37	65
50-64	208	13.4	158	2	2	10	18	28	33	67
65+	655	18.9	177	4	6	16	25	36	45	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	703	5.1	26	1	1	4	6	10	14	27
B. *Operated*	23	10.8	56	2	4	8	15	19	26	35
2. MULTIPLE DX										
A. *Not Operated*	10962	8.5	49	2	2	7	11	17	22	35
B. *Operated*	1051	16.7	175	2	4	13	22	33	43	71
1. SINGLE DX	726	5.3	28	1	1	4	6	10	15	28
2. MULTIPLE DX	12013	9.2	65	2	2	7	12	18	25	40
A. NOT OPERATED	11665	8.3	48	2	2	6	11	16	21	34
B. OPERATED	1074	16.5	174	2	4	13	22	33	43	70
TOTAL 0-19 YRS	1259	4.2	13	1	1	3	5	7	10	21
20-34	757	5.2	29	1	1	4	6	10	14	25
35-49	921	6.9	58	1	2	4	8	15	20	41
50-64	1972	7.9	49	2	2	6	10	16	21	34
65+	7830	10.7	72	3	3	8	13	21	27	43
GRAND TOTAL	**12739**	**9.0**	**64**	**2**	**2**	**7**	**11**	**18**	**24**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	3.9	13	<1	<1	3	4	8	10	22
20-34	46	4.2	6	<1	2	4	6	8	8	11
35-49	90	4.4	6	<1	1	4	6	8	9	13
50-64	52	4.9	7	1	2	5	7	8	10	12
65+	193	5.0	15	1	1	4	7	11	13	17
B. *Operated*										
0-19 YRS	15	5.0	4	1	3	5	7	8	8	8
20-34	16	6.7	13	2	3	6	8	14	15	15
35-49	36	6.3	15	2	3	5	7	12	14	21
50-64	24	8.2	18	1	2	8	10	15	15	16
65+	56	9.3	37	3	4	8	12	14	20	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.6	8	1	2	4	6	9	10	15
20-34	150	6.4	34	2	2	5	8	11	13	29
35-49	300	5.9	15	2	2	5	8	11	13	18
50-64	496	7.0	23	2	2	6	9	13	17	25
65+	2148	8.2	42	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	27	10.1	68	3	4	8	13	18	22	44
20-34	68	6.5	14	2	2	6	8	12	14	19
35-49	208	8.9	30	2	3	8	12	16	19	27
50-64	289	11.6	68	4	4	9	14	21	26	43
65+	844	12.0	66	4	5	10	14	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	469	4.6	11	<1	1	4	6	9	11	16
B. *Operated*	147	7.6	25	2	3	7	9	14	15	30
2. MULTIPLE DX										
A. *Not Operated*	3250	7.5	35	2	2	6	9	14	18	30
B. *Operated*	1436	11.2	61	3	4	9	14	20	26	42
1. SINGLE DX	616	5.3	16	1	1	4	7	10	13	18
2. MULTIPLE DX	4686	8.7	46	2	3	7	11	16	21	33
A. NOT OPERATED	3719	7.2	33	2	2	6	9	13	17	29
B. OPERATED	1583	10.8	59	3	4	9	13	19	26	42
TOTAL 0-19 YRS	286	4.9	18	1	2	4	6	9	11	18
20-34	280	6.1	24	2	2	5	7	11	13	27
35-49	634	6.7	21	2	2	6	8	13	15	24
50-64	861	8.4	42	2	3	7	10	16	20	34
65+	3241	9.0	50	2	3	7	11	17	22	35
GRAND TOTAL	**5302**	**8.3**	**44**	**2**	**3**	**7**	**10**	**15**	**20**	**33**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	435	4.7	13	1	2	4	6	9	10	15
20-34	658	6.6	27	1	2	6	8	12	15	25
35-49	82	6.1	12	1	2	5	8	11	13	18
50-64	9	3.1	13	<1	<1	2	3	9	12	12
65+	6	4.8	8	1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	16	12.3	81	2	3	12	15	20	33	39
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	6.7	26	1	2	5	9	13	17	26
20-34	620	8.7	41	2	3	7	11	16	20	31
35-49	141	10.8	108	2	3	9	13	18	22	54
50-64	21	7.0	15	2	2	7	8	13	15	15
65+	6	8.7	57	1	1	6	16	20	20	20
B. *Operated*										
0-19 YRS	19	11.0	56	4	5	9	13	21	29	34
20-34	67	13.5	101	3	3	11	19	26	35	46
35-49	13	18.8	244	3	5	11	34	44	47	48
50-64	10	13.3	94	1	5	12	13	26	39	39
65+	3	11.0	93	4	4	14	61	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	5.8	22	1	2	5	7	11	13	22
B. *Operated*	20	11.5	69	2	2	11	15	18	29	39
2. MULTIPLE DX										
A. *Not Operated*	1114	8.4	46	2	3	7	11	16	20	32
B. *Operated*	112	13.6	109	3	4	11	17	32	39	67
1. SINGLE DX	1210	5.9	23	1	2	5	8	11	14	23
2. MULTIPLE DX	1226	8.8	54	2	3	7	11	17	22	39
A. NOT OPERATED	2304	7.1	35	1	2	6	9	13	17	29
B. OPERATED	132	13.3	103	2	3	11	16	28	39	57
TOTAL 0-19 YRS	781	5.7	21	1	2	5	7	10	14	23
20-34	1361	8.0	40	2	2	6	10	15	19	34
35-49	238	9.6	90	2	3	7	12	16	22	50
50-64	41	7.8	44	<1	1	7	12	13	15	39
65+	15	7.6	43	1	1	6	12	22	77	99+
GRAND TOTAL	**2436**	**7.4**	**41**	**1**	**2**	**6**	**9**	**14**	**18**	**35**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	2.7	10	<1	<1	1	3	6	9	18
20-34	107	3.6	11	<1	<1	3	5	8	11	15
35-49	96	3.3	12	<1	<1	1	5	8	10	18
50-64	138	4.0	11	<1	1	3	6	9	10	15
65+	596	4.2	16	<1	1	3	6	9	11	20
B. *Operated*										
0-19 YRS	62	6.5	40	2	2	5	7	9	13	45
20-34	40	7.8	44	1	2	6	9	13	24	33
35-49	34	7.4	20	2	3	6	10	13	16	20
50-64	60	9.7	85	1	2	7	11	21	26	50
65+	154	9.2	47	2	3	8	12	17	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	4.9	53	1	1	3	6	9	12	30
20-34	220	5.8	29	1	2	4	7	12	14	26
35-49	331	6.2	33	1	1	4	8	13	17	31
50-64	801	6.2	32	1	1	5	8	13	17	28
65+	3583	7.4	44	1	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	62	8.6	68	2	3	6	10	21	26	41
20-34	116	11.1	76	2	3	9	14	18	28	47
35-49	216	10.9	84	2	3	9	13	21	27	51
50-64	401	13.0	110	3	4	10	16	26	32	62
65+	1389	13.3	83	3	5	11	17	25	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	3.8	14	<1	<1	2	5	8	11	18
B. *Operated*	350	8.5	50	2	2	7	10	16	23	40
2. MULTIPLE DX										
A. *Not Operated*	5142	7.0	42	1	1	5	9	14	19	31
B. *Operated*	2184	12.8	88	3	4	10	16	24	31	50
1. SINGLE DX	1482	4.9	26	<1	1	3	7	10	14	27
2. MULTIPLE DX	7326	8.7	63	1	2	7	11	18	23	37
A. NOT OPERATED	6274	6.4	38	1	1	5	8	14	18	30
B. OPERATED	2534	12.2	85	3	4	10	15	23	30	49
TOTAL 0-19 YRS	526	4.7	41	<1	1	3	6	9	15	29
20-34	483	6.7	45	1	1	5	9	14	18	37
35-49	677	7.3	53	1	1	6	10	16	19	34
50-64	1400	8.1	65	1	1	6	10	17	23	39
65+	5722	8.6	59	1	2	7	11	18	23	37
GRAND TOTAL	**8808**	**8.1**	**58**	**1**	**1**	**6**	**11**	**17**	**22**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.6	7	<1	<1	3	5	6	8	14
20-34	9	5.1	19	1	1	3	9	12	12	12
35-49										
50-64	2	9.5	5	8	8	9	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.7	7	1	1	3	5	7	8	14
20-34	38	5.5	23	1	1	4	7	12	16	22
35-49	16	7.4	28	1	2	5	12	15	17	18
50-64	4	7.3	10	3	3	8	9	10	10	10
65+	4	15.0	47	10	10	12	19	25	25	25
B. *Operated*										
0-19 YRS	8	17.5	206	2	3	14	28	39	42	42
20-34	11	15.7	70	3	5	17	22	26	31	31
35-49	1	23.0		23	23	23	23	23	23	23
50-64	1	20.0		20	20	20	20	20	20	20
65+	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	4.2	10	<1	<1	3	5	9	11	14
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	127	5.2	20	1	1	4	7	11	15	23
B. *Operated*	22	16.9	105	3	4	17	22	32	37	42
1. SINGLE DX	46	4.1	10	<1	<1	3	5	9	11	14
2. MULTIPLE DX	149	6.9	50	1	1	4	9	17	22	33
A. NOT OPERATED	172	4.9	18	<1	1	4	6	10	14	21
B. OPERATED	23	16.3	109	2	3	17	22	31	36	42
TOTAL 0-19 YRS	107	4.7	33	<1	1	3	5	8	14	37
20-34	58	7.4	47	1	1	5	10	18	22	30
35-49	18	8.1	40	1	2	5	13	17	21	23
50-64	7	9.7	27	3	4	9	11	18	20	20
65+	5	15.2	36	10	10	14	18	25	25	25
GRAND TOTAL	**195**	**6.2**	**42**	**<1**	**1**	**4**	**8**	**15**	**21**	**32**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	4.1	13	1	1	3	5	7	10	18
20-34	69	4.5	22	<1	<1	3	5	10	12	29
35-49	101	3.1	24	1	1	1	4	6	8	30
50-64	71	4.1	14	<1	<1	3	5	9	12	19
65+	87	4.9	23	<1	1	3	7	10	13	27
B. *Operated*										
0-19 YRS	157	6.3	20	1	2	5	8	12	14	24
20-34	123	7.1	22	2	3	6	9	12	16	26
35-49	87	8.4	39	3	3	7	11	14	18	39
50-64	90	8.2	26	2	3	7	11	15	21	24
65+	82	9.0	28	2	3	8	12	17	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	311	4.3	10	1	1	3	5	8	10	16
20-34	186	5.7	17	1	1	5	7	10	14	21
35-49	231	6.1	21	1	2	5	8	12	15	24
50-64	435	6.9	33	1	2	5	9	14	17	31
65+	873	8.1	52	1	2	6	10	16	22	34
B. *Operated*										
0-19 YRS	92	7.5	67	2	2	6	8	12	19	54
20-34	177	10.2	69	2	4	8	12	19	27	51
35-49	193	12.1	80	3	4	10	16	23	31	48
50-64	371	12.8	90	3	3	10	17	26	35	48
65+	623	14.2	133	3	4	11	18	28	39	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	626	4.1	18	1	1	3	5	8	11	19
B. *Operated*	539	7.6	27	2	3	6	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	2036	6.8	36	1	2	5	9	14	17	31
B. *Operated*	1456	12.6	106	3	3	10	16	25	35	55
1. SINGLE DX	1165	5.7	25	1	1	4	7	11	14	24
2. MULTIPLE DX	3492	9.2	74	1	2	7	12	19	26	44
A. NOT OPERATED	2662	6.2	33	1	1	5	8	13	16	30
B. OPERATED	1995	11.3	90	2	3	9	14	23	29	49
TOTAL 0-19 YRS	858	4.9	20	1	1	4	6	9	12	21
20-34	555	7.3	40	1	2	6	9	14	19	36
35-49	612	7.8	53	1	1	6	10	16	21	38
50-64	967	9.1	62	1	2	7	11	20	25	42
65+	1665	10.3	89	1	2	8	13	21	28	48
GRAND TOTAL	**4657**	**8.4**	**64**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1465	2.3	2	1	1	2	3	4	5	8
20-34	241	2.3	2	1	1	2	3	4	5	7
35-49	32	2.7	3	1	1	2	4	5	7	9
50-64	10	3.0	4	1	1	3	5	6	6	6
65+	4	4.0	7	2	2	3	6	8	8	8
B. *Operated*										
0-19 YRS	527	4.2	4	2	2	4	5	6	7	12
20-34	168	4.8	5	2	3	4	5	7	11	13
35-49	20	6.0	19	2	2	4	6	14	16	17
50-64	10	4.2	2	2	2	4	5	6	6	6
65+	2	6.5	25	3	3	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	731	3.0	4	1	1	3	4	5	7	9
20-34	120	3.2	5	1	1	2	4	6	8	11
35-49	26	3.8	5	1	1	3	5	7	8	9
50-64	9	3.6	2	2	2	3	4	6	6	6
65+	7	4.0	1	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	236	5.2	8	2	3	5	6	8	10	19
20-34	94	5.7	11	3	3	5	6	9	14	19
35-49	19	8.6	34	3	4	7	10	16	23	27
50-64	10	6.1	5	4	4	6	7	9	11	11
65+	3	9.0	91	3	3	4	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1752	2.3	2	1	1	2	3	4	5	8
B. *Operated*	727	4.4	5	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	893	3.1	4	1	1	3	4	6	7	9
B. *Operated*	362	5.6	11	2	3	5	6	9	12	21
1. SINGLE DX	2479	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1255	3.8	7	1	1	3	5	7	8	14
A. NOT OPERATED	2645	2.6	3	1	1	2	3	5	6	8
B. OPERATED	1089	4.8	7	2	3	4	5	7	10	15
TOTAL 0-19 YRS	2959	3.1	4	1	1	3	4	5	7	10
20-34	623	3.7	6	1	1	3	5	6	8	13
35-49	97	4.8	18	1	1	4	6	9	13	23
50-64	39	4.2	4	1	1	4	6	6	8	11
65+	16	5.3	20	2	2	4	5	10	17	20
GRAND TOTAL	**3734**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	4.0	5	1	2	4	5	7	8	12
20-34	38	3.4	4	<1	1	3	5	6	7	8
35-49	14	3.6	5	<1	1	3	6	6	8	8
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	5	6.2	15	4	4	4	8	13	13	13
B. *Operated*										
0-19 YRS	148	3.7	11	1	1	2	5	8	10	16
20-34	101	3.3	5	1	1	3	4	7	8	11
35-49	69	3.5	9	1	1	3	4	7	10	16
50-64	27	4.9	16	1	2	4	5	11	12	19
65+	22	3.5	6	<1	1	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	183	4.7	8	1	2	4	6	8	10	14
20-34	42	4.6	10	<1	1	4	5	9	13	14
35-49	18	3.9	4	1	2	4	5	6	8	10
50-64	14	7.4	29	3	3	5	8	17	18	18
65+	15	8.4	46	1	2	6	11	17	24	26
B. *Operated*										
0-19 YRS	75	4.5	8	1	2	4	6	8	11	13
20-34	55	6.0	26	1	2	5	8	10	18	27
35-49	34	7.0	60	1	1	4	9	16	23	37
50-64	46	6.8	33	2	2	4	10	14	19	29
65+	38	11.4	111	2	2	8	16	24	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.0	5	1	2	4	5	7	8	12
B. *Operated*	367	3.7	9	1	1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	272	5.0	12	1	2	4	6	9	12	17
B. *Operated*	248	6.7	44	1	2	4	8	14	21	29
1. SINGLE DX	689	3.8	7	1	1	3	5	7	9	14
2. MULTIPLE DX	520	5.8	28	1	2	4	7	11	15	27
A. NOT OPERATED	594	4.4	8	1	2	4	6	8	9	16
B. OPERATED	615	4.9	25	1	1	3	6	10	14	25
TOTAL 0-19 YRS	670	4.2	7	1	1	4	5	8	9	13
20-34	236	4.2	12	1	1	3	5	8	10	20
35-49	135	4.5	23	1	1	3	5	9	13	25
50-64	88	6.2	27	2	2	4	8	14	18	25
65+	80	8.4	74	1	2	5	11	21	25	46
GRAND TOTAL	**1209**	**4.6**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.9	133	1	1	5	7	24	40	41
20-34	46	13.0	170	<1	1	10	18	33	40	60
35-49	13	17.1	722	1	1	8	18	98	99+	99+
50-64	13	12.2	98	3	4	9	13	23	38	42
65+	34	12.0	117	1	2	7	18	32	35	38
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	28.0		28	28	28	28	28	28	28
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	10.3	142	1	1	6	14	27	40	44
20-34	46	12.3	114	1	2	10	17	27	32	50
35-49	45	11.4	101	1	2	9	14	25	35	42
50-64	61	13.0	217	2	3	9	14	28	51	79
65+	140	12.2	72	3	4	10	16	22	30	43
B. *Operated*										
0-19 YRS										
20-34	4	32.5	328	12	12	31	44	56	56	56
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	8	7.0	40	2	2	5	9	18	21	21
65+	10	14.4	125	4	4	10	20	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	12.6	200	1	2	8	16	34	41	99
B. *Operated*	3	15.0	147	4	4	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	307	12.1	114	2	3	9	15	25	34	51
B. *Operated*	23	14.4	197	1	2	10	21	33	42	56
1. SINGLE DX	120	12.7	197	1	2	8	16	33	41	99
2. MULTIPLE DX	330	12.3	119	2	3	9	16	27	34	54
A. NOT OPERATED	424	12.3	137	1	2	9	16	27	37	57
B. OPERATED	26	14.5	185	1	2	10	21	33	38	56
TOTAL 0-19 YRS	27	9.1	130	1	1	5	11	25	41	44
20-34	96	13.4	161	<1	2	10	18	29	41	58
35-49	60	12.7	234	1	2	8	14	33	43	99+
50-64	83	12.3	179	2	3	9	14	24	44	73
65+	184	12.3	83	3	3	10	16	25	33	43
GRAND TOTAL	**450**	**12.4**	**140**	**1**	**2**	**9**	**16**	**28**	**36**	**56**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	2.8	10	<1	1	2	3	5	8	17
20-34	195	5.3	53	1	1	3	6	10	17	37
35-49	77	9.2	151	<1	1	5	11	20	27	76
50-64	117	11.9	223	2	2	7	13	25	53	73
65+	840	10.0	92	1	2	7	13	21	28	46
B. *Operated*										
0-19 YRS	6	5.8	19	<1	<1	6	9	12	12	12
20-34	4	10.3	97	5	5	6	15	25	25	25
35-49	6	6.0	10	4	4	5	7	11	12	12
50-64	4	7.8	35	3	3	6	12	16	16	16
65+	35	14.3	155	2	3	12	20	27	40	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.0	94	1	1	2	5	8	16	51
20-34	352	7.9	85	1	2	5	9	17	25	55
35-49	220	10.2	100	1	2	7	13	24	31	52
50-64	493	13.6	128	2	3	10	18	30	35	64
65+	4567	11.7	90	3	4	9	15	23	30	50
B. *Operated*										
0-19 YRS	14	3.1	4	1	1	3	5	7	77	99+
20-34	38	12.8	290	1	2	9	13	23	45	95
35-49	26	19.3	245	3	4	15	27	53	67	99+
50-64	73	19.5	279	3	4	15	25	39	56	85
65+	490	19.7	185	5	7	16	24	39	51	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1468	8.3	95	1	1	5	10	18	25	49
B. *Operated*	55	11.7	121	2	3	8	16	25	34	59
2. MULTIPLE DX										
A. *Not Operated*	5886	11.3	97	2	3	9	14	23	30	52
B. *Operated*	641	18.9	208	3	5	15	24	39	52	72
1. SINGLE DX	1523	8.4	97	1	1	5	11	19	26	49
2. MULTIPLE DX	6527	12.0	113	2	3	9	15	25	32	57
A. NOT OPERATED	7354	10.7	98	2	2	8	14	22	29	51
B. OPERATED	696	18.4	204	3	4	15	23	38	52	71
TOTAL 0-19 YRS	513	3.9	53	1	1	2	4	7	10	47
20-34	589	7.4	91	1	1	5	8	15	24	55
35-49	329	10.6	127	1	2	7	14	25	33	62
50-64	687	13.9	164	2	3	10	18	31	37	67
65+	5932	12.1	104	2	3	9	15	24	32	55
GRAND TOTAL	**8050**	**11.4**	**112**	**2**	**2**	**8**	**15**	**24**	**32**	**57**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	34	10.4	36	3	3	9	15	18	22	26
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	18.0	76	8	8	22	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	13.0	50	8	8	13	18	18	18	18
50-64	15	15.3	204	3	5	13	18	21	52	63
65+	217	12.1	81	2	4	9	16	24	33	45
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	7.0		7	7	7	7	7	7	7
65+	22	19.3	165	4	5	17	25	45	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.4	36	3	3	9	15	18	22	26
B. *Operated*	3	18.0	76	8	8	22	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	234	12.3	88	3	4	10	16	24	33	46
B. *Operated*	24	18.7	157	4	5	17	24	42	68	99+
1. SINGLE DX	37	11.0	42	3	3	9	15	21	24	26
2. MULTIPLE DX	258	12.9	97	3	4	10	17	25	34	57
A. NOT OPERATED	268	12.1	81	3	3	10	16	23	32	45
B. OPERATED	27	18.6	145	5	5	17	24	40	62	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	14.7	33	8	8	18	18	18	18	18
50-64	16	14.8	195	4	5	12	17	21	50	63
65+	276	12.5	85	3	4	10	16	24	33	48
GRAND TOTAL	**295**	**12.7**	**90**	**3**	**4**	**10**	**16**	**24**	**33**	**54**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	81	6.6	51	1	1	3	7	22	24	28
35-49	118	6.3	41	1	1	4	7	18	23	25
50-64	92	7.5	38	<1	2	5	11	17	22	26
65+	31	10.5	74	2	2	7	17	25	26	28
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	7.4	20	1	2	8	9	11	16	21
20-34	422	6.8	31	1	2	5	9	12	17	32
35-49	669	7.2	50	1	2	6	9	13	19	35
50-64	685	9.2	65	2	3	7	11	18	25	37
65+	245	11.3	85	2	3	9	14	23	28	53
B. *Operated*										
0-19 YRS										
20-34	10	8.7	36	2	2	9	14	52	96	99+
35-49	29	12.1	162	3	4	9	15	19	23	73
50-64	41	16.4	150	4	5	12	23	36	44	49
65+	32	20.3	162	8	8	16	26	45	48	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	326	7.1	47	1	1	4	9	20	24	27
B. *Operated*	2	12.5	1	12	12	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	2042	8.3	57	1	2	6	10	16	22	37
B. *Operated*	112	15.7	157	3	5	12	19	36	46	83
1. SINGLE DX	328	7.1	46	1	1	4	9	20	24	27
2. MULTIPLE DX	2154	8.7	65	1	2	7	11	17	24	45
A. NOT OPERATED	2368	8.1	56	1	2	6	10	16	23	36
B. OPERATED	114	15.6	154	3	5	12	19	36	46	82
TOTAL 0-19 YRS	25	6.5	21	<1	1	6	9	11	14	21
20-34	514	6.8	34	1	2	5	9	13	19	32
35-49	817	7.3	53	1	2	5	9	14	20	33
50-64	818	9.4	69	2	3	7	11	19	25	43
65+	308	12.1	99	2	3	10	15	25	32	52
GRAND TOTAL	**2482**	**8.5**	**63**	**1**	**2**	**6**	**10**	**17**	**24**	**42**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	9.3	209	<1	1	3	8	29	47	58
20-34	55	6.5	72	<1	1	4	7	14	23	42
35-49	13	6.7	56	<1	1	5	8	13	27	30
50-64	4	6.0	29	2	2	4	9	14	14	14
65+	5	7.8	85	1	1	3	13	23	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	13.3	302	1	1	7	13	43	45	89
20-34	213	9.2	61	1	2	9	10	15	21	47
35-49	67	10.9	103	2	3	9	12	20	30	56
50-64	68	10.2	83	2	3	7	12	23	26	49
65+	115	10.3	85	3	4	7	12	18	29	52
B. *Operated*										
0-19 YRS	1	82.0		82	82	82	82	82	82	82
20-34	6	10.7	61	1	1	11	15	21	22	22
35-49										
50-64	4	19.5	57	12	12	18	24	30	30	30
65+	10	13.1	131	3	4	10	16	30	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	7.2	97	<1	1	4	7	17	28	50
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	520	10.2	101	1	3	8	11	20	30	54
B. *Operated*	21	16.9	315	2	3	13	18	35	61	82
1. SINGLE DX	100	7.3	97	<1	1	4	7	17	27	50
2. MULTIPLE DX	541	10.5	111	1	3	8	11	20	31	55
A. NOT OPERATED	619	9.7	102	1	2	8	11	20	30	54
B. OPERATED	22	16.8	300	2	3	13	18	34	59	82
TOTAL 0-19 YRS	80	13.1	334	1	1	6	13	42	50	89
20-34	274	8.7	64	1	1	8	10	15	22	44
35-49	80	10.2	97	1	2	9	11	19	29	56
50-64	76	10.5	83	2	3	7	12	24	28	49
65+	131	10.5	87	3	4	7	12	19	31	51
GRAND TOTAL	**641**	**10.0**	**110**	**1**	**2**	**8**	**11**	**20**	**31**	**55**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	21.5	244	2	4	19	32	43	53	85
20-34	1623	17.1	214	2	3	14	22	36	47	76
35-49	738	17.3	186	3	4	14	22	34	45	66
50-64	319	18.6	171	3	5	16	25	34	40	78
65+	69	18.7	271	2	3	16	21	37	69	74
B. *Operated*										
0-19 YRS										
20-34	2	40.0	98	33	33	40	47	47	47	47
35-49	3	32.7	261	18	18	30	45	50	50	50
50-64	2	24.5	265	13	13	24	36	36	36	36
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	26.6	186	4	7	26	37	45	51	56
20-34	749	18.5	218	2	4	15	25	38	48	87
35-49	497	17.8	158	3	5	15	22	34	42	64
50-64	301	19.0	196	4	6	16	23	36	50	74
65+	131	21.6	219	5	6	18	28	41	52	66
B. *Operated*										
0-19 YRS	4	27.3	151	13	13	26	35	43	43	43
20-34	37	28.7	211	9	10	25	37	52	54	59
35-49	32	28.5	175	8	15	28	32	53	56	64
50-64	21	27.0	198	14	15	22	34	42	58	75
65+	16	29.1	210	11	12	23	37	50	59	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2903	17.6	206	2	3	14	23	36	46	73
B. *Operated*	8	29.6	224	10	11	31	41	49	50	50
2. MULTIPLE DX										
A. *Not Operated*	1739	18.9	199	3	5	16	25	38	48	74
B. *Operated*	110	28.3	190	10	13	26	35	51	55	68
1. SINGLE DX	2911	17.6	206	2	4	14	23	36	46	73
2. MULTIPLE DX	1849	19.4	203	3	5	17	26	38	50	74
A. NOT OPERATED	4642	18.1	204	2	4	15	24	37	47	74
B. OPERATED	118	28.4	190	10	13	26	35	50	55	68
TOTAL 0-19 YRS	219	23.0	230	3	4	21	34	43	52	75
20-34	2411	17.7	218	2	3	14	24	37	48	81
35-49	1270	17.8	178	3	4	15	23	35	44	65
50-64	643	19.1	185	4	6	17	25	35	43	75
65+	217	21.2	239	4	6	18	28	40	53	71
GRAND TOTAL	**4760**	**18.3**	**206**	**2**	**4**	**15**	**24**	**37**	**48**	**74**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	27.5	412	4	7	21	37	51	74	91
20-34	77	17.3	208	3	4	14	25	35	46	70
35-49	22	13.3	59	3	4	11	20	25	26	27
50-64	10	17.4	87	2	6	16	25	29	32	32
65+	2	11.0	72	5	5	11	17	17	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	41.8	553	8	9	40	52	76	89	91
20-34	45	16.2	124	4	6	14	21	32	35	61
35-49	21	17.1	116	4	5	16	23	37	69	99+
50-64	8	17.0	91	7	7	15	26	30	30	30
65+	5	15.4	70	5	5	13	22	27	27	27
B. *Operated*										
0-19 YRS										
20-34	3	36.7	1174	9	9	26	63	75	75	75
35-49	1	23.0		23	23	23	23	23	23	23
50-64	3	20.3	44	16	16	17	25	28	28	28
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	19.2	250	3	5	15	25	39	50	75
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	91	19.8	239	5	6	15	27	40	59	96
B. *Operated*	7	27.7	477	9	10	23	27	66	75	75
1. SINGLE DX	149	19.2	250	3	5	15	25	39	50	75
2. MULTIPLE DX	98	20.4	255	5	6	16	27	40	61	96
A. NOT OPERATED	240	19.5	245	4	5	15	25	39	50	91
B. OPERATED	7	27.7	477	9	10	23	27	66	75	75
TOTAL 0-19 YRS	50	30.9	474	5	8	26	41	65	75	91
20-34	125	17.4	200	3	5	14	24	34	43	71
35-49	44	15.4	88	4	5	15	21	27	36	99+
50-64	21	17.7	77	5	7	17	25	30	31	32
65+	7	14.1	63	5	5	13	19	26	27	27
GRAND TOTAL	**247**	**19.7**	**251**	**4**	**5**	**15**	**26**	**40**	**52**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	364	23.0	348	2	4	18	32	52	66	94
20-34	2684	17.3	231	2	3	13	23	38	48	82
35-49	1213	16.6	201	2	3	13	22	35	46	75
50-64	651	17.8	193	3	4	15	22	34	44	84
65+	166	17.7	167	3	5	15	22	36	41	73
B. *Operated*										
0-19 YRS										
20-34	8	34.3	555	2	3	34	46	67	76	76
35-49	5	20.6	169	3	3	18	31	37	37	37
50-64	6	22.5	40	15	15	22	26	31	32	32
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	22.3	373	2	3	16	30	49	72	98
20-34	1494	18.1	222	3	4	15	23	39	51	74
35-49	988	17.8	192	3	4	15	23	37	48	73
50-64	678	17.7	176	3	4	15	23	35	44	63
65+	282	17.7	181	3	5	15	22	36	45	63
B. *Operated*										
0-19 YRS	12	41.8	677	8	15	36	56	87	88	88
20-34	86	27.4	461	6	8	21	31	60	80	96
35-49	70	25.9	279	7	9	23	32	54	66	97
50-64	57	25.9	204	6	9	24	34	45	48	72
65+	25	26.9	154	12	13	25	35	41	50	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5078	17.6	227	2	3	14	23	38	48	82
B. *Operated*	20	26.9	290	2	5	26	34	46	61	76
2. MULTIPLE DX										
A. *Not Operated*	3647	18.2	212	3	4	15	24	38	48	75
B. *Operated*	250	27.3	337	7	10	23	34	52	67	96
1. SINGLE DX	5098	17.7	228	2	3	14	23	38	48	82
2. MULTIPLE DX	3897	18.7	225	3	4	15	25	39	50	77
A. NOT OPERATED	8725	17.9	221	2	4	14	23	38	48	78
B. OPERATED	270	27.3	332	6	9	23	34	50	67	95
TOTAL 0-19 YRS	581	23.1	370	2	4	18	32	52	67	96
20-34	4272	17.8	235	2	3	14	23	39	50	80
35-49	2276	17.4	202	2	4	14	23	36	47	76
50-64	1392	18.1	187	3	4	15	23	35	44	72
65+	474	18.2	178	3	5	16	24	37	45	65
GRAND TOTAL	**8995**	**18.1**	**227**	**2**	**4**	**14**	**24**	**38**	**49**	**79**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	26.4	628	3	3	19	45	70	98	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	36.1	1134	<1	2	49	87	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	22.8	197	1	2	27	32	37	38	38
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	26.4	628	3	3	19	45	70	98	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	36.1	1134	<1	2	49	87	99+	99+	99+
B. *Operated*	6	22.8	197	1	2	27	32	37	38	38
1. SINGLE DX	25	26.4	628	3	3	19	45	70	98	99+
2. MULTIPLE DX	15	30.8	764	<1	1	30	61	98	99+	99+
A. NOT OPERATED	34	28.9	751	2	3	22	52	96	99+	99+
B. OPERATED	6	22.8	197	1	2	27	32	37	38	38
TOTAL 0-19 YRS	40	28.0	666	2	3	22	48	91	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**40**	**28.0**	**666**	**2**	**3**	**22**	**48**	**91**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	270	23.4	444	1	3	18	37	56	70	95
20-34	1416	15.5	182	2	3	12	21	34	43	63
35-49	1373	16.2	164	2	3	14	22	32	42	58
50-64	1100	19.0	202	2	4	16	26	40	47	71
65+	722	21.7	237	2	5	19	30	43	53	74
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	8	25.4	118	12	13	23	30	43	47	47
35-49	9	27.2	133	12	13	28	34	43	48	48
50-64	6	27.5	178	18	18	23	29	51	53	53
65+	6	35.0	450	5	7	34	41	67	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	321	21.4	328	2	3	16	32	47	64	99+
20-34	2007	16.3	182	2	3	13	22	35	43	69
35-49	1907	17.3	179	3	4	14	23	35	44	67
50-64	1763	20.0	229	3	5	17	27	41	49	82
65+	1691	21.7	237	4	5	19	30	41	53	81
B. *Operated*										
0-19 YRS	12	25.8	252	6	9	21	34	49	60	62
20-34	150	26.8	332	6	9	21	37	60	70	99+
35-49	195	28.9	284	8	11	26	38	54	63	81
50-64	183	27.5	286	8	10	24	33	48	63	90
65+	192	31.0	328	7	10	29	44	54	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4881	17.8	210	2	3	14	24	38	47	71
B. *Operated*	30	29.1	200	12	14	27	36	48	53	70
2. MULTIPLE DX										
A. *Not Operated*	7689	18.8	215	3	4	15	26	39	48	78
B. *Operated*	732	28.6	306	7	10	25	38	53	67	99+
1. SINGLE DX	4911	17.9	211	2	3	14	25	38	47	71
2. MULTIPLE DX	8421	19.7	230	3	4	16	27	40	50	82
A. NOT OPERATED	12570	18.4	213	2	4	15	25	38	47	74
B. OPERATED	762	28.6	302	7	10	26	38	53	67	99
TOTAL 0-19 YRS	604	22.4	379	2	3	18	33	51	64	99+
20-34	3581	16.5	193	2	3	13	22	36	45	70
35-49	3484	17.5	187	2	4	14	23	36	44	67
50-64	3052	20.1	226	3	5	17	27	41	49	82
65+	2611	22.4	250	4	6	20	30	44	54	82
GRAND TOTAL	**13332**	**19.0**	**224**	**2**	**4**	**15**	**26**	**39**	**49**	**77**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	18.6	242	1	3	14	26	39	52	77
20-34	1229	16.4	172	2	3	14	21	33	40	66
35-49	1063	15.9	141	3	4	14	21	30	38	66
50-64	659	17.7	152	3	5	15	24	33	41	60
65+	220	20.9	253	3	6	18	27	38	57	90
B. *Operated*										
0-19 YRS										
20-34	4	19.0	3	17	17	19	20	21	21	21
35-49	9	27.4	691	7	9	19	30	70	94	94
50-64	13	23.8	272	7	8	18	39	49	54	55
65+	2	27.5	13	25	25	27	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	23.0	385	3	5	17	32	53	67	89
20-34	904	17.9	189	3	4	15	23	35	44	71
35-49	886	19.3	202	3	5	16	26	39	48	73
50-64	739	19.2	162	4	6	17	26	36	44	67
65+	392	23.5	221	5	7	21	31	45	53	73
B. *Operated*										
0-19 YRS	5	28.4	477	9	9	23	34	66	66	66
20-34	79	24.6	339	3	7	20	33	52	67	96
35-49	71	24.4	240	8	9	21	30	48	55	70
50-64	82	26.0	236	10	12	21	31	45	64	77
65+	34	32.5	358	7	11	32	42	65	72	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3362	16.9	169	2	4	14	22	33	41	70
B. *Operated*	28	24.5	335	7	8	19	29	45	59	94
2. MULTIPLE DX										
A. *Not Operated*	3086	19.6	204	3	5	16	26	38	48	73
B. *Operated*	271	26.0	289	7	9	21	34	50	65	83
1. SINGLE DX	3390	17.0	171	2	4	14	22	33	41	70
2. MULTIPLE DX	3357	20.1	214	3	5	17	27	40	48	73
A. NOT OPERATED	6448	18.2	187	3	4	15	24	36	45	70
B. OPERATED	299	25.9	292	7	9	21	34	50	65	85
TOTAL 0-19 YRS	361	20.7	314	2	4	17	28	44	60	84
20-34	2216	17.3	186	2	4	15	22	35	43	70
35-49	2029	17.7	178	3	4	15	23	36	44	72
50-64	1493	19.0	166	4	5	16	25	36	43	67
65+	648	23.1	244	4	7	20	30	45	56	79
GRAND TOTAL	**6747**	**18.5**	**195**	**3**	**4**	**16**	**24**	**36**	**46**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	14.7	241	1	1	11	20	31	41	77
20-34	613	13.5	160	1	2	10	19	29	38	59
35-49	350	12.9	110	1	2	11	18	26	34	46
50-64	289	14.1	125	1	2	12	20	29	36	54
65+	234	13.5	145	1	2	10	18	29	41	62
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	5.0	37	1	1	2	9	12	12	12
50-64	4	7.8	31	2	2	8	12	13	13	13
65+	10	9.5	129	1	2	5	8	30	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	15.2	260	1	2	10	19	41	53	82
20-34	539	14.3	146	1	2	11	19	31	40	58
35-49	355	15.5	175	2	3	12	22	34	39	64
50-64	477	14.7	155	2	3	12	19	30	38	64
65+	1020	11.8	98	2	3	9	15	24	31	49
B. *Operated*										
0-19 YRS	4	15.8	131	6	6	12	23	32	32	32
20-34	25	26.3	508	7	9	18	35	56	83	88
35-49	30	27.1	344	5	6	29	39	53	59	74
50-64	52	22.7	284	5	6	20	31	43	50	94
65+	116	20.3	201	3	5	18	27	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1614	13.6	147	1	2	11	19	29	37	62
B. *Operated*	19	8.3	83	1	1	4	12	21	31	36
2. MULTIPLE DX										
A. *Not Operated*	2504	13.6	139	2	3	10	18	29	38	60
B. *Operated*	227	22.3	274	4	6	18	30	46	57	96
1. SINGLE DX	1633	13.5	147	1	2	10	19	29	37	62
2. MULTIPLE DX	2731	14.3	156	2	3	11	19	31	39	63
A. NOT OPERATED	4118	13.6	142	1	2	10	18	29	37	61
B. OPERATED	246	21.2	273	3	5	17	30	45	56	95
TOTAL 0-19 YRS	246	14.9	245	1	1	10	19	35	51	73
20-34	1178	14.1	164	1	2	11	19	30	40	59
35-49	738	14.7	158	1	2	11	20	32	39	61
50-64	822	14.9	156	2	3	12	20	31	39	63
65+	1380	12.8	120	2	3	10	17	27	34	58
GRAND TOTAL	**4364**	**14.0**	**153**	**1**	**2**	**11**	**19**	**30**	**39**	**62**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	8.7	153	<1	1	3	9	28	38	56
20-34	655	5.8	47	<1	<1	3	7	14	19	35
35-49	511	6.1	51	<1	1	4	7	15	20	37
50-64	309	6.9	61	<1	1	4	8	16	22	40
65+	180	6.4	63	<1	1	4	7	13	21	41
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.0	17	2	2	3	7	11	11	11
35-49	8	6.4	22	1	1	6	10	13	14	14
50-64	11	5.4	16	1	1	4	8	11	13	13
65+	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	7.7	113	1	1	4	8	21	28	74
20-34	1091	8.5	78	1	1	5	11	21	27	41
35-49	1182	7.9	71	1	1	5	10	21	27	37
50-64	874	6.9	50	1	2	4	8	16	22	33
65+	886	6.7	45	1	2	5	8	14	21	36
B. *Operated*										
0-19 YRS	8	16.4	182	2	3	12	24	38	43	43
20-34	55	13.2	106	2	2	9	22	28	31	39
35-49	57	13.9	123	2	3	10	23	28	34	47
50-64	61	12.4	98	3	4	9	15	25	33	49
65+	39	14.1	191	3	4	10	18	34	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	6.4	62	<1	1	4	7	15	22	41
B. *Operated*	26	5.9	18	1	1	5	10	13	13	14
2. MULTIPLE DX										
A. *Not Operated*	4232	7.6	65	1	1	5	9	20	25	37
B. *Operated*	220	13.4	124	2	3	10	19	28	37	56
1. SINGLE DX	1849	6.4	62	<1	1	4	7	15	22	41
2. MULTIPLE DX	4452	7.9	70	1	1	5	10	20	26	39
A. NOT OPERATED	6055	7.2	65	1	1	4	8	18	25	38
B. OPERATED	246	12.6	118	2	3	9	17	28	35	51
TOTAL 0-19 YRS	376	8.3	133	1	1	4	8	24	33	62
20-34	1805	7.6	70	<1	1	4	10	21	26	38
35-49	1758	7.6	68	1	1	4	9	20	27	37
50-64	1255	7.1	56	1	1	4	9	17	23	37
65+	1107	6.9	55	1	2	5	8	14	21	42
GRAND TOTAL	**6301**	**7.4**	**68**	**1**	**1**	**4**	**9**	**19**	**25**	**39**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	21.0	387	1	2	15	31	53	67	99+
20-34	1926	11.5	126	1	2	8	15	26	33	54
35-49	1452	12.1	112	2	2	9	17	26	33	51
50-64	722	13.7	142	2	3	10	18	29	36	62
65+	331	14.9	171	1	3	11	20	31	40	64
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	12	13.5	96	3	4	12	17	27	36	38
35-49	14	25.1	362	3	6	20	36	48	67	73
50-64	5	5.8	6	2	2	6	8	8	8	8
65+	3	17.0	31	11	11	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	539	19.2	320	1	3	15	28	44	64	99+
20-34	2308	12.9	123	2	3	9	18	28	36	49
35-49	2007	13.3	135	2	3	10	18	30	37	51
50-64	1335	13.3	125	2	3	10	19	29	36	49
65+	1138	12.0	104	3	3	9	16	24	34	53
B. *Operated*										
0-19 YRS	38	25.6	311	4	5	23	41	51	70	99+
20-34	175	20.5	212	4	6	17	27	41	50	96
35-49	188	21.4	167	5	8	19	28	37	48	60
50-64	127	19.0	168	5	6	15	26	40	47	99+
65+	108	21.6	227	6	8	19	28	43	61	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4972	13.2	164	1	2	9	18	29	40	66
B. *Operated*	35	17.9	230	2	4	14	23	38	43	73
2. MULTIPLE DX										
A. *Not Operated*	7327	13.4	141	2	3	10	18	29	38	56
B. *Operated*	636	21.0	199	5	7	18	28	42	50	87
1. SINGLE DX	5007	13.3	164	1	2	9	18	29	40	66
2. MULTIPLE DX	7963	14.0	150	2	3	10	19	30	39	61
A. NOT OPERATED	12299	13.4	150	2	3	9	18	29	39	62
B. OPERATED	671	20.8	201	5	6	18	28	40	49	86
TOTAL 0-19 YRS	1119	20.3	353	1	2	15	30	49	66	99+
20-34	4421	12.6	131	1	2	9	17	28	36	53
35-49	3661	13.3	133	2	3	10	18	29	37	54
50-64	2189	13.8	134	2	3	10	19	30	37	55
65+	1580	13.3	133	3	3	10	17	28	36	62
GRAND TOTAL	**12970**	**13.7**	**156**	**2**	**3**	**10**	**19**	**30**	**39**	**63**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	384	14.1	324	1	1	6	19	42	59	95
20-34	886	10.6	131	1	1	7	15	26	34	55
35-49	422	9.7	120	1	1	6	13	22	29	54
50-64	196	9.1	104	<1	1	5	13	22	29	49
65+	76	10.2	149	1	1	7	13	21	35	66
B. *Operated*										
0-19 YRS	6	5.7	37	<1	<1	3	8	16	17	17
20-34	34	7.6	55	1	3	6	10	12	15	45
35-49	23	7.5	87	2	2	5	7	13	35	40
50-64	34	8.3	64	2	3	6	9	16	31	37
65+	9	6.2	8	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	562	15.3	313	1	2	9	22	42	62	99+
20-34	1524	12.0	168	1	2	7	16	28	38	69
35-49	737	12.3	150	1	2	9	16	29	38	59
50-64	475	11.0	126	1	2	7	15	25	33	49
65+	292	11.7	134	1	2	8	16	28	35	65
B. *Operated*										
0-19 YRS	30	16.2	323	2	3	9	28	44	81	99+
20-34	115	18.8	274	1	2	14	28	41	53	89
35-49	73	15.2	152	2	3	12	21	31	41	60
50-64	66	11.7	114	2	3	8	15	31	37	42
65+	38	19.3	287	3	4	16	28	48	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1964	10.9	167	1	1	6	14	27	38	67
B. *Operated*	106	7.6	59	2	2	6	8	13	24	42
2. MULTIPLE DX										
A. *Not Operated*	3590	12.4	180	1	2	8	17	30	40	73
B. *Operated*	322	16.4	225	2	3	12	23	39	47	87
1. SINGLE DX	2070	10.8	162	1	1	6	14	27	38	63
2. MULTIPLE DX	3912	12.7	185	1	2	8	17	30	41	76
A. NOT OPERATED	5554	11.9	176	1	1	7	16	29	39	71
B. OPERATED	428	14.2	198	2	3	9	20	34	44	83
TOTAL 0-19 YRS	982	14.8	316	1	1	8	21	42	59	99+
20-34	2559	11.8	161	1	1	7	16	28	37	66
35-49	1255	11.5	141	1	2	8	16	27	35	58
50-64	771	10.4	117	1	2	6	14	24	33	49
65+	415	12.0	153	1	2	8	16	29	36	72
GRAND TOTAL	**5982**	**12.1**	**178**	**1**	**1**	**7**	**16**	**29**	**40**	**72**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	531	14.4	180	<1	1	11	27	33	38	47
20-34	3235	14.4	119	1	2	14	25	29	30	35
35-49	2840	13.7	121	1	2	10	24	29	30	35
50-64	1440	13.4	121	1	2	8	25	29	30	36
65+	359	12.6	108	2	2	7	22	28	30	35
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	22.8	125	5	6	27	29	34	40	41
35-49	8	16.3	202	1	1	16	25	37	41	41
50-64	5	22.6	175	7	7	28	33	36	36	36
65+	4	17.0	91	6	6	17	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	997	22.4	235	1	2	24	37	42	44	52
20-34	4993	14.7	137	1	2	11	26	30	34	42
35-49	5040	12.5	113	2	2	8	22	29	31	39
50-64	3945	13.1	126	2	3	8	22	29	34	44
65+	1451	13.1	116	2	3	9	21	28	33	43
B. *Operated*										
0-19 YRS	18	19.5	246	<1	<1	22	32	40	43	43
20-34	206	20.9	161	2	4	22	29	35	42	59
35-49	280	18.5	117	4	6	17	27	32	37	43
50-64	287	20.0	164	5	6	17	28	35	41	76
65+	112	18.4	120	5	7	16	27	33	39	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8405	13.9	124	1	2	11	25	29	30	36
B. *Operated*	30	19.5	152	1	2	22	28	34	41	41
2. MULTIPLE DX										
A. *Not Operated*	16426	14.0	137	2	2	9	24	30	35	44
B. *Operated*	903	19.5	145	4	6	18	28	34	40	56
1. SINGLE DX	8435	13.9	124	1	2	11	25	29	30	36
2. MULTIPLE DX	17329	14.3	139	2	2	10	24	30	35	44
A. NOT OPERATED	24831	14.0	132	1	2	10	24	30	33	42
B. OPERATED	933	19.5	145	4	6	18	28	34	40	55
TOTAL 0-19 YRS	1547	19.6	231	1	1	21	32	40	44	51
20-34	8446	14.8	132	1	2	13	26	30	32	41
35-49	8168	13.1	117	1	2	9	23	29	31	38
50-64	5677	13.5	129	2	2	9	23	29	33	43
65+	1926	13.4	116	2	3	9	21	28	33	42
GRAND TOTAL	**25764**	**14.2**	**134**	**1**	**2**	**10**	**24**	**30**	**33**	**43**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	20.5	188	8	8	19	32	36	36	36
20-34	99	13.1	129	1	1	8	23	30	34	41
35-49	21	11.7	119	<1	<1	8	18	29	31	32
50-64	3	11.7	341	<1	<1	1	25	33	33	33
65+										
B. *Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	21.4	315	1	2	19	33	46	59	60
20-34	197	13.4	122	2	3	10	18	29	36	50
35-49	59	10.5	66	1	2	9	15	24	27	34
50-64	12	14.2	95	6	6	10	21	31	31	31
65+	7	18.0	93	5	6	21	25	29	30	30
B. *Operated*										
0-19 YRS										
20-34	21	16.1	121	3	5	13	21	34	39	43
35-49	4	21.3	285	10	10	14	32	46	46	46
50-64										
65+	3	21.0	252	9	9	15	33	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	13.1	131	<1	1	8	24	30	33	39
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	286	13.3	118	2	3	10	18	29	34	50
B. *Operated*	28	17.4	145	3	6	14	22	38	43	46
1. SINGLE DX	128	13.0	131	<1	1	8	23	30	33	39
2. MULTIPLE DX	314	13.6	122	2	3	10	19	29	36	49
A. NOT OPERATED	413	13.2	122	1	2	10	19	29	34	46
B. OPERATED	29	16.9	146	3	5	13	21	38	43	46
TOTAL 0-19 YRS	15	21.1	265	1	3	19	33	37	54	60
20-34	318	13.5	123	1	2	10	19	30	35	45
35-49	84	11.3	90	<1	2	9	16	26	30	42
50-64	15	13.7	124	<1	1	8	24	31	33	33
65+	10	18.9	120	5	6	18	26	34	39	39
GRAND TOTAL	**442**	**13.5**	**124**	**1**	**2**	**10**	**19**	**30**	**34**	**46**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	248	21.3	236	1	1	24	35	40	42	47
20-34	361	15.4	146	1	2	11	28	30	34	40
35-49	66	14.8	110	1	2	11	26	29	31	32
50-64	20	16.5	132	<1	2	16	23	30	37	44
65+	7	16.7	110	5	6	15	24	32	34	34
B. *Operated*										
0-19 YRS										
20-34	3	3.7		3	3	4	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	21.5	232	1	2	21	35	40	44	58
20-34	506	15.7	134	2	3	13	26	30	34	41
35-49	127	14.2	106	2	3	11	23	28	33	37
50-64	62	17.9	184	2	3	15	28	38	41	52
65+	32	16.9	128	2	3	15	28	29	30	44
B. *Operated*										
0-19 YRS	2	17.5	313	5	5	17	30	30	30	30
20-34	21	20.0	112	6	9	21	23	32	42	53
35-49	9	24.3	241	8	10	16	32	49	56	56
50-64	5	10.6	10	6	6	12	13	14	14	14
65+	1	13.0		13	13	13	13	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	702	17.4	181	1	1	18	29	36	39	45
B. *Operated*	3	3.7		3	3	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	982	17.2	165	2	3	14	28	35	39	51
B. *Operated*	38	19.5	140	5	7	16	25	32	47	56
1. SINGLE DX	705	17.4	181	1	1	17	29	36	39	45
2. MULTIPLE DX	1020	17.3	164	2	3	14	28	35	39	52
A. NOT OPERATED	1684	17.3	172	1	2	15	28	35	39	47
B. OPERATED	41	18.3	147	4	5	15	23	32	45	56
TOTAL 0-19 YRS	505	21.3	233	1	1	22	35	40	43	53
20-34	891	15.6	139	2	3	13	27	30	34	41
35-49	202	14.8	116	2	3	12	24	29	32	38
50-64	87	17.2	163	1	3	14	27	36	40	52
65+	40	16.8	119	2	4	14	27	30	32	44
GRAND TOTAL	**1725**	**17.3**	**171**	**1**	**2**	**15**	**28**	**35**	**39**	**47**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	1.6	8	<1	<1	1	1	2	3	14
20-34	267	5.1	82	<1	<1	1	3	27	30	32
35-49	142	5.4	81	<1	<1	1	4	28	30	31
50-64	60	4.9	54	<1	<1	2	5	11	26	32
65+	36	3.9	32	<1	<1	2	3	11	20	24
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	3.3	48	<1	<1	1	2	6	15	32
20-34	478	3.7	31	<1	<1	2	4	9	15	30
35-49	273	4.4	24	<1	1	3	5	9	14	27
50-64	229	5.2	38	1	1	3	6	11	15	37
65+	116	5.6	30	1	3	4	7	11	17	31
B. *Operated*										
0-19 YRS	15	6.9	218	<1	<1	1	4	26	48	55
20-34	22	3.6	18	<1	<1	2	5	7	14	19
35-49	10	6.8	86	<1	<1	4	6	21	32	32
50-64	14	9.3	35	2	3	8	13	18	22	23
65+	10	10.4	69	1	1	9	18	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	935	3.5	47	<1	<1	1	2	6	28	31
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1398	4.2	35	<1	<1	2	5	9	15	30
B. *Operated*	71	6.8	81	<1	<1	4	9	18	23	50
1. SINGLE DX	937	3.5	47	<1	<1	1	2	6	28	31
2. MULTIPLE DX	1469	4.3	37	<1	<1	2	5	10	16	30
A. NOT OPERATED	2333	3.9	40	<1	<1	2	4	9	18	30
B. OPERATED	73	6.7	80	<1	<1	3	9	18	23	50
TOTAL 0-19 YRS	747	2.4	29	<1	<1	1	2	3	7	30
20-34	769	4.2	48	<1	<1	1	4	9	25	30
35-49	425	4.8	45	<1	<1	2	5	10	24	31
50-64	303	5.3	42	<1	1	3	6	12	19	35
65+	162	5.5	34	<1	1	3	7	11	20	30
GRAND TOTAL	**2406**	**4.0**	**41**	**<1**	**<1**	**2**	**4**	**9**	**19**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	11.2	136	1	1	6	20	30	33	43
20-34	228	10.6	133	<1	1	5	19	30	30	40
35-49	30	12.6	127	1	1	8	22	28	30	42
50-64	9	13.3	149	4	5	8	17	35	35	35
65+	2	15.0	50	10	10	15	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34	3	13.0	61	8	8	9	19	22	22	22
35-49										
50-64	2	9.0	8	7	7	9	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	12.1	184	1	1	6	20	32	42	58
20-34	439	11.4	121	1	1	7	19	29	31	41
35-49	112	10.4	103	1	2	6	15	26	32	41
50-64	49	10.0	95	1	2	6	15	27	34	40
65+	28	10.8	66	2	4	8	13	25	29	32
B. *Operated*										
0-19 YRS	5	31.0	826	2	2	26	49	75	75	75
20-34	29	18.6	69	7	8	19	26	29	30	33
35-49	10	19.6	176	5	5	16	29	38	44	44
50-64	2	20.0	242	9	9	20	31	31	31	31
65+	5	19.2	152	7	7	16	30	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	388	11.0	133	<1	1	6	20	30	31	42
B. *Operated*	5	11.4	37	7	7	9	14	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	793	11.3	128	1	1	7	17	29	32	52
B. *Operated*	51	20.1	167	5	7	19	28	33	41	75
1. SINGLE DX	393	11.0	132	<1	1	6	20	30	31	42
2. MULTIPLE DX	844	11.8	135	1	1	7	20	29	33	52
A. NOT OPERATED	1181	11.2	129	1	1	6	19	29	32	46
B. OPERATED	56	19.4	161	5	7	18	27	33	39	73
TOTAL 0-19 YRS	289	12.1	179	1	1	6	20	31	41	58
20-34	699	11.4	125	<1	1	7	20	29	30	40
35-49	152	11.4	116	1	2	7	19	28	32	43
50-64	62	10.8	103	1	2	7	15	31	34	39
65+	35	12.2	81	2	4	9	15	29	31	35
GRAND TOTAL	**1237**	**11.6**	**134**	**1**	**1**	**7**	**20**	**29**	**32**	**46**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	4.1	16	1	1	3	5	7	9	17
20-34	192	4.0	10	<1	<1	3	5	8	11	15
35-49	118	4.0	9	<1	1	3	5	7	11	14
50-64	81	4.0	8	<1	1	4	5	8	10	12
65+	42	5.4	22	1	2	4	7	10	15	25
B. *Operated*										
0-19 YRS	8	4.4	8	1	1	4	6	8	9	9
20-34	17	5.5	12	1	1	5	8	11	12	12
35-49	16	6.3	19	1	2	5	8	14	15	15
50-64	9	3.8	3	2	2	4	5	6	6	6
65+	4	6.3	14	2	2	6	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	5.0	26	1	1	4	6	9	11	35
20-34	325	5.5	40	1	1	4	7	10	13	37
35-49	343	5.7	42	1	2	4	7	10	15	27
50-64	290	6.0	23	1	2	5	7	12	16	25
65+	307	5.9	21	1	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	9	5.1	3	3	3	5	6	8	8	8
20-34	38	7.7	105	1	1	5	9	15	26	57
35-49	39	10.5	122	3	3	8	12	17	25	69
50-64	37	11.3	80	2	3	9	16	20	26	49
65+	32	12.8	88	3	3	10	15	30	33	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	4.1	12	<1	1	3	5	8	11	15
B. *Operated*	54	5.3	12	1	2	5	7	11	12	15
2. MULTIPLE DX										
A. *Not Operated*	1421	5.7	31	1	2	4	7	10	14	29
B. *Operated*	155	10.2	97	1	3	7	12	18	30	57
1. SINGLE DX	619	4.2	12	<1	1	3	5	8	11	15
2. MULTIPLE DX	1576	6.1	40	1	2	4	7	11	16	31
A. NOT OPERATED	1986	5.2	26	1	1	4	6	10	13	27
B. OPERATED	209	8.9	79	1	2	7	11	17	27	52
TOTAL 0-19 YRS	305	4.6	21	1	1	4	6	8	10	31
20-34	572	5.2	34	<1	1	4	6	10	12	35
35-49	516	5.7	42	1	2	4	7	11	15	28
50-64	417	6.0	28	1	2	5	7	12	16	27
65+	385	6.4	30	1	2	5	8	12	16	31
GRAND TOTAL	**2195**	**5.6**	**32**	**1**	**1**	**4**	**7**	**11**	**14**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	769	15.7	283	1	2	10	22	39	53	82
20-34	825	7.0	62	1	1	4	9	16	21	41
35-49	433	7.7	64	1	1	5	9	17	26	39
50-64	148	7.3	67	<1	1	5	9	18	23	43
65+	69	8.1	56	<1	1	5	11	20	22	36
B. *Operated*										
0-19 YRS	4	9.0	89	1	1	7	16	21	21	21
20-34	5	5.6	29	2	2	3	7	15	15	15
35-49	5	10.6	13	6	6	11	14	14	14	14
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	744	15.7	326	1	2	8	21	43	58	96
20-34	1235	9.2	97	1	1	6	12	22	30	46
35-49	769	9.1	82	1	2	6	12	21	28	43
50-64	367	8.9	60	2	2	7	12	18	26	33
65+	280	9.9	104	1	2	7	12	23	28	45
B. *Operated*										
0-19 YRS	26	29.5	716	1	2	22	44	66	93	93
20-34	64	13.3	148	2	4	11	17	26	38	97
35-49	41	14.7	195	3	3	10	21	34	51	56
50-64	17	14.3	236	5	6	10	14	19	54	72
65+	19	16.7	342	4	5	11	16	45	65	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2244	10.2	154	1	1	6	13	25	36	61
B. *Operated*	15	8.3	36	1	2	8	13	15	19	21
2. MULTIPLE DX										
A. *Not Operated*	3395	10.6	147	1	2	6	13	25	36	62
B. *Operated*	167	16.7	303	2	4	11	19	43	56	93
1. SINGLE DX	2259	10.2	154	1	1	6	13	25	36	61
2. MULTIPLE DX	3562	10.9	156	1	2	7	14	26	37	65
A. NOT OPERATED	5639	10.5	150	1	1	6	13	25	36	61
B. OPERATED	182	16.0	286	2	3	11	18	42	55	93
TOTAL 0-19 YRS	1543	15.9	314	1	2	9	22	42	56	88
20-34	2129	8.5	87	1	1	5	11	20	27	45
35-49	1248	8.8	81	1	2	6	11	20	28	44
50-64	532	8.6	69	1	2	6	11	18	25	41
65+	369	9.9	109	1	2	7	12	22	29	50
GRAND TOTAL	**5821**	**10.6**	**155**	**1**	**1**	**6**	**13**	**25**	**36**	**63**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1351	19.3	451	1	2	10	29	55	73	99+
20-34	1091	8.6	102	<1	1	5	11	21	29	51
35-49	658	8.9	96	<1	1	5	11	22	30	45
50-64	368	10.2	107	<1	1	6	15	24	32	45
65+	217	10.6	140	<1	2	6	14	25	36	59
B. *Operated*										
0-19 YRS	23	15.5	568	<1	1	4	15	54	75	83
20-34	25	9.6	150	1	2	4	13	20	32	58
35-49	21	8.6	129	2	2	5	7	21	41	48
50-64	20	9.1	78	2	3	5	11	27	28	29
65+	5	9.0	33	2	2	7	13	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1385	20.5	428	2	3	13	32	56	71	99+
20-34	1901	11.0	146	1	2	7	14	25	36	62
35-49	1436	10.6	120	2	2	7	13	24	35	56
50-64	1103	11.6	126	2	3	8	15	26	36	51
65+	1066	11.8	118	2	3	8	15	25	35	55
B. *Operated*										
0-19 YRS	66	29.4	605	2	3	26	49	64	80	99+
20-34	135	17.0	250	3	3	11	25	40	57	99+
35-49	149	18.1	276	4	4	11	24	44	56	73
50-64	138	17.5	225	3	4	13	23	38	44	77
65+	135	18.5	239	4	5	14	24	37	53	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3685	12.8	256	<1	1	6	17	35	50	85
B. *Operated*	94	10.7	226	1	2	5	11	28	48	78
2. MULTIPLE DX										
A. *Not Operated*	6891	13.0	204	2	2	8	17	32	44	77
B. *Operated*	623	19.0	297	3	4	13	26	43	58	85
1. SINGLE DX	3779	12.8	255	<1	1	6	16	35	50	85
2. MULTIPLE DX	7514	13.5	214	2	2	8	18	34	46	77
A. NOT OPERATED	10576	13.0	222	1	2	7	17	33	46	79
B. OPERATED	717	17.9	295	2	3	12	24	42	57	83
TOTAL 0-19 YRS	2825	20.1	446	1	2	12	31	56	72	99+
20-34	3152	10.4	139	1	2	6	13	25	36	61
35-49	2264	10.6	128	1	2	7	13	24	34	57
50-64	1629	11.7	133	1	2	8	16	27	36	50
65+	1423	12.3	137	2	3	8	16	27	35	57
GRAND TOTAL	**11293**	**13.3**	**228**	**1**	**2**	**7**	**17**	**34**	**48**	**80**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	13.5	201	2	2	8	19	37	47	48
20-34	21	8.5	80	1	1	5	9	23	28	34
35-49	8	17.1	432	5	5	7	22	54	63	63
50-64	5	10.0	42	3	3	10	13	20	20	20
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	9.7	92	1	2	6	12	23	33	41
20-34	115	13.4	139	2	3	11	17	28	38	57
35-49	57	11.1	69	1	3	10	15	21	26	45
50-64	30	12.6	219	2	3	7	14	23	54	69
65+	12	10.0	77	3	3	6	15	23	30	31
B. *Operated*										
0-19 YRS	11	7.3	63	2	2	4	6	23	25	25
20-34	5	2.4	2	1	1	2	3	5	5	5
35-49	5	13.8	172	1	1	16	21	33	33	33
50-64	4	10.5	89	2	2	8	16	24	24	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	11.4	166	1	2	7	13	29	37	63
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	281	11.8	120	2	3	8	15	25	35	52
B. *Operated*	25	8.1	81	1	2	4	10	24	27	33
1. SINGLE DX	46	11.3	163	1	2	6	13	28	37	63
2. MULTIPLE DX	306	11.5	118	2	2	8	15	25	33	50
A. NOT OPERATED	326	11.8	126	2	3	8	15	26	35	56
B. OPERATED	26	8.0	78	1	2	4	8	24	27	33
TOTAL 0-19 YRS	90	9.8	101	2	2	6	12	24	32	45
20-34	141	12.3	131	1	2	8	16	27	37	50
35-49	70	12.0	113	1	2	10	16	25	33	60
50-64	39	12.1	180	2	3	8	14	23	41	69
65+	12	10.0	77	3	3	6	15	23	30	31
GRAND TOTAL	**352**	**11.5**	**123**	**2**	**2**	**8**	**15**	**25**	**34**	**54**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	10.9	25	2	3	11	14	16	19	25
20-34	96	8.2	71	1	2	6	12	14	15	54
35-49	61	10.3	79	2	3	9	13	18	22	60
50-64	29	8.4	24	1	2	8	11	15	17	22
65+	9	12.6	36	2	2	14	16	18	19	19
B. *Operated*										
0-19 YRS	63	13.2	41	4	7	11	15	22	29	35
20-34	29	15.4	272	2	3	10	23	32	60	70
35-49	46	13.8	228	2	3	8	15	41	53	59
50-64	32	14.1	145	2	2	12	19	34	40	46
65+	13	25.8	385	2	3	19	37	57	63	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	412	12.5	37	2	5	12	15	18	21	33
20-34	92	10.6	56	2	3	9	14	21	26	34
35-49	93	13.7	130	3	4	9	17	30	39	53
50-64	77	14.4	109	2	4	12	18	28	34	52
65+	64	20.1	253	3	5	15	26	40	53	76
B. *Operated*										
0-19 YRS	105	18.6	147	6	10	15	23	38	47	99+
20-34	57	23.6	382	2	4	20	32	55	79	99
35-49	85	18.5	343	2	3	14	26	48	87	99+
50-64	90	21.3	312	3	4	16	31	46	72	91
65+	55	29.2	384	4	6	28	42	65	72	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	10.4	37	2	3	11	14	16	19	26
B. *Operated*	183	14.8	172	2	3	11	18	33	45	63
2. MULTIPLE DX										
A. *Not Operated*	738	13.2	82	2	4	12	16	22	31	51
B. *Operated*	392	21.4	305	3	4	16	29	47	73	99+
1. SINGLE DX	897	11.3	67	2	3	11	14	18	23	50
2. MULTIPLE DX	1130	16.1	174	3	4	13	19	33	45	83
A. NOT OPERATED	1452	11.9	62	2	3	11	14	19	24	46
B. OPERATED	575	19.3	272	3	4	15	25	44	64	99+
TOTAL 0-19 YRS	1099	12.4	47	2	4	12	15	18	23	40
20-34	274	13.0	184	2	3	10	15	28	35	80
35-49	285	14.4	205	2	3	10	17	32	49	99+
50-64	228	16.4	201	2	3	12	22	36	46	76
65+	141	23.7	324	3	5	18	34	51	66	80
GRAND TOTAL	**2027**	**14.0**	**133**	**2**	**3**	**12**	**16**	**26**	**36**	**73**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	18	8.7	48	2	3	6	12	20	24	26
50-64	121	11.4	91	3	3	9	13	22	31	48
65+	315	9.9	50	2	3	9	13	19	24	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	11	9.2	52	2	2	9	14	20	24	24
65+	12	16.3	420	4	4	11	15	35	74	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	21.0	450	6	6	21	36	36	36	36
20-34	2	6.0	18	3	3	6	9	9	9	9
35-49	34	9.6	58	3	3	7	12	22	28	30
50-64	303	10.5	72	3	3	8	13	21	24	38
65+	1655	12.1	74	3	4	10	15	23	29	43
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	39	18.0	221	5	7	13	21	34	55	69
65+	223	20.5	203	5	6	17	26	39	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	10.2	61	2	3	9	13	20	25	43
B. *Operated*	25	12.4	230	2	3	10	14	17	38	80
2. MULTIPLE DX										
A. *Not Operated*	1996	11.8	74	3	4	10	15	22	29	43
B. *Operated*	263	20.1	206	5	6	17	26	38	47	80
1. SINGLE DX	482	10.3	70	2	3	9	13	20	25	43
2. MULTIPLE DX	2259	12.8	96	3	4	10	16	25	32	50
A. NOT OPERATED	2453	11.5	72	3	4	9	14	22	28	43
B. OPERATED	288	19.4	212	4	6	16	26	37	47	81
TOTAL 0-19 YRS	3	17.0	273	6	6	9	29	36	36	36
20-34	4	3.8	13	1	1	2	6	9	9	9
35-49	55	9.1	52	3	3	7	12	22	26	30
50-64	474	11.3	92	3	3	9	14	21	27	57
65+	2205	12.6	93	3	4	10	16	25	31	49
GRAND TOTAL	**2741**	**12.3**	**93**	**3**	**4**	**10**	**16**	**24**	**31**	**49**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	12.2	54	2	3	14	16	19	27	33
20-34	445	9.2	49	2	2	8	13	16	23	35
35-49	539	10.0	52	2	3	9	14	17	21	32
50-64	184	11.2	63	2	3	10	15	20	24	45
65+	27	10.4	52	2	2	12	15	19	22	29
B. *Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	88	9.9	91	2	2	8	13	20	22	59
35-49	112	9.0	80	1	2	7	13	16	21	50
50-64	27	9.5	26	2	3	10	13	17	18	19
65+	4	12.8	178	2	2	8	21	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	12.3	416	1	2	7	11	31	70	76
20-34	293	11.8	107	2	3	9	14	24	32	96
35-49	502	11.9	91	2	3	10	16	22	29	58
50-64	325	13.1	102	3	4	11	17	24	33	63
65+	84	14.1	117	4	5	11	18	31	41	47
B. *Operated*										
0-19 YRS	2	19.5	365	6	6	19	33	33	33	33
20-34	97	17.5	260	2	3	12	21	42	52	75
35-49	163	17.3	196	3	5	13	22	39	50	74
50-64	126	17.6	183	3	5	15	23	34	43	70
65+	40	15.5	143	3	4	13	22	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1214	9.9	53	2	3	9	14	18	22	36
B. *Operated*	234	9.5	78	1	2	8	13	17	22	56
2. MULTIPLE DX										
A. *Not Operated*	1216	12.4	103	2	4	10	16	23	32	62
B. *Operated*	428	17.3	200	3	4	13	23	39	49	74
1. SINGLE DX	1448	9.9	57	2	3	9	14	17	22	36
2. MULTIPLE DX	1644	13.6	133	3	4	11	17	27	39	66
A. NOT OPERATED	2430	11.2	79	2	3	9	14	20	26	50
B. OPERATED	662	14.5	171	2	3	11	18	32	44	71
TOTAL 0-19 YRS	36	12.1	178	2	2	9	14	19	33	76
20-34	923	11.0	100	2	3	9	14	21	29	61
35-49	1316	11.6	92	2	3	9	14	21	28	56
50-64	662	13.3	108	3	3	11	17	24	33	61
65+	155	13.8	114	2	4	11	17	29	41	49
GRAND TOTAL	**3092**	**11.9**	**101**	**2**	**3**	**10**	**15**	**22**	**31**	**60**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	818	3.6	9	1	1	3	4	7	9	16
20-34	641	4.1	25	1	1	3	5	8	11	23
35-49	340	4.3	13	1	1	3	5	9	11	20
50-64	180	4.8	36	1	1	4	5	8	11	35
65+	136	4.7	12	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	16	7.3	23	2	4	5	10	15	18	19
20-34	35	8.6	71	2	2	5	11	22	26	38
35-49	16	6.8	16	2	2	6	10	12	14	15
50-64	20	5.6	19	1	1	4	8	12	15	16
65+	5	4.8	7	2	2	4	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	821	5.2	37	1	1	3	6	10	14	34
20-34	915	6.2	41	1	1	4	8	12	17	34
35-49	650	7.1	45	1	2	5	9	14	19	35
50-64	767	7.3	45	1	2	5	9	14	19	35
65+	776	8.2	49	2	2	6	10	17	23	35
B. *Operated*										
0-19 YRS	46	8.3	40	2	3	6	11	18	20	31
20-34	87	10.0	73	1	2	8	13	23	28	39
35-49	68	16.5	274	2	3	12	21	36	49	89
50-64	108	14.3	228	2	4	9	15	30	54	72
65+	92	16.0	236	3	4	11	22	32	48	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2115	4.0	17	1	1	3	5	8	11	20
B. *Operated*	92	7.2	39	2	2	5	10	15	21	33
2. MULTIPLE DX										
A. *Not Operated*	3929	6.8	44	1	2	5	8	14	19	34
B. *Operated*	401	13.4	190	2	3	9	17	28	42	72
1. SINGLE DX	2207	4.2	18	1	1	3	5	8	11	21
2. MULTIPLE DX	4330	7.4	61	1	2	5	9	15	21	40
A. NOT OPERATED	6044	5.8	36	1	1	4	7	12	16	33
B. OPERATED	493	12.3	167	2	3	8	15	25	38	68
TOTAL 0-19 YRS	1701	4.5	24	1	1	3	5	9	13	21
20-34	1678	5.7	39	1	1	4	7	12	16	33
35-49	1074	6.8	57	1	2	5	9	14	20	39
50-64	1075	7.6	67	1	2	5	9	15	20	49
65+	1009	8.4	68	2	2	6	10	18	24	42
GRAND TOTAL	**6537**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**35**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	327	4.3	18	1	1	3	5	9	12	23
20-34	453	5.5	25	1	1	4	8	11	14	25
35-49	367	6.5	36	1	1	5	8	13	17	34
50-64	303	7.3	53	1	2	5	9	16	22	42
65+	433	9.3	75	2	2	7	11	19	25	46
B. *Operated*										
0-19 YRS	254	5.9	43	1	2	4	7	11	16	44
20-34	256	7.3	43	1	2	6	10	14	17	35
35-49	275	7.3	38	1	2	6	10	15	21	28
50-64	241	8.5	100	2	2	5	11	17	23	60
65+	223	10.6	87	2	2	8	14	24	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	548	7.2	78	1	2	5	8	14	21	53
20-34	690	8.9	122	1	2	5	10	18	28	63
35-49	725	9.7	111	2	2	7	11	20	27	58
50-64	1146	11.4	136	2	3	8	13	24	35	67
65+	2777	12.2	112	3	3	9	15	24	31	56
B. *Operated*										
0-19 YRS	408	9.8	187	1	2	5	11	22	38	97
20-34	511	12.1	177	2	2	8	15	29	45	99+
35-49	493	13.4	180	2	2	10	17	30	41	92
50-64	705	14.5	173	2	3	11	19	31	47	99+
65+	1197	18.4	242	3	4	14	24	39	51	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1883	6.7	45	1	1	5	8	14	19	33
B. *Operated*	1249	7.8	63	1	2	5	10	16	22	43
2. MULTIPLE DX										
A. *Not Operated*	5886	10.8	117	2	3	8	13	22	31	58
B. *Operated*	3314	14.8	210	2	2	10	19	34	48	96
1. SINGLE DX	3132	7.1	52	1	2	5	9	15	21	37
2. MULTIPLE DX	9200	12.3	154	2	3	8	15	27	38	75
A. NOT OPERATED	7769	9.8	103	1	2	7	12	21	29	55
B. OPERATED	4563	12.9	179	2	2	9	17	30	42	84
TOTAL 0-19 YRS	1537	7.1	92	1	1	4	8	14	22	66
20-34	1910	8.7	109	1	2	5	10	18	28	70
35-49	1860	9.7	110	1	2	7	12	21	29	63
50-64	2395	11.5	138	2	2	8	14	25	35	69
65+	4630	13.4	150	2	3	10	17	28	38	66
GRAND TOTAL	**12332**	**11.0**	**133**	**2**	**2**	**7**	**14**	**24**	**34**	**67**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	431	3.1	5	1	1	3	4	5	7	11
20-34	1066	3.4	7	<1	1	3	4	7	8	12
35-49	612	4.0	11	<1	1	3	5	7	10	17
50-64	212	4.2	11	1	1	3	5	9	11	16
65+	64	4.6	13	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	23	4.3	8	2	2	3	6	8	11	13
20-34	84	4.3	6	1	2	4	6	8	9	13
35-49	68	4.8	9	2	2	4	6	9	12	15
50-64	34	6.1	28	1	2	4	8	14	18	23
65+	11	6.0	10	1	2	6	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	264	3.7	6	1	1	3	5	7	8	13
20-34	992	5.0	15	1	2	4	6	9	12	19
35-49	918	5.7	21	1	2	4	7	11	13	24
50-64	469	5.8	22	1	2	5	7	11	14	26
65+	162	6.8	29	2	2	5	9	13	17	30
B. *Operated*										
0-19 YRS	22	6.2	17	2	3	5	7	10	16	20
20-34	112	7.6	29	2	3	6	10	15	19	27
35-49	116	8.6	56	2	3	7	10	16	18	45
50-64	83	8.8	58	3	3	7	10	14	18	50
65+	23	9.7	52	3	4	8	11	17	27	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2385	3.6	8	<1	1	3	4	7	9	14
B. *Operated*	220	4.8	11	1	2	4	6	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	2805	5.3	19	1	2	4	7	10	13	23
B. *Operated*	356	8.2	45	2	3	6	10	15	19	36
1. SINGLE DX	2605	3.7	8	<1	1	3	5	7	9	15
2. MULTIPLE DX	3161	5.7	22	1	2	4	7	10	14	25
A. NOT OPERATED	5190	4.5	14	1	1	4	6	9	11	19
B. OPERATED	576	6.9	35	2	2	5	9	13	16	35
TOTAL 0-19 YRS	740	3.4	6	1	1	3	4	6	8	13
20-34	2254	4.3	12	1	1	3	5	8	10	18
35-49	1714	5.3	21	1	2	4	6	10	13	23
50-64	798	5.7	25	1	2	4	7	11	14	27
65+	260	6.4	28	1	2	5	8	12	16	30
GRAND TOTAL	**5766**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	34	1.9	2	<1	<1	1	3	3	3	7
35-49	28	3.6	7	<1	<1	3	5	7	8	11
50-64	33	2.3	3	<1	<1	1	3	5	6	6
65+	12	2.9	4	<1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	48	2.3	2	1	1	2	3	3	4	9
20-34	999	2.2	2	<1	1	2	3	3	4	6
35-49	1721	2.4	3	1	1	2	3	4	5	10
50-64	1682	2.4	3	1	1	2	3	4	5	9
65+	963	2.7	5	1	1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	2	3	3	4	5	6	6	6
20-34	37	5.0	10	1	2	4	7	9	12	13
35-49	77	5.8	15	1	2	5	7	11	13	21
50-64	95	5.2	13	1	2	5	7	8	13	19
65+	55	5.6	19	1	2	4	7	12	14	22
B. *Operated*										
0-19 YRS	20	3.2	14	<1	<1	2	3	8	13	15
20-34	307	3.2	7	1	1	2	4	6	8	14
35-49	761	4.1	17	1	1	3	4	9	13	21
50 64	1149	4.0	15	1	1	3	4	8	11	19
65+	935	4.7	24	1	1	3	5	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.6	4	<1	<1	2	3	6	7	9
B. *Operated*	5413	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	267	5.4	14	1	2	5	7	11	13	19
B. *Operated*	3172	4.1	17	1	1	3	5	9	12	21
1. SINGLE DX	5522	2.4	3	1	1	2	3	4	5	10
2. MULTIPLE DX	3439	4.2	17	1	1	3	5	9	12	21
A. NOT OPERATED	376	4.6	13	<1	1	4	6	9	12	18
B. OPERATED	8585	3.1	9	1	1	2	3	5	8	16
TOTAL 0-19 YRS	73	2.7	5	1	1	2	3	4	6	14
20-34	1377	2.5	4	<1	1	2	3	4	5	10
35-49	2587	3.0	8	1	1	2	3	5	8	16
50-64	2959	3.1	8	1	1	2	3	5	8	16
65+	1365	3.7	15	1	1	2	4	8	11	19
GRAND TOTAL	**8961**	**3.1**	**9**	**1**	**1**	**2**	**3**	**6**	**9**	**16**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	6.8	43	1	2	4	8	16	21	31
20-34	394	6.4	69	<1	1	4	7	12	18	52
35-49	443	6.1	47	1	1	4	7	12	16	29
50-64	457	6.1	39	<1	1	4	8	12	17	34
65+	330	7.2	51	1	1	5	9	15	21	42
B. *Operated*										
0-19 YRS	158	4.4	28	1	2	3	4	8	13	24
20-34	1031	4.1	11	1	2	3	5	8	10	16
35-49	1283	4.6	23	1	2	3	5	9	13	23
50-64	1217	4.3	25	1	1	3	5	8	11	29
65+	498	4.7	20	1	2	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	6.1	42	1	1	4	7	12	19	82
20-34	401	6.6	41	1	2	5	8	12	16	40
35-49	744	7.7	47	2	2	6	9	14	19	42
50-64	1068	8.3	67	2	2	6	10	15	21	51
65+	1387	9.7	79	2	3	8	12	18	22	45
B. *Operated*										
0-19 YRS	72	7.4	150	2	2	4	6	14	35	97
20-34	526	6.8	67	2	2	4	8	14	17	53
35-49	837	7.7	57	2	2	5	10	16	22	34
50-64	1130	8.5	87	2	2	5	11	18	25	57
65+	661	12.0	150	2	2	9	16	27	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1786	6.4	50	<1	1	4	8	13	18	40
B. *Operated*	4187	4.4	20	1	2	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	3684	8.5	66	2	3	6	10	16	21	44
B. *Operated*	3226	8.7	93	2	2	6	11	19	27	73
1. SINGLE DX	5973	5.0	30	1	1	3	6	10	14	28
2. MULTIPLE DX	6910	8.6	78	2	2	6	11	17	24	54
A. NOT OPERATED	5470	7.8	61	1	2	6	10	15	21	42
B. OPERATED	7413	6.3	57	1	2	4	7	13	19	44
TOTAL 0-19 YRS	476	6.0	55	1	2	4	7	13	19	45
20-34	2352	5.5	40	1	2	4	6	11	14	37
35-49	3307	6.3	42	1	2	4	8	13	17	32
50-64	3872	6.9	60	1	2	4	8	14	20	43
65+	2876	9.1	88	2	2	7	11	19	25	67
GRAND TOTAL	**12883**	**6.9**	**59**	**1**	**2**	**5**	**9**	**14**	**20**	**43**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	3	3.7	6	<1	<1	4	5	6	6	6
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	5	2.0	3	1	1	1	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	87	4.4	7	2	2	4	5	8	10	14
20-34	162	4.8	9	2	2	4	6	8	9	21
35-49	175	4.6	9	1	2	4	6	7	11	14
50-54	509	4.7	8	2	2	4	6	7	9	16
65+	559	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	10	3.6	20	1	1	2	3	10	16	16
65+	20	6.1	38	<1	<1	4	7	13	20	27
B. *Operated*										
0-19 YRS	49	4.7	7	2	2	4	5	8	9	15
20-34	92	4.8	10	1	2	4	6	8	10	18
35-49	103	4.9	10	2	2	4	6	8	11	18
50-64	445	5.0	9	2	2	4	6	8	11	16
65+	580	5.4	12	2	2	5	7	9	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.2	3	<1	<1	1	3	5	6	6
B. *Operated*	1492	4.8	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	38	4.8	29	<1	<1	3	7	12	15	27
B. *Operated*	1269	5.2	11	2	2	4	6	9	11	18
1. SINGLE DX	1505	4.7	8	2	2	4	6	8	10	15
2. MULTIPLE DX	1307	5.2	11	2	2	4	6	9	11	19
A. NOT OPERATED	51	4.1	24	<1	<1	3	5	11	14	27
B. OPERATED	2761	4.9	9	2	2	4	6	8	10	17
TOTAL 0-19 YRS	140	4.5	7	2	2	4	5	8	10	15
20-34	261	4.7	9	1	2	4	6	8	10	20
35-49	282	4.7	9	1	2	4	6	8	10	16
50-64	969	4.8	9	2	2	4	6	8	10	16
65+	1160	5.2	11	2	2	4	6	8	11	18
GRAND TOTAL	**2812**	**4.9**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34										
35-49	7	2.1	1	1	1	2	3	3	3	3
50-64	26	2.2	2	1	1	2	3	4	6	7
65+	46	2.0	1	1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	10	3.6	16	1	1	2	5	10	14	14
20-34	19	3.2	1	2	2	3	4	5	5	5
35-49	86	3.1	5	1	1	3	4	5	8	13
50-64	206	3.4	9	1	1	3	4	6	7	11
65+	458	3.5	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	3	<1	<1	2	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.4	2	<1	<1	2	4	4	4	4
50-64	17	4.1	14	<1	1	3	4	10	13	15
65+	67	4.2	13	1	1	3	5	7	10	23
B. *Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	10	3.2	3	1	1	3	4	5	6	6
35-49	19	5.2	9	1	2	5	7	10	11	11
50-64	110	4.4	11	1	1	3	5	9	10	18
65+	422	4.9	15	1	2	4	6	9	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.0	1	1	1	2	3	3	4	7
B. *Operated*	779	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	99	3.9	12	<1	1	3	5	7	10	20
B. *Operated*	565	4.8	14	1	2	4	6	9	12	20
1. SINGLE DX	861	3.3	6	1	1	3	4	6	8	12
2. MULTIPLE DX	664	4.6	14	1	2	4	6	9	12	20
A. NOT OPERATED	181	3.1	8	1	1	2	4	6	7	15
B. OPERATED	1344	4.0	10	1	2	3	5	8	10	17
TOTAL 0-19 YRS	24	3.0	8	<1	1	2	4	5	8	14
20-34	30	3.2	1	1	2	3	4	5	5	6
35-49	119	3.3	5	1	1	3	4	7	9	12
50-64	359	3.6	9	1	1	3	4	7	9	15
65+	993	4.1	11	1	2	3	5	8	10	18
GRAND TOTAL	**1525**	**3.9**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	13	2.4	3	1	1	1	4	5	5	5
65+	32	2.1	4	<1	<1	1	3	4	6	10
B. *Operated*										
0-19 YRS	14	3.1	1	1	2	3	4	4	5	5
20-34	11	2.4	1	<1	1	2	3	4	4	4
35-49	39	3.4	3	1	2	3	4	6	8	9
50-64	104	3.1	5	1	1	2	4	5	8	12
65+	245	3.5	10	1	1	3	4	6	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	7.1	62	1	1	3	12	20	22	22
35-49	9	6.0	26	1	1	3	11	12	13	13
50-64	21	5.9	40	1	1	4	7	14	22	27
65+	61	5.5	26	1	1	5	6	11	17	26
B. *Operated*										
0-19 YRS	9	4.3	4	2	2	5	6	7	7	7
20-34	26	4.0	6	1	2	3	5	8	9	11
35-49	37	4.7	13	1	2	3	7	10	12	16
50-64	89	5.4	23	2	2	4	7	11	17	24
65+	305	4.6	15	1	2	3	5	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.1	3	<1	1	1	3	5	5	10
B. *Operated*	413	3.4	8	1	1	3	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	99	5.7	30	1	1	4	7	12	20	27
B. *Operated*	466	4.7	16	1	2	3	6	9	12	20
1. SINGLE DX	464	3.2	7	1	1	3	4	5	7	16
2. MULTIPLE DX	565	4.9	18	1	2	3	6	10	13	22
A. NOT OPERATED	150	4.5	24	1	1	3	6	10	13	27
B. OPERATED	879	4.1	12	1	2	3	5	8	11	20
TOTAL 0-19 YRS	25	3.4	3	1	1	3	4	6	6	7
20-34	46	4.0	14	1	1	3	4	8	11	22
35-49	88	4.1	10	1	1	3	5	9	11	15
50-64	227	4.2	16	1	1	3	5	9	12	23
65+	643	4.1	14	1	1	3	5	8	11	21
GRAND TOTAL	**1029**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	24	1.9	2	<1	<1	2	2	3	5	7
65+	82	2.2	3	<1	<1	2	3	3	5	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	943	2.5	2	1	2	2	3	4	4	6
50-64	6095	2.5	1	1	2	2	3	4	4	6
65+	22997	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	17	1.9	2	<1	<1	1	2	3	6	7
50-64	136	2.7	6	<1	1	2	3	6	9	12
65+	487	3.1	17	<1	1	2	3	7	10	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	451	3.2	5	1	2	3	3	5	7	12
50-64	3938	3.2	6	2	2	3	3	5	7	11
65+	18331	3.5	8	2	2	3	4	5	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	2.1	2	<1	<1	2	3	3	4	9
B. *Operated*	30035	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	640	3.0	14	<1	1	2	3	7	9	19
B. *Operated*	22720	3.4	8	2	2	3	4	5	8	15
1. SINGLE DX	30144	2.6	1	1	2	2	3	4	4	7
2. MULTIPLE DX	23360	3.4	8	2	2	3	4	5	8	15
A. NOT OPERATED	749	2.9	13	<1	1	2	3	6	9	19
B. OPERATED	52755	3.0	4	2	2	3	3	4	6	11
TOTAL 0-19 YRS										
20-34										
35-49	1414	2.7	3	1	2	2	3	4	5	9
50-64	10193	2.8	3	1	2	2	3	4	5	10
65+	41897	3.0	5	2	2	3	3	4	6	12
GRAND TOTAL	**53504**	**3.0**	**4**	**2**	**2**	**3**	**3**	**4**	**6**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	113	2.4	1	1	1	2	3	4	4	7
20-34	76	2.6	1	1	1	2	3	4	5	7
35-49	133	2.2	1	1	1	2	3	3	3	5
50-64	322	2.5	1	1	2	2	3	4	4	6
65+	311	2.3	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	5	2.2	1	<1	<1	2	3	3	3	3
65+	9	4.1	26	1	1	2	5	12	17	17
B. *Operated*										
0-19 YRS	41	2.9	2	2	2	2	3	5	6	7
20-34	58	3.3	4	2	2	3	4	6	9	92
35-49	95	2.5	1	1	2	2	3	3	5	7
50-64	172	3.2	4	1	2	3	3	5	9	11
65+	226	3.3	4	1	2	3	4	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	955	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	21	2.9	12	<1	<1	2	3	5	11	17
B. *Operated*	592	3.1	3	1	2	3	3	5	8	11
1. SINGLE DX	960	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	613	3.1	4	1	2	3	3	5	8	11
A. NOT OPERATED	26	2.7	10	<1	<1	2	3	5	8	17
B. OPERATED	1547	2.7	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	161	2.5	1	1	1	2	3	4	5	7
20-34	135	2.9	3	1	2	2	3	5	6	23
35-49	231	2.4	1	1	1	2	3	3	4	6
50-64	499	2.8	2	1	2	2	3	4	5	10
65+	547	2.7	3	<1	1	2	3	4	5	11
GRAND TOTAL	**1573**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.0	5	<1	<1	1	2	4	7	13
20-34	16	5.4	7	1	2	6	7	9	10	10
35-49	10	4.0	7	2	2	3	4	8	11	11
50-64	14	5.6	13	1	3	5	7	9	14	16
65+	22	4.9	8	1	2	4	6	9	11	12
B. *Operated*										
0-19 YRS	2304	1.6		<1	<1	2	2	2	2	3
20-34	458	1.9	1	1	1	2	2	3	3	4
35-49	212	2.1	2	1	1	2	2	3	3	9
50-64	109	2.6	4	1	1	2	2	3	7	13
65+	84	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	1.6	2	<1	<1	1	1	3	4	9
20-34	24	4.7	31	1	1	3	5	8	15	29
35-49	23	6.2	18	1	2	5	8	12	15	16
50-64	57	6.4	24	1	1	5	8	13	16	25
65+	94	5.7	20	2	2	5	8	10	13	29
B. *Operated*										
0-19 YRS	404	1.8	1	1	1	2	2	2	3	5
20-34	117	2.3	3	1	1	2	2	4	5	12
35-49	88	2.5	2	1	1	2	3	4	5	11
50-64	104	4.5	23	1	1	2	5	11	16	23
65+	73	5.7	56	1	2	3	6	14	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	3.7	9	<1	<1	3	5	8	10	14
B. *Operated*	3167	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	275	4.6	20	<1	<1	3	6	10	13	26
B. *Operated*	786	2.7	11	1	1	2	2	4	7	18
1. SINGLE DX	3280	1.8	1	<1	1	2	2	2	3	7
2. MULTIPLE DX	1061	3.2	14	<1	1	2	3	6	10	18
A. NOT OPERATED	388	4.4	17	<1	<1	3	6	9	12	22
B. OPERATED	3953	1.9	3	<1	1	2	2	2	3	9
TOTAL 0-19 YRS	2836	1.7		<1	<1	2	2	2	2	3
20-34	615	2.2	3	1	1	2	2	3	4	10
35-49	333	2.5	4	1	1	2	2	4	7	12
50-64	284	4.2	18	1	1	2	5	10	14	20
65+	273	4.5	25	1	1	3	6	9	12	30
GRAND TOTAL	**4341**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**5**	**12**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	251	2.1	4	<1	<1	1	3	5	6	10
20-34	91	2.2	4	<1	<1	<1	3	5	6	10
35-49	38	2.7	12	<1	<1	1	3	7	11	17
50-64	58	3.9	21	<1	<1	2	5	10	15	19
65+	86	5.6	26	<1	<1	5	7	12	15	27
B. *Operated*										
0-19 YRS	203	1.9	2	<1	<1	2	2	3	4	9
20-34	264	2.8	6	1	1	2	3	5	6	12
35-49	300	2.4	2	1	1	2	3	4	5	9
50-64	551	2.4	3	<1	1	2	3	4	5	8
65+	838	2.8	4	1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	216	3.8	5	1	1	3	5	7	8	11
20-34	85	3.4	10	<1	<1	3	4	8	10	17
35-49	62	4.6	14	<1	<1	4	6	9	14	17
50-64	75	5.0	14	<1	1	5	6	9	11	22
65+	181	6.9	35	1	1	5	9	14	18	40
B. *Operated*										
0-19 YRS	92	3.3	22	<1	1	2	3	6	8	32
20-34	112	3.7	11	1	1	3	4	7	13	18
35-49	270	3.5	14	1	1	3	3	7	10	22
50-64	567	3.5	10	1	1	3	4	6	10	17
65+	1139	4.2	18	1	1	3	5	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	2.9	11	<1	<1	1	4	6	10	17
B. *Operated*	2156	2.6	3	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	619	4.9	18	<1	1	4	6	10	14	21
B. *Operated*	2180	3.8	16	1	1	3	4	7	11	20
1. SINGLE DX	2680	2.6	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	2799	4.1	16	1	1	3	5	8	12	20
A. NOT OPERATED	1143	4.0	16	<1	<1	3	5	8	12	19
B. OPERATED	4336	3.2	10	1	1	2	4	6	8	17
TOTAL 0-19 YRS	762	2.7	7	<1	<1	2	3	6	7	11
20-34	552	3.0	7	<1	<1	2	3	5	7	14
35-49	670	3.1	9	<1	1	2	3	5	8	17
50-64	1251	3.1	8	<1	1	2	4	6	8	16
65+	2244	3.9	16	1	1	3	5	7	11	20
GRAND TOTAL	**5479**	**3.4**	**11**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	409	4.1	6	1	2	4	5	7	8	13
20-34	140	4.7	17	1	1	4	5	8	12	18
35-49	74	4.0	8	<1	1	3	5	8	10	14
50-64	83	4.3	13	<1	1	3	6	8	12	19
65+	128	5.0	16	1	1	4	7	10	12	21
B. *Operated*										
0-19 YRS	68	3.1	5	<1	1	2	4	5	8	13
20-34	84	3.4	4	1	2	3	4	6	8	10
35-49	111	3.7	9	1	2	3	4	7	10	16
50-64	427	3.0	5	1	1	2	3	5	7	13
65+	1017	2.9	4	1	2	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	4.8	10	1	2	4	6	8	10	14
20-34	105	5.7	17	1	1	5	7	11	15	19
35-49	122	5.6	18	1	2	4	7	10	14	21
50-64	189	5.9	24	1	2	5	7	11	16	25
65+	303	6.3	25	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	88	4.9	13	1	2	4	7	10	11	17
20-34	151	5.0	24	1	2	4	6	9	12	25
35-49	177	5.5	28	1	2	4	6	13	14	29
50-64	487	5.4	43	2	2	3	6	11	18	30
65+	1172	4.7	19	2	2	3	5	10	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	834	4.3	10	1	2	4	5	8	10	17
B. *Operated*	1707	3.0	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1060	5.6	19	1	2	4	7	10	13	22
B. *Operated*	2075	5.0	26	2	2	3	6	10	14	25
1. SINGLE DX	2541	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	3135	5.2	23	1	2	4	6	10	14	24
A. NOT OPERATED	1894	5.0	15	1	2	4	6	9	12	21
B. OPERATED	3782	4.1	17	1	2	3	4	8	11	20
TOTAL 0-19 YRS	906	4.3	8	1	2	4	5	8	9	14
20-34	480	4.8	17	1	2	4	6	9	12	21
35-49	484	4.9	19	1	2	4	6	10	13	21
50-64	1186	4.5	26	1	2	3	5	9	12	22
65+	2620	4.2	15	1	2	3	5	8	12	20
GRAND TOTAL	**5676**	**4.4**	**17**	**1**	**2**	**3**	**5**	**9**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.1	4	<1	1	3	4	5	7	9
20-34	30	2.8	3	<1	<1	2	4	5	7	8
35-49	31	4.3	9	<1	<1	4	6	8	10	14
50-64	35	3.7	7	<1	1	3	6	7	9	10
65+	19	3.6	4	1	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	15	2.1	3	<1	1	2	2	4	7	8
20-34	14	2.3	1	<1	1	2	3	3	3	3
35-49	14	3.1	4	1	2	3	4	5	8	9
50-64	28	5.0	13	1	2	4	7	11	13	14
65+	32	4.0	12	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.5	5	<1	1	3	4	7	8	10
20-34	61	5.9	42	<1	1	5	6	10	13	39
35-49	52	5.6	25	1	1	4	8	11	13	31
50-64	99	6.1	24	1	2	5	8	12	18	24
65+	122	6.9	36	1	2	5	8	14	24	30
B. *Operated*										
0-19 YRS	18	2.9	3	1	1	2	3	6	7	7
20-34	30	5.2	20	1	2	4	6	13	15	19
35-49	46	4.8	11	1	1	3	7	10	11	14
50-64	78	5.8	19	2	2	4	9	12	14	21
65+	91	6.5	37	2	2	4	8	14	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.5	6	<1	1	3	5	7	8	11
B. *Operated*	103	3.6	9	1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	375	6.0	30	1	2	4	7	11	17	30
B. *Operated*	263	5.6	23	1	2	4	8	12	15	24
1. SINGLE DX	244	3.6	7	<1	1	3	5	7	9	14
2. MULTIPLE DX	638	5.8	27	1	2	4	7	12	15	29
A. NOT OPERATED	516	5.3	24	1	1	4	7	10	14	27
B. OPERATED	366	5.1	20	1	2	3	6	11	14	22
TOTAL 0-19 YRS	100	3.1	4	1	1	2	4	6	8	10
20-34	135	4.7	26	<1	1	3	5	8	12	35
35-49	143	4.8	15	1	1	4	7	10	12	15
50-64	240	5.5	19	1	2	4	7	12	14	22
65+	264	6.2	33	1	2	4	8	13	19	30
GRAND TOTAL	**882**	**5.2**	**23**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1307	2.7	3	<1	<1	2	3	5	6	9
20-34	80	2.1	3	<1	<1	1	3	4	7	8
35-49	28	3.4	22	<1	<1	2	4	5	7	26
50-64	16	3.5	11	<1	<1	2	5	7	11	13
65+	13	4.8	10	<1	1	4	6	9	12	13
B. *Operated*										
0-19 YRS	3767	1.3	1	<1	<1	1	1	2	2	4
20-34	457	2.2	1	1	1	2	3	3	4	7
35-49	390	2.3	1	1	1	2	3	3	4	6
50-64	369	2.4	1	1	1	2	3	3	4	6
65+	118	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3603	3.6	6	1	1	3	4	6	8	13
20-34	138	4.4	23	<1	<1	3	6	8	11	30
35-49	84	4.8	20	<1	1	4	6	10	12	26
50-64	90	5.5	12	1	2	5	7	9	12	19
65+	103	6.9	25	1	2	6	9	14	17	26
B. *Operated*										
0-19 YRS	3088	1.9	4	<1	<1	2	2	3	4	9
20-34	549	2.5	3	1	1	2	3	3	4	9
35-49	505	3.0	6	1	2	2	3	5	7	16
50-64	535	3.1	8	1	2	2	3	5	8	15
65+	235	4.0	18	1	2	3	4	8	13	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1444	2.7	4	<1	<1	2	3	5	6	10
B. *Operated*	5101	1.6	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4018	3.8	8	1	1	3	5	7	8	14
B. *Operated*	4912	2.3	5	<1	1	2	2	3	5	13
1. SINGLE DX	6545	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	8930	3.0	7	<1	1	2	3	5	7	14
A. NOT OPERATED	5462	3.5	7	<1	1	3	4	6	8	13
B. OPERATED	10013	1.9	3	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	11765	2.3	4	<1	<1	2	3	4	6	10
20-34	1224	2.6	5	<1	1	2	3	4	6	10
35-49	1007	2.9	6	1	1	2	3	5	6	13
50-64	1010	3.1	7	1	2	2	3	5	7	15
65+	469	4.3	18	1	2	3	5	8	13	21
GRAND TOTAL	**15475**	**2.5**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.6	7	<1	<1	3	5	7	9	11
20-34	157	2.8	7	<1	<1	2	4	5	8	14
35-49	51	3.9	8	<1	<1	3	6	7	8	14
50-64	28	4.7	33	<1	<1	3	6	9	15	29
65+	25	5.3	24	<1	<1	4	7	13	16	21
B. *Operated*										
0-19 YRS	422	1.6	2	<1	<1	1	2	3	4	7
20-34	88	2.5	3	<1	1	2	3	4	6	11
35-49	56	2.9	3	1	1	3	3	6	6	11
50-64	55	3.3	12	1	1	2	4	6	8	23
65+	34	3.9	29	1	1	2	3	6	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	3.9	8	1	1	3	5	7	9	13
20-34	125	4.3	10	<1	<1	3	6	8	10	16
35-49	81	4.5	10	<1	<1	4	7	9	10	15
50-64	79	5.9	16	1	2	5	7	10	16	21
65+	79	10.1	155	1	3	6	11	16	37	72
B. *Operated*										
0-19 YRS	441	2.4	8	<1	1	2	2	4	6	17
20-34	105	3.8	8	1	2	3	5	8	10	15
35-49	65	4.6	26	1	1	3	4	12	15	28
50-64	96	5.1	25	2	2	3	6	12	15	27
65+	72	8.3	87	1	2	4	10	26	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.5	10	<1	<1	3	5	7	9	14
B. *Operated*	655	2.1	5	<1	<1	1	2	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	706	4.9	30	<1	1	4	6	9	11	24
B. *Operated*	779	3.6	22	<1	1	2	3	7	12	28
1. SINGLE DX	1098	2.7	7	<1	<1	2	3	6	8	14
2. MULTIPLE DX	1485	4.3	26	<1	1	3	5	9	12	27
A. NOT OPERATED	1149	4.4	22	<1	<1	3	6	8	10	19
B. OPERATED	1434	2.9	15	<1	<1	2	3	6	9	24
TOTAL 0-19 YRS	1387	2.7	7	<1	<1	2	3	6	7	12
20-34	475	3.4	8	<1	<1	3	4	7	9	14
35-49	253	4.0	12	<1	1	3	5	7	11	16
50-64	258	4.9	21	<1	1	4	6	10	14	24
65+	210	7.9	100	1	2	4	9	16	28	53
GRAND TOTAL	**2583**	**3.6**	**19**	**<1**	**<1**	**2**	**4**	**7**	**10**	**22**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.6	6	1	1	3	5	7	8	13
20-34	284	3.9	12	1	1	3	5	7	9	18
35-49	440	4.1	6	1	1	4	5	7	9	12
50-64	609	3.9	8	1	1	3	5	7	9	14
65+	570	4.3	9	1	1	4	5	8	10	15
B. *Operated*										
0-19 YRS	5	3.4	3	2	2	3	4	6	6	6
20-34	57	3.3	2	1	2	3	4	5	6	8
35-49	93	3.8	7	1	2	3	5	7	10	15
50-64	127	3.7	6	2	2	3	4	6	8	15
65+	71	4.9	9	2	2	4	7	9	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.1	5	2	2	4	5	7	8	12
20-34	288	4.7	8	1	2	4	6	9	11	14
35-49	637	5.4	14	1	2	4	7	10	12	17
50-64	1279	5.2	12	1	2	4	7	10	11	17
65+	2164	5.9	18	2	2	5	7	11	14	20
B. *Operated*										
0-19 YRS	7	4.3	13	<1	<1	3	6	10	11	11
20-34	24	6.6	19	1	2	6	9	14	15	17
35-49	62	7.5	22	2	2	7	11	14	16	20
50-64	166	8.3	34	2	3	7	10	16	20	27
65+	185	9.5	42	3	4	8	13	17	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1950	4.1	9	1	1	3	5	7	9	14
B. *Operated*	353	3.9	7	2	2	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	4416	5.5	15	1	2	5	7	10	13	19
B. *Operated*	444	8.5	35	2	3	7	11	16	18	29
1. SINGLE DX	2303	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	4860	5.8	17	2	2	5	7	11	14	20
A. NOT OPERATED	6366	5.1	13	1	2	4	7	9	12	18
B. OPERATED	797	6.5	28	2	2	5	9	13	16	26
TOTAL 0-19 YRS	107	3.9	6	1	2	3	5	7	8	12
20-34	653	4.3	10	1	1	4	5	8	10	14
35-49	1232	4.9	12	1	2	4	6	9	11	16
50-64	2181	5.0	13	1	2	4	6	9	11	18
65+	2990	5.8	19	2	2	5	7	11	14	21
GRAND TOTAL	**7163**	**5.2**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49										
50-64	3	3.3	10	<1	<1	2	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	38	2.3		1	2	2	3	3	4	4
20-34	315	2.4	1	1	1	2	3	3	4	5
35-49	478	2.4	1	1	1	2	3	3	4	5
50-64	413	2.5	1	1	2	2	3	3	4	5
65+	160	2.6	1	2	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	8	2.9	1	1	1	3	4	4	4	4
20-34	86	3.0	3	1	2	3	3	4	6	11
35-49	122	2.8	3	2	2	3	3	4	5	10
50-64	193	2.9	5	1	2	3	3	3	4	13
65+	98	3.0	2	2	2	3	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*	1404	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	<1	<1	1	3	4	6	6
B. *Operated*	507	2.9	4	1	2	3	3	4	5	11
1. SINGLE DX	1411	2.5	1	1	2	2	3	3	4	6
2. MULTIPLE DX	521	2.9	4	1	2	3	3	4	5	11
A. NOT OPERATED	21	2.2	3	<1	<1	2	3	5	6	7
B. OPERATED	1911	2.6	2	1	2	2	3	4	4	6
TOTAL 0-19 YRS	48	2.4	1	1	1	2	3	3	4	4
20-34	407	2.5	1	1	1	2	3	4	4	6
35-49	602	2.5	1	1	2	2	3	3	4	6
50-64	616	2.7	2	1	2	3	3	3	4	7
65+	259	2.8	2	2	2	3	3	4	5	8
GRAND TOTAL	**1932**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.5	5	<1	<1	2	3	5	8	9
20-34	58	3.1	19	<1	<1	2	4	5	6	31
35-49	58	3.4	5	<1	<1	3	4	7	8	11
50-64	60	3.8	6	1	1	3	5	7	8	14
65+	32	4.6	11	<1	1	4	6	8	11	16
B. *Operated*										
0-19 YRS	903	1.9	3	<1	1	2	2	3	3	5
20-34	679	2.1	2	1	1	2	2	3	4	6
35-49	442	2.3	3	1	1	2	3	3	4	9
50-64	410	2.3	1	1	1	2	3	3	4	7
65+	175	2.3	2	1	1	2	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	8	<1	<1	2	4	6	10	14
20-34	74	3.5	8	<1	<1	3	5	8	10	12
35-49	56	4.8	10	<1	1	4	7	8	8	17
50-64	109	6.1	35	1	1	4	8	11	17	37
65+	112	6.4	20	<1	2	6	8	10	13	27
B. *Operated*										
0-19 YRS	667	2.0	1	<1	1	2	2	3	3	6
20-34	455	2.5	3	1	1	2	3	3	4	13
35-49	376	2.7	4	1	1	2	3	4	6	13
50-64	422	3.3	9	1	1	2	3	6	9	17
65+	196	3.5	14	1	1	2	3	7	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	3.4	9	<1	<1	3	4	7	8	14
B. *Operated*	2609	2.1	3	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	399	5.1	21	<1	1	4	7	10	12	22
B. *Operated*	2116	2.6	5	1	1	2	3	4	6	14
1. SINGLE DX	2865	2.2	3	1	1	2	3	3	4	8
2. MULTIPLE DX	2515	3.0	8	1	1	2	3	6	8	16
A. NOT OPERATED	655	4.5	17	<1	<1	4	6	9	11	20
B. OPERATED	4725	2.3	4	1	1	2	3	3	4	11
TOTAL 0-19 YRS	1666	2.0	2	<1	1	2	2	3	3	6
20-34	1266	2.4	4	1	1	2	3	4	5	10
35-49	932	2.7	4	1	1	2	3	4	6	12
50-64	1001	3.2	10	1	1	2	3	6	8	17
65+	515	3.8	13	1	1	2	4	8	11	19
GRAND TOTAL	**5380**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	7.4	39	3	3	5	8	14	16	39
20-34	39	7.5	39	1	2	5	8	16	22	29
35-49	12	7.3	14	2	3	7	9	12	15	16
50-64	4	6.8	8	4	4	6	9	10	10	10
65+	8	10.8	43	3	3	10	15	20	22	22
B. *Operated*										
0-19 YRS										
20-34	2	9.0	32	5	5	9	13	13	13	13
35-49										
50-64	2	16.0	2	15	15	16	17	17	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.0	23	2	3	6	10	14	15	21
20-34	42	9.8	96	2	3	7	11	20	33	45
35-49	32	7.3	13	2	3	7	9	13	15	15
50-64	41	8.7	42	2	3	7	10	19	22	31
65+	51	11.5	76	3	4	10	15	19	23	55
B. *Operated*										
0-19 YRS	3	8.7	16	5	5	8	12	13	13	13
20-34	7	19.4	56	12	13	18	20	32	35	35
35-49	13	11.8	130	2	3	6	18	33	34	34
50-64	25	14.2	132	2	2	13	20	31	38	43
65+	25	17.2	306	2	2	15	21	33	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	7.6	36	2	3	6	9	15	17	38
B. *Operated*	4	12.5	28	5	5	14	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	201	9.1	56	2	3	7	11	17	21	45
B. *Operated*	73	15.1	180	2	2	13	20	33	36	78
1. SINGLE DX	152	7.7	37	2	3	6	9	15	17	38
2. MULTIPLE DX	274	10.7	95	2	3	8	14	21	30	45
A. NOT OPERATED	349	8.5	48	2	3	7	10	16	21	39
B. OPERATED	77	14.9	172	2	2	13	20	32	36	76
TOTAL 0-19 YRS	123	7.3	34	2	3	6	9	14	16	38
20-34	90	9.5	75	2	2	7	13	19	26	45
35-49	57	8.4	41	2	3	7	9	15	21	34
50-64	72	10.7	77	2	2	8	13	22	30	42
65+	84	13.1	145	2	3	11	17	22	32	77
GRAND TOTAL	**426**	**9.6**	**76**	**2**	**3**	**7**	**13**	**19**	**24**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.2	2	1	1	3	4	5	6	6
20-34	31	4.2	7	1	1	4	6	8	9	11
35-49	46	4.0	6	1	1	3	6	8	9	10
50-64	40	4.9	10	2	2	4	6	8	11	18
65+	22	7.0	25	2	3	6	8	12	18	25
B. *Operated*										
0-19 YRS	8	7.0	55	2	2	4	10	20	23	23
20-34	44	7.0	24	2	2	7	11	13	15	18
35-49	104	7.3	28	1	2	6	11	15	17	19
50-64	144	7.7	46	2	2	4	12	17	19	27
65+	67	9.6	63	2	2	8	16	20	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.3	5	2	3	5	7	9	9	9
20-34	109	7.0	49	2	2	5	8	13	17	42
35-49	240	6.1	23	1	2	5	8	11	14	22
50-64	420	7.1	23	2	2	6	10	13	16	22
65+	546	9.8	53	3	3	8	12	19	24	39
B. *Operated*										
0-19 YRS	15	9.3	120	2	2	8	10	21	38	44
20-34	69	13.1	139	2	2	10	17	34	38	55
35-49	295	10.1	99	2	2	8	14	20	25	51
50-64	572	12.1	123	2	2	11	17	25	32	61
65+	411	14.6	170	2	2	12	20	31	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	4.7	11	1	2	4	6	8	10	18
B. *Operated*	367	7.8	42	2	2	5	12	17	19	24
2. MULTIPLE DX										
A. *Not Operated*	1337	8.0	39	2	3	6	10	16	20	35
B. *Operated*	1362	12.4	135	2	2	11	17	26	35	63
1. SINGLE DX	519	6.9	35	2	2	4	10	16	18	24
2. MULTIPLE DX	2699	10.2	93	2	2	8	13	22	29	48
A. NOT OPERATED	1489	7.6	37	2	2	6	10	15	19	34
B. OPERATED	1729	11.4	119	2	2	10	16	24	32	59
TOTAL 0-19 YRS	58	6.1	44	2	2	4	8	10	17	42
20-34	253	8.3	73	2	2	6	11	17	26	40
35-49	685	7.9	59	2	2	5	11	16	20	36
50-64	1176	9.5	80	2	2	7	13	20	25	42
65+	1046	11.6	105	2	3	9	16	24	32	53
GRAND TOTAL	**3218**	**9.7**	**85**	**2**	**2**	**7**	**13**	**20**	**26**	**43**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	3.6	7	1	2	3	4	5	8	17
20-34	315	4.3	8	<1	1	4	5	7	10	16
35-49	795	4.7	9	1	2	4	6	8	10	15
50-64	963	4.8	13	<1	1	4	6	9	12	18
65+	815	4.7	14	<1	<1	4	6	9	11	17
B. *Operated*										
0-19 YRS	25	3.9	8	1	2	3	5	7	9	14
20-34	76	4.8	47	1	1	3	5	10	13	44
35-49	63	5.3	18	1	2	4	8	11	14	20
50-64	97	6.6	53	1	2	4	9	13	23	74
65+	44	6.2	78	1	2	4	5	13	20	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	5.0	11	1	2	4	6	8	11	19
20-34	987	5.7	15	2	2	5	7	10	13	21
35-49	3233	6.1	16	2	2	5	8	11	13	20
50-64	5406	6.6	23	2	2	6	8	12	15	24
65+	6237	7.5	32	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	23	6.7	32	1	2	5	11	15	18	22
20-34	184	7.8	59	1	2	6	10	15	20	34
35-49	582	9.8	59	2	2	8	13	19	24	41
50-64	1004	10.0	73	2	2	8	13	19	24	48
65+	838	12.1	78	2	3	10	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2964	4.7	11	<1	1	4	6	9	11	17
B. *Operated*	305	5.6	45	1	2	3	6	12	16	46
2. MULTIPLE DX										
A. *Not Operated*	15998	6.8	25	2	2	6	8	12	16	26
B. *Operated*	2631	10.4	72	2	2	8	14	20	26	44
1. SINGLE DX	3269	4.8	15	<1	1	4	6	9	11	18
2. MULTIPLE DX	18629	7.3	33	2	2	6	9	14	18	29
A. NOT OPERATED	18962	6.5	23	1	2	5	8	12	15	25
B. OPERATED	2936	9.9	71	2	2	8	13	20	25	45
TOTAL 0-19 YRS	259	4.6	12	1	2	4	6	8	11	19
20-34	1562	5.6	21	1	2	4	7	10	13	23
35-49	4673	6.3	22	2	2	5	8	12	15	24
50-64	7470	6.9	31	2	2	5	9	13	16	27
65+	7934	7.7	38	2	2	6	10	15	19	31
GRAND TOTAL	**21898**	**6.9**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	18	4.2	5	2	2	4	6	8	9	9
35-49	69	6.3	11	2	2	6	8	10	13	17
50-64	154	5.9	13	2	2	5	7	11	13	20
65+	239	7.6	25	2	3	6	10	14	16	25
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	15	4.9	19	1	2	2	9	11	13	14
50-64	36	5.7	53	1	2	3	7	14	16	40
65+	15	3.9	10	1	2	2	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.1	93	4	4	9	23	26	27	27
20-34	86	7.8	30	2	3	7	9	15	19	31
35-49	558	8.2	26	3	3	7	10	15	19	27
50-64	1810	8.8	37	3	3	7	11	16	20	30
65+	3984	10.3	59	3	4	8	12	19	25	39
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	13	10.0	24	2	4	9	12	17	19	19
35-49	129	9.0	45	2	2	8	12	18	22	30
50-64	351	11.8	103	2	2	9	15	26	32	46
65+	535	15.4	121	3	5	13	19	30	38	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	6.7	19	2	2	6	8	13	15	21
B. *Operated*	67	5.1	35	1	2	2	7	11	14	36
2. MULTIPLE DX										
A. *Not Operated*	6446	9.6	50	3	3	8	12	18	23	36
B. *Operated*	1029	13.3	110	2	2	11	17	26	35	51
1. SINGLE DX	548	6.5	21	2	2	6	8	13	15	21
2. MULTIPLE DX	7475	10.1	60	3	3	8	12	19	25	41
A. NOT OPERATED	6927	9.4	49	3	3	8	12	17	22	35
B. OPERATED	1096	12.8	109	2	2	10	17	26	35	51
TOTAL 0-19 YRS	10	13.1	95	3	3	9	23	25	27	27
20-34	118	7.5	28	2	2	6	9	13	18	28
35-49	771	8.1	28	2	3	7	10	15	19	27
50-64	2351	9.0	48	2	3	7	11	17	22	39
65+	4773	10.7	67	3	4	8	13	20	26	43
GRAND TOTAL	**8023**	**9.9**	**58**	**2**	**3**	**8**	**12**	**19**	**24**	**40**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.2	3	1	1	3	4	6	6	6
20-34	15	4.5	19	1	1	3	6	11	15	17
35-49	22	4.8	4	1	2	5	6	8	?	9
50-64	26	7.5	25	2	2	7	9	16	19	21
65+	34	7.1	22	2	3	6	9	11	14	28
B. *Operated*										
0-19 YRS	13	4.3	12	1	1	3	6	10	12	12
20-34	19	5.7	21	1	1	5	8	12	16	17
35-49	45	11.7	171	1	2	8	13	24	45	67
50-64	43	8.4	55	2	2	5	12	20	25	29
65+	20	11.6	194	<1	1	8	13	23	43	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	4.6	10	1	1	3	6	10	11	11
20-34	42	5.1	23	1	1	4	6	11	18	20
35-49	93	8.4	53	1	2	7	10	16	20	45
50-64	260	9.7	47	2	3	8	13	18	23	34
65+	593	12.0	97	2	3	9	15	23	31	49
B. *Operated*										
0-19 YRS	12	10.9	26	5	5	9	13	19	22	23
20-34	87	10.8	86	1	2	8	13	23	35	40
35-49	149	13.1	108	2	3	10	18	28	32	49
50-64	280	12.7	116	2	3	10	17	26	35	59
65+	281	15.4	168	2	3	12	20	30	39	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.0	18	1	2	5	8	10	14	24
B. *Operated*	140	9.2	108	1	2	6	11	19	26	63
2. MULTIPLE DX										
A. *Not Operated*	1010	10.6	79	2	3	8	14	20	27	46
B. *Operated*	809	13.5	130	2	3	10	18	28	36	58
1. SINGLE DX	248	7.8	71	1	2	6	10	16	21	49
2. MULTIPLE DX	1819	11.9	103	2	3	9	16	24	31	52
A. NOT OPERATED	1118	10.2	75	2	3	8	13	20	26	44
B. OPERATED	949	12.8	129	2	2	10	18	27	35	60
TOTAL 0-19 YRS	58	5.6	19	1	1	4	8	11	13	23
20-34	163	8.1	63	1	1	6	11	19	24	38
35-49	309	10.9	99	2	2	8	14	23	30	50
50-64	609	10.9	81	2	3	9	15	21	28	50
65+	928	12.8	121	2	3	10	17	25	34	55
GRAND TOTAL	**2067**	**11.4**	**101**	**2**	**3**	**9**	**15**	**23**	**30**	**51**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.0	19	4	4	10	14	15	16	16
20-34	94	11.1	15	3	6	12	14	16	17	20
35-49	1089	11.4	20	4	7	11	14	16	18	24
50-64	2445	11.8	20	5	7	12	14	17	19	25
65+	2220	12.5	25	5	7	12	15	19	21	28
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	24	8.5	21	2	2	10	11	14	15	16
35-49	214	11.0	40	2	2	11	14	17	21	32
50-64	403	11.4	42	2	2	12	14	19	21	31
65+	167	14.5	68	2	3	14	18	22	28	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	17.2	76	5	7	15	25	30	31	33
20-34	138	11.1	36	2	4	11	14	17	20	38
35-49	2273	12.0	25	4	6	12	14	18	20	28
50-64	7930	13.0	31	5	7	12	15	19	23	33
65+	12809	14.7	51	6	8	13	17	23	27	40
B. *Operated*										
0-19 YRS	6	19.7	308	1	2	15	24	49	52	52
20-34	57	11.8	57	2	2	11	15	20	31	95
35-49	827	13.3	76	2	2	12	17	23	29	43
50-64	2263	15.7	100	2	3	14	20	27	34	53
65+	2235	20.3	148	5	9	17	25	35	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5857	12.0	22	5	7	12	14	17	20	26
B. *Operated*	810	11.9	48	2	2	12	15	19	23	33
2. MULTIPLE DX										
A. *Not Operated*	23173	13.9	42	6	7	13	16	21	25	37
B. *Operated*	5388	17.2	124	2	5	15	21	31	38	62
1. SINGLE DX	6667	12.0	25	4	6	12	14	17	20	27
2. MULTIPLE DX	28561	14.5	60	5	7	13	17	23	28	44
A. NOT OPERATED	29030	13.5	39	6	7	13	16	20	24	36
B. OPERATED	6198	16.5	117	2	4	15	20	29	37	59
TOTAL 0-19 YRS	40	15.5	102	2	4	14	19	29	32	52
20-34	313	11.0	33	2	3	11	14	17	19	37
35-49	4403	12.1	34	3	5	12	14	18	21	33
50-64	13041	13.2	43	4	7	12	16	20	24	38
65+	17431	15.2	65	6	8	14	18	24	30	46
GRAND TOTAL	**35228**	**14.0**	**54**	**5**	**7**	**13**	**16**	**22**	**27**	**41**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	6	1	1	3	6	6	6	6
20-34	93	4.1	5	1	2	4	5	7	9	12
35-49	667	4.5	10	1	1	4	6	8	10	15
50-64	1176	4.3	9	1	1	4	5	8	9	15
65+	1065	4.7	11	<1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS										
20-34	18	2.8	2	2	2	2	3	4	6	8
35-49	199	3.6	9	1	2	2	4	8	10	16
50-64	422	3.7	14	1	1	2	4	9	12	18
65+	115	4.9	28	1	1	3	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	6.0	21	2	3	5	6	12	18	21
20-34	287	5.6	15	1	2	5	7	10	13	20
35-49	2589	5.5	14	2	2	5	7	10	12	17
50-64	7240	5.9	16	2	2	5	7	10	13	20
65+	10492	6.6	21	2	3	5	8	12	15	24
B. *Operated*										
0-19 YRS	7	11.9	50	3	4	9	17	22	23	23
20-34	89	6.3	23	2	2	4	10	13	16	19
35-49	1521	6.8	37	2	2	4	10	14	18	26
50-64	4648	7.6	48	2	2	5	11	16	20	30
65+	2319	10.0	76	2	2	8	14	21	27	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3006	4.5	10	1	1	4	6	8	10	15
B. *Operated*	754	3.8	15	1	1	2	5	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	20632	6.2	19	2	2	5	8	11	14	22
B. *Operated*	8584	8.1	55	2	2	6	12	17	22	34
1. SINGLE DX	3760	4.3	11	1	1	4	6	8	10	16
2. MULTIPLE DX	29216	6.8	30	2	2	5	9	13	17	27
A. NOT OPERATED	23638	6.0	18	2	2	5	8	11	14	21
B. OPERATED	9338	7.7	53	2	2	5	11	17	21	34
TOTAL 0-19 YRS	36	6.8	30	1	2	5	7	17	20	23
20-34	487	5.3	15	1	2	4	7	11	13	19
35-49	4976	5.7	21	2	2	4	8	11	14	22
50-64	13486	6.2	28	2	2	5	8	13	16	25
65+	13991	7.0	32	2	2	5	9	13	17	29
GRAND TOTAL	**32976**	**6.5**	**28**	**2**	**2**	**5**	**8**	**13**	**16**	**26**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	30	4.9	10	2	2	4	6	9	13	15
35-49	291	5.0	8	1	2	4	7	9	11	14
50-64	736	5.4	11	2	2	5	7	10	12	16
65+	670	6.5	18	2	2	5	8	11	15	22
B. *Operated*										
0-19 YRS										
20-34	4	10.0	79	1	1	9	17	21	21	21
35-49	68	9.4	28	2	3	9	11	17	19	26
50-64	158	8.2	26	2	2	8	11	13	19	23
65+	67	11.4	58	2	2	10	16	24	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	92	6.7	21	2	3	6	8	12	15	27
35-49	1321	6.7	23	2	2	6	8	12	15	25
50-64	4347	7.0	19	2	3	6	9	12	15	22
65+	6497	8.0	28	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS										
20-34	21	8.2	28	2	2	7	11	16	19	20
35-49	499	10.1	68	2	2	9	13	19	22	44
50-64	1605	10.9	59	2	2	10	15	20	24	36
65+	1215	13.6	94	2	3	12	18	25	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1730	5.7	13	2	2	5	7	10	13	19
B. *Operated*	297	9.2	35	2	2	8	12	18	22	27
2. MULTIPLE DX										
A. *Not Operated*	12258	7.5	25	2	3	6	9	13	17	25
B. *Operated*	3340	11.7	75	2	2	10	16	22	27	42
1. SINGLE DX	2027	6.3	18	2	2	5	8	11	14	22
2. MULTIPLE DX	15598	8.4	38	2	3	7	11	16	20	31
A. NOT OPERATED	13988	7.3	24	2	3	6	9	13	16	24
B. OPERATED	3637	11.5	72	2	2	10	15	22	27	41
TOTAL 0-19 YRS	4	4.5	6	2	2	4	6	7	7	7
20-34	147	6.6	22	2	2	5	8	13	15	21
35-49	2179	7.3	34	2	2	6	9	14	18	27
50-64	6846	7.8	31	2	2	6	10	14	18	28
65+	8449	8.7	41	2	3	7	11	16	20	31
GRAND TOTAL	**17625**	**8.2**	**37**	**2**	**3**	**7**	**10**	**15**	**19**	**30**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	8	2	2	4	7	8	8	8
20-34	26	4.2	6	<1	1	4	5	8	8	9
35-49	268	4.8	11	1	1	4	6	9	12	16
50-64	665	5.2	14	1	2	4	7	10	12	18
65+	746	6.1	20	1	2	5	8	11	15	21
B. *Operated*										
0-19 YRS	5	3.6	13	2	2	2	4	10	10	10
20-34	64	4.9	16	1	2	3	8	11	13	18
35-49	1362	5.5	25	1	2	3	9	13	15	20
50-64	3881	6.1	32	2	2	3	10	14	17	24
65+	1297	7.4	50	2	2	4	11	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.5	16	1	2	4	8	12	15	15
20-34	112	6.2	14	2	2	5	8	10	13	20
35-49	1587	6.5	23	2	2	5	8	12	15	23
50-64	6105	7.2	27	2	2	6	9	13	16	26
65+	13927	9.0	44	2	3	7	11	17	21	35
B. *Operated*										
0-19 YRS	14	4.8	15	1	1	3	8	11	11	11
20-34	155	6.0	33	2	2	3	9	12	18	25
35-49	3052	6.9	42	2	2	4	10	15	19	28
50-64	9914	8.6	65	2	2	7	12	18	22	38
65+	5722	12.2	111	2	2	10	16	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1709	5.5	16	1	2	5	7	10	13	20
B. *Operated*	6609	6.2	34	2	2	3	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	21750	8.3	38	2	3	7	10	15	20	32
B. *Operated*	18857	9.4	79	2	2	8	13	19	25	44
1. SINGLE DX	8318	6.1	30	2	2	3	9	14	16	24
2. MULTIPLE DX	40607	8.8	57	2	2	7	12	17	22	37
A. NOT OPERATED	23459	8.1	37	2	3	7	10	15	19	31
B. OPERATED	25466	8.6	69	2	2	7	12	18	23	39
TOTAL 0-19 YRS	42	5.0	14	1	1	3	8	10	12	15
20-34	357	5.7	22	2	2	4	8	11	14	25
35-49	6269	6.4	33	2	2	4	9	14	17	26
50-64	20565	7.6	47	2	2	6	11	15	19	31
65+	21692	9.6	64	2	2	8	12	19	24	41
GRAND TOTAL	**48925**	**8.3**	**54**	**2**	**2**	**7**	**11**	**17**	**21**	**36**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	9.7	5	5	7	10	12	12	12	12
20-34	162	9.4	15	3	4	9	12	15	17	19
35-49	231	10.2	18	3	5	10	13	15	17	24
50-64	236	10.2	26	4	5	10	13	15	17	25
65+	193	11.6	24	5	6	11	13	16	22	30
B. *Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34	25	11.9	60	3	5	9	14	24	28	36
35-49	31	11.5	25	4	6	11	14	19	22	24
50-64	45	12.1	34	4	5	11	14	21	25	27
65+	33	13.1	34	7	7	12	15	18	20	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	12.7	72	1	2	13	16	27	30	30
20-34	216	10.9	41	2	4	10	13	18	25	30
35-49	409	11.9	37	5	6	11	14	19	23	37
50-64	813	12.7	44	5	7	11	15	20	23	36
65+	1449	14.3	54	6	7	13	17	23	28	41
B. *Operated*										
0-19 YRS	5	11.8	15	8	8	13	14	17	17	17
20-34	56	16.1	94	6	7	14	20	29	39	52
35-49	159	16.6	123	6	8	14	19	27	32	74
50-64	251	17.8	137	7	8	15	22	29	39	63
65+	368	20.5	167	8	9	17	24	37	50	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	10.4	21	4	5	10	13	15	17	24
B. *Operated*	136	12.2	36	5	6	11	14	21	24	36
2. MULTIPLE DX										
A. *Not Operated*	2906	13.2	49	5	7	12	16	22	26	39
B. *Operated*	839	18.6	146	7	8	15	22	32	46	69
1. SINGLE DX	973	10.6	24	4	5	10	13	16	19	25
2. MULTIPLE DX	3745	14.4	76	5	7	12	17	24	29	51
A. NOT OPERATED	3743	12.6	44	5	6	11	15	20	25	37
B. OPERATED	975	17.7	136	7	8	15	21	30	42	67
TOTAL 0-19 YRS	41	11.4	38	2	5	11	13	18	26	30
20-34	459	11.0	43	2	4	10	13	18	24	36
35-49	830	12.3	52	4	6	11	14	20	25	38
50-64	1345	13.2	64	5	7	12	15	21	26	48
65+	2043	15.1	78	6	7	13	18	25	32	53
GRAND TOTAL	**4718**	**13.6**	**68**	**5**	**7**	**12**	**16**	**23**	**28**	**49**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.5	14	6	6	11	13	14	14	14
20-34	6	14.7	195	7	7	9	11	40	43	43
35-49	4	29.8	2	28	28	30	31	31	31	31
50-64	4	24.8	78	16	16	23	30	37	37	37
65+	4	30.8	206	11	11	34	41	44	44	44
B. *Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	2	25.0	288	13	13	25	37	37	37	37
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+	3	39.3	290	23	23	38	52	57	57	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	31.5	232	3	11	29	43	50	54	54
20-34	65	23.4	205	2	4	26	37	42	44	48
35-49	46	26.3	210	6	7	27	38	45	49	58
50-64	44	26.9	182	4	6	28	38	43	46	47
65+	89	29.3	200	7	9	30	37	46	54	73
B. *Operated*										
0-19 YRS	3	47.0	79	40	40	44	54	57	57	57
20-34	53	37.1	338	4	11	41	49	62	68	99+
35-49	35	31.6	270	7	11	30	43	49	65	67
50-64	35	37.2	184	17	21	38	46	57	63	99+
65+	43	42.8	345	11	17	42	56	65	72	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	21.4	157	7	8	19	31	39	43	44
B. *Operated*	7	31.7	282	11	11	37	42	54	57	57
2. MULTIPLE DX										
A. *Not Operated*	254	26.9	204	4	7	28	37	44	48	64
B. *Operated*	169	37.6	300	7	15	40	48	63	67	97
1. SINGLE DX	29	23.9	198	7	8	23	37	43	45	57
2. MULTIPLE DX	423	31.2	269	4	8	30	43	52	61	85
A. NOT OPERATED	276	26.5	202	4	7	28	37	44	47	62
B. OPERATED	176	37.4	299	8	15	39	47	62	66	96
TOTAL 0-19 YRS	18	30.1	286	4	7	29	43	52	56	57
20-34	126	28.7	310	3	5	29	42	50	59	90
35-49	86	28.4	229	6	8	28	40	46	56	66
50-64	83	31.1	202	6	9	31	42	47	56	87
65+	139	33.8	280	7	13	32	42	57	64	85
GRAND TOTAL	**452**	**30.7**	**267**	**5**	**8**	**30**	**42**	**50**	**59**	**84**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	2.7	5	<1	1	2	3	6	7	10
20-34	86	2.8	4	<1	1	2	4	6	7	9
35-49	192	3.0	6	<1	1	2	4	6	8	12
50-64	238	2.8	4	<1	1	2	4	6	7	9
65+	175	3.7	7	<1	1	3	5	8	9	14
B. *Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	3	5.3	33	2	2	2	10	12	12	12
35-49	1	10.0		10	10	10	10	10	10	10
50-64	10	4.3	19	1	1	3	5	11	16	16
65+	6	9.3	67	2	2	7	10	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	3	1	1	3	4	6	7	8
20-34	140	3.7	7	1	1	3	5	7	10	12
35-49	264	4.2	10	1	1	3	5	9	10	17
50-64	654	4.8	12	1	1	4	6	10	11	17
65+	880	6.3	21	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	9	4.6	8	2	2	3	8	8	8	8
35-49	22	9.0	73	2	2	7	12	17	29	40
50-64	67	8.6	28	2	2	7	12	16	19	24
65+	99	13.3	138	4	5	10	15	24	32	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	3.1	5	<1	1	2	4	6	8	11
B. *Operated*	24	5.8	31	1	2	4	7	12	19	25
2. MULTIPLE DX										
A. *Not Operated*	1982	5.3	16	1	1	4	7	10	13	21
B. *Operated*	201	10.7	92	2	3	8	13	20	25	57
1. SINGLE DX	768	3.2	6	<1	1	2	4	6	8	12
2. MULTIPLE DX	2183	5.8	26	1	2	4	7	11	15	23
A. NOT OPERATED	2726	4.7	14	1	1	4	6	9	12	18
B. OPERATED	225	10.2	88	2	2	8	13	19	24	49
TOTAL 0-19 YRS	105	3.0	4	1	1	2	4	6	7	9
20-34	238	3.4	6	1	1	3	5	7	9	12
35-49	479	4.0	13	1	1	3	5	8	10	17
50-64	969	4.6	13	1	1	4	6	9	12	18
65+	1160	6.6	35	1	2	5	8	13	17	28
GRAND TOTAL	**2951**	**5.1**	**22**	**1**	**1**	**4**	**7**	**10**	**13**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	1	1	1	2	2	4	4	4
20-34	143	2.4	3	<1	1	2	3	4	5	12
35-49	234	3.0	6	<1	1	2	4	6	7	12
50-64	545	3.7	8	1	1	3	5	7	10	14
65+	648	4.5	12	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	2	2.0		2	2	2	2	2	2	2
35-49	7	5.7	20	2	2	5	6	13	15	15
50-64	45	5.4	16	1	2	4	8	11	14	17
65+	33	7.2	21	2	2	6	10	13	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.6	18	<1	1	6	9	13	14	15
20-34	179	3.6	7	1	1	3	5	7	9	12
35-49	491	4.4	13	1	1	3	5	9	11	18
50-64	2175	5.7	18	1	2	5	8	11	14	21
65+	5935	7.7	37	2	2	6	10	15	19	31
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	5	7.8	44	2	2	4	15	15	15	15
35-49	44	6.4	23	1	2	5	9	13	17	21
50-64	250	10.7	97	2	2	8	14	22	31	49
65+	741	14.1	106	3	4	11	18	26	36	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1579	3.8	10	1	1	3	5	7	10	16
B. *Operated*	89	6.0	18	2	2	5	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	8801	7.0	32	1	2	6	9	13	17	28
B. *Operated*	1042	12.9	104	2	3	10	17	25	33	51
1. SINGLE DX	1668	3.9	10	1	1	3	5	8	10	16
2. MULTIPLE DX	9843	7.6	43	1	2	6	10	15	19	33
A. NOT OPERATED	10380	6.5	30	1	2	5	8	13	16	27
B. OPERATED	1131	12.4	101	2	3	10	16	24	32	51
TOTAL 0-19 YRS	34	5.0	16	<1	1	4	7	11	14	15
20-34	329	3.1	7	1	1	2	4	6	8	15
35-49	776	4.1	12	1	1	3	5	8	10	18
50-64	3015	5.8	26	1	1	4	7	11	15	25
65+	7357	8.1	47	2	2	6	10	16	21	36
GRAND TOTAL	**11511**	**7.1**	**40**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.2	6	<1	1	2	4	6	8	12
20-34	295	3.5	6	<1	1	3	5	7	9	12
35-49	515	4.0	9	1	1	3	5	8	10	14
50-64	735	4.6	13	1	1	4	6	8	11	19
65+	839	5.3	19	1	1	4	7	10	12	22
B. *Operated*										
0-19 YRS	20	4.4	36	1	1	3	4	13	21	22
20-34	40	5.9	14	2	2	5	8	11	13	17
35-49	88	5.4	21	1	2	3	8	11	14	23
50-64	240	7.0	26	2	2	6	9	13	17	25
65+	657	8.2	25	3	3	7	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.3	19	1	1	3	5	8	11	39
20-34	688	5.1	15	1	2	4	7	9	12	20
35-49	1549	5.5	17	1	2	5	7	10	13	22
50-64	3976	6.7	29	2	2	5	8	12	16	26
65+	7996	7.9	36	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	34	8.2	83	1	2	6	10	16	33	42
20-34	89	9.5	122	1	2	8	11	16	19	70
35-49	321	9.5	91	2	2	8	11	17	24	61
50-64	1266	10.7	78	2	3	9	13	21	26	44
65+	4512	12.4	71	4	5	10	15	22	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2498	4.5	13	1	1	4	6	9	11	19
B. *Operated*	1045	7.5	26	2	2	6	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	14369	7.2	32	2	2	6	9	13	17	29
B. *Operated*	6222	11.8	75	3	4	10	15	22	27	44
1. SINGLE DX	3543	5.4	19	1	1	4	7	11	14	22
2. MULTIPLE DX	20591	8.6	49	2	3	7	11	16	21	35
A. NOT OPERATED	16867	6.8	30	1	2	5	8	13	16	28
B. OPERATED	7267	11.2	70	2	4	9	14	21	26	42
TOTAL 0-19 YRS	328	4.3	24	1	1	3	5	8	12	38
20-34	1112	5.1	23	1	1	4	7	10	12	20
35-49	2473	5.7	28	1	2	5	7	11	14	26
50-64	6217	7.3	40	2	2	6	9	14	18	32
65+	14004	9.2	51	2	3	7	12	17	22	36
GRAND TOTAL	**24134**	**8.1**	**46**	**2**	**2**	**6**	**10**	**16**	**20**	**34**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	21	<1	1	3	6	11	16	18
20-34	8	5.8	21	1	1	5	10	12	12	12
35-49	75	6.5	21	1	2	5	7	12	17	24
50-64	468	7.2	33	1	2	6	9	13	16	34
65+	2379	7.9	35	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	12.0		12	12	12	12	12	12	12
35-49	6	10.8	111	2	2	7	13	29	31	31
50-64	35	9.7	78	2	2	7	15	22	30	35
65+	54	13.6	141	2	3	10	15	31	42	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	7.0	27	1	2	6	9	13	16	26
20-34	142	9.0	41	2	3	7	12	18	20	29
35-49	1030	8.8	38	2	3	7	11	16	21	32
50-64	6994	9.4	44	3	3	8	12	17	22	34
65+	32225	10.5	56	3	4	9	13	19	25	38
B. *Operated*										
0-19 YRS	29	14.4	139	1	3	9	26	33	43	99+
20-34	23	9.8	38	2	3	8	15	19	21	22
35-49	158	13.8	103	2	4	11	18	27	33	48
50-64	928	15.8	152	3	5	13	20	29	38	73
65+	3267	18.5	151	5	7	15	23	35	43	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2950	7.7	34	2	3	6	10	14	19	31
B. *Operated*	97	11.9	115	2	2	9	15	29	34	51
2. MULTIPLE DX										
A. *Not Operated*	40538	10.3	53	3	4	8	13	19	24	37
B. *Operated*	4405	17.7	151	4	6	15	23	33	42	64
1. SINGLE DX	3047	7.8	37	2	3	6	10	14	19	32
2. MULTIPLE DX	44943	11.0	68	3	4	9	14	21	26	43
A. NOT OPERATED	43488	10.1	52	3	4	8	13	19	24	37
B. OPERATED	4502	17.5	150	4	6	15	22	33	42	63
TOTAL 0-19 YRS	197	7.9	50	1	2	6	10	16	25	41
20-34	174	9.0	40	2	3	7	12	18	20	26
35-49	1269	9.3	48	2	3	7	11	18	23	34
50-64	8425	10.0	60	3	3	8	12	19	24	38
65+	37925	11.1	68	3	4	9	14	21	27	43
GRAND TOTAL	**47990**	**10.8**	**66**	**3**	**4**	**9**	**13**	**20**	**26**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	5.1	13	1	2	4	7	9	11	19
20-34	419	4.8	12	1	2	4	6	9	11	17
35-49	461	4.9	12	1	2	4	6	9	11	17
50-64	387	6.2	27	1	2	5	8	11	15	25
65+	316	7.1	27	2	2	6	9	13	19	26
B. *Operated*										
0-19 YRS	80	4.8	60	1	1	2	5	10	15	48
20-34	151	5.2	20	1	2	3	9	12	15	18
35-49	327	4.8	21	1	2	2	6	11	14	22
50-64	521	6.1	45	2	2	2	9	15	18	32
65+	250	7.5	55	2	2	4	12	17	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	6.1	39	1	2	4	7	11	14	33
20-34	681	6.4	33	1	2	5	8	12	16	31
35-49	1210	6.9	27	2	2	6	9	13	16	24
50-64	2480	8.4	41	2	3	7	10	16	21	32
65+	4085	9.9	52	3	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	64	7.3	80	1	2	4	10	14	22	52
20-34	257	9.4	68	2	2	8	12	19	25	44
35-49	716	8.7	78	2	2	7	11	18	24	44
50-64	1828	10.2	95	2	2	8	14	22	28	49
65+	1802	13.4	138	2	2	11	18	28	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	5.6	19	1	2	4	7	10	14	23
B. *Operated*	1329	5.9	40	2	2	3	9	14	18	29
2. MULTIPLE DX										
A. *Not Operated*	8598	8.7	45	2	3	7	11	17	21	34
B. *Operated*	4667	11.1	111	2	2	9	15	24	31	52
1. SINGLE DX	3045	5.7	28	1	2	4	7	12	16	25
2. MULTIPLE DX	13265	9.5	70	2	2	7	12	19	25	43
A. NOT OPERATED	10314	8.2	42	2	3	7	10	16	21	33
B. OPERATED	5996	10.0	100	2	2	7	14	22	29	49
TOTAL 0-19 YRS	419	5.7	41	1	2	4	7	11	14	32
20-34	1508	6.3	34	1	2	5	8	12	17	29
35-49	2714	6.8	39	2	2	5	9	13	17	31
50-64	5216	8.6	61	2	2	6	11	18	23	38
65+	6453	10.6	79	2	3	8	14	21	28	46
GRAND TOTAL	**16310**	**8.8**	**64**	**2**	**2**	**7**	**11**	**18**	**24**	**40**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	5	3.8	5	2	2	3	5	7	7	7
50-64	15	4.1	9	1	1	3	5	7	11	13
65+	37	6.5	35	<1	1	5	6	14	19	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	2.6	1	2	2	2	3	5	5	5
50-64	26	8.0	51	1	2	6	14	18	21	28
65+	13	9.7	53	2	2	8	15	19	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	9	7.0	49	1	1	5	8	19	23	23
35-49	101	5.9	22	1	2	5	8	10	14	27
50-64	453	7.5	27	2	2	7	9	14	18	27
65+	1832	9.2	49	2	3	7	11	17	21	36
B. *Operated*										
0-19 YRS										
20-34	2	13.0	242	2	2	13	24	24	24	24
35-49	65	6.9	342	1	2	3	7	15	19	81
50-64	230	9.2	80	2	2	7	12	20	28	53
65+	384	14.5	143	2	3	11	19	29	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	5.5	26	1	1	4	6	12	17	29
B. *Operated*	46	7.6	48	1	2	5	14	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	2399	8.7	45	2	3	7	11	16	21	33
B. *Operated*	681	12.0	130	2	2	9	17	26	32	58
1. SINGLE DX	105	6.4	37	1	2	4	7	15	19	29
2. MULTIPLE DX	3080	9.4	66	2	3	7	12	19	24	40
A. NOT OPERATED	2458	8.6	45	2	3	7	11	16	21	33
B. OPERATED	727	11.7	126	2	2	9	16	26	32	53
TOTAL 0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	13	7.2	62	1	2	3	8	23	24	24
35-49	178	6.1	65	1	2	4	7	11	16	31
50-64	724	8.0	45	2	2	6	10	17	20	33
65+	2266	10.0	69	2	3	8	12	19	26	42
GRAND TOTAL	**3185**	**9.3**	**65**	**2**	**2**	**7**	**12**	**19**	**24**	**40**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	9	<1	<1	6	7	8	8	8
20-34	7	5.4	28	<1	<1	3	9	13	14	14
35-49	6	7.3	50	1	1	5	15	17	17	17
50-64	7	7.7	122	<1	<1	2	12	27	30	30
65+	7	14.1	90	1	2	17	19	27	29	29
B. *Operated*										
0-19 YRS	4	9.5	14	5	5	9	12	14	14	14
20-34	33	18.1	129	3	5	16	23	38	41	45
35-49	50	23.4	302	3	6	20	28	46	55	88
50-64	53	24.1	328	2	5	19	32	44	78	99+
65+	18	26.6	508	8	10	18	31	83	95	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	9.0	70	<1	<1	4	16	20	21	21
35-49	5	14.2	228	1	1	10	20	40	40	40
50-64	25	13.5	330	<1	1	4	22	36	52	75
65+	43	19.4	267	2	3	17	25	34	44	94
B. *Operated*										
0-19 YRS	3	33.7	1344	12	12	13	60	76	76	76
20-34	31	22.9	209	5	10	18	30	51	53	99+
35-49	55	29.7	623	2	6	21	43	76	97	99+
50-64	107	35.4	520	7	12	30	50	81	96	99+
65+	51	28.2	326	7	8	23	37	48	67	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	8.1	68	<1	<1	5	14	18	28	30
B. *Operated*	158	22.5	296	3	6	18	29	45	66	99
2. MULTIPLE DX										
A. *Not Operated*	81	16.2	271	1	2	12	23	34	42	88
B. *Operated*	247	31.0	482	5	9	25	43	71	94	99+
1. SINGLE DX	190	20.1	286	1	3	17	26	42	55	96
2. MULTIPLE DX	328	27.4	470	2	4	22	38	63	87	99+
A. NOT OPERATED	113	13.9	226	<1	1	10	21	31	40	82
B. OPERATED	405	27.7	426	4	7	22	38	63	87	99+
TOTAL 0-19 YRS	13	12.7	379	<1	2	8	12	26	67	76
20-34	78	18.1	174	1	3	15	24	41	50	86
35-49	116	25.2	464	2	4	19	34	61	83	99+
50-64	192	28.4	500	2	3	25	38	69	92	99+
65+	119	24.0	333	3	6	19	31	47	70	96
GRAND TOTAL	**518**	**24.7**	**414**	**2**	**4**	**19**	**34**	**54**	**77**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	62.0		62	62	62	62	62	62	62
50-64										
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	39.0		39	39	39	39	39	39	39
35-49	3	19.7	224	3	3	24	30	32	32	32
50-64	5	33.2	1065	11	11	21	40	91	91	91
65+	6	32.7	303	17	17	26	52	56	57	57
B. *Operated*										
0-19 YRS										
20-34	2	49.5	1105	26	26	73	93	99+	99+	99+
35-49	5	55.4	878	22	25	70	99	99+	99+	99+
50-64	2	39.0	50	34	34	39	44	44	44	44
65+	4	38.3	690	15	17	54	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX										
A. *Not Operated*	15	30.7	480	5	11	24	37	57	82	91
B. *Operated*	13	46.7	628	18	23	60	99+	99+	99+	99+
1. SINGLE DX	2	45.5	545	29	29	45	62	62	62	62
2. MULTIPLE DX	28	38.1	594	12	17	34	74	99+	99+	99+
A. NOT OPERATED	15	30.7	480	5	11	24	37	57	82	91
B. OPERATED	15	46.5	577	18	24	56	99	99+	99+	99+
TOTAL 0-19 YRS										
20-34	3	46.0	589	26	26	56	86	99+	99+	99+
35-49	9	44.2	839	4	14	50	91	99+	99+	99+
50-64	7	34.9	726	11	13	23	41	82	91	91
65+	11	34.4	369	15	17	31	62	99+	99+	99+
GRAND TOTAL	**30**	**38.6**	**575**	**12**	**17**	**34**	**72**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	35	<1	<1	5	7	16	17	17
20-34	5	7.6	71	1	1	6	11	22	22	22
35-49	12	9.4	97	<1	<1	7	13	25	32	33
50-64	17	13.3	333	<1	1	7	13	47	61	65
65+	67	13.6	170	2	3	9	19	27	43	67
B. *Operated*										
0-19 YRS	12	13.2	77	3	5	10	17	26	34	35
20-34	26	12.3	231	1	2	9	13	23	59	62
35-49	23	13.7	144	2	3	12	15	19	36	64
50-64	51	14.4	127	4	5	10	16	34	42	48
65+	84	15.5	107	6	6	12	19	35	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.6	80	<1	1	6	12	19	31	35
20-34	6	4.5	8	2	2	4	4	9	10	10
35-49	19	16.1	152	1	2	14	21	36	41	44
50-64	94	15.8	213	2	3	12	19	33	49	75
65+	307	17.4	149	4	5	14	23	34	42	65
B. *Operated*										
0-19 YRS	16	19.1	259	1	2	14	27	41	55	60
20-34	26	18.2	144	5	9	16	21	37	69	99+
35-49	41	24.6	611	4	7	17	28	79	96	99+
50-64	125	25.1	371	7	9	19	37	68	88	99+
65+	280	25.7	278	7	9	21	35	49	59	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	12.4	176	<1	1	8	16	26	43	67
B. *Operated*	196	14.4	130	2	5	11	17	30	40	60
2. MULTIPLE DX										
A. *Not Operated*	440	16.6	162	3	4	14	22	33	44	65
B. *Operated*	488	24.8	323	7	9	20	34	53	69	99+
1. SINGLE DX	303	13.7	147	2	3	10	17	27	40	63
2. MULTIPLE DX	928	20.9	264	4	6	17	27	45	58	97
A. NOT OPERATED	547	15.8	167	2	4	12	21	33	43	65
B. OPERATED	684	21.8	289	5	7	16	28	47	62	99+
TOTAL 0-19 YRS	48	12.9	151	<1	1	9	17	33	36	60
20-34	63	13.6	177	2	2	11	20	23	59	95
35-49	95	18.3	368	1	2	13	20	43	72	99
50-64	287	19.5	296	3	5	14	25	47	67	99+
65+	738	20.0	215	4	6	16	26	40	51	69
GRAND TOTAL	**1231**	**19.1**	**244**	**3**	**5**	**15**	**25**	**41**	**54**	**93**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	13.5	313	1	1	13	26	26	26	26
35-49	7	22.6	288	5	6	14	37	48	50	50
50-64	34	22.6	367	3	4	17	32	54	82	99+
65+	119	23.3	206	6	7	21	29	44	49	91
B. *Operated*										
0-19 YRS	3	15.0	63	6	6	18	20	21	21	21
20-34	4	48.8	565	27	27	43	65	82	82	82
35-49	5	45.2	141	29	32	55	99+	99+	99+	99+
50-64	23	40.7	624	5	8	39	60	88	99+	99+
65+	48	34.9	454	9	13	29	48	68	78	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	12.5	5	11	11	12	14	14	14	14
B. *Operated*	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	162	23.0	240	5	7	21	30	44	53	99
B. *Operated*	83	37.0	492	8	12	35	55	81	99+	99+
1. SINGLE DX	4	17.5	156	9	9	12	25	36	36	36
2. MULTIPLE DX	245	27.8	368	5	7	24	38	58	83	99+
A. NOT OPERATED	164	22.9	239	5	7	20	30	44	53	98
B. OPERATED	85	36.7	490	8	10	35	53	81	99+	99+
TOTAL 0-19 YRS	3	15.0	63	6	6	18	20	21	21	21
20-34	6	37.0	733	1	3	32	48	79	82	82
35-49	12	32.0	344	6	10	41	58	99+	99+	99+
50-64	57	29.9	542	4	6	28	53	79	95	99+
65+	171	26.4	300	6	9	22	34	49	63	97
GRAND TOTAL	**249**	**27.6**	**366**	**5**	**7**	**24**	**38**	**58**	**83**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34										
35-49	10	5.4	11	1	2	5	7	10	11	11
50-64	53	3.8	9	1	1	2	4	9	10	12
65+	74	5.8	38	<1	1	4	7	11	14	35
B. *Operated*										
0-19 YRS	4	5.8	25	2	2	4	9	13	13	13
20-34	6	5.8	18	2	2	4	10	12	12	12
35-49	116	6.6	23	2	2	5	8	13	16	23
50-64	922	7.1	40	2	2	6	9	13	16	27
65+	1432	7.5	30	2	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	21	1	1	2	7	11	11	11
35-49	19	7.5	91	<1	1	5	8	31	71	99+
50-64	199	7.4	79	1	2	5	9	14	19	47
65+	452	7.9	49	2	2	6	9	15	22	35
B. *Operated*										
0-19 YRS	6	8.7	117	2	2	4	9	28	30	30
20-34	16	11.7	71	3	4	8	17	24	28	30
35-49	192	9.1	56	2	2	7	11	18	23	41
50-64	1979	10.1	68	2	3	8	12	19	25	43
65+	3428	11.3	73	2	3	9	15	22	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	5.0	25	1	1	4	6	10	12	35
B. *Operated*	2480	7.3	33	2	2	6	9	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	674	7.7	59	2	2	6	9	15	21	41
B. *Operated*	5621	10.8	71	2	3	8	14	21	27	43
1. SINGLE DX	2620	7.2	33	2	2	6	9	13	17	26
2. MULTIPLE DX	6295	10.5	71	2	3	8	13	20	26	43
A. NOT OPERATED	814	7.3	54	1	2	5	9	14	20	36
B. OPERATED	8101	9.7	62	2	3	8	12	19	24	39
TOTAL 0-19 YRS	13	6.8	58	2	2	5	7	16	27	30
20-34	26	9.2	60	2	2	6	12	23	25	30
35-49	337	8.0	46	2	2	6	10	16	21	43
50-64	3153	8.9	62	2	2	7	11	17	22	40
65+	5386	9.9	63	2	3	8	13	19	25	39
GRAND TOTAL	**8915**	**9.5**	**62**	**2**	**2**	**7**	**12**	**19**	**24**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	14	14.9	216	1	2	10	22	51	88	99+
65+	33	19.4	268	4	5	13	28	37	57	74
B. *Operated*										
0-19 YRS										
20-34	4	18.5	104	10	10	15	25	33	33	33
35-49	15	19.9	505	6	6	12	20	45	81	93
50-64	85	17.3	282	2	4	14	22	43	94	99+
65+	135	19.7	224	4	6	15	28	43	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	50	17.7	243	2	4	12	25	38	60	99+
B. *Operated*	239	18.8	258	4	5	14	24	43	60	99+
1. SINGLE DX	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX	289	18.6	255	3	5	14	24	42	60	99+
A. NOT OPERATED	50	17.7	243	2	4	12	25	38	60	99+
B. OPERATED	241	18.8	256	4	5	14	23	43	60	99+
TOTAL 0-19 YRS										
20-34	5	19.0	80	10	10	18	24	33	33	33
35-49	17	18.4	465	3	6	11	19	40	76	93
50-64	100	16.9	269	2	4	14	22	46	95	99+
65+	169	19.6	230	4	5	14	28	40	58	95
GRAND TOTAL	**291**	**18.6**	**253**	**3**	**5**	**14**	**24**	**41**	**60**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	8	2	2	5	8	10	10	10
20-34	9	6.9	7	2	3	7	9	10	10	10
35-49	35	10.8	224	1	3	8	11	16	29	90
50-64	112	11.5	112	2	3	8	15	27	39	48
65+	333	12.3	104	3	4	9	16	26	31	54
B. *Operated*										
0-19 YRS	4	8.3	9	5	5	8	10	12	12	12
20-34	15	16.7	258	2	2	11	25	38	55	61
35-49	29	9.3	32	2	2	8	15	18	19	21
50-64	69	9.8	73	2	3	7	12	18	24	52
65+	69	10.6	75	2	3	8	15	21	24	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.2	27	1	2	6	8	16	19	19
20-34	19	7.8	42	<1	1	7	11	18	22	24
35-49	129	10.6	70	3	3	9	12	20	26	46
50-64	705	13.8	166	3	4	10	16	28	37	80
65+	3017	15.6	138	4	5	12	20	30	40	62
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	20	11.9	82	2	3	10	14	20	33	43
35-49	67	16.1	189	4	5	12	20	38	45	95
50-64	328	17.5	243	3	5	13	22	41	59	99+
65+	600	20.0	238	5	6	16	25	41	54	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	11.8	112	2	3	9	15	25	32	53
B. *Operated*	186	10.5	83	2	3	8	14	20	27	55
2. MULTIPLE DX										
A. *Not Operated*	3880	15.0	142	4	5	12	19	29	39	62
B. *Operated*	1016	18.8	236	4	5	14	23	41	56	99+
1. SINGLE DX	681	11.5	104	2	3	9	15	23	31	54
2. MULTIPLE DX	4896	15.8	164	4	5	12	20	32	42	72
A. NOT OPERATED	4375	14.7	139	3	4	11	19	29	38	62
B. OPERATED	1202	17.5	221	3	5	13	22	38	53	93
TOTAL 0-19 YRS	21	7.3	20	2	3	6	9	14	17	19
20-34	63	11.1	110	1	2	9	13	23	31	59
35-49	260	11.9	122	2	3	9	14	22	37	72
50-64	1214	14.4	181	3	4	10	17	31	43	81
65+	4019	15.9	153	4	5	12	20	31	41	66
GRAND TOTAL	**5577**	**15.3**	**158**	**3**	**4**	**12**	**19**	**31**	**41**	**71**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	9.8	16	4	4	11	12	13	13	13
65+	10	14.3	99	4	4	11	19	29	38	38
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	5	26.8	681	2	3	25	68	97	99+	99+
35-49	40	18.6	358	3	3	13	20	44	68	81
50-64	302	20.9	274	5	6	15	29	45	59	75
65+	1324	20.6	203	6	7	17	26	39	48	82
B. *Operated*										
0-19 YRS	2	18.0	512	2	2	18	34	34	34	34
20-34	6	27.5	619	6	6	19	40	69	72	72
35-49	25	18.1	312	3	6	12	23	35	57	86
50-64	85	26.3	377	6	7	21	40	65	99+	99+
65+	217	27.1	300	7	9	24	36	52	60	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	13.0	77	4	4	11	16	22	34	38
B. *Operated*	3	13.7	156	5	5	8	23	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	1672	20.6	221	5	7	17	26	40	52	82
B. *Operated*	335	26.2	328	6	8	22	36	55	66	99+
1. SINGLE DX	17	13.1	82	4	4	11	17	26	34	38
2. MULTIPLE DX	2007	21.6	243	5	7	17	28	43	56	84
A. NOT OPERATED	1686	20.6	220	5	7	17	26	40	51	82
B. OPERATED	338	26.1	327	6	8	22	36	55	66	99+
TOTAL 0-19 YRS	3	27.3	517	2	2	34	43	46	46	46
20-34	12	25.6	560	3	5	17	47	78	96	99+
35-49	66	18.2	333	3	4	12	21	42	67	85
50-64	391	22.0	299	5	6	16	32	50	64	99+
65+	1552	21.5	221	6	7	18	27	40	52	82
GRAND TOTAL	**2024**	**21.5**	**242**	**5**	**7**	**17**	**28**	**43**	**56**	**84**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.4	6	1	1	3	5	7	8	8
20-34	56	4.4	7	1	2	4	6	8	9	15
35-49	161	4.3	12	1	1	3	6	8	10	20
50-64	531	4.5	9	1	2	4	6	8	10	15
65+	1489	4.9	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	4.3	7	1	2	4	6	8	10	11
35-49	95	5.7	11	2	2	5	7	10	13	16
50-64	335	5.7	17	2	2	5	8	11	13	20
65+	359	6.5	21	2	2	6	8	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.5	19	1	1	4	8	13	14	14
20-34	89	5.6	13	1	2	5	8	10	11	19
35-49	414	5.9	23	2	2	5	7	10	12	23
50-64	2261	6.4	19	2	2	5	8	11	15	21
65+	10320	7.8	32	2	3	6	10	14	18	29
B. *Operated*										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	30	9.4	32	2	3	8	12	15	19	30
35-49	223	8.4	40	2	2	7	11	16	20	33
50-64	1114	8.9	45	2	3	8	11	16	20	32
65+	2212	11.4	80	2	3	9	14	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2245	4.8	11	1	2	4	6	9	11	18
B. *Operated*	806	6.0	18	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	13107	7.4	30	2	3	6	9	14	17	28
B. *Operated*	3581	10.4	68	2	3	8	13	20	26	42
1. SINGLE DX	3051	5.1	13	1	2	4	7	10	12	19
2. MULTIPLE DX	16688	8.1	40	2	3	7	10	15	19	32
A. NOT OPERATED	15352	7.1	28	2	2	6	9	13	17	27
B. OPERATED	4387	9.6	61	2	3	8	12	18	24	40
TOTAL 0-19 YRS	35	5.2	16	1	1	4	8	12	14	14
20-34	190	5.7	16	1	2	5	8	11	13	21
35-49	893	6.2	26	2	2	5	8	11	14	27
50-64	4241	6.8	26	2	2	6	8	13	16	25
65+	14380	8.0	40	2	3	6	10	15	19	32
GRAND TOTAL	**19739**	**7.6**	**37**	**2**	**2**	**6**	**10**	**14**	**19**	**30**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	31	2	2	7	7	17	19	19
20-34	13	6.2	23	<1	1	6	9	12	17	18
35-49	43	7.8	34	1	3	7	10	14	17	33
50-64	267	10.1	81	2	3	7	13	22	32	44
65+	1318	12.3	101	2	3	9	16	25	31	47
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	10	8.1	31	2	2	8	11	16	19	19
35-49	19	7.9	36	1	2	5	13	16	19	21
50-64	70	9.4	62	2	2	7	12	18	23	40
65+	129	13.3	145	2	3	12	18	26	30	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.6	27	1	2	8	13	14	17	20
20-34	41	8.7	44	3	4	7	11	17	32	99+
35-49	196	11.8	99	3	3	9	15	22	32	52
50-64	1401	13.3	128	3	4	10	16	28	38	60
65+	7616	14.8	126	3	5	12	19	29	36	60
B. *Operated*										
0-19 YRS	3	7.7	49	1	1	7	13	15	15	15
20-34	19	18.8	201	4	6	13	24	37	50	59
35-49	86	15.0	177	3	5	10	17	35	52	59
50-64	458	18.4	264	3	4	12	24	44	57	99
65+	1147	21.5	253	5	6	17	29	44	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1648	11.7	97	2	3	9	15	24	31	47
B. *Operated*	229	11.4	109	2	2	9	15	23	28	44
2. MULTIPLE DX										
A. *Not Operated*	9273	14.5	126	3	4	12	18	28	36	60
B. *Operated*	1713	20.3	254	4	6	15	27	44	55	94
1. SINGLE DX	1877	11.7	98	2	3	9	15	24	31	47
2. MULTIPLE DX	10986	15.4	150	3	5	12	19	31	41	64
A. NOT OPERATED	10921	14.1	122	3	4	11	18	28	36	58
B. OPERATED	1942	19.3	245	3	5	14	26	42	54	93
TOTAL 0-19 YRS	30	8.2	27	1	2	7	13	15	19	20
20-34	83	10.6	94	2	3	8	13	23	35	86
35-49	344	11.9	112	2	3	9	15	23	34	55
50-64	2196	13.8	155	3	4	10	17	30	43	67
65+	10210	15.2	143	3	4	12	19	30	39	62
GRAND TOTAL	**12863**	**14.9**	**144**	**3**	**4**	**12**	**19**	**30**	**39**	**63**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	24	12.9	78	3	4	12	17	26	34	35
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+	2	24.5	113	17	17	24	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	31.0	525	11	11	26	48	56	56	56
20-34	12	11.4	60	4	5	10	14	21	30	32
35-49	77	16.2	218	3	4	11	22	32	41	86
50-64	605	19.5	282	3	5	14	25	43	58	93
65+	3116	19.8	209	4	6	16	26	39	49	83
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	7	32.6	448	5	7	30	42	66	71	71
35-49	30	17.8	380	5	5	12	22	53	94	99+
50-64	175	26.1	370	6	7	22	36	60	81	99+
65+	467	29.8	365	8	10	25	40	61	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	12.9	78	3	4	12	17	26	34	35
B. *Operated*	4	20.0	65	15	15	16	24	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	3813	19.6	221	4	6	16	25	39	50	84
B. *Operated*	680	28.3	373	7	9	23	39	60	75	99+
1. SINGLE DX	28	13.9	80	3	4	13	17	30	33	35
2. MULTIPLE DX	4493	20.9	253	4	6	17	27	43	56	89
A. NOT OPERATED	3837	19.6	220	4	6	16	25	39	50	84
B. OPERATED	684	28.2	372	7	9	23	39	60	74	99+
TOTAL 0-19 YRS	4	27.3	406	11	11	21	41	56	56	56
20-34	20	19.0	281	4	5	14	28	39	57	71
35-49	107	16.7	261	3	4	12	22	33	51	99
50-64	781	20.9	308	3	5	16	28	48	63	99+
65+	3609	21.0	240	4	6	17	27	42	54	86
GRAND TOTAL	**4521**	**20.9**	**253**	**4**	**6**	**17**	**27**	**43**	**56**	**88**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	19	2	2	3	9	12	12	12
20-34	23	5.6	65	<1	1	3	6	10	22	40
35-49	87	4.8	9	1	1	4	7	8	10	16
50-64	162	5.1	13	1	2	4	7	10	13	16
65+	502	7.1	31	1	2	6	9	14	18	29
B. *Operated*										
0-19 YRS	8	9.9	90	<1	<1	7	17	24	24	24
20-34	21	10.5	118	1	2	7	14	24	34	45
35-49	65	8.1	49	2	2	6	11	21	25	88
50-64	206	7.2	38	2	2	5	9	16	19	35
65+	290	7.3	37	2	2	6	9	14	18	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	5.6	20	1	1	5	7	12	16	18
20-34	73	7.4	121	1	2	5	7	10	15	77
35-49	342	7.8	67	2	2	6	9	13	20	40
50-64	1124	9.1	87	2	3	7	11	17	25	53
65+	5773	10.0	67	3	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	9	6.9	24	1	1	7	14	57	99+	99+
20-34	49	10.9	78	2	2	8	15	23	25	45
35-49	129	11.3	88	2	2	9	15	24	30	71
50-64	563	12.9	158	2	3	9	16	29	40	81
65+	1237	14.3	154	2	3	11	19	28	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	6.4	27	1	2	5	8	12	16	27
B. *Operated*	590	7.5	42	2	2	6	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	7328	9.8	71	2	3	7	12	19	25	44
B. *Operated*	1987	13.6	149	2	3	10	17	28	38	68
1. SINGLE DX	1371	6.8	34	1	2	5	9	14	18	31
2. MULTIPLE DX	9315	10.6	90	2	3	8	13	21	28	52
A. NOT OPERATED	8109	9.4	67	2	3	7	12	18	24	43
B. OPERATED	2577	12.2	131	2	2	9	16	26	35	66
TOTAL 0-19 YRS	40	6.7	35	1	1	5	10	16	24	99+
20-34	166	8.6	102	1	2	6	9	18	24	45
35-49	623	8.1	65	2	2	6	10	17	22	43
50-64	2055	9.6	101	2	2	7	11	19	30	60
65+	7802	10.4	81	2	3	8	13	20	27	48
GRAND TOTAL	**10686**	**10.1**	**84**	**2**	**3**	**8**	**12**	**20**	**27**	**50**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Opurated*										
0-19 YRS										
20-34	3	2.3		2	2	2	3	3	3	3
35-49	7	2.4	1	1	1	2	3	4	4	4
50-64	21	3.9	7	1	1	3	5	8	9	11
65+	81	8.3	171	1	2	5	9	14	19	87
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	6.0	14	1	1	7	8	11	12	12
35-49	77	8.7	57	2	2	8	12	14	18	48
50-64	311	7.7	44	1	2	6	12	15	18	27
65+	327	8.8	62	2	2	7	13	18	23	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	7	6.7	13	2	3	6	7	13	14	14
35-49	28	7.0	27	1	2	6	11	15	16	20
50-64	252	7.0	28	1	2	6	9	14	18	25
65+	1584	9.8	64	2	3	8	12	19	25	46
B. *Operated*										
0-19 YRS	4	25.3	652	4	4	19	45	58	58	58
20-34	25	10.0	81	2	2	8	13	24	55	99+
35-49	215	11.0	148	2	2	8	13	25	36	96
50-64	1116	12.4	135	2	2	10	16	26	37	61
65+	2101	17.8	233	2	3	14	24	38	51	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	6.9	129	1	2	4	7	13	17	83
B. *Operated*	725	8.3	53	1	2	7	12	16	20	36
2. MULTIPLE DX										
A. *Not Operated*	1873	9.4	60	2	3	7	12	18	24	43
B. *Operated*	3461	15.6	203	2	2	12	20	35	46	78
1. SINGLE DX	837	8.1	64	1	2	6	11	16	20	40
2. MULTIPLE DX	5334	13.4	162	2	2	10	17	29	40	68
A. NOT OPERATED	1985	9.2	64	2	3	7	12	18	23	43
B. OPERATED	4186	14.3	185	2	2	11	19	32	42	73
TOTAL 0-19 YRS	7	17.4	431	2	2	6	28	53	58	58
20-34	44	8.1	55	2	2	7	11	15	30	99+
35-49	327	10.0	116	2	2	8	12	19	30	73
50-64	1700	10.6	107	2	2	8	13	22	31	57
65+	4093	13.8	170	2	3	10	18	30	41	69
GRAND TOTAL	**6171**	**12.7**	**152**	**2**	**2**	**9**	**16**	**28**	**38**	**66**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	19	3.2	5	<1	1	3	3	7	9	9
65+	71	4.5	14	<1	1	3	6	10	13	17
B. *Operated*										
0-19 YRS										
20-34	5	12.2	43	2	2	12	18	18	18	18
35-49	7	12.3	21	9	9	10	15	20	21	21
50-64	200	11.0	38	2	3	10	13	17	21	33
65+	451	12.2	55	2	2	12	15	20	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	4.0	10	1	1	3	6	8	8	8
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	72	6.0	25	1	1	5	8	12	14	27
65+	443	8.4	48	2	2	7	11	16	20	37
B. *Operated*										
0-19 YRS	2	11.0		11	11	11	11	11	11	11
20-34	14	11.5	61	2	3	10	16	21	29	31
35-49	30	14.2	113	1	2	12	16	31	36	42
50-64	651	15.8	121	3	5	13	19	28	39	70
65+	1710	17.8	148	3	6	15	21	31	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	4.1	12	<1	1	3	5	9	11	16
B. *Operated*	663	11.9	50	2	2	12	15	19	22	33
2. MULTIPLE DX										
A. *Not Operated*	524	8.0	45	1	2	6	10	15	20	36
B. *Operated*	2407	17.1	140	3	5	14	21	30	41	67
1. SINGLE DX	754	10.9	52	2	2	11	14	18	22	33
2. MULTIPLE DX	2931	15.5	135	2	4	13	19	29	37	64
A. NOT OPERATED	615	7.4	42	1	2	6	10	15	19	34
B. OPERATED	3070	16.0	125	2	4	13	19	28	37	64
TOTAL 0-19 YRS	4	7.0	24	1	1	8	11	11	11	11
20-34	23	10.3	54	1	2	10	15	19	24	31
35-49	41	12.9	95	2	2	11	16	28	34	42
50-64	942	13.8	105	2	3	12	16	24	33	63
65+	2675	14.9	128	2	3	13	19	28	36	61
GRAND TOTAL	**3685**	**14.6**	**122**	**2**	**3**	**12**	**18**	**27**	**35**	**62**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	3	6.3	30	<1	<1	6	10	12	12	12
50-64	10	4.6	17	<1	<1	3	6	11	12	12
65+	8	4.8	16	1	1	4	7	11	12	12
B. *Operated*										
0-19 YRS	7	4.1	9	2	2	3	7	9	9	9
20-34	28	7.7	29	1	2	7	12	16	17	17
35-49	35	8.0	48	1	1	7	11	15	25	30
50-64	101	8.8	35	2	2	8	11	17	20	28
65+	99	8.5	27	1	2	8	12	14	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	6	3.2	10	1	1	2	4	8	9	9
50-64	13	3.8	12	<1	1	2	4	11	11	11
65+	29	5.8	23	<1	1	4	8	14	17	18
B. *Operated*										
0-19 YRS	3	11.0	103	2	2	9	19	22	22	22
20-34	22	9.8	34	3	3	8	14	18	21	23
35-49	52	17.7	325	3	5	11	21	39	80	99+
50-64	208	14.6	207	2	2	10	18	31	50	88
65+	257	16.4	139	3	4	14	21	31	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.7	16	<1	1	4	7	12	12	12
B. *Operated*	270	8.3	33	2	2	8	11	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	55	4.7	17	<1	1	3	6	11	14	18
B. *Operated*	542	15.5	180	2	4	12	20	31	42	87
1. SINGLE DX	294	8.0	32	1	2	8	11	15	18	29
2. MULTIPLE DX	597	14.6	175	2	3	11	19	29	41	84
A. NOT OPERATED	79	4.7	16	<1	1	3	6	11	13	18
B. OPERATED	812	13.2	142	2	2	10	17	27	37	79
TOTAL 0-19 YRS	14	5.4	31	1	2	3	8	11	19	22
20-34	56	8.1	31	1	2	7	12	16	17	23
35-49	96	12.9	222	1	2	9	15	28	40	94
50-64	332	12.1	153	2	2	9	15	24	38	79
65+	393	13.4	117	2	3	11	17	27	36	56
GRAND TOTAL	**891**	**12.4**	**137**	**2**	**2**	**10**	**16**	**25**	**36**	**75**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	14	2	2	3	7	10	10	10
20-34	12	6.3	14	<1	1	6	9	11	12	12
35-49	19	5.9	16	1	1	5	9	12	14	14
50-64	50	5.9	30	1	1	4	8	12	18	27
65+	52	6.2	22	1	1	5	9	14	15	16
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	30	8.4	33	1	2	8	10	16	21	22
35-49	194	8.0	35	1	2	8	11	14	18	31
50-64	714	9.8	48	2	2	10	13	17	21	31
65+	678	10.0	58	2	2	9	13	19	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.4	11	2	2	8	9	11	11	11
20-34	20	8.7	32	2	3	8	10	17	21	23
35-49	34	8.0	50	1	2	5	10	18	20	34
50-64	137	7.6	34	1	1	6	11	15	19	29
65+	281	10.1	54	2	3	9	13	19	26	37
B. *Operated*										
0-19 YRS	4	14.8	34	8	8	15	19	21	21	21
20-34	60	11.9	67	3	3	9	17	23	28	35
35-49	362	13.0	115	2	3	11	16	24	32	53
50-64	1709	13.2	112	2	3	11	17	25	34	61
65+	2379	16.2	174	2	3	13	20	32	43	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	6.0	23	1	1	5	9	12	14	24
B. *Operated*	1618	9.6	51	2	2	9	13	18	22	33
2. MULTIPLE DX										
A. *Not Operated*	477	9.2	48	1	2	8	12	17	22	34
B. *Operated*	4514	14.8	147	2	3	12	18	29	39	68
1. SINGLE DX	1755	9.4	49	2	2	9	13	17	22	33
2. MULTIPLE DX	4991	14.2	140	2	3	11	18	28	37	67
A. NOT OPERATED	614	8.5	44	1	2	7	11	16	21	33
B. OPERATED	6132	13.4	126	2	2	11	17	26	35	65
TOTAL 0-19 YRS	15	8.3	33	2	2	8	11	18	20	21
20-34	122	9.9	50	2	3	8	14	21	24	34
35-49	609	10.9	89	2	2	9	13	20	27	46
50-64	2610	11.8	93	2	2	10	15	22	28	52
65+	3390	14.3	147	2	3	11	18	28	38	66
GRAND TOTAL	**6746**	**13.0**	**121**	**2**	**2**	**11**	**16**	**25**	**34**	**62**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	7.6	31	2	2	7	10	14	16	33
20-34	56	4.4	17	<1	1	3	5	11	13	19
35-49	81	4.8	23	1	1	4	6	8	13	30
50-64	119	5.0	20	<1	1	4	7	12	15	20
65+	129	5.8	21	1	1	5	8	12	15	20
B. *Operated*										
0-19 YRS	27	4.3	13	1	1	2	7	10	11	13
20-34	68	5.8	38	<1	<1	4	8	12	18	35
35-49	189	7.5	31	1	2	6	11	15	17	23
50-64	547	7.6	41	1	2	5	11	16	20	30
65+	547	8.4	71	2	2	6	11	17	25	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.7	32	1	2	5	8	13	16	30
20-34	88	7.6	69	1	2	5	8	17	22	50
35-49	189	7.1	36	1	2	6	9	15	17	30
50-64	432	7.4	42	1	2	5	9	16	21	34
65+	975	9.8	72	2	3	8	12	19	25	47
B. *Operated*										
0-19 YRS	24	12.5	339	2	2	4	13	27	47	90
20-34	109	9.7	70	2	2	7	13	21	25	41
35-49	361	10.5	104	2	2	8	13	23	31	56
50-64	1414	12.3	151	2	2	9	15	26	38	70
65+	2228	15.9	208	2	3	12	21	34	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	5.7	24	1	1	4	8	12	15	24
B. *Operated*	1378	7.8	52	1	2	6	11	16	20	36
2. MULTIPLE DX										
A. *Not Operated*	1762	8.7	60	2	2	7	11	17	23	39
B. *Operated*	4136	14.0	181	2	2	10	18	30	41	74
1. SINGLE DX	1880	7.2	45	1	2	5	10	15	19	33
2. MULTIPLE DX	5898	12.4	151	2	2	9	16	27	37	68
A. NOT OPERATED	2264	8.0	54	1	2	6	10	16	22	36
B. OPERATED	5514	12.4	156	2	2	9	16	27	37	68
TOTAL 0-19 YRS	246	7.4	62	1	2	6	9	14	18	32
20-34	321	7.4	57	<1	1	5	9	18	22	38
35-49	820	8.5	67	2	2	6	11	17	24	48
50-64	2512	10.1	109	2	2	7	13	21	29	60
65+	3879	12.9	161	2	2	9	16	28	39	68
GRAND TOTAL	**7778**	**11.1**	**130**	**2**	**2**	**8**	**14**	**24**	**33**	**62**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	7.1	20	<1	2	7	9	13	17	19
20-34	683	7.3	15	2	3	7	9	12	14	20
35-49	847	7.9	19	2	3	7	10	13	16	21
50-64	887	8.2	15	3	4	8	10	13	15	20
65+	760	9.0	21	3	4	8	11	14	17	24
B. *Operated*										
0-19 YRS	29	10.3	57	2	3	9	14	18	19	41
20-34	313	8.5	25	2	3	8	11	16	18	25
35-49	311	8.8	29	2	3	8	11	15	19	26
50-64	331	9.0	24	2	3	9	12	15	18	23
65+	229	10.5	26	3	4	10	13	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	7.8	18	1	3	7	11	12	17	18
20-34	660	9.3	29	3	4	8	11	15	20	29
35-49	1203	9.8	29	3	4	9	12	17	20	27
50-64	2088	10.1	30	4	5	9	12	17	19	29
65+	2833	10.7	34	4	5	10	13	18	21	31
B. *Operated*										
0-19 YRS	29	8.8	24	2	3	8	12	14	16	24
20-34	368	11.1	55	2	4	9	14	21	25	41
35-49	616	11.6	59	3	4	10	14	21	26	43
50-64	959	12.0	65	3	4	10	15	21	28	45
65+	1204	14.0	100	4	5	12	16	23	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3245	8.1	18	2	3	8	10	13	16	21
B. *Operated*	1213	9.1	27	2	3	9	12	16	19	25
2. MULTIPLE DX										
A. *Not Operated*	6849	10.2	32	4	5	9	13	17	20	29
B. *Operated*	3176	12.6	77	3	4	11	15	22	29	48
1. SINGLE DX	4458	8.4	20	2	3	8	11	14	17	23
2. MULTIPLE DX	10025	11.0	47	3	4	10	13	19	23	37
A. NOT OPERATED	10094	9.5	28	3	4	9	12	16	19	28
B. OPERATED	4389	11.6	65	3	4	10	14	20	25	44
TOTAL 0-19 YRS	191	8.1	26	1	3	7	11	14	18	22
20-34	2024	8.8	30	2	3	8	11	15	19	29
35-49	2977	9.5	34	3	4	8	12	16	20	29
50-64	4265	10.1	36	3	4	9	12	17	20	32
65+	5026	11.3	50	4	5	10	14	19	23	39
GRAND TOTAL	**14483**	**10.2**	**40**	**3**	**4**	**9**	**12**	**17**	**21**	**33**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	5.0	34	<1	<1	2	6	12	19	25
35-49	33	8.8	45	<1	2	7	11	19	25	26
50-64	61	10.4	66	1	3	9	13	18	25	49
65+	156	13.0	90	1	2	11	17	27	32	46
B. *Operated*										
0-19 YRS	43	3.7	3	1	1	3	5	6	7	8
20-34	932	4.3	7	2	2	4	5	7	8	14
35-49	1252	4.6	12	2	2	4	5	7	9	21
50-64	1029	5.5	29	2	2	4	6	9	14	28
65+	324	9.7	95	2	3	6	11	25	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	37	1	1	2	9	12	12	12
20-34	39	6.4	17	1	1	7	9	11	14	19
35-49	108	8.7	37	1	2	8	12	16	21	29
50-64	245	11.7	77	2	3	10	15	22	28	49
65+	866	14.0	97	3	4	12	18	27	34	50
B. *Operated*										
0-19 YRS	10	9.8	152	2	3	5	6	30	43	43
20-34	230	5.6	24	2	2	4	6	9	14	31
35-49	506	6.8	40	2	3	5	8	13	19	31
50-64	782	9.4	83	3	3	6	11	20	28	50
65+	648	17.7	209	3	4	13	25	37	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	271	11.3	80	<1	2	9	16	23	29	45
B. *Operated*	3580	5.2	25	2	2	4	5	8	13	29
2. MULTIPLE DX										
A. *Not Operated*	1261	12.8	89	2	3	11	17	25	31	48
B. *Operated*	2176	10.9	126	2	3	6	13	26	36	54
1. SINGLE DX	3851	5.7	31	2	2	4	6	10	16	31
2. MULTIPLE DX	3437	11.6	113	2	3	8	15	25	34	52
A. NOT OPERATED	1532	12.6	88	2	3	10	16	25	31	47
B. OPERATED	5756	7.4	71	2	2	5	7	16	25	44
TOTAL 0-19 YRS	56	4.8	34	1	1	4	5	7	11	41
20-34	1222	4.6	11	2	2	4	5	7	9	19
35-49	1899	5.5	23	2	2	4	6	10	14	26
50-64	2117	7.8	61	2	3	5	9	16	23	42
65+	1994	14.4	140	3	4	11	19	30	38	55
GRAND TOTAL	**7288**	**8.5**	**79**	**2**	**3**	**5**	**10**	**19**	**27**	**44**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	1	<1	<1	2	3	5	5	5
20-34	124	2.4	2	<1	<1	2	3	4	5	7
35-49	144	3.1	4	<1	1	3	4	6	7	10
50-64	118	3.1	4	<1	1	3	4	6	8	9
65+	93	3.5	8	<1	<1	3	4	7	10	14
B. *Operated*										
0-19 YRS	32	3.8	4	1	1	4	5	6	8	9
20-34	735	4.6	3	2	2	4	6	7	8	10
35-49	884	5.0	5	2	3	5	6	7	9	11
50-64	650	5.2	5	2	3	5	6	8	10	13
65+	198	5.7	6	3	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.0	5	1	1	3	4	4	8	11
20-34	222	3.8	6	1	1	3	5	7	8	13
35-49	335	4.3	9	1	1	4	5	8	10	15
50-64	445	4.5	9	1	2	4	6	8	10	14
65+	545	5.7	19	1	2	5	7	11	13	25
B. *Operated*										
0-19 YRS	107	5.1	5	2	3	5	6	8	10	13
20-34	2335	5.4	7	3	3	5	6	8	10	14
35-49	3485	5.8	9	3	3	5	7	9	11	17
50-64	2847	6.4	16	3	3	5	7	10	13	21
65+	1294	7.9	24	3	4	6	10	14	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	3.0	4	<1	1	3	4	6	7	11
B. *Operated*	2499	4.9	5	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	1565	4.8	13	1	1	4	6	9	11	16
B. *Operated*	10068	6.2	13	3	3	5	7	10	12	20
1. SINGLE DX	2994	4.6	5	1	2	4	6	7	9	12
2. MULTIPLE DX	11633	6.0	13	2	3	5	7	10	12	20
A. NOT OPERATED	2060	4.3	11	1	1	4	6	8	11	16
B. OPERATED	12567	5.9	12	3	3	5	7	9	12	19
TOTAL 0-19 YRS	173	4.4	5	1	2	4	5	7	9	12
20-34	3416	5.0	7	2	3	5	6	8	9	13
35-49	4848	5.5	8	2	3	5	6	9	10	16
50-64	4060	5.9	14	2	3	5	7	10	12	19
65+	2130	6.9	22	2	3	6	9	13	16	24
GRAND TOTAL	**14627**	**5.7**	**12**	**2**	**3**	**5**	**7**	**9**	**12**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	4.3	14	<1	1	3	5	11	13	16
20-34	179	6.6	26	<1	1	6	9	13	15	25
35-49	199	7.1	22	1	2	6	10	13	15	23
50-64	243	7.0	31	1	2	6	10	13	14	23
65+	330	7.5	35	1	2	6	10	14	17	26
B. *Operated*										
0-19 YRS	187	3.3	12	1	1	2	3	7	10	18
20-34	538	4.1	19	1	1	3	4	10	15	22
35-49	214	6.2	31	1	1	5	9	13	16	22
50-64	209	8.5	46	1	2	8	12	16	19	38
65+	223	10.3	84	2	2	8	14	19	24	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	5.5	30	1	2	4	7	10	16	34
20-34	327	7.1	37	1	2	6	10	14	17	27
35-49	547	7.8	33	1	2	6	10	15	18	27
50-64	1146	8.0	35	2	3	7	10	14	18	29
65+	2487	8.8	44	2	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	87	6.3	38	1	2	4	9	14	18	32
20-34	606	6.2	50	1	1	3	8	15	20	34
35-49	377	9.8	82	2	2	8	13	21	26	45
50-64	745	12.6	106	2	3	10	16	25	31	49
65+	1085	15.1	152	3	4	12	19	29	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	7.0	29	1	2	6	10	13	15	24
B. *Operated*	1371	6.0	41	1	1	3	8	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	4598	8.3	40	2	2	7	11	15	20	31
B. *Operated*	2900	11.6	118	2	2	9	15	23	31	56
1. SINGLE DX	2377	6.4	36	1	1	5	9	14	16	26
2. MULTIPLE DX	7498	9.6	73	2	2	8	12	19	25	43
A. NOT OPERATED	5604	8.1	38	2	2	7	10	15	19	30
B. OPERATED	4271	9.8	100	1	2	7	13	21	28	49
TOTAL 0-19 YRS	420	4.5	23	1	1	3	5	10	14	24
20-34	1650	5.8	36	1	1	3	8	13	16	28
35-49	1337	8.0	47	1	2	6	11	16	20	35
50-64	2343	9.4	63	2	2	8	12	18	23	42
65+	4125	10.4	81	2	3	8	13	20	26	48
GRAND TOTAL	**9875**	**8.8**	**66**	**1**	**2**	**7**	**12**	**18**	**23**	**40**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5471	2.9	3	1	1	2	4	5	6	9
20-34	937	2.8	4	<1	<1	3	4	5	6	9
35-49	297	3.3	6	<1	<1	3	4	6	7	11
50-64	220	3.8	8	<1	<1	3	5	7	8	13
65+	214	4.5	10	<1	<1	4	6	8	11	15
B. *Operated*										
0-19 YRS	899	2.1	3	1	1	2	2	3	4	10
20-34	368	2.4	3	1	1	2	3	4	5	9
35-49	61	4.0	25	1	1	2	5	8	9	32
50-64	43	3.8	7	1	1	3	6	7	9	12
65+	25	3.6	9	1	1	2	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8341	3.6	5	1	1	3	5	6	8	12
20-34	1596	4.0	6	<1	1	3	5	7	8	12
35-49	906	4.9	11	1	2	4	6	9	11	19
50-64	980	5.9	17	2	2	5	7	10	13	24
65+	1771	7.5	34	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	566	3.2	13	1	1	2	3	7	9	16
20-34	195	5.0	24	1	2	3	6	11	15	22
35-49	102	7.8	33	2	2	6	11	17	18	25
50-64	133	8.4	52	1	2	6	12	19	23	29
65+	130	13.4	152	2	3	10	17	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7139	2.9	4	<1	1	3	4	5	6	10
B. *Operated*	1396	2.3	4	1	1	2	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	13594	4.4	12	1	2	4	5	8	10	17
B. *Operated*	1126	5.7	48	1	1	3	7	14	19	31
1. SINGLE DX	8535	2.9	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	14720	4.5	15	1	2	4	5	8	11	20
A. NOT OPERATED	20733	3.9	10	1	1	3	5	7	9	16
B. OPERATED	2522	3.9	27	1	1	2	4	8	14	27
TOTAL 0-19 YRS	15277	3.3	5	1	1	3	4	6	7	11
20-34	3096	3.5	7	<1	1	3	4	6	8	13
35-49	1366	4.7	14	<1	1	4	6	9	11	19
50-64	1376	5.8	20	1	2	5	7	10	14	25
65+	2140	7.5	42	2	2	6	9	14	18	32
GRAND TOTAL	**23255**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6991	4.0	5	1	2	4	5	7	8	11
20-34	500	4.0	4	1	2	4	5	7	8	11
35-49	477	4.7	7	1	2	4	6	8	10	13
50-64	443	5.1	7	2	2	5	6	8	10	15
65+	546	6.0	14	2	3	5	7	11	13	19
B. *Operated*										
0-19 YRS	19	6.9	20	1	1	7	11	13	14	15
20-34	14	5.6	17	1	2	4	10	11	14	15
35-49	21	7.1	20	1	2	6	10	14	15	16
50-64	23	7.6	24	1	2	7	10	13	19	20
65+	22	8.3	38	1	2	6	11	16	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5857	4.6	6	2	2	4	6	8	9	13
20-34	1146	5.6	14	2	2	5	7	10	12	19
35-49	1551	6.2	16	2	3	5	8	11	13	21
50-64	3337	7.1	21	2	3	6	9	12	15	24
65+	5964	8.4	30	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	83	7.5	23	2	3	6	10	14	17	23
20-34	87	9.5	50	2	3	8	14	17	24	38
35-49	157	10.2	81	2	3	8	13	18	22	37
50-64	314	11.7	81	2	3	9	15	24	28	43
65+	448	14.0	86	4	5	12	18	27	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8957	4.2	6	1	2	4	5	7	8	12
B. *Operated*	99	7.3	24	1	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	17855	6.6	21	2	3	5	8	12	15	23
B. *Operated*	1089	11.9	80	3	4	9	15	23	28	45
1. SINGLE DX	9056	4.2	6	1	2	4	5	7	9	13
2. MULTIPLE DX	18944	6.9	26	2	3	6	8	12	16	26
A. NOT OPERATED	26812	5.8	17	2	2	5	7	10	13	21
B. OPERATED	1188	11.5	77	2	3	9	15	23	28	44
TOTAL 0-19 YRS	12950	4.3	6	1	2	4	5	7	9	12
20-34	1747	5.3	15	2	2	4	6	10	12	19
35-49	2206	6.2	20	2	3	5	8	11	14	22
50-64	4117	7.3	26	2	3	6	9	13	16	27
65+	6980	8.6	34	3	3	7	11	15	19	31
GRAND TOTAL	**28000**	**6.0**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	10	1.4	1	<1	<1	1	1	3	3	3
35-49	3	1.3		1	1	1	2	2	2	2
50-64	4	2.8	12	<1	<1	1	5	8	8	8
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	846	2.3	1	1	1	2	3	4	4	5
20-34	1909	2.4	2	1	1	2	3	4	4	6
35-49	837	2.4	1	1	1	2	3	4	4	6
50-64	433	2.5	1	1	1	2	3	4	5	6
65+	118	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	2	<1	<1	1	2	4	5	5
20-34	44	1.7	2	<1	<1	1	2	3	4	10
35-49	15	2.5	8	<1	<1	1	3	8	9	10
50-64	17	2.2	2	<1	<1	2	3	4	5	5
65+	5	2.6	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	1369	2.7	2	1	1	2	3	4	5	7
20-34	3396	2.7	2	1	1	3	3	4	5	8
35-49	2029	3.0	3	1	2	3	4	4	5	10
50-64	1192	3.2	4	1	2	3	4	5	7	12
65+	316	3.4	7	1	2	3	4	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	1.6	2	<1	<1	1	2	3	5	8
B. *Operated*	4143	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	99	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	8302	2.9	3	1	1	3	3	4	5	9
1. SINGLE DX	4167	2.4	2	1	1	2	3	4	4	6
2. MULTIPLE DX	8401	2.9	3	1	1	3	3	4	5	9
A. NOT OPERATED	123	1.9	3	<1	<1	1	2	4	5	10
B. OPERATED	12445	2.7	2	1	1	2	3	4	5	8
TOTAL 0-19 YRS	2239	2.5	2	1	1	2	3	4	5	7
20-34	5359	2.6	2	1	1	2	3	4	5	7
35-49	2884	2.8	3	1	1	3	3	4	5	9
50-64	1646	3.0	4	1	1	3	3	5	6	12
65+	440	3.2	5	1	2	3	3	5	7	12
GRAND TOTAL	**12568**	**2.7**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	9.0	8	7	7	9	11	11	11	11
65+										
B. *Operated*										
0-19 YRS	39	2.8	7	1	1	2	3	5	7	16
20-34	99	2.2	1	<1	<1	2	3	4	5	5
35-49	126	2.1	1	<1	1	2	2	3	4	7
50-64	157	2.7	11	1	1	2	3	4	5	24
65+	122	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	9	3.0	5	<1	<1	3	4	6	8	8
65+	6	4.8	8	1	1	4	7	9	9	9
B. *Operated*										
0-19 YRS	75	2.9	3	1	1	2	4	5	6	11
20-34	178	3.0	7	1	1	3	4	5	5	19
35-49	289	3.0	4	1	1	3	4	5	6	10
50-64	350	3.2	7	1	1	3	4	5	8	15
65+	205	3.9	12	1	2	3	4	7	11	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	5.2	16	1	1	5	8	11	11	11
B. *Operated*	543	2.5	5	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	25	2.8	6	<1	1	2	4	7	8	9
B. *Operated*	1097	3.2	7	1	1	3	4	5	7	15
1. SINGLE DX	548	2.5	5	<1	1	2	3	4	5	11
2. MULTIPLE DX	1122	3.2	7	1	1	3	4	5	7	15
A. NOT OPERATED	30	3.2	8	<1	1	2	4	8	9	11
B. OPERATED	1640	3.0	6	1	1	2	3	5	6	15
TOTAL 0-19 YRS	118	2.8	4	1	1	2	4	5	6	14
20-34	280	2.7	5	<1	1	2	3	4	5	7
35-49	421	2.7	3	1	1	2	3	5	5	8
50-64	518	3.1	8	1	1	2	3	5	7	16
65+	333	3.4	9	1	1	2	4	6	9	18
GRAND TOTAL	**1670**	**3.0**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**14**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	158	1.8	2	<1	<1	1	2	4	5	7
20-34	41	2.2	2	<1	1	2	3	4	5	7
35-49	6	2.3	4	1	1	2	3	6	6	6
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	24323	1.8	1	1	1	2	2	2	3	4
20-34	5391	2.1	1	1	1	2	2	3	4	5
35-49	494	2.3	1	1	1	2	3	3	4	6
50-64	99	2.6	4	1	1	2	3	4	6	13
65+	36	2.1	1	1	1	2	3	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	488	1.8	3	<1	<1	1	2	4	5	9
20-34	81	2.5	5	<1	<1	2	3	4	6	12
35-49	6	4.0	6	<1	<1	5	5	7	7	7
50-64	7	3.7	17	<1	<1	2	7	10	11	11
65+	4	4.5	16	1	1	3	7	10	10	10
B. *Operated*										
0-19 YRS	12196	1.8	1	1	1	2	2	2	3	5
20-34	1157	2.5	3	1	1	2	3	4	5	9
35-49	164	2.9	4	1	1	2	3	5	7	12
50-64	71	3.2	4	1	1	3	4	6	7	13
65+	32	3.9	13	1	1	3	4	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	30343	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	586	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	13620	1.9	1	1	1	2	2	3	3	6
1. SINGLE DX	30552	1.8	1	1	1	2	2	2	3	4
2. MULTIPLE DX	14206	1.9	1	1	1	2	2	3	3	6
A. NOT OPERATED	795	1.9	3	<1	<1	1	2	4	5	9
B. OPERATED	43963	1.9	1	1	1	2	2	2	3	5
TOTAL 0-19 YRS	37165	1.8	1	1	1	2	2	2	3	4
20-34	6670	2.2	1	1	1	2	2	3	4	6
35-49	670	2.4	2	1	1	2	3	4	5	8
50-64	179	2.9	5	1	1	2	3	5	7	13
65+	74	3.0	8	1	1	2	3	6	9	17
GRAND TOTAL	**44758**	**1.9**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	648	3.1	3	1	1	3	4	5	6	8
20-34	501	3.2	4	<1	1	3	4	5	7	9
35-49	232	3.5	12	<1	1	3	4	6	8	18
50-64	143	3.0	6	<1	1	2	4	6	7	15
65+	94	3.7	10	<1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	808	2.5	5	1	1	2	3	4	5	10
20-34	1220	2.4	3	1	1	2	3	4	5	9
35-49	998	2.4	3	1	1	2	3	4	5	9
50-64	987	2.4	3	<1	1	2	3	4	5	10
65+	487	3.0	10	1	1	2	3	5	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	603	4.1	6	1	1	4	5	7	9	13
20-34	455	4.6	14	1	1	4	6	8	10	22
35-49	360	4.9	13	1	1	4	6	9	11	22
50-64	418	5.3	17	1	2	4	6	10	13	22
65+	422	6.6	23	2	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	660	3.3	12	1	1	2	4	6	9	16
20-34	1160	3.2	5	1	1	3	4	5	7	12
35-49	1049	3.7	13	1	1	3	4	7	9	17
50-64	1192	4.3	28	1	2	3	5	8	12	23
65+	632	5.7	45	1	2	3	6	12	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1618	3.2	5	<1	1	3	4	6	7	11
B. *Operated*	4500	2.5	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	2258	5.0	15	1	2	4	6	9	12	21
B. *Operated*	4693	3.9	20	1	1	3	4	7	11	22
1. SINGLE DX	6118	2.7	5	1	1	2	3	5	6	10
2. MULTIPLE DX	6951	4.3	18	1	1	3	5	8	11	22
A. NOT OPERATED	3876	4.2	12	1	1	3	5	8	10	18
B. OPERATED	9193	3.2	13	1	1	2	3	6	8	18
TOTAL 0-19 YRS	2719	3.2	7	1	1	2	4	6	7	13
20-34	3336	3.1	6	1	1	2	4	5	7	11
35-49	2639	3.3	10	1	1	2	4	6	8	16
50-64	2740	3.7	17	1	1	2	4	7	10	19
65+	1635	5.0	29	1	1	3	6	10	14	27
GRAND TOTAL	**13069**	**3.5**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15409	4.7	7	2	2	4	6	8	9	13
20-34	3369	5.4	11	2	2	5	7	9	11	15
35-49	2247	6.0	10	2	3	5	7	10	12	16
50-64	1869	6.7	16	2	3	6	8	11	14	20
65+	2665	8.0	23	3	4	7	10	13	17	24
B. *Operated*										
0-19 YRS	73	8.7	58	1	2	7	12	15	21	42
20-34	74	8.7	28	2	2	8	11	16	18	24
35-49	148	10.2	55	2	3	9	13	19	26	36
50-64	197	10.1	39	2	3	9	14	18	22	31
65+	183	12.1	79	2	3	10	15	24	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12110	5.3	11	2	2	5	7	9	11	16
20-34	2842	6.4	17	2	3	5	8	11	14	22
35-49	3097	7.5	23	3	3	6	9	13	16	25
50-64	6092	8.7	33	3	4	7	11	15	19	29
65+	17986	11.2	52	4	5	9	14	20	25	38
B. *Operated*										
0-19 YRS	239	11.6	81	3	4	10	14	22	29	53
20-34	263	15.2	163	3	5	11	19	28	39	75
35-49	452	15.0	130	3	5	12	18	26	37	72
50-64	1096	16.8	157	4	6	13	21	33	42	78
65+	2178	19.3	170	5	7	16	24	35	46	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25559	5.4	11	2	2	5	7	9	11	17
B. *Operated*	675	10.4	55	2	3	9	14	19	24	38
2. MULTIPLE DX										
A. *Not Operated*	42127	8.5	39	2	3	7	11	16	20	32
B. *Operated*	4228	17.5	161	4	6	14	22	33	43	78
1. SINGLE DX	26234	5.5	13	2	2	5	7	9	12	18
2. MULTIPLE DX	46355	9.4	57	2	3	7	12	18	23	39
A. NOT OPERATED	67686	7.3	31	2	3	6	9	14	17	28
B. OPERATED	4903	16.5	153	4	5	13	21	31	41	75
TOTAL 0-19 YRS	27831	5.0	10	2	2	4	6	8	10	15
20-34	6548	6.3	24	2	3	5	7	11	14	25
35-49	5944	7.6	32	2	3	6	9	13	17	29
50-64	9254	9.3	52	3	4	8	11	17	22	38
65+	23012	11.6	67	4	4	10	14	21	26	44
GRAND TOTAL	**72589**	**8.0**	**45**	**2**	**3**	**6**	**10**	**15**	**20**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	394	2.7	2	1	1	2	3	4	5	9
20-34	249	3.1	5	1	1	3	4	6	7	11
35-49	160	3.2	3	1	1	3	4	6	7	9
50-64	158	4.1	10	1	1	4	5	6	8	15
65+	223	5.2	12	1	2	4	7	9	12	17
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	4	6.0	23	2	2	4	9	13	13	13
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	493	3.5	5	1	1	3	4	6	7	12
20-34	408	4.0	13	1	1	3	5	7	9	16
35-49	303	4.7	9	2	2	4	6	8	9	17
50-64	474	5.4	15	2	2	4	7	10	12	23
65+	1087	6.9	25	2	3	6	9	12	15	26
B. *Operated*										
0-19 YRS	5	7.4	25	3	3	6	9	16	16	16
20-34	13	8.9	67	1	2	5	13	22	26	27
35-49	10	13.0	137	<1	2	11	13	29	44	44
50-64	33	13.9	320	3	3	9	15	24	52	96
65+	46	12.8	81	4	4	10	16	28	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1184	3.5	7	1	1	3	4	6	8	14
B. *Operated*	9	5.1	12	2	2	4	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	2765	5.4	18	1	2	4	7	10	13	21
B. *Operated*	107	12.4	155	2	3	9	15	24	34	73
1. SINGLE DX	1193	3.5	7	1	1	3	4	6	8	14
2. MULTIPLE DX	2872	5.6	25	1	2	4	7	10	14	25
A. NOT OPERATED	3949	4.8	15	1	2	4	6	9	12	19
B. OPERATED	116	11.9	147	2	3	9	14	22	33	69
TOTAL 0-19 YRS	895	3.2	4	1	1	3	4	6	7	11
20-34	674	3.8	11	1	1	3	4	7	9	17
35-49	473	4.4	12	1	2	4	6	8	9	17
50-64	666	5.5	32	1	2	4	6	10	13	26
65+	1357	6.8	26	2	2	5	8	12	16	28
GRAND TOTAL	**4065**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1912	3.7	5	1	1	3	5	6	8	11
20-34	307	3.8	8	<1	<1	3	5	7	8	15
35-49	328	4.9	13	<1	2	4	6	9	11	17
50-64	481	6.0	17	1	2	5	7	11	13	22
65+	655	6.4	17	1	2	6	8	11	13	21
B. *Operated*										
0-19 YRS	17	7.1	92	<1	1	5	7	13	32	42
20-34	45	4.4	12	1	1	4	6	8	10	19
35-49	66	4.5	12	1	1	3	7	11	11	14
50-64	125	5.4	25	<1	1	4	8	11	16	24
65+	85	6.8	56	1	2	4	9	13	19	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1874	4.3	8	1	2	4	5	7	9	13
20-34	525	5.1	22	1	2	4	7	9	10	21
35-49	863	6.5	23	2	2	5	8	13	15	24
50-64	1885	7.5	27	2	3	6	10	13	17	26
65+	3645	8.8	40	3	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	28	7.0	14	1	2	7	9	12	14	15
20-34	79	8.4	44	2	2	6	11	17	24	30
35-49	211	8.5	45	2	2	7	11	18	22	33
50-64	513	9.9	90	2	2	8	12	21	25	59
65+	547	11.8	111	2	3	9	15	24	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3683	4.6	11	1	1	4	6	8	11	17
B. *Operated*	338	5.5	33	1	1	4	8	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	8812	7.1	31	2	2	6	9	13	17	28
B. *Operated*	1378	10.3	89	2	2	8	13	21	27	49
1. SINGLE DX	4021	4.7	13	1	1	4	6	9	11	18
2. MULTIPLE DX	10190	7.5	40	2	2	6	9	14	19	32
A. NOT OPERATED	12495	6.4	26	1	2	5	8	12	16	26
B. OPERATED	1716	9.4	81	2	2	7	12	20	26	46
TOTAL 0-19 YRS	3831	4.0	7	1	2	3	5	7	9	12
20-34	956	4.9	20	<1	1	4	6	9	11	23
35-49	1488	6.4	25	1	2	5	8	12	15	26
50-64	3004	7.6	38	2	2	6	10	14	18	31
65+	4932	8.8	47	2	3	7	11	16	21	34
GRAND TOTAL	**14211**	**6.7**	**34**	**1**	**2**	**5**	**8**	**13**	**17**	**29**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	6	5.5	16	2	2	4	6	12	13	13
35-49	36	6.6	35	<1	2	6	7	13	15	34
50-64	198	7.4	21	2	3	6	10	14	16	23
65+	276	8.3	39	2	3	7	10	15	18	27
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	2	9.0	2	8	8	9	10	10	10	10
35-49	10	7.8	19	<1	<1	8	10	13	15	15
50-64	14	10.0	75	<1	2	7	16	22	29	31
65+	6	10.5	60	4	4	9	11	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	34	5	5	10	15	19	19	19
20-34	10	6.0	8	3	3	6	7	10	11	11
35-49	186	8.0	32	2	3	6	11	15	21	27
50-64	1014	9.5	58	2	3	7	12	17	23	38
65+	2052	10.1	58	2	3	8	13	19	24	38
B. *Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	19	13.3	73	3	4	12	17	27	32	34
35-49	44	16.8	242	2	3	14	21	34	67	99+
50-64	151	14.1	136	3	5	11	17	28	34	87
65+	261	17.2	205	3	5	13	23	36	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	519	7.7	32	2	3	6	10	14	17	27
B. *Operated*	34	9.4	45	<1	2	8	11	17	24	31
2. MULTIPLE DX										
A. *Not Operated*	3266	9.8	56	2	3	8	12	18	24	38
B. *Operated*	479	15.9	182	3	4	12	20	33	46	99+
1. SINGLE DX	553	7.8	33	2	3	6	10	15	17	27
2. MULTIPLE DX	3745	10.6	77	2	3	8	13	20	27	45
A. NOT OPERATED	3785	9.5	53	2	3	8	12	18	23	37
B. OPERATED	513	15.5	175	3	4	12	20	32	45	99+
TOTAL 0-19 YRS	13	6.8	25	1	2	5	10	13	18	19
20-34	37	9.8	54	3	3	8	13	17	28	34
35-49	276	9.2	76	2	3	7	12	17	26	58
50-64	1377	9.7	64	2	3	8	12	18	24	41
65+	2595	10.6	75	2	3	8	13	20	27	45
GRAND TOTAL	**4298**	**10.2**	**72**	**2**	**3**	**8**	**13**	**19**	**26**	**44**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10988	3.8	4	1	2	3	5	6	8	10
20-34	2556	4.3	7	1	2	4	6	8	9	13
35-49	1913	5.1	11	1	2	4	6	9	11	15
50-64	1856	6.0	14	2	2	5	8	11	12	19
65+	1370	6.6	14	2	3	6	9	12	14	18
B. *Operated*										
0-19 YRS	30	6.7	18	1	2	6	9	13	15	18
20-34	16	8.8	12	4	5	8	10	14	15	16
35-49	36	7.3	17	1	3	7	9	13	15	19
50-64	35	7.6	21	2	2	7	10	15	16	18
65+	26	11.5	33	2	5	11	17	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6340	4.4	7	2	2	4	5	7	9	14
20-34	2186	5.4	15	2	2	4	7	9	12	21
35-49	2666	6.6	19	2	3	6	8	12	14	24
50-64	4442	7.8	29	2	3	7	10	13	17	29
65+	4961	8.1	34	3	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	110	7.8	24	2	3	7	10	13	17	28
20-34	132	12.3	115	3	4	9	16	22	27	58
35-49	207	12.1	74	4	5	11	15	21	28	49
50-64	348	14.1	126	3	5	11	17	26	38	57
65+	275	14.4	105	4	5	12	19	26	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18683	4.4	8	1	2	4	6	8	9	14
B. *Operated*	143	8.2	22	2	2	7	11	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	20595	6.6	24	2	2	5	8	12	15	25
B. *Operated*	1072	12.9	102	3	4	11	16	23	31	57
1. SINGLE DX	18826	4.4	8	1	2	4	6	8	10	14
2. MULTIPLE DX	21667	6.9	29	2	2	5	8	13	16	28
A. NOT OPERATED	39278	5.5	17	2	2	4	7	10	13	21
B. OPERATED	1215	12.4	95	3	4	10	15	22	29	53
TOTAL 0-19 YRS	17468	4.1	6	1	2	4	5	7	8	12
20-34	4890	5.0	15	1	2	4	6	9	11	19
35-49	4822	6.2	20	2	2	5	8	11	14	22
50-64	6681	7.6	33	2	3	6	9	13	17	30
65+	6632	8.5	35	2	3	7	11	15	19	31
GRAND TOTAL	**40493**	**5.7**	**21**	**2**	**2**	**5**	**7**	**11**	**14**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	4.5	5	2	2	4	6	8	9	10
20-34	45	4.8	10	1	2	4	6	9	11	14
35-49	253	6.3	20	1	2	5	8	12	15	22
50-64	1329	7.1	28	1	2	6	9	13	17	27
65+	1874	7.8	31	2	3	6	10	14	17	27
B. *Operated*										
0-19 YRS	8	6.0	25	2	2	5	7	14	17	17
20-34	17	7.1	44	2	2	5	7	13	24	30
35-49	25	9.0	37	2	3	7	12	17	23	23
50-64	82	9.4	150	2	3	6	10	16	27	79
65+	69	10.4	76	2	2	9	13	19	32	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	5.4	19	1	2	5	7	8	15	25
20-34	136	6.8	21	2	3	5	9	12	16	24
35-49	992	7.7	32	2	3	6	9	14	18	29
50-64	6028	9.0	42	2	3	7	11	16	21	34
65+	11885	9.9	55	3	3	8	12	18	24	37
B. *Operated*										
0-19 YRS	6	13.3	388	2	2	5	11	49	53	53
20-34	28	9.8	97	2	3	8	11	16	29	53
35-49	177	13.8	151	3	4	11	18	27	36	89
50-64	852	14.1	145	3	4	11	17	28	38	80
65+	1426	17.6	198	4	5	14	22	35	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3535	7.3	29	2	2	6	9	14	17	27
B. *Operated*	201	9.3	96	2	2	7	12	17	26	74
2. MULTIPLE DX										
A. *Not Operated*	19096	9.5	50	3	3	8	12	18	22	36
B. *Operated*	2489	16.0	179	3	5	12	20	32	43	80
1. SINGLE DX	3736	7.4	32	2	2	6	9	14	17	28
2. MULTIPLE DX	21585	10.2	69	3	3	8	13	19	25	43
A. NOT OPERATED	22631	9.2	47	2	3	7	11	17	22	35
B. OPERATED	2690	15.5	176	3	4	12	19	32	42	80
TOTAL 0-19 YRS	103	5.6	36	1	2	4	7	8	14	38
20-34	226	6.8	31	2	2	5	9	12	15	28
35-49	1447	8.2	49	2	3	6	10	15	20	35
50-64	8291	9.2	55	2	3	7	11	17	22	38
65+	15254	10.4	71	3	3	8	13	19	26	43
GRAND TOTAL	**25321**	**9.8**	**65**	**2**	**3**	**8**	**12**	**18**	**24**	**42**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.5	6	1	1	3	4	7	8	12
20-34	251	3.8	7	1	1	3	5	7	9	12
35-49	58	4.8	13	1	1	4	6	9	13	17
50-64	25	5.0	5	2	3	5	6	8	9	11
65+	13	5.5	7	2	3	5	7	10	11	11
B. *Operated*										
0-19 YRS	118	6.8	22	2	3	6	8	12	14	29
20-34	721	6.4	15	2	3	5	8	11	14	19
35-49	213	6.6	20	2	3	5	8	13	15	23
50-64	99	8.0	33	3	3	6	11	17	19	29
65+	55	10.5	58	2	3	8	13	21	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	8	1	1	4	6	7	10	15
20-34	64	4.3	8	1	1	4	6	8	9	16
35-49	40	5.3	11	1	2	5	6	10	13	15
50-64	55	9.6	82	2	4	8	10	16	28	57
65+	109	10.6	63	2	3	9	14	19	26	43
B. *Operated*										
0-19 YRS	46	11.1	50	4	5	9	15	22	24	33
20-34	239	9.7	41	3	4	8	13	17	20	31
35-49	145	11.9	99	3	4	8	15	26	36	47
50-64	230	12.4	98	3	4	9	15	25	34	56
65+	305	15.0	154	4	5	11	19	31	38	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	4.0	8	1	1	3	5	7	9	14
B. *Operated*	1206	6.8	21	2	3	6	8	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	305	7.6	49	1	2	6	10	15	19	33
B. *Operated*	965	12.4	103	4	4	9	15	24	33	55
1. SINGLE DX	1647	6.1	19	2	2	5	7	11	14	21
2. MULTIPLE DX	1270	11.3	94	2	4	8	14	22	31	53
A. NOT OPERATED	746	5.5	28	1	1	4	7	11	14	27
B. OPERATED	2171	9.3	65	3	3	7	11	18	24	45
TOTAL 0-19 YRS	295	6.1	26	1	2	5	7	12	16	27
20-34	1275	6.4	22	2	2	5	8	12	16	21
35-49	456	8.0	51	2	3	6	9	15	21	44
50-64	409	10.5	80	3	3	8	13	20	31	53
65+	482	13.2	124	3	4	10	16	26	34	65
GRAND TOTAL	**2917**	**8.3**	**58**	**2**	**3**	**6**	**10**	**16**	**22**	**42**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	678	3.7	8	1	1	3	5	6	9	15
20-34	364	3.6	10	<1	1	3	4	8	9	16
35-49	320	4.3	12	<1	1	3	6	8	11	19
50-64	383	5.2	22	1	1	4	6	10	13	27
65+	514	6.6	31	1	1	5	8	14	17	27
B. *Operated*										
0-19 YRS	62	7.0	97	1	1	4	7	13	28	53
20-34	148	8.3	72	1	2	6	10	17	24	50
35-49	243	7.6	38	1	2	7	10	13	17	30
50-64	464	8.3	52	2	2	6	11	18	23	36
65+	334	8.2	44	2	2	7	11	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1019	5.2	22	1	2	4	6	10	13	23
20-34	610	5.6	22	1	1	4	7	12	15	25
35-49	894	6.5	30	1	2	5	8	12	16	28
50-64	2161	7.9	43	2	2	6	10	15	20	34
65+	5335	10.0	59	2	3	8	13	19	24	39
B. *Operated*										
0-19 YRS	158	10.2	143	1	2	7	12	27	37	67
20-34	301	11.4	148	2	2	8	14	23	34	67
35-49	530	13.1	153	2	3	9	17	27	37	69
50-64	1355	13.1	134	2	3	10	17	27	35	67
65+	1889	15.5	155	2	4	12	20	31	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2259	4.7	18	1	1	4	6	9	13	21
B. *Operated*	1251	8.1	52	1	2	6	10	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	10019	8.5	50	2	2	7	11	17	22	36
B. *Operated*	4233	14.0	149	2	3	11	18	29	38	64
1. SINGLE DX	3510	5.9	32	1	1	4	8	12	16	28
2. MULTIPLE DX	14252	10.1	86	2	2	7	13	21	27	49
A. NOT OPERATED	12278	7.8	46	1	2	6	10	16	21	34
B. OPERATED	5484	12.6	133	2	2	9	16	27	35	61
TOTAL 0-19 YRS	1917	5.1	32	1	1	4	6	10	14	32
20-34	1423	6.6	59	1	1	4	8	14	19	41
35-49	1987	8.0	71	1	2	6	10	16	22	47
50-64	4363	9.3	77	2	2	7	11	19	26	47
65+	8072	11.0	86	2	3	8	14	22	28	48
GRAND TOTAL	**17762**	**9.3**	**78**	**1**	**2**	**7**	**12**	**19**	**26**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.9	5	<1	<1	2	4	5	7	12
20-34	116	2.4	5	<1	<1	1	3	5	7	11
35-49	53	3.0	6	<1	<1	2	4	7	9	9
50-64	30	5.4	36	<1	<1	4	6	11	25	25
65+	13	5.6	35	<1	1	3	6	17	19	20
B. *Operated*										
0-19 YRS	2961	2.0	2	<1	<1	2	2	4	4	6
20-34	2794	2.2	3	<1	<1	2	3	4	5	7
35-49	1087	2.5	5	<1	1	2	3	4	5	9
50-64	682	2.5	3	<1	1	2	3	4	5	10
65+	241	2.8	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	3.4	6	<1	<1	3	4	6	9	12
20-34	179	4.1	14	<1	<1	3	5	8	11	20
35-49	117	4.3	15	<1	1	3	6	9	10	20
50-64	97	5.2	52	1	1	3	5	11	17	44
65+	100	5.9	32	1	1	4	7	14	18	27
B. *Operated*										
0-19 YRS	1183	2.7	5	<1	1	2	4	5	6	9
20-34	1663	2.8	5	<1	1	2	3	5	6	11
35-49	1322	3.0	9	<1	1	2	3	5	8	15
50-64	1499	3.4	17	1	1	2	3	6	9	20
65+	887	3.8	18	1	2	3	4	7	10	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.1	10	<1	<1	2	4	6	9	18
B. *Operated*	7765	2.2	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	670	4.4	21	<1	1	3	5	9	12	24
B. *Operated*	6554	3.1	11	1	1	2	3	5	8	16
1. SINGLE DX	8069	2.2	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX	7224	3.2	12	<1	1	2	4	6	8	17
A. NOT OPERATED	974	4.0	18	<1	<1	3	5	3	11	23
B. OPERATED	14319	2.6	7	<1	<1	2	3	5	6	12
TOTAL 0-19 YRS	4413	2.2	3	<1	<1	2	3	4	5	8
20-34	4752	2.5	5	<1	<1	2	3	5	6	10
35-49	2579	2.9	8	<1	1	2	3	5	7	13
50-64	2308	3.2	15	1	1	2	3	5	8	18
65+	1241	3.8	17	1	2	3	4	7	11	22
GRAND TOTAL	**15293**	**2.7**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	3.9	5	1	2	3	5	7	9	11
20-34	57	3.8	7	<1	<1	4	5	7	9	14
35-49	41	4.1	6	<1	1	4	6	8	9	10
50-64	48	3.4	4	<1	<1	3	5	6	7	10
65+	53	5.2	13	<1	2	5	6	10	13	21
B. *Operated*										
0-19 YRS	213	2.8	4	<1	1	2	3	6	8	10
20-34	227	3.1	5	<1	1	3	4	5	8	14
35-49	232	3.4	5	1	2	3	4	6	7	15
50-64	282	3.4	7	1	1	3	4	5	8	17
65+	205	3.7	6	1	1	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	4.2	5	1	2	4	5	7	9	12
20-34	86	4.4	7	<1	1	4	5	8	10	14
35-49	76	6.0	15	1	2	5	8	11	14	18
50-64	122	6.9	21	2	3	6	8	12	16	26
65+	262	7.7	22	2	3	7	10	14	17	25
B. *Operated*										
0-19 YRS	89	4.5	38	1	1	3	5	8	10	40
20-34	137	4.5	14	1	2	3	5	8	12	22
35-49	200	5.1	56	1	2	3	5	9	13	29
50-64	275	5.4	35	1	2	4	6	10	14	26
65+	318	6.6	51	1	2	4	8	13	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	4.1	7	<1	1	4	5	7	9	14
B. *Operated*	1159	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	830	5.9	16	1	2	5	8	11	14	20
B. *Operated*	1019	5.5	42	1	2	4	6	11	16	30
1. SINGLE DX	1517	3.5	6	1	1	3	4	6	8	14
2. MULTIPLE DX	1849	5.7	30	1	2	4	7	11	14	26
A. NOT OPERATED	1188	5.3	14	1	2	4	7	10	13	18
B. OPERATED	2178	4.3	24	1	1	3	5	8	11	21
TOTAL 0-19 YRS	745	3.8	9	1	1	3	5	7	9	12
20-34	507	3.8	8	<1	1	3	5	7	9	16
35-49	549	4.4	26	1	2	3	5	8	10	18
50-64	727	4.7	21	1	2	3	5	9	12	21
65+	838	6.1	31	1	2	4	8	12	16	27
GRAND TOTAL	**3366**	**4.7**	**21**	**1**	**2**	**3**	**6**	**9**	**12**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	3.5	10	1	1	3	4	6	8	12
20-34	279	3.6	6	<1	1	3	5	7	9	12
35-49	378	3.8	10	<1	1	3	5	7	9	16
50-64	334	4.1	12	1	1	3	5	8	9	16
65+	278	4.7	18	1	1	3	6	10	12	17
B. *Operated*										
0-19 YRS	79	6.0	60	1	1	3	7	16	22	42
20-34	143	5.2	17	1	1	4	7	10	12	20
35-49	189	7.3	52	1	2	6	9	13	15	38
50-64	244	6.7	24	1	2	6	9	13	16	24
65+	312	6.9	35	1	2	5	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	382	5.4	22	1	2	4	6	9	14	27
20-34	615	4.9	10	1	2	4	6	9	10	17
35-49	1249	5.3	15	1	2	4	7	10	12	19
50-64	1619	5.9	22	1	2	5	7	11	13	21
65+	2062	6.8	28	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	117	9.9	129	1	2	6	12	21	32	89
20-34	315	7.2	27	2	2	7	9	13	15	28
35-49	654	9.0	52	2	3	7	10	18	23	36
50-64	1123	9.2	67	2	2	7	11	18	23	50
65+	1740	10.9	105	2	3	8	14	22	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1575	3.9	11	1	1	3	5	8	10	15
B. *Operated*	967	6.6	35	1	1	5	9	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	5927	5.9	22	1	2	5	7	11	14	23
B. *Operated*	3949	9.8	81	2	3	8	12	19	26	51
1. SINGLE DX	2542	5.0	22	1	1	4	6	10	13	23
2. MULTIPLE DX	9876	7.5	49	2	2	6	9	14	19	37
A. NOT OPERATED	7502	5.5	20	1	2	4	7	10	13	22
B. OPERATED	4916	9.2	73	2	2	7	11	18	24	48
TOTAL 0-19 YRS	884	5.4	39	1	1	4	6	10	16	35
20-34	1352	5.2	15	1	1	4	7	10	12	19
35-49	2470	6.2	30	1	2	5	8	12	15	27
50-64	3320	6.9	39	1	2	5	9	13	18	32
65+	4392	8.3	63	2	2	6	10	16	22	43
GRAND TOTAL	**12418**	**7.0**	**44**	**1**	**2**	**5**	**9**	**13**	**18**	**35**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	6	1	1	4	6	8	9	10
20-34	152	4.6	10	1	2	4	6	9	10	17
35-49	218	4.9	13	1	2	4	6	9	11	14
50-64	214	5.2	12	1	2	4	6	10	12	15
65+	171	5.9	15	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	8	6.1	16	1	1	6	8	12	13	13
20-34	78	8.0	29	2	3	7	9	14	18	32
35-49	184	8.3	29	2	4	7	10	16	19	29
50-64	205	8.0	31	2	3	7	10	15	19	28
65+	185	9.0	41	2	3	7	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	5.4	14	1	2	4	7	11	14	17
20-34	242	6.4	22	2	2	5	8	12	14	21
35-49	508	7.0	22	2	3	6	9	13	15	21
50-64	764	7.1	23	2	3	6	9	13	16	24
65+	1293	8.5	34	3	3	7	11	15	20	32
B. *Operated*										
0-19 YRS	8	7.8	34	2	2	6	13	16	17	17
20-34	170	9.8	53	2	3	8	13	17	24	46
35-49	449	9.7	65	2	3	8	12	18	22	38
50-64	744	11.3	73	3	4	9	14	21	26	46
65+	1066	12.4	76	3	5	10	15	23	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	5.1	12	1	2	4	6	10	12	17
B. *Operated*	660	8.3	33	2	3	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	2847	7.7	28	2	3	6	10	14	18	30
B. *Operated*	2437	11.4	73	3	4	9	14	21	28	45
1. SINGLE DX	1453	6.6	24	1	2	5	8	13	16	24
2. MULTIPLE DX	5284	9.4	52	2	3	8	12	17	23	36
A. NOT OPERATED	3640	7.1	26	2	3	6	9	13	17	27
B. OPERATED	3097	10.7	66	3	4	9	13	20	25	41
TOTAL 0-19 YRS	94	5.3	13	1	2	4	7	10	13	17
20-34	642	7.1	32	2	2	6	9	14	17	30
35-49	1359	7.7	39	2	3	6	9	14	18	33
50-64	1927	8.6	47	2	3	7	11	16	21	36
65+	2715	9.9	55	3	3	8	13	19	24	36
GRAND TOTAL	**6737**	**8.8**	**48**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	6	2	3	3	6	9	9	9
20-34	52	4.8	8	1	2	4	6	8	10	18
35-49	109	5.6	6	3	3	5	7	9	10	14
50-64	158	5.5	6	3	3	5	7	8	11	13
65+	153	7.2	13	3	4	6	9	10	15	23
B. *Operated*										
0-19 YRS	5	7.0	8	4	4	7	9	11	11	11
20-34	53	9.4	15	3	5	9	11	15	18	22
35-49	68	9.5	30	4	4	7	12	16	19	32
50-64	130	9.5	33	3	4	8	12	15	19	35
65+	147	11.7	46	4	4	10	15	21	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	5.5	2	2	3	6	6	7	8	8
20-34	69	5.6	10	2	2	5	7	10	10	20
35-49	175	6.2	14	2	3	5	7	10	13	20
50-64	427	7.1	18	3	3	6	9	12	15	23
65+	968	9.7	45	3	4	8	12	17	22	37
B. *Operated*										
0-19 YRS	6	10.8	126	2	2	8	9	31	33	33
20-34	59	13.0	117	3	5	10	16	22	28	70
35-49	175	11.9	111	3	4	9	13	21	31	56
50-64	446	13.4	104	4	5	11	16	24	33	61
65+	978	15.4	131	4	6	12	19	29	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	6.0	9	3	3	6	7	10	11	17
B. *Operated*	403	10.3	36	3	4	9	13	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	1650	8.5	35	3	3	7	10	15	19	32
B. *Operated*	1664	14.4	122	4	5	11	18	27	35	61
1. SINGLE DX	889	7.9	26	3	3	7	10	15	17	27
2. MULTIPLE DX	3314	11.4	88	3	4	9	14	22	29	52
A. NOT OPERATED	2136	7.9	30	3	3	6	9	14	18	31
B. OPERATED	2067	13.6	108	4	5	11	17	25	32	57
TOTAL 0-19 YRS	36	6.2	27	2	3	6	7	9	11	33
20-34	233	8.1	48	2	3	7	10	15	20	31
35-49	527	8.4	54	3	3	7	10	15	19	43
50-64	1161	9.6	61	3	4	8	12	18	23	45
65+	2246	12.1	89	4	4	9	15	22	29	52
GRAND TOTAL	**4203**	**10.7**	**77**	**3**	**4**	**8**	**13**	**20**	**27**	**49**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	250	3.8	5	1	1	3	5	7	8	13
20-34	835	4.1	6	1	2	4	5	7	9	13
35-49	805	4.5	7	1	2	4	6	8	10	14
50-64	583	4.9	8	1	2	4	6	9	10	14
65+	389	5.2	8	2	2	5	7	9	10	15
B. *Operated*										
0-19 YRS	6	5.7	3	3	3	6	7	8	8	8
20-34	108	9.8	31	3	3	9	12	18	21	27
35-49	185	9.8	27	3	4	9	12	18	21	26
50-64	154	10.0	40	2	3	9	12	19	24	32
65+	75	9.9	37	2	4	9	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	5.1	12	2	2	4	6	9	12	17
20-34	1008	5.3	11	2	2	5	7	9	11	17
35-49	1541	6.2	16	2	2	5	8	11	14	21
50-64	1827	6.3	14	2	3	5	8	11	14	20
65+	2315	7.7	25	2	3	7	10	14	18	27
B. *Operated*										
0-19 YRS	19	8.8	66	2	3	5	12	21	27	32
20-34	246	9.7	40	3	4	8	12	18	23	29
35-49	444	11.8	73	3	4	10	15	21	26	42
50-64	617	11.8	81	3	4	10	14	21	27	49
65+	595	13.5	92	4	5	11	16	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2862	4.5	7	1	2	4	6	8	10	14
B. *Operated*	528	9.8	32	3	4	9	12	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	6889	6.6	19	2	3	6	8	12	15	23
B. *Operated*	1921	12.0	78	3	4	10	15	22	27	45
1. SINGLE DX	3390	5.3	15	1	2	4	7	10	12	20
2. MULTIPLE DX	8810	7.8	37	2	3	6	10	14	18	30
A. NOT OPERATED	9751	6.0	16	2	2	5	8	11	14	21
B. OPERATED	2449	11.5	69	3	4	9	14	21	26	44
TOTAL 0-19 YRS	473	4.6	11	1	2	4	6	8	11	17
20-34	2197	5.6	17	1	2	5	7	10	14	22
35-49	2975	6.8	29	2	2	5	9	12	17	26
50-64	3181	7.3	33	2	3	6	9	13	17	28
65+	3374	8.5	41	2	3	7	10	16	20	34
GRAND TOTAL	**12200**	**7.1**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.0	3	1	1	4	5	6	7	8
20-34	289	5.1	10	2	2	4	6	9	10	19
35-49	320	5.3	6	2	3	5	6	9	10	13
50-64	340	5.6	8	2	3	5	7	9	12	14
65+	380	6.8	14	3	3	6	8	11	13	22
B. *Operated*										
0-19 YRS	13	6.3	8	<1	2	6	8	9	11	11
20-34	99	8.6	18	3	5	8	10	13	17	28
35-49	129	9.6	25	5	5	9	11	15	20	30
50-64	182	9.8	22	4	5	9	12	15	19	28
65+	174	13.7	44	5	7	12	17	24	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.1	15	2	3	5	7	10	14	23
20-34	238	5.7	11	2	2	5	7	9	12	18
35-49	376	5.9	10	2	3	5	7	10	12	18
50-64	832	7.2	17	3	3	6	9	12	15	22
65+	1509	9.4	42	3	4	8	11	16	20	35
B. *Operated*										
0-19 YRS	20	9.1	28	2	3	8	11	16	20	24
20-34	114	13.7	129	5	6	10	15	24	36	66
35-49	221	12.0	62	4	5	10	14	21	28	42
50-64	401	14.8	111	4	6	12	18	26	37	56
65+	819	18.0	170	5	7	14	22	36	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	5.7	10	2	3	5	7	9	11	17
B. *Operated*	597	10.6	32	4	5	9	12	18	23	31
2. MULTIPLE DX										
A. *Not Operated*	3005	8.0	30	3	3	7	10	14	18	29
B. *Operated*	1575	15.9	140	5	6	12	19	29	41	65
1. SINGLE DX	1968	7.2	22	2	3	6	9	12	16	27
2. MULTIPLE DX	4580	10.7	82	3	4	8	13	20	27	52
A. NOT OPERATED	4376	7.3	25	2	3	6	9	13	16	26
B. OPERATED	2172	14.5	116	5	6	11	17	26	36	60
TOTAL 0-19 YRS	125	5.9	15	1	2	5	7	10	14	23
20-34	740	7.1	39	2	2	6	8	12	16	33
35-49	1046	7.5	29	3	3	6	9	12	17	29
50-64	1755	8.9	49	3	3	7	11	16	21	40
65+	2882	11.8	92	3	4	9	14	22	29	55
GRAND TOTAL	**6548**	**9.7**	**67**	**3**	**3**	**8**	**11**	**18**	**24**	**46**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	16	5.9	15	2	3	5	7	10	16	18
35-49	30	5.8	12	2	2	5	7	11	13	16
50-64	27	6.7	15	1	1	6	9	12	13	17
65+	36	9.2	45	2	3	7	12	18	21	35
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	11.4	16	5	7	11	14	18	20	20
35-49	39	13.8	38	6	7	14	18	22	23	33
50-64	57	14.8	77	6	7	13	19	22	25	59
65+	49	13.8	51	5	6	13	17	22	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	12.4	238	2	3	7	12	30	54	60
35-49	42	7.0	14	2	3	7	9	11	12	23
50-64	60	6.9	12	2	3	6	9	12	13	17
65+	144	10.4	48	3	4	8	14	21	25	33
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	21	18.0	124	7	8	14	23	35	41	47
35-49	75	18.7	150	5	7	16	24	33	45	94
50-64	159	18.4	141	5	7	16	23	35	41	67
65+	207	21.0	169	7	8	18	26	40	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	7.1	26	1	2	6	9	13	17	27
B. *Operated*	164	13.8	54	6	7	12	17	22	24	42
2. MULTIPLE DX										
A. *Not Operated*	260	9.1	46	3	3	7	11	17	23	33
B. *Operated*	463	19.6	155	6	8	16	25	37	47	84
1. SINGLE DX	275	11.1	53	2	4	10	15	20	23	35
2. MULTIPLE DX	723	15.8	141	3	5	13	21	30	41	70
A. NOT OPERATED	371	8.5	41	2	3	7	10	16	22	32
B. OPERATED	627	18.1	134	6	7	15	23	33	43	73
TOTAL 0-19 YRS	5	4.0	13	1	1	3	5	10	10	10
20-34	68	12.3	107	3	4	10	15	23	34	58
35-49	186	12.9	102	3	4	10	18	25	31	67
50-64	303	14.4	117	3	5	11	19	26	36	58
65+	436	15.7	131	4	5	13	21	30	40	72
GRAND TOTAL	**998**	**14.5**	**121**	**3**	**4**	**11**	**19**	**28**	**37**	**62**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1321	2.9	3	1	1	2	4	5	6	9
20-34	1894	3.5	5	<1	1	3	5	6	8	12
35-49	1233	4.1	8	1	1	3	5	7	9	15
50-64	800	4.2	11	1	1	4	5	7	9	15
65+	520	5.0	19	1	1	4	6	9	12	18
B. *Operated*										
0-19 YRS	27	5.3	8	2	2	5	7	10	11	11
20-34	113	6.0	15	2	2	5	7	11	12	22
35-49	143	7.5	45	2	2	6	9	15	16	41
50-64	127	7.4	31	2	3	6	9	13	17	30
65+	82	7.3	34	1	2	6	9	13	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1794	3.6	6	1	1	3	4	7	8	12
20-34	3540	4.9	13	1	2	4	6	9	11	18
35-49	3823	5.7	16	2	2	5	7	10	13	20
50-64	3953	6.2	19	2	2	5	8	11	14	22
65+	4485	7.3	26	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	87	6.6	16	2	3	6	9	13	14	18
20-34	587	8.3	33	2	3	7	10	15	19	30
35-49	919	9.5	43	3	4	8	12	17	22	35
50-64	1078	9.9	46	3	4	8	12	18	22	36
65+	1184	11.4	61	3	4	9	15	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5768	3.7	8	1	1	3	5	7	8	13
B. *Operated*	492	7.0	31	2	2	6	9	12	16	31
2. MULTIPLE DX										
A. *Not Operated*	17595	5.9	19	2	2	5	7	11	14	22
B. *Operated*	3855	10.0	49	3	4	8	12	18	23	36
1. SINGLE DX	6260	4.0	10	1	1	3	5	7	9	15
2. MULTIPLE DX	21450	6.6	27	2	2	5	8	12	16	27
A. NOT OPERATED	23363	5.3	17	1	2	4	7	10	13	20
B. OPERATED	4347	9.6	47	3	3	8	12	17	22	36
TOTAL 0-19 YRS	3229	3.4	5	1	1	3	4	6	8	11
20-34	6134	4.8	14	1	1	4	6	9	11	19
35-49	6118	6.0	22	2	2	5	7	11	14	24
50-64	5958	6.7	26	2	2	5	8	12	16	26
65+	6271	7.9	36	2	3	6	10	15	19	31
GRAND TOTAL	**27710**	**6.0**	**24**	**1**	**2**	**5**	**8**	**11**	**15**	**25**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	3.3	4	1	1	3	4	6	7	10
20-34	355	3.7	7	1	1	3	5	7	8	12
35-49	277	4.0	8	1	1	3	5	7	9	15
50-64	198	3.9	6	1	1	3	5	7	9	13
65+	153	4.8	10	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	114	4.8	14	2	2	4	5	9	10	23
20-34	42	9.6	79	2	2	6	12	22	30	42
35-49	59	11.7	43	3	4	11	14	20	22	39
50-64	55	12.8	65	2	4	11	17	24	29	35
65+	54	14.9	89	2	3	13	21	26	35	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	331	3.9	10	1	1	3	5	7	9	16
20-34	620	5.0	13	1	2	4	6	9	12	20
35-49	697	5.6	18	1	2	5	7	10	13	22
50-64	818	5.8	18	1	2	5	7	11	14	21
65+	1003	6.8	27	2	2	6	9	12	16	28
B. *Operated*										
0-19 YRS	58	8.7	64	2	3	7	11	16	24	48
20-34	128	11.9	105	2	3	9	15	23	32	51
35-49	228	12.8	87	3	4	10	16	26	32	47
50-64	345	15.6	154	3	5	12	20	32	40	64
65+	419	19.2	240	3	5	15	26	36	52	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1222	3.9	7	1	1	3	5	7	9	14
B. *Operated*	324	9.7	64	2	3	7	13	21	25	38
2. MULTIPLE DX										
A. *Not Operated*	3469	5.7	20	1	2	5	7	11	14	23
B. *Operated*	1178	15.6	171	3	4	12	20	32	41	70
1. SINGLE DX	1546	5.1	25	1	1	4	6	10	15	25
2. MULTIPLE DX	4647	8.2	77	2	2	6	10	17	25	45
A. NOT OPERATED	4691	5.2	17	1	2	4	7	10	13	21
B. OPERATED	1502	14.3	154	3	4	11	18	30	37	66
TOTAL 0-19 YRS	742	4.2	15	1	1	3	5	7	10	18
20-34	1145	5.5	30	1	1	4	7	11	15	30
35-49	1261	6.8	39	1	2	5	8	14	18	34
50-64	1416	8.2	72	1	2	5	10	17	24	44
65+	1629	10.1	113	2	2	7	12	22	31	55
GRAND TOTAL	**6193**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**22**	**42**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	12	<1	1	2	4	5	7	24
20-34	37	2.6	5	<1	<1	2	4	5	6	12
35-49	13	2.9	4	<1	<1	3	4	6	7	7
50-64	9	4.7	16	1	1	4	5	11	14	14
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	6509	3.8	2	2	2	4	4	6	7	9
20-34	4616	4.0	3	2	2	4	5	6	7	10
35-49	1147	4.6	5	2	3	4	5	7	8	12
50-64	533	5.3	6	3	3	5	6	8	10	16
65+	169	6.5	9	3	3	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.8	2	1	1	2	4	5	5	6
20-34	26	4.4	9	<1	1	4	6	8	11	11
35-49	8	4.4	9	1	1	4	6	8	9	9
50-64	7	5.1	18	1	1	4	6	12	14	14
65+	9	9.9	9	4	5	11	12	13	13	13
B. *Operated*										
0-19 YRS	1048	5.4	10	2	3	5	6	9	11	19
20-34	973	5.7	13	2	3	5	7	10	12	21
35-49	405	7.0	20	3	3	6	8	13	16	22
50-54	315	8.6	40	3	4	7	10	15	18	34
65+	190	10.1	24	4	5	9	13	18	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.1	9	<1	1	2	4	6	7	17
B. *Operated*	12974	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	77	4.5	11	1	1	4	6	11	12	14
B. *Operated*	2931	6.4	18	3	3	5	8	11	14	22
1. SINGLE DX	13100	4.0	3	2	2	4	5	6	7	10
2. MULTIPLE DX	3008	6.3	18	2	3	5	8	11	14	22
A. NOT OPERATED	203	3.6	10	<1	1	3	5	7	11	14
B. OPERATED	15905	4.4	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	7649	4.0	4	2	2	4	5	6	7	11
20-34	5652	4.3	5	2	2	4	5	7	8	12
35-49	1573	5.2	10	2	3	4	6	8	10	17
50-64	864	6.5	21	3	3	5	8	11	14	23
65+	370	8.4	20	3	4	7	10	14	18	22
GRAND TOTAL	**16108**	**4.4**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	5.6	17	1	2	4	7	13	14	15
20-34	22	6.7	15	2	2	6	8	13	15	15
35-49	8	8.0	28	2	3	7	10	17	19	19
50-64	9	9.2	23	3	3	9	13	16	16	16
65+	6	9.5	47	1	1	7	15	19	20	20
B. *Operated*										
0-19 YRS	1161	7.5	12	3	4	7	9	12	14	20
20-34	725	7.2	11	3	3	7	9	12	13	18
35-49	414	8.1	10	3	4	8	10	12	13	19
50-64	333	9.4	15	5	5	9	11	13	17	24
65+	159	11.1	25	5	6	10	14	16	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.1	13	2	2	6	10	12	12	12
20-34	8	8.8	16	3	4	8	11	15	16	16
35-49	11	7.8	28	4	4	6	9	15	22	23
50-64	12	13.3	77	3	4	12	18	24	33	35
65+	10	10.4	31	3	4	9	13	18	23	23
B. *Operated*										
0-19 YRS	531	10.6	49	4	5	9	12	18	22	38
20-34	388	10.4	43	4	5	9	12	18	23	36
35-49	301	11.9	60	5	6	10	14	18	22	46
50-64	433	13.9	95	5	7	11	16	24	31	56
65+	436	16.1	79	7	8	14	20	27	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.1	21	2	2	6	9	15	15	20
B. *Operated*	2792	7.9	14	3	4	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	48	9.8	39	3	4	8	12	18	23	35
B. *Operated*	2089	12.6	70	5	6	10	15	22	28	48
1. SINGLE DX	2859	7.9	14	3	4	7	10	12	15	22
2. MULTIPLE DX	2137	12.5	70	5	6	10	15	22	28	48
A. NOT OPERATED	115	8.2	30	2	3	7	11	15	19	27
B. OPERATED	4881	9.9	43	4	4	8	12	16	22	35
TOTAL 0-19 YRS	1721	8.5	26	3	4	8	10	14	17	26
20-34	1143	8.3	25	3	4	7	10	13	17	27
35-49	734	9.6	35	4	5	9	11	15	18	31
50-64	787	11.9	65	5	6	10	13	19	26	48
65+	611	14.6	69	6	7	12	18	25	30	44
GRAND TOTAL	**4996**	**9.9**	**43**	**4**	**4**	**8**	**12**	**16**	**21**	**35**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	2.4	3	1	1	2	3	5	6	8
20-34	107	2.6	3	1	1	2	3	5	6	10
35-49	30	2.5	3	<1	<1	2	3	5	6	7
50-64	14	3.9	5	1	2	3	5	8	9	9
65+	5	3.8	4	2	2	4	5	7	7	7
B. *Operated*										
0-19 YRS	709	4.4	5	2	2	4	5	7	9	14
20-34	454	4.8	6	2	3	4	6	8	9	14
35-49	117	5.7	10	2	3	5	6	9	13	19
50-64	52	6.6	18	3	3	6	8	10	11	31
65+	18	8.4	24	3	4	6	13	16	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.1	4	1	1	2	4	6	8	10
20-34	55	3.4	5	<1	1	3	4	7	8	10
35-49	20	4.7	3	2	2	5	6	7	8	8
50-64	17	4.6	12	1	1	4	5	8	14	16
65+	9	6.4	10	4	4	5	7	12	12	12
B. *Operated*										
0-19 YRS	441	5.4	8	2	3	5	6	9	10	16
20-34	339	6.5	21	3	3	5	7	10	14	28
35-49	79	8.4	25	3	3	7	11	14	20	26
50-64	59	10.8	43	4	4	8	13	23	25	28
65+	43	12.0	93	4	4	10	14	19	24	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	2.6	3	1	1	2	3	5	6	9
B. *Operated*	1350	4.8	7	2	3	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	191	3.6	6	1	1	3	5	7	8	12
B. *Operated*	961	6.6	23	3	3	5	8	11	15	26
1. SINGLE DX	1636	4.4	7	1	2	4	5	7	9	14
2. MULTIPLE DX	1152	6.1	21	2	3	5	7	11	14	24
A. NOT OPERATED	477	3.0	4	1	1	2	4	6	7	10
B. OPERATED	2311	5.6	15	2	3	5	6	9	12	21
TOTAL 0-19 YRS	1370	4.5	7	1	2	4	5	7	9	15
20-34	955	5.1	13	1	2	4	6	8	11	18
35-49	246	6.1	17	2	2	5	7	11	14	22
50-64	142	7.8	33	2	3	7	9	15	23	28
65+	75	9.9	67	3	4	8	13	17	20	54
GRAND TOTAL	**2788**	**5.1**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	1.3		<1	<1	1	2	2	3	4
20-34	33	1.7	1	<1	<1	1	2	4	4	4
35-49	33	2.0	2	<1	<1	2	2	3	4	8
50-64	25	2.8	6	<1	<1	2	4	6	8	10
65+	39	3.3	8	<1	1	2	5	8	10	11
B. *Operated*										
0-19 YRS	4595	2.2	2	<1	1	2	3	4	4	6
20-34	4829	3.5	2	2	2	3	4	5	6	8
35-49	4329	3.9	3	2	2	4	5	6	7	9
50-64	6234	4.3	3	2	2	4	5	6	7	10
65+	4178	5.0	5	2	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	1.6	2	<1	<1	1	2	3	5	7
20-34	44	2.6	8	<1	<1	1	4	7	8	15
35-49	56	2.7	6	<1	<1	2	3	6	8	14
50-64	104	3.7	11	<1	1	3	5	8	10	17
65+	203	4.6	16	1	1	3	6	9	13	21
B. *Operated*										
0-19 YRS	2434	2.3	3	<1	1	2	3	4	5	8
20-34	1649	4.3	5	2	2	4	5	7	8	12
35-49	2415	4.9	11	2	2	4	6	8	10	15
50-64	4993	5.7	13	2	3	5	7	9	12	20
65+	5501	7.4	29	3	3	6	9	13	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	2.0	3	<1	<1	1	2	4	5	10
B. *Operated*	24165	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	585	3.2	11	<1	<1	2	4	7	9	16
B. *Operated*	16992	5.5	18	1	2	5	7	10	12	22
1. SINGLE DX	24378	3.8	4	1	2	4	5	6	7	10
2. MULTIPLE DX	17577	5.4	18	1	2	5	7	9	12	22
A. NOT OPERATED	798	2.9	9	<1	<1	2	4	6	9	15
B. OPERATED	41157	4.5	10	1	2	4	5	8	9	16
TOTAL 0-19 YRS	7290	2.2	2	<1	1	2	3	4	5	7
20-34	6555	3.7	3	2	2	4	4	5	6	9
35-49	6833	4.3	6	2	2	4	5	6	8	12
50-64	11356	4.9	8	2	3	4	6	8	10	15
65+	9921	6.3	20	2	3	5	7	10	13	24
GRAND TOTAL	**41955**	**4.5**	**11**	**1**	**2**	**4**	**5**	**8**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.2	12	<1	<1	1	2	4	6	19
20-34	6	1.7	3	1	1	1	1	5	5	5
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	9	1.4		<1	<1	1	2	2	2	2
65+	21	3.2	5	<1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	360	2.3	3	<1	1	2	3	4	5	7
20-34	142	4.0	3	2	2	4	5	6	7	11
35-49	108	4.3	5	2	2	4	5	7	9	11
50-64	210	4.9	4	2	3	5	6	7	8	13
65+	303	6.9	18	3	3	6	8	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	<1	1	2	4	5	5	5
20-34	5	3.0	9	<1	<1	2	4	8	8	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	3.7	6	1	1	3	6	7	7	7
65+	50	6.4	52	1	1	4	7	13	25	37
B. *Operated*										
0-19 YRS	234	3.3	14	1	1	2	4	6	9	18
20-34	73	4.7	9	2	2	4	6	8	8	21
35-49	68	6.6	15	3	4	6	8	11	12	24
50-64	234	7.8	51	3	3	6	9	13	18	34
65+	701	11.0	83	3	4	9	13	20	28	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.3	7	<1	<1	1	2	5	6	17
B. *Operated*	1123	4.4	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	79	5.1	37	1	1	3	6	10	18	34
B. *Operated*	1310	8.5	66	1	2	6	11	17	22	39
1. SINGLE DX	1189	4.3	11	1	1	4	5	8	10	18
2. MULTIPLE DX	1389	8.3	65	1	2	6	10	16	22	39
A. NOT OPERATED	145	3.8	25	<1	1	2	5	8	10	27
B. OPERATED	2433	6.6	45	1	2	5	8	13	18	34
TOTAL 0-19 YRS	637	2.7	7	1	1	2	3	5	6	16
20-34	226	4.1	5	1	2	4	5	7	8	11
35-49	180	5.1	10	2	2	4	6	9	11	19
50-64	460	6.3	31	2	3	5	7	11	13	27
65+	1075	9.5	66	3	3	7	11	18	23	40
GRAND TOTAL	**2578**	**6.5**	**44**	**1**	**1**	**5**	**8**	**13**	**18**	**34**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.1	10	<1	<1	1	1	7	10	10
20-34	3	4.3	24	1	1	2	8	10	10	10
35-49	4	3.5	9	2	2	2	5	8	8	8
50-64	7	2.1	2	<1	<1	1	4	4	4	4
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	738	2.1	1	<1	1	2	2	3	4	6
20-34	277	3.3	3	1	2	3	4	5	6	9
35-49	328	3.7	4	1	2	3	5	6	7	12
50-64	270	3.9	4	1	2	4	5	6	7	10
65+	120	5.1	13	1	2	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.3	6	<1	<1	1	2	5	9	10
20-34	6	2.3	8	<1	<1	1	2	7	8	8
35-49	16	3.2	8	<1	<1	2	4	6	10	11
50-64	15	5.9	22	1	1	5	7	15	16	16
65+	20	5.8	20	1	1	4	7	13	16	17
B. *Operated*										
0-19 YRS	147	2.7	4	1	1	2	3	5	7	10
20-34	160	4.9	14	1	2	4	6	8	9	26
35-49	299	5.3	13	2	2	4	6	9	13	21
50-64	368	6.3	18	2	3	5	8	11	14	23
65+	256	8.9	52	2	3	7	11	15	21	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.7	7	<1	<1	1	3	8	10	10
B. *Operated*	1733	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	93	3.8	14	<1	<1	2	5	9	11	17
B. *Operated*	1230	6.0	25	2	2	5	7	11	15	25
1. SINGLE DX	1758	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	1323	5.8	24	1	2	5	7	11	15	24
A. NOT OPERATED	118	3.5	13	<1	<1	2	5	9	11	16
B. OPERATED	2963	4.3	15	1	1	3	5	8	11	20
TOTAL 0-19 YRS	929	2.2	2	<1	1	2	2	3	5	9
20-34	446	3.9	7	1	2	3	5	7	8	12
35-49	647	4.4	9	1	2	4	5	8	10	15
50-64	660	5.3	13	2	2	4	6	9	12	22
65+	399	7.6	42	2	2	6	9	14	17	36
GRAND TOTAL	**3081**	**4.3**	**15**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	4.8	19	1	1	4	7	12	12	12
35-49	11	3.5	6	<1	<1	4	4	7	8	8
50-64	13	2.5	1	<1	<1	2	3	4	5	5
65+	23	4.0	5	<1	1	4	5	8	9	9
B. *Operated*										
0-19 YRS	180	2.7	3	<1	1	2	3	5	6	9
20-34	460	4.2	5	2	2	4	5	7	9	12
35-49	767	5.3	8	2	3	5	7	9	10	16
50-64	892	6.1	11	2	3	6	8	10	11	19
65+	611	7.1	16	3	3	6	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	19	3.5	15	<1	<1	2	4	10	14	15
35-49	37	5.2	20	<1	1	4	7	11	15	20
50-64	95	5.6	21	1	1	4	8	11	15	24
65+	153	6.1	26	1	2	5	7	12	16	30
B. *Operated*										
0-19 YRS	47	3.7	10	1	1	3	5	6	12	16
20-34	366	6.0	11	2	3	5	7	10	13	19
35-49	781	7.5	21	3	3	7	9	13	16	25
50-64	1259	8.6	29	3	4	7	10	15	18	31
65+	1116	10.5	55	3	4	9	13	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.5	6	<1	1	3	4	7	8	12
B. *Operated*	2910	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	306	5.7	23	1	1	4	7	12	16	26
B. *Operated*	3569	8.6	36	3	3	7	10	15	19	31
1. SINGLE DX	2963	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX	3875	8.4	35	2	3	7	10	15	19	31
A. NOT OPERATED	359	5.4	21	1	1	4	7	11	14	23
B. OPERATED	6479	7.3	27	2	3	6	9	13	16	26
TOTAL 0-19 YRS	230	2.9	4	1	1	2	3	5	6	12
20-34	850	5.0	9	2	2	4	6	9	10	15
35-49	1596	6.4	16	2	3	6	8	11	14	21
50-64	2259	7.4	23	2	3	6	9	13	16	27
65+	1903	9.0	43	3	3	8	11	16	20	34
GRAND TOTAL	**6838**	**7.2**	**27**	**2**	**3**	**6**	**9**	**13**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	1	<1	1	3	4	4	5	5
20-34	67	3.7	4	1	1	3	5	7	7	8
35-49	184	4.3	10	1	2	3	5	7	10	17
50-64	270	4.2	8	1	2	4	5	7	9	15
65+	245	4.6	9	1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	15	3.3	12	1	1	2	4	7	12	14
20-34	18	9.3	32	2	3	8	11	19	22	23
35-49	56	8.9	21	3	4	8	11	14	17	27
50-64	86	8.2	13	2	3	8	10	12	14	19
65+	71	11.4	51	3	4	10	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	4.4	4	2	2	4	6	7	9	9
20-34	322	5.1	10	1	2	4	7	9	11	15
35-49	948	5.3	12	2	2	5	7	9	13	17
50-64	1848	5.4	12	2	2	5	7	10	12	17
65+	2918	6.4	18	2	3	5	8	11	14	22
B. *Operated*										
0-19 YRS	15	8.3	42	2	2	6	10	16	23	26
20-34	150	9.2	28	3	4	8	11	17	20	26
35-49	427	9.7	38	3	4	8	12	17	20	34
50-64	744	10.3	42	3	4	9	13	18	23	34
65+	758	11.2	68	3	4	9	14	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	779	4.3	8	1	2	4	5	7	9	15
B. *Operated*	246	9.1	31	2	3	8	12	15	19	27
2. MULTIPLE DX										
A. *Not Operated*	6069	5.9	15	2	2	5	7	10	13	19
B. *Operated*	2094	10.4	50	3	4	9	13	18	24	39
1. SINGLE DX	1025	5.4	18	1	2	4	7	10	13	23
2. MULTIPLE DX	8163	7.0	28	2	3	6	9	13	16	27
A. NOT OPERATED	6848	5.7	14	2	2	5	7	10	13	19
B. OPERATED	2340	10.3	48	3	4	9	13	18	23	38
TOTAL 0-19 YRS	76	4.7	16	1	1	4	6	9	13	23
20-34	557	6.2	19	1	2	5	8	11	15	23
35-49	1615	6.5	23	2	2	5	8	12	15	25
50-64	2948	6.6	24	2	2	5	9	12	15	25
65+	3992	7.3	32	2	3	6	9	13	17	29
GRAND TOTAL	**9188**	**6.9**	**27**	**2**	**2**	**5**	**9**	**13**	**16**	**27**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	5.8	33	1	1	4	9	14	14	14
35-49	8	7.6	68	<1	<1	5	9	22	26	26
50-64	7	3.0	4	<1	<1	2	5	6	6	6
65+	6	5.8	12	1	1	6	7	11	11	11
B. *Operated*										
0-19 YRS	33	2.7	1	1	1	2	4	4	5	5
20-34	102	3.8	2	2	2	4	5	6	6	8
35-49	151	4.3	6	2	2	4	5	7	10	13
50-64	161	4.7	6	2	2	4	6	7	9	15
65+	152	6.1	15	2	3	5	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	2	<1	<1	2	3	4	4	4
20-34	7	4.4	12	1	1	4	7	10	10	10
35-49	18	5.8	24	<1	1	4	8	11	17	21
50-64	19	4.6	9	1	1	4	6	9	11	12
65+	42	5.1	13	1	2	4	8	10	13	15
B. *Operated*										
0-19 YRS	14	9.0	262	2	2	4	8	18	54	64
20-34	55	6.9	26	3	3	5	7	16	18	26
35-49	91	7.3	26	3	3	6	9	13	16	33
50-64	145	7.7	31	2	3	6	9	12	17	33
65+	230	9.3	37	3	4	8	11	17	21	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.5	30	<1	1	4	7	12	16	26
B. *Operated*	599	4.7	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	92	4.9	14	1	1	4	7	10	12	18
B. *Operated*	535	8.3	39	3	3	7	10	16	19	31
1. SINGLE DX	625	4.7	9	2	2	4	6	8	10	17
2. MULTIPLE DX	627	7.8	36	2	3	6	9	14	18	30
A. NOT OPERATED	118	5.0	17	<1	1	4	7	11	13	23
B. OPERATED	1134	6.4	26	2	2	5	8	11	16	27
TOTAL 0-19 YRS	54	4.3	73	1	1	3	4	5	10	62
20-34	168	4.9	13	2	2	4	5	8	14	19
35-49	268	5.5	17	2	2	4	6	10	13	25
50-64	332	6.0	19	2	2	5	7	10	13	28
65+	430	7.7	29	2	3	6	9	14	18	27
GRAND TOTAL	**1252**	**6.3**	**25**	**2**	**2**	**5**	**8**	**11**	**16**	**27**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	8	2.8	7	<1	<1	2	3	7	9	9
50-64	14	2.7	3	<1	1	2	4	5	6	6
65+	32	4.3	7	2	2	3	7	8	10	11
B. *Operated*										
0-19 YRS	61	2.9	4	1	1	2	4	5	6	12
20-34	133	4.1	6	2	2	4	5	7	8	13
35-49	236	5.0	12	2	2	4	6	9	11	20
50-64	281	6.2	14	2	3	5	8	11	13	20
65+	302	8.1	21	3	3	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.5	2	<1	<1	2	4	4	4	4
20-34	4	3.8	2	2	2	4	5	5	5	5
35-49	16	3.7	5	1	2	3	5	6	9	10
50-64	41	5.9	22	1	1	4	8	12	15	23
65+	130	8.2	35	2	3	7	11	15	18	32
B. *Operated*										
0-19 YRS	26	7.4	76	1	1	5	8	17	29	40
20-34	83	6.7	29	2	2	6	8	11	15	34
35-49	286	8.5	76	3	3	7	10	15	18	27
50-64	484	9.9	57	3	4	8	12	18	25	42
65+	868	13.5	116	4	5	11	16	26	34	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.5	6	1	1	3	4	7	9	11
B. *Operated*	1013	6.0	17	2	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	199	7.0	31	1	2	5	9	14	17	28
B. *Operated*	1747	11.3	94	3	4	9	14	21	28	47
1. SINGLE DX	1073	5.9	16	2	2	5	8	11	13	21
2. MULTIPLE DX	1946	10.9	89	3	4	8	13	20	27	46
A. NOT OPERATED	259	6.2	27	1	2	5	8	13	16	26
B. OPERATED	2760	9.3	72	2	3	7	11	17	24	41
TOTAL 0-19 YRS	98	4.0	26	1	1	3	4	7	11	33
20-34	223	5.1	16	2	2	4	6	9	11	19
35-49	546	6.7	49	2	2	5	8	12	15	26
50-64	820	8.3	44	2	3	7	10	15	22	34
65+	1332	11.5	92	3	4	9	14	21	29	46
GRAND TOTAL	**3019**	**9.1**	**69**	**2**	**3**	**7**	**11**	**17**	**23**	**41**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	3.0	6	1	1	2	4	6	8	11
20-34	263	4.7	9	1	2	4	6	9	11	15
35-49	464	5.1	15	1	2	4	6	9	12	22
50-64	535	5.4	12	1	2	5	7	10	12	17
65+	710	6.1	16	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS	174	7.0	11	3	4	6	9	11	13	20
20-34	247	9.9	29	4	5	9	12	16	19	30
35-49	281	12.0	48	5	6	10	14	21	25	46
50-64	316	12.1	40	5	7	11	14	20	24	31
65+	365	14.9	69	7	8	13	17	24	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	19	1	1	3	7	9	11	20
20-34	367	6.0	22	2	2	5	7	10	14	26
35-49	620	6.8	25	2	2	6	8	13	16	26
50-64	1093	7.3	30	2	3	6	9	13	16	30
65+	2859	9.2	44	2	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	163	9.7	62	4	4	8	11	15	21	54
20-34	383	13.0	88	5	6	10	16	23	30	56
35-49	550	14.8	117	6	7	12	17	25	32	61
50-64	1012	17.9	141	7	8	14	22	33	42	72
65+	1960	20.2	159	7	9	17	25	36	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2168	5.3	14	1	2	4	7	10	12	18
B. *Operated*	1383	11.8	50	4	5	10	14	20	25	37
2. MULTIPLE DX										
A. *Not Operated*	5095	8.1	38	2	3	7	10	15	20	33
B. *Operated*	4068	17.8	147	6	7	14	22	33	42	70
1. SINGLE DX	3551	7.8	38	1	2	6	10	15	19	29
2. MULTIPLE DX	9163	12.4	109	2	3	10	16	25	33	57
A. NOT OPERATED	7263	7.3	32	2	2	6	9	14	18	30
B. OPERATED	5451	16.3	129	5	7	13	20	30	39	64
TOTAL 0-19 YRS	689	6.0	30	1	1	5	8	11	14	27
20-34	1260	8.6	52	2	2	7	11	16	21	40
35-49	1915	9.4	68	2	3	7	12	18	24	40
50-64	2956	11.1	93	2	3	8	14	22	30	53
65+	5894	12.8	110	3	4	10	16	25	33	57
GRAND TOTAL	**12714**	**11.1**	**94**	**2**	**3**	**9**	**14**	**22**	**29**	**52**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9003	3.2	4	1	1	3	4	5	7	10
20-34	3378	3.1	5	1	1	3	4	6	7	10
35-49	1476	3.5	6	1	1	3	5	6	7	11
50-64	1081	3.9	8	1	1	3	5	7	9	14
65+	1183	4.4	10	1	1	4	6	8	10	15
B. *Operated*										
0-19 YRS	132	5.7	35	1	2	4	7	10	13	59
20-34	248	5.8	22	1	2	5	7	10	13	29
35-49	125	7.6	49	2	2	6	9	14	19	40
50-64	107	7.9	23	2	2	7	11	15	18	21
65+	66	8.0	36	2	3	7	10	11	14	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11810	3.9	6	1	2	3	5	7	8	13
20-34	3902	4.0	11	1	1	3	5	7	9	15
35-49	2508	5.0	14	1	2	4	6	9	11	19
50-64	3532	5.8	18	1	2	5	7	11	14	21
65+	6756	7.2	29	2	2	6	9	13	17	28
B. *Operated*										
0-19 YRS	220	8.4	134	3	3	6	8	14	31	99+
20-34	378	9.1	50	2	3	7	11	17	22	35
35-49	383	10.3	78	2	3	8	13	20	27	47
50-64	498	11.0	64	2	4	9	13	21	27	40
65+	725	14.0	94	3	4	12	18	25	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16121	3.3	5	1	1	3	4	6	7	11
B. *Operated*	678	6.6	32	2	2	5	8	12	15	37
2. MULTIPLE DX										
A. *Not Operated*	28508	5.0	16	1	2	4	6	9	12	21
B. *Operated*	2204	11.3	85	3	3	9	14	22	28	49
1. SINGLE DX	16799	3.4	7	1	1	3	4	6	8	13
2. MULTIPLE DX	30712	5.5	24	1	2	4	7	10	14	25
A. NOT OPERATED	44629	4.4	13	1	1	3	5	8	11	18
B. OPERATED	2682	10.2	76	2	3	8	13	20	27	48
TOTAL 0-19 YRS	21165	3.6	7	1	1	3	4	6	8	12
20-34	7906	3.9	12	1	1	3	5	7	9	17
35-49	4492	5.0	21	1	2	4	6	9	13	23
50-64	5218	5.9	23	1	2	5	7	11	15	25
65+	8730	7.4	37	2	2	6	9	14	19	31
GRAND TOTAL	**47511**	**4.8**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	95	4.8	6	2	2	4	6	8	10	11
35-49	518	5.2	9	1	2	5	7	9	10	16
50-64	1201	5.2	9	1	2	5	7	9	11	15
65+	1634	5.5	14	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	39	9.5	18	4	5	8	12	17	18	18
35-49	185	11.0	33	5	5	10	13	18	21	31
50-64	339	12.1	37	3	5	11	15	19	22	35
65+	314	13.0	45	2	5	12	16	22	25	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.3	17	1	1	6	10	12	13	13
20-34	89	5.7	11	2	2	5	7	10	13	18
35-49	669	6.2	14	2	3	5	8	11	13	20
50-64	2646	6.3	16	2	2	5	8	11	14	20
65+	7397	7.3	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	7	11.1	125	1	2	7	12	31	35	35
20-34	86	12.8	77	5	6	10	15	21	22	54
35-49	401	13.3	74	4	6	11	16	22	29	42
50-64	1354	14.3	85	4	5	12	18	25	30	54
65+	2317	16.6	139	4	5	14	21	30	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3450	5.3	12	1	2	5	7	9	11	17
B. *Operated*	878	12.1	39	4	5	11	15	20	23	33
2. MULTIPLE DX										
A. *Not Operated*	10817	6.9	23	2	3	6	9	12	16	25
B. *Operated*	4165	15.4	116	4	5	13	19	28	35	61
1. SINGLE DX	4328	6.7	25	1	2	5	9	13	16	23
2. MULTIPLE DX	14982	9.3	63	2	3	7	12	18	24	42
A. NOT OPERATED	14267	6.6	21	2	2	6	8	12	15	23
B. OPERATED	5043	14.8	104	4	5	13	18	26	33	58
TOTAL 0-19 YRS	26	7.4	47	1	1	7	10	13	18	35
20-34	309	7.9	40	2	3	6	9	15	18	32
35-49	1773	8.0	39	2	3	6	10	15	19	32
50-64	5540	8.3	46	2	3	6	11	16	21	33
65+	11662	9.0	63	2	3	7	11	18	23	42
GRAND TOTAL	**19310**	**8.7**	**56**	**2**	**3**	**7**	**11**	**17**	**22**	**38**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.6	5	1	1	3	5	6	9	12
20-34	109	3.2	4	<1	1	3	4	6	7	8
35-49	70	3.1	4	<1	1	3	5	6	7	9
50-64	41	4.5	16	<1	1	4	5	9	14	20
65+	24	4.7	35	1	1	4	5	7	14	31
B. *Operated*										
0-19 YRS	226	3.2	5	1	1	3	4	6	7	10
20-34	1268	3.6	5	1	1	3	4	6	7	11
35-49	1225	3.7	6	1	1	3	4	6	8	13
50-64	696	3.9	6	1	2	3	5	6	8	12
65+	249	4.7	12	2	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	4.4	12	1	1	3	6	8	11	20
20-34	105	4.6	17	<1	1	4	6	8	12	23
35-49	115	5.4	16	1	2	4	7	11	14	21
50-64	121	5.4	16	1	2	4	7	10	14	22
65+	141	8.2	75	2	2	6	10	18	25	46
B. *Operated*										
0-19 YRS	104	4.3	7	1	2	4	6	7	8	15
20-34	1124	4.8	12	1	2	4	6	8	11	20
35-49	1389	5.0	13	2	2	4	6	8	11	17
50-64	1216	6.0	29	2	2	5	7	11	14	28
65+	624	8.6	70	2	3	6	10	17	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	3.5	8	<1	1	3	5	6	7	14
B. *Operated*	3664	3.7	6	1	2	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	536	5.9	33	1	2	4	7	11	15	28
B. *Operated*	4457	5.7	27	2	2	4	6	10	14	26
1. SINGLE DX	3959	3.7	6	1	1	3	4	6	8	12
2. MULTIPLE DX	4993	5.7	27	2	2	4	7	10	14	26
A. NOT OPERATED	831	5.0	26	1	1	4	6	9	13	25
B. OPERATED	8121	4.8	18	1	2	4	6	8	11	22
TOTAL 0-19 YRS	435	3.7	6	1	1	3	5	7	8	12
20-34	2606	4.2	9	1	2	4	5	7	9	16
35-49	2799	4.4	10	1	2	4	5	7	10	16
50-64	2074	5.3	21	2	2	4	6	9	12	23
65+	1038	7.5	59	2	2	5	9	15	22	44
GRAND TOTAL	**8952**	**4.8**	**19**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1387	3.6	7	1	1	3	5	7	8	13
20-34	2136	4.8	18	1	1	4	6	9	11	23
35-49	1434	5.0	16	1	2	4	6	9	12	21
50-64	997	4.9	20	1	1	4	6	9	12	20
65+	1025	5.0	21	1	1	4	6	9	13	22
B. *Operated*										
0-19 YRS	405	7.0	47	1	2	5	9	14	20	36
20-34	1022	8.1	43	1	2	6	11	15	20	32
35-49	759	8.2	53	1	2	6	11	16	22	37
50-64	602	8.5	55	1	2	7	12	17	23	32
65+	567	8.9	55	2	2	7	12	18	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1175	4.3	11	1	1	3	5	8	10	18
20-34	2699	5.9	23	1	2	5	7	11	14	24
35-49	2778	6.1	20	2	2	5	8	11	14	23
50-64	3170	6.3	25	2	2	5	8	11	15	26
65+	6335	7.2	35	2	2	6	9	14	18	31
B. *Operated*										
0-19 YRS	391	11.0	130	2	3	8	13	23	37	63
20-34	1890	10.7	101	2	3	8	13	21	29	54
35-49	1917	11.5	106	2	3	9	14	23	31	57
50-64	2227	12.9	143	2	3	9	16	27	37	73
65+	2988	15.1	160	3	4	12	19	31	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6979	4.6	17	1	1	4	6	9	11	21
B. *Operated*	3355	8.2	50	1	2	6	11	16	22	35
2. MULTIPLE DX										
A. *Not Operated*	16157	6.4	27	2	2	5	8	12	16	26
B. *Operated*	9413	12.8	135	2	3	9	16	26	37	64
1. SINGLE DX	10334	5.8	30	1	1	4	7	12	16	28
2. MULTIPLE DX	25570	8.7	77	2	2	6	10	18	25	48
A. NOT OPERATED	23136	5.9	25	1	2	5	7	11	15	25
B. OPERATED	12768	11.6	117	2	3	9	14	24	33	59
TOTAL 0-19 YRS	3358	5.1	33	1	1	4	6	10	14	30
20-34	7747	7.0	49	1	2	5	9	14	19	35
35-49	6888	7.6	53	2	2	6	9	15	21	38
50-64	6996	8.4	75	1	2	6	10	17	25	48
65+	10915	9.2	83	2	2	6	11	19	27	48
GRAND TOTAL	**35904**	**7.9**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	44	7.3	32	1	2	5	10	17	19	21
35-49	61	8.8	63	1	2	6	10	19	24	41
50-64	90	9.6	50	3	4	8	12	19	24	36
65+	40	7.9	34	2	2	6	10	18	20	23
B. *Operated*										
0-19 YRS										
20-34	12	6.9	30	2	2	5	9	17	18	18
35-49	19	7.6	56	1	1	6	9	20	25	27
50-64	27	8.3	49	1	1	8	11	19	21	26
65+	12	17.1	148	2	5	13	21	38	41	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	204	9.3	80	2	3	7	11	18	24	54
35-49	634	11.0	77	3	3	8	15	22	28	45
50-64	943	12.6	99	3	4	10	16	24	31	53
65+	455	13.4	106	3	4	10	17	26	33	56
B. *Operated*										
0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	69	13.4	113	3	5	10	16	25	42	56
35-49	210	15.0	154	2	4	12	20	31	39	69
50-64	352	15.9	139	2	3	14	21	30	41	63
65+	154	17.5	206	3	5	14	21	32	44	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	8.7	47	2	3	7	11	19	21	34
B. *Operated*	70	9.4	74	1	1	7	13	19	27	41
2. MULTIPLE DX										
A. *Not Operated*	2238	12.0	94	3	4	9	16	24	30	52
B. *Operated*	787	15.7	155	2	4	13	20	30	41	66
1. SINGLE DX	305	8.8	53	1	2	7	11	19	22	37
2. MULTIPLE DX	3025	13.0	112	3	4	10	17	25	33	57
A. NOT OPERATED	2473	11.7	90	3	3	9	15	23	30	51
B. OPERATED	857	15.2	151	2	3	13	20	29	40	65
TOTAL 0-19 YRS	4	10.3	111	4	4	5	16	26	26	26
20-34	329	9.8	83	2	3	7	12	19	25	53
35-49	924	11.7	97	2	3	9	15	23	30	50
50-64	1412	13.1	108	3	4	10	17	25	32	56
65+	661	14.1	131	3	4	11	18	26	35	60
GRAND TOTAL	**3330**	**12.6**	**108**	**2**	**3**	**9**	**16**	**25**	**32**	**56**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.3	5	2	2	4	6	8	9	9
20-34	21	5.9	17	2	2	5	7	13	14	16
35-49	49	8.0	54	1	2	6	11	18	21	40
50-64	78	8.8	39	1	2	8	12	19	22	80
65+	66	9.0	65	1	2	8	11	17	20	48
B. *Operated*										
0-19 YRS	21	5.8	54	1	2	2	6	16	26	29
20-34	111	3.6	17	1	1	2	4	9	11	23
35-49	93	3.7	12	1	1	2	4	9	12	15
50-64	119	5.9	39	1	1	3	8	14	22	27
65+	60	7.8	63	1	1	5	11	20	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.9	25	1	2	6	9	14	20	21
20-34	121	8.4	38	2	3	7	10	17	20	31
35-49	289	10.1	74	2	3	8	12	18	23	45
50-64	652	11.5	80	3	4	9	14	22	28	49
65+	630	12.8	104	3	4	10	16	24	32	55
B. *Operated*										
0-19 YRS	19	5.9	18	1	1	5	10	12	13	14
20-34	111	9.6	57	1	2	8	13	21	27	32
35-49	243	11.5	131	1	2	8	15	26	40	51
50-64	483	12.4	116	1	2	10	17	26	31	54
65+	430	16.2	192	2	3	13	22	34	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	8.2	48	1	2	6	11	17	21	43
B. *Operated*	404	5.0	33	1	1	2	7	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	1720	11.5	86	3	4	9	15	22	29	49
B. *Operated*	1286	13.2	143	2	2	10	18	29	36	65
1. SINGLE DX	627	6.2	40	1	1	4	9	14	19	29
2. MULTIPLE DX	3006	12.2	111	2	3	9	16	25	33	54
A. NOT OPERATED	1943	11.1	82	2	3	9	14	21	28	49
B. OPERATED	1690	11.2	129	1	2	8	15	26	34	57
TOTAL 0-19 YRS	77	6.1	29	1	2	4	9	12	18	27
20-34	364	7.2	42	1	1	5	10	16	21	30
35-49	674	9.6	91	1	2	7	12	19	28	49
50-64	1332	11.2	90	1	2	9	15	23	29	47
65+	1186	13.5	137	2	3	10	17	28	36	66
GRAND TOTAL	**3633**	**11.2**	**104**	**1**	**2**	**8**	**15**	**23**	**31**	**51**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	4.9	11	2	2	4	6	9	10	20
20-34	243	6.0	16	2	2	5	8	10	13	21
35-49	146	7.0	16	2	3	6	9	12	15	21
50-64	132	7.6	26	2	3	6	9	14	19	25
65+	66	8.9	47	1	2	7	11	19	24	30
B. *Operated*										
0-19 YRS	10	8.3	36	2	2	7	11	18	20	20
20-34	52	7.4	39	1	1	6	11	17	19	26
35-49	64	6.5	48	1	1	4	8	15	24	33
50-64	57	9.2	76	1	1	7	13	19	27	46
65+	47	10.4	45	<1	2	10	14	20	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	6.1	22	1	2	5	7	11	14	28
20-34	283	7.4	21	2	3	7	9	14	16	24
35-49	348	10.0	67	2	3	8	12	20	25	47
50-64	617	10.4	64	3	3	8	13	20	25	42
65+	546	11.0	89	3	4	8	13	22	28	46
B. *Operated*										
0-19 YRS	14	9.7	171	1	1	4	10	23	44	50
20-34	78	12.2	88	2	3	10	14	27	34	42
35-49	151	14.3	194	3	4	10	18	29	41	83
50-64	259	16.8	239	2	3	12	22	34	53	88
65+	227	17.1	172	4	5	13	21	33	46	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	711	6.6	21	2	2	5	8	12	15	24
B. *Operated*	230	8.2	53	1	1	6	12	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	1875	9.9	65	2	3	8	12	19	25	43
B. *Operated*	729	15.7	194	2	4	12	19	32	44	79
1. SINGLE DX	941	7.0	29	1	2	6	9	14	18	26
2. MULTIPLE DX	2604	11.5	108	2	3	9	14	23	31	54
A. NOT OPERATED	2586	9.0	55	2	3	7	11	17	23	38
B. OPERATED	959	13.9	170	2	2	10	18	29	41	68
TOTAL 0-19 YRS	229	5.8	26	2	2	4	7	11	13	25
20-34	656	7.5	32	2	2	6	9	14	18	31
35-49	709	10.0	88	2	3	8	12	20	25	51
50-64	1065	11.6	112	2	3	8	14	23	31	59
65+	886	12.4	112	3	4	9	15	26	32	53
GRAND TOTAL	**3545**	**10.3**	**91**	**2**	**3**	**8**	**12**	**21**	**28**	**51**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	3.5	4	<1	1	3	5	6	8	10
20-34	660	3.2	4	<1	1	3	4	6	7	9
35-49	589	3.4	5	1	1	3	4	6	8	11
50-64	635	4.0	7	1	1	3	5	7	8	13
65+	533	5.0	10	1	2	4	7	9	11	16
B. *Operated*										
0-19 YRS	480	7.2	8	4	4	7	8	11	13	16
20-34	5316	7.0	6	4	5	7	8	10	12	15
35-49	4644	7.4	9	4	5	7	8	11	12	17
50-64	4353	8.0	10	5	5	7	9	12	14	19
65+	2303	9.8	20	5	6	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.3	7	1	2	4	6	7	9	16
20-34	605	4.2	10	1	1	4	5	8	9	14
35-49	739	4.8	11	1	1	4	6	9	11	16
50-64	1451	5.7	16	1	2	5	7	10	13	21
65+	2945	7.4	26	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	241	9.3	20	4	5	8	11	15	18	25
20-34	3377	8.8	20	5	5	8	10	14	16	24
35-49	4325	9.6	28	5	5	8	11	15	19	28
50-64	6620	10.8	33	5	6	9	13	18	21	32
65+	6940	14.4	66	6	7	12	17	24	30	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2500	3.8	7	1	1	3	5	7	9	13
B. *Operated*	17096	7.8	11	4	5	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	5814	6.2	21	1	2	5	8	11	15	24
B. *Operated*	21503	11.4	45	5	6	9	14	19	24	37
1. SINGLE DX	19596	7.3	12	3	4	7	8	11	13	19
2. MULTIPLE DX	27317	10.3	45	3	4	9	13	18	22	35
A. NOT OPERATED	8314	5.5	18	1	2	4	7	10	13	22
B. OPERATED	38599	9.8	33	5	5	8	11	16	20	32
TOTAL 0-19 YRS	878	7.2	14	2	3	6	9	12	14	18
20-34	9958	7.2	14	3	4	7	8	11	14	19
35-49	10297	7.9	20	3	4	7	9	13	15	23
50-64	13059	9.0	27	3	4	8	11	15	18	28
65+	12721	11.5	57	3	4	10	14	21	25	39
GRAND TOTAL	**46913**	**9.0**	**33**	**3**	**4**	**8**	**11**	**15**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	3.8	5	1	1	3	5	7	7	13
20-34	489	3.6	5	1	1	3	5	7	8	11
35-49	383	4.1	9	1	1	3	5	7	9	17
50-64	298	4.3	8	1	1	4	6	8	9	14
65+	293	5.5	15	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	54	7.7	24	3	4	7	9	12	15	34
20-34	480	7.9	13	4	5	7	9	12	14	22
35-49	480	8.2	14	4	5	7	9	13	16	22
50-64	328	9.2	15	5	5	8	11	14	16	24
65+	234	11.2	25	5	6	10	13	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.6	9	1	2	4	6	8	9	17
20-34	485	4.7	10	1	2	4	6	8	10	16
35-49	547	5.2	13	1	2	5	7	9	11	17
50-64	777	6.0	15	2	2	5	8	11	13	21
65+	1174	8.0	33	2	3	7	10	14	18	29
B. *Operated*										
0-19 YRS	49	10.2	20	5	5	9	12	17	20	23
20-34	709	9.2	22	4	5	8	11	15	17	24
35-49	931	10.4	41	5	5	9	13	17	20	33
50-64	1018	12.0	48	5	6	10	15	20	25	40
65+	1040	15.9	92	6	7	13	19	28	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1544	4.2	9	1	1	4	5	8	9	15
B. *Operated*	1576	8.7	17	4	5	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	3058	6.4	23	2	2	5	8	11	15	26
B. *Operated*	3747	12.1	60	5	6	10	15	21	26	44
1. SINGLE DX	3120	6.5	18	1	2	6	8	12	14	21
2. MULTIPLE DX	6805	9.5	51	2	3	8	12	18	22	37
A. NOT OPERATED	4602	5.7	19	1	2	5	7	10	13	22
B. OPERATED	5323	11.1	49	5	5	9	13	19	24	38
TOTAL 0-19 YRS	259	6.0	19	1	2	5	8	11	15	21
20-34	2163	6.6	19	2	2	6	8	12	14	22
35-49	2341	7.7	30	2	3	7	9	14	17	25
50-64	2421	8.7	37	2	3	7	11	16	20	33
65+	2741	11.0	69	2	3	9	14	21	27	44
GRAND TOTAL	**9925**	**8.6**	**43**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	47	3.4	6	1	1	3	5	7	8	11
35-49	40	4.0	7	1	1	3	5	8	9	10
50-64	44	5.0	22	1	1	4	6	8	11	30
65+	74	5.7	23	1	1	4	7	12	15	24
B. *Operated*										
0-19 YRS	12	9.9	19	4	5	9	11	18	19	19
20-34	156	8.4	17	3	5	8	10	14	16	22
35-49	116	7.9	15	2	3	7	10	14	15	18
50-64	171	9.1	31	2	3	9	12	16	18	28
65+	274	11.7	45	2	3	11	15	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	37	5.0	10	1	2	4	6	10	12	13
35-49	29	5.2	14	1	1	5	6	9	10	20
50-64	82	5.6	12	1	2	5	7	11	12	16
65+	236	8.1	46	2	3	7	10	14	18	35
B. *Operated*										
0-19 YRS	14	10.1	11	6	7	9	12	16	16	16
20-34	121	10.8	38	5	5	9	12	16	22	37
35-49	138	13.9	119	5	6	12	16	23	29	76
50-64	308	13.7	89	4	6	12	17	21	26	66
65+	801	18.0	120	5	7	16	22	31	38	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	4.7	16	1	1	4	6	9	12	24
B. *Operated*	729	9.7	33	2	3	9	13	17	19	29
2. MULTIPLE DX										
A. *Not Operated*	387	7.0	35	1	2	6	9	12	15	30
B. *Operated*	1382	15.9	111	5	6	14	19	27	35	61
1. SINGLE DX	937	8.6	33	1	2	8	12	16	19	28
2. MULTIPLE DX	1769	14.0	108	3	4	12	18	25	32	58
A. NOT OPERATED	595	6.2	29	1	2	5	8	12	14	26
B. OPERATED	2111	13.8	93	3	5	12	17	24	31	55
TOTAL 0-19 YRS	32	9.1	16	3	4	9	11	16	17	19
20-34	361	8.2	28	2	3	7	10	14	17	29
35-49	323	9.7	73	2	2	8	12	17	21	49
50-64	605	10.7	68	2	3	9	14	19	23	45
65+	1385	14.4	107	2	4	12	19	26	33	56
GRAND TOTAL	**2706**	**12.1**	**88**	**2**	**3**	**10**	**15**	**23**	**29**	**51**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	9.0	53	3	3	7	11	21	25	25
20-34	43	5.0	14	1	2	4	6	10	14	18
35-49	37	5.4	11	1	2	5	8	10	13	14
50-64	60	5.8	17	2	2	5	7	11	15	22
65+	78	6.2	14	2	2	6	8	10	13	20
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	29	9.7	47	1	2	8	14	18	22	30
35-49	58	8.2	52	1	2	5	11	18	25	31
50-64	53	8.1	53	2	2	6	11	16	22	33
65+	61	15.4	107	1	2	13	22	29	34	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.9	33	2	2	5	11	16	20	21
20-34	47	7.4	34	2	2	5	9	16	19	30
35-49	75	6.5	25	1	2	5	9	13	17	26
50-64	174	7.4	24	2	3	6	10	14	16	21
65+	361	9.4	45	2	3	8	12	17	23	33
B. *Operated*										
0-19 YRS	14	15.8	178	2	4	12	18	29	49	55
20-34	49	12.3	73	2	3	10	15	28	31	33
35-49	116	13.0	98	2	3	11	16	27	32	51
50-64	186	17.1	199	3	6	13	21	34	44	94
65+	339	20.4	167	3	6	19	27	37	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	5.9	16	2	2	5	7	10	14	22
B. *Operated*	202	10.6	78	1	2	8	15	23	30	36
2. MULTIPLE DX										
A. *Not Operated*	670	8.4	38	2	3	7	11	16	19	30
B. *Operated*	704	17.7	166	3	4	15	24	34	44	71
1. SINGLE DX	428	8.1	50	2	2	6	10	17	23	33
2. MULTIPLE DX	1374	13.1	125	2	3	10	17	28	35	55
A. NOT OPERATED	896	7.7	33	2	2	6	10	15	18	28
B. OPERATED	906	16.1	155	2	3	13	22	32	39	66
TOTAL 0-19 YRS	36	11.2	102	2	3	9	14	24	26	55
20-34	168	8.6	50	1	2	6	12	18	23	32
35-49	286	9.4	68	2	2	7	13	18	27	45
50-64	473	11.1	119	2	3	8	14	22	33	64
65+	839	14.0	128	2	3	11	20	30	36	55
GRAND TOTAL	**1802**	**11.9**	**112**	**2**	**3**	**9**	**16**	**26**	**32**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	5.6	13	2	2	5	7	10	12	22
20-34	838	5.9	16	2	2	5	7	10	12	20
35-49	806	6.7	19	2	3	6	8	12	15	21
50-64	484	7.2	22	2	3	6	9	13	16	25
65+	353	7.3	16	2	3	7	9	13	15	19
B. *Operated*										
0-19 YRS	17	10.9	85	2	2	9	11	28	34	35
20-34	78	10.1	65	1	2	8	13	21	23	44
35-49	119	10.9	86	2	2	9	14	21	33	73
50-64	95	12.7	193	2	2	9	16	24	41	79
65+	53	11.5	64	2	3	11	16	21	24	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	6.6	21	2	2	6	9	12	13	25
20-34	1418	7.8	29	2	3	7	9	13	18	27
35-49	1984	8.6	35	3	3	7	10	15	19	34
50-64	1711	8.8	33	3	4	8	11	16	19	28
65+	1528	9.9	40	3	4	8	12	18	21	33
B. *Operated*										
0-19 YRS	33	18.5	275	3	3	13	23	34	53	85
20-34	249	17.0	210	3	5	13	21	34	49	77
35-49	503	19.1	240	4	6	15	23	38	54	87
50-64	540	20.6	307	4	6	15	24	46	63	92
65+	476	20.1	165	5	8	17	25	36	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2618	6.5	18	2	2	6	8	11	15	21
B. *Operated*	362	11.3	106	2	2	9	15	21	31	60
2. MULTIPLE DX										
A. *Not Operated*	6767	8.7	34	3	3	7	11	15	19	31
B. *Operated*	1801	19.5	238	4	6	15	24	39	54	89
1. SINGLE DX	2980	7.1	31	2	2	6	9	13	17	28
2. MULTIPLE DX	8568	11.0	96	3	4	8	13	20	28	57
A. NOT OPERATED	9385	8.1	31	2	3	7	10	15	18	29
B. OPERATED	2163	18.1	225	3	5	14	22	37	51	88
TOTAL 0-19 YRS	313	7.7	62	2	2	5	9	13	22	36
20-34	2583	8.1	52	2	3	6	9	15	20	37
35-49	3412	9.8	79	2	3	7	12	18	25	52
50-64	2830	10.9	112	3	4	8	13	19	28	64
65+	2410	11.6	80	3	4	9	14	22	28	49
GRAND TOTAL	**11548**	**10.0**	**82**	**2**	**3**	**8**	**12**	**19**	**25**	**52**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	3.1	4	<1	1	3	4	6	7	10
20-34	209	3.9	10	1	1	3	5	7	10	15
35-49	185	4.2	7	1	1	4	6	8	9	13
50-64	263	5.1	17	1	2	4	6	9	11	23
65+	501	6.4	23	1	2	6	8	12	14	24
B. *Operated*										
0-19 YRS	7	7.4	16	4	4	6	9	14	15	15
20-34	13	5.6	6	1	2	6	7	8	10	10
35-49	23	8.4	78	1	2	5	10	16	32	40
50-64	45	6.9	21	1	2	7	9	11	15	25
65+	60	10.5	59	1	2	9	14	21	28	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	4.3	9	1	2	4	6	8	10	14
20-34	554	5.1	16	1	2	4	6	9	12	21
35-49	771	6.6	26	2	2	5	8	12	15	28
50-64	1624	7.1	29	2	2	6	9	13	17	26
65+	4431	8.6	40	2	3	7	11	16	20	33
B. *Operated*										
0-19 YRS	24	9.0	37	1	3	8	12	19	21	25
20-34	101	10.0	77	2	3	8	12	18	21	51
35-49	237	11.8	95	3	3	8	15	24	33	46
50-64	523	12.7	137	3	4	9	15	24	33	71
65+	1219	15.1	139	4	5	12	19	29	37	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1315	5.0	16	1	1	4	7	10	12	20
B. *Operated*	148	8.5	46	1	2	7	10	16	23	37
2. MULTIPLE DX										
A. *Not Operated*	7601	7.7	35	2	3	6	10	14	19	31
B. *Operated*	2104	13.8	132	3	5	11	17	27	34	64
1. SINGLE DX	1463	5.4	21	1	1	4	7	10	13	24
2. MULTIPLE DX	9705	9.0	62	2	3	7	11	17	23	40
A. NOT OPERATED	8916	7.3	33	2	2	6	9	14	18	30
B. OPERATED	2252	13.5	128	3	4	10	17	26	34	63
TOTAL 0-19 YRS	409	4.2	11	1	1	3	5	8	10	17
20-34	877	5.4	25	1	2	4	7	10	14	23
35-49	1216	7.3	43	2	2	6	9	14	18	36
50-64	2455	8.1	56	2	2	6	10	15	20	36
65+	6211	9.8	66	2	3	8	12	19	24	40
GRAND TOTAL	**11168**	**8.6**	**58**	**2**	**2**	**7**	**10**	**16**	**22**	**39**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	4.3	11	1	1	4	6	8	12	18
20-34	21	5.0	7	2	2	4	6	9	10	12
35-49	14	5.0	13	<1	<1	4	7	10	13	14
50-64	18	6.3	16	2	2	5	8	13	15	16
65+	15	8.7	40	2	2	6	14	19	20	20
B. *Operated*										
0-19 YRS	15	5.1	14	2	2	4	7	12	13	14
20-34	12	8.6	20	3	3	9	11	14	17	18
35-49	15	13.7	211	2	3	10	19	26	51	59
50-64	10	9.0	14	1	4	9	11	13	15	15
65+	6	9.3	9	6	6	8	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	171	5.6	17	2	2	4	7	11	13	21
20-34	45	10.5	110	2	3	7	10	30	34	48
35-49	83	10.5	86	2	2	7	15	26	29	40
50-64	95	12.1	160	2	3	9	14	26	31	75
65+	118	12.7	88	3	4	11	17	25	31	49
B. *Operated*										
0-19 YRS	14	18.6	571	1	3	11	22	95	99	99+
20-34	47	13.5	170	5	6	10	12	23	35	74
35-49	59	15.7	221	3	4	11	17	37	46	84
50-64	59	20.1	228	6	8	15	24	42	46	85
65+	69	17.5	174	3	4	13	25	37	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	5.0	14	1	1	4	6	9	14	19
B. *Operated*	58	9.2	72	2	2	8	11	15	22	56
2. MULTIPLE DX										
A. *Not Operated*	512	9.7	87	2	3	7	12	22	28	48
B. *Operated*	248	17.0	220	3	5	12	22	38	47	88
1. SINGLE DX	258	5.9	30	1	2	4	7	12	15	22
2. MULTIPLE DX	760	12.1	142	2	3	9	14	27	35	55
A. NOT OPERATED	712	8.4	71	2	2	6	10	18	26	40
B. OPERATED	306	15.5	201	3	4	11	18	35	45	87
TOTAL 0-19 YRS	332	5.6	44	1	2	4	7	11	15	25
20-34	125	10.6	114	3	3	8	11	21	30	66
35-49	171	12.1	145	2	3	8	15	27	37	57
50-64	182	14.0	180	2	3	10	16	29	41	77
65+	208	13.9	117	3	4	11	18	28	35	53
GRAND TOTAL	**1018**	**10.5**	**121**	**2**	**2**	**7**	**12**	**24**	**31**	**53**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	243	4.7	26	<1	<1	3	6	11	14	20
20-34	37	6.0	18	2	2	5	7	12	13	22
35-49	19	6.9	29	2	2	6	7	17	20	20
50-64	21	6.9	61	1	2	5	9	11	24	38
65+	13	5.9	24	2	2	5	7	10	19	21
B. *Operated*										
0-19 YRS	65	4.4	16	2	2	3	5	10	13	20
20-34	71	5.5	23	2	2	4	7	11	17	23
35-49	44	5.1	36	1	1	3	5	11	21	29
50-64	35	6.6	34	1	2	4	9	14	21	24
65+	16	8.5	120	2	2	4	10	13	37	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	6.7	26	1	2	5	9	14	17	29
20-34	88	6.5	32	1	2	5	8	12	15	35
35-49	66	6.6	21	1	2	6	9	13	16	20
50-64	105	9.0	49	2	2	8	12	15	25	40
65+	213	11.0	58	3	3	9	14	21	27	36
B. *Operated*										
0-19 YRS	61	9.4	87	2	2	6	11	23	34	38
20-34	134	8.8	86	1	2	7	11	17	22	49
35-49	115	10.2	107	2	2	7	13	21	32	55
50-64	166	12.6	130	2	3	9	16	26	40	65
65+	153	14.6	127	2	3	11	21	29	37	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	5.2	28	<1	<1	4	7	11	14	23
B. *Operated*	231	5.5	32	1	2	3	7	11	17	26
2. MULTIPLE DX										
A. *Not Operated*	620	8.5	45	2	2	7	11	16	21	36
B. *Operated*	629	11.5	116	2	2	8	15	25	35	54
1. SINGLE DX	564	5.3	30	<1	1	3	7	11	15	25
2. MULTIPLE DX	1249	10.0	83	2	2	8	13	21	28	47
A. NOT OPERATED	953	7.4	41	<1	1	6	10	14	20	34
B. OPERATED	860	9.9	101	2	2	7	13	22	30	50
TOTAL 0-19 YRS	517	5.8	34	<1	1	4	8	13	17	33
20-34	330	7.2	52	1	2	5	9	14	20	34
35-49	244	8.0	69	1	2	5	11	17	21	47
50-64	327	10.5	94	2	2	8	14	22	29	54
65+	395	12.1	91	2	3	10	16	25	31	46
GRAND TOTAL	**1813**	**8.6**	**71**	**1**	**2**	**6**	**11**	**18**	**25**	**44**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	5.2	11	1	2	4	7	10	11	17
20-34	17	4.4	20	<1	1	3	5	9	15	19
35-49	2	11.0	128	3	3	11	19	19	19	19
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*										
0-19 YRS	7	2.6	1	2	2	2	3	4	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	4	8.8	80	3	3	5	14	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	7.5	30	2	3	7	10	14	19	29
20-34	10	7.6	17	4	4	6	9	15	15	15
35-49	15	7.9	60	2	3	4	10	18	28	31
50-64	15	9.8	71	3	3	7	11	14	32	38
65+	23	11.4	85	2	3	9	13	27	32	40
B. *Operated*										
0-19 YRS	17	10.8	34	3	5	10	14	20	22	22
20-34	15	10.7	70	2	2	10	13	16	31	36
35-49	11	10.9	28	2	3	13	16	16	16	16
50-64	22	13.9	88	4	6	11	18	28	33	40
65+	17	11.8	177	2	2	7	14	23	45	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.2	15	1	2	4	7	10	11	19
B. *Operated*	14	4.4	28	1	2	3	4	8	19	22
2. MULTIPLE DX										
A. *Not Operated*	109	8.7	51	2	3	7	11	16	27	39
B. *Operated*	82	11.8	82	2	3	10	14	22	28	52
1. SINGLE DX	102	5.1	16	1	2	4	6	10	12	21
2. MULTIPLE DX	191	10.1	66	2	3	8	12	19	27	40
A. NOT OPERATED	197	7.2	37	2	2	6	9	13	19	35
B. OPERATED	96	10.7	80	2	2	9	14	21	27	49
TOTAL 0-19 YRS	136	6.6	24	2	2	5	9	12	18	23
20-34	45	7.1	42	1	1	5	10	15	17	36
35-49	32	9.2	50	2	3	6	14	18	22	31
50-64	38	12.0	83	3	4	9	13	27	34	40
65+	42	11.5	115	2	2	9	13	24	33	57
GRAND TOTAL	**293**	**8.3**	**54**	**2**	**2**	**6**	**11**	**16**	**22**	**39**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.4	8	1	1	2	4	9	10	10
20-34	13	3.8	19	<1	<1	2	5	11	14	15
35-49	16	5.0	34	<1	1	3	5	11	20	24
50-64	21	4.6	20	<1	1	3	5	10	15	19
65+	54	4.9	25	1	1	2	7	13	16	22
B. *Operated*										
0-19 YRS	35	9.5	94	1	2	5	16	22	24	47
20-34	71	7.8	65	1	1	5	10	18	30	36
35-49	58	9.9	122	1	2	7	13	23	33	97
50-64	107	8.0	67	1	2	5	11	18	27	38
65+	60	9.0	86	1	1	6	11	19	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.7	37	<1	1	4	8	12	15	33
20-34	60	5.2	21	<1	1	4	8	10	12	23
35-49	85	8.1	113	1	2	5	11	17	22	67
50-64	264	8.6	64	1	2	6	10	20	24	45
65+	565	11.1	88	2	2	8	14	21	29	48
B. *Operated*										
0-19 YRS	53	12.8	303	<1	<1	5	15	38	53	72
20-34	300	13.8	163	2	2	9	20	30	40	62
35-49	397	12.0	150	1	2	8	16	30	38	62
50-64	612	12.5	160	2	3	8	16	27	40	72
65+	592	16.3	247	2	3	11	21	36	53	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	4.6	22	<1	1	3	5	11	15	23
B. *Operated*	331	8.6	82	1	2	5	11	19	26	45
2. MULTIPLE DX										
A. *Not Operated*	1011	9.6	81	1	2	7	12	20	27	47
B. *Operated*	1954	13.8	191	2	2	9	18	31	43	72
1. SINGLE DX	449	7.6	70	1	1	5	10	18	23	41
2. MULTIPLE DX	2965	12.4	158	1	2	8	16	28	38	66
A. NOT OPERATED	1129	9.1	78	1	2	7	12	19	26	46
B. OPERATED	2285	13.0	179	1	2	9	17	30	41	70
TOTAL 0-19 YRS	139	9.1	159	<1	1	4	10	22	36	71
20-34	444	11.4	137	1	2	8	15	28	35	58
35-49	556	11.0	140	1	2	7	14	26	36	65
50-64	1004	10.8	126	1	2	7	14	23	33	62
65+	1271	13.2	170	2	2	9	17	29	40	68
GRAND TOTAL	**3414**	**11.7**	**149**	**1**	**2**	**8**	**15**	**26**	**36**	**64**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	2	2	2	4	5	6	6	6
20-34	7	3.0	2	<1	<1	3	4	5	5	5
35-49	9	4.9	24	<1	<1	3	7	13	16	16
50-64	16	6.5	23	2	2	5	8	15	17	17
65+	21	7.9	22	1	2	8	10	12	18	22
B. *Operated*										
0-19 YRS	8	6.4	36	1	1	4	9	17	19	19
20-34	6	6.0	31	2	2	4	6	16	17	17
35-49	6	7.5	13	1	1	8	10	11	11	11
50-64	18	8.9	38	2	3	7	16	18	20	20
65+	19	16.6	210	2	3	10	28	41	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.4	15	<1	<1	3	8	11	12	12
20-34	27	11.8	163	2	3	7	17	24	30	65
35-49	50	8.4	32	1	2	7	12	18	19	22
50-64	158	12.7	110	2	3	10	16	25	29	58
65+	756	13.8	101	3	4	11	18	26	32	54
B. *Operated*										
0-19 YRS	22	8.6	54	<1	<1	7	14	19	24	28
20-34	46	14.2	148	3	4	12	19	32	49	99+
35-49	59	16.2	140	2	3	13	23	35	40	48
50-64	152	20.1	267	2	3	17	29	43	53	92
65+	303	21.8	223	4	7	19	29	42	53	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	6.1	20	1	2	5	9	11	16	22
B. *Operated*	57	10.7	107	2	2	7	14	24	33	47
2. MULTIPLE DX										
A. *Not Operated*	1009	13.2	102	2	4	11	17	25	30	54
B. *Operated*	582	19.7	224	2	4	16	28	39	50	80
1. SINGLE DX	116	8.4	67	1	2	6	10	17	24	47
2. MULTIPLE DX	1591	15.6	156	2	4	12	21	31	41	68
A. NOT OPERATED	1068	12.8	100	2	3	11	17	25	30	54
B. OPERATED	639	18.9	220	2	4	15	27	39	48	75
TOTAL 0-19 YRS	54	6.4	35	<1	1	4	9	14	19	28
20-34	86	11.9	142	2	3	8	16	24	37	87
35-49	124	11.8	99	1	2	9	16	25	34	46
50-64	344	15.5	190	2	3	12	21	33	43	72
65+	1099	16.0	149	3	4	13	21	31	40	67
GRAND TOTAL	**1707**	**15.1**	**154**	**2**	**3**	**12**	**20**	**30**	**39**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	485	4.1	3	2	2	4	5	6	7	9
20-34	636	4.5	4	2	2	4	5	7	8	11
35-49	184	4.9	5	2	2	5	6	8	9	12
50-64	105	5.7	8	2	3	5	7	9	11	18
65+	74	6.7	42	2	2	5	8	11	13	43
B. *Operated*										
0-19 YRS	34	6.1	6	3	3	6	7	9	9	15
20-34	35	6.1	10	3	3	5	8	10	12	15
35-49	19	8.3	9	4	5	9	10	12	14	15
50-64	6	7.8	13	4	4	7	10	14	14	14
65+	8	6.0	8	2	3	6	7	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	437	5.1	7	2	3	5	6	8	10	14
20-34	760	5.5	8	2	3	5	7	9	11	15
35-49	372	6.7	14	3	3	6	8	11	14	20
50-64	430	7.9	31	3	3	7	10	14	17	29
65+	766	9.3	33	3	4	8	11	16	20	32
B. *Operated*										
0-19 YRS	81	6.9	13	2	3	6	8	11	15	20
20-34	173	10.0	60	3	4	8	12	17	23	39
35-49	124	10.7	37	4	5	9	14	18	21	35
50-64	105	12.8	46	5	6	12	15	21	23	41
65+	189	15.7	93	5	7	13	19	29	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1484	4.6	6	2	2	4	6	7	8	12
B. *Operated*	102	6.6	9	3	3	6	9	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	2765	7.0	22	3	3	6	8	12	15	26
B. *Operated*	672	11.8	66	4	5	10	14	21	28	41
1. SINGLE DX	1586	4.7	7	2	2	4	6	7	9	13
2. MULTIPLE DX	3437	8.0	34	3	3	6	10	14	18	33
A. NOT OPERATED	4249	6.2	18	2	3	5	7	11	14	22
B. OPERATED	774	11.1	61	3	4	9	14	20	26	40
TOTAL 0-19 YRS	1037	4.8	6	2	2	4	6	8	9	14
20-34	1604	5.6	14	2	3	5	7	9	12	18
35-49	699	7.0	19	3	3	6	9	12	15	21
50-64	646	8.3	34	3	3	7	10	14	19	32
65+	1037	10.3	52	3	4	8	13	18	24	39
GRAND TOTAL	**5023**	**6.9**	**28**	**2**	**3**	**5**	**8**	**13**	**16**	**28**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	504	4.1	3	2	2	4	5	6	7	10
20-34	646	4.4	5	2	2	4	6	7	8	11
35-49	186	5.0	7	2	2	5	7	8	9	11
50-64	118	5.8	10	2	3	5	7	10	11	17
65+	90	6.3	12	2	2	6	8	11	13	18
B. *Operated*										
0-19 YRS	58	5.5	9	1	2	5	7	10	10	17
20-34	89	6.6	17	1	2	5	9	14	16	17
35-49	36	7.8	36	2	2	7	9	13	19	34
50-64	32	7.8	21	2	3	7	10	14	18	19
65+	37	10.3	60	3	3	9	15	24	32	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	375	4.6	6	2	2	4	6	8	9	11
20-34	776	5.5	10	2	2	5	7	10	11	16
35-49	358	6.8	23	2	3	6	8	11	15	26
50-64	453	7.8	29	3	3	7	10	14	17	28
65+	806	9.0	27	3	4	8	11	16	19	28
B. *Operated*										
0-19 YRS	137	6.5	17	1	2	6	8	11	15	22
20-34	288	8.3	35	2	3	7	11	15	19	30
35-49	207	12.1	136	2	3	8	15	26	32	63
50-64	299	13.6	112	3	4	11	17	26	33	60
65+	284	15.2	130	3	4	12	20	29	34	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1544	4.6	6	2	2	4	6	7	9	12
B. *Operated*	252	7.2	27	2	2	6	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*	2768	6.9	22	2	3	6	9	13	16	24
B. *Operated*	1215	11.7	101	2	3	9	15	23	30	53
1. SINGLE DX	1796	5.0	10	2	2	4	6	8	10	17
2. MULTIPLE DX	3983	8.4	51	2	3	6	10	16	21	35
A. NOT OPERATED	4312	6.1	18	2	2	5	7	11	14	22
B. OPERATED	1467	10.9	91	2	3	8	14	22	29	52
TOTAL 0-19 YRS	1074	4.7	7	2	2	4	6	8	9	14
20-34	1799	5.6	14	2	2	5	7	10	13	20
35-49	787	7.8	57	2	3	6	9	14	22	36
50-64	902	9.5	62	3	3	7	11	18	23	41
65+	1217	10.3	59	3	4	8	13	19	24	40
GRAND TOTAL	**5779**	**7.3**	**40**	**2**	**3**	**6**	**9**	**14**	**18**	**32**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.7	3	1	1	2	4	5	6	6
20-34	685	2.5	3	<1	1	2	3	5	5	9
35-49	729	2.4	3	<1	1	2	3	5	6	8
50-64	414	2.6	3	<1	1	2	3	5	6	9
65+	171	3.0	5	1	1	2	4	5	7	13
B. *Operated*										
0-19 YRS	31	6.1	15	2	2	5	8	12	15	16
20-34	332	8.1	23	2	3	8	10	13	17	26
35-49	375	8.2	26	2	3	8	10	13	16	26
50-64	361	8.5	33	2	2	8	10	14	17	24
65+	176	10.0	32	2	3	9	13	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.7	9	1	1	3	4	10	10	14
20-34	440	3.3	6	1	1	3	4	6	8	12
35-49	585	3.6	9	1	1	3	4	7	9	15
50-64	572	4.6	24	1	1	3	6	8	12	18
65+	436	5.8	28	1	2	4	7	11	14	29
B. *Operated*										
0-19 YRS	36	8.7	29	3	3	7	12	15	20	24
20-34	384	9.1	40	2	3	8	11	17	22	33
35-49	472	9.9	47	2	3	9	12	17	22	36
50-64	671	10.8	53	2	4	9	13	18	23	40
65+	611	11.7	68	2	3	10	15	23	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2062	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	1275	8.5	28	2	3	8	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2067	4.3	17	1	1	3	5	8	11	18
B. *Operated*	2174	10.5	54	2	3	9	13	20	25	37
1. SINGLE DX	3337	4.8	21	1	1	3	7	10	13	21
2. MULTIPLE DX	4241	7.5	46	1	2	6	10	15	21	34
A. NOT OPERATED	4129	3.4	11	1	1	3	4	7	9	14
B. OPERATED	3449	9.7	45	2	3	9	12	17	22	35
TOTAL 0-19 YRS	164	4.9	17	1	1	3	6	11	14	21
20-34	1841	5.1	23	1	1	3	7	10	14	25
35-49	2161	5.4	28	1	1	3	8	12	15	26
50-64	2018	6.9	41	1	1	5	9	14	17	30
65+	1394	8.6	54	1	2	7	11	18	23	34
GRAND TOTAL	**7578**	**6.3**	**37**	**1**	**1**	**4**	**9**	**13**	**17**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.3	2	1	1	2	3	4	5	7
20-34	2297	2.2	2	1	1	2	3	4	5	7
35-49	2627	2.2	3	<1	1	2	3	4	5	7
50-64	1477	2.5	3	1	1	2	3	5	6	8
65+	433	2.9	4	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	122	5.3	9	2	2	5	7	9	11	14
20-34	1276	6.0	13	2	2	5	8	11	13	16
35-49	1632	6.5	16	2	2	6	8	12	14	19
50-64	1275	7.0	19	2	2	6	9	12	15	20
65+	471	7.9	26	2	3	7	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.3	4	1	1	3	4	6	7	8
20-34	721	2.8	3	1	1	2	3	5	6	10
35-49	992	2.9	4	1	1	2	4	5	6	11
50-64	1066	3.4	7	1	1	3	4	6	8	12
65+	550	4.1	8	1	2	4	5	7	9	15
B. *Operated*										
0-19 YRS	55	7.8	19	2	4	7	10	13	16	26
20-34	639	7.4	25	2	3	6	10	14	16	23
35-49	1025	7.8	31	2	3	7	10	14	17	28
50-64	1197	9.3	42	2	3	8	12	17	21	32
65+	825	11.0	64	2	3	9	14	21	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7057	2.3	2	1	1	2	3	4	5	7
B. *Operated*	4776	6.6	17	2	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	3393	3.2	5	1	1	3	4	6	7	12
B. *Operated*	3741	9.0	42	2	3	8	11	16	20	33
1. SINGLE DX	11833	4.1	13	1	1	3	5	9	11	16
2. MULTIPLE DX	7134	6.2	33	1	1	4	8	13	17	27
A. NOT OPERATED	10450	2.6	4	1	1	2	3	5	6	9
B. OPERATED	8517	7.6	30	2	2	6	10	14	17	26
TOTAL 0-19 YRS	464	3.9	9	1	1	3	5	8	10	15
20-34	4933	4.0	12	1	1	3	5	9	11	16
35-49	6276	4.3	16	1	1	3	6	9	12	18
50-64	5015	5.5	25	1	1	4	7	12	15	23
65+	2279	7.2	43	1	2	5	9	15	19	32
GRAND TOTAL	**18967**	**4.9**	**22**	**1**	**1**	**3**	**6**	**11**	**14**	**21**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.5	6	1	1	3	4	7	9	13
20-34	72	2.9	4	<1	1	2	4	5	7	9
35-49	62	3.0	4	<1	1	3	4	6	7	10
50-64	62	3.6	7	1	1	3	5	7	9	13
65+	63	6.2	35	1	2	4	7	13	19	29
B. *Operated*										
0-19 YRS	430	6.6	20	1	1	7	9	12	15	19
20-34	271	7.1	21	1	2	7	9	13	15	21
35-49	214	6.8	32	1	1	5	9	13	17	26
50-64	246	6.6	31	1	2	5	9	15	19	25
65+	183	6.6	34	1	2	5	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	4.1	10	1	1	3	5	8	10	17
20-34	120	4.5	14	1	1	4	6	8	9	25
35-49	114	5.8	23	1	1	5	7	12	16	24
50-64	249	6.6	24	1	2	6	9	12	15	28
65+	605	8.9	56	2	2	7	11	17	24	37
B. *Operated*										
0-19 YRS	545	7.9	36	1	1	7	11	15	17	29
20-34	491	9.1	45	2	2	8	12	17	20	29
35-49	492	10.4	67	2	2	9	13	21	25	46
50-64	740	10.4	69	2	2	9	14	21	25	37
65+	979	11.7	91	2	2	9	16	23	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	3.8	12	1	1	3	4	7	10	18
B. *Operated*	1344	6.7	26	1	1	6	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1193	7.3	41	1	2	6	9	15	20	32
B. *Operated*	3247	10.1	68	2	2	9	13	20	25	41
1. SINGLE DX	1662	6.2	25	1	1	5	9	12	15	23
2. MULTIPLE DX	4440	9.4	62	1	2	8	12	19	24	38
A. NOT OPERATED	1511	6.6	37	1	2	5	8	14	18	30
B. OPERATED	4591	9.1	58	1	2	8	12	18	23	37
TOTAL 0-19 YRS	1139	6.8	28	1	1	6	10	13	15	23
20-34	954	7.5	35	1	2	7	10	14	18	26
35-49	882	8.4	54	1	2	7	11	17	23	39
50-64	1297	8.6	54	1	2	7	12	18	23	34
65+	1830	10.1	75	2	2	8	13	21	28	40
GRAND TOTAL	**6102**	**8.5**	**54**	**1**	**2**	**7**	**11**	**17**	**22**	**36**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.3	3	1	1	2	3	4	6	7
20-34	181	2.3	3	<1	1	2	3	4	5	8
35-49	171	2.2	3	<1	1	2	3	4	4	9
50-64	111	2.6	3	1	1	2	3	5	6	9
65+	22	2.7	7	<1	1	2	3	6	10	11
B. *Operated*										
0-19 YRS	8	4.0	7	<1	<1	3	6	8	8	8
20-34	71	5.2	11	1	2	5	7	9	11	20
35-49	88	6.3	16	1	2	5	9	12	14	17
50-64	111	5.6	16	1	2	4	8	11	14	18
65+	83	6.3	24	2	2	4	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	5	<1	<1	2	5	6	6	6
20-34	78	3.0	4	1	1	2	5	6	7	7
35-49	106	3.0	4	1	1	3	4	5	6	10
50-64	87	4.1	9	1	1	3	6	8	11	14
65+	82	6.9	40	2	2	4	9	17	20	32
B. *Operated*										
0-19 YRS	15	6.5	16	<1	1	6	8	14	14	14
20-34	84	7.0	31	1	2	6	9	15	19	27
35-49	118	8.7	81	2	2	6	11	16	25	50
50-64	222	7.9	31	2	2	6	10	16	18	26
65+	443	10.6	63	2	3	9	14	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	361	5.8	17	1	2	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	360	4.2	15	1	1	3	5	8	12	21
B. *Operated*	882	9.3	55	2	2	7	12	18	23	34
1. SINGLE DX	865	3.8	12	1	1	3	5	9	11	17
2. MULTIPLE DX	1242	7.8	49	1	2	6	10	17	21	32
A. NOT OPERATED	864	3.1	9	1	1	2	4	6	8	17
B. OPERATED	1243	8.3	47	2	2	6	11	16	21	31
TOTAL 0-19 YRS	49	4.0	11	<1	1	3	6	8	11	14
20-34	414	3.9	14	1	1	3	5	8	11	21
35-49	483	4.7	32	1	1	3	5	11	13	27
50-64	531	5.7	23	1	1	4	8	12	16	22
65+	630	9.3	58	2	2	7	13	19	22	36
GRAND TOTAL	**2107**	**6.1**	**38**	**1**	**1**	**4**	**8**	**14**	**18**	**28**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	199	3.2	3	1	1	3	4	5	7	10
20-34	173	2.8	4	<1	<1	2	4	5	6	12
35-49	87	3.5	10	<1	1	3	4	6	10	19
50-64	69	3.5	6	<1	<1	3	5	6	9	10
65+	107	5.5	15	<1	2	5	7	10	12	22
B. *Operated*										
0-19 YRS	197	2.6	4	<1	1	2	4	5	7	11
20-34	323	3.4	6	<1	1	3	4	7	9	12
35-49	319	3.4	8	<1	1	2	4	6	9	16
50-64	367	3.4	8	1	1	2	4	6	9	14
65+	475	4.1	9	1	2	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	277	4.2	5	1	2	4	5	7	8	13
20-34	349	4.5	10	1	2	4	6	8	10	18
35-49	250	6.0	22	1	2	5	8	12	16	24
50-64	348	6.1	15	2	2	5	8	11	15	20
65+	1052	8.6	48	2	3	7	10	15	20	38
B. *Operated*										
0-19 YRS	349	3.6	7	1	1	3	5	7	8	14
20-34	812	5.1	29	1	1	3	6	10	13	23
35-49	843	5.5	28	1	2	4	7	11	13	24
50-64	1190	6.3	32	1	2	5	8	12	16	29
65+	2132	7.7	50	2	2	6	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	3.5	7	<1	1	3	4	6	9	14
B. *Operated*	1681	3.5	8	1	1	3	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2276	6.8	32	2	2	5	8	13	16	30
B. *Operated*	5326	6.4	38	1	2	5	8	13	17	32
1. SINGLE DX	2316	3.5	8	<1	1	3	4	7	9	14
2. MULTIPLE DX	7602	6.5	36	1	2	5	8	13	17	31
A. NOT OPERATED	2911	6.1	29	1	2	5	8	12	15	28
B. OPERATED	7007	5.7	32	1	1	4	7	12	15	28
TOTAL 0-19 YRS	1022	3.5	6	1	1	3	5	6	8	12
20-34	1657	4.4	18	1	1	3	6	9	11	19
35-49	1499	5.0	23	1	1	4	6	10	13	22
50-64	1974	5.6	25	1	2	4	7	11	15	24
65+	3766	7.4	45	2	2	6	9	14	19	34
GRAND TOTAL	**9918**	**5.8**	**31**	**1**	**2**	**4**	**7**	**12**	**15**	**28**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	4	<1	<1	2	3	4	7	8
20-34	16	1.9	2	<1	1	1	2	4	5	6
35-49	5	2.6	2	1	1	2	4	4	4	4
50-64	5	4.8	17	2	2	3	6	12	12	12
65+	16	3.7	4	<1	1	3	5	6	7	7
B. *Operated*										
0-19 YRS	749	1.9	3	<1	1	1	2	3	4	8
20-34	497	3.4	10	1	1	2	4	6	9	15
35-49	373	3.2	6	1	1	3	4	6	8	13
50-64	426	3.4	6	1	1	3	4	7	8	11
65+	536	4.2	8	1	2	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.4	1	<1	<1	1	2	3	3	3
20-34	21	3.6	7	<1	<1	3	5	8	9	9
35-49	10	5.0	17	1	1	4	6	11	15	15
50-64	23	5.3	15	<1	1	4	7	12	13	14
65+	130	6.7	29	1	2	5	8	14	17	28
B. *Operated*										
0-19 YRS	801	2.4	4	1	1	2	3	5	7	11
20-34	667	4.2	12	1	1	3	5	9	11	17
35-49	611	4.8	17	1	1	3	6	10	13	21
50-64	988	5.0	18	1	2	4	7	10	13	22
65+	1797	6.9	37	2	2	5	9	14	18	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	2.9	5	<1	1	2	4	6	7	12
B. *Operated*	2581	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	196	5.8	25	1	1	5	7	13	15	24
B. *Operated*	4864	5.1	24	1	1	4	7	11	14	24
1. SINGLE DX	2638	3.1	7	1	1	2	4	6	8	13
2. MULTIPLE DX	5060	5.2	24	1	1	4	7	11	14	24
A. NOT OPERATED	253	5.1	22	<1	1	4	7	11	14	23
B. OPERATED	7445	4.4	19	1	1	3	5	9	13	22
TOTAL 0-19 YRS	1577	2.2	4	<1	1	2	3	4	6	9
20-34	1201	3.8	11	1	1	3	5	8	11	16
35-49	999	4.2	13	1	1	3	5	9	11	18
50-64	1442	4.6	15	1	1	3	6	9	11	20
65+	2479	6.3	31	1	2	5	8	13	17	27
GRAND TOTAL	**7698**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**13**	**22**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1075	3.3	4	<1	1	3	4	6	7	10
20-34	735	3.0	5	<1	<1	3	4	6	7	11
35-49	309	3.7	11	<1	<1	3	5	7	8	14
50-64	296	4.3	12	<1	<1	4	6	8	10	14
65+	633	5.6	22	<1	1	5	7	10	13	23
B. *Operated*										
0-19 YRS	607	2.7	6	<1	1	2	3	6	8	11
20-34	638	3.3	8	<1	1	2	4	7	9	14
35-49	640	3.7	10	<1	1	3	5	7	10	17
50-64	817	3.8	10	1	1	3	4	7	10	17
65+	979	4.7	16	1	2	4	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1643	4.1	7	1	2	4	5	7	9	14
20-34	1560	4.9	16	1	1	4	6	9	12	20
35-49	1042	6.1	22	1	2	5	8	11	14	26
50-64	1916	7.0	27	2	2	6	9	12	16	27
65+	7427	9.1	42	2	3	8	11	17	21	33
B. *Operated*										
0-19 YRS	964	4.0	23	1	1	3	5	8	11	22
20-34	1347	5.9	35	1	1	4	8	13	17	29
35-49	1543	6.3	38	1	2	4	8	13	17	32
50-64	2661	7.3	50	1	2	5	9	15	20	38
65+	4839	10.0	81	2	2	7	12	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3048	3.8	10	<1	<1	3	5	7	9	15
B. *Operated*	3681	3.8	11	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	13588	7.5	35	2	2	6	9	14	18	29
B. *Operated*	11354	7.8	62	1	2	6	10	17	23	39
1. SINGLE DX	6729	3.8	11	<1	1	3	5	7	10	16
2. MULTIPLE DX	24942	7.6	47	1	2	6	10	15	20	34
A. NOT OPERATED	16636	6.8	32	1	2	5	9	13	17	28
B. OPERATED	15035	6.8	53	1	1	5	9	15	20	36
TOTAL 0-19 YRS	4289	3.7	10	1	1	3	5	7	9	14
20-34	4280	4.7	20	<1	1	3	6	9	13	22
35-49	3534	5.5	27	1	1	4	7	11	15	27
50-64	5690	6.5	36	1	2	5	8	13	17	30
65+	13878	8.9	55	2	2	7	11	17	23	38
GRAND TOTAL	**31671**	**6.8**	**42**	**1**	**2**	**5**	**9**	**14**	**19**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64	32	2.8	9	<1	<1	2	3	5	11	14
65+	94	3.0	6	<1	1	2	4	6	9	12
B. *Operated*										
0-19 YRS	6	6.2	8	1	1	7	8	9	9	9
20-34	21	3.3	4	1	1	3	4	5	7	10
35-49	205	4.7	10	1	1	4	7	8	10	15
50-64	2894	6.1	12	2	2	6	8	10	12	16
65+	4754	7.1	17	2	3	6	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	14	3.9	5	1	2	4	5	8	9	9
50-64	180	4.4	13	1	1	3	6	8	10	14
65+	704	6.6	38	1	2	4	8	14	18	30
B. *Operated*										
0-19 YRS	16	8.4	24	1	2	8	10	15	19	21
20-34	39	6.1	21	2	2	4	8	12	13	25
35-49	279	5.9	19	1	1	5	8	12	16	21
50-64	4565	7.9	28	2	3	7	10	14	17	28
65+	11795	10.2	46	3	4	8	12	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.0	6	<1	1	2	4	6	9	13
B. *Operated*	7880	6.7	16	2	2	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	901	6.1	34	1	2	4	8	12	17	29
B. *Operated*	16694	9.5	42	2	4	8	12	17	21	34
1. SINGLE DX	8012	6.6	16	2	2	6	8	11	13	19
2. MULTIPLE DX	17595	9.3	42	2	3	8	11	17	21	33
A. NOT OPERATED	1033	5.7	31	1	1	4	7	12	16	28
B. OPERATED	24574	8.6	35	2	3	7	10	15	19	31
TOTAL 0-19 YRS	23	7.5	21	1	2	7	9	13	17	21
20-34	64	5.0	16	1	2	4	6	11	13	23
35-49	502	5.4	15	1	1	5	7	10	14	19
50-64	7671	7.1	23	2	2	6	9	12	15	25
65+	17347	9.1	40	2	3	8	11	16	21	33
GRAND TOTAL	**25607**	**8.4**	**35**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	2	2	2	3	4	5	6	6
20-34	90	3.3	5	<1	1	3	4	6	8	13
35-49	101	4.3	6	1	2	4	6	8	9	13
50-64	92	5.0	9	1	2	4	6	9	11	15
65+	52	5.3	10	2	2	4	7	9	12	16
B. *Operated*										
0-19 YRS	30	2.9	6	1	1	2	3	6	9	11
20-34	193	3.1	13	<1	1	2	4	6	8	20
35-49	217	2.6	4	<1	1	2	3	5	7	10
50-64	219	3.4	7	1	1	2	5	7	10	13
65+	137	3.6	6	1	1	3	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	8	1	1	3	6	7	7	7
20-34	109	4.4	10	1	1	4	5	8	11	15
35-49	161	5.0	11	1	2	4	6	9	11	17
50-64	245	5.3	7	2	2	5	7	8	10	13
65+	247	6.5	18	2	3	6	8	11	14	24
B. *Operated*										
0-19 YRS	22	4.0	19	1	2	3	3	8	13	21
20-34	244	4.1	8	1	1	3	6	8	10	14
35-49	364	4.7	14	1	1	4	6	9	13	19
50-64	619	5.5	20	1	2	4	8	11	14	23
65+	558	7.5	37	2	2	6	10	14	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	4.3	8	1	2	4	6	8	10	15
B. *Operated*	796	3.2	7	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	766	5.5	12	2	2	5	7	9	12	18
B. *Operated*	1807	5.8	24	1	2	4	8	11	15	24
1. SINGLE DX	1144	3.5	8	1	1	3	5	7	9	14
2. MULTIPLE DX	2573	5.7	21	1	2	5	7	11	14	24
A. NOT OPERATED	1114	5.1	11	1	2	4	7	9	11	17
B. OPERATED	2603	5.0	20	1	1	4	7	10	13	23
TOTAL 0-19 YRS	69	3.3	9	1	1	2	4	7	8	19
20-34	636	3.7	10	1	1	3	5	8	9	15
35-49	843	4.2	11	1	1	3	5	8	11	17
50-64	1175	5.1	14	1	2	4	7	10	12	20
65+	994	6.6	28	2	2	5	8	13	16	26
GRAND TOTAL	**3717**	**5.0**	**18**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	4	<1	<1	1	2	4	7	8
20-34	5	6.0	7	3	3	6	8	9	9	9
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	509	2.2	2	1	1	2	3	4	4	6
20-34	152	2.9	2	1	1	3	4	4	5	8
35-49	206	3.0	2	1	2	3	4	4	5	8
50-64	398	3.4	3	2	2	3	4	6	7	10
65+	245	3.7	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	1.4	1	<1	<1	1	2	2	3	6
20-34	5	3.4	11	<1	<1	2	5	9	9	9
35-49	10	2.7	2	<1	<1	3	4	5	5	5
50-64	7	3.6	6	1	1	3	5	7	8	8
65+	9	4.6	10	2	2	3	5	10	12	12
B. *Operated*										
0-19 YRS	385	2.5	3	<1	1	2	3	4	6	9
20-34	110	3.7	9	1	1	3	4	6	7	21
35-49	152	3.8	5	1	2	3	5	7	8	10
50-64	334	5.0	12	2	2	4	6	10	11	17
65+	347	5.7	20	2	2	5	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	8	<1	<1	2	5	8	9	9
B. *Operated*	1510	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	68	2.4	5	<1	<1	2	3	5	7	11
B. *Operated*	1328	4.2	12	1	1	3	5	8	10	17
1. SINGLE DX	1534	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1396	4.1	12	1	1	3	5	8	10	17
A. NOT OPERATED	92	2.6	5	<1	<1	2	3	6	8	11
B. OPERATED	2838	3.5	7	1	1	3	4	6	8	14
TOTAL 0-19 YRS	945	2.3	2	<1	1	2	3	4	5	8
20-34	272	3.3	5	1	1	3	4	5	6	9
35-49	370	3.3	3	1	2	3	4	6	7	10
50-64	741	4.1	8	2	2	3	5	8	10	14
65+	602	4.9	14	2	2	4	6	9	11	20
GRAND TOTAL	**2930**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	215	4.3	10	1	1	4	6	7	9	16
20-34	369	4.3	7	<1	1	4	6	8	9	12
35-49	204	4.7	23	<1	2	4	6	8	9	15
50-64	143	5.6	9	2	3	5	7	9	11	15
65+	106	6.1	11	2	3	6	7	10	12	20
B. *Operated*										
0-19 YRS	63	3.0	4	1	1	2	4	6	7	10
20-34	135	4.5	20	1	2	3	5	8	10	20
35-49	104	4.8	10	2	2	4	6	9	12	15
50-64	92	5.2	13	2	2	4	7	10	13	18
65+	75	6.3	24	2	3	4	8	14	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.5	7	1	2	4	6	7	11	12
20-34	174	5.3	8	2	3	5	7	9	11	15
35-49	138	6.3	16	2	2	5	7	11	15	22
50-64	196	6.3	9	2	3	6	8	10	11	17
65+	283	8.4	20	3	4	7	11	14	16	25
B. *Operated*										
0-19 YRS	47	4.6	14	1	1	4	6	9	10	22
20-34	132	5.6	20	1	2	4	8	12	14	22
35-49	147	6.2	27	2	2	5	8	11	14	35
50-64	150	8.3	46	2	2	7	10	16	21	53
65+	219	9.7	37	2	3	8	13	17	22	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1037	4.7	12	1	1	4	6	8	10	14
B. *Operated*	469	4.8	16	1	2	4	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	844	6.7	15	2	3	6	8	11	14	21
B. *Operated*	695	7.5	35	2	2	6	10	15	18	30
1. SINGLE DX	1506	4.8	13	1	2	4	6	9	10	16
2. MULTIPLE DX	1539	7.1	24	2	2	6	9	13	16	25
A. NOT OPERATED	1881	5.6	14	1	2	5	7	10	12	18
B. OPERATED	1164	6.4	29	2	2	5	9	13	16	29
TOTAL 0-19 YRS	378	4.2	9	1	1	4	5	7	9	13
20-34	810	4.8	11	1	2	4	6	9	10	16
35-49	593	5.5	21	1	2	4	7	10	12	21
50-64	581	6.4	20	2	3	5	8	11	15	23
65+	683	8.2	26	2	3	7	11	15	18	26
GRAND TOTAL	**3045**	**5.9**	**20**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	1.6	1	<1	<1	1	2	2	3	7
20-34	35	2.3	3	<1	<1	2	2	3	5	12
35-49	24	1.8	1	<1	1	2	2	3	3	4
50-64	23	2.3	1	<1	1	2	3	4	5	5
65+	13	2.5	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	604	1.6	1	<1	1	2	2	2	3	5
20-34	239	1.9	1	<1	1	2	2	3	3	5
35-49	147	2.1	4	1	1	2	2	3	4	16
50-64	136	2.1	2	<1	1	2	2	3	4	11
65+	79	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	2.4	7	<1	<1	1	2	5	10	11
20-34	19	2.3	1	1	1	2	3	4	5	5
35-49	19	4.9	18	<1	<1	3	9	12	13	13
50-64	26	3.5	9	<1	1	2	4	9	10	12
65+	36	5.8	28	1	2	3	8	14	16	24
B. *Operated*										
0-19 YRS	177	2.1	2	<1	1	2	2	3	4	8
20-34	171	2.6	4	1	1	2	3	5	6	12
35-49	204	3.0	5	1	1	2	3	6	7	13
50-64	222	3.9	12	1	2	3	5	8	10	17
65+	245	5.7	39	1	2	3	7	12	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	1.9	2	<1	<1	2	2	3	3	7
B. *Operated*	1205	1.9	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	134	3.9	15	<1	1	2	4	10	12	17
B. *Operated*	1019	3.6	16	1	1	2	4	7	10	20
1. SINGLE DX	1416	1.9	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	1153	3.7	16	1	1	2	4	8	11	20
A. NOT OPERATED	345	2.7	8	<1	<1	2	3	5	10	14
B. OPERATED	2224	2.7	9	1	1	2	3	5	7	15
TOTAL 0-19 YRS	931	1.7	1	<1	1	2	2	3	3	6
20-34	464	2.2	2	1	1	2	3	3	4	10
35-49	394	2.7	5	1	1	2	3	5	7	14
50-64	407	3.2	9	1	1	2	3	7	9	14
65+	373	5.0	31	1	2	3	5	10	15	30
GRAND TOTAL	**2569**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	1.9	3	<1	<1	1	2	4	6	8
20-34	86	2.7	6	<1	<1	2	4	5	6	14
35-49	62	3.0	7	<1	1	2	4	6	9	13
50-64	50	3.1	10	<1	1	2	3	9	12	12
65+	23	2.9	10	<1	<1	2	2	7	12	13
B. *Operated*										
0-19 YRS	841	2.3	2	1	1	2	3	4	5	7
20-34	678	2.5	3	1	1	2	3	4	5	10
35-49	405	3.0	7	1	1	2	4	5	6	10
50-64	443	3.7	7	1	2	3	4	6	8	13
65+	191	4.0	13	1	2	3	5	7	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.2	8	<1	1	2	4	7	8	15
20-34	92	4.5	27	<1	1	3	5	9	16	30
35-49	68	4.5	30	1	1	3	7	9	11	34
50-64	83	3.9	14	<1	1	2	6	10	12	17
65+	96	6.0	36	1	1	4	8	14	18	30
B. *Operated*										
0-19 YRS	292	3.0	8	1	1	2	3	6	8	10
20-34	469	3.8	17	1	1	3	4	7	10	25
35-49	432	4.6	24	1	2	3	5	9	12	24
50-64	667	5.3	23	1	2	4	6	10	13	27
65+	380	7.1	55	2	2	5	8	15	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	2.6	6	<1	<1	2	3	6	8	13
B. *Operated*	2558	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	397	4.6	25	1	1	3	6	10	14	24
B. *Operated*	2240	4.9	27	1	1	3	6	9	13	29
1. SINGLE DX	2867	2.8	5	1	1	2	3	5	6	11
2. MULTIPLE DX	2637	4.8	27	1	1	3	6	9	13	29
A. NOT OPERATED	706	3.7	18	<1	1	2	5	8	12	21
B. OPERATED	4798	3.8	16	1	1	3	4	7	10	22
TOTAL 0-19 YRS	1279	2.5	4	1	1	2	3	5	6	9
20-34	1325	3.1	10	1	1	2	4	6	8	17
35-49	967	3.8	17	1	1	3	4	7	10	17
50-64	1243	4.6	17	1	2	3	6	8	11	24
65+	690	6.0	41	1	2	4	7	12	17	34
GRAND TOTAL	**5504**	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	26	2.7	8	<1	<1	1	3	6	10	12
35-49	29	2.4	4	<1	<1	2	3	6	7	7
50-64	14	1.9	2	<1	<1	1	3	4	6	6
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	123	2.2	1	<1	1	2	2	4	5	7
20-34	1083	2.4	3	<1	1	2	3	4	5	9
35-49	2992	2.5	4	<1	1	2	3	4	5	9
50-64	1414	2.5	2	1	1	2	3	4	5	9
65+	509	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	6	3	3	5	7	9	9	9
20-34	28	4.5	12	<1	<1	4	7	10	11	11
35-49	46	4.7	17	<1	1	3	6	10	14	20
50-64	30	4.4	11	1	1	3	6	9	11	15
65+	18	4.6	14	1	1	3	7	10	12	14
B. *Operated*										
0-19 YRS	30	2.8	4	<1	1	2	3	5	7	10
20-34	571	3.4	8	1	1	2	4	6	9	14
35-49	1666	3.8	10	1	2	3	5	7	10	16
50-64	1124	3.9	13	1	2	3	5	8	10	16
65+	596	4.4	15	2	2	3	5	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.4	5	<1	<1	2	3	6	7	12
B. *Operated*	6121	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	126	4.6	14	1	1	3	6	10	11	17
B. *Operated*	3987	3.9	11	1	2	3	5	7	10	16
1. SINGLE DX	6195	2.5	3	1	1	2	3	4	5	9
2. MULTIPLE DX	4113	3.9	11	1	2	3	5	8	10	16
A. NOT OPERATED	200	3.8	11	<1	<1	3	5	9	11	15
B. OPERATED	10108	3.0	7	1	1	2	3	5	7	13
TOTAL 0-19 YRS	158	2.4	2	<1	1	2	3	4	5	9
20-34	1708	2.8	5	<1	1	2	3	5	7	11
35-49	4733	3.0	6	1	1	2	3	5	7	13
50-64	2582	3.1	8	1	1	2	3	5	8	13
65+	1127	3.6	10	1	2	3	4	7	10	16
GRAND TOTAL	**10308**	**3.0**	**7**	**1**	**1**	**2**	**3**	**5**	**8**	**13**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	3.3	3	<1	1	3	4	6	7	7
20-34	118	3.1	4	<1	<1	3	4	5	7	10
35-49	41	4.1	9	<1	<1	3	6	9	10	11
50-64	16	2.7	5	<1	<1	2	3	7	8	9
65+	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	454	2.9	2	1	1	3	4	5	6	7
20-34	871	3.3	5	1	1	3	4	5	6	11
35-49	515	3.0	5	1	1	2	4	5	6	10
50-64	430	3.3	4	1	1	3	4	6	7	10
65+	252	3.2	4	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.5	9	<1	1	4	6	8	12	12
20-34	99	3.8	7	<1	1	3	5	8	9	12
35-49	57	3.9	10	<1	1	3	5	8	11	16
50-64	52	4.6	14	1	1	4	6	11	12	18
65+	60	7.2	38	1	2	5	10	13	18	33
B. *Operated*										
0-19 YRS	103	3.7	4	1	2	3	5	6	7	12
20-34	447	4.5	27	1	2	4	5	7	10	18
35-49	531	4.5	11	1	2	4	5	8	10	19
50-64	455	5.0	21	1	2	4	6	10	13	19
65+	311	5.8	34	2	2	4	7	13	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	3.3	5	<1	<1	3	4	7	8	10
B. *Operated*	2522	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	299	4.7	17	<1	1	4	6	10	12	19
B. *Operated*	1847	4.8	21	1	2	4	5	9	12	22
1. SINGLE DX	2744	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX	2146	4.8	21	1	2	4	6	9	12	22
A. NOT OPERATED	521	4.1	12	<1	<1	3	5	8	10	16
B. OPERATED	4369	3.9	12	1	1	3	4	7	9	17
TOTAL 0-19 YRS	631	3.2	3	1	1	3	4	5	6	9
20-34	1535	3.7	12	1	1	3	4	6	8	15
35-49	1144	3.8	8	1	1	3	5	7	9	15
50-64	953	4.2	13	1	1	3	5	8	10	16
65+	627	4.9	24	1	2	3	5	10	15	29
GRAND TOTAL	**4890**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	571	2.8	4	1	1	2	4	5	6	9
20-34	866	2.5	3	<1	1	2	3	5	6	8
35-49	157	2.7	4	1	1	2	3	5	7	11
50-64	13	3.7	3	1	2	4	5	6	7	7
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	731	4.6	6	1	2	4	6	8	9	12
20-34	2154	4.7	7	1	1	5	6	8	9	13
35-49	559	6.0	9	2	2	6	7	9	12	15
50-64	99	6.8	8	2	3	7	8	10	12	17
65+	56	8.6	17	2	4	8	10	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	3.5	5	1	1	3	4	7	8	10
20-34	691	3.4	5	1	1	3	4	6	8	10
35-49	177	4.4	10	1	1	3	6	9	10	17
50-64	24	4.6	9	1	2	4	7	8	10	14
65+	18	5.4	26	1	1	4	9	13	17	19
B. *Operated*										
0-19 YRS	654	5.5	11	1	2	5	7	9	11	18
20-34	3899	6.0	11	1	2	6	7	10	12	18
35-49	1587	7.5	14	2	4	7	9	12	15	20
50-64	236	9.3	20	5	6	8	11	15	19	27
65+	120	13.3	62	6	7	11	16	21	26	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	3599	5.0	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	1215	3.6	6	1	1	3	5	7	8	12
B. *Operated*	6496	6.6	15	2	2	6	8	11	13	20
1. SINGLE DX	5209	4.3	8	1	1	4	6	8	9	13
2. MULTIPLE DX	7711	6.1	15	1	2	6	8	10	13	19
A. NOT OPERATED	2825	3.0	5	1	1	2	4	6	7	10
B. OPERATED	10095	6.0	13	1	2	6	7	10	12	19
TOTAL 0-19 YRS	2261	4.3	8	1	1	4	6	8	9	13
20-34	7610	5.0	10	1	1	5	7	8	10	16
35-49	2480	6.6	14	1	2	6	8	11	13	19
50-64	372	8.1	18	3	4	7	9	13	16	25
65+	197	11.1	54	2	4	10	14	18	23	38
GRAND TOTAL	**12920**	**5.4**	**13**	**1**	**2**	**5**	**7**	**9**	**11**	**18**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1346	4.3	6	1	2	4	5	7	8	12
20-34	3195	4.5	6	1	2	4	6	8	9	12
35-49	349	5.4	10	2	2	5	7	9	10	17
50-64	24	7.5	29	2	2	7	8	16	21	22
65+	11	5.1	10	1	2	5	6	10	12	12
B. *Operated*										
0-19 YRS	418	5.6	11	1	2	5	8	10	12	16
20-34	1989	5.2	11	1	2	5	7	9	11	16
35-49	438	6.3	15	1	2	6	8	11	13	23
50-64	75	7.1	23	1	2	6	8	13	18	23
65+	20	9.3	50	<1	1	8	13	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	850	5.2	7	2	2	5	6	9	10	13
20-34	2544	5.5	10	2	2	5	7	9	11	16
35-49	477	6.6	29	2	3	6	8	11	14	22
50-64	63	7.1	16	3	3	7	9	12	13	22
65+	36	10.6	79	3	4	7	12	24	33	37
B. *Operated*										
0-19 YRS	626	6.7	15	2	2	6	8	12	14	20
20-34	5577	6.5	16	1	2	6	8	11	13	21
35-49	1623	8.3	23	2	3	7	10	14	17	27
50-64	201	10.4	62	2	3	8	12	20	23	42
65+	75	16.6	114	4	6	15	22	33	37	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4925	4.6	6	1	2	4	6	8	9	12
B. *Operated*	2940	5.5	13	1	2	5	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	3970	5.6	13	2	2	5	7	9	12	18
B. *Operated*	8102	7.1	21	2	2	6	8	12	15	24
1. SINGLE DX	7865	4.9	9	1	2	4	6	8	10	15
2. MULTIPLE DX	12072	6.6	19	2	2	6	8	11	14	22
A. NOT OPERATED	8895	5.0	9	2	2	4	6	8	10	15
B. OPERATED	11042	6.6	19	1	2	6	8	11	14	22
TOTAL 0-19 YRS	3240	5.2	9	2	2	5	7	9	11	16
20-34	13305	5.6	12	1	2	5	7	10	12	17
35-49	2887	7.4	23	2	2	7	9	13	16	25
50-64	363	9.0	46	2	3	8	10	17	21	35
65+	142	13.1	102	2	4	10	18	29	33	45
GRAND TOTAL	**19937**	**5.9**	**15**	**1**	**2**	**5**	**7**	**10**	**13**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.1	2	<1	1	3	4	5	6	6
20-34	105	3.3	7	<1	<1	3	4	6	8	16
35-49	28	3.0	4	1	1	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	85	3.2	6	1	1	2	4	7	8	11
20-34	1766	4.5	8	1	1	5	6	8	9	11
35-49	921	6.1	6	1	2	6	7	8	9	12
50-64	60	5.9	6	2	2	6	8	9	9	11
65+	12	5.4	6	<1	1	6	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.7	4	<1	<1	3	5	7	8	8
20-34	130	3.3	8	<1	1	3	5	7	8	14
35-49	56	3.6	6	<1	<1	3	5	7	9	10
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	117	4.6	8	[illegible]	1	5	7	9	11	12
20-34	4582	6.1	9	1	2	6	7	9	11	17
35-49	4541	7.3	10	3	5	7	8	10	12	18
50-64	549	8.1	14	4	5	7	9	12	15	22
65+	61	9.6	27	4	5	9	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	3.2	6	<1	<1	3	4	6	6	14
B. *Operated*	2844	5.0	7	1	1	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	207	3.5	7	<1	1	3	5	7	8	11
B. *Operated*	9850	6.8	10	2	3	7	8	10	12	18
1. SINGLE DX	3001	4.9	8	1	1	5	7	8	9	12
2. MULTIPLE DX	10057	6.7	11	2	2	7	8	10	12	18
A. NOT OPERATED	364	3.4	6	<1	1	3	4	6	8	13
B. OPERATED	12694	6.4	10	1	2	6	8	[illegible]	11	17
TOTAL 0-19 YRS	244	3.9	7	1	1	3	6	7	9	11
20-34	6583	5.6	10	1	2	6	7	9	10	15
35-49	5546	7.1	9	2	4	7	8	10	12	18
50-64	611	7.8	14	3	5	7	9	11	14	22
65+	74	8.9	26	2	4	8	10	13	19	32
GRAND TOTAL	**13058**	**6.3**	**10**	**1**	**2**	**6**	**8**	**9**	**11**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	2.4	4	<1	<1	1	4	6	6	6
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	24	2.4	2	1	2	2	2	4	6	7
20-34	278	2.6	4	<1	<1	2	3	6	7	11
35-49	183	2.6	3	<1	1	2	3	6	6	8
50-64	74	2.4	2	1	1	2	3	3	5	8
65+	21	2.6	1	1	2	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	5	2	2	3	5	8	8	8
20-34	32	3.4	4	<1	<1	3	4	6	7	9
35-49	12	5.0	14	1	1	4	8	10	11	11
50-64	3	5.7	2	4	4	6	7	7	7	7
65+	5	6.2	11	2	2	5	9	10	10	10
B. *Operated*										
0-19 YRS	50	3.6	10	1	1	3	4	8	12	16
20-34	1045	4.7	12	1	1	3	7	9	10	18
35-49	926	5.9	14	1	2	6	8	10	11	17
50-64	277	5.3	19	1	2	4	8	10	12	22
65+	94	6.1	22	1	2	5	9	12	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*	580	2.6	3	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	62	4.1	7	<1	1	3	5	8	10	11
B. *Operated*	2392	5.2	15	1	1	5	7	9	11	19
1. SINGLE DX	597	2.6	3	<1	1	2	3	5	7	9
2. MULTIPLE DX	2454	5.2	14	1	1	5	7	9	11	18
A. NOT OPERATED	79	3.8	7	<1	<1	3	5	8	9	11
B. OPERATED	2972	4.7	13	1	1	3	7	9	11	17
TOTAL 0-19 YRS	85	3.3	7	1	2	2	3	7	9	15
20-34	1369	4.2	11	<1	1	3	6	8	10	15
35-49	1123	5.3	14	1	1	5	8	9	11	17
50-64	354	4.7	16	1	2	3	7	9	11	21
65+	120	5.5	19	1	2	4	8	11	13	23
GRAND TOTAL	**3051**	**4.7**	**13**	**1**	**1**	**3**	**7**	**9**	**11**	**17**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	3.4	6	<1	1	3	4	6	7	14
20-34	273	3.4	5	<1	<1	3	5	6	7	10
35-49	53	3.6	8	<1	<1	3	5	7	8	16
50-64	10	3.0	5	<1	<1	3	4	6	8	8
65+	13	5.2	24	<1	<1	4	5	15	17	17
B. *Operated*										
0-19 YRS	119	2.6	2	1	1	2	3	4	5	9
20-34	812	2.5	5	<1	1	2	3	5	6	10
35-49	332	2.6	4	<1	1	2	3	5	6	14
50-64	141	2.8	3	<1	1	2	3	5	7	9
65+	53	4.2	13	1	2	3	5	8	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	4.1	6	<1	1	4	6	7	9	11
20-34	322	4.6	9	<1	1	4	6	8	9	15
35-49	98	5.5	14	<1	1	5	7	11	13	19
50-64	48	7.4	131	1	1	5	8	12	16	81
65+	63	8.6	31	2	4	7	11	16	22	25
B. *Operated*										
0-19 YRS	90	3.9	8	1	1	3	5	8	9	16
20-34	656	4.5	15	1	1	3	6	9	12	18
35-49	407	4.7	14	1	1	3	7	9	12	17
50-64	170	5.4	57	1	1	3	6	11	14	36
65+	103	7.3	64	1	2	5	10	14	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	451	3.5	6	<1	<1	3	5	6	8	12
B. *Operated*	1457	2.6	5	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	659	5.2	22	<1	1	4	7	9	12	22
B. *Operated*	1426	4.8	23	1	1	3	6	10	13	23
1. SINGLE DX	1908	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	2085	5.0	23	1	1	4	7	9	12	23
A. NOT OPERATED	1110	4.5	16	<1	1	4	6	8	10	17
B. OPERATED	2883	3.7	15	1	1	2	4	8	10	18
TOTAL 0-19 YRS	439	3.5	6	<1	1	3	5	7	8	11
20-34	2063	3.6	9	<1	1	3	5	7	9	15
35-49	890	3.9	11	<1	1	3	5	8	11	16
50-64	369	4.6	47	1	1	3	5	9	13	29
65+	232	6.8	43	1	2	5	9	14	19	26
GRAND TOTAL	**3993**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**8**	**10**	**17**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	3.6	8	<1	<1	2	7	7	8	8
50-64	14	2.1	3	<1	<1	1	3	5	5	5
65+	15	2.4	4	<1	<1	1	4	5	6	6
B. *Operated*										
0-19 YRS	3	6.7	9	4	4	6	9	10	10	10
20-34	542	6.1	7	1	3	6	7	9	11	15
35-49	959	7.2	8	4	4	7	8	11	13	17
50-64	1385	7.8	9	4	5	7	9	11	13	19
65+	1148	8.3	11	4	5	8	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	34	3.6	10	<1	<1	2	5	8	11	12
35-49	51	3.5	19	<1	<1	2	5	7	7	23
50-64	91	4.2	9	<1	1	4	6	9	10	12
65+	133	5.3	18	1	1	4	8	11	12	18
B. *Operated*										
0-19 YRS	13	9.5	20	5	5	8	11	15	20	21
20-34	1906	7.0	8	4	5	7	8	10	12	17
35-49	3683	8.0	10	4	5	7	9	12	14	19
50-64	3473	8.8	14	5	5	8	10	13	16	24
65+	2948	9.8	20	5	6	9	11	15	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	5	<1	<1	1	5	6	7	8
B. *Operated*	4037	7.6	10	4	5	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	309	4.5	15	<1	1	3	7	9	11	18
B. *Operated*	12023	8.5	14	4	5	8	10	13	15	23
1. SINGLE DX	4079	7.5	10	4	4	7	9	11	13	18
2. MULTIPLE DX	12332	8.4	15	4	5	8	10	13	15	23
A. NOT OPERATED	351	4.3	14	<1	1	3	6	9	11	15
B. OPERATED	16060	8.3	13	4	5	8	10	12	15	22
TOTAL 0-19 YRS	16	9.0	18	4	5	8	11	14	19	21
20-34	2482	6.8	8	2	4	6	8	10	12	16
35-49	4706	7.8	10	4	5	7	9	11	14	19
50-64	4963	8.4	13	4	5	8	10	13	15	22
65+	4244	9.2	19	4	5	8	11	14	17	26
GRAND TOTAL	**16411**	**8.2**	**14**	**4**	**5**	**8**	**10**	**12**	**15**	**22**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	<1	1	2	3	4	4
20-34	33	1.5	1	<1	<1	<1	1	3	5	5
35-49	6	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.6	1	<1	1	1	2	2	4	5
20-34	172	1.8	2	<1	<1	1	2	3	5	8
35-49	199	1.8	2	<1	<1	1	2	4	6	7
50-64	32	1.8	2	<1	<1	1	2	3	5	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	3	<1	<1	3	4	6	6	6
20-34	27	3.0	20	<1	<1	2	3	5	9	24
35-49	14	2.6	8	<1	<1	2	3	5	10	12
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	14	3.4	12	<1	1	2	4	7	12	14
20-34	257	3.5	10	<1	<1	2	5	7	9	18
35-49	334	4.4	16	<1	<1	3	7	9	10	17
50-64	49	4.6	23	<1	<1	2	7	8	10	24
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	419	1.8	2	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*	49	2.9	13	<1	<1	2	3	5	7	24
B. *Operated*	654	4.1	14	<1	<1	3	6	8	10	19
1. SINGLE DX	472	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	703	4.0	14	<1	<1	2	6	8	10	20
A. NOT OPERATED	102	2.2	7	<1	<1	1	2	4	5	18
B. OPERATED	1073	3.2	11	<1	<1	2	5	7	9	14
TOTAL 0-19 YRS	50	2.3	5	<1	<1	2	2	5	6	14
20-34	489	2.8	8	<1	<1	2	3	7	8	13
35-49	553	3.4	12	<1	<1	2	6	8	9	14
50-64	83	3.4	16	<1	<1	2	5	8	8	24
65+										
GRAND TOTAL	**1175**	**3.1**	**11**	**<1**	**<1**	**2**	**4**	**7**	**8**	**14**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228	2.2	2	<1	<1	2	3	4	5	7
20-34	564	1.8	2	<1	<1	1	2	3	4	7
35-49	166	1.8	2	<1	<1	1	2	3	4	8
50-64	12	2.1	7	<1	<1	1	2	5	9	10
65+										
B. *Operated*										
0-19 YRS	432	2.1	2	<1	1	2	2	4	5	7
20-34	4017	2.3	4	<1	<1	2	2	5	7	9
35-49	3878	2.4	4	<1	<1	2	2	6	7	9
50-64	543	2.2	3	<1	1	2	2	4	7	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	3.3	6	1	1	3	4	6	7	14
20-34	508	3.0	5	<1	<1	2	4	6	8	11
35-49	277	3.0	6	<1	1	2	4	6	8	13
50-64	40	3.0	5	<1	<1	2	4	6	8	10
65+										
B. *Operated*										
0-19 YRS	391	3.4	8	1	1	2	4	7	8	15
20-34	6631	4.3	10	1	1	3	6	8	10	15
35-49	8152	5.0	14	1	1	5	7	9	11	16
50-64	1070	4.7	16	1	1	3	7	9	12	18
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	970	1.9	2	<1	<1	1	2	4	5	7
B. *Operated*	8870	2.3	4	<1	<1	2	2	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	1014	3.1	6	<1	1	2	4	6	8	12
B. *Operated*	16244	4.6	13	1	1	4	7	9	10	16
1. SINGLE DX	9840	2.3	4	<1	<1	2	2	5	7	9
2. MULTIPLE DX	17258	4.6	12	1	1	3	7	9	10	16
A. NOT OPERATED	1984	2.5	4	<1	<1	2	3	5	6	10
B. OPERATED	25114	3.8	11	<1	1	2	6	8	9	14
TOTAL 0-19 YRS	1240	2.7	5	<1	1	2	3	5	7	11
20-34	11720	3.4	8	<1	1	2	5	7	9	13
35-49	12473	4.1	12	<1	1	2	6	8	10	15
50-64	1665	3.8	13	<1	1	2	6	9	10	16
65+										
GRAND TOTAL	**27098**	**3.7**	**10**	**<1**	**1**	**2**	**6**	**8**	**9**	**14**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	19	2.7	7	<1	<1	<1	4	7	9	10
50-64	27	2.9	7	<1	<1	2	4	7	8	9
65+	22	2.1	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-19 YRS										
20-34	6	2.7	10	1	1	2	2	8	9	9
35-49	280	1.9	2	<1	<1	2	2	3	4	8
50-64	1207	1.9	1	<1	1	2	2	3	3	7
65+	380	2.6	6	1	1	2	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.8	6	1	1	3	5	7	7	7
35-49	52	4.9	13	1	2	4	7	10	12	17
50-64	66	4.2	15	<1	1	3	6	9	11	22
65+	92	5.3	20	1	1	4	7	11	13	24
B. *Operated*										
0-19 YRS										
20-34	5	3.0	9	1	1	2	4	8	8	8
35-49	389	3.4	10	1	1	2	4	8	9	16
50-64	1747	3.6	12	1	1	2	4	8	10	18
65+	891	4.4	22	1	1	3	5	9	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.6	5	<1	<1	2	4	6	7	10
B. *Operated*	1873	2.0	2	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	215	4.8	16	1	1	3	6	10	12	21
B. *Operated*	3032	3.8	15	1	1	2	5	8	11	18
1. SINGLE DX	1944	2.0	3	<1	1	2	2	3	4	9
2. MULTIPLE DX	3247	3.9	15	1	1	2	5	8	11	19
A. NOT OPERATED	286	4.3	14	<1	<1	3	6	10	11	19
B. OPERATED	4905	3.1	11	<1	1	2	3	7	9	17
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	17	3.1	7	1	1	2	4	8	9	9
35-49	740	2.9	8	<1	1	2	3	7	9	14
50-64	3047	2.9	9	<1	1	2	3	7	9	15
65+	1385	3.9	18	1	1	2	4	8	12	20
GRAND TOTAL	**5191**	**3.2**	**11**	**<1**	**1**	**2**	**3**	**7**	**9**	**17**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.2	2	<1	<1	2	3	4	6	7
20-34	176	2.4	3	<1	<1	2	3	4	6	11
35-49	49	3.1	9	<1	<1	2	3	7	10	14
50-64	20	3.8	14	1	1	3	5	8	12	16
65+	20	3.3	15	<1	<1	2	4	6	12	18
B. *Operated*										
0-19 YRS	186	3.3	5	1	1	3	5	6	8	12
20-34	2231	3.0	5	<1	1	2	4	6	7	11
35-49	1548	3.3	8	<1	1	2	4	7	8	14
50-64	957	3.0	8	<1	1	2	3	7	9	14
65+	338	4.2	26	1	1	2	4	9	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	16	<1	1	2	4	5	8	28
20-34	202	3.1	5	<1	1	2	4	7	8	10
35-49	114	4.0	11	<1	1	3	5	9	10	17
50-64	73	4.7	24	1	1	3	6	9	18	23
65+	122	7.3	49	1	2	5	9	14	21	39
B. *Operated*										
0-19 YRS	221	4.2	13	1	1	3	6	8	10	15
20-34	2903	4.6	11	1	1	4	7	8	10	15
35-49	3818	5.4	16	1	1	5	7	9	11	19
50-64	2317	5.6	28	1	1	5	8	10	13	24
65+	996	7.5	56	1	2	5	9	16	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	2.6	5	<1	<1	2	3	5	7	12
B. *Operated*	5260	3.2	8	<1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	576	4.4	22	<1	1	3	5	9	11	23
B. *Operated*	10255	5.4	22	1	1	5	7	10	12	22
1. SINGLE DX	5588	3.1	8	<1	1	2	4	7	8	13
2. MULTIPLE DX	10831	5.3	22	1	1	5	7	10	12	22
A. NOT OPERATED	904	3.7	16	<1	1	3	4	8	10	21
B. OPERATED	15515	4.6	18	1	1	3	7	9	11	20
TOTAL 0-19 YRS	535	3.5	10	<1	1	3	5	7	8	13
20-34	5512	3.8	9	<1	1	3	6	8	9	13
35-49	5529	4.7	14	<1	1	4	7	9	10	17
50-64	3367	4.8	24	1	1	3	7	9	12	22
65+	1476	6.6	50	1	2	4	8	14	20	36
GRAND TOTAL	**16419**	**4.6**	**18**	**1**	**1**	**3**	**7**	**9**	**11**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	396	2.1	2	<1	1	2	3	4	5	7
20-34	512	2.3	20	<1	<1	2	3	4	5	8
35-49	106	3.1	5	<1	1	2	4	7	7	10
50-64	17	2.4	3	<1	<1	2	3	6	7	7
65+	10	4.9	7	1	2	4	7	9	10	10
B. *Operated*										
0-19 YRS	197	2.7	4	<1	1	2	3	6	7	10
20-34	1916	3.4	7	<1	1	2	5	7	8	11
35-49	992	6.5	11	1	2	7	8	10	12	16
50-64	581	8.1	15	2	4	8	9	12	14	20
65+	319	9.0	16	2	5	9	11	14	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	255	2.7	4	<1	1	2	3	5	8	11
20-34	572	3.0	7	<1	<1	2	4	6	9	13
35-49	138	3.7	8	<1	1	3	5	8	9	12
50-64	55	4.3	15	1	1	3	6	9	11	21
65+	75	6.1	33	<1	2	4	7	13	21	25
B. *Operated*										
0-19 YRS	216	3.7	10	1	1	3	5	7	10	15
20-34	3977	5.0	11	1	1	5	7	9	10	16
35-49	2355	7.3	14	2	2	7	9	11	14	21
50-64	1060	9.3	33	3	5	8	11	14	18	29
65+	574	11.2	44	2	5	10	14	20	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	2.3	11	<1	<1	2	3	4	6	8
B. *Operated*	4005	5.3	14	1	1	5	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	1095	3.3	9	<1	1	2	4	7	9	14
B. *Operated*	8182	6.6	21	1	2	6	8	11	14	22
1. SINGLE DX	5046	4.7	15	<1	1	4	7	9	11	16
2. MULTIPLE DX	9277	6.2	21	1	1	6	8	11	14	21
A. NOT OPERATED	2136	2.8	10	<1	<1	2	3	6	8	12
B. OPERATED	12187	6.2	19	1	1	6	8	11	13	21
TOTAL 0-19 YRS	1064	2.7	5	<1	1	2	3	6	7	11
20-34	6977	4.2	11	<1	1	3	6	8	9	14
35-49	3591	6.8	14	1	2	7	9	11	13	18
50-64	1713	8.6	28	2	4	8	10	13	17	25
65+	978	10.0	36	2	3	9	12	17	21	32
GRAND TOTAL	**14323**	**5.7**	**19**	**1**	**1**	**6**	**8**	**10**	**13**	**20**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	7	1	1	2	2	7	8	8
20-34	43	2.1	3	<1	<1	1	3	5	6	7
35-49	5	2.0	3	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	149	5.1	2	3	3	5	6	7	7	9
20-34	2175	5.3	3	3	4	5	6	7	8	11
35-49	168	5.7	4	3	4	5	7	8	10	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	23	2.7	3	1	1	2	4	5	6	7
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	118	5.8	5	3	3	5	7	8	10	14
20-34	1644	5.9	5	3	4	6	7	8	10	13
35-49	235	6.4	5	4	4	6	7	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.2	3	<1	1	1	3	5	6	8
B. *Operated*	2492	5.3	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	27	2.8	3	1	1	3	4	5	6	7
B. *Operated*	1997	6.0	5	3	4	6	7	8	10	14
1. SINGLE DX	2546	5.3	3	3	3	5	6	7	8	11
2. MULTIPLE DX	2024	5.9	5	3	4	6	7	8	10	14
A. NOT OPERATED	81	2.4	3	<1	1	2	4	5	6	8
B. OPERATED	4489	5.6	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	275	5.3	4	2	3	5	6	7	8	12
20-34	3885	5.5	4	3	4	5	6	7	9	13
35-49	410	6.1	5	3	4	6	7	8	10	13
50-64										
65+										
GRAND TOTAL	**4570**	**5.6**	**4**	**3**	**4**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.3		<1	<1	1	2	2	2	3
20-34	67	1.8	6	<1	1	1	2	2	4	18
35-49	11	1.5		1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1356	1.4		<1	<1	1	2	2	2	3
20-34	1931	1.4	1	<1	<1	1	2	2	3	5
35-49	155	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	5	1	1	2	4	7	7	7
20-34	28	2.2	1	<1	1	2	3	4	4	5
35-49	7	3.9	30	1	1	2	4	14	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	247	2.5	6	1	1	2	3	5	7	11
20-34	837	2.9	7	<1	1	2	3	6	8	14
35-49	185	3.0	11	<1	<1	2	3	6	8	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	1.6	4	<1	1	1	2	2	3	12
B. *Operated*	3442	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	48	2.6	6	1	1	2	3	5	7	16
B. *Operated*	1269	2.8	8	<1	1	2	3	6	8	14
1. SINGLE DX	3559	1.4	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	1317	2.8	7	<1	1	2	3	6	8	14
A. NOT OPERATED	165	1.9	5	<1	1	1	2	3	4	15
B. OPERATED	4711	1.8	3	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	1655	1.6	1	<1	<1	1	2	2	3	6
20-34	2863	1.9	4	<1	<1	1	2	3	5	10
35-49	358	2.3	7	<1	<1	1	2	4	6	16
50-64										
65+										
GRAND TOTAL	**4876**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	3	4.0	3	3	3	3	5	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	5	2.8	6	1	1	2	3	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	4.0	6	1	1	3	6	7	7	7
1. SINGLE DX	6	3.0	5	1	1	2	4	7	7	7
2. MULTIPLE DX	5	4.0	6	1	1	3	6	7	7	7
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	10	3.4	6	1	1	3	6	7	7	7
TOTAL 0-19 YRS	4	2.8	8	1	1	2	4	7	7	7
20-34	6	3.3	2	2	2	3	4	6	6	6
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
GRAND TOTAL	**11**	**3.5**	**5**	**1**	**1**	**3**	**5**	**7**	**7**	**7**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	1.8	1	<1	<1	1	2	3	4	6
20-34	1320	1.7	2	<1	<1	1	2	3	4	6
35-49	98	1.6	2	<1	<1	1	2	3	4	9
50-64										
65+										
B. *Operated*										
0-19 YRS	2594	1.7	1	<1	<1	1	2	3	4	6
20-34	13739	1.6	1	<1	<1	1	2	3	4	6
35-49	1498	1.6	1	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.0	6	1	1	2	4	6	7	15
20-34	265	2.6	6	<1	1	2	3	5	6	13
35-49	21	2.5	3	<1	<1	2	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	371	2.5	4	<1	1	2	3	5	6	10
20-34	2176	2.6	7	<1	1	2	3	5	7	12
35-49	391	2.8	7	<1	1	2	3	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1774	1.7	2	<1	<1	1	2	3	4	6
B. *Operated*	17831	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	350	2.6	6	<1	1	2	3	5	7	13
B. *Operated*	2938	2.6	6	<1	1	2	3	5	7	12
1. SINGLE DX	19605	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	3288	2.6	6	<1	1	2	3	5	7	13
A. NOT OPERATED	2124	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	20769	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	3385	1.8	2	<1	<1	1	2	3	4	7
20-34	17500	1.7	2	<1	<1	1	2	3	4	7
35-49	2008	1.8	3	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**22893**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	2	<1	1	3	4	4	5	8
20-34	299	2.5	4	<1	1	2	3	5	6	9
35-49	30	1.8	1	<1	<1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	266	2.2	3	<1	1	2	2	5	6	8
20-34	2065	1.8	4	<1	<1	1	2	3	4	8
35-49	212	1.8	1	<1	<1	2	2	3	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	7	1	1	3	5	8	10	10
20-34	111	3.1	12	1	1	3	4	5	7	21
35-49	17	3.4	9	1	1	2	4	5	11	14
50-64										
65+										
B. *Operated*										
0-19 YRS	82	4.2	20	1	1	3	5	8	12	28
20-34	526	3.0	8	<1	1	2	4	6	8	15
35-49	98	3.8	12	1	1	2	5	9	12	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	2543	1.9	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	159	3.2	11	1	1	3	4	6	8	15
B. *Operated*	706	3.3	10	1	1	2	4	7	9	17
1. SINGLE DX	2946	2.0	4	<1	<1	2	2	3	5	8
2. MULTIPLE DX	865	3.2	10	1	1	2	4	7	9	17
A. NOT OPERATED	562	2.7	6	<1	1	2	3	5	7	10
B. OPERATED	3249	2.2	6	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	453	2.7	7	<1	1	2	3	5	7	11
20-34	3001	2.2	5	<1	1	2	2	4	5	9
35-49	357	2.4	5	<1	1	2	2	5	7	14
50-64										
65+										
GRAND TOTAL	**3811**	**2.2**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	2.4	2	<1	1	2	3	4	5	8
20-34	2560	2.6	4	<1	1	2	3	5	6	9
35-49	164	2.4	3	<1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	8	2.0	1	<1	<1	2	3	3	3	3
20-34	54	2.6	3	1	1	2	4	5	5	9
35-49	3	4.7	4	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	3.4	5	1	1	3	4	7	7	11
20-34	546	3.6	6	1	1	3	5	7	8	12
35-49	35	3.9	3	1	2	3	5	7	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	2	1	1	2	3	5	5	5
20-34	38	3.5	6	1	1	3	5	7	9	11
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3184	2.5	4	<1	1	2	3	5	6	9
B. *Operated*	65	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	695	3.6	6	1	1	3	5	7	8	12
B. *Operated*	47	3.4	5	1	1	3	5	6	8	11
1. SINGLE DX	3249	2.5	4	<1	1	2	3	5	6	9
2. MULTIPLE DX	742	3.6	6	1	1	3	5	7	8	11
A. NOT OPERATED	3879	2.7	5	<1	1	2	3	5	6	9
B. OPERATED	112	2.9	4	1	1	2	4	5	7	10
TOTAL 0-19 YRS	588	2.6	3	<1	1	2	3	5	6	8
20-34	3198	2.8	5	<1	1	2	3	5	6	10
35-49	205	2.7	3	1	1	2	3	5	6	9
50-64										
65+										
GRAND TOTAL	**3991**	**2.7**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.8	1	<1	<1	1	2	3	4	6
20-34	148	2.3	2	<1	<1	2	3	4	5	9
35-49	7	2.6	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	3	<1	<1	3	4	5	5	5
20-34	36	2.7	5	<1	1	2	3	4	5	14
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.2	2	<1	<1	2	3	4	5	9
B. *Operated*	5	1.6	2	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	45	2.7	5	<1	1	2	4	4	5	14
B. *Operated*	2	6.5	5	5	5	6	8	8	8	8
1. SINGLE DX	191	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX	47	2.9	5	<1	1	2	4	5	6	14
A. NOT OPERATED	231	2.3	3	<1	<1	2	3	4	5	9
B. OPERATED	7	3.0	8	1	1	1	5	7	8	8
TOTAL 0-19 YRS	42	2.0	2	<1	<1	1	3	4	5	6
20-34	188	2.4	3	<1	1	2	3	4	5	10
35-49	8	2.4	3	1	1	2	4	5	5	5
50-64										
65+										
GRAND TOTAL	**238**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	349	3.5	5	1	1	3	4	6	8	13
20-34	1826	3.5	5	1	2	3	4	6	8	13
35-49	149	4.0	8	1	1	3	5	7	10	16
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.8	7	1	1	3	6	8	9	10
20-34	212	4.1	9	1	1	3	6	8	10	15
35-49	20	5.0	21	1	1	3	6	11	16	20
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	6	1	1	3	4	7	10	12
20-34	519	3.9	8	1	1	3	5	8	9	15
35-49	53	4.5	9	1	2	4	5	9	11	15
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.5	42	<1	<1	2	5	13	22	23
20-34	143	4.5	17	<1	<1	3	6	10	13	20
35-49	7	3.6	8	<1	<1	4	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2324	3.5	5	1	1	3	4	6	8	13
B. *Operated*	262	4.1	9	1	1	3	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	666	3.9	8	1	1	3	5	8	9	14
B. *Operated*	161	4.5	18	<1	<1	3	6	9	13	20
1. SINGLE DX	2586	3.6	6	1	1	3	4	7	8	14
2. MULTIPLE DX	827	4.0	10	<1	1	3	5	8	10	17
A. NOT OPERATED	2990	3.6	6	1	1	3	4	7	8	14
B. OPERATED	423	4.2	12	<1	1	3	6	8	11	19
TOTAL 0-19 YRS	484	3.6	6	1	1	3	4	7	8	13
20-34	2700	3.6	7	1	1	3	4	7	8	14
35-49	229	4.2	9	1	1	3	5	8	11	16
50-64										
65+										
GRAND TOTAL	**3413**	**3.7**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	449	3.4	3	1	2	3	4	6	7	9
20-34	2066	4.0	5	1	2	3	5	7	8	12
35-49	48	5.1	7	2	3	4	7	8	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	10	3.1	7	<1	<1	2	4	7	10	10
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.8	6	1	1	3	5	6	8	13
20-34	749	4.1	10	1	2	3	5	7	9	15
35-49	24	5.5	17	1	2	4	7	13	14	15
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.8	11	1	1	5	8	9	9	9
20-34	21	7.2	30	2	2	6	10	16	19	22
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2563	3.9	5	1	2	3	5	7	8	12
B. *Operated*	13	4.2	18	<1	1	3	4	11	15	16
2. MULTIPLE DX										
A. *Not Operated*	982	4.1	9	1	2	3	5	7	9	15
B. *Operated*	27	6.7	27	1	2	6	9	14	18	22
1. SINGLE DX	2576	3.9	5	1	2	3	5	7	8	12
2. MULTIPLE DX	1009	4.2	10	1	2	3	5	7	10	15
A. NOT OPERATED	3545	3.9	6	1	2	3	5	7	8	13
B. OPERATED	40	5.9	25	1	1	4	8	13	16	22
TOTAL 0-19 YRS	666	3.6	4	1	2	3	4	6	7	10
20-34	2846	4.0	7	1	2	3	5	7	9	13
35-49	73	5.3	12	2	2	4	7	10	14	16
50-64										
65+										
GRAND TOTAL	**3585**	**4.0**	**6**	**1**	**2**	**3**	**5**	**7**	**9**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2896	1.1		<1	<1	<1	1	1	2	4
20-34	10640	1.2	1	<1	<1	<1	1	1	2	4
35-49	438	1.2	1	<1	<1	<1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	247	1.2		<1	<1	<1	1	1	2	4
20-34	1004	1.3	4	<1	<1	1	1	2	3	5
35-49	42	1.4	1	<1	<1	1	1	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	1.6	1	<1	<1	1	2	3	4	6
20-34	901	1.8	4	<1	<1	1	2	4	5	12
35-49	43	1.5	1	<1	<1	1	1	3	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	35	2.0	4	<1	<1	1	2	4	7	11
20-34	144	2.4	15	<1	<1	1	2	5	7	22
35-49	6	1.5	1	1	1	1	2	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13974	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	1293	1.3	3	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	1158	1.8	4	<1	<1	1	2	3	5	11
B. *Operated*	185	2.3	13	<1	<1	1	2	4	7	20
1. SINGLE DX	15267	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	1343	1.8	5	<1	<1	1	2	4	5	12
A. NOT OPERATED	15132	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	1478	1.4	5	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	3392	1.2		<1	<1	1	1	1	2	5
20-34	12689	1.2	1	<1	<1	<1	1	2	2	5
35-49	529	1.2	1	<1	<1	<1	1	1	2	5
50-64										
65+										
GRAND TOTAL	**16610**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.2	6	<1	1	2	4	7	9	11
20-34	761	3.5	11	<1	1	3	4	6	10	17
35-49	48	3.0	5	<1	1	3	4	6	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	23	1	1	3	5	13	14	14
20-34	83	4.5	32	1	1	3	5	9	12	36
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.1	13	<1	1	3	5	6	11	19
20-34	197	4.5	21	1	1	3	5	9	11	26
35-49	10	2.8	2	1	1	3	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.5	113	1	1	8	16	16	16	16
20-34	27	4.2	20	1	1	3	5	7	10	24
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	872	3.4	10	<1	1	3	4	6	10	17
B. *Operated*	91	4.4	31	1	1	3	5	9	12	35
2. MULTIPLE DX										
A. *Not Operated*	233	4.4	19	1	1	3	5	8	11	24
B. *Operated*	30	4.5	23	1	1	3	5	7	16	24
1. SINGLE DX	963	3.5	12	<1	1	3	4	7	10	17
2. MULTIPLE DX	263	4.4	19	1	1	3	5	8	11	24
A. NOT OPERATED	1105	3.6	12	<1	1	3	4	7	10	17
B. OPERATED	121	4.5	29	1	1	3	5	9	13	29
TOTAL 0-19 YRS	97	3.7	10	<1	1	3	4	7	10	18
20-34	1068	3.8	15	<1	1	3	4	7	10	19
35-49	61	3.0	4	<1	1	3	4	5	7	12
50-64										
65+										
GRAND TOTAL	**1226**	**3.7**	**14**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	211	2.2	4	<1	<1	2	3	4	6	11
20-34	934	2.2	3	<1	<1	2	3	4	5	10
35-49	45	1.8	4	<1	<1	1	2	3	4	14
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.4	4	<1	<1	2	3	6	7	7
20-34	99	2.4	9	<1	<1	2	3	5	6	19
35-49	7	3.4	9	<1	<1	3	3	9	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.5	19	<1	<1	2	4	7	10	28
20-34	254	3.0	6	<1	1	2	4	6	8	13
35-49	10	3.2	4	<1	<1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	5.1	10	<1	1	4	7	10	11	11
20-34	44	3.6	15	<1	1	2	5	8	11	21
35-49	3	4.3	24	<1	<1	2	8	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1190	2.2	3	<1	<1	2	3	4	5	10
B. *Operated*	119	2.5	9	<1	<1	2	3	5	6	16
2. MULTIPLE DX										
A. *Not Operated*	338	3.1	9	<1	1	2	4	6	9	14
B. *Operated*	55	3.9	15	<1	1	3	5	9	11	21
1. SINGLE DX	1309	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	393	3.2	10	<1	1	2	4	7	9	14
A. NOT OPERATED	1528	2.4	5	<1	<1	2	3	5	6	11
B. OPERATED	174	2.9	11	<1	<1	2	4	6	9	19
TOTAL 0-19 YRS	306	2.6	8	<1	<1	2	3	5	7	13
20-34	1331	2.4	5	<1	<1	2	3	5	6	11
35-49	65	2.3	6	<1	<1	1	3	4	7	13
50-64										
65+										
GRAND TOTAL	1702	2.4	5	<1	<1	2	3	5	6	11

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	3.2	7	<1	<1	3	4	6	7	13
20-34	901	3.0	4	<1	<1	3	4	5	6	9
35-49	21	2.5	3	<1	1	2	3	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	19	2.8	12	<1	<1	2	2	8	12	14
20-34	55	4.0	10	<1	<1	3	6	9	12	12
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	417	3.4	5	<1	<1	3	5	6	7	9
20-34	968	3.7	6	<1	1	3	5	6	8	10
35-49	28	4.2	7	<1	1	4	6	8	10	12
50-64										
65+										
B. *Operated*										
0-19 YRS	31	4.7	6	<1	1	5	7	8	8	8
20-34	82	5.0	22	1	1	3	6	10	15	25
35-49	3	4.3	12	1	1	4	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	3.1	5	<1	<1	3	4	5	6	10
B. *Operated*	76	3.6	10	<1	<1	2	5	9	12	14
2. MULTIPLE DX										
A. *Not Operated*	1413	3.6	6	<1	1	3	5	6	7	10
B. *Operated*	116	4.9	17	1	1	4	6	9	13	24
1. SINGLE DX	1383	3.1	5	<1	<1	3	4	6	7	11
2. MULTIPLE DX	1529	3.7	7	<1	1	3	5	7	8	11
A. NOT OPERATED	2720	3.4	5	<1	1	3	4	6	7	10
B. OPERATED	192	4.4	15	<1	1	3	6	9	12	19
TOTAL 0-19 YRS	852	3.4	6	<1	<1	3	5	6	7	11
20-34	2006	3.5	6	<1	1	3	4	6	7	11
35-49	54	3.5	6	<1	1	3	5	7	9	12
50-64										
65+										
GRAND TOTAL	2912	3.4	6	<1	1	3	4	6	7	11

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	3.4	9	<1	1	3	4	6	8	17
20-34	755	4.2	14	<1	1	3	5	8	10	19
35-49	75	4.3	10	<1	1	4	5	9	12	14
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.1	4	<1	1	3	4	7	7	7
20-34	65	3.6	15	<1	<1	2	5	7	9	22
35-49	9	4.7	9	2	2	3	6	10	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.8	13	<1	<1	3	5	9	12	16
20-34	2062	4.2	15	<1	1	3	5	8	11	17
35-49	192	5.1	27	<1	1	4	6	10	13	27
50-64										
65+										
B. *Operated*										
0-19 YRS	49	4.1	13	<1	<1	3	5	9	11	18
20-34	277	5.6	41	<1	<1	4	7	12	17	32
35-49	19	5.9	35	<1	1	4	7	13	20	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	942	4.2	13	<1	1	3	5	8	10	16
B. *Operated*	90	3.6	12	<1	<1	3	5	7	8	21
2. MULTIPLE DX										
A. *Not Operated*	2630	4.2	16	<1	1	3	5	9	11	17
B. *Operated*	345	5.4	37	<1	<1	4	7	12	16	26
1. SINGLE DX	1032	4.1	13	<1	1	3	5	8	10	17
2. MULTIPLE DX	2975	4.3	18	<1	1	3	5	9	12	18
A. NOT OPERATED	3572	4.2	15	<1	1	3	5	8	11	17
B. OPERATED	435	5.1	32	<1	<1	3	7	11	16	25
TOTAL 0-19 YRS	553	3.7	12	<1	<1	3	5	8	11	16
20-34	3159	4.3	17	<1	1	3	5	9	11	19
35-49	295	5.0	22	<1	1	4	6	10	12	23
50-64										
65+										
GRAND TOTAL	**4007**	**4.3**	**17**	**<1**	**1**	**3**	**5**	**9**	**11**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1080	2.3	10	<1	<1	1	3	4	6	11
20-34	4399	2.5	9	<1	<1	1	3	5	7	15
35-49	193	2.7	7	<1	<1	2	3	6	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	264	2.7	10	<1	<1	2	3	5	7	17
20-34	2231	2.7	6	<1	<1	2	3	5	6	13
35-49	128	2.8	4	<1	<1	2	4	5	6	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	477	3.2	10	<1	<1	2	4	6	9	15
20-34	1925	3.5	20	<1	<1	2	4	7	9	22
35-49	115	3.4	13	<1	<1	2	4	7	9	22
50-64										
65+										
B. *Operated*										
0-19 YRS	128	3.7	14	<1	<1	2	5	8	14	36
20-34	891	4.0	33	<1	<1	2	5	8	11	33
35-49	56	4.7	25	<1	<1	3	5	10	18	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5672	2.5	9	<1	<1	1	3	5	7	14
B. *Operated*	2623	2.7	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	2517	3.5	17	<1	<1	2	4	7	9	20
B. *Operated*	1075	4.0	30	<1	<1	2	5	8	12	30
1. SINGLE DX	8295	2.6	8	<1	<1	2	3	5	7	14
2. MULTIPLE DX	3592	3.6	21	<1	<1	2	4	7	10	23
A. NOT OPERATED	8189	2.8	12	<1	<1	2	3	5	7	16
B. OPERATED	3698	3.1	14	<1	<1	2	4	6	8	18
TOTAL 0-19 YRS	1949	2.7	10	<1	<1	2	3	5	7	15
20-34	9446	2.9	13	<1	<1	2	3	6	8	17
35-49	492	3.1	10	<1	<1	2	4	6	9	18
50-64										
65+										
GRAND TOTAL	**11887**	**2.9**	**12**	**<1**	**<1**	**2**	**3**	**6**	**8**	**17**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.4	1	2	2	3	4	5	5	7
20-34	406	3.7	4	2	2	3	4	5	6	14
35-49	23	3.7	5	2	2	3	4	7	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	39	5.6	53	2	3	4	5	6	24	38
20-34	209	4.6	7	2	3	4	5	7	9	16
35-49	13	4.3	7	2	2	3	4	8	11	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	3.3	1	2	2	3	4	4	5	7
20-34	931	3.6	3	2	2	3	4	5	6	11
35-49	64	4.7	39	1	2	4	4	6	10	46
50-64										
65+										
B. *Operated*										
0-19 YRS	199	6.1	61	2	3	4	6	11	22	51
20-34	1672	6.3	48	3	3	5	6	10	17	40
35-49	153	6.9	49	2	3	5	7	12	22	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	3.6	3	2	2	3	4	5	6	12
B. *Operated*	261	4.7	14	2	3	4	5	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	1183	3.6	5	2	2	3	4	5	6	11
B. *Operated*	2024	6.4	49	2	3	4	6	10	18	42
1. SINGLE DX	760	4.0	7	2	2	3	4	6	8	16
2. MULTIPLE DX	3207	5.3	35	2	3	4	5	8	12	34
A. NOT OPERATED	1682	3.6	4	2	2	3	4	5	6	11
B. OPERATED	2285	6.2	46	2	3	4	6	10	16	40
TOTAL 0-19 YRS	496	4.6	31	2	2	3	4	6	10	35
20-34	3218	5.1	29	2	3	4	5	8	11	30
35-49	253	5.9	41	2	2	4	6	10	15	38
50-64										
65+										
GRAND TOTAL	**3967**	**5.1**	**30**	**2**	**3**	**4**	**5**	**8**	**11**	**31**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7751	3.0	1	2	2	3	3	4	4	5
20-34	47051	3.1	1	2	2	3	4	4	5	6
35-49	1939	3.2	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1617	3.1	1	2	2	3	4	4	5	6
20-34	11074	3.2	1	2	2	3	4	4	5	6
35-49	502	3.3	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3265	3.1	1	2	2	3	4	4	5	6
20-34	20578	3.2	1	2	2	3	4	4	5	6
35-49	911	3.2	1	1	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1200	3.1	1	2	2	3	4	4	5	7
20-34	13722	3.6	2	2	2	3	4	5	6	7
35-49	1054	3.9	2	2	3	4	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56741	3.1	1	2	2	3	4	4	5	6
B. *Operated*	13193	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	24754	3.2	1	2	2	3	4	4	5	6
B. *Operated*	15976	3.6	1	2	2	3	4	5	6	7
1. SINGLE DX	69934	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX	40730	3.4	1	2	2	3	4	5	5	7
A. NOT OPERATED	81495	3.1	1	2	2	3	4	4	5	6
B. OPERATED	29169	3.4	1	2	2	3	4	5	5	7
TOTAL 0-19 YRS	13833	3.1	1	2	2	3	4	4	5	6
20-34	92425	3.2	1	2	2	3	4	4	5	6
35-49	4406	3.4	1	2	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**110664**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	37	3.1	3	1	1	3	4	6	7	9
35-49	2	18.0	242	7	7	18	29	29	29	29
50-64										
65+										
B. *Operated*										
0-19 YRS	14	9.3	53	2	3	6	13	24	25	25
20-34	176	8.2	61	3	4	6	7	15	25	49
35-49	22	11.5	257	3	4	6	8	27	53	74
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	4	1	1	4	4	7	7	7
20-34	53	4.5	44	1	2	3	4	6	8	49
35-49	6	3.7	1	2	2	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	43	5.8	19	2	3	5	6	7	9	31
20-34	689	8.7	81	3	4	6	8	16	25	53
35-49	95	10.5	142	4	4	7	8	24	39	68
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.8	19	1	1	3	4	6	8	29
B. *Operated*	212	8.6	80	3	4	6	7	16	25	53
2. MULTIPLE DX										
A. *Not Operated*	65	4.4	36	1	2	3	4	6	8	44
B. *Operated*	827	8.7	85	3	4	6	8	16	27	54
1. SINGLE DX	254	7.8	73	2	3	6	7	15	25	51
2. MULTIPLE DX	892	8.4	83	3	3	6	8	15	25	53
A. NOT OPERATED	107	4.1	29	1	2	3	4	6	8	38
B. OPERATED	1039	8.7	84	3	4	6	8	16	26	54
TOTAL 0-19 YRS	66	6.2	26	2	3	5	7	9	16	30
20-34	955	8.1	74	2	3	6	8	15	24	51
35-49	125	10.5	157	3	4	7	8	24	39	74
50-64										
65+										
GRAND TOTAL	**1146**	**8.3**	**81**	**3**	**3**	**6**	**8**	**15**	**25**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.7	1	<1	1	3	3	4	5	5
20-34	250	3.4	11	1	2	3	4	5	5	10
35-49	16	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	4.1	3	1	1	4	5	7	7	8
20-34	258	4.5	8	2	2	4	5	7	7	12
35-49	13	4.3	2	1	2	5	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.1	3	1	1	3	4	5	7	8
20-34	312	3.4	4	1	2	3	4	5	7	13
35-49	15	3.5	2	1	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	171	5.2	8	2	2	5	6	8	10	16
20-34	1038	5.2	11	2	3	5	6	8	9	22
35-49	96	5.9	25	2	3	5	7	9	11	34
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	3.3	9	1	1	3	4	5	5	9
B. *Operated*	318	4.5	7	1	2	4	5	7	7	11
2. MULTIPLE DX										
A. *Not Operated*	384	3.4	4	1	2	3	4	5	7	12
B. *Operated*	1305	5.3	12	2	3	5	6	8	9	22
1. SINGLE DX	619	3.9	9	1	2	3	5	6	7	11
2. MULTIPLE DX	1689	4.8	11	2	2	4	6	7	9	19
A. NOT OPERATED	685	3.4	6	1	2	3	4	5	6	10
B. OPERATED	1623	5.1	11	2	3	5	6	7	9	20
TOTAL 0-19 YRS	310	4.4	7	1	2	4	6	7	8	14
20-34	1856	4.6	10	2	2	4	5	7	8	18
35-49	140	5.2	19	1	2	4	6	8	11	27
50-64										
65+										
GRAND TOTAL	**2308**	**4.6**	**11**	**2**	**2**	**4**	**6**	**7**	**8**	**17**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.8	2	2	2	4	4	6	7	7
20-34	40	3.0	1	<1	1	3	4	4	5	6
35-49	4	2.5		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	92	2.8	1	1	1	3	4	4	5	6
20-34	786	3.1	1	1	2	3	4	4	5	7
35-49	33	3.3	2	1	1	3	4	5	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	2	2	2	4	5	6	6	6
20-34	39	3.3	1	1	2	3	4	5	6	6
35-49	4	4.3	6	1	1	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	84	3.6	3	1	2	3	4	5	7	10
20-34	796	3.7	4	2	2	3	4	5	6	10
35-49	54	4.1	4	2	2	4	4	6	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.1	1	1	2	3	4	4	5	7
B. *Operated*	911	3.1	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	53	3.5	2	1	2	3	4	5	6	6
B. *Operated*	934	3.7	4	2	2	3	4	5	7	10
1. SINGLE DX	966	3.1	1	1	2	3	4	4	5	7
2. MULTIPLE DX	987	3.7	4	2	2	3	4	5	6	10
A. NOT OPERATED	108	3.3	2	1	2	3	4	5	6	7
B. OPERATED	1845	3.4	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	197	3.3	2	1	2	3	4	5	6	9
20-34	1661	3.4	3	1	2	3	4	5	6	8
35-49	95	3.7	3	1	2	4	4	6	7	11
50-64										
65+										
GRAND TOTAL	**1953**	**3.4**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.0	1	<1	1	3	4	4	5	6
20-34	228	3.4	2	2	2	3	4	5	6	9
35-49	10	3.5	1	1	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.4	2	1	1	3	4	5	6	6
20-34	156	3.5	5	1	2	3	4	5	6	9
35-49	7	3.0	1	1	1	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	3.6	1	2	3	3	4	5	6	9
20-34	250	3.5	1	2	2	3	4	5	5	7
35-49	7	4.6	6	1	1	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	63	3.7	2	2	2	4	4	5	6	8
20-34	356	3.6	2	2	2	3	4	5	6	8
35-49	16	3.9	3	1	2	4	5	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.4	2	1	2	3	4	5	6	8
B. *Operated*	195	3.5	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	313	3.5	1	2	2	3	4	5	5	8
B. *Operated*	435	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	472	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	748	3.6	2	2	2	3	4	5	6	8
A. NOT OPERATED	590	3.4	2	2	2	3	4	5	5	8
B. OPERATED	630	3.6	3	2	2	3	4	5	6	8
TOTAL 0-19 YRS	190	3.5	2	2	2	3	4	5	6	7
20-34	990	3.5	2	2	2	3	4	5	6	8
35-49	40	3.8	3	1	2	4	5	6	7	8
50-64										
65+										
GRAND TOTAL	**1220**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	2	2	2	4	4	6	8	8
20-34	140	4.0	3	2	2	4	5	6	7	9
35-49	4	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.6	2	3	3	4	6	7	7	7
20-34	108	5.6	38	3	3	5	6	8	8	36
35-49	6	4.7	1	3	3	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.2	20	1	2	3	6	12	16	19
20-34	239	4.3	5	2	2	4	5	6	7	13
35-49	15	3.6	2	2	2	3	4	5	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	83	6.1	20	3	3	5	7	9	14	29
20-34	1165	6.5	32	3	3	5	7	9	12	33
35-49	86	6.4	10	3	3	6	8	11	14	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	4.1	2	2	2	4	5	6	7	9
B. *Operated*	125	5.4	33	3	3	5	6	7	8	27
2. MULTIPLE DX										
A. *Not Operated*	277	4.3	6	2	2	4	5	6	8	17
B. *Operated*	1334	6.4	30	3	3	5	7	9	13	32
1. SINGLE DX	280	4.7	17	2	3	4	5	7	8	11
2. MULTIPLE DX	1611	6.1	26	2	3	5	7	9	12	31
A. NOT OPERATED	432	4.2	5	2	2	4	5	6	7	13
B. OPERATED	1459	6.4	30	3	3	5	7	9	12	32
TOTAL 0-19 YRS	128	5.6	17	2	3	5	6	9	13	26
20-34	1652	5.9	27	2	3	5	6	8	11	30
35-49	111	5.9	9	2	3	5	7	10	12	18
50-64										
65+										
GRAND TOTAL	**1891**	**5.9**	**25**	**2**	**3**	**5**	**6**	**8**	**11**	**30**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	1	1	2	3	4	4	4	4
20-34	258	3.1	1	1	2	3	4	4	5	6
35-49	20	2.9	2	<1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	282	4.9	2	2	3	5	6	6	7	9
20-34	1936	5.1	3	3	3	5	6	7	7	9
35-49	70	5.4	2	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	2	1	1	3	4	5	6	6
20-34	271	3.3	3	1	2	3	4	5	6	8
35-49	17	5.4	60	1	2	4	5	5	25	35
50-64										
65+										
B. *Operated*										
0-19 YRS	478	5.6	8	2	3	5	6	8	10	13
20-34	3741	5.5	7	3	3	5	6	7	9	14
35-49	278	6.0	15	3	3	6	7	8	10	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.1	1	1	2	3	4	4	5	6
B. *Operated*	2288	5.1	3	3	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	320	3.4	6	1	2	3	4	5	6	8
B. *Operated*	4497	5.6	8	3	3	5	6	8	9	15
1. SINGLE DX	2592	4.8	3	2	3	5	6	7	7	9
2. MULTIPLE DX	4817	5.4	8	2	3	5	6	7	9	14
A. NOT OPERATED	624	3.2	4	1	2	3	4	5	5	7
B. OPERATED	6785	5.4	6	3	3	5	6	7	8	12
TOTAL 0-19 YRS	818	5.2	6	2	3	5	6	7	9	11
20-34	6206	5.2	6	2	3	5	6	7	8	12
35-49	385	5.7	15	2	3	5	7	8	10	19
50-64										
65+										
GRAND TOTAL	**7409**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.1	1	2	2	3	3	4	5	5
20-34	481	3.3	1	2	2	3	4	4	5	6
35-49	20	3.3	2	1	2	3	4	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	204	4.2	2	2	3	4	5	6	6	8
20-34	1269	4.4	2	2	3	4	5	6	7	8
35-49	70	4.5	3	2	3	5	6	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.1	1	2	2	3	4	4	5	7
20-34	550	3.4	1	2	2	3	4	5	5	7
35-49	32	3.5	1	1	2	4	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	660	4.8	4	2	3	4	6	7	8	12
20-34	4869	4.9	5	3	3	5	6	7	8	11
35-49	328	5.5	8	3	3	5	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	3.3	1	2	2	3	4	4	5	6
B. *Operated*	1543	4.4	2	2	3	4	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	660	3.4	1	2	2	3	4	5	5	7
B. *Operated*	5857	4.9	5	3	3	5	6	7	8	12
1. SINGLE DX	2102	4.1	2	2	2	4	5	6	7	8
2. MULTIPLE DX	6517	4.8	5	2	3	5	6	7	8	11
A. NOT OPERATED	1219	3.3	1	2	2	3	4	5	5	7
B. OPERATED	7400	4.8	4	2	3	5	6	7	8	11
TOTAL 0-19 YRS	1000	4.4	3	2	3	4	5	7	8	11
20-34	7169	4.6	4	2	3	4	6	7	8	11
35-49	450	5.1	7	2	3	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**8619**	**4.6**	**4**	**2**	**3**	**4**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	7	3	3	4	5	9	11	11
20-34	48	3.5	1	2	3	3	4	5	6	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	420	5.9	2	4	4	6	7	8	9	11
20-34	1951	5.8	2	4	4	6	6	7	8	9
35-49	76	6.2	7	3	4	6	7	8	8	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.5	92	3	3	4	4	25	27	27
20-34	53	3.8	2	2	2	3	5	6	7	8
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1432	6.3	6	4	4	6	7	9	10	14
20-34	6508	6.0	3	4	4	6	7	8	9	13
35-49	309	6.2	3	4	5	6	7	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.7	2	2	2	3	4	5	6	11
B. *Operated*	2447	5.8	3	4	4	6	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	63	4.1	10	2	2	3	5	6	7	25
B. *Operated*	8249	6.1	4	4	4	6	7	8	9	13
1. SINGLE DX	2509	5.8	3	4	4	6	6	7	8	10
2. MULTIPLE DX	8312	6.1	4	4	4	6	7	8	9	13
A. NOT OPERATED	125	3.9	6	2	3	3	4	5	7	15
B. OPERATED	10696	6.0	4	4	4	6	7	8	9	13
TOTAL 0-19 YRS	1868	6.2	6	4	4	6	7	8	10	13
20-34	8560	5.9	3	4	4	6	7	8	8	12
35-49	393	6.2	4	4	4	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**10821**	**6.0**	**4**	**4**	**4**	**6**	**7**	**8**	**9**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.5	1	2	2	3	4	5	5	7
20-34	643	3.5	1	2	2	3	4	5	5	6
35-49	29	3.3	1	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	188	4.3	2	3	3	4	5	6	7	8
20-34	1069	4.5	3	3	3	4	5	7	7	9
35-49	51	4.6	3	2	2	4	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	3.6	1	2	2	4	4	5	6	7
20-34	762	3.5	2	2	2	3	4	5	5	7
35-49	31	3.8	2	2	2	4	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	620	4.8	4	2	3	4	6	7	8	13
20-34	3727	4.8	4	3	3	5	6	7	8	11
35-49	212	5.2	3	3	3	5	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	785	3.5	1	2	2	3	4	5	5	6
B. *Operated*	1308	4.5	3	2	3	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	935	3.5	2	2	2	3	4	5	5	7
B. *Operated*	4559	4.8	4	3	3	5	6	7	8	11
1. SINGLE DX	2093	4.1	2	2	3	4	5	6	7	8
2. MULTIPLE DX	5494	4.6	3	2	3	4	6	7	8	11
A. NOT OPERATED	1720	3.5	1	2	2	3	4	5	5	7
B. OPERATED	5867	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	1063	4.4	3	2	3	4	5	7	8	11
20-34	6201	4.5	3	2	3	4	5	7	7	10
35-49	323	4.8	3	2	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**7587**	**4.5**	**3**	**2**	**3**	**4**	**5**	**7**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.1	1	1	2	3	4	4	4	4
20-34	119	3.3	1	2	2	3	4	4	5	8
35-49	5	2.6	1	<1	<1	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.3	3	2	3	4	5	6	7	10
20-34	385	4.8	3	2	3	5	6	7	8	9
35-49	33	4.4	3	2	2	4	5	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	3	1	1	3	4	5	6	6
20-34	134	3.8	5	2	2	3	4	6	6	12
35-49	10	2.8	2	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	168	5.8	13	3	3	5	7	8	10	28
20-34	1578	5.9	15	3	3	6	7	8	9	22
35-49	132	7.1	54	3	4	6	7	9	11	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	3.3	1	1	2	3	4	4	5	8
B. *Operated*	468	4.7	3	2	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	158	3.6	4	1	2	3	4	6	6	10
B. *Operated*	1878	6.0	18	3	3	6	7	8	9	25
1. SINGLE DX	607	4.4	3	2	2	4	6	7	7	9
2. MULTIPLE DX	2036	5.8	17	2	3	5	7	8	9	24
A. NOT OPERATED	297	3.5	3	1	2	3	4	5	6	8
B. OPERATED	2346	5.7	15	2	3	5	7	8	9	21
TOTAL 0-19 YRS	247	5.2	10	2	3	5	6	7	9	22
20-34	2216	5.4	12	2	3	5	6	8	9	17
35-49	180	6.2	42	2	3	5	7	8	10	39
50-64										
65+										
GRAND TOTAL	**2643**	**5.5**	**14**	**2**	**3**	**5**	**6**	**8**	**9**	**18**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	70	3.3	2	1	2	3	4	5	7	8
35-49	4	3.3		3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	417	5.6	1	4	4	6	6	7	8	9
20-34	7153	5.9	2	4	4	6	7	7	8	9
35-49	374	6.1	1	4	5	6	7	8	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	2	2	3	5	7	7	7
20-34	56	4.1	3	2	2	4	5	7	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	533	5.9	7	4	4	6	6	8	9	12
20-34	12221	6.2	6	4	5	6	7	8	9	14
35-49	882	6.7	7	4	5	6	7	8	9	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.3	2	1	2	3	4	5	7	8
B. *Operated*	7944	5.9	2	4	4	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	62	4.1	3	2	2	4	5	7	8	8
B. *Operated*	13636	6.2	6	4	5	6	7	8	9	14
1. SINGLE DX	8023	5.8	2	4	4	6	7	7	8	9
2. MULTIPLE DX	13698	6.2	6	4	4	6	7	8	9	14
A. NOT OPERATED	141	3.6	3	1	2	3	4	6	7	8
B. OPERATED	21580	6.1	5	4	4	6	7	8	8	12
TOTAL 0-19 YRS	960	5.8	5	4	4	6	6	7	8	11
20-34	19500	6.1	5	4	4	6	7	8	8	12
35-49	1261	6.5	5	4	5	6	7	8	9	16
50-64										
65+										
GRAND TOTAL	**21721**	**6.1**	**5**	**4**	**4**	**6**	**7**	**8**	**8**	**12**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	3.3	1	2	2	3	4	5	6	7
20-34	1118	3.6	2	2	2	3	4	5	6	7
35-49	59	3.8	2	2	2	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	207	3.7	2	2	2	3	4	6	6	8
20-34	1275	3.8	2	2	2	4	4	5	6	8
35-49	74	3.9	2	2	2	4	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.7	3	2	2	4	4	5	6	10
20-34	1343	3.8	4	2	2	4	4	6	7	11
35-49	88	3.9	3	2	2	4	5	6	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	751	4.6	5	2	3	4	6	7	8	13
20-34	4988	4.8	7	2	3	4	6	7	8	13
35-49	377	5.2	9	2	3	5	6	7	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1344	3.6	2	2	2	3	4	5	6	7
B. *Operated*	1556	3.8	2	2	2	4	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1634	3.8	4	2	2	4	4	6	7	11
B. *Operated*	6116	4.8	7	2	3	4	6	7	8	13
1. SINGLE DX	2900	3.7	2	2	2	3	4	5	6	8
2. MULTIPLE DX	7750	4.6	6	2	3	4	5	7	8	13
A. NOT OPERATED	2978	3.7	3	2	2	3	4	5	6	9
B. OPERATED	7672	4.6	6	2	3	4	5	7	8	13
TOTAL 0-19 YRS	1328	4.2	4	2	2	4	5	6	7	12
20-34	8724	4.3	5	2	3	4	5	6	7	12
35-49	598	4.7	7	2	3	4	6	7	9	13
50-64										
65+										
GRAND TOTAL	**10650**	**4.3**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	787	3.1	1	2	2	3	4	4	5	6
20-34	5780	3.2	1	2	2	3	4	4	5	6
35-49	243	3.2	1	1	2	3	4	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	403	3.2	1	2	2	3	4	4	5	6
20-34	3024	3.3	1	2	2	3	4	4	5	6
35-49	129	3.5	2	2	2	3	4	5	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	574	3.2	3	2	2	3	4	4	5	7
20-34	4048	3.2	1	2	2	3	4	4	5	6
35-49	197	3.2	1	1	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	805	3.5	2	2	2	3	4	5	6	9
20-34	6132	3.6	2	2	2	3	4	5	6	8
35-49	430	3.9	2	2	2	4	5	6	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6810	3.2	1	2	2	3	4	4	5	6
B. *Operated*	3556	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	4819	3.2	1	2	2	3	4	4	5	7
B. *Operated*	7367	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	10366	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	12186	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	11629	3.2	1	2	2	3	4	4	5	6
B. OPERATED	10923	3.5	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	2569	3.3	2	2	2	3	4	4	5	7
20-34	18984	3.4	2	2	2	3	4	5	5	7
35-49	999	3.5	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**22552**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.9	1	1	2	3	3	4	4	6
20-34	815	3.0	1	1	2	3	4	4	5	6
35-49	31	3.1	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1077	2.9	1	1	2	3	3	4	4	6
20-34	8139	3.0	1	1	2	3	4	4	5	6
35-49	533	3.1	1	1	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	3.0	1	1	2	3	4	4	4	6
20-34	800	3.2	2	1	2	3	4	4	5	7
35-49	46	3.1	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1047	3.3	3	2	2	3	4	4	5	8
20-34	9111	3.3	2	2	2	3	4	5	5	7
35-49	696	3.6	5	2	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	948	3.0	1	1	2	3	4	4	5	6
B. *Operated*	9749	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	968	3.2	2	1	2	3	4	4	5	7
B. *Operated*	10854	3.3	2	2	2	3	4	5	5	7
1. SINGLE DX	10697	3.0	1	1	2	3	4	4	5	6
2. MULTIPLE DX	11822	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	1916	3.1	2	1	2	3	4	4	5	7
B. OPERATED	20603	3.2	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2348	3.1	2	2	2	3	4	4	5	7
20-34	18865	3.2	1	2	2	3	4	4	5	7
35-49	1306	3.4	3	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**22519**	**3.2**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.2	1	1	2	3	4	4	5	7
20-34	417	3.3	3	2	2	3	4	4	5	6
35-49	9	3.2	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1177	3.3	1	2	2	3	4	4	5	6
20-34	4958	3.4	1	2	2	3	4	5	5	6
35-49	125	3.6	2	2	2	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.3	2	2	2	3	4	5	6	7
20-34	342	3.4	1	2	2	3	4	5	5	7
35-49	6	3.5	1	3	3	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1524	3.5	2	2	2	3	4	5	5	8
20-34	6362	3.6	2	2	2	3	4	5	6	8
35-49	226	4.1	6	2	3	4	5	6	6	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	523	3.3	2	2	2	3	4	4	5	6
B. *Operated*	6260	3.4	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	426	3.4	1	2	2	3	4	5	5	7
B. *Operated*	8112	3.6	2	2	2	3	4	5	6	8
1. SINGLE DX	6783	3.4	1	2	2	3	4	4	5	6
2. MULTIPLE DX	8538	3.6	2	2	2	3	4	5	6	8
A. NOT OPERATED	949	3.3	2	2	2	3	4	4	5	7
B. OPERATED	14372	3.5	2	2	2	3	4	5	5	7
TOTAL 0-19 YRS	2876	3.4	1	2	2	3	4	5	5	7
20-34	12079	3.5	2	2	2	3	4	5	5	7
35-49	366	3.9	4	2	2	4	4	5	6	9
50-64										
65+										
GRAND TOTAL	**15321**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	1	1	2	3	3	4	4	5
20-34	370	3.1	1	2	2	3	4	4	5	6
35-49	12	3.4	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	586	3.1	1	2	2	3	3	4	4	5
20-34	2586	3.3	1	2	2	3	4	4	5	6
35-49	96	3.4	1	2	2	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.2	2	2	2	3	4	4	5	10
20-34	315	3.4	10	2	2	3	4	5	5	7
35-49	13	3.3	2	1	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	792	3.5	2	2	2	3	4	5	6	9
20-34	3289	3.6	3	2	2	3	4	5	6	8
35-49	134	4.1	4	2	3	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.1	1	2	2	3	4	4	5	6
B. *Operated*	3268	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	403	3.4	8	2	2	3	4	5	5	7
B. *Operated*	4215	3.6	3	2	2	3	4	5	6	9
1. SINGLE DX	3729	3.2	1	2	2	3	4	4	5	6
2. MULTIPLE DX	4618	3.6	3	2	2	3	4	5	6	9
A. NOT OPERATED	864	3.2	4	2	2	3	4	4	5	7
B. OPERATED	7483	3.4	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	1532	3.3	1	2	2	3	4	4	5	8
20-34	6560	3.4	3	2	2	3	4	5	5	7
35-49	255	3.8	3	2	2	4	4	5	6	9
50-64										
65+										
GRAND TOTAL	**8347**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1098	3.2	2	1	2	3	4	5	6	9
20-34	5368	3.3	2	1	2	3	4	5	6	8
35-49	251	3.5	4	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3053	3.6	3	2	2	3	4	5	6	9
20-34	15667	3.7	3	2	2	3	4	5	6	9
35-49	692	4.1	5	2	2	4	4	6	8	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1288	3.4	3	1	2	3	4	5	6	9
20-34	5707	3.5	4	1	2	3	4	5	6	11
35-49	328	3.5	4	1	2	3	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	5441	4.5	10	2	2	4	5	7	9	16
20-34	28518	4.6	9	2	3	4	5	7	9	16
35-49	1940	5.1	14	2	3	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6717	3.3	2	1	2	3	4	5	6	8
B. *Operated*	19412	3.7	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	7323	3.5	4	1	2	3	4	5	6	10
B. *Operated*	35899	4.6	9	2	3	4	5	7	9	16
1. SINGLE DX	26129	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX	43222	4.4	9	2	2	4	5	7	8	16
A. NOT OPERATED	14040	3.4	3	1	2	3	4	5	6	9
B. OPERATED	55311	4.3	7	2	2	4	5	7	8	14
TOTAL 0-19 YRS	10880	4.0	7	2	2	3	4	6	8	13
20-34	55260	4.1	6	2	2	4	5	6	8	13
35-49	3211	4.6	11	2	2	4	5	7	9	19
50-64										
65+										
GRAND TOTAL	**69351**	**4.1**	**7**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	4.2	5	1	2	4	5	7	9	12
20-34	251	4.1	5	1	2	4	5	6	8	12
35-49	13	4.1	2	2	2	4	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2	12.5	41	8	8	12	17	17	17	17
20-34	25	5.3	14	1	1	4	7	9	12	17
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.3	3	2	2	4	5	7	8	9
20-34	87	4.6	9	2	2	4	5	9	11	17
35-49	6	4.5	5	2	2	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	9	7.3	47	3	3	5	7	18	25	25
20-34	36	7.3	29	1	2	6	9	16	20	24
35-49	3	6.3	14	2	2	8	9	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	4.1	5	1	2	4	5	7	8	12
B. *Operated*	28	5.9	17	1	1	5	8	10	17	17
2. MULTIPLE DX										
A. *Not Operated*	116	4.5	8	2	2	4	5	8	10	16
B. *Operated*	48	7.3	30	2	2	6	8	15	22	25
1. SINGLE DX	370	4.2	6	1	2	4	5	7	8	15
2. MULTIPLE DX	164	5.3	16	2	2	4	6	9	12	24
A. NOT OPERATED	458	4.2	6	2	2	4	5	7	8	13
B. OPERATED	76	6.8	25	1	2	6	8	12	17	25
TOTAL 0-19 YRS	112	4.6	10	2	2	4	5	8	9	20
20-34	399	4.5	9	1	2	4	5	8	10	18
35-49	23	4.7	5	2	2	5	6	8	9	9
50-64										
65+										
GRAND TOTAL	**534**	**4.6**	**9**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	3	4
20-34	181	2.0	2	<1	<1	2	2	3	4	8
35-49	8	1.6	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	84	1.8	2	<1	1	1	2	4	4	8
20-34	573	1.8	1	<1	<1	1	2	3	4	7
35-49	20	2.0	1	1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	1	1	1	2	3	3	4	4
20-34	65	2.6	3	<1	1	2	3	5	6	8
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.6	3	<1	1	2	4	5	6	9
20-34	290	2.9	5	1	1	2	4	6	8	11
35-49	25	3.2	5	<1	1	2	4	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*	677	1.8	1	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	86	2.5	2	1	1	2	3	5	5	8
B. *Operated*	362	2.8	5	1	1	2	4	6	7	10
1. SINGLE DX	905	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	448	2.8	4	1	1	2	3	6	7	10
A. NOT OPERATED	314	2.1	2	<1	1	2	3	4	5	7
B. OPERATED	1039	2.2	3	<1	1	2	3	4	6	9
TOTAL 0-19 YRS	185	2.0	2	<1	1	2	2	4	5	8
20-34	1109	2.1	3	<1	1	2	3	4	6	9
35-49	59	2.5	3	1	1	2	3	5	7	8
50-64										
65+										
GRAND TOTAL	**1353**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.9	4	<1	<1	3	4	7	7	7
20-34	182	3.9	10	<1	1	3	5	7	10	16
35-49	6	5.8	31	2	2	4	5	16	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	35	3.3	7	1	1	3	3	7	11	12
20-34	205	4.0	14	<1	1	3	4	8	12	22
35-49	13	3.0	3	1	1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.2	11	1	2	3	5	10	12	13
20-34	99	4.8	19	1	1	4	6	9	12	26
35-49	13	6.0	16	2	3	4	8	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	34	4.2	9	1	2	3	4	10	11	11
20-34	203	5.3	34	1	1	3	6	11	16	35
35-49	17	4.6	17	1	1	3	6	11	14	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	3.9	9	<1	1	3	5	7	9	16
B. *Operated*	253	3.8	13	<1	1	3	4	7	12	22
2. MULTIPLE DX										
A. *Not Operated*	129	4.8	17	1	1	4	6	10	12	21
B. *Operated*	254	5.1	30	1	1	3	6	11	15	34
1. SINGLE DX	473	3.8	11	<1	1	3	4	7	10	19
2. MULTIPLE DX	383	5.0	25	1	1	3	6	10	14	31
A. NOT OPERATED	349	4.2	13	<1	1	3	5	8	11	17
B. OPERATED	507	4.4	22	1	1	3	5	10	13	23
TOTAL 0-19 YRS	118	3.6	7	<1	1	3	4	7	10	12
20-34	689	4.5	20	1	1	3	5	9	13	23
35-49	49	4.7	15	1	2	3	6	11	14	17
50-64										
65+										
GRAND TOTAL	**856**	**4.3**	**18**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	950	4.3	6	2	2	4	5	7	9	12
20-34	973	4.6	9	1	2	4	6	8	10	15
35-49	613	5.3	13	2	2	4	7	9	11	20
50-64	500	5.9	14	2	2	5	7	10	14	21
65+	487	7.7	33	2	3	6	10	14	18	30
B. *Operated*										
0-19 YRS	476	5.0	28	1	1	4	7	9	11	19
20-34	472	5.9	30	1	1	4	7	12	16	27
35-49	277	6.7	32	1	2	5	8	12	18	31
50-64	260	8.3	66	1	2	6	10	17	24	44
65+	175	8.8	53	2	3	7	12	16	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	911	4.9	12	2	2	4	6	9	11	19
20-34	1311	6.2	26	2	2	5	7	11	15	27
35-49	1207	7.2	23	2	3	6	9	13	16	25
50-64	1759	8.6	38	2	3	7	10	16	20	31
65+	2723	10.5	53	3	4	9	13	19	25	36
B. *Operated*										
0-19 YRS	370	7.0	32	2	2	6	8	14	18	30
20-34	725	10.1	97	2	3	7	12	21	30	52
35-49	696	11.5	100	3	3	9	15	24	31	62
50-64	882	15.0	181	3	4	11	18	30	43	69
65+	1104	18.2	203	4	5	14	23	37	48	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3523	5.3	14	1	2	4	7	9	12	20
B. *Operated*	1660	6.4	39	1	2	5	8	12	17	31
2. MULTIPLE DX										
A. *Not Operated*	7911	8.2	40	2	3	7	10	16	20	31
B. *Operated*	3777	13.6	156	2	3	10	17	29	39	66
1. SINGLE DX	5183	5.6	22	1	2	4	7	10	14	25
2. MULTIPLE DX	11688	9.9	83	2	3	7	12	20	27	49
A. NOT OPERATED	11434	7.3	34	2	2	6	9	14	18	29
B. OPERATED	5437	11.4	131	2	2	8	14	25	35	59
TOTAL 0-19 YRS	2707	5.0	16	1	2	4	6	9	11	19
20-34	3481	6.5	40	1	2	5	8	12	17	35
35-49	2793	7.8	46	2	2	6	10	15	20	35
50-64	3401	9.8	84	2	3	7	11	19	26	50
65+	4489	12.0	101	3	4	9	15	23	31	53
GRAND TOTAL	**16871**	**8.6**	**69**	**2**	**2**	**6**	**10**	**17**	**24**	**43**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	363	4.1	8	<1	1	4	5	8	10	14
20-34	209	4.5	11	<1	1	4	6	9	11	15
35-49	100	5.2	14	<1	1	4	7	11	12	18
50-64	85	5.9	26	<1	1	5	7	14	17	25
65+	74	8.2	60	<1	1	7	9	18	22	45
B. *Operated*										
0-19 YRS	255	4.0	19	<1	1	3	5	8	11	17
20-34	225	5.3	57	<1	<1	3	6	10	13	41
35-49	149	5.5	41	<1	<1	3	7	12	17	28
50-64	131	6.3	41	<1	1	5	8	13	20	30
65+	86	7.0	45	<1	1	4	9	16	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	391	4.9	12	2	2	4	6	8	11	17
20-34	249	5.0	13	<1	2	4	7	9	12	17
35-49	201	6.4	26	2	2	5	7	12	15	26
50-64	284	9.6	59	2	3	7	12	19	25	42
65+	476	9.8	53	3	3	8	12	18	24	35
B. *Operated*										
0-19 YRS	149	6.1	26	1	1	5	8	13	17	25
20-34	212	7.7	69	1	2	5	9	15	25	44
35-49	190	10.0	82	2	3	7	13	22	31	46
50-64	299	12.5	142	2	3	9	16	26	37	66
65+	364	15.0	182	3	3	11	20	31	45	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	831	4.9	17	<1	1	4	6	9	12	20
B. *Operated*	846	5.3	40	<1	1	3	7	11	15	34
2. MULTIPLE DX										
A. *Not Operated*	1601	7.4	39	2	2	6	9	14	19	32
B. *Operated*	1214	11.2	128	2	2	8	14	25	33	57
1. SINGLE DX	1677	5.1	29	<1	1	4	6	10	13	27
2. MULTIPLE DX	2815	9.0	81	2	2	6	11	19	27	49
A. NOT OPERATED	2432	6.5	33	1	2	5	8	13	17	29
B. OPERATED	2060	8.8	100	1	1	5	11	20	29	49
TOTAL 0-19 YRS	1158	4.6	14	1	1	4	6	8	11	18
20-34	895	5.6	38	<1	1	4	7	11	14	32
35-49	640	7.1	48	1	2	5	8	14	21	35
50-64	799	9.7	89	1	2	7	12	20	28	49
65+	1000	11.3	108	2	3	8	14	24	31	52
GRAND TOTAL	**4492**	**7.6**	**65**	**1**	**2**	**5**	**9**	**16**	**23**	**44**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.3	3	1	1	3	4	6	7	8
20-34	34	2.9	4	<1	<1	2	4	6	7	8
35-49	5	3.6	2	1	1	4	4	5	5	5
50-64	2	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1077	3.8	4	1	2	4	5	6	8	11
20-34	1977	3.8	5	1	2	3	5	6	7	11
35-49	313	3.9	4	1	2	4	5	6	8	11
50-64	63	4.4	10	1	2	4	5	7	9	22
65+	14	4.5	15	2	2	4	5	7	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.3	6	<1	<1	3	5	7	8	9
20-34	22	3.1	4	<1	1	3	5	5	6	8
35-49	6	6.2	8	2	2	6	8	10	10	10
50-64	3	6.0	13	2	2	7	8	9	9	9
65+	4	7.3	75	1	1	4	12	20	20	20
B. *Operated*										
0-19 YRS	141	5.6	13	2	3	4	7	10	13	20
20-34	375	5.1	17	2	2	4	6	9	12	21
35-49	150	5.5	24	2	2	4	6	10	13	28
50-64	53	6.5	25	2	3	5	8	11	17	29
65+	17	10.1	183	2	2	5	12	16	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	3.1	4	<1	<1	3	4	6	7	8
B. *Operated*	3444	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	52	4.0	11	<1	1	3	5	8	9	20
B. *Operated*	736	5.5	22	2	2	4	6	10	13	22
1. SINGLE DX	3505	3.8	5	1	2	3	5	6	8	11
2. MULTIPLE DX	788	5.4	22	2	2	4	6	10	13	22
A. NOT OPERATED	113	3.5	7	<1	<1	3	5	7	8	14
B. OPERATED	4180	4.1	8	1	2	4	5	7	8	14
TOTAL 0-19 YRS	1254	4.0	5	1	2	4	5	6	8	13
20-34	2408	4.0	7	1	2	3	5	6	8	13
35-49	474	4.4	11	1	2	4	5	7	9	16
50-64	121	5.3	18	2	2	4	6	9	12	25
65+	36	7.5	102	2	2	5	7	16	19	59
GRAND TOTAL	**4293**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	13	2.8	3	<1	<1	3	4	5	5	5
35-49	7	3.0	4	<1	<1	3	3	6	7	7
50-64	4	4.3	16	<1	<1	3	7	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	233	1.7	1	<1	<1	1	2	3	4	6
20-34	269	2.2	4	<1	<1	2	3	4	5	12
35-49	176	2.1	2	<1	<1	2	2	3	5	9
50-64	154	2.8	13	<1	<1	2	3	5	6	25
65+	85	2.5	3	<1	<1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	7	3.3	7	<1	<1	3	5	7	8	8
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	2	7.0	18	4	4	7	10	10	10	10
65+	8	4.4	9	<1	<1	4	7	8	8	8
B. *Operated*										
0-19 YRS	44	3.0	6	<1	1	2	3	6	9	13
20-34	129	3.5	12	<1	<1	2	4	7	9	22
35-49	151	3.9	15	1	1	3	4	8	11	23
50-64	160	4.8	23	1	1	3	6	10	13	26
65+	117	5.9	31	<1	1	4	8	13	18	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.2	5	<1	<1	3	4	6	7	10
B. *Operated*	917	2.2	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	33	3.2	7	<1	<1	2	5	7	8	10
B. *Operated*	601	4.4	20	<1	1	3	5	9	13	24
1. SINGLE DX	944	2.2	5	<1	<1	2	3	4	5	10
2. MULTIPLE DX	634	4.3	19	<1	1	3	5	9	13	24
A. NOT OPERATED	60	3.2	6	<1	<1	3	5	7	8	10
B. OPERATED	1518	3.1	12	<1	<1	2	3	6	9	20
TOTAL 0-19 YRS	289	1.9	2	<1	<1	2	2	3	5	8
20-34	418	2.7	7	<1	<1	2	3	5	7	13
35-49	340	2.9	9	<1	<1	2	3	6	8	17
50-64	320	3.8	19	<1	<1	3	4	8	11	26
65+	211	4.4	21	<1	<1	3	6	9	13	24
GRAND TOTAL	**1578**	**3.1**	**11**	**<1**	**<1**	**2**	**3**	**6**	**9**	**20**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	823	3.9	15	<1	1	3	5	8	10	22
20-34	548	5.0	39	<1	<1	3	6	12	18	33
35-49	303	7.0	66	<1	<1	4	8	18	26	37
50-64	307	7.2	54	<1	<1	5	9	17	20	36
65+	397	10.6	104	1	2	8	13	24	33	46
B. *Operated*										
0-19 YRS	905	2.9	17	<1	1	2	3	5	8	18
20-34	1084	4.6	33	<1	1	3	5	10	13	31
35-49	801	5.0	45	<1	1	3	5	10	17	38
50-64	774	5.8	71	<1	1	3	5	15	22	43
65+	582	9.7	137	<1	1	4	13	26	33	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	770	4.7	19	1	1	3	6	9	12	22
20-34	757	7.5	79	<1	1	5	9	17	24	42
35-49	738	8.9	86	1	2	6	10	21	29	46
50-64	1152	10.6	89	2	3	8	13	21	31	51
65+	2537	12.6	106	3	4	10	16	25	33	52
B. *Operated*										
0-19 YRS	474	5.9	69	1	1	3	6	15	21	46
20-34	1053	11.8	218	1	2	5	16	34	47	99
35-49	1117	11.6	225	1	2	6	14	31	48	92
50-64	1591	13.4	241	2	2	7	19	35	49	88
65+	2250	19.3	292	2	3	15	27	44	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2378	6.1	52	<1	<1	4	7	14	22	36
B. *Operated*	4146	5.2	58	<1	1	3	5	12	20	40
2. MULTIPLE DX										
A. *Not Operated*	5954	10.1	93	1	2	7	13	22	29	49
B. *Operated*	6485	14.3	256	1	2	8	20	37	51	91
1. SINGLE DX	6524	5.5	56	<1	1	3	6	13	20	38
2. MULTIPLE DX	12439	12.3	182	1	2	8	16	30	42	76
A. NOT OPERATED	8332	8.9	85	<1	1	6	11	20	27	45
B. OPERATED	10631	10.8	198	1	1	5	14	29	42	81
TOTAL 0-19 YRS	2972	4.1	26	<1	1	3	5	8	12	27
20-34	3442	7.5	110	<1	1	4	8	18	31	58
35-49	2959	8.7	132	1	1	5	10	22	32	67
50-64	3824	10.5	155	1	2	6	13	25	37	68
65+	5766	14.8	195	2	3	11	20	33	44	80
GRAND TOTAL	**18963**	**10.0**	**149**	**1**	**1**	**5**	**12**	**25**	**36**	**68**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	6.9	38	1	2	5	9	16	19	32
20-34	111	6.8	65	<1	<1	5	8	13	16	44
35-49	93	7.4	40	<1	1	6	11	15	18	34
50-64	69	8.4	38	2	2	7	11	16	20	33
65+	24	10.6	72	2	2	8	15	29	47	99+
B. *Operated*										
0-19 YRS	19	10.7	479	1	2	4	9	17	62	99
20-34	37	9.4	76	1	2	7	12	18	29	41
35-49	26	11.0	107	2	2	8	14	21	36	48
50-64	49	8.6	72	1	1	6	12	18	27	44
65+	13	9.6	26	2	3	9	12	17	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	8.2	61	2	3	6	10	15	19	52
20-34	263	7.7	38	1	2	6	11	16	19	29
35-49	257	9.2	87	1	3	7	11	17	22	54
50-64	333	11.1	95	3	4	8	14	20	29	48
65+	272	11.9	96	2	3	10	15	23	33	51
B. *Operated*										
0-19 YRS	29	11.2	239	1	1	5	13	31	53	65
20-34	148	15.5	244	2	3	11	21	34	47	95
35-49	143	15.2	215	3	4	10	18	31	48	96
50-64	190	16.5	225	3	4	12	21	35	45	86
65+	159	19.0	239	4	5	15	24	36	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	7.5	50	<1	1	6	10	15	19	35
B. *Operated*	144	9.6	125	1	2	7	12	18	27	51
2. MULTIPLE DX										
A. *Not Operated*	1194	9.9	81	2	3	8	13	19	26	48
B. *Operated*	669	16.4	233	2	4	12	20	35	48	91
1. SINGLE DX	497	8.1	72	1	1	6	11	16	21	43
2. MULTIPLE DX	1863	12.3	145	2	3	9	15	25	35	70
A. NOT OPERATED	1547	9.4	75	1	2	7	12	18	24	48
B. OPERATED	813	15.2	220	2	3	11	18	33	46	90
TOTAL 0-19 YRS	173	8.6	128	1	2	6	10	17	21	64
20-34	559	9.7	112	1	2	7	12	20	27	70
35-49	519	10.6	123	1	2	8	13	20	29	66
50-64	641	12.2	134	2	3	9	15	24	35	59
65+	468	14.2	153	3	3	11	18	30	38	78
GRAND TOTAL	**2360**	**11.4**	**133**	**2**	**2**	**8**	**14**	**23**	**33**	**65**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	6.8	29	2	2	5	8	13	17	30
20-34	135	8.2	31	3	3	6	10	17	21	25
35-49	230	9.0	49	1	2	7	12	19	22	31
50-64	360	9.5	46	2	3	8	13	19	22	34
65+	301	9.5	42	2	3	8	12	18	22	34
B. *Operated*										
0-19 YRS	37	7.1	63	1	1	4	8	21	25	35
20-34	120	6.6	33	2	2	5	8	13	17	31
35-49	261	7.1	48	2	2	5	9	15	19	24
50-64	519	9.8	54	2	3	8	14	19	25	35
65+	357	12.8	92	2	3	11	17	24	28	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	7.2	63	2	2	5	8	13	18	50
20-34	126	8.1	90	2	3	7	9	12	17	60
35-49	350	9.5	49	2	3	8	12	19	22	31
50-64	1012	10.2	49	3	3	9	13	20	24	35
65+	1323	11.3	64	3	4	9	14	21	26	43
B. *Operated*										
0-19 YRS	42	9.3	69	1	2	6	12	22	28	37
20-34	111	10.9	96	2	3	8	14	24	30	52
35-49	298	11.0	100	2	3	8	15	21	27	77
50-64	776	13.6	136	3	3	11	17	26	34	77
65+	854	17.2	185	3	5	14	21	35	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	8.9	42	2	3	7	11	18	22	31
B. *Operated*	1294	9.7	67	2	3	7	14	19	25	38
2. MULTIPLE DX										
A. *Not Operated*	2901	10.4	59	3	3	9	13	20	24	41
B. *Operated*	2081	14.5	154	3	4	12	18	29	39	77
1. SINGLE DX	2485	9.3	55	2	3	7	13	19	23	35
2. MULTIPLE DX	4982	12.1	102	3	3	10	16	23	30	56
A. NOT OPERATED	4092	10.0	55	2	3	8	13	19	23	37
B. OPERATED	3375	12.7	126	2	3	10	17	25	34	65
TOTAL 0-19 YRS	334	7.2	47	1	2	5	9	14	22	35
20-34	492	8.4	63	2	3	6	10	16	22	39
35-49	1139	9.3	64	2	3	7	12	19	22	42
50-64	2667	11.0	78	2	3	9	15	21	26	47
65+	2835	13.1	110	3	4	10	17	25	33	58
GRAND TOTAL	**7467**	**11.2**	**88**	**2**	**3**	**9**	**15**	**22**	**28**	**49**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.1	40	1	1	3	5	16	20	20
20-34	30	6.0	33	<1	<1	4	9	11	19	27
35-49	84	6.2	35	<1	1	4	9	14	17	31
50-64	238	5.4	16	<1	<1	4	7	11	14	20
65+	466	6.5	26	<1	1	5	9	13	17	25
B. *Operated*										
0-19 YRS	29	4.2	6	1	1	4	5	7	10	12
20-34	344	4.9	22	1	1	3	6	11	14	25
35-49	803	5.9	25	1	2	4	9	13	16	23
50-64	2638	9.6	45	2	2	9	14	17	20	29
65+	3527	14.7	51	3	5	15	18	22	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	5.0	14	<1	1	4	8	11	11	11
20-34	59	6.7	20	1	2	5	10	13	17	19
35-49	250	7.6	29	1	2	6	10	15	18	29
50-64	1007	7.5	27	2	3	6	9	13	17	25
65+	3365	8.9	41	2	3	7	11	16	21	33
B. *Operated*										
0-19 YRS	25	7.1	73	1	1	3	9	19	29	34
20-34	276	5.7	42	1	2	4	7	13	17	26
35-49	693	7.5	49	1	2	5	10	16	21	33
50-64	2847	10.9	73	2	2	10	16	21	25	40
65+	5037	17.0	96	3	5	16	21	28	34	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	826	6.1	24	<1	1	5	8	12	16	24
B. *Operated*	7341	11.4	56	2	2	12	16	20	24	34
2. MULTIPLE DX										
A. *Not Operated*	4695	8.5	37	2	3	7	11	16	20	31
B. *Operated*	8878	13.9	97	2	3	13	18	25	31	48
1. SINGLE DX	8167	10.9	56	2	2	11	16	19	23	33
2. MULTIPLE DX	13573	12.0	83	2	3	10	16	23	29	44
A. NOT OPERATED	5521	8.1	36	2	2	7	10	15	19	30
B. OPERATED	16219	12.8	80	2	2	12	17	23	28	43
TOTAL 0-19 YRS	76	5.4	33	1	1	4	6	11	17	32
20-34	709	5.4	30	1	1	4	7	12	15	26
35-49	1830	6.7	35	1	2	5	9	15	18	29
50-64	6730	9.7	55	2	2	8	14	18	22	34
65+	12395	13.8	79	3	4	13	18	24	29	44
GRAND TOTAL	**21740**	**11.6**	**73**	**2**	**2**	**11**	**16**	**22**	**26**	**40**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	6.9	28	2	2	5	10	15	19	23
20-34	134	6.0	17	<1	1	5	8	11	16	19
35-49	111	5.8	21	<1	1	5	7	11	14	24
50-64	116	6.6	35	<1	<1	5	9	13	17	33
65+	156	6.7	31	<1	2	6	8	14	15	20
B. *Operated*										
0-19 YRS	105	12.1	92	1	2	11	16	23	29	50
20-34	256	5.7	25	1	2	4	7	12	16	21
35-49	268	6.0	34	1	2	4	8	13	18	28
50-64	296	9.1	60	2	2	6	12	18	22	40
65+	187	14.0	92	2	4	13	18	24	29	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	8.2	44	1	2	6	11	16	23	34
20-34	169	7.7	35	1	2	6	10	15	18	32
35-49	201	8.3	53	2	2	6	11	16	23	39
50-64	389	8.2	49	2	3	6	10	17	21	32
65+	760	9.0	61	2	3	7	11	17	23	43
B. *Operated*										
0-19 YRS	78	15.8	103	2	2	15	22	30	34	44
20-34	179	9.3	115	1	2	5	11	21	35	51
35-49	247	10.2	135	2	2	6	11	24	33	61
50-64	343	12.7	136	2	3	9	17	28	39	66
65+	386	19.3	262	3	4	15	23	42	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	700	6.5	27	<1	2	5	8	13	16	23
B. *Operated*	1112	8.7	64	2	2	6	12	18	23	41
2. MULTIPLE DX										
A. *Not Operated*	1655	8.6	54	2	3	7	10	16	22	37
B. *Operated*	1233	14.0	185	2	3	10	18	32	43	75
1. SINGLE DX	1812	7.8	50	1	2	5	10	17	21	38
2. MULTIPLE DX	2888	10.9	117	2	3	7	13	22	33	61
A. NOT OPERATED	2355	7.9	46	1	2	6	10	15	20	34
B. OPERATED	2345	11.5	135	2	2	8	15	24	36	65
TOTAL 0-19 YRS	502	9.7	68	2	2	7	14	21	26	38
20-34	738	7.1	50	1	2	5	9	14	18	42
35-49	827	7.8	70	1	2	5	9	16	24	42
50-64	1144	9.6	81	2	2	7	12	20	28	46
65+	1489	12.1	136	2	3	9	15	24	35	68
GRAND TOTAL	**4700**	**9.7**	**94**	**2**	**2**	**7**	**12**	**20**	**28**	**50**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.8	5	<1	1	2	4	6	7	11
20-34	81	2.4	4	<1	<1	1	3	5	7	10
35-49	36	3.9	17	<1	<1	2	5	10	15	16
50-64	10	2.2	2	<1	<1	2	4	5	5	5
65+	11	6.2	19	1	1	6	9	12	15	15
B. *Operated*										
0-19 YRS	1561	2.8	3	<1	1	2	4	5	6	9
20-34	3091	3.1	5	1	1	3	4	6	7	11
35-49	1519	3.3	7	1	1	3	4	6	7	13
50-64	792	3.4	5	1	1	3	4	6	7	11
65+	175	4.5	14	1	2	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.5	20	<1	<1	2	4	8	10	26
20-34	72	3.0	8	<1	<1	2	4	7	9	14
35-49	52	3.0	8	<1	<1	2	4	7	9	14
50-64	63	4.0	11	1	1	3	6	9	11	13
65+	40	6.9	24	1	1	6	10	14	16	19
B. *Operated*										
0-19 YRS	932	3.4	6	1	1	3	4	6	7	11
20-34	2205	3.7	9	1	1	3	5	6	8	15
35-49	1448	3.9	11	1	1	3	5	7	9	18
50-64	1341	4.2	14	1	1	3	5	8	11	21
65+	463	5.3	25	1	2	4	6	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.0	9	<1	<1	2	4	7	9	15
B. *Operated*	7138	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	265	3.9	14	<1	<1	3	5	9	11	18
B. *Operated*	6389	3.9	11	1	1	3	5	7	9	18
1. SINGLE DX	7307	3.1	5	1	1	3	4	6	7	11
2. MULTIPLE DX	6654	3.9	11	1	1	3	5	7	9	18
A. NOT OPERATED	434	3.6	12	<1	<1	2	5	8	11	15
B. OPERATED	13527	3.5	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	2562	3.0	5	1	1	2	4	5	7	10
20-34	5449	3.3	7	1	1	3	4	6	7	12
35-49	3055	3.6	9	1	1	3	5	6	8	15
50-64	2206	3.9	11	1	1	3	5	7	9	19
65+	689	5.2	22	1	2	4	6	10	14	24
GRAND TOTAL	**13961**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.8	9	1	1	3	5	8	10	16
20-34	247	3.6	13	<1	<1	3	4	8	11	19
35-49	160	4.5	19	<1	1	3	6	8	11	25
50-64	119	3.9	11	<1	<1	3	5	7	11	18
65+	144	6.0	27	<1	1	5	8	12	15	28
B. *Operated*										
0-19 YRS	1836	3.4	4	1	1	3	4	6	7	10
20-34	2619	3.7	6	1	1	3	4	6	8	12
35-49	838	3.9	9	1	1	3	5	7	10	16
50-64	459	4.8	17	1	2	4	6	9	13	25
65+	223	8.3	57	2	2	5	11	19	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	4.1	18	1	1	3	5	8	11	26
20-34	263	5.2	38	<1	1	3	7	10	17	35
35-49	267	5.6	28	<1	1	4	7	11	13	26
50-64	330	6.3	26	1	1	5	8	12	15	26
65+	621	8.2	46	2	2	7	10	16	20	33
B. *Operated*										
0-19 YRS	698	4.2	15	1	1	3	5	8	10	24
20-34	1271	4.8	29	1	1	3	5	9	13	25
35-49	642	5.2	32	1	1	4	6	11	14	26
50-64	571	7.6	71	2	2	5	9	17	23	47
65+	417	12.7	142	2	3	9	17	28	35	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	4.2	15	<1	<1	3	5	9	12	19
B. *Operated*	5975	3.9	9	1	1	3	5	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1725	6.4	36	1	1	5	8	13	17	31
B. *Operated*	3599	6.1	53	1	2	4	7	13	19	39
1. SINGLE DX	6933	3.9	10	1	1	3	5	7	9	17
2. MULTIPLE DX	5324	6.2	48	1	1	4	7	13	18	36
A. NOT OPERATED	2683	5.6	30	<1	1	4	7	12	15	27
B. OPERATED	9574	4.7	27	1	2	3	5	9	13	27
TOTAL 0-19 YRS	3066	3.7	8	1	1	3	4	6	8	16
20-34	4400	4.1	15	1	1	3	5	7	9	19
35-49	1907	4.6	20	1	1	3	6	9	12	22
50-64	1479	6.1	41	1	2	4	7	13	18	32
65+	1405	9.3	79	1	2	7	12	20	26	43
GRAND TOTAL	**12257**	**4.9**	**28**	**1**	**1**	**3**	**5**	**10**	**14**	**27**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	14	6.7	26	<1	2	6	8	12	19	21
35-49	13	8.5	21	2	3	9	12	15	15	15
50-64	13	8.7	30	1	2	8	12	17	19	19
65+	3	22.0	156	8	8	26	30	32	32	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	7.3	15	3	3	7	10	13	13	13
35-49	4	19.0	274	8	8	13	30	43	43	43
50-64	4	24.5	545	4	4	18	39	58	58	58
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	8.1	46	2	2	7	9	17	26	28
35-49	20	9.3	30	2	3	9	13	17	19	20
50-64	34	8.1	35	1	3	6	11	17	20	25
65+	26	9.4	52	3	4	7	12	16	27	33
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	6	12.8	12	8	8	13	16	17	17	17
35-49	11	16.5	498	2	3	10	18	45	78	81
50-64	24	21.9	385	6	6	14	29	49	66	81
65+	11	16.4	166	3	4	12	24	37	42	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	8.8	44	1	2	7	11	17	22	32
B. *Operated*	17	14.5	217	3	4	9	16	38	53	58
2. MULTIPLE DX										
A. *Not Operated*	94	8.7	39	2	3	7	12	17	21	31
B. *Operated*	54	18.1	310	3	5	12	20	43	57	81
1. SINGLE DX	61	10.4	96	2	3	8	13	19	29	56
2. MULTIPLE DX	148	12.1	157	2	3	9	15	24	34	81
A. NOT OPERATED	138	8.8	40	2	2	7	11	17	21	32
B. OPERATED	71	17.2	286	3	4	11	19	43	57	81
TOTAL 0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	41	8.2	31	2	2	7	10	16	19	28
35-49	48	11.5	156	2	3	9	14	20	23	81
50-64	75	13.5	209	2	3	9	17	27	48	75
65+	41	12.4	99	3	4	9	16	29	33	43
GRAND TOTAL	**209**	**11.6**	**139**	**2**	**3**	**8**	**14**	**21**	**33**	**68**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	16	2	2	2	5	11	11	11
20-34	64	7.4	24	1	2	7	11	13	17	21
35-49	248	6.9	22	1	2	6	9	13	15	23
50-64	426	6.8	23	2	2	6	9	13	16	22
65+	482	7.3	23	1	2	6	10	14	16	24
B. *Operated*										
0-19 YRS	8	7.6	18	3	3	8	9	14	16	16
20-34	114	5.9	21	1	2	5	8	13	15	20
35-49	473	7.5	30	2	2	6	10	15	18	25
50-64	625	8.0	36	1	2	7	11	16	19	29
65+	253	10.1	78	2	2	8	13	21	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	14	1	1	4	8	11	12	12
20-34	116	7.0	24	2	2	6	9	13	17	27
35-49	730	7.7	23	2	3	7	10	13	16	26
50-64	1898	7.9	23	2	3	7	10	14	17	24
65+	3264	8.9	35	2	3	8	11	16	20	30
B. *Operated*										
0-19 YRS	9	8.9	21	2	2	10	12	14	15	15
20-34	111	9.7	71	2	2	8	12	18	29	43
35-49	579	9.9	60	2	3	8	13	19	22	34
50-64	1133	11.4	78	2	3	9	15	22	29	44
65+	943	15.1	166	3	4	12	19	30	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1225	7.0	23	1	2	6	9	13	16	24
B. *Operated*	1473	8.0	41	2	2	7	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	6017	8.4	30	2	3	7	11	15	18	28
B. *Operated*	2775	12.3	108	2	3	10	16	24	32	56
1. SINGLE DX	2698	7.6	33	2	2	6	10	15	19	28
2. MULTIPLE DX	8792	9.6	58	2	3	8	12	18	23	39
A. NOT OPERATED	7242	8.2	29	2	3	7	10	14	18	27
B. OPERATED	4248	10.8	89	2	2	9	14	21	28	49
TOTAL 0-19 YRS	31	6.7	19	2	2	8	10	13	15	16
20-34	405	7.5	38	2	2	6	10	14	18	33
35-49	2030	8.2	36	2	2	7	10	15	19	28
50-64	4082	8.8	43	2	3	7	11	17	21	34
65+	4942	10.0	67	2	3	8	12	19	24	42
GRAND TOTAL	**11490**	**9.1**	**53**	**2**	**3**	**8**	**11**	**17**	**22**	**36**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	7.0	50	2	2	5	9	12	16	48
20-34	1270	7.0	18	1	2	6	9	12	15	20
35-49	1929	7.6	21	2	3	7	10	13	16	22
50-64	1118	8.4	29	2	3	7	11	15	18	27
65+	303	9.1	25	3	4	9	12	16	18	25
B. *Operated*										
0-19 YRS	209	7.1	22	1	2	7	10	13	15	23
20-34	4340	8.6	33	2	2	8	11	16	19	28
35-49	6550	9.0	38	2	2	8	12	17	21	29
50-64	3099	9.8	44	2	2	9	13	18	22	31
65+	669	11.5	62	2	3	10	15	22	25	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.6	16	2	2	8	10	11	15	17
20-34	722	8.3	21	2	3	8	11	15	17	21
35-49	1517	8.9	33	2	3	8	11	16	19	31
50-64	1556	9.4	33	3	4	8	12	16	20	29
65+	1255	10.3	40	3	4	9	13	18	22	31
B. *Operated*										
0-19 YRS	47	11.3	74	3	3	8	14	23	36	37
20-34	1421	11.6	71	2	3	10	15	21	26	46
35-49	2876	12.1	68	2	4	10	15	22	28	42
50-64	2692	13.3	81	3	4	11	17	24	30	47
65+	1153	16.8	119	3	5	15	22	30	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4688	7.7	23	2	3	7	10	14	16	23
B. *Operated*	14867	9.2	39	2	2	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	5076	9.3	33	2	3	8	12	16	20	30
B. *Operated*	8189	13.1	83	2	4	11	17	24	30	47
1. SINGLE DX	19555	8.8	36	2	2	8	11	16	20	28
2. MULTIPLE DX	13265	11.6	67	2	4	10	15	21	27	42
A. NOT OPERATED	9764	8.6	29	2	3	8	11	15	18	27
B. OPERATED	23056	10.5	58	2	3	9	14	20	24	38
TOTAL 0-19 YRS	350	7.7	36	1	2	7	10	14	17	36
20-34	7753	8.8	39	2	2	8	11	16	20	31
35-49	12872	9.5	44	2	3	8	12	17	22	33
50-64	8465	10.7	55	2	3	9	14	20	24	36
65+	3380	12.6	79	3	4	11	16	23	29	45
GRAND TOTAL	**32820**	**9.9**	**50**	**2**	**3**	**9**	**13**	**18**	**23**	**35**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	7.5	10	3	3	7	10	12	13	13
20-34	298	6.6	16	1	2	6	9	12	14	18
35-49	491	7.7	23	2	2	7	10	14	16	25
50-64	380	7.9	34	2	3	7	10	13	17	24
65+	94	7.8	33	1	2	7	10	15	18	31
B. *Operated*										
0-19 YRS	17	8.5	21	2	3	7	12	14	17	18
20-34	505	7.5	27	1	2	7	10	15	17	24
35-49	1327	8.3	34	2	2	7	11	16	19	28
50-64	686	8.7	36	2	2	8	12	17	20	28
65+	124	10.0	72	1	2	9	13	18	23	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.0	13	1	1	6	7	11	12	12
20-34	175	8.1	29	1	2	7	11	15	18	27
35-49	537	8.6	29	2	3	7	11	15	19	26
50-64	638	8.8	31	2	3	8	11	15	18	27
65+	483	9.5	51	3	3	8	12	17	22	37
B. *Operated*										
0-19 YRS	7	13.0	188	2	2	6	24	35	36	36
20-34	231	10.5	76	2	3	9	14	20	27	38
35-49	766	10.6	51	2	3	9	14	19	24	32
50-64	694	11.8	63	2	3	10	16	22	28	38
65+	194	15.0	130	3	5	12	19	29	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1273	7.5	25	2	2	7	10	13	16	24
B. *Operated*	2659	8.4	35	2	2	7	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	1839	8.8	36	2	3	8	11	16	19	29
B. *Operated*	1892	11.5	69	2	3	10	15	21	27	39
1. SINGLE DX	3932	8.1	32	2	2	7	11	15	18	27
2. MULTIPLE DX	3731	10.2	54	2	3	9	13	19	24	37
A. NOT OPERATED	3112	8.3	32	2	3	7	11	15	18	27
B. OPERATED	4551	9.7	52	2	2	8	13	18	23	34
TOTAL 0-19 YRS	40	8.7	46	2	3	7	11	14	23	36
20-34	1209	7.9	36	2	2	7	10	15	17	31
35-49	3121	8.8	37	2	3	8	12	16	20	30
50-64	2398	9.5	45	2	3	8	12	17	22	33
65+	895	10.6	75	2	3	9	13	20	25	41
GRAND TOTAL	**7663**	**9.1**	**44**	**2**	**3**	**8**	**12**	**17**	**21**	**33**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	7.4	33	1	3	5	8	15	21	28
20-34	528	8.0	35	2	2	7	10	14	18	35
35-49	577	7.9	34	1	2	7	10	14	17	34
50-64	304	7.1	19	1	2	6	9	12	15	23
65+	65	7.1	34	1	1	6	10	13	18	29
B. *Operated*										
0-19 YRS	9	7.4	43	1	1	5	11	18	21	21
20-34	230	7.1	30	2	2	6	9	14	19	25
35-49	289	9.2	43	2	2	8	12	18	20	33
50-64	81	9.4	38	2	3	9	12	17	21	33
65+	6	11.8	35	5	5	11	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	6.6	20	<1	1	6	8	11	17	19
20-34	449	8.4	31	2	3	8	10	14	19	31
35-49	741	9.1	36	2	3	8	11	16	20	33
50-64	527	8.8	31	1	2	8	12	15	19	28
65+	249	8.9	35	2	3	7	12	16	19	32
B. *Operated*										
0-19 YRS	9	10.3	104	3	3	6	12	28	34	34
20-34	191	10.9	58	2	3	10	14	19	21	32
35-49	272	11.8	55	3	4	11	15	21	26	36
50-64	152	11.8	52	3	3	10	15	22	26	31
65+	44	14.4	89	3	4	12	19	27	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1510	7.7	31	1	2	7	10	13	17	30
B. *Operated*	615	8.5	38	2	2	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	2002	8.8	33	2	3	8	11	15	19	31
B. *Operated*	668	11.7	58	2	3	10	15	21	26	36
1. SINGLE DX	2125	7.9	34	1	2	7	10	14	18	31
2. MULTIPLE DX	2670	9.5	41	2	3	8	12	17	21	33
A. NOT OPERATED	3512	8.3	33	1	2	7	11	15	18	31
B. OPERATED	1283	10.1	51	2	3	9	13	19	24	34
TOTAL 0-19 YRS	90	7.4	35	1	2	5	9	15	19	32
20-34	1398	8.4	37	2	2	7	10	15	19	32
35-49	1879	9.1	40	2	3	8	11	16	21	35
50-64	1064	8.8	33	1	2	8	12	16	19	28
65+	364	9.3	45	1	2	8	12	17	23	33
GRAND TOTAL	**4795**	**8.8**	**38**	**2**	**2**	**8**	**11**	**16**	**20**	**32**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.2	27	2	2	3	6	14	18	18
20-34	132	6.5	16	1	2	6	8	11	13	20
35-49	211	7.3	26	1	3	6	9	14	17	25
50-64	164	8.1	23	1	3	8	11	14	17	25
65+	104	8.0	20	2	3	7	10	14	17	23
B. *Operated*										
0-19 YRS	11	5.4	18	1	1	4	9	12	12	12
20-34	96	5.7	18	2	2	4	8	13	15	17
35-49	162	6.2	24	2	2	5	9	13	17	23
50-64	82	6.2	37	1	2	4	7	16	20	28
65+	19	8.8	31	2	3	8	11	16	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.1	7	2	3	5	9	10	10	10
20-34	112	8.1	23	3	3	7	10	15	18	24
35-49	288	8.9	38	2	3	8	11	15	18	25
50-64	379	9.3	26	3	4	9	11	16	21	26
65+	423	9.5	32	3	4	8	13	17	21	27
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	66	12.0	68	2	3	11	16	21	27	46
35-49	113	11.5	65	3	4	9	16	23	29	39
50-64	110	12.6	68	2	4	11	16	23	28	42
65+	67	14.7	64	3	6	13	18	28	29	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	620	7.4	22	1	2	7	10	13	16	24
B. *Operated*	370	6.2	26	2	2	4	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	1212	9.1	31	3	4	8	11	16	19	26
B. *Operated*	357	12.6	67	2	4	11	16	24	29	40
1. SINGLE DX	990	7.0	24	1	2	6	9	13	17	24
2. MULTIPLE DX	1569	9.9	41	3	4	9	13	18	22	30
A. NOT OPERATED	1832	8.6	29	2	3	8	11	15	18	26
B. OPERATED	727	9.3	56	2	2	8	13	19	24	32
TOTAL 0-19 YRS	31	6.1	23	1	2	5	9	12	18	21
20-34	406	7.6	31	2	2	6	10	15	18	27
35-49	774	8.3	38	2	2	7	10	15	19	29
50-64	735	9.2	36	2	3	8	11	17	21	28
65+	613	9.8	37	3	4	8	13	18	22	29
GRAND TOTAL	**2559**	**8.8**	**36**	**2**	**3**	**8**	**11**	**16**	**20**	**28**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	4.2	11	<1	1	4	6	8	10	15
20-34	1913	6.1	20	<1	1	5	8	11	14	23
35-49	2452	7.1	25	1	2	6	9	13	16	25
50-64	1427	7.1	24	1	2	6	9	13	16	24
65+	610	7.3	29	1	2	6	10	14	18	26
B. *Operated*										
0-19 YRS	103	4.7	12	1	2	4	6	9	11	18
20-34	1422	5.7	23	1	2	4	8	12	15	22
35-49	2023	6.7	33	1	2	5	9	14	17	27
50-64	1249	7.7	42	1	2	6	10	16	20	32
65+	504	11.4	88	2	2	9	15	22	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	217	5.2	20	1	1	4	7	10	13	26
20-34	1941	7.1	27	1	2	6	9	14	17	26
35-49	3116	8.1	30	2	3	7	10	15	19	26
50-64	2701	8.5	32	2	3	7	11	15	18	27
65+	2477	9.2	37	2	3	8	12	17	21	31
B. *Operated*										
0-19 YRS	58	6.4	30	1	2	4	8	14	19	25
20-34	1125	8.5	52	2	2	7	11	17	21	38
35-49	1994	10.1	64	2	2	8	14	20	25	37
50-64	1957	11.1	79	2	2	9	14	22	27	44
65+	1240	15.2	130	3	4	13	20	30	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6633	6.7	24	1	2	6	9	13	16	24
B. *Operated*	5301	7.0	40	1	2	5	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	10452	8.2	32	2	3	7	11	15	19	28
B. *Operated*	6374	11.1	84	2	2	9	15	22	28	46
1. SINGLE DX	11934	6.9	31	1	2	6	9	14	17	26
2. MULTIPLE DX	16826	9.3	54	2	2	8	12	18	23	36
A. NOT OPERATED	17085	7.6	29	1	2	7	10	14	18	26
B. OPERATED	11675	9.3	68	2	2	7	12	19	25	40
TOTAL 0-19 YRS	609	4.8	17	1	1	4	6	9	12	22
20-34	6401	6.7	29	1	2	5	9	13	17	26
35-49	9585	8.0	38	2	2	7	10	16	19	29
50-64	7334	8.8	47	2	2	7	11	17	21	34
65+	4831	10.7	73	2	3	9	14	21	26	44
GRAND TOTAL	**28760**	**8.3**	**46**	**1**	**2**	**7**	**11**	**16**	**21**	**33**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	266	3.6	5	1	1	3	5	7	8	12
20-34	260	3.8	11	<1	<1	3	5	8	11	16
35-49	301	3.9	10	<1	<1	3	5	8	10	15
50-64	278	4.7	12	<1	<1	4	6	9	12	16
65+	138	5.4	12	<1	1	5	7	11	12	16
B. *Operated*										
0-19 YRS	539	2.6	3	1	1	2	3	4	6	10
20-34	1180	3.1	6	1	1	3	4	5	7	12
35-49	1733	3.2	5	1	1	3	4	5	7	12
50-64	1650	3.5	6	1	1	3	4	6	8	13
65+	437	3.8	11	1	1	3	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.5	12	1	1	4	6	8	12	17
20-34	210	5.2	26	<1	1	4	7	10	12	22
35-49	362	6.2	22	1	2	5	8	12	15	23
50-64	579	6.8	26	1	2	6	9	13	16	26
65+	632	8.6	42	2	3	7	11	16	19	30
B. *Operated*										
0-19 YRS	180	3.3	6	1	1	3	4	7	8	12
20-34	665	4.1	14	1	1	3	5	8	11	19
35-49	1043	4.9	23	1	2	3	5	9	13	27
50-64	1329	5.0	22	1	2	4	6	10	13	21
65+	590	7.2	70	1	2	5	9	15	21	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	4.2	10	<1	<1	3	5	8	11	15
B. *Operated*	5539	3.2	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	1904	6.9	31	1	2	6	9	13	16	26
B. *Operated*	3807	5.1	29	1	2	4	6	10	13	26
1. SINGLE DX	6782	3.4	7	<1	1	3	4	6	8	14
2. MULTIPLE DX	5711	5.7	30	1	2	4	7	11	15	26
A. NOT OPERATED	3147	5.8	25	<1	1	5	8	12	15	23
B. OPERATED	9346	4.0	16	1	1	3	5	7	10	19
TOTAL 0-19 YRS	1106	3.1	5	1	1	2	4	6	8	12
20-34	2315	3.6	11	<1	1	3	4	7	9	16
35-49	3439	4.1	14	1	1	3	5	8	10	18
50-64	3836	4.6	17	1	2	3	6	9	12	18
65+	1797	6.7	45	1	2	5	8	14	18	34
GRAND TOTAL	**12493**	**4.5**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	1	1	1	1	1
20-34	7	1.4	1	<1	<1	1	2	3	3	3
35-49	7	1.4	1	<1	<1	1	1	3	4	4
50-64	7	2.3	4	<1	<1	1	3	6	6	6
65+	7	3.1	13	<1	<1	<1	6	9	9	9
B. *Operated*										
0-19 YRS	523	3.4	3	1	2	3	4	5	6	8
20-34	1143	3.5	3	1	2	3	4	5	6	9
35-49	1056	3.7	3	1	2	3	5	6	7	9
50-64	1395	4.0	5	2	2	4	5	6	7	12
65+	720	4.4	14	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.1		<1	<1	1	1	2	2	2
20-34	22	2.3	4	<1	<1	1	3	5	7	9
35-49	31	2.2	4	<1	<1	1	3	5	7	9
50-64	54	2.6	5	<1	<1	1	4	6	7	9
65+	44	4.8	19	<1	1	3	7	12	14	17
B. *Operated*										
0-19 YRS	465	3.8	3	2	2	4	5	6	7	9
20-34	1495	4.0	5	2	2	4	5	6	7	11
35-49	1898	4.3	6	2	2	4	5	7	8	13
50-64	3316	4.9	8	2	3	4	6	8	9	15
65+	1988	5.7	20	2	3	5	6	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.9	4	<1	<1	1	1	4	8	9
B. *Operated*	4837	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	168	2.9	9	<1	<1	1	4	7	9	15
B. *Operated*	9162	4.7	10	2	2	4	5	7	9	15
1. SINGLE DX	4871	3.8	5	1	2	3	5	6	7	10
2. MULTIPLE DX	9330	4.7	10	2	2	4	5	7	9	15
A. NOT OPERATED	202	2.7	8	<1	<1	1	4	7	9	14
B. OPERATED	13999	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	1011	3.6	3	1	2	3	4	6	6	9
20-34	2667	3.8	4	1	2	3	5	6	7	10
35-49	2992	4.1	5	2	2	4	5	6	8	12
50-64	4772	4.6	7	2	2	4	5	7	9	14
65+	2759	5.3	18	2	2	5	6	9	11	20
GRAND TOTAL	**14201**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	18	1.4	1	<1	<1	1	1	2	4	5
35-49	11	1.9	3	<1	<1	1	2	5	5	5
50-64	8	3.4	4	<1	<1	3	5	6	7	7
65+	4	3.5	14	1	1	2	6	9	9	9
B. *Operated*										
0-19 YRS	627	1.8	1	<1	<1	2	2	3	3	5
20-34	1127	2.0	1	<1	<1	2	2	3	4	6
35-49	647	2.3	2	<1	1	2	3	4	5	8
50-64	485	2.6	3	<1	1	2	3	4	6	10
65+	177	3.4	10	<1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	2	<1	<1	1	2	4	5	5
20-34	20	2.1	3	<1	<1	1	3	5	6	7
35-49	9	6.0	29	1	1	4	9	15	15	15
50-64	24	4.6	8	<1	1	4	7	9	9	9
65+	24	4.7	13	1	1	4	6	8	13	17
B. *Operated*										
0-19 YRS	89	2.7	3	<1	1	2	3	5	6	10
20-34	268	3.1	5	1	1	2	4	6	8	11
35-49	309	3.9	12	1	1	3	4	7	10	17
50-64	350	4.3	19	1	1	3	5	8	11	22
65+	209	5.7	24	1	2	4	7	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	2.1	3	<1	<1	1	2	5	6	9
B. *Operated*	3063	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	92	3.8	11	<1	<1	3	5	8	9	16
B. *Operated*	1225	4.0	15	1	1	3	5	8	11	19
1. SINGLE DX	3109	2.2	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1317	4.0	14	1	1	3	5	8	11	19
A. NOT OPERATED	138	3.2	9	<1	<1	2	5	7	9	15
B. OPERATED	4288	2.7	6	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	736	1.9	1	<1	<1	2	2	3	4	6
20-34	1433	2.2	2	<1	<1	2	2	4	5	8
35-49	976	2.8	6	<1	1	2	3	5	7	15
50-64	867	3.4	10	<1	1	3	4	6	9	15
65+	414	4.6	18	1	1	3	6	10	15	20
GRAND TOTAL	**4426**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	13.1	68	2	2	12	18	24	29	39
20-34	63	13.1	196	1	2	8	21	33	38	73
35-49	60	12.5	130	2	3	8	15	30	39	46
50-64	44	10.8	48	2	3	10	14	21	22	34
65+	31	15.0	137	2	5	11	17	34	44	48
B. *Operated*										
0-19 YRS	132	16.5	131	2	4	15	24	32	40	46
20-34	174	16.2	248	2	3	11	21	34	46	89
35-49	138	15.5	141	2	3	13	22	34	40	49
50-64	114	15.0	174	2	3	11	22	34	45	77
65+	93	15.2	189	2	3	11	20	28	45	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	17.5	98	3	5	16	25	30	36	40
20-34	72	13.7	192	1	2	10	19	27	38	78
35-49	93	14.5	155	2	3	9	21	31	38	53
50-64	150	15.0	140	3	4	12	20	30	41	57
65+	204	17.4	187	4	5	14	21	41	48	63
B. *Operated*										
0-19 YRS	92	26.2	274	4	8	22	36	46	55	79
20-34	194	22.4	270	2	4	19	32	46	54	66
35-49	233	21.6	308	2	4	17	29	45	58	79
50-64	379	22.0	277	3	5	16	32	46	55	98
65+	399	24.1	279	4	6	21	32	49	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	12.9	105	2	3	10	18	28	33	45
B. *Operated*	651	15.8	179	2	3	12	22	33	43	64
2. MULTIPLE DX										
A. *Not Operated*	600	15.9	160	2	3	13	22	32	42	57
B. *Operated*	1297	22.9	283	3	5	19	32	46	57	82
1. SINGLE DX	994	14.8	156	2	3	11	20	31	40	60
2. MULTIPLE DX	1897	20.7	255	3	4	16	29	44	52	78
A. NOT OPERATED	943	14.8	142	2	3	12	20	30	39	54
B. OPERATED	1948	20.5	260	3	4	16	29	44	52	79
TOTAL 0-19 YRS	450	17.5	155	2	4	15	23	33	41	55
20-34	503	17.8	255	2	3	13	26	40	48	78
35-49	524	17.7	229	2	3	13	25	39	47	68
50-64	687	18.6	230	3	4	14	27	42	50	88
65+	727	20.7	250	3	5	17	28	44	53	78
GRAND TOTAL	**2891**	**18.7**	**229**	**2**	**4**	**15**	**26**	**41**	**49**	**74**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	239	5.2	27	<1	1	3	6	12	17	24
20-34	258	3.6	24	<1	<1	3	4	7	9	16
35-49	263	4.2	10	<1	1	3	5	8	10	20
50-64	247	5.0	18	<1	1	4	6	10	14	23
65+	439	8.1	40	1	2	6	11	16	19	27
B. *Operated*										
0-19 YRS	1406	4.1	13	1	1	3	5	8	11	18
20-34	1571	4.4	15	1	2	3	5	8	11	18
35-49	795	5.6	25	1	2	4	7	11	16	25
50-64	606	7.3	39	2	2	5	10	16	19	31
65+	411	11.9	69	2	3	11	16	22	26	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.9	30	1	1	3	6	10	12	33
20-34	394	4.9	18	1	1	4	6	9	13	22
35-49	635	5.9	26	1	2	5	7	11	14	27
50-64	1085	7.5	36	2	2	6	9	15	19	32
65+	3952	10.9	58	3	4	9	14	20	25	36
B. *Operated*										
0-19 YRS	471	5.5	48	1	1	3	6	11	17	40
20-34	930	6.7	76	1	2	4	7	14	21	51
35-49	835	9.0	105	2	2	5	11	19	28	49
50-64	967	12.4	148	2	3	9	16	26	36	73
65+	1441	17.6	156	4	5	15	22	32	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1446	5.6	29	<1	1	4	7	12	16	24
B. *Operated*	4789	5.5	28	1	2	4	6	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	6203	9.3	53	2	3	7	12	18	23	34
B. *Operated*	4644	11.5	139	2	2	8	16	24	34	65
1. SINGLE DX	6235	5.5	28	1	2	4	7	12	16	26
2. MULTIPLE DX	10847	10.2	91	2	2	8	13	21	27	49
A. NOT OPERATED	7649	8.6	51	1	2	7	11	18	22	33
B. OPERATED	9433	8.5	92	1	2	5	11	19	26	49
TOTAL 0-19 YRS	2253	4.5	23	1	1	3	5	9	13	23
20-34	3153	5.1	35	1	1	4	6	10	14	30
35-49	2528	6.7	53	1	2	4	8	13	18	39
50-64	2905	8.9	79	2	2	6	11	18	25	46
65+	6243	12.3	89	2	4	10	16	23	29	47
GRAND TOTAL	**17082**	**8.5**	**73**	**1**	**2**	**6**	**11**	**18**	**24**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	2	<1	<1	1	3	4	6	6
20-34	9	3.4	15	<1	<1	1	5	10	11	11
35-49	3	5.0	37	<1	<1	2	9	12	12	12
50-64										
65+	6	10.3	63	2	2	9	14	23	24	24
B. *Operated*										
0-19 YRS	361	4.2	16	1	1	4	5	8	10	14
20-34	308	3.8	24	<1	1	3	4	7	9	24
35-49	173	3.7	15	1	1	2	4	8	11	26
50-64	150	4.3	12	1	1	3	6	8	11	15
65+	57	6.5	32	2	2	4	10	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.8	9	<1	<1	1	4	7	10	11
20-34	18	2.6	5	<1	<1	1	3	7	7	7
35-49	21	4.2	18	<1	<1	3	6	12	14	15
50-64	19	7.7	73	<1	1	4	10	21	29	32
65+	38	9.4	50	2	3	7	13	18	27	30
B. *Operated*										
0-19 YRS	248	4.5	37	1	2	4	5	7	10	16
20-34	303	4.6	40	1	2	3	5	8	11	27
35-49	235	5.3	24	2	2	4	6	9	11	26
50-64	273	6.5	35	2	2	5	7	13	16	29
65+	154	9.4	69	2	2	7	13	20	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.3	27	<1	<1	2	5	11	14	24
B. *Operated*	1049	4.1	19	1	1	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	113	6.1	42	<1	<1	4	8	14	19	31
B. *Operated*	1213	5.8	41	1	2	4	6	11	16	29
1. SINGLE DX	1081	4.1	19	<1	1	3	5	8	11	23
2. MULTIPLE DX	1326	5.8	41	1	2	4	7	11	16	30
A. NOT OPERATED	145	5.7	39	<1	<1	4	8	14	17	30
B. OPERATED	2262	5.0	31	1	2	4	6	10	13	26
TOTAL 0-19 YRS	640	4.2	24	<1	1	4	5	7	10	14
20-34	638	4.1	31	<1	1	3	5	7	10	24
35-49	432	4.6	21	1	1	3	5	9	11	25
50-64	442	5.8	30	1	2	4	7	11	15	28
65+	255	8.8	59	2	2	6	12	18	24	31
GRAND TOTAL	**2407**	**5.0**	**32**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	5	1	1	3	4	7	8	8
20-34	68	6.8	33	1	2	5	8	16	17	31
35-49	105	7.4	21	1	2	7	10	13	16	22
50-64	56	8.2	24	2	3	7	11	17	18	20
65+	35	8.1	52	1	2	5	11	19	25	29
B. *Operated*										
0-19 YRS	4	5.3	11	2	2	5	8	9	9	9
20-34	54	6.4	40	2	2	4	8	16	24	25
35-49	114	5.3	21	2	2	3	7	13	15	21
50-64	76	8.3	141	1	2	5	11	18	24	76
65+	14	8.1	70	1	1	6	12	17	29	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.9	72	1	1	4	7	22	27	27
20-34	50	7.6	23	2	2	7	10	12	13	25
35-49	126	8.5	37	1	2	7	11	18	22	25
50-64	169	7.8	30	2	2	7	10	15	18	27
65+	200	9.4	38	2	3	8	12	17	19	34
B. *Operated*										
0-19 YRS										
20-34	34	9.0	70	1	2	7	10	20	28	39
35-49	74	8.9	37	2	3	8	13	16	19	31
50-64	68	10.0	76	2	2	8	12	23	26	92
65+	54	14.5	124	3	4	12	19	24	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	7.4	28	1	2	6	10	15	18	27
B. *Operated*	262	6.6	63	1	2	4	8	15	20	27
2. MULTIPLE DX										
A. *Not Operated*	553	8.5	35	2	2	7	11	16	19	27
B. *Operated*	230	10.6	78	2	3	8	14	22	26	57
1. SINGLE DX	534	7.0	45	1	2	5	10	15	18	27
2. MULTIPLE DX	783	9.1	48	2	3	8	12	18	23	36
A. NOT OPERATED	825	8.1	33	2	2	7	11	16	19	27
B. OPERATED	492	8.4	74	2	2	6	11	18	24	47
TOTAL 0-19 YRS	20	5.1	33	1	1	3	6	9	18	27
20-34	206	7.3	39	1	2	6	10	16	21	31
35-49	419	7.4	30	2	2	6	11	15	18	25
50-64	369	8.4	60	2	2	7	11	17	21	29
65+	303	10.1	60	2	3	8	13	19	24	42
GRAND TOTAL	**1317**	**8.3**	**48**	**2**	**2**	**7**	**11**	**16**	**21**	**29**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	3.9	12	<1	1	3	5	9	12	15
20-34	802	4.6	17	<1	<1	3	6	10	13	19
35-49	808	5.7	27	<1	1	4	7	11	14	28
50-64	503	5.4	19	<1	1	4	7	11	14	22
65+	306	6.0	27	<1	1	4	8	13	16	26
B. *Operated*										
0-19 YRS	784	4.3	21	1	1	2	4	12	14	21
20-34	1237	4.2	19	1	1	3	5	9	13	22
35-49	912	5.0	23	1	1	3	6	11	14	24
50-64	957	4.0	18	1	1	3	4	8	12	21
65+	493	4.2	23	1	1	3	4	9	13	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	4.4	11	1	1	3	6	9	11	16
20-34	1167	6.3	23	1	1	5	9	12	15	23
35-49	1663	7.0	25	1	2	6	9	13	16	27
50-64	1495	6.9	30	1	2	6	9	13	17	26
65+	1532	8.0	37	2	2	7	10	15	20	29
B. *Operated*										
0-19 YRS	646	4.2	33	1	1	3	4	9	13	25
20-34	1381	5.2	32	1	1	3	6	11	16	30
35-49	1172	6.5	49	1	2	4	9	14	18	32
50-64	1223	7.7	74	1	2	5	10	17	22	43
65+	834	9.2	100	2	2	6	12	19	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2730	5.2	21	<1	<1	4	7	11	14	23
B. *Operated*	4383	4.4	21	1	1	3	5	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	6129	7.0	29	1	2	6	9	13	17	26
B. *Operated*	5256	6.6	59	1	2	4	8	15	20	38
1. SINGLE DX	7113	4.7	21	<1	1	3	6	10	14	23
2. MULTIPLE DX	11385	6.8	43	1	2	5	9	14	18	31
A. NOT OPERATED	8859	6.4	27	1	1	5	8	13	16	25
B. OPERATED	9639	5.6	43	1	1	3	7	13	17	31
TOTAL 0-19 YRS	2013	4.2	22	1	1	3	5	10	14	20
20-34	4587	5.1	24	<1	1	3	7	11	14	24
35-49	4555	6.2	32	1	2	5	8	12	16	28
50-64	4178	6.3	41	1	2	4	8	13	17	30
65+	3165	7.5	53	1	2	5	10	15	21	35
GRAND TOTAL	**18498**	**6.0**	**35**	**1**	**1**	**4**	**8**	**13**	**16**	**29**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	5	<1	1	5	6	8	8	8
20-34	58	5.8	9	2	3	5	7	9	11	17
35-49	66	6.4	10	2	3	6	8	11	12	15
50-64	27	7.2	16	2	2	6	9	13	15	16
65+	3	8.7	4	7	7	8	10	11	11	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	17	6.9	22	2	2	6	9	12	18	21
35-49	17	7.2	19	2	2	7	10	14	15	15
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.0	8	<1	1	5	6	10	11	11
20-34	185	6.3	13	3	3	6	8	11	12	21
35-49	263	7.5	20	3	3	7	9	13	15	24
50-64	144	7.8	18	3	3	7	11	13	15	20
65+	67	8.7	41	2	2	8	11	14	25	32
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	9.8	45	2	3	9	13	17	23	35
35-49	77	10.3	77	3	3	8	12	17	19	59
50-64	37	8.2	33	3	3	6	11	16	21	26
65+	9	12.8	34	3	5	14	17	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	6.3	10	2	3	6	8	11	13	16
B. *Operated*	36	6.8	21	2	2	6	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	680	7.3	20	3	3	6	9	13	15	25
B. *Operated*	170	9.8	57	3	3	8	13	17	21	42
1. SINGLE DX	197	6.4	12	2	2	6	8	11	13	17
2. MULTIPLE DX	850	7.8	28	3	3	7	10	14	17	26
A. NOT OPERATED	841	7.1	18	2	3	6	9	12	14	23
B. OPERATED	206	9.3	52	2	3	8	12	17	20	39
TOTAL 0-19 YRS	30	4.8	7	<1	1	5	6	9	10	11
20-34	306	6.8	19	2	3	6	9	12	14	23
35-49	423	7.8	30	3	3	7	10	14	16	27
50-64	209	7.8	20	3	3	7	11	14	16	23
65+	79	9.1	40	2	3	8	12	16	23	32
GRAND TOTAL	**1047**	**7.5**	**25**	**2**	**3**	**7**	**10**	**13**	**16**	**25**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	12	<1	1	2	4	8	11	18
20-34	6	7.7	38	3	3	4	14	17	17	17
35-49	6	6.8	17	2	2	7	7	13	14	14
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	102	7.1	42	2	2	6	9	12	16	42
20-34	10	7.2	18	2	2	9	10	12	12	12
35-49	10	11.4	36	2	2	11	16	19	19	19
50-64	6	11.2	75	3	3	9	10	26	28	28
65+	3	4.7	6	2	2	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	138	5.4	28	1	1	4	6	12	17	26
20-34	28	7.2	54	1	1	4	11	17	20	33
35-49	13	18.4	560	1	1	10	25	51	79	86
50-64	5	17.6	323	5	5	6	31	45	45	45
65+	17	7.0	30	1	1	6	12	15	15	15
B. *Operated*										
0-19 YRS	144	11.3	121	2	2	8	14	29	36	52
20-34	19	8.2	30	1	2	8	13	16	18	19
35-49	13	9.5	32	3	4	9	11	17	22	23
50-64	21	19.3	332	3	4	14	24	45	69	69
65+	8	14.5	225	1	1	10	21	40	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	4.1	17	<1	1	3	4	10	14	18
B. *Operated*	131	7.6	41	2	2	6	10	14	17	40
2. MULTIPLE DX										
A. *Not Operated*	201	6.9	82	1	1	4	8	15	24	43
B. *Operated*	205	11.9	137	2	2	8	15	28	36	61
1. SINGLE DX	194	6.5	36	1	1	5	9	13	16	34
2. MULTIPLE DX	406	9.4	116	1	2	6	12	23	31	53
A. NOT OPERATED	264	6.2	68	1	1	4	7	14	20	41
B. OPERATED	336	10.2	104	2	2	7	12	22	32	52
TOTAL 0-19 YRS	430	7.5	69	1	1	5	9	17	26	41
20-34	63	7.5	38	1	2	5	12	15	18	31
35-49	42	12.3	202	1	2	9	15	24	33	86
50-64	36	16.0	267	2	3	10	22	29	62	69
65+	29	9.0	87	1	1	7	12	15	29	45
GRAND TOTAL	**600**	**8.5**	**92**	**1**	**2**	**5**	**10**	**19**	**27**	**46**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	1.7	5	<1	<1	1	1	2	6	14
20-34	8	2.4	3	1	1	2	3	5	6	6
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*										
0-19 YRS	669	2.2	1	1	1	2	2	3	4	7
20-34	195	2.8	3	1	1	2	3	4	6	10
35-49	113	3.0	5	1	1	3	3	5	6	13
50-64	130	2.7	2	1	1	2	3	4	5	11
65+	118	2.9	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	2.0	4	<1	<1	1	2	5	7	8
20-34	5	1.2		<1	<1	<1	1	2	2	2
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	3.3	20	1	1	1	6	10	10	10
65+	5	5.8	38	1	1	3	9	16	16	16
B. *Operated*										
0-19 YRS	186	2.7	5	1	1	2	3	5	6	14
20-34	75	4.0	12	1	2	3	5	9	10	20
35-49	54	3.5	5	1	2	3	4	6	9	11
50-64	110	3.1	4	2	2	2	3	5	7	13
65+	145	3.3	5	2	2	3	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	1.8	5	<1	<1	1	1	3	6	14
B. *Operated*	1225	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	53	2.4	8	<1	<1	1	3	6	8	16
B. *Operated*	570	3.2	6	1	1	2	4	6	7	14
1. SINGLE DX	1373	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	623	3.1	6	1	1	2	4	6	7	14
A. NOT OPERATED	201	1.9	6	<1	<1	1	2	4	7	15
B. OPERATED	1795	2.7	3	1	1	2	3	4	6	10
TOTAL 0-19 YRS	1026	2.2	3	<1	1	2	2	4	5	8
20-34	283	3.1	6	1	1	2	3	5	8	12
35-49	172	3.2	5	1	1	3	4	5	7	11
50-64	245	2.9	3	1	2	2	3	5	6	11
65+	270	3.2	4	2	2	3	3	5	6	14
GRAND TOTAL	**1996**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	3.1	10	<1	<1	2	4	6	8	18
20-34	26	3.8	5	1	2	3	5	7	8	8
35-49	13	4.2	10	1	1	4	5	8	12	13
50-64	13	5.2	10	2	2	5	7	10	12	12
65+	7	6.4	13	2	2	5	10	11	11	11
B. *Operated*										
0-19 YRS	787	5.1	37	1	1	2	3	11	14	24
20-34	159	6.4	73	1	2	4	9	11	14	35
35-49	102	7.1	41	1	2	5	10	14	21	30
50-64	62	7.4	56	2	2	5	10	15	20	44
65+	21	9.0	51	2	3	5	12	21	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	285	5.4	43	1	1	3	6	10	17	33
20-34	91	6.1	34	1	2	4	7	12	14	33
35-49	61	6.6	28	1	2	5	7	14	20	24
50-64	40	7.5	39	1	2	6	9	15	20	33
65+	91	8.6	57	2	3	7	10	15	21	42
B. *Operated*										
0-19 YRS	781	7.6	88	1	1	4	10	17	25	56
20-34	185	8.8	95	2	2	6	11	18	29	70
35-49	137	8.6	73	1	2	7	11	19	27	60
50-64	153	10.6	130	2	2	7	14	22	32	47
65+	105	12.5	107	2	2	10	17	29	35	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	3.6	10	<1	<1	2	5	7	9	14
B. *Operated*	1131	5.7	45	1	1	3	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	568	6.3	43	1	1	4	7	13	18	35
B. *Operated*	1361	8.5	96	1	1	6	11	19	27	54
1. SINGLE DX	1290	5.4	41	1	1	3	8	11	15	27
2. MULTIPLE DX	1929	7.9	81	1	1	5	10	17	25	47
A. NOT OPERATED	727	5.7	37	1	1	4	7	11	16	33
B. OPERATED	2492	7.2	75	1	1	4	10	16	23	46
TOTAL 0-19 YRS	1953	6.0	59	1	1	3	8	13	19	39
20-34	461	7.2	72	1	2	4	9	14	22	47
35-49	313	7.5	52	1	2	5	10	16	23	36
50-64	268	9.1	96	2	2	6	12	20	26	47
65+	224	10.4	82	2	2	8	13	20	31	42
GRAND TOTAL	**3219**	**6.9**	**66**	**1**	**1**	**4**	**9**	**15**	**22**	**42**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	16	<1	<1	1	7	10	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	423	4.1	7	1	2	3	6	7	8	10
20-34	18	3.9	3	2	2	4	5	6	7	8
35-49	8	3.1	1	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.7	3	<1	<1	1	1	5	6	7
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	302	3.9	5	1	2	3	5	7	8	11
20-34	30	3.2	3	2	2	3	4	6	7	7
35-49	3	6.7	9	4	4	6	9	10	10	10
50-64	3	2.3		2	2	2	3	3	3	3
65+	2	9.0	98	2	2	9	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	16	<1	<1	1	7	10	10	10
B. *Operated*	450	4.0	7	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	27	1.8	3	<1	<1	1	1	5	6	7
B. *Operated*	340	3.9	6	2	2	3	5	7	8	12
1. SINGLE DX	456	4.0	7	1	2	3	5	7	8	10
2. MULTIPLE DX	367	3.7	6	1	1	3	5	7	8	12
A. NOT OPERATED	33	2.1	5	<1	<1	1	2	6	7	10
B. OPERATED	790	4.0	6	1	2	3	5	7	8	11
TOTAL 0-19 YRS	757	3.9	6	1	2	3	5	7	8	10
20-34	48	3.5	3	2	2	3	5	6	7	8
35-49	11	4.1	5	2	2	3	5	8	10	10
50-64	4	2.3		2	2	2	3	3	3	3
65+	3	7.3	57	2	2	4	13	16	16	16
GRAND TOTAL	**823**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	4	1	1	3	4	6	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	497	4.2	4	2	2	4	5	6	7	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.2	9	2	2	4	7	10	11	12
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	103	6.3	16	3	3	5	8	10	12	25
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	3.2	4	1	1	3	4	6	8	9
B. *Operated*	497	4.2	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	22	5.2	9	2	2	4	7	10	11	12
B. *Operated*	103	6.3	16	3	3	5	8	10	12	25
1. SINGLE DX	539	4.1	4	2	2	4	5	6	7	11
2. MULTIPLE DX	125	6.1	15	2	3	5	7	10	11	21
A. NOT OPERATED	64	3.9	7	1	1	3	5	7	9	12
B. OPERATED	600	4.5	7	2	2	4	5	7	9	13
TOTAL 0-19 YRS	664	4.5	7	2	2	4	5	7	9	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**664**	**4.5**	**7**	**2**	**2**	**4**	**5**	**7**	**9**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.7	25	<1	1	2	4	7	10	28
20-34	15	4.1	12	2	2	3	4	8	13	15
35-49	8	4.4	3	2	2	4	5	7	7	7
50-64	8	3.9	8	1	1	3	6	8	9	9
65+	7	1.9		1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	296	5.4	33	1	1	4	7	11	14	35
20-34	83	5.2	20	1	1	4	7	10	13	23
35-49	39	6.1	43	1	1	5	9	11	14	39
50-64	29	5.5	16	<1	1	5	8	11	15	15
65+	20	7.3	54	<1	1	5	9	17	25	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	6.4	70	1	1	4	7	11	20	51
20-34	23	5.4	26	1	2	4	7	10	16	25
35-49	21	4.7	9	<1	1	5	7	9	9	10
50-64	35	5.9	24	1	2	4	6	12	14	26
65+	66	7.8	48	2	2	7	9	14	16	41
B. *Operated*										
0-19 YRS	242	9.5	157	2	2	6	11	17	26	74
20-34	100	8.5	64	2	2	6	11	16	19	50
35-49	77	8.7	56	1	2	7	11	18	22	44
50-64	69	10.6	61	2	3	9	14	22	28	35
65+	91	13.1	100	2	3	11	16	30	36	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.7	20	<1	1	2	4	7	9	20
B. *Operated*	467	5.5	31	1	1	4	7	11	14	32
2. MULTIPLE DX										
A. *Not Operated*	281	6.4	51	1	1	5	8	12	16	43
B. *Operated*	579	9.9	109	2	2	7	12	19	27	68
1. SINGLE DX	620	5.0	29	1	1	3	7	10	14	30
2. MULTIPLE DX	860	8.8	92	1	2	6	11	17	25	51
A. NOT OPERATED	434	5.5	42	1	1	4	7	11	15	42
B. OPERATED	1046	7.9	79	1	2	5	10	16	22	49
TOTAL 0-19 YRS	789	6.5	80	1	1	4	8	13	18	50
20-34	221	6.7	43	1	2	5	9	13	17	28
35-49	145	7.2	45	1	2	6	9	15	19	39
50-64	141	8.0	46	1	2	6	11	15	22	33
65+	184	10.1	81	1	2	8	13	21	31	43
GRAND TOTAL	**1480**	**7.2**	**69**	**1**	**1**	**5**	**9**	**15**	**20**	**43**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.4	1	<1	<1	1	1	3	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	947	2.6	2	1	1	2	3	4	6	7
20-34	69	3.1	2	1	1	3	4	5	6	8
35-49	22	2.8	2	1	2	3	3	4	6	9
50-64	7	3.3	1	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.2		<1	<1	1	1	2	2	4
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	673	3.0	4	1	1	2	4	5	7	11
20-34	105	3.7	6	1	2	3	5	6	7	16
35-49	31	4.3	3	2	2	4	6	7	8	9
50-64	14	4.3	4	2	3	4	5	7	9	10
65+	7	7.0	49	2	2	6	8	19	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1046	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	36	1.5	1	<1	<1	1	2	4	4	4
B. *Operated*	830	3.2	4	1	1	3	4	5	7	11
1. SINGLE DX	1065	2.7	2	1	1	2	3	4	6	8
2. MULTIPLE DX	866	3.1	4	1	1	3	4	5	7	11
A. NOT OPERATED	55	1.4	1	<1	<1	1	1	4	4	4
B. OPERATED	1876	2.9	3	1	1	2	3	5	6	9
TOTAL 0-19 YRS	1667	2.7	3	1	1	2	3	5	6	8
20-34	180	3.4	5	1	1	3	4	5	7	12
35-49	54	3.7	3	2	2	3	5	6	8	9
50-64	21	4.0	3	2	2	3	4	6	8	10
65+	9	6.2	39	2	2	4	7	16	22	22
GRAND TOTAL	**1931**	**2.8**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.2	3	<1	1	2	3	5	6	6
20-34	22	3.8	21	<1	1	3	4	6	13	23
35-49	11	3.8	3	<1	1	4	5	6	6	6
50-64	10	3.8	6	1	1	3	4	8	8	8
65+	13	5.1	28	1	2	3	5	11	19	21
B. *Operated*										
0-19 YRS	792	4.8	11	1	1	4	7	10	11	15
20-34	270	4.0	10	<1	1	3	5	8	9	16
35-49	73	4.9	14	1	1	4	6	10	13	19
50-64	58	4.9	16	1	1	4	7	9	13	19
65+	23	5.7	30	1	2	4	7	12	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.3	11	<1	1	2	4	7	9	19
20-34	59	4.9	12	1	2	4	6	8	12	20
35-49	88	6.1	20	1	2	5	8	13	14	25
50-64	66	6.4	33	1	1	5	8	14	19	29
65+	58	7.1	16	2	3	6	9	13	16	17
B. *Operated*										
0-19 YRS	504	5.8	27	1	1	4	8	11	15	27
20-34	349	6.0	45	1	2	5	7	11	15	30
35-49	198	8.8	82	1	2	7	10	15	22	54
50-64	188	9.4	76	1	2	7	12	18	25	50
65+	133	8.8	67	2	2	7	12	17	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.4	12	<1	1	3	4	6	8	22
B. *Operated*	1216	4.6	12	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	331	5.6	20	1	1	4	7	11	15	21
B. *Operated*	1372	7.1	52	1	2	5	9	14	18	38
1. SINGLE DX	1304	4.6	12	1	1	4	6	9	11	16
2. MULTIPLE DX	1703	6.8	47	1	2	5	9	13	17	32
A. NOT OPERATED	419	5.2	19	1	1	4	7	10	14	21
B. OPERATED	2588	5.9	35	1	1	5	8	11	15	28
TOTAL 0-19 YRS	1388	5.1	17	1	1	4	7	10	12	20
20-34	700	5.1	29	1	1	4	6	9	13	21
35-49	370	7.2	55	1	2	6	9	13	17	38
50-64	322	7.8	58	1	2	6	10	17	21	43
65+	227	7.9	49	1	2	6	10	16	20	40
GRAND TOTAL	**3007**	**5.8**	**33**	**1**	**1**	**4**	**8**	**11**	**15**	**27**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.5	2	<1	<1	1	1	3	4	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	544	3.5	4	1	2	3	4	6	7	10
20-34	52	4.5	3	1	2	5	5	7	8	9
35-49	21	6.5	14	2	3	6	8	13	14	15
50-64	14	6.6	20	2	2	5	9	14	16	16
65+	10	5.2	7	1	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.5	2	<1	<1	1	1	3	5	7
20-34	2	4.5	25	1	1	4	8	8	8	8
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	286	4.7	21	1	2	4	5	7	9	31
20-34	95	5.2	16	2	2	4	6	8	11	27
35-49	79	5.2	5	2	3	5	6	8	10	14
50-64	93	5.1	6	3	3	5	6	8	10	17
65+	41	6.1	11	3	3	5	7	10	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	1.5	1	<1	<1	1	1	3	4	6
B. *Operated*	641	3.8	5	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	34	1.8	3	<1	<1	1	1	4	7	8
B. *Operated*	594	5.0	15	2	2	4	6	8	10	20
1. SINGLE DX	667	3.7	5	1	1	3	5	6	8	13
2. MULTIPLE DX	628	4.8	15	1	2	4	6	8	10	19
A. NOT OPERATED	60	1.7	2	<1	<1	1	1	4	5	8
B. OPERATED	1235	4.4	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	883	3.8	10	1	1	3	5	6	8	13
20-34	150	4.9	12	2	2	4	6	8	9	16
35-49	102	5.4	7	2	3	5	6	9	11	15
50-64	108	5.3	8	3	3	5	6	9	10	18
65+	52	5.8	10	3	3	5	7	10	11	19
GRAND TOTAL	**1295**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.2	16	<1	<1	2	3	8	9	28
20-34	108	5.2	24	<1	<1	4	7	12	14	24
35-49	65	6.0	22	1	2	5	7	11	12	28
50-64	46	5.8	13	<1	2	5	8	12	13	14
65+	19	5.5	9	1	2	5	8	10	11	12
B. *Operated*										
0-19 YRS	1643	4.4	18	1	1	3	5	9	13	23
20-34	701	4.5	19	1	1	3	5	10	12	20
35-49	367	5.9	25	1	2	4	8	13	16	25
50-64	187	6.6	31	1	2	5	9	14	17	27
65+	68	7.4	43	1	2	5	10	18	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	5.3	47	<1	1	3	7	12	17	37
20-34	155	5.6	20	<1	1	4	8	11	14	24
35-49	129	7.4	29	1	2	6	11	14	17	27
50-64	169	7.9	43	1	2	6	10	15	18	30
65+	154	9.2	42	2	3	8	12	18	23	30
B. *Operated*										
0-19 YRS	593	6.3	62	1	2	4	8	13	20	42
20-34	363	7.3	71	1	2	5	9	14	19	48
35-49	301	8.5	58	2	2	7	11	17	24	39
50-64	319	10.5	92	2	2	8	14	20	27	48
65+	130	13.0	125	2	3	10	18	27	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	4.3	19	<1	1	3	6	9	12	26
B. *Operated*	2966	4.8	21	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	908	6.8	40	1	1	5	9	14	19	31
B. *Operated*	1706	8.2	78	1	2	5	10	17	24	44
1. SINGLE DX	3451	4.8	21	1	1	3	6	10	14	23
2. MULTIPLE DX	2614	7.7	65	1	2	5	10	16	22	40
A. NOT OPERATED	1393	5.9	34	<1	1	4	8	13	16	29
B. OPERATED	4672	6.1	44	1	1	4	8	13	18	33
TOTAL 0-19 YRS	2784	4.8	31	1	1	3	6	10	14	29
20-34	1327	5.5	35	<1	1	3	7	11	14	29
35-49	862	7.0	38	1	2	5	9	14	18	29
50-64	721	8.6	63	1	2	7	11	17	22	35
65+	371	10.0	75	2	2	8	13	21	27	40
GRAND TOTAL	**6065**	**6.0**	**42**	**1**	**1**	**4**	**8**	**13**	**17**	**31**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1915	3.8	21	1	1	3	4	7	11	25
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	47	6.7	42	1	2	5	9	17	20	32
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1181	9.5	120	1	2	5	12	23	33	55
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	78	17.7	325	1	2	12	25	44	69	96
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1915	3.8	21	1	1	3	4	7	11	25
B. *Operated*	47	6.7	42	1	2	5	9	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	1181	9.5	120	1	2	5	12	23	33	55
B. *Operated*	78	17.7	325	1	2	12	25	44	69	96
1. SINGLE DX	1962	3.8	22	1	1	3	4	7	11	25
2. MULTIPLE DX	1259	10.0	136	1	2	6	13	25	35	59
A. NOT OPERATED	3096	6.0	67	1	1	3	6	14	22	42
B. OPERATED	125	13.6	246	1	2	8	19	32	48	90
TOTAL 0-19 YRS	3221	6.3	76	1	1	3	6	15	24	45
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**3221**	**6.3**	**76**	**1**	**1**	**3**	**6**	**15**	**24**	**45**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2715	3.2	8	1	1	3	4	6	7	14
20-34	1255	3.7	9	1	1	3	5	7	9	14
35-49	592	4.2	11	1	1	3	5	8	9	14
50-64	419	4.4	12	1	1	4	6	8	11	19
65+	334	5.4	22	1	1	4	6	10	14	23
B. *Operated*										
0-19 YRS	37	4.1	4	2	2	4	5	7	8	9
20-34	46	4.9	16	1	2	4	6	9	13	23
35-49	34	7.3	24	1	2	7	10	14	17	20
50-64	26	7.4	21	3	3	6	8	15	17	21
65+	16	8.1	14	4	4	7	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3365	3.8	10	1	1	3	5	7	9	17
20-34	1426	5.6	27	1	2	4	7	11	14	24
35-49	1208	6.2	27	1	2	5	8	12	16	28
50-64	1548	7.1	31	2	2	6	9	14	17	27
65+	1885	8.0	38	2	3	6	10	15	20	31
B. *Operated*										
0-19 YRS	102	7.3	57	1	2	5	8	14	19	44
20-34	172	9.1	65	2	3	7	10	16	23	53
35-49	143	11.7	113	3	3	8	15	23	36	59
50-64	199	13.7	111	4	4	11	17	25	32	62
65+	181	13.0	114	3	4	10	16	25	33	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5315	3.7	10	1	1	3	5	7	9	16
B. *Operated*	159	6.0	18	2	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	9432	5.7	26	1	2	4	7	11	15	26
B. *Operated*	797	11.4	100	2	3	9	14	22	29	53
1. SINGLE DX	5474	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	10229	6.2	34	1	2	4	8	12	17	29
A. NOT OPERATED	14747	5.0	22	1	1	4	6	10	13	24
B. OPERATED	956	10.5	90	2	3	8	13	21	27	51
TOTAL 0-19 YRS	6219	3.6	10	1	1	3	4	7	9	16
20-34	2899	5.0	23	1	1	4	6	9	13	24
35-49	1977	6.0	32	1	2	5	7	11	16	30
50-64	2192	7.2	40	1	2	5	9	14	18	32
65+	2416	8.0	44	2	2	6	10	16	20	33
GRAND TOTAL	**15703**	**5.3**	**27**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	928	3.1	4	1	1	3	4	5	6	10
20-34	196	4.6	9	1	2	4	6	8	11	16
35-49	112	5.2	11	1	2	4	7	10	12	17
50-64	99	5.0	8	1	2	5	6	9	11	14
65+	129	6.1	14	2	2	5	8	11	12	19
B. *Operated*										
0-19 YRS	21	7.1	18	3	3	6	9	13	16	19
20-34	20	7.8	19	2	2	7	11	14	16	17
35-49	17	10.2	69	2	3	7	12	21	31	36
50-64	26	14.1	154	2	3	11	16	22	41	64
65+	23	13.1	119	1	2	12	16	28	41	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1394	3.5	5	1	1	3	4	6	7	11
20-34	382	5.4	20	1	2	4	6	10	13	22
35-49	283	6.1	23	2	2	5	8	11	14	23
50-64	466	7.1	25	2	3	6	9	13	16	28
65+	875	8.1	37	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	38	8.6	28	3	3	7	13	17	18	20
20-34	82	11.4	64	2	4	10	15	26	28	35
35-49	68	12.0	58	2	4	11	15	25	29	34
50-64	115	14.4	103	3	5	12	17	26	32	59
65+	150	17.0	140	3	5	13	26	35	41	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1464	3.9	7	1	1	3	5	7	9	14
B. *Operated*	107	10.7	86	2	3	9	13	19	26	53
2. MULTIPLE DX										
A. *Not Operated*	3400	5.6	23	1	2	4	7	11	15	22
B. *Operated*	453	13.9	102	3	4	11	18	28	34	48
1. SINGLE DX	1571	4.4	15	1	1	3	5	8	11	18
2. MULTIPLE DX	3853	6.6	39	1	2	5	8	13	18	31
A. NOT OPERATED	4864	5.1	19	1	2	4	6	10	13	21
B. OPERATED	560	13.3	100	3	4	11	17	28	34	48
TOTAL 0-19 YRS	2381	3.5	5	1	1	3	4	6	7	13
20-34	680	6.0	26	1	2	4	7	12	16	28
35-49	480	6.9	31	2	2	5	8	13	17	29
50-64	706	8.2	50	2	3	6	10	16	20	35
65+	1177	9.1	59	2	3	7	11	17	24	41
GRAND TOTAL	**5424**	**5.9**	**33**	**1**	**2**	**4**	**7**	**12**	**16**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	490	3.1	4	1	1	3	4	6	7	10
20-34	985	3.7	11	<1	<1	3	4	7	9	17
35-49	520	4.1	12	<1	1	3	5	8	11	18
50-64	223	4.3	24	<1	1	3	5	8	10	18
65+	100	5.3	31	<1	<1	3	7	13	15	31
B. *Operated*										
0-19 YRS	28	3.8	7	1	1	3	5	8	9	10
20-34	90	5.3	13	2	2	5	7	10	11	21
35-49	64	6.2	21	1	2	5	9	12	13	23
50-64	57	5.8	26	2	2	4	8	13	19	21
65+	18	5.4	15	2	2	4	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	494	3.6	5	1	1	3	5	6	8	11
20-34	1213	5.2	23	1	1	4	6	10	12	25
35-49	991	6.0	24	1	2	5	7	11	15	26
50-64	742	6.1	23	2	2	5	8	12	14	25
65+	574	5.9	20	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	22	5.8	15	1	2	5	8	11	14	16
20-34	135	9.0	53	2	2	7	11	18	25	39
35-49	179	8.8	55	2	2	7	13	18	23	37
50-64	129	9.2	42	2	3	8	11	18	23	34
65+	93	11.8	64	3	4	10	14	24	28	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2318	3.8	12	<1	1	3	5	7	9	16
B. *Operated*	257	5.5	18	1	2	4	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	4014	5.5	21	1	2	4	7	10	13	24
B. *Operated*	558	9.3	53	2	2	7	12	18	24	34
1. SINGLE DX	2575	4.0	13	<1	1	3	5	8	10	18
2. MULTIPLE DX	4572	5.9	27	1	2	5	7	11	15	27
A. NOT OPERATED	6332	4.9	19	1	1	4	6	9	12	23
B. OPERATED	815	8.1	45	2	2	6	10	17	22	33
TOTAL 0-19 YRS	1034	3.4	5	1	1	3	4	6	8	11
20-34	2423	4.8	21	<1	1	4	6	9	12	25
35-49	1754	5.7	25	1	1	4	7	11	15	26
50-64	1151	6.1	27	1	2	5	8	12	15	25
65+	785	6.5	30	1	2	5	8	13	17	28
GRAND TOTAL	**7147**	**5.2**	**23**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	3	<1	<1	1	2	3	4	10
20-34	95	3.0	7	<1	<1	2	4	6	8	15
35-49	122	3.2	5	<1	1	3	4	6	7	13
50-64	231	3.9	7	<1	1	3	6	7	8	12
65+	333	3.5	7	<1	1	3	5	6	7	12
B. *Operated*										
0-19 YRS	76	2.4	4	<1	<1	1	4	6	6	9
20-34	63	4.4	6	<1	1	4	6	8	9	11
35-49	108	4.5	6	1	1	4	6	8	9	13
50-64	148	5.2	10	1	2	5	7	9	11	13
65+	135	5.0	13	1	1	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	3	1	1	2	4	6	6	7
20-34	86	3.9	6	<1	<1	4	5	7	8	13
35-49	195	4.6	9	1	1	4	6	9	11	13
50-64	499	4.5	12	1	1	4	6	9	11	20
65+	918	5.0	16	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	44	3.1	6	<1	1	2	4	7	9	9
20-34	44	5.2	12	1	1	4	8	9	11	18
35-49	86	5.3	20	1	1	5	7	9	14	27
50-64	261	6.5	31	1	2	5	8	11	14	28
65+	386	7.2	42	1	2	6	9	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	837	3.4	6	<1	1	3	5	6	8	12
B. *Operated*	530	4.5	9	<1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1777	4.7	13	1	1	4	6	9	12	19
B. *Operated*	821	6.5	33	1	2	5	8	12	16	29
1. SINGLE DX	1367	3.8	8	<1	1	3	5	7	9	13
2. MULTIPLE DX	2598	5.3	20	1	1	4	7	10	13	21
A. NOT OPERATED	2614	4.3	11	1	1	3	6	8	11	17
B. OPERATED	1351	5.7	25	1	1	5	7	10	14	23
TOTAL 0-19 YRS	255	2.6	4	<1	<1	2	4	6	6	9
20-34	288	3.9	8	<1	<1	3	5	8	9	13
35-49	511	4.4	10	1	1	4	6	8	10	15
50-64	1139	4.9	16	1	1	4	6	9	11	20
65+	1772	5.2	21	1	1	4	7	10	13	21
GRAND TOTAL	**3965**	**4.8**	**16**	**1**	**1**	**4**	**6**	**9**	**12**	**19**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.3	8	<1	<1	2	4	7	8	15
20-34	88	3.3	6	<1	<1	3	4	6	8	13
35-49	56	3.5	13	<1	1	3	4	6	7	25
50-64	55	3.5	8	1	1	3	4	8	10	13
65+	45	2.9	5	<1	<1	2	4	5	8	8
B. *Operated*										
0-19 YRS	288	2.3	3	<1	1	2	2	4	6	11
20-34	231	2.9	5	<1	1	2	3	5	8	11
35-49	156	3.1	6	<1	1	2	3	6	8	13
50-64	150	3.6	11	1	1	2	4	7	10	19
65+	73	4.0	10	2	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.0	11	<1	1	3	5	7	8	21
20-34	160	4.2	9	<1	1	4	5	8	9	17
35-49	176	5.2	37	<1	1	4	7	9	14	22
50-64	235	5.7	23	1	2	4	7	12	15	23
65+	404	8.3	54	1	2	6	11	17	23	37
B. *Operated*										
0-19 YRS	84	4.2	9	1	1	3	6	9	10	14
20-34	138	5.8	29	1	2	4	7	13	19	27
35-49	129	5.8	37	1	2	4	7	11	15	33
50-64	183	8.8	123	1	2	4	11	18	27	66
65+	219	11.1	118	1	2	8	15	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	3.3	8	<1	<1	3	4	7	8	13
B. *Operated*	898	3.0	6	<1	1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1085	6.2	37	1	1	4	8	13	18	31
B. *Operated*	753	7.9	83	1	2	5	10	18	25	49
1. SINGLE DX	1251	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	1838	6.9	56	1	2	4	8	15	21	41
A. NOT OPERATED	1438	5.5	31	<1	1	4	7	11	16	28
B. OPERATED	1651	5.2	47	1	1	3	6	12	17	31
TOTAL 0-19 YRS	591	3.1	7	<1	<1	2	4	6	8	13
20-34	617	3.9	13	<1	1	3	5	8	11	19
35-49	517	4.5	26	<1	1	3	5	9	12	22
50-64	623	5.9	52	1	1	4	7	13	18	37
65+	741	8.4	72	1	2	5	11	18	25	45
GRAND TOTAL	**3089**	**5.3**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	1	5	5	6	7	7	7	7
20-34	3	3.3	4	<1	<1	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	6	6.5	17	2	2	5	11	12	12	12
65+	32	9.2	70	1	2	5	12	22	25	36
B. *Operated*										
0-19 YRS	26	5.9	46	<1	1	3	9	15	22	26
20-34	47	7.5	119	1	2	4	9	15	20	72
35-49	26	8.7	83	2	2	5	10	23	30	40
50-64	81	12.4	101	1	2	9	20	25	31	42
65+	168	18.4	165	4	6	15	24	32	40	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	145	2	2	10	19	19	19	19
20-34	10	10.2	113	2	2	7	8	28	37	37
35-49	9	10.1	22	4	5	8	13	17	19	19
50-64	48	11.9	119	2	2	10	13	28	34	57
65+	229	13.0	108	3	4	10	17	27	33	54
B. *Operated*										
0-19 YRS	15	7.6	47	<1	1	7	13	16	21	23
20-34	57	14.3	189	2	2	8	21	38	46	58
35-49	108	18.1	203	2	3	16	25	37	44	66
50-64	434	24.2	288	3	5	21	33	47	60	79
65+	1244	24.7	287	6	8	21	32	46	61	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	8.1	55	1	2	5	11	18	23	36
B. *Operated*	348	13.9	151	2	2	11	20	29	35	63
2. MULTIPLE DX										
A. *Not Operated*	298	12.6	107	2	4	10	16	27	34	55
B. *Operated*	1858	23.7	284	4	7	20	31	46	59	89
1. SINGLE DX	393	13.2	143	1	2	10	19	28	34	62
2. MULTIPLE DX	2156	22.2	274	3	5	18	29	44	57	86
A. NOT OPERATED	343	12.0	102	2	3	9	15	25	33	53
B. OPERATED	2206	22.2	276	3	5	18	29	44	57	86
TOTAL 0-19 YRS	46	6.7	45	1	1	3	10	16	21	26
20-34	117	10.9	159	2	2	7	14	24	41	63
35-49	144	15.8	184	2	3	13	23	34	43	57
50-64	569	21.3	271	3	4	18	29	44	56	78
65+	1673	22.2	267	4	6	18	29	43	57	89
GRAND TOTAL	**2549**	**20.8**	**265**	**3**	**5**	**17**	**27**	**43**	**55**	**84**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	157	2.9	3	<1	1	3	4	5	7	9
20-34	1198	3.0	5	<1	1	2	4	6	7	10
35-49	2925	3.3	4	1	1	3	4	6	7	10
50-64	2277	3.6	7	1	1	3	5	7	8	14
65+	874	3.9	7	<1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	123	3.9	11	1	2	3	5	8	11	17
35-49	783	3.4	7	1	2	2	4	7	9	13
50-64	963	3.4	10	1	2	2	4	7	10	18
65+	160	3.7	7	1	2	2	5	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.7	6	1	1	3	5	7	9	14
20-34	1778	4.2	12	1	1	3	5	8	10	17
35-49	5306	4.5	10	1	2	4	6	8	10	16
50-64	6610	4.9	11	1	2	4	6	9	11	16
65+	4643	5.5	15	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	10	5.0	15	1	1	4	6	11	14	14
20-34	227	5.8	23	1	2	4	8	12	16	23
35-49	1370	5.6	27	2	2	4	8	12	15	24
50-64	2150	5.7	26	2	2	4	8	12	16	23
65+	739	7.9	63	2	2	6	10	15	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7431	3.4	6	1	1	3	4	6	8	11
B. *Operated*	2038	3.4	8	1	2	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	18552	4.8	12	1	2	4	6	9	11	17
B. *Operated*	4496	6.0	33	2	2	4	8	13	16	27
1. SINGLE DX	9469	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	23048	5.1	16	1	2	4	6	10	12	20
A. NOT OPERATED	25983	4.4	11	1	1	4	6	8	10	16
B. OPERATED	6534	5.2	27	2	2	3	7	11	15	24
TOTAL 0-19 YRS	391	3.4	5	<1	1	3	4	6	8	13
20-34	3326	3.9	11	<1	1	3	5	8	10	17
35-49	10384	4.2	11	1	1	3	5	8	10	16
50-64	12000	4.7	13	1	2	4	6	9	11	18
65+	6416	5.5	21	1	2	4	7	10	13	23
GRAND TOTAL	**32517**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	597	3.7	14	1	1	3	5	7	9	15
20-34	91	2.5	5	<1	<1	2	3	6	7	11
35-49	103	3.8	9	<1	1	3	5	7	11	15
50-64	131	3.9	13	<1	1	3	5	7	10	19
65+	132	4.7	22	<1	<1	4	6	10	12	26
B. *Operated*										
0-19 YRS	51	4.4	21	1	1	3	6	11	13	25
20-34	49	4.2	12	1	1	3	5	9	12	15
35-49	86	4.7	21	1	1	3	6	9	15	24
50-64	166	4.9	16	1	1	4	6	10	13	20
65+	118	6.1	46	1	2	4	8	11	15	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	581	4.6	23	1	1	3	6	9	11	22
20-34	220	4.0	10	<1	1	3	5	8	10	43
35-49	290	5.0	21	<1	1	4	7	10	13	22
50-64	809	7.1	38	1	2	6	9	13	17	33
65+	1241	7.8	34	2	2	6	10	15	19	29
B. *Operated*										
0-19 YRS	54	5.6	18	1	1	4	9	11	13	19
20-34	71	6.6	62	1	1	4	8	12	17	52
35-49	198	6.3	27	2	2	5	8	13	16	26
50-64	500	8.0	79	2	2	6	9	16	22	54
65+	523	9.7	89	2	2	7	12	20	24	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	3.8	14	<1	1	3	5	7	10	17
B. *Operated*	470	5.0	25	1	1	3	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	3141	6.5	32	1	2	5	8	13	16	29
B. *Operated*	1346	8.2	74	2	2	6	10	17	22	51
1. SINGLE DX	1524	4.2	17	1	1	3	5	8	11	19
2. MULTIPLE DX	4487	7.0	45	1	2	5	9	14	18	33
A. NOT OPERATED	4195	5.8	29	1	1	4	8	11	15	27
B. OPERATED	1816	7.4	63	1	2	5	9	15	21	45
TOTAL 0-19 YRS	1283	4.2	19	1	1	3	5	8	11	18
20-34	431	4.1	19	<1	1	3	5	8	12	22
35-49	677	5.2	21	1	1	4	7	10	14	24
50-64	1606	6.9	48	1	2	5	9	13	18	34
65+	2014	8.0	50	1	2	6	10	15	21	36
GRAND TOTAL	**6011**	**6.3**	**40**	**1**	**1**	**5**	**8**	**12**	**17**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	122	2.5	5	1	1	2	3	4	5	15
20-34	304	2.4	3	<1	1	2	3	4	5	8
35-49	341	2.6	28	<1	1	2	3	5	6	10
50-64	233	2.6	4	<1	1	2	3	5	7	10
65+	182	3.5	13	<1	1	3	4	6	8	15
B. *Operated*										
0-19 YRS	159	2.0	2	<1	<1	1	2	3	5	9
20-34	100	4.6	16	<1	1	3	5	10	12	22
35-49	109	5.8	82	1	1	4	7	10	13	49
50-64	92	6.3	21	1	2	5	9	12	16	23
65+	146	6.8	30	1	2	5	9	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.2	6	<1	1	3	4	6	8	13
20-34	337	3.3	8	<1	1	3	4	6	8	15
35-49	347	3.4	7	1	1	3	4	7	8	14
50-64	441	4.4	19	1	1	3	5	8	11	18
65+	1028	6.5	35	1	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	193	2.9	10	1	1	2	3	6	8	19
20-34	189	6.2	45	1	2	5	8	12	14	26
35-49	246	7.0	27	1	2	6	9	13	19	28
50-64	403	9.1	68	2	2	7	11	16	20	46
65+	1060	11.0	59	2	3	9	14	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1182	2.7	12	<1	1	2	3	5	6	11
B. *Operated*	606	4.9	32	1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2285	5.0	24	1	1	4	6	10	14	23
B. *Operated*	2091	9.0	58	1	2	7	12	17	22	34
1. SINGLE DX	1788	3.4	20	<1	1	2	4	7	10	17
2. MULTIPLE DX	4376	6.9	44	1	1	5	9	14	19	31
A. NOT OPERATED	3467	4.2	21	1	1	3	5	9	12	21
B. OPERATED	2697	8.1	55	1	2	6	11	16	21	33
TOTAL 0-19 YRS	606	2.6	6	<1	1	2	3	5	7	14
20-34	930	3.7	17	1	1	3	5	7	10	17
35-49	1043	4.2	30	1	1	3	5	9	11	20
50-64	1169	5.8	40	1	1	4	8	12	15	25
65+	2416	8.3	50	1	2	6	11	17	21	33
GRAND TOTAL	**6164**	**5.9**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**28**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3287	2.6	3	1	1	2	3	5	6	9
20-34	3275	3.0	5	<1	1	2	4	6	7	11
35-49	1590	3.7	8	1	1	3	5	7	9	14
50-64	1009	3.7	7	<1	1	3	5	7	9	12
65+	788	4.3	15	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	396	4.2	6	2	2	4	5	7	9	13
20-34	555	4.7	13	1	1	4	6	9	11	19
35-49	241	5.2	17	1	1	4	7	10	12	21
50-64	142	6.1	18	1	2	5	8	11	15	21
65+	79	8.1	36	1	2	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2188	3.3	7	1	1	3	4	6	8	12
20-34	3099	3.9	10	1	1	3	5	7	10	15
35-49	2242	4.8	13	1	1	4	6	9	11	17
50-64	2437	5.3	15	1	2	4	7	10	12	19
65+	3397	6.2	20	1	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	281	5.4	15	1	2	5	7	9	12	16
20-34	819	6.8	33	1	2	6	9	13	16	27
35-49	541	8.6	42	2	2	7	11	16	21	37
50-64	508	9.7	57	2	2	8	12	18	24	37
65+	498	11.6	73	2	3	10	14	21	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9949	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	1413	5.0	15	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	13363	4.8	15	1	1	4	6	9	12	19
B. *Operated*	2647	8.5	49	2	2	7	11	16	21	37
1. SINGLE DX	11362	3.4	8	1	1	3	4	7	8	14
2. MULTIPLE DX	16010	5.4	22	1	1	4	7	11	14	23
A. NOT OPERATED	23312	4.1	12	1	1	3	5	8	10	17
B. OPERATED	4060	7.3	40	1	2	6	9	14	18	31
TOTAL 0-19 YRS	6152	3.0	6	1	1	2	4	6	7	11
20-34	7748	3.9	12	1	1	3	5	8	10	17
35-49	4614	4.9	17	1	1	4	6	10	12	21
50-64	4096	5.5	22	1	1	4	7	11	14	23
65+	4762	6.5	29	1	2	5	8	12	16	26
GRAND TOTAL	**27372**	**4.6**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	2.8	4	<1	1	2	3	5	7	11
20-34	170	3.4	6	<1	<1	3	4	7	8	11
35-49	112	2.8	5	<1	<1	2	4	5	7	12
50-64	116	4.5	13	<1	1	3	6	10	13	17
65+	188	4.6	17	<1	1	3	6	10	13	21
B. *Operated*										
0-19 YRS	16	4.3	37	<1	1	2	4	7	20	26
20-34	75	5.4	13	1	2	5	8	10	12	16
35-49	47	4.9	10	1	1	4	6	10	11	13
50-64	54	6.0	35	1	1	5	7	13	17	34
65+	54	7.0	79	1	2	4	8	13	20	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	753	3.6	10	1	1	3	4	7	8	18
20-34	453	4.3	17	1	1	3	5	8	11	25
35-49	491	5.5	24	1	1	4	7	11	15	22
50-64	734	6.6	32	1	2	5	8	13	16	27
65+	1599	7.5	42	2	2	6	9	15	20	32
B. *Operated*										
0-19 YRS	51	8.1	65	<1	1	6	10	18	25	42
20-34	168	6.2	19	1	2	6	8	11	12	27
35-49	166	9.4	100	1	2	7	12	19	25	41
50-64	272	10.4	60	2	3	9	14	21	26	33
65+	400	13.4	144	2	3	10	18	27	37	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	933	3.5	9	<1	1	3	4	7	9	16
B. *Operated*	246	5.7	33	1	1	4	7	11	15	33
2. MULTIPLE DX										
A. *Not Operated*	4030	6.0	31	1	1	4	7	12	16	28
B. *Operated*	1057	10.6	98	2	2	8	14	22	29	44
1. SINGLE DX	1179	3.9	15	<1	1	3	5	8	11	17
2. MULTIPLE DX	5087	7.0	49	1	2	5	9	15	20	36
A. NOT OPERATED	4963	5.5	28	1	1	4	7	11	15	27
B. OPERATED	1303	9.7	90	1	2	7	12	21	27	43
TOTAL 0-19 YRS	1167	3.6	12	1	1	3	4	7	9	19
20-34	866	4.6	16	1	1	4	6	9	11	22
35-49	816	5.9	40	1	1	4	7	12	16	33
50-64	1176	7.2	40	1	2	5	9	15	19	31
65+	2241	8.3	65	1	2	6	10	17	23	40
GRAND TOTAL	**6266**	**6.4**	**44**	**1**	**1**	**4**	**8**	**13**	**19**	**33**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2448	3.8	17	1	1	3	4	7	9	18
20-34	1564	4.6	30	<1	1	3	5	8	14	26
35-49	1203	5.2	33	<1	1	4	6	11	17	27
50-64	1403	5.1	35	<1	1	3	6	11	15	26
65+	1694	5.8	47	<1	1	4	7	12	16	32
B. *Operated*										
0-19 YRS	205	4.4	21	<1	1	3	5	10	13	25
20-34	439	4.2	31	<1	1	2	5	9	13	21
35-49	410	5.8	63	1	1	3	7	13	17	35
50-64	510	6.1	65	1	1	3	7	15	22	45
65+	323	7.9	117	1	1	4	9	20	27	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2832	5.1	22	1	1	4	6	10	14	26
20-34	2299	4.9	19	1	1	4	6	9	12	25
35-49	2640	5.4	20	1	2	4	7	10	13	23
50-64	5018	6.4	36	1	2	5	8	12	16	32
65+	11090	7.5	42	2	2	6	9	15	19	32
B. *Operated*										
0-19 YRS	211	8.6	111	1	1	5	10	22	33	53
20-34	480	6.4	56	1	1	4	8	13	19	39
35-49	612	8.0	88	1	2	5	10	16	25	49
50-64	1227	9.3	90	2	2	7	12	20	27	56
65+	1811	12.8	140	2	3	9	16	28	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8312	4.8	31	<1	1	3	5	9	14	26
B. *Operated*	1887	5.7	62	1	1	3	6	13	19	43
2. MULTIPLE DX										
A. *Not Operated*	23879	6.5	35	1	2	5	8	13	17	30
B. *Operated*	4341	10.2	113	1	2	7	13	22	32	57
1. SINGLE DX	10199	4.9	37	<1	1	3	6	10	15	29
2. MULTIPLE DX	28220	7.1	49	1	2	5	9	14	19	36
A. NOT OPERATED	32191	6.1	34	1	2	4	7	12	16	29
B. OPERATED	6228	8.9	102	1	2	6	11	20	28	54
TOTAL 0-19 YRS	5696	4.6	24	1	1	3	5	9	13	26
20-34	4782	4.9	28	<1	1	4	6	9	13	26
35-49	4865	5.7	36	1	1	4	7	11	16	30
50-64	8158	6.6	47	1	2	5	8	13	19	35
65+	14918	8.0	60	2	2	6	10	16	21	40
GRAND TOTAL	**38419**	**6.5**	**46**	**1**	**2**	**5**	**8**	**13**	**18**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	2.3	3	1	1	2	3	4	6	8
20-34	34	3.5	8	1	1	3	4	8	10	11
35-49	8	3.1	3	1	1	3	5	5	5	5
50-64	16	6.6	28	2	2	5	7	12	20	24
65+	8	4.3	21	<1	<1	2	6	12	14	14
B. *Operated*										
0-19 YRS	57	6.7	54	1	2	5	8	12	17	96
20-34	16	7.2	10	1	3	7	9	12	13	13
35-49	9	9.1	18	3	4	8	14	15	15	15
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	780	3.1	13	1	1	2	4	6	8	16
20-34	144	5.2	29	1	1	4	7	11	15	23
35-49	69	6.6	53	1	1	5	8	13	16	41
50-64	58	7.3	35	1	2	5	10	16	22	25
65+	58	13.1	121	2	3	8	20	30	39	46
B. *Operated*										
0-19 YRS	183	11.5	195	1	2	7	11	34	42	83
20-34	154	12.6	200	2	2	8	14	28	58	99+
35-49	64	14.7	223	1	2	10	21	46	61	99+
50-64	42	20.8	418	2	3	13	32	63	85	99+
65+	29	30.4	575	2	5	22	47	58	86	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.6	5	1	1	2	3	5	7	11
B. *Operated*	84	7.0	41	1	2	6	8	13	15	84
2. MULTIPLE DX										
A. *Not Operated*	1109	4.3	30	1	1	3	5	9	13	29
B. *Operated*	472	14.3	264	1	2	8	18	41	58	99+
1. SINGLE DX	492	3.3	14	1	1	2	4	7	9	16
2. MULTIPLE DX	1581	7.3	121	1	1	4	8	18	31	73
A. NOT OPERATED	1517	3.9	24	1	1	2	4	8	11	24
B. OPERATED	556	13.2	237	1	2	8	15	38	55	99+
TOTAL 0-19 YRS	1362	4.2	45	1	1	2	4	8	11	41
20-34	348	8.4	116	1	1	5	10	19	27	79
35-49	150	10.0	137	1	1	7	12	23	42	99
50-64	117	12.0	213	2	2	7	13	31	60	99+
65+	96	17.5	322	1	2	10	23	42	53	91
GRAND TOTAL	**2073**	**6.4**	**98**	**1**	**1**	**3**	**7**	**14**	**25**	**62**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.7	5	1	1	2	3	7	8	9
20-34	43	4.5	10	<1	1	4	6	8	11	14
35-49	16	4.9	13	1	1	4	6	12	13	13
50-64	7	5.0	12	1	1	4	8	10	10	10
65+	8	6.8	19	1	2	6	9	13	15	15
B. *Operated*										
0-19 YRS	15	6.9	18	1	2	7	10	11	15	17
20-34	7	2.9	2	2	2	2	3	5	6	6
35-49	3	6.3	24	3	3	4	10	12	12	12
50-64	3	16.7	602	2	2	3	34	45	45	45
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	4.0	17	1	1	3	5	8	10	24
20-34	169	4.9	16	1	1	4	7	10	13	22
35-49	53	9.0	192	1	1	5	10	16	26	96
50-64	61	8.6	78	1	2	6	12	18	24	48
65+	80	10.1	96	2	2	7	13	19	24	60
B. *Operated*										
0-19 YRS	104	14.5	367	1	2	7	17	43	67	94
20-34	105	13.8	248	1	2	9	18	31	59	99+
35-49	43	12.6	311	2	2	7	13	41	69	99+
50-64	45	18.5	423	1	2	10	25	49	62	97
65+	27	26.8	450	3	9	23	33	58	81	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.5	9	1	1	2	5	8	9	14
B. *Operated*	29	6.7	69	2	2	4	8	12	18	45
2. MULTIPLE DX										
A. *Not Operated*	683	5.7	50	1	1	4	7	12	17	30
B. *Operated*	324	15.6	346	1	2	9	20	42	63	99+
1. SINGLE DX	215	4.0	18	1	1	3	5	9	10	16
2. MULTIPLE DX	1007	8.9	166	1	1	5	10	21	32	85
A. NOT OPERATED	869	5.3	42	1	1	3	7	11	15	28
B. OPERATED	353	14.8	329	1	2	9	19	41	62	99+
TOTAL 0-19 YRS	551	5.8	99	1	1	3	6	10	22	65
20-34	324	7.7	108	1	1	5	9	17	25	74
35-49	115	9.7	211	1	2	5	11	20	37	99
50-64	116	12.4	239	1	2	7	14	35	48	74
65+	116	13.7	223	2	3	9	17	29	35	83
GRAND TOTAL	**1222**	**8.0**	**144**	**1**	**1**	**4**	**9**	**18**	**28**	**79**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.5	1	<1	1	1	2	3	3	4
20-34	74	2.3	3	<1	<1	2	3	5	6	9
35-49	26	2.1	1	<1	1	2	2	4	4	5
50-64	5	4.4	16	<1	<1	3	8	10	10	10
65+	8	3.4	7	1	1	3	4	8	9	9
B. *Operated*										
0-19 YRS	601	2.3	3	<1	<1	2	3	4	6	10
20-34	763	2.7	3	<1	1	2	3	5	6	9
35-49	202	3.3	5	1	1	3	4	6	8	11
50-64	59	3.9	12	<1	1	3	5	9	10	18
65+	27	7.6	63	1	1	4	11	20	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.1	3	<1	<1	1	3	4	5	9
20-34	380	2.6	6	<1	<1	2	3	5	7	14
35-49	150	2.9	6	<1	<1	2	4	6	8	13
50-64	104	4.5	20	1	1	3	6	11	14	22
65+	212	6.8	43	1	1	5	9	13	20	37
B. *Operated*										
0-19 YRS	1308	3.6	18	1	1	2	4	7	10	20
20-34	2298	4.3	18	1	1	3	5	8	12	22
35-49	741	5.3	33	1	1	4	6	10	16	31
50-64	346	7.0	66	1	2	5	9	13	19	45
65+	263	8.8	71	1	2	7	11	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	1652	2.8	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	1051	3.6	17	<1	<1	2	4	8	11	21
B. *Operated*	4956	4.7	28	1	1	3	5	9	13	25
1. SINGLE DX	1805	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	6007	4.5	26	1	1	3	5	9	13	25
A. NOT OPERATED	1204	3.4	16	<1	<1	2	4	7	10	20
B. OPERATED	6608	4.2	23	1	1	3	5	8	12	23
TOTAL 0-19 YRS	2154	3.1	13	<1	1	2	4	6	8	17
20-34	3515	3.7	14	<1	1	3	4	7	10	19
35-49	1119	4.5	25	1	1	3	5	9	13	25
50-64	514	6.1	51	1	1	4	8	12	17	35
65+	510	7.8	59	1	2	6	10	16	22	37
GRAND TOTAL	**7812**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**8**	**12**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	4.5	12	1	1	4	6	9	11	18
20-34	297	5.3	26	1	1	4	6	10	13	25
35-49	174	6.4	20	1	2	5	8	13	16	21
50-64	184	7.5	24	2	3	6	10	14	18	23
65+	357	10.0	40	3	3	9	13	18	22	30
B. *Operated*										
0-19 YRS	22	13.0	176	2	3	10	18	22	39	64
20-34	41	15.3	196	2	3	10	18	41	48	52
35-49	23	12.8	75	2	3	11	18	27	29	32
50-64	12	10.1	64	2	3	8	14	21	29	30
65+	14	20.0	112	5	7	19	23	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	418	5.6	24	1	1	4	7	11	15	23
20-34	786	6.2	31	1	2	5	8	12	15	28
35-49	541	7.5	48	1	2	6	9	13	18	41
50-64	916	9.3	44	2	3	8	12	17	21	32
65+	3304	12.2	60	3	4	11	15	22	27	40
B. *Operated*										
0-19 YRS	107	17.1	244	3	4	13	21	38	58	99+
20-34	293	16.9	279	2	3	11	22	45	60	99+
35-49	152	16.5	167	3	5	14	20	37	48	61
50-64	166	17.6	190	3	5	13	23	36	48	81
65+	342	19.6	175	5	8	16	24	35	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1167	7.1	32	1	2	6	9	14	18	27
B. *Operated*	112	14.4	145	3	3	11	19	31	41	57
2. MULTIPLE DX										
A. *Not Operated*	5965	10.1	57	2	3	8	13	19	24	38
B. *Operated*	1060	17.9	212	3	5	14	23	37	51	99
1. SINGLE DX	1279	7.8	46	1	2	6	10	15	20	37
2. MULTIPLE DX	7025	11.3	88	2	3	9	14	22	28	50
A. NOT OPERATED	7132	9.6	54	2	3	8	13	19	24	37
B. OPERATED	1172	17.5	207	3	5	14	22	37	50	96
TOTAL 0-19 YRS	702	7.3	79	1	2	5	9	16	22	58
20-34	1417	8.5	107	1	2	6	9	18	28	61
35-49	890	9.0	76	2	2	6	10	18	27	51
50-64	1278	10.2	69	2	3	8	13	20	25	45
65+	4017	12.7	73	3	4	11	16	23	29	43
GRAND TOTAL	**8304**	**10.7**	**83**	**2**	**3**	**8**	**14**	**21**	**28**	**48**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	13.2	147	4	4	9	18	34	34	34
20-34	14	11.6	327	1	3	7	10	19	61	73
35-49	3	4.0	13	<1	<1	3	7	8	8	8
50-64	4	12.0	105	4	4	8	18	27	27	27
65+	8	9.8	26	3	4	10	14	16	17	17
B. *Operated*										
0-19 YRS	4	23.5	300	9	9	19	36	47	47	47
20-34	8	26.6	802	4	4	14	40	75	85	85
35-49	3	38.0	2251	3	3	19	74	92	92	92
50-64	2	20.5	5	19	19	20	22	22	22	22
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.3	70	<1	1	5	10	45	90	99+
20-34	27	10.7	206	2	3	6	12	24	36	74
35-49	20	9.2	72	<1	1	7	11	21	31	34
50-64	21	16.9	477	3	4	8	13	56	75	84
65+	63	13.3	118	2	3	10	18	26	35	95
B. *Operated*										
0-19 YRS	20	37.5	634	9	12	42	95	99+	99+	99+
20-34	70	35.4	633	6	10	31	67	98	99+	99+
35-49	20	32.1	455	7	12	31	70	99+	99+	99+
50-64	21	35.8	838	6	9	29	70	99	99+	99+
65+	12	25.8	442	5	8	23	40	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.8	168	1	3	8	13	18	33	73
B. *Operated*	18	26.5	686	3	4	17	28	75	89	92
2. MULTIPLE DX										
A. *Not Operated*	143	12.3	179	2	3	8	14	27	42	99+
B. *Operated*	143	34.5	615	7	10	31	70	99+	99+	99+
1. SINGLE DX	52	16.2	394	3	3	10	16	38	71	92
2. MULTIPLE DX	286	23.4	519	3	4	17	40	85	99+	99+
A. NOT OPERATED	177	12.0	176	2	3	8	13	27	37	95
B. OPERATED	161	33.6	625	5	9	29	68	99+	99+	99+
TOTAL 0-19 YRS	41	24.3	546	3	4	25	52	99+	99+	99+
20-34	119	26.4	630	3	4	18	44	81	99+	99+
35-49	46	20.7	478	1	2	14	34	85	99+	99+
50-64	48	24.9	664	4	5	13	46	79	99	99+
65+	84	14.8	171	3	4	12	20	31	71	99+
GRAND TOTAL	**338**	**22.3**	**506**	**3**	**4**	**15**	**34**	**80**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	7	1	1	2	3	5	9	12
20-34	62	2.6	3	<1	1	2	3	5	6	8
35-49	85	3.0	4	1	1	2	4	6	7	9
50-64	105	4.2	12	1	1	3	6	8	10	18
65+	137	5.8	23	1	2	4	7	12	14	26
B. *Operated*										
0-19 YRS	4	7.0	28	2	2	6	11	14	14	14
20-34	6	4.3	5	2	2	4	6	8	8	8
35-49	3	6.7	4	5	5	6	8	9	9	9
50-64	4	7.0	8	5	5	6	9	11	11	11
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.6	9	1	1	3	5	7	8	18
20-34	482	4.5	16	<1	1	3	6	9	12	20
35-49	583	5.5	19	1	1	5	7	10	12	24
50-64	954	6.7	27	1	2	6	9	13	17	25
65+	1931	8.7	40	2	3	7	11	17	21	32
B. *Operated*										
0-19 YRS	52	6.5	19	1	2	5	9	13	16	18
20-34	179	9.2	73	2	2	7	11	17	22	50
35-49	147	8.9	56	1	2	7	11	18	24	36
50-64	177	10.9	86	2	3	8	14	21	28	53
65+	286	17.5	171	4	6	14	22	33	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	4.2	14	1	1	3	5	8	11	22
B. *Operated*	18	6.4	13	2	2	6	8	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	4084	7.1	33	1	2	6	9	14	18	29
B. *Operated*	841	12.2	118	2	3	9	15	25	33	56
1. SINGLE DX	427	4.3	14	1	1	3	5	8	11	22
2. MULTIPLE DX	4925	8.0	51	1	2	6	10	16	21	36
A. NOT OPERATED	4493	6.9	32	1	2	5	9	14	18	28
B. OPERATED	859	12.0	117	2	3	9	15	25	33	56
TOTAL 0-19 YRS	210	4.3	13	1	1	3	6	9	12	18
20-34	729	5.5	33	1	1	4	7	11	14	31
35-49	818	5.9	27	1	1	5	7	11	15	26
50-64	1240	7.1	37	1	2	6	9	14	18	31
65+	2355	9.6	64	2	3	8	12	18	24	40
GRAND TOTAL	**5352**	**7.7**	**49**	**1**	**2**	**6**	**10**	**15**	**21**	**35**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	6.7	47	1	2	5	8	14	17	42
20-34	54	6.9	37	2	2	5	9	14	20	34
35-49	32	7.0	40	2	2	5	8	14	23	29
50-64	70	9.6	46	2	2	8	12	18	23	33
65+	258	12.2	72	2	4	10	16	22	30	41
B. *Operated*										
0-19 YRS	7	17.7	314	3	3	10	26	47	52	52
20-34	4	28.5	395	10	10	27	45	49	49	49
35-49	4	39.5	487	23	23	31	52	72	72	72
50-64	1	3.0		3	3	3	3	3	3	3
65+	6	18.7	48	9	9	18	26	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	8.3	67	2	2	6	10	18	24	42
20-34	284	11.9	111	2	3	9	14	27	36	50
35-49	148	13.4	145	3	4	10	15	26	44	59
50-64	319	12.9	105	3	4	10	16	24	31	63
65+	2017	15.0	89	4	5	13	19	27	34	48
B. *Operated*										
0-19 YRS	117	21.9	350	4	5	15	29	50	57	82
20-34	170	26.0	314	5	7	22	39	53	63	99+
35-49	84	27.8	320	5	8	24	43	56	63	88
50-64	87	31.5	492	6	8	27	44	68	84	97
65+	238	24.8	209	7	9	23	32	45	52	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	480	10.1	64	2	2	8	14	19	27	38
B. *Operated*	22	23.2	318	3	4	19	30	50	60	72
2. MULTIPLE DX										
A. *Not Operated*	3031	13.9	97	3	4	12	18	26	33	50
B. *Operated*	696	25.8	312	5	7	22	36	52	63	91
1. SINGLE DX	502	10.7	82	2	3	8	14	21	29	44
2. MULTIPLE DX	3727	16.1	159	3	5	13	21	33	42	65
A. NOT OPERATED	3511	13.4	95	3	4	11	17	25	32	49
B. OPERATED	718	25.7	312	5	7	22	36	51	63	91
TOTAL 0-19 YRS	453	11.7	177	2	2	7	13	27	44	67
20-34	512	16.2	224	2	3	10	21	40	50	75
35-49	268	17.5	253	3	4	12	23	45	55	65
50-64	477	15.8	223	3	4	11	18	33	47	82
65+	2519	15.7	108	4	5	13	20	29	36	52
GRAND TOTAL	**4229**	**15.5**	**153**	**3**	**4**	**12**	**20**	**31**	**41**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.4	27	1	1	2	3	7	16	28
20-34	36	2.3	3	1	1	2	3	4	6	8
35-49	34	3.2	9	<1	1	2	4	6	7	17
50-64	66	3.7	20	1	1	3	4	6	8	31
65+	290	5.9	26	1	1	4	8	12	16	23
B. *Operated*										
0-19 YRS	714	4.4	30	1	1	2	4	13	18	23
20-34	96	4.5	21	1	1	3	5	8	11	27
35-49	83	6.1	70	1	1	4	6	11	18	55
50-64	140	5.6	19	1	1	5	7	11	15	22
65+	210	7.3	30	1	2	6	10	14	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	4.4	35	1	1	2	4	15	21	25
20-34	104	4.6	32	<1	1	3	5	10	12	34
35-49	120	6.2	59	<1	1	4	6	13	24	40
50-64	366	6.9	41	1	1	5	9	15	19	30
65+	1590	9.0	59	2	2	7	12	18	24	37
B. *Operated*										
0-19 YRS	1068	5.1	42	1	1	3	5	14	19	30
20-34	313	9.7	145	1	2	5	10	24	39	62
35-49	252	8.5	93	1	2	6	10	19	23	55
50-64	481	9.5	89	1	2	7	11	19	29	49
65+	1068	12.9	126	2	3	10	17	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	4.6	25	1	1	3	6	10	15	23
B. *Operated*	1243	5.2	32	1	1	3	6	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	2424	7.9	55	1	1	6	10	17	22	35
B. *Operated*	3182	9.1	102	1	1	6	12	21	29	48
1. SINGLE DX	1847	5.0	30	1	1	3	6	11	17	24
2. MULTIPLE DX	5606	8.6	82	1	1	6	11	19	26	46
A. NOT OPERATED	3028	7.2	51	1	1	5	10	16	21	34
B. OPERATED	4425	8.0	85	1	1	5	10	19	26	46
TOTAL 0-19 YRS	2204	4.7	36	1	1	2	5	13	18	26
20-34	549	7.3	100	1	1	4	8	17	30	47
35-49	489	7.1	77	1	1	4	8	16	22	49
50-64	1053	7.7	62	1	2	5	10	16	22	41
65+	3158	9.9	82	2	2	7	13	21	28	46
GRAND TOTAL	**7453**	**7.7**	**71**	**1**	**1**	**5**	**10**	**18**	**23**	**42**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	1.5	1	<1	1	1	2	2	3	7
20-34	31	1.8	2	<1	<1	1	2	4	5	7
35-49	27	2.3	2	<1	1	2	3	4	5	6
50-64	42	3.7	48	<1	<1	2	4	6	7	46
65+	68	4.2	15	1	1	3	5	10	13	18
B. *Operated*										
0-19 YRS	1595	1.7	2	<1	1	1	2	3	4	7
20-34	438	3.2	6	1	1	3	4	6	7	10
35-49	302	3.0	4	1	1	3	4	5	7	12
50-64	519	2.7	5	1	1	2	3	5	6	11
65+	563	3.7	10	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	2.6	14	<1	<1	1	3	5	6	27
20-34	153	2.9	7	<1	<1	2	4	6	7	10
35-49	100	3.5	12	<1	<1	2	5	7	13	17
50-64	196	5.0	33	<1	<1	3	6	12	17	26
65+	469	6.8	50	<1	1	5	9	14	18	39
B. *Operated*										
0-19 YRS	2134	2.6	18	1	1	1	3	5	7	17
20-34	978	5.1	39	1	1	4	6	10	14	33
35-49	680	4.9	37	1	1	3	5	10	13	31
50-64	1176	4.6	32	1	1	3	5	9	15	26
65+	1717	6.6	53	1	1	4	8	15	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	274	2.6	13	<1	1	2	3	5	7	16
B. *Operated*	3417	2.5	5	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1083	5.0	35	<1	<1	3	6	12	15	28
B. *Operated*	6685	4.6	37	1	1	3	5	10	15	30
1. SINGLE DX	3691	2.5	6	1	1	2	3	5	6	12
2. MULTIPLE DX	7768	4.6	36	1	1	3	5	10	15	30
A. NOT OPERATED	1357	4.5	31	<1	<1	3	6	10	15	26
B. OPERATED	10102	3.9	27	1	1	2	4	8	12	26
TOTAL 0-19 YRS	4000	2.2	11	<1	1	1	2	4	6	12
20-34	1600	4.3	27	1	1	3	5	8	11	29
35-49	1109	4.2	26	1	1	3	5	8	11	27
50-64	1933	4.1	26	1	1	3	5	8	13	25
65+	2817	6.0	44	1	1	4	7	14	18	35
GRAND TOTAL	**11459**	**3.9**	**28**	**1**	**1**	**2**	**4**	**8**	**13**	**26**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.5	1	<1	<1	1	2	3	3	4
20-34	27	2.7	5	<1	<1	2	4	5	9	9
35-49	11	3.0	5	<1	<1	3	5	6	7	7
50-64	8	2.4	2	1	1	2	3	5	5	5
65+	16	3.2	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	487	1.7	1	<1	<1	1	2	3	3	5
20-34	535	2.1	3	<1	<1	2	2	4	4	10
35-49	191	2.2	5	<1	1	2	3	4	6	11
50-64	114	2.2	2	<1	1	2	3	5	6	8
65+	83	3.0	13	<1	1	2	3	6	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	2.2	14	<1	<1	1	2	4	5	21
20-34	245	1.9	5	<1	<1	<1	2	4	6	12
35-49	89	2.7	10	<1	<1	<1	3	6	11	16
50-64	66	3.5	16	<1	<1	2	4	9	10	20
65+	147	7.1	38	<1	<1	5	10	15	23	27
B. *Operated*										
0-19 YRS	702	2.3	5	<1	1	2	2	4	6	12
20-34	1065	2.6	6	<1	1	2	3	5	7	12
35-49	494	3.4	18	<1	1	2	4	6	11	25
50-64	402	4.4	44	<1	1	2	5	9	15	39
65+	298	5.7	46	1	1	3	7	13	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	2.5	3	<1	<1	2	4	5	6	9
B. *Operated*	1410	2.0	3	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	661	3.4	20	<1	<1	1	4	8	12	25
B. *Operated*	2961	3.2	18	<1	1	2	3	6	9	22
1. SINGLE DX	1492	2.0	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX	3622	3.3	18	<1	<1	2	3	7	10	23
A. NOT OPERATED	743	3.3	18	<1	<1	1	4	8	11	24
B. OPERATED	4371	2.8	14	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	1323	2.0	5	<1	<1	1	2	4	5	9
20-34	1872	2.4	5	<1	<1	2	3	4	6	12
35-49	785	3.0	14	<1	<1	2	3	6	10	20
50-64	590	3.9	33	<1	1	2	4	8	12	33
65+	544	5.6	40	<1	1	3	7	13	17	28
GRAND TOTAL	**5114**	**2.9**	**14**	**<1**	**<1**	**2**	**3**	**6**	**9**	**19**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	13.7	138	1	1	11	23	30	34	39
20-34	6	17.5	375	2	2	15	15	51	55	55
35-49	10	9.3	50	1	1	9	14	19	24	24
50-64	24	12.0	99	1	3	9	15	30	36	37
65+	143	11.2	126	<1	2	9	15	24	29	57
B. *Operated*										
0-19 YRS	73	12.1	87	2	3	9	17	29	31	37
20-34	42	9.7	34	3	4	8	12	14	25	31
35-49	49	11.5	23	6	6	11	14	17	19	28
50-64	337	13.6	39	6	7	13	17	20	22	39
65+	2274	17.5	51	9	10	16	20	26	30	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	15.5	192	1	1	11	26	41	43	50
20-34	16	22.9	849	2	3	9	38	91	97	99+
35-49	35	11.0	213	1	3	6	14	21	27	86
50-64	141	11.9	122	1	2	10	15	23	31	77
65+	1082	14.9	153	2	3	12	19	30	39	67
B. *Operated*										
0-19 YRS	173	18.2	208	4	5	13	25	35	45	72
20-34	216	19.5	282	6	7	15	22	42	61	99
35-49	307	17.3	152	6	7	14	21	35	46	99+
50-64	1426	17.6	109	7	8	15	21	30	39	59
65+	13281	20.2	108	9	11	18	24	32	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	213	11.7	127	<1	1	9	16	24	33	54
B. *Operated*	2775	16.6	53	7	9	16	20	25	29	43
2. MULTIPLE DX										
A. *Not Operated*	1322	14.6	163	2	3	12	19	29	40	74
B. *Operated*	15403	19.9	113	8	10	17	23	32	40	63
1. SINGLE DX	2988	16.3	60	6	8	15	19	25	29	43
2. MULTIPLE DX	16725	19.5	119	7	9	17	23	32	40	65
A. NOT OPERATED	1535	14.2	159	1	3	11	18	29	39	71
B. OPERATED	18178	19.4	105	8	10	17	23	31	38	61
TOTAL 0-19 YRS	324	16.0	177	2	3	12	24	31	41	60
20-34	280	18.2	288	5	6	13	22	40	61	99
35-49	401	15.9	146	4	6	13	19	30	42	99
50-64	1928	16.4	102	6	7	14	19	27	36	59
65+	16780	19.4	106	8	10	17	23	31	38	60
GRAND TOTAL	**19713**	**19.0**	**111**	**7**	**9**	**17**	**23**	**31**	**39**	**61**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	262	16.4	138	1	2	17	25	30	34	52
20-34	26	16.3	435	<1	1	5	28	51	56	66
35-49	6	4.3	25	<1	<1	2	5	13	14	14
50-64	16	14.1	225	1	1	8	20	42	43	43
65+	66	15.6	297	2	2	11	21	36	51	93
B. *Operated*										
0-19 YRS	303	15.5	170	2	2	13	23	32	38	56
20-34	112	15.4	157	1	2	13	18	33	45	77
35-49	25	17.1	262	1	3	10	26	43	51	65
50-64	40	16.6	190	2	5	13	19	30	38	82
65+	152	21.7	161	6	10	18	25	39	50	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	458	19.6	174	1	2	20	27	37	42	55
20-34	63	16.2	266	2	3	8	28	45	51	94
35-49	53	19.2	344	2	2	10	34	46	50	75
50-64	86	21.4	353	2	3	15	28	52	64	74
65+	404	21.5	391	3	4	15	28	54	70	98
B. *Operated*										
0-19 YRS	773	19.7	239	2	3	17	28	40	49	83
20-34	552	21.4	294	4	5	16	27	48	60	95
35-49	182	23.3	372	2	3	18	31	55	68	96
50-64	272	25.9	378	5	7	21	35	60	77	99+
65+	936	24.2	229	8	11	20	31	44	60	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	16.0	188	1	2	15	24	31	40	64
B. *Operated*	632	17.1	176	2	3	15	23	34	45	65
2. MULTIPLE DX										
A. *Not Operated*	1064	20.2	286	2	3	17	28	44	55	84
B. *Operated*	2715	22.5	274	3	6	19	29	45	61	96
1. SINGLE DX	1008	16.7	181	1	2	15	23	33	43	65
2. MULTIPLE DX	3779	21.8	278	3	4	18	29	45	59	94
A. NOT OPERATED	1440	19.1	264	1	2	17	27	41	52	78
B. OPERATED	3347	21.4	260	3	5	18	28	43	56	93
TOTAL 0-19 YRS	1796	18.5	199	1	2	17	26	36	45	68
20-34	753	19.9	282	2	4	15	26	46	56	95
35-49	266	21.5	358	2	3	16	31	49	65	87
50-64	414	23.6	360	3	6	18	32	52	69	99+
65+	1558	22.9	271	4	7	19	29	46	63	96
GRAND TOTAL	**4787**	**20.7**	**262**	**2**	**4**	**17**	**28**	**43**	**55**	**90**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	268	2.6	8	1	1	2	3	5	7	11
20-34	113	3.5	7	<1	1	3	5	6	8	14
35-49	77	4.2	15	<1	1	3	5	8	10	23
50-64	76	5.9	17	1	2	5	7	12	14	21
65+	106	8.4	65	1	2	6	10	15	20	30
B. *Operated*										
0-19 YRS	604	4.1	18	1	1	3	5	7	10	21
20-34	411	6.0	24	1	2	5	8	11	14	24
35-49	295	6.2	18	1	2	5	8	12	14	22
50-64	217	9.1	95	2	2	7	10	15	26	53
65+	125	13.9	95	3	4	13	18	24	30	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	394	3.3	12	1	1	2	4	6	8	20
20-34	287	4.6	23	<1	1	3	6	9	12	22
35-49	215	5.8	40	<1	1	4	6	12	17	34
50-64	299	7.6	59	1	2	5	9	16	21	40
65+	569	11.0	70	2	3	9	14	20	28	42
B. *Operated*										
0-19 YRS	1086	6.7	61	1	1	4	8	15	21	40
20-34	1196	10.5	133	2	3	7	12	23	34	69
35-49	671	10.4	112	2	3	8	12	22	29	64
50-64	704	13.4	155	3	4	10	16	25	39	71
65+	555	16.6	180	3	4	13	21	32	44	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	640	4.3	23	1	1	3	5	9	12	23
B. *Operated*	1652	6.4	42	1	1	5	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	1764	7.0	53	1	1	5	9	16	21	35
B. *Operated*	4212	10.8	131	1	2	7	13	23	33	65
1. SINGLE DX	2292	5.8	38	1	1	4	7	12	16	30
2. MULTIPLE DX	5976	9.7	111	1	2	6	12	21	29	58
A. NOT OPERATED	2404	6.3	47	1	1	4	8	14	19	34
B. OPERATED	5864	9.5	110	1	2	6	12	21	29	58
TOTAL 0-19 YRS	2352	5.0	38	1	1	3	5	10	16	34
20-34	2007	8.3	95	1	2	5	9	17	27	56
35-49	1258	8.2	77	1	2	6	10	17	23	48
50-64	1296	10.9	122	2	3	8	13	21	29	67
65+	1355	13.4	125	3	4	11	17	26	34	60
GRAND TOTAL	**8268**	**8.6**	**94**	**1**	**2**	**6**	**11**	**19**	**26**	**53**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	2.3	3	<1	1	2	3	5	6	8
20-34	150	3.1	7	<1	<1	2	4	6	9	14
35-49	115	3.5	7	<1	1	3	5	7	9	13
50-64	126	4.1	7	1	1	4	6	8	9	12
65+	156	5.6	17	1	2	4	7	12	14	21
B. *Operated*										
0-19 YRS	700	3.7	8	1	1	3	5	7	9	13
20-34	952	4.5	9	1	2	4	6	8	10	16
35-49	699	5.3	13	1	2	4	7	10	11	18
50-64	641	6.1	15	2	2	5	8	11	13	22
65+	407	8.1	25	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	266	2.8	8	<1	<1	2	3	6	7	12
20-34	532	3.7	17	<1	<1	2	5	8	10	22
35-49	373	4.3	30	<1	<1	3	5	9	12	23
50-64	504	5.6	29	<1	1	4	7	12	16	27
65+	882	8.0	41	2	2	6	10	15	20	32
B. *Operated*										
0-19 YRS	1235	5.1	34	1	1	4	6	9	13	31
20-34	2267	5.9	27	2	2	5	7	11	14	28
35-49	1642	6.9	41	2	3	5	8	12	15	39
50-64	1899	8.1	42	2	3	7	10	14	18	36
65+	1518	11.4	72	3	4	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	3.8	10	<1	1	3	5	7	10	15
B. *Operated*	3399	5.2	14	1	2	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	2557	5.6	32	<1	<1	4	7	12	16	28
B. *Operated*	8561	7.4	46	2	2	6	9	14	19	36
1. SINGLE DX	4092	5.0	14	1	1	4	6	9	12	18
2. MULTIPLE DX	11118	7.0	44	1	2	5	8	13	18	35
A. NOT OPERATED	3250	5.2	28	<1	<1	4	7	11	15	26
B. OPERATED	11960	6.8	38	2	2	5	8	13	17	33
TOTAL 0-19 YRS	2347	4.3	22	1	1	3	5	8	10	25
20-34	3901	5.1	21	1	1	4	6	10	12	25
35-49	2829	6.0	32	1	2	5	7	11	14	31
50-64	3170	7.1	34	1	2	6	9	13	16	29
65+	2963	9.6	57	2	3	8	12	18	23	39
GRAND TOTAL	**15210**	**6.5**	**36**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.0	3	1	1	1	2	5	6	6
20-34	25	2.4	5	<1	<1	1	4	6	7	9
35-49	7	1.7	1	<1	<1	1	2	4	4	4
50-64	10	4.4	26	1	1	3	5	12	18	18
65+	23	5.3	16	<1	1	4	7	10	15	17
B. *Operated*										
0-19 YRS	52	2.9	5	1	1	2	3	6	8	13
20-34	41	4.2	36	1	1	3	5	6	7	40
35-49	9	4.4	12	1	2	4	4	10	13	13
50-64	7	4.4	15	2	2	3	4	11	13	13
65+	4	4.5	1	3	3	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.2	25	1	1	2	4	5	8	35
20-34	234	3.7	12	<1	1	3	5	7	9	18
35-49	150	4.7	14	1	1	4	6	10	13	16
50-64	132	5.9	17	1	1	5	8	12	14	21
65+	284	9.0	49	2	2	7	11	17	23	38
B. *Operated*										
0-19 YRS	127	4.6	25	1	1	3	5	10	14	26
20-34	150	6.4	89	1	1	4	7	14	20	52
35-49	65	7.9	109	1	2	6	9	16	20	71
50-64	38	7.9	57	1	2	5	10	19	26	35
65+	65	11.7	119	1	3	7	16	25	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.1	10	<1	1	2	4	6	9	17
B. *Operated*	113	3.7	17	1	1	3	4	6	8	23
2. MULTIPLE DX										
A. *Not Operated*	978	5.6	31	1	1	4	7	12	16	28
B. *Operated*	445	7.0	80	1	1	4	7	15	23	47
1. SINGLE DX	215	3.4	14	1	1	2	4	6	9	17
2. MULTIPLE DX	1423	6.1	47	1	1	4	7	13	18	33
A. NOT OPERATED	1080	5.4	30	1	1	4	7	12	15	25
B. OPERATED	558	6.3	69	1	1	4	7	14	21	41
TOTAL 0-19 YRS	394	3.5	21	1	1	2	4	6	11	21
20-34	450	4.6	41	<1	1	3	5	9	13	33
35-49	231	5.5	42	1	1	4	7	12	15	22
50-64	187	6.2	26	1	1	5	8	13	15	26
65+	376	9.2	61	1	2	7	11	20	24	40
GRAND TOTAL	**1638**	**5.7**	**43**	**1**	**1**	**4**	**7**	**12**	**17**	**33**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.1	60	1	1	2	4	17	26	26
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	6.0		6	6	6	6	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	10.3	61	3	3	10	17	17	17	17
B. *Operated*										
0-19 YRS	9	4.6	49	1	1	2	4	15	23	23
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	5.3	37	1	1	3	7	18	19	20
20-34	8	8.5	51	3	3	5	12	20	23	23
35-49	2	3.0		3	3	3	3	3	3	3
50-64	6	7.3	45	1	1	6	10	18	19	19
65+	9	9.7	65	2	2	7	12	23	28	28
B. *Operated*										
0-19 YRS	15	19.1	321	2	2	13	32	41	60	66
20-34	18	11.4	152	1	2	9	18	77	99+	99+
35-49	11	18.0	777	1	2	10	20	54	95	99
50-64	6	25.5	372	5	5	22	39	54	56	56
65+	1	49.0		49	49	74	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.1	45	1	1	4	6	17	22	26
B. *Operated*	14	5.8	44	1	1	3	7	18	22	23
2. MULTIPLE DX										
A. *Not Operated*	47	6.8	45	1	1	4	10	18	20	28
B. *Operated*	51	17.5	376	1	3	10	25	57	99+	99+
1. SINGLE DX	33	6.0	43	1	1	4	6	17	22	26
2. MULTIPLE DX	98	12.4	244	1	2	8	18	36	60	99+
A. NOT OPERATED	66	6.6	44	1	1	4	8	18	21	28
B. OPERATED	65	15.0	326	1	2	9	23	52	99	99+
TOTAL 0-19 YRS	56	8.8	152	1	1	3	11	26	34	64
20-34	31	9.5	105	1	3	7	12	31	93	99+
35-49	16	14.0	557	1	3	7	10	24	76	99
50-64	13	15.5	268	1	2	8	22	42	53	56
65+	15	13.0	154	2	3	9	18	47	85	99+
GRAND TOTAL	**131**	**10.8**	**200**	**1**	**1**	**7**	**13**	**27**	**53**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	22	1.9	2	<1	<1	1	2	4	5	6
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	9	2.3	2	<1	<1	2	3	5	5	5
65+	8	1.9	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	116	2.8	2	1	1	3	3	5	5	7
20-34	414	3.1	3	1	1	3	4	5	6	9
35-49	117	3.3	3	1	1	3	4	6	6	10
50-64	56	2.5	3	<1	1	2	3	5	6	9
65+	76	2.8	10	<1	1	1	3	7	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	2	<1	<1	1	2	4	5	5
20-34	87	1.9	3	<1	<1	1	2	4	5	10
35-49	36	3.1	10	<1	<1	2	4	6	7	18
50-64	30	4.4	13	<1	<1	2	8	10	11	12
65+	80	6.2	34	<1	1	4	9	13	15	33
B. *Operated*										
0-19 YRS	102	3.4	4	1	1	3	4	5	8	12
20-34	412	3.2	5	1	1	3	4	5	6	9
35-49	168	4.1	11	1	1	3	5	8	10	19
50-64	130	5.3	68	1	1	3	6	11	18	55
65+	224	6.3	80	1	1	4	7	14	18	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	779	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	255	3.7	18	<1	<1	2	5	9	12	19
B. *Operated*	1036	4.3	31	1	1	3	5	8	11	26
1. SINGLE DX	828	2.9	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1291	4.2	29	<1	1	3	5	8	11	25
A. NOT OPERATED	304	3.4	16	<1	<1	2	4	8	11	18
B. OPERATED	1815	3.7	20	1	1	3	4	6	9	20
TOTAL 0-19 YRS	246	2.9	3	<1	1	3	4	5	6	10
20-34	935	3.0	4	<1	1	3	4	5	6	9
35-49	325	3.7	8	<1	1	3	4	7	8	17
50-64	225	4.4	44	<1	1	3	5	9	12	39
65+	388	5.5	57	1	1	3	7	12	17	35
GRAND TOTAL	**2119**	**3.7**	**19**	<1	1	3	4	7	9	19

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.0	3	<1	<1	1	2	4	6	7
20-34	33	2.3	4	<1	<1	1	3	5	7	8
35-49	13	1.8	1	<1	<1	1	2	3	5	5
50-64	11	2.9	6	1	1	2	4	7	7	7
65+	8	5.3	15	<1	1	4	6	12	14	14
B. *Operated*										
0-19 YRS	1006	3.0	4	1	1	3	4	5	6	10
20-34	1986	3.3	4	1	1	3	4	6	7	10
35-49	940	3.3	5	1	1	3	4	6	7	10
50-64	497	3.7	6	1	1	3	5	7	8	12
65+	129	5.1	22	1	1	4	6	10	13	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	2.3	3	<1	<1	2	3	5	6	8
20-34	82	2.5	8	<1	<1	1	3	5	7	17
35-49	46	2.9	12	<1	<1	1	3	7	9	18
50-64	40	4.4	17	<1	<1	3	6	9	9	24
65+	17	6.7	28	<1	1	6	8	16	18	19
B. *Operated*										
0-19 YRS	1043	3.5	7	1	1	3	5	6	8	14
20-34	2104	3.8	10	1	1	3	5	7	9	16
35-49	1094	4.1	10	1	1	3	5	8	9	17
50-64	894	4.6	15	1	1	4	6	9	11	19
65+	331	6.4	46	1	2	4	8	13	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.4	5	<1	<1	1	4	5	7	11
B. *Operated*	4558	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	237	3.2	12	<1	<1	2	4	7	9	19
B. *Operated*	5466	4.1	13	1	1	3	5	7	10	19
1. SINGLE DX	4657	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	5703	4.0	13	1	1	3	5	7	10	19
A. NOT OPERATED	336	2.9	10	<1	<1	2	4	7	8	18
B. OPERATED	10024	3.7	9	1	1	3	5	7	8	15
TOTAL 0-19 YRS	2135	3.2	6	1	1	3	4	6	7	11
20-34	4205	3.5	7	1	1	3	5	6	8	13
35-49	2093	3.7	8	1	1	3	5	7	8	15
50-64	1442	4.3	12	1	1	3	5	8	10	17
65+	485	6.0	38	1	2	4	7	12	18	32
GRAND TOTAL	**10360**	**3.7**	**10**	1	1	3	5	7	8	15

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.1	10	<1	<1	2	4	8	10	14
20-34	27	4.6	47	<1	<1	3	5	8	18	35
35-49	16	6.4	19	1	1	6	9	13	14	15
50-64	11	8.4	48	<1	1	8	13	19	20	20
65+	12	5.7	23	1	1	4	7	15	16	16
B. *Operated*										
0-19 YRS	172	3.0	14	<1	1	2	3	7	11	21
20-34	209	3.9	24	<1	1	2	4	8	16	23
35-49	95	5.7	46	1	1	3	7	16	19	35
50-64	61	4.5	31	1	1	3	4	10	16	31
65+	49	7.2	54	1	1	4	10	21	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.7	34	<1	1	3	6	9	14	35
20-34	118	4.8	35	<1	<1	3	6	11	17	32
35-49	82	7.2	47	<1	1	4	10	16	21	33
50-64	44	6.8	24	<1	1	5	10	15	16	17
65+	65	11.7	154	2	3	8	12	23	40	63
B. *Operated*										
0-19 YRS	300	5.1	61	<1	1	2	5	14	20	34
20-34	427	6.9	74	1	1	4	9	17	24	42
35-49	231	8.4	128	1	1	4	11	21	29	69
50-64	223	9.2	211	1	1	4	10	20	36	86
65+	166	11.0	133	1	2	7	14	29	35	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	5.0	29	<1	1	3	7	13	15	28
B. *Operated*	586	4.3	29	<1	1	2	4	10	17	24
2. MULTIPLE DX										
A. *Not Operated*	379	6.7	62	<1	1	4	9	15	20	38
B. *Operated*	1347	7.7	114	1	1	4	9	19	27	53
1. SINGLE DX	683	4.4	29	<1	1	2	5	11	16	24
2. MULTIPLE DX	1726	7.4	102	1	1	4	9	18	25	51
A. NOT OPERATED	476	6.4	56	<1	1	4	8	14	19	37
B. OPERATED	1933	6.6	90	1	1	3	8	16	24	46
TOTAL 0-19 YRS	573	4.3	42	<1	1	2	5	10	17	31
20-34	781	5.7	56	<1	1	3	7	14	20	37
35-49	424	7.5	91	1	1	4	10	18	24	51
50-64	339	8.0	152	1	1	4	9	16	26	80
65+	292	10.3	122	1	2	7	13	24	34	57
GRAND TOTAL	**2409**	**6.6**	**84**	**1**	**1**	**3**	**8**	**16**	**23**	**44**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.5	4	<1	1	2	3	5	6	12
20-34	85	2.4	3	<1	<1	2	3	5	6	9
35-49	44	3.2	11	<1	1	2	4	8	9	18
50-64	32	3.8	5	1	1	4	5	7	9	9
65+	38	5.7	23	1	1	5	8	14	16	18
B. *Operated*										
0-19 YRS	360	3.0	4	<1	1	2	4	6	6	10
20-34	508	3.3	5	<1	1	3	4	6	7	10
35-49	131	3.9	9	1	1	3	5	7	9	17
50-64	46	5.2	12	1	2	5	7	8	10	21
65+	19	9.2	84	2	2	7	11	19	31	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	2.4	4	<1	<1	2	3	5	6	12
20-34	180	3.2	16	<1	<1	2	4	8	10	19
35-49	135	3.9	13	<1	<1	3	5	8	11	18
50-64	154	4.8	13	<1	<1	4	7	9	12	16
65+	218	7.4	41	1	2	5	10	14	18	37
B. *Operated*										
0-19 YRS	832	4.1	7	1	1	4	6	7	8	12
20-34	1278	4.6	10	1	1	4	6	8	10	16
35-49	370	5.3	13	1	2	5	7	9	12	17
50-64	172	7.4	40	2	2	6	8	15	22	35
65+	77	9.9	71	2	3	7	12	18	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.2	9	<1	1	2	4	7	9	16
B. *Operated*	1064	3.5	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	807	4.7	23	<1	<1	3	6	10	13	24
B. *Operated*	2729	4.9	15	1	1	4	6	8	11	20
1. SINGLE DX	1331	3.4	8	<1	1	3	4	6	8	14
2. MULTIPLE DX	3536	4.8	16	<1	1	4	6	9	11	21
A. NOT OPERATED	1074	4.3	20	<1	<1	3	6	9	12	20
B. OPERATED	3793	4.5	13	1	1	4	6	8	10	18
TOTAL 0-19 YRS	1380	3.6	6	<1	1	3	5	7	8	12
20-34	2051	4.1	10	<1	1	4	5	7	9	15
35-49	680	4.6	13	<1	1	4	6	9	11	17
50-64	404	5.9	26	1	1	5	7	11	15	25
65+	352	7.8	49	1	2	6	10	15	19	41
GRAND TOTAL	**4867**	**4.4**	**14**	**<1**	**1**	**4**	**6**	**8**	**10**	**19**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	4.9	11	1	2	4	7	9	12	15
20-34	1398	6.0	14	1	2	5	8	11	12	19
35-49	1343	6.6	15	2	3	6	8	11	13	20
50-64	639	6.9	18	2	3	6	9	12	15	20
65+	209	7.3	20	2	3	6	10	13	15	22
B. *Operated*										
0-19 YRS	10	4.7	20	1	1	3	10	11	12	12
20-34	204	8.7	37	2	2	8	12	16	20	28
35-49	187	9.0	36	2	2	8	12	17	21	31
50-64	70	9.4	49	2	3	8	12	16	21	36
65+	13	9.4	38	2	2	9	12	18	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	5.4	15	1	1	5	7	10	13	18
20-34	2283	7.0	20	1	2	6	9	13	15	23
35-49	2754	7.7	20	2	3	7	10	13	16	23
50-64	1829	7.9	24	2	3	7	10	14	17	25
65+	1291	8.6	29	3	3	7	11	15	18	27
B. *Operated*										
0-19 YRS	14	9.6	39	1	3	8	15	18	21	22
20-34	368	10.8	45	2	3	10	14	21	24	29
35-49	447	11.6	55	2	3	11	15	20	25	43
50-64	292	12.8	64	3	4	11	16	22	28	40
65+	105	15.9	85	5	6	14	22	27	34	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3740	6.4	15	2	2	6	8	11	13	20
B. *Operated*	484	8.9	38	2	2	8	12	16	21	31
2. MULTIPLE DX										
A. *Not Operated*	8360	7.6	23	2	3	7	10	14	17	24
B. *Operated*	1226	12.0	58	2	4	11	15	22	26	40
1. SINGLE DX	4224	6.7	18	2	2	6	9	12	14	23
2. MULTIPLE DX	9586	8.2	29	2	3	7	10	15	18	27
A. NOT OPERATED	12100	7.3	21	2	3	6	9	13	16	23
B. OPERATED	1710	11.1	54	2	3	10	14	20	25	36
TOTAL 0-19 YRS	378	5.3	15	1	2	4	7	10	13	18
20-34	4253	7.1	23	1	2	5	9	13	16	24
35-49	4731	7.8	24	2	3	7	10	14	17	25
50-64	2830	8.2	30	2	3	7	10	15	18	28
65+	1618	8.9	35	2	3	8	11	16	20	30
GRAND TOTAL	**13810**	**7.7**	**26**	**2**	**3**	**7**	**10**	**14**	**17**	**26**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	213	3.2	8	1	1	2	4	6	9	15
20-34	976	5.6	14	1	2	5	7	11	12	18
35-49	715	6.4	18	1	2	5	8	12	14	20
50-64	336	6.3	18	1	2	6	8	11	14	22
65+	123	6.0	14	2	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	9	5.3	19	1	1	3	10	12	13	13
20-34	172	6.8	26	1	2	5	10	14	18	23
35-49	147	8.5	40	2	2	8	11	16	18	34
50-64	30	9.0	38	2	3	8	11	17	23	27
65+	7	10.1	29	2	3	10	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	578	3.5	14	<1	1	2	4	7	10	16
20-34	2728	6.1	20	<1	1	5	8	12	14	22
35-49	2301	7.3	25	1	2	6	10	13	17	24
50-64	1381	7.5	23	1	2	7	10	14	16	23
65+	961	7.8	28	2	3	7	10	15	18	28
B. *Operated*										
0-19 YRS	31	6.1	27	1	1	4	8	14	18	22
20-34	379	9.9	39	2	3	9	13	17	23	30
35-49	379	10.6	56	2	3	9	14	19	26	36
50-64	167	11.2	66	2	3	9	14	22	28	37
65+	69	14.8	73	3	4	13	20	26	31	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2363	5.7	16	1	2	5	8	11	13	19
B. *Operated*	365	7.7	33	1	2	6	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	7949	6.7	23	<1	1	6	9	13	16	23
B. *Operated*	1025	10.6	53	2	3	9	14	20	25	35
1. SINGLE DX	2728	6.0	18	1	2	5	8	11	14	20
2. MULTIPLE DX	8974	7.2	28	1	2	6	10	14	17	26
A. NOT OPERATED	10312	6.5	22	1	1	6	9	12	15	22
B. OPERATED	1390	9.8	50	2	3	9	13	18	24	34
TOTAL 0-19 YRS	831	3.5	13	<1	1	2	4	7	10	17
20-34	4255	6.4	22	<1	1	5	8	12	15	23
35-49	3542	7.5	29	1	2	6	10	14	17	27
50-64	1914	7.6	27	1	2	7	10	14	17	25
65+	1160	8.1	32	2	2	7	11	15	19	29
GRAND TOTAL	**11702**	**6.9**	**26**	**1**	**2**	**6**	**9**	**13**	**16**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	2.6	5	<1	<1	2	3	5	6	13
20-34	169	2.8	7	<1	<1	2	3	6	8	15
35-49	109	3.6	19	<1	<1	3	4	7	8	27
50-64	79	4.4	14	<1	<1	3	6	10	12	17
65+	46	4.5	9	<1	1	3	7	9	10	12
B. *Operated*										
0-19 YRS	160	3.0	3	1	1	3	4	5	7	11
20-34	429	3.2	4	1	1	3	4	5	7	10
35-49	321	3.4	4	1	1	3	4	5	6	11
50-64	363	5.1	12	2	2	4	6	8	10	21
65+	120	6.1	17	2	3	5	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	315	2.1	4	<1	<1	1	2	5	7	10
20-34	885	2.0	6	<1	<1	<1	2	5	7	13
35-49	493	3.0	10	<1	<1	1	4	7	9	15
50-64	419	4.0	14	<1	<1	3	6	9	11	18
65+	505	7.1	30	<1	1	6	10	14	17	25
B. *Operated*										
0-19 YRS	237	3.0	7	1	1	3	4	5	6	13
20-34	526	3.6	5	1	2	3	4	6	8	11
35-49	443	4.6	8	2	2	4	6	8	10	14
50-64	562	5.9	23	2	2	5	7	11	15	27
65+	241	8.5	50	2	3	7	10	16	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	3.3	11	<1	<1	2	4	7	10	15
B. *Operated*	1393	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	2617	3.5	16	<1	<1	2	5	9	11	19
B. *Operated*	2009	5.0	19	1	2	4	6	9	12	24
1. SINGLE DX	1927	3.8	9	<1	1	3	5	7	9	14
2. MULTIPLE DX	4626	4.2	18	<1	<1	3	5	9	12	22
A. NOT OPERATED	3151	3.5	15	<1	<1	2	5	8	11	18
B. OPERATED	3402	4.6	15	1	2	4	5	8	11	22
TOTAL 0-19 YRS	843	2.6	5	<1	<1	2	3	5	6	11
20-34	2009	2.7	6	<1	<1	2	4	5	7	12
35-49	1365	3.7	9	<1	<1	3	5	7	9	14
50-64	1423	5.1	18	<1	1	4	6	9	12	23
65+	912	7.2	33	1	2	6	9	14	18	28
GRAND TOTAL	**6553**	**4.0**	**15**	**<1**	**<1**	**3**	**5**	**8**	**11**	**20**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1935	1.6	1	<1	1	1	2	3	4	6
20-34	504	2.4	7	<1	1	2	3	5	6	12
35-49	170	2.7	8	1	1	2	3	5	7	13
50-64	68	2.4	3	<1	<1	2	3	5	6	10
65+	44	2.6	5	<1	1	2	4	6	6	11
B. *Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	7	3.3	9	<1	<1	2	6	8	8	8
35-49	6	5.2	15	1	1	5	8	10	10	10
50-64	5	5.2	19	1	1	5	9	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4986	2.1	6	1	1	2	2	4	5	9
20-34	3039	3.3	10	<1	1	2	4	7	9	15
35-49	1175	4.3	18	1	1	3	5	9	13	21
50-64	820	4.7	16	1	1	3	6	9	12	19
65+	871	6.5	34	1	1	5	9	14	18	30
B. *Operated*										
0-19 YRS	566	4.4	45	1	1	2	5	10	15	41
20-34	755	4.9	47	1	1	3	6	11	17	33
35-49	272	6.5	81	1	1	4	8	15	25	96
50-64	203	7.0	84	1	1	5	9	14	17	73
65+	225	9.6	99	1	2	6	12	23	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2721	1.9	3	<1	1	1	2	3	5	8
B. *Operated*	28	3.4	11	<1	1	2	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	10891	3.2	13	1	1	2	4	7	10	18
B. *Operated*	2021	5.7	63	1	1	3	7	13	20	47
1. SINGLE DX	2749	1.9	3	<1	1	1	2	3	5	8
2. MULTIPLE DX	12912	3.6	22	1	1	2	4	8	11	23
A. NOT OPERATED	13612	3.0	11	1	1	2	3	6	9	16
B. OPERATED	2049	5.7	63	1	1	3	7	13	20	47
TOTAL 0-19 YRS	7497	2.2	8	1	1	1	2	4	6	11
20-34	4305	3.5	17	<1	1	2	4	7	10	20
35-49	1623	4.5	29	1	1	3	5	10	14	26
50-64	1096	5.0	29	1	1	3	6	10	13	23
65+	1140	7.0	48	1	1	5	9	15	21	34
GRAND TOTAL	**15661**	**3.3**	**19**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	737	2.0	10	<1	1	1	2	3	5	17
20-34	218	3.0	27	<1	<1	2	3	6	9	24
35-49	57	3.3	20	<1	<1	2	4	6	9	27
50-64	46	4.4	23	1	1	2	6	10	16	22
65+	38	5.8	53	<1	<1	3	8	13	23	35
B. *Operated*										
0-19 YRS	31	10.8	155	1	1	8	11	24	35	63
20-34	43	12.4	264	1	1	6	16	36	57	66
35-49	22	12.1	113	2	3	9	17	25	36	48
50-64	23	14.6	149	3	5	12	17	33	47	50
65+	42	19.6	269	4	6	14	27	50	59	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1930	2.7	20	<1	1	1	3	5	8	23
20-34	1165	4.0	34	<1	<1	2	4	9	13	36
35-49	445	4.9	38	<1	1	3	6	11	14	33
50-64	337	6.3	58	1	1	4	8	16	21	37
65+	563	8.2	64	1	1	6	10	18	26	39
B. *Operated*										
0-19 YRS	349	12.3	347	1	1	6	15	47	75	99+
20-34	492	12.3	381	<1	1	4	14	43	74	99+
35-49	222	13.1	349	<1	1	6	16	45	68	99+
50-64	209	16.1	363	<1	1	10	23	44	75	99+
65+	348	18.8	246	1	2	15	26	39	48	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1096	2.5	17	<1	1	1	2	5	8	20
B. *Operated*	161	14.3	214	1	2	9	17	34	51	65
2. MULTIPLE DX										
A. *Not Operated*	4440	4.2	37	<1	1	2	5	10	15	32
B. *Operated*	1620	14.3	344	<1	1	7	19	43	68	99+
1. SINGLE DX	1257	4.0	57	<1	1	2	3	9	17	48
2. MULTIPLE DX	6060	6.9	139	<1	1	3	7	18	30	80
A. NOT OPERATED	5536	3.9	34	<1	1	2	4	9	14	31
B. OPERATED	1781	14.3	332	<1	1	8	19	42	66	99+
TOTAL 0-19 YRS	3047	3.7	66	<1	1	2	3	7	14	63
20-34	1918	6.2	142	<1	<1	2	6	14	30	87
35-49	746	7.4	146	<1	1	3	7	18	32	81
50-64	615	9.8	185	1	1	5	13	25	34	88
65+	991	12.3	164	1	1	8	17	30	37	59
GRAND TOTAL	**7317**	**6.4**	**126**	<1	1	2	6	17	28	75

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	9	<1	<1	1	3	8	10	10
20-34	36	3.1	6	1	1	2	4	7	8	11
35-49	11	3.2	2	2	2	3	4	5	5	5
50-64	7	3.7	13	1	1	2	5	10	11	11
65+	4	3.8	6	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS	14	5.6	31	1	2	4	6	14	20	22
20-34	52	6.0	16	2	3	5	7	9	15	25
35-49	16	7.3	61	1	2	4	7	21	26	28
50-64	8	7.8	15	1	2	8	10	13	13	13
65+	4	9.8	38	4	4	9	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	3.7	10	1	1	3	5	6	9	18
20-34	158	4.4	9	1	1	4	5	9	11	15
35-49	99	5.8	19	1	2	5	7	10	13	27
50-64	102	6.3	22	1	2	5	8	12	16	23
65+	112	9.0	32	2	3	7	12	17	20	24
B. *Operated*										
0-19 YRS	145	10.0	103	3	3	7	11	19	25	65
20-34	370	9.4	69	2	3	7	11	17	23	48
35-49	148	10.0	74	3	3	7	12	20	23	52
50-64	101	13.1	82	3	4	11	16	25	29	50
65+	101	14.7	200	3	4	11	17	29	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.1	6	1	1	2	4	7	8	11
B. *Operated*	94	6.5	26	2	2	5	7	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	561	5.8	21	1	2	5	7	12	16	23
B. *Operated*	865	10.7	95	2	3	8	12	20	28	52
1. SINGLE DX	163	5.1	20	1	1	4	6	10	14	25
2. MULTIPLE DX	1426	8.7	72	2	2	7	11	17	22	48
A. NOT OPERATED	630	5.5	20	1	1	4	7	11	15	23
B. OPERATED	959	10.2	90	2	3	8	12	20	27	52
TOTAL 0-19 YRS	260	7.3	72	1	1	5	9	13	20	53
20-34	616	7.5	51	1	2	6	9	14	18	40
35-49	274	8.1	55	2	2	6	9	16	21	42
50-64	218	9.4	61	1	2	8	12	19	24	43
65+	221	11.5	116	2	3	8	15	21	28	56
GRAND TOTAL	**1589**	**8.4**	**68**	1	2	6	10	17	22	46

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	3.6	10	1	1	2	4	8	10	16
20-34	98	3.3	9	1	1	3	4	6	8	17
35-49	27	3.1	5	<1	1	2	5	6	7	9
50-64	9	3.2	5	1	1	3	4	7	8	8
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	74	7.0	12	2	4	6	8	11	13	22
20-34	82	7.7	16	2	3	7	10	12	13	25
35-49	25	6.8	9	1	2	7	9	11	11	12
50-64	12	10.3	42	1	3	9	13	17	26	27
65+	6	11.5	29	5	5	11	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	3.8	12	1	1	3	5	8	10	15
20-34	398	3.9	10	1	1	3	5	8	10	14
35-49	141	5.3	19	1	1	4	7	10	14	23
50-64	97	5.6	20	1	1	5	8	10	14	24
65+	91	7.4	32	2	2	6	10	14	18	30
B. *Operated*										
0-19 YRS	457	11.2	108	3	4	8	12	21	30	58
20-34	725	13.7	195	3	5	9	14	30	44	88
35-49	257	14.6	143	3	5	11	19	32	43	73
50-64	165	17.2	224	4	5	13	21	36	55	94
65+	96	14.7	137	3	4	11	17	32	44	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	3.4	9	1	1	2	4	7	9	15
B. *Operated*	199	7.6	16	2	3	7	9	12	13	26
2. MULTIPLE DX										
A. *Not Operated*	1270	4.4	15	1	1	3	6	9	12	19
B. *Operated*	1700	13.6	166	3	5	9	15	28	42	81
1. SINGLE DX	505	5.1	16	1	1	4	7	10	13	18
2. MULTIPLE DX	2970	9.7	122	1	2	7	11	20	31	63
A. NOT OPERATED	1576	4.2	14	1	1	3	5	9	11	18
B. OPERATED	1899	12.9	153	3	4	9	14	26	39	79
TOTAL 0-19 YRS	1243	6.7	59	1	1	5	8	13	18	40
20-34	1303	9.6	136	1	2	7	10	19	32	78
35-49	450	10.6	110	1	2	8	12	24	34	65
50-64	283	12.5	171	1	2	9	15	24	41	73
65+	196	11.0	97	2	3	8	14	20	32	52
GRAND TOTAL	**3475**	**9.0**	**109**	**1**	**2**	**6**	**10**	**18**	**28**	**60**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	3	<1	<1	1	4	5	5	5
20-34	8	1.8	1	<1	<1	1	2	4	4	4
35-49	3	2.7	8	<1	<1	1	5	6	6	6
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	143	2.8	5	1	1	2	4	5	7	9
20-34	72	3.2	5	<1	1	3	4	6	7	12
35-49	45	3.6	36	1	1	2	4	6	9	40
50-64	15	3.4	3	<1	1	3	4	6	7	7
65+	11	3.3	5	1	1	3	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	2.7	3	<1	1	2	4	6	6	6
20-34	39	2.5	4	<1	<1	1	4	6	6	7
35-49	17	3.9	10	<1	1	3	4	8	12	14
50-64	11	2.6	6	<1	<1	2	3	7	9	9
65+	12	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	412	3.8	17	1	1	3	5	8	10	18
20-34	369	4.1	11	1	1	3	5	8	10	16
35-49	155	3.9	10	<1	1	3	5	8	9	16
50-64	93	5.2	26	1	1	4	6	10	12	30
65+	86	6.9	35	1	2	5	8	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.2	3	<1	<1	1	4	5	5	6
B. *Operated*	286	3.1	9	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	122	2.8	5	<1	<1	2	4	6	6	11
B. *Operated*	1115	4.3	17	1	1	3	5	8	11	22
1. SINGLE DX	312	3.0	9	<1	1	2	4	6	7	13
2. MULTIPLE DX	1237	4.1	16	<1	1	3	5	8	11	21
A. NOT OPERATED	148	2.7	4	<1	<1	2	4	6	6	9
B. OPERATED	1401	4.0	16	1	1	3	5	8	10	20
TOTAL 0-19 YRS	611	3.5	13	1	1	2	5	7	9	15
20-34	488	3.8	10	<1	1	3	5	8	9	14
35-49	220	3.8	15	<1	1	3	5	7	9	17
50-64	120	4.7	22	1	1	4	6	9	11	29
65+	110	6.0	31	<1	1	4	8	14	18	26
GRAND TOTAL	**1549**	**3.9**	**15**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.0	2	<1	1	1	3	4	5	7
20-34	61	2.0	2	<1	<1	1	2	4	6	7
35-49	16	1.4	1	<1	1	1	2	3	3	3
50-64	9	3.1	11	<1	<1	2	4	9	11	11
65+	17	3.5	11	1	1	2	5	8	12	13
B. *Operated*										
0-19 YRS	293	2.0	4	<1	1	1	2	4	6	11
20-34	161	2.4	7	<1	<1	2	3	5	7	15
35-49	50	2.8	12	<1	<1	2	4	5	8	23
50-64	25	2.2	3	<1	1	2	2	6	6	6
65+	18	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	2.3	3	<1	<1	2	3	5	6	10
20-34	525	2.8	8	<1	<1	2	4	6	8	14
35-49	209	3.7	18	<1	1	2	4	8	12	23
50-64	203	4.4	22	<1	1	3	5	9	16	23
65+	466	6.3	38	1	1	5	8	13	18	37
B. *Operated*										
0-19 YRS	1217	2.8	12	<1	<1	2	3	6	8	18
20-34	1499	4.0	38	<1	<1	2	4	8	12	34
35-49	569	4.0	34	<1	<1	2	5	9	12	27
50-64	397	5.2	62	<1	<1	3	5	13	18	40
65+	629	6.4	68	<1	1	4	8	13	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.2	3	<1	<1	1	3	4	6	10
B. *Operated*	547	2.2	6	<1	1	1	2	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	1836	3.8	20	<1	<1	2	5	8	12	21
B. *Operated*	4311	4.1	38	<1	<1	2	5	9	13	30
1. SINGLE DX	734	2.2	5	<1	<1	1	3	4	6	11
2. MULTIPLE DX	6147	4.0	33	<1	<1	2	5	9	13	28
A. NOT OPERATED	2023	3.7	18	<1	<1	2	5	8	11	21
B. OPERATED	4858	3.9	35	<1	<1	2	4	8	13	28
TOTAL 0-19 YRS	2027	2.5	8	<1	<1	2	3	5	7	15
20-34	2246	3.5	28	<1	<1	2	4	7	10	26
35-49	844	3.8	28	<1	<1	2	4	8	12	25
50-64	634	4.8	47	<1	<1	3	5	11	16	29
65+	1130	6.3	54	<1	1	4	8	13	18	37
GRAND TOTAL	**6881**	**3.8**	**30**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.2	2	<1	1	2	3	4	5	8
20-34	150	3.1	27	<1	1	2	3	5	8	19
35-49	39	2.6	6	<1	<1	2	4	5	7	14
50-64	11	3.3	4	1	1	3	5	6	6	6
65+	7	6.1	41	<1	<1	4	9	17	19	19
B. *Operated*										
0-19 YRS	114	3.7	10	1	1	2	5	8	12	14
20-34	125	4.7	24	1	1	3	6	9	12	29
35-49	36	4.8	14	<1	1	4	8	10	11	13
50-64	12	9.0	205	1	1	4	7	30	48	51
65+	4	3.5	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	2.8	9	<1	<1	2	3	6	8	17
20-34	472	3.2	16	<1	1	2	4	6	8	19
35-49	137	3.6	25	<1	1	2	4	6	9	21
50-64	68	4.4	23	<1	1	3	5	10	16	25
65+	43	8.2	40	1	1	7	13	18	20	24
B. *Operated*										
0-19 YRS	377	5.5	61	1	1	4	7	11	15	33
20-34	795	7.2	50	1	1	6	9	14	21	39
35-49	245	8.6	82	1	2	6	10	17	27	48
50-64	96	10.1	186	1	1	7	13	19	24	81
65+	52	11.6	174	1	1	7	14	26	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	2.9	17	<1	1	2	3	5	7	16
B. *Operated*	291	4.5	25	1	1	3	6	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	935	3.5	18	<1	1	2	4	7	10	20
B. *Operated*	1565	7.3	72	1	1	5	9	14	21	46
1. SINGLE DX	591	3.7	21	<1	1	2	5	7	10	21
2. MULTIPLE DX	2500	5.9	55	<1	1	4	7	12	18	38
A. NOT OPERATED	1235	3.3	18	<1	1	2	4	6	9	19
B. OPERATED	1856	6.9	66	1	1	5	8	13	21	42
TOTAL 0-19 YRS	799	4.1	35	<1	1	2	5	9	12	25
20-34	1542	5.4	39	<1	1	3	7	11	16	33
35-49	457	6.3	59	1	1	4	8	12	19	42
50-64	187	7.5	124	1	1	4	9	16	21	76
65+	106	9.6	108	1	1	6	13	21	26	60
GRAND TOTAL	**3091**	**5.5**	**50**	**<1**	**1**	**3**	**7**	**11**	**17**	**36**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	2.9	5	<1	1	2	4	6	8	11
20-34	120	2.5	4	<1	<1	2	4	5	6	10
35-49	51	2.9	5	<1	<1	2	4	5	7	12
50-64	17	2.8	3	<1	1	3	4	5	6	6
65+	11	4.7	19	<1	<1	3	7	12	14	14
B. *Operated*										
0-19 YRS	652	2.2	5	<1	1	2	2	4	5	12
20-34	889	2.4	9	<1	<1	2	3	4	6	14
35-49	346	2.4	10	<1	1	2	3	4	6	14
50-64	217	2.5	7	<1	1	2	3	5	8	16
65+	104	2.9	13	1	1	2	3	6	8	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	3.1	13	<1	<1	2	4	6	8	23
20-34	715	2.6	15	<1	<1	1	3	5	8	16
35-49	256	2.9	10	<1	<1	1	4	6	8	20
50-64	145	3.7	20	<1	<1	2	4	7	10	26
65+	122	5.8	29	<1	<1	4	7	11	20	26
B. *Operated*										
0-19 YRS	1688	2.8	12	<1	1	2	3	6	8	20
20-34	3141	2.9	16	<1	<1	2	3	6	9	22
35-49	1240	3.0	22	<1	<1	2	3	6	9	25
50-64	850	3.4	24	<1	<1	2	4	7	11	24
65+	439	4.4	41	<1	<1	2	5	9	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	2.8	5	<1	<1	2	4	6	7	11
B. *Operated*	2208	2.3	8	<1	1	2	3	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1544	3.1	16	<1	<1	2	4	6	9	22
B. *Operated*	7358	3.0	19	<1	<1	2	3	6	9	23
1. SINGLE DX	2495	2.4	8	<1	1	2	3	5	6	14
2. MULTIPLE DX	8902	3.0	18	<1	<1	2	3	6	9	23
A. NOT OPERATED	1831	3.0	14	<1	<1	2	4	6	9	21
B. OPERATED	9566	2.9	16	<1	<1	2	3	6	9	21
TOTAL 0-19 YRS	2734	2.7	10	<1	<1	2	3	5	7	17
20-34	4865	2.7	14	<1	<1	2	3	6	8	19
35-49	1893	2.9	18	<1	<1	2	3	6	8	22
50-64	1229	3.3	20	<1	<1	2	4	7	10	24
65+	676	4.4	35	<1	<1	2	5	9	14	27
GRAND TOTAL	**11397**	**2.9**	**16**	**<1**	**<1**	**2**	**3**	**6**	**9**	**21**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.9	4	<1	1	2	4	6	7	10
20-34	142	3.0	8	<1	1	2	4	7	9	14
35-49	32	3.1	6	<1	1	3	4	6	7	13
50-64	24	4.2	8	<1	1	3	5	8	10	11
65+	12	3.8	7	<1	1	4	5	8	8	8
B. *Operated*										
0-19 YRS	408	3.9	19	<1	1	3	5	8	12	23
20-34	290	5.0	37	1	1	3	6	11	15	31
35-49	106	5.0	32	1	1	3	6	12	16	31
50-64	57	5.5	30	1	1	3	7	14	18	26
65+	31	8.9	88	1	1	6	11	21	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	3.6	8	<1	<1	3	5	7	9	14
20-34	388	3.7	15	<1	<1	3	5	8	11	22
35-49	110	4.5	37	<1	<1	3	6	10	12	32
50-64	92	5.1	31	<1	<1	4	7	9	15	32
65+	127	8.0	46	<1	1	7	10	17	20	35
B. *Operated*										
0-19 YRS	749	5.7	56	<1	1	3	6	13	20	42
20-34	782	6.5	95	<1	<1	4	7	14	21	51
35-49	310	7.3	118	<1	1	4	8	16	22	56
50-64	224	8.8	97	<1	<1	5	12	20	30	45
65+	159	12.0	138	1	2	8	18	25	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	327	3.1	6	<1	1	2	4	7	8	12
B. *Operated*	892	4.7	30	1	1	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	952	4.5	24	<1	<1	3	6	9	12	24
B. *Operated*	2224	7.0	91	<1	1	4	8	16	24	46
1. SINGLE DX	1219	4.3	24	<1	1	3	5	9	13	26
2. MULTIPLE DX	3176	6.2	72	<1	<1	4	7	14	21	44
A. NOT OPERATED	1279	4.1	19	<1	<1	3	5	9	12	20
B. OPERATED	3116	6.3	75	<1	1	4	7	14	21	44
TOTAL 0-19 YRS	1509	4.7	35	<1	1	3	5	10	14	35
20-34	1602	5.3	59	<1	<1	3	6	11	16	43
35-49	558	6.0	81	<1	<1	3	6	14	19	51
50-64	397	7.2	70	<1	<1	4	9	17	26	43
65+	329	9.8	97	1	1	7	13	21	29	37
GRAND TOTAL	**4395**	**5.7**	**60**	**<1**	**1**	**3**	**6**	**12**	**19**	**42**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	15	1	1	2	5	11	12	12
20-34	3	4.3	9	1	1	5	6	7	7	7
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.0	2	1	1	2	2	5	5	5
20-34	14	2.6	5	<1	1	2	3	5	8	9
35-49	4	4.8	24	2	2	3	7	12	12	12
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	2.8		2	2	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	2	<1	1	1	3	4	5	5
20-34	17	4.1	16	<1	<1	2	7	9	12	14
35-49	12	5.5	41	1	1	4	6	13	22	24
50-64	10	6.2	18	<1	<1	7	10	11	12	12
65+	8	10.9	98	1	2	8	16	27	30	30
B. *Operated*										
0-19 YRS	53	9.7	205	1	1	3	13	28	44	99
20-34	150	7.6	142	1	1	4	9	15	23	72
35-49	40	9.9	104	1	1	6	14	26	32	41
50-64	29	7.3	57	1	1	5	9	16	25	33
65+	10	14.8	397	1	1	6	17	50	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	12	<1	<1	2	5	9	12	12
B. *Operated*	30	2.9	6	1	1	2	3	5	9	12
2. MULTIPLE DX										
A. *Not Operated*	68	4.8	31	<1	<1	3	6	11	15	29
B. *Operated*	282	8.5	149	1	1	4	10	22	32	75
1. SINGLE DX	41	3.1	7	<1	1	2	4	6	10	12
2. MULTIPLE DX	350	7.8	128	1	1	4	9	19	29	72
A. NOT OPERATED	79	4.7	28	<1	<1	2	6	11	14	28
B. OPERATED	312	8.0	138	1	1	4	9	20	29	74
TOTAL 0-19 YRS	87	6.8	138	1	1	2	7	23	29	93
20-34	184	6.8	120	<1	1	3	8	13	22	72
35-49	57	8.5	87	1	1	5	12	24	30	40
50-64	41	6.9	45	<1	1	5	9	14	21	33
65+	22	11.2	223	1	1	4	14	34	49	58
GRAND TOTAL	**391**	**7.3**	**117**	**1**	**1**	**4**	**9**	**17**	**27**	**72**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	8.0	237	<1	1	4	5	16	50	68
20-34	32	6.0	88	<1	<1	3	7	12	15	53
35-49	24	5.9	32	1	1	4	7	13	19	25
50-64	12	5.3	24	1	1	4	7	11	18	19
65+	14	6.9	109	<1	1	4	6	12	35	42
B. *Operated*										
0-19 YRS	216	4.2	26	1	1	3	4	8	14	30
20-34	396	4.8	38	1	1	3	5	9	12	31
35-49	195	4.5	17	1	2	3	5	9	12	26
50-64	115	4.9	16	1	2	3	6	12	14	19
65+	48	8.0	42	2	2	6	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.2	79	<1	1	4	7	12	19	55
20-34	154	7.4	79	1	1	5	9	17	21	83
35-49	103	7.6	95	1	2	5	9	14	20	64
50-64	94	10.0	77	2	3	7	13	21	28	45
65+	148	9.3	48	2	3	7	12	19	23	35
B. *Operated*										
0-19 YRS	322	4.6	35	1	1	3	5	9	14	35
20-34	689	6.1	80	1	2	4	6	13	19	57
35-49	384	6.4	64	1	2	4	7	14	22	45
50-64	260	7.2	79	2	2	5	9	14	21	41
65+	149	14.6	223	2	3	9	19	30	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	6.4	99	<1	1	4	6	12	21	60
B. *Operated*	970	4.8	29	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	572	8.2	75	1	2	6	10	17	24	47
B. *Operated*	1804	6.8	86	1	2	4	7	15	22	54
1. SINGLE DX	1074	4.9	36	1	1	3	5	10	14	32
2. MULTIPLE DX	2376	7.1	84	1	2	4	8	15	22	51
A. NOT OPERATED	676	7.9	79	1	1	5	10	16	23	52
B. OPERATED	2774	6.1	67	1	2	4	6	13	19	42
TOTAL 0-19 YRS	633	4.8	44	1	1	3	5	9	15	37
20-34	1271	5.8	68	1	1	4	6	12	17	51
35-49	706	6.0	55	1	2	4	7	12	18	40
50-64	481	7.1	65	2	2	5	9	15	21	39
65+	359	11.2	130	2	3	8	14	22	31	61
GRAND TOTAL	**3450**	**6.4**	**70**	**1**	**2**	**4**	**7**	**14**	**20**	**43**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.9	4	1	2	4	5	6	7	12
20-34	76	3.9	6	1	1	4	5	6	10	12
35-49	22	5.0	30	<1	1	3	6	10	19	25
50-64	15	3.3	4	<1	1	3	5	6	7	7
65+	3	4.3	17	<1	<1	3	7	9	9	9
B. *Operated*										
0-19 YRS	6	5.5	11	1	1	6	8	9	9	9
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	7	3.9	9	1	1	3	5	9	10	10
50-64										
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	431	3.8	7	1	1	3	5	6	8	15
20-34	265	2.8	4	<1	<1	2	4	5	7	10
35-49	85	4.1	13	<1	<1	3	5	8	12	20
50-64	47	4.4	9	<1	1	4	6	9	11	13
65+	58	5.3	20	<1	1	4	7	8	15	23
B. *Operated*										
0-19 YRS	41	5.4	19	<1	1	5	7	11	14	21
20-34	48	4.3	8	<1	1	4	6	8	10	11
35-49	17	5.9	59	<1	1	4	6	12	26	33
50-64	15	5.3	20	<1	<1	3	8	13	14	14
65+	12	12.6	74	3	3	13	19	24	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	3.9	6	1	1	4	5	6	8	13
B. *Operated*	18	4.4	8	1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	886	3.7	8	<1	1	3	5	7	8	15
B. *Operated*	133	5.7	29	<1	1	4	7	12	17	29
1. SINGLE DX	361	4.0	7	1	1	4	5	6	8	13
2. MULTIPLE DX	1019	3.9	11	<1	1	3	5	7	9	19
A. NOT OPERATED	1229	3.7	8	<1	1	3	5	6	8	15
B. OPERATED	151	5.5	27	<1	1	4	7	11	15	28
TOTAL 0-19 YRS	705	3.9	7	1	1	4	5	6	8	15
20-34	391	3.2	5	<1	1	3	4	6	8	11
35-49	131	4.5	21	<1	1	3	5	8	13	27
50-64	77	4.4	10	<1	<1	4	6	9	12	14
65+	76	6.3	34	<1	1	4	7	16	21	27
GRAND TOTAL	**1380**	**3.9**	**10**	**<1**	**1**	**3**	**5**	**7**	**9**	**17**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	689	1.9	3	<1	<1	1	2	3	5	8
20-34	542	2.3	4	<1	<1	2	3	5	6	10
35-49	242	3.0	6	<1	<1	2	4	6	8	12
50-64	169	3.9	12	<1	1	3	5	8	10	19
65+	252	5.1	23	1	1	4	6	11	15	22
B. *Operated*										
0-19 YRS	90	2.8	9	<1	1	2	4	5	7	19
20-34	89	4.1	14	<1	1	2	5	9	12	18
35-49	44	4.5	31	<1	1	2	5	10	13	34
50-64	39	5.1	17	1	1	4	7	10	15	17
65+	39	6.2	32	<1	1	5	8	11	14	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2799	2.3	4	<1	<1	2	3	4	6	10
20-34	3824	2.5	8	<1	<1	1	3	6	8	13
35-49	1875	3.7	19	<1	<1	2	5	8	11	18
50-64	1626	4.5	19	<1	<1	3	6	10	13	19
65+	3920	7.6	41	1	2	6	10	15	20	33
B. *Operated*										
0-19 YRS	345	4.0	23	<1	<1	2	5	9	13	25
20-34	486	4.8	34	<1	<1	3	6	10	14	26
35-49	281	6.8	53	<1	1	5	8	14	19	34
50-64	266	8.8	75	1	1	6	12	19	23	43
65+	429	13.1	119	2	2	11	18	27	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1894	2.8	8	<1	<1	2	3	6	8	15
B. *Operated*	301	4.2	19	<1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	14044	4.3	24	<1	<1	2	6	10	14	23
B. *Operated*	1807	7.5	73	<1	1	5	10	18	23	44
1. SINGLE DX	2195	3.0	10	<1	<1	2	4	6	8	17
2. MULTIPLE DX	15851	4.6	31	<1	<1	3	6	11	15	27
A. NOT OPERATED	15938	4.1	22	<1	<1	2	5	10	13	22
B. OPERATED	2108	7.0	67	<1	1	4	9	17	22	42
TOTAL 0-19 YRS	3923	2.4	6	<1	<1	2	3	5	6	13
20-34	4941	2.8	11	<1	<1	2	3	6	8	15
35-49	2442	4.0	23	<1	<1	2	5	9	12	21
50-64	2100	5.0	27	<1	<1	3	7	11	15	23
65+	4640	8.0	50	1	2	6	10	16	21	36
GRAND TOTAL	**18046**	**4.4**	**28**	**<1**	**<1**	**3**	**6**	**10**	**14**	**26**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.6	3	1	1	2	4	5	6	6
20-34	29	2.6	3	1	1	2	4	4	7	8
35-49	9	2.7	5	1	1	1	4	6	7	7
50-64	6	5.2	18	2	2	3	9	12	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	23	5.9	39	<1	1	3	9	13	18	27
20-34	43	7.6	124	<1	1	3	10	18	29	58
35-49	30	4.5	20	<1	1	2	8	10	11	20
50-64	19	6.7	59	<1	<1	5	8	16	27	32
65+	7	4.1	10	2	2	2	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.7	5	1	1	2	3	6	7	11
20-34	98	3.3	9	<1	<1	2	4	7	9	16
35-49	61	4.5	22	<1	<1	3	5	11	16	22
50-64	31	5.7	33	<1	1	3	10	14	17	23
65+	32	7.5	22	2	3	6	9	16	17	18
B. *Operated*										
0-19 YRS	88	8.2	146	<1	1	3	10	20	35	62
20-34	222	8.7	159	1	1	5	10	19	38	75
35-49	117	7.8	177	1	1	3	6	19	34	70
50-64	90	7.8	85	1	1	5	10	17	27	52
65+	33	13.1	357	1	1	4	17	39	57	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.8	4	1	1	2	4	6	7	11
B. *Operated*	122	6.2	66	<1	1	3	8	14	21	43
2. MULTIPLE DX										
A. *Not Operated*	296	4.1	16	<1	1	3	5	9	13	19
B. *Operated*	550	8.5	160	1	1	4	9	20	35	66
1. SINGLE DX	200	4.9	44	1	1	3	6	11	17	34
2. MULTIPLE DX	846	7.0	114	1	1	3	8	16	25	61
A. NOT OPERATED	374	3.9	14	<1	1	3	5	8	12	18
B. OPERATED	672	8.1	144	1	1	4	9	19	30	65
TOTAL 0-19 YRS	218	5.3	71	1	1	2	5	13	19	53
20-34	392	6.8	112	1	1	3	7	16	25	60
35-49	217	6.2	107	<1	1	3	6	13	23	64
50-64	146	7.1	68	1	1	4	9	15	24	42
65+	73	9.7	180	1	1	5	12	19	33	77
GRAND TOTAL	**1046**	**6.6**	**102**	**1**	**1**	**3**	**7**	**15**	**23**	**58**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.2		<1	<1	1	1	2	2	2
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	4	2.0	2	<1	<1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3	1	<1	<1	1	1	3	3	3
20-34	7	2.3	1	1	1	2	3	4	4	4
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.0		<1	<1	<1	<1	1	2	2
20-34	127	1.1		<1	<1	<1	<1	<1	2	4
35-49	52	1.1		<1	<1	<1	<1	1	1	3
50-64	11	1.1		<1	<1	<1	<1	1	2	2
65+	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	18	2.8	12	<1	<1	1	2	7	11	14
20-34	8	2.1	2	1	1	2	3	4	5	5
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	3.8	2	2	2	4	5	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	18	1.9	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	216	1.1		<1	<1	<1	<1	1	1	4
B. *Operated*	33	2.7	7	<1	<1	2	3	6	7	14
1. SINGLE DX	37	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	249	1.3	1	<1	<1	<1	<1	2	3	6
A. NOT OPERATED	235	1.1		<1	<1	<1	<1	1	2	4
B. OPERATED	51	2.4	5	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	58	1.6	4	<1	<1	1	1	2	6	13
20-34	145	1.2		<1	<1	<1	<1	2	3	4
35-49	61	1.2		<1	<1	<1	1	2	2	4
50-64	18	1.9	2	<1	<1	<1	2	4	5	6
65+	4	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**286**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	431	1.4	1	<1	<1	1	2	3	3	5
20-34	92	1.6	1	<1	<1	1	2	2	5	7
35-49	78	1.5	1	<1	<1	1	1	3	4	8
50-64	94	1.9	4	<1	1	1	2	4	6	12
65+	83	2.0	4	1	1	1	2	4	6	12
B. *Operated*										
0-19 YRS	113	2.6	9	<1	1	2	3	5	8	16
20-34	25	3.5	9	<1	1	2	5	9	10	11
35-49	19	3.5	19	<1	<1	2	4	9	14	18
50-64	19	2.4	4	<1	1	1	3	6	8	8
65+	20	2.7	5	<1	<1	2	4	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	419	2.2	5	<1	<1	1	2	4	7	11
20-34	153	2.6	9	<1	<1	1	3	5	9	15
35-49	129	3.0	11	<1	<1	1	4	9	11	14
50-64	175	3.0	11	<1	1	2	3	7	10	19
65+	301	4.0	19	<1	1	2	5	9	13	22
B. *Operated*										
0-19 YRS	131	3.7	20	<1	1	2	5	7	13	26
20-34	47	6.6	47	1	1	5	8	17	27	99+
35-49	60	7.4	136	1	1	5	9	13	24	99
50-64	92	7.2	87	<1	1	5	8	15	23	57
65+	163	7.6	85	1	1	4	10	20	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	778	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	196	2.8	9	<1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1177	2.9	11	<1	<1	2	3	7	10	18
B. *Operated*	493	6.4	73	1	1	4	7	15	22	57
1. SINGLE DX	974	1.8	3	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1670	3.9	32	<1	1	2	5	9	13	26
A. NOT OPERATED	1955	2.4	8	<1	<1	1	2	5	8	15
B. OPERATED	689	5.4	57	<1	1	3	6	12	18	43
TOTAL 0-19 YRS	1094	2.1	6	<1	<1	1	2	4	6	14
20-34	317	3.0	15	<1	<1	1	3	8	10	23
35-49	286	3.5	39	<1	<1	1	4	9	12	25
50-64	380	3.7	31	<1	1	2	4	8	12	26
65+	567	4.7	39	1	1	3	5	11	17	27
GRAND TOTAL	**2644**	**3.2**	**23**	**<1**	**<1**	**2**	**3**	**7**	**11**	**23**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	6.8	42	1	1	4	10	15	21	27
20-34	24	6.1	31	<1	<1	5	9	15	17	20
35-49	11	10.6	57	<1	1	10	13	22	27	27
50-64	10	7.1	15	2	2	7	10	12	14	14
65+	2	24.0	162	15	15	24	33	33	33	33
B. *Operated*										
0-19 YRS	46	10.1	60	2	2	9	13	22	27	33
20-34	48	8.2	49	1	2	6	11	17	22	34
35-49	26	13.6	122	2	2	9	18	33	37	42
50-64	19	12.5	167	2	3	9	17	25	43	57
65+	9	31.1	324	4	7	30	39	57	67	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	8.5	49	1	2	6	11	18	24	32
20-34	107	10.1	127	1	2	7	13	20	25	70
35-49	59	12.5	226	1	2	8	14	23	33	95
50-64	47	12.6	82	1	2	10	19	26	29	35
65+	44	20.3	306	4	5	14	32	39	50	90
B. *Operated*										
0-19 YRS	189	19.1	257	2	3	15	27	40	47	97
20-34	236	18.4	229	3	4	14	27	42	52	73
35-49	130	21.1	267	3	5	16	29	45	55	70
50-64	128	26.5	297	4	7	24	37	54	63	93
65+	109	32.2	480	4	8	28	47	65	72	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	7.6	46	<1	1	6	11	16	21	31
B. *Operated*	148	11.7	121	2	2	9	14	28	34	57
2. MULTIPLE DX										
A. *Not Operated*	390	11.4	141	1	2	8	14	24	32	64
B. *Operated*	792	22.2	309	3	4	17	31	47	61	85
1. SINGLE DX	228	10.2	98	1	2	7	13	22	33	45
2. MULTIPLE DX	1182	18.6	280	2	3	13	26	43	55	80
A. NOT OPERATED	470	10.7	127	1	2	8	14	23	32	62
B. OPERATED	940	20.6	294	2	4	16	29	45	58	81
TOTAL 0-19 YRS	401	13.5	175	1	2	10	19	32	40	69
20-34	415	14.3	192	1	2	10	19	35	45	69
35-49	226	17.5	245	2	3	13	23	38	51	71
50-64	204	21.0	271	2	4	18	29	45	57	82
65+	164	28.9	443	4	7	24	41	63	69	88
GRAND TOTAL	**1410**	**17.3**	**260**	**2**	**3**	**12**	**24**	**40**	**52**	**78**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0, 2, 9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	348	4.7	21	1	1	3	6	10	12	23
20-34	179	4.6	22	<1	1	3	7	11	12	24
35-49	77	5.8	45	1	1	4	7	11	18	40
50-64	45	6.8	80	1	1	4	7	15	26	49
65+	33	10.3	112	<1	1	6	14	24	36	43
B. *Operated*										
0-19 YRS	58	10.6	94	1	1	7	15	28	31	37
20-34	42	10.7	106	1	1	8	11	27	34	45
35-49	22	11.8	159	1	1	8	15	27	39	56
50-64	14	12.9	208	<1	1	9	14	40	47	49
65+	6	19.2	85	7	7	20	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1329	5.7	34	1	1	4	7	12	16	27
20-34	882	4.7	28	<1	<1	3	6	11	14	25
35-49	455	5.7	29	<1	<1	4	8	13	17	26
50-64	285	7.6	47	<1	1	6	12	18	20	30
65+	214	11.9	115	2	2	9	16	23	32	59
B. *Operated*										
0-19 YRS	233	11.7	141	1	2	7	15	27	36	58
20-34	221	12.6	138	<1	1	8	20	28	37	86
35-49	121	13.9	154	<1	1	10	21	31	41	73
50-64	97	16.5	229	1	3	11	23	35	45	81
65+	81	23.6	306	3	4	19	30	49	65	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	682	5.2	33	1	1	3	7	11	15	31
B. *Operated*	142	11.4	118	1	1	8	15	29	34	50
2. MULTIPLE DX										
A. *Not Operated*	3165	6.0	41	<1	1	4	8	13	18	30
B. *Operated*	753	14.2	183	1	2	10	21	31	42	70
1. SINGLE DX	824	6.3	53	1	1	4	8	14	20	37
2. MULTIPLE DX	3918	7.6	79	<1	1	5	10	18	24	43
A. NOT OPERATED	3847	5.9	40	<1	1	4	8	13	18	30
B. OPERATED	895	13.8	174	1	2	10	20	30	41	68
TOTAL 0-19 YRS	1968	6.4	50	1	1	4	8	14	19	34
20-34	1324	6.2	57	<1	<1	3	8	14	23	38
35-49	675	7.3	68	<1	1	5	10	17	24	43
50-64	441	9.7	109	<1	1	7	13	21	28	49
65+	334	14.7	186	1	3	11	19	31	43	65
GRAND TOTAL	**4742**	**7.4**	**75**	**<1**	**1**	**5**	**9**	**17**	**24**	**43**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	14	1	1	2	4	6	9	23
20-34	30	4.2	17	<1	1	3	6	8	10	21
35-49	17	7.9	117	<1	1	3	9	20	34	42
50-64	9	4.2	20	<1	1	3	4	11	16	16
65+	6	5.3	12	<1	<1	5	8	10	10	10
B. *Operated*										
0-19 YRS	30	2.5	9	<1	<1	2	3	4	4	17
20-34	91	2.6	8	<1	1	2	3	5	6	17
35-49	42	4.7	90	<1	1	2	4	9	17	60
50-64	20	5.2	25	1	1	3	7	14	16	17
65+	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.0	6	1	1	2	4	6	9	13
20-34	114	8.0	128	1	2	4	9	18	30	63
35-49	63	5.6	26	<1	1	5	7	11	16	25
50-64	62	8.6	83	<1	1	5	12	21	24	51
65+	68	12.2	97	2	3	9	17	23	30	52
B. *Operated*										
0-19 YRS	134	2.9	17	1	1	2	3	6	9	25
20-34	279	4.8	78	1	1	2	4	11	15	94
35-49	100	5.6	92	<1	1	2	5	15	31	99+
50-64	74	8.1	222	1	1	3	8	16	43	99+
65+	30	12.8	291	1	1	5	18	39	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.6	34	<1	1	3	5	9	18	32
B. *Operated*	185	3.4	29	<1	1	2	3	6	11	21
2. MULTIPLE DX										
A. *Not Operated*	383	7.5	82	1	1	4	9	18	23	52
B. *Operated*	617	5.3	99	1	1	2	5	11	24	99+
1. SINGLE DX	286	3.8	31	<1	1	2	4	7	13	22
2. MULTIPLE DX	1000	6.1	93	1	1	3	6	14	23	79
A. NOT OPERATED	484	6.9	74	1	1	4	8	16	22	47
B. OPERATED	802	4.9	83	1	1	2	4	11	19	89
TOTAL 0-19 YRS	279	3.0	13	<1	1	2	3	6	9	23
20-34	514	5.1	76	1	1	2	5	11	18	70
35-49	222	5.6	74	<1	1	3	6	14	23	76
50-64	165	7.7	135	1	1	4	9	16	26	93
65+	106	11.8	147	1	2	8	16	25	37	88
GRAND TOTAL	**1286**	**5.6**	**80**	**1**	**1**	**3**	**6**	**13**	**21**	**66**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	2.7	14	<1	1	2	3	5	6	24
20-34	212	3.2	9	<1	1	2	4	6	8	19
35-49	69	4.7	16	1	1	3	6	11	14	16
50-64	34	4.7	21	1	1	3	5	13	14	21
65+	50	5.3	14	<1	1	4	8	11	12	15
B. *Operated*										
0-19 YRS	75	4.8	28	1	1	3	6	11	13	30
20-34	119	5.6	44	1	1	3	7	12	14	40
35-49	53	7.3	37	1	2	5	10	13	19	32
50-64	36	5.7	18	1	2	4	8	12	15	15
65+	22	8.5	127	<1	1	4	10	18	34	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	598	2.9	12	<1	<1	2	3	6	8	18
20-34	845	3.6	18	<1	<1	2	4	8	11	21
35-49	411	4.6	17	<1	<1	4	6	10	13	19
50-64	288	5.6	39	<1	<1	4	7	13	16	36
65+	547	8.2	51	1	1	6	11	17	22	34
B. *Operated*										
0-19 YRS	193	6.5	85	1	1	3	8	14	19	50
20-34	336	8.9	134	1	1	5	10	21	33	80
35-49	170	9.9	187	1	2	5	11	22	34	84
50-64	130	12.8	218	1	2	7	17	35	51	99+
65+	109	15.6	195	2	3	12	22	35	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	632	3.4	14	<1	1	2	4	7	10	18
B. *Operated*	305	5.9	42	1	1	4	8	12	15	34
2. MULTIPLE DX										
A. *Not Operated*	2689	4.7	29	<1	<1	3	6	11	15	27
B. *Operated*	938	9.9	159	1	1	6	12	23	35	84
1. SINGLE DX	937	4.2	24	1	1	3	5	10	12	27
2. MULTIPLE DX	3627	6.1	68	<1	<1	3	7	14	21	42
A. NOT OPERATED	3321	4.5	26	<1	<1	3	6	10	14	26
B. OPERATED	1243	8.9	133	1	1	5	11	21	32	79
TOTAL 0-19 YRS	1133	3.6	28	<1	1	2	4	8	12	27
20-34	1512	4.9	50	<1	<1	3	6	10	15	37
35-49	703	6.1	64	<1	1	4	8	12	17	35
50-64	488	7.4	94	<1	1	4	8	17	26	53
65+	728	9.1	80	1	1	7	12	20	26	46
GRAND TOTAL	**4564**	**5.7**	**59**	**<1**	**<1**	**3**	**7**	**13**	**18**	**40**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	826	1.9	6	<1	<1	1	2	3	5	9
20-34	413	2.5	10	<1	<1	2	3	4	7	15
35-49	136	2.9	24	<1	1	2	3	5	6	28
50-64	50	3.3	8	1	1	2	4	7	7	16
65+	52	4.8	15	<1	1	4	8	10	13	17
B. *Operated*										
0-19 YRS										
20-34	3	34.3	1950	4	4	14	67	85	85	85
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4255	3.2	29	<1	1	2	3	6	9	28
20-34	4740	4.1	32	<1	1	2	4	8	13	31
35-49	2354	5.1	41	1	1	3	6	11	17	34
50-64	1331	6.4	45	1	1	4	8	14	19	33
65+	1936	7.8	38	2	2	6	10	15	19	33
B. *Operated*										
0-19 YRS	46	9.0	155	1	1	5	8	22	35	64
20-34	222	9.4	172	1	1	5	12	25	34	85
35-49	121	11.1	175	1	2	7	14	29	40	64
50-64	105	15.6	239	3	4	11	19	27	44	87
65+	146	15.3	93	4	6	14	19	30	35	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1477	2.3	10	<1	1	1	3	4	6	14
B. *Operated*	8	16.1	796	1	1	6	13	64	85	85
2. MULTIPLE DX										
A. *Not Operated*	14616	4.7	37	<1	1	3	5	10	15	31
B. *Operated*	640	12.1	171	1	1	8	16	26	37	78
1. SINGLE DX	1485	2.4	14	<1	1	1	3	4	6	14
2. MULTIPLE DX	15256	5.0	45	1	1	3	6	11	17	34
A. NOT OPERATED	16093	4.5	35	<1	1	3	5	10	15	31
B. OPERATED	648	12.1	178	1	1	8	16	26	37	78
TOTAL 0-19 YRS	5127	3.0	27	<1	1	2	3	5	8	27
20-34	5378	4.2	39	<1	1	2	4	9	14	32
35-49	2613	5.3	48	1	1	3	6	12	18	38
50-64	1487	7.0	63	1	1	5	8	15	21	38
65+	2136	8.2	45	2	2	6	10	16	20	35
GRAND TOTAL	**16741**	**4.8**	**43**	**<1**	**1**	**3**	**5**	**11**	**16**	**33**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	1.8	3	<1	1	1	2	3	6	9
20-34	200	1.8	2	<1	1	1	2	3	5	9
35-49	125	1.5	1	<1	<1	1	2	3	4	6
50-64	74	1.7	2	<1	1	1	2	3	5	8
65+	27	2.1	4	<1	1	1	2	3	7	10
B. *Operated*										
0-19 YRS	3	2.3	5	1	1	1	4	5	5	5
20-34	8	3.4	9	<1	<1	2	4	8	10	10
35-49	8	7.1	10	2	2	8	9	11	11	11
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1272	2.2	8	<1	1	1	2	4	6	12
20-34	925	2.5	12	<1	<1	1	2	5	7	22
35-49	490	2.8	21	<1	<1	1	3	6	8	23
50-64	391	3.6	27	<1	<1	2	4	7	10	28
65+	293	4.6	32	<1	<1	2	5	11	17	31
B. *Operated*										
0-19 YRS	20	14.6	474	<1	1	6	16	50	73	78
20-34	47	8.2	238	1	1	3	9	17	26	96
35-49	20	14.5	253	1	2	8	24	53	75	99+
50-64	25	17.7	383	2	4	10	23	44	65	85
65+	15	11.7	54	3	5	9	16	21	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	845	1.8	2	<1	1	1	2	3	5	9
B. *Operated*	20	5.2	15	<1	1	4	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	3371	2.7	16	<1	<1	1	3	6	8	22
B. *Operated*	127	12.5	289	1	1	6	16	30	55	97
1. SINGLE DX	865	1.8	3	<1	1	1	2	3	6	10
2. MULTIPLE DX	3498	3.1	29	<1	<1	2	3	6	9	26
A. NOT OPERATED	4216	2.5	13	<1	<1	1	3	5	7	18
B. OPERATED	147	11.5	258	1	1	6	13	27	51	96
TOTAL 0-19 YRS	1714	2.2	14	<1	1	1	2	4	6	12
20-34	1180	2.6	21	<1	<1	1	3	5	8	22
35-49	643	3.0	29	<1	<1	1	3	6	9	29
50-64	491	4.0	51	<1	<1	2	4	8	13	36
65+	335	4.8	34	<1	<1	2	6	11	17	30
GRAND TOTAL	**4363**	**2.8**	**24**	**<1**	**<1**	**1**	**3**	**6**	**8**	**24**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	461	3.0	15	1	1	2	3	6	8	15
20-34	333	2.6	7	<1	<1	2	3	5	8	13
35-49	189	2.8	6	<1	<1	2	3	6	8	13
50-64	154	3.3	12	<1	1	2	4	6	9	19
65+	132	3.4	7	<1	1	3	4	7	9	12
B. *Operated*										
0-19 YRS	6	6.0	8	2	2	6	8	10	10	10
20-34	14	6.8	29	1	1	5	9	12	20	22
35-49	9	12.9	242	2	2	7	13	41	49	49
50-64	10	7.4	44	<1	1	5	9	17	24	24
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	819	3.8	24	1	1	2	4	8	11	20
20-34	784	3.7	19	<1	1	2	4	8	12	24
35-49	672	4.4	28	<1	1	3	5	9	13	28
50-64	974	5.9	33	1	1	4	8	12	17	32
65+	1586	7.2	36	1	2	6	9	15	18	29
B. *Operated*										
0-19 YRS	45	8.0	121	<1	1	5	9	15	29	54
20-34	72	10.2	165	1	1	6	12	27	37	63
35-49	94	13.6	313	1	1	8	18	38	63	95
50-64	142	16.8	274	1	3	12	22	38	65	99+
65+	195	15.6	150	3	4	12	20	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	2.9	10	<1	1	2	4	6	8	15
B. *Operated*	40	8.4	78	1	2	6	9	18	26	49
2. MULTIPLE DX										
A. *Not Operated*	4835	5.4	32	1	1	4	7	12	16	28
B. *Operated*	548	14.2	216	1	2	10	19	34	52	88
1. SINGLE DX	1309	3.1	13	<1	1	2	4	6	9	16
2. MULTIPLE DX	5383	6.3	57	1	1	4	8	14	19	38
A. NOT OPERATED	6104	4.9	28	<1	1	3	6	11	15	26
B. OPERATED	588	13.8	209	1	2	10	18	33	50	87
TOTAL 0-19 YRS	1331	3.7	25	1	1	2	4	7	11	20
20-34	1203	3.8	28	<1	<1	2	4	8	12	28
35-49	964	5.0	62	<1	1	3	6	11	17	44
50-64	1280	6.8	70	1	1	4	8	14	22	50
65+	1914	7.8	53	1	2	6	10	16	21	36
GRAND TOTAL	**6692**	**5.7**	**50**	**1**	**1**	**3**	**7**	**12**	**18**	**36**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.7	37	<1	<1	2	5	11	23	30
20-34	48	4.6	16	<1	1	3	7	12	13	13
35-49	35	5.3	11	1	2	5	7	9	12	15
50-64	39	5.5	20	1	1	4	6	12	15	23
65+	128	7.1	44	1	1	5	9	16	22	33
B. *Operated*										
0-19 YRS	304	5.8	28	1	1	4	7	13	16	26
20-34	438	5.0	28	<1	1	3	6	12	17	24
35-49	375	6.9	79	1	2	4	8	15	18	48
50-64	583	8.9	87	1	2	6	12	19	26	44
65+	1023	10.4	90	2	2	8	15	21	28	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	5.1	48	<1	1	3	6	11	17	36
20-34	162	5.1	19	<1	1	4	7	10	15	20
35-49	135	7.3	73	<1	1	4	8	17	21	48
50-64	243	7.5	76	1	1	5	9	17	22	34
65+	517	9.0	103	1	2	6	11	19	26	54
B. *Operated*										
0-19 YRS	560	9.3	120	1	2	6	11	21	28	55
20-34	933	8.1	99	1	1	4	10	18	28	52
35-49	1139	9.3	104	1	2	6	12	19	28	62
50-64	2257	11.7	148	2	2	8	16	25	36	62
65+	3571	13.6	168	2	2	10	18	30	39	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	5.9	32	1	1	4	8	13	17	30
B. *Operated*	2723	8.2	76	1	2	5	11	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	1182	7.5	79	1	1	5	9	16	23	42
B. *Operated*	8460	11.6	148	2	2	8	16	26	35	65
1. SINGLE DX	3022	8.0	72	1	2	5	11	18	23	40
2. MULTIPLE DX	9642	11.1	141	1	2	7	15	25	34	62
A. NOT OPERATED	1481	7.2	70	1	1	5	9	16	22	41
B. OPERATED	11183	10.8	132	1	2	7	15	24	33	58
TOTAL 0-19 YRS	1038	7.5	84	1	1	5	9	16	24	48
20-34	1581	6.8	71	1	1	4	8	16	22	44
35-49	1684	8.5	95	1	2	5	11	18	25	52
50-64	3122	10.8	132	1	2	7	14	23	33	58
65+	5239	12.4	147	2	2	9	17	27	36	64
GRAND TOTAL	**12664**	**10.4**	**126**	**1**	**2**	**7**	**14**	**23**	**32**	**57**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	1.7	2	<1	<1	1	2	3	4	6
20-34	280	2.6	3	1	1	2	3	5	6	9
35-49	136	3.0	4	1	1	2	4	5	7	10
50-64	170	3.9	5	1	1	3	5	7	8	11
65+	243	4.2	8	1	2	4	5	7	9	16
B. *Operated*										
0-19 YRS	221	2.0	5	<1	<1	1	2	4	5	12
20-34	292	3.0	9	1	1	2	4	6	8	15
35-49	140	3.5	8	1	1	3	5	7	9	13
50-64	98	4.1	10	1	1	3	5	8	10	18
65+	83	5.7	25	1	1	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	2.2	3	1	1	2	3	4	7	10
20-34	248	3.1	6	<1	1	2	4	6	8	13
35-49	146	4.0	11	1	1	3	5	8	13	15
50-64	259	4.3	10	1	1	4	5	8	10	19
65+	411	5.1	15	1	2	4	7	9	12	23
B. *Operated*										
0-19 YRS	117	2.5	8	<1	1	2	3	6	7	17
20-34	258	4.2	33	1	1	3	5	8	10	21
35-49	122	5.0	14	1	1	4	7	10	13	17
50-64	160	6.7	43	1	1	5	9	15	19	54
65+	227	8.5	76	1	2	6	11	18	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1098	3.0	5	1	1	2	4	6	7	12
B. *Operated*	834	3.2	11	<1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	1216	4.0	11	1	1	3	5	8	10	17
B. *Operated*	884	5.7	44	1	1	4	7	13	17	35
1. SINGLE DX	1932	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2100	4.7	26	1	1	3	6	10	13	24
A. NOT OPERATED	2314	3.5	9	1	1	3	5	7	9	14
B. OPERATED	1718	4.5	29	1	1	3	5	10	14	26
TOTAL 0-19 YRS	759	2.0	4	<1	1	1	2	4	5	12
20-34	1078	3.2	13	1	1	2	4	6	8	14
35-49	544	3.9	10	1	1	3	5	8	10	15
50-64	687	4.7	18	1	1	4	6	9	12	21
65+	964	5.8	31	1	2	4	7	11	16	28
GRAND TOTAL	**4032**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	5.6	12	2	2	5	7	10	13	18
20-34	171	5.4	16	2	2	5	7	9	13	19
35-49	164	6.4	19	2	3	5	8	11	15	24
50-64	116	8.0	32	2	2	7	10	16	22	27
65+	99	9.5	69	2	3	7	11	21	23	48
B. *Operated*										
0-19 YRS	87	5.8	14	1	1	5	8	11	13	16
20-34	169	8.1	49	1	2	6	10	20	25	38
35-49	121	9.5	87	1	2	7	11	21	30	49
50-64	102	11.0	107	1	2	8	15	22	31	53
65+	93	10.4	86	1	2	8	14	22	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	6.6	23	1	2	6	8	12	14	27
20-34	259	6.4	24	2	2	5	8	12	14	23
35-49	272	8.2	35	2	3	7	10	15	21	29
50-64	307	10.6	87	2	3	8	13	19	28	53
65+	349	11.2	77	3	4	9	14	22	27	42
B. *Operated*										
0-19 YRS	92	10.4	81	2	2	8	15	22	27	47
20-34	237	11.6	128	2	2	9	13	27	34	70
35-49	261	14.3	220	2	3	9	18	32	50	93
50-64	345	15.8	198	2	4	12	20	37	51	99+
65+	341	17.6	211	3	4	14	25	38	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	6.8	29	2	2	5	8	13	17	28
B. *Operated*	572	8.9	70	1	2	7	11	20	26	45
2. MULTIPLE DX										
A. *Not Operated*	1288	9.1	59	2	3	7	11	17	23	41
B. *Operated*	1276	14.8	189	2	3	11	19	33	48	96
1. SINGLE DX	1225	7.8	50	2	2	6	9	16	22	37
2. MULTIPLE DX	2564	11.9	132	2	3	8	15	26	36	69
A. NOT OPERATED	1941	8.3	50	2	3	6	10	16	22	35
B. OPERATED	1848	13.0	160	2	2	9	16	29	41	77
TOTAL 0-19 YRS	383	7.1	35	1	2	5	9	14	18	30
20-34	836	8.0	63	2	2	6	10	15	23	42
35-49	818	10.0	108	2	3	7	11	22	29	61
50-64	870	12.4	134	2	3	9	15	25	39	67
65+	882	13.4	140	2	4	10	17	29	38	68
GRAND TOTAL	**3789**	**10.6**	**109**	**2**	**3**	**7**	**13**	**23**	**31**	**60**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.7	7	1	1	2	3	6	8	13
20-34	152	3.7	13	1	1	3	5	8	11	21
35-49	112	4.8	14	1	1	4	6	9	13	18
50-64	111	6.3	34	1	1	4	8	13	21	28
65+	95	5.6	19	1	1	5	8	11	13	23
B. *Operated*										
0-19 YRS	81	4.6	32	1	1	3	5	9	12	36
20-34	230	5.5	27	<1	1	4	7	11	15	26
35-49	174	6.3	50	1	2	4	8	12	16	56
50-64	188	7.4	56	1	2	5	10	14	20	46
65+	176	7.7	59	1	2	5	11	17	26	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.6	16	1	1	2	4	7	10	25
20-34	318	4.6	30	<1	1	3	6	10	12	21
35-49	278	6.4	37	1	1	5	8	14	19	29
50-64	341	7.5	57	1	2	6	9	14	19	38
65+	462	8.6	60	1	2	7	11	18	22	44
B. *Operated*										
0-19 YRS	120	7.8	112	1	1	4	8	21	25	60
20-34	470	8.7	95	1	2	6	10	19	31	54
35-49	441	10.1	110	1	2	7	12	25	34	99+
50-64	629	12.3	165	1	2	8	16	28	41	92
65+	774	13.7	213	2	2	9	18	33	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	4.6	19	1	1	4	6	10	13	22
B. *Operated*	849	6.5	46	1	1	4	8	13	19	39
2. MULTIPLE DX										
A. *Not Operated*	1532	6.7	48	1	1	5	9	15	19	33
B. *Operated*	2434	11.4	158	1	2	7	14	27	39	87
1. SINGLE DX	1394	5.7	36	1	1	4	7	12	16	31
2. MULTIPLE DX	3966	9.6	121	1	1	6	12	22	32	63
A. NOT OPERATED	2077	6.2	41	1	1	4	8	13	18	29
B. OPERATED	3283	10.1	134	1	2	6	12	24	35	69
TOTAL 0-19 YRS	409	4.9	49	1	1	3	5	10	16	34
20-34	1170	6.3	57	1	1	4	8	13	20	40
35-49	1005	7.8	73	1	1	6	10	16	26	56
50-64	1269	9.7	115	1	2	6	12	22	30	60
65+	1507	10.9	144	1	2	7	14	25	35	62
GRAND TOTAL	**5360**	**8.6**	**102**	**1**	**1**	**5**	**10**	**19**	**29**	**58**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	4	6	7
20-34	14	3.9	7	<1	1	4	6	7	8	8
35-49	10	3.6	6	1	1	3	6	7	7	7
50-64	8	11.9	208	<1	1	8	14	36	45	45
65+	8	6.4	33	1	1	5	8	16	19	19
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	4	31.8	925	10	10	21	53	75	75	75
65+	2	15.5	25	12	12	15	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.8	8	<1	1	3	4	7	10	15
20-34	40	4.1	13	<1	<1	3	5	9	13	16
35-49	33	5.3	10	1	2	4	7	9	11	15
50-64	54	5.8	47	<1	<1	3	8	14	15	38
65+	64	5.7	52	1	1	3	6	14	26	33
B. *Operated*										
0-19 YRS	3	13.3	190	3	3	8	24	29	29	29
20-34	7	9.1	25	2	2	12	13	14	14	14
35-49	13	8.2	29	2	3	5	11	17	18	18
50-64	23	12.1	75	2	3	10	18	23	28	38
65+	24	13.9	183	2	2	11	16	22	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.3	35	1	1	3	5	8	12	39
B. *Operated*	9	19.7	495	5	5	11	22	57	75	75
2. MULTIPLE DX										
A. *Not Operated*	244	5.0	30	<1	1	3	6	11	15	31
B. *Operated*	70	11.7	102	2	3	10	15	20	29	60
1. SINGLE DX	82	6.0	103	1	1	3	6	11	19	65
2. MULTIPLE DX	314	6.5	54	<1	1	4	8	15	18	37
A. NOT OPERATED	317	4.8	31	<1	1	3	6	10	15	32
B. OPERATED	79	12.6	148	2	3	10	16	22	34	72
TOTAL 0-19 YRS	89	3.6	14	1	1	3	4	7	9	24
20-34	62	4.6	15	<1	1	4	6	11	14	16
35-49	58	5.7	15	1	1	5	8	11	14	18
50-64	89	9.1	128	<1	1	5	12	20	31	63
65+	98	8.0	93	1	1	5	11	18	26	52
GRAND TOTAL	**396**	**6.4**	**64**	**1**	**1**	**4**	**8**	**15**	**19**	**39**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	1.3	1	<1	<1	1	1	2	3	4
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	40	1.9	2	<1	<1	1	2	4	5	6
20-34	5563	1.8	1	<1	<1	2	2	3	4	6
35-49	1917	1.8	1	<1	<1	1	2	3	4	6
50-64	17	1.7	2	<1	<1	1	2	3	5	6
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	76	1.2		<1	<1	1	1	2	2	5
35-49	24	1.5	1	<1	<1	1	1	3	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	23	2.3	2	<1	1	2	3	4	6	6
20-34	3912	2.4	3	<1	<1	2	3	5	6	8
35-49	1655	2.3	4	<1	<1	2	3	5	6	8
50-64	17	2.1		<1	1	2	3	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.3		<1	<1	1	1	2	3	4
B. *Operated*	7539	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	103	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	5609	2.4	3	<1	<1	2	3	5	6	8
1. SINGLE DX	7566	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	5712	2.4	3	<1	<1	2	3	5	6	8
A. NOT OPERATED	130	1.3	1	<1	<1	1	1	2	2	5
B. OPERATED	13148	2.1	2	<1	<1	2	2	4	5	7
TOTAL 0-19 YRS	65	2.0	2	<1	<1	2	2	4	5	6
20-34	9567	2.1	2	<1	<1	2	2	4	5	7
35-49	3606	2.0	2	<1	<1	2	2	4	5	7
50-64	36	1.9	1	<1	<1	2	2	3	3	6
65+	4	2.3	4	1	1	2	3	5	5	5
GRAND TOTAL	**13278**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	17.5	61	12	12	17	23	23	23	23
1500-1749	10	15.0	22	8	8	15	18	21	22	22
1750-2499	2634	3.8	4	2	2	3	4	6	7	12
2500+	199785	3.4	2	2	2	3	4	5	6	7
B. *Operated*										
1-999 G	1	99.0		99	99	99	99	99	99+	99+
1000-1499										
1500-1749	1	21.0		21	21	21	21	21	21	21
1750-2499	4	12.3	201	<1	<1	7	20	33	33	33
2500+	134	4.7	10	2	2	4	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	53	63.2	531	16	32	67	85	99+	99+	99+
1000-1499	380	43.9	245	21	25	43	54	65	72	91
1500-1749	567	26.3	111	12	15	25	31	40	47	60
1750-2499	8252	8.2	46	2	3	6	11	17	21	32
2500+	94239	4.2	4	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	77	67.4	545	23	46	88	99+	99+	99+	99+
1000-1499	268	55.5	314	31	36	54	72	88	99+	99+
1500-1749	181	36.1	187	20	23	34	42	52	67	99+
1750-2499	628	18.2	136	4	7	16	23	32	40	74
2500+	1793	8.2	67	2	3	6	9	15	22	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202431	3.4	2	2	2	3	4	5	6	7
B. *Operated*	140	5.7	80	2	2	4	5	8	12	40
2. MULTIPLE DX										
A. *Not Operated*	103491	4.8	21	2	2	4	5	7	9	24
B. *Operated*	2947	17.9	394	3	3	10	25	52	75	99+
1. SINGLE DX	202571	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX	106438	5.2	35	2	2	4	5	7	11	34
A. NOT OPERATED	305922	3.9	9	2	2	3	4	6	7	13
B. OPERATED	3087	17.3	386	3	3	9	23	51	74	99+
TOTAL 1-999 G	131	65.9	544	21	41	80	99+	99+	99+	99+
1000-1499	650	48.6	308	23	27	47	61	76	88	99+
1500-1749	759	28.5	147	13	16	26	34	43	51	87
1750-2499	11518	7.7	51	2	3	5	10	17	22	34
2500+	295951	3.7	3	2	2	3	4	6	6	9
GRAND TOTAL	**309009**	**4.0**	**14**	**2**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	36.0		36	36	36	36	36	36	36
1500-1749	1	25.0		25	25	25	25	25	25	25
1750-2499	414	5.4	7	3	3	5	6	8	11	15
2500+	1857	5.0	4	3	3	5	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	25.0		25	25	25	25	25	25	25
1750-2499	2	9.5	113	2	2	9	17	17	17	17
2500+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	8	76.4	139	58	59	84	97	99+	99+	99+
1000-1499	89	38.9	266	15	20	37	48	60	66	94
1500-1749	150	26.7	112	11	14	25	34	41	46	54
1750-2499	1357	10.2	46	3	4	8	14	19	23	31
2500+	1295	5.8	8	3	3	5	7	8	10	16
B. *Operated*										
1-999 G	21	65.4	309	23	53	78	99+	99+	99+	99+
1000-1499	53	54.5	194	31	37	53	63	78	86	99+
1500-1749	28	35.0	125	18	23	32	40	52	55	57
1750-2499	99	18.1	138	5	7	17	22	29	38	74
2500+	43	9.9	71	3	4	7	11	24	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2273	5.1	5	3	3	5	6	7	8	13
B. *Operated*	5	11.2	93	2	2	8	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	2899	10.2	99	3	4	7	12	21	29	53
B. *Operated*	244	30.6	520	5	6	24	52	71	89	99+
1. SINGLE DX	2278	5.1	5	3	3	5	6	7	8	13
2. MULTIPLE DX	3143	11.8	162	3	4	7	14	25	40	78
A. NOT OPERATED	5172	7.9	64	3	3	6	8	16	22	45
B. OPERATED	249	30.2	518	5	6	24	52	70	88	99+
TOTAL 1-999 G	29	68.4	280	38	55	79	99+	99+	99+	99+
1000-1499	143	44.7	294	19	24	43	58	65	80	99+
1500-1749	180	28.0	121	11	15	25	35	44	49	56
1750-2499	1872	9.6	50	3	4	7	13	19	22	31
2500+	3197	5.4	7	3	3	5	6	8	9	14
GRAND TOTAL	**5421**	**9.0**	**107**	**3**	**3**	**6**	**8**	**19**	**28**	**63**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	24	5.1	21	2	2	3	6	9	16	23
2500+	483	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	45.5	1861	15	15	76	94	99+	99+	99+
1000-1499	10	44.1	215	21	23	42	55	65	68	68
1500-1749	13	23.7	80	8	10	26	32	33	35	36
1750-2499	95	9.5	67	2	3	7	13	23	25	38
2500+	274	4.2	10	2	2	3	5	7	9	13
B. *Operated*										
1-999 G	2	86.5	313	74	74	86	99	99	99	99+
1000-1499	6	62.8	29	55	55	63	65	70	71	71
1500-1749	2	65.5	41	61	61	65	70	70	70	70
1750-2499	7	19.4	227	4	5	14	23	45	50	50
2500+	9	11.9	76	3	3	14	24	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	2.9	3	1	1	3	3	4	6	8
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	394	7.4	94	2	2	4	7	16	28	59
B. *Operated*	26	35.5	831	3	4	24	63	73	99	99+
1. SINGLE DX	508	2.9	3	1	1	3	3	4	6	8
2. MULTIPLE DX	420	9.1	184	2	2	4	8	24	41	75
A. NOT OPERATED	901	4.9	47	1	2	3	4	8	15	41
B. OPERATED	27	34.3	841	3	3	24	63	73	99	99+
TOTAL 1-999 G	4	66.0	1285	15	15	76	99	99+	99+	99+
1000-1499	16	51.1	226	22	27	55	63	68	70	71
1500-1749	15	29.3	288	8	10	27	32	61	68	70
1750-2499	126	9.2	74	2	3	6	13	23	25	44
2500+	767	3.4	7	1	2	3	4	6	7	13
GRAND TOTAL	**928**	**5.7**	**94**	**1**	**2**	**3**	**5**	**9**	**22**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	15	<1	<1	2	3	9	13	15
20-34	29	2.8	12	<1	<1	2	3	9	12	13
35-49	8	3.3	8	<1	<1	2	4	8	9	9
50-64	8	2.8	4	<1	<1	2	4	6	6	6
65+	6	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	944	2.5	3	<1	1	2	3	4	5	8
20-34	1425	2.8	6	<1	1	2	3	5	6	11
35-49	613	3.0	8	1	1	2	3	5	7	11
50-64	572	3.1	5	1	1	2	4	5	7	13
65+	373	4.9	22	1	2	3	5	10	13	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	11	1.3		<1	<1	1	2	2	2	2
35-49	4	1.3		1	1	1	2	2	2	2
50-64	4	3.5	25	<1	<1	1	6	11	11	11
65+	9	12.0	109	<1	<1	12	26	64	99+	99+
B. *Operated*										
0-19 YRS	186	3.5	16	1	1	3	4	6	9	17
20-34	286	4.1	16	1	1	3	5	8	11	24
35-49	191	4.7	25	1	1	3	5	10	14	26
50-64	232	6.2	74	1	2	4	7	11	16	59
65+	302	9.0	75	2	2	6	11	19	29	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	3.0	10	<1	<1	2	3	8	12	15
B. *Operated*	3927	3.0	8	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	38	4.0	46	<1	<1	1	2	17	27	99+
B. *Operated*	1197	5.7	48	1	2	4	6	12	17	38
1. SINGLE DX	3996	3.0	8	1	1	2	3	5	7	14
2. MULTIPLE DX	1235	5.7	48	1	1	3	5	12	17	38
A. NOT OPERATED	107	3.3	23	<1	<1	2	3	10	15	58
B. OPERATED	5124	3.6	18	1	1	2	4	6	10	22
TOTAL 0-19 YRS	1158	2.6	6	<1	1	2	3	4	6	11
20-34	1751	3.0	8	1	1	2	3	5	7	14
35-49	816	3.4	13	1	1	3	4	6	8	18
50-64	816	4.0	27	1	1	3	4	7	10	22
65+	690	6.7	50	1	2	4	8	15	20	38
GRAND TOTAL	**5231**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	1.5	1	1	1	1	2	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	14	2.2	1	1	1	2	3	4	4	4
35-49	45	1.7	17	1	1	1	1	1	3	28
50-64	49	1.4	1	1	1	1	1	2	4	8
65+	42	1.5	3	1	1	1	1	2	5	10
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	83	1.4	2	<1	<1	<1	<1	<1	4	10
35-49	67	1.5	3	<1	<1	<1	<1	1	7	9
50-64	115	1.7	10	<1	<1	<1	<1	<1	5	20
65+	38	1.9	6	<1	<1	<1	<1	6	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4	1	1	1	1	2	3	3	3
B. *Operated*	6	1.0		<1	<1	<1	<1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	152	1.6	6	1	1	1	1	2	4	10
B. *Operated*	304	1.6	6	<1	<1	<1	<1	1	6	14
1. SINGLE DX	11	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX	456	1.6	6	<1	<1	<1	1	2	5	12
A. NOT OPERATED	157	1.6	6	1	1	1	1	2	4	10
B. OPERATED	310	1.6	6	<1	<1	<1	<1	1	6	14
TOTAL 0-19 YRS	3	5.0	27	2	2	2	9	11	11	11
20-34	99	1.5	2	<1	<1	<1	<1	3	4	10
35-49	115	1.6	8	<1	<1	<1	1	1	5	16
50-64	168	1.6	7	<1	<1	<1	1	2	4	19
65+	82	1.7	5	<1	<1	1	1	3	8	10
GRAND TOTAL	**467**	**1.6**	**6**	**<1**	**<1**	**<1**	**1**	**2**	**5**	**12**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3612	1.6	11	<1	<1	<1	1	3	4	10
20-34	5400	1.5	6	<1	<1	<1	1	3	4	8
35-49	1041	2.3	12	<1	<1	1	2	5	7	15
50-64	1405	3.0	21	<1	<1	1	4	6	9	22
65+	1251	5.1	100	<1	<1	2	5	12	22	97
B. *Operated*										
0-19 YRS	745	2.9	17	<1	<1	2	3	7	10	16
20-34	2507	2.9	12	<1	<1	2	3	7	9	13
35-49	1209	3.9	15	<1	1	2	5	9	11	18
50-64	1153	4.6	22	1	1	2	7	11	13	23
65+	1098	4.7	28	1	1	2	6	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1969	4.2	43	<1	<1	2	4	9	18	35
20-34	3504	4.5	53	<1	<1	2	4	9	28	34
35-49	3702	5.1	56	1	1	3	5	9	21	31
50-64	10034	4.4	36	1	1	3	5	8	12	29
65+	8638	6.0	65	1	1	4	6	13	20	45
B. *Operated*										
0-19 YRS	562	4.9	76	<1	1	2	5	9	15	69
20-34	1979	4.9	45	<1	1	3	6	10	15	36
35-49	2009	5.9	61	1	1	4	7	12	17	45
50-64	3603	6.5	63	1	1	4	8	14	19	43
65+	4126	7.0	79	1	1	4	9	16	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12709	2.1	20	<1	<1	<1	2	4	6	18
B. *Operated*	6712	3.7	18	<1	<1	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	27847	5.0	51	<1	1	3	5	10	18	36
B. *Operated*	12279	6.2	67	1	1	3	8	14	19	45
1. SINGLE DX	19421	2.7	20	<1	<1	1	3	6	9	19
2. MULTIPLE DX	40126	5.3	56	1	1	3	6	11	18	39
A. NOT OPERATED	40556	4.1	43	<1	<1	2	4	8	14	34
B. OPERATED	18991	5.3	51	<1	1	3	7	12	17	38
TOTAL 0-19 YRS	6888	2.8	28	<1	<1	1	3	5	9	28
20-34	13390	3.1	27	<1	<1	1	3	6	10	28
35-49	7961	4.7	46	<1	1	3	5	10	15	32
50-64	16195	4.7	41	1	1	3	5	10	14	33
65+	15113	6.1	70	1	1	4	7	14	20	47
GRAND TOTAL	**59547**	**4.5**	**46**	**<1**	**<1**	**2**	**5**	**10**	**15**	**35**

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease – *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
103	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, North Central Region, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
North Central Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — see Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — see Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169236	3.5	18	1	1	2	4	6	8	19
20-34	313462	4.0	14	1	1	3	5	7	9	19
35-49	138941	5.4	27	1	1	4	7	11	14	26
50-64	131754	6.2	34	1	2	4	8	13	17	28
65+	126432	7.1	47	1	2	5	9	15	20	33
2. MULTIPLE DX										
0-19 YRS	155632	5.3	56	1	1	3	6	10	16	43
20-34	357067	5.6	35	1	2	4	6	10	14	32
35-49	238690	7.7	56	1	2	6	9	15	21	39
50-64	335921	9.5	81	2	2	7	12	19	26	48
65+	514559	11.8	104	2	3	9	15	24	31	53
TOT. SINGLE DX	879825	4.9	26	1	1	3	6	10	14	25
" MULTIPLE DX	1601869	8.7	78	2	2	6	11	18	25	46
TOTAL 0-19 YRS	324868	4.4	37	1	1	3	5	8	12	33
20-34	670529	4.9	26	1	1	4	6	9	12	27
35-49	377631	6.9	46	1	2	5	8	14	18	35
50-64	467675	8.5	70	2	2	6	11	17	23	44
65+	640991	10.8	96	2	2	8	14	22	29	50
GRAND TOTAL	**2481694**	**7.3**	**63**	**1**	**2**	**5**	**9**	**16**	**22**	**41**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	11.0	64	2	2	9	14	22	32	70
20-34	153	14.2	112	4	5	12	18	21	32	63
35-49	171	14.1	70	4	6	12	18	25	30	44
50-64	243	17.1	135	5	8	14	20	33	42	62
65+	205	21.4	227	7	8	17	26	38	54	78
2. MULTIPLE DX										
0-19 YRS	136	18.3	270	2	3	14	25	44	73	99+
20-34	149	25.7	509	5	7	17	34	66	89	99+
35-49	233	23.4	412	5	7	17	29	62	90	99+
50-64	512	25.9	306	9	10	20	34	58	75	99+
65+	573	29.2	313	9	11	25	39	58	70	99+
TOT. SINGLE DX	867	16.4	143	4	6	13	19	32	41	65
" MULTIPLE DX	1603	26.1	349	6	9	21	35	58	77	99+
TOTAL 0-19 YRS	231	15.3	198	2	3	11	21	35	46	99+
20-34	302	19.9	341	4	6	14	22	46	68	99
35-49	404	19.5	288	5	7	15	23	43	74	99+
50-64	755	23.1	268	8	9	18	30	49	66	99+
65+	778	27.2	302	8	10	22	36	55	68	99
GRAND TOTAL	**2470**	**22.7**	**298**	**5**	**8**	**17**	**30**	**48**	**67**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	10.4	75	3	3	8	12	18	28	50
20-34	63	13.8	108	4	5	10	19	28	36	95
35-49	61	19.7	285	5	7	14	24	42	60	86
50-64	93	19.8	250	6	7	15	24	37	47	99+
65+	90	17.7	169	6	6	15	21	36	54	59
2. MULTIPLE DX										
0-19 YRS	129	18.9	360	5	6	10	25	47	71	90
20-34	124	24.0	434	3	6	18	33	67	93	99+
35-49	125	24.9	390	6	8	18	35	59	79	99+
50-64	197	28.3	379	7	9	24	37	66	80	99+
65+	271	26.3	261	8	10	22	35	49	58	82
TOT. SINGLE DX	393	16.3	188	4	5	12	19	33	45	90
" MULTIPLE DX	846	25.1	356	6	8	20	34	55	74	99+
TOTAL 0-19 YRS	215	15.5	263	3	4	9	17	39	54	87
20-34	187	20.6	347	4	6	15	27	57	81	99+
35-49	186	23.2	361	6	8	17	28	56	69	99+
50-64	290	25.6	353	6	8	20	34	57	79	99+
65+	361	24.1	252	7	8	20	32	47	57	76
GRAND TOTAL	**1239**	**22.3**	**319**	**5**	**7**	**17**	**30**	**50**	**67**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	159	6.0	10	2	3	5	8	10	11	18
20-34	49	6.3	11	2	3	6	8	11	12	20
35-49	24	7.5	29	2	3	6	9	15	20	26
50-64	13	12.1	57	3	4	12	13	20	31	34
65+	7	7.3	21	2	2	6	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	143	9.9	137	2	2	6	10	20	37	59
20-34	125	10.6	111	3	3	8	13	21	53	99+
35-49	50	13.2	143	3	4	9	15	27	38	58
50-64	44	17.5	366	4	5	11	18	47	71	99+
65+	11	18.7	264	7	7	12	23	43	60	62
TOT. SINGLE DX	252	6.6	16	2	3	6	8	11	13	23
" MULTIPLE DX	373	11.7	165	2	3	8	13	27	44	99+
TOTAL 0-19 YRS	302	7.9	74	2	3	6	8	13	21	42
20-34	174	9.4	87	2	3	7	11	19	34	99+
35-49	74	11.3	112	3	3	8	12	26	33	57
50-64	57	16.2	299	3	5	11	16	44	62	99+
65+	18	14.3	196	2	3	11	16	29	50	62
GRAND TOTAL	**625**	**9.6**	**112**	**2**	**3**	**7**	**10**	**18**	**34**	**88**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	7.3	20	2	3	6	10	13	15	23
20-34	16	15.4	86	5	8	13	21	36	78	99+
35-49	21	18.0	192	7	8	14	20	29	48	71
50-64	23	15.5	93	6	7	13	19	23	36	51
65+	48	18.9	98	7	8	17	26	32	41	44
2. MULTIPLE DX										
0-19 YRS	156	18.1	353	2	3	11	24	49	67	99
20-34	50	20.0	335	5	7	15	23	61	83	99+
35-49	41	29.3	624	6	9	20	46	86	99	99+
50-64	74	24.9	240	5	7	23	38	55	83	99+
65+	176	31.0	279	9	11	28	42	53	64	93
TOT. SINGLE DX	238	11.9	88	3	4	10	15	25	30	53
" MULTIPLE DX	497	24.8	360	4	6	20	35	55	73	99+
TOTAL 0-19 YRS	286	13.2	231	2	3	8	15	30	51	90
20-34	66	18.9	277	5	7	14	23	57	86	99+
35-49	62	25.5	502	7	8	17	31	75	91	99+
50-64	97	22.7	221	6	7	19	31	52	58	99+
65+	224	28.4	265	8	10	26	39	50	62	87
GRAND TOTAL	**735**	**20.6**	**308**	**3**	**4**	**15**	**28**	**49**	**64**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	136	6.6	22	2	2	5	8	11	16	24
20-34	40	13.4	175	2	2	10	14	33	46	55
35-49	23	15.0	140	2	3	13	19	32	44	46
50-64	22	13.5	156	1	2	10	15	36	43	48
65+	19	16.6	176	1	2	14	26	38	39	39
2. MULTIPLE DX										
0-19 YRS	387	12.8	203	2	3	8	15	28	44	85
20-34	134	19.6	324	3	5	13	31	58	76	99+
35-49	72	22.0	319	5	6	16	30	56	73	99+
50-64	105	25.9	507	3	4	21	36	67	87	99+
65+	91	23.4	293	4	7	20	29	43	58	88
TOT. SINGLE DX	240	9.9	97	2	2	7	11	22	36	48
" MULTIPLE DX	789	17.7	310	3	4	11	25	44	64	99+
TOTAL 0-19 YRS	523	11.2	164	2	3	7	12	24	36	80
20-34	174	18.2	296	3	4	12	27	53	68	99+
35-49	95	20.3	284	4	6	15	29	50	67	99+
50-64	127	23.8	467	2	4	17	33	61	83	99+
65+	110	22.2	278	3	5	19	29	40	49	86
GRAND TOTAL	**1029**	**15.9**	**271**	**2**	**3**	**10**	**22**	**40**	**57**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	17.0	274	3	5	10	20	48	56	64
20-34	277	10.2	30	4	5	9	12	17	20	28
35-49	573	11.2	49	5	5	9	13	19	23	34
50-64	540	12.3	47	5	6	10	15	21	25	38
65+	280	15.9	95	6	7	13	20	28	38	51
2. MULTIPLE DX										
0-19 YRS	20	15.3	48	7	7	14	21	25	28	29
20-34	249	15.9	180	5	6	12	18	30	43	77
35-49	520	15.3	110	5	7	12	19	28	35	62
50-64	939	17.3	154	6	7	14	21	33	44	88
65+	801	22.5	217	7	9	19	29	43	55	87
TOT. SINGLE DX	1692	12.3	60	5	6	10	15	21	26	40
" MULTIPLE DX	2529	18.4	176	6	7	15	23	36	48	77
TOTAL 0-19 YRS	42	16.2	164	5	6	12	20	28	49	64
20-34	526	12.9	109	4	5	10	15	25	31	69
35-49	1093	13.2	83	5	6	10	16	24	30	56
50-64	1479	15.5	121	6	7	12	19	28	38	68
65+	1081	20.8	194	7	8	17	26	40	51	78
GRAND TOTAL	**4221**	**15.9**	**138**	**5**	**6**	**12**	**20**	**30**	**40**	**69**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	8.8	66	<1	1	6	13	17	22	45
20-34	200	7.5	51	1	2	5	10	15	19	43
35-49	219	8.3	77	1	2	6	11	17	25	51
50-64	134	8.9	44	2	2	7	13	18	22	28
65+	41	15.7	159	1	2	14	22	25	39	68
2. MULTIPLE DX										
0-19 YRS	91	18.9	196	3	4	16	24	39	49	94
20-34	284	11.1	170	2	2	7	14	27	38	82
35-49	397	10.9	126	2	2	8	14	21	32	58
50-64	320	14.8	211	2	2	11	19	31	46	75
65+	163	21.3	300	3	5	16	30	46	57	86
TOT. SINGLE DX	649	8.7	70	1	2	6	12	18	24	46
" MULTIPLE DX	1255	13.9	199	2	2	10	18	31	46	81
TOTAL 0-19 YRS	146	15.1	171	2	3	13	21	31	44	86
20-34	484	9.6	124	2	2	6	11	23	32	68
35-49	616	10.0	111	2	2	7	13	20	28	56
50-64	454	13.0	169	2	2	10	16	28	37	61
65+	204	20.2	276	2	3	16	27	45	57	86
GRAND TOTAL	**1904**	**12.1**	**161**	**2**	**2**	**8**	**16**	**27**	**38**	**66**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.8	14	<1	1	2	4	8	15	18
20-34	337	3.3	6	1	1	3	4	5	8	15
35-49	491	3.3	7	1	1	3	4	6	10	16
50-64	624	3.3	10	1	1	3	4	5	9	15
65+	270	4.3	16	1	2	3	5	9	12	21
2. MULTIPLE DX										
0-19 YRS	40	4.1	44	<1	1	3	4	7	9	43
20-34	221	5.7	51	1	2	3	5	12	18	37
35-49	275	5.6	31	1	2	4	6	12	16	29
50-64	414	6.6	49	2	2	4	7	16	21	40
65+	230	7.5	58	1	2	5	10	18	24	35
TOT. SINGLE DX	1794	3.5	10	1	1	3	4	6	9	17
" MULTIPLE DX	1180	6.3	48	1	2	4	7	14	21	36
TOTAL 0-19 YRS	112	3.9	25	<1	1	2	4	7	10	28
20-34	558	4.2	26	1	1	3	4	8	12	28
35-49	766	4.1	18	1	1	3	4	9	12	24
50-64	1038	4.6	28	1	2	3	5	9	14	30
65+	500	5.8	38	1	2	3	6	13	19	31
GRAND TOTAL	**2974**	**4.6**	**27**	**1**	**1**	**3**	**5**	**9**	**14**	**28**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	2.5	3	<1	1	2	3	4	5	10
20-34	1445	2.4	2	1	1	2	3	4	5	9
35-49	2145	2.7	4	1	1	2	3	4	6	11
50-64	2073	2.7	4	1	1	2	3	4	6	11
65+	1105	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	266	2.8	5	1	1	2	3	5	7	15
20-34	906	3.8	23	1	1	2	4	8	11	25
35-49	1216	5.1	30	1	1	3	6	11	16	28
50-64	1664	5.2	30	1	2	3	6	11	16	30
65+	1179	6.0	43	1	2	3	8	13	19	33
TOT. SINGLE DX	6908	2.6	4	1	1	2	3	4	6	11
" MULTIPLE DX	5231	5.0	32	1	1	3	6	11	16	29
TOTAL 0-19 YRS	406	2.7	5	1	1	2	3	5	6	14
20-34	2351	3.0	11	1	1	2	3	5	7	18
35-49	3361	3.5	15	1	1	2	4	7	11	22
50-64	3737	3.8	18	1	1	2	4	8	11	22
65+	2284	4.5	28	1	1	3	5	10	14	27
GRAND TOTAL	**12139**	**3.7**	**17**	**1**	**1**	**2**	**4**	**7**	**11**	**22**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	6.5	9	4	4	5	9	11	12	12
20-34	47	8.0	48	2	3	6	10	14	15	46
35-49	54	8.1	19	1	3	7	12	15	16	17
50-64	51	13.1	123	3	5	10	14	25	37	65
65+	65	12.5	65	4	6	11	16	22	24	53
2. MULTIPLE DX										
0-19 YRS	3	25.3	1302	4	4	5	51	67	67	67
20-34	50	8.1	24	4	4	7	9	14	24	25
35-49	47	12.0	75	3	4	9	16	25	30	39
50-64	161	16.2	118	4	6	14	20	30	36	55
65+	259	18.1	130	6	8	15	23	32	38	66
TOT. SINGLE DX	225	10.4	67	2	4	9	12	17	23	49
" MULTIPLE DX	520	16.1	125	5	6	13	20	30	36	63
TOTAL 0-19 YRS	11	11.6	344	4	4	5	9	34	64	67
20-34	97	8.1	36	2	4	7	9	14	18	36
35-49	101	9.9	49	2	4	8	13	18	24	38
50-64	212	15.5	121	4	6	12	19	30	37	59
65+	324	17.0	122	6	7	14	21	29	36	63
GRAND TOTAL	**745**	**14.4**	**114**	**4**	**5**	**12**	**18**	**27**	**34**	**58**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.4	33	1	2	4	8	14	20	22
20-34	61	4.4	34	<1	<1	2	5	10	14	35
35-49	69	6.3	28	<1	1	5	8	14	16	26
50-64	57	7.0	64	<1	1	5	9	14	18	50
65+	32	7.7	27	1	2	7	10	13	18	26
2. MULTIPLE DX										
0-19 YRS	10	5.1	9	1	1	4	8	9	10	10
20-34	64	10.0	69	1	2	7	14	23	28	38
35-49	104	10.6	72	2	3	8	15	20	30	42
50-64	114	11.4	118	2	3	8	15	24	28	68
65+	83	14.5	75	4	5	12	19	28	29	44
TOT. SINGLE DX	233	6.2	40	<1	<1	4	9	13	17	31
" MULTIPLE DX	375	11.5	88	2	3	9	15	25	28	46
TOTAL 0-19 YRS	24	5.8	23	1	2	4	8	12	16	22
20-34	125	7.3	60	<1	<1	5	10	16	26	37
35-49	173	8.9	59	1	2	7	12	17	26	34
50-64	171	10.0	105	1	2	7	13	19	27	62
65+	115	12.6	71	3	4	10	17	26	28	40
GRAND TOTAL	**608**	**9.4**	**76**	**<1**	**1**	**7**	**13**	**20**	**27**	**40**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	4.2	4	2	2	4	5	6	7	14
20-34	973	4.4	4	2	3	4	5	6	8	14
35-49	960	4.4	4	2	3	4	5	6	7	12
50-64	791	4.7	9	3	3	4	5	6	8	15
65+	363	5.6	10	3	3	5	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	66	7.0	76	2	3	5	8	9	17	61
20-34	363	6.4	36	3	3	5	7	11	15	29
35-49	544	6.9	44	3	3	5	8	12	17	37
50-64	656	7.7	39	3	3	5	9	15	21	30
65+	508	9.7	69	3	4	7	12	19	26	37
TOT. SINGLE DX	3232	4.6	7	2	3	4	5	6	8	14
" MULTIPLE DX	2137	7.7	50	3	3	5	9	14	21	35
TOTAL 0-19 YRS	211	5.1	29	2	3	4	5	8	9	25
20-34	1336	4.9	14	2	3	4	5	7	10	18
35-49	1504	5.3	20	2	3	4	5	8	11	23
50-64	1447	6.1	25	3	3	5	6	10	15	28
65+	871	8.0	49	3	3	6	9	15	22	35
GRAND TOTAL	**5369**	**5.9**	**26**	**3**	**3**	**4**	**6**	**10**	**14**	**28**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	2.5	2	1	1	2	3	4	5	9
20-34	144	3.7	10	1	1	3	4	6	9	22
35-49	92	3.9	6	1	2	3	5	6	8	16
50-64	129	5.0	6	2	2	4	6	8	9	13
65+	71	7.4	62	2	3	6	8	13	21	53
2. MULTIPLE DX										
0-19 YRS	38	5.0	23	<1	1	4	6	10	18	21
20-34	99	6.8	47	1	2	5	7	13	26	71
35-49	126	8.3	43	3	4	6	10	13	21	39
50-64	232	8.5	55	3	4	6	10	16	20	45
65+	223	13.4	116	3	4	10	18	28	39	50
TOT. SINGLE DX	698	3.9	14	1	1	3	5	7	9	19
" MULTIPLE DX	718	9.6	76	2	3	6	12	20	28	45
TOTAL 0-19 YRS	300	2.8	5	1	1	2	3	4	6	14
20-34	243	5.0	28	1	2	4	6	9	14	36
35-49	218	6.4	33	2	2	5	7	12	17	34
50-64	361	7.3	41	2	3	5	8	14	17	35
65+	294	12.0	110	3	4	8	14	27	33	50
GRAND TOTAL	**1416**	**6.8**	**54**	**1**	**2**	**4**	**7**	**14**	**22**	**41**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	12.5	127	1	2	10	13	31	37	39
20-34	55	10.6	22	6	7	9	12	16	21	30
35-49	37	11.5	24	5	7	11	14	17	21	27
50-64	46	12.3	58	6	7	9	13	22	24	49
65+	19	16.4	99	5	7	14	21	28	38	46
2. MULTIPLE DX										
0-19 YRS	10	13.7	103	6	6	10	13	30	40	40
20-34	69	13.4	95	6	7	10	14	21	34	63
35-49	69	19.5	236	6	7	14	24	38	49	89
50-64	110	19.0	166	7	8	16	25	32	43	91
65+	83	23.2	213	7	9	19	32	45	52	69
TOT. SINGLE DX	172	12.0	51	5	6	10	14	21	27	44
" MULTIPLE DX	341	18.8	186	6	8	14	23	38	47	72
TOTAL 0-19 YRS	25	13.0	113	2	3	10	13	31	39	40
20-34	124	12.1	64	6	7	10	13	18	25	51
35-49	106	16.7	176	6	7	12	20	32	42	75
50-64	156	17.1	144	6	7	13	22	31	42	84
65+	102	22.0	198	7	9	18	28	44	50	68
GRAND TOTAL	**513**	**16.6**	**151**	**6**	**7**	**12**	**20**	**32**	**43**	**68**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	1.5		<1	<1	1	2	2	3	6
20-34	44	2.0	1	<1	<1	2	2	3	5	6
35-49	49	2.6	15	<1	<1	2	2	4	7	28
50-64	80	2.5	22	<1	<1	2	3	4	5	32
65+	124	2.3	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	34	2.8	28	1	1	2	2	3	7	32
20-34	35	8.2	88	<1	1	3	12	28	30	32
35-49	81	5.6	40	<1	1	3	8	14	18	33
50-64	139	7.1	56	<1	1	5	10	15	21	40
65+	201	6.3	53	1	1	4	8	13	19	35
TOT. SINGLE DX	449	2.1	7	<1	<1	2	2	3	4	8
" MULTIPLE DX	490	6.3	54	1	1	3	8	14	20	35
TOTAL 0-19 YRS	186	1.7	6	<1	<1	1	2	2	3	8
20-34	79	4.7	49	<1	<1	2	4	13	27	31
35-49	130	4.5	33	<1	1	2	5	10	16	30
50-64	219	5.4	49	<1	1	3	7	12	18	40
65+	325	4.8	38	<1	1	2	6	11	14	32
GRAND TOTAL	**939**	**4.3**	**36**	**<1**	**1**	**2**	**4**	**10**	**15**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	1.8	1	<1	<1	2	2	3	4	6
20-34	117	2.4	7	<1	1	2	3	4	4	15
35-49	162	2.0	1	1	1	2	2	3	3	5
50-64	371	2.0		<1	1	2	2	3	4	5
65+	443	2.2	5	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	373	2.8	10	<1	1	2	3	6	8	17
20-34	501	3.7	29	<1	<1	2	4	7	10	29
35-49	334	3.8	49	<1	1	2	4	6	10	25
50-64	553	3.8	29	1	1	2	4	6	9	31
65+	792	5.5	55	1	1	2	6	15	20	34
TOT. SINGLE DX	1334	2.1	3	<1	1	2	2	3	4	7
" MULTIPLE DX	2553	4.2	38	<1	1	2	4	9	14	30
TOTAL 0-19 YRS	614	2.4	7	<1	1	2	3	5	6	14
20-34	618	3.5	26	<1	<1	2	4	7	9	27
35-49	496	3.2	35	<1	1	2	3	5	8	21
50-64	924	3.1	18	1	1	2	3	5	7	25
65+	1235	4.3	40	1	1	2	4	10	17	30
GRAND TOTAL	**3887**	**3.4**	**27**	**<1**	**1**	**2**	**3**	**6**	**10**	**26**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	50	2.2	3	1	1	2	2	4	4	13
20-34	36	2.5	1	1	1	2	3	3	4	8
35-49	43	2.6	2	1	1	2	3	4	5	11
50-64	75	2.7	1	1	2	2	3	4	5	10
65+	75	2.7	2	1	2	2	3	4	5	11
2. MULTIPLE DX										
0-19 YRS	51	3.4	22	1	1	2	3	6	8	30
20-34	23	3.4	13	1	1	2	4	8	12	18
35-49	34	3.8	15	1	2	2	3	8	10	21
50-64	53	3.4	25	2	2	2	3	4	5	37
65+	131	3.3	4	2	2	3	4	6	8	13
TOT. SINGLE DX	279	2.6	2	1	1	2	3	4	5	11
" MULTIPLE DX	292	3.4	13	1	1	2	3	6	8	20
TOTAL 0-19 YRS	101	2.8	13	1	1	2	3	5	7	24
20-34	59	2.8	6	1	1	2	3	4	8	17
35-49	77	3.1	9	1	1	2	3	7	8	18
50-64	128	3.0	12	1	2	2	3	4	5	17
65+	206	3.1	4	1	2	2	3	5	6	13
GRAND TOTAL	**571**	**3.0**	**8**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.6	1	<1	<1	1	2	3	4	5
20-34	10	3.1	24	<1	<1	2	2	10	17	17
35-49	12	1.9	1	1	1	2	3	3	4	4
50-64	16	2.1	2	<1	<1	2	2	3	6	7
65+	15	2.9	4	1	1	2	3	4	8	10
2. MULTIPLE DX										
0-19 YRS	15	3.0	3	1	1	2	4	6	7	7
20-34	18	4.2	16	1	1	3	5	7	14	18
35-49	9	8.3	83	1	1	4	14	24	25	25
50-64	27	3.8	20	1	1	2	4	13	16	17
65+	34	6.3	53	1	1	4	8	14	18	39
TOT. SINGLE DX	78	2.2	5	<1	<1	2	2	3	5	15
" MULTIPLE DX	103	5.0	35	1	1	3	5	12	17	32
TOTAL 0-19 YRS	40	2.2	2	<1	<1	2	3	4	5	7
20-34	28	3.8	19	1	1	2	5	7	17	18
35-49	21	4.7	44	1	1	2	4	15	23	25
50-64	43	3.1	14	<1	1	2	3	7	15	17
65+	49	5.2	41	1	1	3	6	12	16	39
GRAND TOTAL	**181**	**3.8**	**24**	**1**	**1**	**2**	**4**	**8**	**15**	**24**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.6	11	2	2	3	5	9	13	15
20-34	86	4.1	16	1	2	3	5	6	7	28
35-49	54	3.7	2	2	2	4	4	6	7	9
50-64	71	4.8	8	2	2	4	6	7	10	20
65+	255	4.2	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	13	6.5	19	3	3	6	7	11	18	20
20-34	27	6.4	23	2	2	4	8	13	15	23
35-49	43	4.7	6	2	2	4	5	9	10	14
50-64	103	5.0	11	1	2	4	6	9	13	18
65+	411	5.1	14	2	2	4	6	7	11	23
TOT. SINGLE DX	483	4.2	7	2	2	4	5	6	8	14
" MULTIPLE DX	597	5.1	14	2	2	4	6	8	13	21
TOTAL 0-19 YRS	30	5.4	15	2	2	4	6	9	15	20
20-34	113	4.6	19	1	2	4	5	7	12	29
35-49	97	4.1	5	2	2	4	5	7	9	12
50-64	174	4.9	10	2	2	4	6	8	12	19
65+	666	4.7	11	2	2	4	5	7	9	18
GRAND TOTAL	**1080**	**4.7**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**19**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	77	3.1	4	1	1	2	4	5	7	13
20-34	76	3.0	11	1	1	2	3	5	6	24
35-49	66	2.6	2	1	1	2	3	4	6	10
50-64	71	2.2	1	<1	1	2	3	4	5	7
65+	77	2.6	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	128	5.0	28	1	1	4	6	9	11	34
20-34	113	4.4	15	1	2	3	5	8	10	25
35-49	60	4.3	15	1	1	3	5	8	13	22
50-64	54	5.4	36	1	1	3	5	12	20	31
65+	135	5.4	45	1	1	3	6	13	18	38
TOT. SINGLE DX	367	2.7	5	1	1	2	3	5	6	10
" MULTIPLE DX	490	4.9	29	1	1	3	5	10	15	33
TOTAL 0-19 YRS	205	4.3	20	1	1	3	5	7	10	22
20-34	189	3.8	14	1	1	3	4	7	9	25
35-49	126	3.4	9	1	1	3	4	7	8	18
50-64	125	3.6	19	<1	1	2	4	6	11	25
65+	212	4.4	32	1	1	2	5	9	16	38
GRAND TOTAL	**857**	**4.0**	**20**	**1**	**1**	**3**	**4**	**7**	**11**	**25**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.6	1	1	1	2	3	4	5	6
20-34	30	3.5	7	1	2	3	4	6	7	16
35-49	79	3.6	5	1	1	3	4	6	9	13
50-64	174	3.7	10	1	2	3	4	7	9	14
65+	428	3.7	7	1	2	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	34	3.3	5	1	1	3	5	6	8	10
20-34	23	4.5	9	1	1	3	6	9	12	13
35-49	44	4.7	14	1	2	3	6	9	12	22
50-64	123	5.0	25	2	2	3	6	10	15	27
65+	416	4.9	15	2	2	4	6	9	13	20
TOT. SINGLE DX	757	3.6	8	1	2	3	4	6	8	14
" MULTIPLE DX	640	4.8	16	1	2	3	6	9	12	21
TOTAL 0-19 YRS	80	2.9	3	1	1	2	4	5	6	10
20-34	53	3.9	8	1	2	3	4	7	11	16
35-49	123	4.0	9	1	2	3	5	7	10	16
50-64	297	4.2	17	1	2	3	5	8	10	24
65+	844	4.3	12	1	2	3	5	8	11	20
GRAND TOTAL	**1397**	**4.1**	**12**	**1**	**2**	**3**	**5**	**8**	**10**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.0	6	1	2	3	6	8	8	9
20-34	34	4.1	9	1	2	3	5	9	12	13
35-49	63	2.6	1	1	1	2	3	4	5	9
50-64	155	3.0	5	1	1	2	4	5	7	13
65+	333	3.4	12	1	1	2	4	6	8	16
2. MULTIPLE DX										
0-19 YRS	71	5.4	14	1	1	5	8	10	12	20
20-34	74	4.3	7	1	1	4	6	8	11	12
35-49	64	4.7	14	1	1	4	6	11	13	19
50-64	144	5.4	22	1	1	4	7	10	15	28
65+	365	5.1	30	1	2	3	6	10	15	33
TOT. SINGLE DX	609	3.2	9	1	1	2	4	6	8	14
" MULTIPLE DX	718	5.1	24	1	1	4	6	10	13	27
TOTAL 0-19 YRS	95	5.1	13	1	1	4	7	9	12	18
20-34	108	4.3	8	1	1	4	6	9	11	13
35-49	127	3.7	9	1	1	3	4	7	11	17
50-64	299	4.1	15	1	1	3	5	9	12	20
65+	698	4.3	22	1	1	3	5	8	11	27
GRAND TOTAL	**1327**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.9	6	1	1	2	3	4	7	14
20-34	19	3.1	1	1	2	3	4	5	5	5
35-49	447	2.8	2	2	2	3	3	4	5	7
50-64	3327	2.7	1	2	2	3	3	4	4	6
65+	11924	2.9	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	20	4.1	7	2	2	3	5	8	11	13
20-34	35	4.6	7	2	2	4	6	8	10	13
35-49	305	3.9	13	2	2	3	4	7	9	23
50-64	2475	3.6	9	2	2	3	4	6	8	16
65+	11487	4.0	16	2	2	3	4	7	10	20
TOT. SINGLE DX	15743	2.8	2	2	2	3	3	4	5	8
" MULTIPLE DX	14322	3.9	15	2	2	3	4	6	10	19
TOTAL 0-19 YRS	46	3.4	7	1	2	3	4	5	10	14
20-34	54	4.1	6	2	2	3	5	8	9	13
35-49	752	3.3	7	2	2	3	3	5	6	16
50-64	5802	3.1	5	2	2	3	3	4	6	11
65+	23411	3.4	9	2	2	3	4	5	7	16
GRAND TOTAL	**30065**	**3.4**	**8**	**2**	**2**	**3**	**3**	**5**	**7**	**15**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	2.3	1	1	1	2	3	4	4	6
20-34	87	2.3		1	1	2	3	3	4	6
35-49	637	2.2		1	1	2	3	3	4	5
50-64	3040	2.3		1	1	2	3	3	4	5
65+	10714	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	61	3.2	7	1	2	2	4	5	8	18
20-34	75	3.6	11	1	2	2	4	8	10	80
35-49	280	3.1	8	1	2	2	3	5	7	20
50-64	1757	3.1	9	2	2	2	3	4	7	15
65+	7223	3.3	9	2	2	2	3	5	8	16
TOT. SINGLE DX	14618	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	9396	3.2	10	2	2	2	3	5	8	16
TOTAL 0-19 YRS	201	2.6	3	1	1	2	3	4	5	10
20-34	162	2.9	6	1	1	2	3	5	8	23
35-49	917	2.5	3	1	1	2	3	3	4	9
50-64	4797	2.6	4	1	2	2	3	3	4	10
65+	17937	2.8	5	1	2	2	3	4	5	12
GRAND TOTAL	**24014**	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	11	2.9	7	1	1	2	3	6	11	11
35-49	77	2.3		1	2	2	3	3	4	5
50-64	465	2.5	1	1	1	2	3	4	4	7
65+	1601	2.7	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	2.9	1	2	2	3	4	5	5	5
35-49	53	2.7	1	1	2	2	3	4	5	6
50-64	350	3.1	5	1	2	2	3	5	8	11
65+	1326	3.5	10	2	2	3	4	5	8	21
TOT. SINGLE DX	2156	2.6	1	1	2	2	3	4	4	7
" MULTIPLE DX	1739	3.4	9	2	2	3	4	5	8	17
TOTAL 0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	19	2.9	5	1	1	2	3	5	8	11
35-49	130	2.5	1	1	2	2	3	4	4	6
50-64	815	2.7	3	1	2	2	3	4	5	10
65+	2927	3.1	6	1	2	3	3	4	6	13
GRAND TOTAL	**3895**	**3.0**	**5**	**1**	**2**	**3**	**3**	**4**	**5**	**12**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	4.3	6	2	2	4	5	7	10	14
20-34	168	4.7	8	2	2	4	6	8	9	21
35-49	177	4.5	7	1	2	4	6	7	11	13
50-64	515	4.7	7	2	2	4	6	7	9	16
65+	572	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
0-19 YRS	69	5.6	64	2	2	4	6	9	10	58
20-34	150	5.6	38	2	2	4	7	9	11	21
35-49	142	5.5	13	2	2	4	6	10	14	20
50-64	489	5.2	10	2	2	4	6	9	11	17
65+	636	5.6	15	2	2	5	7	9	11	22
TOT. SINGLE DX	1523	4.7	8	2	2	4	6	8	10	15
" MULTIPLE DX	1486	5.4	18	2	2	4	7	9	12	20
TOTAL 0-19 YRS	160	4.9	32	2	2	4	6	8	10	15
20-34	318	5.1	23	2	2	4	6	8	10	21
35-49	319	4.9	10	1	2	4	6	8	12	17
50-64	1004	4.9	9	2	2	4	6	8	10	17
65+	1208	5.2	12	2	2	4	6	9	11	19
GRAND TOTAL	**3009**	**5.1**	**13**	**2**	**2**	**4**	**6**	**8**	**11**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.8	3	<1	<1	2	4	6	6	8
20-34	25	3.0	2	<1	<1	3	4	6	7	7
35-49	22	4.4	19	<1	1	3	6	7	13	22
50-64	57	3.4	4	1	2	3	4	6	9	11
65+	149	3.5	4	1	2	3	5	6	6	10
2. MULTIPLE DX										
0-19 YRS	38	5.5	153	1	1	3	5	7	47	99+
20-34	104	5.9	55	1	2	4	7	11	14	45
35-49	96	5.4	20	2	2	4	7	10	12	28
50-64	193	5.3	20	2	2	4	6	10	17	24
65+	328	4.9	21	2	2	3	6	9	13	28
TOT. SINGLE DX	290	3.4	5	1	1	3	4	6	7	11
" MULTIPLE DX	759	5.3	32	2	2	4	6	10	13	29
TOTAL 0-19 YRS	75	4.2	80	<1	1	3	5	6	8	95
20-34	129	5.4	47	1	2	4	6	9	12	33
35-49	118	5.2	20	1	2	4	6	10	12	26
50-64	250	4.9	17	2	2	4	6	9	14	21
65+	477	4.5	16	1	2	3	5	8	11	25
GRAND TOTAL	**1049**	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**12**	**26**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2307	1.6		<1	<1	2	2	2	2	3
20-34	449	1.9		1	1	2	2	3	3	4
35-49	211	2.0		1	1	2	2	3	3	6
50-64	100	2.1		1	1	2	2	3	3	7
65+	83	1.9		<1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	416	1.9	3	1	1	2	2	2	3	7
20-34	120	2.9	33	1	1	2	2	3	5	37
35-49	87	2.1		1	1	2	2	3	4	4
50-64	85	2.8	10	1	1	2	3	4	8	21
65+	51	2.5		1	2	2	3	4	4	6
TOT. SINGLE DX	3150	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	759	2.2	8	1	1	2	2	3	4	10
TOTAL 0-19 YRS	2723	1.7	1	<1	1	2	2	2	2	3
20-34	569	2.1	8	1	1	2	2	3	3	5
35-49	298	2.0	1	1	1	2	2	3	3	4
50-64	185	2.5	5	1	1	2	2	3	4	11
65+	134	2.1	1	1	1	2	2	3	4	5
GRAND TOTAL	**3909**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8		1	1	2	2	3	3	3
20-34	6	4.7	36	2	2	2	3	16	17	17
35-49	4	2.0		1	1	2	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	13.2	600	1	1	3	17	57	57	57
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	33.0	1922	2	2	33	64	64	64	64
65+	3	7.3	14	3	3	9	10	10	10	10
TOT. SINGLE DX	16	2.9	15	1	1	2	3	3	13	17
" MULTIPLE DX	13	13.8	463	1	1	3	13	58	63	64
TOTAL 0-19 YRS	10	7.5	303	1	1	2	3	30	57	57
20-34	8	4.0	28	2	2	2	3	13	17	17
35-49	5	6.0	81	1	1	2	8	22	22	22
50-64	2	33.0	1922	2	2	33	64	64	64	64
65+	4	5.8	20	1	1	6	9	10	10	10
GRAND TOTAL	**29**	**7.8**	**237**	**1**	**1**	**2**	**3**	**20**	**57**	**64**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	2.8	4	1	1	2	3	6	7	11
20-34	90	3.7	7	1	2	3	4	6	9	18
35-49	67	3.6	9	1	1	3	4	7	9	19
50-64	103	3.7	8	1	2	3	4	7	9	17
65+	157	3.9	16	1	1	3	4	8	10	28
2. MULTIPLE DX										
0-19 YRS	112	4.0	9	1	1	3	5	8	12	16
20-34	179	5.2	28	<1	2	4	6	11	16	31
35-49	131	5.2	26	1	2	3	6	11	13	34
50-64	158	5.8	27	1	2	4	7	13	18	34
65+	313	5.8	41	1	2	4	7	13	18	33
TOT. SINGLE DX	517	3.6	10	1	1	3	4	6	9	20
" MULTIPLE DX	893	5.4	31	1	2	3	6	12	16	32
TOTAL 0-19 YRS	212	3.5	8	1	1	3	4	7	9	15
20-34	269	4.7	22	1	2	3	5	9	14	25
35-49	198	4.7	21	1	2	3	5	9	12	28
50-64	261	5.0	21	1	2	3	6	11	15	27
65+	470	5.2	34	1	2	3	5	11	16	31
GRAND TOTAL	**1410**	**4.7**	**24**	**1**	**2**	**3**	**5**	**10**	**14**	**28**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	447	2.1	1	<1	1	2	2	4	4	7
20-34	155	2.2	3	<1	<1	2	2	4	6	12
35-49	78	2.3	2	<1	1	2	3	4	6	9
50-64	73	2.9	8	<1	<1	2	3	7	10	14
65+	121	4.0	28	<1	1	2	4	7	16	30
2. MULTIPLE DX										
0-19 YRS	308	3.8	20	1	1	3	4	7	10	25
20-34	209	5.6	61	<1	1	3	5	14	28	34
35-49	115	6.4	85	<1	1	3	7	14	22	47
50-64	147	6.6	41	1	1	4	9	16	20	30
65+	268	9.1	120	1	2	6	12	20	27	62
TOT. SINGLE DX	874	2.5	7	<1	1	2	2	4	6	14
" MULTIPLE DX	1047	6.2	68	1	1	3	7	14	22	34
TOTAL 0-19 YRS	755	2.8	10	<1	1	2	3	5	7	18
20-34	364	4.2	39	<1	<1	2	4	7	17	33
35-49	193	4.7	56	<1	1	2	5	10	15	29
50-64	220	5.4	34	1	1	3	7	13	19	29
65+	389	7.5	98	1	1	4	10	17	26	49
GRAND TOTAL	**1921**	**4.5**	**44**	**<1**	**1**	**2**	**4**	**11**	**16**	**30**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.0		1	1	2	2	3	4	6
20-34	354	2.3		1	1	2	3	3	4	5
35-49	493	2.4	1	1	1	2	3	3	4	5
50-64	442	2.5		1	2	2	3	3	4	5
65+	184	2.6	1	1	2	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	32	2.3		1	1	2	3	3	4	4
20-34	125	2.9	2	1	1	3	3	4	6	11
35-49	165	2.9	4	1	2	3	3	4	5	17
50-64	226	2.8	4	1	2	3	3	4	4	10
65+	110	3.0	1	2	2	3	3	4	5	11
TOT. SINGLE DX	1558	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	658	2.9	4	1	2	3	3	4	5	11
TOTAL 0-19 YRS	117	2.1	1	1	1	2	3	3	4	5
20-34	479	2.5	1	1	1	2	3	4	4	6
35-49	658	2.5	2	1	1	2	3	4	4	7
50-64	668	2.6	2	1	2	2	3	3	4	7
65+	294	2.7	2	2	2	3	3	4	5	9
GRAND TOTAL	**2216**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	871	1.9		1	1	2	2	3	3	4
20-34	697	2.1		1	1	2	2	3	3	5
35-49	493	2.2		1	1	2	2	3	3	6
50-64	448	2.2		1	1	2	3	3	3	4
65+	159	2.3	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	755	2.0		1	1	2	2	3	3	6
20-34	578	2.5	8	1	1	2	3	3	4	9
35-49	505	2.7	7	1	2	2	3	3	5	14
50-64	546	2.9	6	1	2	2	3	4	7	14
65+	214	2.9	4	1	2	3	3	4	5	17
TOT. SINGLE DX	2668	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	2598	2.5	5	1	1	2	3	3	4	11
TOTAL 0-19 YRS	1626	2.0	1	1	1	2	2	3	3	4
20-34	1275	2.3	4	1	1	2	3	3	3	6
35-49	998	2.5	4	1	1	2	3	3	4	10
50-64	994	2.6	4	1	1	2	3	3	5	11
65+	373	2.6	3	1	2	2	3	4	5	8
GRAND TOTAL	**5266**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3301	1.3		<1	<1	1	1	2	2	6
20-34	137	2.0	1	<1	1	2	2	3	4	8
35-49	113	2.3	8	<1	<1	2	2	4	6	18
50-64	88	2.0	1	<1	1	2	2	3	4	8
65+	50	3.3	62	<1	<1	2	2	4	11	54
2. MULTIPLE DX										
0-19 YRS	2354	2.3	8	<1	<1	2	2	4	7	16
20-34	114	3.2	14	1	1	2	3	7	11	20
35-49	90	4.3	33	1	1	2	4	11	17	33
50-64	120	8.0	146	1	1	3	10	19	27	68
65+	85	7.7	68	1	1	4	11	19	28	34
TOT. SINGLE DX	3689	1.4	2	<1	<1	1	1	2	3	7
" MULTIPLE DX	2763	2.8	19	<1	<1	2	2	6	9	21
TOTAL 0-19 YRS	5655	1.7	4	<1	<1	1	2	2	4	10
20-34	251	2.6	8	<1	1	2	3	4	8	18
35-49	203	3.2	20	<1	1	2	3	6	12	24
50-64	208	5.4	93	1	1	2	4	13	20	49
65+	135	6.1	70	<1	1	2	7	18	24	39
GRAND TOTAL	**6452**	**2.0**	**10**	**<1**	**<1**	**1**	**2**	**3**	**6**	**16**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	268	2.3	1	1	1	2	3	3	4	6
20-34	216	2.7	8	1	1	2	3	4	5	9
35-49	148	3.0	11	1	1	2	3	5	6	28
50-64	155	2.9	2	1	2	3	3	5	6	10
65+	47	3.2	5	2	2	3	3	4	8	16
2. MULTIPLE DX										
0-19 YRS	294	3.3	21	1	1	2	3	4	8	25
20-34	254	2.9	3	1	2	2	3	4	6	10
35-49	221	3.3	8	2	2	3	4	5	7	18
50-64	229	4.4	32	2	2	3	4	7	14	31
65+	115	7.1	121	2	2	3	5	17	25	60
TOT. SINGLE DX	834	2.7	6	1	1	2	3	4	5	9
" MULTIPLE DX	1113	3.8	29	1	2	3	3	5	10	27
TOTAL 0-19 YRS	562	2.8	12	1	1	2	3	4	5	16
20-34	470	2.8	6	1	1	2	3	4	6	10
35-49	369	3.2	10	1	2	3	3	5	6	19
50-64	384	3.8	21	1	2	3	4	5	9	25
65+	162	6.0	91	2	2	3	4	13	23	50
GRAND TOTAL	**1947**	**3.3**	**19**	**1**	**2**	**2**	**3**	**5**	**7**	**24**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	2.0	9	<1	<1	1	2	3	3	12
20-34	163	2.5	1	1	1	2	3	4	5	8
35-49	177	3.0	4	1	1	3	3	5	7	12
50-64	199	3.0	3	1	2	3	3	5	6	12
65+	80	3.3	10	1	2	2	3	5	8	23
2. MULTIPLE DX										
0-19 YRS	247	2.2	13	<1	<1	1	2	3	5	17
20-34	132	2.9	8	1	1	2	3	5	7	17
35-49	125	3.1	5	1	2	2	3	5	8	13
50-64	173	4.3	30	1	2	3	4	9	12	33
65+	75	5.1	28	1	1	3	6	13	17	24
TOT. SINGLE DX	859	2.6	6	<1	1	2	3	4	6	12
" MULTIPLE DX	752	3.3	18	<1	1	2	3	6	10	22
TOTAL 0-19 YRS	487	2.1	12	<1	<1	1	2	3	5	15
20-34	295	2.7	5	1	1	2	3	4	6	13
35-49	302	3.0	5	1	1	2	3	5	7	12
50-64	372	3.6	16	1	2	3	4	6	10	21
65+	155	4.2	20	1	1	3	4	9	15	24
GRAND TOTAL	**1611**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	240	2.4		1	1	2	3	4	4	5
20-34	530	2.5	2	1	1	2	3	4	5	7
35-49	243	2.5	1	1	1	2	3	4	4	7
50-64	141	2.5	1	1	1	2	3	4	4	6
65+	51	3.2	21	1	1	2	3	4	5	34
2. MULTIPLE DX										
0-19 YRS	494	2.8	1	1	2	3	3	4	5	8
20-34	1240	3.1	5	1	2	3	4	5	6	9
35-49	728	3.5	10	1	2	3	4	5	7	17
50-64	415	3.9	19	1	2	3	4	6	10	22
65+	131	4.0	13	2	2	3	4	7	10	20
TOT. SINGLE DX	1205	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	3008	3.3	8	1	2	3	4	5	7	16
TOTAL 0-19 YRS	734	2.7	1	1	1	2	3	4	5	7
20-34	1770	2.9	4	1	1	3	3	4	5	9
35-49	971	3.3	9	1	2	3	4	5	6	16
50-64	556	3.6	15	1	2	3	4	5	8	19
65+	182	3.8	16	1	2	3	4	6	9	28
GRAND TOTAL	**4213**	**3.1**	**7**	**1**	**2**	**3**	**3**	**5**	**6**	**13**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1008	2.3	1	1	1	2	3	3	4	5
20-34	2028	2.3	1	1	1	2	3	4	4	6
35-49	859	2.4	1	1	1	2	3	4	4	7
50-64	423	2.6	1	1	1	2	3	4	5	7
65+	112	2.8	2	1	1	3	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	1534	2.7	5	1	1	2	3	4	5	8
20-34	3530	2.9	6	1	1	2	3	4	5	14
35-49	1988	3.2	9	1	1	3	4	5	7	15
50-64	1189	3.7	14	1	2	3	4	6	10	19
65+	380	4.7	33	1	2	3	5	10	14	25
TOT. SINGLE DX	4430	2.4	2	1	1	2	3	4	4	6
" MULTIPLE DX	8621	3.1	9	1	1	3	3	5	6	15
TOTAL 0-19 YRS	2542	2.6	4	1	1	2	3	4	5	7
20-34	5558	2.7	5	1	1	2	3	4	5	10
35-49	2847	3.0	7	1	1	3	3	4	6	14
50-64	1612	3.4	12	1	1	3	4	5	8	17
65+	492	4.3	27	1	2	3	5	8	12	22
GRAND TOTAL	**13051**	**2.9**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**13**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	2.6	5	<1	1	2	3	4	7	14
20-34	201	2.2	1	<1	<1	2	3	4	5	6
35-49	210	2.5	4	<1	1	2	3	4	5	12
50-64	279	2.7	8	<1	1	2	3	4	6	15
65+	307	3.0	5	<1	1	2	4	5	8	12
2. MULTIPLE DX										
0-19 YRS	204	2.7	3	1	1	2	3	5	6	12
20-34	358	2.9	4	1	1	2	3	5	6	10
35-49	419	3.5	13	1	1	3	4	5	9	26
50-64	581	4.1	21	1	1	3	4	8	12	25
65+	594	6.8	55	1	2	4	8	15	23	39
TOT. SINGLE DX	1125	2.6	6	<1	1	2	3	5	6	12
" MULTIPLE DX	2156	4.4	27	1	1	3	4	9	14	28
TOTAL 0-19 YRS	332	2.7	4	<1	1	2	3	5	6	12
20-34	559	2.6	3	1	1	2	3	4	5	10
35-49	629	3.2	11	1	1	2	3	5	7	22
50-64	860	3.7	18	1	1	2	4	7	10	24
65+	901	5.5	42	1	1	3	7	12	19	31
GRAND TOTAL	**3281**	**3.8**	**21**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	431	1.9	3	<1	<1	1	2	3	5	7
20-34	323	2.3	2	<1	<1	2	3	5	6	8
35-49	153	3.5	5	<1	1	3	5	6	8	10
50-64	163	4.8	10	1	1	4	6	9	10	13
65+	126	5.2	17	1	1	4	7	10	14	21
2. MULTIPLE DX										
0-19 YRS	672	2.9	16	<1	1	2	3	5	7	24
20-34	768	3.8	17	1	1	3	4	7	9	22
35-49	329	4.9	28	1	1	4	5	9	14	30
50-64	349	6.4	41	1	2	5	8	11	17	34
65+	459	6.8	39	1	2	5	9	13	18	31
TOT. SINGLE DX	1196	2.9	7	<1	<1	2	4	6	8	13
" MULTIPLE DX	2577	4.6	28	1	1	3	5	9	12	28
TOTAL 0-19 YRS	1103	2.5	12	<1	<1	2	3	5	6	17
20-34	1091	3.4	14	<1	1	2	4	6	8	19
35-49	482	4.5	22	1	1	4	5	8	10	27
50-64	512	5.9	32	1	2	5	7	10	13	27
65+	585	6.5	35	1	2	5	8	12	17	31
GRAND TOTAL	**3773**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**25**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	2.4	1	1	1	2	3	4	4	8
20-34	229	2.9	4	1	1	2	3	5	6	9
35-49	206	2.9	3	1	1	3	4	5	6	10
50-64	167	3.2	2	1	2	3	4	6	6	9
65+	79	4.3	13	1	2	4	5	7	8	25
2. MULTIPLE DX										
0-19 YRS	43	5.1	17	1	2	4	6	13	13	18
20-34	214	4.1	17	1	2	3	4	8	12	24
35-49	250	4.7	20	1	2	3	5	9	16	23
50-64	228	6.1	70	2	2	3	6	14	18	45
65+	125	6.4	30	2	2	4	8	14	17	27
TOT. SINGLE DX	750	3.1	5	1	1	3	4	5	6	10
" MULTIPLE DX	860	5.2	35	2	2	3	5	12	15	32
TOTAL 0-19 YRS	112	3.4	9	1	1	2	4	7	12	15
20-34	443	3.5	11	1	1	3	4	6	8	16
35-49	456	3.9	14	1	2	3	4	6	10	20
50-64	395	4.9	44	2	2	3	5	9	15	36
65+	204	5.6	25	2	2	4	7	12	15	28
GRAND TOTAL	**1610**	**4.2**	**22**	**1**	**2**	**3**	**4**	**8**	**12**	**23**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	3.2	13	1	1	2	3	7	10	20
20-34	225	3.1	8	1	1	2	4	6	7	16
35-49	188	3.5	21	1	1	2	4	7	9	20
50-64	161	3.7	18	1	1	2	4	7	9	25
65+	88	4.3	20	1	1	2	4	10	14	25
2. MULTIPLE DX										
0-19 YRS	134	5.5	34	1	1	3	7	13	21	28
20-34	244	5.4	76	1	1	3	5	11	17	57
35-49	252	4.9	34	1	1	3	6	10	16	27
50-64	269	5.4	43	1	2	3	6	11	14	32
65+	154	7.9	53	2	2	5	10	19	24	31
TOT. SINGLE DX	774	3.5	16	1	1	2	4	7	9	21
" MULTIPLE DX	1053	5.7	50	1	2	3	6	12	18	32
TOTAL 0-19 YRS	246	4.5	26	1	1	2	5	10	15	26
20-34	469	4.3	45	1	1	3	4	8	12	31
35-49	440	4.3	29	1	1	3	5	9	14	24
50-64	430	4.7	35	1	1	3	5	10	13	28
65+	242	6.6	44	1	2	4	8	15	23	30
GRAND TOTAL	**1827**	**4.7**	**37**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1961	1.5		<1	<1	1	2	2	2	3
20-34	1770	1.6	1	<1	<1	1	2	2	3	4
35-49	462	2.0	3	<1	<1	2	2	3	4	12
50-64	307	2.3	15	<1	<1	2	2	3	4	14
65+	147	2.9	11	<1	1	2	3	5	8	32
2. MULTIPLE DX										
0-19 YRS	727	2.6	12	<1	1	2	2	5	7	20
20-34	1295	4.1	51	<1	1	2	3	9	16	41
35-49	1137	4.3	39	<1	1	2	4	10	16	29
50-64	1431	5.3	65	1	1	2	5	12	21	48
65+	1063	6.9	78	1	2	3	8	18	25	49
TOT. SINGLE DX	4647	1.7	3	<1	<1	1	2	2	3	5
" MULTIPLE DX	5653	4.8	54	1	1	2	4	11	19	40
TOTAL 0-19 YRS	2688	1.8	4	<1	<1	1	2	2	3	8
20-34	3065	2.6	24	<1	<1	2	2	3	7	26
35-49	1599	3.6	30	<1	1	2	3	8	13	28
50-64	1738	4.8	58	1	1	2	4	11	18	46
65+	1210	6.4	72	1	2	3	7	16	24	48
GRAND TOTAL	**10300**	**3.4**	**34**	**<1**	**<1**	**2**	**3**	**6**	**12**	**32**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	254	1.1		<1	<1	1	1	1	2	3
20-34	35	2.5	15	<1	<1	1	2	4	14	19
35-49	20	1.7		<1	<1	2	2	2	3	4
50-64	16	2.3		<1	1	2	3	3	3	3
65+	5	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	114	1.9	24	<1	1	1	2	2	4	24
20-34	59	3.9	107	<1	<1	2	2	6	8	70
35-49	27	4.7	61	<1	1	2	4	15	25	34
50-64	10	2.6	3	1	1	2	3	5	7	7
65+	9	7.3	58	2	2	3	11	21	23	23
TOT. SINGLE DX	330	1.3	2	<1	<1	1	1	2	2	4
" MULTIPLE DX	219	3.0	53	<1	1	1	2	4	8	42
TOTAL 0-19 YRS	368	1.3	8	<1	<1	1	1	2	2	5
20-34	94	3.4	73	<1	<1	2	2	5	8	57
35-49	47	3.4	37	<1	<1	2	2	6	17	34
50-64	26	2.4	1	1	1	2	3	3	4	7
65+	14	5.4	43	1	2	3	4	18	22	23
GRAND TOTAL	**549**	**2.0**	**23**	**<1**	**<1**	**1**	**2**	**3**	**4**	**23**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	2.1	1	<1	<1	2	3	4	4	7
20-34	169	2.6	13	1	1	2	2	4	5	9
35-49	293	2.1	1	<1	1	2	2	3	4	8
50-64	202	2.8	2	1	1	2	3	4	5	7
65+	63	3.8	10	2	2	3	4	7	8	20
2. MULTIPLE DX										
0-19 YRS	102	2.7	11	1	1	2	3	4	5	24
20-34	122	4.0	20	1	1	2	4	10	13	23
35-49	170	3.6	17	1	1	2	4	7	11	32
50-64	217	4.2	32	1	2	3	4	8	10	30
65+	93	5.3	51	1	2	3	5	11	18	44
TOT. SINGLE DX	841	2.5	5	<1	1	2	3	4	5	9
" MULTIPLE DX	704	3.9	27	1	1	2	4	8	12	30
TOTAL 0-19 YRS	216	2.4	6	<1	<1	2	3	4	5	11
20-34	291	3.2	17	1	1	2	3	6	9	20
35-49	463	2.7	8	1	1	2	3	4	6	18
50-64	419	3.5	19	1	1	2	4	6	8	22
65+	156	4.7	35	1	2	3	5	9	15	28
GRAND TOTAL	**1545**	**3.2**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	**20**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	3.1	2	1	1	3	4	5	7	9
20-34	377	3.2	3	1	1	3	4	5	6	9
35-49	414	3.4	3	1	2	3	4	5	6	11
50-64	509	4.0	7	2	2	3	4	6	8	17
65+	381	4.7	12	2	2	4	5	8	10	19
2. MULTIPLE DX										
0-19 YRS	53	4.1	8	1	2	3	5	8	9	17
20-34	137	4.8	27	1	2	3	5	9	12	36
35-49	219	4.9	17	1	2	4	6	10	12	23
50-64	345	6.0	40	2	2	4	7	11	16	27
65+	455	7.4	47	2	3	5	9	15	20	33
TOT. SINGLE DX	1816	3.8	7	1	2	3	4	6	8	13
" MULTIPLE DX	1209	6.1	37	2	2	4	7	11	17	31
TOTAL 0-19 YRS	188	3.4	5	1	1	3	4	6	8	10
20-34	514	3.7	10	1	1	3	4	6	8	16
35-49	633	3.9	9	1	2	3	4	6	9	17
50-64	854	4.8	22	2	2	4	5	8	11	23
65+	836	6.2	34	2	2	4	7	11	17	31
GRAND TOTAL	**3025**	**4.7**	**20**	**1**	**2**	**4**	**5**	**9**	**11**	**23**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	3.7	4	1	1	3	5	7	8	10
20-34	13	4.1	8	1	1	4	5	7	11	12
35-49	6	3.0	1	2	2	3	3	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	193	4.0	6	1	2	3	5	7	8	13
20-34	19	3.6	1	2	2	4	4	5	6	7
35-49	8	12.9	194	3	3	6	19	37	41	41
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	8	9.3	185	2	2	3	9	32	42	42
TOT. SINGLE DX	291	3.7	5	1	1	3	5	7	8	10
" MULTIPLE DX	231	4.5	20	1	2	4	5	8	9	30
TOTAL 0-19 YRS	462	3.8	5	1	1	3	5	7	8	11
20-34	32	3.8	4	1	2	4	4	6	7	12
35-49	14	8.6	131	2	2	4	7	29	38	41
50-64	5	2.6	1	1	1	3	3	4	4	4
65+	9	8.6	167	2	2	3	9	29	42	42
GRAND TOTAL	**522**	**4.0**	**12**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	553	3.3	8	<1	1	2	5	7	8	13
20-34	199	3.5	12	<1	<1	2	4	7	9	22
35-49	187	3.1	4	1	1	2	4	6	8	10
50-64	388	4.5	33	<1	1	2	4	10	16	28
65+	392	4.5	31	1	1	3	5	10	15	27
2. MULTIPLE DX										
0-19 YRS	557	3.5	22	<1	1	2	4	7	9	17
20-34	372	5.0	51	<1	<1	3	5	10	16	41
35-49	270	6.3	60	<1	1	4	7	14	23	42
50-64	576	9.3	107	1	2	6	12	23	32	56
65+	761	10.0	125	1	2	7	13	21	31	58
TOT. SINGLE DX	1719	3.9	19	<1	1	2	4	8	11	23
" MULTIPLE DX	2536	7.3	88	1	1	4	9	17	26	49
TOTAL 0-19 YRS	1110	3.4	15	<1	1	2	4	7	9	15
20-34	571	4.5	38	<1	<1	3	5	9	12	36
35-49	457	5.0	40	<1	1	3	6	10	17	37
50-64	964	7.4	84	1	1	4	9	17	27	50
65+	1153	8.1	100	1	2	5	10	18	28	49
GRAND TOTAL	**4255**	**5.9**	**63**	**<1**	**1**	**3**	**7**	**13**	**20**	**42**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8777	1.9		1	1	2	2	3	3	4
20-34	5345	2.1	1	1	1	2	2	3	4	5
35-49	492	2.3	1	1	1	2	3	3	4	7
50-64	88	2.5	1	1	1	2	3	4	5	8
65+	34	3.8	21	1	2	3	3	6	16	24
2. MULTIPLE DX										
0-19 YRS	1891	2.2	4	1	1	2	2	3	4	9
20-34	1167	2.7	5	1	1	2	3	4	6	13
35-49	164	3.4	11	1	1	2	3	6	10	22
50-64	64	5.0	110	1	2	3	5	8	10	75
65+	40	9.6	109	2	2	6	12	24	32	50
TOT. SINGLE DX	14736	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	3326	2.6	9	1	1	2	3	4	6	13
TOTAL 0-19 YRS	10668	1.9	2	1	1	2	2	3	3	5
20-34	6512	2.2	2	1	1	2	2	3	4	7
35-49	656	2.6	4	1	1	2	3	4	5	12
50-64	152	3.5	49	1	1	2	4	5	8	17
65+	74	6.9	77	1	2	3	8	19	25	46
GRAND TOTAL	**18062**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15678	1.7		1	1	2	2	2	2	3
20-34	398	2.2		1	1	2	3	3	4	5
35-49	27	2.2		1	1	2	3	3	3	3
50-64	6	1.7		1	1	2	2	2	2	2
65+	10	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	9362	1.8		1	1	2	2	2	3	6
20-34	130	2.6	1	1	2	2	3	4	6	8
35-49	11	3.5	9	1	1	3	4	8	12	12
50-64	6	3.5	10	1	1	2	3	9	10	10
65+	7	2.4	6	<1	<1	2	2	7	8	8
TOT. SINGLE DX	16119	1.8		1	1	2	2	2	3	4
" MULTIPLE DX	9516	1.8	1	1	1	2	2	2	3	6
TOTAL 0-19 YRS	25040	1.8	1	1	1	2	2	2	3	4
20-34	528	2.3	1	1	1	2	3	3	4	6
35-49	38	2.6	3	1	1	2	3	3	5	12
50-64	12	2.6	6	1	1	2	3	5	9	10
65+	17	2.0	3	<1	1	2	2	3	6	8
GRAND TOTAL	**25635**	**1.8**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1271	1.4		<1	<1	1	2	2	2	2
20-34	18	1.9		<1	1	2	2	3	3	3
35-49	6	1.7		1	1	2	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2368	1.5		<1	<1	1	2	2	2	4
20-34	20	2.9	11	<1	1	2	3	4	10	17
35-49	6	2.5	1	2	2	2	2	5	5	5
50-64	2	7.5	85	<1	<1	7	14	14	14	14
65+	3	3.3	10	<1	<1	2	6	7	7	7
TOT. SINGLE DX	1297	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	2399	1.6	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	3639	1.5	1	<1	<1	1	2	2	2	3
20-34	38	2.4	6	<1	1	2	2	3	4	17
35-49	12	2.1	1	1	1	2	2	3	5	5
50-64	3	6.7	44	<1	<1	5	12	14	14	14
65+	4	2.8	8	<1	<1	1	4	7	7	7
GRAND TOTAL	**3696**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	554	2.5	3	<1	1	2	3	5	6	9
20-34	454	2.7	3	1	1	2	3	4	6	10
35-49	178	3.5	23	1	1	3	4	6	8	35
50-64	173	5.1	71	1	1	3	5	9	17	59
65+	143	4.9	50	1	1	3	6	9	12	55
2. MULTIPLE DX										
0-19 YRS	227	3.2	10	1	1	2	4	6	8	16
20-34	158	4.4	30	1	1	3	5	8	10	34
35-49	104	6.8	82	1	2	4	7	13	21	53
50-64	219	9.4	160	1	2	5	11	22	30	91
65+	216	11.4	196	1	2	7	14	24	32	85
TOT. SINGLE DX	1502	3.2	19	1	1	2	4	5	8	19
" MULTIPLE DX	924	7.2	111	1	1	4	8	17	24	63
TOTAL 0-19 YRS	781	2.7	6	1	1	2	3	5	7	12
20-34	612	3.1	11	1	1	2	4	5	8	15
35-49	282	4.7	47	1	1	3	5	10	12	36
50-64	392	7.5	126	1	1	4	8	18	29	63
65+	359	8.8	148	1	2	5	10	19	26	78
GRAND TOTAL	**2426**	**4.7**	**58**	**1**	**1**	**3**	**5**	**9**	**15**	**40**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	2.3	2	<1	<1	2	3	4	5	8
20-34	41	3.4	5	<1	1	3	4	6	8	13
35-49	42	3.4	6	<1	1	3	4	7	9	13
50-64	81	4.3	7	<1	1	4	6	8	10	11
65+	109	3.6	12	<1	1	3	4	7	9	23
2. MULTIPLE DX										
0-19 YRS	243	4.0	16	1	2	3	5	6	7	18
20-34	40	4.9	19	<1	1	4	6	9	12	25
35-49	68	4.8	14	1	1	4	6	11	12	18
50-64	159	5.6	49	1	1	4	6	11	16	34
65+	268	6.4	33	1	2	5	8	13	16	33
TOT. SINGLE DX	358	3.4	8	<1	<1	3	4	7	8	13
" MULTIPLE DX	778	5.3	30	1	2	4	6	10	14	26
TOTAL 0-19 YRS	328	3.6	14	1	1	3	4	6	7	12
20-34	81	4.1	13	<1	1	4	5	7	11	21
35-49	110	4.2	12	<1	1	3	5	10	12	17
50-64	240	5.2	35	1	1	4	6	10	12	29
65+	377	5.6	29	1	1	4	7	11	15	27
GRAND TOTAL	1136	4.7	24	1	1	3	6	9	12	22

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	145	1.6		<1	1	2	2	2	2	4
20-34	263	1.7	1	<1	<1	2	2	2	3	5
35-49	431	2.2	6	<1	1	2	2	3	4	17
50-64	706	2.2	3	<1	1	2	2	3	5	10
65+	405	2.4	5	1	1	2	2	4	6	13
2. MULTIPLE DX										
0-19 YRS	37	2.6	8	1	1	2	2	7	11	13
20-34	105	3.2	13	1	1	2	3	6	10	23
35-49	286	5.6	58	1	1	2	5	15	24	40
50-64	674	5.8	65	1	1	2	6	15	22	42
65+	484	7.2	67	1	2	3	10	17	24	45
TOT. SINGLE DX	1950	2.1	4	<1	1	2	2	3	4	11
" MULTIPLE DX	1586	5.9	61	1	1	2	7	15	23	41
TOTAL 0-19 YRS	182	1.8	2	<1	1	2	2	2	2	11
20-34	368	2.2	5	<1	1	2	2	3	5	14
35-49	717	3.5	30	<1	1	2	3	7	14	31
50-64	1380	4.0	37	<1	1	2	3	9	15	30
65+	889	5.0	45	1	1	2	5	13	19	34
GRAND TOTAL	3536	3.8	33	<1	1	2	3	9	15	30

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	25	1	1	3	8	14	15	15
20-34	15	4.9	18	<1	2	3	5	13	14	14
35-49	24	6.3	18	1	1	6	10	12	14	15
50-64	63	9.6	66	1	2	9	13	19	24	44
65+	41	10.9	97	1	2	10	15	21	27	53
2. MULTIPLE DX										
0-19 YRS	6	12.0	238	3	3	5	11	40	43	43
20-34	19	9.6	60	2	3	6	14	23	26	27
35-49	28	13.1	124	1	1	10	20	29	35	43
50-64	92	16.6	182	2	3	13	21	38	50	56
65+	71	17.7	193	3	4	14	24	39	45	94
TOT. SINGLE DX	150	8.8	64	1	2	8	12	18	22	46
" MULTIPLE DX	216	15.8	173	2	3	13	21	32	44	67
TOTAL 0-19 YRS	13	8.4	124	1	2	5	9	21	39	43
20-34	34	7.5	46	2	2	5	10	18	24	27
35-49	52	9.9	86	1	1	8	13	24	29	43
50-64	155	13.8	147	2	2	11	18	30	43	55
65+	112	15.2	168	2	2	12	21	31	45	82
GRAND TOTAL	366	12.9	140	1	2	10	17	28	41	56

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	29.0		29	29	29	29	29	29	29
35-49	19	16.9	45	9	10	16	20	23	31	38
50-64	81	17.4	67	10	10	15	19	27	31	53
65+	46	19.5	53	10	12	18	24	29	33	43
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	26	24.9	152	10	10	23	33	44	47	49
50-64	128	26.0	293	10	11	21	32	58	76	99+
65+	159	23.9	214	11	12	19	31	45	62	99+
TOT. SINGLE DX	148	18.0	62	10	11	16	21	28	31	47
" MULTIPLE DX	315	24.7	243	10	12	20	31	46	65	99+
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	16.0	338	3	3	16	29	29	29	29
35-49	45	21.5	121	10	10	18	27	42	44	49
50-64	209	22.7	223	10	11	17	28	43	62	92
65+	205	22.9	181	11	12	19	28	42	55	99+
GRAND TOTAL	463	22.6	195	10	11	18	28	42	57	99+

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	8	16.5	593	2	3	8	13	58	76	76
65+	3	17.0	9	14	14	18	60	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	10	28.5	812	1	2	34	61	86	99	99+
20-34	7	37.4	1002	5	5	24	62	81	86	86
35-49	15	34.0	942	2	2	25	58	72	92	99
50-64	37	28.2	521	5	5	23	46	70	99	99+
65+	54	38.7	552	6	10	38	64	87	99+	99+
TOT. SINGLE DX	14	14.3	343	2	4	9	16	76	94	99+
" MULTIPLE DX	123	34.1	634	4	5	34	59	85	99+	99+
TOTAL 0-19 YRS	10	28.5	812	1	2	34	61	86	99	99+
20-34	8	33.3	999	4	4	21	61	79	86	86
35-49	17	30.8	908	2	3	13	53	71	90	99
50-64	45	26.1	541	5	5	20	45	70	98	99+
65+	57	37.6	547	6	11	38	64	90	99+	99+
GRAND TOTAL	**137**	**32.1**	**638**	**4**	**5**	**29**	**54**	**84**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	9.6	220	<1	1	4	8	25	52	66
20-34	33	11.5	387	<1	1	3	7	59	64	66
35-49	42	11.7	365	1	2	4	9	59	69	99+
50-64	60	9.5	229	1	1	4	9	17	55	71
65+	53	10.8	242	1	2	4	13	30	39	87
2. MULTIPLE DX										
0-19 YRS	85	19.7	463	1	2	12	38	80	99+	99+
20-34	92	28.4	520	2	5	22	48	72	87	99+
35-49	91	25.4	475	1	2	25	46	72	99+	99+
50-64	286	26.6	628	2	2	19	49	77	98	99+
65+	330	34.3	688	2	3	34	59	84	99+	99+
TOT. SINGLE DX	237	10.5	273	1	1	4	9	33	60	77
" MULTIPLE DX	884	28.9	628	2	3	24	51	80	99+	99+
TOTAL 0-19 YRS	134	16.0	396	1	2	8	24	65	99+	99+
20-34	125	23.9	538	1	2	15	43	66	77	99+
35-49	133	21.1	478	1	2	14	38	68	99+	99+
50-64	346	23.6	601	1	2	14	45	73	88	99+
65+	383	31.1	693	2	2	30	54	82	99+	99+
GRAND TOTAL	**1121**	**25.0**	**609**	**1**	**2**	**16**	**47**	**74**	**97**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	7.3	59	1	1	5	10	14	16	41
20-34	141	6.4	28	1	2	5	9	14	19	26
35-49	289	7.7	36	1	2	6	10	15	18	31
50-64	698	8.9	53	2	2	7	12	19	24	33
65+	722	9.1	73	2	2	7	12	19	24	46
2. MULTIPLE DX										
0-19 YRS	39	8.4	55	1	2	6	13	18	23	34
20-34	303	9.8	66	2	2	8	13	20	28	47
35-49	721	11.7	85	2	3	10	15	22	29	48
50-64	2404	13.2	116	2	3	11	17	26	34	60
65+	3403	14.7	136	2	4	12	19	29	38	60
TOT. SINGLE DX	1880	8.6	57	2	2	7	11	18	23	35
" MULTIPLE DX	6870	13.6	122	2	3	11	17	27	36	58
TOTAL 0-19 YRS	69	7.9	56	1	1	5	11	16	21	40
20-34	444	8.7	57	2	2	7	11	18	26	38
35-49	1010	10.5	75	2	2	9	14	21	26	43
50-64	3102	12.2	106	2	3	10	16	24	32	57
65+	4125	13.7	130	2	3	11	18	28	36	58
GRAND TOTAL	**8750**	**12.5**	**113**	**2**	**3**	**10**	**16**	**25**	**33**	**56**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	4	8.0	81	1	1	5	14	21	21	21
65+	3	15.0	84	5	5	17	21	23	23	23
TOT. SINGLE DX	1	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	8	9.9	81	1	1	6	19	22	23	23
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64	4	8.0	81	1	1	5	14	21	21	21
65+	3	15.0	84	5	5	17	21	23	23	23
GRAND TOTAL	**9**	**8.9**	**80**	**1**	**1**	**5**	**18**	**22**	**23**	**23**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	12.7	76	5	6	8	16	27	33	36
20-34	124	11.2	48	5	6	9	14	20	24	39
35-49	221	10.7	56	2	4	9	13	20	26	48
50-64	451	12.1	66	2	4	10	15	21	27	41
65+	392	12.1	70	2	3	10	17	22	27	43
2. MULTIPLE DX										
0-19 YRS	52	18.1	237	5	6	13	22	51	56	99
20-34	187	14.4	119	4	5	11	17	25	32	64
35-49	349	15.1	127	3	5	11	19	30	36	74
50-64	1194	16.2	130	4	5	13	21	30	38	60
65+	1448	17.0	140	3	5	15	22	31	39	64
TOT. SINGLE DX	1207	11.8	64	2	4	10	15	21	27	41
" MULTIPLE DX	3230	16.4	136	3	5	14	21	31	39	64
TOTAL 0-19 YRS	71	16.7	198	5	6	12	20	41	53	92
20-34	311	13.1	93	4	5	10	16	22	30	63
35-49	570	13.4	104	3	5	10	17	27	35	70
50-64	1645	15.1	116	3	5	12	20	28	36	53
65+	1840	16.0	129	3	4	14	21	29	37	61
GRAND TOTAL	**4437**	**15.1**	**121**	**3**	**5**	**12**	**20**	**28**	**36**	**61**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	17.7	130	9	9	12	19	38	42	42
20-34	20	10.6	18	5	6	10	11	18	19	20
35-49	69	14.8	36	8	9	14	18	22	24	35
50-64	269	15.6	60	8	9	13	19	25	29	44
65+	203	16.5	55	9	10	15	20	27	31	43
2. MULTIPLE DX										
0-19 YRS	8	17.1	66	9	9	14	24	29	30	30
20-34	22	18.6	115	7	8	15	22	32	41	53
35-49	152	19.8	198	9	9	16	24	35	42	80
50-64	653	19.8	108	9	10	17	24	32	42	61
65+	609	21.3	131	9	10	19	26	35	43	66
TOT. SINGLE DX	568	15.7	56	8	9	14	19	25	30	42
" MULTIPLE DX	1444	20.4	128	9	10	18	25	34	42	70
TOTAL 0-19 YRS	15	17.4	89	9	9	13	20	30	39	42
20-34	42	14.8	84	6	7	11	19	26	32	53
35-49	221	18.2	153	8	9	15	21	32	37	75
50-64	922	18.6	98	9	9	16	22	30	38	59
65+	812	20.1	116	9	10	17	24	34	40	60
GRAND TOTAL	**2012**	**19.0**	**112**	**9**	**10**	**17**	**23**	**32**	**39**	**61**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	238	4.5	25	1	1	3	6	11	14	22
20-34	176	5.7	26	1	1	4	8	12	16	28
35-49	302	6.7	29	1	1	5	10	14	18	23
50-64	626	6.9	40	1	2	5	9	14	20	31
65+	542	9.0	75	1	2	7	12	19	25	43
2. MULTIPLE DX										
0-19 YRS	295	9.3	116	1	2	6	11	21	27	72
20-34	387	11.2	157	1	2	8	13	24	37	88
35-49	793	10.9	114	2	2	8	14	22	29	59
50-64	2182	12.3	124	2	3	9	16	25	33	62
65+	2731	14.6	136	3	4	12	19	29	38	64
TOT. SINGLE DX	1884	7.1	48	1	1	5	10	15	20	33
" MULTIPLE DX	6388	12.9	132	2	3	10	17	26	35	63
TOTAL 0-19 YRS	533	7.2	81	1	1	4	9	16	22	44
20-34	563	9.5	122	1	2	7	11	19	30	70
35-49	1095	9.7	94	1	2	7	12	19	26	53
50-64	2808	11.1	110	2	2	8	14	23	31	57
65+	3273	13.7	131	2	3	11	18	28	36	58
GRAND TOTAL	**8272**	**11.6**	**119**	**2**	**2**	**9**	**15**	**24**	**32**	**57**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	4.7	2	2	2	5	6	7	7	7
20-34	61	5.7	8	2	2	5	7	10	11	16
35-49	24	7.8	23	2	3	7	10	16	17	19
50-64	22	8.0	46	1	1	5	13	21	22	22
65+	19	11.0	91	2	2	7	16	24	33	38
2. MULTIPLE DX										
0-19 YRS	31	11.5	147	4	4	7	12	28	30	64
20-34	57	11.5	80	3	4	9	15	20	33	48
35-49	39	12.9	131	2	3	10	17	30	48	99+
50-64	77	14.1	108	3	4	11	18	26	36	49
65+	114	15.2	140	3	4	14	20	29	38	80
TOT. SINGLE DX	135	7.1	31	2	2	6	9	14	19	28
" MULTIPLE DX	318	13.6	122	3	4	10	17	28	36	66
TOTAL 0-19 YRS	40	9.9	123	3	4	6	10	22	30	64
20-34	118	8.5	52	2	3	7	10	17	20	40
35-49	63	11.0	96	2	3	8	15	22	32	95
50-64	99	12.7	101	2	3	10	17	24	32	49
65+	133	14.6	135	2	3	12	19	29	37	74
GRAND TOTAL	**453**	**11.7**	**104**	**2**	**3**	**9**	**16**	**23**	**31**	**64**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	6.5	26	2	2	5	8	12	14	24
20-34	664	6.0	13	2	3	5	7	10	13	18
35-49	240	7.2	49	2	3	5	8	12	19	36
50-64	193	10.7	64	2	3	9	14	22	28	34
65+	144	12.1	50	3	4	11	17	22	26	30
2. MULTIPLE DX										
0-19 YRS	374	13.3	174	3	4	9	16	25	43	73
20-34	635	9.9	105	2	3	7	11	18	28	58
35-49	463	12.3	117	3	4	9	15	25	36	73
50-64	903	15.3	152	4	5	12	19	31	39	69
65+	1154	17.7	182	4	6	14	23	33	44	78
TOT. SINGLE DX	1382	7.6	37	2	3	6	9	15	19	32
" MULTIPLE DX	3529	14.5	159	3	4	11	18	29	41	72
TOTAL 0-19 YRS	515	11.4	143	2	3	8	13	23	39	67
20-34	1299	7.9	62	2	3	6	9	14	19	47
35-49	703	10.5	100	3	3	7	12	22	30	61
50-64	1096	14.5	140	3	4	11	18	29	38	66
65+	1298	17.1	170	4	6	14	22	32	42	78
GRAND TOTAL	**4911**	**12.5**	**134**	**3**	**4**	**9**	**15**	**26**	**36**	**65**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	6.7	27	1	2	6	8	10	12	28
20-34	184	8.3	39	1	2	7	11	17	22	29
35-49	179	8.4	76	1	2	7	11	17	21	54
50-64	203	10.1	66	1	2	8	14	21	25	42
65+	175	11.7	98	2	2	10	16	22	34	50
2. MULTIPLE DX										
0-19 YRS	73	10.8	160	2	2	7	14	22	27	82
20-34	235	11.5	97	2	2	9	15	25	33	45
35-49	305	12.8	116	2	3	10	16	27	34	53
50-64	758	14.5	150	2	3	12	19	30	39	71
65+	910	15.8	151	3	4	12	20	31	39	65
TOT. SINGLE DX	895	9.1	65	1	2	7	12	19	23	40
" MULTIPLE DX	2281	14.3	143	2	3	11	18	30	38	61
TOTAL 0-19 YRS	227	8.0	73	1	2	6	9	14	21	42
20-34	419	10.1	74	2	2	8	13	20	28	41
35-49	484	11.2	106	1	2	9	14	23	32	54
50-64	961	13.6	136	2	3	11	18	28	36	61
65+	1085	15.1	145	3	4	12	19	30	38	61
GRAND TOTAL	**3176**	**12.9**	**127**	**2**	**3**	**10**	**17**	**26**	**35**	**57**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	177	10.5	33	7	7	9	12	15	20	43
20-34	70	10.9	13	7	8	10	12	15	17	28
35-49	112	11.9	12	8	8	11	13	17	19	23
50-64	163	14.7	29	9	10	13	17	20	25	36
65+	93	16.8	71	9	9	15	19	24	38	52
2. MULTIPLE DX										
0-19 YRS	226	14.2	87	7	8	11	16	25	34	57
20-34	135	18.5	160	8	9	13	22	38	46	62
35-49	256	17.6	122	9	9	14	19	34	43	57
50-64	679	19.7	120	10	11	17	23	33	44	62
65+	653	22.7	156	11	12	19	27	37	49	77
TOT. SINGLE DX	615	12.9	37	7	8	12	15	19	23	41
" MULTIPLE DX	1949	19.7	139	9	10	16	24	35	44	70
TOTAL 0-19 YRS	403	12.6	67	7	7	10	14	21	29	53
20-34	205	15.9	123	8	8	11	17	32	43	60
35-49	368	15.9	96	8	9	12	17	26	37	54
50-64	842	18.8	107	9	10	16	21	32	40	60
65+	746	21.9	150	10	12	18	26	37	47	75
GRAND TOTAL	**2564**	**18.1**	**123**	**8**	**9**	**15**	**21**	**32**	**42**	**65**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	14	11.5	16	7	8	10	13	18	20	21
35-49	430	11.9	14	8	8	11	14	16	19	26
50-64	1279	12.8	21	8	9	12	14	18	22	28
65+	449	14.8	37	9	9	13	17	22	27	35
2. MULTIPLE DX										
0-19 YRS	2	16.5	85	10	10	16	23	23	23	23
20-34	50	13.0	29	7	8	11	15	19	21	36
35-49	1445	14.1	45	8	9	12	16	21	26	39
50-64	5521	15.4	61	9	9	13	17	24	30	47
65+	2768	18.7	106	9	10	16	22	31	39	61
TOT. SINGLE DX	2173	13.0	24	8	9	12	15	19	22	31
" MULTIPLE DX	9786	16.1	75	9	9	13	18	26	32	52
TOTAL 0-19 YRS	3	13.7	66	8	8	10	20	23	23	23
20-34	64	12.7	27	7	8	11	15	18	21	35
35-49	1875	13.6	39	8	9	12	15	20	25	36
50-64	6800	14.9	55	9	9	13	17	23	28	45
65+	3217	18.1	99	9	10	15	21	30	38	60
GRAND TOTAL	**11959**	**15.5**	**67**	**9**	**9**	**13**	**18**	**25**	**31**	**49**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	583	2.0	4	1	1	2	2	2	3	12
20-34	418	3.7	12	1	2	2	4	8	11	16
35-49	2456	3.7	12	1	2	2	4	8	11	17
50-64	4758	3.7	13	1	2	2	4	8	11	18
65+	1335	4.2	19	2	2	2	4	9	13	21
2. MULTIPLE DX										
0-19 YRS	643	3.0	13	1	1	2	2	6	10	20
20-34	643	5.6	35	2	2	3	7	12	17	30
35-49	5715	5.3	31	2	2	3	7	12	15	25
50-64	14129	5.6	32	2	2	3	8	13	16	26
65+	6273	7.3	50	2	2	5	10	16	21	33
TOT. SINGLE DX	9550	3.6	14	1	2	2	4	8	11	18
" MULTIPLE DX	27403	5.9	37	2	2	3	8	13	17	28
TOTAL 0-19 YRS	1226	2.5	9	1	1	2	2	4	7	18
20-34	1061	4.8	28	1	2	3	6	11	14	29
35-49	8171	4.8	26	2	2	2	6	11	14	23
50-64	18887	5.1	29	2	2	3	7	12	16	24
65+	7608	6.7	47	2	2	4	9	15	20	32
GRAND TOTAL	**36953**	**5.3**	**32**	**2**	**2**	**3**	**7**	**12**	**16**	**26**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.9	30	1	2	4	6	13	21	22
20-34	25	6.6	20	1	3	5	9	14	16	18
35-49	69	9.1	34	2	2	8	14	17	20	25
50-64	299	8.8	39	2	2	7	12	16	20	30
65+	1076	8.1	36	2	3	7	10	15	19	27
2. MULTIPLE DX										
0-19 YRS	27	8.7	40	2	3	6	13	19	23	24
20-34	55	9.6	72	3	3	7	12	18	25	44
35-49	261	12.0	59	3	4	11	15	21	27	41
50-64	1656	13.5	86	3	4	12	17	24	30	47
65+	7997	13.8	95	3	4	12	18	26	33	49
TOT. SINGLE DX	1491	8.2	37	2	2	7	11	16	20	27
" MULTIPLE DX	9996	13.7	93	3	4	12	18	25	32	49
TOTAL 0-19 YRS	49	7.4	37	1	2	5	8	18	22	24
20-34	80	8.7	58	2	3	7	11	16	19	44
35-49	330	11.4	55	2	3	10	15	20	25	40
50-64	1955	12.8	83	3	4	11	17	24	29	46
65+	9073	13.1	91	3	4	11	17	25	31	48
GRAND TOTAL	**11487**	**12.9**	**89**	**3**	**4**	**11**	**17**	**24**	**31**	**48**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	10.0	20	5	6	9	11	16	20	24
20-34	25	8.8	19	2	3	9	11	13	17	22
35-49	111	6.1	24	2	2	4	8	12	16	25
50-64	206	6.3	30	2	2	4	7	12	16	31
65+	86	7.2	42	2	2	4	9	17	19	33
2. MULTIPLE DX										
0-19 YRS	35	12.5	102	2	4	10	16	23	31	55
20-34	87	11.5	103	2	3	9	13	20	30	91
35-49	284	10.5	100	2	3	8	13	21	29	51
50-64	713	11.2	110	2	3	8	15	24	31	57
65+	341	13.9	166	2	3	10	19	28	41	66
TOT. SINGLE DX	450	6.7	31	2	2	5	9	14	18	27
" MULTIPLE DX	1460	11.7	122	2	3	9	16	24	33	58
TOTAL 0-19 YRS	57	11.5	71	3	4	9	14	22	24	53
20-34	112	10.9	86	2	3	9	13	19	28	85
35-49	395	9.2	83	2	2	6	12	20	26	48
50-64	919	10.1	97	2	3	6	14	22	29	54
65+	427	12.5	149	2	3	9	17	25	38	64
GRAND TOTAL	**1910**	**10.6**	**105**	**2**	**3**	**7**	**14**	**22**	**30**	**54**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	308	3.6	14	<1	1	2	5	8	12	18
20-34	247	4.6	28	<1	<1	2	6	13	15	24
35-49	328	3.9	22	<1	1	2	4	9	13	24
50-64	424	4.7	39	<1	1	2	5	11	16	34
65+	406	6.1	64	1	1	3	8	14	21	48
2. MULTIPLE DX										
0-19 YRS	982	5.9	58	1	2	4	6	12	17	46
20-34	342	8.9	83	1	1	6	12	20	26	43
35-49	584	10.0	115	1	2	7	12	21	31	57
50-64	1462	10.4	106	1	2	8	14	22	29	57
65+	2980	14.0	135	2	3	11	18	28	36	59
TOT. SINGLE DX	1713	4.6	37	<1	1	2	5	12	16	29
" MULTIPLE DX	6350	11.3	120	2	2	8	15	25	33	57
TOTAL 0-19 YRS	1290	5.4	49	1	1	3	5	11	16	42
20-34	589	7.1	65	<1	1	4	9	16	22	37
35-49	912	7.8	90	1	1	5	10	17	25	53
50-64	1886	9.1	97	1	1	6	12	20	28	51
65+	3386	13.0	133	2	2	10	18	27	35	57
GRAND TOTAL	**8063**	**9.9**	**110**	**1**	**2**	**7**	**13**	**22**	**30**	**53**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.5	3	1	1	3	4	6	7	8
20-34	935	4.2	4	2	2	4	5	7	8	13
35-49	1238	4.4	7	2	2	4	5	7	8	16
50-64	978	5.0	10	2	2	4	6	8	10	17
65+	257	6.6	26	2	3	5	8	12	16	29
2. MULTIPLE DX										
0-19 YRS	7	7.3	32	4	4	5	6	17	20	20
20-34	231	5.7	17	2	3	4	7	10	14	25
35-49	488	6.9	38	2	3	5	8	13	19	29
50-64	724	8.2	46	3	3	6	10	16	21	35
65+	315	11.2	93	3	4	8	14	24	33	45
TOT. SINGLE DX	3450	4.7	9	2	2	4	5	7	9	18
" MULTIPLE DX	1765	8.1	52	3	3	6	9	16	22	37
TOTAL 0-19 YRS	49	4.1	9	1	1	3	5	7	7	20
20-34	1166	4.5	8	2	2	4	5	7	8	17
35-49	1726	5.2	18	2	2	4	6	8	12	24
50-64	1702	6.4	28	2	3	5	7	12	16	29
65+	572	9.1	68	3	3	6	11	19	28	41
GRAND TOTAL	**5215**	**5.8**	**26**	**2**	**2**	**4**	**6**	**10**	**14**	**29**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	8.1	29	1	2	8	10	13	22	25
20-34	38	7.8	24	2	3	7	10	14	19	23
35-49	173	10.8	34	3	5	10	12	18	24	43
50-64	697	12.2	35	5	6	11	14	19	24	33
65+	570	14.0	58	6	7	12	17	22	29	46
2. MULTIPLE DX										
0-19 YRS	67	17.3	284	5	5	11	22	41	66	97
20-34	166	13.6	174	2	3	11	17	27	41	95
35-49	600	15.3	129	4	6	12	19	30	39	87
50-64	2222	17.1	143	5	7	14	21	31	43	74
65+	2637	21.4	203	7	9	17	26	40	52	81
TOT. SINGLE DX	1508	12.5	46	4	6	11	15	20	25	39
" MULTIPLE DX	5692	18.8	179	5	7	15	23	36	46	81
TOTAL 0-19 YRS	97	14.5	223	2	4	10	19	35	53	93
20-34	204	12.5	151	2	3	10	15	25	36	94
35-49	773	14.3	112	3	5	12	17	28	37	78
50-64	2919	15.9	122	5	7	13	19	28	39	65
65+	3207	20.0	186	7	8	16	24	37	49	77
GRAND TOTAL	**7200**	**17.5**	**157**	**5**	**7**	**14**	**21**	**33**	**43**	**74**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	3	21.7	90	12	12	22	29	31	31	31
65+	3	19.3	256	3	3	20	31	35	35	35
TOT. SINGLE DX	2	17.0	8	15	15	17	19	19	19	19
" MULTIPLE DX	7	20.1	118	3	5	20	29	34	35	35
TOTAL 0-19 YRS										
20-34										
35-49	2	18.5	1	18	18	18	19	19	19	19
50-64	3	21.7	90	12	12	22	29	31	31	31
65+	4	18.3	176	3	3	17	27	35	35	35
GRAND TOTAL	**9**	**19.4**	**91**	**3**	**7**	**19**	**24**	**33**	**35**	**35**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.0	21	<1	1	3	5	11	15	19
20-34	27	4.4	25	<1	<1	3	6	8	12	26
35-49	27	5.4	15	<1	<1	4	8	12	13	13
50-64	45	6.3	21	1	2	5	8	12	17	20
65+	24	7.2	26	<1	1	7	10	14	18	19
2. MULTIPLE DX										
0-19 YRS	66	5.5	65	<1	<1	3	5	14	17	46
20-34	492	6.1	45	<1	<1	4	8	13	18	37
35-49	627	6.6	54	<1	<1	4	8	15	19	37
50-64	1097	7.7	78	<1	<1	5	9	16	22	44
65+	992	9.0	93	1	2	6	11	18	26	54
TOT. SINGLE DX	145	5.7	22	<1	1	4	8	12	16	20
" MULTIPLE DX	3274	7.6	75	<1	<1	5	9	16	22	45
TOTAL 0-19 YRS	88	5.4	54	<1	<1	3	5	12	16	45
20-34	519	6.1	45	<1	<1	4	8	13	18	36
35-49	654	6.5	53	<1	<1	4	8	14	19	36
50-64	1142	7.6	77	<1	<1	5	9	16	22	44
65+	1016	8.9	92	1	2	6	11	18	26	53
GRAND TOTAL	**3419**	**7.5**	**72**	**<1**	**<1**	**5**	**9**	**16**	**22**	**44**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	8.7	124	1	1	6	10	15	22	68
20-34	287	8.1	96	1	1	5	10	17	26	46
35-49	427	9.7	86	1	2	8	12	19	25	52
50-64	1631	9.5	52	2	3	8	12	17	21	38
65+	2231	10.2	49	3	4	9	13	18	22	36
2. MULTIPLE DX										
0-19 YRS	2054	21.2	440	2	4	13	30	59	78	99+
20-34	929	10.0	115	1	1	7	14	23	32	70
35-49	1368	12.5	136	2	2	9	16	27	37	76
50-64	5678	14.1	146	3	4	11	17	28	38	75
65+	9025	16.5	162	4	5	13	21	31	42	73
TOT. SINGLE DX	4867	9.7	61	2	3	8	12	18	22	40
" MULTIPLE DX	19054	15.7	190	3	4	12	20	32	46	85
TOTAL 0-19 YRS	2345	19.6	418	2	4	12	27	55	75	99+
20-34	1216	9.6	112	1	1	6	13	22	31	67
35-49	1795	11.9	126	2	2	9	15	25	34	73
50-64	7309	13.0	129	2	4	10	16	25	35	71
65+	11256	15.2	146	4	5	12	19	29	39	69
GRAND TOTAL	**23921**	**14.5**	**170**	**2**	**4**	**11**	**18**	**29**	**41**	**79**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	584	3.5	17	<1	1	2	4	8	10	18
20-34	578	4.7	21	1	1	3	6	10	15	23
35-49	452	5.0	22	1	1	3	7	11	14	23
50-64	520	6.8	38	1	2	5	9	14	19	32
65+	429	8.7	59	2	2	7	11	19	24	35
2. MULTIPLE DX										
0-19 YRS	221	6.0	41	1	2	4	8	12	16	32
20-34	472	8.6	75	1	2	6	10	18	26	44
35-49	569	9.7	80	2	2	7	13	21	27	42
50-64	1197	11.5	96	2	3	9	15	24	30	57
65+	1433	13.3	115	2	3	11	17	27	35	54
TOT. SINGLE DX	2563	5.6	34	1	1	3	7	12	17	28
" MULTIPLE DX	3892	11.2	100	2	2	9	15	24	31	50
TOTAL 0-19 YRS	805	4.2	25	<1	1	2	5	9	12	20
20-34	1050	6.4	49	1	2	4	8	14	20	35
35-49	1021	7.6	60	1	2	5	10	17	24	38
50-64	1717	10.1	83	2	2	8	13	21	27	48
65+	1862	12.2	106	2	3	10	16	25	32	49
GRAND TOTAL	**6455**	**9.0**	**81**	**1**	**2**	**6**	**12**	**20**	**27**	**44**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.6	6	1	1	3	5	8	9	9
20-34	41	6.1	17	1	2	5	8	13	15	15
35-49	29	12.2	118	2	3	9	14	22	36	55
50-64	92	9.8	47	3	4	8	12	19	27	73
65+	104	11.2	58	3	4	9	13	22	24	43
2. MULTIPLE DX										
0-19 YRS	15	7.0	17	2	2	6	11	13	13	13
20-34	55	9.9	144	2	3	8	10	14	18	85
35-49	88	12.6	160	3	4	9	14	24	40	74
50-64	266	12.6	104	3	4	10	15	25	35	66
65+	265	14.0	147	4	5	10	17	29	39	64
TOT. SINGLE DX	278	9.7	57	2	3	8	12	20	24	48
" MULTIPLE DX	689	12.8	131	3	4	10	15	25	36	69
TOTAL 0-19 YRS	27	5.5	15	1	2	4	8	12	13	13
20-34	96	8.3	93	2	2	7	10	14	15	65
35-49	117	12.5	149	3	4	9	14	23	40	66
50-64	358	11.9	92	3	4	9	14	24	34	68
65+	369	13.2	124	3	5	10	16	25	35	57
GRAND TOTAL	**967**	**11.9**	**112**	**3**	**4**	**9**	**14**	**23**	**35**	**58**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	12.0	162	3	3	12	21	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	13.0		13	13	13	13	13	13	13
TOT. SINGLE DX										
" MULTIPLE DX	6	9.2	47	3	3	7	13	20	21	21
TOTAL 0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	2	12.0	162	3	3	12	21	21	21	21
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**6**	**9.2**	**47**	**3**	**3**	**7**	**13**	**20**	**21**	**21**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	2	22.5	685	4	4	22	41	41	41	41
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	2	26.0	338	13	13	26	39	39	39	39
50-64										
65+										
TOT. SINGLE DX	3	17.7	412	4	4	8	33	41	41	41
" MULTIPLE DX	2	26.0	338	13	13	26	39	39	39	39
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	4	24.3	345	4	4	26	40	41	41	41
50-64										
65+										
GRAND TOTAL	5	21.0	312	4	4	13	39	41	41	41

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	438	7.2	33	1	2	6	9	14	18	31
20-34	460	9.0	63	2	3	7	11	17	27	39
35-49	384	8.8	66	2	2	7	10	17	24	47
50-64	601	8.9	69	2	2	7	11	17	24	47
65+	744	10.8	97	2	3	8	13	24	31	50
2. MULTIPLE DX										
0-19 YRS	549	10.1	96	2	3	7	11	21	30	54
20-34	1041	12.5	136	3	4	9	14	25	39	67
35-49	1170	13.0	144	3	4	9	15	26	36	70
50-64	2709	14.2	148	3	4	11	17	28	37	65
65+	6187	14.2	123	3	4	11	18	28	36	55
TOT. SINGLE DX	2627	9.2	71	2	2	7	11	18	26	45
" MULTIPLE DX	11656	13.7	132	3	4	10	17	27	36	60
TOTAL 0-19 YRS	987	8.8	71	2	2	7	10	18	25	46
20-34	1501	11.5	117	3	4	8	13	23	33	59
35-49	1554	12.0	129	3	3	9	14	23	34	63
50-64	3310	13.2	138	3	3	10	16	27	36	62
65+	6931	13.9	122	3	4	11	17	27	35	55
GRAND TOTAL	14283	12.9	124	3	4	10	16	26	35	58

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	13.5	143	2	3	9	20	35	44	97
20-34	80	11.4	92	1	2	9	15	26	31	42
35-49	79	11.8	170	1	2	8	15	30	36	70
50-64	82	11.2	117	1	2	8	16	25	44	99+
65+	48	13.8	84	3	4	12	17	27	33	39
2. MULTIPLE DX										
0-19 YRS	191	18.4	410	2	3	9	25	51	71	99+
20-34	247	19.4	329	2	3	13	27	44	60	99
35-49	302	15.8	224	2	3	11	20	37	52	80
50-64	587	16.9	238	2	3	12	23	40	50	89
65+	672	22.0	290	3	5	18	31	46	58	85
TOT. SINGLE DX	343	12.1	123	1	2	9	16	28	37	76
" MULTIPLE DX	1999	18.9	287	2	4	14	27	43	58	91
TOTAL 0-19 YRS	245	17.3	355	2	3	9	25	49	69	99+
20-34	327	17.4	283	2	3	12	23	40	55	93
35-49	381	15.0	215	2	3	10	19	35	51	75
50-64	669	16.2	227	2	3	11	22	39	49	98
65+	720	21.4	281	3	5	17	29	44	56	84
GRAND TOTAL	2342	17.9	268	2	3	13	25	41	54	91

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	5.0	37	<1	1	2	7	14	19	30
20-34	125	4.9	12	1	1	4	7	9	12	15
35-49	145	7.5	49	1	1	5	10	15	22	32
50-64	260	7.8	73	1	1	5	9	17	23	35
65+	332	7.9	51	1	2	6	11	17	21	32
2. MULTIPLE DX										
0-19 YRS	78	8.5	100	1	2	6	10	18	29	59
20-34	275	8.8	86	1	2	7	11	16	21	54
35-49	561	9.7	97	2	3	7	11	19	26	55
50-64	1271	10.7	117	2	2	8	13	22	31	64
65+	2029	12.2	117	2	3	9	16	25	35	59
TOT. SINGLE DX	945	7.2	52	1	1	5	9	16	21	31
" MULTIPLE DX	4214	11.1	114	2	3	8	14	23	32	60
TOTAL 0-19 YRS	161	6.7	71	1	1	4	8	16	23	37
20-34	400	7.5	66	1	1	6	9	15	18	41
35-49	706	9.3	88	1	2	7	11	19	26	44
50-64	1531	10.2	111	1	2	7	12	21	29	63
65+	2361	11.6	111	2	3	9	15	24	33	57
GRAND TOTAL	5159	10.4	105	1	2	8	13	22	30	57

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	587	4.2	4	2	2	4	5	6	8	12
20-34	7	7.1	10	3	3	8	10	11	11	11
35-49	9	12.2	21	4	6	12	16	19	19	19
50-64	8	14.0	29	9	9	12	16	23	25	25
65+	7	23.7	704	2	4	10	27	70	80	80
2. MULTIPLE DX										
0-19 YRS	153	6.5	23	3	3	5	8	10	13	35
20-34	14	15.7	94	5	5	16	21	36	84	99+
35-49	13	13.8	50	4	7	12	20	24	27	28
50-64	32	23.6	317	7	9	17	31	49	67	76
65+	49	24.5	243	7	10	20	32	40	63	75
TOT. SINGLE DX	618	4.7	18	2	2	4	5	7	10	18
" MULTIPLE DX	261	12.8	168	3	3	8	15	31	38	75
TOTAL 0-19 YRS	740	4.7	9	2	2	4	6	7	10	14
20-34	21	12.9	82	3	4	10	19	34	62	99+
35-49	22	13.2	38	4	7	12	18	22	25	28
50-64	40	21.7	272	8	9	15	27	43	63	76
65+	56	24.4	290	6	9	19	32	42	71	80
GRAND TOTAL	879	7.1	76	2	2	4	7	14	22	45

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	13.3	253	4	4	8	10	41	49	49
20-34	6	9.5	32	2	2	9	13	17	18	18
35-49	8	11.6	61	2	3	8	19	22	23	23
50-64	25	18.9	240	3	5	11	27	42	49	66
65+	47	20.4	333	3	5	15	24	41	54	99
2. MULTIPLE DX										
0-19 YRS	47	19.0	322	4	5	12	27	50	95	99+
20-34	39	16.6	150	4	5	13	25	49	99+	99+
35-49	63	30.9	477	4	6	28	45	73	97	99+
50-64	192	26.5	344	7	9	23	37	65	86	99+
65+	763	27.1	313	6	9	23	36	51	66	96
TOT. SINGLE DX	93	18.0	265	3	5	13	23	40	49	85
" MULTIPLE DX	1104	26.5	329	6	8	23	37	53	71	99+
TOTAL 0-19 YRS	54	18.3	313	4	5	11	27	49	83	99+
20-34	45	15.7	140	3	5	12	23	46	99+	99+
35-49	71	28.7	467	3	6	25	43	71	93	99+
50-64	217	25.6	337	6	8	22	36	64	78	99+
65+	810	26.7	317	6	8	23	36	51	65	97
GRAND TOTAL	1197	25.8	329	5	7	22	36	53	70	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	7.9	138	1	2	5	8	11	13	71
20-34	207	6.4	12	2	3	6	8	11	12	19
35-49	327	7.4	24	2	3	6	9	14	17	28
50-64	404	7.1	29	2	3	6	9	12	16	31
65+	400	8.9	48	2	3	7	11	17	21	39
2. MULTIPLE DX										
0-19 YRS	80	9.2	106	2	3	7	10	14	19	68
20-34	713	8.9	51	2	3	7	11	16	22	40
35-49	1417	9.6	52	3	3	8	11	18	22	39
50-64	2588	10.8	63	3	4	9	13	19	25	45
65+	4264	12.6	82	4	5	10	15	23	30	48
TOT. SINGLE DX	1371	7.6	34	2	3	6	9	14	17	31
" MULTIPLE DX	9062	11.3	72	3	4	9	14	21	27	45
TOTAL 0-19 YRS	113	8.8	115	2	3	7	9	13	18	74
20-34	920	8.3	44	2	3	7	10	14	20	37
35-49	1744	9.2	48	3	3	7	11	17	22	38
50-64	2992	10.3	60	3	4	8	13	18	24	43
65+	4664	12.3	80	3	4	10	15	23	30	48
GRAND TOTAL	10433	10.8	68	3	4	9	13	20	26	44

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	11.2	64	4	4	9	14	25	25	25
20-34	87	13.1	53	4	7	11	16	22	30	40
35-49	144	13.1	29	7	8	11	16	20	24	30
50-64	182	15.1	82	8	9	13	18	23	27	52
65+	175	17.4	48	9	10	16	21	27	34	40
2. MULTIPLE DX										
0-19 YRS	5	16.0	32	10	10	17	19	24	24	24
20-34	98	18.2	215	6	8	13	20	36	56	73
35-49	333	17.5	137	8	9	14	20	30	41	74
50-64	574	21.1	190	9	10	17	25	38	52	86
65+	798	24.4	189	10	12	21	29	43	55	82
TOT. SINGLE DX	593	15.0	58	7	8	13	18	23	28	39
" MULTIPLE DX	1808	21.7	188	9	10	18	26	40	51	82
TOTAL 0-19 YRS	10	13.6	50	4	6	11	18	24	25	25
20-34	185	15.8	145	6	8	12	18	27	41	71
35-49	477	16.2	109	8	8	13	19	26	35	69
50-64	756	19.7	171	8	9	16	23	34	47	85
65+	973	23.1	172	10	11	19	27	41	51	81
GRAND TOTAL	**2401**	**20.1**	**165**	**8**	**9**	**17**	**24**	**35**	**47**	**78**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	17.6	71	8	9	14	22	31	33	33
50-64	32	24.0	106	10	12	24	29	37	46	49
65+	26	22.3	141	10	11	18	28	31	50	61
2. MULTIPLE DX										
0-19 YRS										
20-34	4	16.3	12	12	12	16	19	20	20	20
35-49	32	25.5	229	9	11	20	33	52	57	60
50-64	92	25.3	189	12	13	22	32	49	59	99+
65+	111	29.2	273	11	14	24	33	55	68	83
TOT. SINGLE DX	66	22.4	119	8	11	20	28	34	46	59
" MULTIPLE DX	239	27.0	234	11	13	23	32	52	60	87
TOTAL 0-19 YRS										
20-34	5	14.6	23	8	8	15	18	20	20	20
35-49	39	24.1	208	8	11	19	32	47	57	60
50-64	124	25.0	167	11	12	22	30	45	53	99+
65+	137	27.9	255	11	13	24	31	53	64	82
GRAND TOTAL	**305**	**26.0**	**212**	**10**	**12**	**23**	**31**	**49**	**59**	**85**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.0	15	6	6	9	13	15	15	15
20-34	76	11.5	23	7	7	10	14	19	21	28
35-49	131	11.5	29	6	6	10	14	19	22	33
50-64	102	12.2	27	7	8	11	14	19	22	35
65+	72	15.9	50	8	8	15	19	27	28	40
2. MULTIPLE DX										
0-19 YRS	5	26.6	432	9	9	21	39	60	60	60
20-34	100	14.8	160	7	8	10	16	24	37	81
35-49	184	14.8	100	7	7	12	18	23	30	54
50-64	261	17.4	102	8	8	15	21	29	39	55
65+	274	23.0	228	9	10	18	28	41	55	84
TOT. SINGLE DX	385	12.5	34	6	7	11	15	20	23	34
" MULTIPLE DX	824	18.4	164	7	8	15	21	33	43	78
TOTAL 0-19 YRS	9	19.2	298	6	7	11	24	49	60	60
20-34	176	13.4	103	7	7	10	15	20	26	75
35-49	315	13.5	74	6	7	11	16	22	26	47
50-64	363	16.0	87	7	8	13	19	26	36	52
65+	346	21.5	200	9	10	17	26	38	49	81
GRAND TOTAL	**1209**	**16.6**	**130**	**7**	**8**	**13**	**19**	**28**	**38**	**68**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	8.1	44	3	3	7	9	11	13	44
20-34	584	8.5	14	5	6	8	9	12	14	21
35-49	473	9.6	24	5	6	9	11	14	17	32
50-64	199	10.9	28	6	7	9	12	16	22	33
65+	171	15.8	71	6	8	13	20	26	33	47
2. MULTIPLE DX										
0-19 YRS	124	15.5	177	5	6	11	19	34	48	99+
20-34	952	11.3	70	5	6	9	12	18	26	52
35-49	1277	11.8	64	6	6	9	12	20	28	53
50-64	801	16.1	142	6	7	12	19	29	42	72
65+	851	22.0	208	8	9	18	28	40	53	87
TOT. SINGLE DX	1503	10.0	32	5	6	8	11	16	21	34
" MULTIPLE DX	4005	14.8	133	6	7	11	17	28	39	72
TOTAL 0-19 YRS	200	12.7	140	3	5	9	14	29	46	92
20-34	1536	10.3	51	5	6	8	11	15	22	45
35-49	1750	11.2	54	5	6	9	12	18	25	46
50-64	1000	15.1	124	6	7	11	18	27	39	69
65+	1022	21.0	191	8	9	17	26	39	51	86
GRAND TOTAL	**5508**	**13.5**	**110**	**5**	**6**	**10**	**15**	**26**	**35**	**64**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	5.8	27	1	2	5	7	11	14	27
20-34	550	6.3	23	1	2	5	8	12	15	26
35-49	496	5.9	27	1	1	5	8	11	15	25
50-64	852	5.3	25	1	1	3	8	12	14	22
65+	789	6.0	41	1	1	3	9	13	17	32
2. MULTIPLE DX										
0-19 YRS	241	8.5	71	2	3	6	9	16	23	46
20-34	866	9.0	63	2	3	7	11	16	23	42
35-49	1332	9.5	60	2	3	8	11	18	23	39
50-64	2738	9.4	63	1	2	8	12	18	24	41
65+	4445	11.7	93	2	2	10	15	23	30	48
TOT. SINGLE DX	2951	5.8	30	1	1	4	8	12	15	26
" MULTIPLE DX	9622	10.4	78	2	2	8	13	20	27	45
TOTAL 0-19 YRS	505	7.1	50	2	2	5	8	13	18	39
20-34	1416	8.0	50	1	2	6	10	15	20	37
35-49	1828	8.5	54	1	2	7	10	16	21	37
50-64	3590	8.4	57	1	2	7	11	16	22	38
65+	5234	10.9	90	1	2	9	14	22	29	46
GRAND TOTAL	**12573**	**9.3**	**71**	**1**	**2**	**7**	**12**	**19**	**25**	**42**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	9.9	34	5	6	9	11	16	34	99+
20-34	68	11.9	63	5	6	10	13	17	24	51
35-49	61	14.8	92	6	7	12	16	25	34	59
50-64	80	16.2	67	7	8	14	20	26	28	46
65+	85	16.7	60	8	8	15	20	26	33	43
2. MULTIPLE DX										
0-19 YRS	78	16.0	268	5	7	11	17	39	78	99+
20-34	247	16.0	149	6	7	12	17	29	47	68
35-49	230	18.9	180	7	8	15	23	36	50	77
50-64	439	22.5	232	8	9	17	28	46	62	99+
65+	760	23.0	218	8	10	19	28	43	58	99
TOT. SINGLE DX	327	14.5	71	6	7	12	17	25	32	48
" MULTIPLE DX	1754	21.0	216	7	9	17	26	40	56	99+
TOTAL 0-19 YRS	111	14.2	206	5	6	10	15	28	69	99+
20-34	315	15.1	133	6	7	12	16	28	45	67
35-49	291	18.0	164	7	8	14	22	34	48	72
50-64	519	21.5	212	8	9	17	27	42	59	99+
65+	845	22.4	206	8	10	18	28	40	56	98
GRAND TOTAL	**2081**	**20.0**	**199**	**7**	**8**	**16**	**24**	**38**	**54**	**99**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	14.1	111	6	7	11	14	26	40	54
20-34	185	13.2	37	6	8	12	16	20	24	36
35-49	323	12.8	38	7	8	11	14	20	27	36
50-64	802	13.7	34	8	9	12	16	20	24	35
65+	1219	15.7	42	9	10	14	18	23	28	39
2. MULTIPLE DX										
0-19 YRS	99	19.4	248	6	7	13	25	42	52	79
20-34	365	18.1	176	7	8	14	21	33	48	81
35-49	737	16.9	116	8	9	14	19	29	38	75
50-64	2575	17.9	104	9	10	15	21	28	36	63
65+	5788	21.5	132	10	11	18	26	36	44	68
TOT. SINGLE DX	2577	14.5	42	8	9	13	17	22	27	38
" MULTIPLE DX	9564	20.0	130	9	10	17	24	34	43	68
TOTAL 0-19 YRS	147	17.7	209	6	7	12	21	39	51	68
20-34	550	16.5	135	7	8	13	19	28	38	74
35-49	1060	15.6	96	7	8	13	18	26	35	62
50-64	3377	16.9	91	8	9	14	19	27	34	59
65+	7007	20.5	121	10	11	18	24	34	42	65
GRAND TOTAL	**12141**	**18.9**	**116**	**9**	**10**	**16**	**22**	**32**	**40**	**63**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.0	60	2	2	6	12	22	24	24
20-34	18	9.2	30	3	4	8	11	15	23	27
35-49	14	13.9	69	6	7	12	15	20	36	40
50-64	31	11.6	25	5	6	11	16	18	21	23
65+	40	15.8	114	7	8	12	21	27	30	67
2. MULTIPLE DX										
0-19 YRS	24	18.9	455	2	3	10	23	65	68	69
20-34	53	16.8	226	5	6	12	18	36	45	82
35-49	70	19.0	181	8	8	15	25	31	45	81
50-64	150	19.0	134	7	8	16	24	31	38	61
65+	300	23.5	213	8	10	19	29	43	56	76
TOT. SINGLE DX	112	12.8	72	4	6	11	16	23	27	50
" MULTIPLE DX	597	21.1	205	7	8	17	26	39	51	76
TOTAL 0-19 YRS	33	16.2	362	2	3	8	19	45	68	69
20-34	71	14.8	186	4	6	10	17	29	42	79
35-49	84	18.1	166	7	8	14	21	31	41	79
50-64	181	17.8	123	6	7	15	23	30	36	59
65+	340	22.6	208	8	9	18	27	41	56	76
GRAND TOTAL	**709**	**19.8**	**193**	**6**	**8**	**16**	**25**	**37**	**46**	**72**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	7.2	28	3	3	6	9	11	13	30
20-34	185	9.4	28	3	5	9	10	13	18	35
35-49	154	10.8	39	4	6	10	12	16	22	41
50-64	257	10.8	44	5	6	10	12	15	23	38
65+	297	11.4	43	4	5	10	14	18	21	40
2. MULTIPLE DX										
0-19 YRS	183	11.9	109	4	4	9	14	23	39	65
20-34	401	13.3	101	5	6	10	15	23	35	60
35-49	449	14.8	138	6	7	11	15	28	43	99+
50-64	740	16.0	121	6	7	12	19	30	38	60
65+	1140	17.2	135	6	7	14	21	33	41	67
TOT. SINGLE DX	1026	10.3	40	4	5	9	12	16	20	38
" MULTIPLE DX	2913	15.7	129	5	7	12	18	31	39	66
TOTAL 0-19 YRS	316	9.9	80	3	4	8	11	16	27	55
20-34	586	12.1	81	4	6	9	13	20	31	56
35-49	603	13.8	116	5	7	11	15	26	37	91
50-64	997	14.7	107	6	7	11	17	27	36	57
65+	1437	16.0	122	5	7	13	19	30	39	60
GRAND TOTAL	**3939**	**14.3**	**111**	**5**	**6**	**11**	**16**	**26**	**37**	**60**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.7	27	2	4	7	10	17	21	22
20-34	10	13.2	44	2	4	12	18	22	25	25
35-49	28	14.4	89	5	7	12	18	22	40	45
50-64	48	16.1	58	6	8	15	20	24	31	44
65+	104	19.2	78	8	10	18	24	31	34	52
2. MULTIPLE DX										
0-19 YRS	23	21.3	249	5	6	15	34	51	76	99+
20-34	39	18.0	223	5	7	13	22	41	66	99+
35-49	112	23.3	279	6	9	19	30	53	70	99+
50-64	345	24.1	257	8	10	19	30	47	64	99+
65+	788	25.5	196	10	12	22	32	44	54	89
TOT. SINGLE DX	204	16.8	78	6	8	15	21	28	33	47
" MULTIPLE DX	1307	24.6	223	9	10	21	31	45	56	99+
TOTAL 0-19 YRS	37	16.5	201	4	5	12	22	41	59	99+
20-34	49	17.0	189	4	7	13	20	35	53	99+
35-49	140	21.5	253	6	8	17	27	49	66	99+
50-64	393	23.2	240	7	9	19	29	44	60	96
65+	892	24.8	187	10	11	21	31	43	52	85
GRAND TOTAL	**1511**	**23.6**	**210**	**8**	**10**	**20**	**30**	**44**	**55**	**98**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9084	4.3	5	2	2	4	5	7	9	14
20-34	6157	4.4	5	2	2	4	5	7	9	13
35-49	1715	5.4	8	2	3	5	7	9	11	15
50-64	929	6.8	14	3	3	6	8	11	13	23
65+	385	8.4	17	3	4	8	11	14	16	23
2. MULTIPLE DX										
0-19 YRS	2392	6.6	29	3	3	5	8	11	14	26
20-34	2054	6.7	24	3	3	5	8	12	15	28
35-49	847	8.7	39	3	4	7	11	15	18	36
50-64	793	11.1	65	4	4	9	13	19	27	44
65+	664	13.9	81	5	6	11	17	25	30	53
TOT. SINGLE DX	18230	4.7	7	2	2	4	5	8	10	14
" MULTIPLE DX	6756	8.2	44	3	3	6	10	15	19	34
TOTAL 0-19 YRS	11476	4.8	11	2	2	4	5	8	10	17
20-34	8211	5.0	11	2	3	4	6	8	11	18
35-49	2562	6.5	21	2	3	5	8	11	14	22
50-64	1728	8.8	42	3	4	7	10	15	20	34
65+	1009	12.0	66	4	5	10	14	21	26	44
GRAND TOTAL	**24986**	**5.6**	**19**	**2**	**3**	**4**	**6**	**10**	**13**	**23**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	4.8	5	2	2	4	6	8	9	13
20-34	98	5.1	8	2	3	4	6	8	11	19
35-49	27	6.4	10	3	3	6	8	12	14	14
50-64	13	9.1	57	3	4	7	9	16	30	33
65+	5	10.6	26	4	4	11	15	16	16	16
2. MULTIPLE DX										
0-19 YRS	43	6.1	12	2	3	5	7	9	13	21
20-34	58	8.6	58	3	3	6	9	19	30	36
35-49	30	9.9	64	4	5	7	12	15	20	47
50-64	18	16.1	155	5	5	12	20	34	45	52
65+	16	15.2	52	6	7	15	21	27	28	28
TOT. SINGLE DX	271	5.3	11	2	3	4	6	9	11	16
" MULTIPLE DX	165	9.6	67	3	4	7	11	21	28	45
TOTAL 0-19 YRS	171	5.1	7	2	2	4	6	8	9	15
20-34	156	6.4	30	2	3	5	7	10	14	33
35-49	57	8.2	41	3	4	7	9	14	16	45
50-64	31	13.2	124	4	5	9	16	32	35	52
65+	21	14.1	49	5	6	14	18	25	27	28
GRAND TOTAL	**436**	**7.0**	**36**	**2**	**3**	**5**	**8**	**13**	**18**	**33**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	8.8	37	2	4	8	9	17	25	26
20-34	25	9.0	12	4	5	9	11	14	15	17
35-49	10	10.0	25	5	5	9	11	17	23	23
50-64	8	11.5	10	8	9	11	12	17	19	19
65+	5	9.4	30	6	6	7	11	19	19	19
2. MULTIPLE DX										
0-19 YRS	12	14.2	64	3	6	13	18	25	32	33
20-34	20	11.6	59	3	4	10	14	24	28	30
35-49	10	15.1	83	5	5	14	20	29	32	32
50-64	21	13.9	65	6	7	13	16	25	35	36
65+	13	22.5	163	9	11	17	29	42	51	53
TOT. SINGLE DX	73	9.4	23	4	4	9	11	16	19	26
" MULTIPLE DX	76	14.9	91	4	6	13	18	30	34	49
TOTAL 0-19 YRS	37	10.6	51	3	4	8	14	22	26	33
20-34	45	10.1	34	3	4	9	11	17	23	30
35-49	20	12.6	58	5	5	10	17	24	29	32
50-64	29	13.2	50	7	8	11	15	19	35	36
65+	18	18.8	158	6	6	15	26	37	47	53
GRAND TOTAL	**149**	**12.2**	**65**	**4**	**5**	**10**	**15**	**23**	**30**	**39**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	4.2	23	1	1	3	5	10	12	23
20-34	240	4.8	14	1	1	4	6	9	13	20
35-49	154	5.3	29	1	1	4	7	10	11	34
50-64	259	5.3	43	1	1	3	6	11	15	30
65+	401	5.6	25	1	2	4	7	12	17	26
2. MULTIPLE DX										
0-19 YRS	107	8.6	111	1	2	6	10	18	25	61
20-34	207	7.4	68	1	2	5	8	14	18	37
35-49	267	7.7	41	1	2	6	10	16	20	31
50-64	702	9.6	91	2	3	7	12	19	25	48
65+	1499	11.0	85	2	3	8	14	21	29	47
TOT. SINGLE DX	1220	5.1	27	1	1	4	6	11	14	26
" MULTIPLE DX	2782	10.0	84	2	3	7	13	20	27	46
TOTAL 0-19 YRS	273	5.9	62	1	1	4	7	13	18	42
20-34	447	6.0	41	1	2	5	7	12	15	26
35-49	421	6.8	39	1	2	5	8	13	19	32
50-64	961	8.5	82	1	2	6	11	17	23	45
65+	1900	9.8	77	2	2	7	13	20	27	45
GRAND TOTAL	**4002**	**8.5**	**72**	**1**	**2**	**6**	**11**	**17**	**23**	**43**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	3.1	4	1	1	2	4	6	8	11
20-34	311	3.4	4	1	1	3	4	6	7	11
35-49	246	4.2	10	1	1	3	5	8	11	19
50-64	115	4.3	7	1	2	3	6	8	10	13
65+	33	5.1	10	1	2	4	7	10	12	13
2. MULTIPLE DX										
0-19 YRS	23	6.1	22	1	1	5	8	13	16	20
20-34	152	5.6	26	2	2	4	6	10	14	26
35-49	201	6.4	40	1	2	4	7	13	23	31
50-64	178	7.6	43	2	2	5	10	16	20	34
65+	107	10.2	78	3	3	6	14	22	29	42
TOT. SINGLE DX	759	3.8	7	1	1	3	5	7	9	13
" MULTIPLE DX	661	7.1	46	2	2	5	9	15	22	34
TOTAL 0-19 YRS	77	4.0	12	1	1	3	5	8	11	18
20-34	463	4.1	13	1	1	3	5	7	10	17
35-49	447	5.2	26	1	1	4	6	9	14	29
50-64	293	6.3	32	1	2	4	8	12	17	32
65+	140	9.0	67	2	3	6	11	20	27	40
GRAND TOTAL	**1420**	**5.4**	**28**	**1**	**2**	**4**	**6**	**10**	**15**	**29**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.5	19	5	7	11	13	19	20	23
20-34	36	11.5	46	2	3	10	14	21	27	28
35-49	72	14.1	29	3	8	14	17	20	24	29
50-64	254	15.6	45	8	9	14	18	24	28	45
65+	305	17.6	72	9	10	16	20	26	30	49
2. MULTIPLE DX										
0-19 YRS	19	11.6	49	4	5	10	14	19	28	34
20-34	49	16.2	152	4	7	12	19	31	48	64
35-49	137	19.7	108	9	10	16	24	33	39	68
50-64	544	19.8	108	9	11	17	23	34	42	60
65+	1070	23.1	156	10	12	20	27	38	49	74
TOT. SINGLE DX	691	16.0	58	7	9	15	19	24	28	41
" MULTIPLE DX	1819	21.5	141	9	11	18	26	36	46	69
TOTAL 0-19 YRS	43	11.6	32	4	6	11	14	19	21	34
20-34	85	14.2	112	3	4	11	18	27	33	59
35-49	209	17.8	88	8	10	15	22	31	35	60
50-64	798	18.5	92	9	10	16	21	30	38	57
65+	1375	21.8	143	10	11	19	26	36	45	72
GRAND TOTAL	**2510**	**20.0**	**125**	**8**	**10**	**17**	**24**	**33**	**42**	**65**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	349	5.2	36	1	2	4	6	9	12	23
20-34	1205	5.5	13	1	2	5	7	10	12	19
35-49	1157	5.9	22	1	2	5	7	11	14	25
50-64	1154	6.2	25	1	2	5	8	12	14	26
65+	974	7.3	42	1	2	6	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	536	6.4	28	1	2	5	8	12	16	27
20-34	2946	7.4	42	2	2	6	9	14	18	32
35-49	4467	8.4	46	2	3	7	10	15	20	35
50-64	6206	9.1	51	2	3	7	11	17	22	38
65+	8681	10.9	73	3	4	9	13	20	27	46
TOT. SINGLE DX	4839	6.1	26	1	2	5	8	11	14	25
" MULTIPLE DX	22836	9.4	59	2	3	7	11	17	23	41
TOTAL 0-19 YRS	885	5.9	32	1	2	5	7	11	14	25
20-34	4151	6.9	35	2	2	5	8	12	16	29
35-49	5624	7.9	43	2	2	6	10	14	19	34
50-64	7360	8.6	49	2	3	7	11	16	21	36
65+	9655	10.6	72	2	3	8	13	20	27	45
GRAND TOTAL	**27675**	**8.8**	**55**	**2**	**3**	**7**	**11**	**17**	**22**	**39**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.6	2	<1	1	2	3	5	6	7
20-34	353	3.6	4	1	2	3	4	6	8	11
35-49	469	3.5	3	1	2	3	4	5	7	11
50-64	252	3.8	4	1	2	4	4	6	7	13
65+	83	4.6	19	2	2	4	5	7	10	31
2. MULTIPLE DX										
0-19 YRS	20	4.8	23	1	1	4	5	9	16	23
20-34	300	4.6	16	2	2	4	5	7	9	22
35-49	432	4.7	10	2	2	4	5	7	10	19
50-64	382	5.5	17	2	3	4	6	10	12	24
65+	168	8.6	75	3	3	6	10	15	24	48
TOT. SINGLE DX	1213	3.6	5	1	2	3	4	6	7	12
" MULTIPLE DX	1302	5.4	24	2	2	4	6	9	13	32
TOTAL 0-19 YRS	76	3.2	9	1	1	3	4	6	7	19
20-34	653	4.1	10	1	2	4	5	7	8	15
35-49	901	4.1	7	1	2	4	5	6	8	14
50-64	634	4.8	13	2	2	4	5	8	11	18
65+	251	7.3	60	2	3	5	8	14	22	47
GRAND TOTAL	**2515**	**4.6**	**16**	**1**	**2**	**4**	**5**	**8**	**10**	**22**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.0	3	<1	1	3	4	5	6	11
20-34	445	3.1	2	1	1	3	4	5	6	7
35-49	248	3.5	4	1	1	3	4	6	7	12
50-64	128	3.9	6	1	2	3	5	7	9	16
65+	80	4.5	6	2	2	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	54	4.1	6	1	1	4	5	7	10	13
20-34	420	4.7	11	1	2	4	5	8	9	19
35-49	448	5.1	14	2	2	4	6	8	11	22
50-64	367	6.2	61	2	2	4	6	10	15	47
65+	264	8.5	58	2	3	6	10	18	23	52
TOT. SINGLE DX	990	3.4	4	1	1	3	4	6	7	11
" MULTIPLE DX	1553	5.8	34	2	2	4	6	10	15	30
TOTAL 0-19 YRS	143	3.4	5	<1	1	3	4	6	8	11
20-34	865	3.9	7	1	2	3	5	6	8	13
35-49	696	4.5	11	1	2	4	5	8	10	16
50-64	495	5.6	48	1	2	4	6	9	14	29
65+	344	7.6	49	2	3	5	8	16	21	44
GRAND TOTAL	**2543**	**4.9**	**24**	**1**	**2**	**4**	**6**	**8**	**11**	**23**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.7	3	1	2	3	5	6	7	8
20-34	715	4.6	3	2	3	4	6	7	8	10
35-49	855	5.0	4	2	3	5	6	8	9	11
50-64	635	5.2	5	2	3	5	6	8	10	13
65+	190	5.7	5	3	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	110	5.1	8	2	3	5	6	7	8	19
20-34	2371	5.6	9	3	3	5	6	8	10	16
35-49	3567	6.1	15	3	3	5	7	10	12	20
50-64	2911	6.7	19	3	3	5	8	11	15	23
65+	1353	8.5	32	3	4	7	10	15	20	32
TOT. SINGLE DX	2420	5.0	5	2	3	5	6	8	9	12
" MULTIPLE DX	10312	6.5	18	3	3	5	7	10	14	24
TOTAL 0-19 YRS	135	4.9	8	2	3	5	6	7	8	16
20-34	3086	5.4	8	2	3	5	6	8	10	15
35-49	4422	5.9	14	3	3	5	7	9	12	19
50-64	3546	6.4	17	3	3	5	7	10	14	22
65+	1543	8.2	30	3	4	6	10	15	19	29
GRAND TOTAL	**12732**	**6.2**	**16**	**3**	**3**	**5**	**7**	**10**	**13**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	3.9	9	1	1	3	5	8	10	16
20-34	431	3.7	6	<1	1	3	5	7	8	13
35-49	345	3.7	8	1	1	3	4	7	9	15
50-64	211	4.1	7	1	1	3	5	7	9	15
65+	137	4.9	13	1	2	4	6	8	13	21
2. MULTIPLE DX										
0-19 YRS	59	6.7	89	2	2	5	7	11	14	68
20-34	321	5.5	44	1	2	4	7	9	13	33
35-49	358	6.2	48	1	2	5	7	12	15	33
50-64	374	7.3	43	2	2	5	9	14	21	36
65+	340	9.9	95	2	3	7	12	23	28	51
TOT. SINGLE DX	1213	3.9	8	1	1	3	5	7	9	15
" MULTIPLE DX	1452	7.2	62	2	2	5	8	14	20	37
TOTAL 0-19 YRS	148	5.0	43	1	1	3	6	9	11	20
20-34	752	4.5	24	1	1	3	5	8	10	19
35-49	703	5.0	31	1	1	4	6	9	13	22
50-64	585	6.1	33	1	2	4	7	12	16	31
65+	477	8.5	77	2	2	6	10	18	26	46
GRAND TOTAL	**2665**	**5.7**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**31**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	19.7	30	14	14	20	24	25	25	25
20-34	10	13.8	78	2	5	9	22	27	28	28
35-49	7	13.1	85	1	2	12	22	24	24	24
50-64	8	17.9	244	2	2	14	27	42	47	47
65+	7	8.4	94	1	1	2	16	24	25	25
2. MULTIPLE DX										
0-19 YRS	5	17.0	361	1	1	11	22	50	50	50
20-34	17	20.5	309	6	7	13	26	56	59	59
35-49	16	15.5	363	2	2	11	16	23	65	83
50-64	34	23.5	338	5	7	18	33	47	57	89
65+	59	25.0	370	3	5	21	33	49	65	90
TOT. SINGLE DX	35	14.0	118	1	2	11	23	26	31	47
" MULTIPLE DX	131	22.6	353	3	5	17	30	48	59	89
TOTAL 0-19 YRS	8	18.0	217	1	4	13	22	42	50	50
20-34	27	18.0	228	5	7	11	24	41	59	59
35-49	23	14.8	273	1	2	11	19	23	45	83
50-64	42	22.4	319	3	6	17	32	47	54	89
65+	66	23.3	365	2	3	19	31	46	58	89
GRAND TOTAL	**166**	**20.8**	**315**	**2**	**4**	**16**	**27**	**43**	**55**	**88**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	7.4	46	1	2	6	9	16	24	29
20-34	302	5.5	26	1	1	4	9	12	14	24
35-49	290	6.4	48	1	1	4	8	14	18	36
50-64	344	7.3	50	1	1	5	10	17	20	30
65+	237	8.4	60	1	1	6	12	19	25	33
2. MULTIPLE DX										
0-19 YRS	110	13.6	145	2	2	10	18	36	42	99+
20-34	513	11.3	120	1	2	9	13	23	32	67
35-49	763	10.6	80	1	2	8	14	21	26	44
50-64	1534	13.3	131	2	2	11	18	26	33	59
65+	1498	15.5	121	2	4	13	20	29	36	57
TOT. SINGLE DX	1233	6.9	47	1	1	4	10	15	20	33
" MULTIPLE DX	4418	13.3	121	2	2	11	18	27	34	58
TOTAL 0-19 YRS	170	11.4	119	2	2	8	15	29	38	91
20-34	815	9.2	93	1	1	7	11	19	26	56
35-49	1053	9.4	75	1	2	7	13	20	25	43
50-64	1878	12.2	122	1	2	10	17	25	32	57
65+	1735	14.5	119	2	3	12	20	28	35	55
GRAND TOTAL	**5651**	**11.9**	**112**	**1**	**2**	**9**	**16**	**25**	**32**	**54**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	539	7.4	9	4	4	7	8	11	13	17
20-34	5884	7.1	6	4	5	7	8	10	12	17
35-49	5168	7.5	9	4	5	7	8	11	13	18
50-64	4725	8.2	13	5	5	7	9	12	15	21
65+	2613	10.1	23	5	6	9	12	16	19	27
2. MULTIPLE DX										
0-19 YRS	320	10.0	27	5	5	9	12	16	19	27
20-34	4290	9.3	27	5	5	8	11	15	18	29
35-49	5471	10.3	40	5	5	8	12	17	21	34
50-64	8046	11.5	45	5	6	10	14	19	23	37
65+	8733	15.7	87	7	7	13	19	27	33	52
TOT. SINGLE DX	18929	7.9	13	4	5	7	9	12	14	20
" MULTIPLE DX	26860	12.3	61	5	6	10	15	21	26	44
TOTAL 0-19 YRS	859	8.3	18	4	5	7	9	14	16	24
20-34	10174	8.0	17	4	5	7	9	12	15	22
35-49	10639	9.0	27	5	5	8	10	14	18	28
50-64	12771	10.3	36	5	6	9	12	17	21	34
65+	11346	14.4	78	6	7	12	17	25	31	49
GRAND TOTAL	**45789**	**10.5**	**46**	**5**	**5**	**8**	**12**	**18**	**22**	**37**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	66	1	1	3	13	21	23	23
20-34	72	8.4	38	2	3	7	11	16	21	30
35-49	111	8.7	59	2	2	6	12	19	26	39
50-64	147	8.6	52	2	2	7	12	16	22	34
65+	240	14.3	89	2	3	13	19	26	32	42
2. MULTIPLE DX										
0-19 YRS	21	17.3	394	2	3	10	19	43	65	85
20-34	72	13.0	73	3	5	11	16	23	32	43
35-49	175	15.7	143	3	5	12	19	31	44	57
50-64	384	19.0	206	4	6	16	23	36	50	82
65+	882	20.6	157	4	7	18	27	37	46	68
TOT. SINGLE DX	577	10.9	75	2	2	9	15	22	28	39
" MULTIPLE DX	1534	19.3	172	4	6	16	25	35	46	70
TOTAL 0-19 YRS	28	14.9	324	1	2	9	17	36	53	85
20-34	144	10.7	61	2	3	9	13	21	29	41
35-49	286	13.0	122	2	3	10	17	27	37	51
50-64	531	16.1	186	2	3	13	21	32	44	79
65+	1122	19.3	150	3	5	17	25	35	43	67
GRAND TOTAL	**2111**	**17.0**	**159**	**3**	**4**	**14**	**22**	**32**	**42**	**67**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	9.7	57	1	2	9	12	19	27	31
20-34	118	7.2	39	1	1	6	10	17	20	30
35-49	190	7.9	70	1	1	5	11	17	26	52
50-64	176	10.5	136	1	1	6	15	26	34	58
65+	135	10.3	74	1	2	8	16	24	27	34
2. MULTIPLE DX										
0-19 YRS	27	17.3	202	3	4	11	23	35	55	55
20-34	165	12.5	164	2	2	9	14	26	42	69
35-49	369	15.6	219	2	3	11	20	35	46	77
50-64	545	17.6	263	2	4	12	23	39	53	89
65+	599	17.2	187	2	3	14	23	33	46	76
TOT. SINGLE DX	636	9.0	85	1	2	6	13	21	28	44
" MULTIPLE DX	1705	16.5	218	2	3	12	22	35	48	80
TOTAL 0-19 YRS	44	14.4	158	2	3	10	19	31	42	55
20-34	283	10.3	119	1	2	8	13	21	29	59
35-49	559	13.0	182	2	2	9	16	30	40	74
50-64	721	15.8	241	2	2	11	20	35	48	82
65+	734	15.9	174	2	3	13	22	32	42	73
GRAND TOTAL	**2341**	**14.5**	**193**	**2**	**2**	**10**	**19**	**32**	**43**	**77**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	587	4.4	9	1	2	4	6	8	10	16
20-34	1537	5.2	22	1	2	4	7	9	12	24
35-49	1424	5.3	18	1	2	4	7	10	13	23
50-64	1700	5.1	22	1	1	4	6	10	13	22
65+	1843	6.2	30	1	1	5	8	12	16	26
2. MULTIPLE DX										
0-19 YRS	522	5.7	21	1	2	5	7	10	13	22
20-34	2751	6.8	37	2	2	5	8	13	17	33
35-49	4180	7.2	38	2	2	5	9	14	18	33
50-64	7710	7.6	44	2	2	6	9	14	19	34
65+	14976	9.2	56	2	3	7	11	18	23	39
TOT. SINGLE DX	7091	5.4	23	1	1	4	7	10	13	23
" MULTIPLE DX	30139	8.2	49	2	3	6	10	16	21	36
TOTAL 0-19 YRS	1109	5.0	15	1	2	4	6	9	12	21
20-34	4288	6.3	33	2	2	5	8	11	15	31
35-49	5604	6.7	34	2	2	5	8	13	17	31
50-64	9410	7.2	42	1	2	5	9	13	18	33
65+	16819	8.9	54	2	3	7	11	17	23	38
GRAND TOTAL	**37230**	**7.7**	**46**	**2**	**2**	**6**	**9**	**15**	**20**	**35**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4398	2.2	2	<1	1	2	3	4	4	6
20-34	4561	3.5	1	2	2	3	4	5	6	8
35-49	3841	3.9	2	2	2	4	5	6	6	9
50-64	5564	4.3	3	2	2	4	5	6	7	11
65+	3914	5.1	6	2	3	5	6	8	9	15
2. MULTIPLE DX										
0-19 YRS	2268	2.6	12	<1	1	2	3	4	6	13
20-34	1572	4.3	5	2	2	4	5	7	8	14
35-49	2171	5.0	10	2	2	4	6	8	11	18
50-64	4483	5.9	17	2	3	5	7	10	13	23
65+	5455	7.9	37	3	3	6	9	14	19	33
TOT. SINGLE DX	22278	3.8	4	1	2	4	5	6	7	11
" MULTIPLE DX	15949	5.9	25	1	2	5	7	11	14	26
TOTAL 0-19 YRS	6666	2.3	6	<1	1	2	3	4	5	8
20-34	6133	3.7	3	2	2	3	4	5	6	9
35-49	6012	4.3	6	2	2	4	5	6	8	13
50-64	10047	5.0	11	2	3	4	6	8	10	17
65+	9369	6.7	27	3	3	5	8	12	15	28
GRAND TOTAL	**38227**	**4.6**	**14**	**1**	**2**	**4**	**5**	**8**	**10**	**19**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	577	2.1	1	<1	1	2	2	4	5	7
20-34	401	4.2	2	2	3	4	5	6	7	10
35-49	592	4.6	2	2	3	4	5	6	7	11
50-64	867	4.9	3	2	3	5	6	7	8	11
65+	555	5.7	5	3	3	5	7	9	10	14
2. MULTIPLE DX										
0-19 YRS	503	3.4	62	<1	1	2	3	5	8	67
20-34	186	4.9	8	2	3	4	6	7	8	18
35-49	355	5.7	30	2	3	5	6	8	11	20
50-64	841	6.5	16	3	3	6	7	10	14	23
65+	929	8.9	50	3	4	7	10	15	20	34
TOT. SINGLE DX	2992	4.3	5	1	2	4	5	7	8	11
" MULTIPLE DX	2814	6.5	41	1	2	5	8	12	15	31
TOTAL 0-19 YRS	1080	2.7	30	<1	1	2	3	4	6	19
20-34	587	4.4	5	2	3	4	5	6	7	11
35-49	947	5.0	14	2	3	5	6	7	8	13
50-64	1708	5.7	10	3	3	5	6	9	11	19
65+	1484	7.7	36	3	4	6	9	13	17	31
GRAND TOTAL	**5806**	**5.4**	**24**	**1**	**2**	**5**	**6**	**9**	**12**	**23**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.0	2	1	1	3	4	5	5	7
20-34	107	3.9	2	2	2	4	5	6	6	9
35-49	162	4.1	5	2	2	4	5	6	8	15
50-64	227	4.7	4	2	2	4	6	7	8	12
65+	261	6.4	14	2	3	6	8	10	12	20
2. MULTIPLE DX										
0-19 YRS	8	8.8	73	3	3	5	12	24	26	26
20-34	45	5.2	8	2	3	4	6	9	10	16
35-49	71	6.2	10	2	3	5	8	10	12	19
50-64	174	7.6	28	2	3	6	9	13	18	31
65+	435	10.9	61	3	4	9	14	19	26	41
TOT. SINGLE DX	785	4.9	9	2	2	4	6	8	10	17
" MULTIPLE DX	733	9.3	50	3	4	7	11	17	23	37
TOTAL 0-19 YRS	36	4.3	22	1	1	3	4	7	15	26
20-34	152	4.3	4	2	2	4	5	6	8	14
35-49	233	4.7	8	2	2	4	5	8	11	16
50-64	401	5.9	17	2	3	5	7	10	13	24
65+	696	9.2	49	3	4	7	11	17	21	38
GRAND TOTAL	**1518**	**7.0**	**33**	**2**	**3**	**5**	**8**	**13**	**18**	**33**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	780	2.1	1	<1	1	2	2	3	4	6
20-34	336	3.4	2	1	2	3	4	5	6	8
35-49	442	3.7	3	1	2	3	5	6	7	12
50-64	360	4.2	4	1	2	4	5	7	8	12
65+	172	5.3	11	2	2	5	7	9	11	19
2. MULTIPLE DX										
0-19 YRS	178	3.4	16	1	1	2	3	7	9	21
20-34	190	5.1	15	2	2	4	6	9	11	24
35-49	428	6.3	57	2	2	5	7	11	15	27
50-64	551	7.2	26	2	3	6	9	13	17	26
65+	438	9.9	62	3	3	8	12	18	24	47
TOT. SINGLE DX	2090	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1785	7.0	44	2	2	5	8	14	18	29
TOTAL 0-19 YRS	958	2.3	4	<1	1	2	3	4	5	9
20-34	526	4.0	8	1	2	3	5	7	8	14
35-49	870	5.0	32	2	2	4	6	8	12	21
50-64	911	6.0	20	2	2	5	7	11	14	24
65+	610	8.6	52	2	3	7	10	16	21	35
GRAND TOTAL	**3875**	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**13**	**24**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	2.6	2	<1	1	2	3	5	6	9
20-34	503	4.2	5	2	2	4	5	7	9	12
35-49	835	5.4	9	2	3	5	7	9	10	18
50-64	988	6.2	11	2	3	6	8	10	12	19
65+	596	7.3	17	3	3	6	9	12	14	23
2. MULTIPLE DX										
0-19 YRS	59	4.2	25	1	1	3	5	7	13	33
20-34	406	6.5	32	2	3	5	8	10	13	31
35-49	951	8.3	32	3	3	7	10	14	18	28
50-64	1498	9.2	38	3	4	8	11	16	21	33
65+	1461	11.7	82	4	5	9	14	20	27	47
TOT. SINGLE DX	3212	5.7	12	2	2	5	7	10	11	18
" MULTIPLE DX	4375	9.5	55	3	4	8	11	17	22	37
TOTAL 0-19 YRS	249	3.0	8	1	1	2	4	5	7	14
20-34	909	5.2	19	2	2	4	6	9	11	18
35-49	1786	6.9	24	2	3	6	8	12	15	24
50-64	2486	8.0	30	3	3	7	9	14	18	30
65+	2157	10.3	66	3	4	8	12	18	24	42
GRAND TOTAL	**7587**	**7.9**	**40**	**2**	**3**	**6**	**9**	**14**	**19**	**32**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.1	20	<1	1	4	6	13	16	18
20-34	30	6.8	25	2	2	5	9	11	21	23
35-49	58	8.8	22	2	3	8	11	14	17	26
50-64	79	9.1	16	3	4	9	10	14	20	21
65+	59	12.7	48	5	6	12	15	19	27	38
2. MULTIPLE DX										
0-19 YRS	24	10.9	100	1	2	8	13	26	34	42
20-34	72	10.7	22	5	6	9	13	19	20	24
35-49	175	11.1	38	5	6	9	13	17	22	36
50-64	276	12.6	40	6	7	11	16	20	26	35
65+	305	16.1	98	6	7	13	20	27	35	55
TOT. SINGLE DX	248	9.3	32	2	3	8	12	16	20	29
" MULTIPLE DX	852	13.3	66	5	7	11	16	23	28	47
TOTAL 0-19 YRS	46	8.1	70	1	1	6	10	18	27	42
20-34	102	9.6	26	3	4	8	12	18	21	23
35-49	233	10.5	35	4	6	9	13	16	20	34
50-64	355	11.8	38	5	6	10	14	19	25	34
65+	364	15.5	92	6	7	13	19	27	35	54
GRAND TOTAL	**1100**	**12.4**	**61**	**4**	**6**	**10**	**15**	**21**	**27**	**46**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	250	4.2	14	1	1	3	5	9	13	16
20-34	376	5.3	19	1	1	4	7	11	13	20
35-49	297	6.6	43	1	2	5	8	13	17	36
50-64	345	9.6	78	2	2	8	12	19	25	41
65+	285	10.0	56	2	2	8	13	21	24	34
2. MULTIPLE DX										
0-19 YRS	220	7.1	62	1	2	5	8	14	24	41
20-34	619	8.9	88	1	2	6	10	19	26	52
35-49	711	10.8	91	2	3	8	14	22	29	52
50-64	1459	14.2	151	2	3	11	19	28	37	64
65+	1756	16.9	164	3	4	14	22	33	41	65
TOT. SINGLE DX	1553	7.2	48	1	2	5	9	15	20	31
" MULTIPLE DX	4765	13.7	145	2	3	10	18	28	37	61
TOTAL 0-19 YRS	470	5.5	39	1	1	4	7	12	16	31
20-34	995	7.5	66	1	2	5	9	15	23	43
35-49	1008	9.6	81	2	2	7	12	20	27	46
50-64	1804	13.3	141	2	3	10	17	27	35	62
65+	2041	15.9	155	3	4	13	21	31	40	59
GRAND TOTAL	**6318**	**12.1**	**129**	**2**	**2**	**9**	**16**	**26**	**33**	**56**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	331	6.0	14	2	3	5	7	11	13	19
20-34	681	6.7	17	2	3	6	8	11	15	25
35-49	284	9.3	37	4	4	8	11	16	21	34
50-64	241	11.1	39	4	5	10	14	19	24	35
65+	236	14.9	67	6	7	13	18	25	30	44
2. MULTIPLE DX										
0-19 YRS	418	9.9	88	3	4	7	11	18	27	99+
20-34	1207	9.4	71	3	4	7	11	17	24	53
35-49	704	13.9	139	4	5	10	17	29	41	68
50-64	788	18.7	216	5	7	14	23	38	54	95
65+	1151	21.2	173	7	9	18	27	41	49	87
TOT. SINGLE DX	1773	8.7	38	3	3	7	11	16	21	33
" MULTIPLE DX	4268	15.1	163	4	5	11	19	31	43	77
TOTAL 0-19 YRS	749	8.2	60	2	3	6	9	15	19	64
20-34	1888	8.5	54	3	4	6	9	15	21	42
35-49	988	12.6	114	4	5	9	15	25	36	62
50-64	1029	16.9	185	5	6	13	20	33	46	94
65+	1387	20.1	161	7	8	17	25	37	47	78
GRAND TOTAL	**6041**	**13.2**	**135**	**3**	**4**	**9**	**16**	**27**	**37**	**67**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	657	3.6	6	1	1	3	5	8	9	12
20-34	2772	3.0	6	<1	1	2	4	6	8	13
35-49	447	2.9	9	<1	1	2	3	6	9	12
50-64	79	3.4	11	1	1	2	4	8	11	18
65+	33	6.1	44	1	1	3	8	13	19	33
2. MULTIPLE DX										
0-19 YRS	562	4.9	18	1	1	4	7	9	12	19
20-34	3364	4.0	16	<1	1	2	5	8	11	18
35-49	678	4.9	27	<1	1	3	6	11	14	27
50-64	160	8.5	89	<1	1	6	11	19	25	48
65+	80	11.2	137	2	2	9	15	25	30	68
TOT. SINGLE DX	3988	3.1	7	<1	1	2	4	7	8	13
" MULTIPLE DX	4844	4.5	24	<1	1	3	6	10	13	23
TOTAL 0-19 YRS	1219	4.2	13	1	1	3	6	8	10	16
20-34	6136	3.5	12	<1	1	2	5	7	10	16
35-49	1125	4.1	21	<1	1	2	5	9	12	22
50-64	239	6.8	70	1	1	4	9	15	22	43
65+	113	9.7	115	1	2	6	13	22	30	93
GRAND TOTAL	**8832**	**3.9**	**17**	**<1**	**1**	**2**	**5**	**8**	**11**	**19**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	6.6	12	1	2	6	9	11	13	16
20-34	599	6.5	19	1	2	6	8	12	14	24
35-49	397	9.3	41	2	3	8	12	16	22	34
50-64	330	10.6	41	3	4	9	13	18	22	34
65+	278	13.7	64	5	7	12	16	23	29	46
2. MULTIPLE DX										
0-19 YRS	245	10.2	118	2	2	7	12	21	32	64
20-34	1560	8.3	51	1	2	6	9	15	21	36
35-49	980	11.0	91	2	4	9	14	24	31	50
50-64	1007	16.0	136	4	5	13	20	30	41	63
65+	1243	19.4	173	6	8	16	24	36	45	84
TOT. SINGLE DX	1727	9.1	42	2	2	8	12	16	21	32
" MULTIPLE DX	5035	13.4	129	2	4	10	17	27	36	52
TOTAL 0-19 YRS	368	9.0	86	1	2	7	10	16	28	52
20-34	2159	7.8	44	1	2	6	9	14	19	33
35-49	1377	11.2	78	2	4	9	13	22	29	48
50-64	1337	14.7	119	4	5	12	18	27	37	60
65+	1521	18.4	159	6	7	15	23	33	43	76
GRAND TOTAL	6762	12.3	111	2	3	9	15	25	32	58

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	5.1	18	3	4	9	11	16	18	18
20-34	80	9.8	19	5	6	9	11	15	18	30
35-49	88	11.6	21	6	7	11	13	18	20	30
50-64	187	12.5	23	6	8	12	15	18	21	33
65+	173	15.4	49	8	9	14	18	25	30	44
2. MULTIPLE DX										
0-19 YRS	101	13.6	149	5	5	11	15	21	34	74
20-34	157	13.8	75	6	7	11	16	25	31	51
35-49	233	16.1	121	7	8	13	19	30	38	80
50-64	509	17.5	104	8	9	15	21	29	38	62
65+	733	19.8	115	9	10	17	24	34	43	65
TOT. SINGLE DX	570	12.6	34	6	7	11	15	20	23	38
" MULTIPLE DX	1733	17.7	116	7	8	15	21	30	40	65
TOTAL 0-19 YRS	143	12.3	114	4	5	10	14	20	25	71
20-34	237	12.4	60	6	7	10	14	21	28	41
35-49	321	14.9	98	7	8	12	17	24	34	70
50-64	696	16.2	88	7	8	13	19	27	33	56
65+	906	18.9	106	8	9	16	23	33	41	64
GRAND TOTAL	2303	16.5	100	7	8	14	20	29	35	61

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	191	7.9	40	2	2	7	11	16	17	33
20-34	416	9.2	30	2	2	8	12	16	19	30
35-49	391	9.6	49	2	3	8	11	15	19	43
50-64	373	10.0	47	2	3	9	12	18	22	38
65+	182	10.7	57	1	2	9	13	18	25	44
2. MULTIPLE DX										
0-19 YRS	232	11.6	89	2	3	9	15	22	29	51
20-34	625	13.2	112	2	3	10	17	26	34	51
35-49	651	13.9	114	2	3	11	17	26	35	56
50-64	797	14.5	123	3	5	12	18	26	37	64
65+	702	15.5	136	2	4	13	20	29	36	70
TOT. SINGLE DX	1553	9.5	44	2	2	9	12	16	20	36
" MULTIPLE DX	3007	14.1	121	2	4	11	18	27	35	58
TOTAL 0-19 YRS	423	9.9	71	2	2	8	13	19	25	42
20-34	1041	11.6	84	2	3	9	14	22	29	43
35-49	1042	12.3	94	2	3	10	15	23	30	55
50-64	1170	13.1	104	2	4	11	16	23	32	59
65+	884	14.5	124	2	3	12	18	28	34	58
GRAND TOTAL	4560	12.6	100	2	3	10	15	23	31	54

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	7.2	17	2	2	7	9	13	15	21
20-34	356	8.9	14	4	4	9	11	14	15	19
35-49	485	9.4	18	3	5	9	11	15	17	20
50-64	414	10.2	19	4	6	10	12	15	18	25
65+	169	10.8	28	3	6	10	13	16	17	26
2. MULTIPLE DX										
0-19 YRS	26	9.4	12	3	4	10	12	13	15	16
20-34	217	10.4	27	3	5	10	13	17	20	26
35-49	358	11.5	53	3	5	10	14	18	23	42
50-64	480	13.4	64	5	6	12	16	21	26	49
65+	406	15.5	93	4	6	14	20	28	35	47
TOT. SINGLE DX	1460	9.6	19	3	5	9	12	15	17	22
" MULTIPLE DX	1487	13.0	67	4	5	11	16	22	28	44
TOTAL 0-19 YRS	62	8.1	16	2	3	8	11	13	15	20
20-34	573	9.5	20	3	4	9	12	15	17	24
35-49	843	10.3	34	3	5	9	12	16	19	34
50-64	894	11.9	46	4	6	11	14	19	23	38
65+	575	14.1	79	3	6	12	17	25	33	45
GRAND TOTAL	**2947**	**11.3**	**46**	**4**	**5**	**10**	**14**	**18**	**23**	**38**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	8.3	9	3	4	8	10	12	13	18
20-34	31	10.3	35	4	5	9	11	16	21	35
35-49	21	19.1	354	7	9	13	18	35	66	92
50-64	11	18.4	88	11	11	16	20	34	41	42
65+	20	18.0	34	10	11	17	22	27	29	30
2. MULTIPLE DX										
0-19 YRS	249	10.2	28	4	5	9	12	16	18	27
20-34	90	13.7	77	6	7	11	16	22	30	84
35-49	61	18.8	169	6	8	15	23	32	52	65
50-64	75	23.2	277	8	9	18	28	41	71	98
65+	112	23.6	288	6	9	19	30	48	69	99+
TOT. SINGLE DX	281	10.4	56	4	4	9	12	17	21	40
" MULTIPLE DX	587	15.9	164	5	6	12	18	31	46	91
TOTAL 0-19 YRS	447	9.4	21	4	5	9	11	14	16	23
20-34	121	12.8	69	6	7	10	15	21	29	71
35-49	82	18.9	213	6	9	15	23	32	52	83
50-64	86	22.6	255	9	10	17	28	41	63	97
65+	132	22.7	253	7	10	18	29	47	62	99+
GRAND TOTAL	**868**	**14.1**	**136**	**4**	**6**	**11**	**16**	**27**	**37**	**83**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	5.0	13	<1	1	4	7	10	13	17
20-34	515	5.0	7	1	2	4	6	9	10	15
35-49	625	4.8	7	1	2	4	6	8	10	15
50-64	518	5.5	12	2	2	5	7	10	13	18
65+	201	7.0	36	2	2	5	9	13	16	32
2. MULTIPLE DX										
0-19 YRS	61	9.0	47	1	2	7	11	18	23	33
20-34	322	6.4	14	2	2	6	8	11	14	20
35-49	426	6.8	27	2	2	6	9	12	16	26
50-64	493	7.9	39	2	3	6	10	14	19	37
65+	367	11.2	89	2	3	9	14	22	29	47
TOT. SINGLE DX	1952	5.3	13	1	2	5	7	9	12	18
" MULTIPLE DX	1669	8.1	46	2	2	6	10	15	21	36
TOTAL 0-19 YRS	154	6.8	31	1	1	5	9	13	18	28
20-34	837	5.8	11	2	2	5	7	10	12	16
35-49	1051	5.6	17	2	2	5	7	10	12	21
50-64	1011	6.7	27	2	2	5	8	12	16	27
65+	568	9.7	75	2	3	7	12	19	26	44
GRAND TOTAL	**3621**	**6.6**	**30**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1010	2.5	5	<1	1	2	3	5	8	11
20-34	1597	4.1	13	<1	1	3	5	8	10	16
35-49	1729	4.3	16	1	1	3	5	9	12	19
50-64	2209	3.9	13	1	1	3	5	8	10	18
65+	2574	4.6	23	1	1	3	6	10	13	23
2. MULTIPLE DX										
0-19 YRS	1410	4.4	36	1	1	3	5	9	12	27
20-34	2986	6.9	54	1	2	5	9	14	19	41
35-49	3737	7.6	57	1	2	5	10	16	22	37
50-64	6762	7.8	64	1	2	6	10	16	22	41
65+	12140	10.0	89	1	2	7	13	21	29	47
TOT. SINGLE DX	9119	4.1	16	1	1	3	5	9	11	19
" MULTIPLE DX	27035	8.5	75	1	2	6	11	18	25	44
TOTAL 0-19 YRS	2420	3.6	25	<1	1	2	4	8	10	20
20-34	4583	5.9	42	1	1	4	8	12	16	34
35-49	5466	6.6	47	1	1	5	8	14	19	33
50-64	8971	6.9	55	1	1	5	9	15	20	37
65+	14714	9.1	83	1	2	6	12	20	27	44
GRAND TOTAL	**36154**	**7.4**	**64**	**1**	**1**	**5**	**9**	**16**	**22**	**41**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	4.3	10	1	1	3	7	9	10	11
20-34	114	3.2	7	1	1	2	4	6	9	16
35-49	258	3.7	6	1	1	3	5	7	9	12
50-64	1037	3.9	11	1	1	3	5	7	9	16
65+	2208	4.9	16	1	2	4	6	9	12	22
2. MULTIPLE DX										
0-19 YRS	32	5.0	10	1	1	5	7	8	11	16
20-34	180	6.8	53	1	2	4	8	15	21	39
35-49	412	5.4	35	1	2	3	7	11	15	34
50-64	1529	6.5	43	1	2	4	8	13	18	33
65+	4549	8.1	59	2	2	6	10	17	23	37
TOT. SINGLE DX	3636	4.5	14	1	2	3	5	8	11	20
" MULTIPLE DX	6702	7.5	55	2	2	5	9	16	22	35
TOTAL 0-19 YRS	51	4.8	10	1	1	5	7	9	11	16
20-34	294	5.4	38	1	1	3	6	11	18	36
35-49	670	4.8	25	1	1	3	6	9	12	25
50-64	2566	5.4	32	1	2	4	7	11	15	30
65+	6757	7.1	48	2	2	5	9	15	20	34
GRAND TOTAL	**10338**	**6.5**	**43**	**1**	**2**	**4**	**8**	**13**	**19**	**33**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	6.3	25	1	2	5	8	12	16	27
20-34	152	5.8	19	1	2	5	7	12	15	23
35-49	240	6.4	28	1	2	5	9	14	16	24
50-64	406	6.9	34	1	2	5	10	15	18	26
65+	623	7.9	57	2	2	5	11	18	23	33
2. MULTIPLE DX										
0-19 YRS	240	9.7	91	2	3	7	12	18	24	52
20-34	341	11.3	179	2	2	7	13	25	38	79
35-49	419	8.9	77	1	2	6	12	19	25	48
50-64	958	11.3	121	2	2	8	15	25	31	59
65+	2214	13.9	141	2	3	11	19	28	38	61
TOT. SINGLE DX	1544	7.1	41	1	2	5	9	16	19	28
" MULTIPLE DX	4172	12.3	134	2	2	9	16	26	34	61
TOTAL 0-19 YRS	363	8.5	71	2	2	7	11	16	23	48
20-34	493	9.6	136	1	2	6	12	19	28	65
35-49	659	8.0	61	1	2	6	11	17	22	39
50-64	1364	10.0	99	1	2	7	14	22	28	51
65+	2837	12.6	129	2	2	9	17	26	35	60
GRAND TOTAL	**5716**	**10.9**	**114**	**2**	**2**	**8**	**15**	**24**	**31**	**56**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	1.6		<1	<1	1	2	3	4	5
20-34	33	2.4	2	<1	1	2	3	5	6	6
35-49	22	2.7	1	1	1	3	3	4	5	6
50-64	31	3.4	10	1	1	2	5	7	9	16
65+	15	3.7	9	<1	1	2	6	8	10	10
2. MULTIPLE DX										
0-19 YRS	193	3.0	7	1	1	2	4	6	9	13
20-34	62	3.2	6	1	1	2	4	7	8	13
35-49	43	4.4	12	2	2	3	6	8	13	17
50-64	84	6.1	72	1	1	3	8	13	19	53
65+	83	7.5	42	2	2	5	9	17	21	30
TOT. SINGLE DX	337	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	465	4.5	29	1	1	3	5	9	14	26
TOTAL 0-19 YRS	429	2.3	4	<1	<1	2	2	5	6	12
20-34	95	2.9	5	1	1	2	4	6	8	12
35-49	65	3.8	9	2	2	3	4	7	10	17
50-64	115	5.4	57	1	1	3	6	11	17	45
65+	98	6.9	40	1	2	5	8	16	20	30
GRAND TOTAL	**802**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**7**	**11**	**20**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	5.4	12	1	1	5	8	10	11	16
20-34	202	4.1	17	<1	1	3	5	9	10	25
35-49	141	4.8	9	1	2	4	7	9	11	15
50-64	158	4.9	14	1	2	4	7	10	11	20
65+	159	4.7	12	2	2	4	5	9	13	18
2. MULTIPLE DX										
0-19 YRS	277	4.9	25	1	1	3	7	9	14	28
20-34	205	5.8	34	1	1	4	8	12	16	33
35-49	204	7.1	46	1	2	5	9	14	18	36
50-64	295	7.8	79	1	2	5	10	16	22	40
65+	448	8.2	65	2	2	6	10	17	23	45
TOT. SINGLE DX	1146	4.9	14	1	1	4	7	10	11	17
" MULTIPLE DX	1429	7.0	55	1	2	5	9	14	20	36
TOTAL 0-19 YRS	763	5.2	17	1	1	4	7	10	12	22
20-34	407	4.9	27	1	1	3	6	10	13	30
35-49	345	6.2	33	1	2	5	8	12	16	31
50-64	453	6.8	59	1	2	4	8	14	19	36
65+	607	7.3	54	2	2	5	9	15	20	37
GRAND TOTAL	**2575**	**6.1**	**38**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	391	2.1	2	<1	1	1	2	4	5	9
20-34	252	3.1	5	<1	1	2	4	6	8	13
35-49	233	3.9	34	<1	1	2	4	8	11	22
50-64	277	3.7	16	1	1	2	4	8	10	18
65+	333	4.2	14	1	1	3	5	9	12	19
2. MULTIPLE DX										
0-19 YRS	719	3.1	13	1	1	2	4	7	9	20
20-34	781	5.8	34	1	1	4	8	12	16	29
35-49	946	7.1	50	1	2	5	9	14	20	38
50-64	1348	7.7	57	1	2	6	10	17	21	37
65+	2237	9.7	73	2	2	7	13	20	27	41
TOT. SINGLE DX	1486	3.3	14	<1	1	2	4	7	9	16
" MULTIPLE DX	6031	7.5	59	1	1	5	10	16	22	38
TOTAL 0-19 YRS	1110	2.7	10	<1	1	2	3	6	8	15
20-34	1033	5.1	29	1	1	3	7	11	14	24
35-49	1179	6.4	49	1	1	4	8	13	19	38
50-64	1625	7.0	53	1	2	5	9	15	20	35
65+	2570	9.0	70	2	2	7	12	19	26	40
GRAND TOTAL	**7517**	**6.7**	**53**	**1**	**1**	**4**	**9**	**15**	**20**	**36**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	2.4	2	<1	1	2	3	4	5	10
20-34	235	3.5	5	1	1	3	4	6	9	12
35-49	180	4.3	8	1	2	3	5	9	10	14
50-64	187	5.3	15	2	2	4	8	10	12	19
65+	217	5.1	10	2	2	4	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	167	3.2	12	1	1	2	4	6	8	17
20-34	271	6.1	68	1	2	3	6	13	22	59
35-49	226	6.2	27	1	2	4	8	14	18	23
50-64	372	6.5	28	2	2	5	9	12	16	28
65+	690	8.6	63	2	2	6	11	17	23	40
TOT. SINGLE DX	969	4.2	10	1	1	3	5	8	10	15
" MULTIPLE DX	1726	6.9	50	1	2	4	9	15	19	36
TOTAL 0-19 YRS	317	2.9	8	1	1	2	3	5	8	12
20-34	506	4.9	41	1	2	3	5	9	13	35
35-49	406	5.3	20	1	2	4	7	11	15	21
50-64	559	6.1	24	2	2	4	8	11	16	27
65+	907	7.8	53	2	2	5	10	16	21	38
GRAND TOTAL	**2695**	**5.9**	**37**	**1**	**2**	**4**	**7**	**12**	**16**	**32**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.0		6	6	7	8	8	8	8
20-34	110	7.7	9	4	5	7	8	10	13	20
35-49	434	8.2	6	5	5	8	9	11	13	17
50-64	344	9.4	15	5	6	8	10	14	17	24
65+	206	10.0	12	6	6	9	11	15	16	24
2. MULTIPLE DX										
0-19 YRS	3	6.7	12	3	3	7	9	10	10	10
20-34	186	9.2	39	5	5	8	10	13	17	40
35-49	693	9.7	25	5	6	8	11	15	19	28
50-64	670	10.9	35	6	6	9	12	18	22	34
65+	399	12.6	45	6	7	10	15	22	27	38
TOT. SINGLE DX	1098	8.8	12	5	6	8	10	13	15	21
" MULTIPLE DX	1951	10.6	36	5	6	9	12	17	22	34
TOTAL 0-19 YRS	7	6.9	4	3	4	7	8	10	10	10
20-34	296	8.6	29	5	5	8	9	12	17	27
35-49	1127	9.1	19	5	6	8	10	13	16	25
50-64	1014	10.4	29	5	6	9	11	17	20	31
65+	605	11.7	36	6	7	10	13	19	26	34
GRAND TOTAL	**3049**	**10.0**	**28**	**5**	**6**	**9**	**11**	**16**	**20**	**30**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	38	7.1	5	3	4	7	8	10	11	15
35-49	105	8.1	7	4	5	8	9	12	14	17
50-64	109	8.4	13	4	4	8	9	12	14	25
65+	66	8.8	9	5	6	8	10	14	15	17
2. MULTIPLE DX										
0-19 YRS	5	5.6	5	3	3	6	7	9	9	9
20-34	31	8.6	11	3	4	8	11	13	15	18
35-49	127	10.0	34	4	5	8	11	17	22	35
50-64	169	9.8	26	4	5	9	11	16	20	28
65+	111	12.0	46	5	6	10	15	20	24	38
TOT. SINGLE DX	318	8.2	10	4	5	8	9	12	14	18
" MULTIPLE DX	443	10.3	33	4	5	9	12	18	22	33
TOTAL 0-19 YRS	5	5.6	5	3	3	6	7	9	9	9
20-34	69	7.8	9	3	4	7	9	12	13	17
35-49	232	9.1	23	4	5	8	10	13	18	32
50-64	278	9.2	21	4	5	9	10	14	18	28
65+	177	10.8	35	5	6	9	13	18	22	32
GRAND TOTAL	**761**	**9.4**	**25**	**4**	**5**	**8**	**11**	**15**	**19**	**30**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.7	6	<1	<1	3	5	7	9	9
20-34	24	3.9	5	<1	1	4	5	7	8	11
35-49	29	4.9	12	1	2	4	7	11	13	13
50-64	17	6.1	58	1	2	2	5	20	24	26
65+	21	7.7	31	1	2	6	11	16	19	21
2. MULTIPLE DX										
0-19 YRS	7	4.9	6	2	2	5	7	8	8	8
20-34	35	7.3	37	2	2	5	10	16	21	27
35-49	42	9.0	55	1	2	7	12	19	22	39
50-64	52	9.5	57	2	3	8	13	15	24	42
65+	84	9.3	68	1	2	7	11	22	28	37
TOT. SINGLE DX	101	5.3	23	1	1	4	6	12	16	23
" MULTIPLE DX	220	8.8	57	2	2	7	11	19	24	38
TOTAL 0-19 YRS	17	4.2	6	<1	1	5	5	8	9	9
20-34	59	5.9	27	1	2	4	7	13	16	27
35-49	71	7.3	41	1	2	6	9	15	20	36
50-64	69	8.6	59	2	2	6	12	18	24	40
65+	105	9.0	61	1	2	7	11	21	26	37
GRAND TOTAL	**321**	**7.7**	**49**	**1**	**2**	**5**	**10**	**17**	**22**	**37**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	9.3	50	2	2	8	14	19	19	19
20-34	11	10.3	29	1	5	9	12	18	23	23
35-49	9	8.3	18	<1	<1	10	11	12	12	12
50-64	11	8.9	67	1	1	7	12	21	27	28
65+	10	6.6	9	1	2	7	9	10	11	11
2. MULTIPLE DX										
0-19 YRS	5	9.0	3	6	6	10	10	10	10	10
20-34	25	10.6	68	2	4	8	14	19	30	39
35-49	26	16.6	163	2	4	13	21	39	45	47
50-64	44	13.9	88	2	4	13	18	22	27	57
65+	51	17.7	165	3	6	14	23	33	42	62
TOT. SINGLE DX	45	8.6	32	1	1	9	11	14	20	28
" MULTIPLE DX	151	15.0	127	3	5	12	19	30	39	57
TOTAL 0-19 YRS	9	9.1	20	2	4	9	10	16	19	19
20-34	36	10.5	56	1	4	9	13	19	26	39
35-49	35	14.5	138	1	2	10	19	36	43	47
50-64	55	12.9	87	1	2	11	17	22	27	56
65+	61	15.9	157	3	5	12	20	32	42	61
GRAND TOTAL	**196**	**13.5**	**112**	**2**	**3**	**10**	**17**	**27**	**35**	**56**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.0	5	2	2	6	7	9	9	9
20-34	9	5.2	20	2	2	4	5	12	17	17
35-49	119	6.5	11	3	4	6	8	10	12	22
50-64	2327	6.9	11	4	4	6	8	10	12	17
65+	4754	7.8	15	4	5	7	9	12	14	23
2. MULTIPLE DX										
0-19 YRS	16	12.9	52	6	7	10	17	24	29	31
20-34	24	9.9	149	3	4	6	11	13	31	65
35-49	180	9.3	33	4	4	7	11	17	20	27
50-64	4525	9.7	39	4	5	8	11	17	21	34
65+	14983	12.0	68	5	5	9	14	22	27	45
TOT. SINGLE DX	7215	7.5	14	4	5	7	9	11	14	20
" MULTIPLE DX	19728	11.4	62	4	5	9	14	21	26	43
TOTAL 0-19 YRS	22	11.0	49	4	6	9	13	22	27	31
20-34	33	8.6	117	2	3	5	10	14	17	65
35-49	299	8.2	26	3	4	7	10	15	19	26
50-64	6852	8.7	31	4	5	7	10	15	19	30
65+	19737	11.0	59	4	5	9	13	20	25	41
GRAND TOTAL	**26943**	**10.4**	**53**	**4**	**5**	**8**	**12**	**18**	**24**	**39**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.8	11	2	2	6	8	9	9	9
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	8	12.9	36	4	4	15	16	20	21	21
50-64	188	12.7	24	7	8	11	15	19	21	29
65+	309	14.1	40	6	8	13	17	21	26	36
2. MULTIPLE DX										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	5	12.8	14	9	9	12	14	19	19	19
35-49	16	12.8	47	1	2	14	19	21	22	23
50-64	282	16.1	64	8	9	14	19	25	32	48
65+	887	17.6	84	8	9	16	21	28	34	53
TOT. SINGLE DX	512	13.4	35	6	8	12	16	20	24	35
" MULTIPLE DX	1192	17.1	80	8	9	15	20	27	34	52
TOTAL 0-19 YRS	6	6.8	24	2	2	6	9	14	15	15
20-34	8	9.0	37	1	1	10	12	17	19	19
35-49	24	12.8	42	2	3	15	18	21	22	23
50-64	470	14.7	51	8	8	13	17	23	28	43
65+	1196	16.7	75	8	9	15	20	27	32	52
GRAND TOTAL	**1704**	**16.0**	**69**	**8**	**9**	**14**	**19**	**25**	**31**	**47**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	1.7		1	1	2	2	3	3	3
35-49	76	3.3	11	1	1	2	3	7	9	20
50-64	618	3.3	9	1	1	2	4	6	9	15
65+	899	3.8	13	1	1	2	4	8	11	19
2. MULTIPLE DX										
0-19 YRS	8	5.9	14	<1	1	5	9	11	11	11
20-34	14	3.4	2	1	2	3	4	5	7	7
35-49	96	5.9	31	2	2	4	7	15	17	28
50-64	749	6.4	36	1	2	4	9	13	18	28
65+	1663	8.9	67	2	2	6	12	19	25	40
TOT. SINGLE DX	1604	3.6	12	1	1	2	4	7	10	18
" MULTIPLE DX	2530	8.0	58	2	2	5	11	17	23	38
TOTAL 0-19 YRS	8	5.9	15	<1	1	5	9	11	11	11
20-34	25	2.7	2	1	1	2	3	4	5	7
35-49	172	4.8	24	1	1	3	6	10	15	23
50-64	1367	5.0	27	1	2	3	6	11	14	26
65+	2562	7.1	54	1	2	4	9	16	22	37
GRAND TOTAL	**4134**	**6.3**	**45**	**1**	**2**	**4**	**8**	**14**	**19**	**32**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.6	3	<1	1	2	3	5	6	9
20-34	155	3.1	3	1	1	3	4	6	7	9
35-49	129	3.8	17	1	1	3	4	6	9	21
50-64	129	3.7	7	2	2	3	4	6	8	16
65+	83	5.3	45	1	2	4	5	8	17	39
2. MULTIPLE DX										
0-19 YRS	123	3.3	11	1	1	2	3	7	12	18
20-34	155	5.4	35	1	2	4	6	10	18	42
35-49	108	6.1	59	1	2	3	7	12	17	46
50-64	164	7.7	85	2	2	5	8	17	27	97
65+	178	10.1	95	2	3	7	13	22	33	46
TOT. SINGLE DX	685	3.5	13	1	1	3	4	6	8	16
" MULTIPLE DX	728	6.8	66	1	2	4	8	16	22	45
TOTAL 0-19 YRS	312	2.9	6	1	1	2	3	5	7	14
20-34	310	4.2	21	1	1	3	5	8	10	31
35-49	237	4.8	38	1	1	3	5	10	13	41
50-64	293	6.0	55	2	2	4	6	11	20	64
65+	261	8.5	84	2	2	5	9	21	30	44
GRAND TOTAL	**1413**	**5.2**	**43**	**1**	**1**	**3**	**5**	**10**	**17**	**40**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	241	3.3	8	1	1	3	4	6	8	14
20-34	279	4.7	18	1	2	4	6	8	11	23
35-49	143	4.3	11	2	2	3	5	8	9	16
50-64	133	4.7	14	2	2	3	5	9	15	19
65+	314	5.9	21	2	2	4	8	12	15	23
2. MULTIPLE DX										
0-19 YRS	185	3.4	8	1	1	3	4	6	8	17
20-34	231	6.4	37	2	2	4	7	16	21	27
35-49	115	6.3	71	2	2	4	7	11	15	52
50-64	249	8.7	76	2	2	6	10	17	27	53
65+	924	11.0	102	2	3	8	14	22	30	53
TOT. SINGLE DX	1110	4.7	17	1	2	3	5	9	13	22
" MULTIPLE DX	1704	8.9	85	2	2	6	11	19	26	47
TOTAL 0-19 YRS	426	3.3	9	1	1	3	4	6	8	16
20-34	510	5.5	27	1	2	4	6	11	17	26
35-49	258	5.2	39	2	2	4	6	9	13	29
50-64	382	7.3	58	2	2	4	9	15	21	45
65+	1238	9.7	87	2	3	7	12	20	27	48
GRAND TOTAL	**2814**	**7.2**	**62**	**2**	**2**	**4**	**9**	**16**	**22**	**39**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1159	2.5	1	1	1	2	3	4	5	7
20-34	136	2.5	2	1	1	2	3	5	6	8
35-49	12	4.0	4	1	2	4	5	7	9	9
50-64	4	3.0	1	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	613	3.0	4	1	1	2	4	5	7	11
20-34	65	3.9	10	1	1	3	5	7	10	19
35-49	5	3.4	3	2	2	3	4	6	6	6
50-64	4	4.8	5	3	3	4	6	8	8	8
65+	5	10.4	127	2	2	8	14	30	30	30
TOT. SINGLE DX	1311	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	692	3.1	6	1	1	3	4	5	8	13
TOTAL 0-19 YRS	1772	2.7	3	1	1	2	3	5	6	9
20-34	201	3.0	5	1	1	2	4	5	7	14
35-49	17	3.8	4	1	2	3	5	6	8	9
50-64	8	3.9	4	2	2	3	5	7	8	8
65+	5	10.4	127	2	2	8	14	30	30	30
GRAND TOTAL	**2003**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	2.3	5	1	1	2	3	4	5	10
20-34	181	2.6	3	<1	1	2	3	4	6	9
35-49	47	3.1	3	1	1	3	4	5	6	10
50-64	30	3.8	7	2	2	3	5	9	10	11
65+	7	6.4	38	3	3	3	7	17	20	20
2. MULTIPLE DX										
0-19 YRS	82	3.1	4	1	1	3	4	6	8	11
20-34	97	2.9	2	1	1	2	4	5	7	9
35-49	50	4.5	10	2	2	3	5	10	12	14
50-64	29	6.2	20	1	1	5	8	14	17	17
65+	13	14.8	97	4	6	10	24	30	34	35
TOT. SINGLE DX	491	2.7	5	1	1	2	3	4	6	11
" MULTIPLE DX	271	4.2	18	1	1	3	5	9	11	25
TOTAL 0-19 YRS	308	2.5	5	1	1	2	3	4	5	10
20-34	278	2.7	3	1	1	2	3	5	6	9
35-49	97	3.8	8	1	2	3	4	9	10	14
50-64	59	5.0	15	1	2	3	7	10	14	17
65+	20	11.9	91	3	3	9	16	27	32	35
GRAND TOTAL	**762**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	157	1.7	12	<1	<1	1	2	2	3	6
35-49	67	2.3	8	<1	<1	1	2	4	9	16
50-64	21	3.9	10	<1	<1	2	6	9	10	11
65+	18	8.5	38	3	5	7	9	12	24	31
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	94	4.3	28	<1	1	3	5	9	14	30
35-49	103	4.6	29	<1	1	2	6	13	18	26
50-64	37	7.4	32	1	2	6	9	13	19	30
65+	96	12.7	59	4	5	11	15	25	29	38
TOT. SINGLE DX	265	2.5	16	<1	<1	1	2	6	8	17
" MULTIPLE DX	331	7.2	51	1	1	5	9	16	23	32
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	251	2.6	20	<1	<1	1	2	5	8	28
35-49	170	3.7	22	<1	<1	2	4	8	16	25
50-64	58	6.1	27	<1	1	5	8	12	16	29
65+	114	12.0	58	4	5	10	14	25	30	37
GRAND TOTAL	**596**	**5.1**	**41**	**<1**	**1**	**2**	**7**	**13**	**18**	**31**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	710	2.3	1	1	1	2	3	4	5	7
20-34	924	2.5	1	1	1	2	3	4	5	7
35-49	569	2.8	2	1	1	2	3	5	5	9
50-64	558	3.4	3	1	2	3	4	6	7	10
65+	272	3.5	3	2	2	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	388	2.8	6	1	1	2	3	5	6	11
20-34	626	3.1	5	1	1	3	3	5	7	11
35-49	426	4.0	9	1	1	3	5	8	10	15
50-64	526	5.0	14	2	2	4	6	10	12	20
65+	419	6.2	26	2	2	5	7	12	16	26
TOT. SINGLE DX	3033	2.8	3	1	1	2	3	5	5	9
" MULTIPLE DX	2385	4.2	13	1	1	3	5	8	11	20
TOTAL 0-19 YRS	1098	2.5	4	1	1	2	3	4	5	8
20-34	1550	2.7	3	1	1	2	3	4	5	10
35-49	995	3.3	6	1	1	3	4	6	8	12
50-64	1084	4.2	9	1	2	3	5	8	10	17
65+	691	5.2	19	2	2	4	6	9	14	24
GRAND TOTAL	**5418**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	654	1.7	2	<1	1	2	2	2	3	8
20-34	305	2.1	3	1	1	2	2	3	4	6
35-49	203	2.1	4	1	1	2	2	3	4	16
50-64	176	2.2	2	<1	1	2	2	3	4	11
65+	115	2.7	3	1	1	2	3	5	6	11
2. MULTIPLE DX										
0-19 YRS	260	4.0	37	1	1	2	3	8	17	32
20-34	243	3.6	16	1	1	2	4	8	10	18
35-49	329	4.8	32	1	2	3	6	10	14	36
50-64	385	4.9	24	1	2	3	6	10	13	24
65+	376	6.8	54	1	2	4	9	15	21	37
TOT. SINGLE DX	1691	2.0	3	<1	1	2	2	3	4	9
" MULTIPLE DX	1784	5.0	36	1	1	3	6	11	16	32
TOTAL 0-19 YRS	1056	2.4	15	<1	1	2	2	3	6	23
20-34	616	2.7	9	1	1	2	3	5	8	15
35-49	603	3.7	22	1	1	2	4	8	12	26
50-64	633	4.0	18	1	1	2	4	9	12	19
65+	567	5.9	46	1	2	3	7	13	19	32
GRAND TOTAL	**3475**	**3.6**	**22**	**1**	**1**	**2**	**3**	**8**	**12**	**25**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	3.2	4	<1	1	3	4	7	7	9
20-34	133	3.7	15	<1	<1	2	4	9	10	18
35-49	90	4.1	9	<1	1	3	5	7	10	17
50-64	185	5.2	16	2	2	4	6	9	10	19
65+	110	5.8	19	1	2	4	7	12	13	23
2. MULTIPLE DX										
0-19 YRS	113	4.6	12	1	2	4	6	8	10	21
20-34	139	6.7	54	1	2	4	8	14	25	40
35-49	191	6.6	51	2	2	5	7	10	16	47
50-64	386	5.9	19	2	2	5	7	10	12	28
65+	205	7.9	51	2	2	5	9	17	25	40
TOT. SINGLE DX	625	4.5	14	1	1	4	6	9	11	18
" MULTIPLE DX	1034	6.4	37	2	2	5	7	11	16	35
TOTAL 0-19 YRS	220	4.0	9	1	1	3	5	7	8	16
20-34	272	5.3	37	<1	1	3	7	10	15	35
35-49	281	5.8	39	1	2	5	6	10	14	27
50-64	571	5.7	19	2	2	5	7	10	12	26
65+	315	7.2	41	2	2	5	9	15	22	37
GRAND TOTAL	**1659**	**5.7**	**29**	**1**	**2**	**4**	**7**	**10**	**15**	**31**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	407	5.7	5	3	3	5	7	9	10	14
20-34	1246	5.5	4	2	3	5	6	8	9	13
35-49	151	6.2	7	2	3	6	7	9	12	15
50-64	33	6.7	14	1	2	6	8	10	15	19
65+	28	10.7	22	4	5	10	13	19	19	20
2. MULTIPLE DX										
0-19 YRS	399	6.3	11	3	4	6	7	9	11	19
20-34	2225	6.5	12	3	4	6	7	10	12	19
35-49	361	8.2	25	2	4	7	10	14	18	25
50-64	96	12.9	64	5	6	11	15	23	28	45
65+	97	18.2	88	7	9	16	23	30	39	48
TOT. SINGLE DX	1865	5.7	6	2	3	5	7	8	10	14
" MULTIPLE DX	3178	7.2	23	3	4	6	8	11	16	28
TOTAL 0-19 YRS	806	6.0	9	3	3	6	7	9	10	15
20-34	3471	6.1	10	2	3	6	7	9	11	18
35-49	512	7.6	21	2	4	6	9	13	16	23
50-64	129	11.3	59	4	5	9	13	22	27	41
65+	125	16.6	84	6	7	14	21	29	36	47
GRAND TOTAL	**5043**	**6.7**	**17**	**2**	**4**	**6**	**7**	**10**	**14**	**23**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	6.4	5	4	4	6	7	9	10	15
20-34	1373	6.1	4	4	4	6	7	8	10	15
35-49	463	6.5	5	4	4	6	7	9	11	15
50-64	82	8.7	17	4	5	7	10	14	19	23
65+	55	11.7	73	5	6	9	14	19	22	58
2. MULTIPLE DX										
0-19 YRS	241	7.3	13	4	4	6	8	11	13	23
20-34	2585	7.1	10	4	5	6	8	10	13	20
35-49	1133	8.4	27	4	5	7	9	13	17	29
50-64	207	12.6	68	5	6	10	17	23	29	44
65+	188	18.4	152	7	8	15	23	32	40	69
TOT. SINGLE DX	2187	6.5	8	4	4	6	7	9	11	17
" MULTIPLE DX	4354	8.2	30	4	5	7	9	13	18	31
TOTAL 0-19 YRS	455	6.8	10	4	4	6	8	10	12	19
20-34	3958	6.7	8	4	4	6	7	10	12	18
35-49	1596	7.9	22	4	5	7	9	12	16	27
50-64	289	11.5	57	5	5	9	14	21	25	41
65+	243	16.9	142	6	7	14	21	31	37	67
GRAND TOTAL	**6541**	**7.6**	**23**	**4**	**5**	**6**	**8**	**12**	**15**	**28**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.0	6	5	5	6	9	11	11	11
20-34	137	6.6	6	3	4	6	8	9	11	16
35-49	234	7.4	10	4	5	7	8	11	13	23
50-64	112	8.2	8	5	5	8	10	12	15	18
65+	58	11.9	66	6	6	9	14	22	34	39
2. MULTIPLE DX										
0-19 YRS	17	7.4	9	4	5	6	8	13	14	15
20-34	502	7.7	13	4	5	7	9	12	15	23
35-49	903	9.0	23	5	5	7	10	14	18	28
50-64	383	12.7	81	6	6	10	15	22	29	54
65+	225	16.4	129	7	7	13	19	28	39	58
TOT. SINGLE DX	546	7.9	17	4	5	7	9	12	15	27
" MULTIPLE DX	2030	10.2	51	5	5	8	11	18	23	40
TOTAL 0-19 YRS	22	7.3	9	4	5	6	8	12	14	15
20-34	639	7.5	12	4	5	7	8	11	14	22
35-49	1137	8.6	21	5	5	7	10	14	17	27
50-64	495	11.7	69	5	6	9	13	20	26	51
65+	283	15.5	120	6	7	12	19	27	38	50
GRAND TOTAL	**2576**	**9.7**	**45**	**5**	**5**	**8**	**11**	**16**	**22**	**37**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	4.4	11	1	1	4	6	8	10	18
20-34	325	3.7	6	1	1	3	5	7	8	12
35-49	43	4.0	8	<1	1	3	6	7	10	13
50-64	5	6.6	64	1	1	3	11	20	20	20
65+	5	12.0	74	2	2	10	19	24	24	24
2. MULTIPLE DX										
0-19 YRS	112	5.4	17	1	2	5	7	9	12	26
20-34	739	5.4	12	1	2	5	7	9	11	18
35-49	113	5.6	25	1	1	5	7	10	14	27
50-64	9	7.2	41	1	1	5	12	18	18	18
65+	6	11.8	37	4	4	11	14	21	22	22
TOT. SINGLE DX	490	4.0	10	1	1	3	5	7	9	16
" MULTIPLE DX	979	5.5	15	1	2	5	7	9	12	22
TOTAL 0-19 YRS	224	4.9	15	1	1	4	6	8	11	25
20-34	1064	4.9	11	1	1	5	6	8	10	15
35-49	156	5.1	21	1	1	5	6	10	13	19
50-64	14	7.0	45	1	1	4	10	18	20	20
65+	11	11.9	49	2	3	10	16	23	24	24
GRAND TOTAL	**1469**	**5.0**	**14**	**1**	**1**	**5**	**6**	**8**	**11**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	1.4		<1	<1	1	2	2	3	3
20-34	2967	1.4		<1	<1	1	2	2	2	4
35-49	1067	1.4		<1	<1	1	2	2	2	4
50-64	6	1.2		<1	<1	1	1	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	14	2.3	2	1	1	2	3	5	6	6
20-34	2342	2.0	4	<1	<1	2	2	3	5	10
35-49	1054	2.0	8	<1	<1	1	2	3	5	10
50-64	7	4.3	48	<1	<1	2	3	17	20	20
65+										
TOT. SINGLE DX	4059	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	3417	2.0	6	<1	<1	1	2	3	5	10
TOTAL 0-19 YRS	33	1.8	1	<1	<1	1	2	3	5	6
20-34	5309	1.7	2	<1	<1	1	2	3	3	8
35-49	2121	1.7	5	<1	<1	1	2	2	4	7
50-64	13	2.8	27	<1	<1	1	2	6	17	20
65+										
GRAND TOTAL	**7476**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**2**	**4**	**8**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.0	4	1	2	4	6	7	8	9
20-34	2977	2.5	2	1	1	2	3	4	5	7
35-49	907	2.4	1	1	1	2	3	4	5	7
50-64	10	6.1	30	1	1	5	8	15	18	18
65+										
2. MULTIPLE DX										
0-19 YRS	31	5.1	4	2	2	5	6	8	9	11
20-34	4228	3.7	8	1	1	3	5	6	7	12
35-49	1175	3.6	9	1	1	3	4	6	8	15
50-64	18	8.4	94	2	2	5	11	17	32	42
65+										
TOT. SINGLE DX	3918	2.5	2	1	1	2	3	4	5	7
" MULTIPLE DX	5452	3.7	9	1	1	3	5	6	7	13
TOTAL 0-19 YRS	55	4.6	5	2	2	5	6	8	9	11
20-34	7205	3.2	6	1	1	3	4	5	6	10
35-49	2082	3.1	7	1	1	3	4	5	7	11
50-64	28	7.6	71	1	2	5	10	17	20	42
65+										
GRAND TOTAL	9370	3.2	7	1	1	3	4	5	6	11

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	154	5.2	2	3	3	5	6	7	8	11
20-34	2253	5.1	3	2	3	5	6	7	8	11
35-49	227	5.2	4	2	3	5	6	8	8	11
50-64	4	7.5	51	3	3	5	12	18	18	18
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	175	6.3	8	3	3	6	7	9	12	20
20-34	2425	5.7	6	2	3	5	7	8	10	14
35-49	352	5.7	8	1	2	6	7	9	11	15
50-64	15	13.0	289	2	2	9	12	23	59	71
65+	5	13.4	6	11	11	12	15	17	17	17
TOT. SINGLE DX	2640	5.1	4	2	3	5	6	7	8	11
" MULTIPLE DX	2972	5.8	9	2	3	5	7	8	10	16
TOTAL 0-19 YRS	329	5.8	6	3	3	5	7	8	10	16
20-34	4678	5.4	5	2	3	5	6	8	9	13
35-49	579	5.5	7	1	2	5	7	8	10	14
50-64	19	11.8	239	2	2	7	12	21	49	71
65+	7	10.0	38	1	1	12	14	17	17	17
GRAND TOTAL	5612	5.5	6	2	3	5	6	8	9	13

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.1		1	1	2	3	3	4	5
20-34	945	2.2	1	1	1	2	3	3	4	7
35-49	327	2.5	2	1	1	2	3	4	6	9
50-64	146	2.6	3	1	1	2	3	4	7	9
65+	41	3.2	4	1	1	3	3	6	9	10
2. MULTIPLE DX										
0-19 YRS	34	2.5	2	1	1	2	3	4	4	10
20-34	748	2.6	4	1	1	2	3	4	6	11
35-49	369	3.4	12	1	1	2	3	7	10	19
50-64	187	4.2	17	1	2	3	4	9	14	22
65+	75	5.9	47	1	2	3	6	17	22	34
TOT. SINGLE DX	1499	2.3	2	1	1	2	3	3	4	8
" MULTIPLE DX	1413	3.2	11	1	1	2	3	6	9	18
TOTAL 0-19 YRS	74	2.3	2	1	1	2	3	3	4	9
20-34	1693	2.4	3	1	1	2	3	4	5	9
35-49	696	3.0	8	1	1	2	3	5	8	17
50-64	333	3.5	12	1	1	2	4	7	10	18
65+	116	4.9	34	1	2	3	4	11	18	30
GRAND TOTAL	2912	2.7	6	1	1	2	3	4	7	15

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.1	1	<1	<1	2	3	4	4	7
20-34	521	2.0	1	<1	<1	2	2	3	4	8
35-49	369	2.3	3	<1	<1	2	2	4	5	11
50-64	269	3.1	10	<1	1	2	3	6	9	15
65+	176	4.8	19	1	1	3	7	10	13	24
2. MULTIPLE DX										
0-19 YRS	56	3.4	32	<1	1	2	3	6	8	40
20-34	776	3.7	25	<1	1	2	4	7	10	27
35-49	847	3.8	17	<1	1	2	4	8	11	22
50-64	640	5.2	43	1	1	3	6	11	15	31
65+	498	8.0	55	2	2	6	10	17	21	37
TOT. SINGLE DX	1382	2.7	7	<1	<1	2	3	5	8	13
" MULTIPLE DX	2817	4.8	35	1	1	3	6	11	15	30
TOTAL 0-19 YRS	103	2.8	18	<1	<1	2	3	5	6	26
20-34	1297	3.0	17	<1	<1	2	3	6	8	18
35-49	1216	3.3	14	<1	<1	2	4	7	10	20
50-64	909	4.6	35	1	1	3	5	10	13	29
65+	674	7.2	48	1	2	5	9	15	20	35
GRAND TOTAL	4199	4.1	27	<1	1	2	4	9	13	24

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.8	1	1	1	3	3	4	5	7
20-34	1221	2.9	2	1	1	3	4	4	5	9
35-49	88	2.9	3	1	1	3	4	5	5	12
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	21	5.0	9	1	1	5	7	9	11	13
20-34	276	4.2	12	1	1	3	5	7	10	17
35-49	31	4.1	17	1	1	3	5	7	10	24
50-64	3	2.7	8	1	1	1	5	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	1368	2.9	3	1	1	3	4	4	5	8
" MULTIPLE DX	332	4.2	13	1	1	3	5	8	10	18
TOTAL 0-19 YRS	78	3.4	5	1	1	3	4	7	8	12
20-34	1497	3.1	5	1	1	3	4	5	6	11
35-49	119	3.2	7	1	1	3	4	5	6	17
50-64	5	2.6	5	1	1	1	4	6	6	6
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**1700**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	3.8	6	<1	1	3	6	8	8	8
20-34	389	4.9	6	<1	1	5	7	8	9	11
35-49	112	4.3	8	<1	1	4	6	8	10	12
50-64	36	3.6	15	<1	<1	2	4	8	13	19
65+	24	5.0	43	1	1	2	5	15	23	27
2. MULTIPLE DX										
0-19 YRS	19	5.9	20	<1	1	5	7	11	16	20
20-34	573	5.4	9	1	1	6	7	9	10	14
35-49	222	5.6	17	1	1	6	8	9	13	20
50-64	100	6.3	33	<1	1	4	9	14	19	26
65+	79	11.5	123	1	2	8	16	24	35	51
TOT. SINGLE DX	586	4.6	9	<1	1	5	7	8	9	13
" MULTIPLE DX	993	6.0	25	1	1	6	8	10	14	26
TOTAL 0-19 YRS	44	4.7	13	<1	1	4	7	8	11	20
20-34	962	5.2	8	1	1	6	7	8	10	13
35-49	334	5.2	15	1	1	5	7	9	12	17
50-64	136	5.6	30	<1	1	3	8	14	18	25
65+	103	10.0	111	1	2	6	14	23	32	48
GRAND TOTAL	**1579**	**5.5**	**20**	**1**	**1**	**5**	**7**	**9**	**12**	**23**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	7.8	4	5	6	7	8	11	13	14
20-34	1860	7.1	3	5	5	7	8	9	10	14
35-49	3237	7.3	4	5	6	7	8	9	11	16
50-64	1101	8.3	8	5	6	8	9	12	14	20
65+	522	9.6	18	6	6	8	11	14	16	25
2. MULTIPLE DX										
0-19 YRS	73	8.7	21	4	5	7	9	14	18	29
20-34	9141	7.8	8	5	5	7	8	11	13	20
35-49	18809	8.1	10	5	6	7	9	11	14	21
50-64	5384	9.2	20	6	6	8	10	14	17	28
65+	2005	13.2	65	7	7	11	15	22	29	47
TOT. SINGLE DX	6749	7.6	6	5	6	7	8	10	12	17
" MULTIPLE DX	35412	8.5	16	5	6	7	9	12	15	25
TOTAL 0-19 YRS	102	8.5	17	4	5	7	9	13	16	27
20-34	11001	7.6	8	5	5	7	8	10	12	19
35-49	22046	8.0	10	5	6	7	9	11	13	20
50-64	6485	9.1	18	6	6	8	10	13	17	27
65+	2527	12.4	58	6	7	10	14	21	27	45
GRAND TOTAL	**42161**	**8.3**	**15**	**5**	**6**	**7**	**9**	**12**	**15**	**24**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.7		5	5	6	6	6	6	6
20-34	889	6.0	2	4	4	6	7	8	9	12
35-49	972	6.8	5	4	5	6	8	10	11	17
50-64	522	8.2	7	5	6	8	9	11	13	18
65+	490	9.1	10	6	6	8	10	13	15	21
2. MULTIPLE DX										
0-19 YRS	8	7.9	23	1	1	9	12	13	14	14
20-34	3052	6.7	6	4	5	6	7	9	11	16
35-49	5177	7.3	9	4	5	7	8	10	12	18
50-64	1957	8.8	13	5	6	8	10	13	15	21
65+	1414	10.1	18	6	6	9	11	15	18	27
TOT. SINGLE DX	2876	7.2	7	4	5	7	8	10	12	17
" MULTIPLE DX	11608	7.7	12	4	5	7	9	11	14	20
TOTAL 0-19 YRS	11	7.3	18	1	2	6	11	13	14	14
20-34	3941	6.6	6	4	5	6	7	9	11	15
35-49	6149	7.2	9	4	5	7	8	10	12	18
50-64	2479	8.6	12	5	6	8	10	12	15	21
65+	1904	9.8	17	6	6	9	11	14	17	26
GRAND TOTAL	**14484**	**7.6**	**11**	**4**	**5**	**7**	**9**	**11**	**13**	**20**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	42	11.7	13	6	8	11	14	17	18	20
35-49	41	11.8	14	5	7	12	14	16	18	22
50-64	27	13.0	18	7	8	12	15	19	21	26
65+	11	17.7	39	8	9	18	24	26	26	26
2. MULTIPLE DX										
0-19 YRS										
20-34	30	12.4	28	5	6	11	15	20	23	24
35-49	39	16.0	115	6	7	12	19	30	42	54
50-64	48	18.8	136	7	8	16	22	33	36	71
65+	45	23.0	177	9	11	17	32	45	47	65
TOT. SINGLE DX	122	12.5	20	6	8	12	15	18	21	26
" MULTIPLE DX	162	18.1	135	7	8	15	21	34	45	64
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	72	12.0	20	5	7	11	15	18	20	24
35-49	80	13.8	67	6	7	12	15	22	29	52
50-64	75	16.7	101	7	8	14	19	27	34	65
65+	56	21.9	153	9	11	18	26	44	46	64
GRAND TOTAL	**284**	**15.7**	**93**	**6**	**8**	**13**	**18**	**25**	**36**	**52**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	1.7		<1	<1	1	2	3	3	5
20-34	133	2.0	2	<1	1	2	2	4	6	8
35-49	20	2.0	2	<1	<1	1	3	5	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	3.7	11	<1	<1	2	7	8	10	12
20-34	135	4.5	18	1	1	3	6	10	13	21
35-49	38	3.7	17	1	1	2	4	9	15	19
50-64										
65+										
TOT. SINGLE DX	184	1.9	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	196	4.2	17	1	1	3	6	10	13	20
TOTAL 0-19 YRS	54	2.5	6	<1	<1	2	3	7	8	12
20-34	268	3.2	12	<1	1	2	4	7	10	16
35-49	58	3.1	13	<1	1	2	4	6	12	19
50-64										
65+										
GRAND TOTAL	**380**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3428	1.9	2	<1	1	2	2	3	5	8
20-34	21612	1.8	2	<1	<1	1	2	3	4	7
35-49	6912	1.8	2	<1	<1	2	2	3	4	8
50-64	2619	2.0	2	<1	1	2	2	3	4	8
65+	809	3.1	8	1	1	2	3	6	9	15
2. MULTIPLE DX										
0-19 YRS	1326	3.6	13	1	1	3	4	7	10	16
20-34	12406	3.3	12	1	1	2	4	7	9	16
35-49	8999	3.4	16	<1	1	2	4	8	10	20
50-64	4092	3.8	24	<1	1	2	4	9	12	25
65+	1883	6.1	59	1	1	3	7	13	19	48
TOT. SINGLE DX	35380	1.9	3	<1	<1	1	2	3	4	8
" MULTIPLE DX	28706	3.6	19	1	1	2	4	8	11	21
TOTAL 0-19 YRS	4754	2.4	6	<1	1	2	3	5	7	12
20-34	34018	2.4	7	<1	1	2	3	4	7	12
35-49	15911	2.7	11	<1	1	2	3	6	8	16
50-64	6711	3.1	17	<1	1	2	3	6	10	20
65+	2692	5.2	46	1	1	3	6	12	17	37
GRAND TOTAL	**64086**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**16**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	711	1.2		<1	<1	1	1	2	2	4
20-34	1400	1.3	1	<1	<1	1	1	2	2	5
35-49	120	1.2		<1	<1	1	1	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	85	3.6	9	<1	1	2	4	10	11	12
20-34	513	3.3	13	<1	<1	2	4	7	9	21
35-49	118	3.1	13	<1	<1	2	3	5	11	21
50-64										
65+										
TOT. SINGLE DX	2231	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	716	3.3	13	<1	<1	2	4	7	10	21
TOTAL 0-19 YRS	796	1.4	2	<1	<1	1	1	2	3	10
20-34	1913	1.8	5	<1	<1	1	2	3	6	12
35-49	238	2.1	8	<1	<1	1	2	4	5	18
50-64										
65+										
GRAND TOTAL	**2947**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	329	1.5		<1	<1	1	2	3	4	5
20-34	1652	1.5	1	<1	<1	1	2	2	4	6
35-49	161	1.6	3	<1	<1	1	2	3	4	7
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	53	2.8	12	<1	1	2	3	5	7	23
20-34	379	2.6	8	<1	1	2	3	5	6	13
35-49	64	3.5	17	<1	1	2	4	7	9	27
50-64	10	12.6	522	<1	<1	2	12	50	73	73
65+	8	15.5	144	2	2	14	24	33	35	35
TOT. SINGLE DX	2143	1.5	2	<1	<1	1	2	2	4	6
" MULTIPLE DX	514	3.1	25	<1	1	2	3	5	8	28
TOTAL 0-19 YRS	382	1.7	3	<1	<1	1	2	3	4	7
20-34	2031	1.7	3	<1	<1	1	2	3	4	8
35-49	225	2.2	8	<1	<1	1	2	4	7	12
50-64	10	12.6	522	<1	<1	2	12	50	73	73
65+	9	14.0	147	2	2	11	21	33	35	35
GRAND TOTAL	**2657**	**1.8**	**7**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	53	5.5	3	3	3	6	6	7	9	10
35-49	8	6.8	1	5	5	7	8	8	8	8
50-64	6	9.7	13	7	7	8	9	16	17	17
65+	7	9.9	6	6	6	11	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	172	6.0	5	3	4	6	7	8	9	16
35-49	19	8.6	38	2	4	7	9	16	23	29
50-64	14	8.1	5	6	6	7	9	11	13	13
65+	16	11.8	45	6	7	10	13	19	29	33
TOT. SINGLE DX	76	6.3	6	3	4	6	7	9	11	16
" MULTIPLE DX	224	6.8	14	3	4	6	8	10	14	22
TOTAL 0-19 YRS	5	4.8	3	3	3	5	6	7	7	7
20-34	225	5.9	5	3	4	6	7	8	9	16
35-49	27	8.0	28	3	5	7	8	15	18	29
50-64	20	8.6	8	6	6	8	9	12	15	17
65+	23	11.2	34	6	7	11	12	16	25	33
GRAND TOTAL	**300**	**6.7**	**12**	**3**	**4**	**6**	**8**	**9**	**13**	**19**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	2.9	5	1	1	2	4	6	7	12
20-34	212	2.8	4	<1	<1	2	4	6	7	10
35-49	61	3.4	5	<1	1	3	5	7	8	11
50-64	64	3.7	2	1	2	4	4	5	6	10
65+	43	5.0	24	3	3	4	5	7	7	36
2. MULTIPLE DX										
0-19 YRS	28	3.5	4	1	1	3	5	6	7	8
20-34	276	4.2	12	1	1	4	6	8	10	16
35-49	85	4.2	11	1	1	3	5	8	12	18
50-64	88	4.1	10	2	2	3	4	6	9	23
65+	106	5.3	24	2	3	4	5	9	16	29
TOT. SINGLE DX	441	3.2	7	<1	1	3	4	6	7	11
" MULTIPLE DX	583	4.4	14	1	1	4	5	8	10	19
TOTAL 0-19 YRS	89	3.1	5	1	1	2	5	6	7	11
20-34	488	3.6	10	<1	1	3	5	7	9	12
35-49	146	3.9	9	1	1	3	5	7	9	16
50-64	152	3.9	7	2	2	3	4	5	7	11
65+	149	5.2	25	2	3	4	5	8	13	36
GRAND TOTAL	**1024**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	144	6.4	6	3	3	6	8	10	11	14
35-49	372	7.1	8	4	4	7	8	11	12	15
50-64	735	7.3	7	4	4	7	8	11	13	17
65+	477	7.6	9	4	5	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	2	13.0	128	5	5	13	21	21	21	21
20-34	260	7.7	16	3	4	7	9	12	15	24
35-49	846	8.6	15	4	5	8	10	13	16	23
50-64	1304	8.9	18	4	5	8	10	13	17	24
65+	973	9.9	23	5	5	9	12	16	19	28
TOT. SINGLE DX	1728	7.2	8	4	4	7	8	11	12	17
" MULTIPLE DX	3385	9.0	19	4	5	8	10	14	18	25
TOTAL 0-19 YRS	2	13.0	128	5	5	13	21	21	21	21
20-34	404	7.2	13	3	4	7	8	12	13	19
35-49	1218	8.1	14	4	5	7	10	12	15	22
50-64	2039	8.3	15	4	5	7	10	13	15	23
65+	1450	9.1	20	4	5	8	11	14	18	26
GRAND TOTAL	**5113**	**8.4**	**16**	**4**	**5**	**8**	**10**	**13**	**16**	**23**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	4.2	12	1	1	3	6	10	12	12
20-34	244	4.0	6	1	1	4	5	7	9	11
35-49	96	4.6	9	1	1	4	6	8	10	16
50-64	59	5.7	11	1	1	5	8	10	13	15
65+	28	9.4	91	2	3	7	11	14	28	51
2. MULTIPLE DX										
0-19 YRS	75	4.8	123	<1	1	3	5	7	13	76
20-34	163	5.3	20	1	2	4	6	10	13	24
35-49	114	7.0	26	1	2	6	9	11	16	29
50-64	121	9.7	74	2	4	8	11	16	28	51
65+	109	11.8	119	3	5	9	12	19	29	69
TOT. SINGLE DX	459	4.7	15	1	1	4	6	9	11	15
" MULTIPLE DX	582	7.7	71	1	2	6	9	14	18	43
TOTAL 0-19 YRS	107	4.6	90	1	1	3	5	8	12	50
20-34	407	4.5	13	1	1	4	6	8	10	22
35-49	210	5.9	20	1	1	5	8	10	13	23
50-64	180	8.4	57	1	2	7	10	14	21	39
65+	137	11.3	114	3	4	9	12	18	28	61
GRAND TOTAL	**1041**	**6.4**	**48**	**1**	**1**	**5**	**8**	**11**	**15**	**31**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	3.1	8	<1	<1	2	4	6	8	17
20-34	497	3.2	6	<1	<1	2	4	7	8	12
35-49	168	4.3	19	<1	1	3	5	10	14	25
50-64	120	4.9	13	1	1	4	7	10	12	16
65+	157	6.1	16	2	2	5	8	11	14	23
2. MULTIPLE DX										
0-19 YRS	150	4.3	10	1	1	3	6	10	11	14
20-34	488	5.1	24	1	1	4	7	10	13	19
35-49	225	7.4	46	1	1	6	9	16	22	31
50-64	347	7.6	45	2	2	6	9	14	19	46
65+	492	10.8	85	2	3	8	13	23	30	48
TOT. SINGLE DX	1116	3.9	12	<1	1	3	5	8	10	17
" MULTIPLE DX	1702	7.5	54	1	2	5	9	15	21	40
TOTAL 0-19 YRS	324	3.7	10	<1	1	3	5	7	10	16
20-34	985	4.1	17	<1	1	3	5	9	11	17
35-49	393	6.1	37	<1	1	4	8	14	19	28
50-64	467	6.9	38	1	2	6	9	13	18	41
65+	649	9.6	73	2	3	7	12	20	28	46
GRAND TOTAL	**2818**	**6.1**	**40**	**1**	**1**	**4**	**8**	**13**	**17**	**35**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	198	2.5	2	<1	1	2	3	4	5	9
20-34	863	2.4	4	<1	1	2	3	4	5	9
35-49	374	2.6	4	<1	1	2	3	4	6	14
50-64	219	2.8	3	<1	1	2	3	5	7	11
65+	129	4.7	33	1	1	3	5	9	13	37
2. MULTIPLE DX										
0-19 YRS	103	4.4	29	1	1	3	5	8	12	33
20-34	409	3.9	13	1	1	3	4	8	11	21
35-49	306	5.1	30	1	1	3	6	11	15	34
50-64	249	6.9	81	1	1	4	8	15	23	38
65+	262	9.1	105	2	2	6	12	18	25	54
TOT. SINGLE DX	1783	2.7	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1329	5.8	53	1	1	3	7	13	17	36
TOTAL 0-19 YRS	301	3.2	12	1	1	2	3	6	8	16
20-34	1272	2.9	8	<1	1	2	3	5	7	15
35-49	680	3.7	18	<1	1	2	4	7	11	23
50-64	468	5.0	49	1	1	3	5	11	15	33
65+	391	7.6	86	1	2	4	9	17	24	47
GRAND TOTAL	**3112**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**26**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	1	3	3	4	5	5	5	5
20-34	15	9.3	211	<1	2	5	9	20	49	59
35-49	23	9.0	36	2	3	7	13	19	21	21
50-64	37	8.8	38	2	2	7	12	17	23	25
65+	46	10.3	53	3	3	8	14	21	27	33
2. MULTIPLE DX										
0-19 YRS	3	9.3	56	2	2	9	15	17	17	17
20-34	17	9.9	52	2	3	9	13	16	26	31
35-49	29	10.7	82	2	2	9	14	28	43	99+
50-64	36	16.5	219	2	3	13	21	32	50	70
65+	104	17.4	143	4	4	14	25	38	44	99+
TOT. SINGLE DX	125	9.3	62	2	3	7	12	20	23	39
" MULTIPLE DX	185	15.4	146	2	4	12	23	33	43	99+
TOTAL 0-19 YRS	7	6.3	28	2	2	5	8	15	17	17
20-34	32	9.7	122	1	2	6	12	17	30	59
35-49	52	9.9	62	2	3	8	13	21	31	98
50-64	73	12.6	141	2	3	9	17	25	32	66
65+	150	15.2	126	3	4	12	23	32	41	99
GRAND TOTAL	**314**	**13.0**	**121**	**2**	**3**	**9**	**17**	**28**	**39**	**80**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.2	10	1	1	2	4	9	11	13
20-34	102	3.3	4	<1	1	3	4	6	7	12
35-49	26	3.7	7	<1	1	3	5	7	9	12
50-64	15	4.0	6	2	2	3	4	7	11	12
65+	14	4.9	8	2	2	4	7	9	11	11
2. MULTIPLE DX										
0-19 YRS	45	3.6	34	<1	<1	2	3	7	13	32
20-34	76	4.4	6	2	2	4	6	7	9	14
35-49	30	7.4	69	1	2	3	9	19	28	34
50-64	31	6.7	23	2	2	5	9	12	18	23
65+	15	8.0	31	1	2	7	10	17	18	19
TOT. SINGLE DX	191	3.9	7	1	1	3	4	7	9	13
" MULTIPLE DX	197	5.3	29	1	1	4	6	11	16	30
TOTAL 0-19 YRS	79	3.4	24	<1	1	2	4	7	11	30
20-34	178	3.8	6	1	1	3	5	6	9	13
35-49	56	5.7	43	1	1	3	7	14	21	34
50-64	46	5.8	19	2	2	4	7	12	14	23
65+	29	6.5	22	2	2	5	9	14	17	19
GRAND TOTAL	**388**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	28	2.8	10	<1	<1	2	3	7	9	16
35-49	6	2.2	1	1	1	2	2	4	4	4
50-64	6	1.7		<1	<1	2	2	2	2	2
65+	4	2.8	1	2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	17	3.8	40	<1	1	2	4	5	20	28
20-34	35	4.5	23	<1	<1	2	6	11	15	21
35-49	8	5.0	29	<1	<1	3	8	14	15	15
50-64	11	6.4	28	1	1	5	9	15	17	17
65+	11	10.6	154	1	1	7	11	31	42	43
TOT. SINGLE DX	49	2.5	6	<1	<1	2	3	4	7	16
" MULTIPLE DX	82	5.5	48	<1	1	3	6	14	19	38
TOTAL 0-19 YRS	22	3.5	32	<1	1	2	4	5	14	28
20-34	63	3.8	18	<1	<1	2	4	9	14	20
35-49	14	3.8	18	<1	1	2	4	12	14	15
50-64	17	4.7	23	<1	1	2	6	13	16	17
65+	15	8.5	123	1	2	4	9	23	38	43
GRAND TOTAL	**131**	**4.4**	**34**	**<1**	**<1**	**2**	**4**	**11**	**15**	**31**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2726	3.3	1	2	2	3	4	4	5	6
20-34	13480	3.5	1	2	2	3	4	5	5	7
35-49	542	3.6	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3577	3.7	4	2	2	3	4	5	6	9
20-34	17274	3.9	3	2	3	4	4	5	6	9
35-49	916	4.1	4	2	3	4	5	6	7	14
50-64										
65+										
TOT. SINGLE DX	16748	3.5	1	2	2	3	4	5	5	7
" MULTIPLE DX	21767	3.9	4	2	3	4	4	5	6	9
TOTAL 0-19 YRS	6303	3.5	3	2	2	3	4	5	5	8
20-34	30754	3.7	2	2	3	3	4	5	6	8
35-49	1458	3.9	3	2	3	4	4	5	6	11
50-64										
65+										
GRAND TOTAL	**38515**	**3.7**	**3**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	3.1		2	2	3	4	4	4	5
20-34	283	3.3	1	2	2	3	4	5	5	6
35-49	17	3.7		2	3	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	109	3.1	2	1	1	3	4	4	6	10
20-34	750	3.7	5	1	2	3	4	5	6	12
35-49	75	4.2	7	1	2	4	5	6	8	18
50-64										
65+										
TOT. SINGLE DX	333	3.3	1	2	2	3	4	5	5	6
" MULTIPLE DX	934	3.6	5	1	2	3	4	5	6	12
TOTAL 0-19 YRS	142	3.1	2	1	2	3	4	4	5	8
20-34	1033	3.6	4	1	2	3	4	5	6	10
35-49	92	4.1	6	1	2	4	5	6	8	16
50-64										
65+										
GRAND TOTAL	**1267**	**3.5**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	337	3.4		2	2	3	4	5	5	6
20-34	2155	3.7	1	2	2	4	4	5	6	7
35-49	100	3.8	1	2	2	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	613	3.9	2	2	3	4	4	5	6	9
20-34	3863	4.1	3	2	3	4	5	6	6	10
35-49	229	4.3	3	2	3	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	2592	3.6	1	2	2	4	4	5	5	7
" MULTIPLE DX	4705	4.1	3	2	3	4	5	6	6	10
TOTAL 0-19 YRS	950	3.7	2	2	2	3	4	5	6	8
20-34	6018	3.9	3	2	3	4	4	5	6	9
35-49	329	4.1	3	2	3	4	5	6	6	13
50-64										
65+										
GRAND TOTAL	**7297**	**3.9**	**3**	**2**	**3**	**4**	**4**	**5**	**6**	**9**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12396	3.1	1	2	2	3	4	4	5	6
20-34	76617	3.2	1	2	2	3	4	4	5	6
35-49	3285	3.4	2	2	2	3	4	5	5	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9604	3.4	3	2	2	3	4	5	6	9
20-34	63955	3.5	3	2	2	3	4	5	6	9
35-49	3726	3.8	4	2	2	4	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	92298	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	77285	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	22000	3.2	2	2	2	3	4	4	5	7
20-34	140572	3.4	2	2	2	3	4	5	5	7
35-49	7011	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**169583**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1399	5.8	4	4	4	6	6	7	8	12
20-34	12769	5.9	3	4	4	6	7	7	8	11
35-49	622	6.4	12	4	5	6	7	8	8	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4238	6.5	10	4	4	6	7	9	11	19
20-34	33979	6.5	11	4	5	6	7	8	10	19
35-49	2492	7.1	17	4	5	6	7	9	11	27
50-64										
65+										
TOT. SINGLE DX	14290	5.9	4	4	4	6	7	7	8	11
" MULTIPLE DX	40709	6.5	11	4	5	6	7	8	10	20
TOTAL 0-19 YRS	5637	6.4	9	4	4	6	7	8	10	17
20-34	46248	6.3	9	4	5	6	7	8	9	17
35-49	3114	6.9	17	4	5	6	7	9	11	25
50-64										
65+										
GRAND TOTAL	**54999**	**6.4**	**9**	**4**	**5**	**6**	**7**	**8**	**9**	**18**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	137	5.8	4	4	4	5	6	8	9	13
20-34	854	6.0	6	4	4	6	6	8	8	15
35-49	35	6.8	10	4	5	6	7	8	13	22
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	323	6.5	11	4	4	6	7	9	11	25
20-34	2358	6.5	10	4	5	6	7	8	11	19
35-49	179	8.1	56	4	5	6	7	11	17	48
50-64										
65+										
TOT. SINGLE DX	1026	6.0	7	4	4	6	6	8	8	15
" MULTIPLE DX	2860	6.6	13	4	5	6	7	9	11	23
TOTAL 0-19 YRS	460	6.3	9	4	4	6	7	9	11	22
20-34	3212	6.4	9	4	4	6	7	8	10	18
35-49	214	7.9	49	4	5	6	7	10	15	41
50-64										
65+										
GRAND TOTAL	**3886**	**6.4**	**12**	**4**	**4**	**6**	**7**	**8**	**10**	**19**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.0		4	4	5	6	6	6	6
20-34	51	5.0	2	3	3	5	6	7	7	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	6.9	6	5	5	6	7	11	13	13
20-34	68	6.4	17	3	4	6	6	10	14	28
35-49	8	6.6	6	3	3	6	8	10	11	11
50-64										
65+										
TOT. SINGLE DX	56	5.1	2	3	4	5	6	7	7	10
" MULTIPLE DX	84	6.5	15	3	4	6	7	10	13	26
TOTAL 0-19 YRS	12	6.3	5	4	4	6	7	9	12	13
20-34	119	5.8	11	3	4	5	6	8	12	21
35-49	9	6.7	6	3	4	7	8	10	11	11
50-64										
65+										
GRAND TOTAL	**140**	**5.9**	**10**	**3**	**4**	**5**	**6**	**8**	**12**	**18**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	614	1.7		1	1	2	2	2	3	3
20-34	497	1.6		1	1	2	2	2	3	3
35-49	30	1.5		1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	150	2.1	2	1	1	2	2	3	3	6
20-34	195	2.1	1	1	1	2	3	3	4	7
35-49	22	2.2	2	<1	<1	2	3	3	5	8
50-64										
65+										
TOT. SINGLE DX	1141	1.7		1	1	2	2	2	3	3
" MULTIPLE DX	367	2.1	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	764	1.7	1	1	1	2	2	2	3	3
20-34	692	1.8	1	1	1	2	2	3	3	4
35-49	52	1.8	1	1	1	2	2	3	3	8
50-64										
65+										
GRAND TOTAL	**1508**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	4.5	25	<1	1	3	6	10	14	28
20-34	440	3.9	25	<1	<1	2	5	8	12	25
35-49	35	3.6	13	<1	<1	3	4	6	11	20
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	49	5.7	32	1	1	4	7	10	16	36
20-34	301	6.4	57	<1	1	4	7	14	20	44
35-49	27	6.4	65	<1	<1	4	7	18	22	38
50-64										
65+										
TOT. SINGLE DX	553	4.0	24	<1	<1	2	5	8	12	25
" MULTIPLE DX	377	6.3	55	<1	1	4	7	14	20	43
TOTAL 0-19 YRS	127	4.9	28	<1	1	3	6	10	14	31
20-34	741	4.9	40	<1	<1	3	6	10	16	37
35-49	62	4.9	37	<1	<1	3	6	11	19	36
50-64										
65+										
GRAND TOTAL	**930**	**4.9**	**38**	**<1**	**<1**	**3**	**6**	**10**	**15**	**36**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1106	2.3	1	<1	<1	2	3	4	4	6
20-34	5649	2.5	2	<1	<1	3	3	4	5	7
35-49	235	2.6	2	<1	<1	3	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	877	3.0	2	<1	1	3	4	4	5	8
20-34	5333	3.4	3	1	2	3	4	5	6	9
35-49	279	4.0	6	2	2	4	4	5	7	17
50-64										
65+										
TOT. SINGLE DX	6990	2.5	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	6489	3.3	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	1983	2.6	2	<1	<1	3	3	4	5	7
20-34	10982	2.9	3	<1	<1	3	4	4	5	8
35-49	514	3.4	5	<1	<1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**13479**	**2.9**	**3**	**<1**	**<1**	**3**	**4**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1638	3.0		2	2	3	3	4	5	6
20-34	10519	3.1	1	1	2	3	4	4	5	6
35-49	626	3.1	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2775	3.4	3	2	2	3	4	5	5	10
20-34	16458	3.4	3	2	2	3	4	5	5	8
35-49	1029	3.7	5	1	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	12783	3.1	1	1	2	3	4	4	5	6
" MULTIPLE DX	20262	3.4	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	4413	3.2	3	2	2	3	4	4	5	9
20-34	26977	3.3	2	2	2	3	4	5	5	7
35-49	1655	3.5	4	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**33045**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	3.5	9	<1	1	3	4	6	7	20
20-34	50	3.3	8	1	1	2	4	8	11	13
35-49	45	3.9	36	1	1	2	3	7	11	40
50-64	63	4.8	37	<1	1	2	6	12	15	36
65+	52	5.0	19	<1	1	3	7	12	17	18
2. MULTIPLE DX										
0-19 YRS	30	7.0	33	2	2	5	9	18	19	21
20-34	43	6.1	44	2	2	4	6	11	26	33
35-49	49	7.4	111	1	1	4	9	16	31	56
50-64	97	8.9	122	1	2	4	12	22	26	60
65+	83	11.4	110	2	2	8	18	29	42	99+
TOT. SINGLE DX	251	4.2	23	<1	1	3	5	9	14	22
" MULTIPLE DX	302	8.8	100	1	2	5	12	22	29	60
TOTAL 0-19 YRS	71	5.0	22	1	2	3	6	10	18	21
20-34	93	4.6	27	1	1	3	5	9	12	30
35-49	94	5.7	78	1	1	3	5	12	18	51
50-64	160	7.3	93	<1	1	3	9	19	23	57
65+	135	9.0	85	1	2	6	14	22	30	99+
GRAND TOTAL	**553**	**6.7**	**70**	**1**	**1**	**3**	**8**	**17**	**23**	**50**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	3.8	1	2	3	4	4	5	6	7
20-34	838	3.6	2	2	2	3	4	5	6	7
35-49	290	3.8	2	2	2	3	4	6	7	9
50-64	137	3.6	4	2	2	3	4	6	8	12
65+	15	5.5	48	2	2	3	4	12	25	29
2. MULTIPLE DX										
0-19 YRS	369	4.3	7	2	3	4	5	6	7	20
20-34	453	4.2	4	2	3	4	5	6	8	14
35-49	177	4.9	26	2	2	4	5	7	10	31
50-64	84	6.9	110	2	3	4	6	11	16	69
65+	43	8.0	98	2	2	4	8	20	25	56
TOT. SINGLE DX	1897	3.7	3	2	2	3	4	5	6	8
" MULTIPLE DX	1126	4.7	21	2	2	4	5	7	9	24
TOTAL 0-19 YRS	986	4.0	4	2	3	4	4	5	6	8
20-34	1291	3.8	3	2	2	4	5	5	7	9
35-49	467	4.2	12	2	2	4	5	6	7	19
50-64	221	4.8	47	2	2	3	5	8	11	41
65+	58	7.3	85	2	2	4	8	18	26	54
GRAND TOTAL	**3023**	**4.1**	**10**	**2**	**2**	**4**	**5**	**6**	**7**	**14**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	3.2	4	1	1	3	4	6	8	12
20-34	197	3.0	6	1	1	2	4	5	7	9
35-49	40	3.2	6	1	1	3	4	5	7	15
50-64	11	2.9	6	<1	<1	2	3	8	8	8
65+	4	4.3	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	353	4.6	37	1	1	3	5	8	12	36
20-34	645	4.8	26	1	1	3	5	9	13	23
35-49	153	6.1	27	2	2	5	7	12	16	24
50-64	78	8.7	112	2	2	6	10	14	25	68
65+	58	11.0	77	2	3	8	14	26	32	36
TOT. SINGLE DX	380	3.1	6	1	1	2	4	5	8	12
" MULTIPLE DX	1287	5.4	39	1	2	4	6	11	15	33
TOTAL 0-19 YRS	481	4.3	29	1	1	3	5	8	11	29
20-34	842	4.3	22	1	1	3	5	8	11	23
35-49	193	5.5	25	1	2	4	6	12	15	24
50-64	89	7.9	102	2	2	5	10	13	20	66
65+	62	10.6	76	2	3	8	13	25	32	36
GRAND TOTAL	**1667**	**4.9**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	3.8	7	1	1	3	4	8	10	14
20-34	247	3.5	4	1	2	3	4	6	8	10
35-49	97	4.1	6	1	2	3	5	7	9	12
50-64	24	5.3	14	1	2	4	8	9	12	18
65+	17	7.5	54	1	1	5	10	18	25	28
2. MULTIPLE DX										
0-19 YRS	375	6.3	65	1	2	4	7	12	19	40
20-34	921	5.8	34	1	2	4	7	11	16	30
35-49	352	6.7	80	1	2	4	7	13	18	45
50-64	149	7.7	56	2	2	6	9	15	23	39
65+	84	12.6	148	2	3	9	15	29	40	63
TOT. SINGLE DX	482	3.9	8	1	1	3	5	7	9	16
" MULTIPLE DX	1881	6.5	58	1	2	4	8	13	18	41
TOTAL 0-19 YRS	472	5.8	55	1	2	4	7	11	16	35
20-34	1168	5.3	29	1	2	4	6	10	15	28
35-49	449	6.1	65	1	2	4	7	11	17	43
50-64	173	7.4	51	2	2	6	9	15	21	37
65+	101	11.7	136	1	3	8	14	27	37	62
GRAND TOTAL	**2363**	**6.0**	**49**	**1**	**2**	**4**	**7**	**11**	**17**	**36**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	4.1	6	1	1	4	5	9	9	10
20-34	39	3.1	7	<1	<1	2	4	8	9	11
35-49	39	4.5	10	1	1	4	7	9	10	16
50-64	26	4.0	7	1	2	3	6	9	9	10
65+	13	4.0	3	1	2	4	6	7	7	7
2. MULTIPLE DX										
0-19 YRS	28	4.6	7	2	2	4	6	9	10	13
20-34	38	5.1	28	<1	1	3	6	12	19	24
35-49	32	6.2	25	2	2	4	7	16	17	18
50-64	33	5.1	8	1	1	5	7	10	11	99+
65+	13	9.0	35	3	4	6	13	18	20	21
TOT. SINGLE DX	141	3.9	8	<1	1	3	6	8	9	12
" MULTIPLE DX	144	5.6	21	1	2	4	7	12	17	28
TOTAL 0-19 YRS	52	4.4	7	1	2	4	6	9	10	13
20-34	77	4.1	19	<1	<1	3	5	9	12	23
35-49	71	5.2	18	1	1	4	7	11	16	18
50-64	59	4.6	8	1	1	4	7	9	10	91
65+	26	6.5	25	2	2	5	7	16	18	21
GRAND TOTAL	**285**	**4.8**	**15**	**1**	**1**	**4**	**6**	**9**	**13**	**21**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	609	5.2	28	1	2	4	6	10	14	32
20-34	680	4.8	32	1	1	3	5	9	12	36
35-49	473	5.1	21	1	2	4	6	9	13	24
50-64	571	6.5	26	2	2	6	8	10	13	21
65+	208	8.5	32	3	3	7	10	16	19	26
2. MULTIPLE DX										
0-19 YRS	356	7.4	76	2	2	5	7	14	25	46
20-34	605	6.5	100	2	2	4	6	13	21	70
35-49	634	6.4	66	2	2	4	6	12	20	50
50-64	850	7.9	65	2	2	6	9	15	23	46
65+	368	13.1	149	3	3	9	17	28	34	71
TOT. SINGLE DX	2541	5.6	29	1	2	4	7	10	14	26
" MULTIPLE DX	2813	7.9	90	2	2	5	8	16	25	52
TOTAL 0-19 YRS	965	6.0	47	1	2	4	6	11	17	39
20-34	1285	5.6	65	1	2	4	6	10	16	47
35-49	1107	5.9	47	2	2	4	6	10	16	43
50-64	1421	7.3	50	2	2	6	8	13	19	42
65+	576	11.4	112	3	3	8	14	24	31	60
GRAND TOTAL	**5354**	**6.8**	**62**	**2**	**2**	**5**	**8**	**13**	**20**	**45**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	425	3.6	2	2	2	3	4	6	6	8
20-34	855	3.7	3	2	2	3	5	6	7	9
35-49	776	4.0	3	2	2	4	5	6	7	10
50-64	976	4.2	4	2	2	4	5	6	8	11
65+	431	4.7	5	2	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	477	4.0	2	2	2	4	5	6	7	11
20-34	1236	4.3	8	2	2	4	5	6	8	15
35-49	1586	4.6	11	2	2	4	5	7	9	19
50-64	2720	5.1	13	2	3	4	6	8	10	19
65+	1588	6.2	29	2	3	5	7	10	13	29
TOT. SINGLE DX	3463	4.0	4	2	2	4	5	6	7	11
" MULTIPLE DX	7607	5.0	15	2	2	4	6	8	10	21
TOTAL 0-19 YRS	902	3.8	3	2	2	4	5	6	7	9
20-34	2091	4.1	7	2	2	4	5	6	7	12
35-49	2362	4.4	9	2	2	4	5	7	8	16
50-64	3696	4.9	12	2	3	4	6	8	9	16
65+	2019	5.9	25	2	3	5	6	9	13	25
GRAND TOTAL	**11070**	**4.7**	**12**	**2**	**2**	**4**	**5**	**7**	**9**	**18**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1772	3.6	13	1	1	3	4	6	8	23
20-34	2329	4.0	22	1	1	3	4	7	9	20
35-49	1663	4.6	24	1	1	3	5	9	12	29
50-64	1356	4.9	33	1	2	3	5	9	13	34
65+	615	7.5	64	1	2	4	9	18	23	42
2. MULTIPLE DX										
0-19 YRS	861	7.3	104	1	2	4	7	18	28	57
20-34	1929	7.2	110	1	1	4	7	17	29	60
35-49	1783	7.2	88	1	2	4	7	16	24	54
50-64	2173	9.5	131	2	2	5	11	22	33	68
65+	1545	14.1	188	2	3	10	19	31	42	80
TOT. SINGLE DX	7735	4.5	27	1	1	3	5	8	12	29
" MULTIPLE DX	8291	9.1	132	1	2	5	10	22	32	65
TOTAL 0-19 YRS	2633	4.8	46	1	1	3	5	8	16	36
20-34	4258	5.4	65	1	1	3	5	10	18	46
35-49	3446	6.0	59	1	2	4	6	12	19	43
50-64	3529	7.7	99	1	2	4	8	17	28	58
65+	2160	12.2	162	2	2	8	16	28	38	73
GRAND TOTAL	**16026**	**6.9**	**87**	**1**	**2**	**4**	**7**	**16**	**25**	**52**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	572	5.6	33	1	2	4	6	10	15	31
20-34	502	5.3	34	1	2	4	6	9	12	34
35-49	207	5.6	20	1	2	4	7	11	14	24
50-64	170	8.2	44	2	2	6	10	18	25	32
65+	210	15.8	86	3	5	14	21	27	31	49
2. MULTIPLE DX										
0-19 YRS	277	10.1	161	1	2	5	11	26	39	76
20-34	414	10.3	158	1	2	6	11	24	41	61
35-49	228	11.5	152	2	2	8	15	24	36	85
50-64	330	16.1	251	3	4	12	19	33	53	81
65+	945	19.0	120	6	8	17	23	33	41	64
TOT. SINGLE DX	1661	7.1	52	1	2	5	8	15	22	35
" MULTIPLE DX	2194	15.0	171	2	3	12	20	31	41	70
TOTAL 0-19 YRS	849	7.1	79	1	2	4	7	14	25	44
20-34	916	7.6	97	1	2	5	8	15	26	54
35-49	435	8.7	98	1	2	6	10	18	25	63
50-64	500	13.4	195	2	3	9	17	27	40	74
65+	1155	18.4	116	5	8	17	23	32	40	62
GRAND TOTAL	**3855**	**11.6**	**135**	**2**	**2**	**7**	**16**	**25**	**34**	**61**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1118	2.8	7	<1	1	2	3	5	6	17
20-34	1681	3.2	17	1	1	2	3	5	7	20
35-49	747	3.6	28	1	1	2	4	6	8	32
50-64	707	3.7	20	1	1	3	4	6	10	24
65+	559	6.6	47	1	2	4	8	15	19	35
2. MULTIPLE DX										
0-19 YRS	341	4.8	36	1	1	3	4	11	18	31
20-34	677	6.5	97	1	1	3	7	13	20	53
35-49	430	7.5	128	1	1	4	7	17	28	64
50-64	557	8.4	100	1	2	5	10	19	29	49
65+	901	13.9	184	2	3	10	18	29	40	79
TOT. SINGLE DX	4812	3.6	22	1	1	2	4	6	10	24
" MULTIPLE DX	2906	9.1	134	1	2	5	11	22	32	62
TOTAL 0-19 YRS	1459	3.3	15	1	1	2	3	5	8	23
20-34	2358	4.1	43	1	1	2	4	7	11	36
35-49	1177	5.0	69	1	1	3	5	9	16	48
50-64	1264	5.8	61	1	1	3	6	13	19	39
65+	1460	11.1	145	2	2	7	15	24	34	63
GRAND TOTAL	**7718**	**5.7**	**71**	**1**	**1**	**3**	**5**	**13**	**20**	**44**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	17.2	127	4	5	16	25	35	37	45
20-34	23	14.0	61	5	7	11	17	27	32	36
35-49	17	13.1	89	6	7	10	13	22	38	46
50-64	49	11.0	21	4	6	10	13	19	20	22
65+	244	17.5	90	8	10	15	20	27	33	70
2. MULTIPLE DX										
0-19 YRS	163	20.9	197	3	6	18	28	42	48	64
20-34	111	23.3	391	6	8	16	26	55	78	98
35-49	72	24.1	412	6	7	15	33	55	70	87
50-64	207	18.5	220	6	7	13	21	35	54	80
65+	1440	20.6	134	9	10	18	24	34	44	69
TOT. SINGLE DX	396	16.2	90	5	7	14	19	27	34	62
" MULTIPLE DX	1993	20.7	174	7	9	17	25	36	49	79
TOTAL 0-19 YRS	226	19.9	180	4	5	17	27	38	46	62
20-34	134	21.7	346	6	7	15	25	49	72	97
35-49	89	22.0	368	6	7	14	27	49	67	86
50-64	256	17.0	190	6	7	13	19	33	48	77
65+	1684	20.1	129	8	10	17	24	33	43	70
GRAND TOTAL	**2389**	**19.9**	**163**	**7**	**9**	**17**	**24**	**35**	**47**	**73**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	10.5	53	3	4	9	14	19	28	38
20-34	91	12.8	68	5	6	11	16	20	25	53
35-49	52	13.2	53	6	6	12	16	21	29	43
50-64	218	14.0	61	6	7	13	17	21	23	48
65+	1161	17.6	53	8	10	16	21	26	31	43
2. MULTIPLE DX										
0-19 YRS	285	17.7	198	5	6	13	20	35	46	75
20-34	471	19.5	192	6	7	16	23	38	54	99+
35-49	337	19.5	227	6	7	15	23	36	51	99
50-64	997	19.1	165	7	9	16	22	34	43	89
65+	7374	20.7	117	9	11	18	24	33	42	65
TOT. SINGLE DX	1633	16.2	61	6	8	15	19	25	30	43
" MULTIPLE DX	9464	20.3	133	8	10	18	24	34	43	70
TOTAL 0-19 YRS	396	15.7	168	4	5	12	18	30	43	69
20-34	562	18.4	178	6	7	15	22	36	52	98
35-49	389	18.7	208	6	7	15	22	35	49	99
50-64	1215	18.2	151	7	8	15	21	32	41	83
65+	8535	20.3	110	9	11	18	24	33	40	63
GRAND TOTAL	**11097**	**19.7**	**125**	**8**	**9**	**17**	**23**	**33**	**41**	**68**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	12.4	162	1	2	8	17	27	34	62
20-34	16	15.9	285	1	2	7	31	44	51	53
35-49	8	11.5	43	6	7	10	12	22	27	27
50-64	15	9.2	88	1	3	5	13	18	33	38
65+	57	18.7	266	3	4	14	24	38	48	92
2. MULTIPLE DX										
0-19 YRS	343	18.3	292	1	2	14	27	37	48	90
20-34	75	21.7	381	3	4	18	28	47	59	96
35-49	29	30.2	542	4	5	28	39	65	71	88
50-64	58	21.9	352	3	5	18	33	59	92	99+
65+	223	21.3	279	4	6	17	28	43	63	99+
TOT. SINGLE DX	292	13.7	188	1	2	9	19	30	39	64
" MULTIPLE DX	728	20.3	317	2	3	17	28	43	62	99
TOTAL 0-19 YRS	539	16.1	253	1	2	11	24	34	45	85
20-34	91	20.6	366	2	3	15	28	46	53	95
35-49	37	26.1	491	4	5	19	36	64	68	88
50-64	73	19.3	323	3	4	15	25	54	83	99+
65+	280	20.8	277	4	5	16	27	42	61	98
GRAND TOTAL	**1020**	**18.4**	**289**	**2**	**3**	**14**	**25**	**40**	**53**	**95**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	4.6	42	<1	1	2	4	12	18	30
20-34	234	3.6	16	<1	<1	2	4	7	11	25
35-49	153	4.1	11	1	1	3	5	9	11	14
50-64	159	4.9	38	1	1	3	5	11	13	32
65+	120	6.0	67	1	1	3	6	14	20	48
2. MULTIPLE DX										
0-19 YRS	403	6.8	82	1	1	3	8	19	24	45
20-34	484	6.5	65	1	1	4	8	14	19	44
35-49	272	7.8	106	1	1	5	9	17	27	56
50-64	392	6.8	76	1	1	4	8	15	21	46
65+	489	10.2	127	1	2	6	13	26	33	59
TOT. SINGLE DX	944	4.5	34	<1	1	3	5	10	14	27
" MULTIPLE DX	2040	7.7	93	1	1	4	9	18	27	51
TOTAL 0-19 YRS	681	5.9	67	<1	1	2	6	16	22	37
20-34	718	5.5	51	<1	1	3	6	12	17	39
35-49	425	6.5	75	1	1	4	7	13	21	49
50-64	551	6.2	66	1	1	3	8	14	20	45
65+	609	9.3	118	1	2	5	12	23	31	56
GRAND TOTAL	**2984**	**6.7**	**77**	**1**	**1**	**4**	**8**	**15**	**23**	**46**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1182	3.5	7	1	1	3	4	6	8	15
20-34	1533	4.3	12	1	1	4	5	8	10	18
35-49	919	5.5	24	1	2	4	7	10	12	23
50-64	757	6.4	26	2	2	5	8	11	14	26
65+	539	8.7	38	2	3	7	11	17	21	30
2. MULTIPLE DX										
0-19 YRS	1963	5.2	43	1	1	3	6	10	15	37
20-34	3290	6.8	73	1	2	5	7	12	21	48
35-49	2046	7.5	68	1	2	5	8	14	21	48
50-64	2287	8.8	69	2	3	7	10	16	22	45
65+	2033	12.4	104	3	4	10	16	24	32	52
TOT. SINGLE DX	4930	5.2	21	1	1	4	6	10	13	23
" MULTIPLE DX	11619	8.0	77	1	2	5	9	16	23	47
TOTAL 0-19 YRS	3145	4.6	31	1	1	3	5	8	12	29
20-34	4823	6.0	55	1	2	4	7	11	17	45
35-49	2965	6.9	55	1	2	5	8	12	18	41
50-64	3044	8.2	60	2	3	6	10	15	20	42
65+	2572	11.7	93	3	4	9	15	23	30	48
GRAND TOTAL	**16549**	**7.2**	**62**	**1**	**2**	**5**	**8**	**14**	**21**	**43**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2765	2.4	10	<1	1	1	2	5	7	1[illegible]
20-34	755	3.6	15	1	1	3	4	7	9	20
35-49	512	3.7	11	1	1	3	5	8	10	15
50-64	661	4.0	22	1	1	3	5	8	11	26
65+	705	5.0	27	1	1	3	6	12	15	25
2. MULTIPLE DX										
0-19 YRS	3632	3.4	32	1	1	2	3	7	11	27
20-34	1667	5.9	57	1	1	4	7	12	19	44
35-49	1158	6.1	63	1	1	4	7	13	18	45
50-64	1633	6.7	63	1	1	4	8	15	21	42
65+	2387	9.2	102	1	1	6	12	20	28	52
TOT. SINGLE DX	5398	3.2	16	1	1	2	4	7	10	21
" MULTIPLE DX	10477	5.9	65	1	1	3	7	14	20	44
TOTAL 0-19 YRS	6397	3.0	24	1	1	2	3	6	9	22
20-34	2422	5.2	45	1	1	3	6	11	16	37
35-49	1670	5.4	49	1	1	4	6	11	15	38
50-64	2294	5.9	53	1	1	4	7	13	19	38
65+	3092	8.2	88	1	1	5	11	18	25	48
GRAND TOTAL	**15875**	**5.0**	**50**	**1**	**1**	**3**	**6**	**11**	**17**	**37**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	239	4.7	40	<1	1	2	5	15	20	30
20-34	215	3.0	16	<1	1	2	3	6	10	23
35-49	96	3.7	25	<1	1	2	4	8	13	30
50-64	111	3.1	15	<1	1	2	4	7	10	23
65+	183	5.8	48	1	1	3	7	14	23	33
2. MULTIPLE DX										
0-19 YRS	301	5.9	78	<1	1	3	6	14	24	42
20-34	389	5.7	75	<1	1	3	6	13	23	46
35-49	221	7.1	78	1	1	4	9	17	25	53
50-64	278	7.0	98	1	1	4	8	16	25	53
65+	477	9.3	125	1	1	5	12	23	32	65
TOT. SINGLE DX	844	4.2	32	<1	1	2	4	10	16	29
" MULTIPLE DX	1666	7.2	97	1	1	4	8	17	26	52
TOTAL 0-19 YRS	540	5.3	62	<1	1	2	6	14	22	34
20-34	604	4.8	56	<1	1	2	5	11	19	36
35-49	317	6.1	65	<1	1	3	8	15	21	48
50-64	389	5.9	78	1	1	3	7	12	21	50
65+	660	8.3	107	1	1	4	10	21	29	52
GRAND TOTAL	**2510**	**6.2**	**77**	**<1**	**1**	**3**	**7**	**16**	**23**	**44**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	144	4.6	27	1	1	3	5	11	15	29
20-34	262	3.4	6	1	1	3	4	6	7	15
35-49	101	4.6	14	1	2	3	5	8	12	23
50-64	48	5.0	14	1	2	4	6	12	13	15
65+	42	11.6	67	1	2	10	16	21	23	46
2. MULTIPLE DX										
0-19 YRS	141	4.3	24	1	1	3	5	9	13	21
20-34	298	4.6	26	1	2	4	5	8	11	26
35-49	142	5.8	79	1	2	4	6	10	18	40
50-64	133	8.5	87	1	2	5	11	19	28	51
65+	132	17.3	208	3	3	13	23	38	47	87
TOT. SINGLE DX	597	4.6	22	1	1	3	5	9	14	24
" MULTIPLE DX	846	7.4	92	1	2	4	8	16	27	50
TOTAL 0-19 YRS	285	4.4	26	1	1	3	5	9	14	27
20-34	560	4.2	17	1	2	3	5	7	9	19
35-49	243	5.3	53	1	2	4	6	9	14	29
50-64	181	7.6	70	1	2	5	10	15	25	47
65+	174	15.9	180	2	3	12	21	36	45	79
GRAND TOTAL	**1443**	**6.3**	**65**	**1**	**1**	**4**	**6**	**13**	**20**	**44**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1161	3.7	14	1	1	3	4	6	9	21
20-34	1053	3.6	9	1	1	3	4	6	8	17
35-49	495	4.3	27	1	1	3	5	7	11	32
50-64	374	6.7	80	1	2	4	7	16	26	45
65+	139	12.3	141	2	2	8	17	27	36	53
2. MULTIPLE DX										
0-19 YRS	667	5.3	43	1	1	3	5	11	19	35
20-34	871	5.3	46	1	1	4	6	9	16	34
35-49	557	6.7	77	1	2	4	7	14	24	49
50-64	522	10.6	151	2	2	5	13	26	41	65
65+	487	19.3	288	2	3	15	27	42	58	93
TOT. SINGLE DX	3222	4.5	32	1	1	3	5	8	14	30
" MULTIPLE DX	3104	8.7	132	1	2	4	9	22	33	63
TOTAL 0-19 YRS	1828	4.3	25	1	1	3	4	8	13	29
20-34	1924	4.4	27	1	1	3	5	7	11	28
35-49	1052	5.6	55	1	1	3	6	10	18	42
50-64	896	9.0	125	1	2	4	10	22	33	57
65+	626	17.8	264	2	3	14	24	39	54	88
GRAND TOTAL	**6326**	**6.5**	**85**	**1**	**1**	**3**	**6**	**15**	**25**	**50**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	141	9.2	18	4	4	9	11	15	17	24
20-34	3067	9.9	31	4	5	9	12	17	21	31
35-49	5026	10.5	34	4	5	9	13	18	22	30
50-64	2429	11.6	39	5	5	10	14	19	23	33
65+	588	13.8	57	6	6	12	17	23	28	41
2. MULTIPLE DX										
0-19 YRS	46	13.5	196	2	3	10	16	26	36	87
20-34	1041	13.2	84	5	6	11	16	23	31	50
35-49	2348	13.9	80	5	6	12	17	24	32	49
50-64	2248	15.6	101	6	7	13	19	27	34	56
65+	1048	20.2	162	7	8	17	25	37	46	68
TOT. SINGLE DX	11251	10.7	37	4	5	9	13	18	22	31
" MULTIPLE DX	6731	15.3	107	5	6	13	19	27	35	57
TOTAL 0-19 YRS	187	10.3	65	3	4	9	12	16	22	37
20-34	4108	10.8	47	4	5	9	13	18	22	37
35-49	7374	11.6	52	4	5	10	14	20	25	38
50-64	4677	13.5	73	5	6	11	17	23	29	46
65+	1636	17.9	134	6	7	15	22	31	41	60
GRAND TOTAL	**17982**	**12.5**	**68**	**4**	**5**	**10**	**15**	**22**	**27**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1081	2.9	3	1	1	3	4	5	6	9
20-34	2641	3.2	4	1	1	3	4	5	6	10
35-49	1496	3.4	6	1	1	3	4	6	7	12
50-64	971	3.7	9	1	1	3	5	7	8	16
65+	271	4.3	11	1	2	3	5	8	12	17
2. MULTIPLE DX										
0-19 YRS	1023	3.3	7	1	1	3	4	6	7	13
20-34	2503	3.7	8	1	1	3	5	7	8	15
35-49	1633	4.0	13	1	1	3	5	7	9	20
50-64	1794	4.4	14	1	2	3	5	9	11	20
65+	741	5.6	33	1	2	4	7	11	16	32
TOT. SINGLE DX	6460	3.3	6	1	1	3	4	6	7	12
" MULTIPLE DX	7694	4.1	14	1	1	3	5	7	10	19
TOTAL 0-19 YRS	2104	3.1	6	1	1	3	4	5	6	11
20-34	5144	3.4	6	1	1	3	4	6	7	13
35-49	3129	3.7	10	1	1	3	5	7	8	16
50-64	2765	4.2	13	1	1	3	5	8	10	19
65+	1012	5.3	28	1	2	4	6	11	15	28
GRAND TOTAL	**14154**	**3.7**	**10**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1983	2.5	6	<1	1	2	3	4	5	11
20-34	2844	2.7	6	<1	1	2	3	5	6	12
35-49	1603	3.1	6	1	1	2	4	6	8	13
50-64	981	3.8	16	1	1	3	4	7	11	22
65+	383	5.5	32	1	2	4	6	12	17	31
2. MULTIPLE DX										
0-19 YRS	1183	3.3	16	1	1	2	3	6	9	25
20-34	2154	3.7	24	1	1	2	4	7	10	23
35-49	1336	5.0	44	1	1	3	5	10	16	29
50-64	1367	6.0	55	1	2	4	7	13	19	43
65+	634	9.0	111	1	2	5	11	21	27	49
TOT. SINGLE DX	7794	3.0	10	<1	1	2	3	5	7	16
" MULTIPLE DX	6674	4.9	45	1	1	3	5	10	16	35
TOTAL 0-19 YRS	3166	2.8	11	<1	1	2	3	5	6	17
20-34	4998	3.2	15	<1	1	2	3	6	8	18
35-49	2939	3.9	25	1	1	3	4	7	11	24
50-64	2348	5.1	40	1	1	3	5	10	16	36
65+	1017	7.7	85	1	2	4	9	18	24	45
GRAND TOTAL	**14468**	**3.9**	**27**	**1**	**1**	**2**	**4**	**7**	**11**	**26**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	12.1	19	6	7	12	14	17	21	27
20-34	308	11.2	49	5	6	10	13	18	20	39
35-49	537	10.5	28	5	5	9	13	18	23	28
50-64	273	11.0	43	5	5	9	13	18	22	38
65+	39	12.5	52	5	5	10	17	22	27	36
2. MULTIPLE DX										
0-19 YRS	135	19.9	306	6	8	14	23	54	82	99+
20-34	300	18.2	249	6	7	13	21	40	58	99+
35-49	353	14.4	103	5	6	12	17	25	32	87
50-64	358	15.7	142	5	6	12	20	29	38	80
65+	107	23.6	287	8	8	18	33	49	61	91
TOT. SINGLE DX	1331	11.0	36	5	5	10	13	18	22	31
" MULTIPLE DX	1253	17.1	194	6	7	13	20	33	50	99+
TOTAL 0-19 YRS	309	15.5	159	6	7	12	16	26	42	99+
20-34	608	14.6	160	5	6	11	16	26	43	95
35-49	890	12.[illegible]	62	5	5	10	15	21	25	42
50-64	631	13.[illegible]	105	5	6	11	16	25	32	58
65+	146	20.[illegible]	249	6	8	15	26	41	56	85
GRAND TOTAL	**2584**	**13.9**	**122**	**5**	**6**	**11**	**16**	**25**	**34**	**83**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	168	4.2	7	2	2	3	5	7	10	14
20-34	379	4.7	20	1	2	4	6	8	10	19
35-49	322	5.2	17	2	2	4	6	10	14	19
50-64	396	5.4	23	1	2	4	6	9	12	31
65+	240	6.3	59	1	1	4	7	15	20	46
2. MULTIPLE DX										
0-19 YRS	137	5.3	15	2	2	4	6	10	13	22
20-34	301	7.2	90	1	2	5	7	13	22	52
35-49	315	6.6	30	2	2	5	8	12	18	30
50-64	483	7.4	52	2	2	5	9	15	21	32
65+	329	10.3	120	2	2	6	12	24	32	69
TOT. SINGLE DX	1505	5.2	26	1	2	4	6	9	13	23
" MULTIPLE DX	1565	7.6	69	2	2	5	9	15	23	43
TOTAL 0-19 YRS	305	4.7	11	2	2	4	5	8	11	18
20-34	680	5.8	53	1	2	4	6	10	14	34
35-49	637	5.9	24	2	2	5	7	11	15	26
50-64	879	6.5	41	2	2	5	8	12	17	31
65+	569	8.6	99	1	2	5	10	20	29	53
GRAND TOTAL	**3070**	**6.4**	**49**	**2**	**2**	**5**	**7**	**12**	**18**	**35**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	14.2	69	6	7	13	15	28	34	35
20-34	103	12.7	23	7	8	12	14	19	22	32
35-49	204	14.0	32	8	9	13	16	19	26	38
50-64	878	14.5	25	9	9	14	17	20	23	30
65+	1637	16.5	36	9	11	16	18	23	27	40
2. MULTIPLE DX										
0-19 YRS	15	19.1	257	4	8	14	20	34	60	69
20-34	124	16.2	93	8	9	14	17	25	36	54
35-49	265	17.1	82	9	10	15	19	30	39	55
50-64	1131	18.0	99	9	10	16	20	28	37	58
65+	2890	20.7	115	10	12	18	24	33	41	64
TOT. SINGLE DX	2833	15.6	34	9	10	15	18	22	26	38
" MULTIPLE DX	4425	19.7	111	10	11	17	22	32	40	63
TOTAL 0-19 YRS	26	17.0	178	5	7	13	20	34	42	69
20-34	227	14.6	65	8	8	13	16	22	30	52
35-49	469	15.8	63	8	9	14	17	25	33	51
50-64	2009	16.5	70	9	10	15	18	24	31	54
65+	4527	19.2	91	10	11	17	22	30	37	60
GRAND TOTAL	**7258**	**18.1**	**85**	**9**	**10**	**16**	**20**	**28**	**35**	**57**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.7	112	2	3	8	13	30	36	37
20-34	29	12.3	42	3	4	11	16	24	25	27
35-49	50	11.8	17	5	6	11	14	16	19	26
50-64	210	15.5	40	8	9	14	17	23	28	39
65+	1000	17.2	41	9	11	16	20	25	28	40
2. MULTIPLE DX										
0-19 YRS	19	17.1	121	3	4	13	26	30	39	45
20-34	27	18.6	111	8	9	15	23	34	39	50
35-49	83	18.3	136	8	10	15	21	30	39	76
50-64	508	19.6	123	8	10	17	24	33	46	76
65+	4575	20.6	113	10	11	18	24	33	41	65
TOT. SINGLE DX	1300	16.6	43	9	10	16	19	24	28	39
" MULTIPLE DX	5212	20.5	115	9	11	18	24	33	41	66
TOTAL 0-19 YRS	30	15.1	121	3	4	12	23	30	37	45
20-34	56	15.3	85	4	7	12	20	27	34	49
35-49	133	15.8	101	7	9	13	18	26	35	52
50-64	718	18.4	102	8	10	16	22	31	40	66
65+	5575	20.0	102	10	11	17	23	31	39	61
GRAND TOTAL	**6512**	**19.7**	**103**	**9**	**11**	**17**	**23**	**31**	**39**	**61**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	645	4.4	4	2	2	4	5	7	8	11
20-34	903	5.1	16	2	2	4	6	8	10	18
35-49	340	6.7	26	1	2	5	10	15	17	24
50-64	894	13.3	47	2	4	13	17	20	25	37
65+	1791	16.8	49	7	10	16	19	24	30	42
2. MULTIPLE DX										
0-19 YRS	803	5.3	10	2	3	5	6	8	10	17
20-34	1386	5.9	20	2	2	5	7	9	12	25
35-49	571	7.4	46	1	2	5	9	16	21	35
50-64	1156	14.3	93	2	3	14	18	25	32	51
65+	2578	19.3	94	8	10	17	23	30	37	58
TOT. SINGLE DX	4573	11.3	63	2	3	11	16	20	25	37
" MULTIPLE DX	6494	12.8	101	2	3	11	18	25	31	49
TOTAL 0-19 YRS	1448	4.9	8	2	2	5	6	7	9	14
20-34	2289	5.5	19	2	2	5	6	9	11	22
35-49	911	7.2	40	1	2	5	9	15	18	32
50-64	2050	13.9	74	2	3	13	17	23	29	44
65+	4369	18.3	78	8	10	17	21	28	34	53
GRAND TOTAL	**11067**	**12.2**	**86**	**2**	**3**	**11**	**17**	**23**	**29**	**44**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	766	3.4	2	1	2	3	4	5	6	8
20-34	1692	3.6	3	1	2	3	4	5	7	10
35-49	759	4.0	11	1	2	3	5	6	9	13
50-64	826	5.0	16	2	2	4	6	9	13	23
65+	360	6.9	30	2	2	5	9	15	18	26
2. MULTIPLE DX										
0-19 YRS	357	3.7	7	1	2	3	4	6	7	17
20-34	882	4.0	8	1	2	3	5	7	9	14
35-49	633	4.9	20	2	2	4	6	8	10	22
50-64	1002	6.3	38	2	2	5	7	12	16	32
65+	609	9.1	76	2	3	6	11	19	27	41
TOT. SINGLE DX	4403	4.2	10	1	2	3	5	7	9	17
" MULTIPLE DX	3483	5.7	34	1	2	4	6	11	16	31
TOTAL 0-19 YRS	1123	3.5	4	1	2	3	4	5	6	10
20-34	2574	3.7	5	1	2	3	4	6	7	12
35-49	1392	4.4	16	1	2	4	5	7	10	18
50-64	1828	5.7	29	2	2	4	6	11	15	25
65+	969	8.3	60	2	3	6	10	17	23	39
GRAND TOTAL	**7886**	**4.8**	**21**	**1**	**2**	**4**	**5**	**8**	**12**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	4.3	22	<1	1	3	5	9	15	26
20-34	435	4.0	14	1	1	3	5	8	10	20
35-49	445	3.8	20	<1	1	3	4	7	10	20
50-64	380	3.0	8	<1	1	2	3	5	8	15
65+	115	4.9	48	1	1	3	5	13	19	39
2. MULTIPLE DX										
0-19 YRS	317	6.0	50	1	1	4	6	14	22	44
20-34	369	7.2	61	1	2	4	8	16	25	38
35-49	304	7.4	73	1	2	5	9	16	25	54
50-64	389	7.9	87	1	2	5	9	16	30	48
65+	242	13.0	207	1	2	8	19	30	44	70
TOT. SINGLE DX	1763	3.9	19	<1	1	3	4	8	11	23
" MULTIPLE DX	1621	8.0	95	1	2	4	9	19	29	53
TOTAL 0-19 YRS	705	5.1	36	1	1	3	5	11	17	34
20-34	804	5.5	39	1	1	3	6	12	17	35
35-49	749	5.3	47	1	1	3	6	11	16	49
50-64	769	5.5	55	<1	1	3	6	11	17	38
65+	357	10.4	170	1	1	4	15	25	37	67
GRAND TOTAL	**3384**	**5.9**	**60**	**1**	**1**	**3**	**6**	**13**	**20**	**43**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	820	2.4	10	<1	<1	2	2	4	5	14
20-34	1325	2.3	3	<1	<1	2	2	4	5	10
35-49	835	2.9	7	<1	1	2	3	5	8	15
50-64	729	3.7	20	<1	1	2	4	7	12	24
65+	304	5.1	31	<1	1	3	6	12	16	29
2. MULTIPLE DX										
0-19 YRS	175	4.1	36	1	1	2	5	8	12	29
20-34	465	5.9	62	1	1	3	6	12	22	44
35-49	622	7.3	66	1	2	4	9	17	25	45
50-64	742	8.8	107	1	2	5	11	20	26	50
65+	574	12.5	177	2	2	8	16	28	38	78
TOT. SINGLE DX	4013	2.9	12	<1	1	2	3	5	8	18
" MULTIPLE DX	2578	8.4	106	1	2	5	11	19	28	53
TOTAL 0-19 YRS	995	2.7	15	<1	1	2	3	4	7	16
20-34	1790	3.2	21	<1	1	2	3	6	10	26
35-49	1457	4.8	37	<1	1	3	5	11	16	32
50-64	1471	6.3	71	1	1	3	7	15	21	43
65+	878	9.9	139	1	2	6	13	21	32	68
GRAND TOTAL	**6591**	**5.1**	**56**	**<1**	**1**	**2**	**5**	**12**	**18**	**39**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.0	2	<1	<1	2	2	4	4	10
20-34	75	2.5	3	<1	1	2	3	4	6	12
35-49	162	2.9	3	<1	1	2	3	5	6	11
50-64	501	2.5	1	1	1	2	3	4	5	7
65+	316	2.7	2	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	24	3.8	8	1	1	2	4	9	10	11
20-34	52	4.6	54	1	1	3	4	10	16	49
35-49	88	3.7	11	1	1	3	4	8	12	17
50-64	287	4.4	45	1	2	3	4	9	12	24
65+	238	5.0	27	1	2	3	6	11	15	31
TOT. SINGLE DX	1095	2.6	3	1	1	2	3	4	5	9
" MULTIPLE DX	689	4.5	34	1	2	3	5	9	13	28
TOTAL 0-19 YRS	65	2.7	5	<1	<1	2	3	5	9	11
20-34	127	3.4	25	1	1	2	3	5	9	26
35-49	250	3.2	7	1	1	2	3	5	8	15
50-64	788	3.2	18	1	1	2	3	5	8	15
65+	554	3.7	15	1	2	2	4	7	11	17
GRAND TOTAL	**1784**	**3.3**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	2.1	2	<1	1	2	2	3	4	8
20-34	617	2.7	5	<1	1	2	3	5	8	13
35-49	293	3.0	7	<1	1	2	3	6	8	13
50-64	173	3.0	6	1	1	2	3	5	7	15
65+	53	3.0	10	1	1	2	3	5	6	23
2. MULTIPLE DX										
0-19 YRS	676	2.3	4	1	1	2	3	4	5	13
20-34	1044	2.6	8	1	1	2	3	5	6	15
35-49	429	3.0	23	<1	1	2	3	5	8	22
50-64	278	3.5	17	1	1	2	4	7	12	17
65+	127	5.0	48	1	1	3	6	10	15	45
TOT. SINGLE DX	1524	2.6	5	<1	1	2	3	5	7	13
" MULTIPLE DX	2554	2.8	13	1	1	2	3	5	7	18
TOTAL 0-19 YRS	1064	2.2	4	<1	1	2	2	4	5	10
20-34	1661	2.6	7	<1	1	2	3	5	7	15
35-49	722	3.0	17	<1	1	2	3	5	8	19
50-64	451	3.3	13	1	1	2	4	6	11	17
65+	180	4.4	38	1	1	3	5	9	13	37
GRAND TOTAL	**4078**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	2.8	4	<1	1	2	3	5	7	12
20-34	428	3.2	9	1	1	3	4	5	7	15
35-49	459	3.4	4	1	1	3	4	6	7	12
50-64	525	4.3	12	1	2	4	5	7	9	16
65+	222	4.9	15	1	2	4	6	10	12	22
2. MULTIPLE DX										
0-19 YRS	278	2.9	6	1	1	2	3	5	7	17
20-34	553	5.1	59	1	1	3	5	9	15	44
35-49	496	5.1	33	1	1	4	6	10	14	29
50-64	650	6.3	43	2	2	5	7	12	18	36
65+	328	8.9	105	1	2	6	11	20	30	43
TOT. SINGLE DX	1841	3.7	10	1	1	3	4	7	9	15
" MULTIPLE DX	2305	5.7	52	1	1	4	6	11	17	38
TOTAL 0-19 YRS	485	2.8	6	<1	1	2	3	5	7	12
20-34	981	4.2	39	1	1	3	4	8	11	39
35-49	955	4.3	20	1	1	3	5	7	11	24
50-64	1175	5.4	31	1	2	4	6	9	14	31
65+	550	7.3	73	1	2	5	9	15	22	40
GRAND TOTAL	**4146**	**4.8**	**34**	**1**	**1**	**3**	**5**	**9**	**13**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	716	3.4	6	1	1	3	4	6	7	14
20-34	524	4.1	11	1	2	3	5	7	9	20
35-49	279	3.9	10	1	1	3	5	7	8	16
50-64	180	4.6	12	1	2	4	5	8	10	13
65+	68	8.7	98	2	3	5	11	18	27	62
2. MULTIPLE DX										
0-19 YRS	543	4.3	28	1	2	3	5	7	9	32
20-34	485	5.3	43	1	1	4	6	10	16	39
35-49	313	5.7	35	1	2	4	6	10	15	33
50-64	265	6.8	67	1	2	4	7	13	20	45
65+	149	10.0	62	2	3	7	13	22	25	37
TOT. SINGLE DX	1767	4.0	14	1	1	3	5	7	9	18
" MULTIPLE DX	1755	5.7	45	1	2	4	6	11	18	36
TOTAL 0-19 YRS	1259	3.8	16	1	1	3	4	6	8	18
20-34	1009	4.7	28	1	1	3	5	8	13	31
35-49	592	4.8	24	1	2	4	5	8	12	30
50-64	445	5.9	46	1	2	4	6	11	16	37
65+	217	9.6	74	2	3	7	12	21	26	39
GRAND TOTAL	**3522**	**4.9**	**30**	**1**	**2**	**4**	**5**	**8**	**13**	**30**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	1.8	2	<1	<1	1	2	3	6	9
20-34	125	2.8	6	<1	1	2	3	6	7	15
35-49	71	3.9	48	1	1	2	3	10	16	44
50-64	62	2.9	11	<1	1	2	3	6	11	19
65+	41	3.9	22	<1	1	2	5	7	14	26
2. MULTIPLE DX										
0-19 YRS	107	3.5	23	1	1	2	3	8	12	29
20-34	295	4.6	47	1	1	2	4	11	19	39
35-49	196	5.5	116	1	1	2	4	11	24	64
50-64	221	6.2	105	1	1	3	6	17	25	75
65+	153	8.8	180	1	1	4	9	21	40	72
TOT. SINGLE DX	355	3.0	17	1	1	2	3	6	10	20
" MULTIPLE DX	972	5.7	95	1	1	2	5	13	24	52
TOTAL 0-19 YRS	163	2.9	17	1	1	2	3	6	9	27
20-34	420	4.1	36	1	1	2	4	8	15	34
35-49	267	5.1	99	1	1	2	4	11	20	61
50-64	283	5.5	87	1	1	2	5	13	23	66
65+	194	7.8	151	1	1	3	8	18	39	64
GRAND TOTAL	**1327**	**5.0**	**76**	**1**	**1**	**2**	**4**	**11**	**20**	**48**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	8	8.4	166	1	1	4	6	30	40	40
35-49	7	7.4	27	2	3	5	10	16	17	17
50-64	5	6.6	16	1	1	7	9	12	12	12
65+	9	9.9	58	1	1	8	16	21	21	21
2. MULTIPLE DX										
0-19 YRS	11	13.7	277	1	2	6	19	44	50	51
20-34	21	8.9	88	1	1	4	13	20	29	40
35-49	16	14.4	565	<1	1	5	14	76	92	99+
50-64	24	23.6	503	2	3	16	32	57	72	75
65+	22	24.7	200	10	11	19	33	48	54	55
TOT. SINGLE DX	33	7.7	64	1	1	5	10	18	21	40
" MULTIPLE DX	94	17.9	352	1	2	12	23	51	66	90
TOTAL 0-19 YRS	15	10.9	225	1	1	5	9	39	48	51
20-34	29	8.8	105	1	1	4	12	20	40	40
35-49	23	12.3	404	1	2	5	12	71	85	99+
50-64	29	20.7	459	1	3	12	26	56	71	75
65+	31	20.4	203	2	5	18	26	45	54	55
GRAND TOTAL	**127**	**15.2**	**296**	**1**	**2**	**9**	**20**	**43**	**55**	**83**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.9	3	1	1	2	3	6	7	9
20-34	42	6.4	45	1	1	4	7	16	21	31
35-49	39	6.9	55	1	2	4	9	13	16	45
50-64	92	8.0	73	1	2	5	9	20	29	42
65+	127	10.5	144	2	2	7	12	24	35	58
2. MULTIPLE DX										
0-19 YRS	47	7.9	91	1	2	4	9	19	25	55
20-34	109	11.1	146	2	2	7	13	33	38	74
35-49	169	16.6	246	2	2	12	23	38	53	76
50-64	515	20.6	272	3	4	16	28	45	57	84
65+	845	21.2	268	3	5	17	28	43	56	81
TOT. SINGLE DX	336	8.1	93	1	2	5	9	20	29	46
" MULTIPLE DX	1685	19.5	265	2	3	15	27	43	55	80
TOTAL 0-19 YRS	83	5.7	59	1	1	3	6	13	20	46
20-34	151	9.8	122	1	2	5	12	30	37	56
35-49	208	14.8	225	2	2	10	21	36	48	71
50-64	607	18.7	263	2	3	14	26	43	54	79
65+	972	19.8	265	3	4	16	27	41	54	80
GRAND TOTAL	**2021**	**17.6**	**255**	**2**	**3**	**13**	**24**	**40**	**52**	**78**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.7	21	3	3	10	13	15	16	16
20-34	10	17.1	160	5	5	16	19	38	44	44
35-49	9	15.8	82	6	6	15	24	29	31	31
50-64	28	22.8	299	6	8	20	26	31	49	99
65+	84	21.4	131	9	10	20	27	33	41	63
2. MULTIPLE DX										
0-19 YRS	12	29.7	690	5	6	17	45	69	88	91
20-34	37	27.2	443	6	7	23	42	64	80	99+
35-49	87	26.6	267	9	10	22	36	53	73	99+
50-64	411	31.5	310	11	13	28	43	61	75	99+
65+	1105	31.6	326	11	13	27	41	60	74	99+
TOT. SINGLE DX	141	20.2	164	5	8	18	25	32	40	68
" MULTIPLE DX	1652	31.2	325	10	13	27	41	60	74	99+
TOTAL 0-19 YRS	22	20.6	474	4	5	13	19	51	72	91
20-34	47	25.0	396	6	6	18	39	51	79	99+
35-49	96	25.6	259	8	9	22	33	53	70	99+
50-64	439	31.0	314	11	13	27	42	60	74	99+
65+	1189	30.9	319	10	13	26	40	59	73	99+
GRAND TOTAL	**1793**	**30.3**	**321**	**9**	**12**	**26**	**40**	**59**	**73**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	13.5	61	8	8	13	19	19	19	19
35-49	8	18.6	278	5	6	12	24	47	55	55
50-64	12	21.3	279	4	6	17	21	54	57	58
65+	84	20.4	164	7	9	16	26	34	46	69
2. MULTIPLE DX										
0-19 YRS	8	19.5	406	3	4	9	31	53	58	58
20-34	20	27.7	365	8	9	18	44	62	82	99+
35-49	43	28.0	307	7	10	24	41	71	99+	99+
50-64	220	28.1	323	8	11	24	39	55	79	99+
65+	1202	27.1	298	9	11	22	35	54	67	99+
TOT. SINGLE DX	107	20.1	179	7	8	16	25	34	52	67
" MULTIPLE DX	1493	27.2	304	8	11	22	36	55	69	99+
TOTAL 0-19 YRS	9	18.2	370	3	4	9	26	52	58	58
20-34	22	26.4	351	7	8	18	43	60	79	99+
35-49	51	26.5	309	6	8	22	40	67	96	99+
50-64	232	27.7	322	8	11	23	38	55	78	99+
65+	1286	26.7	293	9	11	22	34	54	66	99
GRAND TOTAL	**1600**	**26.8**	**298**	**8**	**10**	**22**	**35**	**54**	**68**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	5.3	15	1	1	5	6	12	13	13
20-34	8	11.3	68	2	2	9	18	22	24	24
35-49	9	9.9	34	4	4	8	14	19	21	21
50-64	12	16.1	170	2	3	10	28	35	36	36
65+	16	21.8	245	5	6	16	31	43	54	59
2. MULTIPLE DX										
0-19 YRS	15	19.3	359	2	3	10	34	52	56	58
20-34	25	29.6	495	4	5	27	45	70	81	99+
35-49	42	31.4	549	7	11	25	38	78	87	94
50-64	104	29.9	303	9	11	27	41	59	81	99+
65+	210	31.3	388	8	12	27	40	62	76	97
TOT. SINGLE DX	52	14.6	160	2	3	10	21	35	40	59
" MULTIPLE DX	396	30.4	390	6	10	26	40	62	80	99+
TOTAL 0-19 YRS	22	14.9	289	1	2	7	18	45	54	58
20-34	33	25.2	450	2	4	21	34	67	75	99+
35-49	51	27.6	525	4	6	21	33	60	86	94
50-64	116	28.4	306	7	9	26	39	58	74	99+
65+	226	30.6	383	6	11	26	39	61	73	97
GRAND TOTAL	**448**	**28.5**	**388**	**5**	**7**	**25**	**38**	**59**	**76**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.6	3	<1	1	2	3	5	6	8
20-34	10	3.9	36	<1	<1	2	2	14	20	20
35-49	6	4.3	24	<1	<1	2	5	13	14	14
50-64	4	4.3	3	2	2	4	5	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	32	4.7	14	1	1	4	6	10	15	16
20-34	49	7.9	71	1	1	5	10	20	23	48
35-49	24	10.5	377	1	2	5	9	18	47	98
50-64	18	7.2	26	1	1	6	10	15	18	19
65+	9	7.8	80	2	2	5	9	23	30	30
TOT. SINGLE DX	43	3.3	13	<1	1	2	4	6	10	20
" MULTIPLE DX	132	7.5	108	1	1	5	9	16	22	57
TOTAL 0-19 YRS	55	3.8	11	1	1	3	5	8	10	16
20-34	59	7.3	67	1	1	5	9	19	22	46
35-49	30	9.3	310	1	1	5	8	15	25	98
50-64	22	6.7	24	1	1	5	10	13	18	19
65+	9	7.8	80	2	2	5	9	23	30	30
GRAND TOTAL	**175**	**6.5**	**88**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.4	12	1	1	2	4	6	12	18
20-34	65	3.0	6	<1	1	2	3	5	9	13
35-49	52	4.8	43	1	1	3	5	11	24	98
50-64	45	5.9	34	1	1	4	8	12	19	29
65+	33	11.1	74	1	2	11	14	24	31	32
2. MULTIPLE DX										
0-19 YRS	36	3.3	13	1	1	2	4	5	7	23
20-34	88	6.6	103	1	1	3	6	15	24	56
35-49	49	6.6	47	1	1	4	11	26	93	99+
50-64	139	14.9	274	2	2	8	19	34	54	92
65+	175	17.4	257	3	4	12	24	39	55	97
TOT. SINGLE DX	230	5.2	37	1	1	3	6	12	18	34
" MULTIPLE DX	487	12.6	221	1	2	7	17	32	47	99+
TOTAL 0-19 YRS	71	3.4	13	1	1	2	4	6	9	22
20-34	153	5.0	65	1	1	3	5	11	15	50
35-49	101	5.6	45	1	1	3	7	15	32	99+
50-64	184	12.7	231	1	2	7	16	29	47	89
65+	208	16.4	233	2	4	12	22	35	47	93
GRAND TOTAL	**717**	**10.2**	**174**	**1**	**1**	**5**	**13**	**27**	**39**	**93**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34	6	3.2	2	1	1	3	4	5	5	5
35-49	6	3.3	3	1	1	3	5	6	6	6
50-64	12	8.5	33	3	3	5	13	17	19	19
65+	6	9.8	29	1	1	11	14	15	15	15
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	8	4.5	3	2	2	4	6	7	8	8
35-49	3	3.7	4	2	2	3	5	6	6	6
50-64	14	16.5	480	2	3	10	19	33	75	87
65+	28	14.4	117	3	4	12	20	28	34	49
TOT. SINGLE DX	31	7.5	47	1	2	5	12	16	19	32
" MULTIPLE DX	55	12.5	199	2	2	8	16	28	31	85
TOTAL 0-19 YRS	3	12.0	300	2	2	2	25	32	32	32
20-34	14	3.9	3	1	2	4	5	6	8	8
35-49	9	3.4	3	1	1	3	5	6	6	6
50-64	26	12.8	281	3	3	7	15	26	39	87
65+	34	13.6	104	2	4	12	17	28	31	49
GRAND TOTAL	**86**	**10.7**	**149**	**2**	**2**	**6**	**14**	**26**	**29**	**73**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	439	2.1	1	<1	1	2	2	3	4	7
20-34	1914	2.3	2	<1	1	2	3	3	4	9
35-49	3733	2.4	3	<1	1	2	3	4	5	10
50-64	2177	2.9	8	1	1	2	3	5	8	15
65+	1226	3.9	13	1	2	2	4	9	12	19
2. MULTIPLE DX										
0-19 YRS	95	4.3	46	1	1	2	5	7	10	48
20-34	1005	4.2	24	1	1	2	4	9	12	25
35-49	2355	4.5	29	1	2	3	5	9	14	25
50-64	2193	5.9	41	1	2	3	8	13	17	34
65+	1956	8.8	82	2	2	6	12	19	26	48
TOT. SINGLE DX	9489	2.7	6	<1	1	2	3	4	7	13
" MULTIPLE DX	7604	5.9	49	1	2	3	7	13	18	36
TOTAL 0-19 YRS	534	2.5	10	<1	1	2	3	4	5	11
20-34	2919	2.9	11	<1	1	2	3	5	8	17
35-49	6088	3.2	15	1	1	2	3	6	9	19
50-64	4370	4.4	27	1	1	3	5	10	13	26
65+	3182	6.9	61	1	2	4	9	16	21	40
GRAND TOTAL	17093	4.1	28	1	1	2	4	9	13	26

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.0	3	1	1	3	4	5	8	10
20-34	93	3.1	2	1	1	3	4	5	7	9
35-49	136	4.8	12	2	2	4	6	8	10	18
50-64	135	5.4	13	2	2	4	7	11	13	17
65+	253	7.2	21	2	2	7	9	13	16	22
2. MULTIPLE DX										
0-19 YRS	13	5.5	121	<1	1	3	3	11	36	42
20-34	45	4.9	13	1	2	4	6	8	11	20
35-49	135	8.0	43	2	3	6	10	15	20	41
50-64	238	9.6	100	2	3	7	11	19	24	62
65+	546	11.6	70	3	4	9	15	22	27	47
TOT. SINGLE DX	689	5.4	16	1	2	4	7	10	13	20
" MULTIPLE DX	977	10.2	75	2	3	8	12	20	26	49
TOTAL 0-19 YRS	85	3.4	21	1	1	3	3	4	8	31
20-34	138	3.7	7	1	2	3	4	6	8	18
35-49	271	6.4	31	2	2	5	8	11	15	33
50-64	373	8.1	73	2	2	6	10	15	20	50
65+	799	10.2	59	2	3	8	13	20	25	41
GRAND TOTAL	1666	8.2	56	2	2	6	10	17	21	39

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.7	7	1	1	3	4	8	10	10
20-34	138	8.1	8	4	5	8	10	12	13	16
35-49	725	7.8	7	4	5	7	9	11	13	17
50-64	1211	8.5	11	5	5	8	10	12	14	20
65+	1128	9.2	14	5	6	8	11	13	16	22
2. MULTIPLE DX										
0-19 YRS	7	7.0	24	1	1	7	11	14	14	14
20-34	117	8.6	14	4	5	8	10	12	14	26
35-49	734	9.4	34	4	5	8	10	14	18	32
50-64	1573	10.2	26	5	6	9	12	16	20	29
65+	2049	12.0	46	6	6	10	14	19	24	38
TOT. SINGLE DX	3211	8.5	12	5	5	8	10	12	14	21
" MULTIPLE DX	4480	10.8	38	5	6	9	12	17	22	34
TOTAL 0-19 YRS	16	5.1	17	1	1	4	8	12	13	14
20-34	255	8.4	11	4	5	8	10	12	13	25
35-49	1459	8.6	22	4	5	8	10	12	15	27
50-64	2784	9.4	21	5	5	8	11	14	18	26
65+	3177	11.0	37	5	6	9	13	17	21	35
GRAND TOTAL	7691	9.9	28	5	6	9	11	15	19	30

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	342	3.2	2	1	2	3	4	5	6	8
20-34	912	3.5	5	1	1	3	4	6	7	11
35-49	709	4.3	12	1	2	4	5	7	9	13
50-64	337	4.2	5	1	2	4	5	7	8	12
65+	74	3.8	4	<1	2	3	5	6	8	13
2. MULTIPLE DX										
0-19 YRS	111	4.5	10	2	2	4	5	7	12	18
20-34	540	4.7	13	1	2	4	5	8	11	22
35-49	914	5.3	20	2	2	4	6	8	12	24
50-64	490	5.5	24	2	2	4	6	10	12	20
65+	131	7.2	55	2	2	5	8	15	22	39
TOT. SINGLE DX	2374	3.8	7	1	1	3	5	6	8	12
" MULTIPLE DX	2186	5.3	21	1	2	4	6	9	12	24
TOTAL 0-19 YRS	453	3.5	4	1	2	3	4	5	6	12
20-34	1452	4.0	9	1	1	3	5	7	9	16
35-49	1623	4.8	17	1	2	4	6	8	10	20
50-64	827	5.0	17	1	2	4	6	9	11	18
65+	205	6.0	40	1	2	4	7	12	17	31
GRAND TOTAL	**4560**	**4.5**	**15**	**1**	**2**	**4**	**5**	**7**	**10**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1039	3.8	4	1	2	3	5	6	8	11
20-34	1926	3.8	4	1	2	3	5	6	7	11
35-49	303	3.8	3	1	2	4	5	6	8	10
50-64	64	4.3	10	1	2	4	5	7	9	22
65+	17	5.1	22	1	2	4	5	15	17	17
2. MULTIPLE DX										
0-19 YRS	137	5.4	14	2	2	4	6	10	13	20
20-34	385	5.7	26	2	2	4	6	12	16	34
35-49	169	6.1	28	2	2	5	7	12	14	27
50-64	63	6.3	18	2	3	5	8	11	15	25
65+	27	12.8	201	2	3	7	20	52	99+	99+
TOT. SINGLE DX	3349	3.8	5	1	2	3	5	6	8	11
" MULTIPLE DX	781	6.0	31	2	2	4	7	12	16	37
TOTAL 0-19 YRS	1176	4.0	5	1	2	4	5	6	8	13
20-34	2311	4.1	9	1	2	4	5	6	8	16
35-49	472	4.6	14	1	2	4	5	8	11	19
50-64	127	5.2	15	2	2	4	6	10	11	24
65+	44	9.8	145	2	2	5	15	36	67	99+
GRAND TOTAL	**4130**	**4.2**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1515	2.5	8	<1	<1	2	3	4	7	13
20-34	1578	3.5	17	<1	1	2	4	7	10	22
35-49	1247	3.9	25	<1	1	2	4	8	11	24
50-64	1240	4.4	38	<1	1	3	4	9	14	30
65+	922	5.3	42	<1	1	3	6	12	18	36
2. MULTIPLE DX										
0-19 YRS	670	6.7	151	1	1	3	5	14	32	74
20-34	1402	8.7	127	1	1	5	10	21	32	69
35-49	1926	8.8	94	1	2	6	11	20	28	50
50-64	2711	9.7	98	2	2	7	12	21	30	59
65+	3575	11.6	126	2	2	8	15	24	32	64
TOT. SINGLE DX	6502	3.8	25	<1	1	2	4	7	11	26
" MULTIPLE DX	10284	9.8	117	1	2	6	12	22	31	62
TOTAL 0-19 YRS	2185	3.8	56	<1	1	2	3	6	11	44
20-34	2980	5.9	76	<1	1	3	6	13	22	44
35-49	3173	6.9	73	1	1	4	8	15	23	44
50-64	3951	8.0	86	1	2	5	10	18	26	50
65+	4497	10.3	115	1	2	7	13	23	30	60
GRAND TOTAL	**16786**	**7.5**	**90**	**1**	**1**	**4**	**9**	**17**	**26**	**50**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1470	4.6	31	<1	1	3	6	10	14	30
20-34	1615	5.3	41	<1	1	3	6	11	16	33
35-49	947	6.3	60	<1	1	4	8	13	21	42
50-64	818	7.3	64	1	1	5	9	17	23	46
65+	722	9.0	92	1	2	6	12	21	29	48
2. MULTIPLE DX										
0-19 YRS	3832	5.3	60	<1	1	3	6	12	19	43
20-34	6134	6.4	93	<1	<1	3	7	15	26	54
35-49	3268	9.1	139	<1	<1	5	11	23	33	61
50-64	3402	12.4	189	<1	1	8	17	29	42	72
65+	4745	15.8	234	1	2	11	21	37	50	79
TOT. SINGLE DX	5572	6.0	54	<1	1	4	7	13	20	38
" MULTIPLE DX	21381	9.7	157	<1	1	5	12	25	37	65
TOTAL 0-19 YRS	5302	5.1	52	<1	1	3	6	11	17	39
20-34	7749	6.1	83	<1	<1	3	7	14	23	51
35-49	4215	8.4	123	<1	1	5	10	21	31	58
50-64	4220	11.4	170	<1	1	7	15	27	40	67
65+	5467	14.9	221	1	2	10	20	36	48	77
GRAND TOTAL	**26953**	**8.9**	**138**	**<1**	**1**	**5**	**11**	**23**	**34**	**61**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	237	6.3	44	1	1	4	8	13	22	33
20-34	265	8.0	84	1	1	5	11	18	27	48
35-49	149	9.8	97	1	2	6	14	23	31	49
50-64	159	12.1	112	1	2	9	17	26	33	51
65+	181	16.6	208	2	2	14	24	35	41	95
2. MULTIPLE DX										
0-19 YRS	349	13.4	218	1	2	8	19	33	41	74
20-34	514	14.1	187	1	2	11	20	33	43	80
35-49	354	15.8	225	1	2	11	24	35	47	79
50-64	508	20.1	302	1	2	17	28	46	60	99+
65+	787	25.4	319	3	6	23	35	52	68	99+
TOT. SINGLE DX	991	10.1	117	1	1	7	14	25	32	54
" MULTIPLE DX	2512	19.0	285	1	2	15	27	43	56	96
TOTAL 0-19 YRS	586	10.5	160	1	1	6	13	26	34	60
20-34	779	12.0	161	1	1	8	16	28	39	66
35-49	503	14.0	195	1	2	9	20	32	42	71
50-64	667	18.2	269	1	2	15	25	42	55	98
65+	968	23.7	310	2	5	21	32	49	65	99+
GRAND TOTAL	**3503**	**16.5**	**253**	**1**	**2**	**12**	**24**	**38**	**51**	**85**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	4.4	54	<1	1	2	4	10	18	41
20-34	133	5.3	60	1	1	2	6	11	16	44
35-49	52	5.8	62	<1	1	3	6	17	35	98
50-64	44	6.8	61	1	1	4	9	15	22	37
65+	37	11.2	203	1	1	8	15	23	29	80
2. MULTIPLE DX										
0-19 YRS	95	5.2	76	1	1	2	4	10	26	46
20-34	158	13.6	269	1	1	6	24	47	59	99+
35-49	111	16.8	486	1	1	5	26	65	81	99+
50-64	121	19.2	521	1	2	9	27	61	75	99+
65+	115	22.6	436	2	3	16	34	52	72	94
TOT. SINGLE DX	345	6.0	77	1	1	3	7	15	22	43
" MULTIPLE DX	600	15.7	390	1	1	6	25	50	68	99+
TOTAL 0-19 YRS	174	4.8	66	<1	1	2	4	10	25	42
20-34	291	9.8	191	1	1	4	10	36	52	99+
35-49	163	13.3	377	1	1	4	18	51	74	99+
50-64	165	15.9	428	1	2	7	19	52	72	99
65+	152	19.8	402	1	2	14	29	48	70	91
GRAND TOTAL	**945**	**12.2**	**298**	**1**	**1**	**4**	**15**	**40**	**58**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	599	2.4	4	<1	1	2	3	4	6	10
20-34	389	3.2	6	<1	1	2	4	6	8	13
35-49	315	3.8	14	<1	1	3	5	7	9	19
50-64	366	3.3	11	1	1	3	4	6	8	15
65+	131	3.2	6	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	369	3.5	24	<1	1	2	4	6	10	22
20-34	515	5.2	21	<1	1	4	7	10	16	23
35-49	573	6.8	67	1	2	5	8	13	17	51
50-64	793	7.2	58	1	2	5	8	16	21	41
65+	683	10.6	95	1	2	8	14	21	30	49
TOT. SINGLE DX	1800	3.1	8	<1	1	2	4	6	8	15
" MULTIPLE DX	2933	7.1	63	1	1	5	9	16	21	42
TOTAL 0-19 YRS	968	2.8	13	<1	1	2	3	5	8	18
20-34	904	4.3	16	<1	1	3	5	9	11	22
35-49	888	5.7	50	1	1	4	6	11	15	42
50-64	1159	6.0	47	1	2	4	7	13	20	36
65+	814	9.4	88	1	2	6	12	19	28	47
GRAND TOTAL	**4733**	**5.5**	**46**	**1**	**1**	**3**	**6**	**12**	**17**	**36**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.7	5	<1	1	3	5	5	6	17
20-34	62	7.5	84	1	2	4	7	20	29	46
35-49	60	5.4	18	1	1	4	7	12	14	21
50-64	41	6.8	38	1	1	4	9	17	20	25
65+	37	6.3	14	1	2	6	8	11	14	17
2. MULTIPLE DX										
0-19 YRS	109	7.5	96	1	2	5	8	12	22	57
20-34	189	8.3	63	2	3	6	9	16	22	45
35-49	191	9.9	65	2	3	7	12	20	29	36
50-64	301	10.5	86	3	3	8	13	21	26	42
65+	549	13.0	93	3	4	10	16	25	32	51
TOT. SINGLE DX	252	5.9	36	1	2	4	7	13	17	33
" MULTIPLE DX	1339	10.9	88	3	3	8	13	22	29	48
TOTAL 0-19 YRS	161	6.3	70	1	2	4	7	10	16	38
20-34	251	8.1	68	2	2	5	9	17	24	47
35-49	251	8.8	58	2	2	6	11	17	25	35
50-64	342	10.1	82	2	3	8	12	20	25	41
65+	586	12.6	91	3	4	10	16	24	31	50
GRAND TOTAL	**1591**	**10.1**	**83**	**2**	**3**	**8**	**12**	**21**	**27**	**46**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	286	4.4	14	1	1	3	6	10	12	18
20-34	3804	5.7	25	1	1	4	8	12	15	23
35-49	5344	5.9	28	1	2	4	8	13	16	25
50-64	2918	5.9	33	1	2	4	8	13	16	25
65+	783	7.0	46	1	2	5	9	15	20	31
2. MULTIPLE DX										
0-19 YRS	165	7.6	66	1	2	5	9	17	21	38
20-34	2346	8.5	47	2	2	7	11	17	21	32
35-49	3877	8.8	51	2	2	7	12	18	22	34
50-64	3647	9.7	70	2	2	8	13	20	25	40
65+	1850	12.2	93	2	3	10	17	24	31	46
TOT. SINGLE DX	13135	5.9	29	1	2	4	8	13	16	25
" MULTIPLE DX	11885	9.5	65	2	2	8	13	19	24	39
TOTAL 0-19 YRS	451	5.6	35	1	1	3	7	12	16	29
20-34	6150	6.7	36	1	2	5	9	14	18	27
35-49	9221	7.1	40	1	2	5	10	15	19	30
50-64	6565	8.0	57	1	2	6	11	17	22	36
65+	2633	10.7	85	2	2	8	15	22	28	44
GRAND TOTAL	**25020**	**7.6**	**50**	**1**	**2**	**5**	**10**	**16**	**21**	**33**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	5.3	25	1	2	4	7	11	14	29
20-34	400	5.8	36	1	2	4	7	12	17	27
35-49	520	5.8	36	1	2	4	7	12	16	29
50-64	1099	5.2	25	2	2	3	7	11	15	23
65+	1037	5.6	39	2	2	4	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	95	8.5	99	2	2	6	9	21	32	86
20-34	433	9.1	78	2	2	6	12	20	25	43
35-49	801	8.9	103	2	2	6	10	18	24	60
50-64	2647	9.0	76	2	2	7	11	18	25	51
65+	3403	9.6	81	2	2	7	12	19	26	46
TOT. SINGLE DX	3194	5.5	33	2	2	4	7	11	15	28
" MULTIPLE DX	7379	9.3	82	2	2	7	11	19	25	50
TOTAL 0-19 YRS	233	6.6	57	1	2	4	8	13	23	48
20-34	833	7.5	61	2	2	5	9	16	22	40
35-49	1321	7.7	79	2	2	5	9	15	21	50
50-64	3746	7.9	64	2	2	6	10	17	22	44
65+	4440	8.7	75	2	2	6	11	18	24	45
GRAND TOTAL	**10573**	**8.1**	**70**	**2**	**2**	**6**	**10**	**17**	**23**	**45**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.5	17	2	2	6	9	12	12	12
20-34	16	3.9	8	2	2	2	5	9	10	11
35-49	155	3.6	13	1	2	2	3	8	11	18
50-64	340	3.7	12	1	1	2	4	8	11	19
65+	114	3.8	11	1	2	2	4	9	12	18
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	48	5.4	20	2	2	4	7	12	15	20
35-49	484	5.4	24	2	2	3	7	13	16	23
50-64	1189	6.0	36	2	2	3	8	14	18	27
65+	523	7.6	44	2	2	6	11	16	22	32
TOT. SINGLE DX	629	3.7	13	1	2	2	4	8	11	19
" MULTIPLE DX	2245	6.2	36	2	2	4	9	14	18	28
TOTAL 0-19 YRS	5	6.0	15	2	2	5	8	12	12	12
20-34	64	5.0	18	2	2	3	7	11	14	20
35-49	639	5.0	22	2	2	3	7	12	15	23
50-64	1529	5.5	32	1	2	3	8	13	17	26
65+	637	6.9	41	2	2	4	10	15	20	32
GRAND TOTAL	**2874**	**5.7**	**32**	**1**	**2**	**3**	**8**	**13**	**17**	**27**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	5.8	50	1	1	3	7	13	17	56
20-34	982	6.2	26	1	1	5	9	13	16	23
35-49	1087	6.1	26	1	2	4	9	13	16	24
50-64	1758	5.7	26	1	2	4	8	12	15	23
65+	1640	5.9	30	1	2	4	8	13	16	25
2. MULTIPLE DX										
0-19 YRS	217	7.4	50	1	2	5	10	16	20	33
20-34	1274	8.5	58	1	2	7	11	17	23	37
35-49	2563	8.2	51	2	2	7	11	16	21	35
50-64	6190	8.6	62	2	2	7	12	18	23	40
65+	7613	10.4	82	2	2	8	14	21	27	47
TOT. SINGLE DX	5649	5.9	29	1	2	4	8	13	16	24
" MULTIPLE DX	17857	9.3	70	2	2	7	12	19	24	41
TOTAL 0-19 YRS	399	6.7	51	1	2	4	9	14	18	38
20-34	2256	7.5	46	1	2	6	10	15	20	32
35-49	3650	7.6	45	2	2	6	10	15	20	32
50-64	7948	8.0	56	2	2	6	11	16	21	37
65+	9253	9.6	76	2	2	8	13	19	25	44
GRAND TOTAL	**23506**	**8.5**	**62**	**2**	**2**	**6**	**11**	**17**	**22**	**39**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22253	4.1	21	1	1	3	5	7	9	20
20-34	30092	4.7	24	1	1	3	6	9	12	26
35-49	20678	5.6	27	1	1	4	7	11	15	27
50-64	17860	6.3	32	1	2	5	8	12	16	29
65+	16650	7.5	40	2	2	6	9	14	19	33
2. MULTIPLE DX										
0-19 YRS	29246	5.2	40	1	1	4	6	9	13	35
20-34	42181	6.2	36	1	2	5	7	12	17	32
35-49	47081	7.4	39	2	2	6	9	14	19	32
50-64	76822	8.4	48	2	3	7	10	16	21	36
65+	139220	10.2	62	3	3	8	13	19	25	41
TOT. SINGLE DX	107533	5.4	30	1	1	4	7	11	14	28
" MULTIPLE DX	334550	8.4	54	2	2	6	10	16	22	37
TOTAL 0-19 YRS	51499	4.7	33	1	1	3	5	8	11	29
20-34	72273	5.6	32	1	1	4	7	11	15	30
35-49	67759	6.9	37	1	2	5	8	13	17	31
50-64	94682	8.0	46	2	2	6	10	15	20	35
65+	155870	9.9	61	2	3	8	12	19	24	40
GRAND TOTAL	**442083**	**7.7**	**50**	**1**	**2**	**6**	**10**	**15**	**21**	**36**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7618	7.5	121	1	2	4	7	17	30	63
20-34	6396	10.0	105	2	2	7	12	22	30	52
35-49	5893	9.3	65	2	3	7	11	19	26	43
50-64	4672	9.2	63	2	3	7	11	18	25	41
65+	4067	10.2	74	2	3	8	13	19	27	45
2. MULTIPLE DX										
0-19 YRS	8894	8.4	122	1	2	5	8	20	31	64
20-34	9768	9.7	95	2	2	7	12	20	29	51
35-49	11049	9.5	68	2	3	7	11	18	24	44
50-64	15992	10.2	72	2	3	8	12	19	26	47
65+	30520	12.0	86	3	4	10	15	22	29	51
TOT. SINGLE DX	28646	9.1	91	2	2	6	11	19	28	50
" MULTIPLE DX	76223	10.6	88	2	3	8	13	21	28	51
TOTAL 0-19 YRS	16512	8.0	122	1	2	4	8	19	31	64
20-34	16164	9.8	100	2	2	7	12	21	29	51
35-49	16942	9.4	67	2	3	7	11	18	25	44
50-64	20664	10.0	71	2	3	8	12	19	25	45
65+	34587	11.8	86	3	4	9	15	22	29	50
GRAND TOTAL	**104869**	**10.2**	**89**	**2**	**3**	**7**	**13**	**20**	**28**	**50**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15756	4.4	25	1	2	3	5	7	9	24
20-34	7519	5.4	45	1	1	4	6	10	16	37
35-49	5619	6.2	41	1	2	4	7	13	17	32
50-64	5994	6.9	40	1	2	5	9	14	18	34
65+	6371	8.0	54	2	2	6	10	16	20	39
2. MULTIPLE DX										
0-19 YRS	20932	5.6	44	1	2	4	6	10	15	40
20-34	12571	6.7	59	1	2	4	8	13	20	42
35-49	14966	7.4	47	1	2	5	9	14	19	36
50-64	29191	8.5	50	2	3	7	11	16	21	37
65+	58244	10.2	67	2	3	8	13	20	25	42
TOT. SINGLE DX	41259	5.7	40	1	2	4	7	11	16	33
" MULTIPLE DX	135904	8.5	60	2	2	6	11	17	23	40
TOTAL 0-19 YRS	36688	5.1	37	1	2	4	6	8	12	34
20-34	20090	6.2	55	1	1	4	7	12	19	40
35-49	20585	7.1	46	1	2	5	9	14	19	35
50-64	35185	8.2	49	2	2	6	10	16	21	36
65+	64615	10.0	67	2	3	8	13	19	25	42
GRAND TOTAL	**177163**	**7.9**	**57**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

OPERATION INDEX (continued)

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
711	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray – *see Radiography*
751	Z-plasty, skin

Length of Stay by Diagnosis, Northeastern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. *Suspicion of life threatening disease, e.g.*			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. *Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)*			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151753	3.7	14	1	1	3	4	6	8	16
20-34	117851	4.4	27	1	1	3	4	8	12	28
35-49	47706	6.2	43	1	1	4	7	13	17	33
50-64	42120	7.0	46	1	2	5	9	14	19	34
65+	42776	8.3	67	1	2	6	10	16	22	45
B. *Operated*										
0-19 YRS	83465	3.1	14	<1	<1	2	3	6	8	17
20-34	159443	3.6	12	<1	1	3	4	7	9	16
35-49	80202	4.6	23	<1	1	3	6	9	13	24
50-64	74905	5.9	37	1	1	4	8	12	17	29
65+	71627	7.5	71	1	2	4	10	17	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106399	5.0	38	1	1	4	6	8	13	34
20-34	83737	6.1	49	1	1	4	7	13	18	37
35-49	79946	7.7	55	1	2	6	9	15	21	38
50-64	146132	8.9	68	2	2	7	11	17	23	45
65+	302496	11.6	116	2	3	9	14	23	33	75
B. *Operated*										
0-19 YRS	49056	5.5	77	<1	1	3	6	11	20	55
20-34	132212	5.7	45	1	1	4	7	10	15	38
35-49	95200	7.5	74	1	2	5	9	16	23	48
50-64	126031	10.7	129	2	2	7	14	24	33	68
65+	190159	15.1	213	2	2	11	20	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402206	5.0	33	1	1	3	6	10	14	30
B. *Operated*	469642	4.6	30	<1	1	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	718710	9.0	86	1	2	6	11	18	26	56
B. *Operated*	592658	10.1	139	1	2	6	13	24	34	75
1. SINGLE DX	871848	4.8	31	<1	1	3	6	10	14	28
2. MULTIPLE DX	1311368	9.5	111	1	2	6	12	21	30	66
A. NOT OPERATED	1120916	7.6	71	1	2	5	9	16	22	48
B. OPERATED	1062300	7.7	98	1	1	4	9	18	26	58
TOTAL 0-19 YRS	390673	4.2	29	<1	1	3	5	7	10	28
20-34	493243	4.8	32	<1	1	3	6	9	13	29
35-49	303054	6.6	52	1	1	5	8	13	19	37
50-64	389188	8.7	83	1	2	6	11	18	25	51
65+	607058	12.0	144	2	2	9	15	26	37	82
GRAND TOTAL	**2183216**	**7.6**	**84**	**1**	**1**	**5**	**9**	**17**	**24**	**53**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83793	3.9	23	1	1	3	4	7	10	23
20-34	117851	4.4	27	1	1	3	4	8	12	28
35-49	47706	6.2	43	1	1	4	7	13	17	33
50-64	42120	7.0	46	1	2	5	9	14	19	34
65+	42776	8.3	67	1	2	6	10	16	22	45
B. *Operated*										
0-19 YRS	83425	3.1	14	<1	<1	2	3	6	8	17
20-34	159443	3.6	12	<1	1	3	4	7	9	16
35-49	80202	4.6	23	<1	1	3	6	9	13	24
50-64	74905	5.9	37	1	1	4	8	12	17	29
65+	71627	7.5	71	1	2	4	10	17	23	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73098	4.8	41	1	1	3	5	9	13	36
20-34	83737	6.1	49	1	1	4	7	13	18	37
35-49	79946	7.7	55	1	2	6	9	15	21	38
50-64	146132	8.9	68	2	2	7	11	17	23	45
65+	302496	11.6	116	2	3	9	14	23	33	75
B. *Operated*										
0-19 YRS	48038	5.2	63	<1	1	3	6	11	18	47
20-34	132212	5.7	45	1	1	4	7	10	15	38
35-49	95200	7.5	74	1	2	5	9	16	23	48
50-64	126031	10.7	129	2	2	7	14	24	33	68
65+	190159	15.1	213	2	2	11	20	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334246	5.3	38	1	1	4	6	11	15	32
B. *Operated*	469602	4.6	30	<1	1	3	6	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	685409	9.1	88	1	2	7	11	19	26	57
B. *Operated*	591640	10.0	138	1	2	6	13	23	34	74
1. SINGLE DX	803848	4.9	33	<1	1	3	6	10	15	29
2. MULTIPLE DX	1277049	9.6	112	1	2	6	12	21	30	66
A. NOT OPERATED	1019655	7.9	75	1	2	5	10	16	23	50
B. OPERATED	1061242	7.6	97	1	1	4	9	18	26	58
TOTAL 0-19 YRS	288354	4.1	32	<1	1	3	5	8	11	30
20-34	493243	4.8	32	<1	1	3	6	9	13	29
35-49	303054	6.6	52	1	1	5	8	13	19	37
50-64	389188	8.7	83	1	2	6	11	18	25	51
65+	607058	12.0	144	2	2	9	15	26	37	82
GRAND TOTAL	**2080897**	**7.8**	**87**	**1**	**1**	**5**	**9**	**17**	**25**	**54**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2213	3.5	6	1	1	3	4	6	8	13
20-34	758	3.7	7	1	1	3	5	7	9	14
35-49	311	4.4	11	1	1	4	6	8	11	16
50-64	214	4.2	8	1	1	4	5	7	9	15
65+	169	5.2	13	1	2	4	7	10	12	17
B. *Operated*										
0-19 YRS	26	7.0	17	2	3	6	9	12	15	21
20-34	56	5.7	8	1	2	6	7	9	10	15
35-49	28	5.9	21	2	2	5	7	10	12	26
50-64	13	6.2	11	<1	2	6	7	11	13	14
65+	8	11.8	60	1	2	12	18	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1838	4.3	11	1	2	4	5	8	10	18
20-34	686	4.6	14	1	2	4	6	8	11	22
35-49	396	5.2	16	1	2	4	7	9	12	21
50-64	508	5.5	14	1	2	5	7	10	12	18
65+	908	8.1	57	2	3	6	9	16	21	40
B. *Operated*										
0-19 YRS	33	14.0	487	2	3	6	11	64	94	99+
20-34	58	7.9	23	3	3	7	10	13	19	26
35-49	49	10.1	55	3	4	9	11	19	23	46
50-64	55	12.8	67	5	5	11	17	22	25	47
65+	87	15.9	154	3	6	13	21	30	33	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3665	3.7	7	1	1	3	5	7	9	14
B. *Operated*	131	6.4	17	1	2	6	7	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	4336	5.4	24	1	2	4	6	10	13	24
B. *Operated*	282	12.4	139	3	4	9	15	24	31	90
1. SINGLE DX	3796	3.8	8	1	1	3	5	7	9	15
2. MULTIPLE DX	4618	5.8	34	1	2	4	7	11	15	28
A. NOT OPERATED	8001	4.6	17	1	2	4	6	9	11	20
B. OPERATED	413	10.5	108	3	3	8	12	21	26	68
TOTAL 0-19 YRS	4110	4.0	13	1	1	3	5	7	9	16
20-34	1558	4.3	11	1	1	3	5	8	10	18
35-49	784	5.2	18	1	2	4	7	10	12	21
50-64	790	5.7	20	1	2	5	7	11	14	22
65+	1172	8.3	63	2	2	6	10	16	22	39
GRAND TOTAL	**8414**	**4.9**	**23**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.3	37	1	2	6	9	18	20	22
20-34	53	15.1	135	2	4	14	21	36	43	98
35-49	43	15.3	126	4	5	12	19	30	39	60
50-64	27	13.1	86	3	4	10	18	23	31	45
65+	26	11.8	82	1	1	9	17	24	32	34
B. *Operated*										
0-19 YRS	4	9.5	92	1	1	7	17	22	22	22
20-34	39	12.2	52	1	2	13	16	21	23	31
35-49	19	13.0	98	2	3	10	19	29	35	36
50-64	38	14.1	47	4	6	13	19	23	26	34
65+	21	16.7	109	2	2	18	23	27	34	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	13.3	208	2	3	10	17	26	50	60
20-34	42	20.6	197	6	8	19	28	32	43	84
35-49	83	23.0	346	5	6	19	29	57	94	99+
50-64	92	20.0	272	3	7	15	24	44	60	83
65+	127	17.5	182	4	5	15	24	37	42	93
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	26	21.7	290	3	7	16	28	42	64	74
35-49	56	23.9	266	6	8	19	30	54	62	68
50-64	63	19.3	213	5	6	16	27	45	74	99+
65+	119	24.4	330	3	6	22	31	43	70	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	13.4	110	2	3	11	18	26	36	60
B. *Operated*	121	13.6	69	2	3	12	19	23	28	37
2. MULTIPLE DX										
A. *Not Operated*	360	19.6	249	4	5	16	25	41	56	99+
B. *Operated*	266	22.6	286	4	6	19	30	44	64	99+
1. SINGLE DX	289	13.5	92	2	3	11	19	24	33	53
2. MULTIPLE DX	626	20.9	267	4	6	17	27	43	61	99+
A. NOT OPERATED	528	17.6	213	3	5	14	22	38	48	99+
B. OPERATED	387	19.8	236	3	5	17	25	38	56	98
TOTAL 0-19 YRS	41	9.7	111	1	2	6	14	20	24	60
20-34	160	16.9	167	2	4	14	21	31	42	83
35-49	201	20.6	267	4	6	16	25	45	63	99+
50-64	220	18.0	199	4	6	14	22	40	54	99+
65+	293	19.7	244	3	5	18	26	38	46	94
GRAND TOTAL	**915**	**18.6**	**223**	**3**	**5**	**15**	**24**	**38**	**52**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	12.4	129	1	1	9	19	31	32	32
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.7	10	1	1	6	7	7	7	7
50-64	1	32.0		32	32	32	32	32	32	32
65+	3	15.0	469	2	2	3	31	40	40	40
B. *Operated*										
0-19 YRS	10	10.3	84	1	2	7	16	24	30	30
20-34	13	13.7	114	3	5	11	15	29	40	43
35-49	15	11.7	156	2	2	6	17	35	37	38
50-64	10	15.8	126	1	3	17	28	59	97	99+
65+	12	12.4	128	2	2	11	15	32	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	18.0	366	2	2	11	25	51	51	51
35-49	13	14.4	257	2	3	10	15	33	57	63
50-64	9	18.2	284	3	3	10	29	46	48	48
65+	28	14.2	103	2	3	13	18	28	34	46
B. *Operated*										
0-19 YRS	4	22.3	576	<1	<1	19	42	49	49	49
20-34	21	16.7	147	3	4	15	26	37	37	37
35-49	18	24.6	512	2	3	17	35	58	78	87
50-64	29	21.7	323	3	4	17	37	64	98	99+
65+	25	30.4	646	4	7	22	43	60	92	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	12.1	166	1	1	7	19	32	37	40
B. *Operated*	60	12.7	119	2	2	10	18	31	37	94
2. MULTIPLE DX										
A. *Not Operated*	56	15.0	180	2	3	11	18	33	47	62
B. *Operated*	97	23.4	419	3	4	17	36	56	80	99+
1. SINGLE DX	77	12.6	128	1	2	10	17	32	38	84
2. MULTIPLE DX	153	20.4	346	2	3	15	30	48	62	99+
A. NOT OPERATED	73	14.3	176	2	2	10	18	32	46	60
B. OPERATED	157	19.3	330	2	3	14	30	43	63	99+
TOTAL 0-19 YRS	24	12.8	175	1	1	8	17	32	40	49
20-34	40	15.5	154	2	3	12	21	37	40	51
35-49	49	16.7	333	2	2	10	25	38	63	87
50-64	49	20.1	268	3	4	17	33	52	97	99+
65+	68	19.9	374	2	3	15	29	45	60	94
GRAND TOTAL	**230**	**17.8**	**286**	**2**	**3**	**12**	**27**	**41**	**58**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	253	3.0	2	1	1	3	4	5	5	7
20-34	71	3.4	4	1	2	3	4	5	6	12
35-49	11	4.0	1	2	2	4	5	6	6	6
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	33	1.8		1	1	2	2	2	3	4
20-34	12	2.3		1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	387	3.4	4	1	1	3	4	6	7	10
20-34	111	4.1	5	2	2	4	5	7	8	12
35-49	31	4.5	7	1	2	4	6	7	12	13
50-64	21	5.0	4	2	2	5	6	7	9	10
65+	14	8.9	57	2	3	7	11	17	28	31
B. *Operated*										
0-19 YRS	31	2.9	8	1	1	2	2	6	9	15
20-34	5	7.2	89	2	2	4	9	24	24	24
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	3.1	2	1	1	3	4	5	6	7
B. *Operated*	45	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	564	3.8	6	1	2	3	5	7	8	12
B. *Operated*	39	3.9	20	1	2	2	4	9	13	24
1. SINGLE DX	385	3.0	2	1	1	3	4	5	6	7
2. MULTIPLE DX	603	3.8	7	1	2	3	5	7	8	14
A. NOT OPERATED	904	3.5	5	1	2	3	4	6	7	11
B. OPERATED	84	2.9	10	1	1	2	2	4	9	21
TOTAL 0-19 YRS	704	3.2	3	1	1	3	4	5	6	9
20-34	199	3.8	6	1	2	3	4	6	8	14
35-49	43	4.5	6	1	2	4	6	7	9	13
50-64	25	5.0	4	2	3	5	6	7	9	10
65+	17	8.6	47	2	3	7	10	15	26	31
GRAND TOTAL	**988**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	6.3	20	2	2	5	8	12	14	27
20-34	29	9.9	99	2	3	6	10	26	33	43
35-49	14	14.1	285	2	3	7	18	28	58	67
50-64	34	9.9	37	3	4	9	13	18	20	31
65+	73	12.0	41	4	5	11	14	21	25	34
B. *Operated*										
0-19 YRS	9	10.8	28	5	5	10	12	19	23	23
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	3	19.3	329	6	6	12	33	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	7.6	59	2	2	6	10	13	16	33
20-34	96	14.1	108	3	4	11	18	29	32	55
35-49	137	11.7	91	4	5	9	13	23	39	99+
50-64	312	13.5	93	4	5	11	17	26	33	66
65+	1406	16.2	149	5	6	13	19	31	44	93
B. *Operated*										
0-19 YRS	29	15.9	145	4	5	14	20	30	44	55
20-34	36	21.7	267	3	4	18	32	55	61	99+
35-49	45	21.8	273	5	7	16	25	48	57	66
50-64	125	22.7	252	7	8	18	30	44	58	99+
65+	369	27.4	369	9	11	22	36	60	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	433	8.0	44	2	2	6	10	15	20	31
B. *Operated*	15	11.7	84	3	5	10	12	23	36	40
2. MULTIPLE DX										
A. *Not Operated*	2269	14.3	132	3	5	11	17	28	38	80
B. *Operated*	604	25.1	329	7	9	20	32	56	77	99+
1. SINGLE DX	448	8.1	46	2	2	6	10	15	20	33
2. MULTIPLE DX	2873	16.5	193	4	5	13	20	34	49	99+
A. NOT OPERATED	2702	13.3	123	3	4	11	16	25	36	74
B. OPERATED	619	24.8	327	7	9	20	32	55	73	99+
TOTAL 0-19 YRS	639	7.4	49	2	2	6	9	13	17	30
20-34	162	15.0	154	3	4	11	20	32	43	65
35-49	196	14.2	162	4	5	9	17	33	47	84
50-64	473	15.6	149	4	5	12	19	32	41	97
65+	1851	18.3	210	5	7	14	21	37	55	99+
GRAND TOTAL	**3321**	**15.4**	**181**	**3**	**4**	**12**	**19**	**32**	**46**	**96**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	7.6	20	2	2	7	11	14	15	18
20-34	56	7.8	23	2	2	7	11	15	17	21
35-49	47	8.5	43	3	3	6	11	17	24	31
50-64	30	8.3	161	3	3	5	7	14	20	72
65+	28	8.6	43	2	3	7	11	18	21	32
B. *Operated*										
0-19 YRS	11	11.3	8	7	7	12	13	15	15	15
20-34	8	10.8	172	<1	<1	5	18	33	35	35
35-49	6	15.7	429	2	2	8	14	53	57	57
50-64	6	16.0	209	6	6	10	19	41	44	44
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	8.2	48	2	2	7	11	15	18	35
20-34	56	8.8	43	2	3	7	11	16	21	34
35-49	70	8.8	29	3	4	7	11	16	19	28
50-64	111	10.2	76	3	4	8	12	18	23	56
65+	180	11.9	82	4	5	9	14	22	28	48
B. *Operated*										
0-19 YRS	16	15.6	177	4	5	12	17	23	50	61
20-34	12	14.6	118	2	3	11	25	31	32	32
35-49	25	21.9	335	4	5	17	30	44	62	76
50-64	35	23.0	457	3	7	14	37	66	78	99+
65+	47	21.7	247	4	7	18	28	44	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	7.9	34	2	3	7	11	14	16	25
B. *Operated*	32	13.9	182	1	2	10	14	38	45	57
2. MULTIPLE DX										
A. *Not Operated*	596	9.8	63	3	3	8	12	17	23	43
B. *Operated*	135	20.7	299	4	5	15	28	44	66	99+
1. SINGLE DX	437	8.3	47	2	3	7	11	14	18	36
2. MULTIPLE DX	731	11.8	124	3	4	9	14	23	34	67
A. NOT OPERATED	1001	9.0	52	2	3	7	12	16	20	35
B. OPERATED	167	19.4	282	2	5	14	26	44	61	97
TOTAL 0-19 YRS	450	8.2	38	2	2	7	12	14	16	23
20-34	132	9.0	50	2	2	7	12	18	26	34
35-49	148	11.2	122	3	3	8	13	23	32	58
50-64	182	12.5	192	3	4	8	14	24	47	79
65+	256	13.5	127	4	5	10	16	27	37	72
GRAND TOTAL	**1168**	**10.5**	**98**	**2**	**3**	**8**	**12**	**19**	**28**	**61**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	4.2	7	1	2	4	5	8	10	14
20-34	287	5.3	10	2	2	5	7	10	12	14
35-49	70	6.5	13	2	2	6	9	12	14	16
50-64	20	5.5	18	1	2	4	8	10	14	18
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	4	4.8	2	3	3	5	6	6	6	6
20-34	5	8.0	20	2	2	10	11	13	13	13
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	4.5	25	1	1	4	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	4.9	12	1	2	4	6	9	12	16
20-34	102	5.5	10	2	2	5	7	9	11	17
35-49	54	6.9	30	2	2	6	8	12	21	28
50-64	19	7.8	23	3	3	6	10	14	18	22
65+	13	18.8	238	5	8	15	18	44	59	62
B. *Operated*										
0-19 YRS	4	6.3	19	2	2	5	9	12	12	12
20-34	4	18.3	267	7	7	12	29	42	42	42
35-49	6	22.3	927	6	6	10	17	77	84	84
50-64	6	16.7	122	6	6	12	29	32	32	32
65+	1	33.0		33	33	66	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	958	4.8	9	1	2	4	6	9	11	15
B. *Operated*	12	6.3	13	1	2	6	9	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	403	5.9	27	2	2	5	7	11	13	26
B. *Operated*	21	17.4	350	3	5	11	29	55	90	99+
1. SINGLE DX	970	4.8	9	1	2	4	6	9	11	15
2. MULTIPLE DX	424	6.5	49	2	2	5	8	12	15	40
A. NOT OPERATED	1361	5.1	15	1	2	4	6	10	12	17
B. OPERATED	33	13.3	253	2	3	8	13	34	76	99+
TOTAL 0-19 YRS	803	4.4	9	1	2	4	6	8	10	14
20-34	398	5.5	14	2	2	5	7	10	12	16
35-49	131	7.4	66	2	2	6	9	12	16	39
50-64	47	7.8	43	2	2	6	10	14	23	32
65+	15	19.3	222	5	9	15	27	60	89	99+
GRAND TOTAL	**1394**	**5.3**	**22**	**1**	**2**	**4**	**7**	**10**	**12**	**21**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	3.4	5	1	1	3	4	6	7	13
20-34	83	5.1	10	2	2	4	7	9	11	17
35-49	34	6.7	20	2	2	5	9	13	15	21
50-64	63	7.3	65	2	3	5	8	12	24	49
65+	131	8.3	57	2	3	6	11	15	20	47
B. *Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	8	3.4	6	2	2	3	4	7	9	9
35-49	3	7.3	4	5	5	9	99+	99+	99+	99+
50-64	5	8.6	50	4	4	5	11	21	21	21
65+	7	7.9	60	3	3	4	8	22	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	486	4.1	9	1	2	4	5	7	10	16
20-34	88	6.3	42	2	2	5	7	10	12	44
35-49	47	7.1	27	2	3	5	9	14	20	22
50-64	147	8.6	40	2	3	7	11	16	20	33
65+	614	12.3	146	2	4	9	14	24	38	82
B. *Operated*										
0-19 YRS	16	10.6	80	3	3	7	15	21	32	36
20-34	6	13.5	34	7	7	14	15	22	23	23
35-49	12	18.8	201	4	4	13	27	44	46	46
50-64	18	14.3	198	4	5	9	18	50	82	99+
65+	61	21.1	270	3	5	18	30	45	67	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	5.0	26	1	2	3	6	10	13	29
B. *Operated*	25	6.2	31	2	2	4	8	24	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1382	8.5	89	2	2	6	10	16	24	56
B. *Operated*	113	17.9	223	3	4	13	26	43	56	99+
1. SINGLE DX	718	5.1	26	1	2	4	6	10	14	31
2. MULTIPLE DX	1495	9.2	105	2	2	6	11	19	29	64
A. NOT OPERATED	2075	7.3	70	2	2	5	9	14	20	50
B. OPERATED	138	15.8	208	3	3	11	23	40	62	99+
TOTAL 0-19 YRS	886	3.9	9	1	2	3	4	7	9	16
20-34	185	5.9	28	2	2	5	7	10	13	22
35-49	96	8.4	59	2	3	6	10	20	28	99+
50-64	233	8.7	61	2	3	6	11	18	25	53
65+	813	12.2	148	2	3	9	14	25	38	78
GRAND TOTAL	**2213**	**7.8**	**83**	**2**	**2**	**5**	**9**	**16**	**24**	**54**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	6.2	12	2	2	6	8	11	13	17
20-34	463	8.3	32	2	3	7	10	14	19	32
35-49	151	9.6	34	2	4	8	12	18	21	32
50-64	88	10.6	53	3	4	9	12	21	25	37
65+	39	11.5	81	3	4	9	14	23	31	46
B. *Operated*										
0-19 YRS	3	17.7	65	13	13	13	24	27	27	27
20-34	24	8.0	57	1	1	6	12	16	24	32
35-49	12	8.9	49	1	2	6	15	20	21	21
50-64	8	8.9	70	1	1	7	13	22	25	25
65+	4	11.0	45	1	1	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	7.7	22	2	3	7	10	14	15	26
20-34	251	8.5	31	3	3	8	10	14	17	29
35-49	95	10.5	55	3	4	9	12	19	24	44
50-64	115	11.7	84	3	4	9	14	20	28	53
65+	138	14.8	155	5	6	11	18	30	41	70
B. *Operated*										
0-19 YRS	8	9.3	39	2	2	8	14	19	19	19
20-34	34	13.1	70	2	3	11	16	30	32	34
35-49	15	14.3	86	5	7	13	15	21	37	43
50-64	27	14.8	145	1	2	12	20	32	41	49
65+	25	19.5	135	7	8	17	27	36	41	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	888	8.6	35	2	3	7	10	15	20	33
B. *Operated*	51	9.1	57	1	1	9	14	19	25	32
2. MULTIPLE DX										
A. *Not Operated*	658	10.6	75	3	4	9	12	19	26	50
B. *Operated*	109	14.9	108	2	4	12	18	31	36	50
1. SINGLE DX	939	8.6	36	2	3	7	11	15	20	32
2. MULTIPLE DX	767	11.2	82	3	4	9	13	20	29	50
A. NOT OPERATED	1546	9.4	53	3	3	8	11	17	22	40
B. OPERATED	160	13.0	99	1	2	11	16	29	33	48
TOTAL 0-19 YRS	217	6.9	18	2	2	6	9	12	15	23
20-34	772	8.6	35	2	3	7	10	15	19	32
35-49	273	10.1	46	3	4	9	13	19	21	33
50-64	238	11.6	80	3	4	9	14	22	29	47
65+	206	14.7	140	4	5	11	17	31	38	68
GRAND TOTAL	**1706**	**9.8**	**58**	**2**	**3**	**8**	**12**	**18**	**24**	**41**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	616	4.4	6	1	2	4	6	7	9	13
20-34	187	5.4	10	2	2	5	7	10	12	15
35-49	40	6.8	20	2	2	6	8	14	17	19
50-64	6	4.8	5	1	1	5	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	9	6.6	31	1	1	8	11	14	16	16
20-34	4	7.8	18	2	2	8	10	12	12	12
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	614	4.8	10	2	2	4	6	8	10	16
20-34	232	6.0	14	2	2	5	8	11	12	19
35-49	38	7.6	14	3	4	7	9	13	15	19
50-64	10	10.2	18	3	5	9	12	16	18	18
65+	2	17.0	128	9	9	17	25	25	25	25
B. *Operated*										
0-19 YRS	7	8.0	59	2	3	6	7	21	25	25
20-34	13	13.6	121	4	4	10	17	36	36	36
35-49	4	9.5	62	3	3	7	14	21	21	21
50-64	4	18.0	29	15	15	16	21	26	26	26
65+	3	12.0	7	10	10	11	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	849	4.7	8	1	2	4	6	8	10	15
B. *Operated*	15	6.8	22	1	1	8	10	12	15	16
2. MULTIPLE DX										
A. *Not Operated*	896	5.4	12	2	2	4	7	9	11	17
B. *Operated*	31	12.2	80	3	4	10	16	25	35	36
1. SINGLE DX	864	4.8	8	1	2	4	6	9	10	15
2. MULTIPLE DX	927	5.6	16	2	2	5	7	10	12	22
A. NOT OPERATED	1745	5.0	10	2	2	4	6	9	11	16
B. OPERATED	46	10.5	67	1	2	8	15	21	28	36
TOTAL 0-19 YRS	1246	4.6	9	1	2	4	6	8	10	15
20-34	436	6.0	17	2	2	5	8	11	13	22
35-49	84	7.3	18	2	3	7	9	14	17	20
50-64	20	10.2	36	2	3	9	15	17	22	26
65+	5	14.0	43	9	9	11	17	25	25	25
GRAND TOTAL	**1791**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	7	1	1	2	5	7	7	7
20-34	3	2.3	1	<1	<1	3	3	3	3	3
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	258	1.8	1	<1	<1	1	2	3	4	6
20-34	820	2.0	2	<1	<1	2	2	4	4	7
35-49	176	2.5	3	<1	<1	2	3	4	5	10
50-64	52	2.3	1	<1	<1	2	3	4	5	5
65+	7	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	5	<1	<1	1	4	6	6	6
20-34	9	1.9	2	<1	<1	1	2	4	5	5
35-49	9	6.2	80	<1	<1	2	7	21	29	29
50-64	3	7.0	7	4	4	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	47	2.7	9	<1	<1	2	3	5	6	20
20-34	169	3.0	5	<1	1	2	4	6	7	14
35-49	93	4.7	86	1	1	3	4	7	14	61
50-64	33	5.1	63	<1	2	2	4	11	22	42
65+	16	5.5	51	<1	<1	3	6	10	24	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.4	4	<1	<1	2	3	5	7	7
B. *Operated*	1313	2.1	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	4.1	32	<1	<1	2	6	8	13	29
B. *Operated*	358	3.7	35	<1	1	2	4	6	9	30
1. SINGLE DX	1322	2.1	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX	384	3.7	34	<1	1	2	4	6	9	30
A. NOT OPERATED	35	3.7	25	<1	<1	2	5	8	9	29
B. OPERATED	1671	2.4	9	<1	<1	2	3	4	5	11
TOTAL 0-19 YRS	314	2.0	3	<1	<1	2	2	4	5	7
20-34	1001	2.2	3	<1	<1	2	3	4	5	8
35-49	280	3.4	34	<1	<1	2	3	5	7	28
50-64	88	3.5	26	<1	<1	2	4	5	9	35
65+	23	4.5	37	<1	<1	3	5	9	17	30
GRAND TOTAL	**1706**	**2.4**	**10**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1996	3.1	4	1	1	3	4	5	6	9
20-34	428	3.7	6	1	1	3	5	7	8	14
35-49	196	4.4	9	1	1	4	5	8	11	15
50-64	108	5.3	19	1	2	4	7	10	13	23
65+	89	5.3	31	2	2	4	6	10	15	35
B. *Operated*										
0-19 YRS	54	3.1	4	<1	1	3	4	6	7	8
20-34	27	5.1	20	<1	1	3	9	12	26	99+
35-49	10	11.9	129	<1	1	9	14	29	40	40
50-64	8	4.8	18	<1	<1	3	9	11	11	11
65+	2	14.5	221	4	4	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1818	3.4	4	1	2	3	4	5	7	12
20-34	514	5.0	18	1	2	4	6	9	12	23
35-49	321	4.9	9	2	2	4	6	9	11	16
50-64	378	6.2	27	2	2	5	7	11	15	27
65+	679	7.3	46	2	3	6	8	12	16	37
B. *Operated*										
0-19 YRS	47	6.6	118	1	2	4	7	11	15	75
20-34	44	9.4	43	2	3	7	12	21	23	28
35-49	37	11.4	90	2	3	9	14	22	28	51
50-64	34	12.2	118	2	3	9	15	23	27	59
65+	43	15.7	92	5	5	14	21	30	34	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2817	3.5	6	1	1	3	4	6	7	12
B. *Operated*	101	4.9	30	<1	1	3	6	11	16	69
2. MULTIPLE DX										
A. *Not Operated*	3710	4.8	19	1	2	4	6	9	11	21
B. *Operated*	205	10.9	99	2	3	8	14	22	28	55
1. SINGLE DX	2918	3.5	7	1	1	3	4	6	7	13
2. MULTIPLE DX	3915	5.1	25	1	2	4	6	9	13	25
A. NOT OPERATED	6527	4.2	14	1	2	3	5	7	10	18
B. OPERATED	306	8.9	84	1	2	6	12	20	26	54
TOTAL 0-19 YRS	3915	3.3	6	1	1	3	4	5	7	10
20-34	1013	4.6	16	1	2	4	5	9	11	22
35-49	564	5.3	20	1	2	4	6	10	13	21
50-64	528	6.4	33	2	2	5	8	11	16	28
65+	813	7.5	51	2	3	6	9	14	20	39
GRAND TOTAL	**6833**	**4.4**	**18**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	5.6	11	2	2	5	6	11	13	15
20-34	36	5.0	11	1	2	4	7	8	12	17
35-49	18	5.7	34	<1	1	4	7	17	20	21
50-64	5	5.8	5	3	3	6	8	8	8	8
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	21	2	2	6	11	14	15	15
20-34	17	7.0	16	3	3	6	8	13	17	18
35-49	15	5.9	22	<1	1	5	8	11	17	19
50-64	10	6.6	22	3	3	5	7	14	19	19
65+	11	10.1	27	3	4	10	14	17	19	19
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	2	15.0	242	4	4	15	26	26	26	26
35-49										
50-64	2	11.5	13	9	9	11	14	14	14	14
65+	2	11.5	41	7	7	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	5.4	14	1	2	4	7	9	14	20
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	61	7.3	22	2	3	6	9	15	18	19
B. *Operated*	7	11.7	58	4	4	9	15	24	26	26
1. SINGLE DX	95	5.4	14	1	2	4	7	9	14	20
2. MULTIPLE DX	68	7.7	27	2	3	6	10	16	19	25
A. NOT OPERATED	155	6.1	18	1	2	5	7	12	16	19
B. OPERATED	8	10.5	62	2	3	8	15	23	26	26
TOTAL 0-19 YRS	42	5.9	13	2	2	5	7	12	14	15
20-34	55	6.0	20	2	3	5	7	9	16	26
35-49	33	5.8	27	<1	1	4	7	13	19	21
50-64	18	6.7	18	2	3	6	8	13	17	19
65+	15	9.7	26	3	4	8	14	16	18	19
GRAND TOTAL	**163**	**6.3**	**21**	**1**	**2**	**5**	**8**	**13**	**17**	**21**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	6.1	11	2	2	5	8	11	12	16
20-34	109	5.7	10	2	2	5	7	10	12	16
35-49	30	4.5	10	1	1	5	6	9	10	12
50-64	15	5.1	39	<1	<1	2	6	18	19	20
65+	12	5.2	54	1	1	2	6	14	25	27
B. *Operated*										
0-19 YRS	16	2.6	4	<1	<1	2	3	5	7	8
20-34	71	2.4	9	<1	<1	1	3	5	6	19
35-49	18	3.1	8	<1	1	2	3	8	9	10
50-64	5	4.2	19	2	2	2	5	12	12	12
65+	5	4.6	8	2	2	3	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	9.3	44	3	3	7	12	19	21	31
20-34	78	5.8	8	2	3	5	8	10	10	16
35-49	35	7.5	31	1	2	7	9	15	19	25
50-64	29	7.6	51	1	1	5	11	19	25	25
65+	22	8.1	26	1	2	8	12	15	18	19
B. *Operated*										
0-19 YRS	16	6.8	22	<1	2	7	10	14	15	16
20-34	34	6.9	77	<1	1	4	8	14	19	49
35-49	23	8.9	62	1	2	6	13	23	26	27
50-64	13	11.6	272	1	2	5	13	24	56	64
65+	11	13.6	78	2	3	11	22	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	5.6	14	1	2	5	7	10	12	18
B. *Operated*	115	2.7	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	220	7.4	30	1	2	6	9	15	19	27
B. *Operated*	97	8.7	92	1	2	6	12	19	26	57
1. SINGLE DX	370	4.7	14	<1	1	4	6	9	11	18
2. MULTIPLE DX	317	7.8	49	1	2	6	10	15	20	31
A. NOT OPERATED	475	6.5	22	1	2	5	8	12	16	25
B. OPERATED	212	5.5	55	<1	<1	3	7	13	19	35
TOTAL 0-19 YRS	177	6.8	25	1	2	6	9	13	16	28
20-34	292	5.1	19	<1	1	4	6	9	11	19
35-49	106	6.2	32	1	1	5	8	14	20	26
50-64	62	7.5	93	<1	1	4	11	17	22	59
65+	50	8.3	50	1	1	7	11	18	26	27
GRAND TOTAL	**687**	**6.2**	**32**	**1**	**1**	**5**	**8**	**12**	**16**	**26**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.1	24	1	2	4	8	12	16	23
20-34	9	3.3	3	1	1	4	4	6	6	6
35-49	8	7.1	20	2	2	6	9	14	16	16
50-64	7	5.6	18	2	2	4	9	12	12	12
65+	4	10.5	6	7	7	11	12	12	12	12
B. *Operated*										
0-19 YRS	5	1.6	2	<1	<1	1	2	4	4	4
20-34	12	5.9	32	<1	1	4	9	15	18	19
35-49	5	6.2	34	2	2	2	12	14	14	14
50-64	12	5.6	24	<1	<1	3	9	13	14	14
65+	9	4.2	9	2	2	3	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	6.0	21	1	2	5	9	12	14	22
20-34	32	9.6	261	2	2	5	7	17	57	76
35-49	17	7.9	25	2	3	7	10	15	19	20
50-64	26	8.3	40	2	2	6	11	21	33	99+
65+	62	12.4	97	3	4	9	16	25	27	57
B. *Operated*										
0-19 YRS	10	13.5	153	<1	<1	11	18	33	34	34
20-34	13	10.0	168	1	2	9	33	99+	99+	99+
35-49	21	24.7	553	2	3	19	32	72	78	80
50-64	26	19.6	489	1	2	13	29	63	69	99+
65+	24	25.2	803	1	5	11	44	80	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	6.1	20	2	2	5	8	12	13	23
B. *Operated*	43	5.0	22	<1	1	3	8	13	14	19
2. MULTIPLE DX										
A. *Not Operated*	191	9.1	94	2	2	6	11	20	25	70
B. *Operated*	94	20.2	516	1	2	13	33	74	98	99+
1. SINGLE DX	94	5.6	21	1	1	4	8	12	14	21
2. MULTIPLE DX	285	12.8	259	2	2	7	15	33	64	99+
A. NOT OPERATED	242	8.5	79	2	2	6	11	19	23	62
B. OPERATED	137	15.4	410	<1	1	8	19	63	80	99+
TOTAL 0-19 YRS	92	6.6	40	1	1	4	9	13	21	34
20-34	66	8.2	167	1	2	5	8	23	77	99+
35-49	51	14.5	309	2	2	8	17	32	68	80
50-64	71	11.7	232	1	2	8	14	37	63	99+
65+	99	14.7	291	2	3	9	16	35	62	97
GRAND TOTAL	**379**	**11.0**	**209**	**1**	**2**	**7**	**13**	**25**	**59**	**99+**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.7	11	1	1	4	6	10	12	12
20-34	8	5.5	13	1	2	4	8	11	12	12
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64	2	12.5	85	6	6	12	19	19	19	19
65+										
B. *Operated*										
0-19 YRS	10	4.2	3	3	3	4	5	7	7	7
20-34	8	7.9	35	2	3	6	9	18	21	21
35-49	5	7.0	47	<1	<1	4	12	17	17	17
50-64										
65+	3	8.0	75	3	3	3	14	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.6	27	1	1	2	4	16	17	17
20-34	6	7.0	4	5	5	7	8	10	10	10
35-49	7	9.6	28	3	3	10	14	16	16	16
50-64	7	11.1	58	5	5	7	16	24	25	25
65+	4	15.3	77	6	6	15	22	25	25	25
B. *Operated*										
0-19 YRS	6	4.0	8	<1	<1	3	5	9	9	9
20-34	14	15.9	474	<1	<1	8	20	38	74	84
35-49	8	13.8	123	2	4	9	18	32	37	37
50-64	4	20.8	75	13	13	18	26	33	33	33
65+	2	15.5	5	14	14	15	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.9	20	1	2	5	8	12	15	19
B. *Operated*	26	6.3	27	1	2	4	7	16	19	21
2. MULTIPLE DX										
A. *Not Operated*	38	8.2	43	1	2	6	11	18	23	25
B. *Operated*	34	13.8	246	<1	2	9	18	33	36	84
1. SINGLE DX	48	6.1	24	1	2	5	8	12	18	21
2. MULTIPLE DX	72	10.9	145	1	2	7	15	22	32	74
A. NOT OPERATED	60	7.4	35	1	2	5	10	17	19	25
B. OPERATED	60	10.6	163	<1	2	6	14	21	33	79
TOTAL 0-19 YRS	40	4.4	13	1	1	3	5	8	14	17
20-34	36	10.3	207	<1	2	6	10	21	30	84
35-49	22	10.2	68	1	2	9	15	18	28	37
50-64	13	14.3	75	5	5	13	19	27	32	33
65+	9	12.9	62	3	3	14	18	23	25	25
GRAND TOTAL	**120**	**9.0**	**101**	**1**	**2**	**6**	**11**	**19**	**23**	**51**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	5.2	13	1	1	4	6	8	13	18
20-34	36	5.4	24	1	1	5	6	10	11	29
35-49	34	5.7	16	1	1	4	9	13	13	13
50-64	12	7.5	94	2	2	4	7	19	34	37
65+	3	9.0	1	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	8	7.5	190	<1	<1	2	6	31	41	41
20-34	186	5.5	30	1	2	4	7	12	15	28
35-49	102	5.3	34	<1	1	3	7	12	13	36
50-64	47	6.0	25	1	2	5	8	11	14	30
65+	11	3.8	11	2	2	2	4	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	5.4	21	1	2	3	6	12	17	18
20-34	75	7.4	44	2	2	5	9	14	18	39
35-49	81	11.1	83	2	3	8	14	23	31	46
50-64	60	10.4	101	3	4	7	10	19	34	54
65+	50	11.7	94	2	4	10	14	25	29	56
B. *Operated*										
0-19 YRS	6	14.7	203	3	3	11	12	40	43	43
20-34	157	12.9	171	2	2	8	17	29	45	61
35-49	99	13.7	166	2	2	10	19	27	39	68
50-64	63	10.6	47	2	3	10	16	20	25	90
65+	22	18.5	156	4	7	15	24	41	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	5.8	25	1	1	5	7	11	13	32
B. *Operated*	354	5.5	33	<1	1	4	7	12	14	32
2. MULTIPLE DX										
A. *Not Operated*	297	9.5	76	2	3	7	11	20	27	50
B. *Operated*	347	13.1	148	2	2	10	17	27	40	63
1. SINGLE DX	464	5.6	31	1	1	4	7	11	14	32
2. MULTIPLE DX	644	11.5	118	2	2	8	15	24	34	56
A. NOT OPERATED	407	8.5	65	2	2	6	10	17	25	45
B. OPERATED	701	9.3	104	1	2	6	12	20	30	55
TOTAL 0-19 YRS	70	6.3	55	<1	1	4	7	12	18	43
20-34	454	8.4	92	1	2	5	10	18	26	53
35-49	316	9.5	99	1	2	6	12	22	28	52
50-64	182	9.1	65	2	2	7	11	18	25	53
65+	86	12.3	114	2	2	10	14	27	36	51
GRAND TOTAL	**1108**	**9.0**	**90**	**1**	**2**	**6**	**11**	**20**	**27**	**53**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	7.5	6	4	4	7	10	10	10	10
50-64	5	10.2	25	5	5	10	13	18	18	18
65+	10	14.4	200	3	5	8	11	40	46	46
B. *Operated*										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	6	11.8	260	2	2	6	10	41	44	44
50-64	8	14.4	570	2	3	6	10	55	73	73
65+	2	9.0	98	2	2	9	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	9	2	2	5	7	8	8	8
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	22	11.1	103	3	4	8	10	23	39	46
B. *Operated*	18	11.9	327	2	2	6	10	36	61	73
1. SINGLE DX	6	4.2	6	1	1	4	5	8	8	8
2. MULTIPLE DX	40	11.5	198	2	3	8	10	26	45	73
A. NOT OPERATED	25	10.4	95	3	4	8	10	18	38	46
B. OPERATED	21	10.7	288	1	2	5	9	27	57	73
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	3	5.0	13	2	2	4	8	9	9	9
35-49	12	9.7	126	2	3	7	10	20	41	44
50-64	14	12.2	323	2	4	7	11	23	62	73
65+	14	12.4	158	2	3	8	11	36	44	46
GRAND TOTAL	**46**	**10.5**	**179**	**2**	**2**	**7**	**10**	**18**	**44**	**73**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	9.0	22	5	5	9	13	14	14	14
35-49	9	8.2	56	<1	1	6	10	21	25	25
50-64	59	6.3	18	1	2	6	8	11	13	25
65+	57	8.1	92	1	2	6	8	17	21	65
B. *Operated*										
0-19 YRS	13	6.6	17	2	3	6	9	12	15	16
20-34	25	7.3	29	2	3	6	8	15	20	26
35-49	87	7.5	64	1	2	4	10	16	23	82
50-64	299	9.2	143	1	2	5	12	21	32	77
65+	302	8.5	135	2	2	5	10	17	27	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.0	36	<1	<1	9	10	18	19	19
20-34	9	11.6	169	1	2	6	16	34	38	38
35-49	39	10.9	138	<1	1	7	14	26	39	51
50-64	157	9.3	105	1	1	7	12	21	31	47
65+	183	11.1	160	1	2	7	13	24	41	60
B. *Operated*										
0-19 YRS	4	13.0	332	2	2	5	24	40	40	40
20-34	10	26.9	656	1	1	20	55	65	72	72
35-49	98	18.4	318	2	2	13	25	51	60	89
50-64	423	18.1	357	2	2	12	25	44	65	96
65+	478	15.5	251	2	2	11	20	38	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	7.3	53	1	2	6	8	14	19	34
B. *Operated*	726	8.6	124	1	2	5	10	18	29	73
2. MULTIPLE DX										
A. *Not Operated*	394	10.3	134	1	1	7	13	23	35	57
B. *Operated*	1013	17.0	307	2	2	11	23	44	60	99+
1. SINGLE DX	856	8.4	113	1	2	5	10	17	27	68
2. MULTIPLE DX	1407	15.1	267	2	2	10	19	37	53	95
A. NOT OPERATED	524	9.6	115	1	1	7	11	20	31	55
B. OPERATED	1739	13.5	248	2	2	8	17	33	51	94
TOTAL 0-19 YRS	24	8.3	66	1	2	7	10	16	25	40
20-34	48	12.3	230	1	2	7	13	28	55	72
35-49	233	12.7	207	1	2	7	16	33	51	81
50-64	938	13.0	246	1	2	8	16	31	47	91
65+	1020	12.3	201	2	2	7	15	30	46	86
GRAND TOTAL	**2263**	**12.6**	**220**	**1**	**2**	**8**	**15**	**31**	**47**	**87**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	9	2	2	6	7	8	8	8
50-64	26	7.4	28	<1	1	6	11	16	18	19
65+	40	11.3	203	1	2	6	13	30	51	61
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	9	12.1	78	1	2	9	18	26	26	26
50-64	57	16.5	238	1	2	13	22	34	41	85
65+	84	13.4	260	1	2	8	19	32	43	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	6	14.3	137	1	1	13	28	28	28	28
50-64	79	8.4	57	1	2	6	12	20	23	37
65+	147	13.1	209	2	3	8	17	29	43	85
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	1	5.0		5	5	5	5	5	5	5
35-49	26	28.3	430	2	3	24	42	58	69	78
50-64	144	21.4	265	2	4	17	32	48	61	99+
65+	247	23.7	406	4	5	20	32	57	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	9.6	131	1	1	6	11	18	33	60
B. *Operated*	151	14.5	240	1	2	9	20	33	42	87
2. MULTIPLE DX										
A. *Not Operated*	234	11.5	158	2	2	7	14	26	38	66
B. *Operated*	419	23.2	359	3	4	19	32	56	69	99+
1. SINGLE DX	220	12.9	210	1	2	8	16	31	39	74
2. MULTIPLE DX	653	19.0	318	2	3	13	26	46	61	99+
A. NOT OPERATED	303	11.1	152	1	2	7	13	25	36	61
B. OPERATED	570	20.9	342	2	3	16	29	48	65	99+
TOTAL 0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	4	5.8	1	5	5	6	6	7	7	7
35-49	44	21.5	352	2	2	16	27	51	61	78
50-64	306	16.0	220	1	2	12	21	41	49	92
65+	518	18.1	339	2	3	11	25	46	61	99
GRAND TOTAL	**873**	**17.5**	**298**	**2**	**3**	**11**	**24**	**43**	**58**	**98**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	14.3	558	1	2	5	10	51	79	79
50-64	22	6.7	118	1	1	3	8	12	30	52
65+	46	12.5	149	2	2	8	15	33	44	48
B. *Operated*										
0-19 YRS										
20-34	3	14.3	132	3	3	14	23	26	26	26
35-49	24	20.2	240	2	6	20	25	37	82	99+
50-64	79	18.6	141	5	7	16	23	31	45	59
65+	166	18.9	169	2	4	16	24	32	43	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	8.8	35	2	2	7	15	17	17	17
35-49	29	9.6	89	1	1	5	14	27	29	30
50-64	114	10.1	102	2	2	6	12	25	31	45
65+	307	12.4	181	2	2	8	16	28	41	87
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	10	15.1	49	6	7	15	18	26	28	28
35-49	59	22.0	231	7	11	18	26	40	51	90
50-64	282	22.4	226	5	8	19	28	40	57	75
65+	764	23.7	239	7	9	20	30	44	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	11.0	191	1	1	6	12	29	45	71
B. *Operated*	272	18.9	165	3	6	16	24	32	45	75
2. MULTIPLE DX										
A. *Not Operated*	456	11.6	155	1	2	7	15	28	39	73
B. *Operated*	1116	23.2	234	6	9	20	29	42	56	92
1. SINGLE DX	351	17.1	181	2	3	15	23	32	45	76
2. MULTIPLE DX	1572	19.8	239	3	4	16	26	39	51	91
A. NOT OPERATED	535	11.5	160	1	2	7	15	28	40	74
B. OPERATED	1388	22.4	223	5	8	19	28	41	54	91
TOTAL 0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	20	12.4	61	1	2	14	16	25	27	28
35-49	122	18.0	246	1	3	14	24	36	49	95
50-64	497	18.3	210	2	3	15	24	37	46	70
65+	1283	20.0	236	3	5	16	26	40	52	92
GRAND TOTAL	**1923**	**19.3**	**229**	**2**	**4**	**16**	**25**	**39**	**49**	**85**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	6.3	10	4	4	5	9	10	10	10
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	8.7	4	7	7	8	10	11	11	11
35-49	1	9.0		9	9	9	9	9	9	9
50-64	11	14.3	71	5	6	11	20	28	29	29
65+	10	23.8	82	11	13	22	30	37	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	6	9.2	125	<1	<1	5	10	29	31	31
50-64	14	12.9	102	3	4	7	15	30	30	30
65+	23	11.4	201	3	4	7	12	19	45	70
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	2	13.5	13	11	11	13	16	16	16	16
35-49	21	20.0	144	8	11	16	24	35	47	59
50-64	48	21.1	187	8	9	18	25	49	66	99+
65+	89	27.5	328	9	11	23	34	51	70	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	11	2	2	4	8	10	10	10
B. *Operated*	25	17.2	95	6	7	14	23	30	36	40
2. MULTIPLE DX										
A. *Not Operated*	44	11.7	150	2	3	7	15	30	31	70
B. *Operated*	161	24.4	266	9	10	19	30	49	61	99
1. SINGLE DX	31	14.9	101	2	4	11	22	29	35	40
2. MULTIPLE DX	205	21.7	268	4	7	17	28	47	57	96
A. NOT OPERATED	50	10.9	138	2	3	7	13	30	31	70
B. OPERATED	186	23.5	248	8	9	19	29	48	57	98
TOTAL 0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	6	11.7	17	7	7	11	16	17	17	17
35-49	29	16.8	156	2	3	14	20	33	38	59
50-64	76	18.0	164	4	6	15	25	39	54	99+
65+	124	23.8	321	5	7	19	30	49	60	88
GRAND TOTAL	**236**	**20.8**	**251**	**4**	**6**	**16**	**28**	**41**	**55**	**95**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	7.0	37	3	3	4	11	14	14	14
35-49	9	9.3	167	1	2	5	8	30	43	43
50-64	33	5.7	25	<1	1	4	7	15	16	18
65+	85	7.0	47	1	2	5	9	14	21	39
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	7	7.3	24	2	2	7	10	15	16	16
35-49	79	14.0	40	5	8	13	17	20	27	36
50-64	415	13.4	44	2	7	12	16	22	24	36
65+	862	15.2	76	2	6	14	19	24	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	12.7	10	9	9	14	15	15	15	15
20-34	6	14.2	136	<1	1	11	20	33	34	34
35-49	69	11.9	124	2	3	9	14	27	30	63
50-64	291	10.0	101	1	2	7	12	23	31	47
65+	808	11.6	116	2	3	8	15	24	33	58
B. *Operated*										
0-19 YRS	6	22.0	306	10	10	13	48	91	99+	99+
20-34	46	18.1	117	6	8	14	22	32	44	51
35-49	205	17.9	88	8	10	16	22	30	38	57
50-64	1303	18.1	119	7	9	16	22	30	38	65
65+	4182	23.0	203	9	11	19	28	41	55	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	6.8	49	1	1	5	9	14	20	44
B. *Operated*	1364	14.6	65	2	7	13	18	24	28	44
2. MULTIPLE DX										
A. *Not Operated*	1177	11.3	113	2	3	8	14	24	32	56
B. *Operated*	5742	21.7	184	8	10	18	26	38	51	89
1. SINGLE DX	1494	13.9	68	2	3	13	17	23	28	44
2. MULTIPLE DX	6919	19.9	187	4	7	17	25	37	49	84
A. NOT OPERATED	1307	10.8	108	2	2	8	14	23	30	55
B. OPERATED	7106	20.3	169	7	10	17	24	36	48	82
TOTAL 0-19 YRS	10	20.5	218	9	10	14	34	72	98	99+
20-34	62	16.0	117	3	4	13	20	31	42	50
35-49	362	15.7	93	3	5	14	19	28	36	54
50-64	2042	15.8	111	2	5	14	19	27	34	59
65+	5937	20.1	192	4	7	17	25	37	50	86
GRAND TOTAL	**8413**	**18.8**	**171**	**3**	**6**	**16**	**23**	**35**	**46**	**80**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	5.0	7	2	2	6	7	7	7	7
35-49	10	6.0	13	1	1	6	7	11	14	14
50-64	44	6.7	51	1	1	4	7	18	22	34
65+	80	8.6	120	1	1	6	11	17	22	71
B. *Operated*										
0-19 YRS										
20-34	8	15.4	55	4	4	18	21	22	23	23
35-49	72	14.1	55	3	6	13	19	24	26	39
50-64	366	15.4	89	3	4	14	19	25	32	51
65+	644	16.2	124	2	3	15	21	28	34	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	9	7.6	18	4	4	6	10	14	17	17
35-49	28	9.9	76	1	2	7	15	20	28	37
50-64	161	9.7	83	2	2	7	12	20	27	48
65+	413	12.8	175	2	3	9	16	27	39	83
B. *Operated*										
0-19 YRS										
20-34	18	16.8	127	2	3	16	24	35	38	39
35-49	111	19.8	147	6	10	17	24	30	48	71
50-64	882	19.2	137	4	7	17	23	35	43	68
65+	2001	22.8	197	5	9	20	29	41	53	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	7.7	88	1	1	5	9	17	21	44
B. *Operated*	1090	15.8	107	3	4	15	20	27	33	58
2. MULTIPLE DX										
A. *Not Operated*	613	11.8	146	2	3	8	14	25	36	64
B. *Operated*	3012	21.6	180	4	8	19	27	39	50	82
1. SINGLE DX	1227	14.9	111	2	3	14	20	27	32	58
2. MULTIPLE DX	3625	19.9	187	3	5	17	26	37	48	81
A. NOT OPERATED	750	11.0	138	2	2	7	14	23	33	62
B. OPERATED	4102	20.0	167	3	6	18	25	36	47	75
TOTAL 0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	38	13.4	94	2	3	11	20	25	35	39
35-49	221	16.0	118	3	5	14	20	27	31	59
50-64	1453	16.8	129	3	4	15	21	31	40	59
65+	3138	19.8	195	3	5	17	26	37	49	82
GRAND TOTAL	**4852**	**18.6**	**173**	**3**	**4**	**16**	**24**	**35**	**45**	**74**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	5.3	17	2	2	4	8	10	10	10
50-64	22	7.8	50	1	2	5	10	18	24	29
65+	40	8.1	39	1	2	6	13	16	18	29
B. *Operated*										
0-19 YRS	6	7.7	37	2	2	6	11	17	18	18
20-34	4	11.8	103	2	2	9	18	26	26	26
35-49	19	12.7	27	3	5	13	16	19	21	22
50-64	54	13.6	117	2	4	11	17	21	34	63
65+	85	17.1	206	2	2	13	26	43	47	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	6	6.2	3	5	5	6	7	9	9	9
35-49	22	9.0	41	2	3	8	10	17	22	29
50-64	84	9.8	64	<1	1	8	14	19	26	37
65+	194	11.6	112	2	3	9	14	22	32	55
B. *Operated*										
0-19 YRS	8	24.9	879	5	6	16	24	75	96	96
20-34	6	22.3	240	2	3	24	37	38	38	38
35-49	52	22.3	233	6	7	17	26	51	56	63
50-64	198	23.3	221	6	8	19	29	42	58	78
65+	442	22.2	193	5	9	19	28	42	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	7.7	40	1	2	6	12	16	19	29
B. *Operated*	168	15.0	152	2	3	12	20	30	45	64
2. MULTIPLE DX										
A. *Not Operated*	310	10.7	92	1	2	8	14	22	28	46
B. *Operated*	706	22.5	210	6	8	19	28	43	55	80
1. SINGLE DX	235	13.0	131	2	2	10	17	28	40	63
2. MULTIPLE DX	1016	18.9	204	3	4	16	25	39	48	76
A. NOT OPERATED	377	10.2	84	1	2	8	14	21	28	45
B. OPERATED	874	21.1	208	4	6	18	27	42	52	78
TOTAL 0-19 YRS	18	14.1	477	1	1	7	18	25	68	96
20-34	18	12.7	146	2	2	8	17	35	38	38
35-49	96	16.8	178	3	4	13	20	33	51	61
50-64	358	17.7	198	2	3	14	23	37	45	65
65+	761	18.2	191	2	4	15	25	37	47	76
GRAND TOTAL	**1251**	**17.8**	**196**	**2**	**4**	**15**	**24**	**37**	**47**	**76**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	9.3	114	2	3	5	9	27	37	37
50-64	25	8.1	33	1	1	7	11	17	21	22
65+	43	11.5	136	2	3	8	14	21	44	54
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	13.8	169	1	2	8	22	31	42	44
50-64	63	18.5	142	5	8	16	22	34	39	65
65+	96	17.7	140	3	4	17	23	34	39	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	20.0	32	16	16	20	24	24	24	24
35-49	22	10.7	98	1	2	6	15	27	36	37
50-64	174	10.2	94	1	2	8	13	21	33	49
65+	292	12.1	119	2	3	10	15	24	34	58
B. *Operated*										
0-19 YRS										
20-34	4	30.8	268	10	10	31	41	50	50	50
35-49	47	18.2	98	6	7	17	24	34	40	42
50-64	347	23.2	247	5	9	20	28	43	56	80
65+	599	25.1	224	8	10	22	32	46	57	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	10.1	100	1	2	7	12	19	33	52
B. *Operated*	171	17.7	142	3	4	16	22	34	40	62
2. MULTIPLE DX										
A. *Not Operated*	490	11.4	109	1	2	9	14	23	34	52
B. *Operated*	997	24.2	229	7	9	21	30	44	56	83
1. SINGLE DX	248	15.4	141	2	4	13	20	30	38	61
2. MULTIPLE DX	1487	20.0	225	3	4	17	26	39	51	76
A. NOT OPERATED	567	11.2	108	1	2	8	14	23	34	52
B. OPERATED	1168	23.2	221	5	8	20	29	43	55	80
TOTAL 0-19 YRS										
20-34	6	27.2	198	10	11	27	32	48	50	50
35-49	90	14.9	118	2	4	12	20	33	37	43
50-64	609	18.4	220	2	4	15	24	36	49	76
65+	1030	20.2	219	3	4	17	27	39	52	75
GRAND TOTAL	**1735**	**19.3**	**216**	**3**	**4**	**16**	**25**	**38**	**49**	**76**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	70	7.3	172	1	1	3	8	13	29	84
50-64	278	7.7	79	1	1	4	9	18	26	46
65+	328	9.2	101	1	1	6	12	22	33	42
B. *Operated*										
0-19 YRS	2	15.5	5	14	14	15	17	17	17	17
20-34	14	11.0	84	<1	2	8	17	26	30	31
35-49	176	12.2	55	2	3	11	18	23	26	30
50-64	691	12.2	92	2	3	11	16	23	29	49
65+	870	12.7	121	2	2	10	17	25	33	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	11	5.7	17	1	1	5	9	12	14	14
35-49	311	8.1	70	1	1	5	10	18	24	46
50-64	1516	10.4	111	1	2	7	14	23	30	53
65+	2123	11.8	121	1	2	9	15	26	35	59
B. *Operated*										
0-19 YRS	3	12.0	3	10	10	13	13	13	13	13
20-34	22	15.7	151	2	3	15	20	35	42	48
35-49	409	15.9	124	3	5	14	21	31	37	81
50-64	2263	17.3	159	3	5	14	22	32	42	72
65+	3140	18.6	196	3	5	15	24	37	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	8.4	99	1	1	5	11	20	30	47
B. *Operated*	1753	12.4	102	2	2	10	17	24	30	51
2. MULTIPLE DX										
A. *Not Operated*	3963	10.9	114	1	2	8	15	24	33	55
B. *Operated*	5837	17.9	177	3	5	15	23	34	45	84
1. SINGLE DX	2432	11.3	105	1	2	9	15	23	30	50
2. MULTIPLE DX	9800	15.1	163	2	3	12	20	31	40	72
A. NOT OPERATED	4642	10.6	113	1	2	7	14	24	32	54
B. OPERATED	7590	16.6	165	3	4	14	22	32	42	77
TOTAL 0-19 YRS	8	10.8	22	3	4	12	14	16	17	17
20-34	49	11.6	111	1	2	8	17	26	34	48
35-49	966	12.1	110	1	2	10	17	25	31	53
50-64	4748	13.8	141	2	2	11	19	28	35	63
65+	6461	15.1	169	2	3	12	20	32	41	76
GRAND TOTAL	**12232**	**14.3**	**154**	**2**	**2**	**11**	**19**	**29**	**38**	**68**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	9	10.1	331	1	1	3	8	38	58	58
50-64	39	5.5	32	<1	1	4	6	13	19	27
65+	39	8.0	164	1	1	3	7	20	42	59
B. *Operated*										
0-19 YRS	7	16.6	107	6	6	13	25	32	33	33
20-34	18	10.1	209	1	1	5	11	18	46	64
35-49	71	8.4	77	1	1	4	12	19	25	45
50-64	311	8.4	92	1	2	3	14	20	24	40
65+	283	8.6	118	1	2	3	14	21	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.0	153	1	1	3	15	31	35	35
20-34	10	4.9	3	2	2	5	5	7	9	9
35-49	29	8.1	77	1	1	5	11	18	29	38
50-64	97	8.0	74	1	2	5	11	16	20	44
65+	107	13.4	252	1	2	7	17	39	57	99+
B. *Operated*										
0-19 YRS	3	16.3	186	7	7	10	26	32	32	32
20-34	9	14.7	82	8	8	12	19	30	30	30
35-49	41	16.8	156	2	2	15	22	30	36	68
50-64	344	15.7	225	2	2	13	21	36	52	79
65+	393	18.8	339	2	2	15	25	46	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	7.1	116	1	1	3	6	17	27	59
B. *Operated*	690	8.6	105	1	2	3	14	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	250	10.3	156	1	2	6	12	23	40	78
B. *Operated*	790	17.3	278	2	2	14	24	39	59	99
1. SINGLE DX	780	8.4	106	1	2	3	13	20	27	51
2. MULTIPLE DX	1040	15.6	257	2	2	12	21	37	56	98
A. NOT OPERATED	340	9.4	147	1	2	5	11	22	39	68
B. OPERATED	1480	13.2	216	1	2	10	18	31	45	80
TOTAL 0-19 YRS	18	13.3	128	1	2	9	17	33	34	35
20-34	39	9.5	125	1	2	6	11	18	30	64
35-49	150	10.7	124	1	2	8	15	25	30	58
50-64	791	11.4	159	1	2	8	16	26	37	64
65+	822	14.1	265	1	2	9	20	36	55	98
GRAND TOTAL	**1820**	**12.5**	**205**	**1**	**2**	**8**	**17**	**30**	**44**	**79**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.7	8	<1	1	2	3	5	6	19
20-34	11	11.5	237	<1	<1	4	18	39	43	43
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64	13	10.5	196	1	1	6	10	30	48	52
65+	17	8.9	78	<1	<1	6	21	25	70	99+
B. *Operated*										
0-19 YRS	63	8.4	68	1	2	7	10	14	18	51
20-34	53	8.3	52	1	2	5	11	18	24	32
35-49	40	9.5	124	1	2	6	10	24	39	49
50-64	86	11.0	135	1	2	8	15	26	29	67
65+	107	10.4	93	1	2	8	15	22	30	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.4	11	<1	<1	2	4	7	13	15
20-34	19	9.6	145	<1	1	5	11	19	39	54
35-49	14	6.9	53	1	2	5	7	21	25	26
50-64	42	10.4	131	1	2	6	13	25	35	58
65+	88	12.7	247	2	2	8	18	36	64	99+
B. *Operated*										
0-19 YRS	37	9.4	56	1	2	7	12	22	25	32
20-34	25	15.6	250	2	4	11	18	51	78	99+
35-49	32	14.3	335	1	2	9	17	33	37	98
50-64	123	20.3	374	2	3	14	25	52	69	98
65+	178	18.7	267	2	3	15	26	43	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.7	77	<1	<1	2	5	20	25	75
B. *Operated*	349	9.8	96	1	2	7	13	21	29	49
2. MULTIPLE DX										
A. *Not Operated*	215	9.3	157	1	1	5	11	22	43	99+
B. *Operated*	395	17.8	293	2	2	13	23	42	59	99+
1. SINGLE DX	451	8.8	95	1	1	6	11	21	28	52
2. MULTIPLE DX	610	14.8	261	1	2	9	21	38	55	99+
A. NOT OPERATED	317	8.2	134	<1	1	4	9	21	35	99+
B. OPERATED	744	14.0	216	1	2	9	18	32	47	91
TOTAL 0-19 YRS	208	5.8	43	<1	1	4	7	13	18	36
20-34	108	10.6	137	1	2	7	14	22	37	83
35-49	91	10.4	187	1	2	6	10	26	37	78
50-64	264	15.2	269	1	2	10	21	37	54	81
65+	390	14.6	220	1	2	10	21	37	54	99+
GRAND TOTAL	**1061**	**12.3**	**199**	**1**	**2**	**8**	**16**	**29**	**46**	**96**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	8.9	87	1	1	6	12	24	31	31
35-49	5	2.2	1	1	1	2	3	4	4	4
50-64	11	5.3	16	<1	1	4	8	12	13	13
65+	7	8.9	69	3	3	6	9	24	27	27
B. *Operated*										
0-19 YRS	4	4.0	5	<1	<1	4	5	6	6	6
20-34	95	5.1	12	1	2	4	7	10	11	17
35-49	142	5.5	23	2	2	4	7	9	11	30
50-64	245	6.6	22	1	2	6	9	13	16	22
65+	144	7.4	47	1	2	5	10	15	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	6.8	30	<1	<1	5	11	15	16	16
35-49	27	5.0	17	1	2	4	6	8	16	20
50-64	42	7.9	112	1	2	4	8	17	34	50
65+	43	11.5	119	1	2	7	13	27	35	51
B. *Operated*										
0-19 YRS	3	5.0	9	2	2	5	7	8	8	8
20-34	29	8.3	37	2	2	8	10	18	19	26
35-49	75	8.3	31	<1	2	8	12	16	19	27
50-64	150	9.7	85	2	2	7	11	19	29	46
65+	210	12.5	119	2	3	10	16	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	6.5	46	1	1	4	7	13	25	31
B. *Operated*	630	6.3	27	1	2	5	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	121	8.5	92	1	2	5	10	18	27	50
B. *Operated*	467	10.6	91	2	2	8	14	21	29	52
1. SINGLE DX	663	6.3	28	1	2	5	8	12	15	27
2. MULTIPLE DX	588	10.2	92	2	2	8	13	21	29	51
A. NOT OPERATED	154	8.0	82	1	2	5	10	17	27	50
B. OPERATED	1097	8.2	59	1	2	6	10	16	22	44
TOTAL 0-19 YRS	9	4.8	7	<1	1	5	6	9	9	9
20-34	141	6.1	24	1	2	5	8	12	16	26
35-49	249	6.2	26	1	2	5	8	12	15	29
50-64	448	7.8	53	1	2	6	10	15	19	45
65+	404	10.5	98	2	2	8	14	23	29	52
GRAND TOTAL	**1251**	**8.1**	**62**	**1**	**2**	**6**	**10**	**16**	**22**	**45**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	5.0		5	5	5	5	5	5	5
65+	11	5.1	16	<1	1	3	8	11	13	13
B. *Operated*										
0-19 YRS	9	5.4	60	1	1	2	5	19	24	24
20-34	42	4.4	36	<1	<1	2	5	9	19	28
35-49	158	3.7	27	<1	<1	2	4	8	11	33
50-64	425	2.8	8	<1	<1	2	3	6	9	15
65+	770	4.1	39	<1	<1	2	4	10	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	7.4	28	2	2	7	11	15	15	15
35-49	9	7.7	61	<1	1	5	13	20	24	24
50-64	16	6.9	47	1	1	6	8	20	24	25
65+	52	12.9	393	1	1	6	11	29	62	94
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	36	11.2	181	<1	1	5	16	25	46	57
35-49	107	6.6	130	<1	<1	2	7	16	21	68
50-64	332	5.8	69	<1	1	3	6	15	19	30
65+	879	7.6	100	1	1	4	9	18	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.6	14	<1	1	3	6	10	12	13
B. *Operated*	1404	3.7	28	<1	<1	2	4	8	12	24
2. MULTIPLE DX										
A. *Not Operated*	84	10.6	267	1	1	5	11	24	38	92
B. *Operated*	1356	7.2	97	<1	1	3	9	18	25	54
1. SINGLE DX	1418	3.7	28	<1	<1	2	4	8	12	24
2. MULTIPLE DX	1440	7.4	108	<1	1	3	9	18	26	58
A. NOT OPERATED	98	9.7	235	1	1	5	10	23	30	91
B. OPERATED	2760	5.4	65	<1	1	2	5	13	19	45
TOTAL 0-19 YRS	13	4.2	44	<1	1	2	3	14	22	24
20-34	83	7.5	107	<1	1	3	10	19	26	56
35-49	276	4.9	69	<1	<1	2	5	11	19	43
50-64	774	4.2	37	<1	<1	2	4	9	15	26
65+	1712	6.2	85	<1	1	3	7	15	22	53
GRAND TOTAL	**2858**	**5.5**	**72**	**<1**	**1**	**3**	**6**	**13**	**19**	**46**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	10.9	132	1	2	6	15	31	34	34
35-49	23	4.3	8	1	1	4	6	9	10	10
50-64	62	6.9	99	1	1	4	8	15	18	67
65+	63	8.0	106	<1	1	5	9	19	32	95
B. *Operated*										
0-19 YRS	4	6.0	47	1	1	3	10	16	16	16
20-34	163	6.4	12	1	1	6	9	11	13	16
35-49	840	7.1	15	2	2	7	9	12	14	19
50-64	1489	7.6	18	2	3	7	9	12	15	23
65+	1497	8.2	19	2	3	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	19	10.4	115	<1	1	8	11	25	36	43
35-49	165	9.7	156	1	1	6	11	24	35	88
50-64	471	12.1	152	1	2	8	15	29	39	63
65+	659	13.9	171	2	3	10	19	32	48	99+
B. *Operated*										
0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	115	10.0	141	2	3	8	11	15	19	79
35-49	846	9.4	40	2	4	8	11	15	20	33
50-64	1827	11.0	75	3	5	9	12	18	24	49
65+	2793	12.6	96	3	5	10	15	23	30	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	7.2	90	1	1	5	8	16	23	72
B. *Operated*	3993	7.7	18	2	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	1315	12.7	163	1	2	9	17	30	42	85
B. *Operated*	5583	11.5	83	3	5	9	13	20	27	54
1. SINGLE DX	4148	7.6	20	2	2	7	9	12	15	23
2. MULTIPLE DX	6898	11.7	98	2	4	9	14	22	30	62
A. NOT OPERATED	1470	12.1	158	1	2	8	16	28	41	81
B. OPERATED	9576	9.9	59	2	4	8	11	16	22	44
TOTAL 0-19 YRS	7	7.0	26	1	1	7	9	15	16	16
20-34	304	8.1	73	1	2	7	10	13	16	48
35-49	1874	8.3	40	2	2	8	10	14	17	32
50-64	3849	9.8	66	2	3	8	11	16	23	46
65+	5012	11.4	88	3	4	9	13	21	29	62
GRAND TOTAL	**11046**	**10.2**	**73**	**2**	**3**	**8**	**12**	**18**	**25**	**52**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.6	4	1	1	4	5	6	6	6
35-49	34	4.0	3	1	2	4	5	6	7	10
50-64	60	4.2	11	1	1	4	4	7	9	23
65+	39	6.8	55	2	3	4	5	15	21	41
B. *Operated*										
0-19 YRS										
20-34	91	6.0	38	1	1	4	7	15	18	33
35-49	160	6.3	34	2	2	4	8	13	16	30
50-64	138	6.6	54	2	2	4	8	13	21	33
65+	106	8.4	165	2	2	5	10	14	20	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	8.1	93	1	1	4	18	22	22	22
35-49	59	7.3	65	1	1	4	10	17	23	45
50-64	69	9.9	200	1	2	5	10	20	29	90
65+	91	9.7	142	1	2	6	11	19	33	71
B. *Operated*										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	70	9.9	135	2	2	7	12	18	29	98
35-49	138	11.5	167	2	2	8	12	27	36	67
50-64	180	12.1	154	2	3	8	15	25	34	71
65+	177	13.3	211	2	2	9	17	32	49	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	4.8	22	1	2	4	5	8	11	26
B. *Operated*	495	6.8	69	2	2	4	8	13	18	39
2. MULTIPLE DX										
A. *Not Operated*	226	9.1	138	1	2	5	10	19	28	62
B. *Operated*	566	12.1	173	2	2	8	15	27	37	77
1. SINGLE DX	635	6.4	59	2	2	4	8	12	17	39
2. MULTIPLE DX	792	11.2	165	2	2	7	14	24	36	73
A. NOT OPERATED	366	7.5	97	1	2	4	8	17	22	46
B. OPERATED	1061	9.6	131	2	2	6	11	20	30	64
TOTAL 0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	175	7.5	81	1	2	5	9	17	22	76
35-49	391	8.1	89	1	2	5	10	17	26	49
50-64	447	9.0	120	2	2	5	11	19	27	53
65+	413	10.6	174	2	2	6	12	21	36	72
GRAND TOTAL	**1427**	**9.1**	**123**	**2**	**2**	**5**	**11**	**19**	**29**	**60**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	5	<1	<1	2	4	4	4	4
35-49	7	2.7	1	2	2	3	3	4	4	4
50-64	55	3.4	2	<1	1	3	5	5	5	6
65+	57	6.3	99	<1	2	4	5	10	27	52
B. *Operated*										
0-19 YRS										
20-34	13	8.5	15	<1	2	10	11	13	14	14
35-49	87	5.1	14	<1	1	6	8	9	11	18
50-64	422	6.2	15	1	1	7	9	11	13	16
65+	417	7.7	36	1	2	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	25	5.7	58	1	2	4	4	8	21	40
50-64	82	8.0	117	1	2	5	8	16	32	59
65+	153	9.4	113	1	2	6	12	28	36	99+
B. *Operated*										
0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	13	7.2	12	<1	2	7	9	12	13	13
35-49	179	7.6	29	1	2	8	9	13	17	27
50-64	788	9.6	78	1	2	8	11	16	24	54
65+	937	12.0	128	2	2	9	15	23	32	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.7	49	<1	1	3	5	6	10	52
B. *Operated*	939	6.8	25	1	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	261	8.6	109	1	2	5	10	22	35	96
B. *Operated*	1919	10.6	99	2	2	9	13	20	27	62
1. SINGLE DX	1060	6.6	28	1	2	6	9	12	15	23
2. MULTIPLE DX	2180	10.4	101	1	2	8	13	20	28	66
A. NOT OPERATED	382	7.4	93	1	2	4	8	16	30	72
B. OPERATED	2858	9.4	78	1	2	8	11	17	23	54
TOTAL 0-19 YRS	2	13.5	13	11	11	13	16	16	16	16
20-34	29	7.5	14	<1	1	8	10	12	13	14
35-49	298	6.6	28	1	1	6	9	12	15	26
50-64	1347	8.2	60	1	2	7	10	14	19	40
65+	1564	10.4	105	2	2	8	13	21	29	71
GRAND TOTAL	**3240**	**9.1**	**80**	**1**	**2**	**8**	**11**	**17**	**24**	**55**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	10	<1	1	5	8	10	10	10
20-34	2	1.0		1	1	1	1	1	1	1
35-49	49	3.0	8	<1	<1	2	4	8	9	13
50-64	173	3.6	49	1	1	2	3	6	10	49
65+	92	3.4	28	1	1	2	3	6	11	31
B. *Operated*										
0-19 YRS	8	7.3	3	5	5	7	8	9	10	10
20-34	28	11.1	279	2	4	8	9	14	23	95
35-49	50	11.2	41	5	6	9	13	21	25	34
50-64	107	11.7	55	5	6	9	12	23	29	38
65+	71	14.2	70	5	7	11	17	28	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.0	1	4	4	5	6	7	7	7
20-34	10	4.2	8	<1	<1	4	7	8	8	8
35-49	113	3.9	14	1	1	2	5	8	13	18
50-64	525	4.0	31	1	1	2	4	9	16	34
65+	470	7.6	87	1	1	4	9	19	26	51
B. *Operated*										
0-19 YRS	4	8.0	1	7	7	8	9	9	9	9
20-34	27	10.0	37	5	6	8	11	18	24	32
35-49	137	12.0	50	6	6	10	14	20	24	38
50-64	416	16.4	100	7	8	14	20	29	35	56
65+	432	22.4	212	8	9	19	27	44	52	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	3.5	35	1	1	2	3	6	10	33
B. *Operated*	264	12.1	80	4	6	10	13	23	29	41
2. MULTIPLE DX										
A. *Not Operated*	1125	5.5	55	1	1	2	6	14	20	43
B. *Operated*	1016	18.2	155	7	8	14	23	34	44	69
1. SINGLE DX	587	7.4	74	1	1	5	10	16	24	39
2. MULTIPLE DX	2141	11.5	143	1	2	8	16	26	36	57
A. NOT OPERATED	1448	5.0	52	1	1	2	5	12	19	42
B. OPERATED	1280	16.9	146	6	7	13	21	32	42	65
TOTAL 0-19 YRS	26	6.3	5	2	4	6	8	9	10	10
20-34	67	9.3	138	1	2	7	9	14	19	84
35-49	349	8.0	48	1	1	7	11	16	21	34
50-64	1221	8.9	94	1	1	5	12	22	28	44
65+	1065	13.7	188	1	2	10	19	31	44	66
GRAND TOTAL	**2728**	**10.6**	**131**	**1**	**1**	**8**	**14**	**25**	**34**	**56**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	1	1	2	3	5	5	5
20-34	9	5.1	17	1	1	5	6	12	14	14
35-49	2	10.5	25	7	7	10	14	14	14	14
50-64	12	6.3	51	<1	<1	4	9	18	23	24
65+	25	5.6	136	<1	1	3	5	7	25	60
B. *Operated*										
0-19 YRS	2	8.5	61	3	3	8	14	14	14	14
20-34	7	5.9	28	<1	<1	4	10	14	15	15
35-49	9	5.2	17	2	2	3	9	12	12	12
50-64	32	7.7	45	2	2	5	10	20	23	26
65+	71	9.5	100	2	2	6	15	21	29	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	72	1	1	7	13	13	13	13
20-34	9	5.0	25	2	2	4	4	13	18	18
35-49	6	7.2	97	2	2	3	6	25	27	27
50-64	22	9.4	85	1	2	6	14	23	29	37
65+	33	11.3	121	1	1	9	16	21	36	52
B. *Operated*										
0-19 YRS										
20-34	6	9.5	54	2	2	8	17	18	18	18
35-49	13	13.3	64	<1	2	14	19	23	26	27
50-64	54	16.5	191	2	3	13	22	33	55	98
65+	129	16.5	193	2	3	13	25	34	40	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.6	80	1	1	3	6	13	15	59
B. *Operated*	121	8.5	75	2	2	5	12	20	25	41
2. MULTIPLE DX										
A. *Not Operated*	72	9.5	95	1	2	5	14	21	27	49
B. *Operated*	202	16.1	180	2	3	13	24	33	41	94
1. SINGLE DX	173	7.6	78	1	1	4	10	19	24	52
2. MULTIPLE DX	274	14.3	166	2	2	11	20	32	38	84
A. NOT OPERATED	124	7.8	92	1	1	4	10	18	24	54
B. OPERATED	323	13.2	154	2	2	10	19	29	35	72
TOTAL 0-19 YRS	8	5.0	29	1	1	2	9	14	14	14
20-34	31	6.1	29	1	1	4	8	16	18	18
35-49	30	9.5	62	2	2	7	14	21	27	27
50-64	120	11.8	135	1	2	8	17	29	35	76
65+	258	12.9	166	1	2	8	19	29	37	60
GRAND TOTAL	**447**	**11.7**	**142**	**1**	**2**	**7**	**17**	**29**	**34**	**60**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	19	9.3	194	1	1	4	12	20	43	61
65+	92	7.7	47	1	2	6	9	16	22	37
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	4.8	15	1	1	3	7	11	12	12
50-64	391	7.6	36	2	2	6	10	16	20	28
65+	1383	8.3	39	2	2	7	10	15	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	32.0		32	32	32	32	32	32	32
20-34										
35-49	6	12.7	95	<1	<1	11	22	26	26	26
50-64	211	9.1	70	1	2	6	14	19	25	48
65+	971	12.5	145	2	2	9	16	27	37	61
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	1	1.0		1	1	1	1	1	1	1
35-49	10	13.1	87	2	2	12	23	25	26	26
50-64	598	12.0	93	2	3	9	15	24	30	46
65+	3574	13.6	120	3	4	11	17	27	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.0	71	1	1	6	10	16	22	49
B. *Operated*	1786	8.1	38	2	2	7	10	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	1189	11.9	133	2	2	8	15	25	34	61
B. *Operated*	4185	13.3	117	3	4	10	17	26	34	62
1. SINGLE DX	1897	8.1	40	2	2	7	10	16	20	31
2. MULTIPLE DX	5374	13.0	121	2	3	10	16	26	34	62
A. NOT OPERATED	1300	11.6	129	1	2	8	15	25	33	60
B. OPERATED	5971	11.8	99	2	3	9	15	23	31	54
TOTAL 0-19 YRS	4	14.3	168	2	2	11	23	32	32	32
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	26	9.8	72	1	2	7	14	25	26	26
50-64	1219	10.1	76	2	2	8	13	21	27	42
65+	6020	12.1	109	2	3	9	15	24	32	57
GRAND TOTAL	**7271**	**11.7**	**104**	**2**	**3**	**9**	**15**	**24**	**31**	**56**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	44	1	1	3	13	16	16	16
20-34	7	5.0	11	1	1	5	8	9	9	9
35-49	8	3.4	3	1	1	3	5	6	6	6
50-64	3	4.3	8	1	1	6	6	6	6	6
65+	5	7.6	109	1	1	3	11	26	26	26
B. *Operated*										
0-19 YRS	16	5.6	18	<1	2	4	8	13	15	15
20-34	127	6.5	29	2	2	4	8	13	17	26
35-49	64	5.6	15	2	3	5	7	8	11	27
50-64	26	6.3	13	3	3	6	7	12	15	17
65+	32	12.3	260	1	2	7	13	29	37	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.4	33	5	5	7	10	19	23	23
20-34	39	7.0	44	1	2	5	9	11	20	38
35-49	17	6.5	34	2	3	5	6	12	22	27
50-64	4	5.3	3	3	3	5	6	7	7	7
65+	8	12.9	98	3	3	9	23	26	27	27
B. *Operated*										
0-19 YRS	6	17.2	203	8	8	12	14	43	46	46
20-34	54	9.7	46	2	3	8	14	20	22	30
35-49	37	10.8	93	2	3	8	13	20	36	46
50-64	24	11.8	204	3	3	7	12	23	56	56
65+	29	10.9	109	2	2	8	12	26	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.3	29	1	1	4	6	11	17	26
B. *Operated*	265	6.9	54	2	2	5	8	13	19	37
2. MULTIPLE DX										
A. *Not Operated*	76	7.7	46	2	2	6	8	17	24	35
B. *Operated*	150	10.8	100	2	3	8	13	20	30	56
1. SINGLE DX	293	6.7	52	2	2	5	8	13	18	34
2. MULTIPLE DX	226	9.8	84	2	3	7	11	20	27	56
A. NOT OPERATED	104	7.0	42	1	2	5	8	13	23	32
B. OPERATED	415	8.3	74	2	2	6	10	16	22	54
TOTAL 0-19 YRS	35	8.7	67	1	2	7	12	15	21	46
20-34	227	7.3	37	2	2	5	9	16	20	32
35-49	126	7.1	45	2	2	5	8	13	19	44
50-64	57	8.4	98	3	3	6	9	15	18	56
65+	74	11.5	169	1	2	7	13	27	36	96
GRAND TOTAL	**519**	**8.1**	**68**	**2**	**2**	**6**	**9**	**16**	**22**	**48**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	28	2.7	16	<1	1	2	2	4	8	22
65+	73	7.0	110	1	1	4	9	14	25	95
B. *Operated*										
0-19 YRS	8	5.3	17	1	1	4	8	12	12	[illegible]
20-34	34	3.7	6	<1	1	3	5	8	9	10
35-49	197	4.7	21	1	1	3	5	10	14	26
50-64	1044	5.0	24	1	2	4	6	9	14	26
65+	2137	5.8	29	2	2	4	7	11	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	17.4	793	1	1	3	27	67	75	75
50-64	95	5.9	37	1	1	3	8	15	20	28
65+	319	11.3	136	1	2	7	14	28	37	68
B. *Operated*										
0-19 YRS	5	16.4	232	5	5	15	42	94	99+	99+
20-34	18	8.2	92	1	1	5	11	25	33	35
35-49	86	8.9	109	2	2	5	10	21	31	57
50-64	976	9.1	104	2	2	5	11	21	29	52
65+	3422	10.9	126	2	2	7	14	23	33	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	5.7	85	1	1	3	6	14	23	89
B. *Operated*	3420	5.4	27	1	2	4	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	422	10.2	128	1	2	6	13	24	35	68
B. *Operated*	4507	10.5	122	2	2	7	13	23	32	60
1. SINGLE DX	3524	5.4	29	1	2	4	6	11	15	27
2. MULTIPLE DX	4929	10.4	122	2	2	7	13	23	33	60
A. NOT OPERATED	526	9.3	123	1	1	6	12	22	35	75
B. OPERATED	7927	8.3	87	2	2	5	10	18	26	51
TOTAL 0-19 YRS	13	9.5	119	1	2	5	13	48	88	99+
20-34	54	5.2	38	1	2	3	5	10	14	35
35-49	292	6.2	69	1	1	4	7	13	21	36
50-64	2143	6.9	65	1	2	4	8	15	23	40
65+	5951	9.0	98	2	2	6	11	20	28	56
GRAND TOTAL	**8453**	**8.4**	**89**	**2**	**2**	**5**	**10**	**18**	**26**	**52**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	20	4.2	14	1	1	3	6	7	12	17
65+	28	8.8	198	<1	1	4	10	21	29	73
B. *Operated*										
0-19 YRS	14	10.8	11	6	7	10	12	15	17	17
20-34	8	12.5	15	9	9	12	14	18	20	20
35-49	56	12.9	33	2	8	11	16	21	23	31
50-64	163	12.9	30	4	7	12	17	21	23	27
65+	173	13.8	61	2	4	13	18	23	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	9	<1	<1	2	3	7	11	11
20-34	8	7.6	44	2	2	6	8	19	23	23
35-49	20	8.4	56	1	1	6	13	21	24	24
50-64	122	10.0	98	1	2	6	12	25	31	47
65+	189	12.5	134	2	3	9	18	27	35	71
B. *Operated*										
0-19 YRS	13	13.5	39	7	8	13	16	20	29	31
20-34	11	15.3	65	[illegible]	7	13	21	28	30	30
35-49	73	16.5	86	6	8	15	21	29	38	89
50-64	338	17.0	123	3	6	15	21	30	38	59
65+	523	19.2	156	4	7	17	24	34	42	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	5.9	98	<1	<1	3	6	14	18	66
B. *Operated*	414	13.2	43	3	6	12	17	21	25	35
2. MULTIPLE DX										
A. *Not Operated*	349	11.0	115	1	2	8	15	25	32	55
B. *Operated*	958	18.1	138	4	7	16	23	32	41	68
1. SINGLE DX	479	12.2	56	2	3	11	16	21	24	35
2. MULTIPLE DX	1307	16.2	141	3	4	14	21	31	39	64
A. NOT OPERATED	414	10.2	116	1	2	7	14	24	31	58
B. OPERATED	1372	16.6	114	4	6	14	20	29	37	59
TOTAL 0-19 YRS	50	7.5	41	<1	<1	8	12	15	17	31
20-34	28	12.3	50	3	4	10	15	23	27	30
35-49	152	13.9	69	2	5	12	17	24	30	55
50-64	643	14.2	102	2	3	12	18	26	33	53
65+	913	16.5	145	2	4	14	21	31	39	70
GRAND TOTAL	**1786**	**15.1**	**122**	**2**	**4**	**13**	**19**	**28**	**35**	**58**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	11.0		11	11	11	11	11	11	11
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	18.0	288	6	6	18	30	30	30	30
B. *Operated*										
0-19 YRS	10	3.9	8	2	2	2	5	9	9	9
20-34										
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	18	4.1	6	1	2	3	5	8	10	10
65+	20	6.3	20	1	2	5	9	12	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	1	2	2	3	3	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	3.5	3	1	1	4	5	5	5	5
65+	3	6.0	7	3	3	7	8	8	8	8
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	8	4.5	9	1	1	4	6	9	10	10
65+	18	9.8	239	<1	1	4	7	39	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.0	63	1	1	2	7	15	27	30
B. *Operated*	50	5.0	13	1	2	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	14	3.6	4	1	1	3	5	7	8	8
B. *Operated*	28	7.8	160	1	1	4	6	11	51	52
1. SINGLE DX	63	5.2	22	1	2	4	7	10	12	28
2. MULTIPLE DX	42	6.4	111	1	1	4	6	10	27	52
A. NOT OPERATED	27	4.7	33	1	1	3	6	9	14	30
B. OPERATED	78	6.0	66	1	2	4	6	11	13	52
TOTAL 0-19 YRS	25	3.0	4	1	2	2	3	5	9	9
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	4	6.3	17	1	1	6	9	11	11	11
50-64	31	4.3	7	1	2	3	6	9	10	10
65+	43	8.3	121	1	2	5	9	14	37	52
GRAND TOTAL	**105**	**5.7**	**57**	**1**	**2**	**4**	**6**	**10**	**12**	**51**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.0	94	1	1	4	7	16	36	37
20-34	15	10.6	90	2	3	8	13	18	34	40
35-49	26	7.8	31	1	2	7	13	18	31	99+
50-64	63	11.9	175	2	3	9	15	27	30	85
65+	50	17.3	355	3	4	10	18	39	69	84
B. *Operated*										
0-19 YRS	49	13.6	151	2	4	11	17	22	25	86
20-34	59	13.0	49	3	5	12	16	22	26	36
35-49	66	17.5	159	4	6	14	21	37	44	60
50-64	99	22.2	276	7	9	17	27	41	55	92
65+	72	21.3	200	5	9	17	25	45	55	63
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	6.5	109	1	1	3	9	15	45	99+
20-34	18	8.6	21	3	4	7	11	16	18	18
35-49	40	14.2	251	2	3	8	17	32	40	88
50-64	100	17.0	331	2	3	11	25	55	98	99+
65+	104	19.9	321	4	5	13	26	50	73	99+
B. *Operated*										
0-19 YRS	71	19.5	314	3	5	14	28	48	67	99+
20-34	33	21.2	266	5	8	18	24	67	93	99+
35-49	54	21.7	249	5	8	18	27	46	69	99
50-64	113	31.6	460	9	10	23	49	68	76	99+
65+	86	33.9	439	9	12	29	53	91	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	12.0	197	1	2	8	14	28	38	90
B. *Operated*	345	18.3	194	4	7	14	22	36	47	73
2. MULTIPLE DX										
A. *Not Operated*	299	15.8	289	2	3	10	21	44	71	99+
B. *Operated*	357	27.3	409	5	8	20	42	66	84	99+
1. SINGLE DX	523	16.2	204	2	3	13	20	33	43	84
2. MULTIPLE DX	656	22.1	386	3	4	16	31	62	82	99+
A. NOT OPERATED	477	14.4	257	2	3	9	18	38	62	99+
B. OPERATED	702	22.9	323	5	7	17	29	56	68	99+
TOTAL 0-19 YRS	181	13.6	226	1	2	9	17	32	52	99+
20-34	125	14.2	125	3	4	12	18	24	40	99+
35-49	186	16.6	204	2	4	14	21	37	52	95
50-64	375	21.9	378	3	4	16	29	57	73	99+
65+	312	23.7	369	4	6	18	33	58	80	99+
GRAND TOTAL	**1179**	**19.4**	**313**	**2**	**4**	**14**	**25**	**49**	**67**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34										
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	1	25.0		25	25	25	25	25	25	25
65+	3	8.0	43	2	2	7	13	15	15	15
B. *Operated*										
0-19 YRS	5	15.2	68	3	3	18	20	25	25	25
20-34	5	16.4	101	1	1	16	23	28	28	28
35-49	6	17.2	450	2	2	7	25	54	57	57
50-64	2	23.0	162	14	14	23	32	32	32	32
65+	5	33.4	980	7	7	15	66	70	70	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	14	<1	<1	2	3	10	11	11
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	5	10.2	105	1	1	8	17	26	26	26
50-64	6	9.5	20	3	3	9	10	16	17	17
65+	13	15.8	254	3	4	12	18	39	57	61
B. *Operated*										
0-19 YRS	21	26.2	184	6	9	25	33	47	50	52
20-34	9	23.6	169	5	8	23	39	73	99+	99+
35-49	10	29.9	256	9	13	26	39	55	62	62
50-64	8	18.0	58	8	8	20	24	26	26	26
65+	9	33.1	375	15	17	28	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	8.6	62	1	1	6	11	22	25	25
B. *Operated*	23	20.6	370	2	3	15	25	59	67	70
2. MULTIPLE DX										
A. *Not Operated*	32	10.9	141	1	2	9	13	22	33	61
B. *Operated*	57	26.4	213	8	10	25	38	50	88	99+
1. SINGLE DX	31	17.5	314	1	2	14	24	42	65	70
2. MULTIPLE DX	89	20.8	241	2	3	19	29	47	62	99+
A. NOT OPERATED	40	10.5	124	1	1	8	13	22	30	61
B. OPERATED	80	24.7	261	4	8	23	32	53	72	99+
TOTAL 0-19 YRS	34	19.2	216	1	2	18	30	41	48	52
20-34	16	19.3	153	2	3	19	28	45	81	99+
35-49	23	20.3	310	1	2	17	27	51	59	62
50-64	17	16.0	71	5	8	14	24	26	30	32
65+	30	23.2	443	3	4	16	37	72	97	99+
GRAND TOTAL	**120**	**20.0**	**259**	**2**	**3**	**17**	**28**	**47**	**63**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.0	15	<1	1	2	5	11	13	13
20-34	5	3.2	2	2	2	3	4	5	5	5
35-49	6	3.5	3	1	1	4	4	6	6	6
50-64	10	5.2	34	1	1	3	4	14	21	21
65+	12	4.8	24	<1	<1	3	6	12	17	18
B. *Operated*										
0-19 YRS	20	7.0	15	3	3	6	8	13	15	17
20-34	64	5.1	7	2	3	4	6	8	12	16
35-49	63	6.1	18	3	3	5	7	10	14	27
50-64	55	6.3	25	2	3	5	7	11	19	28
65+	30	11.2	166	3	4	6	13	20	26	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.5	15	<1	1	3	6	10	13	15
20-34	11	3.9	7	1	1	4	6	8	8	8
35-49	12	8.2	57	1	2	5	14	21	22	22
50-64	27	9.7	64	2	3	6	14	25	27	30
65+	48	10.6	176	2	2	7	12	19	38	81
B. *Operated*										
0-19 YRS	23	14.3	367	1	3	8	13	42	67	79
20-34	64	7.7	28	3	3	6	10	14	19	27
35-49	99	7.9	44	2	3	5	9	17	22	35
50-64	103	11.8	129	3	4	7	16	33	38	78
65+	70	12.7	125	3	4	10	15	22	31	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.3	18	<1	1	3	4	9	14	21
B. *Operated*	232	6.6	38	3	3	5	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*	119	8.5	100	1	2	5	10	18	24	54
B. *Operated*	359	10.4	106	3	3	7	13	21	32	60
1. SINGLE DX	278	6.2	35	2	2	5	7	12	16	27
2. MULTIPLE DX	478	9.9	105	2	3	6	12	20	31	60
A. NOT OPERATED	165	7.3	80	1	1	4	9	16	22	41
B. OPERATED	591	8.9	82	3	3	6	10	18	26	55
TOTAL 0-19 YRS	77	8.0	135	1	1	5	8	13	17	74
20-34	144	6.1	18	2	3	5	7	13	14	24
35-49	180	7.2	35	2	3	5	9	14	20	31
50-64	195	9.6	92	2	3	6	12	22	33	54
65+	160	11.2	142	2	3	8	14	20	29	80
GRAND TOTAL	**756**	**8.5**	**82**	**2**	**3**	**5**	**10**	**17**	**24**	**49**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	27	2	2	6	8	16	17	17
20-34	19	8.3	37	2	2	5	12	18	20	22
35-49	50	8.1	72	1	1	5	8	17	33	35
50-64	156	8.0	46	1	2	6	10	17	21	29
65+	281	11.1	141	1	2	8	13	22	32	71
B. *Operated*										
0-19 YRS	15	6.5	17	2	2	5	8	14	15	16
20-34	29	8.2	72	1	1	5	11	21	24	37
35-49	100	8.2	59	1	2	6	11	18	27	37
50-64	307	10.2	90	1	2	8	14	23	30	39
65+	399	10.6	119	1	2	7	15	23	33	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	8.0	229	<1	<1	3	8	14	39	73
20-34	127	9.0	57	2	2	7	12	19	23	40
35-49	645	10.8	124	1	2	7	14	26	33	54
50-64	2344	11.6	117	2	2	8	15	25	33	58
65+	3847	13.7	156	2	3	10	18	30	40	66
B. *Operated*										
0-19 YRS	37	12.3	168	2	3	9	12	27	34	73
20-34	144	13.5	189	2	2	10	16	27	41	92
35-49	620	14.2	173	2	2	10	19	30	42	71
50-64	2206	16.0	193	2	3	12	21	34	46	88
65+	3166	17.8	222	2	4	14	23	38	50	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	9.7	102	1	2	7	12	20	29	57
B. *Operated*	850	10.0	99	1	2	7	14	22	31	47
2. MULTIPLE DX										
A. *Not Operated*	6985	12.6	140	2	3	9	16	28	36	63
B. *Operated*	6173	16.7	208	2	3	13	22	36	48	87
1. SINGLE DX	1362	9.9	100	1	2	7	13	21	29	48
2. MULTIPLE DX	13158	14.5	176	2	3	11	19	32	42	75
A. NOT OPERATED	7497	12.4	138	2	2	9	16	27	36	63
B. OPERATED	7023	15.9	199	2	3	12	21	34	46	84
TOTAL 0-19 YRS	80	9.7	148	1	2	6	11	17	27	73
20-34	319	10.9	122	1	2	8	14	22	28	68
35-49	1415	12.0	143	2	2	8	16	27	35	69
50-64	5013	13.3	153	2	3	10	18	29	39	71
65+	7693	15.1	186	2	3	11	20	33	44	78
GRAND TOTAL	**14520**	**14.1**	**170**	**2**	**3**	**10**	**18**	**31**	**41**	**73**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.1	4	<1	<1	1	2	4	7	8
20-34	79	4.3	19	1	1	3	4	11	13	24
35-49	37	4.4	26	<1	1	2	6	11	14	25
50-64	25	7.7	172	1	1	2	7	30	41	53
65+	18	6.7	40	<1	1	4	10	18	20	21
B. *Operated*										
0-19 YRS	72	6.6	21	1	1	6	9	13	16	22
20-34	235	8.4	56	1	2	7	11	17	21	32
35-49	89	9.1	52	1	2	8	12	22	24	31
50-64	65	11.2	161	2	2	8	16	22	28	79
65+	50	12.2	179	2	2	7	18	28	40	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.1	5	<1	<1	2	4	7	7	7
20-34	97	6.3	67	1	1	3	8	15	20	46
35-49	49	7.3	79	1	1	4	7	20	32	36
50-64	64	10.0	127	1	1	6	12	29	34	46
65+	57	10.9	106	1	1	8	14	23	31	55
B. *Operated*										
0-19 YRS	16	13.5	86	4	4	10	18	28	32	34
20-34	112	14.3	188	2	3	11	16	30	36	78
35-49	54	15.5	223	3	3	12	20	28	42	89
50-64	64	17.0	197	3	5	12	24	35	41	76
65+	74	19.9	230	3	4	18	27	42	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.9	45	<1	1	3	5	12	15	35
B. *Operated*	511	9.0	78	1	2	7	12	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	280	8.1	92	1	1	5	10	20	30	45
B. *Operated*	320	16.3	203	3	4	12	22	34	42	93
1. SINGLE DX	683	8.0	72	1	1	6	10	17	23	41
2. MULTIPLE DX	600	12.5	168	1	1	9	17	29	38	72
A. NOT OPERATED	452	6.9	76	1	1	4	8	17	26	42
B. OPERATED	831	11.8	138	1	2	9	15	25	34	71
TOTAL 0-19 YRS	114	6.7	36	<1	1	5	9	13	17	30
20-34	523	8.7	91	1	1	6	12	17	24	46
35-49	229	9.5	107	1	1	7	13	23	27	46
50-64	218	12.1	171	1	1	8	17	29	38	65
65+	199	14.2	184	1	2	10	20	32	42	91
GRAND TOTAL	**1283**	**10.1**	**122**	**1**	**1**	**7**	**13**	**23**	**30**	**57**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	4.0	34	<1	<1	1	4	12	16	29
20-34	5	27.0	277	3	3	27	42	43	43	43
35-49	8	10.5	63	2	2	9	16	22	23	23
50-64	20	4.1	15	<1	<1	3	5	7	12	18
65+	57	9.4	122	1	1	8	12	15	20	73
B. *Operated*										
0-19 YRS	59	7.6	184	<1	<1	2	8	22	28	81
20-34	8	24.3	280	3	4	26	37	47	48	48
35-49	5	9.4	26	2	2	10	13	15	15	15
50-64	18	11.1	111	3	3	7	11	30	37	40
65+	28	9.9	80	2	4	7	11	19	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	6.7	52	<1	<1	5	9	14	26	33
20-34	7	9.6	140	1	1	5	11	31	35	35
35-49	13	6.5	35	1	2	4	9	15	21	22
50-64	78	8.8	94	1	1	6	10	19	28	55
65+	275	12.1	151	2	3	9	15	23	35	94
B. *Operated*										
0-19 YRS	51	25.2	338	2	5	21	29	57	65	74
20-34	15	39.7	561	2	3	41	53	72	80	83
35-49	12	20.0	254	2	3	17	31	44	48	49
50-64	74	16.0	202	3	4	10	25	32	46	69
65+	171	18.0	257	3	5	13	23	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	6.5	82	<1	<1	3	10	15	21	43
B. *Operated*	118	9.9	160	<1	1	6	11	24	37	59
2. MULTIPLE DX										
A. *Not Operated*	456	10.4	124	1	2	7	13	22	32	72
B. *Operated*	323	19.7	295	3	4	14	26	48	64	92
1. SINGLE DX	309	7.8	114	<1	<1	4	10	19	29	47
2. MULTIPLE DX	779	14.2	216	2	2	9	18	32	49	82
A. NOT OPERATED	647	9.2	115	<1	1	6	12	20	30	63
B. OPERATED	441	17.1	278	1	2	11	24	42	56	84
TOTAL 0-19 YRS	294	9.1	176	<1	<1	4	12	24	32	66
20-34	35	28.3	479	2	3	27	43	54	71	83
35-49	38	12.0	135	2	2	9	15	25	40	49
50-64	190	11.3	144	1	2	7	14	27	37	62
65+	531	13.6	187	2	3	10	16	30	46	99
GRAND TOTAL	**1088**	**12.4**	**196**	**1**	**1**	**8**	**16**	**30**	**43**	**78**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	23	<1	<1	3	5	10	16	22
20-34	15	8.4	115	<1	<1	5	10	17	36	43
35-49	36	7.4	119	<1	<1	4	8	18	30	57
50-64	50	7.4	82	1	1	5	9	17	22	57
65+	97	6.6	90	1	1	3	8	17	25	54
B. *Operated*										
0-19 YRS	15	13.1	604	<1	<1	5	8	40	81	95
20-34	20	12.0	154	<1	1	5	20	29	36	44
35-49	27	16.5	434	1	2	9	25	37	60	95
50-64	38	17.7	369	1	2	8	29	45	52	85
65+	61	14.7	259	2	3	8	18	39	47	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	6.6	68	<1	1	3	8	23	25	30
20-34	30	11.1	249	1	2	6	12	21	49	79
35-49	61	10.7	200	<1	1	7	12	24	42	78
50-64	106	7.5	57	<1	1	5	11	18	22	35
65+	374	9.3	111	1	1	6	12	21	31	59
B. *Operated*										
0-19 YRS	30	27.8	375	1	4	27	39	59	62	77
20-34	38	30.0	213	6	7	30	38	49	53	64
35-49	53	25.0	264	2	4	26	37	48	56	99
50-64	102	22.8	361	2	3	16	37	49	59	95
65+	201	22.2	386	4	5	14	30	55	64	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	6.7	85	<1	1	4	7	16	24	57
B. *Operated*	161	15.2	328	1	2	8	21	40	49	94
2. MULTIPLE DX										
A. *Not Operated*	600	9.1	116	1	1	5	12	21	31	58
B. *Operated*	424	23.8	352	3	5	18	36	51	62	96
1. SINGLE DX	390	10.2	202	1	1	5	11	27	40	75
2. MULTIPLE DX	1024	15.2	266	1	1	9	21	40	51	80
A. NOT OPERATED	829	8.4	108	1	1	5	11	20	29	57
B. OPERATED	585	21.4	359	2	3	15	32	49	60	95
TOTAL 0-19 YRS	105	12.9	309	<1	<1	5	18	36	49	85
20-34	103	17.8	281	1	2	12	30	43	49	71
35-49	177	15.2	283	1	1	8	24	41	49	91
50-64	296	14.0	255	1	1	7	18	39	48	80
65+	733	12.9	231	1	1	8	16	35	49	75
GRAND TOTAL	**1414**	**13.8**	**253**	**1**	**1**	**8**	**18**	**38**	**49**	**80**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.2	12	<1	<1	2	4	8	11	16
20-34	51	4.7	21	1	1	4	5	8	14	28
35-49	54	5.6	28	1	1	4	7	12	18	26
50-64	177	6.9	60	<1	1	4	9	16	20	51
65+	238	9.6	115	1	2	6	12	22	30	58
B. *Operated*										
0-19 YRS	28	6.9	61	1	1	4	8	23	25	29
20-34	68	10.1	106	1	2	7	14	26	34	42
35-49	132	9.6	95	1	2	6	12	22	34	43
50-64	330	10.8	97	2	2	8	15	26	33	44
65+	375	11.9	126	2	2	9	16	25	35	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.2	36	1	1	4	8	13	20	28
20-34	53	8.7	69	1	1	6	8	21	31	35
35-49	130	9.2	111	1	1	6	11	20	29	53
50-64	512	10.2	121	1	1	7	13	22	30	63
65+	1020	12.8	177	1	2	8	16	30	43	70
B. *Operated*										
0-19 YRS	23	16.5	226	2	4	12	18	38	54	60
20-34	43	16.2	281	2	3	9	23	44	53	76
35-49	144	17.7	248	3	4	12	25	39	46	78
50-64	543	17.6	221	2	4	13	24	39	53	99+
65+	1003	20.8	280	3	5	16	27	45	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	7.6	78	1	1	5	10	17	26	53
B. *Operated*	933	10.9	109	2	2	8	15	25	34	46
2. MULTIPLE DX										
A. *Not Operated*	1747	11.6	152	1	2	8	15	26	38	65
B. *Operated*	1756	19.4	261	3	4	15	26	42	55	95
1. SINGLE DX	1479	9.7	100	1	2	6	13	22	32	50
2. MULTIPLE DX	3503	15.5	222	1	2	11	21	36	48	83
A. NOT OPERATED	2293	10.6	137	1	1	7	13	24	36	62
B. OPERATED	2689	16.5	224	2	3	12	22	37	48	88
TOTAL 0-19 YRS	109	7.8	97	1	1	4	9	20	28	55
20-34	215	9.7	125	1	2	6	11	23	33	53
35-49	460	11.6	158	1	2	7	14	28	38	64
50-64	1562	12.6	158	1	2	9	17	30	39	77
65+	2636	15.5	222	2	2	11	20	36	48	78
GRAND TOTAL	**4982**	**13.8**	**193**	**1**	**2**	**10**	**18**	**32**	**44**	**75**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	3.5	1	3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	50	3.5	12	<1	<1	3	4	6	12	17
20-34	105	3.4	3	<1	1	3	4	6	6	10
35-49	163	3.6	3	1	1	3	4	6	7	9
50-64	224	3.6	3	1	2	3	5	6	7	9
65+	157	4.2	5	1	2	4	5	7	9	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	6.5	25	3	3	6	10	10	10	10
65+	4	3.3	4	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	6	3.3	5	1	1	3	4	7	7	7
20-34	26	4.9	25	1	2	3	4	10	17	23
35-49	55	4.4	7	1	2	4	6	8	9	13
50-64	88	4.9	9	1	2	4	6	9	11	15
65+	135	6.6	35	2	2	5	8	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	4	1	1	3	4	6	6	6
B. *Operated*	699	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	10	3.1	8	<1	<1	2	5	8	10	10
B. *Operated*	310	5.5	22	2	2	4	7	10	14	24
1. SINGLE DX	704	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	320	5.4	22	1	2	4	7	10	14	23
A. NOT OPERATED	15	3.1	6	<1	<1	2	5	6	9	10
B. OPERATED	1009	4.3	10	1	2	4	5	7	9	16
TOTAL 0-19 YRS	60	3.3	10	<1	<1	3	4	6	10	17
20-34	132	3.7	8	<1	1	3	4	6	8	17
35-49	220	3.8	4	1	2	4	5	7	8	10
50-64	316	4.0	5	1	2	4	5	7	8	13
65+	296	5.3	20	2	2	4	6	9	13	24
GRAND TOTAL	**1024**	**4.3**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.7	1	1	1	3	3	4	4	4
20-34	10	1.8	2	<1	<1	1	2	4	4	4
35-49	34	2.4	6	<1	<1	2	2	5	9	10
50-64	83	2.2	3	<1	1	2	3	4	6	9
65+	122	2.3	9	<1	1	2	2	4	6	21
B. *Operated*										
0-19 YRS	54	3.4	15	<1	<1	2	4	8	11	23
20-34	72	4.7	29	<1	1	2	7	12	16	27
35-49	239	3.5	17	<1	1	2	3	9	12	18
50-64	780	3.0	12	<1	1	2	3	8	11	17
65+	1107	3.0	16	1	1	2	3	6	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.6	86	1	1	3	7	23	27	27
20-34	17	6.1	135	<1	<1	3	6	9	36	50
35-49	30	6.4	37	<1	1	4	9	15	16	27
50-64	105	5.0	34	1	1	3	6	11	16	33
65+	290	6.4	49	1	1	4	8	14	18	40
B. *Operated*										
0-19 YRS	19	5.8	31	1	1	4	9	12	18	23
20-34	55	7.5	66	1	1	5	9	16	23	41
35-49	171	6.8	52	1	1	4	9	16	24	32
50-64	811	6.5	62	1	1	3	8	16	20	40
65+	1679	8.5	95	1	1	5	12	19	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.3	6	<1	1	2	2	4	6	10
B. *Operated*	2252	3.1	15	<1	1	2	3	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	449	6.0	48	1	1	4	8	14	18	41
B. *Operated*	2735	7.7	82	1	1	4	10	18	23	46
1. SINGLE DX	2510	3.0	14	<1	1	2	3	7	11	19
2. MULTIPLE DX	3184	7.5	78	1	1	4	10	17	23	45
A. NOT OPERATED	707	4.7	36	1	1	2	5	11	16	35
B. OPERATED	4987	5.7	57	1	1	2	7	14	19	38
TOTAL 0-19 YRS	89	4.1	23	<1	1	2	4	10	13	26
20-34	154	5.7	54	<1	1	3	8	12	18	41
35-49	474	4.8	33	<1	1	2	6	12	16	28
50-64	1779	4.7	38	1	1	2	5	11	17	28
65+	3198	6.2	67	1	1	3	8	15	21	42
GRAND TOTAL	**5694**	**5.5**	**55**	**1**	**1**	**2**	**7**	**14**	**19**	**38**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	5	2.0	2	<1	<1	2	3	4	4	4
50-64	5	2.8	4	<1	<1	2	4	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	91	2.1	1	<1	1	2	2	3	3	8
20-34	64	3.2	12	<1	<1	2	2	9	10	19
35-49	77	4.4	15	1	1	2	7	11	12	15
50-64	108	4.9	21	1	1	2	8	12	15	18
65+	65	4.2	22	1	2	2	4	7	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	6	6.3	59	<1	<1	2	11	19	20	20
65+	8	9.9	95	3	3	7	10	26	33	33
B. *Operated*										
0-19 YRS	12	6.2	34	1	1	3	12	15	17	17
20-34	12	4.9	34	2	2	2	5	15	20	21
35-49	32	5.8	41	1	1	3	7	16	21	28
50-64	68	8.5	73	1	2	5	11	22	25	41
65+	68	12.2	124	2	2	9	18	26	35	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.7	2	<1	<1	2	4	5	6	6
B. *Operated*	405	3.8	15	1	1	2	4	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	20	6.8	59	<1	1	4	8	16	26	33
B. *Operated*	192	9.0	87	1	2	5	12	22	27	42
1. SINGLE DX	421	3.7	15	<1	1	2	4	10	12	17
2. MULTIPLE DX	212	8.8	84	1	2	5	12	22	27	42
A. NOT OPERATED	36	5.0	37	<1	1	3	5	11	17	33
B. OPERATED	597	5.5	44	1	1	2	7	13	19	32
TOTAL 0-19 YRS	109	2.5	6	<1	1	2	2	3	7	15
20-34	79	3.5	15	<1	<1	2	4	9	11	21
35-49	116	4.7	22	1	1	2	7	11	14	24
50-64	187	6.2	43	1	1	3	9	15	19	30
65+	142	8.4	89	2	2	4	11	21	28	42
GRAND TOTAL	**633**	**5.4**	**44**	**1**	**1**	**2**	**7**	**13**	**19**	**32**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.7	1	<1	1	2	2	2	4	5
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49	6	2.2	2	<1	<1	2	3	4	4	4
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	6	2.8	6	<1	<1	2	4	7	7	7
B. *Operated*										
0-19 YRS	652	3.3	7	<1	1	3	4	6	8	16
20-34	812	2.7	5	<1	<1	2	3	5	6	11
35-49	972	2.7	8	<1	<1	2	3	5	6	14
50-64	974	2.8	6	<1	<1	2	3	5	7	12
65+	411	3.2	8	<1	1	2	3	6	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	12	<1	<1	1	2	4	10	17
20-34	7	4.0	26	<1	<1	1	6	13	14	14
35-49	13	5.8	28	<1	<1	4	8	13	18	19
50-64	22	6.3	32	1	1	4	9	12	18	25
65+	21	5.4	13	1	1	5	8	10	12	15
B. *Operated*										
0-19 YRS	98	3.6	19	<1	1	2	3	6	13	25
20-34	186	4.3	13	<1	1	3	5	10	12	20
35-49	353	4.4	24	<1	1	3	5	9	14	24
50-64	611	4.9	36	<1	1	3	5	10	16	31
65+	416	6.0	55	1	1	3	7	14	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.3	2	<1	<1	2	3	4	5	7
B. *Operated*	3821	2.9	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	84	4.8	23	<1	<1	3	7	10	14	23
B. *Operated*	1664	4.9	35	<1	1	3	5	10	16	32
1. SINGLE DX	3858	2.9	7	<1	<1	2	3	5	7	14
2. MULTIPLE DX	1748	4.9	34	<1	1	3	5	10	16	31
A. NOT OPERATED	121	4.0	18	<1	<1	3	5	9	13	21
B. OPERATED	5485	3.5	16	<1	<1	2	4	6	10	21
TOTAL 0-19 YRS	788	3.3	9	<1	1	3	4	6	9	18
20-34	1009	3.0	7	<1	<1	2	3	6	8	15
35-49	1344	3.2	13	<1	<1	2	3	6	9	19
50-64	1611	3.6	19	<1	<1	2	4	7	11	21
65+	854	4.6	33	<1	1	3	5	10	15	31
GRAND TOTAL	**5606**	**3.5**	**16**	**<1**	**<1**	**2**	**4**	**7**	**10**	**21**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	2	<1	1	2	3	5	5	5
20-34	4	3.5	9	2	2	2	5	8	8	8
35-49	3	2.0	3	1	1	1	3	4	4	4
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	6	4.2	4	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	798	2.4	13	<1	<1	2	2	4	7	14
20-34	346	2.3	4	<1	<1	2	3	5	6	11
35-49	249	2.7	8	<1	<1	2	3	5	8	16
50-64	235	2.9	19	<1	<1	2	3	5	8	25
65+	158	2.9	8	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.1	39	<1	<1	1	2	5	21	29
20-34	6	3.2	7	1	1	2	4	8	8	8
35-49	6	4.2	9	2	2	3	8	8	8	8
50-64	14	8.6	32	1	2	7	12	17	19	20
65+	22	9.1	50	2	3	7	13	17	24	33
B. *Operated*										
0-19 YRS	132	4.1	43	<1	<1	2	4	10	15	61
20-34	135	3.6	40	<1	<1	2	3	8	13	36
35-49	172	3.4	22	<1	<1	2	4	7	11	24
50-64	226	5.6	96	<1	<1	2	5	13	18	66
65+	150	8.4	152	<1	<1	3	9	22	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.7	3	<1	1	2	4	5	7	8
B. *Operated*	1786	2.6	11	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	88	5.6	43	<1	1	3	8	14	18	31
B. *Operated*	815	5.1	76	<1	<1	2	5	12	19	49
1. SINGLE DX	1819	2.6	11	<1	<1	2	3	5	7	14
2. MULTIPLE DX	903	5.1	72	<1	<1	2	5	13	19	47
A. NOT OPERATED	121	4.8	34	<1	1	2	6	12	17	30
B. OPERATED	2601	3.4	33	<1	<1	2	3	7	11	29
TOTAL 0-19 YRS	986	2.7	18	<1	<1	2	2	5	9	21
20-34	491	2.7	14	<1	<1	2	3	5	7	16
35-49	430	3.0	14	<1	<1	2	3	7	9	19
50-64	479	4.4	58	<1	<1	2	4	9	15	43
65+	336	5.8	82	<1	<1	3	6	14	22	47
GRAND TOTAL	**2722**	**3.4**	**33**	**<1**	**<1**	**2**	**3**	**7**	**11**	**29**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	5.5	41	<1	<1	5	10	10	10	10
50-64	3	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	372	1.9	1	<1	1	2	2	3	3	4
20-34	949	1.9	1	<1	<1	2	2	3	3	4
35-49	586	2.2	1	<1	1	2	2	3	4	6
50-64	220	2.4	1	1	1	2	3	3	4	8
65+	110	2.8	2	1	2	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	33	2.4	2	1	1	2	3	4	4	8
20-34	196	2.6	6	<1	1	2	3	4	5	12
35-49	292	2.9	5	1	2	2	3	5	6	14
50-64	178	3.5	16	1	2	3	4	5	8	18
65+	132	4.9	35	2	2	3	4	8	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.3	8	<1	<1	3	3	8	10	10
B. *Operated*	2237	2.1	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	4	5.5	33	1	1	4	10	13	13	13
B. *Operated*	831	3.3	13	1	2	2	3	5	7	20
1. SINGLE DX	2245	2.1	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	835	3.3	13	1	2	2	3	5	7	20
A. NOT OPERATED	12	4.0	15	<1	<1	3	5	11	13	13
B. OPERATED	3068	2.4	4	<1	1	2	3	3	4	10
TOTAL 0-19 YRS	405	2.0	1	<1	1	2	2	3	3	4
20-34	1148	2.0	2	<1	<1	2	2	3	3	6
35-49	881	2.4	3	<1	1	2	3	3	5	9
50-64	401	2.9	8	1	2	2	3	4	6	15
65+	245	4.0	21	2	2	3	4	7	10	31
GRAND TOTAL	**3080**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	24	4.0	6	1	1	3	5	8	9	11
35-49	45	2.9	5	<1	1	2	4	6	8	10
50-64	9	4.6	4	<1	1	5	6	7	8	8
65+	3	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	585	5.5	8	1	1	6	8	9	9	12
35-49	2292	6.0	10	1	1	7	8	9	10	15
50-64	503	5.8	11	1	1	7	8	9	10	14
65+	36	7.1	22	1	2	8	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	49	2.9	7	<1	<1	2	4	6	9	13
35-49	175	3.3	9	<1	1	2	4	8	9	14
50-64	47	3.7	8	<1	1	3	5	7	10	15
65+	24	11.2	82	2	3	8	17	26	28	32
B. *Operated*										
0-19 YRS	13	5.3	8	1	2	7	8	8	8	8
20-34	1321	5.9	13	1	1	6	8	10	11	16
35-49	7941	6.6	15	1	2	7	8	10	12	19
50-64	1910	6.9	18	1	2	7	9	11	14	21
65+	218	11.2	104	2	3	9	13	20	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.4	5	<1	1	3	4	7	8	11
B. *Operated*	3418	5.9	10	1	1	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	295	3.9	19	<1	1	2	5	9	11	26
B. *Operated*	11403	6.7	17	1	2	7	8	11	13	20
1. SINGLE DX	3499	5.8	10	1	1	7	8	9	10	14
2. MULTIPLE DX	11698	6.6	17	1	2	7	8	10	13	20
A. NOT OPERATED	376	3.8	16	<1	1	3	5	8	10	24
B. OPERATED	14821	6.5	16	1	2	7	8	10	12	19
TOTAL 0-19 YRS	15	5.3	8	1	2	7	8	8	8	8
20-34	1979	5.7	11	1	1	6	8	9	11	15
35-49	10453	6.4	14	1	2	7	8	10	12	18
50-64	2469	6.6	17	1	2	7	9	11	13	20
65+	281	10.6	92	2	2	9	12	20	26	37
GRAND TOTAL	**15197**	**6.4**	**16**	**1**	**1**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	16	2.5	4	<1	1	2	3	6	7	8
35-49	27	3.9	8	1	1	3	6	8	9	12
50-64	18	2.3	4	<1	<1	2	2	4	8	10
65+	5	3.2	8	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	27	5.8	87	1	2	3	6	8	15	51
35-49	114	6.0	18	1	1	6	8	10	11	24
50-64	46	5.4	18	<1	2	4	8	9	13	22
65+	13	8.6	32	2	2	8	12	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	66	3.1	6	<1	1	2	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	200	6.0	28	1	2	6	8	10	13	27
1. SINGLE DX	67	3.1	6	<1	1	2	4	7	8	12
2. MULTIPLE DX	202	6.0	28	1	1	6	8	10	13	27
A. NOT OPERATED	3	3.3	16	<1	<1	1	6	8	8	8
B. OPERATED	266	5.3	24	1	1	5	7	9	12	22
TOTAL 0-19 YRS										
20-34	43	4.6	58	1	1	3	6	8	8	51
35-49	143	5.6	17	1	1	6	8	9	11	20
50-64	64	4.5	16	<1	1	2	7	9	12	21
65+	19	7.2	29	1	2	8	10	14	18	21
GRAND TOTAL	**269**	**5.3**	**24**	**1**	**1**	**5**	**7**	**9**	**12**	**22**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	3.8	4	2	2	4	5	6	6	6
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	105	6.4	2	4	5	6	7	8	9	12
20-34	411	6.0	2	4	4	6	7	8	8	10
35-49	138	6.7	5	4	5	7	8	8	9	15
50-64	100	8.5	8	5	6	8	9	12	14	20
65+	53	11.4	32	6	7	11	13	18	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	5	2.6	9	<1	<1	1	3	8	8	8
35-49	4	5.8	24	2	2	4	9	13	13	13
50-64										
65+	2	10.5	85	4	4	10	17	17	17	17
B. *Operated*										
0-19 YRS	57	6.6	4	4	5	6	7	9	10	16
20-34	392	6.7	5	4	5	6	7	9	10	15
35-49	293	7.5	5	5	5	7	8	10	12	15
50-64	239	9.2	16	6	6	8	10	13	15	24
65+	193	13.6	75	7	8	10	16	24	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.0	6	2	2	5	6	8	9	9
B. *Operated*	807	6.9	7	4	5	6	8	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	15	4.3	23	<1	1	2	4	13	16	17
B. *Operated*	1174	8.5	25	5	5	7	9	13	16	30
1. SINGLE DX	815	6.8	7	4	5	6	8	9	11	18
2. MULTIPLE DX	1189	8.5	25	4	5	7	9	13	16	30
A. NOT OPERATED	23	4.6	16	<1	1	4	6	10	14	17
B. OPERATED	1981	7.8	18	4	5	7	8	11	14	26
TOTAL 0-19 YRS	167	6.3	3	4	4	6	7	8	9	13
20-34	812	6.3	4	4	4	6	7	8	9	14
35-49	436	7.3	5	4	5	7	8	10	12	14
50-64	340	9.0	14	6	6	8	10	13	15	22
65+	249	13.1	66	6	7	10	15	23	29	47
GRAND TOTAL	**2004**	**7.8**	**18**	**4**	**5**	**7**	**8**	**11**	**14**	**26**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.0	8	<1	<1	5	6	8	9	9
20-34	36	3.1	12	<1	<1	2	4	7	7	19
35-49	29	2.7	4	<1	<1	2	3	5	6	10
50-64	13	2.5	6	<1	<1	1	3	7	9	9
65+	5	2.4	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	50	1	1	6	11	11	11	11
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	25	3.9	8	<1	1	3	6	7	9	13
35-49	33	4.8	11	<1	1	3	8	10	11	12
50-64	24	4.7	18	1	2	3	7	9	12	20
65+	16	8.1	77	1	2	4	12	21	28	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	92	3.0	8	<1	<1	2	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	3	11.3	110	1	1	11	19	22	22	22
B. *Operated*	100	5.1	23	1	1	3	7	10	13	26
1. SINGLE DX	92	3.0	8	<1	<1	2	5	6	7	15
2. MULTIPLE DX	103	5.2	26	1	1	3	7	11	15	26
A. NOT OPERATED	3	11.3	110	1	1	11	19	22	22	22
B. OPERATED	192	4.1	17	<1	1	2	6	8	11	21
TOTAL 0-19 YRS	11	4.0	7	<1	<1	5	6	7	9	9
20-34	63	3.5	11	<1	<1	2	6	7	9	18
35-49	63	4.1	14	<1	1	2	6	9	11	21
50-64	37	3.9	15	<1	1	2	5	9	9	20
65+	21	6.7	64	1	1	3	9	19	26	31
GRAND TOTAL	**195**	**4.2**	**19**	**<1**	**1**	**2**	**6**	**9**	**11**	**22**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	3	3	3
20-34	24	2.6	3	<1	1	2	3	4	6	8
35-49	21	3.9	5	<1	1	3	5	7	8	9
50-64	7	3.0	1	2	2	3	4	5	5	5
65+	8	3.8	16	<1	<1	2	5	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	3	3.7	14	1	1	2	6	8	8	8
20-34	8	2.0	1	<1	<1	2	3	4	4	4
35-49	10	2.6	3	<1	<1	2	3	5	6	6
50-64	12	4.9	22	<1	1	3	7	14	14	14
65+	27	6.3	19	2	2	5	9	12	14	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	65	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	60	4.7	17	<1	1	3	6	10	13	20
1. SINGLE DX	65	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX	61	4.8	17	<1	1	3	6	10	13	20
A. NOT OPERATED	1	9.0		9	9	9	9	9	9	9
B. OPERATED	125	3.9	11	<1	1	3	5	9	11	16
TOTAL 0-19 YRS	8	2.8	5	1	1	2	3	7	8	8
20-34	32	2.5	2	<1	<1	2	3	4	5	8
35-49	31	3.5	4	<1	1	3	5	7	8	9
50-64	19	4.2	15	<1	1	3	4	12	14	14
65+	36	5.8	19	1	2	4	9	12	13	21
GRAND TOTAL	**126**	**3.9**	**11**	**<1**	**1**	**3**	**5**	**9**	**11**	**16**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	23	2.6	2	<1	1	2	3	4	5	6
35-49	16	5.8	30	1	1	4	9	12	18	21
50-64	43	3.1	6	1	1	2	3	6	8	13
65+	72	3.8	18	1	1	3	4	6	10	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	8	1	1	3	5	5	5	5
65+	4	5.8	11	2	2	6	8	9	9	9
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	5.3	86	1	1	2	2	19	31	31
35-49	18	4.3	31	<1	<1	2	4	12	19	23
50-64	54	7.5	109	1	1	4	8	20	30	52
65+	103	8.5	62	1	2	5	11	19	24	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	156	3.6	14	1	1	3	4	6	11	21
2. MULTIPLE DX										
A. *Not Operated*	6	4.8	10	1	1	4	8	9	9	9
B. *Operated*	186	7.6	74	1	1	4	9	19	24	43
1. SINGLE DX	157	3.6	14	1	1	3	4	6	11	21
2. MULTIPLE DX	192	7.5	73	1	1	4	9	19	24	43
A. NOT OPERATED	7	4.3	11	1	1	4	7	9	9	9
B. OPERATED	342	5.8	51	1	1	3	6	14	21	38
TOTAL 0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	33	3.4	27	1	1	2	3	5	8	31
35-49	34	5.0	30	<1	1	3	5	12	20	23
50-64	99	5.5	66	1	1	3	6	12	22	49
65+	180	6.5	48	1	2	4	8	17	22	36
GRAND TOTAL	**349**	**5.7**	**50**	**1**	**1**	**3**	**6**	**13**	**21**	**38**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	27	1.6		<1	<1	2	2	2	2	2
20-34	16	1.4		<1	<1	1	2	2	2	2
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	7	2.3	1	<1	<1	2	3	4	4	4
65+	7	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	2.0	1	1	1	2	2	3	4	4
20-34										
35-49										
50-64	6	6.5	34	<1	<1	5	10	15	16	16
65+	4	3.0	7	1	1	2	5	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	62	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	3	4.7	30	1	1	2	9	11	11	11
B. *Operated*	20	3.6	15	<1	1	2	4	9	13	16
1. SINGLE DX	63	1.7		<1	<1	2	2	3	3	4
2. MULTIPLE DX	23	3.7	15	<1	1	2	4	10	13	16
A. NOT OPERATED	4	4.0	22	1	1	2	7	11	11	11
B. OPERATED	82	2.2	4	<1	<1	2	2	3	5	14
TOTAL 0-19 YRS	38	1.7		<1	<1	2	2	2	3	4
20-34	16	1.4		<1	<1	1	2	2	2	2
35-49	6	1.7	1	<1	<1	1	2	3	3	3
50-64	14	4.7	21	<1	<1	3	7	11	15	16
65+	12	2.5	2	1	1	2	3	4	7	7
GRAND TOTAL	**86**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**3**	**7**	**14**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	10	3.5	4	1	1	3	5	6	7	7
35-49	7	2.7	6	1	1	2	4	7	7	7
50-64	9	4.7	10	1	1	3	8	9	9	9
65+	17	7.9	95	1	1	6	9	12	32	43
B. *Operated*										
0-19 YRS	11	10.5	20	<1	5	10	14	16	17	17
20-34	47	12.7	57	3	6	11	14	26	31	35
35-49	72	12.5	52	2	3	11	16	23	26	37
50-64	112	12.4	40	2	4	12	17	21	26	99+
65+	65	18.8	212	3	5	15	22	40	51	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	2	16.0	72	10	10	16	22	22	22	22
35-49	7	6.6	14	1	1	7	9	11	12	12
50-64	25	12.2	364	1	2	6	12	53	86	99+
65+	110	16.5	259	3	5	12	21	45	78	99+
B. *Operated*										
0-19 YRS	10	16.9	41	8	8	21	23	54	96	99+
20-34	31	22.4	158	9	11	17	29	40	45	63
35-49	73	19.3	135	7	9	15	26	42	58	99+
50-64	138	21.4	282	3	4	16	27	47	63	83
65+	147	30.5	382	6	9	28	41	64	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.2	43	1	1	3	6	9	12	43
B. *Operated*	307	13.7	87	2	4	12	17	25	30	68
2. MULTIPLE DX										
A. *Not Operated*	147	15.0	265	2	3	10	19	41	79	99+
B. *Operated*	399	24.3	298	4	8	19	34	52	66	99+
1. SINGLE DX	352	12.7	89	2	2	11	16	23	28	68
2. MULTIPLE DX	546	21.8	306	3	6	16	30	52	67	99+
A. NOT OPERATED	192	12.7	229	1	2	8	15	34	59	99+
B. OPERATED	706	19.7	234	3	6	15	25	42	61	99+
TOTAL 0-19 YRS	26	11.3	53	<1	2	10	18	23	35	99+
20-34	90	15.1	121	2	4	13	18	30	38	56
35-49	159	14.9	107	2	4	13	19	31	41	99+
50-64	284	16.5	208	2	3	13	20	36	58	99+
65+	339	22.6	346	3	5	16	32	52	70	99+
GRAND TOTAL	**898**	**18.2**	**241**	**2**	**4**	**14**	**24**	**41**	**60**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	35	3.9	1	3	3	4	4	5	6	6
20-34	226	4.0	1	2	3	4	5	5	6	7
35-49	332	4.3	2	3	3	4	5	6	7	8
50-64	269	4.7	16	3	3	4	5	6	7	14
65+	90	5.6	14	3	3	5	6	8	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	2	11.5	61	6	6	11	17	17	17	17
65+	6	9.8	59	<1	<1	9	15	20	21	21
B. *Operated*										
0-19 YRS	4	4.8	12	<1	<1	4	7	9	9	9
20-34	40	4.6	3	3	3	4	5	7	7	12
35-49	123	5.3	19	3	3	5	5	7	10	25
50-64	137	6.7	56	3	3	5	6	10	14	40
65+	81	8.0	50	3	4	6	8	14	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.5	10	1	1	4	7	8	8	8
B. *Operated*	952	4.5	7	3	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	12	7.5	50	<1	<1	5	14	18	21	21
B. *Operated*	385	6.3	38	3	3	5	6	9	13	37
1. SINGLE DX	956	4.5	7	3	3	4	5	6	7	12
2. MULTIPLE DX	397	6.3	38	3	3	5	6	10	15	37
A. NOT OPERATED	16	6.8	41	<1	<1	5	10	17	20	21
B. OPERATED	1337	5.0	16	3	3	4	5	7	9	20
TOTAL 0-19 YRS	40	3.9	2	1	3	4	4	6	6	9
20-34	268	4.1	1	2	3	4	5	5	6	7
35-49	458	4.6	7	3	3	4	5	6	7	12
50-64	409	5.4	30	3	3	5	6	7	10	24
65+	178	6.8	33	3	3	5	7	13	17	36
GRAND TOTAL	**1353**	**5.0**	**17**	**3**	**3**	**4**	**5**	**7**	**9**	**21**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	7	4.4	17	1	1	3	5	12	13	13
35-49	5	3.4	4	1	1	3	5	6	6	6
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*										
0-19 YRS	5	8.8	12	4	4	10	11	13	13	13
20-34	54	10.2	31	3	4	9	12	17	22	31
35-49	42	9.8	17	4	4	10	12	15	17	22
50-64	53	9.5	42	3	4	7	12	19	21	32
65+	38	11.7	128	4	4	7	12	29	42	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	5.3	13	1	1	4	8	11	12	12
35-49	16	4.8	9	1	2	4	6	11	12	12
50-64	12	6.7	21	2	2	6	8	12	18	19
65+	14	11.6	76	1	3	7	22	24	25	25
B. *Operated*										
0-19 YRS	6	7.5	13	4	4	6	9	13	14	14
20-34	27	15.7	250	3	4	10	19	34	45	79
35-49	56	11.4	93	3	4	10	14	18	23	66
50-64	96	12.0	84	4	4	9	16	26	31	43
65+	81	14.8	171	4	4	10	20	29	40	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.0	15	1	1	4	6	12	13	13
B. *Operated*	192	10.2	49	4	4	9	12	18	22	42
2. MULTIPLE DX										
A. *Not Operated*	55	7.0	35	1	2	5	8	14	23	25
B. *Operated*	266	13.0	129	4	4	10	17	27	33	68
1. SINGLE DX	211	9.7	48	3	4	8	12	17	21	41
2. MULTIPLE DX	321	12.0	118	3	4	9	15	25	31	66
A. NOT OPERATED	74	6.5	31	1	2	5	8	13	21	25
B. OPERATED	458	11.8	97	4	4	9	14	23	31	50
TOTAL 0-19 YRS	14	7.8	14	3	4	7	10	13	14	14
20-34	100	10.7	98	2	3	9	12	20	27	59
35-49	119	9.6	57	3	3	10	12	17	19	42
50-64	163	10.7	67	3	4	8	13	22	29	38
65+	136	13.4	148	4	4	9	18	28	39	66
GRAND TOTAL	**532**	**11.1**	**92**	**3**	**4**	**9**	**13**	**22**	**29**	**49**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.3	8	1	1	3	5	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.8	4	<1	1	2	3	6	8	8
20-34	687	3.8	6	1	1	3	5	7	9	11
35-49	380	5.0	10	1	2	4	7	9	10	17
50-64	79	4.7	8	1	2	4	7	9	9	12
65+	36	6.9	27	2	2	7	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	2.4	2	1	1	2	3	5	5	5
35-49	10	3.0	11	<1	<1	1	4	9	9	9
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+	3	9.3	108	1	1	6	17	21	21	21
B. *Operated*										
0-19 YRS	3	3.0		3	3	3	3	3	3	3
20-34	373	4.9	12	2	2	4	7	9	10	15
35-49	355	6.6	14	2	2	7	8	10	12	20
50-64	98	7.2	43	2	2	7	9	11	16	40
65+	39	9.5	61	2	2	8	11	21	30	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.2	6	1	1	3	5	7	7	7
B. *Operated*	1196	4.3	9	1	2	3	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	23	3.7	21	<1	<1	2	5	9	13	21
B. *Operated*	868	6.1	20	2	2	6	8	10	12	24
1. SINGLE DX	1201	4.3	9	1	2	3	6	8	9	13
2. MULTIPLE DX	891	6.0	20	2	2	6	8	10	12	23
A. NOT OPERATED	28	3.6	18	<1	<1	2	5	8	10	21
B. OPERATED	2064	5.0	14	1	2	4	7	9	11	18
TOTAL 0-19 YRS	17	2.8	3	<1	1	3	3	6	7	8
20-34	1072	4.2	9	1	2	3	6	8	9	13
35-49	746	5.7	12	2	2	6	8	10	11	17
50-64	179	6.0	29	1	2	6	8	10	12	22
65+	78	8.3	47	2	2	7	10	18	25	32
GRAND TOTAL	**2092**	**5.0**	**14**	**1**	**2**	**4**	**7**	**9**	**11**	**18**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	4.5	1	3	3	5	5	5	5	5
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	29	4.5	14	1	1	3	6	11	12	14
35-49	61	4.5	12	<1	1	3	6	10	11	14
50-64	131	4.1	13	1	1	3	6	9	11	17
65+	187	5.0	45	1	2	3	5	11	17	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	7.0	30	1	1	6	11	14	14	14
50-64	5	19.0	735	2	2	9	26	67	67	67
65+	11	19.6	325	4	4	12	32	47	59	60
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	12	9.4	55	2	2	7	15	22	23	23
35-49	73	7.2	25	1	1	6	9	15	16	22
50-64	181	9.3	63	1	2	7	12	20	26	33
65+	291	10.3	124	2	2	7	13	23	28	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.1	1	2	2	5	5	5	5	5
B. *Operated*	410	4.6	27	1	1	3	5	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	20	17.0	356	1	3	9	21	49	63	67
B. *Operated*	559	9.5	91	1	2	7	12	21	26	54
1. SINGLE DX	417	4.6	27	1	1	3	5	10	14	25
2. MULTIPLE DX	579	9.7	101	1	2	7	12	21	27	59
A. NOT OPERATED	27	13.6	294	2	2	5	13	37	61	67
B. OPERATED	969	7.4	70	1	2	5	10	17	23	41
TOTAL 0-19 YRS	4	2.3	2	<1	<1	2	3	4	4	4
20-34	41	6.0	30	1	1	4	8	13	19	23
35-49	138	6.0	21	1	1	5	9	13	15	20
50-64	321	7.2	59	1	1	5	9	17	22	33
65+	492	8.4	106	1	2	5	10	20	27	59
GRAND TOTAL	**996**	**7.6**	**76**	**1**	**2**	**5**	**10**	**17**	**23**	**45**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.1	34	<1	<1	2	4	9	11	37
20-34	40	4.2	13	<1	1	3	6	9	12	15
35-49	62	4.6	19	1	1	4	5	12	14	21
50-64	83	5.2	33	<1	1	3	7	12	14	34
65+	123	7.3	47	1	2	5	9	14	19	36
B. *Operated*										
0-19 YRS	196	4.2	15	1	1	3	5	10	12	20
20-34	315	4.4	15	<1	1	3	6	9	12	17
35-49	343	4.5	19	<1	1	3	6	10	12	20
50-64	626	4.9	28	1	1	3	6	10	14	21
65+	643	5.6	33	1	1	3	7	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.9	28	<1	1	4	6	11	14	32
20-34	83	5.1	23	<1	<1	3	7	11	16	23
35-49	105	6.5	37	<1	1	4	9	15	20	27
50-64	187	7.8	82	1	1	5	9	19	26	58
65+	585	10.8	133	1	2	8	14	22	33	72
B. *Operated*										
0-19 YRS	70	10.8	242	2	2	7	12	21	64	98
20-34	190	8.4	66	1	2	6	10	18	23	45
35-49	248	8.5	79	1	2	7	10	16	20	58
50-64	558	9.8	105	1	2	7	13	22	31	56
65+	1098	12.2	168	2	2	8	16	26	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	5.6	35	1	1	4	7	12	15	35
B. *Operated*	2123	4.9	25	1	1	3	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1015	9.0	104	1	1	6	11	19	28	59
B. *Operated*	2164	10.8	137	2	2	7	14	23	34	67
1. SINGLE DX	2475	5.0	27	1	1	3	6	11	14	24
2. MULTIPLE DX	3179	10.2	127	1	2	7	13	22	32	65
A. NOT OPERATED	1367	8.1	88	1	1	5	10	18	24	55
B. OPERATED	4287	7.8	90	1	2	5	10	17	24	52
TOTAL 0-19 YRS	365	5.6	69	<1	1	3	6	12	17	61
20-34	628	5.7	35	<1	1	4	7	12	16	31
35-49	758	6.1	44	1	1	4	8	13	17	37
50-64	1454	7.2	70	1	1	4	9	16	22	44
65+	2449	9.9	126	1	2	6	13	21	31	60
GRAND TOTAL	**5654**	**7.9**	**90**	**1**	**1**	**5**	**10**	**17**	**24**	**53**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	8	3.3	5	1	1	3	5	7	7	7
35-49	4	5.0	23	<1	<1	3	8	12	12	12
50-64	1	2.0		2	2	2	2	2	2	2
65+	12	7.6	44	<1	1	6	10	19	22	22
B. *Operated*										
0-19 YRS	14	3.6	1	2	2	4	4	5	5	5
20-34	148	4.5	3	3	3	4	5	6	8	10
35-49	201	4.6	4	3	3	4	5	6	7	11
50-64	235	4.8	3	3	3	5	5	7	8	12
65+	81	5.4	14	2	3	5	6	7	9	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	12	2.9	5	<1	<1	2	4	7	8	8
35-49	15	3.3	5	<1	<1	3	5	7	7	7
50-64	25	7.5	23	1	1	7	10	13	16	21
65+	48	10.2	121	2	3	7	12	22	24	71
B. *Operated*										
0-19 YRS	7	4.9	1	4	4	5	6	6	6	6
20-34	34	5.4	20	3	3	4	6	8	12	28
35-49	101	5.7	9	3	3	5	6	9	12	18
50-64	173	6.6	23	3	4	5	7	11	18	28
65+	126	9.1	64	3	4	6	10	18	25	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.4	28	<1	<1	3	7	12	19	22
B. *Operated*	679	4.7	5	3	3	5	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	104	7.4	72	1	1	5	9	13	22	48
B. *Operated*	441	7.0	33	3	3	5	7	12	18	29
1. SINGLE DX	705	4.8	6	2	3	4	5	7	8	13
2. MULTIPLE DX	545	7.1	40	2	3	5	8	13	20	29
A. NOT OPERATED	130	7.0	63	<1	1	5	9	13	22	37
B. OPERATED	1120	5.6	17	3	3	5	6	8	11	25
TOTAL 0-19 YRS	26	3.5	2	1	1	4	5	5	6	6
20-34	202	4.5	6	2	3	4	5	7	8	12
35-49	321	4.9	6	2	3	5	5	7	8	17
50-64	434	5.7	13	3	3	5	6	9	12	24
65+	267	8.1	61	3	3	6	9	16	24	40
GRAND TOTAL	**1250**	**5.8**	**22**	**2**	**3**	**5**	**6**	**9**	**12**	**26**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.7	26	1	2	5	8	16	17	23
20-34	79	6.1	12	1	2	5	8	11	14	17
35-49	81	5.9	10	2	3	5	7	11	13	16
50-64	60	6.1	18	1	2	5	8	10	13	27
65+	47	10.4	80	2	3	9	13	21	25	51
B. *Operated*										
0-19 YRS	40	6.9	78	3	3	5	6	10	15	58
20-34	152	5.8	12	3	3	5	6	9	13	22
35-49	106	5.2	9	3	3	4	6	7	9	20
50-64	92	5.2	6	2	3	5	6	7	11	14
65+	29	7.2	49	3	3	5	7	18	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	7.3	23	1	2	7	10	12	16	22
20-34	104	7.4	29	1	2	6	9	16	20	25
35-49	168	8.4	31	2	3	7	11	16	20	31
50-64	300	9.9	49	3	3	8	13	18	24	41
65+	443	14.0	147	3	4	11	16	29	39	75
B. *Operated*										
0-19 YRS	8	7.1	5	5	5	6	9	10	11	11
20-34	70	6.7	16	3	3	6	8	12	14	23
35-49	74	8.4	50	3	4	6	9	17	23	39
50-64	126	10.2	89	3	3	7	12	19	26	52
65+	119	18.9	330	4	5	13	25	57	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	6.8	27	1	2	6	8	13	16	26
B. *Operated*	419	5.7	19	3	3	5	6	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	1038	11.1	92	3	3	8	14	21	29	60
B. *Operated*	397	11.8	162	3	4	7	13	25	43	81
1. SINGLE DX	728	6.2	23	2	3	5	7	10	15	23
2. MULTIPLE DX	1435	11.3	111	3	4	8	14	22	32	69
A. NOT OPERATED	1347	10.1	80	2	3	8	13	19	26	49
B. OPERATED	816	8.7	98	3	3	5	9	17	26	64
TOTAL 0-19 YRS	113	6.9	42	1	3	5	8	12	16	36
20-34	405	6.4	17	2	3	5	8	11	15	23
35-49	429	7.1	27	2	3	5	8	13	17	29
50-64	578	8.8	51	3	3	7	11	16	23	44
65+	638	14.3	178	3	4	10	17	31	45	82
GRAND TOTAL	**2163**	**9.6**	**87**	**3**	**3**	**7**	**11**	**18**	**26**	**59**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	366	7.0	49	2	2	6	9	11	15	20
20-34	198	6.5	15	2	3	6	8	11	14	21
35-49	238	7.0	15	2	3	6	9	12	14	19
50-64	309	7.6	21	2	3	7	10	13	15	21
65+	282	8.7	39	2	3	7	11	14	19	38
B. *Operated*										
0-19 YRS										
20-34	3	7.3	5	6	6	6	9	10	10	10
35-49	8	7.1	33	2	2	5	8	17	20	20
50-64	9	7.4	11	2	3	8	9	12	13	13
65+	8	9.8	28	2	3	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	7.5	80	1	1	6	10	14	19	95
20-34	270	7.0	25	1	2	6	9	13	17	26
35-49	643	8.2	34	2	3	7	10	14	18	31
50-64	1674	9.1	43	3	4	8	11	16	20	35
65+	2670	11.3	89	3	4	9	13	20	27	57
B. *Operated*										
0-19 YRS	6	7.5	28	2	2	7	8	16	17	17
20-34	37	11.1	84	2	2	9	14	23	32	39
35-49	87	12.7	115	2	4	11	16	23	31	91
50-64	274	15.7	175	2	4	12	20	32	37	78
65+	390	20.7	311	4	6	15	28	50	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	7.4	31	2	3	7	9	12	15	24
B. *Operated*	28	8.0	21	2	3	7	11	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	5422	9.9	67	3	4	8	12	17	23	49
B. *Operated*	794	17.6	241	3	4	13	22	36	60	99+
1. SINGLE DX	1421	7.4	30	2	3	7	9	13	15	24
2. MULTIPLE DX	6216	10.9	95	3	4	8	13	20	28	62
A. NOT OPERATED	6815	9.4	60	2	3	8	11	17	22	45
B. OPERATED	822	17.2	236	3	4	13	22	36	58	99+
TOTAL 0-19 YRS	537	7.2	58	1	2	6	9	12	16	70
20-34	508	7.1	26	2	2	6	9	13	17	27
35-49	976	8.3	38	2	3	7	10	15	18	34
50-64	2266	9.7	61	3	3	8	12	17	23	41
65+	3350	12.1	120	3	4	9	14	23	33	81
GRAND TOTAL	**7637**	**10.2**	**85**	**2**	**3**	**8**	**12**	**19**	**26**	**60**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	524	5.8	35	1	2	5	8	10	14	24
20-34	362	5.7	14	1	2	5	8	10	12	18
35-49	165	7.1	31	2	2	6	9	13	15	23
50-64	119	7.9	15	2	3	7	10	13	15	19
65+	82	9.0	35	2	3	8	11	17	21	29
B. *Operated*										
0-19 YRS	3	6.7	6	4	4	7	8	9	9	9
20-34	3	7.3		7	7	7	8	8	8	8
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	23.0	516	7	7	13	40	49	49	49
65+	2	14.5	1	14	14	14	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	305	6.2	27	2	2	5	8	11	15	28
20-34	416	6.8	22	2	3	6	9	13	16	26
35-49	347	9.7	64	2	3	8	12	18	23	46
50-64	395	11.4	71	3	4	10	14	19	24	55
65+	535	14.8	133	4	5	12	19	28	37	99+
B. *Operated*										
0-19 YRS	15	11.0	48	3	5	8	13	21	28	30
20-34	43	13.5	94	3	4	11	20	25	35	46
35-49	47	20.0	205	3	6	16	26	50	65	99+
50-64	62	23.8	274	3	7	22	31	53	62	98
65+	96	26.4	323	9	11	22	35	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1252	6.3	27	1	2	5	8	12	14	23
B. *Operated*	12	12.4	144	4	6	8	13	25	46	49
2. MULTIPLE DX										
A. *Not Operated*	1998	10.3	80	2	3	8	13	20	26	55
B. *Operated*	263	21.7	262	4	7	18	30	53	80	99+
1. SINGLE DX	1264	6.4	29	1	2	5	8	12	15	24
2. MULTIPLE DX	2261	11.6	115	2	3	9	14	24	31	82
A. NOT OPERATED	3250	8.8	64	2	2	7	11	17	22	46
B. OPERATED	275	21.3	260	4	7	18	30	52	74	99+
TOTAL 0-19 YRS	847	6.0	33	1	2	5	8	11	15	28
20-34	824	6.7	25	2	2	5	9	12	16	26
35-49	560	9.8	77	2	3	8	12	19	25	62
50-64	579	12.1	101	3	4	10	14	22	30	60
65+	715	15.7	168	4	5	12	20	31	48	99+
GRAND TOTAL	**3525**	**9.7**	**90**	**2**	**3**	**7**	**12**	**20**	**27**	**63**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	300	6.7	23	2	2	6	8	11	14	25
20-34	366	6.3	23	2	2	5	8	11	12	18
35-49	496	7.0	14	2	3	6	9	12	14	20
50-64	762	7.5	20	2	3	7	9	12	15	22
65+	685	8.7	33	3	4	8	11	15	18	34
B. *Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	21	8.4	73	1	1	5	13	24	27	28
35-49	34	10.6	316	2	2	5	10	21	46	95
50-64	99	8.4	102	2	2	4	11	20	33	79
65+	86	8.5	169	2	2	3	8	22	39	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	6.6	26	1	2	5	8	13	18	26
20-34	747	7.9	34	2	3	6	10	15	19	30
35-49	1689	8.9	40	2	3	8	11	16	20	33
50-64	4096	10.0	57	3	4	8	12	17	23	43
65+	5828	12.2	110	3	4	10	14	22	31	74
B. *Operated*										
0-19 YRS	24	11.0	189	1	2	6	15	20	40	65
20-34	234	12.3	128	2	2	9	16	27	36	54
35-49	547	17.6	214	3	4	14	25	39	53	99+
50-64	1633	21.0	336	2	4	16	29	54	76	99+
65+	2389	24.8	397	3	6	19	36	64	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2609	7.5	24	2	3	7	9	13	15	24
B. *Operated*	242	8.8	151	2	2	4	10	22	36	83
2. MULTIPLE DX										
A. *Not Operated*	12539	10.7	80	3	4	9	13	19	26	56
B. *Operated*	4827	22.1	353	2	4	17	32	56	78	99+
1. SINGLE DX	2851	7.6	35	2	3	6	9	13	16	31
2. MULTIPLE DX	17366	13.9	182	3	4	10	16	30	46	99+
A. NOT OPERATED	15148	10.1	72	3	4	8	12	18	24	52
B. OPERATED	5069	21.4	352	2	3	16	31	55	77	99+
TOTAL 0-19 YRS	505	6.8	33	1	2	6	8	13	16	28
20-34	1368	8.2	51	2	2	6	10	16	21	37
35-49	2766	10.3	87	2	3	8	12	20	28	58
50-64	6590	12.4	147	3	4	9	14	26	39	94
65+	8988	15.3	215	3	4	11	18	35	53	99+
GRAND TOTAL	**20217**	**13.0**	**166**	**3**	**4**	**9**	**15**	**28**	**42**	**98**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	2	2	2	3	5	5	5
20-34	11	4.4	7	1	1	3	7	8	8	8
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.0	3	<1	1	3	5	5	6	7
20-34	175	3.7	5	1	1	2	6	7	8	9
35-49	15	3.8	11	<1	1	2	5	8	12	13
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	12	4.6	6	2	2	4	6	8	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	29	4.4	9	1	1	3	6	9	10	12
20-34	263	4.3	10	1	1	4	6	8	9	16
35-49	18	6.5	23	2	2	6	7	13	19	21
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.7	5	1	2	3	5	8	8	8
B. *Operated*	215	3.6	5	1	1	2	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	20	3.4	6	1	1	3	4	7	9	10
B. *Operated*	312	4.4	11	1	1	4	6	8	9	18
1. SINGLE DX	233	3.6	5	1	1	2	5	7	8	10
2. MULTIPLE DX	332	4.4	11	1	1	4	6	8	9	17
A. NOT OPERATED	38	3.5	6	1	1	3	5	7	8	10
B. OPERATED	527	4.1	9	1	1	3	6	8	9	14
TOTAL 0-19 YRS	66	3.4	6	1	1	2	5	7	9	12
20-34	461	4.1	8	1	1	3	6	8	8	11
35-49	35	5.1	18	1	2	3	7	8	14	21
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**565**	**4.0**	**9**	**1**	**1**	**3**	**6**	**8**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.2	11	<1	1	2	4	7	8	18
20-34	107	4.7	11	1	1	4	7	9	11	15
35-49	84	5.1	19	1	1	4	6	9	16	22
50-64	77	5.6	19	1	2	5	7	11	13	24
65+	94	7.2	49	1	1	5	9	14	18	42
B. *Operated*										
0-19 YRS	13	7.6	79	1	1	4	8	24	29	30
20-34	20	6.2	26	<1	1	5	8	14	18	20
35-49	20	6.1	10	2	2	6	8	10	12	13
50-64	31	7.3	22	2	3	6	10	12	17	23
65+	22	13.3	172	2	3	10	13	30	48	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	4.8	41	1	1	3	6	10	14	56
20-34	268	6.3	45	1	1	4	8	13	17	30
35-49	325	6.9	58	1	2	5	8	13	17	34
50-64	505	8.4	75	1	2	6	10	16	25	48
65+	1102	9.9	98	2	3	7	12	19	26	63
B. *Operated*										
0-19 YRS	20	8.2	34	1	2	7	12	17	19	20
20-34	52	11.2	76	2	3	9	15	27	37	98
35-49	72	14.6	312	2	3	9	17	59	71	99+
50-64	110	14.7	89	4	4	10	19	29	48	72
65+	139	19.4	278	3	4	15	27	49	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	512	4.9	22	1	1	4	7	10	14	22
B. *Operated*	106	8.2	63	1	2	6	10	14	23	48
2. MULTIPLE DX										
A. *Not Operated*	2378	8.4	80	1	2	6	10	16	23	53
B. *Operated*	393	15.5	229	2	4	11	20	38	57	99+
1. SINGLE DX	618	5.5	31	1	1	4	7	11	15	26
2. MULTIPLE DX	2771	9.4	107	1	2	6	11	19	28	70
A. NOT OPERATED	2890	7.8	72	1	2	6	10	15	21	48
B. OPERATED	499	14.0	203	2	3	9	18	32	53	99+
TOTAL 0-19 YRS	361	4.4	31	1	1	3	5	10	13	27
20-34	447	6.5	43	1	1	5	8	13	17	31
35-49	501	7.7	94	1	2	5	8	15	21	72
50-64	723	9.0	90	1	2	6	11	19	25	53
65+	1357	10.7	123	2	3	8	13	22	32	80
GRAND TOTAL	**3389**	**8.7**	**96**	**1**	**2**	**6**	**10**	**17**	**26**	**61**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	412	1	2	5	12	78	96	99+
20-34	2	7.5	85	1	1	7	14	14	14	14
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	10	7.7	12	2	3	8	11	12	12	12
65+	10	14.6	218	2	3	9	21	37	52	52
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	13.2	355	2	2	5	12	47	51	51
35-49	3	7.0	13	4	4	6	10	11	11	11
50-64	3	13.3	72	5	5	13	20	22	22	22
65+	6	25.5	925	3	3	15	32	78	83	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	9.2	56	2	2	8	15	26	99+	99+
20-34	10	5.9	14	1	1	5	9	11	13	13
35-49	22	16.1	332	3	3	11	17	32	55	89
50-64	72	14.3	179	3	4	10	18	33	46	95
65+	297	17.7	188	4	5	14	24	39	53	99+
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	7	13.7	162	1	1	7	25	30	31	31
35-49	10	22.3	118	5	8	23	29	36	42	42
50-64	26	18.7	346	3	5	11	25	43	66	77
65+	83	21.7	264	4	7	19	29	43	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	10.6	201	1	2	6	12	23	66	99+
B. *Operated*	19	15.7	419	2	3	6	20	43	69	83
2. MULTIPLE DX										
A. *Not Operated*	429	16.3	187	3	5	12	21	37	52	99+
B. *Operated*	128	20.5	263	3	5	17	28	41	61	99+
1. SINGLE DX	55	12.4	276	2	2	6	13	31	67	99
2. MULTIPLE DX	557	17.2	207	3	5	13	23	38	54	99+
A. NOT OPERATED	465	15.8	190	3	4	12	21	36	53	99+
B. OPERATED	147	19.9	283	3	4	15	28	41	61	99+
TOTAL 0-19 YRS	43	9.5	146	1	2	7	14	28	99+	99+
20-34	25	10.0	137	1	1	5	12	26	36	51
35-49	37	16.4	248	3	4	11	22	31	39	89
50-64	111	14.7	205	2	4	10	19	33	48	88
65+	396	18.6	216	4	5	14	25	40	54	99+
GRAND TOTAL	**612**	**16.8**	**215**	**3**	**4**	**13**	**23**	**37**	**54**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	13.3	54	3	5	13	16	21	23	36
20-34	45	11.6	36	2	5	10	14	20	25	28
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	4	12.8	63	1	1	16	17	18	18	18
20-34										
35-49	4	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	12.5	66	3	4	12	15	21	24	57
20-34	84	13.9	92	3	5	12	16	28	34	49
35-49	5	11.2	63	6	6	7	14	25	25	25
50-64										
65+										
B. *Operated*										
0-19 YRS	9	17.0	43	11	11	14	23	27	29	29
20-34	4	22.0	103	14	14	19	29	36	36	36
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	12.9	50	3	5	12	16	21	23	33
B. *Operated*	8	7.4	60	1	1	2	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	250	13.0	75	3	5	11	15	22	28	51
B. *Operated*	14	18.1	58	11	12	14	23	30	35	36
1. SINGLE DX	213	12.7	51	3	4	12	16	20	23	32
2. MULTIPLE DX	264	13.2	75	3	5	12	15	22	28	50
A. NOT OPERATED	455	12.9	63	3	5	12	15	21	26	44
B. OPERATED	22	14.2	84	1	2	14	18	25	32	36
TOTAL 0-19 YRS	333	13.0	60	3	5	12	16	21	24	41
20-34	133	13.4	75	3	5	11	15	25	33	45
35-49	11	7.7	47	2	2	7	10	18	24	25
50-64										
65+										
GRAND TOTAL	**477**	**13.0**	**64**	**3**	**5**	**12**	**16**	**22**	**26**	**43**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	52	1	1	4	15	92	99+	99+
20-34	9	5.8	10	<1	1	6	7	11	11	11
35-49	3	28.0	700	8	8	18	48	58	58	58
50-64	5	8.6	106	1	1	3	14	26	26	26
65+										
B. *Operated*										
0-19 YRS	6	11.3	8	8	8	12	13	15	15	15
20-34	98	8.9	7	6	6	8	10	13	14	18
35-49	85	9.4	7	6	7	9	10	12	13	23
50-64	12	12.7	73	5	6	10	15	22	35	37
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	23.2	885	1	2	16	81	99+	99+	99+
20-34	19	9.1	111	1	1	5	18	65	99+	99+
35-49	42	11.8	115	1	2	8	16	29	32	44
50-64	42	8.0	43	1	2	7	10	14	24	32
65+	15	11.6	59	3	3	9	16	23	27	28
B. *Operated*										
0-19 YRS	2	16.0	2	15	15	17	79	99+	99+	99+
20-34	90	12.5	99	7	7	10	13	21	30	91
35-49	114	11.2	36	6	7	9	13	19	24	35
50-64	46	14.5	141	3	7	11	14	30	38	66
65+	4	31.0	548	2	2	32	48	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	8.7	128	1	1	6	11	33	93	99+
B. *Operated*	203	9.3	12	6	6	9	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	134	11.5	191	1	2	8	15	31	81	99+
B. *Operated*	256	12.6	89	6	7	10	14	23	31	76
1. SINGLE DX	234	9.3	27	3	6	9	10	14	17	64
2. MULTIPLE DX	390	12.3	124	2	3	9	14	26	41	99+
A. NOT OPERATED	165	11.0	179	1	1	7	15	31	85	99+
B. OPERATED	459	11.2	57	6	7	9	12	17	25	58
TOTAL 0-19 YRS	38	14.8	436	1	2	11	34	99+	99+	99+
20-34	216	10.3	58	3	6	9	11	17	23	99+
35-49	244	10.9	49	4	6	9	12	19	25	41
50-64	105	11.4	99	2	3	9	12	26	32	57
65+	21	14.5	198	2	2	9	21	32	47	58
GRAND TOTAL	**624**	**11.1**	**89**	**2**	**4**	**9**	**12**	**21**	**31**	**99+**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	136	3.1	16	<1	<1	1	4	8	11	21
20-34	65	5.8	31	<1	1	4	7	14	19	24
35-49	39	6.2	25	<1	1	5	8	13	16	25
50-64	39	7.6	51	1	1	5	9	19	25	29
65+	28	11.2	260	2	2	6	13	44	73	99+
B. *Operated*										
0-19 YRS	36	5.1	16	1	1	4	8	11	12	16
20-34	57	4.6	26	<1	1	3	6	9	13	33
35-49	79	5.5	25	1	1	4	7	14	17	22
50-64	58	4.3	13	1	1	3	6	11	12	16
65+	31	7.5	82	1	2	4	10	18	24	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	5.6	28	<1	<1	4	8	13	21	99+
20-34	95	9.4	122	1	2	7	12	18	28	67
35-49	159	7.5	53	1	2	5	9	15	20	38
50-64	218	10.2	98	2	2	8	13	21	26	51
65+	249	11.3	84	2	3	9	14	24	29	47
B. *Operated*										
0-19 YRS	37	11.9	257	1	2	8	16	63	99+	99+
20-34	83	11.9	164	2	2	7	15	27	39	65
35-49	124	10.7	171	1	2	6	13	26	39	66
50-64	162	10.6	132	1	2	7	15	24	35	43
65+	155	16.7	269	1	2	12	20	42	53	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	5.4	52	<1	<1	3	7	14	19	40
B. *Operated*	261	5.2	29	1	1	3	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	851	9.2	81	1	2	7	12	20	25	50
B. *Operated*	561	12.6	197	1	2	8	16	31	43	91
1. SINGLE DX	568	5.3	41	<1	1	3	7	13	16	29
2. MULTIPLE DX	1412	10.5	130	1	2	7	13	23	34	76
A. NOT OPERATED	1158	8.2	76	<1	1	6	10	18	24	50
B. OPERATED	822	10.2	155	1	2	6	13	25	38	78
TOTAL 0-19 YRS	339	5.2	53	<1	<1	3	7	12	20	99+
20-34	300	8.4	103	1	1	5	10	18	26	55
35-49	401	8.0	85	1	1	5	9	17	24	46
50-64	477	9.4	99	1	2	7	13	21	26	43
65+	463	12.6	164	2	2	9	16	28	42	78
GRAND TOTAL	**1980**	**9.0**	**110**	**1**	**1**	**6**	**11**	**20**	**29**	**64**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	9	2.9	2	1	1	3	4	4	4	4
35-49	34	5.2	5	1	3	5	7	8	9	11
50-64	31	5.0	8	2	2	4	7	9	12	13
65+	49	7.1	31	3	3	6	8	12	16	36
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	14	1	1	2	6	9	9	9
50-64	19	7.0	24	<1	1	6	9	15	18	18
65+	26	8.4	253	1	1	4	8	16	36	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	18	8.2	227	2	2	4	6	9	44	68
35-49	62	6.1	25	2	2	5	7	10	12	35
50-64	125	7.3	37	2	3	6	8	12	16	41
65+	308	9.2	38	3	3	8	12	17	22	39
B. *Operated*										
0-19 YRS										
20-34	3	6.3	57	1	1	3	12	15	15	15
35-49	10	7.9	31	2	2	8	13	16	18	18
50-64	27	7.0	34	2	2	6	10	15	18	28
65+	61	17.7	160	2	5	16	24	38	42	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	5.7	17	2	2	5	7	9	12	25
B. *Operated*	49	7.5	144	<1	1	4	8	15	18	82
2. MULTIPLE DX										
A. *Not Operated*	514	8.3	43	2	3	7	11	15	20	41
B. *Operated*	101	13.5	136	2	2	10	18	31	39	81
1. SINGLE DX	173	6.2	53	1	2	5	7	10	13	33
2. MULTIPLE DX	615	9.2	62	2	3	7	11	17	24	46
A. NOT OPERATED	638	7.8	39	2	3	6	10	14	19	38
B. OPERATED	150	11.6	145	2	2	8	16	26	38	82
TOTAL 0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	30	6.4	143	1	1	4	6	8	15	68
35-49	110	5.9	19	2	2	5	7	9	12	26
50-64	202	6.9	31	2	2	6	8	12	16	33
65+	444	10.1	75	2	3	8	13	21	26	65
GRAND TOTAL	**788**	**8.5**	**61**	**2**	**3**	**6**	**11**	**16**	**23**	**45**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.7	3	1	1	2	3	5	7	8
20-34	30	3.6	5	1	1	3	5	7	9	10
35-49	37	4.4	15	1	1	3	5	10	12	19
50-64	47	4.8	23	1	1	3	6	12	15	22
65+	154	7.4	38	1	2	6	10	15	18	33
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34										
35-49	3	5.3	34	1	1	3	10	12	12	12
50-64										
65+	4	15.5	36	8	8	18	41	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	469	4.4	28	1	1	3	5	8	11	27
20-34	230	4.6	17	1	1	3	5	9	13	22
35-49	296	6.7	34	1	2	5	8	13	18	31
50-64	691	7.2	35	2	2	6	9	14	18	35
65+	3284	11.6	121	3	3	9	14	22	33	75
B. *Operated*										
0-19 YRS	19	16.6	494	2	3	12	17	74	98	99+
20-34	21	15.7	465	<1	1	10	17	35	68	97
35-49	28	12.3	106	3	3	8	19	24	36	41
50-64	66	18.2	283	2	4	13	24	43	56	77
65+	312	21.9	297	6	7	18	30	63	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	5.3	26	1	1	4	7	11	15	27
B. *Operated*	9	9.3	57	1	2	10	18	61	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	4970	9.7	98	2	2	7	12	20	28	64
B. *Operated*	446	20.2	304	3	5	15	26	56	82	99+
1. SINGLE DX	366	5.4	27	1	1	4	7	12	16	31
2. MULTIPLE DX	5416	10.6	123	2	3	7	13	22	33	81
A. NOT OPERATED	5327	9.4	94	2	2	7	11	19	27	59
B. OPERATED	455	20.0	302	3	5	15	26	56	82	99+
TOTAL 0-19 YRS	579	4.6	44	1	1	3	5	8	12	31
20-34	281	5.3	57	1	1	3	6	10	15	32
35-49	364	6.9	40	1	2	5	8	15	19	34
50-64	804	8.0	64	2	2	6	9	15	22	47
65+	3754	12.3	141	3	3	9	15	25	37	96
GRAND TOTAL	**5782**	**10.3**	**118**	**2**	**2**	**7**	**12**	**21**	**32**	**79**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.7	9	1	1	4	6	8	12	14
20-34	22	4.4	4	1	2	5	6	7	8	8
35-49	42	4.4	7	<1	1	4	6	8	9	13
50-64	37	4.7	9	<1	<1	5	7	8	10	11
65+	145	6.3	25	1	1	5	8	12	17	24
B. *Operated*										
0-19 YRS	8	5.5	7	2	2	5	8	9	9	9
20-34	13	10.2	65	2	3	7	14	25	26	26
35-49	14	7.8	23	<1	2	7	10	14	19	20
50-64	11	7.2	22	2	2	8	10	13	17	17
65+	28	8.4	13	3	4	8	11	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	6.1	21	1	2	5	8	12	14	27
20-34	63	6.4	31	1	2	5	8	11	17	29
35-49	155	7.1	26	2	3	5	8	14	17	24
50-64	308	7.9	31	1	2	7	10	14	18	26
65+	1434	9.4	70	2	3	8	12	17	21	57
B. *Operated*										
0-19 YRS	12	8.8	59	2	3	6	10	19	29	31
20-34	21	7.7	19	1	2	8	11	13	15	17
35-49	102	9.8	44	2	3	8	13	17	23	34
50-64	173	11.2	53	4	4	10	14	18	25	40
65+	603	14.7	138	5	5	12	17	28	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	5.4	17	1	1	5	7	10	13	24
B. *Operated*	74	8.1	25	2	3	7	10	14	19	26
2. MULTIPLE DX										
A. *Not Operated*	2021	8.8	59	2	3	7	11	16	20	45
B. *Operated*	911	13.2	112	4	5	11	15	24	34	67
1. SINGLE DX	364	6.0	20	1	1	5	8	11	14	24
2. MULTIPLE DX	2932	10.2	80	2	3	8	12	18	25	57
A. NOT OPERATED	2311	8.4	55	1	2	7	10	15	20	38
B. OPERATED	985	12.8	107	3	5	10	15	23	33	64
TOTAL 0-19 YRS	125	5.8	20	1	2	5	7	11	14	29
20-34	119	6.7	30	1	2	5	8	13	17	28
35-49	313	7.6	32	2	2	6	10	15	17	30
50-64	529	8.7	40	1	2	8	11	16	18	31
65+	2210	10.6	91	2	3	8	13	19	27	66
GRAND TOTAL	**3296**	**9.7**	**75**	**2**	**3**	**8**	**12**	**18**	**24**	**55**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	4.7	14	<1	1	4	6	9	11	16
20-34	440	6.8	32	1	2	5	8	13	16	31
35-49	111	6.7	20	<1	1	6	9	11	16	22
50-64	11	7.6	42	2	2	6	9	18	23	24
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	6	6.0	3	3	3	6	7	8	8	8
35-49	6	11.3	40	6	6	10	14	21	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	6.6	60	1	1	5	8	12	15	51
20-34	310	9.2	62	1	2	7	11	18	22	45
35-49	145	10.7	59	1	3	9	13	20	27	40
50-64	30	12.5	92	3	3	10	15	29	31	39
65+	3	12.0	57	4	4	13	17	19	19	19
B. *Operated*										
0-19 YRS	8	13.3	12	7	8	14	16	17	18	18
20-34	42	16.5	137	3	4	14	25	35	37	49
35-49	17	14.4	159	1	4	10	16	37	41	43
50-64	5	22.8	172	2	2	22	33	35	35	35
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	932	6.0	24	<1	1	5	8	11	15	24
B. *Operated*	13	8.9	26	3	5	7	12	16	21	22
2. MULTIPLE DX										
A. *Not Operated*	732	8.8	64	1	2	7	11	17	23	45
B. *Operated*	72	16.1	130	2	4	14	23	35	37	48
1. SINGLE DX	945	6.0	25	<1	1	5	8	11	15	24
2. MULTIPLE DX	804	9.4	75	1	2	7	12	20	27	45
A. NOT OPERATED	1664	7.2	44	1	2	6	9	14	19	34
B. OPERATED	85	15.0	121	3	4	12	21	34	37	47
TOTAL 0-19 YRS	622	5.6	34	<1	1	4	7	11	13	33
20-34	798	8.2	54	1	2	6	10	16	22	38
35-49	279	9.4	54	1	2	8	11	18	23	38
50-64	46	12.5	102	2	2	9	15	30	33	39
65+	4	10.8	44	4	4	10	16	19	19	19
GRAND TOTAL	**1749**	**7.6**	**50**	**1**	**2**	**6**	**9**	**15**	**22**	**37**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	430	1.9	8	<1	<1	<1	1	4	7	16
20-34	75	4.2	33	<1	<1	2	5	9	12	30
35-49	56	4.6	53	<1	1	3	4	10	11	50
50-64	124	5.4	72	<1	<1	2	7	12	18	48
65+	481	4.6	29	1	1	3	5	10	13	31
B. *Operated*										
0-19 YRS	26	11.5	320	1	2	6	10	19	61	82
20-34	22	7.6	21	1	2	7	9	13	16	21
35-49	29	9.4	59	1	2	7	13	18	21	38
50-64	49	8.7	35	2	2	8	10	18	20	32
65+	105	9.7	36	2	3	9	13	18	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	259	3.5	28	<1	[illegible]	1	4	7	11	35
20-34	147	6.3	48	<1	<1	4	8	15	21	36
35-49	220	6.8	50	1	1	5	9	14	17	37
50-64	642	7.0	72	1	1	5	9	15	21	33
65+	2906	8.1	69	1	1	6	10	17	24	50
B. *Operated*										
0-19 YRS	41	9.3	63	<1	1	9	11	17	19	47
20-34	73	13.2	110	3	4	10	17	26	31	60
35-49	114	12.8	126	2	3	10	15	25	27	71
50-64	265	14.1	143	2	4	11	17	26	35	86
65+	1187	16.6	177	4	5	13	21	33	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1166	3.7	29	<1	<1	2	4	9	12	30
B. *Operated*	231	9.5	69	1	2	8	12	18	20	42
2. MULTIPLE DX										
A. *Not Operated*	4174	7.5	67	1	1	5	10	16	22	48
B. *Operated*	1680	15.6	165	3	4	12	20	31	42	87
1. SINGLE DX	1397	4.6	40	<1	<1	2	6	11	15	31
2. MULTIPLE DX	5854	9.8	108	1	1	7	13	21	29	63
A. NOT OPERATED	5340	6.7	61	<1	1	4	9	15	21	42
B. OPERATED	1911	14.9	157	3	4	12	19	29	39	82
TOTAL 0-19 YRS	756	3.2	34	<1	<1	1	3	7	11	31
20-34	317	7.5	67	<1	<1	5	10	18	23	37
35-49	419	8.3	80	1	1	6	11	17	21	54
50-64	1080	8.7	98	1	1	6	11	19	24	50
65+	4679	9.9	108	1	2	7	13	22	30	64
GRAND TOTAL	**7251**	**8.8**	**99**	**<1**	**1**	**6**	**12**	**20**	**27**	**58**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	2	<1	<1	1	3	4	5	5
20-34	4	4.3	1	3	3	4	5	5	5	5
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	12	1.3	1	<1	<1	<1	<1	2	4	4
65+										
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49										
50-64	1	29.0		29	29	29	29	29	29	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.9	99	1	2	3	5	11	15	61
20-34	20	8.1	20	1	3	7	10	15	17	18
35-49	8	6.9	36	1	1	6	12	15	16	16
50-64	7	6.9	16	1	2	7	11	12	12	12
65+	2	17.0	8	15	15	17	19	19	19	19
B. *Operated*										
0-19 YRS	3	6.3	21	1	1	9	9	9	9	9
20-34	4	8.0	6	5	5	8	10	10	10	10
35-49	2	13.0	288	1	1	13	25	25	25	25
50-64	2	15.0	50	10	10	15	20	20	20	20
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.2	3	<1	<1	<1	3	5	5	9
B. *Operated*	2	22.0	98	15	15	22	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	93	6.7	70	1	1	4	8	14	16	55
B. *Operated*	12	9.4	49	1	1	9	10	21	24	25
1. SINGLE DX	53	2.9	19	<1	<1	1	4	5	8	29
2. MULTIPLE DX	105	7.0	68	1	1	5	9	15	18	53
A. NOT OPERATED	144	5.1	51	<1	<1	3	6	12	15	46
B. OPERATED	14	11.2	70	1	1	9	15	25	28	29
TOTAL 0-19 YRS	93	4.6	65	<1	<1	3	4	9	14	55
20-34	28	7.5	17	2	3	7	9	14	16	18
35-49	12	7.7	58	1	1	6	12	19	24	25
50-64	22	5.5	53	<1	<1	1	7	15	24	29
65+	3	13.3	44	6	6	15	18	19	19	19
GRAND TOTAL	**158**	**5.7**	**55**	**<1**	**<1**	**3**	**7**	**13**	**16**	**44**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	3.9	7	1	1	3	5	7	9	14
20-34	60	5.6	21	<1	1	4	8	11	13	25
35-49	47	5.4	30	<1	<1	3	8	14	15	25
50-64	65	6.2	23	1	2	5	7	11	19	22
65+	60	7.1	174	1	1	4	6	14	19	84
B. *Operated*										
0-19 YRS	127	6.7	49	1	2	5	8	13	16	46
20-34	91	8.8	46	2	3	7	10	15	20	44
35-49	48	9.8	58	3	3	8	11	18	21	49
50-64	78	10.7	95	2	2	8	12	23	31	53
65+	68	13.3	175	2	3	9	16	26	32	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	275	5.1	21	<1	1	4	6	11	13	28
20-34	119	5.7	17	1	1	5	8	11	13	21
35-49	140	6.5	27	<1	1	5	8	14	18	32
50-64	301	8.2	59	2	2	7	10	15	22	45
65+	641	9.4	101	1	2	7	12	19	25	56
B. *Operated*										
0-19 YRS	75	10.2	135	1	2	8	11	18	27	71
20-34	97	12.3	117	2	3	9	16	25	34	55
35-49	98	14.3	144	3	5	12	17	23	34	75
50-64	200	14.0	118	3	4	10	17	28	32	60
65+	444	16.6	197	3	5	12	21	32	45	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	5.1	37	1	1	4	6	10	14	22
B. *Operated*	412	9.4	83	2	2	7	11	18	24	51
2. MULTIPLE DX										
A. *Not Operated*	1476	7.8	67	1	2	6	10	15	21	41
B. *Operated*	914	14.8	164	3	4	11	18	29	39	76
1. SINGLE DX	866	7.1	63	1	2	5	9	14	19	44
2. MULTIPLE DX	2390	10.5	115	1	2	8	13	22	29	62
A. NOT OPERATED	1930	7.1	61	1	1	5	9	14	19	39
B. OPERATED	1326	13.1	145	2	3	10	16	26	37	69
TOTAL 0-19 YRS	699	5.6	37	1	1	4	7	11	14	33
20-34	367	8.2	59	1	2	7	10	16	22	45
35-49	333	9.1	78	<1	1	7	13	18	22	51
50-64	644	10.1	85	2	2	8	12	20	28	50
65+	1213	12.2	156	1	2	9	15	25	36	79
GRAND TOTAL	**3256**	**9.6**	**104**	**1**	**2**	**7**	**12**	**20**	**28**	**58**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	966	2.2	2	1	1	2	3	4	5	8
20-34	182	2.5	2	1	1	2	3	5	6	8
35-49	28	3.3	5	1	1	3	4	7	8	10
50-64	9	2.9	1	2	2	3	3	5	5	5
65+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
0-19 YRS	319	4.3	5	2	3	4	5	6	8	12
20-34	89	4.8	8	3	3	4	5	7	8	20
35-49	19	5.2	6	1	2	5	6	8	10	12
50-64	3	7.3	12	4	4	7	10	11	11	11
65+	2	11.5	85	5	5	11	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	2.9	4	1	1	2	4	5	6	10
20-34	89	3.2	4	1	1	3	4	6	6	12
35-49	24	3.7	4	1	2	3	5	6	8	9
50-64	8	7.0	46	2	2	4	10	18	20	20
65+	3	6.3	4	4	4	7	8	8	8	8
B. *Operated*										
0-19 YRS	112	4.9	4	2	3	5	6	8	8	12
20-34	63	6.3	24	3	3	5	7	9	11	36
35-49	16	11.2	34	4	4	11	14	17	24	27
50-64	1	14.0		14	14	14	14	14	14	14
65+	4	8.8	22	3	3	9	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	2.3	2	1	1	2	3	4	5	8
B. *Operated*	432	4.5	6	2	3	4	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	496	3.1	5	1	1	3	4	5	7	10
B. *Operated*	196	6.0	16	2	3	5	7	10	13	22
1. SINGLE DX	1620	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	692	3.9	10	1	1	3	5	7	9	15
A. NOT OPERATED	1684	2.5	3	1	1	2	3	5	6	9
B. OPERATED	628	5.0	10	2	3	4	6	8	10	16
TOTAL 0-19 YRS	1769	2.9	4	1	1	2	4	5	6	10
20-34	423	3.7	9	1	1	3	5	6	8	13
35-49	87	5.3	18	1	1	4	7	11	13	23
50-64	21	5.6	26	2	2	4	6	14	17	20
65+	12	7.0	25	1	2	6	10	14	17	18
GRAND TOTAL	**2312**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	4.9	9	1	2	4	7	8	9	17
20-34	19	4.3	14	1	1	3	5	12	13	13
35-49	7	6.4	11	3	3	8	9	10	10	10
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	108	3.1	7	<1	1	2	4	8	9	13
20-34	116	3.0	7	<1	<1	2	3	6	8	16
35-49	62	3.3	10	<1	1	2	4	7	11	16
50-64	28	3.3	16	<1	1	2	3	5	12	21
65+	25	4.0	10	1	2	3	4	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	5.1	7	2	2	5	7	9	10	12
20-34	24	4.8	13	1	1	4	5	7	14	18
35-49	12	7.8	21	2	3	7	9	16	17	17
50-64	18	5.8	14	2	3	5	8	9	14	18
65+	3	11.0	63	5	5	8	17	20	20	20
B. *Operated*										
0-19 YRS	50	4.9	16	<1	1	4	7	11	14	15
20-34	58	6.3	35	<1	1	4	8	15	21	25
35-49	34	5.1	15	1	2	4	6	9	16	17
50-64	39	5.7	15	1	2	5	8	11	14	17
65+	32	10.4	155	1	2	5	12	32	40	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	4.9	9	1	2	4	7	9	10	16
B. *Operated*	339	3.2	9	<1	1	2	3	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	184	5.4	11	2	2	5	7	9	11	18
B. *Operated*	213	6.3	44	1	1	4	8	14	17	37
1. SINGLE DX	539	3.8	10	<1	1	3	5	8	10	15
2. MULTIPLE DX	397	5.9	29	1	2	4	7	11	15	28
A. NOT OPERATED	384	5.1	10	1	2	4	7	9	10	18
B. OPERATED	552	4.4	25	<1	1	3	5	9	14	24
TOTAL 0-19 YRS	456	4.5	9	1	1	4	6	8	10	15
20-34	217	4.2	18	<1	1	3	5	8	14	23
35-49	115	4.5	15	<1	1	3	6	9	14	17
50-64	86	4.9	16	1	2	4	7	10	13	20
65+	62	7.6	96	1	2	4	10	15	33	51
GRAND TOTAL	**936**	**4.7**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**20**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	13.6	545	1	1	5	10	55	66	66
20-34	22	14.1	119	1	2	12	21	30	36	37
35-49	17	9.8	34	4	4	8	14	19	21	21
50-64	8	17.8	200	1	2	15	32	36	36	36
65+	31	17.9	192	2	3	15	21	34	51	67
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.9	621	1	1	4	8	57	69	69
20-34	29	15.0	203	2	3	11	21	50	98	99+
35-49	35	12.5	177	1	1	9	15	28	60	99+
50-64	45	15.2	187	2	4	11	21	40	55	99+
65+	110	19.0	302	3	4	13	28	48	67	99+
B. *Operated*										
0-19 YRS										
20-34	2	42.0	450	27	27	42	57	57	57	57
35-49										
50-64	1	47.0		47	47	47	47	47	47	47
65+	8	30.1	759	8	10	22	59	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	14.9	170	2	3	14	20	30	38	67
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	226	16.5	258	2	3	12	24	45	67	99+
B. *Operated*	11	33.8	618	8	11	27	52	94	99	99+
1. SINGLE DX	85	14.9	170	2	3	14	20	30	38	67
2. MULTIPLE DX	237	17.3	286	2	3	12	25	48	70	99+
A. NOT OPERATED	311	16.1	234	2	3	12	21	42	58	99+
B. OPERATED	11	33.8	618	8	11	27	52	94	99	99+
TOTAL 0-19 YRS	14	13.2	538	1	1	4	9	66	68	69
20-34	53	15.6	194	2	2	12	24	39	59	99+
35-49	52	11.6	130	1	2	8	15	24	34	99
50-64	54	16.2	200	2	4	12	25	41	52	98
65+	149	19.4	304	3	4	14	26	48	69	99+
GRAND TOTAL	**322**	**16.7**	**256**	**2**	**3**	**12**	**22**	**44**	**60**	**99+**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	3.2	10	1	1	2	4	7	9	18
20-34	130	6.1	71	1	1	4	6	12	24	50
35-49	50	6.9	77	1	1	4	8	10	25	48
50-64	87	12.3	212	1	1	6	16	30	41	72
65+	478	15.2	264	2	3	10	19	38	58	99+
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	8.0		8	8	8	8	8	8	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64	4	19.0	357	2	2	14	30	46	46	46
65+	5	22.6	309	2	2	24	33	48	48	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	159	7.4	141	1	1	4	7	14	29	72
20-34	385	8.0	54	2	2	6	10	16	21	41
35-49	251	9.5	90	2	3	7	10	18	28	64
50-64	275	17.8	345	2	4	11	24	48	79	99+
65+	2275	19.6	355	3	5	14	28	68	99+	99+
B. *Operated*										
0-19 YRS	7	19.0	903	1	1	8	55	95	99+	99+
20-34	16	15.8	223	2	3	11	21	31	52	61
35-49	9	16.2	291	3	5	9	50	99+	99+	99+
50-64	26	22.1	520	4	5	17	43	99	99+	99+
65+	250	28.9	542	5	8	25	64	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	882	11.3	204	1	1	6	14	30	46	99
B. *Operated*	13	16.3	250	2	2	11	25	46	48	48
2. MULTIPLE DX										
A. *Not Operated*	3345	16.7	312	2	4	11	23	53	91	99+
B. *Operated*	308	27.0	535	4	7	23	58	99+	99+	99+
1. SINGLE DX	895	11.3	204	1	1	6	14	30	47	99
2. MULTIPLE DX	3653	17.6	339	2	4	12	25	61	99+	99+
A. NOT OPERATED	4227	15.6	294	2	3	10	21	48	81	99+
B. OPERATED	321	26.6	527	4	7	22	57	99+	99+	99+
TOTAL 0-19 YRS	304	5.7	105	1	1	3	6	10	17	78
20-34	533	7.7	65	1	2	5	9	16	23	49
35-49	311	9.3	95	2	3	6	10	19	29	83
50-64	392	16.9	331	2	3	11	23	47	73	99+
65+	3008	19.7	366	3	4	14	29	70	99+	99+
GRAND TOTAL	**4548**	**16.4**	**319**	**2**	**3**	**11**	**22**	**53**	**94**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	37	21.4	365	4	5	18	26	54	81	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0		7	7	7	7	7	7	7
50-64	12	14.8	163	4	4	10	24	33	43	45
65+	195	20.9	361	4	5	16	30	75	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	32.5	1201	8	8	32	57	57	57	57
65+	10	34.4	898	7	11	86	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	21.4	365	4	5	18	26	54	81	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	209	20.5	349	4	5	16	30	70	99+	99+
B. *Operated*	12	34.1	844	6	9	57	99+	99+	99+	99+
1. SINGLE DX	37	21.4	365	4	5	18	26	54	81	99+
2. MULTIPLE DX	221	21.2	382	4	5	16	33	89	99+	99+
A. NOT OPERATED	246	20.6	350	4	5	16	29	67	99+	99+
B. OPERATED	12	34.1	844	6	9	57	99+	99+	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	2	7.0		7	7	7	7	7	7	7
50-64	14	17.4	272	4	4	10	25	46	55	57
65+	242	21.6	386	4	5	17	32	87	99+	99+
GRAND TOTAL	**258**	**21.2**	**378**	**4**	**5**	**16**	**32**	**86**	**99+**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	30	1	1	4	7	15	16	16
20-34	278	5.2	4	2	3	5	5	7	8	13
35-49	514	5.2	6	2	3	5	5	7	8	15
50-64	242	6.1	30	2	3	5	5	8	14	47
65+	59	8.4	69	3	5	5	8	16	28	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	9.0		9	9	9	9	9	9	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	4	1	1	3	5	6	6	6
20-34	710	6.5	16	2	4	6	8	9	12	23
35-49	1346	7.0	22	3	4	6	8	11	14	31
50-64	778	8.2	48	3	4	6	8	15	21	49
65+	248	12.9	182	3	4	8	15	29	45	99+
B. *Operated*										
0-19 YRS										
20-34	15	8.7	27	2	3	8	9	17	21	23
35-49	42	14.3	135	3	6	10	15	33	44	49
50-64	28	14.7	107	3	4	15	21	40	99+	99+
65+	21	22.6	190	5	5	22	35	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1099	5.6	15	2	3	5	5	8	9	22
B. *Operated*	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3092	7.7	43	3	4	6	8	13	19	43
B. *Operated*	106	15.2	137	3	5	11	22	36	49	99+
1. SINGLE DX	1100	5.6	15	2	3	5	5	8	9	22
2. MULTIPLE DX	3198	7.9	48	3	4	6	8	14	20	46
A. NOT OPERATED	4191	7.1	36	3	4	5	8	11	16	39
B. OPERATED	107	15.2	137	3	5	11	22	36	49	99+
TOTAL 0-19 YRS	16	4.1	14	1	1	3	6	7	13	16
20-34	1003	6.2	13	2	3	5	7	8	11	22
35-49	1902	6.7	22	3	4	5	8	10	14	31
50-64	1049	7.8	47	3	4	6	8	15	21	52
65+	328	12.7	171	3	4	8	16	30	46	99+
GRAND TOTAL	**4298**	**7.3**	**40**	**3**	**4**	**5**	**8**	**12**	**18**	**44**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	8.1	54	<1	1	6	10	20	25	27
20-34	35	13.5	388	1	1	5	11	37	59	88
35-49	11	11.9	104	1	2	12	15	28	35	36
50-64	6	9.3	82	2	2	6	13	25	26	26
65+	8	8.1	45	2	2	6	11	19	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	16.6	492	1	1	9	16	46	82	86
20-34	121	7.8	81	1	2	5	10	15	27	49
35-49	47	9.9	84	1	2	8	14	18	23	55
50-64	29	9.1	59	3	3	6	12	23	27	28
65+	56	14.3	195	3	3	10	15	33	48	68
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	3	14.3	30	8	8	17	18	18	18	18
35-49	1	16.0		16	16	16	16	16	16	16
50-64										
65+	4	17.0	139	5	5	25	47	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	11.1	208	1	1	6	12	26	37	81
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	280	10.4	149	1	2	7	13	21	31	68
B. *Operated*	9	16.0	61	5	6	17	25	64	99+	99+
1. SINGLE DX	80	11.1	208	1	1	6	12	26	37	81
2. MULTIPLE DX	289	10.6	147	1	2	7	14	23	31	76
A. NOT OPERATED	360	10.6	162	1	2	6	13	24	35	68
B. OPERATED	9	16.0	61	5	6	17	25	64	99+	99+
TOTAL 0-19 YRS	48	13.1	312	1	1	8	15	29	53	86
20-34	159	9.2	151	1	2	5	10	20	36	68
35-49	59	10.3	86	1	2	8	14	20	25	53
50-64	35	9.2	61	2	3	6	13	26	27	28
65+	68	13.8	176	3	3	10	16	32	51	94
GRAND TOTAL	**369**	**10.7**	**160**	**1**	**2**	**7**	**13**	**25**	**36**	**78**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	22.8	419	2	3	17	32	73	85	99+
20-34	1198	19.2	223	3	4	15	27	39	50	88
35-49	550	18.1	196	3	4	15	24	33	45	78
50-64	259	19.2	217	3	4	17	25	37	48	74
65+	45	24.4	299	5	11	18	29	55	64	73
B. *Operated*										
0-19 YRS										
20-34	3	22.0	171	7	7	28	30	31	31	31
35-49										
50-64	2	51.0	1922	20	20	51	82	82	82	82
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	31.3	501	3	5	26	48	70	75	99+
20-34	460	21.6	275	3	5	19	30	42	56	84
35-49	285	21.4	253	4	6	17	27	45	58	92
50-64	176	24.9	347	5	7	21	33	54	79	99+
65+	79	24.1	284	6	7	22	34	62	99+	99+
B. *Operated*										
0-19 YRS	1	87.0		87	87	87	87	87	87	87
20-34	18	25.2	236	4	5	25	43	76	99+	99+
35-49	15	27.5	232	12	13	26	32	37	64	73
50-64	13	30.5	269	4	10	31	48	60	91	99+
65+	4	35.5	87	22	22	40	57	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2153	19.2	227	3	4	16	26	38	51	87
B. *Operated*	5	33.6	818	7	7	28	44	82	82	82
2. MULTIPLE DX										
A. *Not Operated*	1051	22.8	297	3	6	20	31	47	64	99+
B. *Operated*	51	29.3	292	5	11	30	43	73	99+	99+
1. SINGLE DX	2158	19.3	229	3	4	16	26	38	51	87
2. MULTIPLE DX	1102	23.1	298	3	6	20	32	48	66	99+
A. NOT OPERATED	3204	20.4	253	3	4	17	28	42	56	93
B. OPERATED	56	29.7	326	5	9	30	42	77	99+	99+
TOTAL 0-19 YRS	153	26.1	481	2	4	20	38	73	80	99+
20-34	1679	19.9	238	3	4	16	28	41	51	88
35-49	850	19.4	219	3	5	16	25	37	52	81
50-64	450	21.9	285	3	5	18	28	46	64	99+
65+	128	24.6	284	5	8	21	35	59	77	99+
GRAND TOTAL	**3260**	**20.5**	**255**	**3**	**5**	**17**	**28**	**42**	**57**	**98**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	18.8	246	2	3	13	28	42	52	59
20-34	109	18.4	268	2	4	14	23	41	67	99+
35-49	25	11.6	72	<1	3	11	15	25	29	31
50-64	8	11.8	21	2	4	12	14	16	17	17
65+	2	19.0	162	10	10	19	28	28	28	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	23.3	392	2	5	21	29	67	83	99+
20-34	41	23.0	235	4	7	20	31	41	49	79
35-49	12	21.1	416	<1	3	13	27	52	71	74
50-64	2	41.0	450	26	26	41	56	56	56	56
65+	5	8.8	45	2	2	8	13	19	19	19
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	3	33.0	117	21	21	36	40	42	42	42
35-49										
50-64	1	21.0		21	21	21	21	21	21	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	17.2	229	2	3	13	23	38	48	97
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	80	22.4	300	3	5	19	30	49	67	93
B. *Operated*	5	30.8	89	21	21	34	37	42	42	42
1. SINGLE DX	182	17.2	229	2	3	13	23	38	48	97
2. MULTIPLE DX	85	22.9	291	3	5	20	31	47	67	92
A. NOT OPERATED	262	18.8	255	2	3	14	25	41	56	98
B. OPERATED	5	30.8	89	21	21	34	37	42	42	42
TOTAL 0-19 YRS	59	20.6	293	2	3	16	28	50	62	97
20-34	153	19.9	262	2	4	17	26	41	51	99
35-49	37	14.7	195	<1	3	12	19	30	39	74
50-64	11	17.9	197	2	7	14	20	38	54	56
65+	7	11.7	82	2	2	10	17	26	28	28
GRAND TOTAL	**267**	**19.0**	**254**	**2**	**3**	**14**	**26**	**41**	**56**	**98**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	23.5	325	3	5	19	34	47	62	94
20-34	1820	18.5	221	1	3	15	25	38	49	89
35-49	959	18.4	217	2	4	15	24	37	51	81
50-64	411	18.8	163	2	4	17	25	37	45	64
65+	108	19.5	264	2	3	17	26	37	70	99+
B. *Operated*										
0-19 YRS										
20-34	4	33.0	141	23	23	30	42	49	49	49
35-49	1	13.0		13	13	13	13	13	13	13
50-64	3	9.0	3	8	8	10	55	99+	99+	99+
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	24.0	312	3	4	21	32	52	66	91
20-34	805	21.3	314	3	4	16	29	47	63	96
35-49	594	20.4	246	3	5	17	28	42	53	84
50-64	400	23.8	313	4	6	21	32	52	65	99+
65+	195	23.6	314	5	6	19	34	55	72	99+
B. *Operated*										
0-19 YRS	3	29.3	276	14	14	27	42	47	47	47
20-34	35	24.1	196	4	7	23	33	42	61	99+
35-49	40	35.4	751	7	8	26	50	82	94	99
50-64	29	32.4	439	11	13	26	49	68	92	99+
65+	15	38.4	730	10	12	33	67	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3538	18.9	223	2	3	15	26	38	51	88
B. *Operated*	9	21.1	189	8	8	20	35	74	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2079	21.8	295	3	5	18	30	47	60	99
B. *Operated*	122	31.7	514	7	10	25	44	72	95	99+
1. SINGLE DX	3547	18.9	223	2	3	15	26	39	51	88
2. MULTIPLE DX	2201	22.4	312	3	5	18	30	49	64	99+
A. NOT OPERATED	5617	20.0	252	2	4	16	28	41	55	92
B. OPERATED	131	30.9	497	7	9	25	44	72	96	99+
TOTAL 0-19 YRS	328	23.7	320	3	5	19	33	48	65	95
20-34	2664	19.4	251	2	3	16	27	41	55	91
35-49	1594	19.6	247	3	5	16	27	40	54	89
50-64	843	21.6	253	2	5	19	29	43	57	99
65+	319	22.9	328	4	6	19	33	56	78	99+
GRAND TOTAL	**5748**	**20.2**	**260**	**2**	**4**	**16**	**28**	**42**	**56**	**95**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	33.0	605	2	2	40	51	60	61	61
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	29.9	1159	1	1	51	82	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	33.0	605	2	2	40	51	60	61	61
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	29.9	1159	1	1	51	82	99+	99+	99+
B. *Operated*										
1. SINGLE DX	6	33.0	605	2	2	40	51	60	61	61
2. MULTIPLE DX	7	29.9	1159	1	1	51	82	99+	99+	99+
A. NOT OPERATED	13	31.3	834	1	2	43	67	99+	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	13	31.3	834	1	2	43	67	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**31.3**	**834**	**1**	**2**	**43**	**67**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	15.5	240	1	3	12	20	43	55	99+
20-34	649	16.2	184	1	3	13	22	34	47	66
35-49	658	18.1	179	3	5	15	23	36	44	65
50-64	743	19.6	203	3	5	17	25	39	47	74
65+	610	24.4	244	5	8	21	32	46	56	93
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	37.0	18	34	34	37	40	40	40	40
65+	2	50.5	5	49	49	50	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	20.6	244	2	4	16	30	51	58	99+
20-34	680	18.8	253	2	4	15	25	39	53	93
35-49	774	18.6	225	3	4	14	25	40	51	90
50-64	994	22.3	240	4	6	19	30	45	57	83
65+	1060	27.6	349	5	8	24	37	56	71	99+
B. *Operated*										
0-19 YRS	8	41.3	1159	7	9	29	71	91	93	93
20-34	34	22.1	158	5	9	19	29	41	43	57
35-49	46	25.7	325	9	10	20	32	45	85	99+
50-64	72	30.6	292	10	11	29	41	60	76	99+
65+	107	36.6	338	14	17	33	49	71	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2752	19.3	212	3	5	16	26	39	49	76
B. *Operated*	4	43.8	68	34	34	44	50	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	3591	22.4	285	3	5	19	30	46	60	98
B. *Operated*	267	31.4	348	9	12	28	42	62	80	99+
1. SINGLE DX	2756	19.4	212	3	5	16	26	39	49	76
2. MULTIPLE DX	3858	23.0	294	3	5	19	31	48	61	99+
A. NOT OPERATED	6343	21.0	255	3	5	17	28	43	56	93
B. OPERATED	271	31.6	346	9	12	29	42	61	80	99+
TOTAL 0-19 YRS	183	18.9	303	1	3	14	25	50	59	99+
20-34	1363	17.6	220	2	4	14	23	37	48	83
35-49	1478	18.6	209	3	5	15	25	38	48	83
50-64	1811	21.5	232	4	6	18	29	43	54	80
65+	1779	27.0	320	5	8	23	36	53	69	99+
GRAND TOTAL	**6614**	**21.5**	**263**	**3**	**5**	**18**	**29**	**44**	**57**	**94**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	20.2	152	4	7	18	28	35	41	64
20-34	678	17.3	178	2	4	14	23	34	46	88
35-49	525	16.5	135	3	5	14	21	32	37	56
50-64	404	17.6	153	3	5	15	23	33	41	62
65+	167	19.2	237	1	3	17	26	37	48	82
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49										
50-64	3	32.0	219	22	22	25	43	49	49	49
65+	1	53.0		53	53	53	53	53	53	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	27.1	579	2	3	20	39	77	86	99+
20-34	421	19.5	257	2	4	15	27	38	54	86
35-49	364	18.5	213	3	4	15	24	36	52	86
50-64	418	22.3	240	4	7	18	29	44	53	88
65+	293	24.4	264	5	8	20	32	47	64	95
B. *Operated*										
0-19 YRS										
20-34	21	24.9	248	4	7	22	31	50	57	61
35-49	27	28.3	363	7	9	25	37	51	72	81
50-64	29	34.6	488	10	12	29	46	74	81	84
65+	34	43.7	465	12	19	44	63	84	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1837	17.4	165	2	4	15	23	34	43	68
B. *Operated*	5	33.6	259	19	19	25	50	53	53	53
2. MULTIPLE DX										
A. *Not Operated*	1542	21.2	258	3	5	17	29	42	56	89
B. *Operated*	111	34.0	448	8	10	29	48	69	81	99+
1. SINGLE DX	1842	17.4	166	2	4	15	23	34	43	67
2. MULTIPLE DX	1653	22.1	280	3	5	18	29	45	60	89
A. NOT OPERATED	3379	19.1	211	3	5	16	25	37	50	84
B. OPERATED	116	34.0	438	8	10	29	49	69	81	99+
TOTAL 0-19 YRS	109	23.1	340	2	5	19	31	44	76	93
20-34	1121	18.3	210	2	4	15	25	36	50	88
35-49	916	17.6	177	3	4	15	23	35	42	70
50-64	854	20.5	219	3	6	17	27	41	52	84
65+	495	24.0	303	4	7	20	32	49	64	97
GRAND TOTAL	**3495**	**19.6**	**225**	**3**	**5**	**16**	**26**	**38**	**52**	**85**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	13.7	238	1	2	8	20	28	47	80
20-34	286	12.3	137	1	2	9	16	26	35	60
35-49	151	12.9	111	2	3	10	16	24	35	52
50-64	109	16.1	172	2	3	14	20	37	41	82
65+	108	14.0	147	2	2	10	19	31	38	56
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	3	18.0	148	10	10	12	27	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	15.1	221	2	2	11	23	39	57	99+
20-34	254	14.0	154	1	2	11	20	29	40	90
35-49	190	14.6	159	2	3	12	20	29	35	67
50-64	169	15.6	196	2	3	12	20	31	47	84
65+	421	15.2	183	3	4	12	19	33	43	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	13	22.2	185	9	11	22	33	99+	99+	99+
35-49	7	21.9	182	7	8	22	39	83	99+	99+
50-64	11	26.3	192	5	11	27	32	71	96	99+
65+	46	28.1	642	4	5	22	47	83	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	728	13.4	149	1	2	10	17	29	38	65
B. *Operated*	4	14.0	163	2	2	11	22	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	1103	14.9	176	2	3	12	20	31	43	99+
B. *Operated*	78	25.9	458	4	6	24	37	85	99+	99+
1. SINGLE DX	732	13.4	149	1	2	10	17	29	38	65
2. MULTIPLE DX	1181	15.6	202	2	3	12	21	33	48	99+
A. NOT OPERATED	1831	14.3	166	2	3	11	19	30	40	84
B. OPERATED	82	25.3	448	4	6	24	36	83	99+	99+
TOTAL 0-19 YRS	144	14.3	228	1	2	10	21	32	51	99+
20-34	553	13.3	148	1	2	10	18	29	39	78
35-49	349	13.9	140	2	3	11	18	29	35	69
50-64	289	16.2	190	2	3	13	21	34	47	93
65+	578	16.0	224	3	4	12	21	35	53	99+
GRAND TOTAL	**1913**	**14.7**	**183**	**2**	**3**	**11**	**20**	**32**	**43**	**99**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.0	16	<1	1	3	5	8	12	21
20-34	172	6.1	50	<1	1	4	7	15	21	38
35-49	147	7.1	72	1	1	4	8	16	23	46
50-64	113	5.4	25	1	1	4	7	10	17	25
65+	59	7.6	55	<1	1	5	10	16	21	40
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.2	29	1	1	3	4	8	19	97
20-34	293	8.1	63	1	1	5	10	19	25	39
35-49	357	8.3	97	1	2	6	9	17	27	54
50-64	335	7.5	61	1	2	5	9	17	25	42
65+	290	7.2	46	1	2	5	9	15	21	41
B. *Operated*										
0-19 YRS	4	4.8	20	1	1	3	8	11	11	11
20-34	71	3.0	10	1	1	2	3	6	10	16
35-49	32	7.7	137	<1	1	2	10	25	28	57
50-64	12	14.7	99	4	5	10	22	28	36	37
65+	11	15.1	145	5	6	11	18	32	47	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	533	6.2	49	1	1	4	7	14	21	39
B. *Operated*	2	6.0	50	1	1	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	1328	7.6	67	1	2	5	9	17	25	44
B. *Operated*	130	6.3	78	1	1	2	9	16	24	50
1. SINGLE DX	535	6.2	49	1	1	4	7	14	21	39
2. MULTIPLE DX	1458	7.5	68	1	2	5	9	17	25	45
A. NOT OPERATED	1861	7.2	62	1	1	5	8	16	24	43
B. OPERATED	132	6.3	77	1	1	2	9	16	24	50
TOTAL 0-19 YRS	100	4.2	23	<1	1	3	4	9	13	67
20-34	537	6.8	55	1	1	4	8	17	23	36
35-49	536	7.9	93	1	2	5	9	17	27	54
50-64	460	7.2	55	1	2	5	8	16	23	40
65+	360	7.5	52	1	2	5	9	16	22	42
GRAND TOTAL	**1993**	**7.2**	**63**	**1**	**1**	**5**	**8**	**16**	**24**	**44**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	22.7	749	1	2	12	51	88	99+	99+
20-34	388	10.7	100	1	2	7	14	24	31	55
35-49	316	11.2	109	1	2	8	15	24	28	59
50-64	176	12.2	97	1	2	9	17	27	34	45
65+	132	13.2	86	2	3	10	20	27	31	43
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	152	28.7	730	1	3	21	57	87	99+	99+
20-34	584	14.0	151	1	2	11	21	28	37	64
35-49	544	12.8	102	2	3	10	20	26	31	44
50-64	410	13.8	146	2	3	10	20	29	37	62
65+	450	15.0	182	3	4	11	21	31	46	92
B. *Operated*										
0-19 YRS	5	22.8	245	5	5	19	29	48	48	48
20-34	29	17.0	139	4	6	15	22	32	39	58
35-49	22	16.5	75	7	8	15	21	29	34	39
50-64	33	22.5	285	5	7	17	30	56	61	99+
65+	35	23.1	225	7	11	18	31	53	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1111	12.4	168	1	2	8	16	27	35	89
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	2140	14.9	200	2	3	11	21	31	44	90
B. *Operated*	124	20.3	198	6	7	17	25	46	58	99+
1. SINGLE DX	1112	12.4	168	1	2	8	16	27	35	89
2. MULTIPLE DX	2264	15.2	201	2	3	11	21	31	46	91
A. NOT OPERATED	3251	14.1	191	2	3	10	20	29	42	90
B. OPERATED	125	20.2	198	6	7	17	25	46	58	99+
TOTAL 0-19 YRS	256	26.3	733	1	2	17	54	87	99+	99+
20-34	1001	12.8	134	1	2	9	18	28	35	59
35-49	883	12.3	105	2	3	9	18	25	30	50
50-64	619	13.8	143	2	3	10	19	29	38	61
65+	617	15.1	168	3	4	11	21	31	44	91
GRAND TOTAL	**3376**	**14.3**	**192**	**2**	**3**	**10**	**20**	**30**	**43**	**90**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	10.6	212	1	1	5	14	30	50	99+
20-34	442	9.1	102	1	1	6	12	20	31	63
35-49	197	11.0	124	1	2	8	14	25	30	59
50-64	86	8.7	65	1	2	6	11	19	25	42
65+	32	9.2	68	2	2	6	13	16	33	36
B. *Operated*										
0-19 YRS	3	4.0	7	2	2	3	6	7	7	7
20-34	34	7.9	23	2	4	8	9	10	19	27
35-49	19	5.9	23	1	2	5	7	10	17	23
50-64	27	6.4	42	2	2	5	8	8	16	36
65+	5	7.6	9	4	4	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	15.2	407	1	2	7	22	57	96	99+
20-34	692	11.7	159	1	1	8	15	27	40	76
35-49	329	11.7	146	1	2	8	15	26	37	84
50-64	194	12.6	198	1	2	8	15	28	40	80
65+	147	13.3	185	2	3	8	16	30	40	70
B. *Operated*										
0-19 YRS	3	31.3	352	20	20	21	45	53	53	53
20-34	48	19.5	346	2	4	13	22	48	62	80
35-49	29	19.4	344	<1	2	13	27	51	54	75
50-64	47	13.2	267	2	3	9	13	31	66	99+
65+	20	16.4	124	3	4	20	24	62	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	959	9.8	125	1	1	6	13	22	32	78
B. *Operated*	88	6.9	27	2	2	6	8	9	14	33
2. MULTIPLE DX										
A. *Not Operated*	1563	12.4	19[illegible]	1	2	8	15	29	43	97
B. *Operated*	147	17.3	295	2	3	12	22	47	63	99+
1. SINGLE DX	1047	9.5	118	1	1	6	12	21	32	68
2. MULTIPLE DX	1710	12.8	206	1	2	8	16	31	45	98
A. NOT OPERATED	2522	11.4	171	1	1	7	14	27	40	95
B. OPERATED	235	13.4	220	2	3	8	18	32	52	99+
TOTAL 0-19 YRS	409	13.0	314	1	1	6	17	44	75	99+
20-34	1216	11.0	146	1	1	7	14	26	39	77
35-49	574	11.6	148	1	2	8	15	26	36	67
50-64	354	11.3	166	1	2	8	13	25	36	85
65+	204	12.8	159	2	3	8	16	29	40	85
GRAND TOTAL	**2757**	**11.6**	**175**	**1**	**2**	**7**	**15**	**28**	**41**	**96**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	4.9	40	<1	<1	2	6	13	22	26
20-34	1539	6.9	30	1	2	5	7	14	21	28
35-49	1713	6.6	27	2	3	5	7	11	21	28
50-64	818	6.4	26	1	2	5	7	11	21	27
65+	189	7.2	43	1	2	5	7	15	21	33
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	8.1	27	2	2	7	12	16	16	16
50-64	4	10.5	104	2	2	7	17	25	25	25
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	7.5	66	<1	1	5	9	21	25	42
20-34	2634	7.8	38	2	3	6	8	14	21	32
35-49	3910	8.2	35	2	3	7	9	14	21	30
50-64	2274	8.8	42	2	3	7	10	17	21	33
65+	802	10.1	76	2	3	7	12	20	28	48
B. *Operated*										
0-19 YRS	5	8.8	61	<1	<1	7	17	17	17	17
20-34	80	14.1	124	2	4	11	18	28	38	89
35-49	148	15.2	159	5	5	12	18	30	43	74
50-64	119	15.3	128	6	6	12	17	30	46	75
65+	62	21.9	362	5	6	16	30	58	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4401	6.6	29	1	2	5	7	12	21	28
B. *Operated*	14	9.9	50	2	2	9	15	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	9787	8.4	42	2	3	7	9	15	21	34
B. *Operated*	414	15.9	178	3	6	12	20	32	52	99+
1. SINGLE DX	4415	6.6	29	1	2	5	7	12	21	28
2. MULTIPLE DX	10201	8.7	50	2	3	7	10	16	21	38
A. NOT OPERATED	14188	7.8	38	2	3	6	8	14	21	31
B. OPERATED	428	15.7	175	3	6	12	20	32	51	99+
TOTAL 0-19 YRS	314	6.3	56	<1	1	4	7	18	23	33
20-34	4254	7.6	38	2	3	6	8	14	21	31
35-49	5779	7.9	38	2	3	6	8	14	21	30
50-64	3215	8.4	44	2	3	7	10	17	21	33
65+	1054	10.3	96	2	3	7	12	21	29	53
GRAND TOTAL	**14616**	**8.0**	**44**	**2**	**3**	**6**	**9**	**15**	**21**	**34**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.3	21	2	3	12	13	15	17	17
20-34	481	11.6	29	3	5	12	14	17	21	28
35-49	110	12.1	17	5	6	12	15	17	18	24
50-64	11	11.5	10	7	8	12	13	16	18	18
65+	3	15.7	20	11	11	16	19	20	20	20
B. *Operated*										
0-19 YRS										
20-34	5	8.4	19	1	1	10	11	12	12	12
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	12.8	29	3	7	13	15	17	17	36
20-34	1618	13.0	25	4	7	13	16	17	19	28
35-49	710	13.1	20	6	8	13	16	17	19	29
50-64	79	12.1	15	6	6	13	15	17	17	22
65+	5	12.6	34	7	7	11	17	21	21	21
B. *Operated*										
0-19 YRS	3	15.7	5	13	13	17	17	17	17	17
20-34	197	15.0	36	9	11	15	17	17	18	62
35-49	80	15.2	30	8	9	15	17	18	22	43
50-64	11	16.3	16	13	13	15	17	22	27	27
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	614	11.7	26	3	5	12	15	17	21	27
B. *Operated*	5	8.4	19	1	1	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2453	13.0	23	5	7	13	16	17	19	28
B. *Operated*	292	15.1	33	9	11	15	17	17	19	49
1. SINGLE DX	619	11.6	26	3	5	12	15	17	21	27
2. MULTIPLE DX	2745	13.2	25	5	7	13	16	17	19	30
A. NOT OPERATED	3067	12.7	24	4	7	13	15	17	20	28
B. OPERATED	297	15.0	33	8	10	15	17	17	19	49
TOTAL 0-19 YRS	53	12.5	27	3	6	13	15	17	17	35
20-34	2301	12.8	27	4	6	13	16	17	20	29
35-49	900	13.2	21	6	8	13	16	17	19	29
50-64	101	12.5	16	6	7	13	15	17	18	25
65+	9	13.9	25	7	7	15	17	21	21	21
GRAND TOTAL	**3364**	**12.9**	**25**	**4**	**7**	**13**	**16**	**17**	**19**	**29**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	9.4	15	7	7	7	11	16	16	16
20-34	81	10.5	52	1	2	9	16	19	22	34
35-49	18	10.3	59	1	1	9	15	21	25	27
50-64	4	14.3	125	3	3	12	22	29	29	29
65+	1	30.0		30	30	30	30	30	30	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	8.1	26	1	1	8	11	14	18	20
20-34	237	13.1	48	2	3	14	17	21	23	30
35-49	82	13.9	51	3	4	14	18	21	27	34
50-64	20	14.9	173	2	4	12	17	47	77	99+
65+	8	9.8	22	1	2	11	13	14	14	14
B. *Operated*										
0-19 YRS	2	25.0	512	9	9	25	41	41	41	41
20-34	13	18.2	108	5	10	16	19	30	45	49
35-49	3	25.7	144	14	14	25	35	38	38	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	10.8	56	1	2	9	16	20	26	33
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	366	13.0	55	2	3	13	17	21	25	38
B. *Operated*	18	20.2	134	6	10	17	25	40	46	49
1. SINGLE DX	110	10.7	56	1	2	9	16	20	26	33
2. MULTIPLE DX	384	13.4	61	2	4	13	17	21	26	45
A. NOT OPERATED	475	12.5	56	2	3	13	17	21	25	36
B. OPERATED	19	19.3	143	3	6	16	23	40	45	49
TOTAL 0-19 YRS	26	9.6	62	1	2	8	11	16	24	41
20-34	331	12.7	53	2	3	13	17	21	23	33
35-49	103	13.6	59	2	4	14	18	22	28	36
50-64	25	14.3	158	2	3	12	17	38	66	99+
65+	9	12.0	65	1	2	12	13	24	30	30
GRAND TOTAL	**494**	**12.8**	**61**	**2**	**3**	**13**	**17**	**21**	**26**	**40**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	320	1.4	1	<1	<1	1	2	2	3	6
20-34	126	2.8	11	<1	<1	1	3	8	8	19
35-49	63	3.8	8	<1	1	3	5	8	8	13
50-64	42	3.5	6	1	1	3	4	8	8	9
65+	21	3.2	17	<1	<1	2	3	9	14	18
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	2.2	17	<1	<1	1	2	3	6	19
20-34	400	5.7	17	<1	1	7	8	8	10	22
35-49	398	7.0	16	1	2	8	8	9	14	25
50-64	185	6.1	17	1	2	5	8	10	15	20
65+	54	7.6	63	1	1	5	10	14	24	43
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	22	7.4	28	<1	1	8	8	13	19	24
35-49	11	9.9	23	1	5	8	13	17	20	20
50-64	4	16.8	91	3	3	19	22	25	25	25
65+	5	5.2	8	2	2	5	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	572	2.2	6	<1	<1	1	2	5	8	11
B. *Operated*	2	4.5	25	<1	<1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1242	5.7	22	<1	1	5	8	8	12	24
B. *Operated*	45	8.2	38	1	1	8	10	19	21	25
1. SINGLE DX	574	2.2	6	<1	<1	1	2	5	8	11
2. MULTIPLE DX	1287	5.8	22	<1	1	6	8	9	13	25
A. NOT OPERATED	1814	4.6	19	<1	<1	3	8	8	10	22
B. OPERATED	47	8.0	37	1	1	8	10	18	21	25
TOTAL 0-19 YRS	528	1.7	7	<1	<1	1	2	3	3	8
20-34	549	5.1	18	<1	<1	4	8	8	10	22
35-49	472	6.7	17	1	2	8	8	9	14	24
50-64	232	5.8	19	1	1	5	8	9	16	21
65+	80	6.3	51	<1	1	4	8	13	20	40
GRAND TOTAL	**1861**	**4.7**	**20**	**<1**	**<1**	**3**	**8**	**8**	**11**	**22**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.0	30	<1	1	1	4	12	15	24
20-34	92	5.4	19	<1	1	5	7	12	15	19
35-49	17	5.2	14	1	1	4	7	12	13	13
50-64	4	3.5	11	1	1	3	6	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	3	4.3	24	<1	<1	2	8	10	10	10
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.8	54	<1	1	4	11	17	22	34
20-34	323	7.2	28	1	2	7	9	14	16	27
35-49	129	8.0	31	2	4	7	10	15	22	29
50-64	32	9.4	44	2	3	7	11	18	21	35
65+	12	10.9	99	1	2	7	14	28	32	33
B. *Operated*										
0-19 YRS										
20-34	11	12.9	109	4	5	10	14	29	40	41
35-49	8	10.3	20	5	6	9	13	17	18	18
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	5.0	21	<1	1	4	7	12	14	19
B. *Operated*	6	5.3	18	<1	<1	4	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	541	7.5	34	1	2	7	10	14	19	30
B. *Operated*	21	12.3	73	5	6	9	14	23	33	41
1. SINGLE DX	153	5.1	20	<1	1	4	7	11	14	19
2. MULTIPLE DX	562	7.7	36	1	2	7	10	15	19	32
A. NOT OPERATED	688	7.0	32	1	1	6	9	14	18	29
B. OPERATED	27	10.7	69	2	3	9	12	20	28	41
TOTAL 0-19 YRS	78	5.6	45	<1	1	3	6	15	19	32
20-34	429	6.9	29	1	1	7	9	14	16	27
35-49	156	7.8	29	2	3	7	10	15	20	29
50-64	38	9.0	50	1	2	7	10	19	24	35
65+	14	10.5	85	1	3	8	9	27	32	33
GRAND TOTAL	**715**	**7.1**	**34**	**1**	**1**	**6**	**9**	**14**	**18**	**30**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.0	7	<1	1	2	3	6	8	15
20-34	63	5.0	39	1	1	3	5	9	15	40
35-49	50	4.0	14	1	1	3	5	8	15	17
50-64	40	4.1	6	1	2	4	5	7	9	13
65+	27	5.0	6	2	2	5	6	8	9	12
B. *Operated*										
0-19 YRS	6	4.2	12	<1	<1	3	6	10	10	10
20-34	6	6.8	17	2	2	7	10	12	12	12
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	4	7.0	114	1	1	2	13	23	23	23
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.7	117	1	1	4	6	7	8	75
20-34	111	5.6	32	1	2	4	7	10	13	32
35-49	135	5.3	19	1	2	4	7	11	13	25
50-64	123	6.0	21	2	2	5	7	11	14	51
65+	147	6.3	23	1	2	5	8	11	16	31
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	7.3	28	<1	1	8	10	14	17	17
35-49	12	9.4	48	2	2	6	15	20	21	21
50-64	9	9.9	24	3	3	11	14	16	16	16
65+	17	14.5	329	2	3	9	18	20	60	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	4.2	18	1	1	3	5	8	11	19
B. *Operated*	21	5.6	29	<1	1	3	8	11	17	23
2. MULTIPLE DX										
A. *Not Operated*	567	5.8	32	1	2	4	7	11	15	30
B. *Operated*	49	10.7	139	2	2	8	14	19	20	81
1. SINGLE DX	245	4.3	19	1	1	3	5	8	12	23
2. MULTIPLE DX	616	6.2	42	1	2	5	7	12	17	31
A. NOT OPERATED	791	5.4	28	1	1	4	7	10	13	28
B. OPERATED	70	9.2	111	1	2	7	12	18	20	69
TOTAL 0-19 YRS	102	4.4	63	1	1	3	5	7	9	51
20-34	190	5.5	34	1	1	4	7	10	14	35
35-49	201	5.2	20	1	1	4	6	11	15	23
50-64	176	5.8	20	2	2	5	7	11	15	31
65+	192	6.9	52	1	2	5	8	12	19	59
GRAND TOTAL	**861**	**5.7**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	11.4	186	1	1	6	14	29	37	87
20-34	509	7.1	56	1	1	5	9	14	23	37
35-49	248	7.4	50	1	1	5	10	14	21	36
50-64	102	9.7	73	1	1	7	14	22	25	39
65+	63	11.7	130	1	2	9	17	25	28	68
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	13.7	281	1	2	8	17	39	63	99+
20-34	690	10.1	84	1	2	8	14	21	27	50
35-49	391	9.7	76	1	2	7	12	21	28	42
50-64	175	11.5	97	2	3	8	16	24	28	43
65+	135	14.3	147	2	4	12	19	27	37	65
B. *Operated*										
0-19 YRS	15	14.7	257	1	2	13	24	58	89	99+
20-34	30	11.1	130	1	2	8	14	20	26	61
35-49	18	18.3	122	2	4	17	21	32	40	46
50-64	7	31.7	794	2	3	19	55	72	76	76
65+	13	29.2	180	9	11	32	41	45	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1320	8.9	103	1	1	6	12	21	29	52
B. *Operated*	4	3.0	8	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1725	11.2	129	1	2	8	14	23	32	69
B. *Operated*	83	17.9	255	2	2	14	24	45	59	92
1. SINGLE DX	1324	8.8	102	1	1	5	12	21	29	52
2. MULTIPLE DX	1808	11.5	137	1	2	8	15	24	34	71
A. NOT OPERATED	3045	10.2	119	1	2	7	13	23	31	63
B. OPERATED	87	17.2	253	1	2	14	22	44	58	91
TOTAL 0-19 YRS	748	12.5	231	1	1	7	16	31	50	99+
20-34	1231	8.9	76	1	1	6	12	20	26	48
35-49	658	9.1	71	1	2	7	12	20	28	43
50-64	284	11.4	114	1	2	8	15	24	30	54
65+	211	14.5	158	2	3	12	19	28	40	68
GRAND TOTAL	**3132**	**10.4**	**124**	**1**	**2**	**7**	**13**	**23**	**31**	**64**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	15.1	417	1	1	6	21	59	75	99+
20-34	299	9.1	108	1	2	6	11	22	33	69
35-49	210	9.0	98	1	1	5	11	20	29	50
50-64	143	12.8	136	2	2	8	18	28	33	64
65+	115	14.5	160	3	3	9	19	34	42	52
B. *Operated*										
0-19 YRS	7	8.1	51	1	1	5	14	19	20	20
20-34	6	9.5	238	3	3	3	4	37	41	41
35-49	7	4.3	14	1	1	3	5	11	12	12
50-64	5	13.6	114	4	4	10	20	31	31	31
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	20.1	618	1	2	10	36	85	99+	99+
20-34	504	11.1	176	1	2	7	13	25	39	95
35-49	391	10.2	97	2	2	7	12	22	30	48
50-64	363	12.6	190	2	3	8	15	27	41	80
65+	456	15.2	198	2	3	11	19	36	51	99+
B. *Operated*										
0-19 YRS	16	29.3	793	2	3	21	64	96	99+	99+
20-34	34	19.4	307	4	5	15	25	31	57	92
35-49	28	18.6	474	2	3	13	21	37	79	98
50-64	43	19.8	218	4	5	18	25	51	58	99+
65+	56	29.8	525	3	4	27	49	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	12.1	230	1	2	6	15	34	55	99+
B. *Operated*	26	8.6	92	1	2	4	11	20	33	41
2. MULTIPLE DX										
A. *Not Operated*	2092	13.7	260	2	2	8	16	36	61	99+
B. *Operated*	177	23.6	440	3	5	19	33	68	88	99+
1. SINGLE DX	1207	12.1	227	1	2	6	15	33	55	99+
2. MULTIPLE DX	2269	14.5	281	2	2	9	18	38	64	99+
A. NOT OPERATED	3273	13.1	250	1	2	7	16	35	58	99+
B. OPERATED	203	21.7	420	2	3	18	31	63	86	99+
TOTAL 0-19 YRS	815	17.6	522	1	1	8	27	72	99	99+
20-34	843	10.7	161	1	2	7	13	25	35	92
35-49	636	10.1	116	1	2	7	12	22	30	52
50-64	554	13.2	180	2	3	8	17	29	39	75
65+	628	16.3	237	2	3	11	22	41	54	99+
GRAND TOTAL	**3476**	**13.6**	**263**	**1**	**2**	**8**	**17**	**36**	**60**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	50	1	1	10	16	92	99+	99+
20-34	14	6.9	42	<1	1	5	9	17	22	23
35-49	6	2.7	5	1	1	2	3	7	7	7
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	10.6	239	1	2	7	13	21	71	99+
20-34	60	11.7	156	1	1	7	14	31	41	49
35-49	26	13.7	174	2	4	8	20	30	48	53
50-64	20	11.8	63	2	3	12	16	27	60	99+
65+	6	10.3	120	3	3	6	11	30	32	32
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	5	76	99+	99+	99+
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.9	35	<1	1	4	9	16	34	99+
B. *Operated*	4	11.3	218	2	2	5	20	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	149	11.7	163	1	2	7	15	30	46	99+
B. *Operated*	3	4.7	12	1	1	6	54	99+	99+	99+
1. SINGLE DX	30	6.6	56	1	1	4	9	19	32	99+
2. MULTIPLE DX	152	11.6	161	1	2	7	15	30	47	99+
A. NOT OPERATED	175	10.9	148	1	2	7	14	29	45	99+
B. OPERATED	7	8.4	126	1	1	6	21	80	99+	99+
TOTAL 0-19 YRS	43	10.8	223	1	2	7	14	33	92	99+
20-34	78	10.3	133	1	1	6	13	31	41	85
35-49	34	11.4	151	1	2	7	13	28	44	53
50-64	20	11.8	63	2	3	12	16	27	60	99+
65+	7	9.4	106	3	3	5	10	28	32	32
GRAND TOTAL	**182**	**10.8**	**146**	**1**	**2**	**7**	**14**	**30**	**47**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	324	11.1	29	2	3	11	14	16	18	25
20-34	57	8.7	40	2	2	8	13	16	18	35
35-49	36	10.1	74	1	2	9	13	21	25	43
50-64	22	12.0	242	<1	1	6	15	25	48	71
65+	13	14.9	63	6	6	15	20	27	31	32
B. *Operated*										
0-19 YRS	32	14.2	14	10	11	13	15	21	22	26
20-34	22	11.4	203	1	2	6	12	32	48	58
35-49	38	14.8	213	2	3	9	20	34	48	68
50-64	22	9.8	49	2	3	7	16	21	54	99+
65+	7	33.0	483	5	7	33	52	60	62	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	12.7	56	2	4	12	15	21	25	36
20-34	48	12.2	134	2	2	10	15	22	28	59
35-49	51	15.6	248	1	2	11	20	33	58	75
50-64	61	15.5	215	2	3	12	17	33	50	74
65+	54	21.1	217	2	7	17	30	44	55	59
B. *Operated*										
0-19 YRS	56	19.0	167	9	11	15	23	35	46	99
20-34	37	28.4	446	4	7	25	44	64	84	99+
35-49	39	23.4	511	2	2	19	36	79	89	99+
50-64	57	24.5	351	2	4	21	38	60	70	99+
65+	38	35.5	486	3	8	38	58	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	10.9	46	1	3	11	14	17	21	33
B. *Operated*	121	14.2	163	2	3	12	17	30	50	77
2. MULTIPLE DX										
A. *Not Operated*	450	14.4	133	2	3	12	16	26	35	59
B. *Operated*	227	25.4	394	3	4	21	39	68	87	99+
1. SINGLE DX	573	11.6	72	2	3	11	15	19	25	53
2. MULTIPLE DX	677	18.1	247	2	4	14	23	44	59	99+
A. NOT OPERATED	902	12.6	92	2	3	11	15	22	29	59
B. OPERATED	348	21.5	342	2	4	16	31	54	79	99+
TOTAL 0-19 YRS	648	12.6	55	2	4	12	15	20	24	40
20-34	164	14.5	235	2	3	10	17	36	50	86
35-49	164	16.1	280	2	2	10	21	41	61	97
50-64	162	17.4	271	2	3	12	23	48	64	99+
65+	112	26.0	359	3	6	21	40	59	83	99+
GRAND TOTAL	**1250**	**15.1**	**177**	**2**	**3**	**12**	**17**	**31**	**49**	**87**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	23.0	130	6	6	28	29	30	30	30
35-49	4	12.0	90	3	3	10	19	24	24	24
50-64	73	13.3	115	3	4	10	18	29	32	56
65+	198	13.4	142	3	4	10	16	25	35	64
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	9	20.9	212	6	7	22	23	43	55	55
65+	16	19.6	271	2	3	18	23	52	57	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	7.0		7	7	7	7	7	7	7
35-49	14	13.4	115	1	2	12	20	31	31	31
50-64	155	17.0	215	4	5	13	22	34	52	99+
65+	1130	16.7	184	4	5	13	23	38	57	99+
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	2	20.5	61	15	15	20	26	26	26	26
50-64	21	27.3	555	6	7	20	44	59	81	94
65+	158	23.7	243	6	9	21	37	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	13.4	134	3	4	10	17	28	34	60
B. *Operated*	26	19.7	234	3	3	18	23	52	56	58
2. MULTIPLE DX										
A. *Not Operated*	1302	16.7	187	4	5	13	22	37	56	99+
B. *Operated*	182	24.1	274	6	8	21	37	70	99+	99+
1. SINGLE DX	306	14.0	145	3	4	11	18	28	35	60
2. MULTIPLE DX	1484	17.6	203	4	5	14	24	42	61	99+
A. NOT OPERATED	1582	16.1	179	3	5	12	21	35	53	99+
B. OPERATED	208	23.5	270	6	8	21	34	61	99+	99+
TOTAL 0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	7	18.9	132	6	6	26	28	30	30	30
35-49	21	13.7	97	1	2	14	21	28	31	31
50-64	258	16.9	224	4	5	12	23	33	50	98
65+	1502	17.0	192	4	5	13	23	41	59	99+
GRAND TOTAL	**1790**	**17.0**	**195**	**3**	**5**	**13**	**23**	**38**	**57**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	12.2	110	2	3	7	18	31	33	34
20-34	229	9.8	68	2	3	9	13	17	24	52
35-49	243	10.1	60	1	2	9	14	20	24	40
50-64	79	10.4	47	2	3	9	14	21	27	80
65+	5	7.2	20	1	1	9	12	91	99+	99+
B. *Operated*										
0-19 YRS										
20-34	37	13.8	160	1	2	10	22	35	42	45
35-49	44	9.4	92	2	2	6	11	23	27	47
50-64	23	18.9	358	2	2	10	35	47	53	61
65+	2	23.0	98	16	16	23	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	7	2	2	4	6	8	8	8
20-34	128	14.9	269	2	3	11	16	26	50	90
35-49	234	14.2	143	3	4	11	18	30	40	99+
50-64	166	14.2	172	2	3	11	18	35	53	99+
65+	50	16.0	252	4	6	11	20	49	99	99+
B. *Operated*										
0-19 YRS										
20-34	43	17.0	155	4	6	13	23	47	64	99+
35-49	70	19.1	181	5	6	16	32	99+	99+	99+
50-64	64	19.5	303	3	4	16	26	61	99+	99+
65+	16	16.7	212	1	3	15	27	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	576	10.1	63	2	3	9	14	19	25	48
B. *Operated*	106	13.3	183	2	2	8	21	35	45	54
2. MULTIPLE DX										
A. *Not Operated*	582	14.4	188	2	4	11	17	31	49	99+
B. *Operated*	193	18.6	216	4	5	15	29	61	99+	99+
1. SINGLE DX	682	10.6	83	2	2	9	14	22	30	49
2. MULTIPLE DX	775	15.5	198	3	4	12	20	38	64	99+
A. NOT OPERATED	1158	12.3	130	2	3	10	15	25	37	99+
B. OPERATED	299	16.7	210	2	3	13	26	47	99+	99+
TOTAL 0-19 YRS	24	10.9	101	2	3	6	17	31	33	34
20-34	437	12.3	150	2	3	10	15	24	38	90
35-49	591	12.7	119	2	3	10	16	28	40	99+
50-64	332	14.6	189	2	3	11	18	37	56	99+
65+	73	15.8	225	3	5	11	25	58	99+	99+
GRAND TOTAL	**1457**	**13.2**	**150**	**2**	**3**	**10**	**17**	**30**	**46**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	507	3.7	9	1	1	3	4	7	10	16
20-34	322	3.9	14	1	1	3	5	7	9	15
35-49	182	4.3	13	1	1	3	6	9	11	18
50-64	154	5.2	26	1	1	4	7	10	13	32
65+	84	5.4	19	1	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	13	7.5	43	<1	1	6	9	19	21	22
20-34	8	7.0	26	1	2	5	11	14	15	15
35-49	5	7.0	42	1	1	6	9	18	18	18
50-64	4	4.0	11	2	2	3	6	9	9	9
65+	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	414	5.9	50	1	1	4	7	12	20	43
20-34	459	7.1	69	1	1	5	9	15	20	49
35-49	408	6.8	38	1	2	5	8	14	19	32
50-64	503	7.8	55	2	2	6	9	15	21	37
65+	616	10.3	108	2	3	7	12	20	31	77
B. *Operated*										
0-19 YRS	20	15.4	256	2	2	9	21	37	54	63
20-34	49	9.2	54	1	2	6	13	21	24	28
35-49	43	13.2	92	2	3	11	19	30	35	99+
50-64	54	18.0	239	3	4	14	21	44	62	98
65+	67	19.3	202	6	6	16	24	45	55	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1249	4.2	14	1	1	3	5	8	11	19
B. *Operated*	32	6.9	31	1	2	6	9	16	18	22
2. MULTIPLE DX										
A. *Not Operated*	2400	7.8	70	1	2	5	9	16	22	52
B. *Operated*	233	15.4	176	2	3	12	20	35	50	99+
1. SINGLE DX	1281	4.2	15	1	1	3	5	8	11	20
2. MULTIPLE DX	2633	8.5	84	1	2	6	10	18	26	57
A. NOT OPERATED	3649	6.6	54	1	1	5	8	13	19	40
B. OPERATED	265	14.4	166	2	3	11	19	30	46	94
TOTAL 0-19 YRS	954	5.0	36	1	1	3	5	10	14	30
20-34	838	6.0	49	1	1	4	7	13	17	38
35-49	638	6.5	39	1	2	5	8	14	19	34
50-64	715	8.0	72	1	2	6	9	16	21	54
65+	769	10.6	116	2	3	7	13	22	33	73
GRAND TOTAL	**3914**	**7.1**	**65**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	5.4	95	<1	1	3	5	11	25	99+
20-34	260	5.7	26	1	1	4	7	12	15	30
35-49	197	6.5	41	1	1	5	8	12	15	35
50-64	205	7.3	42	1	2	5	9	15	22	35
65+	278	10.8	111	2	2	8	14	22	33	58
B. *Operated*										
0-19 YRS	184	7.6	110	1	2	4	8	16	30	61
20-34	194	10.0	120	1	2	6	12	30	35	46
35-49	172	8.0	56	2	2	5	10	17	22	41
50-64	154	9.7	154	1	2	5	11	21	41	75
65+	159	11.3	166	2	2	7	15	27	38	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	323	8.9	241	1	1	4	10	74	99+	99+
20-34	367	8.4	101	1	2	6	9	16	38	99+
35-49	312	9.5	128	1	2	7	12	18	31	98
50-64	642	12.5	174	2	3	8	15	31	49	99+
65+	1817	16.8	245	3	4	12	22	42	61	99+
B. *Operated*										
0-19 YRS	266	9.5	177	1	2	6	10	21	40	93
20-34	282	13.0	216	1	2	8	18	33	52	99+
35-49	281	15.4	267	2	2	10	22	44	67	99+
50-64	410	18.1	331	2	3	12	25	49	69	99+
65+	682	21.2	361	3	4	17	33	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1160	7.3	69	1	1	5	9	15	23	52
B. *Operated*	863	9.3	121	1	2	5	11	21	35	64
2. MULTIPLE DX										
A. *Not Operated*	3461	13.7	218	2	3	9	17	37	59	99+
B. *Operated*	1921	16.9	311	2	2	11	24	48	75	99+
1. SINGLE DX	2023	8.1	92	1	2	5	10	17	28	59
2. MULTIPLE DX	5382	14.8	253	2	3	10	20	42	66	99+
A. NOT OPERATED	4621	12.1	188	1	2	8	15	31	51	99+
B. OPERATED	2784	14.5	264	2	2	9	20	41	64	99+
TOTAL 0-19 YRS	993	8.0	169	1	1	4	9	23	63	99+
20-34	1103	9.2	123	1	2	6	11	22	37	99+
35-49	962	10.3	149	1	2	7	12	24	37	99+
50-64	1411	13.1	211	2	3	8	15	32	51	99+
65+	2936	17.0	264	3	4	12	23	44	68	99+
GRAND TOTAL	**7405**	**13.0**	**218**	**1**	**2**	**8**	**16**	**35**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.0	5	1	1	2	4	5	7	12
20-34	384	4.2	12	1	1	3	5	8	9	18
35-49	285	3.8	8	1	1	3	5	7	10	14
50-64	95	4.2	10	1	1	3	5	8	12	16
65+	18	7.3	300	<1	1	3	4	9	50	76
B. *Operated*										
0-19 YRS	5	3.2	5	2	2	2	4	7	7	7
20-34	17	4.6	10	2	2	3	6	8	11	13
35-49	18	4.4	6	2	2	4	5	9	10	10
50-64	9	6.2	14	2	2	4	9	12	13	13
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	3.4	5	1	1	3	4	7	8	11
20-34	333	4.9	12	1	2	4	6	9	11	17
35-49	289	5.3	15	1	2	4	7	10	13	20
50-64	180	5.3	12	2	2	4	6	10	12	18
65+	66	6.6	22	2	2	5	9	13	15	24
B. *Operated*										
0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	30	6.8	20	1	2	6	9	13	16	20
35-49	33	7.8	16	3	4	7	9	14	15	21
50-64	17	10.4	27	3	4	10	13	16	21	24
65+	15	5.5	25	2	2	3	10	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	979	3.9	14	1	1	3	5	7	9	16
B. *Operated*	51	4.6	9	2	2	4	6	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	969	5.1	13	1	2	4	6	10	12	18
B. *Operated*	99	7.4	22	2	2	6	10	14	16	23
1. SINGLE DX	1030	3.9	14	1	1	3	5	7	9	15
2. MULTIPLE DX	1068	5.3	14	1	2	4	7	10	13	19
A. NOT OPERATED	1948	4.5	14	1	1	4	6	8	11	17
B. OPERATED	150	6.5	19	2	2	5	9	13	15	21
TOTAL 0-19 YRS	307	3.2	5	1	1	3	4	6	7	12
20-34	764	4.6	12	1	1	4	6	8	10	19
35-49	625	4.8	12	1	1	4	6	9	12	17
50-64	301	5.3	14	1	2	4	7	11	13	18
65+	101	6.5	69	1	2	4	8	13	15	49
GRAND TOTAL	**2098**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**12**	**17**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	19.0	512	3	3	19	35	35	35	35
20-34	2	1.0		1	1	1	1	1	1	1
35-49	6	3.3	5	<1	<1	3	5	6	6	6
50-64	11	4.5	12	<1	1	4	5	10	13	13
65+	4	3.3	3	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	27	2.3	1	<1	1	2	3	4	4	5
20-34	546	2.0	1	<1	<1	2	2	3	4	5
35-49	947	2.1	1	<1	<1	2	2	3	4	6
50-64	1209	2.2	2	<1	<1	2	3	3	4	7
65+	723	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	16	2.6	8	<1	1	1	3	7	10	11
35-49	22	3.5	11	<1	<1	2	5	8	12	12
50-64	41	4.8	26	<1	1	4	6	9	13	29
65+	25	5.0	27	<1	1	3	5	12	18	23
B. *Operated*										
0-19 YRS	12	2.8	2	<1	1	2	3	5	7	7
20-34	137	2.7	4	1	1	2	3	5	7	11
35-49	345	3.3	9	1	1	2	3	5	8	16
50-64	690	3.4	10	1	1	2	4	6	9	19
65+	520	3.7	15	1	2	3	4	7	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.9	47	<1	1	4	5	8	18	35
B. *Operated*	3452	2.2	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	106	4.2	20	<1	1	3	5	9	12	26
B. *Operated*	1704	3.4	11	1	1	2	4	6	9	17
1. SINGLE DX	3477	2.2	2	<1	<1	2	3	3	4	7
2. MULTIPLE DX	1810	3.4	11	1	1	2	4	6	9	17
A. NOT OPERATED	131	4.3	25	<1	1	3	5	9	12	30
B. OPERATED	5156	2.6	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	43	3.1	26	<1	1	2	3	4	6	35
20-34	701	2.1	2	<1	<1	2	3	3	4	8
35-49	1320	2.4	4	<1	<1	2	3	4	5	12
50-64	1951	2.7	6	<1	1	2	3	4	6	13
65+	1272	3.0	8	<1	1	2	3	5	8	16
GRAND TOTAL	**5287**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	62	7.8	75	1	1	5	10	19	32	93
20-34	155	5.4	32	1	1	4	6	11	16	35
35-49	175	6.3	46	1	2	4	7	13	17	34
50-64	217	6.9	48	1	2	5	9	14	18	38
65+	165	7.5	52	1	2	5	10	16	23	35
B. *Operated*										
0-19 YRS	105	4.0	40	1	2	3	4	6	8	42
20-34	580	4.2	20	<1	1	3	5	7	9	19
35-49	636	4.0	10	1	1	3	5	8	11	16
50-64	563	4.2	17	1	2	3	4	8	11	24
65+	217	5.3	27	1	2	4	6	11	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	11.0	175	1	2	6	13	25	41	62
20-34	146	8.4	63	1	2	6	11	17	21	46
35-49	272	7.5	61	1	2	5	9	16	23	48
50-64	468	9.5	90	2	2	7	12	20	30	76
65+	748	11.5	119	2	3	9	15	23	31	79
B. *Operated*										
0-19 YRS	50	8.6	109	2	2	5	11	32	51	99+
20-34	248	6.1	44	1	2	4	8	14	22	99+
35-49	330	7.8	86	1	2	5	9	17	22	48
50-64	477	9.0	117	2	2	5	11	21	32	73
65+	379	13.9	215	2	3	9	19	36	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	6.7	47	1	2	4	8	14	20	38
B. *Operated*	2101	4.3	18	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1675	10.0	100	2	2	7	13	21	28	67
B. *Operated*	1484	9.5	130	2	2	6	12	23	36	99+
1. SINGLE DX	2875	4.9	27	1	2	3	6	10	14	27
2. MULTIPLE DX	3159	9.8	114	2	2	6	12	22	31	80
A. NOT OPERATED	2449	8.9	86	1	2	6	11	19	26	56
B. OPERATED	3585	6.4	71	1	2	4	7	14	22	61
TOTAL 0-19 YRS	258	6.9	89	1	2	4	7	16	31	95
20-34	1129	5.3	34	1	1	4	7	10	16	36
35-49	1413	5.9	45	1	2	4	7	12	17	36
50-64	1725	7.3	74	1	2	4	9	16	23	48
65+	1509	10.8	130	2	2	7	14	24	34	89
GRAND TOTAL	**6034**	**7.5**	**79**	**1**	**2**	**5**	**9**	**17**	**24**	**59**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	6.3	13	1	1	7	8	9	9	9
65+	2	3.5	13	1	1	3	6	6	6	6
B. *Operated*										
0-19 YRS	59	5.3	8	1	2	5	7	9	11	15
20-34	92	4.6	8	1	2	4	6	8	10	15
35-49	134	4.8	5	2	3	4	6	7	8	12
50-64	490	4.8	7	1	2	5	6	8	9	13
65+	374	5.1	6	2	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	3	3.0	3	1	1	4	4	4	4	4
35-49	5	1.8	2	<1	<1	1	2	4	4	4
50-64	6	5.0	34	<1	<1	2	7	15	16	16
65+	12	2.4	4	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	30	6.0	15	2	2	5	8	10	15	20
20-34	71	5.6	10	2	2	4	7	10	14	15
35-49	94	6.4	16	2	3	5	8	11	13	24
50-64	389	5.8	12	2	3	5	7	9	12	21
65+	476	6.2	13	2	3	5	8	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.6	10	1	1	5	7	9	9	9
B. *Operated*	1149	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	30	2.8	9	<1	<1	2	4	6	7	16
B. *Operated*	1060	6.0	13	2	3	5	7	10	13	19
1. SINGLE DX	1158	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX	1090	5.9	13	2	3	5	7	10	13	19
A. NOT OPERATED	39	3.2	10	<1	<1	2	5	7	9	16
B. OPERATED	2209	5.5	10	2	2	5	7	9	11	16
TOTAL 0-19 YRS	93	5.4	11	1	2	5	7	9	11	18
20-34	168	5.0	9	2	2	4	6	9	11	15
35-49	234	5.4	10	2	2	5	7	9	11	14
50-64	889	5.2	9	1	2	5	6	9	11	16
65+	864	5.7	10	2	3	5	7	9	12	17
GRAND TOTAL	**2248**	**5.4**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	2.2	1	<1	<1	2	2	4	5	5
50-64	16	2.4	4	1	1	2	3	3	7	9
65+	24	1.8	1	<1	1	2	2	3	4	5
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	15	3.9	6	1	1	3	6	7	9	9
35-49	48	3.0	4	1	1	2	3	6	7	12
50-64	172	3.0	4	1	1	2	4	6	7	11
65+	309	3.5	10	1	2	3	4	6	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	3.8	2	2	2	4	5	5	5	5
50-64	11	5.1	34	1	2	3	5	13	21	22
65+	33	3.6	10	1	1	3	5	6	8	18
B. *Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49	19	4.9	30	1	2	3	5	12	19	24
50-64	104	4.0	10	1	2	3	4	8	11	18
65+	353	5.2	28	1	2	4	6	11	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	2.0	2	<1	1	2	2	3	5	9
B. *Operated*	545	3.3	7	1	1	3	4	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	50	3.9	14	1	1	3	5	6	8	22
B. *Operated*	482	4.9	24	1	2	3	5	10	13	28
1. SINGLE DX	599	3.2	7	1	1	2	4	6	7	15
2. MULTIPLE DX	532	4.8	24	1	2	3	5	10	13	27
A. NOT OPERATED	104	2.9	9	1	1	2	3	5	7	20
B. OPERATED	1027	4.1	16	1	2	3	4	8	11	23
TOTAL 0-19 YRS	7	2.1	2	<1	<1	1	3	5	5	5
20-34	21	3.6	5	1	1	3	5	7	8	9
35-49	81	3.4	10	1	1	2	3	6	8	21
50-64	303	3.4	7	1	1	3	4	6	9	15
65+	719	4.3	20	1	2	3	5	8	12	26
GRAND TOTAL	**1131**	**4.0**	**15**	**1**	**1**	**3**	**4**	**7**	**11**	**22**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	5	3.6	19	1	1	1	6	11	11	11
35-49	7	2.0	4	1	1	1	3	5	6	6
50-64	6	1.2		1	1	1	1	2	2	2
65+	13	3.1	7	1	1	2	4	6	9	10
B. *Operated*										
0-19 YRS	7	2.7	1	2	2	2	4	4	4	4
20-34	13	3.6	12	1	1	3	4	8	13	14
35-49	40	3.9	11	1	2	3	4	8	11	19
50-64	94	2.9	3	1	1	2	3	5	6	10
65+	224	2.9	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49	7	3.4	19	<1	<1	1	4	11	13	13
50-64	15	3.9	11	<1	1	3	5	11	11	11
65+	37	5.5	45	<1	1	4	6	20	69	99+
B. *Operated*										
0-19 YRS	9	2.7	2	<1	1	2	3	5	6	6
20-34	25	6.1	21	1	2	4	8	14	15	19
35-49	28	3.3	4	1	1	3	4	6	7	9
50-64	80	4.1	11	1	2	3	5	8	10	21
65+	222	5.3	65	1	2	3	5	9	14	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	2.4	6	1	1	1	3	5	9	11
B. *Operated*	378	3.0	6	1	1	2	4	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	61	4.8	32	<1	1	3	5	14	24	99+
B. *Operated*	364	4.8	44	1	2	3	5	8	13	34
1. SINGLE DX	412	3.0	6	1	1	2	4	5	8	13
2. MULTIPLE DX	425	4.8	43	1	1	3	5	9	14	47
A. NOT OPERATED	95	3.9	24	<1	1	2	5	11	19	99+
B. OPERATED	742	3.9	25	1	1	3	4	7	10	22
TOTAL 0-19 YRS	21	2.4	2	<1	<1	2	3	4	5	6
20-34	43	5.1	18	1	1	4	7	12	14	19
35-49	82	3.5	9	<1	1	3	4	6	9	17
50-64	195	3.4	7	1	1	3	4	6	8	13
65+	496	4.2	36	1	1	3	4	7	12	38
GRAND TOTAL	**837**	**3.9**	**25**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	18	2.8	6	<1	<1	2	3	6	9	10
B. *Operated*										
0-19 YRS										
20-34										
35-49	520	2.6	1	1	2	2	3	4	4	7
50-64	3473	2.6	1	2	2	2	3	4	4	6
65+	13249	2.8	1	2	2	3	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	28	2.0	1	<1	1	2	2	4	5	5
50-64	118	2.5	8	<1	<1	1	3	6	8	15
65+	504	3.1	16	<1	1	2	3	7	10	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	280	3.3	10	2	2	3	3	5	7	19
50-64	2680	3.3	7	2	2	3	3	5	7	14
65+	13588	3.6	12	2	2	3	4	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	2.2	4	<1	<1	2	2	4	7	10
B. *Operated*	17242	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	650	2.9	14	<1	<1	2	3	7	10	19
B. *Operated*	16548	3.6	11	2	2	3	4	5	8	18
1. SINGLE DX	17271	2.7	1	2	2	2	3	4	4	7
2. MULTIPLE DX	17198	3.5	11	2	2	3	4	5	8	18
A. NOT OPERATED	679	2.9	14	<1	<1	2	3	7	10	19
B. OPERATED	33790	3.1	6	2	2	3	3	4	6	13
TOTAL 0-19 YRS										
20-34										
35-49	830	2.8	4	1	2	2	3	4	5	9
50-64	6280	2.9	4	2	2	3	3	4	5	10
65+	27359	3.2	7	2	2	3	3	5	6	14
GRAND TOTAL	**34469**	**3.1**	**6**	**2**	**2**	**3**	**3**	**4**	**6**	**13**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.5	1	1	2	2	3	4	4	5
20-34	43	2.6	3	<1	1	2	3	4	6	10
35-49	48	2.4	1	1	1	2	3	4	4	4
50-64	97	2.3	1	<1	1	2	3	3	4	5
65+	138	2.3	1	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	4.3	21	1	1	2	7	11	11	11
65+	7	3.6	12	1	1	2	4	10	11	11
B. *Operated*										
0-19 YRS	32	2.9	1	1	2	3	3	4	4	5
20-34	33	3.2	2	1	2	3	4	5	7	7
35-49	57	2.6	1	1	2	2	3	4	5	6
50-64	90	3.1	4	2	2	3	3	6	7	12
65+	236	3.2	5	2	2	2	4	5	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*	370	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.1	10	1	1	2	3	10	11	11
B. *Operated*	448	3.1	4	2	2	3	3	5	7	12
1. SINGLE DX	372	2.4	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	464	3.1	4	1	2	3	3	5	7	12
A. NOT OPERATED	18	2.9	9	<1	1	2	3	9	11	11
B. OPERATED	818	2.8	3	1	2	2	3	4	6	10
TOTAL 0-19 YRS	78	2.7	1	1	2	3	3	4	4	5
20-34	80	2.8	3	<1	1	2	4	4	6	10
35-49	106	2.5	1	1	2	2	3	4	4	6
50-64	191	2.7	3	1	2	2	3	4	6	10
65+	381	2.9	4	1	2	2	3	5	6	12
GRAND TOTAL	**836**	**2.8**	**3**	**1**	**2**	**2**	**3**	**4**	**6**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	1.6	2	<1	<1	1	2	2	5	7
20-34	9	4.2	19	<1	<1	3	5	12	13	13
35-49	5	3.8	8	1	1	3	6	8	8	8
50-64	10	4.4	10	1	1	4	5	9	12	12
65+	9	5.0	3	3	3	5	6	8	9	9
B. *Operated*										
0-19 YRS	1512	1.7		<1	1	2	2	2	2	3
20-34	270	2.0		1	1	2	2	3	3	4
35-49	138	2.1	1	1	1	2	2	3	3	6
50-64	55	2.1	1	<1	1	2	2	3	4	5
65+	39	2.7	6	1	1	2	2	5	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	1.2	1	<1	<1	<1	1	1	2	6
20-34	22	2.9	7	<1	<1	2	4	7	9	10
35-49	14	7.9	71	1	2	6	8	15	31	35
50-64	35	5.9	8	2	2	6	7	10	12	12
65+	56	6.9	22	2	3	5	9	13	16	27
B. *Operated*										
0-19 YRS	303	1.8		<1	1	2	2	2	3	4
20-34	68	2.0	1	1	1	2	2	3	3	7
35-49	48	2.2	1	1	2	2	2	3	4	6
50-64	49	5.5	203	1	1	2	3	8	14	98
65+	48	6.2	95	2	2	3	6	13	25	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.1	8	<1	<1	2	5	7	9	13
B. *Operated*	2014	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	224	3.9	19	<1	<1	2	6	9	11	20
B. *Operated*	516	2.6	31	1	1	2	2	3	5	18
1. SINGLE DX	2074	1.8	1	<1	1	2	2	2	3	5
2. MULTIPLE DX	740	3.0	27	<1	<1	2	3	6	9	18
A. NOT OPERATED	284	3.8	17	<1	<1	2	5	9	11	17
B. OPERATED	2530	1.9	7	<1	1	2	2	2	3	6
TOTAL 0-19 YRS	1939	1.7		<1	<1	2	2	2	2	3
20-34	369	2.1	1	1	1	2	2	3	3	8
35-49	205	2.6	8	1	1	2	2	3	6	11
50-64	149	4.3	71	1	1	2	4	7	10	32
65+	152	5.5	42	2	2	3	7	10	15	41
GRAND TOTAL	**2814**	**2.1**	**8**	**<1**	**1**	**2**	**2**	**3**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	2.5	5	<1	<1	1	3	6	7	9
20-34	23	5.7	31	<1	1	4	7	11	18	27
35-49	17	4.1	8	<1	1	3	6	9	10	10
50-64	15	2.9	4	<1	<1	2	4	6	7	7
65+	46	4.9	10	<1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	270	1.4		<1	<1	1	2	2	3	5
20-34	225	2.1	2	<1	<1	2	2	3	5	7
35-49	430	2.0	2	<1	<1	2	2	3	4	6
50-64	592	2.2	2	<1	<1	2	2	3	4	7
65+	791	2.4	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	3.6	8	<1	<1	3	5	7	9	15
20-34	22	3.8	9	<1	<1	3	5	8	10	11
35-49	33	4.7	19	<1	1	3	8	11	14	17
50-64	42	4.8	15	<1	1	4	7	11	13	15
65+	109	6.7	39	<1	1	5	9	16	18	33
B. *Operated*										
0-19 YRS	77	2.3	5	<1	1	2	2	5	7	14
20-34	93	3.0	5	1	1	2	4	6	7	14
35-49	335	2.8	5	1	1	2	3	5	7	12
50-64	793	3.0	5	1	1	2	3	5	7	13
65+	971	3.4	12	1	1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	304	3.2	9	<1	<1	2	5	7	8	13
B. *Operated*	2308	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	343	4.8	22	<1	1	3	6	11	14	19
B. *Operated*	2269	3.1	8	1	1	2	3	5	8	16
1. SINGLE DX	2612	2.2	3	<1	<1	2	2	4	5	8
2. MULTIPLE DX	2612	3.3	10	1	1	2	4	6	9	17
A. NOT OPERATED	647	4.1	16	<1	<1	3	5	9	12	18
B. OPERATED	4577	2.6	5	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	687	2.3	4	<1	<1	1	3	5	6	11
20-34	363	2.6	6	<1	<1	2	3	5	7	11
35-49	815	2.5	5	<1	<1	2	3	4	6	11
50-64	1442	2.7	4	<1	1	2	3	4	6	12
65+	1917	3.2	10	1	1	2	3	6	8	17
GRAND TOTAL	**5224**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	294	4.1	6	1	2	4	5	7	9	12
20-34	78	4.9	19	1	1	4	7	10	12	25
35-49	48	5.0	21	1	2	4	5	10	15	24
50-64	49	5.9	23	1	2	5	7	10	18	26
65+	67	5.0	11	1	1	5	7	9	12	16
B. *Operated*										
0-19 YRS	43	2.4	2	<1	1	2	3	4	5	9
20-34	63	3.8	16	1	1	3	4	6	10	26
35-49	76	3.1	4	<1	1	2	4	5	8	11
50-64	216	3.1	6	1	2	2	3	6	7	13
65+	648	2.9	5	1	2	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	4.8	8	1	1	4	7	9	10	12
20-34	75	5.4	13	1	2	5	7	10	12	18
35-49	68	6.8	21	2	2	6	9	12	14	26
50-64	134	5.9	20	1	2	5	8	11	13	24
65+	184	7.2	52	1	1	6	10	14	16	44
B. *Operated*										
0-19 YRS	66	5.4	31	1	1	4	6	11	14	35
20-34	76	6.8	129	2	2	4	7	11	16	73
35-49	86	6.1	34	1	2	4	7	12	16	34
50-64	292	5.2	32	2	2	4	6	10	16	39
65+	788	4.8	34	1	2	3	5	9	15	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	536	4.6	12	1	2	4	6	9	10	18
B. *Operated*	1046	3.0	6	1	2	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	657	6.0	25	1	2	5	8	11	14	21
B. *Operated*	1308	5.1	39	1	2	3	5	10	15	37
1. SINGLE DX	1582	3.5	8	1	2	3	4	7	9	16
2. MULTIPLE DX	1965	5.4	34	1	2	4	7	11	14	33
A. NOT OPERATED	1193	5.3	20	1	2	4	7	10	13	21
B. OPERATED	2354	4.2	25	1	2	3	4	8	12	28
TOTAL 0-19 YRS	599	4.3	9	1	1	4	6	8	10	14
20-34	292	5.3	46	1	2	4	6	10	12	31
35-49	278	5.2	22	1	2	4	6	11	13	26
50-64	691	4.7	22	1	2	3	6	9	13	26
65+	1687	4.3	26	1	2	3	5	9	13	26
GRAND TOTAL	**3547**	**4.6**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**24**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.6	6	<1	1	2	3	7	8	8
20-34	9	4.4	8	1	1	5	6	8	10	10
35-49	10	4.0	2	2	2	4	5	6	6	6
50-64	6	4.2	5	1	1	4	6	7	7	7
65+	10	5.3	7	2	2	5	7	9	10	10
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	10	2.9	2	2	2	2	4	5	5	5
35-49	8	2.6	2	1	1	2	3	5	5	5
50-64	18	2.6	1	1	2	2	3	4	5	6
65+	15	3.1	4	1	2	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.5	4	1	1	2	3	5	8	9
20-34	30	5.8	34	1	1	3	8	14	16	26
35-49	34	4.7	5	2	2	4	6	8	9	12
50-64	39	5.4	12	2	2	5	8	10	14	99+
65+	58	7.2	28	1	2	6	9	14	19	29
B. *Operated*										
0-19 YRS	10	2.9	6	1	1	2	3	6	9	9
20-34	20	5.5	26	2	2	4	6	9	17	25
35-49	12	10.9	190	1	1	4	16	35	42	43
50-64	26	5.3	36	1	2	3	5	14	18	28
65+	38	5.2	24	2	2	3	8	15	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.8	6	1	1	3	6	7	8	10
B. *Operated*	57	2.6	2	1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	184	5.5	20	1	2	4	7	11	14	29
B. *Operated*	106	5.7	46	1	2	3	7	14	25	99+
1. SINGLE DX	110	3.2	4	1	1	2	4	6	8	10
2. MULTIPLE DX	290	5.6	30	1	2	4	7	12	17	75
A. NOT OPERATED	237	5.2	18	1	1	4	7	10	13	26
B. OPERATED	163	4.6	33	1	2	3	5	10	19	91
TOTAL 0-19 YRS	57	2.4	4	<1	1	2	3	6	8	9
20-34	69	5.1	24	1	2	3	6	11	15	26
35-49	64	5.5	44	2	2	4	6	8	15	41
50-64	89	4.7	17	1	2	3	6	9	15	71
65+	121	5.9	24	2	2	4	8	12	19	99+
GRAND TOTAL	**400**	**5.0**	**24**	**1**	**1**	**3**	**6**	**10**	**14**	**37**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	910	3.3	4	1	1	3	4	6	7	11
20-34	15	4.3	5	<1	1	4	6	7	8	8
35-49	7	3.1	6	1	1	2	5	7	7	7
50-64	5	6.0	27	1	1	6	9	14	14	14
65+	4	3.5	3	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	3425	1.1		<1	<1	<1	1	1	2	3
20-34	196	2.1	2	<1	<1	2	2	3	4	9
35-49	180	2.2	1	<1	1	2	3	3	4	7
50-64	193	2.3	1	<1	1	2	3	3	4	6
65+	85	2.1	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2005	3.9	10	1	1	3	5	7	9	15
20-34	49	4.0	17	<1	1	3	4	8	12	21
35-49	34	5.6	24	1	1	4	7	10	17	23
50-64	43	4.7	11	1	1	4	6	9	12	13
65+	40	8.5	48	1	2	7	11	14	25	34
B. *Operated*										
0-19 YRS	2063	1.5	1	<1	<1	1	2	2	3	7
20-34	248	2.7	3	1	1	2	3	4	6	11
35-49	188	2.9	6	1	1	3	3	4	5	12
50-64	259	3.0	4	1	2	3	3	4	7	11
65+	118	4.3	43	1	1	3	4	8	13	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	941	3.3	4	1	1	3	4	6	7	11
B. *Operated*	4079	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	2171	4.1	11	1	1	3	5	7	9	17
B. *Operated*	2876	2.0	4	<1	<1	1	2	3	4	10
1. SINGLE DX	5020	1.7	2	<1	<1	<1	2	3	4	7
2. MULTIPLE DX	5047	2.9	8	<1	<1	2	3	6	7	14
A. NOT OPERATED	3112	3.8	9	1	1	3	5	7	9	15
B. OPERATED	6955	1.6	2	<1	<1	1	2	3	3	7
TOTAL 0-19 YRS	8403	2.1	5	<1	<1	1	3	4	6	11
20-34	508	2.6	4	<1	1	2	3	4	6	11
35-49	409	2.9	6	<1	1	2	3	4	7	14
50-64	500	2.9	4	1	1	3	3	5	7	12
65+	247	4.2	33	<1	1	3	4	9	12	31
GRAND TOTAL	**10067**	**2.3**	**6**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.0	10	1	1	3	5	8	9	19
20-34	34	4.1	3	2	2	4	5	6	8	10
35-49	20	4.8	5	1	2	5	6	8	9	9
50-64	21	6.1	8	3	3	6	7	11	12	12
65+	7	13.7	258	6	6	8	9	42	50	50
B. *Operated*										
0-19 YRS	359	1.9	10	<1	<1	1	2	3	6	12
20-34	59	3.1	7	<1	<1	2	4	6	7	17
35-49	48	3.1	4	1	2	3	3	6	8	10
50-64	50	3.1	9	1	1	3	3	6	8	20
65+	25	4.7	23	<1	1	3	5	11	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	201	3.7	5	1	1	3	5	6	8	12
20-34	42	5.4	11	2	3	5	7	9	11	20
35-49	30	5.4	7	2	2	5	7	9	12	12
50-64	37	6.0	9	1	2	6	7	10	13	14
65+	51	14.5	239	3	4	9	19	32	60	70
B. *Operated*										
0-19 YRS	361	2.4	7	<1	<1	2	2	4	7	15
20-34	77	3.6	10	1	2	3	4	6	7	22
35-49	67	4.7	114	1	1	3	4	5	9	76
50-64	98	5.4	47	1	2	3	5	8	21	40
65+	61	11.4	193	1	2	6	14	39	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	4.8	20	1	2	4	6	8	10	21
B. *Operated*	541	2.4	10	<1	<1	1	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	361	5.8	52	1	2	4	6	10	14	40
B. *Operated*	664	4.0	48	<1	<1	2	4	7	13	46
1. SINGLE DX	711	2.9	14	<1	<1	2	3	6	8	16
2. MULTIPLE DX	1025	4.6	50	<1	1	3	5	8	13	44
A. NOT OPERATED	531	5.5	42	1	2	4	6	9	12	38
B. OPERATED	1205	3.3	32	<1	<1	2	3	6	9	28
TOTAL 0-19 YRS	1009	2.6	9	<1	<1	2	3	5	7	14
20-34	212	3.9	9	1	1	3	5	7	8	19
35-49	165	4.4	50	1	2	3	5	7	9	13
50-64	206	5.0	28	1	2	3	6	8	13	26
65+	144	11.4	191	1	2	7	12	29	50	71
GRAND TOTAL	**1736**	**3.9**	**36**	**<1**	**<1**	**2**	**4**	**8**	**10**	**29**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.2	5	1	2	4	5	8	9	9
20-34	103	4.3	7	1	2	4	5	8	10	14
35-49	181	4.0	7	1	1	3	5	7	9	15
50-64	294	3.9	8	1	1	3	5	7	9	13
65+	251	4.6	13	1	1	4	5	9	11	23
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	28	3.3	4	1	2	3	4	5	7	12
35-49	47	4.0	3	2	2	3	5	6	8	10
50-64	50	4.8	7	2	3	4	5	10	11	11
65+	25	5.7	10	2	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.6	12	<1	1	3	6	9	12	15
20-34	122	4.6	6	2	2	4	6	8	9	13
35-49	237	5.0	22	1	2	4	6	9	10	22
50-64	623	5.5	13	2	2	5	7	10	12	18
65+	1061	6.4	22	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	5	8.6	162	1	1	2	13	31	31	31
20-34	10	7.8	37	2	2	6	12	17	21	21
35-49	24	8.5	48	2	3	6	11	20	25	27
50-64	50	8.1	43	3	3	5	11	17	22	34
65+	73	11.4	73	2	3	8	15	21	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	853	4.2	9	1	1	3	5	8	10	15
B. *Operated*	152	4.4	6	2	2	4	5	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	2066	5.9	18	2	2	5	7	11	13	21
B. *Operated*	162	9.6	61	2	3	7	14	20	25	42
1. SINGLE DX	1005	4.2	9	1	1	3	5	8	10	15
2. MULTIPLE DX	2228	6.1	23	2	2	5	8	11	15	23
A. NOT OPERATED	2919	5.4	16	1	2	4	7	10	13	19
B. OPERATED	314	7.1	42	2	2	5	9	15	20	32
TOTAL 0-19 YRS	54	4.7	21	1	2	3	6	8	11	30
20-34	263	4.5	8	1	2	4	6	8	10	13
35-49	489	4.7	17	1	2	4	6	8	10	22
50-64	1017	5.1	13	1	2	4	7	10	12	19
65+	1410	6.3	25	2	2	5	8	12	15	25
GRAND TOTAL	**3233**	**5.5**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	2.3	4	1	1	2	3	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	18	2.5	1	1	2	2	3	3	4	4
20-34	189	2.6	1	2	2	3	3	4	4	5
35-49	299	2.8	1	2	2	3	3	4	4	7
50-64	348	2.8	1	2	2	3	3	4	4	5
65+	169	2.8	1	2	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	6	2.2	4	<1	<1	1	3	6	6	6
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	2.5	1	2	2	2	3	4	4	4
20-34	24	2.9	1	1	2	3	3	4	5	5
35-49	53	2.9	3	2	2	2	3	5	5	14
50-64	67	2.9	1	2	2	3	3	4	4	8
65+	47	3.4	6	1	2	3	4	6	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*	1023	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	15	1.6	2	<1	<1	1	2	3	5	6
B. *Operated*	197	3.0	3	2	2	3	3	4	5	12
1. SINGLE DX	1029	2.7	1	2	2	3	3	4	4	6
2. MULTIPLE DX	212	2.9	3	1	2	3	3	4	5	11
A. NOT OPERATED	21	1.7	2	<1	<1	1	2	4	5	6
B. OPERATED	1220	2.8	1	2	2	3	3	4	4	6
TOTAL 0-19 YRS	25	2.4	1	1	2	2	3	3	4	4
20-34	218	2.6	1	2	2	3	3	4	4	5
35-49	354	2.8	1	2	2	3	3	4	5	7
50-64	425	2.8	1	2	2	3	3	4	4	6
65+	219	2.9	2	2	2	3	3	4	5	9
GRAND TOTAL	**1241**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	4	<1	<1	1	3	5	7	7
20-34	19	5.1	10	<1	1	5	8	9	11	12
35-49	20	4.4	6	1	1	4	6	8	9	9
50-64	23	5.8	19	2	2	4	8	10	16	21
65+	14	7.0	14	2	3	6	9	13	14	14
B. *Operated*										
0-19 YRS	484	2.0	1	<1	<1	2	2	3	4	6
20-34	301	2.6	3	<1	1	2	3	4	5	9
35-49	235	2.6	2	<1	1	2	3	4	5	7
50-64	196	2.6	1	1	2	2	3	4	5	6
65+	89	2.8	5	1	1	2	3	4	6	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	13	<1	<1	3	5	10	12	15
20-34	27	4.1	21	<1	<1	4	5	9	12	23
35-49	19	5.4	15	<1	1	5	9	11	12	12
50-64	39	5.9	23	<1	1	5	8	14	17	19
65+	49	6.9	21	1	1	6	9	15	16	17
B. *Operated*										
0-19 YRS	347	2.2	2	<1	<1	2	3	3	4	7
20-34	165	2.6	3	1	1	2	3	4	5	12
35-49	155	3.3	15	1	2	3	3	5	8	19
50-64	181	3.4	8	1	2	3	4	5	7	17
65+	102	4.1	54	1	2	3	4	6	10	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.9	13	1	1	4	7	9	12	18
B. *Operated*	1305	2.4	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	165	5.4	20	<1	<1	4	8	12	15	19
B. *Operated*	950	2.9	11	1	1	2	3	4	6	16
1. SINGLE DX	1399	2.5	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1115	3.3	13	<1	1	2	3	6	9	17
A. NOT OPERATED	259	5.2	18	<1	1	4	8	11	14	19
B. OPERATED	2255	2.6	6	<1	1	2	3	4	5	11
TOTAL 0-19 YRS	880	2.1	2	<1	<1	2	3	3	4	8
20-34	512	2.8	4	1	1	2	3	5	6	12
35-49	429	3.1	8	1	1	2	3	5	7	13
50-64	439	3.4	8	1	2	3	3	6	8	17
65+	254	4.4	31	1	1	3	5	9	13	18
GRAND TOTAL	**2514**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	6.5	23	2	2	6	8	13	19	22
20-34	17	7.9	12	3	3	7	10	13	15	16
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	6.3	12	3	3	6	9	10	10	10
65+	7	8.3	29	4	4	6	11	18	19	19
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	13.0	242	2	2	13	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	12.6	188	3	3	7	17	31	46	59
20-34	15	12.7	119	2	3	9	19	28	37	40
35-49	31	8.0	42	1	2	6	10	18	21	29
50-64	52	11.9	109	2	3	8	17	28	35	45
65+	43	10.9	123	3	4	9	13	18	38	99+
B. *Operated*										
0-19 YRS										
20-34	6	9.3	21	2	3	9	11	16	16	16
35-49	7	8.9	118	2	2	3	11	28	32	32
50-64	12	25.3	179	3	12	24	32	41	54	56
65+	6	25.3	114	15	16	24	41	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	7.0	21	2	2	6	9	13	18	22
B. *Operated*	4	7.5	121	2	2	2	13	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	164	11.1	112	2	3	8	14	22	32	73
B. *Operated*	31	18.5	179	2	2	17	28	38	55	99+
1. SINGLE DX	83	7.0	24	2	2	6	9	13	19	23
2. MULTIPLE DX	195	12.2	129	2	3	8	16	29	38	88
A. NOT OPERATED	243	9.7	86	2	3	7	12	20	28	60
B. OPERATED	35	17.3	181	2	2	16	26	35	53	99+
TOTAL 0-19 YRS	74	8.4	81	2	2	6	9	18	22	54
20-34	38	10.0	58	2	3	8	11	20	27	40
35-49	39	8.2	52	1	2	6	10	18	25	32
50-64	69	13.7	144	2	2	10	19	31	36	54
65+	58	12.2	129	3	4	10	16	24	60	99+
GRAND TOTAL	**278**	**10.7**	**103**	**2**	**2**	**8**	**14**	**23**	**32**	**70**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	16.0	483	2	2	6	19	55	59	59
20-34	22	4.2	4	1	2	4	6	7	8	8
35-49	23	5.4	14	1	1	5	7	11	14	15
50-64	28	6.7	25	1	2	5	9	12	14	25
65+	35	6.4	15	2	3	5	8	12	14	20
B. *Operated*										
0-19 YRS	8	8.8	94	2	2	2	17	23	25	25
20-34	41	9.1	156	2	2	7	13	17	18	79
35-49	79	7.1	40	2	2	3	11	17	21	23
50-64	170	8.2	57	2	2	4	14	18	21	33
65+	62	11.8	123	2	2	10	17	27	36	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	11.4	406	2	2	4	9	31	68	78
20-34	69	6.4	43	1	2	5	8	10	15	41
35-49	178	6.5	21	2	2	6	8	11	14	27
50-64	403	8.9	61	2	3	7	11	16	23	37
65+	560	11.7	107	3	4	9	14	22	32	56
B. *Operated*										
0-19 YRS	8	17.3	168	4	5	12	28	37	38	38
20-34	47	10.7	176	1	2	8	14	22	26	84
35-49	134	11.0	118	2	2	10	14	22	30	64
50-64	583	14.3	176	2	2	12	19	29	39	73
65+	365	16.7	220	2	2	13	23	36	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	6.4	41	1	2	5	7	12	14	37
B. *Operated*	360	8.7	78	2	2	4	14	19	23	37
2. MULTIPLE DX										
A. *Not Operated*	1224	9.7	83	2	3	7	11	19	26	45
B. *Operated*	1137	14.5	186	2	2	12	19	31	40	74
1. SINGLE DX	474	8.1	70	2	2	5	13	18	22	37
2. MULTIPLE DX	2361	12.0	138	2	2	9	16	25	34	64
A. NOT OPERATED	1338	9.4	80	2	3	7	11	18	25	45
B. OPERATED	1497	13.1	166	2	2	11	18	28	37	70
TOTAL 0-19 YRS	36	12.9	283	2	2	6	17	34	53	78
20-34	179	7.9	102	1	2	5	10	16	22	69
35-49	414	8.0	60	2	2	6	11	16	21	37
50-64	1184	11.4	124	2	2	9	15	24	32	59
65+	1022	13.3	152	2	3	9	17	28	37	64
GRAND TOTAL	**2835**	**11.4**	**129**	**2**	**2**	**8**	**15**	**24**	**32**	**63**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.5	10	1	1	4	6	9	10	15
20-34	132	4.8	8	2	2	4	6	8	10	17
35-49	390	5.3	18	2	2	4	7	9	13	23
50-64	443	5.4	16	2	2	4	7	9	12	23
65+	327	6.8	72	2	2	5	7	13	18	50
B. *Operated*										
0-19 YRS	5	10.2	297	2	2	2	13	41	41	41
20-34	29	4.4	11	2	2	3	6	11	12	13
35-49	26	7.0	47	1	2	4	10	15	23	29
50-64	49	5.0	17	<1	2	3	7	11	12	20
65+	18	6.3	40	1	2	4	9	15	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	5.4	10	2	2	5	7	10	11	15
20-34	293	6.0	23	1	2	5	8	11	16	23
35-49	1225	6.4	22	2	2	5	8	12	15	24
50-64	2398	7.3	39	2	2	6	9	14	18	36
65+	3063	9.1	76	2	3	7	11	17	24	58
B. *Operated*										
0-19 YRS	11	7.9	41	2	3	6	11	18	23	23
20-34	56	7.4	40	2	2	6	10	12	18	37
35-49	154	10.4	91	2	2	8	14	21	28	60
50-64	323	10.1	87	2	3	8	13	20	26	86
65+	431	15.4	211	3	4	11	19	33	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1336	5.6	30	2	2	4	7	10	14	25
B. *Operated*	127	5.7	35	1	2	3	8	12	15	32
2. MULTIPLE DX										
A. *Not Operated*	7026	7.9	52	2	3	6	9	15	20	42
B. *Operated*	975	12.3	147	2	3	9	15	25	36	84
1. SINGLE DX	1463	5.6	30	2	2	4	7	10	14	26
2. MULTIPLE DX	8001	8.4	66	2	3	6	10	16	22	51
A. NOT OPERATED	8362	7.5	50	2	2	6	9	14	19	39
B. OPERATED	1102	11.6	139	2	2	8	14	23	33	81
TOTAL 0-19 YRS	107	5.5	25	1	2	4	7	10	13	31
20-34	510	5.8	21	2	2	4	7	10	13	23
35-49	1795	6.5	29	2	2	5	8	12	16	28
50-64	3213	7.3	42	2	2	6	9	14	19	35
65+	3839	9.6	95	2	3	7	12	19	27	73
GRAND TOTAL	**9464**	**8.0**	**62**	**2**	**2**	**6**	**10**	**15**	**21**	**47**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.7	9	2	2	6	8	10	12	12
35-49	64	7.2	30	2	3	6	9	12	19	32
50-64	134	6.4	25	2	2	5	7	11	14	24
65+	271	7.8	30	2	3	7	10	14	17	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	6.5	47	2	2	2	11	18	20	20
50-64	19	2.5	1	1	1	2	3	4	6	6
65+	7	8.9	36	3	3	7	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	5	3	3	5	7	7	7	7
20-34	28	9.4	62	3	3	7	12	16	29	38
35-49	321	8.4	51	3	3	7	10	14	21	43
50-64	1233	8.9	46	2	3	7	11	16	21	41
65+	3934	12.0	110	3	4	9	14	23	32	71
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	42	10.3	51	2	2	9	14	22	24	28
50-64	164	12.7	137	2	2	10	17	28	37	60
65+	444	20.3	252	4	6	16	26	47	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	7.3	28	2	3	6	9	13	16	31
B. *Operated*	34	4.7	25	1	2	2	6	12	18	21
2. MULTIPLE DX										
A. *Not Operated*	5520	11.1	94	3	4	8	13	21	29	62
B. *Operated*	651	17.7	224	2	3	14	23	39	55	99+
1. SINGLE DX	515	7.1	28	2	2	6	9	13	16	28
2. MULTIPLE DX	6171	11.8	112	3	4	9	14	23	33	68
A. NOT OPERATED	6001	10.8	90	3	4	8	13	20	28	59
B. OPERATED	685	17.1	222	2	2	13	22	38	53	99+
TOTAL 0-19 YRS	5	4.4	6	2	2	3	7	7	7	7
20-34	40	8.2	49	2	3	6	10	15	22	38
35-49	435	8.4	49	2	3	7	10	15	21	41
50-64	1550	9.0	55	2	3	7	11	16	22	44
65+	4656	12.5	126	3	4	9	15	25	37	76
GRAND TOTAL	**6686**	**11.4**	**107**	**3**	**4**	**9**	**14**	**22**	**31**	**66**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	15	4.8	10	<1	<1	5	7	10	10	10
35-49	29	8.7	29	2	2	8	12	15	17	23
50-64	34	10.9	50	2	4	9	14	20	28	32
65+	48	11.3	62	2	3	10	16	24	27	36
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	26	6.8	68	<1	1	4	8	16	22	40
35-49	35	10.6	113	2	2	7	12	31	33	41
50-64	48	10.9	161	2	2	5	14	26	43	62
65+	40	8.8	55	2	2	7	12	16	19	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	12	2	2	5	10	10	10	10
20-34	26	8.7	26	3	3	8	10	18	21	21
35-49	81	10.3	47	2	3	9	14	17	24	35
50-64	199	11.8	85	3	4	9	16	24	31	44
65+	494	13.6	134	3	4	10	17	26	38	72
B. *Operated*										
0-19 YRS	11	13.7	128	2	2	12	20	31	37	38
20-34	83	12.0	171	<1	<1	8	16	28	37	70
35-49	99	14.2	152	2	2	11	19	34	49	99+
50-64	259	16.7	251	2	3	12	20	39	57	98
65+	282	21.0	291	3	4	18	30	45	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	9.7	48	2	2	8	13	18	25	33
B. *Operated*	151	9.5	104	2	2	6	12	19	33	48
2. MULTIPLE DX										
A. *Not Operated*	806	12.6	111	3	4	10	16	25	32	62
B. *Operated*	734	17.4	251	2	3	13	24	41	54	99+
1. SINGLE DX	280	9.6	78	2	2	7	13	19	29	42
2. MULTIPLE DX	1540	14.9	183	2	3	11	19	33	45	85
A. NOT OPERATED	935	12.2	103	2	4	10	15	24	31	54
B. OPERATED	885	16.1	235	2	2	12	21	38	51	99+
TOTAL 0-19 YRS	22	9.6	82	2	3	6	12	23	31	38
20-34	150	9.8	118	<1	<1	7	13	23	29	49
35-49	244	11.7	100	2	2	9	15	24	34	61
50-64	540	14.0	175	2	3	10	17	30	43	81
65+	864	15.7	192	3	4	12	20	34	46	93
GRAND TOTAL	**1820**	**14.1**	**171**	**2**	**3**	**10**	**18**	**31**	**42**	**83**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	84	11.3	15	3	7	11	14	16	17	21
35-49	955	11.9	17	5	7	12	14	17	19	23
50-64	2247	13.1	20	7	8	13	15	19	21	27
65+	1984	13.6	28	7	8	13	16	19	22	31
B. *Operated*										
0-19 YRS										
20-34	13	15.8	78	4	7	14	19	28	36	38
35-49	65	14.8	30	7	9	14	18	22	24	27
50-64	141	15.8	40	7	10	15	18	23	26	37
65+	90	16.7	43	7	9	16	21	26	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.9	32	5	7	14	20	69	99+	99+
20-34	129	12.5	26	4	5	13	15	19	20	28
35-49	2001	12.7	29	5	6	12	15	19	22	30
50-64	7467	14.0	40	6	8	13	16	21	24	36
65+	12661	15.8	70	7	8	14	18	25	31	50
B. *Operated*										
0-19 YRS	4	15.5	596	2	2	4	29	52	52	52
20-34	32	15.5	99	2	5	12	20	30	36	41
35-49	431	14.9	73	2	5	14	18	25	31	46
50-64	1438	17.5	114	3	9	15	21	30	36	69
65+	1732	22.7	178	9	11	20	28	41	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5272	13.0	23	6	8	13	15	19	21	28
B. *Operated*	309	15.9	40	7	9	15	19	24	27	37
2. MULTIPLE DX										
A. *Not Operated*	22266	14.9	57	6	8	14	17	23	28	44
B. *Operated*	3637	19.6	149	6	9	17	24	35	44	90
1. SINGLE DX	5581	13.2	24	6	8	13	15	19	21	28
2. MULTIPLE DX	25903	15.6	73	6	8	14	18	24	31	52
A. NOT OPERATED	27538	14.5	51	6	8	13	17	22	26	42
B. OPERATED	3946	19.3	141	6	9	17	23	34	43	88
TOTAL 0-19 YRS	14	13.1	169	1	2	11	19	52	88	99+
20-34	258	12.6	36	3	6	12	15	19	23	36
35-49	3452	12.8	32	4	7	12	15	19	22	33
50-64	11293	14.3	47	6	8	13	17	21	26	39
65+	16467	16.2	82	7	9	14	19	26	33	58
GRAND TOTAL	**31484**	**15.1**	**65**	**6**	**8**	**14**	**18**	**23**	**29**	**49**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	49	4.0	10	1	1	3	5	7	8	21
35-49	490	4.6	9	1	2	4	6	8	10	16
50-64	922	5.0	12	2	2	4	6	9	10	16
65+	833	5.6	17	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	3.6	4	2	2	3	4	7	8	8
35-49	109	3.4	16	2	2	2	3	7	9	25
50-64	256	3.3	9	2	2	2	3	7	9	17
65+	56	4.4	17	2	2	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	13	3	3	4	8	11	11	11
20-34	134	5.4	15	1	2	4	7	11	13	19
35-49	1622	5.6	14	2	2	5	7	10	12	18
50-64	5181	6.2	17	2	2	5	8	11	14	22
65+	7331	7.6	35	2	3	6	9	14	17	29
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	29	6.8	35	2	2	4	10	16	20	23
35-49	546	6.9	42	2	2	4	10	15	18	31
50-64	1938	8.4	70	2	2	5	13	18	24	40
65+	1034	12.4	116	2	2	11	17	25	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2296	5.1	13	1	2	4	6	9	11	17
B. *Operated*	431	3.5	12	2	2	2	3	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	14272	6.8	27	2	3	6	8	12	15	25
B. *Operated*	3548	9.3	83	2	2	7	14	20	26	41
1. SINGLE DX	2727	4.8	13	2	2	4	6	9	11	17
2. MULTIPLE DX	17820	7.3	39	2	2	6	9	14	18	31
A. NOT OPERATED	16568	6.6	25	2	2	5	8	12	15	25
B. OPERATED	3979	8.7	78	2	2	5	13	19	25	41
TOTAL 0-19 YRS	8	3.8	10	<1	<1	3	4	9	11	11
20-34	221	5.2	16	1	2	4	7	10	13	22
35-49	2767	5.6	20	2	2	4	7	11	14	21
50-64	8297	6.5	30	2	2	5	8	13	16	27
65+	9254	7.9	45	2	3	6	10	15	19	34
GRAND TOTAL	**20547**	**7.0**	**36**	**2**	**2**	**5**	**9**	**13**	**17**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	40	5.7	15	1	1	4	8	11	14	17
35-49	434	5.6	11	2	2	5	7	9	11	18
50-64	1120	6.0	12	2	2	5	7	10	13	18
65+	1095	6.7	20	2	3	6	8	12	14	22
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	53	7.6	23	2	3	8	9	11	14	27
50-64	164	7.1	18	2	2	7	10	13	14	18
65+	61	9.5	58	2	2	9	11	16	30	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	9	3	3	6	9	10	10	10
20-34	97	6.1	12	1	2	6	8	11	13	17
35-49	1569	6.6	17	2	3	6	8	11	14	22
50-64	6080	7.5	21	2	3	6	9	13	16	24
65+	10172	8.9	41	3	4	7	11	15	20	33
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	21	8.9	23	2	3	8	11	14	19	23
35-49	361	10.8	85	2	2	9	14	20	27	52
50-64	1377	12.4	102	2	2	11	16	24	31	48
65+	1150	17.2	135	3	5	15	23	33	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2691	6.2	15	2	3	5	8	11	13	19
B. *Operated*	280	7.7	28	2	2	8	10	13	15	31
2. MULTIPLE DX										
A. *Not Operated*	17923	8.2	33	3	3	7	10	14	18	29
B. *Operated*	2910	14.1	119	2	3	12	18	28	35	55
1. SINGLE DX	2971	6.3	16	2	2	5	8	11	13	20
2. MULTIPLE DX	20833	9.0	49	3	3	7	11	16	21	37
A. NOT OPERATED	20614	7.9	31	3	3	7	10	14	17	28
B. OPERATED	3190	13.5	114	2	3	11	18	27	34	54
TOTAL 0-19 YRS	8	8.0	19	3	3	7	10	14	16	16
20-34	160	6.3	15	1	2	6	8	11	13	20
35-49	2417	7.1	29	2	3	6	9	13	16	28
50-64	8741	8.0	37	2	3	7	10	15	18	30
65+	12478	9.5	54	3	3	8	11	17	23	39
GRAND TOTAL	**23804**	**8.7**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**36**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	10	4.9	18	1	1	3	5	12	14	14
35-49	148	5.7	13	2	2	5	7	11	14	17
50-64	338	6.0	15	2	2	5	8	12	15	18
65+	383	6.7	25	2	2	6	8	13	16	29
B. *Operated*										
0-19 YRS	4	7.0	33	2	2	7	12	12	12	12
20-34	40	4.7	21	2	2	2	7	12	15	18
35-49	733	5.4	25	2	2	2	9	12	15	20
50-64	1927	6.2	39	2	2	2	11	14	18	27
65+	569	8.0	60	2	2	3	13	18	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	5.5	24	1	1	4	7	9	15	27
35-49	645	6.2	32	1	2	5	8	11	14	25
50-64	2327	7.0	29	2	2	6	9	13	16	24
65+	4969	9.8	70	2	3	8	12	18	24	50
B. *Operated*										
0-19 YRS	4	15.5	766	<1	<1	2	30	57	57	57
20-34	87	5.8	29	2	2	3	10	15	17	22
35-49	1396	6.7	39	2	2	3	11	14	18	29
50-64	4725	8.9	70	2	2	7	13	19	24	39
65+	2221	13.0	135	2	2	11	18	28	35	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	6.3	19	2	2	5	8	12	15	20
B. *Operated*	3273	6.3	40	2	2	3	11	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	7976	8.7	57	2	3	7	11	16	21	43
B. *Operated*	8433	9.6	87	2	2	8	13	21	27	46
1. SINGLE DX	4153	6.3	35	2	2	3	10	14	17	27
2. MULTIPLE DX	16409	9.1	72	2	2	7	12	18	24	45
A. NOT OPERATED	8856	8.4	53	2	3	7	10	16	20	40
B. OPERATED	11706	8.7	76	2	2	5	12	19	24	42
TOTAL 0-19 YRS	10	10.3	288	<1	1	3	12	35	57	57
20-34	171	5.4	25	2	2	3	8	13	16	22
35-49	2922	6.2	33	2	2	4	10	13	16	26
50-64	9317	7.8	53	2	2	5	11	16	21	33
65+	8142	10.4	88	2	2	8	13	21	28	52
GRAND TOTAL	**20562**	**8.6**	**66**	**2**	**2**	**6**	**12**	**17**	**23**	**41**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.1	25	1	2	10	13	15	15	15
20-34	84	9.7	25	2	3	9	12	16	17	29
35-49	139	11.6	26	4	6	11	14	18	21	28
50-64	186	11.6	35	3	5	11	14	18	22	34
65+	148	12.7	21	5	7	12	15	19	21	23
B. *Operated*										
0-19 YRS	3	9.7	6	7	7	10	11	12	12	12
20-34	16	14.9	67	4	8	13	18	26	33	36
35-49	26	13.4	30	7	9	11	17	23	25	27
50-64	35	12.9	51	3	6	12	18	27	29	99+
55+	26	19.1	103	7	10	18	22	31	40	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	13.3	29	3	4	14	15	19	22	22
20-34	137	11.0	31	3	5	11	13	18	20	33
35-49	287	13.1	56	4	6	12	15	21	28	45
50-64	629	14.1	55	6	7	13	17	23	27	41
65+	1221	16.5	90	7	8	14	19	28	34	57
B. *Operated*										
0-19 YRS	3	11.7	2	10	10	12	13	13	13	13
20-34	25	14.0	52	3	6	13	17	21	30	32
35-49	65	17.5	82	7	8	15	21	34	37	44
50-64	161	19.2	113	7	9	16	23	35	44	52
65+	245	24.1	224	9	10	20	31	46	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	566	11.6	28	3	5	11	14	18	21	30
B. *Operated*	106	14.8	65	6	7	13	19	26	30	74
2. MULTIPLE DX										
A. *Not Operated*	2284	15.1	75	6	7	13	18	25	32	52
B. *Operated*	499	21.1	169	7	9	17	26	40	50	94
1. SINGLE DX	672	12.1	35	3	6	11	15	19	22	34
2. MULTIPLE DX	2783	16.2	97	6	7	14	19	28	36	58
A. NOT OPERATED	2850	14.4	67	5	7	13	17	23	30	49
B. OPERATED	605	20.0	157	7	9	16	25	38	46	94
TOTAL 0-19 YRS	25	11.2	24	2	3	12	15	15	18	22
20-34	262	11.1	35	2	5	11	14	18	21	34
35-49	517	13.3	53	5	6	12	16	21	28	43
50-64	1011	14.4	65	5	7	13	17	24	32	46
65+	1640	17.3	113	7	8	15	20	30	40	73
GRAND TOTAL	**3455**	**15.4**	**88**	**5**	**7**	**13**	**18**	**26**	**34**	**55**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	153	1	1	3	10	30	30	30
20-34	24	19.0	204	2	3	19	29	35	41	54
35-49	3	50.3	64	42	42	51	56	58	58	58
50-64	14	24.6	132	3	5	29	31	33	40	42
65+	15	28.4	190	7	8	29	36	46	53	55
B. *Operated*										
0-19 YRS	1	43.0		43	43	43	43	43	43	43
20-34	2	38.0	8	36	36	38	40	40	40	40
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	30.5	181	21	21	30	40	40	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	25.5	215	2	3	28	32	43	52	53
20-34	94	27.2	233	<1	5	29	36	46	54	67
35-49	53	30.1	168	4	8	31	40	44	46	65
50-64	81	29.7	192	4	10	30	37	44	49	72
65+	135	30.3	220	8	12	30	37	50	57	85
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	31	39.5	288	8	18	42	51	57	69	77
35-49	14	31.4	121	19	20	29	37	45	57	61
50-64	49	40.4	227	18	25	39	49	67	86	99+
65+	52	39.5	212	11	23	38	50	64	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	23.3	234	2	3	28	31	42	52	58
B. *Operated*	6	34.5	75	21	22	38	40	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	374	29.2	210	5	9	30	37	47	55	74
B. *Operated*	147	39.1	226	16	21	37	50	61	74	99+
1. SINGLE DX	67	24.3	229	2	3	28	32	42	51	57
2. MULTIPLE DX	521	32.0	234	6	12	31	42	52	61	90
A. NOT OPERATED	435	28.4	217	3	7	29	36	46	54	72
B. OPERATED	153	38.9	220	17	21	37	49	61	73	99+
TOTAL 0-19 YRS	18	22.9	299	1	2	28	32	48	52	53
20-34	151	28.6	275	1	5	29	37	51	55	71
35-49	70	31.2	169	5	14	31	40	45	51	65
50-64	145	32.8	226	7	13	32	42	50	63	99+
65+	204	32.5	230	9	12	32	40	55	61	99+
GRAND TOTAL	**588**	**31.1**	**239**	**5**	**9**	**31**	**40**	**51**	**60**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	2	<1	1	2	3	5	6	6
20-34	43	2.6	2	<1	<1	2	4	4	6	8
35-49	89	2.9	5	1	1	2	4	5	7	12
50-64	136	2.9	4	1	1	2	4	6	7	10
65+	104	4.2	10	1	1	3	6	8	9	19
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.7	21	2	2	2	8	10	10	10
65+	3	9.7	32	5	5	8	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.5	54	<1	1	2	5	9	19	37
20-34	50	4.1	17	1	1	3	4	8	12	21
35-49	133	4.3	10	1	1	4	6	8	10	17
50-64	399	5.6	23	1	2	4	7	11	13	23
65+	670	7.1	27	2	2	6	9	13	17	25
B. *Operated*										
0-19 YRS										
20-34	2	48.5	2965	10	10	48	87	87	87	87
35-49	4	5.0	6	2	2	5	7	8	8	8
50-64	13	16.1	58	7	8	13	23	27	29	30
65+	48	16.0	103	5	6	13	24	33	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	3.2	6	1	1	3	4	6	8	10
B. *Operated*	8	6.0	25	2	2	4	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*	1279	6.2	25	1	2	5	8	11	15	25
B. *Operated*	67	16.3	168	5	6	13	23	31	54	99+
1. SINGLE DX	404	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX	1346	6.7	37	1	2	5	8	12	18	32
A. NOT OPERATED	1675	5.5	22	1	1	4	7	11	13	23
B. OPERATED	75	15.2	163	2	5	12	22	30	47	99+
TOTAL 0-19 YRS	51	3.6	30	<1	1	2	4	6	9	37
20-34	96	4.3	84	<1	1	3	4	6	10	57
35-49	227	3.7	8	1	1	3	5	7	9	14
50-64	551	5.2	24	1	1	4	6	10	13	24
65+	825	7.3	35	2	2	6	9	13	20	32
GRAND TOTAL	**1750**	**5.9**	**32**	**1**	**1**	**4**	**7**	**11**	**16**	**29**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	113	2.6	5	<1	1	2	3	5	6	14
35-49	182	3.2	6	<1	1	3	4	6	8	12
50-64	471	3.9	10	1	1	3	5	8	10	15
65+	510	4.9	18	1	1	4	7	9	12	24
B. *Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	6	3.8	11	2	2	2	5	9	10	10
50-64	17	6.1	28	2	2	5	7	14	20	22
65+	20	9.5	46	2	2	8	12	20	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.8	16	1	1	3	8	11	12	12
20-34	128	3.9	10	<1	1	3	5	8	10	16
35-49	364	5.3	18	1	1	4	7	10	12	19
50-64	1801	6.7	27	1	2	5	8	13	16	25
65+	4873	9.1	74	2	3	7	11	17	23	51
B. *Operated*										
0-19 YRS	5	29.2	304	12	12	25	47	48	48	48
20-34	3	9.0	49	1	1	12	13	14	14	14
35-49	30	8.5	26	2	3	8	11	15	25	99+
50-64	150	12.1	89	2	3	10	15	24	34	54
65+	599	17.3	182	4	5	14	23	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1280	4.1	13	1	1	3	5	8	10	17
B. *Operated*	45	7.3	36	2	2	5	10	19	21	24
2. MULTIPLE DX										
A. *Not Operated*	7185	8.2	60	2	2	6	10	15	20	42
B. *Operated*	787	16.0	166	3	5	13	21	32	42	99+
1. SINGLE DX	1325	4.2	14	1	1	3	5	8	11	19
2. MULTIPLE DX	7972	9.0	76	2	2	7	11	17	24	51
A. NOT OPERATED	8465	7.6	55	1	2	6	9	14	19	39
B. OPERATED	832	15.6	163	3	4	12	20	31	42	99+
TOTAL 0-19 YRS	28	8.9	151	1	1	4	11	22	47	48
20-34	246	3.4	9	<1	1	3	4	6	9	16
35-49	582	4.8	16	1	1	4	6	10	12	19
50-64	2439	6.5	31	1	2	5	8	13	16	29
65+	6002	9.6	88	2	3	7	12	18	26	60
GRAND TOTAL	**9297**	**8.3**	**70**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.8	12	<1	1	3	4	9	12	18
20-34	164	4.0	8	1	1	3	5	8	10	13
35-49	275	4.4	9	1	1	4	6	9	10	13
50-64	419	5.1	15	1	2	4	7	9	12	24
65+	548	6.0	21	1	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	6	6.8	15	2	2	7	11	11	11	11
20-34	11	5.9	12	2	2	4	10	11	11	11
35-49	35	8.1	38	2	2	7	10	16	22	28
50-64	123	8.2	36	2	3	6	10	15	20	32
65+	629	8.4	27	3	3	7	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.2	20	1	1	4	6	11	15	22
20-34	329	4.7	14	1	1	4	6	9	11	15
35-49	873	6.2	30	1	2	5	8	11	15	23
50-64	2647	7.3	36	2	2	6	9	13	17	29
65+	6078	9.4	65	2	3	7	11	17	23	43
B. *Operated*										
0-19 YRS	22	12.3	98	3	4	9	15	24	38	43
20-34	28	10.0	55	2	2	9	13	17	27	34
35-49	141	12.5	119	2	2	10	15	23	31	59
50-64	766	11.9	75	3	4	9	15	22	30	50
65+	3937	14.0	111	4	5	11	17	26	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	5.1	16	1	1	4	7	10	12	22
B. *Operated*	804	8.3	29	3	3	7	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	10025	8.3	54	2	3	7	10	15	21	38
B. *Operated*	4894	13.6	106	4	5	11	17	26	34	62
1. SINGLE DX	2289	6.2	22	1	2	5	8	12	15	24
2. MULTIPLE DX	14919	10.1	77	2	3	8	12	19	26	49
A. NOT OPERATED	11510	7.9	51	2	2	6	10	15	20	37
B. OPERATED	5698	12.8	99	3	4	10	16	24	32	59
TOTAL 0-19 YRS	205	5.5	31	1	1	4	7	12	15	30
20-34	532	4.8	16	1	1	4	6	9	12	16
35-49	1324	6.6	40	1	2	5	8	13	16	29
50-64	3955	7.9	46	2	2	6	10	15	20	35
65+	11192	10.8	83	2	3	8	13	21	28	51
GRAND TOTAL	**17208**	**9.6**	**72**	**2**	**3**	**7**	**12**	**18**	**25**	**46**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	10	4.9	7	1	2	4	7	9	9	9
35-49	41	8.4	67	2	2	6	11	16	26	43
50-64	291	7.6	30	2	2	6	9	14	19	30
65+	1599	8.6	49	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	2	4.5	25	<1	<1	4	8	8	8	8
20-34										
35-49	3	15.3	170	3	3	14	25	29	29	29
50-64	8	9.9	55	3	4	8	11	22	27	27
65+	46	13.5	113	2	2	11	17	25	30	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	7.8	73	1	1	5	10	18	23	43
20-34	95	8.9	58	2	2	7	11	17	24	43
35-49	664	9.7	62	2	3	8	12	17	24	39
50-64	5074	10.5	62	3	4	8	13	19	25	43
65+	27053	12.4	105	3	4	10	15	23	32	67
B. *Operated*										
0-19 YRS	17	15.7	175	3	3	11	24	45	79	99+
20-34	22	13.0	257	1	1	7	21	46	75	99+
35-49	116	13.4	92	2	3	11	18	26	32	45
50-64	573	18.7	227	3	5	14	24	40	52	96
65+	2750	22.4	269	6	8	18	29	47	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1944	8.4	47	2	3	7	10	16	21	37
B. *Operated*	59	12.8	105	2	2	11	16	25	29	58
2. MULTIPLE DX										
A. *Not Operated*	32977	12.0	98	3	4	9	15	22	30	63
B. *Operated*	3478	21.4	260	5	7	17	28	45	63	99+
1. SINGLE DX	2003	8.6	49	2	3	7	11	16	21	37
2. MULTIPLE DX	36455	12.9	121	3	4	10	16	25	35	73
A. NOT OPERATED	34921	11.8	96	3	4	9	14	22	30	62
B. OPERATED	3537	21.3	258	5	7	17	28	45	63	99+
TOTAL 0-19 YRS	113	8.9	93	1	1	6	11	21	35	67
20-34	127	9.3	91	2	2	7	11	21	29	70
35-49	824	10.2	68	2	3	8	12	20	27	41
50-64	5946	11.1	83	3	4	9	14	21	28	52
65+	31448	13.0	126	3	4	10	16	25	36	78
GRAND TOTAL	**38458**	**12.7**	**118**	**3**	**4**	**10**	**15**	**24**	**34**	**72**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.2	17	1	1	4	7	9	13	24
20-34	232	5.6	20	2	2	5	7	10	14	22
35-49	336	5.8	29	1	2	4	7	10	15	24
50-64	280	6.9	40	2	2	5	8	12	18	37
65+	195	8.5	66	2	2	6	10	18	22	43
B. *Operated*										
0-19 YRS	42	4.5	30	1	1	2	5	12	16	28
20-34	59	5.5	26	2	2	3	9	13	17	21
35-49	164	5.2	22	2	2	3	8	12	15	18
50-64	263	6.4	47	2	2	2	10	16	20	33
65+	166	8.3	65	2	2	3	13	18	26	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.3	79	1	1	5	8	14	17	57
20-34	335	6.9	45	2	2	5	8	12	17	36
35-49	730	8.1	51	2	2	6	10	15	21	42
50-64	1558	9.3	57	2	3	7	11	18	23	40
65+	2308	11.1	92	3	4	9	14	21	28	62
B. *Operated*										
0-19 YRS	34	7.9	55	2	2	6	9	18	28	31
20-34	102	12.4	191	2	2	10	14	27	41	96
35-49	267	10.9	100	2	2	10	15	23	33	57
50-64	856	12.3	142	2	2	10	17	26	37	68
65+	944	16.7	202	2	2	14	23	34	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1104	6.5	37	2	2	5	8	13	17	34
B. *Operated*	694	6.4	44	2	2	3	10	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	5032	9.8	74	2	3	8	12	19	25	48
B. *Operated*	2203	14.0	170	2	2	12	19	30	40	75
1. SINGLE DX	1798	6.5	39	2	2	4	8	14	18	31
2. MULTIPLE DX	7235	11.0	107	2	2	8	14	23	30	59
A. NOT OPERATED	6136	9.2	68	2	3	7	11	18	24	46
B. OPERATED	2897	12.2	150	2	2	10	17	27	37	67
TOTAL 0-19 YRS	238	6.3	52	1	2	4	8	13	17	37
20-34	728	7.1	60	2	2	5	8	14	19	42
35-49	1497	7.8	55	2	2	6	10	16	21	43
50-64	2957	9.7	82	2	2	7	13	20	26	51
65+	3613	12.3	126	2	3	9	16	25	33	66
GRAND TOTAL	**9033**	**10.1**	**97**	**2**	**2**	**7**	**13**	**21**	**28**	**55**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	16	5.6	18	1	2	4	7	13	15	16
65+	32	8.3	25	1	3	7	13	15	17	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	9	3.9	7	2	2	3	4	8	10	10
50-64	10	6.4	18	2	2	6	11	12	12	12
65+	3	20.3	672	2	2	9	40	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	5	4.0	10	1	1	4	5	9	9	9
35-49	49	5.4	12	1	2	5	8	10	12	15
50-64	195	8.1	41	2	3	6	11	14	18	37
65+	835	11.6	137	2	3	8	14	26	45	99+
B. *Operated*										
0-19 YRS										
20-34	4	9.0	145	2	2	3	15	27	27	27
35-49	29	6.9	33	2	2	4	11	14	17	23
50-64	92	9.0	76	2	2	7	13	19	29	99+
65+	138	16.4	280	2	3	12	21	42	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	7.1	23	1	2	6	10	15	16	21
B. *Operated*	22	7.3	104	2	2	3	9	12	27	50
2. MULTIPLE DX										
A. *Not Operated*	1086	10.7	117	2	3	8	13	23	37	99+
B. *Operated*	263	12.7	194	2	2	10	16	29	46	99+
1. SINGLE DX	74	7.2	46	2	2	5	9	14	16	43
2. MULTIPLE DX	1349	11.0	132	2	3	8	13	24	40	99+
A. NOT OPERATED	1138	10.5	113	2	3	8	13	22	34	99+
B. OPERATED	285	12.2	189	2	2	9	16	28	46	99+
TOTAL 0-19 YRS	2	5.5	13	3	3	5	8	8	8	8
20-34	9	6.2	66	1	1	4	5	20	27	27
35-49	91	5.6	19	2	2	4	9	11	14	20
50-64	313	8.2	50	2	2	6	11	16	22	45
65+	1008	12.2	157	2	3	9	15	27	46	99+
GRAND TOTAL	**1423**	**10.8**	**128**	**2**	**3**	**8**	**13**	**23**	**39**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	9	4.9	27	<1	<1	2	8	14	16	16
35-49	5	8.8	128	3	3	4	11	29	29	29
50-64	13	6.0	32	<1	1	3	10	15	16	16
65+	10	7.0	57	<1	<1	3	15	19	19	19
B. *Operated*										
0-19 YRS	3	17.0	36	11	11	17	21	23	23	23
20-34	34	18.9	217	4	5	15	22	35	50	77
35-49	50	19.5	117	3	5	18	27	34	41	44
50-64	39	20.2	94	3	6	21	28	32	36	42
65+	7	39.0	940	6	8	36	48	89	99	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	20.8	692	2	3	8	23	67	82	82
35-49	7	22.1	307	5	6	21	65	99+	99+	99+
50-64	27	12.4	214	<1	1	11	15	21	42	73
65+	32	24.6	374	4	5	20	39	90	99+	99+
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	21	24.6	291	5	7	22	28	47	61	78
35-49	39	31.0	421	5	11	27	40	64	74	92
50-64	67	32.6	469	7	12	29	42	91	99	99+
65+	30	36.4	409	13	15	38	53	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	6.4	45	<1	<1	3	10	16	19	29
B. *Operated*	133	20.5	188	3	6	18	27	35	42	81
2. MULTIPLE DX										
A. *Not Operated*	75	19.5	362	2	3	15	34	64	99+	99+
B. *Operated*	159	31.6	426	7	12	27	43	75	95	99+
1. SINGLE DX	172	17.3	190	1	3	15	23	33	41	72
2. MULTIPLE DX	234	27.7	436	3	6	23	39	73	96	99+
A. NOT OPERATED	114	15.0	291	<1	1	11	19	49	86	99+
B. OPERATED	292	26.6	347	5	8	22	34	54	80	99+
TOTAL 0-19 YRS	7	12.6	55	2	3	12	18	22	23	23
20-34	73	19.1	295	2	3	15	23	41	52	81
35-49	101	23.6	282	3	5	21	31	45	68	99+
50-64	146	23.2	370	2	3	21	31	51	90	99+
65+	79	28.1	479	3	4	22	44	84	99+	99+
GRAND TOTAL	**406**	**23.3**	**357**	**2**	**4**	**20**	**32**	**52**	**82**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)*

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	44.0		44	44	44	44	44	44	44
50-64	2	28.0	288	16	16	28	40	40	40	40
65+	3	26.3	97	15	15	31	32	33	33	33
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	57.0	1548	21	21	51	87	99	99	99+
35-49	7	46.6	887	12	15	45	85	97	99+	99+
50-64	5	31.4	62	21	22	36	85	99+	99+	99+
65+	3	51.0	624	31	31	43	70	79	79	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	6	29.8	145	15	15	32	40	44	44	44
B. *Operated*	19	42.8	708	10	18	38	80	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	25	39.7	594	11	15	36	66	99+	99+	99+
A. NOT OPERATED	6	29.8	145	15	15	32	40	44	44	44
B. OPERATED	19	42.8	708	10	18	38	80	99+	99+	99+
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	57.0	1548	21	21	51	87	99	99	99+
35-49	8	46.3	761	12	16	44	83	96	99+	99+
50-64	7	30.4	92	16	18	36	55	99+	99+	99+
65+	6	38.7	471	15	17	32	43	75	79	79
GRAND TOTAL	**25**	**39.7**	**594**	**11**	**15**	**36**	**66**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	5	5.6	19	1	1	6	8	12	12	12
35-49	8	5.9	23	1	1	5	9	13	14	14
50-64	21	12.8	149	<1	1	7	23	31	37	40
65+	37	17.5	254	1	3	12	21	44	65	99+
B. *Operated*										
0-19 YRS	3	24.0	364	12	12	14	38	46	46	46
20-34	16	10.1	29	2	2	10	14	18	19	19
35-49	23	16.3	272	3	4	11	22	29	48	81
50-64	40	17.4	312	3	5	13	19	38	80	99+
65+	75	16.4	137	5	6	13	22	36	45	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	6	15.5	188	2	2	11	31	34	34	34
35-49	27	19.4	340	2	4	15	27	31	60	88
50-64	104	18.7	230	4	5	14	24	39	53	88
65+	275	23.9	361	5	6	19	35	55	84	99+
B. *Operated*										
0-19 YRS	13	29.6	569	3	8	22	40	61	82	87
20-34	20	28.1	374	6	9	23	43	65	85	99+
35-49	32	29.5	489	6	10	22	38	61	79	92
50-64	70	23.5	229	7	9	21	37	67	99+	99+
65+	158	30.4	485	8	10	26	46	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	13.3	193	<1	1	9	18	34	44	92
B. *Operated*	157	16.1	194	3	5	12	20	32	47	99+
2. MULTIPLE DX										
A. *Not Operated*	414	22.1	328	4	6	17	31	51	79	99+
B. *Operated*	293	28.4	422	7	10	24	41	75	99+	99+
1. SINGLE DX	232	15.2	195	2	3	12	20	33	47	99+
2. MULTIPLE DX	707	24.7	377	5	7	20	36	60	93	99+
A. NOT OPERATED	489	20.8	317	3	5	16	29	46	73	99+
B. OPERATED	450	24.2	377	5	7	19	34	65	97	99+
TOTAL 0-19 YRS	22	21.3	510	1	1	12	36	53	67	87
20-34	47	18.0	270	2	3	12	24	46	61	99+
35-49	90	21.0	391	2	4	15	28	49	66	90
50-64	235	19.4	244	3	5	15	27	47	71	99+
65+	545	24.3	380	5	7	19	35	62	95	99+
GRAND TOTAL	**939**	**22.4**	**348**	**3**	**6**	**17**	**31**	**56**	**87**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	18.0	72	12	12	18	24	24	24	24
65+	3	33.0	813	4	4	34	54	61	61	61
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	44.8	749	11	11	59	64	72	72	72
50-64	28	34.2	675	5	7	26	49	85	99	99+
65+	79	35.0	520	10	12	27	53	76	97	99+
B. *Operated*										
0-19 YRS										
20-34	1	28.0		28	28	28	28	28	28	28
35-49	5	48.6	1068	15	16	54	94	99	99+	99+
50-64	14	38.5	741	9	12	33	78	99	99+	99+
65+	47	32.2	311	9	13	31	45	67	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	27.0	492	4	4	24	41	61	61	61
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	112	35.3	561	9	12	27	56	79	97	99+
B. *Operated*	67	34.7	450	9	14	32	51	92	99+	99+
1. SINGLE DX	5	27.0	492	4	4	24	41	61	61	61
2. MULTIPLE DX	179	35.0	517	9	12	28	54	84	99+	99+
A. NOT OPERATED	117	34.9	557	9	11	26	56	76	97	99+
B. OPERATED	67	34.7	450	9	14	32	51	92	99+	99+
TOTAL 0-19 YRS										
20-34	1	28.0		28	28	28	28	28	28	28
35-49	10	46.7	811	11	13	59	71	96	99+	99+
50-64	44	34.8	668	6	10	28	57	92	99+	99+
65+	129	34.0	443	9	12	27	51	73	97	99+
GRAND TOTAL	**184**	**34.8**	**515**	**9**	**12**	**28**	**53**	**81**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	3.4	4	1	1	3	5	7	7	7
50-64	31	5.1	15	1	2	4	7	11	13	16
65+	57	5.5	33	1	2	3	6	14	20	26
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	4.5	2	3	3	4	5	6	6	6
35-49	50	7.3	31	2	2	6	9	16	18	28
50-64	458	7.9	29	2	2	7	10	14	17	27
65+	577	8.3	32	2	2	7	11	16	20	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	9	7.0	28	1	2	5	10	16	16	16
50-64	127	8.6	126	1	2	6	9	17	27	74
65+	377	10.5	99	2	3	8	12	20	29	57
B. *Operated*										
0-19 YRS										
20-34	3	10.3	52	2	2	14	15	15	15	15
35-49	103	10.1	66	2	2	8	14	22	30	99+
50-64	998	10.4	78	2	2	8	13	20	24	55
65+	1558	12.1	108	2	3	9	15	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	5.2	24	1	2	3	6	12	16	25
B. *Operated*	1090	8.1	30	2	2	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	514	10.0	105	2	2	8	12	20	29	64
B. *Operated*	2662	11.3	96	2	3	9	14	22	29	58
1. SINGLE DX	1187	7.8	31	2	2	7	10	15	18	29
2. MULTIPLE DX	3176	11.1	97	2	2	9	14	22	29	58
A. NOT OPERATED	611	9.2	95	1	2	7	11	19	26	55
B. OPERATED	3752	10.4	79	2	2	8	13	20	26	52
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	10	6.1	21	2	2	4	6	14	15	15
35-49	169	8.9	54	2	2	7	13	19	28	88
50-64	1614	9.4	68	2	2	8	12	18	22	50
65+	2569	10.9	91	2	2	8	13	21	29	53
GRAND TOTAL	**4363**	**10.2**	**81**	**2**	**2**	**8**	**13**	**20**	**26**	**52**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	57.5	265	46	46	57	69	69	69	69
50-64	11	25.5	520	2	3	23	43	61	67	68
65+	38	18.6	204	4	5	15	27	50	80	99+
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	12.1	106	2	2	10	20	27	28	28
50-64	54	15.2	234	3	4	11	17	48	99+	99+
65+	82	21.4	369	4	5	16	29	49	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	51	21.6	322	3	5	19	30	58	69	99+
B. *Operated*	144	18.5	312	3	5	13	26	48	88	99+
1. SINGLE DX	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX	195	19.3	315	3	5	14	27	50	87	99+
A. NOT OPERATED	51	21.6	322	3	5	19	30	58	69	99+
B. OPERATED	145	18.5	310	3	5	13	25	48	88	99+
TOTAL 0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	9	22.2	513	2	2	18	32	60	69	69
50-64	65	16.9	290	3	4	12	24	54	99+	99+
65+	121	20.5	314	4	5	16	28	50	82	99+
GRAND TOTAL	**196**	**19.3**	**313**	**3**	**5**	**14**	**27**	**50**	**87**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	11.3	37	2	3	10	17	19	19	19
35-49	24	8.1	28	2	2	7	10	16	20	21
50-64	100	10.0	88	2	3	7	11	19	34	75
65+	255	14.2	130	3	4	11	18	29	37	56
B. *Operated*										
0-19 YRS	2	10.0	98	3	3	10	17	17	17	17
20-34	7	10.1	13	5	5	11	13	13	13	13
35-49	9	6.0	20	1	1	4	9	13	13	13
50-64	23	8.2	20	2	3	8	10	15	18	19
65+	23	15.5	145	2	2	13	22	35	41	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.0	73	1	1	11	16	18	18	18
20-34	19	10.7	44	1	3	11	13	18	24	29
35-49	96	11.4	151	3	4	8	14	24	30	75
50-64	618	13.8	173	3	4	10	17	29	44	99+
65+	2477	18.4	256	4	5	14	23	40	60	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	12	16.9	204	5	6	10	24	40	48	49
35-49	35	15.1	144	2	4	12	20	37	43	47
50-64	142	18.0	241	3	4	13	22	44	52	87
65+	341	24.1	350	5	8	20	35	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	12.6	115	3	4	9	16	27	34	55
B. *Operated*	64	10.8	77	2	2	9	13	21	30	44
2. MULTIPLE DX										
A. *Not Operated*	3213	17.2	240	4	5	12	21	38	57	99+
B. *Operated*	531	21.7	314	4	6	17	30	57	96	99+
1. SINGLE DX	451	12.4	110	2	3	9	16	26	34	54
2. MULTIPLE DX	3744	17.9	253	4	5	13	23	40	61	99+
A. NOT OPERATED	3600	16.7	228	4	5	12	21	37	54	99+
B. OPERATED	595	20.5	299	4	5	16	28	54	90	99+
TOTAL 0-19 YRS	7	8.9	46	1	1	8	15	18	18	18
20-34	45	12.4	84	2	4	11	14	19	33	49
35-49	164	11.5	129	2	3	8	14	24	31	50
50-64	883	13.9	175	3	4	10	17	29	45	99
65+	3096	18.6	260	4	5	14	24	43	64	99+
GRAND TOTAL	**4195**	**17.3**	**240**	**4**	**5**	**13**	**22**	**39**	**58**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	24.0		24	24	24	24	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	23.8	720	6	6	13	41	63	63	63
35-49	30	23.5	427	2	5	16	33	58	67	84
50-64	244	22.2	290	4	6	17	31	50	60	99+
65+	1075	24.3	297	5	8	20	32	53	72	99+
B. *Operated*										
0-19 YRS										
20-34	3	18.0	43	12	12	21	62	99+	99+	99+
35-49	7	38.4	995	14	14	29	82	98	99+	99+
50-64	31	31.5	466	4	8	28	46	59	74	91
65+	112	29.7	332	6	9	31	51	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	18.0	72	12	12	18	24	24	24	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1354	23.9	300	5	7	19	32	53	70	99+
B. *Operated*	153	30.2	381	6	9	30	51	99+	99+	99+
1. SINGLE DX	2	18.0	72	12	12	18	24	24	24	24
2. MULTIPLE DX	1507	24.5	311	5	7	20	34	56	79	99+
A. NOT OPERATED	1356	23.9	300	5	7	19	32	53	70	99+
B. OPERATED	153	30.2	381	6	9	30	51	99+	99+	99+
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	21.3	384	6	6	18	44	89	99+	99+
35-49	37	26.3	545	3	6	18	37	69	90	99+
50-64	276	23.2	316	4	6	18	32	52	62	97
65+	1188	24.8	303	5	8	21	34	57	83	99+
GRAND TOTAL	**1509**	**24.5**	**311**	**5**	**7**	**20**	**34**	**56**	**79**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	4.6	2	3	3	4	5	7	7	7
20-34	19	4.0	5	1	1	4	6	7	8	8
35-49	84	5.1	14	1	2	4	7	10	14	18
50-64	353	5.0	15	1	2	4	7	9	11	16
65+	1079	6.1	26	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	5.9	6	2	3	5	8	9	9	9
35-49	39	5.8	17	2	2	5	7	12	16	18
50-64	163	5.9	18	2	2	5	8	12	15	20
65+	143	7.6	50	2	2	6	10	13	18	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.4	12	1	1	3	6	10	11	11
20-34	27	5.3	23	1	2	4	6	14	17	19
35-49	255	6.1	15	2	2	5	8	11	13	21
50-64	1669	7.2	31	2	3	6	9	13	15	26
65+	8523	10.0	97	2	3	7	12	18	27	73
B. *Operated*										
0-19 YRS	3	14.3	162	6	6	8	24	29	29	29
20-34	8	6.1	15	2	2	5	9	11	12	12
35-49	76	9.5	98	2	2	7	11	17	21	66
50-64	488	9.9	64	2	3	8	13	20	24	44
65+	1098	16.2	225	3	4	12	20	38	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1540	5.8	22	1	2	5	7	10	13	21
B. *Operated*	353	6.5	31	2	2	5	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	10484	9.4	86	2	3	7	11	17	24	68
B. *Operated*	1673	14.0	180	2	3	10	17	30	46	99+
1. SINGLE DX	1893	5.9	24	1	2	5	8	11	13	22
2. MULTIPLE DX	12157	10.1	101	2	3	7	12	19	28	75
A. NOT OPERATED	12024	9.0	79	2	3	7	10	16	23	62
B. OPERATED	2026	12.7	162	2	3	9	15	27	42	99+
TOTAL 0-19 YRS	19	5.9	39	1	1	4	7	10	21	29
20-34	61	5.1	14	1	2	4	6	10	13	19
35-49	454	6.4	31	2	2	5	8	12	15	22
50-64	2673	7.3	36	2	2	6	9	13	17	30
65+	10843	10.2	108	2	3	7	12	20	29	77
GRAND TOTAL	**14050**	**9.5**	**93**	**2**	**3**	**7**	**11**	**18**	**26**	**71**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	70	<1	<1	9	16	16	16	16
20-34	11	6.1	34	2	2	3	7	15	21	22
35-49	40	10.3	248	1	2	7	11	18	64	99+
50-64	239	13.7	180	2	3	10	17	29	40	99+
65+	887	15.1	204	3	4	11	18	34	49	99+
B. *Operated*										
0-19 YRS										
20-34	5	18.0	303	4	4	12	29	46	46	46
35-49	12	11.3	189	2	3	7	12	26	49	53
50-64	37	9.6	89	2	2	6	12	28	38	99+
65+	37	19.8	404	2	3	13	32	68	92	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	14.0	276	3	3	6	21	43	45	45
20-34	19	12.3	107	4	5	8	14	29	39	43
35-49	152	15.4	229	2	4	11	21	34	61	99+
50-64	1185	15.1	201	3	5	11	18	33	55	99+
65+	5669	19.5	271	4	6	15	26	49	73	99+
B. *Operated*										
0-19 YRS	1	53.0		53	53	53	53	53	53	53
20-34	13	17.7	176	7	7	13	23	34	49	52
35-49	49	19.1	247	2	5	15	22	46	61	67
50-64	227	23.8	418	4	6	18	37	72	99+	99+
65+	774	29.5	417	6	9	27	49	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	14.6	200	2	3	10	18	33	48	99+
B. *Operated*	91	14.4	257	2	3	8	20	44	71	99+
2. MULTIPLE DX										
A. *Not Operated*	7031	18.7	261	4	5	14	25	46	70	99+
B. *Operated*	1064	27.7	416	5	8	24	47	84	99+	99+
1. SINGLE DX	1272	14.5	204	2	3	10	18	33	49	99+
2. MULTIPLE DX	8095	19.9	291	4	5	15	27	52	79	99+
A. NOT OPERATED	8212	18.1	254	4	5	13	24	44	67	99+
B. OPERATED	1155	26.6	416	4	7	22	45	82	99+	99+
TOTAL 0-19 YRS	11	15.6	319	<1	1	7	20	48	53	53
20-34	48	12.9	139	3	3	8	17	29	43	52
35-49	253	15.1	238	2	3	11	19	34	61	99+
50-64	1688	15.9	235	3	4	11	19	38	65	99+
65+	7367	20.1	292	4	5	15	28	52	79	99+
GRAND TOTAL	**9367**	**19.1**	**282**	**4**	**5**	**14**	**26**	**50**	**76**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	11.0		11	11	11	11	11	11	11
65+	6	15.3	267	2	2	10	26	40	42	42
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	113	13	13	20	28	28	28	28
20-34	10	10.2	103	1	1	8	12	27	35	35
35-49	71	16.8	138	4	5	15	24	36	65	99+
50-64	464	22.6	334	5	7	18	31	53	78	99+
65+	2311	24.7	360	5	7	20	35	60	87	99+
B. *Operated*										
0-19 YRS	3	7.3	20	3	3	9	56	99+	99+	99+
20-34	4	24.5	433	8	8	18	39	54	54	54
35-49	17	28.9	397	9	13	24	38	77	93	99+
50-64	91	27.8	395	6	9	25	45	91	99+	99+
65+	316	36.0	502	10	13	34	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	14.3	195	2	2	11	21	37	42	42
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2858	24.1	352	5	7	19	34	58	85	99+
B. *Operated*	431	33.6	486	8	12	31	58	99+	99+	99+
1. SINGLE DX	8	14.3	195	2	2	11	21	37	42	42
2. MULTIPLE DX	3289	25.3	380	5	7	20	37	65	96	99+
A. NOT OPERATED	2866	24.1	351	5	7	19	34	58	85	99+
B. OPERATED	431	33.6	486	8	12	31	58	99+	99+	99+
TOTAL 0-19 YRS	5	12.6	90	3	3	12	28	93	99+	99+
20-34	14	14.3	216	1	2	8	19	37	50	54
35-49	88	19.2	207	4	6	15	25	42	82	99+
50-64	557	23.4	346	5	7	19	33	61	86	99+
65+	2633	26.0	390	6	7	21	38	66	97	99+
GRAND TOTAL	**3297**	**25.3**	**379**	**5**	**7**	**20**	**37**	**65**	**96**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	11	3.0	3	1	1	3	4	6	6	6
35-49	42	5.5	34	1	2	4	7	9	12	38
50-64	78	7.0	81	1	2	4	7	15	19	58
65+	253	9.0	101	2	2	6	11	18	31	99+
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	15.7	337	2	2	12	18	31	63	77
35-49	27	14.2	144	2	3	9	21	35	39	44
50-64	52	7.4	48	2	2	4	11	18	24	29
65+	71	9.8	161	1	2	7	10	20	28	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	17.8	247	2	2	14	38	78	99+	99+
20-34	37	6.6	23	1	1	5	11	13	16	17
35-49	132	8.8	100	2	2	6	10	17	22	47
50-64	549	10.6	127	2	3	7	12	23	34	99+
65+	3231	14.0	211	3	4	10	16	34	63	99+
B. *Operated*										
0-19 YRS	4	10.3	148	1	1	6	18	28	28	28
20-34	17	13.9	157	2	2	9	20	35	39	40
35-49	59	15.7	194	2	3	13	20	35	52	97
50-64	196	14.0	189	2	3	10	18	40	58	99+
65+	475	18.6	297	2	4	14	25	49	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	386	8.0	89	1	2	5	9	17	24	94
B. *Operated*	167	10.3	144	2	2	7	12	23	29	73
2. MULTIPLE DX										
A. *Not Operated*	3957	13.3	196	3	3	9	16	31	57	99+
B. *Operated*	751	17.0	260	2	3	13	23	43	73	99+
1. SINGLE DX	553	8.7	106	1	2	6	10	19	28	78
2. MULTIPLE DX	4708	13.9	208	2	3	10	17	34	60	99+
A. NOT OPERATED	4343	12.8	189	2	3	9	15	30	54	99+
B. OPERATED	918	15.8	246	2	3	11	22	40	67	99+
TOTAL 0-19 YRS	15	13.0	189	1	1	7	26	43	83	99+
20-34	81	9.4	127	1	1	6	12	18	32	65
35-49	260	10.4	127	2	2	7	13	23	35	68
50-64	875	10.9	136	2	3	7	13	25	38	99+
65+	4030	14.1	217	2	3	10	17	35	65	99+
GRAND TOTAL	**5261**	**13.3**	**200**	**2**	**3**	**9**	**16**	**32**	**58**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	11	3.4	7	1	1	2	3	8	10	10
65+	25	9.4	158	1	2	6	13	51	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	14.0	8	12	12	14	16	16	16	16
35-49	17	8.2	19	2	2	10	11	13	15	16
50-64	90	8.6	41	1	2	8	12	16	21	31
65+	114	11.9	167	1	2	9	15	28	39	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	46.0		46	46	46	46	46	46	46
20-34	2	6.0	2	5	5	6	7	7	7	7
35-49	11	4.7	4	2	2	5	6	7	8	8
50-64	84	7.0	37	2	2	5	8	14	17	35
65+	515	13.0	188	2	3	8	16	32	54	99+
B. *Operated*										
0-19 YRS	4	23.5	763	3	3	14	42	63	63	63
20-34	8	4.1	6	2	2	3	5	8	9	9
35-49	83	12.7	92	2	2	11	16	25	31	51
50-64	538	16.0	208	2	2	12	21	40	55	99+
65+	1352	23.1	366	2	4	18	32	55	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	7.2	110	1	2	3	9	29	74	99+
B. *Operated*	223	10.3	106	1	2	9	13	21	31	55
2. MULTIPLE DX										
A. *Not Operated*	613	12.1	170	2	3	8	14	28	45	99+
B. *Operated*	1985	20.6	324	2	3	16	28	51	68	99+
1. SINGLE DX	262	9.9	107	1	2	8	13	21	33	72
2. MULTIPLE DX	2598	18.6	301	2	3	14	25	47	66	99+
A. NOT OPERATED	652	11.8	168	2	3	8	14	28	46	99+
B. OPERATED	2208	19.6	312	2	3	15	26	49	66	99+
TOTAL 0-19 YRS	5	28.0	674	3	3	22	50	63	63	63
20-34	13	6.0	18	2	2	5	7	13	15	16
35-49	113	11.0	79	2	2	10	14	23	29	48
50-64	723	13.9	178	2	2	11	18	33	48	99+
65+	2006	19.7	330	2	3	14	26	51	69	99+
GRAND TOTAL	**2860**	**17.8**	**289**	**2**	**3**	**13**	**23**	**45**	**64**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	17	4.1	20	<1	1	2	4	13	14	15
65+	53	5.6	14	1	1	5	7	10	14	16
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	7	12.7	42	6	7	12	14	24	26	26
50-64	104	13.0	112	2	3	12	14	19	22	76
65+	281	13.6	71	2	3	13	16	22	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	13.5	113	6	6	13	21	21	21	21
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	55	7.1	29	2	3	5	9	13	20	29
65+	360	8.6	46	2	3	7	11	17	22	34
B. *Operated*										
0-19 YRS										
20-34	3	15.0	57	7	7	16	20	22	22	22
35-49	20	13.7	128	2	2	11	15	33	41	42
50-64	428	15.9	121	3	7	13	18	26	34	62
65+	1083	20.1	194	4	8	17	25	39	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.1	16	<1	1	4	7	11	14	16
B. *Operated*	390	13.5	81	2	3	13	16	22	25	41
2. MULTIPLE DX										
A. *Not Operated*	420	8.4	44	2	3	6	11	17	22	33
B. *Operated*	1534	18.8	176	4	7	16	23	34	48	93
1. SINGLE DX	463	12.1	80	2	2	12	15	21	24	39
2. MULTIPLE DX	1954	16.6	166	3	4	14	20	31	44	86
A. NOT OPERATED	493	7.9	41	2	2	6	10	16	21	33
B. OPERATED	1924	17.7	161	3	6	15	21	31	45	86
TOTAL 0-19 YRS										
20-34	7	11.6	66	<1	1	8	20	22	22	22
35-49	32	11.8	102	1	2	10	14	26	39	42
50-64	601	14.3	118	2	4	13	17	24	30	62
65+	1777	16.3	164	2	4	14	20	31	43	90
GRAND TOTAL	**2417**	**15.7**	**152**	**2**	**4**	**13**	**19**	**29**	**41**	**80**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	7	2.9		2	2	3	3	4	4	4
65+	8	3.8	6	<1	1	3	5	8	8	8
B. *Operated*										
0-19 YRS	6	3.7	15	1	1	2	5	10	11	11
20-34	16	4.9	17	<1	1	4	6	13	14	14
35-49	34	9.5	105	1	1	5	13	30	32	38
50-64	56	9.9	64	2	2	9	11	20	24	48
65+	66	13.5	193	2	2	10	17	26	43	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	8.0		8	8	8	8	8	8	8
50-64	7	5.7	38	1	1	2	8	16	18	18
65+	20	9.4	56	2	2	7	13	18	26	32
B. *Operated*										
0-19 YRS	2	13.0	242	2	2	13	24	24	24	24
20-34	16	16.8	79	5	7	15	21	30	35	37
35-49	30	18.3	159	3	5	16	22	39	46	52
50-64	119	17.9	202	3	4	13	22	37	50	68
65+	194	20.3	255	2	5	15	27	43	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	3	<1	2	3	4	7	8	8
B. *Operated*	178	10.5	120	1	2	8	13	22	31	65
2. MULTIPLE DX										
A. *Not Operated*	29	8.3	49	2	2	6	12	17	21	32
B. *Operated*	361	19.2	221	3	5	15	25	39	49	79
1. SINGLE DX	194	9.9	114	1	2	7	12	20	30	61
2. MULTIPLE DX	390	18.4	216	2	4	14	24	38	49	78
A. NOT OPERATED	45	6.6	38	1	2	4	8	14	18	32
B. OPERATED	539	16.3	204	2	3	12	20	36	47	74
TOTAL 0-19 YRS	8	6.0	64	1	1	2	8	20	24	24
20-34	33	10.7	81	1	2	8	15	22	30	37
35-49	66	13.4	146	1	2	11	18	31	39	51
50-64	189	14.5	168	2	3	11	18	31	43	58
65+	288	17.5	238	2	3	13	22	39	48	78
GRAND TOTAL	**584**	**15.5**	**198**	**2**	**2**	**12**	**20**	**34**	**46**	**73**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	7.9	41	1	2	6	9	18	24	27
20-34	22	5.2	20	1	1	3	9	10	15	20
35-49	56	4.3	18	1	1	3	5	9	16	20
50-64	61	7.1	53	1	1	5	9	15	20	39
65+										
B. *Operated*										
0-19 YRS	4	4.3	8	2	2	4	6	8	8	8
20-34	26	7.7	24	2	2	7	10	15	17	18
35-49	117	8.7	39	2	2	9	11	14	19	32
50-64	400	9.8	37	2	2	10	13	17	19	31
65+	455	11.5	80	2	2	11	15	19	27	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	14.5	63	4	4	15	20	23	23	23
20-34	33	9.3	98	1	2	6	10	19	33	47
35-49	110	8.8	71	1	2	7	11	20	26	41
50-64	264	10.2	99	2	2	8	13	19	26	66
65+										
B. *Operated*										
0-19 YRS	5	7.0	34	2	2	5	12	15	15	15
20-34	21	14.0	209	2	2	10	17	24	49	69
35-49	233	13.7	102	2	4	12	16	25	32	71
50-64	1308	15.1	147	2	3	13	18	28	41	70
65+	2178	19.2	247	3	5	15	24	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	5.9	36	1	1	4	8	12	19	31
B. *Operated*	1002	10.3	58	2	2	10	14	18	22	36
2. MULTIPLE DX										
A. *Not Operated*	411	9.8	91	1	2	8	12	19	26	62
B. *Operated*	3745	17.4	207	2	4	14	21	35	50	99
1. SINGLE DX	1159	9.7	57	2	2	9	13	18	22	35
2. MULTIPLE DX	4156	16.7	201	2	3	13	20	34	49	97
A. NOT OPERATED	568	8.7	79	1	2	7	11	18	25	46
B. OPERATED	4747	15.9	184	2	3	13	19	32	45	95
TOTAL 0-19 YRS	9	5.8	22	2	2	5	9	13	15	15
20-34	69	10.1	93	2	2	8	12	18	23	62
35-49	405	11.4	86	2	2	10	14	21	26	54
50-64	1874	13.3	124	2	2	11	16	25	35	65
65+	2958	17.0	218	2	3	13	21	35	50	99+
GRAND TOTAL	**5315**	**15.1**	**178**	**2**	**3**	**12**	**18**	**30**	**44**	**89**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	7.9	48	1	2	6	11	17	21	38
20-34	18	6.5	30	1	2	5	8	17	19	19
35-49	41	4.6	15	1	1	4	6	10	14	17
50-64	68	6.9	136	1	1	4	7	15	21	77
65+	109	5.8	30	1	1	4	7	12	17	30
B. *Operated*										
0-19 YRS	18	5.9	36	1	1	3	8	17	21	21
20-34	37	9.3	197	1	2	5	11	16	31	81
35-49	110	6.6	35	1	2	5	10	13	17	30
50-64	307	8.1	53	2	2	6	12	17	21	35
65+	379	9.9	98	1	2	8	14	20	27	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	8.5	53	2	2	5	11	21	25	31
20-34	43	5.3	16	1	1	4	7	10	15	18
35-49	85	8.1	54	1	2	6	11	18	23	38
50-64	283	7.8	67	1	2	5	10	16	23	44
65+	839	10.7	128	2	2	8	13	21	32	74
B. *Operated*										
0-19 YRS	20	12.0	102	1	2	9	19	25	31	36
20-34	58	11.3	184	1	2	7	15	24	40	69
35-49	174	14.3	242	2	2	10	16	33	49	84
50-64	871	14.1	181	2	2	11	18	31	45	98
65+	1843	19.7	328	2	3	15	26	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	6.5	56	1	1	5	8	14	19	32
B. *Operated*	851	8.7	78	1	2	6	12	18	24	48
2. MULTIPLE DX										
A. *Not Operated*	1310	9.6	105	2	2	7	12	19	27	64
B. *Operated*	2966	17.5	283	2	2	13	22	42	61	99+
1. SINGLE DX	1173	8.1	73	1	2	6	11	17	22	44
2. MULTIPLE DX	4276	15.1	242	2	2	11	19	35	55	99+
A. NOT OPERATED	1632	9.0	97	1	2	6	11	19	26	62
B. OPERATED	3817	15.6	251	2	2	12	20	37	56	99+
TOTAL 0-19 YRS	184	8.3	56	1	2	6	11	20	24	34
20-34	156	8.6	127	1	2	5	10	18	24	69
35-49	410	10.0	139	1	2	6	12	19	32	65
50-64	1529	11.4	141	2	2	8	15	24	37	76
65+	3170	15.7	261	2	2	11	20	37	58	99+
GRAND TOTAL	**5449**	**13.6**	**214**	**2**	**2**	**10**	**17**	**31**	**48**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	7.7	18	1	2	7	11	13	15	20
20-34	441	8.4	21	2	3	8	11	14	16	24
35-49	505	8.9	23	2	3	8	11	15	18	23
50-64	592	9.1	20	3	4	9	11	14	17	24
65+	539	9.9	22	3	4	9	13	16	19	24
B. *Operated*										
0-19 YRS	19	7.7	32	1	2	6	11	16	20	21
20-34	170	8.2	36	2	2	7	11	15	16	35
35-49	196	8.8	35	2	2	8	11	15	20	30
50-64	209	9.8	34	2	3	9	13	18	21	28
65+	146	10.9	37	1	3	10	14	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.4	42	2	2	8	10	16	22	31
20-34	333	10.3	39	2	3	9	13	18	20	35
35-49	690	11.1	47	3	4	10	14	19	23	39
50-64	1432	11.1	47	4	5	10	13	18	22	43
65+	2211	12.7	63	4	6	11	15	21	27	51
B. *Operated*										
0-19 YRS	14	8.7	26	2	2	9	12	16	17	17
20-34	159	12.5	73	3	4	11	16	23	29	61
35-49	314	13.2	112	3	4	11	15	25	36	59
50-64	568	14.2	107	3	5	12	17	26	32	59
65+	740	16.2	129	5	6	14	20	28	39	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2132	9.0	22	3	4	8	11	15	18	24
B. *Operated*	740	9.3	36	2	3	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	4690	11.8	55	4	5	10	14	20	25	42
B. *Operated*	1795	14.7	115	3	5	12	18	26	35	70
1. SINGLE DX	2872	9.1	25	2	3	8	12	15	18	25
2. MULTIPLE DX	6485	12.6	73	4	5	11	15	22	28	51
A. NOT OPERATED	6822	10.9	46	3	4	10	13	18	22	38
B. OPERATED	2535	13.1	98	3	4	11	16	24	31	59
TOTAL 0-19 YRS	112	8.0	26	1	2	7	11	14	17	25
20-34	1103	9.5	38	2	3	9	12	16	20	34
35-49	1705	10.6	53	3	4	9	13	18	23	39
50-64	2801	11.2	55	3	4	10	13	19	24	44
65+	3636	12.9	73	4	5	11	16	22	27	53
GRAND TOTAL	**9357**	**11.5**	**61**	**3**	**4**	**10**	**14**	**20**	**25**	**44**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	9.8	132	1	1	5	14	29	37	38
35-49	27	6.0	35	<1	<1	4	9	11	15	30
50-64	54	11.8	96	1	2	9	16	25	32	48
65+	111	13.2	91	2	4	11	18	28	36	66
B. *Operated*										
0-19 YRS	32	3.5	3	1	2	3	5	6	7	8
20-34	837	4.2	8	2	2	4	5	6	8	14
35-49	1155	4.8	12	2	2	4	5	8	10	18
50-64	911	5.8	35	2	2	4	6	10	16	28
65+	341	11.6	172	2	3	6	14	28	38	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	21	5.7	29	<1	1	5	6	14	19	23
35-49	75	8.4	86	<1	<1	6	10	19	34	40
50-64	182	11.8	103	1	2	10	15	22	32	49
65+	600	14.7	140	3	4	12	19	30	40	99+
B. *Operated*										
0-19 YRS	8	11.4	54	3	3	12	18	20	21	21
20-34	188	7.0	57	2	3	5	7	15	20	40
35-49	390	7.1	40	2	3	5	8	14	18	34
50-64	637	10.1	90	3	3	7	12	24	28	57
65+	620	19.6	271	3	4	15	28	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	11.7	92	1	2	9	16	26	34	46
B. *Operated*	3276	5.6	38	2	2	4	6	9	15	35
2. MULTIPLE DX										
A. *Not Operated*	879	13.3	130	2	3	11	17	28	37	88
B. *Operated*	1843	12.3	165	3	3	7	16	30	40	76
1. SINGLE DX	3480	6.0	44	2	2	4	6	10	17	38
2. MULTIPLE DX	2722	12.7	154	2	3	8	16	29	39	78
A. NOT OPERATED	1083	13.0	123	1	3	10	17	28	36	77
B. OPERATED	5119	8.0	94	2	3	5	8	18	28	58
TOTAL 0-19 YRS	41	5.1	22	1	2	4	5	12	18	21
20-34	1058	4.8	20	2	2	4	5	7	10	24
35-49	1647	5.5	24	2	2	4	6	10	13	29
50-64	1784	8.1	69	2	3	5	9	17	25	43
65+	1672	15.8	201	3	4	12	21	35	48	99+
GRAND TOTAL	**6202**	**8.9**	**103**	**2**	**3**	**5**	**10**	**21**	**30**	**59**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	2	1	1	2	4	5	5	5
20-34	67	3.4	7	1	1	3	5	6	7	15
35-49	83	3.5	7	<1	1	3	5	7	9	13
50-64	81	2.6	5	<1	<1	2	3	5	8	11
65+	74	3.6	7	1	1	3	5	7	8	15
B. *Operated*										
0-19 YRS	25	4.4	5	1	2	4	6	8	8	9
20-34	533	4.6	4	2	3	4	6	7	8	11
35-49	683	4.8	6	2	3	4	6	7	9	14
50-64	452	4.7	5	2	3	4	5	7	9	12
65+	156	5.8	12	3	3	5	7	9	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.4	8	1	1	4	7	8	8	8
20-34	87	3.8	11	1	1	3	5	7	9	20
35-49	176	4.5	14	1	1	4	7	9	11	18
50-64	277	5.0	24	1	1	4	6	10	14	24
65+	390	6.1	37	1	2	5	7	11	15	33
B. *Operated*										
0-19 YRS	51	4.2	5	1	2	4	6	7	9	11
20-34	1262	4.8	5	2	2	4	6	8	9	14
35-49	1971	5.3	9	2	3	5	6	8	10	16
50-64	1824	5.8	14	2	3	5	7	9	12	20
65+	943	7.4	36	3	3	5	9	14	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	1849	4.8	5	2	3	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	941	5.3	26	1	1	4	7	10	14	24
B. *Operated*	6051	5.6	15	2	3	5	6	9	12	20
1. SINGLE DX	2163	4.6	6	1	2	4	6	7	9	13
2. MULTIPLE DX	6992	5.6	16	2	2	5	6	9	12	20
A. NOT OPERATED	1255	4.8	22	1	1	4	6	9	13	22
B. OPERATED	7900	5.4	13	2	3	5	6	9	11	19
TOTAL 0-19 YRS	96	4.1	5	1	1	4	6	7	8	10
20-34	1949	4.7	5	2	2	4	6	8	8	13
35-49	2913	5.1	9	2	2	5	6	8	10	15
50-64	2634	5.4	13	2	2	5	6	9	12	19
65+	1563	6.7	34	2	2	5	8	12	16	31
GRAND TOTAL	**9155**	**5.3**	**14**	**2**	**2**	**5**	**6**	**9**	**11**	**19**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	5.2	16	1	1	3	9	12	12	12
20-34	112	7.9	38	1	2	7	10	13	16	34
35-49	106	7.8	27	2	2	6	10	17	19	21
50-64	142	7.6	21	1	2	7	10	13	15	23
65+	213	8.6	53	1	2	7	11	17	23	31
B. *Operated*										
0-19 YRS	152	3.3	9	1	1	2	3	5	8	16
20-34	744	2.8	11	1	2	2	3	4	5	13
35-49	415	3.4	12	1	2	2	3	7	11	19
50-64	135	7.7	56	1	2	6	10	17	21	37
65+	111	10.1	55	2	2	9	14	21	25	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	21	1	2	5	7	10	13	25
20-34	160	7.7	47	1	1	6	10	14	17	32
35-49	321	8.1	46	1	2	7	11	16	20	30
50-64	652	9.3	51	2	3	8	12	17	24	36
65+	1469	10.6	74	2	3	9	13	20	27	47
B. *Operated*										
0-19 YRS	55	7.6	142	<1	2	4	10	14	19	82
20-34	312	6.3	80	1	2	3	6	14	22	53
35-49	282	9.7	92	1	2	7	13	21	31	45
50-64	427	13.0	153	2	2	10	16	26	34	82
65+	601	17.0	190	3	4	14	22	35	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	604	7.9	36	1	2	7	10	14	19	28
B. *Operated*	1557	4.0	23	1	2	2	3	9	13	23
2. MULTIPLE DX										
A. *Not Operated*	2653	9.7	63	2	3	8	12	19	24	43
B. *Operated*	1677	12.5	158	2	2	9	16	28	37	81
1. SINGLE DX	2161	5.1	30	1	2	3	6	12	15	26
2. MULTIPLE DX	4330	10.8	102	2	2	8	14	22	30	61
A. NOT OPERATED	3257	9.4	59	2	2	8	12	18	23	42
B. OPERATED	3234	8.4	111	1	2	4	11	20	29	63
TOTAL 0-19 YRS	289	4.8	39	1	1	3	6	11	13	24
20-34	1328	4.6	38	1	2	2	4	10	14	33
35-49	1124	6.8	50	1	2	4	9	16	20	34
50-64	1356	10.1	84	2	2	8	13	20	27	48
65+	2394	12.0	109	2	3	9	15	24	32	73
GRAND TOTAL	**6491**	**8.9**	**85**	**1**	**2**	**6**	**12**	**19**	**26**	**51**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2970	2.8	3	1	1	2	4	5	6	9
20-34	352	3.7	8	1	2	3	5	6	8	10
35-49	143	3.9	17	1	1	3	4	6	7	19
50-64	79	4.2	6	1	2	4	5	7	10	11
65+	66	4.9	11	1	2	4	6	8	10	20
B. *Operated*										
0-19 YRS	330	2.1	3	1	1	2	2	3	6	9
20-34	172	2.4	4	1	1	2	3	4	6	15
35-49	42	4.5	22	<1	1	3	6	8	12	28
50-64	33	4.8	16	1	1	4	7	11	13	14
65+	21	3.0	4	<1	1	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4007	3.7	7	1	1	3	5	7	8	13
20-34	571	4.2	8	1	2	4	5	7	9	16
35-49	316	4.8	9	1	2	4	6	9	11	15
50-64	381	6.3	22	2	2	5	8	12	16	27
65+	751	8.7	73	2	3	7	10	15	20	56
B. *Operated*										
0-19 YRS	219	4.0	35	1	1	2	4	8	13	30
20-34	85	4.4	11	1	2	3	6	10	11	17
35-49	59	6.2	38	1	2	4	8	12	19	36
50-64	59	8.2	37	1	2	6	12	18	20	23
65+	73	12.1	115	2	2	9	16	27	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3610	3.0	5	1	1	3	4	5	7	10
B. *Operated*	598	2.6	6	1	1	2	2	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	6026	4.6	19	1	2	4	5	8	11	20
B. *Operated*	495	6.0	51	1	1	3	7	14	20	36
1. SINGLE DX	4208	2.9	5	1	1	2	4	5	7	10
2. MULTIPLE DX	6521	4.7	22	1	2	4	6	9	12	22
A. NOT OPERATED	9636	4.0	14	1	1	3	5	7	10	17
B. OPERATED	1093	4.1	29	1	1	2	4	9	14	28
TOTAL 0-19 YRS	7526	3.3	7	1	1	3	4	6	7	12
20-34	1180	3.8	8	1	1	3	5	7	9	15
35-49	560	4.7	15	1	2	4	6	9	11	19
50-64	552	6.1	22	1	2	5	8	12	17	23
65+	911	8.6	72	2	3	7	10	15	21	50
GRAND TOTAL	**10729**	**4.0**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3187	4.0	5	1	2	3	5	7	8	12
20-34	146	3.9	6	1	2	3	5	7	9	14
35-49	137	4.7	5	2	2	4	6	8	8	11
50-64	183	5.5	14	2	2	5	6	9	11	18
65+	241	6.2	14	2	3	5	8	11	13	20
B. *Operated*										
0-19 YRS	6	7.2	11	3	3	6	10	12	12	12
20-34	8	2.8	5	1	1	2	3	6	8	8
35-49	11	4.4	7	1	1	4	6	8	9	9
50-64	23	6.0	18	1	2	6	8	12	14	15
65+	9	10.9	56	3	3	11	14	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2759	4.7	10	2	2	4	6	8	10	15
20-34	307	5.3	13	1	2	4	7	10	12	20
35-49	535	6.3	16	2	3	5	8	11	14	21
50-64	1692	8.1	39	3	3	7	10	14	18	30
65+	3815	9.5	57	3	4	8	11	16	22	41
B. *Operated*										
0-19 YRS	26	10.9	139	1	2	6	11	28	41	42
20-34	29	8.3	131	1	1	5	10	16	20	62
35-49	51	9.4	91	1	2	7	10	21	36	46
50-64	168	11.5	101	2	3	8	14	22	40	55
65+	275	15.7	170	4	5	13	19	31	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3894	4.2	7	1	2	4	5	7	9	13
B. *Operated*	57	6.1	24	1	2	5	8	13	15	25
2. MULTIPLE DX										
A. *Not Operated*	9108	7.5	40	2	3	6	9	14	17	31
B. *Operated*	549	13.2	144	2	3	10	16	28	41	94
1. SINGLE DX	3951	4.2	7	1	2	4	5	7	9	13
2. MULTIPLE DX	9657	7.8	47	2	3	6	9	14	19	36
A. NOT OPERATED	13002	6.5	32	2	2	5	8	12	15	28
B. OPERATED	606	12.5	137	2	3	9	16	27	40	85
TOTAL 0-19 YRS	5978	4.4	8	1	2	4	5	8	9	14
20-34	490	5.0	19	1	2	4	6	9	12	18
35-49	734	6.2	20	2	2	5	7	11	14	24
50-64	2066	8.1	43	2	3	7	10	14	19	35
65+	4340	9.7	65	3	4	8	12	17	23	49
GRAND TOTAL	**13608**	**6.8**	**38**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5		<1	<1	1	2	2	2	2
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	1188	2.5	1	1	2	2	3	4	4	5
20-34	2193	2.5	1	1	1	2	3	4	4	5
35-49	863	2.5	1	1	1	2	3	4	4	6
50-64	379	2.5	1	1	1	2	3	4	4	6
65+	82	2.7	1	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.3		<1	<1	1	1	3	3	3
20-34	48	1.3		<1	<1	1	2	2	2	3
35-49	21	1.4	1	<1	<1	1	2	3	4	4
50-64	17	2.3	6	<1	<1	1	3	6	8	9
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	1118	2.6	1	1	1	3	3	4	4	6
20-34	2528	2.7	1	1	1	3	3	4	4	6
35-49	1221	2.8	1	1	2	3	3	4	5	7
50-64	721	3.0	3	1	2	3	3	4	5	9
65+	289	3.4	8	1	2	3	4	5	7	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	4705	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	123	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	5777	2.8	2	1	2	3	3	4	5	7
1. SINGLE DX	4727	2.5	1	1	1	2	3	4	4	5
2. MULTIPLE DX	5900	2.7	2	1	1	3	3	4	5	7
A. NOT OPERATED	145	1.5	1	<1	<1	1	2	3	3	6
B. OPERATED	10482	2.6	1	1	1	3	3	4	4	6
TOTAL 0-19 YRS	2348	2.5	1	1	1	2	3	4	4	5
20-34	4777	2.6	1	1	1	3	3	4	4	6
35-49	2109	2.7	1	1	1	3	3	4	4	6
50-64	1119	2.8	2	1	2	3	3	4	5	8
65+	274	3.2	6	1	2	3	3	5	6	17
GRAND TOTAL	**10627**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	37	1.8	1	<1	<1	2	2	3	4	6
20-34	78	2.4	2	<1	1	2	3	4	5	8
35-49	120	2.2	1	<1	1	2	2	4	5	7
50-64	177	2.2	1	<1	1	2	2	4	5	5
65+	115	2.2	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9	2	<1	<1	<1	2	5	5	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	7	2.0	3	1	1	1	2	5	6	6
65+	9	5.0	14	1	1	5	6	11	13	13
B. *Operated*										
0-19 YRS	68	3.4	10	<1	1	3	4	5	10	19
20-34	140	2.9	3	1	2	3	3	5	5	7
35-49	221	2.9	2	1	1	3	4	5	5	9
50-64	308	2.9	3	1	1	3	3	4	5	9
65+	206	3.7	20	1	1	3	4	7	11	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*	527	2.2	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	26	2.9	8	<1	<1	2	5	6	8	13
B. *Operated*	943	3.1	7	1	1	3	4	5	6	13
1. SINGLE DX	530	2.2	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	969	3.1	7	1	1	3	4	5	6	13
A. NOT OPERATED	29	2.7	8	<1	<1	1	4	6	7	13
B. OPERATED	1470	2.8	5	1	1	2	3	5	5	12
TOTAL 0-19 YRS	112	2.8	7	<1	<1	2	3	5	6	17
20-34	220	2.7	2	1	1	2	3	5	5	7
35-49	344	2.6	2	<1	1	2	3	4	5	8
50-64	493	2.6	3	1	1	2	3	4	5	8
65+	330	3.2	13	1	1	2	4	5	8	16
GRAND TOTAL	**1499**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**5**	**12**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.4	4	<1	<1	2	3	5	6	10
20-34	13	2.3	2	<1	<1	2	4	4	5	5
35-49	5	3.8	9	1	1	2	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	12263	1.6	1	<1	1	2	2	2	3	3
20-34	3402	2.0	1	1	1	2	2	3	3	4
35-49	270	2.3	1	1	1	2	2	3	4	6
50-64	41	2.3	1	1	1	2	3	4	5	6
65+	22	2.0	3	1	1	2	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	340	1.4	1	<1	<1	<1	1	2	3	8
20-34	41	2.1	4	<1	<1	1	2	5	8	9
35-49	11	3.5	11	<1	<1	2	6	9	11	11
50-64										
65+	3	5.0	9	2	2	5	7	8	8	8
B. *Operated*										
0-19 YRS	5856	1.6	1	<1	<1	1	2	2	3	4
20-34	423	2.6	4	1	1	2	3	4	5	9
35-49	63	3.0	5	1	2	2	3	5	6	16
50-64	23	2.9	3	1	1	3	3	4	6	10
65+	12	6.2	34	2	2	3	9	16	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.5	4	<1	<1	2	3	5	6	10
B. *Operated*	15998	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	395	1.5	2	<1	<1	1	1	3	4	9
B. *Operated*	6377	1.7	1	<1	<1	2	2	2	3	5
1. SINGLE DX	16062	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	6772	1.7	1	<1	<1	1	2	2	3	5
A. NOT OPERATED	459	1.7	3	<1	<1	1	1	3	5	9
B. OPERATED	22375	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-19 YRS	18504	1.6	1	<1	<1	2	2	2	3	4
20-34	3879	2.1	1	1	1	2	2	3	3	5
35-49	349	2.5	2	1	1	2	3	4	4	9
50-64	65	2.5	2	1	1	2	3	4	5	9
65+	37	3.6	17	1	1	2	3	9	13	20
GRAND TOTAL	**22834**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	496	3.5	6	1	1	3	4	6	7	10
20-34	279	3.5	4	1	1	3	4	6	7	13
35-49	116	3.6	8	1	1	3	4	7	9	15
50-64	90	3.1	6	<1	1	2	4	6	8	14
65+	60	3.3	8	1	1	2	4	7	10	13
B. *Operated*										
0-19 YRS	535	2.8	4	<1	1	2	3	5	6	8
20-34	892	2.6	5	<1	1	2	3	4	6	11
35-49	856	2.4	5	<1	1	2	2	4	5	11
50-64	963	2.2	2	1	1	2	2	4	5	9
65+	406	2.7	12	1	1	2	2	4	6	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	4.1	7	1	2	3	5	7	9	15
20-34	149	3.8	5	1	1	4	5	7	8	12
35-49	142	4.3	9	<1	1	4	6	9	10	13
50-64	150	5.2	24	1	1	4	7	11	14	24
65+	148	6.5	23	2	2	5	8	13	17	20
B. *Operated*										
0-19 YRS	297	4.0	21	1	1	3	4	7	11	27
20-34	538	3.4	13	1	1	3	4	5	9	18
35-49	530	3.4	16	1	1	2	4	6	8	20
50-64	721	4.2	34	1	1	2	4	8	15	30
65+	487	5.9	68	1	2	3	6	15	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1041	3.4	6	1	1	3	4	6	7	12
B. *Operated*	3652	2.5	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	890	4.6	13	1	1	4	6	9	11	19
B. *Operated*	2573	4.2	32	1	1	3	4	8	13	30
1. SINGLE DX	4693	2.7	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	3463	4.3	27	1	1	3	5	8	12	28
A. NOT OPERATED	1931	4.0	9	1	1	3	5	7	10	16
B. OPERATED	6225	3.2	17	1	1	2	3	5	8	21
TOTAL 0-19 YRS	1629	3.4	8	1	1	3	4	6	8	15
20-34	1858	3.1	7	<1	1	2	4	5	7	13
35-49	1644	3.0	9	<1	1	2	3	6	8	14
50-64	1924	3.3	17	1	1	2	3	6	9	22
65+	1101	4.6	40	1	1	2	4	10	17	33
GRAND TOTAL	**8156**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**20**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5662	4.6	7	2	2	4	6	8	9	13
20-34	1278	5.7	10	2	3	5	7	9	11	16
35-49	994	6.3	12	2	3	6	8	10	13	19
50-64	945	7.3	21	3	3	7	9	11	13	22
65+	1559	8.7	29	3	4	8	11	15	18	29
B. *Operated*										
0-19 YRS	23	9.6	25	3	4	9	13	16	20	23
20-34	34	11.4	52	1	2	11	16	20	26	32
35-49	82	9.5	40	1	2	9	13	17	21	32
50-64	120	10.5	45	2	2	10	15	19	25	51
65+	131	11.8	89	1	2	10	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4778	5.5	16	2	2	4	7	10	12	20
20-34	1276	7.8	32	2	3	6	9	14	17	31
35-49	1521	8.5	33	3	3	7	10	15	18	28
50-64	3339	10.2	46	3	4	9	12	18	23	37
65+	11901	13.2	99	4	5	11	16	23	32	63
B. *Operated*										
0-19 YRS	91	16.1	154	3	4	12	23	41	48	99+
20-34	167	18.2	226	3	5	14	24	37	46	97
35-49	281	17.1	143	4	5	14	23	33	43	59
50-64	630	18.2	185	5	7	14	22	35	50	85
65+	1731	23.0	253	7	9	19	30	49	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10438	5.7	15	2	2	5	7	10	12	19
B. *Operated*	390	10.7	58	1	2	9	14	21	26	40
2. MULTIPLE DX										
A. *Not Operated*	22815	10.5	75	3	3	8	13	19	26	51
B. *Operated*	2900	20.9	229	5	7	17	27	43	61	99+
1. SINGLE DX	10828	5.9	17	2	2	5	7	10	13	21
2. MULTIPLE DX	25715	11.7	104	3	4	9	14	22	31	66
A. NOT OPERATED	33253	9.0	61	2	3	7	11	17	22	43
B. OPERATED	3290	19.7	220	4	6	16	25	41	57	99+
TOTAL 0-19 YRS	10554	5.1	14	2	2	4	6	9	11	18
20-34	2755	7.5	42	2	3	6	9	14	18	36
35-49	2878	8.6	45	3	3	7	10	15	21	35
50-64	5034	10.7	68	3	4	9	13	19	25	48
65+	15322	13.8	122	4	5	11	16	26	36	79
GRAND TOTAL	**36543**	**10.0**	**85**	**2**	**3**	**7**	**12**	**19**	**27**	**56**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	3.7	4	1	1	3	5	6	8	11
20-34	56	3.9	6	1	2	3	5	6	8	14
35-49	29	5.2	9	2	2	5	7	10	10	12
50-64	29	4.4	6	1	2	4	5	6	10	13
65+	47	6.4	14	2	3	6	9	12	14	16
B. *Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	3.7	4	1	2	3	4	6	7	12
20-34	86	3.9	6	1	2	3	5	7	9	14
35-49	67	5.0	10	2	2	4	6	8	12	17
50-64	124	6.8	18	2	3	6	8	12	15	26
65+	286	7.5	33	2	3	6	10	14	16	27
B. *Operated*										
0-19 YRS	2	22.5	613	5	5	22	40	40	40	40
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	6	23.5	412	8	8	18	24	59	63	63
50-64	6	15.5	84	4	4	16	22	27	28	28
65+	12	14.7	86	5	6	12	19	30	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	305	4.3	8	1	2	4	5	8	10	14
B. *Operated*	4	9.5	81	2	2	8	17	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	814	5.7	20	2	2	4	7	11	14	20
B. *Operated*	28	16.4	180	3	4	13	22	33	42	63
1. SINGLE DX	309	4.4	9	1	2	4	5	8	10	15
2. MULTIPLE DX	842	6.0	29	2	2	5	7	11	15	27
A. NOT OPERATED	1119	5.3	17	2	2	4	6	10	13	19
B. OPERATED	32	15.6	170	2	3	13	21	30	39	63
TOTAL 0-19 YRS	397	3.8	8	1	2	3	5	6	7	13
20-34	146	3.9	6	1	2	3	5	6	9	14
35-49	103	6.2	48	2	2	4	7	11	15	42
50-64	159	6.7	22	2	2	6	8	13	15	27
65+	346	7.7	35	2	3	6	10	14	17	28
GRAND TOTAL	**1151**	**5.6**	**24**	**2**	**2**	**4**	**7**	**11**	**14**	**24**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	535	3.5	5	1	1	3	4	6	7	11
20-34	71	3.9	6	1	1	3	5	7	10	12
35-49	99	4.8	8	1	2	4	6	8	9	16
50-64	219	6.0	17	2	2	5	7	11	14	21
65+	324	7.3	28	2	3	6	9	14	18	28
B. *Operated*										
0-19 YRS	8	5.3	28	1	1	2	10	13	14	14
20-34	17	4.9	19	<1	<1	4	6	10	16	18
35-49	22	4.7	30	<1	1	2	5	13	20	21
50-64	56	5.0	23	<1	1	2	8	12	15	18
65+	69	6.0	32	1	1	4	8	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	490	4.3	10	1	2	4	5	7	8	17
20-34	153	5.6	16	2	2	5	7	10	13	17
35-49	248	6.5	20	2	2	5	8	13	16	22
50-64	905	8.9	58	2	3	7	11	17	24	44
65+	2198	10.0	62	3	4	8	12	19	24	56
B. *Operated*										
0-19 YRS	11	10.5	126	1	2	7	13	26	40	41
20-34	20	9.3	118	2	2	7	13	31	72	99+
35-49	70	6.9	32	1	2	5	9	15	20	25
50-64	242	9.9	131	1	2	7	12	22	34	99+
65+	356	13.0	126	2	3	10	18	30	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1248	5.0	16	1	2	4	6	10	12	20
B. *Operated*	172	5.4	27	1	1	3	8	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	3994	8.7	54	2	3	7	11	17	22	40
B. *Operated*	699	11.2	122	2	2	8	15	25	41	99+
1. SINGLE DX	1420	5.1	17	1	1	4	6	10	13	21
2. MULTIPLE DX	4693	9.0	65	2	3	7	11	19	24	58
A. NOT OPERATED	5242	7.8	47	2	2	6	10	15	20	35
B. OPERATED	871	10.0	108	1	2	7	13	22	34	99+
TOTAL 0-19 YRS	1044	3.9	9	1	1	3	5	7	8	14
20-34	261	5.4	22	1	2	4	7	10	14	31
35-49	439	6.1	20	1	2	5	8	12	16	22
50-64	1422	8.5	65	2	2	6	11	16	24	49
65+	2947	10.0	67	3	3	8	13	20	25	65
GRAND TOTAL	**6113**	**8.1**	**57**	**2**	**2**	**6**	**10**	**16**	**22**	**47**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.5	5	2	2	4	6	8	8	8
35-49	25	6.3	23	2	2	4	7	14	17	19
50-64	105	9.2	92	2	3	7	10	16	33	84
65+	201	7.8	32	2	3	7	10	14	17	32
B. *Operated*										
0-19 YRS	4	15.3	236	5	5	9	24	38	38	38
20-34	9	11.6	27	6	6	11	16	19	21	21
35-49	12	8.1	30	<1	1	8	13	15	16	16
50-64	7	12.6	111	1	1	14	23	25	25	25
65+	5	15.4	197	4	4	10	22	39	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	26.5	1301	1	1	26	52	52	52	52
20-34	9	7.6	53	1	1	5	13	19	20	20
35-49	57	7.7	40	2	2	6	9	19	21	29
50-64	595	10.7	92	3	4	8	13	20	27	55
65+	1359	11.9	109	3	4	9	14	23	33	74
B. *Operated*										
0-19 YRS	2	25.0	242	14	14	25	36	36	36	36
20-34	15	18.5	74	8	10	17	20	30	39	42
35-49	14	14.6	67	3	5	15	21	27	28	28
50-64	90	21.3	300	4	6	17	25	40	67	84
65+	161	24.8	371	5	7	19	35	65	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	8.1	50	2	3	7	10	14	19	41
B. *Operated*	37	11.5	83	1	2	10	16	23	33	39
2. MULTIPLE DX										
A. *Not Operated*	2022	11.4	193	3	4	9	14	22	31	68
B. *Operated*	282	22.8	321	5	7	18	29	57	76	99+
1. SINGLE DX	374	8.4	54	2	3	7	10	15	20	40
2. MULTIPLE DX	2304	12.8	144	3	4	9	16	25	38	88
A. NOT OPERATED	2359	11.0	97	3	3	8	13	21	30	64
B. OPERATED	319	21.5	306	4	6	17	28	53	74	99+
TOTAL 0-19 YRS	8	20.5	353	1	2	12	37	48	52	52
20-34	39	12.2	75	1	2	12	18	21	27	42
35-49	108	8.3	44	2	2	6	11	18	22	29
50-64	797	11.7	127	3	4	9	14	23	33	73
65+	1726	12.7	141	3	4	9	15	25	40	94
GRAND TOTAL	**2678**	**12.2**	**133**	**3**	**4**	**9**	**15**	**24**	**36**	**83**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7978	3.6	5	1	2	3	4	6	7	10
20-34	2329	4.6	7	1	2	4	6	8	9	13
35-49	2089	5.4	11	1	2	5	7	9	11	18
50-64	1658	6.1	12	2	2	5	8	10	13	18
65+	919	7.3	23	2	3	6	9	13	15	25
B. *Operated*										
0-19 YRS	13	4.4	6	1	1	4	6	8	8	8
20-34	14	8.6	25	2	3	9	12	16	18	18
35-49	27	8.2	44	1	1	7	15	17	20	23
50-64	16	12.3	62	3	3	10	17	26	27	27
65+	8	10.9	34	5	5	9	18	68	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3620	4.4	14	1	2	4	5	7	9	19
20-34	1412	5.8	15	2	2	5	7	10	12	20
35-49	1937	7.5	30	2	3	6	9	13	17	28
50-64	3072	8.4	37	2	3	7	10	14	19	33
65+	3570	10.1	62	3	4	8	12	18	23	43
B. *Operated*										
0-19 YRS	26	13.0	155	4	6	10	14	20	32	69
20-34	59	12.7	76	3	4	11	16	26	33	40
35-49	111	15.3	127	4	5	13	19	31	36	88
50-64	188	15.7	196	4	5	12	18	28	39	81
65+	255	19.6	266	5	7	15	23	43	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14973	4.5	9	1	2	4	6	8	10	15
B. *Operated*	78	8.8	41	1	2	7	15	18	22	79
2. MULTIPLE DX										
A. *Not Operated*	13611	7.4	39	2	2	6	9	14	18	32
B. *Operated*	639	16.8	205	4	6	13	20	32	51	91
1. SINGLE DX	15051	4.5	10	1	2	4	6	8	10	16
2. MULTIPLE DX	14250	7.8	50	2	2	6	10	14	19	38
A. NOT OPERATED	28584	5.9	25	1	2	5	7	11	14	25
B. OPERATED	717	15.9	193	3	5	12	19	31	47	93
TOTAL 0-19 YRS	11637	3.9	8	1	2	3	5	7	8	13
20-34	3814	5.2	13	1	2	4	6	9	11	18
35-49	4164	6.7	26	2	2	5	8	12	15	27
50-64	4934	7.9	38	2	3	7	10	14	18	32
65+	4752	10.1	71	3	4	8	12	18	24	51
GRAND TOTAL	**29301**	**6.1**	**32**	**1**	**2**	**5**	**7**	**11**	**15**	**28**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	17	1	1	3	7	11	15	15
20-34	18	6.1	16	2	2	5	9	13	14	14
35-49	129	7.4	46	3	3	6	8	11	14	34
50-64	742	8.0	36	2	3	7	10	15	19	31
65+	1273	8.8	41	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	6	7.0	66	2	2	2	13	20	21	21
20-34	6	13.3	335	2	2	6	12	46	50	50
35-49	14	5.8	26	1	2	4	8	12	18	20
50-64	35	6.6	21	1	2	6	10	15	17	99+
65+	51	12.1	304	1	1	4	14	28	50	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.0	12	1	2	5	9	12	26	99+
20-34	51	7.8	46	1	2	5	11	18	21	31
35-49	408	9.2	60	2	3	7	11	17	24	41
50-64	3315	10.5	79	3	4	8	12	19	26	53
65+	7761	11.9	100	3	4	9	14	22	32	63
B. *Operated*										
0-19 YRS	7	7.9	40	1	1	8	11	18	19	19
20-34	13	9.3	50	1	2	6	16	19	21	21
35-49	76	14.3	295	2	4	9	15	27	57	91
50-64	432	16.7	197	2	4	13	22	41	55	99+
65+	985	20.4	288	3	6	16	27	51	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2172	8.4	40	2	3	7	10	15	20	36
B. *Operated*	112	9.4	173	1	2	5	12	20	43	91
2. MULTIPLE DX										
A. *Not Operated*	11561	11.4	93	3	4	9	14	21	30	61
B. *Operated*	1513	18.9	264	3	5	14	25	47	73	99+
1. SINGLE DX	2284	8.4	46	2	3	7	10	15	20	39
2. MULTIPLE DX	13074	12.2	118	3	4	9	15	24	34	82
A. NOT OPERATED	13733	10.9	86	3	4	8	13	21	28	57
B. OPERATED	1625	18.2	263	2	4	14	24	46	71	99+
TOTAL 0-19 YRS	49	6.1	22	1	2	5	9	13	19	99+
20-34	88	8.1	59	1	2	5	11	18	21	43
35-49	627	9.4	88	2	3	7	11	17	24	60
50-64	4524	10.6	87	3	3	8	13	20	28	61
65+	10070	12.4	120	3	4	9	15	24	35	85
GRAND TOTAL	**15358**	**11.7**	**110**	**3**	**4**	**9**	**14**	**23**	**32**	**77**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	3.7	10	1	1	3	5	8	9	15
20-34	214	4.1	7	1	1	4	5	7	9	13
35-49	57	4.9	9	1	2	4	6	9	11	15
50-64	27	6.2	20	1	2	5	7	14	15	18
65+	13	8.8	20	3	4	9	11	16	17	17
B. *Operated*										
0-19 YRS	107	6.9	21	3	3	5	8	12	18	25
20-34	540	7.1	18	2	3	6	9	13	16	21
35-49	160	7.6	30	2	3	6	9	13	16	32
50-64	66	8.5	34	3	3	7	11	17	19	32
65+	49	8.8	33	2	3	7	12	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.7	15	1	1	3	4	6	10	21
20-34	40	5.0	9	1	2	4	7	9	11	13
35-49	28	7.5	45	1	2	6	10	13	22	32
50-64	35	9.6	44	3	3	9	11	18	22	35
65+	79	11.6	71	2	4	9	15	24	29	44
B. *Operated*										
0-19 YRS	37	11.1	69	3	5	9	14	24	33	36
20-34	174	11.0	59	3	4	9	15	19	23	43
35-49	131	12.7	122	3	4	9	16	24	28	63
50-64	151	14.7	127	4	4	11	19	28	39	57
65+	215	16.6	180	3	4	12	22	34	46	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	4.5	10	1	1	4	6	9	11	16
B. *Operated*	922	7.3	22	3	3	6	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	208	8.4	53	2	2	6	11	18	24	33
B. *Operated*	708	13.8	127	3	4	10	17	26	35	57
1. SINGLE DX	1300	6.5	21	2	2	5	8	12	16	23
2. MULTIPLE DX	916	12.6	115	3	4	9	16	25	33	56
A. NOT OPERATED	586	5.9	29	1	1	4	7	12	16	29
B. OPERATED	1630	10.1	78	3	3	7	12	20	26	49
TOTAL 0-19 YRS	237	6.3	31	1	1	5	8	13	17	31
20-34	968	7.0	27	2	2	6	9	14	17	24
35-49	376	9.0	68	2	3	7	10	17	24	45
50-64	279	11.8	94	3	4	9	15	23	32	52
65+	356	14.1	140	3	4	10	19	29	37	58
GRAND TOTAL	**2216**	**9.0**	**68**	**2**	**3**	**6**	**11**	**18**	**24**	**46**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	4.1	11	1	1	3	5	8	12	17
20-34	178	4.7	18	1	1	4	6	9	13	25
35-49	172	4.5	16	1	1	3	6	9	13	23
50-64	260	5.6	22	1	1	4	7	11	14	25
65+	313	8.2	89	1	2	6	10	14	19	64
B. *Operated*										
0-19 YRS	39	8.7	223	1	2	4	8	17	27	91
20-34	104	8.1	51	1	2	6	11	18	22	35
35-49	175	8.3	65	1	2	6	11	17	20	47
50-64	309	8.2	53	1	2	6	12	18	22	33
65+	272	8.2	56	1	1	6	12	19	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	348	5.9	47	1	1	4	7	11	16	43
20-34	295	6.5	33	1	2	5	8	13	19	31
35-49	448	8.1	60	1	2	6	10	16	20	37
50-64	1372	9.7	55	2	3	7	11	16	22	41
65+	4223	11.7	92	3	4	9	14	21	29	59
B. *Operated*										
0-19 YRS	89	13.9	205	1	2	9	21	35	48	91
20-34	172	14.4	218	1	2	9	20	33	50	81
35-49	337	13.9	170	2	2	10	18	33	44	72
50-64	886	13.8	158	2	3	10	18	30	43	99+
65+	1502	17.8	216	2	4	14	23	37	50	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1116	5.7	40	1	1	4	7	11	15	28
B. *Operated*	899	8.2	63	1	2	6	11	18	23	38
2. MULTIPLE DX										
A. *Not Operated*	6686	10.3	81	2	3	8	13	20	26	53
B. *Operated*	2986	15.9	197	2	3	12	21	34	47	97
1. SINGLE DX	2015	6.9	52	1	1	5	9	15	19	32
2. MULTIPLE DX	9672	12.0	123	2	3	9	15	25	34	69
A. NOT OPERATED	7802	9.7	78	2	2	8	12	19	25	50
B. OPERATED	3885	14.1	76	2	2	10	19	31	42	90
TOTAL 0-19 YRS	669	6.6	72	1	1	4	7	13	21	48
20-34	749	8.1	37	1	2	5	9	19	26	53
35-49	1132	9.3	98	1	2	6	11	20	28	60
50-64	2827	10.0	92	2	2	8	12	21	29	59
65+	6310	12.8	128	2	3	10	16	25	35	72
GRAND TOTAL	**11687**	**11.2**	**115**	**2**	**2**	**8**	**14**	**23**	**32**	**64**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.5	3	1	1	3	4	6	7	9
20-34	20	3.7	9	1	1	3	5	8	10	11
35-49	22	3.8	16	1	1	2	5	11	14	16
50-64	12	3.6	7	1	1	2	6	8	8	8
65+	7	3.7	5	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	4320	1.7	1	<1	<1	2	2	2	3	5
20-34	3509	1.8	1	<1	<1	2	2	2	4	6
35-49	777	2.1	3	<1	<1	2	2	3	4	7
50-64	561	2.2	2	<1	<1	2	2	3	4	9
65+	247	2.3	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	143	2.6	5	<1	<1	1	4	6	7	10
20-34	121	2.6	6	<1	<1	2	3	6	8	12
35-49	55	3.7	12	<1	<1	2	6	9	10	15
50-64	57	4.4	33	<1	<1	2	5	11	13	35
65+	55	5.8	37	1	1	4	8	13	20	28
B. *Operated*										
0-19 YRS	1652	2.2	10	<1	<1	2	2	4	5	11
20-34	1817	2.3	3	<1	1	2	2	4	5	9
35-49	919	2.5	6	1	1	2	2	4	6	11
50-64	1082	2.7	8	1	1	2	3	4	6	15
65+	846	3.2	13	1	2	2	3	6	8	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.6	7	1	1	3	5	7	9	14
B. *Operated*	9414	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	431	3.4	15	<1	<1	2	5	8	10	19
B. *Operated*	6316	2.5	7	<1	1	2	2	4	6	12
1. SINGLE DX	9524	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	6747	2.6	8	<1	1	2	3	4	6	13
A. NOT OPERATED	541	3.4	13	<1	<1	2	5	7	10	18
B. OPERATED	15730	2.1	4	<1	<1	2	2	3	4	9
TOTAL 0-19 YRS	6164	1.9	4	<1	<1	2	2	3	4	7
20-34	5467	2.0	2	<1	<1	2	2	3	4	7
35-49	1773	2.4	5	<1	1	2	2	4	5	11
50-64	1712	2.6	7	<1	1	2	3	4	6	14
65+	1155	3.2	12	1	2	2	3	6	8	18
GRAND TOTAL	**16271**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**9**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	4.3	7	1	2	4	5	7	8	15
20-34	41	4.3	8	1	1	3	6	8	10	12
35-49	33	5.1	9	1	2	4	6	8	13	15
50-64	34	5.3	11	1	2	5	6	10	12	15
65+	26	6.0	16	1	2	5	10	12	13	15
B. *Operated*										
0-19 YRS	167	2.7	3	<1	<1	2	4	5	6	9
20-34	182	3.2	5	<1	1	3	4	6	7	11
35-49	146	3.2	4	<1	1	3	4	5	6	12
50-64	198	3.3	4	<1	1	3	4	6	7	10
65+	147	4.5	14	1	2	3	5	8	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	4.7	9	1	2	4	6	9	12	14
20-34	50	5.1	15	2	2	4	6	7	11	25
35-49	52	5.8	21	1	1	5	8	11	17	22
50-64	74	6.8	26	1	2	6	8	12	16	31
65+	119	8.8	46	2	2	8	11	16	20	37
B. *Operated*										
0-19 YRS	89	3.2	11	<1	1	2	4	6	8	21
20-34	84	5.0	18	1	2	4	6	11	14	23
35-49	105	5.8	60	1	2	3	5	12	20	46
50-64	189	5.0	20	1	2	4	6	10	14	30
65+	191	7.6	85	2	2	4	9	17	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	4.7	9	1	2	4	6	9	11	15
B. *Operated*	840	3.4	6	<1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	414	6.4	28	1	2	5	8	13	16	29
B. *Operated*	658	5.6	46	1	2	3	6	12	17	36
1. SINGLE DX	1076	3.7	7	<1	1	3	5	7	8	15
2. MULTIPLE DX	1072	6.0	39	1	2	4	7	12	17	34
A. NOT OPERATED	650	5.8	22	1	2	5	7	11	14	25
B. OPERATED	1498	4.4	25	<1	1	3	5	8	12	27
TOTAL 0-19 YRS	477	3.6	8	<1	1	3	5	7	9	13
20-34	357	4.0	10	1	1	3	5	7	10	17
35-49	336	4.6	26	1	2	3	5	8	12	27
50-64	495	4.6	15	1	1	4	6	9	12	23
65+	483	6.9	53	1	2	4	9	14	21	35
GRAND TOTAL	**2148**	**4.8**	**24**	**1**	**1**	**3**	**6**	**9**	**13**	**26**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	4.1	16	1	1	3	5	8	10	20
20-34	126	3.7	7	<1	<1	3	5	7	9	14
35-49	209	3.6	6	<1	1	3	5	8	9	11
50-64	211	4.2	8	<1	1	4	6	8	9	12
65+	179	4.9	22	1	1	4	6	8	10	30
B. *Operated*										
0-19 YRS	109	4.7	95	<1	1	2	4	10	16	55
20-34	73	5.2	20	1	1	4	8	10	12	24
35-49	112	5.7	43	<1	1	4	7	11	14	37
50-64	173	5.5	35	<1	1	4	7	11	13	36
65+	292	6.1	41	1	2	4	8	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	177	6.0	30	1	2	4	8	15	18	80
20-34	258	5.1	17	1	1	4	6	10	14	19
35-49	505	5.5	16	1	2	5	7	10	13	18
50-64	802	6.0	19	1	2	5	8	11	14	23
65+	1262	7.9	46	2	2	6	10	15	21	43
B. *Operated*										
0-19 YRS	102	9.8	186	1	2	6	12	22	44	87
20-34	126	8.8	104	1	2	6	11	19	29	81
35-49	277	8.7	80	1	2	7	11	18	24	46
50-64	603	9.3	78	<1	2	7	12	20	27	50
65+	1122	11.6	149	2	2	8	14	24	33	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	886	4.1	12	<1	1	3	5	8	9	17
B. *Operated*	759	5.6	45	<1	1	3	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	3004	6.6	31	1	2	5	8	13	17	29
B. *Operated*	2230	10.4	122	1	2	8	13	22	31	73
1. SINGLE DX	1645	4.8	28	<1	1	3	6	9	12	25
2. MULTIPLE DX	5234	8.2	73	1	2	6	10	17	23	54
A. NOT OPERATED	3890	6.1	28	1	2	5	8	12	16	27
B. OPERATED	2989	9.2	107	1	2	7	11	19	27	67
TOTAL 0-19 YRS	549	5.9	71	1	1	3	7	13	19	71
20-34	583	5.6	37	<1	1	4	7	11	16	31
35-49	1103	5.9	36	1	1	4	8	12	16	29
50-64	1789	6.8	43	1	2	5	9	13	18	34
65+	2855	9.0	89	2	2	6	11	19	25	65
GRAND TOTAL	**6879**	**7.4**	**65**	**1**	**2**	**5**	**9**	**15**	**21**	**46**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.2	18	<1	1	5	7	9	14	20
20-34	56	4.5	9	<1	1	4	6	9	10	15
35-49	107	5.2	11	<1	1	5	7	10	11	17
50-64	123	5.2	10	1	1	5	7	9	11	16
65+	111	6.8	25	1	1	5	9	13	17	25
B. *Operated*										
0-19 YRS	6	6.5	8	3	3	7	7	11	11	11
20-34	22	10.0	48	<1	1	8	14	20	25	26
35-49	89	8.0	41	<1	1	7	11	17	22	74
50-64	118	7.0	37	<1	<1	6	9	14	18	33
65+	113	8.9	53	<1	1	7	13	19	24	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.8	19	3	3	4	6	14	16	16
20-34	88	5.9	11	2	2	5	7	10	12	17
35-49	173	6.9	23	1	2	6	8	14	16	21
50-64	257	7.1	20	2	3	6	9	13	16	23
65+	627	9.6	63	2	3	8	12	17	22	49
B. *Operated*										
0-19 YRS	3	7.3	16	3	3	8	10	11	11	11
20-34	41	9.3	62	1	3	7	10	17	28	38
35-49	123	8.9	40	1	3	8	12	16	22	31
50-64	291	10.3	68	1	2	9	13	19	23	51
65+	596	12.8	100	2	4	10	15	23	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	418	5.5	15	<1	1	5	7	10	13	19
B. *Operated*	348	8.1	44	<1	1	7	11	17	22	34
2. MULTIPLE DX										
A. *Not Operated*	1154	8.3	45	2	3	7	10	15	19	36
B. *Operated*	1054	11.5	84	2	3	9	14	22	27	55
1. SINGLE DX	766	6.7	30	<1	1	6	9	13	17	27
2. MULTIPLE DX	2208	9.8	66	2	3	8	12	18	23	48
A. NOT OPERATED	1572	7.6	38	1	2	6	9	14	18	31
B. OPERATED	1402	10.6	76	1	2	9	13	21	26	51
TOTAL 0-19 YRS	39	5.7	16	1	2	5	8	10	14	20
20-34	207	6.6	28	1	2	5	8	13	17	29
35-49	492	7.2	29	<1	2	6	9	14	17	28
50-64	789	8.0	42	1	2	7	10	15	19	34
65+	1447	10.6	78	2	3	9	13	20	26	57
GRAND TOTAL	**2974**	**9.0**	**59**	**1**	**2**	**7**	**11**	**17**	**22**	**40**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.8	9	2	2	5	8	11	11	11
20-34	42	4.5	4	2	2	4	6	7	9	11
35-49	62	5.5	5	2	3	5	6	8	10	12
50-64	114	6.5	11	3	4	6	7	9	11	23
65+	154	7.8	26	3	4	7	9	13	17	22
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	24	12.2	48	4	5	10	16	22	25	31
35-49	53	9.3	29	3	5	9	11	15	17	36
50-64	94	11.1	36	5	6	10	14	20	21	33
65+	123	12.9	77	3	5	11	16	24	27	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	8	3	3	7	8	9	9	9
20-34	43	6.0	20	1	2	5	7	8	14	24
35-49	96	7.4	15	3	4	7	9	12	13	24
50-64	306	8.1	36	3	4	7	9	13	17	28
65+	746	10.9	63	4	5	9	13	19	25	46
B. *Operated*										
0-19 YRS	8	8.8	38	4	4	7	10	19	23	23
20-34	36	13.7	153	3	3	9	17	36	39	53
35-49	88	15.0	185	4	5	11	17	26	37	84
50-64	281	13.7	104	4	5	11	17	25	34	58
65+	768	17.0	169	5	6	14	21	34	47	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	6.6	16	2	3	6	8	11	13	22
B. *Operated*	295	11.6	54	4	5	10	14	20	25	44
2. MULTIPLE DX										
A. *Not Operated*	1196	9.7	53	3	4	8	11	16	22	39
B. *Operated*	1181	15.9	155	5	6	12	19	30	44	92
1. SINGLE DX	684	8.8	39	3	4	7	11	16	20	35
2. MULTIPLE DX	2377	12.8	113	4	5	10	15	24	34	73
A. NOT OPERATED	1585	9.0	46	3	4	7	10	15	20	37
B. OPERATED	1476	15.0	138	4	6	12	18	28	39	85
TOTAL 0-19 YRS	31	6.6	17	2	3	6	8	11	11	23
20-34	145	8.5	67	2	3	6	9	19	26	41
35-49	299	9.6	78	3	4	8	11	16	24	47
50-64	795	10.2	64	3	4	8	12	19	24	43
65+	1791	13.4	117	4	5	10	16	25	36	78
GRAND TOTAL	**3061**	**11.9**	**99**	**3**	**4**	**9**	**14**	**22**	**30**	**60**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	4.4	9	1	1	4	5	9	11	16
20-34	334	4.7	8	1	2	4	6	9	10	14
35-49	420	5.2	11	1	2	4	7	9	11	19
50-64	364	5.2	9	1	2	5	7	9	11	15
65+	205	6.3	25	1	2	6	8	10	11	32
B. *Operated*										
0-19 YRS	4	2.5	3	<1	<1	2	4	4	4	4
20-34	59	8.9	31	1	3	9	10	16	19	31
35-49	88	10.9	63	1	3	9	13	19	23	47
50-64	75	8.2	29	<1	2	8	11	14	17	28
65+	43	9.5	44	<1	1	9	12	22	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	5.2	10	2	2	5	6	10	13	71
20-34	374	5.8	14	1	2	5	7	10	13	18
35-49	588	6.3	17	2	3	5	8	10	14	23
50-64	860	6.8	22	2	3	6	8	11	14	23
65+	1331	9.0	46	3	3	7	11	16	21	42
B. *Operated*										
0-19 YRS	4	6.0	18	3	3	5	9	12	12	12
20-34	70	12.4	95	3	4	10	16	21	33	55
35-49	159	12.0	98	2	4	9	15	22	26	57
50-64	261	12.9	106	2	3	10	17	25	35	57
65+	393	14.4	123	3	4	12	18	28	40	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1417	5.2	12	1	2	4	7	9	11	17
B. *Operated*	269	9.4	44	1	2	9	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	3237	7.5	31	2	3	6	9	13	17	30
B. *Operated*	887	13.3	112	2	4	11	17	26	34	61
1. SINGLE DX	1686	5.8	20	1	2	5	8	10	13	23
2. MULTIPLE DX	4124	8.7	54	2	3	7	10	16	22	43
A. NOT OPERATED	4654	6.8	27	2	2	6	8	12	15	28
B. OPERATED	1156	12.4	99	2	3	10	16	24	32	57
TOTAL 0-19 YRS	186	4.7	10	1	2	4	6	9	12	17
20-34	837	6.1	24	1	2	5	8	11	14	26
35-49	1255	7.0	34	2	2	6	9	13	17	27
50-64	1560	7.5	40	2	2	6	9	13	18	35
65+	1972	9.8	65	3	3	8	12	19	25	48
GRAND TOTAL	**5810**	**7.9**	**46**	**2**	**3**	**6**	**9**	**15**	**20**	**38**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	5.2	7	1	2	5	7	8	11	13
20-34	201	5.4	6	2	3	5	7	9	10	13
35-49	261	5.7	6	3	3	5	7	9	11	13
50-64	350	6.5	10	3	3	6	8	11	12	17
65+	338	7.1	12	3	4	6	8	12	14	19
B. *Operated*										
0-19 YRS	6	6.2	23	2	2	5	8	13	14	14
20-34	72	10.3	22	5	6	9	12	16	18	30
35-49	120	11.1	27	4	6	10	14	17	20	30
50-64	168	11.6	66	5	6	10	13	19	28	39
65+	139	14.0	97	5	7	11	16	25	32	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	6.3	15	2	2	5	9	11	13	18
20-34	168	6.3	18	2	3	5	8	11	14	24
35-49	303	6.8	23	2	3	6	8	12	14	27
50-64	702	7.8	27	3	3	7	9	12	16	27
65+	1426	10.5	64	3	4	8	13	18	24	58
B. *Operated*										
0-19 YRS	7	23.4	670	6	6	11	35	68	75	75
20-34	54	14.4	196	4	4	11	16	26	31	96
35-49	163	14.7	97	5	6	12	18	27	39	46
50-64	344	16.4	163	5	6	13	20	29	41	91
65+	733	20.7	237	6	8	16	25	42	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1193	6.2	10	3	3	6	8	10	12	17
B. *Operated*	505	11.9	60	5	6	10	14	19	26	42
2. MULTIPLE DX										
A. *Not Operated*	2627	9.0	49	3	4	7	11	16	20	43
B. *Operated*	1301	18.6	206	5	7	14	23	36	52	97
1. SINGLE DX	1698	7.9	31	3	3	7	10	13	17	28
2. MULTIPLE DX	3928	12.2	121	3	4	9	14	24	33	75
A. NOT OPERATED	3820	8.2	38	3	3	7	10	14	18	35
B. OPERATED	1806	16.7	174	5	6	13	20	31	45	85
TOTAL 0-19 YRS	84	7.2	83	2	2	5	8	11	13	64
20-34	495	7.4	42	2	3	6	9	13	17	30
35-49	847	8.6	44	2	3	7	10	15	20	39
50-64	1564	9.8	72	3	4	8	11	17	25	53
65+	2636	13.1	132	4	5	10	15	25	36	76
GRAND TOTAL	**5626**	**10.9**	**98**	**3**	**4**	**8**	**13**	**21**	**28**	**64**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	4	2	2	3	6	6	6	6
20-34	6	7.8	7	5	5	7	11	11	11	11
35-49	13	8.3	20	3	3	7	11	15	17	17
50-64	23	7.1	11	3	4	7	9	11	15	16
65+	30	9.2	20	3	4	8	12	16	17	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	11.2	37	2	5	10	12	21	24	25
35-49	32	13.4	29	6	7	13	16	21	25	26
50-64	41	14.8	55	4	7	13	19	22	32	37
65+	26	15.7	71	5	7	14	18	26	36	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	6.4	9	2	3	6	7	12	12	12
35-49	22	7.5	14	2	2	7	11	12	13	14
50-64	44	8.0	15	3	3	7	10	13	16	19
65+	92	11.9	50	3	5	10	14	23	28	33
B. *Operated*										
0-19 YRS	2	17.5	13	15	15	17	20	20	20	20
20-34	16	16.6	55	4	11	16	21	29	31	31
35-49	51	18.0	177	5	6	15	21	34	44	77
50-64	87	21.1	220	6	8	18	27	35	48	87
65+	167	21.8	207	7	9	18	27	40	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	8.0	17	2	3	7	10	15	16	21
B. *Operated*	112	14.1	51	5	7	13	18	24	26	37
2. MULTIPLE DX										
A. *Not Operated*	171	9.9	38	3	4	9	12	17	24	32
B. *Operated*	323	20.7	198	6	8	17	26	37	49	93
1. SINGLE DX	189	11.6	46	3	5	10	15	20	25	36
2. MULTIPLE DX	494	17.0	169	4	6	13	22	32	42	77
A. NOT OPERATED	248	9.3	32	3	4	8	11	16	20	32
B. OPERATED	435	19.0	168	6	7	16	23	34	44	79
TOTAL 0-19 YRS	8	6.9	48	<1	1	4	11	18	20	20
20-34	47	11.3	48	2	4	11	13	21	26	31
35-49	118	13.8	106	4	5	12	16	25	33	58
50-64	195	15.2	148	4	5	11	19	30	35	67
65+	315	17.2	157	5	6	14	22	32	42	73
GRAND TOTAL	**683**	**15.5**	**140**	**4**	**5**	**12**	**20**	**29**	**37**	**61**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	546	3.0	3	1	1	3	4	5	6	10
20-34	770	3.5	5	1	1	3	5	6	8	11
35-49	598	4.2	8	1	1	4	5	8	10	15
50-64	402	4.4	11	1	1	4	6	8	10	16
65+	255	5.1	17	1	2	4	7	10	11	24
B. *Operated*										
0-19 YRS	14	6.5	28	<1	1	5	9	17	17	17
20-34	61	5.3	20	<1	<1	4	8	10	15	18
35-49	83	6.0	31	<1	<1	5	9	13	16	29
50-64	86	5.9	43	<1	<1	4	8	12	19	34
65+	82	7.7	65	<1	<1	5	11	19	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	773	3.5	6	1	1	3	4	6	8	13
20-34	1275	4.8	10	1	2	4	6	9	11	16
35-49	1630	5.8	16	2	2	5	7	10	13	20
50-64	1821	6.4	21	2	2	5	8	11	14	23
65+	2571	8.5	54	2	3	7	10	15	20	40
B. *Operated*										
0-19 YRS	29	6.4	18	<1	1	6	8	11	13	21
20-34	161	8.2	44	1	2	7	10	15	18	25
35-49	329	10.1	90	1	3	8	12	18	27	47
50-64	509	10.9	102	2	3	8	13	22	28	68
65+	809	12.7	95	3	4	10	16	25	34	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2571	3.9	8	1	1	3	5	7	9	13
B. *Operated*	326	6.3	41	<1	<1	5	8	14	18	34
2. MULTIPLE DX										
A. *Not Operated*	8070	6.4	30	2	2	5	8	12	15	28
B. *Operated*	1837	11.2	92	2	3	9	14	22	30	57
1. SINGLE DX	2897	4.1	12	<1	1	3	5	8	10	18
2. MULTIPLE DX	9907	7.3	45	2	2	6	9	14	18	35
A. NOT OPERATED	10641	5.8	26	1	2	5	7	11	14	25
B. OPERATED	2163	10.5	88	<1	2	8	13	20	28	51
TOTAL 0-19 YRS	1362	3.4	6	1	1	3	4	6	8	12
20-34	2267	4.6	12	1	1	4	6	9	11	17
35-49	2640	6.0	27	1	2	5	7	11	15	24
50-64	2818	6.9	39	1	2	5	8	12	17	32
65+	3717	9.2	65	2	3	7	11	17	24	42
GRAND TOTAL	**12804**	**6.6**	**39**	**1**	**2**	**5**	**8**	**12**	**17**	**33**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.4	8	1	1	3	4	6	9	17
20-34	93	4.0	7	<1	1	3	6	7	8	12
35-49	77	5.5	19	<1	1	4	7	10	14	24
50-64	64	5.5	27	<1	1	4	7	10	15	32
65+	62	6.1	25	1	1	5	8	13	15	25
B. *Operated*										
0-19 YRS	56	5.1	4	3	3	5	6	8	9	9
20-34	13	9.8	44	2	4	8	12	17	27	29
35-49	19	11.4	41	2	3	12	14	17	24	29
50-64	25	11.5	137	1	2	9	14	17	29	62
65+	29	19.6	273	1	2	14	31	48	49	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	6	1	1	3	4	7	10	12
20-34	193	6.0	41	1	2	4	7	11	15	32
35-49	196	5.8	18	1	2	4	7	12	15	20
50-64	272	7.3	39	1	2	6	9	14	19	31
65+	414	8.7	46	2	3	7	11	16	21	46
B. *Operated*										
0-19 YRS	13	11.3	150	2	2	9	12	21	44	50
20-34	35	13.6	130	<1	2	11	17	32	38	49
35-49	91	16.0	179	1	3	13	19	32	52	89
50-64	111	15.3	125	1	4	13	20	29	38	59
65+	214	22.7	281	3	6	19	32	46	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	4.7	16	1	1	4	6	9	12	22
B. *Operated*	142	10.4	117	2	3	7	12	27	33	53
2. MULTIPLE DX										
A. *Not Operated*	1186	7.0	37	1	2	5	9	14	18	33
B. *Operated*	464	18.6	222	2	4	15	24	40	50	95
1. SINGLE DX	534	6.2	49	1	1	4	7	12	17	38
2. MULTIPLE DX	1650	10.3	117	1	2	7	13	22	33	60
A. NOT OPERATED	1578	6.4	33	1	2	5	8	13	17	30
B. OPERATED	606	16.7	209	2	3	13	22	36	48	89
TOTAL 0-19 YRS	276	4.1	15	1	1	3	5	8	10	14
20-34	334	6.4	48	1	2	4	8	12	18	34
35-49	383	8.4	76	1	2	6	11	17	23	55
50-64	472	9.2	75	1	2	7	12	19	24	49
65+	719	13.1	167	2	3	9	17	31	42	87
GRAND TOTAL	**2184**	**9.3**	**103**	**1**	**2**	**6**	**11**	**20**	**30**	**57**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	3.1	6	<1	1	3	4	5	9	14
20-34	55	3.0	5	1	1	2	3	6	6	15
35-49	14	4.6	7	1	2	4	8	8	9	9
50-64	7	6.6	11	3	3	6	9	12	12	12
65+	4	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	4613	4.2	3	2	3	4	5	6	7	11
20-34	2741	4.6	4	2	3	4	5	7	8	11
35-49	800	5.3	7	3	3	5	6	8	10	16
50-64	375	6.1	9	3	4	5	7	10	12	18
65+	137	7.8	12	4	4	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.2	7	1	1	2	4	6	9	14
20-34	28	2.8	3	1	1	2	4	5	6	7
35-49	15	3.6	3	1	2	3	5	6	6	6
50-64	7	5.1	8	2	2	4	8	9	9	9
65+	7	12.1	44	7	7	9	14	24	26	26
B. *Operated*										
0-19 YRS	654	6.2	15	3	3	5	7	11	14	21
20-34	557	6.8	30	3	3	6	8	11	14	22
35-49	228	8.6	31	3	4	7	10	16	21	36
50-64	205	9.7	47	3	4	8	11	17	21	38
65+	158	13.5	133	5	6	10	15	23	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	3.4	6	1	1	3	4	6	9	15
B. *Operated*	8666	4.6	4	2	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	98	3.9	13	1	1	3	5	8	10	20
B. *Operated*	1802	7.7	40	3	3	6	9	14	18	31
1. SINGLE DX	8820	4.5	5	2	3	4	5	7	8	12
2. MULTIPLE DX	1900	7.5	39	3	3	6	9	14	17	31
A. NOT OPERATED	252	3.6	9	1	1	3	4	7	9	15
B. OPERATED	10468	5.1	12	2	3	4	6	8	10	18
TOTAL 0-19 YRS	5382	4.4	5	2	3	4	5	7	8	14
20-34	3381	4.9	9	2	3	4	6	7	9	15
35-49	1057	6.0	14	3	3	5	7	10	13	23
50-64	594	7.4	25	3	4	6	8	13	16	29
65+	306	10.8	84	4	5	8	12	19	25	53
GRAND TOTAL	**10720**	**5.1**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**18**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	9.7	15	3	4	10	12	14	15	21
20-34	17	9.9	14	5	6	9	11	16	18	19
35-49	17	7.6	10	3	3	8	10	12	13	13
50-64	11	6.5	11	2	2	6	9	11	12	12
65+	9	11.0	16	4	6	10	15	16	16	16
B. *Operated*										
0-19 YRS	928	8.1	15	3	4	7	10	13	15	20
20-34	499	7.9	15	3	4	7	10	12	14	21
35-49	307	9.2	20	4	5	9	11	14	19	25
50-64	257	9.7	19	4	5	9	12	15	17	25
65+	140	11.6	32	6	6	10	14	17	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	11.7	37	2	2	13	16	19	21	21
20-34	11	9.8	12	2	5	9	13	14	14	14
35-49	3	9.7	2	8	8	10	11	11	11	11
50-64	6	16.5	82	7	7	15	21	31	32	32
65+	8	13.6	40	7	7	12	17	24	26	26
B. *Operated*										
0-19 YRS	320	12.0	54	4	5	10	15	21	26	34
20-34	237	11.8	51	4	5	10	14	19	25	43
35-49	203	13.1	61	6	7	11	15	22	30	45
50-64	262	14.7	55	7	7	13	18	24	31	51
65+	299	18.1	108	8	9	15	22	36	40	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	9.0	15	3	4	9	11	14	16	20
B. *Operated*	2131	8.6	18	3	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	38	12.2	37	3	7	11	15	20	24	32
B. *Operated*	1321	14.0	72	5	7	12	17	25	33	49
1. SINGLE DX	2220	8.6	18	3	4	8	10	14	16	23
2. MULTIPLE DX	1359	14.0	72	5	7	12	16	25	32	49
A. NOT OPERATED	127	10.0	23	3	4	9	13	16	18	27
B. OPERATED	3452	10.7	46	4	5	9	13	18	24	40
TOTAL 0-19 YRS	1293	9.1	27	3	4	8	11	15	19	28
20-34	764	9.2	29	4	4	8	11	14	18	30
35-49	530	10.7	39	4	5	9	13	17	22	37
50-64	536	12.2	44	5	6	11	14	21	25	40
65+	456	15.9	91	7	8	13	19	31	38	60
GRAND TOTAL	**3579**	**10.7**	**45**	**4**	**5**	**9**	**13**	**18**	**23**	**39**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.7	3	1	1	2	3	5	7	7
20-34	43	2.6	2	1	1	2	4	4	5	6
35-49	14	4.1	12	1	1	3	5	9	13	14
50-64	7	5.4	10	2	2	4	7	10	11	11
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	209	4.8	4	3	3	4	6	8	9	12
20-34	139	5.0	3	2	3	4	6	8	10	14
35-49	40	5.5	4	3	3	5	7	8	10	11
50-64	29	7.4	17	4	4	6	10	14	16	20
65+	9	9.0	21	4	5	8	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.1	3	1	2	3	4	5	6	7
20-34	29	3.6	9	<1	1	3	4	6	9	16
35-49	7	3.0	3	1	1	2	4	6	6	6
50-64	5	4.0	6	2	2	3	5	8	8	8
65+	4	8.5	36	3	3	7	12	17	17	17
B. *Operated*										
0-19 YRS	116	5.9	9	3	3	5	6	10	12	19
20-34	89	6.8	14	3	3	6	7	13	16	20
35-49	35	9.7	37	3	4	8	12	19	24	28
50-64	26	11.4	46	4	4	8	16	20	24	30
65+	23	13.8	43	6	7	12	19	23	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.0	4	1	1	2	4	5	7	12
B. *Operated*	426	5.2	7	2	3	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	71	3.7	8	1	1	3	5	6	8	17
B. *Operated*	289	7.7	26	3	4	6	9	15	19	27
1. SINGLE DX	542	4.7	7	2	2	4	6	8	10	14
2. MULTIPLE DX	360	6.9	25	2	3	5	8	14	18	25
A. NOT OPERATED	187	3.3	6	1	1	3	4	6	7	15
B. OPERATED	715	6.2	16	3	3	5	7	11	14	22
TOTAL 0-19 YRS	401	4.7	6	2	2	4	6	8	10	13
20-34	300	5.1	11	1	2	4	6	9	12	18
35-49	96	6.6	23	2	3	5	8	12	17	27
50-64	67	8.5	32	3	4	7	11	17	20	29
65+	38	11.5	44	3	4	10	14	21	23	31
GRAND TOTAL	**902**	**5.6**	**16**	**2**	**2**	**5**	**6**	**10**	**14**	**21**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.7	1	<1	<1	1	2	3	4	4
20-34	15	3.0	7	<1	<1	2	4	6	10	11
35-49	10	2.3	3	<1	<1	2	3	5	6	6
50-64	13	2.9	5	1	1	2	3	7	9	9
65+	16	3.4	6	1	1	2	6	7	8	8
B. *Operated*										
0-19 YRS	4080	2.0	1	<1	<1	2	2	3	4	6
20-34	3480	3.5	2	2	2	3	4	5	6	8
35-49	3323	3.9	2	2	2	4	5	6	7	9
50-64	5311	4.2	3	2	2	4	5	6	7	10
65+	3733	4.8	5	2	3	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	1.2		<1	<1	1	1	2	3	5
20-34	40	2.1	3	<1	<1	1	3	4	5	10
35-49	40	2.5	10	<1	<1	1	3	4	7	19
50-64	92	3.2	17	<1	<1	2	4	7	10	23
65+	188	5.3	70	<1	1	3	6	11	16	69
B. *Operated*										
0-19 YRS	1949	2.1	3	<1	<1	2	2	4	5	10
20-34	1132	4.1	4	2	2	4	5	6	7	11
35-49	1646	4.7	7	2	3	4	5	7	9	14
50-64	3905	5.4	15	2	3	4	6	9	11	18
65+	4741	7.1	32	3	3	6	8	13	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.4	4	<1	<1	2	3	6	6	10
B. *Operated*	19927	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	605	2.9	28	<1	<1	1	3	6	10	25
B. *Operated*	13373	5.3	20	1	2	4	6	9	13	23
1. SINGLE DX	20021	3.7	4	1	2	3	5	6	7	10
2. MULTIPLE DX	13978	5.2	21	1	2	4	6	9	13	23
A. NOT OPERATED	699	2.8	25	<1	<1	1	3	6	9	22
B. OPERATED	33300	4.3	11	1	2	4	5	7	9	17
TOTAL 0-19 YRS	6314	2.0	2	<1	<1	2	2	3	4	6
20-34	4667	3.6	3	2	2	3	4	5	6	9
35-49	5019	4.1	4	2	2	4	5	6	7	11
50-64	9321	4.7	9	2	3	4	5	7	9	15
65+	8678	6.1	22	2	3	5	7	10	14	24
GRAND TOTAL	**33999**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.3	1	<1	<1	1	1	3	4	4
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	1.8	1	<1	<1	1	2	4	4	4
65+	15	3.4	5	<1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS	267	2.2	2	<1	1	2	3	4	5	7
20-34	138	4.0	3	2	2	4	5	7	7	8
35-49	126	4.8	9	2	2	4	6	8	9	15
50-64	270	4.9	6	2	3	5	6	8	9	13
65+	370	6.7	13	3	3	6	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	4	<1	<1	2	2	5	7	8
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	13	4.4	11	<1	1	3	7	9	11	11
65+	45	7.0	60	1	2	5	9	13	17	49
B. *Operated*										
0-19 YRS	158	3.2	9	<1	1	2	4	6	8	16
20-34	63	5.1	6	2	3	5	7	8	9	14
35-49	83	7.4	29	2	3	6	9	14	21	27
50-64	291	7.5	27	3	3	6	8	14	20	30
65+	866	11.3	101	3	4	8	13	21	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.4	4	<1	<1	1	4	6	7	7
B. *Operated*	1171	4.7	10	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	77	5.4	42	<1	1	4	7	10	14	42
B. *Operated*	1461	9.2	76	2	3	7	11	18	25	54
1. SINGLE DX	1208	4.7	10	1	1	4	6	8	10	15
2. MULTIPLE DX	1538	9.0	75	2	3	7	11	17	24	54
A. NOT OPERATED	114	4.4	31	<1	1	3	6	9	11	32
B. OPERATED	2632	7.2	51	1	2	5	8	14	19	41
TOTAL 0-19 YRS	447	2.5	5	<1	1	2	3	5	6	10
20-34	206	4.3	4	2	2	4	5	7	8	10
35-49	214	5.7	18	2	2	5	7	10	14	25
50-64	583	6.2	18	2	3	5	7	11	14	27
65+	1296	9.7	78	3	4	7	11	18	25	55
GRAND TOTAL	**2746**	**7.1**	**51**	**1**	**2**	**5**	**8**	**13**	**19**	**41**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	478	2.1	2	<1	1	2	2	3	4	6
20-34	206	3.3	2	1	2	3	4	5	6	8
35-49	277	3.8	3	2	2	3	5	6	7	9
50-64	223	4.2	4	2	2	4	5	7	8	11
65+	93	4.9	8	2	3	4	6	9	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	1.3	1	<1	<1	1	1	2	4	5
20-34	8	1.6	1	<1	<1	1	2	4	4	4
35-49	18	2.6	3	<1	<1	2	4	5	6	7
50-64	18	5.9	26	<1	<1	4	8	15	18	18
65+	28	7.6	66	1	1	5	9	16	31	34
B. *Operated*										
0-19 YRS	77	2.5	3	<1	<1	2	3	5	6	10
20-34	85	4.8	9	1	2	4	6	8	10	17
35-49	187	5.1	10	2	2	4	7	9	11	17
50-64	232	6.5	31	2	3	5	8	11	14	22
65+	149	9.6	75	3	4	7	11	20	23	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.8	18	<1	<1	1	3	8	15	16
B. *Operated*	1277	3.2	4	1	1	3	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	112	3.9	28	<1	<1	2	4	8	15	32
B. *Operated*	730	6.2	33	2	2	5	7	11	15	28
1. SINGLE DX	1289	3.2	4	1	1	3	4	5	7	10
2. MULTIPLE DX	842	5.9	33	1	1	4	7	11	15	30
A. NOT OPERATED	124	3.8	27	<1	<1	2	4	8	15	32
B. OPERATED	2007	4.3	16	1	2	3	5	8	10	21
TOTAL 0-19 YRS	600	2.1	2	<1	<1	2	2	3	4	6
20-34	303	3.7	5	1	1	3	5	6	8	10
35-49	484	4.2	6	1	2	4	5	7	9	14
50-64	473	5.4	19	2	2	4	6	9	12	19
65+	271	7.8	55	2	3	5	9	16	22	45
GRAND TOTAL	**2131**	**4.3**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.4	1	1	1	3	3	3	3	3
35-49	3	3.7	9	1	1	3	6	7	7	7
50-64	12	4.8	14	2	2	3	6	11	14	14
65+	11	6.3	35	1	2	4	6	17	21	21
B. *Operated*										
0-19 YRS	116	2.6	3	<1	1	2	3	4	6	9
20-34	390	4.2	5	2	2	4	5	7	8	11
35-49	564	5.3	6	2	2	5	6	9	9	14
50-64	685	6.4	10	3	3	6	8	10	12	16
65+	450	7.0	9	3	3	7	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	6	<1	<1	2	4	7	7	7
20-34	11	3.1	7	<1	<1	2	3	8	9	9
35-49	37	4.5	63	<1	<1	3	5	8	9	49
50-64	71	5.0	15	<1	1	5	6	8	14	21
65+	90	7.5	54	1	2	6	9	19	24	78
B. *Operated*										
0-19 YRS	26	5.1	21	<1	1	3	7	12	15	19
20-34	208	6.1	14	2	3	5	7	9	13	23
35-49	443	7.5	24	3	3	6	9	14	17	27
50-64	729	8.4	31	3	4	7	10	15	20	31
65+	721	10.7	57	4	4	9	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.6	19	1	1	3	5	11	14	21
B. *Operated*	2205	5.6	9	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	215	5.8	40	<1	1	4	7	13	19	48
B. *Operated*	2127	8.7	39	3	3	7	10	16	20	32
1. SINGLE DX	2238	5.6	9	2	2	5	7	9	11	16
2. MULTIPLE DX	2342	8.4	40	2	3	7	10	16	20	32
A. NOT OPERATED	248	5.7	38	<1	1	4	7	12	19	47
B. OPERATED	4332	7.2	26	2	3	6	9	12	16	27
TOTAL 0-19 YRS	150	3.0	7	<1	1	2	3	6	7	14
20-34	614	4.8	9	2	2	4	6	8	9	18
35-49	1047	6.2	17	2	3	5	8	10	13	21
50-64	1497	7.3	22	3	3	6	9	12	16	26
65+	1272	9.1	43	3	4	8	11	16	20	39
GRAND TOTAL	**4580**	**7.1**	**27**	**2**	**3**	**6**	**8**	**12**	**16**	**27**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	31	4.7	10	<1	1	4	7	10	11	12
35-49	100	4.3	10	<1	1	3	6	8	11	17
50-64	158	4.8	7	2	2	4	6	8	10	14
65+	130	5.1	12	2	2	4	6	9	14	17
B. *Operated*										
0-19 YRS	6	2.2	4	<1	<1	1	2	6	6	6
20-34	22	8.4	8	4	5	8	9	12	14	15
35-49	28	7.6	8	3	4	8	9	11	12	13
50-64	44	8.3	17	2	3	8	10	14	17	19
65+	36	9.0	45	1	2	8	12	20	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	7	4	4	5	8	10	10	10
20-34	131	5.0	10	1	2	5	7	9	11	16
35-49	428	5.5	13	1	2	5	7	10	12	19
50-64	921	6.0	13	2	2	5	8	10	13	19
65+	1624	7.4	34	2	3	6	9	13	17	28
B. *Operated*										
0-19 YRS	7	11.6	63	<1	1	10	19	23	23	23
20-34	59	10.0	45	3	4	8	11	20	25	38
35-49	141	9.8	48	2	3	9	11	16	24	51
50-64	329	10.2	65	2	2	9	12	19	23	44
65+	404	13.0	120	2	3	10	17	26	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	4.8	9	1	2	4	6	8	11	16
B. *Operated*	136	8.1	22	1	2	8	10	14	18	23
2. MULTIPLE DX										
A. *Not Operated*	3108	6.6	24	2	2	6	8	12	15	24
B. *Operated*	940	11.3	87	2	3	9	13	21	29	51
1. SINGLE DX	557	5.6	14	1	2	5	7	10	13	19
2. MULTIPLE DX	4048	7.7	43	2	3	6	9	14	19	34
A. NOT OPERATED	3529	6.4	23	2	2	5	8	11	14	23
B. OPERATED	1076	10.9	80	2	3	9	13	21	28	47
TOTAL 0-19 YRS	19	6.9	40	<1	<1	6	9	17	22	23
20-34	243	6.5	23	1	2	6	8	11	14	25
35-49	697	6.3	23	1	2	5	8	11	14	25
50-64	1452	6.9	28	2	2	6	9	12	16	25
65+	2194	8.4	54	2	3	7	10	16	21	38
GRAND TOTAL	**4605**	**7.5**	**40**	**2**	**2**	**6**	**9**	**14**	**18**	**33**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	16	<1	<1	1	5	9	9	9
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	12	4.6	11	1	1	4	6	9	12	13
50-64	1	14.0		14	14	14	14	14	14	14
65+	5	3.8	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	25	2.8	2	<1	1	3	4	5	5	6
20-34	67	3.5	3	1	2	3	4	5	6	10
35-49	115	4.7	6	2	2	4	6	8	9	15
50-64	120	4.3	4	1	2	4	5	7	8	10
65+	125	5.9	12	2	3	5	7	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	4	1	2	5	6	8	8	8
20-34	7	4.6	9	3	3	3	5	10	11	11
35-49	12	4.8	16	1	1	3	7	10	13	14
50-64	28	6.0	13	1	2	5	8	11	13	14
65+										
B. *Operated*										
0-19 YRS	11	2.9	4	1	1	2	4	6	8	8
20-34	32	5.9	23	2	2	5	6	12	14	26
35-49	53	5.5	12	2	3	4	6	9	13	19
50-64	97	7.0	28	2	3	6	8	13	16	32
65+	171	9.2	51	3	3	7	11	20	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.3	12	<1	1	3	6	9	13	14
B. *Operated*	452	4.6	7	1	2	4	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	55	5.4	12	1	1	5	8	11	13	14
B. *Operated*	364	7.6	38	2	3	6	9	15	21	35
1. SINGLE DX	478	4.6	7	1	2	4	5	8	10	14
2. MULTIPLE DX	419	7.3	35	2	3	5	9	14	20	34
A. NOT OPERATED	81	5.1	12	1	1	4	7	11	13	14
B. OPERATED	816	6.0	23	2	2	5	7	10	15	26
TOTAL 0-19 YRS	40	2.8	4	<1	1	2	4	5	7	9
20-34	111	4.3	10	1	2	4	5	7	10	19
35-49	187	4.9	8	2	2	4	6	9	10	16
50-64	230	5.5	17	1	2	5	7	9	13	20
65+	329	7.6	35	3	3	6	9	14	21	33
GRAND TOTAL	**897**	**5.9**	**22**	**2**	**2**	**5**	**7**	**10**	**14**	**25**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	2.1	2	<1	<1	1	3	5	5	5
50-64	14	6.3	29	<1	1	5	7	16	18	19
65+	34	6.0	42	2	2	4	6	13	16	35
B. *Operated*										
0-19 YRS	38	3.4	6	<1	1	3	4	6	10	11
20-34	131	4.2	10	2	2	3	5	7	10	18
35-49	234	5.2	12	2	2	4	6	9	11	19
50-64	282	6.2	15	2	3	5	8	11	12	25
65+	394	9.0	35	3	4	8	11	16	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.3	5	1	1	3	5	7	7	7
35-49	18	7.5	33	1	2	6	10	17	21	22
50-64	54	6.9	42	1	2	5	9	13	17	41
65+	140	8.4	46	2	2	7	10	16	20	39
B. *Operated*										
0-19 YRS	8	3.6	8	2	2	3	4	8	10	10
20-34	64	7.1	45	2	2	5	9	13	19	42
35-49	181	8.6	32	3	3	7	11	16	19	33
50-64	427	10.8	71	3	3	9	13	22	27	68
65+	912	13.9	131	4	5	11	17	28	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.4	33	<1	1	4	6	13	16	34
B. *Operated*	1079	6.7	24	2	2	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	220	7.8	43	1	2	6	10	15	19	39
B. *Operated*	1592	12.1	105	3	4	9	15	24	33	86
1. SINGLE DX	1137	6.6	25	2	2	5	8	12	16	26
2. MULTIPLE DX	1812	11.6	99	3	4	9	14	23	32	73
A. NOT OPERATED	278	7.3	42	1	2	6	9	14	19	37
B. OPERATED	2671	9.9	79	2	3	8	12	19	27	60
TOTAL 0-19 YRS	49	3.3	6	<1	1	3	4	6	10	11
20-34	202	5.1	22	2	2	4	6	10	13	20
35-49	441	6.6	24	2	2	5	8	13	17	23
50-64	777	8.8	53	2	3	7	11	17	24	43
65+	1480	11.9	102	3	4	9	14	23	33	72
GRAND TOTAL	**2949**	**9.7**	**76**	**2**	**3**	**7**	**12**	**19**	**26**	**54**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIFNT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	3.5	7	1	1	3	4	8	10	12
20-34	234	5.4	18	1	2	4	7	9	13	20
35-49	300	5.2	12	1	2	4	6	9	12	18
50-64	428	6.4	46	1	2	5	8	10	13	25
65+	575	6.8	21	2	2	6	8	12	16	24
B. *Operated*										
0-19 YRS	105	6.9	15	2	3	6	9	12	14	20
20-34	132	11.3	35	5	6	10	14	19	21	39
35-49	173	12.5	48	5	6	11	15	19	26	42
50-64	194	12.6	31	7	7	11	15	19	23	34
65+	300	16.3	125	7	8	14	18	26	36	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.0	25	1	1	4	6	9	12	31
20-34	196	6.5	24	1	2	6	8	12	15	33
35-49	350	7.2	41	2	2	6	9	12	17	28
50-64	810	7.8	37	2	3	6	10	14	17	33
65+	2105	10.2	66	3	3	8	13	19	25	46
B. *Operated*										
0-19 YRS	109	10.7	41	4	5	9	13	20	24	62
20-34	190	14.7	126	5	6	12	17	24	32	69
35-49	258	16.4	143	6	7	13	21	30	41	74
50-64	619	19.3	156	7	8	16	24	37	45	88
65+	1465	22.1	212	8	10	18	27	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1687	5.9	25	1	2	5	7	10	13	22
B. *Operated*	904	12.9	72	4	6	11	15	21	27	53
2. MULTIPLE DX										
A. *Not Operated*	3541	9.0	56	2	3	7	11	17	22	40
B. *Operated*	2641	19.9	188	6	8	16	24	38	50	99+
1. SINGLE DX	2591	8.4	53	2	2	7	11	16	19	35
2. MULTIPLE DX	6182	13.7	141	3	4	10	17	28	38	75
A. NOT OPERATED	5228	8.0	48	2	2	6	10	15	19	36
B. OPERATED	3545	18.1	168	6	7	15	22	34	45	94
TOTAL 0-19 YRS	444	6.3	28	1	1	5	9	12	16	31
20-34	752	9.1	65	2	2	7	12	17	22	43
35-49	1081	9.7	78	2	3	8	12	19	26	49
50-64	2051	11.4	104	2	3	9	14	23	30	55
65+	4445	14.1	148	3	4	11	18	28	38	80
GRAND TOTAL	**8773**	**12.1**	**121**	**2**	**3**	**9**	**15**	**24**	**33**	**68**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5285	3.0	4	1	1	3	4	5	6	10
20-34	2126	3.1	5	1	1	3	4	6	7	11
35-49	886	3.5	5	1	1	3	4	7	8	11
50-64	583	4.0	6	1	1	3	5	7	9	13
65+	585	5.1	29	1	2	4	6	9	12	31
B. *Operated*										
0-19 YRS	97	6.1	50	<1	2	4	7	10	15	45
20-34	201	6.6	35	1	2	5	8	12	16	28
35-49	80	6.8	24	1	1	6	9	13	16	26
50-64	75	6.8	38	<1	1	5	8	15	19	31
65+	63	7.8	40	<1	1	7	10	18	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6276	4.0	9	1	2	3	5	7	8	15
20-34	1735	3.8	7	1	1	3	5	7	8	12
35-49	1232	5.0	13	1	2	4	6	9	12	17
50-64	1727	6.1	25	2	2	5	7	11	14	25
65+	3659	8.3	66	2	3	6	10	16	22	48
B. *Operated*										
0-19 YRS	129	9.5	117	2	3	6	10	26	51	99+
20-34	209	8.1	36	2	2	7	11	16	19	30
35-49	179	10.9	81	2	3	8	14	24	30	46
50-64	278	11.4	91	2	3	9	14	21	27	46
65+	473	16.8	182	4	5	13	21	35	47	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9465	3.3	6	1	1	3	4	6	7	12
B. *Operated*	516	6.7	37	1	1	5	8	13	17	32
2. MULTIPLE DX										
A. *Not Operated*	14629	5.4	29	1	2	4	6	10	13	27
B. *Operated*	1268	12.6	128	2	3	9	16	26	36	75
1. SINGLE DX	9981	3.5	8	1	1	3	4	6	8	14
2. MULTIPLE DX	15897	5.9	40	1	2	4	7	11	16	34
A. NOT OPERATED	24094	4.5	21	1	1	3	5	8	11	23
B. OPERATED	1784	10.9	109	2	3	8	14	23	31	61
TOTAL 0-19 YRS	11787	3.6	9	1	1	3	4	6	8	14
20-34	4271	3.8	10	1	1	3	5	7	9	16
35-49	2377	5.0	19	1	1	4	6	9	12	22
50-64	2663	6.2	32	1	2	5	8	12	16	27
65+	4780	8.8	81	2	2	6	10	17	25	53
GRAND TOTAL	**25878**	**5.0**	**29**	**1**	**1**	**4**	**6**	**9**	**13**	**28**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	79	5.6	7	1	2	5	7	9	10	15
35-49	440	5.8	10	2	2	5	7	10	11	15
50-64	893	5.9	11	1	2	5	8	10	12	16
65+	1335	6.0	24	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	33	10.1	12	5	6	10	12	14	16	21
35-49	148	12.2	32	5	7	11	15	20	24	33
50-64	308	13.6	53	5	7	12	16	22	25	42
65+	315	14.7	85	2	4	13	18	27	32	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.6	11	2	2	5	8	10	10	10
20-34	50	7.2	18	2	3	6	9	13	15	24
35-49	433	6.7	17	2	3	6	9	12	13	20
50-64	1607	7.2	23	2	3	6	9	12	16	24
65+	5753	8.9	52	2	3	7	11	16	21	44
B. *Operated*										
0-19 YRS	2	16.5	5	15	15	16	18	18	18	18
20-34	45	12.6	134	4	5	10	14	20	30	77
35-49	303	14.3	63	5	7	13	17	25	33	49
50-64	1007	16.1	100	4	7	14	19	28	36	57
65+	2096	18.8	208	4	6	15	23	36	50	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2750	5.9	17	1	2	5	8	10	13	18
B. *Operated*	807	13.6	61	3	6	12	17	22	28	42
2. MULTIPLE DX										
A. *Not Operated*	7848	8.4	45	2	3	7	10	15	20	38
B. *Operated*	3453	17.5	165	4	6	14	21	33	43	78
1. SINGLE DX	3557	7.7	37	1	2	6	10	14	18	30
2. MULTIPLE DX	11301	11.2	99	2	3	8	14	22	30	58
A. NOT OPERATED	10598	7.8	39	2	3	6	9	14	18	33
B. OPERATED	4260	16.8	148	4	6	14	20	30	41	75
TOTAL 0-19 YRS	13	7.2	24	2	2	5	9	16	18	18
20-34	207	8.2	45	2	3	7	10	14	16	31
35-49	1324	8.7	40	2	3	7	11	16	21	36
50-64	3815	9.7	61	2	3	8	12	18	24	40
65+	9499	10.9	104	2	3	8	13	21	29	61
GRAND TOTAL	**14858**	**10.3**	**87**	**2**	**3**	**8**	**13**	**20**	**27**	**54**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.2	3	1	1	3	5	6	7	7
20-34	50	3.2	4	1	1	3	5	6	7	10
35-49	51	3.3	4	<1	1	3	4	7	8	9
50-64	23	3.5	3	<1	1	3	5	6	7	7
65+	26	5.2	17	1	1	4	7	11	13	18
B. *Operated*										
0-19 YRS	174	3.4	5	1	1	3	4	6	8	10
20-34	1072	3.8	4	1	2	3	5	6	8	12
35-49	927	3.8	6	1	2	3	5	6	8	13
50-64	551	4.4	12	1	2	4	5	7	9	20
65+	217	4.7	12	1	2	4	5	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	4.0	13	<1	<1	3	4	9	14	15
20-34	53	4.1	11	<1	1	4	6	8	10	17
35-49	63	5.4	13	1	2	5	7	10	11	21
50-64	64	5.3	12	1	1	5	7	10	12	16
65+	84	8.6	48	2	2	7	12	18	23	79
B. *Operated*										
0-19 YRS	81	5.8	90	1	1	4	5	8	18	61
20-34	740	4.8	19	2	2	4	5	8	10	26
35-49	894	5.0	17	2	2	4	6	8	11	21
50-64	843	5.9	27	2	2	4	7	10	15	28
65+	486	8.5	78	2	3	6	9	18	27	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	192	3.5	6	1	1	3	5	7	9	12
B. *Operated*	2941	3.9	7	1	2	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	298	5.9	25	1	1	5	8	12	16	29
B. *Operated*	3044	5.8	33	2	2	4	6	10	15	32
1. SINGLE DX	3133	3.9	7	1	2	3	5	7	8	13
2. MULTIPLE DX	3342	5.8	33	2	2	4	6	10	15	32
A. NOT OPERATED	490	5.0	19	1	1	4	7	10	13	22
B. OPERATED	5985	4.9	21	1	2	4	5	8	11	26
TOTAL 0-19 YRS	331	4.0	27	1	1	3	5	7	9	28
20-34	1915	4.2	10	1	2	4	5	7	9	14
35-49	1935	4.4	12	1	2	4	5	7	10	17
50-64	1481	5.3	21	2	2	4	6	9	12	25
65+	813	7.4	58	2	2	5	8	15	23	44
GRAND TOTAL	**6475**	**4.9**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**26**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	716	4.3	19	1	1	3	5	9	12	23
20-34	949	6.1	23	1	2	5	8	12	15	24
35-49	652	5.8	22	1	1	5	7	11	15	23
50-64	553	5.5	19	1	1	4	8	11	13	20
65+	699	5.5	24	1	1	4	7	11	15	22
B. *Operated*										
0-19 YRS	243	9.0	95	<1	1	6	11	19	30	48
20-34	709	9.5	71	1	2	7	13	20	26	39
35-49	484	9.1	68	1	2	7	12	19	25	35
50-64	481	9.1	100	1	1	6	11	21	28	50
65+	573	9.8	111	1	2	7	13	21	29	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	5.2	45	1	1	3	6	10	15	28
20-34	1104	7.2	49	1	2	5	9	14	20	33
35-49	1045	6.9	37	1	2	6	8	12	17	37
50-64	1415	7.4	40	2	2	6	9	14	19	34
65+	3651	8.9	66	2	2	7	11	17	23	47
B. *Operated*										
0-19 YRS	281	13.2	182	1	2	9	16	32	42	69
20-34	1029	13.0	140	2	3	9	17	27	38	58
35-49	984	12.9	153	2	3	9	16	27	36	65
50-64	1338	13.7	167	2	3	10	18	29	45	99
65+	2214	17.6	254	2	4	13	23	39	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3569	5.5	22	1	1	4	7	11	15	22
B. *Operated*	2490	9.4	87	1	2	7	12	20	27	49
2. MULTIPLE DX										
A. *Not Operated*	7740	7.9	55	1	2	6	10	15	21	40
B. *Operated*	5846	14.9	198	2	3	11	19	33	45	90
1. SINGLE DX	6059	7.1	52	1	1	5	9	15	21	36
2. MULTIPLE DX	13586	10.9	128	2	2	7	13	23	33	67
A. NOT OPERATED	11309	7.1	45	1	2	5	9	14	19	36
B. OPERATED	8336	13.2	171	2	2	9	17	29	41	77
TOTAL 0-19 YRS	1765	6.7	73	1	1	4	8	15	22	42
20-34	3791	8.9	79	1	2	6	11	19	26	45
35-49	3165	8.9	83	1	2	6	11	19	25	47
50-64	3787	9.6	100	1	2	7	12	21	28	59
65+	7137	11.3	142	2	2	8	14	24	36	75
GRAND TOTAL	**19645**	**9.7**	**108**	**1**	**2**	**7**	**12**	**21**	**29**	**61**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	25.0		25	25	25	25	25	25	25
20-34	34	9.1	68	1	2	7	10	20	32	33
35-49	75	10.7	62	2	2	9	14	24	26	36
50-64	94	10.9	86	2	3	8	13	22	34	48
65+	40	8.6	28	2	3	8	12	15	18	26
B. *Operated*										
0-19 YRS										
20-34	10	14.1	285	<1	1	5	23	39	54	54
35-49	24	8.7	106	1	1	4	13	25	32	38
50-64	36	11.1	117	1	1	8	19	26	31	44
65+	19	11.2	58	1	2	10	17	23	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	205	12.1	118	3	3	8	16	25	36	54
35-49	578	12.8	125	3	4	10	16	26	31	69
50-64	876	14.8	144	3	4	12	19	31	37	65
65+	466	14.4	156	4	5	11	17	27	38	67
B. *Operated*										
0-19 YRS										
20-34	70	20.0	299	2	4	15	26	39	59	86
35-49	183	18.5	213	2	2	16	26	38	52	67
50-64	311	18.8	251	2	3	14	24	44	53	96
65+	163	19.8	213	3	5	18	24	39	51	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	10.3	67	2	2	8	13	21	28	38
B. *Operated*	89	10.8	118	1	1	7	18	25	29	50
2. MULTIPLE DX										
A. *Not Operated*	2127	13.9	140	3	4	10	17	28	36	66
B. *Operated*	727	19.1	237	2	4	15	25	40	52	82
1. SINGLE DX	333	10.4	80	1	2	8	14	23	29	44
2. MULTIPLE DX	2854	15.2	169	3	4	12	19	31	41	70
A. NOT OPERATED	2371	13.5	133	3	4	10	17	27	35	64
B. OPERATED	816	18.2	230	2	3	15	24	39	51	81
TOTAL 0-19 YRS	3	11.3	140	4	4	5	20	25	25	25
20-34	319	13.6	168	2	3	9	18	31	39	61
35-49	860	13.7	144	2	3	10	18	28	36	67
50-64	1317	15.4	169	2	4	12	20	32	43	72
65+	688	15.3	167	3	4	12	19	29	41	67
GRAND TOTAL	**3187**	**14.7**	**162**	**2**	**4**	**11**	**19**	**30**	**40**	**68**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	7.4	10	3	3	8	10	12	12	12
20-34	34	5.4	43	1	1	3	8	11	19	32
35-49	47	9.0	108	2	2	6	10	18	27	57
50-64	90	7.7	64	1	1	6	10	17	24	42
65+	69	9.7	136	1	1	7	12	18	24	76
B. *Operated*										
0-19 YRS	25	2.8	4	1	1	2	3	5	7	11
20-34	136	2.7	5	1	1	2	3	5	9	11
35-49	143	3.3	21	1	1	2	2	7	13	25
50-64	181	4.8	50	1	1	2	4	12	21	33
65+	64	8.1	96	<1	1	4	11	21	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	24	1	1	3	5	10	17	19
20-34	86	9.4	67	1	2	8	13	18	23	46
35-49	236	10.5	73	2	3	9	14	22	27	38
50-64	551	11.8	104	2	3	9	14	22	31	53
65+	620	14.2	146	3	4	11	18	28	38	65
B. *Operated*										
0-19 YRS	18	7.0	66	1	2	4	7	16	27	34
20-34	117	9.6	124	1	1	5	13	23	35	50
35-49	197	10.7	112	1	1	8	14	25	33	50
50-64	441	12.7	191	1	2	9	17	28	38	72
65+	390	16.9	215	2	2	13	23	36	46	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	247	8.2	89	1	1	6	10	16	24	49
B. *Operated*	549	4.2	37	1	1	2	4	10	16	31
2. MULTIPLE DX										
A. *Not Operated*	1506	12.4	116	2	3	10	16	24	32	56
B. *Operated*	1163	13.4	184	1	2	10	18	31	40	66
1. SINGLE DX	796	5.4	56	1	1	2	7	13	19	33
2. MULTIPLE DX	2669	12.8	146	2	2	10	17	27	36	61
A. NOT OPERATED	1753	11.8	115	2	3	9	15	23	31	56
B. OPERATED	1712	10.4	155	1	1	6	14	26	34	58
TOTAL 0-19 YRS	63	4.9	29	1	1	3	5	11	15	32
20-34	373	6.6	70	1	1	3	9	16	22	44
35-49	623	8.8	85	1	1	6	12	21	27	45
50-64	1263	10.8	131	1	2	8	14	23	32	59
65+	1143	14.5	171	2	3	11	18	31	40	69
GRAND TOTAL	**3465**	**11.1**	**135**	**1**	**2**	**8**	**15**	**24**	**34**	**56**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	5.8	12	2	2	5	8	11	13	17
20-34	185	6.9	23	2	3	6	8	12	15	26
35-49	75	7.7	27	2	2	6	9	14	19	27
50-64	86	7.9	30	2	3	6	11	16	20	26
65+	59	10.2	77	2	3	9	13	18	20	59
B. *Operated*										
0-19 YRS	6	3.0	5	1	1	2	4	7	7	7
20-34	42	6.2	56	1	1	3	8	13	23	38
35-49	40	8.3	56	1	1	6	11	21	25	27
50-64	67	9.2	100	1	1	5	13	22	34	42
65+	37	12.6	242	1	1	7	18	34	42	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	6.4	16	1	2	6	8	12	15	19
20-34	150	8.0	48	2	2	6	10	14	21	38
35-49	214	10.6	61	2	3	9	14	22	26	43
50-64	413	11.8	123	3	4	8	13	22	36	64
65+	461	12.9	100	4	4	10	16	24	31	58
B. *Operated*										
0-19 YRS	12	8.5	86	1	1	4	13	22	30	31
20-34	51	14.5	145	2	2	11	22	33	40	47
35-49	84	16.0	269	1	2	11	25	40	47	96
50-64	173	18.2	257	2	3	14	25	38	49	96
65+	166	18.3	216	2	3	15	24	39	54	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	7.4	31	2	3	6	9	14	17	26
B. *Operated*	192	8.8	109	1	1	5	11	22	30	44
2. MULTIPLE DX										
A. *Not Operated*	1297	11.3	94	2	3	9	14	22	31	57
B. *Operated*	486	17.3	231	2	2	14	24	39	47	95
1. SINGLE DX	676	7.8	53	1	2	6	10	16	20	38
2. MULTIPLE DX	1783	12.9	139	2	3	9	16	28	38	66
A. NOT OPERATED	1781	10.3	80	2	3	8	12	20	27	49
B. OPERATED	678	14.9	211	1	2	11	21	35	44	85
TOTAL 0-19 YRS	156	6.1	19	1	2	5	8	12	15	19
20-34	428	8.1	55	2	2	6	10	16	23	40
35-49	413	10.9	104	2	2	8	14	24	32	56
50-64	739	12.6	152	2	3	9	16	28	38	71
65+	723	13.9	138	3	4	11	17	28	38	66
GRAND TOTAL	**2459**	**11.5**	**120**	**2**	**3**	**8**	**14**	**24**	**34**	**63**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	3.6	5	1	1	3	5	7	7	10
20-34	273	3.5	6	1	1	3	5	7	7	14
35-49	298	3.7	6	1	1	3	5	7	8	12
50-64	357	4.4	7	1	1	4	6	8	10	13
65+	355	6.3	26	1	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	205	7.7	11	4	5	7	9	12	14	20
20-34	2862	7.4	7	5	5	7	8	11	12	17
35-49	2814	7.8	8	5	5	7	9	11	13	18
50-64	2966	8.5	11	5	6	8	9	13	15	20
65+	1670	10.7	26	6	6	9	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	13	1	1	5	7	10	13	14
20-34	289	4.3	10	<1	1	3	6	8	10	13
35-49	375	5.1	11	1	2	4	6	9	11	16
50-64	899	6.6	27	2	2	5	8	12	15	28
65+	1908	8.8	53	2	3	7	11	15	21	41
B. *Operated*										
0-19 YRS	117	9.6	19	4	5	8	12	16	19	21
20-34	1550	9.5	26	5	6	8	11	15	19	28
35-49	2390	9.9	26	5	6	8	11	16	19	30
50-64	4123	11.7	44	6	6	10	14	19	24	37
65+	4723	15.9	101	7	8	13	19	27	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1331	4.5	13	1	1	4	6	8	11	15
B. *Operated*	10517	8.3	13	5	5	8	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	3505	7.4	41	2	2	6	9	13	17	34
B. *Operated*	12903	12.6	66	6	6	10	15	21	27	46
1. SINGLE DX	11848	7.9	14	3	5	7	9	12	15	21
2. MULTIPLE DX	16408	11.5	65	3	5	9	14	20	26	44
A. NOT OPERATED	4836	6.6	35	1	2	5	8	12	16	30
B. OPERATED	23420	10.7	46	5	6	9	12	18	23	38
TOTAL 0-19 YRS	404	7.6	16	2	3	7	9	13	16	20
20-34	4974	7.6	16	3	4	7	9	12	14	21
35-49	5877	8.3	18	3	5	7	10	13	16	24
50-64	8345	9.7	33	3	5	8	12	16	20	31
65+	8656	12.9	84	4	5	11	16	23	30	51
GRAND TOTAL	**28256**	**10.0**	**47**	**3**	**5**	**8**	**12**	**17**	**22**	**37**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.5	10	1	2	4	5	7	12	17
20-34	287	3.8	7	1	1	3	5	7	8	13
35-49	287	4.1	7	<1	1	4	5	7	9	12
50-64	243	4.8	9	1	1	4	6	9	11	14
65+	189	6.2	31	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	27	8.0	14	2	4	7	10	14	15	16
20-34	247	8.1	13	4	5	7	9	13	16	21
35-49	274	8.4	14	4	5	8	10	12	15	26
50-64	237	10.2	23	5	6	9	12	17	21	29
65+	190	12.5	46	6	7	11	15	19	22	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.5	12	2	3	5	6	11	13	19
20-34	210	4.8	12	1	2	4	6	8	11	19
35-49	287	5.4	13	1	2	5	7	9	11	18
50-64	460	6.4	17	1	2	6	8	12	14	20
65+	823	9.3	46	3	4	8	11	16	20	34
B. *Operated*										
0-19 YRS	12	12.8	46	5	6	11	18	22	25	26
20-34	232	10.8	27	5	6	10	13	17	20	28
35-49	317	12.0	63	5	6	9	14	22	29	41
50-64	471	13.9	80	6	7	12	17	23	29	52
65+	712	18.6	156	7	8	15	22	34	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	4.6	13	1	1	4	6	8	11	16
B. *Operated*	975	9.6	25	5	5	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	1816	7.4	32	2	2	6	9	13	17	29
B. *Operated*	1744	15.0	110	6	7	12	18	26	34	70
1. SINGLE DX	2019	7.0	25	1	2	6	9	13	16	22
2. MULTIPLE DX	3560	11.1	85	2	3	9	14	21	28	53
A. NOT OPERATED	2860	6.4	27	1	2	5	8	12	15	26
B. OPERATED	2719	13.1	87	5	6	10	16	23	30	56
TOTAL 0-19 YRS	113	6.5	22	2	2	5	7	14	17	22
20-34	976	6.8	22	1	2	6	8	13	16	22
35-49	1165	7.6	35	1	2	7	9	13	18	32
50-64	1411	9.3	51	2	3	8	12	17	22	35
65+	1914	12.8	108	3	4	10	15	24	32	64
GRAND TOTAL	**5579**	**9.6**	**67**	**2**	**3**	**8**	**12**	**18**	**24**	**44**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	25	4.0	4	1	2	4	5	6	8	9
35-49	25	4.9	18	<1	1	4	6	9	12	22
50-64	50	3.6	5	1	1	3	4	7	8	10
65+	56	5.8	27	1	1	4	7	11	18	28
B. *Operated*										
0-19 YRS	11	9.5	17	5	5	9	12	15	19	19
20-34	102	9.3	21	2	4	8	12	14	17	25
35-49	107	8.9	25	2	4	8	11	15	18	28
50-64	134	10.6	62	2	2	9	13	18	25	41
65+	232	13.1	92	2	2	12	18	26	30	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	5.7	10	1	1	5	7	11	12	12
35-49	34	5.7	11	1	2	5	8	9	11	16
50-64	62	5.8	11	1	2	5	7	10	12	17
65+	219	9.8	54	2	3	9	12	17	21	59
B. *Operated*										
0-19 YRS	8	16.3	74	8	8	15	18	30	35	35
20-34	65	10.6	34	2	5	9	14	18	21	32
35-49	111	13.8	149	3	5	11	15	23	41	93
50-64	252	15.5	78	4	7	14	19	27	31	65
65+	690	20.5	186	4	8	17	25	36	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	4.7	15	1	1	4	6	8	10	22
B. *Operated*	586	11.0	62	2	3	9	14	21	27	36
2. MULTIPLE DX										
A. *Not Operated*	331	8.4	43	2	3	7	11	15	18	40
B. *Operated*	1126	18.1	158	4	7	15	22	32	43	81
1. SINGLE DX	744	9.7	59	1	2	8	12	20	26	34
2. MULTIPLE DX	1457	15.9	148	3	4	13	20	30	39	71
A. NOT OPERATED	489	7.2	37	1	2	6	9	14	17	29
B. OPERATED	1712	15.7	137	2	5	13	20	29	37	68
TOTAL 0-19 YRS	21	11.5	52	4	5	9	14	19	26	35
20-34	208	8.8	27	2	2	8	11	15	18	26
35-49	277	10.1	83	2	3	9	12	17	23	66
50-64	498	11.8	76	2	3	10	16	22	29	49
65+	1197	16.4	161	2	4	14	21	31	41	70
GRAND TOTAL	**2201**	**13.8**	**127**	**2**	**3**	**11**	**18**	**27**	**34**	**66**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	12	1	1	5	7	8	8	8
20-34	35	5.2	9	2	2	5	7	8	12	15
35-49	33	5.6	21	2	2	4	7	10	14	24
50-64	35	6.7	14	1	2	7	9	12	13	15
65+	80	7.3	20	1	2	6	9	14	17	20
B. *Operated*										
0-19 YRS										
20-34	27	6.8	45	<1	1	4	11	16	20	23
35-49	33	8.2	32	1	2	8	12	17	19	20
50-64	35	7.8	58	1	2	4	13	18	26	29
65+	60	12.6	117	2	2	10	17	26	35	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	10.2	241	1	2	5	8	35	51	51
20-34	30	6.5	17	2	3	5	8	11	17	19
35-49	55	7.1	22	1	2	7	8	14	18	23
50-64	103	9.6	39	2	3	9	13	17	22	33
65+	283	11.3	63	3	5	10	14	20	26	37
B. *Operated*										
0-19 YRS	7	19.6	248	3	3	17	29	43	46	46
20-34	35	11.6	111	2	3	11	14	20	25	60
35-49	65	13.7	109	2	4	13	16	21	30	67
50-64	140	16.7	173	2	3	14	22	31	35	74
65+	312	20.8	215	2	6	18	27	40	50	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.5	17	2	2	6	9	12	15	20
B. *Operated*	155	9.6	78	1	1	8	15	19	27	37
2. MULTIPLE DX										
A. *Not Operated*	480	10.2	56	3	3	9	13	19	23	33
B. *Operated*	559	18.3	194	2	4	15	25	35	46	75
1. SINGLE DX	341	7.9	47	1	2	6	10	17	19	35
2. MULTIPLE DX	1039	14.6	147	2	3	12	19	29	36	71
A. NOT OPERATED	666	9.1	48	2	3	8	12	17	21	32
B. OPERATED	714	16.4	182	2	2	14	22	33	43	72
TOTAL 0-19 YRS	19	12.8	223	1	2	6	15	39	49	51
20-34	127	7.6	52	1	2	6	10	16	19	33
35-49	186	9.4	64	2	2	8	13	17	21	40
50-64	313	12.2	114	2	2	10	16	25	31	54
65+	735	15.0	153	2	4	12	19	30	38	71
GRAND TOTAL	**1380**	**12.9**	**130**	**2**	**3**	**10**	**17**	**27**	**34**	**59**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	6.2	14	2	3	5	8	10	12	23
20-34	547	6.9	27	2	3	6	9	12	14	29
35-49	584	7.5	38	2	3	6	9	12	16	27
50-64	352	7.5	39	2	3	6	9	13	18	26
65+	258	8.2	28	2	3	7	11	14	18	25
B. *Operated*										
0-19 YRS	11	4.5	18	<1	1	3	5	11	16	16
20-34	66	10.6	99	1	2	8	15	20	29	47
35-49	86	11.9	253	1	1	7	16	25	35	88
50-64	80	11.1	116	1	2	10	13	28	39	86
65+	51	10.6	70	1	2	10	13	20	25	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	6.0	11	2	3	5	7	11	12	18
20-34	740	8.3	37	2	3	7	10	15	20	34
35-49	1225	8.8	39	3	3	7	11	15	21	33
50-64	1025	9.7	46	3	4	8	12	18	22	36
65+	995	11.0	76	3	4	9	13	20	25	52
B. *Operated*										
0-19 YRS	8	19.0	282	2	3	10	38	40	40	40
20-34	164	19.1	281	2	4	14	23	39	53	84
35-49	274	20.1	281	3	5	16	28	48	59	99+
50-64	333	19.4	241	3	6	16	24	37	62	99+
65+	370	21.0	235	5	7	18	27	40	59	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1817	7.3	33	2	3	6	9	13	16	27
B. *Operated*	294	10.9	141	1	2	8	14	23	35	77
2. MULTIPLE DX										
A. *Not Operated*	4042	9.4	50	3	4	8	11	17	22	37
B. *Operated*	1149	20.0	254	3	5	16	25	41	59	99+
1. SINGLE DX	2111	7.8	49	2	2	6	10	14	19	35
2. MULTIPLE DX	5191	11.8	115	3	4	9	14	23	32	66
A. NOT OPERATED	5859	8.8	46	2	3	7	11	16	21	35
B. OPERATED	1443	18.2	245	2	3	14	23	39	55	99
TOTAL 0-19 YRS	152	6.7	34	2	3	5	8	11	14	40
20-34	1517	9.0	76	2	3	7	10	16	24	46
35-49	2169	10.0	93	2	3	7	11	19	26	56
50-64	1790	11.1	100	2	3	8	14	21	28	64
65+	1674	12.8	124	3	4	10	16	25	34	67
GRAND TOTAL	**7302**	**10.6**	**99**	**2**	**3**	**8**	**13**	**21**	**28**	**59**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.7	6	1	1	3	5	7	8	12
20-34	113	3.7	7	<1	1	3	5	7	9	15
35-49	146	5.0	10	1	2	4	6	9	11	20
50-64	192	4.7	9	1	1	4	6	8	10	17
65+	348	6.6	26	2	2	5	8	12	17	24
B. *Operated*										
0-19 YRS	8	5.1	20	<1	<1	5	7	12	14	14
20-34	13	9.7	116	3	3	6	10	18	39	44
35-49	15	6.6	10	2	2	7	8	12	12	12
50-64	29	8.3	35	2	2	8	10	15	17	31
65+	47	12.1	80	3	5	9	15	26	33	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.9	24	1	1	3	6	10	13	30
20-34	271	5.0	13	1	2	4	6	9	11	22
35-49	426	6.7	24	2	2	5	8	13	17	25
50-64	1032	6.9	23	2	3	6	8	12	16	27
65+	2969	9.5	63	2	3	7	11	17	23	51
B. *Operated*										
0-19 YRS	16	12.3	161	1	2	8	14	32	44	49
20-34	57	8.7	60	1	2	6	12	18	25	39
35-49	110	9.5	42	2	3	8	12	18	22	34
50-64	260	11.6	100	3	4	9	14	22	30	88
65+	788	15.9	164	4	5	12	20	34	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	892	5.3	17	1	2	4	7	10	12	20
B. *Operated*	112	9.6	63	2	2	8	11	17	27	43
2. MULTIPLE DX										
A. *Not Operated*	4838	8.3	49	2	3	7	10	15	20	39
B. *Operated*	1231	14.1	141	3	4	11	17	29	39	92
1. SINGLE DX	1004	5.8	24	1	2	5	7	10	14	25
2. MULTIPLE DX	6069	9.5	73	2	3	7	11	18	25	52
A. NOT OPERATED	5730	7.8	45	2	2	6	10	14	19	37
B. OPERATED	1343	13.7	136	3	4	10	17	28	38	90
TOTAL 0-19 YRS	257	5.0	29	1	1	3	6	10	13	33
20-34	454	5.3	23	1	2	4	6	10	13	26
35-49	697	6.8	26	1	2	5	8	13	17	25
50-64	1513	7.5	39	2	3	6	9	14	18	32
65+	4152	10.5	87	2	3	8	12	20	28	58
GRAND TOTAL	**7073**	**8.9**	**68**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.6	6	1	1	3	5	7	10	12
20-34	12	8.7	17	1	2	10	12	13	13	13
35-49	14	8.9	161	1	2	4	7	27	43	48
50-64	8	9.0	88	1	1	5	16	24	24	24
65+	10	14.1	212	3	3	8	20	37	50	50
B. *Operated*										
0-19 YRS	12	3.3	10	1	1	2	5	9	10	10
20-34	8	5.4	25	1	1	4	8	14	15	15
35-49	14	7.7	30	1	1	6	13	15	17	18
50-64	17	10.5	95	1	2	6	14	20	34	41
65+	13	11.0	68	1	2	8	15	24	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	5.2	12	1	2	4	7	11	13	17
20-34	29	6.7	12	2	3	6	9	11	12	16
35-49	41	10.9	175	2	2	7	11	21	35	75
50-64	56	11.8	76	3	4	9	14	22	35	43
65+	73	15.0	149	4	5	12	19	40	48	99+
B. *Operated*										
0-19 YRS	10	8.9	56	2	2	10	13	56	96	99+
20-34	22	12.3	283	1	1	9	12	25	52	80
35-49	39	11.3	121	1	1	8	15	24	40	47
50-64	47	14.1	124	2	2	12	20	33	36	50
65+	54	21.4	335	5	5	18	23	39	76	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	6.6	66	1	2	4	7	13	24	49
B. *Operated*	64	8.0	56	1	1	6	11	18	21	39
2. MULTIPLE DX										
A. *Not Operated*	267	10.3	101	2	3	8	12	21	34	73
B. *Operated*	172	15.2	221	1	2	11	21	34	46	84
1. SINGLE DX	160	7.1	62	1	1	4	9	15	23	47
2. MULTIPLE DX	439	12.2	154	2	3	9	15	25	39	83
A. NOT OPERATED	363	9.3	95	2	2	7	12	19	29	64
B. OPERATED	236	13.3	186	1	2	10	17	27	38	83
TOTAL 0-19 YRS	142	4.7	14	1	1	4	6	10	13	31
20-34	71	8.6	102	1	1	7	11	13	16	70
35-49	108	10.4	133	1	2	7	12	22	37	59
50-64	128	12.3	97	2	3	10	15	24	36	45
65+	150	16.9	222	4	5	13	22	36	50	99+
GRAND TOTAL	**599**	**10.9**	**134**	**1**	**2**	**8**	**13**	**23**	**36**	**81**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	6.3	14	2	2	6	10	11	13	17
20-34	25	6.1	19	1	2	5	8	12	16	18
35-49	20	5.9	16	1	2	5	8	13	14	15
50-64	18	6.9	40	1	2	5	7	12	22	29
65+	13	10.8	37	2	4	10	14	20	22	22
B. *Operated*										
0-19 YRS	43	3.6	8	1	2	2	4	7	10	14
20-34	59	4.7	28	<1	1	3	5	9	16	29
35-49	34	4.7	27	<1	<1	3	5	13	20	21
50-64	19	8.5	62	2	2	5	10	20	29	33
65+	18	9.3	117	2	2	5	10	28	36	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	7.2	25	2	2	6	11	14	17	21
20-34	55	7.1	33	1	2	6	9	15	21	25
35-49	44	9.2	43	2	3	8	12	18	24	30
50-64	68	10.2	114	2	3	8	13	19	26	68
65+	181	14.0	125	3	4	11	17	28	35	55
B. *Operated*										
0-19 YRS	20	13.6	171	1	2	7	25	30	37	42
20-34	91	9.5	159	<1	<1	4	13	28	32	65
35-49	74	12.2	147	<1	<1	9	20	32	35	89
50-64	96	13.2	145	2	2	10	19	29	41	79
65+	105	18.4	252	3	4	13	24	42	59	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	162	6.6	21	2	2	6	10	12	14	22
B. *Operated*	173	5.3	38	<1	2	3	6	11	21	33
2. MULTIPLE DX										
A. *Not Operated*	409	10.9	95	2	3	8	14	22	28	52
B. *Operated*	386	13.6	188	<1	2	10	21	32	42	76
1. SINGLE DX	335	6.0	30	1	2	4	8	12	15	30
2. MULTIPLE DX	795	12.2	142	1	2	9	16	28	35	67
A. NOT OPERATED	571	9.7	77	2	2	7	12	19	26	49
B. OPERATED	559	11.0	156	<1	2	6	16	28	38	68
TOTAL 0-19 YRS	210	6.7	36	2	2	5	10	13	18	30
20-34	230	7.3	83	<1	<1	4	9	18	27	44
35-49	172	9.2	90	<1	1	5	13	22	30	56
50-64	201	11.2	121	2	2	8	14	27	33	63
65+	317	15.0	169	2	3	11	19	32	43	67
GRAND TOTAL	**1130**	**10.3**	**117**	**1**	**2**	**7**	**13**	**25**	**32**	**58**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.6	9	2	2	5	8	10	11	12
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	9.4	26	3	3	10	12	17	17	17
20-34	2	8.5	113	<1	<1	8	16	16	16	16
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.8	25	1	2	5	9	15	17	19
20-34	9	4.8	4	2	2	4	6	8	8	8
35-49	5	4.0	3	2	2	4	5	6	6	6
50-64	7	10.4	43	2	2	13	15	19	20	20
65+	21	13.9	148	3	4	9	19	25	41	56
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	3	13.0	121	2	2	13	21	24	24	24
50-64	8	14.9	71	2	3	15	19	27	29	29
65+	15	26.4	690	2	3	20	50	90	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.5	8	2	2	5	7	10	11	12
B. *Operated*	12	7.8	25	<1	1	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	68	8.9	71	2	2	6	12	19	21	51
B. *Operated*	31	19.1	407	2	2	15	23	55	90	99+
1. SINGLE DX	65	6.0	12	1	2	6	8	10	11	17
2. MULTIPLE DX	99	12.1	196	2	2	7	16	23	50	96
A. NOT OPERATED	121	7.4	46	2	2	6	9	15	20	37
B. OPERATED	43	16.0	323	2	2	11	20	49	72	99+
TOTAL 0-19 YRS	80	6.4	16	1	2	6	8	11	15	18
20-34	17	5.2	12	1	2	5	6	8	13	16
35-49	13	6.8	36	2	2	5	7	15	22	24
50-64	16	12.6	56	2	2	13	16	22	27	29
65+	38	18.3	389	2	3	11	22	54	79	99+
GRAND TOTAL	**164**	**9.7**	**132**	**2**	**2**	**6**	**11**	**20**	**25**	**88**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.0		<1	1	1	1	1	1	1
20-34	22	2.1	1	<1	<1	2	3	4	5	6
35-49	63	2.6	6	1	1	2	3	5	8	14
50-64	156	2.1	8	<1	<1	1	2	3	6	18
65+	196	2.1	7	<1	<1	1	2	3	7	18
B. *Operated*										
0-19 YRS	19	10.3	230	1	2	5	11	24	48	66
20-34	93	4.3	41	<1	<1	<1	5	11	16	33
35-49	69	5.3	34	<1	<1	3	6	16	18	26
50-64	128	6.8	99	<1	1	4	8	14	17	56
65+	131	8.0	94	<1	1	5	10	18	29	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.1	257	<1	1	3	6	10	42	74
20-34	73	6.4	83	<1	1	3	7	12	29	47
35-49	122	6.4	56	1	1	3	8	17	24	34
50-64	220	8.0	87	1	1	5	10	19	24	48
65+	586	11.7	159	1	1	8	14	25	38	71
B. *Operated*										
0-19 YRS	60	16.3	445	2	3	9	18	69	87	99+
20-34	380	7.3	127	<1	<1	2	9	21	29	66
35-49	301	11.5	169	<1	<1	7	15	28	36	81
50-64	651	11.3	165	<1	<1	7	16	28	38	92
65+	617	17.7	271	2	3	13	24	43	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	2.2	7	<1	<1	1	2	3	6	17
B. *Operated*	440	6.5	82	<1	<1	3	8	15	22	50
2. MULTIPLE DX										
A. *Not Operated*	1021	9.8	132	1	1	6	12	22	32	66
B. *Operated*	2009	12.7	213	<1	<1	8	17	32	46	99+
1. SINGLE DX	894	4.3	49	<1	<1	2	4	10	16	33
2. MULTIPLE DX	3030	11.7	188	<1	<1	7	15	29	42	90
A. NOT OPERATED	1475	7.4	106	<1	<1	3	10	19	27	56
B. OPERATED	2449	11.6	195	<1	<1	7	16	29	43	93
TOTAL 0-19 YRS	116	11.5	339	1	1	5	12	29	72	99+
20-34	568	6.5	104	<1	<1	2	8	17	26	61
35-49	555	8.6	120	<1	<1	5	11	22	30	55
50-64	1155	8.9	132	<1	<1	5	12	23	32	75
65+	1530	12.6	206	<1	1	8	17	31	46	99
GRAND TOTAL	**3924**	**10.0**	**166**	**<1**	**<1**	**5**	**13**	**25**	**37**	**80**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.4	1	<1	<1	1	1	3	3	3
20-34	5	7.2	32	1	1	6	12	14	14	14
35-49	8	6.0	23	<1	<1	5	8	14	16	16
50-64	17	4.9	29	1	1	2	7	14	18	20
65+	37	9.4	111	1	1	7	10	20	34	51
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	9.0	53	2	2	7	14	19	19	19
35-49	6	2.8	3	1	1	2	3	6	6	6
50-64	23	8.7	76	1	2	5	17	24	52	99+
65+	23	10.7	68	2	2	8	17	22	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.5	20	<1	1	3	5	11	16	17
20-34	20	7.1	36	1	1	5	11	15	19	22
35-49	38	8.7	75	1	2	6	12	16	32	36
50-64	91	12.0	142	1	2	10	15	25	34	70
65+	395	15.2	178	3	4	11	19	29	42	92
B. *Operated*										
0-19 YRS	7	11.7	57	1	2	10	18	22	23	23
20-34	33	15.9	180	2	2	11	26	39	42	45
35-49	53	17.8	284	3	3	12	23	41	48	94
50-64	105	20.9	310	<1	1	19	28	43	61	77
65+	218	25.8	339	5	7	22	34	56	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	6.8	70	1	1	4	8	15	21	47
B. *Operated*	57	8.8	66	2	2	5	16	22	28	94
2. MULTIPLE DX										
A. *Not Operated*	557	13.7	163	2	3	10	18	28	37	84
B. *Operated*	416	22.5	320	2	4	19	31	48	63	99+
1. SINGLE DX	135	7.6	69	1	1	5	10	19	25	58
2. MULTIPLE DX	973	17.5	249	2	3	13	23	38	51	93
A. NOT OPERATED	635	12.8	157	1	2	9	17	27	36	83
B. OPERATED	473	20.9	309	2	3	17	30	47	60	99+
TOTAL 0-19 YRS	32	4.9	34	<1	1	3	6	15	19	23
20-34	62	11.9	129	1	2	8	16	31	39	45
35-49	105	12.7	198	1	2	8	16	32	41	70
50-64	236	15.1	231	1	1	11	22	35	47	79
65+	673	18.2	253	2	4	14	24	40	56	99+
GRAND TOTAL	**1108**	**16.3**	**238**	**1**	**2**	**12**	**22**	**36**	**50**	**93**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	4.8	5	2	2	4	6	7	9	11
20-34	300	4.8	6	2	2	4	6	8	9	13
35-49	100	5.6	8	2	3	5	7	9	12	15
50-64	49	6.8	15	3	3	6	8	12	13	21
65+	34	7.2	10	3	4	7	9	13	14	15
B. *Operated*										
0-19 YRS	12	5.6	6	2	3	6	6	8	11	12
20-34	17	7.6	15	3	4	7	8	13	17	19
35-49	8	7.0	14	2	2	7	10	12	12	12
50-64	7	9.7	33	5	5	8	10	20	22	22
65+	6	11.5	28	3	4	12	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	5.4	6	2	3	5	7	8	10	14
20-34	320	5.9	11	2	3	5	7	9	12	19
35-49	165	7.2	15	3	3	6	8	12	16	21
50-64	195	8.3	34	2	3	7	10	15	17	27
65+	354	11.4	70	4	4	9	14	21	26	55
B. *Operated*										
0-19 YRS	26	8.5	19	5	5	8	9	11	15	27
20-34	50	10.9	38	4	5	10	12	19	25	30
35-49	41	13.8	112	5	6	12	16	23	37	60
50-64	59	14.1	62	5	6	13	18	27	39	99+
65+	100	18.9	83	8	9	17	23	33	37	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	5.2	7	2	2	5	6	8	10	14
B. *Operated*	50	7.8	19	3	3	7	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	1191	8.0	38	3	3	7	9	15	19	30
B. *Operated*	276	14.7	81	5	6	13	18	27	35	58
1. SINGLE DX	736	5.4	8	2	2	5	7	9	11	16
2. MULTIPLE DX	1467	9.3	52	3	3	7	11	18	23	40
A. NOT OPERATED	1877	7.0	28	2	3	6	8	12	16	27
B. OPERATED	326	13.6	77	4	6	11	17	25	33	55
TOTAL 0-19 YRS	398	5.3	7	2	3	5	7	9	10	13
20-34	687	5.8	13	2	3	5	7	10	12	21
35-49	314	7.5	32	3	3	6	9	13	17	30
50-64	310	9.2	42	3	4	7	12	17	21	46
65+	494	12.6	78	4	5	10	16	23	29	53
GRAND TOTAL	**2203**	**8.0**	**41**	**2**	**3**	**6**	**9**	**15**	**20**	**36**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	216	4.5	5	2	2	4	6	7	9	11
20-34	325	4.9	7	2	2	4	6	8	9	13
35-49	105	5.7	10	2	3	5	7	10	12	17
50-64	65	6.1	16	2	3	5	7	9	12	28
65+	55	7.2	34	2	3	6	8	12	17	38
B. *Operated*										
0-19 YRS	20	4.7	16	<1	1	4	6	8	13	19
20-34	48	6.9	32	1	2	6	8	14	19	31
35-49	36	6.3	41	1	2	4	8	11	23	30
50-64	36	8.4	29	1	2	8	12	15	20	21
65+	25	11.2	102	2	2	9	18	26	56	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	5.7	15	2	2	5	7	9	12	23
20-34	366	5.8	11	2	2	5	7	10	11	18
35-49	175	7.7	77	3	3	6	8	13	16	56
50-64	203	8.6	30	3	3	7	11	15	19	32
65+	383	11.2	84	3	4	9	13	21	28	77
B. *Operated*										
0-19 YRS	47	12.8	108	1	3	10	17	28	37	44
20-34	98	8.7	55	1	2	7	10	17	22	42
35-49	89	11.7	98	2	2	9	14	23	34	54
50-64	149	13.9	121	2	3	11	19	25	40	99+
65+	186	17.3	170	3	5	14	22	39	50	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	766	5.2	10	2	2	5	6	8	11	17
B. *Operated*	165	7.5	44	1	2	6	10	16	20	43
2. MULTIPLE DX										
A. *Not Operated*	1315	8.0	49	2	3	6	10	14	18	40
B. *Operated*	569	13.7	129	2	3	10	17	27	41	64
1. SINGLE DX	931	5.6	17	2	2	5	7	9	12	23
2. MULTIPLE DX	1884	9.7	80	2	3	7	11	19	26	56
A. NOT OPERATED	2081	7.0	37	2	3	6	8	12	16	33
B. OPERATED	734	12.3	117	2	2	10	16	25	37	63
TOTAL 0-19 YRS	471	5.8	25	2	2	5	7	10	15	30
20-34	837	5.9	17	2	2	5	7	10	13	21
35-49	405	7.9	65	2	3	6	9	14	18	39
50-64	453	10.0	66	2	3	8	12	19	25	52
65+	649	12.6	115	3	4	10	15	25	39	83
GRAND TOTAL	**2815**	**8.4**	**63**	**2**	**3**	**6**	**10**	**16**	**23**	**48**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	3.1	5	1	1	3	4	5	9	11
20-34	372	2.6	4	<1	1	2	3	5	6	10
35-49	520	2.6	3	1	1	2	3	5	6	8
50-64	349	3.0	4	1	1	2	4	5	7	9
65+	111	3.7	15	1	1	3	4	7	9	22
B. *Operated*										
0-19 YRS	16	9.4	103	1	1	6	11	27	35	38
20-34	202	9.0	24	2	3	8	11	15	18	24
35-49	271	8.8	35	2	2	8	11	14	17	31
50-64	309	8.9	21	2	2	9	11	14	16	23
65+	143	9.7	28	2	3	9	12	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	3.5	6	1	1	3	4	7	8	15
20-34	277	3.4	5	1	1	3	5	7	8	11
35-49	397	3.6	7	1	1	3	5	7	8	12
50-64	442	4.6	22	1	1	3	5	9	12	23
65+	317	6.9	51	2	2	5	8	14	18	33
B. *Operated*										
0-19 YRS	13	15.8	219	2	3	11	19	41	49	51
20-34	166	11.0	58	2	2	9	14	20	26	40
35-49	319	10.9	58	2	3	9	14	19	24	39
50-64	559	11.7	68	2	3	10	14	21	30	43
65+	429	13.3	99	2	3	11	17	25	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1407	2.8	5	1	1	2	3	5	7	10
B. *Operated*	941	9.0	28	2	2	9	11	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	1480	4.6	22	1	1	3	6	9	12	22
B. *Operated*	1486	11.9	76	2	3	10	15	22	30	47
1. SINGLE DX	2348	5.3	23	1	1	3	8	11	14	21
2. MULTIPLE DX	2966	8.3	63	1	2	6	11	17	22	40
A. NOT OPERATED	2887	3.7	14	1	1	3	5	7	9	17
B. OPERATED	2427	10.8	59	2	3	9	13	19	25	42
TOTAL 0-19 YRS	131	5.3	53	1	1	3	5	10	16	41
20-34	1017	5.4	29	1	1	3	8	12	15	26
35-49	1507	5.7	33	1	1	4	8	12	16	27
50-64	1659	7.4	46	1	2	5	10	15	19	34
65+	1000	9.7	76	2	2	8	12	19	26	46
GRAND TOTAL	**5314**	**6.9**	**47**	**1**	**1**	**5**	**9**	**15**	**19**	**34**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.6	2	1	1	2	3	4	6	7
20-34	1246	2.3	2	1	1	2	3	4	5	8
35-49	1427	2.4	3	1	1	2	3	4	6	8
50-64	1000	2.6	3	1	1	2	3	5	6	8
65+	252	3.1	4	1	1	3	4	5	7	9
B. *Operated*										
0-19 YRS	52	5.7	12	2	2	4	8	11	12	14
20-34	649	6.6	16	2	2	6	9	12	14	20
35-49	860	6.5	15	2	2	6	9	11	14	20
50-64	811	7.4	23	2	2	7	10	13	16	21
65+	296	8.3	29	2	2	8	11	15	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.8	2	1	1	3	4	5	6	6
20-34	409	2.8	4	1	1	2	4	5	6	9
35-49	545	3.1	4	1	1	3	4	6	7	10
50-64	658	3.6	6	1	1	3	5	7	8	14
65+	300	4.7	14	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	18	8.9	19	2	3	9	11	15	18	19
20-34	281	8.0	52	2	3	7	10	14	18	29
35-49	451	8.6	45	2	2	7	11	16	20	30
50-64	712	9.6	51	2	3	8	12	17	22	33
65+	484	12.0	84	3	4	10	15	22	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4042	2.5	3	1	1	2	3	4	6	8
B. *Operated*	2668	7.0	20	2	2	6	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1942	3.5	7	1	1	3	4	6	8	13
B. *Operated*	1946	9.7	60	2	3	8	12	18	22	37
1. SINGLE DX	6710	4.3	14	1	1	3	6	9	12	18
2. MULTIPLE DX	3888	6.6	43	1	2	5	9	14	18	28
A. NOT OPERATED	5984	2.8	4	1	1	2	4	5	7	10
B. OPERATED	4614	8.1	38	2	3	7	10	15	19	28
TOTAL 0-19 YRS	217	3.9	10	1	1	3	4	9	11	15
20-34	2585	4.1	17	1	1	3	5	9	11	17
35-49	3283	4.4	18	1	1	3	6	9	12	20
50-64	3181	5.6	27	1	1	4	8	12	15	23
65+	1332	7.8	54	1	2	6	10	16	21	32
GRAND TOTAL	**10598**	**5.1**	**26**	**1**	**1**	**3**	**7**	**11**	**14**	**23**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	3.1	6	<1	<1	3	4	6	9	11
20-34	44	3.8	8	1	1	3	5	8	10	12
35-49	43	3.1	7	1	1	2	4	7	8	13
50-64	54	4.4	10	1	2	4	5	10	12	14
65+	56	6.0	73	1	2	4	6	11	14	59
B. *Operated*										
0-19 YRS	264	6.7	24	<1	1	7	9	13	16	23
20-34	153	8.3	39	<1	1	7	12	17	20	28
35-49	180	6.7	33	1	1	5	9	15	18	25
50-64	192	6.2	26	1	1	4	9	14	16	24
65+	119	8.1	77	1	2	5	11	20	25	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.1	27	<1	1	4	6	11	16	29
20-34	90	4.4	18	1	1	3	5	8	13	24
35-49	84	6.0	26	1	2	5	7	10	17	28
50-64	164	7.9	44	1	2	6	10	17	20	32
65+	397	11.8	130	2	3	8	15	23	31	67
B. *Operated*										
0-19 YRS	267	8.8	44	<1	1	8	12	17	23	30
20-34	229	10.4	63	1	2	9	13	21	25	41
35-49	250	11.2	118	2	2	9	14	23	31	66
50-64	511	11.4	111	1	2	9	15	23	31	54
65+	666	14.0	175	2	2	10	18	30	42	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	4.2	24	1	1	3	5	8	11	16
B. *Operated*	908	7.0	36	1	1	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	792	9.1	89	1	2	6	11	19	26	50
B. *Operated*	1923	11.8	122	1	2	9	15	24	33	59
1. SINGLE DX	1146	6.4	35	1	1	5	9	14	17	27
2. MULTIPLE DX	2715	11.0	114	1	2	8	14	23	31	57
A. NOT OPERATED	1030	8.0	79	1	2	5	10	17	22	47
B. OPERATED	2831	10.3	99	1	2	8	13	21	29	54
TOTAL 0-19 YRS	629	7.2	34	<1	1	7	10	14	18	27
20-34	516	8.2	49	1	2	7	11	17	22	30
35-49	557	8.3	75	1	2	6	11	18	23	45
50-64	921	9.3	81	1	2	7	12	20	26	46
65+	1238	12.4	151	2	2	9	16	27	36	70
GRAND TOTAL	**3861**	**9.6**	**95**	**1**	**2**	**7**	**12**	**20**	**28**	**53**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	5	1	1	2	5	7	7	7
20-34	76	2.5	3	<1	1	2	3	5	6	8
35-49	104	2.4	3	<1	1	2	3	5	6	8
50-64	72	2.9	5	1	1	2	4	5	7	12
65+	17	3.8	1	1	2	3	5	8	9	9
B. *Operated*										
0-19 YRS	9	10.3	47	4	4	6	18	20	20	20
20-34	61	5.4	27	1	2	4	7	10	11	35
35-49	82	6.0	17	1	2	5	9	13	14	16
50-64	115	5.4	14	1	2	4	7	10	13	18
65+	88	7.0	24	1	2	6	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.6	7	1	1	3	5	8	9	9
20-34	42	3.0	4	<1	1	2	4	6	8	10
35-49	62	3.5	6	<1	1	3	4	7	8	12
50-64	79	4.8	13	1	1	4	6	10	12	15
65+	46	6.3	49	1	2	4	6	11	23	35
B. *Operated*										
0-19 YRS	7	7.4	26	2	3	6	8	16	18	18
20-34	36	10.1	258	2	2	6	11	15	31	95
35-49	96	7.9	40	1	2	7	10	17	20	32
50-64	194	8.7	40	2	2	8	12	17	21	28
65+	368	11.3	121	2	3	9	15	22	30	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	2.7	4	<1	1	2	3	5	6	9
B. *Operated*	355	6.0	21	1	2	5	8	12	15	20
2. MULTIPLE DX										
A. *Not Operated*	236	4.4	17	1	1	3	6	9	11	23
B. *Operated*	701	10.0	95	2	2	8	13	20	26	84
1. SINGLE DX	633	4.6	16	1	1	3	6	10	13	18
2. MULTIPLE DX	937	8.6	81	1	2	6	11	17	23	49
A. NOT OPERATED	514	3.5	11	<1	1	3	4	7	9	15
B. OPERATED	1056	8.7	74	2	2	7	11	17	22	43
TOTAL 0-19 YRS	32	6.3	29	1	2	5	7	18	20	20
20-34	215	4.7	59	<1	1	3	5	9	12	37
35-49	344	5.0	22	1	1	3	7	11	14	22
50-64	460	6.3	28	1	1	5	9	13	16	25
65+	519	9.9	100	2	2	7	13	20	27	88
GRAND TOTAL	**1570**	**7.0**	**59**	**1**	**1**	**5**	**9**	**15**	**20**	**39**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.4	3	1	2	3	5	6	6	8
20-34	66	3.2	5	1	1	3	4	5	7	13
35-49	36	2.7	3	1	1	2	4	5	6	6
50-64	29	4.4	5	2	2	4	6	7	10	10
65+	46	4.5	7	1	2	4	6	9	9	13
B. *Operated*										
0-19 YRS	106	2.3	4	<1	<1	1	2	5	7	11
20-34	222	2.7	4	<1	1	2	3	5	7	9
35-49	237	2.8	6	<1	1	2	3	6	8	12
50-64	260	3.2	7	1	1	2	4	6	7	13
65+	365	4.0	11	1	2	3	5	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.5	5	1	1	3	4	6	8	14
20-34	109	4.0	6	1	2	3	5	7	9	11
35-49	75	4.7	6	2	2	4	6	9	9	12
50-64	124	6.5	21	2	2	6	8	12	16	99+
65+	421	9.0	55	2	3	7	11	17	23	57
B. *Operated*										
0-19 YRS	180	2.8	8	<1	<1	2	4	6	8	15
20-34	339	3.9	22	<1	<1	2	4	8	12	27
35-49	383	4.7	26	<1	1	3	6	11	16	26
50-64	614	5.4	47	1	1	3	6	11	15	32
65+	1342	8.1	71	2	2	6	10	17	23	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	3.6	5	1	1	3	5	6	8	12
B. *Operated*	1190	3.2	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	824	6.9	38	2	2	5	9	13	18	40
B. *Operated*	2858	6.2	53	<1	1	4	8	14	19	38
1. SINGLE DX	1452	3.2	7	<1	1	2	4	6	8	13
2. MULTIPLE DX	3682	6.4	50	1	1	4	8	14	19	38
A. NOT OPERATED	1086	6.1	32	1	2	5	8	12	16	30
B. OPERATED	4048	5.3	42	<1	1	3	6	12	16	35
TOTAL 0-19 YRS	466	3.0	6	<1	<1	2	4	6	8	12
20-34	736	3.5	13	<1	1	2	4	7	9	18
35-49	731	4.0	17	<1	1	3	5	9	12	21
50-64	1027	4.9	33	1	1	3	6	10	14	31
65+	2174	7.5	59	2	2	5	9	15	21	49
GRAND TOTAL	**5134**	**5.5**	**40**	**1**	**1**	**4**	**7**	**12**	**16**	**34**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	9	2.1	2	1	1	2	3	4	4	4
35-49	7	2.7	5	1	1	2	4	6	7	7
50-64	6	3.7	17	1	1	2	3	11	12	12
65+	23	3.6	4	<1	1	4	4	7	8	9
B. *Operated*										
0-19 YRS	552	1.7	5	<1	<1	1	2	3	5	8
20-34	332	3.3	9	<1	<1	2	4	7	10	14
35-49	234	3.4	9	<1	1	2	4	7	8	15
50-64	246	3.9	17	1	1	3	5	7	11	21
65+	353	4.8	19	1	1	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	1.6	3	<1	<1	1	1	3	5	10
20-34	12	3.8	12	<1	<1	2	6	10	11	11
35-49	9	2.9	2	1	1	3	4	5	5	5
50-64	28	5.0	17	1	1	4	7	12	14	16
65+	84	6.0	17	1	2	5	9	12	13	18
B. *Operated*										
0-19 YRS	371	2.0	15	<1	<1	1	2	4	5	10
20-34	292	3.9	13	<1	1	3	5	8	12	18
35-49	324	4.1	16	1	1	3	5	9	12	18
50-64	466	5.1	35	1	1	3	6	10	15	28
65+	983	8.1	81	2	2	6	9	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.0	5	1	1	2	4	6	7	12
B. *Operated*	1717	3.2	12	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	160	4.8	16	<1	<1	3	7	11	13	16
B. *Operated*	2436	5.6	51	<1	1	3	7	12	17	32
1. SINGLE DX	1765	3.2	12	<1	<1	2	4	7	9	16
2. MULTIPLE DX	2596	5.5	48	<1	1	3	7	12	17	31
A. NOT OPERATED	208	4.4	14	<1	1	3	6	10	12	16
B. OPERATED	4153	4.6	36	<1	<1	3	6	10	14	28
TOTAL 0-19 YRS	953	1.8	9	<1	<1	1	2	3	5	10
20-34	645	3.5	11	<1	1	2	4	7	11	17
35-49	574	3.8	13	<1	1	2	5	8	11	18
50-64	746	4.7	28	1	1	3	6	10	14	28
65+	1443	7.1	63	1	2	5	8	14	20	40
GRAND TOTAL	**4361**	**4.6**	**35**	**<1**	**<1**	**3**	**6**	**10**	**14**	**27**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	588	3.6	5	1	1	3	4	7	8	11
20-34	327	3.6	6	1	1	3	5	6	8	11
35-49	147	4.3	6	1	2	4	6	7	9	11
50-64	189	4.6	10	1	1	4	6	8	10	17
65+	356	6.7	34	2	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	381	2.6	7	<1	<1	2	3	6	9	13
20-34	406	2.9	7	<1	<1	2	3	7	8	14
35-49	449	2.8	7	<1	<1	2	3	6	9	14
50-64	476	3.2	7	<1	1	2	4	7	9	12
65+	651	4.9	18	1	2	4	6	9	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	844	4.8	14	1	2	4	6	8	11	18
20-34	611	5.2	22	1	2	4	6	10	13	30
35-49	499	6.6	38	1	2	5	9	12	15	30
50-64	918	8.3	67	2	3	6	10	16	21	59
65+	4085	11.1	110	3	4	9	13	20	30	79
B. *Operated*										
0-19 YRS	412	3.6	21	<1	<1	2	4	8	11	23
20-34	498	4.6	47	<1	1	2	5	10	15	59
35-49	606	5.9	60	1	1	3	7	14	20	54
50-64	1216	7.1	66	1	2	4	9	16	22	45
65+	2779	11.4	136	2	2	8	15	25	35	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1607	4.5	14	1	1	4	6	8	10	17
B. *Operated*	2363	3.4	11	<1	<1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	6957	9.1	86	2	3	7	11	17	24	67
B. *Operated*	5511	8.6	104	1	1	5	11	20	28	65
1. SINGLE DX	3970	3.8	12	<1	1	3	5	8	10	17
2. MULTIPLE DX	12468	8.9	94	1	2	6	11	18	26	65
A. NOT OPERATED	8564	8.3	76	2	2	6	10	16	22	59
B. OPERATED	7874	7.1	82	<1	1	4	9	16	24	53
TOTAL 0-19 YRS	2225	3.9	12	<1	1	3	5	8	10	17
20-34	1842	4.2	23	<1	1	3	5	8	12	24
35-49	1701	5.2	37	<1	1	3	7	10	15	32
50-64	2799	6.7	56	1	2	5	8	14	19	42
65+	7871	10.5	112	2	2	8	13	21	31	73
GRAND TOTAL	**16438**	**7.7**	**79**	**1**	**1**	**5**	**9**	**16**	**23**	**56**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	27	3.9	11	1	1	3	4	9	13	14
65+	54	4.6	14	1	1	4	6	9	13	16
B. *Operated*										
0-19 YRS	6	5.0	10	2	2	4	5	10	11	11
20-34	11	2.5	5	<1	<1	2	2	6	8	8
35-49	113	3.6	9	<1	1	2	5	7	9	14
50-64	2253	6.5	14	1	2	6	8	11	13	18
65+	3960	7.7	20	2	3	7	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	8	3.9	10	2	2	2	5	9	11	11
50-64	165	5.3	20	1	1	4	7	10	14	21
65+	574	7.2	56	1	1	5	9	16	22	78
B. *Operated*										
0-19 YRS	5	8.8	63	1	1	7	12	22	22	22
20-34	25	4.6	22	1	1	2	6	9	14	21
35-49	199	6.1	23	1	1	5	8	13	16	21
50-64	3256	8.5	38	2	2	7	11	15	19	30
65+	9204	11.6	78	3	5	9	14	21	27	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	4.3	13	1	1	3	6	9	13	16
B. *Operated*	6343	7.2	18	2	2	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	749	6.7	48	1	1	5	9	14	21	37
B. *Operated*	12689	10.7	69	2	4	9	13	19	25	47
1. SINGLE DX	6427	7.2	18	2	2	7	9	12	15	22
2. MULTIPLE DX	13438	10.5	69	2	3	8	13	19	25	47
A. NOT OPERATED	833	6.5	45	1	1	5	8	14	20	37
B. OPERATED	19032	9.5	55	2	3	8	12	17	22	42
TOTAL 0-19 YRS	11	6.7	34	1	2	5	8	15	21	22
20-34	39	4.1	17	1	1	2	5	9	12	21
35-49	322	5.1	19	<1	1	4	6	12	14	20
50-64	5701	7.6	29	1	2	7	9	14	17	26
65+	13792	10.3	64	2	4	8	12	18	24	46
GRAND TOTAL	**19865**	**9.4**	**55**	**2**	**3**	**8**	**11**	**17**	**22**	**41**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	9	2	2	4	6	10	11	11
20-34	47	3.5	6	1	1	3	4	7	8	12
35-49	43	4.5	5	1	2	4	6	7	9	10
50-64	70	4.6	6	1	2	4	6	7	7	15
65+	35	5.0	5	2	3	5	6	8	10	10
B. *Operated*										
0-19 YRS	24	2.2	2	<1	<1	2	3	5	5	5
20-34	162	2.4	7	<1	<1	2	3	4	7	10
35-49	229	2.2	3	<1	<1	2	3	4	6	8
50-64	161	2.9	5	1	1	2	3	5	8	12
65+	74	3.3	9	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.2	13	2	2	4	6	11	14	14
20-34	45	5.2	19	1	2	5	6	8	12	27
35-49	78	5.3	12	2	2	5	6	9	10	23
50-64	139	5.9	9	2	3	5	7	10	12	16
65+	126	7.2	66	2	2	6	8	11	14	54
B. *Operated*										
0-19 YRS	26	4.6	17	<1	1	3	7	12	13	14
20-34	150	3.2	8	1	1	2	4	7	10	14
35-49	259	4.1	24	<1	1	2	5	9	12	25
50-64	305	5.0	21	1	1	3	7	10	14	25
65+	275	7.8	55	2	2	6	10	15	22	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	4.4	6	1	2	4	6	7	9	12
B. *Operated*	650	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	398	6.1	29	2	2	5	7	10	12	25
B. *Operated*	1015	5.3	32	1	1	3	7	11	15	30
1. SINGLE DX	854	3.0	6	<1	1	2	4	6	8	11
2. MULTIPLE DX	1413	5.5	31	1	1	4	7	11	14	29
A. NOT OPERATED	602	5.5	22	1	2	5	7	9	11	18
B. OPERATED	1665	4.2	23	<1	1	2	5	9	12	25
TOTAL 0-19 YRS	69	3.9	11	<1	1	3	5	9	12	14
20-34	404	3.1	9	<1	1	2	4	7	8	14
35-49	609	3.6	14	<1	1	2	5	7	9	21
50-64	675	4.6	15	1	1	3	6	9	12	19
65+	510	6.8	50	1	2	5	8	12	17	40
GRAND TOTAL	**2267**	**4.6**	**23**	**1**	**1**	**3**	**6**	**9**	**12**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.7	1	<1	<1	1	2	3	3	3
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64	2	8.0	2	7	7	8	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	306	2.3	2	<1	1	2	3	4	5	7
20-34	175	3.3	2	2	2	3	4	5	6	7
35-49	163	3.4	3	1	2	3	4	5	6	11
50-64	296	3.7	2	2	2	3	4	5	7	9
65+	178	3.8	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.5	1	<1	<1	1	1	3	4	5
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	7	3.9	18	<1	<1	2	4	11	13	13
B. *Operated*										
0-19 YRS	262	2.4	2	<1	1	2	3	4	5	7
20-34	62	4.0	5	1	2	4	5	6	8	15
35-49	98	4.1	6	1	2	4	5	7	9	14
50-64	269	5.0	14	2	2	4	6	9	12	21
65+	248	6.5	33	2	2	5	7	13	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.6	19	<1	<1	2	4	9	15	17
B. *Operated*	1118	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.0	4	<1	<1	1	2	5	5	13
B. *Operated*	939	4.5	17	1	2	3	5	8	12	22
1. SINGLE DX	1134	3.2	3	1	1	3	4	5	6	9
2. MULTIPLE DX	985	4.4	16	1	1	3	5	8	11	22
A. NOT OPERATED	62	2.4	8	<1	<1	1	3	5	8	17
B. OPERATED	2057	3.8	10	1	2	3	4	6	8	18
TOTAL 0-19 YRS	609	2.3	2	<1	<1	2	3	4	5	7
20-34	243	3.5	4	1	2	3	4	5	7	12
35-49	264	3.7	4	1	2	3	4	6	7	13
50-64	570	4.3	8	2	2	4	5	7	9	15
65+	433	5.3	23	2	2	4	6	9	16	26
GRAND TOTAL	**2119**	**3.8**	**10**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	3.9	5	1	1	3	5	7	8	11
20-34	201	4.7	6	1	2	4	6	8	9	12
35-49	122	5.1	7	2	2	5	6	9	10	15
50-64	113	6.0	9	2	3	6	7	10	11	18
65+	74	6.5	12	2	3	6	8	10	13	22
B. *Operated*										
0-19 YRS	40	4.1	7	1	1	3	6	8	10	11
20-34	65	4.5	29	1	1	3	4	9	12	36
35-49	45	3.9	6	1	2	3	5	7	9	12
50-64	43	4.6	8	2	2	4	6	8	9	17
65+	29	8.4	23	2	2	8	11	16	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	4.9	24	1	1	3	6	9	11	29
20-34	68	5.1	14	1	1	4	7	9	11	20
35-49	66	6.2	11	3	3	5	8	10	13	19
50-64	128	6.6	10	2	3	6	8	10	13	16
65+	179	9.0	44	3	4	7	10	14	21	42
B. *Operated*										
0-19 YRS	23	4.7	11	1	2	4	6	8	11	16
20-34	36	6.5	27	1	2	5	9	13	16	26
35-49	46	7.6	30	2	2	6	11	18	19	20
50-64	83	8.0	35	2	3	6	10	17	21	29
65+	104	11.0	81	3	4	9	14	19	33	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	647	5.0	8	1	2	5	6	8	10	14
B. *Operated*	222	4.8	17	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	480	7.1	27	2	2	6	9	12	15	28
B. *Operated*	292	8.6	52	2	3	6	11	18	20	38
1. SINGLE DX	869	5.0	10	1	2	4	6	9	10	17
2. MULTIPLE DX	772	7.7	37	2	3	6	9	14	19	35
A. NOT OPERATED	1127	5.9	17	1	2	5	7	10	12	21
B. OPERATED	514	6.9	40	2	2	5	9	14	19	36
TOTAL 0-19 YRS	239	4.2	9	1	1	3	6	8	9	12
20-34	370	4.9	14	1	2	4	6	9	11	20
35-49	279	5.6	13	2	2	5	7	10	12	19
50-64	367	6.5	16	2	3	6	8	11	14	21
65+	386	9.0	49	3	4	7	10	16	20	42
GRAND TOTAL	**1641**	**6.2**	**24**	**2**	**2**	**5**	**8**	**11**	**15**	**25**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	696	1.6	1	<1	<1	1	2	2	3	4
20-34	173	2.0	1	<1	1	2	2	3	3	6
35-49	109	1.9	1	<1	1	2	2	3	3	5
50-64	83	2.0	1	<1	<1	2	2	3	4	6
65+	50	2.2	1	1	1	2	3	3	4	5
B. *Operated*										
0-19 YRS	373	1.8	1	<1	<1	2	2	2	3	7
20-34	149	1.9		<1	<1	2	2	3	3	4
35-49	100	1.9		<1	1	2	2	3	3	4
50-64	73	2.3	5	<1	<1	2	2	3	7	14
65+	54	2.2	1	1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	1.7	2	<1	<1	1	2	3	5	7
20-34	41	2.4	3	<1	<1	2	3	4	7	9
35-49	65	2.6	4	<1	1	2	3	5	7	12
50-64	116	2.8	4	<1	1	2	3	5	7	11
65+	80	3.3	6	1	2	2	4	6	7	14
B. *Operated*										
0-19 YRS	123	2.0	2	<1	<1	2	2	3	4	9
20-34	66	2.4	6	<1	1	2	2	4	5	18
35-49	96	3.3	14	<1	1	2	3	7	9	23
50-64	147	3.4	6	1	2	3	4	6	9	12
65+	164	5.3	27	2	2	3	6	10	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1111	1.7	1	<1	<1	2	2	3	3	5
B. *Operated*	749	1.9	1	<1	<1	2	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*	412	2.5	4	<1	<1	2	3	5	7	11
B. *Operated*	596	3.5	14	<1	1	2	4	7	10	22
1. SINGLE DX	1860	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1008	3.1	10	<1	1	2	3	6	9	19
A. NOT OPERATED	1523	2.0	2	<1	<1	2	2	3	4	7
B. OPERATED	1345	2.6	7	<1	<1	2	3	4	7	14
TOTAL 0-19 YRS	1302	1.7	1	<1	<1	2	2	2	3	6
20-34	429	2.0	2	<1	1	2	2	3	4	6
35-49	370	2.4	5	<1	1	2	2	4	5	10
50-64	419	2.7	4	<1	1	2	3	5	7	12
65+	348	3.9	16	1	2	2	4	8	11	22
GRAND TOTAL	**2868**	**2.3**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**11**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.1	2	<1	<1	2	3	4	5	8
20-34	52	2.3	2	<1	1	2	3	5	5	6
35-49	42	2.5	3	<1	1	2	3	5	7	9
50-64	33	3.1	7	1	1	2	3	7	8	13
65+	19	3.3	6	<1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	667	2.4	2	1	1	2	3	4	5	8
20-34	526	2.8	7	<1	1	2	3	5	7	12
35-49	356	3.3	8	1	1	3	4	6	7	13
50-64	367	4.1	15	1	2	3	5	7	9	11
65+	133	4.5	12	1	2	4	5	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.3	6	<1	1	2	5	7	8	11
20-34	33	3.4	5	1	1	3	5	6	7	9
35-49	50	4.8	28	<1	1	3	6	11	15	28
50-64	53	5.2	34	<1	1	3	7	10	20	29
65+	59	6.2	45	1	1	4	8	14	21	94
B. *Operated*										
0-19 YRS	206	2.9	4	<1	1	2	4	5	6	11
20-34	254	4.0	19	1	1	3	4	7	10	25
35-49	266	5.9	62	1	2	4	6	11	18	55
50-64	367	5.9	45	2	2	4	7	11	16	45
65+	217	8.9	149	2	2	6	8	16	37	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	2049	3.1	8	1	1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	239	4.8	27	1	1	3	6	10	14	30
B. *Operated*	1310	5.5	57	1	2	4	6	10	15	49
1. SINGLE DX	2294	3.0	8	1	1	2	4	5	7	11
2. MULTIPLE DX	1549	5.4	53	1	2	3	6	10	15	48
A. NOT OPERATED	484	3.6	16	<1	1	2	4	8	10	25
B. OPERATED	3359	4.1	29	1	1	3	4	7	10	29
TOTAL 0-19 YRS	1016	2.5	3	<1	1	2	3	4	5	8
20-34	865	3.2	11	<1	1	2	4	5	8	14
35-49	714	4.3	31	1	1	3	5	8	11	26
50-64	820	4.9	30	1	2	3	6	9	12	33
65+	428	6.9	90	2	2	4	8	14	20	87
GRAND TOTAL	**3843**	**4.0**	**27**	**1**	**1**	**3**	**4**	**7**	**10**	**26**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	5	2.2	3	1	1	2	3	5	5	5
35-49	14	1.7	1	<1	<1	1	2	3	5	5
50-64	4	3.0	11	1	1	2	5	8	8	8
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	141	2.1	1	<1	1	2	2	3	4	5
20-34	1039	2.2	1	<1	<1	2	3	3	4	7
35-49	2255	2.3	1	<1	1	2	3	3	4	7
50-64	1055	2.4	1	1	1	2	3	4	4	6
65+	360	2.8	2	1	2	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	12	1.9	3	<1	<1	1	2	5	6	6
35-49	14	2.6	6	1	1	2	3	7	9	9
50-64	7	2.6	4	1	1	2	4	6	6	6
65+	6	6.7	12	<1	<1	8	9	10	10	10
B. *Operated*										
0-19 YRS	41	2.7	5	<1	<1	2	3	4	6	15
20-34	401	2.9	3	1	1	2	3	5	6	11
35-49	1029	3.0	5	<1	1	2	3	5	7	14
50-64	671	3.4	7	2	2	3	4	6	8	15
65+	376	4.5	19	2	2	3	5	8	11	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.2	4	<1	<1	1	2	5	7	8
B. *Operated*	4850	2.3	1	<1	1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	41	2.9	8	<1	<1	2	4	8	9	10
B. *Operated*	2518	3.3	8	1	2	3	4	6	8	15
1. SINGLE DX	4880	2.3	1	<1	1	2	3	4	4	7
2. MULTIPLE DX	2559	3.3	8	1	2	3	4	6	8	15
A. NOT OPERATED	71	2.6	6	<1	<1	1	3	7	9	10
B. OPERATED	7368	2.7	4	<1	1	2	3	4	6	10
TOTAL 0-19 YRS	188	2.2	2	<1	<1	2	3	3	4	6
20-34	1457	2.4	2	<1	1	2	3	4	5	8
35-49	3312	2.5	3	<1	1	2	3	4	5	9
50-64	1737	2.8	4	1	2	2	3	5	6	10
65+	745	3.7	11	2	2	3	4	7	9	19
GRAND TOTAL	**7439**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	4	1	1	3	5	7	8	8
20-34	55	3.4	4	<1	1	3	5	6	6	11
35-49	28	4.3	4	1	2	4	6	7	7	8
50-64	8	2.9	4	<1	<1	2	4	6	6	6
65+	8	4.8	8	<1	1	5	7	8	8	8
B. *Operated*										
0-19 YRS	431	3.1	8	1	1	3	4	5	6	11
20-34	816	3.1	5	<1	1	3	4	5	6	11
35-49	527	2.8	3	1	1	2	3	5	6	9
50-64	390	2.9	3	1	1	2	3	5	6	11
65+	163	3.3	10	<1	2	3	4	5	7	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	5	<1	1	3	5	7	7	7
20-34	36	3.4	14	<1	<1	2	4	10	11	17
35-49	45	4.8	37	<1	<1	3	6	11	22	28
50-64	40	3.6	19	<1	1	2	4	10	15	17
65+	46	9.1	203	1	1	5	10	20	27	92
B. *Operated*										
0-19 YRS	101	3.9	5	2	2	3	5	7	9	12
20-34	277	3.5	5	1	1	3	4	6	8	12
35-49	331	4.1	10	1	2	3	5	8	10	18
50-64	346	4.8	30	1	2	3	5	8	13	25
65+	201	6.1	94	2	2	4	6	10	13	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	4	<1	1	3	5	7	7	9
B. *Operated*	2327	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	185	5.2	71	<1	1	3	6	11	17	29
B. *Operated*	1256	4.5	28	1	2	3	5	8	11	21
1. SINGLE DX	2461	3.0	5	1	1	3	4	5	6	11
2. MULTIPLE DX	1441	4.6	34	1	1	3	5	8	11	22
A. NOT OPERATED	319	4.6	44	<1	1	3	5	9	13	27
B. OPERATED	3583	3.5	14	1	1	3	4	6	8	15
TOTAL 0-19 YRS	585	3.3	7	1	1	3	4	5	7	11
20-34	1184	3.2	5	<1	1	3	4	5	7	12
35-49	931	3.4	8	1	1	3	4	6	8	17
50-64	784	3.7	17	1	1	3	4	6	10	19
65+	418	5.3	74	1	2	3	6	9	13	43
GRAND TOTAL	**3902**	**3.6**	**16**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	2.8	3	1	1	2	4	5	6	9
20-34	670	2.6	3	1	1	2	3	5	6	9
35-49	113	3.2	6	1	1	3	4	7	8	13
50-64	3	4.0	3	2	2	5	5	5	5	5
65+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-19 YRS	466	4.7	6	1	2	5	6	8	9	14
20-34	1594	4.6	7	1	1	5	6	8	9	12
35-49	411	5.9	8	2	2	6	8	9	10	14
50-64	94	6.7	6	1	3	7	8	10	10	13
65+	30	8.0	21	2	3	8	8	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	3.4	5	1	1	3	4	7	8	11
20-34	404	3.2	6	<1	1	3	4	6	8	12
35-49	117	3.8	8	1	1	3	5	8	9	13
50-64	10	4.2	8	1	1	3	7	9	9	9
65+	12	10.7	129	2	2	6	11	34	34	34
B. *Operated*										
0-19 YRS	374	5.6	8	2	2	5	7	9	11	15
20-34	2317	5.7	11	1	2	6	7	9	11	18
35-49	1072	7.1	15	2	2	7	8	11	14	24
50-64	197	8.9	20	4	6	8	9	14	17	27
65+	100	12.0	57	6	7	10	14	20	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1159	2.7	3	1	1	2	3	5	6	9
B. *Operated*	2595	4.9	8	1	2	5	7	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	729	3.5	9	1	1	3	4	7	9	12
B. *Operated*	4060	6.4	15	1	2	6	8	10	13	21
1. SINGLE DX	3754	4.2	7	1	1	4	6	8	9	13
2. MULTIPLE DX	4789	5.9	15	1	2	6	7	10	12	20
A. NOT OPERATED	1888	3.0	5	1	1	2	4	6	7	11
B. OPERATED	6655	5.8	13	1	2	6	7	9	11	18
TOTAL 0-19 YRS	1397	4.2	7	1	1	4	6	7	9	13
20-34	4985	4.7	10	1	1	5	6	8	10	15
35-49	1713	6.3	14	1	2	6	8	10	12	20
50-64	304	8.0	17	2	4	8	9	11	15	26
65+	144	10.9	57	3	5	9	12	19	27	41
GRAND TOTAL	**8543**	**5.2**	**12**	**1**	**1**	**5**	**7**	**9**	**11**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	723	4.6	7	2	2	4	6	7	9	13
20-34	2016	5.0	10	2	2	4	6	8	10	17
35-49	287	5.9	12	2	2	5	8	10	12	17
50-64	17	6.8	30	2	2	4	9	14	20	23
65+	8	7.0	41	1	1	4	12	17	18	18
B. *Operated*										
0-19 YRS	171	5.5	12	1	2	5	7	11	12	16
20-34	1283	4.4	12	<1	1	3	6	8	11	17
35-49	344	5.6	24	1	1	5	8	12	15	24
50-64	38	6.8	51	<1	1	3	9	17	24	31
65+	15	9.3	54	<1	2	7	13	16	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	344	5.8	11	2	2	5	7	10	12	19
20-34	1035	5.8	13	2	2	5	7	10	12	18
35-49	250	7.2	15	3	3	6	9	12	15	21
50-64	28	9.0	20	3	4	9	10	15	18	22
65+	23	11.2	65	4	5	7	14	27	28	29
B. *Operated*										
0-19 YRS	267	6.4	18	1	2	6	8	11	15	21
20-34	2657	5.7	25	1	1	5	7	10	13	23
35-49	941	7.7	45	1	2	7	9	14	18	31
50-64	92	10.7	92	2	2	8	12	24	35	84
65+	47	16.1	256	4	6	11	21	40	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3051	5.0	10	2	2	4	6	8	10	16
B. *Operated*	1851	4.8	16	1	1	4	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	1680	6.1	14	2	2	5	8	11	13	20
B. *Operated*	4004	6.4	36	1	2	6	8	12	16	29
1. SINGLE DX	4902	4.9	12	1	2	4	6	9	11	17
2. MULTIPLE DX	5684	6.3	29	1	2	6	8	11	15	27
A. NOT OPERATED	4731	5.4	12	2	2	5	7	9	11	18
B. OPERATED	5855	5.9	30	1	1	5	8	11	15	27
TOTAL 0-19 YRS	1505	5.3	11	1	2	5	7	9	11	18
20-34	6991	5.3	17	1	2	5	7	9	12	19
35-49	1822	6.9	33	1	2	6	9	13	16	28
50-64	175	9.2	68	2	2	8	10	18	26	58
65+	93	13.0	166	2	3	9	16	28	41	99+
GRAND TOTAL	**10586**	**5.7**	**22**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.1	2	1	1	3	4	5	5	5
20-34	62	3.1	5	<1	1	2	4	6	8	10
35-49	9	4.3	4	1	2	4	5	7	8	8
50-64	2	3.0	8	<1	<1	2	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	46	3.2	7	<1	1	2	4	6	8	14
20-34	1191	3.9	7	<1	1	3	6	7	8	12
35-49	549	5.4	8	1	1	6	7	9	9	11
50-64	35	6.0	13	1	1	7	8	9	11	16
65+	3	6.3	22	1	1	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	5	1	1	4	5	7	9	9
20-34	78	4.3	17	<1	1	3	6	8	13	20
35-49	38	3.8	8	<1	1	3	6	8	10	11
50-64	2	11.5	181	2	2	11	21	21	21	21
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	52	3.9	13	1	1	2	6	7	9	24
20-34	2096	5.2	10	1	1	6	7	9	10	14
35-49	2262	7.1	12	2	2	7	8	10	12	18
50-64	256	8.3	15	3	6	8	9	11	15	25
65+	21	10.5	45	1	2	10	14	21	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.2	4	<1	1	3	4	6	8	10
B. *Operated*	1824	4.4	8	1	1	4	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	130	4.3	15	<1	1	3	6	8	11	20
B. *Operated*	4687	6.3	12	1	2	7	8	9	11	18
1. SINGLE DX	1906	4.3	8	1	1	4	7	8	9	12
2. MULTIPLE DX	4817	6.2	13	1	2	6	8	9	11	18
A. NOT OPERATED	212	3.9	11	<1	1	3	5	7	9	20
B. OPERATED	6511	5.8	12	1	2	6	8	9	10	16
TOTAL 0-19 YRS	118	3.6	9	1	1	2	5	7	8	17
20-34	3427	4.7	9	1	1	5	7	8	9	14
35-49	2858	6.7	12	1	2	7	8	9	11	18
50-64	295	8.0	16	2	5	8	9	11	15	23
65+	25	9.9	41	1	2	9	12	21	23	26
GRAND TOTAL	**6723**	**5.7**	**12**	**1**	**1**	**6**	**8**	**9**	**10**	**16**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	8.0	39	3	3	6	13	15	15	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.2	1	1	1	2	2	4	5	5
20-34	159	2.1	2	<1	<1	2	2	3	4	8
35-49	148	2.5	3	<1	1	2	3	5	6	8
50-64	68	2.2	4	<1	<1	2	2	4	5	12
65+	26	2.5	1	1	2	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.4	8	2	2	5	6	10	11	11
20-34	5	4.8	18	<1	<1	3	7	12	12	12
35-49	3	5.0	12	1	1	7	7	7	7	7
50-64	3	3.3	10	1	1	2	6	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	10	2.4	6	<1	<1	2	2	6	9	9
20-34	415	3.2	7	<1	1	2	4	7	8	12
35-49	593	3.5	10	<1	1	2	4	8	10	15
50-64	236	3.3	9	1	1	2	3	7	10	13
65+	67	4.1	20	1	1	3	4	8	10	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	6.2	27	2	2	5	8	15	15	15
B. *Operated*	413	2.3	2	<1	1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	19	5.0	10	<1	1	5	7	10	12	12
B. *Operated*	1321	3.4	9	<1	1	2	4	8	9	14
1. SINGLE DX	418	2.3	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	1340	3.4	9	<1	1	2	4	8	9	14
A. NOT OPERATED	24	5.3	13	1	1	5	7	11	13	15
B. OPERATED	1734	3.1	8	<1	1	2	3	7	9	13
TOTAL 0-19 YRS	31	3.1	6	<1	1	2	4	6	9	11
20-34	582	3.0	6	<1	1	2	3	7	8	12
35-49	744	3.3	9	<1	1	2	3	8	9	15
50-64	307	3.1	8	<1	1	2	3	7	9	13
65+	94	3.7	15	1	2	3	4	8	9	26
GRAND TOTAL	**1758**	**3.2**	**8**	**<1**	**1**	**2**	**3**	**7**	**9**	**13**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.8	6	1	1	3	5	6	8	15
20-34	124	3.4	4	1	1	3	4	6	7	12
35-49	35	3.9	5	1	1	3	6	7	9	10
50-64	11	4.6	12	<1	1	4	5	11	11	11
65+	5	3.6	6	<1	<1	3	5	7	7	7
B. *Operated*										
0-19 YRS	117	2.6	3	1	1	2	3	5	7	10
20-34	1028	2.1	2	<1	1	2	3	4	4	7
35-49	459	2.1	2	<1	1	2	2	4	5	8
50-64	132	2.3	2	<1	1	2	3	4	4	10
65+	33	3.5	8	1	1	2	4	7	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	8	1	1	4	6	8	10	13
20-34	139	4.1	6	1	1	4	6	7	8	11
35-49	50	5.6	20	1	1	5	7	11	15	23
50-64	30	6.7	15	1	2	6	9	13	13	17
65+	39	11.1	150	3	3	9	11	21	22	78
B. *Operated*										
0-19 YRS	40	3.0	5	1	1	2	4	6	8	10
20-34	349	3.4	10	<1	1	2	4	8	10	15
35-49	270	3.8	13	<1	1	2	5	8	9	18
50-64	92	4.2	20	1	1	2	5	11	16	20
65+	66	7.4	130	1	1	4	7	19	27	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.6	5	1	1	3	5	6	8	12
B. *Operated*	1769	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	316	5.5	32	1	1	5	7	10	13	22
B. *Operated*	817	3.9	23	<1	1	2	5	8	11	23
1. SINGLE DX	2002	2.3	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	1133	4.4	26	1	1	3	6	8	12	22
A. NOT OPERATED	549	4.7	21	1	1	4	6	8	11	19
B. OPERATED	2586	2.7	9	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	273	3.3	6	1	1	3	5	6	8	12
20-34	1640	2.6	5	<1	1	2	3	5	7	11
35-49	814	3.0	8	<1	1	2	3	6	8	15
50-64	265	3.6	12	1	1	2	4	8	12	17
65+	143	7.4	109	1	2	4	8	15	22	78
GRAND TOTAL	**3135**	**3.1**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**15**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	6	3.5	5	1	1	3	5	7	7	7
50-64	3	6.0	31	<1	<1	5	10	12	12	12
65+	19	4.8	13	<1	1	4	7	11	13	13
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	182	6.3	10	2	3	6	7	9	10	19
35-49	451	6.9	6	3	4	7	8	10	11	16
50-64	901	7.7	6	5	5	7	9	11	13	16
65+	799	8.0	14	4	5	8	9	12	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	2.5	10	<1	<1	1	2	8	10	10
35-49	38	2.3	4	<1	1	2	2	5	8	9
50-64	37	3.4	21	<1	1	1	4	7	10	26
65+	131	6.9	67	1	1	5	9	14	19	39
B. *Operated*										
0-19 YRS	6	5.8	20	<1	<1	6	7	12	13	13
20-34	629	6.0	13	<1	<1	6	8	10	12	18
35-49	1686	7.7	11	2	5	7	9	11	13	20
50-64	1843	8.6	13	5	5	8	10	12	15	21
65+	1737	9.8	27	5	6	9	11	15	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	12	<1	1	4	7	10	12	13
B. *Operated*	2336	7.5	9	4	5	7	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	219	5.2	49	<1	1	3	7	11	17	30
B. *Operated*	5901	8.4	18	3	5	8	10	13	16	24
1. SINGLE DX	2368	7.5	10	4	5	7	9	11	12	16
2. MULTIPLE DX	6120	8.3	20	2	4	8	10	13	16	24
A. NOT OPERATED	251	5.2	44	<1	1	3	7	11	15	29
B. OPERATED	8237	8.2	16	3	5	8	9	12	15	22
TOTAL 0-19 YRS	10	5.3	14	<1	<1	5	7	10	13	13
20-34	827	6.0	12	<1	<1	6	8	10	11	18
35-49	2181	7.4	11	2	4	7	9	11	13	19
50-64	2784	8.2	12	4	5	8	9	12	14	20
65+	2686	9.1	26	4	5	8	10	14	17	28
GRAND TOTAL	**8488**	**8.1**	**17**	**2**	**4**	**8**	**9**	**12**	**15**	**22**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	4	1	1	2	3	6	7	7
20-34	12	2.8	4	1	1	2	4	6	8	8
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.8	1	<1	1	2	2	2	4	5
20-34	182	1.7	1	<1	<1	2	2	2	3	6
35-49	332	1.7	1	<1	<1	1	2	2	2	8
50-64	48	1.5		<1	<1	1	2	2	2	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	5	2.4	2	<1	<1	2	3	5	5	5
35-49	6	1.8	2	<1	<1	1	3	4	4	4
50-64	2	6.0	32	2	2	6	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	186	2.5	6	<1	<1	2	2	6	7	14
35-49	342	2.6	6	<1	<1	2	3	6	7	11
50-64	56	2.3	4	<1	<1	2	2	5	8	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	3	1	1	2	3	5	7	8
B. *Operated*	578	1.7	1	<1	<1	1	2	2	2	7
2. MULTIPLE DX										
A. *Not Operated*	15	2.5	6	<1	<1	2	3	5	9	10
B. *Operated*	590	2.6	5	<1	<1	2	2	6	7	11
1. SINGLE DX	601	1.7	1	<1	<1	2	2	2	3	7
2. MULTIPLE DX	605	2.6	5	<1	<1	2	2	6	7	11
A. NOT OPERATED	38	2.6	4	<1	1	2	3	5	8	10
B. OPERATED	1168	2.1	4	<1	<1	2	2	4	6	10
TOTAL 0-19 YRS	31	2.0	2	1	1	2	2	3	5	7
20-34	385	2.1	4	<1	<1	2	2	4	6	11
35-49	684	2.1	4	<1	<1	2	2	4	7	10
50-64	106	2.0	3	<1	<1	2	2	3	6	10
65+										
GRAND TOTAL	**1206**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	2.2	2	<1	1	2	3	4	5	7
20-34	217	2.0	2	<1	1	2	2	3	5	10
35-49	67	2.0	2	<1	<1	2	2	4	5	8
50-64	9	2.1	2	1	1	2	3	4	5	5
65+										
B. *Operated*										
0-19 YRS	253	1.8	2	<1	<1	2	2	3	3	7
20-34	3679	1.7	2	<1	<1	1	2	2	3	7
35-49	4970	1.8	2	<1	<1	2	2	2	3	8
50-64	712	1.8	1	<1	<1	2	2	2	3	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	3.0	6	<1	1	2	4	6	7	14
20-34	221	2.6	4	<1	1	2	3	5	6	8
35-49	172	3.0	16	<1	<1	1	3	8	9	22
50-64	25	2.6	5	<1	1	2	4	5	7	9
65+										
B. *Operated*										
0-19 YRS	174	2.4	4	<1	1	2	3	5	7	10
20-34	3321	2.7	8	<1	<1	2	3	6	8	11
35-49	6319	3.1	8	<1	1	2	3	7	9	13
50-64	951	3.0	9	<1	1	2	3	7	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	2.1	2	<1	1	2	2	4	5	8
B. *Operated*	9614	1.7	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	502	2.8	8	<1	<1	2	3	6	8	15
B. *Operated*	10765	3.0	8	<1	<1	2	3	7	8	13
1. SINGLE DX	10020	1.7	2	<1	<1	2	2	2	3	7
2. MULTIPLE DX	11267	3.0	8	<1	<1	2	3	7	8	13
A. NOT OPERATED	908	2.5	6	<1	1	2	3	5	7	12
B. OPERATED	20379	2.4	6	<1	<1	2	2	6	7	11
TOTAL 0-19 YRS	624	2.2	3	<1	1	2	2	4	6	9
20-34	7438	2.2	5	<1	<1	2	2	4	7	10
35-49	11528	2.5	6	<1	<1	2	2	6	8	12
50-64	1697	2.5	6	<1	<1	2	2	6	8	12
65+										
GRAND TOTAL	**21287**	**2.4**	**6**	**<1**	**<1**	**2**	**2**	**6**	**7**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	11	2.4	3	<1	<1	2	4	5	5	5
50-64	20	2.5	3	<1	<1	2	4	5	6	7
65+	11	3.4	6	<1	1	2	6	7	7	7
B. *Operated*										
0-19 YRS										
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	491	1.7	1	<1	<1	2	2	2	3	5
50-64	1905	1.8	1	<1	<1	2	2	2	3	5
65+	428	2.2	2	1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	19	3.9	26	<1	<1	1	5	14	17	17
50-64	65	3.4	12	<1	1	2	5	8	9	18
65+	52	6.0	67	1	1	4	7	10	13	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	6	1.8	1	<1	<1	1	2	4	4	4
35-49	416	2.5	5	<1	1	2	2	5	7	13
50-64	1815	2.6	7	<1	1	2	2	5	8	14
65+	732	4.0	19	1	2	2	4	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*	2829	1.8	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	136	4.5	36	<1	1	3	6	9	13	29
B. *Operated*	2970	2.9	10	<1	1	2	3	6	9	17
1. SINGLE DX	2871	1.8	1	<1	<1	2	2	2	3	6
2. MULTIPLE DX	3106	3.0	11	<1	1	2	3	6	9	17
A. NOT OPERATED	178	4.1	29	<1	<1	3	5	8	10	23
B. OPERATED	5799	2.4	6	<1	1	2	2	4	7	13
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	1.7	1	<1	<1	2	2	3	4	4
35-49	937	2.1	3	<1	<1	2	2	3	5	10
50-64	3805	2.2	4	<1	<1	2	2	3	6	11
65+	1223	3.4	16	1	1	2	3	7	10	22
GRAND TOTAL	**5977**	**2.4**	**7**	**<1**	**1**	**2**	**2**	**4**	**7**	**14**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.3	2	<1	<1	2	3	5	5	6
20-34	94	2.6	4	<1	1	2	3	6	7	9
35-49	32	2.7	6	<1	<1	2	3	5	8	13
50-64	9	3.3	8	<1	<1	2	5	8	9	9
65+	9	7.4	50	<1	<1	6	11	19	21	21
B. *Operated*										
0-19 YRS	123	2.5	4	<1	<1	2	3	5	6	10
20-34	1445	2.5	4	<1	<1	2	3	5	6	10
35-49	1460	2.8	7	<1	<1	2	3	6	8	13
50-64	983	2.8	8	<1	1	2	3	6	8	14
65+	259	3.4	36	1	1	2	3	6	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.1	3	1	1	3	4	6	7	7
20-34	83	3.4	14	<1	<1	2	4	6	14	19
35-49	71	3.6	8	<1	1	3	5	8	9	13
50-64	57	5.4	55	<1	<1	2	5	15	22	39
65+	83	8.4	54	1	2	7	12	16	23	83
B. *Operated*										
0-19 YRS	124	4.3	13	<1	1	3	6	8	11	21
20-34	1698	3.6	10	<1	1	2	5	8	9	14
35-49	2962	3.8	15	<1	1	2	6	8	10	17
50-64	1863	4.1	24	1	1	2	6	9	12	23
65+	707	7.2	80	1	2	4	9	16	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	2.8	7	<1	<1	2	3	6	8	15
B. *Operated*	4270	2.7	8	<1	<1	2	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	323	5.0	33	<1	1	3	6	12	16	34
B. *Operated*	7354	4.2	24	<1	1	2	6	9	11	23
1. SINGLE DX	4456	2.7	8	<1	<1	2	3	6	8	13
2. MULTIPLE DX	7677	4.2	24	<1	1	2	6	9	11	23
A. NOT OPERATED	509	4.2	25	<1	1	3	5	9	14	28
B. OPERATED	11624	3.6	18	<1	1	2	4	8	10	20
TOTAL 0-19 YRS	318	3.2	8	<1	1	2	4	7	8	14
20-34	3320	3.1	8	<1	1	2	4	7	8	13
35-49	4525	3.5	13	<1	1	2	5	8	9	16
50-64	2912	3.7	20	<1	1	2	4	8	10	22
65+	1058	6.4	70	1	2	3	8	15	21	50
GRAND TOTAL	**12133**	**3.7**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**20**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	1.9	1	1	1	2	2	3	4	6
20-34	309	2.3	3	<1	1	2	3	5	6	8
35-49	49	2.9	4	1	1	2	4	5	7	11
50-64	5	3.4	3	2	2	3	4	6	6	6
65+	4	8.8	37	2	2	8	13	16	16	16
B. *Operated*										
0-19 YRS	124	2.2	2	<1	1	2	3	4	4	8
20-34	1447	2.6	5	<1	<1	2	3	6	7	10
35-49	544	5.3	13	<1	1	5	8	10	11	14
50-64	232	8.7	18	2	4	8	10	14	16	23
65+	121	9.6	23	2	3	9	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.4	3	<1	1	2	3	5	7	10
20-34	282	2.6	5	<1	1	2	3	6	7	10
35-49	70	3.7	30	<1	<1	2	4	7	8	38
50-64	28	6.0	61	<1	<1	4	6	12	20	40
65+	23	6.9	16	2	2	7	9	11	14	18
B. *Operated*										
0-19 YRS	104	3.5	10	1	1	2	5	7	10	17
20-34	2339	3.5	7	<1	1	2	6	7	8	10
35-49	962	5.7	15	1	1	6	8	10	12	17
50-64	334	8.5	25	1	2	8	10	14	17	23
65+	195	11.5	52	2	5	10	14	18	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	612	2.2	3	<1	1	2	3	5	5	8
B. *Operated*	2468	4.1	14	<1	1	2	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	516	3.1	13	<1	1	2	4	7	9	15
B. *Operated*	3934	4.9	17	<1	1	4	7	10	12	19
1. SINGLE DX	3080	3.7	12	<1	1	2	6	9	10	16
2. MULTIPLE DX	4450	4.6	17	<1	1	3	7	9	12	18
A. NOT OPERATED	1128	2.6	8	<1	1	2	3	5	7	11
B. OPERATED	6402	4.6	16	<1	1	3	7	9	12	18
TOTAL 0-19 YRS	586	2.4	4	<1	1	2	3	4	6	10
20-34	4377	3.1	6	<1	1	2	5	7	8	10
35-49	1625	5.4	15	<1	1	6	8	10	12	17
50-64	599	8.4	24	1	2	8	10	14	17	23
65+	343	10.5	41	2	3	10	13	17	20	40
GRAND TOTAL	**7530**	**4.3**	**15**	**<1**	**1**	**2**	**6**	**9**	**11**	**17**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	36	2.4	4	<1	<1	2	3	6	7	9
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	100	5.5	3	2	4	5	6	8	8	11
20-34	1580	5.7	3	3	4	6	7	8	9	11
35-49	217	6.1	5	3	4	6	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	18	3.0	3	<1	1	3	4	5	7	8
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	104	6.3	8	3	4	6	7	10	11	20
20-34	1122	6.1	4	4	4	6	7	8	9	13
35-49	206	6.9	9	4	5	6	7	9	12	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.5	4	<1	<1	2	3	6	7	9
B. *Operated*	1897	5.7	3	3	4	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	24	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	1432	6.2	5	4	4	6	7	8	10	14
1. SINGLE DX	1938	5.7	3	3	4	6	7	8	8	11
2. MULTIPLE DX	1456	6.2	5	3	4	6	7	8	10	14
A. NOT OPERATED	65	2.7	4	<1	<1	2	3	6	7	9
B. OPERATED	3329	5.9	4	3	4	6	7	8	9	13
TOTAL 0-19 YRS	210	5.8	6	2	4	6	6	8	10	15
20-34	2756	5.8	4	3	4	6	7	8	9	12
35-49	428	6.4	7	4	4	6	7	9	10	16
50-64										
65+										
GRAND TOTAL	**3394**	**5.9**	**4**	**3**	**4**	**6**	**7**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	1.4	1	<1	1	1	1	2	3	7
20-34	199	1.3		<1	1	1	1	2	3	4
35-49	31	1.3		1	1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4170	1.3		<1	<1	1	2	2	2	4
20-34	10675	1.2	1	<1	<1	<1	1	2	2	4
35-49	1320	1.2	1	<1	<1	<1	1	2	2	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.3	1	<1	<1	<1	1	2	3	7
20-34	64	1.4	1	<1	<1	1	1	2	3	9
35-49	18	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	899	1.4	2	<1	<1	<1	1	2	4	7
20-34	3473	1.6	4	<1	<1	<1	1	3	4	9
35-49	922	2.1	3	<1	<1	2	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	16165	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	118	1.4	1	<1	<1	<1	1	2	3	8
B. *Operated*	5294	1.7	3	<1	<1	<1	2	3	4	9
1. SINGLE DX	16503	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	5412	1.7	3	<1	<1	<1	2	3	4	8
A. NOT OPERATED	456	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	21459	1.4	1	<1	<1	<1	1	2	3	5
TOTAL 0-19 YRS	5213	1.3	1	<1	<1	1	1	2	3	5
20-34	14411	1.3	1	<1	<1	<1	1	2	3	5
35-49	2291	1.6	2	<1	<1	1	2	3	4	6
50-64										
65+										
GRAND TOTAL	**21915**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	2.8	5	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX	4	2.8	5	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED	4	2.8	5	<1	<1	2	4	6	6	6
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
GRAND TOTAL	**4**	**2.8**	**5**	**<1**	**<1**	**2**	**4**	**6**	**6**	**6**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	203	1.7	2	<1	<1	1	2	3	4	10
20-34	659	1.6	1	<1	<1	1	2	3	4	6
35-49	88	1.9	6	<1	<1	1	2	3	4	16
50-64										
65+										
B. *Operated*										
0-19 YRS	1612	1.5	1	<1	<1	1	2	2	3	5
20-34	11351	1.4	1	<1	<1	1	2	2	3	5
35-49	1853	1.4	1	<1	<1	1	2	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	6	1	1	2	4	7	8	10
20-34	139	2.5	7	<1	1	2	3	5	7	18
35-49	14	2.0	3	<1	<1	1	2	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	191	2.6	5	1	1	2	3	6	7	11
20-34	1359	2.3	4	<1	1	2	2	4	6	11
35-49	397	1.9	3	<1	<1	1	2	4	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	950	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	14816	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	182	2.5	7	<1	1	2	3	5	7	15
B. *Operated*	1947	2.2	4	<1	1	2	2	4	6	10
1. SINGLE DX	15766	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	2129	2.2	4	<1	1	2	2	4	6	10
A. NOT OPERATED	1132	1.8	3	<1	<1	1	2	3	4	9
B. OPERATED	16763	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	2035	1.6	1	<1	<1	1	2	3	4	7
20-34	13508	1.5	1	<1	<1	1	2	2	3	6
35-49	2352	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**17895**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	3.0	4	<1	1	3	4	6	7	8
20-34	285	2.6	3	<1	1	2	3	5	6	9
35-49	29	2.4	3	<1	1	2	3	5	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	171	2.0	2	1	1	2	3	4	4	8
20-34	1643	1.6	2	<1	<1	1	2	3	4	7
35-49	230	1.7	3	<1	<1	1	2	2	3	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	7	<1	<1	2	4	6	9	11
20-34	68	3.5	14	1	1	3	4	7	10	23
35-49	6	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	37	2.8	3	<1	1	2	4	6	7	7
20-34	340	3.4	17	<1	1	2	4	7	11	19
35-49	73	2.6	9	<1	1	2	2	5	7	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.6	3	<1	1	2	4	5	6	8
B. *Operated*	2044	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	94	3.3	11	<1	1	2	4	6	10	20
B. *Operated*	450	3.2	14	<1	1	2	4	7	10	19
1. SINGLE DX	2426	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	544	3.2	14	<1	1	2	4	7	10	19
A. NOT OPERATED	476	2.8	5	<1	1	2	4	5	7	10
B. OPERATED	2494	2.0	4	<1	<1	1	2	3	5	11
TOTAL 0-19 YRS	296	2.4	3	<1	1	2	3	5	6	8
20-34	2336	2.1	5	<1	<1	1	2	4	5	11
35-49	338	2.0	4	<1	<1	2	2	3	5	10
50-64										
65+										
GRAND TOTAL	**2970**	**2.1**	**5**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	201	2.1	1	<1	1	2	3	4	4	5
20-34	1239	2.2	2	<1	1	2	3	4	5	7
35-49	103	2.3	2	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	21	2.6	5	<1	<1	2	4	6	7	8
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.4	2	1	1	2	3	4	5	7
20-34	202	2.9	4	1	1	2	4	5	7	9
35-49	23	4.8	8	1	2	4	6	9	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	20	4.4	29	<1	<1	3	6	9	17	24
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1543	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	25	2.6	4	<1	<1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	255	3.0	4	1	1	2	4	5	8	10
B. *Operated*	23	4.5	26	<1	1	3	6	9	15	24
1. SINGLE DX	1568	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	278	3.1	6	1	1	2	4	6	8	11
A. NOT OPERATED	1798	2.3	2	1	1	2	3	4	5	8
B. OPERATED	48	3.5	15	<1	<1	2	4	8	9	24
TOTAL 0-19 YRS	236	2.2	2	<1	1	2	3	4	5	7
20-34	1482	2.3	3	<1	1	2	3	4	5	9
35-49	128	2.8	4	1	1	2	4	5	6	10
50-64										
65+										
GRAND TOTAL	**1846**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	3	<1	<1	1	2	5	5	5
20-34	65	2.4	3	<1	1	2	3	4	5	9
35-49	5	2.8	2	2	2	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	10	4.1	11	<1	1	3	4	9	13	13
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.4	3	<1	1	2	3	5	5	9
B. *Operated*	5	2.8	3	1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	13	4.0	9	<1	1	3	4	7	12	13
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
1. SINGLE DX	80	2.4	3	<1	1	2	3	5	5	9
2. MULTIPLE DX	15	3.7	8	<1	1	3	4	5	11	13
A. NOT OPERATED	88	2.6	4	<1	1	2	3	5	5	11
B. OPERATED	7	2.4	2	1	1	2	4	5	5	5
TOTAL 0-19 YRS	8	2.4	3	<1	<1	2	4	5	5	5
20-34	81	2.6	4	<1	1	2	3	5	5	12
35-49	6	3.2	2	2	2	3	5	5	5	5
50-64										
65+										
GRAND TOTAL	**95**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**5**	**11**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	3.6	5	1	2	3	5	6	7	11
20-34	867	3.8	8	1	1	3	4	7	9	18
35-49	86	4.2	6	1	2	4	5	7	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	24	4.0	7	2	2	3	5	9	10	11
20-34	128	3.4	5	<1	1	3	4	6	7	12
35-49	7	4.3	10	<1	<1	5	7	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.0	12	1	1	3	4	11	13	14
20-34	215	4.1	10	1	1	3	5	7	10	17
35-49	31	5.3	20	2	2	4	7	8	10	26
50-64										
65+										
B. *Operated*										
0-19 YRS	11	4.8	6	1	1	6	7	8	8	8
20-34	41	4.9	16	<1	1	4	6	10	14	20
35-49	7	9.4	92	2	2	6	18	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1148	3.8	8	1	1	3	5	7	8	17
B. *Operated*	159	3.5	5	<1	1	3	4	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	272	4.2	12	1	1	3	5	8	10	19
B. *Operated*	59	5.4	24	<1	1	4	6	11	18	24
1. SINGLE DX	1307	3.7	7	1	1	3	4	7	8	15
2. MULTIPLE DX	331	4.4	14	1	1	4	5	8	11	22
A. NOT OPERATED	1420	3.9	8	1	1	3	5	7	9	17
B. OPERATED	218	4.0	11	<1	1	3	5	7	10	21
TOTAL 0-19 YRS	256	3.8	6	1	2	3	5	6	8	12
20-34	1251	3.8	9	1	1	3	5	7	9	18
35-49	131	4.7	15	1	2	4	6	8	10	24
50-64										
65+										
GRAND TOTAL	**1638**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	189	3.4	4	1	1	3	4	6	7	11
20-34	1023	4.1	8	1	2	3	5	7	9	14
35-49	47	6.1	21	1	2	5	9	12	14	23
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3		2	2	2	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.6	9	1	1	3	4	6	10	19
20-34	311	4.6	15	1	2	4	6	8	13	21
35-49	8	5.1	8	2	2	4	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.6	36	1	1	3	3	15	18	18
20-34	23	5.4	6	2	3	5	7	9	10	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1259	4.1	8	1	2	3	5	7	9	14
B. *Operated*	4	2.3		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	372	4.5	14	1	2	3	5	8	12	20
B. *Operated*	31	5.2	12	1	2	4	7	9	10	18
1. SINGLE DX	1263	4.1	8	1	2	3	5	7	9	14
2. MULTIPLE DX	403	4.5	14	1	2	4	5	8	12	19
A. NOT OPERATED	1631	4.2	9	1	2	3	5	7	9	17
B. OPERATED	35	4.9	11	1	2	4	7	9	10	18
TOTAL 0-19 YRS	252	3.5	6	1	1	3	4	6	8	13
20-34	1358	4.2	9	1	2	4	5	7	9	17
35-49	56	5.9	19	1	2	5	8	11	13	23
50-64										
65+										
GRAND TOTAL	**1666**	**4.2**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**17**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1165	1.1	2	<1	<1	<1	1	1	2	3
20-34	4724	1.2	1	<1	<1	<1	1	1	2	5
35-49	284	1.2	1	<1	<1	1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	183	1.0		<1	<1	<1	1	1	1	2
20-34	847	1.1		<1	<1	<1	1	1	2	3
35-49	66	1.7	31	<1	<1	<1	1	1	2	39
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	1.6	3	<1	<1	1	1	3	6	9
20-34	302	1.8	2	<1	<1	1	2	4	5	8
35-49	23	2.4	7	<1	<1	2	3	4	8	13
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.1		<1	<1	<1	<1	1	2	2
20-34	115	2.4	73	<1	<1	1	1	3	5	43
35-49	11	1.8	6	<1	<1	1	1	5	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6173	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	1096	1.1	2	<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	398	1.8	3	<1	<1	1	2	4	5	9
B. *Operated*	140	2.3	61	<1	<1	1	1	3	4	25
1. SINGLE DX	7269	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	538	1.9	18	<1	<1	1	2	3	5	10
A. NOT OPERATED	6571	1.2	1	<1	<1	<1	1	1	2	5
B. OPERATED	1236	1.3	9	<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	1435	1.1	1	<1	<1	<1	1	1	2	4
20-34	5988	1.2	2	<1	<1	<1	1	1	2	5
35-49	384	1.4	6	<1	<1	1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**7807**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	7	<1	1	2	3	5	8	15
20-34	380	3.7	16	1	1	3	4	7	10	19
35-49	34	6.1	82	<1	1	3	5	13	34	40
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	48	4.8	22	<1	1	3	6	10	15	23
35-49	8	4.6	17	1	1	3	5	12	14	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	19	<1	<1	3	5	11	15	15
20-34	70	5.2	56	<1	1	3	5	10	18	42
35-49	11	3.5	5	2	2	3	4	7	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	14	6.4	32	1	1	5	8	14	20	22
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	3.9	21	1	1	3	4	7	11	26
B. *Operated*	59	4.6	20	<1	1	3	6	10	15	23
2. MULTIPLE DX										
A. *Not Operated*	90	5.0	46	<1	1	3	5	9	15	42
B. *Operated*	18	5.6	29	1	1	4	8	12	18	22
1. SINGLE DX	506	3.9	21	1	1	3	4	8	11	24
2. MULTIPLE DX	108	5.1	43	<1	1	3	5	10	15	42
A. NOT OPERATED	537	4.0	25	1	1	3	4	8	11	31
B. OPERATED	77	4.9	22	<1	1	3	6	10	15	23
TOTAL 0-19 YRS	47	3.1	9	<1	<1	2	4	6	9	15
20-34	512	4.1	23	1	1	3	5	8	11	25
35-49	55	5.3	55	1	1	3	5	12	15	40
50-64										
65+										
GRAND TOTAL	**614**	**4.1**	**25**	**1**	**1**	**3**	**4**	**8**	**12**	**27**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.2	11	<1	<1	1	2	4	5	22
20-34	528	2.5	6	<1	<1	2	3	5	6	13
35-49	53	3.4	27	<1	<1	2	3	8	14	32
50-64										
65+										
B. *Operated*										
0-19 YRS	20	2.4	4	<1	<1	1	3	5	7	8
20-34	91	3.0	19	<1	<1	2	3	6	8	28
35-49	10	3.4	6	<1	<1	3	5	7	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.2	7	<1	<1	2	4	7	10	11
20-34	108	3.3	23	<1	1	2	3	6	9	32
35-49	5	3.8	1	3	3	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.9	38	<1	<1	2	8	15	17	17
20-34	30	4.1	15	<1	<1	2	6	10	13	15
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.5	8	<1	<1	2	3	5	7	16
B. *Operated*	121	2.9	15	<1	<1	2	3	6	8	24
2. MULTIPLE DX										
A. *Not Operated*	143	3.3	19	<1	1	2	4	6	9	31
B. *Operated*	41	4.2	18	<1	<1	2	5	11	14	17
1. SINGLE DX	791	2.6	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX	184	3.5	18	<1	1	2	4	6	11	27
A. NOT OPERATED	813	2.7	10	<1	<1	2	3	5	7	18
B. OPERATED	162	3.2	16	<1	<1	2	4	7	11	20
TOTAL 0-19 YRS	147	2.6	11	<1	<1	2	3	5	8	17
20-34	757	2.7	10	<1	<1	2	3	5	7	19
35-49	71	3.4	21	<1	<1	2	4	7	11	29
50-64										
65+										
GRAND TOTAL	**975**	**2.8**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**19**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	3.5	4	<1	1	3	4	6	7	10
20-34	556	3.5	4	1	1	3	4	6	7	11
35-49	14	4.3	4	1	2	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	66	1.7	2	<1	<1	<1	1	4	5	7
20-34	156	2.1	5	<1	<1	<1	3	5	6	11
35-49	6	3.0	10	<1	<1	<1	6	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.0	9	1	2	4	5	7	8	11
20-34	329	4.1	9	1	1	3	5	7	10	16
35-49	13	3.9	4	1	1	4	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	25	2.3	5	<1	<1	1	3	6	7	8
20-34	62	2.8	7	<1	<1	2	4	6	8	13
35-49	7	4.6	18	<1	<1	3	6	12	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	800	3.5	4	1	1	3	4	6	7	10
B. *Operated*	228	2.0	4	<1	<1	<1	2	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	468	4.1	8	1	1	3	5	7	9	16
B. *Operated*	94	2.8	7	<1	<1	2	4	6	8	13
1. SINGLE DX	1028	3.2	5	<1	<1	3	4	6	7	11
2. MULTIPLE DX	562	3.9	8	<1	1	3	5	7	9	15
A. NOT OPERATED	1268	3.7	6	1	1	3	5	6	8	13
B. OPERATED	322	2.2	5	<1	<1	<1	3	5	7	12
TOTAL 0-19 YRS	447	3.3	5	<1	<1	3	4	6	7	10
20-34	1103	3.4	6	<1	<1	3	4	6	8	14
35-49	40	4.0	7	<1	<1	4	6	7	8	13
50-64										
65+										
GRAND TOTAL	**1590**	**3.4**	**6**	**<1**	**<1**	**3**	**4**	**6**	**7**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	4.2	13	1	1	3	6	7	10	20
20-34	733	4.3	13	1	1	3	5	9	12	19
35-49	126	4.8	15	1	1	4	6	10	13	20
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.9	7	<1	1	3	6	8	9	9
20-34	79	2.9	6	<1	<1	2	4	6	7	12
35-49	17	6.6	85	<1	<1	3	6	16	30	38
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	3.7	9	1	1	3	5	7	9	15
20-34	888	4.2	19	1	1	3	5	8	11	23
35-49	102	4.7	12	1	1	4	6	10	11	17
50-64										
65+										
B. *Operated*										
0-19 YRS	26	4.3	15	<1	1	3	5	8	13	19
20-34	140	5.1	82	<1	<1	3	6	9	14	63
35-49	10	4.1	8	2	2	3	7	8	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	4.4	13	1	1	3	6	9	12	19
B. *Operated*	110	3.6	20	<1	<1	2	4	7	11	25
2. MULTIPLE DX										
A. *Not Operated*	1166	4.2	16	1	1	3	5	8	11	19
B. *Operated*	176	4.9	67	<1	<1	3	6	9	14	52
1. SINGLE DX	1090	4.3	14	<1	1	3	5	9	12	19
2. MULTIPLE DX	1342	4.3	23	1	1	3	5	8	11	21
A. NOT OPERATED	2146	4.3	15	1	1	3	5	8	11	19
B. OPERATED	286	4.4	49	<1	<1	3	5	8	12	34
TOTAL 0-19 YRS	337	4.0	11	1	1	3	5	7	9	16
20-34	1840	4.3	21	<1	1	3	5	8	11	22
35-49	255	4.8	18	1	1	4	6	10	13	20
50-64										
65+										
GRAND TOTAL	**2432**	**4.3**	**19**	**<1**	**1**	**3**	**5**	**8**	**11**	**20**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	416	2.8	12	<1	<1	1	3	5	9	18
20-34	1920	2.9	18	<1	<1	2	3	6	8	19
35-49	135	3.8	27	<1	<1	3	4	7	12	26
50-64										
65+										
B. *Operated*										
0-19 YRS	153	2.2	6	<1	<1	<1	3	5	8	13
20-34	1273	2.6	6	<1	<1	2	3	5	6	12
35-49	99	3.1	7	<1	<1	3	4	5	9	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.3	15	<1	<1	2	4	6	10	25
20-34	884	3.3	15	<1	<1	2	4	7	10	20
35-49	82	5.2	72	<1	1	3	6	10	13	57
50-64										
65+										
B. *Operated*										
0-19 YRS	51	4.0	26	<1	<1	3	6	9	10	30
20-34	501	3.7	31	<1	<1	2	4	8	11	31
35-49	177	1.8	8	<1	<1	<1	<1	3	5	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2471	2.9	17	<1	<1	2	3	6	9	19
B. *Operated*	1525	2.6	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	1141	3.5	19	<1	<1	2	4	7	10	20
B. *Operated*	725	3.2	26	<1	<1	1	4	7	10	29
1. SINGLE DX	3996	2.8	13	<1	<1	2	3	5	8	17
2. MULTIPLE DX	1870	3.4	22	<1	<1	2	4	7	10	22
A. NOT OPERATED	3612	3.1	18	<1	<1	2	4	6	9	20
B. OPERATED	2254	2.8	12	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	795	2.9	12	<1	<1	2	3	6	9	19
20-34	4578	3.0	15	<1	<1	2	4	6	8	19
35-49	493	3.1	25	<1	<1	2	4	6	10	22
50-64										
65+										
GRAND TOTAL	**5866**	**3.0**	**16**	**<1**	**<1**	**2**	**4**	**6**	**8**	**19**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	3.6	1	3	3	3	4	5	5	10
20-34	571	3.7	5	2	3	3	4	5	5	14
35-49	67	3.7	2	2	2	4	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	40	4.4	6	3	3	4	5	7	9	15
20-34	263	5.5	27	2	3	4	6	8	13	29
35-49	31	7.5	85	3	3	4	7	15	37	40
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	4.2	15	2	2	3	4	6	11	26
20-34	492	3.9	6	2	3	3	4	5	6	13
35-49	58	4.7	32	2	3	4	4	6	7	42
50-64										
65+										
B. *Operated*										
0-19 YRS	97	6.2	26	3	3	4	7	13	17	28
20-34	948	6.1	33	3	3	5	7	10	14	31
35-49	163	6.3	23	3	3	5	7	9	15	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	736	3.7	4	2	3	3	4	5	5	13
B. *Operated*	334	5.5	30	2	3	4	6	8	14	37
2. MULTIPLE DX										
A. *Not Operated*	623	4.0	9	2	3	3	4	5	7	16
B. *Operated*	1208	6.1	31	3	3	5	7	10	15	32
1. SINGLE DX	1070	4.2	13	2	3	3	4	6	8	23
2. MULTIPLE DX	1831	5.4	24	2	3	4	6	8	13	29
A. NOT OPERATED	1359	3.8	6	2	3	3	4	5	6	15
B. OPERATED	1542	6.0	31	3	3	4	7	9	15	33
TOTAL 0-19 YRS	308	4.7	14	3	3	3	4	8	13	20
20-34	2274	4.9	20	2	3	4	5	7	10	28
35-49	319	5.6	27	3	3	4	6	8	12	37
50-64										
65+										
GRAND TOTAL	**2901**	**5.0**	**20**	**2**	**3**	**4**	**5**	**8**	**11**	**28**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5958	3.2	1	2	2	3	4	4	4	5
20-34	39777	3.2	1	2	2	3	4	4	4	5
35-49	2564	3.2	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	834	3.3	1	2	2	3	4	4	5	6
20-34	5843	3.2	1	2	2	3	4	4	4	5
35-49	356	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	937	3.1	2	2	2	3	4	4	4	6
20-34	7287	3.1	1	2	2	3	4	4	4	6
35-49	460	3.1	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	222	3.3	1	2	2	3	4	4	5	7
20-34	5813	3.7	1	2	3	4	4	5	5	6
35-49	767	4.0	1	3	3	4	5	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48299	3.2	1	2	2	3	4	4	4	5
B. *Operated*	7033	3.2	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	8684	3.1	1	2	2	3	4	4	4	6
B. *Operated*	6802	3.7	1	2	3	4	4	5	5	6
1. SINGLE DX	55332	3.2	1	2	2	3	4	4	4	5
2. MULTIPLE DX	15486	3.4	1	2	2	3	4	5	5	6
A. NOT OPERATED	56983	3.2	1	2	2	3	4	4	4	5
B. OPERATED	13835	3.5	1	2	3	3	4	5	5	6
TOTAL 0-19 YRS	7951	3.2	1	2	2	3	4	4	4	5
20-34	58720	3.2	1	2	2	3	4	4	5	6
35-49	4147	3.6	1	2	2	3	4	4	5	6
50-64										
65+										
GRAND TOTAL	**70818**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	32	3.3	2	1	2	3	4	5	5	8
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5	8.6	53	2	2	6	11	21	21	21
20-34	150	9.4	76	3	5	6	8	19	32	47
35-49	15	14.0	197	5	5	8	10	38	45	47
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	34	5.2	13	2	2	4	6	11	12	18
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	14	8.3	68	3	3	6	7	20	31	34
20-34	333	10.3	170	3	4	6	8	19	33	82
35-49	76	14.3	265	4	5	7	12	40	50	70
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.4	2	1	2	3	4	5	6	8
B. *Operated*	170	9.8	86	3	5	6	8	21	34	47
2. MULTIPLE DX										
A. *Not Operated*	36	5.1	13	2	2	4	6	11	12	18
B. *Operated*	423	10.9	185	3	4	7	8	23	40	79
1. SINGLE DX	207	8.6	77	3	3	6	8	18	32	47
2. MULTIPLE DX	459	10.5	174	3	4	6	8	21	38	77
A. NOT OPERATED	73	4.3	8	2	2	4	4	7	11	17
B. OPERATED	593	10.6	157	3	4	7	8	22	37	71
TOTAL 0-19 YRS	23	7.5	54	2	3	6	7	19	26	34
20-34	549	9.3	128	3	3	6	8	18	32	70
35-49	94	14.0	246	4	5	7	11	38	49	70
50-64										
65+										
GRAND TOTAL	**666**	**9.9**	**144**	**3**	**3**	**6**	**8**	**19**	**35**	**70**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.0	2	1	2	3	3	5	6	7
20-34	194	3.1	2	1	1	3	4	4	5	8
35-49	14	2.6	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.3	4	2	3	5	7	8	9	9
20-34	177	5.5	19	2	3	5	6	7	8	36
35-49	9	5.3	2	3	3	6	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.1	1	1	2	3	4	5	5	6
20-34	160	3.0	1	1	1	3	4	4	5	6
35-49	10	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	73	6.1	24	2	3	5	7	9	13	33
20-34	517	5.6	17	2	3	5	7	8	11	29
35-49	66	6.0	8	2	3	6	7	9	10	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	229	3.0	2	1	1	3	4	4	5	8
B. *Operated*	207	5.5	17	2	3	5	6	7	8	32
2. MULTIPLE DX										
A. *Not Operated*	200	3.0	1	1	1	3	4	4	5	6
B. *Operated*	656	5.7	17	2	3	5	7	8	11	29
1. SINGLE DX	436	4.2	10	1	2	4	5	7	7	9
2. MULTIPLE DX	856	5.1	15	1	2	4	6	8	10	19
A. NOT OPERATED	429	3.0	2	1	1	3	4	4	5	7
B. OPERATED	863	5.6	17	2	3	5	7	8	10	29
TOTAL 0-19 YRS	145	4.9	15	2	2	4	6	8	10	16
20-34	1048	4.7	14	1	2	4	6	7	8	17
35-49	99	5.2	8	1	2	5	7	8	10	16
50-64										
65+										
GRAND TOTAL	**1292**	**4.8**	**13**	**1**	**2**	**4**	**6**	**7**	**8**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	41	3.1	1	1	1	3	4	4	5	6
35-49	3	2.7		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	44	3.0	1	1	2	3	4	4	5	6
20-34	337	3.1	1	1	2	3	4	4	5	7
35-49	33	3.1	2	<1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	13	3.0	1	2	2	3	3	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	19	3.5	2	1	2	3	4	6	7	7
20-34	297	3.6	4	1	2	3	4	5	7	10
35-49	36	3.8	2	2	3	4	4	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.0	1	1	1	3	4	4	5	6
B. *Operated*	414	3.1	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	16	3.2	1	2	2	3	4	5	5	5
B. *Operated*	352	3.6	4	1	2	3	4	5	7	9
1. SINGLE DX	461	3.1	1	1	1	3	4	4	5	7
2. MULTIPLE DX	368	3.6	4	1	2	3	4	5	7	9
A. NOT OPERATED	63	3.0	1	1	1	3	4	4	5	6
B. OPERATED	766	3.3	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	68	3.1	2	1	1	3	4	4	5	7
20-34	688	3.3	3	1	2	3	4	5	5	8
35-49	73	3.5	2	1	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**829**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.5	1	2	3	3	4	5	5	5
20-34	147	3.3	1	1	2	3	4	5	5	6
35-49	12	3.4	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.8	1	1	1	3	4	4	4	4
20-34	70	3.3	1	1	2	3	4	4	5	6
35-49	5	3.6	1	3	3	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	2	1	2	3	4	6	7	7
20-34	81	3.7	3	1	2	3	4	5	6	13
35-49	6	6.5	44	3	3	4	5	18	20	20
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.5	26	1	2	3	4	7	19	22
20-34	107	4.0	4	2	3	4	5	6	7	13
35-49	9	7.8	50	3	3	4	10	20	21	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	3.4	1	2	2	3	4	5	5	6
B. *Operated*	85	3.3	1	1	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	106	3.8	6	2	2	3	4	5	7	17
B. *Operated*	130	4.3	10	2	2	4	5	6	7	21
1. SINGLE DX	276	3.3	1	1	2	3	4	5	5	6
2. MULTIPLE DX	236	4.1	8	2	2	4	4	6	7	20
A. NOT OPERATED	297	3.5	3	2	2	3	4	5	5	9
B. OPERATED	215	3.9	7	2	2	3	4	5	6	20
TOTAL 0-19 YRS	75	3.6	6	1	2	3	4	5	5	18
20-34	405	3.6	2	2	2	3	4	5	6	9
35-49	32	5.3	24	3	3	4	5	11	20	21
50-64										
65+										
GRAND TOTAL	**512**	**3.7**	**4**	**2**	**2**	**3**	**4**	**5**	**6**	**16**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.2	1	3	3	4	5	6	6	6
20-34	96	4.0	10	2	3	3	4	5	6	24
35-49	13	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5	5.4	4	3	3	5	7	8	8	8
20-34	69	5.0	6	3	3	4	7	8	9	84
35-49	6	6.8	1	6	6	7	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.4	11	3	3	4	7	11	13	13
20-34	128	4.3	16	1	2	3	5	6	9	29
35-49	7	8.9	168	<1	1	4	6	32	38	38
50-64										
65+										
B. *Operated*										
0-19 YRS	43	6.5	16	3	3	6	7	12	16	20
20-34	576	6.2	31	3	3	5	7	8	11	32
35-49	64	6.3	13	3	3	6	7	9	12	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.9	9	2	3	4	4	5	6	22
B. *Operated*	80	5.2	6	3	3	4	7	8	9	75
2. MULTIPLE DX										
A. *Not Operated*	145	4.6	23	1	2	4	5	7	10	32
B. *Operated*	683	6.2	28	3	3	5	7	9	12	27
1. SINGLE DX	198	4.4	8	2	3	4	5	7	8	25
2. MULTIPLE DX	828	5.9	28	3	3	5	7	9	11	29
A. NOT OPERATED	263	4.3	16	2	2	4	4	6	8	30
B. OPERATED	763	6.1	26	3	3	5	7	9	11	27
TOTAL 0-19 YRS	67	6.0	13	3	3	5	7	10	14	20
20-34	869	5.6	25	3	3	5	6	8	10	30
35-49	90	6.2	22	3	3	5	7	9	12	32
50-64										
65+										
GRAND TOTAL	**1026**	**5.6**	**24**	**3**	**3**	**5**	**7**	**8**	**11**	**29**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.2	1	1	2	3	4	4	4	4
20-34	149	3.5	2	2	2	3	4	5	6	8
35-49	12	2.9	1	<1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	158	5.6	4	3	3	6	7	8	9	12
20-34	1270	5.2	3	3	3	5	6	7	7	9
35-49	109	5.4	6	3	3	6	6	7	8	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	1	1	1	3	3	4	5	5
20-34	100	3.3	2	1	2	3	4	5	6	10
35-49	8	4.8	3	3	3	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	182	6.0	7	3	4	6	7	8	9	20
20-34	1865	5.8	9	3	3	6	7	8	9	14
35-49	228	6.0	6	3	3	6	7	8	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.4	2	2	2	3	4	5	6	8
B. *Operated*	1537	5.3	3	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	118	3.4	2	1	2	3	4	5	6	10
B. *Operated*	2275	5.9	8	3	3	6	7	8	9	14
1. SINGLE DX	1720	5.1	3	3	3	5	6	7	8	9
2. MULTIPLE DX	2393	5.7	8	3	3	6	7	8	9	14
A. NOT OPERATED	301	3.4	2	2	2	3	4	5	6	9
B. OPERATED	3812	5.6	6	3	3	6	7	8	8	12
TOTAL 0-19 YRS	372	5.6	6	2	3	6	7	8	9	14
20-34	3384	5.4	6	3	3	5	6	7	8	12
35-49	357	5.6	6	2	3	6	7	8	8	14
50-64										
65+										
GRAND TOTAL	**4113**	**5.4**	**6**	**3**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.5	1	2	2	4	4	4	5	6
20-34	199	3.3	1	2	2	3	4	4	5	6
35-49	15	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	81	4.7	4	2	3	4	6	7	8	10
20-34	629	4.7	2	3	3	4	6	7	7	9
35-49	66	5.3	4	2	3	5	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.1	1	2	2	3	4	4	4	4
20-34	191	3.5	2	2	2	3	4	5	6	7
35-49	11	4.2	6	2	2	3	4	8	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	221	5.0	5	3	3	5	6	8	8	15
20-34	2283	5.5	5	3	3	5	7	8	8	12
35-49	260	6.1	6	3	4	6	7	8	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	3.3	1	2	2	3	4	4	5	6
B. *Operated*	776	4.7	3	3	3	4	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	216	3.5	2	2	2	3	4	5	6	9
B. *Operated*	2764	5.5	5	3	3	5	7	8	8	12
1. SINGLE DX	1007	4.4	3	2	3	4	6	7	7	9
2. MULTIPLE DX	2980	5.4	5	3	3	5	7	8	8	12
A. NOT OPERATED	447	3.4	1	2	2	3	4	4	5	7
B. OPERATED	3540	5.3	5	3	3	5	7	8	8	11
TOTAL 0-19 YRS	333	4.8	5	2	3	4	6	7	8	12
20-34	3302	5.1	5	3	3	5	6	7	8	11
35-49	352	5.8	6	3	3	6	7	8	8	11
50-64										
65+										
GRAND TOTAL	**3987**	**5.1**	**5**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7		3	3	4	4	4	4	4
20-34	55	3.8	2	2	3	3	4	5	7	8
35-49	6	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	374	6.0	2	4	5	6	7	8	8	10
20-34	2429	6.0	1	4	5	6	7	7	8	9
35-49	146	6.2	2	4	5	6	7	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.9	14	2	2	5	8	12	13	13
20-34	34	3.8	3	2	3	3	4	6	8	10
35-49	5	3.2	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	638	6.6	3	4	5	6	7	9	10	14
20-34	4340	6.4	3	4	5	6	7	8	9	14
35-49	350	6.9	18	4	5	7	7	9	10	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.7	2	2	3	4	4	5	6	8
B. *Operated*	2949	6.0	2	4	5	6	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	49	4.1	6	2	2	3	4	8	10	13
B. *Operated*	5328	6.5	4	4	5	6	7	8	9	14
1. SINGLE DX	3013	6.0	2	4	5	6	7	7	8	9
2. MULTIPLE DX	5377	6.4	4	4	5	6	7	8	9	14
A. NOT OPERATED	113	3.9	3	2	2	3	4	6	8	12
B. OPERATED	8277	6.3	3	4	5	6	7	8	9	13
TOTAL 0-19 YRS	1025	6.4	3	4	5	6	7	8	9	13
20-34	6858	6.2	3	4	5	6	7	8	9	12
35-49	507	6.7	13	4	5	6	7	8	9	14
50-64										
65+										
GRAND TOTAL	**8390**	**6.3**	**4**	**4**	**5**	**6**	**7**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.4	1	2	2	3	4	4	5	6
20-34	478	3.5	1	2	3	3	4	4	5	7
35-49	26	3.2	1	2	2	3	4	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	98	4.8	3	3	3	5	6	7	8	10
20-34	793	4.6	3	3	3	4	6	7	7	9
35-49	40	5.2	5	2	3	5	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.6	1	2	2	4	4	5	5	6
20-34	421	3.5	2	2	2	3	4	5	5	8
35-49	29	3.4	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	259	4.9	4	2	3	4	6	8	9	11
20-34	2067	4.9	9	3	3	4	6	7	8	12
35-49	180	5.4	7	3	3	5	7	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	3.4	1	2	2	3	4	4	5	7
B. *Operated*	931	4.7	3	3	3	4	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	511	3.5	1	2	2	3	4	5	5	7
B. *Operated*	2506	5.0	8	3	3	4	6	7	8	12
1. SINGLE DX	1500	4.2	2	2	3	4	5	6	7	9
2. MULTIPLE DX	3017	4.7	7	2	3	4	6	7	8	11
A. NOT OPERATED	1080	3.5	1	2	2	3	4	4	5	7
B. OPERATED	3437	4.9	7	3	3	4	6	7	8	11
TOTAL 0-19 YRS	483	4.5	4	2	3	4	5	7	8	11
20-34	3759	4.5	6	2	3	4	6	7	8	11
35-49	275	5.0	6	2	3	4	6	7	8	14
50-64										
65+										
GRAND TOTAL	**4517**	**4.5**	**6**	**2**	**3**	**4**	**6**	**7**	**8**	**11**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	1	3	3	4	4	5	5	5
20-34	90	3.5	2	2	2	3	4	5	6	11
35-49	14	3.2	2	2	2	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	24	5.6	4	2	3	6	7	8	9	9
20-34	347	5.1	5	3	3	5	6	7	8	9
35-49	38	5.6	4	2	3	6	7	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	1	2	2	4	4	4	4	4
20-34	74	4.1	7	1	2	3	4	7	9	17
35-49	11	4.9	3	3	3	5	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	44	5.4	6	2	3	5	6	8	9	16
20-34	765	5.8	12	3	3	6	7	8	9	22
35-49	111	6.0	6	3	3	6	7	9	10	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	3.5	2	2	2	3	4	5	6	9
B. *Operated*	409	5.1	5	3	3	5	7	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	91	4.2	7	1	2	3	5	7	9	16
B. *Operated*	920	5.8	11	3	3	6	7	8	10	20
1. SINGLE DX	518	4.8	5	2	3	4	6	7	8	9
2. MULTIPLE DX	1011	5.6	11	2	3	5	7	8	10	20
A. NOT OPERATED	200	3.8	4	2	2	3	4	6	7	12
B. OPERATED	1329	5.6	9	3	3	5	7	8	9	18
TOTAL 0-19 YRS	79	5.2	5	2	3	5	7	7	9	15
20-34	1276	5.3	10	2	3	5	7	8	9	19
35-49	174	5.6	6	2	3	6	7	8	10	13
50-64										
65+										
GRAND TOTAL	**1529**	**5.4**	**9**	**2**	**3**	**5**	**7**	**8**	**9**	**17**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	62	3.8	3	2	2	3	4	6	7	9
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	265	6.2	2	4	5	6	7	8	8	9
20-34	5449	6.3	1	4	5	6	7	8	8	9
35-49	424	6.7	2	5	5	7	8	8	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	37	3.6	2	1	2	3	5	6	6	6
35-49	8	4.1	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	206	6.4	5	4	5	6	7	8	9	17
20-34	6849	6.5	4	4	5	6	7	8	9	13
35-49	944	7.1	13	5	5	7	8	9	10	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.8	3	2	2	3	4	6	7	9
B. *Operated*	6138	6.3	2	4	5	6	7	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	47	3.8	2	1	2	4	5	6	6	6
B. *Operated*	7999	6.6	6	4	5	6	7	8	9	13
1. SINGLE DX	6206	6.3	2	4	5	6	7	8	8	9
2. MULTIPLE DX	8046	6.5	6	4	5	6	7	8	9	13
A. NOT OPERATED	115	3.8	2	2	2	3	5	6	7	9
B. OPERATED	14137	6.5	4	4	5	6	7	8	8	12
TOTAL 0-19 YRS	475	6.3	3	4	5	6	7	8	8	14
20-34	12397	6.4	3	4	5	6	7	8	8	11
35-49	1380	6.9	10	5	5	7	8	8	9	13
50-64										
65+										
GRAND TOTAL	**14252**	**6.4**	**4**	**4**	**5**	**6**	**7**	**8**	**8**	**12**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	3.6	2	2	3	3	4	5	6	11
20-34	1413	3.6	1	2	3	3	4	5	5	7
35-49	100	3.9	4	2	2	4	4	5	6	14
50-64										
65+										
B. *Operated*										
0-19 YRS	110	4.2	3	2	3	4	5	7	7	11
20-34	885	4.1	2	2	3	4	5	6	7	9
35-49	68	4.4	5	2	3	4	5	7	8	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	3.9	2	2	2	4	4	6	7	8
20-34	998	3.8	5	2	3	3	4	5	6	10
35-49	94	4.3	11	2	2	4	4	6	10	22
50-64										
65+										
B. *Operated*										
0-19 YRS	335	4.9	5	3	3	4	6	8	9	12
20-34	3034	4.9	6	3	3	4	6	7	8	12
35-49	317	5.4	10	3	3	5	6	8	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1758	3.6	2	2	3	3	4	5	5	9
B. *Operated*	1063	4.1	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1248	3.9	5	2	3	4	4	5	6	12
B. *Operated*	3686	5.0	7	3	3	4	6	7	8	13
1. SINGLE DX	2821	3.8	2	2	3	4	4	5	6	9
2. MULTIPLE DX	4934	4.7	6	2	3	4	6	7	8	13
A. NOT OPERATED	3006	3.7	3	2	3	3	4	5	6	10
B. OPERATED	4749	4.8	6	3	3	4	6	7	8	12
TOTAL 0-19 YRS	846	4.3	4	2	3	4	5	7	8	11
20-34	6330	4.3	5	2	3	4	5	7	8	11
35-49	579	4.8	9	2	3	4	6	7	8	15
50-64										
65+										
GRAND TOTAL	**7755**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	385	3.3	1	2	2	3	4	4	4	6
20-34	3124	3.2	1	2	2	3	4	4	4	5
35-49	206	3.4	1	2	2	3	4	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.4	1	2	3	3	4	4	5	7
20-34	1231	3.4	1	2	2	3	4	4	5	7
35-49	72	3.7	1	2	3	3	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	3.4	1	2	2	3	4	5	6	7
20-34	1484	3.1	1	2	2	3	4	4	5	6
35-49	112	3.4	2	2	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	210	3.8	4	2	2	3	4	5	7	12
20-34	1977	3.7	2	2	2	3	4	5	6	9
35-49	196	4.1	3	2	3	4	5	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3715	3.2	1	2	2	3	4	4	4	5
B. *Operated*	1459	3.4	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1756	3.2	1	2	2	3	4	4	5	6
B. *Operated*	2383	3.8	2	2	2	3	4	5	6	9
1. SINGLE DX	5174	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	4139	3.5	2	2	2	3	4	5	6	8
A. NOT OPERATED	5471	3.2	1	2	2	3	4	4	5	6
B. OPERATED	3842	3.6	2	2	2	3	4	5	6	8
TOTAL 0-19 YRS	911	3.4	2	2	2	3	4	4	5	8
20-34	7816	3.3	1	2	2	3	4	4	5	7
35-49	586	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**9313**	**3.4**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.0	1	2	2	3	3	4	4	5
20-34	347	3.2	1	2	2	3	4	4	5	6
35-49	31	3.2	1	2	2	3	4	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	642	3.1	1	2	2	3	4	4	4	6
20-34	5948	3.1	1	2	2	3	3	4	4	5
35-49	577	3.1	1	2	2	3	4	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.8	1	1	1	3	3	4	5	6
20-34	165	3.0	2	1	1	3	3	5	5	9
35-49	16	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	382	3.3	3	2	2	3	4	4	5	12
20-34	4097	3.3	2	2	2	3	4	5	5	7
35-49	509	3.6	3	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	3.2	1	2	2	3	4	4	5	6
B. *Operated*	7167	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	203	3.0	2	1	1	3	3	4	5	8
B. *Operated*	4988	3.4	2	2	2	3	4	5	5	7
1. SINGLE DX	7590	3.1	1	2	2	3	4	4	4	5
2. MULTIPLE DX	5191	3.3	2	2	2	3	4	5	5	7
A. NOT OPERATED	626	3.1	1	1	2	3	4	4	5	7
B. OPERATED	12155	3.2	1	2	2	3	4	4	5	6
TOTAL 0-19 YRS	1091	3.2	2	2	2	3	4	4	5	6
20-34	10557	3.2	1	2	2	3	4	4	5	6
35-49	1133	3.3	2	2	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**12781**	**3.2**	**1**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	3.2	1	2	2	3	4	4	6	8
20-34	257	3.0	1	1	2	3	4	4	5	6
35-49	4	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	625	3.2	1	2	2	3	4	4	4	5
20-34	2824	3.3	1	2	3	3	4	4	5	6
35-49	119	3.4	1	2	3	3	4	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.6	1	2	2	3	5	5	5	5
20-34	78	3.6	3	1	2	3	4	5	7	12
35-49	6	3.7		3	3	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	397	3.5	2	2	2	3	4	5	6	9
20-34	1969	3.6	1	2	3	3	4	5	5	8
35-49	92	3.8	1	2	3	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.1	1	1	2	3	4	4	5	6
B. *Operated*	3568	3.3	1	2	3	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	99	3.6	2	1	2	3	4	5	6	11
B. *Operated*	2458	3.6	1	2	3	3	4	5	5	8
1. SINGLE DX	3881	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	2557	3.6	2	2	3	3	4	5	5	8
A. NOT OPERATED	412	3.2	2	1	2	3	4	4	5	7
B. OPERATED	6026	3.4	1	2	3	3	4	4	5	7
TOTAL 0-19 YRS	1089	3.4	1	2	2	3	4	4	5	7
20-34	5128	3.4	1	2	3	3	4	4	5	6
35-49	221	3.6	1	2	3	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**6438**	**3.4**	**1**	**2**	**3**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.1	1	2	2	3	3	4	4	7
20-34	184	3.3	2	2	2	3	4	4	5	9
35-49	8	3.1	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	230	3.2	1	2	2	3	4	4	4	6
20-34	1096	3.3	1	2	2	3	4	4	5	6
35-49	43	3.6	1	2	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	1	2	2	3	4	4	5	5
20-34	92	3.1	2	1	1	3	4	5	6	9
35-49	3	3.0	4	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.7	4	2	2	3	4	6	7	13
20-34	1130	3.6	2	2	2	3	4	5	6	10
35-49	73	4.1	2	2	3	4	5	6	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	3.2	2	2	2	3	4	4	5	8
B. *Operated*	1369	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	109	3.1	2	1	1	3	4	5	5	8
B. *Operated*	1359	3.6	2	2	2	3	4	5	6	10
1. SINGLE DX	1612	3.3	1	2	2	3	4	4	5	6
2. MULTIPLE DX	1468	3.6	2	2	2	3	4	5	6	9
A. NOT OPERATED	352	3.2	2	1	2	3	4	4	5	8
B. OPERATED	2728	3.5	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	451	3.4	2	2	2	3	4	4	5	8
20-34	2502	3.4	2	2	2	3	4	5	5	8
35-49	127	3.8	2	2	2	4	5	5	6	9
50-64										
65+										
GRAND TOTAL	**3080**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	740	3.4	2	1	2	3	4	5	6	8
20-34	3683	3.5	3	2	2	3	4	5	6	9
35-49	277	3.6	8	1	2	3	4	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1317	3.9	3	2	3	3	4	6	7	10
20-34	8315	3.9	3	2	3	4	4	6	7	10
35-49	625	4.1	4	2	3	4	5	7	7	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	513	3.7	8	1	2	3	4	6	8	12
20-34	2712	3.6	7	1	2	3	4	5	7	14
35-49	254	4.1	8	1	2	3	5	7	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1801	5.1	15	2	3	4	6	9	11	18
20-34	12973	5.0	13	2	3	4	6	8	10	19
35-49	1417	5.7	17	2	3	5	7	9	12	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4700	3.5	3	2	2	3	4	5	6	9
B. *Operated*	10257	3.9	3	2	3	4	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	3479	3.7	7	1	2	3	4	5	7	14
B. *Operated*	16191	5.0	13	2	3	4	6	8	10	19
1. SINGLE DX	14957	3.8	3	2	2	3	4	6	7	10
2. MULTIPLE DX	19670	4.8	12	2	3	4	6	8	10	18
A. NOT OPERATED	8179	3.6	5	1	2	3	4	5	6	11
B. OPERATED	26448	4.6	10	2	3	4	5	7	9	16
TOTAL 0-19 YRS	4371	4.3	9	2	2	4	5	7	9	14
20-34	27683	4.3	8	2	3	4	5	7	8	15
35-49	2573	4.9	13	2	3	4	6	8	10	18
50-64										
65+										
GRAND TOTAL	**34627**	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**8**	**15**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	6	3	3	4	5	7	10	14
20-34	116	4.1	4	2	2	4	5	7	8	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	2	10.5	61	5	5	10	16	16	16	16
20-34	13	5.2	24	<1	1	4	6	13	16	17
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	17	1	1	4	7	12	14	14
20-34	46	5.5	22	1	2	4	6	10	11	31
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	5.5	21	<1	1	5	7	13	17	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	4.3	4	2	2	4	5	7	8	11
B. *Operated*	16	5.7	27	<1	1	4	8	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	56	5.4	20	1	2	4	6	10	12	30
B. *Operated*	16	5.5	20	<1	1	5	6	12	16	18
1. SINGLE DX	165	4.4	6	2	2	4	5	7	9	16
2. MULTIPLE DX	72	5.4	20	1	2	4	6	10	13	28
A. NOT OPERATED	205	4.6	9	2	2	4	6	7	10	14
B. OPERATED	32	5.6	23	<1	1	4	6	14	17	18
TOTAL 0-19 YRS	43	5.1	10	2	3	4	5	9	14	16
20-34	190	4.6	11	1	2	4	6	8	10	18
35-49	4	4.0	3	2	2	4	5	6	6	6
50-64										
65+										
GRAND TOTAL	**237**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	1	<1	1	2	2	3	3	3
20-34	93	2.0	1	<1	1	2	3	4	4	5
35-49	3	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	46	1.5	1	<1	1	1	2	2	3	4
20-34	368	1.8	2	<1	<1	1	2	3	4	8
35-49	23	1.5	1	<1	1	1	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	2	<1	<1	2	3	5	5	5
20-34	37	2.3	1	<1	1	2	3	4	5	6
35-49	4	2.8		2	2	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.1	1	1	1	2	3	3	4	5
20-34	137	2.9	6	1	1	2	3	6	8	14
35-49	11	3.3	5	<1	1	2	5	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	1.9	1	<1	1	2	2	4	4	5
B. *Operated*	437	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	48	2.4	1	<1	1	2	3	4	5	6
B. *Operated*	165	2.8	5	1	1	2	3	6	7	14
1. SINGLE DX	547	1.8	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	213	2.7	5	1	1	2	3	5	7	13
A. NOT OPERATED	158	2.0	1	<1	1	2	3	4	4	5
B. OPERATED	602	2.0	3	<1	<1	2	2	4	5	10
TOTAL 0-19 YRS	84	1.7	1	<1	1	1	2	3	4	5
20-34	635	2.1	3	<1	<1	2	2	4	5	10
35-49	41	2.1	2	<1	1	2	2	4	5	8
50-64										
65+										
GRAND TOTAL	**760**	**2.0**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	9	2	2	3	5	9	11	11
20-34	84	4.6	14	1	1	4	6	10	11	22
35-49	7	8.6	57	2	2	7	10	21	24	24
50-64										
65+										
B. *Operated*										
0-19 YRS	31	3.4	10	2	2	3	3	4	4	20
20-34	162	3.2	5	<1	1	3	4	6	7	14
35-49	22	3.8	8	<1	1	3	4	8	10	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	5.7	29	2	2	4	7	14	20	20
20-34	46	5.5	27	1	1	4	7	11	15	30
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	16	3.8	12	1	2	3	4	6	13	16
20-34	95	4.0	17	<1	1	3	4	6	11	27
35-49	12	5.3	15	1	2	4	6	11	14	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	4.8	17	1	1	4	6	10	11	24
B. *Operated*	215	3.3	6	1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	57	5.6	27	1	2	4	7	12	15	29
B. *Operated*	123	4.1	16	1	1	3	4	7	11	26
1. SINGLE DX	317	3.8	10	1	1	3	4	7	10	17
2. MULTIPLE DX	180	4.6	20	1	1	3	5	9	13	28
A. NOT OPERATED	159	5.1	21	1	1	4	7	10	13	25
B. OPERATED	338	3.6	10	1	1	3	4	6	9	16
TOTAL 0-19 YRS	68	3.9	13	2	2	3	4	7	11	20
20-34	387	3.9	13	1	1	3	4	7	10	21
35-49	42	5.2	20	1	1	4	7	11	13	24
50-64										
65+										
GRAND TOTAL	**497**	**4.0**	**14**	**1**	**1**	**3**	**4**	**8**	**11**	**22**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	815	4.4	8	2	2	4	5	7	9	16
20-34	746	4.9	9	2	2	4	6	8	10	18
35-49	509	5.8	21	2	2	5	7	10	12	22
50-64	508	6.8	21	2	3	6	8	11	14	25
65+	500	8.5	44	3	3	7	10	15	17	35
B. *Operated*										
0-19 YRS	377	5.5	19	1	1	5	7	10	13	23
20-34	482	5.6	22	1	2	4	7	11	14	27
35-49	279	6.7	30	1	2	5	8	13	17	27
50-64	200	8.9	72	2	2	6	11	18	26	48
65+	151	11.3	134	2	2	7	15	25	36	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	631	5.2	13	2	2	4	6	10	11	18
20-34	843	7.0	29	2	3	6	9	13	16	26
35-49	896	8.2	52	2	3	7	10	15	17	37
50-64	1540	9.7	50	3	4	8	12	18	24	40
65+	2600	12.6	98	4	4	10	15	23	30	62
B. *Operated*										
0-19 YRS	231	7.4	54	1	2	5	9	15	20	41
20-34	487	10.0	89	2	3	7	12	20	29	65
35-49	509	11.9	127	2	3	9	15	24	33	62
50-64	722	17.3	262	3	4	12	22	41	57	99+
65+	1026	20.3	277	4	6	16	26	46	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3078	5.8	20	2	2	5	7	10	13	22
B. *Operated*	1489	6.8	44	1	2	5	8	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	6510	9.9	70	3	3	8	12	19	25	45
B. *Operated*	2975	15.4	220	2	3	11	19	35	50	99
1. SINGLE DX	4567	6.1	28	2	2	5	7	11	15	29
2. MULTIPLE DX	9485	11.6	124	3	3	8	14	23	33	70
A. NOT OPERATED	9588	8.6	57	2	3	7	10	16	22	41
B. OPERATED	4464	12.6	178	2	2	8	16	29	42	87
TOTAL 0-19 YRS	2054	5.2	17	1	2	4	6	9	12	22
20-34	2558	6.7	36	2	2	5	8	12	17	32
35-49	2193	8.3	64	2	3	6	10	16	21	42
50-64	2970	11.0	112	3	3	8	13	22	31	65
65+	4277	13.9	150	3	4	10	17	28	39	83
GRAND TOTAL	**14052**	**9.8**	**99**	**2**	**3**	**7**	**12**	**20**	**28**	**59**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	4.4	7	1	2	4	5	8	9	12
20-34	130	4.4	10	2	2	4	5	7	8	19
35-49	89	5.9	30	2	2	4	6	13	17	32
50-64	57	6.5	21	2	2	5	8	13	16	24
65+	59	8.5	38	2	2	7	11	15	23	29
B. *Operated*										
0-19 YRS	181	3.8	11	<1	<1	3	5	9	11	15
20-34	210	4.3	19	<1	1	3	5	9	13	24
35-49	110	4.9	29	<1	1	3	6	11	16	28
50-64	119	6.4	63	<1	<1	4	8	13	23	46
65+	68	9.3	83	1	2	6	13	22	27	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	5.1	21	2	2	4	6	8	10	30
20-34	149	5.6	20	2	2	4	7	11	15	17
35-49	115	7.1	56	2	2	5	9	12	17	47
50-64	209	9.7	71	2	3	7	12	18	25	46
65+	302	12.7	137	3	4	9	15	23	32	98
B. *Operated*										
0-19 YRS	135	6.8	35	1	1	5	9	16	18	43
20-34	148	9.5	104	2	2	6	10	21	30	50
35-49	153	9.7	131	1	2	6	13	23	34	99
50-64	252	13.0	144	2	2	9	18	29	38	74
65+	282	15.1	197	3	4	11	20	37	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	5.2	16	2	2	4	6	9	12	24
B. *Operated*	688	5.1	35	<1	1	3	6	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	1029	8.5	79	2	2	6	10	17	23	61
B. *Operated*	970	11.7	144	2	2	8	15	28	39	99+
1. SINGLE DX	1341	5.2	26	1	1	4	6	10	14	27
2. MULTIPLE DX	1999	10.1	113	2	2	7	12	22	31	74
A. NOT OPERATED	1682	7.2	57	2	2	5	8	14	19	42
B. OPERATED	1658	9.0	109	1	1	5	11	21	31	70
TOTAL 0-19 YRS	888	4.8	17	1	1	4	6	9	11	22
20-34	637	5.8	41	1	2	4	7	11	17	35
35-49	467	7.2	73	1	2	5	8	16	21	48
50-64	637	10.1	100	1	2	7	12	23	30	60
65+	711	13.0	152	2	3	9	16	27	42	99+
GRAND TOTAL	**3340**	**8.1**	**84**	**1**	**2**	**5**	**9**	**17**	**26**	**59**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.5	76	<1	<1	3	4	5	22	42
20-34	25	3.0	6	<1	1	2	4	5	7	12
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1163	3.8	3	2	2	4	5	6	7	10
20-34	2241	3.9	4	2	2	4	5	6	7	11
35-49	273	4.0	4	1	2	4	5	6	8	12
50-64	71	4.2	4	2	2	4	5	6	8	13
65+	7	8.7	48	<1	1	7	14	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.3	6	<1	<1	1	3	5	9	10
20-34	20	2.4	7	<1	<1	1	2	8	8	8
35-49	5	2.2	3	<1	<1	1	3	5	5	5
50-64	3	12.0	247	1	1	5	24	30	30	30
65+	3	23.7	49	17	17	23	29	31	31	31
B. *Operated*										
0-19 YRS	131	4.4	9	1	2	4	5	7	9	15
20-34	280	4.9	7	2	2	4	6	8	10	14
35-49	90	5.2	10	2	2	4	6	10	12	16
50-64	40	6.8	38	3	3	5	7	13	23	31
65+	8	11.8	134	4	4	5	21	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.6	34	<1	1	3	4	5	6	42
B. *Operated*	3755	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	45	4.4	52	<1	<1	1	5	10	25	31
B. *Operated*	549	5.0	13	2	2	4	6	8	11	22
1. SINGLE DX	3806	3.9	4	2	2	4	5	6	7	11
2. MULTIPLE DX	594	5.0	16	1	2	4	6	8	11	27
A. NOT OPERATED	96	4.0	42	<1	<1	2	4	8	15	37
B. OPERATED	4304	4.1	5	2	2	4	5	6	8	12
TOTAL 0-19 YRS	1329	3.9	5	1	2	4	5	6	7	10
20-34	2566	4.0	4	1	2	4	5	6	8	12
35-49	371	4.2	6	1	2	4	5	7	9	13
50-64	115	5.3	23	2	3	4	5	8	13	30
65+	19	12.1	104	1	3	7	19	30	31	31
GRAND TOTAL	**4400**	**4.1**	**6**	**1**	**2**	**4**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	3	3	3	3
20-34	3	4.3	6	2	2	4	6	7	7	7
35-49	5	1.2		<1	<1	<1	1	2	2	2
50-64	3	1.3		1	1	1	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	247	1.6	1	<1	<1	1	2	3	3	5
20-34	459	1.6	1	<1	<1	1	2	3	3	6
35-49	397	1.6	2	<1	<1	1	2	3	3	8
50-64	304	1.7	2	<1	<1	1	2	3	4	8
65+	157	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.2		<1	<1	1	1	2	2	2
20-34	4	1.8	2	<1	<1	<1	2	4	4	4
35-49	9	3.3	4	<1	<1	4	5	6	6	6
50-64	7	5.6	4	3	3	6	7	8	8	8
65+	6	8.2	69	1	1	4	16	20	21	21
B. *Operated*										
0-19 YRS	34	2.3	4	<1	<1	2	3	5	7	10
20-34	89	2.8	9	<1	<1	2	3	6	8	18
35-49	119	3.1	14	<1	<1	2	3	6	10	20
50-64	125	4.0	17	<1	<1	2	5	10	14	19
65+	107	4.6	28	<1	<1	2	6	11	19	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.1	3	<1	<1	1	3	4	6	7
B. *Operated*	1564	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	36	3.8	18	<1	<1	2	5	8	14	21
B. *Operated*	474	3.6	17	<1	<1	2	4	8	12	21
1. SINGLE DX	1583	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	510	3.6	17	<1	<1	2	4	8	12	21
A. NOT OPERATED	55	3.2	13	<1	<1	2	4	6	8	21
B. OPERATED	2038	2.1	6	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	297	1.7	1	<1	<1	1	2	3	4	7
20-34	555	1.8	3	<1	<1	1	2	3	4	10
35-49	530	2.0	5	<1	<1	1	2	3	5	12
50-64	439	2.4	7	<1	<1	2	2	5	8	15
65+	272	3.1	16	<1	<1	2	3	6	11	21
GRAND TOTAL	**2093**	**2.1**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	4.0	16	1	1	3	5	8	10	25
20-34	190	7.2	52	1	2	4	8	19	23	30
35-49	138	7.6	58	1	1	5	10	20	25	30
50-64	150	9.5	85	1	2	6	12	22	27	34
65+	185	10.5	76	1	3	8	14	22	31	99+
B. *Operated*										
0-19 YRS	714	2.5	11	<1	<1	2	2	5	7	17
20-34	937	3.8	28	<1	<1	2	4	8	14	29
35-49	686	4.5	49	<1	<1	2	4	10	16	42
50-64	629	5.8	104	<1	<1	3	5	14	23	59
65+	512	10.7	210	<1	1	5	14	28	42	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	374	5.4	33	1	1	4	6	11	15	29
20-34	315	9.6	139	1	2	6	11	22	29	71
35-49	385	10.6	126	1	2	7	13	22	29	57
50-64	710	12.2	121	2	3	9	16	25	34	70
65+	1595	15.3	190	3	4	11	19	32	45	94
B. *Operated*										
0-19 YRS	364	5.2	70	1	1	2	5	10	24	45
20-34	688	9.9	200	<1	1	4	13	27	43	99+
35-49	712	11.1	219	1	2	5	14	31	48	99+
50-64	1115	11.8	229	1	2	5	17	33	52	99+
65+	1675	22.0	394	2	2	17	33	59	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	7.0	55	1	1	4	9	18	23	36
B. *Operated*	3478	5.1	76	<1	<1	2	4	12	21	46
2. MULTIPLE DX										
A. *Not Operated*	3379	12.5	157	2	3	9	16	27	38	81
B. *Operated*	4554	14.6	305	1	2	8	21	43	64	99+
1. SINGLE DX	4524	5.5	71	<1	<1	3	5	13	22	44
2. MULTIPLE DX	7933	13.7	243	1	2	8	19	35	53	99+
A. NOT OPERATED	4425	11.2	138	1	2	8	14	24	34	73
B. OPERATED	8032	10.5	228	<1	1	4	14	31	49	99+
TOTAL 0-19 YRS	1835	4.0	29	<1	1	2	4	8	12	27
20-34	2130	6.9	110	<1	1	3	7	18	27	69
35-49	1921	8.4	137	<1	1	4	10	22	32	73
50-64	2604	10.4	168	1	1	5	14	26	38	90
65+	3967	17.3	292	2	2	12	23	44	64	99+
GRAND TOTAL	**12457**	**10.7**	**196**	**<1**	**1**	**5**	**14**	**28**	**43**	**98**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	7.4	42	2	2	6	10	14	18	33
20-34	52	9.0	149	2	3	5	10	16	28	82
35-49	52	6.9	28	2	2	5	11	13	15	27
50-64	38	9.0	35	2	3	7	12	18	22	26
65+	12	8.5	28	3	3	7	10	17	20	21
B. *Operated*										
0-19 YRS	21	7.2	101	<1	1	3	9	15	30	47
20-34	30	11.1	78	2	2	8	14	27	28	31
35-49	41	9.8	68	2	2	8	12	21	25	42
50-64	16	8.2	20	1	2	9	10	15	16	16
65+	6	15.2	169	7	7	12	15	39	42	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	9.6	91	1	3	7	12	25	32	99+
20-34	143	10.7	88	2	3	8	14	19	30	47
35-49	139	11.4	103	3	3	8	14	25	36	49
50-64	171	13.0	100	3	4	10	16	24	31	60
65+	149	12.9	92	3	4	10	16	26	33	44
B. *Operated*										
0-19 YRS	28	19.0	369	2	3	11	29	44	54	85
20-34	79	15.3	143	2	3	13	23	34	45	99+
35-49	62	15.3	201	3	4	13	19	30	46	76
50-64	110	19.3	305	3	4	15	28	57	82	99+
65+	96	20.8	232	4	5	17	26	46	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	8.1	66	2	2	6	10	14	21	32
B. *Operated*	114	9.8	76	2	2	8	13	21	27	44
2. MULTIPLE DX										
A. *Not Operated*	648	11.9	96	3	3	9	15	24	32	53
B. *Operated*	375	18.2	242	3	4	14	25	40	60	99+
1. SINGLE DX	295	8.8	70	2	2	6	11	16	24	42
2. MULTIPLE DX	1023	14.2	159	3	4	11	18	30	43	86
A. NOT OPERATED	829	11.0	92	2	3	8	14	22	30	49
B. OPERATED	489	16.2	216	2	3	13	22	36	56	99+
TOTAL 0-19 YRS	122	10.8	163	1	2	7	12	28	43	89
20-34	304	11.6	116	2	3	9	14	27	33	71
35-49	294	11.2	111	2	3	8	14	23	30	56
50-64	335	14.4	169	3	4	10	18	30	42	99+
65+	263	15.6	157	4	4	13	20	30	43	77
GRAND TOTAL	**1318**	**13.0**	**144**	**2**	**3**	**10**	**16**	**28**	**38**	**80**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	7.3	73	2	2	5	9	13	23	85
20-34	50	6.5	18	2	2	5	9	13	14	21
35-49	78	7.0	12	3	3	7	9	11	14	18
50-64	142	9.7	56	2	3	8	13	18	22	37
65+	108	10.2	87	2	3	8	13	21	29	49
B. *Operated*										
0-19 YRS	20	9.4	337	<1	1	3	11	12	49	85
20-34	58	7.5	59	2	2	5	10	14	20	47
35-49	88	8.0	66	2	2	5	10	19	24	40
50-64	261	11.8	120	2	3	9	16	22	28	58
65+	171	16.5	181	3	4	15	23	30	40	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	10.6	137	2	3	7	12	24	88	99+
20-34	59	9.5	66	2	3	7	11	16	20	45
35-49	129	10.1	56	2	3	8	13	19	27	36
50-64	352	11.2	63	2	4	10	15	21	25	37
65+	636	12.3	101	3	4	10	15	24	32	93
B. *Operated*										
0-19 YRS	23	13.7	235	2	2	6	17	39	46	60
20-34	49	8.4	38	2	2	6	12	17	22	27
35-49	107	12.6	153	2	2	9	18	33	62	99+
50-64	402	14.3	175	2	3	11	19	31	45	92
65+	368	19.9	273	3	4	16	25	43	60	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	502	8.5	58	2	3	7	11	15	21	45
B. *Operated*	598	12.1	140	2	2	9	17	24	31	61
2. MULTIPLE DX										
A. *Not Operated*	1232	11.5	86	3	4	9	15	22	30	73
B. *Operated*	949	16.0	216	2	3	12	21	34	50	99+
1. SINGLE DX	1100	10.4	106	2	3	7	14	22	28	55
2. MULTIPLE DX	2181	13.4	147	2	3	10	17	28	39	89
A. NOT OPERATED	1734	10.6	80	2	3	8	13	21	28	61
B. OPERATED	1547	14.5	190	2	3	11	20	30	45	85
TOTAL 0-19 YRS	223	8.9	131	2	2	6	11	18	35	99+
20-34	216	8.0	47	2	2	6	11	15	19	44
35-49	402	9.7	79	2	3	7	12	21	30	83
50-64	1157	12.2	116	2	3	10	16	24	32	67
65+	1283	14.9	172	3	4	11	19	30	44	84
GRAND TOTAL	**3281**	**12.4**	**135**	**2**	**3**	**9**	**16**	**25**	**34**	**79**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	8.6	146	2	2	3	12	30	30	30
35-49	24	5.9	44	<1	1	4	7	10	23	31
50-64	67	6.1	18	1	2	5	8	12	13	23
65+	215	8.3	39	1	2	7	12	17	21	29
B. *Operated*										
0-19 YRS	12	6.6	127	1	1	3	5	17	38	42
20-34	157	4.8	20	1	1	3	6	9	13	26
35-49	340	5.8	33	1	1	3	8	14	18	24
50-64	1081	10.3	62	1	2	10	15	21	24	33
65+	1370	16.4	92	2	4	16	20	26	32	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	25	1	1	3	8	12	12	12
20-34	18	8.3	35	1	2	7	10	19	21	21
35-49	76	6.6	15	1	2	6	9	12	14	18
50-64	312	7.4	27	1	2	6	10	14	17	26
65+	1454	11.3	116	2	3	9	14	24	33	91
B. *Operated*										
0-19 YRS	12	11.0	313	1	1	4	12	32	59	64
20-34	120	5.4	38	1	2	4	6	12	17	38
35-49	279	8.1	98	1	2	5	11	17	23	56
50-64	1082	13.0	113	2	2	11	18	26	32	52
65+	2142	20.1	160	3	6	18	25	36	48	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	7.6	37	1	2	6	10	16	20	30
B. *Operated*	2960	12.3	88	1	2	12	17	24	27	42
2. MULTIPLE DX										
A. *Not Operated*	1864	10.4	98	2	3	8	13	21	30	81
B. *Operated*	3635	16.6	158	2	3	15	22	31	40	73
1. SINGLE DX	3273	11.9	85	1	2	11	17	23	27	41
2. MULTIPLE DX	5499	14.5	146	2	3	12	19	29	38	74
A. NOT OPERATED	2177	10.0	90	2	3	8	12	20	27	75
B. OPERATED	6595	14.7	131	2	2	14	20	27	35	61
TOTAL 0-19 YRS	30	7.8	178	1	1	3	6	17	42	64
20-34	300	5.3	31	1	1	4	6	11	17	28
35-49	719	6.8	58	1	1	4	9	15	20	33
50-64	2542	11.0	82	2	2	9	16	23	27	41
65+	5181	16.2	140	2	4	15	21	30	39	75
GRAND TOTAL	**8772**	**13.5**	**125**	**2**	**2**	**12**	**18**	**26**	**33**	**63**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	9.0	48	2	2	7	12	21	23	29
20-34	66	5.8	16	2	2	5	7	11	14	21
35-49	59	5.9	24	1	1	4	8	13	16	23
50-64	63	7.9	53	2	2	5	9	16	28	36
65+	84	8.8	55	2	3	6	12	19	24	35
B. *Operated*										
0-19 YRS	67	12.2	134	1	2	10	18	27	32	63
20-34	166	6.9	54	2	2	4	7	17	24	34
35-49	162	5.8	47	1	2	3	7	12	15	46
50-64	197	9.0	96	1	2	6	12	19	26	50
65+	114	15.0	141	2	2	14	20	26	39	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	11.0	88	1	2	8	16	24	27	44
20-34	83	9.1	71	2	2	7	11	17	29	44
35-49	90	7.0	39	<1	2	5	9	15	20	35
50-64	163	8.7	41	2	3	7	10	17	23	32
65+	409	12.1	134	2	3	9	14	24	36	70
B. *Operated*										
0-19 YRS	55	17.3	158	2	3	15	25	37	41	53
20-34	95	9.0	94	2	2	5	11	22	28	48
35-49	117	12.2	200	2	2	6	15	31	42	71
50-64	226	15.3	290	2	2	10	18	41	59	99+
65+	238	23.2	357	2	4	18	31	52	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	7.8	43	2	2	6	10	17	22	30
B. *Operated*	706	9.1	95	1	2	5	13	21	26	48
2. MULTIPLE DX										
A. *Not Operated*	810	10.4	98	2	3	8	13	21	29	63
B. *Operated*	731	16.7	286	2	2	12	22	41	57	99
1. SINGLE DX	1096	8.6	77	1	2	5	12	19	24	41
2. MULTIPLE DX	1541	13.4	197	2	3	9	17	30	44	82
A. NOT OPERATED	1200	9.6	81	2	2	7	12	20	26	52
B. OPERATED	1437	12.9	207	2	2	7	17	31	44	78
TOTAL 0-19 YRS	305	11.6	103	2	2	9	16	24	31	44
20-34	410	7.7	62	2	2	5	9	18	24	42
35-49	428	7.8	91	1	2	5	9	16	25	47
50-64	649	11.0	155	2	2	7	14	24	38	75
65+	845	15.3	216	2	3	11	19	35	50	89
GRAND TOTAL	**2637**	**11.4**	**153**	**2**	**2**	**7**	**15**	**25**	**37**	**70**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.5	2	1	1	2	4	5	5	6
20-34	37	2.7	6	<1	<1	2	3	7	9	10
35-49	17	2.6	14	<1	<1	1	2	5	12	16
50-64	16	3.6	9	1	1	3	5	9	10	10
65+	8	6.3	22	2	2	4	8	14	16	16
B. *Operated*										
0-19 YRS	1055	3.0	3	1	1	2	4	5	6	9
20-34	2030	3.2	4	1	1	2	4	6	7	10
35-49	1121	3.3	5	1	1	3	4	6	7	12
50-64	540	3.8	8	1	1	3	5	7	9	13
65+	120	4.2	13	1	2	3	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.8	2	<1	<1	1	2	4	5	7
20-34	62	2.6	9	<1	<1	1	3	7	9	15
35-49	50	3.0	11	<1	<1	2	3	9	10	13
50-64	34	3.3	12	<1	1	2	4	9	11	14
65+	28	8.9	42	1	2	7	12	19	21	25
B. *Operated*										
0-19 YRS	508	3.2	4	1	1	3	4	6	7	10
20-34	1211	3.7	8	1	1	3	5	7	9	16
35-49	807	3.7	11	1	1	3	5	7	10	16
50-64	635	4.3	16	1	2	3	5	8	11	23
65+	196	6.0	47	2	2	4	7	13	17	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	3.0	8	<1	1	2	4	7	9	16
B. *Operated*	4866	3.3	5	1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	215	3.5	17	<1	<1	2	4	9	13	20
B. *Operated*	3357	3.9	13	1	1	3	5	7	9	19
1. SINGLE DX	4974	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	3572	3.9	13	1	1	3	5	7	10	19
A. NOT OPERATED	323	3.3	14	<1	<1	2	4	9	10	19
B. OPERATED	8223	3.5	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1634	3.0	3	1	1	2	4	5	6	9
20-34	3340	3.3	6	1	1	3	4	6	8	13
35-49	1995	3.5	8	1	1	3	4	7	8	15
50-64	1225	4.0	12	1	1	3	5	7	10	20
65+	352	5.6	36	2	2	4	7	12	16	28
GRAND TOTAL	**8546**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	4.1	9	1	1	3	5	8	9	17
20-34	66	4.8	22	1	1	4	6	11	14	23
35-49	56	4.9	13	1	1	4	7	11	12	16
50-64	56	5.9	31	1	1	5	7	12	16	30
65+	51	8.1	55	1	2	6	10	15	21	40
B. *Operated*										
0-19 YRS	1000	3.6	5	1	2	3	5	6	7	11
20-34	1425	3.8	5	1	2	3	5	6	8	12
35-49	472	3.6	6	1	1	3	5	6	8	14
50-64	252	4.4	21	1	1	3	5	9	14	28
65+	109	6.7	56	1	2	4	7	17	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	5.1	21	<1	1	4	7	12	14	20
20-34	123	5.9	31	<1	1	5	7	12	16	30
35-49	88	5.6	27	<1	1	4	7	11	16	28
50-64	139	6.9	39	1	2	6	9	12	17	36
65+	307	9.7	84	2	2	8	12	18	28	45
B. *Operated*										
0-19 YRS	377	4.4	22	1	2	3	5	8	11	26
20-34	545	5.4	52	1	2	4	6	9	13	30
35-49	289	5.7	48	1	2	3	6	11	19	34
50-64	254	6.5	46	1	2	4	7	15	21	37
65+	188	12.2	169	1	2	7	16	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	5.1	22	1	1	4	6	10	13	23
B. *Operated*	3258	3.8	8	1	2	3	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	781	7.4	55	1	1	6	9	15	19	35
B. *Operated*	1653	6.2	62	1	2	4	6	13	20	47
1. SINGLE DX	3662	4.0	10	1	2	3	5	7	9	17
2. MULTIPLE DX	2434	6.6	60	1	2	4	8	14	20	41
A. NOT OPERATED	1185	6.6	45	1	1	5	8	13	17	33
B. OPERATED	4911	4.6	27	1	2	3	5	8	12	29
TOTAL 0-19 YRS	1676	4.0	10	1	2	3	5	7	9	17
20-34	2159	4.3	19	1	2	4	5	7	10	21
35-49	905	4.5	23	1	1	3	5	8	12	25
50-64	701	5.8	36	1	1	4	7	12	17	35
65+	655	9.8	104	1	2	7	13	21	31	85
GRAND TOTAL	**6096**	**5.0**	**31**	**1**	**2**	**4**	**6**	**9**	**14**	**30**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	7.0	16	3	3	7	10	11	11	11
35-49	4	6.5	14	3	3	6	9	11	11	11
50-64	6	8.8	33	3	3	8	11	18	19	19
65+	3	6.7	6	4	4	7	8	9	9	9
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	2	19.0	338	6	6	19	32	32	32	32
35-49	3	14.0	16	10	10	14	17	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	5	8.6	9	4	4	9	10	12	12	12
35-49	9	6.6	9	2	2	7	8	11	11	11
50-64	12	7.2	39	1	2	5	10	16	22	23
65+	16	13.2	110	3	3	12	17	24	38	44
B. *Operated*										
0-19 YRS										
20-34	4	9.0	39	4	4	7	13	18	18	18
35-49	3	23.7	226	8	8	25	35	38	38	38
50-64	5	12.8	257	2	2	6	18	41	41	41
65+	5	13.6	208	2	2	7	24	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	6.9	19	2	2	7	9	11	16	19
B. *Operated*	6	20.2	184	6	6	16	32	40	41	41
2. MULTIPLE DX										
A. *Not Operated*	44	9.4	60	2	3	8	12	19	24	44
B. *Operated*	17	14.1	176	2	2	8	21	38	40	41
1. SINGLE DX	24	10.2	89	2	3	8	11	20	35	41
2. MULTIPLE DX	61	10.7	94	2	3	8	13	24	37	44
A. NOT OPERATED	62	8.7	49	2	3	7	11	16	21	42
B. OPERATED	23	15.7	177	2	3	10	24	39	41	41
TOTAL 0-19 YRS	5	12.2	270	2	2	6	18	41	41	41
20-34	14	9.9	56	3	4	8	11	19	29	32
35-49	19	10.4	75	2	3	8	11	22	32	38
50-64	23	8.8	79	1	2	6	11	20	29	41
65+	24	12.5	114	2	3	9	17	26	38	44
GRAND TOTAL	**85**	**10.6**	**92**	**2**	**3**	**8**	**12**	**23**	**36**	**43**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	7	2	2	4	6	8	8	8
20-34	24	6.1	32	1	2	4	9	14	17	23
35-49	99	7.1	37	2	2	6	9	13	17	35
50-64	182	7.1	27	1	2	6	10	13	16	24
65+	201	8.2	45	2	2	7	10	15	21	40
B. *Operated*										
0-19 YRS	4	6.3	21	1	1	6	10	11	11	11
20-34	42	7.4	33	1	2	6	10	15	18	27
35-49	186	8.0	38	2	2	7	11	17	19	26
50-64	254	7.6	34	1	2	6	10	15	18	34
65+	109	11.5	105	2	2	9	14	23	28	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.2	1	3	3	4	5	6	6	6
20-34	30	7.5	18	2	2	7	10	13	16	19
35-49	236	7.9	30	2	3	7	10	14	19	31
50-64	682	8.5	43	2	3	7	11	15	19	37
65+	1667	11.4	85	3	4	9	14	22	29	57
B. *Operated*										
0-19 YRS	4	11.0	45	5	5	9	16	20	20	20
20-34	30	9.3	44	2	3	8	12	16	28	30
35-49	180	12.0	129	2	3	9	15	24	30	71
50-64	402	11.9	112	2	3	10	15	23	29	54
65+	453	18.1	230	3	5	14	23	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	7.5	36	2	2	6	10	14	18	33
B. *Operated*	595	8.4	50	1	2	7	11	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	2620	10.3	70	2	3	8	13	20	27	52
B. *Operated*	1069	14.5	172	2	3	11	18	29	42	97
1. SINGLE DX	1105	8.0	44	2	2	6	11	16	19	34
2. MULTIPLE DX	3689	11.5	103	2	3	9	14	23	30	61
A. NOT OPERATED	3130	9.8	66	2	3	8	12	19	25	47
B. OPERATED	1664	12.3	137	2	2	9	16	24	35	76
TOTAL 0-19 YRS	17	6.4	22	1	2	5	8	12	17	20
20-34	126	7.6	32	2	2	6	10	14	17	28
35-49	701	8.9	62	2	2	7	11	17	22	37
50-64	1520	9.1	61	2	3	7	11	17	22	39
65+	2430	12.4	118	3	4	9	15	25	34	72
GRAND TOTAL	**4794**	**10.7**	**92**	**2**	**3**	**8**	**13**	**21**	**28**	**57**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	7.6	18	2	2	7	11	13	15	17
20-34	887	8.5	31	2	2	8	11	15	19	28
35-49	1349	9.2	38	2	2	8	12	17	20	29
50-64	738	9.2	30	2	3	8	12	16	20	26
65+	233	10.4	39	2	3	9	14	19	22	30
B. *Operated*										
0-19 YRS	94	7.1	28	1	2	6	9	14	20	25
20-34	2206	8.7	41	2	2	8	11	17	21	31
35-49	2883	9.7	50	2	2	8	13	19	24	34
50-64	1440	10.3	56	2	2	9	14	20	25	35
65+	260	13.8	111	2	3	11	18	27	36	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	9.4	45	3	3	7	11	20	26	30
20-34	347	9.6	46	2	2	9	13	17	22	35
35-49	745	10.4	40	2	4	9	14	18	22	31
50-64	884	10.8	46	3	4	10	14	19	22	34
65+	803	13.3	93	4	5	11	17	23	29	53
B. *Operated*										
0-19 YRS	20	11.5	57	3	4	9	14	25	28	28
20-34	543	12.1	78	2	3	10	15	24	31	44
35-49	1080	13.2	96	2	3	11	17	26	32	48
50-64	1074	14.5	112	2	4	11	19	28	35	54
65+	492	19.0	165	3	6	16	25	35	43	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3241	9.1	34	2	2	8	12	16	20	28
B. *Operated*	6883	9.6	52	2	2	8	12	19	23	34
2. MULTIPLE DX										
A. *Not Operated*	2808	11.3	60	2	4	10	14	20	25	37
B. *Operated*	3209	14.3	113	2	4	12	19	28	35	53
1. SINGLE DX	10124	9.5	46	2	2	8	12	18	22	32
2. MULTIPLE DX	6017	12.9	90	2	4	11	16	25	31	46
A. NOT OPERATED	6049	10.1	47	2	3	9	13	18	22	32
B. OPERATED	10092	11.1	76	2	2	9	14	22	28	42
TOTAL 0-19 YRS	177	8.1	33	2	2	7	10	15	22	28
20-34	3983	9.2	46	2	2	8	12	17	22	33
35-49	6057	10.3	56	2	2	9	13	20	24	36
50-64	4136	11.3	67	2	3	10	15	21	26	40
65+	1788	14.6	117	3	4	12	19	28	34	58
GRAND TOTAL	**16141**	**10.7**	**65**	**2**	**3**	**9**	**14**	**21**	**26**	**40**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	7.6	29	2	2	8	11	15	19	19
20-34	200	8.0	26	2	3	7	10	14	17	22
35-49	294	8.3	28	2	2	7	11	15	17	26
50-64	229	8.5	26	2	3	7	11	15	18	25
65+	69	10.2	37	2	3	9	13	18	20	30
B. *Operated*										
0-19 YRS	15	8.5	72	<1	2	5	10	24	25	26
20-34	266	7.8	33	1	2	7	10	14	18	24
35-49	636	8.7	41	2	2	8	11	16	22	29
50-64	329	9.1	48	2	2	8	12	17	24	35
65+	55	13.5	92	3	5	10	17	29	35	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	6	2	2	3	7	7	7	7
20-34	102	9.4	57	1	2	8	11	18	25	39
35-49	313	10.6	59	2	3	9	14	18	26	36
50-64	320	10.0	36	2	4	9	13	18	22	29
65+	287	12.0	101	3	4	9	15	21	27	46
B. *Operated*										
0-19 YRS	5	13.6	163	1	1	11	24	31	31	31
20-34	111	12.0	77	2	3	10	16	23	26	44
35-49	304	11.4	77	2	3	9	15	21	29	55
50-64	252	11.4	88	2	3	9	15	21	30	44
65+	88	19.7	350	3	5	16	24	46	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	803	8.4	28	2	3	8	11	15	18	27
B. *Operated*	1301	8.8	45	2	2	8	11	17	23	35
2. MULTIPLE DX										
A. *Not Operated*	1028	10.6	64	2	3	9	14	19	25	36
B. *Operated*	760	12.5	119	2	3	10	16	23	31	78
1. SINGLE DX	2104	8.7	38	2	2	8	11	16	20	31
2. MULTIPLE DX	1788	11.4	88	2	3	9	15	21	27	52
A. NOT OPERATED	1831	9.7	49	2	3	8	12	18	22	32
B. OPERATED	2061	10.2	75	2	2	8	13	20	25	42
TOTAL 0-19 YRS	37	8.2	62	1	2	5	10	22	25	31
20-34	679	8.8	44	2	2	8	11	17	22	31
35-49	1547	9.5	51	2	2	8	12	18	23	36
50-64	1130	9.8	50	2	3	8	12	18	23	35
65+	499	13.3	144	3	4	10	17	24	31	88
GRAND TOTAL	**3892**	**9.9**	**63**	**2**	**3**	**8**	**13**	**19**	**24**	**38**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.3	20	2	2	5	8	14	16	16
20-34	80	6.8	18	2	2	6	9	12	14	24
35-49	114	8.2	21	3	3	7	11	14	17	24
50-64	56	8.4	18	2	4	7	10	15	16	21
65+	11	8.7	25	2	3	6	13	16	17	17
B. *Operated*										
0-19 YRS	6	3.5	8	2	2	2	4	8	9	9
20-34	86	5.7	26	1	1	3	8	13	16	23
35-49	91	7.2	41	2	2	4	10	17	21	28
50-64	34	6.9	24	2	3	6	9	13	20	21
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.3	66	1	2	8	11	24	27	27
20-34	88	8.8	33	2	3	7	10	15	20	34
35-49	121	9.5	35	3	4	9	11	15	17	36
50-64	125	10.0	30	4	5	9	11	17	19	31
65+	67	10.1	24	3	4	10	14	16	17	23
B. *Operated*										
0-19 YRS	3	24.3	937	<1	<1	13	47	59	59	59
20-34	43	9.3	45	1	2	10	14	18	22	28
35-49	77	9.7	96	2	2	7	13	18	23	63
50-64	37	10.5	68	2	2	9	15	20	24	42
65+	11	17.6	300	3	3	9	31	43	56	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	7.8	20	2	3	7	10	14	16	22
B. *Operated*	218	6.5	32	1	2	4	9	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	408	9.6	31	3	4	9	11	16	19	30
B. *Operated*	171	10.5	104	2	2	8	14	19	26	59
1. SINGLE DX	487	7.2	25	2	2	6	10	14	17	24
2. MULTIPLE DX	579	9.9	53	2	3	9	12	17	21	40
A. NOT OPERATED	677	8.9	28	3	3	8	11	15	18	27
B. OPERATED	389	8.3	68	2	2	6	11	17	22	39
TOTAL 0-19 YRS	24	9.0	148	1	2	6	9	17	37	59
20-34	297	7.4	30	1	2	7	10	14	18	27
35-49	403	8.7	44	2	2	8	11	16	19	29
50-64	252	9.3	33	3	4	8	11	16	20	28
65+	90	10.8	61	3	4	10	14	17	22	48
GRAND TOTAL	**1066**	**8.6**	**42**	**2**	**2**	**7**	**11**	**16**	**19**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.6	13	2	2	6	9	12	13	13
20-34	108	7.8	18	3	3	8	10	12	14	24
35-49	148	8.5	28	2	3	7	11	15	19	26
50-64	134	9.1	32	2	3	8	11	18	22	26
65+	91	9.4	27	2	3	9	13	16	19	23
B. *Operated*										
0-19 YRS	12	3.1	5	1	1	2	4	7	8	8
20-34	69	5.2	21	1	1	3	8	12	14	20
35-49	85	6.4	42	1	1	4	9	15	17	32
50-64	67	8.3	157	1	1	5	11	20	25	80
65+	17	6.8	40	1	1	5	12	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	91	8.5	17	2	3	8	11	13	15	21
35-49	149	9.5	34	3	4	8	12	16	20	31
50-64	247	9.7	41	2	4	8	12	17	20	32
65+	371	11.8	56	4	5	10	15	21	25	37
B. *Operated*										
0-19 YRS	3	5.3	6	3	3	5	7	8	8	8
20-34	38	9.6	81	1	2	7	14	19	20	49
35-49	62	11.4	100	1	2	9	15	28	32	48
50-64	47	12.6	104	2	3	11	16	21	25	67
65+	61	19.3	173	4	6	16	24	39	46	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	8.6	27	2	3	8	11	15	19	26
B. *Operated*	250	6.4	66	1	1	3	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	860	10.4	45	3	4	9	13	18	23	32
B. *Operated*	211	13.5	131	2	2	11	18	27	37	57
1. SINGLE DX	739	7.9	41	1	2	7	10	15	19	26
2. MULTIPLE DX	1071	11.0	63	2	4	9	14	20	25	45
A. NOT OPERATED	1349	9.8	39	2	4	8	12	17	22	30
B. OPERATED	461	9.7	108	1	1	6	13	20	28	50
TOTAL 0-19 YRS	25	4.5	10	1	1	3	6	8	11	13
20-34	306	7.6	28	2	2	7	10	14	17	21
35-49	444	8.8	45	1	2	7	12	16	20	33
50-64	495	9.6	61	1	2	8	12	18	22	32
65+	540	12.0	71	3	4	10	15	22	26	45
GRAND TOTAL	**1810**	**9.7**	**57**	**2**	**2**	**8**	**13**	**18**	**23**	**36**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	5.4	16	1	1	4	7	10	14	20
20-34	1057	7.3	28	1	2	6	10	14	18	24
35-49	1460	7.9	33	1	2	7	10	14	18	29
50-64	864	8.6	31	2	3	8	11	16	19	26
65+	368	9.0	38	2	2	8	12	17	20	29
B. *Operated*										
0-19 YRS	65	5.0	19	1	2	3	8	10	14	21
20-34	752	6.1	40	1	2	4	8	14	17	27
35-49	924	7.1	47	1	2	4	10	16	21	32
50-64	589	7.9	46	1	2	6	11	17	21	33
65+	236	12.5	93	2	2	11	17	26	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	5.2	13	1	1	4	7	10	13	17
20-34	809	8.3	35	2	2	7	11	16	19	31
35-49	1390	9.6	43	2	3	8	13	18	22	32
50-64	1475	9.9	53	2	3	8	13	18	22	40
65+	1443	11.4	66	3	4	10	15	21	26	42
B. *Operated*										
0-19 YRS	32	9.4	100	2	2	5	13	25	27	45
20-34	411	9.4	94	1	2	6	12	21	28	56
35-49	704	11.3	115	2	2	9	15	24	29	57
50-64	751	13.4	132	2	3	10	17	28	34	53
65+	587	17.7	171	2	4	15	24	35	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3880	7.9	31	1	2	7	10	15	18	27
B. *Operated*	2566	7.4	51	1	2	5	10	16	22	34
2. MULTIPLE DX										
A. *Not Operated*	5215	9.9	52	2	3	8	13	19	23	38
B. *Operated*	2485	13.1	138	2	2	10	17	28	35	63
1. SINGLE DX	6446	7.7	39	1	2	6	10	15	19	30
2. MULTIPLE DX	7700	10.9	82	2	3	9	14	21	28	46
A. NOT OPERATED	9095	9.1	44	2	2	8	12	17	21	33
B. OPERATED	5051	10.2	102	1	2	7	14	22	30	49
TOTAL 0-19 YRS	326	5.7	25	1	2	4	7	11	14	25
20-34	3029	7.6	43	1	2	6	10	15	19	32
35-49	4478	8.8	54	2	2	7	12	17	22	35
50-64	3679	10.0	66	2	2	8	13	19	25	42
65+	2634	12.6	96	2	3	10	16	24	32	52
GRAND TOTAL	**14146**	**9.5**	**65**	**2**	**2**	**8**	**12**	**19**	**24**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	4.4	8	1	2	4	6	8	10	15
20-34	106	5.4	12	1	2	5	7	9	12	18
35-49	114	4.6	9	1	2	4	6	8	11	15
50-64	117	5.3	16	1	2	5	7	10	13	22
65+	76	6.3	27	1	2	5	8	13	16	27
B. *Operated*										
0-19 YRS	351	2.6	7	<1	<1	2	3	5	5	9
20-34	806	2.8	4	<1	<1	2	3	5	6	12
35-49	1055	2.8	3	<1	<1	2	3	5	6	10
50-64	1134	2.9	6	<1	<1	2	3	5	7	13
65+	343	3.2	9	<1	<1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	5.0	12	1	2	4	7	9	12	19
20-34	90	6.1	27	1	1	5	8	11	14	31
35-49	158	6.9	29	1	2	5	8	15	19	27
50-64	243	6.8	26	1	2	6	9	13	18	26
65+	286	9.1	57	2	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	125	3.5	7	1	1	3	4	6	10	14
20-34	336	4.2	35	1	1	3	5	7	10	22
35-49	509	4.3	14	1	2	3	5	8	11	21
50-64	673	4.8	26	1	2	3	5	9	13	28
65+	312	7.4	83	2	2	4	8	17	26	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	631	5.0	13	1	2	4	6	9	12	17
B. *Operated*	3689	2.9	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	860	7.3	37	1	2	6	9	14	19	28
B. *Operated*	1955	4.9	33	1	2	3	5	9	14	30
1. SINGLE DX	4320	3.2	7	<1	<1	2	4	6	8	14
2. MULTIPLE DX	2815	5.6	36	1	2	4	7	11	16	29
A. NOT OPERATED	1491	6.4	28	1	2	5	8	12	16	26
B. OPERATED	5644	3.6	16	<1	1	3	4	6	9	19
TOTAL 0-19 YRS	777	3.5	8	<1	1	3	4	7	8	15
20-34	1338	3.6	15	<1	1	3	4	7	9	15
35-49	1836	3.7	10	<1	1	3	4	7	9	19
50-64	2167	4.1	17	<1	1	3	5	8	11	20
65+	1017	6.4	52	1	1	4	8	14	18	37
GRAND TOTAL	**7135**	**4.1**	**20**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	13	1	1	3	7	8	8	8
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.6	18	<1	<1	2	5	11	11	11
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	319	3.6	3	2	2	3	4	6	6	9
20-34	735	3.8	6	1	2	3	5	6	7	10
35-49	670	3.9	4	1	2	4	5	6	7	10
50-64	845	4.0	5	1	2	4	5	6	8	11
65+	416	4.4	6	1	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	25	2.1	5	<1	<1	1	2	4	9	9
35-49	31	1.8	3	<1	<1	1	2	4	5	9
50-64	47	2.8	8	<1	<1	2	4	5	7	17
65+	32	3.5	19	<1	<1	1	4	9	15	19
B. *Operated*										
0-19 YRS	206	3.9	2	2	2	4	5	6	7	8
20-34	830	4.1	4	2	2	4	5	6	8	11
35-49	1058	4.3	5	2	2	4	5	7	8	13
50-64	1864	4.7	7	2	2	4	6	8	9	13
65+	1157	5.7	21	2	2	5	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.8	9	<1	1	2	3	8	10	11
B. *Operated*	2985	4.0	5	1	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	145	2.5	9	<1	<1	1	3	5	8	17
B. *Operated*	5115	4.7	9	2	2	4	6	8	9	15
1. SINGLE DX	2999	3.9	5	1	2	4	5	6	8	11
2. MULTIPLE DX	5260	4.6	10	2	2	4	5	8	9	15
A. NOT OPERATED	159	2.5	9	<1	<1	1	3	5	9	17
B. OPERATED	8100	4.4	8	2	2	4	5	7	9	14
TOTAL 0-19 YRS	538	3.7	3	1	2	3	5	6	6	8
20-34	1592	3.9	5	1	2	4	5	6	7	11
35-49	1760	4.1	5	1	2	4	5	6	8	11
50-64	2761	4.5	6	2	2	4	5	7	9	13
65+	1608	5.3	18	2	2	4	6	9	12	21
GRAND TOTAL	**8259**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6		1	1	2	2	2	2	2
20-34	6	1.0		<1	<1	<1	1	1	1	1
35-49	13	4.0	6	<1	1	4	6	7	7	7
50-64	6	3.5	6	<1	<1	3	6	7	7	7
65+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS	573	1.9	1	<1	<1	2	2	3	4	5
20-34	1028	1.9	1	<1	<1	2	2	3	4	6
35-49	621	2.2	2	<1	<1	2	3	4	5	7
50-64	438	2.5	3	<1	<1	2	3	4	6	10
65+	149	3.0	6	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.5	3	<1	<1	1	1	2	6	7
20-34	24	1.5	2	<1	<1	1	1	3	4	7
35-49	17	3.1	14	<1	<1	1	4	8	13	15
50-64	17	2.9	6	<1	<1	2	4	7	9	9
65+	20	5.7	25	<1	1	4	8	14	17	17
B. *Operated*										
0-19 YRS	43	2.3	1	<1	1	2	3	4	4	5
20-34	155	2.4	2	<1	1	2	3	4	5	7
35-49	145	2.9	7	<1	1	2	3	5	7	12
50-64	219	3.3	7	<1	1	2	4	7	8	14
65+	100	5.1	27	<1	1	3	6	10	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.1	6	<1	<1	2	5	7	8	9
B. *Operated*	2809	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	92	3.0	12	<1	<1	1	4	8	10	17
B. *Operated*	662	3.2	9	<1	1	2	3	6	8	16
1. SINGLE DX	2844	2.1	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	754	3.2	9	<1	1	2	3	6	8	17
A. NOT OPERATED	127	3.0	10	<1	<1	1	4	7	9	17
B. OPERATED	3471	2.3	4	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	638	1.9	1	<1	<1	2	2	3	4	5
20-34	1213	1.9	1	<1	<1	2	2	3	4	6
35-49	796	2.4	3	<1	<1	2	3	4	6	9
50-64	680	2.8	5	<1	<1	2	3	5	7	11
65+	271	4.0	16	<1	1	3	4	9	11	25
GRAND TOTAL	**3598**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	16.9	126	2	5	15	22	32	40	51
20-34	32	11.9	81	<1	1	9	18	23	25	43
35-49	27	15.1	135	3	4	10	22	35	38	43
50-64	28	15.3	44	5	6	15	21	25	25	26
65+	33	13.2	155	2	2	10	16	25	35	64
B. *Operated*										
0-19 YRS	96	20.3	202	3	5	16	30	42	48	58
20-34	92	14.9	175	2	3	10	21	33	43	65
35-49	83	19.9	382	2	2	15	28	46	61	97
50-64	79	17.1	223	2	2	12	26	41	47	56
65+	75	17.9	166	3	5	15	25	39	53	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	18.9	121	1	4	21	28	32	36	43
20-34	68	14.3	253	<1	<1	9	21	33	42	87
35-49	56	19.6	184	4	5	16	27	38	44	62
50-64	131	20.0	216	2	4	17	28	37	45	71
65+	177	19.3	197	4	6	16	23	42	47	80
B. *Operated*										
0-19 YRS	84	25.3	286	3	5	23	33	51	59	94
20-34	118	24.6	368	3	4	20	38	57	67	99+
35-49	153	25.7	314	3	6	23	38	56	66	99+
50-64	279	26.6	382	5	7	22	39	55	72	99+
65+	320	26.3	386	5	7	22	40	62	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	15.3	116	2	4	14	21	29	36	50
B. *Operated*	425	18.0	231	2	3	14	26	42	48	89
2. MULTIPLE DX										
A. *Not Operated*	485	18.8	202	1	4	16	26	36	44	74
B. *Operated*	954	26.0	361	4	6	22	39	58	75	99+
1. SINGLE DX	652	17.1	193	2	3	14	24	38	46	69
2. MULTIPLE DX	1439	23.6	319	3	5	19	33	51	66	99+
A. NOT OPERATED	712	17.7	177	1	4	15	24	35	43	67
B. OPERATED	1379	23.5	334	3	5	19	34	53	67	99+
TOTAL 0-19 YRS	340	20.3	195	3	5	18	29	40	48	61
20-34	310	18.2	281	<1	2	13	25	43	54	87
35-49	319	22.2	304	2	4	17	33	46	61	99+
50-64	517	22.9	314	3	5	18	31	47	61	94
65+	605	22.5	307	4	6	17	32	52	75	99+
GRAND TOTAL	**2091**	**21.5**	**288**	**3**	**4**	**17**	**30**	**46**	**60**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	6.5	80	1	1	4	8	15	22	78
20-34	115	5.2	40	1	1	4	5	11	14	39
35-49	138	4.7	15	1	1	3	6	9	12	20
50-64	139	5.7	23	1	2	4	7	11	14	23
65+	237	9.9	55	2	3	8	14	19	23	39
B. *Operated*										
0-19 YRS	1018	5.5	42	1	2	4	6	11	15	33
20-34	845	5.0	37	1	2	3	5	9	13	31
35-49	367	6.6	52	1	2	4	8	14	18	27
50-64	287	8.0	54	2	2	6	11	16	22	39
65+	220	14.9	154	2	3	13	21	30	39	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.9	38	1	1	3	9	16	22	71
20-34	147	4.9	19	<1	1	3	6	11	14	23
35-49	300	5.8	36	1	2	4	7	10	13	32
50-64	559	8.8	58	2	2	7	11	17	24	38
65+	2153	13.7	131	3	4	11	17	25	35	75
B. *Operated*										
0-19 YRS	282	6.0	37	1	2	4	7	13	20	43
20-34	414	7.3	70	2	2	5	8	16	23	42
35-49	281	9.7	154	2	2	5	11	22	34	81
50-64	533	13.2	129	2	3	11	18	29	37	75
65+	867	22.2	280	3	5	18	29	44	63	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	749	6.9	48	1	2	5	9	15	19	35
B. *Operated*	2737	6.5	59	1	2	4	8	14	20	42
2. MULTIPLE DX										
A. *Not Operated*	3247	11.5	112	2	3	9	15	23	30	68
B. *Operated*	2377	14.2	208	2	2	10	19	32	44	86
1. SINGLE DX	3486	6.6	56	1	2	4	8	14	20	40
2. MULTIPLE DX	5624	12.6	155	2	2	9	16	27	37	76
A. NOT OPERATED	3996	10.6	104	2	2	8	14	22	28	65
B. OPERATED	5114	10.1	143	2	2	5	13	24	34	70
TOTAL 0-19 YRS	1508	5.7	44	1	2	4	7	12	17	39
20-34	1521	5.6	45	1	2	4	6	11	16	34
35-49	1086	6.9	72	1	2	4	8	14	20	51
50-64	1518	9.9	85	2	2	7	13	20	29	54
65+	3477	15.6	180	3	4	12	20	31	43	83
GRAND TOTAL	**9110**	**10.3**	**126**	**2**	**2**	**7**	**13**	**23**	**31**	**68**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	3	<1	<1	3	3	6	6	6
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	3	6.0	12	4	4	4	9	10	10	10
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	175	4.3	10	1	2	4	5	8	10	18
20-34	180	3.5	9	<1	1	3	4	7	9	17
35-49	83	3.1	6	<1	1	2	3	7	9	12
50-64	97	4.3	15	1	2	3	5	9	12	23
65+	29	4.6	9	1	1	5	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	1	<1	<1	1	2	3	4	4
20-34	8	3.3	13	<1	<1	2	4	9	11	11
35-49	9	4.0	34	<1	<1	1	4	14	18	18
50-64	13	11.2	373	1	1	4	7	50	58	60
65+	23	23.4	434	3	4	15	39	67	77	99+
B. *Operated*										
0-19 YRS	209	6.8	62	2	2	5	7	11	18	49
20-34	196	5.3	35	1	2	3	6	11	15	38
35-49	130	4.7	21	2	2	3	6	9	14	26
50-64	133	7.3	77	2	2	4	8	16	27	51
65+	68	11.4	296	2	2	6	9	53	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.4	6	<1	<1	3	4	7	9	10
B. *Operated*	564	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	69	11.1	299	<1	<1	3	12	43	65	93
B. *Operated*	736	6.5	75	2	2	4	7	12	21	56
1. SINGLE DX	577	3.9	10	1	1	3	5	7	10	17
2. MULTIPLE DX	805	6.9	95	1	2	4	7	14	26	66
A. NOT OPERATED	82	9.9	260	<1	<1	3	10	39	62	89
B. OPERATED	1300	5.4	48	1	2	4	6	10	15	44
TOTAL 0-19 YRS	406	5.5	38	1	2	4	6	10	12	40
20-34	385	4.4	23	1	1	3	5	9	13	25
35-49	224	4.1	17	1	1	3	5	8	12	20
50-64	246	6.3	69	1	2	4	7	12	20	51
65+	121	11.9	286	1	2	6	11	47	69	99+
GRAND TOTAL	**1382**	**5.7**	**62**	**1**	**1**	**4**	**6**	**10**	**17**	**54**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	21	5.3	16	1	1	4	7	13	14	14
35-49	37	6.7	19	1	2	6	10	12	14	21
50-64	32	7.7	33	1	2	6	10	18	21	22
65+	21	7.4	16	2	3	6	10	13	15	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	6.8	59	1	1	4	8	15	23	36
35-49	27	6.8	67	1	1	4	7	14	20	42
50-64	15	7.1	39	2	2	5	11	15	21	23
65+	7	12.0	86	2	2	10	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	19	6.6	17	1	2	6	8	13	16	18
35-49	42	9.2	27	3	4	8	11	14	21	27
50-64	70	9.3	39	2	3	8	12	19	23	24
65+	108	10.3	45	2	3	9	14	19	25	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	9	7.2	22	2	2	9	10	14	15	15
35-49	29	11.7	81	3	3	9	14	27	32	36
50-64	23	15.2	120	4	6	14	18	28	37	53
65+	30	14.1	126	2	3	12	17	29	37	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	6.8	22	1	2	6	9	13	16	22
B. *Operated*	75	7.3	60	1	2	4	10	15	22	40
2. MULTIPLE DX										
A. *Not Operated*	239	9.5	39	2	3	8	12	18	23	29
B. *Operated*	92	12.9	102	2	3	10	16	28	32	53
1. SINGLE DX	188	7.0	37	1	2	5	10	14	18	33
2. MULTIPLE DX	331	10.5	58	2	3	9	14	20	25	36
A. NOT OPERATED	352	8.6	35	2	3	7	11	17	21	27
B. OPERATED	167	10.4	90	2	2	8	14	23	30	50
TOTAL 0-19 YRS	4	4.3	15	2	2	3	6	10	10	10
20-34	74	6.4	31	1	2	5	9	14	15	32
35-49	135	8.6	47	1	2	7	11	15	22	37
50-64	140	9.6	56	2	2	8	13	20	23	31
65+	166	10.7	60	2	3	9	14	20	26	36
GRAND TOTAL	**519**	**9.2**	**53**	**2**	**2**	**7**	**12**	**18**	**23**	**36**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	3.1	4	1	1	3	4	6	7	10
20-34	259	5.4	19	1	1	5	7	9	12	19
35-49	263	5.1	15	1	1	4	7	10	13	20
50-64	175	4.9	13	1	1	4	6	10	12	18
65+	136	6.2	26	1	1	5	8	12	17	27
B. *Operated*										
0-19 YRS	706	5.2	27	1	1	3	6	11	14	29
20-34	812	4.1	20	<1	1	3	5	8	12	22
35-49	510	4.2	18	1	1	3	5	9	12	25
50-64	571	3.4	13	1	1	2	4	6	10	19
65+	330	3.8	19	1	1	3	4	7	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	4.4	14	<1	1	3	6	9	11	20
20-34	345	6.0	20	1	1	5	8	11	14	20
35-49	404	6.2	26	1	2	5	8	12	15	29
50-64	458	6.6	36	1	2	5	8	14	17	31
65+	555	9.7	65	2	3	8	12	19	25	41
B. *Operated*										
0-19 YRS	530	5.2	37	1	2	3	5	11	15	32
20-34	676	4.8	45	1	1	3	5	9	16	42
35-49	488	6.2	66	1	2	4	7	12	20	44
50-64	531	6.6	81	2	2	4	8	14	21	87
65+	469	9.3	121	2	2	5	12	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	965	5.0	17	1	1	4	7	10	12	19
B. *Operated*	2929	4.2	20	1	1	3	5	9	13	24
2. MULTIPLE DX										
A. *Not Operated*	1894	7.1	41	1	2	6	9	14	19	35
B. *Operated*	2694	6.3	70	1	2	3	7	14	22	47
1. SINGLE DX	3894	4.4	19	1	1	3	5	9	12	22
2. MULTIPLE DX	4588	6.6	58	1	2	4	8	14	20	43
A. NOT OPERATED	2859	6.4	34	1	2	5	8	13	17	31
B. OPERATED	5623	5.2	45	1	1	3	5	11	17	37
TOTAL 0-19 YRS	1500	5.0	28	1	1	3	6	11	14	30
20-34	2092	4.8	28	1	1	3	6	9	13	28
35-49	1665	5.4	34	1	2	4	6	11	15	31
50-64	1735	5.4	42	1	2	3	6	11	16	37
65+	1490	8.0	74	1	2	5	10	18	23	44
GRAND TOTAL	**8482**	**5.6**	**41**	**1**	**1**	**4**	**7**	**12**	**17**	**35**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	12.0		12	12	12	12	12	12	12
35-49	3	6.3	10	4	4	5	9	10	10	10
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	8.3	73	3	3	4	13	21	21	21
35-49	8	5.8	7	1	2	6	8	9	9	9
50-64	3	10.0	19	5	5	12	13	13	13	13
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	10.0		10	10	10	10	10	10	10
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.3	14	1	1	5	8	11	12	12
B. *Operated*	4	3.5	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	17	7.2	26	1	2	6	10	13	18	21
B. *Operated*	4	7.3	14	2	2	8	10	10	10	10
1. SINGLE DX	13	4.8	11	1	2	4	6	10	12	12
2. MULTIPLE DX	21	7.2	23	1	2	7	10	13	17	21
A. NOT OPERATED	26	6.5	22	1	1	5	9	12	15	21
B. OPERATED	8	5.4	11	2	2	4	8	10	10	10
TOTAL 0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	7.8	41	2	2	5	11	18	21	21
35-49	14	5.6	6	1	3	5	7	9	10	10
50-64	8	6.9	20	1	1	6	11	13	13	13
65+	2	7.0	50	2	2	7	12	12	12	12
GRAND TOTAL	**34**	**6.3**	**19**	**1**	**2**	**5**	**9**	**12**	**13**	**21**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	3.0	26	<1	<1	1	3	6	16	26
20-34	8	5.0	15	2	2	4	5	12	14	14
35-49	3	2.0		2	2	2	2	2	2	2
50-64										
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	60	8.2	76	2	2	5	9	17	26	50
20-34	13	8.5	132	1	2	5	9	22	40	44
35-49	15	10.8	106	2	2	10	13	20	36	42
50-64	7	15.0	204	1	1	13	27	37	38	38
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	10.4	415	<1	1	3	8	28	80	99+
20-34	10	5.2	16	2	2	4	7	11	15	15
35-49	4	5.8	20	2	2	5	9	11	11	11
50-64	9	7.9	16	1	2	9	11	12	13	13
65+	9	6.2	39	1	1	4	11	16	19	19
B. *Operated*										
0-19 YRS	109	14.0	195	2	3	8	18	35	54	99+
20-34	14	17.4	447	3	3	10	21	69	92	99+
35-49	12	19.2	296	3	6	15	23	75	95	99+
50-64	10	16.0	203	3	4	15	24	71	98	99+
65+	7	17.6	176	3	4	14	29	37	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.1	23	<1	<1	1	3	6	14	26
B. *Operated*	97	9.1	95	2	2	6	11	19	33	48
2. MULTIPLE DX										
A. *Not Operated*	155	9.6	336	<1	1	4	8	18	79	99
B. *Operated*	152	15.0	222	2	3	10	20	41	68	99+
1. SINGLE DX	165	6.6	74	<1	<1	3	8	15	25	44
2. MULTIPLE DX	307	12.3	286	1	2	7	15	34	70	99+
A. NOT OPERATED	223	7.6	249	<1	<1	3	6	15	41	95
B. OPERATED	249	12.7	180	2	2	8	16	34	52	99+
TOTAL 0-19 YRS	346	10.0	238	<1	1	5	10	25	52	99+
20-34	45	9.9	201	2	2	5	11	23	63	99+
35-49	34	12.4	178	2	2	11	15	29	62	99+
50-64	26	12.9	141	1	2	11	16	37	58	99+
65+	21	9.3	108	1	1	6	12	25	36	38
GRAND TOTAL	**472**	**10.3**	**218**	**<1**	**1**	**5**	**12**	**27**	**52**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	1.5	3	<1	<1	1	1	2	5	10
20-34	6	6.2	41	2	2	4	5	18	19	19
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	554	2.4	3	<1	<1	2	3	4	5	9
20-34	162	2.6	2	<1	1	2	3	4	5	9
35-49	69	2.9	4	<1	1	3	3	4	5	13
50-64	60	3.0	3	<1	1	3	3	5	7	10
65+	68	3.0	4	1	2	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.4	1	<1	<1	1	1	3	4	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	8	3.1	6	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	134	3.7	15	<1	1	2	4	8	12	20
20-34	45	3.6	7	<1	1	3	4	6	10	13
35-49	34	3.2	3	<1	1	3	4	5	6	9
50-64	70	3.3	14	1	2	2	4	5	6	27
65+	116	2.7	4	1	1	2	3	4	6	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	1.7	5	<1	<1	1	1	3	5	14
B. *Operated*	913	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	64	1.8	2	<1	<1	1	2	4	5	8
B. *Operated*	399	3.3	10	1	1	2	4	6	9	19
1. SINGLE DX	1041	2.4	3	<1	<1	2	3	4	5	10
2. MULTIPLE DX	463	3.1	9	<1	1	2	3	5	8	18
A. NOT OPERATED	192	1.7	4	<1	<1	1	1	4	5	11
B. OPERATED	1312	2.8	5	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	857	2.4	5	<1	<1	2	3	4	6	13
20-34	214	2.9	4	<1	1	2	4	5	6	12
35-49	107	3.0	3	<1	1	3	4	4	5	12
50-64	133	3.2	9	1	1	2	3	5	7	14
65+	193	2.8	4	1	1	2	3	4	6	11
GRAND TOTAL	**1504**	**2.6**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.7	11	<1	<1	2	6	9	11	15
20-34	13	5.1	10	<1	2	4	8	10	11	11
35-49	12	3.3	3	1	1	3	4	6	8	8
50-64	11	5.8	15	1	1	7	9	11	13	13
65+	6	5.7	7	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	630	6.0	30	1	2	5	8	11	15	28
20-34	116	5.8	39	2	2	4	8	11	16	41
35-49	69	6.5	43	1	2	3	10	15	20	31
50-64	38	7.2	42	2	2	4	10	16	20	31
65+	22	6.5	26	2	2	4	10	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	5.7	35	<1	1	4	7	13	19	84
20-34	58	4.6	15	1	1	4	6	9	14	19
35-49	30	9.1	62	2	2	6	11	21	25	27
50-64	29	6.1	24	2	2	4	7	11	17	24
65+	62	10.3	94	2	3	8	11	19	30	52
B. *Operated*										
0-19 YRS	869	9.0	116	2	2	7	11	18	31	71
20-34	143	9.2	133	2	2	5	12	20	26	70
35-49	84	9.0	78	2	2	5	13	18	30	41
50-64	104	12.0	151	2	2	10	16	25	31	91
65+	67	15.7	191	2	2	13	21	31	35	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	4.1	11	<1	1	3	6	9	11	14
B. *Operated*	875	6.1	33	2	2	4	9	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	351	6.6	47	1	1	5	8	15	21	50
B. *Operated*	1267	9.7	124	2	2	8	12	20	31	71
1. SINGLE DX	982	5.9	31	1	2	4	8	11	15	28
2. MULTIPLE DX	1618	9.0	109	2	2	6	11	19	29	69
A. NOT OPERATED	458	6.1	39	1	1	4	8	12	19	37
B. OPERATED	2142	8.2	90	2	2	6	11	17	25	58
TOTAL 0-19 YRS	1736	7.4	75	1	2	5	10	15	22	58
20-34	330	7.1	78	1	2	4	9	16	20	48
35-49	195	7.8	61	2	2	4	11	18	24	39
50-64	182	9.7	106	2	2	7	12	19	26	77
65+	157	11.9	134	2	2	9	14	25	34	52
GRAND TOTAL	**2600**	**7.8**	**82**	**1**	**2**	**5**	**10**	**16**	**23**	**55**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	332	4.6	4	2	2	4	6	8	8	9
20-34	6	2.7	3	1	1	2	3	6	6	6
35-49	3	3.0		3	3	3	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.2	6	<1	<1	1	2	8	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	254	4.8	5	2	2	5	6	8	9	13
20-34	20	3.9	5	1	2	3	5	6	9	12
35-49	4	15.8	493	3	3	5	27	49	49	49
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	1	1	1	2	3	3	3
B. *Operated*	343	4.6	4	2	2	4	6	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	46	2.2	6	<1	<1	1	2	8	8	9
B. *Operated*	278	4.9	12	2	2	4	6	8	9	14
1. SINGLE DX	347	4.6	5	2	2	4	6	8	8	9
2. MULTIPLE DX	324	4.5	12	1	1	4	6	8	9	13
A. NOT OPERATED	50	2.1	6	<1	<1	1	2	7	8	9
B. OPERATED	621	4.7	8	2	2	4	6	8	8	12
TOTAL 0-19 YRS	636	4.5	5	1	2	4	6	8	8	10
20-34	26	3.6	5	1	2	3	5	6	7	12
35-49	7	10.3	293	3	3	3	6	40	49	49
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
GRAND TOTAL	**671**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.1	5	1	1	2	5	6	7	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	322	4.2	3	2	2	4	5	7	8	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.4	16	1	2	4	7	13	14	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	72	7.2	25	2	3	6	8	14	20	26
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.1	5	1	1	2	5	6	7	10
B. *Operated*	322	4.2	3	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	23	5.4	16	1	2	4	7	13	14	14
B. *Operated*	72	7.2	25	2	3	6	8	14	20	26
1. SINGLE DX	358	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX	95	6.8	23	2	2	5	8	13	18	25
A. NOT OPERATED	59	4.0	10	1	1	3	5	9	12	14
B. OPERATED	394	4.8	9	2	3	4	5	8	9	19
TOTAL 0-19 YRS	453	4.7	9	2	2	4	5	8	10	18
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**453**	**4.7**	**9**	**2**	**2**	**4**	**5**	**8**	**10**	**18**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.7	15	<1	<1	1	3	5	8	25
20-34	9	4.3	10	1	1	3	5	9	10	10
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	7	3.4	6	1	1	3	5	7	8	8
65+	10	3.0	9	<1	<1	2	3	7	11	11
B. *Operated*										
0-19 YRS	320	4.9	33	<1	<1	3	7	11	14	27
20-34	59	4.7	15	1	2	3	7	11	14	16
35-49	37	6.6	61	1	1	3	8	16	26	35
50-64	27	6.8	30	1	1	5	9	14	18	21
65+	24	6.1	57	1	1	2	7	21	23	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	7.1	216	<1	1	3	7	14	79	99+
20-34	12	5.8	8	2	2	6	8	9	10	10
35-49	16	4.7	9	1	2	4	7	9	10	11
50-64	11	7.8	63	1	2	5	8	21	28	29
65+	62	7.3	29	2	2	6	9	12	20	27
B. *Operated*										
0-19 YRS	225	8.4	99	1	2	5	9	21	32	71
20-34	53	8.5	76	2	2	6	11	14	32	42
35-49	48	9.5	65	1	1	7	14	23	26	32
50-64	42	10.2	75	1	2	9	13	19	31	40
65+	83	15.2	199	1	2	13	22	29	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	2.8	14	<1	<1	2	3	6	8	22
B. *Operated*	467	5.2	34	<1	1	3	7	11	16	28
2. MULTIPLE DX										
A. *Not Operated*	171	6.9	104	1	1	5	8	12	25	97
B. *Operated*	451	9.9	114	1	2	7	13	24	31	53
1. SINGLE DX	626	4.6	30	<1	<1	2	6	10	15	28
2. MULTIPLE DX	622	9.1	113	1	2	6	11	22	30	86
A. NOT OPERATED	330	4.9	64	<1	<1	3	6	10	14	86
B. OPERATED	918	7.5	79	<1	1	4	9	17	26	48
TOTAL 0-19 YRS	743	5.8	71	<1	<1	3	7	12	21	56
20-34	133	6.3	41	1	2	4	8	12	15	38
35-49	106	7.4	56	1	1	4	10	17	25	33
50-64	87	8.3	57	1	2	6	12	17	22	39
65+	179	10.6	129	1	2	7	15	25	29	51
GRAND TOTAL	**1248**	**6.8**	**76**	**<1**	**1**	**4**	**9**	**15**	**24**	**49**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	741	2.7	2	<1	1	2	3	4	5	7
20-34	71	3.4	3	1	1	3	4	6	7	8
35-49	13	3.5	4	<1	1	3	4	7	9	9
50-64	6	3.0	2	2	2	3	4	5	5	5
65+	2	6.0	18	3	3	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	1.1		<1	<1	1	1	2	2	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	650	2.8	3	<1	1	2	4	5	6	8
20-34	51	4.7	10	2	2	4	5	8	9	18
35-49	20	6.1	70	1	2	3	5	18	30	31
50-64	5	3.8	2	2	2	4	5	5	5	5
65+	5	8.4	37	3	3	5	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.2		<1	<1	1	1	2	2	2
B. *Operated*	833	2.8	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	60	1.3	1	<1	<1	1	1	2	3	8
B. *Operated*	731	3.1	6	<1	1	3	4	5	7	11
1. SINGLE DX	850	2.7	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	791	2.9	6	<1	1	2	4	5	6	10
A. NOT OPERATED	77	1.3	1	<1	<1	1	1	2	2	7
B. OPERATED	1564	2.9	4	<1	1	3	4	5	6	8
TOTAL 0-19 YRS	1462	2.7	2	<1	1	2	3	5	5	8
20-34	126	3.9	6	1	2	3	5	6	8	16
35-49	33	5.1	45	1	2	3	4	8	26	31
50-64	12	3.2	2	1	1	3	4	5	5	5
65+	8	7.8	25	3	3	6	11	15	16	16
GRAND TOTAL	**1641**	**2.8**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.6	4	<1	<1	2	3	6	8	9
20-34	19	3.9	10	<1	<1	3	5	10	11	11
35-49	10	3.5		2	2	3	4	6	7	7
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	4	4.8	17	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	564	5.4	26	<1	1	4	8	10	12	18
20-34	257	4.1	13	<1	<1	3	6	8	11	17
35-49	66	5.3	20	1	2	4	6	12	16	22
50-64	33	3.9	8	<1	1	3	5	8	10	12
65+	17	6.5	36	<1	1	5	10	10	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	54	2.6	7	<1	<1	1	4	6	9	11
20-34	35	6.5	58	1	1	5	8	11	12	46
35-49	28	5.8	25	1	1	5	7	9	12	28
50-64	35	5.8	9	2	3	5	8	10	12	14
65+	44	9.8	98	1	2	7	11	21	39	45
B. *Operated*										
0-19 YRS	301	6.8	50	1	1	5	9	15	19	37
20-34	239	5.5	22	1	1	5	7	11	15	24
35-49	115	7.3	30	1	2	6	9	14	21	25
50-64	91	10.2	113	1	2	8	11	20	34	61
65+	85	11.0	69	2	3	9	15	22	29	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.3	7	<1	1	3	4	7	10	11
B. *Operated*	937	5.0	22	<1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	196	5.9	45	<1	1	5	7	11	14	44
B. *Operated*	831	7.3	51	1	1	6	9	15	21	34
1. SINGLE DX	995	4.9	21	<1	1	4	7	10	12	18
2. MULTIPLE DX	1027	7.1	50	1	1	5	9	14	20	35
A. NOT OPERATED	254	5.3	37	<1	1	4	7	10	13	42
B. OPERATED	1768	6.1	37	<1	1	5	8	12	16	32
TOTAL 0-19 YRS	941	5.7	33	<1	1	4	8	11	14	27
20-34	550	4.9	20	<1	1	4	7	10	12	22
35-49	219	6.3	26	1	2	5	8	13	18	25
50-64	162	7.8	75	1	2	6	9	14	22	51
65+	150	9.9	74	2	2	7	12	21	28	42
GRAND TOTAL	**2022**	**6.0**	**37**	**<1**	**1**	**5**	**8**	**12**	**16**	**33**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	10.8	797	<1	<1	1	2	53	86	86
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	293	4.1	5	1	2	4	5	7	9	12
20-34	31	4.6	4	2	2	4	6	7	8	9
35-49	8	5.8	25	1	1	3	9	14	15	15
50-64	7	8.6	82	2	2	5	12	24	27	27
65+	4	2.3	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.2	1	<1	<1	1	1	2	3	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	182	5.3	19	2	2	4	6	9	10	30
20-34	50	4.9	6	3	3	4	6	8	9	16
35-49	26	5.9	11	2	3	5	7	12	13	15
50-64	42	6.0	25	2	2	5	8	9	10	33
65+	7	4.7	7	3	3	4	6	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	10.8	797	<1	<1	1	2	53	86	86
B. *Operated*	343	4.3	7	1	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	34	1.5	2	<1	<1	1	1	3	5	6
B. *Operated*	307	5.4	17	2	2	4	7	9	10	23
1. SINGLE DX	352	4.4	26	1	2	4	5	7	9	14
2. MULTIPLE DX	341	5.0	16	1	1	4	6	9	10	18
A. NOT OPERATED	43	3.4	168	<1	<1	1	1	4	6	86
B. OPERATED	650	4.8	12	2	2	4	6	8	10	15
TOTAL 0-19 YRS	513	4.5	23	1	1	4	5	7	9	13
20-34	82	4.7	5	2	2	4	6	8	9	14
35-49	35	5.7	14	2	2	5	7	12	14	15
50-64	50	6.4	31	2	2	5	8	9	14	33
65+	13	3.7	6	1	1	3	4	7	9	10
GRAND TOTAL	**693**	**4.7**	**21**	**1**	**2**	**4**	**6**	**8**	**9**	**16**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	4.4	76	<1	<1	2	4	10	15	98
20-34	41	7.0	23	1	2	6	9	12	14	27
35-49	31	8.8	182	1	3	5	10	15	17	78
50-64	19	8.6	80	1	1	6	12	17	30	39
65+	14	7.1	29	1	1	5	9	16	18	19
B. *Operated*										
0-19 YRS	1354	4.9	25	1	1	3	6	9	13	24
20-34	490	3.9	19	1	1	3	4	9	12	21
35-49	204	5.2	25	1	2	3	7	12	16	23
50-64	127	6.4	34	2	2	4	9	14	17	29
65+	60	12.0	265	1	2	5	14	39	45	82
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	218	6.2	153	<1	<1	2	6	13	34	98
20-34	64	7.9	73	1	1	6	9	14	22	46
35-49	56	8.0	31	1	2	7	12	18	21	94
50-64	88	9.2	47	2	3	8	11	16	23	39
65+	90	11.0	43	3	3	11	15	22	24	99+
B. *Operated*										
0-19 YRS	553	8.0	75	1	2	5	10	16	22	44
20-34	226	6.4	59	1	2	3	7	14	21	42
35-49	189	6.5	50	1	1	4	9	13	19	51
50-64	143	11.6	180	2	2	7	14	24	33	71
65+	101	14.5	185	1	2	12	19	34	41	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	5.7	79	<1	1	3	7	13	16	86
B. *Operated*	2235	5.0	32	1	1	3	6	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	516	7.9	95	<1	1	5	11	17	24	98
B. *Operated*	1212	8.4	95	1	2	5	11	18	27	51
1. SINGLE DX	2508	5.1	37	1	1	3	6	10	15	29
2. MULTIPLE DX	1728	8.3	95	1	2	5	11	18	26	59
A. NOT OPERATED	789	7.2	91	<1	1	4	9	15	22	93
B. OPERATED	3447	6.2	57	1	1	4	7	13	19	42
TOTAL 0-19 YRS	2293	5.7	55	1	1	3	7	12	17	42
20-34	821	5.1	36	1	1	3	5	11	16	33
35-49	480	6.3	46	1	2	4	8	14	18	45
50-64	377	9.1	99	2	2	6	11	20	25	56
65+	265	12.3	149	1	2	9	16	29	37	97
GRAND TOTAL	**4236**	**6.4**	**63**	**1**	**1**	**4**	**8**	**14**	**19**	**45**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1271	4.6	27	1	1	3	5	10	14	27
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	6.6	35	1	1	5	9	13	15	32
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	907	11.3	155	1	2	7	14	27	36	67
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	112	22.3	529	1	2	13	34	66	93	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1271	4.6	27	1	1	3	5	10	14	27
B. *Operated*	37	6.6	35	1	1	5	9	13	15	32
2. MULTIPLE DX										
A. *Not Operated*	907	11.3	155	1	2	7	14	27	36	67
B. *Operated*	112	22.3	529	1	2	13	34	66	93	99+
1. SINGLE DX	1308	4.6	27	1	1	3	5	11	14	27
2. MULTIPLE DX	1019	12.5	208	1	2	8	16	31	44	79
A. NOT OPERATED	2178	7.4	91	1	2	4	9	18	26	51
B. OPERATED	149	18.4	452	1	2	11	24	53	73	99+
TOTAL 0-19 YRS	2327	8.1	121	1	2	4	10	19	30	64
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2327**	**8.1**	**121**	**1**	**2**	**4**	**10**	**19**	**30**	**64**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1819	3.2	8	1	1	3	4	6	8	15
20-34	769	4.0	9	1	1	3	5	8	9	15
35-49	381	4.5	14	1	1	4	6	8	10	19
50-64	271	4.7	11	1	1	4	6	8	10	17
65+	224	5.9	20	1	1	5	7	11	16	23
B. *Operated*										
0-19 YRS	12	7.1	30	<1	1	5	10	16	19	19
20-34	7	4.3	7	2	2	4	7	8	8	8
35-49	11	7.5	24	2	2	7	9	15	19	19
50-64	4	7.5	24	2	2	7	11	14	14	14
65+	4	11.0	19	7	7	10	14	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1707	3.8	18	1	1	3	4	7	9	15
20-34	707	5.8	27	1	1	4	7	11	14	25
35-49	687	7.0	41	1	2	6	9	13	16	38
50-64	875	8.0	55	2	2	6	10	15	23	43
65+	1271	9.8	86	2	3	7	12	19	28	62
B. *Operated*										
0-19 YRS	45	8.8	51	2	2	7	11	18	20	40
20-34	70	9.9	137	<1	1	7	11	25	31	62
35-49	59	13.2	261	2	2	7	16	24	46	87
50-64	82	13.7	154	2	4	10	18	31	58	99+
65+	122	21.4	326	4	6	16	27	47	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3464	3.8	11	1	1	3	5	7	9	16
B. *Operated*	38	7.2	23	2	2	7	9	15	18	19
2. MULTIPLE DX										
A. *Not Operated*	5247	6.6	50	1	2	5	8	13	18	42
B. *Operated*	378	14.8	232	2	3	10	19	32	52	99
1. SINGLE DX	3502	3.9	11	1	1	3	5	7	9	16
2. MULTIPLE DX	5625	7.2	67	1	2	5	8	14	21	48
A. NOT OPERATED	8711	5.5	36	1	1	4	7	11	15	32
B. OPERATED	416	14.1	218	2	2	9	18	30	48	98
TOTAL 0-19 YRS	3583	3.6	14	1	1	3	4	6	9	15
20-34	1553	5.1	24	1	1	4	6	10	13	25
35-49	1138	6.5	46	1	2	5	8	12	16	33
50-64	1232	7.6	56	1	2	6	9	15	23	45
65+	1621	10.1	107	2	3	7	12	20	30	70
GRAND TOTAL	**9127**	**5.9**	**48**	**1**	**1**	**4**	**7**	**12**	**17**	**39**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	3.1	4	1	1	3	4	6	7	10
20-34	105	5.0	14	1	2	4	6	8	12	22
35-49	73	5.8	15	2	2	5	8	10	12	22
50-64	68	6.0	19	1	2	5	8	11	15	24
65+	86	7.2	28	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	11	7.7	128	1	1	4	8	21	39	41
20-34	5	10.4	239	<1	<1	2	17	37	37	37
35-49	19	11.7	47	2	3	11	15	22	27	28
50-64	14	11.6	52	1	2	12	16	21	24	25
65+	6	13.0	51	5	5	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	592	3.8	8	1	1	3	5	7	9	14
20-34	210	6.0	37	1	2	5	7	11	15	38
35-49	150	6.9	47	2	2	5	8	12	15	40
50-64	322	8.1	45	3	3	6	9	14	18	33
65+	638	9.3	73	2	3	7	11	17	24	54
B. *Operated*										
0-19 YRS	25	14.5	263	2	3	8	17	32	55	70
20-34	31	15.3	101	5	6	12	22	30	32	41
35-49	34	13.2	188	2	3	9	16	28	42	67
50-64	90	17.2	109	4	5	15	21	32	38	51
65+	118	21.4	240	6	8	17	31	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	4.4	13	1	1	3	5	8	11	18
B. *Operated*	55	10.9	77	1	2	9	15	23	27	41
2. MULTIPLE DX										
A. *Not Operated*	1912	6.8	47	1	2	5	8	13	18	35
B. *Operated*	298	18.0	189	3	5	15	25	38	49	99+
1. SINGLE DX	799	4.8	20	1	1	4	6	9	13	24
2. MULTIPLE DX	2210	8.3	80	2	2	6	10	17	26	51
A. NOT OPERATED	2656	6.1	39	1	2	4	7	12	16	33
B. OPERATED	353	16.9	178	3	4	14	23	37	46	99+
TOTAL 0-19 YRS	1040	3.8	16	1	1	3	4	7	9	16
20-34	351	6.6	45	1	2	5	7	12	20	37
35-49	276	7.7	61	2	2	6	9	14	19	42
50-64	494	9.5	67	2	3	7	11	18	26	39
65+	848	10.8	110	2	3	8	13	22	34	74
GRAND TOTAL	**3009**	**7.4**	**67**	**1**	**2**	**5**	**9**	**15**	**22**	**46**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	3.3	7	<1	1	3	4	6	9	14
20-34	277	3.6	9	1	1	3	4	7	9	14
35-49	127	4.1	10	1	1	3	6	8	11	15
50-64	86	4.5	13	1	1	3	5	10	13	16
65+	26	5.1	14	1	1	4	7	9	14	17
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	25	4.8	10	1	2	3	6	10	11	13
35-49	27	5.6	24	1	2	3	7	15	17	18
50-64	23	4.1	9	1	1	3	5	7	11	14
65+	8	9.8	103	2	2	7	14	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.3	4	1	1	3	4	6	8	26
20-34	260	4.7	11	1	2	4	6	9	11	16
35-49	229	5.5	15	1	2	5	7	10	13	18
50-64	182	5.5	15	1	2	5	7	10	13	18
65+	181	6.7	33	2	2	5	8	13	16	38
B. *Operated*										
0-19 YRS	7	3.1	3	1	1	3	5	72	99+	99+
20-34	26	6.3	18	1	2	5	10	13	14	17
35-49	28	9.6	68	2	2	7	13	18	30	36
50-64	27	8.0	36	2	3	8	9	15	19	31
65+	32	11.6	96	2	3	9	14	21	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	659	3.8	10	1	1	3	5	8	10	15
B. *Operated*	86	5.3	23	1	2	3	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	984	5.2	17	1	2	4	7	10	13	19
B. *Operated*	120	8.7	58	2	2	7	11	17	26	65
1. SINGLE DX	745	4.0	11	1	1	3	5	8	11	16
2. MULTIPLE DX	1104	5.6	22	1	2	4	7	11	14	29
A. NOT OPERATED	1643	4.6	14	1	1	4	6	9	12	17
B. OPERATED	206	7.3	46	2	2	5	10	16	18	42
TOTAL 0-19 YRS	285	3.3	6	1	1	3	4	6	8	15
20-34	588	4.3	11	1	1	3	5	8	10	16
35-49	411	5.4	19	1	1	4	7	10	14	19
50-64	318	5.3	16	1	2	4	7	10	14	18
65+	247	7.3	44	2	2	5	9	14	17	40
GRAND TOTAL	**1849**	**4.9**	**19**	**1**	**1**	**4**	**6**	**10**	**13**	**19**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	3	<1	1	2	3	6	6	8
20-34	53	3.5	4	1	1	3	5	6	7	8
35-49	87	3.8	6	1	1	3	5	7	7	15
50-64	147	4.1	12	1	1	4	6	7	9	13
65+	205	3.6	4	1	1	3	5	6	7	9
B. *Operated*										
0-19 YRS	30	1.8	3	<1	<1	1	1	5	6	7
20-34	37	6.1	14	2	2	6	8	9	12	21
35-49	61	5.6	8	1	2	5	7	9	11	13
50-64	101	5.5	6	1	2	5	7	9	10	12
65+	101	5.5	11	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.0	4	<1	1	2	4	7	7	8
20-34	33	3.3	5	<1	1	3	5	6	8	9
35-49	82	5.1	17	1	2	4	6	8	11	28
50-64	212	5.0	11	1	2	4	6	9	10	17
65+	463	6.4	59	1	2	5	7	13	16	28
B. *Operated*										
0-19 YRS	22	3.5	8	1	1	2	5	8	9	10
20-34	30	7.0	18	2	2	6	9	13	15	18
35-49	46	7.0	29	1	1	6	8	13	16	33
50-64	139	6.4	17	1	2	6	8	12	14	21
65+	247	8.6	62	2	3	6	10	17	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	520	3.7	7	1	1	3	5	7	8	12
B. *Operated*	330	5.2	9	1	1	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	823	5.6	39	1	2	4	7	10	14	26
B. *Operated*	484	7.5	43	1	2	6	9	14	19	34
1. SINGLE DX	850	4.3	8	1	1	4	6	8	9	13
2. MULTIPLE DX	1307	6.3	41	1	2	5	7	12	16	28
A. NOT OPERATED	1343	4.9	27	1	1	4	6	8	12	23
B. OPERATED	814	6.6	30	1	2	6	8	12	15	28
TOTAL 0-19 YRS	113	2.6	5	<1	<1	2	4	6	8	9
20-34	153	4.8	12	1	1	4	6	9	12	18
35-49	276	5.1	14	1	2	4	6	9	11	17
50-64	599	5.2	12	1	1	5	7	9	12	17
65+	1016	6.3	47	1	2	5	7	12	16	29
GRAND TOTAL	**2157**	**5.5**	**29**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	38	4.1	19	1	1	3	5	7	11	26
20-34	43	4.1	8	<1	1	4	6	7	9	12
35-49	20	3.3	14	1	1	2	4	5	12	18
50-64	19	2.6	3	<1	1	2	4	5	6	6
65+	13	4.4	10	1	1	5	6	10	10	10
B. *Operated*										
0-19 YRS	182	2.1	3	<1	<1	2	2	3	5	9
20-34	259	3.1	16	<1	<1	2	3	5	8	28
35-49	142	3.2	9	<1	1	2	3	6	10	16
50-64	114	3.1	6	<1	1	2	3	7	9	12
65+	66	3.0	7	<1	1	2	3	5	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	4.4	11	1	1	4	5	8	9	18
20-34	63	4.2	9	<1	1	3	5	8	10	16
35-49	76	5.3	28	1	2	4	7	10	12	35
50-64	68	7.3	41	1	2	5	9	15	20	35
65+	140	9.2	98	1	2	7	12	17	27	85
B. *Operated*										
0-19 YRS	35	4.4	13	1	1	3	6	8	11	19
20-34	98	7.5	53	1	1	5	11	14	23	37
35-49	90	5.9	31	1	1	4	7	11	14	30
50-64	105	9.5	88	2	2	6	14	22	30	43
65+	117	13.8	235	1	2	8	17	33	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	3.8	11	1	1	3	5	7	10	19
B. *Operated*	763	2.9	9	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	397	6.7	54	1	1	5	8	14	17	42
B. *Operated*	445	9.1	111	1	2	5	11	22	30	45
1. SINGLE DX	896	3.0	10	<1	1	2	3	6	8	17
2. MULTIPLE DX	842	8.0	85	1	2	5	10	17	26	44
A. NOT OPERATED	530	6.0	45	1	1	4	7	12	16	37
B. OPERATED	1208	5.1	56	<1	1	2	5	12	18	39
TOTAL 0-19 YRS	305	3.0	8	<1	1	2	4	6	8	15
20-34	463	4.3	25	<1	1	3	5	9	12	29
35-49	328	4.4	21	1	1	3	5	9	12	24
50-64	306	6.2	50	1	1	3	8	15	20	35
65+	336	9.4	139	1	2	5	12	22	32	80
GRAND TOTAL	**1738**	**5.4**	**52**	**<1**	**1**	**3**	**6**	**12**	**17**	**37**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	5	12.4	38	4	4	15	17	19	19	19
50-64	4	9.3	14	6	6	9	12	13	13	13
65+	13	7.4	24	1	2	6	11	14	17	18
B. *Operated*										
0-19 YRS	7	9.3	88	2	2	7	8	26	30	30
20-34	19	4.6	12	1	2	4	6	8	13	16
35-49	20	14.6	220	1	1	11	20	40	49	50
50-64	42	21.1	342	2	4	16	22	45	57	98
65+	88	19.7	287	3	5	15	26	52	76	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	4.5	13	2	2	4	7	7	7	7
35-49	3	19.7	576	2	2	10	38	47	47	47
50-64	21	11.5	78	2	3	9	17	22	30	38
65+	101	14.3	148	3	4	11	19	28	48	99+
B. *Operated*										
0-19 YRS	8	8.9	70	1	1	6	14	22	24	24
20-34	33	14.2	330	2	2	7	20	32	36	98
35-49	58	22.2	328	2	4	20	34	69	99+	99+
50-64	229	25.5	349	3	6	20	38	53	77	99+
65+	769	27.9	391	6	9	23	40	70	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	8.5	25	2	3	7	12	16	18	19
B. *Operated*	176	17.4	278	2	2	13	23	44	63	99+
2. MULTIPLE DX										
A. *Not Operated*	128	13.7	143	2	3	11	18	27	47	99+
B. *Operated*	1097	26.5	383	4	7	22	39	66	91	99+
1. SINGLE DX	201	16.3	255	2	2	12	21	35	56	99+
2. MULTIPLE DX	1225	25.2	373	4	7	20	36	64	89	99+
A. NOT OPERATED	153	12.8	127	2	3	10	17	26	44	99
B. OPERATED	1273	25.3	378	3	6	20	36	64	89	99+
TOTAL 0-19 YRS	17	8.3	69	1	1	7	8	23	28	30
20-34	56	10.3	218	2	2	6	10	23	33	94
35-49	86	19.7	298	2	2	18	25	49	87	99+
50-64	296	23.7	340	3	5	18	35	50	72	99+
65+	971	25.4	376	5	7	20	36	66	90	99+
GRAND TOTAL	**1426**	**23.9**	**366**	**3**	**6**	**19**	**34**	**61**	**85**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.6	2	1	1	2	4	4	5	6
20-34	515	3.2	4	1	1	3	4	6	7	10
35-49	1648	3.4	4	1	1	3	4	6	7	10
50-64	1318	3.6	4	1	1	3	5	6	8	11
65+	487	4.1	10	1	1	4	5	7	9	16
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	26	3.7	7	1	2	3	4	8	9	13
35-49	200	3.1	6	2	2	2	3	6	8	15
50-64	212	3.2	7	2	2	2	3	6	8	16
65+	37	4.1	17	1	2	2	4	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.8	10	1	1	3	5	7	10	20
20-34	562	4.0	6	1	1	3	5	7	9	12
35-49	2307	4.4	8	1	2	4	6	8	10	15
50-64	3223	4.9	13	1	2	4	6	9	11	18
65+	2217	5.7	18	2	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	2	12.0	72	6	6	12	18	18	18	18
20-34	50	5.7	22	2	2	4	9	13	14	20
35-49	325	5.5	26	2	2	4	8	11	15	29
50-64	515	5.7	24	2	2	4	8	13	16	23
65+	165	8.9	69	2	2	7	12	17	23	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4023	3.5	5	1	1	3	4	6	8	11
B. *Operated*	476	3.3	8	2	2	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	8375	4.9	13	1	2	4	6	9	11	18
B. *Operated*	1057	6.2	33	2	2	4	8	13	17	27
1. SINGLE DX	4499	3.5	5	1	1	3	4	6	8	11
2. MULTIPLE DX	9432	5.0	15	1	2	4	6	9	12	20
A. NOT OPERATED	12398	4.4	11	1	2	4	5	8	10	16
B. OPERATED	1533	5.3	27	2	2	3	7	12	15	25
TOTAL 0-19 YRS	124	3.4	9	1	1	3	4	6	8	19
20-34	1153	3.7	6	1	1	3	5	7	9	13
35-49	4480	4.0	8	1	2	3	5	7	9	15
50-64	5268	4.6	12	1	2	4	6	8	11	17
65+	2906	5.6	21	2	2	4	7	10	13	24
GRAND TOTAL	**13931**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	399	3.1	14	1	1	2	3	6	8	19
20-34	34	2.4	2	1	1	2	3	4	5	8
35-49	35	3.5	11	<1	1	3	4	6	8	19
50-64	52	3.8	11	<1	1	3	5	8	10	17
65+	59	5.6	13	1	1	5	7	11	14	16
B. *Operated*										
0-19 YRS	18	2.7	3	<1	<1	2	4	5	6	6
20-34	44	3.5	9	1	1	2	4	7	10	14
35-49	65	4.0	11	<1	1	3	5	8	11	17
50-64	133	4.1	12	1	1	3	5	9	12	17
65+	99	4.9	28	1	1	3	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	294	5.9	64	1	1	3	6	14	21	35
20-34	120	8.0	58	<1	1	6	11	16	19	39
35-49	116	5.1	18	1	1	4	6	11	14	21
50-64	279	7.2	51	1	2	6	9	14	19	35
65+	552	8.7	50	2	2	7	11	17	21	40
B. *Operated*										
0-19 YRS	34	9.7	105	1	2	6	14	25	41	99+
20-34	44	8.9	85	<1	1	6	13	20	30	41
35-49	106	6.2	25	1	2	5	8	12	15	29
50-64	265	7.6	80	1	2	5	9	15	24	59
65+	309	9.7	98	1	2	7	12	21	35	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	3.4	13	1	1	2	4	7	9	18
B. *Operated*	359	4.2	15	1	1	3	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	1361	7.4	53	1	2	5	10	16	20	37
B. *Operated*	758	8.4	82	1	2	6	11	19	27	60
1. SINGLE DX	938	3.7	14	1	1	2	5	8	11	17
2. MULTIPLE DX	2119	7.8	63	1	2	5	10	16	22	42
A. NOT OPERATED	1940	6.2	44	1	1	4	8	13	18	34
B. OPERATED	1117	7.1	65	1	1	4	9	15	23	44
TOTAL 0-19 YRS	745	4.5	40	1	1	3	5	10	15	32
20-34	242	6.6	52	<1	1	4	9	15	18	38
35-49	322	5.0	19	1	1	4	6	10	14	21
50-64	729	6.6	54	1	1	4	8	13	18	38
65+	1019	8.5	62	1	2	6	11	17	22	42
GRAND TOTAL	**3057**	**6.5**	**52**	**1**	**1**	**4**	**8**	**14**	**19**	**39**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	2.3	2	1	1	2	3	4	5	7
20-34	514	2.4	2	1	1	2	3	4	5	8
35-49	546	2.3	3	1	1	2	3	4	5	8
50-64	436	2.5	4	1	1	2	3	5	5	9
65+	179	3.9	17	1	1	3	4	8	12	35
B. *Operated*										
0-19 YRS	106	1.8	2	<1	<1	1	2	3	5	8
20-34	87	4.8	12	<1	1	4	7	9	12	16
35-49	109	5.2	12	1	1	5	7	10	13	17
50-64	105	5.9	18	1	2	5	8	11	13	22
65+	124	6.1	18	2	2	5	8	11	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.5	67	<1	1	3	5	8	10	95
20-34	240	3.5	7	1	1	3	4	7	9	12
35-49	318	3.4	7	1	1	3	4	6	7	15
50-64	392	4.5	28	1	2	4	5	8	10	18
65+	581	7.5	74	1	2	5	9	14	20	48
B. *Operated*										
0-19 YRS	58	4.0	23	<1	<1	2	5	13	15	22
20-34	94	6.0	31	1	2	4	8	11	18	31
35-49	129	7.4	24	2	2	6	9	15	17	25
50-64	238	8.8	38	2	3	7	11	17	22	33
65+	551	12.2	107	2	3	9	16	24	32	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1762	2.6	4	1	1	2	3	5	6	10
B. *Operated*	531	4.8	15	<1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	1593	5.2	42	1	1	4	6	10	13	33
B. *Operated*	1070	9.0	77	2	2	8	12	20	27	49
1. SINGLE DX	2293	3.1	8	1	1	2	4	6	8	14
2. MULTIPLE DX	2663	7.1	61	1	2	5	9	15	21	43
A. NOT OPERATED	3355	3.8	24	1	1	3	4	7	10	21
B. OPERATED	1601	8.2	62	1	2	6	10	17	23	41
TOTAL 0-19 YRS	313	2.9	20	<1	<1	2	3	5	8	18
20-34	935	3.3	9	1	1	2	4	7	9	15
35-49	1102	3.5	10	1	1	2	4	7	9	17
50-64	1171	4.8	25	1	1	3	6	10	13	25
65+	1435	8.7	83	1	2	6	11	19	25	51
GRAND TOTAL	**4956**	**5.2**	**40**	**1**	**1**	**3**	**6**	**11**	**16**	**32**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2181	2.5	3	1	1	2	3	5	6	9
20-34	1772	3.1	5	1	1	2	4	6	7	11
35-49	835	3.8	9	1	1	3	5	7	9	15
50-64	585	4.0	7	1	1	3	5	7	9	13
65+	447	4.6	10	1	1	4	6	9	11	15
B. *Operated*										
0-19 YRS	174	4.4	6	1	2	4	5	8	9	13
20-34	268	4.6	16	<1	1	4	6	10	13	20
35-49	113	5.2	20	1	1	4	8	12	13	23
50-64	55	4.9	15	1	1	4	6	10	14	19
65+	50	6.8	31	1	2	5	9	14	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	957	3.3	15	1	1	3	4	6	8	12
20-34	1108	4.1	15	1	1	3	5	8	10	21
35-49	796	5.2	15	1	2	4	7	9	12	21
50-64	1030	5.6	23	1	2	5	7	10	13	20
65+	1469	6.9	26	2	2	6	9	12	16	30
B. *Operated*										
0-19 YRS	114	5.6	20	<1	1	5	7	10	14	24
20-34	264	6.2	31	<1	1	5	8	13	17	28
35-49	182	9.3	75	1	2	7	11	20	27	41
50-64	173	9.7	56	2	3	8	12	19	24	32
65+	225	12.4	100	3	4	10	15	23	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5820	3.2	6	1	1	2	4	6	8	12
B. *Operated*	660	4.9	15	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	5360	5.2	21	1	1	4	7	10	13	23
B. *Operated*	958	8.8	65	1	2	7	11	18	23	43
1. SINGLE DX	6480	3.4	7	1	1	3	4	7	8	13
2. MULTIPLE DX	6318	5.7	29	1	1	4	7	11	15	27
A. NOT OPERATED	11180	4.1	14	1	1	3	5	8	11	18
B. OPERATED	1618	7.2	48	1	1	5	9	15	20	37
TOTAL 0-19 YRS	3426	3.0	8	1	1	2	4	6	7	11
20-34	3412	3.8	12	1	1	3	5	7	10	17
35-49	1926	5.0	20	1	1	4	6	10	13	23
50-64	1843	5.5	23	1	2	4	7	10	13	22
65+	2191	7.0	35	2	2	5	9	13	17	33
GRAND TOTAL	**12798**	**4.5**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**22**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	3.1	6	1	1	2	4	6	9	13
20-34	75	3.6	19	<1	1	2	4	8	9	29
35-49	66	4.0	15	<1	1	3	5	8	11	20
50-64	58	3.0	6	<1	1	2	4	6	8	12
65+	95	5.2	27	1	1	3	6	11	14	29
B. *Operated*										
0-19 YRS	18	5.6	23	1	1	4	8	14	16	16
20-34	30	3.9	11	1	1	2	6	8	12	13
35-49	36	4.2	7	1	2	4	6	8	9	10
50-64	39	5.2	46	1	1	3	5	13	21	33
65+	40	5.9	37	<1	1	4	8	11	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	4.2	30	1	1	3	5	8	12	95
20-34	144	3.8	10	<1	1	3	5	8	10	15
35-49	165	5.5	25	1	1	4	7	10	15	27
50-64	329	7.3	54	1	2	5	9	16	20	38
65+	661	9.1	76	2	2	7	11	18	24	51
B. *Operated*										
0-19 YRS	25	6.6	107	1	2	4	6	10	24	54
20-34	67	9.0	84	2	2	7	11	17	22	58
35-49	82	7.7	35	1	1	6	10	17	22	23
50-64	141	11.2	132	1	2	8	14	23	36	59
65+	229	13.5	138	2	3	11	18	29	32	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	463	3.7	14	1	1	3	5	8	11	20
B. *Operated*	163	4.9	26	1	1	3	6	10	15	30
2. MULTIPLE DX										
A. *Not Operated*	1555	7.0	57	1	2	5	9	15	21	45
B. *Operated*	544	11.2	118	1	2	8	15	23	30	67
1. SINGLE DX	626	4.1	18	1	1	3	5	8	11	22
2. MULTIPLE DX	2099	8.1	76	1	2	6	10	18	24	51
A. NOT OPERATED	2018	6.3	49	1	1	4	8	13	19	42
B. OPERATED	707	9.7	103	1	2	7	13	21	29	60
TOTAL 0-19 YRS	468	4.0	25	1	1	3	5	7	12	53
20-34	316	4.8	32	1	1	3	6	10	14	27
35-49	349	5.6	25	1	1	4	7	12	16	23
50-64	567	7.7	74	1	1	5	9	17	23	48
65+	1025	9.6	90	2	2	7	12	20	29	67
GRAND TOTAL	**2725**	**7.2**	**65**	**1**	**1**	**5**	**9**	**16**	**22**	**47**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	996	4.1	21	1	1	3	5	8	11	19
20-34	433	3.7	11	<1	1	3	5	7	9	13
35-49	495	4.4	36	1	1	3	5	8	10	27
50-64	640	4.8	46	1	1	3	6	8	10	47
65+	884	5.5	35	1	2	4	7	10	14	24
B. *Operated*										
0-19 YRS	99	4.5	36	<1	1	2	5	10	12	36
20-34	188	2.7	4	<1	<1	2	3	5	7	12
35-49	179	3.3	11	<1	1	2	4	6	9	18
50-64	168	3.9	16	<1	1	2	4	9	11	21
65+	118	4.9	32	<1	1	3	6	11	15	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1000	5.7	54	1	1	4	7	12	16	45
20-34	717	5.0	25	1	1	4	6	9	11	24
35-49	925	5.0	15	1	1	4	7	10	12	19
50-64	2247	6.7	40	1	2	5	8	13	17	33
65+	5391	8.7	65	2	3	7	11	17	23	46
B. *Operated*										
0-19 YRS	87	11.2	205	1	1	5	15	41	56	99+
20-34	159	5.8	58	<1	1	3	6	13	21	41
35-49	203	7.5	126	1	1	4	9	17	23	81
50-64	419	10.4	149	1	2	6	12	27	34	78
65+	897	15.6	245	2	3	11	19	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3448	4.6	30	1	1	3	5	8	11	22
B. *Operated*	752	3.7	18	<1	1	2	4	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	10280	7.4	53	1	2	5	9	14	20	40
B. *Operated*	1765	12.4	202	1	2	8	15	29	47	99+
1. SINGLE DX	4200	4.4	28	1	1	3	5	8	11	23
2. MULTIPLE DX	12045	8.1	78	1	2	6	10	16	23	54
A. NOT OPERATED	13728	6.7	49	1	2	5	8	13	18	37
B. OPERATED	2517	9.8	163	1	2	5	12	24	35	92
TOTAL 0-19 YRS	2182	5.1	46	1	1	3	6	10	15	42
20-34	1497	4.4	23	1	1	3	5	8	11	24
35-49	1802	5.0	34	1	1	4	6	10	13	28
50-64	3474	6.7	56	1	2	5	8	13	18	41
65+	7290	9.1	90	2	2	7	11	18	25	59
GRAND TOTAL	**16245**	**7.2**	**68**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.6	6	1	1	2	3	5	7	12
20-34	24	4.6	10	1	1	4	6	10	11	12
35-49	13	4.8	11	<1	1	4	6	9	12	13
50-64	4	4.5	1	3	3	5	5	5	5	5
65+	5	8.4	93	1	1	5	12	25	25	25
B. *Operated*										
0-19 YRS	45	7.3	16	2	3	7	9	11	16	20
20-34	16	12.5	502	3	4	7	9	13	71	96
35-49	6	12.0	53	2	3	10	19	22	22	22
50-64	4	9.0	29	3	3	9	37	99+	99+	99+
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	3.9	15	1	1	2	5	9	13	19
20-34	61	6.5	23	1	2	5	9	14	16	21
35-49	32	8.9	50	2	4	7	9	21	26	32
50-64	25	9.9	73	2	2	7	13	20	31	34
65+	27	13.6	156	1	2	12	18	26	34	61
B. *Operated*										
0-19 YRS	111	10.5	157	1	2	6	10	28	39	62
20-34	75	15.8	226	2	3	11	22	48	60	99+
35-49	37	14.8	310	2	3	10	15	39	73	99+
50-64	26	24.3	480	5	5	19	39	65	94	99+
65+	22	27.2	485	2	3	23	53	73	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	2.9	9	1	1	2	3	6	8	15
B. *Operated*	72	9.0	126	2	3	8	10	15	20	99
2. MULTIPLE DX										
A. *Not Operated*	467	5.4	36	1	1	3	7	13	18	29
B. *Operated*	271	15.3	278	2	2	9	20	45	61	99+
1. SINGLE DX	387	4.1	36	1	1	2	5	9	11	23
2. MULTIPLE DX	738	9.0	147	1	1	5	10	22	37	93
A. NOT OPERATED	782	4.4	27	1	1	3	5	9	15	25
B. OPERATED	343	13.9	252	2	2	8	17	39	60	99+
TOTAL 0-19 YRS	747	4.6	40	1	1	3	5	9	14	34
20-34	176	10.7	170	1	2	7	13	24	44	99
35-49	88	11.0	164	2	2	7	12	27	39	98
50-64	59	15.8	298	2	3	10	20	45	79	99+
65+	55	18.5	324	1	2	15	25	60	68	99+
GRAND TOTAL	**1125**	**7.3**	**114**	**1**	**1**	**4**	**8**	**17**	**27**	**70**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.2	7	1	1	3	4	6	8	14
20-34	39	6.3	46	1	1	4	8	15	21	34
35-49	21	6.8	32	1	1	6	10	13	19	24
50-64	16	5.5	15	1	1	4	8	12	13	13
65+	12	12.8	120	2	3	8	16	34	35	35
B. *Operated*										
0-19 YRS	12	6.8	14	1	2	7	10	12	12	12
20-34	13	7.5	35	<1	<1	8	12	15	17	17
35-49	5	11.4	38	1	1	12	16	16	16	16
50-64										
65+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	5.0	18	1	1	4	7	11	13	20
20-34	109	7.9	61	1	2	6	10	15	18	47
35-49	52	6.4	23	<1	2	5	8	13	17	21
50-64	54	11.6	105	2	3	8	17	24	31	50
65+	59	15.3	166	1	3	11	23	35	56	99+
B. *Operated*										
0-19 YRS	61	15.4	397	1	2	10	17	68	99+	99+
20-34	87	15.2	231	2	3	10	19	39	57	99+
35-49	53	16.1	253	2	4	12	23	33	89	99+
50-64	24	21.7	405	3	4	16	41	70	99+	99+
65+	23	29.3	613	4	8	20	39	73	85	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	4.8	28	1	1	3	6	11	14	33
B. *Operated*	31	8.3	32	<1	1	8	12	16	17	21
2. MULTIPLE DX										
A. *Not Operated*	480	7.8	68	1	1	5	10	18	24	48
B. *Operated*	248	17.4	341	2	3	12	24	55	92	99+
1. SINGLE DX	249	5.3	30	1	1	3	7	12	15	33
2. MULTIPLE DX	728	11.1	181	1	2	7	14	26	47	99+
A. NOT OPERATED	698	6.9	57	1	1	4	8	16	22	40
B. OPERATED	279	16.4	314	1	3	11	20	48	80	99+
TOTAL 0-19 YRS	409	6.0	86	1	1	4	7	12	18	95
20-34	248	10.2	130	1	2	7	13	22	34	91
35-49	131	10.6	138	1	2	8	14	24	29	99+
50-64	94	13.1	192	2	3	8	19	34	51	99+
65+	95	18.4	299	2	4	14	25	39	71	99+
GRAND TOTAL	**977**	**9.6**	**149**	**1**	**1**	**6**	**12**	**22**	**36**	**99+**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.9	2	<1	<1	2	2	3	4	7
20-34	54	2.3	4	<1	<1	2	3	4	7	12
35-49	22	2.3	2	<1	<1	2	3	4	5	6
50-64	7	3.4	22	1	1	2	3	12	14	14
65+	14	4.1	11	<1	<1	3	6	9	11	12
B. *Operated*										
0-19 YRS	935	2.1	3	<1	<1	2	3	4	5	8
20-34	1071	2.8	5	<1	1	2	3	5	7	11
35-49	252	3.3	5	<1	1	3	4	6	7	11
50-64	109	3.5	10	<1	1	3	4	7	9	19
65+	40	4.6	22	1	1	3	5	8	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	115	2.1	2	<1	<1	2	3	4	5	7
20-34	177	3.5	11	<1	1	3	5	8	10	17
35-49	78	4.4	22	1	1	3	6	9	12	29
50-64	76	5.4	17	1	1	4	7	10	15	20
65+	145	8.0	59	1	2	5	10	19	25	44
B. *Operated*										
0-19 YRS	841	3.9	14	1	1	3	5	8	10	17
20-34	1279	5.1	47	1	1	3	6	9	13	39
35-49	417	6.4	68	1	2	4	7	13	17	41
50-64	234	7.4	65	1	1	5	9	17	21	49
65+	186	9.9	159	2	2	6	12	20	27	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.5	5	<1	<1	2	3	5	7	13
B. *Operated*	2407	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	591	4.7	28	<1	1	3	6	10	15	31
B. *Operated*	2957	5.4	52	1	1	3	6	11	15	37
1. SINGLE DX	2537	2.6	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX	3548	5.3	48	1	1	3	6	10	15	35
A. NOT OPERATED	721	4.3	24	<1	1	3	5	9	14	29
B. OPERATED	5364	4.2	32	<1	1	3	5	8	12	25
TOTAL 0-19 YRS	1924	2.9	9	<1	<1	2	3	5	8	15
20-34	2581	4.0	27	1	1	3	4	7	10	24
35-49	769	5.1	43	1	1	3	6	10	13	28
50-64	426	6.0	45	1	1	4	8	13	17	36
65+	385	8.4	105	1	2	5	10	19	23	66
GRAND TOTAL	**6085**	**4.2**	**31**	**<1**	**1**	**3**	**5**	**8**	**12**	**25**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	5.7	27	1	2	5	7	11	14	22
20-34	290	7.7	54	1	2	6	9	14	20	45
35-49	162	7.8	59	2	2	6	10	14	18	32
50-64	207	9.4	37	2	3	8	12	17	20	33
65+	413	12.3	102	3	4	10	15	22	28	51
B. *Operated*										
0-19 YRS	22	13.7	222	2	2	8	15	39	49	51
20-34	39	11.0	43	3	4	10	13	19	25	35
35-49	14	10.4	19	4	5	11	14	15	17	18
50-64	11	16.2	285	6	6	9	14	46	58	59
65+	12	14.8	110	1	2	15	22	29	33	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	6.5	45	1	2	5	8	12	16	38
20-34	363	7.9	39	1	2	6	11	15	21	33
35-49	210	8.7	41	2	2	7	11	17	22	30
50-64	468	11.8	101	3	4	9	15	21	29	50
65+	2001	14.5	119	4	5	12	18	27	37	97
B. *Operated*										
0-19 YRS	56	18.3	298	3	5	13	25	36	70	99
20-34	115	18.1	235	2	4	12	24	44	55	99+
35-49	73	14.9	146	3	4	11	20	30	45	55
50-64	79	18.4	158	4	6	15	24	39	48	53
65+	203	25.8	375	7	9	20	35	60	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243	9.3	69	2	2	7	12	18	22	39
B. *Operated*	98	12.6	113	2	4	10	14	27	35	55
2. MULTIPLE DX										
A. *Not Operated*	3231	12.6	106	2	4	10	16	24	32	71
B. *Operated*	526	20.7	287	4	6	15	28	47	63	99+
1. SINGLE DX	1341	9.5	73	2	3	7	12	18	23	43
2. MULTIPLE DX	3757	13.7	139	3	4	11	17	27	37	88
A. NOT OPERATED	4474	11.6	98	2	3	9	15	23	29	59
B. OPERATED	624	19.4	269	3	5	15	25	44	59	99+
TOTAL 0-19 YRS	438	8.1	96	1	2	5	9	16	25	52
20-34	807	9.4	85	2	2	7	11	20	25	50
35-49	459	9.4	69	2	2	7	12	19	26	46
50-64	765	11.9	98	3	4	9	15	23	30	51
65+	2629	15.1	146	3	5	12	19	29	41	97
GRAND TOTAL	**5098**	**12.6**	**125**	**2**	**3**	**10**	**16**	**25**	**34**	**75**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	29.0	1250	4	4	29	54	54	54	54
20-34	10	7.5	33	1	1	7	10	16	20	20
35-49	6	10.3	40	4	4	8	16	20	20	20
50-64	4	14.3	68	7	7	12	19	26	26	26
65+	6	11.2	29	6	6	9	15	19	20	20
B. *Operated*										
0-19 YRS	5	20.6	582	3	3	14	26	63	63	63
20-34	7	26.0	189	11	12	22	34	48	51	51
35-49	2	16.5	265	5	5	16	28	28	28	28
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	31.5	1861	1	1	31	62	62	62	62
20-34	10	15.9	388	3	3	9	17	44	70	70
35-49	12	10.2	136	1	1	6	10	31	39	40
50-64	6	11.3	48	5	5	8	18	22	22	22
65+	49	15.7	264	2	4	12	18	32	50	91
B. *Operated*										
0-19 YRS	10	54.3	444	21	27	66	84	99+	99+	99+
20-34	24	26.1	421	1	11	19	46	96	99+	99+
35-49	7	30.4	359	11	12	26	43	61	64	64
50-64	9	52.9	984	16	17	60	95	98	99+	99+
65+	5	13.6	22	9	10	18	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	11.4	107	1	4	9	14	20	29	54
B. *Operated*	15	21.6	298	3	5	16	27	51	60	63
2. MULTIPLE DX										
A. *Not Operated*	79	14.9	266	1	3	10	17	32	56	85
B. *Operated*	55	35.0	643	10	12	30	73	99+	99+	99+
1. SINGLE DX	43	15.0	192	2	4	10	19	30	52	63
2. MULTIPLE DX	134	23.2	515	2	5	16	39	79	99+	99+
A. NOT OPERATED	107	14.0	225	1	3	10	16	28	50	79
B. OPERATED	70	32.1	595	5	11	27	64	99+	99+	99+
TOTAL 0-19 YRS	19	40.4	764	2	4	58	69	99+	99+	99+
20-34	51	20.4	349	1	4	16	27	70	96	99+
35-49	27	15.9	238	1	3	9	25	38	50	64
50-64	20	30.4	878	6	6	18	58	95	97	99+
65+	60	15.1	221	2	5	12	19	41	94	99+
GRAND TOTAL	**177**	**21.2**	**448**	**2**	**4**	**14**	**29**	**70**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.6	10	<1	1	3	4	7	12	15
20-34	81	3.0	8	1	1	2	3	5	7	19
35-49	105	3.4	5	1	1	3	4	6	7	12
50-64	123	4.2	6	1	2	4	5	7	9	13
65+	132	5.6	25	1	2	5	7	10	11	22
B. *Operated*										
0-19 YRS	5	6.0	33	1	1	6	9	15	15	15
20-34	2	17.0	8	15	15	17	19	19	19	19
35-49	6	4.3	2	2	2	4	5	6	6	6
50-64	1	11.0		11	11	11	11	11	11	11
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.0	14	1	1	3	5	7	10	24
20-34	329	4.9	14	1	2	4	6	9	14	20
35-49	383	5.3	20	1	2	4	7	10	14	23
50-64	581	7.3	38	2	2	6	9	14	18	27
65+	1264	11.2	109	2	3	9	14	23	31	77
B. *Operated*										
0-19 YRS	24	11.6	142	1	2	8	16	26	36	56
20-34	99	11.0	169	2	2	7	11	21	35	74
35-49	108	10.9	66	3	3	9	13	22	27	44
50-64	121	12.9	96	3	4	10	17	25	35	51
65+	186	20.3	233	4	5	17	26	45	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	4.2	13	1	1	3	5	8	10	15
B. *Operated*	15	7.2	29	1	1	6	10	15	18	19
2. MULTIPLE DX										
A. *Not Operated*	2640	8.5	73	2	2	6	10	17	24	51
B. *Operated*	538	14.7	170	3	4	11	19	32	45	80
1. SINGLE DX	475	4.3	14	1	1	3	5	8	10	15
2. MULTIPLE DX	3178	9.5	95	2	2	7	12	20	28	62
A. NOT OPERATED	3100	7.9	66	1	2	6	10	16	22	46
B. OPERATED	553	14.5	167	2	4	10	19	32	45	79
TOTAL 0-19 YRS	131	5.4	45	1	1	3	6	11	17	33
20-34	511	5.8	51	1	1	4	7	11	17	33
35-49	602	6.0	31	1	2	4	7	12	17	29
50-64	826	7.6	48	2	2	6	9	16	19	35
65+	1583	11.8	128	2	3	9	15	25	34	82
GRAND TOTAL	**3653**	**8.9**	**87**	**1**	**2**	**6**	**11**	**19**	**26**	**58**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83	7.1	36	2	2	6	8	13	18	36
20-34	64	10.1	55	3	3	8	13	20	22	45
35-49	54	13.7	123	2	4	10	16	33	37	52
50-64	90	11.4	80	2	4	9	15	20	28	53
65+	320	15.4	121	4	5	13	19	29	39	75
B. *Operated*										
0-19 YRS	5	13.8	164	4	4	7	23	34	34	34
20-34	3	43.0	112	31	31	47	50	51	51	51
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	25.3	102	19	19	20	33	37	37	37
65+	6	19.7	91	12	12	15	28	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	139	8.5	46	2	3	6	11	16	21	33
20-34	157	13.4	117	3	4	10	17	26	39	53
35-49	87	15.7	244	3	4	11	19	28	50	87
50-64	214	15.2	100	4	6	12	19	27	34	49
65+	1397	19.4	199	5	6	16	24	37	53	99+
B. *Operated*										
0-19 YRS	58	21.1	215	3	5	18	30	40	53	61
20-34	113	29.0	497	5	7	24	45	69	94	99+
35-49	44	28.7	451	9	10	21	46	66	81	99+
50-64	70	32.2	356	8	11	30	49	69	98	99+
65+	189	31.8	356	11	12	29	49	74	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	13.0	105	3	4	11	16	24	34	59
B. *Operated*	18	22.3	202	4	6	19	34	44	49	51
2. MULTIPLE DX										
A. *Not Operated*	1994	17.6	183	4	5	14	22	34	47	92
B. *Operated*	474	29.6	390	7	9	27	45	68	95	99+
1. SINGLE DX	629	13.2	110	3	4	11	17	26	36	59
2. MULTIPLE DX	2468	19.9	245	4	6	16	26	44	60	99+
A. NOT OPERATED	2605	16.5	169	3	5	13	21	32	44	88
B. OPERATED	492	29.3	385	7	9	27	44	67	92	99+
TOTAL 0-19 YRS	285	10.7	107	2	3	7	12	27	32	53
20-34	337	18.2	299	3	4	12	24	47	58	99+
35-49	186	18.2	289	3	4	13	22	43	58	93
50-64	377	17.5	194	4	5	14	22	38	50	97
65+	1912	20.0	218	5	6	16	25	41	59	99+
GRAND TOTAL	**3097**	**18.5**	**225**	**4**	**5**	**15**	**24**	**39**	**55**	**99+**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	3.4	20	1	1	2	4	7	14	23
20-34	40	3.6	16	<1	1	2	4	6	12	22
35-49	28	5.9	39	1	2	4	6	15	19	29
50-64	62	4.6	40	<1	1	3	5	9	12	42
65+	248	7.5	70	1	1	5	9	17	25	44
B. *Operated*										
0-19 YRS	597	4.8	30	1	1	3	5	12	18	24
20-34	115	5.2	29	1	1	4	6	9	16	32
35-49	117	5.5	73	1	1	4	6	9	12	57
50-64	172	5.5	31	1	1	4	6	10	16	29
65+	298	7.7	54	1	2	6	10	17	22	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.6	44	1	1	4	6	13	23	31
20-34	38	7.9	119	1	1	5	8	17	27	62
35-49	53	6.2	57	1	1	5	7	10	16	49
50-64	157	9.7	106	1	1	6	13	22	32	49
65+	883	12.8	166	2	3	9	16	30	45	99+
B. *Operated*										
0-19 YRS	360	5.9	42	1	1	3	7	14	20	28
20-34	153	10.9	163	1	2	6	12	30	39	79
35-49	134	11.0	149	1	2	6	13	24	34	63
50-64	269	11.0	126	2	3	7	13	27	38	62
65+	815	16.4	257	2	3	11	22	39	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	5.7	51	1	1	3	6	14	21	43
B. *Operated*	1299	5.6	41	1	1	4	7	13	19	30
2. MULTIPLE DX										
A. *Not Operated*	1203	11.5	150	1	2	7	15	28	40	99+
B. *Operated*	1731	12.5	192	1	2	8	16	32	44	90
1. SINGLE DX	1807	5.7	43	1	1	4	7	13	19	32
2. MULTIPLE DX	2934	12.1	175	1	2	8	15	30	42	95
A. NOT OPERATED	1711	9.8	127	1	1	6	13	23	34	80
B. OPERATED	3030	9.5	139	1	2	5	12	23	35	73
TOTAL 0-19 YRS	1159	5.0	34	1	1	3	5	13	19	26
20-34	346	7.8	105	1	1	4	8	20	31	59
35-49	332	7.9	104	1	1	5	8	16	28	56
50-64	660	8.6	95	1	2	5	10	20	30	48
65+	2244	12.8	185	1	2	8	16	31	45	99+
GRAND TOTAL	**4741**	**9.6**	**134**	**1**	**1**	**5**	**12**	**23**	**35**	**74**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.0	2	<1	1	2	3	4	5	7
20-34	21	3.0	6	<1	1	3	4	6	9	10
35-49	20	3.1	3	1	1	3	4	6	7	7
50-64	30	3.3	8	1	1	2	4	7	8	14
65+	42	5.2	32	1	1	3	6	13	18	25
B. *Operated*										
0-19 YRS	1384	2.0	3	<1	1	1	2	4	5	9
20-34	425	3.7	9	1	1	3	4	7	9	17
35-49	368	3.4	9	1	1	3	4	6	8	14
50-64	548	3.2	7	1	1	3	4	6	8	11
65+	525	4.2	19	1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.3	32	<1	1	2	4	6	7	38
20-34	57	4.9	25	1	1	3	6	11	15	27
35-49	42	4.7	25	<1	1	3	5	10	16	26
50-64	74	5.9	39	1	2	4	7	11	15	39
65+	220	11.3	186	1	2	7	13	25	43	99+
B. *Operated*										
0-19 YRS	607	3.7	40	1	1	2	4	7	11	39
20-34	407	7.7	101	1	2	5	9	16	25	56
35-49	285	8.1	143	1	2	5	8	16	27	91
50-64	534	5.6	46	1	2	4	6	11	15	37
65+	833	9.5	123	1	2	6	12	22	32	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.1	11	<1	1	2	4	6	9	19
B. *Operated*	3250	2.9	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	474	7.8	114	1	1	4	10	16	26	82
B. *Operated*	2666	7.0	93	1	1	4	8	16	25	57
1. SINGLE DX	3453	2.9	9	1	1	2	4	6	8	14
2. MULTIPLE DX	3140	7.1	96	1	1	4	8	16	25	60
A. NOT OPERATED	677	6.4	88	1	1	3	7	13	23	68
B. OPERATED	5916	4.8	50	1	1	3	5	10	15	39
TOTAL 0-19 YRS	2162	2.5	15	<1	1	2	3	5	6	17
20-34	910	5.6	55	1	1	4	6	11	16	47
35-49	715	5.3	68	1	1	3	6	10	16	54
50-64	1186	4.4	28	1	1	3	5	8	11	25
65+	1620	7.9	103	1	1	5	10	18	26	67
GRAND TOTAL	**6593**	**4.9**	**54**	**1**	**1**	**3**	**5**	**10**	**16**	**42**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.3	6	<1	<1	3	5	7	8	9
20-34	26	3.5	10	<1	1	2	5	8	11	14
35-49	15	3.7	9	<1	<1	3	5	8	10	11
50-64	22	2.9	5	<1	1	2	4	6	8	10
65+	21	4.6	16	<1	1	4	5	10	14	17
B. *Operated*										
0-19 YRS	497	2.0	2	<1	1	2	2	3	5	8
20-34	555	2.4	6	<1	<1	2	3	4	5	8
35-49	235	2.5	3	<1	1	2	3	4	6	8
50-64	145	2.6	3	<1	1	2	3	4	5	8
65+	74	3.2	5	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.9	54	<1	1	2	4	7	11	46
20-34	54	3.6	9	1	1	2	5	8	11	13
35-49	28	5.1	50	1	1	4	5	7	18	38
50-64	36	5.5	30	1	1	4	7	11	17	28
65+	101	12.1	173	2	3	8	14	25	40	71
B. *Operated*										
0-19 YRS	271	3.3	17	1	1	2	4	6	8	27
20-34	404	4.0	36	1	1	3	4	7	13	27
35-49	203	4.3	26	1	1	3	5	9	12	29
50-64	170	5.1	45	1	1	3	6	12	16	28
65+	150	8.2	89	1	1	4	11	18	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	3.5	9	<1	1	3	5	8	10	15
B. *Operated*	1506	2.3	4	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	258	7.4	101	1	1	4	8	19	26	46
B. *Operated*	1198	4.6	40	1	1	3	5	10	15	30
1. SINGLE DX	1622	2.4	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	1456	5.1	52	1	1	3	5	11	17	38
A. NOT OPERATED	374	6.2	76	1	1	4	7	13	22	45
B. OPERATED	2704	3.3	21	<1	1	2	3	6	10	23
TOTAL 0-19 YRS	839	2.6	10	<1	1	2	3	5	6	14
20-34	1039	3.1	18	<1	1	2	3	6	8	17
35-49	481	3.4	16	1	1	2	4	6	9	21
50-64	373	4.0	26	<1	1	3	4	7	13	25
65+	346	8.1	101	1	1	4	10	20	27	49
GRAND TOTAL	**3078**	**3.7**	**28**	**<1**	**1**	**2**	**4**	**7**	**11**	**28**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	22.8	294	2	4	23	40	52	62	99+
20-34	10	5.0	13	1	1	5	6	10	11	11
35-49	10	10.1	168	3	3	6	9	29	46	46
50-64	47	12.3	184	1	2	7	16	32	43	61
65+	181	14.3	161	1	3	11	20	31	41	54
B. *Operated*										
0-19 YRS	83	10.4	107	2	3	8	11	22	32	57
20-34	49	13.6	103	3	6	11	16	26	29	59
35-49	98	15.5	116	6	7	13	18	28	40	86
50-64	497	16.5	99	7	8	15	19	25	34	62
65+	2653	21.9	170	9	11	19	25	38	50	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	14.9	227	1	2	9	23	36	47	59
20-34	11	11.5	265	1	1	6	12	35	55	57
35-49	21	25.2	703	1	1	12	48	65	77	85
50-64	87	19.9	415	2	4	14	25	52	81	99+
65+	651	21.1	338	2	4	16	32	57	94	99+
B. *Operated*										
0-19 YRS	81	23.0	215	7	9	19	30	48	53	72
20-34	111	24.5	225	8	10	20	35	52	59	78
35-49	154	24.2	325	7	8	19	35	59	85	99+
50-64	969	21.4	166	8	10	18	27	39	49	99+
65+	8646	26.9	277	10	12	22	35	56	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	14.5	186	1	2	10	21	34	46	65
B. *Operated*	3380	20.5	163	7	9	18	24	35	47	91
2. MULTIPLE DX										
A. *Not Operated*	799	20.7	352	2	4	15	31	56	82	99+
B. *Operated*	9961	26.3	268	9	12	22	34	54	78	99+
1. SINGLE DX	3661	20.1	168	6	8	17	24	35	47	90
2. MULTIPLE DX	10760	25.8	277	8	11	21	34	54	78	99+
A. NOT OPERATED	1080	19.1	316	2	3	14	28	52	74	99+
B. OPERATED	13341	24.8	248	9	11	21	31	50	71	99+
TOTAL 0-19 YRS	226	17.3	220	2	3	12	25	41	52	67
20-34	181	19.7	221	3	6	15	25	43	55	64
35-49	283	20.7	293	5	7	16	26	50	70	99+
50-64	1600	19.5	165	6	8	16	23	36	47	91
65+	12131	25.3	262	9	11	21	32	52	75	99+
GRAND TOTAL	**14421**	**24.4**	**255**	**8**	**10**	**20**	**31**	**50**	**71**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	22.0	235	2	3	21	30	43	53	63
20-34	26	22.0	473	1	1	15	43	57	59	62
35-49	6	15.7	617	<1	<1	7	9	60	66	66
50-64	25	21.6	429	2	4	11	43	54	82	99+
65+	75	22.2	460	1	2	14	38	60	72	99+
B. *Operated*										
0-19 YRS	298	22.0	335	1	2	17	33	48	56	83
20-34	101	19.7	270	2	4	15	25	41	54	79
35-49	44	15.9	215	1	2	12	23	39	62	99+
50-64	48	20.4	243	3	4	17	24	40	59	74
65+	156	24.4	331	6	7	19	32	58	84	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	21.8	282	1	2	20	31	47	54	68
20-34	50	25.2	674	1	2	14	45	72	77	88
35-49	16	14.4	317	1	1	8	30	90	99+	99+
50-64	47	26.5	569	3	5	18	48	65	81	99+
65+	226	25.2	519	2	4	18	43	80	99+	99+
B. *Operated*										
0-19 YRS	413	26.1	381	2	4	23	38	56	70	99+
20-34	294	27.6	471	3	7	21	39	76	93	99+
35-49	102	27.4	471	3	5	21	38	64	91	99+
50-64	150	30.7	527	6	10	23	44	89	99+	99+
65+	553	32.6	498	7	11	27	50	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	22.0	305	1	2	20	31	49	56	82
B. *Operated*	647	21.7	312	2	3	17	30	48	60	94
2. MULTIPLE DX										
A. *Not Operated*	548	23.7	444	2	3	19	38	64	83	99+
B. *Operated*	1512	29.3	468	4	7	24	43	75	97	99+
1. SINGLE DX	1055	21.8	309	2	3	18	30	48	59	91
2. MULTIPLE DX	2060	27.8	468	3	5	23	42	71	94	99+
A. NOT OPERATED	956	22.9	385	2	3	19	34	56	72	99+
B. OPERATED	2159	27.0	434	3	5	22	39	66	90	99+
TOTAL 0-19 YRS	1196	23.4	322	2	3	21	34	49	58	86
20-34	471	25.3	457	2	4	19	36	67	85	99+
35-49	168	22.7	421	2	3	18	30	64	89	99+
50-64	270	27.3	488	4	6	21	43	75	96	99+
65+	1010	28.9	490	4	7	24	45	81	99+	99+
GRAND TOTAL	**3115**	**25.8**	**422**	**2**	**4**	**21**	**38**	**62**	**85**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	3.3	9	1	1	3	4	6	8	13
20-34	122	5.2	55	<1	1	3	7	9	13	44
35-49	99	5.8	73	1	1	3	5	13	19	51
50-64	88	7.7	85	1	2	5	8	15	23	55
65+	129	10.5	121	2	2	7	13	25	39	99+
B. *Operated*										
0-19 YRS	685	4.9	40	1	1	3	6	9	13	31
20-34	486	7.5	73	1	2	5	9	14	18	45
35-49	311	8.0	41	2	3	6	10	16	19	40
50-64	248	10.5	106	2	3	8	13	20	26	58
65+	148	14.5	170	2	3	11	18	31	44	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	4.2	13	1	1	3	5	9	11	15
20-34	145	5.8	41	1	1	4	7	12	18	27
35-49	98	7.7	84	1	1	5	10	14	20	56
50-64	149	12.1	152	1	2	8	17	26	39	67
65+	289	16.3	195	3	4	12	20	38	48	96
B. *Operated*										
0-19 YRS	573	9.3	138	1	2	5	10	21	31	72
20-34	587	14.6	250	2	3	9	18	37	56	99+
35-49	338	14.6	217	2	3	10	19	34	47	99+
50-64	251	16.9	280	3	4	12	21	42	65	99+
65+	405	21.0	335	4	5	16	29	55	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	6.0	64	1	1	4	7	12	18	52
B. *Operated*	1878	7.6	75	1	2	5	9	15	21	46
2. MULTIPLE DX										
A. *Not Operated*	859	10.3	135	1	1	7	12	24	36	69
B. *Operated*	2254	14.7	252	2	3	10	19	36	57	99+
1. SINGLE DX	2557	7.1	73	1	1	5	9	15	21	48
2. MULTIPLE DX	3113	13.5	223	1	2	9	17	33	51	99+
A. NOT OPERATED	1538	8.4	109	1	1	5	10	18	30	62
B. OPERATED	4132	11.5	184	1	2	7	14	27	43	95
TOTAL 0-19 YRS	1677	6.1	72	1	1	4	7	12	19	48
20-34	1340	10.2	161	1	2	6	12	24	37	87
35-49	846	10.3	132	2	2	7	12	24	34	76
50-64	836	13.2	196	2	3	9	16	28	44	86
65+	971	17.2	252	3	4	12	23	42	58	99+
GRAND TOTAL	**5670**	**10.6**	**166**	**1**	**2**	**6**	**13**	**25**	**39**	**86**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	3.1	7	<1	1	2	4	7	9	12
20-34	143	3.8	9	<1	1	3	5	7	10	14
35-49	99	4.9	15	1	2	4	6	10	13	19
50-64	138	5.2	17	1	1	4	6	11	15	19
65+	155	7.6	69	1	2	5	9	14	21	52
B. *Operated*										
0-19 YRS	670	4.2	9	1	1	4	5	8	9	15
20-34	979	5.3	15	1	2	4	6	10	12	21
35-49	783	6.2	21	1	2	5	8	11	13	25
50-64	778	7.2	28	2	3	6	9	13	16	26
65+	467	9.7	56	2	3	8	12	18	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.8	12	1	1	3	5	8	12	19
20-34	177	5.4	33	1	1	4	7	11	16	26
35-49	139	7.4	72	1	2	5	9	15	27	57
50-64	235	8.0	62	1	2	6	10	15	24	36
65+	469	12.1	141	2	3	9	15	24	38	96
B. *Operated*										
0-19 YRS	510	6.6	54	1	2	4	8	13	20	41
20-34	993	8.3	81	1	2	6	9	16	23	51
35-49	669	9.1	84	2	3	6	11	17	23	51
50-64	906	11.4	150	3	3	8	12	22	35	73
65+	841	15.6	194	3	4	12	19	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	663	5.0	27	1	1	4	6	10	14	22
B. *Operated*	3677	6.2	26	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	1131	8.8	95	1	2	6	11	19	27	61
B. *Operated*	3919	10.5	128	2	3	7	12	21	34	70
1. SINGLE DX	4340	6.0	26	1	2	5	8	11	15	25
2. MULTIPLE DX	5050	10.1	121	2	2	7	12	21	32	68
A. NOT OPERATED	1794	7.4	74	1	1	5	9	15	22	49
B. OPERATED	7596	8.4	83	2	2	6	10	16	24	55
TOTAL 0-19 YRS	1419	4.9	27	1	1	4	6	9	12	28
20-34	2292	6.5	47	1	2	5	7	12	17	35
35-49	1690	7.3	52	2	2	5	9	14	19	43
50-64	2057	9.0	90	2	3	7	10	16	24	59
65+	1932	12.7	146	2	3	9	16	26	40	90
GRAND TOTAL	**9390**	**8.2**	**81**	**1**	**2**	**6**	**10**	**16**	**23**	**52**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	3	1	1	1	2	5	5	9
20-34	17	3.0	4	<1	1	2	4	6	7	8
35-49	8	2.1	1	<1	<1	2	3	4	4	4
50-64	9	3.4	7	1	1	3	5	8	9	9
65+	14	5.7	22	1	1	5	8	13	14	14
B. *Operated*										
0-19 YRS	35	2.8	4	1	1	2	3	5	8	11
20-34	28	3.3	4	1	1	3	4	6	8	9
35-49	15	3.1	6	<1	1	2	4	5	10	11
50-64	5	5.6	34	2	2	3	7	16	16	16
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	3.0	5	1	1	2	4	7	7	11
20-34	126	4.6	22	1	1	3	5	8	14	27
35-49	73	5.4	46	1	1	3	6	12	16	39
50-64	90	6.4	28	1	2	5	8	14	18	24
65+	180	12.7	152	2	3	9	16	28	41	99+
B. *Operated*										
0-19 YRS	50	6.6	98	1	1	3	7	17	24	99+
20-34	50	6.8	76	1	1	3	6	18	27	42
35-49	32	13.2	260	<1	1	9	18	30	60	65
50-64	21	12.9	405	1	2	8	13	23	58	96
65+	41	16.2	133	2	3	15	25	31	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	3.0	8	1	1	2	4	7	9	14
B. *Operated*	85	3.2	6	1	1	2	4	5	9	14
2. MULTIPLE DX										
A. *Not Operated*	560	7.3	79	1	1	4	9	17	24	52
B. *Operated*	194	10.5	172	1	2	5	14	26	35	98
1. SINGLE DX	167	3.1	7	1	1	2	4	6	9	14
2. MULTIPLE DX	754	8.1	105	1	1	5	10	20	28	70
A. NOT OPERATED	642	6.8	72	1	1	4	8	15	23	46
B. OPERATED	279	8.2	132	1	1	4	10	22	30	86
TOTAL 0-19 YRS	210	3.7	29	1	1	2	4	7	11	39
20-34	221	4.8	31	1	1	3	5	9	17	31
35-49	128	6.9	104	1	1	3	7	16	25	63
50-64	125	7.3	94	1	2	5	9	15	19	44
65+	237	12.8	145	2	2	10	16	29	40	99+
GRAND TOTAL	**921**	**7.2**	**91**	**1**	**1**	**4**	**8**	**17**	**25**	**63**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.6	11	1	1	4	6	10	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	10.3	94	2	2	8	18	21	21	21
50-64	2	10.5	61	5	5	10	16	16	16	16
65+										
B. *Operated*										
0-19 YRS	1	41.0		41	41	41	41	41	41	41
20-34	3	13.0	27	7	7	16	16	16	16	16
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+	2	25.0	50	20	20	25	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	11.9	301	1	1	4	11	39	55	63
20-34	4	5.8	13	1	1	6	8	9	9	9
35-49	7	9.7	33	4	4	8	15	18	18	18
50-64	3	11.3	70	6	6	7	17	21	21	21
65+	7	15.4	116	4	5	10	22	33	35	35
B. *Operated*										
0-19 YRS	11	23.9	332	3	4	22	38	49	58	59
20-34	16	21.7	428	3	6	19	46	99+	99+	99+
35-49	3	10.7	92	2	2	15	60	99+	99+	99+
50-64	5	22.0	127	11	11	33	83	99+	99+	99+
65+	5	38.4	468	11	11	33	57	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.2	28	1	1	5	8	14	19	21
B. *Operated*	8	17.1	176	1	2	16	25	38	41	41
2. MULTIPLE DX										
A. *Not Operated*	38	11.5	166	1	1	7	12	31	39	63
B. *Operated*	40	23.6	358	3	5	23	42	99+	99+	99+
1. SINGLE DX	27	9.4	93	1	1	5	15	21	32	41
2. MULTIPLE DX	78	17.7	298	2	3	12	33	63	99+	99+
A. NOT OPERATED	57	9.7	125	1	1	6	11	21	34	61
B. OPERATED	48	22.5	329	2	5	21	41	99+	99+	99+
TOTAL 0-19 YRS	42	13.5	275	1	1	5	14	41	49	63
20-34	24	17.3	329	2	5	13	27	96	99+	99+
35-49	15	9.2	47	1	2	8	17	21	76	99+
50-64	10	16.5	113	5	6	18	33	99+	99+	99+
65+	14	25.0	320	5	9	22	33	56	63	65
GRAND TOTAL	**105**	**15.6**	**257**	**1**	**2**	**10**	**26**	**51**	**99**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	10	1.7	1	<1	<1	1	3	3	3	3
35-49	5	2.0	5	<1	<1	1	2	6	6	6
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	15	4.1	26	<1	1	2	5	12	17	19
B. *Operated*										
0-19 YRS	98	3.2	5	1	1	3	4	5	6	14
20-34	280	3.3	3	1	1	3	4	5	6	9
35-49	83	2.7	3	<1	1	2	4	5	6	8
50-64	48	2.8	5	<1	1	2	4	6	8	10
65+	62	2.4	10	<1	1	2	3	4	7	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.6	19	<1	<1	2	5	10	15	15
20-34	23	3.0	10	<1	1	2	3	6	11	15
35-49	7	5.0	8	2	2	6	6	9	10	10
50-64	7	7.9	31	1	1	6	12	15	16	16
65+	40	7.5	43	1	1	5	12	18	24	99+
B. *Operated*										
0-19 YRS	24	4.0	13	<1	1	3	5	6	11	19
20-34	90	4.2	12	<1	1	3	5	9	10	18
35-49	57	4.7	25	1	1	4	5	9	21	94
50-64	48	5.9	36	<1	1	4	6	15	19	23
65+	122	8.1	91	1	1	5	10	21	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.5	12	<1	<1	1	3	6	9	19
B. *Operated*	571	3.0	5	<1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	87	5.7	31	1	1	4	8	15	18	73
B. *Operated*	341	5.9	49	1	1	4	6	14	21	41
1. SINGLE DX	610	3.0	5	<1	1	3	4	5	6	10
2. MULTIPLE DX	428	5.9	45	1	1	4	7	14	20	41
A. NOT OPERATED	126	4.7	27	<1	1	3	6	13	17	46
B. OPERATED	912	4.1	23	1	1	3	5	8	12	26
TOTAL 0-19 YRS	139	3.3	7	<1	1	3	4	5	7	19
20-34	403	3.4	6	1	1	3	4	6	8	14
35-49	152	3.5	13	<1	1	3	5	6	9	28
50-64	105	4.5	24	<1	1	3	5	13	15	22
65+	239	6.3	64	1	1	3	8	18	24	42
GRAND TOTAL	**1038**	**4.2**	**24**	**<1**	**1**	**3**	**5**	**8**	**13**	**27**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.5	4	<1	<1	2	3	6	7	8
20-34	26	3.1	9	<1	1	2	4	7	9	14
35-49	14	2.8	4	<1	1	2	4	6	7	7
50-64	11	2.6	2	<1	<1	2	4	5	6	6
65+	4	5.5	23	1	1	5	9	11	11	11
B. *Operated*										
0-19 YRS	864	3.3	4	1	1	3	4	6	7	11
20-34	1653	3.5	10	1	1	3	4	6	7	11
35-49	897	3.5	6	1	1	3	4	6	8	12
50-64	492	3.6	5	1	1	3	5	6	8	12
65+	84	5.9	108	1	2	3	6	12	15	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.8	19	<1	<1	3	4	9	10	22
20-34	50	2.7	6	<1	<1	2	3	7	8	11
35-49	33	3.8	14	<1	<1	3	5	8	10	19
50-64	18	5.1	30	<1	<1	2	7	16	17	17
65+	15	11.9	138	1	2	7	18	30	37	39
B. *Operated*										
0-19 YRS	508	3.4	8	1	1	3	4	6	7	13
20-34	1039	3.9	13	1	1	3	5	7	9	21
35-49	572	3.9	10	1	1	3	5	7	9	19
50-64	556	4.8	48	1	2	3	5	9	13	25
65+	181	7.4	101	2	2	4	9	15	22	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.9	6	<1	<1	2	4	7	8	13
B. *Operated*	3990	3.5	10	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	145	4.4	33	<1	<1	2	5	9	16	30
B. *Operated*	2856	4.2	25	1	1	3	5	8	10	24
1. SINGLE DX	4069	3.5	9	1	1	3	4	6	7	12
2. MULTIPLE DX	3001	4.2	25	1	1	3	5	8	10	24
A. NOT OPERATED	224	3.9	24	<1	<1	2	5	8	12	29
B. OPERATED	6846	3.8	16	1	1	3	5	6	9	17
TOTAL 0-19 YRS	1425	3.4	6	1	1	3	4	6	7	11
20-34	2768	3.6	11	1	1	3	5	6	8	13
35-49	1516	3.6	8	1	1	3	5	7	8	14
50-64	1077	4.2	28	1	2	3	5	7	10	21
65+	284	7.2	105	2	2	4	9	15	21	64
GRAND TOTAL	**7070**	**3.8**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.9	32	1	1	3	6	13	19	24
20-34	63	7.1	47	1	1	6	9	12	16	44
35-49	47	6.5	16	1	1	6	9	11	13	21
50-64	38	5.0	11	<1	1	4	7	9	10	16
65+	9	5.2	8	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	179	3.3	22	<1	<1	2	3	8	13	28
20-34	192	4.8	72	<1	1	2	4	12	18	51
35-49	86	3.9	9	1	1	3	5	9	10	13
50-64	71	5.2	54	<1	1	3	6	11	23	40
65+	43	9.4	124	1	2	4	13	29	34	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.8	20	1	1	5	7	11	13	25
20-34	210	7.1	33	2	3	6	9	12	14	31
35-49	160	7.9	23	3	4	7	9	13	16	28
50-64	63	10.2	72	2	3	8	12	20	27	44
65+	69	15.6	272	2	3	9	21	34	44	86
B. *Operated*										
0-19 YRS	127	7.1	83	1	1	3	10	17	23	50
20-34	196	11.2	162	1	1	6	16	26	38	77
35-49	116	9.6	136	1	1	6	12	22	35	81
50-64	97	11.2	256	1	2	6	12	43	73	99+
65+	105	16.7	303	2	2	11	24	43	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	6.1	28	1	1	5	8	10	14	28
B. *Operated*	571	4.6	51	<1	1	2	5	10	16	35
2. MULTIPLE DX										
A. *Not Operated*	552	8.6	71	2	3	7	10	15	22	44
B. *Operated*	641	11.0	186	1	1	6	15	28	43	99
1. SINGLE DX	761	5.0	45	<1	1	3	6	10	15	34
2. MULTIPLE DX	1193	9.9	134	1	2	6	11	22	35	73
A. NOT OPERATED	742	8.0	61	1	2	6	9	14	21	43
B. OPERATED	1212	8.0	132	1	1	4	10	20	33	72
TOTAL 0-19 YRS	389	5.0	45	<1	1	2	6	13	17	33
20-34	661	7.7	90	1	1	5	9	17	23	52
35-49	409	7.4	55	1	1	6	9	14	18	40
50-64	269	8.5	132	1	1	5	10	17	40	94
65+	226	14.5	257	1	2	8	21	36	48	90
GRAND TOTAL	**1954**	**8.0**	**105**	**1**	**1**	**5**	**9**	**17**	**28**	**65**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.9	4	1	1	2	4	6	7	9
20-34	57	3.1	5	1	1	2	5	7	7	9
35-49	37	3.2	7	<1	<1	2	4	8	9	10
50-64	22	4.2	8	<1	1	4	6	8	10	12
65+	24	8.2	69	1	2	5	9	23	27	31
B. *Operated*										
0-19 YRS	220	3.6	8	<1	1	2	5	7	8	14
20-34	326	4.2	8	1	1	4	6	8	9	13
35-49	90	4.5	14	1	1	4	6	9	11	21
50-64	49	6.4	69	1	2	4	8	10	19	48
65+	18	6.3	10	2	3	6	8	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	8	1	1	2	5	8	10	11
20-34	53	4.0	15	<1	1	3	5	10	13	18
35-49	37	7.8	100	1	2	5	8	16	36	46
50-64	54	7.1	36	2	2	5	10	15	20	29
65+	85	10.6	53	2	3	8	14	22	29	75
B. *Operated*										
0-19 YRS	280	5.1	17	1	1	5	6	9	11	22
20-34	480	5.0	15	1	1	5	6	9	11	19
35-49	185	5.7	17	1	2	5	7	10	13	22
50-64	77	9.1	40	2	2	8	13	18	21	31
65+	31	13.2	144	3	4	8	16	28	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.9	16	<1	1	3	5	7	9	24
B. *Operated*	703	4.2	13	<1	1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	265	7.2	50	1	1	5	10	16	22	39
B. *Operated*	1053	5.7	24	1	1	5	7	10	14	24
1. SINGLE DX	887	4.1	14	<1	1	3	6	8	9	18
2. MULTIPLE DX	1318	6.0	30	1	1	5	7	12	16	29
A. NOT OPERATED	449	5.8	39	1	1	4	7	13	20	30
B. OPERATED	1756	5.1	20	1	1	4	6	9	12	22
TOTAL 0-19 YRS	580	4.2	12	1	1	3	6	7	10	17
20-34	916	4.5	12	1	1	4	6	8	10	17
35-49	349	5.3	25	1	1	4	7	10	13	26
50-64	202	7.4	45	1	2	5	10	15	19	34
65+	158	10.2	72	2	3	7	13	22	29	50
GRAND TOTAL	**2205**	**5.3**	**24**	**1**	**1**	**4**	**6**	**10**	**14**	**27**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	4.7	11	1	1	4	6	9	13	15
20-34	693	6.7	20	1	2	6	9	12	15	23
35-49	788	7.2	21	2	3	6	9	12	15	26
50-64	369	7.1	15	2	3	6	9	13	15	19
65+	106	8.6	83	2	2	6	11	15	25	58
B. *Operated*										
0-19 YRS	7	6.7	40	1	1	6	9	17	19	19
20-34	89	6.9	36	2	2	5	10	14	17	32
35-49	94	8.1	62	1	2	5	12	15	20	45
50-64	26	7.5	40	1	2	5	10	17	21	26
65+	3	22.7	96	17	17	17	30	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.4	11	1	2	5	7	10	13	16
20-34	843	7.8	24	2	3	7	9	13	17	28
35-49	1022	8.7	33	3	3	7	11	15	19	29
50-64	750	8.7	34	3	3	7	11	15	19	32
65+	628	10.3	60	3	4	8	13	18	23	39
B. *Operated*										
0-19 YRS	14	9.5	38	3	4	8	12	19	24	25
20-34	124	11.0	72	2	2	9	15	22	27	41
35-49	135	11.0	62	2	3	10	13	20	28	42
50-64	92	11.0	48	2	3	10	14	21	26	31
65+	39	16.9	142	6	8	13	17	34	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2052	7.0	23	2	2	6	9	12	15	24
B. *Operated*	219	7.7	51	1	2	5	11	16	19	38
2. MULTIPLE DX										
A. *Not Operated*	3359	8.7	36	2	3	7	11	15	19	31
B. *Operated*	404	11.5	71	2	3	10	15	21	29	42
1. SINGLE DX	2271	7.0	26	2	2	6	9	13	15	26
2. MULTIPLE DX	3763	9.0	41	2	3	7	11	16	20	33
A. NOT OPERATED	5411	8.0	32	2	3	7	10	14	18	29
B. OPERATED	623	10.2	67	2	2	9	13	19	26	42
TOTAL 0-19 YRS	233	5.4	14	1	2	5	7	10	14	18
20-34	1749	7.5	28	2	2	6	9	14	17	28
35-49	2039	8.2	33	2	3	7	10	15	18	30
50-64	1237	8.4	31	2	3	7	10	15	18	29
65+	776	10.5	70	3	3	8	13	19	26	46
GRAND TOTAL	**6034**	**8.2**	**36**	**2**	**3**	**7**	**10**	**15**	**19**	**31**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.5	8	1	1	3	5	7	9	14
20-34	452	6.0	18	1	2	5	8	11	14	19
35-49	376	6.4	22	1	2	5	8	12	15	26
50-64	148	6.2	17	1	2	5	8	11	15	21
65+	66	6.7	14	2	3	6	9	12	15	17
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	85	5.5	21	2	2	4	7	12	15	22
35-49	87	7.1	47	1	2	4	10	20	22	28
50-64	23	5.0	14	1	1	3	8	11	12	13
65+	5	10.0	25	4	4	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	413	5.1	10	1	2	5	7	8	11	15
20-34	1801	6.5	14	2	3	6	7	11	13	22
35-49	1355	7.4	21	2	3	6	9	13	16	25
50-64	758	7.4	18	2	3	7	9	13	15	21
65+	436	9.1	43	2	3	7	12	18	24	30
B. *Operated*										
0-19 YRS	11	4.1	6	1	1	3	6	7	9	9
20-34	129	8.0	49	1	2	6	9	19	22	31
35-49	122	9.1	37	2	2	8	12	19	20	26
50-64	79	10.9	129	2	2	6	15	23	27	65
65+	29	15.6	136	4	4	12	20	33	35	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	5.9	18	1	1	5	8	11	14	20
B. *Operated*	202	6.2	32	1	2	4	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	4763	7.0	20	2	3	6	8	12	15	25
B. *Operated*	370	9.4	72	2	2	7	12	20	24	43
1. SINGLE DX	1409	5.9	20	1	1	5	8	11	15	21
2. MULTIPLE DX	5133	7.2	24	2	3	6	8	13	16	26
A. NOT OPERATED	5970	6.8	20	2	2	6	8	12	15	24
B. OPERATED	572	8.3	60	2	2	6	11	19	23	34
TOTAL 0-19 YRS	591	4.6	10	1	1	4	6	8	10	15
20-34	2467	6.4	17	2	2	6	7	11	14	23
35-49	1940	7.3	24	2	3	6	9	13	17	26
50-64	1008	7.4	27	2	3	6	9	13	16	24
65+	536	9.2	47	2	3	7	12	18	23	33
GRAND TOTAL	**6542**	**6.9**	**24**	**2**	**2**	**6**	**8**	**12**	**16**	**25**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	2.6	4	1	1	2	3	5	7	11
20-34	80	3.0	5	<1	1	3	4	6	6	11
35-49	71	3.6	16	<1	1	2	4	7	12	24
50-64	43	4.7	13	<1	1	4	7	11	12	15
65+	51	5.5	17	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	169	3.1	3	1	1	3	4	5	6	9
20-34	442	3.4	5	1	1	3	4	5	6	10
35-49	315	3.9	6	1	2	3	5	6	8	13
50-64	275	4.8	7	2	2	4	6	8	10	15
65+	97	6.3	20	2	2	5	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.1	8	<1	1	2	4	7	8	16
20-34	106	3.8	9	1	1	3	4	7	10	16
35-49	110	5.0	16	1	1	4	7	10	13	21
50-64	134	5.7	19	1	2	5	8	12	14	24
65+	224	9.1	58	1	2	7	13	19	24	36
B. *Operated*										
0-19 YRS	67	2.9	2	1	1	3	4	5	5	8
20-34	200	4.1	14	1	1	3	5	7	10	23
35-49	140	4.5	9	2	2	4	5	8	11	16
50-64	223	6.3	37	2	2	5	7	11	15	36
65+	128	10.7	127	2	3	7	12	23	35	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	3.7	11	<1	1	3	5	8	11	16
B. *Operated*	1298	4.0	7	1	2	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	637	6.2	35	1	1	4	8	13	17	26
B. *Operated*	767	5.8	43	1	2	4	6	11	16	39
1. SINGLE DX	1618	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX	1404	6.0	39	1	2	4	7	12	16	34
A. NOT OPERATED	957	5.3	28	1	1	4	7	12	15	25
B. OPERATED	2065	4.7	21	1	2	4	5	8	11	23
TOTAL 0-19 YRS	374	3.0	4	1	1	3	4	5	6	11
20-34	828	3.6	8	1	1	3	4	6	8	14
35-49	645	4.2	9	1	1	3	5	7	10	16
50-64	675	5.5	20	1	2	4	7	10	13	20
65+	500	8.6	67	2	2	6	10	17	24	48
GRAND TOTAL	**3022**	**4.9**	**24**	**1**	**1**	**4**	**6**	**9**	**13**	**25**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2264	1.7	2	1	1	1	2	3	4	6
20-34	733	2.4	4	<1	1	2	3	5	6	10
35-49	246	2.6	4	1	1	2	3	5	6	11
50-64	142	3.0	5	1	1	2	4	6	8	9
65+	78	3.9	38	1	1	3	4	7	9	42
B. *Operated*										
0-19 YRS	11	5.4	92	1	1	2	4	17	33	34
20-34	7	3.1	8	1	1	2	4	8	9	9
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3401	2.4	6	1	1	2	3	5	6	11
20-34	2619	3.7	14	1	1	3	5	8	9	15
35-49	1112	4.8	20	1	1	3	6	10	13	24
50-64	775	5.6	28	1	1	4	7	12	15	25
65+	896	8.6	96	1	2	6	10	18	28	66
B. *Operated*										
0-19 YRS	761	3.9	31	1	1	2	4	8	12	31
20-34	985	4.8	48	1	1	3	6	10	15	42
35-49	329	6.0	51	1	1	4	7	12	17	39
50-64	235	7.4	111	1	1	5	8	14	28	85
65+	301	12.2	177	1	2	8	15	33	45	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3463	2.0	3	1	1	1	2	4	5	9
B. *Operated*	21	4.1	50	1	1	2	3	7	20	34
2. MULTIPLE DX										
A. *Not Operated*	8803	4.0	24	1	1	2	5	8	12	24
B. *Operated*	2611	5.8	70	1	1	3	6	12	21	49
1. SINGLE DX	3484	2.0	4	1	1	1	2	4	5	9
2. MULTIPLE DX	11414	4.4	35	1	1	3	5	9	13	31
A. NOT OPERATED	12266	3.4	19	1	1	2	4	7	10	20
B. OPERATED	2632	5.8	70	1	1	3	6	12	21	49
TOTAL 0-19 YRS	6437	2.3	8	1	1	2	3	4	6	12
20-34	4344	3.7	20	1	1	3	5	8	10	18
35-49	1688	4.7	24	1	1	3	6	10	13	25
50-64	1153	5.6	43	1	1	4	7	11	15	32
65+	1276	9.1	116	1	2	6	11	20	32	72
GRAND TOTAL	**14898**	**3.9**	**29**	**1**	**1**	**2**	**4**	**8**	**12**	**28**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	642	1.9	4	<1	1	1	2	3	5	11
20-34	224	3.8	28	<1	1	2	4	8	11	25
35-49	76	3.4	10	<1	1	2	5	7	10	16
50-64	54	4.6	18	<1	1	3	6	13	14	16
65+	54	6.8	24	1	1	6	11	15	18	96
B. *Operated*										
0-19 YRS	22	10.0	75	1	1	8	13	21	29	37
20-34	15	11.7	85	3	4	9	16	37	81	99+
35-49	18	11.9	81	2	3	10	16	24	32	37
50-64	28	11.7	69	2	3	9	14	23	31	36
65+	42	12.5	47	4	5	11	17	24	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	974	3.2	33	1	1	2	3	6	11	29
20-34	491	5.0	50	<1	1	3	6	10	18	47
35-49	227	6.3	61	1	1	4	8	13	19	66
50-64	198	7.4	61	1	2	5	10	17	30	69
65+	408	11.8	210	1	2	7	14	27	41	95
B. *Operated*										
0-19 YRS	201	14.6	376	1	1	6	21	58	77	99+
20-34	213	16.7	440	1	1	9	26	58	94	99+
35-49	103	16.4	350	1	2	9	25	59	93	99+
50-64	108	24.1	454	2	2	18	40	64	72	99+
65+	215	23.9	429	2	3	18	39	66	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1050	2.8	13	<1	1	2	3	6	9	17
B. *Operated*	125	11.7	65	2	4	10	16	24	31	53
2. MULTIPLE DX										
A. *Not Operated*	2298	5.8	83	1	1	3	6	13	22	57
B. *Operated*	840	19.0	427	1	1	12	31	61	84	99+
1. SINGLE DX	1175	3.7	26	<1	1	2	4	9	14	25
2. MULTIPLE DX	3138	9.3	209	1	1	4	10	29	48	99+
A. NOT OPERATED	3348	4.8	63	1	1	2	5	11	18	47
B. OPERATED	965	18.0	386	1	1	11	28	58	78	99+
TOTAL 0-19 YRS	1839	4.1	75	<1	1	2	3	8	17	62
20-34	943	7.4	159	<1	1	3	8	20	39	99+
35-49	424	8.5	145	1	1	4	10	23	44	99+
50-64	388	12.0	223	1	2	6	15	36	57	99+
65+	719	15.1	286	1	2	9	19	42	66	99+
GRAND TOTAL	**4313**	**7.8**	**165**	**1**	**1**	**3**	**8**	**22**	**39**	**99+**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.5	12	1	1	3	3	8	13	14
20-34	44	3.8	5	1	1	4	5	7	8	9
35-49	23	5.8	14	<1	1	5	8	11	13	14
50-64	7	5.3	25	1	1	4	8	13	14	14
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	26	6.8	15	2	3	6	8	12	16	18
20-34	77	7.4	20	3	3	6	8	13	16	27
35-49	27	7.8	17	3	3	8	10	15	17	17
50-64	7	6.7	5	4	4	6	9	10	10	10
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.6	16	1	1	3	5	10	14	19
20-34	92	5.8	27	1	2	4	7	13	16	27
35-49	57	6.3	22	1	2	6	8	12	18	22
50-64	38	8.5	115	2	2	6	10	13	24	64
65+	63	10.4	91	2	3	8	12	18	33	56
B. *Operated*										
0-19 YRS	75	12.3	142	3	4	9	14	23	32	74
20-34	183	12.6	145	3	4	9	15	27	36	83
35-49	96	11.6	107	2	4	9	14	21	29	83
50-64	79	12.1	93	3	4	10	15	21	30	58
65+	73	18.9	298	4	6	12	25	40	64	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	4.3	10	1	1	4	5	9	12	14
B. *Operated*	139	7.3	17	3	3	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	312	6.9	51	1	2	5	8	14	19	36
B. *Operated*	506	13.2	156	3	4	10	15	27	39	82
1. SINGLE DX	236	6.1	17	1	2	5	8	12	14	19
2. MULTIPLE DX	818	10.8	125	2	3	8	12	22	32	68
A. NOT OPERATED	409	6.3	43	1	2	4	8	13	16	33
B. OPERATED	645	11.9	132	3	4	9	14	24	33	76
TOTAL 0-19 YRS	184	7.9	80	1	2	5	10	16	21	49
20-34	396	9.1	89	2	2	6	10	19	27	54
35-49	203	9.0	67	2	2	7	11	17	21	60
50-64	131	10.4	95	2	3	8	12	19	24	64
65+	140	14.6	210	3	4	9	15	34	45	93
GRAND TOTAL	**1054**	**9.8**	**104**	**2**	**2**	**7**	**12**	**19**	**29**	**64**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	3.7	8	1	1	3	5	7	10	14
20-34	156	4.2	10	1	1	3	6	9	11	15
35-49	34	4.8	15	1	2	4	6	11	14	17
50-64	19	5.6	16	1	2	5	6	12	16	17
65+	7	9.0	93	2	2	4	13	25	28	28
B. *Operated*										
0-19 YRS	106	7.4	14	2	3	7	9	12	16	19
20-34	105	8.3	24	2	4	7	9	14	17	30
35-49	41	8.0	12	3	4	8	9	13	15	17
50-64	21	8.5	18	3	5	8	9	14	19	20
65+	10	8.0	13	3	3	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	385	4.7	17	1	1	3	6	10	12	19
20-34	283	4.7	18	1	1	4	6	9	14	23
35-49	95	4.7	11	1	1	4	6	9	11	17
50-64	72	6.3	36	1	2	4	8	14	22	27
65+	74	10.0	103	2	2	7	12	20	30	60
B. *Operated*										
0-19 YRS	281	13.6	174	3	5	9	16	29	43	85
20-34	455	13.9	154	3	6	10	15	28	46	79
35-49	168	16.6	211	4	6	11	20	39	52	74
50-64	121	15.0	145	2	4	12	20	32	42	99+
65+	80	22.2	348	3	6	16	30	54	73	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	4.1	11	1	1	3	5	9	11	16
B. *Operated*	283	7.9	18	2	4	7	9	13	17	23
2. MULTIPLE DX										
A. *Not Operated*	909	5.3	27	1	1	4	6	11	14	23
B. *Operated*	1105	15.0	185	3	5	10	17	32	48	89
1. SINGLE DX	770	5.5	17	1	1	5	7	10	14	19
2. MULTIPLE DX	2014	10.6	137	1	2	8	12	22	35	73
A. NOT OPERATED	1396	4.9	22	1	1	3	6	10	13	23
B. OPERATED	1388	13.5	159	3	5	9	15	28	43	81
TOTAL 0-19 YRS	1043	7.1	73	1	1	5	8	14	19	49
20-34	999	9.2	99	1	2	7	11	18	27	62
35-49	338	11.0	142	1	2	8	12	22	39	68
50-64	233	11.0	107	2	2	8	14	25	33	90
65+	171	15.5	249	2	3	11	19	35	56	87
GRAND TOTAL	**2784**	**9.2**	**109**	1	2	7	11	19	29	64

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.2	14	<1	<1	2	4	6	13	16
20-34	8	3.1	10	<1	<1	2	4	8	10	10
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	4	3.8	8	1	1	3	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	151	2.7	5	1	1	2	4	6	7	11
20-34	89	2.8	5	1	1	2	3	6	7	11
35-49	36	3.5	11	1	1	2	5	8	9	17
50-64	20	2.8	4	<1	1	2	4	5	7	8
65+	25	4.9	18	1	1	4	6	12	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	9	1	1	2	4	6	12	13
20-34	17	2.5	4	1	1	2	4	5	7	8
35-49	9	3.3	6	1	1	3	4	7	9	9
50-64	6	5.2	47	1	1	2	8	17	18	18
65+	5	7.8	19	3	3	8	11	13	13	13
B. *Operated*										
0-19 YRS	194	4.2	22	1	1	3	5	8	11	21
20-34	165	4.0	12	<1	1	3	5	8	10	20
35-49	74	4.8	14	1	1	4	6	11	12	17
50-64	51	6.2	27	1	1	5	7	13	18	28
65+	42	7.8	189	1	1	4	7	13	33	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.3	10	<1	<1	2	4	6	10	16
B. *Operated*	321	3.0	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	65	3.6	12	1	1	3	4	8	12	17
B. *Operated*	526	4.7	33	1	1	3	6	9	13	21
1. SINGLE DX	351	3.0	7	1	1	2	4	6	8	15
2. MULTIPLE DX	591	4.6	30	1	1	3	6	9	13	21
A. NOT OPERATED	95	3.5	12	<1	1	3	4	8	12	17
B. OPERATED	847	4.1	23	1	1	3	5	8	11	19
TOTAL 0-19 YRS	389	3.5	14	1	1	2	4	7	10	16
20-34	279	3.5	10	<1	1	3	5	7	9	18
35-49	121	4.3	13	1	1	3	6	10	12	17
50-64	81	5.2	23	1	1	4	6	12	15	25
65+	72	6.8	118	1	1	4	7	13	17	72
GRAND TOTAL	**942**	**4.0**	**22**	1	1	3	5	8	11	19

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.6	10	<1	<1	2	3	4	7	20
20-34	58	2.6	5	<1	<1	2	3	6	7	12
35-49	40	3.1	5	<1	<1	3	4	6	8	10
50-64	11	2.8	3	1	1	3	3	6	7	7
65+	10	3.8	15	1	1	2	6	10	11	11
B. *Operated*										
0-19 YRS	282	2.4	13	<1	<1	1	3	5	6	11
20-34	175	3.3	12	<1	1	2	4	7	11	15
35-49	56	2.9	9	<1	<1	2	3	5	7	20
50-64	32	2.3	2	<1	<1	2	3	4	5	8
65+	32	2.6	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	2.8	6	<1	1	2	4	5	7	15
20-34	222	3.5	17	<1	1	2	4	7	10	14
35-49	105	4.1	14	<1	1	3	5	8	13	17
50-64	99	4.5	19	1	1	3	6	10	13	22
65+	215	7.7	92	1	1	5	9	17	23	61
B. *Operated*										
0-19 YRS	590	3.1	13	1	1	2	4	6	8	15
20-34	643	4.9	70	1	1	3	5	9	14	42
35-49	311	4.6	34	1	1	3	5	9	13	20
50-64	231	6.9	77	1	1	4	8	15	21	54
65+	407	8.9	149	1	1	5	10	19	33	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	2.8	8	<1	1	2	3	5	8	16
B. *Operated*	577	2.7	11	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	838	4.6	37	1	1	3	5	10	14	28
B. *Operated*	2182	5.3	69	1	1	3	6	11	17	48
1. SINGLE DX	791	2.8	10	<1	<1	2	3	5	7	14
2. MULTIPLE DX	3020	5.1	60	1	1	3	6	10	16	43
A. NOT OPERATED	1052	4.2	32	<1	1	3	5	8	13	24
B. OPERATED	2759	4.8	58	<1	1	3	5	10	15	42
TOTAL 0-19 YRS	1164	2.8	12	<1	1	2	3	6	7	15
20-34	1098	4.2	47	<1	1	2	5	8	12	33
35-49	512	4.2	25	<1	1	3	5	8	12	18
50-64	373	5.7	56	1	1	3	7	12	18	48
65+	664	8.1	124	1	1	5	10	18	28	85
GRAND TOTAL	**3811**	**4.6**	**51**	**<1**	**1**	**3**	**5**	**10**	**14**	**38**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.6	4	1	1	2	3	5	7	10
20-34	322	2.6	3	<1	1	2	3	5	6	9
35-49	85	2.9	3	<1	1	2	4	6	7	9
50-64	30	3.7	16	1	1	3	4	7	13	20
65+	9	5.9	27	1	1	4	10	14	15	15
B. *Operated*										
0-19 YRS	148	3.3	10	<1	1	2	4	7	9	16
20-34	206	4.8	17	1	1	4	7	9	10	19
35-49	55	5.7	30	1	1	5	8	10	14	34
50-64	29	3.6	9	1	1	3	6	9	10	11
65+	5	3.6	10	<1	<1	2	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.1	5	1	1	2	4	6	7	11
20-34	227	3.7	28	1	1	3	4	7	9	20
35-49	84	3.9	10	<1	1	3	5	7	9	17
50-64	33	4.2	10	<1	1	4	6	9	11	13
65+	25	8.3	77	1	1	4	12	22	30	35
B. *Operated*										
0-19 YRS	193	5.9	41	1	1	4	8	11	15	32
20-34	367	9.0	104	1	2	6	10	17	31	52
35-49	123	9.0	95	1	2	7	10	16	38	70
50-64	51	11.8	158	1	2	8	17	26	51	99
65+	22	13.1	145	1	2	8	25	31	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	593	2.8	5	1	1	2	3	5	6	10
B. *Operated*	443	4.3	16	<1	1	3	6	9	10	19
2. MULTIPLE DX										
A. *Not Operated*	469	3.9	22	1	1	3	5	7	9	21
B. *Operated*	756	8.5	94	1	1	6	10	17	29	56
1. SINGLE DX	1036	3.4	10	<1	1	2	4	7	9	15
2. MULTIPLE DX	1225	6.7	71	1	1	4	8	13	20	50
A. NOT OPERATED	1062	3.3	13	1	1	2	4	6	8	15
B. OPERATED	1199	6.9	69	1	1	5	8	14	20	49
TOTAL 0-19 YRS	588	3.9	20	1	1	2	5	9	11	22
20-34	1122	5.3	51	1	1	3	6	10	14	46
35-49	347	5.7	48	1	1	4	7	11	16	45
50-64	143	6.7	78	1	1	4	8	17	21	70
65+	61	9.3	96	1	1	6	12	26	32	39
GRAND TOTAL	**2261**	**5.2**	**46**	**1**	**1**	**3**	**6**	**10**	**15**	**42**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	119	3.2	4	<1	1	3	4	6	7	11
20-34	165	3.1	5	<1	<1	3	4	6	8	12
35-49	83	4.0	12	<1	1	3	5	8	11	19
50-64	31	4.1	8	<1	1	4	5	9	11	12
65+	11	3.8	6	1	1	4	6	7	8	8
B. *Operated*										
0-19 YRS	727	2.3	5	<1	1	2	3	4	6	12
20-34	952	2.6	5	<1	1	2	3	5	7	14
35-49	440	2.4	5	<1	1	2	3	4	6	10
50-64	231	2.6	13	<1	1	2	3	5	8	17
65+	77	3.0	12	<1	1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.4	22	<1	1	3	5	7	12	30
20-34	225	4.2	22	<1	1	3	5	7	11	26
35-49	91	4.5	19	<1	1	3	6	9	12	26
50-64	62	4.9	9	1	2	4	6	10	11	15
65+	50	9.2	134	1	2	7	9	16	23	80
B. *Operated*										
0-19 YRS	713	3.2	18	1	1	2	3	6	9	23
20-34	1008	3.8	26	<1	1	2	4	8	12	29
35-49	435	4.3	41	1	1	2	4	9	13	34
50-64	341	4.2	28	1	1	3	4	9	12	36
65+	185	6.0	53	1	1	4	8	14	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	3.4	7	<1	1	3	5	6	8	12
B. *Operated*	2427	2.5	6	<1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*	570	4.8	32	1	1	3	6	9	13	27
B. *Operated*	2682	3.9	28	1	1	2	4	8	12	29
1. SINGLE DX	2836	2.6	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	3252	4.1	29	1	1	2	4	8	12	29
A. NOT OPERATED	979	4.2	22	<1	1	3	5	8	11	23
B. OPERATED	5109	3.2	18	<1	1	2	4	6	9	21
TOTAL 0-19 YRS	1701	2.9	12	<1	1	2	3	5	8	16
20-34	2350	3.3	16	<1	1	2	4	7	9	20
35-49	1049	3.5	22	<1	1	2	4	7	10	24
50-64	665	3.7	21	<1	1	2	4	8	11	21
65+	323	5.7	58	1	1	3	7	14	18	32
GRAND TOTAL	**6088**	**3.4**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	3.0	7	1	1	2	4	5	7	15
20-34	134	3.3	5	1	1	3	5	6	8	11
35-49	40	3.9	6	1	1	3	5	7	8	12
50-64	18	3.2	4	1	1	3	4	5	8	10
65+	13	6.6	19	2	2	6	8	12	17	18
B. *Operated*										
0-19 YRS	433	3.4	12	<1	1	2	4	7	10	16
20-34	310	4.7	25	1	1	3	6	9	15	26
35-49	113	4.6	22	1	1	3	5	9	12	25
50-64	69	6.3	40	1	1	4	7	16	22	29
65+	45	9.6	79	1	1	6	14	25	29	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.4	14	<1	1	3	6	9	12	18
20-34	117	4.6	12	1	1	4	6	9	11	18
35-49	61	6.8	43	1	2	5	8	13	28	92
50-64	48	8.7	30	2	3	7	11	19	20	21
65+	61	14.9	168	3	4	12	17	31	47	59
B. *Operated*										
0-19 YRS	305	6.7	89	1	1	4	7	13	22	61
20-34	301	8.4	120	1	2	5	9	17	27	61
35-49	136	9.8	148	1	1	5	13	21	39	61
50-64	108	12.2	157	1	2	7	20	35	41	99+
65+	93	14.9	166	1	2	12	22	36	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	3.4	7	1	1	3	5	6	8	14
B. *Operated*	970	4.5	24	1	1	3	5	9	14	27
2. MULTIPLE DX										
A. *Not Operated*	409	6.9	56	1	1	5	8	14	20	47
B. *Operated*	943	9.1	129	1	1	5	11	22	37	81
1. SINGLE DX	1326	4.2	20	1	1	3	5	8	12	25
2. MULTIPLE DX	1352	8.4	108	1	1	5	10	20	31	67
A. NOT OPERATED	765	5.2	36	1	1	4	6	11	15	32
B. OPERATED	1913	6.8	81	1	1	4	8	16	25	56
TOTAL 0-19 YRS	1011	4.5	37	1	1	3	5	9	12	30
20-34	862	5.8	57	1	1	4	6	12	17	45
35-49	350	6.9	78	1	1	4	8	15	24	54
50-64	243	9.1	96	1	2	5	12	23	33	99+
65+	212	13.3	145	1	2	10	18	31	40	99+
GRAND TOTAL	**2678**	**6.3**	**69**	**1**	**1**	**4**	**7**	**14**	**21**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.5	41	3	3	7	12	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	14	4.2	14	1	1	3	4	10	13	14
20-34	22	5.2	10	1	1	5	7	10	11	12
35-49	9	5.7	27	<1	1	3	8	15	17	17
50-64	3	1.0		<1	<1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	3	1	1	2	3	6	7	7
20-34	6	2.7	2	<1	<1	2	3	5	5	5
35-49										
50-64	5	6.0	4	4	4	6	7	9	9	9
65+	5	16.2	209	1	1	13	29	35	35	35
B. *Operated*										
0-19 YRS	42	7.4	135	1	1	2	8	17	28	65
20-34	55	11.5	274	<1	1	5	12	28	58	75
35-49	27	14.7	306	1	1	8	19	51	56	59
50-64	11	15.0	407	1	3	7	12	54	60	61
65+	3	46.0	1521	1	1	67	69	70	70	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.9	14	1	1	2	3	9	12	12
B. *Operated*	49	4.7	14	1	1	3	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	25	6.1	65	1	1	3	6	13	29	35
B. *Operated*	138	11.9	292	1	1	5	13	39	60	71
1. SINGLE DX	57	4.4	14	1	1	3	7	10	12	17
2. MULTIPLE DX	163	11.0	261	1	1	5	12	30	57	70
A. NOT OPERATED	33	5.3	54	1	1	3	5	12	25	35
B. OPERATED	187	10.0	229	1	1	4	10	23	54	69
TOTAL 0-19 YRS	70	5.8	88	1	1	2	7	13	17	60
20-34	84	9.1	193	<1	1	5	10	19	42	72
35-49	38	12.2	238	1	1	6	15	35	55	59
50-64	19	10.4	260	<1	1	6	8	35	56	61
65+	9	24.4	770	1	1	13	43	69	70	70
GRAND TOTAL	**220**	**9.3**	**205**	**1**	**1**	**4**	**10**	**20**	**47**	**68**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	31.7	1395	1	2	6	82	93	99+	99+
20-34	22	3.7	8	<1	<1	3	5	9	10	10
35-49	12	5.8	10	2	3	5	7	11	12	12
50-64	5	9.2	82	2	2	3	18	21	21	21
65+	13	7.6	33	1	2	6	10	16	21	22
B. *Operated*										
0-19 YRS	165	3.2	7	1	1	2	3	6	8	15
20-34	259	3.4	9	<1	1	2	4	7	9	15
35-49	110	4.6	40	1	2	3	4	11	12	42
50-64	81	4.2	13	1	2	3	5	8	9	22
65+	27	8.3	67	<1	1	6	12	16	30	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	21.1	930	<1	1	6	79	99+	99+	99+
20-34	67	8.1	100	1	1	4	10	18	36	47
35-49	44	6.5	30	1	2	5	8	14	16	31
50-64	54	10.7	119	1	2	8	14	26	36	98
65+	80	11.8	178	1	2	8	16	28	52	99+
B. *Operated*										
0-19 YRS	158	4.8	81	1	1	3	4	7	15	35
20-34	316	5.7	79	1	2	3	5	10	19	50
35-49	152	6.3	66	2	2	4	6	14	24	49
50-64	169	9.3	135	2	2	4	12	24	31	48
65+	88	17.5	456	2	2	10	19	48	69	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	15.6	697	1	1	5	11	83	91	99+
B. *Operated*	642	3.9	18	1	1	3	4	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	290	11.4	260	1	1	6	14	40	86	99+
B. *Operated*	883	7.5	138	1	2	3	7	18	29	57
1. SINGLE DX	726	5.2	110	1	1	3	5	9	14	86
2. MULTIPLE DX	1173	8.5	171	1	2	4	9	22	37	99+
A. NOT OPERATED	374	12.3	360	1	1	6	14	59	87	99+
B. OPERATED	1525	6.0	90	1	2	3	6	12	22	49
TOTAL 0-19 YRS	400	8.1	324	1	1	3	5	27	86	99+
20-34	664	5.0	53	1	1	3	5	9	15	42
35-49	318	5.7	51	1	2	3	6	12	18	39
50-64	309	8.2	104	1	2	4	10	21	28	54
65+	208	13.5	283	1	2	8	15	34	53	97
GRAND TOTAL	**1899**	**7.2**	**150**	**1**	**2**	**3**	**7**	**16**	**30**	**92**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	4.3	4	1	2	4	5	6	9	12
20-34	78	3.8	4	1	1	4	5	6	7	11
35-49	24	4.6	5	1	2	5	6	6	8	13
50-64	6	3.2	3	<1	<1	3	5	5	5	5
65+	5	5.8	21	3	3	4	7	14	14	14
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	4.0	5	1	1	4	5	7	8	10
20-34	94	3.4	6	<1	1	3	5	6	6	15
35-49	50	4.1	7	<1	1	4	5	7	10	13
50-64	22	4.5	21	1	1	3	6	7	14	23
65+	38	8.0	56	1	2	7	9	16	24	39
B. *Operated*										
0-19 YRS	22	6.7	26	<1	1	5	11	14	17	19
20-34	31	3.9	7	1	1	3	5	7	8	14
35-49	14	4.4	14	1	2	3	6	10	14	15
50-64	5	7.8	128	2	2	3	10	28	28	28
65+	12	5.9	21	2	2	4	8	14	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.2	5	1	2	4	5	6	8	12
B. *Operated*	7	3.4	4	1	1	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	400	4.3	12	1	1	4	5	8	9	18
B. *Operated*	84	5.2	22	1	1	4	6	12	15	25
1. SINGLE DX	347	4.2	4	1	2	4	5	6	8	12
2. MULTIPLE DX	484	4.4	14	1	1	4	5	8	10	19
A. NOT OPERATED	740	4.3	9	1	1	4	5	7	9	13
B. OPERATED	91	5.1	21	1	1	4	6	12	15	24
TOTAL 0-19 YRS	447	4.3	6	1	1	4	5	7	9	12
20-34	204	3.6	5	1	1	3	5	6	7	12
35-49	89	4.3	7	1	1	4	5	7	10	14
50-64	33	4.7	32	1	1	3	5	7	21	28
65+	58	7.1	44	1	2	5	9	14	18	38
GRAND TOTAL	**831**	**4.3**	**10**	**1**	**1**	**4**	**5**	**7**	**10**	**16**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	567	2.3	6	<1	1	2	3	4	6	11
20-34	401	2.8	5	<1	1	2	4	5	8	11
35-49	194	3.6	9	<1	1	3	5	8	10	15
50-64	134	3.7	11	1	1	3	5	7	12	19
65+	221	5.4	21	1	1	4	7	11	16	27
B. *Operated*										
0-19 YRS	100	2.7	5	<1	1	2	3	6	7	11
20-34	83	3.8	9	<1	1	3	5	7	12	14
35-49	50	4.7	23	<1	1	3	6	9	11	28
50-64	46	6.1	51	1	1	4	7	14	19	43
65+	34	8.8	71	2	3	7	10	14	21	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1104	2.6	6	1	1	2	3	5	7	13
20-34	1212	4.3	13	<1	1	3	6	9	11	18
35-49	732	5.4	23	1	1	4	8	11	14	22
50-64	661	6.3	44	1	1	4	8	12	18	28
65+	2037	10.2	116	2	2	7	12	22	33	85
B. *Operated*										
0-19 YRS	158	4.4	30	1	1	2	6	10	13	27
20-34	203	5.3	21	1	1	4	7	11	15	22
35-49	134	8.3	136	1	1	5	10	16	27	88
50-64	120	10.2	77	1	2	8	14	22	27	39
65+	264	17.4	205	2	4	14	26	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1517	3.2	10	<1	1	2	4	7	9	17
B. *Operated*	313	4.5	26	<1	1	3	6	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	5746	6.4	62	1	1	4	8	14	20	47
B. *Operated*	879	9.9	130	1	1	6	13	25	34	78
1. SINGLE DX	1830	3.4	13	<1	1	2	4	7	10	18
2. MULTIPLE DX	6625	6.9	72	1	1	4	8	15	22	52
A. NOT OPERATED	7263	5.8	53	1	1	4	7	12	18	41
B. OPERATED	1192	8.5	109	1	1	5	11	21	32	69
TOTAL 0-19 YRS	1929	2.7	8	1	1	2	3	6	7	13
20-34	1899	4.0	13	<1	1	3	6	8	11	17
35-49	1110	5.4	36	1	1	4	7	11	14	26
50-64	961	6.4	46	1	1	4	8	14	19	32
65+	2556	10.5	123	2	2	7	13	24	34	93
GRAND TOTAL	**8455**	**6.1**	**62**	**1**	**1**	**4**	**8**	**13**	**20**	**46**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.5	2	1	1	2	3	4	6	7
20-34	26	3.7	16	<1	1	2	4	11	14	15
35-49	13	4.0	20	<1	<1	2	5	11	15	16
50-64	4	5.8	17	2	2	5	9	11	11	11
65+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	29	5.3	51	1	1	2	5	14	25	31
20-34	41	4.7	22	1	1	3	6	10	18	19
35-49	38	4.9	43	<1	<1	2	5	12	24	28
50-64	16	8.1	209	1	1	2	5	31	47	53
65+	7	4.4	54	<1	<1	1	3	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.6	12	<1	1	3	5	7	10	16
20-34	37	4.4	25	1	1	3	5	6	16	27
35-49	25	6.0	21	2	2	4	8	12	15	20
50-64	15	8.5	78	1	2	4	15	20	28	31
65+	7	9.4	45	5	5	5	12	21	23	23
B. *Operated*										
0-19 YRS	55	8.1	111	1	1	4	9	20	35	50
20-34	87	8.1	137	1	1	4	7	19	36	61
35-49	59	7.0	98	<1	1	4	7	17	30	55
50-64	48	15.8	512	1	1	5	16	49	63	95
65+	8	4.6	21	2	2	3	5	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.3	12	1	1	2	4	7	12	16
B. *Operated*	131	5.3	58	1	1	2	5	13	21	37
2. MULTIPLE DX										
A. *Not Operated*	108	5.5	32	1	1	4	6	12	19	29
B. *Operated*	257	9.2	197	1	1	4	9	24	40	62
1. SINGLE DX	202	4.6	42	1	1	2	5	11	17	32
2. MULTIPLE DX	365	8.1	151	1	1	4	7	20	34	61
A. NOT OPERATED	179	4.6	25	1	1	3	5	11	16	26
B. OPERATED	388	7.9	153	1	1	3	7	20	34	61
TOTAL 0-19 YRS	133	5.6	64	1	1	3	6	13	23	41
20-34	191	6.0	77	1	1	3	6	13	20	53
35-49	135	5.9	61	<1	1	3	7	14	22	37
50-64	83	12.5	361	1	1	4	12	41	55	92
65+	25	5.5	38	<1	1	3	6	15	21	23
GRAND TOTAL	**567**	**6.8**	**115**	**1**	**1**	**3**	**7**	**16**	**29**	**59**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.4	2	<1	<1	1	1	4	5	5
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	13	1.7	3	<1	<1	1	2	3	6	7
20-34	4	1.5		1	1	1	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	2	<1	<1	1	3	4	4	4
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	7	2.0	2	<1	<1	1	3	4	4	4
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	5	5
B. *Operated*	19	1.8	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	2	<1	<1	2	3	4	5	5
B. *Operated*	13	2.0	2	<1	<1	1	3	4	4	4
1. SINGLE DX	30	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	25	2.1	2	<1	1	1	3	4	5	5
A. NOT OPERATED	23	1.8	2	<1	<1	1	3	4	5	5
B. OPERATED	32	1.9	2	<1	<1	1	2	4	4	7
TOTAL 0-19 YRS	35	1.7	2	<1	<1	1	2	4	5	7
20-34	11	1.8	1	<1	<1	1	2	4	4	4
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**55**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	390	1.5	1	<1	<1	1	2	3	3	6
20-34	122	2.1	7	<1	<1	1	2	4	6	16
35-49	111	1.6	3	1	1	1	2	3	3	10
50-64	134	1.6	1	<1	1	1	2	3	4	6
65+	109	2.6	20	<1	1	1	3	4	6	28
B. *Operated*										
0-19 YRS	73	2.2	4	<1	<1	1	3	5	7	9
20-34	38	3.7	13	<1	<1	2	5	10	11	12
35-49	19	2.1	2	<1	<1	1	3	5	5	5
50-64	19	4.7	30	1	1	2	8	11	17	22
65+	21	3.2	7	<1	1	2	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	2.0	4	<1	<1	1	2	4	6	10
20-34	68	3.3	15	<1	<1	2	4	9	11	19
35-49	76	2.9	9	<1	1	2	4	6	8	16
50-64	127	3.0	9	1	1	2	4	8	10	14
65+	201	4.9	30	1	1	3	6	12	16	26
B. *Operated*										
0-19 YRS	66	2.7	10	<1	<1	2	3	6	8	19
20-34	37	8.1	75	1	1	4	11	22	30	32
35-49	38	6.8	43	1	1	4	11	16	20	27
50-64	70	5.0	41	1	1	2	5	13	19	36
65+	124	8.9	95	1	2	5	12	20	27	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	866	1.7	5	<1	<1	1	2	3	4	9
B. *Operated*	170	2.9	9	<1	<1	2	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	672	3.3	16	<1	1	2	4	8	10	20
B. *Operated*	335	6.6	64	1	1	3	8	16	21	41
1. SINGLE DX	1036	1.9	6	<1	<1	1	2	4	5	11
2. MULTIPLE DX	1007	4.4	34	<1	1	2	5	11	16	29
A. NOT OPERATED	1538	2.4	10	<1	<1	1	2	5	8	17
B. OPERATED	505	5.3	49	<1	1	3	6	14	19	35
TOTAL 0-19 YRS	729	1.8	3	<1	<1	1	2	3	5	9
20-34	265	3.5	23	<1	<1	2	3	9	12	26
35-49	244	2.9	14	<1	1	1	3	6	11	18
50-64	350	3.0	15	1	1	2	3	7	10	19
65+	455	5.4	50	1	1	3	6	14	19	39
GRAND TOTAL	**2043**	**3.1**	**21**	**<1**	**<1**	**1**	**3**	**7**	**11**	**22**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.7	23	1	1	3	7	13	17	18
20-34	18	6.2	12	1	2	5	8	11	13	13
35-49	6	7.8	63	1	1	5	14	19	20	20
50-64	6	11.8	81	3	3	11	13	27	28	28
65+	6	18.8	146	8	8	14	21	40	42	42
B. *Operated*										
0-19 YRS	46	17.3	206	1	3	12	27	42	46	47
20-34	61	9.9	77	1	2	7	14	23	26	41
35-49	26	11.8	136	2	2	9	11	29	41	49
50-64	23	12.9	272	1	3	9	12	21	48	83
65+	20	17.3	174	2	3	11	29	36	39	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	8.9	56	1	1	7	13	19	28	31
20-34	28	8.6	42	1	1	6	11	19	21	27
35-49	26	8.4	71	1	2	5	10	21	31	33
50-64	24	15.2	284	1	2	9	18	45	60	61
65+	32	20.1	207	3	5	17	25	37	56	62
B. *Operated*										
0-19 YRS	105	17.7	260	2	3	14	23	38	56	75
20-34	123	18.2	280	2	3	12	25	43	59	99+
35-49	84	22.3	362	2	4	17	31	49	81	99+
50-64	73	25.2	486	2	5	22	37	63	89	99+
65+	78	37.0	675	5	6	29	60	78	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	7.8	51	1	2	6	11	15	20	40
B. *Operated*	176	13.3	162	2	2	9	16	35	40	48
2. MULTIPLE DX										
A. *Not Operated*	180	11.6	130	1	2	9	16	25	32	61
B. *Operated*	463	23.1	432	2	3	18	32	59	78	99+
1. SINGLE DX	242	11.8	138	1	2	8	14	28	38	47
2. MULTIPLE DX	643	19.9	374	2	3	14	27	47	68	99+
A. NOT OPERATED	246	10.6	112	1	2	7	14	21	31	60
B. OPERATED	639	20.4	377	2	3	14	28	47	69	99+
TOTAL 0-19 YRS	251	13.8	187	1	2	10	18	32	41	67
20-34	230	13.9	197	2	2	10	18	33	48	93
35-49	142	17.2	291	2	3	11	25	44	53	99+
50-64	126	20.4	416	2	3	13	26	46	79	99+
65+	136	29.3	543	3	5	22	42	70	82	99+
GRAND TOTAL	**885**	**17.7**	**322**	**2**	**3**	**12**	**24**	**43**	**63**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	5.2	22	1	1	4	7	11	14	23
20-34	140	5.7	32	1	1	4	8	12	17	27
35-49	61	5.5	40	1	1	4	7	11	15	39
50-64	41	8.0	45	1	1	7	12	18	20	30
65+	19	9.2	42	1	1	11	14	19	20	20
B. *Operated*										
0-19 YRS	46	7.8	48	1	1	6	10	21	24	28
20-34	34	6.6	36	1	1	4	9	15	18	26
35-49	20	9.9	61	1	2	8	13	21	26	30
50-64	12	13.5	78	1	2	15	19	25	29	30
65+	9	10.6	45	2	3	10	13	21	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	639	5.9	30	1	1	4	8	13	17	24
20-34	352	5.8	37	1	1	4	8	13	17	29
35-49	213	7.1	48	1	1	5	9	15	21	36
50-64	159	10.0	101	1	2	7	13	22	27	46
65+	107	13.8	256	2	2	8	14	44	52	73
B. *Operated*										
0-19 YRS	138	11.7	133	1	2	9	15	24	36	58
20-34	126	11.3	91	1	2	9	15	21	36	61
35-49	93	15.0	185	2	3	11	19	34	42	71
50-64	63	19.4	360	2	3	14	25	52	68	98
65+	71	27.1	410	4	7	25	41	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	5.7	29	1	1	4	8	13	16	27
B. *Operated*	121	8.6	52	1	2	7	12	21	24	30
2. MULTIPLE DX										
A. *Not Operated*	1470	7.1	64	1	1	5	9	15	20	45
B. *Operated*	491	15.5	229	2	2	11	20	37	53	99+
1. SINGLE DX	686	6.2	35	1	1	4	8	14	18	28
2. MULTIPLE DX	1961	9.2	118	1	1	6	11	20	31	65
A. NOT OPERATED	2035	6.7	55	1	1	4	9	14	19	41
B. OPERATED	612	14.1	202	1	2	10	19	33	45	99+
TOTAL 0-19 YRS	1127	6.5	45	1	1	4	8	15	19	31
20-34	652	6.9	51	1	1	5	9	15	20	40
35-49	387	8.9	93	1	1	6	11	20	28	43
50-64	275	12.0	167	1	2	8	15	26	39	85
65+	206	17.8	325	2	3	11	24	49	72	99+
GRAND TOTAL	**2647**	**8.4**	**98**	**1**	**1**	**5**	**10**	**19**	**26**	**56**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	11	<1	<1	2	3	6	9	17
20-34	24	3.6	10	<1	1	3	5	7	10	15
35-49	13	3.6	13	<1	<1	2	4	8	13	14
50-64	11	10.7	372	2	2	4	8	35	65	68
65+	6	12.2	97	2	2	11	23	24	24	24
B. *Operated*										
0-19 YRS	68	2.5	4	1	1	2	3	4	6	12
20-34	143	3.3	24	<1	1	2	3	5	9	36
35-49	87	3.6	43	<1	1	2	3	4	11	44
50-64	29	3.3	16	<1	<1	2	3	5	7	23
65+	9	2.8	2	<1	1	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	3	1	1	2	3	5	6	7
20-34	63	9.2	128	1	1	6	10	21	36	61
35-49	48	7.2	69	1	1	4	9	16	26	40
50-64	39	10.7	103	2	2	8	14	31	34	37
65+	56	16.8	306	2	4	12	20	35	72	99
B. *Operated*										
0-19 YRS	103	2.8	11	1	1	2	3	5	6	22
20-34	178	4.4	40	1	1	2	4	12	23	37
35-49	78	8.0	157	1	1	2	6	27	42	53
50-64	59	6.4	131	1	1	3	6	13	22	78
65+	17	20.6	477	1	1	14	42	62	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.9	72	<1	<1	2	5	11	16	54
B. *Operated*	336	3.2	23	<1	1	2	3	5	8	27
2. MULTIPLE DX										
A. *Not Operated*	241	9.8	154	1	1	6	12	24	35	78
B. *Operated*	435	5.6	94	1	1	2	4	15	25	62
1. SINGLE DX	417	3.5	33	<1	1	2	3	6	10	29
2. MULTIPLE DX	676	7.1	120	1	1	3	7	19	32	63
A. NOT OPERATED	322	8.6	138	1	1	5	10	20	34	71
B. OPERATED	771	4.5	65	1	1	2	3	9	20	51
TOTAL 0-19 YRS	233	2.7	8	1	1	2	3	5	6	17
20-34	408	4.7	50	1	1	2	4	10	19	41
35-49	226	5.9	90	<1	1	2	5	15	26	52
50-64	138	7.3	122	1	1	3	8	15	26	70
65+	88	15.8	311	1	2	9	21	43	62	99+
GRAND TOTAL	**1093**	**5.7**	**90**	**1**	**1**	**2**	**5**	**14**	**25**	**61**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	2.7	11	<1	1	2	3	5	7	10
20-34	198	3.1	9	<1	1	2	4	6	9	17
35-49	83	4.3	11	1	1	3	6	8	12	15
50-64	52	4.5	14	1	1	4	5	8	16	18
65+	31	6.7	53	1	1	4	8	16	21	34
B. *Operated*										
0-19 YRS	38	3.5	15	<1	<1	2	3	9	12	18
20-34	65	5.6	49	<1	1	3	6	12	21	38
35-49	35	6.8	39	1	2	4	9	16	22	25
50-64	22	6.6	54	<1	1	4	9	16	24	29
65+	11	5.4	14	<1	1	6	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	310	3.3	10	1	1	2	4	7	9	15
20-34	378	4.5	23	1	1	3	6	9	11	24
35-49	205	5.0	19	1	1	4	6	10	13	20
50-64	149	6.3	32	1	2	5	8	13	17	26
65+	248	9.8	93	1	2	8	13	19	24	81
B. *Operated*										
0-19 YRS	110	6.3	69	1	1	4	8	13	20	72
20-34	181	10.3	192	1	1	5	11	24	38	89
35-49	75	9.2	81	1	2	6	13	19	28	46
50-64	53	16.0	372	1	1	8	20	51	60	79
65+	60	21.8	480	1	3	16	29	71	80	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	3.4	14	1	1	2	4	7	9	18
B. *Operated*	171	5.5	38	<1	1	3	7	13	20	28
2. MULTIPLE DX										
A. *Not Operated*	1290	5.5	39	1	1	4	7	12	16	30
B. *Operated*	479	11.3	223	1	1	6	14	27	50	88
1. SINGLE DX	782	3.9	20	1	1	2	5	8	12	22
2. MULTIPLE DX	1769	7.1	95	1	1	4	8	15	22	62
A. NOT OPERATED	1901	4.9	32	1	1	3	6	10	14	26
B. OPERATED	650	9.7	181	1	1	5	11	23	35	79
TOTAL 0-19 YRS	705	3.6	21	<1	1	2	4	7	9	21
20-34	822	5.5	66	1	1	3	6	11	19	45
35-49	398	5.8	34	1	1	4	8	13	16	31
50-64	276	7.9	111	1	1	5	8	17	25	60
65+	350	11.4	175	1	2	8	14	22	34	87
GRAND TOTAL	**2551**	**6.1**	**74**	**1**	**1**	**3**	**7**	**13**	**20**	**52**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1093	2.1	4	<1	1	1	2	4	5	8
20-34	596	2.3	4	<1	1	2	3	4	6	11
35-49	216	2.6	10	<1	1	2	3	5	8	16
50-64	79	2.9	7	<1	<1	2	4	6	9	13
65+	71	7.3	46	1	2	5	9	16	21	37
B. *Operated*										
0-19 YRS										
20-34	4	2.8	3	1	1	2	4	5	5	5
35-49	3	9.0	52	3	3	7	14	17	17	17
50-64										
65+	4	6.5	14	3	3	6	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2048	3.5	29	<1	1	2	4	6	10	29
20-34	2374	4.6	46	<1	1	2	5	10	16	35
35-49	1307	5.8	72	1	1	3	6	13	20	42
50-64	772	8.0	87	1	1	5	10	17	27	45
65+	1069	10.2	89	2	3	8	13	21	28	66
B. *Operated*										
0-19 YRS	17	8.2	61	<1	<1	7	11	20	26	28
20-34	61	14.4	295	1	1	9	18	51	70	99+
35-49	50	16.7	404	2	3	11	19	65	96	99+
50-64	50	18.1	298	4	6	15	21	36	85	99+
65+	99	20.1	277	4	6	15	26	46	66	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2055	2.4	7	<1	1	2	3	5	6	13
B. *Operated*	11	5.8	22	1	2	4	8	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	7570	5.6	61	1	1	3	6	13	20	39
B. *Operated*	277	17.2	301	1	3	12	22	46	68	99+
1. SINGLE DX	2066	2.4	7	<1	1	2	3	5	6	13
2. MULTIPLE DX	7847	6.1	74	1	1	3	7	14	22	46
A. NOT OPERATED	9625	5.0	52	<1	1	3	5	11	18	37
B. OPERATED	288	16.7	295	1	3	12	21	42	68	99+
TOTAL 0-19 YRS	3158	3.0	21	<1	1	2	3	6	8	27
20-34	3035	4.4	46	<1	1	2	4	9	15	35
35-49	1576	5.7	79	1	1	3	6	13	20	45
50-64	901	8.1	99	1	1	5	10	18	27	51
65+	1243	10.8	109	2	3	8	13	23	31	69
GRAND TOTAL	**9913**	**5.3**	**63**	**<1**	**1**	**3**	**6**	**12**	**19**	**41**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	610	2.5	11	<1	1	1	3	6	7	12
20-34	230	1.9	5	<1	<1	1	2	3	5	15
35-49	141	2.2	7	<1	1	1	2	5	6	15
50-64	73	1.8	4	1	1	1	2	3	5	13
65+	35	3.1	15	1	1	2	3	7	13	18
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	3.8	8	1	1	3	6	7	7	7
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	533	3.1	15	<1	1	2	4	7	10	20
20-34	357	3.8	42	<1	1	2	4	8	12	31
35-49	214	4.0	40	1	1	2	5	8	12	47
50-64	190	5.3	88	1	1	2	5	11	19	62
65+	171	9.3	246	1	1	4	10	19	32	94
B. *Operated*										
0-19 YRS	5	6.6	36	1	1	6	10	16	16	16
20-34	17	18.5	512	<1	1	9	27	50	74	85
35-49	8	7.5	60	<1	<1	5	10	21	24	24
50-64	12	19.5	409	1	2	14	23	55	64	66
65+	17	13.9	175	1	2	9	19	45	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1089	2.3	9	<1	1	1	2	5	7	14
B. *Operated*	8	3.6	9	1	1	2	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	1465	4.4	65	<1	1	2	5	9	14	42
B. *Operated*	59	14.9	299	1	1	8	21	44	59	98
1. SINGLE DX	1097	2.3	9	<1	1	1	2	5	7	14
2. MULTIPLE DX	1524	4.8	78	<1	1	2	5	10	16	51
A. NOT OPERATED	2554	3.5	42	<1	1	2	4	7	11	31
B. OPERATED	67	13.5	277	1	1	8	18	38	54	97
TOTAL 0-19 YRS	1149	2.8	13	<1	1	1	3	6	8	16
20-34	608	3.5	47	<1	1	2	3	7	11	35
35-49	365	3.4	28	<1	1	2	4	8	10	28
50-64	276	5.0	90	1	1	2	4	10	20	62
65+	223	8.7	210	1	1	4	10	18	33	94
GRAND TOTAL	**2621**	**3.8**	**50**	**<1**	**1**	**2**	**4**	**8**	**12**	**35**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	440	3.2	9	1	1	2	4	7	9	13
20-34	201	3.3	19	<1	1	2	4	6	9	24
35-49	138	2.9	9	1	1	2	4	6	9	16
50-64	109	3.6	13	1	1	3	4	8	10	20
65+	90	4.0	18	1	1	3	4	8	11	22
B. *Operated*										
0-19 YRS	6	8.3	7	5	5	8	11	12	12	12
20-34	14	12.0	193	2	2	5	22	34	42	44
35-49	8	15.0	159	2	3	14	20	35	40	40
50-64	10	9.5	151	<1	1	5	7	31	40	40
65+	11	6.6	37	<1	1	6	9	16	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	515	4.2	20	1	1	3	5	8	11	22
20-34	282	4.2	25	1	1	3	5	9	13	20
35-49	285	4.9	26	1	1	4	6	10	13	23
50-64	458	6.3	46	1	1	5	8	13	17	43
65+	895	8.9	66	1	2	7	11	17	24	61
B. *Operated*										
0-19 YRS	10	19.6	805	1	1	9	19	66	93	93
20-34	34	17.3	610	<1	1	7	19	65	97	99+
35-49	39	19.7	500	<1	1	11	29	60	82	99+
50-64	65	15.3	248	2	3	10	22	35	51	98
65+	113	19.3	240	4	6	14	27	42	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	978	3.3	12	1	1	2	4	7	9	20
B. *Operated*	49	10.3	120	1	2	6	12	26	40	44
2. MULTIPLE DX										
A. *Not Operated*	2435	6.4	47	1	1	4	8	13	18	38
B. *Operated*	261	18.1	346	1	3	12	26	47	67	99+
1. SINGLE DX	1027	3.6	19	1	1	2	4	7	10	24
2. MULTIPLE DX	2696	7.5	88	1	1	5	9	16	24	62
A. NOT OPERATED	3413	5.5	39	1	1	4	7	12	16	31
B. OPERATED	310	16.9	318	1	2	11	23	42	62	99+
TOTAL 0-19 YRS	971	3.9	25	1	1	3	5	8	10	20
20-34	531	4.9	75	1	1	2	5	10	17	48
35-49	470	5.7	82	1	1	3	6	11	19	53
50-64	642	6.8	71	1	1	4	8	14	22	52
65+	1109	9.6	92	1	2	7	12	20	28	63
GRAND TOTAL	**3723**	**6.5**	**72**	**1**	**1**	**4**	**8**	**14**	**21**	**52**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.8	31	<1	<1	2	7	13	14	27
20-34	42	2.8	4	<1	<1	2	4	6	7	9
35-49	29	4.4	18	<1	1	2	6	10	13	18
50-64	42	5.2	14	<1	1	4	8	11	12	16
65+	90	8.8	94	1	1	5	13	26	31	40
B. *Operated*										
0-19 YRS	156	5.2	33	<1	1	4	6	10	15	35
20-34	385	4.0	50	<1	<1	2	4	8	13	45
35-49	302	5.5	53	1	1	3	5	14	22	37
50-64	529	9.0	94	1	2	5	12	21	27	48
65+	949	9.3	122	1	2	5	12	22	30	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.1	77	<1	1	3	7	18	23	47
20-34	66	8.8	96	<1	1	5	10	24	33	42
35-49	106	6.8	39	1	1	5	8	18	21	26
50-64	129	7.9	66	1	1	6	10	16	30	41
65+	332	10.6	121	1	2	8	13	22	32	67
B. *Operated*										
0-19 YRS	531	9.0	113	1	2	6	11	20	32	76
20-34	593	7.7	129	<1	1	4	8	18	34	55
35-49	670	9.6	139	1	1	5	12	26	35	59
50-64	1376	12.3	192	2	2	8	16	29	45	87
65+	2444	13.3	198	2	2	9	18	31	44	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	6.0	51	<1	1	3	7	13	20	35
B. *Operated*	2321	7.6	93	1	1	4	9	19	26	48
2. MULTIPLE DX										
A. *Not Operated*	723	8.8	94	1	1	6	11	20	29	44
B. *Operated*	5614	11.6	178	1	2	7	15	28	41	80
1. SINGLE DX	2557	7.4	90	1	1	4	9	18	26	46
2. MULTIPLE DX	6337	11.3	169	1	2	7	14	27	39	79
A. NOT OPERATED	959	8.1	85	1	1	5	10	19	28	42
B. OPERATED	7935	10.4	157	1	2	6	13	25	37	72
TOTAL 0-19 YRS	810	7.7	93	1	1	5	9	17	28	51
20-34	1086	6.3	98	<1	1	3	6	14	26	51
35-49	1107	8.1	107	1	1	4	9	21	31	47
50-64	2076	11.0	159	1	2	7	14	25	38	73
65+	3815	12.0	173	2	2	8	16	28	38	80
GRAND TOTAL	**8894**	**10.2**	**150**	**1**	**2**	**6**	**13**	**24**	**36**	**69**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153	2.0	2	<1	1	2	2	4	5	9
20-34	170	2.7	3	1	1	2	3	5	6	9
35-49	92	3.3	4	1	1	3	4	6	7	11
50-64	105	4.4	13	1	1	4	5	7	10	24
65+	169	4.4	11	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	112	2.1	3	<1	1	2	3	4	4	10
20-34	164	2.9	6	1	1	2	4	5	7	13
35-49	81	3.5	7	1	1	3	4	7	9	13
50-64	55	5.1	24	1	2	3	6	11	17	25
65+	54	5.8	19	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	2.9	14	1	1	2	3	5	7	22
20-34	99	4.1	40	1	1	3	5	7	10	38
35-49	60	5.4	18	1	1	4	7	10	13	23
50-64	120	4.7	12	1	1	4	6	9	11	18
65+	241	5.7	24	1	2	5	7	9	14	20
B. *Operated*										
0-19 YRS	46	3.3	14	<1	1	2	4	8	9	23
20-34	93	5.2	29	1	1	4	6	12	18	27
35-49	67	6.3	21	1	1	5	9	12	15	21
50-64	87	8.4	67	1	2	6	10	17	26	46
65+	129	8.7	49	1	2	7	11	17	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	3.3	7	1	1	3	4	6	7	13
B. *Operated*	466	3.4	10	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	568	4.9	23	1	1	4	6	9	12	21
B. *Operated*	422	6.9	43	1	1	5	9	15	20	30
1. SINGLE DX	1155	3.3	9	1	1	3	4	6	8	14
2. MULTIPLE DX	990	5.8	33	1	1	4	7	11	16	27
A. NOT OPERATED	1257	4.0	15	1	1	3	5	8	10	18
B. OPERATED	888	5.1	29	1	1	3	6	11	16	26
TOTAL 0-19 YRS	359	2.3	6	<1	1	2	3	4	6	14
20-34	526	3.5	16	1	1	2	4	6	9	18
35-49	300	4.4	13	1	1	3	6	9	12	18
50-64	367	5.6	29	1	2	4	7	11	15	27
65+	593	6.0	28	1	2	5	7	11	16	25
GRAND TOTAL	**2145**	**4.5**	**21**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	5.8	8	2	3	5	7	11	11	14
20-34	113	7.0	16	2	3	6	9	13	15	20
35-49	94	7.8	37	2	3	7	10	13	19	36
50-64	89	9.0	27	3	3	8	12	15	16	30
65+	83	9.6	37	3	4	8	11	18	21	31
B. *Operated*										
0-19 YRS	60	9.2	165	2	2	7	11	14	20	92
20-34	114	9.6	80	2	3	7	11	20	32	44
35-49	86	8.4	49	2	2	6	10	20	25	33
50-64	70	11.0	114	2	3	7	17	24	29	54
65+	56	13.6	135	3	3	10	18	27	38	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	6.7	20	2	2	6	9	11	14	24
20-34	110	8.2	42	1	3	6	11	15	21	36
35-49	99	8.3	55	2	3	7	10	15	27	99+
50-64	172	9.9	72	3	3	7	12	19	27	46
65+	201	13.4	129	3	4	10	16	25	38	76
B. *Operated*										
0-19 YRS	72	13.9	206	1	2	9	18	33	51	63
20-34	135	13.6	175	2	3	10	18	26	37	69
35-49	116	15.8	253	2	4	11	20	39	55	95
50-64	192	19.5	345	3	4	13	26	45	67	92
65+	232	18.0	242	3	5	13	22	41	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	467	7.8	26	2	3	7	10	13	17	30
B. *Operated*	386	10.1	102	2	2	7	12	22	29	50
2. MULTIPLE DX										
A. *Not Operated*	650	10.1	82	2	3	8	12	20	27	53
B. *Operated*	747	16.8	259	2	4	12	21	39	53	92
1. SINGLE DX	853	8.8	62	2	3	7	11	17	23	39
2. MULTIPLE DX	1397	13.7	187	2	3	9	16	30	45	85
A. NOT OPERATED	1117	9.1	60	2	3	7	11	17	23	49
B. OPERATED	1133	14.5	215	2	3	10	18	32	48	85
TOTAL 0-19 YRS	288	8.8	102	2	2	6	10	15	25	53
20-34	472	9.8	89	2	3	7	12	19	26	50
35-49	395	10.4	119	2	3	7	12	22	32	89
50-64	523	13.4	191	2	3	9	15	29	41	80
65+	572	14.7	170	3	4	11	18	31	47	83
GRAND TOTAL	**2250**	**11.9**	**145**	**2**	**3**	**8**	**14**	**25**	**37**	**75**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	4.8	31	1	1	4	6	7	17	27
20-34	52	4.1	11	<1	1	3	6	9	11	14
35-49	55	6.0	28	1	1	5	7	14	15	27
50-64	60	7.3	38	1	1	6	11	17	20	26
65+	48	6.5	19	1	2	6	9	13	14	18
B. *Operated*										
0-19 YRS	47	5.3	23	<1	1	4	7	10	14	23
20-34	112	6.0	51	<1	1	4	7	11	19	45
35-49	113	6.0	53	1	2	4	7	12	16	47
50-64	133	7.7	62	1	1	5	11	19	22	36
65+	161	8.0	115	<1	1	3	11	19	31	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.7	38	1	1	3	7	11	14	38
20-34	109	4.6	22	1	1	3	6	10	17	24
35-49	130	6.7	34	1	1	5	9	14	19	26
50-64	185	8.8	97	1	2	6	11	17	27	55
65+	286	11.1	127	1	2	8	14	22	31	70
B. *Operated*										
0-19 YRS	74	9.9	148	1	2	5	14	27	31	67
20-34	159	9.9	100	1	2	7	14	23	31	95
35-49	205	11.5	149	1	2	8	15	26	38	72
50-64	333	14.0	210	2	2	9	19	32	50	97
65+	530	15.0	242	1	2	10	20	36	49	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	5.9	26	1	1	5	7	13	15	26
B. *Operated*	566	6.9	71	<1	1	4	8	16	21	45
2. MULTIPLE DX										
A. *Not Operated*	784	8.3	88	1	1	6	11	17	24	53
B. *Operated*	1301	13.3	200	1	2	9	18	31	46	87
1. SINGLE DX	802	6.6	58	1	1	4	8	15	20	43
2. MULTIPLE DX	2085	11.4	163	1	2	7	15	27	39	79
A. NOT OPERATED	1020	7.8	74	1	1	5	10	16	23	49
B. OPERATED	1867	11.3	169	1	2	7	15	27	40	80
TOTAL 0-19 YRS	216	6.6	77	1	1	3	8	15	24	45
20-34	432	6.8	63	1	1	4	8	17	23	48
35-49	503	8.4	91	1	1	5	11	18	26	55
50-64	711	10.9	147	1	2	7	14	25	37	68
65+	1025	12.4	188	1	2	8	16	30	43	80
GRAND TOTAL	**2887**	**10.1**	**139**	**1**	**1**	**6**	**13**	**23**	**34**	**71**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.1	5	1	1	2	5	6	8	9
20-34	9	4.0	11	1	1	3	5	10	10	10
35-49	12	5.8	25	1	1	4	9	13	16	17
50-64	5	2.4	5	1	1	1	4	6	6	6
65+	2	4.5	5	3	3	4	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.0	5	1	1	2	4	6	9	10
20-34	17	7.5	27	1	1	7	11	15	16	17
35-49	11	7.4	34	<1	1	8	10	16	21	21
50-64	30	7.4	53	1	1	6	9	16	17	37
65+	31	4.5	17	1	1	3	6	10	12	19
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.7	9	1	1	1	3	8	9	9
35-49	10	9.7	50	2	2	9	10	22	22	22
50-64	8	22.0	316	4	4	17	32	51	56	56
65+	9	14.7	95	1	2	18	20	25	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.7	10	1	1	3	5	8	10	16
B. *Operated*	4	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	142	5.1	26	1	1	3	7	11	15	22
B. *Operated*	35	12.2	150	1	1	9	20	26	35	56
1. SINGLE DX	67	3.6	9	1	1	3	5	8	10	16
2. MULTIPLE DX	177	6.5	57	1	1	4	9	17	21	38
A. NOT OPERATED	205	4.7	21	1	1	3	6	10	13	20
B. OPERATED	39	11.1	145	1	1	6	19	24	33	56
TOTAL 0-19 YRS	89	3.0	5	1	1	2	4	6	8	10
20-34	34	5.4	22	1	1	3	9	12	15	17
35-49	35	7.1	36	1	2	5	10	17	22	22
50-64	43	9.6	129	1	1	6	12	21	37	56
65+	43	6.5	48	1	1	3	9	19	21	28
GRAND TOTAL	**244**	**5.7**	**46**	**1**	**1**	**3**	**8**	**12**	**19**	**37**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.9	2	<1	<1	1	2	4	5	5
35-49	6	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.2	1	<1	<1	2	3	4	4	4
20-34	5394	1.9	1	<1	<1	2	2	3	4	5
35-49	2550	2.0	1	<1	<1	2	2	3	4	6
50-64	21	1.4		<1	<1	1	2	2	3	3
65+	3	3.7	6	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	116	1.1		<1	<1	1	1	1	2	3
35-49	38	1.3		<1	<1	<1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.3	2	<1	<1	2	3	4	4	4
20-34	3056	2.4	3	<1	<1	2	3	5	6	8
35-49	1921	2.3	3	<1	<1	2	3	4	5	8
50-64	24	1.8	1	<1	<1	2	2	3	3	4
65+	4	1.8	1	<1	<1	1	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.7	1	<1	<1	1	2	3	5	5
B. *Operated*	7991	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	157	1.2		<1	<1	1	1	2	2	3
B. *Operated*	5014	2.4	3	<1	<1	2	3	4	5	8
1. SINGLE DX	8006	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	5171	2.3	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	172	1.2		<1	<1	1	1	2	3	4
B. OPERATED	13005	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	35	2.1	1	<1	<1	2	3	4	4	4
20-34	8575	2.1	2	<1	<1	2	3	4	5	7
35-49	4515	2.1	2	<1	<1	2	3	4	5	7
50-64	45	1.6	1	<1	<1	2	2	2	3	4
65+	7	2.6	4	<1	<1	2	4	6	6	6
GRAND TOTAL	**13177**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	24.0		24	24	24	24	24	24	24
1500-1749	3	20.3	10	18	18	19	23	24	24	24
1750-2499	934	4.0	11	2	2	3	4	6	7	15
2500+	66034	3.5	2	2	2	3	4	5	6	8
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	39	4.4	3	2	2	4	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	34	69.8	311	44	57	76	99	99+	99+	99+
1000-1499	148	44.8	317	23	25	44	53	69	89	94
1500-1749	154	26.2	132	10	13	24	33	39	46	69
1750-2499	2719	8.5	53	3	3	6	11	18	23	36
2500+	29204	4.5	7	2	3	4	5	7	8	13
B. *Operated*										
1-999 G	20	77.0	420	47	62	99+	99+	99+	99+	99+
1000-1499	84	59.7	282	38	43	58	77	98	99+	99+
1500-1749	53	39.8	153	21	23	40	49	52	56	81
1750-2499	174	21.0	278	3	5	17	27	43	60	99+
2500+	620	10.3	134	3	3	7	11	20	32	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66972	3.5	2	2	2	3	4	5	6	8
B. *Operated*	40	4.3	3	2	2	4	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	32259	5.2	28	2	3	4	6	7	10	29
B. *Operated*	951	19.7	470	3	3	10	30	63	89	99+
1. SINGLE DX	67012	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX	33210	5.6	46	2	3	4	6	8	12	43
A. NOT OPERATED	99231	4.1	11	2	2	3	5	6	7	15
B. OPERATED	991	19.1	460	3	3	10	29	60	89	99+
TOTAL 1-999 G	54	72.4	357	48	58	89	99+	99+	99+	99+
1000-1499	233	50.1	355	24	28	49	62	83	94	99+
1500-1749	210	29.5	171	12	15	27	37	48	52	70
1750-2499	3828	8.0	64	2	3	5	10	17	24	41
2500+	95897	3.9	5	2	2	3	4	6	7	10
GRAND TOTAL	**100222**	**4.2**	**18**	**2**	**2**	**3**	**5**	**6**	**7**	**19**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	1	20.0		20	20	20	20	20	20	20
1750-2499	143	5.7	16	3	3	5	7	8	10	22
2500+	675	4.9	4	3	3	4	6	7	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	61.8	682	24	24	69	77	84	84	84
1000-1499	41	43.0	301	19	22	43	54	73	79	99+
1500-1749	54	28.5	129	15	16	27	34	39	51	73
1750-2499	485	9.6	45	3	4	7	13	19	22	32
2500+	364	6.2	16	3	4	6	7	8	9	16
B. *Operated*										
1-999 G	1	82.0		82	82	91	99+	99+	99+	99+
1000-1499	27	59.8	234	38	40	63	71	77	87	89
1500-1749	12	37.2	151	24	25	32	43	58	61	62
1750-2499	19	15.8	112	<1	1	16	22	29	36	39
2500+	3	7.3	4	5	5	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	819	5.0	7	3	3	5	6	7	8	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	948	11.1	134	3	4	7	12	23	35	69
B. *Operated*	62	39.8	599	4	7	40	63	75	84	99
1. SINGLE DX	819	5.0	7	3	3	5	6	7	8	14
2. MULTIPLE DX	1010	12.8	209	3	4	7	14	30	45	75
A. NOT OPERATED	1767	8.3	84	3	3	6	8	16	23	52
B. OPERATED	62	39.8	599	4	7	40	63	75	84	99
TOTAL 1-999 G	5	65.8	593	24	28	76	84	98	99+	99+
1000-1499	68	49.7	338	20	27	45	65	75	82	98
1500-1749	67	29.9	141	15	16	29	35	45	52	72
1750-2499	647	8.9	44	3	3	7	11	18	22	32
2500+	1042	5.4	9	3	3	5	6	7	9	13
GRAND TOTAL	**1829**	**9.3**	**133**	**3**	**3**	**6**	**8**	**20**	**32**	**69**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	6	6.5	45	3	3	4	6	19	20	20
2500+	163	2.9	1	1	2	3	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	41.5	481	26	26	41	57	57	57	57
1500-1749	1	17.0		17	17	17	17	17	17	17
1750-2499	33	9.1	29	3	3	10	13	16	19	21
2500+	58	5.4	108	2	3	3	5	7	8	76
B. *Operated*										
1-999 G										
1000-1499	2	80.0	200	70	70	80	90	90	90	90
1500-1749	1	43.0		43	43	43	43	43	43	43
1750-2499	1	43.0		43	43	43	43	43	43	43
2500+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	3.1	3	1	2	3	3	4	6	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	94	7.6	111	2	3	4	8	14	19	71
B. *Operated*	5	50.0	1054	4	4	43	75	90	90	90
1. SINGLE DX	169	3.1	3	1	2	3	3	4	6	8
2. MULTIPLE DX	99	9.7	235	2	3	4	9	18	43	86
A. NOT OPERATED	263	4.7	46	1	2	3	4	8	13	25
B. OPERATED	5	50.0	1054	4	4	43	75	90	90	90
TOTAL 1-999 G										
1000-1499	4	60.8	721	26	26	63	80	90	90	90
1500-1749	2	30.0	338	17	17	30	43	43	43	43
1750-2499	40	9.6	60	3	3	8	13	18	20	43
2500+	222	3.6	30	1	2	3	4	5	6	9
GRAND TOTAL	**268**	**5.5**	**99**	**1**	**2**	**3**	**4**	**9**	**14**	**68**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.7	9	<1	<1	2	3	7	10	14
20-34	14	3.3	24	<1	<1	2	3	5	17	20
35-49	8	2.9	3	1	1	3	4	5	6	6
50-64	8	2.9	5	1	1	2	4	6	7	7
65+	3	5.3	10	3	3	4	8	9	9	9
B. *Operated*										
0-19 YRS	673	2.7	4	<1	1	2	3	4	6	9
20-34	1087	2.7	4	<1	1	2	3	5	6	10
35-49	500	2.8	4	<1	1	2	3	5	6	11
50-64	416	3.3	7	<1	1	3	4	6	8	14
65+	264	5.1	39	1	2	3	5	9	15	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	6	<1	<1	1	2	5	9	11
20-34	22	3.0	46	<1	<1	1	2	3	16	33
35-49	8	2.3	3	1	1	2	3	5	5	5
50-64	10	4.7	81	<1	<1	1	3	17	30	30
65+	13	9.2	158	1	1	4	10	28	39	41
B. *Operated*										
0-19 YRS	233	4.2	29	1	1	3	4	8	10	31
20-34	225	4.2	42	1	1	3	4	7	10	36
35-49	136	5.3	48	1	2	3	5	10	17	44
50-64	198	5.3	28	1	2	4	6	11	15	31
65+	188	11.0	131	2	2	7	14	25	38	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.1	11	<1	<1	2	4	7	8	20
B. *Operated*	2940	3.0	8	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	71	4.0	60	<1	<1	1	3	6	25	39
B. *Operated*	980	5.8	60	1	2	3	6	12	19	45
1. SINGLE DX	2996	3.0	8	<1	1	2	3	5	7	14
2. MULTIPLE DX	1051	5.7	60	1	1	3	6	12	20	45
A. NOT OPERATED	127	3.6	38	<1	<1	2	3	6	15	35
B. OPERATED	3920	3.7	22	<1	1	3	4	6	9	25
TOTAL 0-19 YRS	947	3.0	11	<1	1	2	3	5	7	17
20-34	1348	3.0	11	<1	1	2	3	5	6	13
35-49	652	3.3	14	<1	1	2	3	5	7	22
50-64	632	3.9	15	<1	1	3	4	7	10	21
65+	468	7.6	87	1	2	4	8	17	25	52
GRAND TOTAL	**4047**	**3.7**	**23**	**<1**	**1**	**3**	**4**	**6**	**9**	**26**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64										
65+	3	1.3		<1	<1	<1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49	10	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	23	1.0		<1	<1	<1	<1	<1	1	1
65+	14	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	71	1.9	9	<1	<1	1	2	2	3	22
35-49	67	1.4		1	1	1	2	2	3	4
50-64	343	2.1	1	1	2	2	2	2	3	9
65+	343	2.3	2	1	1	2	2	3	4	10
B. *Operated*										
0-19 YRS										
20-34	11	6.0	76	<1	1	2	7	19	29	30
35-49	9	3.6	9	<1	<1	2	5	9	9	9
50-64	39	7.1	48	<1	<1	4	9	18	21	30
65+	34	6.1	47	<1	1	4	7	17	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.4		<1	<1	<1	2	2	2	2
B. *Operated*	47	1.0		<1	<1	<1	<1	<1	<1	1
2. MULTIPLE DX										
A. *Not Operated*	824	2.1	2	1	1	2	2	2	3	9
B. *Operated*	93	6.2	47	<1	<1	4	8	17	21	32
1. SINGLE DX	52	1.0		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX	917	2.5	8	1	1	2	2	3	7	17
A. NOT OPERATED	829	2.1	2	1	1	2	2	2	3	9
B. OPERATED	140	4.5	37	<1	<1	2	5	11	18	31
TOTAL 0-19 YRS										
20-34	82	2.4	20	<1	<1	2	2	3	6	29
35-49	88	1.6	2	<1	<1	1	2	3	4	9
50-64	405	2.5	8	<1	1	2	2	3	7	17
65+	394	2.5	7	<1	1	2	2	4	6	16
GRAND TOTAL	**969**	**2.4**	**8**	**<1**	**1**	**2**	**2**	**3**	**6**	**17**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1138	2.9	12	<1	<1	2	3	6	8	19
20-34	1168	3.3	36	<1	<1	2	3	7	11	26
35-49	621	3.0	22	<1	<1	2	3	6	10	26
50-64	952	2.9	18	<1	<1	2	3	6	9	23
65+	809	3.6	37	<1	<1	2	4	7	12	36
B. *Operated*										
0-19 YRS	482	3.2	15	<1	<1	2	3	8	11	18
20-34	1204	3.2	10	<1	<1	2	4	7	9	16
35-49	866	3.6	12	<1	1	2	4	8	11	17
50-64	984	4.4	25	<1	1	2	6	10	13	21
65+	1019	4.6	31	1	1	2	6	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1845	3.1	13	<1	<1	2	4	6	9	19
20-34	1592	3.5	25	<1	<1	2	4	7	10	24
35-49	2263	4.1	37	1	1	2	4	8	13	34
50-64	6044	4.2	41	1	1	2	5	8	14	34
65+	5530	6.3	96	1	1	3	6	15	25	60
B. *Operated*										
0-19 YRS	608	4.8	61	<1	1	2	5	10	20	37
20-34	1296	4.4	45	<1	<1	2	5	9	15	38
35-49	1891	4.4	45	<1	<1	2	5	10	14	37
50-64	3074	5.5	63	1	1	2	6	13	18	45
65+	3330	7.2	99	1	1	3	10	17	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4688	3.1	25	<1	<1	2	3	6	10	26
B. *Operated*	4555	3.9	19	<1	1	2	5	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	17274	4.7	55	1	1	2	5	9	16	43
B. *Operated*	10199	5.7	70	<1	1	2	6	13	20	48
1. SINGLE DX	9243	3.5	22	<1	<1	2	4	8	11	22
2. MULTIPLE DX	27473	5.0	61	<1	1	2	5	11	18	45
A. NOT OPERATED	21962	4.4	49	<1	1	2	5	9	15	39
B. OPERATED	14754	5.1	55	<1	1	2	6	12	17	39
TOTAL 0-19 YRS	4073	3.3	21	<1	<1	2	4	7	10	26
20-34	5260	3.6	29	<1	<1	2	4	8	11	30
35-49	5641	4.0	34	<1	<1	2	4	8	13	32
50-64	11054	4.5	44	1	1	2	5	10	15	36
65+	10688	6.2	87	1	1	3	7	14	22	57
GRAND TOTAL	**36716**	**4.7**	**52**	**<1**	**1**	**2**	**5**	**10**	**16**	**39**

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, Northeastern Region, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
Northeastern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1]*ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2]*Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3]*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in ***Concurrent Review Screening.*** Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	80939	10.4	58	4	5	8	12	18	24	43

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106517	3.3	16	<1	<1	2	4	6	8	18
20-34	218170	3.7	12	<1	1	3	4	7	9	17
35-49	96197	4.8	25	<1	1	3	6	10	13	24
50-64	88250	6.1	39	1	2	4	8	13	17	30
65+	84965	7.7	71	1	2	5	10	17	23	43
2. MULTIPLE DX										
0-19 YRS	68145	5.5	69	<1	1	3	6	11	18	51
20-34	168239	5.7	44	1	2	4	7	10	15	37
35-49	123421	7.7	70	1	2	6	9	16	22	46
50-64	179378	10.4	112	2	2	8	13	22	31	62
65+	305826	14.2	181	2	3	10	18	31	44	96
TOT. SINGLE DX	594099	4.7	29	<1	1	3	6	10	14	27
" MULTIPLE DX	845009	10.1	126	1	2	7	13	22	32	71
TOTAL 0-19 YRS	174662	4.2	38	<1	1	3	4	8	12	34
20-34	386409	4.6	27	<1	1	3	5	8	12	27
35-49	219618	6.4	52	1	1	4	8	13	18	38
50-64	267628	9.0	92	1	2	6	11	19	27	54
65+	390791	12.8	164	2	2	9	17	28	40	87
GRAND TOTAL	**1439108**	**7.9**	**93**	**1**	**1**	**5**	**9**	**18**	**26**	**56**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	11.8	102	1	2	10	15	22	25	56
20-34	127	16.4	168	3	5	13	19	37	44	97
35-49	134	15.7	126	3	6	13	21	27	39	99+
50-64	192	18.1	181	5	8	15	21	32	47	99
65+	181	18.5	164	5	7	15	23	38	46	70
2. MULTIPLE DX										
0-19 YRS	146	16.4	223	2	2	12	23	40	62	99+
20-34	128	25.0	422	5	8	19	30	61	87	99+
35-49	167	23.9	249	7	8	21	32	48	68	99+
50-64	339	27.0	361	8	10	20	37	64	75	99+
65+	376	32.6	392	9	11	29	49	73	99+	99+
TOT. SINGLE DX	730	16.7	158	3	6	13	21	32	43	96
" MULTIPLE DX	1156	26.8	369	6	9	21	37	64	82	99+
TOTAL 0-19 YRS	242	14.6	180	1	2	11	20	33	49	99+
20-34	255	20.7	314	4	7	15	25	43	67	99+
35-49	301	20.3	210	4	7	17	26	41	60	99+
50-64	531	23.8	314	7	9	18	31	55	71	99+
65+	557	28.0	361	8	10	23	40	66	86	99+
GRAND TOTAL	**1886**	**22.9**	**312**	**5**	**7**	**18**	**30**	**53**	**71**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	10.3	39	3	4	9	12	17	22	36
20-34	54	12.6	48	5	5	12	15	20	29	39
35-49	60	16.8	95	5	7	14	22	34	38	41
50-64	84	17.6	138	4	6	15	25	36	45	99+
65+	85	19.4	184	6	7	16	25	36	56	90
2. MULTIPLE DX										
0-19 YRS	90	23.7	500	3	4	16	39	70	96	99+
20-34	80	23.9	357	6	7	19	33	73	85	99+
35-49	92	28.9	442	9	10	24	41	70	95	99+
50-64	124	30.4	376	8	12	26	46	68	99+	99+
65+	190	32.2	453	8	10	27	46	74	93	99+
TOT. SINGLE DX	338	15.9	122	5	6	13	20	32	40	74
" MULTIPLE DX	576	28.8	438	7	9	24	43	71	95	99+
TOTAL 0-19 YRS	145	18.6	366	3	4	11	26	59	83	99+
20-34	134	19.3	262	5	6	14	25	45	76	99+
35-49	152	24.2	339	6	9	18	34	49	81	99+
50-64	208	25.2	319	7	8	21	35	65	90	99+
65+	275	28.2	404	7	9	22	39	65	81	99+
GRAND TOTAL	**914**	**24.0**	**359**	**5**	**7**	**18**	**33**	**63**	**80**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	6.2	9	2	3	6	8	10	11	19
20-34	43	8.7	11	4	4	8	11	14	15	17
35-49	19	6.6	17	1	2	6	9	11	16	19
50-64	16	9.6	15	4	5	9	13	16	16	16
65+	8	8.0	11	3	4	8	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	103	10.1	94	2	3	8	11	19	31	78
20-34	66	15.1	155	5	5	10	17	39	52	99+
35-49	44	12.7	124	5	6	10	12	26	33	70
50-64	24	15.2	198	3	5	11	18	30	49	65
65+	17	29.5	502	4	6	23	48	58	70	77
TOT. SINGLE DX	218	7.1	12	3	3	7	9	11	14	19
" MULTIPLE DX	254	13.6	172	3	4	9	14	33	50	98
TOTAL 0-19 YRS	235	7.9	50	2	3	6	9	13	19	53
20-34	109	12.5	108	4	5	9	14	28	48	99+
35-49	63	10.9	99	3	4	9	12	16	30	65
50-64	40	13.0	130	3	5	10	14	24	35	65
65+	25	22.6	444	3	5	12	39	57	63	77
GRAND TOTAL	**472**	**10.6**	**109**	**3**	**4**	**8**	**11**	**19**	**34**	**69**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	9.7	90	3	4	8	11	16	18	63
20-34	7	12.4	104	4	4	9	14	30	34	34
35-49	11	16.4	218	4	5	12	21	36	54	56
50-64	10	17.6	453	4	5	11	17	47	77	77
65+	27	26.6	250	9	11	23	35	46	58	78
2. MULTIPLE DX										
0-19 YRS	69	18.7	336	5	6	11	25	53	89	99+
20-34	27	22.7	351	6	6	14	32	55	63	67
35-49	16	34.9	574	9	10	34	59	97	99+	99+
50-64	44	30.3	372	10	11	26	47	77	99+	99+
65+	79	33.9	439	11	13	33	56	99+	99+	99+
TOT. SINGLE DX	96	16.3	229	4	4	11	19	37	53	78
" MULTIPLE DX	235	27.5	433	6	8	24	44	87	99+	99+
TOTAL 0-19 YRS	110	15.4	262	3	4	10	18	37	78	99+
20-34	34	20.6	314	5	6	13	31	49	61	67
35-49	27	27.3	501	5	6	21	49	82	99+	99+
50-64	54	27.9	404	7	10	22	43	77	99+	99+
65+	106	32.1	398	10	13	28	47	99	99+	99+
GRAND TOTAL	**331**	**24.3**	**399**	**5**	**7**	**18**	**38**	**70**	**99+**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	8.9	137	2	2	6	9	15	31	68
20-34	36	8.9	29	3	4	7	13	16	17	25
35-49	14	15.5	173	1	3	13	19	30	48	53
50-64	13	13.8	214	4	5	7	16	29	53	59
65+	14	19.4	581	3	5	13	21	34	85	99
2. MULTIPLE DX										
0-19 YRS	318	11.6	210	2	2	7	13	32	48	99
20-34	61	19.7	347	3	4	13	28	62	89	99+
35-49	44	24.0	491	3	5	16	39	75	99+	99+
50-64	41	30.7	520	4	8	26	46	72	83	99+
65+	38	33.1	565	7	9	27	52	80	99	99+
TOT. SINGLE DX	158	10.8	168	2	3	7	13	21	27	73
" MULTIPLE DX	502	16.8	359	2	3	9	23	49	73	99+
TOTAL 0-19 YRS	399	11.0	196	2	2	6	11	28	48	86
20-34	97	15.7	256	3	4	11	18	43	71	99+
35-49	58	21.9	423	3	4	15	35	69	89	99+
50-64	54	26.6	494	4	5	18	42	64	74	99+
65+	52	29.4	596	5	7	22	46	74	99	99+
GRAND TOTAL	**660**	**15.4**	**320**	**2**	**3**	**9**	**18**	**45**	**68**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	13.1	86	4	4	11	20	27	28	28
20-34	116	12.6	78	5	6	10	16	20	23	55
35-49	277	11.9	56	5	6	10	14	20	29	42
50-64	293	13.2	73	6	6	11	16	23	30	47
65+	171	16.7	104	7	8	13	21	31	38	67
2. MULTIPLE DX										
0-19 YRS	21	16.9	189	4	5	12	25	43	77	99+
20-34	109	15.8	139	5	6	12	20	33	63	99+
35-49	226	17.4	155	6	6	14	23	34	44	84
50-64	398	20.8	306	6	7	15	24	45	72	99+
65+	385	25.0	297	8	10	20	34	52	71	99+
TOT. SINGLE DX	865	13.4	78	5	6	11	16	24	31	46
" MULTIPLE DX	1139	21.0	265	6	8	16	27	44	67	99+
TOTAL 0-19 YRS	29	15.8	160	4	5	12	25	33	62	99+
20-34	225	14.1	110	5	6	11	18	25	35	99+
35-49	503	14.4	108	5	6	11	18	29	35	67
50-64	691	17.6	222	6	7	13	21	35	51	99
65+	556	22.4	253	8	9	17	31	46	61	99+
GRAND TOTAL	**2004**	**17.7**	**199**	**6**	**7**	**13**	**21**	**36**	**49**	**99+**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	15.9	160	3	4	10	24	35	41	52
20-34	59	18.9	183	3	4	14	31	40	43	48
35-49	72	14.9	188	1	3	12	18	34	46	66
50-64	51	18.2	249	3	4	13	22	44	48	64
65+	23	19.9	219	5	7	15	29	42	53	62
2. MULTIPLE DX										
0-19 YRS	88	26.4	338	5	8	23	36	51	76	99+
20-34	90	22.2	243	4	5	19	32	51	55	99+
35-49	97	23.1	237	4	6	21	35	44	59	99+
50-64	97	24.3	320	2	6	20	36	47	61	78
65+	109	28.3	466	3	6	23	42	64	80	99+
TOT. SINGLE DX	254	17.1	197	2	3	13	24	39	45	62
" MULTIPLE DX	481	25.0	328	4	6	21	36	52	65	99+
TOTAL 0-19 YRS	137	22.7	299	4	5	19	32	46	60	99+
20-34	149	20.9	221	3	5	17	31	44	53	99
35-49	169	19.6	232	3	4	15	31	41	54	94
50-64	148	22.2	302	2	5	16	34	45	59	75
65+	132	26.8	431	3	7	22	40	62	77	99+
GRAND TOTAL	**735**	**22.3**	**296**	**3**	**5**	**17**	**32**	**47**	**59**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	4.9	45	1	1	3	5	15	16	41
20-34	215	3.0	5	<1	1	2	3	6	8	12
35-49	220	3.0	6	<1	1	2	3	5	8	13
50-64	266	4.0	24	1	1	3	4	7	11	21
65+	109	4.6	20	1	2	3	5	10	15	24
2. MULTIPLE DX										
0-19 YRS	22	4.3	24	1	2	2	4	8	16	24
20-34	109	4.2	18	1	1	3	4	9	15	23
35-49	124	6.8	68	1	1	3	8	17	27	41
50-64	173	7.5	96	2	2	4	8	18	21	55
65+	122	9.8	128	1	2	5	13	25	38	99+
TOT. SINGLE DX	855	3.6	16	<1	1	3	4	7	11	19
" MULTIPLE DX	550	7.1	82	1	2	4	8	18	25	51
TOTAL 0-19 YRS	67	4.7	38	1	2	3	5	10	16	38
20-34	324	3.4	10	<1	1	2	4	7	10	16
35-49	344	4.4	32	<1	1	3	4	10	14	30
50-64	439	5.4	56	1	2	3	5	11	19	42
65+	231	7.3	84	1	2	4	9	19	26	72
GRAND TOTAL	**1405**	**5.0**	**45**	**1**	**1**	**3**	**5**	**11**	**17**	**37**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	2.4	1	1	1	2	3	4	4	7
20-34	894	2.4	2	<1	<1	2	3	4	5	9
35-49	1236	2.4	2	<1	<1	2	3	4	5	9
50-64	1439	2.5	3	<1	1	2	3	4	5	10
65+	805	2.6	4	<1	1	2	3	4	6	9
2. MULTIPLE DX										
0-19 YRS	187	2.7	7	1	1	2	3	4	7	17
20-34	472	3.5	24	1	1	2	4	6	9	27
35-49	547	4.1	26	1	1	3	4	9	14	22
50-64	916	4.2	22	1	1	3	4	9	14	25
65+	645	5.7	63	1	2	3	6	13	20	50
TOT. SINGLE DX	4536	2.5	3	<1	1	2	3	4	5	9
" MULTIPLE DX	2767	4.3	33	1	1	3	4	9	14	29
TOTAL 0-19 YRS	349	2.6	5	1	1	2	3	4	5	11
20-34	1366	2.8	11	<1	1	2	3	4	7	15
35-49	1783	2.9	11	<1	1	2	3	5	7	16
50-64	2355	3.1	12	<1	1	2	3	5	8	20
65+	1450	4.0	33	1	1	2	4	8	12	29
GRAND TOTAL	**7303**	**3.2**	**15**	**<1**	**1**	**2**	**3**	**5**	**8**	**20**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	10.3	82	2	2	9	17	20	20	20
20-34	24	8.0	27	2	3	7	8	16	21	25
35-49	25	9.3	24	3	4	8	12	17	20	22
50-64	52	10.8	44	3	4	10	13	18	21	35
65+	55	14.0	56	6	7	12	17	22	29	42
2. MULTIPLE DX										
0-19 YRS	3	9.7	52	5	5	6	15	18	18	18
20-34	26	8.5	37	4	4	7	9	12	21	35
35-49	41	14.6	142	3	5	11	20	27	32	70
50-64	166	19.4	238	5	6	15	24	42	56	99+
65+	412	21.9	239	6	8	18	27	42	59	99+
TOT. SINGLE DX	159	11.2	47	3	4	10	14	21	23	35
" MULTIPLE DX	648	20.2	233	5	7	16	25	41	56	99+
TOTAL 0-19 YRS	6	10.0	54	2	2	7	18	20	20	20
20-34	50	8.3	32	3	4	7	9	14	19	35
35-49	66	12.6	103	3	4	10	16	22	29	64
50-64	218	17.3	205	4	6	13	21	39	52	99+
65+	467	20.9	224	6	8	16	26	41	56	99
GRAND TOTAL	**807**	**18.4**	**209**	**4**	**6**	**15**	**22**	**39**	**52**	**99+**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.0	31	2	2	4	12	14	14	14
20-34	17	4.5	20	<1	1	2	5	12	15	17
35-49	23	6.7	66	<1	1	3	12	16	23	34
50-64	33	6.1	29	1	1	4	9	16	18	18
65+	13	5.6	8	1	2	7	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	7	4.9	57	1	1	2	3	18	22	22
20-34	35	6.2	22	1	1	5	8	12	16	22
35-49	27	11.4	120	1	2	8	13	28	40	43
50-64	35	9.9	61	1	1	9	14	24	31	99+
65+	51	12.1	116	1	1	9	18	27	34	51
TOT. SINGLE DX	91	5.9	33	1	1	4	8	14	17	28
" MULTIPLE DX	155	9.8	85	1	1	7	13	23	30	51
TOTAL 0-19 YRS	12	5.8	14	1	1	3	8	16	21	22
20-34	52	5.6	22	1	1	4	7	12	16	22
35-49	50	9.2	99	<1	1	6	13	21	34	43
50-64	68	8.1	49	1	1	7	11	19	25	87
65+	64	10.8	101	1	1	8	14	25	31	49
GRAND TOTAL	**246**	**8.4**	**70**	**1**	**1**	**6**	**12**	**19**	**25**	**43**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	5.1	31	3	3	4	5	7	10	35
20-34	590	4.7	5	3	3	4	5	6	8	15
35-49	697	4.7	5	3	3	4	5	6	7	13
50-64	630	5.0	10	3	3	5	5	7	8	15
65+	215	6.2	23	3	3	5	6	9	16	33
2. MULTIPLE DX										
0-19 YRS	34	6.6	9	3	4	6	9	12	13	14
20-34	183	6.1	14	3	3	5	7	12	14	23
35-49	356	6.2	24	3	3	5	6	10	15	29
50-64	460	8.0	64	3	4	5	8	15	24	43
65+	280	9.7	80	3	4	6	11	20	28	43
TOT. SINGLE DX	2239	4.9	10	3	3	4	5	7	8	18
" MULTIPLE DX	1313	7.6	51	3	4	5	8	14	21	40
TOTAL 0-19 YRS	141	5.5	27	3	3	4	6	9	12	22
20-34	773	5.0	8	3	3	4	5	7	10	19
35-49	1053	5.2	12	3	3	4	5	7	10	21
50-64	1090	6.3	35	3	3	5	6	10	15	34
65+	495	8.2	58	3	4	5	8	17	24	40
GRAND TOTAL	**3552**	**5.9**	**26**	**3**	**3**	**5**	**6**	**9**	**14**	**29**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	2.6	5	<1	1	2	3	4	5	9
20-34	121	3.9	9	2	2	3	4	6	7	17
35-49	73	4.5	8	2	2	4	5	7	9	19
50-64	94	4.9	5	2	2	5	6	8	9	11
65+	65	9.3	129	2	3	5	10	19	31	68
2. MULTIPLE DX										
0-19 YRS	16	4.5	9	1	1	4	6	8	11	12
20-34	75	8.5	54	2	3	7	10	17	25	39
35-49	96	7.6	50	1	2	5	9	15	24	74
50-64	152	9.3	80	3	4	6	10	20	31	60
65+	160	14.0	216	3	4	9	17	29	46	92
TOT. SINGLE DX	553	4.3	25	1	1	3	5	7	10	28
" MULTIPLE DX	499	10.2	119	2	3	6	11	23	30	84
TOTAL 0-19 YRS	216	2.7	6	<1	1	2	3	4	6	11
20-34	196	5.7	32	2	2	4	6	11	15	35
35-49	169	6.2	34	2	2	5	7	12	16	43
50-64	246	7.6	56	2	3	5	8	13	22	56
65+	225	12.6	196	3	4	8	14	28	42	89
GRAND TOTAL	**1052**	**7.1**	**78**	**1**	**2**	**5**	**8**	**14**	**25**	**49**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	7.1	11	2	3	7	10	11	13	13
20-34	58	10.0	20	4	5	9	12	16	20	23
35-49	47	10.4	19	4	4	11	12	15	19	22
50-64	32	12.2	50	2	5	10	15	20	31	32
65+	25	14.8	175	3	4	11	18	41	44	50
2. MULTIPLE DX										
0-19 YRS	8	8.5	40	1	2	7	11	19	21	21
20-34	37	16.9	180	4	6	13	22	31	37	79
35-49	56	15.2	174	3	7	11	17	26	55	99
50-64	87	18.7	216	4	7	15	24	34	49	96
65+	62	20.4	176	3	8	17	26	35	48	66
TOT. SINGLE DX	173	11.0	50	4	4	10	13	18	22	42
" MULTIPLE DX	250	17.7	190	4	7	14	22	33	47	89
TOTAL 0-19 YRS	19	7.7	22	1	3	7	10	14	18	21
20-34	95	12.7	93	4	5	10	14	23	25	61
35-49	103	13.0	108	4	4	11	15	20	27	91
50-64	119	17.0	180	4	7	13	21	33	37	92
65+	87	18.8	181	3	5	16	25	35	48	66
GRAND TOTAL	**423**	**15.0**	**143**	**4**	**5**	**12**	**18**	**30**	**35**	**83**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	264	1.2		<1	<1	1	1	2	2	2
20-34	69	1.5		<1	<1	1	2	3	3	5
35-49	90	1.7	1	<1	<1	1	2	3	3	7
50-64	165	1.7		<1	<1	2	2	2	3	6
65+	189	2.0	2	<1	<1	2	2	3	4	10
2. MULTIPLE DX										
0-19 YRS	44	1.8	1	<1	<1	1	2	3	4	6
20-34	23	2.6	2	<1	1	2	4	5	6	6
35-49	86	3.9	30	<1	<1	2	3	9	16	29
50-64	151	3.4	9	<1	1	2	4	7	10	14
65+	242	5.9	68	<1	1	3	6	16	21	52
TOT. SINGLE DX	777	1.6	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	546	4.4	40	<1	1	2	4	11	16	37
TOTAL 0-19 YRS	308	1.3	1	<1	<1	1	2	2	2	4
20-34	92	1.8	1	<1	<1	1	2	3	5	6
35-49	176	2.8	17	<1	<1	2	3	4	9	24
50-64	316	2.5	6	<1	<1	2	3	5	7	13
65+	431	4.2	43	<1	<1	2	3	10	17	44
GRAND TOTAL	**1323**	**2.8**	**19**	**<1**	**<1**	**2**	**2**	**5**	**10**	**21**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	1.9	1	<1	1	2	2	3	4	5
20-34	115	2.3	6	<1	<1	2	3	4	4	16
35-49	274	2.0	1	<1	<1	2	2	3	4	8
50-64	435	2.1	1	<1	1	2	2	3	4	7
65+	516	2.2	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	251	3.8	51	1	1	2	4	7	10	49
20-34	330	3.7	18	<1	1	2	4	8	10	20
35-49	370	3.7	29	1	1	2	3	6	11	24
50-64	749	3.3	8	1	1	3	4	6	8	16
65+	821	4.8	48	1	2	2	4	11	18	47
TOT. SINGLE DX	1536	2.1	2	<1	1	2	2	3	4	7
" MULTIPLE DX	2521	3.9	31	1	1	2	4	8	12	33
TOTAL 0-19 YRS	447	2.9	30	<1	1	2	3	5	7	18
20-34	445	3.3	15	<1	1	2	4	7	9	20
35-49	644	3.0	18	<1	1	2	3	5	7	18
50-64	1184	2.9	6	1	1	2	3	5	7	14
65+	1337	3.8	32	1	1	2	3	8	13	37
GRAND TOTAL	**4057**	**3.2**	**21**	**<1**	**1**	**2**	**3**	**6**	**9**	**23**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	1.8		<1	<1	2	2	3	4	5
20-34	33	4.8	173	1	2	2	3	4	5	78
35-49	36	2.5	1	<1	1	2	3	4	6	7
50-64	37	2.3		1	1	2	3	3	4	5
65+	92	2.8	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	23	4.3	113	<1	1	2	3	4	22	53
20-34	16	3.7	7	1	2	3	4	9	10	11
35-49	13	3.8	8	1	1	3	4	9	11	11
50-64	41	2.6	1	1	2	2	3	4	5	6
65+	83	4.5	24	1	2	3	5	8	14	29
TOT. SINGLE DX	242	2.8	25	1	1	2	3	4	5	8
" MULTIPLE DX	176	3.9	28	1	2	3	4	6	11	29
TOTAL 0-19 YRS	67	2.7	40	<1	<1	2	2	4	4	45
20-34	49	4.4	118	1	2	2	3	5	9	78
35-49	49	2.9	4	1	1	2	3	5	7	11
50-64	78	2.5	1	1	2	2	3	3	5	6
65+	175	3.6	13	1	2	3	4	6	8	25
GRAND TOTAL	**418**	**3.2**	**27**	**1**	**1**	**2**	**3**	**5**	**7**	**22**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	1.5		<1	<1	1	2	2	3	5
20-34	22	1.6		<1	<1	1	2	3	3	3
35-49	19	1.4		<1	<1	1	2	2	3	3
50-64	11	1.7		<1	<1	2	2	3	3	3
65+	18	1.8	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	2.2	2	1	1	1	4	5	5	5
20-34	10	2.3	2	<1	<1	2	3	5	6	6
35-49	12	4.4	19	<1	1	2	5	12	15	16
50-64	16	3.3	13	<1	<1	2	3	10	13	14
65+	25	5.9	81	1	1	2	6	15	30	40
TOT. SINGLE DX	95	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	74	4.1	35	<1	1	2	4	7	15	37
TOTAL 0-19 YRS	36	1.7	1	<1	<1	1	2	4	5	5
20-34	32	1.8	1	<1	<1	2	2	3	3	6
35-49	31	2.6	10	<1	<1	2	2	5	10	16
50-64	27	2.7	9	<1	<1	2	2	5	11	14
65+	43	4.2	51	<1	1	2	4	6	19	40
GRAND TOTAL	**169**	**2.7**	**17**	**<1**	**<1**	**2**	**2**	**5**	**6**	**25**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	7.9	137	2	2	3	7	29	34	34
20-34	31	3.6	2	2	2	3	5	6	7	7
35-49	21	4.2	3	1	2	4	5	7	8	8
50-64	37	4.6	9	2	2	4	5	9	10	17
65+	95	3.9	2	2	2	4	5	7	7	8
2. MULTIPLE DX										
0-19 YRS	9	4.0	6	1	1	3	5	8	9	9
20-34	15	3.9	3	1	1	4	4	6	8	8
35-49	11	5.6	4	3	3	6	8	9	9	9
50-64	35	5.1	15	1	2	4	6	8	16	19
65+	141	5.9	49	1	2	4	6	10	14	49
TOT. SINGLE DX	191	4.2	9	2	2	4	5	7	7	14
" MULTIPLE DX	211	5.5	36	1	2	4	6	9	13	39
TOTAL 0-19 YRS	16	5.7	62	1	2	3	6	9	26	34
20-34	46	3.7	3	1	2	3	5	6	7	8
35-49	32	4.7	4	2	2	4	6	8	8	9
50-64	72	4.9	12	2	2	4	6	8	12	19
65+	236	5.1	31	1	2	4	6	7	12	36
GRAND TOTAL	**402**	**4.9**	**24**	**1**	**2**	**4**	**6**	**7**	**10**	**27**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	2.8	3	1	1	2	3	5	6	12
20-34	110	2.0	2	<1	1	2	2	3	4	11
35-49	116	1.9	1	<1	<1	2	2	3	4	7
50-64	97	2.0	2	<1	1	2	2	3	4	11
65+	89	2.2	4	<1	<1	2	2	3	5	14
2. MULTIPLE DX										
0-19 YRS	58	5.4	85	1	1	4	6	10	11	66
20-34	38	4.7	13	1	1	4	6	10	12	17
35-49	30	3.8	11	<1	1	2	6	9	13	13
50-64	63	4.6	20	1	1	2	6	11	13	22
65+	127	4.1	24	<1	1	2	4	10	13	29
TOT. SINGLE DX	480	2.1	3	<1	1	2	2	3	5	10
" MULTIPLE DX	316	4.5	32	1	1	3	5	10	13	25
TOTAL 0-19 YRS	126	4.0	43	1	1	3	4	7	10	28
20-34	148	2.7	7	<1	1	2	3	5	9	14
35-49	146	2.3	4	<1	<1	2	2	4	6	13
50-64	160	3.0	11	1	1	2	3	6	11	18
65+	216	3.3	17	<1	1	2	3	7	11	25
GRAND TOTAL	**796**	**3.1**	**16**	**<1**	**1**	**2**	**3**	**6**	**10**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	2.8	1	2	2	2	3	4	6	7
20-34	23	4.2	9	1	2	3	6	8	11	14
35-49	65	3.4	8	1	2	3	4	6	9	18
50-64	167	3.2	3	1	1	3	4	6	7	11
65+	344	3.3	6	1	1	3	4	6	8	15
2. MULTIPLE DX										
0-19 YRS	18	3.4	7	<1	1	3	4	6	10	13
20-34	28	5.3	15	2	2	4	6	10	14	19
35-49	39	3.9	14	1	2	3	5	7	8	24
50-64	128	4.3	12	1	2	3	5	9	11	18
65+	328	5.2	44	1	2	3	5	9	17	32
TOT. SINGLE DX	632	3.3	6	1	1	3	4	6	7	14
" MULTIPLE DX	541	4.8	32	1	2	3	5	9	14	29
TOTAL 0-19 YRS	51	3.0	4	1	2	3	3	5	6	13
20-34	51	4.8	13	2	2	4	6	9	14	19
35-49	104	3.6	10	1	2	3	4	6	9	21
50-64	295	3.7	8	1	2	3	4	7	10	16
65+	672	4.2	26	1	2	3	4	7	12	27
GRAND TOTAL	**1173**	**4.0**	**19**	**1**	**2**	**3**	**4**	**7**	**11**	**22**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	4.3	6	1	1	4	6	8	9	11
20-34	22	2.5	2	<1	1	2	3	5	6	7
35-49	34	3.0	4	1	1	2	3	5	8	12
50-64	128	2.9	4	1	1	2	3	6	7	11
65+	219	3.4	9	1	1	2	4	6	8	18
2. MULTIPLE DX										
0-19 YRS	31	6.3	23	2	2	5	7	13	15	23
20-34	32	5.5	15	1	2	5	6	10	14	19
35-49	31	4.3	11	1	1	4	5	10	11	14
50-64	97	5.0	33	1	2	3	5	11	15	37
65+	301	6.0	94	1	2	3	6	11	16	64
TOT. SINGLE DX	432	3.2	7	1	1	2	4	6	8	12
" MULTIPLE DX	492	5.7	68	1	2	3	6	11	15	45
TOTAL 0-19 YRS	60	5.3	16	1	2	4	6	11	13	22
20-34	54	4.3	12	1	1	4	6	9	11	19
35-49	65	3.6	8	1	1	3	4	8	11	14
50-64	225	3.8	18	1	1	3	4	7	11	22
65+	520	4.9	60	1	1	3	5	9	13	44
GRAND TOTAL	**924**	**4.5**	**41**	**1**	**1**	**3**	**5**	**9**	**12**	**31**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.1		1	2	3	4	4	5	5
20-34	10	2.7		2	2	3	3	4	4	4
35-49	367	2.8	1	2	2	3	3	4	5	8
50-64	2543	2.7	1	2	2	3	3	4	4	7
65+	10067	2.9	1	2	2	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	19	4.8	21	1	2	3	4	11	16	20
20-34	22	4.4	22	1	2	3	5	7	16	23
35-49	239	3.7	36	2	2	3	3	5	7	22
50-64	2301	3.7	19	2	2	3	4	5	8	21
65+	11541	4.1	25	2	2	3	4	6	10	29
TOT. SINGLE DX	13003	2.9	2	2	2	3	3	4	5	8
" MULTIPLE DX	14122	4.0	25	2	2	3	4	6	10	28
TOTAL 0-19 YRS	35	4.0	13	1	2	3	4	9	11	20
20-34	32	3.9	16	2	2	3	4	5	11	23
35-49	606	3.2	15	2	2	3	3	4	5	14
50-64	4844	3.2	10	2	2	3	3	4	6	13
65+	21608	3.5	15	2	2	3	4	5	7	19
GRAND TOTAL	**27125**	**3.5**	**14**	**2**	**2**	**3**	**3**	**5**	**7**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	2.6	2	1	2	2	3	4	4	13
20-34	47	2.5	3	<1	1	2	3	4	5	10
35-49	222	2.2		1	1	2	2	3	3	5
50-64	1036	2.3		1	2	2	2	3	4	6
65+	3153	2.4	1	2	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	40	3.2	8	<1	1	3	3	6	14	99+
20-34	34	3.8	19	1	1	3	4	6	7	27
35-49	125	3.6	24	1	2	2	3	5	9	30
50-64	601	3.2	22	1	2	2	3	5	7	20
65+	2575	3.6	21	2	2	2	3	6	9	23
TOT. SINGLE DX	4533	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	3375	3.5	22	2	2	2	3	5	9	23
TOTAL 0-19 YRS	115	2.8	5	1	1	2	3	4	5	44
20-34	81	3.1	10	<1	1	2	3	5	7	22
35-49	347	2.7	10	1	2	2	3	4	5	21
50-64	1637	2.6	9	1	2	2	3	4	5	10
65+	5728	2.9	11	2	2	2	3	4	6	16
GRAND TOTAL	**7908**	**2.9**	**10**	**2**	**2**	**2**	**3**	**4**	**5**	**15**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	7	2.4		2	2	2	3	3	3	3
35-49	24	2.1	1	<1	1	2	3	3	4	5
50-64	176	2.2		1	1	2	2	3	4	6
65+	787	2.5	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	8	12.3	795	<1	<1	2	4	59	82	82
50-64	112	3.2	8	2	2	2	3	5	8	18
65+	704	3.7	18	1	2	3	4	6	10	24
TOT. SINGLE DX	997	2.4	1	1	2	2	3	3	4	6
" MULTIPLE DX	827	3.7	24	1	2	3	3	6	10	24
TOTAL 0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	9	2.6	1	2	2	2	3	4	4	4
35-49	32	4.7	200	<1	1	2	3	4	5	82
50-64	288	2.6	4	1	2	2	3	3	4	12
65+	1491	3.1	10	1	2	2	3	4	6	17
GRAND TOTAL	**1824**	**3.0**	**12**	**1**	**2**	**2**	**3**	**4**	**6**	**16**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	5.2	7	1	2	5	7	9	9	15
20-34	101	4.5	8	1	2	4	6	9	11	14
35-49	134	4.7	4	2	2	4	6	7	8	11
50-64	504	4.8	6	1	2	4	6	8	9	13
65+	387	5.0	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	40	5.0	8	1	2	5	7	8	10	15
20-34	88	6.4	50	2	2	4	8	11	15	46
35-49	123	5.9	17	2	2	5	8	11	14	21
50-64	463	5.6	29	2	2	5	7	9	12	28
65+	529	6.0	14	2	2	5	7	10	13	19
TOT. SINGLE DX	1180	4.9	7	1	2	5	6	8	9	13
" MULTIPLE DX	1243	5.8	23	2	2	5	7	10	13	20
TOTAL 0-19 YRS	94	5.1	8	1	2	5	7	8	9	15
20-34	189	5.4	29	2	2	4	7	9	14	18
35-49	257	5.3	11	2	2	5	7	9	11	16
50-64	967	5.2	18	2	2	5	6	8	11	19
65+	916	5.6	11	2	2	5	7	9	12	17
GRAND TOTAL	**2423**	**5.4**	**15**	**2**	**2**	**5**	**7**	**9**	**11**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.0	5	1	1	3	3	5	9	11
20-34	30	3.9	9	1	1	3	5	8	8	15
35-49	33	3.5	5	<1	1	3	4	7	9	11
50-64	78	3.4	5	2	2	2	4	7	8	12
65+	187	3.3	7	1	1	2	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	26	4.3	15	1	1	3	5	10	13	19
20-34	61	5.6	34	1	2	4	7	11	14	39
35-49	65	5.7	42	2	2	4	6	8	14	40
50-64	164	5.5	53	1	2	4	6	10	14	40
65+	274	5.6	84	1	2	3	5	8	15	55
TOT. SINGLE DX	345	3.4	7	1	1	3	4	6	8	15
" MULTIPLE DX	590	5.5	63	1	2	4	6	9	14	45
TOTAL 0-19 YRS	43	3.8	12	1	1	3	4	8	11	19
20-34	91	5.0	26	1	1	4	7	10	14	31
35-49	98	4.9	31	1	2	4	5	8	12	39
50-64	242	4.8	39	1	2	3	5	8	12	37
65+	461	4.7	54	1	2	3	5	7	11	46
GRAND TOTAL	**935**	**4.7**	**43**	**1**	**2**	**3**	**5**	**8**	**11**	**38**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1497	1.7		<1	1	2	2	2	2	3
20-34	264	2.0		1	1	2	2	3	3	4
35-49	126	2.0		1	1	2	2	3	3	4
50-64	47	2.0		<1	1	2	2	3	3	4
65+	36	2.3	1	1	1	2	2	3	5	7
2. MULTIPLE DX										
0-19 YRS	305	1.9	2	<1	1	2	2	2	3	5
20-34	66	2.1	1	1	1	2	2	3	4	9
35-49	45	2.1		1	1	2	2	3	4	4
50-64	49	3.2	17	1	1	2	3	5	8	26
65+	38	4.1	52	2	2	2	3	5	15	44
TOT. SINGLE DX	1970	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	503	2.2	8	1	1	2	2	3	4	14
TOTAL 0-19 YRS	1802	1.7	1	<1	1	2	2	2	2	3
20-34	330	2.0	1	1	1	2	2	3	3	4
35-49	171	2.1		1	1	2	2	3	3	4
50-64	96	2.6	9	1	1	2	2	3	5	22
65+	74	3.2	28	1	2	2	3	4	7	38
GRAND TOTAL	**2473**	**1.8**	**2**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	3	1.7		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	8	2.4		1	1	2	3	4	4	4
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	3	2.3		2	2	2	3	3	3	3
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	5.3	12	1	1	5	8	9	9	9
TOT. SINGLE DX	14	2.8	3	1	1	2	3	5	7	8
" MULTIPLE DX	20	3.4	4	1	1	3	4	6	8	9
TOTAL 0-19 YRS	12	2.6	1	1	1	2	3	4	5	5
20-34	6	4.2	6	2	2	3	6	8	8	8
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	7	3.7	10	1	1	2	6	9	9	9
GRAND TOTAL	**34**	**3.1**	**4**	**1**	**1**	**2**	**4**	**6**	**8**	**9**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	2.7	4	<1	1	2	3	6	7	12
20-34	73	3.0	3	1	1	2	4	6	7	9
35-49	31	4.9	26	<1	1	3	6	10	17	26
50-64	65	3.1	3	1	1	3	4	5	7	11
65+	103	3.9	14	1	1	3	4	7	13	21
2. MULTIPLE DX										
0-19 YRS	81	5.0	23	1	1	3	5	13	16	25
20-34	94	5.1	67	2	2	3	4	7	15	54
35-49	57	6.4	31	1	2	4	8	13	18	26
50-64	91	6.2	45	1	2	4	7	13	26	35
65+	189	7.4	78	1	2	4	9	18	28	80
TOT. SINGLE DX	371	3.4	9	1	1	2	4	6	8	19
" MULTIPLE DX	512	6.3	58	1	2	4	7	15	21	50
TOTAL 0-19 YRS	180	3.8	15	<1	1	2	4	8	12	18
20-34	167	4.2	41	1	2	3	4	7	9	30
35-49	88	5.9	30	1	2	4	7	12	17	26
50-64	156	4.9	30	1	2	3	5	10	14	31
65+	292	6.2	59	1	2	3	7	16	22	51
GRAND TOTAL	**883**	**5.1**	**39**	**1**	**1**	**3**	**5**	**11**	**17**	**35**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	2.0	1	<1	<1	2	2	3	5	7
20-34	179	2.1	4	<1	<1	1	2	4	5	12
35-49	85	2.0	1	<1	<1	2	2	4	4	7
50-64	108	2.8	8	<1	<1	2	3	5	8	18
65+	125	3.8	21	<1	1	2	3	7	13	24
2. MULTIPLE DX										
0-19 YRS	194	3.2	13	<1	<1	2	4	6	8	22
20-34	121	5.3	56	1	1	3	6	13	20	37
35-49	74	5.6	81	<1	1	3	6	12	16	60
50-64	102	6.9	95	<1	1	3	8	16	24	59
65+	203	9.5	107	1	2	6	12	23	35	56
TOT. SINGLE DX	920	2.4	6	<1	<1	2	2	4	6	14
" MULTIPLE DX	694	6.2	73	<1	1	3	7	14	22	53
TOTAL 0-19 YRS	617	2.4	6	<1	<1	2	3	4	6	9
20-34	300	3.4	28	<1	<1	2	3	7	12	24
35-49	159	3.7	42	<1	<1	2	4	8	12	18
50-64	210	4.8	55	<1	<1	2	5	10	16	40
65+	328	7.3	82	<1	1	4	9	18	24	53
GRAND TOTAL	**1614**	**4.0**	**39**	**<1**	**<1**	**2**	**4**	**9**	**14**	**34**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	2.4		1	2	2	3	3	4	4
20-34	224	2.6		2	2	2	3	4	4	5
35-49	319	2.7		2	2	3	3	4	4	6
50-64	356	2.8		2	2	3	3	4	4	6
65+	181	2.9		2	2	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	31	2.7		2	2	3	3	4	4	5
20-34	42	2.7		1	2	3	3	4	4	4
35-49	69	3.0	2	2	2	3	3	4	5	12
50-64	103	2.9		2	2	3	3	4	4	7
65+	61	3.3	4	2	2	3	3	5	7	14
TOT. SINGLE DX	1117	2.7	1	2	2	3	3	4	4	6
" MULTIPLE DX	306	2.9	2	2	2	3	3	4	5	9
TOTAL 0-19 YRS	68	2.6	1	2	2	3	3	3	4	5
20-34	266	2.6	1	2	2	3	3	4	4	5
35-49	388	2.8	1	2	2	3	3	4	4	7
50-64	459	2.8	1	2	2	3	3	4	4	6
65+	242	3.0	2	2	2	3	3	4	5	10
GRAND TOTAL	**1423**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**4**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	325	2.1		1	1	2	2	3	3	5
20-34	245	2.3		1	1	2	3	3	4	5
35-49	208	2.4		1	1	2	3	3	4	5
50-64	185	2.5		1	2	2	3	3	4	6
65+	63	2.3	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-19 YRS	249	2.3		1	1	2	3	3	3	5
20-34	178	2.5	1	1	2	2	3	3	4	8
35-49	159	2.7	1	1	2	3	3	4	5	8
50-64	212	3.0	4	1	2	3	3	4	6	16
65+	98	3.2	6	1	2	3	3	5	8	15
TOT. SINGLE DX	1026	2.3	1	1	1	2	3	3	4	5
" MULTIPLE DX	896	2.7	3	1	2	2	3	4	5	11
TOTAL 0-19 YRS	574	2.2	1	1	1	2	2	3	3	5
20-34	423	2.4	1	1	1	2	3	3	4	6
35-49	367	2.5	1	1	2	2	3	4	4	7
50-64	397	2.8	3	1	2	3	3	4	5	14
65+	161	2.9	4	1	1	3	3	4	7	15
GRAND TOTAL	**1922**	**2.5**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3539	1.1		<1	<1	<1	<1	1	1	3
20-34	118	1.6	1	<1	<1	1	2	3	4	10
35-49	87	1.9	2	<1	<1	2	2	3	4	9
50-64	89	1.6		<1	<1	1	2	3	3	5
65+	57	1.9	5	<1	<1	2	2	2	3	15
2. MULTIPLE DX										
0-19 YRS	1860	1.7	9	<1	<1	1	2	2	3	12
20-34	73	1.9	3	<1	<1	1	2	3	6	11
35-49	64	3.9	118	<1	<1	2	2	4	13	76
50-64	75	4.2	36	<1	1	2	3	10	21	30
65+	58	10.5	338	<1	1	3	12	22	55	90
TOT. SINGLE DX	3890	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	2130	2.1	24	<1	<1	1	2	2	5	17
TOTAL 0-19 YRS	5399	1.3	3	<1	<1	<1	1	2	2	7
20-34	191	1.8	2	<1	<1	1	2	3	4	10
35-49	151	2.8	52	<1	<1	2	2	4	6	27
50-64	164	2.8	19	<1	<1	2	2	4	9	25
65+	115	6.2	190	<1	<1	2	4	15	22	87
GRAND TOTAL	**6020**	**1.5**	**9**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**10**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	133	3.5	21	1	2	3	3	5	7	21
20-34	102	3.2	2	2	2	3	4	5	6	10
35-49	96	3.3	2	2	2	3	4	5	7	10
50-64	89	3.5	5	2	2	3	4	5	7	16
65+	49	3.6	3	2	2	3	4	7	8	9
2. MULTIPLE DX										
0-19 YRS	225	3.6	7	2	2	3	4	6	8	16
20-34	136	3.5	6	2	2	3	4	5	7	15
35-49	118	3.6	5	1	2	3	4	5	9	13
50-64	176	4.1	15	2	2	3	4	6	7	30
65+	83	6.0	60	2	2	4	5	11	28	84
TOT. SINGLE DX	469	3.4	9	2	2	3	4	5	7	11
" MULTIPLE DX	738	3.9	15	2	2	3	4	6	9	26
TOTAL 0-19 YRS	358	3.6	13	1	2	3	4	6	7	16
20-34	238	3.4	5	2	2	3	4	5	7	11
35-49	214	3.4	4	2	2	3	4	5	8	13
50-64	265	3.9	12	2	2	3	4	6	7	19
65+	132	5.1	41	2	2	3	5	9	15	60
GRAND TOTAL	**1207**	**3.7**	**13**	**2**	**2**	**3**	**4**	**6**	**8**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	1.7	1	<1	<1	1	2	3	4	7
20-34	84	2.9	5	<1	1	3	3	5	6	12
35-49	84	3.2	2	1	2	3	4	5	6	9
50-64	97	3.9	25	1	2	3	4	6	9	31
65+	36	4.0	4	2	2	3	5	8	9	9
2. MULTIPLE DX										
0-19 YRS	142	2.4	11	<1	<1	2	3	3	5	23
20-34	74	2.9	3	1	1	3	3	4	7	11
35-49	67	3.5	10	1	2	3	4	5	9	22
50-64	98	4.8	52	1	2	3	4	7	17	47
65+	61	5.6	36	1	2	3	7	13	23	92
TOT. SINGLE DX	467	2.8	8	<1	<1	2	3	5	6	10
" MULTIPLE DX	442	3.7	24	<1	1	3	3	6	11	30
TOTAL 0-19 YRS	308	2.0	6	<1	<1	1	2	3	5	13
20-34	158	2.9	3	1	1	3	3	5	6	12
35-49	151	3.3	6	1	2	3	4	5	7	11
50-64	195	4.4	39	1	2	3	4	6	11	45
65+	97	5.0	25	1	2	3	6	10	15	68
GRAND TOTAL	**909**	**3.2**	**16**	**<1**	**<1**	**3**	**3**	**5**	**8**	**23**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	619	2.6		1	2	3	3	4	4	5
20-34	1107	2.7	1	1	2	3	3	4	4	6
35-49	395	2.5		1	2	2	3	4	4	5
50-64	192	2.6	1	1	2	2	3	4	4	7
65+	30	3.1	1	2	2	3	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	637	2.6	1	1	1	3	3	4	4	6
20-34	1391	2.8	1	1	2	3	3	4	5	6
35-49	655	2.9	1	1	2	3	3	4	5	7
50-64	413	3.2	4	1	2	3	4	5	6	13
65+	109	3.8	7	2	2	3	4	7	10	53
TOT. SINGLE DX	2343	2.6	1	1	2	3	3	4	4	6
" MULTIPLE DX	3205	2.9	2	1	2	3	3	4	5	8
TOTAL 0-19 YRS	1256	2.6	1	1	2	3	3	4	4	5
20-34	2498	2.7	2	1	2	3	3	4	4	6
35-49	1050	2.8	1	1	2	3	3	4	5	7
50-64	605	3.0	3	1	2	3	3	4	6	11
65+	139	3.7	7	2	2	3	4	6	9	29
GRAND TOTAL	**5548**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	998	2.8	1	1	1	2	3	5	5	7
20-34	1695	2.5	1	1	1	2	3	4	5	6
35-49	644	2.5	1	1	1	2	3	4	5	6
50-64	284	2.6	3	1	1	2	3	4	5	8
65+	85	3.3	11	1	2	2	3	5	8	22
2. MULTIPLE DX										
0-19 YRS	1040	2.8	2	1	1	3	3	4	6	9
20-34	1947	2.7	3	1	1	3	3	4	5	8
35-49	879	3.2	14	1	1	3	3	5	6	17
50-64	552	3.3	6	1	1	3	3	5	8	15
65+	192	4.8	35	1	1	3	5	10	14	31
TOT. SINGLE DX	3706	2.6	2	1	1	2	3	4	5	6
" MULTIPLE DX	4610	3.0	7	1	1	3	3	4	6	13
TOTAL 0-19 YRS	2038	2.8	2	1	1	3	3	5	5	8
20-34	3642	2.6	3	1	1	2	3	4	5	7
35-49	1523	2.9	9	1	1	2	3	4	5	12
50-64	836	3.0	6	1	1	3	3	5	7	15
65+	277	4.3	29	1	2	3	4	8	13	26
GRAND TOTAL	**8316**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	2.4	16	<1	<1	2	3	4	6	19
20-34	147	2.1	2	<1	<1	2	2	4	5	7
35-49	182	2.2	2	<1	<1	2	2	4	5	8
50-64	288	2.4	6	<1	<1	2	2	4	5	14
65+	297	3.2	35	<1	1	2	3	5	7	22
2. MULTIPLE DX										
0-19 YRS	100	3.6	29	<1	1	3	4	5	9	36
20-34	172	3.0	5	1	1	2	3	5	7	14
35-49	273	3.4	15	<1	1	3	3	5	8	22
50-64	421	3.7	21	1	1	3	4	6	10	32
65+	487	6.7	79	1	2	3	8	15	29	99+
TOT. SINGLE DX	1033	2.5	15	<1	<1	2	3	4	6	14
" MULTIPLE DX	1453	4.5	41	1	1	3	4	9	15	44
TOTAL 0-19 YRS	219	3.0	22	<1	<1	2	3	4	7	30
20-34	319	2.6	4	<1	<1	2	3	5	6	12
35-49	455	2.9	10	<1	1	2	3	5	7	18
50-64	709	3.2	16	<1	1	2	3	5	7	21
65+	784	5.3	66	1	1	3	5	12	20	64
GRAND TOTAL	**2486**	**3.7**	**31**	**<1**	**1**	**2**	**3**	**7**	**11**	**35**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	698	1.6	1	<1	<1	1	2	3	4	6
20-34	573	2.3	3	<1	<1	2	3	5	6	9
35-49	178	3.4	6	<1	1	3	5	7	8	12
50-64	146	4.5	6	<1	1	4	6	8	9	12
65+	120	5.1	11	1	1	5	7	10	12	16
2. MULTIPLE DX										
0-19 YRS	410	2.9	4	<1	1	2	4	5	7	10
20-34	484	4.2	20	1	1	3	5	8	10	16
35-49	201	5.0	23	1	1	4	6	10	13	21
50-64	240	6.0	14	1	2	5	7	11	14	18
65+	381	9.0	90	2	2	6	11	19	27	64
TOT. SINGLE DX	1715	2.5	5	<1	<1	2	3	5	7	11
" MULTIPLE DX	1716	5.3	36	1	1	4	6	10	14	36
TOTAL 0-19 YRS	1108	2.1	3	<1	<1	1	3	4	5	8
20-34	1057	3.2	12	<1	1	2	4	6	8	13
35-49	379	4.2	16	<1	1	3	6	9	11	19
50-64	386	5.4	12	1	2	5	7	10	12	17
65+	501	8.1	74	2	2	6	9	15	23	61
GRAND TOTAL	**3421**	**3.9**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**21**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.0	3	1	2	2	4	5	7	10
20-34	121	3.4	5	1	2	3	4	6	8	15
35-49	115	3.4	6	1	2	3	4	6	8	15
50-64	129	3.1	1	1	2	3	4	5	6	8
65+	46	4.1	8	2	2	3	4	6	9	19
2. MULTIPLE DX										
0-19 YRS	43	4.8	40	2	2	3	5	11	12	41
20-34	126	5.0	37	2	2	3	5	9	16	37
35-49	122	4.7	36	2	2	3	4	7	10	37
50-64	136	4.8	30	2	2	3	5	8	12	33
65+	87	8.3	99	2	2	4	9	21	31	52
TOT. SINGLE DX	445	3.4	5	1	2	3	4	5	7	13
" MULTIPLE DX	514	5.4	47	2	2	3	5	10	17	39
TOTAL 0-19 YRS	77	4.0	25	1	2	3	4	7	11	34
20-34	247	4.2	22	2	2	3	4	6	11	27
35-49	237	4.1	22	1	2	3	4	6	8	23
50-64	265	4.0	17	2	2	3	4	6	8	22
65+	133	6.9	72	2	2	4	6	17	27	42
GRAND TOTAL	**959**	**4.5**	**29**	**2**	**2**	**3**	**4**	**7**	**12**	**30**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.3	6	1	1	2	5	7	8	13
20-34	108	3.7	10	<1	1	3	4	7	11	17
35-49	125	4.2	26	1	1	3	4	8	13	30
50-64	114	4.1	13	1	1	3	5	8	12	19
65+	53	4.9	21	1	1	4	6	10	14	24
2. MULTIPLE DX										
0-19 YRS	69	6.8	59	<1	1	3	10	18	24	36
20-34	127	4.5	17	1	2	3	5	9	12	25
35-49	144	4.6	21	1	2	3	5	9	12	27
50-64	167	6.1	35	1	2	4	7	14	19	31
65+	131	8.7	142	2	2	4	9	18	31	71
TOT. SINGLE DX	451	4.0	16	1	1	3	5	8	12	24
" MULTIPLE DX	638	6.0	55	1	2	3	7	14	20	35
TOTAL 0-19 YRS	120	5.4	40	<1	1	3	6	14	19	30
20-34	235	4.1	15	1	1	3	5	8	12	22
35-49	269	4.4	24	1	2	3	5	9	12	29
50-64	281	5.2	27	1	2	3	6	12	16	28
65+	184	7.6	110	1	2	4	9	15	22	67
GRAND TOTAL	**1089**	**5.2**	**40**	**1**	**1**	**3**	**6**	**11**	**17**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3845	1.6		<1	<1	2	2	2	2	3
20-34	3099	1.7		<1	<1	2	2	2	2	3
35-49	491	1.8	1	<1	<1	2	2	2	3	5
50-64	338	2.2	15	<1	1	2	2	3	3	9
65+	185	2.6	15	1	1	2	2	3	5	39
2. MULTIPLE DX										
0-19 YRS	1171	2.4	21	<1	1	2	2	3	4	21
20-34	1622	3.8	31	<1	1	2	3	11	16	27
35-49	833	3.9	39	1	1	2	3	10	15	43
50-64	1017	4.7	63	1	1	2	3	11	18	54
65+	1044	7.9	133	1	2	3	10	22	38	99+
TOT. SINGLE DX	7958	1.7	2	<1	<1	2	2	2	2	4
" MULTIPLE DX	5687	4.4	58	1	1	2	3	11	17	51
TOTAL 0-19 YRS	5016	1.8	6	<1	<1	2	2	2	2	6
20-34	4721	2.4	12	<1	<1	2	2	3	6	17
35-49	1324	3.2	26	<1	1	2	2	6	12	30
50-64	1355	4.1	53	1	1	2	3	8	16	39
65+	1229	7.1	119	1	2	2	8	20	35	99+
GRAND TOTAL	**13645**	**2.8**	**27**	**<1**	**<1**	**2**	**2**	**3**	**10**	**30**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	229	1.3		<1	<1	1	1	2	2	7
20-34	30	2.0	2	<1	<1	2	2	3	4	9
35-49	15	3.3	5	<1	1	2	5	7	8	8
50-64	11	3.5	1	2	2	3	4	5	7	7
65+	4	4.0	16	1	1	2	6	10	10	10
2. MULTIPLE DX										
0-19 YRS	267	1.8	22	<1	<1	1	2	2	2	41
20-34	86	7.4	92	<1	1	2	13	17	20	86
35-49	16	6.6	27	1	1	6	11	13	16	17
50-64	8	4.5	35	1	1	2	4	15	19	19
65+	7	19.0	318	2	2	20	28	46	50	50
TOT. SINGLE DX	289	1.6	2	<1	<1	1	2	2	4	8
" MULTIPLE DX	384	3.6	53	<1	<1	1	2	12	17	58
TOTAL 0-19 YRS	496	1.6	13	<1	<1	1	2	2	2	8
20-34	116	6.0	74	<1	1	2	9	17	18	75
35-49	31	5.0	19	1	1	3	8	12	13	17
50-64	19	3.9	15	1	2	3	4	6	14	19
65+	11	13.5	253	1	1	4	25	37	49	50
GRAND TOTAL	**673**	**2.8**	**32**	**<1**	**<1**	**1**	**2**	**4**	**13**	**39**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	2.0	1	<1	<1	2	2	3	4	8
20-34	150	2.2	6	<1	<1	2	2	4	5	10
35-49	181	2.2	4	<1	<1	2	2	4	5	13
50-64	141	2.2	2	<1	<1	2	3	4	5	8
65+	39	3.1	11	<1	<1	2	3	5	11	17
2. MULTIPLE DX										
0-19 YRS	120	2.5	4	1	1	2	3	4	6	12
20-34	166	4.6	75	<1	1	2	3	11	14	56
35-49	128	3.5	11	1	1	2	3	9	12	16
50-64	151	3.5	9	<1	1	2	4	6	10	18
65+	93	8.6	215	2	2	3	7	22	38	78
TOT. SINGLE DX	570	2.2	5	<1	<1	2	2	4	5	13
" MULTIPLE DX	658	4.3	58	1	1	2	4	8	13	38
TOTAL 0-19 YRS	179	2.3	4	<1	1	2	2	4	5	8
20-34	316	3.5	44	<1	<1	2	3	8	11	27
35-49	309	2.7	8	<1	<1	2	3	5	9	15
50-64	292	2.9	6	<1	<1	2	3	5	7	16
65+	132	7.0	161	1	1	3	5	18	34	74
GRAND TOTAL	**1228**	**3.3**	**34**	**<1**	**<1**	**2**	**3**	**6**	**10**	**24**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	3.2	3	1	1	3	4	5	6	9
20-34	244	3.7	4	1	2	3	5	6	7	10
35-49	314	3.8	3	2	2	4	5	6	7	11
50-64	399	4.2	9	2	2	4	5	6	8	17
65+	308	5.1	13	2	2	4	6	9	12	21
2. MULTIPLE DX										
0-19 YRS	35	3.6	4	<1	2	3	4	7	8	9
20-34	82	4.8	10	2	2	4	6	9	12	15
35-49	127	5.4	20	2	2	4	6	10	12	27
50-64	249	6.3	27	2	2	4	7	12	16	27
65+	312	8.5	87	2	2	6	10	16	24	57
TOT. SINGLE DX	1379	4.2	8	1	2	4	5	6	8	16
" MULTIPLE DX	805	6.7	49	2	2	5	8	13	18	42
TOTAL 0-19 YRS	149	3.3	3	1	1	3	4	6	7	9
20-34	326	4.0	6	1	2	3	5	7	8	14
35-49	441	4.3	9	2	2	4	5	7	9	15
50-64	648	5.0	17	2	2	4	6	9	12	25
65+	620	6.9	54	2	2	5	7	14	18	46
GRAND TOTAL	**2184**	**5.1**	**25**	**2**	**2**	**4**	**6**	**9**	**13**	**26**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	182	4.2	3	1	2	4	5	7	7	9
20-34	7	3.9	4	2	2	3	6	7	7	7
35-49										
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	162	4.7	4	1	2	5	6	7	8	13
20-34	15	3.9	3	1	1	4	5	6	6	6
35-49	5	13.4	397	3	3	5	17	49	49	49
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	193	4.1	3	1	2	4	5	7	7	9
" MULTIPLE DX	186	4.8	15	1	2	5	6	7	8	14
TOTAL 0-19 YRS	344	4.4	4	1	2	4	6	7	8	10
20-34	22	3.9	3	1	2	4	5	6	7	7
35-49	5	13.4	397	3	3	5	17	49	49	49
50-64	6	3.0	1	2	2	3	4	4	4	4
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**379**	**4.5**	**9**	**1**	**2**	**4**	**6**	**7**	**8**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	527	3.3	11	<1	<1	2	5	7	9	12
20-34	166	3.6	14	<1	<1	2	4	8	10	18
35-49	150	4.4	41	<1	1	2	4	9	15	36
50-64	298	4.6	30	<1	1	3	5	11	15	30
65+	310	5.2	64	1	1	3	6	10	14	38
2. MULTIPLE DX										
0-19 YRS	415	3.4	7	1	1	3	5	7	8	12
20-34	272	4.8	41	1	1	3	5	11	15	33
35-49	198	7.6	88	1	1	4	10	17	26	60
50-64	380	9.6	148	1	1	4	13	25	33	78
65+	516	11.1	146	2	2	7	15	27	37	83
TOT. SINGLE DX	1451	4.1	31	<1	<1	2	5	8	12	28
" MULTIPLE DX	1781	7.6	101	1	1	4	9	18	28	65
TOTAL 0-19 YRS	942	3.4	10	<1	<1	2	5	7	9	12
20-34	438	4.4	31	<1	1	3	5	9	13	27
35-49	348	6.2	71	<1	1	3	7	14	22	53
50-64	678	7.4	103	<1	1	3	9	20	27	71
65+	826	8.9	124	1	2	5	11	21	32	78
GRAND TOTAL	**3232**	**6.1**	**73**	**<1**	**1**	**3**	**7**	**14**	**22**	**51**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5277	1.8	1	1	1	2	2	2	3	4
20-34	3364	2.1		1	1	2	2	3	3	4
35-49	275	2.3		1	1	2	3	3	4	6
50-64	47	2.9	4	1	1	2	3	5	9	11
65+	16	3.8	39	1	1	2	2	9	21	26
2. MULTIPLE DX										
0-19 YRS	820	2.1	1	1	1	2	2	3	4	8
20-34	407	2.8	6	1	2	2	3	4	6	14
35-49	71	2.8	1	1	2	2	3	5	5	8
50-64	21	3.3	4	1	2	3	4	5	8	12
65+	10	8.6	184	1	1	3	8	28	46	46
TOT. SINGLE DX	8979	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1329	2.5	5	1	1	2	3	4	5	11
TOTAL 0-19 YRS	6097	1.9	1	1	1	2	2	3	3	5
20-34	3771	2.1	1	1	1	2	2	3	3	5
35-49	346	2.4	1	1	2	2	3	4	4	6
50-64	68	3.0	5	1	1	2	3	5	9	12
65+	26	5.7	96	1	1	2	4	11	30	46
GRAND TOTAL	**10308**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6751	1.5		<1	<1	1	2	2	2	3
20-34	211	2.0		1	1	2	2	3	3	4
35-49	8	2.1		2	2	2	2	3	3	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	5	1.8		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	3903	1.6	1	<1	1	2	2	2	3	5
20-34	53	2.1		1	1	2	2	3	4	5
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	6977	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	3961	1.7	2	<1	1	2	2	2	3	5
TOTAL 0-19 YRS	10654	1.6	1	<1	<1	1	2	2	2	4
20-34	264	2.0		1	1	2	2	3	3	4
35-49	10	2.6	2	2	2	2	2	5	7	7
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	6	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**10938**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	733	1.4		<1	<1	1	2	2	2	3
20-34	10	1.9		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	1711	1.4		<1	<1	1	2	2	2	3
20-34	12	2.3	1	<1	1	2	3	4	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	744	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	1726	1.4	1	<1	<1	1	2	2	2	3
TOTAL 0-19 YRS	2444	1.4	1	<1	<1	1	2	2	2	3
20-34	22	2.1	1	<1	1	2	2	3	4	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**2470**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	438	2.8	6	<1	1	2	3	5	6	15
20-34	293	3.1	4	1	1	3	4	5	7	14
35-49	111	3.7	9	1	1	3	4	7	11	15
50-64	134	5.2	85	1	1	3	5	10	15	57
65+	99	6.1	67	1	2	3	8	13	19	50
2. MULTIPLE DX										
0-19 YRS	119	3.2	5	<1	1	2	4	7	9	11
20-34	96	5.3	43	1	1	4	6	10	15	41
35-49	77	9.5	213	1	2	4	8	34	50	94
50-64	178	11.1	174	1	2	6	13	29	41	66
65+	135	10.2	142	2	2	6	15	23	30	91
TOT. SINGLE DX	1075	3.6	23	<1	1	2	4	6	9	19
" MULTIPLE DX	605	8.2	128	1	1	4	10	19	31	65
TOTAL 0-19 YRS	557	2.9	6	<1	1	2	3	5	7	12
20-34	389	3.6	15	1	1	3	4	6	9	17
35-49	188	6.1	101	1	1	3	6	13	19	71
50-64	312	8.6	144	1	2	4	10	19	32	64
65+	234	8.5	114	2	2	4	12	19	28	66
GRAND TOTAL	**1680**	**5.2**	**65**	**1**	**1**	**3**	**5**	**11**	**17**	**49**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	1.7	2	<1	<1	1	2	3	5	8
20-34	28	3.3	3	1	1	3	4	6	7	8
35-49	41	3.0	2	1	1	3	4	5	6	7
50-64	70	3.9	9	1	1	4	5	8	10	17
65+	77	4.1	10	1	1	3	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	58	3.5	2	<1	1	3	4	6	7	8
20-34	24	6.3	55	1	1	4	8	15	22	35
35-49	31	6.1	13	2	2	6	8	11	13	17
50-64	88	7.4	75	1	1	5	8	18	27	45
65+	189	7.8	87	1	2	5	9	15	23	72
TOT. SINGLE DX	294	3.2	7	<1	1	2	4	7	8	15
" MULTIPLE DX	390	6.8	66	1	1	5	8	14	20	42
TOTAL 0-19 YRS	136	2.4	3	<1	<1	2	3	5	7	8
20-34	52	4.7	29	1	1	3	6	9	14	35
35-49	72	4.3	10	1	1	3	6	8	10	16
50-64	158	5.9	49	1	1	4	6	12	20	36
65+	266	6.7	68	1	2	4	8	14	18	42
GRAND TOTAL	**684**	**5.3**	**44**	**<1**	**1**	**4**	**6**	**11**	**15**	**36**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	2.0	3	<1	<1	2	2	3	3	12
20-34	363	1.8	1	<1	<1	2	2	2	2	6
35-49	559	2.0	2	<1	1	2	2	3	3	11
50-64	839	2.1	3	1	1	2	2	3	4	9
65+	508	2.9	33	1	1	2	2	3	5	27
2. MULTIPLE DX										
0-19 YRS	21	2.7	8	<1	1	2	2	5	10	14
20-34	74	2.4	6	1	1	2	2	4	5	18
35-49	183	3.3	23	<1	1	2	2	7	11	42
50-64	506	5.2	75	1	1	2	4	11	21	50
65+	443	7.8	184	1	2	2	8	21	31	85
TOT. SINGLE DX	2429	2.2	9	<1	1	2	2	3	4	11
" MULTIPLE DX	1227	5.7	105	1	1	2	4	13	23	70
TOTAL 0-19 YRS	181	2.1	4	<1	<1	2	2	3	4	14
20-34	437	1.9	2	<1	<1	2	2	2	3	6
35-49	742	2.3	8	<1	1	2	2	3	6	16
50-64	1345	3.3	33	1	1	2	2	6	10	33
65+	951	5.2	109	1	1	2	3	11	22	70
GRAND TOTAL	**3656**	**3.3**	**44**	**<1**	**1**	**2**	**2**	**5**	**11**	**36**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
20-34	11	2.5	3	1	1	2	3	6	6	6
35-49	27	4.0	20	1	1	2	5	12	26	99+
50-64	49	9.1	110	1	1	5	14	20	24	56
65+	32	9.3	88	1	1	8	14	20	24	45
2. MULTIPLE DX										
0-19 YRS	9	19.1	665	2	2	8	50	87	99+	99+
20-34	1	19.0		19	19	19	19	19	19	19
35-49	24	13.3	266	2	2	7	17	32	55	68
50-64	53	15.3	131	2	2	14	22	31	56	99+
65+	75	20.1	375	2	2	15	30	49	65	97
TOT. SINGLE DX	126	7.1	77	1	1	2	12	18	22	66
" MULTIPLE DX	162	17.5	294	2	2	13	25	45	66	99+
TOTAL 0-19 YRS	16	11.7	432	<1	<1	4	12	70	91	99+
20-34	12	3.9	26	1	1	2	4	10	18	19
35-49	51	8.4	155	1	1	4	11	22	48	99
50-64	102	12.3	130	1	2	10	17	28	40	99+
65+	107	16.9	313	1	2	13	23	44	54	93
GRAND TOTAL	**288**	**12.9**	**225**	**1**	**2**	**9**	**18**	**33**	**52**	**99+**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	64.0		64	64	64	64	64	64	64
35-49	13	17.6	126	3	8	17	19	30	46	50
50-64	73	19.7	155	11	13	17	21	27	34	86
65+	44	21.0	102	10	12	17	28	38	41	50
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49	14	20.8	39	13	14	19	26	31	32	32
50-64	109	29.7	371	12	13	23	37	61	77	99+
65+	120	28.7	326	11	13	24	36	62	93	99+
TOT. SINGLE DX	131	20.3	147	10	12	17	22	32	39	85
" MULTIPLE DX	245	28.5	335	11	13	24	35	60	85	99+
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	32.5	1985	1	1	32	64	64	64	64
35-49	27	19.3	80	9	12	18	21	31	35	50
50-64	182	25.7	308	12	13	19	32	55	76	98
65+	164	26.6	277	11	12	22	33	55	78	99+
GRAND TOTAL	**376**	**25.6**	**284**	**11**	**13**	**20**	**31**	**52**	**73**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	12	14.3	172	2	2	12	25	57	92	99+
65+	3	24.0	523	7	7	32	75	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	2	20.5	545	4	4	20	37	37	37	37
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	6	21.8	250	7	8	36	99+	99+	99+	99+
50-64	19	25.1	433	6	8	26	72	99+	99+	99+
65+	37	34.5	605	8	10	37	86	99+	99+	99+
TOT. SINGLE DX	15	16.2	226	2	2	12	33	90	99+	99+
" MULTIPLE DX	65	30.6	533	7	9	35	86	99+	99+	99+
TOTAL 0-19 YRS	2	20.5	545	4	4	20	37	37	37	37
20-34	1	61.0		61	61	80	99+	99+	99+	99+
35-49	6	21.8	250	7	8	36	99+	99+	99+	99+
50-64	31	20.9	352	2	4	17	46	99+	99+	99+
65+	40	33.7	593	7	9	37	86	99+	99+	99+
GRAND TOTAL	**80**	**27.9**	**504**	**4**	**7**	**29**	**79**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	5.6	22	1	2	5	7	11	15	27
20-34	21	6.5	30	1	2	5	11	17	51	99+
35-49	44	5.4	29	1	1	4	7	10	18	27
50-64	43	7.6	77	1	1	6	11	14	29	99+
65+	45	11.3	155	1	2	6	18	32	43	99+
2. MULTIPLE DX										
0-19 YRS	76	16.7	360	2	2	9	40	99+	99+	99+
20-34	59	25.1	388	2	4	24	41	83	99+	99+
35-49	65	24.8	493	2	3	20	44	86	99+	99+
50-64	227	29.8	523	2	3	29	51	92	99+	99+
65+	291	38.3	716	2	7	46	81	99+	99+	99+
TOT. SINGLE DX	202	7.3	70	1	2	5	10	17	27	99+
" MULTIPLE DX	718	31.0	618	2	3	32	63	99+	99+	99+
TOTAL 0-19 YRS	125	12.3	257	1	2	7	21	68	99+	99+
20-34	80	20.2	361	2	2	15	34	60	99+	99+
35-49	109	17.0	396	1	2	8	29	59	98	99+
50-64	270	26.2	518	2	2	24	47	84	99+	99+
65+	336	34.7	726	2	3	38	76	99+	99+	99+
GRAND TOTAL	**920**	**25.8**	**594**	**2**	**2**	**22**	**53**	**99+**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	5.2	14	<1	1	5	7	10	13	15
20-34	137	5.9	35	1	1	4	7	14	20	29
35-49	214	7.5	44	1	1	5	11	17	22	30
50-64	523	8.1	51	1	2	6	12	17	22	31
65+	647	9.4	94	1	2	7	13	21	26	48
2. MULTIPLE DX										
0-19 YRS	22	11.0	191	1	2	6	12	38	46	51
20-34	170	13.3	179	1	2	9	17	34	52	99+
35-49	409	13.2	148	2	2	10	17	28	38	67
50-64	1558	13.5	130	2	3	11	18	27	36	63
65+	2597	17.1	200	2	4	14	22	35	47	86
TOT. SINGLE DX	1539	8.3	68	1	2	6	12	19	23	38
" MULTIPLE DX	4756	15.4	175	2	3	12	20	32	42	82
TOTAL 0-19 YRS	40	8.4	118	1	1	5	9	14	39	51
20-34	307	10.0	129	1	2	6	14	25	35	81
35-49	623	11.3	120	1	2	8	15	24	33	59
50-64	2081	12.1	116	2	2	10	16	25	32	59
65+	3244	15.5	188	2	3	12	21	32	42	84
GRAND TOTAL	**6295**	**13.7**	**158**	**2**	**2**	**11**	**18**	**29**	**38**	**75**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	2	7.0	32	3	3	7	11	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	1	55.0		55	55	55	55	55	55	55
65+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	3	5.0	28	1	1	3	9	11	11	11
" MULTIPLE DX	3	25.0	675	10	10	10	44	55	55	55
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	23.0	784	3	3	11	44	55	55	55
65+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**6**	**15.0**	**401**	**1**	**1**	**10**	**11**	**51**	**55**	**55**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	13.3	93	5	6	10	16	26	39	41
20-34	91	11.6	54	2	5	10	14	19	22	47
35-49	122	11.5	36	2	3	11	16	19	21	30
50-64	254	13.4	94	2	4	11	17	24	29	46
65+	216	12.8	112	1	2	11	17	25	34	67
2. MULTIPLE DX										
0-19 YRS	49	15.8	143	6	6	11	19	34	37	63
20-34	136	16.6	204	3	5	13	18	33	52	71
35-49	220	17.9	152	4	6	15	23	34	41	74
50-64	724	18.5	179	4	6	16	23	33	44	73
65+	925	19.3	164	4	6	17	25	37	46	74
TOT. SINGLE DX	704	12.7	85	2	3	11	16	23	28	45
" MULTIPLE DX	2054	18.6	171	4	6	16	24	35	45	72
TOTAL 0-19 YRS	70	15.1	128	6	6	11	18	34	38	59
20-34	227	14.6	150	3	5	12	17	24	42	65
35-49	342	15.6	120	3	6	13	19	29	38	60
50-64	978	17.2	162	3	6	14	22	31	41	69
65+	1141	18.0	161	3	5	15	24	35	44	72
GRAND TOTAL	**2758**	**17.1**	**156**	**3**	**5**	**14**	**22**	**32**	**42**	**69**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	11.0	21	6	7	9	15	18	18	18
20-34	10	14.2	57	5	5	13	16	27	29	29
35-49	49	14.8	36	7	8	14	20	23	27	28
50-64	177	16.3	75	8	9	14	19	27	31	52
65+	140	18.3	58	9	10	16	23	29	32	42
2. MULTIPLE DX										
0-19 YRS	5	12.2	21	9	9	10	15	20	20	20
20-34	23	19.1	80	8	9	20	24	40	99+	99+
35-49	93	17.7	70	10	10	15	21	29	35	51
50-64	445	21.0	136	10	10	19	25	34	49	99
65+	418	23.0	182	10	11	20	28	39	51	95
TOT. SINGLE DX	383	16.7	64	8	9	15	20	27	31	43
" MULTIPLE DX	984	21.5	151	10	10	19	26	37	49	98
TOTAL 0-19 YRS	12	11.5	20	6	8	9	15	19	20	20
20-34	33	17.6	77	6	8	16	24	37	85	99+
35-49	142	16.7	60	8	9	15	20	27	31	42
50-64	622	19.7	124	9	10	17	24	32	43	74
65+	558	21.8	155	9	11	19	26	37	46	88
GRAND TOTAL	**1367**	**20.1**	**131**	**9**	**10**	**17**	**24**	**33**	**43**	**81**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	4.8	25	<1	1	3	6	12	16	22
20-34	160	5.8	30	1	1	4	8	14	16	26
35-49	225	7.0	48	1	1	4	10	17	20	34
50-64	456	6.6	44	1	1	4	9	14	18	30
65+	504	8.3	91	1	1	5	11	19	25	42
2. MULTIPLE DX										
0-19 YRS	119	12.3	271	1	1	7	15	28	52	95
20-34	259	11.7	134	1	2	9	16	26	34	51
35-49	497	11.4	117	2	2	8	15	25	33	62
50-64	1369	12.2	123	2	2	10	16	25	34	63
65+	2165	16.0	190	2	3	13	22	34	47	99+
TOT. SINGLE DX	1437	7.1	60	1	1	4	10	16	21	35
" MULTIPLE DX	4409	14.0	164	2	2	11	19	30	41	83
TOTAL 0-19 YRS	211	9.0	177	1	1	4	11	21	31	88
20-34	419	9.5	103	1	1	6	13	20	29	49
35-49	722	10.0	100	1	2	7	13	22	30	52
50-64	1825	10.8	109	1	2	8	14	23	30	58
65+	2669	14.5	181	2	2	11	20	32	43	90
GRAND TOTAL	**5846**	**12.3**	**147**	**1**	**2**	**9**	**17**	**27**	**37**	**73**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	7.6	54	2	2	5	7	23	26	27
20-34	62	6.7	17	2	3	6	8	10	14	27
35-49	15	6.7	29	2	2	5	9	10	20	24
50-64	13	9.9	48	2	4	9	11	21	27	28
65+	19	5.9	17	2	2	5	8	11	15	17
2. MULTIPLE DX										
0-19 YRS	10	28.4	1181	1	2	10	75	79	83	83
20-34	30	15.7	136	3	4	13	20	33	41	46
35-49	29	14.6	215	2	3	10	18	29	36	75
50-64	61	18.3	272	2	3	15	22	49	59	72
65+	83	17.9	201	2	3	15	25	38	51	88
TOT. SINGLE DX	124	7.0	27	2	2	6	9	11	18	28
" MULTIPLE DX	213	17.8	260	3	3	14	22	38	57	78
TOTAL 0-19 YRS	25	15.9	583	2	2	6	12	75	77	83
20-34	92	9.7	73	3	3	7	11	19	30	44
35-49	44	11.9	164	2	3	8	15	27	30	75
50-64	74	16.9	242	2	3	12	21	34	57	70
65+	102	15.7	189	2	3	12	21	37	49	81
GRAND TOTAL	**337**	**13.8**	**200**	**2**	**3**	**9**	**17**	**30**	**47**	**75**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	6.4	20	2	3	5	8	10	15	29
20-34	547	6.9	20	2	3	6	8	13	16	23
35-49	196	7.7	33	3	3	6	9	13	15	40
50-64	127	10.8	65	3	4	9	14	19	24	47
65+	104	13.3	112	4	4	10	15	27	35	54
2. MULTIPLE DX										
0-19 YRS	188	15.6	241	3	4	10	18	40	49	95
20-34	366	12.8	163	3	4	9	15	30	42	84
35-49	354	14.3	146	3	4	10	18	31	44	98
50-64	645	16.1	165	4	5	12	20	33	43	75
65+	861	19.7	227	4	6	16	25	39	54	95
TOT. SINGLE DX	1099	8.1	41	3	3	6	10	15	19	36
" MULTIPLE DX	2414	16.6	197	4	5	12	21	35	47	91
TOTAL 0-19 YRS	313	11.9	174	3	3	7	13	27	43	83
20-34	913	9.3	86	3	3	6	10	17	26	53
35-49	550	12.0	116	3	4	8	14	24	37	65
50-64	772	15.2	153	3	4	12	19	31	42	69
65+	965	19.0	219	4	5	15	25	38	52	94
GRAND TOTAL	**3513**	**13.9**	**164**	**3**	**4**	**10**	**18**	**30**	**41**	**77**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	6.5	47	1	1	6	7	9	12	23
20-34	165	7.4	45	1	2	5	10	15	20	39
35-49	164	7.7	67	1	1	4	11	18	22	44
50-64	214	9.1	81	<1	2	6	12	21	24	46
65+	174	11.1	89	2	2	9	16	22	29	48
2. MULTIPLE DX										
0-19 YRS	68	10.9	97	1	2	7	14	24	32	52
20-34	153	14.0	183	1	2	9	18	30	48	73
35-49	247	13.3	145	2	2	10	17	28	39	52
50-64	636	15.0	160	2	3	12	20	31	41	63
65+	913	18.1	196	3	4	15	24	36	48	83
TOT. SINGLE DX	922	8.3	69	1	2	6	11	19	23	42
" MULTIPLE DX	2017	16.0	179	2	3	12	21	33	44	70
TOTAL 0-19 YRS	273	7.6	64	1	2	7	7	13	20	36
20-34	318	10.6	122	1	2	8	13	24	33	61
35-49	411	11.1	122	1	2	8	15	26	33	48
50-64	850	13.5	147	2	2	10	18	28	37	57
65+	1087	17.0	186	2	4	14	22	33	45	76
GRAND TOTAL	**2939**	**13.6**	**157**	**2**	**2**	**10**	**18**	**29**	**39**	**64**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	10.7	24	6	7	9	11	17	22	30
20-34	46	13.7	110	8	8	11	14	18	21	79
35-49	70	12.9	21	7	8	12	15	19	22	29
50-64	137	16.1	40	10	10	14	18	23	32	38
65+	85	17.5	61	10	10	16	19	28	36	45
2. MULTIPLE DX										
0-19 YRS	312	15.2	129	7	8	11	16	31	44	99+
20-34	86	20.8	277	8	9	14	24	47	61	81
35-49	150	18.8	129	10	11	15	20	32	46	66
50-64	609	21.0	149	10	11	17	25	36	49	81
65+	510	25.9	221	11	13	21	31	47	60	82
TOT. SINGLE DX	511	13.8	49	7	8	12	17	21	28	37
" MULTIPLE DX	1667	21.2	186	9	10	17	26	39	53	82
TOTAL 0-19 YRS	485	13.6	97	7	7	10	14	26	35	81
20-34	132	18.3	230	8	9	13	19	39	55	80
35-49	220	16.9	102	9	10	14	19	27	36	65
50-64	746	20.1	133	10	11	17	23	34	45	77
65+	595	24.7	207	11	12	20	30	44	57	81
GRAND TOTAL	**2178**	**19.5**	**164**	**8**	**9**	**15**	**23**	**36**	**48**	**78**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	12.2	8	10	10	11	14	17	18	18
35-49	230	11.9	11	8	9	11	13	17	19	22
50-64	680	13.4	22	9	9	12	15	19	22	30
65+	239	15.2	42	9	10	13	18	24	30	39
2. MULTIPLE DX										
0-19 YRS	3	24.7	560	11	11	11	42	52	52	52
20-34	39	12.3	16	8	9	11	15	18	22	23
35-49	812	14.3	46	9	9	12	16	22	27	45
50-64	3336	16.1	70	9	10	13	18	26	32	50
65+	1507	20.7	130	10	11	17	25	35	44	79
TOT. SINGLE DX	1160	13.4	25	9	9	12	15	19	23	33
" MULTIPLE DX	5697	17.1	88	9	10	14	20	28	35	57
TOTAL 0-19 YRS	4	21.5	414	11	11	12	32	52	52	52
20-34	49	12.2	15	9	9	11	14	18	20	23
35-49	1042	13.7	40	9	9	12	15	21	26	40
50-64	4016	15.7	63	9	10	13	18	25	30	47
65+	1746	19.9	122	10	10	17	24	34	42	73
GRAND TOTAL	**6857**	**16.4**	**79**	**9**	**10**	**13**	**19**	**27**	**34**	**54**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	346	2.6	4	1	1	2	2	4	8	12
20-34	170	3.7	18	2	2	2	3	8	13	20
35-49	943	3.4	13	2	2	2	3	8	11	20
50-64	1960	3.2	11	2	2	2	3	6	9	17
65+	570	4.1	23	2	2	2	3	10	14	26
2. MULTIPLE DX										
0-19 YRS	683	3.4	43	1	1	2	2	6	10	32
20-34	309	5.2	48	2	2	2	5	13	21	36
35-49	2411	4.7	27	2	2	2	5	11	16	25
50-64	6272	5.2	39	2	2	2	6	13	18	31
65+	2597	7.3	72	2	2	3	10	17	24	42
TOT. SINGLE DX	3989	3.3	13	2	2	2	3	7	11	20
" MULTIPLE DX	12272	5.4	46	2	2	2	6	13	18	33
TOTAL 0-19 YRS	1029	3.1	30	1	1	2	2	6	9	20
20-34	479	4.7	38	2	2	2	4	11	17	33
35-49	3354	4.3	24	2	2	2	4	10	15	24
50-64	8232	4.7	34	2	2	2	5	12	16	29
65+	3167	6.7	66	2	2	3	9	16	23	40
GRAND TOTAL	**16261**	**4.9**	**39**	**2**	**2**	**2**	**5**	**12**	**17**	**31**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.6	7	4	4	6	8	11	11	11
20-34	20	5.7	9	2	2	5	8	11	11	12
35-49	56	9.7	58	2	2	8	12	23	27	28
50-64	249	9.5	50	2	2	7	13	19	23	36
65+	1153	7.8	34	2	2	6	10	15	19	29
2. MULTIPLE DX										
0-19 YRS	31	9.7	86	2	3	6	10	20	33	44
20-34	46	11.5	192	2	3	7	13	23	35	87
35-49	192	15.2	113	3	4	13	20	29	37	52
50-64	1365	13.8	85	3	4	12	18	25	31	45
65+	7118	15.4	140	3	5	12	20	30	39	76
TOT. SINGLE DX	1483	8.1	38	2	2	6	11	16	21	30
" MULTIPLE DX	8752	15.1	132	3	5	12	19	29	38	68
TOTAL 0-19 YRS	36	9.3	76	2	3	6	10	18	31	44
20-34	66	9.7	143	2	3	6	11	16	29	79
35-49	248	14.0	106	2	3	12	19	27	35	46
50-64	1614	13.1	82	3	4	11	17	24	30	44
65+	8271	14.3	133	3	4	11	18	28	38	70
GRAND TOTAL	**10235**	**14.1**	**124**	**3**	**4**	**11**	**18**	**27**	**36**	**64**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	10.3	186	1	2	7	9	15	42	66
20-34	18	8.5	26	2	2	9	12	14	18	20
35-49	72	5.9	31	2	2	3	10	13	16	29
50-64	102	6.6	65	2	2	3	8	15	23	44
65+	34	9.9	96	2	2	7	14	22	26	49
2. MULTIPLE DX										
0-19 YRS	29	12.8	61	5	7	10	14	24	30	38
20-34	40	19.7	245	7	8	14	22	39	56	80
35-49	94	12.5	90	2	3	11	17	23	31	53
50-64	304	15.0	158	2	3	12	20	31	40	64
65+	169	19.9	260	3	5	15	27	40	50	89
TOT. SINGLE DX	246	7.3	68	2	2	3	10	15	21	49
" MULTIPLE DX	636	16.1	183	3	3	13	21	33	44	68
TOTAL 0-19 YRS	49	11.8	111	3	5	9	12	22	30	66
20-34	58	16.2	203	2	3	12	17	32	51	78
35-49	166	9.7	75	2	2	8	13	19	25	41
50-64	406	12.9	149	2	3	9	17	28	37	61
65+	203	18.3	246	3	3	14	25	37	49	88
GRAND TOTAL	**882**	**13.7**	**167**	**2**	**2**	**11**	**17**	**30**	**38**	**65**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	3.5	14	<1	<1	2	4	8	11	22
20-34	159	4.6	36	<1	1	2	6	12	16	31
35-49	215	3.9	23	1	1	2	4	10	13	25
50-64	321	4.3	39	1	1	2	4	10	16	35
65+	273	6.2	51	1	1	3	8	15	21	41
2. MULTIPLE DX										
0-19 YRS	206	7.6	94	1	1	5	10	16	25	69
20-34	182	11.1	121	1	1	9	15	23	32	61
35-49	364	11.5	146	1	2	8	15	25	36	59
50-64	943	12.3	138	2	2	9	16	25	33	73
65+	2165	15.7	172	2	3	13	20	32	43	94
TOT. SINGLE DX	1179	4.6	35	<1	1	2	5	11	16	32
" MULTIPLE DX	3860	13.8	160	2	2	11	18	29	40	80
TOTAL 0-19 YRS	417	5.5	58	<1	1	3	7	13	17	41
20-34	341	8.1	92	<1	1	4	11	19	27	44
35-49	579	8.7	114	1	1	5	12	20	28	55
50-64	1264	10.3	125	1	2	7	14	23	31	57
65+	2438	14.6	168	2	2	11	20	31	41	90
GRAND TOTAL	**5039**	**11.7**	**146**	**1**	**2**	**8**	**16**	**26**	**36**	**72**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.5	2	1	2	3	4	6	7	8
20-34	833	4.2	8	2	2	4	5	6	8	13
35-49	1138	4.6	6	2	2	4	5	7	9	14
50-64	854	5.2	13	2	2	4	6	8	10	21
65+	249	6.6	42	2	3	5	8	13	17	29
2. MULTIPLE DX										
0-19 YRS	6	6.8	40	2	2	4	11	17	18	18
20-34	181	6.8	48	2	3	5	7	13	19	40
35-49	392	6.6	24	2	3	5	8	12	16	27
50-64	565	8.5	60	3	3	6	10	17	25	41
65+	322	12.2	125	3	4	9	16	24	35	54
TOT. SINGLE DX	3105	4.8	12	2	2	4	5	8	10	19
" MULTIPLE DX	1466	8.6	68	3	3	6	10	17	24	44
TOTAL 0-19 YRS	37	4.0	9	1	2	3	4	7	10	18
20-34	1014	4.6	17	2	2	4	5	7	9	21
35-49	1530	5.1	12	2	3	4	6	9	11	18
50-64	1419	6.5	35	2	3	5	7	12	17	32
65+	571	9.8	97	3	3	6	12	20	28	53
GRAND TOTAL	**4571**	**6.0**	**33**	**2**	**3**	**4**	**6**	**11**	**16**	**31**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	14.0	270	2	2	9	15	23	56	82
20-34	40	9.4	34	1	2	8	15	17	18	24
35-49	128	10.7	45	2	3	10	13	20	23	34
50-64	442	12.2	63	3	4	11	15	19	22	48
65+	480	13.9	80	3	6	12	17	23	29	69
2. MULTIPLE DX										
0-19 YRS	72	16.2	197	4	7	11	18	38	66	99+
20-34	132	15.4	195	2	3	11	22	38	43	64
35-49	361	18.2	205	4	6	14	22	37	51	99
50-64	1749	18.1	160	6	8	15	22	36	49	99+
65+	2487	22.9	247	8	10	18	29	47	64	99+
TOT. SINGLE DX	1120	12.7	75	3	4	11	16	20	26	60
" MULTIPLE DX	4801	20.5	217	6	8	16	25	42	57	99+
TOTAL 0-19 YRS	102	15.5	217	3	5	11	17	36	60	99+
20-34	172	14.0	164	2	3	10	18	31	41	60
35-49	489	16.2	174	3	5	13	20	33	46	95
50-64	2191	17.0	146	5	7	14	20	33	46	99+
65+	2967	21.5	232	7	9	17	27	44	60	99+
GRAND TOTAL	**5921**	**19.0**	**199**	**5**	**7**	**15**	**23**	**39**	**53**	**99+**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34										
35-49	2	12.0	2	11	11	12	13	13	13	13
50-64	9	12.8	10	8	9	12	14	18	20	20
65+	1	18.0		18	18	18	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	3	12.3	2	11	11	12	13	14	14	14
20-34										
35-49	5	15.6	50	10	10	11	21	26	26	26
50-64	14	22.4	296	10	11	17	24	38	68	76
65+	14	25.4	244	12	13	21	31	43	65	71
TOT. SINGLE DX	13	14.2	27	8	10	13	15	22	27	28
" MULTIPLE DX	36	21.8	225	10	11	18	25	34	62	76
TOTAL 0-19 YRS	4	16.3	63	11	11	13	21	28	28	28
20-34										
35-49	7	14.6	37	10	10	11	18	25	26	26
50-64	23	18.6	202	9	11	13	20	33	49	76
65+	15	24.9	231	12	13	19	30	40	63	71
GRAND TOTAL	**49**	**19.8**	**182**	**10**	**11**	**14**	**22**	**33**	**42**	**76**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.5	8	1	1	4	6	9	10	10
20-34	74	1.9	11	<1	<1	<1	<1	3	7	21
35-49	49	3.2	16	<1	<1	<1	3	9	13	18
50-64	71	3.9	18	<1	<1	1	6	10	14	17
65+	68	6.1	65	<1	<1	2	8	16	19	45
2. MULTIPLE DX										
0-19 YRS	51	8.9	115	1	2	7	10	16	36	53
20-34	536	4.9	41	<1	<1	2	7	12	17	32
35-49	444	8.8	107	<1	<1	6	11	20	33	52
50-64	908	8.6	108	<1	<1	5	11	19	27	56
65+	784	11.6	157	2	2	8	14	25	35	77
TOT. SINGLE DX	270	3.8	30	<1	<1	<1	5	10	15	23
" MULTIPLE DX	2723	8.8	115	<1	<1	5	11	19	28	59
TOTAL 0-19 YRS	59	8.3	103	1	2	5	10	16	28	53
20-34	610	4.5	39	<1	<1	2	6	11	16	29
35-49	493	8.3	102	<1	<1	5	10	19	31	51
50-64	979	8.2	103	<1	<1	5	10	19	26	55
65+	852	11.2	152	1	2	7	14	24	35	73
GRAND TOTAL	**2993**	**8.3**	**109**	**<1**	**<1**	**5**	**10**	**19**	**28**	**57**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	244	8.2	71	1	2	7	10	15	19	44
20-34	184	7.8	105	1	1	4	9	16	26	66
35-49	332	9.1	68	1	2	7	12	20	27	39
50-64	952	9.7	60	2	3	8	12	18	24	41
65+	1156	11.6	82	2	4	10	14	21	26	49
2. MULTIPLE DX										
0-19 YRS	885	19.4	422	2	3	11	25	57	75	99+
20-34	456	13.5	214	1	2	9	18	34	49	78
35-49	800	14.5	167	2	3	11	19	31	43	77
50-64	3346	15.3	176	2	4	12	19	31	45	94
65+	5499	18.6	223	4	6	15	24	38	54	99+
TOT. SINGLE DX	2868	10.2	76	2	2	8	13	19	25	43
" MULTIPLE DX	10986	17.2	225	2	4	13	22	37	52	99+
TOTAL 0-19 YRS	1129	16.9	368	2	3	10	19	50	69	99+
20-34	640	11.9	190	1	2	7	15	28	43	77
35-49	1132	12.9	145	2	2	10	17	28	38	70
50-64	4298	14.0	156	2	3	11	17	29	40	88
65+	6655	17.4	206	3	5	14	22	36	49	97
GRAND TOTAL	**13854**	**15.7**	**202**	**2**	**4**	**12**	**20**	**33**	**48**	**95**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	437	3.2	18	<1	1	2	3	6	10	20
20-34	639	4.5	23	<1	1	3	5	10	14	23
35-49	409	4.8	27	<1	1	3	6	11	16	25
50-64	427	6.6	47	1	1	4	9	15	21	33
65+	374	7.6	51	1	2	5	10	16	21	35
2. MULTIPLE DX										
0-19 YRS	163	7.1	75	1	1	4	8	17	29	40
20-34	347	10.4	112	1	2	7	14	24	30	59
35-49	426	10.3	114	1	2	7	13	22	32	54
50-64	832	11.4	112	2	2	9	16	24	32	62
65+	1078	14.3	168	2	3	11	19	30	40	69
TOT. SINGLE DX	2286	5.2	34	<1	1	3	7	12	17	29
" MULTIPLE DX	2846	12.0	136	2	2	9	16	26	34	62
TOTAL 0-19 YRS	600	4.3	37	<1	1	2	4	9	14	36
20-34	986	6.6	63	<1	1	4	8	16	22	41
35-49	835	7.6	79	1	2	4	10	18	24	48
50-64	1259	9.8	95	1	2	7	13	22	28	50
65+	1452	12.6	147	2	2	9	17	27	35	62
GRAND TOTAL	**5132**	**9.0**	**102**	**1**	**2**	**5**	**12**	**21**	**29**	**50**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	6.1	21	2	2	5	7	12	18	21
20-34	39	6.7	29	<1	1	5	9	16	19	22
35-49	36	6.8	23	<1	1	6	9	15	17	19
50-64	98	10.0	42	4	4	8	12	18	23	37
65+	88	10.5	81	2	3	9	14	18	25	55
2. MULTIPLE DX										
0-19 YRS	11	10.5	209	<1	1	9	9	28	51	53
20-34	44	9.6	54	2	3	8	11	17	29	34
35-49	81	14.8	206	3	4	11	18	25	51	76
50-64	241	14.8	172	4	5	11	17	31	38	91
65+	258	14.5	142	4	5	11	18	30	43	98
TOT. SINGLE DX	279	9.0	52	2	2	8	11	17	22	34
" MULTIPLE DX	635	14.3	158	3	5	10	17	28	42	86
TOTAL 0-19 YRS	29	7.8	93	2	2	6	9	12	23	53
20-34	83	8.2	45	1	2	7	10	16	22	34
35-49	117	12.3	164	1	2	9	15	24	36	69
50-64	339	13.4	140	4	5	10	16	26	35	77
65+	346	13.5	129	3	4	10	17	27	37	85
GRAND TOTAL	**914**	**12.7**	**131**	**3**	**4**	**9**	**15**	**25**	**35**	**76**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	13.0		13	13	13	13	13	13	13
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64	2	11.0	32	7	7	11	15	15	15	15
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS										
20-34	2	20.0	72	14	14	20	26	26	26	26
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	37.5	1741	8	8	37	67	67	67	67
65+	2	21.5	313	9	9	21	34	34	34	34
TOT. SINGLE DX	9	7.4	18	3	3	7	9	14	15	15
" MULTIPLE DX	7	23.4	476	6	6	14	32	60	67	67
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	3	17.7	52	13	13	14	23	26	26	26
35-49	5	4.4	2	3	3	4	6	6	6	6
50-64	4	24.3	825	7	7	11	41	67	67	67
65+	3	17.0	217	8	8	9	28	34	34	34
GRAND TOTAL	**16**	**14.4**	**267**	**3**	**3**	**8**	**14**	**33**	**57**	**67**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	79.0		79	79	89	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
TOT. SINGLE DX										
" MULTIPLE DX	2	47.5	1985	16	16	79	95	99+	99+	99+
TOTAL 0-19 YRS	1	79.0		79	79	89	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+	1	16.0		16	16	16	16	16	16	16
GRAND TOTAL	**2**	**47.5**	**1985**	**16**	**16**	**79**	**95**	**99+**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	6.9	64	1	1	6	8	12	19	41
20-34	285	9.6	55	2	3	8	11	18	24	41
35-49	210	10.3	97	2	3	8	12	20	28	41
50-64	343	11.0	100	2	2	8	13	22	30	48
65+	483	12.4	118	2	3	10	16	25	35	52
2. MULTIPLE DX										
0-19 YRS	420	12.6	155	1	2	9	16	29	37	68
20-34	629	15.2	168	3	5	11	18	33	46	72
35-49	734	15.1	156	3	4	12	19	31	41	66
50-64	1858	16.0	186	3	4	12	20	34	47	95
65+	5045	18.0	203	4	6	14	22	37	52	99
TOT. SINGLE DX	1649	10.3	94	1	2	8	12	21	28	46
" MULTIPLE DX	8686	16.8	193	3	5	13	21	35	49	94
TOTAL 0-19 YRS	748	10.1	123	1	1	7	11	22	31	61
20-34	914	13.4	140	3	4	9	15	29	40	66
35-49	944	14.1	148	3	4	10	17	29	38	64
50-64	2201	15.2	176	2	4	11	19	32	45	90
65+	5528	17.5	199	4	5	14	22	36	50	96
GRAND TOTAL	**10335**	**15.8**	**183**	**3**	**4**	**12**	**20**	**33**	**46**	**86**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	13.3	167	2	2	8	19	34	44	47
20-34	35	10.9	339	2	2	4	11	31	48	95
35-49	28	17.5	380	3	3	9	25	41	56	91
50-64	33	11.3	272	2	2	7	10	20	51	85
65+	40	14.0	250	2	2	7	21	37	52	65
2. MULTIPLE DX										
0-19 YRS	87	22.7	432	3	3	17	42	74	99+	99+
20-34	93	17.4	252	3	4	12	23	35	58	78
35-49	114	15.6	318	1	2	8	24	45	65	99+
50-64	273	12.4	208	1	1	7	18	35	52	99+
65+	220	22.8	492	1	2	16	33	55	71	92
TOT. SINGLE DX	173	13.3	274	2	2	7	16	32	47	90
" MULTIPLE DX	787	17.5	352	1	2	11	26	46	67	99+
TOTAL 0-19 YRS	124	19.9	370	2	3	14	36	60	99	99+
20-34	128	15.6	282	2	3	10	20	34	52	86
35-49	142	16.0	329	1	2	8	24	45	62	99+
50-64	306	12.3	214	1	1	7	17	34	53	99+
65+	260	21.4	465	2	2	14	31	50	69	91
GRAND TOTAL	**960**	**16.7**	**341**	**1**	**2**	**10**	**25**	**45**	**64**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	2.7	7	<1	<1	2	3	6	8	16
20-34	69	4.7	17	1	1	3	6	11	12	22
35-49	149	5.5	47	<1	1	3	7	13	19	28
50-64	210	7.0	84	<1	1	4	9	16	26	35
65+	333	7.1	85	1	1	4	9	16	23	55
2. MULTIPLE DX										
0-19 YRS	85	6.6	67	1	1	3	9	16	32	99+
20-34	146	9.0	96	1	2	7	11	21	28	79
35-49	341	8.9	108	1	1	5	12	20	25	53
50-64	854	10.1	131	1	2	7	13	23	32	61
65+	1515	13.5	190	2	2	10	17	30	44	92
TOT. SINGLE DX	891	6.0	65	<1	1	3	7	14	20	36
" MULTIPLE DX	2941	11.6	160	1	2	8	15	26	39	80
TOTAL 0-19 YRS	215	4.2	34	<1	1	2	4	11	16	64
20-34	215	7.6	75	1	1	5	10	16	25	56
35-49	490	7.9	92	1	1	5	10	18	24	52
50-64	1064	9.5	123	1	1	6	12	22	32	60
65+	1848	12.4	177	1	2	8	16	28	42	85
GRAND TOTAL	**3832**	**10.3**	**143**	**1**	**2**	**7**	**13**	**24**	**33**	**72**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	365	4.3	3	2	3	4	5	7	8	12
20-34	6	11.8	61	4	4	10	11	25	27	27
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	15.5	133	7	7	11	23	32	32	32
65+	6	19.8	119	10	10	14	30	36	37	37
2. MULTIPLE DX										
0-19 YRS	76	7.4	27	2	3	6	8	13	21	27
20-34	8	14.0	41	6	7	13	16	24	27	27
35-49	7	17.4	117	7	7	11	25	33	35	35
50-64	20	16.8	83	6	7	13	22	31	36	38
65+	43	23.6	211	6	10	20	31	46	57	99+
TOT. SINGLE DX	382	4.8	13	2	3	4	5	8	10	23
" MULTIPLE DX	154	13.9	137	3	4	11	19	30	39	76
TOTAL 0-19 YRS	441	4.9	9	2	3	4	6	8	10	20
20-34	14	13.1	47	4	6	11	16	27	27	27
35-49	8	16.5	108	7	7	11	25	32	35	35
50-64	24	16.5	87	6	7	13	22	32	35	38
65+	49	23.1	199	6	10	20	31	45	49	99+
GRAND TOTAL	**536**	**7.5**	**65**	**2**	**3**	**5**	**8**	**16**	**26**	**45**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	6.3	6	3	3	6	8	9	9	9
20-34	4	15.3	61	8	8	14	21	25	25	25
35-49	4	13.0	96	1	1	14	21	22	22	22
50-64	20	31.2	582	5	7	23	47	79	98	99+
65+	41	22.7	485	4	5	14	32	60	88	99+
2. MULTIPLE DX										
0-19 YRS	30	23.7	457	2	4	20	42	88	99+	99+
20-34	20	22.9	221	6	9	19	39	99+	99+	99+
35-49	27	26.0	435	6	7	19	40	86	99+	99+
50-64	128	27.9	458	4	7	24	48	80	99+	99+
65+	577	29.0	462	6	8	25	52	98	99+	99+
TOT. SINGLE DX	73	23.2	473	3	5	16	31	63	92	99+
" MULTIPLE DX	782	28.4	455	5	8	24	50	93	99+	99+
TOTAL 0-19 YRS	34	21.6	435	2	3	17	41	82	99+	99+
20-34	24	21.6	199	7	9	18	37	91	99+	99+
35-49	31	24.3	406	5	6	19	32	78	99	99+
50-64	148	28.4	472	4	7	23	48	79	99+	99+
65+	618	28.6	466	6	8	24	51	95	99+	99+
GRAND TOTAL	**855**	**27.9**	**458**	**5**	**7**	**23**	**47**	**91**	**99+**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	5.9	24	<1	1	5	8	9	11	27
20-34	97	5.8	22	<1	<1	5	8	12	16	21
35-49	211	6.4	40	<1	<1	5	8	13	18	42
50-64	282	6.4	28	<1	<1	6	8	12	16	28
65+	392	8.3	63	<1	1	6	12	17	22	35
2. MULTIPLE DX										
0-19 YRS	45	7.8	41	1	2	6	10	17	21	31
20-34	238	8.0	43	<1	2	7	10	15	19	38
35-49	560	9.7	85	1	2	8	12	18	25	53
50-64	1314	10.9	100	2	3	9	13	20	26	70
65+	3109	14.0	124	3	4	11	17	27	36	70
TOT. SINGLE DX	1010	7.1	45	<1	<1	6	9	14	18	34
" MULTIPLE DX	5266	12.5	114	2	3	10	15	24	33	67
TOTAL 0-19 YRS	73	7.1	35	<1	2	6	9	16	20	30
20-34	335	7.4	38	<1	1	6	9	14	18	31
35-49	771	8.8	76	<1	1	7	11	17	24	51
50-64	1596	10.1	91	1	2	8	12	19	24	62
65+	3501	13.4	121	2	4	11	17	26	35	68
GRAND TOTAL	**6276**	**11.6**	**107**	**1**	**3**	**9**	**14**	**23**	**31**	**63**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	51	12.5	36	5	7	11	15	22	26	31
35-49	122	16.0	82	8	8	14	19	26	34	82
50-64	160	16.2	57	8	9	14	20	26	30	39
65+	187	20.1	103	9	10	17	25	32	40	56
2. MULTIPLE DX										
0-19 YRS	4	31.0	917	11	11	19	51	75	75	75
20-34	57	22.7	233	10	10	18	30	38	49	95
35-49	193	21.3	228	9	10	17	25	37	47	91
50-64	385	22.4	199	9	10	19	26	40	55	83
65+	816	27.5	277	10	12	23	34	52	71	99+
TOT. SINGLE DX	521	17.2	83	8	9	15	21	28	34	56
" MULTIPLE DX	1455	25.1	256	10	11	21	31	47	63	96
TOTAL 0-19 YRS	5	28.2	727	11	11	17	39	75	75	75
20-34	108	17.9	165	7	8	14	21	32	38	75
35-49	315	19.2	178	8	9	16	23	33	43	91
50-64	545	20.6	166	9	10	17	24	37	48	82
65+	1003	26.1	253	10	11	22	32	48	66	99+
GRAND TOTAL	**1976**	**23.0**	**223**	**9**	**10**	**19**	**28**	**43**	**57**	**92**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	9	21.3	78	13	13	19	27	36	36	36
50-64	25	22.9	100	12	13	20	30	39	43	48
65+	21	24.3	101	13	14	23	31	39	44	46
2. MULTIPLE DX										
0-19 YRS										
20-34	2	25.0	2	24	24	25	26	26	26	26
35-49	21	28.3	196	11	17	25	35	61	80	99+
50-64	102	28.7	243	12	14	24	37	49	68	99+
65+	136	29.6	314	12	14	24	36	52	86	99+
TOT. SINGLE DX	55	23.2	95	13	13	20	31	37	42	48
" MULTIPLE DX	261	29.1	274	12	14	24	36	52	82	99+
TOTAL 0-19 YRS										
20-34	2	25.0	2	24	24	25	26	26	26	26
35-49	30	26.2	168	13	14	24	35	46	67	99+
50-64	127	27.6	220	12	13	24	36	47	62	99+
65+	157	28.9	289	12	14	24	35	48	84	99+
GRAND TOTAL	**316**	**28.1**	**247**	**12**	**14**	**24**	**35**	**47**	**72**	**99+**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	40	12.3	31	6	7	11	15	20	24	31
35-49	46	11.7	13	7	7	11	13	17	19	22
50-64	46	13.0	32	7	8	11	16	19	24	35
65+	21	20.8	87	9	10	21	26	35	39	39
2. MULTIPLE DX										
0-19 YRS	3	10.0	19	5	5	12	13	13	13	13
20-34	29	16.6	127	7	8	14	18	27	41	62
35-49	65	16.1	150	7	8	12	17	28	42	72
50-64	89	20.4	149	9	9	17	25	37	51	86
65+	111	26.8	200	11	14	23	34	46	69	99+
TOT. SINGLE DX	154	13.5	41	7	8	12	16	22	27	39
" MULTIPLE DX	297	21.4	184	8	9	18	26	40	52	91
TOTAL 0-19 YRS	4	11.0	17	5	5	12	13	14	14	14
20-34	69	14.1	75	6	7	12	16	22	30	58
35-49	111	14.3	98	7	8	12	16	23	29	65
50-64	135	17.9	121	8	9	15	21	32	44	71
65+	132	25.8	186	10	12	23	32	44	61	99+
GRAND TOTAL	**451**	**18.7**	**149**	**7**	**9**	**15**	**23**	**35**	**45**	**78**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	9.9	168	1	3	8	11	16	20	93
20-34	162	9.5	18	5	6	9	10	14	17	30
35-49	167	9.8	11	6	6	9	11	14	17	24
50-64	151	11.8	37	6	7	10	14	19	22	37
65+	129	15.3	108	6	8	11	18	27	37	56
2. MULTIPLE DX										
0-19 YRS	63	19.8	339	2	5	12	24	53	63	74
20-34	171	13.4	114	7	7	10	14	23	32	77
35-49	276	14.7	84	7	7	11	17	27	33	48
50-64	369	19.6	212	7	8	15	24	39	52	93
65+	661	25.5	271	8	10	21	34	52	68	99+
TOT. SINGLE DX	661	11.3	55	5	6	9	13	18	24	42
" MULTIPLE DX	1540	20.5	231	7	8	16	26	42	58	99+
TOTAL 0-19 YRS	115	15.3	285	2	3	9	17	38	57	82
20-34	333	11.5	71	6	7	9	12	18	27	63
35-49	443	12.8	63	6	7	10	15	22	29	46
50-64	520	17.3	174	7	8	13	20	32	47	85
65+	790	23.8	259	8	9	20	31	48	65	99+
GRAND TOTAL	**2201**	**17.8**	**196**	**6**	**7**	**13**	**22**	**37**	**50**	**93**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	5.3	21	<1	1	4	8	10	12	25
20-34	458	6.7	29	<1	1	6	9	14	16	25
35-49	433	5.6	36	<1	1	4	8	12	16	29
50-64	981	3.9	21	<1	1	2	5	10	13	22
65+	1316	4.0	35	<1	1	2	4	9	14	27
2. MULTIPLE DX										
0-19 YRS	161	10.3	172	1	2	7	11	20	29	99
20-34	514	9.6	67	2	3	7	12	19	26	38
35-49	741	9.5	72	1	2	7	12	19	25	40
50-64	1910	9.3	83	1	2	7	13	19	27	48
65+	4217	12.5	141	1	2	10	16	26	37	69
TOT. SINGLE DX	3366	4.6	31	<1	1	2	6	11	14	26
" MULTIPLE DX	7543	11.2	118	1	2	8	14	23	32	63
TOTAL 0-19 YRS	339	7.6	99	<1	1	6	9	15	22	96
20-34	972	8.2	52	1	2	7	10	16	21	36
35-49	1174	8.0	63	1	1	6	11	17	23	38
50-64	2891	7.5	69	1	1	5	10	17	22	43
65+	5533	10.5	129	1	1	8	14	23	33	64
GRAND TOTAL	**10909**	**9.1**	**100**	**1**	**1**	**7**	**12**	**20**	**28**	**55**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	13.2	73	7	7	9	14	30	32	36
20-34	39	14.8	73	6	7	12	18	27	35	39
35-49	51	14.4	63	7	8	12	18	24	29	49
50-64	59	14.5	67	6	7	12	17	27	31	45
65+	94	17.8	93	8	9	15	22	32	35	54
2. MULTIPLE DX										
0-19 YRS	64	17.3	328	5	6	11	20	62	99+	99+
20-34	144	17.2	134	7	8	13	22	33	41	71
35-49	150	22.1	243	8	8	17	28	47	59	88
50-64	284	22.7	190	8	10	19	28	48	64	99+
65+	623	25.6	281	9	10	21	32	50	64	98
TOT. SINGLE DX	269	15.6	79	7	8	13	19	28	33	46
" MULTIPLE DX	1265	23.2	250	8	9	19	29	48	63	99+
TOTAL 0-19 YRS	90	16.1	256	5	7	10	19	51	88	99+
20-34	183	16.7	122	7	8	13	21	31	39	70
35-49	201	20.2	209	7	8	15	24	43	53	80
50-64	343	21.3	179	8	9	17	26	44	58	99+
65+	717	24.6	263	9	10	20	30	48	62	97
GRAND TOTAL	**1534**	**21.8**	**229**	**8**	**9**	**17**	**27**	**45**	**58**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	17.0	163	7	8	11	19	36	44	67
20-34	149	16.1	93	8	8	13	20	27	32	60
35-49	252	14.0	43	8	8	12	16	21	28	35
50-64	728	14.9	60	8	9	13	17	23	28	49
65+	1130	16.7	64	9	10	15	19	25	32	53
2. MULTIPLE DX										
0-19 YRS	71	20.8	301	6	7	15	26	47	67	99
20-34	248	20.3	145	8	9	17	26	39	45	81
35-49	541	17.3	90	8	9	15	20	29	36	66
50-64	2103	19.0	125	9	10	16	22	31	41	70
65+	5392	23.8	206	10	11	20	29	43	57	99+
TOT. SINGLE DX	2302	15.8	66	8	9	14	18	24	30	51
" MULTIPLE DX	8355	22.0	183	9	11	18	26	39	52	95
TOTAL 0-19 YRS	114	19.4	251	7	8	13	23	42	61	98
20-34	397	18.7	130	8	9	15	24	35	43	65
35-49	793	16.2	78	8	9	14	19	27	34	58
50-64	2831	17.9	112	9	10	15	21	29	39	64
65+	6522	22.6	189	10	11	19	27	40	54	97
GRAND TOTAL	**10657**	**20.7**	**165**	**9**	**10**	**17**	**24**	**37**	**49**	**88**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.5	22	5	6	12	12	19	20	20
20-34	7	12.9	15	9	9	12	15	19	20	20
35-49	17	13.0	24	6	7	13	16	19	23	25
50-64	36	14.1	51	8	8	12	15	25	30	40
65+	32	18.5	186	6	7	15	21	39	49	68
2. MULTIPLE DX										
0-19 YRS	19	16.4	124	6	7	14	21	24	42	56
20-34	23	20.3	240	6	7	15	26	52	56	57
35-49	35	21.0	165	7	8	17	28	34	50	61
50-64	146	21.3	188	8	9	18	27	37	50	99+
65+	285	25.9	263	9	11	22	32	51	66	97
TOT. SINGLE DX	103	14.9	88	7	8	12	17	24	33	58
" MULTIPLE DX	508	23.6	235	8	10	20	29	46	58	95
TOTAL 0-19 YRS	30	14.6	91	6	7	12	19	22	25	56
20-34	30	18.6	196	6	7	14	24	41	56	57
35-49	52	18.4	132	7	8	15	25	31	39	61
50-64	182	19.9	169	8	9	16	25	36	45	94
65+	317	25.1	260	8	10	21	31	50	65	94
GRAND TOTAL	**611**	**22.2**	**220**	**8**	**9**	**18**	**27**	**43**	**56**	**89**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	7.3	15	2	3	6	10	13	15	18
20-34	122	10.1	20	5	5	9	12	17	19	26
35-49	133	11.0	25	5	6	10	13	17	19	32
50-64	246	10.3	22	5	6	10	12	15	18	29
65+	308	12.5	95	4	6	11	14	19	27	61
2. MULTIPLE DX										
0-19 YRS	141	11.4	58	4	5	10	14	23	37	99+
20-34	224	14.2	104	5	6	11	17	25	35	73
35-49	228	17.0	187	6	7	12	17	37	50	91
50-64	607	15.1	108	6	7	12	17	28	38	82
65+	1134	18.5	174	7	8	14	22	35	46	88
TOT. SINGLE DX	906	10.8	49	4	5	10	12	17	20	34
" MULTIPLE DX	2334	16.6	149	6	7	13	19	32	42	89
TOTAL 0-19 YRS	238	9.8	45	3	4	9	12	16	26	99+
20-34	346	12.7	78	5	6	10	14	23	30	52
35-49	361	14.8	136	5	7	11	16	29	42	73
50-64	853	13.8	88	6	7	11	15	25	33	65
65+	1442	17.2	163	6	8	13	20	32	42	85
GRAND TOTAL	**3240**	**15.0**	**128**	**5**	**6**	**12**	**17**	**28**	**38**	**79**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	10.8	12	6	7	10	13	16	17	17
20-34	12	13.7	85	<1	2	12	21	27	30	30
35-49	28	15.9	61	5	6	14	21	27	33	33
50-64	51	17.4	114	4	8	14	22	33	42	48
65+	102	25.4	265	9	11	21	29	54	68	90
2. MULTIPLE DX										
0-19 YRS	21	20.4	180	8	10	22	25	78	99+	99+
20-34	48	25.6	345	7	9	21	35	60	74	99+
35-49	90	24.5	272	9	11	20	29	52	70	99+
50-64	309	22.1	154	9	11	19	26	41	60	99+
65+	795	29.6	287	11	13	26	38	59	75	99+
TOT. SINGLE DX	205	20.6	198	6	8	17	26	38	54	81
" MULTIPLE DX	1263	27.1	265	10	12	23	35	56	71	99+
TOTAL 0-19 YRS	33	16.9	139	7	8	13	23	31	93	99+
20-34	60	23.2	315	5	8	18	28	54	69	98
35-49	118	22.5	235	8	10	19	26	48	63	99+
50-64	360	21.4	151	9	10	19	26	40	54	99+
65+	897	29.1	286	11	13	25	37	58	74	99+
GRAND TOTAL	**1468**	**26.2**	**261**	**9**	**11**	**22**	**33**	**53**	**70**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6161	4.8	6	2	3	4	5	8	10	15
20-34	3568	5.0	6	2	3	4	6	8	10	14
35-49	1181	6.2	12	3	3	5	7	10	13	20
50-64	659	7.5	14	3	4	6	9	13	15	22
65+	275	9.6	25	4	5	9	11	16	18	31
2. MULTIPLE DX										
0-19 YRS	1301	7.5	29	3	3	6	9	14	18	29
20-34	1033	7.9	39	3	4	6	9	14	18	31
35-49	491	10.5	50	4	4	9	13	19	24	40
50-64	480	12.4	59	4	5	11	15	21	27	45
65+	451	16.1	132	6	7	13	19	30	39	69
TOT. SINGLE DX	11844	5.3	9	2	3	4	6	9	11	17
" MULTIPLE DX	3756	9.6	60	3	4	7	12	18	23	41
TOTAL 0-19 YRS	7462	5.3	12	2	3	4	6	9	11	19
20-34	4601	5.7	16	3	3	5	6	9	12	19
35-49	1672	7.5	27	3	3	6	9	13	17	28
50-64	1139	9.5	39	4	4	8	12	17	21	34
65+	726	13.6	102	5	6	10	16	25	34	56
GRAND TOTAL	**15600**	**6.3**	**25**	**3**	**3**	**5**	**7**	**11**	**15**	**26**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	62	4.6	4	2	3	4	5	7	9	12
20-34	34	5.8	8	3	3	5	7	10	12	16
35-49	11	8.2	42	4	4	6	8	17	25	27
50-64	7	7.7	12	3	3	7	9	13	14	14
65+	4	13.3	61	6	6	13	20	21	21	21
2. MULTIPLE DX										
0-19 YRS	29	7.1	25	3	3	5	8	15	18	20
20-34	33	7.2	16	3	4	6	8	11	13	24
35-49	16	10.8	178	4	4	6	8	26	48	56
50-64	17	14.6	75	5	6	15	21	34	75	99+
65+	8	12.0	32	5	6	11	18	69	99+	99+
TOT. SINGLE DX	118	5.7	14	2	3	5	6	10	12	23
" MULTIPLE DX	103	9.3	61	3	4	7	11	20	25	99+
TOTAL 0-19 YRS	91	5.4	12	2	3	4	6	10	14	19
20-34	67	6.5	13	3	3	6	8	10	13	23
35-49	27	9.7	121	4	4	6	8	24	32	56
50-64	24	12.6	66	4	5	10	17	24	53	99+
65+	12	12.4	38	5	6	11	19	38	88	99+
GRAND TOTAL	**221**	**7.4**	**39**	**3**	**3**	**5**	**8**	**15**	**21**	**68**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	11.1	36	3	4	10	12	19	27	28
20-34	16	12.6	16	7	8	13	16	18	19	20
35-49	16	10.4	15	5	6	10	12	14	19	21
50-64	10	9.3	27	5	5	8	10	18	22	22
65+	4	13.0	16	10	10	11	15	19	19	19
2. MULTIPLE DX										
0-19 YRS	5	9.2	29	4	4	8	12	18	18	18
20-34	5	8.4	15	2	2	9	11	12	12	12
35-49	4	17.0	72	7	7	17	23	27	27	27
50-64	5	10.8	49	5	5	8	16	21	21	21
65+	11	14.8	51	2	6	13	20	24	28	28
TOT. SINGLE DX	68	11.1	25	4	6	10	13	18	21	28
" MULTIPLE DX	30	12.4	48	2	4	11	17	22	27	28
TOTAL 0-19 YRS	27	10.8	35	4	4	10	12	17	27	28
20-34	21	11.6	19	4	7	11	14	18	19	20
35-49	20	11.7	31	5	6	10	14	20	24	27
50-64	15	9.8	32	5	5	8	13	21	22	22
65+	15	14.3	41	4	9	12	19	22	26	28
GRAND TOTAL	**98**	**11.5**	**32**	**4**	**5**	**11**	**14**	**20**	**22**	**28**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	4.8	26	<1	1	3	6	10	13	30
20-34	193	5.6	19	1	1	4	8	11	14	23
35-49	142	5.4	21	1	1	4	7	11	15	23
50-64	270	4.6	21	1	1	3	6	9	13	26
65+	494	5.7	38	1	2	3	7	13	18	36
2. MULTIPLE DX										
0-19 YRS	76	5.9	30	1	1	4	8	11	15	32
20-34	145	9.1	83	2	2	7	11	18	28	56
35-49	183	8.9	87	1	2	6	11	18	24	51
50-64	489	9.6	94	1	2	7	12	20	30	53
65+	1118	12.3	145	2	3	9	16	25	37	78
TOT. SINGLE DX	1198	5.3	29	1	1	3	7	11	15	27
" MULTIPLE DX	2011	10.9	122	2	2	8	14	23	32	66
TOTAL 0-19 YRS	175	5.3	28	<1	1	4	7	11	14	32
20-34	338	7.1	50	1	2	5	9	14	20	47
35-49	325	7.3	62	1	2	5	9	16	20	35
50-64	759	7.9	74	1	2	5	10	18	24	43
65+	1612	10.3	122	2	2	7	13	22	31	66
GRAND TOTAL	**3209**	**8.8**	**94**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	3.5	5	<1	1	3	5	7	8	9
20-34	174	4.0	7	1	2	3	5	7	9	15
35-49	131	3.4	4	1	1	3	4	6	8	11
50-64	77	4.8	18	1	2	4	5	8	9	26
65+	37	5.7	23	1	1	5	7	10	14	27
2. MULTIPLE DX										
0-19 YRS	18	7.3	65	1	2	5	10	12	27	37
20-34	87	6.9	60	1	2	4	8	13	22	46
35-49	98	6.8	42	1	2	4	8	15	19	35
50-64	80	7.8	39	2	2	6	10	18	22	29
65+	81	13.7	251	2	3	9	16	28	46	90
TOT. SINGLE DX	458	4.1	10	1	1	3	5	7	9	18
" MULTIPLE DX	364	8.6	101	2	2	5	11	18	26	55
TOTAL 0-19 YRS	57	4.7	27	1	1	3	6	9	11	35
20-34	261	4.9	26	1	2	4	6	9	12	24
35-49	229	4.9	23	1	1	3	5	11	14	26
50-64	157	6.3	31	1	2	4	8	13	20	28
65+	118	11.2	193	2	2	7	12	26	31	81
GRAND TOTAL	**822**	**6.1**	**55**	**1**	**2**	**4**	**7**	**12**	**18**	**36**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	11.7	116	2	3	10	12	16	33	59
20-34	24	17.3	98	3	6	16	22	28	35	50
35-49	57	17.0	67	8	9	14	21	27	35	42
50-64	247	17.4	59	9	10	16	20	25	31	51
65+	380	19.7	89	9	11	18	24	29	36	59
2. MULTIPLE DX										
0-19 YRS	29	17.4	272	3	5	11	19	49	56	65
20-34	39	23.5	193	6	10	22	30	41	64	99+
35-49	103	19.1	90	10	12	16	22	30	41	56
50-64	624	22.1	132	11	12	19	26	36	43	72
65+	1240	25.4	184	11	13	22	31	43	54	88
TOT. SINGLE DX	735	18.3	81	8	10	17	22	28	33	58
" MULTIPLE DX	2035	23.9	169	11	12	20	29	40	51	78
TOTAL 0-19 YRS	56	14.6	202	3	4	10	16	30	55	65
20-34	63	21.1	164	5	7	18	26	40	54	95
35-49	160	18.3	83	9	10	15	22	29	38	48
50-64	871	20.8	116	10	11	18	24	34	41	65
65+	1620	24.0	168	11	12	21	29	40	51	81
GRAND TOTAL	**2770**	**22.4**	**152**	**10**	**11**	**19**	**27**	**37**	**47**	**74**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	5.4	23	<1	1	4	7	10	12	28
20-34	566	5.5	18	<1	1	5	7	10	13	21
35-49	644	5.3	14	<1	1	5	7	10	12	18
50-64	776	5.5	32	<1	1	4	7	11	13	26
65+	791	6.6	41	1	1	5	9	14	18	30
2. MULTIPLE DX										
0-19 YRS	196	6.6	37	1	2	5	8	13	17	32
20-34	920	7.7	67	1	2	6	9	14	18	45
35-49	1510	8.3	51	1	2	7	10	16	20	36
50-64	2674	9.2	61	2	3	7	11	17	23	43
65+	4976	12.0	106	2	3	9	15	23	32	72
TOT. SINGLE DX	2917	5.8	28	<1	1	5	7	11	14	25
" MULTIPLE DX	10276	10.2	85	2	3	8	13	20	27	56
TOTAL 0-19 YRS	336	6.1	32	1	1	5	7	11	16	29
20-34	1486	6.9	50	1	2	5	8	12	16	40
35-49	2154	7.4	42	1	2	6	9	14	18	31
50-64	3450	8.4	58	1	2	7	10	16	21	40
65+	5767	11.2	101	2	3	9	14	22	30	68
GRAND TOTAL	**13193**	**9.2**	**76**	**1**	**2**	**7**	**11**	**18**	**24**	**49**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.1	6	<1	1	3	4	6	7	16
20-34	403	3.7	2	1	2	3	4	6	7	9
35-49	396	4.0	5	2	2	3	5	6	7	14
50-64	237	3.9	3	2	2	3	5	6	7	10
65+	77	4.1	3	2	2	4	5	6	8	12
2. MULTIPLE DX										
0-19 YRS	17	4.0	3	<1	1	4	5	7	7	7
20-34	254	4.3	4	2	2	4	5	6	8	11
35-49	367	4.7	12	2	2	4	5	8	10	22
50-64	311	5.3	20	2	2	4	5	9	12	28
65+	177	6.4	41	2	3	4	7	13	15	58
TOT. SINGLE DX	1170	3.8	4	1	2	3	5	6	7	11
" MULTIPLE DX	1126	5.0	18	2	2	4	5	8	11	23
TOTAL 0-19 YRS	74	3.3	6	<1	1	3	4	6	7	15
20-34	657	3.9	4	1	2	4	5	6	7	11
35-49	763	4.3	9	2	2	4	5	7	9	17
50-64	548	4.7	14	2	2	4	5	8	10	20
65+	254	5.7	31	2	3	4	6	11	15	29
GRAND TOTAL	**2296**	**4.4**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**16**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.1	2	<1	1	3	4	5	6	7
20-34	433	3.1	3	<1	1	3	4	5	6	12
35-49	201	3.3	3	1	2	3	4	5	6	9
50-64	107	4.2	7	1	2	4	5	7	9	17
65+	66	4.9	26	1	2	4	5	9	13	34
2. MULTIPLE DX										
0-19 YRS	37	3.6	6	1	1	3	4	6	8	14
20-34	284	4.6	14	1	2	4	5	7	10	21
35-49	334	5.1	15	2	2	4	5	8	11	27
50-64	310	5.1	13	2	2	4	6	8	10	23
65+	190	9.2	94	2	3	6	10	21	27	72
TOT. SINGLE DX	863	3.4	6	<1	1	3	4	5	7	15
" MULTIPLE DX	1155	5.6	30	2	2	4	6	9	15	30
TOTAL 0-19 YRS	93	3.3	4	<1	1	3	4	6	6	11
20-34	717	3.7	8	1	1	3	4	6	8	15
35-49	535	4.4	11	2	2	4	5	7	10	23
50-64	417	4.9	12	2	2	4	6	8	9	19
65+	256	8.1	80	2	2	5	9	19	26	57
GRAND TOTAL	**2018**	**4.7**	**21**	**1**	**2**	**4**	**5**	**8**	**11**	**27**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	4.7	5	2	2	4	7	8	9	9
20-34	530	4.6	3	2	3	4	6	7	8	11
35-49	659	4.8	5	2	3	4	6	7	9	13
50-64	441	4.7	4	2	3	4	5	7	9	11
65+	148	5.8	8	3	3	5	7	9	13	17
2. MULTIPLE DX										
0-19 YRS	49	4.2	4	1	2	4	6	7	7	9
20-34	1275	4.9	8	2	2	4	6	8	9	15
35-49	2019	5.4	15	2	3	5	6	8	11	18
50-64	1890	6.1	18	2	3	5	7	10	14	22
65+	966	8.1	52	3	3	6	9	15	20	37
TOT. SINGLE DX	1800	4.8	5	2	3	4	6	7	9	13
" MULTIPLE DX	6199	5.9	22	2	3	5	7	10	13	23
TOTAL 0-19 YRS	71	4.3	5	1	2	4	6	7	8	9
20-34	1805	4.8	7	2	3	4	6	8	9	13
35-49	2678	5.3	13	2	3	5	6	8	10	18
50-64	2331	5.8	16	2	3	5	6	9	13	22
65+	1114	7.8	48	3	3	6	9	15	19	35
GRAND TOTAL	**7999**	**5.7**	**18**	**2**	**3**	**5**	**6**	**9**	**12**	**22**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	3.4	4	1	1	3	4	6	6	11
20-34	403	3.7	10	1	1	3	4	7	9	12
35-49	289	3.7	5	1	1	3	5	6	9	11
50-64	203	5.1	24	1	2	4	6	9	14	25
65+	125	5.6	28	1	2	4	7	10	13	32
2. MULTIPLE DX										
0-19 YRS	51	5.8	37	1	1	4	7	13	23	27
20-34	242	6.0	88	2	2	4	6	9	14	64
35-49	240	7.2	85	2	2	4	7	15	23	70
50-64	259	8.2	75	2	2	5	9	19	27	44
65+	272	11.4	130	2	3	8	15	27	38	93
TOT. SINGLE DX	1108	4.2	14	1	1	3	5	7	10	17
" MULTIPLE DX	1064	8.2	97	2	2	5	9	18	27	65
TOTAL 0-19 YRS	139	4.3	17	1	1	3	5	8	12	25
20-34	645	4.6	41	1	2	3	5	7	10	32
35-49	529	5.3	45	1	2	4	6	10	14	37
50-64	462	6.9	55	1	2	4	8	15	21	41
65+	397	9.6	106	2	2	5	11	21	33	72
GRAND TOTAL	**2172**	**6.1**	**58**	**1**	**2**	**4**	**6**	**12**	**19**	**44**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	6	10.7	30	4	4	10	16	18	18	18
50-64	11	14.9	215	1	1	12	21	41	42	42
65+	5	19.6	123	2	2	20	28	30	30	30
2. MULTIPLE DX										
0-19 YRS	4	26.8	268	12	12	24	40	47	47	47
20-34	12	11.0	72	1	2	9	16	23	30	31
35-49	11	20.3	238	3	4	17	35	66	95	99+
50-64	27	24.5	185	7	9	24	34	45	50	51
65+	36	23.1	336	3	5	18	30	52	64	72
TOT. SINGLE DX	23	14.4	141	1	2	12	20	32	41	42
" MULTIPLE DX	90	21.7	251	3	5	17	31	47	53	88
TOTAL 0-19 YRS	5	22.4	296	5	5	15	36	47	47	47
20-34	12	11.0	72	1	2	9	16	23	30	31
35-49	17	16.9	181	3	4	13	27	48	81	99+
50-64	38	21.7	208	2	5	18	33	42	48	51
65+	41	22.7	308	3	4	19	29	50	61	72
GRAND TOTAL	**113**	**20.2**	**236**	**3**	**4**	**16**	**29**	**44**	**52**	**82**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	5.2	29	1	1	3	7	12	16	27
20-34	301	4.6	40	1	1	2	5	11	15	34
35-49	273	4.9	36	1	1	2	6	13	18	27
50-64	401	6.6	59	1	1	2	10	19	24	35
65+	220	9.3	121	1	1	5	14	21	26	59
2. MULTIPLE DX										
0-19 YRS	89	13.0	203	2	2	9	17	29	43	75
20-34	372	12.1	129	1	2	10	17	25	32	61
35-49	565	12.4	132	1	2	10	16	26	35	53
50-64	1164	13.6	139	2	2	11	18	28	35	62
65+	1281	16.4	165	2	3	14	22	32	42	71
TOT. SINGLE DX	1254	6.2	62	1	1	2	8	16	22	38
" MULTIPLE DX	3471	14.3	151	2	2	11	19	29	37	64
TOTAL 0-19 YRS	148	9.9	148	1	2	6	13	21	30	66
20-34	673	8.7	103	1	1	5	12	21	27	57
35-49	838	10.0	114	1	1	7	14	23	31	50
50-64	1565	11.8	128	1	2	9	17	27	32	58
65+	1501	15.4	166	2	2	13	21	31	41	69
GRAND TOTAL	**4725**	**12.1**	**141**	**1**	**2**	**9**	**17**	**26**	**34**	**60**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	8.0	11	4	5	7	9	13	15	20
20-34	3163	7.5	8	5	5	7	8	11	13	18
35-49	3120	7.9	8	5	5	7	9	12	13	18
50-64	3250	8.7	12	5	6	8	10	13	15	21
65+	1929	11.2	31	6	7	9	13	18	21	34
2. MULTIPLE DX										
0-19 YRS	136	11.4	75	5	5	9	14	19	22	44
20-34	1879	10.0	30	5	6	8	12	16	20	30
35-49	2840	10.8	48	5	6	9	12	18	23	40
50-64	4911	12.7	60	6	6	10	15	21	27	46
65+	5969	17.5	127	7	8	15	21	31	40	74
TOT. SINGLE DX	11696	8.6	15	5	5	8	10	13	16	23
" MULTIPLE DX	15735	13.8	89	6	6	11	17	24	32	57
TOTAL 0-19 YRS	370	9.2	37	4	5	8	11	15	19	28
20-34	5042	8.5	18	5	5	7	10	13	16	25
35-49	5960	9.3	30	5	5	8	10	15	18	31
50-64	8161	11.1	45	5	6	9	13	18	23	38
65+	7898	15.9	111	6	7	13	19	28	37	68
GRAND TOTAL	**27431**	**11.6**	**64**	**5**	**6**	**9**	**13**	**20**	**26**	**47**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	10.1	86	1	1	6	18	25	27	27
20-34	40	9.5	44	1	2	9	14	16	20	32
35-49	69	9.3	39	2	2	8	12	19	20	30
50-64	91	13.8	134	2	2	12	18	27	38	61
65+	190	15.8	152	2	3	14	21	29	35	63
2. MULTIPLE DX										
0-19 YRS	8	16.5	86	7	8	14	20	31	36	36
20-34	46	16.3	224	3	4	13	18	32	61	72
35-49	98	17.1	177	4	5	13	20	38	45	68
50-64	330	19.7	172	3	7	17	25	37	50	99+
65+	859	23.4	193	7	10	21	29	41	54	95
TOT. SINGLE DX	399	13.4	123	2	2	11	18	26	32	59
" MULTIPLE DX	1341	21.7	193	5	8	19	27	40	52	93
TOTAL 0-19 YRS	17	13.1	92	1	2	11	19	26	33	36
20-34	86	13.2	151	2	2	11	16	23	32	69
35-49	167	13.9	135	2	3	10	19	25	39	61
50-64	421	18.5	170	2	5	16	23	35	48	85
65+	1049	22.0	195	3	8	19	28	40	53	90
GRAND TOTAL	**1740**	**19.8**	**189**	**3**	**5**	**17**	**26**	**38**	**49**	**80**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.3	47	<1	1	3	8	15	24	28
20-34	118	6.3	62	<1	1	3	8	16	21	44
35-49	172	7.4	95	1	1	4	9	16	22	62
50-64	187	9.0	117	1	1	5	12	22	34	63
65+	179	9.0	107	1	1	5	11	22	30	51
2. MULTIPLE DX										
0-19 YRS	17	13.1	142	1	2	9	17	36	41	41
20-34	130	15.8	280	1	2	13	20	32	44	85
35-49	300	16.2	274	1	2	11	21	39	55	99+
50-64	461	17.5	298	2	2	13	24	41	63	99+
65+	645	18.8	280	2	3	14	26	40	57	94
TOT. SINGLE DX	673	8.0	98	1	1	4	10	19	28	54
" MULTIPLE DX	1553	17.6	284	2	3	13	24	40	57	98
TOTAL 0-19 YRS	34	9.7	104	<1	2	7	14	23	38	41
20-34	248	11.3	199	1	1	6	15	25	35	83
35-49	472	13.0	227	1	2	8	17	30	46	93
50-64	648	15.1	260	1	2	10	21	35	54	99
65+	824	16.7	259	2	2	12	23	37	52	91
GRAND TOTAL	**2226**	**14.7**	**247**	**1**	**2**	**10**	**20**	**34**	**49**	**91**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	284	5.1	21	1	1	4	6	10	12	29
20-34	740	6.1	24	1	2	5	8	11	15	25
35-49	732	5.6	18	1	1	5	7	11	14	21
50-64	1019	5.1	24	<1	1	4	7	10	13	25
65+	1526	5.7	47	1	1	4	7	12	17	30
2. MULTIPLE DX										
0-19 YRS	184	7.9	82	1	2	5	9	14	24	57
20-34	921	7.9	56	2	2	6	9	15	22	44
35-49	1436	8.2	48	1	2	7	10	16	20	34
50-64	3075	8.9	68	1	2	7	11	17	24	47
65+	8215	11.2	112	2	3	9	13	22	31	66
TOT. SINGLE DX	4301	5.6	32	1	1	4	7	11	15	26
" MULTIPLE DX	13831	10.1	94	2	3	8	12	20	28	58
TOTAL 0-19 YRS	468	6.2	47	1	1	4	7	12	15	36
20-34	1661	7.1	43	1	2	5	9	13	19	34
35-49	2168	7.3	40	1	2	6	9	14	18	32
50-64	4094	7.9	60	1	1	6	10	16	22	44
65+	9741	10.4	106	1	2	8	13	21	29	62
GRAND TOTAL	**18132**	**9.0**	**83**	**1**	**2**	**7**	**11**	**18**	**25**	**51**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3262	2.1	1	<1	<1	2	3	4	4	6
20-34	3373	3.5	2	2	2	3	4	5	6	8
35-49	3100	3.8	2	2	2	4	5	6	7	9
50-64	5016	4.2	3	2	2	4	5	6	7	11
65+	3758	4.9	6	2	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1540	2.4	8	<1	<1	2	3	4	5	12
20-34	1090	4.3	10	2	2	4	5	6	8	14
35-49	1549	5.0	14	2	3	4	6	8	11	19
50-64	3711	5.6	19	2	3	4	6	9	12	21
65+	5243	8.3	59	3	3	6	9	16	21	45
TOT. SINGLE DX	18509	3.8	4	1	2	3	5	6	7	10
" MULTIPLE DX	13133	6.1	37	2	2	5	7	11	16	33
TOTAL 0-19 YRS	4802	2.2	4	<1	<1	2	3	4	4	7
20-34	4463	3.7	4	2	2	3	4	5	6	9
35-49	4649	4.2	7	2	2	4	5	6	8	14
50-64	8727	4.8	11	2	3	4	5	7	9	17
65+	9001	6.9	40	2	3	5	8	12	17	35
GRAND TOTAL	**31642**	**4.7**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1095	1.6		<1	<1	1	2	3	3	5
20-34	236	4.0	1	2	3	4	5	5	6	8
35-49	345	4.6	3	3	3	4	5	7	8	10
50-64	549	4.8	2	3	3	5	6	7	8	10
65+	348	5.6	6	3	3	5	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	622	2.7	38	<1	<1	1	2	4	7	46
20-34	109	4.5	3	2	3	4	6	7	8	11
35-49	214	5.0	4	2	3	5	6	7	9	14
50-64	508	6.4	27	3	3	5	7	10	14	21
65+	569	8.1	33	3	4	6	9	15	21	32
TOT. SINGLE DX	2573	3.4	5	<1	<1	3	5	6	8	11
" MULTIPLE DX	2022	5.5	34	<1	<1	4	7	10	14	28
TOTAL 0-19 YRS	1717	2.0	15	<1	<1	1	2	3	4	12
20-34	345	4.2	2	2	3	4	5	6	7	9
35-49	559	4.7	4	2	3	4	5	7	8	13
50-64	1057	5.5	15	3	3	5	6	8	10	18
65+	917	7.1	25	3	3	6	8	13	17	28
GRAND TOTAL	**4595**	**4.3**	**19**	**<1**	**<1**	**4**	**5**	**8**	**10**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.6	2	<1	1	2	4	5	5	6
20-34	81	3.4	2	1	2	3	4	5	6	8
35-49	143	4.4	3	2	2	4	5	6	8	10
50-64	176	4.5	4	2	2	4	5	8	8	13
65+	273	7.0	20	3	3	6	9	12	14	25
2. MULTIPLE DX										
0-19 YRS	7	2.6	2	1	1	2	4	5	5	5
20-34	28	4.7	5	2	2	4	6	7	10	12
35-49	60	6.2	17	2	3	5	8	12	15	19
50-64	140	7.3	25	2	3	6	8	14	18	25
65+	480	11.3	114	3	4	8	12	22	31	98
TOT. SINGLE DX	695	5.3	13	2	2	4	6	9	12	20
" MULTIPLE DX	715	9.7	88	3	3	7	11	19	26	76
TOTAL 0-19 YRS	29	2.6	2	<1	1	2	4	5	5	6
20-34	109	3.8	3	1	2	3	5	6	6	11
35-49	203	4.9	8	2	2	4	6	9	10	17
50-64	316	5.7	16	2	2	5	7	10	14	23
65+	753	9.7	84	3	4	7	11	18	26	70
GRAND TOTAL	**1410**	**7.5**	**56**	**2**	**3**	**5**	**9**	**14**	**20**	**47**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	507	2.2	1	<1	1	2	3	3	4	6
20-34	259	3.3	2	1	2	3	4	5	7	8
35-49	377	3.8	3	2	2	3	5	6	7	10
50-64	320	4.5	4	2	2	4	6	7	9	12
65+	149	5.8	13	2	3	5	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	92	3.4	14	<1	1	2	4	6	10	24
20-34	111	5.0	11	1	2	4	6	8	11	20
35-49	250	5.9	21	2	2	4	7	11	14	21
50-64	388	7.8	47	2	3	6	9	15	22	34
65+	335	10.8	87	3	4	8	13	22	29	99+
TOT. SINGLE DX	1612	3.6	5	1	1	3	4	6	8	11
" MULTIPLE DX	1176	7.6	53	2	2	6	9	15	21	42
TOTAL 0-19 YRS	599	2.4	4	<1	1	2	3	4	5	10
20-34	370	3.8	6	1	2	3	5	6	8	13
35-49	627	4.6	12	2	2	4	5	8	10	17
50-64	708	6.3	31	2	2	5	7	11	16	31
65+	484	9.2	70	3	3	7	11	18	24	82
GRAND TOTAL	**2788**	**5.3**	**29**	**1**	**2**	**4**	**6**	**10**	**14**	**29**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	2.6	3	<1	1	2	3	4	6	11
20-34	441	4.2	5	2	2	4	5	7	8	11
35-49	647	5.3	6	2	2	5	7	9	10	14
50-64	795	6.5	12	3	3	6	8	10	12	20
65+	562	7.5	16	3	4	7	9	11	14	20
2. MULTIPLE DX										
0-19 YRS	28	6.3	26	<1	2	4	10	14	17	19
20-34	246	6.4	17	2	3	6	8	11	15	23
35-49	545	8.3	34	3	3	7	10	16	20	33
50-64	931	9.4	44	3	4	8	11	17	24	43
65+	1035	12.4	90	4	5	10	15	23	31	63
TOT. SINGLE DX	2570	5.8	12	2	2	5	7	10	12	17
" MULTIPLE DX	2785	10.0	61	3	4	8	12	19	25	46
TOTAL 0-19 YRS	153	3.3	9	<1	1	2	3	6	11	17
20-34	687	5.0	11	2	2	4	6	8	10	21
35-49	1192	6.7	22	2	3	5	8	12	16	25
50-64	1726	8.1	32	3	3	7	9	14	19	36
65+	1597	10.7	70	3	4	8	12	20	26	50
GRAND TOTAL	**5355**	**8.0**	**42**	**2**	**3**	**6**	**9**	**15**	**20**	**38**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.3	10	1	1	4	6	10	10	10
20-34	38	6.7	16	2	2	6	8	13	15	18
35-49	37	8.3	18	2	3	8	10	14	16	22
50-64	64	8.3	13	3	4	8	11	13	16	18
65+	51	12.0	53	4	4	10	17	21	28	33
2. MULTIPLE DX										
0-19 YRS	13	11.3	93	2	2	8	23	38	86	99+
20-34	29	12.7	56	5	6	10	14	23	26	39
35-49	68	10.5	24	4	6	9	12	18	22	87
50-64	157	14.4	113	6	7	11	16	23	35	69
65+	199	18.8	134	7	8	16	24	35	42	64
TOT. SINGLE DX	201	8.7	29	2	3	8	11	16	19	29
" MULTIPLE DX	466	15.5	115	6	7	12	19	29	39	69
TOTAL 0-19 YRS	24	8.1	66	1	2	6	11	26	48	99+
20-34	67	9.3	42	2	3	8	11	17	22	37
35-49	105	9.7	23	3	4	9	12	17	20	61
50-64	221	12.6	92	4	6	11	14	20	27	64
65+	250	17.4	125	5	7	15	22	32	40	63
GRAND TOTAL	**667**	**13.5**	**99**	**4**	**5**	**11**	**17**	**25**	**34**	**63**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	4.3	17	<1	1	3	5	9	13	22
20-34	310	5.2	18	<1	1	4	7	10	14	22
35-49	237	7.4	52	1	2	5	9	15	21	38
50-64	268	8.8	64	1	2	6	11	19	26	36
65+	237	11.1	103	1	2	8	15	24	34	48
2. MULTIPLE DX										
0-19 YRS	143	9.6	158	1	1	5	11	27	43	99+
20-34	332	10.1	143	1	2	7	12	21	33	64
35-49	472	12.6	138	2	3	9	16	25	35	57
50-64	1084	15.1	158	2	3	12	19	32	40	76
65+	1433	17.6	194	3	4	14	23	36	47	85
TOT. SINGLE DX	1255	7.4	56	1	2	5	9	16	22	38
" MULTIPLE DX	3464	15.1	176	2	3	12	20	32	42	76
TOTAL 0-19 YRS	346	6.5	82	<1	1	4	7	14	25	61
20-34	642	7.7	88	1	2	5	8	16	24	45
35-49	709	10.8	116	2	2	8	14	23	31	56
50-64	1352	13.8	146	2	3	11	18	29	37	70
65+	1670	16.7	187	2	3	13	22	35	45	76
GRAND TOTAL	**4719**	**13.0**	**156**	**2**	**2**	**9**	**17**	**29**	**38**	**69**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	152	6.4	19	2	3	6	8	10	14	19
20-34	356	7.4	32	2	3	6	8	13	16	34
35-49	143	9.4	42	2	4	8	11	17	23	36
50-64	124	13.7	104	3	5	11	16	30	34	56
65+	133	15.3	116	4	6	12	19	27	32	57
2. MULTIPLE DX										
0-19 YRS	176	10.6	122	3	4	8	11	17	29	88
20-34	481	10.7	105	3	4	7	12	20	31	53
35-49	295	13.5	140	3	5	10	16	26	36	61
50-64	408	20.6	203	6	7	17	26	42	52	82
65+	591	25.0	301	8	9	20	32	49	69	99+
TOT. SINGLE DX	908	9.6	64	2	3	7	11	18	25	45
" MULTIPLE DX	1951	17.5	229	4	5	13	23	37	50	91
TOTAL 0-19 YRS	328	8.7	79	2	3	7	9	15	20	56
20-34	837	9.3	77	2	4	7	10	17	24	48
35-49	438	12.1	112	3	4	9	14	25	33	58
50-64	532	19.0	188	5	7	15	25	38	50	77
65+	724	23.2	281	7	8	19	29	46	63	99+
GRAND TOTAL	**2859**	**15.0**	**190**	**3**	**4**	**10**	**19**	**32**	**45**	**81**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	333	3.5	7	1	1	2	4	7	10	13
20-34	2137	2.5	5	<1	<1	2	2	5	7	13
35-49	388	2.4	4	<1	1	2	2	5	7	11
50-64	59	3.5	22	<1	1	2	3	8	13	28
65+	25	5.7	35	<1	1	3	8	16	18	23
2. MULTIPLE DX										
0-19 YRS	242	4.1	12	1	1	3	5	9	10	18
20-34	2207	2.8	9	<1	1	2	3	6	8	16
35-49	549	3.1	11	<1	1	2	3	7	9	19
50-64	77	8.1	122	1	1	3	9	23	33	56
65+	68	16.0	237	2	2	12	22	38	50	67
TOT. SINGLE DX	2942	2.6	7	<1	1	2	3	5	7	13
" MULTIPLE DX	3143	3.3	22	<1	1	2	3	7	10	23
TOTAL 0-19 YRS	575	3.7	10	1	1	3	5	8	10	14
20-34	4344	2.6	8	<1	1	2	2	5	7	14
35-49	937	2.8	9	<1	1	2	3	6	8	16
50-64	136	6.1	83	1	1	2	6	16	24	51
65+	93	13.3	203	1	2	9	18	33	45	65
GRAND TOTAL	**6085**	**3.0**	**15**	**<1**	**1**	**2**	**3**	**6**	**9**	**18**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	7.8	17	2	2	8	10	13	15	21
20-34	355	6.6	20	1	2	6	9	12	15	20
35-49	246	9.3	36	2	2	9	12	17	19	32
50-64	208	11.4	78	2	3	9	14	19	26	51
65+	232	14.3	109	3	5	12	17	24	32	60
2. MULTIPLE DX										
0-19 YRS	109	10.1	54	1	2	8	13	22	27	62
20-34	727	8.1	81	1	2	6	9	15	22	50
35-49	483	11.7	98	2	3	9	14	23	31	48
50-64	647	18.0	193	4	6	14	23	36	46	73
65+	939	21.9	218	7	9	18	28	43	61	99+
TOT. SINGLE DX	1113	9.7	62	2	2	8	12	17	22	42
" MULTIPLE DX	2905	15.4	184	2	4	12	20	32	43	85
TOTAL 0-19 YRS	181	9.2	41	2	2	8	11	18	22	36
20-34	1082	7.6	62	1	2	6	9	14	19	40
35-49	729	10.9	79	2	3	9	13	21	28	45
50-64	855	16.4	173	3	5	13	20	32	42	72
65+	1171	20.4	207	6	8	16	26	40	57	99+
GRAND TOTAL	**4018**	**13.9**	**157**	**2**	**3**	**10**	**17**	**29**	**39**	**75**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	9.8	13	4	5	10	12	13	17	21
20-34	43	10.1	14	5	7	9	12	15	19	20
35-49	66	12.7	24	8	8	11	15	21	23	29
50-64	163	13.5	20	8	8	13	16	20	22	25
65+	150	14.6	35	8	9	14	18	22	28	41
2. MULTIPLE DX										
0-19 YRS	70	13.6	180	5	6	9	14	25	36	84
20-34	72	16.7	208	6	7	11	23	32	42	99+
35-49	134	16.6	109	8	9	14	19	25	36	64
50-64	386	18.8	137	8	9	16	23	33	45	70
65+	558	21.6	179	9	10	18	25	39	46	82
TOT. SINGLE DX	446	13.2	27	7	8	12	16	20	23	30
" MULTIPLE DX	1220	19.4	166	8	9	16	23	34	44	77
TOTAL 0-19 YRS	94	12.6	140	5	6	9	12	21	32	80
20-34	115	14.2	145	6	7	10	16	29	33	99
35-49	200	15.3	85	8	8	13	18	24	30	60
50-64	549	17.2	109	8	9	14	20	29	37	62
65+	708	20.1	157	9	10	17	23	35	42	79
GRAND TOTAL	**1666**	**17.8**	**136**	**8**	**8**	**14**	**21**	**31**	**40**	**74**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	8.2	53	2	2	7	11	17	18	31
20-34	287	9.4	41	2	2	8	12	17	20	34
35-49	288	9.6	33	2	3	9	11	16	19	29
50-64	313	10.1	26	2	4	9	12	16	18	25
65+	168	10.1	51	2	2	10	13	17	21	44
2. MULTIPLE DX										
0-19 YRS	138	13.0	100	2	3	11	16	27	32	68
20-34	332	15.1	141	3	4	12	19	29	38	69
35-49	382	14.7	116	2	4	12	18	27	35	57
50-64	614	15.7	135	2	4	13	20	31	38	64
65+	559	18.8	216	3	5	15	24	40	48	98
TOT. SINGLE DX	1199	9.6	39	2	2	9	12	16	19	33
" MULTIPLE DX	2025	16.1	156	2	4	13	20	32	42	77
TOTAL 0-19 YRS	281	10.6	82	2	2	9	14	21	28	60
20-34	619	12.5	103	2	3	10	15	25	32	58
35-49	670	12.5	87	2	4	10	15	22	29	54
50-64	927	13.8	106	2	4	11	17	26	33	58
65+	727	16.8	191	2	4	13	21	35	45	87
GRAND TOTAL	**3224**	**13.7**	**122**	**2**	**3**	**11**	**17**	**26**	**35**	**64**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.3	15	1	2	8	10	12	13	13
20-34	210	9.8	21	3	5	9	12	15	17	27
35-49	257	9.4	16	3	5	9	11	14	16	27
50-64	281	10.5	24	4	6	9	12	16	19	28
65+	107	11.6	26	4	6	10	15	19	21	26
2. MULTIPLE DX										
0-19 YRS	10	9.5	31	<1	1	9	13	17	19	19
20-34	108	12.0	92	4	5	10	14	20	23	56
35-49	170	13.8	84	4	7	12	17	21	23	66
50-64	310	13.8	83	5	7	12	16	23	28	50
65+	278	16.7	148	3	7	13	20	30	47	65
TOT. SINGLE DX	867	10.1	22	4	5	9	12	16	18	27
" MULTIPLE DX	876	14.4	107	4	6	12	17	24	31	64
TOTAL 0-19 YRS	22	8.3	23	1	2	9	11	14	17	19
20-34	318	10.5	47	3	5	9	13	16	20	29
35-49	427	11.1	48	4	5	10	13	18	21	36
50-64	591	12.2	58	5	6	11	14	20	25	43
65+	385	15.3	119	3	7	12	18	26	35	64
GRAND TOTAL	**1743**	**12.3**	**70**	**4**	**6**	**10**	**14**	**20**	**26**	**51**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	130	9.2	22	5	6	8	10	15	16	30
20-34	21	12.6	81	4	6	10	14	22	33	46
35-49	15	14.4	50	4	5	13	18	26	27	27
50-64	15	15.4	47	5	5	15	18	21	31	34
65+	20	17.3	62	5	8	15	23	29	32	34
2. MULTIPLE DX										
0-19 YRS	112	13.3	98	6	7	10	15	24	29	92
20-34	23	20.6	219	8	9	14	34	51	69	99+
35-49	30	19.6	171	8	10	18	23	46	64	99+
50-64	52	20.8	137	7	9	18	26	31	48	63
65+	75	24.6	219	5	9	21	33	49	61	91
TOT. SINGLE DX	201	11.2	44	5	6	9	13	18	25	39
" MULTIPLE DX	292	18.8	173	7	8	15	24	38	51	99+
TOTAL 0-19 YRS	242	11.1	62	5	6	9	13	17	25	47
20-34	44	16.8	167	6	7	12	21	43	52	99+
35-49	45	17.9	135	5	9	16	23	31	54	99+
50-64	67	19.6	121	7	8	16	25	31	42	62
65+	95	23.1	194	5	9	20	31	43	52	85
GRAND TOTAL	**493**	**15.7**	**134**	**5**	**6**	**12**	**19**	**31**	**42**	**78**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.6	17	1	1	5	8	12	13	20
20-34	233	5.0	11	1	2	4	6	9	11	17
35-49	275	5.2	9	2	2	5	6	9	11	18
50-64	258	5.8	19	2	2	5	7	10	12	21
65+	88	7.3	41	2	2	5	10	14	17	37
2. MULTIPLE DX										
0-19 YRS	43	9.0	56	<1	<1	8	15	18	27	28
20-34	121	7.8	91	1	2	6	9	13	19	49
35-49	164	8.1	66	2	2	6	10	15	22	49
50-64	250	8.9	61	2	3	6	11	18	24	39
65+	181	12.3	117	2	3	10	15	25	33	61
TOT. SINGLE DX	892	5.5	17	2	2	5	7	10	12	20
" MULTIPLE DX	759	9.4	83	2	2	7	11	19	27	48
TOTAL 0-19 YRS	81	7.4	41	<1	1	6	11	16	19	28
20-34	354	6.0	40	1	2	5	7	10	14	27
35-49	439	6.3	33	2	2	5	7	11	15	29
50-64	508	7.3	42	2	2	5	9	14	19	34
65+	269	10.7	98	2	2	8	13	22	30	47
GRAND TOTAL	**1651**	**7.3**	**51**	**2**	**2**	**5**	**9**	**14**	**20**	**38**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	714	2.3	7	<1	<1	1	2	5	7	13
20-34	1163	3.6	11	<1	1	2	5	8	9	17
35-49	1495	3.6	11	<1	1	2	5	8	10	17
50-64	1891	3.7	17	<1	1	2	5	8	11	21
65+	2278	4.6	31	1	1	3	6	10	14	30
2. MULTIPLE DX										
0-19 YRS	685	3.7	22	<1	<1	2	5	8	12	26
20-34	1430	5.8	46	1	1	3	8	12	17	36
35-49	2111	6.9	64	1	1	4	9	16	21	41
50-64	4287	7.4	82	1	1	4	9	16	23	50
65+	8872	11.7	164	1	2	8	15	27	41	99+
TOT. SINGLE DX	7541	3.8	19	<1	1	2	5	8	11	21
" MULTIPLE DX	17385	9.3	124	1	1	6	12	21	31	78
TOTAL 0-19 YRS	1399	3.0	15	<1	<1	2	3	7	10	20
20-34	2593	4.8	32	<1	1	3	6	10	14	30
35-49	3606	5.5	45	<1	1	3	7	12	17	33
50-64	6178	6.3	66	1	1	3	8	14	19	43
65+	11150	10.3	145	1	2	7	13	24	36	92
GRAND TOTAL	**24926**	**7.6**	**98**	**1**	**1**	**4**	**10**	**18**	**26**	**62**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	3.8	5	1	1	4	6	7	7	7
20-34	73	3.4	6	<1	<1	2	5	8	9	12
35-49	254	3.7	8	1	1	3	5	7	9	16
50-64	1181	4.2	16	1	1	3	5	7	10	26
65+	2235	4.9	16	1	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	14	5.7	81	<1	1	3	5	11	30	36
20-34	75	5.9	40	1	1	3	8	13	16	35
35-49	220	6.0	37	1	1	4	7	13	19	37
50-64	1294	6.6	62	1	2	4	8	13	20	45
65+	4271	9.1	92	2	2	6	11	19	28	35
TOT. SINGLE DX	3754	4.6	16	1	2	4	6	9	11	20
" MULTIPLE DX	5874	8.4	85	2	2	6	10	18	26	53
TOTAL 0-19 YRS	25	4.9	47	<1	1	3	5	8	15	36
20-34	148	4.7	25	<1	1	3	6	10	13	35
35-49	474	4.7	24	1	1	3	6	10	14	25
50-64	2475	5.5	42	1	2	4	6	10	15	37
65+	6506	7.7	70	2	2	5	9	16	23	47
GRAND TOTAL	**9628**	**6.9**	**61**	**1**	**2**	**5**	**8**	**14**	**21**	**44**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	6.4	31	1	2	5	9	12	14	36
20-34	94	5.6	27	1	1	4	8	11	15	28
35-49	146	6.6	35	1	1	5	9	14	18	31
50-64	289	6.8	37	1	1	4	9	15	20	27
65+	431	8.4	61	1	2	5	12	19	24	35
2. MULTIPLE DX										
0-19 YRS	169	12.6	168	3	4	8	15	25	44	85
20-34	133	11.6	186	1	2	7	14	30	43	83
35-49	215	10.6	110	1	2	7	15	24	33	79
50-64	599	12.9	144	2	2	10	18	29	38	62
65+	1555	16.0	230	2	3	12	21	35	52	92
TOT. SINGLE DX	1038	7.3	47	1	2	5	10	16	22	31
" MULTIPLE DX	2671	14.4	199	2	2	10	19	31	47	89
TOTAL 0-19 YRS	247	10.7	134	2	3	7	13	22	36	61
20-34	227	9.1	129	1	1	5	11	24	34	64
35-49	361	9.0	84	1	2	6	12	21	27	50
50-64	888	10.9	118	1	2	8	15	25	31	55
65+	1986	14.3	204	2	2	10	19	31	46	89
GRAND TOTAL	**3709**	**12.4**	**167**	**2**	**2**	**9**	**16**	**28**	**38**	**80**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	1.4	6	<1	<1	1	1	2	2	7
20-34	24	3.1	14	<1	<1	2	2	7	13	16
35-49	15	2.1	2	<1	<1	2	3	4	6	7
50-64	11	2.9	6	<1	<1	3	3	7	8	8
65+	19	2.9	2	<1	1	3	4	5	7	7
2. MULTIPLE DX										
0-19 YRS	133	1.8	1	<1	<1	1	2	3	4	8
20-34	28	3.1	42	<1	1	2	2	4	8	36
35-49	15	2.7	4	<1	1	2	3	6	8	9
50-64	28	4.6	18	1	1	3	6	12	15	17
65+	31	11.5	310	2	2	5	14	21	53	88
TOT. SINGLE DX	320	1.7	7	<1	<1	1	1	3	4	9
" MULTIPLE DX	235	3.6	59	<1	<1	2	3	7	13	39
TOTAL 0-19 YRS	384	1.5	5	<1	<1	1	1	2	3	8
20-34	52	3.1	29	<1	1	2	2	5	11	36
35-49	30	2.4	4	<1	<1	2	3	5	7	9
50-64	39	4.2	16	<1	1	3	6	9	14	17
65+	50	8.2	209	1	2	4	8	17	22	88
GRAND TOTAL	**555**	**2.5**	**30**	**<1**	**<1**	**1**	**2**	**4**	**8**	**20**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	352	6.2	14	<1	1	6	9	11	12	16
20-34	197	3.7	14	<1	<1	2	5	8	13	18
35-49	90	4.6	12	<1	1	3	7	9	11	18
50-64	85	4.6	15	1	2	3	6	8	10	25
65+	127	4.9	15	2	2	4	6	9	11	20
2. MULTIPLE DX										
0-19 YRS	141	7.6	52	<1	<1	6	10	17	21	35
20-34	89	5.4	24	1	1	4	8	12	16	25
35-49	89	7.5	86	1	2	5	9	14	25	56
50-64	135	6.3	51	1	2	4	7	13	20	62
65+	263	10.5	146	2	2	6	11	28	37	77
TOT. SINGLE DX	851	5.1	15	<1	1	4	8	10	12	17
" MULTIPLE DX	717	8.1	91	1	2	5	9	18	29	53
TOTAL 0-19 YRS	493	6.6	26	<1	1	6	9	12	15	24
20-34	286	4.2	18	<1	<1	2	6	10	14	21
35-49	179	6.0	51	<1	1	4	8	11	16	32
50-64	220	5.6	38	1	2	4	6	11	14	45
65+	390	8.7	111	2	2	5	9	19	33	59
GRAND TOTAL	**1568**	**6.5**	**52**	**<1**	**1**	**5**	**8**	**12**	**18**	**39**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	196	1.7	1	<1	<1	1	2	3	5	7
20-34	136	2.9	8	<1	<1	2	4	6	8	14
35-49	133	2.7	5	<1	<1	2	3	6	8	11
50-64	120	3.5	11	<1	1	2	4	8	12	18
65+	184	3.9	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
0-19 YRS	296	2.2	11	<1	<1	1	2	4	8	16
20-34	292	4.1	27	<1	<1	2	5	10	15	28
35-49	328	5.2	45	<1	<1	3	7	11	16	41
50-64	568	6.3	61	<1	1	3	8	14	21	38
65+	1215	10.6	148	1	2	7	14	23	37	84
TOT. SINGLE DX	769	2.9	8	<1	<1	2	3	6	9	13
" MULTIPLE DX	2699	7.4	99	<1	1	4	9	17	25	59
TOTAL 0-19 YRS	492	2.0	8	<1	<1	1	2	4	7	13
20-34	428	3.7	22	<1	<1	2	4	8	13	25
35-49	461	4.5	35	<1	<1	2	6	10	14	32
50-64	688	5.8	54	<1	1	3	7	13	18	32
65+	1399	9.8	136	1	2	6	12	21	35	76
GRAND TOTAL	**3468**	**6.4**	**83**	**<1**	**<1**	**3**	**8**	**15**	**22**	**54**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	109	2.4	5	<1	<1	2	3	5	6	13
20-34	161	3.9	11	<1	<1	3	4	9	11	16
35-49	120	4.6	17	<1	1	3	6	9	14	22
50-64	117	4.9	20	1	2	3	6	10	12	25
65+	138	5.3	11	2	2	5	7	9	12	19
2. MULTIPLE DX										
0-19 YRS	73	3.8	67	<1	<1	2	3	7	11	56
20-34	93	4.7	51	<1	1	3	5	9	14	46
35-49	97	6.1	33	1	1	4	8	13	17	29
50-64	171	8.1	62	1	2	5	11	18	24	42
65+	366	10.1	104	2	3	7	12	21	28	52
TOT. SINGLE DX	645	4.2	14	<1	1	3	5	9	11	19
" MULTIPLE DX	800	8.0	82	1	2	5	10	18	24	46
TOTAL 0-19 YRS	182	3.0	31	<1	<1	2	3	5	7	18
20-34	254	4.2	26	<1	1	3	5	9	13	19
35-49	217	5.2	25	<1	1	3	6	12	15	26
50-64	288	6.8	48	1	2	4	9	15	19	38
65+	504	8.8	83	2	3	6	10	19	25	46
GRAND TOTAL	**1445**	**6.3**	**55**	**<1**	**1**	**4**	**8**	**14**	**19**	**37**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	36	7.5	12	2	3	7	9	12	15	18
35-49	186	8.3	5	5	6	8	9	12	13	16
50-64	182	9.2	8	6	6	9	10	13	15	19
65+	94	10.8	19	6	7	10	12	16	20	29
2. MULTIPLE DX										
0-19 YRS										
20-34	45	8.9	19	4	5	8	9	14	17	29
35-49	190	10.0	28	5	6	9	11	15	20	29
50-64	234	10.1	11	6	7	9	12	15	17	22
65+	170	14.6	87	7	8	12	16	25	31	51
TOT. SINGLE DX	501	9.0	11	5	6	8	10	13	15	20
" MULTIPLE DX	639	11.2	42	6	7	9	12	17	22	42
TOTAL 0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	81	8.3	16	3	5	8	9	13	16	26
35-49	376	9.2	18	5	6	8	10	13	16	23
50-64	416	9.7	11	6	6	9	11	14	17	21
65+	264	13.3	66	7	7	11	14	21	27	51
GRAND TOTAL	**1140**	**10.2**	**29**	**6**	**6**	**9**	**11**	**15**	**19**	**31**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	11	7.8	11	5	5	7	9	13	16	16
35-49	30	8.3	8	5	5	8	10	12	14	16
50-64	23	8.0	24	3	4	7	9	17	19	23
65+	17	7.8	16	3	5	6	10	14	17	18
2. MULTIPLE DX										
0-19 YRS	5	14.0	16	11	11	13	15	21	21	21
20-34	10	19.6	176	7	7	17	24	42	44	44
35-49	37	9.7	32	4	5	8	10	16	24	31
50-64	27	11.1	62	5	5	9	12	26	30	36
65+	50	12.3	56	4	5	10	16	24	30	33
TOT. SINGLE DX	81	8.0	15	4	5	7	10	13	16	21
" MULTIPLE DX	129	11.9	62	4	5	9	14	23	30	41
TOTAL 0-19 YRS	5	14.0	16	11	11	13	15	21	21	21
20-34	21	13.4	121	5	5	8	17	30	42	44
35-49	67	9.0	22	4	5	8	10	14	18	30
50-64	50	9.7	47	4	5	8	11	17	29	36
65+	67	11.1	50	4	5	9	14	21	28	33
GRAND TOTAL	**210**	**10.4**	**47**	**4**	**5**	**8**	**12**	**19**	**26**	**38**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	13	6.7	16	2	2	7	9	13	15	15
35-49	29	6.0	68	1	2	4	6	10	19	45
50-64	27	5.6	21	<1	1	5	8	9	18	20
65+	11	9.1	55	2	2	9	15	20	24	24
2. MULTIPLE DX										
0-19 YRS	10	6.7	34	<1	<1	5	10	15	18	18
20-34	20	10.0	171	2	2	5	10	20	41	60
35-49	17	12.5	89	2	3	14	18	28	31	32
50-64	48	7.9	67	2	2	6	9	16	31	35
65+	79	10.8	143	1	2	8	13	22	36	65
TOT. SINGLE DX	83	6.3	41	1	2	4	8	13	18	38
" MULTIPLE DX	174	9.8	115	1	2	7	13	20	32	59
TOTAL 0-19 YRS	13	5.8	29	<1	1	4	10	14	17	18
20-34	33	8.7	110	2	2	5	9	17	22	60
35-49	46	8.4	85	1	2	5	11	19	30	45
50-64	75	7.0	52	1	2	5	8	16	27	34
65+	90	10.6	133	1	2	8	13	22	36	63
GRAND TOTAL	**257**	**8.7**	**94**	**1**	**2**	**6**	**10**	**18**	**30**	**55**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.8	51	2	2	5	12	18	18	18
20-34	11	5.1	16	1	1	3	9	11	12	12
35-49	10	6.7	41	<1	<1	5	10	17	20	20
50-64	6	10.5	80	1	1	8	13	26	27	27
65+	7	10.1	50	1	2	8	16	20	21	21
2. MULTIPLE DX										
0-19 YRS	8	9.4	54	2	2	8	10	21	26	26
20-34	13	11.5	46	4	6	9	12	25	27	27
35-49	19	15.9	137	1	2	15	20	35	36	37
50-64	26	17.0	314	3	4	10	16	50	63	63
65+	35	18.8	250	3	4	15	24	41	48	84
TOT. SINGLE DX	38	7.6	43	<1	1	7	10	18	21	27
" MULTIPLE DX	101	16.1	207	2	4	12	20	35	47	73
TOTAL 0-19 YRS	12	8.8	49	2	2	8	10	20	25	26
20-34	24	8.6	42	1	2	8	10	17	25	27
35-49	29	12.8	122	<1	1	10	18	34	35	37
50-64	32	15.8	274	2	4	10	15	47	62	63
65+	42	17.4	226	3	4	14	21	31	46	84
GRAND TOTAL	**139**	**13.8**	**176**	**1**	**2**	**10**	**16**	**27**	**43**	**66**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	4	4.3	9	<1	<1	4	6	8	8	8
35-49	43	6.4	8	3	4	6	7	10	14	15
50-64	1628	7.1	8	4	5	7	8	10	12	18
65+	3559	8.3	17	4	5	7	9	13	16	26
2. MULTIPLE DX										
0-19 YRS	4	13.3	45	7	7	12	18	22	22	22
20-34	10	7.9	25	4	4	6	9	15	21	21
35-49	115	10.0	37	4	5	8	12	19	23	31
50-64	2691	10.3	54	5	5	8	12	18	24	44
65+	10093	13.8	123	5	6	10	16	26	37	80
TOT. SINGLE DX	5237	7.9	15	4	5	7	9	12	15	23
" MULTIPLE DX	12913	13.0	111	5	6	10	15	25	34	71
TOTAL 0-19 YRS	7	9.6	44	4	4	7	13	21	22	22
20-34	14	6.9	23	1	3	6	9	11	19	21
35-49	158	9.0	32	4	4	7	11	17	21	28
50-64	4319	9.1	40	4	5	7	10	15	20	37
65+	13652	12.4	102	5	5	9	14	23	33	68
GRAND TOTAL	**18150**	**11.6**	**89**	**5**	**5**	**9**	**13**	**21**	**29**	**60**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	9.0	18	3	3	10	12	12	12	12
50-64	262	12.8	21	8	8	12	15	18	21	29
65+	476	13.0	23	8	8	12	15	18	22	32
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	3	6.7	16	2	2	9	9	9	9	9
35-49	8	15.0	23	9	10	14	17	23	25	25
50-64	412	15.7	70	9	9	14	18	24	31	52
65+	1509	17.2	96	9	10	15	20	28	36	70
TOT. SINGLE DX	745	12.9	23	8	8	12	15	18	22	31
" MULTIPLE DX	1933	16.9	91	9	10	14	19	27	34	66
TOTAL 0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	4	5.8	14	2	2	6	9	9	9	9
35-49	12	13.0	29	4	7	12	16	20	24	25
50-64	674	14.6	54	8	9	13	16	22	27	46
65+	1985	16.2	82	8	9	14	18	26	32	64
GRAND TOTAL	**2678**	**15.8**	**75**	**8**	**9**	**14**	**18**	**25**	**31**	**57**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.5	1	2	2	4	4	4	4	4
20-34	11	3.4	5	<1	1	3	4	7	10	10
35-49	47	2.6	1	1	1	2	3	4	5	8
50-64	423	3.1	7	1	1	2	3	5	8	15
65+	642	3.8	15	1	1	3	4	7	10	20
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	6	4.7	16	1	1	3	8	11	11	11
35-49	50	5.1	25	1	1	3	7	12	15	23
50-64	401	6.7	65	1	2	4	8	16	20	44
65+	1181	9.9	112	2	2	6	13	22	29	52
TOT. SINGLE DX	1127	3.5	12	1	1	2	3	6	9	19
" MULTIPLE DX	1639	9.0	101	2	2	5	12	20	28	50
TOTAL 0-19 YRS	5	6.2	37	2	2	4	7	17	17	17
20-34	17	3.8	9	<1	1	3	4	10	11	11
35-49	97	3.8	16	1	1	3	4	8	13	23
50-64	824	4.8	39	1	2	3	5	11	16	29
65+	1823	7.7	87	1	2	4	10	18	25	46
GRAND TOTAL	**2766**	**6.7**	**72**	**1**	**2**	**3**	**8**	**16**	**23**	**43**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	3.0	3	<1	1	3	4	5	6	10
20-34	121	3.2	14	1	1	2	3	5	7	24
35-49	91	4.3	25	1	1	3	5	6	9	33
50-64	86	4.1	6	1	2	3	5	7	10	14
65+	57	4.3	12	1	2	3	5	8	13	19
2. MULTIPLE DX										
0-19 YRS	79	3.3	5	<1	1	2	4	6	8	13
20-34	51	5.0	25	1	1	3	6	11	13	32
35-49	72	7.6	89	1	2	5	9	15	23	59
50-64	108	8.0	81	2	2	5	9	20	27	73
65+	118	10.0	123	2	2	6	11	25	35	59
TOT. SINGLE DX	473	3.6	13	1	1	3	4	6	8	19
" MULTIPLE DX	428	7.3	79	1	2	4	8	15	25	55
TOTAL 0-19 YRS	197	3.1	4	<1	1	3	4	6	7	10
20-34	172	3.7	18	1	1	3	4	7	10	29
35-49	163	5.7	56	1	2	4	6	10	18	43
50-64	194	6.2	52	2	2	4	6	13	22	52
65+	175	8.2	95	2	2	5	9	17	30	55
GRAND TOTAL	**901**	**5.4**	**47**	**1**	**1**	**3**	**6**	**10**	**16**	**38**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	3.0	3	1	2	3	3	5	7	12
20-34	210	5.1	20	1	2	4	6	9	13	23
35-49	99	4.7	5	2	2	4	6	8	9	12
50-64	92	6.1	50	2	2	4	6	11	16	45
65+	246	6.8	55	2	2	4	8	12	17	42
2. MULTIPLE DX										
0-19 YRS	122	3.8	21	<1	1	3	4	8	9	24
20-34	100	7.7	100	2	2	4	8	17	21	58
35-49	56	8.9	91	2	2	5	10	24	28	46
50-64	188	9.9	100	2	3	6	12	22	29	52
65+	738	13.1	136	2	3	10	18	29	39	61
TOT. SINGLE DX	802	5.3	31	2	2	4	6	10	13	28
" MULTIPLE DX	1204	11.0	123	2	2	7	14	25	33	57
TOTAL 0-19 YRS	277	3.4	12	1	1	3	4	6	8	14
20-34	310	5.9	48	2	2	4	6	12	18	27
35-49	155	6.2	40	2	2	5	7	10	15	42
50-64	280	8.7	87	2	2	5	10	18	26	53
65+	984	11.5	124	2	3	8	15	26	37	58
GRAND TOTAL	**2006**	**8.7**	**94**	**2**	**2**	**5**	**10**	**20**	**28**	**50**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	956	2.6	1	<1	1	2	3	4	5	7
20-34	113	2.9	3	1	1	2	4	5	7	9
35-49	11	2.3	1	<1	<1	2	3	4	4	4
50-64										
65+	4	4.5	11	1	1	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	606	2.8	2	<1	1	2	4	5	6	8
20-34	39	4.3	8	1	1	4	5	6	9	18
35-49	12	3.7	3	2	2	3	4	7	8	8
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
TOT. SINGLE DX	1084	2.6	2	<1	1	2	3	4	5	8
" MULTIPLE DX	659	2.9	3	<1	1	3	4	5	6	8
TOTAL 0-19 YRS	1562	2.7	2	<1	1	2	3	5	5	8
20-34	152	3.2	5	1	1	3	4	5	7	10
35-49	23	3.0	3	<1	1	3	4	5	7	8
50-64										
65+	6	5.0	9	1	1	4	8	9	9	9
GRAND TOTAL	**1743**	**2.7**	**2**	**<1**	**1**	**2**	**3**	**5**	**6**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.4	2	1	1	2	3	4	6	8
20-34	200	2.5	2	<1	1	2	3	4	5	8
35-49	57	2.7	3	1	1	2	3	5	6	11
50-64	23	3.3	4	1	1	3	4	6	8	10
65+	7	5.0	6	2	2	6	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	90	3.3	14	1	1	2	4	6	8	26
20-34	71	4.4	39	<1	1	3	5	8	10	43
35-49	30	5.2	20	2	2	3	7	11	17	19
50-64	26	10.4	160	2	2	5	12	23	33	62
65+	18	8.1	36	2	2	5	13	17	20	21
TOT. SINGLE DX	481	2.6	3	<1	1	2	3	5	6	8
" MULTIPLE DX	235	5.0	45	1	1	3	5	10	18	30
TOTAL 0-19 YRS	284	2.7	6	1	1	2	3	5	6	9
20-34	271	3.0	12	<1	1	2	3	5	7	12
35-49	87	3.6	10	1	1	3	4	7	11	18
50-64	49	7.0	98	1	2	3	8	17	23	62
65+	25	7.2	30	2	2	6	9	16	19	21
GRAND TOTAL	**716**	**3.4**	**18**	**<1**	**1**	**2**	**4**	**6**	**8**	**22**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	165	1.1		<1	<1	<1	1	2	2	3
35-49	137	1.2		<1	<1	<1	1	2	2	3
50-64	18	1.5		<1	<1	1	2	2	3	4
65+	8	9.0	13	2	3	10	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	29	4.5	85	<1	<1	2	4	8	11	51
35-49	58	2.4	5	<1	<1	2	3	4	9	11
50-64	23	4.6	12	<1	1	2	8	10	11	11
65+	16	11.6	71	1	2	10	17	26	28	28
TOT. SINGLE DX	330	1.4	2	<1	<1	<1	1	2	3	11
" MULTIPLE DX	127	4.4	40	<1	<1	2	5	10	14	33
TOTAL 0-19 YRS	3	2.3	2	1	1	2	3	4	4	4
20-34	194	1.6	14	<1	<1	<1	1	2	3	9
35-49	195	1.6	2	<1	<1	<1	2	3	3	10
50-64	41	3.2	10	<1	<1	2	4	9	10	11
65+	24	10.8	52	1	2	10	13	21	27	28
GRAND TOTAL	**457**	**2.2**	**14**	**<1**	**<1**	**<1**	**2**	**4**	**9**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	492	2.4	1	<1	1	2	3	4	5	7
20-34	1055	2.5	1	1	2	2	3	4	5	7
35-49	685	2.7	1	1	2	2	3	4	5	7
50-64	460	3.4	2	2	2	3	4	5	6	8
65+	181	3.7	3	2	2	3	4	5	6	13
2. MULTIPLE DX										
0-19 YRS	284	2.8	26	<1	1	2	3	4	6	12
20-34	382	3.1	6	1	2	3	4	4	5	10
35-49	268	3.8	6	1	2	3	4	6	8	15
50-64	379	4.7	13	2	2	4	5	8	12	21
65+	243	6.6	42	2	3	4	7	15	21	28
TOT. SINGLE DX	2873	2.8	2	1	2	2	3	4	5	8
" MULTIPLE DX	1556	4.1	19	1	2	3	4	7	10	21
TOTAL 0-19 YRS	776	2.5	11	<1	1	2	3	4	5	8
20-34	1437	2.7	3	1	2	2	3	4	5	8
35-49	953	3.0	3	1	2	2	3	5	6	11
50-64	839	4.0	8	2	2	3	5	6	8	15
65+	424	5.4	28	2	2	4	6	10	16	25
GRAND TOTAL	**4429**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	373	1.8	1	<1	<1	2	2	2	3	8
20-34	163	1.9		<1	<1	2	2	3	3	4
35-49	111	1.9		<1	1	2	2	3	3	7
50-64	89	2.2	3	<1	<1	2	2	3	4	13
65+	59	2.3	2	1	1	2	2	3	5	11
2. MULTIPLE DX										
0-19 YRS	88	2.6	6	<1	1	2	3	5	8	14
20-34	56	3.8	25	<1	1	2	3	8	16	28
35-49	100	4.2	22	<1	1	2	5	9	11	30
50-64	155	4.3	20	1	1	3	5	10	13	23
65+	145	6.2	38	2	2	4	8	14	20	30
TOT. SINGLE DX	2038	2.0	5	<1	<1	2	2	3	4	10
" MULTIPLE DX	1123	5.1	45	1	1	3	5	12	17	31
TOTAL 0-19 YRS	1378	2.9	24	<1	<1	2	2	4	11	28
20-34	454	2.3	5	<1	1	2	2	3	5	14
35-49	432	2.9	10	<1	1	2	3	5	9	14
50-64	510	3.5	15	1	1	2	3	7	11	21
65+	387	4.9	48	1	2	2	5	10	16	30
GRAND TOTAL	3161	3.1	21	<1	<1	2	3	6	10	27

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.7	5	<1	<1	2	3	6	8	12
20-34	145	2.8	19	<1	<1	2	2	6	10	17
35-49	120	4.4	7	1	2	4	6	8	9	13
50-64	180	5.5	9	2	2	5	7	9	11	17
65+	79	7.4	100	2	2	6	8	11	20	69
2. MULTIPLE DX										
0-19 YRS	68	3.0	9	<1	<1	2	4	7	11	15
20-34	90	6.7	68	<1	1	5	9	12	17	52
35-49	122	6.8	45	1	2	5	8	12	18	38
50-64	232	7.3	45	2	3	6	8	12	16	40
65+	138	8.5	97	2	2	6	9	20	27	99+
TOT. SINGLE DX	630	4.5	24	<1	1	3	6	8	10	17
" MULTIPLE DX	650	6.9	58	1	2	5	8	12	19	53
TOTAL 0-19 YRS	174	2.8	7	<1	<1	2	4	6	8	14
20-34	235	4.3	42	<1	<1	2	5	10	13	40
35-49	242	5.6	28	1	2	4	7	10	13	24
50-64	412	6.5	30	2	3	5	8	11	13	38
65+	217	8.1	99	2	2	6	8	16	26	90
GRAND TOTAL	1280	5.7	43	<1	1	4	7	10	14	38

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660. Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	300	5.9	4	3	4	6	7	8	10	14
20-34	1137	6.0	3	3	4	6	7	8	9	12
35-49	185	6.5	4	3	4	6	8	9	10	14
50-64	32	9.3	24	3	5	8	11	14	19	28
65+	12	18.4	70	9	9	16	27	30	30	30
2. MULTIPLE DX										
0-19 YRS	266	6.6	8	4	4	6	7	9	11	19
20-34	1744	6.6	8	3	4	6	7	9	12	18
35-49	383	7.0	12	2	4	6	8	10	13	22
50-64	71	14.3	87	5	6	11	19	29	33	43
65+	77	20.4	228	6	7	16	24	43	54	74
TOT. SINGLE DX	1666	6.2	6	3	4	6	7	8	10	15
" MULTIPLE DX	2541	7.3	25	3	4	6	8	11	15	29
TOTAL 0-19 YRS	566	6.3	6	3	4	6	7	9	10	15
20-34	2881	6.3	7	3	4	6	7	9	10	17
35-49	568	6.9	10	2	4	6	8	10	12	20
50-64	103	12.7	73	4	6	10	15	26	31	42
65+	89	20.1	206	7	7	16	25	40	50	73
GRAND TOTAL	4207	6.9	18	3	4	6	7	9	13	24

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	6.2	4	4	4	6	7	8	9	16
20-34	659	6.5	4	4	4	6	7	9	10	14
35-49	310	7.0	7	4	5	7	8	10	13	17
50-64	70	9.2	26	4	5	8	10	16	21	32
65+	39	11.7	52	5	5	10	14	20	29	40
2. MULTIPLE DX										
0-19 YRS	119	7.2	6	4	4	7	8	10	12	16
20-34	1199	7.3	16	4	5	6	8	10	13	23
35-49	769	8.2	21	5	5	7	9	12	16	29
50-64	117	13.3	109	5	6	10	16	27	32	55
65+	118	17.9	162	7	8	14	22	34	46	96
TOT. SINGLE DX	1196	6.9	9	4	5	6	8	10	12	19
" MULTIPLE DX	2322	8.4	36	4	5	7	9	13	19	34
TOTAL 0-19 YRS	237	6.7	6	4	4	6	7	10	11	16
20-34	1858	7.0	12	4	5	6	8	9	12	19
35-49	1079	7.8	17	4	5	7	8	11	15	26
50-64	187	11.7	82	5	5	8	14	22	29	39
65+	157	16.4	142	6	7	13	20	32	42	91
GRAND TOTAL	**3518**	**7.9**	**27**	**4**	**5**	**7**	**8**	**12**	**16**	**31**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.3	2	4	4	5	6	7	7	7
20-34	49	6.3	7	3	4	6	7	9	9	20
35-49	85	7.4	6	4	5	7	8	10	12	18
50-64	63	8.5	10	5	6	8	9	11	14	23
65+	37	11.0	16	6	6	11	13	17	18	21
2. MULTIPLE DX										
0-19 YRS	5	11.0	92	5	5	7	14	28	28	28
20-34	153	7.3	6	5	5	7	8	10	12	19
35-49	304	9.1	32	5	5	8	9	14	17	43
50-64	179	12.4	71	6	6	9	15	22	29	52
65+	163	17.5	104	7	8	14	22	31	35	55
TOT. SINGLE DX	238	8.0	12	4	5	7	9	12	16	21
" MULTIPLE DX	804	11.2	64	5	6	8	12	21	27	46
TOTAL 0-19 YRS	9	8.4	56	4	4	6	8	20	28	28
20-34	202	7.1	7	4	5	6	8	10	12	19
35-49	389	8.7	28	5	5	8	9	13	16	37
50-64	242	11.4	58	6	6	9	12	21	26	39
65+	200	16.3	95	7	8	14	20	29	33	53
GRAND TOTAL	**1042**	**10.5**	**54**	**5**	**5**	**8**	**11**	**18**	**25**	**44**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	3.5	5	1	1	3	4	7	9	12
20-34	200	3.7	6	<1	1	3	6	7	8	13
35-49	56	4.1	9	1	1	3	6	8	9	13
50-64	8	3.8	5	1	1	3	6	7	7	7
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	53	5.4	20	1	2	4	7	12	15	24
20-34	543	4.8	12	1	2	5	6	8	9	16
35-49	144	5.3	21	1	2	5	7	9	13	28
50-64	7	6.3	65	2	2	2	9	21	23	23
65+	3	19.7	200	11	11	12	30	36	36	36
TOT. SINGLE DX	310	3.8	7	1	1	3	6	7	8	13
" MULTIPLE DX	750	5.0	16	1	2	5	6	8	11	23
TOTAL 0-19 YRS	97	4.5	15	1	1	3	5	9	12	20
20-34	743	4.5	11	1	1	4	6	8	9	15
35-49	200	5.0	19	1	2	4	6	8	12	27
50-64	15	4.9	33	1	2	2	6	11	20	23
65+	5	14.0	164	3	3	11	18	36	36	36
GRAND TOTAL	**1060**	**4.7**	**14**	**1**	**1**	**4**	**6**	**8**	**10**	**20**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.4	7	<1	<1	1	2	8	8	8
20-34	2852	1.5		<1	<1	1	2	2	3	4
35-49	1340	1.5		<1	<1	1	2	2	3	4
50-64	4	1.5		<1	<1	1	2	2	2	2
55+										
2. MULTIPLE DX										
0-19 YRS	5	2.6	3	<1	<1	2	4	5	5	5
20-34	1950	1.7	1	<1	<1	1	2	3	4	6
35-49	1299	1.7	1	<1	<1	2	2	3	4	6
50-64	9	1.6		<1	<1	2	2	2	2	2
65+										
TOT. SINGLE DX	4208	1.5	1	<1	<1	1	2	2	3	4
" MULTIPLE DX	3263	1.7	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	17	2.5	6	<1	<1	1	3	7	8	8
20-34	4802	1.6	1	<1	<1	1	2	2	3	5
35-49	2639	1.6	1	<1	<1	1	2	2	3	6
50-64	13	1.5		<1	<1	2	2	2	2	2
65+										
GRAND TOTAL	**7471**	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.9	7	<1	2	3	4	7	11	12
20-34	2427	2.6	1	<1	1	2	3	4	5	7
35-49	1124	2.7	2	<1	1	2	3	4	5	7
50-64	5	1.8		<1	<1	2	2	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	25	3.9	3	1	2	4	4	8	8	9
20-34	4965	3.8	3	1	2	4	4	5	6	9
35-49	1561	3.8	6	1	2	4	5	6	7	12
50-64	6	3.5	3	2	2	3	4	7	7	7
65+										
TOT. SINGLE DX	3568	2.6	2	<1	1	2	3	4	5	7
" MULTIPLE DX	6557	3.8	4	1	2	4	4	5	6	10
TOTAL 0-19 YRS	37	3.9	5	1	2	4	4	7	9	12
20-34	7392	3.4	3	1	1	3	4	5	6	8
35-49	2685	3.3	5	1	1	3	4	5	6	10
50-64	11	2.7	3	<1	1	2	3	5	7	7
65+										
GRAND TOTAL	**10125**	**3.4**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	94	5.5	3	3	3	5	6	8	9	12
20-34	1757	5.5	3	2	3	6	7	8	9	11
35-49	308	5.3	7	1	1	6	7	8	8	12
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	2	12.0	72	6	6	12	18	18	18	18
2. MULTIPLE DX										
0-19 YRS	113	6.6	12	3	4	6	7	9	12	22
20-34	1698	5.7	5	2	2	6	7	8	9	13
35-49	331	6.1	16	1	2	6	7	9	11	23
50-64	12	12.0	97	1	2	9	20	26	31	32
65+	4	19.5	160	7	7	18	30	34	34	34
TOT. SINGLE DX	2165	5.5	4	2	3	6	7	8	9	11
" MULTIPLE DX	2158	5.9	9	2	2	6	7	8	9	17
TOTAL 0-19 YRS	207	6.1	9	3	3	6	7	9	11	20
20-34	3455	5.6	5	2	3	6	7	8	9	12
35-49	639	5.7	12	1	2	6	7	8	9	18
50-64	16	9.9	86	1	2	6	14	24	30	32
65+	6	17.0	126	6	6	14	26	33	34	34
GRAND TOTAL	**4323**	**5.7**	**7**	**2**	**2**	**6**	**7**	**8**	**9**	**14**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.3	2	<1	<1	2	2	4	6	8
20-34	782	2.4	1	1	1	2	3	4	4	6
35-49	369	2.4	1	1	1	2	3	4	4	5
50-64	111	2.6	1	1	1	2	3	4	4	8
65+	33	3.3	5	1	1	3	4	5	8	14
2. MULTIPLE DX										
0-19 YRS	9	2.0		<1	<1	2	2	3	3	3
20-34	500	2.8	3	1	1	2	3	4	5	9
35-49	326	3.0	13	1	1	2	3	4	8	16
50-64	130	3.4	12	1	1	3	3	6	11	20
65+	55	6.6	52	<1	2	3	10	17	21	35
TOT. SINGLE DX	1314	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	1020	3.1	11	1	1	2	3	5	8	18
TOTAL 0-19 YRS	28	2.2	2	<1	<1	2	2	3	4	8
20-34	1282	2.5	2	1	1	2	3	4	4	8
35-49	695	2.7	7	1	1	2	3	4	5	11
50-64	241	3.0	8	1	1	2	3	4	7	15
65+	88	5.4	37	1	1	3	6	14	19	32
GRAND TOTAL	**2334**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	1.6		<1	<1	1	2	3	3	4
20-34	584	2.0	3	<1	<1	2	2	3	4	8
35-49	906	2.0	1	<1	1	2	2	3	4	8
50-64	595	2.1	1	<1	1	2	2	3	4	8
65+	193	4.3	56	1	1	2	4	8	12	29
2. MULTIPLE DX										
0-19 YRS	35	3.1	27	<1	1	2	2	4	10	31
20-34	811	2.4	6	<1	1	2	2	4	7	16
35-49	1903	2.5	7	<1	1	2	2	4	6	14
50-64	1062	3.6	28	1	1	2	3	8	12	25
65+	462	7.0	103	2	2	4	8	15	24	62
TOT. SINGLE DX	2308	2.2	7	<1	1	2	2	3	5	10
" MULTIPLE DX	4273	3.2	25	1	1	2	3	6	10	24
TOTAL 0-19 YRS	65	2.4	16	<1	<1	2	2	3	6	28
20-34	1395	2.3	5	<1	1	2	2	3	5	13
35-49	2809	2.3	6	<1	1	2	2	3	5	12
50-64	1657	3.0	19	1	1	2	2	5	9	20
65+	655	6.2	91	1	2	3	7	12	22	58
GRAND TOTAL	**6581**	**2.9**	**19**	**<1**	**1**	**2**	**2**	**5**	**8**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	3.3	3	2	2	3	4	5	7	9
20-34	653	3.2	2	1	2	3	4	5	6	9
35-49	79	3.0	2	1	1	3	4	4	5	10
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	189	5.1	43	1	2	3	5	10	17	56
35-49	27	4.5	23	1	2	3	4	7	14	26
50-64	6	3.2	2	2	2	3	4	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	753	3.2	3	1	2	3	4	5	6	9
" MULTIPLE DX	226	5.0	39	1	2	3	5	10	15	42
TOTAL 0-19 YRS	21	3.6	4	2	2	3	4	7	9	9
20-34	842	3.6	13	1	2	3	4	6	7	20
35-49	106	3.4	8	1	2	3	4	5	6	18
50-64	8	2.6	3	1	1	2	3	5	6	6
65+	2	2.5	1	2	2	2	3	3	3	3
GRAND TOTAL	**979**	**3.6**	**12**	**1**	**2**	**3**	**4**	**6**	**7**	**20**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	10	1	1	3	6	8	8	8
20-34	317	6.0	8	1	2	6	8	9	9	13
35-49	207	5.7	9	1	2	6	8	9	10	15
50-64	53	2.9	8	1	1	2	3	5	8	20
65+	27	3.5	10	1	1	2	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	14	5.4	7	2	2	6	7	8	11	12
20-34	467	6.3	10	1	2	6	8	9	11	16
35-49	368	5.8	24	<1	1	6	8	9	12	28
50-64	135	4.9	76	1	1	2	5	13	19	86
65+	72	9.4	143	1	2	4	13	19	34	68
TOT. SINGLE DX	608	5.5	10	1	2	6	7	9	9	14
" MULTIPLE DX	1056	6.2	34	1	1	6	8	10	14	31
TOTAL 0-19 YRS	18	5.1	8	1	2	5	7	8	10	12
20-34	784	6.2	10	1	2	6	8	9	10	14
35-49	575	5.8	19	<1	1	6	8	9	11	23
50-64	188	4.3	58	1	1	2	3	10	19	63
65+	99	7.8	114	1	2	3	10	17	28	62
GRAND TOTAL	**1664**	**5.9**	**25**	**1**	**1**	**6**	**8**	**9**	**12**	**26**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	7.4	7	6	6	6	8	12	12	12
20-34	667	7.4	3	5	6	7	8	10	11	15
35-49	2366	7.6	4	5	6	7	8	10	11	17
50-64	877	8.4	7	6	6	8	9	11	13	20
65+	362	10.3	20	6	7	9	11	16	20	28
2. MULTIPLE DX										
0-19 YRS	16	11.8	41	6	6	9	15	23	26	27
20-34	2585	8.0	11	5	6	7	9	11	13	21
35-49	10239	8.4	12	6	6	8	9	11	14	22
50-64	3377	9.9	36	6	6	8	10	15	20	33
65+	1298	14.2	103	7	7	11	16	25	34	69
TOT. SINGLE DX	4277	8.0	7	5	6	7	9	10	12	19
" MULTIPLE DX	17515	9.1	26	6	6	8	9	13	17	30
TOTAL 0-19 YRS	21	10.8	36	6	6	8	12	21	25	27
20-34	3252	7.9	10	5	6	7	8	10	13	19
35-49	12605	8.3	11	6	6	8	9	11	13	21
50-64	4254	9.6	31	6	6	8	10	14	19	31
65+	1660	13.4	88	6	7	10	15	23	30	58
GRAND TOTAL	**21792**	**8.9**	**23**	**6**	**6**	**8**	**9**	**12**	**16**	**28**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	192	6.5	6	4	4	6	7	9	10	18
35-49	350	6.9	5	4	4	6	8	9	11	17
50-64	382	8.2	5	5	6	8	9	11	13	18
65+	345	8.4	5	6	6	8	9	11	13	15
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	563	6.8	7	4	5	6	7	9	11	14
35-49	1561	7.5	7	5	5	7	8	10	12	18
50-64	1019	8.8	13	5	6	8	10	12	15	23
65+	887	10.4	29	6	6	9	11	16	20	32
TOT. SINGLE DX	1269	7.6	6	5	5	7	9	11	12	17
" MULTIPLE DX	4031	8.4	15	5	5	7	9	12	15	23
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	755	6.7	8	4	5	6	7	9	11	14
35-49	1911	7.4	7	4	5	7	8	10	12	18
50-64	1401	8.6	11	5	6	8	9	12	14	20
65+	1232	9.8	23	6	6	8	11	15	18	30
GRAND TOTAL	**5300**	**8.2**	**13**	**5**	**5**	**7**	**9**	**12**	**14**	**22**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	15	12.3	26	7	8	10	16	20	23	24
35-49	23	13.5	24	7	9	12	16	19	23	29
50-64	19	13.3	46	6	7	11	19	24	27	29
65+	9	24.8	159	13	13	23	27	45	55	55
2. MULTIPLE DX										
0-19 YRS										
20-34	16	14.4	104	5	8	12	15	23	41	49
35-49	24	17.3	179	7	7	13	20	33	52	63
50-64	38	20.1	233	7	8	16	26	36	47	88
65+	18	21.7	73	9	11	20	25	35	38	39
TOT. SINGLE DX	67	14.7	62	7	8	13	18	24	29	51
" MULTIPLE DX	96	18.7	170	7	8	15	23	34	45	76
TOTAL 0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	31	13.4	66	7	8	11	16	21	24	49
35-49	47	15.4	105	7	8	12	18	24	33	63
50-64	57	17.8	179	7	8	14	23	31	39	85
65+	27	22.7	99	11	12	20	27	36	41	55
GRAND TOTAL	**163**	**17.1**	**129**	**7**	**8**	**13**	**20**	**29**	**38**	**62**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	613	1.1		<1	<1	<1	1	1	2	3
20-34	2276	1.2		<1	<1	<1	1	2	2	4
35-49	288	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	46	2.3	4	<1	<1	1	3	6	7	9
20-34	442	2.9	18	<1	<1	2	3	6	8	15
35-49	202	2.3	3	<1	<1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	3177	1.1		<1	<1	<1	1	2	2	4
" MULTIPLE DX	690	2.7	13	<1	<1	2	3	5	7	17
TOTAL 0-19 YRS	659	1.2	1	<1	<1	<1	1	2	2	5
20-34	2718	1.4	4	<1	<1	<1	1	2	3	7
35-49	490	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**3867**	**1.4**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**7**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2071	1.7	1	<1	<1	1	2	3	4	7
20-34	17484	1.6	1	<1	<1	1	2	3	3	6
35-49	8777	1.7	1	<1	<1	1	2	2	3	7
50-64	3320	1.9	2	<1	<1	2	2	2	3	8
65+	708	3.0	9	1	1	2	3	5	9	17
2. MULTIPLE DX										
0-19 YRS	655	2.9	6	1	1	2	3	6	8	13
20-34	8099	2.6	8	<1	<1	2	3	5	7	14
35-49	9896	2.5	8	<1	<1	2	2	4	7	14
50-64	4161	2.9	17	<1	1	2	2	5	9	22
65+	1402	6.0	75	1	2	3	7	14	21	48
TOT. SINGLE DX	32360	1.7	2	<1	<1	1	2	3	3	7
" MULTIPLE DX	24213	2.8	15	<1	<1	2	3	5	8	19
TOTAL 0-19 YRS	2726	2.0	3	<1	1	2	2	4	6	9
20-34	25583	1.9	4	<1	<1	1	2	3	5	9
35-49	18673	2.1	5	<1	<1	2	2	3	5	12
50-64	7481	2.4	11	<1	<1	2	2	3	7	17
65+	2110	5.0	56	1	1	2	5	11	18	38
GRAND TOTAL	**56573**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**3**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1950	1.1		<1	<1	<1	1	1	2	2
20-34	6691	1.1		<1	<1	<1	1	1	2	3
35-49	903	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	766	1.4	3	<1	<1	<1	<1	1	3	8
20-34	2956	1.6	5	<1	<1	<1	1	3	4	11
35-49	690	2.1	4	<1	<1	1	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	9544	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	4412	1.6	5	<1	<1	<1	1	3	4	10
TOTAL 0-19 YRS	2716	1.2	1	<1	<1	<1	1	1	2	5
20-34	9647	1.2	2	<1	<1	<1	1	2	2	6
35-49	1593	1.6	2	<1	<1	<1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**13956**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	1.4		<1	<1	1	1	2	3	5
20-34	2209	1.4	1	<1	<1	1	1	2	3	5
35-49	361	1.3		<1	<1	1	2	2	2	4
50-64	17	1.5		<1	<1	1	2	2	3	3
65+	5	3.0	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	44	2.6	3	<1	1	2	3	6	7	7
20-34	282	2.7	10	<1	1	2	3	5	7	19
35-49	91	2.3	3	<1	<1	2	3	4	5	12
50-64	11	10.7	128	1	1	6	19	28	34	35
65+	14	11.7	104	2	2	9	17	29	33	34
TOT. SINGLE DX	2948	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	442	3.1	18	<1	1	2	3	6	9	25
TOTAL 0-19 YRS	400	1.5	1	<1	<1	1	2	3	4	7
20-34	2491	1.5	2	<1	<1	1	2	2	3	7
35-49	452	1.5	1	<1	<1	1	2	2	3	5
50-64	28	5.1	69	<1	<1	2	3	18	25	35
65+	19	9.4	91	2	2	5	15	25	32	34
GRAND TOTAL	**3390**	**1.6**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.8	3	1	1	2	4	6	6	6
20-34	24	4.2	6	<1	<1	4	6	7	9	10
35-49	5	5.0	10	1	1	7	7	8	8	8
50-64	10	9.9	21	6	6	8	13	17	20	20
65+	10	9.0	8	5	5	9	12	13	13	13
2. MULTIPLE DX										
0-19 YRS	5	4.2	3	<1	<1	5	5	6	6	6
20-34	52	5.8	2	2	4	6	7	8	8	10
35-49	14	5.4	7	1	2	6	7	8	10	10
50-64	13	8.0	10	2	5	8	9	11	15	16
65+	21	11.8	158	5	5	9	12	15	38	65
TOT. SINGLE DX	54	6.1	16	<1	1	6	8	12	13	20
" MULTIPLE DX	105	7.2	40	2	4	6	8	10	13	38
TOTAL 0-19 YRS	10	3.5	4	<1	<1	3	5	6	6	6
20-34	76	5.3	5	1	2	6	7	7	9	10
35-49	19	5.3	7	1	1	6	7	8	9	10
50-64	23	8.8	16	4	6	8	10	15	17	20
65+	31	10.9	110	5	5	9	12	14	16	65
GRAND TOTAL	**159**	**6.8**	**32**	**1**	**2**	**6**	**8**	**10**	**13**	**20**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.5	6	<1	1	3	5	6	7	12
20-34	223	3.7	7	<1	<1	3	6	7	8	11
35-49	58	3.3	4	<1	1	3	4	7	8	10
50-64	46	4.5	9	2	2	4	5	6	8	22
65+	26	6.3	102	2	3	4	4	6	21	55
2. MULTIPLE DX										
0-19 YRS	20	4.6	4	1	2	5	6	7	8	9
20-34	242	4.3	18	<1	1	3	6	8	9	20
35-49	93	4.2	12	<1	1	3	6	8	11	19
50-64	67	4.4	6	2	2	4	5	9	11	11
65+	56	5.7	19	3	3	4	5	13	16	22
TOT. SINGLE DX	380	3.9	14	<1	1	3	6	7	8	13
" MULTIPLE DX	478	4.5	15	1	1	4	6	8	11	19
TOTAL 0-19 YRS	47	4.0	6	1	1	4	6	7	8	12
20-34	465	4.1	13	<1	1	3	6	7	8	17
35-49	151	3.9	10	<1	1	3	6	8	9	18
50-64	113	4.5	7	2	2	4	5	7	10	15
65+	82	5.9	45	3	3	4	5	12	16	44
GRAND TOTAL	**858**	**4.2**	**15**	**<1**	**1**	**4**	**6**	**7**	**9**	**18**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	71	6.1	4	3	4	6	7	9	10	14
35-49	201	6.9	6	4	4	7	8	10	11	16
50-64	430	7.4	5	4	5	7	8	10	12	15
65+	317	7.8	24	4	4	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	3	7.7	1	7	7	7	9	9	9	9
20-34	128	8.0	17	4	4	7	10	13	16	24
35-49	567	8.2	11	4	5	8	9	12	14	21
50-64	725	8.8	15	4	5	8	10	13	17	24
65+	574	9.9	25	5	6	8	11	16	20	31
TOT. SINGLE DX	1021	7.3	12	4	4	7	8	10	12	16
" MULTIPLE DX	1997	8.9	18	4	5	8	10	14	17	25
TOTAL 0-19 YRS	5	6.0	7	2	2	7	8	9	9	9
20-34	199	7.3	14	3	4	7	8	11	14	24
35-49	768	7.8	11	4	5	7	9	12	14	20
50-64	1155	8.2	12	4	5	7	9	12	14	22
65+	891	9.1	26	4	5	8	10	14	18	29
GRAND TOTAL	**3018**	**8.3**	**16**	**4**	**5**	**8**	**9**	**13**	**15**	**24**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	43	3.1	10	<1	1	2	4	8	10	15
20-34	98	4.6	12	1	1	4	6	9	10	20
35-49	60	5.7	16	<1	1	5	7	11	12	22
50-64	43	6.0	21	1	2	6	7	10	15	26
65+	16	6.7	14	2	2	6	9	12	15	16
2. MULTIPLE DX										
0-19 YRS	26	3.7	39	<1	1	2	4	6	16	32
20-34	59	5.4	27	<1	1	4	7	10	12	31
35-49	50	6.2	19	1	2	5	8	11	14	23
50-64	51	10.3	40	3	3	9	15	19	23	30
65+	59	11.2	91	2	4	7	14	25	35	45
TOT. SINGLE DX	260	5.0	16	1	1	4	7	9	12	21
" MULTIPLE DX	245	7.8	52	1	2	6	10	17	23	35
TOTAL 0-19 YRS	69	3.3	21	1	1	2	4	7	12	29
20-34	157	4.9	18	1	1	4	6	9	11	24
35-49	110	6.0	18	1	2	5	8	11	12	23
50-64	94	8.3	36	2	2	7	10	17	21	28
65+	75	10.2	78	2	3	7	12	22	33	44
GRAND TOTAL	**505**	**6.3**	**35**	**1**	**1**	**5**	**8**	**12**	**17**	**32**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	2.4	6	<1	<1	2	2	5	8	13
20-34	464	3.3	14	<1	<1	2	3	7	10	20
35-49	130	3.7	22	<1	<1	2	3	8	12	26
50-64	97	3.8	19	<1	<1	2	5	8	10	27
65+	138	5.9	40	1	2	5	7	9	14	43
2. MULTIPLE DX										
0-19 YRS	91	4.1	13	<1	1	3	5	10	11	18
20-34	299	4.0	16	<1	1	2	5	9	12	19
35-49	156	6.4	61	1	1	3	7	17	23	43
50-64	164	7.6	76	1	2	5	9	16	24	51
65+	294	10.6	97	2	2	7	13	24	32	57
TOT. SINGLE DX	952	3.7	20	<1	<1	2	4	8	10	20
" MULTIPLE DX	1004	6.9	63	1	1	4	8	16	23	46
TOTAL 0-19 YRS	214	3.2	10	<1	<1	2	4	8	10	17
20-34	763	3.6	15	<1	1	2	4	8	11	20
35-49	286	5.1	45	<1	1	2	5	12	20	33
50-64	261	6.2	59	<1	1	4	7	13	20	39
65+	432	9.1	84	2	2	6	11	19	29	56
GRAND TOTAL	**1956**	**5.3**	**45**	**<1**	**1**	**3**	**7**	**12**	**18**	**36**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	223	2.4	3	<1	<1	2	3	5	7	10
20-34	1257	2.0	1	<1	<1	2	3	3	4	7
35-49	567	2.2	3	<1	1	2	2	4	4	8
50-64	206	2.7	7	<1	1	2	3	4	6	18
65+	118	4.4	82	<1	1	2	4	7	12	58
2. MULTIPLE DX										
0-19 YRS	70	4.0	10	1	1	4	5	8	10	18
20-34	372	3.5	12	<1	1	3	4	6	9	19
35-49	239	4.8	68	<1	1	2	4	10	17	47
50-64	174	5.9	70	1	1	3	6	14	19	63
65+	169	9.6	122	1	2	5	11	25	33	54
TOT. SINGLE DX	2371	2.3	7	<1	<1	2	3	4	5	9
" MULTIPLE DX	1024	5.2	58	<1	1	3	5	11	18	44
TOTAL 0-19 YRS	293	2.8	5	<1	1	2	4	6	7	11
20-34	1629	2.4	5	<1	<1	2	3	4	5	11
35-49	806	3.0	24	<1	1	2	3	4	7	22
50-64	380	4.1	39	<1	1	2	4	9	14	42
65+	287	7.5	112	1	1	3	8	18	31	53
GRAND TOTAL	**3395**	**3.2**	**24**	**<1**	**1**	**2**	**3**	**5**	**9**	**25**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	12	3.1	7	<1	1	2	3	7	10	11
35-49	23	5.2	19	<1	1	4	7	11	14	18
50-64	29	7.0	34	1	2	6	10	16	17	26
65+	31	13.8	84	3	4	11	20	27	34	34
2. MULTIPLE DX										
0-19 YRS										
20-34	8	9.6	63	1	2	7	14	22	25	25
35-49	11	11.2	73	3	3	10	18	24	27	27
50-64	28	20.4	307	2	4	18	25	53	59	66
65+	67	19.2	245	3	3	17	28	37	51	98
TOT. SINGLE DX	100	8.0	58	1	2	5	11	19	25	34
" MULTIPLE DX	114	18.1	239	2	3	16	25	36	55	93
TOTAL 0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	20	5.7	38	<1	1	3	7	14	20	25
35-49	34	7.1	44	1	2	4	11	18	21	27
50-64	57	13.6	211	1	2	8	19	31	53	65
65+	98	17.5	199	3	3	16	25	34	47	95
GRAND TOTAL	**214**	**13.4**	**179**	**2**	**2**	**9**	**19**	**29**	**37**	**74**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.7	1	<1	<1	1	2	3	3	7
20-34	67	3.2	4	<1	1	3	4	6	9	11
35-49	25	3.6	8	<1	<1	3	5	7	9	14
50-64	9	4.3	7	<1	1	4	6	8	10	10
65+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
0-19 YRS	27	3.2	28	<1	1	2	3	5	9	29
20-34	32	4.5	6	2	2	4	6	8	9	11
35-49	12	4.3	6	1	2	4	6	8	9	9
50-64	12	8.0	358	<1	<1	3	4	24	62	68
65+	8	14.6	408	2	2	8	14	49	63	63
TOT. SINGLE DX	135	3.1	6	<1	1	3	4	6	9	13
" MULTIPLE DX	91	5.4	97	1	1	3	5	8	13	66
TOTAL 0-19 YRS	59	2.4	14	<1	1	1	3	4	6	27
20-34	99	3.6	6	1	1	3	4	7	9	11
35-49	37	3.9	8	<1	1	3	5	8	9	14
50-64	21	6.4	204	<1	<1	3	5	8	36	68
65+	10	13.6	325	2	3	8	13	39	63	63
GRAND TOTAL	226	4.0	44	<1	1	3	4	7	10	37

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	1.8	3	<1	<1	<1	2	5	5	5
20-34	27	1.7	1	<1	<1	<1	2	4	5	6
35-49	7	4.7	22	<1	<1	3	5	13	15	15
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	7	5.1	16	<1	<1	3	8	11	12	12
20-34	12	8.1	41	1	1	8	13	17	20	20
35-49	6	2.0		2	2	2	2	2	2	2
50-64	4	2.5	1	2	2	2	3	4	4	4
65+	7	18.0	354	2	4	12	18	51	59	59
TOT. SINGLE DX	41	2.2	6	<1	<1	<1	3	5	6	15
" MULTIPLE DX	36	7.8	108	1	1	4	11	16	20	59
TOTAL 0-19 YRS	12	3.8	13	<1	<1	2	5	10	12	12
20-34	39	3.6	22	<1	<1	1	4	11	15	20
35-49	13	3.5	13	<1	1	2	3	7	13	15
50-64	5	2.6	1	2	2	2	3	4	4	4
65+	8	16.0	336	2	2	11	16	47	59	59
GRAND TOTAL	77	4.8	61	<1	<1	2	5	12	16	48

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1018	3.4		2	3	3	4	4	5	6
20-34	6534	3.5	1	2	3	3	4	4	5	6
35-49	425	3.7	2	2	3	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	972	3.7	2	2	3	3	4	5	6	9
20-34	7238	3.9	4	2	3	4	4	5	6	9
35-49	591	4.1	2	3	3	4	5	6	7	13
50-64										
65+										
TOT. SINGLE DX	7977	3.5	1	2	3	3	4	4	5	6
" MULTIPLE DX	8801	3.9	4	2	3	4	4	5	6	9
TOTAL 0-19 YRS	1990	3.5	2	2	3	3	4	5	5	7
20-34	13772	3.7	3	2	3	4	4	5	6	8
35-49	1016	4.0	3	2	3	4	4	5	6	11
50-64										
65+										
GRAND TOTAL	16778	3.7	3	2	3	4	4	5	6	8

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.2		2	2	3	4	4	5	5
20-34	325	3.3	2	2	2	3	4	4	5	7
35-49	27	3.1		1	2	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	3.8	12	1	2	3	4	4	13	23
20-34	600	3.5	3	1	2	3	4	5	6	11
35-49	69	3.7	4	1	2	4	4	5	6	14
50-64										
65+										
TOT. SINGLE DX	379	3.3	2	2	2	3	4	4	5	6
" MULTIPLE DX	724	3.6	4	1	2	3	4	5	6	14
TOTAL 0-19 YRS	82	3.6	9	1	2	3	4	4	7	20
20-34	925	3.5	3	1	2	3	4	5	6	9
35-49	96	3.5	4	1	2	3	4	5	6	14
50-64										
65+										
GRAND TOTAL	1103	3.5	3	1	2	3	4	5	6	12

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	172	3.6		2	3	3	4	5	5	7
20-34	1196	3.6		2	3	3	4	5	5	7
35-49	86	3.9	2	2	3	4	4	5	6	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	191	4.0	6	2	2	4	4	5	7	20
20-34	1713	3.9	2	2	3	4	4	5	6	9
35-49	131	4.1	3	3	3	4	5	5	7	11
50-64										
65+										
TOT. SINGLE DX	1454	3.6	1	2	3	3	4	5	5	7
" MULTIPLE DX	2035	3.9	3	2	3	4	4	5	6	9
TOTAL 0-19 YRS	363	3.8	4	2	3	4	4	5	6	11
20-34	2909	3.8	2	2	3	4	4	5	6	8
35-49	217	4.0	3	2	3	4	5	5	6	11
50-64										
65+										
GRAND TOTAL	3489	3.8	2	2	3	4	4	5	6	9

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7333	3.2		2	2	3	4	4	5	6
20-34	47723	3.2	1	2	2	3	4	4	5	6
35-49	3016	3.3	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2537	3.5	5	2	2	3	4	5	6	11
20-34	20809	3.5	3	2	2	3	4	5	5	9
35-49	1744	3.8	5	2	2	4	4	5	6	13
50-64										
65+										
TOT. SINGLE DX	58072	3.2	1	2	2	3	4	4	5	6
" MULTIPLE DX	25090	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	9870	3.3	2	2	2	3	4	4	5	8
20-34	68532	3.3	2	2	2	3	4	4	5	7
35-49	4760	3.5	3	2	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	83162	3.3	2	2	2	3	4	4	5	7

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1041	6.2	2	4	5	6	7	8	9	11
20-34	10656	6.3	3	4	5	6	7	8	8	11
35-49	836	6.8	8	5	5	7	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1950	7.0	9	4	5	6	8	9	12	18
20-34	20508	6.8	11	4	5	6	7	8	10	20
35-49	2589	7.5	25	5	5	7	8	9	11	28
50-64										
65+										
TOT. SINGLE DX	12533	6.3	4	4	5	6	7	8	8	11
" MULTIPLE DX	25047	6.9	13	4	5	6	7	9	11	20
TOTAL 0-19 YRS	2991	6.7	7	4	5	6	7	9	11	17
20-34	31164	6.7	9	4	5	6	7	8	9	17
35-49	3425	7.3	22	5	5	7	8	9	11	25
50-64										
65+										
GRAND TOTAL	37580	6.7	10	4	5	6	7	8	10	18

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	6.1	2	4	4	6	7	7	9	14
20-34	478	6.0	3	4	4	6	7	7	8	12
35-49	32	7.4	32	4	4	6	8	10	11	37
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	75	7.0	4	4	5	6	8	10	12	13
20-34	687	7.2	16	4	5	7	8	10	12	26
35-49	97	8.0	31	5	5	7	8	10	14	43
50-64										
65+										
TOT. SINGLE DX	566	6.1	5	4	4	6	7	8	8	14
" MULTIPLE DX	859	7.3	17	4	5	7	8	10	12	27
TOTAL 0-19 YRS	131	6.6	4	4	5	6	7	9	11	13
20-34	1165	6.7	12	4	5	6	7	9	10	21
35-49	129	7.9	32	5	5	7	8	10	13	39
50-64										
65+										
GRAND TOTAL	1425	6.8	13	4	5	6	7	9	11	22

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.1	1	4	4	5	6	7	7	7
20-34	47	5.7	3	3	4	6	7	8	9	12
35-49	3	4.7		4	4	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	7	5.6	1	4	4	5	6	8	8	8
20-34	42	5.9	7	3	3	5	7	9	12	15
35-49	10	8.7	54	4	4	6	9	19	29	29
50-64										
65+										
TOT. SINGLE DX	59	5.6	3	3	4	5	6	8	9	12
" MULTIPLE DX	59	6.4	15	3	3	5	7	10	13	28
TOTAL 0-19 YRS	16	5.3	1	4	4	5	6	7	8	8
20-34	89	5.8	5	3	3	6	7	8	11	15
35-49	13	7.8	44	4	4	5	8	14	26	29
50-64										
65+										
GRAND TOTAL	**118**	**6.0**	**9**	**3**	**4**	**5**	**7**	**8**	**11**	**19**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1486	1.7		1	1	2	2	2	3	4
20-34	1758	1.8		1	1	2	2	3	3	5
35-49	149	1.8		1	1	2	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	95	2.2	2	1	1	2	3	4	5	9
20-34	146	2.9	7	1	1	2	3	6	9	15
35-49	32	2.8	2	1	1	3	4	5	5	6
50-64										
65+										
TOT. SINGLE DX	3393	1.8	1	1	1	2	2	3	3	5
" MULTIPLE DX	273	2.6	5	1	1	2	3	5	8	13
TOTAL 0-19 YRS	1581	1.8	1	1	1	2	2	3	3	4
20-34	1904	1.9	1	1	1	2	2	3	4	6
35-49	181	2.0	1	1	1	2	2	4	5	5
50-64										
65+										
GRAND TOTAL	**3666**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	4.4	11	<1	1	4	6	9	11	15
20-34	121	3.3	10	<1	<1	2	4	7	11	15
35-49	20	5.2	67	<1	<1	3	5	10	24	38
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	15	6.7	40	<1	1	5	7	18	19	20
20-34	396	1.8	6	<1	<1	<1	<1	3	7	15
35-49	539	1.2	3	<1	<1	<1	<1	<1	<1	7
50-64										
65+										
TOT. SINGLE DX	175	3.7	17	<1	<1	3	5	8	11	19
" MULTIPLE DX	950	1.5	6	<1	<1	<1	<1	<1	4	14
TOTAL 0-19 YRS	49	5.1	21	<1	1	4	6	11	17	20
20-34	517	2.2	8	<1	<1	<1	2	5	8	15
35-49	559	1.3	6	<1	<1	<1	<1	<1	<1	10
50-64										
65+										
GRAND TOTAL	**1125**	**1.9**	**8**	**<1**	**<1**	**<1**	**<1**	**4**	**6**	**15**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	908	2.6	2	<1	<1	3	3	4	5	7
20-34	5440	2.7	2	<1	<1	3	3	4	4	7
35-49	377	2.9	3	<1	<1	3	4	4	5	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	415	3.2	5	<1	<1	3	4	5	6	10
20-34	2899	3.4	7	<1	1	3	4	5	6	12
35-49	232	3.7	5	1	2	3	4	6	8	13
50-64										
65+										
TOT. SINGLE DX	6725	2.7	2	<1	<1	3	3	4	5	7
" MULTIPLE DX	3546	3.4	7	<1	1	3	4	5	6	12
TOTAL 0-19 YRS	1323	2.8	3	<1	<1	3	3	4	5	8
20-34	8339	3.0	4	<1	<1	3	4	4	5	9
35-49	609	3.2	4	<1	<1	3	4	5	6	11
50-64										
65+										
GRAND TOTAL	**10271**	**3.0**	**4**	**<1**	**<1**	**3**	**4**	**4**	**5**	**9**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1384	3.1		2	2	3	4	4	4	5
20-34	9257	3.1		2	2	3	4	4	4	5
35-49	751	3.2	1	2	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1099	3.6	4	2	2	3	4	5	6	13
20-34	7931	3.5	2	2	2	3	4	5	5	8
35-49	783	3.7	3	2	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	11392	3.1	1	2	2	3	4	4	4	5
" MULTIPLE DX	9813	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	2483	3.3	2	2	2	3	4	4	5	8
20-34	17188	3.3	2	2	2	3	4	4	5	7
35-49	1534	3.4	2	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**21205**	**3.3**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	3.1	4	1	1	2	4	6	8	9
20-34	35	4.6	10	<1	2	4	6	10	12	13
35-49	46	5.5	35	1	2	3	8	10	15	36
50-64	38	5.6	33	1	1	3	8	13	21	22
65+	32	6.2	39	2	2	3	7	15	21	28
2. MULTIPLE DX										
0-19 YRS	41	7.1	107	2	2	4	5	16	32	53
20-34	57	4.8	50	2	2	4	4	6	16	49
35-49	47	6.1	87	1	2	2	4	19	28	48
50-64	72	9.9	222	2	2	3	14	24	43	99
65+	60	12.4	192	2	2	7	20	41	56	99+
TOT. SINGLE DX	189	5.0	26	1	1	3	6	10	15	26
" MULTIPLE DX	277	8.3	147	2	2	3	9	23	42	98
TOTAL 0-19 YRS	79	5.2	61	1	2	3	4	8	17	50
20-34	92	4.7	35	1	2	4	4	9	13	38
35-49	93	5.8	61	1	2	3	7	12	20	43
50-64	110	8.4	161	1	2	3	12	23	37	96
65+	92	10.3	147	2	2	5	15	28	43	99+
GRAND TOTAL	**466**	**7.0**	**100**	**1**	**2**	**3**	**7**	**18**	**26**	**62**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	193	4.6	5	2	3	4	5	7	8	15
20-34	259	4.0	2	2	2	4	5	6	6	8
35-49	93	3.5	2	1	2	3	4	5	6	8
50-64	49	4.9	27	2	2	3	5	7	15	35
65+	9	6.3	49	2	2	3	7	19	21	21
2. MULTIPLE DX										
0-19 YRS	170	6.0	28	2	3	4	6	13	17	31
20-34	257	4.3	4	2	2	4	5	6	7	15
35-49	79	4.7	25	2	2	4	5	8	10	36
50-64	51	6.5	32	2	2	5	7	17	22	24
65+	13	9.7	129	<1	2	4	15	27	35	37
TOT. SINGLE DX	603	4.2	6	2	2	4	5	6	7	15
" MULTIPLE DX	570	5.2	21	2	2	4	5	9	14	25
TOTAL 0-19 YRS	363	5.3	16	2	3	4	5	9	13	19
20-34	516	4.1	4	2	2	4	5	6	7	14
35-49	172	4.1	13	2	2	3	5	6	8	17
50-64	100	5.7	30	2	2	4	5	13	18	29
65+	22	8.3	96	1	2	3	12	24	30	37
GRAND TOTAL	**1173**	**4.7**	**14**	**2**	**2**	**4**	**5**	**7**	**11**	**21**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	169	2.9	1	1	1	3	4	5	5	9
20-34	226	3.4	5	1	1	3	4	6	8	12
35-49	50	3.9	5	1	1	3	5	7	8	11
50-64	14	4.4	8	1	2	3	7	9	9	9
65+	5	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	244	4.6	48	1	1	3	5	8	11	25
20-34	373	5.5	48	1	2	4	7	10	14	28
35-49	97	7.9	89	1	2	5	8	14	20	56
50-64	51	10.0	62	2	2	8	12	19	27	45
65+	22	9.6	119	1	2	6	11	22	40	44
TOT. SINGLE DX	464	3.3	4	1	1	3	4	6	7	11
" MULTIPLE DX	787	5.9	59	1	2	4	7	11	16	44
TOTAL 0-19 YRS	413	3.9	30	1	1	3	4	6	9	23
20-34	599	4.7	33	1	2	3	5	9	12	27
35-49	147	6.5	64	1	2	5	7	12	16	51
50-64	65	8.8	56	2	2	8	11	18	23	42
65+	27	8.4	103	1	2	5	7	16	38	44
GRAND TOTAL	**1251**	**5.0**	**40**	**1**	**2**	**3**	**5**	**9**	**13**	**28**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	3.9	8	2	2	3	5	6	9	19
20-34	279	3.8	9	1	1	3	5	7	10	17
35-49	88	4.4	5	2	2	4	6	7	9	12
50-64	45	4.1	12	1	1	4	5	7	9	21
65+	11	6.0	23	2	2	4	8	13	18	19
2. MULTIPLE DX										
0-19 YRS	195	7.5	88	2	2	5	8	14	18	81
20-34	443	7.6	102	2	2	5	8	14	23	66
35-49	171	8.6	102	2	2	6	11	17	21	58
50-64	94	11.3	157	2	2	7	14	26	32	68
65+	44	11.6	96	2	3	8	16	23	35	45
TOT. SINGLE DX	499	4.0	9	1	2	3	5	7	9	18
" MULTIPLE DX	947	8.3	106	2	2	5	9	17	24	66
TOTAL 0-19 YRS	271	6.5	69	2	2	5	7	13	17	72
20-34	722	6.1	70	1	2	4	7	11	16	53
35-49	259	7.2	73	2	2	5	8	14	20	51
50-64	139	9.0	121	1	2	5	10	21	28	63
65+	55	10.5	87	2	3	6	14	21	33	45
GRAND TOTAL	**1446**	**6.8**	**77**	**1**	**2**	**4**	**8**	**14**	**19**	**53**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.8	16	1	2	5	8	12	14	16
20-34	14	4.6	9	1	2	4	6	11	11	11
35-49	20	4.8	38	1	2	3	4	11	20	28
50-64	16	3.8	9	<1	1	3	4	9	10	11
65+	8	2.8	3	1	1	2	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	25	10.0	156	1	2	6	11	18	33	64
20-34	21	4.6	22	1	1	3	4	11	18	18
35-49	19	4.9	9	2	2	5	6	9	12	14
50-64	13	12.9	283	2	2	6	15	45	53	55
65+	17	8.2	46	1	2	7	13	22	69	99+
TOT. SINGLE DX	83	4.7	18	1	1	3	6	10	12	24
" MULTIPLE DX	95	7.9	99	2	2	5	9	18	23	83
TOTAL 0-19 YRS	50	7.9	89	1	2	5	10	14	18	64
20-34	35	4.6	17	1	2	4	5	11	16	18
35-49	39	4.8	23	2	2	3	5	9	14	28
50-64	29	7.9	148	1	2	3	8	16	44	55
65+	25	6.5	39	1	1	4	11	21	38	99+
GRAND TOTAL	**178**	**6.4**	**64**	**1**	**2**	**4**	**8**	**14**	**18**	**61**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	400	7.3	89	1	2	5	8	14	21	54
20-34	351	5.0	20	1	1	4	6	10	12	26
35-49	212	5.3	49	1	2	4	6	10	12	33
50-64	267	7.1	37	2	2	6	9	13	17	34
65+	103	8.7	48	2	3	7	10	16	20	43
2. MULTIPLE DX										
0-19 YRS	284	8.9	86	2	2	6	10	19	30	50
20-34	281	7.0	106	2	2	4	6	14	23	66
35-49	257	8.5	135	2	2	5	9	18	31	67
50-64	321	10.4	144	2	3	6	11	23	38	66
65+	206	18.6	394	2	3	12	25	57	75	99+
TOT. SINGLE DX	1333	6.4	52	1	2	5	8	12	17	38
" MULTIPLE DX	1349	10.3	174	2	2	6	11	24	39	79
TOTAL 0-19 YRS	684	8.0	88	2	2	5	9	16	24	53
20-34	632	5.9	59	1	2	4	6	10	16	39
35-49	469	7.1	99	2	2	4	8	12	23	49
50-64	588	8.9	98	2	2	6	10	17	28	61
65+	309	15.3	301	2	3	9	18	38	64	99+
GRAND TOTAL	**2682**	**8.4**	**117**	**2**	**2**	**5**	**9**	**17**	**29**	**66**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	246	3.9	2	2	2	4	5	6	7	9
20-34	526	3.9	4	2	2	4	5	6	7	9
35-49	467	4.1	3	2	2	4	5	6	7	11
50-64	568	4.4	5	2	2	4	5	7	8	13
65+	229	4.9	7	2	2	4	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	208	4.2	2	2	2	4	5	6	7	9
20-34	654	4.3	4	2	2	4	5	6	8	12
35-49	845	4.6	9	2	2	4	5	7	8	17
50-64	1510	5.1	13	2	3	4	6	8	10	20
65+	891	6.4	37	2	3	5	7	11	15	41
TOT. SINGLE DX	2036	4.2	5	2	2	4	5	6	8	11
" MULTIPLE DX	4108	5.1	17	2	2	4	6	8	10	21
TOTAL 0-19 YRS	454	4.0	3	2	2	4	5	6	7	9
20-34	1180	4.1	5	2	2	4	5	6	7	10
35-49	1312	4.4	7	2	2	4	5	7	8	14
50-64	2078	4.9	12	2	2	4	6	8	9	17
65+	1120	6.1	32	2	3	5	7	10	14	36
GRAND TOTAL	**6144**	**4.8**	**13**	**2**	**2**	**4**	**5**	**7**	**9**	**17**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1259	4.5	34	1	2	3	5	8	11	34
20-34	1387	4.8	44	1	2	3	5	8	13	40
35-49	942	5.2	42	1	2	3	5	10	14	44
50-64	772	5.6	45	1	2	3	6	11	16	37
65+	389	7.9	80	2	2	4	10	17	26	49
2. MULTIPLE DX										
0-19 YRS	479	9.5	201	1	2	4	9	30	43	72
20-34	957	9.0	192	1	2	4	8	25	42	86
35-49	808	8.5	132	1	2	4	9	20	36	65
50-64	1163	11.0	190	2	2	5	13	29	41	85
65+	1056	16.7	272	2	3	11	23	43	59	99+
TOT. SINGLE DX	4749	5.2	45	1	2	3	5	10	14	39
" MULTIPLE DX	4463	11.3	210	2	2	5	14	31	46	93
TOTAL 0-19 YRS	1738	5.9	85	1	2	3	5	10	22	53
20-34	2344	6.5	109	1	2	3	6	13	25	68
35-49	1750	6.7	87	1	2	4	7	14	25	56
50-64	1935	8.8	139	1	2	4	10	22	33	66
65+	1445	14.3	236	2	2	9	20	36	53	99+
GRAND TOTAL	**9212**	**8.1**	**135**	**1**	**2**	**4**	**8**	**20**	**34**	**70**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	408	7.1	50	2	2	5	8	14	18	38
20-34	302	5.8	52	2	2	4	6	10	14	34
35-49	104	6.8	45	1	2	5	8	14	16	44
50-64	106	12.5	171	2	2	9	16	21	30	75
65+	221	18.6	222	3	5	15	23	38	52	98
2. MULTIPLE DX										
0-19 YRS	191	11.4	167	2	3	7	12	25	43	65
20-34	169	9.4	104	1	2	6	11	22	34	55
35-49	94	14.5	343	1	2	6	17	37	56	88
50-64	184	17.6	274	2	3	13	22	41	61	99+
65+	548	25.0	298	6	8	21	35	60	99+	99+
TOT. SINGLE DX	1141	9.4	118	2	2	6	11	20	27	65
" MULTIPLE DX	1186	18.6	290	2	3	14	26	48	67	99+
TOTAL 0-19 YRS	599	8.4	91	2	2	5	10	17	25	57
20-34	471	7.1	74	1	2	4	8	14	22	53
35-49	198	10.4	201	1	2	5	11	25	43	77
50-64	290	15.7	243	2	3	11	19	35	55	99
65+	769	23.2	285	5	7	19	31	54	84	99+
GRAND TOTAL	**2327**	**14.1**	**227**	**2**	**3**	**9**	**19**	**36**	**53**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	785	3.1	14	<1	1	2	3	5	7	21
20-34	1234	2.9	5	<1	1	2	3	5	6	11
35-49	586	3.4	30	<1	1	2	3	5	7	21
50-64	521	4.2	23	<1	1	3	4	7	13	26
65+	373	7.1	82	1	2	4	8	17	27	52
2. MULTIPLE DX										
0-19 YRS	361	4.8	47	1	1	3	5	9	13	46
20-34	403	6.2	100	1	2	3	6	15	26	99+
35-49	244	5.6	57	1	2	3	5	11	19	47
50-64	358	8.2	109	1	2	4	10	19	31	96
65+	508	16.6	298	2	3	11	22	40	61	97
TOT. SINGLE DX	3499	3.6	24	<1	1	2	4	6	9	27
" MULTIPLE DX	1874	9.0	162	1	2	4	10	23	39	90
TOTAL 0-19 YRS	1146	3.6	25	<1	1	2	4	6	9	30
20-34	1637	3.7	31	<1	1	2	4	6	9	37
35-49	830	4.0	39	<1	1	3	4	7	11	33
50-64	879	5.8	62	1	1	3	6	13	21	56
65+	881	12.6	229	2	2	6	16	31	47	90
GRAND TOTAL	**5373**	**5.5**	**79**	**<1**	**1**	**3**	**5**	**12**	**21**	**58**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	27.7	366	4	5	26	39	54	64	86
20-34	13	18.7	266	3	5	11	25	48	50	51
35-49	18	13.6	47	6	7	10	18	25	27	27
50-64	55	16.4	163	6	7	12	18	32	47	64
65+	216	21.0	175	8	10	18	24	37	60	71
2. MULTIPLE DX										
0-19 YRS	76	31.2	297	9	10	31	41	56	71	96
20-34	56	33.3	604	6	10	28	51	83	98	99+
35-49	31	25.1	428	7	8	18	35	62	89	99+
50-64	124	20.9	250	7	9	15	25	44	63	99+
65+	735	24.4	255	9	11	20	31	55	78	99+
TOT. SINGLE DX	372	21.2	219	6	8	17	25	42	58	71
" MULTIPLE DX	1022	25.0	290	9	10	20	33	56	78	99+
TOTAL 0-19 YRS	146	29.5	332	5	8	29	40	54	65	89
20-34	69	30.6	569	6	8	24	49	75	97	99+
35-49	49	20.9	316	7	7	16	27	55	66	99+
50-64	179	19.5	227	7	8	14	23	43	56	98
65+	951	23.6	239	9	11	19	29	51	73	99+
GRAND TOTAL	**1394**	**24.0**	**273**	**8**	**10**	**19**	**31**	**52**	**72**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	12.3	98	4	4	10	16	21	30	53
20-34	110	17.1	144	4	6	15	21	29	39	70
35-49	98	16.1	129	5	7	13	19	26	41	67
50-64	325	17.1	100	7	9	15	20	26	36	60
65+	1536	22.5	177	9	11	19	27	39	52	99+
2. MULTIPLE DX										
0-19 YRS	168	23.6	290	6	8	18	29	50	61	77
20-34	248	24.6	262	8	11	20	31	51	77	99+
35-49	184	23.8	257	7	8	20	30	50	62	99+
50-64	715	23.0	230	8	9	19	30	43	61	99+
65+	5176	28.6	318	10	13	24	38	64	91	99+
TOT. SINGLE DX	2188	20.6	167	7	9	17	25	36	48	99
" MULTIPLE DX	6491	27.5	308	9	12	23	36	60	87	99+
TOTAL 0-19 YRS	287	19.0	241	4	5	14	24	36	54	77
20-34	358	22.3	238	7	9	18	28	47	65	99+
35-49	282	21.1	226	6	8	17	26	44	54	96
50-64	1040	21.2	197	7	9	17	25	40	54	99+
65+	6712	27.2	293	10	12	22	35	58	85	99+
GRAND TOTAL	**8679**	**25.8**	**282**	**9**	**11**	**21**	**33**	**54**	**78**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	17.6	312	1	2	11	27	44	54	76
20-34	18	23.4	483	4	4	11	40	61	65	67
35-49	17	14.6	120	4	5	11	21	38	76	99+
50-64	15	17.2	405	2	3	11	20	26	70	85
65+	60	22.5	504	3	5	15	25	68	84	99
2. MULTIPLE DX										
0-19 YRS	152	19.0	269	1	2	16	28	45	56	99
20-34	55	32.6	487	6	11	23	51	68	79	99
35-49	28	33.7	685	2	4	27	60	71	94	99+
50-64	42	22.4	290	3	5	18	30	55	67	99+
65+	198	26.8	438	4	7	20	39	69	88	99+
TOT. SINGLE DX	311	18.7	354	1	2	12	26	47	61	90
" MULTIPLE DX	475	25.0	413	2	4	20	37	61	79	99+
TOTAL 0-19 YRS	353	18.2	294	1	2	13	28	45	55	82
20-34	73	30.4	496	4	7	22	49	64	77	97
35-49	45	26.5	552	3	4	18	47	69	95	99+
50-64	57	21.0	319	3	4	16	27	51	69	99
65+	258	25.8	455	4	6	19	37	69	87	99+
GRAND TOTAL	786	22.5	399	2	3	17	32	57	71	99+

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	5.1	35	<1	1	3	6	13	20	25
20-34	255	4.0	17	<1	1	3	5	9	13	21
35-49	179	4.2	21	1	1	3	5	9	12	28
50-64	218	4.9	53	1	1	3	5	10	15	38
65+	150	6.3	65	1	1	4	7	13	28	39
2. MULTIPLE DX										
0-19 YRS	145	10.1	167	1	1	4	14	24	41	60
20-34	177	9.5	171	1	1	5	11	23	40	85
35-49	101	12.3	226	1	2	7	14	37	44	90
50-64	205	9.1	149	1	2	5	11	24	39	88
65+	228	14.1	292	1	2	7	18	39	51	87
TOT. SINGLE DX	1038	4.8	37	1	1	3	5	10	16	30
" MULTIPLE DX	856	11.1	207	1	2	5	13	28	46	81
TOTAL 0-19 YRS	381	7.0	91	1	1	3	8	19	24	48
20-34	432	6.3	88	1	1	3	7	14	21	56
35-49	280	7.1	110	1	1	4	7	14	32	71
50-64	423	7.0	104	1	2	3	8	15	25	78
65+	378	11.0	216	1	2	5	13	29	44	73
GRAND TOTAL	**1894**	**7.6**	**124**	**1**	**1**	**4**	**8**	**18**	**29**	**60**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1019	4.3	23	1	1	3	5	8	11	18
20-34	1401	5.2	26	1	2	4	6	10	13	23
35-49	881	6.1	30	1	2	5	7	11	15	24
50-64	811	7.2	28	2	3	6	9	13	17	25
65+	516	9.5	52	2	3	8	12	18	23	38
2. MULTIPLE DX										
0-19 YRS	720	7.4	80	1	2	4	8	15	26	53
20-34	1268	10.2	162	2	2	6	11	24	38	80
35-49	829	10.9	174	2	2	7	12	25	38	90
50-64	991	11.7	165	3	3	8	13	24	36	81
65+	1024	16.6	219	3	4	12	21	36	52	99+
TOT. SINGLE DX	4628	6.0	32	1	2	5	7	11	15	26
" MULTIPLE DX	4832	11.6	173	2	3	7	13	27	40	90
TOTAL 0-19 YRS	1739	5.6	50	1	2	4	6	11	15	42
20-34	2669	7.6	97	1	2	5	8	15	25	61
35-49	1710	8.4	106	2	2	6	9	16	26	69
50-64	1802	9.7	109	2	3	7	11	18	27	66
65+	1540	14.2	175	3	4	10	18	30	43	96
GRAND TOTAL	**9460**	**8.9**	**112**	**2**	**2**	**6**	**10**	**18**	**28**	**68**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2545	2.8	12	1	1	2	3	5	8	19
20-34	824	4.0	17	<1	1	3	5	8	11	20
35-49	654	4.8	23	1	1	3	6	10	13	25
50-64	705	4.9	37	1	1	3	6	10	15	28
65+	749	6.1	50	1	1	4	8	14	19	44
2. MULTIPLE DX										
0-19 YRS	1364	5.5	81	1	1	3	5	12	21	55
20-34	888	8.9	138	1	1	5	10	20	31	67
35-49	577	8.3	102	1	1	5	10	18	26	62
50-64	863	9.6	142	1	2	6	11	23	35	82
65+	1602	13.4	221	1	2	8	17	33	50	99+
TOT. SINGLE DX	5477	3.9	24	1	1	2	5	8	12	24
" MULTIPLE DX	5294	9.4	154	1	1	5	11	23	35	78
TOTAL 0-19 YRS	3909	3.7	38	1	1	2	4	7	12	32
20-34	1712	6.5	86	1	1	4	7	13	21	51
35-49	1231	6.4	64	1	1	4	8	13	19	43
50-64	1568	7.5	101	1	1	4	8	17	27	58
65+	2351	11.1	178	1	2	7	14	27	42	94
GRAND TOTAL	**10771**	**6.6**	**96**	**1**	**1**	**3**	**7**	**15**	**25**	**59**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	4.4	32	<1	<1	2	6	11	15	28
20-34	205	2.9	10	<1	1	2	4	7	10	19
35-49	92	3.1	29	<1	<1	2	3	6	10	36
50-64	122	4.5	38	<1	1	2	5	11	15	36
65+	127	6.5	118	1	1	2	6	15	31	63
2. MULTIPLE DX										
0-19 YRS	131	7.6	143	1	1	4	9	16	31	64
20-34	165	9.5	177	<1	1	4	12	23	38	77
35-49	107	8.5	98	1	1	5	11	19	28	80
50-64	126	10.9	184	1	1	6	14	29	46	79
65+	275	14.3	249	1	1	9	20	38	49	99
TOT. SINGLE DX	791	4.2	42	<1	1	2	4	10	15	34
" MULTIPLE DX	804	10.9	193	1	1	6	14	29	44	81
TOTAL 0-19 YRS	376	5.5	73	<1	1	2	6	13	19	43
20-34	370	5.9	96	<1	1	3	6	16	23	68
35-49	199	6.0	74	<1	1	3	7	15	23	55
50-64	248	7.8	123	1	1	4	9	18	33	67
65+	402	11.8	221	1	1	6	17	34	45	87
GRAND TOTAL	**1595**	**7.6**	**130**	**<1**	**1**	**3**	**9**	**20**	**32**	**69**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	5.4	48	1	1	3	5	12	18	38
20-34	176	3.6	3	1	1	3	4	6	7	11
35-49	68	4.5	8	1	1	4	6	7	9	16
50-64	44	7.9	91	1	2	5	9	13	24	59
65+	34	9.6	50	3	3	7	12	21	24	29
2. MULTIPLE DX										
0-19 YRS	78	6.5	44	1	1	4	8	14	19	35
20-34	109	7.7	56	2	2	5	9	16	21	41
35-49	61	8.8	186	1	2	5	10	17	48	99
50-64	66	9.5	137	2	3	6	12	20	42	99+
65+	80	22.8	362	3	4	18	31	61	81	99+
TOT. SINGLE DX	450	5.1	32	1	2	4	5	10	15	30
" MULTIPLE DX	394	11.0	185	1	2	6	14	28	48	99+
TOTAL 0-19 YRS	206	5.8	47	1	1	4	6	13	18	37
20-34	285	5.2	28	1	2	4	5	10	15	30
35-49	129	6.5	97	1	2	4	7	12	16	90
50-64	110	8.9	119	2	2	6	11	18	34	99+
65+	114	16.9	305	3	4	15	27	51	70	99+
GRAND TOTAL	**844**	**7.9**	**112**	**1**	**2**	**4**	**8**	**18**	**29**	**83**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	684	4.1	25	1	1	3	4	7	12	23
20-34	636	4.1	24	1	1	3	4	7	10	27
35-49	290	4.1	17	1	2	3	5	7	10	29
50-64	188	6.2	87	1	1	3	6	14	22	72
65+	110	15.2	317	2	2	9	17	42	57	80
2. MULTIPLE DX										
0-19 YRS	367	5.8	52	1	2	3	5	12	21	38
20-34	397	5.7	73	1	2	3	6	11	16	50
35-49	228	8.2	143	2	2	4	7	19	33	65
50-64	236	12.0	232	2	2	6	16	34	49	94
65+	234	23.5	385	2	3	20	39	63	99+	99+
TOT. SINGLE DX	1908	5.0	53	1	2	3	5	9	16	42
" MULTIPLE DX	1462	10.0	194	1	2	4	11	30	46	99+
TOTAL 0-19 YRS	1051	4.7	35	1	2	3	5	8	15	34
20-34	1033	4.8	44	1	2	3	5	8	13	37
35-49	518	5.9	77	1	2	3	6	11	20	48
50-64	424	9.5	176	1	2	4	10	25	41	87
65+	344	20.9	377	2	3	15	35	57	82	99+
GRAND TOTAL	**3370**	**7.1**	**120**	**1**	**2**	**3**	**6**	**17**	**33**	**73**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	9.0	29	3	4	7	10	18	23	26
20-34	1631	10.3	40	4	5	9	12	18	23	33
35-49	2322	11.3	46	4	5	9	13	20	25	35
50-64	1157	12.0	47	5	6	10	15	20	25	35
65+	265	16.7	135	6	7	13	21	32	42	82
2. MULTIPLE DX										
0-19 YRS	23	19.0	241	4	5	11	28	38	53	64
20-34	415	15.1	105	5	6	12	19	27	35	65
35-49	907	15.2	111	5	6	12	19	28	35	61
50-64	1010	16.3	134	6	7	13	21	30	37	63
65+	500	23.2	238	7	9	19	29	41	57	83
TOT. SINGLE DX	5443	11.4	51	4	5	9	13	20	25	36
" MULTIPLE DX	2855	17.0	151	6	7	13	21	32	40	71
TOTAL 0-19 YRS	91	11.5	100	3	4	8	12	24	32	57
20-34	2046	11.3	57	4	5	9	13	20	26	39
35-49	3229	12.4	68	5	5	10	15	22	28	43
50-64	2167	14.0	93	5	6	11	17	25	32	52
65+	765	21.0	212	6	8	17	27	40	51	83
GRAND TOTAL	**8298**	**13.3**	**92**	**5**	**6**	**10**	**16**	**25**	**31**	**53**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	727	3.3	3	1	1	3	4	6	6	10
20-34	1860	3.5	4	1	1	3	5	6	7	10
35-49	1161	3.6	6	1	1	3	5	6	8	12
50-64	697	3.9	6	1	1	3	5	7	8	13
65+	138	4.4	13	2	2	3	5	10	14	17
2. MULTIPLE DX										
0-19 YRS	465	3.3	5	1	1	3	4	6	7	13
20-34	1224	3.9	9	1	1	3	5	7	9	17
35-49	849	3.9	10	1	1	3	5	7	9	16
50-64	887	4.6	23	1	2	3	5	9	12	25
65+	326	6.0	53	1	2	4	7	13	17	29
TOT. SINGLE DX	4583	3.6	6	1	1	3	5	6	7	12
" MULTIPLE DX	3751	4.2	17	1	1	3	5	7	10	21
TOTAL 0-19 YRS	1192	3.3	4	1	1	3	4	6	6	10
20-34	3084	3.7	6	1	1	3	5	6	8	12
35-49	2010	3.7	8	1	1	3	5	6	8	15
50-64	1584	4.2	16	1	2	3	5	8	11	20
65+	464	5.5	42	1	2	3	6	13	16	27
GRAND TOTAL	**8334**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1423	2.5	4	<1	1	2	3	4	5	10
20-34	2099	2.6	3	<1	1	2	3	5	6	11
35-49	1301	2.9	6	<1	1	2	3	5	7	12
50-64	814	3.4	15	1	1	2	3	6	9	22
65+	278	4.6	34	1	1	3	5	8	17	36
2. MULTIPLE DX										
0-19 YRS	629	3.4	28	1	1	2	3	5	8	28
20-34	1230	3.4	25	1	1	2	4	6	8	23
35-49	825	4.4	41	1	1	3	4	8	13	31
50-64	780	6.1	84	1	2	3	6	13	22	62
65+	396	10.2	151	2	2	5	13	25	38	66
TOT. SINGLE DX	5915	2.8	8	<1	1	2	3	5	6	14
" MULTIPLE DX	3860	4.9	58	1	1	3	4	9	16	46
TOTAL 0-19 YRS	2052	2.8	12	1	1	2	3	5	6	15
20-34	3329	2.9	12	<1	1	2	3	5	7	16
35-49	2126	3.5	21	1	1	2	4	6	9	22
50-64	1594	4.7	51	1	1	3	4	9	15	43
65+	674	7.8	111	1	2	4	8	19	31	59
GRAND TOTAL	**9775**	**3.6**	**29**	**1**	**1**	**2**	**4**	**6**	**10**	**29**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	13.0	77	6	7	10	13	24	31	55
20-34	123	13.4	52	6	7	12	15	22	29	41
35-49	147	13.0	40	6	7	12	15	22	25	38
50-64	79	12.9	81	5	5	10	15	25	35	47
65+	10	18.4	220	7	7	15	19	41	58	58
2. MULTIPLE DX										
0-19 YRS	119	17.9	148	7	9	14	20	34	45	62
20-34	113	19.2	150	7	9	17	23	39	58	99+
35-49	118	17.8	201	6	7	14	20	30	53	80
50-64	95	19.9	212	6	8	15	24	44	51	88
65+	35	26.3	252	9	12	20	46	59	88	99+
TOT. SINGLE DX	559	13.2	65	5	7	11	15	22	30	47
" MULTIPLE DX	480	19.2	185	6	8	15	23	42	54	99+
TOTAL 0-19 YRS	319	14.8	109	6	7	11	15	28	37	60
20-34	236	16.2	108	6	8	13	19	30	40	99+
35-49	265	15.2	118	6	7	12	17	24	33	65
50-64	174	16.7	164	5	6	12	21	36	46	72
65+	45	24.5	251	8	10	19	33	57	70	99+
GRAND TOTAL	**1039**	**16.0**	**130**	**6**	**7**	**12**	**19**	**29**	**43**	**71**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	4.7	9	1	2	4	6	9	10	16
20-34	228	4.6	15	1	2	4	6	9	13	22
35-49	168	5.2	13	1	2	4	7	10	13	18
50-64	276	4.5	12	1	2	4	5	8	10	20
65+	133	7.3	106	1	2	4	6	20	29	55
2. MULTIPLE DX										
0-19 YRS	108	6.6	37	2	2	5	8	10	16	42
20-34	163	7.4	64	2	2	5	8	17	26	93
35-49	167	6.8	68	1	2	5	8	12	17	47
50-64	245	7.4	65	2	2	5	9	15	20	54
65+	177	10.7	205	2	2	5	12	29	51	99+
TOT. SINGLE DX	934	5.1	27	1	2	4	6	9	13	28
" MULTIPLE DX	860	7.9	93	2	2	5	8	16	28	76
TOTAL 0-19 YRS	237	5.6	23	1	2	5	7	9	11	23
20-34	391	5.8	37	1	2	4	7	12	17	46
35-49	335	6.0	42	1	2	5	7	11	14	35
50-64	521	5.9	39	1	2	4	7	11	16	35
65+	310	9.2	165	2	2	5	9	25	41	90
GRAND TOTAL	**1794**	**6.4**	**60**	**1**	**2**	**4**	**7**	**12**	**19**	**52**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	29.5	405	12	12	27	46	52	52	52
20-34	27	17.4	91	7	9	14	19	30	35	54
35-49	92	15.4	28	9	10	14	18	22	25	35
50-64	489	17.1	55	9	10	15	20	25	30	46
65+	862	19.4	77	10	11	17	23	28	35	55
2. MULTIPLE DX										
0-19 YRS	8	23.1	128	13	13	19	31	41	42	42
20-34	34	21.3	146	8	11	17	25	39	53	55
35-49	105	20.5	129	9	10	16	27	36	51	99+
50-64	606	20.3	124	9	11	17	24	36	46	97
65+	1563	24.1	190	11	12	20	28	43	58	99+
TOT. SINGLE DX	1474	18.4	70	9	11	16	22	27	33	53
" MULTIPLE DX	2316	22.9	172	10	12	19	27	40	55	99+
TOTAL 0-19 YRS	12	25.3	202	12	13	19	40	45	51	52
20-34	61	19.5	124	8	10	16	23	32	50	55
35-49	197	18.1	89	9	10	15	21	32	37	86
50-64	1095	18.9	97	9	11	16	22	31	39	63
65+	2425	22.4	155	11	12	19	26	38	52	99+
GRAND TOTAL	**3790**	**21.1**	**138**	**10**	**11**	**18**	**24**	**36**	**47**	**93**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	9.4	47	2	3	7	11	22	23	24
20-34	17	13.1	67	2	4	11	17	26	30	31
35-49	27	17.9	91	8	8	17	21	26	32	57
50-64	162	17.2	60	7	10	16	21	27	32	45
65+	859	21.4	151	10	11	18	25	34	46	86
2. MULTIPLE DX										
0-19 YRS	16	18.4	130	5	6	16	24	32	45	50
20-34	23	16.5	114	2	6	14	21	41	61	99+
35-49	32	22.7	296	6	7	17	32	53	74	99+
50-64	291	23.5	191	9	11	19	29	46	59	99+
65+	2766	26.9	264	10	13	23	34	53	77	99+
TOT. SINGLE DX	1087	20.3	139	8	10	18	24	32	44	84
" MULTIPLE DX	3128	26.5	258	10	12	22	34	52	76	99+
TOTAL 0-19 YRS	38	13.2	100	3	3	10	18	25	30	50
20-34	40	15.1	96	2	5	13	20	31	42	99+
35-49	59	20.5	205	7	8	17	23	42	61	98
50-64	453	21.2	153	9	10	18	25	39	51	99+
65+	3625	25.6	243	10	12	21	32	50	71	99+
GRAND TOTAL	**4215**	**24.9**	**234**	**9**	**12**	**21**	**31**	**48**	**68**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	388	5.0	5	2	2	5	6	8	9	13
20-34	488	5.6	27	2	2	5	7	9	11	16
35-49	165	6.7	41	1	2	5	8	13	20	32
50-64	304	15.2	84	2	4	15	19	24	31	51
65+	549	19.9	121	7	10	18	23	30	40	65
2. MULTIPLE DX										
0-19 YRS	312	6.3	23	2	3	5	7	10	14	27
20-34	498	7.0	36	2	3	6	8	12	16	30
35-49	189	9.2	112	2	3	6	11	18	25	99
50-64	391	18.3	143	3	5	17	23	32	45	70
65+	907	22.9	165	10	12	19	26	40	55	99+
TOT. SINGLE DX	1894	11.3	103	2	3	7	16	23	28	51
" MULTIPLE DX	2297	15.3	163	3	4	13	20	30	43	84
TOTAL 0-19 YRS	700	5.6	14	2	3	5	6	9	11	21
20-34	986	6.3	33	2	3	5	7	10	13	25
35-49	354	8.0	80	2	2	6	9	16	24	69
50-64	695	17.0	120	3	4	16	21	30	40	60
65+	1456	21.8	151	9	12	19	25	37	50	92
GRAND TOTAL	**4191**	**13.5**	**140**	**2**	**3**	**10**	**19**	**26**	**36**	**66**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	516	3.7	3	1	2	4	5	5	6	9
20-34	1115	3.8	4	1	2	4	5	6	7	11
35-49	446	3.8	6	1	2	3	5	6	7	13
50-64	420	4.7	11	2	2	4	5	8	11	20
65+	198	6.9	41	2	2	5	9	14	20	35
2. MULTIPLE DX										
0-19 YRS	140	4.3	10	1	2	4	5	7	10	19
20-34	378	4.3	19	1	2	3	5	8	9	18
35-49	281	4.8	16	1	2	4	6	9	12	21
50-64	464	5.8	40	1	2	4	6	10	16	37
65+	280	8.6	67	2	2	6	11	19	26	40
TOT. SINGLE DX	2695	4.1	9	1	2	4	5	6	9	17
" MULTIPLE DX	1543	5.6	35	1	2	4	6	11	16	31
TOTAL 0-19 YRS	656	3.8	5	1	2	4	5	6	7	14
20-34	1493	3.9	8	1	2	4	5	6	8	12
35-49	727	4.2	11	1	2	4	5	7	9	19
50-64	884	5.3	27	2	2	4	6	9	13	25
65+	478	7.9	57	2	2	5	9	17	24	39
GRAND TOTAL	**4238**	**4.7**	**19**	**1**	**2**	**4**	**5**	**8**	**11**	**24**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	4.2	28	<1	<1	3	5	9	13	23
20-34	329	3.6	16	<1	<1	2	4	7	11	23
35-49	329	3.0	9	<1	<1	2	3	5	8	17
50-64	436	2.5	8	<1	<1	2	2	4	6	17
65+	142	2.9	10	<1	<1	2	3	6	9	15
2. MULTIPLE DX										
0-19 YRS	227	7.1	89	1	2	4	7	15	23	68
20-34	219	7.4	74	1	1	5	9	17	23	44
35-49	173	7.4	86	1	1	4	8	18	27	43
50-64	265	8.8	191	1	1	4	10	20	34	94
65+	146	12.1	178	1	2	8	18	34	93	99+
TOT. SINGLE DX	1564	3.2	15	<1	<1	2	3	6	10	21
" MULTIPLE DX	1030	8.4	127	1	2	5	10	20	31	99
TOTAL 0-19 YRS	555	5.4	56	<1	1	3	6	12	18	40
20-34	548	5.1	43	<1	1	3	6	11	17	27
35-49	502	4.5	40	<1	1	3	4	9	16	32
50-64	701	4.9	87	<1	<1	2	4	11	18	55
65+	288	7.6	117	<1	1	3	10	26	35	99+
GRAND TOTAL	**2594**	**5.3**	**66**	**<1**	**<1**	**3**	**5**	**12**	**19**	**49**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	715	2.2	3	<1	<1	2	2	3	5	11
20-34	1171	2.3	9	<1	<1	2	2	4	5	17
35-49	767	2.8	15	<1	<1	2	3	5	7	21
50-64	601	3.1	19	<1	<1	2	3	5	9	19
65+	219	4.2	20	<1	<1	3	5	8	12	24
2. MULTIPLE DX										
0-19 YRS	95	5.5	56	<1	1	2	6	13	21	42
20-34	238	5.3	51	<1	1	3	5	13	20	42
35-49	294	7.1	87	<1	1	3	9	17	25	44
50-64	429	8.7	141	<1	1	4	11	20	31	65
65+	310	13.0	223	1	2	8	18	34	57	99+
TOT. SINGLE DX	3473	2.6	12	<1	<1	2	3	4	7	17
" MULTIPLE DX	1366	8.5	134	1	1	4	10	21	32	72
TOTAL 0-19 YRS	810	2.6	11	<1	<1	2	3	4	7	17
20-34	1409	2.8	18	<1	<1	2	3	4	8	26
35-49	1061	4.0	39	<1	<1	2	3	8	15	35
50-64	1030	5.4	78	<1	1	3	5	13	20	48
65+	529	9.3	158	<1	1	4	12	26	39	99+
GRAND TOTAL	**4839**	**4.3**	**54**	**<1**	**<1**	**2**	**4**	**9**	**17**	**41**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	1.8		<1	1	2	2	3	4	4
20-34	76	1.8		<1	<1	2	2	3	4	6
35-49	144	2.2	1	<1	<1	2	3	3	4	7
50-64	398	2.5	3	<1	1	2	3	4	5	12
65+	255	2.5	2	1	1	2	3	4	4	10
2. MULTIPLE DX										
0-19 YRS	19	2.6	1	<1	1	2	4	4	5	5
20-34	50	5.0	35	1	1	2	6	11	15	33
35-49	64	3.8	10	1	1	3	5	7	13	15
50-64	196	3.4	11	1	2	2	3	6	10	20
65+	174	4.1	20	1	2	3	4	8	14	26
TOT. SINGLE DX	902	2.4	3	<1	1	2	3	4	5	11
" MULTIPLE DX	503	3.8	17	1	2	2	4	7	12	23
TOTAL 0-19 YRS	48	2.1	1	<1	1	2	3	4	4	5
20-34	126	3.0	17	<1	<1	2	3	6	10	25
35-49	208	2.7	5	<1	1	2	3	5	7	14
50-64	594	2.8	6	<1	1	2	3	5	6	15
65+	429	3.2	10	1	1	2	3	5	8	21
GRAND TOTAL	**1405**	**2.9**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**17**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	375	2.2	2	<1	1	2	3	4	5	8
20-34	541	2.3	2	<1	1	2	3	4	5	8
35-49	238	2.4	4	<1	1	2	3	4	5	12
50-64	132	2.6	9	<1	1	2	3	4	6	16
65+	52	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
0-19 YRS	306	2.8	14	1	1	2	3	5	6	29
20-34	492	3.2	28	1	1	2	3	6	8	17
35-49	221	3.1	15	1	1	2	3	5	8	30
50-64	160	3.1	6	1	1	2	3	5	9	12
65+	70	4.3	23	1	1	3	4	7	11	34
TOT. SINGLE DX	1338	2.3	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1249	3.2	20	1	1	2	3	5	8	18
TOTAL 0-19 YRS	681	2.5	8	1	1	2	3	4	5	12
20-34	1033	2.7	15	<1	1	2	3	5	6	11
35-49	459	2.7	10	<1	1	2	3	5	6	15
50-64	292	2.9	8	1	1	2	3	5	7	12
65+	122	3.4	15	1	1	3	4	5	7	22
GRAND TOTAL	**2587**	**2.7**	**11**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	194	2.4	3	<1	1	2	3	5	6	11
20-34	345	3.2	6	<1	1	3	4	6	8	13
35-49	321	3.5	7	<1	1	3	4	6	7	10
50-64	357	4.3	31	1	2	3	5	7	9	15
65+	143	4.5	18	<1	1	4	5	8	11	25
2. MULTIPLE DX										
0-19 YRS	116	4.0	18	1	1	3	4	10	13	55
20-34	243	4.6	30	<1	1	3	6	8	12	30
35-49	249	5.4	29	1	2	4	6	9	16	30
50-64	305	6.6	55	1	2	4	8	13	20	53
65+	183	8.5	108	2	2	5	9	18	31	57
TOT. SINGLE DX	1360	3.6	15	<1	1	3	4	6	8	15
" MULTIPLE DX	1096	5.9	51	1	1	4	6	11	18	44
TOTAL 0-19 YRS	310	3.0	10	<1	1	2	4	6	9	17
20-34	588	3.8	16	<1	1	3	4	7	9	23
35-49	570	4.3	18	<1	1	3	5	7	9	25
50-64	662	5.4	44	1	2	4	6	9	13	36
65+	326	6.8	73	1	2	4	7	14	22	51
GRAND TOTAL	**2456**	**4.6**	**32**	**<1**	**1**	**3**	**5**	**8**	**12**	**31**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	452	3.9	7	1	2	3	5	7	8	15
20-34	453	4.3	13	1	1	4	5	8	9	19
35-49	269	3.9	7	<1	1	3	5	7	9	17
50-64	194	5.1	26	<1	2	4	6	9	12	32
65+	63	6.7	21	<1	2	5	8	13	16	26
2. MULTIPLE DX										
0-19 YRS	370	5.2	36	1	2	4	6	9	11	31
20-34	237	6.5	66	1	2	4	7	12	23	67
35-49	162	6.6	67	2	2	4	7	12	23	63
50-64	142	8.3	113	2	2	5	9	17	28	99+
65+	100	15.7	324	2	2	9	17	38	57	91
TOT. SINGLE DX	1431	4.3	13	1	2	3	5	8	10	20
" MULTIPLE DX	1011	7.2	96	1	2	4	8	14	24	64
TOTAL 0-19 YRS	822	4.5	21	1	2	4	5	8	10	21
20-34	690	5.0	33	1	1	4	6	9	13	34
35-49	431	4.9	32	1	2	4	5	9	12	30
50-64	336	6.5	66	1	2	4	7	12	18	61
65+	163	12.2	226	2	2	7	14	27	49	81
GRAND TOTAL	**2442**	**5.5**	**49**	**1**	**2**	**4**	**6**	**10**	**14**	**45**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	2.6	6	1	1	2	3	5	8	14
20-34	81	3.9	52	<1	<1	2	3	6	14	46
35-49	73	2.1	1	<1	1	2	2	4	6	6
50-64	71	4.1	37	<1	<1	2	4	11	17	36
65+	40	3.6	11	<1	<1	2	5	8	12	15
2. MULTIPLE DX										
0-19 YRS	54	4.6	44	1	1	2	4	9	21	35
20-34	77	5.7	64	1	1	3	6	15	21	88
35-49	72	7.3	151	1	1	3	6	23	32	96
50-64	101	9.3	193	1	1	4	9	27	46	94
65+	69	12.3	305	1	1	7	15	43	67	99+
TOT. SINGLE DX	312	3.3	25	<1	1	2	3	6	11	28
" MULTIPLE DX	373	8.0	163	1	1	3	9	21	40	99+
TOTAL 0-19 YRS	101	3.7	28	1	1	2	4	7	11	32
20-34	158	4.8	59	<1	1	2	4	11	19	56
35-49	145	4.7	83	1	1	2	4	9	23	84
50-64	172	7.1	135	<1	1	3	6	19	38	80
65+	109	9.1	214	1	1	4	11	22	57	99+
GRAND TOTAL	**685**	**5.9**	**106**	**1**	**1**	**2**	**5**	**15**	**25**	**86**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.6	22	<1	<1	7	10	13	13	13
20-34	5	7.4	52	1	1	6	11	19	19	19
35-49	7	8.9	193	1	1	3	7	33	40	40
50-64	1	8.0		8	8	8	8	8	8	8
65+	4	2.5	5	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	7	9.6	168	1	1	7	9	32	38	38
20-34	9	21.1	326	5	5	12	38	48	52	52
35-49	7	9.0	56	1	1	7	15	20	21	21
50-64	14	27.2	537	2	3	16	50	57	65	67
65+	12	32.2	661	3	6	31	68	99+	99+	99+
TOT. SINGLE DX	24	6.8	71	<1	1	5	8	14	25	40
" MULTIPLE DX	49	22.2	461	1	2	15	40	60	88	99+
TOTAL 0-19 YRS	14	8.1	90	<1	1	7	9	15	33	38
20-34	14	16.2	264	1	2	9	19	44	50	52
35-49	14	8.9	115	1	1	5	10	23	36	40
50-64	15	25.9	523	2	3	15	49	56	64	67
65+	16	24.8	662	1	1	26	47	97	99+	99+
GRAND TOTAL	**73**	**17.1**	**383**	**1**	**1**	**8**	**29**	**50**	**68**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	3.1	3	1	2	2	4	7	7	7
20-34	18	4.9	31	1	2	3	4	9	19	26
35-49	23	7.9	74	<1	1	5	9	18	29	39
50-64	43	11.8	168	1	1	7	16	24	40	59
65+	69	13.6	190	2	3	9	20	29	54	95
2. MULTIPLE DX										
0-19 YRS	20	20.9	528	2	3	9	31	63	66	68
20-34	58	16.4	152	2	2	15	22	34	39	49
35-49	165	22.0	357	3	4	16	29	52	67	99
50-64	448	23.8	300	4	6	20	32	53	68	99+
65+	713	25.8	402	4	6	20	35	57	77	99+
TOT. SINGLE DX	168	10.5	147	1	2	6	13	24	36	73
" MULTIPLE DX	1404	24.2	359	4	5	19	33	55	71	99+
TOTAL 0-19 YRS	35	13.3	376	2	2	5	11	54	63	68
20-34	76	13.7	147	2	2	9	20	32	37	48
35-49	188	20.3	344	2	3	15	26	49	63	97
50-64	491	22.7	300	3	5	19	31	51	65	99+
65+	782	24.7	395	4	5	19	34	56	77	99+
GRAND TOTAL	**1572**	**22.8**	**355**	**3**	**4**	**18**	**32**	**53**	**70**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	7	32.7	812	9	11	23	31	82	95	95
50-64	16	27.7	236	12	15	22	44	62	88	99+
65+	35	26.9	266	9	11	25	36	58	94	99+
2. MULTIPLE DX										
0-19 YRS	4	43.8	767	16	16	39	63	81	81	81
20-34	30	32.3	616	9	10	22	41	73	90	98
35-49	59	32.5	376	11	14	31	50	70	96	99+
50-64	281	39.1	436	13	16	39	60	99+	99+	99+
65+	919	38.6	512	11	14	36	63	96	99+	99+
TOT. SINGLE DX	61	26.9	311	9	10	23	35	60	96	99+
" MULTIPLE DX	1293	38.3	494	11	14	36	61	96	99+	99+
TOTAL 0-19 YRS	5	37.0	803	10	10	32	55	81	81	81
20-34	32	30.9	608	8	10	21	40	72	89	98
35-49	66	32.5	411	10	13	30	48	70	95	99+
50-64	297	38.5	431	13	16	39	58	99+	99+	99+
65+	954	38.2	508	11	14	35	62	95	99+	99+
GRAND TOTAL	**1354**	**37.8**	**491**	**11**	**14**	**35**	**60**	**95**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.4	11	5	5	8	10	14	14	14
20-34	1	31.0		31	31	31	31	31	31	31
35-49	5	25.4	193	13	13	21	31	49	49	49
50-64	9	22.0	182	5	8	22	28	42	51	51
65+	49	21.7	181	8	9	20	25	48	73	99+
2. MULTIPLE DX										
0-19 YRS	6	23.8	506	8	8	17	25	63	67	67
20-34	14	30.1	338	8	9	36	46	97	99+	99+
35-49	18	32.7	398	7	11	34	57	81	99+	99+
50-64	173	35.0	406	11	14	33	52	95	99+	99+
65+	928	30.8	455	8	10	26	47	87	99+	99+
TOT. SINGLE DX	69	21.2	177	7	8	19	25	47	59	99+
" MULTIPLE DX	1139	31.4	447	8	11	28	49	89	99+	99+
TOTAL 0-19 YRS	11	16.8	323	5	6	8	21	42	65	67
20-34	15	30.2	314	8	10	36	46	94	99+	99+
35-49	23	31.1	352	9	12	33	54	63	99+	99+
50-64	182	34.4	402	10	13	32	50	92	99+	99+
65+	977	30.4	445	8	10	25	47	86	99+	99+
GRAND TOTAL	**1208**	**30.9**	**437**	**8**	**11**	**27**	**47**	**86**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	9.7	17	4	4	10	14	14	14	14
20-34	4	11.8	117	6	6	7	17	28	28	28
35-49	4	29.3	559	11	11	21	45	63	63	63
50-64	18	23.0	209	5	10	19	39	49	77	99+
65+	9	37.7	272	18	18	37	48	63	65	65
2. MULTIPLE DX										
0-19 YRS	6	14.2	93	5	5	10	23	28	29	29
20-34	12	29.8	376	5	9	36	62	99+	99+	99+
35-49	53	30.7	275	8	14	29	45	99+	99+	99+
50-64	158	32.6	385	9	11	31	51	75	99+	99+
65+	262	34.8	428	11	12	32	53	82	99+	99+
TOT. SINGLE DX	42	23.5	286	5	6	18	36	52	64	99+
" MULTIPLE DX	491	33.3	397	9	12	31	51	82	99+	99+
TOTAL 0-19 YRS	13	11.8	53	4	5	10	14	24	28	29
20-34	16	25.3	365	5	6	27	52	99+	99+	99+
35-49	57	30.6	286	9	14	29	45	99+	99+	99+
50-64	176	31.6	374	9	11	29	49	73	99+	99+
65+	271	34.9	423	11	12	32	53	81	99+	99+
GRAND TOTAL	**533**	**32.5**	**395**	**9**	**12**	**31**	**49**	**79**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	4.8	52	<1	<1	4	5	6	23	32
20-34	17	5.6	13	1	2	5	8	11	13	14
35-49	4	5.0	14	<1	<1	4	7	10	10	10
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	9	11.6	291	2	2	5	10	39	56	56
20-34	13	10.6	35	2	3	10	15	18	22	23
35-49	8	5.3	10	1	1	5	7	10	11	11
50-64	5	9.4	93	2	2	6	13	26	26	26
65+	5	27.6	1429	2	2	11	40	94	94	94
TOT. SINGLE DX	42	4.9	28	<1	1	4	5	9	12	32
" MULTIPLE DX	40	11.7	271	2	2	8	11	22	41	94
TOTAL 0-19 YRS	26	7.1	137	<1	1	4	5	13	37	56
20-34	30	7.8	28	2	2	8	10	15	17	23
35-49	12	5.2	10	<1	1	5	7	10	11	11
50-64	7	7.3	75	1	1	4	8	23	26	26
65+	7	20.1	1115	1	1	9	19	80	94	94
GRAND TOTAL	**82**	**8.2**	**156**	**1**	**1**	**5**	**9**	**15**	**24**	**82**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	2.7	3	<1	1	2	4	4	6	10
20-34	51	2.9	6	<1	<1	2	4	6	8	15
35-49	39	3.1	8	<1	1	2	4	6	9	15
50-64	46	5.6	46	<1	1	3	6	18	21	33
65+	39	12.8	198	1	2	8	15	29	39	72
2. MULTIPLE DX										
0-19 YRS	18	5.8	51	<1	1	3	6	20	24	24
20-34	33	8.8	158	<1	1	4	15	30	90	99+
35-49	34	11.8	236	1	1	9	13	27	38	83
50-64	85	13.9	222	1	2	9	19	38	57	99+
65+	125	18.8	264	2	4	15	22	39	51	84
TOT. SINGLE DX	199	5.5	67	<1	1	3	6	13	22	39
" MULTIPLE DX	295	14.7	239	1	2	10	20	35	55	99+
TOTAL 0-19 YRS	42	4.0	26	<1	1	2	4	9	18	24
20-34	84	5.3	74	<1	<1	2	6	17	29	99+
35-49	73	7.2	132	1	1	3	9	15	26	73
50-64	131	11.0	176	1	1	6	16	29	44	99+
65+	164	17.4	254	2	3	13	22	35	49	80
GRAND TOTAL	**494**	**11.0**	**190**	**1**	**1**	**6**	**16**	**28**	**41**	**89**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	7.2	23	4	4	4	10	15	15	15
65+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	14.0	288	2	2	14	26	26	26	26
35-49	2	6.5	25	3	3	6	10	10	10	10
50-64	4	22.0	226	6	6	21	34	40	40	40
65+	2	33.0		33	33	33	33	33	33	33
TOT. SINGLE DX	13	5.8	17	2	2	4	9	11	14	15
" MULTIPLE DX	11	18.9	182	2	3	14	32	36	40	40
TOTAL 0-19 YRS	2	7.5	61	2	2	7	13	13	13	13
20-34	6	7.3	91	2	2	3	9	24	26	26
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	9	13.8	158	4	4	9	18	35	40	40
65+	4	21.3	184	9	9	21	33	33	33	33
GRAND TOTAL	**24**	**11.8**	**132**	**2**	**2**	**9**	**14**	**33**	**35**	**40**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	642	2.1	1	<1	1	2	2	3	4	5
20-34	2320	2.1	1	<1	<1	2	2	3	4	7
35-49	3412	2.4	2	<1	1	2	3	4	5	10
50-64	1963	2.9	5	1	1	2	3	5	8	12
65+	1017	4.0	13	1	2	3	5	8	10	18
2. MULTIPLE DX										
0-19 YRS	93	2.8	3	<1	1	2	3	4	8	11
20-34	720	3.1	8	1	1	2	3	5	8	19
35-49	1619	3.8	20	<1	1	2	4	7	11	25
50-64	1510	5.6	50	1	2	3	6	12	17	35
65+	1498	9.5	125	2	2	6	12	20	30	74
TOT. SINGLE DX	9354	2.6	4	<1	1	2	3	4	6	11
" MULTIPLE DX	5440	5.8	62	1	2	3	6	13	19	42
TOTAL 0-19 YRS	735	2.2	2	<1	1	2	2	3	4	7
20-34	3040	2.3	3	<1	1	2	2	3	4	11
35-49	5031	2.9	9	<1	1	2	3	4	7	16
50-64	3473	4.1	26	1	2	2	4	8	12	26
65+	2515	7.3	87	2	2	4	9	16	23	54
GRAND TOTAL	**14794**	**3.8**	**28**	**<1**	**1**	**2**	**3**	**7**	**12**	**27**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	2.7	1	1	2	2	3	4	5	8
20-34	59	3.4	14	<1	<1	2	4	6	8	26
35-49	71	4.7	13	1	2	4	6	8	12	23
50-64	98	5.3	16	1	2	4	7	10	15	21
65+	183	7.6	24	2	3	7	10	13	16	27
2. MULTIPLE DX										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	24	8.4	112	2	2	6	8	15	27	54
35-49	52	6.9	21	3	3	5	8	15	20	98
50-64	114	9.4	91	2	2	6	12	17	30	56
65+	321	13.6	136	3	4	10	16	27	39	68
TOT. SINGLE DX	460	5.6	21	1	2	4	7	11	14	25
" MULTIPLE DX	515	11.7	119	2	3	8	15	24	34	64
TOTAL 0-19 YRS	53	2.9	3	1	2	2	3	4	5	12
20-34	83	4.9	47	<1	1	3	6	8	15	45
35-49	123	5.6	18	2	2	4	7	11	16	44
50-64	212	7.5	61	2	2	5	8	15	20	47
65+	504	11.4	104	3	3	9	13	22	30	58
GRAND TOTAL	**975**	**8.8**	**82**	**2**	**2**	**6**	**10**	**18**	**26**	**53**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	107	7.7	6	5	5	7	9	11	13	14
35-49	570	8.3	10	4	5	8	10	12	14	19
50-64	1053	8.6	15	4	5	8	10	12	15	24
65+	968	9.0	11	5	5	8	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	70	10.6	178	3	5	9	11	14	16	93
35-49	619	9.6	27	5	5	9	11	14	18	32
50-64	1257	10.6	33	5	6	9	12	16	21	39
65+	1775	12.5	61	6	6	10	14	21	27	47
TOT. SINGLE DX	2701	8.6	13	4	5	8	10	13	15	21
" MULTIPLE DX	3723	11.3	50	5	6	10	13	18	24	41
TOTAL 0-19 YRS	5	4.8	2	3	3	5	6	7	7	7
20-34	177	8.9	76	4	5	8	10	12	13	55
35-49	1189	9.0	20	5	5	8	10	13	16	24
50-64	2310	9.7	26	5	6	9	11	15	18	31
65+	2743	11.2	47	5	6	9	13	18	24	39
GRAND TOTAL	**6424**	**10.2**	**36**	**5**	**6**	**9**	**11**	**16**	**20**	**35**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	327	3.4	9	1	1	3	4	5	6	13
20-34	795	3.0	4	<1	1	3	4	5	6	10
35-49	485	3.2	3	1	1	3	4	5	6	10
50-64	263	3.8	6	1	2	3	5	6	8	14
65+	54	5.0	24	1	2	4	5	8	14	27
2. MULTIPLE DX										
0-19 YRS	124	3.9	5	1	2	3	5	6	8	14
20-34	358	3.6	5	1	1	3	5	6	7	13
35-49	579	4.0	6	1	2	3	5	7	9	13
50-64	393	4.9	17	2	2	4	5	8	14	22
65+	117	8.5	114	2	3	5	9	18	35	99+
TOT. SINGLE DX	1924	3.3	6	1	1	3	4	5	6	12
" MULTIPLE DX	1571	4.5	18	1	2	3	5	8	10	22
TOTAL 0-19 YRS	451	3.5	9	1	2	3	4	5	7	14
20-34	1153	3.2	5	1	1	3	4	5	6	11
35-49	1064	3.6	5	1	2	3	4	6	8	13
50-64	656	4.5	13	1	2	4	5	8	11	20
65+	171	7.4	89	2	2	5	8	15	27	94
GRAND TOTAL	**3495**	**3.8**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**18**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1148	3.8	3	2	2	4	5	6	7	10
20-34	2191	3.9	4	2	2	4	5	6	7	11
35-49	276	3.9	4	1	2	4	5	6	8	12
50-64	75	4.0	4	1	2	4	5	6	8	13
65+	11	7.5	33	<1	2	6	9	18	20	20
2. MULTIPLE DX										
0-19 YRS	133	4.8	17	1	2	4	5	8	11	30
20-34	282	5.0	8	2	2	4	6	8	10	16
35-49	94	5.9	38	2	2	4	6	11	14	40
50-64	46	7.2	36	3	3	5	8	13	23	31
65+	15	10.8	58	4	4	8	14	24	28	30
TOT. SINGLE DX	3701	3.9	4	2	2	4	5	6	7	11
" MULTIPLE DX	570	5.4	20	2	2	4	6	9	12	27
TOTAL 0-19 YRS	1281	3.9	5	2	2	4	5	6	7	11
20-34	2473	4.1	5	2	2	4	5	6	8	12
35-49	370	4.4	14	1	2	4	5	7	9	15
50-64	121	5.2	19	2	2	4	5	10	13	27
65+	26	9.4	49	2	3	7	13	20	25	30
GRAND TOTAL	**4271**	**4.1**	**6**	**2**	**2**	**4**	**5**	**6**	**8**	**13**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1391	2.2	7	<1	<1	2	2	4	6	14
20-34	1812	2.5	11	<1	<1	2	3	5	6	15
35-49	1650	2.7	12	<1	<1	2	3	5	8	20
50-64	1594	3.1	19	<1	<1	2	3	5	10	23
65+	1062	4.2	47	<1	<1	2	4	9	14	41
2. MULTIPLE DX										
0-19 YRS	415	4.5	60	<1	1	2	5	9	15	35
20-34	815	6.8	96	<1	1	3	7	16	26	50
35-49	1074	7.1	79	<1	1	4	9	17	24	57
50-64	1827	8.8	116	<1	1	5	11	20	29	54
65+	2497	12.8	184	1	2	9	17	30	44	99+
TOT. SINGLE DX	7509	2.9	18	<1	<1	2	3	5	9	21
" MULTIPLE DX	6628	9.5	138	<1	1	5	12	23	33	78
TOTAL 0-19 YRS	1806	2.8	20	<1	<1	2	3	5	9	21
20-34	2627	3.9	41	<1	<1	2	4	8	14	33
35-49	2724	4.4	44	<1	<1	2	4	10	16	33
50-64	3421	6.1	79	<1	<1	3	7	15	23	48
65+	3559	10.2	159	<1	1	6	14	25	38	97
GRAND TOTAL	**14137**	**6.0**	**85**	**<1**	**<1**	**3**	**6**	**15**	**23**	**53**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1465	4.1	21	<1	1	3	5	8	12	23
20-34	1544	5.1	37	<1	1	3	6	10	15	32
35-49	946	6.0	53	<1	1	4	7	12	18	40
50-64	896	7.5	87	1	1	5	9	16	22	48
65+	794	10.1	150	1	2	6	13	23	37	64
2. MULTIPLE DX										
0-19 YRS	2233	5.6	67	1	1	3	6	12	20	42
20-34	3063	7.2	91	1	1	4	8	16	25	63
35-49	1984	10.4	160	1	1	6	13	24	35	75
50-64	2462	14.2	230	1	2	9	19	35	49	99+
65+	3991	18.7	319	2	3	14	26	52	81	99+
TOT. SINGLE DX	5645	6.1	64	<1	1	4	7	13	20	42
" MULTIPLE DX	13733	12.0	215	1	1	7	16	32	49	99+
TOTAL 0-19 YRS	3698	5.0	50	<1	1	3	6	10	16	38
20-34	4607	6.5	75	1	1	4	7	15	22	51
35-49	2930	9.0	131	1	1	5	11	21	31	64
50-64	3358	12.4	201	1	2	8	16	30	45	93
65+	4785	17.2	301	2	2	12	24	48	75	99+
GRAND TOTAL	**19378**	**10.3**	**178**	**1**	**1**	**6**	**13**	**27**	**42**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	140	8.1	105	1	1	4	9	25	34	46
20-34	211	9.3	78	1	2	6	13	22	27	42
35-49	146	9.4	101	1	1	6	12	23	31	48
50-64	142	12.8	186	<1	1	10	18	27	37	83
65+	187	20.8	254	1	4	18	29	40	52	89
2. MULTIPLE DX										
0-19 YRS	192	14.8	199	1	2	11	19	35	42	71
20-34	279	17.6	230	2	3	14	24	39	54	99+
35-49	252	19.6	284	2	3	15	29	45	56	99+
50-64	332	24.7	445	2	4	19	35	60	81	99+
65+	701	30.5	413	6	8	27	44	69	86	99+
TOT. SINGLE DX	826	12.3	168	1	1	8	18	30	38	61
" MULTIPLE DX	1756	24.1	383	2	4	19	34	57	75	99+
TOTAL 0-19 YRS	332	12.0	171	1	1	7	16	29	41	60
20-34	490	14.0	182	1	2	10	20	31	43	96
35-49	398	15.8	241	1	2	11	23	39	49	95
50-64	474	21.1	397	1	2	17	29	51	67	99+
65+	888	28.4	396	4	8	25	40	64	80	99+
GRAND TOTAL	**2582**	**20.3**	**344**	**1**	**2**	**16**	**29**	**48**	**67**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	4.5	71	<1	1	2	4	8	14	51
20-34	124	4.5	36	<1	1	2	5	9	19	37
35-49	68	4.3	40	<1	1	3	4	9	12	39
50-64	47	9.2	288	<1	1	3	7	28	43	83
65+	21	11.5	152	1	1	5	21	36	64	99+
2. MULTIPLE DX										
0-19 YRS	48	7.9	90	1	2	4	9	23	30	42
20-34	95	11.3	222	1	1	6	15	27	44	94
35-49	76	12.8	230	1	1	6	19	41	58	99+
50-64	81	15.3	433	1	2	7	22	67	89	99+
65+	98	21.4	476	1	2	17	41	97	99+	99+
TOT. SINGLE DX	358	5.5	90	<1	1	2	4	12	25	54
" MULTIPLE DX	398	14.5	331	1	2	7	21	51	87	99+
TOTAL 0-19 YRS	146	5.6	80	<1	1	3	4	13	26	47
20-34	219	7.5	128	1	1	3	8	20	28	80
35-49	144	8.8	158	1	1	4	10	31	44	99+
50-64	128	13.1	386	1	1	5	16	53	83	99+
65+	119	19.7	432	1	2	17	37	92	99+	99+
GRAND TOTAL	**756**	**10.2**	**237**	**1**	**1**	**4**	**12**	**35**	**60**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	412	2.5	4	<1	<1	2	3	4	7	11
20-34	316	2.6	4	<1	<1	2	3	5	6	10
35-49	271	3.4	19	<1	1	2	4	6	7	21
50-64	270	2.9	4	<1	1	3	4	5	6	10
65+	116	3.8	20	1	1	3	4	6	12	25
2. MULTIPLE DX										
0-19 YRS	249	4.1	59	<1	1	2	4	7	10	50
20-34	305	4.8	33	1	1	3	5	11	16	26
35-49	285	5.4	40	1	2	4	6	9	16	34
50-64	515	7.0	90	1	2	4	8	17	23	87
65+	532	16.6	285	2	3	12	23	51	94	99+
TOT. SINGLE DX	1385	2.9	9	<1	<1	2	3	5	7	15
" MULTIPLE DX	1886	8.7	149	1	2	4	10	23	37	99+
TOTAL 0-19 YRS	661	3.1	26	<1	<1	2	3	6	8	27
20-34	621	3.7	20	<1	1	2	4	7	11	22
35-49	556	4.4	31	1	1	3	5	8	12	30
50-64	785	5.6	65	1	1	3	5	14	19	70
65+	648	14.3	262	1	2	10	20	40	83	99+
GRAND TOTAL	**3271**	**6.3**	**98**	**<1**	**1**	**3**	**6**	**16**	**26**	**98**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.6	3	<1	1	2	3	5	7	7
20-34	15	4.7	11	2	2	4	6	8	13	15
35-49	16	5.1	23	2	2	3	5	13	16	18
50-64	15	7.5	123	1	1	2	9	26	36	40
65+	12	5.7	23	1	1	4	9	14	15	15
2. MULTIPLE DX										
0-19 YRS	7	5.0	28	<1	<1	3	6	14	16	16
20-34	16	7.3	30	1	2	6	9	12	20	24
35-49	14	13.1	287	2	2	9	15	31	59	67
50-64	32	14.9	369	2	3	8	17	32	66	88
65+	48	17.9	393	3	4	11	20	38	69	93
TOT. SINGLE DX	72	5.1	38	1	1	3	5	12	15	37
" MULTIPLE DX	117	14.3	313	2	3	9	16	29	61	90
TOTAL 0-19 YRS	21	3.4	12	<1	<1	2	4	7	11	16
20-34	31	6.0	22	2	2	5	8	11	15	24
35-49	30	8.8	158	2	2	4	12	17	27	67
50-64	47	12.6	298	1	2	6	14	26	53	88
65+	60	15.4	342	2	3	10	17	32	56	92
GRAND TOTAL	**189**	**10.8**	**228**	**1**	**2**	**6**	**12**	**24**	**40**	**88**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	4.4	18	1	2	3	6	9	13	22
20-34	1997	5.2	25	1	2	3	7	12	15	25
35-49	2456	5.8	32	1	2	3	8	14	18	26
50-64	1442	6.0	36	1	1	4	8	14	19	30
65+	341	7.3	55	1	2	5	10	17	22	38
2. MULTIPLE DX										
0-19 YRS	94	7.1	46	1	2	5	9	15	21	33
20-34	927	8.1	60	2	2	6	11	18	23	37
35-49	1464	8.6	72	2	2	6	11	18	25	42
50-64	1509	10.1	105	2	2	7	13	22	30	54
65+	903	13.9	175	2	3	10	18	31	42	84
TOT. SINGLE DX	6414	5.7	32	1	2	3	7	13	17	27
" MULTIPLE DX	4897	9.9	103	2	2	7	13	21	29	56
TOTAL 0-19 YRS	272	5.3	29	1	2	3	7	12	18	27
20-34	2924	6.1	39	1	2	4	8	14	18	29
35-49	3920	6.8	49	1	2	4	9	15	20	33
50-64	2951	8.1	76	1	2	5	11	18	25	43
65+	1244	12.1	151	2	2	8	17	27	38	79
GRAND TOTAL	**11311**	**7.5**	**67**	**1**	**2**	**4**	**10**	**17**	**23**	**40**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	7.5	177	1	2	3	8	14	24	86
20-34	175	6.3	38	2	2	4	8	13	16	32
35-49	242	5.9	42	2	2	3	7	12	18	37
50-64	433	5.5	27	2	2	4	7	11	15	27
65+	324	6.0	45	2	2	3	8	13	16	30
2. MULTIPLE DX										
0-19 YRS	39	9.2	208	2	2	4	9	29	61	99+
20-34	161	9.8	130	2	2	7	11	23	31	93
35-49	336	10.2	128	2	2	7	13	21	31	72
50-64	1053	9.5	92	2	2	7	12	20	26	61
65+	1355	10.8	105	2	2	8	14	22	30	60
TOT. SINGLE DX	1220	5.9	42	2	2	4	7	12	16	33
" MULTIPLE DX	2944	10.2	107	2	2	7	13	21	30	63
TOTAL 0-19 YRS	85	8.3	190	2	2	4	8	18	38	95
20-34	336	8.0	85	2	2	5	9	17	25	48
35-49	578	8.4	97	2	2	5	10	18	26	60
50-64	1486	8.3	77	2	2	5	11	18	24	51
65+	1679	9.9	98	2	2	7	13	20	28	57
GRAND TOTAL	**4164**	**8.9**	**92**	**2**	**2**	**6**	**11**	**19**	**26**	**57**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	20	2.7		2	2	3	3	4	4	4
35-49	139	3.3	5	2	2	2	3	6	9	14
50-64	262	3.3	7	2	2	2	3	5	7	15
65+	52	4.0	13	2	2	2	4	8	14	18
2. MULTIPLE DX										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	28	4.6	18	1	2	3	4	10	14	20
35-49	276	3.9	10	2	2	3	4	8	10	17
50-64	824	4.3	19	2	2	3	4	9	13	21
65+	291	6.1	36	2	2	3	7	14	19	25
TOT. SINGLE DX	474	3.3	7	2	2	2	3	6	8	15
" MULTIPLE DX	1421	4.6	22	2	2	3	5	10	14	23
TOTAL 0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	48	3.8	12	2	2	3	3	9	11	20
35-49	415	3.7	9	2	2	3	4	7	9	16
50-64	1086	4.0	17	2	2	3	4	8	12	20
65+	343	5.7	33	2	2	3	7	14	18	24
GRAND TOTAL	**1895**	**4.3**	**19**	**2**	**2**	**3**	**4**	**9**	**13**	**22**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	118	5.2	28	1	1	3	6	12	17	26
20-34	497	6.3	33	1	2	4	9	14	16	30
35-49	707	6.3	34	1	2	4	9	13	16	30
50-64	1014	5.7	25	1	2	4	8	13	16	23
65+	870	6.4	40	1	2	4	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	124	7.6	58	1	2	5	10	16	22	43
20-34	471	9.0	75	1	2	7	11	18	24	57
35-49	1001	10.0	85	2	2	8	13	20	27	50
50-64	2794	9.2	72	2	2	7	12	19	24	44
65+	4018	11.7	123	2	2	9	15	24	33	74
TOT. SINGLE DX	3206	6.1	33	1	2	4	9	13	16	29
" MULTIPLE DX	8408	10.5	100	2	2	8	14	22	28	57
TOTAL 0-19 YRS	242	6.4	45	1	2	4	8	14	19	33
20-34	968	7.6	56	1	2	6	10	15	21	38
35-49	1708	8.4	68	1	2	6	11	17	23	41
50-64	3808	8.3	62	2	2	6	11	17	22	38
65+	4888	10.7	113	2	2	8	14	23	30	68
GRAND TOTAL	**11614**	**9.2**	**85**	**2**	**2**	**7**	**12**	**19**	**26**	**49**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7367	4.4	22	1	1	3	5	8	11	24
20-34	11283	5.1	27	1	1	4	6	10	14	28
35-49	8153	6.1	33	1	1	5	8	12	16	28
50-64	7785	7.3	44	1	2	6	9	14	18	33
65+	7338	9.4	71	2	3	7	12	18	24	48
2. MULTIPLE DX										
0-19 YRS	8434	5.8	51	1	1	4	7	11	17	43
20-34	13365	7.1	50	1	2	5	9	14	20	39
35-49	16351	8.5	59	2	2	7	10	16	22	41
50-64	32027	10.1	74	2	3	8	13	19	25	48
65+	68189	13.3	130	3	4	10	16	26	36	80
TOT. SINGLE DX	41926	6.3	42	1	2	5	8	13	17	32
" MULTIPLE DX	138366	10.9	103	2	3	8	14	22	30	63
TOTAL 0-19 YRS	15801	5.1	39	1	1	4	6	10	14	33
20-34	24648	6.2	41	1	2	4	7	12	17	33
35-49	24504	7.7	52	1	2	6	10	15	20	38
50-64	39812	9.6	70	2	3	7	12	18	24	46
65+	75527	12.9	126	3	4	10	16	25	35	77
GRAND TOTAL	**180292**	**9.9**	**92**	**2**	**2**	**7**	**12**	**20**	**28**	**57**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2699	6.1	61	1	1	4	6	13	23	43
20-34	2047	7.9	51	1	2	6	10	14	19	41
35-49	2106	8.4	45	2	3	7	10	15	20	35
50-64	1804	8.7	46	2	3	7	11	16	20	38
65+	1580	11.2	106	2	3	9	13	21	29	63
2. MULTIPLE DX										
0-19 YRS	2783	8.2	105	1	2	5	9	18	28	64
20-34	3909	8.6	68	2	3	6	10	16	22	49
35-49	3628	9.5	60	2	4	7	11	17	23	44
50-64	4853	11.2	98	3	4	9	13	21	28	60
65+	10019	15.1	170	3	5	11	18	31	46	99+
TOT. SINGLE DX	10236	8.2	63	1	2	6	10	16	22	43
" MULTIPLE DX	25192	11.8	126	2	3	8	14	24	35	78
TOTAL 0-19 YRS	5482	7.2	85	1	2	4	7	16	26	54
20-34	5956	8.4	63	2	3	6	10	15	21	47
35-49	5734	9.1	55	2	3	7	11	17	22	41
50-64	6657	10.5	86	2	3	8	13	19	26	54
65+	11599	14.5	164	3	4	11	18	30	44	99+
GRAND TOTAL	**35428**	**10.7**	**110**	**2**	**3**	**8**	**13**	**21**	**31**	**68**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5563	4.0	18	1	1	3	5	7	9	19
20-34	2646	5.2	44	1	1	3	6	10	16	37
35-49	2198	6.5	45	1	1	4	8	14	17	37
50-64	2445	7.6	45	1	2	6	10	15	20	33
65+	2525	8.8	66	2	2	7	11	17	22	44
2. MULTIPLE DX										
0-19 YRS	6057	5.6	59	1	1	4	6	10	16	49
20-34	4096	7.0	71	1	1	5	8	15	21	44
35-49	5169	8.1	64	1	2	6	10	16	22	42
50-64	11984	9.4	67	2	3	7	12	18	23	43
65+	26251	12.0	114	3	4	9	15	23	32	71
TOT. SINGLE DX	15377	5.9	42	1	1	4	7	13	17	33
" MULTIPLE DX	53557	9.9	95	2	2	7	12	20	27	59
TOTAL 0-19 YRS	11620	4.8	40	1	1	3	5	8	12	34
20-34	6742	6.3	61	1	1	4	7	13	20	41
35-49	7367	7.6	59	1	2	5	9	15	21	40
50-64	14429	9.1	64	2	3	7	12	17	23	42
65+	28776	11.7	111	3	3	9	14	22	31	68
GRAND TOTAL	**68934**	**9.1**	**86**	**1**	**2**	**6**	**11**	**18**	**25**	**53**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision – *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

OPERATION INDEX (continued)

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
784	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction – *see Reduction, fracture*
	Transfer – *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Length of Stay by Diagnosis, Southern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1]*ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2]*Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

shows

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — see Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — see Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17209	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	228072	3.3	7	1	2	3	4	5	6	12
20-34	116206	4.0	19	1	1	3	4	7	10	24
35-49	56402	5.4	31	1	1	4	7	11	15	28
50-64	48904	6.1	34	1	2	4	8	12	16	29
65+	48199	7.1	43	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	74521	2.9	9	<1	1	2	3	5	7	15
20-34	140558	3.8	11	1	1	3	5	7	9	16
35-49	77153	5.1	21	1	1	4	7	10	13	22
50-64	70102	6.1	32	1	2	4	8	12	16	27
65+	70623	7.1	49	1	2	5	9	16	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135031	4.6	26	1	2	3	5	8	11	27
20-34	105417	5.0	30	1	1	3	6	10	13	29
35-49	103237	6.4	36	1	2	5	8	12	17	30
50-64	163338	7.3	42	2	2	6	9	14	18	33
65+	296145	9.0	61	2	3	7	11	17	23	41
B. *Operated*										
0-19 YRS	56494	5.1	63	1	1	3	5	10	16	49
20-34	160758	5.4	32	1	2	4	6	9	13	30
35-49	103732	7.4	55	1	2	6	9	14	19	41
50-64	112719	9.6	89	2	2	7	12	19	27	51
65+	151898	12.4	128	2	2	9	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497783	4.3	21	1	1	3	5	8	12	24
B. *Operated*	432957	4.8	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	803168	7.1	47	1	2	5	9	14	19	35
B. *Operated*	585601	8.3	83	1	2	6	10	18	25	49
1. SINGLE DX	930740	4.5	22	1	1	3	5	9	13	24
2. MULTIPLE DX	1388769	7.6	63	1	2	5	9	16	22	42
A. NOT OPERATED	1300951	6.0	39	1	2	4	7	12	17	32
B. OPERATED	1018558	6.8	61	1	2	4	8	15	21	41
TOTAL 0-19 YRS	494118	3.8	20	1	1	3	4	6	9	22
20-34	522939	4.6	24	1	1	3	5	8	12	25
35-49	340524	6.3	38	1	2	5	8	12	16	31
50-64	395063	7.6	54	1	2	6	10	15	20	38
65+	566865	9.5	80	2	2	7	12	19	26	47
GRAND TOTAL	**2319509**	**6.4**	**49**	**1**	**2**	**4**	**8**	**13**	**18**	**36**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	83130	3.6	16	1	1	3	4	6	9	19
20-34	116206	4.0	19	1	1	3	4	7	10	24
35-49	56402	5.4	31	1	1	4	7	11	15	28
50-64	48904	6.1	34	1	2	4	8	12	16	29
65+	48199	7.1	43	1	2	5	9	14	19	34
B. *Operated*										
0-19 YRS	74434	2.9	9	<1	1	2	3	5	7	15
20-34	140558	3.8	11	1	1	3	5	7	9	16
35-49	77153	5.1	21	1	1	4	7	10	13	22
50-64	70102	6.1	32	1	2	4	8	12	16	27
65+	70623	7.1	49	1	2	5	9	16	20	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82715	4.3	24	1	1	3	5	8	11	25
20-34	105417	5.0	30	1	1	3	6	10	13	29
35-49	103237	6.4	36	1	2	5	8	12	17	30
50-64	163338	7.3	42	2	2	6	9	14	18	33
65+	296145	9.0	61	2	3	7	11	17	23	41
B. *Operated*										
0-19 YRS	54303	4.4	37	1	1	3	5	9	13	33
20-34	160758	5.4	32	1	2	4	6	9	13	30
35-49	103732	7.4	55	1	2	6	9	14	19	41
50-64	112719	9.6	89	2	2	7	12	19	27	51
65+	151898	12.4	128	2	2	9	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352841	4.9	27	1	1	3	6	10	14	27
B. *Operated*	432870	4.8	24	1	1	3	6	10	14	24
2. MULTIPLE DX										
A. *Not Operated*	750852	7.2	48	1	2	5	9	14	19	35
B. *Operated*	583410	8.3	81	1	2	6	10	18	25	48
1. SINGLE DX	785711	4.8	26	1	1	3	6	10	14	25
2. MULTIPLE DX	1334262	7.7	63	1	2	5	9	16	22	42
A. NOT OPERATED	1103693	6.5	43	1	2	5	8	13	18	33
B. OPERATED	1016280	6.8	60	1	2	4	8	15	20	40
TOTAL 0-19 YRS	294582	3.8	21	1	1	3	4	7	10	23
20-34	522939	4.6	24	1	1	3	5	8	12	25
35-49	340524	6.3	38	1	2	5	8	12	16	31
50-64	395063	7.6	54	1	2	6	10	15	20	38
65+	566865	9.5	80	2	2	7	12	19	26	47
GRAND TOTAL	**2119973**	**6.6**	**51**	**1**	**2**	**4**	**8**	**14**	**19**	**37**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2451	3.3	5	1	1	3	4	6	7	12
20-34	1105	3.3	5	1	1	3	4	6	7	11
35-49	444	3.7	6	1	2	3	4	6	8	14
50-64	284	4.1	8	1	1	4	5	7	9	13
65+	215	4.7	10	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	38	4.7	4	2	2	4	6	8	9	10
20-34	57	5.5	8	2	2	5	7	9	11	15
35-49	24	8.4	32	2	4	7	10	17	21	27
50-64	15	12.4	146	4	4	9	13	16	44	54
65+	5	8.4	33	4	4	7	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2449	3.8	9	1	2	3	4	6	8	14
20-34	955	3.9	7	1	1	3	5	7	9	14
35-49	657	4.8	11	1	2	4	6	9	11	20
50-64	734	5.2	11	1	2	4	6	9	11	17
65+	1090	6.6	28	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	52	9.1	171	2	3	6	9	17	21	93
20-34	69	7.8	23	3	3	6	10	14	17	28
35-49	58	10.1	93	3	3	7	12	17	26	56
50-64	41	9.7	36	3	4	8	12	19	23	26
65+	68	13.6	183	4	4	10	16	24	35	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4499	3.4	6	1	1	3	4	6	8	12
B. *Operated*	139	6.7	31	2	3	5	8	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	5885	4.6	14	1	2	4	6	8	11	18
B. *Operated*	288	10.1	106	3	3	8	12	19	24	54
1. SINGLE DX	4638	3.5	7	1	1	3	4	6	8	13
2. MULTIPLE DX	6173	4.9	19	1	2	4	6	9	12	21
A. NOT OPERATED	10384	4.1	11	1	2	3	5	7	10	16
B. OPERATED	427	9.0	84	2	3	7	10	17	21	50
TOTAL 0-19 YRS	4990	3.6	9	1	1	3	4	6	8	14
20-34	2186	3.7	7	1	1	3	5	7	9	14
35-49	1183	4.7	16	1	2	4	6	9	11	20
50-64	1074	5.2	15	1	2	4	6	9	12	20
65+	1378	6.6	36	2	2	5	8	12	16	29
GRAND TOTAL	**10811**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**	**18**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.3	33	2	3	4	9	15	21	24
20-34	33	10.5	46	1	3	10	14	19	22	32
35-49	32	10.0	81	1	2	7	14	24	31	37
50-64	54	11.5	139	2	2	10	15	21	22	79
65+	42	12.6	70	2	3	12	17	21	28	42
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	16	8.9	29	1	2	10	13	16	17	17
35-49	28	15.4	122	2	4	14	20	23	33	59
50-64	39	12.6	58	2	3	12	17	22	26	34
65+	28	12.1	99	2	4	8	17	25	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.8	95	3	3	4	8	22	35	35
20-34	48	14.6	164	4	5	10	18	32	52	99+
35-49	78	13.2	126	2	3	10	16	24	36	64
50-64	109	12.8	114	2	3	9	17	26	37	53
65+	156	15.6	116	3	4	13	21	29	39	97
B. *Operated*										
0-19 YRS	2	13.5	41	9	9	13	18	18	18	18
20-34	25	15.6	67	6	7	13	20	23	29	44
35-49	52	20.3	268	4	5	16	29	55	63	99+
50-64	90	15.9	147	3	6	14	19	28	48	91
65+	134	19.3	194	4	7	15	24	37	52	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	10.9	85	2	2	9	15	21	25	41
B. *Operated*	112	12.7	82	2	3	11	17	22	27	51
2. MULTIPLE DX										
A. *Not Operated*	401	14.1	124	3	4	11	18	27	40	68
B. *Operated*	303	18.1	183	4	6	15	22	37	53	99+
1. SINGLE DX	290	11.6	84	2	3	10	15	21	27	44
2. MULTIPLE DX	704	15.8	153	3	4	13	20	31	46	91
A. NOT OPERATED	579	13.1	114	2	3	10	17	25	34	67
B. OPERATED	415	16.6	161	3	5	14	21	31	49	90
TOTAL 0-19 YRS	30	8.2	54	3	3	5	9	17	24	35
20-34	122	12.9	99	2	4	12	16	22	32	77
35-49	190	14.9	168	2	3	12	18	31	52	86
50-64	292	13.5	123	2	3	11	17	23	35	70
65+	360	16.3	144	3	5	14	22	31	43	84
GRAND TOTAL	**994**	**14.6**	**137**	**2**	**4**	**12**	**19**	**28**	**41**	**77**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	5	6.8	83	2	2	3	9	23	23	23
35-49	3	5.7	25	1	1	5	9	11	11	11
50-64	11	13.1	550	2	2	5	9	42	79	83
65+	10	10.4	26	1	3	11	14	16	17	17
B. *Operated*										
0-19 YRS	8	5.3	93	1	1	2	3	21	29	29
20-34	7	6.6	54	2	2	5	5	19	23	23
35-49	8	14.8	114	3	3	14	21	31	33	33
50-64	3	6.0	7	3	3	7	8	8	8	8
65+	9	13.1	53	3	5	12	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	91	4	4	5	15	24	24	24
20-34	9	11.7	43	3	5	9	17	21	23	23
35-49	11	9.0	54	1	1	8	14	19	25	25
50-64	12	12.9	69	3	3	11	14	29	30	30
65+	22	12.8	86	4	5	10	17	23	32	45
B. *Operated*										
0-19 YRS	5	8.2	31	2	2	8	12	16	16	16
20-34	11	16.3	252	1	1	14	22	39	53	54
35-49	13	20.2	333	6	6	16	31	75	94	99+
50-64	18	14.7	149	2	2	14	19	25	42	52
65+	29	28.5	460	3	7	23	36	55	83	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	10.7	223	1	2	7	13	19	23	83
B. *Operated*	35	9.8	82	1	2	6	15	25	28	33
2. MULTIPLE DX										
A. *Not Operated*	58	11.7	68	2	3	10	15	23	27	44
B. *Operated*	76	20.7	339	2	3	17	26	48	68	98
1. SINGLE DX	65	10.2	145	1	2	7	14	23	27	75
2. MULTIPLE DX	134	16.8	240	2	3	13	23	35	51	93
A. NOT OPERATED	88	11.4	119	2	2	9	14	23	25	69
B. OPERATED	111	17.3	283	2	2	14	23	37	54	95
TOTAL 0-19 YRS	18	8.0	77	1	1	4	11	23	27	29
20-34	32	11.4	130	1	2	7	16	23	28	54
35-49	35	14.2	188	1	2	12	19	33	61	99+
50-64	44	13.2	209	2	3	10	16	26	37	83
65+	70	19.0	288	3	5	14	23	40	48	90
GRAND TOTAL	**199**	**14.7**	**218**	**2**	**2**	**11**	**20**	**30**	**46**	**88**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.9	3	1	1	3	3	5	6	9
20-34	130	3.5	2	2	2	3	4	5	6	9
35-49	40	3.3	1	2	2	3	4	5	5	6
50-64	20	4.4	4	1	2	4	5	7	9	10
65+	9	4.6	2	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS	23	2.1	1	<1	1	2	2	3	4	4
20-34	5	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	380	3.2	4	1	1	3	4	6	7	13
20-34	154	4.1	7	2	2	4	4	6	9	11
35-49	75	4.3	4	2	2	4	5	7	8	10
50-64	50	4.9	5	2	2	5	7	8	9	11
65+	35	7.0	14	3	4	6	10	13	15	16
B. *Operated*										
0-19 YRS	14	4.9	15	2	2	4	7	9	14	16
20-34	8	5.8	29	1	1	4	8	15	17	17
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	2	11.0	128	3	3	11	19	19	19	19
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	482	3.2	3	1	2	3	4	5	6	9
B. *Operated*	29	2.1		1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	694	3.8	6	1	2	3	5	6	8	13
B. *Operated*	28	5.5	22	2	2	4	7	14	17	19
1. SINGLE DX	511	3.1	2	1	2	3	4	5	6	9
2. MULTIPLE DX	722	3.9	7	1	2	3	5	7	8	14
A. NOT OPERATED	1176	3.6	5	1	2	3	4	6	7	12
B. OPERATED	57	3.8	14	1	2	2	4	7	14	19
TOTAL 0-19 YRS	700	3.1	4	1	1	3	4	5	6	11
20-34	297	3.8	6	2	2	3	4	6	8	11
35-49	119	3.9	3	2	2	4	5	6	7	9
50-64	72	4.9	8	2	2	4	6	8	10	17
65+	45	6.4	12	3	3	5	7	12	14	16
GRAND TOTAL	**1233**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	336	5.3	12	2	2	5	7	9	11	19
20-34	26	6.4	16	2	3	5	9	12	15	16
35-49	15	10.8	49	3	4	8	15	18	27	30
50-64	25	7.4	13	2	4	7	10	12	14	16
65+	106	10.2	38	3	4	9	13	17	21	35
B. *Operated*										
0-19 YRS	8	6.8	9	3	3	6	9	11	11	11
20-34	5	8.8	29	4	4	8	11	18	18	18
35-49	2	12.0	18	9	9	12	15	15	15	15
50-64	4	26.5	222	15	15	22	37	47	47	47
65+	7	17.1	118	6	7	18	29	82	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	366	6.4	27	2	2	5	8	11	14	24
20-34	101	9.1	74	2	3	6	12	17	20	51
35-49	124	10.7	61	3	4	8	13	24	29	36
50-64	265	11.9	65	4	5	10	14	21	26	43
65+	1054	13.6	85	4	6	11	16	24	31	48
B. *Operated*										
0-19 YRS	19	9.0	24	1	2	10	13	15	16	16
20-34	19	24.4	442	3	6	17	50	85	99+	99+
35-49	41	19.3	344	5	5	14	23	41	87	99+
50-64	87	22.8	337	5	7	17	34	56	87	99+
65+	253	22.9	212	7	8	19	31	44	53	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	6.7	23	2	2	5	8	12	16	25
B. *Operated*	26	13.4	113	4	4	10	18	37	55	99+
2. MULTIPLE DX										
A. *Not Operated*	1910	11.5	77	3	4	10	14	21	28	44
B. *Operated*	419	22.0	259	5	7	17	31	46	62	99+
1. SINGLE DX	534	7.0	29	2	2	5	9	13	17	30
2. MULTIPLE DX	2329	13.4	125	3	4	11	16	27	35	68
A. NOT OPERATED	2418	10.5	69	2	3	8	13	20	26	43
B. OPERATED	445	21.5	255	5	7	17	30	46	61	99+
TOTAL 0-19 YRS	729	6.0	20	2	2	5	7	11	13	20
20-34	151	10.5	135	2	3	7	13	19	41	99
35-49	182	12.7	134	3	4	9	16	26	31	91
50-64	381	14.2	149	4	5	11	17	31	41	95
65+	1420	15.0	118	4	6	12	18	29	37	59
GRAND TOTAL	**2863**	**12.2**	**114**	**3**	**3**	**9**	**15**	**24**	**33**	**62**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	205	7.2	30	2	2	6	10	13	15	26
20-34	51	5.7	12	2	2	4	8	12	13	14
35-49	42	6.1	14	2	3	5	7	11	15	18
50-64	36	6.7	40	2	3	5	8	12	16	38
65+	22	10.4	81	2	2	8	11	24	32	36
B. *Operated*										
0-19 YRS	9	9.8	28	4	4	11	15	16	17	17
20-34	5	11.4	111	2	2	9	16	29	29	29
35-49	13	15.9	194	3	4	10	27	36	43	45
50-64	8	18.6	102	5	6	17	26	33	34	34
65+	8	16.1	93	6	6	13	22	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	7.3	20	2	2	6	10	12	16	22
20-34	79	6.5	14	2	2	5	9	13	14	16
35-49	55	7.6	32	2	3	6	9	12	19	31
50-64	84	7.8	27	2	3	6	10	15	21	75
65+	141	9.9	48	3	4	8	12	18	24	38
B. *Operated*										
0-19 YRS	18	17.1	135	3	6	14	20	29	44	54
20-34	16	16.9	427	3	4	9	14	53	72	78
35-49	20	19.7	474	3	4	13	26	37	69	99
50-64	25	18.4	173	3	4	18	25	42	45	50
65+	35	23.1	346	5	5	19	30	44	68	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	7.0	31	2	2	5	9	13	15	33
B. *Operated*	43	14.7	114	3	4	12	19	33	34	45
2. MULTIPLE DX										
A. *Not Operated*	574	7.9	29	2	3	7	10	14	18	30
B. *Operated*	114	19.6	304	4	5	14	25	40	56	89
1. SINGLE DX	399	7.8	45	2	2	6	10	15	18	35
2. MULTIPLE DX	688	9.9	93	2	3	7	11	19	27	56
A. NOT OPERATED	930	7.6	30	2	3	6	10	14	16	31
B. OPERATED	157	18.3	256	4	4	13	24	36	48	83
TOTAL 0-19 YRS	447	7.7	33	2	2	7	10	14	16	28
20-34	151	7.5	68	2	2	5	9	13	15	57
35-49	130	9.8	131	2	3	6	11	20	31	56
50-64	153	9.9	77	2	3	7	12	22	30	50
65+	206	12.4	127	3	4	9	15	26	34	65
GRAND TOTAL	**1087**	**9.1**	**77**	**2**	**3**	**7**	**11**	**17**	**24**	**45**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	803	4.0	5	1	2	3	5	7	8	12
20-34	418	4.4	6	1	2	4	6	8	9	12
35-49	83	4.7	6	1	2	4	6	8	10	13
50-64	19	8.1	33	2	3	6	11	18	20	21
65+	4	8.3	126	2	2	3	14	25	25	25
B. *Operated*										
0-19 YRS	10	4.6	2	3	3	4	6	7	7	7
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	4	7.3	36	2	2	6	12	15	15	15
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	261	4.7	10	2	2	4	5	8	11	19
20-34	194	5.0	10	2	2	4	6	9	11	16
35-49	42	7.5	17	3	3	6	10	14	15	17
50-64	21	15.5	415	2	3	8	15	46	73	75
65+	16	17.3	118	7	8	13	22	28	43	50
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	9	15.4	331	3	3	11	15	44	62	62
35-49	3	8.0	49	3	3	5	13	16	16	16
50-64	3	15.3	102	9	9	10	23	27	27	27
65+	2	22.0	128	14	14	22	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1327	4.2	7	1	2	4	5	7	9	14
B. *Operated*	17	5.6	12	2	2	4	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	534	5.8	37	2	2	4	7	11	14	25
B. *Operated*	19	13.8	195	3	3	10	16	29	48	62
1. SINGLE DX	1344	4.2	7	1	2	4	5	7	9	14
2. MULTIPLE DX	553	6.1	45	2	2	4	7	12	15	29
A. NOT OPERATED	1861	4.7	16	1	2	4	6	8	11	18
B. OPERATED	36	9.9	123	2	3	6	12	18	29	62
TOTAL 0-19 YRS	1076	4.2	7	1	2	4	5	7	9	14
20-34	623	4.7	14	1	2	4	6	8	10	15
35-49	132	5.8	12	2	2	5	7	11	14	16
50-64	44	12.1	226	2	3	7	14	22	42	75
65+	22	16.0	124	2	3	13	23	29	38	50
GRAND TOTAL	**1897**	**4.8**	**19**	**2**	**2**	**4**	**6**	**8**	**11**	**20**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	350	3.4	6	1	1	3	4	6	7	13
20-34	78	4.7	8	2	2	4	6	8	9	18
35-49	42	5.5	12	<1	2	5	8	11	12	14
50-64	102	6.6	31	2	2	5	8	10	15	34
65+	192	7.6	47	2	3	6	8	14	22	32
B. *Operated*										
0-19 YRS	4	9.5	78	2	2	7	15	22	22	22
20-34	4	5.0	21	<1	<1	4	8	11	11	11
35-49	7	6.6	34	<1	1	5	7	17	19	19
50-64	11	11.3	73	3	4	9	12	25	32	33
65+	22	8.7	57	1	2	7	13	21	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	528	3.9	6	1	2	3	5	6	8	15
20-34	103	5.0	8	2	2	4	6	9	11	13
35-49	79	7.5	30	2	3	6	9	13	15	34
50-64	231	7.8	42	2	3	6	10	14	18	41
65+	733	10.1	60	3	3	8	12	20	28	41
B. *Operated*										
0-19 YRS	17	12.5	181	3	4	8	11	41	47	47
20-34	9	7.1	17	2	2	8	9	13	15	15
35-49	11	13.5	163	3	3	10	16	30	47	49
50-64	21	15.2	221	2	3	11	20	39	51	55
65+	80	16.4	154	3	4	13	23	36	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	5.1	23	1	2	4	6	9	12	28
B. *Operated*	48	8.8	55	1	2	7	12	20	23	33
2. MULTIPLE DX										
A. *Not Operated*	1674	7.4	43	2	2	5	9	14	20	36
B. *Operated*	138	14.9	162	2	3	11	20	34	48	99+
1. SINGLE DX	812	5.3	26	1	2	4	6	10	13	28
2. MULTIPLE DX	1812	7.9	56	2	2	6	10	16	23	43
A. NOT OPERATED	2438	6.7	38	2	2	5	8	13	18	34
B. OPERATED	186	13.3	141	2	3	10	18	31	44	87
TOTAL 0-19 YRS	899	3.9	11	1	2	3	4	6	8	17
20-34	194	5.0	9	2	2	4	6	9	10	14
35-49	139	7.3	38	2	3	6	9	13	15	36
50-64	365	8.0	53	2	3	6	9	14	19	47
65+	1027	10.1	69	3	3	8	12	21	29	44
GRAND TOTAL	**2624**	**7.1**	**48**	**2**	**2**	**5**	**9**	**14**	**21**	**39**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	6.1	16	2	2	5	8	11	14	19
20-34	511	6.9	19	2	3	6	9	12	15	22
35-49	168	7.6	22	2	3	7	10	13	17	25
50-64	61	8.4	36	1	3	7	11	15	22	30
65+	30	10.6	23	4	5	11	13	16	20	24
B. *Operated*										
0-19 YRS	3	6.0	4	4	4	6	7	8	8	8
20-34	22	7.2	53	1	1	4	11	17	24	28
35-49	20	6.9	18	2	2	6	11	12	13	13
50-64	8	8.8	87	2	2	5	13	25	28	28
65+	9	11.7	8	8	8	12	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	7.8	46	2	3	6	9	13	15	42
20-34	233	7.7	19	3	3	7	10	14	17	23
35-49	109	8.8	38	2	3	7	12	17	20	33
50-64	116	10.8	112	3	3	8	13	20	26	73
65+	74	10.2	46	3	4	8	12	19	21	39
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	30	9.6	36	2	3	7	13	19	22	24
35-49	22	9.7	29	2	3	10	14	17	18	19
50-64	24	11.5	116	1	2	8	14	30	37	38
65+	16	17.8	272	5	8	12	19	39	62	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	929	7.1	21	2	3	6	9	13	15	24
B. *Operated*	62	7.9	38	2	2	7	11	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	590	8.8	48	3	3	7	11	16	20	35
B. *Operated*	93	11.5	100	2	3	9	15	20	29	58
1. SINGLE DX	991	7.2	22	2	2	6	9	13	16	25
2. MULTIPLE DX	683	9.2	56	2	3	8	11	17	20	38
A. NOT OPERATED	1519	7.8	32	2	3	7	10	14	17	28
B. OPERATED	155	10.1	78	2	2	9	13	19	26	41
TOTAL 0-19 YRS	221	6.6	24	2	2	6	8	12	14	33
20-34	796	7.3	21	2	3	6	9	13	16	22
35-49	319	8.1	28	2	3	7	11	15	18	26
50-64	209	10.1	89	2	3	8	12	19	27	51
65+	129	11.3	70	3	4	10	13	19	21	47
GRAND TOTAL	**1674**	**8.0**	**37**	**2**	**3**	**7**	**10**	**15**	**18**	**30**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	482	4.1	5	1	2	4	5	7	9	11
20-34	143	4.9	12	2	2	4	6	8	9	25
35-49	25	5.7	9	2	3	5	7	10	12	13
50-64	8	6.3	9	3	3	6	8	10	11	11
65+										
B. *Operated*										
0-19 YRS	9	6.1	16	2	2	4	10	12	13	13
20-34	5	6.2	15	4	4	5	7	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	473	4.7	7	2	2	4	6	8	10	14
20-34	178	5.3	10	2	2	4	7	10	12	16
35-49	33	7.5	15	2	3	7	9	13	14	19
50-64	10	6.2	9	2	3	6	7	11	13	13
65+	2	18.0	162	9	9	18	27	27	27	27
B. *Operated*										
0-19 YRS	11	4.5	4	1	2	4	6	7	9	9
20-34	11	9.2	19	4	4	9	11	15	19	19
35-49	3	8.7	24	3	3	11	12	12	12	12
50-64	2	6.5	5	5	5	6	8	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	4.4	7	2	2	4	5	7	9	12
B. *Operated*	14	6.1	15	2	2	5	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	696	5.0	9	2	2	4	6	9	11	15
B. *Operated*	27	7.0	16	2	3	6	9	12	14	19
1. SINGLE DX	672	4.4	7	2	2	4	5	8	9	13
2. MULTIPLE DX	723	5.1	9	2	2	4	7	9	11	15
A. NOT OPERATED	1354	4.7	8	2	2	4	6	8	10	14
B. OPERATED	41	6.7	15	2	3	5	9	12	13	19
TOTAL 0-19 YRS	975	4.4	6	2	2	4	6	8	9	12
20-34	337	5.3	12	2	2	4	7	9	12	18
35-49	61	6.8	13	2	3	6	9	12	13	18
50-64	20	6.3	8	2	3	6	8	10	12	13
65+	2	18.0	162	9	9	18	27	27	27	27
GRAND TOTAL	**1395**	**4.8**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	<1	<1	<1	3	3	3	3
20-34	6	1.8	1	1	1	2	2	4	4	4
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	261	2.0	3	<1	<1	2	2	3	4	8
20-34	536	2.4	7	<1	1	2	3	4	5	8
35-49	147	2.5	3	<1	1	2	3	5	6	8
50-64	40	2.3	1	<1	<1	2	3	4	5	5
65+	16	4.4	19	<1	2	3	6	7	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	12	3.5	13	<1	<1	3	4	8	13	14
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	47	4.0	69	1	1	2	3	6	9	58
20-34	171	3.4	5	1	1	3	5	7	8	12
35-49	80	4.2	9	1	2	3	5	8	11	14
50-64	47	5.3	26	1	1	4	6	11	15	27
65+	21	6.2	21	1	2	5	7	14	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	1000	2.4	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	17	2.9	10	<1	1	2	3	5	11	14
B. *Operated*	366	4.1	18	1	1	3	5	7	10	18
1. SINGLE DX	1016	2.4	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX	383	4.0	18	1	1	3	5	7	10	17
A. NOT OPERATED	33	2.5	6	<1	<1	2	3	5	5	14
B. OPERATED	1366	2.8	9	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	314	2.3	13	<1	<1	2	2	4	5	10
20-34	725	2.7	7	<1	1	2	3	5	6	10
35-49	233	3.1	6	<1	1	2	3	6	8	13
50-64	89	3.9	17	<1	1	3	5	7	11	25
65+	38	5.3	20	1	2	4	7	13	17	19
GRAND TOTAL	**1399**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1778	3.0	3	1	1	3	4	5	6	9
20-34	512	3.7	5	1	1	3	4	6	8	11
35-49	210	4.1	7	1	2	3	5	7	10	14
50-64	125	4.7	9	2	2	4	6	9	10	17
65+	115	4.7	9	1	2	4	6	8	11	16
B. *Operated*										
0-19 YRS	48	4.5	45	1	1	3	5	8	9	47
20-34	25	6.0	45	1	2	4	6	12	23	31
35-49	7	6.3	22	1	1	4	10	12	13	13
50-64	7	7.0	17	3	3	6	9	14	15	15
65+	3	12.0	148	4	4	6	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1501	3.4	6	1	1	3	4	6	7	13
20-34	675	4.1	7	1	2	4	5	7	9	15
35-49	468	4.8	12	2	2	4	6	8	10	21
50-64	444	5.5	12	2	2	5	7	10	12	16
65+	669	6.1	15	2	3	5	7	12	14	20
B. *Operated*										
0-19 YRS	46	6.3	58	1	2	4	6	10	24	39
20-34	43	7.1	24	2	3	5	9	13	17	24
35-49	28	10.0	64	3	3	7	11	17	33	36
50-64	35	10.1	67	3	3	8	11	21	26	44
65+	38	14.8	159	5	5	11	17	26	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2740	3.3	4	1	1	3	4	6	7	11
B. *Operated*	90	5.5	44	1	1	4	6	10	15	41
2. MULTIPLE DX										
A. *Not Operated*	3757	4.4	11	1	2	4	5	8	11	17
B. *Operated*	190	9.4	81	2	3	7	11	18	26	49
1. SINGLE DX	2830	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	3947	4.7	15	1	2	4	6	9	11	21
A. NOT OPERATED	6497	4.0	8	1	2	3	5	7	9	15
B. OPERATED	280	8.2	72	1	2	6	10	17	25	46
TOTAL 0-19 YRS	3373	3.2	6	1	1	3	4	5	7	12
20-34	1255	4.1	8	1	2	3	5	7	9	15
35-49	713	4.8	14	1	2	4	6	9	11	20
50-64	611	5.6	16	2	2	5	7	10	13	20
65+	825	6.3	25	2	2	5	8	12	15	24
GRAND TOTAL	**6777**	**4.1**	**12**	**1**	**2**	**3**	**5**	**7**	**10**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	4.2	6	2	2	4	5	7	9	15
20-34	101	4.4	6	2	2	4	6	8	9	13
35-49	40	4.3	8	1	2	4	5	7	10	15
50-64	32	5.9	11	2	2	5	7	11	13	14
65+	18	6.8	27	2	2	6	8	12	19	24
B. *Operated*										
0-19 YRS	8	3.8	5	2	2	3	5	7	8	8
20-34	3	8.7	65	4	4	4	15	18	18	18
35-49	3	9.0	31	3	3	10	13	14	14	14
50-64	2	14.5	181	5	5	14	24	24	24	24
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	5.1	6	1	2	5	7	8	10	14
20-34	56	5.7	22	2	2	5	8	9	10	33
35-49	26	5.0	4	2	3	4	7	8	9	11
50-64	27	7.1	10	3	4	6	9	13	13	13
65+	20	11.7	191	3	4	7	13	19	43	66
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	15.0		15	15	15	15	15	15	15
35-49	3	12.7	72	4	4	13	19	21	21	21
50-64	5	14.8	107	4	4	12	18	32	32	32
65+	2	11.5	113	4	4	11	19	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	4.5	8	2	2	4	5	8	10	15
B. *Operated*	18	6.7	38	2	2	4	8	17	22	24
2. MULTIPLE DX										
A. *Not Operated*	186	6.3	34	2	3	5	7	10	13	29
B. *Operated*	12	13.6	64	4	4	13	17	24	31	32
1. SINGLE DX	416	4.6	9	2	2	4	5	8	10	16
2. MULTIPLE DX	198	6.7	38	2	3	5	8	12	15	33
A. NOT OPERATED	584	5.1	17	2	2	4	6	9	11	18
B. OPERATED	30	9.5	58	2	2	6	14	20	24	32
TOTAL 0-19 YRS	273	4.4	7	2	2	4	5	7	9	14
20-34	161	5.0	13	2	2	4	6	8	10	18
35-49	72	5.1	12	2	2	4	6	9	13	20
50-64	66	7.3	25	2	3	6	9	13	14	31
65+	42	9.2	109	2	3	6	10	19	22	66
GRAND TOTAL	**614**	**5.3**	**20**	**2**	**2**	**4**	**6**	**9**	**13**	**20**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	101	5.5	16	2	2	5	7	9	11	25
20-34	184	4.7	5	2	2	4	6	7	9	11
35-49	24	5.1	25	1	1	4	7	10	14	24
50-64	17	4.2	11	1	1	3	6	10	11	11
65+	14	3.9	19	<1	1	2	5	8	15	17
B. *Operated*										
0-19 YRS	29	3.5	8	1	1	2	4	9	10	12
20-34	57	3.0	16	<1	1	2	3	5	7	29
35-49	27	3.5	8	<1	1	2	5	8	10	10
50-64	17	4.8	21	2	2	3	5	12	16	18
65+	3	4.0	13	<1	<1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	5.4	7	2	2	5	7	9	11	14
20-34	127	5.8	14	2	3	5	6	10	13	22
35-49	26	8.6	50	2	2	6	10	19	27	28
50-64	24	9.4	97	1	1	8	11	15	26	50
65+	38	11.0	73	2	3	9	13	20	34	39
B. *Operated*										
0-19 YRS	13	4.9	12	1	1	5	7	10	12	12
20-34	54	6.6	81	1	1	5	7	10	26	55
35-49	23	5.4	15	2	2	4	8	11	14	15
50-64	23	12.2	376	1	2	5	12	28	51	91
65+	12	11.0	61	1	2	10	15	23	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.9	10	1	2	4	6	8	10	16
B. *Operated*	133	3.5	13	<1	1	2	3	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	287	7.0	34	2	3	5	9	13	16	34
B. *Operated*	125	7.7	117	1	2	5	9	14	27	65
1. SINGLE DX	473	4.5	11	1	2	4	6	8	10	17
2. MULTIPLE DX	412	7.2	59	2	2	5	9	13	19	37
A. NOT OPERATED	627	5.8	22	1	2	5	7	10	13	27
B. OPERATED	258	5.5	68	1	1	3	6	10	16	33
TOTAL 0-19 YRS	215	5.2	12	2	2	4	7	9	11	15
20-34	422	5.1	20	1	2	4	6	9	11	26
35-49	100	5.7	27	1	1	4	8	10	15	27
50-64	81	8.1	148	1	1	4	10	16	27	78
65+	67	9.2	65	1	1	7	13	17	27	38
GRAND TOTAL	**885**	**5.7**	**35**	**1**	**2**	**4**	**7**	**10**	**13**	**30**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	5.7	14	2	2	5	7	12	14	16
20-34	12	4.6	4	2	2	4	6	7	8	8
35-49	32	3.9	18	1	1	2	6	9	16	17
50-64	12	8.7	278	1	1	3	7	25	56	61
65+	8	8.3	23	3	3	7	10	16	18	18
B. *Operated*										
0-19 YRS	6	15.8	351	<1	<1	10	18	49	52	52
20-34	18	12.0	300	1	2	6	12	19	55	78
35-49	25	6.8	21	1	2	6	9	14	15	16
50-64	30	7.4	67	1	1	6	10	12	16	45
65+	28	10.5	167	<1	2	6	13	28	47	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.3	11	1	1	3	5	9	9	21
20-34	34	8.7	73	2	3	6	10	19	26	46
35-49	48	10.7	263	2	2	5	9	26	53	82
50-64	58	12.6	266	2	2	7	13	24	57	84
65+	86	12.4	235	3	3	8	12	20	50	89
B. *Operated*										
0-19 YRS	6	13.0	60	7	7	9	17	26	27	27
20-34	15	12.1	265	1	2	7	15	30	55	64
35-49	38	13.8	260	1	2	8	13	46	50	56
50-64	46	15.2	286	3	3	11	17	26	48	99
65+	32	16.8	504	2	2	8	20	38	85	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	5.5	51	1	1	4	7	10	16	45
B. *Operated*	107	9.3	137	<1	2	6	11	17	31	63
2. MULTIPLE DX										
A. *Not Operated*	285	10.0	188	2	2	6	10	19	35	81
B. *Operated*	137	14.7	312	2	3	9	17	38	50	94
1. SINGLE DX	195	7.6	101	1	1	5	9	16	18	57
2. MULTIPLE DX	422	11.5	233	2	2	7	12	24	47	87
A. NOT OPERATED	373	8.9	159	1	2	5	9	16	29	76
B. OPERATED	244	12.4	242	1	2	8	14	28	47	90
TOTAL 0-19 YRS	95	5.9	44	1	2	4	7	10	17	41
20-34	79	9.5	151	2	2	6	10	19	29	74
35-49	143	9.3	176	1	1	5	9	19	47	60
50-64	146	12.0	236	2	2	8	13	23	46	87
65+	154	12.7	269	2	2	7	14	29	48	93
GRAND TOTAL	**617**	**10.3**	**194**	**1**	**2**	**6**	**11**	**20**	**42**	**80**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	4.3	18	1	1	3	5	11	15	17
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	4.3	2	3	3	4	5	6	6	6
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	12	3.6	3	1	1	3	5	6	6	6
20-34	5	2.6	5	<1	<1	1	4	6	6	6
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	11	1	2	4	5	7	12	16
20-34	15	7.1	37	2	2	5	9	14	22	25
35-49	1	4.0		4	4	4	4	4	4	4
50-64	8	7.0	32	3	3	4	10	16	17	17
65+	9	7.3	22	3	3	6	9	15	17	17
B. *Operated*										
0-19 YRS	14	4.9	3	2	3	5	6	7	7	7
20-34	10	12.6	99	2	3	8	16	29	33	33
35-49	4	8.8	122	1	1	4	15	25	25	25
50-64	4	7.8	10	5	5	8	10	11	11	11
65+	7	6.4	13	2	2	6	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.9	12	<1	1	3	5	7	12	17
B. *Operated*	23	3.9	4	<1	1	4	6	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	51	6.1	24	2	2	4	7	14	17	25
B. *Operated*	39	7.8	46	2	2	6	9	15	26	33
1. SINGLE DX	49	3.9	8	1	1	3	5	7	8	17
2. MULTIPLE DX	90	6.8	34	2	2	5	8	15	17	30
A. NOT OPERATED	77	5.3	21	1	2	4	6	13	16	23
B. OPERATED	62	6.4	34	1	2	5	7	11	20	32
TOTAL 0-19 YRS	60	4.3	9	1	2	4	5	7	9	17
20-34	31	8.0	60	1	1	5	9	20	26	33
35-49	11	6.3	42	1	2	4	6	14	24	25
50-64	16	6.5	20	2	3	5	8	15	16	17
65+	21	6.0	17	1	2	5	8	12	15	17
GRAND TOTAL	**139**	**5.8**	**27**	**1**	**2**	**4**	**6**	**11**	**16**	**27**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	3.6	5	1	1	3	4	6	9	12
20-34	49	3.9	4	1	2	3	5	7	8	10
35-49	32	5.8	17	1	2	5	8	10	14	21
50-64	8	6.5	17	3	3	5	9	13	14	14
65+	3	5.3	2	4	4	5	6	7	7	7
B. *Operated*										
0-19 YRS	12	4.3	9	<1	1	4	6	9	10	10
20-34	137	5.8	35	1	2	4	7	11	16	31
35-49	66	6.2	16	2	2	5	8	11	14	20
50-64	21	5.4	23	1	2	4	8	12	17	20
65+	8	11.3	172	1	1	6	15	34	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.6	19	2	2	3	5	9	15	22
20-34	125	7.2	29	2	3	5	9	13	18	30
35-49	94	7.6	27	2	3	6	9	15	18	27
50-64	61	11.7	84	3	4	10	15	18	26	53
65+	41	8.8	36	2	4	7	11	21	23	23
B. *Operated*										
0-19 YRS	23	7.8	30	1	2	6	13	15	17	21
20-34	221	7.2	31	2	2	6	9	14	17	28
35-49	137	8.9	50	2	3	7	11	17	22	36
50-64	69	13.9	147	2	4	11	19	26	39	95
65+	25	14.5	128	3	5	13	21	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	4.5	10	1	2	4	5	8	10	16
B. *Operated*	244	5.9	33	1	2	4	8	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	356	8.0	41	2	2	6	10	15	20	33
B. *Operated*	475	9.1	65	2	2	7	12	19	22	47
1. SINGLE DX	365	5.5	25	1	2	4	7	11	14	27
2. MULTIPLE DX	831	8.6	55	2	2	7	11	17	22	40
A. NOT OPERATED	477	7.1	35	2	2	5	9	14	18	28
B. OPERATED	719	8.0	56	2	2	6	10	16	21	42
TOTAL 0-19 YRS	99	5.0	18	1	2	4	6	12	15	22
20-34	532	6.5	30	2	2	5	8	12	16	28
35-49	329	7.7	35	2	2	6	9	15	19	33
50-64	159	11.6	108	2	3	9	15	22	28	74
65+	77	10.8	83	2	3	8	13	23	25	50
GRAND TOTAL	**1196**	**7.6**	**48**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	14.5	61	9	9	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	11	5.5	10	2	2	4	7	11	11	11
65+	11	13.1	118	2	3	9	15	33	35	35
B. *Operated*										
0-19 YRS										
20-34	3	11.3	72	5	5	14	60	99+	99+	99+
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	3	10.7	86	3	3	8	18	21	21	21
65+	5	6.0	33	2	2	4	8	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	4	15.8	89	7	7	14	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	27	8.1	68	2	2	5	10	15	32	35
B. *Operated*	14	7.6	46	2	2	5	14	21	80	99+
1. SINGLE DX	6	11.3	101	1	1	8	20	26	27	27
2. MULTIPLE DX	41	8.0	59	2	2	5	10	21	33	99+
A. NOT OPERATED	29	7.8	65	1	2	5	9	15	32	35
B. OPERATED	18	9.4	63	2	2	7	19	25	67	99+
TOTAL 0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	5	8.8	50	3	3	7	21	92	99+	99+
35-49	4	4.0	6	2	2	4	6	7	7	7
50-64	15	7.9	52	2	2	5	10	21	25	27
65+	20	10.4	90	1	2	8	15	26	33	35
GRAND TOTAL	**47**	**8.4**	**64**	**2**	**2**	**5**	**10**	**21**	**32**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	1	1	1	3	5	5	5
20-34	12	3.7	3	1	1	4	5	6	6	6
35-49	20	4.4	13	1	1	3	6	10	13	14
50-64	54	6.8	163	1	1	3	7	14	24	86
65+	71	5.5	53	1	2	4	5	10	16	49
B. *Operated*										
0-19 YRS	5	4.8	22	2	2	3	6	13	13	13
20-34	25	5.5	21	1	2	3	7	14	15	19
35-49	75	6.4	35	1	2	3	10	14	19	27
50-64	249	6.8	55	1	2	4	9	15	21	34
65+	328	6.9	49	1	2	4	9	17	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	8	4.6	7	2	2	4	6	9	10	10
35-49	33	6.1	30	1	1	4	9	12	15	28
50-64	145	7.6	65	1	2	4	10	18	23	34
65+	165	8.8	88	1	2	6	11	20	28	51
B. *Operated*										
0-19 YRS	4	4.8	12	2	2	4	7	9	9	9
20-34	15	7.9	53	2	2	4	14	20	22	23
35-49	97	14.1	202	2	2	10	19	33	44	67
50-64	296	14.3	270	2	2	9	18	36	48	91
65+	456	12.4	205	2	2	8	15	28	43	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	5.6	80	1	1	4	6	11	16	54
B. *Operated*	682	6.7	48	1	2	4	9	16	21	33
2. MULTIPLE DX										
A. *Not Operated*	353	7.9	72	1	2	5	10	18	23	37
B. *Operated*	868	13.1	224	2	2	8	16	31	44	87
1. SINGLE DX	843	6.5	55	1	2	4	8	15	20	33
2. MULTIPLE DX	1221	11.6	186	2	2	7	14	27	39	76
A. NOT OPERATED	514	7.2	75	1	2	4	9	16	22	43
B. OPERATED	1550	10.3	157	2	2	6	13	24	34	72
TOTAL 0-19 YRS	15	3.9	11	1	1	2	5	9	12	13
20-34	60	5.6	25	2	2	4	6	14	18	23
35-49	225	9.5	120	1	2	5	12	24	32	51
50-64	744	9.9	163	1	2	5	12	23	33	75
65+	1020	9.6	132	2	2	5	12	22	31	69
GRAND TOTAL	**2064**	**9.5**	**138**	**1**	**2**	**5**	**12**	**22**	**31**	**68**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	6.8	9	2	3	7	8	11	12	12
50-64	35	5.5	23	1	1	4	8	12	16	20
65+	34	7.8	45	1	2	6	11	16	19	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	15	12.2	283	1	1	8	13	22	56	68
50-64	74	14.0	127	2	2	11	19	28	35	89
65+	97	14.3	136	2	2	12	21	36	40	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	21	8.0	45	1	2	6	9	20	24	25
50-64	93	10.3	98	2	2	7	13	21	30	54
65+	98	9.9	84	2	3	7	11	22	31	44
B. *Operated*										
0-19 YRS										
20-34	3	10.0	169	2	2	3	19	25	25	25
35-49	32	18.0	304	3	4	12	25	48	72	99+
50-64	170	18.6	225	3	4	16	25	36	43	74
65+	184	16.8	220	3	4	12	23	36	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	6.7	31	1	2	5	9	12	17	30
B. *Operated*	186	14.0	142	2	2	11	19	30	39	88
2. MULTIPLE DX										
A. *Not Operated*	214	9.8	86	2	3	7	12	22	29	44
B. *Operated*	389	17.6	228	3	4	13	24	37	53	80
1. SINGLE DX	267	11.8	120	2	2	9	17	25	37	66
2. MULTIPLE DX	603	14.8	191	2	3	10	20	32	43	75
A. NOT OPERATED	295	9.0	73	2	2	7	11	18	28	43
B. OPERATED	575	16.4	203	2	3	13	23	36	46	80
TOTAL 0-19 YRS										
20-34	5	7.4	98	2	2	3	10	25	25	25
35-49	80	12.6	205	2	3	8	15	29	52	92
50-64	372	14.3	173	2	2	10	20	30	39	72
65+	413	13.8	163	2	3	10	19	32	42	80
GRAND TOTAL	**870**	**13.9**	**171**	**2**	**3**	**9**	**19**	**30**	**40**	**75**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	11	7.9	49	2	2	5	11	20	24	24
50-64	26	8.8	70	<1	1	6	11	20	29	34
65+	65	7.2	36	1	1	6	10	15	20	28
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	18.3	17	15	15	17	21	23	23	23
35-49	16	13.0	136	2	3	9	15	26	42	49
50-64	65	15.1	93	2	3	13	19	31	35	43
65+	134	17.1	85	3	7	15	23	30	32	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	26	6.3	33	1	2	5	7	12	21	27
50-64	88	7.4	43	1	1	6	10	17	21	32
65+	202	9.9	110	2	2	7	12	19	29	61
B. *Operated*										
0-19 YRS	3	20.3	49	13	13	21	25	27	27	27
20-34	11	16.5	127	3	3	15	23	34	39	39
35-49	47	15.2	77	3	6	13	19	25	29	51
50-64	175	17.3	111	6	7	16	22	30	36	54
65+	399	19.7	182	4	7	17	26	37	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	7.6	45	1	1	6	10	17	23	31
B. *Operated*	219	16.2	91	3	6	14	21	29	33	45
2. MULTIPLE DX										
A. *Not Operated*	317	8.9	86	1	2	6	11	18	26	52
B. *Operated*	635	18.6	154	4	7	16	24	34	41	73
1. SINGLE DX	323	13.4	92	2	3	12	18	28	31	43
2. MULTIPLE DX	952	15.4	153	2	3	12	21	31	38	62
A. NOT OPERATED	421	8.6	76	1	2	6	11	18	25	41
B. OPERATED	854	18.0	139	3	7	15	23	32	39	62
TOTAL 0-19 YRS	4	17.5	65	9	9	17	24	27	27	27
20-34	17	14.5	111	2	3	15	18	30	36	39
35-49	100	11.7	85	2	3	10	15	24	27	50
50-64	354	13.8	105	2	3	12	19	28	34	43
65+	800	15.7	158	2	3	13	21	31	38	66
GRAND TOTAL	**1275**	**14.9**	**138**	**2**	**3**	**12**	**20**	**29**	**36**	**61**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	9.8	6	8	8	9	11	13	13	13
B. *Operated*										
0-19 YRS										
20-34	2	14.5	113	7	7	14	22	22	22	22
35-49	1	10.0		10	10	10	10	10	10	10
50-64	9	16.7	42	9	10	15	19	28	30	30
65+	8	17.6	50	9	9	17	21	28	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	12	9.7	152	1	2	6	9	21	44	48
65+	17	7.3	76	3	3	4	7	14	31	39
B. *Operated*										
0-19 YRS										
20-34	2	12.0	18	9	9	12	15	15	15	15
35-49	14	18.1	58	9	10	16	21	27	36	39
50-64	23	18.3	121	5	7	17	24	30	41	53
65+	62	21.2	174	8	10	18	25	43	53	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.4	21	1	1	8	10	12	13	13
B. *Operated*	20	16.5	45	8	9	15	21	27	30	31
2. MULTIPLE DX										
A. *Not Operated*	36	7.2	89	1	2	5	7	10	32	48
B. *Operated*	101	19.9	144	8	9	17	23	37	49	59
1. SINGLE DX	27	13.9	58	1	5	13	18	24	30	31
2. MULTIPLE DX	137	16.6	160	3	4	14	22	36	46	56
A. NOT OPERATED	43	7.1	77	1	2	5	8	11	23	48
B. OPERATED	121	19.3	128	8	9	17	23	35	45	57
TOTAL 0-19 YRS										
20-34	5	11.4	51	4	4	9	17	22	22	22
35-49	23	12.2	93	1	1	12	17	23	31	39
50-64	45	15.3	123	4	5	13	20	29	38	53
65+	91	17.8	167	3	4	15	22	37	47	60
GRAND TOTAL	**164**	**16.1**	**144**	**3**	**4**	**13**	**21**	**30**	**43**	**54**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	18	6.2	33	1	1	5	7	14	20	23
50-64	82	7.6	115	1	1	5	7	14	26	61
65+	129	7.0	39	2	2	5	8	14	20	31
B. *Operated*										
0-19 YRS	5	6.2	14	2	2	7	9	11	11	11
20-34	23	12.9	73	5	7	10	16	22	30	44
35-49	82	11.8	25	3	6	11	14	18	21	27
50-64	302	12.5	29	5	7	12	15	19	22	31
65+	614	15.8	64	7	9	14	19	26	29	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	8.2	114	2	2	5	9	13	28	56
35-49	67	7.0	39	1	2	5	9	14	17	36
50-64	317	7.3	34	1	2	5	9	15	20	28
65+	723	9.4	91	2	3	7	11	19	27	55
B. *Operated*										
0-19 YRS	2	17.5	1	17	17	17	18	18	18	18
20-34	32	12.4	19	6	7	12	15	18	19	27
35-49	191	14.0	57	5	7	13	16	22	27	48
50-64	913	16.3	90	6	8	14	19	27	32	54
65+	2424	19.3	117	7	10	17	23	33	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	7.1	65	1	2	5	8	14	22	50
B. *Operated*	1026	14.4	54	6	8	13	17	23	28	41
2. MULTIPLE DX										
A. *Not Operated*	1134	8.7	74	2	2	6	10	17	24	47
B. *Operated*	3562	18.2	109	7	9	16	22	30	38	60
1. SINGLE DX	1257	13.1	64	2	4	12	16	22	27	43
2. MULTIPLE DX	4696	15.9	117	3	4	14	20	28	36	58
A. NOT OPERATED	1365	8.4	72	2	2	6	10	17	23	48
B. OPERATED	4588	17.3	99	6	9	15	21	29	36	57
TOTAL 0-19 YRS	8	8.6	39	2	2	7	14	18	18	18
20-34	83	11.0	68	3	4	10	14	19	22	52
35-49	358	11.8	53	2	4	11	15	19	24	38
50-64	1614	13.4	83	2	4	12	17	24	29	47
65+	3890	16.5	119	3	5	15	21	29	37	60
GRAND TOTAL	**5953**	**15.3**	**107**	**3**	**4**	**13**	**19**	**27**	**34**	**56**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	8.0	63	2	2	5	14	17	17	17
35-49	15	4.5	9	1	1	4	7	8	10	10
50-64	35	7.7	53	1	1	5	10	23	24	27
65+	97	8.0	77	1	2	5	10	18	24	47
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	10	13.1	58	1	2	13	18	23	25	25
35-49	76	13.7	49	3	3	13	17	22	26	37
50-64	241	13.2	38	3	5	13	17	20	22	33
65+	428	15.6	96	3	4	14	20	27	34	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	11.8	146	3	3	8	12	31	43	45
35-49	38	7.4	38	2	2	6	10	13	17	35
50-64	165	8.0	48	1	2	6	11	18	20	46
65+	392	10.4	121	2	2	7	13	23	32	58
B. *Operated*										
0-19 YRS	4	14.3	241	3	3	8	24	37	37	37
20-34	15	14.9	97	4	6	13	17	26	39	44
35-49	99	14.5	102	2	4	12	18	25	37	57
50-64	491	17.1	119	4	6	15	21	31	39	60
65+	999	19.4	163	4	6	17	24	33	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	7.6	64	1	1	5	10	18	24	47
B. *Operated*	756	14.6	73	3	4	13	18	24	30	43
2. MULTIPLE DX										
A. *Not Operated*	607	9.6	98	1	2	6	12	20	29	54
B. *Operated*	1608	18.3	147	4	6	16	23	32	41	70
1. SINGLE DX	906	13.5	78	2	3	13	17	23	29	44
2. MULTIPLE DX	2215	15.9	149	2	4	14	21	30	39	67
A. NOT OPERATED	757	9.2	92	1	2	6	11	19	28	52
B. OPERATED	2364	17.1	127	3	5	15	21	30	37	62
TOTAL 0-19 YRS	5	14.2	181	3	3	11	20	37	37	37
20-34	40	13.0	97	2	3	11	16	25	35	45
35-49	228	12.4	78	2	3	12	16	22	28	44
50-64	932	14.1	96	2	4	13	18	25	32	53
65+	1916	16.1	151	2	3	14	21	30	39	67
GRAND TOTAL	**3121**	**15.2**	**130**	**2**	**3**	**13**	**20**	**28**	**36**	**60**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	9	<1	<1	3	6	7	7	7
20-34	9	7.8	29	2	2	6	11	17	17	17
35-49	13	7.8	95	1	1	4	8	22	33	36
50-64	20	5.6	26	1	1	4	7	13	18	21
65+	49	6.8	45	1	2	5	8	13	17	38
B. *Operated*										
0-19 YRS	3	8.7	30	5	5	6	13	15	15	15
20-34	7	17.9	81	7	8	19	23	31	33	33
35-49	18	12.7	41	4	5	13	16	20	25	28
50-64	43	14.3	48	3	7	14	17	23	27	32
65+	94	13.4	86	2	3	11	20	27	29	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	9	4	4	6	9	11	11	11
20-34	10	6.1	33	2	2	4	6	14	22	22
35-49	23	9.1	82	1	1	7	14	21	30	36
50-64	78	9.0	53	1	2	7	12	17	22	39
65+	155	10.1	86	1	2	8	13	18	24	49
B. *Operated*										
0-19 YRS	3	19.0	271	9	9	10	31	38	38	38
20-34	16	16.2	86	4	8	14	21	33	34	34
35-49	31	17.1	110	7	8	15	23	28	38	54
50-64	118	19.4	174	6	8	16	24	34	51	67
65+	281	20.2	159	7	8	17	26	35	47	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	6.7	44	1	2	5	8	15	18	37
B. *Operated*	165	13.7	70	2	3	12	18	25	29	40
2. MULTIPLE DX										
A. *Not Operated*	270	9.5	73	1	2	7	13	18	24	47
B. *Operated*	449	19.6	157	7	8	16	24	35	45	70
1. SINGLE DX	259	11.1	72	2	2	9	16	23	28	38
2. MULTIPLE DX	719	15.8	149	2	4	13	20	32	40	64
A. NOT OPERATED	364	8.8	67	1	2	7	11	17	22	45
B. OPERATED	614	18.0	140	4	7	15	22	33	41	66
TOTAL 0-19 YRS	13	9.3	88	<1	2	6	10	20	35	38
20-34	42	12.3	81	2	3	10	17	25	33	34
35-49	85	12.6	97	1	2	10	17	26	31	49
50-64	259	14.3	131	2	3	12	18	29	35	60
65+	579	15.2	143	2	3	13	20	30	38	63
GRAND TOTAL	**978**	**14.6**	**133**	**2**	**3**	**12**	**19**	**29**	**36**	**59**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	11	5.4	4	3	3	5	6	8	11	11
50-64	28	7.5	38	1	1	6	9	17	24	24
65+	71	8.8	80	2	2	6	11	19	26	52
B. *Operated*										
0-19 YRS										
20-34	2	14.0	128	6	6	14	22	22	22	22
35-49	15	24.4	484	5	5	17	28	50	81	92
50-64	47	17.6	80	7	8	16	22	27	40	45
65+	103	19.7	153	5	8	17	23	33	44	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	6	7.3	33	2	2	6	8	17	18	18
35-49	31	8.2	82	1	2	6	8	15	17	52
50-64	136	8.8	42	1	2	7	12	18	22	30
65+	288	9.5	74	2	2	7	12	19	28	45
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	15.4	119	4	5	10	24	32	34	34
35-49	32	17.0	91	5	8	15	21	26	42	45
50-64	200	21.0	140	7	9	19	26	37	51	99+
65+	474	21.4	190	6	8	18	28	37	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	8.2	62	1	2	6	10	18	24	42
B. *Operated*	167	19.4	161	5	8	17	23	32	43	81
2. MULTIPLE DX										
A. *Not Operated*	463	9.2	64	2	2	7	12	18	26	44
B. *Operated*	714	21.0	171	6	8	18	27	36	45	83
1. SINGLE DX	278	14.9	152	2	4	12	20	27	37	57
2. MULTIPLE DX	1177	16.3	162	3	4	14	22	33	40	70
A. NOT OPERATED	574	9.0	64	2	2	6	12	18	24	44
B. OPERATED	881	20.7	170	6	8	18	26	36	45	83
TOTAL 0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	16	12.2	83	2	3	9	17	26	32	34
35-49	89	13.7	180	3	4	9	17	26	44	76
50-64	411	15.6	128	2	4	14	21	30	40	69
65+	936	16.6	174	3	3	14	22	33	40	69
GRAND TOTAL	**1455**	**16.1**	**161**	**3**	**4**	**13**	**21**	**32**	**40**	**69**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.6	25	1	1	7	9	14	14	14
35-49	137	6.2	49	1	1	3	7	16	21	34
50-64	462	5.6	35	1	1	4	7	12	16	33
65+	505	7.5	61	1	1	5	10	16	21	42
B. *Operated*										
0-19 YRS	2	20.0	50	15	15	20	25	25	25	25
20-34	11	15.2	32	8	9	15	17	24	27	27
35-49	185	11.6	62	3	4	10	14	21	25	40
50-64	818	11.9	60	2	3	11	16	21	25	36
65+	978	11.9	71	2	3	10	16	22	27	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	15	10.1	72	1	2	7	16	20	28	31
35-49	351	7.0	46	1	1	5	9	16	20	32
50-64	1689	8.5	72	1	2	6	11	18	25	41
65+	2234	9.8	77	2	2	7	13	20	26	42
B. *Operated*										
0-19 YRS	3	13.7	36	8	8	13	18	20	20	20
20-34	22	11.0	86	2	3	8	13	27	31	36
35-49	385	14.2	129	3	4	11	18	27	34	59
50-64	2132	14.3	110	3	4	12	18	27	35	54
65+	2638	15.3	129	3	4	13	20	29	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1109	6.6	49	1	1	4	8	14	20	37
B. *Operated*	1994	11.9	65	2	3	10	16	22	26	39
2. MULTIPLE DX										
A. *Not Operated*	4291	9.1	73	1	2	7	12	19	25	41
B. *Operated*	5180	14.8	121	3	4	12	19	28	36	57
1. SINGLE DX	3103	10.0	66	1	2	8	14	20	24	39
2. MULTIPLE DX	9471	12.2	108	2	3	10	16	24	32	52
A. NOT OPERATED	5400	8.5	69	1	2	6	11	18	24	41
B. OPERATED	7174	14.0	107	3	4	12	18	26	33	53
TOTAL 0-19 YRS	7	12.4	70	2	2	13	19	24	25	25
20-34	53	11.2	68	2	3	10	16	23	28	36
35-49	1058	10.3	91	1	2	8	14	21	28	44
50-64	5101	11.2	92	2	2	9	15	23	29	47
65+	6355	12.2	104	2	3	10	16	24	31	50
GRAND TOTAL	**12574**	**11.6**	**98**	**2**	**2**	**9**	**16**	**23**	**30**	**49**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.0	16	<1	1	4	6	12	14	14
35-49	5	7.6	77	2	2	5	10	23	23	23
50-64	38	6.0	43	1	2	4	7	12	18	37
65+	38	8.8	93	1	1	6	11	18	31	47
B. *Operated*										
0-19 YRS	5	14.8	485	<1	<1	2	26	52	52	52
20-34	11	9.6	76	1	1	9	13	24	25	25
35-49	64	9.3	127	1	1	4	14	21	30	61
50-64	264	8.0	88	1	1	3	12	21	25	48
65+	253	6.8	65	1	1	3	10	17	24	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	6.2	7	3	3	5	9	9	9	9
35-49	24	7.9	50	2	2	6	9	18	24	33
50-64	73	8.9	139	1	2	5	9	23	29	67
65+	115	8.5	126	1	1	5	10	17	23	66
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	8	14.4	56	4	5	14	19	26	27	27
35-49	52	14.3	271	2	2	11	15	31	48	80
50-64	239	14.1	176	2	2	11	20	30	41	71
65+	258	14.0	190	2	2	11	19	30	42	82
SUBTOTALS										
1. SINGLE DX										
A. *Not Operated*	89	7.2	64	1	1	4	9	14	23	43
B. *Operated*	597	7.7	85	1	1	3	12	20	26	45
2. MULTIPLE DX										
A. *Not Operated*	217	8.5	119	1	2	5	9	18	27	66
B. *Operated*	559	14.1	188	2	2	11	20	30	42	79
1. SINGLE DX	686	7.6	83	1	1	3	12	19	26	45
2. MULTIPLE DX	776	12.5	175	1	2	9	17	27	37	70
A. NOT OPERATED	306	8.1	103	1	2	5	9	17	27	65
B. OPERATED	1156	10.8	145	1	2	6	16	25	33	61
TOTAL 0-19 YRS	7	11.9	350	<1	<1	2	15	45	52	52
20-34	32	9.1	55	1	2	7	14	23	25	27
35-49	145	10.8	169	1	2	6	14	25	33	74
50-64	614	10.4	134	1	2	6	15	24	33	59
65+	664	10.0	136	1	2	5	15	24	31	62
GRAND TOTAL	**1462**	**10.2**	**137**	**1**	**2**	**5**	**15**	**24**	**32**	**62**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	3	<1	<1	1	4	5	6	6
20-34	15	4.9	4	1	3	5	6	8	8	8
35-49	12	6.3	24	1	1	4	10	14	15	15
50-64	17	8.6	59	2	2	7	9	23	26	27
65+	31	8.7	68	3	3	6	11	20	29	38
B. *Operated*										
0-19 YRS	34	7.2	27	2	2	6	9	15	17	23
20-34	47	8.6	47	1	2	7	10	18	21	35
35-49	43	9.3	109	<1	1	5	12	25	34	42
50-64	85	8.8	62	1	2	6	12	22	28	32
65+	95	10.2	87	2	3	8	13	22	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	4.8	28	1	1	3	5	11	15	30
20-34	31	5.5	22	2	2	4	7	13	19	20
35-49	26	10.6	103	3	3	6	16	26	35	41
50-64	46	7.0	43	2	2	5	7	14	18	37
65+	70	9.2	77	2	2	6	12	19	27	45
B. *Operated*										
0-19 YRS	14	12.7	189	2	2	8	12	30	47	52
20-34	20	11.3	163	1	1	9	15	44	72	99+
35-49	35	14.2	156	3	3	11	20	30	45	55
50-64	78	13.7	97	3	4	13	19	25	33	50
65+	142	14.6	148	2	2	12	18	30	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	6.2	41	<1	1	4	7	12	22	33
B. *Operated*	304	9.1	70	1	2	6	12	20	28	40
2. MULTIPLE DX										
A. *Not Operated*	220	7.4	58	1	2	5	8	16	24	40
B. *Operated*	289	14.0	137	2	3	11	18	29	38	60
1. SINGLE DX	406	8.4	64	1	2	6	11	18	26	38
2. MULTIPLE DX	509	11.2	113	2	2	8	15	24	33	53
A. NOT OPERATED	322	7.0	53	1	2	5	8	15	23	38
B. OPERATED	593	11.5	108	2	2	9	15	25	32	53
TOTAL 0-19 YRS	122	5.8	48	<1	1	4	7	13	18	36
20-34	113	7.7	59	1	2	5	10	18	21	67
35-49	116	10.8	117	1	2	7	15	25	33	51
50-64	226	10.1	76	2	2	7	14	23	28	39
65+	338	11.7	114	2	2	9	15	26	33	53
GRAND TOTAL	**915**	**9.9**	**93**	**1**	**2**	**7**	**13**	**22**	**30**	**50**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	7	4.3	25	1	1	2	5	13	15	15
35-49	22	5.4	28	<1	1	4	6	10	18	25
50-64	22	5.1	11	1	1	5	7	10	11	11
65+	14	4.3	3	1	2	5	5	6	7	7
B. *Operated*										
0-19 YRS	7	4.3	16	2	2	2	5	11	13	13
20-34	119	5.6	21	1	2	4	8	11	13	26
35-49	153	5.7	30	1	1	4	7	11	14	30
50-64	161	6.0	17	1	2	5	8	11	14	21
65+	147	6.6	34	1	2	5	9	14	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	98	2	2	9	16	16	16	16
20-34	19	4.7	29	<1	<1	2	6	10	18	24
35-49	25	5.1	14	1	2	4	6	9	14	18
50-64	57	7.6	39	1	2	6	9	16	23	28
65+	71	8.2	67	2	2	5	9	20	28	41
B. *Operated*										
0-19 YRS	3	11.3	114	2	2	9	19	23	23	23
20-34	35	7.1	39	1	2	6	9	11	24	29
35-49	62	7.6	39	2	2	6	9	16	19	34
50-64	110	10.4	76	2	2	8	14	22	25	43
65+	157	10.5	110	2	2	8	13	22	26	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.9	15	1	1	4	6	10	11	23
B. *Operated*	587	5.9	25	1	2	4	8	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	174	7.2	47	1	2	5	8	14	24	32
B. *Operated*	367	9.7	82	2	2	7	13	21	25	44
1. SINGLE DX	654	5.8	24	1	2	4	8	11	15	25
2. MULTIPLE DX	541	8.9	72	2	2	6	11	19	25	40
A. NOT OPERATED	241	6.5	39	1	2	5	8	13	21	31
B. OPERATED	954	7.4	51	1	2	5	9	15	21	34
TOTAL 0-19 YRS	14	6.4	43	2	2	3	9	17	22	23
20-34	180	5.7	25	1	1	4	8	11	14	29
35-49	262	6.1	31	1	2	4	7	13	16	29
50-64	350	7.6	43	1	2	6	10	15	21	35
65+	389	8.4	73	1	2	6	10	19	25	40
GRAND TOTAL	**1195**	**7.2**	**48**	**1**	**2**	**5**	**9**	**15**	**21**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	7	3.9	6	1	1	4	6	7	7	7
65+	17	11.0	191	1	1	4	17	38	41	42
B. *Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34	31	3.1	12	<1	<1	2	3	6	6	20
35-49	128	2.8	5	<1	<1	2	4	6	8	11
50-64	302	2.8	7	<1	1	2	3	6	8	11
65+	723	3.4	17	<1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	5	7.8	28	2	2	7	11	16	16	16
50-64	21	6.6	33	1	2	4	10	13	19	25
65+	53	8.8	108	1	2	7	10	15	34	54
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	24	8.6	160	1	1	4	9	24	37	58
35-49	95	4.0	17	<1	1	2	4	10	12	22
50-64	342	4.6	27	1	1	3	5	10	16	25
65+	893	6.2	48	1	2	3	8	14	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	7.6	117	1	1	3	7	21	39	42
B. *Operated*	1189	3.2	13	<1	1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*	82	8.0	81	1	2	6	10	15	21	52
B. *Operated*	1355	5.7	43	1	1	3	7	13	19	33
1. SINGLE DX	1221	3.3	16	<1	1	2	4	7	9	20
2. MULTIPLE DX	1437	5.8	45	1	1	3	7	13	19	34
A. NOT OPERATED	114	7.9	90	1	2	4	9	15	30	51
B. OPERATED	2544	4.5	31	<1	1	2	5	10	14	30
TOTAL 0-19 YRS	8	4.6	24	<1	<1	2	8	12	14	14
20-34	57	5.5	80	<1	<1	3	5	12	23	56
35-49	235	3.4	11	<1	1	2	4	7	10	16
50-64	672	3.9	19	<1	1	2	4	8	12	24
65+	1686	5.2	40	1	1	3	6	12	17	34
GRAND TOTAL	**2658**	**4.7**	**34**	**<1**	**1**	**3**	**5**	**10**	**15**	**31**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	14	2.9	8	1	1	2	3	7	9	10
35-49	113	4.7	23	1	1	3	7	11	15	22
50-64	133	4.5	22	1	1	3	6	9	13	28
65+	105	6.1	51	1	1	4	7	14	24	35
B. *Operated*										
0-19 YRS	8	4.1	6	2	2	4	5	8	9	9
20-34	181	6.2	9	1	2	6	8	10	11	15
35-49	788	6.8	11	2	3	6	9	11	12	17
50-64	1179	7.7	14	2	4	7	9	12	13	19
65+	1249	8.4	19	3	4	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	42	7.5	96	1	1	4	10	16	34	43
35-49	298	7.7	88	1	1	5	9	19	25	46
50-64	608	8.8	68	1	1	6	12	20	26	40
65+	779	10.1	113	1	2	7	13	22	30	66
B. *Operated*										
0-19 YRS	4	8.8	8	6	6	8	11	12	12	12
20-34	112	8.8	21	3	5	8	11	13	14	30
35-49	679	9.3	45	2	4	8	11	15	22	37
50-64	1266	11.0	72	3	5	9	12	19	25	53
65+	1749	12.0	81	4	5	10	14	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	366	5.0	31	1	1	3	6	11	15	30
B. *Operated*	3405	7.7	15	2	3	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1728	9.2	93	1	2	6	12	21	28	49
B. *Operated*	3810	11.1	71	3	5	9	13	19	26	51
1. SINGLE DX	3771	7.4	18	2	3	7	9	12	14	22
2. MULTIPLE DX	5538	10.5	79	2	3	8	12	19	27	50
A. NOT OPERATED	2094	8.4	85	1	1	6	11	19	27	47
B. OPERATED	7215	9.5	48	3	4	8	11	15	21	40
TOTAL 0-19 YRS	14	5.0	12	<1	1	5	7	10	12	12
20-34	349	7.1	25	1	2	7	9	12	13	28
35-49	1878	7.7	38	1	2	7	9	13	18	33
50-64	3186	9.1	51	2	3	8	11	15	21	40
65+	3882	10.3	69	2	3	8	12	18	25	49
GRAND TOTAL	**9309**	**9.2**	**56**	**2**	**3**	**8**	**11**	**16**	**22**	**43**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	56	3.8	7	1	1	3	4	7	10	15
35-49	86	4.3	12	1	2	3	4	7	12	20
50-64	119	4.4	18	1	2	3	4	7	14	26
65+	119	4.5	16	2	2	4	4	5	10	28
B. *Operated*										
0-19 YRS	5	4.2	10	1	1	3	7	8	8	8
20-34	158	5.0	15	1	2	4	7	10	12	17
35-49	154	6.1	26	1	2	5	8	12	17	23
50-64	132	6.1	39	2	2	4	8	13	20	32
65+	131	7.2	87	2	2	4	8	15	24	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	37	5.4	25	1	1	4	7	12	18	23
35-49	84	5.5	26	1	1	4	7	11	14	29
50-64	130	7.2	58	2	2	4	8	14	20	42
65+	117	6.7	59	1	2	4	7	14	20	44
B. *Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	98	9.0	72	1	2	7	11	16	22	53
35-49	171	10.4	103	2	2	7	11	24	30	47
50-64	186	12.4	133	2	2	9	15	26	37	57
65+	173	10.8	104	2	3	8	14	22	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	380	4.3	14	1	2	3	4	7	12	23
B. *Operated*	580	6.0	40	1	2	4	7	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	368	6.5	48	1	2	4	8	13	20	38
B. *Operated*	630	10.9	108	2	2	8	13	23	30	55
1. SINGLE DX	960	5.4	30	1	2	4	6	10	15	29
2. MULTIPLE DX	998	9.3	90	2	2	7	11	19	27	53
A. NOT OPERATED	748	5.4	32	1	2	4	5	10	16	31
B. OPERATED	1210	8.6	81	2	2	6	10	18	25	48
TOTAL 0-19 YRS	7	5.6	15	1	1	6	8	11	12	12
20-34	349	6.0	34	1	2	4	7	12	16	24
35-49	495	7.2	56	1	2	5	8	15	22	43
50-64	567	8.1	80	2	2	4	10	18	26	46
65+	540	7.7	76	2	2	4	8	16	23	53
GRAND TOTAL	**1958**	**7.3**	**65**	**1**	**2**	**5**	**8**	**15**	**22**	**45**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	6.0	12	4	4	4	9	10	10	10
35-49	8	3.3	1	2	2	3	4	4	4	4
50-64	71	3.9	9	1	2	3	4	6	8	21
65+	83	3.9	10	1	2	3	4	6	9	20
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.1	10	<1	<1	5	8	9	10	10
35-49	41	6.6	9	2	2	7	9	10	11	11
50-64	291	6.6	16	1	2	7	9	11	14	19
65+	295	7.3	28	2	2	7	10	14	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	23.2	1411	2	2	10	31	90	90	90
35-49	10	5.7	17	1	2	4	8	12	15	15
50-64	97	6.2	38	1	1	4	7	14	20	32
65+	195	8.2	75	1	2	5	10	18	29	37
B. *Operated*										
0-19 YRS	6	10.0	30	3	3	9	16	17	17	17
20-34	22	8.1	28	1	2	7	9	15	21	23
35-49	104	8.3	21	2	4	7	9	14	18	25
50-64	439	9.0	41	1	2	8	11	16	21	34
65+	575	10.6	84	2	2	9	13	20	27	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.9	9	1	2	3	4	6	9	21
B. *Operated*	638	6.9	21	1	2	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	307	7.7	84	1	2	5	9	17	26	37
B. *Operated*	1146	9.7	61	2	2	8	12	18	24	39
1. SINGLE DX	803	6.3	20	1	2	5	9	11	14	23
2. MULTIPLE DX	1453	9.3	67	2	2	8	11	18	24	38
A. NOT OPERATED	472	6.4	61	1	2	4	7	14	22	35
B. OPERATED	1784	8.7	49	2	2	8	11	16	20	35
TOTAL 0-19 YRS	7	8.9	34	2	2	9	14	17	17	17
20-34	40	9.1	193	1	2	7	9	12	21	90
35-49	163	7.5	18	2	3	7	9	12	16	24
50-64	898	7.5	32	1	2	7	9	14	18	31
65+	1148	8.9	67	2	2	7	11	18	25	39
GRAND TOTAL	**2256**	**8.2**	**52**	**1**	**2**	**7**	**10**	**15**	**21**	**35**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.9	3	1	2	6	6	6	6	6
20-34	25	2.9	3	<1	<1	2	5	5	6	6
35-49	116	2.9	13	1	1	2	3	4	11	20
50-64	268	2.5	6	1	1	2	2	4	7	15
65+	180	4.0	31	1	1	2	4	11	14	27
B. *Operated*										
0-19 YRS	3	11.0	75	6	6	6	17	21	21	21
20-34	19	8.0	9	5	5	7	9	12	15	17
35-49	40	11.0	24	3	5	10	14	16	20	27
50-64	108	10.6	29	4	6	9	13	17	19	32
65+	77	13.2	59	3	5	12	16	22	29	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	12	3.9	4	1	2	4	5	7	8	8
35-49	114	4.2	27	1	1	2	4	8	12	34
50-64	315	4.4	38	1	1	2	5	9	15	23
65+	301	7.0	79	1	1	4	9	17	23	54
B. *Operated*										
0-19 YRS	3	9.7	16	5	5	12	12	12	12	12
20-34	43	10.7	48	4	5	8	12	19	28	34
35-49	141	12.4	64	5	6	10	15	22	28	56
50-64	305	14.4	104	5	7	12	17	25	32	61
65+	283	17.6	129	7	8	15	21	34	43	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	597	3.1	15	1	1	2	3	6	11	20
B. *Operated*	247	11.3	38	4	5	10	14	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	745	5.4	54	1	1	3	6	12	18	35
B. *Operated*	775	15.0	107	5	7	12	18	26	37	65
1. SINGLE DX	844	5.5	36	1	1	2	8	13	17	27
2. MULTIPLE DX	1520	10.3	104	1	2	8	14	21	29	57
A. NOT OPERATED	1342	4.4	38	1	1	2	4	10	15	28
B. OPERATED	1022	14.1	93	5	6	11	17	25	34	58
TOTAL 0-19 YRS	17	6.8	21	1	2	6	7	12	18	21
20-34	99	7.4	35	1	2	6	9	14	18	33
35-49	411	7.3	54	1	1	5	10	16	21	40
50-64	996	7.6	74	1	1	4	11	17	21	46
65+	841	10.5	114	1	2	8	15	23	30	60
GRAND TOTAL	**2364**	**8.6**	**85**	**1**	**1**	**6**	**12**	**19**	**25**	**48**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	7.0	32	3	3	7	11	11	11	11
50-64	12	3.4	3	2	2	3	4	5	8	8
65+	18	3.6	6	1	2	3	4	5	9	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	4.1	8	1	1	3	6	9	9	9
35-49	21	8.2	117	1	2	4	10	15	33	51
50-64	30	5.9	25	1	1	4	8	13	14	23
65+	53	8.4	98	2	2	5	11	15	22	66
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	6	3.2	1	2	2	3	3	5	5	5
50-64	18	7.7	66	1	1	4	11	18	27	32
65+	43	10.2	104	2	3	8	15	22	26	57
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	6	7.2	24	2	2	6	9	15	16	16
35-49	26	10.0	80	1	2	8	13	23	27	40
50-64	37	12.2	100	2	3	8	17	27	33	43
65+	93	13.3	86	3	4	11	18	25	34	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	6	1	2	3	4	6	10	12
B. *Operated*	112	7.4	76	1	2	5	10	13	19	57
2. MULTIPLE DX										
A. *Not Operated*	69	8.8	86	1	2	5	12	19	25	52
B. *Operated*	163	12.3	86	2	3	10	16	24	34	43
1. SINGLE DX	146	6.5	62	1	2	4	8	13	17	52
2. MULTIPLE DX	232	11.3	89	2	3	9	15	24	32	43
A. NOT OPERATED	103	7.1	65	1	2	3	9	16	23	44
B. OPERATED	275	10.3	88	2	2	8	13	23	28	44
TOTAL 0-19 YRS	3	7.7	36	2	2	7	12	14	14	14
20-34	16	5.1	16	1	1	4	7	9	14	16
35-49	55	8.5	85	1	2	5	11	19	24	50
50-64	97	8.3	68	1	2	5	11	21	27	39
65+	207	10.6	94	2	3	8	15	22	29	50
GRAND TOTAL	**378**	**9.4**	**84**	**2**	**2**	**6**	**13**	**21**	**27**	**44**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	55	5.5	23	2	2	4	7	10	16	25
65+	218	7.3	44	1	2	5	9	14	21	34
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	6.0		6	6	6	6	6	6	6
35-49	20	7.3	53	1	2	5	8	16	24	31
50-64	495	7.9	34	2	2	7	10	15	19	29
65+	1807	8.0	33	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	44	2	2	8	14	17	17	17
20-34										
35-49	23	4.8	23	1	2	3	5	14	17	18
50-64	203	8.0	54	1	2	6	10	15	19	41
65+	1305	9.4	81	2	2	7	11	20	26	45
B. *Operated*										
0-19 YRS	5	13.4	61	8	8	9	18	26	26	26
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	9.5	79	2	3	7	12	16	32	39
50-64	552	9.9	52	2	3	8	13	19	24	33
65+	3211	11.1	65	3	4	9	14	21	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	6.9	40	1	2	5	8	14	21	33
B. *Operated*	2324	8.0	34	2	2	7	10	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	1535	9.2	77	2	2	7	11	19	26	44
B. *Operated*	3785	10.9	63	3	4	9	14	20	26	44
1. SINGLE DX	2600	7.9	34	2	2	7	10	15	18	30
2. MULTIPLE DX	5320	10.4	68	2	3	8	13	20	26	44
A. NOT OPERATED	1811	8.8	72	2	2	6	11	18	25	43
B. OPERATED	6109	9.8	54	2	3	8	12	18	24	39
TOTAL 0-19 YRS	11	10.2	52	1	2	9	15	21	26	26
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	61	6.8	49	1	2	4	8	16	17	38
50-64	1305	8.7	46	2	2	7	11	17	22	33
65+	6541	9.8	60	2	3	8	12	19	24	42
GRAND TOTAL	**7920**	**9.6**	**58**	**2**	**3**	**8**	**12**	**18**	**24**	**40**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	6.4	1	5	5	6	7	8	8	8
20-34	34	4.9	15	1	1	5	6	8	14	19
35-49	8	4.1	13	1	1	3	6	10	11	11
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	10	4.9	10	2	2	4	7	10	12	12
20-34	125	6.0	15	2	3	5	7	12	14	22
35-49	43	5.2	12	1	2	4	6	11	14	15
50-64	27	5.3	25	1	2	3	6	12	15	25
65+	30	5.9	19	2	2	4	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.4	2	2	3	4	5	6	8	8
20-34	52	5.8	22	1	2	5	6	11	13	27
35-49	22	7.5	46	<1	1	5	10	16	24	28
50-64	2	4.0	8	2	2	4	6	6	6	6
65+	6	6.5	33	2	2	4	11	15	16	16
B. *Operated*										
0-19 YRS	5	11.6	55	4	4	9	19	20	20	20
20-34	40	9.0	40	2	3	8	12	19	22	25
35-49	33	8.9	28	2	2	8	13	16	16	22
50-64	19	9.6	63	2	3	8	11	21	30	33
65+	25	9.2	57	2	3	6	11	20	28	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	5.1	14	1	1	5	6	9	14	19
B. *Operated*	235	5.7	16	2	2	4	7	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	96	6.0	25	1	2	5	7	11	15	28
B. *Operated*	122	9.2	43	2	3	8	12	18	22	31
1. SINGLE DX	288	5.6	15	2	2	5	7	12	14	20
2. MULTIPLE DX	218	7.8	38	2	2	5	10	16	21	29
A. NOT OPERATED	149	5.7	21	1	1	5	6	11	14	27
B. OPERATED	357	6.9	28	2	2	5	9	14	17	27
TOTAL 0-19 YRS	37	5.9	16	2	3	5	7	9	17	20
20-34	251	6.3	22	2	2	5	8	12	16	24
35-49	106	6.8	26	1	2	5	10	14	16	25
50-64	49	7.1	43	2	2	5	9	13	25	33
65+	63	7.1	37	2	2	5	10	16	19	30
GRAND TOTAL	**506**	**6.5**	**26**	**2**	**2**	**5**	**8**	**13**	**16**	**27**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	4.7	19	2	2	3	5	12	14	14
50-64	33	3.8	19	1	1	2	4	8	15	20
65+	83	5.5	42	1	1	3	6	11	23	30
B. *Operated*										
0-19 YRS	3	8.3	70	3	3	4	14	18	18	18
20-34	18	4.9	15	1	1	4	8	10	13	15
35-49	127	5.2	17	1	2	4	7	10	14	22
50-64	642	5.4	27	1	2	4	6	12	16	25
65+	1377	6.2	35	1	2	4	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	11	5.4	18	1	1	4	7	13	14	14
50-64	74	6.5	57	1	1	4	9	14	20	44
65+	269	9.2	100	2	2	6	11	20	29	53
B. *Operated*										
0-19 YRS	4	10.8	81	3	3	9	18	22	22	22
20-34	9	8.3	74	1	1	6	11	23	29	29
35-49	69	8.2	145	1	2	5	8	15	24	77
50-64	466	9.1	99	2	2	6	11	21	29	45
65+	1669	10.1	94	2	3	7	13	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	4.9	33	1	1	3	6	11	20	29
B. *Operated*	2167	5.9	31	1	2	4	7	13	17	26
2. MULTIPLE DX										
A. *Not Operated*	360	8.4	88	1	2	5	10	18	26	50
B. *Operated*	2217	9.9	97	2	2	7	12	21	28	49
1. SINGLE DX	2294	5.8	31	1	2	4	7	12	17	27
2. MULTIPLE DX	2577	9.7	96	2	2	6	12	21	28	50
A. NOT OPERATED	487	7.5	76	1	2	5	9	16	25	47
B. OPERATED	4384	7.9	68	2	2	5	9	17	23	42
TOTAL 0-19 YRS	15	6.8	36	3	3	4	5	18	21	22
20-34	29	5.8	33	1	1	4	8	12	16	29
35-49	214	6.2	60	1	2	4	7	12	15	39
50-64	1215	6.9	59	1	2	4	8	15	22	38
65+	3398	8.3	73	2	2	6	10	18	24	45
GRAND TOTAL	**4871**	**7.9**	**69**	**1**	**2**	**5**	**9**	**17**	**23**	**44**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	3	8.0	61	3	3	4	14	17	17	17
35-49	7	4.4	10	1	1	4	7	9	9	9
50-64	18	6.2	92	1	1	3	6	10	31	43
65+	33	7.8	138	1	1	5	8	18	28	63
B. *Operated*										
0-19 YRS	5	12.6	9	8	8	13	14	16	16	16
20-34	8	14.1	40	7	7	13	18	23	25	25
35-49	46	11.5	18	6	7	11	15	17	19	24
50-64	125	11.4	26	3	5	11	15	18	20	24
65+	166	12.9	59	3	5	12	15	22	26	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	4.4	16	1	1	3	6	12	13	13
35-49	26	7.5	74	1	1	5	8	25	30	31
50-64	111	8.7	68	1	2	6	11	18	24	44
65+	173	8.7	67	2	2	6	10	19	24	41
B. *Operated*										
0-19 YRS	7	8.4	17	3	3	8	12	14	14	14
20-34	15	14.4	131	2	3	13	17	34	41	44
35-49	67	14.0	82	3	4	12	18	24	33	48
50-64	203	15.2	70	4	6	14	19	26	30	48
65+	397	17.4	129	3	5	16	22	31	39	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	6.6	99	1	1	4	6	16	22	60
B. *Operated*	350	12.2	41	3	5	12	15	19	23	31
2. MULTIPLE DX										
A. *Not Operated*	325	8.4	66	1	2	6	10	18	24	41
B. *Operated*	689	16.3	108	3	5	15	20	29	35	53
1. SINGLE DX	415	11.3	54	2	3	11	15	19	23	36
2. MULTIPLE DX	1014	13.7	108	2	3	12	18	26	33	50
A. NOT OPERATED	390	8.1	71	1	2	5	10	18	24	42
B. OPERATED	1039	14.9	89	3	5	13	18	25	31	52
TOTAL 0-19 YRS	17	7.8	26	1	1	8	12	14	15	16
20-34	40	10.4	85	1	2	8	15	19	29	44
35-49	146	11.6	65	2	3	10	15	22	26	40
50-64	457	12.2	67	2	3	11	16	22	28	43
65+	769	14.1	114	2	3	12	19	26	33	54
GRAND TOTAL	**1429**	**13.0**	**93**	**2**	**3**	**11**	**17**	**24**	**31**	**50**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	3	5.3	8	2	2	7	7	7	7	7
35-49	8	2.9	2	<1	<1	3	4	4	4	4
50-64	12	3.1	5	1	1	2	4	7	7	7
65+	18	5.0	33	1	1	3	6	9	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	10.8	54	5	5	8	16	21	21	21
50-64	4	5.8	7	3	3	6	8	8	8	8
65+	9	6.0	28	1	1	5	8	14	18	18
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	12	6.5	31	2	2	4	11	16	16	16
65+	16	6.2	33	<1	1	4	8	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.8	12	3	3	3	6	11	11	11
B. *Operated*	44	4.1	17	1	1	3	5	7	9	26
2. MULTIPLE DX										
A. *Not Operated*	17	7.1	30	1	2	6	8	17	20	21
B. *Operated*	28	6.3	31	1	1	4	8	16	17	21
1. SINGLE DX	49	4.1	16	1	1	3	5	8	10	26
2. MULTIPLE DX	45	6.6	30	1	2	5	8	16	19	21
A. NOT OPERATED	22	6.5	26	1	2	5	8	13	19	21
B. OPERATED	72	4.9	23	1	1	3	6	10	16	25
TOTAL 0-19 YRS	4	4.0	9	1	1	3	6	8	8	8
20-34	3	5.3	8	2	2	7	7	7	7	7
35-49	14	5.2	26	<1	1	4	5	12	19	21
50-64	29	4.9	18	1	1	3	7	12	16	16
65+	44	5.8	31	1	1	4	8	12	19	26
GRAND TOTAL	**94**	**5.3**	**24**	**1**	**1**	**4**	**7**	**11**	**17**	**24**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.8	31	1	1	3	8	14	18	22
20-34	17	8.3	165	1	1	6	7	10	41	57
35-49	36	8.4	89	1	2	5	8	18	29	47
50-64	66	9.5	147	2	2	5	12	24	34	96
65+	51	8.8	111	2	2	5	9	20	25	65
B. *Operated*										
0-19 YRS	29	13.6	109	4	7	10	16	19	40	55
20-34	35	16.6	95	7	8	15	22	28	50	99+
35-49	50	14.2	67	5	7	12	18	22	25	55
50-64	88	17.5	128	5	8	15	20	32	44	65
65+	47	19.8	144	5	8	15	28	41	44	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.4	177	1	1	4	13	24	42	58
20-34	25	7.8	59	1	2	5	8	20	24	35
35-49	41	9.5	226	1	2	6	12	17	51	99+
50-64	92	9.7	86	2	2	7	11	22	28	82
65+	86	13.4	194	3	3	9	16	29	43	71
B. *Operated*										
0-19 YRS	26	18.9	193	6	7	14	22	46	53	60
20-34	30	20.0	266	4	5	18	23	33	54	85
35-49	35	17.6	287	3	4	14	25	35	78	99+
50-64	81	24.8	278	7	9	20	31	51	63	74
65+	65	23.1	231	6	7	21	29	51	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	8.6	115	1	2	5	9	20	30	73
B. *Operated*	249	16.7	115	5	8	14	19	30	43	56
2. MULTIPLE DX										
A. *Not Operated*	266	10.7	149	2	2	7	13	22	40	94
B. *Operated*	237	22.0	259	5	7	18	28	49	60	99+
1. SINGLE DX	438	13.2	130	2	3	11	17	27	39	66
2. MULTIPLE DX	503	16.0	233	2	3	11	21	35	51	99
A. NOT OPERATED	455	9.8	136	2	2	6	11	22	33	78
B. OPERATED	486	19.3	192	5	7	16	24	39	51	91
TOTAL 0-19 YRS	96	12.5	151	1	2	9	15	22	45	59
20-34	107	14.2	168	2	3	11	19	29	37	91
35-49	162	12.5	169	2	3	9	17	25	32	99+
50-64	327	15.5	195	2	3	12	20	33	48	76
65+	249	16.2	204	3	4	12	23	40	4[illegible]	75
GRAND TOTAL	**941**	**14.7**	**187**	**2**	**3**	**11**	**19**	**31**	**47**	**85**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.0	1	4	4	5	6	6	6	6
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	14.5	1	14	14	14	15	15	15	15
20-34	4	15.0	81	6	6	13	21	27	27	27
35-49	3	18.3	17	15	15	17	21	23	23	23
50-64	9	23.0	491	3	6	18	22	59	79	79
65+	2	23.5	221	13	13	23	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49	3	12.0	100	2	2	12	19	22	22	22
50-64										
65+	8	12.6	43	6	6	11	18	22	23	23
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	6	25.0	127	8	9	28	33	37	37	37
35-49	7	22.4	285	8	8	19	27	51	57	57
50-64	5	12.0	86	2	2	14	19	23	23	23
65+	7	28.0	166	9	11	33	35	45	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.2	39	1	1	5	8	18	19	19
B. *Operated*	20	19.9	247	4	8	16	21	31	56	79
2. MULTIPLE DX										
A. *Not Operated*	13	11.5	49	2	4	9	16	22	23	23
B. *Operated*	26	21.8	193	3	4	19	33	37	49	57
1. SINGLE DX	26	17.0	226	3	4	15	19	29	43	79
2. MULTIPLE DX	39	18.4	167	3	4	15	25	35	42	57
A. NOT OPERATED	19	10.1	47	1	3	8	14	22	23	23
B. OPERATED	46	21.0	212	3	6	18	29	36	49	79
TOTAL 0-19 YRS	4	8.5	50	1	1	9	14	15	15	15
20-34	15	15.8	138	4	4	11	27	33	36	37
35-49	14	19.1	167	3	7	18	22	32	51	57
50-64	14	19.1	358	2	3	17	19	34	69	79
65+	18	19.6	151	6	7	17	33	35	43	47
GRAND TOTAL	**65**	**17.8**	**188**	**3**	**4**	**15**	**23**	**33**	**39**	**76**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	2	2	2	4	5	5	5	5
20-34	19	3.4	4	1	1	3	4	5	7	9
35-49	30	3.3	2	2	2	3	4	5	6	8
50-64	20	8.2	180	1	2	3	7	21	43	58
65+	16	4.6	5	2	2	5	6	8	9	9
B. *Operated*										
0-19 YRS	15	9.9	97	3	3	5	11	29	34	36
20-34	68	5.8	12	3	3	5	7	10	15	18
35-49	69	5.5	8	3	3	5	6	9	10	18
50-64	52	7.0	52	3	3	5	6	11	19	46
65+	36	9.1	23	3	5	7	11	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	14	3.1	8	1	1	2	3	6	11	12
35-49	20	3.5	4	1	2	3	4	6	8	9
50-64	39	7.3	139	2	2	4	7	16	18	73
65+	54	10.1	80	2	3	7	14	23	29	43
B. *Operated*										
0-19 YRS	8	7.4	25	3	3	6	9	16	18	18
20-34	43	7.2	19	3	3	6	9	13	15	26
35-49	56	8.2	50	2	3	6	9	17	26	37
50-64	61	10.3	77	3	4	7	13	24	31	40
65+	55	13.3	190	3	4	9	14	29	37	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	4.7	44	1	2	3	5	7	9	46
B. *Operated*	240	6.7	28	3	3	5	8	11	16	30
2. MULTIPLE DX										
A. *Not Operated*	135	7.1	81	1	2	4	8	17	23	48
B. *Operated*	223	9.8	89	3	3	7	10	20	30	41
1. SINGLE DX	330	6.2	33	2	2	5	7	10	15	30
2. MULTIPLE DX	358	8.8	87	2	2	6	10	18	28	42
A. NOT OPERATED	225	6.1	68	1	2	4	6	14	19	47
B. OPERATED	463	8.2	60	3	3	6	9	16	24	39
TOTAL 0-19 YRS	36	6.8	54	1	2	4	7	14	26	36
20-34	144	5.7	14	2	2	5	7	10	13	18
35-49	175	5.7	23	2	2	4	7	10	14	30
50-64	172	8.4	96	2	2	5	9	17	28	55
65+	161	10.4	103	2	3	7	12	23	29	44
GRAND TOTAL	**688**	**7.5**	**63**	**2**	**2**	**5**	**8**	**15**	**23**	**40**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.3	37	1	1	6	11	12	12	12
20-34	14	6.1	44	<1	1	3	8	16	23	25
35-49	64	6.9	59	1	1	5	9	12	19	49
50-64	192	7.5	63	1	2	5	8	16	24	43
65+	279	9.1	84	1	2	6	13	21	29	40
B. *Operated*										
0-19 YRS	7	5.6	30	1	1	3	9	15	16	16
20-34	33	8.3	42	1	2	7	11	17	18	29
35-49	100	6.0	39	1	2	4	8	12	15	36
50-64	277	9.4	70	1	2	7	13	20	26	43
65+	384	10.4	108	1	2	8	14	23	30	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.2	10	1	1	3	6	8	11	13
20-34	129	7.3	123	1	1	4	7	14	23	67
35-49	479	7.1	58	1	2	5	9	15	22	39
50-64	1536	8.2	68	1	2	6	10	18	23	38
65+	2249	10.0	99	2	2	7	13	21	29	52
B. *Operated*										
0-19 YRS	13	11.0	49	2	4	8	13	22	27	28
20-34	115	9.8	94	2	2	7	12	19	25	58
35-49	442	12.1	111	2	3	9	16	26	35	53
50-64	1433	13.6	139	2	3	11	18	28	36	66
65+	1974	14.4	135	2	3	11	19	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	8.2	73	1	2	5	10	19	26	41
B. *Operated*	801	9.4	85	1	2	7	13	20	27	44
2. MULTIPLE DX										
A. *Not Operated*	4418	8.9	85	1	2	6	11	19	26	49
B. *Operated*	3977	13.7	134	2	3	11	18	28	36	63
1. SINGLE DX	1354	8.9	80	1	2	6	12	19	27	43
2. MULTIPLE DX	8395	11.2	114	2	2	8	15	24	31	56
A. NOT OPERATED	4971	8.9	84	1	2	6	11	19	26	48
B. OPERATED	4778	13.0	128	2	3	10	17	27	35	59
TOTAL 0-19 YRS	49	6.4	32	1	1	5	9	13	16	28
20-34	291	8.3	99	1	2	6	10	16	24	58
35-49	1085	9.0	85	1	2	6	12	20	28	48
50-64	3438	10.5	105	1	2	7	14	23	30	55
65+	4886	11.8	118	2	2	9	16	25	33	55
GRAND TOTAL	**9749**	**10.9**	**110**	**2**	**2**	**8**	**14**	**23**	**31**	**54**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	3	<1	1	3	4	5	7	7
20-34	89	2.8	4	1	1	2	4	6	7	9
35-49	25	3.2	6	1	1	2	4	7	8	10
50-64	19	3.4	11	<1	<1	2	4	8	11	14
65+	25	5.8	15	1	1	5	8	11	14	16
B. *Operated*										
0-19 YRS	59	7.0	33	1	2	5	9	14	19	31
20-34	143	7.7	33	2	2	6	10	15	21	27
35-49	63	6.8	25	1	2	5	10	15	18	20
50-64	37	10.9	213	2	2	8	13	17	30	87
65+	28	10.3	98	2	2	8	11	20	26	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.3	45	2	2	3	5	9	22	31
20-34	69	6.9	37	1	1	5	10	16	18	30
35-49	18	7.4	55	2	3	5	8	17	27	32
50-64	23	9.5	51	1	2	8	16	20	22	25
65+	52	9.2	101	2	2	6	10	20	34	51
B. *Operated*										
0-19 YRS	13	11.2	46	3	3	8	18	20	22	22
20-34	61	12.0	185	2	2	9	14	26	32	87
35-49	31	12.9	136	2	3	13	17	22	39	57
50-64	31	13.1	125	3	4	9	15	26	44	48
65+	32	20.2	384	4	4	14	25	56	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	3.4	8	1	1	3	4	7	9	14
B. *Operated*	330	8.0	58	2	2	6	10	15	21	30
2. MULTIPLE DX										
A. *Not Operated*	180	7.8	61	1	2	5	10	17	23	39
B. *Operated*	168	13.9	198	2	3	10	17	29	45	93
1. SINGLE DX	502	6.4	45	1	1	5	8	14	17	29
2. MULTIPLE DX	348	10.7	136	2	2	7	14	23	32	62
A. NOT OPERATED	352	5.6	39	1	1	4	7	12	18	32
B. OPERATED	498	10.0	113	2	2	7	13	20	27	60
TOTAL 0-19 YRS	104	6.7	36	1	2	4	9	14	20	31
20-34	362	7.1	60	1	1	5	9	15	22	32
35-49	137	7.6	60	1	2	5	10	17	20	42
50-64	110	9.9	127	1	2	7	13	20	28	64
65+	137	11.4	174	2	2	7	13	24	46	92
GRAND TOTAL	**850**	**8.2**	**87**	**1**	**2**	**5**	**10**	**17**	**23**	**51**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	5.8	28	<1	<1	4	8	14	18	20
20-34	9	11.3	452	<1	<1	1	11	48	65	65
35-49	9	6.9	79	1	1	4	6	21	30	30
50-64	19	4.4	25	1	1	3	4	11	17	21
65+	56	8.0	64	1	1	5	11	19	29	35
B. *Operated*										
0-19 YRS	24	8.8	205	1	1	4	10	15	36	72
20-34	10	12.3	88	2	2	10	21	25	27	27
35-49	17	10.3	93	1	2	7	16	24	31	35
50-64	25	6.4	48	2	2	4	6	11	23	34
65+	38	7.6	36	2	2	6	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.8	16	<1	1	4	6	12	13	16
20-34	15	7.1	35	<1	1	4	11	18	18	18
35-49	14	7.4	19	2	2	6	8	15	16	16
50-64	94	7.6	60	1	1	5	10	15	20	44
65+	266	9.6	69	1	2	7	13	21	26	40
B. *Operated*										
0-19 YRS	20	14.8	157	2	3	8	24	36	39	40
20-34	8	9.9	91	2	2	8	10	26	32	32
35-49	11	11.5	70	1	2	10	15	25	28	28
50-64	49	11.5	64	2	3	9	16	26	28	34
65+	151	13.7	131	2	3	10	18	32	38	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	6.9	70	<1	1	4	8	15	21	37
B. *Operated*	114	8.4	87	2	2	5	11	20	25	48
2. MULTIPLE DX										
A. *Not Operated*	437	8.5	60	1	2	6	11	18	23	38
B. *Operated*	239	13.1	115	2	3	10	17	28	37	47
1. SINGLE DX	258	7.6	78	1	1	4	9	17	23	35
2. MULTIPLE DX	676	10.1	84	1	2	7	13	22	29	44
A. NOT OPERATED	581	8.1	63	1	1	6	10	17	23	37
B. OPERATED	353	11.6	111	2	3	9	15	25	34	46
TOTAL 0-19 YRS	143	7.2	80	<1	1	4	9	15	21	42
20-34	42	9.8	140	<1	1	6	12	23	29	65
35-49	51	9.1	65	1	2	6	13	22	28	35
50-64	187	8.1	60	1	2	6	11	18	26	34
65+	511	10.5	88	2	3	8	14	22	32	44
GRAND TOTAL	**934**	**9.4**	**84**	**1**	**2**	**7**	**12**	**20**	**28**	**44**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	5.7	16	<1	1	5	7	10	13	21
20-34	43	7.4	134	1	1	4	7	16	27	67
35-49	42	6.2	37	<1	1	5	8	16	18	27
50-64	72	6.1	68	1	1	3	7	15	27	38
65+	107	6.8	82	1	1	4	8	16	25	49
B. *Operated*										
0-19 YRS	15	10.8	87	1	2	10	15	26	27	28
20-34	22	14.5	211	1	2	8	26	39	41	42
35-49	30	12.4	194	1	2	7	14	38	44	51
50-64	48	16.7	294	3	4	9	23	43	53	69
65+	58	11.8	123	2	3	8	14	30	37	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.7	48	1	1	3	9	18	23	27
20-34	36	9.3	113	1	1	6	10	27	37	40
35-49	76	9.5	96	<1	2	6	12	25	30	43
50-64	124	8.7	68	1	1	7	11	20	27	37
65+	275	6.7	61	1	1	4	8	15	22	37
B. *Operated*										
0-19 YRS	15	27.3	325	2	3	32	40	46	59	63
20-34	30	23.5	280	3	4	20	33	51	56	59
35-49	52	18.0	298	1	2	13	27	35	42	89
50-64	72	19.0	258	3	4	13	28	43	53	63
65+	159	17.5	221	3	4	13	25	41	49	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	6.5	72	1	1	4	8	14	23	39
B. *Operated*	173	13.5	191	2	2	8	18	38	42	60
2. MULTIPLE DX										
A. *Not Operated*	542	7.7	71	1	1	5	9	18	26	38
B. *Operated*	328	18.9	254	3	4	14	28	42	52	66
1. SINGLE DX	469	9.1	127	1	1	5	10	26	37	52
2. MULTIPLE DX	870	11.9	169	1	1	7	16	31	40	59
A. NOT OPERATED	838	7.3	72	1	1	5	9	17	25	38
B. OPERATED	501	17.0	238	2	3	11	26	40	48	64
TOTAL 0-19 YRS	93	10.3	142	1	2	5	12	27	39	56
20-34	131	12.8	210	1	1	6	19	37	42	61
35-49	200	11.5	167	1	1	7	15	28	37	62
50-64	316	11.7	171	1	1	7	14	31	41	61
65+	599	10.1	135	1	1	6	12	27	36	53
GRAND TOTAL	**1339**	**10.9**	**156**	**1**	**1**	**6**	**14**	**28**	**38**	**58**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.1	19	1	2	4	6	10	16	19
20-34	45	4.2	36	1	1	2	5	9	11	38
35-49	82	6.2	154	1	1	2	6	13	22	94
50-64	203	5.3	31	1	1	3	6	11	16	31
65+	337	6.9	59	1	1	5	8	17	22	39
B. *Operated*										
0-19 YRS	18	9.3	106	1	1	4	15	26	33	36
20-34	50	8.0	57	1	2	5	11	19	25	30
35-49	109	6.4	33	1	2	5	8	15	18	28
50-64	305	8.5	63	1	2	5	12	19	23	36
65+	419	10.0	78	2	2	8	14	21	26	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.4	9	2	2	4	8	10	11	12
20-34	43	6.1	58	1	1	4	8	11	20	43
35-49	137	7.7	74	1	2	5	10	16	23	39
50-64	514	7.6	68	1	1	5	9	16	22	38
65+	885	9.6	86	1	2	7	12	20	27	49
B. *Operated*										
0-19 YRS	6	7.2	32	1	1	6	9	16	17	17
20-34	33	11.6	109	2	2	9	15	31	36	39
35-49	117	15.7	295	2	3	10	18	38	61	80
50-64	338	13.8	176	2	3	10	17	28	38	68
65+	748	15.5	149	3	4	13	20	33	40	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	6.1	60	1	1	4	7	14	20	38
B. *Operated*	901	8.9	68	1	2	6	12	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	1597	8.6	79	1	2	6	11	18	25	46
B. *Operated*	1242	14.9	169	2	3	12	19	32	40	77
1. SINGLE DX	1585	7.7	66	1	1	5	10	18	23	38
2. MULTIPLE DX	2839	11.4	128	1	2	8	15	25	34	63
A. NOT OPERATED	2281	7.9	74	1	1	5	10	17	24	44
B. OPERATED	2143	12.4	135	2	2	9	16	26	35	65
TOTAL 0-19 YRS	59	6.7	45	1	2	4	8	16	21	35
20-34	171	7.2	67	1	1	4	9	18	27	39
35-49	445	9.2	151	1	1	5	10	20	32	73
50-64	1360	9.0	96	1	2	6	11	19	27	46
65+	2389	11.1	110	1	2	8	15	24	33	53
GRAND TOTAL	**4424**	**10.1**	**109**	**1**	**2**	**7**	**13**	**22**	**30**	**54**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	50	3.0	8	<1	1	2	3	6	9	15
20-34	115	3.1	2	1	2	3	4	4	5	11
35-49	125	3.4	3	1	2	3	4	5	6	9
50-64	156	3.7	6	1	2	3	4	6	7	13
65+	115	4.2	6	2	2	4	5	6	7	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	7	2.7	2	2	2	2	3	5	6	6
20-34	30	3.1	3	1	2	3	3	4	7	10
35-49	42	3.7	3	1	2	4	5	6	7	9
50-64	85	4.7	8	2	2	4	5	9	11	15
65+	74	6.0	30	2	2	5	7	12	13	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.0	2	<1	<1	2	2	4	5	5
B. *Operated*	561	3.6	5	1	2	3	4	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	9	2.8	2	1	1	3	3	5	6	6
B. *Operated*	238	4.7	14	2	2	4	5	8	11	15
1. SINGLE DX	568	3.5	5	1	2	3	4	5	7	14
2. MULTIPLE DX	247	4.6	14	2	2	4	5	8	11	15
A. NOT OPERATED	16	2.4	2	<1	1	2	3	5	6	6
B. OPERATED	799	3.9	8	1	2	3	4	6	9	15
TOTAL 0-19 YRS	62	2.9	7	<1	1	2	3	5	8	15
20-34	147	3.0	2	1	2	3	4	4	5	10
35-49	170	3.5	3	1	2	3	4	6	7	9
50-64	244	4.1	7	1	2	4	4	7	9	14
65+	192	4.9	16	2	2	4	5	8	13	17
GRAND TOTAL	**815**	**3.9**	**8**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	2	<1	<1	2	3	4	5	6
20-34	12	2.7	2	1	1	3	4	5	5	5
35-49	44	2.7	4	1	1	2	3	4	9	10
50-64	82	2.5	4	<1	1	2	3	5	7	11
65+	96	3.2	17	1	1	2	3	6	8	26
B. *Operated*										
0-19 YRS	52	3.1	5	1	1	2	4	7	8	9
20-34	68	5.5	23	1	1	4	8	12	14	23
35-49	212	4.3	16	1	1	2	6	10	12	20
50-64	462	3.9	14	1	1	2	5	10	12	15
65+	563	4.4	19	1	1	2	5	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	6	1	1	3	5	7	7	7
20-34	14	3.5	6	1	1	3	4	8	8	8
35-49	54	3.6	5	1	1	3	4	7	8	11
50-64	163	4.5	14	1	1	4	6	8	10	20
65+	243	5.3	20	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	29	4.9	11	1	1	4	7	9	11	15
20-34	68	5.9	20	1	2	5	7	12	16	21
35-49	224	6.4	31	1	2	4	9	13	18	26
50-64	704	6.0	32	1	1	4	8	12	16	28
65+	1217	7.7	60	1	2	5	10	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	2.8	9	1	1	2	3	5	7	13
B. *Operated*	1357	4.2	17	1	1	2	5	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	481	4.8	16	1	1	4	6	9	12	20
B. *Operated*	2242	6.9	47	1	2	5	9	16	20	32
1. SINGLE DX	1609	4.0	16	1	1	2	5	10	12	19
2. MULTIPLE DX	2723	6.6	42	1	1	4	9	15	19	31
A. NOT OPERATED	733	4.1	14	1	1	3	5	8	11	18
B. OPERATED	3599	5.9	37	1	1	4	8	13	18	29
TOTAL 0-19 YRS	106	3.4	7	1	1	3	4	7	8	13
20-34	162	5.3	20	1	1	4	7	12	15	22
35-49	534	5.0	22	1	1	3	7	11	14	22
50-64	1411	5.0	24	1	1	3	7	11	14	23
65+	2119	6.3	45	1	1	4	9	15	19	32
GRAND TOTAL	**4332**	**5.6**	**34**	**1**	**1**	**3**	**8**	**12**	**17**	**28**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+	4	6.3	15	2	2	6	9	10	10	10
B. *Operated*										
0-19 YRS	38	1.9	2	<1	1	2	2	3	4	9
20-34	49	3.3	15	<1	<1	2	3	7	10	24
35-49	58	3.9	11	1	1	2	5	9	11	17
50-64	76	4.6	20	1	2	2	6	12	15	17
65+	51	7.3	58	1	1	4	11	19	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64	3	5.3	2	4	4	5	6	7	7	7
65+	5	9.8	29	3	3	9	14	17	17	17
B. *Operated*										
0-19 YRS	7	4.9	72	1	1	2	3	20	24	24
20-34	14	4.9	25	2	2	3	4	14	18	19
35-49	18	5.3	18	<1	1	4	9	12	13	13
50-64	35	5.5	27	1	1	3	9	12	17	21
65+	46	8.2	55	1	2	6	10	17	25	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.2	10	<1	<1	2	4	9	10	10
B. *Operated*	272	4.4	24	1	1	2	4	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	11	6.7	23	1	2	6	9	15	17	17
B. *Operated*	120	6.4	40	1	1	4	10	13	20	30
1. SINGLE DX	285	4.3	24	1	1	2	4	10	15	24
2. MULTIPLE DX	131	6.4	38	1	1	4	10	13	19	29
A. NOT OPERATED	24	4.8	19	<1	1	3	7	10	14	17
B. OPERATED	392	5.0	30	1	1	2	6	12	16	26
TOTAL 0-19 YRS	51	2.3	11	<1	1	2	2	3	6	24
20-34	67	3.6	17	<1	1	2	3	7	13	23
35-49	78	4.2	13	1	1	2	6	10	12	16
50-64	114	4.9	22	1	2	2	7	12	15	20
65+	106	7.8	53	1	2	4	10	17	24	34
GRAND TOTAL	**416**	**5.0**	**29**	**1**	**1**	**2**	**6**	**12**	**16**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.3	1	<1	<1	2	3	4	4	4
20-34	7	3.6	5	1	1	3	4	7	8	8
35-49	10	3.0	2	1	1	3	4	5	5	5
50-64	14	6.2	31	1	1	4	11	16	16	16
65+	6	2.7	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	494	2.8	3	1	1	2	3	5	6	9
20-34	595	2.9	4	<1	1	2	3	5	7	12
35-49	727	3.0	6	<1	1	2	3	5	7	14
50-64	724	3.2	9	1	1	2	4	6	8	14
65+	360	3.6	9	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	2	<1	<1	2	3	4	5	5
20-34	12	2.8	2	1	1	3	4	5	5	5
35-49	17	3.9	8	1	1	4	6	8	9	9
50-64	20	4.7	8	1	1	4	6	9	10	10
65+	32	5.1	16	1	1	4	7	10	12	19
B. *Operated*										
0-19 YRS	69	3.6	8	1	2	3	4	8	11	83
20-34	208	4.9	29	1	2	3	6	10	16	32
35-49	368	4.3	13	1	2	3	5	9	11	18
50-64	471	5.0	20	1	2	3	6	10	14	23
65+	312	6.2	36	2	2	4	7	13	19	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.0	14	<1	1	3	4	10	13	16
B. *Operated*	2900	3.1	6	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	89	4.2	10	1	1	4	5	9	10	16
B. *Operated*	1428	5.0	23	1	2	3	6	10	14	28
1. SINGLE DX	2943	3.1	6	<1	1	2	3	5	8	14
2. MULTIPLE DX	1517	5.0	22	1	2	3	6	10	14	27
A. NOT OPERATED	132	4.1	11	1	1	3	5	9	11	17
B. OPERATED	4328	3.7	13	1	1	3	4	7	10	19
TOTAL 0-19 YRS	577	2.9	4	1	1	2	3	5	6	12
20-34	822	3.4	11	1	1	2	4	6	8	18
35-49	1122	3.4	9	<1	1	2	4	6	9	15
50-64	1229	4.0	14	1	1	3	4	8	11	19
65+	710	4.8	23	1	2	3	6	10	15	26
GRAND TOTAL	**4460**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**10**	**19**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	3	<1	1	2	4	6	6	6
20-34	7	2.9	1	1	1	3	4	4	4	4
35-49	5	2.2	5	1	1	1	3	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	4	5.0	30	1	1	3	8	13	13	13
B. *Operated*										
0-19 YRS	426	2.2	5	<1	<1	2	2	4	5	12
20-34	217	2.8	4	<1	1	2	3	5	7	11
35-49	191	3.4	13	<1	1	2	3	7	9	19
50-64	172	3.7	13	1	1	3	4	7	10	20
65+	111	4.1	18	1	1	3	4	9	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.8	19	<1	<1	2	5	9	15	19
20-34	10	3.0	5	<1	<1	3	3	6	8	8
35-49	7	2.6	2	<1	<1	2	4	5	5	5
50-64	15	9.1	55	2	2	6	13	16	26	29
65+	24	10.0	155	2	2	6	10	23	39	59
B. *Operated*										
0-19 YRS	119	3.0	11	<1	1	2	3	6	7	50
20-34	136	4.5	51	<1	1	3	5	9	14	35
35-49	160	4.1	19	1	1	2	5	8	14	22
50-64	167	5.1	23	1	1	4	7	11	15	24
65+	129	8.4	154	1	2	4	9	20	25	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.0	6	1	1	2	4	6	6	13
B. *Operated*	1117	2.9	9	<1	1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	78	6.5	73	<1	1	4	7	15	21	51
B. *Operated*	711	5.0	52	1	1	3	6	11	17	30
1. SINGLE DX	1147	2.9	9	<1	1	2	3	5	8	16
2. MULTIPLE DX	789	5.1	54	1	1	3	6	11	17	31
A. NOT OPERATED	108	5.5	56	1	1	3	6	12	17	43
B. OPERATED	1828	3.7	27	<1	1	2	4	7	12	24
TOTAL 0-19 YRS	579	2.4	6	<1	<1	2	2	4	6	15
20-34	370	3.4	22	<1	1	2	4	6	9	20
35-49	363	3.7	16	<1	1	2	4	7	11	21
50-64	356	4.6	21	1	1	3	5	10	15	24
65+	268	6.7	100	1	1	3	7	16	22	65
GRAND TOTAL	**1936**	**3.8**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**24**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	389	1.9	1	<1	1	2	2	3	3	4
20-34	709	2.0	1	<1	1	2	2	3	3	6
35-49	410	2.1	1	<1	1	2	2	3	4	6
50-64	182	2.5	2	1	1	2	3	4	5	7
65+	109	2.6	1	1	2	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	4	3.5	10	1	1	2	5	8	8	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	3	5.7	41	<1	<1	3	10	13	13	13
B. *Operated*										
0-19 YRS	57	2.2	2	<1	1	2	2	3	4	10
20-34	220	2.7	4	1	1	2	3	5	7	10
35-49	265	3.0	5	1	2	2	3	6	7	11
50-64	157	3.7	8	2	2	3	4	7	11	15
65+	112	4.0	8	2	2	3	5	9	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.8	1	<1	<1	1	3	3	3	3
B. *Operated*	1799	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	4.7	13	<1	1	4	7	10	13	13
B. *Operated*	811	3.2	6	1	2	2	3	6	8	13
1. SINGLE DX	1808	2.1	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	823	3.2	6	1	2	2	3	6	8	13
A. NOT OPERATED	21	3.4	10	<1	<1	3	4	8	11	13
B. OPERATED	2610	2.4	3	<1	1	2	3	4	5	10
TOTAL 0-19 YRS	448	2.0	1	<1	1	2	2	3	3	5
20-34	932	2.2	2	<1	1	2	2	3	4	7
35-49	683	2.5	3	<1	1	2	3	4	6	9
50-64	342	3.0	5	1	2	2	3	5	7	14
65+	226	3.3	5	1	2	3	4	6	9	13
GRAND TOTAL	**2631**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	32	3.6	4	1	1	3	5	6	7	8
35-49	32	3.3	5	<1	1	3	4	6	7	12
50-64	9	2.0	1	<1	<1	2	3	4	4	4
65+	2	9.0	18	6	6	9	12	12	12	12
B. *Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	583	5.9	6	1	2	6	7	8	9	13
35-49	1424	6.2	5	1	2	6	7	9	9	12
50-64	228	6.3	10	<1	2	7	8	10	11	16
65+	30	8.0	11	2	3	8	10	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	59	3.3	5	1	1	3	5	6	8	9
35-49	120	4.1	12	1	1	3	6	8	9	17
50-64	41	3.1	7	<1	1	2	4	7	8	12
65+	31	6.7	16	2	2	7	9	12	15	18
B. *Operated*										
0-19 YRS	9	6.7	16	1	1	6	9	13	13	13
20-34	1764	6.7	9	2	3	6	8	10	11	17
35-49	6513	7.2	8	3	5	7	8	10	12	18
50-64	1216	7.8	16	2	3	7	9	12	14	22
65+	189	10.4	41	3	5	9	12	17	20	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.4	5	<1	1	3	5	6	7	12
B. *Operated*	2268	6.2	6	1	2	6	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*	251	4.1	11	1	1	3	6	8	9	15
B. *Operated*	9691	7.3	10	2	5	7	8	10	12	19
1. SINGLE DX	2343	6.1	6	1	2	6	7	9	10	13
2. MULTIPLE DX	9942	7.2	11	2	4	7	8	10	12	19
A. NOT OPERATED	326	3.9	10	1	1	3	5	8	9	14
B. OPERATED	11959	7.1	10	2	4	7	8	10	12	18
TOTAL 0-19 YRS	12	6.3	15	1	1	6	8	12	13	13
20-34	2438	6.4	8	2	2	6	8	9	11	16
35-49	8089	7.0	8	2	5	7	8	10	11	17
50-64	1494	7.4	16	1	2	7	9	11	14	21
65+	252	9.6	36	2	4	9	11	15	18	34
GRAND TOTAL	**12285**	**7.0**	**10**	**2**	**4**	**7**	**8**	**10**	**12**	**18**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	26	4.1	4	1	2	4	5	7	8	8
35-49	20	4.9	9	<1	<1	6	7	9	10	10
50-64	10	3.5	18	<1	<1	2	3	11	14	14
65+	7	4.4	18	<1	<1	2	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS										
20-34	33	6.8	10	2	4	6	7	10	14	19
35-49	72	6.8	14	2	2	6	8	11	14	19
50-64	29	8.0	24	2	2	7	10	15	16	24
65+	13	7.1	28	<1	1	8	9	12	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	64	4.3	9	<1	1	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	147	7.0	16	2	2	7	9	11	15	21
1. SINGLE DX	66	4.2	9	<1	1	4	6	8	10	14
2. MULTIPLE DX	149	7.0	16	2	2	7	8	11	15	21
A. NOT OPERATED	4	2.5	2	1	1	2	3	4	4	4
B. OPERATED	211	6.2	16	1	2	6	8	10	14	20
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	61	5.5	9	1	2	5	7	8	10	18
35-49	93	6.3	13	1	2	6	8	10	14	19
50-64	39	6.8	26	1	1	7	9	14	16	24
65+	21	5.9	25	<1	<1	4	9	10	15	21
GRAND TOTAL	**215**	**6.1**	**16**	**1**	**2**	**6**	**8**	**10**	**14**	**20**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0	18	1	1	4	7	7	7	7
B. *Operated*										
0-19 YRS	80	5.7	3	3	4	6	7	8	8	12
20-34	348	5.8	3	4	4	6	6	8	8	11
35-49	94	6.6	4	4	4	6	8	9	10	14
50-64	69	8.6	16	5	5	7	9	15	17	23
65+	62	9.5	17	5	6	8	11	15	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	6.0	39	1	1	4	10	15	15	15
50-64	1	16.0		16	16	16	16	16	16	16
65+	2	10.0	50	5	5	10	15	15	15	15
B. *Operated*										
0-19 YRS	49	6.7	7	4	4	6	8	10	12	15
20-34	336	6.6	5	4	4	6	8	9	11	14
35-49	262	7.5	10	4	5	7	8	10	14	20
50-64	187	9.4	20	6	6	8	11	14	16	32
65+	132	12.1	56	6	6	11	14	18	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.6	10	1	1	2	7	7	7	7
B. *Operated*	653	6.5	7	4	4	6	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	8	8.0	39	1	2	5	15	16	16	16
B. *Operated*	966	8.1	20	4	5	7	9	12	15	26
1. SINGLE DX	658	6.5	7	4	4	6	7	9	11	19
2. MULTIPLE DX	974	8.1	20	4	5	7	9	13	15	25
A. NOT OPERATED	13	6.3	31	1	1	5	9	15	16	16
B. OPERATED	1619	7.5	15	4	5	7	8	11	14	21
TOTAL 0-19 YRS	129	6.1	5	4	4	6	7	8	11	13
20-34	687	6.2	4	4	4	6	7	8	10	14
35-49	360	7.2	9	4	5	7	8	10	12	19
50-64	258	9.2	19	5	6	8	10	14	16	28
65+	198	11.2	45	6	6	10	13	17	21	39
GRAND TOTAL	**1632**	**7.5**	**15**	**4**	**5**	**7**	**8**	**11**	**14**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.6	4	1	1	2	3	6	7	7
20-34	24	3.3	5	<1	<1	3	5	6	7	8
35-49	26	3.2	7	<1	<1	2	6	8	8	9
50-64	11	3.5	5	<1	1	2	5	7	8	8
65+	5	3.8	27	<1	<1	2	5	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	14	5.6	7	2	2	6	7	8	10	11
35-49	17	6.2	13	1	2	6	7	12	14	15
50-64	16	3.9	9	1	1	3	6	9	10	10
65+	14	5.1	18	1	1	3	9	10	14	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	73	3.2	7*	<1	<1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	65	5.0	12	1	1	5	7	9	11	15
1. SINGLE DX	74	3.3	7	<1	<1	2	5	7	8	12
2. MULTIPLE DX	67	4.9	12	1	1	4	7	9	11	15
A. NOT OPERATED	3	2.7	8	1	1	1	5	6	6	6
B. OPERATED	138	4.1	10	<1	1	3	6	8	10	15
TOTAL 0-19 YRS	11	2.6	3	1	1	2	3	6	7	7
20-34	41	4.0	7	<1	1	3	6	7	8	11
35-49	43	4.4	11	<1	1	3	7	8	11	15
50-64	27	3.7	7	1	1	3	6	8	9	10
65+	19	4.8	19	<1	1	2	8	12	14	15
GRAND TOTAL	**141**	**4.1**	**10**	**<1**	**1**	**3**	**6**	**8**	**10**	**15**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	20	3.4	9	1	1	2	3	8	11	13
35-49	18	3.6	4	<1	1	3	5	6	8	9
50-64	8	2.9	3	2	2	2	3	6	7	7
65+	13	4.2	8	2	2	3	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	11	3.7	5	1	1	3	5	7	8	8
50-64	8	4.4	13	1	1	3	6	10	12	12
65+	11	8.0	90	2	2	4	9	23	33	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	62	3.5	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	2	6.5	13	4	4	6	9	9	9	9
B. *Operated*	34	5.1	36	1	2	3	6	9	14	34
1. SINGLE DX	63	3.5	6	1	1	3	4	7	9	13
2. MULTIPLE DX	36	5.2	35	1	2	3	6	9	14	34
A. NOT OPERATED	3	6.3	6	4	4	6	8	9	9	9
B. OPERATED	96	4.0	17	1	1	3	4	8	11	25
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	25	3.3	8	1	1	2	3	6	11	13
35-49	29	3.6	5	1	1	3	5	7	8	9
50-64	17	3.6	7	1	2	3	4	7	10	12
65+	25	6.1	45	2	2	3	8	11	20	34
GRAND TOTAL	**99**	**4.1**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	8	3.3	3	2	2	3	4	6	7	7
35-49	13	4.0	8	1	1	3	5	9	10	10
50-64	30	4.1	12	<1	1	3	6	10	12	13
65+	44	3.2	5	1	1	3	4	5	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
0-19 YRS										
20-34	7	5.7	10	1	1	6	7	10	11	11
35-49	13	5.7	16	2	2	4	9	11	14	15
50-64	30	5.6	21	2	2	4	6	12	17	20
65+	46	4.5	11	1	2	4	5	10	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	97	3.7	8	1	1	3	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1	19.0		19	19	19	19	19	19	19
B. *Operated*	96	5.1	15	1	2	4	6	11	13	19
1. SINGLE DX	98	3.7	7	1	1	3	4	8	10	13
2. MULTIPLE DX	97	5.2	17	1	2	4	6	11	14	20
A. NOT OPERATED	2	10.5	145	2	2	10	19	19	19	19
B. OPERATED	193	4.4	12	1	2	3	5	10	11	18
TOTAL 0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	15	4.4	7	1	2	3	6	7	10	11
35-49	26	4.8	12	1	2	4	7	10	11	15
50-64	60	4.9	17	1	1	4	6	11	13	20
65+	92	4.0	11	1	1	3	4	8	11	19
GRAND TOTAL	**195**	**4.4**	**13**	**1**	**2**	**3**	**5**	**10**	**11**	**19**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	25	1.6	1	<1	1	1	2	2	3	5
20-34	12	2.0	1	1	1	2	3	4	4	4
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	1	7.0		7	7	7	7	7	7	7
65+	8	3.3	7	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	7.0	2	6	6	7	8	8	8	8
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	7	1.7		1	1	2	2	2	2	2
20-34	3	3.7		3	3	4	4	4	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	5	2.2	2	1	1	2	3	4	4	4
65+	2	6.0	32	2	2	6	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	49	2.1	3	1	1	2	2	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	6	5.3	6	1	1	6	7	8	8	8
B. *Operated*	19	2.6	4	1	1	2	3	4	7	10
1. SINGLE DX	51	2.1	3	1	1	2	2	4	7	8
2. MULTIPLE DX	25	3.2	6	1	1	2	4	7	8	10
A. NOT OPERATED	8	4.5	7	1	1	5	7	8	8	8
B. OPERATED	68	2.2	3	1	1	2	2	4	7	10
TOTAL 0-19 YRS	34	1.6	1	1	1	1	2	2	3	5
20-34	15	2.3	2	1	1	2	4	4	4	4
35-49	7	2.7	4	<1	<1	2	3	6	7	7
50-64	8	4.0	7	1	1	3	6	8	8	8
65+	12	4.0	9	1	1	2	6	9	10	10
GRAND TOTAL	**76**	**2.5**	**4**	**1**	**1**	**2**	**3**	**6**	**7**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.7	6	1	1	2	4	7	7	7
35-49	12	2.1	1	<1	<1	2	3	3	3	3
50-64	9	2.8	5	<1	<1	2	3	7	8	8
65+	20	4.0	4	1	2	4	5	7	8	9
B. *Operated*										
0-19 YRS	4	11.3	11	9	9	10	13	16	16	16
20-34	31	10.4	20	2	4	11	12	14	18	24
35-49	58	12.2	76	2	2	10	15	24	28	44
50-64	70	14.3	81	2	4	12	19	24	27	49
65+	64	19.1	156	4	7	17	25	30	39	74
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	2.3		2	2	2	3	3	3	3
35-49	8	6.5	48	2	2	4	8	19	22	22
50-64	19	10.6	241	1	2	5	10	34	53	58
65+	50	10.5	82	2	3	8	14	19	25	49
B. *Operated*										
0-19 YRS	4	16.8	83	7	7	17	24	25	25	25
20-34	17	17.8	167	4	7	12	22	35	48	54
35-49	40	21.0	253	3	4	16	28	47	52	72
50-64	65	22.0	203	5	8	18	29	47	65	99+
65+	76	29.1	391	9	10	21	45	64	73	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	3.1	4	<1	1	3	4	7	7	9
B. *Operated*	227	14.5	100	2	4	12	18	26	30	52
2. MULTIPLE DX										
A. *Not Operated*	82	9.6	112	2	2	6	11	19	31	55
B. *Operated*	202	24.0	291	6	9	19	32	54	66	99+
1. SINGLE DX	274	12.6	102	1	2	11	17	26	28	49
2. MULTIPLE DX	284	19.9	281	2	3	15	26	49	59	92
A. NOT OPERATED	129	7.2	82	1	2	5	8	16	20	51
B. OPERATED	429	19.0	212	3	6	15	24	39	54	78
TOTAL 0-19 YRS	10	11.9	58	2	3	10	16	24	25	25
20-34	57	11.4	85	1	2	11	13	22	30	53
35-49	118	13.8	161	1	2	11	18	29	43	60
50-64	163	16.3	170	2	2	13	22	32	49	95
65+	210	19.2	283	3	4	15	25	46	59	79
GRAND TOTAL	**558**	**16.3**	**206**	**2**	**3**	**12**	**21**	**35**	**50**	**77**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	32	3.5	1	2	2	4	4	5	5	6
20-34	261	3.9	2	2	3	4	4	5	6	7
35-49	299	4.1	2	3	3	4	5	5	6	10
50-64	212	4.3	6	2	3	4	5	6	7	10
65+	88	5.3	14	3	3	4	6	8	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	4	7.5	10	3	3	8	9	10	10	10
50-64	6	3.8	3	2	2	4	5	6	6	6
65+	5	9.6	19	6	6	8	13	16	16	16
B. *Operated*										
0-19 YRS	10	5.4	24	2	2	4	5	12	19	19
20-34	72	4.5	9	2	3	4	5	6	7	23
35-49	121	5.0	7	3	3	4	5	8	11	16
50-64	148	6.6	35	3	3	5	7	13	15	25
65+	96	8.8	60	3	4	6	10	16	22	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	4	<1	<1	4	5	6	6	6
B. *Operated*	892	4.2	4	2	3	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	18	6.3	14	2	2	5	8	11	14	16
B. *Operated*	447	6.3	30	3	3	5	6	12	15	25
1. SINGLE DX	897	4.2	4	2	3	4	5	6	7	12
2. MULTIPLE DX	465	6.3	30	3	3	5	7	12	15	25
A. NOT OPERATED	23	5.7	13	1	2	5	7	10	13	16
B. OPERATED	1339	4.9	14	3	3	4	5	7	10	20
TOTAL 0-19 YRS	43	3.9	7	2	2	4	4	5	6	19
20-34	335	4.1	3	2	3	4	4	5	6	10
35-49	426	4.3	4	3	3	4	5	6	8	13
50-64	368	5.2	18	3	3	4	5	8	12	24
65+	190	7.1	40	3	3	5	8	13	19	28
GRAND TOTAL	**1362**	**4.9**	**14**	**2**	**3**	**4**	**5**	**7**	**10**	**20**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3		3	3	3	4	4	4	4
20-34	13	2.8	2	1	1	2	4	5	6	6
35-49	5	2.8	2	1	1	3	4	4	4	4
50-64	6	7.2	9	3	3	7	10	11	11	11
65+	5	4.8	6	2	2	5	6	8	8	8
B. *Operated*										
0-19 YRS	7	12.1	28	9	9	10	12	22	24	24
20-34	28	9.3	15	3	4	9	11	16	18	18
35-49	43	9.6	52	3	4	7	12	22	25	37
50-64	53	9.1	69	3	3	6	12	16	22	51
65+	33	11.1	61	3	4	9	16	20	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	12	5.7	6	3	3	5	7	10	11	11
35-49	13	7.1	30	2	2	7	8	13	21	23
50-64	21	9.9	60	1	2	8	13	21	26	32
65+	14	7.9	47	3	3	5	8	17	26	28
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	24	12.5	132	3	5	9	13	27	40	53
35-49	36	13.9	221	3	4	10	15	21	39	86
50-64	62	13.5	90	4	5	12	16	28	38	94
65+	67	13.1	97	4	5	10	17	26	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	4.0	6	1	2	3	5	7	10	11
B. *Operated*	164	9.8	52	3	4	8	12	18	23	40
2. MULTIPLE DX										
A. *Not Operated*	62	7.9	40	2	3	6	9	15	22	32
B. *Operated*	190	13.4	121	4	4	11	16	26	37	72
1. SINGLE DX	197	8.8	49	2	3	7	11	18	22	39
2. MULTIPLE DX	252	12.0	107	3	4	9	15	25	33	53
A. NOT OPERATED	95	6.5	31	2	2	4	8	13	20	30
B. OPERATED	354	11.7	92	3	4	9	15	22	30	52
TOTAL 0-19 YRS	14	9.7	59	3	3	9	11	24	27	28
20-34	77	8.6	58	2	3	7	10	15	21	48
35-49	97	10.5	117	2	3	8	13	21	25	65
50-64	142	11.0	78	3	4	9	14	22	31	56
65+	119	11.6	81	3	4	8	16	23	29	46
GRAND TOTAL	**449**	**10.6**	**84**	**3**	**3**	**8**	**13**	**21**	**28**	**52**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.7	3	<1	<1	1	1	5	5	5
35-49										
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*										
0-19 YRS	16	2.1	2	1	1	2	3	3	5	6
20-34	721	4.1	5	1	1	4	6	7	8	10
35-49	246	5.0	7	1	2	5	7	8	9	11
50-64	69	4.8	9	<1	2	4	7	8	10	15
65+	35	5.6	11	1	2	6	8	10	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.2	3	<1	<1	2	2	5	6	6
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	4	10.3	145	1	1	6	19	27	27	27
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	12	4.9	16	2	2	3	7	10	14	15
20-34	510	5.2	7	2	2	5	7	8	9	13
35-49	322	6.7	8	2	3	6	8	9	11	17
50-64	105	6.4	9	2	2	7	8	9	12	16
65+	59	7.3	24	2	3	7	9	11	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.6	5	<1	<1	1	4	6	8	8
B. *Operated*	1087	4.4	6	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	18	4.4	39	<1	1	2	5	10	21	27
B. *Operated*	1008	5.9	9	2	2	6	7	9	11	15
1. SINGLE DX	1098	4.4	6	1	1	4	6	8	9	11
2. MULTIPLE DX	1026	5.9	9	2	2	6	7	9	11	15
A. NOT OPERATED	29	3.7	27	<1	1	2	5	8	12	27
B. OPERATED	2095	5.1	8	1	2	5	7	8	10	13
TOTAL 0-19 YRS	28	3.3	10	1	1	2	3	8	9	15
20-34	1247	4.6	6	1	2	5	6	8	9	12
35-49	570	5.9	8	1	2	6	7	9	10	16
50-64	180	5.9	12	1	2	6	8	9	11	17
65+	99	6.5	19	2	2	6	8	10	13	26
GRAND TOTAL	**2124**	**5.1**	**8**	**1**	**2**	**5**	**7**	**8**	**10**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	11.8	47	5	5	9	18	21	21	21
65+	4	5.3	11	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	36	3.3	5	<1	1	3	5	7	8	9
35-49	69	5.4	12	1	1	5	8	11	12	14
50-64	91	5.4	16	1	2	4	8	11	12	20
65+	138	5.9	28	1	2	4	8	14	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64	7	11.3	231	1	1	3	15	38	43	43
65+	16	7.8	24	2	3	7	10	15	19	20
B. *Operated*										
0-19 YRS										
20-34	28	4.2	12	1	1	3	6	8	11	16
35-49	65	5.8	16	2	2	5	8	9	16	19
50-64	121	7.3	37	2	2	5	10	16	19	32
65+	200	8.8	73	2	2	7	11	19	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.6	40	1	2	7	9	19	21	21
B. *Operated*	336	5.4	19	1	2	4	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	28	7.9	71	1	2	5	10	17	22	43
B. *Operated*	414	7.6	51	2	2	6	9	17	21	32
1. SINGLE DX	347	5.4	20	1	2	4	7	11	14	22
2. MULTIPLE DX	442	7.6	52	2	2	6	9	17	20	32
A. NOT OPERATED	39	7.8	61	1	2	6	10	17	21	43
B. OPERATED	750	6.6	38	1	2	5	9	14	18	30
TOTAL 0-19 YRS	3	5.7	16	2	2	5	9	10	10	10
20-34	66	3.7	8	1	1	3	5	7	9	15
35-49	138	5.5	13	1	2	5	8	10	12	18
50-64	224	6.8	36	2	2	5	9	13	18	32
65+	358	7.6	55	2	2	5	10	17	21	31
GRAND TOTAL	**789**	**6.7**	**39**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.8	147	<1	1	3	6	9	13	78
20-34	49	4.2	19	1	1	3	4	8	10	29
35-49	59	4.0	44	1	1	2	5	6	10	47
50-64	74	4.3	19	1	1	3	5	10	13	24
65+	118	5.3	22	1	1	4	6	11	16	25
B. *Operated*										
0-19 YRS	132	4.1	18	<1	1	2	5	10	12	22
20-34	204	4.9	20	1	1	4	6	9	13	25
35-49	217	5.5	33	1	1	3	7	13	15	34
50-64	258	5.3	22	1	1	3	8	12	14	21
65+	299	6.5	35	1	2	4	9	14	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	6.5	76	<1	1	4	8	11	35	37
20-34	52	5.2	61	1	1	3	7	10	11	55
35-49	71	6.1	36	<1	1	4	7	12	16	35
50-64	190	6.0	25	1	1	4	8	11	17	24
65+	386	8.3	58	1	2	6	10	18	25	40
B. *Operated*										
0-19 YRS	34	10.1	114	1	2	6	12	26	31	51
20-34	134	7.4	55	1	2	5	9	15	22	38
35-49	203	7.0	36	2	2	6	8	13	18	32
50-64	317	9.2	79	2	2	7	12	18	21	46
65+	554	10.5	80	2	2	8	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	4.8	39	1	1	3	5	9	13	26
B. *Operated*	1110	5.5	27	1	1	3	7	12	16	25
2. MULTIPLE DX										
A. *Not Operated*	730	7.2	49	1	1	5	9	15	22	38
B. *Operated*	1242	9.2	72	2	2	7	12	19	25	43
1. SINGLE DX	1450	5.3	30	1	1	3	7	12	15	26
2. MULTIPLE DX	1972	8.5	65	1	2	6	11	18	23	41
A. NOT OPERATED	1070	6.4	47	1	1	4	8	13	19	37
B. OPERATED	2352	7.5	55	1	2	5	10	16	20	37
TOTAL 0-19 YRS	237	5.6	64	<1	1	3	6	11	16	39
20-34	439	5.6	37	1	1	4	7	11	15	30
35-49	550	6.0	36	1	1	4	7	12	16	36
50-64	839	6.8	47	1	2	5	9	14	19	31
65+	1357	8.5	62	1	2	6	12	19	24	39
GRAND TOTAL	**3422**	**7.1**	**53**	**1**	**2**	**5**	**9**	**15**	**20**	**37**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	1	1	1	3	4	4	4	4
20-34	17	2.5	1	1	1	2	3	4	4	4
35-49	27	3.2	2	1	2	3	4	5	6	7
50-64	17	4.0	6	1	1	4	6	8	9	9
65+	11	3.7	4	1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	28	3.7	4	1	2	3	4	6	7	11
20-34	206	4.2	4	2	3	4	5	6	7	11
35-49	322	4.2	2	2	3	4	5	6	7	10
50-64	314	4.8	6	3	3	4	5	7	9	14
65+	139	5.3	11	3	3	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	3	1	1	4	5	5	5	5
20-34	41	4.1	23	1	1	3	4	7	8	32
35-49	53	4.7	10	1	2	4	5	8	13	15
50-64	82	4.7	17	1	1	4	5	9	13	23
65+	83	6.2	19	2	2	4	8	12	15	23
B. *Operated*										
0-19 YRS	8	5.1	2	4	4	5	6	7	8	8
20-34	90	4.9	6	3	3	4	5	7	10	15
35-49	164	5.4	9	3	3	5	6	10	13	17
50-64	215	6.3	16	3	3	5	7	11	13	25
65+	180	9.5	48	3	4	7	12	17	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	3.2	3	1	1	3	4	6	7	9
B. *Operated*	1009	4.5	5	2	3	4	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	265	5.0	17	1	2	4	6	9	14	24
B. *Operated*	657	6.7	24	3	3	5	8	13	16	29
1. SINGLE DX	1088	4.4	5	2	3	4	5	6	8	13
2. MULTIPLE DX	922	6.3	23	2	3	5	7	12	15	27
A. NOT OPERATED	344	4.6	15	1	2	4	5	8	12	20
B. OPERATED	1666	5.4	14	3	3	4	6	9	12	22
TOTAL 0-19 YRS	49	3.8	3	1	2	4	5	6	6	11
20-34	354	4.3	7	2	2	4	5	6	8	14
35-49	566	4.6	5	2	3	4	5	7	9	14
50-64	628	5.3	11	2	3	4	6	9	12	19
65+	413	7.2	32	3	3	5	9	15	17	32
GRAND TOTAL	**2010**	**5.3**	**14**	**2**	**3**	**4**	**6**	**9**	**12**	**21**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	4.4	9	1	1	4	6	8	12	13
20-34	176	4.9	20	1	2	4	6	8	12	16
35-49	130	4.9	12	2	2	4	6	8	12	20
50-64	88	6.1	29	1	2	5	8	11	13	34
65+	61	6.6	13	2	3	6	8	12	13	19
B. *Operated*										
0-19 YRS	33	6.2	21	3	3	5	6	12	19	22
20-34	210	5.2	7	3	3	5	6	8	11	15
35-49	193	4.8	6	3	3	4	5	7	10	15
50-64	99	5.2	9	2	3	5	5	8	11	19
65+	49	5.8	11	3	3	5	6	10	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.7	11	<1	1	4	6	11	12	13
20-34	203	5.7	19	2	2	5	7	9	14	25
35-49	313	6.7	23	2	3	5	9	12	14	26
50-64	386	7.1	28	2	3	6	9	13	17	28
65+	497	10.1	59	3	4	8	12	19	25	39
B. *Operated*										
0-19 YRS	12	4.8	10	1	2	4	6	9	12	13
20-34	93	7.9	40	3	4	5	9	16	21	32
35-49	115	6.7	29	2	2	5	8	12	16	32
50-64	140	9.5	67	2	3	7	12	18	25	43
65+	111	12.3	101	4	4	9	15	25	34	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	5.3	18	1	2	4	7	9	12	18
B. *Operated*	584	5.2	8	3	3	4	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	1425	7.8	39	2	3	6	9	14	20	31
B. *Operated*	471	9.0	63	2	3	6	11	19	25	42
1. SINGLE DX	1089	5.2	13	2	2	4	6	9	12	17
2. MULTIPLE DX	1896	8.1	45	2	3	6	10	15	21	34
A. NOT OPERATED	1930	7.1	35	2	2	6	9	13	18	30
B. OPERATED	1055	6.9	36	3	3	5	7	13	18	34
TOTAL 0-19 YRS	121	5.0	13	1	2	4	6	10	13	21
20-34	682	5.6	19	2	2	5	6	9	14	26
35-49	751	5.9	19	2	3	5	7	10	13	24
50-64	713	7.2	35	2	3	5	9	13	18	31
65+	718	9.8	61	3	3	8	12	19	25	43
GRAND TOTAL	**2985**	**7.1**	**35**	**2**	**3**	**5**	**8**	**13**	**18**	**30**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	6.2	13	2	3	6	8	10	12	14
20-34	281	5.5	8	2	2	5	7	9	11	15
35-49	402	6.4	11	2	3	6	8	10	12	17
50-64	521	6.3	15	2	3	6	8	10	12	20
65+	473	7.3	19	2	3	6	9	12	15	25
B. *Operated*										
0-19 YRS										
20-34	5	12.6	85	2	2	13	17	27	27	27
35-49	7	6.0	7	3	3	6	7	10	11	11
50-64	13	8.8	32	2	2	8	12	18	18	18
65+	18	13.1	111	3	4	10	15	30	40	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	5.8	20	2	2	5	7	11	13	21
20-34	576	6.1	21	2	2	5	8	11	14	27
35-49	1402	7.3	28	2	3	6	9	12	15	27
50-64	2830	7.7	25	2	3	7	10	13	16	27
65+	3773	8.8	41	3	3	7	11	16	20	34
B. *Operated*										
0-19 YRS	15	5.5	4	2	2	6	7	8	8	8
20-34	73	8.7	35	2	3	7	12	19	22	82
35-49	208	11.6	100	2	3	10	14	19	27	55
50-64	468	12.3	104	2	4	10	15	24	31	60
65+	480	15.8	200	3	4	12	19	31	46	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1967	6.4	14	2	3	6	8	10	13	20
B. *Operated*	43	10.6	70	2	3	9	13	18	30	44
2. MULTIPLE DX										
A. *Not Operated*	8828	8.0	33	2	3	7	10	14	18	29
B. *Operated*	1244	13.2	140	2	4	10	16	26	35	68
1. SINGLE DX	2010	6.5	16	2	3	6	8	11	13	20
2. MULTIPLE DX	10072	8.6	49	2	3	7	10	15	20	37
A. NOT OPERATED	10795	7.7	30	2	3	7	9	13	17	28
B. OPERATED	1287	13.1	138	2	4	10	16	25	35	68
TOTAL 0-19 YRS	552	6.0	16	2	2	5	8	10	12	16
20-34	935	6.2	20	2	2	5	8	11	14	26
35-49	2019	7.6	34	2	3	6	9	13	17	28
50-64	3832	8.1	36	2	3	7	10	14	18	32
65+	4744	9.4	60	3	3	7	11	17	22	44
GRAND TOTAL	**12082**	**8.3**	**44**	**2**	**3**	**7**	**10**	**15**	**19**	**35**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	537	4.8	16	1	2	4	6	8	10	17
20-34	418	4.8	11	2	2	4	6	8	11	17
35-49	176	7.0	18	2	3	6	9	13	16	21
50-64	116	6.6	14	2	3	6	9	11	14	19
65+	82	9.5	108	1	2	7	12	16	27	61
B. *Operated*										
0-19 YRS	4	7.5	14	5	5	6	10	13	13	13
20-34	4	18.3	439	4	4	10	31	49	49	49
35-49	4	8.8	7	5	5	9	10	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	5.6	22	1	2	4	7	10	12	21
20-34	514	6.5	26	2	2	5	8	12	16	29
35-49	410	8.5	43	2	3	7	10	16	22	35
50-64	385	9.2	34	3	4	8	11	16	21	30
65+	457	12.3	87	3	4	10	15	23	29	52
B. *Operated*										
0-19 YRS	21	10.7	22	3	3	12	14	16	17	17
20-34	52	12.3	119	2	3	9	16	24	28	64
35-49	37	21.5	407	5	6	13	34	73	92	99+
50-64	42	29.2	481	9	11	21	35	65	79	94
65+	56	22.4	314	5	7	16	24	52	63	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1329	5.5	22	1	2	4	7	10	12	20
B. *Operated*	13	11.4	138	4	5	9	11	21	44	49
2. MULTIPLE DX										
A. *Not Operated*	2152	8.4	48	2	3	7	10	16	21	36
B. *Operated*	208	19.9	323	4	5	14	24	47	66	96
1. SINGLE DX	1342	5.6	23	1	2	4	7	10	13	20
2. MULTIPLE DX	2360	9.4	83	2	3	7	11	18	25	52
A. NOT OPERATED	3481	7.3	40	2	2	6	9	14	18	32
B. OPERATED	221	19.4	316	4	5	14	23	46	66	96
TOTAL 0-19 YRS	948	5.3	19	1	2	4	7	10	12	19
20-34	988	6.1	29	2	2	5	7	11	15	28
35-49	627	8.8	67	2	3	7	10	16	23	50
50-64	544	10.2	95	3	3	8	11	18	24	64
65+	595	12.8	121	3	4	10	15	24	32	61
GRAND TOTAL	**3702**	**8.0**	**65**	**2**	**2**	**6**	**10**	**15**	**21**	**46**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	5.6	8	2	2	5	7	10	11	15
20-34	277	6.1	14	2	3	5	7	10	12	21
35-49	364	6.3	11	2	3	6	8	10	12	17
50-64	530	6.8	21	3	3	6	8	11	14	24
65+	513	7.7	19	3	3	7	10	13	15	23
B. *Operated*										
0-19 YRS	2	13.0	288	1	1	13	25	25	25	25
20-34	10	8.3	12	2	2	9	10	12	13	13
35-49	14	14.0	90	2	4	12	18	24	35	38
50-64	37	9.7	95	2	2	6	12	24	35	40
65+	27	17.9	344	2	2	14	22	44	52	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	5.5	10	1	2	5	7	10	11	16
20-34	662	7.1	38	2	2	6	8	13	16	35
35-49	1549	7.5	25	2	3	6	9	13	16	27
50-64	3064	8.3	33	3	3	7	10	14	17	30
65+	3812	9.3	47	3	4	8	11	16	21	35
B. *Operated*										
0-19 YRS	18	8.9	17	2	3	9	10	14	17	19
20-34	196	10.7	111	2	2	8	14	20	29	53
35-49	413	13.7	166	3	3	10	16	27	44	75
50-64	946	15.7	193	3	4	11	20	34	46	80
65+	1264	18.4	223	3	4	14	25	38	53	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	6.7	17	2	3	6	8	11	13	22
B. *Operated*	90	12.8	171	2	2	9	17	26	40	69
2. MULTIPLE DX										
A. *Not Operated*	9256	8.4	38	3	3	7	10	15	19	32
B. *Operated*	2837	16.2	201	3	4	12	21	35	47	80
1. SINGLE DX	1970	7.0	25	2	3	6	8	12	15	25
2. MULTIPLE DX	12093	10.3	87	3	3	8	12	19	27	54
A. NOT OPERATED	11136	8.1	35	3	3	7	10	14	18	31
B. OPERATED	2927	16.1	201	3	4	12	21	35	47	80
TOTAL 0-19 YRS	385	5.8	11	1	2	5	7	10	11	16
20-34	1145	7.5	47	2	3	6	9	13	17	36
35-49	2340	8.4	55	2	3	7	10	15	20	43
50-64	4577	9.6	75	3	3	7	11	17	24	49
65+	5616	11.2	101	3	4	8	13	22	31	57
GRAND TOTAL	**14063**	**9.8**	**80**	**3**	**3**	**7**	**11**	**18**	**26**	**51**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.1	2	1	1	3	4	5	5	5
20-34	11	3.5	4	<1	1	3	5	6	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	36	3.6	5	1	1	3	5	6	6	11
20-34	168	3.9	6	1	1	4	6	6	7	13
35-49	14	4.6	4	<1	2	5	6	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	5	1	1	3	4	8	8	8
20-34	35	4.1	7	1	2	3	5	6	11	14
35-49	11	6.2	18	1	2	4	10	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	38	4.1	5	<1	1	4	6	7	7	8
20-34	290	4.5	8	1	1	5	6	7	9	13
35-49	46	6.5	11	2	2	6	8	10	13	18
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	13.0	39	8	8	11	18	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.4	3	<1	1	3	4	5	7	8
B. *Operated*	218	3.9	6	1	1	4	6	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	53	4.5	10	1	2	3	6	9	12	14
B. *Operated*	379	4.7	9	1	1	5	6	8	9	14
1. SINGLE DX	237	3.8	5	1	1	4	5	6	7	12
2. MULTIPLE DX	432	4.7	9	1	1	5	6	8	10	14
A. NOT OPERATED	72	4.2	8	1	2	3	5	8	12	14
B. OPERATED	597	4.4	8	1	1	5	6	7	9	13
TOTAL 0-19 YRS	88	3.7	5	1	1	4	5	6	7	10
20-34	504	4.2	7	1	1	4	6	7	8	13
35-49	71	6.1	11	2	2	6	8	10	13	17
50-64	3	6.0	19	3	3	4	9	11	11	11
65+	3	13.0	39	8	8	11	18	20	20	20
GRAND TOTAL	**669**	**4.4**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	4.0	15	1	1	3	4	8	12	20
20-34	162	4.7	12	1	2	4	6	9	12	18
35-49	127	4.7	9	1	2	4	6	8	10	17
50-64	92	5.1	18	1	2	4	6	10	15	22
65+	132	6.1	51	1	1	4	6	12	19	44
B. *Operated*										
0-19 YRS	10	4.5	6	1	1	4	6	8	8	8
20-34	24	8.5	21	3	4	8	11	12	16	25
35-49	19	8.8	88	2	3	8	10	15	31	44
50-64	41	7.4	34	2	3	6	8	14	23	28
65+	25	9.0	47	3	3	7	11	15	23	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.2	17	1	1	3	5	8	11	23
20-34	358	4.9	19	1	2	4	6	9	12	23
35-49	436	6.0	32	1	2	4	7	12	15	31
50-64	652	6.1	21	2	2	5	7	11	15	25
65+	1225	8.0	50	2	2	6	10	16	21	35
B. *Operated*										
0-19 YRS	14	7.1	32	2	3	6	10	13	21	23
20-34	45	9.6	57	3	4	8	11	17	18	49
35-49	76	11.2	149	3	4	7	11	27	39	71
50-64	114	13.6	177	3	4	9	16	29	44	67
65+	130	15.7	226	3	5	11	18	30	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	4.9	21	1	2	4	6	9	12	22
B. *Operated*	119	7.9	41	2	3	6	10	14	22	37
2. MULTIPLE DX										
A. *Not Operated*	2821	6.7	36	1	2	5	8	13	18	31
B. *Operated*	379	13.1	173	3	4	9	15	28	43	74
1. SINGLE DX	752	5.4	25	1	2	4	6	10	15	25
2. MULTIPLE DX	3200	7.4	57	2	2	5	9	14	20	41
A. NOT OPERATED	3454	6.4	34	1	2	5	8	13	17	29
B. OPERATED	498	11.9	146	3	3	8	13	24	37	62
TOTAL 0-19 YRS	294	4.2	17	1	1	3	5	8	11	23
20-34	589	5.4	22	1	2	4	7	10	13	22
35-49	658	6.4	46	1	2	5	8	11	16	39
50-64	899	7.0	47	2	2	5	8	13	19	42
65+	1512	8.5	70	2	2	6	11	17	23	45
GRAND TOTAL	**3952**	**7.0**	**51**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.7	84	2	2	6	12	26	30	30
20-34	3	9.7	154	2	2	3	19	24	24	24
35-49	7	5.7	8	3	3	5	7	10	11	11
50-64	4	8.0	21	4	4	7	11	14	14	14
65+	16	11.7	135	2	2	5	18	31	36	38
B. *Operated*										
0-19 YRS										
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	3	16.3	197	3	3	15	27	31	31	31
50-64	2	7.5	41	3	3	7	12	12	12	12
65+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	7.9	93	2	2	6	8	14	20	54
20-34	26	11.9	175	2	3	5	16	30	37	57
35-49	40	10.2	63	2	2	8	14	23	27	31
50-64	84	14.5	205	4	4	10	16	25	43	85
65+	352	12.7	99	3	4	9	15	25	32	56
B. *Operated*										
0-19 YRS	4	29.8	1430	5	5	14	53	85	85	85
20-34	9	9.8	53	2	2	9	18	62	99+	99+
35-49	16	19.9	230	3	4	15	29	37	52	59
50-64	27	13.0	84	1	2	11	21	26	42	99+
65+	69	21.5	193	5	6	19	31	43	48	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	9.6	87	2	2	5	11	25	31	38
B. *Operated*	11	8.0	77	1	2	4	11	21	30	31
2. MULTIPLE DX										
A. *Not Operated*	532	12.5	118	3	3	9	15	25	31	58
B. *Operated*	125	18.9	210	3	5	16	28	39	51	99+
1. SINGLE DX	50	9.3	84	2	2	5	11	25	31	38
2. MULTIPLE DX	657	13.7	141	3	3	10	17	28	37	59
A. NOT OPERATED	571	12.3	116	3	3	9	15	25	31	58
B. OPERATED	136	18.0	208	2	3	15	26	38	49	99+
TOTAL 0-19 YRS	43	10.3	221	2	2	6	9	20	38	85
20-34	42	10.4	133	1	2	5	15	28	41	99+
35-49	66	12.4	120	2	3	9	16	30	32	55
50-64	117	13.8	169	3	4	10	17	25	37	96
65+	439	14.0	125	3	4	10	18	30	37	56
GRAND TOTAL	**707**	**13.4**	**138**	**3**	**3**	**9**	**17**	**28**	**37**	**59**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	8.5	24	3	3	6	13	14	16	22
20-34	10	12.1	66	1	3	11	14	24	31	31
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	58.0	2738	21	21	58	95	95	95	95
20-34	2	6.0	32	2	2	6	10	10	10	10
35-49	8	2.8	2	1	1	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	10.1	34	3	4	9	13	20	21	26
20-34	35	9.9	43	1	3	8	15	17	24	28
35-49	4	6.3	9	2	2	7	8	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	7	22.7	317	3	4	17	33	51	55	55
20-34	10	10.1	107	2	2	7	12	25	38	38
35-49	5	5.4	5	3	3	6	7	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	9.3	35	2	3	8	13	15	20	31
B. *Operated*	12	12.5	706	1	1	3	7	43	88	95
2. MULTIPLE DX										
A. *Not Operated*	140	9.9	36	3	4	8	14	19	21	27
B. *Operated*	22	13.0	187	2	3	8	13	37	45	55
1. SINGLE DX	54	10.0	176	2	2	6	13	16	22	92
2. MULTIPLE DX	162	10.3	56	3	3	8	14	20	24	38
A. NOT OPERATED	182	9.8	36	3	4	8	13	18	21	28
B. OPERATED	34	12.9	354	2	2	6	12	36	52	95
TOTAL 0-19 YRS	141	11.0	103	3	4	9	14	21	23	59
20-34	57	10.2	56	1	2	8	14	17	27	38
35-49	18	4.3	6	1	2	4	7	8	9	9
50-64										
65+										
GRAND TOTAL	**216**	**10.2**	**86**	**2**	**3**	**8**	**13**	**20**	**23**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.0	1	1	1	3	4	5	5	5
20-34	19	3.8	7	<1	1	3	5	9	10	10
35-49	9	3.2	5	<1	<1	3	5	6	7	7
50-64	8	2.9	3	<1	<1	2	4	6	6	6
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	22	7.7	4	5	6	7	8	11	12	13
20-34	299	8.2	5	5	6	8	9	11	12	16
35-49	204	8.6	5	6	6	8	10	12	13	15
50-64	32	10.1	15	7	7	9	11	15	16	26
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.5	3	2	2	3	4	5	6	10
20-34	83	4.8	27	1	1	3	5	11	14	31
35-49	131	7.3	122	1	1	4	7	16	22	72
50-64	99	6.3	16	2	2	6	8	11	13	23
65+	46	8.9	43	2	3	7	10	17	22	37
B. *Operated*										
0-19 YRS	23	7.6	25	2	4	6	8	15	21	22
20-34	454	8.5	25	5	5	8	9	11	15	33
35-49	506	9.1	36	5	5	8	10	13	18	35
50-64	122	10.0	71	3	5	8	10	16	26	54
65+	20	12.1	166	2	3	9	12	26	46	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	3.3	4	<1	1	3	4	6	8	10
B. *Operated*	558	8.4	6	5	6	8	9	12	13	16
2. MULTIPLE DX										
A. *Not Operated*	389	6.4	58	1	2	4	7	12	17	36
B. *Operated*	1125	9.0	38	5	5	8	10	13	17	38
1. SINGLE DX	614	8.0	8	3	5	8	9	11	13	16
2. MULTIPLE DX	1514	8.3	44	2	3	7	9	13	17	37
A. NOT OPERATED	445	6.0	52	1	2	4	7	11	17	34
B. OPERATED	1683	8.8	27	5	5	8	10	12	15	32
TOTAL 0-19 YRS	93	5.4	13	2	2	5	7	9	12	22
20-34	855	7.9	19	3	5	7	9	11	13	26
35-49	850	8.7	42	3	4	8	10	13	17	33
50-64	261	8.4	45	2	3	7	10	13	18	33
65+	69	9.6	78	2	3	7	11	17	26	53
GRAND TOTAL	**2128**	**8.2**	**34**	**2**	**3**	**7**	**9**	**12**	**15**	**33**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	4.0	18	1	1	2	5	9	12	25
20-34	55	5.9	53	1	2	4	5	10	18	47
35-49	41	4.4	9	1	2	3	5	9	12	15
50-64	43	6.0	43	1	2	4	7	12	16	39
65+	33	6.2	32	1	2	4	7	15	21	22
B. *Operated*										
0-19 YRS	30	3.4	8	1	1	3	4	6	9	15
20-34	46	4.3	9	1	2	4	6	7	9	17
35-49	49	6.3	46	1	2	4	8	11	22	38
50-64	47	4.7	31	1	1	3	5	13	17	29
65+	28	8.8	68	1	2	4	16	22	23	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	5.8	60	1	1	4	7	11	19	47
20-34	125	5.1	20	1	2	4	6	9	13	31
35-49	215	6.1	40	1	2	4	7	11	14	30
50-64	233	6.1	18	2	2	5	8	12	14	22
65+	298	8.4	42	2	3	7	10	16	19	35
B. *Operated*										
0-19 YRS	25	10.4	90	1	3	8	12	23	29	43
20-34	92	7.2	16	2	2	7	9	13	15	20
35-49	150	8.1	33	2	2	7	9	15	22	30
50-64	165	10.0	90	2	2	7	12	21	32	57
65+	133	12.6	94	2	3	10	17	25	31	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	5.2	32	1	1	3	6	11	15	29
B. *Operated*	200	5.4	34	1	2	3	6	12	19	29
2. MULTIPLE DX										
A. *Not Operated*	980	6.6	36	2	2	5	8	13	16	29
B. *Operated*	565	9.7	67	2	2	8	12	20	26	43
1. SINGLE DX	437	5.3	32	1	1	3	6	11	17	29
2. MULTIPLE DX	1545	7.7	50	2	2	6	9	15	21	40
A. NOT OPERATED	1217	6.3	36	1	2	5	8	12	16	28
B. OPERATED	765	8.6	62	2	2	7	10	18	25	41
TOTAL 0-19 YRS	229	5.5	48	1	1	3	6	11	18	39
20-34	318	5.7	24	1	2	5	7	10	14	28
35-49	455	6.6	37	2	2	5	8	12	16	30
50-64	488	7.3	50	2	2	5	9	15	19	41
65+	492	9.4	61	2	3	7	12	20	24	41
GRAND TOTAL	**1982**	**7.2**	**47**	**1**	**2**	**5**	**9**	**15**	**20**	**38**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	3.1	1	2	2	3	4	5	5	5
35-49	43	5.3	20	1	2	4	6	9	13	26
50-64	58	4.8	11	1	2	4	6	8	9	23
65+	58	6.3	13	2	2	6	8	11	13	20
B. *Operated*										
0-19 YRS										
20-34	4	4.3	3	2	2	4	5	6	6	6
35-49	11	2.6	5	1	1	2	3	7	8	8
50-64	8	2.4	1	1	1	2	3	4	4	4
65+	14	6.4	33	1	2	3	11	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	4.4	7	1	1	4	6	9	10	10
35-49	79	6.4	18	2	3	5	8	12	17	22
50-64	207	6.6	23	2	2	5	8	13	16	25
65+	384	7.9	42	2	3	7	10	14	18	35
B. *Operated*										
0-19 YRS										
20-34	4	3.8	4	2	2	4	5	6	6	6
35-49	20	7.7	39	2	2	5	11	16	20	24
50-64	28	10.2	105	2	2	8	12	21	25	54
65+	63	12.5	91	2	3	10	17	25	35	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	5.3	14	2	2	4	7	9	11	23
B. *Operated*	37	4.2	17	1	1	2	5	11	15	17
2. MULTIPLE DX										
A. *Not Operated*	691	7.3	33	2	3	6	9	13	17	26
B. *Operated*	115	10.8	86	2	2	9	15	22	26	46
1. SINGLE DX	208	5.1	15	1	2	4	6	9	11	22
2. MULTIPLE DX	806	7.8	42	2	2	6	10	15	19	34
A. NOT OPERATED	862	6.9	30	2	2	6	8	13	16	26
B. OPERATED	152	9.2	77	2	2	6	12	20	25	42
TOTAL 0-19 YRS										
20-34	41	4.0	5	1	2	4	5	7	9	10
35-49	153	6.0	21	1	2	5	8	11	17	24
50-64	301	6.5	30	2	2	5	8	12	16	25
65+	519	8.3	47	2	3	7	10	15	21	40
GRAND TOTAL	**1014**	**7.2**	**38**	**2**	**2**	**6**	**9**	**14**	**18**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	106	3.0	7	1	1	2	3	5	7	17
20-34	37	3.9	18	1	2	3	4	6	11	26
35-49	75	3.8	6	<1	1	3	5	7	9	11
50-64	79	4.9	8	1	2	4	6	9	10	15
65+	201	6.6	22	2	2	5	8	12	18	30
B. *Operated*										
0-19 YRS	5	2.6	2	1	1	2	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	10.3	18	4	4	12	13	13	13	13
65+	7	13.0	87	2	3	12	22	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	733	3.7	7	1	2	3	4	7	9	14
20-34	353	4.2	9	1	1	3	5	8	10	15
35-49	563	5.4	18	2	2	4	7	10	13	19
50-64	1107	7.1	32	2	2	6	9	13	16	28
65+	4130	9.9	66	2	3	8	12	19	25	43
B. *Operated*										
0-19 YRS	19	14.4	261	2	4	9	15	43	53	59
20-34	32	7.3	57	1	2	5	9	16	21	38
35-49	52	11.9	159	1	2	8	17	22	25	73
50-64	106	12.2	146	2	2	9	15	27	38	64
65+	303	18.4	213	4	6	15	22	37	49	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	498	5.0	16	1	2	4	6	9	12	22
B. *Operated*	17	8.7	59	1	2	5	12	23	26	26
2. MULTIPLE DX										
A. *Not Operated*	6886	8.1	53	2	2	6	10	16	21	38
B. *Operated*	512	15.6	197	2	3	11	20	32	45	75
1. SINGLE DX	515	5.1	18	1	2	4	6	10	13	25
2. MULTIPLE DX	7398	8.6	67	2	2	6	11	17	23	43
A. NOT OPERATED	7384	7.9	51	2	2	6	10	16	21	37
B. OPERATED	529	15.4	194	2	3	11	20	32	45	74
TOTAL 0-19 YRS	863	3.8	15	1	1	3	4	7	9	20
20-34	423	4.4	14	1	1	3	5	8	11	20
35-49	690	5.7	31	1	2	4	7	11	14	23
50-64	1296	7.4	42	2	2	6	9	14	18	32
65+	4641	10.3	79	2	3	8	13	20	26	47
GRAND TOTAL	**7913**	**8.4**	**64**	**2**	**2**	**6**	**10**	**17**	**23**	**42**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.4	8	1	2	4	5	8	11	14
20-34	49	3.9	4	1	2	4	5	6	6	12
35-49	61	4.4	10	1	1	3	5	8	10	18
50-64	56	5.5	8	2	3	5	7	9	10	16
65+	142	5.0	14	1	1	4	7	8	10	19
B. *Operated*										
0-19 YRS	10	4.7	2	3	3	5	6	7	7	7
20-34	12	4.1	5	<1	1	4	6	7	7	7
35-49	17	6.9	16	2	3	6	9	13	15	16
50-64	17	6.8	34	1	2	6	8	11	21	26
65+	31	6.3	14	1	2	5	8	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.2	13	1	2	5	6	9	11	21
20-34	106	4.5	6	1	2	4	6	8	10	11
35-49	198	5.5	13	1	2	5	7	10	12	17
50-64	361	6.4	23	1	2	5	8	11	14	24
65+	1343	7.4	32	2	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	18	6.5	13	2	3	5	9	12	14	14
20-34	53	7.8	35	1	2	7	10	14	24	28
35-49	118	8.5	30	2	3	7	11	15	20	30
50-64	164	9.0	32	3	3	8	11	16	20	31
65+	443	11.0	55	4	4	9	13	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	357	4.7	10	1	2	4	6	8	10	16
B. *Operated*	87	6.0	16	1	2	5	7	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	2074	6.8	28	2	2	6	8	12	16	27
B. *Operated*	796	9.9	46	3	4	8	12	17	22	38
1. SINGLE DX	444	5.0	12	1	2	4	6	8	11	18
2. MULTIPLE DX	2870	7.7	34	2	3	6	9	14	18	31
A. NOT OPERATED	2431	6.5	26	2	2	5	8	11	15	26
B. OPERATED	883	9.5	44	3	3	8	12	17	22	37
TOTAL 0-19 YRS	143	5.1	11	1	2	4	6	9	12	16
20-34	220	5.1	15	1	2	4	6	10	12	25
35-49	394	6.3	20	1	2	5	8	12	15	21
50-64	598	7.1	26	2	2	6	9	12	16	27
65+	1959	8.0	39	2	3	7	10	15	18	36
GRAND TOTAL	**3314**	**7.3**	**32**	**2**	**2**	**6**	**9**	**13**	**17**	**29**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	4.2	11	<1	1	3	6	8	10	15
20-34	535	5.8	17	1	2	5	7	10	13	21
35-49	132	5.9	13	2	2	6	8	10	12	20
50-64	8	4.9	6	2	2	4	6	9	10	10
65+	2	8.0	8	6	6	8	10	10	10	10
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	5	11.6	25	6	6	12	14	19	19	19
35-49	3	11.7	142	2	2	8	21	25	25	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	435	5.6	19	1	2	4	7	10	14	22
20-34	614	7.1	29	2	2	6	9	13	16	26
35-49	163	7.1	20	2	2	6	9	12	15	26
50-64	44	6.0	18	1	2	5	7	11	15	20
65+	18	5.6	8	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	22	14.4	158	2	2	13	22	31	40	52
20-34	64	15.3	144	4	5	12	20	28	36	74
35-49	10	14.2	55	6	6	13	17	25	29	29
50-64	7	11.9	192	2	2	4	21	35	37	37
65+	2	14.0	162	5	5	14	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	5.1	15	1	1	4	7	9	12	18
B. *Operated*	10	10.7	47	2	4	8	13	22	25	25
2. MULTIPLE DX										
A. *Not Operated*	1274	6.5	24	2	2	5	8	12	15	25
B. *Operated*	105	14.7	137	3	4	12	20	29	35	65
1. SINGLE DX	1181	5.2	15	1	1	4	7	9	12	19
2. MULTIPLE DX	1379	7.2	37	2	2	6	9	14	18	32
A. NOT OPERATED	2445	5.9	20	1	2	5	8	11	14	21
B. OPERATED	115	14.4	130	2	4	12	20	28	34	62
TOTAL 0-19 YRS	953	5.1	20	1	1	4	7	10	13	23
20-34	1218	7.0	34	2	2	6	8	13	17	30
35-49	308	6.9	21	2	2	6	9	12	16	26
50-64	59	6.6	38	1	2	5	7	12	20	36
65+	22	6.5	21	2	3	5	8	11	16	23
GRAND TOTAL	**2560**	**6.2**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.2	6	<1	<1	1	2	6	7	11
20-34	75	4.4	19	1	1	3	5	9	15	23
35-49	57	4.8	16	1	1	4	6	11	14	20
50-64	131	4.2	18	<1	1	3	5	9	12	24
65+	484	4.1	23	1	1	3	5	9	12	20
B. *Operated*										
0-19 YRS	25	7.3	27	2	3	6	8	13	20	25
20-34	20	7.7	44	<1	1	7	10	17	24	27
35-49	37	8.2	22	2	3	7	11	14	17	21
50-64	63	5.8	14	1	2	5	8	10	13	19
65+	114	8.4	26	2	3	7	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	4.0	33	<1	1	2	5	7	13	31
20-34	163	6.2	29	1	2	4	7	11	19	26
35-49	228	5.8	23	1	1	5	8	11	16	23
50-64	602	6.1	31	1	1	5	8	12	16	28
65+	2210	7.4	47	1	2	6	9	14	19	34
B. *Operated*										
0-19 YRS	30	5.5	10	1	2	5	8	9	11	14
20-34	59	8.6	62	1	2	7	11	14	19	53
35-49	100	10.4	64	2	4	8	12	20	24	45
50-64	259	11.1	75	2	3	9	15	21	28	47
65+	782	12.2	101	3	4	10	15	22	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	3.8	19	<1	<1	2	5	8	12	20
B. *Operated*	259	7.6	25	2	2	7	10	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	3344	6.9	42	1	1	5	9	14	18	33
B. *Operated*	1230	11.5	90	3	4	9	14	22	29	51
1. SINGLE DX	1180	4.7	23	<1	1	3	6	10	14	21
2. MULTIPLE DX	4574	8.1	59	1	2	6	10	16	21	38
A. NOT OPERATED	4265	6.2	38	1	1	5	8	13	17	30
B. OPERATED	1489	10.8	81	2	3	8	13	21	27	48
TOTAL 0-19 YRS	370	3.5	20	<1	<1	2	5	7	10	24
20-34	317	6.3	35	1	1	4	8	13	18	26
35-49	422	7.0	36	1	1	6	9	14	18	29
50-64	1055	7.0	45	1	1	5	9	15	20	33
65+	3590	8.1	61	1	2	6	10	16	21	38
GRAND TOTAL	**5754**	**7.4**	**53**	**1**	**1**	**6**	**10**	**15**	**20**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	4	1	1	3	4	5	8	10
20-34	7	2.7	1	1	1	3	3	4	4	4
35-49	9	7.6	17	1	1	9	11	11	11	11
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2	12.0	32	8	8	12	16	16	16	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	15.0		15	15	15	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.8	29	1	2	4	6	11	15	30
20-34	33	6.7	75	1	1	4	8	17	20	45
35-49	18	7.3	37	2	3	4	11	15	21	24
50-64	5	8.2	5	5	5	9	10	11	11	11
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	6.3	29	<1	<1	4	12	14	14	14
20-34	8	9.8	79	2	2	5	16	24	26	26
35-49	3	18.0	244	8	8	10	29	36	36	36
50-64	3	12.3	25	7	7	13	16	17	17	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.1	10	1	1	3	5	10	11	11
B. *Operated*	4	10.8	33	4	4	11	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	94	6.5	44	1	2	4	8	14	18	38
B. *Operated*	20	10.4	80	1	2	7	14	22	31	36
1. SINGLE DX	43	4.7	15	1	1	3	6	11	13	16
2. MULTIPLE DX	114	7.2	52	1	2	5	9	16	20	39
A. NOT OPERATED	133	5.8	35	1	1	4	7	11	16	33
B. OPERATED	24	10.4	70	1	2	8	15	19	29	36
TOTAL 0-19 YRS	67	5.1	23	1	1	3	6	11	14	28
20-34	49	6.6	65	1	1	4	7	17	20	45
35-49	31	8.7	53	1	2	8	11	15	24	36
50-64	9	9.0	18	3	4	9	11	15	17	17
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**157**	**6.5**	**43**	**1**	**1**	**4**	**8**	**15**	**18**	**36**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	4.5	24	1	1	3	5	8	11	28
20-34	40	4.0	11	1	1	3	5	7	10	18
35-49	37	4.4	6	1	2	4	6	8	9	10
50-64	41	5.9	30	<1	1	4	8	15	18	23
65+	112	4.2	20	1	1	3	5	10	13	22
B. *Operated*										
0-19 YRS	81	5.8	25	1	1	5	7	11	14	28
20-34	70	6.7	13	2	3	6	8	12	15	16
35-49	52	6.5	15	2	2	6	8	10	16	20
50-64	55	7.5	14	2	3	7	9	13	15	18
65+	60	9.3	61	2	3	7	13	17	21	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	4.8	23	1	1	3	6	10	13	23
20-34	86	5.1	15	1	1	4	7	10	11	23
35-49	183	6.1	16	1	2	5	8	11	14	21
50-64	258	6.3	27	1	1	5	8	12	17	29
65+	522	7.9	50	1	2	6	10	15	22	37
B. *Operated*										
0-19 YRS	51	6.8	22	2	2	5	8	14	15	27
20-34	75	9.7	52	3	4	8	12	18	27	37
35-49	96	10.9	93	2	3	8	15	23	33	78
50-64	154	11.7	72	2	4	10	16	23	30	97
65+	285	13.1	118	3	4	10	16	26	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	4.5	20	1	1	3	6	9	13	24
B. *Operated*	318	7.1	27	2	2	6	8	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	1197	6.7	36	1	2	5	8	13	19	31
B. *Operated*	661	11.6	92	3	4	9	15	22	32	67
1. SINGLE DX	712	5.6	25	1	1	4	7	11	15	24
2. MULTIPLE DX	1858	8.4	61	1	2	6	11	17	23	43
A. NOT OPERATED	1591	6.1	33	1	1	5	8	12	16	30
B. OPERATED	979	10.1	75	2	3	8	13	19	28	56
TOTAL 0-19 YRS	444	5.1	24	1	1	4	6	10	13	27
20-34	271	6.6	29	1	2	5	8	12	15	30
35-49	368	7.2	40	2	2	6	9	14	20	40
50-64	508	8.1	46	1	2	6	10	17	22	43
65+	979	9.1	75	1	2	7	12	18	25	51
GRAND TOTAL	**2570**	**7.7**	**53**	**1**	**2**	**6**	**10**	**15**	**21**	**40**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	552	2.1	2	1	1	2	3	4	4	6
20-34	108	2.4	2	1	1	2	3	4	5	9
35-49	27	3.2	3	1	1	3	4	6	7	7
50-64	9	3.8	4	2	2	3	5	7	8	8
65+	3	2.3	1	<1	<1	3	3	3	3	3
B. *Operated*										
0-19 YRS	428	3.8	3	2	2	3	4	6	6	9
20-34	130	4.2	5	2	2	4	5	6	8	15
35-49	17	4.9	8	2	3	4	6	10	11	12
50-64	5	5.0	1	4	4	5	6	6	6	6
65+	6	9.3	23	3	3	10	12	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	2.9	6	1	1	2	4	5	6	11
20-34	59	3.4	6	1	1	3	4	6	7	16
35-49	19	4.9	12	1	2	4	6	12	13	13
50-64	6	7.2	19	3	3	6	12	13	13	13
65+	5	7.0	3	6	6	6	8	10	10	10
B. *Operated*										
0-19 YRS	148	4.6	6	2	3	4	5	8	10	15
20-34	60	5.4	10	2	3	5	6	10	12	17
35-49	18	5.6	9	3	3	5	7	9	13	15
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	9.3	[illegible]	6	6	8	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	2.2	2	1	1	2	3	4	5	7
B. *Operated*	586	4.0	4	2	2	3	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	324	3.2	7	1	1	3	4	6	7	14
B. *Operated*	230	5.0	8	2	3	4	6	9	11	15
1. SINGLE DX	1285	3.0	4	1	1	3	4	5	6	10
2. MULTIPLE DX	554	4.0	8	1	1	3	5	7	10	15
A. NOT OPERATED	1023	2.5	4	1	1	2	3	4	6	11
B. OPERATED	816	4.3	5	2	2	4	5	6	9	15
TOTAL 0-19 YRS	1363	3.0	4	1	1	3	4	5	6	10
20-34	357	3.7	6	1	1	3	5	6	8	16
35-49	81	4.5	8	1	2	4	5	8	11	14
50-64	21	5.4	11	2	2	5	6	12	13	13
65+	17	7.4	17	1	3	6	10	14	15	16
GRAND TOTAL	**1839**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	173	4.4	5	1	2	4	5	7	9	10
20-34	26	3.9	7	1	1	4	5	6	9	14
35-49	9	5.0	7	1	1	6	7	8	8	8
50-64	3	4.3	2	3	3	4	5	6	6	6
65+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
0-19 YRS	139	3.2	7	<1	1	2	4	8	9	12
20-34	100	3.5	14	1	1	3	4	6	10	22
35-49	42	3.0	5	<1	1	2	4	6	7	12
50-64	32	3.3	6	1	2	2	4	7	9	11
65+	15	4.3	14	1	1	3	6	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	4.7	10	1	2	4	6	8	11	19
20-34	21	5.9	9	2	2	5	8	10	11	12
35-49	10	4.8	10	2	2	3	8	9	10	10
50-64	15	5.4	10	1	2	5	8	9	12	13
65+	9	7.8	41	3	3	7	9	18	23	23
B. *Operated*										
0-19 YRS	79	3.5	8	<1	1	2	4	8	10	13
20-34	53	6.3	24	1	2	5	9	13	16	23
35-49	42	4.3	12	2	2	4	5	8	11	21
50-64	25	6.4	22	2	2	5	9	14	16	16
65+	15	6.1	17	1	2	5	8	11	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214	4.4	5	1	2	4	5	8	9	11
B. *Operated*	328	3.3	9	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	161	5.1	12	2	2	4	6	9	11	21
B. *Operated*	214	4.9	16	1	2	4	6	11	14	20
1. SINGLE DX	542	3.7	8	1	1	3	5	7	9	13
2. MULTIPLE DX	375	5.0	14	1	2	4	6	10	13	21
A. NOT OPERATED	375	4.7	8	1	2	4	6	8	10	14
B. OPERATED	542	3.9	13	1	1	3	5	8	11	16
TOTAL 0-19 YRS	497	4.0	8	1	1	3	5	8	9	13
20-34	200	4.5	17	1	1	3	5	10	13	21
35-49	103	3.9	9	1	2	3	5	8	10	16
50-64	75	4.8	14	2	2	3	6	11	13	16
65+	42	5.8	20	1	1	4	8	11	15	23
GRAND TOTAL	**917**	**4.2**	**11**	**1**	**1**	**3**	**5**	**8**	**11**	**16**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.8	69	<1	1	3	6	15	28	33
20-34	21	10.6	169	1	1	8	11	28	47	49
35-49	6	2.8	5	<1	<1	2	3	7	7	7
50-64	18	10.4	79	<1	1	8	12	24	30	33
65+	21	13.0	88	2	3	11	19	25	30	35
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.7	81	1	1	5	6	18	31	34
20-34	29	9.3	70	1	2	8	11	19	23	42
35-49	24	8.8	66	1	1	6	14	16	25	36
50-64	49	12.9	135	2	3	9	16	29	42	52
65+	103	12.9	143	2	3	10	15	27	38	65
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	7	14.4	48	5	6	13	20	23	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	9.7	103	1	1	6	13	24	33	48
B. *Operated*	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	218	11.6	122	1	2	8	14	25	35	56
B. *Operated*	7	14.4	48	5	6	15	22	77	99+	99+
1. SINGLE DX	83	9.6	101	1	2	6	13	24	33	48
2. MULTIPLE DX	225	11.7	119	1	2	9	15	25	36	63
A. NOT OPERATED	299	11.1	117	1	2	8	14	25	34	53
B. OPERATED	9	12.3	53	5	5	12	21	62	99+	99+
TOTAL 0-19 YRS	28	6.2	72	1	1	3	6	15	33	34
20-34	50	9.9	109	1	2	8	12	21	45	99+
35-49	31	7.5	57	1	1	5	11	15	21	36
50-64	67	12.3	119	1	2	9	16	27	35	51
65+	132	12.9	128	2	3	10	15	26	35	63
GRAND TOTAL	**308**	**11.1**	**115**	**1**	**2**	**8**	**14**	**25**	**34**	**57**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	9	1	1	2	3	4	7	18
20-34	95	4.7	23	1	2	3	5	10	15	27
35-49	49	7.4	48	1	1	6	9	16	20	34
50-64	144	9.6	70	1	2	7	14	22	28	35
65+	805	11.3	96	2	3	8	15	24	32	48
B. *Operated*										
0-19 YRS	3	4.0	1	3	3	4	5	5	5	5
20-34	4	5.5	6	2	2	6	7	8	8	8
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	3	9.7	36	4	4	9	14	16	16	16
65+	25	14.4	91	3	5	12	19	32	36	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	5.7	67	1	1	3	7	11	20	46
20-34	233	7.8	50	1	2	5	10	17	23	30
35-49	159	11.3	146	2	3	9	13	20	29	85
50-64	387	11.9	109	2	3	9	15	25	33	57
65+	3491	12.9	137	3	3	9	16	26	36	71
B. *Operated*										
0-19 YRS	5	9.4	87	1	1	6	16	24	24	24
20-34	6	6.2	21	2	2	4	9	13	14	14
35-49	17	14.6	278	2	3	9	19	60	89	99+
50-64	37	15.3	141	3	4	12	22	31	40	54
65+	302	20.3	297	4	5	14	28	45	58	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1188	9.7	86	1	2	7	13	22	29	45
B. *Operated*	37	11.7	80	2	3	10	15	23	34	36
2. MULTIPLE DX										
A. *Not Operated*	4386	12.3	130	2	3	9	15	25	34	65
B. *Operated*	367	19.1	279	3	5	13	25	44	57	86
1. SINGLE DX	1225	9.8	86	1	2	7	13	22	29	44
2. MULTIPLE DX	4753	12.8	145	2	3	9	16	27	37	70
A. NOT OPERATED	5574	11.7	122	2	3	9	15	24	33	63
B. OPERATED	404	18.5	266	3	4	13	23	42	54	85
TOTAL 0-19 YRS	219	4.4	44	1	1	2	4	10	15	38
20-34	338	6.9	43	1	2	4	9	15	21	30
35-49	227	10.6	136	1	2	6	13	20	29	91
50-64	571	11.6	102	2	3	8	15	25	31	54
65+	4623	13.1	144	2	3	9	16	27	37	68
GRAND TOTAL	**5978**	**12.2**	**135**	**2**	**3**	**9**	**15**	**26**	**35**	**65**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	14.7	200	6	6	7	25	31	31	31
65+	30	9.6	49	2	2	8	15	19	20	30
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	13.0	28	9	9	11	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	1	10.0		10	10	10	10	10	10	10
50-64	17	14.6	201	2	3	11	15	29	50	61
65+	181	12.0	80	3	4	9	15	24	31	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	13	12.4	103	2	3	10	16	27	37	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	9.8	59	2	2	7	15	19	28	31
B. *Operated*	3	13.0	28	9	9	11	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	200	12.5	101	3	4	10	15	25	32	59
B. *Operated*	13	12.4	103	2	3	10	16	27	37	39
1. SINGLE DX	37	10.1	56	2	2	8	15	19	26	31
2. MULTIPLE DX	213	12.5	100	3	4	10	15	25	33	59
A. NOT OPERATED	234	12.1	95	3	4	9	15	25	31	58
B. OPERATED	16	12.5	86	2	3	10	16	23	34	39
TOTAL 0-19 YRS										
20-34	1	60.0		60	60	60	60	60	60	60
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64	20	14.7	190	2	3	10	15	30	46	61
65+	227	11.7	76	3	4	9	15	23	30	41
GRAND TOTAL	**250**	**12.1**	**94**	**3**	**4**	**9**	**15**	**24**	**31**	**58**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.9	2	1	1	1	3	4	4	4
20-34	72	4.3	18	<1	1	3	5	11	15	21
35-49	165	4.4	14	1	1	3	5	9	12	19
50-64	132	5.2	14	2	2	4	6	11	12	21
65+	33	8.0	168	2	2	5	7	14	17	77
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	11.3	179	2	2	8	11	26	48	52
20-34	315	6.7	36	1	2	5	8	14	19	31
35-49	786	6.7	30	1	2	5	9	13	16	26
50-64	670	7.2	38	2	2	5	9	14	18	33
65+	254	9.1	55	2	2	7	12	17	23	41
B. *Operated*										
0-19 YRS										
20-34	10	21.6	265	4	5	19	32	44	56	56
35-49	27	17.0	277	3	4	11	24	39	49	78
50-64	28	14.6	70	3	5	12	20	24	30	36
65+	9	14.1	46	6	6	13	18	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	4.9	28	1	1	4	6	10	13	20
B. *Operated*	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	2037	7.2	38	1	2	6	9	14	19	32
B. *Operated*	74	16.4	168	3	4	12	23	31	40	73
1. SINGLE DX	411	4.9	28	1	1	4	6	10	13	20
2. MULTIPLE DX	2111	7.5	45	1	2	6	10	15	20	33
A. NOT OPERATED	2447	6.8	37	1	2	5	9	14	18	31
B. OPERATED	75	16.4	166	3	4	13	22	31	40	72
TOTAL 0-19 YRS	20	7.6	127	1	1	4	9	13	33	52
20-34	397	6.7	44	1	1	5	8	14	20	33
35-49	978	6.6	38	1	2	5	8	13	17	29
50-64	831	7.2	37	2	2	5	9	15	19	32
65+	296	9.1	68	2	2	7	12	17	23	41
GRAND TOTAL	**2522**	**7.1**	**43**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.6	65	1	1	5	16	21	24	25
20-34	44	4.7	24	1	1	3	5	10	13	29
35-49	7	4.4	6	1	1	4	6	8	8	8
50-64	11	4.1	10	1	1	3	6	9	10	10
65+	7	8.9	44	2	2	7	13	20	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	8.6	65	1	2	7	10	25	57	99+
20-34	99	7.1	49	1	1	5	10	15	21	39
35-49	45	8.0	20	2	3	7	10	15	16	19
50-64	61	7.6	32	2	2	6	10	16	20	25
65+	79	10.1	70	2	2	8	13	21	31	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	40.0		40	40	40	40	40	40	40
50-64	2	11.5	1	11	11	11	12	12	12	12
65+	7	19.3	172	5	5	15	30	38	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	5.7	32	1	1	4	7	14	19	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	305	8.2	48	1	2	6	11	16	22	37
B. *Operated*	10	19.8	176	5	5	14	32	40	40	40
1. SINGLE DX	85	5.7	32	1	1	4	7	14	19	28
2. MULTIPLE DX	315	8.6	56	1	2	7	11	18	24	40
A. NOT OPERATED	390	7.6	46	1	2	6	10	16	21	35
B. OPERATED	10	19.8	176	5	5	14	32	40	40	40
TOTAL 0-19 YRS	37	8.6	63	1	1	6	14	23	27	99+
20-34	143	6.3	42	1	1	4	8	13	18	32
35-49	53	8.1	39	2	3	7	10	15	16	39
50-64	74	7.2	30	1	2	6	10	14	20	25
65+	93	10.7	79	2	3	8	14	22	33	40
GRAND TOTAL	**400**	**7.9**	**52**	**1**	**2**	**6**	**10**	**16**	**23**	**39**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	18.3	389	2	3	13	23	42	77	99
20-34	937	11.5	127	1	2	8	15	26	34	55
35-49	519	12.3	127	1	2	10	17	26	33	54
50-64	239	12.7	117	2	3	9	17	26	31	51
65+	61	16.3	155	1	2	14	23	33	37	59
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	1	21.0		21	21	21	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	20.4	310	2	3	14	26	50	56	62
20-34	253	12.8	183	2	2	9	16	25	36	97
35-49	189	14.2	136	2	4	11	18	29	39	67
50-64	144	15.5	122	2	4	13	21	29	37	57
65+	58	13.4	51	4	5	12	16	25	28	35
B. *Operated*										
0-19 YRS										
20-34	10	13.1	186	2	2	6	20	36	38	38
35-49	12	25.9	410	9	10	22	29	52	79	83
50-64	11	19.7	120	6	7	17	31	36	36	36
65+	5	32.2	419	9	9	35	42	63	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	12.3	139	1	2	9	17	27	34	59
B. *Operated*	3	10.7	92	2	2	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	689	14.3	157	2	3	11	18	28	39	67
B. *Operated*	38	21.6	287	2	4	18	34	37	53	83
1. SINGLE DX	1829	12.3	139	1	2	9	17	27	34	59
2. MULTIPLE DX	727	14.7	166	2	3	11	19	30	39	71
A. NOT OPERATED	2515	12.8	145	1	2	10	17	28	35	60
B. OPERATED	41	20.8	278	2	3	12	30	37	50	83
TOTAL 0-19 YRS	115	19.1	356	2	3	14	25	47	63	98
20-34	1200	11.8	140	1	2	8	15	26	35	57
35-49	722	13.0	137	1	2	10	17	28	34	61
50-64	395	13.9	121	2	3	11	18	28	36	53
65+	124	15.6	126	2	4	13	20	29	35	62
GRAND TOTAL	**2556**	**13.0**	**148**	**1**	**2**	**10**	**17**	**28**	**36**	**61**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	13.8	142	2	3	11	17	33	39	42
20-34	81	8.5	57	1	2	7	10	17	23	39
35-49	24	10.6	133	1	2	7	12	21	36	56
50-64	10	7.6	28	<1	<1	6	13	14	14	14
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	20.6	673	3	4	8	22	71	76	76
20-34	11	14.7	120	2	4	12	21	33	37	37
35-49	8	11.4	55	3	4	9	16	23	25	25
50-64	6	9.5	41	2	2	8	13	19	20	20
65+	2	20.0	722	1	1	20	39	39	39	39
B. *Operated*										
0-19 YRS										
20-34	2	12.5	113	5	5	12	20	20	20	20
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	9.7	85	1	2	7	12	19	31	44
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	38	15.2	268	2	3	10	17	35	56	76
B. *Operated*	3	13.0	57	5	5	14	18	20	20	20
1. SINGLE DX	139	9.7	85	1	2	7	12	19	31	44
2. MULTIPLE DX	41	15.0	252	2	3	11	18	33	52	76
A. NOT OPERATED	177	10.9	128	1	2	7	13	24	36	64
B. OPERATED	3	13.0	57	5	5	14	18	20	20	20
TOTAL 0-19 YRS	35	15.9	304	2	3	11	17	38	61	76
20-34	94	9.3	67	2	2	7	11	19	29	39
35-49	33	10.9	108	1	3	8	14	21	28	56
50-64	16	8.3	32	<1	1	6	13	14	18	20
65+	2	20.0	722	1	1	20	39	39	39	39
GRAND TOTAL	**180**	**10.9**	**127**	**1**	**2**	**7**	**13**	**23**	**36**	**64**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	17.8	287	2	3	12	27	47	62	99+
20-34	1626	12.7	158	1	2	9	17	28	37	67
35-49	955	12.2	110	1	2	9	17	27	33	52
50-64	483	13.5	114	1	2	11	19	28	34	54
65+	131	14.8	110	2	3	13	21	27	34	49
B. *Operated*										
0-19 YRS										
20-34	4	25.0	291	12	12	19	35	50	50	50
35-49	6	31.3	606	5	6	26	51	66	68	68
50-64	1	12.0		12	12	12	12	12	12	12
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	17.7	276	2	4	11	25	44	56	92
20-34	642	13.6	176	2	2	10	18	27	38	77
35-49	555	13.9	145	2	3	10	18	30	41	62
50-64	405	14.2	141	2	3	11	18	30	38	64
65+	190	14.6	132	3	3	12	21	30	37	55
B. *Operated*										
0-19 YRS	1	28.0		28	28	28	28	28	28	28
20-34	26	20.7	328	4	5	14	22	43	56	85
35-49	37	23.8	285	8	8	18	33	48	98	78
50-64	30	27.0	350	8	10	21	29	64	69	72
65+	11	24.7	262	2	5	25	42	65	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3402	13.1	146	1	2	10	18	28	37	65
B. *Operated*	11	27.3	426	5	9	18	46	58	67	68
2. MULTIPLE DX										
A. *Not Operated*	1902	14.1	162	2	3	10	19	30	39	69
B. *Operated*	105	24.1	306	6	8	19	30	50	67	92
1. SINGLE DX	3413	13.1	147	1	2	10	18	28	37	66
2. MULTIPLE DX	2007	14.7	174	2	3	11	19	30	42	72
A. NOT OPERATED	5304	13.5	152	1	2	10	18	29	38	66
B. OPERATED	116	24.4	314	6	8	19	31	51	68	90
TOTAL 0-19 YRS	318	17.8	282	2	3	12	27	45	61	99+
20-34	2298	13.1	166	1	2	9	17	28	38	71
35-49	1553	13.2	133	2	2	10	18	28	37	60
50-64	919	14.2	139	2	3	11	19	29	37	63
65+	332	15.0	130	2	3	13	21	30	39	59
GRAND TOTAL	**5420**	**13.7**	**158**	**1**	**2**	**10**	**18**	**29**	**39**	**69**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	8.3	178	1	1	4	8	21	45	51
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	9.9	111	1	1	6	23	50	93	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	8.3	178	1	1	4	8	21	45	51
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	9.9	111	1	1	6	23	50	93	99+
B. *Operated*				99+	99+	99+	99+	99+	99+	99+
1. SINGLE DX	13	8.3	178	1	1	4	8	21	45	51
2. MULTIPLE DX	11	9.9	111	1	1	7	26	99+	99+	99+
A. NOT OPERATED	24	9.0	142	1	1	4	12	29	63	99+
B. OPERATED				99+	99+	99+	99+	99+	99+	99+
TOTAL 0-19 YRS	24	9.0	142	1	1	5	14	49	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**24**	**9.0**	**142**	**1**	**1**	**5**	**14**	**49**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	13.6	261	1	2	8	21	29	48	83
20-34	782	12.4	115	2	3	9	17	27	34	52
35-49	828	13.1	139	2	3	10	17	28	35	68
50-64	635	15.0	132	2	4	13	20	29	39	63
65+	382	20.0	182	4	6	17	28	37	46	60
B. *Operated*										
0-19 YRS										
20-34	8	26.5	212	3	7	25	34	47	52	52
35-49	8	17.8	133	6	6	14	28	35	35	35
50-64	9	18.1	159	5	6	15	24	39	45	45
65+	5	25.4	265	4	4	26	40	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	14.6	268	1	2	9	20	42	63	99+
20-34	645	13.5	166	2	3	10	18	30	40	61
35-49	869	13.3	135	2	3	10	17	27	35	64
50-64	775	16.5	162	3	4	13	22	34	43	61
65+	673	18.3	199	4	5	14	24	39	50	70
B. *Operated*										
0-19 YRS	4	19.3	54	10	10	19	24	28	28	28
20-34	51	24.8	270	5	7	23	33	49	60	73
35-49	62	24.1	337	4	5	18	32	55	67	98
50-64	73	25.2	350	6	8	20	30	54	72	98
65+	68	27.0	311	7	10	22	34	50	65	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2700	14.4	146	2	3	11	19	30	37	60
B. *Operated*	30	21.5	181	4	5	20	32	41	45	52
2. MULTIPLE DX										
A. *Not Operated*	3071	15.3	171	2	3	11	20	32	42	65
B. *Operated*	258	25.2	314	5	7	21	33	51	64	97
1. SINGLE DX	2730	14.4	147	2	3	11	19	30	37	60
2. MULTIPLE DX	3329	16.1	189	3	4	12	21	34	45	69
A. NOT OPERATED	5771	14.8	159	2	3	11	20	31	41	64
B. OPERATED	288	24.9	301	5	7	21	33	50	63	96
TOTAL 0-19 YRS	186	14.3	259	1	2	9	21	38	58	99+
20-34	1486	13.4	148	2	3	10	18	29	38	60
35-49	1767	13.6	148	2	3	10	18	28	36	68
50-64	1492	16.2	163	3	4	13	21	32	43	64
65+	1128	19.5	204	4	5	16	26	40	50	69
GRAND TOTAL	**6059**	**15.3**	**171**	**2**	**3**	**12**	**20**	**32**	**42**	**66**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	15.4	197	2	4	12	20	28	47	80
20-34	665	13.0	128	1	3	10	18	28	34	57
35-49	577	13.9	106	2	3	12	19	28	33	51
50-64	433	15.6	139	2	3	13	21	29	37	62
65+	171	18.4	202	3	5	15	24	39	47	72
B. *Operated*										
0-19 YRS										
20-34	2	27.5	85	21	21	27	34	34	34	34
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	8.5	25	5	5	8	12	12	12	12
65+	3	21.3	206	5	5	27	31	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	17.0	276	1	2	14	22	34	39	97
20-34	335	15.3	198	2	3	12	20	31	39	78
35-49	384	14.0	121	2	3	11	19	28	33	56
50-64	376	17.8	177	3	4	14	24	35	45	64
65+	200	17.5	151	3	5	15	22	34	40	66
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	17	26.7	416	4	5	24	31	76	94	99+
35-49	36	23.9	236	8	10	20	30	49	69	99+
50-64	31	27.3	334	9	10	20	39	57	62	76
65+	26	23.7	206	9	9	16	34	42	55	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1913	14.4	135	2	3	12	20	29	36	56
B. *Operated*	8	18.1	142	5	5	16	29	33	34	34
2. MULTIPLE DX										
A. *Not Operated*	1343	16.0	168	2	4	13	21	32	40	65
B. *Operated*	111	25.5	283	7	9	20	34	53	62	99+
1. SINGLE DX	1921	14.4	135	2	3	12	20	29	36	56
2. MULTIPLE DX	1454	16.7	183	2	4	13	22	34	43	74
A. NOT OPERATED	3256	15.1	149	2	3	12	20	30	37	59
B. OPERATED	119	25.0	276	7	9	20	33	53	61	99+
TOTAL 0-19 YRS	116	16.4	238	1	3	13	21	34	47	88
20-34	1019	14.0	159	2	3	10	18	29	36	60
35-49	998	14.3	120	2	3	12	19	28	34	54
50-64	842	17.0	168	3	4	14	22	34	43	63
65+	400	18.3	177	3	5	15	24	35	44	67
GRAND TOTAL	**3375**	**15.4**	**157**	**2**	**3**	**13**	**21**	**31**	**39**	**61**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	10.3	104	<1	1	7	15	22	26	52
20-34	387	9.1	81	1	1	7	12	18	24	45
35-49	278	9.9	85	1	1	8	13	21	26	54
50-64	189	11.8	105	1	2	9	15	29	33	55
65+	201	12.7	112	2	3	10	18	27	31	46
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	4	4.8		4	4	5	5	5	5	5
65+	4	6.3	23	2	2	5	9	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	12.9	255	1	1	6	18	28	48	76
20-34	240	10.2	99	1	2	7	13	23	31	87
35-49	230	11.7	125	1	2	8	14	27	33	55
50-64	353	12.7	116	2	3	10	17	25	30	57
65+	774	11.4	98	2	3	8	14	24	32	58
B. *Operated*										
0-19 YRS										
20-34	9	16.8	480	<1	2	8	23	53	71	71
35-49	17	19.2	186	4	5	18	22	44	46	47
50-64	32	16.4	152	4	6	13	22	39	54	99+
65+	75	16.4	156	3	6	12	22	34	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1145	10.5	95	1	2	8	14	22	29	50
B. *Operated*	11	5.1	9	2	2	5	6	9	13	13
2. MULTIPLE DX										
A. *Not Operated*	1657	11.6	112	2	3	9	15	24	32	60
B. *Operated*	133	16.8	176	4	5	13	22	38	49	99+
1. SINGLE DX	1156	10.4	94	1	2	8	14	22	29	50
2. MULTIPLE DX	1790	12.0	118	2	3	9	15	25	33	63
A. NOT OPERATED	2802	11.1	105	1	2	8	14	23	30	55
B. OPERATED	144	15.9	172	3	4	12	21	36	48	99+
TOTAL 0-19 YRS	152	11.3	163	1	1	6	16	23	33	73
20-34	637	9.6	93	1	2	7	13	21	28	55
35-49	525	11.0	108	1	2	8	14	23	30	54
50-64	578	12.6	114	2	3	10	17	26	33	56
65+	1054	12.0	106	2	3	9	15	25	33	60
GRAND TOTAL	**2946**	**11.4**	**109**	**1**	**2**	**8**	**15**	**24**	**31**	**58**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.8	14	<1	1	3	4	8	12	21
20-34	369	5.9	44	1	1	4	7	14	18	31
35-49	327	5.6	39	1	1	3	6	11	19	31
50-64	187	5.7	29	1	1	4	7	13	18	28
65+	73	4.8	15	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	3	4.0	9	<1	<1	4	6	7	7	7
35-49	4	4.0	7	1	1	4	6	7	7	7
50-64	7	6.3	9	2	2	6	8	10	11	11
65+	3	4.7	9	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	5.4	61	1	1	3	6	11	23	69
20-34	568	6.8	60	1	1	4	8	15	21	37
35-49	684	7.1	57	1	2	5	8	16	21	43
50-64	510	7.0	45	1	2	5	8	15	20	35
65+	468	7.2	36	1	2	5	9	14	20	31
B. *Operated*										
0-19 YRS	3	14.0	217	5	5	6	25	31	31	31
20-34	24	10.7	99	2	2	8	14	19	30	49
35-49	52	9.4	59	2	3	7	11	21	25	42
50-64	35	10.8	100	2	2	8	12	23	30	49
65+	22	11.5	78	3	4	9	14	22	33	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1048	5.5	35	1	1	4	6	12	18	30
B. *Operated*	19	5.1	7	<1	1	5	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	2338	6.9	51	1	2	5	8	15	21	36
B. *Operated*	136	10.4	81	2	3	8	12	22	29	49
1. SINGLE DX	1067	5.5	35	1	1	4	7	12	18	30
2. MULTIPLE DX	2474	7.1	53	1	2	5	8	15	22	37
A. NOT OPERATED	3386	6.5	47	1	1	4	8	14	20	34
B. OPERATED	155	9.8	75	2	3	7	11	21	29	48
TOTAL 0-19 YRS	205	4.8	42	<1	1	3	5	10	18	45
20-34	964	6.5	55	1	1	4	7	14	20	37
35-49	1067	6.7	52	1	2	5	8	15	21	34
50-64	739	6.9	44	1	2	5	8	15	20	33
65+	566	7.0	36	1	2	5	9	14	19	31
GRAND TOTAL	**3541**	**6.6**	**48**	**1**	**1**	**4**	**8**	**14**	**20**	**34**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	12.5	279	1	1	6	17	45	99	99+
20-34	1331	9.2	94	1	2	6	12	21	28	48
35-49	1176	10.3	98	1	2	7	13	22	29	52
50-64	658	11.3	100	2	3	8	14	23	31	49
65+	263	15.1	191	2	3	11	19	35	44	69
B. *Operated*										
0-19 YRS										
20-34	10	14.0	276	3	4	9	19	75	98	99+
35-49	13	18.5	135	7	7	15	22	33	47	50
50-64	3	11.7	33	5	5	15	15	15	15	15
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	13.5	303	1	2	8	17	42	77	99+
20-34	1407	10.3	104	1	2	7	13	23	29	49
35-49	1524	10.8	91	2	3	7	15	24	29	43
50-64	1093	11.3	97	2	3	8	15	25	32	47
65+	865	12.1	103	3	3	9	15	26	33	49
B. *Operated*										
0-19 YRS	13	28.7	694	5	6	17	45	67	89	94
20-34	103	19.0	299	3	4	13	26	39	56	97
35-49	141	20.4	212	5	5	16	29	41	46	71
50-64	104	19.7	253	4	5	15	25	41	50	77
65+	56	17.3	183	4	6	13	21	34	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3653	10.6	117	1	2	7	14	24	32	58
B. *Operated*	26	16.0	173	4	5	14	21	46	65	99+
2. MULTIPLE DX										
A. *Not Operated*	5109	11.1	108	2	3	8	15	25	30	52
B. *Operated*	417	19.7	255	4	5	15	26	40	50	82
1. SINGLE DX	3679	10.6	117	1	2	7	14	24	33	60
2. MULTIPLE DX	5526	11.7	124	2	3	8	15	26	33	58
A. NOT OPERATED	8762	10.9	111	2	2	7	14	24	31	54
B. OPERATED	443	19.5	251	4	5	15	26	40	51	93
TOTAL 0-19 YRS	458	13.4	307	1	2	7	17	45	83	99+
20-34	2851	10.2	110	1	2	7	13	23	30	51
35-49	2854	11.1	105	2	2	7	15	24	30	49
50-64	1858	11.8	110	2	3	8	15	26	33	50
65+	1184	13.0	128	3	3	9	17	28	37	54
GRAND TOTAL	**9205**	**11.3**	**122**	**2**	**2**	**8**	**15**	**25**	**31**	**58**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	195	7.2	92	1	1	4	8	16	29	49
20-34	466	7.1	83	1	1	4	8	16	23	53
35-49	319	6.9	61	1	1	4	9	15	20	39
50-64	137	8.7	72	1	2	6	11	20	27	43
65+	64	9.9	89	1	2	6	15	21	30	48
B. *Operated*										
0-19 YRS	4	4.5	4	3	3	4	6	7	7	7
20-34	14	8.6	92	1	2	5	10	25	33	35
35-49	21	4.6	16	2	2	3	5	11	15	16
50-64	23	6.0	10	2	3	5	7	10	12	14
65+	9	5.9	12	2	2	5	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	10.2	165	1	1	5	12	26	35	66
20-34	765	8.8	89	1	2	6	11	19	29	49
35-49	488	8.8	91	1	2	6	11	20	26	48
50-64	315	8.9	77	2	2	6	11	18	31	43
65+	190	9.3	66	2	2	7	12	18	26	41
B. *Operated*										
0-19 YRS	7	30.3	831	3	4	13	59	66	67	67
20-34	45	13.5	234	2	3	8	15	43	61	99+
35-49	40	12.9	83	3	4	9	17	28	30	36
50-64	44	10.6	99	2	3	7	13	24	33	47
65+	33	11.3	79	3	3	8	18	26	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	7.4	78	1	1	4	9	17	23	49
B. *Operated*	71	6.0	28	2	2	5	7	11	15	33
2. MULTIPLE DX										
A. *Not Operated*	2027	9.0	95	1	2	6	11	20	29	49
B. *Operated*	169	12.9	165	3	3	8	16	30	47	94
1. SINGLE DX	1252	7.3	75	1	1	4	9	16	23	46
2. MULTIPLE DX	2196	9.3	102	1	2	6	12	21	30	54
A. NOT OPERATED	3208	8.4	90	1	1	5	11	18	27	49
B. OPERATED	240	10.8	134	2	3	7	14	26	36	75
TOTAL 0-19 YRS	475	9.2	151	1	1	5	11	24	35	61
20-34	1290	8.3	93	1	1	5	10	18	28	56
35-49	868	8.2	80	1	2	5	10	18	25	47
50-64	519	8.9	75	2	2	6	11	19	29	43
65+	296	9.5	71	2	2	7	13	20	28	46
GRAND TOTAL	**3448**	**8.6**	**93**	**1**	**1**	**5**	**11**	**19**	**28**	**52**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	6.2	93	<1	1	2	6	18	29	50
20-34	688	9.5	109	1	1	5	13	28	29	40
35-49	1081	7.8	85	1	1	4	8	27	28	35
50-64	752	7.1	65	1	1	4	7	21	28	32
65+	184	9.0	95	1	2	5	10	27	28	42
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34										
35-49	3	8.0	76	2	2	4	14	18	18	18
50-64	3	5.7	1	5	5	5	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	16.6	219	1	1	12	30	38	42	46
20-34	1276	11.3	130	1	2	6	19	29	33	43
35-49	2320	10.1	95	1	2	6	13	28	30	39
50-64	2084	10.0	96	2	2	6	12	28	30	42
65+	905	11.4	98	2	3	8	15	28	30	42
B. *Operated*										
0-19 YRS	4	20.5	442	<1	<1	19	38	42	42	42
20-34	50	16.2	118	2	3	15	27	30	34	36
35-49	118	15.9	142	2	4	11	25	32	38	55
50-64	126	16.4	180	3	3	13	24	32	38	69
65+	74	22.7	242	3	6	18	31	48	51	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2784	8.1	85	1	1	4	9	27	28	37
B. *Operated*	8	8.8	81	2	2	5	12	24	27	27
2. MULTIPLE DX										
A. *Not Operated*	6686	10.6	105	1	2	6	14	28	30	42
B. *Operated*	372	17.5	179	2	4	14	27	35	42	66
1. SINGLE DX	2792	8.1	85	1	1	4	9	27	28	37
2. MULTIPLE DX	7058	10.9	112	1	2	6	15	28	30	42
A. NOT OPERATED	9470	9.8	101	1	2	6	12	28	30	42
B. OPERATED	380	17.3	178	2	4	13	27	34	42	66
TOTAL 0-19 YRS	185	12.3	195	<1	1	4	24	35	41	47
20-34	2014	10.8	124	1	1	6	17	28	31	42
35-49	3522	9.6	95	1	2	5	12	28	30	38
50-64	2965	9.6	95	1	2	6	11	28	29	42
65+	1164	11.7	115	2	2	7	16	28	32	48
GRAND TOTAL	**9850**	**10.1**	**106**	**1**	**2**	**6**	**13**	**28**	**30**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	71	9.1	70	1	2	6	12	22	30	37
35-49	15	13.0	92	2	3	11	16	22	37	42
50-64	1	13.0		13	13	13	13	13	13	13
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	98	9.8	88	1	2	7	11	19	35	43
35-49	24	15.0	162	3	4	11	17	42	43	46
50-64	14	9.2	46	<1	1	9	15	17	22	24
65+	6	12.8	91	4	4	10	17	29	30	30
B. *Operated*										
0-19 YRS										
20-34	9	23.3	237	6	8	16	30	49	56	56
35-49	5	15.8	202	4	4	14	21	40	40	40
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	9.7	74	1	2	7	13	22	30	40
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	142	10.7	99	1	2	8	14	24	37	43
B. *Operated*	14	20.6	222	4	6	16	28	42	53	56
1. SINGLE DX	88	9.7	74	1	2	7	13	22	30	40
2. MULTIPLE DX	156	11.6	117	1	2	9	15	27	41	46
A. NOT OPERATED	230	10.3	89	1	2	8	14	23	34	43
B. OPERATED	14	20.6	222	4	6	16	28	42	53	56
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	178	10.2	96	1	2	7	14	23	34	43
35-49	44	14.4	136	3	4	11	16	40	42	46
50-64	15	9.5	44	<1	1	10	14	16	22	24
65+	6	12.8	91	4	4	10	17	29	30	30
GRAND TOTAL	**244**	**10.9**	**102**	**1**	**2**	**8**	**14**	**24**	**36**	**43**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	12.6	124	2	2	9	20	30	34	35
20-34	80	13.2	193	<1	1	8	16	38	42	56
35-49	23	11.9	117	2	3	6	17	28	34	42
50-64	4	11.5	108	2	2	11	20	21	21	21
65+	3	24.0	112	12	12	28	31	32	32	32
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	16.0		16	16	16	16	16	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	24.3	277	5	8	19	42	44	56	56
20-34	115	16.0	229	1	2	9	26	42	42	56
35-49	62	13.7	149	2	3	9	19	32	40	55
50-64	21	11.0	80	1	2	9	15	27	30	31
65+	13	13.4	52	4	4	15	17	22	27	28
B. *Operated*										
0-19 YRS										
20-34	6	9.5	38	2	2	11	13	17	17	17
35-49	1	16.0		16	16	16	16	16	16	16
50-64	4	38.0	311	21	21	35	51	61	61	61
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	13.1	166	1	2	8	19	32	41	56
B. *Operated*	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	236	15.7	199	1	2	11	23	42	42	56
B. *Operated*	11	20.5	309	2	2	16	26	50	60	61
1. SINGLE DX	125	13.1	164	1	2	8	19	32	41	56
2. MULTIPLE DX	247	15.9	203	2	2	11	24	42	42	56
A. NOT OPERATED	359	14.8	189	1	2	9	22	40	42	56
B. OPERATED	13	19.0	275	2	2	16	23	46	58	61
TOTAL 0-19 YRS	39	19.9	250	2	3	12	31	42	50	56
20-34	202	14.7	209	1	2	8	22	42	42	56
35-49	86	13.2	138	2	3	8	18	30	39	53
50-64	29	14.8	191	2	2	10	21	30	43	61
65+	16	15.4	75	4	4	15	20	28	31	32
GRAND TOTAL	**372**	**14.9**	**191**	**1**	**2**	**10**	**22**	**41**	**42**	**56**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	1.3	1	<1	<1	1	1	2	3	5
20-34	91	2.1	10	<1	<1	1	2	4	5	21
35-49	57	3.9	18	<1	1	3	4	8	11	23
50-64	48	3.6	7	1	1	3	5	7	8	14
65+	15	5.4	54	<1	<1	3	5	21	24	25
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.7	9	<1	1	2	3	5	7	19
20-34	154	3.4	13	<1	<1	2	4	8	12	17
35-49	174	4.6	26	<1	1	3	6	9	14	19
50-64	171	4.5	16	1	1	3	5	8	11	19
65+	65	5.4	30	1	1	4	7	11	14	33
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	11	7.9	85	<1	<1	4	12	24	26	26
35-49	8	11.1	51	3	3	10	19	19	19	19
50-64	8	6.5	53	<1	<1	4	8	19	23	23
65+	4	15.0	419	1	1	11	59	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	2.5	11	<1	<1	1	3	5	7	22
B. *Operated*	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	628	4.2	19	<1	1	3	5	8	13	19
B. *Operated*	33	9.0	98	<1	1	5	13	24	41	99+
1. SINGLE DX	326	2.6	11	<1	<1	1	3	5	8	22
2. MULTIPLE DX	661	4.4	24	<1	1	3	5	9	14	23
A. NOT OPERATED	952	3.6	17	<1	1	2	4	7	11	20
B. OPERATED	35	9.1	93	<1	1	6	13	23	39	99+
TOTAL 0-19 YRS	179	1.8	4	<1	<1	1	2	3	5	10
20-34	256	3.2	16	<1	<1	2	3	7	12	23
35-49	240	4.7	26	<1	1	3	6	10	14	21
50-64	228	4.4	16	1	1	3	5	8	11	20
65+	84	5.9	52	1	1	4	7	11	23	81
GRAND TOTAL	**987**	**3.8**	**21**	**<1**	**1**	**2**	**4**	**8**	**12**	**23**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	6.9	90	<1	1	3	9	23	29	44
20-34	119	7.0	61	<1	1	4	8	22	26	30
35-49	29	8.3	65	2	2	5	9	20	30	30
50-64	11	8.5	46	3	3	6	10	19	26	27
65+	5	8.4	81	2	2	4	12	24	24	24
B. *Operated*										
0-19 YRS	1	34.0		34	34	34	34	34	34	34
20-34	2	11.0	162	2	2	11	20	20	20	20
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	9.6	174	<1	1	4	12	23	25	79
20-34	204	9.1	92	1	1	6	11	27	30	37
35-49	78	7.4	49	1	1	6	9	16	25	34
50-64	31	7.3	37	1	2	7	10	15	21	26
65+	35	8.6	65	2	2	6	10	21	28	36
B. *Operated*										
0-19 YRS										
20-34	5	32.0	239	7	7	36	42	47	47	47
35-49	7	18.3	243	2	2	13	31	41	43	43
50-64	6	18.0	193	6	6	11	29	40	41	41
65+	3	20.7	44	15	15	19	26	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	7.3	68	<1	1	4	9	22	27	31
B. *Operated*	4	16.0	200	2	2	14	27	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	401	8.7	88	1	1	6	10	23	28	38
B. *Operated*	21	21.8	208	3	5	19	35	42	45	47
1. SINGLE DX	222	7.4	70	<1	1	4	9	23	28	33
2. MULTIPLE DX	422	9.3	101	1	1	6	11	25	30	41
A. NOT OPERATED	619	8.2	81	1	1	5	10	23	28	37
B. OPERATED	25	20.9	203	2	3	19	34	41	44	47
TOTAL 0-19 YRS	108	8.5	137	<1	1	4	11	24	29	60
20-34	330	8.7	91	1	1	5	10	25	30	38
35-49	115	8.3	69	1	2	6	9	20	28	39
50-64	48	8.9	66	1	2	7	11	19	27	41
65+	43	9.4	72	2	2	6	11	24	28	36
GRAND TOTAL	**644**	**8.7**	**91**	**1**	**1**	**5**	**10**	**24**	**29**	**41**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	4.0	58	1	1	2	4	6	7	54
20-34	128	4.2	8	1	2	4	5	7	9	15
35-49	94	3.9	8	1	1	3	5	8	10	15
50-64	61	4.1	7	1	1	3	5	8	10	14
65+	35	4.9	7	2	2	4	7	9	10	12
B. *Operated*										
0-19 YRS	5	5.8	16	1	1	6	9	11	11	11
20-34	7	4.1	5	2	2	3	6	8	8	8
35-49	10	7.4	14	3	3	6	11	12	13	13
50-64	4	7.0	31	2	2	5	10	15	15	15
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	4.0	9	1	1	3	5	7	10	16
20-34	212	5.5	21	1	2	4	7	10	14	22
35-49	215	6.0	25	1	2	5	8	11	15	31
50-64	157	6.1	24	2	3	5	7	10	13	29
65+	177	6.7	26	2	2	5	8	12	17	27
B. *Operated*										
0-19 YRS	5	4.6	9	1	1	6	7	8	8	8
20-34	29	10.0	67	2	3	8	10	24	31	34
35-49	26	8.3	22	2	3	8	11	15	17	18
50-64	26	8.3	42	2	3	7	9	14	20	34
65+	10	12.0	54	4	4	10	16	24	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	4.2	17	1	1	3	5	7	10	16
B. *Operated*	27	6.3	14	2	2	5	9	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	848	5.8	23	1	2	5	7	11	14	27
B. *Operated*	96	9.0	45	2	3	8	11	16	24	34
1. SINGLE DX	421	4.3	17	1	1	3	5	8	10	16
2. MULTIPLE DX	944	6.2	26	2	2	5	8	11	15	30
A. NOT OPERATED	1242	5.3	22	1	2	4	6	10	13	26
B. OPERATED	123	8.4	39	2	3	7	11	15	22	34
TOTAL 0-19 YRS	173	4.1	30	1	1	3	5	7	9	25
20-34	376	5.4	21	1	2	4	7	10	14	24
35-49	345	5.7	21	1	2	4	7	11	14	30
50-64	248	5.8	23	2	2	5	7	10	13	29
65+	223	6.7	26	2	2	5	8	12	17	26
GRAND TOTAL	**1365**	**5.6**	**24**	**1**	**2**	**4**	**7**	**10**	**14**	**27**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	508	9.7	183	1	1	6	13	34	99+	99+
20-34	740	5.5	32	<1	1	4	7	13	18	30
35-49	395	6.7	64	1	1	4	8	14	22	36
50-64	140	6.3	41	1	1	5	8	13	18	34
65+	63	11.6	150	1	2	8	16	27	39	57
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	3	76	99+	99+	99+
20-34	2	16.5	181	7	7	16	26	26	26	26
35-49	4	4.8	3	3	3	4	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	505	10.3	187	1	1	6	11	27	41	97
20-34	937	7.2	66	1	1	5	9	15	21	41
35-49	595	7.7	62	1	2	5	10	16	22	41
50-64	285	8.4	61	1	2	6	11	18	26	34
65+	197	8.9	56	2	2	7	12	19	24	37
B. *Operated*										
0-19 YRS	10	23.4	556	8	9	15	63	99+	99+	99+
20-34	30	12.1	145	<1	2	8	14	39	48	99+
35-49	21	15.7	154	4	5	13	21	31	42	55
50-64	17	9.9	42	2	2	9	14	19	23	25
65+	13	20.6	290	4	6	17	24	47	62	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1846	7.2	89	1	1	4	9	18	29	99+
B. *Operated*	8	7.1	62	2	2	5	12	70	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2519	8.2	89	1	2	5	10	18	25	52
B. *Operated*	91	15.0	203	2	3	11	18	40	64	99+
1. SINGLE DX	1854	7.2	89	1	1	4	9	18	29	99+
2. MULTIPLE DX	2610	8.4	95	1	2	5	10	18	27	56
A. NOT OPERATED	4365	7.8	89	1	1	5	9	18	27	84
B. OPERATED	99	14.3	195	2	3	10	18	40	72	99+
TOTAL 0-19 YRS	1025	10.1	190	1	1	6	13	30	67	99+
20-34	1709	6.6	54	1	1	4	8	14	20	36
35-49	1015	7.4	66	1	1	5	9	16	23	40
50-64	442	7.8	55	1	2	5	9	16	23	34
65+	273	10.1	94	2	2	7	14	22	30	50
GRAND TOTAL	**4464**	**7.9**	**93**	**1**	**1**	**5**	**10**	**18**	**28**	**90**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	552	11.2	246	1	1	5	12	29	52	99+
20-34	1186	8.2	62	1	2	5	11	18	26	39
35-49	886	9.4	91	2	2	6	12	21	28	47
50-64	487	11.3	120	2	2	8	14	25	30	63
65+	235	12.5	129	2	3	9	16	27	36	52
B. *Operated*										
0-19 YRS	10	5.2	43	1	1	2	5	16	22	22
20-34	13	8.4	46	2	2	5	12	19	21	22
35-49	20	8.7	69	1	2	5	16	21	27	30
50-64	15	13.9	179	2	4	9	21	39	40	41
65+	5	14.4	101	6	6	13	19	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	591	13.0	278	1	2	6	17	36	52	94
20-34	1405	8.1	72	1	2	5	10	17	23	50
35-49	1262	8.7	70	2	2	6	11	18	25	46
50-64	914	9.3	84	2	3	6	11	19	28	45
65+	756	10.2	90	2	3	7	12	21	30	51
B. *Operated*										
0-19 YRS	27	12.0	252	1	1	8	26	99+	99+	99+
20-34	83	13.0	150	<1	<1	10	18	32	37	56
35-49	101	15.2	234	3	4	10	19	42	56	90
50-64	86	14.5	129	4	4	10	19	29	36	57
65+	64	15.6	134	3	4	12	19	35	39	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3346	9.7	115	1	2	6	12	22	30	60
B. *Operated*	63	9.8	93	1	2	6	14	24	31	41
2. MULTIPLE DX										
A. *Not Operated*	4928	9.4	103	2	2	6	11	20	29	58
B. *Operated*	361	14.3	172	2	3	10	19	34	47	99+
1. SINGLE DX	3409	9.7	115	1	2	6	12	22	30	59
2. MULTIPLE DX	5289	9.7	110	2	2	6	12	21	30	61
A. NOT OPERATED	8274	9.5	108	1	2	6	12	21	29	59
B. OPERATED	424	13.7	163	2	2	10	18	32	46	99+
TOTAL 0-19 YRS	1180	12.1	261	1	1	6	14	35	53	99+
20-34	2687	8.3	71	1	2	5	11	18	25	43
35-49	2269	9.2	87	2	2	6	12	20	27	49
50-64	1502	10.3	101	2	3	7	12	22	29	52
65+	1060	11.0	103	2	3	8	14	24	32	51
GRAND TOTAL	**8698**	**9.7**	**112**	**1**	**2**	**6**	**12**	**21**	**30**	**60**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	47	1	1	3	7	18	23	25
20-34	11	5.5	25	1	1	3	8	13	17	17
35-49	11	7.7	45	1	1	6	15	17	19	19
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	5	3.8	3	1	1	4	5	5	5	5
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	9.0	57	2	2	6	14	21	24	28
20-34	84	11.0	102	1	2	8	14	25	28	55
35-49	42	12.2	264	1	2	6	13	31	57	69
50-64	32	11.3	54	4	4	9	15	22	27	31
65+	9	9.7	55	1	2	7	14	21	25	25
B. *Operated*										
0-19 YRS	14	5.4	5	2	2	5	7	8	10	10
20-34	7	7.6	24	2	2	6	10	15	16	16
35-49	5	23.8	1119	2	2	13	31	83	83	83
50-64	2	2.0		2	2	2	2	2	2	2
65+	3	22.0	259	9	9	17	34	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	6.3	38	1	1	4	9	16	19	25
B. *Operated*	6	4.8	9	1	1	4	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	217	10.8	113	1	2	7	14	23	28	62
B. *Operated*	31	10.3	235	2	2	6	10	16	39	83
1. SINGLE DX	48	6.1	35	1	1	4	8	15	19	25
2. MULTIPLE DX	248	10.7	128	2	2	7	13	23	28	67
A. NOT OPERATED	259	10.0	104	1	2	7	13	22	27	58
B. OPERATED	37	9.4	201	2	2	6	9	16	32	83
TOTAL 0-19 YRS	88	7.5	46	1	2	5	9	20	23	28
20-34	102	10.2	91	1	2	7	13	23	27	52
35-49	59	12.3	287	1	2	6	14	23	59	82
50-64	35	10.6	55	2	4	8	14	22	26	31
65+	12	12.8	118	1	4	8	16	29	38	40
GRAND TOTAL	**296**	**9.9**	**115**	**1**	**2**	**6**	**13**	**22**	**27**	**63**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	10.0	20	2	3	11	12	15	16	22
20-34	88	8.2	37	1	2	8	11	14	16	37
35-49	45	7.3	39	1	2	5	11	14	22	28
50-64	29	8.4	28	1	2	8	11	15	19	22
65+	18	10.3	32	1	3	11	16	17	18	18
B. *Operated*										
0-19 YRS	47	14.5	52	7	9	12	16	26	29	43
20-34	26	16.7	290	2	3	10	22	49	55	63
35-49	28	9.3	112	2	3	5	11	22	29	52
50-64	18	14.5	189	1	3	9	18	41	42	43
65+	8	19.0	376	3	3	12	26	51	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	11.6	29	2	4	11	15	18	21	29
20-34	53	8.8	38	1	2	8	12	18	21	30
35-49	45	11.3	138	2	2	9	14	30	48	99+
50-64	44	17.0	215	2	4	13	19	45	51	63
65+	56	20.1	283	4	5	16	23	41	58	89
B. *Operated*										
0-19 YRS	79	21.1	296	8	10	15	25	46	68	97
20-34	33	19.8	289	3	5	15	29	46	71	99+
35-49	39	17.0	205	3	4	12	25	30	39	78
50-64	38	18.8	232	3	4	14	34	47	76	99+
65+	20	23.4	104	8	11	21	31	43	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	9.5	25	2	3	10	12	15	17	24
B. *Operated*	127	14.1	155	3	3	11	18	29	43	61
2. MULTIPLE DX										
A. *Not Operated*	569	12.6	86	2	3	11	15	21	28	59
B. *Operated*	209	19.9	247	4	5	15	28	45	64	99+
1. SINGLE DX	749	10.3	50	2	3	10	12	16	21	43
2. MULTIPLE DX	778	14.6	140	2	4	12	17	28	42	89
A. NOT OPERATED	1191	11.0	56	2	3	11	14	17	21	44
B. OPERATED	336	17.7	220	3	4	13	23	41	52	99+
TOTAL 0-19 YRS	939	11.8	57	3	4	11	14	18	22	43
20-34	200	11.4	131	1	2	9	13	23	39	69
35-49	157	11.2	133	2	2	8	14	27	31	77
50-64	129	15.2	186	2	3	11	19	42	48	99+
65+	102	18.9	223	3	4	16	24	39	58	95
GRAND TOTAL	**1527**	**12.5**	**100**	**2**	**3**	**11**	**15**	**22**	**30**	**63**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	16	<1	<1	6	8	9	9	9
35-49	8	5.3	9	2	2	4	7	10	11	11
50-64	70	9.1	46	2	2	7	11	19	20	39
65+	174	10.6	57	2	3	9	14	20	23	40
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+	7	28.4	659	4	6	24	37	72	80	80
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	7.4	55	2	2	6	9	16	27	29
50-64	157	11.5	82	3	4	9	15	21	26	54
65+	938	12.2	114	3	4	9	15	24	32	58
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64	24	17.2	275	2	3	11	22	38	50	76
65+	110	17.9	146	4	6	15	24	37	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	10.0	53	2	3	8	13	20	22	42
B. *Operated*	9	23.1	606	4	4	13	29	64	80	80
2. MULTIPLE DX										
A. *Not Operated*	1108	12.0	109	3	4	9	15	23	31	57
B. *Operated*	135	17.7	166	3	5	14	23	37	44	79
1. SINGLE DX	264	10.4	76	2	3	8	13	20	24	43
2. MULTIPLE DX	1243	12.7	118	3	4	10	16	25	33	58
A. NOT OPERATED	1363	11.7	99	3	3	9	14	22	30	55
B. OPERATED	144	18.1	191	3	5	14	24	38	44	81
TOTAL 0-19 YRS										
20-34	4	5.0	11	<1	<1	5	7	9	9	9
35-49	23	6.6	32	2	2	5	8	11	17	29
50-64	251	11.4	94	2	4	9	14	21	26	55
65+	1229	12.6	116	3	4	10	16	25	33	58
GRAND TOTAL	**1507**	**12.3**	**111**	**3**	**4**	**9**	**15**	**24**	**33**	**57**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.3	14	4	4	7	11	12	12	12
20-34	117	6.5	21	1	1	6	10	13	16	48
35-49	185	8.1	62	1	1	7	11	16	21	43
50-64	57	10.2	119	1	1	6	13	26	35	49
65+	13	8.7	19	3	4	7	12	15	16	16
B. *Operated*										
0-19 YRS										
20-34	32	7.4	41	1	2	5	9	13	23	31
35-49	32	7.4	33	2	2	5	10	16	21	24
50-64	12	9.8	49	2	3	9	16	19	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	16.8	269	3	3	12	28	40	40	40
20-34	96	12.7	126	2	3	10	16	27	43	99+
35-49	157	10.8	123	2	3	7	13	26	39	97
50-64	112	11.3	96	2	3	8	15	24	30	49
65+	41	13.3	163	3	4	8	16	26	43	65
B. *Operated*										
0-19 YRS										
20-34	20	14.2	199	2	3	11	16	24	48	67
35-49	35	16.9	283	2	3	11	23	49	72	99+
50-64	29	16.4	202	3	4	11	24	43	60	99+
65+	10	9.6	34	2	3	8	14	18	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	7.9	57	1	1	6	11	16	21	43
B. *Operated*	76	7.8	38	2	2	6	11	16	21	29
2. MULTIPLE DX										
A. *Not Operated*	410	11.7	121	2	3	8	15	26	39	83
B. *Operated*	94	15.4	213	2	4	11	20	38	61	99+
1. SINGLE DX	454	7.9	54	1	1	6	11	16	21	43
2. MULTIPLE DX	504	12.4	140	2	3	9	16	27	41	99+
A. NOT OPERATED	788	9.9	94	1	2	7	12	22	29	63
B. OPERATED	170	12.0	149	2	3	9	15	25	39	95
TOTAL 0-19 YRS	10	11.1	121	3	3	8	12	28	40	40
20-34	265	9.4	83	1	2	7	12	19	27	95
35-49	409	9.9	108	1	2	7	12	22	30	73
50-64	210	11.7	116	1	2	8	15	25	38	55
65+	64	11.8	116	3	4	8	14	22	35	62
GRAND TOTAL	**958**	**10.3**	**104**	**1**	**2**	**8**	**13**	**22**	**31**	**70**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	534	3.3	12	1	1	3	4	6	9	16
20-34	340	3.6	6	1	1	3	4	7	8	12
35-49	175	4.6	19	1	1	3	5	9	14	21
50-64	110	4.5	9	1	1	4	5	9	10	15
65+	103	5.5	18	1	2	4	7	10	15	21
B. *Operated*										
0-19 YRS	6	6.3	21	2	2	5	11	12	12	12
20-34	12	6.7	24	2	2	5	9	15	17	17
35-49	9	5.1	9	2	2	4	6	10	10	10
50-64	8	4.3	12	1	1	3	6	10	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	4.3	18	1	1	3	5	8	11	20
20-34	411	5.6	33	1	2	4	7	10	17	28
35-49	376	6.0	28	1	2	4	8	12	18	27
50-64	433	7.2	40	1	2	6	9	14	18	37
65+	525	7.6	51	2	2	6	9	15	20	38
B. *Operated*										
0-19 YRS	20	8.4	26	2	2	8	10	16	19	21
20-34	27	9.6	37	3	3	9	14	18	22	25
35-49	42	10.0	91	2	2	7	13	21	38	99+
50-64	46	13.6	210	2	3	10	14	24	50	74
65+	32	15.5	168	3	4	13	20	39	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1262	3.8	12	1	1	3	5	7	10	16
B. *Operated*	35	5.7	16	2	2	4	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	2151	6.2	36	1	2	5	8	12	17	31
B. *Operated*	167	11.8	126	2	3	9	14	22	47	95
1. SINGLE DX	1297	3.9	12	1	1	3	5	8	10	17
2. MULTIPLE DX	2318	6.6	45	1	2	5	8	13	18	37
A. NOT OPERATED	3413	5.3	29	1	1	4	6	11	15	28
B. OPERATED	202	10.7	112	2	3	8	13	20	31	86
TOTAL 0-19 YRS	966	3.8	15	1	1	3	4	8	10	17
20-34	790	4.9	23	1	1	4	6	9	13	25
35-49	602	5.9	31	1	2	4	7	12	17	28
50-64	597	7.2	51	1	2	5	9	13	18	40
65+	660	7.7	55	2	2	5	9	15	21	44
GRAND TOTAL	**3615**	**5.6**	**35**	**1**	**1**	**4**	**7**	**11**	**16**	**30**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.7	13	<1	1	2	5	8	11	20
20-34	276	5.3	17	1	2	4	7	10	14	22
35-49	242	5.8	52	1	2	4	7	11	15	38
50-64	269	6.2	40	1	2	4	8	11	17	35
65+	327	7.6	36	2	2	6	10	15	18	34
B. *Operated*										
0-19 YRS	186	5.0	18	1	2	4	6	9	12	22
20-34	178	6.2	27	1	2	4	8	14	16	25
35-49	161	7.4	55	2	2	5	10	14	21	36
50-64	152	8.2	67	1	2	5	10	21	25	43
65+	153	10.4	88	2	2	7	14	22	30	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	5.2	43	1	1	3	6	10	14	42
20-34	361	7.9	79	1	2	5	9	16	22	48
35-49	437	9.9	126	2	2	6	11	22	32	74
50-64	628	11.4	120	2	3	8	14	25	36	54
65+	1800	12.0	129	2	3	8	15	25	36	65
B. *Operated*										
0-19 YRS	258	7.9	127	1	2	4	9	18	28	99
20-34	283	10.8	171	2	2	7	14	27	50	99+
35-49	308	14.2	231	2	2	9	19	33	47	84
50-64	360	15.7	284	2	3	10	20	39	62	99+
65+	578	15.9	209	3	3	12	21	34	45	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1292	5.9	34	1	2	4	7	12	16	31
B. *Operated*	830	7.3	52	2	2	5	9	15	22	37
2. MULTIPLE DX										
A. *Not Operated*	3532	10.6	119	2	2	7	13	23	33	60
B. *Operated*	1787	13.6	218	2	2	9	17	32	49	99+
1. SINGLE DX	2122	6.5	41	1	2	4	8	13	18	33
2. MULTIPLE DX	5319	11.6	154	2	2	8	14	26	38	79
A. NOT OPERATED	4824	9.3	100	1	2	6	11	20	29	53
B. OPERATED	2617	11.6	174	2	2	7	15	27	41	88
TOTAL 0-19 YRS	928	5.6	57	1	1	4	7	11	17	50
20-34	1098	7.7	83	1	2	5	9	16	23	60
35-49	1148	9.8	138	2	2	6	11	22	32	73
50-64	1409	11.1	152	2	2	7	13	26	37	74
65+	2858	12.2	137	2	3	9	15	26	37	70
GRAND TOTAL	**7441**	**10.1**	**127**	**2**	**2**	**7**	**12**	**23**	**33**	**68**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	2.9	3	1	1	2	4	5	6	9
20-34	644	3.8	9	1	1	3	5	7	9	12
35-49	464	4.1	14	1	2	3	5	8	9	17
50-64	153	4.0	9	1	1	3	5	7	9	16
65+	27	3.8	5	1	2	4	4	6	9	12
B. *Operated*										
0-19 YRS	9	3.9	2	2	2	4	5	6	6	6
20-34	40	4.9	11	2	2	4	6	8	13	16
35-49	53	5.1	19	2	2	4	6	11	12	25
50-64	18	4.7	6	2	2	4	6	9	10	10
65+	3	6.3	16	2	2	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	133	3.6	4	1	1	3	5	7	8	9
20-34	612	4.7	12	1	2	4	6	9	10	18
35-49	636	5.3	15	2	2	4	7	10	12	22
50-64	315	5.2	12	2	2	4	6	10	12	18
65+	98	5.7	15	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	55	7.5	24	2	3	6	10	13	18	25
35-49	70	8.2	39	2	3	6	11	15	19	35
50-64	39	8.5	32	2	2	7	11	17	21	24
65+	17	7.9	27	3	3	7	9	15	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1534	3.8	9	1	1	3	5	7	9	13
B. *Operated*	123	4.9	13	2	2	4	6	9	11	21
2. MULTIPLE DX										
A. *Not Operated*	1794	5.0	13	1	2	4	6	9	11	20
B. *Operated*	185	7.9	31	2	3	6	10	15	19	29
1. SINGLE DX	1657	3.9	10	1	1	3	5	7	9	14
2. MULTIPLE DX	1979	5.3	15	1	2	4	7	10	12	22
A. NOT OPERATED	3328	4.4	11	1	2	4	5	8	10	18
B. OPERATED	308	6.7	26	2	2	5	8	13	17	25
TOTAL 0-19 YRS	392	3.2	3	1	1	3	4	6	7	9
20-34	1351	4.4	11	1	2	4	6	8	10	17
35-49	1223	5.0	17	1	2	4	6	9	12	22
50-64	525	5.1	14	1	2	4	6	10	12	19
65+	145	5.6	15	2	2	4	7	10	13	22
GRAND TOTAL	**3636**	**4.6**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	21	2.8	1	1	1	3	3	4	5	5
35-49	20	4.0	8	<1	<1	4	5	7	10	12
50-64	20	4.3	10	<1	1	3	6	10	10	11
65+	9	4.1	7	<1	<1	4	7	7	7	7
B. *Operated*										
0-19 YRS	28	2.0		1	1	2	2	3	3	3
20-34	556	2.3	2	<1	1	2	3	4	5	8
35-49	1010	2.3	2	<1	1	2	3	4	5	9
50-64	1068	2.4	3	<1	1	2	3	4	5	9
65+	532	2.5	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	25	3.9	8	1	2	3	4	6	9	16
35-49	41	4.2	7	<1	1	4	5	6	9	14
50-64	49	4.4	8	1	1	4	6	8	10	13
65+	32	5.7	13	<1	2	5	8	10	14	15
B. *Operated*										
0-19 YRS	9	2.0	1	1	1	2	2	3	4	4
20-34	143	3.4	12	1	1	2	4	7	9	21
35-49	337	3.9	17	1	1	3	4	8	11	20
50-64	464	4.3	16	1	2	3	5	9	11	21
65+	339	4.2	13	1	2	3	5	9	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	3.7	6	<1	1	3	5	7	9	12
B. *Operated*	3194	2.4	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	149	4.5	9	1	1	4	6	8	11	15
B. *Operated*	1292	4.1	15	1	2	3	5	8	11	20
1. SINGLE DX	3267	2.4	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	1441	4.1	14	1	2	3	5	8	11	19
A. NOT OPERATED	222	4.2	8	1	1	4	5	8	10	15
B. OPERATED	4486	2.9	7	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	42	2.0		1	1	2	2	3	3	4
20-34	745	2.6	4	<1	1	2	3	4	6	11
35-49	1408	2.8	6	<1	1	2	3	5	7	12
50-64	1601	3.0	8	1	1	2	3	5	8	14
65+	912	3.3	8	1	1	2	4	6	9	15
GRAND TOTAL	**4708**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**14**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	6.7	99	1	1	4	7	11	34	51
20-34	242	5.8	36	1	2	4	7	13	17	32
35-49	258	5.9	61	1	2	4	6	11	14	57
50-64	243	6.2	32	1	2	5	8	12	17	35
65+	202	6.6	29	2	2	5	8	15	18	24
B. *Operated*										
0-19 YRS	77	3.9	22	1	1	3	4	6	7	33
20-34	559	4.3	16	1	2	3	5	8	11	21
35-49	835	4.5	15	1	2	3	5	9	12	19
50-64	768	4.2	20	1	2	3	4	8	11	24
65+	384	4.7	33	1	2	3	5	9	12	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.8	63	1	2	4	8	16	18	49
20-34	175	7.2	53	1	2	5	9	14	22	42
35-49	372	6.7	26	2	2	5	8	12	17	29
50-64	540	8.1	76	2	3	6	10	15	22	46
65+	691	8.9	83	2	3	7	10	15	22	56
B. *Operated*										
0-19 YRS	64	5.0	41	1	2	3	5	9	22	91
20-34	259	6.4	34	2	2	4	8	14	19	33
35-49	415	6.4	45	2	2	4	8	12	17	41
50-64	497	7.4	69	2	2	4	9	15	22	45
65+	384	10.6	128	2	3	7	14	24	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1019	6.1	44	1	2	4	7	12	17	38
B. *Operated*	2623	4.4	19	1	2	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1830	8.0	66	2	2	6	10	14	20	44
B. *Operated*	1619	7.7	73	2	2	5	9	17	24	54
1. SINGLE DX	3642	4.9	27	1	2	3	6	10	13	28
2. MULTIPLE DX	3449	7.8	69	2	2	5	9	15	22	48
A. NOT OPERATED	2849	7.3	59	2	2	5	9	14	19	39
B. OPERATED	4242	5.6	42	2	2	3	6	11	17	38
TOTAL 0-19 YRS	267	5.5	57	1	1	3	6	11	18	51
20-34	1235	5.5	30	1	2	4	6	11	16	31
35-49	1880	5.6	31	2	2	4	7	11	14	31
50-64	2048	6.3	51	2	2	4	7	13	18	35
65+	1661	8.0	80	2	2	6	10	16	23	57
GRAND TOTAL	**7091**	**6.3**	**50**	**2**	**2**	**4**	**8**	**13**	**18**	**38**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	3	1.7		<1	<1	2	2	2	2	2
65+	4	5.5	3	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	35	4.5	6	1	2	4	7	8	9	10
20-34	80	5.6	7	2	2	5	8	9	10	14
35-49	76	4.9	8	1	1	4	6	8	9	16
50-64	279	5.2	7	2	2	5	7	8	10	14
65+	286	5.7	9	2	3	5	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	15	1	1	1	5	10	10	10
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	5	6.6	21	3	3	4	11	13	13	13
B. *Operated*										
0-19 YRS	24	5.1	6	1	2	5	7	8	9	10
20-34	48	6.5	10	2	3	7	8	11	12	13
35-49	46	6.7	8	3	3	6	8	11	12	13
50-64	174	6.4	15	2	3	6	7	12	14	22
65+	214	6.3	10	2	3	6	8	11	12	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	6	<1	<1	2	6	7	7	7
B. *Operated*	756	5.4	8	2	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	17	4.2	13	<1	1	3	5	10	12	13
B. *Operated*	506	6.3	11	2	3	6	8	11	12	18
1. SINGLE DX	765	5.4	8	2	2	5	7	9	10	15
2. MULTIPLE DX	523	6.2	11	2	3	6	8	11	12	18
A. NOT OPERATED	26	3.8	10	<1	<1	3	5	9	11	13
B. OPERATED	1262	5.8	9	2	2	5	7	9	11	16
TOTAL 0-19 YRS	66	4.5	7	<1	1	4	7	8	9	10
20-34	130	5.9	8	2	2	5	8	10	11	13
35-49	124	5.6	9	1	2	5	7	9	11	14
50-64	459	5.6	10	2	2	5	7	9	12	18
65+	509	6.0	9	2	3	5	7	10	12	17
GRAND TOTAL	**1288**	**5.7**	**9**	**2**	**2**	**5**	**7**	**9**	**11**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		1	1	1	1	1	1	1
20-34	3	3.0	3	2	2	2	4	5	5	5
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	12	2.3	1	1	1	2	3	4	4	4
65+	32	2.8	4	1	1	2	4	5	6	11
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	9	5.4	15	1	1	5	8	11	12	12
35-49	42	3.2	7	1	1	3	3	7	10	14
50-64	174	3.4	7	1	1	3	4	7	8	10
65+	294	3.1	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	9	4.2	28	1	1	2	4	13	18	18
65+	40	5.3	55	1	1	4	5	10	13	47
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	4.8	10	2	2	4	6	10	10	10
35-49	17	4.4	7	2	2	4	6	9	9	9
50-64	76	4.8	19	1	2	3	5	12	16	19
65+	240	4.5	12	1	2	3	5	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.4	3	1	1	2	3	4	5	11
B. *Operated*	521	3.3	6	1	1	3	4	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	53	4.8	47	1	1	3	5	9	13	46
B. *Operated*	339	4.5	14	1	2	3	5	9	12	18
1. SINGLE DX	579	3.2	5	1	1	3	4	6	8	12
2. MULTIPLE DX	392	4.6	18	1	2	3	5	9	12	19
A. NOT OPERATED	111	3.6	25	1	1	2	4	6	11	29
B. OPERATED	860	3.8	9	1	1	3	4	7	10	16
TOTAL 0-19 YRS	11	1.5	1	1	1	1	2	3	4	4
20-34	19	4.5	11	1	1	3	6	10	11	12
35-49	64	3.4	7	1	1	3	4	8	9	14
50-64	271	3.8	11	1	1	3	4	8	10	18
65+	606	3.8	11	1	1	3	4	7	9	16
GRAND TOTAL	**971**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**10**	**17**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34										
35-49	4	2.0	1	<1	<1	2	3	3	3	3
50-64	3	2.7		2	2	3	3	3	3	3
65+	12	3.5	6	1	1	3	5	8	9	9
B. *Operated*										
0-19 YRS	8	4.1	22	<1	<1	3	5	12	15	15
20-34	23	3.3	4	1	1	3	4	6	7	9
35-49	41	2.8	4	<1	1	2	3	5	6	11
50-64	72	3.5	22	1	1	2	3	7	11	29
65+	159	3.6	10	1	1	2	4	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	2	4	4	4
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	9	4.8	14	1	1	4	6	11	13	13
50-64	10	3.5	6	1	1	3	5	7	8	8
65+	40	5.2	18	1	1	4	6	12	14	19
B. *Operated*										
0-19 YRS	9	5.1	37	2	2	3	5	15	21	21
20-34	24	4.4	17	1	1	3	5	10	15	16
35-49	20	3.7	7	1	1	3	5	7	10	12
50-64	63	5.9	102	2	2	3	5	12	27	96
65+	163	4.5	14	1	2	3	5	8	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.1	4	<1	1	2	4	6	8	9
B. *Operated*	303	3.4	12	1	1	2	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	65	4.6	14	1	1	4	6	10	13	18
B. *Operated*	279	4.8	34	1	2	3	5	9	13	36
1. SINGLE DX	324	3.4	11	1	1	2	4	7	10	16
2. MULTIPLE DX	344	4.7	31	1	2	3	5	9	13	28
A. NOT OPERATED	86	4.3	12	1	1	3	6	9	12	17
B. OPERATED	582	4.1	23	1	1	3	4	8	11	24
TOTAL 0-19 YRS	23	4.1	23	<1	<1	2	5	8	17	21
20-34	49	3.9	10	1	1	3	5	8	10	16
35-49	74	3.2	6	1	1	2	4	6	7	13
50-64	148	4.5	56	1	1	3	4	8	13	70
65+	374	4.1	13	1	2	3	5	9	11	18
GRAND TOTAL	**668**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		1	1	1	2	2	2	2
50-64	16	2.6	9	<1	<1	2	3	4	10	13
65+	82	2.3	3	<1	1	2	3	4	6	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	591	2.3	1	1	1	2	3	3	4	7
50-64	3703	2.4	1	1	2	2	3	3	4	6
65+	14385	2.5	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	1.9	1	1	1	2	3	4	4	4
50-64	70	2.4	5	<1	1	2	3	5	9	11
65+	309	3.2	40	<1	1	2	3	6	9	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	329	3.1	4	1	2	2	3	5	7	11
50-64	2356	3.0	6	2	2	2	3	5	7	12
65+	10327	3.2	9	2	2	2	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	18679	2.5	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	387	3.0	33	<1	1	2	3	5	9	22
B. *Operated*	13012	3.2	8	2	2	2	3	5	7	14
1. SINGLE DX	18781	2.5	2	1	2	2	3	4	4	7
2. MULTIPLE DX	13399	3.2	9	2	2	2	3	5	7	15
A. NOT OPERATED	489	2.9	27	<1	1	2	3	5	8	19
B. OPERATED	31691	2.8	4	1	2	2	3	4	5	11
TOTAL 0-19 YRS										
20-34										
35-49	932	2.6	3	1	1	2	3	4	6	10
50-64	6145	2.7	3	1	2	2	3	4	5	9
65+	25103	2.8	5	1	2	2	3	4	5	11
GRAND TOTAL	**32180**	**2.8**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	71	2.3	1	1	1	2	3	3	4	7
20-34	48	2.4	1	1	2	2	2	4	4	6
35-49	67	2.4	1	1	2	2	3	4	4	7
50-64	112	2.2	1	1	1	2	2	3	4	6
65+	186	1.8	1	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	<1	<1	3	4	5	5	5
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49										
50-64										
65+	5	2.4	4	<1	<1	2	3	6	6	6
B. *Operated*										
0-19 YRS	34	3.3	4	1	2	3	4	7	7	10
20-34	41	3.1	3	1	1	3	4	6	7	9
35-49	56	4.8	102	1	2	3	4	7	10	73
50-64	94	3.5	15	1	2	2	3	6	9	26
65+	154	3.0	3	1	1	2	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*	484	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	2.5	3	<1	<1	2	4	5	6	6
B. *Operated*	379	3.4	21	1	2	2	4	6	7	18
1. SINGLE DX	487	2.1	1	1	1	2	2	3	4	6
2. MULTIPLE DX	391	3.4	20	1	2	2	4	6	7	17
A. NOT OPERATED	15	2.4	3	<1	<1	2	3	5	6	6
B. OPERATED	863	2.7	10	1	1	2	3	4	6	10
TOTAL 0-19 YRS	110	2.6	2	1	1	2	3	4	6	8
20-34	91	2.7	2	1	2	2	3	5	6	8
35-49	124	3.5	47	1	2	2	3	5	7	34
50-64	206	2.8	8	1	1	2	3	4	6	19
65+	347	2.4	2	1	1	2	3	4	5	8
GRAND TOTAL	**878**	**2.7**	**10**	**1**	**1**	**2**	**3**	**4**	**6**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.8	2	<1	1	1	2	5	5	6
20-34	14	2.8	2	<1	<1	3	4	4	5	5
35-49	8	3.1	4	1	1	3	4	6	7	7
50-64	12	3.3	3	<1	1	3	4	5	6	6
65+	11	4.9	7	2	2	5	7	9	9	9
B. *Operated*										
0-19 YRS	1257	1.8		<1	1	2	2	2	2	3
20-34	245	2.0	1	1	1	2	2	3	3	5
35-49	141	2.1	1	1	1	2	2	3	4	8
50-64	75	2.1	1	1	1	2	2	3	4	6
65+	34	2.7	4	1	1	2	3	5	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.7	3	<1	<1	1	2	3	4	10
20-34	6	5.0	20	<1	<1	3	9	12	12	12
35-49	16	4.4	13	<1	<1	3	5	11	12	13
50-64	43	6.8	26	1	2	5	9	13	18	25
65+	39	6.4	20	1	2	5	9	13	14	21
B. *Operated*										
0-19 YRS	257	1.9		1	1	2	2	2	3	3
20-34	100	2.2	1	1	1	2	2	3	4	7
35-49	62	2.8	6	2	2	2	2	4	7	17
50-64	42	4.1	19	1	1	2	6	8	13	24
65+	43	3.9	9	2	2	3	4	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.9	4	<1	1	2	4	6	7	9
B. *Operated*	1752	1.9	1	1	1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	147	4.8	20	<1	1	3	7	11	13	21
B. *Operated*	504	2.4	4	1	1	2	2	3	6	12
1. SINGLE DX	1823	1.9	1	1	1	2	2	2	3	5
2. MULTIPLE DX	651	3.0	9	1	1	2	3	6	9	16
A. NOT OPERATED	218	4.2	16	<1	1	3	5	10	12	20
B. OPERATED	2256	2.0	1	1	1	2	2	2	3	7
TOTAL 0-19 YRS	1583	1.8		<1	1	2	2	2	2	4
20-34	365	2.2	1	1	1	2	2	3	4	7
35-49	227	2.5	4	1	1	2	2	4	6	13
50-64	172	3.8	15	1	1	2	5	8	12	23
65+	127	4.4	13	1	2	3	6	10	12	17
GRAND TOTAL	**2474**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**5**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.0	3	<1	<1	1	2	5	6	9
20-34	36	5.0	13	1	2	4	6	10	13	17
35-49	29	5.0	14	1	1	4	6	11	13	14
50-64	41	4.7	14	1	1	4	6	9	13	18
65+	69	5.4	26	1	1	4	6	10	16	28
B. *Operated*										
0-19 YRS	235	1.9	2	<1	<1	2	2	3	3	7
20-34	229	2.3	2	<1	<1	2	3	4	5	8
35-49	312	2.0	2	<1	<1	2	2	3	4	8
50-64	396	2.1	2	<1	1	2	2	4	4	7
65+	676	2.5	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	3.7	7	<1	1	3	5	7	8	13
20-34	34	5.3	21	1	2	4	6	12	13	24
35-49	31	4.2	6	1	1	4	6	8	9	9
50-64	57	6.2	59	<1	1	4	7	11	18	49
65+	123	6.0	27	1	1	5	7	12	15	32
B. *Operated*										
0-19 YRS	78	2.6	4	<1	1	2	3	5	7	11
20-34	121	3.2	6	1	2	3	3	5	7	17
35-49	175	3.5	14	1	1	3	4	7	8	14
50-64	367	3.1	9	1	1	2	3	5	7	19
65+	722	3.4	10	1	1	2	4	6	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	3.4	12	<1	<1	2	5	7	10	18
B. *Operated*	1848	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	373	5.0	24	1	1	4	6	9	13	28
B. *Operated*	1463	3.3	10	1	1	2	4	6	8	16
1. SINGLE DX	2219	2.4	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX	1836	3.6	13	1	1	3	4	7	9	17
A. NOT OPERATED	744	4.2	19	<1	1	3	6	9	12	23
B. OPERATED	3311	2.7	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	637	2.4	4	<1	<1	2	3	5	6	10
20-34	420	3.0	7	<1	1	2	3	6	7	15
35-49	547	2.8	7	<1	<1	2	3	5	7	12
50-64	861	3.0	10	<1	1	2	3	5	7	17
65+	1590	3.3	10	1	1	2	4	6	8	16
GRAND TOTAL	**4055**	**3.0**	**9**	**<1**	**1**	**2**	**3**	**6**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	267	4.0	10	1	2	3	5	7	8	13
20-34	89	4.2	8	1	1	4	5	8	10	14
35-49	58	5.3	19	1	1	4	7	13	15	18
50-64	60	4.3	7	1	1	3	6	8	9	13
65+	75	4.2	8	1	2	4	6	7	8	18
B. *Operated*										
0-19 YRS	36	4.3	11	<1	1	3	6	8	12	14
20-34	63	2.8	3	1	1	2	3	5	7	11
35-49	85	3.0	9	1	1	2	3	5	7	20
50-64	279	2.8	6	1	2	2	3	5	7	12
65+	801	2.6	4	1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	5.0	21	1	2	4	6	9	11	16
20-34	83	4.8	8	2	2	4	7	9	10	14
35-49	73	4.7	12	1	1	4	6	9	11	19
50-64	115	4.8	8	1	2	4	6	8	9	14
65+	170	6.1	31	1	2	5	7	11	15	35
B. *Operated*										
0-19 YRS	64	5.2	25	1	2	4	6	10	15	27
20-34	84	5.1	19	1	2	4	6	9	14	24
35-49	92	5.4	26	1	2	4	6	13	15	27
50-64	294	4.7	23	1	2	3	5	11	15	23
65+	777	4.1	30	1	2	2	4	8	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	4.3	10	1	1	3	5	7	9	15
B. *Operated*	1264	2.7	5	1	1	2	3	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	688	5.2	19	1	2	4	6	9	11	19
B. *Operated*	1311	4.4	27	1	2	3	5	9	14	25
1. SINGLE DX	1813	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX	1999	4.7	25	1	2	3	6	9	13	25
A. NOT OPERATED	1237	4.8	15	1	2	4	6	9	11	17
B. OPERATED	2575	3.6	17	1	2	2	4	7	11	20
TOTAL 0-19 YRS	614	4.6	16	1	2	4	5	8	10	16
20-34	319	4.3	11	1	2	3	5	8	11	17
35-49	308	4.5	17	1	1	3	5	10	14	20
50-64	748	4.0	14	1	2	3	5	8	11	18
65+	1823	3.6	19	1	2	2	4	7	10	20
GRAND TOTAL	**3812**	**4.0**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	3	1	1	2	4	5	6	6
20-34	23	2.7	2	1	1	3	3	4	6	8
35-49	26	4.0	6	1	2	3	5	8	10	12
50-64	22	3.5	5	1	1	3	5	6	7	9
65+	13	5.3	13	2	3	4	6	10	15	16
B. *Operated*										
0-19 YRS	12	2.8	2	1	1	2	4	5	5	5
20-34	18	3.0	4	1	2	2	3	6	8	9
35-49	13	2.7	2	1	1	2	3	5	7	7
50-64	23	3.0	2	2	2	2	4	4	6	8
65+	19	3.5	4	2	2	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	4	<1	<1	2	3	5	7	10
20-34	30	4.2	8	1	1	4	5	8	11	13
35-49	48	5.4	22	1	1	5	7	8	17	26
50-64	76	5.7	24	1	2	4	7	11	16	26
65+	84	5.3	15	1	1	4	7	10	13	19
B. *Operated*										
0-19 YRS	20	2.6	2	2	2	2	2	4	6	8
20-34	32	4.2	11	1	2	3	5	9	13	14
35-49	27	4.2	25	1	2	3	5	6	10	28
50-64	57	5.1	16	1	2	4	8	9	12	22
65+	78	5.5	30	1	2	4	6	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.5	6	1	1	3	5	6	8	14
B. *Operated*	85	3.0	3	1	2	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	265	5.0	18	1	1	4	6	10	13	22
B. *Operated*	214	4.8	21	1	2	3	6	9	14	24
1. SINGLE DX	186	3.3	5	1	1	3	4	6	8	11
2. MULTIPLE DX	479	4.9	19	1	1	4	6	10	14	22
A. NOT OPERATED	366	4.6	15	1	1	4	6	9	12	20
B. OPERATED	299	4.3	16	1	2	3	5	8	12	21
TOTAL 0-19 YRS	76	2.5	3	1	1	2	3	5	6	9
20-34	103	3.7	7	1	1	3	4	7	10	14
35-49	114	4.5	17	1	2	3	6	7	9	27
50-64	178	4.9	17	1	2	4	6	9	13	22
65+	194	5.2	20	1	2	4	6	10	15	20
GRAND TOTAL	**665**	**4.4**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	736	3.1	4	1	1	3	4	5	7	12
20-34	24	3.1	4	1	1	3	4	5	7	10
35-49	17	5.9	13	1	2	5	8	10	13	15
50-64	7	4.6	6	2	2	4	7	8	8	8
65+	12	4.5	6	1	2	4	6	8	10	10
B. *Operated*										
0-19 YRS	4083	1.2	1	<1	<1	1	1	2	2	3
20-34	211	2.3	3	1	1	2	2	3	4	10
35-49	191	2.1	1	1	1	2	2	3	3	5
50-64	141	2.4	2	<1	1	2	3	4	5	9
65+	64	2.1	3	<1	1	2	2	3	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2310	3.4	5	1	1	3	4	6	7	11
20-34	84	4.3	7	1	2	4	6	8	9	15
35-49	52	5.4	9	2	2	5	7	10	11	14
50-64	66	6.1	10	2	3	6	8	11	11	17
65+	53	7.8	43	1	3	6	9	15	24	34
B. *Operated*										
0-19 YRS	2777	1.7	2	<1	<1	1	2	2	3	9
20-34	290	2.8	6	1	2	2	3	4	7	12
35-49	218	2.7	3	1	1	2	3	4	6	11
50-64	233	3.3	9	1	2	2	3	7	9	17
65+	99	4.1	25	2	2	2	4	8	11	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	3.2	5	1	1	3	4	5	7	12
B. *Operated*	4690	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	2565	3.7	7	1	1	3	4	6	8	13
B. *Operated*	3617	2.0	4	<1	<1	2	2	3	4	11
1. SINGLE DX	5486	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	6182	2.7	6	<1	1	2	3	5	7	12
A. NOT OPERATED	3361	3.6	6	1	1	3	4	6	8	13
B. OPERATED	8307	1.7	2	<1	<1	1	2	2	3	8
TOTAL 0-19 YRS	9906	2.0	3	<1	<1	1	2	4	5	9
20-34	609	2.8	5	1	1	2	3	5	7	12
35-49	478	2.9	5	1	1	2	3	5	7	13
50-64	447	3.5	8	1	1	2	4	7	10	14
65+	228	4.4	26	1	1	3	5	9	12	29
GRAND TOTAL	**11668**	**2.2**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	6	1	2	3	4	7	9	12
20-34	78	3.9	7	1	2	3	5	7	8	16
35-49	42	4.7	10	1	2	4	6	7	10	19
50-64	24	3.9	7	1	1	3	5	8	10	11
65+	13	7.6	52	3	3	4	7	22	24	24
B. *Operated*										
0-19 YRS	393	1.7	3	<1	<1	1	2	3	5	9
20-34	67	2.7	3	<1	1	2	3	4	7	8
35-49	49	3.3	10	1	2	3	3	5	9	22
50-64	61	3.1	8	1	1	3	3	5	6	21
65+	20	5.8	21	1	1	4	9	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	4.1	7	1	1	4	5	7	10	13
20-34	46	5.6	14	2	2	5	6	11	15	18
35-49	41	5.2	11	2	2	4	6	9	12	18
50-64	62	8.5	83	2	2	6	10	14	33	44
65+	47	9.0	41	2	3	8	11	20	22	28
B. *Operated*										
0-19 YRS	363	2.3	10	<1	<1	2	2	3	6	15
20-34	72	3.9	10	1	2	3	4	8	9	16
35-49	56	3.7	11	1	2	3	4	7	10	22
50-64	64	6.0	71	2	2	3	5	12	22	47
65+	42	12.8	214	2	2	6	16	37	44	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	4.1	10	1	2	3	5	7	10	19
B. *Operated*	590	2.2	5	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	321	6.0	32	1	2	4	7	12	15	32
B. *Operated*	607	3.7	38	<1	1	2	3	7	12	40
1. SINGLE DX	841	2.8	7	<1	<1	2	3	5	8	15
2. MULTIPLE DX	928	4.5	37	1	1	3	5	9	14	38
A. NOT OPERATED	572	5.2	23	1	2	4	6	10	14	26
B. OPERATED	1197	3.0	22	<1	<1	2	3	5	9	23
TOTAL 0-19 YRS	975	2.4	7	<1	<1	2	3	5	7	12
20-34	263	3.9	9	1	2	3	5	7	9	16
35-49	198	4.1	11	1	2	3	5	8	10	21
50-64	211	5.7	53	1	2	3	5	12	17	43
65+	122	9.6	103	2	2	6	11	21	35	50
GRAND TOTAL	**1769**	**3.7**	**24**	**<1**	**1**	**2**	**4**	**7**	**11**	**24**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.8	8	1	1	3	4	7	8	17
20-34	173	3.8	6	1	1	3	5	7	9	12
35-49	259	3.8	7	1	1	3	5	7	8	16
50-64	321	3.9	7	1	1	3	5	7	9	14
65+	356	4.1	8	1	2	3	5	8	10	15
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	39	3.3	3	1	2	3	4	6	6	7
35-49	62	3.9	4	1	2	4	5	7	8	10
50-64	55	4.5	8	2	2	4	6	8	11	15
65+	25	4.1	7	2	2	3	5	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	3	1	1	3	4	5	7	8
20-34	166	4.5	12	1	2	4	5	8	11	18
35-49	386	4.6	9	2	2	4	6	8	10	15
50-64	757	4.9	12	2	2	4	6	9	11	18
65+	1278	5.6	14	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	4	2.3		2	2	2	3	3	3	3
20-34	12	7.4	58	2	2	5	10	17	27	29
35-49	26	8.1	17	3	4	7	9	14	18	19
50-64	58	7.9	25	2	2	7	10	15	17	25
65+	90	8.1	49	2	3	6	10	15	17	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1144	3.9	7	1	1	3	5	7	9	15
B. *Operated*	182	3.9	5	2	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	2605	5.2	13	2	2	4	7	9	12	18
B. *Operated*	190	7.9	37	2	2	7	10	15	17	32
1. SINGLE DX	1326	3.9	7	1	1	3	5	7	9	14
2. MULTIPLE DX	2795	5.4	15	2	2	4	7	10	12	19
A. NOT OPERATED	3749	4.8	11	1	2	4	6	9	11	17
B. OPERATED	372	6.0	25	2	2	5	8	11	15	25
TOTAL 0-19 YRS	58	3.5	6	1	1	3	4	6	8	16
20-34	390	4.1	10	1	1	3	5	7	9	15
35-49	733	4.4	9	1	2	4	5	8	10	16
50-64	1191	4.8	12	1	2	4	6	9	11	18
65+	1749	5.4	15	2	2	4	7	10	12	18
GRAND TOTAL	**4121**	**4.9**	**13**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	<1	2	2	2	2
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	26	2.4	1	1	2	2	3	3	4	5
20-34	165	2.5	1	2	2	2	3	3	4	7
35-49	222	2.7	1	1	2	2	3	4	5	6
50-64	223	2.6	1	2	2	2	3	3	4	6
65+	97	2.8	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	4.3	10	2	2	3	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	34	3.0	3	2	2	3	3	4	5	11
35-49	64	2.9	2	2	2	3	3	5	6	7
50-64	71	3.2	7	2	2	3	3	5	6	19
65+	33	2.7	1	2	2	2	3	4	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	733	2.6	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.8	5	<1	<1	2	3	7	8	8
B. *Operated*	205	3.0	3	2	2	3	3	5	5	9
1. SINGLE DX	739	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX	213	3.0	4	2	2	3	3	5	6	9
A. NOT OPERATED	14	2.3	3	<1	<1	2	3	4	7	8
B. OPERATED	938	2.7	2	2	2	2	3	4	5	7
TOTAL 0-19 YRS	29	2.3	1	1	1	2	3	3	4	5
20-34	204	2.6	1	2	2	2	3	3	4	7
35-49	288	2.7	1	2	2	2	3	4	5	7
50-64	299	2.7	2	2	2	2	3	4	5	7
65+	132	2.7	1	2	2	3	3	4	5	6
GRAND TOTAL	**952**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**	**7**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.4	12	<1	1	2	3	8	12	16
20-34	46	2.7	2	1	1	2	4	5	5	7
35-49	55	3.1	4	1	1	3	4	5	7	10
50-64	57	3.5	5	1	1	3	5	6	8	13
65+	23	3.1	4	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	749	1.9	1	<1	1	2	2	3	3	4
20-34	443	2.3	1	1	1	2	3	3	4	5
35-49	353	2.4	3	1	2	2	3	3	4	6
50-64	277	2.4	2	1	1	2	3	3	4	8
65+	107	2.5	2	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	7	1	1	2	4	7	10	11
20-34	35	3.5	10	<1	1	3	4	7	12	14
35-49	44	3.8	6	1	2	3	5	7	8	13
50-64	58	5.1	12	1	2	4	6	9	13	18
65+	78	7.1	35	2	2	5	9	16	18	31
B. *Operated*										
0-19 YRS	430	2.2	1	1	1	2	2	3	3	6
20-34	351	2.6	2	1	1	2	3	4	4	10
35-49	316	3.0	8	1	2	2	3	4	5	19
50-64	266	3.6	34	2	2	3	3	6	8	16
65+	132	3.6	20	1	2	3	4	5	8	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.2	5	1	1	3	4	5	7	11
B. *Operated*	1929	2.2	2	1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	244	5.0	20	1	1	4	6	10	14	20
B. *Operated*	1495	2.8	11	1	1	2	3	4	5	12
1. SINGLE DX	2132	2.3	2	1	1	2	3	3	4	7
2. MULTIPLE DX	1739	3.1	12	1	1	2	3	5	8	16
A. NOT OPERATED	447	4.2	14	1	1	3	5	8	11	18
B. OPERATED	3424	2.5	6	1	1	2	3	3	4	9
TOTAL 0-19 YRS	1230	2.1	2	<1	1	2	2	3	3	6
20-34	875	2.5	2	1	1	2	3	4	4	8
35-49	768	2.8	6	1	2	2	3	4	5	12
50-64	658	3.2	17	1	2	2	3	5	7	15
65+	340	4.0	20	1	2	3	4	8	11	29
GRAND TOTAL	**3871**	**2.7**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	6.0	18	2	2	5	8	10	14	26
20-34	12	7.7	39	3	3	6	10	16	23	24
35-49	11	6.0	32	2	2	6	6	13	21	22
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	17.0		17	17	17	17	17	17	17
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	69.0		69	69	69	69	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.2	23	2	2	6	11	15	15	19
20-34	15	6.0	10	3	3	5	7	12	13	13
35-49	32	8.3	43	1	2	6	12	20	21	25
50-64	35	7.4	37	1	2	6	9	13	21	30
65+	44	9.8	90	2	3	6	11	23	33	41
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	8	8.5	18	2	3	8	11	14	15	15
35-49	5	7.8	30	2	2	8	12	15	15	15
50-64	22	13.1	118	2	2	11	20	27	37	42
65+	16	14.4	133	2	2	9	24	32	35	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	6.2	22	2	2	5	7	12	14	26
B. *Operated*	3	30.7	1132	6	6	17	56	69	69	69
2. MULTIPLE DX										
A. *Not Operated*	155	8.1	49	2	2	6	10	17	22	37
B. *Operated*	52	12.3	98	2	2	10	17	27	33	42
1. SINGLE DX	92	7.0	65	2	2	5	8	13	17	51
2. MULTIPLE DX	207	9.1	64	2	2	7	12	20	25	39
A. NOT OPERATED	244	7.4	40	2	2	6	9	15	21	31
B. OPERATED	55	13.3	153	2	2	10	17	30	35	68
TOTAL 0-19 YRS	94	6.4	20	2	2	5	8	13	15	23
20-34	36	7.4	24	3	3	6	10	13	16	24
35-49	49	7.7	38	2	2	6	9	19	21	25
50-64	58	9.5	74	2	2	7	12	22	28	41
65+	62	11.9	155	2	3	7	16	30	36	66
GRAND TOTAL	**299**	**8.5**	**65**	**2**	**2**	**6**	**10**	**18**	**24**	**39**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	16	5.1	20	1	2	4	5	14	16	17
35-49	38	3.4	3	1	2	3	4	7	7	7
50-64	21	3.8	4	1	2	3	5	7	8	8
65+	21	8.0	18	2	3	7	10	14	17	19
B. *Operated*										
0-19 YRS	6	1.7		1	1	2	2	2	2	2
20-34	18	9.2	58	1	2	9	12	14	26	34
35-49	55	7.7	27	1	2	8	12	15	17	18
50-64	51	7.9	30	2	2	8	11	16	18	20
65+	19	7.1	38	1	2	3	13	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	3	1	2	3	4	5	7	8
20-34	78	4.5	15	1	1	3	5	10	13	19
35-49	167	5.6	16	1	2	4	7	10	14	21
50-64	226	6.8	31	1	2	5	9	13	17	29
65+	271	9.1	50	2	3	7	11	17	23	34
B. *Operated*										
0-19 YRS	4	5.0	17	2	2	3	7	11	11	11
20-34	36	9.8	139	2	2	5	13	25	30	61
35-49	100	10.1	50	2	2	9	15	19	23	31
50-64	175	11.2	93	2	2	10	15	22	28	48
65+	113	15.4	199	2	2	13	20	29	34	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.6	12	1	2	3	6	8	13	18
B. *Operated*	149	7.6	33	2	2	8	12	15	17	20
2. MULTIPLE DX										
A. *Not Operated*	765	7.0	35	1	2	5	9	14	18	30
B. *Operated*	428	11.9	118	2	2	10	16	24	29	56
1. SINGLE DX	250	6.4	27	1	2	4	10	14	17	20
2. MULTIPLE DX	1193	8.8	70	2	2	6	11	18	24	40
A. NOT OPERATED	866	6.8	33	1	2	5	8	14	17	30
B. OPERATED	577	10.8	99	2	2	9	15	22	27	50
TOTAL 0-19 YRS	38	3.1	4	1	1	3	4	5	8	11
20-34	148	6.4	55	1	2	4	8	15	17	35
35-49	360	7.0	31	2	2	5	10	15	18	24
50-64	473	8.4	57	2	2	6	12	17	22	39
65+	424	10.6	95	2	2	8	14	21	28	50
GRAND TOTAL	**1443**	**8.4**	**63**	**2**	**2**	**6**	**11**	**17**	**23**	**34**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.9	9	1	2	3	5	7	9	19
20-34	333	3.9	7	1	2	3	5	7	9	13
35-49	672	4.2	7	1	2	4	5	8	9	13
50-64	686	4.6	9	1	2	4	6	8	10	16
65+	453	5.2	15	1	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	11	3.7	6	1	1	3	5	8	8	8
20-34	26	3.6	4	1	2	3	4	6	8	9
35-49	59	4.7	10	1	2	4	6	10	12	14
50-64	57	4.9	14	1	2	4	6	10	13	18
65+	35	6.1	19	2	2	5	8	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	3.7	5	1	1	3	5	7	9	11
20-34	771	4.9	13	2	2	4	6	8	10	21
35-49	2327	5.6	16	2	2	4	7	10	13	22
50-64	3578	6.0	24	2	2	5	7	11	14	26
65+	4033	6.9	31	2	2	5	8	13	16	28
B. *Operated*										
0-19 YRS	20	11.8	308	2	2	5	13	22	52	81
20-34	139	5.7	15	1	2	4	8	12	13	18
35-49	387	7.9	36	2	2	7	11	15	19	32
50-64	590	9.1	60	2	2	7	12	18	23	38
65+	461	11.4	94	3	3	9	14	22	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2224	4.5	9	1	2	4	5	8	10	16
B. *Operated*	188	4.8	12	1	2	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	10803	6.2	24	2	2	5	8	11	14	26
B. *Operated*	1597	9.2	66	2	2	7	12	18	23	38
1. SINGLE DX	2412	4.5	10	1	2	4	6	8	10	16
2. MULTIPLE DX	12400	6.5	31	2	2	5	8	12	16	28
A. NOT OPERATED	13027	5.9	22	2	2	5	7	11	14	24
B. OPERATED	1785	8.7	62	2	2	7	11	17	22	37
TOTAL 0-19 YRS	205	4.6	41	1	1	3	5	8	10	23
20-34	1269	4.7	12	1	2	4	6	9	11	19
35-49	3445	5.5	17	2	2	4	7	10	13	22
50-64	4911	6.2	27	2	2	5	8	12	15	26
65+	4982	7.2	37	2	2	5	9	13	18	31
GRAND TOTAL	**14812**	**6.2**	**28**	**2**	**2**	**5**	**8**	**12**	**15**	**27**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	27	3	3	5	11	16	16	16
20-34	24	4.5	8	1	2	4	6	7	11	14
35-49	75	4.5	5	2	2	4	6	8	10	11
50-64	173	5.2	8	2	2	4	7	9	11	15
65+	218	6.1	14	2	2	5	8	11	13	19
B. *Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	8	3.8	13	2	2	2	4	10	12	12
50-64	25	3.9	13	2	2	3	4	7	14	17
65+	13	7.2	81	2	2	4	7	17	32	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.8	10	3	3	7	10	10	10	10
20-34	68	6.1	13	2	2	6	7	10	14	18
35-49	448	6.8	22	2	3	6	8	12	16	28
50-64	1482	7.4	30	2	3	6	9	13	17	29
65+	3457	9.1	54	3	3	7	11	17	23	38
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	6.7	16	2	2	6	9	13	14	14
35-49	59	7.6	34	2	2	6	10	15	17	31
50-64	249	10.4	88	2	2	8	13	23	30	59
65+	392	13.7	118	2	4	11	18	26	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	5.5	11	2	2	5	7	10	12	17
B. *Operated*	48	4.7	32	2	2	3	5	11	14	35
2. MULTIPLE DX										
A. *Not Operated*	5461	8.4	45	2	3	7	10	15	20	35
B. *Operated*	714	11.9	103	2	3	9	15	25	31	55
1. SINGLE DX	543	5.4	13	2	2	4	7	10	12	17
2. MULTIPLE DX	6175	8.8	53	2	3	7	11	16	22	38
A. NOT OPERATED	5956	8.2	43	2	3	7	10	15	20	34
B. OPERATED	762	11.4	102	2	2	9	15	25	30	54
TOTAL 0-19 YRS	12	6.9	15	3	3	5	9	12	15	16
20-34	107	5.7	13	2	2	5	7	10	14	18
35-49	590	6.6	22	2	2	5	8	12	15	28
50-64	1929	7.5	37	2	3	6	9	14	18	32
65+	4080	9.4	61	2	3	7	11	18	24	40
GRAND TOTAL	**6718**	**8.6**	**51**	**2**	**3**	**7**	**10**	**16**	**21**	**37**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	12	1	1	7	7	7	7	7
20-34	15	4.1	4	2	2	4	6	7	8	8
35-49	22	6.1	16	2	2	5	9	13	14	14
50-64	29	5.9	24	1	1	4	7	13	18	20
65+	48	7.0	32	1	1	6	11	15	19	22
B. *Operated*										
0-19 YRS										
20-34	10	6.4	14	3	3	5	11	12	12	12
35-49	22	8.6	88	2	2	5	10	21	32	41
50-64	33	9.5	55	2	3	7	14	22	24	25
65+	18	8.3	43	1	2	7	10	18	24	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	11.3	104	4	4	7	18	26	26	26
20-34	20	5.7	19	<1	1	5	7	11	15	18
35-49	65	6.8	13	2	2	6	9	11	13	17
50-64	155	8.0	40	2	2	7	10	16	23	31
65+	309	10.7	80	2	3	9	14	20	28	52
B. *Operated*										
0-19 YRS	10	13.0	178	2	2	8	17	36	41	41
20-34	38	10.9	52	2	2	10	15	20	24	30
35-49	81	12.1	120	2	3	8	15	32	39	46
50-64	162	12.3	145	2	3	9	16	25	38	83
65+	140	15.3	170	2	3	12	21	31	42	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	6.1	23	1	1	5	8	13	16	21
B. *Operated*	83	8.7	55	2	2	6	12	19	25	36
2. MULTIPLE DX										
A. *Not Operated*	553	9.3	61	2	3	7	12	18	26	44
B. *Operated*	431	13.1	142	2	3	10	17	29	39	60
1. SINGLE DX	200	7.2	38	1	2	5	10	15	20	26
2. MULTIPLE DX	984	11.0	100	2	3	8	14	23	31	52
A. NOT OPERATED	670	8.8	56	2	2	7	11	17	24	42
B. OPERATED	514	12.4	131	2	3	9	17	27	36	56
TOTAL 0-19 YRS	17	11.2	130	1	2	7	12	31	38	41
20-34	83	7.9	38	1	2	6	11	18	20	29
35-49	190	9.2	73	2	2	7	11	19	31	42
50-64	379	9.8	89	2	2	7	12	20	26	50
65+	515	11.5	105	2	3	9	15	25	31	53
GRAND TOTAL	**1184**	**10.3**	**92**	**2**	**2**	**8**	**13**	**22**	**29**	**50**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	9.8	10	5	5	11	12	12	12	12
20-34	65	10.7	16	5	7	10	13	15	19	22
35-49	814	10.7	17	4	6	11	13	15	18	23
50-64	1884	11.4	19	4	6	11	14	16	19	25
65+	1708	12.2	23	6	7	12	15	18	21	28
B. *Operated*										
0-19 YRS										
20-34	18	9.0	26	2	2	8	13	17	18	18
35-49	124	11.4	62	2	2	11	14	16	19	45
50-64	289	11.6	30	2	3	11	14	18	21	25
65+	130	13.8	36	2	7	13	16	22	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	12.6	19	5	8	13	15	19	21	22
20-34	117	10.3	18	3	5	10	13	15	18	23
35-49	1605	11.5	23	4	6	11	14	17	20	27
50-64	5413	12.5	34	5	7	12	15	19	22	32
65+	8364	13.7	49	6	7	13	16	21	26	40
B. *Operated*										
0-19 YRS	3	15.7	97	9	9	11	23	27	27	27
20-34	44	11.1	61	2	2	10	16	23	28	29
35-49	441	11.8	62	2	2	11	15	20	24	31
50-64	1143	15.1	90	3	6	13	18	24	30	54
65+	1145	19.2	129	5	8	16	24	34	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4475	11.6	20	5	7	11	14	17	19	25
B. *Operated*	561	12.0	39	2	3	12	15	18	22	30
2. MULTIPLE DX										
A. *Not Operated*	15518	13.0	41	5	7	12	15	20	24	37
B. *Operated*	2776	16.2	109	2	6	14	20	28	35	60
1. SINGLE DX	5036	11.6	22	4	6	11	14	17	20	26
2. MULTIPLE DX	18294	13.5	53	5	7	12	16	21	26	41
A. NOT OPERATED	19993	12.7	37	5	7	12	15	19	23	35
B. OPERATED	3337	15.5	100	2	5	14	19	26	33	54
TOTAL 0-19 YRS	26	12.5	25	5	7	12	14	19	23	27
20-34	244	10.5	26	2	3	10	13	17	19	28
35-49	2984	11.3	29	3	5	11	14	17	20	27
50-64	8729	12.6	39	4	7	12	15	19	23	33
65+	11347	14.1	56	6	7	13	16	22	27	43
GRAND TOTAL	**23330**	**13.1**	**47**	**5**	**7**	**12**	**15**	**20**	**25**	**38**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	24	3	3	4	10	12	12	12
20-34	32	3.4	4	1	1	3	4	6	8	9
35-49	402	4.0	6	1	1	3	5	7	8	13
50-64	736	4.3	9	1	2	4	5	8	10	15
65+	707	4.9	10	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS										
20-34	6	3.0	6	2	2	2	2	7	8	8
35-49	94	4.2	13	2	2	3	5	9	12	18
50-64	159	4.4	16	2	2	2	5	12	13	18
65+	60	5.9	60	2	2	3	7	13	17	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	54	1	2	3	12	14	25	28
20-34	112	4.4	8	1	2	4	6	8	10	15
35-49	1448	5.1	10	2	2	4	6	9	11	16
50-64	4447	5.5	12	2	2	5	7	10	12	18
65+	6722	6.4	22	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	34	7.2	20	2	2	7	9	12	17	18
35-49	490	6.5	30	2	2	4	9	13	17	23
50-64	1495	7.4	37	2	2	6	11	15	19	27
65+	871	9.8	73	2	2	8	13	20	25	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1880	4.4	9	1	2	4	5	8	10	16
B. *Operated*	319	4.6	23	2	2	2	5	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	12743	5.9	18	2	2	5	7	10	13	21
B. *Operated*	2891	8.0	48	2	2	6	11	16	20	33
1. SINGLE DX	2199	4.4	11	1	2	4	5	8	11	17
2. MULTIPLE DX	15634	6.3	24	2	2	5	8	12	15	24
A. NOT OPERATED	14623	5.7	17	2	2	5	7	10	13	21
B. OPERATED	3210	7.7	46	2	2	6	11	16	20	32
TOTAL 0-19 YRS	18	6.3	45	1	2	3	12	12	22	28
20-34	184	4.7	11	1	2	4	7	9	11	17
35-49	2434	5.1	14	1	2	4	7	10	12	18
50-64	6837	5.7	18	2	2	5	7	11	14	21
65+	8360	6.6	28	2	2	5	8	12	15	28
GRAND TOTAL	**17833**	**6.1**	**23**	**2**	**2**	**5**	**8**	**11**	**14**	**23**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	17	4.4	13	1	1	3	6	10	12	13
35-49	150	4.5	9	1	2	4	6	8	10	14
50-64	562	5.3	11	1	2	4	7	10	12	17
65+	604	5.8	13	2	2	5	7	10	12	21
B. *Operated*										
0-19 YRS										
20-34	2	6.5	13	4	4	6	9	9	9	9
35-49	26	7.4	21	2	2	8	10	11	15	22
50-64	48	8.5	25	2	2	8	12	15	16	21
65+	35	9.2	43	1	2	8	14	18	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	12	2	3	6	8	12	13	13
20-34	30	4.8	6	1	2	4	6	9	10	11
35-49	720	5.9	15	2	3	5	7	10	13	22
50-64	2728	6.4	15	2	3	5	8	11	14	20
65+	4550	7.3	24	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	17	9.1	23	2	2	11	13	14	15	15
35-49	273	9.3	39	2	2	9	12	17	20	28
50-64	825	11.0	58	2	3	10	13	19	23	40
65+	628	12.7	78	2	3	11	16	23	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1335	5.4	12	1	2	5	7	10	12	18
B. *Operated*	111	8.4	30	2	2	8	11	16	18	23
2. MULTIPLE DX										
A. *Not Operated*	8035	6.9	20	2	3	6	8	12	15	23
B. *Operated*	1744	11.3	63	2	3	10	14	20	24	40
1. SINGLE DX	1446	5.6	14	1	2	5	7	10	13	21
2. MULTIPLE DX	9779	7.7	31	2	3	6	10	14	18	28
A. NOT OPERATED	9370	6.7	19	2	3	6	8	12	14	23
B. OPERATED	1855	11.1	62	2	3	10	14	20	24	39
TOTAL 0-19 YRS	10	7.3	11	2	3	7	10	12	13	13
20-34	66	5.9	16	1	2	5	8	13	14	15
35-49	1169	6.5	22	2	2	5	8	12	15	23
50-64	4163	7.2	27	2	3	6	9	13	16	25
65+	5817	7.8	32	2	3	6	10	14	18	28
GRAND TOTAL	**11225**	**7.4**	**29**	**2**	**3**	**6**	**9**	**13**	**17**	**27**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	22	3.8	10	<1	1	3	4	8	11	13
35-49	271	4.3	13	1	2	3	5	9	11	19
50-64	616	4.2	10	1	2	3	5	8	10	14
65+	591	6.0	23	2	2	5	7	11	15	23
B. *Operated*										
0-19 YRS	7	9.3	94	2	2	3	18	24	25	25
20-34	56	5.2	15	2	2	3	9	11	13	15
35-49	1050	5.8	23	2	2	3	9	12	14	21
50-64	2645	6.9	29	2	2	7	10	13	16	23
65+	1069	8.3	41	2	2	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.8	41	2	3	5	10	18	23	25
20-34	59	5.6	25	2	2	4	7	10	16	26
35-49	1235	5.6	14	2	2	5	7	11	13	19
50-64	4679	6.5	22	2	2	5	8	12	15	25
65+	10624	8.4	43	2	3	7	10	15	20	35
B. *Operated*										
0-19 YRS	7	13.9	132	2	2	11	21	31	33	33
20-34	66	5.5	24	1	2	3	10	12	14	22
35-49	1539	6.9	43	2	2	4	10	14	18	29
50-64	4368	8.3	53	2	2	7	12	16	20	35
65+	3175	11.8	98	2	2	10	15	23	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1501	4.9	16	1	2	4	6	10	13	20
B. *Operated*	4827	7.0	31	2	2	7	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	16613	7.6	36	2	3	6	9	14	18	32
B. *Operated*	9155	9.3	71	2	2	8	13	18	24	41
1. SINGLE DX	6328	6.5	28	2	2	5	10	13	16	23
2. MULTIPLE DX	25768	8.2	49	2	2	6	11	16	20	35
A. NOT OPERATED	18114	7.4	35	2	2	6	9	14	18	31
B. OPERATED	13982	8.5	58	2	2	8	12	17	21	36
TOTAL 0-19 YRS	31	9.3	74	2	2	5	14	23	25	33
20-34	203	5.3	20	2	2	3	8	11	13	24
35-49	4095	6.1	28	2	2	4	9	12	15	25
50-64	12308	7.1	35	2	2	6	10	14	17	28
65+	15459	9.0	56	2	2	7	11	17	22	38
GRAND TOTAL	**32096**	**7.9**	**45**	**2**	**2**	**6**	**10**	**15**	**19**	**33**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	12.0	41	7	7	10	16	21	21	21
20-34	111	9.7	14	4	6	9	11	14	16	22
35-49	148	10.2	20	3	5	10	12	15	17	26
50-64	175	10.7	16	3	6	11	13	15	17	22
65+	195	11.7	28	4	6	11	14	18	22	29
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	14	10.8	30	3	3	10	12	17	23	25
35-49	35	14.2	97	4	7	11	17	29	34	51
50-64	27	10.9	37	4	5	9	13	17	27	30
65+	27	12.5	17	6	8	12	14	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.5	8	3	4	9	10	12	13	13
20-34	134	10.9	22	3	5	10	14	16	19	26
35-49	259	11.5	29	4	5	11	14	18	22	28
50-64	539	12.0	25	5	7	11	14	18	22	26
65+	983	14.0	54	5	7	12	17	23	30	41
B. *Operated*										
0-19 YRS	4	15.5	107	6	6	13	23	29	29	29
20-34	36	12.9	50	4	6	12	15	18	23	44
35-49	68	15.7	128	4	6	12	20	28	36	52
50-64	126	17.1	96	7	9	15	20	28	36	58
65+	210	20.0	103	8	10	17	24	33	38	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	10.7	20	4	6	10	13	16	18	25
B. *Operated*	104	12.5	52	4	6	11	14	21	27	42
2. MULTIPLE DX										
A. *Not Operated*	1926	12.9	42	5	7	12	15	20	25	38
B. *Operated*	444	17.9	104	7	9	15	21	32	37	57
1. SINGLE DX	737	11.0	25	4	6	10	13	16	19	28
2. MULTIPLE DX	2370	13.8	57	5	7	12	16	23	28	42
A. NOT OPERATED	2559	12.3	37	4	6	11	15	19	24	36
B. OPERATED	548	16.9	99	6	8	14	20	30	35	57
TOTAL 0-19 YRS	20	11.1	38	4	5	9	13	19	25	29
20-34	295	10.7	23	3	5	10	13	16	18	26
35-49	510	11.9	47	4	5	11	14	19	24	36
50-64	867	12.4	38	4	7	11	15	19	23	36
65+	1415	14.6	63	6	7	13	17	24	32	43
GRAND TOTAL	**3107**	**13.1**	**51**	**5**	**7**	**12**	**15**	**21**	**26**	**40**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	24.3	42	18	18	24	29	31	31	31
20-34	5	17.6	126	4	4	15	28	31	31	31
35-49	4	17.0	121	3	3	18	25	28	28	28
50-64	4	24.3	331	4	4	22	36	48	48	48
65+	7	36.3	520	12	13	36	38	73	82	82
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64	1	13.0		13	13	13	13	13	13	13
65+	1	23.0		23	23	23	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	28.4	214	9	10	30	42	43	43	43
20-34	31	23.7	168	2	3	25	32	41	43	51
35-49	22	27.0	156	8	11	28	36	43	50	52
50-64	40	26.1	203	6	8	28	36	45	48	55
65+	65	27.8	214	5	6	29	35	51	55	93
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	11	26.4	137	13	14	23	36	45	47	47
35-49	8	43.4	157	26	27	42	53	60	62	62
50-64	15	30.9	215	4	8	34	41	49	53	55
65+	22	31.6	246	7	11	30	44	54	58	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	25.2	295	3	4	24	32	41	60	82
B. *Operated*	3	19.3	30	13	13	22	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	165	26.5	193	5	8	29	35	45	51	59
B. *Operated*	57	32.1	215	8	13	31	44	52	58	62
1. SINGLE DX	26	24.5	265	4	5	23	31	39	55	82
2. MULTIPLE DX	222	28.0	203	5	8	29	38	47	54	60
A. NOT OPERATED	188	26.4	204	4	8	28	35	45	51	73
B. OPERATED	60	31.5	213	8	13	30	43	51	57	62
TOTAL 0-19 YRS	11	27.9	146	9	11	30	40	43	43	43
20-34	47	23.7	156	2	5	24	32	42	44	51
35-49	35	29.5	209	8	12	29	38	50	56	62
50-64	60	27.0	210	5	8	28	37	46	50	55
65+	95	29.3	240	5	8	29	38	53	57	92
GRAND TOTAL	**248**	**27.6**	**210**	**5**	**8**	**29**	**37**	**47**	**54**	**62**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.7	3	<1	1	2	4	6	7	8
20-34	59	2.9	4	<1	1	3	4	6	7	9
35-49	106	2.9	5	1	1	2	4	6	7	12
50-64	126	3.0	4	1	1	2	4	5	6	10
65+	103	4.3	14	1	2	3	5	8	11	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	8.5	1	8	8	8	9	9	9	9
50-64	3	2.0		2	2	2	2	2	2	2
65+	6	9.8	41	2	2	9	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	3.0	3	1	1	3	4	5	6	7
20-34	88	3.7	6	1	1	3	5	6	8	15
35-49	179	3.8	6	1	1	3	5	7	8	13
50-64	372	4.8	24	1	2	4	6	9	11	16
65+	529	6.2	24	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	6.0	37	1	1	4	8	16	18	18
35-49	4	9.8	48	5	5	7	14	20	20	20
50-64	25	7.7	23	2	2	7	11	15	15	16
65+	40	14.0	221	3	4	10	15	28	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	3.3	7	1	1	3	4	6	8	15
B. *Operated*	11	7.5	33	2	2	8	10	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1194	5.1	21	1	2	4	6	10	12	21
B. *Operated*	77	10.8	138	2	2	9	12	20	29	75
1. SINGLE DX	431	3.4	8	1	1	3	4	6	8	16
2. MULTIPLE DX	1271	5.5	30	1	2	4	7	10	13	24
A. NOT OPERATED	1614	4.7	18	1	1	4	6	9	11	19
B. OPERATED	88	10.4	125	2	2	9	12	19	28	70
TOTAL 0-19 YRS	53	2.8	3	1	1	2	4	5	6	8
20-34	154	3.5	7	1	1	3	4	7	8	15
35-49	291	3.6	7	1	1	3	4	7	8	14
50-64	526	4.5	20	1	1	4	6	9	11	16
65+	678	6.4	38	2	2	5	8	12	16	29
GRAND TOTAL	**1702**	**5.0**	**25**	**1**	**1**	**4**	**6**	**10**	**12**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	1	<1	<1	3	3	3	3	3
20-34	72	2.4	2	1	1	2	3	5	6	7
35-49	173	3.1	5	1	1	3	4	6	8	11
50-64	364	3.8	11	1	1	3	5	7	11	18
65+	501	4.4	10	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	6	4.5	4	2	2	5	6	7	7	7
50-64	18	4.1	8	1	2	3	5	9	10	11
65+	22	8.3	28	1	2	7	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	36	1	1	3	5	15	20	20
20-34	93	4.0	14	1	1	3	5	8	11	22
35-49	317	4.5	12	1	1	3	5	9	11	19
50-64	1387	5.5	23	1	2	4	7	10	13	22
65+	4004	7.1	36	2	2	6	9	13	18	31
B. *Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	3	8.7	42	2	2	9	13	15	15	15
35-49	20	8.0	75	<1	1	6	10	12	27	41
50-64	133	9.0	34	2	2	8	12	16	18	33
65+	403	13.5	125	3	4	11	16	24	37	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	3.9	9	1	1	3	5	7	9	16
B. *Operated*	47	6.2	21	1	2	5	9	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	5811	6.5	32	2	2	5	8	12	16	29
B. *Operated*	561	12.2	105	2	3	10	15	22	32	61
1. SINGLE DX	1164	4.0	10	1	1	3	5	8	10	17
2. MULTIPLE DX	6372	7.0	41	2	2	5	9	14	18	33
A. NOT OPERATED	6928	6.1	29	1	2	5	8	12	15	27
B. OPERATED	608	11.8	101	2	3	9	15	21	29	60
TOTAL 0-19 YRS	19	4.4	24	<1	1	3	5	11	16	20
20-34	169	3.5	11	1	1	2	4	7	9	15
35-49	516	4.1	13	1	1	3	5	8	11	18
50-64	1902	5.4	23	1	2	4	7	11	14	22
65+	4930	7.4	44	2	2	6	9	14	19	34
GRAND TOTAL	**7536**	**6.6**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.0	3	1	1	3	4	5	6	8
20-34	171	3.5	5	1	1	3	4	6	7	11
35-49	304	3.6	7	1	1	3	5	6	8	14
50-64	405	4.3	10	1	1	4	5	8	10	14
65+	512	5.0	14	1	2	4	6	9	12	17
B. *Operated*										
0-19 YRS										
20-34	16	5.5	24	1	1	3	9	13	16	17
35-49	51	5.3	23	1	2	3	7	11	13	25
50-64	123	6.9	20	2	2	6	9	13	16	21
65+	467	7.9	23	3	3	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.5	12	1	2	4	6	9	13	17
20-34	358	4.0	6	1	2	3	5	7	9	14
35-49	933	5.0	13	1	2	4	6	9	11	18
50-64	2170	6.1	22	2	2	5	7	11	14	24
65+	4894	7.4	32	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	9	12.1	113	2	4	8	13	29	39	39
20-34	38	7.2	33	2	2	6	9	16	18	29
35-49	175	7.8	69	2	2	6	9	14	22	53
50-64	608	9.1	67	2	2	7	11	17	23	51
65+	2555	11.5	67	3	4	9	14	21	27	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1438	4.3	10	1	1	4	5	8	10	15
B. *Operated*	657	7.5	23	2	3	6	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	8439	6.6	27	2	2	5	8	12	16	27
B. *Operated*	3385	10.8	68	3	4	9	13	20	26	45
1. SINGLE DX	2095	5.3	16	1	2	4	7	10	13	20
2. MULTIPLE DX	11824	7.8	43	2	2	6	10	15	20	35
A. NOT OPERATED	9877	6.3	25	1	2	5	8	12	15	26
B. OPERATED	4042	10.3	63	2	3	8	13	19	25	43
TOTAL 0-19 YRS	139	4.5	19	1	1	3	5	8	13	20
20-34	583	4.1	9	1	1	3	5	7	10	16
35-49	1463	5.1	20	1	2	4	6	9	12	22
50-64	3306	6.4	31	1	2	5	8	12	15	27
65+	8428	8.5	45	2	3	7	11	16	21	36
GRAND TOTAL	**13919**	**7.4**	**39**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	5.9	21	1	2	3	10	12	14	14
20-34	9	7.3	33	2	2	6	11	16	19	19
35-49	62	6.2	18	1	2	5	7	13	15	17
50-64	365	6.6	22	2	3	5	8	12	15	24
65+	1370	7.9	40	2	3	6	10	14	19	35
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	3	6.3	85	1	1	1	13	17	17	17
35-49	12	15.4	624	2	2	9	14	40	85	93
50-64	16	6.7	41	1	1	3	14	16	16	16
65+	42	16.5	408	2	3	10	17	32	68	94
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	6.8	50	1	1	5	8	14	20	41
20-34	114	7.3	25	2	3	6	9	13	17	27
35-49	723	8.2	41	2	3	7	10	15	19	30
50-64	4013	8.7	44	2	3	7	11	16	21	34
65+	16808	9.8	58	3	3	8	12	18	24	40
B. *Operated*										
0-19 YRS	11	16.3	526	3	3	9	14	50	79	82
20-34	25	11.2	59	3	5	9	13	25	29	33
35-49	91	13.0	150	1	2	9	19	26	40	61
50-64	375	15.2	151	2	3	12	20	32	39	62
65+	1314	17.4	149	4	6	14	22	34	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1819	7.6	36	2	3	6	9	14	18	33
B. *Operated*	74	13.9	354	1	2	9	16	27	48	94
2. MULTIPLE DX										
A. *Not Operated*	21730	9.5	55	3	3	8	12	18	23	39
B. *Operated*	1816	16.6	152	3	5	14	21	32	41	67
1. SINGLE DX	1893	7.8	49	2	3	6	10	14	18	35
2. MULTIPLE DX	23546	10.1	66	3	3	8	12	19	25	42
A. NOT OPERATED	23549	9.4	53	3	3	7	11	17	23	38
B. OPERATED	1890	16.5	160	3	5	14	21	32	41	68
TOTAL 0-19 YRS	97	8.0	107	1	1	5	9	15	25	65
20-34	151	7.9	33	2	3	7	10	14	19	33
35-49	888	8.6	61	2	3	7	11	16	21	42
50-64	4769	9.0	54	2	3	7	11	17	22	39
65+	19534	10.2	67	3	3	8	12	19	25	42
GRAND TOTAL	**25439**	**9.9**	**65**	**3**	**3**	**8**	**12**	**19**	**25**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	5.3	21	2	2	4	7	10	15	26
20-34	222	4.7	11	1	2	4	6	8	10	18
35-49	260	4.9	20	1	2	4	6	9	11	19
50-64	290	6.2	30	2	2	5	8	12	14	34
65+	210	6.7	22	2	2	6	9	13	15	23
B. *Operated*										
0-19 YRS	39	4.3	16	2	2	2	6	10	14	17
20-34	63	4.6	15	1	2	3	8	11	14	88
35-49	165	6.3	35	2	2	3	10	15	17	30
50-64	273	6.1	29	2	2	3	10	13	17	24
65+	148	8.2	45	2	2	5	13	18	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.6	13	2	2	4	8	11	12	16
20-34	398	5.5	16	2	2	5	7	9	13	22
35-49	814	6.7	34	2	2	5	8	13	17	27
50-64	1449	7.7	34	2	3	6	10	14	18	29
65+	2407	9.2	53	2	3	7	11	17	23	36
B. *Operated*										
0-19 YRS	27	7.9	51	1	2	4	13	19	22	24
20-34	134	10.1	146	2	2	7	12	20	32	75
35-49	415	9.4	104	2	2	6	12	20	30	47
50-64	816	9.0	65	2	2	7	13	19	24	38
65+	816	12.7	118	2	2	10	17	25	34	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	5.6	22	1	2	4	7	11	13	27
B. *Operated*	688	6.3	33	2	2	3	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	5164	8.1	43	2	3	6	10	15	20	33
B. *Operated*	2208	10.5	100	2	2	8	14	22	30	52
1. SINGLE DX	1742	5.9	27	2	2	4	8	12	15	25
2. MULTIPLE DX	7372	8.8	61	2	2	7	11	17	23	39
A. NOT OPERATED	6218	7.6	40	2	2	6	9	14	19	32
B. OPERATED	2896	9.5	87	2	2	7	13	20	27	49
TOTAL 0-19 YRS	234	5.6	21	2	2	4	8	12	15	22
20-34	817	6.0	39	1	2	4	7	11	15	33
35-49	1654	7.1	52	2	2	5	9	14	20	38
50-64	2828	7.8	43	2	2	6	10	15	20	33
65+	3581	9.8	68	2	3	8	13	19	25	41
GRAND TOTAL	**9114**	**8.2**	**56**	**2**	**2**	**6**	**11**	**16**	**22**	**37**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	4.0		4	4	4	4	4	4	4
35-49	16	4.1	5	1	2	4	5	6	9	11
50-64	33	5.5	14	2	2	5	7	10	13	19
65+	87	7.3	60	2	2	5	9	13	20	45
B. *Operated*										
0-19 YRS										
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	10	7.8	48	2	2	6	9	19	24	24
50-64	34	5.3	141	1	2	2	4	9	11	71
65+	26	5.7	16	2	2	5	8	12	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.2	25	5	5	7	14	17	17	17
20-34	18	5.1	11	<1	1	4	7	9	12	14
35-49	173	5.8	16	1	2	5	8	12	14	19
50-64	791	7.1	29	2	2	6	9	13	17	26
65+	2924	8.8	52	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS										
20-34	6	4.3	19	2	2	2	5	12	13	13
35-49	63	8.7	142	2	2	4	9	19	30	70
50-64	247	7.7	50	2	2	5	11	17	22	34
65+	451	14.0	152	2	3	10	17	29	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	6.5	43	2	2	5	8	11	17	44
B. *Operated*	72	5.8	78	2	2	3	7	11	14	61
2. MULTIPLE DX										
A. *Not Operated*	3912	8.3	46	2	3	7	10	16	20	36
B. *Operated*	767	11.5	127	2	2	8	15	25	32	63
1. SINGLE DX	210	6.2	55	2	2	4	8	11	15	45
2. MULTIPLE DX	4679	8.8	61	2	3	7	11	17	22	42
A. NOT OPERATED	4050	8.2	46	2	3	7	10	15	20	36
B. OPERATED	839	11.0	125	2	2	8	14	24	31	63
TOTAL 0-19 YRS	7	8.7	23	5	5	6	12	16	17	17
20-34	27	4.8	12	1	1	4	6	10	13	14
35-49	262	6.5	48	2	2	5	8	13	16	32
50-64	1105	7.1	37	2	2	5	9	14	18	29
65+	3488	9.4	68	2	3	7	11	18	24	46
GRAND TOTAL	**4889**	**8.7**	**61**	**2**	**2**	**7**	**11**	**17**	**22**	**42**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.6	26	<1	<1	1	3	13	15	15
35-49	10	2.1	2	<1	<1	1	3	4	5	5
50-64	6	5.3	63	1	1	2	6	19	21	21
65+	11	11.5	232	<1	<1	5	14	35	51	52
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	15	11.6	53	2	4	9	14	22	28	30
35-49	33	17.7	84	7	9	16	22	28	33	52
50-64	47	19.1	154	2	3	19	26	36	41	54
65+	16	16.9	122	4	5	13	26	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	5	7.0	20	1	1	6	10	13	13	13
35-49	6	7.5	86	1	1	4	10	23	25	25
50-64	21	14.0	257	<1	<1	8	22	40	52	54
65+	35	22.4	282	1	2	18	32	45	68	99+
B. *Operated*										
0-19 YRS	3	7.7	2	6	6	8	9	9	9	9
20-34	17	28.7	497	3	7	25	34	55	84	98
35-49	42	33.9	605	6	12	27	57	89	99+	99+
50-64	62	26.4	361	4	6	23	36	63	78	99+
65+	42	31.1	449	8	9	26	37	58	82	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.0	101	<1	<1	2	5	16	23	52
B. *Operated*	112	17.4	117	3	5	15	24	33	36	53
2. MULTIPLE DX										
A. *Not Operated*	69	16.9	264	<1	1	13	27	43	54	94
B. *Operated*	166	29.4	462	6	7	25	39	67	92	99+
1. SINGLE DX	146	14.7	136	<1	1	13	22	31	35	52
2. MULTIPLE DX	235	25.7	435	2	3	22	36	62	85	99+
A. NOT OPERATED	103	13.3	235	<1	<1	7	20	35	51	84
B. OPERATED	278	24.5	357	4	6	20	33	57	72	99+
TOTAL 0-19 YRS	6	7.2	28	<1	<1	7	9	15	16	16
20-34	44	16.4	313	1	1	12	23	34	45	98
35-49	91	22.8	441	1	2	16	29	64	88	99+
50-64	136	21.0	289	1	2	19	31	43	62	99+
65+	104	23.9	358	1	4	19	34	52	66	96
GRAND TOTAL	**381**	**21.5**	**348**	**1**	**2**	**17**	**30**	**51**	**66**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	59.0		59	59	59	59	59	59	59
35-49	1	25.0		25	25	62	99+	99+	99+	99+
50-64	5	19.6	251	7	7	15	29	45	45	45
65+	5	16.8	109	10	10	14	20	35	35	35
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	14.0	128	6	6	14	22	22	22	22
35-49	5	42.8	107	28	29	48	53	95	99+	99+
50-64	6	46.0	140	28	30	52	59	92	99+	99+
65+	4	42.0	1053	20	20	33	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	22.2	271	7	7	15	37	67	94	99+
B. *Operated*	18	38.3	429	5	14	44	55	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	30	31.9	419	6	7	34	53	99+	99+	99+
A. NOT OPERATED	12	22.2	271	7	7	15	37	67	94	99+
B. OPERATED	18	38.3	429	5	14	44	55	99+	99+	99+
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	29.0	739	6	6	22	50	59	59	59
35-49	6	39.8	139	25	26	48	76	99+	99+	99+
50-64	11	34.0	361	7	7	41	52	73	96	99+
65+	9	28.0	626	10	10	22	35	95	99+	99+
GRAND TOTAL	**30**	**31.9**	**419**	**6**	**7**	**34**	**53**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	3	10.7	17	6	6	12	13	14	14	14
35-49	8	28.1	1116	1	2	14	45	85	92	92
50-64	30	10.1	69	<1	1	8	14	23	23	37
65+	66	13.1	132	1	2	11	17	30	36	53
B. *Operated*										
0-19 YRS	13	9.6	28	3	4	7	16	17	18	18
20-34	15	10.3	26	3	3	9	12	19	20	20
35-49	25	13.7	113	3	4	11	15	32	38	43
50-64	52	14.4	147	2	4	11	18	25	32	70
65+	93	15.1	94	5	6	12	19	33	40	76
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	35	3	3	8	13	17	17	17
20-34	7	8.1	98	<1	<1	5	10	25	29	29
35-49	26	13.3	156	1	1	10	21	32	42	44
50-64	69	16.9	270	3	5	14	20	30	40	95
65+	221	18.3	224	2	4	14	26	40	53	94
B. *Operated*										
0-19 YRS	12	21.8	872	3	3	6	31	75	88	90
20-34	18	20.2	277	4	6	14	33	50	57	58
35-49	28	27.6	515	6	8	17	35	69	80	86
50-64	69	27.5	443	7	9	22	37	75	86	99+
65+	147	22.6	209	7	8	20	31	49	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	13.0	192	1	1	9	17	28	37	78
B. *Operated*	198	14.0	102	4	5	11	17	27	38	62
2. MULTIPLE DX										
A. *Not Operated*	327	17.2	226	1	3	14	24	38	46	93
B. *Operated*	274	24.1	332	5	8	19	33	54	75	99+
1. SINGLE DX	308	13.6	134	2	3	11	17	27	37	69
2. MULTIPLE DX	601	20.4	286	3	5	15	28	45	59	99+
A. NOT OPERATED	437	16.2	220	1	2	12	22	35	44	92
B. OPERATED	472	19.9	260	4	6	15	26	44	60	99+
TOTAL 0-19 YRS	32	13.3	374	1	2	7	16	27	66	90
20-34	43	14.1	164	1	3	10	17	34	43	58
35-49	87	19.4	380	1	3	14	26	43	69	90
50-64	220	18.7	304	2	5	14	23	40	73	99+
65+	527	18.2	195	2	5	14	25	38	52	99+
GRAND TOTAL	**909**	**18.1**	**244**	**2**	**4**	**14**	**24**	**39**	**53**	**97**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	14.0	72	8	8	14	20	20	20	20
35-49	6	12.0	27	7	7	10	18	19	19	19
50-64	20	20.6	137	1	5	19	26	38	44	48
65+	65	22.1	190	7	8	19	27	43	62	95
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	3	32.7	126	23	23	30	41	45	45	45
35-49	6	31.3	241	18	18	27	36	58	60	60
50-64	11	41.4	715	6	9	44	65	96	99	99+
65+	18	34.6	422	10	11	39	76	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	93	21.0	170	6	8	18	26	38	50	87
B. *Operated*	39	35.2	448	9	11	35	60	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	132	25.2	292	7	9	22	34	61	97	99+
A. NOT OPERATED	93	21.0	170	6	8	18	26	38	50	87
B. OPERATED	39	35.2	448	9	11	35	60	99+	99+	99+
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	25.2	186	8	8	23	34	45	45	45
35-49	12	21.7	224	7	8	19	27	43	58	60
50-64	31	28.0	427	2	8	23	40	63	92	99+
65+	83	24.8	262	8	9	22	33	68	99+	99+
GRAND TOTAL	**132**	**25.2**	**292**	**7**	**9**	**22**	**34**	**61**	**97**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	5.7	5	3	3	7	8	8	8	8
50-64	33	4.4	8	1	2	4	6	9	11	11
65+	85	4.8	24	1	1	3	6	10	15	27
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	9	6.3	18	2	2	5	8	13	15	15
35-49	55	7.6	49	2	3	6	9	13	17	48
50-64	567	7.0	21	2	2	6	9	12	15	23
65+	874	7.8	26	2	2	7	10	14	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	46.5	1301	21	21	46	72	72	72	72
20-34	2	8.0	8	6	6	8	10	10	10	10
35-49	10	4.7	7	2	2	4	7	8	9	9
50-64	111	6.3	18	2	2	5	9	12	15	20
65+	295	9.0	131	2	2	6	10	18	24	77
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	12.8	82	5	5	12	20	22	22	22
35-49	98	9.0	44	2	3	7	10	18	25	33
50-64	875	9.8	49	2	3	8	12	18	23	43
65+	1459	11.3	75	2	4	9	14	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.7	18	1	1	3	6	9	13	24
B. *Operated*	1506	7.5	25	2	2	6	9	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	420	8.3	108	2	2	6	9	16	21	73
B. *Operated*	2437	10.7	65	2	3	9	13	20	25	42
1. SINGLE DX	1634	7.2	25	2	2	6	9	13	17	25
2. MULTIPLE DX	2857	10.3	72	2	3	8	13	20	25	44
A. NOT OPERATED	548	7.5	89	2	2	5	9	15	20	49
B. OPERATED	3943	9.4	52	2	3	8	12	18	23	37
TOTAL 0-19 YRS	6	18.0	750	1	1	5	21	67	72	72
20-34	16	7.9	36	2	3	6	10	19	21	22
35-49	170	8.2	43	2	3	7	9	15	19	35
50-64	1586	8.4	38	2	3	7	10	15	20	33
65+	2713	9.7	67	2	3	8	12	19	24	41
GRAND TOTAL	**4491**	**9.2**	**57**	**2**	**3**	**7**	**11**	**18**	**22**	**39**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	10	18.3	174	2	4	15	24	38	45	45
65+	21	17.0	174	4	4	11	23	36	46	54
B. *Operated*										
0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	8	13.5	118	4	4	7	24	29	30	30
50-64	32	15.9	169	4	5	12	22	29	52	55
65+	58	17.8	266	2	4	12	22	37	60	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	33	16.8	165	3	4	11	24	35	44	54
B. *Operated*	99	16.9	219	3	4	12	22	35	55	72
1. SINGLE DX										
2. MULTIPLE DX	132	16.9	204	3	4	12	22	35	53	67
A. NOT OPERATED	33	16.8	165	3	4	11	24	35	44	54
B. OPERATED	99	16.9	219	3	4	12	22	35	55	72
TOTAL 0-19 YRS										
20-34	1	25.0		25	25	25	25	25	25	25
35-49	10	12.2	102	4	4	7	23	28	30	30
50-64	42	16.5	167	3	5	12	22	34	49	55
65+	79	17.6	239	3	4	12	22	37	56	75
GRAND TOTAL	**132**	**16.9**	**204**	**3**	**4**	**12**	**22**	**35**	**53**	**67**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	6	9.2	115	2	2	5	11	28	30	30
35-49	20	8.8	38	1	1	8	13	18	20	21
50-64	98	10.0	89	2	2	7	12	25	28	48
65+	327	11.8	82	2	3	10	15	24	31	45
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	5.7	8	2	2	7	7	9	10	10
35-49	34	10.8	348	1	2	6	8	22	59	93
50-64	35	7.2	40	2	2	6	8	14	22	29
65+	76	10.9	185	2	2	7	12	25	30	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	21	2	2	5	9	11	11	11
20-34	19	16.6	424	3	4	10	15	36	67	92
35-49	105	10.2	59	2	4	8	12	21	28	38
50-64	501	12.4	113	3	4	9	15	25	31	61
65+	1895	13.8	127	3	4	10	17	28	36	60
B. *Operated*										
0-19 YRS	5	21.6	97	13	13	19	28	37	37	37
20-34	15	7.3	11	2	3	7	10	11	13	13
35-49	38	14.2	171	3	4	8	20	36	53	99+
50-64	194	13.7	134	2	3	10	17	29	46	99+
65+	325	16.3	211	3	4	12	20	35	49	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	11.2	82	2	3	9	14	24	29	44
B. *Operated*	157	9.7	175	2	2	6	9	21	28	83
2. MULTIPLE DX										
A. *Not Operated*	2523	13.4	125	3	4	10	17	28	35	60
B. *Operated*	577	15.1	179	3	4	11	19	33	49	97
1. SINGLE DX	609	10.8	107	2	2	8	13	22	29	49
2. MULTIPLE DX	3100	13.7	135	3	4	10	17	28	37	65
A. NOT OPERATED	2975	13.1	119	3	4	10	16	27	34	58
B. OPERATED	734	14.0	183	2	3	10	18	29	44	91
TOTAL 0-19 YRS	10	15.3	100	2	3	13	19	31	37	37
20-34	50	10.8	195	2	3	7	11	20	35	92
35-49	197	10.9	129	2	3	8	13	23	31	81
50-64	829	12.2	114	2	3	9	15	25	33	64
65+	2623	13.8	135	3	4	10	17	28	37	62
GRAND TOTAL	**3709**	**13.3**	**131**	**3**	**4**	**10**	**17**	**27**	**36**	**63**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	15.0		15	15	15	15	15	15	15
65+	7	6.0	7	3	3	6	8	10	10	10
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.2	542	2	2	10	24	58	58	58
20-34	3	14.3	9	11	11	15	16	17	17	17
35-49	31	19.6	343	3	5	12	22	45	66	80
50-64	211	17.9	269	3	4	13	21	40	67	99+
65+	797	18.6	186	5	6	15	25	38	48	87
B. *Operated*										
0-19 YRS	2	9.0	32	5	5	9	13	13	13	13
20-34	1	24.0		24	24	24	24	24	24	24
35-49	5	18.2	125	5	6	20	34	93	99+	99+
50-64	38	18.4	270	4	5	15	19	57	62	99+
65+	86	25.9	274	6	8	23	38	56	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.1	16	3	3	6	9	13	15	15
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1047	18.5	207	4	5	15	24	39	49	95
B. *Operated*	132	23.2	274	5	7	20	35	56	94	99+
1. SINGLE DX	8	7.1	16	3	3	6	9	13	15	15
2. MULTIPLE DX	1179	19.0	217	4	6	15	25	41	52	99+
A. NOT OPERATED	1055	18.4	207	4	5	14	24	39	49	95
B. OPERATED	132	23.2	274	5	7	20	35	56	94	99+
TOTAL 0-19 YRS	7	14.9	382	2	2	10	13	49	58	58
20-34	4	16.8	30	11	11	16	20	24	24	24
35-49	36	19.4	309	4	5	15	24	46	75	99+
50-64	250	18.0	267	3	4	14	21	46	66	99+
65+	890	19.2	199	5	6	16	26	40	50	99+
GRAND TOTAL	**1187**	**18.9**	**216**	**4**	**6**	**15**	**25**	**41**	**52**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.7	166	1	1	8	21	26	26	26
20-34	22	4.0	11	1	2	2	5	11	12	12
35-49	97	4.7	10	1	2	4	6	9	12	15
50-64	318	4.3	7	1	2	4	5	8	10	15
65+	995	5.0	12	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	3.9	7	2	2	2	5	8	9	9
35-49	58	5.2	9	2	2	5	7	9	11	14
50-64	214	5.6	16	2	2	5	7	10	13	18
65+	247	6.0	19	2	2	5	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.8	55	2	2	4	11	20	24	25
20-34	41	3.7	5	1	1	3	4	6	8	12
35-49	223	4.9	11	1	2	4	6	9	10	16
50-64	1241	6.1	34	2	2	5	7	11	13	26
65+	5947	7.1	33	2	2	6	9	13	16	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	5.8	20	2	2	5	5	13	17	17
35-49	100	7.1	28	2	2	6	9	14	16	30
50-64	572	7.9	33	2	3	7	10	14	17	28
65+	1099	10.3	102	2	3	8	12	20	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1435	4.8	11	1	2	4	6	9	11	16
B. *Operated*	527	5.7	16	2	2	5	8	11	12	19
2. MULTIPLE DX										
A. *Not Operated*	7467	6.9	33	2	2	5	8	13	16	28
B. *Operated*	1782	9.3	76	2	3	7	11	17	23	45
1. SINGLE DX	1962	5.1	13	1	2	4	6	9	12	18
2. MULTIPLE DX	9249	7.3	42	2	2	6	9	13	17	32
A. NOT OPERATED	8902	6.5	30	2	2	5	8	12	15	26
B. OPERATED	2309	8.5	65	2	2	7	10	16	21	39
TOTAL 0-19 YRS	20	7.8	64	1	2	4	11	22	25	26
20-34	80	4.0	9	1	2	3	5	8	11	16
35-49	478	5.3	15	1	2	4	7	10	13	17
50-64	2345	6.2	30	2	2	5	8	11	14	23
65+	8288	7.3	41	2	2	6	9	13	17	32
GRAND TOTAL	**11211**	**6.9**	**38**	**2**	**2**	**5**	**9**	**13**	**16**	**30**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.0	6	1	1	4	7	82	99+	99+
20-34	18	6.2	16	1	2	6	8	10	15	18
35-49	63	6.9	47	1	1	5	7	16	23	32
50-64	302	10.1	119	2	3	7	12	21	34	67
65+	1127	12.2	107	2	3	9	16	24	32	56
B. *Operated*										
0-19 YRS	7	6.9	41	2	2	2	12	16	17	17
20-34	6	24.7	1192	8	8	11	14	87	95	95
35-49	20	12.0	132	2	3	7	14	32	38	40
50-64	45	10.8	183	2	3	7	13	18	27	85
65+	98	13.3	156	2	3	10	18	33	42	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	14.8	110	3	4	14	19	24	40	44
20-34	35	8.9	140	2	2	5	9	19	30	63
35-49	220	12.1	140	2	3	9	15	27	39	95
50-64	1272	12.6	122	3	4	9	15	26	36	63
65+	5790	14.5	143	3	4	11	18	29	38	67
B. *Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	11	12.6	238	3	3	8	12	34	55	57
35-49	62	13.9	180	2	3	10	15	31	46	68
50-64	236	17.1	235	3	5	13	21	42	59	99+
65+	741	22.2	345	4	6	16	29	52	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1516	11.5	108	2	3	9	15	23	32	61
B. *Operated*	176	12.6	190	2	2	8	16	28	41	92
2. MULTIPLE DX										
A. *Not Operated*	7331	14.1	140	3	4	11	18	29	38	66
B. *Operated*	1052	20.5	317	4	5	15	26	47	64	99+
1. SINGLE DX	1692	11.6	116	2	3	8	15	23	33	62
2. MULTIPLE DX	8383	14.9	166	3	4	11	19	31	42	78
A. NOT OPERATED	8847	13.6	135	3	4	10	17	28	37	65
B. OPERATED	1228	19.3	306	3	5	14	25	45	62	99+
TOTAL 0-19 YRS	29	10.0	84	2	2	8	15	21	44	99+
20-34	70	10.1	218	2	2	7	10	18	31	89
35-49	365	11.5	134	2	2	8	14	27	38	69
50-64	1855	12.7	141	3	3	9	15	27	38	69
65+	7756	14.9	163	3	4	11	19	30	41	74
GRAND TOTAL	**10075**	**14.3**	**159**	**3**	**4**	**11**	**18**	**30**	**41**	**73**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49										
50-64	4	7.8	1	7	7	8	8	9	9	9
65+	10	12.7	114	3	4	9	18	29	39	39
B. *Operated*										
0-19 YRS										
20-34	1	32.0		32	32	32	32	32	32	32
35-49										
50-64										
65+	1	87.0		87	87	87	87	87	87	87
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	23.8	273	4	4	20	33	49	49	49
20-34	15	19.7	222	3	4	19	30	46	48	49
35-49	89	17.6	268	3	4	12	22	42	57	79
50-64	533	17.0	194	4	5	13	22	35	46	79
65+	2129	18.8	198	4	5	15	25	37	47	79
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	4	33.3	416	14	14	29	48	61	61	61
35-49	16	25.3	442	5	6	19	50	89	99+	99+
50-64	98	24.2	336	5	7	19	31	54	71	94
65+	234	26.3	330	6	8	21	38	61	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	12.7	110	3	5	8	16	33	37	39
B. *Operated*	2	59.5	1513	32	32	59	87	87	87	87
2. MULTIPLE DX										
A. *Not Operated*	2771	18.4	200	4	5	15	24	37	47	79
B. *Operated*	353	25.7	335	6	8	21	37	60	74	99+
1. SINGLE DX	17	18.2	432	4	5	9	22	38	70	87
2. MULTIPLE DX	3124	19.3	220	4	6	15	25	39	51	85
A. NOT OPERATED	2786	18.4	199	4	5	15	24	37	47	79
B. OPERATED	355	25.9	344	6	8	21	37	60	74	99+
TOTAL 0-19 YRS	7	23.7	212	4	6	20	32	46	49	49
20-34	20	23.0	264	3	4	20	33	47	55	61
35-49	105	18.8	298	3	4	13	26	48	61	99+
50-64	635	18.1	222	4	5	13	24	37	50	82
65+	2374	19.6	217	4	6	16	25	40	51	85
GRAND TOTAL	**3141**	**19.3**	**221**	**4**	**6**	**15**	**25**	**39**	**51**	**85**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	19	5.2	21	<1	1	4	6	13	16	17
35-49	65	4.9	8	1	2	5	6	8	9	16
50-64	124	5.3	13	2	2	4	7	10	12	19
65+	329	7.2	40	2	2	5	9	14	18	34
B. *Operated*										
0-19 YRS	5	8.2	16	4	4	6	12	13	13	13
20-34	12	9.8	32	2	2	10	12	18	21	22
35-49	35	11.0	78	3	3	8	15	25	27	41
50-64	94	9.7	127	2	2	8	12	18	23	69
65+	120	8.1	102	2	2	6	10	16	23	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.1	6	1	1	4	6	8	9	9
20-34	53	5.7	14	1	2	4	8	12	13	16
35-49	184	7.4	66	1	2	5	8	13	20	46
50-64	597	7.8	53	2	2	6	9	15	21	51
65+	3414	10.0	79	2	3	8	12	19	26	46
B. *Operated*										
0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	27	10.1	77	1	2	8	14	23	27	40
35-49	80	12.8	167	2	2	9	19	28	62	99+
50-64	255	11.5	144	2	2	8	14	23	38	87
65+	546	13.8	142	2	3	11	17	31	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	538	6.4	30	2	2	5	8	12	17	30
B. *Operated*	266	9.1	103	2	2	7	12	17	24	40
2. MULTIPLE DX										
A. *Not Operated*	4259	9.5	75	2	3	7	11	19	25	46
B. *Operated*	909	13.0	144	2	3	10	16	29	42	99+
1. SINGLE DX	804	7.3	56	2	2	5	9	15	18	34
2. MULTIPLE DX	5168	10.1	89	2	3	7	12	20	28	54
A. NOT OPERATED	4797	9.1	71	2	3	7	11	18	24	45
B. OPERATED	1175	12.1	137	2	2	9	15	26	38	92
TOTAL 0-19 YRS	18	5.2	11	1	2	4	7	13	61	99+
20-34	111	7.1	36	1	2	5	10	14	17	30
35-49	364	8.5	86	2	2	6	9	19	25	67
50-64	1070	8.5	80	2	2	6	10	17	23	57
65+	4409	10.2	87	2	3	8	12	20	28	51
GRAND TOTAL	**5972**	**9.7**	**85**	**2**	**3**	**7**	**12**	**20**	**27**	**53**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	2.7	3	1	1	2	4	6	6	6
50-64	19	2.6	1	<1	1	2	3	4	5	5
65+	56	4.7	19	1	1	4	5	8	12	27
B. *Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	2	9.0	8	7	7	9	11	11	11	11
35-49	27	7.6	17	1	2	8	10	12	15	18
50-64	159	8.0	31	2	2	8	12	15	17	25
65+	185	9.4	65	2	2	8	13	21	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.0	2	19	19	20	21	21	21	21
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	26	4.8	8	1	2	4	6	8	11	13
50-64	173	7.3	42	2	2	6	9	14	17	30
65+	1079	9.8	80	2	3	7	12	19	28	50
B. *Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	8	8.8	62	1	1	6	14	21	22	22
35-49	124	10.0	88	2	2	8	12	17	27	60
50-64	704	12.8	137	2	3	10	16	26	34	75
65+	1350	17.0	201	2	3	13	22	36	48	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.0	15	1	1	3	5	6	10	25
B. *Operated*	375	8.7	47	2	2	8	12	17	22	32
2. MULTIPLE DX										
A. *Not Operated*	1282	9.4	74	2	3	7	11	18	26	49
B. *Operated*	2188	15.2	179	2	3	12	19	32	43	71
1. SINGLE DX	457	7.8	44	2	2	6	11	16	21	31
2. MULTIPLE DX	3470	13.1	148	2	3	10	16	28	38	66
A. NOT OPERATED	1364	9.1	72	2	3	7	11	18	25	48
B. OPERATED	2563	14.2	165	2	3	11	18	29	40	69
TOTAL 0-19 YRS	6	11.0	72	2	2	11	19	21	21	21
20-34	12	7.9	45	1	2	6	10	20	22	22
35-49	184	8.6	67	2	2	7	11	15	21	50
50-64	1055	11.0	110	2	2	9	14	22	30	60
65+	2670	13.3	153	2	3	10	17	28	39	65
GRAND TOTAL	**3927**	**12.5**	**139**	**2**	**3**	**9**	**16**	**26**	**36**	**64**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	11	2.5	7	<1	<1	1	3	7	9	9
65+	44	4.8	16	1	2	4	6	9	15	19
B. *Operated*										
0-19 YRS										
20-34	3	3.0	1	2	2	3	4	4	4	4
35-49	9	13.8	65	1	3	11	20	24	27	27
50-64	166	11.5	24	2	7	11	14	17	20	28
65+	337	13.0	48	2	5	12	15	20	25	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	6.3	13	2	2	6	9	12	12	12
50-64	58	6.0	25	1	1	5	8	14	15	24
65+	305	7.8	69	1	2	5	9	15	25	40
B. *Operated*										
0-19 YRS	2	10.5	25	7	7	10	14	14	14	14
20-34	13	11.4	56	2	2	11	16	23	25	26
35-49	20	15.1	58	6	8	13	18	26	31	35
50-64	373	14.8	108	2	5	12	17	26	35	67
65+	954	17.4	134	4	7	14	21	32	42	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.3	15	<1	<1	3	6	9	14	19
B. *Operated*	515	12.5	41	2	5	12	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	372	7.5	61	1	2	5	9	15	21	38
B. *Operated*	1362	16.6	126	3	7	14	20	30	39	61
1. SINGLE DX	573	11.6	44	2	3	11	14	19	22	35
2. MULTIPLE DX	1734	14.6	126	2	3	12	18	28	37	60
A. NOT OPERATED	430	7.1	56	1	2	5	8	15	19	37
B. OPERATED	1877	15.5	106	3	6	13	18	27	36	56
TOTAL 0-19 YRS	3	8.0	31	3	3	7	12	14	14	14
20-34	19	8.7	54	1	2	7	12	20	24	26
35-49	37	12.8	60	2	4	11	18	25	27	35
50-64	608	12.9	84	2	3	11	15	23	29	51
65+	1640	14.4	117	2	3	12	18	27	36	56
GRAND TOTAL	**2307**	**13.9**	**107**	**2**	**3**	**12**	**17**	**25**	**34**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.3		2	2	2	3	3	3	3
50-64	4	3.3	10	1	1	2	5	8	8	8
65+	5	9.2	46	1	1	12	14	16	16	16
B. *Operated*										
0-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
20-34	21	10.2	100	2	2	7	12	26	36	38
35-49	19	11.0	89	2	2	7	20	25	28	30
50-64	54	13.0	134	2	3	10	15	31	38	57
65+	58	11.1	58	2	3	11	13	18	30	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	4.2	1	3	3	4	5	5	5	5
50-64	10	4.8	10	<1	<1	5	7	9	10	10
65+	21	5.8	18	1	2	5	7	13	15	17
B. *Operated*										
0-19 YRS										
20-34	6	11.5	128	2	2	7	17	30	32	32
35-49	30	17.3	220	4	4	12	20	39	49	65
50-64	83	16.2	218	2	4	11	20	35	44	83
65+	147	16.6	171	3	4	13	20	33	46	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.4	28	1	1	3	9	14	16	16
B. *Operated*	160	11.2	94	2	2	9	13	24	34	47
2. MULTIPLE DX										
A. *Not Operated*	37	5.3	13	<1	1	5	7	10	13	17
B. *Operated*	266	16.4	189	3	4	12	20	35	45	76
1. SINGLE DX	173	10.7	91	2	2	9	13	23	34	46
2. MULTIPLE DX	303	15.1	181	2	3	11	19	32	44	76
A. NOT OPERATED	50	5.3	16	1	1	4	7	12	14	17
B. OPERATED	426	14.4	159	2	3	11	18	31	41	70
TOTAL 0-19 YRS	8	2.1	2	<1	<1	2	3	4	4	4
20-34	29	10.1	97	2	2	6	12	27	35	38
35-49	57	13.2	167	2	2	9	18	29	40	64
50-64	151	14.0	179	2	2	10	17	32	39	68
65+	231	14.1	138	2	3	12	17	28	40	76
GRAND TOTAL	**476**	**13.5**	**152**	**2**	**2**	**11**	**17**	**29**	**38**	**67**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	7	5	5	8	10	10	10	10
20-34	14	8.6	27	1	2	9	12	15	17	18
35-49	19	6.8	18	1	2	6	10	13	15	16
50-64	43	6.2	32	1	1	4	9	14	17	25
65+	57	6.9	28	1	1	6	9	12	20	23
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	23	7.4	26	2	2	8	10	16	18	19
35-49	134	8.3	23	2	2	9	11	15	16	24
50-64	406	8.9	36	2	2	9	11	15	17	27
65+	455	10.1	41	2	2	10	13	17	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	20	1	1	3	8	11	11	11
20-34	10	10.3	25	1	3	11	14	16	16	16
35-49	19	6.6	27	1	2	5	8	16	18	20
50-64	79	6.7	20	1	1	6	11	13	13	19
65+	169	8.4	39	2	2	8	11	15	20	33
B. *Operated*										
0-19 YRS	9	10.8	37	3	4	12	13	20	23	23
20-34	20	10.2	94	1	2	8	12	19	34	44
35-49	193	12.0	77	2	3	11	15	23	27	41
50-64	821	13.0	97	2	3	11	16	23	31	58
65+	1296	15.0	122	2	4	13	19	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	137	6.9	27	1	1	6	10	14	17	23
B. *Operated*	1019	9.3	37	2	2	9	12	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	281	7.8	33	1	2	7	11	14	17	28
B. *Operated*	2339	14.0	110	2	3	12	17	26	34	57
1. SINGLE DX	1156	9.0	36	2	2	9	12	15	19	27
2. MULTIPLE DX	2620	13.4	105	2	3	11	17	25	32	57
A. NOT OPERATED	418	7.5	31	1	2	7	11	14	17	26
B. OPERATED	3358	12.6	92	2	3	11	16	23	30	52
TOTAL 0-19 YRS	18	8.7	29	1	2	8	12	14	20	23
20-34	67	8.9	46	2	2	9	12	16	18	41
35-49	365	10.1	56	2	2	10	13	17	24	34
50-64	1349	11.2	77	2	2	10	14	19	26	47
65+	1977	13.1	101	2	3	11	16	25	32	54
GRAND TOTAL	**3776**	**12.0**	**88**	**2**	**2**	**10**	**15**	**22**	**29**	**51**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.4	55	1	2	6	9	14	19	46
20-34	32	5.4	60	1	1	3	5	11	19	42
35-49	58	4.5	8	1	1	4	6	9	10	12
50-64	87	4.3	11	1	1	3	6	8	11	17
65+	114	6.2	30	1	2	4	8	13	19	26
B. *Operated*										
0-19 YRS	19	4.4	11	1	1	3	7	10	11	11
20-34	36	6.9	45	2	2	5	9	12	19	37
35-49	119	6.7	48	2	2	5	8	12	18	36
50-64	316	8.2	59	2	2	7	11	16	21	34
65+	386	9.4	66	2	2	8	13	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.7	12	1	1	4	6	10	13	14
20-34	53	5.5	29	1	2	4	6	9	12	35
35-49	107	6.4	19	2	2	5	8	12	17	21
50-64	284	6.8	32	2	2	5	8	13	18	28
65+	701	8.9	59	2	3	7	11	17	24	41
B. *Operated*										
0-19 YRS	13	6.8	42	<1	1	4	10	14	22	24
20-34	54	12.4	120	3	4	8	18	24	30	67
35-49	204	9.8	71	2	2	8	13	19	29	72
50-64	776	13.0	159	2	2	10	16	26	36	71
65+	1358	15.8	186	2	3	12	20	34	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	5.6	30	1	2	4	7	11	15	28
B. *Operated*	876	8.4	60	2	2	7	11	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	1176	7.9	48	2	2	6	10	16	20	36
B. *Operated*	2405	14.2	169	2	3	11	18	30	42	71
1. SINGLE DX	1228	7.6	53	2	2	6	10	15	20	35
2. MULTIPLE DX	3581	12.2	138	2	3	9	16	26	36	64
A. NOT OPERATED	1528	7.4	45	1	2	6	9	15	19	34
B. OPERATED	3281	12.7	147	2	2	9	16	26	37	67
TOTAL 0-19 YRS	124	6.2	38	1	1	5	8	12	15	35
20-34	175	7.9	74	1	2	5	9	19	24	41
35-49	488	7.7	50	2	2	6	10	16	21	45
50-64	1463	10.2	113	2	2	8	13	21	29	55
65+	2559	12.5	139	2	3	9	16	26	36	63
GRAND TOTAL	**4809**	**11.0**	**120**	**2**	**2**	**8**	**14**	**23**	**32**	**60**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	7.9	23	2	3	7	10	13	17	26
20-34	471	7.6	15	2	3	7	10	12	14	21
35-49	551	7.9	18	2	3	7	10	14	16	21
50-64	614	8.4	17	3	4	8	10	14	16	21
65+	587	9.4	19	4	4	9	12	15	17	23
B. *Operated*										
0-19 YRS	19	8.4	41	1	2	8	10	17	23	27
20-34	186	7.6	26	1	2	7	11	15	18	20
35-49	187	7.8	35	1	2	7	10	14	18	32
50-64	167	8.9	42	2	3	8	11	16	17	29
65+	137	10.4	60	2	3	9	13	17	25	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.1	16	3	3	6	9	12	16	20
20-34	361	8.9	32	2	3	8	11	14	20	31
35-49	714	9.3	28	3	4	8	11	15	19	30
50-64	1294	9.5	24	4	4	9	12	16	19	27
65+	1713	10.7	42	4	5	10	13	17	22	34
B. *Operated*										
0-19 YRS	12	12.8	183	3	4	9	12	27	50	54
20-34	145	9.8	40	2	3	9	13	17	22	29
35-49	262	10.9	56	2	4	10	14	19	24	41
50-64	418	11.8	62	3	4	10	15	22	28	39
65+	564	13.4	75	4	5	12	16	23	30	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2287	8.4	18	3	4	8	11	14	16	22
B. *Operated*	696	8.5	40	2	2	7	11	16	19	30
2. MULTIPLE DX										
A. *Not Operated*	4121	9.9	33	3	4	9	12	16	20	30
B. *Operated*	1401	12.1	66	3	4	11	15	21	27	42
1. SINGLE DX	2983	8.4	23	2	3	8	11	14	17	23
2. MULTIPLE DX	5522	10.5	43	3	4	9	13	17	22	35
A. NOT OPERATED	6408	9.4	28	3	4	8	11	15	19	28
B. OPERATED	2097	10.9	60	2	3	10	14	19	24	41
TOTAL 0-19 YRS	134	8.2	38	3	3	7	10	13	19	32
20-34	1163	8.3	26	2	3	8	10	14	17	27
35-49	1714	8.9	31	2	3	8	11	15	19	29
50-64	2493	9.6	31	3	4	9	12	16	19	29
65+	3001	11.0	46	4	5	10	14	18	23	36
GRAND TOTAL	**8505**	**9.7**	**37**	**3**	**4**	**9**	**12**	**16**	**20**	**32**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	31	2	2	3	5	15	18	18
35-49	48	7.9	46	1	1	6	10	17	22	32
50-64	49	8.4	89	<1	1	7	11	15	18	64
65+	85	12.2	96	2	3	10	16	21	26	58
B. *Operated*										
0-19 YRS	20	3.1	2	<1	1	3	4	5	5	6
20-34	482	4.2	9	2	2	4	5	6	7	22
35-49	683	4.8	11	2	2	4	5	8	10	22
50-64	594	6.9	67	2	3	5	7	12	21	47
65+	244	11.7	116	3	3	7	15	29	35	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	16.5	221	6	6	16	27	27	27	27
20-34	23	7.5	61	1	2	5	8	16	30	33
35-49	60	8.1	38	1	2	7	12	15	22	28
50-64	161	10.4	73	2	3	8	14	21	24	51
65+	419	12.8	109	3	4	10	16	24	31	62
B. *Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	111	6.3	52	<1	1	4	7	13	22	41
35-49	290	6.8	33	2	3	5	7	14	19	30
50-64	362	9.7	88	3	3	6	11	20	33	46
65+	343	17.4	219	3	4	13	24	36	47	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	9.9	83	1	2	8	14	20	22	57
B. *Operated*	2023	6.1	45	2	3	4	6	11	18	38
2. MULTIPLE DX										
A. *Not Operated*	665	11.7	95	2	3	9	14	22	29	52
B. *Operated*	1109	11.0	130	2	3	6	14	26	35	59
1. SINGLE DX	2212	6.4	49	2	3	4	6	12	20	39
2. MULTIPLE DX	1774	11.2	117	2	3	7	14	24	33	58
A. NOT OPERATED	854	11.3	93	2	3	9	14	21	28	55
B. OPERATED	3132	7.8	80	2	3	5	8	18	27	46
TOTAL 0-19 YRS	25	4.3	24	1	2	3	4	6	11	27
20-34	623	4.7	20	2	2	4	5	7	10	27
35-49	1081	5.7	21	2	3	4	6	10	15	26
50-64	1166	8.3	77	2	3	5	9	17	25	48
65+	1091	14.0	149	3	3	10	18	30	38	62
GRAND TOTAL	**3986**	**8.6**	**85**	**2**	**3**	**5**	**10**	**19**	**27**	**47**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.5	1	1	1	2	3	4	4	4
20-34	86	2.9	3	1	1	3	4	5	7	8
35-49	120	2.8	3	1	1	3	4	5	6	9
50-64	129	2.9	4	1	1	3	4	5	7	9
65+	60	4.4	11	1	1	4	6	9	10	17
B. *Operated*										
0-19 YRS	26	3.8	2	2	2	4	4	6	7	8
20-34	719	5.0	4	2	3	5	6	8	9	11
35-49	868	5.3	5	3	3	5	6	8	10	14
50-64	543	5.4	5	3	3	5	7	8	9	13
65+	209	6.5	15	3	3	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	2	<1	<1	3	4	4	5	6
20-34	142	3.7	8	1	1	3	4	7	9	17
35-49	306	4.1	7	1	2	4	5	8	9	15
50-64	341	4.2	11	1	1	3	5	8	10	20
65+	351	5.4	24	1	2	4	6	9	14	24
B. *Operated*										
0-19 YRS	69	4.6	3	2	3	5	5	7	8	11
20-34	1829	5.2	5	3	3	5	6	8	9	13
35-49	2785	5.7	8	3	3	5	7	9	10	15
50-64	2079	6.3	11	3	3	6	7	10	12	18
65+	1006	7.7	22	3	4	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	405	3.1	4	1	1	3	4	5	7	10
B. *Operated*	2365	5.3	6	2	3	5	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	1160	4.4	14	1	2	4	5	8	10	19
B. *Operated*	7768	6.0	10	3	3	5	7	9	12	18
1. SINGLE DX	2770	5.0	6	2	2	5	6	8	9	13
2. MULTIPLE DX	8928	5.8	11	2	3	5	7	9	12	18
A. NOT OPERATED	1565	4.1	12	1	1	3	5	8	10	18
B. OPERATED	10133	5.9	9	3	3	5	7	9	11	17
TOTAL 0-19 YRS	125	3.9	3	1	2	4	5	6	7	10
20-34	2776	5.0	5	2	3	5	6	8	9	12
35-49	4079	5.4	7	2	3	5	6	8	10	15
50-64	3092	5.8	10	2	3	5	7	9	11	18
65+	1626	6.9	23	2	3	6	8	12	15	25
GRAND TOTAL	**11698**	**5.6**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	**17**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	7	1	1	3	6	8	9	9
20-34	125	5.5	16	<1	1	5	8	11	13	17
35-49	128	6.7	19	1	2	6	9	12	14	21
50-64	134	7.2	28	1	2	6	9	13	17	27
65+	241	7.5	37	1	2	7	10	14	18	24
B. *Operated*										
0-19 YRS	101	3.0	5	1	2	2	3	4	6	15
20-34	287	3.8	12	1	1	3	4	8	11	19
35-49	150	5.7	27	1	1	3	9	13	17	21
50-64	145	7.5	53	1	2	6	9	13	18	34
65+	144	10.8	115	2	2	9	13	19	28	62
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.7	26	1	1	3	5	14	15	26
20-34	147	6.3	29	1	2	5	9	12	18	22
35-49	318	7.0	27	1	2	6	9	13	17	29
50-64	675	7.7	32	2	2	6	10	15	18	27
65+	1452	8.7	44	2	3	7	11	16	21	32
B. *Operated*										
0-19 YRS	49	6.4	95	1	2	3	6	13	23	62
20-34	303	5.9	71	1	1	3	7	12	17	48
35-49	226	8.6	71	1	2	6	11	17	24	44
50-64	330	12.6	119	2	3	10	16	25	37	70
65+	545	14.3	139	3	4	12	17	27	36	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	658	6.7	27	1	2	6	9	13	16	23
B. *Operated*	827	5.9	46	1	2	3	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*	2636	8.1	38	2	2	7	10	15	19	30
B. *Operated*	1453	11.0	119	2	2	8	14	23	31	62
1. SINGLE DX	1485	6.3	38	1	2	4	9	13	16	27
2. MULTIPLE DX	4089	9.1	69	2	2	7	12	18	24	42
A. NOT OPERATED	3294	7.8	36	2	2	6	10	15	18	29
B. OPERATED	2280	9.2	99	1	2	6	12	19	27	54
TOTAL 0-19 YRS	224	4.2	30	1	2	3	4	9	13	27
20-34	862	5.2	37	1	1	3	7	11	14	23
35-49	822	7.2	39	1	2	5	10	14	18	32
50-64	1284	8.9	61	2	2	7	11	17	23	44
65+	2382	10.0	75	2	3	8	13	19	25	43
GRAND TOTAL	**5574**	**8.4**	**62**	**2**	**2**	**6**	**11**	**17**	**22**	**40**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2679	2.9	3	1	1	3	4	5	6	9
20-34	613	3.4	3	1	2	3	4	5	7	9
35-49	240	3.7	4	1	2	3	5	6	8	12
50-64	146	4.3	6	1	2	4	5	8	10	12
65+	124	5.1	7	2	2	5	7	8	9	14
B. *Operated*										
0-19 YRS	753	2.0	1	<1	1	2	2	3	3	6
20-34	352	2.4	2	1	1	2	3	4	5	9
35-49	73	3.0	6	1	1	2	3	5	9	14
50-64	37	5.7	73	1	2	3	6	9	30	41
65+	19	4.1	12	1	2	3	5	9	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4569	3.4	5	1	1	3	4	6	7	11
20-34	1152	4.1	6	1	2	4	5	7	9	13
35-49	725	5.0	10	2	2	4	6	9	11	17
50-64	865	5.9	14	2	2	5	7	11	13	19
65+	1247	7.6	32	2	3	6	9	14	18	29
B. *Operated*										
0-19 YRS	428	3.3	13	1	1	2	3	6	10	19
20-34	140	4.5	32	1	2	3	5	9	11	21
35-49	121	6.3	28	2	2	4	9	12	15	28
50-64	109	7.3	42	2	2	5	10	16	20	31
65+	95	10.6	58	2	3	9	14	22	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3802	3.1	4	1	1	3	4	5	7	9
B. *Operated*	1234	2.3	4	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	8558	4.5	13	1	2	4	5	8	11	18
B. *Operated*	893	5.1	32	1	1	3	6	11	16	27
1. SINGLE DX	5036	2.9	4	1	1	2	4	5	6	9
2. MULTIPLE DX	9451	4.6	14	1	2	4	5	9	11	19
A. NOT OPERATED	12360	4.1	10	1	2	3	5	7	9	16
B. OPERATED	2127	3.5	18	1	1	2	3	7	11	22
TOTAL 0-19 YRS	8429	3.1	5	1	1	3	4	5	7	10
20-34	2257	3.7	6	1	2	3	4	6	8	12
35-49	1159	4.7	11	1	2	4	6	9	11	17
50-64	1157	5.8	18	2	2	5	7	11	14	23
65+	1485	7.5	33	2	3	6	9	14	18	29
GRAND TOTAL	**14487**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2968	3.6	5	1	2	3	5	6	7	10
20-34	331	4.1	6	2	2	4	5	6	9	13
35-49	366	4.9	7	2	2	4	6	8	10	13
50-64	405	5.7	11	2	3	5	7	9	12	18
65+	456	6.2	14	2	3	5	8	10	13	21
B. *Operated*										
0-19 YRS	9	3.8	5	<1	<1	4	5	7	7	7
20-34	6	7.5	28	2	2	7	10	15	16	16
35-49	24	7.3	27	2	2	5	11	14	18	22
50-64	23	7.0	17	2	3	6	10	12	16	19
65+	19	8.1	54	2	3	6	8	18	26	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2987	4.4	7	2	2	4	5	7	9	14
20-34	606	5.0	9	2	2	4	6	9	10	14
35-49	1195	6.1	15	2	3	5	8	10	13	20
50-64	2631	7.2	21	2	3	6	9	13	16	25
65+	4628	8.3	33	3	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	32	6.8	12	2	3	6	8	12	15	15
20-34	56	8.8	41	2	2	8	12	17	21	32
35-49	125	8.6	43	2	3	7	11	15	20	38
50-64	241	9.8	63	2	3	8	12	18	23	35
65+	330	12.3	76	3	4	10	15	23	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4526	4.2	7	1	2	4	5	7	9	14
B. *Operated*	81	7.0	28	1	2	5	9	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	12047	6.7	23	2	3	6	8	12	15	24
B. *Operated*	784	10.5	64	2	3	9	13	20	26	38
1. SINGLE DX	4607	4.3	8	1	2	4	5	7	9	14
2. MULTIPLE DX	12831	6.9	27	2	3	6	9	13	16	27
A. NOT OPERATED	16573	6.0	20	2	2	5	7	11	14	23
B. OPERATED	865	10.1	62	2	3	8	13	19	25	38
TOTAL 0-19 YRS	5996	4.0	6	1	2	3	5	7	8	12
20-34	999	5.0	11	2	2	4	6	9	11	18
35-49	1710	6.0	16	2	3	5	7	10	13	21
50-64	3300	7.2	23	2	3	6	9	13	16	26
65+	5433	8.4	35	3	3	7	10	15	19	31
GRAND TOTAL	**17438**	**6.2**	**23**	**2**	**2**	**5**	**8**	**11**	**15**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	1	3	3	5	5	5	5	5
20-34	6	2.0	1	<1	<1	2	3	3	3	3
35-49	7	1.4	1	<1	<1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	427	2.3	1	1	1	2	3	3	4	6
20-34	1037	2.4	1	1	1	2	3	3	4	6
35-49	583	2.4	1	1	1	2	3	3	4	6
50-64	249	2.4	1	1	2	2	3	3	4	5
65+	59	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	25	<1	<1	1	6	11	11	11
20-34	23	2.5	13	<1	<1	1	2	4	12	17
35-49	10	1.6	1	<1	<1	1	2	3	4	4
50-64	11	4.0	30	<1	<1	2	4	11	19	20
65+	7	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*										
0-19 YRS	558	2.4	1	1	1	2	3	4	4	6
20-34	1678	2.6	1	1	1	2	3	4	5	7
35-49	1012	2.8	3	1	1	3	3	4	5	8
50-64	568	3.0	3	1	2	3	3	5	6	9
65+	132	3.7	12	1	2	3	4	6	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	2	<1	<1	2	3	4	5	5
B. *Operated*	2355	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	55	2.6	13	<1	<1	1	3	4	10	20
B. *Operated*	3948	2.7	2	1	1	3	3	4	5	8
1. SINGLE DX	2372	2.4	1	1	1	2	3	3	4	6
2. MULTIPLE DX	4003	2.7	3	1	1	3	3	4	5	9
A. NOT OPERATED	72	2.5	11	<1	<1	1	3	4	9	19
B. OPERATED	6303	2.6	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	992	2.4	1	1	1	2	3	4	4	6
20-34	2744	2.5	1	1	1	2	3	4	4	7
35-49	1612	2.6	2	1	1	2	3	4	5	7
50-64	829	2.9	3	1	2	3	3	4	5	9
65+	198	3.2	9	1	1	2	4	5	7	18
GRAND TOTAL	**6375**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	35	2.0	1	<1	1	2	2	3	4	4
20-34	43	2.5	2	<1	1	2	3	4	6	9
35-49	65	2.3	1	<1	1	2	3	3	5	6
50-64	90	2.3	1	1	1	2	3	3	4	5
65+	67	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.8		<1	<1	2	2	2	2	2
35-49	4	3.0	3	<1	<1	3	4	5	5	5
50-64	4	3.0	4	2	2	2	4	6	6	6
65+	5	3.2	2	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	52	2.6	2	1	1	2	3	5	7	97
20-34	102	2.9	2	1	2	2	3	5	6	8
35-49	134	2.9	2	1	2	3	3	5	5	7
50-64	147	3.4	6	1	2	3	4	6	7	16
65+	91	3.3	3	1	2	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	300	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	18	2.7	2	<1	<1	2	4	5	6	6
B. *Operated*	526	3.1	3	1	2	3	4	5	7	10
1. SINGLE DX	304	2.3	1	1	1	2	3	3	4	6
2. MULTIPLE DX	544	3.1	3	1	2	3	4	5	6	9
A. NOT OPERATED	22	2.5	2	<1	<1	2	3	5	6	6
B. OPERATED	826	2.8	3	1	1	2	3	4	6	8
TOTAL 0-19 YRS	89	2.3	1	<1	1	2	3	4	5	63
20-34	149	2.7	2	1	1	2	3	5	6	8
35-49	203	2.7	2	1	1	2	3	4	5	7
50-64	243	3.0	4	1	2	3	3	5	6	12
65+	164	2.9	3	1	2	2	4	5	6	9
GRAND TOTAL	**848**	**2.8**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**8**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	2.3	2	<1	<1	2	3	4	5	8
20-34	28	2.4	4	<1	<1	2	3	4	6	11
35-49	8	2.4	1	<1	<1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	12247	1.9		1	1	2	2	2	3	4
20-34	3856	2.2	1	1	1	2	2	3	4	5
35-49	400	2.3	1	1	1	2	2	3	4	7
50-64	64	2.2	1	1	1	2	2	3	4	5
65+	31	2.6	4	1	1	2	2	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	1.6	2	<1	<1	1	2	3	5	8
20-34	30	2.6	3	<1	<1	2	3	5	7	8
35-49	16	3.4	5	<1	1	3	5	6	7	7
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	3	4.3	2	3	3	4	5	6	6	6
B. *Operated*										
0-19 YRS	6896	1.8	1	<1	1	2	2	2	3	5
20-34	654	2.6	2	1	1	2	3	4	5	9
35-49	122	3.0	8	1	2	2	3	5	7	19
50-64	29	3.7	6	2	2	3	4	7	10	12
65+	25	4.6	28	1	2	3	5	10	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.3	3	<1	<1	2	3	4	5	10
B. *Operated*	16598	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	243	1.9	2	<1	<1	1	2	4	6	8
B. *Operated*	7726	1.9	1	1	1	2	2	3	3	6
1. SINGLE DX	16687	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	7969	1.9	1	<1	1	2	2	3	3	5
A. NOT OPERATED	332	2.0	3	<1	<1	1	2	4	5	8
B. OPERATED	24324	2.0	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	19387	1.9	1	1	1	2	2	2	3	4
20-34	4568	2.2	1	1	1	2	2	3	4	6
35-49	546	2.5	3	1	1	2	3	4	5	9
50-64	96	2.6	3	1	2	2	3	4	6	11
65+	59	3.6	15	1	1	2	3	8	10	25
GRAND TOTAL	**24656**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	423	2.9	3	1	1	3	4	5	6	9
20-34	333	3.2	4	1	1	3	4	5	6	9
35-49	178	3.6	5	1	1	3	5	6	8	11
50-64	117	3.6	6	1	1	3	4	8	8	12
65+	52	4.2	8	2	2	3	6	8	9	15
B. *Operated*										
0-19 YRS	516	2.5	4	1	1	2	3	4	5	12
20-34	979	2.6	3	1	1	2	3	4	5	9
35-49	842	2.5	3	1	1	2	3	4	5	9
50-64	794	2.5	4	1	1	2	3	4	5	11
65+	412	2.8	6	1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	3.9	6	1	2	3	5	7	9	12
20-34	352	4.4	6	1	2	4	5	7	9	12
35-49	368	4.8	9	2	2	4	6	8	10	15
50-64	326	5.5	12	2	2	5	7	10	12	19
65+	279	6.3	23	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	457	2.8	7	<1	1	2	3	5	7	13
20-34	856	3.3	7	1	2	3	4	5	8	16
35-49	695	4.0	27	1	2	3	4	7	10	20
50-64	681	4.4	18	1	2	3	5	9	13	23
65+	418	5.9	47	1	2	3	6	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1103	3.3	4	1	1	3	4	6	7	10
B. *Operated*	3543	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1727	4.9	11	1	2	4	6	9	11	17
B. *Operated*	3107	4.0	20	1	1	3	4	8	11	21
1. SINGLE DX	4646	2.7	4	1	1	2	3	5	6	11
2. MULTIPLE DX	4834	4.3	17	1	2	3	5	8	11	19
A. NOT OPERATED	2830	4.3	9	1	2	4	5	8	10	15
B. OPERATED	6650	3.2	12	1	1	2	3	5	8	17
TOTAL 0-19 YRS	1798	3.0	5	1	1	2	4	5	7	12
20-34	2520	3.2	5	1	1	3	4	5	7	12
35-49	2083	3.5	13	1	1	3	4	6	8	15
50-64	1918	3.8	12	1	1	3	4	8	10	18
65+	1161	4.8	27	1	1	3	5	11	14	27
GRAND TOTAL	**9480**	**3.5**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8473	4.4	6	2	2	4	5	7	9	12
20-34	1862	5.3	8	2	3	5	7	9	10	14
35-49	1425	6.0	11	2	3	5	7	10	12	17
50-64	1385	6.7	16	3	3	6	8	11	13	20
65+	1971	8.0	20	3	4	7	10	14	17	24
B. *Operated*										
0-19 YRS	47	7.6	28	1	2	7	11	15	18	25
20-34	66	8.0	28	2	2	7	11	14	19	25
35-49	102	8.8	33	2	2	8	11	16	19	33
50-64	163	9.2	53	2	2	8	11	18	24	35
65+	176	12.0	81	2	3	10	15	23	31	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6709	4.9	11	2	2	4	6	9	11	16
20-34	1589	6.3	22	2	3	5	8	11	13	20
35-49	2038	7.5	27	2	3	6	9	13	16	28
50-64	4036	8.7	33	3	4	7	11	15	19	30
65+	11002	11.1	60	3	4	9	14	20	26	41
B. *Operated*										
0-19 YRS	153	12.3	141	3	3	9	15	26	36	51
20-34	179	12.9	65	4	5	11	16	24	30	50
35-49	320	13.5	124	3	4	10	17	26	34	61
50-64	708	14.8	107	4	6	12	18	27	33	58
65+	1345	18.6	174	5	7	15	23	35	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15116	5.3	11	2	2	5	7	9	11	17
B. *Operated*	554	9.8	56	2	2	8	12	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	25374	8.5	44	2	3	7	11	16	20	34
B. *Operated*	2705	16.2	147	4	5	13	21	31	39	67
1. SINGLE DX	15670	5.5	13	2	2	5	7	10	12	19
2. MULTIPLE DX	28079	9.3	59	2	3	7	11	18	23	39
A. NOT OPERATED	40490	7.3	34	2	3	6	9	14	18	31
B. OPERATED	3259	15.1	137	3	5	12	19	29	36	65
TOTAL 0-19 YRS	15382	4.7	10	2	2	4	6	8	10	15
20-34	3696	6.2	19	2	3	5	7	10	13	23
35-49	3885	7.5	33	2	3	6	9	13	16	33
50-64	6292	9.0	43	3	4	7	11	16	21	34
65+	14494	11.4	72	3	4	9	14	21	27	45
GRAND TOTAL	**43749**	**7.9**	**46**	**2**	**3**	**6**	**10**	**15**	**20**	**35**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	3.2	2	1	2	3	4	5	6	9
20-34	178	3.3	3	1	2	3	4	6	7	10
35-49	146	4.0	4	2	2	4	5	7	8	11
50-64	132	4.9	7	2	2	4	6	8	10	15
65+	144	6.0	22	2	2	5	7	10	16	28
B. *Operated*										
0-19 YRS	4	6.5	18	2	2	6	10	11	11	11
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64	3	8.3	17	5	5	7	11	13	13	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	367	3.6	4	1	2	3	4	6	7	12
20-34	309	3.9	5	1	2	3	5	7	8	12
35-49	318	5.4	15	2	2	4	7	9	11	21
50-64	416	5.9	13	2	2	5	7	10	13	21
65+	805	7.3	24	2	3	6	9	13	17	26
B. *Operated*										
0-19 YRS	10	11.0	165	3	3	7	9	29	47	47
20-34	3	8.7	16	4	4	11	11	11	11	11
35-49	14	8.8	31	2	3	7	11	16	21	22
50-64	20	13.6	53	4	5	12	19	24	26	27
65+	25	17.9	138	5	7	15	22	35	46	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	864	4.1	8	1	2	3	5	7	8	15
B. *Operated*	9	6.1	17	2	2	5	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2215	5.7	17	2	2	4	7	10	13	21
B. *Operated*	72	13.6	101	3	4	10	18	25	35	48
1. SINGLE DX	873	4.1	8	1	2	3	5	7	9	15
2. MULTIPLE DX	2287	5.9	21	2	2	5	7	11	14	24
A. NOT OPERATED	3079	5.2	15	2	2	4	6	10	12	20
B. OPERATED	81	12.8	97	3	4	10	16	24	34	48
TOTAL 0-19 YRS	645	3.6	7	1	2	3	4	6	7	11
20-34	492	3.7	4	1	2	3	5	6	8	12
35-49	478	5.0	13	2	2	4	6	9	11	20
50-64	571	5.9	16	2	2	5	7	10	13	22
65+	974	7.4	30	2	3	6	9	14	18	29
GRAND TOTAL	**3160**	**5.4**	**18**	**2**	**2**	**4**	**7**	**10**	**13**	**22**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1138	3.7	5	1	2	3	5	7	8	12
20-34	210	4.2	6	1	2	4	5	7	8	13
35-49	289	5.4	11	2	2	5	7	9	11	18
50-64	393	6.0	13	2	3	5	8	10	13	21
65+	534	7.1	28	2	3	6	9	12	16	24
B. *Operated*										
0-19 YRS	16	3.4	7	<1	1	2	5	7	8	9
20-34	27	4.3	7	1	2	4	5	8	11	12
35-49	55	4.7	14	1	2	4	6	9	10	24
50-64	95	4.8	9	1	2	4	6	10	11	13
65+	53	5.3	14	2	2	4	8	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	970	4.1	6	1	2	3	5	7	9	13
20-34	435	5.1	9	1	2	4	6	9	11	16
35-49	733	6.3	21	2	2	5	8	11	14	26
50-64	1742	7.1	24	2	3	6	8	13	16	27
65+	3088	8.5	37	3	3	7	11	15	19	32
B. *Operated*										
0-19 YRS	26	7.8	21	2	2	7	10	13	19	21
20-34	54	8.2	71	2	3	6	9	12	31	42
35-49	178	7.8	77	2	2	6	10	15	20	80
50-64	370	8.4	61	2	2	7	11	16	21	45
65+	449	11.1	95	2	3	8	15	22	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2564	5.0	14	1	2	4	6	9	11	19
B. *Operated*	246	4.7	11	1	2	4	6	10	11	15
2. MULTIPLE DX										
A. *Not Operated*	6968	7.1	28	2	3	6	9	13	17	27
B. *Operated*	1077	9.4	79	2	2	7	12	19	24	52
1. SINGLE DX	2810	5.0	13	1	2	4	6	9	11	19
2. MULTIPLE DX	8045	7.4	36	2	3	6	9	14	18	31
A. NOT OPERATED	9532	6.5	25	2	2	5	8	12	15	26
B. OPERATED	1323	8.5	70	2	2	6	11	18	22	42
TOTAL 0-19 YRS	2150	3.9	6	1	2	3	5	7	8	13
20-34	726	5.0	14	1	2	4	6	9	11	16
35-49	1255	6.2	27	2	2	5	8	11	15	26
50-64	2600	7.0	28	2	3	6	9	13	16	27
65+	4124	8.5	43	2	3	7	11	16	20	34
GRAND TOTAL	**10855**	**6.8**	**31**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	24	4.1	5	1	2	4	5	7	9	11
50-64	124	7.7	44	2	2	6	8	18	22	33
65+	185	7.7	31	2	2	6	10	14	19	27
B. *Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	4	10.0	33	3	3	10	14	17	17	17
35-49	10	11.8	15	8	8	10	16	17	18	18
50-64	12	13.9	86	2	3	13	19	26	33	34
65+	10	15.6	243	2	3	9	20	43	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	8	5.0	13	1	1	4	8	11	11	11
35-49	84	7.1	41	2	2	5	8	13	25	31
50-64	594	8.5	46	2	3	7	11	16	22	37
65+	1103	9.3	59	2	3	7	11	18	23	44
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	10	14.4	50	5	5	15	19	24	26	26
35-49	25	18.7	424	3	4	13	22	28	73	95
50-64	86	15.1	187	2	4	12	19	33	61	99+
65+	127	13.7	143	3	4	11	18	27	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.4	35	2	2	6	9	15	20	29
B. *Operated*	38	13.0	98	2	3	10	17	21	38	46
2. MULTIPLE DX										
A. *Not Operated*	1791	8.9	54	2	3	7	11	17	22	39
B. *Operated*	249	14.7	182	3	4	11	19	28	40	95
1. SINGLE DX	375	7.9	44	2	2	6	10	17	21	34
2. MULTIPLE DX	2040	9.6	73	2	3	7	12	18	25	55
A. NOT OPERATED	2128	8.7	51	2	3	7	11	17	22	38
B. OPERATED	287	14.5	170	3	4	11	18	28	40	93
TOTAL 0-19 YRS	7	6.4	15	2	2	7	9	12	12	12
20-34	24	9.6	49	2	2	9	15	19	23	26
35-49	143	9.0	121	2	2	6	10	19	28	68
50-64	816	9.2	66	2	3	7	11	18	24	49
65+	1425	9.5	66	2	3	7	12	18	24	45
GRAND TOTAL	**2415**	**9.4**	**69**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

183: Astlma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4919	3.4	3	1	2	3	4	5	7	9
20-34	1378	4.1	5	1	2	4	5	7	8	12
35-49	1287	5.1	10	2	2	4	6	9	11	15
50-64	1261	5.9	21	2	2	5	7	11	13	20
65+	894	6.9	22	2	3	6	8	12	15	25
B. *Operated*										
0-19 YRS	18	4.5	10	<1	1	3	6	10	11	11
20-34	15	5.7	13	1	2	6	9	10	12	13
35-49	27	5.9	18	2	3	5	7	10	15	22
50-64	23	7.9	29	1	2	7	14	16	17	17
65+	19	9.3	44	1	2	9	13	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2861	4.1	5	1	2	4	5	7	8	12
20-34	1164	5.1	11	2	2	4	6	9	11	19
35-49	1605	6.2	17	2	3	5	8	11	13	21
50-64	2855	7.5	33	2	3	6	9	14	17	28
65+	3310	8.3	32	3	3	7	10	15	18	29
B. *Operated*										
0-19 YRS	31	6.1	16	2	2	6	8	11	14	19
20-34	62	8.7	30	2	3	8	10	17	20	27
35-49	138	11.0	69	2	4	9	14	24	27	38
50-64	201	12.7	137	3	4	11	14	22	29	82
65+	214	13.8	91	4	5	11	18	23	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9739	4.4	10	1	2	4	5	8	10	15
B. *Operated*	102	6.7	25	1	2	5	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	11795	6.5	24	2	2	5	8	12	15	25
B. *Operated*	646	12.0	95	3	4	10	15	22	28	41
1. SINGLE DX	9841	4.4	10	1	2	4	5	8	10	15
2. MULTIPLE DX	12441	6.8	30	2	2	5	8	13	16	26
A. NOT OPERATED	21534	5.5	19	2	2	4	7	10	13	21
B. OPERATED	748	11.3	89	2	3	9	14	21	26	39
TOTAL 0-19 YRS	7829	3.6	4	1	2	3	4	6	7	11
20-34	2619	4.7	9	1	2	4	6	8	10	16
35-49	3057	6.0	18	2	2	5	7	10	13	22
50-64	4340	7.3	36	2	3	6	9	13	17	28
65+	4437	8.3	35	2	3	7	10	15	19	29
GRAND TOTAL	**22282**	**5.7**	**22**	**2**	**2**	**4**	**7**	**11**	**14**	**23**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	4.3	4	2	2	4	5	7	9	10
20-34	30	5.7	10	2	3	5	7	9	13	16
35-49	163	5.9	17	2	2	5	7	9	14	25
50-64	960	6.8	21	2	2	6	9	12	15	24
65+	1344	7.8	38	2	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	3	5.0	27	2	2	2	9	11	11	11
20-34	8	4.1	7	2	2	3	5	9	10	10
35-49	33	6.5	28	1	2	5	8	13	17	27
50-64	70	8.1	60	1	2	5	11	16	21	45
65+	72	10.7	68	2	2	9	15	25	30	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	8.3	48	2	3	6	11	20	24	30
20-34	89	7.0	29	2	2	5	9	14	17	31
35-49	705	7.4	43	2	3	6	9	13	16	33
50-64	4434	8.5	45	2	3	7	10	16	20	37
65+	7891	9.6	56	3	3	8	12	18	23	40
B. *Operated*										
0-19 YRS	4	9.3	161	1	1	4	17	28	28	28
20-34	13	7.0	51	2	3	4	7	18	26	28
35-49	105	12.2	159	2	4	8	14	22	34	76
50-64	575	12.5	138	2	3	9	15	27	38	84
65+	904	15.3	175	3	5	12	19	30	43	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2515	7.3	30	2	3	6	9	13	17	30
B. *Operated*	186	8.6	58	2	2	6	12	18	27	44
2. MULTIPLE DX										
A. *Not Operated*	13155	9.0	52	2	3	7	11	17	22	39
B. *Operated*	1601	14.0	162	3	4	10	17	29	40	81
1. SINGLE DX	2701	7.3	32	2	3	6	9	14	17	30
2. MULTIPLE DX	14756	9.6	66	2	3	7	12	18	24	45
A. NOT OPERATED	15670	8.8	49	2	3	7	11	16	21	37
B. OPERATED	1787	13.5	153	2	3	10	16	28	37	80
TOTAL 0-19 YRS	61	7.0	42	2	2	5	7	14	24	30
20-34	140	6.5	26	2	2	5	8	13	16	29
35-49	1006	7.6	53	2	3	6	9	14	18	39
50-64	6039	8.6	52	2	3	7	10	16	21	41
65+	10211	9.8	68	3	3	8	12	18	24	45
GRAND TOTAL	**17457**	**9.2**	**62**	**2**	**3**	**7**	**11**	**17**	**23**	**43**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	3.6	5	1	1	3	5	6	7	11
20-34	201	3.8	6	1	1	3	5	7	9	12
35-49	61	4.4	8	1	1	4	5	8	9	17
50-64	24	6.9	29	2	3	6	8	14	19	25
65+	11	6.4	4	3	4	6	7	9	10	10
B. *Operated*										
0-19 YRS	109	7.0	20	3	3	6	8	12	14	26
20-34	556	6.4	17	2	3	5	8	11	15	23
35-49	143	7.7	29	3	3	6	10	15	18	28
50-64	101	7.0	27	2	3	5	8	13	20	26
65+	50	11.0	48	3	4	9	13	22	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	6	1	1	4	4	7	9	9
20-34	34	4.3	13	1	2	3	5	7	14	17
35-49	26	6.3	15	2	2	5	7	11	16	17
50-64	50	10.6	179	3	3	7	10	18	34	72
65+	91	9.1	40	2	3	8	11	20	23	27
B. *Operated*										
0-19 YRS	32	12.3	76	4	5	11	14	19	22	53
20-34	141	9.3	40	3	3	8	12	17	21	34
35-49	97	10.3	71	3	3	8	12	21	25	48
50-64	163	13.3	127	3	4	10	16	26	39	81
65+	212	14.7	139	4	4	12	19	29	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	4.1	8	1	1	3	5	8	10	15
B. *Operated*	959	7.0	23	3	3	5	8	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	214	8.0	68	2	2	6	9	17	21	45
B. *Operated*	645	12.4	105	3	4	10	15	25	31	53
1. SINGLE DX	1326	6.2	20	2	2	5	8	11	15	24
2. MULTIPLE DX	859	11.3	99	3	3	8	14	23	29	53
A. NOT OPERATED	581	5.6	34	1	2	4	6	10	16	24
B. OPERATED	1604	9.1	63	3	3	7	11	18	24	40
TOTAL 0-19 YRS	224	6.5	30	1	2	5	8	12	15	25
20-34	932	6.2	21	2	2	5	8	11	15	24
35-49	327	7.8	41	2	3	6	10	16	20	31
50-64	338	10.6	105	3	3	8	12	22	27	67
65+	364	12.5	105	3	4	9	16	26	30	48
GRAND TOTAL	**2185**	**8.2**	**58**	**2**	**3**	**6**	**10**	**16**	**22**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	3.9	8	1	1	3	5	7	9	15
20-34	231	4.3	12	1	1	3	5	8	12	17
35-49	211	5.1	18	1	2	4	6	9	13	23
50-64	318	5.0	17	1	1	4	6	10	13	24
65+	473	6.9	26	1	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	47	5.2	17	1	2	4	7	12	14	17
20-34	112	8.9	56	1	2	8	11	18	26	34
35-49	205	8.5	52	1	2	7	12	17	21	34
50-64	329	8.2	56	2	2	6	11	16	20	36
65+	371	8.8	49	2	2	7	12	18	23	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	564	4.5	23	1	1	4	5	8	10	19
20-34	415	5.7	24	1	1	4	7	11	15	24
35-49	706	6.7	35	1	2	5	8	12	17	32
50-64	1659	7.9	40	2	3	6	10	15	19	32
65+	3752	9.9	67	2	3	8	12	19	24	44
B. *Operated*										
0-19 YRS	76	9.0	78	1	2	6	11	19	24	47
20-34	193	10.7	83	2	2	8	15	22	27	47
35-49	395	12.7	124	2	3	10	17	26	37	56
50-64	797	12.3	110	2	3	9	17	24	33	61
65+	1286	14.5	157	2	3	11	19	29	39	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	5.3	19	1	2	4	7	10	14	23
B. *Operated*	1064	8.4	52	1	2	7	11	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	7096	8.4	55	2	2	6	10	16	21	39
B. *Operated*	2747	13.2	133	2	3	10	17	27	36	62
1. SINGLE DX	2622	6.5	34	1	2	5	8	14	18	28
2. MULTIPLE DX	9843	9.8	81	2	3	7	12	20	26	48
A. NOT OPERATED	8654	7.9	50	2	2	6	10	15	20	37
B. OPERATED	3811	11.8	115	2	2	9	15	24	32	59
TOTAL 0-19 YRS	1012	4.7	23	1	1	3	5	9	12	21
20-34	651	6.8	42	1	1	5	8	15	20	34
35-49	1517	8.2	66	1	2	6	10	18	24	46
50-64	3103	8.7	62	2	2	7	11	18	23	41
65+	5882	10.6	87	2	3	8	13	21	28	50
GRAND TOTAL	**12465**	**9.1**	**73**	**2**	**2**	**7**	**11**	**19**	**24**	**45**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.8	3	<1	1	2	3	5	7	9
20-34	62	3.5	5	1	1	3	5	6	8	10
35-49	44	2.8	4	<1	1	2	4	5	7	11
50-64	37	3.0	6	<1	1	2	4	6	9	10
65+	11	2.8	4	<1	<1	3	3	6	7	7
B. *Operated*										
0-19 YRS	2003	1.9	1	<1	1	2	2	3	4	5
20-34	1802	2.5	2	1	1	2	3	4	5	8
35-49	725	2.9	5	1	2	2	3	5	6	11
50-64	419	2.8	2	1	2	2	3	5	6	8
65+	183	3.2	6	1	2	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.3	6	<1	1	2	5	7	8	13
20-34	89	3.7	9	<1	1	3	4	8	9	17
35-49	74	4.3	8	1	1	4	6	8	10	14
50-64	75	4.5	15	<1	1	3	6	9	14	17
65+	61	6.9	20	1	2	6	9	13	15	22
B. *Operated*										
0-19 YRS	956	2.4	2	<1	1	2	3	5	5	8
20-34	1136	3.1	15	1	1	2	4	5	7	11
35-49	784	3.1	13	1	1	2	4	5	7	11
50-64	710	3.6	12	1	2	3	4	6	9	19
65+	465	4.1	20	1	2	3	4	8	10	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.1	4	<1	1	2	4	6	7	10
B. *Operated*	5132	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	397	4.4	12	<1	1	3	6	9	11	17
B. *Operated*	4051	3.2	12	1	1	2	4	5	7	14
1. SINGLE DX	5342	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	4448	3.3	12	1	1	2	4	6	8	15
A. NOT OPERATED	607	3.9	10	<1	1	3	5	8	10	16
B. OPERATED	9183	2.7	7	1	1	2	3	5	6	11
TOTAL 0-19 YRS	3113	2.2	2	<1	1	2	2	4	5	7
20-34	3089	2.8	7	1	1	2	3	5	6	10
35-49	1627	3.1	9	1	1	2	4	5	7	11
50-64	1241	3.4	9	1	2	2	4	6	8	17
65+	720	4.1	17	1	2	3	5	8	11	21
GRAND TOTAL	**9790**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.4	3	1	1	3	5	6	6	8
20-34	41	3.6	5	1	1	3	5	7	8	10
35-49	31	4.1	6	1	2	4	5	8	10	10
50-64	25	4.3	8	1	1	4	5	7	10	14
65+	26	5.2	9	1	1	5	7	9	10	10
B. *Operated*										
0-19 YRS	142	2.3	4	<1	<1	2	3	4	6	11
20-34	159	3.5	5	1	1	3	4	6	8	10
35-49	133	3.3	3	1	2	3	4	5	7	12
50-64	208	3.4	6	1	2	3	4	5	8	16
65+	155	3.6	6	1	2	3	4	5	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	4.3	4	2	2	4	6	[illegible]	8	9
20-34	44	4.2	5	1	2	4	5	6	8	13
35-49	54	5.6	11	1	2	5	7	10	12	18
50-64	60	6.2	18	2	2	5	8	11	13	24
65+	148	7.6	39	2	3	6	9	14	20	35
B. *Operated*										
0-19 YRS	62	3.6	9	1	1	3	5	7	9	11
20-34	108	4.0	16	1	2	3	5	7	10	26
35-49	132	4.6	24	1	1	3	5	9	11	24
50-64	194	5.9	58	2	2	3	7	12	15	40
65+	162	6.2	51	1	2	4	7	14	20	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	3.9	5	1	1	3	5	7	9	10
B. *Operated*	797	3.2	5	1	1	3	4	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	463	5.7	20	2	2	5	7	10	13	25
B. *Operated*	658	5.2	39	1	2	3	6	10	14	30
1. SINGLE DX	1027	3.4	5	1	1	3	4	6	8	12
2. MULTIPLE DX	1121	5.4	31	1	2	4	6	10	14	26
A. NOT OPERATED	693	5.1	16	1	2	4	6	9	11	22
B. OPERATED	1455	4.1	21	1	1	3	4	8	11	19
TOTAL 0-19 YRS	468	3.4	4	1	1	3	5	6	8	9
20-34	352	3.8	8	1	1	3	5	7	9	13
35-49	350	4.2	13	1	2	3	5	8	10	16
50-64	487	4.7	30	1	2	3	5	9	13	21
65+	491	5.8	34	1	2	4	7	11	15	29
GRAND TOTAL	**2148**	**4.4**	**20**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	212	3.6	8	1	1	3	4	7	9	15
20-34	263	3.7	6	1	1	3	4	6	8	14
35-49	385	3.8	7	1	1	3	5	6	8	13
50-64	330	4.0	8	1	1	3	5	7	9	16
65+	209	4.4	10	1	2	4	5	8	10	18
B. *Operated*										
0-19 YRS	56	4.9	24	<1	1	3	7	9	12	28
20-34	95	5.7	20	1	1	5	8	11	15	65
35-49	156	6.3	30	1	2	6	8	13	15	24
50-64	203	6.2	34	1	2	5	8	11	16	32
65+	237	5.4	22	1	1	4	7	11	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	4.8	30	1	2	3	5	9	12	37
20-34	639	4.6	13	1	2	4	6	8	10	18
35-49	1111	4.9	11	1	2	4	6	9	11	19
50-64	1475	5.3	13	2	2	4	7	9	12	19
65+	1660	6.6	30	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	53	9.0	68	1	2	6	12	22	25	39
20-34	246	7.3	39	2	2	6	9	13	17	30
35-49	548	7.9	36	2	2	6	10	15	19	29
50-64	816	8.3	60	2	2	6	10	16	21	49
65+	1091	9.8	90	2	2	7	12	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	3.9	8	1	1	3	5	7	9	15
B. *Operated*	747	5.8	27	1	1	5	8	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	5066	5.6	19	2	2	4	7	10	13	21
B. *Operated*	2754	8.8	66	2	2	7	11	17	24	44
1. SINGLE DX	2146	4.6	15	1	1	3	6	9	12	20
2. MULTIPLE DX	7820	6.7	38	2	2	5	8	13	17	31
A. NOT OPERATED	6465	5.2	17	1	2	4	6	9	12	20
B. OPERATED	3501	8.1	59	2	2	6	10	16	22	40
TOTAL 0-19 YRS	502	4.8	26	1	1	3	6	9	13	27
20-34	1243	5.0	18	1	2	4	6	9	12	21
35-49	2200	5.6	20	1	2	4	7	10	14	23
50-64	2824	6.1	30	1	2	5	7	11	15	28
65+	3197	7.5	52	2	2	6	9	15	20	36
GRAND TOTAL	**9966**	**6.2**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.8	9	1	2	3	4	7	8	17
20-34	150	4.4	9	1	1	4	6	8	10	14
35-49	205	4.9	9	2	2	4	6	8	10	15
50-64	217	4.6	11	1	2	4	6	8	9	24
65+	190	5.9	29	1	2	5	7	10	14	31
B. *Operated*										
0-19 YRS	5	4.6	7	3	3	3	6	9	9	9
20-34	60	6.8	13	3	4	6	8	11	14	22
35-49	175	8.1	34	1	3	7	11	15	18	23
50-64	177	8.2	33	1	2	7	11	17	20	28
65+	154	8.5	37	2	3	7	11	15	20	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.5	37	2	2	4	8	18	21	26
20-34	211	5.7	16	1	2	5	7	10	13	21
35-49	417	5.9	17	2	2	5	7	10	12	17
50-64	675	6.6	19	2	2	6	8	12	15	21
65+	948	7.9	31	2	3	7	10	14	19	29
B. *Operated*										
0-19 YRS	10	8.3	17	3	3	8	11	14	16	16
20-34	83	8.3	33	2	2	7	11	15	21	28
35-49	310	8.6	32	2	3	8	11	16	19	26
50-64	470	9.7	49	2	3	8	13	18	22	36
65+	704	11.1	75	3	4	9	14	22	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	4.9	14	1	2	4	6	9	11	22
B. *Operated*	571	8.0	32	2	3	7	10	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	2278	6.9	24	2	3	6	8	12	16	27
B. *Operated*	1577	10.0	57	2	3	8	13	18	25	37
1. SINGLE DX	1367	6.2	24	1	2	5	8	12	15	25
2. MULTIPLE DX	3855	8.2	40	2	3	7	10	15	20	33
A. NOT OPERATED	3074	6.4	22	2	2	5	8	11	15	25
B. OPERATED	2148	9.5	51	2	3	8	12	17	23	36
TOTAL 0-19 YRS	76	5.4	22	2	2	4	7	10	17	24
20-34	504	5.9	18	1	2	5	7	11	14	23
35-49	1107	6.8	24	2	2	6	9	13	16	24
50-64	1539	7.5	31	2	2	6	9	14	18	29
65+	1996	8.9	50	2	3	7	11	16	23	35
GRAND TOTAL	**5222**	**7.7**	**37**	**2**	**2**	**6**	**9**	**15**	**19**	**30**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.9	6	1	1	3	6	7	8	8
20-34	35	4.4	6	1	2	4	5	8	9	12
35-49	79	5.6	13	1	2	4	7	11	13	17
50-64	119	5.3	6	2	2	5	7	8	9	15
65+	136	7.0	20	2	3	6	8	13	16	21
B. *Operated*										
0-19 YRS	4	5.8	4	4	4	6	7	8	8	8
20-34	40	8.1	13	4	4	7	10	11	13	24
35-49	62	9.9	21	4	5	9	13	17	18	25
50-64	101	10.2	40	3	4	8	13	17	21	35
65+	121	11.0	34	4	5	10	14	19	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.9	2	3	3	4	6	7	7	7
20-34	37	5.9	15	2	3	5	7	9	15	20
35-49	103	6.8	13	2	3	6	8	10	13	22
50-64	254	7.7	30	3	3	6	9	14	18	32
65+	508	9.4	42	3	4	8	11	16	21	32
B. *Operated*										
0-19 YRS	7	9.4	62	3	3	5	13	23	25	25
20-34	26	13.9	142	5	6	10	14	24	50	53
35-49	108	11.8	129	3	4	9	13	21	26	70
50-64	212	14.7	163	4	5	11	18	26	36	72
65+	546	14.9	170	4	5	11	18	30	41	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	5.8	13	2	2	5	7	9	13	19
B. *Operated*	328	10.1	31	3	4	9	13	18	20	27
2. MULTIPLE DX										
A. *Not Operated*	912	8.4	35	3	4	7	10	15	19	31
B. *Operated*	899	14.4	163	4	5	11	17	27	39	74
1. SINGLE DX	710	7.8	26	2	3	6	10	15	18	25
2. MULTIPLE DX	1811	11.4	107	3	4	8	14	21	29	60
A. NOT OPERATED	1294	7.7	30	2	3	6	9	14	17	29
B. OPERATED	1227	13.3	131	4	5	10	16	24	34	69
TOTAL 0-19 YRS	34	5.6	19	1	2	4	7	8	13	25
20-34	138	7.7	46	2	3	6	9	12	17	49
35-49	352	8.6	56	2	3	7	10	15	19	35
50-64	686	9.8	81	3	4	7	12	19	24	50
65+	1311	11.6	101	3	4	9	14	21	29	61
GRAND TOTAL	**2521**	**10.4**	**87**	**3**	**4**	**8**	**13**	**19**	**26**	**54**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	3.5	7	1	1	3	4	6	7	11
20-34	860	4.1	6	1	2	4	5	7	8	11
35-49	938	4.3	7	1	2	4	5	7	9	14
50-64	603	4.8	8	2	2	4	6	8	10	16
65+	371	5.3	9	2	2	5	7	9	10	17
B. *Operated*										
0-19 YRS	10	6.9	11	3	3	7	9	11	13	13
20-34	105	9.3	26	3	4	8	11	14	20	28
35-49	170	10.4	38	2	4	9	13	18	21	29
50-64	127	9.6	23	4	4	9	12	16	18	26
65+	43	10.2	36	3	4	9	13	17	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	4.6	8	1	2	4	6	8	10	16
20-34	890	5.2	13	2	2	4	6	9	12	18
35-49	1424	5.3	11	2	2	4	7	9	12	17
50-64	1621	6.0	19	2	3	5	7	10	13	21
65+	1787	7.3	27	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	8	8.3	17	3	3	8	11	13	14	14
20-34	166	9.4	32	2	3	9	12	16	19	27
35-49	328	10.1	51	3	4	9	13	18	21	31
50-64	399	10.6	51	3	4	9	14	19	25	38
65+	351	11.4	73	3	4	9	14	22	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2989	4.4	7	1	2	4	6	8	9	14
B. *Operated*	455	9.8	31	3	4	9	12	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	5885	6.1	19	2	2	5	7	11	14	22
B. *Operated*	1252	10.5	55	3	4	9	13	19	25	41
1. SINGLE DX	3444	5.1	14	1	2	4	6	9	12	19
2. MULTIPLE DX	7137	6.8	28	2	3	5	8	13	16	27
A. NOT OPERATED	8874	5.5	16	2	2	5	7	10	12	20
B. OPERATED	1707	10.3	48	3	4	9	13	18	24	38
TOTAL 0-19 YRS	398	4.2	8	1	2	3	5	8	9	14
20-34	2021	5.3	15	2	2	4	7	10	12	21
35-49	2860	5.8	20	2	2	5	7	11	14	21
50-64	2750	6.6	25	2	3	5	8	12	16	25
65+	2552	7.6	34	2	3	6	9	14	18	31
GRAND TOTAL	**10581**	**6.3**	**24**	**2**	**2**	**5**	**8**	**12**	**15**	**25**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	4.3	5	1	2	4	5	6	7	14
20-34	265	4.7	4	2	2	5	6	8	8	11
35-49	319	5.1	8	2	2	5	6	9	10	15
50-64	321	5.4	6	2	3	5	7	9	10	13
65+	283	6.8	15	2	3	6	8	11	14	21
B. *Operated*										
0-19 YRS	15	6.7	13	2	2	6	9	10	14	15
20-34	114	9.7	45	5	6	8	10	17	19	48
35-49	147	10.1	19	5	6	9	12	15	18	28
50-64	145	10.8	39	5	5	9	13	18	21	38
65+	127	12.2	38	4	6	11	15	22	25	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.6	10	2	2	5	8	10	12	12
20-34	161	5.3	8	2	3	5	7	9	11	14
35-49	315	5.9	11	2	3	5	7	10	12	17
50-64	554	7.0	24	2	3	6	8	12	15	25
65+	879	8.8	45	3	4	7	11	15	20	40
B. *Operated*										
0-19 YRS	8	12.5	57	4	5	11	17	24	26	26
20-34	58	12.2	104	3	4	9	14	26	28	61
35-49	117	12.1	67	4	5	10	14	22	27	51
50-64	253	14.3	90	4	6	12	18	26	37	54
65+	431	18.3	177	5	6	14	23	36	46	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1234	5.5	9	2	3	5	7	9	11	16
B. *Operated*	548	10.6	35	5	6	9	13	18	21	33
2. MULTIPLE DX										
A. *Not Operated*	1933	7.5	31	2	3	6	9	13	17	31
B. *Operated*	867	15.8	137	4	6	12	20	32	42	64
1. SINGLE DX	1782	7.1	22	2	3	6	9	12	16	24
2. MULTIPLE DX	2800	10.1	79	3	3	7	12	20	28	49
A. NOT OPERATED	3167	6.7	24	2	3	6	8	11	14	25
B. OPERATED	1415	13.8	104	4	6	11	16	26	35	54
TOTAL 0-19 YRS	93	5.7	16	2	2	5	7	10	14	23
20-34	598	6.6	29	2	3	5	8	10	14	28
35-49	898	7.1	25	2	3	6	9	12	15	27
50-64	1273	8.5	45	3	3	7	10	16	21	38
65+	1720	11.1	91	3	4	8	13	21	30	50
GRAND TOTAL	**4582**	**8.9**	**59**	**2**	**3**	**7**	**10**	**17**	**23**	**43**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	1	4	4	5	6	6	6	6
20-34	20	5.7	16	2	2	4	7	9	14	19
35-49	16	6.1	10	2	2	6	8	10	12	13
50-64	26	6.4	9	2	3	6	8	10	12	15
65+	24	9.8	49	3	4	8	12	19	24	35
B. *Operated*										
0-19 YRS	2	13.0	32	9	9	13	17	17	17	17
20-34	18	13.4	40	7	8	11	19	24	27	29
35-49	52	14.8	80	5	7	13	16	28	37	43
50-64	55	14.4	45	5	7	13	18	21	27	37
65+	46	17.4	91	8	9	15	20	31	39	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	8.8	33	2	2	9	13	14	14	14
20-34	15	8.1	21	2	3	7	11	13	17	19
35-49	38	7.0	17	2	3	7	9	11	14	24
50-64	54	8.0	20	2	4	7	10	14	18	23
65+	100	10.6	54	4	4	9	13	19	25	40
B. *Operated*										
0-19 YRS										
20-34	15	15.1	46	6	6	14	19	23	29	31
35-49	69	15.2	77	5	7	13	18	27	34	91
50-64	91	17.2	86	8	9	16	21	26	35	51
65+	126	21.7	223	6	9	17	26	40	54	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	7.0	23	2	3	6	8	12	15	29
B. *Operated*	173	15.2	68	6	8	13	18	25	35	45
2. MULTIPLE DX										
A. *Not Operated*	211	9.1	38	3	4	7	11	17	21	32
B. *Operated*	301	18.5	146	6	8	15	22	35	45	68
1. SINGLE DX	262	12.4	67	3	4	11	16	20	30	43
2. MULTIPLE DX	512	14.6	123	4	5	12	19	26	38	58
A. NOT OPERATED	300	8.5	34	2	3	7	10	15	19	32
B. OPERATED	474	17.3	120	6	8	15	20	31	40	59
TOTAL 0-19 YRS	9	8.4	26	2	3	6	13	16	17	17
20-34	68	10.3	44	3	3	9	13	20	23	31
35-49	175	12.5	73	3	4	10	16	23	33	53
50-64	226	13.1	70	4	5	11	18	23	26	45
65+	296	16.3	158	4	5	13	20	33	42	62
GRAND TOTAL	**774**	**13.9**	**105**	**3**	**5**	**11**	**18**	**25**	**35**	**55**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	777	2.7	3	1	1	2	3	5	6	8
20-34	1383	3.3	5	1	1	3	4	6	7	11
35-49	1129	3.9	6	1	2	3	5	7	9	13
50-64	675	4.2	9	1	2	3	5	7	9	14
65+	380	4.8	11	1	2	4	6	8	10	19
B. *Operated*										
0-19 YRS	26	3.8	3	2	2	4	5	6	8	8
20-34	109	6.5	16	2	3	6	8	12	14	21
35-49	146	7.4	21	2	3	6	10	14	17	23
50-64	119	7.4	35	2	2	6	10	15	19	30
65+	77	7.1	28	2	2	6	9	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1022	3.3	5	1	1	3	4	6	7	11
20-34	2266	4.4	10	1	2	4	5	8	10	15
35-49	2827	5.1	10	2	2	4	6	9	11	17
50-64	2805	5.6	13	2	2	5	7	10	12	18
65+	3013	6.7	25	2	3	5	8	12	15	28
B. *Operated*										
0-19 YRS	50	6.9	20	2	3	6	8	12	16	27
20-34	345	7.5	26	2	3	6	9	14	17	27
35-49	595	8.5	39	2	3	7	10	15	18	30
50-64	656	9.1	41	3	3	7	11	17	22	35
65+	715	10.3	57	3	4	8	13	20	26	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4344	3.6	6	1	1	3	4	7	8	13
B. *Operated*	477	6.9	24	2	2	6	9	13	17	24
2. MULTIPLE DX										
A. *Not Operated*	11933	5.3	15	2	2	4	7	10	12	19
B. *Operated*	2361	9.0	44	2	3	7	11	17	22	34
1. SINGLE DX	4821	4.0	9	1	1	3	5	7	9	16
2. MULTIPLE DX	14294	5.9	22	2	2	5	7	11	14	24
A. NOT OPERATED	16277	4.9	13	1	2	4	6	9	11	16
B. OPERATED	2838	8.7	41	2	3	7	11	16	21	33
TOTAL 0-19 YRS	1875	3.2	5	1	1	3	4	5	7	11
20-34	4103	4.4	11	1	2	4	5	8	10	16
35-49	4697	5.3	15	2	2	4	7	10	12	19
50-64	4255	5.9	19	2	2	5	7	11	14	23
65+	4185	7.1	32	2	3	6	9	13	17	30
GRAND TOTAL	19115	5.4	19	1	2	4	7	10	13	22

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	3.2	4	1	1	3	4	5	7	12
20-34	408	3.5	5	1	2	3	4	6	7	11
35-49	358	4.1	7	1	2	3	5	7	9	13
50-64	228	4.2	8	1	2	3	5	8	9	15
65+	112	5.2	12	1	2	4	7	9	12	17
B. *Operated*										
0-19 YRS	98	4.4	6	2	2	4	5	7	10	15
20-34	26	7.6	49	1	3	6	8	17	26	31
35-49	54	11.6	48	4	5	10	15	21	23	39
50-64	52	14.8	104	2	4	13	19	29	36	46
65+	45	13.9	59	3	4	14	18	24	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	215	3.4	4	1	1	3	4	6	7	11
20-34	620	4.4	8	2	2	4	5	8	10	15
35-49	771	5.1	13	2	2	4	6	9	12	20
50-64	691	5.6	15	2	2	5	7	10	13	21
65+	738	6.9	39	2	2	5	8	13	17	28
B. *Operated*										
0-19 YRS	35	7.3	22	2	3	5	10	14	18	20
20-34	103	8.7	32	2	3	7	12	17	20	27
35-49	187	10.7	59	2	3	8	15	20	25	39
50-64	213	15.6	167	3	4	12	20	30	41	67
65+	240	18.1	143	4	6	15	23	37	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1333	3.9	7	1	2	3	5	7	9	14
B. *Operated*	275	9.6	64	2	3	7	13	21	25	38
2. MULTIPLE DX										
A. *Not Operated*	3035	5.4	19	2	2	4	7	10	13	22
B. *Operated*	778	13.9	123	3	4	11	18	27	37	53
1. SINGLE DX	1608	4.8	21	1	2	3	5	9	14	25
2. MULTIPLE DX	3813	7.1	52	2	2	5	8	15	21	38
A. NOT OPERATED	4368	4.9	16	1	2	4	6	9	12	21
B. OPERATED	1053	12.8	111	3	3	10	17	26	35	51
TOTAL 0-19 YRS	575	3.7	6	1	2	3	4	6	9	14
20-34	1157	4.5	12	1	2	4	5	8	11	19
35-49	1370	5.9	25	2	2	4	7	12	16	26
50-64	1184	7.6	63	2	2	5	9	16	22	42
65+	1135	9.4	82	2	2	6	12	21	27	46
GRAND TOTAL	5421	6.5	44	2	2	4	7	13	19	36

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	2	1	1	2	3	4	6	7
20-34	23	2.8	6	<1	<1	2	4	7	9	10
35-49	14	2.8	8	<1	1	2	3	5	10	12
50-64	2	4.5	25	1	1	4	8	8	8	8
65+	4	6.3	37	<1	<1	4	10	15	15	15
B. *Operated*										
0-19 YRS	3921	3.6	3	2	2	3	4	5	6	10
20-34	2635	3.8	3	2	2	4	4	6	7	10
35-49	743	4.2	4	2	2	4	5	6	8	11
50-64	332	5.3	8	2	3	5	6	9	10	16
65+	124	6.6	12	3	3	6	8	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.1	3	<1	<1	3	4	5	6	6
20-34	13	2.9	3	1	1	3	4	5	6	6
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	2	6.5	5	5	5	6	8	8	8	8
65+	6	5.3	12	2	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	505	5.0	10	2	2	4	6	9	11	16
20-34	421	5.6	10	2	3	5	6	9	12	18
35-49	185	6.9	17	3	3	6	8	12	15	24
50-64	156	7.9	31	3	4	7	9	13	17	20
65+	118	10.8	60	3	4	9	13	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.9	7	<1	1	2	4	6	8	14
B. *Operated*	7755	3.8	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	33	3.8	6	1	1	3	5	8	9	10
B. *Operated*	1385	6.3	20	2	3	5	7	11	14	24
1. SINGLE DX	7833	3.8	4	2	2	3	4	6	7	11
2. MULTIPLE DX	1418	6.2	20	2	3	5	7	11	14	24
A. NOT OPERATED	111	3.2	7	<1	1	2	4	7	8	13
B. OPERATED	9140	4.2	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	4471	3.7	4	2	2	3	4	6	7	11
20-34	3092	4.1	4	2	2	4	5	6	8	12
35-49	944	4.7	8	2	3	4	5	8	10	16
50-64	492	6.1	17	2	3	5	7	10	12	20
65+	252	8.5	39	3	3	7	10	15	20	29
GRAND TOTAL	9251	4.2	7	2	2	4	5	7	9	14

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.9	4	1	1	4	5	6	7	7
20-34	8	8.4	12	5	5	8	9	14	16	16
35-49	5	5.0	5	2	2	5	7	7	7	7
50-64	8	8.9	3	6	6	9	10	11	11	11
65+	4	11.3	12	8	8	10	13	16	16	16
B. *Operated*										
0-19 YRS	861	6.9	16	2	3	6	9	11	14	20
20-34	450	6.7	14	2	3	6	8	11	13	19
35-49	271	7.6	16	3	3	7	9	12	15	23
50-64	226	9.5	26	4	5	8	11	15	18	32
65+	139	10.9	42	4	5	10	13	17	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	13.0	19	8	8	15	16	16	16	16
50-64	4	11.5	58	4	4	10	17	21	21	21
65+	9	9.7	26	3	4	10	12	18	20	20
B. *Operated*										
0-19 YRS	317	9.9	28	4	5	8	12	16	20	29
20-34	199	10.8	36	3	4	10	13	20	23	29
35-49	159	11.4	46	4	5	10	13	18	24	42
50-64	267	14.2	99	6	6	11	17	24	30	67
65+	237	16.8	147	6	7	13	20	31	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	7.1	13	2	2	7	9	11	15	16
B. *Operated*	1947	7.5	20	2	3	7	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	19	9.9	29	3	4	8	14	18	21	21
B. *Operated*	1179	12.6	79	4	5	10	15	22	28	52
1. SINGLE DX	1982	7.5	20	2	3	7	9	12	15	24
2. MULTIPLE DX	1198	12.6	78	4	5	10	15	22	28	52
A. NOT OPERATED	54	8.1	20	2	3	7	10	15	16	21
B. OPERATED	3126	9.4	48	3	3	8	1	16	21	38
TOTAL 0-19 YRS	1190	7.7	21	2	3	7	10	13	15	26
20-34	658	7.9	24	2	3	7	1	14	18	26
35-49	438	9.0	30	3	4	8	1	15	18	30
50-64	505	12.0	70	5	6	10	1	21	26	55
65+	389	14.5	114	5	6	11	1	25	36	60
GRAND TOTAL	3180	9.4	48	3	3	8	11	16	21	38

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.2	2	1	1	2	3	4	5	7
20-34	56	2.7	3	1	1	2	3	6	6	9
35-49	17	3.1	2	1	2	3	4	5	6	6
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	3	4.0	7	1	1	5	6	6	6	6
B. *Operated*										
0-19 YRS	527	4.0	5	2	2	4	5	6	8	11
20-34	334	4.5	5	2	2	4	5	7	9	13
35-49	101	4.9	4	2	3	4	6	8	9	11
50-64	42	6.7	24	2	3	5	7	17	19	21
65+	20	6.9	8	3	4	6	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	2.5	6	1	1	2	3	4	6	16
20-34	30	2.9	5	1	1	2	3	6	8	11
35-49	10	3.4	3	1	1	3	5	6	6	6
50-64	7	4.1	11	2	2	3	5	10	11	11
65+	5	6.8	20	3	3	7	9	14	14	14
B. *Operated*										
0-19 YRS	229	5.0	8	2	3	4	6	9	11	16
20-34	190	6.0	19	2	3	5	7	10	12	21
35-49	59	7.8	16	3	4	7	11	14	15	21
50-64	31	10.0	49	3	4	8	13	20	26	30
65+	26	10.8	26	3	4	10	14	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	2.5	2	1	1	2	3	5	6	7
B. *Operated*	1024	4.4	6	2	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	102	3.0	7	1	1	2	3	6	9	15
B. *Operated*	535	6.2	19	2	3	5	7	11	15	21
1. SINGLE DX	1201	4.1	6	1	2	4	5	7	8	13
2. MULTIPLE DX	637	5.7	18	2	2	5	7	11	14	21
A. NOT OPERATED	279	2.7	4	1	1	2	3	5	6	11
B. OPERATED	1559	5.0	11	2	2	4	6	9	11	19
TOTAL 0-19 YRS	903	4.0	6	1	2	3	5	7	8	13
20-34	610	4.7	10	1	2	4	6	8	10	16
35-49	187	5.5	10	2	3	5	6	10	11	16
50-64	84	7.5	35	2	2	5	10	17	20	29
65+	54	8.6	22	3	3	7	11	15	19	21
GRAND TOTAL	**1838**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**11**	**17**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	1.5	1	<1	<1	1	2	3	5	5
20-34	20	2.4	1	1	1	2	3	4	4	5
35-49	20	2.5	3	<1	<1	2	4	5	6	7
50-64	36	2.9	5	<1	<1	3	4	5	7	10
65+	31	3.7	27	1	1	2	3	9	12	27
B. *Operated*										
0-19 YRS	2947	2.2	1	<1	1	2	3	4	4	6
20-34	2929	3.6	2	2	2	3	4	5	6	8
35-49	3003	4.0	3	2	2	4	5	6	7	10
50-64	4061	4.4	3	2	3	4	5	7	8	11
65+	3077	5.0	6	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	2.2	13	<1	<1	1	2	4	6	23
20-34	25	2.0	2	<1	<1	1	2	4	5	7
35-49	28	2.7	2	<1	1	2	4	5	5	5
50-64	60	3.6	15	<1	1	3	5	6	8	24
65+	107	5.2	18	1	2	4	7	11	16	20
B. *Operated*										
0-19 YRS	1515	2.4	3	1	1	2	3	4	5	9
20-34	813	4.4	6	2	2	4	5	7	9	12
35-49	1339	5.1	8	2	3	4	6	8	10	17
50-64	2560	5.6	10	2	3	5	7	9	11	18
65+	3068	7.2	22	3	3	6	9	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	2.6	8	<1	<1	2	3	5	7	13
B. *Operated*	16017	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	330	3.4	15	<1	<1	2	4	7	11	21
B. *Operated*	9295	5.4	15	1	2	5	7	9	12	20
1. SINGLE DX	16157	3.9	4	1	2	4	5	6	7	10
2. MULTIPLE DX	9625	5.3	15	1	2	4	7	9	12	20
A. NOT OPERATED	470	3.2	13	<1	<1	2	4	6	10	20
B. OPERATED	25312	4.4	9	1	2	4	5	7	9	16
TOTAL 0-19 YRS	4605	2.2	2	<1	1	2	3	4	5	7
20-34	3787	3.8	3	2	2	4	4	6	7	10
35-49	4390	4.3	5	2	2	4	5	6	8	12
50-64	6717	4.8	6	2	3	4	6	8	9	14
65+	6283	6.0	15	2	3	5	7	10	13	21
GRAND TOTAL	**25782**	**4.4**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**16**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	12	3.4	18	<1	<1	2	3	11	14	14
B. *Operated*										
0-19 YRS	182	2.5	3	1	1	2	3	4	5	10
20-34	95	4.2	3	2	3	4	5	6	7	11
35-49	87	4.4	5	2	2	4	5	7	9	14
50-64	127	5.5	12	2	3	5	7	8	11	17
65+	224	6.1	10	2	3	5	7	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	5	3.2	11	1	1	2	4	9	9	9
65+	15	5.4	17	1	1	4	7	11	14	15
B. *Operated*										
0-19 YRS	94	3.1	6	1	1	2	4	6	7	15
20-34	35	5.6	11	2	3	5	7	10	14	16
35-49	53	5.7	9	2	3	5	7	10	12	16
50-64	114	8.3	37	3	4	7	10	14	19	35
65+	350	10.5	82	3	4	8	12	19	22	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.0	13	<1	1	2	3	9	13	14
B. *Operated*	715	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	24	4.3	15	<1	1	3	5	11	12	15
B. *Operated*	646	8.4	60	2	2	7	10	16	20	48
1. SINGLE DX	732	4.6	9	1	2	4	6	8	10	15
2. MULTIPLE DX	670	8.3	59	2	2	6	10	16	20	47
A. NOT OPERATED	41	3.8	14	<1	1	2	4	10	12	15
B. OPERATED	1361	6.4	37	1	2	5	8	12	16	33
TOTAL 0-19 YRS	280	2.6	4	1	1	2	3	5	6	11
20-34	133	4.5	5	2	3	4	5	7	8	15
35-49	140	4.9	7	2	2	4	6	8	10	16
50-64	248	6.7	25	2	3	5	8	11	14	27
65+	601	8.6	57	2	3	7	10	15	20	45
GRAND TOTAL	**1402**	**6.3**	**36**	**1**	**2**	**5**	**8**	**11**	**16**	**32**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	757	2.2	1	<1	1	2	3	3	4	6
20-34	240	3.4	3	1	2	3	4	5	7	10
35-49	242	3.8	9	1	2	3	4	6	7	11
50-64	176	4.2	5	2	2	4	5	7	9	12
65+	74	4.9	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.7	2	<1	<1	1	2	4	6	6
20-34	6	3.5	12	<1	<1	2	4	9	10	10
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	11	2.8	4	<1	<1	2	4	6	7	7
65+	12	7.6	33	2	3	6	7	18	21	22
B. *Operated*										
0-19 YRS	182	2.8	4	<1	1	2	3	5	7	11
20-34	129	5.0	13	2	2	4	6	8	9	19
35-49	186	5.1	9	2	2	4	6	9	12	16
50-64	167	6.8	35	2	3	5	8	11	16	39
65+	119	8.6	30	3	3	7	11	16	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.3	2	<1	<1	2	3	5	5	5
B. *Operated*	1489	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	56	3.4	15	<1	1	2	5	7	9	22
B. *Operated*	783	5.4	21	1	2	4	7	10	14	23
1. SINGLE DX	1496	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX	839	5.3	20	1	2	4	6	10	14	23
A. NOT OPERATED	63	3.3	13	<1	1	2	4	7	8	21
B. OPERATED	2272	3.9	11	1	1	3	5	7	9	16
TOTAL 0-19 YRS	966	2.3	2	<1	1	2	3	4	5	8
20-34	375	3.9	7	2	2	3	5	6	8	10
35-49	432	4.3	9	2	2	4	5	7	9	15
50-64	355	5.4	21	2	2	4	6	9	12	28
65+	207	7.2	25	2	3	6	9	14	17	25
GRAND TOTAL	**2335**	**3.8**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	7	2.4	3	<1	<1	2	4	5	5	5
50-64	9	2.9	6	<1	<1	2	3	7	9	9
65+	10	2.9	2	1	1	3	3	5	6	6
B. *Operated*										
0-19 YRS	105	2.4	2	1	1	2	3	4	5	7
20-34	339	4.3	5	2	2	4	5	7	8	10
35-49	533	5.8	10	2	3	5	7	9	12	18
50-64	727	6.6	14	3	3	6	8	10	13	21
65+	449	6.9	11	3	3	7	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	4.4	9	1	1	4	6	9	11	11
35-49	32	5.1	11	<1	1	5	7	10	11	14
50-64	48	4.9	15	1	1	4	6	9	14	21
65+	87	5.5	32	1	2	4	6	10	16	34
B. *Operated*										
0-19 YRS	31	4.2	22	1	1	2	4	14	16	18
20-34	208	6.0	19	2	2	5	7	9	12	21
35-49	462	7.5	20	3	3	7	9	13	16	26
50-64	643	9.0	34	3	4	8	11	16	19	29
65+	596	10.6	39	3	4	9	13	18	23	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.8	3	<1	1	2	3	5	6	9
B. *Operated*	2153	5.9	12	2	2	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	180	5.2	22	1	1	4	7	10	14	24
B. *Operated*	1940	8.7	33	3	3	7	11	15	19	30
1. SINGLE DX	2181	5.9	12	2	2	5	7	10	12	19
2. MULTIPLE DX	2120	8.4	33	2	3	7	10	15	19	30
A. NOT OPERATED	208	4.9	20	1	1	4	6	10	12	23
B. OPERATED	4093	7.2	24	2	3	6	9	13	16	25
TOTAL 0-19 YRS	139	2.8	7	1	1	2	3	5	6	16
20-34	559	4.9	11	2	2	4	6	8	9	16
35-49	1034	6.6	15	2	3	6	8	11	13	22
50-64	1427	7.6	25	3	3	7	9	13	16	26
65+	1142	8.7	31	3	3	8	11	15	19	30
GRAND TOTAL	**4301**	**7.1**	**24**	**2**	**3**	**6**	**9**	**13**	**16**	**25**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.2	1	2	2	3	4	5	5	5
20-34	112	3.8	5	1	2	3	5	6	8	13
35-49	284	3.8	5	1	2	3	5	7	8	12
50-64	355	3.9	5	1	2	3	5	7	8	12
65+	252	4.9	10	2	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	11	4.2	7	<1	1	4	6	8	9	9
20-34	28	7.6	11	3	3	8	9	12	14	15
35-49	66	8.1	11	3	4	8	9	12	14	19
50-64	60	8.3	17	2	3	8	10	13	15	25
65+	40	9.9	49	2	3	8	13	17	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.8	9	2	2	4	6	9	10	14
20-34	366	4.6	11	2	2	4	5	8	10	17
35-49	1279	4.6	9	2	2	4	6	8	10	17
50-64	2043	5.0	11	2	2	4	6	8	10	18
65+	2599	5.9	18	2	2	5	7	10	13	22
B. *Operated*										
0-19 YRS	10	6.5	7	3	3	6	8	10	12	12
20-34	170	9.1	62	2	3	7	10	15	24	41
35-49	431	9.4	34	2	3	8	12	16	20	30
50-64	584	9.4	34	2	3	8	12	16	20	30
65+	579	10.7	70	2	3	9	13	20	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1013	4.1	7	1	2	3	5	7	9	13
B. *Operated*	205	8.2	21	2	3	8	10	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	6318	5.3	14	2	2	4	6	9	11	19
B. *Operated*	1774	9.8	49	2	3	8	12	17	22	36
1. SINGLE DX	1218	4.8	11	2	2	4	6	9	11	17
2. MULTIPLE DX	8092	6.2	25	2	2	5	8	11	15	26
A. NOT OPERATED	7331	5.1	13	2	2	4	6	9	11	18
B. OPERATED	1979	9.6	46	2	3	8	12	17	22	35
TOTAL 0-19 YRS	62	4.7	8	2	2	4	6	9	10	14
20-34	676	5.7	27	2	2	4	7	10	13	27
35-49	2060	5.6	18	2	2	4	7	11	14	22
50-64	3042	5.8	18	2	2	5	7	11	14	22
65+	3470	6.6	30	2	2	5	8	12	16	28
GRAND TOTAL	**9310**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**25**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	5	2.2	1	1	1	2	3	3	3	3
35-49	8	4.6	21	2	2	3	4	12	16	16
50-64	7	6.4	23	<1	<1	5	10	13	14	14
65+	6	5.0	6	2	2	5	6	9	9	9
B. *Operated*										
0-19 YRS	14	3.1	5	<1	1	3	4	5	9	10
20-34	68	4.3	5	2	2	4	5	7	8	13
35-49	98	4.5	5	2	2	4	6	7	10	12
50-64	102	5.7	10	2	3	5	7	9	12	17
65+	103	5.2	7	2	2	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	7	3.7	3	2	2	3	5	6	6	6
35-49	11	5.7	18	2	2	4	7	13	15	15
50-64	21	6.0	22	1	2	5	7	11	16	22
65+	29	5.7	18	2	2	5	7	9	12	24
B. *Operated*										
0-19 YRS	14	2.7	1	1	1	3	4	4	5	5
20-34	33	6.7	79	2	3	5	7	11	12	54
35-49	66	7.3	43	2	3	6	8	14	25	89
50-64	82	7.9	16	3	3	8	10	13	16	20
65+	123	9.1	62	3	3	8	11	15	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.4	14	<1	1	3	5	10	14	16
B. *Operated*	385	4.9	7	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	70	5.5	17	2	2	5	7	10	12	24
B. *Operated*	318	7.9	47	2	3	6	10	13	18	42
1. SINGLE DX	414	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX	388	7.4	42	2	3	6	9	13	17	37
A. NOT OPERATED	99	5.2	16	1	2	4	6	10	13	23
B. OPERATED	703	6.3	27	2	2	5	8	11	14	29
TOTAL 0-19 YRS	33	2.8	3	<1	1	2	3	4	5	10
20-34	113	4.9	27	2	2	4	6	8	10	28
35-49	183	5.6	22	2	2	4	7	10	13	35
50-64	212	6.6	14	2	3	5	9	11	14	19
65+	261	7.1	37	2	3	6	9	12	15	30
GRAND TOTAL	**802**	**6.1**	**26**	**2**	**2**	**5**	**8**	**11**	**14**	**26**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	7	4.6	42	1	1	2	4	16	19	19
50-64	10	2.2	2	<1	<1	2	3	4	5	5
65+	15	4.5	14	<1	<1	4	5	8	14	16
B. *Operated*										
0-19 YRS	52	2.7	5	<1	1	2	3	4	6	15
20-34	98	4.6	7	2	2	4	5	8	10	14
35-49	141	5.1	11	2	2	4	7	10	11	18
50-64	210	6.7	15	2	3	6	8	12	14	21
65+	244	8.7	41	3	4	7	10	14	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	1	<1	<1	3	3	3	3	3
20-34	3	5.7	20	1	1	6	9	10	10	10
35-49	9	3.9	4	2	2	3	6	7	7	7
50-64	21	6.5	41	1	1	4	9	12	21	30
65+	65	7.2	35	1	2	5	8	16	21	30
B. *Operated*										
0-19 YRS	13	7.8	38	1	2	7	12	15	22	23
20-34	35	6.4	27	1	2	5	7	13	20	21
35-49	131	7.7	21	2	3	7	10	14	16	23
50-64	242	10.5	53	3	4	9	12	18	26	48
65+	391	14.0	141	4	5	11	16	26	35	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.7	15	<1	<1	3	4	6	14	19
B. *Operated*	745	6.5	24	2	2	5	8	11	14	24
2. MULTIPLE DX										
A. *Not Operated*	101	6.5	33	1	2	5	8	12	19	30
B. *Operated*	812	11.5	95	3	4	9	14	21	30	56
1. SINGLE DX	780	6.4	24	2	2	5	8	11	14	24
2. MULTIPLE DX	913	11.0	91	2	3	9	13	21	29	55
A. NOT OPERATED	136	5.8	30	1	1	4	7	10	17	30
B. OPERATED	1557	9.1	68	2	3	7	11	17	22	47
TOTAL 0-19 YRS	69	3.6	14	<1	1	2	4	8	13	21
20-34	138	5.0	12	2	2	4	6	9	12	20
35-49	288	6.3	18	2	2	5	8	12	15	20
50-64	483	8.5	39	2	3	7	11	14	20	37
65+	715	11.4	103	3	4	9	14	21	29	56
GRAND TOTAL	**1693**	**8.9**	**65**	**2**	**3**	**7**	**11**	**16**	**22**	**42**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	3.1	5	<1	1	2	4	6	7	13
20-34	193	4.1	6	1	1	4	5	7	8	11
35-49	333	4.9	10	1	2	4	6	9	10	18
50-64	392	5.0	10	2	2	5	6	8	11	15
65+	536	5.9	16	2	2	5	7	11	13	22
B. *Operated*										
0-19 YRS	103	7.7	31	2	3	6	9	13	16	37
20-34	191	10.3	30	5	5	9	12	17	21	29
35-49	246	11.5	41	5	6	10	13	20	26	37
50-64	262	11.9	37	5	6	11	15	19	22	29
65+	330	14.2	52	7	8	13	17	24	30	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	5.1	51	<1	1	3	6	10	12	48
20-34	198	5.9	22	1	2	5	7	9	16	28
35-49	299	6.3	27	1	2	5	8	11	14	31
50-64	590	7.0	25	2	3	6	9	12	16	24
65+	1425	8.9	42	2	3	7	11	17	22	34
B. *Operated*										
0-19 YRS	88	11.8	97	3	4	9	14	22	28	58
20-34	227	13.5	112	4	5	11	16	26	31	58
35-49	353	14.9	125	5	6	12	17	26	38	59
50-64	534	17.0	156	6	7	13	20	32	40	74
65+	1113	19.1	155	7	8	16	22	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1568	5.1	12	1	2	4	6	9	11	18
B. *Operated*	1132	11.8	44	5	6	10	14	20	25	39
2. MULTIPLE DX										
A. *Not Operated*	2589	7.8	37	2	3	6	10	14	19	33
B. *Operated*	2315	17.2	149	6	7	14	21	31	41	71
1. SINGLE DX	2700	7.9	36	2	2	6	10	15	19	31
2. MULTIPLE DX	4904	12.2	111	2	3	9	15	24	32	58
A. NOT OPERATED	4157	6.8	29	2	2	5	8	13	16	28
B. OPERATED	3447	15.4	121	5	6	12	18	27	37	65
TOTAL 0-19 YRS	382	6.8	53	1	1	5	8	13	18	39
20-34	809	8.6	59	2	2	7	11	17	22	35
35-49	1231	9.4	71	2	3	7	11	17	24	42
50-64	1778	10.3	87	2	3	8	12	20	27	51
65+	3404	12.3	102	2	3	10	16	24	31	54
GRAND TOTAL	**7604**	**10.7**	**89**	**2**	**3**	**8**	**13**	**21**	**28**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5335	3.1	4	1	1	3	4	5	7	10
20-34	2526	3.1	4	1	1	3	4	6	7	10
35-49	1330	3.6	5	1	1	3	4	6	8	12
50-64	950	3.9	7	1	1	3	5	7	9	13
65+	855	4.3	9	1	2	4	5	8	10	14
B. *Operated*										
0-19 YRS	97	4.0	3	2	2	4	5	6	8	10
20-34	167	5.3	21	1	2	4	6	10	12	18
35-49	93	6.2	20	1	2	5	8	13	15	22
50-64	78	7.6	28	1	2	7	11	16	18	78
65+	47	7.7	30	1	2	7	10	14	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6687	3.9	9	1	2	3	5	7	8	14
20-34	2458	3.9	10	1	1	3	5	7	9	13
35-49	2113	4.9	11	2	2	4	6	9	11	17
50-64	2565	5.4	15	2	2	4	7	10	12	20
65+	4857	6.7	27	2	2	5	8	12	16	26
B. *Operated*										
0-19 YRS	165	8.7	99	2	3	6	9	17	25	63
20-34	224	7.9	25	3	3	7	10	14	19	28
35-49	237	9.0	69	2	3	7	10	17	23	54
50-64	331	9.8	47	2	3	8	13	17	22	32
65+	414	12.8	103	3	4	10	16	25	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10996	3.3	5	1	1	3	4	6	7	11
B. *Operated*	482	5.8	21	1	2	5	7	11	15	23
2. MULTIPLE DX										
A. *Not Operated*	18680	5.0	16	1	2	4	6	9	12	19
B. *Operated*	1371	10.1	74	2	3	8	13	19	26	54
1. SINGLE DX	11478	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	20051	5.3	22	1	2	4	6	10	13	23
A. NOT OPERATED	29676	4.4	13	1	2	3	5	8	10	17
B. OPERATED	1853	9.0	64	2	3	7	11	18	23	47
TOTAL 0-19 YRS	12284	3.6	9	1	1	3	4	6	8	13
20-34	5375	3.7	9	1	1	3	5	7	9	14
35-49	3773	4.7	15	1	2	4	6	9	11	18
50-64	3924	5.5	18	1	2	4	7	10	13	21
65+	6173	6.8	33	2	2	5	8	13	17	29
GRAND TOTAL	**31529**	**4.6**	**17**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	4	2	2	2	5	6	6	6
20-34	61	4.0	4	1	2	4	5	7	8	9
35-49	462	4.6	6	2	2	4	6	7	9	12
50-64	989	4.9	8	1	2	4	6	9	10	13
65+	1366	5.3	11	2	2	5	7	10	11	17
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	32	8.8	17	4	5	8	10	14	18	21
35-49	126	9.9	31	2	3	9	12	16	19	29
50-64	279	11.0	28	3	5	10	14	17	19	26
65+	254	13.3	83	2	3	12	17	23	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	4	3	3	5	7	9	9	9
20-34	74	5.5	12	2	2	4	7	11	13	18
35-49	561	5.4	16	2	2	4	7	10	13	19
50-64	2115	5.6	16	2	2	5	7	10	12	18
65+	5504	6.8	23	2	2	6	8	12	15	24
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	45	10.2	15	5	6	9	12	15	18	19
35-49	264	11.7	41	4	5	11	14	19	24	35
50-64	821	12.5	64	3	4	11	16	21	28	41
65+	1419	15.0	120	3	4	13	19	28	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2883	5.0	9	1	2	4	6	9	11	15
B. *Operated*	692	11.5	50	2	4	10	14	18	23	42
2. MULTIPLE DX										
A. *Not Operated*	8263	6.4	21	2	2	5	8	11	14	23
B. *Operated*	2551	13.8	94	3	4	12	17	25	32	49
1. SINGLE DX	3575	6.3	24	2	2	5	8	12	15	23
2. MULTIPLE DX	10814	8.1	48	2	3	6	10	16	20	36
A. NOT OPERATED	11146	6.0	18	2	2	5	8	11	13	22
B. OPERATED	3243	13.3	85	3	4	11	16	23	31	48
TOTAL 0-19 YRS	17	5.5	8	2	2	5	7	10	11	11
20-34	212	6.6	17	2	2	6	9	12	15	19
35-49	1413	6.7	26	2	2	5	9	13	16	25
50-64	4204	7.1	33	2	2	6	9	14	17	29
65+	8543	8.1	50	2	2	6	10	15	21	37
GRAND TOTAL	**14389**	**7.7**	**43**	**2**	**2**	**6**	**10**	**15**	**19**	**34**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.8	3	1	1	2	4	5	6	8
20-34	61	3.4	7	1	1	3	4	6	7	17
35-49	56	3.9	7	1	1	4	5	7	9	15
50-64	45	3.6	7	<1	1	3	5	7	8	14
65+	15	3.9	5	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	173	3.0	3	1	1	3	4	5	7	11
20-34	1182	3.5	4	1	2	3	4	5	6	9
35-49	1067	3.9	8	1	2	3	5	6	8	13
50-64	557	4.2	9	1	2	3	5	7	9	15
65+	191	5.4	27	2	2	4	6	9	12	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	4	<1	1	3	4	6	8	8
20-34	81	4.0	9	1	1	3	5	7	8	20
35-49	93	5.6	46	1	2	4	6	11	19	40
50-64	86	5.6	22	1	2	4	6	11	16	24
65+	58	6.1	23	1	2	5	8	12	13	29
B. *Operated*										
0-19 YRS	84	4.1	12	1	2	3	5	7	8	24
20-34	820	4.6	11	2	2	4	5	7	9	16
35-49	1038	5.0	13	2	2	4	6	9	11	19
50-64	846	5.7	22	2	2	5	7	10	12	23
65+	428	8.1	85	2	3	6	9	15	23	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	3.6	6	1	1	3	5	6	8	14
B. *Operated*	3170	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	343	5.1	25	1	2	4	6	10	13	26
B. *Operated*	3216	5.5	26	2	2	4	6	9	12	26
1. SINGLE DX	3373	3.8	8	1	2	3	5	6	8	13
2. MULTIPLE DX	3559	5.5	26	2	2	4	6	9	13	26
A. NOT OPERATED	546	4.5	19	1	1	4	5	8	11	24
B. OPERATED	6386	4.7	17	2	2	4	5	8	10	20
TOTAL 0-19 YRS	308	3.3	6	1	1	3	4	5	7	12
20-34	2144	3.9	7	1	2	3	5	6	8	14
35-49	2254	4.5	12	1	2	4	5	7	10	17
50-64	1534	5.1	17	2	2	4	6	9	11	22
65+	692	7.1	64	2	2	5	8	12	17	41
GRAND TOTAL	**6932**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**21**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	823	3.5	8	1	1	3	4	6	8	16
20-34	1669	4.3	12	1	2	3	5	8	10	17
35-49	1318	4.5	13	1	2	4	6	9	11	19
50-64	848	4.5	13	1	1	4	6	9	11	15
65+	746	5.1	20	1	1	4	6	10	13	25
B. *Operated*										
0-19 YRS	223	6.0	40	1	1	4	7	12	18	34
20-34	703	7.6	41	1	2	6	10	15	21	33
35-49	597	8.0	50	1	2	6	10	16	22	33
50-64	472	7.9	58	1	2	6	11	16	21	39
65+	462	9.9	69	1	2	8	13	20	24	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	647	4.0	9	1	1	3	5	7	10	16
20-34	2017	5.1	15	1	2	4	6	9	11	19
35-49	2291	5.4	24	2	2	4	6	10	13	22
50-64	2425	5.7	19	2	2	4	7	11	14	23
65+	3988	6.8	36	2	2	5	8	13	17	33
B. *Operated*										
0-19 YRS	248	8.4	74	1	2	6	10	17	25	46
20-34	1213	9.3	85	2	3	7	11	18	25	55
35-49	1259	10.4	95	2	3	7	13	21	29	49
50-64	1310	11.0	114	2	3	8	14	22	30	63
65+	1702	13.7	152	2	3	10	17	30	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5404	4.4	13	1	1	3	5	8	11	19
B. *Operated*	2457	8.0	53	1	2	6	10	17	21	34
2. MULTIPLE DX										
A. *Not Operated*	11368	5.8	25	2	2	4	7	11	14	26
B. *Operated*	5732	11.2	116	2	3	8	14	23	32	59
1. SINGLE DX	7861	5.5	28	1	2	4	7	11	15	27
2. MULTIPLE DX	17100	7.6	62	2	2	5	9	15	21	43
A. NOT OPERATED	16772	5.4	22	1	2	4	7	10	13	24
B. OPERATED	8189	10.3	99	2	2	7	13	21	29	55
TOTAL 0-19 YRS	1941	4.6	23	1	1	3	5	9	12	25
20-34	5602	6.1	36	1	2	4	7	11	16	33
35-49	5465	6.6	46	1	2	5	8	13	18	35
50-64	5055	7.1	52	1	2	5	9	14	19	38
65+	6898	8.5	75	2	2	6	10	17	25	47
GRAND TOTAL	**24961**	**7.0**	**52**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	26	7.8	70	2	2	5	7	19	30	38
35-49	74	10.6	84	2	2	8	12	22	35	44
50-64	74	8.2	28	2	3	7	11	15	19	26
65+	30	8.2	36	2	2	6	11	16	18	27
B. *Operated*										
0-19 YRS										
20-34	15	8.6	75	2	2	5	14	22	27	29
35-49	15	7.3	36	<1	2	6	10	17	21	22
50-64	30	8.1	69	1	2	5	11	19	25	37
65+	4	13.5	84	1	1	15	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	16.5	294	6	6	9	26	42	42	42
20-34	111	11.9	101	1	3	8	17	28	28	44
35-49	421	11.4	90	2	3	8	14	26	29	41
50-64	580	12.6	99	3	4	10	16	26	33	45
65+	240	13.7	115	3	4	11	17	27	32	51
B. *Operated*										
0-19 YRS										
20-34	30	15.5	263	3	4	11	18	28	29	91
35-49	128	13.8	121	2	3	11	19	29	37	52
50-64	176	15.2	200	2	3	11	20	34	43	80
65+	68	16.1	122	4	5	15	21	29	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	9.0	56	2	2	7	11	17	25	38
B. *Operated*	64	8.4	62	1	2	6	12	21	24	36
2. MULTIPLE DX										
A. *Not Operated*	1356	12.4	100	2	3	9	16	27	31	45
B. *Operated*	402	15.0	166	2	3	12	20	29	39	73
1. SINGLE DX	268	8.9	57	2	2	7	12	18	24	38
2. MULTIPLE DX	1758	13.0	116	2	3	10	17	28	33	51
A. NOT OPERATED	1560	11.9	95	2	3	9	15	26	30	45
B. OPERATED	466	14.1	156	2	2	11	18	29	37	70
TOTAL 0-19 YRS	4	16.5	294	6	6	9	26	42	42	42
20-34	182	11.7	124	2	2	8	16	28	28	50
35-49	638	11.7	95	2	3	9	15	26	31	45
50-64	860	12.6	116	2	3	10	16	25	34	52
65+	342	13.7	112	3	4	11	18	26	31	51
GRAND TOTAL	**2026**	**12.4**	**110**	**2**	**3**	**9**	**16**	**27**	**32**	**48**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.7	10	1	1	4	6	10	10	10
20-34	23	4.7	31	<1	<1	3	6	8	15	28
35-49	44	6.5	37	1	2	5	8	14	19	30
50-64	64	8.5	51	1	2	6	12	20	23	34
65+	47	7.1	26	1	2	5	11	14	17	22
B. *Operated*										
0-19 YRS	22	3.8	15	<1	1	2	5	9	13	17
20-34	96	3.4	11	1	1	2	4	6	8	22
35-49	81	3.6	13	1	1	2	4	8	12	18
50-64	106	5.1	27	1	2	3	6	12	18	25
65+	70	7.3	62	1	2	5	9	15	21	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.7	92	<1	<1	4	7	20	33	34
20-34	57	8.1	47	2	2	6	11	16	24	34
35-49	190	9.2	95	2	3	6	10	16	25	48
50-64	436	9.2	49	2	3	7	12	17	22	35
65+	533	11.2	96	2	3	9	13	22	31	53
B. *Operated*										
0-19 YRS	11	7.3	28	2	2	9	10	14	19	19
20-34	82	8.4	75	1	2	6	11	16	23	51
35-49	143	10.7	126	2	2	8	13	23	31	57
50-64	303	10.7	101	2	2	9	14	22	29	53
65+	273	13.9	109	2	2	12	18	27	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	7.1	39	1	1	5	10	15	21	29
B. *Operated*	375	4.7	27	1	1	3	6	10	16	22
2. MULTIPLE DX										
A. *Not Operated*	1227	10.0	78	2	3	8	12	19	26	42
B. *Operated*	812	11.5	107	2	2	9	15	24	30	54
1. SINGLE DX	559	5.5	32	1	1	3	7	12	17	27
2. MULTIPLE DX	2039	10.6	90	2	2	8	13	21	29	52
A. NOT OPERATED	1411	9.6	74	2	3	7	12	18	26	40
B. OPERATED	1187	9.3	92	1	2	7	13	20	27	50
TOTAL 0-19 YRS	50	5.3	34	1	1	3	8	11	17	34
20-34	258	6.2	46	1	2	4	7	13	18	34
35-49	458	8.4	91	1	2	6	10	17	25	44
50-64	909	9.2	67	2	2	7	12	18	24	39
65+	923	11.5	97	2	3	9	15	23	30	53
GRAND TOTAL	**2598**	**9.5**	**82**	**2**	**2**	**7**	**12**	**20**	**26**	**44**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.7	12	1	2	4	6	8	10	22
20-34	279	5.9	15	2	2	5	7	10	13	20
35-49	120	6.5	27	2	2	5	8	11	14	32
50-64	101	7.2	32	2	2	6	10	13	19	29
65+	60	7.3	15	2	2	8	10	12	14	17
B. *Operated*										
0-19 YRS	8	8.4	123	2	2	3	11	28	33	33
20-34	44	7.6	40	1	2	6	10	18	21	27
35-49	40	6.5	40	1	2	3	8	18	19	23
50-64	46	9.2	105	1	2	6	13	19	27	59
65+	38	8.6	36	2	2	7	13	17	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	5.7	12	1	2	5	8	10	12	17
20-34	172	7.1	26	2	3	6	8	13	16	28
35-49	211	9.7	104	2	3	7	11	20	28	71
50-64	391	9.3	54	2	3	7	11	18	24	39
65+	407	11.1	98	2	3	8	13	22	28	57
B. *Operated*										
0-19 YRS	11	14.8	203	2	3	10	22	38	44	45
20-34	67	12.1	104	2	2	10	15	26	33	46
35-49	73	10.9	66	2	2	10	14	20	26	43
50-64	139	16.0	224	2	4	11	21	37	54	99+
65+	121	15.8	157	2	3	13	21	32	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	648	6.2	20	2	2	5	8	11	14	24
B. *Operated*	176	8.0	59	1	2	6	11	18	21	32
2. MULTIPLE DX										
A. *Not Operated*	1220	9.5	74	2	3	7	11	19	25	48
B. *Operated*	411	14.4	159	2	3	11	19	30	40	78
1. SINGLE DX	824	6.6	29	2	2	5	8	13	17	28
2. MULTIPLE DX	1631	10.8	100	2	3	8	13	22	30	55
A. NOT OPERATED	1868	8.4	58	2	3	6	10	16	22	39
B. OPERATED	587	12.5	137	2	2	9	16	27	35	60
TOTAL 0-19 YRS	146	5.9	38	1	2	4	7	10	17	34
20-34	562	7.2	35	2	2	6	9	13	19	30
35-49	444	8.8	74	2	2	7	11	18	22	45
50-64	677	10.4	97	2	3	8	12	22	29	59
65+	626	11.5	104	2	3	9	14	23	30	52
GRAND TOTAL	**2455**	**9.4**	**80**	**2**	**2**	**7**	**11**	**19**	**26**	**46**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.6	7	1	1	3	4	6	8	15
20-34	331	3.2	4	1	1	3	4	6	7	10
35-49	333	3.2	5	1	1	3	4	6	7	12
50-64	337	4.0	8	1	1	3	5	7	9	15
65+	401	5.2	12	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	275	6.8	9	4	4	6	8	10	12	19
20-34	3335	6.9	6	4	5	6	8	10	12	15
35-49	3053	7.4	8	4	5	7	9	11	13	17
50-64	2784	8.2	11	5	5	8	9	12	14	20
65+	1879	10.2	19	5	6	9	12	15	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.9	4	1	1	4	5	7	9	10
20-34	270	3.8	6	1	1	3	5	7	8	14
35-49	427	4.6	10	1	2	4	6	8	10	19
50-64	846	5.5	15	2	2	4	7	10	12	20
65+	1861	7.0	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	170	9.1	34	5	5	8	10	14	17	37
20-34	1939	8.7	19	4	5	8	10	13	16	23
35-49	2462	9.5	23	5	5	8	11	15	18	27
50-64	3457	11.0	33	5	6	10	13	18	21	35
65+	4252	14.3	72	6	7	12	17	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1462	3.9	8	1	1	3	5	7	9	14
B. *Operated*	11326	7.9	11	4	5	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	3441	6.1	21	2	2	5	8	11	14	23
B. *Operated*	12280	11.5	47	5	6	10	14	19	24	39
1. SINGLE DX	12788	7.5	12	3	4	7	9	12	14	20
2. MULTIPLE DX	15721	10.3	47	3	4	9	13	18	22	37
A. NOT OPERATED	4903	5.4	18	1	2	4	7	10	13	22
B. OPERATED	23606	9.8	33	5	5	8	11	16	20	32
TOTAL 0-19 YRS	542	6.9	20	2	3	6	8	11	13	23
20-34	5875	7.2	13	3	4	7	8	11	13	19
35-49	6275	7.8	17	3	4	7	9	12	15	22
50-64	7424	9.0	26	3	4	8	11	15	18	28
65+	8393	11.3	58	3	4	10	14	20	25	40
GRAND TOTAL	**28509**	**9.0**	**33**	**3**	**4**	**8**	**11**	**15**	**19**	**31**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.7	4	1	2	3	5	7	8	10
20-34	250	3.7	5	1	1	3	5	7	8	11
35-49	252	4.0	6	1	1	4	5	7	8	11
50-64	206	4.7	9	1	2	4	6	8	10	16
65+	218	6.1	15	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	44	8.6	17	3	4	8	11	15	17	19
20-34	435	8.0	12	4	5	7	9	13	15	19
35-49	484	8.4	14	4	5	8	10	14	16	21
50-64	342	9.1	15	5	5	8	11	15	17	22
65+	220	10.8	23	6	6	10	12	16	20	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	5.4	30	1	1	4	7	9	11	30
20-34	247	4.3	7	1	2	4	5	7	9	15
35-49	302	5.2	11	1	2	4	6	9	13	16
50-64	410	6.1	31	2	2	5	7	10	13	19
65+	714	7.9	25	2	3	7	10	13	17	30
B. *Operated*										
0-19 YRS	39	8.9	25	3	4	8	11	14	20	27
20-34	477	9.6	26	4	5	8	11	16	18	30
35-49	615	10.3	27	5	5	9	12	17	21	27
50-64	634	12.2	48	5	6	10	14	20	25	36
65+	788	15.0	67	6	7	13	18	25	29	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	961	4.6	9	1	2	4	6	8	10	15
B. *Operated*	1525	8.8	16	4	5	8	10	14	17	22
2. MULTIPLE DX										
A. *Not Operated*	1701	6.4	23	2	2	5	8	11	14	23
B. *Operated*	2553	12.1	49	5	6	10	14	20	25	40
1. SINGLE DX	2486	7.2	17	2	3	6	9	12	15	21
2. MULTIPLE DX	4254	9.8	47	3	3	8	12	17	22	35
A. NOT OPERATED	2662	5.7	19	1	2	5	7	10	13	20
B. OPERATED	4078	10.8	39	5	5	9	13	18	22	35
TOTAL 0-19 YRS	146	6.9	23	2	2	6	9	13	17	27
20-34	1409	7.1	20	2	3	6	9	13	15	22
35-49	1653	7.9	23	2	3	7	10	14	17	25
50-64	1592	9.0	40	2	3	8	11	16	19	30
65+	1940	10.9	54	3	4	9	14	20	25	40
GRAND TOTAL	**6740**	**8.8**	**37**	**2**	**3**	**7**	**11**	**16**	**20**	**30**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	10	2	2	3	7	8	8	8
20-34	17	3.6	5	<1	<1	4	6	6	7	7
35-49	38	3.6	3	1	1	4	5	6	7	8
50-64	22	5.4	10	1	2	5	7	11	11	11
65+	54	5.6	12	1	2	5	7	11	13	16
B. *Operated*										
0-19 YRS	12	8.5	7	5	5	9	10	12	13	13
20-34	103	8.5	17	3	4	8	11	13	16	23
35-49	80	9.8	26	4	4	9	13	16	20	27
50-64	102	10.1	32	2	4	9	13	18	21	28
65+	186	12.9	53	3	4	12	16	21	27	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	27	4.4	4	1	2	4	6	8	8	8
35-49	24	4.9	11	<1	2	4	6	10	13	14
50-64	47	5.0	9	1	2	4	7	10	11	14
65+	137	8.1	34	2	2	7	10	15	19	33
B. *Operated*										
0-19 YRS	7	10.1	31	3	4	8	15	18	18	18
20-34	73	10.4	18	4	6	9	12	17	18	23
35-49	73	11.7	45	5	6	10	14	18	23	44
50-64	170	13.8	76	4	6	12	17	22	28	44
65+	457	16.5	85	5	7	15	21	27	32	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	4.7	9	1	1	4	6	8	11	14
B. *Operated*	483	10.8	38	3	4	10	13	19	22	32
2. MULTIPLE DX										
A. *Not Operated*	237	6.7	25	2	2	5	8	13	16	29
B. *Operated*	780	14.8	77	5	7	13	18	25	29	46
1. SINGLE DX	617	9.4	38	2	3	8	12	17	21	30
2. MULTIPLE DX	1017	12.9	77	3	4	11	17	23	28	46
A. NOT OPERATED	371	6.0	20	1	2	5	8	11	14	25
B. OPERATED	1263	13.3	66	4	5	11	17	23	27	44
TOTAL 0-19 YRS	24	8.2	16	3	3	8	10	13	17	18
20-34	220	8.3	20	2	3	8	11	14	17	23
35-49	215	8.8	36	2	3	8	12	16	19	30
50-64	341	10.9	60	2	3	10	14	20	23	32
65+	834	13.6	79	3	4	12	18	24	29	44
GRAND TOTAL	**1634**	**11.6**	**65**	**2**	**3**	**10**	**15**	**21**	**26**	**42**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	39	5.1	9	1	1	5	7	10	11	11
35-49	27	5.3	8	2	2	5	7	9	11	12
50-64	39	6.5	12	3	3	6	8	12	14	16
65+	65	6.4	22	2	2	5	8	13	17	23
B. *Operated*										
0-19 YRS										
20-34	23	9.2	59	1	2	7	15	22	25	27
35-49	28	9.9	51	2	2	8	12	22	23	29
50-64	34	13.2	54	3	5	12	16	21	22	42
65+	41	13.1	70	2	2	13	16	23	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	8.5	70	2	2	7	7	23	25	25
20-34	35	5.4	10	1	2	6	7	9	11	14
35-49	47	6.4	14	2	2	5	9	12	13	18
50-64	96	7.0	22	2	2	7	9	11	13	30
65+	263	9.2	39	3	4	8	12	15	20	32
B. *Operated*										
0-19 YRS	6	22.7	265	10	10	17	21	52	55	55
20-34	46	11.7	66	2	2	10	16	24	26	34
35-49	62	13.1	84	2	3	11	18	27	31	47
50-64	103	15.7	122	4	5	13	19	29	39	57
65+	231	20.2	182	5	9	17	24	36	50	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	5.9	15	2	2	5	8	11	14	20
B. *Operated*	126	11.7	61	2	2	11	16	21	26	41
2. MULTIPLE DX										
A. *Not Operated*	447	8.1	33	2	3	7	10	14	17	30
B. *Operated*	448	17.3	154	3	5	15	22	31	43	74
1. SINGLE DX	298	8.4	43	2	2	7	11	16	21	29
2. MULTIPLE DX	895	12.7	114	2	4	10	16	25	32	56
A. NOT OPERATED	619	7.5	29	2	3	7	9	13	16	28
B. OPERATED	574	16.1	139	3	4	14	21	29	40	65
TOTAL 0-19 YRS	14	13.9	194	1	2	9	19	28	49	55
20-34	143	8.0	43	1	2	6	10	17	23	27
35-49	164	9.3	56	2	2	8	12	19	24	36
50-64	272	11.0	80	2	3	9	14	20	27	48
65+	600	13.4	125	3	4	11	17	26	33	60
GRAND TOTAL	**1193**	**11.6**	**100**	**2**	**3**	**9**	**15**	**23**	**30**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.9	6	2	2	5	6	8	9	12
20-34	630	6.1	21	2	2	5	7	10	13	23
35-49	602	6.4	17	2	3	5	8	11	14	24
50-64	438	6.9	21	2	3	6	9	12	15	24
65+	255	7.1	20	3	3	6	9	13	15	24
B. *Operated*										
0-19 YRS	7	10.7	44	4	5	8	13	22	24	24
20-34	50	15.8	184	2	3	13	18	29	55	68
35-49	104	12.1	138	2	2	9	15	27	39	62
50-64	69	13.1	147	2	2	10	18	28	33	61
65+	52	14.2	157	3	3	10	18	37	42	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	8.0	99	2	3	6	9	12	20	62
20-34	857	7.5	31	2	3	6	9	14	17	28
35-49	1327	7.9	31	2	3	7	10	14	18	26
50-64	1116	8.5	32	3	3	7	11	15	19	32
65+	1040	9.6	48	3	4	8	11	16	21	38
B. *Operated*										
0-19 YRS	14	15.6	161	2	2	13	19	34	46	50
20-34	159	14.3	113	3	4	11	17	29	35	61
35-49	338	18.2	219	4	5	14	24	38	55	76
50-64	351	18.9	252	4	6	14	22	39	50	83
65+	296	19.3	200	4	6	16	24	35	46	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2013	6.4	19	2	3	5	8	11	14	24
B. *Operated*	282	13.4	150	2	3	10	17	29	40	61
2. MULTIPLE DX										
A. *Not Operated*	4390	8.4	36	2	3	7	10	15	18	31
B. *Operated*	1158	18.1	211	4	5	14	22	35	51	82
1. SINGLE DX	2295	7.3	40	2	3	6	9	13	18	33
2. MULTIPLE DX	5548	10.4	89	3	3	8	12	20	26	55
A. NOT OPERATED	6403	7.8	32	2	3	6	10	14	18	28
B. OPERATED	1440	17.2	202	3	5	13	22	34	50	75
TOTAL 0-19 YRS	159	7.1	59	2	2	5	8	12	17	49
20-34	1696	7.8	46	2	3	6	9	14	20	35
35-49	2371	9.2	74	2	3	7	11	17	24	53
50-64	1974	10.2	90	3	3	8	12	19	26	50
65+	1643	11.1	91	3	4	9	13	21	27	52
GRAND TOTAL	**7843**	**9.5**	**76**	**2**	**3**	**7**	**11**	**18**	**24**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.9	3	1	1	2	4	5	6	8
20-34	158	3.6	6	1	1	3	5	7	8	14
35-49	197	4.6	7	1	2	4	6	8	10	13
50-64	242	5.0	9	1	2	4	7	8	10	18
65+	415	6.2	15	2	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	13	4.6	12	2	2	4	5	11	12	12
20-34	18	5.3	13	1	2	4	8	11	12	13
35-49	18	9.9	32	2	3	10	12	16	22	25
50-64	29	8.2	31	2	3	8	10	12	23	27
65+	42	10.8	29	4	5	9	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	4.0	6	1	1	4	5	7	9	11
20-34	439	4.9	14	1	2	4	6	9	11	21
35-49	772	6.1	19	2	2	5	7	11	14	21
50-64	1288	6.6	30	2	2	6	8	12	15	24
65+	3183	8.5	45	2	3	7	10	16	20	34
B. *Operated*										
0-19 YRS	13	5.5	22	1	2	5	7	12	17	18
20-34	84	9.9	64	3	3	8	13	19	26	45
35-49	154	10.4	91	2	3	8	13	20	28	41
50-64	326	12.1	105	3	4	9	15	25	32	84
65+	754	13.5	110	3	5	10	17	26	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1126	4.9	11	1	2	4	7	9	11	17
B. *Operated*	120	8.5	30	2	2	8	11	16	20	26
2. MULTIPLE DX										
A. *Not Operated*	5842	7.4	36	2	2	6	9	14	17	30
B. *Operated*	1331	12.5	104	3	4	10	15	25	32	55
1. SINGLE DX	1246	5.3	14	1	2	4	7	10	12	20
2. MULTIPLE DX	7173	8.3	53	2	3	6	10	16	21	39
A. NOT OPERATED	6968	7.0	33	2	2	6	8	13	17	29
B. OPERATED	1451	12.2	99	3	4	9	15	24	31	54
TOTAL 0-19 YRS	300	3.7	6	1	1	3	4	7	9	12
20-34	699	5.2	21	1	2	4	6	10	13	27
35-49	1141	6.5	29	2	2	5	8	12	15	28
50-64	1885	7.4	45	2	2	6	9	14	19	35
65+	4394	9.1	58	2	3	7	11	17	23	42
GRAND TOTAL	**8419**	**7.9**	**48**	**2**	**2**	**6**	**9**	**15**	**20**	**36**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.2	15	1	2	3	5	7	8	26
20-34	8	4.1	7	1	1	4	5	8	9	9
35-49	9	5.6	4	2	3	5	7	9	9	9
50-64	12	8.0	32	1	1	7	13	16	18	18
65+	15	9.5	101	2	3	7	12	14	36	43
B. *Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	12	6.5	17	<1	1	7	10	12	13	13
35-49	8	5.9	15	<1	1	5	8	12	13	13
50-64	9	17.9	489	<1	1	14	18	55	73	73
65+	2	32.0	288	20	20	32	44	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.3	25	2	2	4	6	9	13	33
20-34	19	5.1	10	<1	2	4	6	9	12	15
35-49	33	10.2	111	3	3	7	11	19	28	59
50-64	62	8.5	36	1	2	7	12	16	21	29
65+	67	9.9	50	3	3	7	12	22	26	31
B. *Operated*										
0-19 YRS	10	14.2	201	2	2	13	26	67	97	99+
20-34	16	19.3	462	3	4	13	21	41	77	91
35-49	32	12.7	130	2	3	9	17	26	43	46
50-64	40	15.6	174	3	4	12	19	30	52	57
65+	26	14.7	179	4	5	10	17	34	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	5.3	28	1	2	4	6	10	13	30
B. *Operated*	34	10.6	196	<1	1	7	13	21	41	73
2. MULTIPLE DX										
A. *Not Operated*	237	8.1	49	2	2	6	10	16	22	31
B. *Operated*	124	15.0	200	3	3	11	19	33	49	93
1. SINGLE DX	160	6.4	68	1	1	4	7	13	17	44
2. MULTIPLE DX	361	10.5	111	2	3	7	13	23	29	57
A. NOT OPERATED	363	7.1	44	1	2	5	9	15	21	31
B. OPERATED	158	14.1	201	2	3	10	17	29	47	89
TOTAL 0-19 YRS	151	5.3	36	1	2	4	5	9	19	45
20-34	55	9.4	178	1	2	6	11	15	24	89
35-49	82	10.2	102	2	3	6	12	22	27	55
50-64	123	11.4	123	1	2	9	14	23	29	61
65+	110	11.4	100	3	3	8	14	23	31	52
GRAND TOTAL	**521**	**9.2**	**101**	**2**	**2**	**6**	**11**	**20**	**27**	**56**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	6.1	16	1	2	5	9	12	14	18
20-34	18	3.7	5	1	1	3	5	8	9	9
35-49	18	4.8	13	1	1	4	7	9	13	15
50-64	20	8.8	97	1	2	5	10	20	34	43
65+	21	8.8	44	2	2	7	11	18	25	28
B. *Operated*										
0-19 YRS	44	5.7	26	2	2	4	7	11	17	26
20-34	44	3.8	13	1	2	3	4	8	13	17
35-49	27	4.5	11	1	2	3	6	10	12	13
50-64	27	7.7	52	2	2	5	10	21	25	28
65+	16	5.1	18	2	2	3	7	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	6.9	49	1	2	5	9	12	16	45
20-34	62	5.4	10	2	2	4	7	10	12	16
35-49	60	6.5	17	2	3	5	9	11	12	24
50-64	89	7.2	23	2	2	6	9	13	18	25
65+	179	10.2	51	2	3	8	13	19	25	45
B. *Operated*										
0-19 YRS	30	6.0	32	2	2	4	6	16	19	22
20-34	77	7.4	41	2	2	6	10	15	20	34
35-49	69	9.5	120	<1	<1	7	13	21	31	58
50-64	87	10.6	86	2	2	8	14	21	29	51
65+	100	14.7	160	3	4	11	19	26	34	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	6.3	29	1	2	5	8	12	16	27
B. *Operated*	158	5.3	24	2	2	3	7	11	16	26
2. MULTIPLE DX										
A. *Not Operated*	463	8.0	39	2	3	7	10	16	20	29
B. *Operated*	363	10.4	107	2	2	8	14	21	27	55
1. SINGLE DX	334	5.8	27	1	2	4	8	12	16	26
2. MULTIPLE DX	826	9.1	70	2	2	7	11	19	24	44
A. NOT OPERATED	639	7.5	36	2	2	6	9	15	19	28
B. OPERATED	521	8.9	87	2	2	6	12	19	26	44
TOTAL 0-19 YRS	246	6.3	29	2	2	5	8	13	16	22
20-34	201	5.7	24	1	2	4	8	11	15	26
35-49	174	7.2	60	1	2	4	9	15	20	46
50-64	223	8.7	59	2	2	7	11	18	25	42
65+	316	11.2	90	2	3	9	15	22	27	52
GRAND TOTAL	**1160**	**8.1**	**60**	**2**	**2**	**6**	**10**	**17**	**22**	**39**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	5.2	11	1	2	4	6	11	12	16
20-34	7	3.1	2	<1	<1	3	4	6	6	6
35-49	4	8.3	39	2	2	8	13	15	15	15
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5	6.6	25	2	2	5	9	15	15	15
20-34	5	6.0	7	2	2	6	7	9	9	9
35-49	4	8.5	15	5	5	7	11	14	14	14
50-64	3	14.0	28	8	8	16	17	18	18	18
65+	2	9.5	61	4	4	9	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	8.0	21	2	3	7	10	14	17	23
20-34	5	4.4	4	2	2	4	6	7	7	7
35-49	6	5.0	14	2	2	4	6	11	12	12
50-64	6	6.7	15	1	1	7	10	10	10	10
65+	12	10.3	104	4	4	6	12	25	37	39
B. *Operated*										
0-19 YRS	7	8.4	48	1	2	7	11	20	22	22
20-34	8	9.1	43	1	2	8	15	17	18	18
35-49	4	6.3	28	2	2	4	9	14	14	14
50-64	9	9.8	36	2	3	7	13	19	20	20
65+	13	14.5	86	4	6	12	18	32	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	5.1	12	1	2	4	6	11	13	16
B. *Operated*	19	8.3	24	2	3	7	13	16	17	18
2. MULTIPLE DX										
A. *Not Operated*	74	7.8	33	2	3	6	10	14	18	35
B. *Operated*	41	10.6	58	2	3	8	15	20	26	34
1. SINGLE DX	96	5.7	15	2	2	4	7	12	15	17
2. MULTIPLE DX	115	8.8	44	2	3	7	11	17	21	36
A. NOT OPERATED	151	6.4	24	2	2	5	8	12	14	23
B. OPERATED	60	9.9	48	2	3	8	14	18	21	34
TOTAL 0-19 YRS	121	6.5	19	2	2	5	9	12	15	22
20-34	25	5.9	21	1	2	4	7	15	16	18
35-49	18	6.8	21	2	2	5	12	14	15	15
50-64	20	8.8	33	1	2	8	11	18	19	20
65+	27	12.3	91	4	4	8	15	29	35	39
GRAND TOTAL	**211**	**7.4**	**33**	**2**	**2**	**6**	**10**	**15**	**18**	**32**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	1	1	1	2	3	3	3
20-34	10	5.6	12	1	1	5	8	10	12	12
35-49	14	4.9	13	1	2	4	7	9	12	13
50-64	24	3.4	7	<1	1	3	5	7	9	10
65+	42	5.8	24	1	1	5	8	13	16	19
B. *Operated*										
0-19 YRS	9	17.0	227	<1	1	12	29	40	42	42
20-34	43	9.1	97	1	2	5	11	26	34	38
35-49	68	6.4	56	<1	1	4	7	15	27	36
50-64	91	6.2	36	<1	1	4	8	16	18	31
65+	107	7.9	97	<1	1	5	9	21	29	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.4	8	<1	<1	3	5	7	10	12
20-34	75	5.9	23	1	1	5	8	16	17	20
35-49	143	5.4	23	1	2	4	7	11	14	24
50-64	301	6.8	33	1	1	5	9	15	20	25
65+	804	7.6	71	1	1	5	10	19	26	35
B. *Operated*										
0-19 YRS	37	14.2	265	1	2	8	19	46	65	99+
20-34	262	12.6	242	2	2	7	16	34	48	94
35-49	345	12.6	247	2	2	8	14	30	53	99+
50-64	666	11.7	154	2	2	8	14	27	41	79
65+	599	13.7	176	2	3	10	19	30	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	4.8	17	1	1	4	7	10	13	19
B. *Operated*	318	7.5	77	<1	1	4	9	17	28	39
2. MULTIPLE DX										
A. *Not Operated*	1339	7.0	54	1	1	5	9	16	22	34
B. *Operated*	1909	12.7	192	2	2	8	16	30	46	96
1. SINGLE DX	412	6.9	64	<1	1	4	8	16	26	38
2. MULTIPLE DX	3248	10.4	143	1	1	7	13	24	35	79
A. NOT OPERATED	1433	6.9	52	1	1	5	9	16	22	33
B. OPERATED	2227	11.9	179	1	2	8	15	28	43	90
TOTAL 0-19 YRS	66	11.2	207	1	1	5	14	34	47	95
20-34	390	10.8	185	1	2	6	13	25	40	88
35-49	570	9.8	173	1	2	6	11	22	37	90
50-64	1082	9.7	114	1	2	6	12	22	32	63
65+	1552	9.9	121	1	1	7	13	24	31	61
GRAND TOTAL	**3660**	**10.0**	**135**	**1**	**1**	**6**	**12**	**23**	**34**	**73**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	6	<1	<1	3	5	6	6	6
20-34	5	4.8	13	2	2	4	6	11	11	11
35-49	9	5.0	8	1	1	5	7	9	9	9
50-64	17	7.7	25	1	2	6	11	16	17	17
65+	38	6.9	42	<1	1	5	10	18	20	26
B. *Operated*										
0-19 YRS	2	17.0	200	7	7	17	27	27	27	27
20-34	10	8.7	48	<1	1	8	14	18	21	21
35-49	4	4.3	8	<1	<1	4	6	7	7	7
50-64	22	10.0	98	2	2	5	16	23	30	36
65+	21	12.1	187	<1	<1	8	15	29	45	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	16	<1	<1	3	6	11	13	13
20-34	32	6.9	50	1	2	5	9	14	26	32
35-49	53	8.2	44	1	2	7	10	19	23	26
50-64	159	9.1	66	1	2	7	12	21	27	35
65+	520	13.0	127	2	3	10	16	26	35	65
B. *Operated*										
0-19 YRS	1	49.0		49	49	49	49	49	49	49
20-34	32	12.3	83	3	4	9	18	28	37	99+
35-49	51	16.1	278	2	3	10	22	40	52	83
50-64	98	17.2	159	2	3	14	24	35	47	53
65+	209	20.2	259	3	5	16	26	40	52	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	6.6	31	1	1	5	9	15	18	25
B. *Operated*	59	10.4	117	<1	1	7	14	24	31	57
2. MULTIPLE DX										
A. *Not Operated*	773	11.5	109	1	2	9	15	24	32	56
B. *Operated*	391	18.3	228	3	4	14	25	39	50	80
1. SINGLE DX	131	8.3	73	<1	1	6	11	18	25	40
2. MULTIPLE DX	1164	13.8	159	2	3	10	18	29	39	68
A. NOT OPERATED	845	11.1	104	1	2	8	14	24	31	52
B. OPERATED	450	17.3	221	2	3	13	24	38	49	78
TOTAL 0-19 YRS	15	8.9	167	<1	<1	4	8	27	43	49
20-34	79	9.2	66	1	2	6	12	25	28	81
35-49	117	11.3	159	1	2	7	14	25	39	64
50-64	296	11.8	111	1	2	9	16	26	34	49
65+	788	14.6	172	2	3	10	19	31	41	77
GRAND TOTAL	**1295**	**13.3**	**153**	**1**	**2**	**9**	**17**	**28**	**38**	**64**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	316	4.2	3	2	2	4	5	7	7	9
20-34	496	4.3	4	2	2	4	5	7	8	10
35-49	138	4.9	5	2	3	4	6	8	9	12
50-64	98	5.5	5	2	3	5	7	9	10	11
65+	84	6.5	13	3	3	6	8	11	13	23
B. *Operated*										
0-19 YRS	35	5.0	5	1	2	5	7	8	9	9
20-34	32	6.1	7	3	4	6	6	10	13	14
35-49	13	8.5	18	2	2	8	12	14	15	15
50-64	9	8.2	19	4	4	8	9	15	19	19
65+	10	9.1	78	5	5	6	8	21	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	5.0	5	2	3	4	6	8	9	12
20-34	475	5.0	5	2	3	4	6	8	9	13
35-49	227	6.4	13	3	3	6	8	11	13	21
50-64	295	7.5	22	3	3	6	9	13	15	22
65+	623	9.1	41	3	4	8	11	15	20	34
B. *Operated*										
0-19 YRS	56	5.8	9	2	2	5	7	9	12	16
20-34	95	7.9	33	3	4	6	10	13	17	36
35-49	60	9.8	20	5	5	9	12	15	16	31
50-64	81	11.6	63	4	5	10	13	21	25	46
65+	105	13.8	74	5	5	12	17	24	34	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	4.6	5	2	2	4	6	7	8	12
B. *Operated*	99	6.5	17	2	3	6	7	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	1870	6.9	24	2	3	6	8	12	15	27
B. *Operated*	397	10.2	52	3	4	8	13	18	24	40
1. SINGLE DX	1231	4.8	6	2	2	4	6	7	9	13
2. MULTIPLE DX	2267	7.5	31	3	3	6	9	13	17	28
A. NOT OPERATED	3002	6.1	18	2	3	5	7	10	13	22
B. OPERATED	496	9.5	47	3	4	7	12	17	22	37
TOTAL 0-19 YRS	657	4.7	5	2	2	4	6	7	8	12
20-34	1098	4.9	8	2	2	4	6	8	10	14
35-49	438	6.4	14	2	3	5	8	11	14	18
50-64	483	7.8	29	3	3	6	10	13	17	27
65+	822	9.5	46	3	4	8	12	17	22	36
GRAND TOTAL	**3498**	**6.5**	**24**	**2**	**3**	**5**	**8**	**12**	**15**	**26**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	4.1	4	2	2	4	5	6	7	10
20-34	656	4.3	3	2	2	4	5	7	8	9
35-49	191	4.7	5	2	2	4	6	8	8	12
50-64	117	5.5	12	2	3	4	7	10	12	18
65+	127	6.8	18	2	3	6	9	12	14	26
B. *Operated*										
0-19 YRS	64	4.8	9	1	2	4	6	8	12	14
20-34	99	7.0	17	2	2	7	10	12	16	19
35-49	45	7.3	36	2	2	6	8	16	22	30
50-64	44	7.7	45	1	2	7	10	13	19	39
65+	29	9.2	47	2	3	8	10	20	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.6	5	2	2	4	6	7	8	12
20-34	591	5.2	11	2	3	5	6	8	10	21
35-49	291	6.6	35	2	3	6	8	10	13	23
50-64	361	7.2	18	2	3	7	9	12	14	19
65+	663	9.5	38	3	4	8	11	17	21	32
B. *Operated*										
0-19 YRS	85	7.6	73	2	2	6	8	14	18	57
20-34	200	8.1	34	2	3	7	10	15	18	25
35-49	156	9.7	57	2	3	8	11	20	25	44
50-64	184	11.4	76	2	4	9	14	22	29	61
65+	236	14.6	131	3	4	11	18	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1533	4.6	6	2	2	4	6	7	9	13
B. *Operated*	281	6.9	27	2	2	6	9	12	17	28
2. MULTIPLE DX										
A. *Not Operated*	2201	6.9	26	2	3	6	8	12	16	25
B. *Operated*	861	10.8	84	2	3	8	13	20	29	54
1. SINGLE DX	1814	4.9	10	2	2	4	6	8	10	18
2. MULTIPLE DX	3062	8.0	45	2	3	6	10	15	20	38
A. NOT OPERATED	3734	6.0	19	2	3	5	7	10	13	22
B. OPERATED	1142	9.9	73	2	3	8	12	19	25	46
TOTAL 0-19 YRS	886	4.7	12	2	2	4	6	7	9	15
20-34	1546	5.3	13	2	2	4	6	9	11	19
35-49	683	6.8	35	2	3	6	8	11	15	29
50-64	706	8.1	38	2	3	7	10	14	19	35
65+	1055	10.3	62	3	4	8	12	19	25	44
GRAND TOTAL	**4876**	**6.9**	**34**	**2**	**3**	**5**	**8**	**12**	**17**	**31**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.1	1	1	1	2	2	4	5	5
20-34	467	2.3	3	<1	1	2	3	4	5	9
35-49	585	2.5	4	1	1	2	3	5	6	9
50-64	316	2.5	2	1	1	2	3	5	5	7
65+	106	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	30	7.7	13	3	3	7	9	14	15	16
20-34	301	7.5	14	2	3	7	9	12	14	20
35-49	442	8.1	14	2	3	8	10	12	14	21
50-64	419	8.7	21	2	3	9	11	13	17	25
65+	197	9.4	23	2	3	9	11	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	7	1	1	3	5	9	9	12
20-34	301	3.1	8	1	1	2	4	6	7	11
35-49	403	3.6	10	1	1	3	5	6	8	14
50-64	409	3.8	12	1	1	3	5	7	9	19
65+	311	5.5	21	1	2	4	7	11	15	23
B. *Operated*										
0-19 YRS	32	9.9	88	1	2	7	13	20	31	44
20-34	244	8.8	41	2	2	8	11	16	20	37
35-49	419	9.3	53	2	3	8	11	17	22	39
50-64	595	9.7	50	2	2	9	12	17	22	37
65+	509	11.4	65	2	3	10	15	22	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1548	2.4	3	1	1	2	3	5	6	9
B. *Operated*	1388	8.3	18	2	3	8	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	1459	3.9	13	1	1	3	5	7	10	18
B. *Operated*	1799	10.0	55	2	3	9	13	18	23	39
1. SINGLE DX	2936	5.2	18	1	1	4	8	11	13	19
2. MULTIPLE DX	3258	7.3	45	1	2	5	10	15	20	33
A. NOT OPERATED	3007	3.2	8	1	1	2	4	6	8	15
B. OPERATED	3187	9.3	39	2	3	8	11	16	20	32
TOTAL 0-19 YRS	171	4.8	30	1	1	3	6	11	14	30
20-34	1313	4.9	21	1	1	3	7	10	13	21
35-49	1849	5.6	27	1	1	4	8	11	14	23
50-64	1738	6.8	34	1	1	5	9	13	17	26
65+	1123	8.6	49	2	2	7	11	17	22	32
GRAND TOTAL	**6194**	**6.3**	**34**	**1**	**1**	**5**	**9**	**13**	**17**	**27**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	2.2	2	1	1	2	3	4	5	7
20-34	2338	2.0	2	1	1	2	3	4	4	7
35-49	2593	2.1	2	1	1	2	3	4	5	7
50-64	1395	2.3	2	1	1	2	3	4	5	7
65+	397	2.8	3	1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	185	5.3	12	2	2	4	7	9	12	19
20-34	1640	5.3	10	2	2	5	7	9	11	17
35-49	2122	5.7	13	2	2	5	8	10	12	17
50-64	1404	6.2	15	2	2	5	8	11	13	19
65+	522	6.8	15	2	3	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.9	2	1	1	2	3	6	6	7
20-34	546	2.6	3	1	1	2	3	5	5	10
35-49	806	3.0	5	1	1	2	4	6	7	11
50-64	717	3.1	5	1	1	2	4	6	7	11
65+	409	4.0	10	1	1	3	5	8	10	16
B. *Operated*										
0-19 YRS	53	6.5	16	2	3	5	9	12	12	22
20-34	553	7.0	21	2	2	6	9	12	15	22
35-49	785	7.3	21	2	3	6	10	13	15	22
50-64	949	8.2	26	2	3	7	11	15	17	26
65+	668	10.3	53	2	3	9	13	19	24	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7013	2.1	2	1	1	2	3	4	5	7
B. *Operated*	5873	5.8	13	2	2	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	2556	3.1	5	1	1	2	4	6	7	11
B. *Operated*	3008	8.2	31	2	3	7	10	15	18	29
1. SINGLE DX	12886	3.8	10	1	1	3	5	8	10	15
2. MULTIPLE DX	5564	5.8	26	1	1	4	8	12	15	24
A. NOT OPERATED	9569	2.4	3	1	1	2	3	4	5	9
B. OPERATED	8881	6.6	20	2	2	6	9	12	15	22
TOTAL 0-19 YRS	606	3.6	9	1	1	3	5	7	9	15
20-34	5077	3.7	10	1	1	3	5	8	10	15
35-49	6306	4.0	12	1	1	3	5	9	11	16
50-64	4465	4.9	17	1	1	3	7	10	13	20
65+	1996	6.6	33	1	2	5	9	14	17	29
GRAND TOTAL	**18450**	**4.4**	**16**	**1**	**1**	**3**	**6**	**9**	**12**	**19**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.0	16	1	1	3	5	8	13	19
20-34	52	2.7	6	1	1	2	3	5	7	14
35-49	45	3.4	10	1	1	3	4	6	8	17
50-64	66	4.0	25	1	1	2	5	8	12	32
65+	60	5.2	21	<1	1	3	7	13	16	18
B. *Operated*										
0-19 YRS	301	6.2	22	<1	1	6	9	12	14	24
20-34	204	7.4	29	1	2	7	10	13	17	25
35-49	180	6.4	22	1	2	5	9	13	16	23
50-64	173	6.9	29	1	2	6	9	13	18	26
65+	143	7.9	46	1	2	5	11	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	4.4	16	1	1	3	5	8	13	21
20-34	72	4.2	10	1	1	4	5	8	10	19
35-49	107	5.2	21	1	1	4	7	9	11	28
50-64	192	7.2	39	1	2	5	10	15	20	28
65+	455	10.0	103	2	3	7	12	19	30	55
B. *Operated*										
0-19 YRS	298	6.5	39	1	1	6	9	12	16	28
20-34	285	8.5	48	1	2	8	11	16	20	34
35-49	324	9.1	61	1	2	8	12	17	24	34
50-64	492	9.8	86	2	2	8	13	20	23	44
65+	592	12.1	129	2	2	9	15	23	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.9	17	1	1	3	5	8	14	18
B. *Operated*	1001	6.8	28	1	1	6	9	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	908	7.9	70	1	2	5	10	16	21	45
B. *Operated*	1991	9.7	86	1	2	8	12	19	25	52
1. SINGLE DX	1266	6.2	27	1	1	5	9	13	16	24
2. MULTIPLE DX	2899	9.1	81	1	2	7	11	18	24	49
A. NOT OPERATED	1173	7.0	61	1	1	5	9	15	20	40
B. OPERATED	2992	8.7	68	1	2	7	11	17	22	46
TOTAL 0-19 YRS	723	6.0	29	1	1	5	9	12	15	25
20-34	613	7.2	37	1	2	6	9	15	18	26
35-49	656	7.3	44	1	2	6	10	15	19	32
50-64	923	8.3	64	1	2	7	11	17	21	36
65+	1250	10.5	108	2	2	8	13	20	30	55
GRAND TOTAL	**4165**	**8.3**	**67**	**1**	**2**	**6**	**11**	**16**	**21**	**42**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.4		1	1	1	2	2	3	3
20-34	141	2.4	3	<1	1	2	3	4	6	10
35-49	136	2.2	3	1	1	2	3	4	5	8
50-64	92	2.1	1	1	1	2	3	4	5	6
65+	21	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	9	4.0	16	1	1	2	5	11	11	11
20-34	100	4.7	10	1	2	3	7	9	11	14
35-49	111	5.5	11	2	2	5	8	10	12	15
50-64	108	6.0	13	2	2	5	8	10	13	18
65+	74	5.8	18	2	2	4	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.9		1	1	2	2	3	3	3
20-34	53	2.9	4	1	1	2	4	5	7	10
35-49	82	3.1	3	1	1	3	4	6	7	9
50-64	63	3.2	3	1	1	3	4	5	6	8
65+	45	5.9	37	1	2	5	7	10	13	40
B. *Operated*										
0-19 YRS	11	4.3	15	<1	1	3	5	11	13	13
20-34	52	6.7	23	2	2	6	9	13	17	22
35-49	94	8.0	41	2	2	6	11	16	21	31
50-64	164	7.2	50	2	2	6	9	13	15	27
65+	281	9.5	58	2	2	8	12	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	2.2	3	1	1	2	3	4	5	7
B. *Operated*	402	5.4	13	2	2	5	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	250	3.6	10	1	1	3	5	6	8	13
B. *Operated*	602	8.3	51	2	2	7	11	15	21	33
1. SINGLE DX	810	3.8	10	1	1	3	5	9	10	14
2. MULTIPLE DX	852	6.9	43	1	2	5	9	13	18	31
A. NOT OPERATED	658	2.7	6	1	1	2	3	5	6	10
B. OPERATED	1004	7.2	37	2	2	6	9	13	17	30
TOTAL 0-19 YRS	45	2.7	8	1	1	2	3	6	11	13
20-34	346	3.8	11	1	1	3	5	8	10	15
35-49	423	4.5	19	1	1	3	6	9	13	22
50-64	427	5.2	27	1	1	4	7	10	13	19
65+	421	8.1	50	1	2	6	11	15	22	38
GRAND TOTAL	**1662**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**27**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	3.2	13	1	1	3	4	5	6	22
20-34	102	3.1	6	1	1	2	4	5	8	14
35-49	46	3.7	7	<1	1	3	4	7	9	12
50-64	51	3.4	4	1	1	3	4	7	7	10
65+	70	5.0	12	1	2	4	7	9	13	16
B. *Operated*										
0-19 YRS	188	2.3	3	1	1	2	3	5	6	8
20-34	314	3.1	9	1	1	2	4	6	8	16
35-49	305	3.1	4	1	1	2	4	6	8	10
50-64	313	3.5	10	1	1	3	4	6	8	17
65+	373	4.1	13	1	2	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	5	1	1	3	4	6	8	11
20-34	160	4.2	7	1	2	4	5	8	9	14
35-49	134	5.0	9	1	2	4	7	9	11	15
50-64	160	5.7	11	2	2	5	7	10	12	17
65+	412	7.5	28	2	3	6	9	14	17	24
B. *Operated*										
0-19 YRS	288	2.8	3	1	1	2	4	5	6	9
20-34	602	4.3	16	1	1	3	5	8	12	20
35-49	570	5.0	22	1	2	4	6	9	12	22
50-64	684	5.3	24	1	2	4	7	10	14	27
65+	997	7.1	48	2	2	5	9	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	365	3.6	9	1	1	3	4	7	9	14
B. *Operated*	1493	3.3	9	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	977	5.8	19	2	2	5	7	11	14	20
B. *Operated*	3141	5.4	30	1	2	4	6	11	15	29
1. SINGLE DX	1858	3.4	9	1	1	3	4	6	8	15
2. MULTIPLE DX	4118	5.5	27	1	2	4	7	11	14	27
A. NOT OPERATED	1342	5.2	17	1	2	4	7	10	13	19
B. OPERATED	4634	4.7	24	1	1	3	6	9	13	24
TOTAL 0-19 YRS	683	2.8	5	1	1	2	3	5	6	9
20-34	1178	3.9	12	1	1	3	5	7	10	17
35-49	1055	4.4	15	1	2	3	5	8	10	18
50-64	1208	4.8	19	1	2	3	6	10	12	23
65+	1852	6.5	37	2	2	5	8	13	17	32
GRAND TOTAL	**5976**	**4.8**	**22**	**1**	**2**	**3**	**6**	**10**	**13**	**23**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.6	1	<1	<1	1	2	3	3	3
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	17	2.2	2	1	1	2	3	4	6	7
65+	22	3.7	13	<1	1	3	5	7	12	17
B. *Operated*										
0-19 YRS	899	1.9	3	<1	1	2	2	3	4	9
20-34	378	3.0	4	1	1	2	4	5	7	11
35-49	291	3.4	6	1	1	3	4	6	9	11
50-64	330	4.0	14	1	1	3	5	8	11	21
65+	350	4.8	16	1	2	3	6	10	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	1.7	1	<1	<1	1	2	3	3	3
20-34	16	3.9	13	1	1	3	6	10	12	13
35-49	16	5.3	23	<1	1	4	7	14	15	15
50-64	26	4.5	12	1	1	4	5	9	12	17
65+	75	6.5	16	2	2	6	9	11	15	20
B. *Operated*										
0-19 YRS	759	1.9	2	1	1	2	2	4	5	7
20-34	544	3.7	11	1	1	3	4	7	9	16
35-49	536	4.0	9	1	1	3	5	8	10	16
50-64	623	5.2	20	1	2	4	7	10	13	19
65+	1024	7.2	50	2	2	5	9	14	19	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.5	6	<1	<1	2	3	5	7	16
B. *Operated*	2248	3.0	8	<1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	156	5.1	16	1	1	4	7	10	14	18
B. *Operated*	3486	4.6	26	1	1	3	6	10	13	23
1. SINGLE DX	2309	3.0	8	<1	1	2	4	6	8	15
2. MULTIPLE DX	3642	4.7	25	1	1	3	6	10	13	23
A. NOT OPERATED	217	4.4	15	<1	1	3	6	10	13	17
B. OPERATED	5734	4.0	19	1	1	3	5	9	11	21
TOTAL 0-19 YRS	1693	1.9	2	<1	1	2	2	3	4	8
20-34	943	3.4	9	1	1	2	4	7	9	15
35-49	848	3.8	8	1	1	3	5	8	10	15
50-64	996	4.7	18	1	1	3	6	10	13	20
65+	1471	6.5	41	1	2	5	8	13	17	30
GRAND TOTAL	**5951**	**4.0**	**19**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	846	3.1	4	1	1	3	4	5	7	10
20-34	561	3.5	5	1	1	3	5	6	7	10
35-49	292	4.1	7	1	2	4	5	8	9	13
50-64	310	4.8	9	1	2	4	6	8	11	15
65+	606	6.0	16	2	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	800	2.5	5	<1	1	2	3	5	6	11
20-34	686	3.1	7	1	1	2	4	6	8	12
35-49	602	3.4	9	1	1	2	4	7	10	14
50-64	642	3.6	11	1	1	3	4	7	10	15
65+	727	4.9	19	1	2	4	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1185	4.1	7	1	2	4	5	7	9	15
20-34	1324	4.7	14	1	2	4	6	8	10	17
35-49	979	5.9	21	2	2	5	7	11	14	25
50-64	1614	7.0	31	2	3	6	9	13	17	27
65+	6514	9.1	47	3	3	7	11	16	21	38
B. *Operated*										
0-19 YRS	1045	3.1	13	1	1	2	4	7	8	14
20-34	1209	5.1	37	1	1	3	6	10	14	28
35-49	1264	5.4	33	1	2	4	7	11	14	27
50-64	1747	6.1	34	1	2	4	8	12	17	32
65+	3226	9.4	78	2	2	7	12	19	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2615	4.2	9	1	1	3	5	8	10	16
B. *Operated*	3457	3.5	11	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	11616	7.5	39	2	2	6	9	14	18	32
B. *Operated*	8491	6.7	53	1	2	4	8	14	19	39
1. SINGLE DX	6072	3.8	10	1	1	3	5	7	10	16
2. MULTIPLE DX	20107	7.2	45	1	2	5	9	14	19	36
A. NOT OPERATED	14231	6.9	35	2	2	5	9	13	17	30
B. OPERATED	11948	5.8	43	1	1	4	7	12	17	34
TOTAL 0-19 YRS	3876	3.3	8	1	1	3	4	6	8	13
20-34	3780	4.4	19	1	1	3	5	8	10	22
35-49	3137	5.0	23	1	2	4	6	10	13	24
50-64	4313	6.0	29	1	2	4	8	12	16	28
65+	11073	8.7	54	2	3	7	11	16	21	40
GRAND TOTAL	**26179**	**6.4**	**39**	**1**	**2**	**5**	**8**	**13**	**17**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	9	4.6	18	1	1	3	5	12	14	14
35-49	37	2.8	4	1	1	2	4	5	6	11
50-64	83	4.4	12	1	1	3	6	9	11	17
65+										
B. *Operated*	7	5.6	10	2	2	5	6	11	12	12
0-19 YRS	21	2.8	5	1	1	2	3	7	8	9
20-34	177	3.6	5	1	1	3	5	7	8	10
35-49	2028	5.6	8	2	2	5	7	9	10	15
50-64	3824	6.8	12	2	3	6	8	11	13	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	5	1	1	4	5	7	7	7
20-34	15	3.7	9	<1	1	3	4	7	11	13
35-49	137	4.4	11	1	2	4	5	8	9	21
50-64	483	6.1	39	1	1	4	7	12	18	30
65+										
B. *Operated*	8	7.4	48	1	2	5	9	19	23	23
0-19 YRS	21	4.8	5	1	2	5	6	8	9	9
20-34	181	6.0	29	1	2	5	7	11	15	34
35-49	2665	7.4	25	2	2	7	9	13	16	25
50-64	7339	9.4	39	3	4	8	11	16	21	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	3.9	10	1	1	3	5	8	10	16
B. *Operated*	6057	6.3	11	2	2	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	640	5.7	32	1	1	4	7	11	16	27
B. *Operated*	10214	8.8	36	2	3	7	11	16	19	31
1. SINGLE DX	6187	6.2	11	2	2	6	8	10	12	18
2. MULTIPLE DX	10854	8.6	37	2	3	7	10	15	19	31
A. NOT OPERATED	770	5.4	29	1	1	4	6	10	15	27
B. OPERATED	16271	7.9	28	2	3	7	9	14	17	28
TOTAL 0-19 YRS	15	6.5	29	1	2	5	6	12	20	23
20-34	48	3.8	6	1	1	3	5	8	8	9
35-49	382	4.8	18	1	1	4	6	9	12	22
50-64	4867	6.5	18	2	2	6	8	11	14	21
65+	11729	8.4	32	2	3	7	10	15	18	29
GRAND TOTAL	**17041**	**7.8**	**29**	**2**	**3**	**7**	**9**	**14**	**17**	**27**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	2	1	1	3	4	5	5	5
20-34	119	3.7	5	1	1	3	5	7	8	11
35-49	115	4.3	6	1	2	4	5	7	8	16
50-64	112	4.8	6	2	2	4	6	7	9	15
65+	51	4.7	5	2	2	5	5	8	9	11
B. *Operated*										
0-19 YRS	23	2.6	2	<1	1	2	4	5	6	6
20-34	172	2.7	4	1	1	2	3	5	8	9
35-49	224	2.9	7	1	1	2	3	6	7	11
50-64	178	3.4	10	1	1	2	4	7	9	18
65+	93	4.2	17	1	1	3	5	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.0	1	2	2	3	4	5	6	6
20-34	132	4.4	6	1	2	4	6	7	10	12
35-49	188	4.6	6	2	2	4	6	7	9	13
50-64	242	5.1	8	2	2	5	6	8	10	18
65+	266	6.1	16	2	3	5	7	11	13	21
B. *Operated*										
0-19 YRS	27	4.0	6	1	1	3	6	7	9	10
20-34	236	3.7	11	1	1	2	5	7	9	16
35-49	363	4.3	10	1	1	3	6	9	11	15
50-64	452	5.4	24	1	2	4	7	11	14	24
65+	361	7.0	29	2	2	6	9	13	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	408	4.3	6	1	2	4	5	7	8	12
B. *Operated*	690	3.1	8	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	840	5.2	10	2	2	5	6	9	11	18
B. *Operated*	1439	5.2	21	1	1	4	7	10	13	21
1. SINGLE DX	1098	3.6	8	1	1	3	5	6	8	12
2. MULTIPLE DX	2279	5.2	17	1	2	4	7	10	12	20
A. NOT OPERATED	1248	4.9	9	2	2	4	6	8	10	16
B. OPERATED	2129	4.5	18	1	1	3	6	9	12	20
TOTAL 0-19 YRS	73	3.2	4	1	1	3	4	6	7	10
20-34	659	3.6	7	1	1	3	5	7	8	12
35-49	890	4.0	8	1	1	3	5	8	9	14
50-64	984	4.9	16	1	2	4	6	9	11	20
65+	771	6.2	22	2	2	5	7	11	15	23
GRAND TOTAL	**3377**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.1		<1	<1	<1	1	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	356	2.5	3	<1	1	2	3	5	5	7
20-34	123	3.2	2	2	2	3	4	5	6	9
35-49	143	3.2	2	2	2	3	4	5	5	9
50-64	225	3.5	4	1	2	3	4	5	7	11
65+	175	4.0	4	2	2	3	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	1.5	2	<1	<1	1	2	2	4	7
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	3	5.3	34	<1	<1	3	10	12	12	12
50-64	3	2.0	1	<1	<1	2	3	3	3	3
65+	9	5.7	12	2	2	5	7	11	13	13
B. *Operated*										
0-19 YRS	268	2.5	2	1	1	2	3	4	5	7
20-34	65	4.0	6	1	2	4	5	6	7	17
35-49	92	3.9	3	1	2	4	5	6	7	11
50-64	199	4.9	10	2	2	4	6	9	11	19
65+	187	5.8	17	2	3	5	7	10	14	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	1022	3.2	3	1	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	43	2.7	8	<1	<1	1	3	7	10	13
B. *Operated*	811	4.1	9	1	2	3	5	7	10	17
1. SINGLE DX	1036	3.2	3	1	1	3	4	5	6	10
2. MULTIPLE DX	854	4.1	10	1	2	3	5	7	10	17
A. NOT OPERATED	57	2.5	7	<1	<1	1	3	5	8	13
B. OPERATED	1833	3.6	6	1	2	3	4	6	8	14
TOTAL 0-19 YRS	657	2.5	3	<1	1	2	3	4	5	7
20-34	193	3.5	4	1	2	3	4	5	6	11
35-49	239	3.5	3	2	2	3	4	5	6	11
50-64	429	4.2	7	2	2	3	5	7	10	15
65+	372	4.9	11	2	2	4	6	8	11	19
GRAND TOTAL	**1890**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	4.3	6	1	1	4	5	8	9	12
20-34	269	4.6	6	1	2	4	6	8	9	11
35-49	126	4.9	6	2	2	5	6	8	9	12
50-64	100	6.1	8	2	3	6	8	10	12	14
65+	87	6.0	9	3	3	5	8	10	11	19
B. *Operated*										
0-19 YRS	46	3.6	4	1	2	3	4	6	7	12
20-34	89	4.4	10	1	1	3	5	9	10	15
35-49	84	4.7	13	2	2	3	6	9	10	22
50-64	54	5.9	14	2	2	5	8	11	15	17
65+	56	5.9	15	2	3	5	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	4	1	2	4	5	7	8	9
20-34	97	4.9	9	1	2	4	7	9	11	14
35-49	87	5.6	6	2	2	5	7	9	10	13
50-64	117	6.5	11	3	3	6	8	11	13	18
65+	162	7.9	23	3	4	7	10	13	17	28
B. *Operated*										
0-19 YRS	22	4.4	10	1	2	4	5	9	13	14
20-34	76	5.7	10	2	2	5	7	10	12	17
35-49	81	6.4	16	2	2	6	8	12	15	19
50-64	105	8.1	28	2	3	7	11	13	19	27
65+	113	8.6	24	3	4	8	11	15	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	699	5.0	7	1	2	5	6	8	10	13
B. *Operated*	329	4.9	12	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	508	6.3	15	2	3	6	8	11	13	20
B. *Operated*	397	7.2	22	2	3	6	10	13	16	23
1. SINGLE DX	1028	4.9	9	1	2	4	6	9	10	15
2. MULTIPLE DX	905	6.7	18	2	3	6	8	12	14	22
A. NOT OPERATED	1207	5.5	11	2	2	5	7	9	11	17
B. OPERATED	726	6.2	19	2	2	5	8	12	14	22
TOTAL 0-19 YRS	230	4.2	6	1	2	4	5	7	9	12
20-34	531	4.8	8	1	2	4	6	8	10	14
35-49	378	5.3	10	2	2	5	7	9	11	17
50-64	376	6.7	16	2	3	6	9	12	14	22
65+	418	7.4	20	3	3	6	9	13	16	22
GRAND TOTAL	**1933**	**5.8**	**14**	**2**	**2**	**5**	**7**	**10**	**13**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.7	1	<1	<1	2	2	2	3	6
20-34	44	1.8		<1	1	2	2	3	3	4
35-49	20	2.3	3	<1	<1	2	2	4	6	8
50-64	14	1.7	1	<1	1	2	2	3	4	4
65+	11	2.3	2	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	945	1.7	2	<1	<1	2	2	2	3	4
20-34	440	1.9	1	<1	1	2	2	3	3	4
35-49	217	2.1	1	<1	1	2	2	3	3	6
50-64	90	2.0	1	<1	1	2	2	3	3	5
65+	59	2.3	2	1	1	2	3	4	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	1.8	9	<1	<1	1	2	2	3	21
20-34	28	2.0		<1	1	2	2	3	3	3
35-49	25	3.5	15	1	2	2	4	5	10	21
50-64	21	2.9	3	1	1	2	4	6	6	7
65+	15	3.3	10	1	1	2	3	8	12	13
B. *Operated*										
0-19 YRS	307	2.0	1	<1	1	2	2	3	4	7
20-34	264	2.6	3	1	1	2	3	4	7	12
35-49	190	2.6	3	<1	1	2	3	5	6	11
50-64	155	3.6	10	1	2	2	4	9	10	17
65+	147	4.7	36	1	2	3	5	10	13	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	1.8	1	<1	<1	2	2	3	3	6
B. *Operated*	1751	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	138	2.5	8	<1	<1	2	2	4	6	21
B. *Operated*	1063	2.9	9	1	1	2	3	5	8	13
1. SINGLE DX	1978	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1201	2.8	9	1	1	2	3	5	7	14
A. NOT OPERATED	365	2.0	4	<1	<1	2	2	3	4	8
B. OPERATED	2814	2.2	4	<1	1	2	2	3	5	10
TOTAL 0-19 YRS	1439	1.8	2	<1	<1	2	2	2	3	6
20-34	776	2.1	2	1	1	2	2	3	4	8
35-49	452	2.4	3	<1	1	2	3	4	5	9
50-64	280	2.9	7	1	1	2	3	5	9	13
65+	232	3.9	25	1	1	2	4	8	12	24
GRAND TOTAL	**3179**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**3**	**5**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.0	2	<1	1	2	2	4	5	9
20-34	65	2.6	4	1	1	2	3	4	7	11
35-49	42	2.6	4	<1	<1	2	3	5	7	10
50-64	34	2.7	5	<1	1	2	3	5	8	12
65+	24	3.8	17	<1	1	2	4	12	14	15
B. *Operated*										
0-19 YRS	604	2.3	2	1	1	2	3	4	5	8
20-34	533	2.6	3	1	1	2	3	4	6	9
35-49	375	3.2	5	1	1	3	4	6	8	12
50-64	303	3.8	6	1	2	3	5	6	8	15
65+	134	4.4	28	1	2	3	5	8	11	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	4	<1	1	2	3	4	7	10
20-34	57	4.7	11	1	1	4	6	9	11	15
35-49	52	3.2	4	1	1	3	4	6	7	11
50-64	51	3.9	10	1	2	3	4	7	9	18
65+	49	8.0	43	2	2	6	10	17	22	35
B. *Operated*										
0-19 YRS	225	2.8	4	1	1	2	3	5	7	11
20-34	321	3.9	17	1	2	3	4	8	10	17
35-49	317	4.4	19	1	1	3	5	9	11	21
50-64	404	5.9	40	2	2	4	7	10	13	34
65+	242	7.4	62	1	2	5	9	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	2.6	5	<1	1	2	3	5	7	13
B. *Operated*	1949	2.9	6	1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	232	4.7	19	1	1	3	6	9	13	22
B. *Operated*	1509	5.0	31	1	2	3	6	10	12	31
1. SINGLE DX	2175	2.9	6	1	1	2	3	5	7	12
2. MULTIPLE DX	1741	4.9	29	1	2	3	6	10	12	30
A. NOT OPERATED	458	3.6	13	1	1	2	4	8	10	18
B. OPERATED	3458	3.8	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	913	2.4	3	1	1	2	3	4	5	9
20-34	976	3.2	8	1	1	2	4	6	8	13
35-49	786	3.7	11	1	1	3	4	7	9	16
50-64	792	4.8	25	1	2	4	6	9	11	22
65+	449	6.4	50	1	2	4	8	13	19	40
GRAND TOTAL	**3916**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	14	1.9	4	<1	<1	1	1	5	7	8
35-49	35	2.1	3	<1	<1	2	2	4	6	9
50-64	9	2.3	1	1	1	2	3	4	4	4
65+	5	4.6	29	1	1	2	6	14	14	14
B. *Operated*										
0-19 YRS	130	2.0	1	<1	1	2	2	3	3	6
20-34	1148	2.4	2	<1	1	2	3	4	5	8
35-49	2723	2.5	2	1	1	2	3	4	5	8
50-64	1236	2.5	2	1	1	2	3	4	5	8
65+	499	2.8	2	2	2	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	4	<1	<1	2	4	6	6	6
20-34	16	3.4	4	<1	2	3	4	7	8	8
35-49	55	4.2	9	1	1	3	6	8	10	14
50-64	21	4.6	10	1	1	4	6	8	12	14
65+	22	3.9	4	1	1	4	5	7	7	7
B. *Operated*										
0-19 YRS	44	2.6	3	<1	1	2	3	6	7	7
20-34	478	3.3	5	1	1	3	4	6	8	12
35-49	1385	3.7	8	1	2	3	4	7	9	15
50-64	756	3.8	10	2	2	3	4	7	9	17
65+	376	4.4	15	2	2	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.3	5	<1	<1	2	3	4	7	13
B. *Operated*	5736	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	119	4.0	7	1	1	3	5	8	9	14
B. *Operated*	3039	3.7	9	1	2	3	4	7	9	15
1. SINGLE DX	5800	2.5	2	1	1	2	3	4	5	8
2. MULTIPLE DX	3158	3.7	9	1	2	3	4	7	9	15
A. NOT OPERATED	183	3.4	7	<1	1	3	4	7	9	14
B. OPERATED	8775	2.9	5	1	1	2	3	5	7	11
TOTAL 0-19 YRS	180	2.2	1	<1	1	2	2	3	4	7
20-34	1656	2.7	3	<1	1	2	3	5	6	9
35-49	4198	2.9	4	1	1	2	3	5	7	12
50-64	2022	3.0	5	1	2	2	3	5	7	12
65+	902	3.5	8	2	2	3	4	6	8	14
GRAND TOTAL	**8958**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**12**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.6	5	1	1	3	4	8	8	10
20-34	72	3.5	10	1	1	3	4	5	6	22
35-49	35	3.3	7	<1	<1	2	5	7	9	12
50-64	21	3.1	7	<1	<1	2	3	8	9	9
65+	19	3.7	10	<1	<1	2	6	8	10	12
B. *Operated*										
0-19 YRS	427	2.8	2	1	1	3	4	4	5	9
20-34	778	3.2	4	<1	1	3	4	5	6	9
35-49	596	3.0	4	<1	1	2	4	6	7	9
50-64	389	3.1	4	1	2	2	4	5	7	12
65+	248	3.3	4	1	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.7	7	1	1	3	5	8	9	9
20-34	61	4.3	8	1	1	4	5	8	10	15
35-49	56	4.2	12	<1	<1	3	6	9	13	14
50-64	39	4.2	15	1	1	3	5	10	13	18
65+	38	5.9	26	1	1	4	8	15	19	20
B. *Operated*										
0-19 YRS	78	3.9	9	1	1	3	4	7	11	17
20-34	351	4.3	14	1	2	4	5	7	10	22
35-49	453	4.2	11	1	2	3	5	7	9	16
50-64	349	4.7	14	2	2	4	6	8	11	21
65+	210	5.3	21	2	2	4	6	10	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.4	8	<1	1	3	4	7	8	13
B. *Operated*	2438	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	207	4.5	14	1	1	4	6	9	13	19
B. *Operated*	1441	4.5	14	1	2	4	5	8	10	21
1. SINGLE DX	2618	3.1	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1648	4.5	14	1	2	4	5	8	11	20
A. NOT OPERATED	387	4.0	11	<1	1	3	5	8	10	18
B. OPERATED	3879	3.6	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	551	3.1	4	1	1	3	4	5	6	11
20-34	1262	3.6	8	1	1	3	4	6	7	13
35-49	1140	3.5	8	<1	1	3	4	7	8	13
50-64	798	3.9	9	1	2	3	5	7	9	17
65+	515	4.3	14	1	2	3	5	8	11	20
GRAND TOTAL	**4266**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	264	2.5	2	1	1	2	3	5	6	7
20-34	559	2.6	3	1	1	2	3	5	6	9
35-49	145	2.9	3	1	1	2	4	5	6	9
50-64	15	2.8	4	1	1	2	4	5	7	8
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	448	4.3	5	1	2	4	6	7	8	12
20-34	1528	4.9	6	1	2	5	6	8	9	13
35-49	417	6.5	10	2	3	6	8	10	12	19
50-64	58	7.2	7	2	4	7	9	11	12	14
65+	31	8.7	14	4	4	8	10	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	3.1	4	1	1	3	4	5	7	9
20-34	337	3.3	4	1	1	3	4	6	7	11
35-49	119	4.4	8	1	2	4	6	8	11	14
50-64	20	5.2	19	1	2	4	6	12	17	18
65+	7	11.4	186	4	4	8	9	35	42	42
B. *Operated*										
0-19 YRS	351	5.1	7	1	2	5	6	8	10	15
20-34	2394	6.1	10	2	2	6	7	10	11	17
35-49	1117	7.7	15	3	4	7	9	12	14	22
50-64	132	8.6	9	4	6	8	10	13	14	18
65+	67	11.6	40	5	6	10	14	18	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	985	2.6	3	1	1	2	3	5	6	9
B. *Operated*	2482	5.2	8	1	2	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	609	3.6	8	1	1	3	5	7	8	13
B. *Operated*	4061	6.6	13	2	3	6	8	11	13	19
1. SINGLE DX	3467	4.4	8	1	1	4	6	8	9	13
2. MULTIPLE DX	4670	6.3	13	2	2	6	8	10	12	18
A. NOT OPERATED	1594	3.0	5	1	1	2	4	6	7	11
B. OPERATED	6543	6.1	11	2	2	6	7	10	12	18
TOTAL 0-19 YRS	1189	4.0	6	1	1	4	5	7	8	13
20-34	4818	5.2	9	1	2	5	7	9	10	15
35-49	1798	6.8	15	2	2	6	8	11	13	21
50-64	225	7.5	12	2	3	7	9	12	13	18
65+	107	10.5	43	4	5	9	13	17	21	42
GRAND TOTAL	**8137**	**5.5**	**12**	**1**	**2**	**5**	**7**	**9**	**11**	**17**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	933	4.1	5	2	2	4	5	7	8	11
20-34	2374	4.5	9	2	2	4	5	7	9	13
35-49	291	5.4	9	2	2	5	7	9	11	14
50-64	29	7.1	25	3	4	6	8	11	16	29
65+	7	5.7	7	3	3	5	8	10	10	10
B. *Operated*										
0-19 YRS	245	5.6	14	1	2	5	7	10	12	19
20-34	1351	5.2	11	1	2	5	7	9	11	15
35-49	373	6.1	15	1	2	6	8	11	14	18
50-64	46	9.1	78	2	2	7	11	17	24	51
65+	20	11.2	107	2	3	8	14	28	37	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	504	4.8	7	2	2	4	6	7	9	15
20-34	1434	5.1	7	2	2	5	6	8	10	14
35-49	290	6.2	16	2	3	5	8	11	12	22
50-64	53	6.3	11	2	3	6	8	12	13	15
65+	21	6.7	15	1	2	7	9	12	15	16
B. *Operated*										
0-19 YRS	376	6.3	31	1	2	6	8	11	13	19
20-34	3586	6.2	15	1	2	6	8	10	13	19
35-49	1235	8.1	22	2	4	7	9	13	17	26
50-64	159	10.6	56	4	5	8	12	17	27	32
65+	48	15.0	95	3	6	12	21	30	35	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3634	4.5	8	2	2	4	5	7	9	13
B. *Operated*	2035	5.6	15	1	2	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	2302	5.2	9	2	2	5	6	9	10	15
B. *Operated*	5404	6.9	22	1	2	6	8	11	14	24
1. SINGLE DX	5669	4.9	11	1	2	4	6	8	10	15
2. MULTIPLE DX	7706	6.4	18	2	2	6	8	11	13	22
A. NOT OPERATED	5936	4.8	9	2	2	4	6	8	9	14
B. OPERATED	7439	6.5	20	1	2	6	8	11	14	22
TOTAL 0-19 YRS	2058	4.9	12	2	2	4	6	8	10	16
20-34	8745	5.4	12	1	2	5	7	9	11	17
35-49	2189	7.1	20	2	3	6	8	12	15	24
50-64	287	9.2	51	2	4	8	11	16	23	34
65+	96	11.7	86	2	3	9	15	24	34	42
GRAND TOTAL	**13375**	**5.7**	**16**	**2**	**2**	**5**	**7**	**10**	**12**	**20**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	11	2	2	4	4	10	13	13
20-34	73	3.2	5	1	1	3	4	7	8	11
35-49	16	3.2	4	1	1	2	4	7	8	8
50-64	3	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	64	3.5	4	1	1	3	5	6	7	9
20-34	1367	4.6	7	<1	1	5	6	8	8	12
35-49	644	5.8	5	1	2	6	7	8	9	11
50-64	33	5.6	7	1	2	6	7	9	9	11
65+	4	7.5		7	7	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.8	7	2	2	4	5	9	11	11
20-34	98	4.3	13	1	1	3	6	9	12	19
35-49	31	3.3	4	<1	<1	3	5	6	7	7
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	80	4.3	8	1	1	4	6	8	9	12
20-34	3171	6.0	9	1	2	6	7	9	10	15
35-49	3011	6.9	7	3	5	7	8	9	11	16
50-64	318	8.1	32	4	5	7	9	11	15	24
65+	40	9.6	21	5	5	8	11	15	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	3.4	5	1	1	3	4	7	8	12
B. *Operated*	2112	5.0	7	1	1	5	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	142	4.2	11	1	1	3	6	8	11	16
B. *Operated*	6620	6.5	10	2	3	6	8	9	11	16
1. SINGLE DX	2215	4.9	7	1	1	5	7	8	9	12
2. MULTIPLE DX	6762	6.5	10	2	2	6	8	9	11	16
A. NOT OPERATED	245	3.8	9	1	1	3	5	7	10	15
B. OPERATED	8732	6.1	10	1	2	6	7	9	10	15
TOTAL 0-19 YRS	165	4.1	7	1	1	4	6	7	9	12
20-34	4709	5.5	9	1	2	6	7	8	9	15
35-49	3702	6.7	7	2	4	7	8	9	11	16
50-64	356	7.8	30	2	5	7	9	11	14	23
65+	45	9.4	19	5	5	8	11	13	21	25
GRAND TOTAL	**8977**	**6.1**	**10**	**1**	**2**	**6**	**7**	**9**	**10**	**15**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	3.3	2	2	2	3	4	5	5	5
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64										
65+	1	18.0		18	18	18	18	18	18	18
B. *Operated*										
0-19 YRS	18	2.7	2	1	1	2	3	4	6	8
20-34	177	3.0	4	1	1	2	3	6	8	10
35-49	96	2.8	3	<1	1	2	3	6	7	8
50-64	31	3.2	4	1	1	2	4	6	7	7
65+	14	2.7	3	1	2	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	20	3.5	2	<1	1	3	5	5	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	34	3.4	5	1	1	2	4	7	8	9
20-34	708	4.6	9	1	2	4	6	8	10	13
35-49	598	5.7	10	2	2	6	8	9	11	15
50-64	179	5.2	23	1	2	3	7	11	14	21
65+	59	5.9	19	2	2	4	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.6	27	1	1	3	4	13	18	18
B. *Operated*	336	2.9	4	1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	29	3.8	3	<1	2	4	5	6	6	8
B. *Operated*	1578	5.1	12	1	2	5	7	9	11	16
1. SINGLE DX	345	2.9	4	1	1	2	3	6	7	10
2. MULTIPLE DX	1607	5.1	11	1	2	5	7	9	11	16
A. NOT OPERATED	38	3.9	8	1	2	3	5	6	7	18
B. OPERATED	1914	4.7	11	1	2	4	7	9	10	15
TOTAL 0-19 YRS	57	3.3	4	1	1	3	4	7	8	9
20-34	908	4.2	8	1	1	3	6	8	9	13
35-49	699	5.3	10	1	2	6	7	9	11	15
50-64	212	4.9	20	1	1	3	7	9	13	21
65+	76	5.5	19	2	2	4	7	10	16	20
GRAND TOTAL	**1952**	**4.7**	**11**	**1**	**2**	**4**	**7**	**9**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	3.1	3	1	1	3	4	5	6	8
20-34	183	3.6	3	1	1	3	5	6	7	9
35-49	39	3.4	5	<1	1	3	4	6	8	12
50-64	5	4.4	2	2	2	5	5	5	5	5
65+	7	7.1	14	3	3	8	10	12	13	13
B. *Operated*										
0-19 YRS	126	2.5	2	<1	1	2	4	4	5	6
20-34	741	2.4	3	<1	1	2	3	4	6	8
35-49	325	2.6	3	1	1	2	3	5	6	9
50-64	106	2.9	6	1	1	2	3	5	7	16
65+	32	3.0	9	1	1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	4.3	6	2	2	4	5	7	8	13
20-34	209	4.6	6	2	2	4	6	8	10	12
35-49	61	4.9	6	2	2	4	6	8	10	12
50-64	30	6.7	14	3	3	6	8	12	14	20
65+	41	7.6	22	2	3	7	10	14	16	23
B. *Operated*										
0-19 YRS	66	3.7	14	1	1	3	4	7	9	24
20-34	434	4.2	18	1	1	3	5	8	10	21
35-49	261	4.7	10	1	1	4	7	9	11	14
50-64	108	5.5	28	1	2	4	7	10	13	31
65+	49	9.3	129	1	2	6	11	18	31	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	313	3.5	4	1	1	3	5	6	7	10
B. *Operated*	1330	2.6	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	410	5.0	9	2	2	4	6	9	11	16
B. *Operated*	918	4.7	24	1	1	3	6	9	11	25
1. SINGLE DX	1643	2.7	3	1	1	2	4	5	6	9
2. MULTIPLE DX	1328	4.8	19	1	1	4	6	9	11	21
A. NOT OPERATED	723	4.4	7	1	2	4	5	8	10	14
B. OPERATED	2248	3.4	12	1	1	2	4	7	8	17
TOTAL 0-19 YRS	340	3.2	6	1	1	3	4	6	7	12
20-34	1567	3.3	8	1	1	3	4	6	8	13
35-49	686	3.7	7	1	1	3	5	7	9	12
50-64	249	4.5	18	1	1	3	6	9	12	24
65+	129	7.1	64	1	2	5	8	16	17	44
GRAND TOTAL	**2971**	**3.7**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	3.8	7	<1	<1	3	6	8	9	9
35-49	3	4.3	8	1	1	6	6	6	6	6
50-64	13	4.2	10	<1	<1	4	7	9	10	10
65+	13	4.1	8	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	4	3.8	4	1	1	4	5	6	6	6
20-34	638	5.9	5	3	4	6	7	8	9	14
35-49	839	6.8	7	3	4	6	8	10	11	15
50-64	853	7.6	9	4	5	7	9	11	13	19
65+	698	8.3	9	4	5	8	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	31	2.7	3	<1	<1	2	4	6	6	6
35-49	43	3.4	5	<1	1	3	5	7	8	9
50-64	60	4.3	13	1	1	3	5	8	10	22
65+	87	5.4	23	1	1	4	8	10	12	27
B. *Operated*										
0-19 YRS	18	5.6	7	1	1	6	7	9	10	10
20-34	1877	6.6	6	4	4	6	8	9	11	16
35-49	2843	7.5	8	4	5	7	9	11	13	18
50-64	1985	8.7	16	4	5	8	10	13	15	23
65+	1709	9.5	21	5	6	9	11	14	17	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	4.1	8	<1	<1	3	6	9	9	10
B. *Operated*	3032	7.2	9	4	4	7	8	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	221	4.3	15	1	1	3	6	9	11	22
B. *Operated*	8432	8.0	13	4	5	7	9	12	14	21
1. SINGLE DX	3070	7.1	9	3	4	7	8	10	12	16
2. MULTIPLE DX	8653	7.9	14	4	5	7	9	12	14	21
A. NOT OPERATED	259	4.3	14	1	1	3	6	9	10	21
B. OPERATED	11464	7.8	12	4	5	7	9	12	14	20
TOTAL 0-19 YRS	22	5.3	7	1	1	5	7	9	10	10
20-34	2555	6.4	6	3	4	6	7	9	11	15
35-49	3728	7.3	8	4	5	7	8	10	12	17
50-64	2911	8.3	15	4	5	8	9	12	15	22
65+	2507	9.0	19	4	5	8	11	14	16	24
GRAND TOTAL	**11723**	**7.7**	**13**	**4**	**5**	**7**	**9**	**12**	**14**	**20**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.9		1	1	2	2	3	3	3
20-34	126	2.4	4	<1	<1	2	2	6	7	9
35-49	127	2.1	2	<1	<1	2	2	3	5	7
50-64	10	1.9	1	<1	<1	2	2	4	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	1	1	2	3	5	5	5
20-34	10	3.4	5	1	1	3	4	7	8	8
35-49	4	3.5	19	1	1	2	6	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	13	2.8	4	1	1	2	3	7	7	7
20-34	257	4.0	9	1	1	2	6	8	9	14
35-49	287	4.5	9	1	1	4	7	9	10	12
50-64	26	4.8	27	<1	1	3	7	9	13	27
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.9	1	1	1	2	3	3	3	3
B. *Operated*	273	2.2	2	<1	<1	2	2	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	20	3.2	6	1	1	3	4	7	9	10
B. *Operated*	583	4.3	10	1	1	3	6	8	9	13
1. SINGLE DX	284	2.2	2	<1	<1	2	2	4	6	8
2. MULTIPLE DX	603	4.2	10	1	1	3	6	8	9	13
A. NOT OPERATED	31	2.7	4	1	1	2	3	5	8	10
B. OPERATED	856	3.6	8	<1	1	2	6	8	9	12
TOTAL 0-19 YRS	34	2.4	2	1	1	2	3	4	6	7
20-34	398	3.5	8	1	1	2	5	7	8	13
35-49	419	3.7	8	<1	1	2	6	8	9	11
50-64	36	4.0	21	<1	<1	2	5	8	9	27
65+										
GRAND TOTAL	**887**	**3.6**	**8**	**<1**	**1**	**2**	**6**	**8**	**9**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	2.3	2	<1	1	2	3	4	5	7
20-34	276	2.0	2	<1	1	2	2	3	5	7
35-49	57	2.0	1	1	1	2	3	4	4	5
50-64	3	3.7	4	2	2	3	5	6	6	6
65+										
B. *Operated*										
0-19 YRS	339	1.9	1	<1	1	2	2	3	3	5
20-34	3768	2.4	4	<1	<1	2	2	5	6	9
35-49	3088	2.4	4	<1	<1	2	2	6	7	9
50-64	345	2.2	3	<1	<1	2	2	4	6	9
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	3.3	9	1	1	2	4	6	8	18
20-34	306	3.2	6	1	1	2	4	6	8	12
35-49	198	3.5	8	<1	1	3	5	7	9	14
50-64	20	2.3	3	<1	<1	2	3	4	6	9
65+										
B. *Operated*										
0-19 YRS	313	3.0	7	1	1	2	3	6	7	12
20-34	5566	4.4	10	1	1	4	6	8	9	13
35-49	6367	4.9	12	1	1	5	7	8	10	14
50-64	649	4.5	14	<1	1	3	7	9	11	17
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	452	2.1	2	<1	1	2	3	4	5	6
B. *Operated*	7540	2.3	4	<1	<1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	634	3.3	7	<1	1	3	4	6	8	13
B. *Operated*	12895	4.6	11	1	1	4	7	8	9	14
1. SINGLE DX	7992	2.3	4	<1	<1	2	2	5	6	9
2. MULTIPLE DX	13529	4.6	11	1	1	4	7	8	9	14
A. NOT OPERATED	1086	2.8	5	<1	1	2	3	5	7	12
B. OPERATED	20435	3.8	10	<1	1	2	6	8	9	13
TOTAL 0-19 YRS	878	2.5	4	1	1	2	3	4	6	10
20-34	9916	3.5	8	<1	1	2	6	7	8	12
35-49	9710	4.0	11	<1	1	2	6	8	9	13
50-64	1017	3.7	11	<1	1	2	6	8	9	15
65+										
GRAND TOTAL	**21521**	**3.7**	**10**	**<1**	**1**	**2**	**6**	**8**	**9**	**13**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	3.2	2	2	2	3	4	5	5	5
50-64	14	4.1	9	1	2	3	6	10	10	10
65+	10	2.8	3	<1	<1	3	4	5	6	6
B. *Operated*										
0-19 YRS										
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	280	1.8	1	<1	<1	2	2	2	3	7
50-64	1030	2.0	2	<1	<1	2	2	3	4	8
65+	342	2.6	4	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	31	5.1	15	1	1	5	6	10	13	19
50-64	58	4.1	9	<1	1	3	5	8	11	15
65+	55	5.6	26	2	2	4	6	9	15	28
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	4.7	9	2	2	4	7	8	8	8
35-49	314	3.4	9	1	1	2	4	7	8	16
50-64	1382	3.7	11	1	1	2	5	8	10	15
65+	662	4.3	17	1	2	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	3.5	5	1	1	3	4	6	10	10
B. *Operated*	1658	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	147	4.8	17	1	1	4	6	8	12	27
B. *Operated*	2364	3.8	13	1	1	2	5	8	10	17
1. SINGLE DX	1688	2.1	2	<1	<1	2	2	3	4	9
2. MULTIPLE DX	2511	3.9	13	1	1	2	5	8	11	18
A. NOT OPERATED	177	4.6	15	1	1	4	6	8	12	25
B. OPERATED	4022	3.1	9	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	13	2.7	4	<1	<1	2	3	5	7	8
35-49	630	2.7	6	<1	1	2	3	6	8	12
50-64	2484	3.0	8	<1	1	2	3	7	9	14
65+	1069	3.8	14	1	1	2	4	8	11	19
GRAND TOTAL	**4199**	**3.2**	**9**	**<1**	**1**	**2**	**3**	**7**	**9**	**15**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	2.2	2	<1	<1	2	3	4	5	8
20-34	146	2.5	2	<1	<1	2	4	4	5	7
35-49	34	3.0	6	<1	1	2	3	5	10	12
50-64	11	4.2	12	1	1	3	6	10	12	12
65+	12	5.0	9	1	2	5	6	9	12	12
B. *Operated*										
0-19 YRS	203	2.9	4	<1	1	2	4	6	7	10
20-34	1923	3.2	5	1	1	3	4	6	7	10
35-49	1040	3.6	11	<1	1	2	5	7	8	13
50-64	624	3.1	7	<1	1	2	4	7	8	12
65+	235	3.5	10	1	2	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	3.3	8	<1	1	2	4	7	9	14
20-34	131	3.4	6	<1	1	3	5	7	8	12
35-49	86	4.2	17	1	1	3	5	7	15	22
50-64	48	5.0	13	1	1	4	7	10	12	16
65+	77	6.5	27	1	2	5	9	12	14	31
B. *Operated*										
0-19 YRS	150	3.8	11	<1	1	3	5	7	9	19
20-34	2174	4.8	10	1	1	5	7	8	10	15
35-49	2314	5.6	13	1	2	6	7	9	11	17
50-64	1310	5.4	24	1	2	5	7	10	11	19
65+	595	6.6	43	2	2	5	8	14	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.7	4	<1	1	2	4	5	6	12
B. *Operated*	4025	3.3	7	<1	1	2	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	382	4.4	15	1	1	3	6	9	12	18
B. *Operated*	6543	5.3	17	1	2	5	7	9	11	19
1. SINGLE DX	4283	3.3	7	<1	1	2	4	7	8	12
2. MULTIPLE DX	6925	5.3	17	1	2	5	7	9	11	19
A. NOT OPERATED	640	3.7	11	<1	1	3	5	8	10	16
B. OPERATED	10568	4.6	14	1	1	4	6	8	10	17
TOTAL 0-19 YRS	448	3.2	7	<1	1	2	4	6	8	14
20-34	4374	4.0	8	1	1	3	6	7	8	13
35-49	3474	4.9	13	1	1	5	7	8	10	17
50-64	1993	4.7	19	1	1	3	7	9	11	18
65+	919	5.8	34	1	2	4	8	12	16	26
GRAND TOTAL	**11208**	**4.5**	**14**	**1**	**1**	**3**	**6**	**8**	**10**	**17**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	2.4	2	1	1	2	3	4	5	8
20-34	375	2.4	4	<1	1	2	3	5	6	9
35-49	82	3.1	6	<1	1	2	4	7	9	9
50-64	12	4.6	13	<1	<1	3	8	9	12	12
65+	7	4.1	7	2	2	3	6	8	9	9
B. *Operated*										
0-19 YRS	157	2.9	6	<1	1	2	3	5	8	11
20-34	1583	3.4	6	<1	1	2	5	7	8	11
35-49	661	6.2	11	1	2	6	8	10	11	16
50-64	381	8.1	10	3	4	8	10	12	14	17
65+	180	9.5	14	3	5	9	11	14	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	145	2.8	3	1	1	2	4	5	7	8
20-34	456	3.1	5	<1	1	3	4	6	8	13
35-49	131	3.6	9	1	1	3	4	7	9	14
50-64	42	6.0	35	2	2	4	7	13	21	28
65+	27	6.5	14	2	2	6	9	12	14	15
B. *Operated*										
0-19 YRS	199	3.8	7	<1	1	3	5	7	9	13
20-34	4067	4.9	9	<1	1	5	7	8	10	14
35-49	2063	6.8	11	2	2	7	8	10	12	18
50-64	592	8.9	19	3	4	8	10	13	17	24
65+	319	10.8	32	3	5	10	13	17	23	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	2.6	4	<1	1	2	3	5	7	9
B. *Operated*	2962	5.0	13	<1	1	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	801	3.4	8	1	1	3	4	7	8	14
B. *Operated*	7240	6.0	14	1	2	6	8	10	12	19
1. SINGLE DX	3655	4.5	12	<1	1	3	7	9	10	15
2. MULTIPLE DX	8041	5.8	14	1	1	6	7	10	12	18
A. NOT OPERATED	1494	3.0	6	<1	1	2	4	6	8	12
B. OPERATED	10202	5.7	14	1	1	6	8	10	12	18
TOTAL 0-19 YRS	718	3.0	5	1	1	2	4	6	7	11
20-34	6481	4.3	9	<1	1	4	6	8	9	13
35-49	2937	6.4	11	1	2	6	8	10	12	17
50-64	1027	8.4	17	2	4	8	10	13	15	23
65+	533	10.1	26	2	4	9	12	16	20	27
GRAND TOTAL	**11696**	**5.4**	**14**	**1**	**1**	**5**	**7**	**10**	**12**	**18**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	15	2.3	2	<1	<1	2	3	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	107	5.1	2	3	4	5	6	7	8	9
20-34	1389	5.2	8	3	3	5	6	7	8	11
35-49	137	5.5	2	4	4	5	6	7	8	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.3	5	1	1	3	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	74	5.1	3	3	4	5	6	7	7	13
20-34	1124	5.6	4	3	4	5	6	7	9	12
35-49	158	6.5	8	4	4	6	8	9	11	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	2	<1	<1	1	2	5	5	5
B. *Operated*	1633	5.2	7	3	3	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	7	3.1	4	1	1	3	5	6	6	6
B. *Operated*	1356	5.7	4	3	4	5	6	8	9	13
1. SINGLE DX	1653	5.2	8	3	3	5	6	7	8	10
2. MULTIPLE DX	1363	5.6	4	3	4	5	6	8	9	13
A. NOT OPERATED	27	2.3	3	<1	<1	2	3	5	6	6
B. OPERATED	2989	5.4	6	3	4	5	6	7	8	12
TOTAL 0-19 YRS	185	5.0	3	3	4	5	6	7	8	10
20-34	2534	5.3	6	3	4	5	6	7	8	11
35-49	297	6.0	6	4	4	5	7	8	10	16
50-64										
65+										
GRAND TOTAL	**3016**	**5.4**	**6**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.6		<1	1	2	2	3	3	3
20-34	37	2.2	1	1	1	2	3	3	5	5
35-49	4	1.8		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	495	1.9	1	<1	<1	2	2	3	4	7
20-34	783	1.8	2	<1	<1	1	2	3	3	6
35-49	110	1.7	2	<1	<1	1	2	3	3	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7		<1	<1	2	2	2	2	2
20-34	26	2.6	6	<1	<1	2	3	4	7	13
35-49	4	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	331	2.3	3	<1	<1	2	3	4	5	8
20-34	1095	2.4	5	<1	<1	2	3	5	7	12
35-49	262	2.8	5	<1	<1	2	3	6	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.0	1	1	1	2	2	3	4	5
B. *Operated*	1388	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	37	2.3	4	<1	<1	2	2	4	5	13
B. *Operated*	1688	2.5	4	<1	<1	2	3	5	7	12
1. SINGLE DX	1446	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	1725	2.5	4	<1	<1	2	3	5	7	12
A. NOT OPERATED	95	2.1	2	<1	1	2	2	3	5	10
B. OPERATED	3076	2.2	3	<1	<1	2	2	4	6	10
TOTAL 0-19 YRS	850	2.0	2	<1	<1	2	2	3	4	7
20-34	1941	2.2	4	<1	<1	2	2	4	6	10
35-49	380	2.5	5	<1	<1	2	3	5	7	11
50-64										
65+										
GRAND TOTAL	**3171**	**2.2**	**3**	**<1**	**<1**	**2**	**2**	**4**	**6**	**10**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.8	7	1	1	3	5	8	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	6	3.5	6	1	1	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	3.3	4	1	1	4	5	5	5	5
1. SINGLE DX	7	3.6	5	1	1	3	4	7	8	8
2. MULTIPLE DX	4	3.5	3	1	1	4	5	5	5	5
A. NOT OPERATED	2	4.0		4	4	4	4	4	4	4
B. OPERATED	9	3.4	5	1	1	3	4	7	8	8
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	3.7	5	1	1	4	4	7	8	8
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**11**	**3.5**	**4**	**1**	**1**	**4**	**4**	**6**	**8**	**8**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	292	1.8	1	<1	1	1	2	3	4	6
20-34	742	1.7	2	<1	1	1	2	3	4	7
35-49	44	1.5	1	1	1	1	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1751	1.6	1	<1	1	1	2	3	3	5
20-34	8046	1.5	1	<1	<1	1	2	2	3	5
35-49	874	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.5	2	<1	1	2	3	4	5	8
20-34	154	2.6	5	1	1	2	3	4	7	11
35-49	8	2.3	2	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	228	2.4	3	1	1	2	3	5	5	9
20-34	1274	2.6	8	<1	1	2	3	5	7	12
35-49	260	2.6	18	<1	1	2	3	4	6	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1078	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	10671	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	202	2.5	4	1	1	2	3	4	6	11
B. *Operated*	1762	2.5	9	<1	1	2	3	5	7	12
1. SINGLE DX	11749	1.5	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	1964	2.5	8	<1	1	2	3	5	7	11
A. NOT OPERATED	1280	1.9	2	<1	1	1	2	3	4	8
B. OPERATED	12433	1.7	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	2311	1.7	1	<1	1	1	2	3	4	6
20-34	10216	1.7	2	<1	<1	1	2	3	4	7
35-49	1186	1.8	5	<1	<1	1	2	3	4	8
50-64										
65+										
GRAND TOTAL	**13713**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	8	1	2	3	5	6	7	19
20-34	146	2.6	3	<1	1	2	4	5	6	7
35-49	18	1.8	1	<1	1	1	2	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	192	2.0	1	<1	1	2	2	4	4	7
20-34	1515	1.8	4	<1	<1	1	2	3	4	7
35-49	130	2.0	3	<1	<1	2	2	4	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	8	2	2	3	4	8	12	12
20-34	47	2.8	4	1	1	2	4	6	7	7
35-49	4	4.3	27	<1	<1	2	7	12	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.4	7	1	1	3	4	7	10	13
20-34	365	2.9	6	1	1	2	4	6	7	12
35-49	51	2.8	6	1	1	2	3	6	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	2.8	4	<1	1	2	4	5	6	10
B. *Operated*	1837	1.8	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	62	3.1	6	1	1	2	4	6	7	12
B. *Operated*	469	2.9	6	1	1	2	4	6	8	13
1. SINGLE DX	2046	1.9	4	<1	<1	2	2	3	4	7
2. MULTIPLE DX	531	3.0	6	1	1	2	4	6	8	12
A. NOT OPERATED	271	2.8	5	1	1	2	4	5	6	12
B. OPERATED	2306	2.1	4	<1	<1	2	2	4	5	9
TOTAL 0-19 YRS	301	2.6	4	<1	1	2	3	5	6	12
20-34	2073	2.1	4	<1	<1	2	2	4	5	9
35-49	203	2.2	4	<1	<1	2	2	5	7	11
50-64										
65+										
GRAND TOTAL	**2577**	**2.1**	**4**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	225	2.2	1	<1	1	2	3	4	4	6
20-34	1036	2.4	2	1	1	2	3	4	5	8
35-49	65	2.7	3	<1	1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	22	4.0	41	<1	1	3	4	5	16	32
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.5	6	1	1	2	5	6	8	12
20-34	202	3.4	5	1	1	3	4	6	7	10
35-49	17	3.2	5	<1	1	3	4	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	13	3.4	6	<1	1	3	4	7	9	10
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1326	2.4	2	1	1	2	3	4	5	7
B. *Operated*	26	3.7	35	<1	1	2	4	5	11	32
2. MULTIPLE DX										
A. *Not Operated*	261	3.4	5	1	1	3	4	6	8	10
B. *Operated*	16	3.6	5	<1	1	3	4	6	9	10
1. SINGLE DX	1352	2.4	3	1	1	2	3	4	5	8
2. MULTIPLE DX	277	3.4	5	1	1	3	4	6	8	10
A. NOT OPERATED	1587	2.6	3	1	1	2	3	5	6	8
B. OPERATED	42	3.6	24	<1	1	3	4	6	8	32
TOTAL 0-19 YRS	272	2.4	2	<1	1	2	3	4	6	7
20-34	1273	2.6	3	1	1	2	3	5	6	8
35-49	84	2.9	3	<1	1	2	4	6	7	9
50-64										
65+										
GRAND TOTAL	**1629**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	1	1	2	4	5	5	5
20-34	71	2.9	6	<1	<1	2	4	5	7	14
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	1	1	4	4	4	4	4
20-34	19	3.6	8	<1	1	3	5	7	10	12
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.6	3	2	2	3	5	6	6	6
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	2.8	5	<1	1	2	4	5	7	14
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	22	3.5	8	<1	1	3	4	7	9	12
B. *Operated*	5	3.6	3	2	2	3	5	6	6	6
1. SINGLE DX	93	2.8	5	<1	1	2	4	5	7	14
2. MULTIPLE DX	27	3.6	7	<1	1	3	5	7	8	12
A. NOT OPERATED	112	2.9	6	<1	1	2	4	5	7	13
B. OPERATED	8	3.0	3	2	2	2	4	6	6	6
TOTAL 0-19 YRS	19	2.7	2	1	1	3	4	5	5	5
20-34	98	3.0	6	<1	1	2	4	6	7	14
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**120**	**2.9**	**5**	**<1**	**1**	**2**	**4**	**6**	**7**	**13**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	3.3	4	1	1	3	4	6	7	11
20-34	1244	3.5	7	1	1	3	4	6	8	16
35-49	122	3.7	9	1	1	3	4	6	8	22
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.6	19	1	1	4	8	12	15	18
20-34	79	4.9	12	1	2	4	6	9	11	20
35-49	7	4.4	3	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	3.6	4	1	2	3	4	6	8	11
20-34	317	4.1	14	1	1	3	5	7	9	16
35-49	39	5.4	12	1	1	5	8	10	12	15
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.3	16	<1	<1	6	10	11	11	11
20-34	53	4.1	17	<1	<1	2	6	8	12	21
35-49	5	10.4	114	2	2	5	17	28	28	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1668	3.5	7	1	1	3	4	6	8	15
B. *Operated*	107	5.0	13	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	430	4.1	12	1	1	3	5	8	9	15
B. *Operated*	66	4.8	25	<1	<1	3	7	11	14	27
1. SINGLE DX	1775	3.6	7	1	1	3	4	6	8	16
2. MULTIPLE DX	496	4.2	14	<1	1	3	5	8	10	17
A. NOT OPERATED	2098	3.6	8	1	1	3	4	7	8	15
B. OPERATED	173	4.9	17	1	1	4	6	10	12	21
TOTAL 0-19 YRS	405	3.5	5	1	1	3	4	6	8	12
20-34	1693	3.7	9	1	1	3	4	7	9	16
35-49	173	4.3	14	1	1	3	5	8	10	23
50-64										
65+										
GRAND TOTAL	**2271**	**3.7**	**9**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	3.3	4	1	1	3	4	6	7	12
20-34	1202	3.7	5	1	2	3	4	6	8	12
35-49	19	4.6	5	1	2	4	7	9	55	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	2.7	1	1	1	3	4	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.6	4	2	2	3	4	6	8	11
20-34	406	3.9	7	1	2	3	5	7	8	14
35-49	22	5.6	19	1	2	4	6	12	15	18
50-64										
65+										
B. *Operated*										
0-19 YRS	6	8.0	26	3	3	7	11	15	16	16
20-34	18	4.7	17	1	2	3	6	9	14	18
35-49	2	4.5	1	4	4	4	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1520	3.6	5	1	2	3	4	6	7	12
B. *Operated*	7	3.0	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	523	3.9	7	1	2	3	5	7	9	14
B. *Operated*	26	5.5	19	1	2	4	7	11	16	18
1. SINGLE DX	1527	3.6	5	1	2	3	4	6	7	12
2. MULTIPLE DX	549	4.0	7	1	2	3	5	7	9	16
A. NOT OPERATED	2043	3.7	6	1	2	3	4	6	8	13
B. OPERATED	33	4.9	16	1	2	4	6	10	15	18
TOTAL 0-19 YRS	401	3.5	4	1	2	3	4	6	7	12
20-34	1632	3.7	6	1	2	3	4	6	8	13
35-49	43	5.1	12	1	2	4	6	11	14	99+
50-64										
65+										
GRAND TOTAL	**2076**	**3.7**	**6**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1253	1.2	1	<1	<1	1	1	2	2	5
20-34	4079	1.3	1	<1	<1	1	1	2	3	6
35-49	226	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	66	1.6	2	<1	<1	1	1	3	5	7
20-34	263	1.6	4	<1	<1	1	1	3	4	8
35-49	12	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	124	1.8	2	<1	<1	1	2	4	4	9
20-34	411	2.0	3	<1	<1	1	3	4	5	8
35-49	32	2.0	4	<1	<1	1	2	4	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	15	4.5	68	<1	<1	3	3	5	27	34
20-34	30	4.8	133	<1	<1	2	4	5	23	62
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5558	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	341	1.6	3	<1	<1	1	1	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	567	2.0	3	<1	<1	1	2	4	5	8
B. *Operated*	48	4.5	103	<1	<1	2	3	5	24	62
1. SINGLE DX	5899	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX	615	2.2	11	<1	<1	1	2	4	5	10
A. NOT OPERATED	6125	1.3	1	<1	<1	1	1	2	3	6
B. OPERATED	389	1.9	16	<1	<1	1	2	3	5	18
TOTAL 0-19 YRS	1458	1.3	2	<1	<1	1	1	2	3	6
20-34	4783	1.4	3	<1	<1	1	1	2	3	6
35-49	273	1.4	1	<1	<1	1	1	2	3	6
50-64										
65+										
GRAND TOTAL	**6514**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.4	10	<1	1	2	4	9	12	13
20-34	369	3.4	11	1	1	3	4	6	9	16
35-49	40	3.7	7	1	1	3	5	7	9	14
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	29	4.9	17	<1	1	4	5	13	15	16
35-49	2	8.0	98	1	1	8	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.3	1	1	1	2	3	4	5	5
20-34	93	4.9	44	1	1	3	5	10	18	37
35-49	8	10.5	418	1	1	4	5	44	61	61
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	9	5.7	16	2	2	5	8	12	14	14
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	3.5	11	1	1	3	4	7	9	14
B. *Operated*	33	4.9	19	<1	1	4	5	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	112	5.0	65	1	1	3	5	9	18	47
B. *Operated*	9	5.7	16	2	2	5	8	12	14	14
1. SINGLE DX	481	3.6	11	1	1	3	4	7	10	16
2. MULTIPLE DX	121	5.1	62	1	1	3	5	9	16	45
A. NOT OPERATED	560	3.8	22	1	1	3	4	7	10	22
B. OPERATED	42	5.1	18	<1	1	4	6	14	15	16
TOTAL 0-19 YRS	52	3.1	8	<1	1	2	3	7	11	13
20-34	500	3.8	18	1	1	3	4	7	11	20
35-49	50	5.0	74	1	1	3	5	8	14	61
50-64										
65+										
GRAND TOTAL	**602**	**3.9**	**22**	**1**	**1**	**3**	**4**	**7**	**11**	**20**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	1.9	1	<1	<1	1	2	3	4	6
20-34	516	2.4	6	<1	<1	2	3	4	5	10
35-49	26	2.1	3	<1	<1	2	2	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	11	2.6	2	<1	<1	2	4	5	5	5
20-34	35	2.5	3	<1	1	2	3	4	6	9
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.4	17	<1	1	2	4	7	13	20
20-34	142	3.0	6	1	1	2	4	6	7	14
35-49	10	4.2	25	<1	<1	2	4	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	19	4.4	14	1	2	3	5	8	13	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	2.3	5	<1	<1	2	3	4	5	8
B. *Operated*	48	2.6	3	<1	1	2	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	176	3.1	8	1	1	2	4	6	8	15
B. *Operated*	21	4.4	13	1	2	3	5	7	12	18
1. SINGLE DX	718	2.3	5	<1	<1	2	3	4	5	9
2. MULTIPLE DX	197	3.3	9	1	1	2	4	6	8	17
A. NOT OPERATED	846	2.4	6	<1	<1	2	3	4	6	14
B. OPERATED	69	3.2	6	<1	1	3	4	6	7	16
TOTAL 0-19 YRS	165	2.2	4	<1	<1	2	3	4	5	10
20-34	712	2.6	6	<1	<1	2	3	5	6	14
35-49	38	2.8	9	<1	<1	2	3	5	11	14
50-64										
65+										
GRAND TOTAL	**915**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	3.2	2	1	1	3	4	5	6	7
20-34	689	3.3	4	1	1	3	4	6	7	9
35-49	17	3.2	2	<1	1	3	4	4	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.7	4	1	1	3	5	7	7	7
20-34	27	3.0	4	<1	<1	3	4	7	7	7
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	4.0	8	1	1	4	5	6	8	13
20-34	629	3.9	13	<1	1	3	5	6	8	12
35-49	25	3.4	5	<1	1	3	5	7	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.8	14	<1	<1	3	4	10	13	13
20-34	35	5.5	35	1	2	4	6	10	15	35
35-49	5	5.8	8	3	3	6	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1062	3.3	3	1	1	3	4	5	6	8
B. *Operated*	44	3.4	4	<1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	986	3.9	11	1	1	3	5	6	8	13
B. *Operated*	52	5.2	28	1	1	4	6	9	13	35
1. SINGLE DX	1106	3.3	3	1	1	3	4	6	6	8
2. MULTIPLE DX	1038	3.9	12	1	1	3	5	6	8	13
A. NOT OPERATED	2048	3.6	7	1	1	3	4	6	7	11
B. OPERATED	96	4.3	17	<1	1	4	5	7	10	26
TOTAL 0-19 YRS	715	3.6	5	1	1	3	4	6	7	11
20-34	1380	3.6	9	<1	1	3	4	6	7	12
35-49	49	3.7	5	<1	1	3	5	7	8	9
50-64										
65+										
GRAND TOTAL	**2144**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	4.5	26	<1	1	3	5	9	15	28
20-34	601	4.3	14	<1	1	3	5	8	11	19
35-49	86	4.6	11	1	1	3	6	10	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.9	18	<1	<1	2	5	11	13	13
20-34	31	4.7	23	1	1	4	5	8	18	23
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.0	20	<1	1	3	5	8	11	29
20-34	889	4.6	21	1	1	3	5	9	13	25
35-49	91	6.3	28	1	2	5	8	14	17	29
50-64										
65+										
B. *Operated*										
0-19 YRS	19	4.9	10	1	1	5	7	8	11	14
20-34	92	6.0	21	<1	1	5	8	12	15	21
35-49	14	6.1	25	2	2	4	7	13	18	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	777	4.3	15	<1	1	3	5	9	11	21
B. *Operated*	41	4.6	21	<1	1	3	5	9	16	23
2. MULTIPLE DX										
A. *Not Operated*	1148	4.7	22	1	1	3	6	9	13	25
B. *Operated*	125	5.8	20	1	1	4	8	12	14	21
1. SINGLE DX	818	4.3	15	<1	1	3	5	9	11	21
2. MULTIPLE DX	1273	4.8	22	1	1	3	6	9	13	25
A. NOT OPERATED	1925	4.5	19	1	1	3	5	9	12	23
B. OPERATED	166	5.5	20	<1	1	4	7	12	14	22
TOTAL 0-19 YRS	285	4.2	21	<1	1	3	5	8	12	28
20-34	1613	4.6	19	1	1	3	5	9	12	22
35-49	193	5.5	21	1	2	4	7	11	14	22
50-64										
65+										
GRAND TOTAL	**2091**	**4.6**	**19**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	2.3	6	<1	<1	2	3	4	6	9
20-34	2222	2.7	11	<1	<1	2	3	5	7	16
35-49	94	3.0	24	<1	<1	2	3	5	7	31
50-64										
65+										
B. *Operated*										
0-19 YRS	99	3.0	8	<1	<1	3	3	5	6	18
20-34	860	3.3	12	<1	1	3	4	5	7	22
35-49	59	3.1	5	1	1	2	3	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	2.9	10	<1	<1	2	3	5	7	15
20-34	1043	3.6	21	<1	<1	2	4	7	10	24
35-49	50	3.5	9	<1	1	3	4	8	9	13
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.7	8	<1	<1	3	4	8	9	16
20-34	338	4.1	18	<1	<1	3	5	8	13	23
35-49	28	3.9	7	<1	1	3	5	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2905	2.6	10	<1	<1	2	3	5	7	15
B. *Operated*	1018	3.2	11	<1	1	3	4	5	7	18
2. MULTIPLE DX										
A. *Not Operated*	1333	3.5	18	<1	<1	2	4	7	10	21
B. *Operated*	409	4.0	16	<1	<1	3	5	8	12	22
1. SINGLE DX	3923	2.8	10	<1	<1	2	3	5	7	16
2. MULTIPLE DX	1742	3.6	18	<1	<1	3	4	7	10	21
A. NOT OPERATED	4238	2.9	13	<1	<1	2	3	5	8	17
B. OPERATED	1427	3.5	13	<1	1	3	4	6	8	21
TOTAL 0-19 YRS	971	2.6	7	<1	<1	2	3	5	7	11
20-34	4463	3.1	14	<1	<1	2	4	6	8	20
35-49	231	3.2	14	<1	<1	2	4	7	9	14
50-64										
65+										
GRAND TOTAL	**5665**	**3.0**	**13**	**<1**	**<1**	**2**	**3**	**6**	**8**	**18**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.8	1	2	2	3	3	4	4	6
20-34	365	3.2	5	2	2	3	3	4	5	11
35-49	24	4.3	12	2	2	3	4	11	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	42	4.9	33	2	2	3	4	8	13	37
20-34	198	4.5	11	2	2	4	5	7	9	19
35-49	19	6.9	85	2	3	4	6	14	31	42
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	148	3.0	3	2	2	3	3	4	5	9
20-34	458	3.3	12	2	2	3	3	5	6	16
35-49	27	4.5	25	1	2	3	4	7	15	27
50-64										
65+										
B. *Operated*										
0-19 YRS	119	5.4	34	2	2	4	6	9	13	37
20-34	985	5.6	26	2	2	4	6	9	13	28
35-49	101	6.5	31	2	3	5	7	12	20	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	501	3.2	4	2	2	3	3	4	5	12
B. *Operated*	259	4.8	20	2	2	4	5	7	10	33
2. MULTIPLE DX										
A. *Not Operated*	633	3.3	10	2	2	3	3	5	6	17
B. *Operated*	1205	5.6	27	2	2	4	6	9	14	29
1. SINGLE DX	760	3.7	10	2	2	3	4	6	7	15
2. MULTIPLE DX	1838	4.8	23	2	2	4	5	8	11	28
A. NOT OPERATED	1134	3.3	8	2	2	3	3	4	5	13
B. OPERATED	1464	5.5	26	2	2	4	6	9	13	29
TOTAL 0-19 YRS	421	3.8	15	2	2	3	4	6	8	21
20-34	2006	4.5	19	2	2	3	5	7	9	26
35-49	171	5.9	34	2	2	4	6	12	19	30
50-64										
65+										
GRAND TOTAL	**2598**	**4.5**	**19**	**2**	**2**	**3**	**5**	**7**	**10**	**26**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7863	2.7	1	1	2	3	3	4	4	5
20-34	30035	2.7	1	1	2	3	3	4	4	6
35-49	1215	2.8	1	1	2	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1107	2.6	1	1	2	2	3	4	4	5
20-34	4757	2.8	1	1	2	3	3	4	4	6
35-49	229	3.0	1	1	2	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2908	2.7	2	1	2	3	3	4	4	6
20-34	11079	2.8	1	1	2	3	3	4	4	6
35-49	501	3.0	3	1	2	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	592	2.9	5	1	1	3	3	4	5	8
20-34	9176	3.2	2	2	2	3	4	5	5	7
35-49	853	3.5	1	2	2	3	4	5	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39113	2.7	1	1	2	3	3	4	4	5
B. *Operated*	6093	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	14488	2.8	1	1	2	3	3	4	4	6
B. *Operated*	10621	3.2	2	2	2	3	4	5	5	7
1. SINGLE DX	45206	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	25109	3.0	2	1	2	3	3	4	5	7
A. NOT OPERATED	53601	2.7	1	1	2	3	3	4	4	6
B. OPERATED	16714	3.1	2	2	2	3	4	4	5	6
TOTAL 0-19 YRS	12470	2.7	1	1	2	3	3	4	4	5
20-34	55047	2.8	1	1	2	3	3	4	4	6
35-49	2798	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**70315**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.9	4	1	1	2	4	6	7	7
20-34	27	3.0	5	1	1	2	3	5	7	12
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	21	5.3	8	2	3	5	6	7	11	16
20-34	153	6.9	34	3	4	5	6	11	20	36
35-49	16	10.4	235	2	3	5	7	36	52	58
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5		3	3	3	4	4	4	4
20-34	34	3.4	3	2	2	3	4	6	7	9
35-49	3	8.0	31	2	2	9	12	13	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	42	5.8	20	2	3	5	6	8	13	30
20-34	402	8.3	61	3	4	6	8	16	25	40
35-49	61	9.1	58	4	4	6	9	24	28	35
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	3.0	4	1	1	3	3	5	7	12
B. *Operated*	190	7.0	48	3	4	5	6	10	20	38
2. MULTIPLE DX										
A. *Not Operated*	41	3.7	6	2	2	3	4	7	9	13
B. *Operated*	505	8.2	58	3	4	6	8	16	25	40
1. SINGLE DX	228	6.3	43	2	2	5	6	9	17	37
2. MULTIPLE DX	546	7.8	55	3	3	5	8	16	25	40
A. NOT OPERATED	79	3.4	5	1	2	3	4	6	8	13
B. OPERATED	695	7.9	55	3	4	5	7	16	25	39
TOTAL 0-19 YRS	76	5.2	14	2	2	5	6	7	12	26
20-34	616	7.4	51	2	3	5	7	14	22	39
35-49	82	9.2	89	3	4	6	9	24	30	52
50-64										
65+										
GRAND TOTAL	**774**	**7.4**	**52**	**2**	**3**	**5**	**7**	**13**	**23**	**39**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	1	1	1	2	3	3	4	4
20-34	117	2.8	2	1	1	3	3	4	5	8
35-49	8	2.1		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	37	4.4	2	2	2	5	5	6	6	7
20-34	176	4.4	7	2	2	4	5	6	7	11
35-49	10	4.6	3	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	1	1	1	3	3	4	4	5
20-34	154	3.2	4	1	2	3	4	5	6	10
35-49	9	2.6	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	101	4.8	8	2	2	4	6	8	10	16
20-34	509	4.9	8	2	2	5	6	7	9	16
35-49	54	4.7	3	2	2	5	6	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	2.7	1	1	1	3	3	4	4	8
B. *Operated*	223	4.4	6	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	214	3.0	3	1	1	3	4	4	5	9
B. *Operated*	664	4.9	7	2	2	5	6	7	9	16
1. SINGLE DX	381	3.7	5	1	2	3	5	6	7	9
2. MULTIPLE DX	878	4.4	7	2	2	4	5	7	9	15
A. NOT OPERATED	372	2.8	2	1	1	3	3	4	5	8
B. OPERATED	887	4.8	7	2	2	4	6	7	9	16
TOTAL 0-19 YRS	222	3.9	5	1	2	3	5	6	8	14
20-34	956	4.3	7	1	2	4	5	7	8	15
35-49	81	4.2	4	2	2	4	5	6	8	10
50-64										
65+										
GRAND TOTAL	**1259**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	26	2.5	1	<1	1	3	3	3	4	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	48	2.7	1	1	1	3	4	4	4	5
20-34	267	2.7	1	1	1	3	3	4	4	6
35-49	20	2.5	2	1	1	2	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	19	3.2	1	2	2	3	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	43	3.1	2	1	2	3	4	5	6	7
20-34	292	3.5	8	1	2	3	4	5	6	12
35-49	20	3.7	2	1	2	4	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.4	1	<1	1	2	3	3	4	5
B. *Operated*	335	2.7	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	23	3.0	1	1	2	3	4	4	5	6
B. *Operated*	355	3.5	7	1	2	3	4	5	6	10
1. SINGLE DX	365	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	378	3.4	6	1	2	3	4	5	6	10
A. NOT OPERATED	53	2.6	1	1	1	3	3	4	5	6
B. OPERATED	690	3.1	4	1	1	3	4	5	5	8
TOTAL 0-19 YRS	96	2.8	2	1	1	3	4	4	5	7
20-34	604	3.1	5	1	1	3	4	5	5	9
35-49	43	3.0	2	1	1	3	4	5	6	7
50-64										
65+										
GRAND TOTAL	**743**	**3.0**	**4**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	2	2	2	3	3	4	5	10
20-34	113	2.7	1	1	1	3	3	4	4	6
35-49	5	3.4	3	1	1	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.5	3	2	2	3	3	6	7	8
20-34	118	3.2	3	1	1	3	4	5	7	8
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	3.4	3	2	2	3	4	5	6	11
20-34	100	3.1	2	1	2	3	3	4	6	9
35-49	9	2.9	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	24	3.5	2	1	2	3	4	6	6	6
20-34	118	3.9	4	2	2	4	4	6	8	15
35-49	15	4.2	4	1	2	4	5	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	2.8	1	1	1	3	3	4	4	6
B. *Operated*	134	3.2	3	1	1	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	139	3.1	2	1	2	3	4	4	6	10
B. *Operated*	157	3.9	4	2	2	4	4	6	7	14
1. SINGLE DX	303	3.0	2	1	1	3	3	4	6	8
2. MULTIPLE DX	296	3.5	3	2	2	3	4	5	6	11
A. NOT OPERATED	308	2.9	2	1	2	3	3	4	5	9
B. OPERATED	291	3.6	3	1	2	3	4	6	7	10
TOTAL 0-19 YRS	120	3.3	2	2	2	3	4	5	6	10
20-34	449	3.2	3	1	2	3	4	5	6	9
35-49	30	3.6	3	1	1	3	4	6	7	9
50-64										
65+										
GRAND TOTAL	**599**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.8	1	1	2	3	3	4	4	4
20-34	100	3.3	1	1	2	3	4	5	5	7
35-49	2	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.9	3	2	2	3	5	7	7	7
20-34	56	4.3	3	2	2	4	6	7	8	8
35-49	7	4.3	7	3	3	3	4	9	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.3	4	2	2	3	3	6	8	10
20-34	113	3.8	11	1	2	3	4	6	8	20
35-49	7	9.3	292	2	2	3	4	39	48	48
50-64										
65+										
B. *Operated*										
0-19 YRS	76	5.4	20	2	2	4	6	8	12	28
20-34	717	5.8	19	2	3	5	6	8	12	26
35-49	57	5.7	8	2	3	6	7	9	11	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	117	3.2	1	1	2	3	4	5	5	7
B. *Operated*	70	4.3	3	2	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	149	4.0	22	2	2	3	4	6	8	28
B. *Operated*	850	5.7	18	2	3	5	6	8	12	26
1. SINGLE DX	187	3.6	2	2	2	3	4	6	7	8
2. MULTIPLE DX	999	5.5	19	2	2	5	6	8	12	27
A. NOT OPERATED	266	3.6	13	1	2	3	4	5	7	16
B. OPERATED	920	5.6	17	2	3	5	6	8	12	24
TOTAL 0-19 YRS	127	4.6	14	2	2	3	5	8	9	25
20-34	986	5.2	16	2	2	4	6	8	11	23
35-49	73	5.8	33	2	3	5	7	9	12	41
50-64										
65+										
GRAND TOTAL	**1186**	**5.2**	**17**	**2**	**2**	**4**	**6**	**8**	**11**	**23**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.8	1	1	1	3	4	5	5	5
20-34	124	2.8	1	1	2	3	3	4	5	6
35-49	9	3.1	4	1	1	3	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	219	4.7	2	2	3	5	5	6	7	9
20-34	1381	4.6	3	2	3	5	5	6	7	8
35-49	51	4.4	2	2	2	4	6	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.6	2	1	1	2	3	5	6	7
20-34	121	2.9	3	1	1	3	3	5	6	12
35-49	11	2.5	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	373	5.3	8	2	3	5	6	7	9	15
20-34	2326	5.1	5	2	3	5	6	7	8	13
35-49	175	5.1	6	2	3	5	6	7	8	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.8	1	1	2	3	3	4	5	6
B. *Operated*	1651	4.6	3	2	3	5	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	156	2.8	3	1	1	3	3	5	5	11
B. *Operated*	2874	5.1	6	2	3	5	6	7	8	14
1. SINGLE DX	1804	4.4	3	2	2	4	5	6	7	8
2. MULTIPLE DX	3030	5.0	6	2	3	5	6	7	8	13
A. NOT OPERATED	309	2.8	2	1	1	3	3	4	5	8
B. OPERATED	4525	4.9	5	2	3	5	6	7	8	12
TOTAL 0-19 YRS	636	4.9	6	2	2	5	6	7	8	13
20-34	3952	4.8	5	2	3	5	6	7	7	11
35-49	246	4.8	6	2	2	5	6	7	8	14
50-64										
65+										
GRAND TOTAL	**4834**	**4.8**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6		2	2	3	3	3	4	4
20-34	219	3.0	1	2	2	3	3	4	5	7
35-49	9	2.7	2	<1	<1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	184	3.7	2	2	2	3	5	5	6	8
20-34	821	3.8	2	2	2	4	5	6	6	8
35-49	28	3.6	2	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.0	2	2	2	3	4	5	5	7
20-34	278	3.1	2	2	2	3	4	4	5	10
35-49	19	3.2	8	1	1	2	3	6	10	14
50-64										
65+										
B. *Operated*										
0-19 YRS	421	4.2	4	2	2	4	5	6	8	11
20-34	2517	4.5	4	2	3	4	5	7	8	11
35-49	181	4.7	3	2	3	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.9	1	2	2	3	3	4	5	7
B. *Operated*	1033	3.8	2	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	342	3.1	2	2	2	3	4	4	5	12
B. *Operated*	3119	4.4	4	2	3	4	5	7	8	11
1. SINGLE DX	1309	3.6	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3461	4.3	4	2	2	4	5	6	7	11
A. NOT OPERATED	618	3.0	2	2	2	3	3	4	5	8
B. OPERATED	4152	4.3	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	698	3.9	3	2	2	3	5	6	7	10
20-34	3835	4.1	3	2	2	4	5	6	7	10
35-49	237	4.4	4	2	2	4	5	7	8	11
50-64										
65+										
GRAND TOTAL	**4770**	**4.1**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	25	3.2	3	1	2	3	4	6	7	8
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	582	5.2	2	3	4	5	6	7	8	11
20-34	2116	5.2	2	4	4	5	6	6	7	8
35-49	64	5.5	2	4	4	5	6	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	6	3	3	4	7	8	8	8
20-34	25	3.3	2	<1	1	3	4	5	6	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	1218	6.0	5	4	4	6	7	8	10	15
20-34	4707	5.5	3	4	4	5	6	7	8	12
35-49	243	5.9	3	4	4	5	6	7	9	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.2	2	1	2	3	4	6	6	8
B. *Operated*	2762	5.2	2	4	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	31	3.6	3	1	1	3	4	6	7	8
B. *Operated*	6168	5.6	3	4	4	5	6	7	8	13
1. SINGLE DX	2791	5.2	2	4	4	5	6	7	7	9
2. MULTIPLE DX	6199	5.6	3	4	4	5	6	7	8	13
A. NOT OPERATED	60	3.4	3	1	2	3	4	6	7	8
B. OPERATED	8930	5.5	3	4	4	5	6	7	8	12
TOTAL 0-19 YRS	1808	5.7	4	4	4	5	6	8	9	14
20-34	6873	5.4	3	4	4	5	6	7	8	11
35-49	309	5.8	3	4	4	5	6	7	9	13
50-64										
65+										
GRAND TOTAL	**8990**	**5.5**	**3**	**4**	**4**	**5**	**6**	**7**	**8**	**12**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	2.9	1	2	2	3	3	4	4	5
20-34	227	2.9	1	1	2	3	3	4	5	7
35-49	10	4.0	1	2	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	100	3.9	2	2	2	4	5	6	6	9
20-34	514	4.2	3	2	2	4	5	6	7	9
35-49	22	4.0	2	2	2	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	3.4	13	2	2	3	4	5	6	24
20-34	324	3.1	1	2	2	3	4	4	5	6
35-49	18	3.6	2	2	2	4	5	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	301	4.7	6	2	2	4	6	7	8	11
20-34	1681	4.5	4	2	3	4	6	7	8	12
35-49	112	4.7	3	2	3	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.0	1	2	2	3	3	4	5	7
B. *Operated*	636	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	430	3.2	4	2	2	3	4	5	5	6
B. *Operated*	2094	4.6	4	2	2	4	6	7	8	12
1. SINGLE DX	947	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX	2524	4.3	4	2	2	4	5	7	7	11
A. NOT OPERATED	741	3.1	3	2	2	3	4	4	5	6
B. OPERATED	2730	4.5	4	2	2	4	5	7	7	11
TOTAL 0-19 YRS	563	4.1	6	2	2	4	5	6	7	11
20-34	2746	4.2	3	2	2	4	5	6	7	10
35-49	162	4.4	3	2	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**3471**	**4.2**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	2	2	3	4	4	4	4
20-34	77	2.8	1	1	2	3	3	4	5	6
35-49	5	3.4	7	2	2	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	53	4.6	3	2	2	5	6	6	7	8
20-34	275	4.5	3	2	2	5	6	6	7	10
35-49	26	4.6	3	2	2	5	6	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	1	1	1	3	3	4	4	4
20-34	63	3.3	2	1	2	3	4	5	6	8
35-49	7	4.9	10	2	2	5	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	125	5.2	6	2	3	5	6	8	10	14
20-34	858	5.6	32	2	3	5	6	7	9	25
35-49	108	6.4	34	3	3	6	7	9	10	37
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	2.9	1	2	2	3	3	4	5	7
B. *Operated*	354	4.6	3	2	2	5	6	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	80	3.4	3	1	2	3	4	5	7	10
B. *Operated*	1091	5.6	29	2	3	5	6	7	9	20
1. SINGLE DX	443	4.2	3	2	2	4	5	6	7	10
2. MULTIPLE DX	1171	5.4	27	2	3	5	6	7	9	18
A. NOT OPERATED	169	3.1	2	1	2	3	4	5	6	8
B. OPERATED	1445	5.3	23	2	3	5	6	7	9	14
TOTAL 0-19 YRS	195	4.8	5	2	2	5	6	7	9	13
20-34	1273	5.1	23	2	3	5	6	7	8	13
35-49	146	5.9	27	2	3	5	7	9	10	23
50-64										
65+										
GRAND TOTAL	**1614**	**5.1**	**21**	**2**	**2**	**5**	**6**	**7**	**8**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	3	5	5	5
20-34	38	3.2	2	1	2	3	4	5	6	7
35-49	4	2.8	1	2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	333	5.2	2	3	4	5	6	7	7	9
20-34	3693	5.4	2	4	4	5	6	7	7	9
35-49	179	5.6	1	4	4	6	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	6	1	1	5	6	8	8	8
20-34	47	3.5	3	1	2	3	5	6	7	7
35-49	4	3.3	4	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	472	5.6	4	3	4	5	6	7	9	15
20-34	7083	5.7	4	3	4	5	6	7	8	11
35-49	514	6.1	4	4	4	6	7	8	9	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.1	2	1	2	3	4	5	6	7
B. *Operated*	4205	5.4	2	4	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	58	3.6	3	1	2	3	5	6	7	8
B. *Operated*	8069	5.7	4	4	4	5	6	7	8	11
1. SINGLE DX	4253	5.4	2	4	4	5	6	7	7	9
2. MULTIPLE DX	8127	5.7	4	4	4	5	6	7	8	11
A. NOT OPERATED	106	3.4	3	1	2	3	4	6	6	8
B. OPERATED	12274	5.6	3	4	4	5	6	7	8	10
TOTAL 0-19 YRS	818	5.4	3	3	4	5	6	7	8	13
20-34	10861	5.5	3	4	4	5	6	7	8	10
35-49	701	5.9	3	4	4	6	7	8	9	12
50-64										
65+										
GRAND TOTAL	**12380**	**5.6**	**3**	**4**	**4**	**5**	**6**	**7**	**8**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.2	3	2	2	3	4	4	5	10
20-34	807	3.1	1	2	2	3	4	4	5	7
35-49	42	3.0	1	1	2	3	4	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	112	3.3	1	2	2	3	4	4	5	8
20-34	554	3.6	2	2	2	3	4	5	7	9
35-49	24	3.6	2	2	2	4	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	3.6	5	2	2	3	4	6	6	14
20-34	716	3.5	5	2	2	3	4	5	6	9
35-49	43	3.7	2	2	2	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	406	4.4	5	2	2	4	5	7	8	13
20-34	2412	4.5	11	2	2	4	5	7	8	14
35-49	198	4.9	11	2	2	4	6	8	10	21
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1042	3.2	2	2	2	3	4	4	5	7
B. *Operated*	690	3.6	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	934	3.5	5	2	2	3	4	5	6	9
B. *Operated*	3016	4.5	10	2	2	4	5	7	8	14
1. SINGLE DX	1732	3.3	2	2	2	3	4	5	6	8
2. MULTIPLE DX	3950	4.3	9	2	2	4	5	7	8	14
A. NOT OPERATED	1976	3.3	3	2	2	3	4	5	6	8
B. OPERATED	3706	4.4	9	2	2	4	5	7	8	14
TOTAL 0-19 YRS	886	3.8	4	2	2	3	4	6	7	12
20-34	4489	4.0	8	2	2	3	5	6	7	12
35-49	307	4.4	8	2	2	4	5	7	8	18
50-64										
65+										
GRAND TOTAL	**5682**	**4.0**	**7**	**2**	**2**	**3**	**5**	**6**	**7**	**13**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	388	2.6	1	2	2	3	3	4	4	5
20-34	1875	2.7	1	2	2	3	3	4	4	5
35-49	73	2.8	1	2	2	3	3	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	184	2.8	1	1	2	3	3	4	5	6
20-34	853	2.9	1	1	2	3	3	4	5	6
35-49	46	3.4	1	2	2	3	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	2.6	1	1	2	2	3	4	4	6
20-34	1150	2.9	1	1	2	3	3	4	5	6
35-49	48	3.0	1	2	2	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	319	3.2	3	2	2	3	4	5	7	10
20-34	2508	3.2	2	2	2	3	4	5	6	8
35-49	208	3.5	2	2	2	3	4	5	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2336	2.7	1	2	2	3	3	4	4	5
B. *Operated*	1083	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1493	2.8	1	1	2	3	3	4	5	6
B. *Operated*	3035	3.2	2	2	2	3	4	5	6	8
1. SINGLE DX	3419	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	4528	3.1	2	2	2	3	4	4	5	7
A. NOT OPERATED	3829	2.8	1	2	2	3	3	4	4	6
B. OPERATED	4118	3.2	2	2	2	3	4	5	5	8
TOTAL 0-19 YRS	1186	2.9	1	2	2	3	3	4	5	7
20-34	6386	3.0	1	2	2	3	3	4	5	7
35-49	375	3.3	2	2	2	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**7947**	**3.0**	**1**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.7	1	1	2	3	3	4	4	5
20-34	450	2.6	1	1	2	3	3	4	4	6
35-49	18	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	906	2.6	1	1	2	3	3	4	4	5
20-34	3946	2.7	1	1	2	3	3	4	4	6
35-49	238	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	2.8	1	1	2	3	3	4	4	8
20-34	300	2.6	1	1	2	3	3	4	4	6
35-49	14	2.8	3	1	1	3	3	4	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	693	2.8	2	1	2	3	3	4	5	8
20-34	4435	2.9	1	1	2	3	3	4	5	7
35-49	372	3.3	3	1	2	3	4	5	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	615	2.7	1	1	2	3	3	4	4	6
B. *Operated*	5090	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	379	2.7	1	1	2	3	3	4	4	7
B. *Operated*	5500	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	5705	2.6	1	1	2	3	3	4	4	5
2. MULTIPLE DX	5879	2.9	2	1	2	3	3	4	5	7
A. NOT OPERATED	994	2.7	1	1	2	3	3	4	4	6
B. OPERATED	10590	2.8	1	1	2	3	3	4	5	6
TOTAL 0-19 YRS	1811	2.7	1	1	2	3	3	4	4	7
20-34	9131	2.8	1	1	2	3	3	4	5	6
35-49	642	3.1	2	1	2	3	4	5	5	7
50-64										
65+										
GRAND TOTAL	**11584**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.7	1	2	2	3	3	4	4	6
20-34	196	2.8	1	1	2	3	3	4	4	7
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1006	2.9	1	2	2	3	3	4	4	6
20-34	3055	3.0	1	2	2	3	3	4	5	6
35-49	67	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.6	1	1	2	2	3	4	5	7
20-34	182	2.9	1	1	2	3	3	4	5	7
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	982	3.1	3	2	2	3	3	4	5	9
20-34	3339	3.3	2	2	2	3	4	5	5	7
35-49	124	3.6	2	2	2	3	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	2.8	1	2	2	3	3	4	4	6
B. *Operated*	4128	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	243	2.8	1	1	2	3	3	4	5	7
B. *Operated*	4445	3.3	2	2	2	3	4	5	5	8
1. SINGLE DX	4403	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX	4688	3.3	2	2	2	3	4	5	5	8
A. NOT OPERATED	518	2.3	1	1	2	3	3	4	5	7
B. OPERATED	8573	3.1	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	2123	3.0	2	2	2	3	3	4	5	7
20-34	6772	3.1	2	2	2	3	4	4	5	7
35-49	196	3.4	1	2	2	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**9091**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.7	1	2	2	3	3	4	4	8
20-34	175	2.6	1	1	2	3	3	4	4	7
35-49	6	3.0	2	1	1	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	356	2.7	1	2	2	3	3	4	4	6
20-34	1080	2.9	1	2	2	3	3	4	5	6
35-49	29	2.9	1	2	2	3	3	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	2.9	1	2	2	3	3	4	4	5
20-34	121	2.8	1	1	2	3	3	4	5	6
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	328	3.2	4	2	2	3	4	5	5	13
20-34	1366	3.3	2	2	2	3	4	5	5	8
35-49	67	4.1	9	2	2	3	4	5	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	2.7	1	1	2	3	3	4	4	8
B. *Operated*	1465	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	155	2.8	1	1	2	3	3	4	4	5
B. *Operated*	1761	3.3	3	2	2	3	4	5	6	9
1. SINGLE DX	1719	2.8	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1916	3.3	3	2	2	3	4	5	5	9
A. NOT OPERATED	409	2.7	1	1	2	3	3	4	4	6
B. OPERATED	3226	3.1	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	790	2.9	2	2	2	3	3	4	5	8
20-34	2742	3.1	2	2	2	3	3	4	5	7
35-49	103	3.6	7	2	2	3	4	5	6	19
50-64										
65+										
GRAND TOTAL	**3635**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1159	3.1	5	1	2	3	3	5	6	12
20-34	3230	3.1	4	1	2	3	3	5	6	10
35-49	160	3.0	3	1	1	3	3	5	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	3014	3.2	2	2	2	3	4	5	6	9
20-34	12569	3.3	3	2	2	3	4	5	6	9
35-49	543	3.7	4	2	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1152	3.3	7	1	2	3	4	5	7	12
20-34	3578	3.3	7	1	2	3	4	5	7	14
35-49	217	3.4	7	1	2	3	4	5	9	16
50-64										
65+										
B. *Operated*										
0-19 YRS	4175	4.3	10	2	2	3	5	7	9	18
20-34	20428	4.3	11	2	2	4	5	7	8	16
35-49	1473	4.7	12	2	2	4	5	7	10	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4549	3.1	4	1	2	3	3	5	6	10
B. *Operated*	16126	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	4947	3.3	7	1	2	3	4	5	7	14
B. *Operated*	26076	4.3	11	2	2	3	5	7	9	17
1. SINGLE DX	20675	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX	31023	4.1	10	2	2	3	5	7	8	16
A. NOT OPERATED	9496	3.2	6	1	2	3	4	5	6	12
B. OPERATED	42202	3.9	8	2	2	3	4	6	8	14
TOTAL 0-19 YRS	9500	3.7	7	2	2	3	4	6	8	14
20-34	39805	3.8	8	2	2	3	4	6	9	14
35-49	2393	4.3	9	2	2	3	5	7	9	15
50-64										
65+										
GRAND TOTAL	**51698**	**3.8**	**7**	**2**	**2**	**3**	**4**	**6**	**7**	**14**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	3.6	2	1	2	4	4	6	6	7
20-34	119	3.9	4	2	2	3	4	6	8	13
35-49	10	4.2	2	2	2	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6	4.7	3	2	2	5	6	7	7	7
20-34	19	6.1	11	2	2	6	8	10	13	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.9	26	1	2	5	6	10	18	25
20-34	67	5.0	8	2	2	4	6	8	11	16
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4	9.0	22	5	5	9	13	14	14	14
20-34	22	5.2	17	1	2	4	6	14	15	16
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	3.8	3	2	2	3	4	6	7	11
B. *Operated*	25	5.8	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	89	5.2	11	2	2	5	6	8	11	21
B. *Operated*	26	5.8	19	1	2	4	6	14	15	16
1. SINGLE DX	211	4.1	5	2	2	4	5	6	8	13
2. MULTIPLE DX	115	5.3	13	2	2	5	6	10	14	19
A. NOT OPERATED	275	4.3	6	2	2	4	5	7	8	14
B. OPERATED	51	5.3	14	2	2	5	7	13	14	16
TOTAL 0-19 YRS	86	4.4	10	1	2	4	5	6	9	21
20-34	227	4.6	7	2	2	4	5	7	10	16
35-49	13	4.4	2	2	3	4	5	6	6	6
50-64										
65+										
GRAND TOTAL	**326**	**4.5**	**8**	**2**	**2**	**4**	**5**	**7**	**10**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	1	1	2	2	3	4	5
20-34	77	1.7	1	<1	1	1	2	3	4	5
35-49	5	2.4	4	1	1	2	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	47	1.8	2	<1	1	1	2	4	5	6
20-34	256	2.0	5	<1	1	2	2	3	4	7
35-49	18	2.3	4	1	1	2	2	6	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	6	1	1	4	5	7	7	7
20-34	35	2.9	3	1	1	2	4	5	6	8
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.7	6	1	1	2	3	5	9	11
20-34	126	3.1	6	1	1	2	4	7	8	11
35-49	11	3.5	6	1	1	3	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	1.8	1	<1	1	1	2	3	4	6
B. *Operated*	321	2.0	5	<1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	43	3.0	3	1	1	3	4	5	7	8
B. *Operated*	155	3.1	6	1	1	2	4	7	8	11
1. SINGLE DX	420	1.9	4	<1	1	2	2	3	4	7
2. MULTIPLE DX	198	3.1	5	1	1	2	4	7	8	11
A. NOT OPERATED	142	2.1	2	1	1	2	3	4	5	7
B. OPERATED	476	2.3	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	88	2.2	3	<1	1	2	2	5	5	9
20-34	494	2.3	5	<1	1	2	3	4	6	9
35-49	36	2.7	5	1	1	2	3	7	7	8
50-64										
65+										
GRAND TOTAL	**618**	**2.3**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	4.3	13	<1	1	3	5	10	12	15
20-34	92	4.1	11	1	1	3	5	8	13	16
35-49	6	5.7	22	1	1	4	8	13	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	28	3.2	8	1	1	3	4	5	6	16
20-34	96	3.4	7	<1	1	3	4	7	8	13
35-49	5	6.0	11	1	1	6	8	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.4	21	1	1	3	6	7	14	22
20-34	41	5.9	23	2	2	4	6	13	16	23
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	20	5.3	19	2	2	4	6	12	16	18
20-34	81	4.2	14	1	2	3	5	9	13	18
35-49	3	6.0	13	2	2	7	8	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	4.2	11	1	1	3	5	8	13	16
B. *Operated*	129	3.4	7	1	1	3	4	7	8	14
2. MULTIPLE DX										
A. *Not Operated*	62	5.4	22	1	2	4	6	12	16	23
B. *Operated*	104	4.5	15	1	2	3	5	9	14	18
1. SINGLE DX	249	3.8	9	1	1	3	4	8	10	15
2. MULTIPLE DX	166	4.8	18	1	2	3	6	10	15	21
A. NOT OPERATED	182	4.6	15	1	1	3	5	9	14	21
B. OPERATED	233	3.9	11	1	1	3	5	8	11	17
TOTAL 0-19 YRS	91	4.2	15	1	1	3	5	8	14	20
20-34	310	4.1	12	1	1	3	5	8	12	17
35-49	14	5.9	14	1	1	6	8	10	13	14
50-64										
65+										
GRAND TOTAL	**415**	**4.2**	**13**	**1**	**1**	**3**	**5**	**8**	**13**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	600	4.4	18	2	2	4	5	7	9	12
20-34	586	4.6	7	2	2	4	5	8	9	15
35-49	380	5.3	10	2	3	4	6	9	12	17
50-64	364	6.4	22	2	3	5	8	12	16	24
65+	335	7.3	25	3	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	334	4.5	10	1	2	4	6	8	10	17
20-34	385	5.6	31	1	2	4	7	10	13	21
35-49	260	7.1	60	1	2	6	8	14	18	33
50-64	190	8.3	89	1	2	6	10	16	22	46
65+	156	9.2	71	2	3	7	12	19	22	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	584	4.7	15	2	2	4	6	8	10	18
20-34	706	5.7	18	2	2	5	7	10	13	22
35-49	686	7.2	28	2	3	6	8	13	17	30
50-64	1031	8.2	42	3	3	7	10	14	18	35
65+	1714	9.6	47	3	4	8	12	17	22	34
B. *Operated*										
0-19 YRS	247	6.1	25	2	2	5	7	11	16	30
20-34	424	8.7	68	2	2	6	10	18	23	46
35-49	415	11.2	130	2	3	7	13	23	36	61
50-64	505	13.9	154	3	4	10	17	29	42	70
65+	538	15.0	154	3	4	11	19	29	38	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2265	5.3	17	2	2	4	6	9	12	20
B. *Operated*	1325	6.4	47	1	2	5	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*	4721	7.7	38	2	3	6	9	14	18	31
B. *Operated*	2129	11.7	126	2	3	8	15	25	34	61
1. SINGLE DX	3590	5.7	28	2	2	4	7	10	14	24
2. MULTIPLE DX	6850	9.0	69	2	3	7	11	17	24	45
A. NOT OPERATED	6986	7.0	32	2	3	5	8	13	17	29
B. OPERATED	3454	9.7	102	2	2	7	11	20	29	54
TOTAL 0-19 YRS	1765	4.8	17	2	2	4	6	8	11	17
20-34	2101	6.0	30	2	2	5	7	11	15	26
35-49	1741	7.7	57	2	3	6	9	14	20	41
50-64	2090	9.2	77	2	3	7	11	18	25	47
65+	2743	10.4	73	3	4	8	13	19	26	46
GRAND TOTAL	**10440**	**7.9**	**57**	**2**	**2**	**6**	**9**	**15**	**21**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	202	4.0	5	1	2	3	5	7	8	12
20-34	147	4.8	8	1	2	4	6	9	11	12
35-49	82	5.4	13	1	2	4	7	10	13	19
50-64	67	6.2	16	2	2	5	8	11	14	21
65+	65	6.3	20	2	2	6	8	11	14	29
B. *Operated*										
0-19 YRS	152	3.6	9	<1	1	2	5	7	10	15
20-34	181	4.7	24	1	1	3	6	9	12	29
35-49	110	5.2	26	1	1	4	6	11	14	28
50-64	120	6.6	70	1	2	4	7	13	17	52
65+	74	10.2	140	2	2	6	12	22	32	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	4.5	11	1	2	4	5	8	10	16
20-34	168	5.5	24	2	2	4	6	10	12	31
35-49	136	7.9	53	2	3	6	9	13	26	38
50-64	179	8.6	52	2	3	7	10	15	24	41
65+	289	9.9	53	3	3	8	12	18	25	37
B. *Operated*										
0-19 YRS	127	5.1	25	1	1	4	6	10	16	27
20-34	140	6.9	44	1	2	5	9	13	16	41
35-49	162	8.9	76	2	2	6	10	20	27	48
50-64	180	12.1	113	2	3	9	15	26	37	53
65+	205	13.0	136	2	3	9	17	27	39	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	4.9	11	1	2	4	6	9	11	16
B. *Operated*	637	5.5	46	1	1	4	6	11	15	42
2. MULTIPLE DX										
A. *Not Operated*	1023	7.4	42	2	2	6	9	14	19	35
B. *Operated*	814	9.7	94	2	2	7	12	21	29	49
1. SINGLE DX	1200	5.2	30	1	1	4	6	10	13	30
2. MULTIPLE DX	1837	8.4	67	2	2	6	10	17	25	44
A. NOT OPERATED	1586	6.5	32	2	2	5	8	12	16	31
B. OPERATED	1451	7.9	77	1	2	5	9	17	25	49
TOTAL 0-19 YRS	732	4.3	12	1	1	3	5	8	10	18
20-34	636	5.4	25	1	2	4	6	10	13	29
35-49	490	7.2	50	2	2	5	8	14	21	36
50-64	546	9.0	77	2	2	6	11	18	27	49
65+	633	10.6	90	2	3	8	13	21	30	51
GRAND TOTAL	**3037**	**7.2**	**54**	**1**	**2**	**5**	**8**	**14**	**21**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.4	4	<1	<1	4	4	6	7	7
20-34	12	3.0	3	<1	<1	3	4	5	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	776	3.6	3	1	2	3	4	5	7	11
20-34	1367	3.7	4	2	2	3	4	6	7	10
35-49	201	3.9	4	1	2	4	5	6	8	12
50-64	53	4.3	6	2	2	4	5	7	11	13
65+	11	3.8	3	2	2	4	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.3	2	<1	<1	2	4	4	4	4
20-34	12	3.3	11	<1	<1	2	4	8	11	12
35-49	7	7.1	26	3	3	5	9	16	17	17
50-64	2	8.5	13	6	6	8	11	11	11	11
65+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
0-19 YRS	99	4.6	7	2	2	4	6	8	10	14
20-34	233	4.7	8	2	2	4	5	9	11	16
35-49	75	5.6	24	2	2	4	6	10	18	25
50-64	36	7.5	41	2	3	5	10	15	23	28
65+	10	12.7	392	3	3	6	11	40	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.1	3	<1	<1	3	4	5	6	7
B. *Operated*	2408	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	38	4.0	13	<1	<1	3	4	9	12	17
B. *Operated*	453	5.2	22	2	2	4	6	10	13	24
1. SINGLE DX	2431	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	491	5.1	22	2	2	4	6	10	13	24
A. NOT OPERATED	61	3.6	9	<1	<1	3	4	7	10	16
B. OPERATED	2861	3.9	7	2	2	3	5	6	8	13
TOTAL 0-19 YRS	899	3.7	4	1	2	3	4	6	7	11
20-34	1624	3.8	5	2	2	3	4	6	8	12
35-49	284	4.4	11	2	2	4	5	7	10	20
50-64	92	5.6	22	2	2	4	6	11	14	26
65+	23	7.8	181	2	3	4	7	11	32	68
GRAND TOTAL	**2922**	**3.9**	**7**	**1**	**2**	**3**	**5**	**6**	**8**	**13**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	5.3	12	2	2	5	7	11	12	12
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	171	2.0	2	<1	<1	2	2	4	5	8
20-34	217	2.1	2	<1	<1	2	2	3	5	8
35-49	170	2.2	4	<1	<1	2	2	4	5	10
50-64	121	2.5	5	<1	1	2	3	4	6	14
65+	69	2.5	4	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	<1	<1	2	3	5	5	5
20-34	5	2.2	5	1	1	1	3	6	6	6
35-49	5	5.0	39	1	1	3	6	16	16	16
50-64	8	6.4	11	1	2	7	8	11	12	12
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	24	3.3	16	<1	1	2	3	5	16	17
20-34	95	3.8	37	1	2	2	4	6	9	39
35-49	110	4.0	6	1	2	3	5	8	10	12
50-64	115	3.7	7	1	1	3	5	8	9	13
65+	83	4.1	11	1	1	3	5	9	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	4.3	10	1	1	3	5	9	12	12
B. *Operated*	748	2.2	3	<1	<1	2	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	25	4.1	15	<1	1	3	6	8	13	16
B. *Operated*	427	3.8	15	1	1	3	5	8	10	15
1. SINGLE DX	758	2.2	4	<1	<1	2	2	4	5	10
2. MULTIPLE DX	452	3.9	15	1	1	3	5	8	10	16
A. NOT OPERATED	35	4.2	13	1	1	3	6	8	12	16
B. OPERATED	1175	2.8	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	202	2.1	4	<1	<1	2	2	4	5	12
20-34	324	2.6	13	<1	<1	2	3	5	6	14
35-49	285	2.9	6	<1	<1	2	3	6	8	12
50-64	245	3.2	7	1	1	2	3	7	9	12
65+	154	3.3	8	<1	1	2	4	6	10	14
GRAND TOTAL	**1210**	**2.8**	**8**	**<1**	**<1**	**2**	**3**	**5**	**8**	**14**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	398	4.0	15	1	1	3	4	7	11	22
20-34	276	6.9	57	1	2	4	9	18	22	30
35-49	199	6.7	35	1	2	5	8	14	21	29
50-64	186	8.3	61	1	2	6	10	19	25	36
65+	249	10.0	96	2	3	7	12	22	27	59
B. *Operated*										
0-19 YRS	715	2.6	8	<1	<1	2	3	5	8	18
20-34	965	4.4	34	1	1	3	4	8	14	28
35-49	636	5.4	58	1	1	3	5	12	17	35
50-64	598	5.5	57	1	1	3	5	14	21	42
65+	580	9.8	148	1	1	4	13	25	35	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	407	4.5	23	1	2	3	5	8	12	25
20-34	418	7.4	68	1	2	5	9	14	22	42
35-49	481	8.2	61	1	2	6	10	18	22	41
50-64	731	9.6	80	2	2	7	12	20	27	53
65+	1545	12.7	120	3	4	10	16	25	33	61
B. *Operated*										
0-19 YRS	306	6.3	105	1	1	3	6	16	30	94
20-34	647	11.0	220	1	2	5	14	30	44	99+
35-49	798	10.5	193	1	2	5	13	27	44	80
50-64	1007	10.8	174	1	2	5	14	29	38	84
65+	1342	18.0	318	2	2	13	24	44	60	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1308	6.8	53	1	2	4	8	16	22	31
B. *Operated*	3494	5.3	61	<1	1	3	5	12	20	40
2. MULTIPLE DX										
A. *Not Operated*	3582	9.9	94	2	2	7	12	21	28	55
B. *Operated*	4100	12.8	241	1	2	7	17	34	48	94
1. SINGLE DX	4802	5.7	59	1	1	3	6	13	21	37
2. MULTIPLE DX	7682	11.5	175	2	2	7	14	27	39	81
A. NOT OPERATED	4890	9.1	85	1	2	6	11	20	26	53
B. OPERATED	7594	9.3	172	1	1	4	11	25	37	80
TOTAL 0-19 YRS	1826	4.0	31	<1	1	2	4	8	12	31
20-34	2306	7.1	102	1	1	4	8	17	27	67
35-49	2114	8.1	112	1	2	4	9	19	28	61
50-64	2522	9.0	115	1	2	5	11	22	32	55
65+	3716	14.0	205	2	3	10	18	31	45	82
GRAND TOTAL	**12484**	**9.2**	**138**	**1**	**2**	**5**	**11**	**22**	**33**	**67**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.0	15	1	2	6	8	11	14	16
20-34	58	5.8	20	1	2	5	7	11	14	25
35-49	60	6.9	12	2	3	6	9	11	14	18
50-64	41	8.6	45	2	3	6	12	15	20	36
65+	25	7.9	26	2	2	8	10	14	18	23
B. *Operated*										
0-19 YRS	6	11.0	92	2	2	8	22	23	23	23
20-34	22	10.0	94	2	3	8	11	15	30	50
35-49	19	8.6	19	2	3	8	10	15	17	19
50-64	25	9.1	21	2	2	9	12	15	16	20
65+	19	13.9	60	4	5	13	18	26	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	7.9	29	2	2	6	12	16	18	20
20-34	173	7.8	31	1	2	6	10	13	18	32
35-49	162	8.2	57	2	3	6	10	17	23	48
50-64	204	8.6	62	2	3	7	11	15	20	36
65+	180	12.6	104	3	4	9	16	25	33	54
B. *Operated*										
0-19 YRS	16	12.1	135	2	2	7	21	38	79	99+
20-34	70	13.5	195	2	2	9	18	30	37	80
35-49	84	15.6	138	3	4	12	23	33	40	99+
50-64	107	13.7	84	3	4	12	17	27	31	47
65+	83	20.8	291	3	4	15	29	45	58	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	6.9	24	2	2	6	9	13	16	25
B. *Operated*	91	10.3	52	2	3	9	13	19	22	42
2. MULTIPLE DX										
A. *Not Operated*	746	9.3	66	2	3	7	11	18	23	39
B. *Operated*	360	15.7	175	3	3	12	22	33	42	85
1. SINGLE DX	298	8.0	35	2	2	7	10	15	18	30
2. MULTIPLE DX	1106	11.4	111	2	3	8	14	24	33	58
A. NOT OPERATED	953	8.8	58	2	3	7	11	16	23	36
B. OPERATED	451	14.6	155	2	3	11	19	31	41	71
TOTAL 0-19 YRS	72	8.5	56	2	2	7	12	20	26	86
20-34	323	8.8	76	2	2	7	11	17	24	41
35-49	325	9.9	79	2	3	7	12	22	29	55
50-64	377	10.1	68	2	3	8	13	19	25	37
65+	307	14.5	161	3	4	10	18	30	42	61
GRAND TOTAL	**1404**	**10.6**	**96**	**2**	**3**	**8**	**13**	**23**	**30**	**54**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	5.7	15	1	2	5	7	10	14	21
20-34	69	6.2	17	2	2	5	7	12	13	24
35-49	160	6.4	22	2	3	5	7	11	17	26
50-64	246	7.9	51	2	3	6	9	13	19	29
65+	199	8.6	32	2	3	7	11	17	21	28
B. *Operated*										
0-19 YRS	19	7.5	111	1	1	4	8	16	33	46
20-34	62	9.4	87	2	2	6	12	20	28	53
35-49	130	9.7	81	2	2	7	13	20	28	47
50-64	349	11.0	77	2	3	9	15	20	25	46
65+	182	13.5	89	2	3	12	17	26	32	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.2	18	2	2	5	8	13	19	99+
20-34	86	7.7	79	2	3	5	9	14	17	59
35-49	245	7.8	30	2	3	6	9	15	19	28
50-64	659	9.3	53	3	3	8	11	18	23	39
65+	962	10.1	61	3	3	8	13	19	24	42
B. *Operated*										
0-19 YRS	13	10.2	179	1	2	5	16	55	90	99+
20-34	54	8.9	66	2	2	6	10	18	24	44
35-49	163	9.7	92	2	3	7	13	19	26	55
50-64	473	12.9	176	2	3	9	16	28	41	67
65+	412	15.3	193	3	4	11	19	31	43	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	760	7.4	34	2	3	6	9	13	18	27
B. *Operated*	742	11.2	84	2	3	9	16	22	29	46
2. MULTIPLE DX										
A. *Not Operated*	1994	9.4	55	3	3	7	11	18	23	40
B. *Operated*	1115	13.1	169	2	3	9	16	27	41	73
1. SINGLE DX	1502	9.3	62	2	3	7	12	18	24	41
2. MULTIPLE DX	3109	10.7	99	2	3	8	13	21	28	53
A. NOT OPERATED	2754	8.8	50	2	3	7	11	16	22	38
B. OPERATED	1857	12.3	136	2	3	9	16	25	34	61
TOTAL 0-19 YRS	160	6.4	40	1	2	5	8	14	18	94
20-34	271	7.9	63	2	2	6	10	15	20	42
35-49	698	8.3	54	2	3	6	10	16	21	38
50-64	1727	10.5	95	2	3	8	13	21	27	52
65+	1755	11.5	97	3	3	9	14	22	29	51
GRAND TOTAL	**4611**	**10.2**	**88**	**2**	**3**	**8**	**13**	**20**	**27**	**50**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	5	2	2	3	5	7	7	7
20-34	19	4.7	4	2	3	5	5	7	9	11
35-49	47	5.3	10	2	2	4	6	11	11	14
50-64	151	5.8	18	2	2	5	7	11	16	20
65+	331	7.0	36	1	2	5	9	14	17	26
B. *Operated*										
0-19 YRS	13	3.6	6	1	1	2	5	7	9	9
20-34	158	4.5	17	1	2	3	5	11	13	22
35-49	362	5.9	25	1	2	4	8	13	16	24
50-64	1231	9.4	43	2	2	8	14	18	20	27
65+	1941	14.8	52	3	5	15	18	23	27	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	7	3	3	4	7	8	8	8
20-34	32	5.8	14	2	3	5	7	9	14	21
35-49	161	6.6	29	2	2	5	8	13	15	34
50-64	712	6.9	22	2	2	6	8	13	15	23
65+	2024	8.2	42	2	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	13	6.2	33	<1	1	3	9	15	19	20
20-34	127	5.2	26	1	1	4	6	11	14	24
35-49	305	7.2	48	1	2	5	9	16	21	34
50-64	996	11.5	106	2	2	9	16	23	32	47
65+	1803	17.1	120	3	5	16	21	30	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	552	6.4	28	2	2	5	8	12	16	25
B. *Operated*	3705	11.7	57	2	2	12	16	21	24	33
2. MULTIPLE DX										
A. *Not Operated*	2932	7.8	36	2	3	6	10	14	18	30
B. *Operated*	3244	13.9	120	2	3	12	18	27	33	52
1. SINGLE DX	4257	11.0	57	2	2	11	16	20	23	32
2. MULTIPLE DX	6176	11.0	90	2	3	8	15	22	29	46
A. NOT OPERATED	3484	7.5	35	2	3	6	9	14	18	29
B. OPERATED	6949	12.7	88	2	3	12	17	23	29	45
TOTAL 0-19 YRS	33	4.8	17	1	2	3	7	9	14	20
20-34	336	4.9	19	1	2	3	6	11	14	21
35-49	875	6.4	33	2	2	4	8	14	17	30
50-64	3090	9.3	60	2	2	7	13	18	22	37
65+	6099	12.9	83	2	3	12	17	23	29	45
GRAND TOTAL	**10433**	**11.0**	**76**	**2**	**3**	**9**	**15**	**21**	**26**	**42**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	130	7.4	31	1	2	6	10	16	18	25
20-34	127	5.3	14	1	2	4	7	10	11	21
35-49	96	5.6	28	1	2	5	7	10	12	34
50-64	97	7.9	70	1	2	5	9	17	20	49
65+	97	6.3	23	2	2	5	8	10	15	28
B. *Operated*										
0-19 YRS	72	8.0	49	1	2	6	11	16	21	36
20-34	196	6.1	28	1	2	4	7	14	17	23
35-49	192	5.6	17	2	2	4	7	11	16	19
50-64	239	8.7	86	2	2	6	11	17	23	56
65+	171	13.6	81	2	3	12	19	25	29	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	9.5	54	1	2	7	14	21	23	30
20-34	122	6.3	18	2	2	5	8	11	14	22
35-49	151	6.6	23	2	2	5	8	13	15	25
50-64	261	7.5	42	2	3	6	9	13	16	42
65+	514	9.3	63	2	3	7	11	17	24	45
B. *Operated*										
0-19 YRS	46	14.2	71	3	3	14	19	24	28	45
20-34	129	6.9	41	2	2	5	9	14	21	32
35-49	157	9.1	84	2	2	6	12	19	23	65
50-64	189	12.1	107	2	2	9	17	29	36	46
65+	217	17.9	194	2	4	16	23	36	58	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	6.5	33	1	2	5	8	13	17	25
B. *Operated*	870	8.3	62	2	2	6	11	17	22	39
2. MULTIPLE DX										
A. *Not Operated*	1131	8.2	49	2	3	7	10	15	20	36
B. *Operated*	738	12.4	130	2	2	9	17	27	36	65
1. SINGLE DX	1417	7.6	51	2	2	5	10	16	20	35
2. MULTIPLE DX	1869	9.9	85	2	2	7	12	21	28	57
A. NOT OPERATED	1678	7.7	44	2	2	6	9	15	19	32
B. OPERATED	1608	10.2	97	2	2	7	14	22	29	58
TOTAL 0-19 YRS	331	9.0	51	1	2	7	13	19	22	30
20-34	574	6.2	26	2	2	5	8	12	17	23
35-49	596	6.8	40	2	2	5	8	14	18	33
50-64	786	9.0	77	2	2	6	11	18	25	47
65+	999	11.6	105	2	3	9	15	24	31	59
GRAND TOTAL	**3286**	**8.9**	**72**	**2**	**2**	**6**	**11**	**19**	**24**	**46**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.1	2	1	1	2	3	4	5	5
20-34	39	3.0	11	<1	<1	2	3	7	12	13
35-49	17	2.3	1	<1	<1	2	3	4	5	5
50-64	13	3.3	9	<1	<1	2	5	8	10	11
65+	8	5.6	63	<1	1	3	4	19	25	25
B. *Operated*										
0-19 YRS	697	2.8	3	1	1	2	3	5	6	8
20-34	1622	3.1	5	1	1	3	4	5	7	11
35-49	825	3.2	4	1	1	3	4	5	7	11
50-64	392	3.7	8	2	2	3	4	6	8	14
65+	111	4.2	10	2	2	3	5	7	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.0	3	<1	<1	1	2	5	6	6
20-34	33	3.3	13	<1	<1	1	6	9	10	16
35-49	23	4.2	11	<1	1	3	5	10	11	12
50-64	25	6.3	74	<1	1	2	8	13	30	35
65+	15	5.9	13	2	2	5	9	10	13	14
B. *Operated*										
0-19 YRS	390	3.4	4	1	2	3	4	6	7	10
20-34	1116	3.7	10	1	1	3	5	7	8	17
35-49	725	3.8	11	1	2	3	5	7	9	20
50-64	531	4.4	16	2	2	3	5	8	12	23
65+	215	6.1	43	2	2	4	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	2.9	11	<1	1	2	3	5	10	20
B. *Operated*	3647	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	117	4.2	26	<1	<1	2	6	10	12	31
B. *Operated*	2977	4.0	13	1	2	3	5	7	10	19
1. SINGLE DX	3743	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	3094	4.0	14	1	2	3	5	7	10	19
A. NOT OPERATED	213	3.6	20	<1	<1	2	5	9	11	26
B. OPERATED	6624	3.5	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1127	3.0	3	1	1	2	4	5	6	9
20-34	2810	3.4	7	1	1	3	4	6	8	14
35-49	1590	3.5	7	1	2	3	4	6	8	14
50-64	961	4.1	14	1	2	3	5	7	10	23
65+	349	5.5	32	2	2	4	6	10	14	25
GRAND TOTAL	**6837**	**3.6**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	3.5	5	1	1	3	4	6	7	14
20-34	108	4.1	10	1	1	3	5	9	11	15
35-49	85	4.3	10	<1	<1	4	6	8	11	16
50-64	77	5.1	26	1	1	3	6	11	14	29
65+	98	6.6	35	1	2	5	8	14	21	30
B. *Operated*										
0-19 YRS	771	3.5	6	1	1	3	4	6	7	11
20-34	1309	3.8	7	1	2	3	4	6	8	13
35-49	489	4.0	11	1	2	3	5	7	10	18
50-64	282	4.9	20	1	2	3	6	10	14	24
65+	128	8.9	74	1	2	5	13	21	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	4.3	15	1	1	3	5	9	11	22
20-34	159	5.2	39	1	1	4	6	9	12	35
35-49	181	6.6	30	1	2	5	9	13	17	27
50-64	203	7.1	67	1	2	5	8	12	16	42
65+	354	8.7	57	2	3	7	11	17	21	33
B. *Operated*										
0-19 YRS	272	3.9	9	1	2	3	5	6	8	18
20-34	590	4.8	22	1	2	4	5	9	12	24
35-49	365	5.8	38	2	2	4	7	11	17	31
50-64	265	7.7	57	2	2	5	10	16	24	35
65+	201	12.8	147	2	3	9	17	29	37	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	522	4.6	17	1	1	3	5	9	12	22
B. *Operated*	2979	4.1	13	1	2	3	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	1019	6.9	49	1	2	5	9	14	17	32
B. *Operated*	1693	6.3	51	2	2	4	7	14	20	37
1. SINGLE DX	3501	4.1	14	1	2	3	5	7	10	20
2. MULTIPLE DX	2712	6.5	50	1	2	4	8	14	19	36
A. NOT OPERATED	1541	6.1	39	1	2	4	8	12	16	28
B. OPERATED	4672	4.9	28	1	2	3	5	9	14	29
TOTAL 0-19 YRS	1319	3.6	8	1	1	3	4	6	8	16
20-34	2166	4.2	14	1	2	3	5	8	10	19
35-49	1120	5.1	24	1	2	4	6	10	13	24
50-64	827	6.4	46	1	2	4	8	13	18	33
65+	781	9.5	84	2	2	7	13	20	26	45
GRAND TOTAL	**6213**	**5.2**	**31**	**1**	**2**	**4**	**6**	**10**	**15**	**29**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	9	5.8	36	1	1	5	6	15	21	21
35-49	8	6.5	4	4	4	6	8	9	9	9
50-64	5	9.4	26	5	5	8	13	17	17	17
65+	4	4.8	2	3	3	5	6	6	6	6
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	10.8	79	4	4	7	15	26	26	26
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	6.3	12	3	3	5	7	11	14	15
35-49	23	8.2	28	1	2	7	11	17	18	20
50-64	25	7.2	57	1	2	5	8	10	20	40
65+	14	8.3	35	2	3	6	10	16	23	25
B. *Operated*										
0-19 YRS										
20-34	2	45.5	2813	8	8	45	83	83	83	83
35-49	2	21.5	221	11	11	21	32	32	32	32
50-64	11	17.9	216	4	4	14	24	39	54	55
65+	10	15.7	188	2	2	14	21	37	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.4	19	2	2	5	7	11	17	21
B. *Operated*	8	11.4	98	4	4	6	18	27	28	28
2. MULTIPLE DX										
A. *Not Operated*	74	7.6	36	2	2	7	9	15	17	36
B. *Operated*	25	19.5	351	3	4	14	27	45	62	83
1. SINGLE DX	36	7.5	38	2	3	6	8	16	24	28
2. MULTIPLE DX	99	10.6	140	2	2	7	13	21	31	69
A. NOT OPERATED	102	7.2	31	2	2	6	9	14	17	32
B. OPERATED	33	17.5	297	3	4	13	26	35	53	83
TOTAL 0-19 YRS	3	4.3	6	2	2	4	6	7	7	7
20-34	28	9.7	237	2	3	6	8	19	32	83
35-49	34	8.5	38	1	2	7	9	17	19	32
50-64	41	10.3	113	2	2	8	13	21	34	55
65+	29	11.0	104	2	3	6	14	27	30	45
GRAND TOTAL	**135**	**9.8**	**114**	**2**	**3**	**7**	**11**	**20**	**29**	**59**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.4	18	2	2	4	6	12	15	15
20-34	43	5.7	15	2	2	4	8	10	14	19
35-49	177	5.6	18	1	2	5	8	10	11	27
50-64	336	6.5	23	2	2	5	8	11	14	28
65+	321	6.6	18	2	3	5	8	12	15	19
B. *Operated*										
0-19 YRS	5	5.0	6	3	3	4	6	9	9	9
20-34	69	6.8	19	2	2	6	9	13	15	21
35-49	317	8.2	32	2	2	7	11	15	17	24
50-64	520	8.1	31	2	3	7	10	16	20	28
65+	181	11.2	81	2	3	10	14	21	27	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	3	3	3	6	7	7	7	7
20-34	58	6.2	11	2	2	5	9	11	12	13
35-49	451	6.2	14	2	3	5	8	11	14	17
50-64	1089	6.7	20	2	3	6	8	12	16	23
65+	1792	8.2	33	2	3	7	10	15	19	30
B. *Operated*										
0-19 YRS	3	11.0	148	3	3	5	20	25	25	25
20-34	43	8.5	28	2	2	7	11	16	18	24
35-49	286	9.7	51	2	3	8	12	18	23	31
50-64	659	10.9	75	2	3	9	13	21	28	46
65+	539	13.4	95	3	4	11	17	26	34	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	6.3	20	2	2	5	8	11	14	27
B. *Operated*	1092	8.6	40	2	3	7	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*	3394	7.5	27	2	3	6	9	13	17	26
B. *Operated*	1530	11.5	79	3	3	9	14	22	28	46
1. SINGLE DX	1977	7.6	32	2	2	6	10	14	18	28
2. MULTIPLE DX	4924	8.7	46	2	3	7	11	17	21	35
A. NOT OPERATED	4279	7.2	26	2	3	6	9	13	17	26
B. OPERATED	2622	10.3	65	2	3	8	13	20	25	43
TOTAL 0-19 YRS	20	6.2	28	2	2	5	6	12	20	25
20-34	213	6.7	18	2	2	6	9	13	15	21
35-49	1231	7.5	30	2	3	6	9	13	17	28
50-64	2604	8.0	40	2	3	6	10	15	20	30
65+	2833	9.2	51	2	3	7	11	18	22	39
GRAND TOTAL	**6901**	**8.4**	**43**	**2**	**3**	**7**	**10**	**16**	**20**	**32**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	7.1	21	2	2	6	10	13	16	20
20-34	772	7.0	21	2	2	6	9	13	16	20
35-49	1250	7.2	23	2	2	6	9	13	15	24
50-64	724	7.6	22	2	3	7	10	14	16	22
65+	260	9.0	34	2	3	8	11	16	19	30
B. *Operated*										
0-19 YRS	104	8.0	23	2	3	7	10	14	17	27
20-34	2841	8.7	27	2	3	8	11	15	18	26
35-49	4431	9.4	30	2	3	8	12	16	19	28
50-64	2243	10.2	34	3	4	9	13	18	21	29
65+	489	12.5	49	3	5	12	16	21	25	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	6.6	15	1	2	5	10	11	13	15
20-34	308	7.3	21	2	2	7	9	13	16	21
35-49	758	7.8	24	2	3	7	10	14	16	24
50-64	800	8.5	28	2	3	7	11	15	17	28
65+	724	9.3	36	3	4	8	12	16	20	29
B. *Operated*										
0-19 YRS	22	12.5	49	5	6	10	15	22	28	32
20-34	696	11.4	51	3	3	10	15	21	27	36
35-49	1418	11.5	53	3	4	10	15	20	24	37
50-64	1235	12.9	72	3	4	11	17	22	29	44
65+	547	15.7	84	4	6	14	20	27	33	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3051	7.4	23	2	2	7	10	13	16	23
B. *Operated*	10108	9.5	32	2	3	9	12	17	20	29
2. MULTIPLE DX										
A. *Not Operated*	2613	8.4	28	2	3	7	11	15	18	27
B. *Operated*	3918	12.5	65	3	4	11	16	22	27	39
1. SINGLE DX	13159	9.0	31	2	3	8	12	16	19	28
2. MULTIPLE DX	6531	10.8	54	3	4	9	14	20	24	37
A. NOT OPERATED	5664	7.9	26	2	3	7	10	14	17	25
B. OPERATED	14026	10.4	43	2	3	9	13	18	22	33
TOTAL 0-19 YRS	194	8.1	27	2	2	8	10	15	18	29
20-34	4617	8.7	31	2	3	8	11	16	19	28
35-49	7857	9.3	34	2	3	8	12	16	20	29
50-64	5002	10.2	44	3	3	9	13	18	22	33
65+	2020	11.8	59	3	4	10	15	21	26	39
GRAND TOTAL	**19690**	**9.6**	**39**	**2**	**3**	**8**	**12**	**17**	**21**	**31**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.8	13	1	2	5	9	11	13	14
20-34	192	6.5	15	2	2	6	9	11	13	16
35-49	427	7.0	18	2	3	6	9	12	15	21
50-64	286	7.0	17	2	2	6	9	12	14	21
65+	91	6.3	13	2	2	6	9	11	13	16
B. *Operated*										
0-19 YRS	14	6.9	25	2	2	6	8	15	18	19
20-34	420	8.2	24	2	3	8	10	14	16	28
35-49	1238	8.6	24	2	3	8	11	15	18	25
50-64	598	9.3	31	2	3	9	12	16	19	30
65+	85	10.7	42	2	3	10	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34	75	7.4	24	2	3	7	9	13	17	25
35-49	335	7.1	20	2	3	6	9	12	15	24
50-64	451	7.6	22	2	3	6	10	14	17	22
65+	368	8.2	26	2	3	7	10	15	17	26
B. *Operated*										
0-19 YRS	4	24.8	1316	3	3	8	44	79	79	79
20-34	129	10.3	57	2	3	9	13	18	23	45
35-49	452	10.3	49	2	3	9	13	19	22	32
50-64	422	11.3	67	3	4	10	14	20	24	42
65+	117	13.8	95	3	3	12	17	26	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1014	6.8	17	2	2	6	9	12	14	20
B. *Operated*	2355	8.8	26	2	3	8	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	1232	7.6	23	2	3	7	10	13	17	24
B. *Operated*	1124	11.1	66	3	3	9	14	20	25	37
1. SINGLE DX	3369	8.2	24	2	3	8	10	14	17	26
2. MULTIPLE DX	2356	9.3	47	2	3	8	12	17	21	32
A. NOT OPERATED	2246	7.2	20	2	3	6	9	13	16	23
B. OPERATED	3479	9.5	41	2	3	9	12	17	20	31
TOTAL 0-19 YRS	39	8.3	151	2	2	6	9	13	17	79
20-34	816	8.0	28	2	3	7	10	14	17	28
35-49	2452	8.4	28	2	3	8	11	15	18	28
50-64	1757	8.9	37	2	3	8	11	16	19	30
65+	661	9.2	44	2	3	8	12	17	22	32
GRAND TOTAL	**5725**	**8.6**	**34**	**2**	**3**	**8**	**11**	**15**	**19**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.7	10	1	2	5	8	9	12	13
20-34	135	6.8	17	2	2	5	10	13	15	19
35-49	200	7.0	17	2	2	6	10	13	14	19
50-64	71	6.9	18	2	3	6	9	12	16	21
65+	19	7.8	12	3	4	7	10	13	15	16
B. *Operated*										
0-19 YRS	9	3.7	3	2	2	3	5	6	6	6
20-34	177	6.3	15	2	2	5	9	13	14	16
35-49	163	7.2	26	2	2	6	10	13	17	21
50-64	50	8.1	21	2	3	8	11	14	18	20
65+	3	10.3	12	7	7	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	89	7.0	33	2	3	6	8	12	15	37
35-49	156	7.0	22	2	3	6	9	12	15	29
50-64	125	8.1	20	2	3	7	10	15	17	22
65+	72	7.9	23	2	3	7	10	14	19	23
B. *Operated*										
0-19 YRS	3	11.0	39	6	6	9	16	18	18	18
20-34	91	9.4	38	2	3	9	12	17	20	32
35-49	138	10.3	52	3	4	9	13	18	21	33
50-64	77	9.7	39	3	3	9	12	17	20	37
65+	17	14.7	81	4	5	15	20	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	441	6.9	17	2	2	6	9	12	15	19
B. *Operated*	402	6.8	21	2	2	6	10	13	15	20
2. MULTIPLE DX										
A. *Not Operated*	444	7.5	24	2	3	6	9	13	16	24
B. *Operated*	326	10.2	47	3	3	9	13	18	21	32
1. SINGLE DX	843	6.9	18	2	2	6	10	13	15	19
2. MULTIPLE DX	770	8.6	36	2	3	7	11	16	19	31
A. NOT OPERATED	885	7.2	20	2	3	6	9	13	15	22
B. OPERATED	728	8.3	35	2	3	7	11	16	19	31
TOTAL 0-19 YRS	30	5.5	13	2	2	5	7	9	13	18
20-34	492	7.1	25	2	2	6	10	13	16	22
35-49	657	7.8	29	2	3	7	10	14	18	27
50-64	323	8.2	25	2	3	8	11	15	18	22
65+	111	9.0	35	3	3	7	11	18	21	32
GRAND TOTAL	**1613**	**7.7**	**27**	**2**	**3**	**7**	**10**	**14**	**17**	**23**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	17	3	3	4	5	13	14	14
20-34	83	5.3	10	1	2	5	7	9	11	16
35-49	129	6.4	19	1	2	5	9	12	17	20
50-64	99	7.8	27	2	2	7	10	13	17	29
65+	65	7.4	20	2	3	7	9	13	17	22
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	41	8.0	56	1	2	6	9	18	23	38
35-49	69	8.1	35	2	2	7	13	15	18	28
50-64	31	6.6	19	2	2	6	9	13	17	18
65+	13	8.0	21	2	2	8	11	13	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	9.0	18	6	6	9	12	12	12	12
20-34	45	7.0	17	1	3	6	8	11	15	21
35-49	121	7.1	22	2	3	6	9	12	15	26
50-64	159	8.4	27	3	3	8	11	15	19	30
65+	189	9.1	34	3	4	8	11	16	19	34
B. *Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	33	10.4	49	2	4	10	13	18	22	37
35-49	42	13.5	197	2	3	11	16	24	28	90
50-64	45	11.5	103	1	3	9	15	25	31	51
65+	41	14.9	83	5	5	12	23	28	30	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	6.7	20	1	2	6	9	12	16	22
B. *Operated*	155	7.7	36	2	2	7	11	15	18	30
2. MULTIPLE DX										
A. *Not Operated*	516	8.3	28	2	3	7	10	14	19	29
B. *Operated*	163	12.6	111	3	4	10	17	26	29	49
1. SINGLE DX	537	7.0	25	1	2	6	9	13	17	23
2. MULTIPLE DX	679	9.3	51	2	3	8	11	17	23	33
A. NOT OPERATED	898	7.6	25	2	3	7	9	13	17	27
B. OPERATED	318	10.2	80	2	2	8	13	21	26	38
TOTAL 0-19 YRS	11	6.4	16	2	3	5	10	13	14	14
20-34	202	7.1	30	1	2	6	9	13	17	31
35-49	361	7.8	48	1	2	6	10	15	19	27
50-64	334	8.5	38	2	3	7	10	15	20	31
65+	308	9.5	42	3	3	8	12	18	25	33
GRAND TOTAL	**1216**	**8.3**	**41**	**2**	**2**	**7**	**10**	**16**	**20**	**31**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	135	4.3	10	1	1	3	6	8	11	16
20-34	1380	6.0	17	1	2	5	8	10	13	22
35-49	1684	6.5	19	2	2	6	8	12	14	22
50-64	934	6.9	22	2	2	6	9	12	16	25
65+	381	7.3	20	2	2	6	10	13	16	20
B. *Operated*										
0-19 YRS	78	5.2	20	1	2	3	7	12	16	19
20-34	1175	6.1	23	2	2	4	9	12	15	24
35-49	1602	7.0	29	2	2	6	9	14	17	25
50-64	841	8.5	38	2	2	7	11	17	21	29
65+	321	10.8	51	2	3	10	16	20	24	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	5.2	13	1	1	4	7	9	13	16
20-34	1076	6.9	26	1	2	6	9	13	16	26
35-49	1763	7.1	24	2	2	6	9	13	16	25
50-64	1592	7.7	28	2	3	6	10	14	17	27
65+	1428	8.5	39	2	3	7	11	16	19	31
B. *Operated*										
0-19 YRS	37	5.8	15	1	2	5	8	12	13	14
20-34	800	8.3	42	2	2	7	11	17	19	33
35-49	1314	8.6	43	2	2	7	11	17	21	34
50-64	945	10.7	73	2	3	9	14	20	26	42
65+	551	14.7	118	3	4	12	19	28	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4514	6.4	19	1	2	5	8	12	15	22
B. *Operated*	4017	7.3	32	2	2	6	10	15	18	27
2. MULTIPLE DX										
A. *Not Operated*	5979	7.5	29	2	2	6	10	14	17	27
B. *Operated*	3647	10.0	67	2	3	8	13	19	25	42
1. SINGLE DX	8531	6.8	26	2	2	6	9	13	17	25
2. MULTIPLE DX	9626	8.5	45	2	3	7	11	16	20	33
A. NOT OPERATED	10493	7.0	25	2	2	6	9	13	16	25
B. OPERATED	7664	8.6	50	2	2	7	11	17	22	35
TOTAL 0-19 YRS	370	4.9	14	1	1	4	7	10	12	16
20-34	4431	6.6	26	2	2	5	9	13	16	25
35-49	6363	7.2	28	2	2	6	9	14	17	25
50-64	4312	8.4	40	2	3	7	11	16	20	31
65+	2681	9.9	61	2	3	8	13	19	24	40
GRAND TOTAL	**18157**	**7.7**	**36**	**2**	**2**	**6**	**10**	**15**	**19**	**30**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	4.3	13	1	1	3	6	8	10	21
20-34	109	4.0	7	1	2	4	5	7	9	16
35-49	155	4.7	12	1	2	4	6	8	10	23
50-64	156	5.1	11	1	2	4	7	10	12	15
65+	115	6.2	14	2	2	5	8	11	14	17
B. *Operated*										
0-19 YRS	238	2.6	7	1	1	2	3	4	6	14
20-34	746	3.0	5	1	1	2	3	5	7	12
35-49	1109	3.3	5	1	1	3	4	6	7	13
50-64	1040	3.5	8	<1	1	3	4	6	8	15
65+	342	4.0	13	<1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	4.7	28	1	1	3	6	8	9	34
20-34	110	4.9	10	1	2	4	6	10	12	14
35-49	183	5.2	11	1	2	5	7	10	12	14
50-64	362	6.7	41	2	2	5	8	12	15	24
65+	361	7.2	23	2	2	6	9	14	17	23
B. *Operated*										
0-19 YRS	83	3.3	6	1	1	3	4	6	9	13
20-34	334	4.4	18	1	2	3	5	8	12	22
35-49	573	4.8	20	1	2	3	6	10	13	22
50-64	676	4.9	17	1	2	4	6	10	13	21
65+	321	7.0	60	2	2	5	9	16	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	4.9	12	1	2	4	6	9	11	17
B. *Operated*	3475	3.3	7	<1	1	3	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1058	6.3	27	1	2	5	8	12	15	23
B. *Operated*	1987	5.1	25	1	2	4	6	10	14	23
1. SINGLE DX	4131	3.6	8	1	1	3	4	7	9	15
2. MULTIPLE DX	3045	5.5	26	1	2	4	7	11	14	23
A. NOT OPERATED	1714	5.8	22	1	2	5	7	11	13	21
B. OPERATED	5462	4.0	14	1	1	3	4	7	10	19
TOTAL 0-19 YRS	484	3.3	11	1	1	2	4	6	8	16
20-34	1299	3.6	10	1	1	3	4	7	9	15
35-49	2020	4.0	11	1	1	3	5	8	10	18
50-64	2234	4.6	18	1	1	3	5	9	12	19
65+	1139	6.1	31	1	2	4	8	12	16	24
GRAND TOTAL	**7176**	**4.4**	**17**	**1**	**1**	**3**	**5**	**9**	**12**	**20**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	1	2	2	3	4	4	4	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	7	2.6	4	<1	<1	2	3	6	7	7
65+	5	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	158	3.4	3	1	2	3	4	6	7	8
20-34	385	3.7	4	2	2	3	4	6	7	11
35-49	478	4.0	3	2	2	4	5	6	7	10
50-64	579	4.4	4	2	2	4	5	7	8	12
65+	365	4.6	7	2	2	4	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	14	2.5	6	<1	<1	1	3	6	8	9
50-64	16	3.1	8	<1	<1	2	4	7	10	11
65+	21	5.4	32	<1	<1	3	8	13	19	23
B. *Operated*										
0-19 YRS	98	4.2	5	2	2	4	5	6	8	14
20-34	371	4.3	4	2	2	4	5	7	8	11
35-49	626	4.5	6	2	2	4	6	7	8	13
50-64	1113	5.0	7	2	3	4	6	8	10	15
65+	878	6.2	21	2	3	5	7	10	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.6	4	<1	<1	2	3	6	7	8
B. *Operated*	1965	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	59	3.5	17	<1	<1	2	4	9	11	22
B. *Operated*	3086	5.1	11	2	2	4	6	8	10	17
1. SINGLE DX	1987	4.1	4	2	2	4	5	7	8	11
2. MULTIPLE DX	3145	5.1	11	2	2	4	6	8	10	17
A. NOT OPERATED	81	3.3	13	<1	<1	2	4	8	10	21
B. OPERATED	5051	4.7	9	2	2	4	6	8	9	15
TOTAL 0-19 YRS	263	3.7	3	2	2	3	4	6	7	11
20-34	764	4.0	4	2	2	4	5	6	8	11
35-49	1121	4.3	5	2	2	4	5	7	8	11
50-64	1715	4.8	6	2	2	4	6	8	9	13
65+	1269	5.7	18	2	2	5	7	10	12	25
GRAND TOTAL	**5132**	**4.7**	**9**	**2**	**2**	**4**	**6**	**8**	**9**	**15**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	1.7	1	<1	<1	1	2	3	4	4
20-34	6	2.0		1	1	2	2	3	3	3
35-49	12	2.4	2	1	1	2	3	5	6	6
50-64	6	2.7	3	<1	<1	2	4	5	5	5
65+	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	609	1.8	1	<1	<1	2	2	3	3	4
20-34	1125	2.0	1	<1	<1	2	2	3	3	5
35-49	658	2.2	2	<1	<1	2	3	3	4	8
50-64	401	2.7	3	<1	1	2	3	5	6	9
65+	136	3.0	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	11	<1	<1	1	2	7	11	11
20-34	10	2.0	4	<1	<1	1	1	6	6	6
35-49	15	3.0	5	<1	1	3	4	8	8	8
50-64	13	4.6	13	1	1	3	6	10	12	13
65+	17	9.3	144	1	1	5	13	20	40	50
B. *Operated*										
0-19 YRS	64	2.3	2	<1	<1	2	2	4	5	7
20-34	222	3.0	12	<1	1	2	3	5	6	14
35-49	228	3.5	7	1	1	3	4	7	10	13
50-64	218	4.1	14	1	2	3	5	8	13	18
65+	124	5.0	16	1	2	4	6	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.3	2	<1	<1	2	3	4	5	6
B. *Operated*	2929	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	64	4.7	51	<1	<1	3	5	11	14	46
B. *Operated*	856	3.6	12	1	1	3	4	7	10	16
1. SINGLE DX	2968	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	920	3.7	14	<1	1	3	4	7	11	16
A. NOT OPERATED	103	3.8	33	<1	<1	2	4	8	13	35
B. OPERATED	3785	2.5	4	<1	1	2	3	4	6	12
TOTAL 0-19 YRS	693	1.9	1	<1	<1	2	2	3	3	5
20-34	1363	2.1	3	<1	<1	2	2	3	4	6
35-49	913	2.5	4	<1	1	2	3	4	6	10
50-64	638	3.2	8	<1	1	2	4	6	8	15
65+	281	4.3	19	1	1	3	5	8	12	20
GRAND TOTAL	**3888**	**2.5**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	13.1	96	3	3	10	19	26	33	47
20-34	48	12.9	117	2	3	9	17	29	39	44
35-49	30	10.3	73	2	3	7	14	22	23	40
50-64	49	11.0	82	2	3	8	13	20	30	49
65+	31	15.0	162	4	4	11	17	36	47	47
B. *Operated*										
0-19 YRS	76	14.3	130	2	2	12	21	31	37	47
20-34	91	11.9	145	2	2	7	14	30	42	55
35-49	78	12.2	139	2	3	8	15	26	40	62
50-64	102	15.6	267	2	3	10	18	38	47	81
65+	97	15.0	217	2	3	11	20	35	46	77
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	14.8	94	2	3	13	23	28	29	29
20-34	38	15.1	182	2	2	10	22	32	48	53
35-49	50	15.5	231	3	4	11	18	34	45	82
50-64	82	14.6	144	3	4	11	19	30	37	61
65+	100	15.7	201	3	4	11	19	35	46	70
B. *Operated*										
0-19 YRS	47	20.5	275	3	3	18	25	33	48	98
20-34	121	15.7	188	2	3	12	23	36	47	75
35-49	128	21.6	297	3	5	17	30	53	62	99+
50-64	219	20.0	212	3	5	16	28	43	50	64
65+	257	23.1	308	4	6	18	33	47	60	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	12.5	103	2	3	9	17	27	34	47
B. *Operated*	444	13.9	186	2	3	9	18	31	43	73
2. MULTIPLE DX										
A. *Not Operated*	304	15.2	174	3	4	11	20	32	43	61
B. *Operated*	772	20.7	263	3	4	16	29	45	57	81
1. SINGLE DX	701	13.4	156	2	3	9	18	29	41	59
2. MULTIPLE DX	1076	19.1	244	3	4	15	26	43	51	79
A. NOT OPERATED	561	14.0	143	3	3	10	19	29	40	56
B. OPERATED	1216	18.2	245	2	3	13	25	42	50	77
TOTAL 0-19 YRS	256	15.0	144	2	3	12	21	29	35	48
20-34	298	14.0	164	2	2	9	20	32	43	61
35-49	286	16.8	238	3	4	12	22	41	57	79
50-64	452	17.0	206	3	3	13	23	37	48	65
65+	485	19.4	272	3	4	14	26	43	51	80
GRAND TOTAL	**1777**	**16.9**	**217**	**2**	**3**	**12**	**23**	**37**	**47**	**71**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	5.3	56	<1	1	3	5	10	17	44
20-34	172	3.6	8	1	1	3	4	7	10	16
35-49	220	4.1	9	1	1	3	5	8	9	15
50-64	216	5.3	16	1	2	4	7	11	13	19
65+	343	8.2	32	2	3	7	11	16	19	25
B. *Operated*										
0-19 YRS	665	4.4	14	1	2	3	5	8	10	20
20-34	825	4.9	20	1	2	4	6	9	12	24
35-49	496	6.2	30	2	2	4	8	12	15	30
50-64	413	7.9	48	2	2	5	11	16	21	35
65+	318	11.9	83	2	2	10	16	24	31	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.5	31	<1	1	4	6	10	16	32
20-34	238	4.2	15	1	1	3	5	8	10	21
35-49	452	5.5	20	1	2	4	7	10	15	23
50-64	740	7.9	59	2	2	6	9	16	21	43
65+	2566	10.6	66	3	3	9	13	20	26	40
B. *Operated*										
0-19 YRS	221	5.6	45	1	2	4	6	9	15	40
20-34	460	6.9	59	2	2	4	8	15	23	40
35-49	407	8.7	92	2	2	5	11	17	24	48
50-64	541	12.1	116	2	3	10	16	23	34	54
65+	751	17.2	159	3	5	15	22	32	39	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1054	5.7	26	1	2	4	7	12	16	25
B. *Operated*	2717	6.3	38	1	2	4	8	13	18	33
2. MULTIPLE DX										
A. *Not Operated*	4067	9.1	61	2	3	7	11	18	24	37
B. *Operated*	2380	11.5	127	2	2	8	15	25	33	54
1. SINGLE DX	3771	6.1	34	1	2	4	8	13	17	31
2. MULTIPLE DX	6447	10.0	86	2	2	7	13	21	27	45
A. NOT OPERATED	5121	8.4	55	2	2	6	11	17	22	36
B. OPERATED	5097	8.7	86	2	2	5	11	20	27	45
TOTAL 0-19 YRS	1060	4.8	26	1	2	3	5	9	12	32
20-34	1695	5.2	30	1	2	4	6	10	14	31
35-49	1575	6.4	42	1	2	4	8	13	17	32
50-64	1910	8.8	73	2	2	6	11	18	24	45
65+	3978	11.8	89	2	3	9	15	23	30	47
GRAND TOTAL	**10218**	**8.6**	**71**	**2**	**2**	**6**	**11**	**18**	**24**	**41**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	157	4.1	7	1	1	4	5	7	9	12
20-34	151	3.6	8	1	1	3	4	7	8	16
35-49	99	3.7	6	1	2	3	5	7	7	16
50-64	84	4.4	8	1	2	3	7	9	10	12
65+	32	5.7	20	<1	2	5	7	11	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	3	<1	<1	1	3	5	5	5
20-34	7	2.7	6	1	1	2	3	7	8	8
35-49	4	9.0	109	1	1	6	17	23	23	23
50-64	7	5.9	19	2	2	4	10	12	12	12
65+	20	11.9	79	3	4	8	16	25	30	35
B. *Operated*										
0-19 YRS	102	4.9	27	1	2	4	6	9	13	31
20-34	142	5.3	35	2	2	3	6	10	13	39
35-49	113	5.0	18	2	2	4	6	9	13	24
50-64	118	6.7	25	2	2	5	9	12	17	26
65+	86	12.0	148	2	3	8	16	24	40	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	2	<1	<1	2	4	5	5	5
B. *Operated*	523	4.0	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	44	7.9	64	1	1	5	10	23	25	35
B. *Operated*	561	6.5	51	2	2	4	7	13	19	41
1. SINGLE DX	535	4.0	8	1	1	3	5	7	9	15
2. MULTIPLE DX	605	6.6	52	2	2	4	8	13	19	40
A. NOT OPERATED	56	6.7	55	<1	1	4	9	17	25	34
B. OPERATED	1084	5.3	32	1	2	4	6	10	14	34
TOTAL 0-19 YRS	269	4.3	14	1	1	4	5	8	10	19
20-34	304	4.4	21	1	2	3	5	8	11	25
35-49	218	4.5	14	1	2	3	5	7	12	22
50-64	210	5.8	19	2	2	4	7	11	14	24
65+	139	10.5	113	2	2	7	12	23	37	51
GRAND TOTAL	**1140**	**5.4**	**33**	**1**	**2**	**4**	**6**	**10**	**15**	**35**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	33	<1	<1	6	9	16	16	16
20-34	31	4.7	7	1	3	4	5	8	9	15
35-49	52	6.3	19	2	2	5	7	11	17	23
50-64	42	5.8	15	1	2	5	8	10	14	18
65+	29	6.8	12	1	3	7	8	12	13	15
B. *Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	24	9.1	58	2	2	7	15	18	24	32
35-49	50	7.6	38	2	2	5	10	19	20	25
50-64	25	5.7	13	2	2	4	9	11	12	14
65+	12	9.4	43	3	3	8	13	18	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.4	14	1	1	3	5	11	13	13
20-34	25	7.5	51	1	2	6	9	15	23	33
35-49	77	6.6	18	1	2	6	8	10	12	27
50-64	88	7.4	26	2	3	6	10	15	18	23
65+	100	7.5	27	2	3	6	10	15	18	25
B. *Operated*										
0-19 YRS										
20-34	12	11.0	90	4	5	7	11	28	35	36
35-49	22	8.5	38	4	4	7	10	14	21	31
50-64	36	9.7	47	2	3	9	13	16	20	38
65+	17	13.9	106	2	3	12	23	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	5.9	15	1	2	5	8	10	15	18
B. *Operated*	115	7.5	37	2	2	5	10	16	20	27
2. MULTIPLE DX										
A. *Not Operated*	298	7.2	26	2	2	6	9	14	17	27
B. *Operated*	87	10.4	63	2	4	8	13	21	29	37
1. SINGLE DX	274	6.6	25	2	2	5	8	14	17	24
2. MULTIPLE DX	385	7.9	36	2	3	6	10	15	20	31
A. NOT OPERATED	457	6.7	22	2	2	5	8	13	16	23
B. OPERATED	202	8.8	50	2	2	6	11	18	24	34
TOTAL 0-19 YRS	17	4.5	17	<1	1	3	5	12	15	16
20-34	92	7.4	46	2	2	5	9	16	20	35
35-49	201	7.0	25	2	2	6	9	13	18	27
50-64	191	7.3	27	2	2	6	10	14	16	23
65+	158	8.2	37	2	3	6	11	16	21	29
GRAND TOTAL	**659**	**7.3**	**32**	**2**	**2**	**6**	**9**	**15**	**19**	**30**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	3.2	4	1	1	3	4	6	7	12
20-34	396	4.7	18	1	1	4	6	9	14	25
35-49	423	4.9	14	1	2	4	6	9	12	18
50-64	296	5.0	12	1	2	4	7	10	12	17
65+	187	6.5	29	1	2	5	9	13	17	24
B. *Operated*										
0-19 YRS	503	4.9	26	1	1	3	5	14	17	23
20-34	806	4.0	14	1	1	3	5	9	13	18
35-49	615	4.8	23	1	2	3	5	10	14	27
50-64	549	4.1	18	1	2	3	4	9	12	21
65+	287	4.4	22	1	2	3	5	8	13	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	4.0	7	1	1	3	5	8	10	13
20-34	506	5.7	22	1	2	5	7	11	13	22
35-49	901	5.9	23	2	2	5	7	11	15	22
50-64	878	6.3	23	2	2	5	8	12	15	26
65+	882	7.5	42	2	2	6	9	14	18	37
B. *Operated*										
0-19 YRS	300	3.8	19	1	2	3	4	7	12	20
20-34	696	4.6	21	1	1	3	5	10	14	24
35-49	668	5.9	37	1	2	4	7	12	16	32
50-64	575	7.3	72	2	2	5	9	15	19	47
65+	419	9.9	90	2	2	7	13	21	28	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1454	4.9	16	1	2	4	6	10	13	22
B. *Operated*	2760	4.4	20	1	1	3	5	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	3283	6.3	28	2	2	5	8	12	15	26
B. *Operated*	2658	6.3	50	1	2	4	8	14	18	36
1. SINGLE DX	4214	4.6	19	1	2	3	5	10	14	22
2. MULTIPLE DX	5941	6.3	38	1	2	4	8	12	16	30
A. NOT OPERATED	4737	5.9	25	1	2	5	8	11	15	24
B. OPERATED	5418	5.3	36	1	2	3	6	12	16	29
TOTAL 0-19 YRS	1071	4.3	20	1	1	3	4	10	15	20
20-34	2404	4.7	19	1	1	3	6	9	14	22
35-49	2607	5.5	25	1	2	4	7	11	15	25
50-64	2298	5.9	34	1	2	4	8	12	15	28
65+	1775	7.4	52	2	2	5	9	15	20	39
GRAND TOTAL	**10155**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	5	5.6	29	2	2	3	7	15	15	15
35-49	5	7.6	33	3	3	5	11	17	17	17
50-64	3	5.0	7	2	2	6	7	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	20	5.7	22	2	2	3	7	14	16	18
35-49	7	5.1	14	2	2	4	6	12	13	13
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.8	1	2	2	4	5	5	5	5
20-34	17	5.9	21	1	2	5	7	11	17	20
35-49	27	5.6	13	2	2	5	7	8	12	20
50-64	25	5.8	12	1	2	5	7	9	14	17
65+	16	7.4	37	2	3	6	8	14	23	27
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	22	6.6	26	2	3	5	7	15	20	22
35-49	10	9.6	37	3	3	8	13	18	22	22
50-64	3	7.7	41	3	3	5	12	15	15	15
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.4	21	2	2	5	8	15	16	17
B. *Operated*	28	5.4	19	2	2	3	7	14	15	18
2. MULTIPLE DX										
A. *Not Operated*	91	5.9	18	2	2	5	7	10	14	24
B. *Operated*	37	7.4	29	2	3	5	9	15	20	22
1. SINGLE DX	43	5.7	19	2	2	4	7	14	16	18
2. MULTIPLE DX	128	6.3	21	2	2	5	7	13	17	23
A. NOT OPERATED	106	6.0	18	2	2	5	7	10	15	23
B. OPERATED	65	6.5	26	2	3	4	8	15	18	22
TOTAL 0-19 YRS	8	4.3	2	2	2	4	5	6	6	6
20-34	64	6.1	23	2	2	4	7	14	18	22
35-49	49	6.6	21	2	3	5	7	13	17	22
50-64	31	5.9	13	2	2	5	7	11	15	17
65+	19	6.9	34	2	2	6	9	12	21	27
GRAND TOTAL	**171**	**6.2**	**21**	**2**	**2**	**5**	**7**	**13**	**17**	**22**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	3	<1	<1	2	3	5	7	8
20-34	3	5.3	6	3	3	5	7	8	8	8
35-49	4	3.8	9	1	1	3	6	8	8	8
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	5.5	22	1	1	5	9	10	10	10
B. *Operated*										
0-19 YRS	58	7.1	18	2	2	7	10	12	13	20
20-34	14	9.6	45	2	2	8	11	20	23	24
35-49	9	8.8	46	2	2	9	10	19	24	24
50-64	4	11.0	54	5	5	9	16	21	21	21
65+	2	11.0	128	3	3	11	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	5.2	41	1	1	3	6	10	19	35
20-34	22	6.3	38	1	2	5	7	10	20	31
35-49	9	4.3	7	2	2	3	6	8	10	10
50-64	4	9.0	91	2	2	5	15	23	23	23
65+	7	8.6	46	1	1	8	10	20	22	22
B. *Operated*										
0-19 YRS	90	10.8	73	2	2	8	16	23	27	40
20-34	25	10.0	33	2	3	9	14	19	20	20
35-49	10	17.7	218	5	6	13	20	40	56	56
50-64	5	25.2	175	8	8	27	32	44	44	44
65+	4	15.8	134	7	7	12	24	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	6	<1	1	2	4	8	9	10
B. *Operated*	87	7.9	28	2	2	8	11	13	19	24
2. MULTIPLE DX										
A. *Not Operated*	128	5.6	39	1	1	4	7	10	22	33
B. *Operated*	134	11.9	89	2	2	9	16	24	28	48
1. SINGLE DX	131	6.3	26	1	1	5	9	12	19	24
2. MULTIPLE DX	262	8.8	74	1	2	6	12	20	27	43
A. NOT OPERATED	172	5.0	32	1	1	3	6	10	17	31
B. OPERATED	221	10.3	68	2	2	8	14	20	26	45
TOTAL 0-19 YRS	266	7.2	50	1	1	5	10	17	23	32
20-34	64	8.4	38	2	2	7	11	19	20	30
35-49	32	9.7	112	2	2	8	11	21	25	56
50-64	14	14.9	156	2	2	10	23	30	41	44
65+	17	9.8	69	1	1	8	12	21	28	32
GRAND TOTAL	**393**	**8.0**	**60**	**1**	**2**	**6**	**10**	**19**	**23**	**35**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	1.3	1	<1	<1	1	1	2	2	8
20-34	4	1.8		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	382	2.2	3	1	1	2	2	3	4	11
20-34	112	2.5	2	<1	1	2	3	4	5	9
35-49	82	2.7	2	1	2	2	3	4	6	9
50-64	101	2.4	1	1	2	2	3	4	4	7
65+	132	2.5	1	2	2	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.8	18	<1	<1	1	3	7	15	19
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	3.5	6	1	1	3	5	6	6	6
65+	6	7.0	91	1	1	3	7	24	26	26
B. *Operated*										
0-19 YRS	93	2.2	1	1	1	2	2	3	5	7
20-34	39	2.7	1	1	2	2	3	4	5	6
35-49	35	2.8	4	1	1	2	3	5	6	11
50-64	97	3.2	10	2	2	2	3	5	7	22
65+	158	2.9	24	2	2	2	3	3	5	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	1.3	1	<1	<1	1	1	2	3	7
B. *Operated*	809	2.4	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	53	3.3	24	<1	1	1	3	7	17	26
B. *Operated*	422	2.8	12	1	2	2	3	4	5	14
1. SINGLE DX	887	2.3	2	1	1	2	3	3	4	8
2. MULTIPLE DX	475	2.9	13	1	1	2	3	4	6	19
A. NOT OPERATED	131	2.1	11	<1	<1	1	2	4	7	21
B. OPERATED	1231	2.5	5	1	1	2	3	4	5	9
TOTAL 0-19 YRS	586	2.1	3	<1	1	2	2	3	4	11
20-34	158	2.5	2	1	1	2	3	4	5	8
35-49	119	2.7	2	1	2	2	3	5	6	10
50-64	202	2.8	6	1	2	2	3	5	6	14
65+	297	2.8	15	2	2	2	3	3	4	16
GRAND TOTAL	**1362**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.5	3	<1	<1	2	3	6	7	7
20-34	24	3.4	6	<1	1	3	4	8	8	9
35-49	21	3.9	7	1	1	3	5	8	10	11
50-64	5	5.0	17	2	2	4	7	12	12	12
65+	8	4.4	5	3	3	4	5	8	9	9
B. *Operated*										
0-19 YRS	265	4.3	15	1	1	2	7	9	10	20
20-34	94	6.6	113	1	2	4	9	12	15	64
35-49	57	7.3	58	1	2	4	10	15	20	46
50-64	24	7.4	30	2	2	5	12	15	18	20
65+	10	5.2	23	2	2	3	8	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	4.9	36	1	1	3	6	9	15	36
20-34	50	4.4	16	1	1	4	6	7	8	23
35-49	64	5.2	18	1	2	4	7	9	12	27
50-64	50	6.2	10	2	3	5	8	11	12	16
65+	76	7.4	29	2	2	6	11	15	17	26
B. *Operated*										
0-19 YRS	350	5.8	38	1	2	2	9	13	18	38
20-34	75	7.1	44	1	2	5	9	13	21	35
35-49	67	10.0	153	1	2	8	11	22	26	81
50-64	66	11.5	129	2	2	9	14	23	34	60
65+	43	10.8	72	2	3	9	16	25	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.3	6	<1	1	3	4	7	9	12
B. *Operated*	450	5.3	43	1	2	2	8	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	391	5.5	27	1	1	4	7	11	15	28
B. *Operated*	601	7.4	69	1	2	5	10	16	23	43
1. SINGLE DX	543	5.0	37	1	1	2	7	10	13	21
2. MULTIPLE DX	992	6.7	53	1	2	4	9	14	20	39
A. NOT OPERATED	484	5.1	24	1	1	4	7	10	14	28
B. OPERATED	1051	6.5	59	1	2	3	9	14	20	40
TOTAL 0-19 YRS	801	5.0	29	1	1	2	7	11	14	27
20-34	243	6.0	62	1	2	4	8	11	16	31
35-49	209	7.2	75	1	2	5	10	14	21	39
50-64	145	8.8	74	2	2	7	12	18	22	48
65+	137	8.1	44	2	2	6	11	17	23	47
GRAND TOTAL	**1535**	**6.1**	**48**	**1**	**2**	**4**	**8**	**13**	**18**	**33**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.5	2	1	1	2	4	5	5	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	274	4.2	3	2	2	4	5	6	7	9
20-34	9	2.8	2	1	1	2	4	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	5.1	54	<1	<1	2	5	13	24	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	167	4.7	14	2	2	4	6	7	7	24
20-34	7	4.9	7	2	2	4	6	9	10	10
35-49	11	4.0	2	2	2	4	5	6	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.5	2	1	1	2	4	5	5	5
B. *Operated*	284	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	19	5.1	54	<1	<1	2	5	13	24	31
B. *Operated*	187	4.6	13	2	2	4	5	7	7	24
1. SINGLE DX	296	4.1	3	1	2	4	5	6	7	9
2. MULTIPLE DX	206	4.7	16	1	2	4	5	7	8	27
A. NOT OPERATED	31	4.1	35	<1	1	2	4	9	15	31
B. OPERATED	471	4.3	7	2	2	4	5	6	7	11
TOTAL 0-19 YRS	472	4.4	9	1	2	4	5	7	7	15
20-34	16	3.7	5	1	2	3	5	6	9	10
35-49	12	3.9	2	2	2	4	5	6	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**502**	**4.3**	**9**	**1**	**2**	**4**	**5**	**6**	**7**	**15**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.1	3	<1	1	2	2	3	6	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	240	4.1	4	2	2	4	5	6	8	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	3.5	4	1	1	3	4	6	8	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	39	7.4	77	2	3	5	9	13	14	56
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.1	3	<1	1	2	2	3	6	9
B. *Operated*	240	4.1	4	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	13	3.5	4	1	1	3	4	6	8	9
B. *Operated*	39	7.4	77	2	3	5	9	13	14	56
1. SINGLE DX	259	4.0	4	1	2	4	5	6	8	10
2. MULTIPLE DX	52	6.4	61	2	2	4	8	12	13	55
A. NOT OPERATED	32	2.7	4	1	1	2	3	5	8	9
B. OPERATED	279	4.6	15	2	2	4	5	8	10	13
TOTAL 0-19 YRS	311	4.4	14	2	2	4	5	7	9	13
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**311**	**4.4**	**14**	**2**	**2**	**4**	**5**	**7**	**9**	**13**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.7	8	<1	1	2	3	6	7	17
20-34	13	3.3	10	1	1	2	4	7	12	13
35-49	11	4.3	11	1	1	3	6	10	11	11
50-64	10	3.1	9	<1	<1	3	3	7	11	11
65+	13	5.6	10	<1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	221	4.0	25	<1	1	2	5	10	12	22
20-34	54	5.1	16	1	2	4	7	10	14	21
35-49	41	6.3	29	1	2	4	8	13	19	24
50-64	26	10.5	163	<1	1	5	15	27	38	57
65+	25	6.2	35	1	2	3	10	14	19	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.6	43	<1	1	4	6	11	18	38
20-34	25	4.8	10	1	1	4	6	8	12	15
35-49	23	5.5	8	2	2	5	8	10	11	12
50-64	33	4.4	5	1	2	4	6	7	9	10
65+	80	6.6	37	1	1	5	8	14	20	30
B. *Operated*										
0-19 YRS	133	8.4	124	1	2	5	11	16	22	62
20-34	55	7.1	29	1	2	6	9	15	17	24
35-49	53	9.9	53	2	3	8	13	17	22	44
50-64	46	12.2	71	2	4	11	15	21	31	45
65+	70	12.4	148	2	2	9	16	24	30	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	3.2	9	<1	1	2	4	7	9	16
B. *Operated*	367	5.0	37	<1	1	3	6	11	15	28
2. MULTIPLE DX										
A. *Not Operated*	242	5.7	30	1	1	4	7	11	15	29
B. *Operated*	357	9.7	100	2	2	8	13	20	24	45
1. SINGLE DX	509	4.5	30	<1	1	3	5	10	13	25
2. MULTIPLE DX	599	8.1	75	1	2	6	10	16	22	43
A. NOT OPERATED	384	4.8	23	1	1	3	6	9	13	28
B. OPERATED	724	7.3	73	1	1	5	10	15	21	44
TOTAL 0-19 YRS	530	5.1	53	<1	1	3	6	11	15	40
20-34	147	5.7	21	1	2	4	7	12	15	23
35-49	128	7.5	38	2	2	6	10	14	20	32
50-64	115	8.8	80	1	2	6	12	17	26	49
65+	188	8.6	84	1	2	6	11	20	24	35
GRAND TOTAL	**1108**	**6.4**	**57**	**1**	**1**	**4**	**8**	**14**	**19**	**37**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.6	1	<1	<1	1	2	4	4	4
20-34	2	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	592	2.9	2	1	2	3	4	5	6	8
20-34	59	3.5	3	2	2	3	4	5	8	8
35-49	12	3.5	2	2	2	3	4	6	7	7
50-64	3	3.0	1	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.8	1	<1	<1	2	2	3	4	5
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	433	3.1	3	1	2	3	4	5	6	9
20-34	63	4.4	7	2	2	4	5	8	10	15
35-49	17	3.5	2	1	2	3	4	5	6	6
50-64	9	4.3	5	2	2	5	5	8	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*	667	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	18	1.8	1	<1	<1	2	2	3	4	5
B. *Operated*	522	3.3	4	1	2	3	4	6	7	10
1. SINGLE DX	685	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX	540	3.3	4	1	2	3	4	5	7	10
A. NOT OPERATED	36	1.7	1	<1	<1	1	2	3	4	5
B. OPERATED	1189	3.1	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	1059	3.0	3	1	1	3	4	5	6	8
20-34	124	3.9	5	2	2	3	4	7	9	13
35-49	29	3.5	2	2	2	3	4	5	6	7
50-64	12	4.0	4	2	2	4	5	6	9	9
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1225**	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	4	<1	1	2	4	5	8	9
20-34	22	3.0	4	<1	1	3	4	5	7	9
35-49	10	3.3	7	<1	<1	2	5	7	8	8
50-64	22	4.8	11	1	2	4	8	10	11	12
65+	15	3.5	9	<1	1	2	5	10	10	10
B. *Operated*										
0-19 YRS	498	5.0	14	1	1	4	7	10	12	17
20-34	193	4.7	10	1	1	4	7	9	11	15
35-49	54	4.9	21	1	1	3	6	10	14	25
50-64	29	5.0	14	1	1	4	7	10	11	17
65+	23	6.6	52	1	2	5	7	15	24	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	6	<1	1	2	3	5	8	14
20-34	43	5.0	10	1	2	4	7	10	11	14
35-49	46	5.1	10	1	2	5	7	9	12	15
50-64	57	4.8	8	2	2	4	6	8	10	17
65+	39	6.4	19	2	2	5	9	14	16	18
B. *Operated*										
0-19 YRS	319	5.2	23	1	1	4	7	11	13	22
20-34	218	5.8	21	1	2	5	7	10	14	26
35-49	138	7.7	26	2	2	7	10	14	18	27
50-64	107	8.1	38	2	2	7	10	16	20	32
65+	97	7.5	45	<1	<1	6	10	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	7	<1	1	2	4	8	9	11
B. *Operated*	797	5.0	15	1	1	4	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	236	4.7	12	1	1	4	6	9	11	16
B. *Operated*	879	6.4	28	1	1	5	8	13	17	27
1. SINGLE DX	899	4.8	14	1	1	4	7	10	12	17
2. MULTIPLE DX	1115	6.0	25	1	1	5	8	12	16	25
A. NOT OPERATED	338	4.3	10	1	1	3	5	9	11	16
B. OPERATED	1676	5.7	22	1	1	5	8	11	14	23
TOTAL 0-19 YRS	901	4.8	17	1	1	3	7	10	12	18
20-34	476	5.2	15	1	1	4	7	10	12	21
35-49	248	6.4	23	1	2	5	8	12	16	25
50-64	215	6.5	26	2	2	5	8	13	17	25
65+	174	6.8	38	<1	1	5	9	15	18	32
GRAND TOTAL	**2014**	**5.5**	**21**	**1**	**1**	**4**	**8**	**11**	**14**	**22**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	23	<1	<1	1	3	12	14	14
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	233	3.5	3	2	2	3	4	5	6	9
20-34	22	4.3	7	1	2	4	5	8	10	12
35-49	16	5.7	11	2	2	6	7	10	13	14
50-64	11	4.5	4	2	2	4	6	7	8	8
65+	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	1.5	1	<1	<1	1	2	3	4	4
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*										
0-19 YRS	90	4.2	5	2	2	3	5	7	8	12
20-34	37	6.3	23	2	2	5	8	10	16	27
35-49	28	5.4	29	3	3	4	5	7	11	32
50-64	34	6.9	12	3	3	7	8	11	13	19
65+	14	6.9	12	3	3	7	8	11	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.3	23	<1	<1	1	3	12	14	14
B. *Operated*	284	3.7	4	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	15	2.1	4	<1	<1	1	3	4	7	8
B. *Operated*	203	5.4	14	2	2	4	7	9	11	23
1. SINGLE DX	291	3.7	4	1	2	3	4	6	7	13
2. MULTIPLE DX	218	5.2	14	2	2	4	7	8	11	22
A. NOT OPERATED	22	2.5	9	<1	<1	1	3	5	10	14
B. OPERATED	487	4.4	9	2	2	4	5	8	9	15
TOTAL 0-19 YRS	341	3.6	4	1	2	3	4	6	7	11
20-34	59	5.6	17	2	2	4	7	9	13	26
35-49	46	5.3	22	2	2	4	6	8	11	32
50-64	45	6.3	11	2	3	6	8	10	12	19
65+	18	6.7	10	3	3	7	8	10	14	16
GRAND TOTAL	**509**	**4.3**	**9**	**2**	**2**	**4**	**5**	**8**	**9**	**15**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.8	8	<1	1	2	3	6	7	15
20-34	50	5.1	15	1	1	4	8	9	15	15
35-49	42	6.4	20	1	2	5	9	13	16	19
50-64	32	5.7	10	1	2	5	8	10	12	12
65+	17	7.0	16	1	2	7	10	13	14	14
B. *Operated*										
0-19 YRS	847	4.1	20	1	1	3	5	7	9	22
20-34	377	4.6	20	<1	<1	3	5	10	15	22
35-49	276	5.3	23	1	1	3	7	12	15	23
50-64	145	6.6	53	1	2	4	9	13	17	46
65+	49	6.1	25	1	1	4	10	12	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	5.6	56	<1	1	4	6	11	18	43
20-34	90	6.0	23	1	2	4	7	12	15	26
35-49	105	6.4	29	1	2	5	8	13	16	31
50-64	108	7.9	38	2	3	6	10	14	18	38
65+	111	8.1	26	2	3	7	11	15	18	22
B. *Operated*										
0-19 YRS	296	5.8	64	1	2	3	6	12	17	43
20-34	214	6.2	31	1	2	4	9	14	16	28
35-49	185	8.4	42	2	2	7	11	17	20	30
50-64	152	9.9	80	2	2	7	14	20	23	35
65+	77	11.5	77	2	2	10	15	26	33	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.3	14	<1	1	3	6	9	12	17
B. *Operated*	1694	4.7	24	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	583	6.7	38	1	2	5	8	14	17	38
B. *Operated*	924	7.6	59	1	2	5	10	17	21	35
1. SINGLE DX	1975	4.6	23	1	1	3	6	10	13	22
2. MULTIPLE DX	1507	7.2	51	1	2	5	9	16	20	36
A. NOT OPERATED	864	5.9	31	1	1	5	8	12	15	27
B. OPERATED	2618	5.7	38	1	1	3	7	12	17	31
TOTAL 0-19 YRS	1452	4.5	33	1	1	3	5	8	12	31
20-34	731	5.3	24	<1	1	4	7	11	15	22
35-49	608	6.5	31	1	2	5	9	14	17	26
50-64	437	8.0	58	2	2	6	10	16	21	37
65+	254	8.6	44	2	2	7	12	17	22	33
GRAND TOTAL	**3482**	**5.7**	**37**	**1**	**1**	**4**	**7**	**12**	**17**	**31**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1113	5.2	41	1	1	3	5	14	20	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	32	7.1	32	<1	1	6	11	16	17	21
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	808	10.7	131	1	2	6	15	26	34	57
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	72	19.8	344	1	2	14	29	49	77	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1113	5.2	41	1	1	3	5	14	20	31
B. *Operated*	32	7.1	32	<1	1	6	11	16	17	21
2. MULTIPLE DX										
A. *Not Operated*	808	10.7	131	1	2	6	15	26	34	57
B. *Operated*	72	19.8	344	1	2	14	29	49	77	99+
1. SINGLE DX	1145	5.3	40	1	1	3	5	14	20	31
2. MULTIPLE DX	880	11.5	154	1	2	7	16	28	37	66
A. NOT OPERATED	1921	7.5	86	1	2	4	9	20	26	46
B. OPERATED	104	15.9	281	1	1	11	19	43	63	99+
TOTAL 0-19 YRS	2025	8.0	99	1	2	4	10	21	28	53
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2025**	**8.0**	**99**	**1**	**2**	**4**	**10**	**21**	**28**	**53**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1634	2.8	5	1	1	2	3	5	7	10
20-34	730	3.4	7	1	1	3	4	6	8	14
35-49	395	3.9	8	1	1	3	5	7	10	15
50-64	295	4.6	13	1	1	4	6	8	11	18
65+	221	4.6	9	1	1	4	6	8	10	14
B. *Operated*										
0-19 YRS	10	4.5	19	1	1	3	5	11	16	16
20-34	29	5.5	12	2	3	4	6	12	13	14
35-49	22	5.6	21	2	2	4	7	10	17	22
50-64	15	4.5	4	2	2	4	6	7	7	7
65+	14	5.6	4	2	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1757	3.6	13	1	1	3	4	7	8	16
20-34	801	5.0	23	1	1	4	6	9	14	25
35-49	874	5.9	32	1	2	4	7	11	15	30
50-64	1061	6.9	41	1	2	5	8	14	18	38
65+	1384	7.9	51	2	2	6	10	15	20	41
B. *Operated*										
0-19 YRS	41	6.6	25	1	2	6	9	11	17	25
20-34	61	7.8	33	2	2	7	10	17	23	91
35-49	81	10.2	40	2	3	9	13	17	22	33
50-64	111	12.2	98	3	4	9	17	25	33	47
65+	120	14.3	127	3	4	11	17	27	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3275	3.4	7	1	1	3	4	6	8	13
B. *Operated*	90	5.3	12	2	2	4	7	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	5877	5.7	34	1	2	4	7	11	15	30
B. *Operated*	414	11.2	85	2	3	9	15	22	29	54
1. SINGLE DX	3365	3.4	7	1	1	3	4	6	8	14
2. MULTIPLE DX	6291	6.1	39	1	2	4	7	12	17	34
A. NOT OPERATED	9152	4.9	26	1	1	3	6	10	13	25
B. OPERATED	504	10.1	77	2	3	8	13	21	28	51
TOTAL 0-19 YRS	3442	3.2	10	1	1	3	4	6	8	14
20-34	1621	4.4	17	1	1	3	5	8	12	22
35-49	1372	5.6	27	1	2	4	7	11	15	27
50-64	1482	6.8	43	1	2	5	8	14	19	37
65+	1739	7.9	55	2	2	6	10	15	20	42
GRAND TOTAL	**9656**	**5.2**	**30**	**1**	**1**	**4**	**6**	**10**	**14**	**28**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	774	3.2	9	1	1	3	4	5	6	13
20-34	203	4.4	9	1	2	4	5	8	10	15
35-49	121	4.7	11	2	2	4	5	8	10	23
50-64	109	5.2	15	2	2	4	6	9	10	22
65+	150	6.0	20	2	2	5	8	11	14	29
B. *Operated*										
0-19 YRS	11	4.8	9	1	2	3	7	9	10	10
20-34	8	9.8	35	2	3	10	15	17	17	17
35-49	19	10.5	61	2	3	8	12	20	29	35
50-64	11	9.7	29	2	4	9	14	18	20	20
65+	20	11.4	28	2	5	10	15	19	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1159	3.4	5	1	1	3	4	6	7	12
20-34	412	4.8	12	2	2	4	6	9	11	16
35-49	311	6.1	30	2	2	5	7	10	14	32
50-64	513	7.4	45	2	3	6	9	13	16	32
65+	1061	7.8	40	2	3	6	9	15	19	31
B. *Operated*										
0-19 YRS	36	9.2	40	2	3	7	13	20	21	24
20-34	51	11.9	104	3	4	10	14	21	25	70
35-49	72	9.7	42	3	4	9	11	17	22	87
50-64	91	14.5	96	4	5	12	19	31	34	45
65+	129	13.8	71	4	6	11	17	27	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	4.0	12	1	2	3	5	7	9	15
B. *Operated*	69	9.7	38	2	3	9	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	3456	5.8	28	1	2	4	7	11	15	27
B. *Operated*	379	12.5	76	3	4	10	16	23	31	45
1. SINGLE DX	1426	4.3	15	1	2	3	5	8	10	18
2. MULTIPLE DX	3835	6.4	37	2	2	5	8	13	17	31
A. NOT OPERATED	4813	5.3	24	1	2	4	6	10	13	24
B. OPERATED	448	12.1	71	3	4	10	15	22	30	44
TOTAL 0-19 YRS	1980	3.4	8	1	1	3	4	6	7	14
20-34	674	5.3	22	2	2	4	6	10	13	22
35-49	523	6.4	31	2	2	5	8	12	16	34
50-64	724	8.0	53	2	3	6	9	15	22	36
65+	1360	8.2	44	2	3	6	10	16	20	35
GRAND TOTAL	**5261**	**5.8**	**32**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	393	2.9	6	1	1	2	3	5	7	12
20-34	962	3.7	6	1	1	3	5	7	8	13
35-49	552	4.3	12	1	2	3	5	7	10	18
50-64	226	4.6	12	1	2	4	6	9	10	19
65+	83	4.2	8	1	1	3	5	9	10	13
B. *Operated*										
0-19 YRS	14	2.7	2	1	2	2	3	5	6	6
20-34	66	4.9	12	2	2	4	6	10	11	21
35-49	54	6.5	26	2	2	5	8	11	16	32
50-64	36	5.2	21	2	2	4	6	8	13	27
65+	12	7.2	13	2	3	6	10	12	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	402	3.7	9	1	1	3	4	6	9	17
20-34	1211	4.8	18	1	2	4	6	9	12	20
35-49	1005	5.3	13	2	2	4	7	10	12	18
50-64	708	5.6	20	1	2	4	7	11	13	22
65+	509	6.3	31	2	2	5	8	11	14	30
B. *Operated*										
0-19 YRS	16	5.5	8	2	2	5	8	9	10	10
20-34	114	8.1	24	2	3	7	11	15	17	26
35-49	135	8.6	83	2	2	6	10	16	22	53
50-64	89	7.4	33	2	2	5	10	16	19	27
65+	81	10.2	59	2	3	8	13	18	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2216	3.8	8	1	1	3	5	7	9	15
B. *Operated*	182	5.4	18	2	2	4	7	10	12	26
2. MULTIPLE DX										
A. *Not Operated*	3835	5.2	18	1	2	4	6	9	12	21
B. *Operated*	435	8.4	51	2	3	7	10	16	19	35
1. SINGLE DX	2398	3.9	9	1	1	3	5	7	9	17
2. MULTIPLE DX	4270	5.5	23	1	2	4	7	10	13	22
A. NOT OPERATED	6051	4.7	15	1	2	4	6	9	11	19
B. OPERATED	617	7.5	43	2	2	6	9	14	18	33
TOTAL 0-19 YRS	825	3.4	8	1	1	3	4	6	8	15
20-34	2353	4.5	14	1	2	4	6	8	11	18
35-49	1746	5.3	20	1	2	4	7	10	12	21
50-64	1059	5.5	20	1	2	4	7	10	14	23
65+	685	6.5	33	2	2	5	8	12	15	31
GRAND TOTAL	**6668**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**21**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.8	2	<1	1	2	4	5	6	6
20-34	67	3.3	3	1	1	3	4	6	6	8
35-49	109	3.7	4	1	1	4	5	6	7	9
50-64	173	3.8	8	1	1	3	5	7	8	13
65+	169	4.0	8	1	1	3	5	7	9	13
B. *Operated*										
0-19 YRS	29	2.9	4	<1	<1	2	4	6	6	7
20-34	28	4.5	4	1	2	4	6	7	9	10
35-49	80	4.8	6	1	2	5	6	8	10	13
50-64	119	4.9	5	2	2	5	6	8	9	11
65+	81	5.6	13	1	2	5	7	11	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	4	<1	<1	2	4	5	7	11
20-34	59	4.3	7	1	1	4	5	8	10	11
35-49	148	4.7	12	1	2	4	6	8	10	16
50-64	265	4.5	9	1	1	4	6	8	9	16
65+	444	5.4	24	1	2	4	6	10	14	26
B. *Operated*										
0-19 YRS	20	4.0	14	1	1	3	5	9	13	16
20-34	37	5.1	15	1	1	4	7	9	10	22
35-49	60	6.4	19	1	2	6	8	10	11	30
50-64	113	6.2	13	2	3	5	8	11	12	21
65+	172	8.9	57	2	3	7	10	17	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	3.7	6	1	1	3	5	7	8	12
B. *Operated*	337	4.9	8	1	2	4	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	955	4.8	16	1	1	4	6	8	11	23
B. *Operated*	402	7.2	35	2	2	6	9	12	18	32
1. SINGLE DX	890	4.1	7	1	1	4	5	7	9	12
2. MULTIPLE DX	1357	5.5	23	1	2	4	7	10	13	27
A. NOT OPERATED	1508	4.4	13	1	1	4	5	8	10	19
B. OPERATED	739	6.1	24	1	2	5	7	11	13	28
TOTAL 0-19 YRS	123	3.0	5	<1	1	2	4	6	7	12
20-34	191	4.1	7	1	1	4	5	8	9	11
35-49	397	4.7	10	1	2	4	6	8	10	14
50-64	670	4.7	9	1	2	4	6	8	10	15
65+	866	5.8	29	1	2	4	7	11	15	29
GRAND TOTAL	**2247**	**5.0**	**17**	**1**	**1**	**4**	**6**	**9**	**11**	**22**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.2	3	1	1	3	4	6	7	9
20-34	58	3.3	4	1	1	3	4	6	7	9
35-49	32	3.5	4	1	1	3	4	7	9	9
50-64	47	4.5	14	1	2	3	5	12	13	17
65+	33	3.8	13	1	1	3	4	7	10	20
B. *Operated*										
0-19 YRS	215	2.4	4	<1	1	2	2	4	7	10
20-34	207	2.6	4	<1	1	2	3	5	6	11
35-49	124	2.8	5	<1	1	2	3	5	7	12
50-64	92	3.3	9	1	1	3	4	6	7	19
65+	72	3.9	9	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.9	11	1	1	3	4	6	13	18
20-34	118	4.3	12	1	1	3	5	9	11	18
35-49	157	4.8	12	1	2	4	6	9	11	18
50-64	198	5.8	26	1	2	4	7	12	14	24
65+	268	8.5	91	1	2	6	11	18	23	52
B. *Operated*										
0-19 YRS	69	3.6	7	1	1	3	4	6	8	15
20-34	97	5.7	26	1	1	4	7	12	15	28
35-49	92	6.3	40	1	2	4	8	15	19	34
50-64	107	6.9	77	2	2	4	7	16	25	84
65+	157	10.1	93	2	2	7	13	23	32	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	3.6	7	1	1	3	4	6	9	14
B. *Operated*	710	2.8	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	818	6.1	44	1	2	4	7	12	16	30
B. *Operated*	522	7.1	61	1	2	4	8	16	21	43
1. SINGLE DX	953	3.0	6	<1	1	2	3	6	7	13
2. MULTIPLE DX	1340	6.5	51	1	2	4	8	13	19	35
A. NOT OPERATED	1061	5.5	37	1	2	4	6	11	15	25
B. OPERATED	1232	4.6	34	1	1	3	5	10	15	32
TOTAL 0-19 YRS	434	3.0	6	<1	1	2	4	6	7	15
20-34	480	3.7	12	1	1	3	4	7	10	17
35-49	405	4.4	17	1	1	3	5	9	12	20
50-64	444	5.4	35	1	2	4	7	11	14	31
65+	530	8.0	80	1	2	5	10	18	23	44
GRAND TOTAL	**2293**	**5.0**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**30**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	29.0	1568	1	1	29	57	57	57	57
35-49	3	5.3	4	3	3	6	7	7	7	7
50-64	9	10.9	45	<1	1	13	15	19	21	21
65+	23	8.6	60	<1	1	5	13	21	24	28
B. *Operated*										
0-19 YRS	25	3.5	13	<1	<1	2	4	6	14	15
20-34	26	7.8	43	1	1	5	15	18	19	21
35-49	35	8.4	57	1	2	7	10	18	24	39
50-64	92	14.7	167	2	3	12	18	30	39	73
65+	223	16.5	169	3	4	13	21	32	42	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	4	15.3	187	4	4	12	26	33	33	33
35-49	5	10.0	97	1	1	10	14	26	26	26
50-64	33	10.1	60	2	3	9	11	19	27	38
65+	122	13.5	147	3	4	10	16	27	37	71
B. *Operated*										
0-19 YRS	19	10.6	40	2	3	10	15	21	22	23
20-34	43	16.0	381	2	2	11	16	42	61	84
35-49	98	15.3	218	2	2	12	19	30	55	71
50-64	268	20.9	227	4	7	18	27	43	55	97
65+	967	22.1	248	5	7	17	29	45	56	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	10.0	114	<1	1	7	14	21	26	57
B. *Operated*	401	14.0	156	1	2	11	18	30	38	61
2. MULTIPLE DX										
A. *Not Operated*	168	12.5	128	2	3	9	15	26	33	64
B. *Operated*	1395	21.0	248	4	6	17	27	43	55	84
1. SINGLE DX	438	13.7	153	1	2	10	18	29	37	60
2. MULTIPLE DX	1563	20.1	242	4	5	16	26	41	54	83
A. NOT OPERATED	205	12.1	126	2	3	9	15	26	31	61
B. OPERATED	1796	19.5	236	3	4	15	25	41	53	82
TOTAL 0-19 YRS	48	6.4	34	<1	1	4	9	16	20	23
20-34	75	13.5	281	1	2	9	15	39	47	84
35-49	141	13.2	178	2	2	9	18	27	37	69
50-64	402	18.4	209	3	4	15	24	38	48	87
65+	1335	20.1	234	4	6	16	26	41	53	81
GRAND TOTAL	**2001**	**18.7**	**230**	**3**	**4**	**15**	**24**	**39**	**52**	**81**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	2.8	3	1	1	2	3	5	5	11
20-34	720	3.0	4	1	1	3	4	5	7	10
35-49	1928	3.5	5	1	1	3	4	6	8	11
50-64	1634	3.7	7	1	2	3	5	7	8	12
65+	693	4.4	13	1	2	4	5	8	10	21
B. *Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	83	3.3	5	2	2	2	4	7	8	11
35-49	467	3.2	5	2	2	2	3	6	8	12
50-64	512	3.3	7	2	2	2	4	7	9	15
65+	103	3.5	8	2	2	2	3	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.6	5	1	1	3	5	7	8	11
20-34	1285	4.1	7	1	2	4	5	7	9	14
35-49	4254	4.5	9	1	2	4	6	8	10	15
50-64	5543	4.9	11	1	2	4	6	9	11	16
65+	4102	5.6	16	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	8	5.6	14	2	2	5	7	11	13	13
20-34	145	5.5	16	2	2	4	7	10	14	21
35-49	776	5.4	17	2	2	4	7	11	13	21
50-64	1065	5.8	23	2	2	4	8	12	15	23
65+	443	8.1	47	2	2	6	11	17	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5108	3.6	6	1	1	3	4	6	8	12
B. *Operated*	1168	3.3	6	2	2	2	3	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	15328	4.9	11	1	2	4	6	9	11	17
B. *Operated*	2437	6.1	26	2	2	5	8	12	16	25
1. SINGLE DX	6276	3.5	6	1	1	3	4	6	8	13
2. MULTIPLE DX	17765	5.0	13	1	2	4	6	9	12	19
A. NOT OPERATED	20436	4.6	10	1	2	4	6	8	10	16
B. OPERATED	3605	5.2	21	2	2	3	7	11	14	22
TOTAL 0-19 YRS	288	3.3	4	1	1	3	4	6	7	11
20-34	2233	3.8	7	1	1	3	5	7	9	14
35-49	7425	4.2	9	1	2	3	5	8	10	15
50-64	8754	4.7	12	1	2	4	6	9	11	17
65+	5341	5.6	19	2	2	4	7	10	14	22
GRAND TOTAL	**24041**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**11**	**18**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	3.6	17	1	1	2	4	7	11	23
20-34	53	3.0	3	<1	1	3	4	5	6	7
35-49	68	3.5	5	1	1	3	4	7	9	11
50-64	81	3.8	7	1	1	3	6	8	9	10
65+	101	4.6	10	1	1	4	6	9	10	15
B. *Operated*										
0-19 YRS	21	3.8	13	<1	1	2	4	10	13	15
20-34	41	4.2	14	1	1	3	5	9	12	19
35-49	83	3.7	14	1	1	3	4	7	10	21
50-64	138	5.0	16	1	2	4	7	10	13	20
65+	121	5.5	25	1	1	4	8	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	4.7	20	1	1	3	6	11	12	20
20-34	152	4.7	41	1	1	3	5	8	11	33
35-49	270	5.2	33	1	1	4	6	9	14	31
50-64	581	6.2	35	1	2	4	8	12	15	26
65+	1000	7.5	36	2	2	6	10	14	19	29
B. *Operated*										
0-19 YRS	29	7.6	61	2	2	4	12	17	20	37
20-34	73	6.0	29	1	2	4	8	11	17	30
35-49	167	6.3	39	1	2	4	8	13	17	31
50-64	324	7.6	68	1	2	5	9	14	18	55
65+	440	8.4	62	2	2	6	10	16	22	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	550	3.7	11	1	1	3	5	7	9	15
B. *Operated*	404	4.8	18	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2298	6.4	35	1	2	5	8	13	16	28
B. *Operated*	1033	7.6	58	2	2	5	10	15	19	45
1. SINGLE DX	954	4.2	15	1	1	3	5	9	11	20
2. MULTIPLE DX	3331	6.8	42	1	2	5	9	13	17	32
A. NOT OPERATED	2848	5.9	31	1	1	4	7	12	15	26
B. OPERATED	1437	6.8	49	1	2	5	9	14	18	39
TOTAL 0-19 YRS	592	4.3	21	1	1	3	5	9	12	22
20-34	319	4.6	29	1	1	3	5	9	12	28
35-49	588	5.1	30	1	1	4	6	10	14	30
50-64	1124	6.3	41	1	2	4	8	12	15	31
65+	1662	7.5	41	2	2	6	10	14	19	31
GRAND TOTAL	**4285**	**6.2**	**37**	**1**	**2**	**4**	**8**	**12**	**16**	**30**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	100	2.1	2	1	1	2	3	3	4	8
20-34	328	2.2	2	1	1	2	3	4	5	7
35-49	283	2.3	3	<1	1	2	3	4	6	8
50-64	182	2.7	4	1	1	2	3	5	6	11
65+	125	3.4	8	1	1	3	4	6	10	14
B. *Operated*										
0-19 YRS	177	1.6	1	<1	1	1	2	2	3	6
20-34	85	4.9	28	1	1	3	6	10	14	33
35-49	88	4.7	14	1	2	4	6	9	12	21
50-64	80	5.5	15	1	2	4	8	10	12	21
65+	82	6.2	12	2	2	6	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	2.3	2	1	1	2	3	4	5	6
20-34	261	3.2	6	1	1	2	4	6	8	13
35-49	331	3.6	12	1	1	3	4	7	9	19
50-64	350	4.2	14	1	1	3	5	8	11	20
65+	662	6.5	36	1	2	5	8	12	17	31
B. *Operated*										
0-19 YRS	221	2.3	3	1	1	2	3	4	6	10
20-34	144	6.2	20	1	2	5	8	12	15	24
35-49	173	6.6	27	2	2	5	8	11	20	28
50-64	261	8.5	54	2	3	7	10	15	17	41
65+	605	10.3	55	2	3	8	13	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1018	2.5	3	1	1	2	3	5	6	10
B. *Operated*	512	4.0	15	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	1692	4.7	22	1	1	3	6	9	13	22
B. *Operated*	1404	7.8	48	1	2	6	10	15	20	34
1. SINGLE DX	1530	3.0	8	1	1	2	4	6	8	13
2. MULTIPLE DX	3096	6.1	36	1	1	4	8	12	17	30
A. NOT OPERATED	2710	3.9	16	1	1	3	5	8	11	20
B. OPERATED	1916	6.8	42	1	1	5	9	14	19	32
TOTAL 0-19 YRS	586	2.1	2	1	1	2	3	4	5	8
20-34	818	3.5	11	1	1	2	4	7	9	17
35-49	875	3.9	14	1	1	3	5	8	10	22
50-64	873	5.3	29	1	1	4	7	10	14	23
65+	1474	7.8	45	1	2	6	10	15	20	34
GRAND TOTAL	**4626**	**5.1**	**29**	**1**	**1**	**3**	**7**	**11**	**14**	**26**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2498	2.6	3	1	1	2	3	5	6	8
20-34	2593	3.2	5	1	1	3	4	6	8	11
35-49	1544	3.7	5	1	1	3	5	7	8	11
50-64	1010	4.1	7	1	1	3	5	7	9	14
65+	723	4.4	10	1	2	4	6	8	10	17
B. *Operated*										
0-19 YRS	320	3.8	7	1	1	3	5	6	8	12
20-34	554	4.4	9	1	2	4	6	8	10	13
35-49	274	5.5	16	1	2	5	7	10	13	19
50-64	137	6.5	30	2	2	5	8	13	17	34
65+	64	7.1	48	2	2	5	9	15	19	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1580	3.2	5	1	1	3	4	6	7	12
20-34	2791	4.1	9	1	1	3	5	7	9	15
35-49	2473	4.8	12	1	2	4	6	9	11	18
50-64	2392	5.2	14	1	2	4	7	10	12	18
65+	3003	6.2	22	2	2	5	8	11	15	23
B. *Operated*										
0-19 YRS	226	5.0	13	1	2	4	6	10	12	19
20-34	813	6.4	21	2	2	5	8	12	15	23
35-49	574	8.1	32	2	3	7	10	15	19	31
50-64	530	8.7	45	2	3	7	11	16	20	35
65+	444	10.5	66	3	3	8	13	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8368	3.3	5	1	1	3	4	6	8	12
B. *Operated*	1349	4.8	15	1	2	4	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	12239	4.9	14	1	2	4	6	9	12	19
B. *Operated*	2587	7.8	38	2	2	6	10	15	19	32
1. SINGLE DX	9717	3.5	7	1	1	3	4	7	8	13
2. MULTIPLE DX	14826	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	20607	4.2	11	1	1	3	5	8	10	17
B. OPERATED	3936	6.8	32	2	2	5	9	13	17	30
TOTAL 0-19 YRS	4624	3.0	4	1	1	2	4	5	7	10
20-34	6751	4.1	10	1	1	3	5	8	10	15
35-49	4865	4.9	14	1	2	4	6	9	11	19
50-64	4069	5.4	19	1	2	4	7	10	13	21
65+	4234	6.4	28	2	2	5	8	12	16	25
GRAND TOTAL	**24543**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	260	3.0	5	1	1	2	4	6	7	12
20-34	167	3.8	8	1	1	3	5	7	9	16
35-49	140	3.5	10	<1	1	3	4	6	9	21
50-64	133	4.0	6	1	2	3	5	7	8	13
65+	184	5.1	14	1	2	4	7	11	13	23
B. *Operated*										
0-19 YRS	23	3.1	3	1	1	3	5	6	6	6
20-34	67	5.6	24	1	1	5	7	10	14	27
35-49	56	5.1	28	1	1	3	7	9	15	32
50-64	43	6.6	32	<1	1	4	9	15	18	23
65+	45	5.7	40	2	2	3	6	13	17	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	525	3.4	6	1	1	3	4	6	8	12
20-34	438	4.5	11	1	1	4	6	8	11	17
35-49	532	5.4	18	1	2	4	6	10	14	20
50-64	733	6.5	36	2	2	5	8	13	16	28
65+	1504	6.9	32	2	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	40	7.3	59	1	2	5	8	15	23	42
20-34	125	6.8	26	1	2	6	8	14	16	25
35-49	191	9.4	68	2	2	7	12	18	24	46
50-64	227	9.7	105	2	2	7	12	19	24	59
65+	300	12.6	114	2	3	9	17	27	38	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	3.8	9	1	1	3	5	7	9	16
B. *Operated*	234	5.4	28	1	1	4	7	10	15	28
2. MULTIPLE DX										
A. *Not Operated*	3732	5.8	26	1	2	4	7	11	15	25
B. *Operated*	883	10.1	91	2	2	7	13	20	29	49
1. SINGLE DX	1118	4.1	13	1	1	3	5	8	11	20
2. MULTIPLE DX	4615	6.6	41	1	2	5	8	13	18	33
A. NOT OPERATED	4616	5.4	24	1	2	4	7	11	14	24
B. OPERATED	1117	9.1	81	1	2	7	11	19	26	47
TOTAL 0-19 YRS	848	3.5	9	1	1	3	4	6	8	14
20-34	797	4.8	15	1	1	4	6	9	12	19
35-49	919	5.9	31	1	2	4	7	12	16	30
50-64	1136	6.8	49	1	2	5	8	13	18	31
65+	2033	7.6	48	2	2	6	9	15	21	39
GRAND TOTAL	**5733**	**6.2**	**37**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1710	4.1	40	1	1	3	4	7	11	38
20-34	1570	4.4	34	1	1	3	5	8	12	35
35-49	1355	5.3	47	1	1	3	6	10	16	37
50-64	1443	5.7	58	1	1	4	6	11	16	47
65+	1569	6.3	49	1	2	4	7	13	18	37
B. *Operated*										
0-19 YRS	142	2.7	8	<1	1	2	3	5	8	15
20-34	290	3.1	9	1	1	2	3	6	9	13
35-49	293	3.9	25	1	1	2	4	8	10	28
50-64	313	4.9	27	1	1	3	6	10	14	23
65+	239	6.2	50	1	2	4	8	13	17	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1475	4.7	23	1	1	3	6	9	13	22
20-34	1593	4.3	18	1	1	3	5	8	10	17
35-49	2146	5.1	18	1	2	4	6	9	12	21
50-64	3840	6.1	29	1	2	5	7	12	15	27
65+	8134	7.3	40	2	2	6	9	14	18	33
B. *Operated*										
0-19 YRS	113	6.6	105	1	1	4	8	13	20	54
20-34	355	5.5	28	1	2	4	7	11	18	24
35-49	414	6.8	40	1	2	5	8	13	17	38
50-64	800	8.6	84	2	2	6	10	18	26	58
65+	1213	11.7	126	2	3	8	14	24	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7647	5.1	46	1	1	3	6	10	15	39
B. *Operated*	1277	4.3	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	17188	6.3	32	1	2	5	8	12	16	28
B. *Operated*	2895	9.2	95	2	2	6	11	20	27	54
1. SINGLE DX	8924	5.0	43	1	1	3	6	10	14	37
2. MULTIPLE DX	20083	6.7	42	1	2	5	8	13	18	34
A. NOT OPERATED	24835	5.9	37	1	2	4	7	12	16	31
B. OPERATED	4172	7.7	79	1	2	5	9	17	24	50
TOTAL 0-19 YRS	3440	4.4	34	1	1	3	5	8	12	27
20-34	3808	4.3	25	1	1	3	5	8	11	24
35-49	4208	5.3	30	1	2	4	6	10	14	28
50-64	6396	6.3	43	1	2	4	8	12	17	37
65+	11155	7.7	53	2	2	6	9	15	20	38
GRAND TOTAL	**29007**	**6.2**	**43**	**1**	**2**	**4**	**7**	**12**	**17**	**35**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	152	2.0	6	<1	1	1	2	3	4	13
20-34	22	3.2	5	<1	1	3	4	6	8	9
35-49	4	4.8	25	1	1	3	8	12	12	12
50-64	7	3.0	2	2	2	3	3	5	6	6
65+	5	4.6	6	3	3	4	5	9	9	9
B. *Operated*										
0-19 YRS	34	5.0	7	1	2	5	6	8	9	14
20-34	11	7.7	32	1	2	6	12	16	18	18
35-49	3	15.7	46	8	8	18	20	21	21	21
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	3.9	60	1	1	2	4	7	12	35
20-34	107	5.9	59	1	1	4	7	10	16	45
35-49	45	6.5	33	1	2	4	8	18	19	27
50-64	27	6.6	22	2	2	5	9	15	17	17
65+	32	8.5	51	1	2	5	14	21	23	25
B. *Operated*										
0-19 YRS	103	9.9	202	1	2	6	10	17	40	86
20-34	83	16.7	328	3	4	10	17	34	63	91
35-49	54	12.0	153	1	2	7	16	33	45	98
50-64	19	17.1	345	1	2	13	20	65	83	99+
65+	11	14.8	59	3	5	17	22	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	2.3	6	<1	1	2	3	4	6	13
B. *Operated*	50	6.2	21	1	2	5	8	13	18	21
2. MULTIPLE DX										
A. *Not Operated*	545	4.9	57	1	1	3	5	10	15	28
B. *Operated*	270	13.1	241	1	2	8	15	31	51	95
1. SINGLE DX	240	3.1	12	1	1	2	4	6	9	19
2. MULTIPLE DX	815	7.6	133	1	1	4	8	17	26	77
A. NOT OPERATED	735	4.2	45	1	1	2	5	8	14	27
B. OPERATED	320	12.0	213	1	2	7	14	27	45	92
TOTAL 0-19 YRS	623	4.5	74	1	1	2	5	8	14	50
20-34	223	9.7	181	1	1	6	10	19	33	78
35-49	106	9.5	102	1	2	6	11	20	33	78
50-64	54	9.7	160	1	2	6	13	18	55	98
65+	49	9.4	56	2	2	6	15	22	24	25
GRAND TOTAL	**1055**	**6.6**	**109**	**1**	**1**	**3**	**7**	**15**	**22**	**68**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.6	6	<1	1	2	3	5	7	16
20-34	17	2.5	2	1	1	2	3	5	6	6
35-49	11	3.6	19	1	1	2	3	10	15	16
50-64	3	10.3	101	1	1	9	18	21	21	21
65+	3	17.3	465	2	2	8	33	42	42	42
B. *Operated*										
0-19 YRS	18	3.3	5	1	1	3	4	6	8	9
20-34	12	8.6	83	1	2	5	13	21	31	33
35-49	7	5.1	11	2	2	4	8	10	10	10
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	4.6	15	1	1	3	6	10	12	21
20-34	130	6.0	32	1	2	4	7	12	14	30
35-49	51	5.7	32	1	1	4	7	12	14	35
50-64	38	7.7	101	1	2	5	9	16	47	99+
65+	36	11.3	89	2	2	6	19	24	28	37
B. *Operated*										
0-19 YRS	55	13.7	258	1	2	8	16	42	59	98
20-34	94	13.9	252	2	2	7	18	36	54	72
35-49	25	15.4	390	2	3	10	16	54	95	99+
50-64	12	19.9	436	3	4	14	32	82	97	99+
65+	22	18.1	156	4	5	15	28	35	43	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.4	27	1	1	2	3	6	9	33
B. *Operated*	38	5.3	34	1	1	4	5	12	15	33
2. MULTIPLE DX										
A. *Not Operated*	416	6.0	40	1	1	4	7	13	18	40
B. *Operated*	208	14.8	268	2	2	9	18	40	57	99+
1. SINGLE DX	133	3.9	29	1	1	2	4	8	13	35
2. MULTIPLE DX	624	9.0	133	1	2	5	11	21	33	75
A. NOT OPERATED	511	5.5	38	1	1	4	6	12	17	39
B. OPERATED	246	13.3	243	1	2	8	16	35	57	99+
TOTAL 0-19 YRS	295	5.8	72	1	1	3	6	12	17	59
20-34	253	8.8	129	1	2	5	10	20	30	59
35-49	94	8.0	141	1	2	5	10	14	25	97
50-64	54	10.5	191	1	2	6	13	35	68	99+
65+	61	14.0	133	2	3	11	21	31	38	47
GRAND TOTAL	**757**	**8.1**	**118**	**1**	**1**	**4**	**9**	**18**	**30**	**69**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.1	1	<1	1	2	3	4	4	5
20-34	42	2.0	3	<1	<1	1	2	4	6	8
35-49	18	2.4	3	<1	<1	2	3	5	6	6
50-64	5	2.2	5	<1	<1	1	3	6	6	6
65+	8	3.1	6	1	1	3	3	7	9	9
B. *Operated*										
0-19 YRS	511	2.1	2	<1	<1	2	3	4	5	7
20-34	659	2.8	8	1	1	2	3	5	7	11
35-49	205	3.2	5	1	1	2	4	6	7	11
50-64	62	3.3	6	<1	1	3	4	6	8	13
65+	37	5.4	32	1	2	3	6	12	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	2.5	5	<1	1	2	3	5	6	14
20-34	169	2.7	5	<1	1	2	3	6	7	10
35-49	81	4.1	12	1	1	3	5	8	10	19
50-64	71	4.0	10	1	1	3	5	8	10	16
65+	117	6.9	53	1	2	5	10	14	21	44
B. *Operated*										
0-19 YRS	922	3.5	17	1	1	3	4	6	9	19
20-34	1504	4.9	44	1	1	3	5	9	13	43
35-49	584	5.2	32	1	2	4	6	9	12	33
50-64	211	7.2	83	1	2	5	8	13	23	68
65+	150	9.1	84	2	2	7	11	16	21	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.2	3	<1	<1	2	3	4	6	9
B. *Operated*	1474	2.7	6	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	542	3.9	20	1	1	3	5	8	11	22
B. *Operated*	3371	4.9	40	1	1	3	5	9	13	37
1. SINGLE DX	1572	2.7	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	3913	4.8	38	1	1	3	5	9	13	34
A. NOT OPERATED	640	3.7	17	<1	1	2	4	8	10	21
B. OPERATED	4845	4.2	31	1	1	3	5	8	11	29
TOTAL 0-19 YRS	1562	3.0	11	<1	1	2	3	6	7	17
20-34	2374	4.1	32	1	1	3	4	8	10	29
35-49	888	4.6	24	1	1	3	5	9	11	28
50-64	349	5.8	57	1	1	4	7	11	15	49
65+	312	7.7	66	1	2	5	10	15	20	48
GRAND TOTAL	**5485**	**4.2**	**29**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	5.2	15	1	2	4	6	10	13	20
20-34	234	5.5	17	1	2	5	7	10	11	18
35-49	141	6.5	23	2	3	5	7	13	15	27
50-64	178	7.5	21	2	3	6	10	13	15	24
65+	352	9.8	39	3	4	8	13	18	21	31
B. *Operated*										
0-19 YRS	10	16.5	142	4	4	15	19	34	45	45
20-34	27	10.6	32	3	5	9	13	18	21	28
35-49	18	12.0	120	2	2	9	14	31	37	38
50-64	14	11.5	121	2	2	8	17	31	36	38
65+	13	16.3	99	6	8	16	19	29	41	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	241	6.2	51	1	2	4	7	12	17	38
20-34	552	6.3	24	1	2	5	8	11	15	26
35-49	344	7.4	32	2	2	6	9	13	17	28
50-64	543	9.5	53	2	3	8	12	18	23	35
65+	1878	12.0	66	3	4	10	15	22	27	42
B. *Operated*										
0-19 YRS	76	14.4	115	3	4	11	19	32	36	45
20-34	224	16.9	215	3	4	13	22	39	49	88
35-49	113	15.5	210	3	3	12	20	30	53	69
50-64	98	18.6	225	4	6	15	22	36	51	75
65+	159	20.5	171	6	7	18	25	39	47	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1022	7.4	29	2	2	6	10	14	18	26
B. *Operated*	82	12.7	91	2	3	10	17	24	36	45
2. MULTIPLE DX										
A. *Not Operated*	3558	9.9	59	2	3	8	13	19	24	38
B. *Operated*	670	17.5	197	3	5	14	22	36	47	73
1. SINGLE DX	1104	7.8	36	2	2	6	10	15	19	32
2. MULTIPLE DX	4228	11.1	89	2	3	8	14	22	29	49
A. NOT OPERATED	4580	9.3	54	2	3	7	12	18	23	37
B. OPERATED	752	17.0	187	3	4	14	22	35	45	70
TOTAL 0-19 YRS	444	7.6	66	1	2	5	9	17	23	45
20-34	1037	8.5	84	2	2	6	9	18	26	53
35-49	616	8.8	76	2	2	6	10	17	23	51
50-64	833	10.2	77	2	3	8	12	19	26	47
65+	2402	12.3	75	3	4	10	16	22	28	45
GRAND TOTAL	**5332**	**10.4**	**79**	**2**	**3**	**8**	**13**	**20**	**27**	**46**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	11	3	3	4	7	10	10	10
20-34	9	7.1	12	<1	1	8	10	10	10	10
35-49	3	6.7	22	3	3	5	10	12	12	12
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	4	7.0	21	<1	<1	8	10	11	11	11
B. *Operated*										
0-19 YRS	3	19.7	134	12	12	14	28	33	33	33
20-34	14	29.9	422	8	10	22	37	65	67	68
35-49	3	19.3	30	13	13	22	23	23	23	23
50-64	2	12.0	18	9	9	12	15	15	15	15
65+	2	43.0	162	34	34	43	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	13.0	271	<1	1	5	20	41	48	49
20-34	27	11.6	147	1	1	6	17	29	35	52
35-49	9	8.1	35	2	2	6	12	17	19	19
50-64	17	15.6	241	2	3	10	19	34	55	65
65+	31	16.2	284	3	4	12	17	38	44	88
B. *Operated*										
0-19 YRS	20	27.2	263	6	9	28	42	77	99+	99+
20-34	46	34.7	565	7	9	27	44	70	90	94
35-49	19	33.3	576	6	9	32	56	74	90	99+
50-64	7	48.7	750	3	12	50	79	97	99+	99+
65+	12	19.0	54	10	12	18	26	46	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	6.4	14	<1	<1	6	10	11	11	12
B. *Operated*	24	26.9	322	9	10	21	34	60	66	68
2. MULTIPLE DX										
A. *Not Operated*	96	13.6	212	2	2	9	17	32	44	77
B. *Operated*	104	32.1	492	7	10	27	47	77	94	99+
1. SINGLE DX	45	17.3	282	<1	3	10	22	37	61	68
2. MULTIPLE DX	200	23.3	442	3	4	17	33	58	86	99+
A. NOT OPERATED	117	12.3	184	1	2	9	14	29	41	73
B. OPERATED	128	31.1	462	8	10	27	46	68	92	99+
TOTAL 0-19 YRS	39	20.0	283	2	3	14	34	48	82	99+
20-34	96	24.9	498	2	3	19	32	58	70	93
35-49	34	23.1	473	3	3	14	42	60	78	99+
50-64	27	23.4	563	2	3	15	41	66	92	99+
65+	49	17.2	233	3	4	13	20	39	52	99+
GRAND TOTAL	**245**	**22.2**	**416**	**2**	**3**	**15**	**32**	**57**	**70**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	3	1	1	2	3	5	7	7
20-34	51	3.2	6	1	1	2	4	7	8	11
35-49	55	4.1	17	1	1	3	5	8	12	25
50-64	62	4.4	7	1	2	4	5	8	10	14
65+	95	6.6	18	1	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	5.0	6	3	3	4	6	9	9	9
35-49	4	3.8	3	2	2	3	5	6	6	6
50-64	2	10.5	145	2	2	10	19	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	3.9	10	1	1	3	5	7	10	18
20-34	311	4.4	13	1	1	3	6	8	12	20
35-49	415	5.7	18	1	2	5	7	10	13	22
50-64	673	6.8	33	2	2	5	8	13	16	26
65+	1150	8.9	53	2	3	7	11	16	21	34
B. *Operated*										
0-19 YRS	35	10.2	80	2	3	8	11	21	35	41
20-34	141	10.0	86	2	3	7	13	21	28	39
35-49	144	11.5	115	2	3	8	15	25	34	51
50-64	161	13.0	100	3	4	10	17	25	34	48
65+	161	17.4	175	4	5	14	23	35	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	275	4.8	14	1	1	4	6	9	12	20
B. *Operated*	13	5.7	20	2	2	4	6	11	17	19
2. MULTIPLE DX										
A. *Not Operated*	2619	7.2	39	1	2	6	9	14	18	30
B. *Operated*	642	13.0	125	3	3	9	17	27	35	61
1. SINGLE DX	288	4.8	15	1	1	4	6	9	12	21
2. MULTIPLE DX	3261	8.3	61	2	2	6	10	17	22	41
A. NOT OPERATED	2894	7.0	37	1	2	5	9	13	17	28
B. OPERATED	655	12.8	124	2	3	9	17	27	35	61
TOTAL 0-19 YRS	118	5.6	39	1	1	4	7	11	17	40
20-34	508	5.8	39	1	1	4	7	12	18	29
35-49	618	6.9	47	1	2	5	8	13	19	37
50-64	898	7.8	50	2	2	6	9	15	20	35
65+	1407	9.7	72	2	3	8	12	19	25	43
GRAND TOTAL	**3549**	**8.0**	**58**	**1**	**2**	**6**	**10**	**16**	**22**	**39**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	6.6	22	1	2	5	8	13	18	18
20-34	61	9.0	59	2	3	7	10	16	29	40
35-49	25	7.7	20	2	3	7	10	14	16	21
50-64	53	10.3	83	2	2	9	13	17	21	62
65+	215	11.0	44	3	4	10	14	19	24	34
B. *Operated*										
0-19 YRS	5	27.8	1184	2	2	15	38	88	88	88
20-34	7	31.3	528	12	12	22	43	68	74	74
35-49	3	12.3	6	10	10	12	14	15	15	15
50-64	3	9.7		9	9	10	10	10	10	10
65+	5	19.0	43	14	14	16	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	9.4	130	2	2	6	11	20	25	68
20-34	185	11.9	135	2	3	9	14	24	45	66
35-49	117	13.8	162	3	4	10	17	25	43	68
50-64	192	11.9	104	2	4	9	14	21	28	54
65+	1008	14.4	99	4	5	12	18	26	33	52
B. *Operated*										
0-19 YRS	44	19.4	304	6	6	12	24	45	61	78
20-34	107	23.9	289	4	6	21	38	54	62	99+
35-49	63	27.6	366	6	7	24	45	57	71	99+
50-64	45	29.9	437	8	9	22	45	62	68	88
65+	109	27.2	359	8	10	23	37	58	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	399	9.9	49	2	3	9	13	18	21	36
B. *Operated*	23	22.6	438	7	10	15	22	51	79	88
2. MULTIPLE DX										
A. *Not Operated*	1629	13.4	113	3	4	11	17	25	33	56
B. *Operated*	368	25.7	348	6	7	21	39	57	66	99+
1. SINGLE DX	422	10.6	78	2	3	9	13	19	24	44
2. MULTIPLE DX	1997	15.7	179	3	4	12	20	32	46	69
A. NOT OPERATED	2028	12.7	102	3	4	10	16	24	31	55
B. OPERATED	391	25.5	353	6	7	20	38	57	67	99+
TOTAL 0-19 YRS	221	11.3	185	2	2	7	13	22	36	81
20-34	360	15.4	213	3	3	10	20	41	50	73
35-49	208	17.2	253	3	4	11	23	45	56	91
50-64	293	14.4	193	2	4	10	17	28	46	68
65+	1337	14.9	126	4	5	12	19	27	35	60
GRAND TOTAL	**2419**	**14.8**	**165**	**3**	**4**	**11**	**18**	**29**	**44**	**68**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.0	31	<1	1	2	4	10	17	27
20-34	31	3.2	4	1	1	3	5	5	6	11
35-49	21	3.5	5	<1	1	3	4	7	9	10
50-64	50	4.9	14	1	2	4	6	11	13	18
65+	204	6.7	43	1	1	5	9	14	17	34
B. *Operated*										
0-19 YRS	500	4.3	25	1	1	2	4	11	17	23
20-34	86	4.9	23	1	1	4	5	9	15	26
35-49	54	6.6	61	1	2	5	7	12	20	50
50-64	85	5.3	15	1	2	4	7	10	12	20
65+	158	7.9	52	2	2	6	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	3.4	14	<1	1	2	4	7	11	20
20-34	71	6.1	56	<1	1	4	7	12	21	43
35-49	70	5.9	45	1	1	4	9	11	13	44
50-64	156	7.4	67	1	2	5	9	14	17	50
65+	766	9.7	63	2	2	7	13	20	26	38
B. *Operated*										
0-19 YRS	587	4.9	35	1	1	3	6	12	17	28
20-34	223	8.9	119	1	2	5	10	20	31	57
35-49	117	8.9	124	1	1	6	9	15	34	63
50-64	273	11.1	181	2	2	7	13	22	40	82
65+	466	13.5	165	2	3	10	17	28	39	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	5.4	33	1	1	4	7	12	15	29
B. *Operated*	883	5.2	33	1	1	3	6	12	17	25
2. MULTIPLE DX										
A. *Not Operated*	1169	8.4	62	1	2	6	11	18	24	40
B. *Operated*	1666	9.1	125	1	1	5	11	21	30	68
1. SINGLE DX	1275	5.3	33	1	1	3	6	12	16	26
2. MULTIPLE DX	2835	8.8	99	1	1	6	11	19	27	52
A. NOT OPERATED	1561	7.6	56	1	1	5	10	17	22	37
B. OPERATED	2549	7.8	96	1	1	4	10	17	25	52
TOTAL 0-19 YRS	1279	4.5	29	1	1	2	5	11	17	25
20-34	411	7.2	83	1	1	4	8	16	25	51
35-49	262	7.2	83	1	1	5	9	12	21	51
50-64	564	8.6	115	1	2	5	10	17	26	72
65+	1594	10.2	95	2	2	7	13	21	28	51
GRAND TOTAL	**4110**	**7.7**	**81**	**1**	**1**	**5**	**10**	**17**	**24**	**46**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.7	1	1	1	1	2	3	5	99+
20-34	18	2.2	2	<1	1	2	3	5	5	5
35-49	12	4.2	19	1	1	3	5	9	16	17
50-64	26	4.7	30	1	1	3	5	8	15	28
65+	36	4.1	14	1	1	3	6	8	9	21
B. *Operated*										
0-19 YRS	820	2.0	2	1	1	1	2	4	5	8
20-34	295	3.5	6	1	1	3	5	6	7	12
35-49	210	3.4	5	1	1	3	4	6	8	13
50-64	273	3.3	6	1	1	3	4	6	7	13
65+	307	4.4	16	1	1	4	5	8	10	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	5	<1	1	1	3	4	8	11
20-34	83	4.4	57	<1	1	2	5	9	12	50
35-49	45	3.7	8	<1	1	3	5	7	11	12
50-64	79	5.4	20	1	1	4	8	10	13	25
65+	195	8.7	63	1	2	6	12	18	26	36
B. *Operated*										
0-19 YRS	978	2.9	20	1	1	2	3	6	8	26
20-34	532	5.4	34	1	2	4	6	10	14	31
35-49	395	5.4	35	1	1	3	6	12	17	27
50-64	517	5.6	65	1	1	4	6	11	16	43
65+	669	7.3	76	1	1	4	8	16	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	3.2	13	1	1	2	4	7	8	40
B. *Operated*	1905	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	469	6.0	47	1	1	4	7	14	18	33
B. *Operated*	3091	5.1	46	1	1	3	6	10	16	36
1. SINGLE DX	2037	3.0	7	1	1	2	4	6	7	13
2. MULTIPLE DX	3560	5.2	47	1	1	3	6	11	16	35
A. NOT OPERATED	601	5.4	41	1	1	3	6	12	18	33
B. OPERATED	4996	4.3	32	1	1	3	5	8	13	28
TOTAL 0-19 YRS	1905	2.4	12	1	1	2	3	5	6	15
20-34	928	4.7	27	1	1	3	5	9	12	29
35-49	662	4.6	24	1	1	3	5	9	13	25
50-64	895	4.9	43	1	1	3	5	9	13	29
65+	1207	6.7	59	1	1	4	8	15	20	39
GRAND TOTAL	**5597**	**4.4**	**33**	**1**	**1**	**3**	**5**	**9**	**13**	**29**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.1	4	<1	1	1	2	4	7	8
20-34	21	2.2	2	<1	<1	2	3	4	5	5
35-49	5	6.2	18	2	2	5	10	12	12	12
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	9	3.8	7	<1	<1	4	5	8	9	9
B. *Operated*										
0-19 YRS	264	1.9	1	<1	1	2	2	3	4	8
20-34	380	2.4	3	1	1	2	3	4	5	9
35-49	146	2.7	6	<1	1	2	3	5	6	13
50-64	96	2.5	4	1	1	2	3	4	6	13
65+	68	3.4	8	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	3.9	23	1	1	2	4	8	15	25
20-34	60	2.9	3	<1	<1	3	4	5	6	9
35-49	25	4.0	22	<1	1	3	4	10	14	23
50-64	26	8.2	135	1	1	4	7	29	38	48
65+	78	8.1	72	1	1	5	10	18	26	45
B. *Operated*										
0-19 YRS	314	2.5	4	<1	1	2	3	4	6	10
20-34	571	3.6	22	<1	1	2	4	7	10	23
35-49	274	4.1	40	<1	1	3	4	7	13	40
50-64	196	4.3	31	1	1	3	5	7	13	30
65+	130	6.3	79	1	1	4	7	13	20	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.9	6	<1	1	2	4	6	9	12
B. *Operated*	954	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	226	5.6	52	<1	1	3	6	12	21	38
B. *Operated*	1485	3.8	29	1	1	2	4	7	11	26
1. SINGLE DX	1007	2.4	3	1	1	2	3	4	6	10
2. MULTIPLE DX	1711	4.0	32	1	1	2	4	7	12	30
A. NOT OPERATED	279	5.1	45	<1	1	3	5	11	18	34
B. OPERATED	2439	3.2	19	1	1	2	3	6	8	22
TOTAL 0-19 YRS	629	2.3	4	<1	1	2	3	4	5	10
20-34	1032	3.1	14	<1	1	2	3	5	7	16
35-49	450	3.7	28	<1	1	2	4	6	10	28
50-64	322	4.0	33	1	1	2	4	7	12	34
65+	285	6.1	61	1	1	4	7	13	19	42
GRAND TOTAL	**2718**	**3.4**	**22**	**1**	**1**	**2**	**4**	**6**	**9**	**24**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	15.1	143	1	2	16	24	31	35	40
20-34	7	8.1	77	2	2	4	11	23	26	26
35-49	9	6.8	101	<1	<1	5	5	22	33	33
50-64	25	12.4	55	1	2	11	18	22	25	27
65+	147	11.6	135	1	1	10	16	21	31	95
B. *Operated*										
0-19 YRS	57	10.9	73	2	3	8	13	24	29	42
20-34	45	12.1	104	4	5	9	14	20	29	60
35-49	72	11.0	26	5	6	10	13	17	21	27
50-64	308	13.0	48	5	6	12	16	20	24	40
65+	2270	17.0	60	8	10	15	20	25	31	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	17.8	266	1	2	10	30	39	46	59
20-34	22	15.1	357	1	1	6	20	49	61	67
35-49	29	13.8	338	1	1	7	13	43	58	76
50-64	76	12.7	167	1	3	8	17	27	40	68
65+	647	14.3	143	1	3	12	19	29	37	64
B. *Operated*										
0-19 YRS	118	17.7	213	3	4	14	24	35	48	80
20-34	141	18.6	312	4	5	13	22	45	73	99+
35-49	218	16.4	151	6	7	13	19	29	45	67
50-64	870	17.3	121	7	8	14	20	30	39	80
65+	7047	19.8	113	9	10	17	23	32	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	11.7	124	1	1	10	16	23	31	76
B. *Operated*	2752	16.2	62	7	9	15	19	25	30	47
2. MULTIPLE DX										
A. *Not Operated*	820	14.4	165	1	3	11	19	30	41	68
B. *Operated*	8394	19.4	120	8	10	17	23	32	41	71
1. SINGLE DX	2961	15.9	67	6	8	15	19	24	30	47
2. MULTIPLE DX	9214	18.9	126	7	9	16	22	32	41	70
A. NOT OPERATED	1029	13.8	157	1	2	11	18	29	39	68
B. OPERATED	11146	18.6	108	8	9	16	22	30	39	66
TOTAL 0-19 YRS	242	15.9	190	2	3	11	23	34	42	61
20-34	215	16.6	273	2	4	11	19	41	60	94
35-49	328	14.8	144	3	6	11	17	26	43	67
50-64	1279	15.9	109	5	7	14	19	27	37	73
65+	10111	18.7	107	7	9	16	22	30	38	64
GRAND TOTAL	**12175**	**18.2**	**114**	**7**	**9**	**16**	**21**	**30**	**39**	**66**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	18.7	168	1	2	18	27	35	39	60
20-34	22	21.8	365	2	3	21	41	68	99+	99+
35-49	13	17.4	281	<1	2	9	37	41	46	47
50-64	18	18.9	537	2	3	8	20	50	72	86
65+	64	19.7	398	2	2	12	28	56	70	98
B. *Operated*										
0-19 YRS	246	15.1	169	2	2	12	23	33	40	52
20-34	96	12.9	106	2	3	11	16	21	30	61
35-49	32	12.8	53	1	3	13	17	23	25	27
50-64	54	19.9	320	3	5	13	22	45	58	81
65+	151	19.7	186	6	9	16	22	33	53	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	289	19.1	166	1	2	20	28	36	43	57
20-34	55	18.4	268	2	2	12	31	45	48	64
35-49	29	19.2	294	2	3	12	30	44	53	62
50-64	68	27.5	615	2	4	18	46	60	77	96
65+	195	22.3	423	3	4	15	30	59	72	99+
B. *Operated*										
0-19 YRS	504	18.8	276	2	3	15	26	39	52	87
20-34	447	23.1	353	3	5	17	31	51	62	97
35-49	153	23.2	351	2	4	18	32	52	67	99
50-64	173	24.6	288	6	8	21	33	52	79	99+
65+	514	25.6	286	8	10	21	33	49	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	19.1	251	1	2	17	28	40	51	92
B. *Operated*	579	16.3	177	2	3	14	21	32	44	65
2. MULTIPLE DX										
A. *Not Operated*	636	20.9	313	2	3	18	29	46	59	97
B. *Operated*	1791	22.8	312	3	5	18	30	48	62	99+
1. SINGLE DX	890	17.2	204	2	3	15	23	36	46	77
2. MULTIPLE DX	2427	22.3	313	2	4	18	30	48	61	99
A. NOT OPERATED	947	20.3	293	2	3	17	28	44	57	97
B. OPERATED	2370	21.2	287	2	4	17	28	46	58	97
TOTAL 0-19 YRS	1233	18.1	214	2	2	16	26	36	44	71
20-34	620	21.0	321	2	4	15	28	48	62	97
35-49	227	20.9	308	2	3	16	29	47	61	93
50-64	313	24.1	382	4	6	18	37	53	76	99+
65+	924	23.5	312	4	7	19	30	50	67	99+
GRAND TOTAL	**3317**	**20.9**	**289**	**2**	**4**	**17**	**28**	**45**	**58**	**97**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.0	7	1	1	2	4	5	7	17
20-34	90	3.8	9	1	1	3	4	7	9	18
35-49	83	5.3	27	1	2	3	6	10	15	28
50-64	69	7.6	59	2	2	6	9	13	14	51
65+	87	8.4	43	2	2	7	12	16	19	36
B. *Operated*										
0-19 YRS	326	4.5	20	1	1	3	5	9	11	29
20-34	283	7.3	53	1	2	5	9	12	19	47
35-49	181	7.4	45	2	2	5	10	14	16	34
50-64	136	10.1	84	3	3	7	12	18	33	59
65+	115	12.7	147	3	4	10	14	22	41	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	187	3.5	13	1	1	3	4	7	8	25
20-34	177	4.4	11	1	1	3	6	9	10	18
35-49	122	7.0	40	1	2	6	9	12	17	39
50-64	178	7.9	41	1	2	6	10	17	24	28
65+	301	11.7	116	2	3	9	13	22	32	59
B. *Operated*										
0-19 YRS	567	7.2	86	1	1	4	8	15	23	53
20-34	689	11.4	175	2	3	7	13	25	39	90
35-49	453	11.4	130	2	3	8	14	23	33	60
50-64	344	12.4	137	2	3	9	16	24	33	72
65+	285	17.3	185	4	5	13	21	38	47	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	477	5.2	29	1	1	4	6	11	14	28
B. *Operated*	1041	7.4	62	1	2	5	9	14	19	47
2. MULTIPLE DX										
A. *Not Operated*	965	7.5	63	1	2	5	10	15	21	43
B. *Operated*	2338	11.2	149	2	2	7	14	25	36	72
1. SINGLE DX	1518	6.7	53	1	2	5	8	13	17	46
2. MULTIPLE DX	3303	10.1	127	1	2	7	12	22	33	62
A. NOT OPERATED	1442	6.7	53	1	1	5	8	13	19	36
B. OPERATED	3379	10.1	125	1	2	6	12	22	33	61
TOTAL 0-19 YRS	1228	5.4	51	1	1	3	6	11	16	42
20-34	1239	8.9	120	1	2	6	10	18	30	72
35-49	839	9.3	94	2	2	7	11	18	27	56
50-64	727	10.4	100	2	3	7	13	22	29	60
65+	788	13.5	147	3	4	10	16	28	41	62
GRAND TOTAL	**4821**	**9.1**	**106**	**1**	**2**	**6**	**11**	**19**	**29**	**57**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	3.0	16	<1	1	2	3	4	5	30
20-34	90	3.7	6	1	1	3	5	7	9	11
35-49	74	4.1	14	1	1	3	5	7	10	24
50-64	99	4.3	8	1	2	4	5	9	10	14
65+	106	6.2	21	1	2	5	8	10	15	25
B. *Operated*										
0-19 YRS	396	4.0	11	1	1	3	5	7	9	15
20-34	637	4.8	11	2	2	4	6	8	10	19
35-49	448	5.8	27	2	2	5	7	9	12	21
50-64	480	6.2	11	2	3	6	8	10	13	16
65+	319	8.3	23	2	3	7	10	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	3.3	9	1	1	2	4	6	10	16
20-34	219	4.2	10	1	1	3	5	9	11	14
35-49	168	4.8	14	1	1	4	6	9	11	21
50-64	239	7.0	43	1	2	5	8	14	18	32
65+	387	8.9	65	2	2	7	11	17	25	48
B. *Operated*										
0-19 YRS	602	5.4	41	1	2	4	6	9	14	37
20-34	1178	6.4	42	2	2	5	7	11	16	37
35-49	879	7.2	45	2	3	6	8	13	16	40
50-64	870	8.4	68	2	3	7	10	15	20	48
65+	717	11.4	106	3	4	9	14	20	30	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.4	14	1	1	4	6	9	10	24
B. *Operated*	2280	5.6	17	2	2	5	7	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	1141	6.4	41	1	1	5	8	13	17	31
B. *Operated*	4246	7.7	62	2	2	6	9	14	20	44
1. SINGLE DX	2700	5.5	17	1	2	5	7	10	13	21
2. MULTIPLE DX	5387	7.4	58	2	2	5	9	14	19	43
A. NOT OPERATED	1561	5.9	34	1	1	4	7	12	16	30
B. OPERATED	6526	7.0	48	2	2	5	8	13	17	38
TOTAL 0-19 YRS	1177	4.6	27	1	1	3	5	8	12	30
20-34	2124	5.6	28	1	2	4	6	10	13	29
35-49	1569	6.4	36	2	2	5	7	11	15	31
50-64	1688	7.4	46	2	3	6	9	13	16	38
65+	1529	9.8	75	2	3	7	12	18	25	48
GRAND TOTAL	**8087**	**6.8**	**45**	**1**	**2**	**5**	**8**	**13**	**17**	**37**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.2	2	1	1	2	3	4	5	5
20-34	15	3.8	9	<1	1	3	5	6	11	12
35-49	9	3.1	4	1	1	3	4	6	7	7
50-64	12	2.8	6	1	1	2	4	7	8	8
65+	15	6.6	32	<1	2	6	8	11	21	24
B. *Operated*										
0-19 YRS	21	2.8	1	1	1	3	4	4	5	5
20-34	31	3.6	4	1	1	3	5	7	8	8
35-49	10	5.3	49	2	2	3	4	15	25	25
50-64	6	3.8		3	3	4	4	4	4	4
65+	2	12.0	50	7	7	12	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	3.1	10	1	1	2	4	7	8	18
20-34	152	4.1	12	1	1	3	6	9	12	16
35-49	77	4.9	9	1	2	4	7	9	11	13
50-64	76	6.2	28	1	1	6	8	9	12	32
65+	194	9.5	50	2	3	8	12	19	22	36
B. *Operated*										
0-19 YRS	76	4.3	12	1	1	3	6	9	10	21
20-34	99	6.6	53	1	2	4	7	14	21	45
35-49	43	7.4	34	1	2	5	13	16	18	23
50-64	34	7.3	46	1	1	5	9	16	24	29
65+	34	12.9	60	3	5	13	17	23	27	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.7	13	1	1	3	5	7	10	22
B. *Operated*	70	3.9	12	1	1	3	4	6	8	23
2. MULTIPLE DX										
A. *Not Operated*	595	6.1	32	1	1	4	8	12	17	29
B. *Operated*	286	6.9	45	1	2	5	8	16	21	33
1. SINGLE DX	140	3.8	12	1	1	3	5	7	8	24
2. MULTIPLE DX	881	6.3	36	1	1	4	8	14	18	30
A. NOT OPERATED	665	5.8	30	1	1	4	8	12	16	29
B. OPERATED	356	6.3	40	1	2	4	8	15	20	29
TOTAL 0-19 YRS	212	3.4	10	1	1	3	4	7	9	16
20-34	297	4.9	26	1	1	3	6	10	13	24
35-49	139	5.6	20	1	2	4	7	12	15	23
50-64	128	6.1	30	1	1	5	8	11	16	31
65+	245	9.8	52	2	3	8	14	20	23	35
GRAND TOTAL	**1021**	**6.0**	**34**	**1**	**1**	**4**	**8**	**13**	**17**	**29**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	4	1	1	2	4	6	7	7
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	2	9.0	98	2	2	9	16	16	16	16
65+	2	8.5	1	8	8	8	9	9	9	9
B. *Operated*										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	13.5	61	8	8	13	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.3	15	1	1	3	5	10	14	15
20-34	10	10.5	302	1	1	5	7	36	59	59
35-49	4	17.0	328	1	1	12	28	43	43	43
50-64	7	13.9	348	5	5	7	9	47	56	56
65+	8	13.8	185	3	3	11	17	37	44	44
B. *Operated*										
0-19 YRS	7	6.1	14	1	1	5	9	11	12	12
20-34	18	18.5	495	3	4	10	24	44	77	94
35-49	10	15.8	127	3	3	13	24	33	35	35
50-64	5	30.2	1347	8	8	12	45	94	94	94
65+	4	26.8	1192	3	3	13	46	78	78	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.6	19	1	1	3	7	10	15	16
B. *Operated*	10	8.8	40	2	2	7	11	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	50	9.4	173	1	1	5	10	18	44	59
B. *Operated*	44	18.0	481	2	3	10	22	37	83	94
1. SINGLE DX	23	6.4	31	1	1	4	9	17	19	20
2. MULTIPLE DX	94	13.4	332	1	2	7	13	31	55	94
A. NOT OPERATED	63	8.4	144	1	1	4	9	15	43	59
B. OPERATED	54	16.3	410	2	3	10	19	31	73	94
TOTAL 0-19 YRS	38	4.7	19	1	1	3	6	11	15	20
20-34	32	14.2	388	2	2	7	12	34	58	94
35-49	16	15.1	151	2	3	11	21	35	41	43
50-64	15	18.4	619	3	5	9	15	56	84	94
65+	16	16.3	371	3	3	10	17	42	68	78
GRAND TOTAL	**117**	**12.1**	**280**	**1**	**1**	**7**	**12**	**26**	**49**	**94**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.5		<1	<1	1	2	2	2	2
20-34	16	1.8	1	<1	<1	1	3	4	4	4
35-49	5	3.0	10	<1	<1	1	5	8	8	8
50-64	5	1.6		1	1	2	2	2	2	2
65+	12	2.7	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	81	3.2	6	1	1	3	4	5	6	17
20-34	229	3.3	3	1	1	3	4	5	6	8
35-49	85	3.5	4	1	1	3	4	5	8	10
50-64	27	3.7	6	<1	1	3	5	7	8	11
65+	32	2.9	6	<1	1	2	4	6	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	1	1	1	3	4	4	4	4
20-34	18	3.4	10	<1	<1	3	4	8	11	13
35-49	14	2.7	2	<1	1	2	4	5	5	5
50-64	23	4.1	10	<1	1	3	6	9	11	14
65+	42	6.8	66	<1	1	5	9	13	17	50
B. *Operated*										
0-19 YRS	65	3.3	8	1	1	3	4	7	9	16
20-34	205	4.1	10	1	2	3	5	7	10	15
35-49	73	4.2	21	1	1	3	4	9	12	27
50-64	53	5.6	44	1	1	3	7	13	24	32
65+	77	6.3	95	<1	1	3	7	14	19	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	454	3.3	4	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	103	4.8	34	<1	1	3	6	10	13	33
B. *Operated*	473	4.5	30	1	1	3	5	9	13	28
1. SINGLE DX	498	3.2	4	1	1	3	4	5	7	11
2. MULTIPLE DX	576	4.6	30	1	1	3	5	9	13	28
A. NOT OPERATED	147	4.0	26	<1	1	2	5	9	12	18
B. OPERATED	927	3.9	18	1	1	3	4	7	10	21
TOTAL 0-19 YRS	158	3.2	6	1	1	3	4	5	7	17
20-34	468	3.6	6	1	1	3	4	6	8	15
35-49	177	3.7	11	1	1	3	4	7	9	21
50-64	108	4.6	26	1	1	3	5	9	14	29
65+	163	5.5	66	<1	1	3	6	12	16	50
GRAND TOTAL	**1074**	**3.9**	**19**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	3	<1	<1	1	2	5	6	6
20-34	23	2.2	3	<1	<1	2	3	4	6	9
35-49	8	2.4	2	1	1	2	3	5	5	5
50-64										
65+	4	4.3	21	1	1	2	7	11	11	11
B. *Operated*										
0-19 YRS	728	3.2	3	1	1	3	4	5	6	8
20-34	1580	3.3	4	1	1	3	4	6	7	9
35-49	761	3.4	5	1	1	3	4	6	7	11
50-64	399	3.6	5	1	2	3	5	6	8	10
65+	95	4.9	17	2	2	4	7	8	11	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	2	<1	<1	1	3	4	5	5
20-34	33	3.3	7	<1	1	3	4	8	10	11
35-49	20	4.2	14	<1	<1	4	5	8	13	17
50-64	8	4.8	31	1	1	3	5	14	18	18
65+	16	5.5	16	<1	1	4	7	12	15	16
B. *Operated*										
0-19 YRS	546	3.6	5	1	2	3	4	6	7	12
20-34	1350	3.8	8	1	2	3	5	7	8	16
35-49	721	4.0	10	1	2	3	5	7	9	16
50-64	571	4.3	12	1	2	3	5	8	10	18
65+	213	5.7	27	2	2	4	7	11	16	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.3	4	<1	<1	2	3	5	6	11
B. *Operated*	3563	3.4	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	94	3.7	12	<1	1	3	5	8	11	18
B. *Operated*	3401	4.0	10	1	2	3	5	7	9	17
1. SINGLE DX	3610	3.4	5	1	1	3	4	6	7	10
2. MULTIPLE DX	3495	4.0	10	1	2	3	5	7	9	17
A. NOT OPERATED	141	3.3	10	<1	<1	2	4	7	10	17
B. OPERATED	6964	3.7	7	1	2	3	5	6	8	14
TOTAL 0-19 YRS	1303	3.3	4	1	1	3	4	6	7	10
20-34	2986	3.5	6	1	1	3	5	6	7	12
35-49	1510	3.7	8	1	1	3	5	6	8	14
50-64	978	4.0	9	1	2	3	5	7	9	17
65+	328	5.5	23	2	2	4	7	11	13	27
GRAND TOTAL	**7105**	**3.7**	**7**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.9	31	<1	1	4	8	13	20	21
20-34	39	5.8	25	1	1	3	8	13	18	20
35-49	20	7.7	46	1	1	7	10	20	24	24
50-64	10	5.1	15	1	1	4	10	11	11	11
65+	10	5.8	15	1	2	5	6	11	16	16
B. *Operated*										
0-19 YRS	116	3.1	8	1	1	2	4	7	9	14
20-34	151	3.8	10	1	1	3	5	8	9	13
35-49	75	5.4	27	1	1	4	8	12	13	28
50-64	46	5.2	20	1	1	4	6	13	15	21
65+	43	9.3	64	1	2	7	13	24	29	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	30	1	1	3	4	11	20	24
20-34	83	6.0	35	<1	1	4	7	14	20	28
35-49	59	7.2	41	<1	1	5	10	15	18	33
50-64	39	8.8	69	1	2	7	12	16	20	48
65+	40	7.9	50	1	1	6	11	18	24	28
B. *Operated*										
0-19 YRS	164	5.2	56	1	1	2	6	14	20	42
20-34	339	9.0	126	1	1	5	11	22	28	66
35-49	246	9.2	135	1	2	7	11	18	27	56
50-64	141	8.7	81	1	2	6	12	17	25	43
65+	76	10.2	92	1	2	7	15	26	31	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	6.1	28	1	1	5	8	13	19	24
B. *Operated*	431	4.6	22	1	1	3	6	11	13	27
2. MULTIPLE DX										
A. *Not Operated*	262	6.7	44	1	1	4	9	15	20	30
B. *Operated*	966	8.5	109	1	1	5	10	19	26	57
1. SINGLE DX	536	4.9	24	1	1	3	7	11	15	25
2. MULTIPLE DX	1228	8.1	96	1	1	5	10	18	24	56
A. NOT OPERATED	367	6.5	40	1	1	4	9	15	20	29
B. OPERATED	1397	7.3	85	1	1	4	9	16	23	55
TOTAL 0-19 YRS	347	4.4	36	1	1	2	5	11	17	24
20-34	612	7.1	83	1	1	4	9	15	23	51
35-49	400	8.1	98	1	1	6	10	15	22	54
50-64	236	7.9	66	1	2	5	10	16	22	41
65+	169	9.2	71	1	2	6	13	22	29	99+
GRAND TOTAL	**1764**	**7.1**	**76**	**1**	**1**	**4**	**9**	**15**	**22**	**50**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.8	3	<1	1	2	4	5	6	7
20-34	49	2.9	4	1	1	2	4	6	7	9
35-49	28	3.8	7	1	1	3	4	8	10	11
50-64	15	3.0	1	<1	1	3	4	4	5	5
65+	18	5.3	9	2	3	5	6	8	12	15
B. *Operated*										
0-19 YRS	222	3.6	6	1	1	3	5	6	7	11
20-34	305	3.9	6	1	1	3	5	7	8	12
35-49	81	3.9	7	1	2	3	5	7	9	14
50-64	24	4.6	6	1	2	4	6	8	9	10
65+	11	6.0	16	1	2	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.4	2	<1	<1	2	4	5	5	5
20-34	65	3.8	16	<1	1	3	5	7	9	24
35-49	41	5.7	29	1	2	4	6	15	18	24
50-64	56	5.1	10	1	2	4	7	10	10	16
65+	85	7.3	33	2	3	6	9	13	16	34
B. *Operated*										
0-19 YRS	324	4.2	7	1	2	4	6	7	9	12
20-34	522	4.7	7	1	2	4	6	8	10	13
35-49	194	5.5	41	1	2	4	7	9	12	24
50-64	66	7.6	68	2	2	6	8	13	26	47
65+	22	11.2	167	3	4	7	12	20	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	3.4	5	1	1	3	4	6	7	11
B. *Operated*	643	3.9	6	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	273	5.3	23	1	1	4	7	10	15	24
B. *Operated*	1128	5.0	21	1	2	4	6	8	10	20
1. SINGLE DX	781	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	1401	5.0	21	1	2	4	6	9	11	22
A. NOT OPERATED	411	4.7	18	1	1	4	6	9	13	23
B. OPERATED	1771	4.6	16	1	2	4	6	8	10	17
TOTAL 0-19 YRS	600	3.9	6	1	1	4	5	7	8	12
20-34	941	4.3	7	1	1	4	6	7	9	13
35-49	344	5.0	29	1	2	4	6	9	12	22
50-64	161	5.8	35	1	2	4	7	10	13	40
65+	136	7.6	52	2	3	6	9	13	19	43
GRAND TOTAL	**2182**	**4.6**	**16**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	5.5	12	1	2	5	7	10	11	17
20-34	1077	6.3	17	2	2	5	8	11	13	20
35-49	1085	6.7	16	2	3	6	8	12	14	19
50-64	500	6.6	12	2	3	6	9	11	13	18
65+	167	7.6	19	3	3	7	10	13	16	23
B. *Operated*										
0-19 YRS	12	6.0	19	2	2	5	8	12	16	17
20-34	263	7.2	20	2	2	6	10	14	15	19
35-49	243	7.6	25	2	2	7	10	14	17	25
50-64	63	7.5	19	3	3	6	10	16	17	21
65+	4	7.5	20	3	3	7	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	5.3	13	1	1	5	7	10	11	16
20-34	1149	6.8	17	2	3	6	8	12	15	21
35-49	1446	7.5	24	2	3	7	9	14	16	24
50-64	1156	7.6	21	2	3	7	9	13	16	24
65+	713	8.2	28	3	3	7	10	15	18	26
B. *Operated*										
0-19 YRS	13	6.6	15	2	3	6	9	13	15	15
20-34	242	9.2	41	2	3	8	11	16	21	32
35-49	289	10.1	41	2	3	9	13	19	23	32
50-64	144	10.9	59	4	5	9	14	19	22	44
65+	53	14.5	79	5	6	11	18	29	32	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2923	6.6	16	2	3	6	8	11	14	19
B. *Operated*	585	7.4	22	2	2	6	10	14	16	22
2. MULTIPLE DX										
A. *Not Operated*	4572	7.4	22	2	3	6	9	13	16	24
B. *Operated*	741	10.2	49	3	3	9	13	18	23	33
1. SINGLE DX	3508	6.7	17	2	3	6	9	12	14	20
2. MULTIPLE DX	5313	7.8	27	2	3	7	10	14	17	26
A. NOT OPERATED	7495	7.1	20	2	3	6	9	12	15	23
B. OPERATED	1326	8.9	39	2	3	8	12	16	20	31
TOTAL 0-19 YRS	227	5.5	13	1	2	5	7	10	12	17
20-34	2731	6.8	20	2	3	6	9	12	15	22
35-49	3063	7.5	24	2	3	6	9	14	16	24
50-64	1863	7.6	23	2	3	7	9	13	16	24
65+	937	8.5	31	3	3	7	11	15	19	29
GRAND TOTAL	**8821**	**7.4**	**23**	**2**	**3**	**6**	**9**	**13**	**16**	**24**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.7	10	1	1	3	5	7	10	18
20-34	742	5.6	12	1	2	5	7	10	12	17
35-49	619	6.3	15	2	2	5	8	11	14	22
50-64	264	6.1	16	2	2	5	8	11	13	22
65+	106	6.7	17	2	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	12	6.5	48	2	2	4	7	15	25	27
20-34	227	6.1	16	2	2	5	8	11	15	19
35-49	186	6.7	18	2	2	5	9	12	15	18
50-64	45	6.3	16	2	2	6	9	11	13	19
65+	7	12.4	177	3	3	6	23	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	4.2	14	1	1	3	5	8	11	17
20-34	1482	6.0	18	1	2	5	8	11	14	20
35-49	1371	6.9	21	2	2	6	9	12	15	21
50-64	814	7.2	23	2	2	6	9	14	17	24
65+	576	7.7	30	2	3	6	10	15	18	26
B. *Operated*										
0-19 YRS	18	5.7	26	1	1	4	8	12	18	21
20-34	299	8.2	35	2	2	7	11	16	20	30
35-49	310	9.5	47	2	3	8	12	17	23	39
50-64	130	10.3	48	2	3	9	13	19	25	35
65+	37	13.0	87	2	3	10	18	25	34	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1855	5.9	14	1	2	5	8	11	13	20
B. *Operated*	477	6.4	20	2	2	5	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	4551	6.6	22	1	2	6	9	12	15	23
B. *Operated*	794	9.2	45	2	3	8	12	17	21	35
1. SINGLE DX	2332	6.0	15	2	2	5	8	11	13	20
2. MULTIPLE DX	5345	7.0	26	1	2	6	9	13	16	25
A. NOT OPERATED	6406	6.4	20	1	2	5	8	12	15	22
B. OPERATED	1271	8.2	38	2	2	7	10	15	20	32
TOTAL 0-19 YRS	462	4.2	14	1	1	3	5	8	11	21
20-34	2750	6.1	19	1	2	5	8	11	14	21
35-49	2486	7.0	23	2	2	6	9	13	15	24
50-64	1253	7.2	25	2	2	6	10	14	17	25
65+	726	7.9	34	2	3	6	10	15	19	27
GRAND TOTAL	**7677**	**6.7**	**23**	**1**	**2**	**6**	**9**	**12**	**15**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.1	3	1	1	3	4	5	6	8
20-34	97	3.2	4	1	1	3	4	6	8	10
35-49	53	4.2	11	<1	1	3	6	8	12	15
50-64	43	4.2	15	1	1	3	5	10	11	20
65+	36	5.5	21	1	1	4	8	13	16	19
B. *Operated*										
0-19 YRS	101	3.1	2	1	1	3	4	5	6	9
20-34	225	3.3	4	1	1	3	4	5	7	12
35-49	196	3.5	5	1	2	3	4	6	7	13
50-64	201	4.9	10	2	2	4	6	8	11	14
65+	62	5.7	13	2	3	5	6	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	3.1	5	1	1	2	4	5	7	13
20-34	146	4.2	11	<1	1	4	5	8	11	15
35-49	148	4.6	14	1	2	3	6	9	10	24
50-64	156	5.6	21	1	2	4	7	11	14	27
65+	208	7.2	32	2	2	6	9	15	17	27
B. *Operated*										
0-19 YRS	107	3.4	8	1	1	3	4	5	7	18
20-34	234	3.6	10	1	1	3	4	6	7	18
35-49	166	4.5	10	1	2	4	6	8	11	18
50-64	199	5.4	14	2	2	4	6	11	13	19
65+	110	7.4	30	2	3	6	9	16	19	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	3.8	10	1	1	3	5	8	10	17
B. *Operated*	785	3.9	7	1	2	3	5	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	733	5.3	21	1	1	4	7	11	14	24
B. *Operated*	816	4.7	15	1	2	4	6	9	12	20
1. SINGLE DX	1058	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX	1549	5.0	18	1	2	4	6	10	13	22
A. NOT OPERATED	1006	4.9	18	1	1	4	6	10	13	22
B. OPERATED	1601	4.3	11	1	2	4	5	8	11	18
TOTAL 0-19 YRS	327	3.2	5	1	1	3	4	5	6	14
20-34	702	3.5	8	1	1	3	4	6	8	13
35-49	563	4.2	10	1	2	3	5	8	10	15
50-64	599	5.2	15	1	2	4	6	10	12	19
65+	416	6.9	28	2	2	5	9	15	17	27
GRAND TOTAL	**2607**	**4.6**	**14**	**1**	**1**	**4**	**5**	**9**	**12**	**19**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	883	1.6	2	<1	1	1	2	3	4	6
20-34	277	2.0	2	<1	1	1	3	4	5	7
35-49	63	2.1	2	1	1	2	3	4	5	6
50-64	35	3.1	7	1	1	2	4	7	8	12
65+	35	3.2	14	1	1	2	4	5	10	21
B. *Operated*										
0-19 YRS	8	1.6	2	<1	<1	1	2	4	5	5
20-34	4	2.5	3	1	1	2	4	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2307	2.1	4	1	1	1	2	4	5	11
20-34	1496	2.9	6	1	1	2	4	6	8	14
35-49	562	3.9	18	1	1	3	5	8	11	20
50-64	396	4.8	18	1	1	4	6	9	12	21
65+	448	6.2	40	1	1	4	8	13	18	33
B. *Operated*										
0-19 YRS	322	4.0	41	1	1	2	4	8	12	28
20-34	340	4.9	54	1	1	3	5	11	15	43
35-49	147	4.8	41	1	1	2	6	11	13	31
50-64	118	6.3	28	1	1	5	8	13	18	25
65+	106	10.0	177	1	1	6	12	20	43	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1293	1.8	2	<1	1	1	2	3	4	7
B. *Operated*	16	3.1	22	<1	1	2	2	5	16	20
2. MULTIPLE DX										
A. *Not Operated*	5209	3.1	12	1	1	2	4	6	9	18
B. *Operated*	1033	5.3	61	1	1	3	6	11	15	44
1. SINGLE DX	1309	1.8	3	<1	1	1	2	3	4	7
2. MULTIPLE DX	6242	3.4	21	1	1	2	4	7	11	20
A. NOT OPERATED	6502	2.8	10	1	1	2	3	6	8	17
B. OPERATED	1049	5.2	60	1	1	3	6	11	15	43
TOTAL 0-19 YRS	3520	2.1	7	<1	1	1	2	4	6	12
20-34	2117	3.1	14	<1	1	2	4	6	8	15
35-49	773	3.9	21	1	1	2	5	8	11	20
50-64	551	5.0	20	1	1	4	6	10	14	23
65+	590	6.7	66	1	1	4	9	14	20	44
GRAND TOTAL	**7551**	**3.2**	**18**	**1**	**1**	**2**	**3**	**7**	**10**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	326	1.9	5	<1	1	1	2	4	5	11
20-34	146	3.8	54	<1	1	2	3	8	10	54
35-49	58	2.9	10	<1	<1	2	3	6	7	20
50-64	27	3.0	7	1	1	2	4	8	9	11
65+	33	5.7	42	1	1	3	7	18	22	23
B. *Operated*										
0-19 YRS	20	9.8	155	1	1	5	9	30	40	49
20-34	25	15.1	314	1	2	9	19	41	62	70
35-49	15	12.4	27	4	7	12	15	18	23	25
50-64	25	14.6	373	2	3	9	13	56	90	99+
65+	51	13.9	95	3	4	11	19	27	33	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1019	3.0	18	<1	1	2	3	6	10	24
20-34	675	5.1	73	<1	1	3	5	11	17	52
35-49	242	4.8	53	<1	1	3	5	9	17	36
50-64	211	6.9	73	1	1	4	8	17	21	43
65+	274	8.8	96	1	1	6	10	20	27	51
B. *Operated*										
0-19 YRS	208	13.9	328	1	1	7	22	62	99+	99+
20-34	254	17.5	383	1	2	9	28	58	82	99+
35-49	92	20.8	502	1	2	11	32	66	82	99+
50-64	87	17.7	324	2	2	12	25	53	84	99+
65+	166	20.5	303	2	4	16	27	43	65	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	2.7	21	<1	1	1	3	5	9	21
B. *Operated*	136	13.5	185	2	3	10	16	28	45	89
2. MULTIPLE DX										
A. *Not Operated*	2421	4.8	54	1	1	2	5	11	17	40
B. *Operated*	807	17.6	364	1	2	11	26	57	82	99+
1. SINGLE DX	726	4.7	69	<1	1	2	5	11	19	50
2. MULTIPLE DX	3228	8.0	162	1	1	3	9	22	40	99+
A. NOT OPERATED	3011	4.4	48	1	1	2	5	10	16	36
B. OPERATED	943	17.0	340	1	2	11	24	55	79	99+
TOTAL 0-19 YRS	1573	4.3	72	1	1	2	3	9	19	81
20-34	1100	8.0	176	1	1	3	8	22	45	99+
35-49	407	8.4	194	<1	1	4	9	21	40	88
50-64	350	9.8	176	1	1	5	11	24	41	99+
65+	524	12.8	188	1	2	8	17	30	42	76
GRAND TOTAL	**3954**	**7.4**	**146**	**1**	**1**	**3**	**8**	**20**	**35**	**86**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	3.8	9	<1	1	3	5	8	10	11
20-34	33	3.1	4	1	1	3	5	6	6	9
35-49	12	4.2	8	<1	1	3	6	9	9	9
50-64	8	4.0	10	1	1	3	6	9	10	10
65+	6	3.8	10	1	1	3	6	9	9	9
B. *Operated*										
0-19 YRS	16	5.5	4	3	3	5	6	9	10	11
20-34	57	6.5	18	2	3	5	8	10	18	21
35-49	19	6.6	10	3	3	5	8	12	14	15
50-64	11	6.5	5	3	4	6	9	10	10	10
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.4	23	1	1	4	5	6	9	33
20-34	123	4.9	11	1	1	4	6	9	11	16
35-49	79	5.1	15	1	1	4	6	11	14	16
50-64	67	6.9	38	1	2	6	8	14	22	30
65+	42	7.6	25	1	2	7	11	16	18	19
B. *Operated*										
0-19 YRS	102	9.4	72	3	3	7	13	17	21	49
20-34	311	10.3	106	2	3	8	13	19	32	72
35-49	122	11.1	110	2	3	7	12	24	38	49
50-64	81	14.4	195	2	3	10	18	28	40	80
65+	66	17.7	366	3	4	10	19	45	65	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.5	6	1	1	3	5	7	9	11
B. *Operated*	104	6.3	13	2	3	5	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	364	5.5	21	1	1	4	7	11	15	26
B. *Operated*	682	11.5	142	2	3	8	13	23	37	69
1. SINGLE DX	176	5.2	12	1	1	5	7	9	11	20
2. MULTIPLE DX	1046	9.4	108	2	2	6	11	18	28	64
A. NOT OPERATED	436	5.2	19	1	1	4	6	10	14	22
B. OPERATED	786	10.8	128	3	3	8	12	21	32	68
TOTAL 0-19 YRS	184	7.2	53	1	2	5	8	16	18	40
20-34	524	8.1	75	1	2	6	10	15	21	67
35-49	232	8.3	72	1	2	6	10	16	24	44
50-64	167	10.4	126	2	2	7	11	24	29	58
65+	115	13.2	247	1	3	8	14	26	47	85
GRAND TOTAL	**1222**	**8.8**	**96**	**1**	**2**	**6**	**10**	**17**	**26**	**60**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	3.3	9	1	1	2	5	7	9	15
20-34	74	3.3	4	1	1	3	5	6	7	11
35-49	21	5.8	63	<1	1	4	5	13	24	37
50-64	10	3.4	4	1	1	3	4	6	7	7
65+	7	4.4	23	1	1	3	6	13	14	14
B. *Operated*										
0-19 YRS	63	8.0	27	3	4	7	8	14	19	31
20-34	86	7.0	12	2	2	7	9	12	13	16
35-49	22	7.4	8	2	3	7	9	11	12	14
50-64	19	7.3	14	1	2	7	9	12	15	16
65+	4	15.3	155	<1	<1	14	24	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	274	3.9	10	1	1	3	5	8	10	17
20-34	221	4.4	29	1	1	3	5	8	10	24
35-49	85	4.9	13	1	1	4	6	9	12	20
50-64	39	5.2	8	1	2	5	7	9	10	14
65+	46	9.8	100	2	2	7	12	17	32	51
B. *Operated*										
0-19 YRS	295	10.7	117	2	4	8	11	21	31	66
20-34	577	12.5	124	3	5	9	13	24	36	64
35-49	234	14.3	177	4	5	10	16	27	42	74
50-64	124	16.0	165	4	5	12	20	36	43	79
65+	80	18.6	316	3	5	13	22	46	72	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	236	3.6	13	1	1	3	5	7	9	15
B. *Operated*	194	7.5	20	2	3	7	9	13	15	27
2. MULTIPLE DX										
A. *Not Operated*	665	4.7	25	1	1	3	6	9	12	22
B. *Operated*	1310	13.1	151	3	5	9	15	27	39	73
1. SINGLE DX	430	5.4	20	1	1	5	7	10	13	21
2. MULTIPLE DX	1975	10.3	125	1	2	7	11	21	32	65
A. NOT OPERATED	901	4.4	22	1	1	3	6	8	11	19
B. OPERATED	1504	12.4	138	3	5	9	13	24	37	71
TOTAL 0-19 YRS	756	6.8	64	1	1	5	8	12	19	42
20-34	958	9.4	97	1	2	7	11	18	28	59
35-49	362	11.2	139	2	2	8	12	22	33	64
50-64	192	12.3	135	2	3	9	15	27	39	69
65+	137	14.8	243	1	2	10	17	31	51	90
GRAND TOTAL	**2405**	**9.4**	**109**	**1**	**2**	**7**	**11**	**19**	**28**	**62**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.0	6	<1	<1	2	3	7	9	9
20-34	8	3.6	4	1	1	3	4	7	8	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64										
65+	6	3.3	7	<1	<1	2	6	7	7	7
B. *Operated*										
0-19 YRS	112	2.3	3	<1	1	2	3	5	6	7
20-34	63	3.0	4	1	1	3	4	6	7	9
35-49	37	3.5	11	1	1	2	4	7	12	16
50-64	16	2.6	1	1	1	3	4	4	5	5
65+	14	6.1	66	1	1	3	8	12	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	5	<1	1	3	4	6	7	11
20-34	44	2.4	2	<1	<1	2	3	4	5	7
35-49	19	4.0	3	1	2	4	5	7	7	7
50-64	5	2.4	1	1	1	2	3	4	4	4
65+	12	5.8	16	<1	1	5	9	12	13	13
B. *Operated*										
0-19 YRS	278	3.8	14	1	1	3	5	7	10	22
20-34	267	4.5	28	1	1	4	6	8	10	16
35-49	112	4.2	13	1	1	3	5	8	12	19
50-64	41	7.5	82	1	2	3	10	15	32	41
65+	65	6.3	33	1	1	4	8	14	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.2	5	<1	1	3	4	7	8	9
B. *Operated*	242	2.9	8	<1	1	2	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	114	3.3	5	<1	1	3	4	6	8	12
B. *Operated*	763	4.5	25	1	1	3	6	9	12	24
1. SINGLE DX	269	2.9	8	<1	1	2	4	6	7	12
2. MULTIPLE DX	877	4.3	22	1	1	3	5	8	12	23
A. NOT OPERATED	141	3.3	5	<1	1	3	4	6	8	11
B. OPERATED	1005	4.1	21	1	1	3	5	8	11	22
TOTAL 0-19 YRS	434	3.3	10	1	1	2	4	6	8	18
20-34	382	4.0	21	1	1	3	5	7	9	14
35-49	171	4.0	11	1	1	3	5	7	11	18
50-64	62	5.8	60	1	1	3	6	13	22	40
65+	97	6.0	33	<1	1	4	8	13	19	29
GRAND TOTAL	**1146**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.0	4	<1	<1	1	2	4	5	11
20-34	38	2.7	6	<1	<1	2	3	7	8	11
35-49	21	2.2	2	<1	<1	2	3	4	5	5
50-64	17	2.9	8	<1	<1	2	4	8	10	10
65+	15	2.7	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	165	1.9	6	<1	<1	1	2	3	5	9
20-34	115	2.9	6	1	1	2	4	5	7	14
35-49	43	3.5	15	<1	<1	2	4	10	14	15
50-64	21	2.5	3	1	1	2	3	5	6	8
65+	17	3.8	19	1	1	2	4	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	2.8	8	1	1	2	3	5	9	13
20-34	427	3.0	16	<1	1	2	4	5	8	13
35-49	184	3.7	11	1	1	3	5	8	10	15
50-64	144	4.0	11	<1	1	3	5	8	11	17
65+	279	5.7	35	1	1	4	7	13	19	33
B. *Operated*										
0-19 YRS	687	2.8	10	<1	1	2	3	6	9	16
20-34	882	4.7	48	<1	1	3	5	9	13	41
35-49	396	4.8	29	1	1	3	6	10	15	28
50-64	287	5.8	57	1	1	3	7	12	16	35
65+	297	7.0	93	1	1	4	7	14	19	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142	2.4	4	<1	<1	1	3	5	7	11
B. *Operated*	361	2.5	7	<1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	1286	3.8	18	<1	1	2	4	8	11	20
B. *Operated*	2549	4.6	43	1	1	3	5	9	14	36
1. SINGLE DX	503	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	3835	4.3	35	1	1	3	5	9	13	30
A. NOT OPERATED	1428	3.6	17	<1	1	2	4	8	11	19
B. OPERATED	2910	4.4	39	1	1	3	5	9	13	34
TOTAL 0-19 YRS	1155	2.7	9	<1	1	2	3	5	8	15
20-34	1462	4.0	35	<1	1	3	5	8	12	34
35-49	644	4.3	22	1	1	3	5	9	13	25
50-64	469	5.0	40	1	1	3	6	11	14	30
65+	608	6.2	63	1	1	4	7	13	19	43
GRAND TOTAL	**4338**	**4.1**	**32**	**<1**	**1**	**2**	**5**	**9**	**12**	**28**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.3	6	<1	1	1	3	4	6	16
20-34	165	2.0	2	<1	<1	1	2	4	5	9
35-49	47	2.7	6	<1	<1	2	3	5	6	16
50-64	18	2.8	2	1	1	2	4	5	6	6
65+	6	4.5	14	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS	96	3.5	13	<1	1	2	4	7	11	21
20-34	150	4.4	8	1	1	4	6	8	9	15
35-49	54	6.1	21	<1	1	6	9	13	14	19
50-64	23	4.9	24	<1	1	3	5	12	17	18
65+	5	16.2	336	2	2	12	24	47	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.9	5	1	1	2	4	6	7	13
20-34	460	2.9	11	<1	1	2	3	6	8	14
35-49	166	3.2	17	<1	1	2	4	6	9	15
50-64	68	4.0	13	1	1	3	5	7	11	19
65+	41	7.8	64	2	2	5	9	18	28	37
B. *Operated*										
0-19 YRS	326	6.3	55	1	1	5	8	12	15	42
20-34	805	7.9	73	1	2	6	9	14	22	49
35-49	281	9.9	105	1	2	7	12	21	30	48
50-64	112	10.7	153	1	2	6	11	30	43	77
65+	55	9.5	65	1	2	7	16	19	27	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.2	4	<1	<1	2	3	4	6	10
B. *Operated*	328	4.6	19	<1	1	3	6	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	908	3.3	15	<1	1	2	4	6	9	19
B. *Operated*	1579	8.2	82	1	1	6	9	16	24	53
1. SINGLE DX	631	3.5	13	<1	1	2	5	7	10	18
2. MULTIPLE DX	2487	6.4	63	1	1	4	8	13	19	45
A. NOT OPERATED	1211	3.0	12	<1	1	2	3	6	8	17
B. OPERATED	1907	7.6	73	1	1	6	9	14	22	49
TOTAL 0-19 YRS	662	4.6	34	1	1	3	6	9	12	26
20-34	1580	5.5	48	1	1	4	7	11	15	36
35-49	548	6.9	72	1	1	4	9	14	22	47
50-64	221	7.4	96	1	1	4	9	17	30	60
65+	107	8.9	75	1	2	7	12	19	29	69
GRAND TOTAL	**3118**	**5.8**	**54**	**1**	**1**	**4**	**7**	**12**	**18**	**40**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.7	3	<1	1	2	4	5	6	8
20-34	102	2.3	3	<1	<1	2	3	5	6	9
35-49	35	3.0	9	<1	1	2	4	5	8	17
50-64	16	5.6	56	1	1	2	5	19	25	27
65+	12	3.6	3	1	2	3	5	6	6	6
B. *Operated*										
0-19 YRS	381	2.2	3	1	1	2	3	4	6	9
20-34	618	2.6	7	<1	1	2	3	5	7	16
35-49	282	2.6	6	1	1	2	3	5	7	12
50-64	161	2.8	12	<1	1	2	3	5	7	15
65+	46	3.2	13	<1	1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	3.3	13	<1	<1	2	4	6	9	20
20-34	332	3.5	19	<1	1	3	4	7	8	15
35-49	158	4.1	9	<1	1	3	5	8	10	15
50-64	69	3.7	6	1	1	3	5	8	9	10
65+	69	5.1	11	1	1	4	7	9	12	16
B. *Operated*										
0-19 YRS	820	2.9	9	1	1	2	3	6	9	16
20-34	1539	3.5	17	1	1	2	4	7	10	21
35-49	603	3.9	28	1	1	2	4	8	11	27
50-64	388	4.9	48	1	1	3	5	10	17	42
65+	184	5.3	56	1	1	3	6	12	18	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	2.8	8	<1	1	2	3	5	7	18
B. *Operated*	1488	2.6	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	778	3.7	14	<1	1	3	5	7	9	16
B. *Operated*	3534	3.7	23	1	1	2	4	8	11	23
1. SINGLE DX	1710	2.6	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	4312	3.7	21	1	1	2	4	8	11	22
A. NOT OPERATED	1000	3.5	13	<1	1	3	5	7	9	17
B. OPERATED	5022	3.4	18	1	1	2	4	7	10	21
TOTAL 0-19 YRS	1408	2.8	8	<1	1	2	3	5	8	15
20-34	2591	3.3	15	<1	1	2	4	6	9	19
35-49	1078	3.6	19	1	1	2	4	7	10	21
50-64	634	4.3	35	1	1	2	5	9	12	36
65+	311	4.8	38	1	1	3	6	10	15	38
GRAND TOTAL	**6022**	**3.4**	**17**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.8	5	1	1	2	4	5	6	14
20-34	119	3.4	6	1	1	3	4	7	9	39
35-49	49	4.1	26	1	1	2	5	9	11	33
50-64	19	5.3	34	<1	1	3	5	15	21	22
65+	14	6.8	62	2	2	4	8	17	28	31
B. *Operated*										
0-19 YRS	276	4.2	20	1	1	3	5	9	13	25
20-34	232	4.9	30	1	1	3	6	10	13	28
35-49	97	5.3	42	1	1	3	5	11	19	38
50-64	59	6.8	44	1	2	5	7	13	24	33
65+	49	9.2	72	1	2	6	12	20	28	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.8	10	1	1	3	5	7	9	18
20-34	259	4.6	43	1	1	3	5	9	12	40
35-49	140	3.8	8	1	1	3	5	7	9	13
50-64	97	7.0	24	1	2	6	9	13	15	27
65+	113	9.4	90	1	2	7	11	17	23	62
B. *Operated*										
0-19 YRS	497	5.7	52	1	1	3	6	12	19	38
20-34	546	7.9	96	1	1	4	9	19	29	53
35-49	247	9.3	160	2	2	5	10	19	28	78
50-64	160	10.0	126	1	2	5	12	25	36	50
65+	123	13.1	151	2	2	9	18	32	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	3.6	14	1	1	3	4	7	10	27
B. *Operated*	713	5.1	33	1	1	3	6	11	16	32
2. MULTIPLE DX										
A. *Not Operated*	806	5.2	37	1	1	4	6	10	14	31
B. *Operated*	1573	8.1	104	1	1	4	9	19	29	51
1. SINGLE DX	1004	4.7	28	1	1	3	5	10	14	31
2. MULTIPLE DX	2379	7.1	83	1	1	4	8	16	24	49
A. NOT OPERATED	1097	4.8	31	1	1	3	6	9	13	31
B. OPERATED	2286	7.1	84	1	1	4	8	16	25	48
TOTAL 0-19 YRS	1060	4.7	33	1	1	3	5	9	15	34
20-34	1156	6.1	65	1	1	4	7	13	22	49
35-49	533	6.7	92	1	1	4	7	13	21	49
50-64	335	8.3	79	1	2	5	9	19	28	46
65+	299	10.8	114	2	2	8	14	23	33	59
GRAND TOTAL	**3383**	**6.4**	**68**	**1**	**1**	**4**	**7**	**14**	**22**	**43**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	5	10.4	164	1	1	7	16	32	32	32
35-49	3	4.7	8	3	3	3	7	8	8	8
50-64	2	1.5	1	1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	14	4.0	13	1	2	3	5	8	13	15
20-34	13	5.1	18	1	1	5	8	10	14	15
35-49	4	5.0	25	1	1	3	8	12	12	12
50-64										
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.6	19	<1	1	2	4	6	15	20
20-34	8	3.3	20	<1	<1	1	3	11	14	14
35-49	8	5.4	79	<1	<1	2	4	20	27	27
50-64	5	6.4	16	2	2	7	9	12	12	12
65+	15	10.1	118	1	1	6	14	29	32	33
B. *Operated*										
0-19 YRS	38	9.6	174	1	1	5	10	26	35	69
20-34	89	9.9	138	1	1	6	11	25	38	58
35-49	32	9.8	109	1	1	6	12	27	36	38
50-64	19	14.2	255	1	2	7	18	32	53	68
65+	6	4.2	3	1	1	5	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.9	71	1	1	3	7	15	29	32
B. *Operated*	34	4.5	15	1	1	3	6	10	14	15
2. MULTIPLE DX										
A. *Not Operated*	54	5.9	60	<1	1	3	7	15	27	33
B. *Operated*	184	10.1	148	1	1	6	12	26	36	66
1. SINGLE DX	47	4.9	29	1	1	3	6	11	15	32
2. MULTIPLE DX	238	9.1	131	1	1	5	10	25	34	62
A. NOT OPERATED	67	5.9	61	<1	1	3	7	14	27	33
B. OPERATED	218	9.2	131	1	1	5	10	23	35	63
TOTAL 0-19 YRS	73	6.8	105	1	1	3	7	15	26	62
20-34	115	8.9	120	1	1	5	10	23	31	56
35-49	47	8.3	92	1	1	4	10	23	35	38
50-64	26	11.7	205	1	1	7	16	27	41	68
65+	24	7.8	82	1	1	5	8	26	30	33
GRAND TOTAL	**285**	**8.4**	**117**	**1**	**1**	**5**	**9**	**21**	**31**	**58**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	1	2	4	4	6	7
20-34	46	4.8	26	1	1	3	5	9	14	29
35-49	24	5.1	16	1	1	4	7	10	14	18
50-64	13	7.6	26	3	3	6	9	13	20	22
65+	25	13.8	165	2	3	11	18	25	39	62
B. *Operated*										
0-19 YRS	175	3.7	10	1	1	3	4	7	9	17
20-34	287	4.3	17	1	1	3	5	8	12	22
35-49	163	6.0	53	1	2	4	7	12	19	38
50-64	88	6.5	67	1	2	4	8	13	18	49
65+	30	8.6	102	1	2	4	13	19	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	8.4	233	<1	1	3	8	32	48	99+
20-34	110	10.1	149	1	1	5	11	32	39	99+
35-49	74	8.6	147	1	2	5	10	19	31	76
50-64	53	9.0	99	2	2	5	9	21	38	44
65+	169	13.8	128	2	3	11	18	28	34	57
B. *Operated*										
0-19 YRS	174	4.3	29	1	1	3	5	9	13	45
20-34	341	5.8	78	1	2	3	6	11	16	46
35-49	199	8.1	123	2	2	4	9	17	32	62
50-64	119	10.1	204	2	2	5	9	26	43	72
65+	86	16.9	265	2	3	13	23	42	49	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	6.4	59	1	1	4	8	14	21	37
B. *Operated*	743	5.0	34	1	1	3	6	10	15	32
2. MULTIPLE DX										
A. *Not Operated*	458	10.9	148	1	2	7	15	28	36	86
B. *Operated*	919	7.6	124	1	2	4	8	16	30	63
1. SINGLE DX	875	5.2	38	1	1	3	6	10	16	32
2. MULTIPLE DX	1377	8.7	135	1	2	4	10	22	33	67
A. NOT OPERATED	590	9.9	132	1	2	6	12	25	34	65
B. OPERATED	1662	6.4	85	1	2	3	7	13	22	49
TOTAL 0-19 YRS	425	4.4	46	1	1	3	5	9	13	46
20-34	784	5.8	66	1	1	3	6	12	21	46
35-49	460	7.3	97	1	2	4	8	15	25	52
50-64	273	8.6	133	2	2	5	9	19	32	56
65+	310	14.2	170	2	2	11	18	32	42	64
GRAND TOTAL	**2252**	**7.3**	**100**	**1**	**2**	**4**	**8**	**17**	**28**	**53**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	146	4.1	5	1	2	4	5	6	7	15
20-34	53	3.4	4	1	1	3	5	5	7	10
35-49	20	4.2	5	1	2	4	5	5	9	12
50-64	6	6.8	22	2	2	6	8	14	15	15
65+	9	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	10	6.2	11	3	3	5	8	11	13	13
20-34	3	7.0	19	2	2	9	10	10	10	10
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	5	4.0	13	<1	<1	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.3	6	1	2	4	5	7	9	13
20-34	152	4.0	7	1	1	3	5	7	9	13
35-49	59	4.2	6	1	1	4	5	8	9	12
50-64	31	4.1	7	1	1	3	5	9	9	10
65+	37	4.8	14	1	1	4	6	12	14	15
B. *Operated*										
0-19 YRS	28	4.7	14	1	1	4	6	11	14	14
20-34	25	8.8	123	1	2	5	9	15	41	47
35-49	17	4.6	14	1	1	4	6	8	14	17
50-64	7	3.7	2	2	2	3	5	6	6	6
65+	6	5.3	17	<1	<1	4	10	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	3.9	5	1	2	4	5	6	7	15
B. *Operated*	19	6.0	13	1	2	5	9	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	516	4.2	7	1	1	4	5	7	9	13
B. *Operated*	83	5.9	48	1	1	4	7	12	15	44
1. SINGLE DX	253	4.1	6	1	2	4	5	6	8	15
2. MULTIPLE DX	599	4.5	13	1	1	4	5	8	10	15
A. NOT OPERATED	750	4.1	6	1	1	4	5	7	9	13
B. OPERATED	102	5.9	41	1	2	4	7	11	14	43
TOTAL 0-19 YRS	421	4.3	6	1	2	4	5	7	9	14
20-34	233	4.4	21	1	1	4	5	8	10	19
35-49	96	4.3	7	1	1	4	5	8	9	15
50-64	45	4.6	10	1	1	4	6	9	10	15
65+	57	4.4	12	<1	1	3	5	10	13	15
GRAND TOTAL	**852**	**4.3**	**11**	**1**	**1**	**4**	**5**	**7**	**10**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	383	2.2	4	<1	1	2	2	4	5	9
20-34	367	2.9	6	<1	1	2	4	6	7	14
35-49	142	3.4	7	1	1	3	4	7	9	13
50-64	125	3.9	9	1	1	3	6	8	10	13
65+	165	4.9	16	1	1	4	7	10	13	20
B. *Operated*										
0-19 YRS	65	2.8	9	<1	1	2	3	5	7	20
20-34	72	3.6	10	1	1	3	4	7	11	17
35-49	51	3.9	13	<1	1	2	4	9	14	15
50-64	37	4.8	13	1	2	4	6	10	13	16
65+	45	9.2	96	1	1	7	11	20	28	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1376	2.5	6	<1	1	2	3	5	6	11
20-34	1739	3.3	10	1	1	3	4	6	9	13
35-49	993	4.3	15	1	1	3	5	8	11	19
50-64	876	5.6	23	1	1	4	7	11	14	23
65+	2130	7.7	45	1	2	6	10	15	19	33
B. *Operated*										
0-19 YRS	213	5.0	41	1	1	3	6	9	16	37
20-34	284	5.2	33	1	1	3	7	10	14	34
35-49	159	6.2	40	1	1	4	8	13	15	29
50-64	156	9.7	109	1	2	6	11	20	33	45
65+	228	12.2	96	2	3	10	17	24	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1182	3.1	8	<1	1	2	4	7	9	14
B. *Operated*	270	4.6	30	1	1	3	5	10	14	28
2. MULTIPLE DX										
A. *Not Operated*	7114	4.9	26	1	1	3	6	10	14	24
B. *Operated*	1040	7.5	70	1	1	5	9	17	23	43
1. SINGLE DX	1452	3.4	13	1	1	2	4	7	10	17
2. MULTIPLE DX	8154	5.2	32	1	1	4	6	11	15	28
A. NOT OPERATED	8296	4.6	24	1	1	3	6	10	13	23
B. OPERATED	1310	6.9	63	1	1	4	9	16	21	40
TOTAL 0-19 YRS	2037	2.7	10	<1	1	2	3	5	7	15
20-34	2462	3.5	12	1	1	3	4	7	9	15
35-49	1345	4.4	17	1	1	3	5	9	12	19
50-64	1194	5.9	35	1	1	4	7	12	16	31
65+	2568	7.9	50	1	2	6	10	16	21	35
GRAND TOTAL	**9606**	**4.9**	**30**	**1**	**1**	**3**	**6**	**11**	**14**	**26**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.3	3	1	1	2	2	5	7	8
20-34	27	3.3	12	<1	1	2	3	9	12	15
35-49	8	3.5	8	1	1	3	6	8	8	8
50-64	2	5.0	2	4	.	5	6	6	6	6
65+	4	7.5	36	1	1	7	12	15	15	15
B. *Operated*										
0-19 YRS	10	4.3	18	1	1	3	5	12	13	13
20-34	27	4.6	16	<1	1	3	6	11	14	17
35-49	13	5.1	10	1	1	6	6	10	12	12
50-64	14	7.9	193	<1	1	4	8	16	46	55
65+	5	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	2.9	4	1	1	2	3	6	7	10
20-34	65	3.9	16	1	1	3	5	8	10	25
35-49	28	4.1	8	1	1	3	6	8	9	11
50-64	12	4.5	11	1	1	4	4	10	13	13
65+	13	4.5	10	1	1	4	6	9	11	12
B. *Operated*										
0-19 YRS	59	6.4	71	1	1	4	7	15	21	52
20-34	116	7.7	82	1	1	4	10	17	22	45
35-49	67	6.9	45	1	1	4	10	15	20	32
50-64	43	6.7	70	1	1	4	8	15	24	44
65+	8	7.3	45	1	1	4	14	16	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	3.4	11	1	1	2	4	8	11	15
B. *Operated*	69	5.2	49	1	1	3	6	11	13	48
2. MULTIPLE DX										
A. *Not Operated*	148	3.9	11	1	1	3	5	8	10	14
B. *Operated*	293	7.1	68	1	1	4	9	16	22	44
1. SINGLE DX	126	4.3	33	1	1	3	5	9	12	26
2. MULTIPLE DX	441	6.0	51	1	1	3	7	14	18	39
A. NOT OPERATED	205	3.7	11	1	1	3	5	8	10	15
B. OPERATED	362	6.7	65	1	1	4	8	15	20	44
TOTAL 0-19 YRS	115	4.7	42	1	1	3	5	11	15	37
20-34	235	5.8	51	1	1	3	7	14	17	40
35-49	116	5.8	31	1	1	4	7	13	16	29
50-64	71	6.5	81	1	1	4	7	13	22	53
65+	30	5.3	22	1	1	4	7	14	15	17
GRAND TOTAL	**567**	**5.6**	**47**	**1**	**1**	**3**	**6**	**13**	**17**	**39**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.7	3	<1	<1	1	1	5	5	5
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	7	3.3	3	1	1	3	5	6	6	6
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	8	2.4	2	<1	<1	2	3	5	5	5
20-34	12	2.8	3	1	1	2	4	5	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	11	2.1	3	<1	<1	1	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.9	3	1	1	3	4	5	6	6
B. *Operated*	24	2.6	2	<1	1	2	4	5	5	6
1. SINGLE DX	22	1.7	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	38	2.7	2	1	1	2	4	5	6	6
A. NOT OPERATED	25	2.2	3	<1	<1	1	3	5	5	6
B. OPERATED	35	2.4	3	<1	1	2	4	5	6	6
TOTAL 0-19 YRS	24	1.8	2	<1	<1	1	2	4	5	5
20-34	26	2.7	3	1	1	2	4	5	6	6
35-49	5	3.0	6	1	1	2	5	6	6	6
50-64	4	3.0	2	1	1	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**60**	**2.3**	**3**	**<1**	**<1**	**2**	**4**	**5**	**6**	**6**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	333	1.3	1	<1	<1	1	1	2	3	7
20-34	65	1.6	1	<1	1	1	2	3	5	7
35-49	81	1.8	3	<1	<1	1	2	3	5	10
50-64	82	1.6	2	<1	<1	1	2	3	5	8
65+	63	2.0	3	<1	1	1	2	4	5	11
B. *Operated*										
0-19 YRS	65	2.7	8	<1	1	1	3	7	9	14
20-34	21	4.5	27	<1	<1	2	5	13	17	19
35-49	16	3.0	13	<1	1	2	4	6	12	15
50-64	21	4.5	92	<1	1	1	3	11	27	44
65+	21	5.4	118	<1	1	2	4	10	29	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	260	1.8	2	<1	<1	1	2	3	5	8
20-34	98	2.5	11	<1	1	1	2	6	12	17
35-49	101	3.4	15	<1	1	2	4	9	13	18
50-64	119	3.1	10	<1	1	2	4	7	9	16
65+	214	4.4	27	1	1	3	5	10	14	24
B. *Operated*										
0-19 YRS	70	3.0	13	<1	1	2	3	7	11	20
20-34	46	7.2	72	1	1	4	9	19	29	38
35-49	39	5.8	45	1	1	3	7	14	23	28
50-64	57	3.5	15	1	1	4	6	8	13	19
65+	118	6.7	60	1	1	3	8	18	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	624	1.5	2	<1	<1	1	2	2	4	8
B. *Operated*	144	3.7	39	<1	1	2	4	9	12	44
2. MULTIPLE DX										
A. *Not Operated*	792	3.0	14	<1	1	2	3	7	11	18
B. *Operated*	330	5.5	44	1	1	3	7	14	20	32
1. SINGLE DX	768	1.9	9	<1	<1	1	2	4	6	11
2. MULTIPLE DX	1122	3.7	24	<1	1	2	4	8	14	25
A. NOT OPERATED	1416	2.3	9	<1	<1	1	2	5	8	16
B. OPERATED	474	4.9	43	1	1	3	5	12	19	35
TOTAL 0-19 YRS	728	1.8	3	<1	<1	1	2	3	5	11
20-34	230	3.4	26	<1	1	1	3	9	14	29
35-49	237	3.2	17	<1	1	2	3	7	13	21
50-64	279	3.1	16	<1	1	2	3	7	9	17
65+	416	4.7	39	1	1	3	5	11	17	31
GRAND TOTAL	**1890**	**3.0**	**19**	**<1**	**1**	**1**	**3**	**7**	**11**	**21**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	6.8	36	<1	1	5	9	11	21	27
20-34	20	8.7	70	1	1	6	12	14	27	39
35-49	9	5.2	27	<1	<1	4	6	14	18	18
50-64	8	10.1	101	3	3	7	12	27	33	33
65+	2	11.0	32	7	7	11	15	15	15	15
B. *Operated*										
0-19 YRS	51	10.4	104	2	2	6	13	24	34	45
20-34	58	10.2	100	2	2	8	12	20	31	54
35-49	36	11.4	83	2	2	9	16	26	33	37
50-64	20	22.9	367	2	3	16	40	55	56	56
65+	24	16.4	87	2	6	15	24	27	33	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	8.2	88	1	2	5	9	16	25	56
20-34	68	9.2	69	1	2	7	14	20	22	41
35-49	53	11.7	87	1	2	11	18	21	27	49
50-64	43	11.9	97	1	2	9	16	28	34	41
65+	40	15.9	96	2	4	14	25	28	32	38
B. *Operated*										
0-19 YRS	119	17.4	278	1	2	14	23	39	51	85
20-34	185	20.5	283	3	4	15	31	43	47	90
35-49	127	23.7	310	3	4	20	35	50	58	84
50-64	100	23.6	437	2	4	18	36	55	88	99+
65+	99	32.5	398	8	10	29	46	66	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	57	7.8	55	1	1	6	10	15	24	39
B. *Operated*	189	12.6	138	2	2	9	17	29	38	55
2. MULTIPLE DX										
A. *Not Operated*	262	11.0	91	1	2	8	16	24	28	42
B. *Operated*	630	22.9	350	2	4	18	33	48	66	99+
1. SINGLE DX	246	11.5	122	2	2	8	15	27	36	55
2. MULTIPLE DX	892	19.4	304	2	3	14	28	44	57	96
A. NOT OPERATED	319	10.4	86	1	2	7	15	23	28	41
B. OPERATED	819	20.6	320	2	3	15	30	46	59	96
TOTAL 0-19 YRS	246	13.0	197	1	2	8	17	30	42	68
20-34	331	15.6	223	2	3	11	21	38	44	70
35-49	225	18.2	250	2	3	14	26	44	50	72
50-64	171	20.0	353	2	3	14	29	46	69	99+
65+	165	25.9	340	5	7	23	36	56	69	99+
GRAND TOTAL	**1138**	**17.7**	**275**	**2**	**3**	**12**	**25**	**42**	**52**	**91**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	172	5.3	22	1	1	4	7	11	14	26
20-34	138	4.9	21	1	1	3	7	12	14	23
35-49	66	5.7	25	1	1	4	8	14	15	21
50-64	26	6.3	57	<1	1	4	7	13	21	37
65+	21	7.8	45	<1	1	7	11	18	22	25
B. *Operated*										
0-19 YRS	43	8.4	124	1	1	6	10	17	26	67
20-34	40	8.8	69	1	2	6	12	18	28	37
35-49	21	11.0	90	1	2	9	17	25	31	34
50-64	14	10.7	76	1	1	7	16	21	29	32
65+	5	8.8	38	3	3	8	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	720	6.5	31	1	1	5	9	13	17	28
20-34	658	6.3	35	1	1	5	9	14	18	31
35-49	298	7.9	65	1	1	6	11	17	22	32
50-64	183	9.8	104	1	2	7	13	19	28	55
65+	180	13.9	164	2	3	10	18	28	39	67
B. *Operated*										
0-19 YRS	133	12.7	143	1	2	9	16	29	37	66
20-34	168	13.4	198	2	2	10	16	26	39	75
35-49	106	18.0	229	2	3	15	27	39	49	89
50-64	57	29.0	434	4	8	23	40	61	67	95
65+	66	27.0	313	6	8	25	34	48	60	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	423	5.4	26	1	1	4	7	12	14	25
B. *Operated*	123	9.2	90	1	2	6	11	19	29	45
2. MULTIPLE DX										
A. *Not Operated*	2039	7.6	60	1	1	5	10	16	22	37
B. *Operated*	530	17.5	265	2	3	13	24	39	52	76
1. SINGLE DX	546	6.2	43	1	1	4	8	14	18	32
2. MULTIPLE DX	2569	9.6	119	1	1	6	12	22	30	60
A. NOT OPERATED	2462	7.2	55	1	1	5	9	15	21	35
B. OPERATED	653	15.9	242	1	2	11	22	36	48	75
TOTAL 0-19 YRS	1068	7.1	52	1	1	5	9	15	20	35
20-34	1004	7.4	69	1	1	5	9	16	22	38
35-49	491	9.9	114	1	1	6	13	23	32	52
50-64	280	13.4	227	1	2	8	17	32	47	67
65+	272	16.5	226	2	3	11	23	36	43	73
GRAND TOTAL	**3115**	**9.0**	**107**	**1**	**1**	**6**	**11**	**20**	**28**	**56**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	<1	<1	2	4	5	6	7
20-34	33	4.9	28	<1	1	3	5	12	20	23
35-49	18	5.8	16	1	1	5	7	12	14	14
50-64	13	11.4	437	1	2	6	9	26	70	80
65+	4	9.8	58	3	3	8	16	19	19	19
B. *Operated*										
0-19 YRS	33	2.3	1	1	1	2	3	4	4	5
20-34	61	3.3	21	1	1	2	3	6	7	32
35-49	36	3.9	57	1	1	2	3	7	11	46
50-64	19	3.4	13	2	2	3	3	4	12	18
65+	2	7.0	72	1	1	7	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	3.9	11	<1	1	3	5	8	12	16
20-34	90	6.5	90	1	1	4	7	15	20	91
35-49	54	6.4	27	1	1	5	8	11	17	29
50-64	32	13.3	311	1	2	7	12	33	51	87
65+	65	9.9	127	2	3	7	11	19	43	94
B. *Operated*										
0-19 YRS	85	5.9	126	1	1	2	5	13	43	99+
20-34	163	6.7	140	1	1	3	6	15	24	65
35-49	83	7.1	103	1	1	3	7	21	34	83
50-64	44	9.0	150	1	1	4	10	37	49	99+
65+	18	13.4	381	1	1	5	12	39	65	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	5.9	89	<1	1	3	6	13	16	61
B. *Operated*	151	3.3	24	1	1	2	3	5	8	35
2. MULTIPLE DX										
A. *Not Operated*	294	7.5	103	1	1	5	8	16	23	83
B. *Operated*	393	7.2	142	1	1	3	7	19	39	97
1. SINGLE DX	234	4.2	49	1	1	2	4	7	13	37
2. MULTIPLE DX	687	7.3	125	1	1	4	7	17	31	90
A. NOT OPERATED	377	7.2	100	1	1	5	8	15	21	80
B. OPERATED	544	6.1	112	1	1	3	5	13	28	78
TOTAL 0-19 YRS	186	4.4	63	1	1	2	4	7	14	90
20-34	347	5.9	97	1	1	3	6	13	20	66
35-49	191	6.2	65	1	1	3	7	12	23	50
50-64	108	9.6	213	1	2	4	10	25	49	92
65+	89	10.5	171	2	2	7	12	20	45	91
GRAND TOTAL	**921**	**6.5**	**107**	**1**	**1**	**3**	**7**	**14**	**25**	**79**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.5	5	1	1	2	3	5	6	13
20-34	161	3.3	11	<1	1	2	4	8	10	15
35-49	82	3.8	8	1	1	3	5	7	10	13
50-64	32	4.5	11	1	1	3	7	9	10	14
65+	38	5.5	44	<1	1	3	7	12	22	31
B. *Operated*										
0-19 YRS	46	3.7	8	1	1	3	5	8	9	12
20-34	108	5.4	41	1	1	4	6	11	13	39
35-49	43	5.4	30	1	1	3	7	13	19	25
50-64	45	5.4	20	1	1	4	8	12	14	18
65+	13	9.2	60	2	3	8	13	19	28	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	361	2.6	4	1	1	2	3	5	7	11
20-34	497	3.6	9	1	1	3	5	7	9	15
35-49	271	4.8	16	1	1	4	6	9	12	21
50-64	194	6.0	29	1	2	4	8	11	18	29
65+	343	8.2	48	2	2	6	10	15	22	39
B. *Operated*										
0-19 YRS	143	6.7	80	1	1	4	8	13	22	46
20-34	243	9.7	180	1	2	5	10	23	35	71
35-49	117	9.1	77	1	2	7	12	21	28	64
50-64	100	11.6	185	1	2	7	13	25	45	69
65+	74	16.7	259	2	3	12	24	40	55	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	454	3.4	12	1	1	2	4	8	10	15
B. *Operated*	255	5.3	31	1	1	4	7	12	14	31
2. MULTIPLE DX										
A. *Not Operated*	1666	4.8	23	1	1	3	6	10	13	25
B. *Operated*	677	10.0	157	1	2	6	12	24	37	70
1. SINGLE DX	709	4.1	20	1	1	3	5	9	12	25
2. MULTIPLE DX	2343	6.3	67	1	1	4	7	13	21	47
A. NOT OPERATED	2120	4.5	21	1	1	3	6	9	12	24
B. OPERATED	932	8.7	127	1	1	5	10	20	32	63
TOTAL 0-19 YRS	691	3.5	23	1	1	2	4	7	9	23
20-34	1009	5.2	60	1	1	3	6	10	15	46
35-49	513	5.7	33	1	1	4	7	12	17	31
50-64	371	7.3	75	1	2	5	9	14	21	50
65+	468	9.3	92	1	2	6	12	20	27	54
GRAND TOTAL	**3052**	**5.8**	**57**	1	1	**3**	**7**	**12**	**18**	**43**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	406	1.8	3	<1	1	1	2	3	4	9
20-34	247	2.3	4	<1	<1	2	3	5	5	8
35-49	110	2.8	7	<1	1	2	4	6	8	15
50-64	56	3.3	14	<1	1	2	4	7	13	20
65+	54	6.0	28	1	1	5	8	11	11	32
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2107	2.7	13	<1	1	2	3	5	7	18
20-34	2610	3.8	24	<1	1	2	4	7	11	26
35-49	1378	4.9	40	1	1	3	6	10	15	32
50-64	840	6.1	43	1	1	4	7	12	17	38
65+	1398	7.4	32	2	2	6	9	14	19	26
B. *Operated*										
0-19 YRS	22	5.7	20	1	1	5	10	14	45	99+
20-34	117	6.8	122	1	1	2	7	16	29	59
35-49	67	8.3	95	1	1	6	13	20	39	99+
50-64	69	11.5	77	2	3	10	15	20	36	39
65+	86	13.7	103	3	4	11	17	26	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	873	2.5	7	<1	1	2	3	5	7	14
B. *Operated*	4	4.0	3	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	8333	4.5	30	1	1	3	5	10	14	27
B. *Operated*	351	9.5	106	1	1	7	13	21	31	70
1. SINGLE DX	877	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	8684	4.7	34	1	1	3	6	10	15	29
A. NOT OPERATED	9206	4.3	28	1	1	3	5	9	13	26
B. OPERATED	355	9.4	105	1	1	7	13	21	31	69
TOTAL 0-19 YRS	2536	2.6	11	<1	1	2	3	5	7	17
20-34	2976	3.8	27	<1	1	2	4	7	11	27
35-49	1555	4.9	41	1	1	3	6	10	15	34
50-64	955	6.3	46	1	1	4	8	13	18	38
65+	1539	7.7	38	2	2	6	10	14	19	30
GRAND TOTAL	**9561**	**4.5**	**32**	1	1	**3**	**5**	**10**	**14**	**28**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	342	1.8	1	<1	1	1	2	3	5	6
20-34	234	2.0	3	<1	1	1	2	4	5	9
35-49	108	2.0	3	1	1	1	2	4	5	8
50-64	64	2.7	13	1	1	2	3	6	7	22
65+	45	2.3	4	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	11	6.7	20	2	2	7	10	13	16	16
20-34	18	3.4	9	<1	<1	3	5	7	11	13
35-49	7	4.9	25	2	2	4	4	14	16	16
50-64	9	3.8	4	1	1	4	5	6	7	7
65+	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	931	2.0	3	1	1	1	2	3	5	9
20-34	513	2.6	6	1	1	2	3	5	7	14
35-49	323	3.1	8	1	1	2	4	6	8	14
50-64	278	4.0	17	1	1	3	5	9	12	20
65+	156	5.0	28	1	1	3	6	11	16	29
B. *Operated*										
0-19 YRS	19	7.1	135	1	1	3	7	12	35	53
20-34	21	5.7	14	1	1	6	7	12	13	13
35-49	24	12.0	296	1	2	6	11	34	51	79
50-64	15	8.9	76	1	1	7	12	18	31	35
65+	16	17.9	215	3	3	12	30	41	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	2.0	3	1	1	1	2	4	5	8
B. *Operated*	47	4.9	19	1	1	4	6	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	2201	2.8	9	1	1	2	3	6	8	16
B *Operated*	95	10.1	164	1	2	6	11	28	39	67
1. SINGLE DX	840	2.1	4	1	1	1	2	4	6	11
2. MULTIPLE DX	2296	3.1	17	1	1	2	3	6	9	19
A. NOT OPERATED	2994	2.5	7	1	1	2	3	5	7	15
B. OPERATED	142	8.4	122	1	1	5	10	17	34	55
TOTAL 0-19 YRS	1303	2.0	5	1	1	1	2	4	5	10
20-34	786	2.5	6	<1	1	2	3	5	7	13
35-49	462	3.3	26	1	1	2	4	6	8	20
50-64	366	4.0	19	1	1	2	5	9	12	22
65+	219	5.5	50	1	1	3	6	12	20	39
GRAND TOTAL	**3136**	**2.8**	**14**	**1**	**1**	**2**	**3**	**6**	**8**	**18**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	233	2.0	2	<1	1	2	2	4	5	8
20-34	171	2.6	5	<1	1	2	3	5	8	12
35-49	145	2.9	7	1	1	2	4	6	8	12
50-64	102	3.0	5	1	1	2	4	6	8	12
65+	82	4.0	8	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	4	3.3	3	<1	<1	3	4	5	5	5
20-34	5	13.6	104	3	3	9	24	25	25	25
35-49	7	10.4	120	2	2	7	12	30	34	34
50-64	7	4.9	10	1	1	5	7	10	10	10
65+	4	8.8	148	2	2	3	15	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	397	3.0	12	1	1	2	3	6	8	21
20-34	462	3.0	6	1	1	2	4	6	7	13
35-49	401	4.0	14	1	1	3	5	8	11	20
50-64	553	5.9	38	1	1	4	7	12	16	36
65+	965	7.2	35	2	2	6	9	14	19	29
B. *Operated*										
0-19 YRS	19	11.5	175	<1	1	5	16	36	43	44
20-34	51	11.6	292	1	1	5	13	34	72	99+
35-49	38	9.7	93	1	2	6	16	23	39	99+
50-64	81	13.5	195	2	2	9	16	28	43	75
65+	111	16.6	293	3	4	11	20	41	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	733	2.7	5	1	1	2	3	5	7	12
B. *Operated*	27	8.3	77	1	2	5	9	25	28	34
2. MULTIPLE DX										
A. *Not Operated*	2778	5.2	27	1	1	4	7	10	15	25
B. *Operated*	300	13.7	237	2	2	8	17	30	52	99+
1. SINGLE DX	760	2.9	9	1	1	2	3	6	8	14
2. MULTIPLE DX	3078	6.0	54	1	1	4	7	13	18	40
A. NOT OPERATED	3511	4.7	24	1	1	3	6	10	14	24
B. OPERATED	327	13.3	226	1	2	8	17	30	51	99+
TOTAL 0-19 YRS	653	2.9	15	1	1	2	3	6	8	22
20-34	689	3.6	33	1	1	2	4	7	10	28
35-49	591	4.2	21	1	1	3	5	9	12	24
50-64	743	6.3	57	1	1	4	7	14	18	44
65+	1162	7.9	66	1	2	6	9	16	22	44
GRAND TOTAL	**3838**	**5.4**	**47**	**1**	**1**	**3**	**6**	**11**	**16**	**35**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	3.1	13	<1	1	2	4	6	13	17
20-34	39	4.3	19	<1	<1	3	6	10	15	18
35-49	39	4.6	20	<1	1	3	7	10	14	21
50-64	37	6.8	48	1	2	5	9	12	13	42
65+	73	6.4	34	1	2	5	7	13	21	31
B. *Operated*										
0-19 YRS	232	4.6	32	<1	<1	3	6	10	12	22
20-34	313	5.1	34	1	1	3	5	11	15	38
35-49	337	5.6	42	1	1	3	6	14	18	29
50-64	458	8.5	69	1	2	6	12	18	22	36
65+	732	10.1	95	1	2	7	14	22	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	5.1	17	1	1	3	7	11	16	17
20-34	116	6.1	52	1	1	4	7	12	19	44
35-49	101	5.1	18	1	1	4	6	10	14	21
50-64	131	6.8	42	1	2	5	10	14	17	34
65+	274	8.5	89	1	2	6	10	16	27	45
B. *Operated*										
0-19 YRS	341	8.0	86	1	2	5	9	18	30	46
20-34	610	7.2	76	1	1	4	9	16	22	49
35-49	750	8.9	111	1	2	6	12	19	28	74
50-64	1257	9.7	108	1	2	6	13	22	30	68
65+	1706	12.6	161	2	2	9	17	28	39	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	5.3	29	<1	1	4	7	11	14	26
B. *Operated*	2072	7.6	69	1	1	4	10	18	24	40
2. MULTIPLE DX										
A. *Not Operated*	673	7.0	59	1	2	5	8	14	19	41
B. *Operated*	4664	10.2	126	1	2	6	13	23	33	67
1. SINGLE DX	2297	7.4	66	1	1	4	10	17	23	40
2. MULTIPLE DX	5337	9.8	119	1	2	6	13	22	31	65
A. NOT OPERATED	898	6.6	52	1	1	5	8	14	18	40
B. OPERATED	6736	9.4	110	1	2	6	12	21	30	58
TOTAL 0-19 YRS	661	6.3	61	<1	1	4	8	13	20	43
20-34	1078	6.3	60	1	1	4	7	14	21	45
35-49	1227	7.6	84	1	1	4	10	17	24	52
50-64	1883	9.1	93	1	2	6	12	20	28	63
65+	2785	11.4	136	2	2	8	15	25	35	62
GRAND TOTAL	**7634**	**9.1**	**104**	**1**	**2**	**6**	**12**	**20**	**29**	**54**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	1.9	2	<1	1	1	2	4	5	6
20-34	207	2.6	3	<1	1	2	3	5	6	8
35-49	104	3.2	4	1	1	3	4	6	8	10
50-64	97	3.7	4	1	1	3	5	7	8	10
65+	152	4.4	6	1	2	4	6	7	9	12
B. *Operated*										
0-19 YRS	110	2.1	5	<1	1	1	2	4	6	15
20-34	190	2.6	4	<1	1	2	4	5	7	10
35-49	88	3.9	11	1	1	3	5	8	9	19
50-64	44	3.8	12	1	1	2	5	9	11	17
65+	62	5.7	24	1	2	4	7	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.4	4	<1	<1	2	3	6	7	10
20-34	150	3.3	8	1	1	3	4	6	9	15
35-49	111	4.3	15	1	1	3	6	9	11	21
50-64	137	4.4	13	1	1	3	6	8	10	24
65+	217	5.1	13	1	1	4	6	9	12	19
B. *Operated*										
0-19 YRS	68	3.5	13	1	1	2	4	8	9	21
20-34	169	4.4	18	1	1	3	6	9	12	23
35-49	98	5.3	95	1	1	3	7	9	12	60
50-64	89	7.9	52	1	2	5	11	17	24	31
65+	115	7.4	30	2	2	5	9	16	20	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	704	3.1	4	1	1	3	4	6	7	10
B. *Operated*	494	3.2	10	1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	693	4.1	12	1	1	3	5	8	10	18
B. *Operated*	539	5.7	42	1	1	4	7	12	16	28
1. SINGLE DX	1198	3.1	7	1	1	2	4	6	8	12
2. MULTIPLE DX	1232	4.8	26	1	1	3	6	10	13	23
A. NOT OPERATED	1397	3.6	9	1	1	3	5	7	9	14
B. OPERATED	1033	4.5	28	1	1	3	6	9	13	24
TOTAL 0-19 YRS	400	2.3	5	<1	1	2	3	5	7	12
20-34	716	3.2	8	1	1	2	4	6	9	14
35-49	401	4.2	31	1	1	3	5	8	10	20
50-64	367	5.0	23	1	1	3	6	10	15	28
65+	546	5.4	17	1	2	4	7	10	14	23
GRAND TOTAL	**2430**	**4.0**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**21**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	5.4	14	1	1	5	7	10	11	20
20-34	134	5.3	13	1	2	4	7	10	13	17
35-49	95	7.0	21	2	3	6	9	13	15	24
50-64	75	8.4	70	2	3	7	9	13	18	57
65+	59	9.1	34	2	3	8	11	18	19	30
B. *Operated*										
0-19 YRS	58	7.2	25	2	2	6	10	14	18	21
20-34	106	7.0	39	2	2	5	9	13	17	38
35-49	84	9.5	56	1	3	7	13	22	26	31
50-64	90	12.3	129	2	3	9	17	29	33	59
65+	64	13.3	149	1	2	10	17	33	42	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	6.3	21	2	2	5	7	14	18	20
20-34	128	6.8	33	2	2	5	8	13	15	35
35-49	128	7.9	46	2	3	6	9	13	17	37
50-64	160	9.3	42	2	3	8	12	18	22	33
65+	165	11.9	82	3	4	10	15	22	26	50
B. *Operated*										
0-19 YRS	48	10.7	77	2	3	9	14	26	33	99+
20-34	130	11.0	113	2	2	7	14	27	35	48
35-49	104	13.3	144	2	3	11	15	27	36	65
50-64	170	17.8	304	2	3	12	21	41	66	90
65+	163	16.8	203	3	5	13	24	32	39	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	407	6.8	30	2	2	5	9	13	16	24
B. *Operated*	402	9.7	84	2	2	7	12	22	29	45
2. MULTIPLE DX										
A. *Not Operated*	628	9.0	54	2	3	7	11	17	22	36
B. *Operated*	615	14.8	199	2	3	11	19	32	42	82
1. SINGLE DX	809	8.2	59	2	2	6	10	17	23	40
2. MULTIPLE DX	1243	11.8	134	2	3	8	15	25	33	70
A. NOT OPERATED	1035	8.1	46	2	3	6	10	16	20	33
B. OPERATED	1017	12.8	160	2	3	9	16	28	36	74
TOTAL 0-19 YRS	197	7.4	37	2	2	6	9	15	21	36
20-34	498	7.5	54	2	2	5	9	15	21	42
35-49	411	9.4	72	2	3	7	12	19	26	45
50-64	495	12.6	167	2	3	9	15	27	37	76
65+	451	13.5	136	2	4	10	17	28	33	67
GRAND TOTAL	**2052**	**10.4**	**108**	**2**	**3**	**7**	**13**	**22**	**30**	**59**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	12	1	1	3	5	7	12	16
20-34	68	5.8	48	1	1	4	7	10	15	42
35-49	71	5.3	16	1	1	4	7	11	13	20
50-64	64	6.4	27	1	2	5	8	13	17	29
65+	60	7.2	46	1	2	5	9	14	20	39
B. *Operated*										
0-19 YRS	53	4.1	20	<1	<1	3	5	7	14	24
20-34	130	6.2	31	1	1	5	8	14	16	28
35-49	155	7.0	40	1	2	5	9	15	18	33
50-64	136	8.3	103	1	2	5	10	16	27	53
65+	111	8.1	74	1	2	5	11	18	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	4.1	27	1	1	3	4	9	13	32
20-34	156	5.4	41	1	1	4	6	10	12	31
35-49	156	6.8	94	1	1	5	7	12	21	63
50-64	197	7.8	40	2	2	6	9	15	23	31
65+	246	9.3	64	2	3	7	12	18	26	45
B. *Operated*										
0-19 YRS	57	7.3	86	1	1	5	9	14	24	57
20-34	256	8.4	72	1	2	6	10	17	24	52
35-49	311	10.6	119	2	2	7	12	22	35	59
50-64	350	12.9	200	2	2	8	16	27	41	81
65+	421	12.6	166	1	2	9	16	28	38	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	283	6.0	33	1	1	4	7	12	15	35
B. *Operated*	585	7.1	59	1	2	5	9	15	20	42
2. MULTIPLE DX										
A. *Not Operated*	825	7.3	59	1	2	5	9	14	22	35
B. *Operated*	1395	11.3	146	1	2	8	14	25	36	64
1. SINGLE DX	868	6.7	50	1	2	5	8	14	18	37
2. MULTIPLE DX	2220	9.8	118	1	2	7	12	21	30	58
A. NOT OPERATED	1108	7.0	53	1	2	5	9	13	21	36
B. OPERATED	1980	10.0	124	1	2	7	13	22	31	58
TOTAL 0-19 YRS	200	5.0	42	<1	1	3	6	10	15	32
20-34	610	6.9	54	1	1	5	9	14	20	43
35-49	693	8.4	89	1	2	6	10	17	24	52
50-64	747	10.2	132	2	2	7	12	22	31	64
65+	838	10.7	119	2	2	7	14	24	32	55
GRAND TOTAL	**3088**	**8.9**	**101**	**1**	**2**	**6**	**11**	**19**	**27**	**53**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.5	2	1	1	2	3	4	6	7
20-34	7	2.4	3	1	1	2	4	5	5	5
35-49	5	4.8	10	<1	<1	6	7	8	8	8
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	7	4.3	11	1	1	3	5	10	11	11
B. *Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	3	5.3	8	2	2	7	7	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	3.3	6	1	1	3	5	6	6	13
20-34	20	5.0	9	1	1	5	6	9	12	13
35-49	14	5.6	25	1	1	3	9	14	15	15
50-64	21	5.0	33	1	1	3	8	10	17	25
65+	23	6.3	47	1	2	3	6	16	22	27
B. *Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	8	5.8	4	4	4	5	7	9	9	9
35-49	8	7.4	37	2	2	5	9	18	21	21
50-64	8	7.3	33	1	1	6	9	16	19	19
65+	6	12.3	63	6	6	10	14	26	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	5	1	1	2	4	6	7	11
B. *Operated*	8	4.6	6	2	2	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	116	4.8	22	1	1	3	6	10	14	26
B. *Operated*	32	7.9	32	2	3	7	9	15	21	27
1. SINGLE DX	52	3.2	5	1	1	3	4	7	7	11
2. MULTIPLE DX	148	5.4	26	1	1	4	7	12	15	27
A. NOT OPERATED	160	4.3	18	1	1	3	5	10	13	24
B. OPERATED	40	7.2	28	2	2	6	8	13	20	27
TOTAL 0-19 YRS	61	3.2	5	1	1	3	4	6	7	12
20-34	37	4.5	8	1	1	4	6	8	10	13
35-49	30	5.9	23	1	1	5	8	12	15	21
50-64	34	5.2	29	1	1	3	8	10	17	25
65+	38	6.7	45	1	2	4	7	15	24	27
GRAND TOTAL	**200**	**4.9**	**21**	1	1	**3**	**6**	**10**	**14**	**26**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	1.4		<1	<1	<1	1	3	3	3
35-49	11	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	65	1.8	1	<1	<1	2	2	3	4	5
20-34	5271	1.7	1	<1	<1	1	2	3	4	5
35-49	1843	1.7	1	<1	<1	1	2	3	3	5
50-64	16	2.0	3	<1	<1	1	2	4	7	8
65+	7	2.1		1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	71	1.3	1	<1	<1	1	1	2	3	7
35-49	18	1.9	2	<1	<1	1	3	3	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	53	3.7	6	<1	1	3	5	8	8	9
20-34	2824	2.2	4	<1	<1	2	3	4	5	7
35-49	1091	2.2	2	<1	<1	2	2	4	5	7
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	3	3.3	10	1	1	2	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	7202	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	94	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	3977	2.2	3	<1	<1	2	3	4	5	8
1. SINGLE DX	7238	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	4071	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	130	1.4	1	<1	<1	1	1	3	3	6
B. OPERATED	11179	1.9	2	<1	<1	2	2	3	4	6
TOTAL 0-19 YRS	123	2.6	4	<1	<1	2	3	5	7	9
20-34	8191	1.9	2	<1	<1	2	2	3	4	6
35-49	2963	1.9	1	<1	<1	2	2	3	4	7
50-64	22	1.8	3	<1	<1	1	2	3	6	8
65+	10	2.5	3	1	1	2	3	5	7	7
GRAND TOTAL	**11309**	**1.9**	**2**	<1	<1	**2**	**2**	3	4	**6**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	39.0	162	30	30	39	48	48	48	48
1500-1749	12	18.3	67	8	9	19	22	29	36	37
1750-2499	3257	3.5	5	2	2	3	4	6	7	13
2500+	139694	3.0	2	1	2	3	4	5	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	5.0	18	2	2	5	8	8	8	8
2500+	85	4.2	6	1	2	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	32	62.3	486	13	23	69	80	99	99+	99+
1000-1499	295	39.4	232	17	23	38	49	62	68	83
1500-1749	422	24.9	83	12	15	24	30	36	42	51
1750-2499	5890	7.8	46	2	2	6	10	16	20	33
2500+	43964	4.0	5	2	2	3	5	6	7	12
B. *Operated*										
1-999 G	66	71.1	474	32	49	88	99+	99+	99+	99+
1000-1499	252	49.2	308	25	29	49	62	79	95	99+
1500-1749	155	33.6	211	17	20	30	42	56	66	99+
1750-2499	436	16.8	168	3	5	14	22	32	46	86
2500+	1088	8.7	92	2	3	6	10	15	22	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	142965	3.1	2	1	2	3	4	5	5	7
B. *Operated*	87	4.3	6	1	2	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	50603	4.9	26	2	2	4	5	7	11	28
B. *Operated*	1997	19.5	438	2	3	11	29	57	78	99+
1. SINGLE DX	143052	3.1	2	1	2	3	4	5	5	7
2. MULTIPLE DX	52600	5.4	50	2	2	4	5	8	14	43
A. NOT OPERATED	193568	3.5	9	2	2	3	4	5	6	14
B. OPERATED	2084	18.9	429	2	3	10	27	56	78	99+
TOTAL 1-999 G	98	68.2	490	21	46	80	99+	99+	99+	99+
1000-1499	549	43.9	290	20	25	42	56	70	80	99+
1500-1749	589	27.0	132	12	15	25	32	42	49	71
1750-2499	9585	6.8	47	2	2	4	8	15	19	33
2500+	184831	3.3	3	2	2	3	4	5	6	9
GRAND TOTAL	**195652**	**3.7**	**16**	**2**	**2**	**3**	**4**	**6**	**7**	**18**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	18.0		18	18	18	18	18	18	18
1500-1749	6	21.2	89	10	10	20	25	36	37	37
1750-2499	398	5.1	9	2	3	4	6	8	11	18
2500+	1179	4.3	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	91.0		91	91	91	91	91	91	91
1000-1499	72	37.0	149	17	23	36	44	56	59	64
1500-1749	97	24.3	60	14	15	24	29	36	38	44
1750-2499	813	9.4	46	2	3	7	13	19	22	30
2500+	521	5.4	7	2	3	5	6	8	10	19
B. *Operated*										
1-999 G	8	79.5	362	42	62	93	99+	99+	99+	99+
1000-1499	53	50.3	337	23	24	50	62	82	87	99+
1500-1749	31	35.2	170	21	21	34	43	53	56	69
1750-2499	67	18.0	82	5	6	16	26	31	34	90
2500+	15	8.8	49	4	4	7	9	11	27	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1584	4.6	6	2	2	4	5	7	8	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1504	10.4	98	3	3	6	13	23	31	49
B. *Operated*	174	32.9	510	6	8	28	50	81	95	99+
1. SINGLE DX	1584	4.6	6	2	2	4	5	7	8	14
2. MULTIPLE DX	1678	12.7	188	3	3	7	16	30	42	82
A. NOT OPERATED	3088	7.4	59	2	3	5	7	16	23	41
B. OPERATED	174	32.9	510	6	8	28	50	81	95	99+
TOTAL 1-999 G	9	80.8	331	44	65	92	99+	99+	99+	99+
1000-1499	126	42.5	272	22	24	41	53	64	80	99+
1500-1749	134	26.7	107	14	16	25	32	39	45	58
1750-2499	1278	8.5	45	2	3	6	12	18	22	32
2500+	1715	4.7	5	2	2	4	6	7	8	12
GRAND TOTAL	**3262**	**8.8**	**116**	**2**	**3**	**5**	**8**	**20**	**31**	**61**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	32	3.8	11	1	1	3	4	8	12	15
2500+	361	2.7	2	1	1	2	3	4	5	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	39.8	518	16	16	37	57	68	68	68
1500-1749	8	22.5	41	15	15	23	27	31	32	32
1750-2499	61	9.4	92	1	2	6	13	20	27	53
2500+	136	4.3	10	1	2	3	5	7	13	17
B. *Operated*										
1-999 G	1	56.0		56	56	78	99+	99+	99+	99+
1000-1499	3	56.3	400	36	36	57	71	76	76	76
1500-1749	4	30.8	179	15	15	31	41	45	45	45
1750-2499	8	16.0	158	<1	<1	15	21	35	40	40
2500+	4	12.8	172	4	4	7	21	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	393	2.8	3	1	1	2	3	4	5	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	209	7.2	78	1	2	4	8	17	24	51
B. *Operated*	20	26.4	432	1	3	24	41	65	87	99+
1. SINGLE DX	393	2.8	3	1	1	2	3	4	5	12
2. MULTIPLE DX	229	8.8	137	1	2	4	11	23	32	70
A. NOT OPERATED	602	4.3	33	1	1	3	4	8	14	29
B. OPERATED	20	26.4	432	1	3	24	41	65	87	99+
TOTAL 1-999 G	1	56.0		56	56	78	99+	99+	99+	99+
1000-1499	7	46.9	471	16	18	47	65	74	76	76
1500-1749	12	25.3	91	15	15	25	30	40	44	45
1750-2499	101	8.2	82	1	1	4	12	18	24	48
2500+	501	3.2	7	1	1	3	3	5	7	14
GRAND TOTAL	**622**	**5.0**	**61**	**1**	**1**	**3**	**4**	**11**	**17**	**49**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.8	1	<1	1	1	3	4	4	4
20-34	12	2.3	4	<1	<1	2	3	5	8	8
35-49	8	4.4	29	1	1	2	5	14	17	17
50-64	14	3.8	9	<1	1	3	5	7	12	13
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	514	2.4	2	<1	1	2	3	4	5	7
20-34	751	2.7	4	<1	1	2	3	5	6	8
35-49	413	2.7	4	1	1	2	3	4	5	13
50-64	334	3.5	25	1	1	3	4	5	8	19
65+	250	4.8	26	1	1	3	5	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	3	1.7		<1	<1	2	2	2	2	2
35-49	7	3.1	6	1	1	3	4	7	8	8
50-64	5	3.0	2	2	2	3	4	5	5	5
65+	3	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	101	4.6	33	1	1	3	4	7	18	33
20-34	168	3.8	15	<1	1	3	4	8	10	26
35-49	79	5.2	35	2	2	3	6	9	12	36
50-64	105	6.2	51	1	1	4	7	15	20	38
65+	108	9.9	83	2	2	6	14	20	33	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	2.8	8	<1	1	2	3	5	7	17
B. *Operated*	2262	3.0	10	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	24	2.2	3	<1	1	2	3	4	6	8
B. *Operated*	561	5.8	45	1	2	3	6	13	19	36
1. SINGLE DX	2318	3.0	10	<1	1	2	3	5	7	14
2. MULTIPLE DX	585	5.6	44	1	1	3	6	13	19	36
A. NOT OPERATED	80	2.6	6	<1	1	2	3	5	7	16
B. OPERATED	2823	3.5	18	1	1	2	4	6	9	23
TOTAL 0-19 YRS	640	2.7	8	<1	1	2	3	4	6	18
20-34	934	2.9	6	<1	1	2	3	5	6	11
35-49	507	3.2	10	1	1	2	4	5	8	15
50-64	458	4.1	31	1	1	3	4	7	12	27
65+	364	6.2	49	1	2	4	7	14	18	36
GRAND TOTAL	**2903**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**22**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	1.5	2	<1	1	1	1	2	4	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	25	2.5	3	1	1	2	3	3	6	10
50-64	231	1.2	1	1	1	1	1	1	2	6
65+	227	1.3	1	1	1	1	1	2	3	4
B. *Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	3	5.7	14	3	3	4	8	10	10	10
35-49	10	4.1	8	1	1	3	4	9	10	10
50-64	19	8.2	98	1	1	5	8	26	35	35
65+	11	8.1	72	2	2	5	11	20	30	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.3	3	1	1	2	3	5	6	6
B. *Operated*	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	563	1.3	1	1	1	1	1	2	3	6
B. *Operated*	45	7.0	62	1	2	4	8	13	32	35
1. SINGLE DX	10	3.4	10	1	1	2	5	8	11	11
2. MULTIPLE DX	608	1.8	8	1	1	1	1	3	4	13
A. NOT OPERATED	571	1.4	1	1	1	1	1	2	3	6
B. OPERATED	47	7.1	60	1	2	4	9	13	31	35
TOTAL 0-19 YRS	82	1.6	3	<1	1	1	1	3	4	12
20-34	5	5.4	8	3	3	4	7	10	10	10
35-49	36	2.9	5	1	1	2	3	5	9	10
50-64	252	1.7	11	1	1	1	1	2	5	13
65+	243	1.6	6	1	1	1	1	2	4	12
GRAND TOTAL	**618**	**1.8**	**8**	**1**	**1**	**1**	**1**	**3**	**5**	**13**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	849	2.5	8	<1	<1	2	3	5	7	15
20-34	1200	2.5	14	<1	<1	2	3	4	6	17
35-49	602	3.1	24	<1	1	2	4	5	8	24
50-64	840	3.0	10	<1	1	2	4	5	8	17
65+	679	4.7	62	1	1	3	5	9	16	99+
B. *Operated*										
0-19 YRS	436	3.3	21	<1	1	2	3	7	10	21
20-34	2069	2.9	10	<1	<1	2	3	6	8	15
35-49	1054	3.7	13	<1	1	2	5	9	11	15
50-64	747	4.4	18	1	1	3	6	10	13	19
65+	684	4.3	21	1	1	2	5	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	715	3.8	23	<1	1	2	4	7	13	24
20-34	1504	3.9	46	1	1	2	4	7	10	36
35-49	1978	3.9	40	<1	1	2	4	7	11	35
50-64	4225	3.9	36	1	1	2	4	7	11	33
65+	4013	5.6	70	1	1	3	6	14	21	48
B. *Operated*										
0-19 YRS	278	5.3	59	1	1	3	6	12	18	47
20-34	1530	4.3	59	<1	1	2	4	8	13	56
35-49	1357	5.2	49	1	1	3	6	11	17	58
50-64	1635	6.4	75	1	1	3	8	14	21	54
65+	1704	7.9	129	1	1	4	10	17	31	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4170	3.0	22	<1	1	2	3	6	8	24
B. *Operated*	4990	3.5	15	<1	<1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	12435	4.4	49	1	1	2	5	9	15	39
B. *Operated*	6504	6.0	81	1	1	3	7	13	21	65
1. SINGLE DX	9160	3.3	18	<1	<1	2	4	7	10	19
2. MULTIPLE DX	18939	5.0	60	1	1	3	5	11	17	47
A. NOT OPERATED	16605	4.1	42	<1	1	2	4	8	14	38
B. OPERATED	11494	4.9	54	<1	1	3	5	11	15	46
TOTAL 0-19 YRS	2278	3.4	22	<1	1	2	4	7	11	24
20-34	6303	3.4	32	<1	<1	2	4	6	9	29
35-49	4991	4.1	35	<1	1	2	5	8	12	36
50-64	7447	4.4	41	1	1	2	5	9	14	35
65+	7080	6.0	80	1	1	3	6	14	22	56
GRAND TOTAL	**28099**	**4.4**	**47**	**<1**	**1**	**2**	**5**	**9**	**14**	**40**

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
239	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, Southern Region, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
Southern Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1]*ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2]*Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3]*International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108511	3.1	10	1	1	2	4	6	8	15
20-34	203708	3.7	11	1	1	3	4	7	9	16
35-49	100862	5.1	22	1	1	4	7	10	13	22
50-64	90146	6.1	31	1	2	4	8	12	16	27
65+	90632	7.2	47	2	2	5	9	15	20	33
2. MULTIPLE DX										
0-19 YRS	90382	4.9	51	1	1	3	5	9	14	42
20-34	215308	5.3	30	1	2	4	6	9	13	29
35-49	152527	7.1	48	2	2	6	8	13	18	37
50-64	191385	8.8	70	2	2	7	11	17	24	45
65+	299034	11.0	99	2	3	8	14	22	30	54
TOT. SINGLE DX	593859	4.7	23	1	1	3	6	10	13	24
" MULTIPLE DX	948636	8.1	71	2	2	6	10	17	23	45
TOTAL 0-19 YRS	198893	4.0	29	1	1	3	4	7	10	28
20-34	419016	4.5	22	1	2	3	5	8	11	23
35-49	253389	6.3	38	1	2	5	8	12	16	31
50-64	281531	7.9	59	2	2	6	10	16	21	40
65+	389666	10.1	90	2	2	8	13	21	28	50
GRAND TOTAL	**1542495**	**6.8**	**55**	**1**	**2**	**4**	**8**	**14**	**20**	**38**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	55	13.0	159	2	3	9	16	36	46	55
20-34	90	14.4	114	4	6	12	16	24	30	66
35-49	98	14.1	80	4	7	12	18	25	30	50
50-64	148	16.1	137	4	6	14	19	27	35	87
65+	145	16.7	95	5	7	14	22	29	37	46
2. MULTIPLE DX										
0-19 YRS	82	19.7	378	3	4	14	26	56	85	99+
20-34	86	23.9	305	7	8	18	32	53	66	94
35-49	106	22.5	302	6	7	18	30	52	80	99+
50-64	249	24.3	326	7	9	19	31	56	77	99+
65+	272	27.4	309	8	10	23	36	56	76	99+
TOT. SINGLE DX	536	15.3	115	3	5	13	18	27	37	59
" MULTIPLE DX	795	24.6	325	6	8	19	32	55	76	99+
TOTAL 0-19 YRS	137	17.0	300	2	3	10	20	48	64	99+
20-34	176	19.1	229	5	7	14	23	42	54	82
35-49	204	18.5	212	5	7	14	23	37	55	99+
50-64	397	21.2	271	5	8	17	26	45	68	99+
65+	417	23.7	261	7	8	19	31	51	64	99+
GRAND TOTAL	**1331**	**20.9**	**261**	**5**	**7**	**16**	**27**	**47**	**61**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	9.6	54	3	3	7	12	20	29	32
20-34	64	16.5	149	5	7	12	22	33	54	94
35-49	82	16.2	155	5	7	14	19	27	31	85
50-64	115	16.9	129	5	7	14	19	33	42	60
65+	116	17.5	118	6	7	14	24	37	42	64
2. MULTIPLE DX										
0-19 YRS	67	18.0	359	3	4	13	26	70	99+	99+
20-34	86	17.9	200	6	6	13	22	38	56	99+
35-49	82	26.8	431	7	8	23	40	75	99+	99+
50-64	125	23.9	312	7	8	19	31	52	74	99+
65+	218	23.9	263	6	8	20	31	46	59	85
TOT. SINGLE DX	422	16.1	131	4	6	13	20	30	40	69
" MULTIPLE DX	578	22.7	306	6	7	18	31	52	74	99+
TOTAL 0-19 YRS	112	14.6	252	3	3	9	18	46	85	99+
20-34	150	17.3	178	5	6	13	22	36	55	99+
35-49	164	21.5	320	6	8	16	26	53	79	99+
50-64	240	20.5	236	6	8	16	26	44	53	99+
65+	334	21.6	222	6	7	17	28	42	53	82
GRAND TOTAL	**1000**	**19.9**	**243**	**5**	**6**	**16**	**26**	**43**	**64**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	6.1	42	2	2	5	7	9	11	41
20-34	37	7.2	20	2	2	6	9	15	17	19
35-49	13	8.6	42	3	3	7	9	20	24	25
50-64	7	5.1	3	3	3	5	6	8	9	9
65+	4	13.3	80	5	5	11	19	26	26	26
2. MULTIPLE DX										
0-19 YRS	86	9.7	149	2	2	6	10	15	37	74
20-34	67	12.4	168	3	3	8	13	28	37	67
35-49	42	11.1	97	3	4	8	15	26	38	99+
50-64	18	19.6	333	5	6	12	25	54	65	66
65+	12	11.3	40	3	5	9	15	22	23	23
TOT. SINGLE DX	158	6.7	37	2	3	5	8	11	15	26
" MULTIPLE DX	225	11.6	158	2	3	8	12	26	37	71
TOTAL 0-19 YRS	183	7.8	95	2	2	6	8	11	17	62
20-34	104	10.5	121	2	3	7	12	21	32	64
35-49	55	10.5	84	3	3	7	14	24	28	97
50-64	25	15.6	281	3	4	9	18	31	64	66
65+	16	11.8	46	4	5	10	15	23	25	26
GRAND TOTAL	**383**	**9.6**	**114**	**2**	**3**	**7**	**10**	**19**	**29**	**65**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	71	8.6	34	2	3	8	10	13	20	35
20-34	17	9.8	23	3	4	10	14	20	69	99+
35-49	12	17.0	143	4	5	13	22	32	46	48
50-64	20	17.9	119	6	7	13	23	35	41	45
65+	37	17.2	118	6	8	14	22	30	44	52
2. MULTIPLE DX										
0-19 YRS	102	24.6	495	3	4	16	42	62	93	99+
20-34	29	19.1	187	6	7	14	26	37	50	64
35-49	20	28.9	694	5	7	28	95	99+	99+	99+
50-64	29	26.4	502	5	8	16	32	69	74	79
65+	76	28.1	375	7	11	24	32	58	69	98
TOT. SINGLE DX	157	12.6	88	3	4	10	15	24	34	52
" MULTIPLE DX	256	25.6	442	4	7	19	37	66	95	99+
TOTAL 0-19 YRS	173	18.1	367	3	4	10	23	50	70	99+
20-34	46	15.7	145	4	6	11	20	31	51	99+
35-49	32	24.4	511	4	6	19	60	99+	99+	99+
50-64	49	22.9	358	5	8	14	27	55	71	79
65+	113	24.5	316	7	8	21	29	46	64	96
GRAND TOTAL	**413**	**20.6**	**347**	**4**	**5**	**14**	**27**	**54**	**73**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	7.5	56	2	2	6	9	12	15	46
20-34	26	8.1	131	1	1	5	9	15	26	60
35-49	16	19.3	142	3	5	17	26	36	43	46
50-64	7	15.4	22	9	9	15	20	22	22	22
65+	10	8.0	14	3	3	8	9	14	16	16
2. MULTIPLE DX										
0-19 YRS	241	14.0	287	2	2	8	17	37	56	99+
20-34	60	18.1	308	2	4	12	27	48	67	99+
35-49	43	18.0	206	3	4	13	26	51	74	99+
50-64	44	21.1	317	5	7	16	26	51	60	74
65+	56	23.0	248	7	8	18	28	48	56	69
TOT. SINGLE DX	170	9.0	84	2	2	7	11	17	27	57
" MULTIPLE DX	444	16.8	290	2	3	11	23	47	57	99+
TOTAL 0-19 YRS	352	11.9	223	2	2	7	12	30	50	99
20-34	86	15.0	274	1	3	8	19	46	57	99+
35-49	59	18.4	187	3	4	14	26	46	59	99+
50-64	51	20.3	280	6	7	15	24	49	57	74
65+	66	20.7	242	5	7	16	28	48	56	69
GRAND TOTAL	**614**	**14.6**	**244**	**2**	**3**	**9**	**19**	**38**	**54**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.0	16	5	5	8	10	16	17	17
20-34	279	10.1	30	4	5	8	12	17	20	35
35-49	544	10.6	24	5	6	9	13	17	21	29
50-64	497	12.0	33	5	6	10	15	21	24	31
65+	223	15.9	89	7	8	13	19	27	33	54
2. MULTIPLE DX										
0-19 YRS	18	21.2	222	4	6	20	33	78	99+	99+
20-34	178	16.0	143	5	6	13	19	28	42	73
35-49	356	14.4	79	5	7	12	18	25	31	57
50-64	492	17.4	147	6	8	14	21	31	40	72
65+	351	22.5	239	8	9	18	29	43	62	99
TOT. SINGLE DX	1553	11.7	41	5	6	10	14	20	24	34
" MULTIPLE DX	1395	17.8	162	6	7	14	22	33	47	87
TOTAL 0-19 YRS	28	16.9	181	5	5	14	24	54	99+	99+
20-34	457	12.4	82	4	5	10	15	22	28	58
35-49	900	12.1	50	5	6	10	14	21	25	42
50-64	989	14.7	98	6	7	12	18	26	32	56
65+	574	20.0	191	7	9	16	24	36	52	88
GRAND TOTAL	**2948**	**14.6**	**108**	**5**	**6**	**12**	**18**	**26**	**34**	**63**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	8.8	26	3	3	7	12	17	19	19
20-34	86	8.1	85	1	2	5	11	17	25	53
35-49	84	8.3	37	1	2	7	12	16	21	26
50-64	58	11.0	99	2	2	10	15	21	32	50
65+	31	13.2	212	1	2	10	17	27	32	77
2. MULTIPLE DX										
0-19 YRS	70	18.0	154	2	5	15	22	34	44	62
20-34	113	14.6	174	2	3	11	17	32	43	85
35-49	120	13.2	204	2	3	9	15	29	49	69
50-64	110	15.6	149	2	3	12	21	33	40	85
65+	77	21.5	296	2	4	19	30	46	55	81
TOT. SINGLE DX	281	9.4	85	1	2	7	13	19	24	49
" MULTIPLE DX	490	16.0	199	2	3	12	21	34	47	76
TOTAL 0-19 YRS	92	15.8	139	3	4	14	19	32	43	59
20-34	199	11.8	146	1	2	9	15	28	34	72
35-49	204	11.2	141	2	2	8	13	22	30	58
50-64	168	14.0	136	2	2	11	18	30	39	71
65+	108	19.1	284	2	3	14	27	42	52	82
GRAND TOTAL	**771**	**13.6**	**167**	**2**	**2**	**10**	**17**	**30**	**40**	**67**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.7	2	<1	1	2	3	5	6	8
20-34	221	3.1	7	<1	1	2	3	6	9	17
35-49	361	3.4	7	1	2	3	4	6	9	17
50-64	460	3.2	7	1	2	3	3	5	8	13
65+	240	3.8	18	1	2	3	4	6	10	21
2. MULTIPLE DX										
0-19 YRS	23	4.5	25	1	2	3	4	9	15	25
20-34	103	5.0	30	1	2	3	5	11	18	29
35-49	185	5.4	38	2	2	3	5	10	17	40
50-64	242	5.5	45	2	2	3	5	12	17	36
65+	146	7.0	56	2	2	4	8	18	31	99+
TOT. SINGLE DX	1313	3.4	9	1	1	3	4	6	9	15
" MULTIPLE DX	699	5.7	43	2	2	3	6	12	18	38
TOTAL 0-19 YRS	54	3.5	13	<1	1	3	4	6	9	24
20-34	324	3.7	15	1	1	2	4	7	11	21
35-49	546	4.1	19	1	2	3	4	8	10	21
50-64	702	4.0	21	1	2	3	4	8	11	23
65+	386	5.0	35	1	2	3	5	11	16	39
GRAND TOTAL	**2012**	**4.2**	**22**	**1**	**2**	**3**	**4**	**8**	**12**	**27**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	2.8	11	1	1	2	3	4	6	20
20-34	772	2.5	2	<1	1	2	3	4	6	10
35-49	1284	2.6	3	1	1	2	3	4	5	10
50-64	1253	2.7	4	<1	1	2	3	4	6	11
65+	624	2.9	8	<1	1	2	3	5	7	15
2. MULTIPLE DX										
0-19 YRS	155	3.3	24	1	1	2	3	5	7	23
20-34	472	3.7	20	1	1	2	4	7	11	27
35-49	546	4.4	20	1	2	3	5	9	12	22
50-64	644	5.1	23	1	2	3	6	11	14	26
65+	436	5.3	26	1	2	3	7	11	14	29
TOT. SINGLE DX	4037	2.6	5	<1	1	2	3	4	6	11
" MULTIPLE DX	2253	4.6	23	1	1	3	5	10	13	27
TOTAL 0-19 YRS	259	3.1	19	1	1	2	3	5	7	23
20-34	1244	3.0	10	1	1	2	3	5	7	16
35-49	1830	3.1	9	1	1	2	3	5	8	15
50-64	1897	3.5	13	1	1	2	4	7	10	18
65+	1060	3.9	17	1	1	2	4	8	11	22
GRAND TOTAL	**6290**	**3.3**	**12**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34	30	7.9	17	4	5	6	9	15	19	20
35-49	29	8.5	19	3	3	8	11	15	16	18
50-64	36	9.3	32	4	5	8	10	14	19	35
65+	38	10.3	23	3	4	10	13	16	20	23
2. MULTIPLE DX										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	35	8.9	43	4	4	6	11	19	22	32
35-49	42	10.8	81	2	3	8	15	25	30	43
50-64	69	14.2	114	4	5	12	18	24	31	68
65+	163	16.9	169	6	7	13	19	32	44	93
TOT. SINGLE DX	137	9.0	24	3	4	8	11	16	17	25
" MULTIPLE DX	311	14.5	138	4	5	11	18	27	36	81
TOTAL 0-19 YRS	6	4.8	3	3	3	5	6	7	7	7
20-34	65	8.5	31	4	4	6	9	18	20	30
35-49	71	9.9	57	2	3	8	13	18	26	41
50-64	105	12.5	91	4	5	10	15	22	29	56
65+	201	15.7	148	6	7	12	18	28	41	92
GRAND TOTAL	**448**	**12.8**	**110**	**4**	**5**	**10**	**16**	**23**	**32**	**63**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	23	5.6	85	1	1	2	5	12	33	38
35-49	48	5.8	22	1	2	4	8	11	16	23
50-64	35	5.6	15	<1	<1	5	8	11	14	16
65+	15	4.2	6	2	2	3	5	9	9	9
2. MULTIPLE DX										
0-19 YRS	9	3.8	4	1	1	4	4	7	8	8
20-34	32	8.5	38	2	3	5	12	18	23	25
35-49	51	7.4	40	1	2	5	10	16	21	30
50-64	40	10.0	102	2	3	7	11	20	31	55
65+	44	15.3	150	2	3	12	22	29	43	56
TOT. SINGLE DX	126	5.4	29	1	1	4	7	11	14	32
" MULTIPLE DX	176	10.0	90	2	3	7	13	22	26	54
TOTAL 0-19 YRS	14	3.5	4	1	1	3	4	6	8	8
20-34	55	7.3	59	1	1	5	10	18	24	38
35-49	99	6.6	32	1	2	4	9	15	20	27
50-64	75	7.9	66	1	2	6	10	14	21	51
65+	59	12.5	137	2	2	8	18	25	36	55
GRAND TOTAL	**302**	**8.1**	**69**	**1**	**2**	**5**	**10**	**18**	**24**	**45**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	4.5	9	2	2	4	5	6	10	21
20-34	733	4.5	4	2	3	4	5	6	8	14
35-49	866	4.4	3	3	3	4	5	6	7	12
50-64	656	4.7	7	3	3	4	5	7	8	13
65+	294	5.8	31	3	3	5	6	9	13	23
2. MULTIPLE DX										
0-19 YRS	33	4.9	5	2	3	4	5	8	11	13
20-34	261	5.7	17	3	3	5	6	9	13	29
35-49	397	6.0	32	3	3	5	6	10	14	27
50-64	496	7.1	29	3	3	5	8	13	17	30
65+	339	9.3	45	3	4	7	12	18	23	33
TOT. SINGLE DX	2653	4.6	8	3	3	4	5	7	8	14
" MULTIPLE DX	1526	7.0	33	3	3	5	8	13	17	30
TOTAL 0-19 YRS	137	4.6	9	2	2	4	5	7	10	20
20-34	994	4.8	9	2	3	4	5	7	9	17
35-49	1263	4.9	13	3	3	4	5	7	10	17
50-64	1152	5.7	18	3	3	4	6	10	13	25
65+	633	7.7	42	3	3	6	9	15	20	32
GRAND TOTAL	**4179**	**5.5**	**19**	**3**	**3**	**4**	**6**	**9**	**13**	**24**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	173	2.4	1	1	1	2	3	4	5	9
20-34	112	3.4	3	1	2	3	4	5	7	11
35-49	93	4.0	5	2	2	3	5	7	10	12
50-64	92	5.1	19	2	2	4	6	8	10	30
65+	60	6.3	18	1	2	5	9	12	15	18
2. MULTIPLE DX										
0-19 YRS	27	4.5	14	1	2	3	6	8	10	19
20-34	66	6.6	44	2	2	5	7	14	18	40
35-49	91	7.9	46	2	3	6	9	16	19	40
50-64	148	10.8	93	3	4	8	13	20	28	57
65+	162	13.2	123	4	4	9	18	26	39	62
TOT. SINGLE DX	530	3.8	9	1	2	3	4	7	9	15
" MULTIPLE DX	494	10.1	91	2	3	7	12	22	28	56
TOTAL 0-19 YRS	200	2.7	4	1	1	2	3	5	6	10
20-34	178	4.6	21	1	2	3	5	8	12	25
35-49	184	5.9	29	2	2	4	7	11	16	33
50-64	240	8.6	72	2	3	6	10	17	25	48
65+	222	11.3	104	2	3	8	14	24	33	59
GRAND TOTAL	**1024**	**6.9**	**58**	**1**	**2**	**4**	**8**	**15**	**22**	**43**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	10.5	27	2	5	10	12	17	22	23
20-34	45	10.6	14	6	7	10	12	16	18	25
35-49	33	11.7	51	5	6	10	12	23	26	37
50-64	28	15.3	89	7	7	14	17	26	32	52
65+	18	15.6	94	4	8	12	19	31	38	41
2. MULTIPLE DX										
0-19 YRS	8	15.4	108	3	4	12	23	31	33	33
20-34	44	14.0	90	6	7	11	15	26	34	53
35-49	47	17.1	102	7	8	14	21	36	38	42
50-64	51	18.9	148	5	6	15	26	39	45	99
65+	29	17.3	82	4	5	17	21	32	34	42
TOT. SINGLE DX	137	12.5	54	6	6	10	14	22	26	42
" MULTIPLE DX	179	16.8	110	5	7	14	21	34	40	53
TOTAL 0-19 YRS	21	12.4	60	2	5	10	15	25	30	33
20-34	89	12.3	55	6	7	10	13	22	26	46
35-49	80	14.9	88	5	6	12	19	30	37	42
50-64	79	17.6	129	5	7	14	23	37	44	86
65+	47	16.6	86	4	6	16	21	32	35	42
GRAND TOTAL	**316**	**14.9**	**90**	**5**	**7**	**12**	**18**	**30**	**37**	**52**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	1.5		<1	<1	1	2	2	3	7
20-34	32	1.5		<1	<1	1	2	3	3	3
35-49	38	2.1	4	<1	<1	2	2	4	6	12
50-64	85	2.3	3	<1	1	2	2	4	6	10
65+	157	2.4	4	<1	1	2	2	4	5	11
2. MULTIPLE DX										
0-19 YRS	30	2.2	3	<1	<1	2	3	4	7	8
20-34	19	3.0	5	1	2	2	3	7	9	9
35-49	50	4.3	21	1	1	3	6	10	15	23
50-64	107	5.1	22	1	1	3	8	11	15	20
65+	153	5.2	25	1	2	3	7	12	16	23
TOT. SINGLE DX	440	2.0	3	<1	<1	2	2	3	5	10
" MULTIPLE DX	359	4.7	22	1	1	3	6	11	15	21
TOTAL 0-19 YRS	158	1.6	1	<1	<1	1	2	3	3	8
20-34	51	2.1	3	<1	<1	2	2	3	5	9
35-49	88	3.4	15	<1	1	2	3	8	12	21
50-64	192	3.8	16	1	1	2	4	10	12	19
65+	310	3.8	17	<1	1	2	4	8	12	19
GRAND TOTAL	**799**	**3.2**	**13**	**<1**	**1**	**2**	**3**	**8**	**11**	**19**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	1.8		<1	1	2	2	3	3	5
20-34	78	2.3	3	<1	<1	2	3	3	7	11
35-49	148	1.9	2	<1	<1	2	2	3	5	7
50-64	233	2.0	1	<1	<1	2	2	3	4	6
65+	377	2.1	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	210	2.9	8	<1	1	2	3	6	9	16
20-34	271	3.6	18	1	1	2	4	7	9	24
35-49	204	4.2	36	1	1	3	4	6	13	37
50-64	302	3.8	24	1	1	2	4	8	12	26
65+	514	4.6	43	1	1	2	4	10	17	37
TOT. SINGLE DX	1045	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	1501	4.0	29	1	1	2	4	8	12	30
TOTAL 0-19 YRS	419	2.4	5	<1	1	2	3	4	6	15
20-34	349	3.3	15	<1	1	2	4	7	9	15
35-49	352	3.2	23	<1	<1	2	3	5	8	30
50-64	535	3.0	15	<1	1	2	3	5	9	19
65+	891	3.5	27	<1	1	2	3	6	11	29
GRAND TOTAL	**2546**	**3.2**	**19**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	1.9		<1	1	2	2	3	3	6
20-34	53	2.0		1	1	2	2	3	3	4
35-49	40	2.4		1	1	2	3	4	4	4
50-64	60	2.7	2	1	1	2	3	4	5	10
65+	87	2.6	1	1	2	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	19	3.3	21	1	1	2	3	7	15	21
20-34	50	3.7	33	1	2	2	3	4	21	33
35-49	22	3.7	8	1	2	3	4	8	11	14
50-64	44	3.5	16	1	2	3	3	5	8	27
65+	92	3.8	23	2	2	3	4	5	8	32
TOT. SINGLE DX	277	2.4	1	1	1	2	3	3	4	6
" MULTIPLE DX	227	3.7	22	1	2	3	3	5	9	28
TOTAL 0-19 YRS	56	2.3	8	1	1	2	2	3	6	20
20-34	103	2.8	17	1	1	2	3	3	4	28
35-49	62	2.8	4	1	1	2	3	4	6	13
50-64	104	3.0	8	1	2	3	3	4	5	19
65+	179	3.2	13	2	2	3	3	5	5	15
GRAND TOTAL	**504**	**3.0**	**11**	**1**	**1**	**2**	**3**	**4**	**5**	**21**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	1.6		<1	1	1	2	2	3	3
20-34	8	1.4		<1	<1	1	2	2	2	2
35-49	14	2.6	4	<1	1	2	2	6	8	8
50-64	7	2.3	1	1	1	2	3	4	4	4
65+	19	2.8	15	1	1	2	2	3	12	19
2. MULTIPLE DX										
0-19 YRS	18	2.1	4	<1	1	2	2	3	7	10
20-34	7	4.6	11	1	1	3	7	9	10	10
35-49	11	2.6	2	<1	<1	3	4	5	6	6
50-64	13	3.3	15	<1	<1	2	3	6	14	16
65+	17	2.6	6	<1	1	2	3	7	9	9
TOT. SINGLE DX	72	2.1	5	<1	1	2	2	3	4	17
" MULTIPLE DX	66	2.8	7	<1	1	2	3	7	9	15
TOTAL 0-19 YRS	42	1.8	2	<1	1	2	2	3	3	10
20-34	15	2.9	8	<1	1	2	3	7	9	10
35-49	25	2.6	3	<1	1	2	3	6	7	8
50-64	20	3.0	10	<1	1	2	3	4	10	16
65+	36	2.7	11	1	1	2	2	5	9	19
GRAND TOTAL	**138**	**2.5**	**6**	**<1**	**1**	**2**	**2**	**4**	**8**	**16**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	4.2	2	2	2	4	6	6	6	6
20-34	32	3.9	1	2	2	4	5	6	6	6
35-49	20	3.6	4	1	1	3	4	7	8	8
50-64	31	4.1	9	1	1	4	5	7	11	15
65+	112	4.0	4	2	2	4	5	6	7	12
2. MULTIPLE DX										
0-19 YRS	7	5.3	17	1	1	5	5	12	14	14
20-34	20	5.5	9	3	3	5	6	8	12	17
35-49	25	6.2	59	2	2	5	6	8	19	42
50-64	46	5.5	22	2	2	4	6	9	18	23
65+	178	5.1	31	2	2	4	6	7	10	35
TOT. SINGLE DX	201	4.0	5	1	2	4	5	6	7	13
" MULTIPLE DX	276	5.3	30	2	2	4	6	7	11	35
TOTAL 0-19 YRS	13	4.8	10	1	2	4	5	8	13	14
20-34	52	4.5	5	2	3	4	5	6	7	17
35-49	45	5.0	36	1	2	4	5	8	9	42
50-64	77	4.9	17	1	2	4	5	8	16	22
65+	290	4.7	21	2	2	4	5	7	8	21
GRAND TOTAL	**477**	**4.7**	**20**	**2**	**2**	**4**	**5**	**7**	**9**	**22**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.4	6	<1	1	3	4	7	7	15
20-34	94	2.4	3	<1	<1	2	3	4	7	9
35-49	113	1.9	2	<1	<1	2	2	3	4	9
50-64	94	2.1	2	<1	<1	2	2	4	5	9
65+	98	2.4	11	<1	<1	2	2	4	6	21
2. MULTIPLE DX										
0-19 YRS	93	4.2	12	1	1	4	6	7	8	22
20-34	107	4.5	10	1	2	4	6	8	10	19
35-49	58	4.2	15	1	1	3	5	8	12	23
50-64	55	3.7	13	1	1	2	4	9	11	18
65+	104	3.8	18	1	1	2	4	8	11	25
TOT. SINGLE DX	456	2.3	5	<1	<1	2	2	4	6	9
" MULTIPLE DX	417	4.1	14	1	1	3	5	8	11	23
TOTAL 0-19 YRS	150	3.9	10	1	1	3	5	7	8	20
20-34	201	3.5	8	<1	1	3	5	7	9	13
35-49	171	2.7	8	<1	<1	2	3	5	7	14
50-64	149	2.7	7	<1	1	2	3	5	9	16
65+	202	3.1	15	<1	1	2	3	6	9	25
GRAND TOTAL	**873**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.6	16	<1	<1	2	4	9	15	16
20-34	28	3.3	6	1	1	3	4	6	8	12
35-49	45	3.3	6	1	1	3	4	6	9	14
50-64	125	3.7	14	1	1	3	4	8	9	26
65+	273	3.3	6	1	2	3	3	6	9	14
2. MULTIPLE DX										
0-19 YRS	7	2.7	2	1	1	2	4	5	5	5
20-34	28	4.5	15	1	1	3	5	10	15	16
35-49	31	4.4	18	1	1	3	5	9	12	23
50-64	85	5.4	76	2	2	3	5	10	14	59
65+	243	4.5	11	1	2	3	5	9	11	17
TOT. SINGLE DX	493	3.4	9	1	1	3	4	7	9	15
" MULTIPLE DX	394	4.6	26	1	2	3	5	9	12	21
TOTAL 0-19 YRS	29	3.4	13	<1	<1	2	4	6	15	16
20-34	56	3.9	11	1	1	3	5	9	11	16
35-49	76	3.7	12	1	1	3	4	8	10	21
50-64	210	4.4	40	1	1	3	4	8	10	35
65+	516	3.8	9	1	2	3	4	7	10	16
GRAND TOTAL	**887**	**4.0**	**17**	**1**	**2**	**3**	**4**	**8**	**10**	**18**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	3.0	5	<1	<1	2	4	7	8	9
20-34	25	3.8	6	1	1	3	5	8	10	10
35-49	49	2.3	1	<1	1	2	3	4	4	8
50-64	140	3.0	6	1	1	2	3	6	8	13
65+	222	3.2	7	1	1	2	4	7	8	15
2. MULTIPLE DX										
0-19 YRS	62	5.2	18	1	2	4	7	11	15	20
20-34	53	5.1	16	1	1	4	6	12	14	18
35-49	38	4.5	13	1	1	4	6	9	11	20
50-64	99	5.1	24	1	1	3	7	13	16	65
65+	232	5.0	28	1	1	3	6	11	17	27
TOT. SINGLE DX	457	3.1	7	1	1	2	4	6	8	13
" MULTIPLE DX	484	5.0	24	1	1	3	6	11	15	26
TOTAL 0-19 YRS	83	4.7	16	<1	1	3	6	9	14	19
20-34	78	4.7	14	1	1	4	6	10	14	17
35-49	87	3.3	8	1	1	2	4	7	8	17
50-64	239	3.9	15	1	1	3	4	8	13	22
65+	454	4.1	19	1	1	3	5	8	13	25
GRAND TOTAL	**941**	**4.1**	**16**	**1**	**1**	**3**	**5**	**9**	**12**	**22**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.6	2	1	1	2	3	5	6	7
20-34	15	2.3	1	1	1	2	3	4	4	4
35-49	251	2.5	1	1	2	2	3	4	4	7
50-64	1764	2.6	1	1	2	2	3	4	4	7
65+	6981	2.7	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	16	4.1	17	1	1	3	5	7	15	18
20-34	14	4.2	4	2	2	3	6	7	8	8
35-49	179	3.9	34	2	2	3	4	7	9	12
50-64	1241	3.4	8	2	2	3	4	5	8	15
65+	5155	3.8	16	2	2	3	4	6	9	19
TOT. SINGLE DX	9028	2.7	2	1	2	2	3	4	5	8
" MULTIPLE DX	6605	3.7	15	2	2	3	4	6	9	19
TOTAL 0-19 YRS	33	3.4	10	1	1	2	4	7	7	18
20-34	29	3.2	4	1	1	3	4	7	7	8
35-49	430	3.1	15	1	2	2	3	5	7	10
50-64	3005	2.9	4	2	2	2	3	4	6	11
65+	12136	3.2	8	2	2	3	3	5	7	14
GRAND TOTAL	**15633**	**3.1**	**8**	**2**	**2**	**3**	**3**	**5**	**7**	**14**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	2.3	2	1	1	2	3	3	4	10
20-34	48	2.3	1	1	1	2	2	4	4	8
35-49	451	2.3	1	1	1	2	2	3	4	7
50-64	2035	2.3		1	2	2	3	3	4	6
65+	7268	2.3	1	1	2	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	54	2.7	2	1	1	2	3	5	7	7
20-34	53	4.1	47	1	2	3	4	6	9	50
35-49	253	3.0	6	1	2	2	3	5	7	17
50-64	1353	3.0	7	2	2	2	3	4	7	15
65+	5636	3.0	8	2	2	2	3	4	6	15
TOT. SINGLE DX	9888	2.3	1	1	2	2	3	3	4	6
" MULTIPLE DX	7349	3.0	9	2	2	2	3	4	6	15
TOTAL 0-19 YRS	140	2.5	2	1	1	2	3	4	5	8
20-34	101	3.3	26	1	2	2	3	5	7	31
35-49	704	2.5	3	1	1	2	3	4	5	10
50-64	3388	2.6	4	1	2	2	3	4	5	10
65+	12904	2.6	5	1	2	2	3	4	5	10
GRAND TOTAL	**17237**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	2.0		1	1	2	2	3	3	3
20-34	7	1.9		1	1	2	2	3	3	3
35-49	43	2.3	1	<1	1	2	2	4	4	8
50-64	317	2.2		1	1	2	2	3	3	5
65+	1079	2.2		1	1	2	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	2.0		2	2	2	2	2	2	2
35-49	19	2.9	4	<1	1	2	4	5	8	10
50-64	176	2.9	5	1	2	2	3	4	7	16
65+	642	3.2	22	1	2	2	3	4	7	20
TOT. SINGLE DX	1453	2.2	1	1	1	2	2	3	4	6
" MULTIPLE DX	842	3.1	18	1	2	2	3	4	7	18
TOTAL 0-19 YRS	9	2.3	1	1	1	2	3	4	5	5
20-34	10	1.9		1	1	2	2	3	3	3
35-49	62	2.5	2	<1	1	2	3	4	5	10
50-64	493	2.4	3	1	1	2	3	3	4	9
65+	1721	2.6	9	1	1	2	3	4	5	11
GRAND TOTAL	**2295**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.4	5	<1	1	4	7	8	8	9
20-34	78	5.2	6	1	2	5	7	9	10	14
35-49	80	4.9	8	1	1	4	6	8	9	16
50-64	280	5.2	7	2	2	5	7	8	10	15
65+	292	5.6	8	2	2	5	7	9	11	17
2. MULTIPLE DX										
0-19 YRS	29	5.1	4	2	2	5	6	8	9	10
20-34	64	6.5	13	1	3	6	8	11	13	19
35-49	58	7.2	31	2	3	6	8	12	13	41
50-64	197	6.5	18	2	3	5	7	12	15	24
65+	239	6.2	12	2	3	5	8	11	12	18
TOT. SINGLE DX	766	5.3	8	1	2	5	7	9	10	15
" MULTIPLE DX	587	6.4	16	2	3	6	8	11	13	22
TOTAL 0-19 YRS	65	4.8	5	1	2	4	7	8	8	10
20-34	142	5.8	10	1	2	5	8	10	12	16
35-49	138	5.8	19	1	2	5	7	9	12	20
50-64	477	5.8	13	2	2	5	7	9	12	22
65+	531	5.9	10	2	3	5	7	10	12	17
GRAND TOTAL	**1353**	**5.8**	**12**	**2**	**2**	**5**	**7**	**9**	**12**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.3	7	2	2	3	5	9	10	10
20-34	23	4.5	8	1	1	3	7	8	9	10
35-49	16	3.3	6	1	1	2	4	6	10	11
50-64	34	3.8	5	1	2	3	5	8	8	10
65+	92	3.4	6	1	1	2	4	7	9	14
2. MULTIPLE DX										
0-19 YRS	26	4.5	8	2	2	4	5	10	26	99+
20-34	49	5.5	15	1	1	5	7	10	10	24
35-49	37	5.2	13	1	2	5	6	9	13	20
50-64	86	4.7	12	1	1	3	7	10	11	17
65+	176	5.0	15	1	2	4	7	10	13	22
TOT. SINGLE DX	177	3.7	7	1	1	3	4	8	9	12
" MULTIPLE DX	374	5.0	14	1	2	4	7	10	13	23
TOTAL 0-19 YRS	38	4.4	8	2	2	4	5	10	12	99+
20-34	72	5.2	14	1	1	4	7	9	10	22
35-49	53	4.6	12	1	2	4	6	8	12	20
50-64	120	4.4	11	1	1	3	7	9	11	16
65+	268	4.5	13	1	2	3	5	9	12	16
GRAND TOTAL	**551**	**4.6**	**12**	**1**	**2**	**3**	**6**	**9**	**12**	**17**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1251	1.8		1	1	2	2	2	2	3
20-34	236	2.0		1	1	2	2	3	3	4
35-49	132	2.1	1	1	1	2	2	3	4	7
50-64	73	2.0		1	1	2	2	3	3	5
65+	30	2.0		1	1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	273	2.3	33	1	1	2	2	2	3	5
20-34	108	2.2	2	1	1	2	2	3	3	13
35-49	64	2.4	2	1	1	2	2	3	5	12
50-64	38	2.1		1	1	2	2	3	3	4
65+	27	2.5		1	2	2	3	4	4	5
TOT. SINGLE DX	1722	1.8		1	1	2	2	2	3	4
" MULTIPLE DX	510	2.3	19	1	1	2	2	3	3	9
TOTAL 0-19 YRS	1524	1.8	6	1	1	2	2	2	2	3
20-34	344	2.1	1	1	1	2	2	3	3	6
35-49	196	2.2	2	1	1	2	2	3	4	8
50-64	111	2.0		1	1	2	2	3	3	5
65+	57	2.2	1	1	1	2	3	4	4	5
GRAND TOTAL	**2232**	**1.9**	**5**	**1**	**1**	**2**	**2**	**2**	**3**	**4**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.0		<1	<1	2	2	3	4	4
20-34	3	2.3		2	2	2	3	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	4	8.3	127	<1	<1	3	15	25	25	25
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	18	1.9	1	<1	<1	2	2	3	4	4
" MULTIPLE DX	9	4.7	60	<1	<1	2	3	17	25	25
TOTAL 0-19 YRS	14	1.9	1	<1	<1	2	2	3	4	4
20-34	7	5.7	74	<1	<1	2	4	21	25	25
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	1.3		1	1	1	2	2	2	2
GRAND TOTAL	**27**	**2.8**	**21**	**<1**	**<1**	**2**	**2**	**4**	**8**	**25**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	3.1	8	<1	1	2	4	7	8	14
20-34	85	2.7	3	1	1	2	3	4	6	11
35-49	87	3.0	4	1	1	2	3	5	7	11
50-64	59	3.1	7	1	1	2	3	6	7	19
65+	141	3.8	12	1	2	2	4	9	11	18
2. MULTIPLE DX										
0-19 YRS	85	4.4	33	1	2	3	5	7	12	38
20-34	147	5.0	30	1	2	4	6	8	14	23
35-49	60	4.1	10	1	1	3	5	8	11	17
50-64	120	5.4	59	1	2	3	5	10	18	45
65+	197	5.2	24	1	2	3	6	12	16	24
TOT. SINGLE DX	444	3.2	8	1	1	2	4	6	9	14
" MULTIPLE DX	609	5.0	32	1	2	3	5	10	15	26
TOTAL 0-19 YRS	157	3.8	22	1	1	3	4	7	10	26
20-34	232	4.2	22	1	1	3	5	7	13	21
35-49	147	3.4	7	1	1	3	4	6	10	12
50-64	179	4.6	43	1	2	3	5	8	15	32
65+	338	4.6	20	1	2	3	5	10	14	22
GRAND TOTAL	1052	4.2	23	1	1	3	5	8	12	22

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	2.1	3	<1	1	2	2	3	4	11
20-34	109	2.2	2	<1	<1	2	2	4	5	10
35-49	54	2.5	3	<1	1	2	3	5	8	9
50-64	65	2.2	1	<1	1	2	2	4	5	8
65+	124	2.8	5	1	1	2	3	5	8	12
2. MULTIPLE DX										
0-19 YRS	195	3.3	11	<1	1	2	4	6	8	22
20-34	106	4.2	34	1	1	2	4	8	14	38
35-49	78	4.1	17	1	1	3	5	9	11	24
50-64	109	5.5	82	1	1	2	6	11	16	51
65+	179	8.3	69	1	2	5	12	18	29	40
TOT. SINGLE DX	641	2.3	3	<1	1	2	2	4	5	11
" MULTIPLE DX	667	5.3	47	1	1	3	6	12	17	34
TOTAL 0-19 YRS	484	2.6	7	<1	1	2	3	4	6	16
20-34	215	3.2	19	<1	1	2	3	5	8	28
35-49	132	3.5	12	1	1	2	4	8	9	20
50-64	174	4.3	55	1	1	2	4	9	13	25
65+	303	6.1	51	1	1	3	8	14	19	35
GRAND TOTAL	1308	3.8	28	1	1	2	4	8	12	28

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.3		1	1	2	3	3	4	5
20-34	180	2.5		2	2	2	3	3	4	7
35-49	256	2.7	1	1	2	2	3	4	5	6
50-64	241	2.6	1	2	2	2	3	3	4	7
65+	108	2.8	1	1	2	3	3	5	5	6
2. MULTIPLE DX										
0-19 YRS	23	2.0		1	1	2	2	3	3	3
20-34	76	3.1	3	2	2	3	3	4	6	11
35-49	93	2.8	1	2	2	3	3	4	5	7
50-64	103	3.7	80	2	2	2	3	4	6	55
65+	48	2.9	2	2	2	3	3	4	5	12
TOT. SINGLE DX	848	2.6	1	1	2	2	3	4	4	6
" MULTIPLE DX	343	3.1	26	2	2	3	3	4	5	11
TOTAL 0-19 YRS	86	2.2	1	1	1	2	3	3	3	5
20-34	256	2.7	2	2	2	2	3	3	4	10
35-49	349	2.7	1	2	2	2	3	4	5	6
50-64	344	2.9	25	2	2	2	3	4	5	7
65+	156	2.8	2	2	2	3	3	4	5	7
GRAND TOTAL	1191	2.7	8	2	2	2	3	4	5	7

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	612	2.0	1	1	1	2	2	3	3	4
20-34	376	2.1		1	1	2	3	3	3	4
35-49	307	2.2		1	1	2	2	3	3	5
50-64	233	2.2		1	1	2	2	3	4	5
65+	69	2.2		1	2	2	3	3	3	4
2. MULTIPLE DX										
0-19 YRS	395	2.1		1	1	2	2	3	3	6
20-34	314	2.4	1	1	1	2	3	3	4	9
35-49	264	2.7	5	1	1	2	3	4	5	15
50-64	214	2.9	5	1	2	2	3	5	6	13
65+	111	3.5	22	1	2	2	3	5	9	34
TOT. SINGLE DX	1597	2.1	1	1	1	2	2	3	3	4
" MULTIPLE DX	1298	2.5	5	1	1	2	3	4	4	12
TOTAL 0-19 YRS	1007	2.1	1	1	1	2	2	3	3	4
20-34	690	2.2	1	1	1	2	3	3	3	7
35-49	571	2.4	3	1	1	2	3	3	4	9
50-64	447	2.5	3	1	2	2	3	4	5	9
65+	180	3.0	14	1	2	2	3	4	5	27
GRAND TOTAL	2895	2.3	3	1	1	2	2	3	4	8

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3659	1.1		<1	<1	1	1	1	2	4
20-34	82	1.9	4	<1	<1	1	2	3	4	15
35-49	65	2.0	1	1	1	2	2	3	3	9
50-64	57	2.4	9	<1	<1	2	2	3	8	21
65+	41	1.6		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	1879	1.9	6	<1	<1	1	2	3	5	12
20-34	67	3.1	7	1	1	2	3	7	9	14
35-49	74	3.4	13	1	1	2	3	8	14	17
50-64	67	6.3	61	1	2	3	8	16	22	43
65+	52	9.0	142	1	2	5	10	21	37	64
TOT. SINGLE DX	3904	1.2	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	2139	2.3	13	<1	<1	1	2	4	8	16
TOTAL 0-19 YRS	5538	1.4	3	<1	<1	1	1	2	3	8
20-34	149	2.4	6	<1	1	2	2	4	7	14
35-49	139	2.7	8	1	1	2	3	4	10	15
50-64	124	4.5	41	<1	1	2	4	10	18	34
65+	93	5.8	93	1	1	2	7	12	22	55
GRAND TOTAL	**6043**	**1.6**	**5**	**<1**	**<1**	**1**	**1**	**2**	**3**	**11**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.5	1	1	2	2	3	3	4	8
20-34	186	2.7	1	1	2	2	3	4	4	9
35-49	117	2.8	2	1	2	3	3	4	5	11
50-64	111	2.9	1	2	2	3	3	4	5	7
65+	47	4.3	32	2	2	3	4	7	12	39
2. MULTIPLE DX										
0-19 YRS	275	2.9	8	1	2	2	3	4	6	12
20-34	242	3.1	4	1	2	3	3	4	7	11
35-49	175	3.1	3	2	2	3	3	4	6	13
50-64	178	3.9	18	2	2	3	4	6	10	21
65+	75	5.6	40	2	2	3	6	10	21	36
TOT. SINGLE DX	650	2.8	4	1	2	2	3	4	5	10
" MULTIPLE DX	945	3.4	12	2	2	3	3	5	8	16
TOTAL 0-19 YRS	464	2.7	6	1	2	2	3	4	5	11
20-34	428	2.9	3	1	2	2	3	4	7	10
35-49	292	3.0	3	2	2	3	3	4	5	12
50-64	289	3.5	12	2	2	3	4	5	7	16
65+	122	5.1	38	2	2	3	5	9	16	39
GRAND TOTAL	**1595**	**3.1**	**9**	**2**	**2**	**3**	**3**	**4**	**7**	**14**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	1.8	2	<1	<1	1	2	3	4	10
20-34	93	2.9	2	1	2	2	4	5	6	9
35-49	108	3.2	8	1	1	3	4	5	5	22
50-64	101	3.4	4	2	2	3	4	6	8	13
65+	31	2.9	3	1	1	3	3	5	7	9
2. MULTIPLE DX										
0-19 YRS	147	2.3	6	<1	<1	2	2	3	5	15
20-34	75	3.6	18	1	2	3	3	4	10	29
35-49	79	3.4	10	1	2	2	3	6	9	22
50-64	78	4.7	50	2	2	3	4	9	14	44
65+	35	7.3	161	1	2	3	6	11	44	58
TOT. SINGLE DX	545	2.6	5	<1	<1	2	3	5	6	11
" MULTIPLE DX	414	3.6	32	1	1	2	3	6	10	37
TOTAL 0-19 YRS	359	2.0	4	<1	<1	2	2	3	5	12
20-34	168	3.2	10	1	2	2	4	5	7	15
35-49	187	3.3	10	1	2	3	4	5	7	23
50-64	179	4.0	25	2	2	3	4	7	9	35
65+	66	5.3	91	1	2	3	4	8	16	56
GRAND TOTAL	**959**	**3.1**	**17**	**<1**	**1**	**2**	**3**	**5**	**8**	**19**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.3		1	1	2	3	4	4	5
20-34	250	2.4	1	1	1	2	3	4	4	6
35-49	137	2.5	1	1	1	2	3	4	5	6
50-64	75	2.7	1	2	2	2	3	4	5	9
65+	17	4.2	16	2	2	3	4	7	15	19
2. MULTIPLE DX										
0-19 YRS	226	2.6	1	1	2	2	3	4	5	6
20-34	580	2.9	3	1	1	3	3	4	5	11
35-49	321	3.0	5	1	1	3	3	5	6	15
50-64	165	4.0	9	1	2	3	4	7	10	18
65+	38	4.6	10	2	2	4	6	9	11	17
TOT. SINGLE DX	580	2.5	2	1	1	2	3	4	4	7
" MULTIPLE DX	1330	3.1	4	1	1	3	3	5	6	14
TOTAL 0-19 YRS	327	2.5	1	1	1	2	3	4	4	6
20-34	830	2.8	3	1	1	3	3	4	5	8
35-49	458	2.9	4	1	1	2	3	4	6	15
50-64	240	3.6	7	1	2	3	4	6	9	17
65+	55	4.5	12	2	2	3	5	9	11	19
GRAND TOTAL	**1910**	**2.9**	**4**	**1**	**1**	**3**	**3**	**4**	**6**	**12**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	615	2.4	1	1	1	2	3	4	4	6
20-34	1332	2.4	1	1	1	2	3	3	4	7
35-49	693	2.5	1	1	1	2	3	4	4	6
50-64	280	2.5	1	1	1	2	3	4	5	7
65+	90	2.6	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	736	2.5	2	1	1	2	3	4	4	6
20-34	1984	2.7	4	1	1	2	3	4	5	9
35-49	1133	3.0	5	1	2	3	3	4	6	12
50-64	676	3.5	10	1	2	3	4	6	9	17
65+	206	4.6	25	1	2	3	5	9	15	29
TOT. SINGLE DX	3010	2.4	1	1	1	2	3	4	4	7
" MULTIPLE DX	4735	2.9	6	1	1	2	3	4	6	13
TOTAL 0-19 YRS	1351	2.5	2	1	1	2	3	4	4	6
20-34	3316	2.6	3	1	1	2	3	4	5	8
35-49	1826	2.8	4	1	1	2	3	4	5	9
50-64	956	3.2	8	1	2	3	3	5	8	15
65+	296	4.0	19	1	2	3	4	8	13	27
GRAND TOTAL	**7745**	**2.8**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	103	2.4	7	<1	1	2	2	3	5	18
20-34	103	2.7	3	<1	1	2	3	5	7	11
35-49	126	2.3	2	<1	1	2	3	5	6	7
50-64	185	2.6	10	<1	1	2	3	4	5	16
65+	293	2.9	5	<1	1	2	3	5	7	13
2. MULTIPLE DX										
0-19 YRS	91	2.8	3	1	1	2	3	5	8	62
20-34	174	3.1	4	1	1	2	4	5	7	14
35-49	216	3.6	9	1	2	3	4	7	9	17
50-64	322	4.3	18	1	2	3	5	9	12	22
65+	406	6.1	40	1	2	4	8	13	16	32
TOT. SINGLE DX	810	2.6	6	<1	1	2	3	5	6	12
" MULTIPLE DX	1209	4.5	23	1	2	3	5	10	13	27
TOTAL 0-19 YRS	194	2.5	6	1	1	2	3	4	7	19
20-34	277	2.9	4	1	1	2	3	5	7	12
35-49	342	3.1	7	1	1	2	3	6	7	14
50-64	507	3.7	16	1	1	2	4	7	11	19
65+	699	4.8	28	1	1	3	5	11	14	27
GRAND TOTAL	**2019**	**3.8**	**17**	**1**	**1**	**2**	**4**	**8**	**11**	**21**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (5)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	355	1.7	1	<1	<1	1	2	3	3	6
20-34	287	2.5	11	<1	<1	2	3	4	6	10
35-49	144	3.6	6	1	1	3	5	7	8	13
50-64	136	4.6	8	1	1	4	6	8	9	14
65+	80	4.9	9	1	2	4	6	10	12	14
2. MULTIPLE DX										
0-19 YRS	435	2.5	5	<1	1	2	3	5	6	12
20-34	515	3.9	39	<1	1	2	4	7	10	38
35-49	203	4.8	14	1	2	4	6	10	12	16
50-64	152	5.8	18	2	2	4	7	12	15	21
65+	177	7.5	38	2	3	6	9	13	17	37
TOT. SINGLE DX	1002	2.9	8	<1	1	2	4	6	7	12
" MULTIPLE DX	1482	4.2	26	<1	1	3	5	9	12	23
TOTAL 0-19 YRS	790	2.2	4	<1	<1	2	2	4	5	10
20-34	802	3.4	30	<1	1	2	3	6	9	26
35-49	347	4.3	11	1	1	3	6	9	11	15
50-64	288	5.2	14	1	2	4	7	10	12	21
65+	257	6.7	31	2	2	5	8	12	14	26
GRAND TOTAL	**2484**	**3.7**	**19**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	3.0	6	1	1	2	3	5	7	17
20-34	195	3.0	2	1	2	3	4	5	6	9
35-49	206	3.1	3	1	2	3	3	4	6	10
50-64	144	3.6	5	2	2	3	4	6	8	15
65+	79	4.3	7	2	2	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	49	4.3	17	1	1	3	5	9	12	25
20-34	187	5.2	61	2	2	4	5	9	12	30
35-49	210	5.2	28	2	2	3	5	10	17	28
50-64	191	5.2	23	2	2	4	6	10	14	30
65+	101	7.2	83	2	2	4	8	16	19	56
TOT. SINGLE DX	670	3.3	4	1	2	3	4	5	7	13
" MULTIPLE DX	738	5.4	42	2	2	3	5	11	15	32
TOTAL 0-19 YRS	95	3.7	12	1	1	3	4	7	11	21
20-34	382	4.1	32	1	2	3	4	6	9	20
35-49	416	4.2	17	2	2	3	4	7	11	24
50-64	335	4.5	16	2	2	3	5	9	11	22
65+	180	5.9	52	2	2	4	6	12	17	47
GRAND TOTAL	**1408**	**4.4**	**25**	**2**	**2**	**3**	**4**	**8**	**11**	**25**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.6	5	<1	1	2	3	5	8	13
20-34	142	3.5	9	1	1	3	4	7	9	14
35-49	120	4.0	9	1	2	3	4	9	11	15
50-64	112	3.8	11	1	1	3	5	7	9	19
65+	56	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-19 YRS	115	5.6	39	<1	1	3	7	12	21	32
20-34	162	4.6	13	1	1	3	6	9	12	18
35-49	182	6.6	84	1	2	4	7	12	22	53
50-64	165	6.6	52	1	2	4	7	14	21	39
65+	108	7.6	49	2	2	5	10	17	24	35
TOT. SINGLE DX	506	3.5	9	1	1	3	4	7	9	14
" MULTIPLE DX	732	6.2	50	1	2	4	7	13	19	38
TOTAL 0-19 YRS	191	4.4	28	<1	1	2	5	10	14	26
20-34	304	4.1	11	1	1	3	5	8	11	18
35-49	302	5.6	56	1	2	3	6	11	15	39
50-64	277	5.5	38	1	2	4	6	11	16	32
65+	164	6.2	38	1	2	4	8	14	19	31
GRAND TOTAL	**1238**	**5.1**	**35**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1447	1.7		<1	1	2	2	2	2	3
20-34	1150	1.9		1	1	2	2	2	3	4
35-49	268	2.1		1	1	2	2	3	3	6
50-64	163	2.3	1	1	1	2	2	3	4	8
65+	113	3.8	81	1	2	2	3	5	8	49
2. MULTIPLE DX										
0-19 YRS	548	2.7	18	<1	1	2	2	4	6	28
20-34	898	4.3	48	1	1	2	3	9	15	35
35-49	650	4.5	42	1	1	2	4	10	14	36
50-64	677	5.3	40	1	2	3	6	13	18	33
65+	575	6.5	76	2	2	3	8	14	20	44
TOT. SINGLE DX	3141	1.9	4	1	1	2	2	2	3	5
" MULTIPLE DX	3348	4.6	47	1	1	2	4	10	16	35
TOTAL 0-19 YRS	1995	2.0	6	<1	1	2	2	2	3	9
20-34	2048	2.9	23	1	1	2	2	4	8	29
35-49	918	3.8	32	1	1	2	3	7	12	32
50-64	840	4.7	34	1	2	3	5	11	17	30
65+	688	6.1	78	1	2	3	7	14	19	44
GRAND TOTAL	**6489**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**11**	**28**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	249	1.1		<1	1	1	1	1	2	2
20-34	23	3.5	55	<1	<1	2	2	6	17	37
35-49	9	2.3	8	<1	<1	1	2	7	10	10
50-64	14	2.7	1	1	2	3	3	4	5	5
65+	6	3.2	2	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	189	1.6	2	<1	1	1	2	2	5	10
20-34	34	3.6	28	<1	1	2	3	7	11	31
35-49	11	4.2	18	1	1	2	6	12	13	13
50-64	7	8.3	11	2	3	9	10	12	13	13
65+	6	5.2	26	<1	<1	3	6	14	15	15
TOT. SINGLE DX	301	1.4	5	<1	1	1	1	2	3	6
" MULTIPLE DX	247	2.2	9	<1	1	1	2	5	8	13
TOTAL 0-19 YRS	438	1.3	1	<1	1	1	1	2	2	6
20-34	57	3.5	39	<1	1	2	3	6	10	37
35-49	20	3.4	14	<1	1	2	3	10	12	13
50-64	21	4.6	11	1	2	3	7	10	11	13
65+	12	4.2	14	<1	1	3	5	9	14	15
GRAND TOTAL	**548**	**1.8**	**7**	**<1**	**1**	**1**	**2**	**3**	**5**	**12**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.4	2	1	1	2	3	4	5	12
20-34	101	2.5	1	1	1	2	3	4	5	7
35-49	212	2.6	2	1	1	2	3	4	5	9
50-64	139	3.1	4	1	1	3	4	4	6	15
65+	47	3.8	5	1	2	3	5	6	9	12
2. MULTIPLE DX										
0-19 YRS	72	2.8	2	1	1	2	4	6	6	7
20-34	72	2.6	2	1	1	2	3	4	5	10
35-49	131	4.4	41	1	2	3	4	7	14	57
50-64	137	5.3	46	1	2	3	5	11	18	41
65+	68	5.6	44	2	2	3	6	11	16	41
TOT. SINGLE DX	552	2.8	3	1	1	2	3	4	6	11
" MULTIPLE DX	480	4.3	33	1	1	3	4	7	13	41
TOTAL 0-19 YRS	125	2.6	3	1	1	2	3	5	6	8
20-34	173	2.5	2	1	1	2	3	4	5	8
35-49	343	3.3	18	1	1	2	3	5	8	35
50-64	276	4.2	27	1	2	3	4	7	12	29
65+	115	4.8	29	2	2	3	5	10	12	35
GRAND TOTAL	**1032**	**3.5**	**18**	**1**	**1**	**2**	**4**	**6**	**9**	**25**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	2.7	3	1	1	2	3	4	6	11
20-34	241	3.2	2	1	2	3	4	5	6	9
35-49	240	3.7	5	2	2	3	4	6	8	13
50-64	333	4.0	8	2	2	3	4	6	8	16
65+	243	4.5	7	2	2	4	5	7	10	17
2. MULTIPLE DX										
0-19 YRS	32	4.4	28	1	1	3	4	9	12	30
20-34	96	4.6	65	1	2	3	4	6	11	52
35-49	139	4.8	14	1	2	4	6	9	11	21
50-64	205	5.7	20	2	2	4	7	11	15	24
65+	242	7.5	60	2	3	5	8	15	21	45
TOT. SINGLE DX	1169	3.8	6	2	2	3	4	6	8	15
" MULTIPLE DX	714	5.9	41	2	2	4	7	11	16	31
TOTAL 0-19 YRS	144	3.1	9	1	1	2	3	5	8	14
20-34	337	3.6	21	1	2	3	4	5	7	15
35-49	379	4.1	9	2	2	3	5	7	9	18
50-64	538	4.7	13	2	2	4	5	8	11	22
65+	485	6.0	37	2	2	4	7	11	15	31
GRAND TOTAL	**1883**	**4.6**	**20**	**2**	**2**	**3**	**5**	**8**	**11**	**22**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.9	2	1	1	4	5	6	7	8
20-34	9	3.7	2	1	1	4	5	6	6	6
35-49	5	4.8	6	3	3	3	7	8	8	8
50-64	2	4.0	8	2	2	4	6	6	6	6
65+										
2. MULTIPLE DX										
0-19 YRS	123	4.4	5	1	2	4	5	6	7	12
20-34	9	4.0	6	1	1	4	4	8	10	10
35-49	11	7.4	50	1	2	5	7	20	25	25
50-64	4	8.3	33	3	3	7	12	16	16	16
65+	3	14.3	114	5	5	12	22	26	26	26
TOT. SINGLE DX	206	3.9	3	1	1	4	5	6	7	8
" MULTIPLE DX	150	4.9	13	1	2	4	5	7	9	25
TOTAL 0-19 YRS	313	4.1	4	1	2	4	5	6	7	8
20-34	18	3.8	4	1	1	4	5	6	8	10
35-49	16	6.6	37	1	3	5	7	16	23	25
50-64	6	6.8	26	2	2	5	9	15	16	16
65+	3	14.3	114	5	5	12	22	26	26	26
GRAND TOTAL	**356**	**4.3**	**8**	**1**	**2**	**4**	**5**	**6**	**7**	**17**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	406	2.7	4	<1	<1	2	3	6	6	9
20-34	136	4.4	16	1	1	3	6	9	11	18
35-49	155	3.9	15	1	1	3	4	7	12	22
50-64	284	4.0	18	1	1	2	4	9	12	25
65+	331	4.8	27	1	1	3	5	10	15	29
2. MULTIPLE DX										
0-19 YRS	305	3.6	14	<1	1	2	5	8	10	24
20-34	190	5.0	24	<1	1	3	6	11	14	30
35-49	207	6.8	81	1	2	4	7	13	27	48
50-64	318	7.1	60	1	2	4	10	15	20	37
65+	447	8.3	96	1	2	5	10	18	29	52
TOT. SINGLE DX	1312	3.8	16	<1	1	2	4	8	11	23
" MULTIPLE DX	1467	6.4	63	1	1	4	8	13	21	44
TOTAL 0-19 YRS	711	3.1	9	<1	1	2	4	6	8	14
20-34	326	4.8	21	1	1	3	6	10	13	27
35-49	362	5.6	55	1	1	3	6	11	19	43
50-64	602	5.6	43	1	1	3	7	12	18	31
65+	778	6.8	70	1	2	4	8	15	23	45
GRAND TOTAL	**2779**	**5.2**	**43**	**1**	**1**	**3**	**6**	**11**	**16**	**37**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4839	2.0		1	1	2	2	2	3	4
20-34	3824	2.2		1	1	2	2	3	4	5
35-49	417	2.3	1	1	1	2	3	3	4	7
50-64	66	2.6	5	1	2	2	3	3	5	15
65+	23	3.5	7	2	2	2	4	7	10	13
2. MULTIPLE DX										
0-19 YRS	953	2.3	8	1	1	2	2	3	4	7
20-34	621	2.9	4	1	2	2	3	5	6	12
35-49	125	3.7	27	1	2	2	3	5	12	29
50-64	27	5.3	26	1	2	4	6	14	19	22
65+	12	7.4	213	1	1	2	4	24	49	53
TOT. SINGLE DX	9169	2.1	1	1	1	2	2	3	3	5
" MULTIPLE DX	1738	2.7	10	1	1	2	3	4	5	13
TOTAL 0-19 YRS	5792	2.0	2	1	1	2	2	3	3	5
20-34	4445	2.3	1	1	1	2	2	3	4	7
35-49	542	2.7	8	1	1	2	3	4	5	14
50-64	93	3.4	13	1	2	2	3	5	13	20
65+	35	4.8	77	2	2	2	4	8	12	53
GRAND TOTAL	**10907**	**2.2**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	**6**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7955	1.9		1	1	2	2	2	3	4
20-34	443	2.3	3	1	1	2	3	3	4	7
35-49	37	2.4	1	1	1	2	3	4	5	7
50-64	7	2.3		2	2	2	2	4	4	4
65+	12	2.2	1	1	1	2	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	5260	1.9		1	1	2	2	2	3	5
20-34	138	2.8	3	1	1	2	3	5	7	10
35-49	19	2.9	3	2	2	2	3	6	8	9
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	8	2.4	3	1	1	2	2	6	7	7
TOT. SINGLE DX	8454	1.9	1	1	1	2	2	2	3	4
" MULTIPLE DX	5428	2.0	1	1	1	2	2	2	3	6
TOTAL 0-19 YRS	13215	1.9	1	1	1	2	2	2	3	4
20-34	581	2.5	3	1	1	2	3	4	5	9
35-49	56	2.6	2	1	2	2	3	4	7	9
50-64	10	2.7	1	2	2	2	4	5	5	5
65+	20	2.3	2	1	1	2	2	4	6	7
GRAND TOTAL	**13882**	**2.0**	**1**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	876	1.5		<1	<1	1	2	2	2	3
20-34	16	1.6		1	1	2	2	2	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2175	1.4		<1	<1	1	2	2	2	4
20-34	14	2.9	2	1	1	3	4	5	6	6
35-49	3	3.3		3	3	3	4	4	4	4
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	894	1.5		<1	<1	1	2	2	2	3
" MULTIPLE DX	2196	1.5	1	<1	<1	1	2	2	2	5
TOTAL 0-19 YRS	3051	1.5	1	<1	<1	1	2	2	2	3
20-34	30	2.2	2	1	1	2	3	4	5	6
35-49	5	3.0	1	2	2	3	3	4	4	4
50-64	3	5.0	13	2	2	4	8	9	9	9
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**3090**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**4**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	316	2.5	3	1	1	2	3	4	5	12
20-34	274	2.4	1	1	1	2	3	4	5	7
35-49	120	3.0	4	1	1	2	4	5	7	12
50-64	92	4.7	38	1	1	2	5	10	18	38
65+	77	4.4	26	1	1	2	5	9	14	31
2. MULTIPLE DX										
0-19 YRS	131	3.4	17	1	1	2	4	6	9	19
20-34	123	3.7	21	1	1	3	4	6	11	31
35-49	54	4.9	32	1	2	3	5	10	20	29
50-64	103	7.9	70	1	2	4	10	19	26	43
65+	97	8.4	101	2	2	5	11	17	20	59
TOT. SINGLE DX	879	2.9	10	1	1	2	3	5	7	17
" MULTIPLE DX	508	5.5	51	1	1	3	6	13	19	33
TOTAL 0-19 YRS	447	2.7	8	1	1	2	3	5	6	13
20-34	397	2.8	8	1	1	2	3	5	6	14
35-49	174	3.6	14	1	1	3	4	7	8	22
50-64	195	6.4	58	1	2	3	7	15	22	44
65+	174	6.6	72	1	2	4	9	15	19	33
GRAND TOTAL	**1387**	**3.9**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**26**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	2.2	5	<1	<1	1	3	4	6	14
20-34	26	3.4	3	1	1	3	4	6	7	8
35-49	38	3.2	5	<1	1	2	4	8	9	10
50-64	70	4.4	46	1	1	3	5	7	9	46
65+	49	4.7	11	1	1	4	6	10	11	17
2. MULTIPLE DX										
0-19 YRS	89	3.4	4	1	1	3	4	6	8	11
20-34	21	4.1	11	1	1	4	5	8	13	14
35-49	37	7.8	63	1	2	6	8	16	31	33
50-64	62	5.2	39	1	1	4	6	9	12	44
65+	88	7.2	86	2	2	5	7	12	24	54
TOT. SINGLE DX	227	3.7	20	<1	1	3	5	7	9	21
" MULTIPLE DX	297	5.5	46	1	1	4	6	10	14	44
TOTAL 0-19 YRS	133	3.0	5	<1	<1	3	4	6	8	12
20-34	47	3.7	7	1	1	4	5	6	9	14
35-49	75	5.5	39	1	1	4	7	9	16	33
50-64	132	4.8	43	1	1	3	5	8	11	48
65+	137	6.3	61	1	2	4	7	11	16	53
GRAND TOTAL	**524**	**4.7**	**35**	**1**	**1**	**3**	**5**	**8**	**12**	**35**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	1.7		<1	1	2	2	2	2	5
20-34	189	1.8		<1	1	2	2	2	3	6
35-49	338	2.0	2	1	1	2	2	2	3	9
50-64	536	2.3	7	1	1	2	2	3	4	13
65+	333	2.5	17	1	1	2	2	4	5	13
2. MULTIPLE DX										
0-19 YRS	31	3.8	125	1	1	2	2	3	6	64
20-34	58	3.0	10	1	1	2	2	6	10	17
35-49	147	3.8	28	1	1	2	3	9	13	23
50-64	325	5.0	43	1	1	2	5	12	18	36
65+	249	5.9	65	1	1	3	6	15	20	50
TOT. SINGLE DX	1493	2.2	7	1	1	2	2	3	4	11
" MULTIPLE DX	810	4.9	49	1	1	2	5	11	17	39
TOTAL 0-19 YRS	128	2.2	31	<1	1	2	2	2	3	19
20-34	247	2.1	3	<1	1	2	2	3	4	11
35-49	485	2.5	11	1	1	2	2	3	6	18
50-64	861	3.3	23	1	1	2	3	6	11	23
65+	582	4.0	41	1	1	2	3	8	14	29
GRAND TOTAL	**2303**	**3.1**	**24**	**1**	**1**	**2**	**2**	**5**	**10**	**23**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.2	47	1	1	2	5	18	19	19
20-34	9	7.4	43	2	2	4	10	18	21	21
35-49	19	7.4	35	1	1	8	13	16	17	18
50-64	37	10.4	62	1	1	10	16	22	24	27
65+	31	9.2	56	1	1	8	14	21	24	27
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	7	4.9	18	1	1	3	8	12	12	12
35-49	8	7.1	44	1	1	5	12	17	19	19
50-64	32	11.7	76	1	2	9	19	24	26	32
65+	28	15.5	231	2	2	14	19	51	63	99+
TOT. SINGLE DX	102	8.9	53	1	1	8	14	20	23	27
" MULTIPLE DX	77	11.7	133	1	2	9	18	23	35	89
TOTAL 0-19 YRS	8	4.4	36	1	1	2	4	15	19	19
20-34	16	6.3	32	1	2	4	10	14	19	21
35-49	27	7.3	37	1	1	7	13	16	18	19
50-64	69	11.0	68	1	2	10	18	23	25	31
65+	59	12.2	147	1	2	11	18	23	48	96
GRAND TOTAL	**179**	**10.1**	**89**	**1**	**2**	**9**	**16**	**21**	**25**	**61**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	18.0	98	11	11	18	25	25	25	25
35-49	10	22.9	299	2	7	16	29	49	65	65
50-64	55	17.5	78	9	10	15	21	25	36	51
65+	39	17.7	77	7	8	16	21	31	36	43
2. MULTIPLE DX										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	7	40.6	368	12	16	43	48	69	74	74
50-64	82	24.5	236	12	12	19	27	42	53	95
65+	78	25.8	257	12	13	22	30	58	86	99+
TOT. SINGLE DX	106	18.1	98	8	9	15	21	32	37	57
" MULTIPLE DX	168	25.7	259	12	13	21	30	47	74	99+
TOTAL 0-19 YRS										
20-34	3	14.0	97	6	6	11	21	25	25	25
35-49	17	30.2	387	5	12	29	43	62	71	74
50-64	137	21.7	184	10	12	18	24	39	48	87
65+	117	23.1	211	9	12	19	29	43	70	99+
GRAND TOTAL	**274**	**22.8**	**210**	**10**	**12**	**19**	**27**	**43**	**57**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	68.0		68	68	68	68	68	68	68
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	10	9.6	156	1	1	5	11	29	43	43
65+	10	16.2	186	4	5	10	27	38	46	46
2. MULTIPLE DX										
0-19 YRS	2	13.5	145	5	5	13	22	22	22	22
20-34	4	40.8	1631	3	3	31	98	99+	99+	99+
35-49	12	26.8	964	2	3	10	42	78	93	96
50-64	21	29.2	437	4	5	31	51	99+	99+	99+
65+	27	26.9	333	5	6	28	37	75	99+	99+
TOT. SINGLE DX	24	14.4	279	2	2	8	14	43	53	68
" MULTIPLE DX	66	28.1	526	4	5	28	49	97	99+	99+
TOTAL 0-19 YRS	3	10.3	102	4	4	5	18	22	22	22
20-34	5	46.2	1372	3	6	50	98	99+	99+	99+
35-49	14	24.1	866	2	4	9	26	73	91	96
50-64	31	22.9	425	2	3	15	48	77	99+	99+
65+	37	24.0	310	4	5	23	36	54	94	99+
GRAND TOTAL	**90**	**24.4**	**494**	**3**	**4**	**20**	**40**	**74**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	7.0	86	<1	<1	4	8	17	32	40
20-34	15	5.5	29	1	1	3	6	13	18	20
35-49	23	10.6	219	1	1	3	13	33	51	55
50-64	46	14.4	302	1	1	7	21	33	59	70
65+	52	10.2	186	1	1	4	13	32	48	99
2. MULTIPLE DX										
0-19 YRS	49	21.0	556	1	2	14	37	92	99+	99+
20-34	67	25.2	556	2	4	16	47	70	99+	99+
35-49	76	27.3	617	2	4	21	43	88	99+	99+
50-64	189	29.6	621	2	2	30	51	94	99+	99+
65+	207	34.3	624	3	5	33	53	86	99	99+
TOT. SINGLE DX	160	10.5	199	1	1	4	13	29	48	69
" MULTIPLE DX	588	29.7	622	2	3	26	51	88	99+	99+
TOTAL 0-19 YRS	73	16.4	443	<1	1	9	24	80	99+	99+
20-34	82	21.6	517	2	2	14	38	67	97	99+
35-49	99	23.4	572	2	2	16	39	80	96	99+
50-64	235	26.6	594	1	2	24	50	83	99+	99+
65+	259	29.5	629	2	2	25	48	81	97	99+
GRAND TOTAL	**748**	**25.6**	**593**	**1**	**2**	**19**	**46**	**79**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.1	26	1	2	3	6	9	16	25
20-34	115	6.4	35	2	2	5	8	13	17	32
35-49	191	6.8	38	1	2	6	9	13	17	25
50-64	490	7.8	48	2	2	6	10	15	19	32
65+	611	9.1	56	2	2	7	11	18	23	39
2. MULTIPLE DX										
0-19 YRS	24	7.0	87	1	2	4	8	13	25	47
20-34	202	8.2	61	2	2	6	10	16	22	31
35-49	426	10.0	90	2	2	8	12	21	27	50
50-64	1281	11.4	94	2	3	9	14	23	30	53
65+	1934	13.0	110	2	3	10	17	26	33	52
TOT. SINGLE DX	1433	8.0	50	2	2	6	10	16	20	34
" MULTIPLE DX	3867	11.9	102	2	3	9	15	24	31	52
TOTAL 0-19 YRS	50	6.0	56	1	2	3	8	11	15	47
20-34	317	7.6	52	2	2	5	9	15	19	31
35-49	617	9.0	76	2	2	7	11	19	25	46
50-64	1771	10.4	84	2	3	8	13	21	27	49
65+	2545	12.1	100	2	3	9	16	24	31	51
GRAND TOTAL	**5300**	**10.8**	**91**	**2**	**3**	**8**	**14**	**22**	**28**	**50**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	2	25.0	72	19	19	25	31	31	31	31
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	3	21.3	76	14	14	19	28	31	31	31
TOTAL 0-19 YRS										
20-34	2	25.0	72	19	19	25	31	31	31	31
35-49	1	14.0		14	14	14	14	14	14	14
50-64										
65+										
GRAND TOTAL	**3**	**21.3**	**76**	**14**	**14**	**19**	**28**	**31**	**31**	**31**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	10.4	26	2	5	9	15	18	20	20
20-34	83	9.0	21	2	3	8	11	16	18	21
35-49	152	10.3	31	2	3	10	13	17	19	30
50-64	319	11.8	52	2	4	10	15	21	25	36
65+	351	12.5	67	2	3	11	17	23	27	38
2. MULTIPLE DX										
0-19 YRS	32	16.8	232	6	7	11	17	37	53	70
20-34	129	12.4	81	3	4	10	16	24	30	46
35-49	253	14.0	133	3	4	11	18	25	36	63
50-64	688	14.2	104	3	4	12	18	25	32	62
65+	995	16.0	138	2	4	14	21	31	38	59
TOT. SINGLE DX	916	11.6	53	2	3	10	15	20	25	35
" MULTIPLE DX	2097	15.0	126	3	4	12	19	28	37	60
TOTAL 0-19 YRS	43	15.2	186	6	7	10	16	30	51	70
20-34	212	11.0	61	3	4	9	14	19	26	45
35-49	405	12.6	98	3	4	10	15	22	30	54
50-64	1007	13.4	90	3	4	11	17	24	30	53
65+	1346	15.1	122	2	4	13	20	29	36	56
GRAND TOTAL	**3013**	**13.9**	**106**	**3**	**4**	**11**	**18**	**26**	**34**	**55**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	9	12.9	16	5	7	13	17	17	17	17
35-49	63	15.7	69	7	8	13	20	25	33	50
50-64	216	15.7	45	8	9	14	18	24	27	41
65+	174	16.5	52	8	9	15	20	24	30	40
2. MULTIPLE DX										
0-19 YRS	3	13.0	39	8	8	11	18	20	20	20
20-34	17	14.6	47	6	7	12	18	27	30	30
35-49	70	16.8	79	8	8	14	19	29	34	49
50-64	378	19.4	123	9	10	17	23	32	38	81
65+	360	21.3	127	9	11	18	26	36	45	62
TOT. SINGLE DX	463	15.9	51	8	9	15	19	24	28	41
" MULTIPLE DX	828	19.9	122	9	10	17	24	33	42	65
TOTAL 0-19 YRS	4	13.5	27	8	8	13	17	20	20	20
20-34	26	14.0	36	6	7	13	17	19	29	30
35-49	133	16.3	75	8	8	14	19	28	34	50
50-64	594	18.0	98	8	9	16	22	29	36	67
65+	534	19.8	108	9	10	17	23	32	42	58
GRAND TOTAL	**1291**	**18.5**	**100**	**8**	**9**	**16**	**22**	**30**	**37**	**58**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	127	4.3	19	<1	1	2	6	11	14	20
20-34	158	6.6	41	1	1	4	9	16	22	28
35-49	350	6.5	33	1	2	5	9	13	17	33
50-64	556	7.1	40	1	2	5	10	15	19	29
65+	572	8.3	59	1	2	6	11	18	23	34
2. MULTIPLE DX										
0-19 YRS	163	9.0	122	1	1	6	12	20	26	99+
20-34	310	9.4	94	1	2	7	11	22	29	53
35-49	740	10.2	103	2	2	7	12	21	31	50
50-64	1739	11.1	96	2	3	8	14	22	30	56
65+	2412	12.8	120	2	3	10	17	26	33	61
TOT. SINGLE DX	1763	7.1	45	1	2	5	9	15	20	31
" MULTIPLE DX	5364	11.6	110	2	3	9	15	24	31	58
TOTAL 0-19 YRS	290	6.9	83	1	1	4	9	17	22	77
20-34	468	8.4	78	1	2	6	10	18	26	44
35-49	1090	9.0	84	1	2	6	11	19	27	48
50-64	2295	10.2	86	2	2	8	13	21	28	45
65+	2984	11.9	112	2	3	9	15	24	31	58
GRAND TOTAL	**7127**	**10.5**	**98**	**2**	**2**	**8**	**14**	**22**	**29**	**53**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.8	10	1	2	5	7	11	12	12
20-34	71	5.6	13	2	3	4	7	10	11	22
35-49	15	8.5	54	2	3	7	8	23	27	28
50-64	18	5.8	15	1	2	5	6	13	14	15
65+	22	10.9	44	3	4	10	14	19	25	30
2. MULTIPLE DX										
0-19 YRS	27	15.6	261	2	3	7	24	48	52	54
20-34	60	8.0	41	2	3	6	9	15	23	33
35-49	32	10.9	65	2	3	9	13	23	24	39
50-64	71	15.9	187	3	4	12	19	31	50	71
65+	70	18.8	281	3	4	15	24	38	45	90
TOT. SINGLE DX	134	6.8	26	2	3	5	9	12	17	28
" MULTIPLE DX	260	14.2	187	3	3	10	18	30	41	74
TOTAL 0-19 YRS	35	13.4	220	2	3	7	15	35	52	54
20-34	131	6.7	28	2	3	5	9	12	15	30
35-49	47	10.1	62	2	3	8	12	23	25	39
50-64	89	13.9	169	2	3	11	18	29	42	67
65+	92	16.9	236	3	4	12	22	33	42	89
GRAND TOTAL	**394**	**11.7**	**144**	**2**	**3**	**8**	**14**	**26**	**35**	**54**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	6.8	22	2	3	6	8	12	16	26
20-34	530	6.2	16	2	3	5	8	11	15	22
35-49	179	8.7	50	3	3	6	10	18	22	35
50-64	188	10.6	68	2	3	8	15	21	25	36
65+	119	14.6	84	4	5	12	20	27	35	63
2. MULTIPLE DX										
0-19 YRS	253	12.0	168	3	3	8	14	27	51	99+
20-34	557	9.5	78	2	3	7	11	19	25	59
35-49	389	11.6	102	3	4	9	14	22	34	62
50-64	602	14.5	131	3	5	11	18	28	39	67
65+	724	16.3	131	4	5	14	21	31	41	58
TOT. SINGLE DX	1151	8.3	45	2	3	6	10	17	22	34
" MULTIPLE DX	2525	13.2	125	3	4	10	17	27	37	66
TOTAL 0-19 YRS	388	10.2	123	3	3	7	11	20	34	92
20-34	1087	7.9	51	2	3	6	9	15	20	45
35-49	568	10.7	88	3	3	8	13	21	29	58
50-64	790	13.6	119	3	4	11	17	27	36	65
65+	843	16.1	125	4	5	13	21	31	39	58
GRAND TOTAL	**3676**	**11.7**	**106**	**3**	**3**	**8**	**15**	**24**	**32**	**60**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	6.1	11	1	2	6	7	9	12	19
20-34	135	7.5	38	1	2	6	10	15	19	35
35-49	121	8.3	51	1	2	7	11	18	22	36
50-64	169	8.9	62	2	2	7	11	17	22	46
65+	139	10.9	102	2	2	8	14	22	33	55
2. MULTIPLE DX										
0-19 YRS	60	8.9	77	2	2	7	10	20	23	49
20-34	147	10.2	80	1	2	8	14	20	31	46
35-49	193	11.9	151	2	3	8	14	25	35	68
50-64	411	13.0	110	2	3	11	18	26	32	53
65+	572	14.4	128	3	3	12	19	29	33	59
TOT. SINGLE DX	696	8.4	57	1	2	6	10	17	22	40
" MULTIPLE DX	1383	13.0	121	2	3	10	17	27	33	55
TOTAL 0-19 YRS	192	7.0	34	1	2	6	8	11	18	31
20-34	282	9.0	62	1	2	7	11	18	24	42
35-49	314	10.5	116	2	2	8	12	21	31	59
50-64	580	11.8	100	2	2	9	16	25	31	50
65+	711	13.7	125	2	3	11	18	28	33	58
GRAND TOTAL	**2079**	**11.4**	**104**	**2**	**2**	**9**	**15**	**24**	**31**	**51**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	9.5	12	6	6	9	10	12	16	25
20-34	42	13.3	210	6	8	10	12	21	57	99+
35-49	77	13.9	111	8	8	11	15	19	29	77
50-64	96	12.6	13	8	9	12	14	18	20	24
65+	59	14.5	19	9	10	13	17	22	24	25
2. MULTIPLE DX										
0-19 YRS	70	12.3	31	7	7	11	14	20	24	87
20-34	53	14.8	92	8	8	12	16	26	33	99
35-49	133	17.6	147	9	10	14	18	31	44	71
50-64	238	18.0	93	9	10	15	21	28	35	57
65+	265	21.9	165	10	11	18	27	39	50	87
TOT. SINGLE DX	312	13.0	66	7	8	11	14	19	23	56
" MULTIPLE DX	759	18.6	131	8	9	15	22	32	43	78
TOTAL 0-19 YRS	108	11.3	26	6	7	10	13	17	24	63
20-34	95	14.1	143	7	8	11	15	23	34	99+
35-49	210	16.3	137	8	9	13	17	27	35	77
50-64	334	16.5	77	9	9	14	19	26	31	55
65+	324	20.6	147	9	11	17	24	36	45	86
GRAND TOTAL	**1071**	**16.9**	**118**	**8**	**9**	**14**	**19**	**29**	**38**	**77**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	18.7	50	11	11	20	24	25	25	25
20-34	23	9.6	4	7	8	9	11	13	14	15
35-49	433	11.1	23	8	8	10	12	14	18	28
50-64	1364	11.6	17	8	8	11	13	16	19	28
65+	615	13.0	28	8	9	12	15	19	22	29
2. MULTIPLE DX										
0-19 YRS	3	11.0		11	11	11	11	11	11	11
20-34	37	12.7	19	8	8	12	14	18	22	28
35-49	803	13.0	35	8	8	11	15	20	25	38
50-64	2602	14.3	53	8	9	12	16	22	26	45
65+	1586	17.3	80	9	10	15	20	28	34	56
TOT. SINGLE DX	2438	11.8	22	8	8	11	13	17	20	28
" MULTIPLE DX	5031	15.0	61	8	9	13	17	24	29	49
TOTAL 0-19 YRS	6	14.8	38	11	11	11	20	24	25	25
20-34	60	11.5	16	7	8	11	13	16	19	27
35-49	1236	12.3	32	8	8	11	13	18	22	35
50-64	3966	13.4	42	8	8	12	15	20	25	40
65+	2201	16.1	70	8	9	14	19	26	32	52
GRAND TOTAL	**7469**	**14.0**	**51**	**8**	**8**	**12**	**16**	**22**	**27**	**44**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	217	2.1	1	1	1	2	2	3	4	8
20-34	234	3.3	10	1	2	2	3	7	9	18
35-49	1470	3.4	8	2	2	2	3	7	10	15
50-64	2427	3.4	9	2	2	2	3	7	10	16
65+	837	4.1	15	2	2	2	5	10	12	20
2. MULTIPLE DX										
0-19 YRS	269	3.4	26	1	1	2	3	6	11	33
20-34	362	4.9	23	1	2	3	6	11	15	27
35-49	3020	4.9	26	2	2	3	6	10	14	24
50-64	6519	5.5	26	2	2	3	8	12	16	24
65+	2957	7.0	49	2	2	4	9	15	20	33
TOT. SINGLE DX	5185	3.4	10	2	2	2	3	7	10	16
" MULTIPLE DX	13127	5.7	33	2	2	3	8	12	16	27
TOTAL 0-19 YRS	486	2.9	16	1	1	2	2	4	7	23
20-34	596	4.3	19	1	2	2	5	9	13	26
35-49	4490	4.4	21	2	2	2	5	10	13	21
50-64	8946	4.9	23	2	2	3	7	11	14	22
65+	3794	6.4	44	2	2	4	9	14	18	31
GRAND TOTAL	**18312**	**5.0**	**27**	**2**	**2**	**3**	**7**	**11**	**15**	**25**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	4.2	4	2	2	4	4	8	8	8
35-49	41	8.3	34	2	2	7	13	17	19	20
50-64	195	7.2	26	2	2	6	10	15	17	23
65+	755	7.6	28	2	2	6	10	14	18	26
2. MULTIPLE DX										
0-19 YRS	20	8.6	67	2	3	6	10	15	28	39
20-34	37	10.2	131	2	3	7	12	18	23	70
35-49	155	11.3	40	3	4	10	15	21	24	30
50-64	828	12.3	75	3	4	11	16	22	29	44
65+	4538	12.7	81	3	4	10	16	24	29	48
TOT. SINGLE DX	999	7.5	28	2	2	6	10	14	18	25
" MULTIPLE DX	5578	12.6	80	3	4	10	16	23	29	47
TOTAL 0-19 YRS	22	8.2	62	2	3	5	9	14	26	39
20-34	43	9.4	118	2	3	6	12	17	21	70
35-49	196	10.7	40	2	3	10	14	20	23	29
50-64	1023	11.4	70	2	3	10	15	21	27	43
65+	5293	12.0	77	3	4	10	15	22	28	46
GRAND TOTAL	**6577**	**11.8**	**76**	**3**	**4**	**10**	**15**	**22**	**28**	**45**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.0	7	7	7	9	11	14	15	15
20-34	16	8.9	28	2	3	8	11	17	21	23
35-49	35	7.1	22	2	2	5	10	15	16	20
50-64	45	7.4	25	2	2	6	11	14	16	22
65+	21	11.4	54	3	4	11	15	20	27	34
2. MULTIPLE DX										
0-19 YRS	23	13.0	52	3	5	12	17	20	27	35
20-34	45	15.5	162	4	6	12	18	44	72	99+
35-49	110	12.2	100	2	3	10	16	23	30	55
50-64	213	12.6	72	3	4	11	15	23	30	52
65+	126	19.0	222	3	6	15	22	38	48	79
TOT. SINGLE DX	124	8.3	30	2	3	8	11	15	17	26
" MULTIPLE DX	517	14.4	129	3	4	11	18	29	39	69
TOTAL 0-19 YRS	30	12.3	43	3	6	11	15	19	23	35
20-34	61	13.8	135	2	6	11	17	30	57	99+
35-49	145	11.0	86	2	3	9	15	21	28	50
50-64	258	11.7	69	3	3	10	15	22	28	49
65+	147	17.9	205	3	5	14	22	37	46	74
GRAND TOTAL	**641**	**13.2**	**115**	**3**	**3**	**11**	**17**	**25**	**36**	**63**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	175	2.9	9	<1	<1	2	3	6	9	14
20-34	180	3.8	19	1	1	2	4	9	12	24
35-49	258	4.1	25	1	1	2	3	12	16	24
50-64	413	3.9	24	1	1	2	4	9	13	27
65+	366	6.1	62	1	1	2	7	16	23	40
2. MULTIPLE DX										
0-19 YRS	161	7.0	59	1	1	5	9	14	18	52
20-34	240	8.6	71	1	2	6	12	19	24	44
35-49	414	8.7	67	1	2	6	12	19	25	40
50-64	936	10.5	91	1	2	8	14	23	28	47
65+	1681	13.8	137	2	3	11	18	28	39	62
TOT. SINGLE DX	1392	4.4	33	1	1	2	4	11	16	26
" MULTIPLE DX	3432	11.6	113	1	2	9	15	25	32	55
TOTAL 0-19 YRS	336	4.9	37	<1	1	3	6	12	14	39
20-34	420	6.5	55	1	1	4	9	16	21	29
35-49	672	6.9	57	1	1	3	10	17	23	34
50-64	1349	8.5	80	1	2	5	11	20	27	44
65+	2047	12.4	133	1	2	9	17	26	37	59
GRAND TOTAL	**4824**	**9.5**	**101**	**1**	**2**	**6**	**13**	**22**	**28**	**52**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.1	1	1	2	3	4	5	5	6
20-34	472	3.9	2	2	2	4	5	6	7	10
35-49	669	4.7	6	2	3	4	5	8	9	16
50-64	536	5.5	26	2	3	4	6	9	12	29
65+	147	6.2	22	2	3	5	7	12	17	25
2. MULTIPLE DX										
0-19 YRS	4	3.5	1	3	3	3	4	5	5	5
20-34	92	6.3	23	2	2	5	7	15	17	24
35-49	273	6.7	38	2	3	5	7	12	16	35
50-64	314	7.9	43	3	3	6	9	15	19	39
65+	154	10.5	117	3	3	8	13	19	23	59
TOT. SINGLE DX	1846	4.8	13	2	2	4	5	8	10	17
" MULTIPLE DX	837	7.8	55	3	3	6	9	15	20	38
TOTAL 0-19 YRS	26	3.2	1	1	2	3	4	5	5	6
20-34	564	4.3	7	2	2	4	5	6	9	16
35-49	942	5.2	17	2	3	4	6	9	12	23
50-64	850	6.4	35	2	3	5	7	11	15	35
65+	301	8.4	75	3	3	6	10	16	21	41
GRAND TOTAL	**2683**	**5.8**	**28**	**2**	**3**	**4**	**6**	**10**	**14**	**27**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	8.8	37	2	2	9	10	16	24	25
20-34	29	8.8	93	1	2	6	11	19	29	47
35-49	118	9.0	31	1	2	9	12	16	20	25
50-64	481	10.8	36	3	5	10	13	17	20	32
65+	527	12.8	80	4	6	11	15	20	26	59
2. MULTIPLE DX										
0-19 YRS	38	15.3	199	2	3	12	18	37	41	73
20-34	124	11.2	82	2	2	9	15	24	32	42
35-49	408	12.7	107	2	3	10	16	25	32	90
50-64	1419	15.7	136	4	6	13	18	27	39	71
65+	1713	18.9	163	6	8	16	23	35	46	71
TOT. SINGLE DX	1167	11.5	59	3	5	10	14	18	23	41
" MULTIPLE DX	3702	16.7	150	4	6	13	20	31	41	72
TOTAL 0-19 YRS	50	13.7	167	2	3	10	14	28	41	73
20-34	153	10.8	85	2	2	8	14	23	31	46
35-49	526	11.9	93	2	3	10	15	22	29	75
50-64	1900	14.4	116	4	6	12	17	25	34	69
65+	2240	17.5	151	5	7	14	21	32	42	70
GRAND TOTAL	**4869**	**15.4**	**133**	**3**	**5**	**12**	**18**	**28**	**38**	**69**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	11.5	13	9	9	11	14	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	5	11.8	15	8	8	11	14	18	18	18
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	2	11.5	13	9	9	11	14	14	14	14
" MULTIPLE DX	6	11.2	15	8	8	10	13	17	18	18
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	7	11.7	13	8	8	11	14	17	18	18
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**8**	**11.3**	**13**	**8**	**8**	**10**	**13**	**17**	**18**	**18**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	13	5.9	41	1	1	4	8	13	22	24
35-49	24	6.3	63	1	1	4	7	12	24	39
50-64	32	8.0	48	<1	1	4	13	18	21	24
65+	44	8.3	75	<1	<1	7	11	22	24	45
2. MULTIPLE DX										
0-19 YRS	39	5.4	18	1	1	4	7	12	16	18
20-34	268	6.8	39	1	2	5	8	14	18	29
35-49	425	6.7	45	1	2	5	8	13	18	41
50-64	786	7.6	64	1	2	5	10	15	20	47
65+	568	9.1	69	1	2	7	11	20	26	52
TOT. SINGLE DX	115	7.5	60	<1	1	5	10	17	23	41
" MULTIPLE DX	2086	7.7	59	1	2	5	10	15	22	44
TOTAL 0-19 YRS	41	5.3	17	1	1	4	7	11	16	18
20-34	281	6.7	39	1	2	5	8	13	18	29
35-49	449	6.7	47	1	2	5	8	13	18	41
50-64	818	7.6	64	1	2	5	10	15	21	46
65+	612	9.0	70	1	2	7	11	20	26	51
GRAND TOTAL	**2201**	**7.7**	**59**	**1**	**2**	**5**	**10**	**15**	**22**	**44**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	201	7.8	37	1	2	6	10	14	20	28
20-34	203	6.6	38	1	1	4	9	14	19	32
35-49	332	8.9	62	1	2	7	11	18	24	41
50-64	1175	9.3	56	2	3	8	11	16	22	38
65+	1614	10.3	50	3	4	9	13	18	23	35
2. MULTIPLE DX										
0-19 YRS	1746	20.2	411	2	4	12	29	55	73	99+
20-34	628	10.5	147	1	1	7	13	23	37	63
35-49	953	12.5	180	1	2	9	15	27	42	78
50-64	3186	13.0	121	2	3	10	16	26	34	66
65+	4847	15.4	143	3	5	12	19	29	39	63
TOT. SINGLE DX	3525	9.5	53	2	3	8	12	17	23	36
" MULTIPLE DX	11360	14.9	189	2	3	11	18	31	44	80
TOTAL 0-19 YRS	1947	18.9	387	2	3	11	26	52	70	99+
20-34	831	9.5	123	1	1	6	12	21	31	61
35-49	1285	11.5	152	1	2	8	14	25	36	74
50-64	4361	12.0	107	2	3	9	15	24	32	62
65+	6461	14.1	125	3	4	11	17	27	35	61
GRAND TOTAL	**14885**	**13.6**	**162**	**2**	**3**	**10**	**16**	**28**	**39**	**76**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	434	2.9	7	<1	1	2	3	7	9	14
20-34	488	3.9	13	1	1	3	5	8	11	18
35-49	332	4.6	20	1	1	3	6	10	14	23
50-64	378	5.9	25	1	2	4	8	12	17	25
65+	359	7.5	50	1	2	5	10	14	21	38
2. MULTIPLE DX										
0-19 YRS	163	4.7	18	1	1	3	6	10	14	22
20-34	314	7.5	45	1	2	6	10	15	20	34
35-49	338	8.3	56	2	2	6	11	17	22	42
50-64	635	9.9	63	2	3	8	13	19	25	41
65+	785	11.8	86	2	3	9	15	24	31	45
TOT. SINGLE DX	1991	4.8	25	1	1	3	6	10	14	25
" MULTIPLE DX	2235	9.6	69	2	2	7	13	19	26	43
TOTAL 0-19 YRS	597	3.4	11	<1	1	2	4	8	10	16
20-34	802	5.3	29	1	1	3	7	11	15	25
35-49	670	6.5	42	1	2	4	9	15	19	34
50-64	1013	8.4	53	2	2	7	11	17	22	37
65+	1144	10.4	79	2	2	8	14	21	28	45
GRAND TOTAL	**4226**	**7.4**	**54**	**1**	**2**	**5**	**10**	**16**	**21**	**38**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	3.6	10	<1	<1	2	5	9	11	11
20-34	37	5.6	16	1	2	5	7	9	9	24
35-49	41	8.9	91	1	2	5	10	17	32	48
50-64	71	9.0	73	2	3	7	11	18	21	56
65+	56	9.7	56	2	3	8	11	19	23	46
2. MULTIPLE DX										
0-19 YRS	6	10.8	92	<1	<1	10	19	23	23	23
20-34	22	6.9	22	1	2	5	9	13	18	20
35-49	54	13.9	100	3	4	11	18	30	38	44
50-64	160	13.2	191	3	4	9	15	26	42	83
65+	193	12.3	111	4	4	9	15	24	30	59
TOT. SINGLE DX	222	8.2	61	1	2	7	9	17	21	47
" MULTIPLE DX	435	12.5	136	3	4	9	15	24	33	72
TOTAL 0-19 YRS	23	5.5	39	<1	<1	2	7	17	20	23
20-34	59	6.1	19	1	2	5	8	9	14	24
35-49	95	11.7	102	2	3	8	15	25	38	46
50-64	231	11.9	159	3	3	8	13	24	37	77
65+	249	11.7	100	3	4	9	15	23	28	47
GRAND TOTAL	**657**	**11.1**	**115**	**2**	**3**	**8**	**13**	**22**	**30**	**51**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.7	24	2	2	10	11	11	11	11
20-34										
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	2	25.5	265	14	14	25	37	37	37	37
65+	1	24.0		24	24	24	24	24	24	24
TOT. SINGLE DX	7	5.4	15	2	2	3	9	11	11	11
" MULTIPLE DX	4	20.0	189	5	5	19	30	37	37	37
TOTAL 0-19 YRS	3	7.7	24	2	2	10	11	11	11	11
20-34	1	5.0		5	5	5	5	5	5	5
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64	4	14.0	265	2	2	8	25	37	37	37
65+	1	24.0		24	24	24	24	24	24	24
GRAND TOTAL	**11**	**10.7**	**120**	**2**	**2**	**7**	**13**	**29**	**36**	**37**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	1	5.0		5	5	5	5	5	5	5
" MULTIPLE DX	1	8.0		8	8	8	8	8	8	8
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**2**	**6.5**	**5**	**5**	**5**	**6**	**8**	**8**	**8**	**8**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	6.7	25	1	2	6	8	12	15	28
20-34	228	8.5	47	2	2	7	10	18	25	32
35-49	243	8.5	50	2	2	7	10	17	22	39
50-64	373	8.2	63	2	2	6	10	15	21	44
65+	555	9.7	73	2	3	7	12	20	28	49
2. MULTIPLE DX										
0-19 YRS	272	10.3	110	2	3	7	11	19	28	65
20-34	531	11.8	120	3	4	9	13	23	31	65
35-49	708	12.0	112	2	3	9	15	23	33	57
50-64	1446	12.6	122	3	4	9	15	25	35	62
65+	3397	13.3	107	3	4	11	17	25	33	58
TOT. SINGLE DX	1608	8.6	58	2	2	7	10	17	23	41
" MULTIPLE DX	6354	12.8	113	3	4	10	16	25	33	60
TOTAL 0-19 YRS	481	8.7	77	2	2	7	10	16	23	49
20-34	759	10.8	101	2	3	8	13	22	29	58
35-49	951	11.1	99	2	3	8	14	22	30	52
50-64	1819	11.7	113	2	3	9	14	23	32	61
65+	3952	12.8	104	3	4	10	16	25	32	55
GRAND TOTAL	**7962**	**11.9**	**105**	**2**	**3**	**9**	**15**	**23**	**31**	**56**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	14.0	384	2	2	5	12	51	61	72
20-34	40	12.6	124	2	2	10	16	28	40	47
35-49	35	10.9	83	1	2	9	16	26	29	31
50-64	53	10.7	163	1	3	6	12	25	43	63
65+	42	15.9	244	1	2	10	22	36	51	70
2. MULTIPLE DX										
0-19 YRS	63	22.0	537	3	4	10	38	63	81	99
20-34	83	13.8	178	2	2	10	19	31	36	76
35-49	124	13.8	194	2	3	9	16	31	48	71
50-64	198	14.7	150	2	3	11	20	33	41	83
65+	313	19.4	223	3	4	16	28	42	50	81
TOT. SINGLE DX	191	12.6	183	1	2	8	16	31	44	67
" MULTIPLE DX	781	16.9	228	2	4	12	23	38	49	87
TOTAL 0-19 YRS	84	20.0	506	3	3	9	36	57	79	97
20-34	123	13.4	161	2	2	10	18	31	37	60
35-49	159	13.2	171	2	3	9	16	28	39	70
50-64	251	13.9	155	2	3	10	18	33	42	66
65+	355	19.0	227	2	4	16	27	42	50	76
GRAND TOTAL	**972**	**16.1**	**222**	**2**	**3**	**11**	**22**	**37**	**49**	**80**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.3	13	<1	1	3	6	10	12	15
20-34	74	5.3	24	1	1	4	7	11	17	23
35-49	115	5.4	16	1	1	4	7	12	14	20
50-64	190	6.4	57	1	1	4	8	13	22	52
65+	227	7.0	40	1	2	5	9	16	22	31
2. MULTIPLE DX										
0-19 YRS	42	6.6	48	1	1	4	8	17	22	34
20-34	189	7.5	62	2	2	6	9	13	19	41
35-49	426	8.9	96	2	2	6	11	18	24	60
50-64	689	9.7	125	1	2	7	11	20	28	76
65+	1197	11.1	122	2	2	8	13	24	32	67
TOT. SINGLE DX	642	6.2	38	1	1	4	8	13	19	32
" MULTIPLE DX	2543	10.0	115	2	2	7	12	21	28	69
TOTAL 0-19 YRS	78	5.5	33	1	1	4	7	12	18	31
20-34	263	6.9	53	1	2	5	8	12	18	38
35-49	541	8.1	81	1	2	6	10	16	21	46
50-64	879	9.0	113	1	2	6	11	19	27	74
65+	1424	10.4	112	2	2	7	13	22	30	66
GRAND TOTAL	**3185**	**9.2**	**102**	**1**	**2**	**6**	**11**	**19**	**27**	**61**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	328	4.2	3	2	2	4	5	6	8	11
20-34	4	12.0	33	5	5	12	16	19	19	19
35-49	3	8.0	13	4	4	9	10	11	11	11
50-64	2	10.5	1	10	10	10	11	11	11	11
65+	10	18.5	143	9	9	16	19	36	50	50
2. MULTIPLE DX										
0-19 YRS	63	7.6	75	2	3	5	8	12	24	54
20-34	6	8.5	12	3	3	8	9	14	14	14
35-49	12	13.7	42	7	7	12	17	22	29	30
50-64	7	18.7	153	8	8	18	24	39	42	42
65+	36	21.1	182	6	9	16	28	44	51	57
TOT. SINGLE DX	347	4.7	14	2	2	4	5	8	10	19
" MULTIPLE DX	124	12.8	138	3	3	9	16	30	41	56
TOTAL 0-19 YRS	391	4.7	17	2	2	4	5	8	10	17
20-34	10	9.9	21	3	4	9	13	16	19	19
35-49	15	12.5	41	5	7	11	15	19	27	30
50-64	9	16.9	128	8	8	11	21	36	42	42
65+	46	20.5	172	7	9	16	23	44	50	57
GRAND TOTAL	**471**	**6.9**	**59**	**2**	**2**	**4**	**7**	**13**	**19**	**49**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.5	14	3	3	4	5	12	13	13
20-34	7	10.0	78	3	3	8	10	25	29	29
35-49	6	18.0	187	6	6	14	24	40	42	42
50-64	21	16.4	129	3	6	15	19	28	42	55
65+	36	20.9	151	6	8	21	26	45	48	99+
2. MULTIPLE DX										
0-19 YRS	25	21.6	440	4	6	18	32	83	99+	99+
20-34	15	16.0	252	1	2	12	16	47	55	58
35-49	22	25.3	319	7	7	22	42	57	77	99+
50-64	111	23.1	354	4	5	18	34	60	88	99+
65+	334	25.2	291	6	8	21	36	53	72	99+
TOT. SINGLE DX	76	17.2	148	4	4	14	24	37	45	88
" MULTIPLE DX	507	24.3	313	5	7	20	35	54	76	99+
TOTAL 0-19 YRS	31	18.5	397	3	4	13	27	76	98	99+
20-34	22	14.1	199	2	3	11	15	34	51	58
35-49	28	23.8	292	7	7	21	37	54	66	99+
50-64	132	22.0	324	4	5	17	30	54	85	99+
65+	370	24.7	279	6	8	21	35	49	71	99+
GRAND TOTAL	**583**	**23.3**	**297**	**4**	**7**	**19**	**33**	**53**	**73**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	5.8	10	3	3	5	7	10	14	15
20-34	125	5.6	8	2	2	5	7	9	11	38
35-49	237	6.5	20	2	2	5	8	12	16	23
50-64	249	7.1	23	1	2	6	9	13	17	25
65+	278	8.0	43	2	2	7	10	15	20	30
2. MULTIPLE DX										
0-19 YRS	42	6.6	22	1	3	5	7	11	18	24
20-34	316	7.5	44	2	3	6	9	14	17	39
35-49	796	8.0	41	2	3	7	10	14	17	34
50-64	1167	9.0	46	2	3	7	11	16	22	36
65+	2034	11.1	83	3	4	9	13	21	28	55
TOT. SINGLE DX	902	7.0	27	2	2	6	9	13	17	27
" MULTIPLE DX	4355	9.7	64	2	3	8	12	17	24	41
TOTAL 0-19 YRS	55	6.4	20	2	3	5	7	11	16	24
20-34	441	7.0	35	2	3	6	8	12	16	39
35-49	1033	7.7	37	2	3	6	10	14	17	30
50-64	1416	8.7	43	2	3	7	11	16	20	34
65+	2312	10.7	79	3	3	8	13	21	28	52
GRAND TOTAL	**5257**	**9.2**	**59**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	8.8	20	5	5	7	12	15	15	15
20-34	84	11.2	20	6	7	10	13	18	20	25
35-49	185	13.4	45	7	8	12	15	21	25	46
50-64	186	14.3	45	7	8	13	17	21	28	41
65+	156	15.9	37	8	9	15	19	24	27	33
2. MULTIPLE DX										
0-19 YRS	6	16.0	32	11	11	13	21	25	25	25
20-34	74	14.8	73	6	8	13	17	25	28	56
35-49	225	16.1	101	7	9	13	18	25	34	59
50-64	366	19.2	137	8	9	16	24	33	45	94
65+	489	23.6	202	9	10	20	29	42	53	85
TOT. SINGLE DX	615	14.0	42	7	8	13	17	21	26	42
" MULTIPLE DX	1160	20.2	164	8	9	16	25	36	45	81
TOTAL 0-19 YRS	10	13.1	39	5	5	12	15	23	25	25
20-34	158	12.9	48	6	7	11	15	20	25	31
35-49	410	14.9	78	7	8	12	17	24	31	51
50-64	552	17.6	112	8	9	15	20	29	41	67
65+	645	21.7	174	9	10	18	27	38	47	81
GRAND TOTAL	**1775**	**18.0**	**130**	**8**	**9**	**15**	**21**	**32**	**42**	**67**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	19.0	32	15	15	19	23	23	23	23
35-49	5	30.2	100	19	19	32	36	44	44	44
50-64	28	21.3	87	12	12	19	24	30	41	56
65+	31	22.3	102	10	12	18	30	36	43	47
2. MULTIPLE DX										
0-19 YRS										
20-34	3	20.3	46	15	15	18	25	28	28	28
35-49	12	19.9	134	11	11	16	20	39	49	51
50-64	41	23.6	55	13	15	23	28	35	39	40
65+	54	26.1	285	11	12	22	32	44	62	97
TOT. SINGLE DX	66	22.3	96	11	12	21	28	35	43	55
" MULTIPLE DX	110	24.4	178	11	12	21	29	37	51	82
TOTAL 0-19 YRS										
20-34	5	19.8	32	15	15	18	24	28	28	28
35-49	17	22.9	141	11	11	19	32	42	49	51
50-64	69	22.7	69	12	13	21	27	33	39	53
65+	85	24.7	220	11	12	21	30	38	58	89
GRAND TOTAL	**176**	**23.6**	**147**	**11**	**12**	**21**	**29**	**37**	**44**	**69**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	9.3	23	6	6	8	9	18	19	19
20-34	69	10.6	21	6	7	10	12	15	21	28
35-49	129	11.5	30	6	7	10	13	18	21	31
50-64	121	12.1	32	6	7	10	15	19	21	38
65+	51	16.4	61	7	9	14	21	28	32	39
2. MULTIPLE DX										
0-19 YRS	3	11.7	100	4	4	8	19	23	23	23
20-34	74	13.9	92	6	7	11	15	25	29	56
35-49	129	13.5	39	6	7	12	16	22	29	54
50-64	169	16.2	97	7	8	13	18	26	37	52
65+	156	22.2	208	9	11	18	27	38	54	95
TOT. SINGLE DX	376	12.2	36	6	7	10	14	20	23	37
" MULTIPLE DX	531	16.9	127	7	8	14	20	29	38	81
TOTAL 0-19 YRS	9	10.1	41	4	5	8	11	21	23	23
20-34	143	12.3	60	6	7	10	14	21	26	53
35-49	258	12.5	36	6	7	11	15	21	23	41
50-64	290	14.5	74	7	7	12	17	22	33	48
65+	207	20.8	178	9	10	17	25	35	51	91
GRAND TOTAL	**907**	**15.0**	**95**	**7**	**7**	**12**	**17**	**25**	**34**	**55**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	8.0	29	3	4	7	9	11	17	33
20-34	399	8.8	20	5	6	8	9	12	15	30
35-49	375	9.5	17	6	6	8	11	14	18	24
50-64	156	11.9	37	6	7	10	14	20	26	30
65+	128	13.3	56	6	7	11	17	23	30	40
2. MULTIPLE DX										
0-19 YRS	65	16.1	277	4	5	9	19	41	74	99+
20-34	658	9.7	50	5	5	8	10	15	21	47
35-49	786	10.8	65	5	6	9	11	18	23	40
50-64	503	15.1	102	6	7	12	18	28	38	59
65+	509	21.9	217	7	9	17	27	42	53	76
TOT. SINGLE DX	1109	10.0	29	5	6	8	11	16	20	32
" MULTIPLE DX	2521	13.8	125	5	6	10	15	26	37	67
TOTAL 0-19 YRS	116	12.5	184	3	4	8	13	31	44	99+
20-34	1057	9.4	39	5	5	8	10	13	19	34
35-49	1161	10.4	50	5	6	9	11	17	20	37
50-64	659	14.3	89	6	7	11	17	26	35	50
65+	637	20.2	197	7	8	16	25	39	48	73
GRAND TOTAL	**3630**	**12.6**	**99**	**5**	**6**	**9**	**14**	**23**	**32**	**57**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	5.1	16	1	2	4	6	9	11	25
20-34	347	5.2	16	1	1	4	7	10	12	16
35-49	343	5.2	22	1	1	4	7	11	14	27
50-64	553	4.9	20	1	1	3	7	11	14	21
65+	583	5.7	35	1	1	3	8	14	18	27
2. MULTIPLE DX										
0-19 YRS	141	7.7	92	2	2	6	8	14	19	54
20-34	529	7.9	50	2	2	6	9	15	21	33
35-49	755	7.3	37	1	2	6	9	14	18	30
50-64	1499	7.6	46	1	2	6	10	15	19	35
65+	2519	9.5	72	1	2	7	12	19	26	43
TOT. SINGLE DX	1947	5.3	24	1	1	4	7	11	15	23
" MULTIPLE DX	5443	8.5	60	1	2	7	11	17	22	40
TOTAL 0-19 YRS	262	6.5	59	2	2	5	7	11	15	34
20-34	876	6.8	39	1	2	5	8	13	17	30
35-49	1098	6.6	34	1	1	5	9	13	17	28
50-64	2052	6.9	41	1	1	5	9	14	18	32
65+	3102	8.8	68	1	2	7	11	18	24	41
GRAND TOTAL	**7390**	**7.6**	**53**	**1**	**2**	**6**	**10**	**15**	**20**	**36**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	10.2	34	5	6	8	11	22	23	23
20-34	41	11.0	24	6	7	9	13	19	23	25
35-49	41	12.2	35	6	7	11	14	19	23	37
50-64	58	14.5	52	7	8	14	16	21	26	47
65+	85	17.8	81	9	9	16	21	29	37	86
2. MULTIPLE DX										
0-19 YRS	62	18.9	321	6	7	12	23	57	73	99+
20-34	129	14.4	140	6	7	10	16	26	44	65
35-49	130	16.7	102	7	8	13	20	27	38	58
50-64	211	21.5	248	8	8	16	27	46	60	99+
65+	424	22.5	219	8	9	18	27	43	55	84
TOT. SINGLE DX	237	14.4	61	7	7	12	18	23	29	56
" MULTIPLE DX	956	20.2	214	7	8	16	25	42	55	89
TOTAL 0-19 YRS	74	17.5	284	6	6	11	20	52	70	99+
20-34	170	13.5	114	6	7	10	15	24	35	64
35-49	171	15.6	90	7	8	13	19	25	32	54
50-64	269	20.0	214	7	8	15	23	41	56	98
65+	509	21.7	199	8	9	18	26	42	54	85
GRAND TOTAL	**1193**	**19.0**	**189**	**7**	**8**	**15**	**22**	**37**	**53**	**85**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	11.5	46	5	6	9	13	20	27	34
20-34	126	13.3	50	7	8	11	15	22	26	45
35-49	233	12.6	28	7	8	11	14	18	22	36
50-64	606	13.3	34	8	9	12	15	20	24	36
65+	865	16.1	56	9	9	14	18	24	31	46
2. MULTIPLE DX										
0-19 YRS	59	18.8	331	5	6	14	27	83	99+	99+
20-34	202	16.9	130	7	8	13	20	30	42	60
35-49	461	15.3	82	7	8	13	17	23	31	54
50-64	1437	16.8	76	8	9	15	19	27	32	54
65+	3168	20.2	117	10	11	17	24	33	43	70
TOT. SINGLE DX	1854	14.5	47	8	9	13	17	22	27	41
" MULTIPLE DX	5327	18.7	110	9	10	16	22	31	39	69
TOTAL 0-19 YRS	83	16.7	259	5	6	12	20	68	99+	99+
20-34	328	15.5	103	7	8	12	18	28	35	56
35-49	694	14.4	66	7	8	12	16	22	28	50
50-64	2043	15.7	67	8	9	14	18	25	30	48
65+	4033	19.3	107	9	10	17	22	31	40	65
GRAND TOTAL	**7181**	**17.6**	**97**	**8**	**9**	**15**	**21**	**29**	**37**	**62**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.2	14	4	4	5	7	13	13	13
20-34	11	7.7	8	2	4	8	10	11	12	12
35-49	13	11.3	13	6	7	11	13	16	19	20
50-64	22	14.1	40	6	8	13	16	25	26	27
65+	53	14.1	47	6	8	13	16	23	31	35
2. MULTIPLE DX										
0-19 YRS	11	31.5	889	7	8	20	81	99+	99+	99+
20-34	41	14.4	153	5	6	11	16	22	43	70
35-49	39	15.1	75	5	6	13	19	26	29	46
50-64	75	17.8	101	7	9	14	23	35	42	87
65+	179	21.7	190	8	10	18	27	37	48	93
TOT. SINGLE DX	104	12.7	42	5	6	12	15	21	26	34
" MULTIPLE DX	345	19.5	185	7	8	15	24	36	49	99+
TOTAL 0-19 YRS	16	23.6	743	4	4	14	59	97	99+	99+
20-34	52	13.0	130	5	6	10	15	20	35	70
35-49	52	14.1	62	6	7	12	18	25	27	46
50-64	97	17.0	89	7	8	14	22	32	39	75
65+	232	19.9	168	8	9	16	25	35	43	88
GRAND TOTAL	**449**	**17.9**	**160**	**6**	**8**	**14**	**23**	**34**	**43**	**95**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	7.1	13	2	3	7	8	12	16	18
20-34	135	8.7	11	4	4	8	11	13	15	17
35-49	157	10.3	26	4	5	10	11	15	18	33
50-64	174	10.4	29	4	6	10	12	15	18	28
65+	221	10.8	32	4	5	10	13	18	22	35
2. MULTIPLE DX										
0-19 YRS	127	13.3	137	4	5	9	15	26	43	61
20-34	284	12.6	96	5	6	10	14	23	29	71
35-49	245	15.8	155	5	6	12	20	31	42	79
50-64	334	16.3	162	6	7	12	18	34	44	77
65+	563	17.4	152	6	7	14	21	34	45	76
TOT. SINGLE DX	760	9.9	26	3	5	9	12	15	18	28
" MULTIPLE DX	1553	15.7	147	5	7	12	18	30	43	75
TOTAL 0-19 YRS	200	11.0	101	3	4	8	12	19	33	54
20-34	419	11.3	72	4	5	9	13	19	24	60
35-49	402	13.7	112	5	6	11	15	26	37	68
50-64	508	14.3	125	5	7	11	15	25	40	74
65+	784	15.6	127	5	7	12	18	28	41	60
GRAND TOTAL	**2313**	**13.8**	**114**	**5**	**6**	**11**	**15**	**25**	**37**	**65**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	9.4	36	2	4	8	12	19	24	24
20-34	14	11.6	191	3	5	8	10	22	50	58
35-49	14	17.6	403	2	3	11	18	58	66	68
50-64	30	13.4	37	5	6	13	17	22	23	28
65+	57	19.5	157	8	9	15	24	30	40	83
2. MULTIPLE DX										
0-19 YRS	20	18.6	345	6	8	13	18	67	90	99+
20-34	44	17.0	225	4	5	13	21	41	54	99+
35-49	75	20.7	222	6	9	16	23	47	53	98
50-64	179	22.4	238	8	8	17	28	45	53	97
65+	386	25.2	224	9	11	21	31	44	59	90
TOT. SINGLE DX	126	16.1	157	4	5	14	19	28	38	72
" MULTIPLE DX	704	23.3	236	8	9	19	29	44	58	99
TOTAL 0-19 YRS	31	15.3	251	4	6	12	15	36	79	99+
20-34	58	15.7	219	3	5	10	19	40	52	98
35-49	89	20.2	248	4	6	15	22	49	57	96
50-64	209	21.1	219	7	8	17	26	43	52	94
65+	443	24.4	219	9	11	21	30	43	57	87
GRAND TOTAL	**830**	**22.2**	**230**	**7**	**8**	**18**	**28**	**43**	**57**	**97**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5993	4.1	5	2	2	3	5	7	9	14
20-34	3782	4.3	5	2	2	4	5	7	8	13
35-49	1188	5.0	7	2	3	4	6	9	10	16
50-64	594	6.7	17	2	3	6	8	12	14	20
65+	279	8.4	30	3	3	7	10	15	17	34
2. MULTIPLE DX										
0-19 YRS	1325	5.9	16	2	3	5	7	11	14	21
20-34	1020	6.6	19	2	3	5	8	12	16	24
35-49	450	8.2	24	3	4	7	11	14	17	26
50-64	440	11.3	77	4	4	9	14	21	25	57
65+	370	13.7	99	4	5	11	16	24	31	57
TOT. SINGLE DX	11836	4.5	8	2	2	4	5	8	10	15
" MULTIPLE DX	3605	7.8	41	2	3	6	10	15	19	31
TOTAL 0-19 YRS	7318	4.4	8	2	2	4	5	8	10	15
20-34	4802	4.8	9	2	2	4	5	8	10	17
35-49	1638	5.9	14	2	3	5	7	11	13	20
50-64	1034	8.7	48	3	3	7	10	16	20	37
65+	649	11.4	76	3	4	9	14	20	27	49
GRAND TOTAL	**15441**	**5.2**	**18**	**2**	**2**	**4**	**6**	**10**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	4.5	5	1	2	4	6	7	9	13
20-34	68	4.6	3	3	3	4	5	7	8	12
35-49	22	6.0	11	2	3	5	7	12	14	14
50-64	13	6.5	7	4	4	6	7	11	13	13
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	47	6.3	23	2	3	5	7	12	15	30
20-34	52	7.9	30	3	4	6	9	15	21	30
35-49	18	10.2	22	3	4	10	13	14	20	23
50-64	11	16.3	94	9	9	12	19	29	42	43
65+	5	12.6	37	7	7	11	17	22	22	22
TOT. SINGLE DX	176	4.9	6	2	3	4	6	8	11	14
" MULTIPLE DX	133	8.5	39	3	3	7	10	15	21	32
TOTAL 0-19 YRS	119	5.2	13	2	2	4	6	9	12	21
20-34	120	6.0	18	3	3	5	7	9	13	28
35-49	40	7.9	21	3	3	7	11	14	14	23
50-64	24	11.0	70	4	4	9	13	19	27	43
65+	6	12.2	31	7	7	10	15	21	22	22
GRAND TOTAL	**309**	**6.5**	**24**	**2**	**3**	**5**	**8**	**12**	**15**	**28**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	7.4	11	2	3	7	10	11	13	14
20-34	7	8.1	5	4	5	8	10	11	11	11
35-49	7	11.0	13	6	6	13	14	15	15	15
50-64	12	15.2	47	4	8	14	20	24	29	30
65+	7	15.3	97	7	7	11	20	31	34	34
2. MULTIPLE DX										
0-19 YRS	10	10.6	40	4	4	9	14	21	22	22
20-34	13	10.9	33	3	4	11	16	18	21	22
35-49	11	14.7	94	6	7	11	20	30	37	38
50-64	12	16.2	81	10	10	12	19	27	40	42
65+	8	27.0	430	11	12	16	39	62	66	66
TOT. SINGLE DX	50	11.0	41	3	4	10	14	20	21	34
" MULTIPLE DX	54	15.2	136	4	6	12	17	24	41	65
TOTAL 0-19 YRS	27	8.6	23	3	3	7	11	14	20	22
20-34	20	10.0	25	3	4	10	12	17	20	22
35-49	18	13.3	64	6	6	11	15	23	32	38
50-64	24	15.7	62	8	10	14	20	22	34	42
65+	15	21.5	293	7	8	15	24	53	63	66
GRAND TOTAL	**104**	**13.2**	**94**	**3**	**5**	**11**	**16**	**21**	**31**	**59**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	4.5	91	<1	1	2	5	8	12	53
20-34	142	5.5	20	1	2	4	7	11	14	25
35-49	111	5.2	17	1	2	4	7	11	14	19
50-64	181	4.9	20	1	1	3	6	11	14	22
65+	212	5.9	23	1	2	4	8	12	14	25
2. MULTIPLE DX										
0-19 YRS	65	6.1	32	1	1	4	8	12	23	88
20-34	156	7.0	35	2	2	6	8	12	17	34
35-49	169	7.4	44	2	2	5	9	14	23	34
50-64	377	8.3	64	2	2	6	10	15	22	45
65+	706	10.1	81	2	3	7	13	20	29	47
TOT. SINGLE DX	752	5.3	31	1	1	4	7	11	14	21
" MULTIPLE DX	1473	8.8	68	2	2	6	11	18	25	46
TOTAL 0-19 YRS	171	5.2	69	1	1	3	6	10	19	80
20-34	298	6.2	29	1	2	5	8	12	16	26
35-49	280	6.5	35	1	2	5	9	13	18	33
50-64	558	7.2	53	1	2	5	9	14	19	36
65+	918	9.1	71	2	2	7	11	19	26	45
GRAND TOTAL	**2225**	**7.6**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.8	2	1	1	2	4	5	6	8
20-34	313	3.3	8	1	1	3	4	5	7	15
35-49	249	3.9	28	1	1	3	4	6	9	18
50-64	136	4.9	22	1	2	4	5	9	11	32
65+	47	6.1	56	1	1	4	7	14	16	49
2. MULTIPLE DX										
0-19 YRS	23	7.7	51	1	1	5	12	18	24	28
20-34	135	5.0	14	1	2	4	6	9	12	18
35-49	176	6.1	76	1	2	4	7	11	16	48
50-64	128	6.5	35	2	2	5	8	12	15	35
65+	82	11.0	133	2	3	7	14	23	25	66
TOT. SINGLE DX	809	3.9	20	1	1	3	4	7	9	18
" MULTIPLE DX	544	6.7	62	2	2	5	8	13	17	50
TOTAL 0-19 YRS	87	4.1	20	1	1	3	5	7	14	26
20-34	448	3.8	11	1	1	3	5	7	9	15
35-49	425	4.8	50	1	2	3	5	8	12	42
50-64	264	5.7	29	1	2	4	6	11	14	32
65+	129	9.2	111	2	2	6	12	17	24	64
GRAND TOTAL	**1353**	**5.0**	**39**	**1**	**2**	**3**	**5**	**9**	**14**	**31**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	12.2	33	3	7	12	14	17	26	28
20-34	12	13.9	40	4	4	14	18	21	24	25
35-49	61	15.9	59	5	8	15	18	28	32	39
50-64	128	14.9	27	8	10	14	18	21	25	36
65+	208	18.5	80	10	10	16	22	30	34	55
2. MULTIPLE DX										
0-19 YRS	13	19.2	139	2	4	16	26	37	38	38
20-34	33	16.0	84	4	7	14	22	29	42	99+
35-49	66	16.7	124	6	8	13	19	30	38	70
50-64	244	18.9	90	9	10	17	22	30	37	67
65+	463	23.0	182	9	11	20	27	40	51	92
TOT. SINGLE DX	422	16.7	62	8	10	15	19	26	31	44
" MULTIPLE DX	819	20.9	151	8	10	18	24	36	45	76
TOTAL 0-19 YRS	26	15.7	95	2	5	13	20	35	37	38
20-34	45	15.4	72	4	5	14	19	28	35	99+
35-49	127	16.3	93	5	8	13	19	29	37	49
50-64	372	17.5	72	9	10	16	21	27	34	47
65+	671	21.6	155	9	10	19	25	36	48	77
GRAND TOTAL	**1241**	**19.5**	**125**	**8**	**10**	**17**	**23**	**32**	**41**	**70**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	272	4.5	30	1	1	4	5	8	12	17
20-34	1085	5.3	18	1	2	4	7	9	12	24
35-49	1280	5.6	16	1	2	5	7	10	12	17
50-64	1076	5.7	18	1	2	5	7	11	13	23
65+	879	6.8	27	1	2	6	9	13	17	25
2. MULTIPLE DX										
0-19 YRS	347	6.3	26	2	2	5	8	12	15	33
20-34	2289	6.7	29	2	2	5	8	12	15	29
35-49	3691	7.2	32	2	3	6	9	13	17	31
50-64	4693	8.1	44	2	3	6	10	15	19	35
65+	6107	9.9	68	2	3	8	12	19	25	46
TOT. SINGLE DX	4592	5.7	21	1	2	5	7	10	13	23
" MULTIPLE DX	17127	8.3	50	2	3	7	10	16	21	38
TOTAL 0-19 YRS	619	5.5	29	1	2	4	7	10	14	28
20-34	3374	6.3	26	2	2	5	8	11	14	28
35-49	4971	6.8	29	2	2	5	8	12	16	29
50-64	5769	7.6	41	2	2	6	9	14	19	33
65+	6986	9.5	65	2	3	8	12	18	23	45
GRAND TOTAL	**21719**	**7.8**	**45**	**2**	**2**	**6**	**9**	**15**	**19**	**35**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.0	3	1	1	2	4	6	8	9
20-34	321	3.6	2	2	2	3	4	6	7	9
35-49	367	3.9	4	1	2	4	5	6	8	11
50-64	191	3.9	3	2	2	3	5	6	8	11
65+	66	4.3	4	2	2	4	5	7	9	12
2. MULTIPLE DX										
0-19 YRS	14	4.6	5	3	3	4	5	8	10	11
20-34	235	4.4	7	2	2	4	5	7	9	15
35-49	278	4.9	11	2	2	4	6	9	11	17
50-64	229	5.4	11	2	3	4	6	9	11	23
65+	126	8.0	87	2	3	6	9	15	24	85
TOT. SINGLE DX	976	3.8	4	2	2	3	5	6	7	11
" MULTIPLE DX	882	5.4	22	2	2	4	6	9	12	26
TOTAL 0-19 YRS	45	3.5	5	1	2	3	4	7	8	11
20-34	556	3.9	5	2	2	3	5	6	7	12
35-49	645	4.3	7	2	2	4	5	7	9	15
50-64	420	4.8	9	2	2	4	5	8	10	17
65+	192	6.7	62	2	3	5	7	11	18	65
GRAND TOTAL	**1858**	**4.5**	**13**	**2**	**2**	**4**	**5**	**7**	**10**	**17**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.8	2	<1	1	2	4	5	5	10
20-34	396	3.4	2	1	2	3	4	5	6	9
35-49	262	3.7	4	1	2	3	4	6	7	12
50-64	126	3.8	5	1	2	3	5	6	7	15
65+	58	6.1	54	1	2	4	7	11	15	51
2. MULTIPLE DX										
0-19 YRS	30	4.1	10	1	1	4	5	6	7	19
20-34	330	4.7	7	2	2	4	6	7	9	13
35-49	378	5.0	8	2	2	4	6	8	11	18
50-64	298	5.4	11	2	3	5	6	9	12	21
65+	208	6.8	28	3	3	5	8	11	17	32
TOT. SINGLE DX	916	3.7	7	1	2	3	4	6	7	12
" MULTIPLE DX	1244	5.3	13	2	3	4	6	9	11	21
TOTAL 0-19 YRS	104	3.2	5	<1	1	3	4	5	6	15
20-34	726	4.0	5	1	2	4	5	6	8	12
35-49	640	4.5	7	2	2	4	5	7	9	14
50-64	424	4.9	10	2	2	4	6	8	11	19
65+	266	6.7	34	2	3	5	8	11	16	33
GRAND TOTAL	**2160**	**4.6**	**11**	**2**	**2**	**4**	**5**	**8**	**10**	**18**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	4.0	2	2	2	4	4	6	7	8
20-34	671	4.9	4	2	3	5	6	7	8	11
35-49	813	5.3	4	3	3	5	6	8	9	13
50-64	513	5.5	5	3	3	5	7	8	9	13
65+	199	6.5	15	3	3	6	8	11	13	20
2. MULTIPLE DX										
0-19 YRS	75	4.6	3	3	3	5	6	7	9	77
20-34	1822	5.4	7	3	3	5	6	8	10	15
35-49	2810	6.0	13	3	3	5	7	9	11	18
50-64	2134	6.6	14	3	4	6	7	11	13	21
65+	1023	8.0	26	3	4	6	9	14	17	30
TOT. SINGLE DX	2219	5.3	6	3	3	5	6	8	10	13
" MULTIPLE DX	7864	6.2	15	3	3	5	7	10	13	21
TOTAL 0-19 YRS	98	4.5	3	2	3	4	5	7	8	56
20-34	2493	5.3	7	3	3	5	6	8	9	15
35-49	3623	5.8	11	3	3	5	7	9	11	16
50-64	2647	6.4	13	3	3	5	7	10	13	21
65+	1222	7.7	25	3	4	6	9	13	17	28
GRAND TOTAL	**10083**	**6.0**	**13**	**3**	**3**	**5**	**7**	**9**	**12**	**20**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	3.2	4	1	1	3	4	6	8	10
20-34	349	3.4	5	1	1	3	4	6	8	13
35-49	243	3.7	5	1	1	3	5	7	9	12
50-64	150	3.9	5	1	1	3	5	7	8	11
65+	101	6.3	21	2	2	5	7	13	18	23
2. MULTIPLE DX										
0-19 YRS	39	5.9	64	<1	1	4	6	11	18	48
20-34	180	5.1	15	1	2	4	6	9	14	22
35-49	224	5.8	21	2	2	4	7	11	13	28
50-64	217	6.5	37	1	2	5	8	13	17	28
65+	180	8.6	47	2	3	7	11	17	22	39
TOT. SINGLE DX	922	3.9	8	1	1	3	5	7	9	15
" MULTIPLE DX	840	6.4	33	2	2	5	8	12	17	29
TOTAL 0-19 YRS	118	4.1	25	1	1	3	5	7	9	30
20-34	529	4.0	10	1	1	3	5	7	9	17
35-49	467	4.7	15	1	2	4	6	9	11	25
50-64	367	5.4	26	1	2	4	7	10	14	22
65+	281	7.8	39	2	3	6	9	15	20	35
GRAND TOTAL	**1762**	**5.1**	**22**	**1**	**2**	**4**	**6**	**9**	**13**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	16.8	161	2	2	16	25	33	33	33
20-34	5	12.4	43	5	5	14	18	19	19	19
35-49	8	17.3	941	1	1	5	14	69	92	92
50-64	12	16.6	234	<1	2	14	17	38	56	59
65+	10	13.0	58	3	4	14	17	23	28	28
2. MULTIPLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	20	22.1	250	6	7	18	29	44	61	67
35-49	14	14.9	142	2	2	12	17	33	42	45
50-64	25	19.6	258	2	3	12	30	45	51	56
65+	25	19.6	136	4	4	18	26	36	40	51
TOT. SINGLE DX	39	15.3	276	1	2	14	17	29	47	92
" MULTIPLE DX	86	19.1	198	3	4	15	27	37	49	63
TOTAL 0-19 YRS	6	13.5	122	2	2	11	16	31	33	33
20-34	25	20.2	221	5	6	18	24	32	59	67
35-49	22	15.8	404	1	2	[illegible]	17	36	64	92
50-64	37	18.6	246	2	3	13	28	45	54	59
65+	35	17.7	121	3	4	16	23	35	37	51
GRAND TOTAL	**125**	**17.9**	**224**	**2**	**3**	**15**	**22**	**35**	**49**	**73**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	5.8	56	1	1	3	7	14	24	34
20-34	224	5.1	30	1	1	3	7	12	16	28
35-49	224	5.2	30	1	1	3	7	12	17	29
50-64	281	6.8	50	1	2	4	9	15	20	40
65+	195	9.6	98	2	2	7	13	21	25	46
2. MULTIPLE DX										
0-19 YRS	67	10.5	100	2	2	7	11	22	32	53
20-34	373	11.0	144	2	2	8	13	19	35	80
35-49	527	10.3	90	2	2	8	13	21	25	51
50-64	936	11.2	101	2	2	9	14	22	30	54
65+	955	13.8	108	2	4	11	18	27	35	52
TOT. SINGLE DX	964	6.6	54	1	2	3	9	15	20	33
" MULTIPLE DX	2858	11.9	109	2	2	9	15	23	32	55
TOTAL 0-19 YRS	107	8.7	88	1	2	6	10	19	31	49
20-34	597	8.8	110	1	2	6	11	17	26	55
35-49	751	8.8	78	1	2	6	11	18	23	45
50-64	1217	10.2	93	2	2	8	13	21	28	51
65+	1150	13.1	109	2	3	11	17	25	33	52
GRAND TOTAL	**3822**	**10.5**	**101**	**2**	**2**	**8**	**14**	**22**	**29**	**51**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	318	7.1	10	4	4	6	8	11	13	19
20-34	3812	7.1	6	4	5	6	8	10	12	16
35-49	3574	7.6	9	4	5	7	9	11	13	18
50-64	3178	8.4	11	5	5	8	10	13	15	21
65+	2157	10.4	20	5	6	9	12	16	20	26
2. MULTIPLE DX										
0-19 YRS	229	9.6	37	4	5	8	11	15	19	35
20-34	2544	9.2	23	5	5	8	11	14	17	28
35-49	3245	10.2	32	5	5	9	12	16	20	33
50-64	4388	11.9	46	5	6	10	14	19	24	39
65+	5524	15.3	78	6	8	13	18	25	32	51
TOT. SINGLE DX	13039	8.1	12	4	5	7	9	12	15	21
" MULTIPLE DX	15930	12.2	57	5	6	10	15	21	26	43
TOTAL 0-19 YRS	547	8.1	23	4	5	7	9	13	17	29
20-34	6356	7.9	14	4	5	7	9	12	14	22
35-49	6819	8.8	22	4	5	8	10	14	17	26
50-64	7566	10.4	35	5	6	9	12	17	21	34
65+	7681	13.9	67	6	7	12	16	23	29	47
GRAND TOTAL	**28969**	**10.4**	**41**	**5**	**5**	**9**	**12**	**17**	**22**	**36**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	9.8	199	<1	1	5	12	26	48	52
20-34	52	8.7	41	1	2	8	11	18	22	27
35-49	55	10.9	75	2	3	9	13	21	22	55
50-64	77	13.3	79	2	3	12	18	24	28	44
65+	164	15.0	85	3	4	14	20	28	34	43
2. MULTIPLE DX										
0-19 YRS	5	8.0	26	2	2	8	10	16	16	16
20-34	48	12.7	62	3	4	11	17	25	26	36
35-49	103	15.8	107	4	6	13	20	29	35	54
50-64	184	18.1	157	3	6	16	23	35	46	80
65+	457	21.0	155	6	10	18	26	35	45	74
TOT. SINGLE DX	360	12.9	85	2	3	11	17	25	29	44
" MULTIPLE DX	797	19.1	150	4	7	17	24	33	43	72
TOTAL 0-19 YRS	17	9.2	144	<1	1	6	12	16	39	52
20-34	100	10.6	55	2	2	9	15	22	26	31
35-49	158	14.1	101	3	4	11	18	26	31	56
50-64	261	16.7	139	3	4	15	21	30	42	71
65+	621	19.4	144	4	8	17	25	33	41	67
GRAND TOTAL	**1157**	**17.2**	**138**	**3**	**5**	**15**	**22**	**30**	**39**	**61**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	5.5	7	1	1	6	8	8	8	8
20-34	94	8.0	64	2	2	5	10	17	24	45
35-49	142	9.3	107	1	2	6	11	19	30	51
50-64	115	10.6	116	1	2	7	14	25	33	49
65+	124	12.9	124	2	2	10	19	27	37	53
2. MULTIPLE DX										
0-19 YRS	21	14.0	114	1	2	12	19	32	36	39
20-34	137	10.9	113	2	2	8	14	24	41	99+
35-49	218	14.5	216	2	2	10	18	30	49	84
50-64	347	15.0	187	2	3	11	20	31	43	68
65+	351	18.4	266	3	3	14	24	37	54	85
TOT. SINGLE DX	481	10.2	107	2	2	7	13	23	31	51
" MULTIPLE DX	1074	15.5	213	2	3	11	20	33	46	83
TOTAL 0-19 YRS	27	12.1	103	1	2	10	15	30	34	39
20-34	231	9.7	95	2	2	6	13	22	30	66
35-49	360	12.5	180	2	2	9	15	27	42	70
50-64	462	13.9	173	2	2	10	19	30	40	65
65+	475	16.9	235	2	3	12	22	35	47	83
GRAND TOTAL	**1555**	**13.9**	**186**	**2**	**3**	**10**	**18**	**30**	**42**	**75**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	376	3.8	7	1	1	3	5	7	8	13
20-34	1274	4.8	14	1	2	4	6	8	11	19
35-49	1367	4.7	13	1	2	4	6	9	11	18
50-64	1483	4.9	17	1	1	4	6	9	12	18
65+	1557	6.0	31	1	2	4	8	12	17	27
2. MULTIPLE DX										
0-19 YRS	377	5.6	37	1	2	4	7	9	13	29
20-34	1896	5.8	25	2	2	4	7	10	13	26
35-49	3291	6.3	32	2	2	5	8	11	15	27
50-64	5517	7.0	36	2	2	5	8	13	17	30
65+	9847	8.7	55	2	3	7	11	17	22	39
TOT. SINGLE DX	6057	5.1	19	1	2	4	6	10	13	22
" MULTIPLE DX	20928	7.6	45	2	2	6	9	14	19	35
TOTAL 0-19 YRS	753	4.7	23	1	2	4	6	8	11	22
20-34	3170	5.4	21	1	2	4	7	10	12	23
35-49	4658	5.8	28	2	2	5	7	11	14	24
50-64	7000	6.5	33	2	2	5	8	12	17	29
65+	11404	8.4	53	2	2	7	10	16	22	38
GRAND TOTAL	**26985**	**7.0**	**40**	**2**	**2**	**5**	**9**	**13**	**18**	**33**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2636	2.2	1	<1	1	2	3	4	4	6
20-34	2769	3.6	2	2	2	3	4	5	6	8
35-49	2705	3.9	3	2	2	4	5	6	7	10
50-64	3621	4.3	3	2	3	4	5	6	8	11
65+	2917	5.0	6	2	3	4	6	8	9	13
2. MULTIPLE DX										
0-19 YRS	1342	2.7	7	1	1	2	3	5	6	11
20-34	796	4.5	7	2	2	4	5	7	9	15
35-49	1216	5.2	12	2	3	4	6	8	11	21
50-64	2304	5.8	14	2	3	5	7	10	12	21
65+	3055	7.7	35	3	3	6	9	14	18	33
TOT. SINGLE DX	14648	3.9	4	1	2	4	5	6	7	11
" MULTIPLE DX	8713	5.8	23	2	2	5	7	10	14	24
TOTAL 0-19 YRS	3978	2.4	4	1	1	2	3	4	5	8
20-34	3565	3.8	4	2	2	3	4	6	7	10
35-49	3921	4.3	6	2	2	4	5	7	8	14
50-64	5925	4.9	8	2	3	4	6	8	10	16
65+	5972	6.4	23	2	3	5	7	11	14	25
GRAND TOTAL	**23361**	**4.6**	**12**	**1**	**2**	**4**	**5**	**8**	**10**	**18**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	492	1.9	1	<1	1	2	2	3	4	6
20-34	245	4.2	2	2	3	4	5	6	6	8
35-49	378	4.6	2	2	3	4	5	7	8	11
50-64	556	5.0	4	3	3	5	6	7	9	12
65+	373	5.5	5	3	3	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	347	4.2	110	1	1	2	2	5	17	75
20-34	83	5.0	8	2	3	4	6	8	10	19
35-49	201	5.7	8	3	3	5	7	9	11	18
50-64	444	6.3	11	3	3	5	8	10	12	21
65+	445	8.3	33	3	4	7	10	15	18	27
TOT. SINGLE DX	2044	4.2	5	1	1	4	5	7	8	11
" MULTIPLE DX	1520	6.3	42	1	2	5	8	11	15	34
TOTAL 0-19 YRS	839	2.8	48	<1	1	2	2	4	5	43
20-34	328	4.4	4	2	3	4	5	6	7	11
35-49	579	5.0	5	3	3	4	6	7	9	13
50-64	1000	5.6	8	3	3	5	7	9	10	17
65+	818	7.1	23	3	3	6	8	12	15	24
GRAND TOTAL	**3564**	**5.1**	**22**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	3.6	13	1	1	2	4	7	13	15
20-34	66	4.2	3	2	2	4	5	7	8	11
35-49	95	4.2	4	2	2	4	5	7	9	12
50-64	118	5.2	8	2	3	5	6	8	12	16
65+	184	6.2	12	2	3	5	8	10	12	22
2. MULTIPLE DX										
0-19 YRS	6	4.3	19	1	1	3	4	12	13	13
20-34	24	4.9	5	2	3	5	6	7	9	12
35-49	49	5.9	32	2	2	4	6	10	14	36
50-64	71	7.5	34	3	3	6	9	12	18	35
65+	207	11.3	98	3	3	9	14	21	28	59
TOT. SINGLE DX	476	5.2	9	2	2	4	6	8	10	16
" MULTIPLE DX	357	9.2	75	2	3	6	11	18	25	39
TOTAL 0-19 YRS	19	3.8	14	1	1	2	4	10	14	15
20-34	90	4.4	4	2	2	4	5	7	8	12
35-49	144	4.8	14	2	2	4	5	7	10	24
50-64	189	6.1	19	2	3	5	7	10	13	26
65+	391	8.9	64	3	3	7	10	17	22	38
GRAND TOTAL	**833**	**6.9**	**41**	**2**	**3**	**5**	**8**	**13**	**18**	**32**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	799	2.2	1	<1	1	2	3	4	4	6
20-34	283	3.5	3	1	2	3	4	5	7	10
35-49	314	3.9	8	2	2	3	5	7	8	12
50-64	236	4.6	7	2	2	4	6	8	9	16
65+	115	5.5	8	2	2	5	7	9	11	18
2. MULTIPLE DX										
0-19 YRS	184	3.2	6	<1	1	2	4	6	8	14
20-34	143	5.4	15	2	2	5	6	9	12	18
35-49	251	5.9	16	2	2	5	7	12	15	18
50-64	255	7.7	40	2	3	6	9	13	18	39
65+	183	9.6	46	3	4	7	11	18	23	36
TOT. SINGLE DX	1747	3.3	5	1	1	3	4	6	7	11
" MULTIPLE DX	1016	6.5	30	2	2	5	8	12	16	33
TOTAL 0-19 YRS	983	2.4	2	<1	1	2	3	4	5	9
20-34	426	4.1	8	2	2	3	5	7	9	14
35-49	565	4.8	13	2	2	4	6	9	12	17
50-64	491	6.2	27	2	2	5	7	11	14	34
65+	298	8.0	36	2	3	6	10	15	20	34
GRAND TOTAL	**2763**	**4.4**	**17**	**1**	**2**	**3**	**5**	**8**	**11**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	2.4	1	1	1	2	3	4	5	7
20-34	374	4.3	5	2	2	4	5	7	8	12
35-49	571	5.8	10	2	3	5	7	9	12	18
50-64	809	6.7	13	2	3	6	8	10	13	20
65+	523	7.2	12	3	3	7	9	11	13	20
2. MULTIPLE DX										
0-19 YRS	38	3.9	15	1	1	2	4	12	13	16
20-34	234	6.2	21	2	3	5	7	10	14	26
35-49	526	8.0	26	3	3	7	9	13	17	30
50-64	771	9.6	38	3	4	8	12	17	21	35
65+	763	11.3	65	3	5	9	14	19	24	39
TOT. SINGLE DX	2391	6.0	12	2	2	5	8	10	12	19
" MULTIPLE DX	2332	9.4	46	3	3	8	11	16	21	35
TOTAL 0-19 YRS	152	2.7	5	1	1	2	3	5	6	14
20-34	608	5.0	12	2	2	4	6	8	10	19
35-49	1097	6.8	19	2	3	6	8	12	14	26
50-64	1580	8.1	28	3	3	7	10	14	18	29
65+	1286	9.6	48	3	4	8	11	16	21	35
GRAND TOTAL	**4723**	**7.7**	**32**	**2**	**3**	**6**	**9**	**14**	**17**	**29**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	3.1	5	1	1	2	3	7	9	10
20-34	36	6.8	9	3	3	6	9	11	12	15
35-49	64	8.0	9	3	4	8	10	11	13	18
50-64	71	7.9	17	3	2	8	10	13	15	24
65+	55	12.0	70	4	5	10	14	21	25	56
2. MULTIPLE DX										
0-19 YRS	31	6.9	87	1	1	3	7	18	28	44
20-34	77	10.9	52	4	5	9	12	21	26	42
35-49	193	11.4	35	5	6	10	14	18	22	39
50-64	236	12.2	46	5	7	10	14	22	25	38
65+	213	15.4	129	6	6	12	18	28	35	68
TOT. SINGLE DX	249	8.2	31	2	3	8	10	14	16	26
" MULTIPLE DX	750	12.6	74	5	6	10	15	22	28	44
TOTAL 0-19 YRS	54	5.3	55	1	1	3	6	10	21	43
20-34	113	9.6	43	3	4	8	11	14	24	40
35-49	257	10.6	32	4	6	9	13	17	21	37
50-64	307	11.2	43	4	5	9	13	19	23	35
65+	268	14.7	119	5	6	12	17	27	33	67
GRAND TOTAL	**999**	**11.5**	**66**	**3**	**5**	**9**	**14**	**20**	**26**	**43**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	205	3.8	14	1	1	3	4	7	9	18
20-34	293	5.8	35	1	2	4	7	11	17	26
35-49	248	6.5	37	1	2	5	8	12	19	33
50-64	280	8.3	41	2	2	6	11	17	21	30
65+	258	11.3	117	2	2	9	15	23	29	54
2. MULTIPLE DX										
0-19 YRS	129	5.7	31	1	2	4	7	11	15	34
20-34	356	8.0	65	1	2	6	10	16	22	42
35-49	460	10.7	93	2	3	8	13	23	30	52
50-64	797	13.3	126	2	3	11	17	27	33	64
65+	935	15.5	147	2	4	12	21	31	41	61
TOT. SINGLE DX	1284	7.2	56	1	2	5	9	16	21	35
" MULTIPLE DX	2677	12.6	124	2	3	9	16	26	35	59
TOTAL 0-19 YRS	334	4.5	22	1	1	3	5	9	12	28
20-34	649	7.0	53	1	2	5	8	14	20	38
35-49	708	9.2	78	2	2	7	11	20	28	41
50-64	1077	12.0	109	2	3	9	16	24	32	59
65+	1193	14.6	144	2	3	12	19	30	40	61
GRAND TOTAL	**3961**	**10.8**	**108**	**2**	**2**	**8**	**14**	**23**	**31**	**54**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	6.1	18	2	3	5	7	10	13	25
20-34	642	6.7	21	2	3	6	8	12	15	24
35-49	299	9.5	42	3	4	8	11	18	24	34
50-64	219	12.6	74	5	6	11	15	20	24	48
65+	225	14.6	62	4	7	13	18	25	30	45
2. MULTIPLE DX										
0-19 YRS	304	9.1	75	3	4	7	10	16	24	54
20-34	1154	8.4	58	2	4	6	9	14	21	47
35-49	730	12.8	104	4	5	9	15	26	36	65
50-64	563	16.9	131	6	7	13	21	30	42	73
65+	792	20.5	184	7	9	17	25	37	48	91
TOT. SINGLE DX	1630	9.0	47	3	3	7	11	17	23	36
" MULTIPLE DX	3543	13.4	132	4	4	10	17	27	37	71
TOTAL 0-19 YRS	549	7.7	52	3	3	6	9	13	19	38
20-34	1796	7.8	46	2	3	6	9	13	19	40
35-49	1029	11.8	89	4	5	9	14	24	31	60
50-64	782	15.7	119	5	7	12	19	28	38	63
65+	1017	19.2	163	7	8	16	23	34	43	88
GRAND TOTAL	**5173**	**12.0**	**109**	**3**	**4**	**9**	**15**	**24**	**32**	**61**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.4	8	<1	1	2	4	6	9	13
20-34	1922	2.8	9	<1	<1	2	3	6	7	11
35-49	294	2.8	7	<1	<1	2	3	5	7	12
50-64	50	4.4	11	1	1	4	6	9	11	18
65+	32	8.5	90	1	2	4	11	21	34	41
2. MULTIPLE DX										
0-19 YRS	339	4.3	36	<1	1	3	5	8	11	19
20-34	2162	3.5	10	<1	1	2	4	7	9	16
35-49	406	4.8	28	<1	1	3	6	11	14	26
50-64	88	8.4	56	2	2	6	11	18	23	38
65+	65	12.7	114	2	2	11	18	24	32	53
TOT. SINGLE DX	2708	3.0	10	<1	1	2	4	6	8	13
" MULTIPLE DX	3060	4.1	22	<1	1	2	5	8	12	23
TOTAL 0-19 YRS	749	3.8	21	<1	1	3	5	7	9	17
20-34	4084	3.1	10	<1	<1	2	4	7	8	14
35-49	700	3.9	21	<1	1	2	5	8	12	21
50-64	138	6.9	44	2	2	5	9	16	21	28
65+	97	11.3	109	2	2	9	16	23	34	49
GRAND TOTAL	**5768**	**3.5**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**19**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	7.3	29	2	2	6	9	13	17	32
20-34	444	6.8	20	1	2	6	8	12	15	24
35-49	339	9.4	40	2	3	8	11	17	21	34
50-64	260	10.5	39	3	4	9	13	18	22	29
65+	246	13.2	53	4	6	12	16	23	28	39
2. MULTIPLE DX										
0-19 YRS	141	10.7	178	1	3	7	11	20	47	86
20-34	1030	7.4	40	2	2	6	8	14	18	36
35-49	673	11.4	79	2	4	9	14	21	30	49
50-64	620	16.4	181	4	6	12	19	34	47	82
65+	760	18.6	163	5	7	15	23	35	46	82
TOT. SINGLE DX	1376	9.3	40	2	3	8	12	17	21	34
" MULTIPLE DX	3224	12.8	131	2	3	9	16	26	37	64
TOTAL 0-19 YRS	228	9.4	124	1	3	7	10	16	31	71
20-34	1474	7.2	35	1	2	6	8	13	17	34
35-49	1012	10.7	67	2	4	8	13	20	26	45
50-64	880	14.6	146	4	5	11	17	28	40	64
65+	1006	17.3	142	5	7	14	21	33	42	75
GRAND TOTAL	4600	11.7	106	2	3	9	14	23	33	57

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	8.1	9	4	5	8	8	13	15	16
20-34	43	10.0	12	6	7	9	11	15	18	20
35-49	72	11.1	14	6	7	10	14	16	18	23
50-64	126	12.2	18	8	8	11	15	18	22	25
65+	144	14.3	52	8	8	12	16	22	27	53
2. MULTIPLE DX										
0-19 YRS	67	12.2	176	4	5	8	12	19	31	82
20-34	123	13.4	74	6	7	10	15	23	32	50
35-49	156	15.2	105	6	7	12	19	27	38	80
50-64	297	15.0	65	7	8	13	17	23	30	48
65+	441	19.5	128	8	9	17	23	34	45	63
TOT. SINGLE DX	408	12.3	32	7	7	11	15	18	22	31
" MULTIPLE DX	1084	16.5	111	7	8	14	19	29	38	61
TOTAL 0-19 YRS	90	11.2	136	4	5	8	12	18	28	80
20-34	166	12.5	61	6	7	10	15	20	26	47
35-49	228	13.9	80	6	7	11	16	24	32	57
50-64	423	14.2	53	8	8	13	17	22	26	46
65+	585	18.2	114	8	9	15	22	31	40	61
GRAND TOTAL	1492	15.4	93	7	8	13	18	25	33	56

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	8.1	37	2	3	7	10	15	19	36
20-34	356	8.6	25	2	3	8	10	14	17	32
35-49	406	9.1	22	3	5	8	10	13	17	30
50-64	431	9.4	19	3	5	9	11	14	18	27
65+	203	10.7	35	2	4	10	12	17	21	33
2. MULTIPLE DX										
0-19 YRS	130	10.7	92	2	2	8	13	23	28	49
20-34	352	12.6	161	2	3	9	15	22	37	82
35-49	404	13.5	128	3	5	10	16	25	36	73
50-64	540	12.6	87	3	4	10	15	23	31	50
65+	483	14.7	116	3	5	12	18	28	32	68
TOT. SINGLE DX	1551	9.2	26	2	4	8	11	14	18	30
" MULTIPLE DX	1909	13.2	118	3	4	10	16	24	32	69
TOTAL 0-19 YRS	285	9.3	64	2	2	8	12	18	25	45
20-34	708	10.6	97	2	3	8	12	18	25	64
35-49	810	11.3	80	3	5	9	12	19	26	55
50-64	971	11.2	60	3	5	9	13	19	25	43
65+	686	13.5	96	3	5	11	16	25	30	61
GRAND TOTAL	3460	11.4	81	2	4	9	13	20	27	50

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	8.5	18	2	4	9	10	12	13	26
20-34	415	8.1	11	4	5	8	9	12	14	21
35-49	630	8.5	14	3	4	8	10	13	15	21
50-64	491	9.1	21	4	5	9	11	13	15	22
65+	206	9.2	14	3	5	9	11	14	16	20
2. MULTIPLE DX										
0-19 YRS	16	8.3	37	2	2	9	11	17	21	22
20-34	208	9.9	22	4	5	9	12	16	19	26
35-49	307	10.0	23	4	5	9	12	16	18	28
50-64	410	11.1	31	5	6	10	13	17	20	31
65+	312	14.2	93	5	6	12	17	24	29	51
TOT. SINGLE DX	1778	8.6	16	3	5	8	10	13	15	21
" MULTIPLE DX	1253	11.4	46	5	5	10	13	18	22	38
TOTAL 0-19 YRS	52	8.4	24	2	2	9	11	12	18	26
20-34	623	8.7	16	4	5	8	10	13	17	22
35-49	937	9.0	18	3	5	8	11	14	16	24
50-64	901	10.0	27	4	5	9	12	15	18	27
65+	518	12.2	68	4	6	10	15	20	25	48
GRAND TOTAL	**3031**	**9.8**	**30**	**4**	**5**	**9**	**11**	**15**	**19**	**28**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	9.0	8	6	6	8	10	12	14	20
20-34	26	10.8	19	4	8	9	12	19	20	22
35-49	20	12.9	37	4	7	11	15	22	25	28
50-64	13	13.8	40	8	8	11	18	25	27	27
65+	20	17.1	29	10	11	16	21	24	28	31
2. MULTIPLE DX										
0-19 YRS	93	11.2	44	6	7	9	12	16	22	43
20-34	42	16.0	93	7	8	15	19	34	44	99+
35-49	31	16.2	106	5	7	13	22	35	47	99+
50-64	36	18.7	139	8	9	17	21	25	35	77
65+	50	22.0	196	8	9	18	29	37	53	73
TOT. SINGLE DX	191	10.8	24	6	7	9	12	18	22	28
" MULTIPLE DX	252	15.8	119	7	8	12	19	30	39	77
TOTAL 0-19 YRS	205	10.0	25	6	7	9	11	14	17	39
20-34	68	14.0	71	7	8	11	17	23	36	91
35-49	51	14.9	81	5	7	12	17	29	42	99
50-64	49	17.4	116	8	9	16	21	25	28	77
65+	70	20.6	153	9	10	17	25	36	47	70
GRAND TOTAL	**443**	**13.7**	**84**	**6**	**7**	**11**	**16**	**24**	**34**	**58**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	4.3	10	1	2	4	5	8	9	21
20-34	701	4.1	4	2	2	4	5	7	8	11
35-49	882	4.4	7	2	2	4	6	7	9	13
50-64	558	4.7	9	2	2	4	6	8	11	17
65+	190	5.1	9	2	2	4	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	58	5.9	18	1	2	5	9	12	14	20
20-34	220	5.6	19	2	2	4	6	10	13	23
35-49	326	6.5	31	2	2	5	8	11	14	34
50-64	373	7.0	26	2	2	6	9	13	17	25
65+	277	9.7	71	2	3	8	12	18	24	44
TOT. SINGLE DX	2430	4.4	7	2	2	4	6	8	9	15
" MULTIPLE DX	1254	7.2	38	2	2	5	9	14	18	34
TOTAL 0-19 YRS	157	4.9	14	1	2	4	6	10	12	20
20-34	921	4.5	8	2	2	4	6	7	9	17
35-49	1208	4.9	15	2	2	4	6	8	11	22
50-64	931	5.6	18	2	2	4	7	11	14	21
65+	467	7.8	52	2	2	6	10	15	19	37
GRAND TOTAL	**3684**	**5.4**	**20**	**2**	**2**	**4**	**6**	**10**	**13**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1431	2.4	5	1	1	2	3	5	6	11
20-34	1774	3.8	10	1	1	3	5	8	10	15
35-49	1887	4.1	13	1	1	3	5	8	11	17
50-64	1949	4.0	13	1	1	3	5	8	11	19
65+	2236	4.9	23	1	1	3	7	10	13	21
2. MULTIPLE DX										
0-19 YRS	1591	3.2	16	1	1	2	4	7	9	17
20-34	2418	5.7	33	1	1	4	7	11	15	28
35-49	2987	6.1	35	1	2	5	8	12	16	29
50-64	4692	7.1	53	1	2	5	9	14	20	38
65+	8001	9.5	83	1	2	7	12	19	26	48
TOT. SINGLE DX	9277	4.0	15	1	1	3	5	8	11	18
" MULTIPLE DX	19689	7.4	61	1	2	5	9	15	21	40
TOTAL 0-19 YRS	3022	2.8	11	1	1	2	3	6	8	14
20-34	4192	4.9	25	1	1	3	6	9	13	24
35-49	4874	5.3	28	1	1	4	7	11	14	25
50-64	6641	6.2	43	1	1	4	8	13	17	33
65+	10237	8.5	74	1	2	6	11	17	24	45
GRAND TOTAL	**28966**	**6.3**	**49**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.4	4	<1	1	3	5	7	7	7
20-34	98	3.4	8	1	2	3	4	6	8	18
35-49	219	3.7	5	1	1	3	5	7	8	11
50-64	658	4.2	10	1	2	3	5	7	9	18
65+	1349	5.1	16	2	2	4	6	9	12	20
2. MULTIPLE DX										
0-19 YRS	17	5.5	30	1	2	3	5	14	19	22
20-34	139	5.5	33	1	2	3	7	12	17	27
35-49	288	5.5	29	2	2	4	6	11	15	36
50-64	764	6.1	35	2	2	4	7	12	16	29
65+	2080	8.5	74	2	2	6	10	17	23	47
TOT. SINGLE DX	2340	4.6	14	1	2	4	6	8	11	19
" MULTIPLE DX	3288	7.5	61	2	2	5	9	15	21	43
TOTAL 0-19 YRS	33	4.5	18	1	1	3	5	8	14	22
20-34	237	4.6	24	1	2	3	5	9	15	23
35-49	507	4.7	20	1	2	4	6	9	11	23
50-64	1422	5.2	25	1	2	4	6	10	13	27
65+	3429	7.2	55	2	2	5	8	14	20	42
GRAND TOTAL	**5628**	**6.3**	**44**	**2**	**2**	**4**	**7**	**12**	**17**	**37**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	6.6	23	1	2	6	9	12	17	24
20-34	115	5.7	22	1	2	4	8	12	13	23
35-49	160	7.7	31	2	2	7	11	13	14	26
50-64	263	7.2	44	2	2	4	10	15	21	33
65+	396	8.2	61	1	2	5	12	18	24	34
2. MULTIPLE DX										
0-19 YRS	110	8.3	51	2	2	6	11	15	22	37
20-34	167	9.8	128	2	2	7	12	22	39	99+
35-49	243	11.3	124	2	2	8	15	23	36	78
50-64	467	10.5	96	2	2	8	14	24	31	48
65+	1104	11.9	116	2	2	9	16	24	33	56
TOT. SINGLE DX	988	7.5	46	2	2	5	10	16	20	33
" MULTIPLE DX	2091	11.1	111	2	2	8	15	24	32	59
TOTAL 0-19 YRS	164	7.8	43	1	2	6	10	14	20	31
20-34	282	8.1	89	1	2	6	10	16	27	96
35-49	403	9.9	91	2	2	8	12	20	27	62
50-64	730	9.3	80	2	2	7	12	20	27	45
65+	1500	10.9	105	2	2	8	15	23	31	53
GRAND TOTAL	**3079**	**10.0**	**93**	**2**	**2**	**7**	**13**	**21**	**29**	**53**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	245	1.7	1	<1	<1	1	2	2	3	8
20-34	24	2.1	2	<1	<1	2	2	3	5	8
35-49	21	2.2	1	<1	<1	2	3	4	5	6
50-64	16	2.8	3	<1	<1	2	3	6	7	8
65+	4	5.0	8	2	2	4	7	9	9	9
2. MULTIPLE DX										
0-19 YRS	222	2.1	2	1	1	2	2	4	5	10
20-34	64	3.6	6	1	1	3	5	7	11	12
35-49	44	3.5	6	1	2	3	4	6	8	16
50-64	47	5.5	15	1	2	4	8	12	13	16
65+	48	7.3	42	2	2	5	9	16	22	34
TOT. SINGLE DX	310	1.8	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	425	3.4	13	1	1	2	4	7	11	19
TOTAL 0-19 YRS	467	1.9	2	<1	<1	1	2	3	5	8
20-34	88	3.2	6	<1	1	2	4	6	8	12
35-49	65	3.0	5	<1	1	2	3	6	7	15
50-64	63	4.8	14	<1	1	3	7	11	13	16
65+	52	7.2	40	2	2	5	9	14	22	34
GRAND TOTAL	**735**	**2.8**	**9**	**<1**	**1**	**2**	**3**	**6**	**8**	**14**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	6.3	14	2	2	6	8	12	13	18
20-34	169	4.2	9	1	1	3	5	8	10	15
35-49	110	5.5	13	1	2	5	7	10	12	20
50-64	133	5.1	12	1	1	4	7	9	12	19
65+	137	5.5	19	1	2	4	7	12	16	19
2. MULTIPLE DX										
0-19 YRS	148	5.4	12	1	2	5	8	10	12	15
20-34	128	5.9	66	1	2	4	7	11	17	50
35-49	149	6.6	27	1	2	5	8	13	17	24
50-64	195	7.7	65	2	2	5	9	15	23	43
65+	237	8.3	61	2	2	6	11	17	22	48
TOT. SINGLE DX	840	5.5	15	1	2	4	8	11	13	18
" MULTIPLE DX	857	7.0	50	2	2	5	9	14	19	40
TOTAL 0-19 YRS	439	6.0	14	1	2	5	8	11	13	18
20-34	297	5.0	34	1	1	4	6	9	12	33
35-49	259	6.1	22	1	2	5	8	12	15	24
50-64	328	6.6	46	1	2	4	8	13	18	39
65+	374	7.3	48	2	2	5	9	15	19	44
GRAND TOTAL	**1697**	**6.2**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	356	1.8	2	<1	1	1	2	3	5	9
20-34	268	3.2	6	1	1	2	4	6	8	15
35-49	218	3.8	15	1	1	2	4	8	10	23
50-64	212	4.0	18	1	1	3	4	8	13	24
65+	179	4.7	13	1	1	3	6	9	12	19
2. MULTIPLE DX										
0-19 YRS	547	2.5	9	1	1	2	3	5	7	11
20-34	704	5.3	33	1	1	4	7	10	16	28
35-49	668	6.3	50	1	2	4	8	13	16	33
50-64	792	6.9	46	1	2	5	9	14	18	38
65+	1342	9.6	74	2	2	7	12	20	26	41
TOT. SINGLE DX	1233	3.3	11	1	1	2	4	7	9	17
" MULTIPLE DX	4053	6.8	55	1	1	5	9	15	20	38
TOTAL 0-19 YRS	903	2.2	7	<1	1	2	2	5	6	11
20-34	972	4.8	27	1	1	3	6	9	14	25
35-49	886	5.7	43	1	2	4	7	11	15	32
50-64	1004	6.3	42	1	2	4	8	13	17	36
65+	1521	9.0	70	2	2	7	12	19	25	40
GRAND TOTAL	**5286**	**6.0**	**47**	**1**	**1**	**4**	**8**	**13**	**18**	**34**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	178	2.5	4	<1	<1	2	3	5	7	10
20-34	179	4.4	10	1	1	3	6	10	11	13
35-49	190	4.5	8	1	2	4	6	9	11	14
50-64	158	4.8	14	2	2	4	6	9	13	19
65+	166	4.9	13	1	2	4	6	9	12	16
2. MULTIPLE DX										
0-19 YRS	171	2.8	4	1	1	2	3	5	7	13
20-34	278	4.3	25	1	2	3	5	8	11	27
35-49	249	5.2	27	2	2	3	6	11	13	27
50-64	275	5.7	19	2	2	4	8	11	15	23
65+	419	8.2	82	2	2	6	10	16	20	46
TOT. SINGLE DX	871	4.2	11	1	1	3	5	9	11	15
" MULTIPLE DX	1392	5.7	42	1	2	4	7	12	15	32
TOTAL 0-19 YRS	349	2.6	4	<1	1	2	3	5	7	10
20-34	457	4.4	20	1	2	3	5	9	11	19
35-49	439	4.9	19	2	2	3	6	9	13	22
50-64	433	5.4	18	2	2	4	7	10	14	23
65+	585	7.3	65	2	2	5	9	14	18	38
GRAND TOTAL	**2263**	**5.1**	**31**	**1**	**2**	**3**	**6**	**10**	**14**	**27**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	60	8.1	7	5	5	8	9	10	12	21
35-49	242	8.1	6	5	6	8	9	11	13	18
50-64	235	8.8	9	5	6	8	10	13	14	19
65+	129	9.9	11	5	6	9	12	14	16	25
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	64	9.6	69	4	5	8	10	13	17	63
35-49	327	10.1	23	5	6	9	11	16	18	33
50-64	339	10.3	18	6	7	9	11	15	18	26
65+	202	12.7	45	6	7	11	15	21	25	33
TOT. SINGLE DX	666	8.7	9	5	6	8	10	12	15	19
" MULTIPLE DX	933	10.7	31	6	6	9	12	16	21	31
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	124	8.9	40	5	5	8	10	12	15	35
35-49	569	9.2	17	5	6	8	10	14	17	26
50-64	574	9.7	15	5	6	9	11	14	17	26
65+	331	11.6	34	6	7	10	13	18	23	30
GRAND TOTAL	**1599**	**9.9**	**23**	**5**	**6**	**9**	**11**	**15**	**18**	**27**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	17	7.6	9	4	5	7	8	11	15	17
35-49	79	8.4	10	4	5	8	9	13	14	23
50-64	78	9.0	8	5	6	9	10	12	15	20
65+	48	8.9	16	3	4	9	10	14	17	21
2. MULTIPLE DX										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	20	10.4	34	2	4	9	13	20	23	24
35-49	76	8.7	10	4	5	8	10	12	16	20
50-64	96	10.7	69	5	6	9	12	18	22	57
65+	68	12.1	69	4	6	10	13	19	23	59
TOT. SINGLE DX	222	8.7	11	4	5	8	10	13	15	21
" MULTIPLE DX	262	10.5	50	4	5	9	11	17	21	35
TOTAL 0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	37	9.1	24	4	4	8	10	16	21	24
35-49	155	8.6	10	4	5	8	10	13	14	20
50-64	174	10.0	43	5	6	9	10	15	19	33
65+	116	10.8	50	4	5	10	12	17	21	45
GRAND TOTAL	**484**	**9.6**	**33**	**4**	**5**	**9**	**10**	**14**	**18**	**25**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	19	6.5	16	1	2	6	8	12	15	17
35-49	15	4.9	9	<1	1	5	6	11	12	12
50-64	9	7.4	82	1	1	5	7	22	31	31
65+	7	5.6	15	2	2	4	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	9	3.2	2	1	1	3	4	5	6	6
20-34	33	6.8	38	1	1	6	8	14	21	30
35-49	30	6.8	16	2	2	6	8	13	16	17
50-64	39	9.1	78	1	2	6	13	20	26	43
65+	43	11.3	112	2	2	7	14	23	39	50
TOT. SINGLE DX	55	5.7	24	1	1	5	7	11	12	30
" MULTIPLE DX	154	8.4	67	1	2	6	10	17	23	43
TOTAL 0-19 YRS	14	2.9	2	1	1	3	4	5	6	6
20-34	52	6.7	30	1	1	6	8	13	17	30
35-49	45	6.2	14	1	2	5	8	11	14	17
50-64	48	8.8	78	1	2	5	11	20	29	43
65+	50	10.5	102	2	2	7	14	20	39	50
GRAND TOTAL	**209**	**7.7**	**57**	**1**	**2**	**6**	**9**	**16**	**22**	**41**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	9	7.2	12	2	2	7	9	12	14	14
35-49	12	8.6	31	2	2	8	11	17	20	21
50-64	12	8.5	15	2	4	8	11	15	16	16
65+	7	7.7	5	4	4	8	10	10	10	10
2. MULTIPLE DX										
0-19 YRS										
20-34	19	8.6	14	3	4	8	12	14	16	16
35-49	11	12.1	61	5	5	10	16	23	31	32
50-64	25	12.7	69	2	3	10	20	27	45	99+
65+	26	14.2	182	3	3	9	20	25	39	69
TOT. SINGLE DX	42	8.0	17	2	2	8	10	14	15	21
" MULTIPLE DX	81	12.1	93	2	4	10	16	24	31	90
TOTAL 0-19 YRS	2	5.5	41	<1	<1	5	10	10	10	10
20-34	28	8.2	14	2	3	8	10	14	15	16
35-49	23	10.3	47	2	3	9	13	18	25	32
50-64	37	11.4	55	2	3	10	16	25	29	99+
65+	33	12.8	151	3	4	9	16	23	31	69
GRAND TOTAL	**123**	**10.7**	**71**	**2**	**3**	**9**	**13**	**20**	**26**	**77**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	6.7	7	5	5	6	6	11	12	12
20-34	14	6.2	9	2	2	6	9	10	11	11
35-49	76	5.6	12	2	3	5	6	8	9	26
50-64	1554	6.5	7	4	4	6	7	9	11	16
65+	3784	7.5	14	4	4	7	9	11	14	21
2. MULTIPLE DX										
0-19 YRS	11	9.5	36	3	4	8	13	19	23	23
20-34	13	7.8	15	3	4	8	9	13	17	18
35-49	144	9.7	90	3	4	7	11	16	30	47
50-64	2396	9.1	37	4	4	8	10	15	20	36
65+	8356	11.0	60	4	5	9	13	19	25	44
TOT. SINGLE DX	5434	7.2	13	4	4	6	8	11	13	20
" MULTIPLE DX	10920	10.6	56	4	5	8	12	19	24	43
TOTAL 0-19 YRS	17	8.5	27	3	4	6	11	16	21	23
20-34	27	7.0	13	2	3	7	9	11	13	18
35-49	220	8.3	67	3	4	6	9	13	20	44
50-64	3950	8.1	27	4	4	7	9	13	16	31
65+	12140	9.9	48	4	5	8	11	17	22	39
GRAND TOTAL	**16354**	**9.4**	**44**	**4**	**5**	**8**	**11**	**16**	**21**	**38**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	4	11.3	47	2	2	13	16	17	17	17
50-64	171	11.8	30	6	6	11	14	18	21	32
65+	352	12.0	26	6	7	11	14	18	22	31
2. MULTIPLE DX										
0-19 YRS	3	11.0	175	1	1	6	21	26	26	26
20-34										
35-49	5	5.6	26	2	2	3	9	14	14	14
50-64	223	12.5	34	5	6	12	16	19	23	31
65+	773	14.5	63	6	7	13	17	23	29	50
TOT. SINGLE DX	529	11.9	28	6	7	11	14	18	22	31
" MULTIPLE DX	1004	14.0	58	6	7	12	17	22	27	46
TOTAL 0-19 YRS	5	7.2	115	1	1	2	11	26	26	26
20-34										
35-49	9	8.1	40	2	2	7	14	17	17	17
50-64	394	12.2	33	5	6	11	15	19	22	31
65+	1125	13.7	53	6	7	12	16	22	26	44
GRAND TOTAL	**1533**	**13.3**	**49**	**6**	**7**	**12**	**16**	**21**	**26**	**38**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	4.2	14	1	1	2	6	11	13	13
35-49	85	2.7	3	1	1	2	3	5	7	10
50-64	487	3.1	7	1	2	2	3	5	7	14
65+	704	4.0	14	1	2	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	13	4.8	6	1	2	5	7	8	8	8
35-49	63	5.4	53	1	2	3	6	8	14	48
50-64	466	6.2	48	2	2	4	7	13	17	35
65+	1070	7.7	52	2	2	5	10	15	19	35
TOT. SINGLE DX	1288	3.6	11	1	2	3	4	7	9	17
" MULTIPLE DX	1614	7.1	51	2	2	5	9	15	19	35
TOTAL 0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	24	4.5	10	1	2	3	7	8	10	13
35-49	148	3.8	26	1	1	3	4	7	8	30
50-64	953	4.6	30	1	2	3	5	9	13	29
65+	1774	6.2	40	2	2	4	8	13	17	31
GRAND TOTAL	**2902**	**5.6**	**37**	**1**	**2**	**3**	**7**	**12**	**16**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	2.9	8	1	1	2	3	5	6	19
20-34	128	3.5	6	1	1	3	4	7	9	13
35-49	86	3.8	5	1	2	3	5	7	8	12
50-64	80	4.5	17	1	2	3	5	9	12	25
65+	51	5.0	8	2	2	4	6	9	12	14
2. MULTIPLE DX										
0-19 YRS	76	3.1	9	1	1	2	3	5	9	19
20-34	83	5.5	19	2	2	4	6	11	15	24
35-49	55	6.7	33	2	2	4	8	13	19	30
50-64	82	8.9	92	2	3	6	10	19	26	57
65+	105	11.7	125	3	3	8	16	24	35	58
TOT. SINGLE DX	462	3.7	9	1	1	3	4	7	9	16
" MULTIPLE DX	401	7.5	71	2	2	5	9	16	23	44
TOTAL 0-19 YRS	193	3.0	9	1	1	2	3	5	7	20
20-34	211	4.3	12	1	2	3	5	8	12	18
35-49	141	4.9	18	2	2	3	6	9	12	26
50-64	162	6.7	60	2	2	4	8	14	20	52
65+	156	9.5	97	2	3	6	11	22	30	46
GRAND TOTAL	**863**	**5.5**	**42**	**1**	**2**	**3**	**6**	**11**	**17**	**31**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	3.2	2	1	2	3	4	5	6	10
20-34	198	4.8	9	2	2	4	6	9	12	16
35-49	85	4.4	5	2	2	4	5	8	9	12
50-64	107	5.8	16	2	2	4	7	13	15	18
65+	273	6.5	31	2	2	5	8	12	17	29
2. MULTIPLE DX										
0-19 YRS	142	3.5	5	1	2	3	4	6	8	14
20-34	112	5.2	11	2	2	4	6	10	12	18
35-49	70	7.1	42	2	2	5	8	14	17	42
50-64	147	7.8	56	2	2	5	10	16	23	36
65+	523	10.4	69	2	3	8	14	21	27	47
TOT. SINGLE DX	829	5.1	17	2	2	4	6	10	13	20
" MULTIPLE DX	994	8.2	57	2	2	5	11	17	23	42
TOTAL 0-19 YRS	308	3.3	4	1	2	3	4	6	7	11
20-34	310	4.9	10	2	2	4	6	9	12	16
35-49	155	5.6	24	2	2	4	7	10	14	19
50-64	254	7.0	40	2	2	5	9	13	19	31
65+	796	9.0	60	2	3	7	12	19	24	43
GRAND TOTAL	**1823**	**6.8**	**41**	**2**	**2**	**4**	**9**	**14**	**19**	**33**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	687	2.7	2	1	1	2	3	4	5	8
20-34	88	2.5	2	1	1	2	3	5	5	8
35-49	9	2.3		1	1	2	3	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	4.3	10	2	2	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	373	3.2	3	1	1	3	4	6	7	10
20-34	33	4.4	5	2	2	4	5	8	10	12
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	3	5.7		5	5	6	6	6	6	6
65+	2	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	788	2.7	2	1	1	2	3	4	5	8
" MULTIPLE DX	415	3.3	4	1	1	3	4	6	7	10
TOTAL 0-19 YRS	1060	2.9	3	1	1	3	4	5	6	9
20-34	121	3.0	4	1	1	2	4	5	7	11
35-49	13	2.7	2	1	1	2	3	4	6	6
50-64	4	4.8	4	2	2	5	6	6	6	6
65+	5	3.8	6	2	2	3	4	8	8	8
GRAND TOTAL	**1203**	**2.9**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**9**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	2.3	1	1	1	2	3	4	5	6
20-34	136	2.5	2	<1	1	2	3	4	5	9
35-49	59	3.5	7	<1	2	3	4	5	9	16
50-64	17	3.8	4	1	2	3	4	7	8	9
65+	5	3.6	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	63	3.0	2	1	1	3	4	5	7	11
20-34	56	4.0	20	1	1	3	4	8	12	29
35-49	21	4.6	17	1	1	3	5	12	15	16
50-64	26	6.8	37	2	2	5	8	13	19	31
65+	9	17.1	733	2	3	7	15	59	88	88
TOT. SINGLE DX	355	2.7	3	<1	1	2	3	4	6	10
" MULTIPLE DX	175	4.8	58	1	1	3	5	9	14	31
TOTAL 0-19 YRS	201	2.6	2	1	1	2	3	4	5	7
20-34	192	2.9	8	<1	1	2	3	5	7	15
35-49	80	3.8	10	<1	2	3	4	6	12	16
50-64	43	5.6	26	1	2	4	6	11	14	31
65+	14	12.3	498	1	2	5	14	23	74	88
GRAND TOTAL	**530**	**3.4**	**22**	**1**	**1**	**3**	**4**	**5**	**8**	**16**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	187	1.4		<1	<1	1	2	2	3	5
35-49	99	1.3		<1	<1	1	1	2	2	5
50-64	9	3.6	16	<1	<1	1	5	11	13	13
65+	3	6.7	9	4	4	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	55	2.9	7	<1	<1	2	3	5	11	13
35-49	57	4.0	14	<1	1	2	5	10	13	19
50-64	18	7.2	15	2	2	6	9	13	15	16
65+	14	19.3	496	4	5	12	21	40	79	90
TOT. SINGLE DX	301	1.5	2	<1	<1	1	2	2	4	7
" MULTIPLE DX	145	5.5	78	<1	1	3	6	12	15	37
TOTAL 0-19 YRS	4	4.5	9	2	2	4	7	8	8	8
20-34	242	1.7	3	<1	<1	1	2	3	4	12
35-49	156	2.3	7	<1	<1	1	2	5	9	14
50-64	27	6.0	19	<1	<1	6	7	13	14	16
65+	17	17.1	429	4	4	10	17	33	70	90
GRAND TOTAL	**446**	**2.8**	**30**	**<1**	**<1**	**1**	**2**	**6**	**10**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	495	2.5	1	1	1	2	3	4	5	7
20-34	517	2.9	5	1	1	2	3	5	6	10
35-49	424	3.0	4	1	1	3	3	4	6	10
50-64	322	3.4	3	1	2	3	4	5	6	10
65+	193	3.7	4	2	2	3	4	6	7	14
2. MULTIPLE DX										
0-19 YRS	269	2.6	2	1	1	2	3	4	5	8
20-34	301	3.3	4	1	2	3	4	5	7	13
35-49	250	3.6	4	1	2	3	4	6	8	11
50-64	308	5.1	14	2	2	4	6	10	12	19
65+	232	6.5	24	2	3	5	8	13	18	28
TOT. SINGLE DX	1951	3.0	4	1	1	3	3	5	6	10
" MULTIPLE DX	1360	4.2	12	1	2	3	5	8	11	18
TOTAL 0-19 YRS	764	2.5	2	1	1	2	3	4	5	7
20-34	818	3.1	5	1	1	3	4	5	6	11
35-49	674	3.2	4	1	1	3	4	5	6	11
50-64	630	4.3	10	2	2	3	5	8	10	17
65+	425	5.2	17	2	2	4	6	9	14	23
GRAND TOTAL	**3311**	**3.5**	**7**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1040	1.9	2	<1	<1	2	2	2	3	7
20-34	572	1.9		<1	1	2	2	3	3	4
35-49	307	2.2	3	<1	1	2	2	3	4	9
50-64	128	2.4	5	<1	1	2	2	3	5	16
65+	80	2.5	2	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-19 YRS	393	2.7	13	<1	1	2	2	4	6	18
20-34	383	3.1	9	1	1	2	3	6	8	15
35-49	338	3.5	10	1	1	2	4	7	9	20
50-64	256	4.5	17	2	2	3	6	10	12	22
65+	236	6.2	50	1	2	3	8	15	20	39
TOT. SINGLE DX	2363	2.0	3	<1	<1	2	2	3	3	8
" MULTIPLE DX	1745	3.8	22	1	1	2	4	8	11	26
TOTAL 0-19 YRS	1587	2.1	7	<1	<1	2	2	3	4	16
20-34	1044	2.4	4	1	1	2	2	3	5	11
35-49	703	2.9	9	<1	1	2	3	5	8	19
50-64	431	3.8	17	1	2	2	4	9	11	21
65+	343	5.3	48	1	1	3	6	12	18	39
GRAND TOTAL	**4108**	**2.8**	**12**	**<1**	**1**	**2**	**2**	**5**	**8**	**18**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	3.3	5	1	1	2	5	6	8	11
20-34	97	3.5	32	<1	1	2	4	7	9	34
35-49	95	4.3	5	1	2	4	5	7	9	12
50-64	164	5.0	10	1	2	4	6	9	11	19
65+	87	5.6	11	2	2	5	7	10	11	18
2. MULTIPLE DX										
0-19 YRS	66	4.5	13	1	2	4	6	8	11	23
20-34	89	6.8	50	1	2	4	9	14	16	45
35-49	120	7.3	40	2	2	6	8	14	17	39
50-64	257	6.5	30	2	3	5	7	11	18	33
65+	138	7.7	37	2	3	6	9	14	22	47
TOT. SINGLE DX	510	4.5	14	1	1	4	6	8	10	17
" MULTIPLE DX	670	6.7	35	2	2	5	8	12	17	36
TOTAL 0-19 YRS	133	3.9	10	1	1	3	5	7	10	15
20-34	186	5.1	44	<1	1	3	7	11	14	46
35-49	215	6.0	27	2	2	5	7	11	14	37
50-64	421	5.9	23	2	2	5	7	10	14	28
65+	225	6.9	28	2	2	5	9	12	18	34
GRAND TOTAL	**1180**	**5.8**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**32**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	231	5.0	3	2	3	5	6	7	8	10
20-34	808	5.6	4	3	4	5	6	8	9	13
35-49	123	6.8	10	3	4	6	8	10	13	19
50-64	20	8.1	13	3	4	7	10	13	15	17
65+	20	13.5	103	4	4	9	18	29	38	40
2. MULTIPLE DX										
0-19 YRS	215	6.1	6	3	4	6	7	9	12	15
20-34	1247	6.3	7	3	4	6	7	9	11	16
35-49	215	8.1	25	3	4	7	9	14	17	31
50-64	59	10.4	38	3	5	9	11	18	25	36
65+	52	15.0	37	7	9	13	17	24	30	32
TOT. SINGLE DX	1202	5.8	7	3	3	5	7	8	10	17
" MULTIPLE DX	1788	6.9	14	3	4	6	8	11	14	23
TOTAL 0-19 YRS	446	5.6	5	3	3	5	6	8	10	14
20-34	2055	6.0	6	3	4	6	7	8	10	15
35-49	338	7.6	20	3	4	7	8	13	16	27
50-64	79	9.8	33	3	4	9	11	16	23	34
65+	72	14.6	55	5	7	13	17	24	30	39
GRAND TOTAL	**2990**	**6.4**	**12**	**3**	**4**	**6**	**7**	**9**	**12**	**20**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	5.8	4	3	4	5	7	8	9	12
20-34	937	6.0	4	4	4	6	7	8	10	14
35-49	301	6.6	7	4	4	6	7	9	11	18
50-64	40	7.9	10	3	4	7	9	11	14	20
65+	27	11.7	38	4	5	9	18	22	22	22
2. MULTIPLE DX										
0-19 YRS	146	6.5	5	4	4	6	7	10	12	14
20-34	1681	7.0	11	4	4	6	8	10	12	18
35-49	700	8.0	19	4	5	7	9	12	16	25
50-64	108	10.5	19	6	6	9	13	17	18	26
65+	83	17.2	148	7	8	14	20	28	43	71
TOT. SINGLE DX	1460	6.3	6	4	4	6	7	9	11	18
" MULTIPLE DX	2718	7.7	21	4	5	7	8	12	15	24
TOTAL 0-19 YRS	301	6.1	5	4	4	6	7	9	11	14
20-34	2618	6.7	9	4	4	6	7	10	11	17
35-49	1001	7.6	16	4	5	7	8	11	15	23
50-64	148	9.8	18	5	6	9	12	16	18	24
65+	110	15.9	127	6	7	13	19	25	32	70
GRAND TOTAL	**4178**	**7.2**	**16**	**4**	**4**	**6**	**8**	**11**	**14**	**21**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	9.4	63	3	3	7	12	23	23	23
20-34	144	6.6	4	4	5	6	7	9	11	14
35-49	201	7.4	6	5	5	7	8	11	13	16
50-64	77	9.3	18	5	6	8	10	14	16	31
65+	54	10.7	22	6	6	10	13	17	22	23
2. MULTIPLE DX										
0-19 YRS	8	7.5	10	3	4	7	9	13	14	14
20-34	477	7.7	14	5	5	7	9	12	14	22
35-49	759	8.6	19	5	5	7	9	13	17	29
50-64	227	11.3	64	6	6	9	13	17	21	49
65+	105	13.8	61	6	7	12	16	21	28	48
TOT. SINGLE DX	481	7.9	12	5	5	7	9	12	14	21
" MULTIPLE DX	1576	9.0	30	5	5	8	10	14	18	30
TOTAL 0-19 YRS	13	8.2	28	3	3	7	9	16	22	23
20-34	621	7.5	12	4	5	7	8	11	14	21
35-49	960	8.3	17	5	5	7	9	13	15	25
50-64	304	10.8	54	5	6	9	13	16	20	42
65+	159	12.7	50	6	7	11	15	21	23	47
GRAND TOTAL	**2057**	**8.8**	**26**	**5**	**5**	**7**	**10**	**14**	**17**	**30**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	4.3	16	1	2	4	5	6	7	29
20-34	170	3.8	5	1	1	4	5	6	8	12
35-49	29	5.2	11	1	2	5	7	9	11	17
50-64	3	7.3	16	3	3	8	10	11	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	43	4.7	8	1	1	4	6	9	11	14
20-34	348	5.3	27	1	2	5	6	8	10	15
35-49	70	5.1	8	1	2	5	6	9	12	14
50-64	5	8.4	5	5	5	9	10	11	11	11
65+	5	20.4	341	8	8	14	25	53	53	53
TOT. SINGLE DX	249	4.1	9	1	1	4	5	7	9	14
" MULTIPLE DX	471	5.4	28	1	2	5	6	9	11	16
TOTAL 0-19 YRS	90	4.5	13	1	1	4	5	7	9	23
20-34	518	4.8	21	1	2	5	6	8	9	14
35-49	99	5.1	9	1	2	5	6	9	11	16
50-64	8	8.0	8	3	4	8	10	11	11	11
65+	5	20.4	341	8	8	14	25	53	53	53
GRAND TOTAL	**720**	**5.0**	**21**	**1**	**2**	**5**	**6**	**8**	**10**	**15**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.6		<1	<1	2	2	2	2	2
20-34	3816	1.5		<1	<1	1	2	2	2	4
35-49	1261	1.5		<1	<1	1	2	2	2	4
50-64	7	1.4		<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	23	2.3	2	<1	<1	2	3	5	6	6
20-34	2014	1.9	4	<1	<1	2	2	3	4	7
35-49	867	1.9	2	<1	<1	2	2	3	4	9
50-64	5	1.4		<1	<1	1	2	2	2	2
65+										
TOT. SINGLE DX	5116	1.5	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	2909	1.9	3	<1	<1	2	2	3	4	8
TOTAL 0-19 YRS	55	1.9	1	<1	<1	2	2	3	4	6
20-34	5830	1.6	2	<1	<1	1	2	2	3	6
35-49	2128	1.7	1	<1	<1	1	2	2	3	7
50-64	12	1.4		<1	<1	1	2	2	2	2
65+										
GRAND TOTAL	**8025**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	2.7	3	<1	<1	2	3	5	6	9
20-34	2453	2.5	2	<1	<1	2	3	4	5	7
35-49	706	2.3	2	<1	<1	2	3	4	5	8
50-64	5	3.4	5	1	1	3	5	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	67	3.7	6	1	2	3	4	6	9	15
20-34	3394	3.3	7	1	1	3	4	5	6	10
35-49	761	3.4	8	1	1	3	4	6	8	19
50-64	4	8.8	43	<1	<1	8	13	17	17	17
65+										
TOT. SINGLE DX	3203	2.5	3	<1	<1	2	3	4	5	7
" MULTIPLE DX	4226	3.4	8	1	1	3	4	5	7	11
TOTAL 0-19 YRS	106	3.3	5	1	1	3	4	5	8	14
20-34	5847	3.0	6	<1	1	3	4	5	6	9
35-49	1467	2.9	6	<1	1	3	4	5	7	11
50-64	9	5.8	27	<1	<1	4	8	14	17	17
65+										
GRAND TOTAL	**7429**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	5.0	3	2	3	5	6	7	8	13
20-34	1493	4.8	3	1	2	5	6	7	7	10
35-49	212	4.7	4	<1	1	5	6	7	8	11
50-64	6	7.0	12	4	4	6	9	13	13	13
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	92	5.6	8	2	3	5	7	8	9	19
20-34	1438	5.2	5	2	2	5	6	7	9	13
35-49	234	5.5	8	1	2	5	7	9	10	17
50-64	5	7.8	16	2	2	9	10	13	13	13
65+	5	18.6	251	5	5	14	28	44	44	44
TOT. SINGLE DX	1808	4.8	3	1	2	5	6	7	7	10
" MULTIPLE DX	1774	5.3	7	2	2	5	6	8	9	14
TOTAL 0-19 YRS	188	5.3	6	2	3	5	6	8	8	17
20-34	2931	5.0	4	1	2	5	6	7	8	11
35-49	446	5.1	7	<1	2	5	6	8	9	14
50-64	11	7.4	13	2	3	6	9	13	13	13
65+	6	16.8	220	5	5	11	23	42	44	44
GRAND TOTAL	**3582**	**5.1**	**5**	**1**	**2**	**5**	**6**	**7**	**8**	**12**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	2.2		<1	1	2	3	3	4	4
20-34	918	2.5	1	1	1	2	3	4	5	8
35-49	225	2.6	2	<1	1	2	3	4	6	8
50-64	102	2.7	4	1	1	2	3	4	5	15
65+	51	3.3	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	31	2.3	1	<1	1	2	3	4	4	6
20-34	527	2.8	3	1	1	2	3	5	7	10
35-49	247	3.8	9	1	1	3	5	7	9	20
50-64	106	3.6	14	1	1	2	3	7	11	21
65+	68	5.2	17	2	2	4	7	10	12	24
TOT. SINGLE DX	1349	2.5	2	1	1	2	3	4	5	8
" MULTIPLE DX	979	3.3	8	1	1	3	4	6	8	14
TOTAL 0-19 YRS	84	2.2	1	<1	1	2	3	3	4	5
20-34	1445	2.6	2	1	1	2	3	4	6	9
35-49	472	3.2	7	1	1	2	4	6	8	11
50-64	208	3.2	9	1	1	2	3	5	8	19
65+	119	4.4	12	2	2	3	5	9	10	21
GRAND TOTAL	**2328**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	2.2	1	<1	1	2	3	3	5	5
20-34	250	2.4	4	<1	1	2	3	4	5	13
35-49	209	2.7	21	<1	<1	2	2	4	6	19
50-64	143	3.1	14	<1	1	2	3	5	9	21
65+	95	5.1	19	1	2	4	7	9	10	26
2. MULTIPLE DX										
0-19 YRS	27	3.7	12	1	1	2	4	8	10	18
20-34	412	3.0	6	<1	1	2	3	5	8	14
35-49	446	3.6	24	1	1	2	3	7	10	20
50-64	326	4.4	15	1	1	3	6	10	13	19
65+	291	8.3	70	2	2	6	10	16	25	43
TOT. SINGLE DX	722	3.0	14	<1	1	2	3	6	8	15
" MULTIPLE DX	1502	4.5	30	1	1	3	5	10	13	27
TOTAL 0-19 YRS	52	3.0	8	1	1	2	3	5	8	18
20-34	662	2.8	6	<1	1	2	3	5	7	13
35-49	655	3.3	24	<1	1	2	3	6	9	20
50-64	469	4.0	16	1	1	2	5	9	13	19
65+	386	7.5	60	2	2	6	9	15	22	42
GRAND TOTAL	**2224**	**4.0**	**25**	**1**	**1**	**2**	**4**	**9**	**12**	**25**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	4.3	10	2	2	3	4	9	12	15
20-34	612	3.1	2	1	2	3	4	5	6	10
35-49	44	3.1	3	1	2	3	3	5	7	11
50-64										
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	17	4.6	5	2	2	4	6	9	9	9
20-34	158	4.2	9	1	1	3	5	8	11	18
35-49	19	5.2	23	1	1	4	6	12	17	21
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	7.0	18	1	1	8	10	11	11	11
TOT. SINGLE DX	696	3.2	4	1	2	3	4	5	7	11
" MULTIPLE DX	199	4.4	10	1	1	3	5	9	11	20
TOTAL 0-19 YRS	56	4.4	8	2	2	3	5	9	10	15
20-34	770	3.3	4	1	2	3	4	5	7	13
35-49	63	3.8	10	1	2	3	4	6	11	20
50-64	1	1.0		1	1	1	1	1	1	1
65+	5	7.6	15	1	1	8	10	11	11	11
GRAND TOTAL	**895**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**	**14**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.9	9	2	2	4	8	9	9	9
20-34	276	5.7	7	1	2	6	7	8	9	11
35-49	52	4.9	5	1	2	5	7	8	8	11
50-64	16	4.9	20	2	2	3	8	10	16	18
65+	10	5.7	16	1	1	5	8	12	14	14
2. MULTIPLE DX										
0-19 YRS	16	3.8	4	<1	1	4	6	7	7	7
20-34	398	5.8	10	1	2	6	7	9	10	20
35-49	157	6.6	24	1	2	6	8	11	13	31
50-64	59	5.6	46	1	1	3	7	12	13	46
65+	48	11.6	167	2	2	8	17	25	37	99+
TOT. SINGLE DX	362	5.5	8	1	2	6	7	8	9	13
" MULTIPLE DX	678	6.3	30	1	2	6	7	10	13	30
TOTAL 0-19 YRS	24	4.2	6	<1	1	4	6	8	8	9
20-34	674	5.7	9	1	2	6	7	9	10	16
35-49	209	6.2	20	1	2	6	7	10	12	27
50-64	75	5.4	41	1	2	3	8	11	13	41
65+	58	10.6	146	2	2	7	15	23	35	98
GRAND TOTAL	**1040**	**6.0**	**22**	**1**	**2**	**6**	**7**	**9**	**12**	**25**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.7	13	3	4	6	7	11	16	19
20-34	1800	6.8	4	5	5	6	7	9	10	13
35-49	2265	7.1	5	5	5	7	8	9	10	14
50-64	631	8.1	9	5	6	7	9	11	13	19
65+	274	9.8	15	6	6	9	11	14	18	27
2. MULTIPLE DX										
0-19 YRS	87	8.1	9	5	5	7	9	14	15	17
20-34	8321	7.4	7	5	5	7	8	10	12	18
35-49	13698	7.7	8	5	6	7	8	10	12	19
50-64	3048	8.9	15	6	6	8	10	13	16	24
65+	1070	11.8	46	6	7	10	14	19	24	38
TOT. SINGLE DX	4990	7.2	7	5	5	7	8	9	11	16
" MULTIPLE DX	26224	7.9	12	5	6	7	8	11	14	21
TOTAL 0-19 YRS	107	7.8	10	4	5	7	9	14	15	18
20-34	10121	7.3	7	5	5	7	8	10	12	17
35-49	15963	7.6	8	5	6	7	8	10	12	19
50-64	3679	8.8	15	6	6	8	9	13	16	24
65+	1344	11.4	40	6	7	9	13	18	22	36
GRAND TOTAL	**31214**	**7.8**	**11**	**5**	**5**	**7**	**8**	**11**	**13**	**21**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.5		5	5	5	6	6	6	6
20-34	1210	5.8	2	4	4	6	6	7	8	12
35-49	1013	6.1	2	4	4	6	7	8	9	12
50-64	325	7.8	6	5	5	7	8	11	13	17
65+	252	8.7	7	5	6	8	10	12	15	17
2. MULTIPLE DX										
0-19 YRS	18	6.7	2	4	5	6	8	9	10	10
20-34	3788	6.3	6	4	4	6	7	8	10	14
35-49	4774	6.7	5	4	5	6	7	9	11	15
50-64	1268	8.3	14	5	5	8	9	12	14	21
65+	863	9.7	19	6	6	9	11	14	17	24
TOT. SINGLE DX	2804	6.4	5	4	4	6	7	9	10	15
" MULTIPLE DX	10711	7.0	9	4	5	6	8	10	12	17
TOTAL 0-19 YRS	22	6.5	2	4	5	6	7	9	10	10
20-34	4998	6.1	6	4	4	6	7	8	9	14
35-49	5787	6.6	5	4	5	6	7	9	10	14
50-64	1593	8.2	13	5	5	7	9	11	14	20
65+	1115	9.4	17	5	6	8	11	14	17	23
GRAND TOTAL	**13515**	**6.8**	**8**	**4**	**5**	**6**	**8**	**10**	**11**	**17**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	19	10.4	9	6	7	10	12	15	17	17
35-49	17	12.6	23	6	7	12	16	20	22	23
50-64	14	15.1	36	8	9	15	17	20	29	32
65+	9	14.6	32	10	10	13	16	25	27	27
2. MULTIPLE DX										
0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	20	11.7	28	4	6	12	15	19	22	24
35-49	32	14.6	61	7	8	12	17	27	32	34
50-64	30	17.2	242	5	7	13	19	31	35	88
65+	20	20.3	139	7	8	18	27	32	44	55
TOT. SINGLE DX	59	12.8	26	6	7	12	16	19	22	32
" MULTIPLE DX	104	15.8	126	6	7	12	19	28	33	70
TOTAL 0-19 YRS	2	10.5	5	9	9	10	12	12	12	12
20-34	39	11.1	19	6	6	11	13	17	19	24
35-49	49	13.9	49	6	8	12	16	25	30	34
50-64	44	16.5	175	6	8	14	18	27	35	88
65+	29	18.5	111	8	9	14	26	30	34	55
GRAND TOTAL	**163**	**14.7**	**92**	**6**	**7**	**12**	**17**	**26**	**31**	**52**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	105	1.8	3	<1	<1	1	2	3	4	12
20-34	384	1.7	4	<1	<1	1	2	3	4	7
35-49	43	1.7	1	<1	<1	1	2	3	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	52	4.5	16	<1	1	3	6	11	15	16
20-34	298	3.1	12	<1	<1	2	3	7	9	18
35-49	92	2.4	5	<1	<1	2	3	4	6	15
50-64										
65+										
TOT. SINGLE DX	532	1.7	4	<1	<1	1	2	3	4	7
" MULTIPLE DX	442	3.1	12	<1	<1	2	3	7	10	16
TOTAL 0-19 YRS	157	2.7	10	<1	<1	2	3	6	10	16
20-34	682	2.3	8	<1	<1	1	2	4	7	15
35-49	135	2.2	4	<1	<1	2	2	4	5	14
50-64										
65+										
GRAND TOTAL	**974**	**2.4**	**8**	**<1**	**<1**	**2**	**2**	**4**	**7**	**16**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2268	1.8	1	<1	1	1	2	3	4	8
20-34	14059	1.8	2	<1	<1	1	2	3	4	7
35-49	4839	1.8	2	<1	<1	2	2	3	4	8
50-64	1860	2.0	2	<1	<1	2	2	3	4	9
65+	639	3.2	10	1	1	2	3	6	10	16
2. MULTIPLE DX										
0-19 YRS	904	3.2	14	1	1	2	4	6	8	12
20-34	8272	2.9	9	<1	1	2	3	6	8	13
35-49	5717	3.0	10	<1	1	2	3	6	9	15
50-64	2605	3.6	19	<1	1	2	3	8	11	23
65+	1146	5.0	29	1	2	3	6	11	16	29
TOT. SINGLE DX	23665	1.9	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	18644	3.2	13	<1	1	2	3	7	9	17
TOTAL 0-19 YRS	3172	2.2	6	<1	1	2	2	4	6	9
20-34	22331	2.2	5	<1	1	2	2	4	6	10
35-49	10556	2.5	7	<1	<1	2	2	5	7	12
50-64	4465	2.9	13	<1	1	2	3	6	9	19
65+	1785	4.4	24	1	2	3	4	10	14	26
GRAND TOTAL	**42309**	**2.5**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	1.6	1	<1	<1	1	2	3	4	7
20-34	348	1.4		<1	<1	1	2	2	3	5
35-49	46	1.4		<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	107	3.2	47	<1	<1	<1	3	7	11	46
20-34	569	2.2	6	<1	<1	1	2	4	7	14
35-49	135	2.1	2	<1	<1	2	2	4	5	9
50-64										
65+										
TOT. SINGLE DX	505	1.4	1	<1	<1	1	2	2	3	6
" MULTIPLE DX	811	2.3	11	<1	<1	1	2	4	7	14
TOTAL 0-19 YRS	218	2.3	25	<1	<1	1	2	4	7	20
20-34	917	1.9	5	<1	<1	1	2	3	5	12
35-49	181	1.9	2	<1	<1	2	2	4	5	9
50-64										
65+										
GRAND TOTAL	**1316**	**2.0**	**8**	**<1**	**<1**	**1**	**2**	**3**	**6**	**12**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	314	1.6	1	<1	<1	1	2	3	4	6
20-34	1372	1.5	1	<1	<1	1	2	3	3	6
35-49	137	1.5		<1	<1	1	2	2	3	6
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	50	2.3	4	<1	<1	2	3	5	6	11
20-34	312	2.6	7	<1	<1	2	3	5	7	17
35-49	48	3.5	70	<1	<1	2	3	5	8	59
50-64	9	4.8	9	2	2	4	7	10	10	10
65+	3	9.7	114	3	3	4	17	22	22	22
TOT. SINGLE DX	1825	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	422	2.8	15	<1	<1	2	3	5	8	18
TOTAL 0-19 YRS	364	1.7	2	<1	<1	1	2	3	4	7
20-34	1684	1.7	3	<1	<1	1	2	3	4	8
35-49	185	2.0	20	<1	<1	1	2	3	4	10
50-64	11	4.5	8	2	2	4	6	9	10	10
65+	3	9.7	114	3	3	4	17	22	22	22
GRAND TOTAL	**2247**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	33	5.7	5	<1	1	6	7	8	10	10
35-49	6	7.0	30	1	1	6	10	15	16	16
50-64										
65+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	12	5.3	2	3	3	5	6	7	9	9
20-34	123	5.9	6	2	3	6	7	8	10	15
35-49	10	7.5	13	4	4	7	9	13	16	16
50-64	5	12.4	57	7	7	8	17	25	25	25
65+	4	17.3	154	6	6	14	26	34	34	34
TOT. SINGLE DX	42	5.9	8	<1	1	6	7	9	10	16
" MULTIPLE DX	154	6.5	15	2	3	6	7	9	12	25
TOTAL 0-19 YRS	13	5.3	2	3	4	5	6	7	9	9
20-34	156	5.9	6	2	3	6	7	8	10	13
35-49	16	7.3	18	1	2	7	9	15	16	16
50-64	5	12.4	57	7	7	8	17	25	25	25
65+	6	13.7	126	4	4	9	19	32	34	34
GRAND TOTAL	**196**	**6.3**	**14**	**2**	**3**	**6**	**7**	**9**	**11**	**24**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	3.2	4	<1	<1	3	5	6	7	8
20-34	105	3.4	5	<1	1	3	5	7	8	10
35-49	27	3.9	9	1	1	3	4	7	12	14
50-64	26	3.7	3	1	2	3	4	5	8	10
65+	18	3.7	4	2	2	3	4	5	9	11
2. MULTIPLE DX										
0-19 YRS	20	5.1	13	<1	<1	5	7	9	12	16
20-34	171	4.2	18	<1	1	3	6	8	9	20
35-49	28	3.9	6	<1	<1	3	5	8	10	10
50-64	28	5.9	58	2	2	4	7	9	13	43
65+	33	5.5	19	2	2	4	6	12	14	22
TOT. SINGLE DX	198	3.5	5	<1	1	3	5	7	8	12
" MULTIPLE DX	280	4.6	21	<1	1	4	6	8	10	22
TOTAL 0-19 YRS	42	4.1	10	<1	<1	3	6	8	9	16
20-34	276	3.9	13	<1	1	3	5	7	9	14
35-49	55	3.9	8	<1	1	3	4	7	10	14
50-64	54	4.9	33	2	2	4	5	8	10	42
65+	51	4.8	14	2	2	4	5	10	14	22
GRAND TOTAL	**478**	**4.1**	**15**	**<1**	**1**	**3**	**5**	**7**	**9**	**16**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	100	6.0	7	2	3	6	7	9	10	16
35-49	317	6.7	6	3	4	6	8	9	11	15
50-64	439	7.1	8	4	4	7	8	10	12	17
65+	288	7.9	9	4	5	7	9	12	13	21
2. MULTIPLE DX										
0-19 YRS	3	7.3	32	1	1	9	11	12	12	12
20-34	152	7.1	15	2	3	6	9	12	14	23
35-49	536	8.4	15	4	5	8	10	13	15	21
50-64	677	8.8	22	4	5	8	10	13	16	25
65+	527	9.8	22	5	6	9	11	15	19	26
TOT. SINGLE DX	1144	7.1	8	3	4	7	8	10	12	17
" MULTIPLE DX	1895	8.8	20	4	5	8	10	13	16	25
TOTAL 0-19 YRS	3	7.3	32	1	1	9	11	12	12	12
20-34	252	6.7	13	2	3	6	8	10	13	19
35-49	853	7.7	13	4	4	7	9	12	14	20
50-64	1116	8.1	17	4	5	7	9	12	15	23
65+	815	9.1	19	5	5	8	11	14	17	25
GRAND TOTAL	**3039**	**8.2**	**17**	**4**	**5**	**7**	**9**	**12**	**15**	**23**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	34	3.1	6	<1	1	3	4	7	7	12
20-34	154	3.9	8	1	1	3	5	7	9	17
35-49	71	4.0	8	1	1	4	5	8	10	16
50-64	46	6.3	8	1	2	7	8	10	10	15
65+	18	6.9	16	<1	1	7	9	13	14	14
2. MULTIPLE DX										
0-19 YRS	43	3.3	13	<1	<1	2	4	7	13	16
20-34	94	7.3	173	1	1	4	7	11	23	89
35-49	71	5.5	14	1	2	4	8	10	14	19
50-64	65	9.5	53	2	2	8	11	16	31	35
65+	56	9.7	77	2	3	8	10	16	24	59
TOT. SINGLE DX	323	4.3	10	1	1	4	6	8	10	15
" MULTIPLE DX	329	7.2	82	1	1	5	9	14	19	41
TOTAL 0-19 YRS	77	3.2	10	<1	<1	2	4	7	10	16
20-34	248	5.2	73	1	1	4	5	9	11	32
35-49	142	4.7	12	1	1	4	6	9	11	17
50-64	111	8.2	37	2	2	7	9	14	18	35
65+	74	9.0	63	1	2	8	10	15	21	53
GRAND TOTAL	**652**	**5.8**	**48**	**1**	**1**	**4**	**7**	**10**	**14**	**31**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	135	2.9	8	<1	<1	2	3	6	9	15
20-34	334	3.6	12	<1	1	2	4	7	10	19
35-49	171	3.7	8	<1	1	3	6	8	9	13
50-64	114	5.4	47	1	1	3	6	10	16	47
65+	109	6.2	30	1	2	5	7	11	15	37
2. MULTIPLE DX										
0-19 YRS	98	4.6	20	1	1	3	6	11	15	23
20-34	324	4.6	13	1	1	3	6	9	12	18
35-49	176	7.2	72	1	1	5	9	15	22	41
50-64	187	8.0	98	1	2	5	9	17	27	56
65+	226	9.2	81	2	2	7	11	17	24	46
TOT. SINGLE DX	863	4.1	19	<1	1	3	6	8	11	19
" MULTIPLE DX	1011	6.7	59	1	2	5	8	14	18	38
TOTAL 0-19 YRS	233	3.6	14	<1	1	2	4	7	12	20
20-34	658	4.1	13	<1	1	3	6	9	11	19
35-49	347	5.5	44	1	1	4	7	11	15	29
50-64	301	7.0	81	1	2	5	8	13	22	53
65+	335	8.2	67	2	2	6	10	16	21	39
GRAND TOTAL	**1874**	**5.5**	**42**	**1**	**1**	**4**	**7**	**11**	**16**	**33**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	222	2.4	2	<1	1	2	3	4	5	8
20-34	846	2.3	1	<1	1	2	3	4	5	7
35-49	379	2.6	4	<1	1	2	3	4	5	9
50-64	172	2.9	4	1	1	2	3	5	7	13
65+	107	4.0	13	1	1	3	4	8	11	20
2. MULTIPLE DX										
0-19 YRS	76	5.1	70	1	1	3	5	9	14	55
20-34	312	3.5	19	<1	1	3	4	6	8	20
35-49	203	5.0	29	1	1	4	6	10	13	25
50-64	146	6.5	53	1	2	4	7	14	19	44
65+	156	7.6	70	1	2	5	9	15	20	50
TOT. SINGLE DX	1726	2.6	4	<1	1	2	3	4	5	9
" MULTIPLE DX	893	5.2	43	1	1	3	6	10	14	38
TOTAL 0-19 YRS	298	3.1	21	<1	1	2	3	5	7	14
20-34	1158	2.7	7	<1	1	2	3	4	6	9
35-49	582	3.4	15	<1	1	2	4	6	9	15
50-64	318	4.5	30	1	1	3	5	9	14	28
65+	263	6.1	50	1	2	4	8	12	17	38
GRAND TOTAL	**2619**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**6**	**9**	**19**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.2	6	<1	1	2	4	8	9	9
35-49	22	8.5	115	2	2	5	12	17	32	51
50-64	18	5.6	10	2	2	5	7	11	13	13
65+	35	8.3	37	2	3	7	12	15	21	28
2. MULTIPLE DX										
0-19 YRS	2	11.0	18	8	8	11	14	14	14	14
20-34	4	4.8	7	1	1	5	6	7	7	7
35-49	18	8.7	91	1	2	5	9	21	33	40
50-64	12	10.0	47	4	4	8	12	21	26	27
65+	38	13.2	87	3	4	11	17	24	34	44
TOT. SINGLE DX	97	6.7	47	1	2	4	9	13	17	40
" MULTIPLE DX	74	11.0	79	2	3	8	15	23	32	43
TOTAL 0-19 YRS	3	7.7	42	1	1	8	12	14	14	14
20-34	25	3.5	7	<1	1	3	5	7	9	9
35-49	40	8.6	102	2	2	5	10	18	31	51
50-64	30	7.4	29	2	2	6	9	13	19	27
65+	73	10.8	69	2	3	9	15	22	27	42
GRAND TOTAL	**171**	**8.6**	**65**	**2**	**2**	**6**	**11**	**18**	**23**	**43**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.0	2	<1	<1	1	3	5	6	6
20-34	52	2.7	2	1	1	3	4	5	6	7
35-49	23	4.7	23	<1	1	3	5	11	17	20
50-64	19	4.8	14	1	1	3	6	12	15	15
65+	4	7.0	8	3	3	8	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	25	2.0	5	<1	<1	1	2	4	7	11
20-34	36	3.8	4	1	2	3	5	7	8	9
35-49	18	6.6	115	1	2	5	5	7	32	49
50-64	19	5.4	9	1	2	5	8	9	11	12
65+	11	10.3	23	5	5	9	12	19	20	20
TOT. SINGLE DX	127	3.4	10	<1	1	3	4	7	9	16
" MULTIPLE DX	109	4.8	30	1	1	3	6	9	11	32
TOTAL 0-19 YRS	54	2.0	4	<1	<1	1	3	4	6	11
20-34	88	3.2	4	1	1	3	4	6	7	9
35-49	41	5.5	63	<1	1	3	5	10	17	49
50-64	38	5.1	12	1	2	4	7	9	13	15
65+	15	9.4	20	3	5	9	10	18	19	20
GRAND TOTAL	**236**	**4.0**	**20**	**<1**	**1**	**3**	**5**	**8**	**10**	**20**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	1.9	1	<1	<1	1	2	5	5	5
20-34	14	4.5	53	<1	1	2	4	10	25	29
35-49	5	3.0		2	2	3	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	1.4		<1	<1	1	2	3	3	3
20-34	27	6.5	95	1	2	4	6	13	29	49
35-49	8	2.0		1	1	2	2	4	4	4
50-64	8	10.1	115	1	1	7	11	28	35	35
65+	4	11.5	125	4	4	7	18	28	28	28
TOT. SINGLE DX	38	2.9	21	<1	<1	2	3	5	7	29
" MULTIPLE DX	56	5.9	77	1	1	3	6	13	27	48
TOTAL 0-19 YRS	24	1.8	1	<1	<1	1	2	3	5	5
20-34	41	5.8	80	1	1	3	6	10	27	49
35-49	13	2.4	1	1	1	2	3	4	4	4
50-64	10	8.4	103	<1	<1	6	9	24	35	35
65+	6	8.0	105	1	1	4	9	26	28	28
GRAND TOTAL	**94**	**4.7**	**56**	**<1**	**1**	**2**	**5**	**8**	**23**	**43**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2710	3.0	1	2	2	3	3	4	4	6
20-34	10810	3.2	1	2	2	3	4	4	5	7
35-49	414	3.3	1	2	2	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2818	3.3	3	2	2	3	4	5	6	10
20-34	13256	3.6	4	2	2	3	4	5	6	9
35-49	765	3.8	7	2	2	3	4	5	6	10
50-64										
65+										
TOT. SINGLE DX	13934	3.1	1	2	2	3	4	4	5	7
" MULTIPLE DX	16839	3.5	4	2	2	3	4	5	6	9
TOTAL 0-19 YRS	5528	3.2	2	2	2	3	4	4	5	8
20-34	24066	3.4	3	2	2	3	4	5	5	8
35-49	1179	3.7	5	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**30773**	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.7		1	2	3	3	4	4	4
20-34	274	3.0	3	1	2	3	3	4	5	7
35-49	16	3.1		2	2	3	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	96	2.8	1	1	1	3	3	4	6	7
20-34	556	3.3	5	1	2	3	4	5	6	12
35-49	55	3.6	4	1	2	3	4	6	8	12
50-64										
65+										
TOT. SINGLE DX	316	3.0	3	2	2	3	3	4	4	7
" MULTIPLE DX	707	3.3	5	1	2	3	4	5	6	11
TOTAL 0-19 YRS	122	2.8	1	1	1	3	3	4	5	7
20-34	830	3.2	5	1	2	3	4	4	5	11
35-49	71	3.5	4	1	2	3	4	6	8	12
50-64										
65+										
GRAND TOTAL	**1023**	**3.2**	**5**	**1**	**2**	**3**	**4**	**4**	**5**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	3.0	1	2	2	3	3	4	5	7
20-34	1982	3.1	1	2	2	3	4	4	5	7
35-49	69	3.2	1	2	2	3	4	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	565	3.3	1	2	2	3	4	5	6	8
20-34	3115	3.5	2	2	2	3	4	5	6	9
35-49	165	3.7	5	2	2	3	4	5	6	9
50-64										
65+										
TOT. SINGLE DX	2423	3.1	1	2	2	3	4	4	5	7
" MULTIPLE DX	3845	3.5	3	2	2	3	4	5	6	9
TOTAL 0-19 YRS	937	3.2	2	2	2	3	4	5	5	8
20-34	5097	3.4	2	2	2	3	4	5	6	8
35-49	234	3.5	4	2	2	3	4	5	6	9
50-64										
65+										
GRAND TOTAL	**6268**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11980	2.7	1	1	2	3	3	4	4	6
20-34	45466	2.8	1	1	2	3	3	4	4	6
35-49	1918	2.9	2	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6831	3.1	4	1	2	3	3	4	5	10
20-34	35296	3.2	3	1	2	3	4	4	5	9
35-49	2401	3.5	4	2	2	3	4	5	6	11
50-64										
65+										
TOT. SINGLE DX	59364	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	44528	3.2	4	1	2	3	4	4	5	9
TOTAL 0-19 YRS	18811	2.9	3	1	2	3	3	4	5	8
20-34	80762	3.0	3	1	2	3	3	4	5	7
35-49	4319	3.2	4	1	2	3	4	5	5	9
50-64										
65+										
GRAND TOTAL	**103892**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1423	5.3	2	3	4	5	6	7	8	10
20-34	8439	5.4	2	4	4	5	6	7	7	10
35-49	372	5.9	12	4	4	6	6	7	8	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3365	6.2	9	4	4	6	7	9	11	19
20-34	21419	6.0	9	4	4	5	6	8	9	18
35-49	1644	6.4	10	4	4	6	7	9	11	23
50-64										
65+										
TOT. SINGLE DX	10234	5.4	3	4	4	5	6	7	7	10
" MULTIPLE DX	26428	6.0	10	4	4	5	6	8	10	18
TOTAL 0-19 YRS	4788	5.9	8	4	4	5	6	8	10	17
20-34	29858	5.8	8	4	4	5	6	7	9	16
35-49	2016	6.3	11	4	4	6	7	8	10	22
50-64										
65+										
GRAND TOTAL	**36662**	**5.9**	**8**	**4**	**4**	**5**	**6**	**8**	**9**	**17**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	5.2	1	3	4	5	6	7	7	9
20-34	376	5.5	4	4	4	5	6	7	8	12
35-49	19	6.1	5	3	4	6	7	8	11	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	228	6.2	6	4	4	6	7	9	12	19
20-34	1055	6.2	19	4	4	6	7	8	10	20
35-49	102	7.4	24	4	4	6	8	11	16	32
50-64										
65+										
TOT. SINGLE DX	499	5.4	4	4	4	5	6	7	8	12
" MULTIPLE DX	1385	6.3	18	4	4	6	7	8	11	21
TOTAL 0-19 YRS	332	5.9	5	4	4	5	6	8	10	17
20-34	1431	6.0	16	4	4	5	6	8	9	19
35-49	121	7.2	22	4	4	6	8	10	15	31
50-64										
65+										
GRAND TOTAL	**1884**	**6.1**	**14**	**4**	**4**	**5**	**7**	**8**	**10**	**20**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.2	2	3	3	6	6	7	7	7
20-34	19	5.3	6	2	3	5	6	7	11	14
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	4.3		3	3	4	5	5	5	5
20-34	44	6.5	10	3	4	6	7	10	11	22
35-49	4	5.0	2	4	4	5	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	26	5.3	5	3	3	5	6	7	9	14
" MULTIPLE DX	54	6.2	9	3	4	5	7	10	11	22
TOTAL 0-19 YRS	11	4.7	2	3	3	5	6	7	7	7
20-34	63	6.2	9	3	4	6	7	10	12	21
35-49	6	5.0	1	4	4	5	5	7	7	7
50-64										
65+										
GRAND TOTAL	80	5.9	8	3	4	5	7	8	11	20

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	2.1	1	1	1	2	2	3	3	7
20-34	253	2.3	3	1	1	2	3	3	3	5
35-49	22	2.0		1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	188	2.4	1	1	2	2	3	3	4	8
20-34	243	2.6	2	1	1	2	3	4	5	8
35-49	21	2.7	5	1	1	2	3	4	8	12
50-64										
65+										
TOT. SINGLE DX	563	2.2	2	1	1	2	2	3	3	5
" MULTIPLE DX	452	2.5	2	1	2	2	3	4	4	8
TOTAL 0-19 YRS	476	2.2	1	1	1	2	2	3	4	8
20-34	496	2.4	3	1	1	2	3	3	4	7
35-49	43	2.3	3	1	1	2	3	3	4	12
50-64										
65+										
GRAND TOTAL	1015	2.3	2	1	1	2	3	3	4	8

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	4.3	11	1	1	4	6	7	9	18
20-34	109	5.6	53	1	1	3	6	11	24	37
35-49	13	4.3	19	<1	<1	2	6	11	14	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.4	45	<1	1	3	7	9	18	34
20-34	106	7.7	59	1	1	5	11	19	22	37
35-49	17	8.2	40	1	2	7	10	15	23	28
50-64										
65+										
TOT. SINGLE DX	153	5.2	42	1	1	3	6	10	19	35
" MULTIPLE DX	146	7.4	55	1	1	5	9	19	22	35
TOTAL 0-19 YRS	54	4.8	26	1	1	4	6	8	10	33
20-34	215	6.7	57	1	1	4	7	18	23	37
35-49	30	6.5	34	1	1	6	8	14	15	28
50-64										
65+										
GRAND TOTAL	299	6.3	50	1	1	4	7	15	22	35

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	263	2.6	4	<1	<1	2	3	4	6	12
20-34	1061	2.6	3	<1	<1	2	3	4	5	9
35-49	58	2.5	2	<1	<1	2	3	5	6	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	172	3.0	3	1	1	3	3	5	6	12
20-34	1070	3.1	8	1	1	3	3	4	6	11
35-49	73	3.4	4	1	2	3	4	5	7	13
50-64										
65+										
TOT. SINGLE DX	1382	2.6	4	<1	<1	2	3	4	5	9
" MULTIPLE DX	1315	3.1	8	1	1	3	3	5	6	12
TOTAL 0-19 YRS	435	2.8	4	<1	1	2	3	5	6	12
20-34	2131	2.8	6	<1	1	3	3	4	5	10
35-49	131	3.0	4	<1	1	3	4	5	7	11
50-64										
65+										
GRAND TOTAL	2697	2.8	6	<1	1	3	3	4	6	10

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1403	2.7		1	2	3	3	4	4	5
20-34	4682	2.7		1	2	3	3	4	4	6
35-49	231	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1540	3.1	4	2	2	3	3	4	5	12
20-34	6297	3.0	2	1	2	3	3	4	5	9
35-49	418	3.3	4	1	2	3	4	5	6	12
50-64										
65+										
TOT. SINGLE DX	6316	2.7	1	1	2	3	3	4	4	6
" MULTIPLE DX	8255	3.0	3	1	2	3	3	4	5	9
TOTAL 0-19 YRS	2943	2.9	3	1	2	3	3	4	5	9
20-34	10979	2.9	2	1	2	3	3	4	5	8
35-49	649	3.1	3	1	2	3	4	5	5	10
50-64										
65+										
GRAND TOTAL	**14571**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	2.8	8	<1	<1	2	3	5	7	19
20-34	50	4.6	25	1	2	3	5	8	18	29
35-49	44	5.0	34	1	2	3	5	12	17	31
50-64	55	4.8	19	1	2	3	6	11	12	25
65+	36	6.0	47	2	2	4	6	11	24	34
2. MULTIPLE DX										
0-19 YRS	15	2.3	1	1	1	2	3	4	4	4
20-34	53	3.7	9	2	2	2	4	6	9	20
35-49	53	4.2	12	2	2	3	5	9	10	23
50-64	94	7.2	117	2	2	4	8	17	23	97
65+	63	10.5	179	2	2	5	13	26	39	68
TOT. SINGLE DX	225	4.6	27	1	2	3	5	9	15	29
" MULTIPLE DX	278	6.4	91	2	2	3	7	15	22	67
TOTAL 0-19 YRS	55	2.6	7	<1	1	2	3	4	5	18
20-34	103	4.1	17	1	2	3	5	7	11	24
35-49	97	4.6	22	1	2	3	5	9	13	27
50-64	149	6.3	82	2	2	4	7	14	19	94
65+	99	8.8	135	2	2	4	9	22	32	66
GRAND TOTAL	**503**	**5.6**	**63**	**1**	**2**	**3**	**6**	**12**	**19**	**39**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	242	3.9	1	3	3	4	4	5	6	7
20-34	529	4.0	2	2	3	4	4	5	6	9
35-49	219	4.1	4	2	2	4	5	6	8	11
50-64	72	4.5	13	2	2	4	5	7	8	27
65+	16	4.6	11	<1	1	4	6	9	12	14
2. MULTIPLE DX										
0-19 YRS	225	4.2	2	3	3	4	5	6	7	9
20-34	314	4.6	7	3	3	4	5	7	8	11
35-49	150	5.1	43	2	3	4	5	7	10	22
50-64	39	5.6	11	2	2	5	7	10	10	19
65+	15	7.3	53	3	3	5	7	12	27	32
TOT. SINGLE DX	1078	4.0	3	2	3	4	5	6	7	11
" MULTIPLE DX	743	4.7	14	2	3	4	5	7	8	14
TOTAL 0-19 YRS	467	4.1	2	3	3	4	5	6	6	9
20-34	843	4.2	4	2	3	4	5	6	7	10
35-49	369	4.5	20	2	2	4	5	6	9	17
50-64	111	4.9	13	2	2	4	6	8	10	24
65+	31	5.9	33	1	2	5	6	11	14	32
GRAND TOTAL	**1821**	**4.3**	**8**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	2.6	2	1	1	2	3	5	6	10
20-34	165	2.9	3	1	1	2	3	5	6	11
35-49	46	3.8	8	1	1	2	5	9	9	13
50-64	13	4.2	9	1	1	3	6	8	11	12
65+	9	8.6	67	3	3	7	9	22	29	29
2. MULTIPLE DX										
0-19 YRS	235	3.9	14	1	1	3	5	7	9	19
20-34	363	5.4	57	1	2	4	6	10	14	55
35-49	133	5.6	49	1	2	4	6	10	13	54
50-64	45	9.5	128	1	2	6	12	23	27	67
65+	29	10.7	74	2	2	9	13	21	23	44
TOT. SINGLE DX	320	3.1	7	1	1	2	3	6	8	12
" MULTIPLE DX	805	5.4	51	1	2	3	6	10	14	45
TOTAL 0-19 YRS	322	3.6	12	1	1	3	4	6	8	18
20-34	528	4.6	42	1	1	3	5	8	11	45
35-49	179	5.1	39	1	2	4	6	9	11	46
50-64	58	8.3	106	1	2	5	9	18	26	64
65+	38	10.2	72	2	3	8	12	22	26	44
GRAND TOTAL	**1125**	**4.8**	**39**	**1**	**1**	**3**	**5**	**9**	**12**	**35**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.7	10	1	2	3	4	6	7	23
20-34	226	3.5	4	1	1	3	4	6	8	12
35-49	81	3.9	5	1	1	3	5	7	9	12
50-64	31	4.5	14	1	1	3	6	8	13	19
65+	15	6.6	33	1	2	5	9	15	19	20
2. MULTIPLE DX										
0-19 YRS	260	6.2	49	2	2	5	7	12	18	28
20-34	662	6.6	76	1	2	4	7	12	19	48
35-49	303	7.0	79	2	2	5	8	11	18	53
50-64	117	8.5	120	2	2	6	9	14	28	83
65+	60	10.5	72	2	3	9	14	19	25	47
TOT. SINGLE DX	433	3.8	8	1	2	3	4	7	9	15
" MULTIPLE DX	1402	6.9	76	2	2	5	8	13	19	51
TOTAL 0-19 YRS	340	5.6	41	2	2	4	6	10	15	27
20-34	888	5.8	60	1	2	4	6	11	17	45
35-49	384	6.3	65	1	2	4	7	10	15	52
50-64	148	7.6	101	2	2	5	9	13	21	75
65+	75	9.7	67	2	2	8	13	19	23	46
GRAND TOTAL	**1835**	**6.2**	**62**	**1**	**2**	**4**	**7**	**11**	**18**	**48**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.9	1	2	2	3	3	5	5	5
20-34	21	4.4	9	1	1	3	6	8	11	14
35-49	24	4.6	9	1	2	4	5	9	12	14
50-64	20	3.2	2	1	2	3	4	6	6	7
65+	4	4.5	3	2	2	5	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	16	5.1	20	2	3	3	5	15	17	17
20-34	30	10.0	220	2	2	5	9	18	56	68
35-49	13	12.5	170	2	3	7	16	34	44	46
50-64	14	6.9	41	2	3	4	7	13	24	27
65+	11	10.5	123	2	2	7	14	29	37	38
TOT. SINGLE DX	78	4.0	7	1	2	3	5	7	9	14
" MULTIPLE DX	84	9.0	133	2	3	5	9	20	33	64
TOTAL 0-19 YRS	25	4.3	14	2	2	3	4	5	16	17
20-34	51	7.7	140	2	2	5	7	13	20	68
35-49	37	7.4	77	2	2	5	7	14	28	46
50-64	34	4.7	21	2	2	4	5	8	12	27
65+	15	8.9	97	2	2	5	9	23	34	38
GRAND TOTAL	**162**	**6.6**	**78**	**2**	**2**	**4**	**6**	**13**	**21**	**55**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	5.3	20	1	2	4	6	10	14	24
20-34	250	4.9	36	1	2	4	5	9	13	23
35-49	200	5.5	31	2	2	4	6	10	15	30
50-64	276	7.0	73	2	2	6	8	11	14	45
65+	141	9.5	42	3	4	8	11	17	21	42
2. MULTIPLE DX										
0-19 YRS	159	7.8	114	2	2	5	7	17	28	51
20-34	222	6.2	36	2	2	4	7	14	20	31
35-49	198	7.7	115	2	2	4	8	16	27	80
50-64	242	9.4	106	2	3	6	11	19	29	49
65+	167	13.1	154	3	3	8	17	31	43	94
TOT. SINGLE DX	1147	6.2	43	2	2	5	7	11	15	28
" MULTIPLE DX	988	8.7	107	2	2	5	10	19	29	66
TOTAL 0-19 YRS	439	6.2	56	1	2	4	7	12	19	32
20-34	472	5.5	37	2	2	4	6	11	16	28
35-49	398	6.6	74	2	2	4	7	13	21	59
50-64	518	8.1	90	2	3	6	9	14	24	48
65+	308	11.4	106	3	4	8	14	24	34	71
GRAND TOTAL	**2135**	**7.3**	**74**	**2**	**2**	**5**	**8**	**15**	**22**	**48**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	3.7	2	2	2	3	4	6	7	9
20-34	300	3.9	3	2	2	4	4	6	7	11
35-49	379	4.3	3	2	2	4	5	7	8	10
50-64	447	4.6	4	2	3	4	5	7	9	12
65+	226	5.2	11	2	3	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	107	4.3	4	2	3	4	5	6	8	13
20-34	312	4.8	10	2	2	4	6	8	9	16
35-49	568	5.0	10	2	2	4	6	8	10	17
50-64	1021	5.4	11	2	3	5	6	9	10	19
65+	722	6.5	24	2	3	5	7	11	15	29
TOT. SINGLE DX	1475	4.4	5	2	2	4	5	7	8	12
" MULTIPLE DX	2730	5.5	15	2	3	5	6	9	11	22
TOTAL 0-19 YRS	230	4.0	4	2	2	4	5	6	7	11
20-34	612	4.3	7	2	2	4	5	7	8	13
35-49	947	4.7	8	2	2	4	6	7	9	13
50-64	1468	5.2	10	2	3	4	6	8	10	17
65+	948	6.2	21	2	3	5	7	10	14	27
GRAND TOTAL	**4205**	**5.1**	**12**	**2**	**3**	**4**	**6**	**8**	**10**	**19**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	956	3.9	24	1	1	3	4	6	9	29
20-34	1309	4.0	17	1	2	3	5	7	10	20
35-49	1063	5.0	34	1	2	3	6	9	13	32
50-64	849	5.5	36	1	2	4	6	11	16	33
65+	427	8.1	76	2	2	5	11	17	23	47
2. MULTIPLE DX										
0-19 YRS	441	7.5	119	1	2	4	7	17	34	52
20-34	1120	8.3	138	1	2	4	8	20	35	70
35-49	988	8.2	127	2	2	4	8	18	31	61
50-64	1082	9.3	137	2	2	5	11	21	33	67
65+	789	14.2	198	2	3	10	18	32	46	84
TOT. SINGLE DX	4604	4.9	33	1	2	3	5	9	14	32
" MULTIPLE DX	4420	9.5	149	2	2	5	11	23	35	69
TOTAL 0-19 YRS	1397	5.1	57	1	2	3	5	9	16	45
20-34	2429	6.0	78	1	2	3	6	11	21	55
35-49	2051	6.5	82	1	2	4	7	13	21	51
50-64	1931	7.6	96	2	2	4	8	16	25	53
65+	1216	12.1	164	2	2	8	16	27	40	74
GRAND TOTAL	**9024**	**7.1**	**96**	**1**	**2**	**4**	**7**	**16**	**26**	**56**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	291	6.2	49	2	2	4	7	11	23	37
20-34	273	5.2	27	1	2	4	6	9	14	26
35-49	132	6.5	33	1	2	5	8	13	17	33
50-64	110	8.4	71	2	2	6	10	16	23	50
65+	160	14.7	77	3	4	14	18	23	28	55
2. MULTIPLE DX										
0-19 YRS	143	8.6	103	2	2	5	10	19	30	52
20-34	190	10.9	146	2	2	6	12	30	45	84
35-49	101	10.8	201	1	2	7	11	25	37	77
50-64	144	14.1	171	2	3	11	18	26	39	95
65+	424	17.7	124	6	8	15	20	30	40	60
TOT. SINGLE DX	966	7.6	59	2	2	5	9	17	22	43
" MULTIPLE DX	1002	13.9	152	2	3	11	18	28	39	72
TOTAL 0-19 YRS	434	7.0	69	2	2	4	7	14	25	40
20-34	463	7.6	84	2	2	5	8	16	26	58
35-49	233	8.4	111	1	2	5	9	17	27	69
50-64	254	11.6	135	2	2	8	15	24	35	69
65+	584	16.9	113	5	7	15	20	28	39	58
GRAND TOTAL	**1968**	**10.8**	**116**	**2**	**2**	**7**	**14**	**23**	**31**	**58**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	623	2.7	7	<1	1	2	3	4	5	16
20-34	926	3.2	13	1	1	2	3	6	7	18
35-49	499	3.2	8	1	1	2	4	5	8	17
50-64	440	4.4	43	1	1	3	4	7	13	33
65+	415	6.9	66	1	2	4	8	15	21	37
2. MULTIPLE DX										
0-19 YRS	180	5.2	48	1	1	3	5	10	19	40
20-34	335	5.9	62	1	2	3	6	13	22	48
35-49	195	8.3	106	2	2	4	10	17	34	60
50-64	255	8.5	106	1	2	5	10	18	29	56
65+	384	15.6	249	2	3	10	20	36	50	87
TOT. SINGLE DX	2903	3.8	25	1	1	2	4	7	11	26
" MULTIPLE DX	1349	9.4	145	1	2	5	11	24	36	68
TOTAL 0-19 YRS	803	3.2	18	<1	1	2	3	5	7	27
20-34	1261	3.9	28	1	1	2	4	7	11	32
35-49	694	4.6	41	1	1	3	4	10	15	38
50-64	695	5.9	70	1	1	3	6	12	20	48
65+	799	11.1	174	2	2	6	14	26	37	74
GRAND TOTAL	**4252**	**5.6**	**70**	**1**	**1**	**3**	**5**	**12**	**20**	**43**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	16.6	180	2	2	13	27	39	42	43
20-34	31	15.5	181	5	6	12	16	29	42	74
35-49	17	10.6	25	5	5	9	14	19	21	21
50-64	42	13.2	48	6	7	11	16	22	30	38
65+	197	16.9	86	8	9	15	19	25	32	50
2. MULTIPLE DX										
0-19 YRS	89	21.8	365	2	4	16	27	48	67	91
20-34	71	22.7	394	5	7	16	27	53	66	90
35-49	40	21.8	237	6	7	14	33	47	52	56
50-64	96	19.6	221	6	7	15	23	41	61	99+
65+	533	19.8	139	8	9	17	24	35	44	96
TOT. SINGLE DX	343	16.0	104	5	6	14	19	28	35	45
" MULTIPLE DX	829	20.4	200	6	8	16	25	39	53	96
TOTAL 0-19 YRS	145	19.8	299	2	3	16	27	40	55	79
20-34	102	20.5	338	5	7	14	25	44	64	89
35-49	57	18.5	199	6	6	12	25	43	50	56
50-64	138	17.6	177	6	7	14	22	36	48	99+
65+	730	19.0	127	8	9	16	22	33	41	91
GRAND TOTAL	**1172**	**19.1**	**176**	**6**	**7**	**16**	**23**	**36**	**45**	**91**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	100	11.4	103	3	4	9	14	20	23	62
20-34	90	11.1	38	3	5	9	14	19	21	36
35-49	80	11.3	32	4	5	10	14	18	24	27
50-64	212	13.6	64	5	6	12	16	21	25	50
65+	1250	17.2	65	8	10	15	20	26	32	49
2. MULTIPLE DX										
0-19 YRS	211	16.4	124	5	6	13	21	32	39	56
20-34	345	19.3	205	6	7	15	23	38	52	77
35-49	248	18.2	172	6	7	14	22	34	46	77
50-64	647	18.4	135	7	8	15	23	33	46	95
65+	3970	20.7	134	9	11	18	24	34	44	73
TOT. SINGLE DX	1732	15.8	70	6	8	15	19	25	30	48
" MULTIPLE DX	5421	20.0	142	8	9	17	24	34	44	75
TOTAL 0-19 YRS	311	14.8	123	4	5	12	19	29	35	56
20-34	435	17.6	182	5	7	13	21	33	49	75
35-49	328	16.6	147	6	7	13	20	29	43	72
50-64	859	17.2	122	6	8	14	20	30	42	80
65+	5220	19.8	121	9	10	17	23	32	41	69
GRAND TOTAL	7153	19.0	128	8	9	16	22	32	42	70

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	10.4	106	1	2	6	15	25	33	43
20-34	18	13.9	189	3	3	9	16	29	49	60
35-49	5	6.6	57	2	2	4	8	20	20	20
50-64	14	17.0	200	2	3	13	18	45	46	46
65+	46	20.7	316	5	6	15	22	45	66	78
2. MULTIPLE DX										
0-19 YRS	198	14.0	194	2	2	8	23	33	38	58
20-34	68	23.2	386	4	5	16	38	55	97	99+
35-49	32	18.8	283	2	4	12	26	47	53	62
50-64	47	23.7	300	5	5	19	36	48	61	65
65+	143	22.3	339	4	6	16	28	48	65	98
TOT. SINGLE DX	221	13.2	177	1	2	9	18	29	40	66
" MULTIPLE DX	488	18.9	295	2	3	14	27	43	55	98
TOTAL 0-19 YRS	336	12.5	161	1	2	7	20	31	36	53
20-34	86	21.2	357	3	5	15	32	55	88	99+
35-49	37	17.1	268	2	3	10	22	46	52	62
50-64	61	22.1	282	4	5	17	33	46	54	65
65+	189	21.9	333	4	6	16	27	47	65	96
GRAND TOTAL	709	17.1	265	2	3	12	24	41	52	94

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	5.1	43	1	1	2	5	16	18	28
20-34	175	4.7	39	1	1	3	5	9	12	43
35-49	110	4.3	10	1	2	3	5	9	11	18
50-64	135	5.0	32	1	2	3	6	9	13	21
65+	131	8.2	94	2	2	5	10	17	21	59
2. MULTIPLE DX										
0-19 YRS	233	6.7	93	1	1	3	7	21	26	52
20-34	244	8.0	115	1	1	5	9	18	30	62
35-49	205	7.7	83	1	1	4	9	19	26	50
50-64	193	8.8	127	1	2	5	10	20	27	69
65+	198	11.1	178	1	2	6	14	24	46	68
TOT. SINGLE DX	758	5.4	46	1	1	3	6	12	17	36
" MULTIPLE DX	1073	8.4	120	1	1	4	10	20	28	59
TOTAL 0-19 YRS	440	5.9	70	1	1	3	6	17	23	44
20-34	419	6.6	86	1	1	4	7	14	24	54
35-49	315	6.5	60	1	1	4	7	13	23	45
50-64	328	7.2	92	1	2	4	8	14	24	58
65+	329	10.0	147	2	2	6	13	20	37	66
GRAND TOTAL	1831	7.1	92	1	1	4	8	16	24	54

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	749	3.5	6	1	1	3	4	6	8	13
20-34	1048	4.5	11	1	2	4	6	8	10	19
35-49	624	5.3	23	1	2	4	6	9	12	20
50-64	579	6.2	29	2	3	5	7	10	14	29
65+	384	8.7	33	2	3	7	11	16	21	29
2. MULTIPLE DX										
0-19 YRS	946	5.9	65	1	1	4	6	11	18	51
20-34	1762	7.9	109	1	2	5	8	15	28	61
35-49	1153	8.3	87	2	2	6	9	16	24	55
50-64	1060	9.7	118	2	3	7	11	18	28	68
65+	939	12.4	119	2	3	9	15	26	35	59
TOT. SINGLE DX	3384	5.2	20	1	2	4	6	10	13	22
" MULTIPLE DX	5860	8.7	105	1	2	6	10	18	28	58
TOTAL 0-19 YRS	1695	4.8	41	1	1	3	5	9	13	34
20-34	2810	6.6	76	1	2	4	7	12	19	51
35-49	1777	7.2	67	1	2	5	8	13	19	47
50-64	1639	8.4	90	2	3	6	9	15	22	61
65+	1323	11.3	97	2	3	8	14	23	31	52
GRAND TOTAL	9244	7.4	77	1	2	5	8	15	22	51

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1306	2.6	11	1	1	2	3	5	7	16
20-34	417	4.0	14	1	1	3	5	8	11	19
35-49	273	4.8	27	1	1	3	6	10	14	23
50-64	298	5.0	33	1	1	3	6	10	12	37
65+	381	5.8	32	1	1	4	7	12	16	25
2. MULTIPLE DX										
0-19 YRS	1716	3.7	36	1	1	2	4	7	12	33
20-34	856	6.3	68	1	1	4	7	13	20	43
35-49	584	6.6	59	1	1	4	7	14	22	44
50-64	713	7.6	105	1	1	5	8	16	23	67
65+	1013	9.9	117	1	2	7	13	20	28	60
TOT. SINGLE DX	2675	3.8	21	1	1	2	5	8	11	21
" MULTIPLE DX	4882	6.4	77	1	1	4	7	15	21	48
TOTAL 0-19 YRS	3022	3.2	26	1	1	2	3	6	10	26
20-34	1273	5.5	52	1	1	4	6	11	17	38
35-49	857	6.1	50	1	1	4	7	13	18	41
50-64	1011	6.9	86	1	1	4	8	14	21	51
65+	1394	8.8	98	1	2	6	11	19	25	54
GRAND TOTAL	**7557**	**5.4**	**59**	**1**	**1**	**3**	**6**	**12**	**18**	**42**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.1	26	1	1	2	5	11	14	25
20-34	120	3.2	16	<1	<1	2	4	7	8	24
35-49	72	5.1	34	<1	1	3	6	12	17	30
50-64	65	4.4	18	<1	1	3	5	12	14	20
65+	118	6.6	77	<1	1	3	8	14	25	53
2. MULTIPLE DX										
0-19 YRS	170	6.0	96	1	1	2	6	14	23	54
20-34	226	6.4	68	1	1	4	7	15	23	47
35-49	138	7.9	123	1	1	4	9	26	32	70
50-64	137	6.9	72	1	1	4	9	14	25	41
65+	228	11.6	186	1	1	7	14	28	39	70
TOT. SINGLE DX	501	4.6	37	<1	1	2	5	11	15	33
" MULTIPLE DX	899	8.0	117	1	1	4	9	21	29	57
TOTAL 0-19 YRS	296	5.2	68	1	1	2	5	13	20	46
20-34	346	5.3	53	<1	1	3	6	11	20	40
35-49	210	7.0	94	1	1	3	8	18	30	61
50-64	202	6.1	56	1	1	4	7	13	20	35
65+	346	9.9	155	1	1	6	12	24	35	66
GRAND TOTAL	**1400**	**6.8**	**91**	**1**	**1**	**3**	**8**	**16**	**25**	**49**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	3.4	6	1	1	3	4	6	8	15
20-34	169	3.9	3	1	2	3	5	6	8	11
35-49	70	3.6	2	2	2	3	4	5	7	10
50-64	62	6.1	10	2	3	5	7	11	13	15
65+	58	11.1	70	2	3	9	15	20	27	47
2. MULTIPLE DX										
0-19 YRS	99	5.3	43	1	1	3	5	12	17	42
20-34	197	6.2	60	2	2	4	6	11	21	44
35-49	102	6.5	50	1	2	5	8	12	15	43
50-64	94	9.3	85	3	3	7	11	19	28	55
65+	107	15.4	125	4	5	13	19	31	38	60
TOT. SINGLE DX	458	4.9	19	1	2	4	6	9	13	25
" MULTIPLE DX	599	8.3	84	1	2	5	10	18	26	46
TOTAL 0-19 YRS	198	4.4	26	1	1	3	4	8	14	31
20-34	366	5.1	36	1	2	4	5	9	12	32
35-49	172	5.3	33	1	2	4	6	10	13	21
50-64	156	8.1	58	3	3	6	10	13	20	47
65+	165	13.9	110	3	4	12	17	27	35	50
GRAND TOTAL	**1057**	**6.8**	**59**	**1**	**2**	**4**	**8**	**14**	**20**	**42**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	460	4.0	15	1	1	3	4	7	10	21
20-34	586	4.1	15	1	2	3	5	7	12	22
35-49	310	4.4	13	1	2	3	5	9	12	20
50-64	219	6.5	57	1	2	4	8	14	19	37
65+	145	12.9	158	2	2	8	17	34	45	61
2. MULTIPLE DX										
0-19 YRS	321	6.1	52	1	2	4	6	13	20	32
20-34	466	5.7	44	1	2	4	6	10	16	40
35-49	294	7.4	83	2	2	4	8	16	23	47
50-64	227	11.8	137	2	2	8	15	31	39	71
65+	287	21.3	317	4	5	16	30	51	66	99+
TOT. SINGLE DX	1720	5.2	39	1	2	3	5	11	16	35
" MULTIPLE DX	1595	9.8	148	2	2	5	11	24	37	70
TOTAL 0-19 YRS	781	4.8	32	1	2	3	5	9	15	29
20-34	1052	4.8	29	1	2	3	5	9	14	30
35-49	604	5.9	50	2	2	4	6	12	18	38
50-64	446	9.2	105	2	2	5	11	22	34	59
65+	432	18.5	279	2	4	14	26	46	59	99+
GRAND TOTAL	**3315**	**7.4**	**97**	**1**	**2**	**4**	**8**	**17**	**28**	**58**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	9.1	21	4	4	8	11	15	17	28
20-34	2226	9.8	24	4	5	9	12	16	19	27
35-49	3942	10.5	27	4	5	9	13	17	20	29
50-64	2061	11.2	31	5	6	10	13	18	22	30
65+	473	13.5	38	6	7	12	16	21	26	33
2. MULTIPLE DX										
0-19 YRS	26	15.4	241	4	5	11	19	67	99+	99+
20-34	616	13.3	69	5	6	11	16	22	29	47
35-49	1391	12.8	60	5	6	11	16	22	26	42
50-64	1300	14.6	89	5	7	12	18	24	31	51
65+	556	18.8	121	7	8	16	23	33	41	72
TOT. SINGLE DX	8787	10.6	29	4	5	9	13	17	21	30
" MULTIPLE DX	3889	14.4	85	5	6	12	17	24	31	53
TOTAL 0-19 YRS	111	10.6	78	4	5	9	12	17	31	99+
20-34	2842	10.6	37	4	5	9	13	17	21	33
35-49	5333	11.1	37	5	5	10	13	18	22	32
50-64	3361	12.5	56	5	6	11	15	21	25	40
65+	1029	16.3	90	6	8	14	20	28	34	54
GRAND TOTAL	**12676**	**11.8**	**49**	**5**	**6**	**10**	**14**	**20**	**24**	**37**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	572	3.2	3	1	2	3	4	5	6	8
20-34	1586	3.3	3	1	2	3	4	6	6	9
35-49	920	3.6	10	1	1	3	4	6	8	15
50-64	512	3.9	7	1	2	3	5	7	8	15
65+	169	5.1	15	2	2	4	6	10	15	19
2. MULTIPLE DX										
0-19 YRS	506	3.4	3	1	2	3	4	6	7	10
20-34	1386	3.7	6	1	2	3	5	6	8	13
35-49	918	4.1	10	1	2	3	5	7	10	18
50-64	856	4.3	14	1	2	3	5	8	11	19
65+	343	5.6	22	2	2	4	7	10	14	25
TOT. SINGLE DX	3759	3.5	6	1	1	3	4	6	7	13
" MULTIPLE DX	4009	4.0	10	1	2	3	5	7	9	18
TOTAL 0-19 YRS	1078	3.3	3	1	2	3	4	5	6	9
20-34	2972	3.5	5	1	1	3	4	6	7	10
35-49	1838	3.9	10	1	2	3	5	7	9	17
50-64	1368	4.2	12	1	2	3	5	7	9	18
65+	512	5.4	20	2	2	4	7	10	15	23
GRAND TOTAL	**7768**	**3.8**	**8**	**1**	**2**	**3**	**5**	**6**	**8**	**16**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1080	2.7	4	1	1	2	3	5	6	10
20-34	1895	2.8	5	1	1	2	3	5	6	13
35-49	1050	3.2	9	1	1	3	3	5	7	14
50-64	699	4.0	15	1	2	3	4	7	10	18
65+	324	5.8	42	2	2	4	6	12	18	38
2. MULTIPLE DX										
0-19 YRS	505	3.1	10	1	1	2	3	5	7	16
20-34	1217	3.6	12	1	1	3	4	6	9	21
35-49	832	4.4	23	1	2	3	5	9	14	25
50-64	697	6.0	54	2	2	4	6	12	17	39
65+	413	9.1	116	2	2	5	11	20	29	61
TOT. SINGLE DX	5048	3.2	11	1	1	2	4	5	8	17
" MULTIPLE DX	3664	4.8	37	1	2	3	5	10	15	33
TOTAL 0-19 YRS	1585	2.8	6	1	1	2	3	5	6	14
20-34	3112	3.1	8	1	1	2	3	5	7	17
35-49	1882	3.8	16	1	1	3	4	6	10	22
50-64	1396	5.0	37	1	2	3	5	10	15	36
65+	737	7.6	86	2	2	4	9	17	25	47
GRAND TOTAL	**8712**	**3.9**	**23**	**1**	**1**	**3**	**4**	**7**	**11**	**24**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	13.9	22	7	8	14	17	18	23	27
20-34	175	10.9	22	5	6	10	13	17	20	28
35-49	269	10.6	26	4	5	10	12	17	21	30
50-64	146	10.6	30	4	5	9	13	18	19	29
65+	20	12.5	18	6	7	12	15	19	20	21
2. MULTIPLE DX										
0-19 YRS	72	18.9	176	7	8	16	24	37	64	99+
20-34	173	18.5	212	5	7	14	25	37	43	99+
35-49	225	14.9	121	6	7	11	17	26	33	68
50-64	148	15.6	158	5	6	13	18	26	36	83
65+	44	21.0	206	7	8	19	26	43	65	99+
TOT. SINGLE DX	726	11.2	27	5	5	10	14	17	20	28
" MULTIPLE DX	662	16.9	168	6	7	13	20	31	42	94
TOTAL 0-19 YRS	188	15.8	87	7	8	14	17	26	34	89
20-34	348	14.7	131	5	6	11	17	28	37	94
35-49	494	12.5	74	5	6	10	14	21	28	56
50-64	294	13.1	101	4	5	11	16	21	28	66
65+	64	18.3	162	7	7	15	21	33	50	97
GRAND TOTAL	**1388**	**13.9**	**102**	**5**	**6**	**11**	**16**	**24**	**31**	**69**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	4.0	5	1	2	4	5	7	8	11
20-34	215	5.0	11	1	2	4	6	9	11	17
35-49	187	5.4	13	2	2	5	7	9	13	22
50-64	246	4.9	12	1	2	4	6	9	11	22
65+	133	8.0	78	2	2	5	10	19	24	49
2. MULTIPLE DX										
0-19 YRS	71	5.4	17	2	2	4	7	10	11	24
20-34	180	5.9	40	2	2	4	7	10	13	44
35-49	147	8.4	134	2	2	6	8	16	28	66
50-64	206	7.2	49	2	2	5	9	14	17	35
65+	165	10.6	107	2	2	7	14	21	31	59
TOT. SINGLE DX	876	5.4	23	2	2	4	7	9	14	24
" MULTIPLE DX	769	7.7	76	2	2	5	9	15	21	48
TOTAL 0-19 YRS	166	4.6	11	1	2	4	6	8	10	20
20-34	395	5.4	25	2	2	4	7	9	12	24
35-49	334	6.7	69	2	2	5	7	11	17	45
50-64	452	5.9	31	2	2	4	7	11	15	25
65+	298	9.5	96	2	2	6	12	20	28	50
GRAND TOTAL	**1645**	**6.5**	**49**	**2**	**2**	**5**	**7**	**12**	**17**	**39**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.7	65	4	4	14	18	20	20	20
20-34	50	13.7	72	6	7	12	15	25	26	59
35-49	122	14.4	47	8	9	13	16	21	28	47
50-64	522	14.3	30	8	9	13	16	20	23	37
65+	1047	16.6	40	9	10	15	19	24	28	40
2. MULTIPLE DX										
0-19 YRS	7	15.6	179	2	3	14	16	38	44	44
20-34	57	17.7	163	6	7	14	19	36	45	71
35-49	134	18.5	136	8	9	15	21	32	47	93
50-64	446	18.4	111	9	10	15	20	31	39	66
65+	1173	20.2	106	10	12	17	23	32	41	66
TOT. SIMGLE DX	1744	15.7	40	9	10	15	18	23	27	40
" MULTIPLE DX	1817	19.5	112	10	11	17	22	32	41	67
TOTAL 0-19 YRS	10	14.7	136	2	3	14	16	32	44	44
20-34	107	15.8	124	6	7	12	18	26	39	65
35-49	256	16.5	98	8	9	14	18	28	36	57
50-64	968	16.2	72	9	9	14	18	25	32	54
65+	2220	18.5	78	10	11	16	21	28	36	52
GRAND TOTAL	**3561**	**17.6**	**81**	**9**	**10**	**16**	**20**	**28**	**35**	**54**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	12.0	165	3	3	9	12	32	46	46
20-34	24	14.1	97	4	6	11	16	30	37	45
35-49	30	13.8	59	7	8	12	15	26	31	38
50-64	126	14.8	45	6	8	14	17	21	26	45
65+	820	17.3	59	9	10	16	20	25	31	50
2. MULTIPLE DX										
0-19 YRS	10	16.0	60	7	7	17	21	26	31	31
20-34	22	16.9	150	3	4	13	21	40	43	46
35-49	48	17.6	133	7	7	14	22	32	43	60
50-64	317	18.7	139	8	10	16	21	34	43	82
65+	2563	20.3	115	9	11	17	24	34	43	69
TOT. SINGLE DX	1010	16.8	61	8	10	15	19	25	30	48
" MULTIPLE DX	2960	20.1	119	9	10	17	24	34	43	70
TOTAL 0-19 YRS	20	14.0	111	3	4	10	19	26	38	46
20-34	46	15.4	122	4	4	12	18	33	42	46
35-49	78	16.1	108	7	7	13	19	30	41	56
50-64	443	17.6	115	8	9	15	19	29	39	72
65+	3383	19.6	104	9	11	17	23	32	40	66
GRAND TOTAL	**3970**	**19.2**	**106**	**9**	**10**	**17**	**22**	**32**	**40**	**66**

724: Arthropiasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	344	4.3	8	1	2	4	5	7	8	11
20-34	555	4.9	14	1	2	4	6	8	10	17
35-49	238	6.4	34	1	2	4	8	14	18	27
50-64	489	13.5	69	3	3	14	18	22	26	42
65+	915	17.2	54	8	10	16	21	26	31	40
2. MULTIPLE DX										
0-19 YRS	325	5.0	7	2	2	5	6	8	10	17
20-34	570	5.7	15	2	2	5	7	9	12	21
35-49	246	7.6	57	2	2	6	9	16	19	40
50-64	391	16.3	197	2	2	13	21	33	42	95
65+	869	19.8	126	6	9	17	23	33	42	73
TOT. SINGLE DX	2541	11.0	72	2	2	9	16	22	26	35
" MULTIPLE DX	2401	12.6	131	2	3	9	17	26	35	59
TOTAL 0-19 YRS	669	4.6	8	1	2	4	6	7	9	14
20-34	1125	5.3	15	1	2	5	7	9	11	20
35-49	484	7.0	46	2	2	5	9	15	19	39
50-64	880	14.7	128	2	3	14	19	26	33	56
65+	1784	18.5	91	7	10	17	22	30	36	56
GRAND TOTAL	**4942**	**11.8**	**101**	**2**	**2**	**9**	**17**	**23**	**30**	**48**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	410	3.5	2	2	2	3	4	5	6	9
20-34	778	3.8	4	2	2	3	4	6	7	12
35-49	329	4.1	5	2	2	3	5	7	9	13
50-64	355	5.5	27	2	2	4	6	10	13	22
65+	179	6.8	29	2	2	5	9	13	17	30
2. MULTIPLE DX										
0-19 YRS	162	3.7	4	1	2	3	4	6	8	12
20-34	385	4.2	11	1	2	3	5	7	10	18
35-49	285	5.1	29	2	2	4	6	9	12	22
50-64	354	6.5	28	2	2	5	8	12	15	30
65+	268	10.3	115	2	3	7	12	21	30	67
TOT. SINGLE DX	2051	4.3	11	2	2	4	5	7	10	17
" MULTIPLE DX	1454	6.0	42	2	2	4	7	11	17	32
TOTAL 0-19 YRS	572	3.5	3	1	2	3	4	5	7	10
20-34	1163	3.9	7	2	2	3	4	6	8	14
35-49	614	4.6	17	2	2	4	5	8	10	19
50-64	709	6.0	28	2	2	5	7	11	14	28
65+	447	8.9	84	2	3	6	11	18	24	52
GRAND TOTAL	**3505**	**5.0**	**25**	**2**	**2**	**4**	**5**	**9**	**13**	**25**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	233	3.4	16	<1	1	2	4	6	8	24
20-34	322	3.9	11	<1	1	3	5	8	11	15
35-49	348	3.4	7	<1	1	2	4	7	9	13
50-64	306	2.9	10	<1	<1	2	3	5	8	16
65+	136	4.0	24	<1	<1	2	4	8	15	24
2. MULTIPLE DX										
0-19 YRS	175	5.7	55	1	1	4	6	12	17	31
20-34	259	7.4	92	1	1	4	8	16	29	51
35-49	224	6.2	51	1	2	4	7	13	22	36
50-64	225	6.9	82	1	1	3	8	15	22	54
65+	145	10.2	111	1	2	6	13	24	31	52
TOT. SINGLE DX	1345	3.5	12	<1	1	2	4	7	9	17
" MULTIPLE DX	1028	7.1	79	1	1	4	8	17	24	48
TOTAL 0-19 YRS	408	4.4	34	1	1	3	5	8	15	27
20-34	581	5.4	50	1	1	3	6	12	16	40
35-49	572	4.5	26	<1	1	3	5	9	13	30
50-64	531	4.6	45	<1	1	2	4	9	15	38
65+	281	7.2	79	<1	1	4	9	18	25	46
GRAND TOTAL	**2373**	**5.0**	**45**	**<1**	**1**	**3**	**5**	**11**	**16**	**35**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	709	2.0	2	<1	<1	2	2	3	4	8
20-34	1239	2.2	4	<1	<1	2	2	3	4	11
35-49	780	2.5	4	<1	1	2	3	4	6	13
50-64	541	3.2	8	<1	1	2	3	6	8	16
65+	221	4.7	52	1	1	3	5	9	14	22
2. MULTIPLE DX										
0-19 YRS	94	3.6	28	<1	<1	2	3	7	10	35
20-34	319	4.3	34	1	1	3	4	9	13	36
35-49	350	5.6	32	1	2	3	7	13	18	31
50-64	377	7.1	70	1	2	4	9	16	22	51
65+	306	10.1	95	2	2	7	13	22	29	48
TOT. SINGLE DX	3490	2.6	8	<1	1	2	3	4	6	14
" MULTIPLE DX	1446	6.5	60	1	2	4	8	15	21	43
TOTAL 0-19 YRS	803	2.2	6	<1	<1	2	2	3	4	11
20-34	1558	2.7	12	<1	<1	2	3	4	6	15
35-49	1130	3.5	15	<1	1	2	3	7	11	21
50-64	918	4.8	37	1	1	3	5	10	15	32
65+	527	7.8	84	1	2	5	10	18	25	44
GRAND TOTAL	**4936**	**3.7**	**27**	**<1**	**1**	**2**	**3**	**8**	**12**	**26**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	2.0		<1	<1	2	2	3	4	4
20-34	44	2.6	2	<1	1	2	3	5	6	7
35-49	77	3.1	16	1	2	2	3	5	6	28
50-64	261	2.5	2	1	1	2	3	4	4	8
65+	170	2.6	1	1	1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	15	6.3	36	1	1	3	13	16	16	16
20-34	41	4.9	27	1	1	3	6	10	17	27
35-49	52	4.4	13	1	2	3	5	9	11	22
50-64	120	4.0	25	1	1	3	4	7	10	32
65+	90	4.7	21	1	2	3	5	12	17	20
TOT. SINGLE DX	573	2.6	4	1	1	2	3	4	5	8
" MULTIPLE DX	318	4.5	23	1	2	3	5	10	15	23
TOTAL 0-19 YRS	36	3.8	20	<1	1	2	3	14	16	16
20-34	85	3.7	16	1	1	2	4	7	10	24
35-49	129	3.6	15	1	2	3	4	6	9	25
50-64	381	2.9	10	1	1	2	3	4	6	15
65+	260	3.3	9	1	2	2	3	5	10	18
GRAND TOTAL	**891**	**3.3**	**12**	**1**	**1**	**2**	**3**	**5**	**9**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	189	2.1	1	1	1	2	2	4	5	6
20-34	367	2.2	2	<1	1	2	3	4	4	7
35-49	162	2.6	2	1	1	2	3	4	5	10
50-64	90	2.5	2	1	1	2	3	5	5	10
65+	27	2.9	4	<1	1	2	4	5	8	8
2. MULTIPLE DX										
0-19 YRS	290	2.4	3	1	1	2	3	4	6	12
20-34	539	2.8	6	1	1	2	3	5	7	13
35-49	233	2.9	8	1	1	2	3	5	7	17
50-64	129	2.8	5	1	1	2	3	5	6	12
65+	46	3.7	26	1	1	2	4	7	10	34
TOT. SINGLE DX	835	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	1237	2.8	7	1	1	2	3	5	7	13
TOTAL 0-19 YRS	479	2.3	3	1	1	2	3	4	5	10
20-34	906	2.6	5	1	1	2	3	5	6	11
35-49	395	2.8	6	1	1	2	3	5	7	14
50-64	219	2.7	5	1	1	2	3	5	6	10
65+	73	3.4	18	1	1	2	4	7	9	29
GRAND TOTAL	**2072**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	124	2.7	3	<1	1	2	3	4	6	9
20-34	241	3.4	13	1	1	3	4	6	7	20
35-49	322	3.3	5	1	1	3	4	5	7	14
50-64	320	4.3	11	1	2	3	5	8	11	18
65+	128	5.2	15	1	2	4	7	10	14	20
2. MULTIPLE DX										
0-19 YRS	163	3.4	10	1	1	2	4	7	11	17
20-34	262	3.6	8	1	1	3	5	7	9	14
35-49	245	5.0	32	1	2	4	5	10	13	36
50-64	268	6.0	35	1	2	4	7	13	17	32
65+	164	9.9	145	2	2	6	11	22	31	89
TOT. SINGLE DX	1135	3.7	10	1	1	3	4	7	9	18
" MULTIPLE DX	1102	5.4	45	1	1	4	6	11	16	37
TOTAL 0-19 YRS	287	3.1	7	1	1	2	4	6	8	14
20-34	503	3.5	11	1	1	3	4	6	8	18
35-49	567	4.0	18	1	1	3	4	7	10	18
50-64	588	5.1	23	1	2	4	6	10	15	23
65+	292	7.8	94	2	2	5	9	16	25	64
GRAND TOTAL	**2237**	**4.6**	**28**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	394	3.3	3	1	2	3	4	6	6	11
20-34	306	3.8	9	1	1	3	4	7	7	22
35-49	185	3.8	12	1	1	3	5	6	8	22
50-64	110	5.1	39	1	2	4	5	8	14	40
65+	42	7.1	145	2	2	4	7	12	15	80
2. MULTIPLE DX										
0-19 YRS	314	3.6	12	1	1	3	4	6	8	18
20-34	245	5.1	50	1	1	3	5	9	15	47
35-49	163	5.4	52	1	2	4	6	10	18	97
50-64	110	7.3	56	1	2	5	9	16	18	41
65+	70	8.9	56	2	3	6	12	21	23	87
TOT. SINGLE DX	1037	3.9	17	1	2	3	4	6	8	20
" MULTIPLE DX	902	5.2	41	1	1	3	6	10	17	41
TOTAL 0-19 YRS	708	3.5	8	1	1	3	4	6	8	14
20-34	551	4.4	28	1	1	3	5	7	10	26
35-49	348	4.6	31	1	1	3	5	8	13	34
50-64	220	6.2	49	1	2	4	7	13	18	39
65+	112	8.2	90	2	2	5	9	18	23	87
GRAND TOTAL	**1939**	**4.5**	**29**	**1**	**2**	**3**	**5**	**8**	**12**	**26**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	1.7	1	<1	<1	1	2	3	4	6
20-34	103	3.7	32	<1	1	2	3	7	13	33
35-49	67	3.4	19	1	1	2	3	7	11	27
50-64	75	3.6	14	<1	1	3	4	8	12	21
65+	33	4.1	20	1	1	2	4	10	13	22
2. MULTIPLE DX										
0-19 YRS	56	3.7	16	1	1	2	4	10	12	20
20-34	132	4.3	67	1	1	2	4	9	13	37
35-49	116	5.5	43	1	1	3	6	14	19	62
50-64	122	7.3	141	1	1	3	7	16	27	76
65+	68	8.0	95	1	1	4	9	22	29	48
TOT. SINGLE DX	317	3.4	21	<1	1	2	3	7	11	23
" MULTIPLE DX	494	5.8	80	1	1	3	6	13	21	50
TOTAL 0-19 YRS	95	2.9	11	<1	1	2	3	7	10	17
20-34	235	4.0	52	<1	1	2	4	9	13	30
35-49	183	4.7	36	1	1	3	5	11	18	39
50-64	197	5.9	96	1	1	3	6	13	22	61
65+	101	6.7	74	1	1	3	7	19	26	44
GRAND TOTAL	**811**	**4.8**	**58**	**1**	**1**	**2**	**5**	**11**	**18**	**39**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	9	8.2	46	1	2	6	12	19	23	23
35-49	2	7.0	72	1	1	7	13	13	13	13
50-64	6	8.0	25	2	2	9	12	14	14	14
65+	6	12.0	66	6	6	9	13	26	28	28
2. MULTIPLE DX										
0-19 YRS	3	4.7	40	1	1	1	9	12	12	12
20-34	15	24.1	603	2	2	16	45	55	74	81
35-49	5	40.2	1401	3	3	38	75	83	83	83
50-64	16	13.6	112	2	5	9	19	32	34	35
65+	24	25.5	440	2	5	20	36	58	69	70
TOT. SINGLE DX	23	9.0	45	1	2	8	13	16	25	28
" MULTIPLE DX	63	22.3	484	1	2	14	34	55	71	83
TOTAL 0-19 YRS	3	4.7	40	1	1	1	9	12	12	12
20-34	24	18.2	445	1	2	9	25	50	63	81
35-49	7	30.7	1209	1	1	13	64	81	83	83
50-64	22	12.0	93	1	2	9	14	31	33	35
65+	30	22.8	391	2	5	14	30	55	69	70
GRAND TOTAL	**86**	**18.8**	**399**	**1**	**2**	**11**	**27**	**50**	**69**	**82**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	3.0	3	1	2	2	3	6	6	11
20-34	39	6.3	57	1	1	4	6	19	26	33
35-49	37	7.7	116	1	2	5	7	17	29	60
50-64	73	11.0	139	2	3	7	14	24	40	55
65+	104	11.0	112	2	3	8	14	22	36	48
2. MULTIPLE DX										
0-19 YRS	49	5.6	24	1	1	3	7	14	20	99+
20-34	68	10.1	87	2	2	7	14	25	27	44
35-49	145	16.1	232	3	3	11	19	40	58	70
50-64	314	19.3	233	3	5	15	27	42	56	99+
65+	627	20.0	232	3	5	16	26	41	56	96
TOT. SINGLE DX	288	9.0	106	2	2	5	11	21	33	53
" MULTIPLE DX	1203	18.2	228	3	4	14	25	40	55	97
TOTAL 0-19 YRS	84	4.5	17	1	1	3	6	11	15	73
20-34	107	8.7	79	1	2	5	12	24	27	42
35-49	182	14.4	220	2	3	9	18	35	56	69
50-64	387	17.7	226	3	3	14	26	40	55	91
65+	731	18.7	226	3	4	15	25	40	53	88
GRAND TOTAL	**1491**	**16.4**	**218**	**2**	**3**	**12**	**22**	**37**	**52**	**84**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	15.5	221	5	5	15	26	26	26	26
20-34	8	16.0	124	6	6	12	22	34	37	37
35-49	9	12.1	63	4	4	10	19	24	25	25
50-64	39	18.2	138	7	8	15	22	33	37	65
65+	101	19.6	209	6	7	15	25	37	50	79
2. MULTIPLE DX										
0-19 YRS	11	15.5	65	9	9	11	20	29	33	33
20-34	42	25.6	323	6	8	23	34	76	99+	99+
35-49	80	25.9	396	5	9	19	35	62	85	99+
50-64	323	25.0	252	8	9	21	31	47	61	95
65+	932	25.9	277	8	10	21	34	51	61	88
TOT. SINGLE DX	159	18.6	179	6	7	15	23	34	44	65
" MULTIPLE DX	1388	25.6	278	8	9	21	34	50	64	99+
TOTAL 0-19 YRS	13	15.5	73	6	8	11	22	28	32	33
20-34	50	24.1	301	6	7	21	33	74	99+	99+
35-49	89	24.5	379	5	7	19	28	56	81	99+
50-64	362	24.3	244	8	9	20	31	46	59	93
65+	1033	25.3	274	8	9	20	33	50	60	88
GRAND TOTAL	**1547**	**24.9**	**272**	**8**	**9**	**20**	**33**	**50**	**62**	**99**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	12.3	47	3	4	14	17	21	22	22
20-34	2	11.5	41	7	7	11	16	16	16	16
35-49	10	9.9	7	7	7	9	11	14	15	15
50-64	24	20.2	287	7	7	14	26	44	57	79
65+	98	17.6	164	4	6	14	24	33	37	71
2. MULTIPLE DX										
0-19 YRS	8	12.1	28	5	5	12	15	19	21	21
20-34	12	17.1	275	5	7	13	17	34	63	68
35-49	30	22.4	370	5	6	15	26	56	61	75
50-64	168	23.0	292	6	7	18	30	50	64	99+
65+	1016	22.5	259	7	8	18	29	45	58	89
TOT. SINGLE DX	141	17.1	172	4	7	14	21	32	39	80
" MULTIPLE DX	1234	22.4	265	6	8	17	29	45	60	90
TOTAL 0-19 YRS	15	12.2	34	3	5	13	16	21	22	22
20-34	14	16.3	240	5	7	13	16	25	58	68
35-49	40	19.3	307	6	7	12	20	52	59	75
50-64	192	22.6	291	6	7	18	30	48	64	99+
65+	1114	22.1	253	6	8	17	28	43	57	89
GRAND TOTAL	**1375**	**21.9**	**258**	**6**	**8**	**17**	**28**	**44**	**58**	**89**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	13.4	80	3	3	11	21	25	25	25
35-49	5	19.6	380	4	4	10	32	51	51	51
50-64	17	24.9	348	4	5	21	39	42	65	77
65+	17	17.6	113	5	7	14	22	29	42	48
2. MULTIPLE DX										
0-19 YRS	4	34.5	581	6	6	33	49	65	65	65
20-34	13	26.2	535	5	7	17	31	71	73	74
35-49	28	31.5	556	4	5	27	49	68	76	80
50-64	86	28.7	325	7	10	24	39	52	69	85
65+	138	28.6	312	7	10	24	37	58	63	91
TOT. SINGLE DX	46	19.5	233	4	5	15	26	41	49	77
" MULTIPLE DX	269	28.9	351	6	9	24	38	59	70	86
TOTAL 0-19 YRS	6	24.2	606	2	2	19	34	62	65	65
20-34	18	22.6	432	3	5	16	25	64	72	74
35-49	33	29.7	535	4	5	26	46	64	75	80
50-64	103	28.1	328	6	8	24	39	51	69	85
65+	155	27.3	302	6	10	23	36	57	63	90
GRAND TOTAL	**315**	**27.5**	**344**	**5**	**8**	**22**	**37**	**58**	**67**	**85**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	7.5	16	2	2	8	10	11	11	11
20-34	10	4.9	16	1	1	4	7	11	13	13
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	3.6	6	2	2	3	4	8	8	8
65+										
2. MULTIPLE DX										
0-19 YRS	16	5.9	19	1	1	5	9	12	15	16
20-34	17	7.0	11	3	4	7	9	10	14	16
35-49	6	3.5	4	1	1	3	5	7	7	7
50-64	11	6.7	6	3	4	6	9	10	11	11
65+										
TOT. SINGLE DX	20	4.9	14	1	1	3	8	10	12	13
" MULTIPLE DX	50	6.2	13	1	2	6	9	10	12	16
TOTAL 0-19 YRS	20	6.2	18	1	1	5	10	12	14	16
20-34	27	6.2	13	1	1	6	9	10	13	16
35-49	7	3.1	5	1	1	3	5	7	7	7
50-64	16	5.8	8	2	2	5	8	9	10	11
65+										
GRAND TOTAL	**70**	**5.8**	**13**	**1**	**1**	**5**	**8**	**10**	**12**	**16**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	3.2	21	<1	<1	2	3	5	13	24
20-34	49	2.8	8	<1	1	2	3	5	8	16
35-49	35	5.5	44	<1	<1	3	6	16	18	33
50-64	32	6.7	49	1	1	4	9	13	21	36
65+	29	9.7	78	<1	1	7	14	22	28	37
2. MULTIPLE DX										
0-19 YRS	24	3.4	20	<1	1	2	3	8	13	22
20-34	70	6.8	84	1	1	4	6	19	28	46
35-49	52	10.3	114	1	2	6	17	29	37	98
50-64	91	13.8	255	2	2	8	18	30	50	83
65+	107	16.0	227	3	4	11	25	41	57	99+
TOT. SINGLE DX	173	5.3	42	<1	1	3	6	13	17	35
" MULTIPLE DX	344	11.8	189	1	2	7	16	30	43	99+
TOTAL 0-19 YRS	52	3.3	20	<1	1	2	3	7	12	24
20-34	119	5.2	57	1	1	3	5	12	23	39
35-49	87	8.4	91	<1	1	4	12	26	32	78
50-64	123	12.0	211	1	2	7	16	26	46	82
65+	136	14.6	201	2	3	10	19	37	48	99+
GRAND TOTAL	**517**	**9.6**	**149**	**1**	**1**	**5**	**13**	**26**	**37**	**87**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	30.5	1301	5	5	30	56	56	56	56
20-34	6	5.0	26	<1	<1	3	5	14	15	15
35-49	1	5.0		5	5	5	5	5	5	5
50-64	6	4.5	8	2	2	3	7	9	9	9
65+	9	12.8	32	5	5	14	17	20	21	21
2. MULTIPLE DX										
0-19 YRS	2	20.0	242	9	9	20	31	31	31	31
20-34	5	9.6	127	2	2	3	17	28	28	28
35-49	6	8.2	56	2	2	6	12	20	21	21
50-64	14	8.5	28	2	3	9	12	14	19	20
65+	12	17.8	173	6	7	15	18	37	52	54
TOT. SINGLE DX	24	9.9	130	1	2	5	14	19	31	56
" MULTIPLE DX	39	12.0	109	2	2	11	15	25	31	54
TOTAL 0-19 YRS	4	25.3	551	5	5	20	43	56	56	56
20-34	11	7.1	70	<1	1	3	11	20	27	28
35-49	7	7.7	49	2	2	5	11	19	21	21
50-64	20	7.3	25	2	2	6	11	13	17	20
65+	21	15.6	115	5	6	14	17	25	41	54
GRAND TOTAL	**63**	**11.2**	**116**	**2**	**2**	**9**	**15**	**21**	**30**	**56**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	623	2.0		<1	1	2	2	3	3	5
20-34	2166	2.2	2	<1	1	2	2	3	4	8
35-49	3525	2.4	2	<1	1	2	3	3	4	9
50-64	1936	2.9	5	1	1	2	3	5	8	12
65+	1073	3.9	11	1	2	3	4	9	11	16
2. MULTIPLE DX										
0-19 YRS	126	2.7	7	<1	1	2	3	5	7	15
20-34	852	3.5	21	1	1	2	4	6	9	17
35-49	1992	3.9	14	1	2	3	4	8	11	19
50-64	1432	5.5	32	2	2	3	7	12	16	27
65+	1185	7.8	68	2	2	5	10	17	24	40
TOT. SINGLE DX	9323	2.6	4	<1	1	2	3	4	6	12
" MULTIPLE DX	5587	5.1	34	1	2	3	6	11	15	30
TOTAL 0-19 YRS	749	2.1	2	<1	1	2	2	3	3	7
20-34	3018	2.6	8	<1	1	2	3	4	6	12
35-49	5517	2.9	8	1	1	2	3	5	8	14
50-64	3368	4.0	18	1	2	2	4	9	12	22
65+	2258	6.0	45	2	2	3	7	13	17	35
GRAND TOTAL	**14910**	**3.5**	**17**	**1**	**1**	**2**	**3**	**7**	**10**	**20**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.2		<1	1	2	3	4	4	5
20-34	78	3.4	4	1	2	3	4	6	8	11
35-49	110	4.6	6	2	2	4	6	8	10	14
50-64	119	6.5	16	2	2	6	9	11	15	21
65+	175	6.5	20	2	2	6	9	11	14	22
2. MULTIPLE DX										
0-19 YRS	9	3.2	7	1	1	2	5	8	8	8
20-34	27	4.9	11	1	1	4	7	11	11	12
35-49	38	7.0	48	2	3	5	8	11	16	44
50-64	119	7.5	22	2	3	7	9	13	16	29
65+	246	11.1	85	3	3	9	14	20	27	70
TOT. SINGLE DX	571	5.0	14	1	2	4	7	10	11	19
" MULTIPLE DX	499	9.0	63	2	3	7	11	16	22	46
TOTAL 0-19 YRS	98	2.3	2	<1	1	2	3	4	4	8
20-34	105	3.8	7	1	2	3	5	8	10	12
35-49	208	5.7	28	2	2	5	7	10	12	23
50-64	238	7.0	20	2	2	7	9	12	15	24
65+	421	9.2	64	2	3	7	11	17	23	45
GRAND TOTAL	**1070**	**6.9**	**41**	**2**	**2**	**5**	**9**	**13**	**17**	**33**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	106	7.4	6	4	5	7	8	11	12	16
35-49	540	7.5	8	4	5	7	9	11	12	17
50-64	861	8.0	11	4	5	8	9	12	13	18
65+	845	8.9	13	5	5	8	10	13	16	22
2. MULTIPLE DX										
0-19 YRS	3	9.3	9	6	6	10	11	12	12	12
20-34	79	8.8	7	5	5	8	11	12	13	14
35-49	445	8.8	16	4	5	8	10	13	16	25
50-64	814	10.0	29	5	6	9	11	15	19	30
65+	1049	11.4	45	5	6	10	13	18	24	42
TOT. SINGLE DX	2353	8.2	11	4	5	8	9	12	14	20
" MULTIPLE DX	2390	10.3	35	5	6	9	12	16	20	34
TOTAL 0-19 YRS	4	9.3	6	6	6	9	11	12	12	12
20-34	185	8.0	7	4	5	8	10	12	13	15
35-49	985	8.1	12	4	5	8	9	12	14	22
50-64	1675	8.9	21	5	5	8	10	13	16	27
65+	1894	10.3	33	5	6	9	12	16	20	34
GRAND TOTAL	**4743**	**9.3**	**24**	**4**	**5**	**8**	**11**	**14**	**17**	**28**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	281	3.2	2	1	2	3	4	5	6	9
20-34	724	3.6	3	<1	1	3	5	6	7	10
35-49	709	4.0	5	1	1	4	5	7	8	11
50-64	261	3.9	3	1	2	4	5	6	7	8
65+	69	4.0	6	2	2	4	4	6	8	17
2. MULTIPLE DX										
0-19 YRS	74	4.1	8	1	2	3	4	7	10	17
20-34	436	4.6	18	1	2	4	5	7	9	22
35-49	771	5.0	13	1	2	4	6	9	11	18
50-64	414	5.6	35	2	2	4	6	9	13	29
65+	97	6.4	28	2	2	5	8	13	17	31
TOT. SINGLE DX	2044	3.7	4	1	1	4	5	6	7	10
" MULTIPLE DX	1792	5.1	21	1	2	4	6	9	11	21
TOTAL 0-19 YRS	355	3.4	4	1	2	3	4	5	6	11
20-34	1160	3.9	10	<1	1	4	5	6	8	12
35-49	1480	4.5	10	1	2	4	6	8	9	16
50-64	675	4.9	24	2	2	4	6	8	10	23
65+	166	5.4	21	2	2	4	7	9	14	23
GRAND TOTAL	**3836**	**4.4**	**12**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	742	3.5	3	1	2	3	4	5	7	11
20-34	1322	3.7	3	2	2	3	4	6	7	10
35-49	196	4.0	4	1	2	4	5	6	8	12
50-64	57	4.3	6	2	2	4	5	8	10	13
65+	14	4.6	11	2	2	4	4	9	14	15
2. MULTIPLE DX										
0-19 YRS	100	4.5	6	2	2	4	6	8	10	13
20-34	222	4.9	13	2	2	4	6	9	12	23
35-49	80	6.2	30	2	2	5	7	10	17	34
50-64	39	7.4	42	2	2	5	10	16	24	28
65+	14	10.9	282	3	3	5	11	18	57	68
TOT. SINGLE DX	2331	3.7	4	1	2	3	4	6	7	11
" MULTIPLE DX	455	5.4	26	2	2	4	6	10	14	28
TOTAL 0-19 YRS	842	3.7	4	1	2	3	4	6	7	11
20-34	1544	3.8	5	2	2	3	4	6	7	13
35-49	276	4.6	13	2	2	4	5	8	10	20
50-64	96	5.5	23	2	2	4	6	12	15	26
65+	28	7.7	152	2	3	4	8	12	20	68
GRAND TOTAL	**2786**	**4.0**	**8**	**2**	**2**	**3**	**5**	**6**	**8**	**14**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1017	2.3	4	<1	<1	2	2	4	6	12
20-34	1336	3.4	19	<1	1	2	4	6	9	20
35-49	1184	3.4	16	<1	1	2	4	6	9	18
50-64	1079	3.7	18	<1	1	2	4	7	11	23
65+	877	5.1	41	<1	1	3	5	11	18	35
2. MULTIPLE DX										
0-19 YRS	428	4.1	26	1	1	3	5	8	11	23
20-34	1036	6.7	63	1	2	4	8	14	22	44
35-49	1442	7.3	72	1	2	5	8	15	23	49
50-64	1939	8.2	68	1	2	6	10	17	23	42
65+	2430	10.2	107	2	2	7	13	22	29	58
TOT. SINGLE DX	5493	3.5	20	<1	1	2	4	7	10	22
" MULTIPLE DX	7275	8.2	82	1	2	5	10	18	25	50
TOTAL 0-19 YRS	1445	2.8	11	<1	1	2	3	5	8	16
20-34	2372	4.8	41	<1	1	3	5	10	15	37
35-49	2626	5.5	51	1	1	3	6	11	16	40
50-64	3018	6.6	55	1	2	4	8	14	20	38
65+	3307	8.8	95	1	2	6	11	19	27	54
GRAND TOTAL	**12768**	**6.2**	**61**	**1**	**1**	**3**	**7**	**14**	**20**	**41**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1024	4.2	20	1	1	3	5	9	12	24
20-34	1283	5.3	33	1	1	4	6	11	16	30
35-49	833	6.4	45	1	1	4	8	14	19	32
50-64	701	8.1	86	1	2	5	10	17	25	55
65+	735	9.8	104	1	2	6	13	24	31	53
2. MULTIPLE DX										
0-19 YRS	2194	5.5	59	1	1	3	6	12	19	43
20-34	3188	6.9	94	1	1	4	8	15	25	59
35-49	1986	9.8	144	1	1	5	12	24	37	69
50-64	2071	12.1	182	1	2	8	16	28	41	81
65+	2713	16.5	280	2	2	11	22	40	55	91
TOT. SINGLE DX	4576	6.4	56	1	1	4	8	14	21	36
" MULTIPLE DX	12152	10.1	169	1	1	5	12	25	39	73
TOTAL 0-19 YRS	3218	5.1	47	1	1	3	6	11	17	36
20-34	4471	6.5	77	1	1	4	7	14	22	51
35-49	2819	8.8	118	1	1	5	10	21	32	61
50-64	2772	11.1	161	1	2	7	14	26	38	72
65+	3448	15.1	251	1	2	10	19	36	50	86
GRAND TOTAL	**16728**	**9.1**	**141**	**1**	**1**	**5**	**11**	**22**	**34**	**67**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	163	6.7	69	1	1	4	9	16	20	44
20-34	204	7.4	91	1	2	4	9	15	25	55
35-49	158	8.7	49	1	2	7	13	18	22	31
50-64	153	14.5	210	1	2	9	19	40	49	58
65+	213	16.2	156	2	3	13	24	35	42	53
2. MULTIPLE DX										
0-19 YRS	215	12.2	183	1	1	8	16	27	42	72
20-34	355	16.5	291	1	2	11	23	38	47	94
35-49	256	17.4	222	2	3	13	25	36	49	69
50-64	318	19.1	273	2	3	15	28	41	54	99+
65+	467	25.2	372	3	6	21	34	55	71	99+
TOT. SINGLE DX	891	10.8	131	1	2	7	14	26	35	54
" MULTIPLE DX	1611	19.1	304	2	2	14	27	42	58	95
TOTAL 0-19 YRS	378	9.8	141	1	1	5	14	24	34	67
20-34	559	13.2	237	1	2	8	18	32	44	87
35-49	414	14.1	174	1	2	10	20	32	40	65
50-64	471	17.6	258	2	2	13	25	41	50	96
65+	680	22.3	322	2	4	18	30	46	62	95
GRAND TOTAL	**2502**	**16.2**	**258**	**1**	**2**	**11**	**23**	**37**	**49**	**88**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	6.1	72	<1	1	3	5	21	29	34
20-34	85	4.0	25	<1	<1	2	4	8	15	27
35-49	64	8.9	152	1	1	4	10	23	39	64
50-64	42	8.3	129	1	1	3	10	21	37	50
65+	20	8.0	80	1	1	4	11	25	27	28
2. MULTIPLE DX										
0-19 YRS	57	10.6	215	1	1	4	13	29	47	69
20-34	98	14.1	271	1	2	8	24	40	59	99+
35-49	57	11.5	194	1	1	6	21	31	62	99+
50-64	72	14.4	301	1	2	7	18	35	62	96
65+	77	17.3	365	2	2	12	23	40	60	90
TOT. SINGLE DX	262	6.6	89	<1	1	3	6	20	26	48
" MULTIPLE DX	361	13.9	279	1	2	7	22	37	52	99+
TOTAL 0-19 YRS	108	8.5	151	1	1	3	10	23	35	58
20-34	183	9.4	182	<1	1	4	12	29	43	99+
35-49	121	10.1	173	1	1	4	13	29	41	99+
50-64	114	12.2	246	1	2	5	16	34	49	88
65+	97	15.4	320	1	2	9	22	35	48	89
GRAND TOTAL	**623**	**10.8**	**212**	**1**	**1**	**4**	**15**	**31**	**46**	**95**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	486	2.2	2	<1	<1	2	2	4	5	9
20-34	324	3.4	14	<1	1	2	4	7	9	24
35-49	233	3.4	8	<1	1	3	4	6	10	17
50-64	282	3.2	12	1	1	2	3	5	8	20
65+	147	3.7	16	1	1	3	4	7	8	16
2. MULTIPLE DX										
0-19 YRS	204	3.1	10	1	1	2	3	6	9	13
20-34	242	5.5	29	1	1	4	7	13	17	27
35-49	313	6.4	75	1	2	4	7	13	22	53
50-64	495	5.4	29	1	2	3	7	12	15	25
65+	439	8.5	81	1	2	5	11	20	26	43
TOT. SINGLE DX	1472	3.0	10	<1	1	2	3	5	8	17
" MULTIPLE DX	1693	6.1	52	1	2	4	7	14	20	37
TOTAL 0-19 YRS	690	2.5	5	<1	1	2	3	4	6	11
20-34	566	4.3	22	1	1	3	5	9	13	26
35-49	546	5.1	49	1	1	3	5	10	15	37
50-64	777	4.6	24	1	1	3	5	10	14	24
65+	586	7.3	69	1	2	4	9	17	23	42
GRAND TOTAL	**3165**	**4.7**	**35**	**1**	**1**	**3**	**5**	**10**	**15**	**31**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.5	4	1	1	3	5	6	7	7
20-34	25	4.0	9	1	1	3	5	9	11	14
35-49	23	4.4	14	1	1	3	5	9	15	16
50-64	30	4.7	19	1	1	3	5	10	17	19
65+	19	6.4	22	2	2	4	7	14	18	20
2. MULTIPLE DX										
0-19 YRS	23	4.2	17	1	1	3	6	9	13	18
20-34	43	5.0	14	1	2	4	7	10	11	22
35-49	60	6.3	20	2	2	5	8	12	14	25
50-64	61	9.4	36	2	3	8	12	18	21	29
65+	124	11.1	67	3	4	9	14	24	28	37
TOT. SINGLE DX	107	4.6	16	1	1	4	5	10	15	19
" MULTIPLE DX	311	8.5	48	2	2	7	11	18	24	31
TOTAL 0-19 YRS	33	4.0	13	1	1	3	5	8	11	18
20-34	68	4.6	13	1	1	4	6	10	10	21
35-49	83	5.8	20	1	2	4	7	12	15	23
50-64	91	7.8	35	2	2	6	11	17	19	28
65+	143	10.4	64	2	3	8	14	23	27	35
GRAND TOTAL	**418**	**7.5**	**42**	**1**	**2**	**5**	**10**	**17**	**22**	**30**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	4.6	15	1	2	3	5	10	12	21
20-34	2811	5.7	18	2	2	4	8	12	15	20
35-49	3745	6.1	22	2	2	4	8	12	15	23
50-64	1823	6.3	25	2	2	5	8	13	16	25
65+	449	7.3	30	2	2	6	10	15	18	26
2. MULTIPLE DX										
0-19 YRS	114	5.7	24	2	2	4	7	12	19	23
20-34	1676	7.4	32	2	2	6	10	15	18	27
35-49	2424	8.1	47	2	2	6	11	16	20	34
50-64	1941	8.7	54	2	2	7	11	17	22	42
65+	896	11.3	96	2	3	9	15	22	28	55
TOT. SINGLE DX	9025	6.0	22	2	2	4	8	12	15	23
" MULTIPLE DX	7051	8.5	53	2	2	6	11	17	21	36
TOTAL 0-19 YRS	311	5.0	19	2	2	3	6	10	14	22
20-34	4487	6.3	24	2	2	5	9	13	16	23
35-49	6169	6.9	33	2	2	5	9	14	17	27
50-64	3764	7.6	42	2	2	6	10	15	20	32
65+	1345	10.0	78	2	3	8	13	19	25	46
GRAND TOTAL	**16076**	**7.1**	**37**	**2**	**2**	**5**	**9**	**14**	**18**	**29**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	5.7	23	2	2	4	8	14	16	21
20-34	211	5.7	58	2	2	4	6	10	16	27
35-49	343	5.3	22	2	2	4	6	10	13	26
50-64	618	5.1	29	2	2	4	6	9	13	22
65+	659	5.7	54	2	2	4	7	11	16	35
2. MULTIPLE DX										
0-19 YRS	50	7.5	49	2	2	6	9	14	20	42
20-34	206	7.9	50	2	2	6	9	16	21	42
35-49	435	8.0	67	2	2	5	9	15	25	39
50-64	1299	8.2	61	2	2	6	10	16	22	41
65+	1845	8.6	64	2	2	6	11	17	23	41
TOT. SINGLE DX	1899	5.4	40	2	2	4	6	10	15	27
" MULTIPLE DX	3835	8.3	63	2	2	6	10	17	23	41
TOTAL 0-19 YRS	118	6.5	35	2	2	5	8	14	17	30
20-34	417	6.8	56	2	2	5	8	14	19	37
35-49	778	6.8	49	2	2	5	8	13	21	37
50-64	1917	7.2	53	2	2	5	9	15	20	37
65+	2504	7.8	64	2	2	6	10	16	21	40
GRAND TOTAL	**5734**	**7.4**	**57**	**2**	**2**	**5**	**9**	**15**	**20**	**37**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	5	6.2	10	2	2	7	8	10	10	10
35-49	54	4.9	39	2	2	2	6	10	14	38
50-64	82	3.8	12	2	2	2	4	8	12	20
65+	25	4.4	7	1	2	3	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	5.0	9	3	3	3	7	10	10	10
35-49	97	5.4	18	2	2	4	8	12	15	18
50-64	210	5.3	21	2	2	3	7	11	15	22
65+	63	6.8	75	2	2	3	8	14	22	54
TOT. SINGLE DX	166	4.3	21	2	2	2	5	9	11	25
" MULTIPLE DX	376	5.5	29	2	2	3	7	12	16	24
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	5.6	9	2	2	5	8	10	10	10
35-49	151	5.2	26	2	2	3	7	11	15	25
50-64	292	4.8	19	2	2	3	6	11	14	22
65+	88	6.1	57	2	2	3	8	11	20	46
GRAND TOTAL	**542**	**5.1**	**27**	**2**	**2**	**3**	**7**	**11**	**15**	**25**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	95	5.2	22	1	2	3	7	11	15	24
20-34	474	6.0	27	1	2	4	8	12	16	25
35-49	649	5.8	22	1	2	4	8	12	14	20
50-64	875	5.6	23	2	2	4	8	12	14	21
65+	874	6.3	37	2	2	4	9	13	16	27
2. MULTIPLE DX										
0-19 YRS	111	7.1	67	1	2	5	9	15	18	48
20-34	588	7.6	66	1	2	5	10	15	21	42
35-49	1088	7.4	45	2	2	6	10	14	19	32
50-64	2496	7.6	53	2	2	5	10	15	20	35
65+	3284	9.3	64	2	2	7	12	19	24	41
TOT. SINGLE DX	2967	5.9	28	1	2	4	8	12	15	24
" MULTIPLE DX	7567	8.3	59	2	2	6	11	17	22	39
TOTAL 0-19 YRS	206	6.2	47	1	2	4	8	13	16	35
20-34	1062	6.9	50	1	2	5	9	14	18	37
35-49	1737	6.8	37	2	2	5	9	13	17	28
50-64	3371	7.0	47	2	2	5	9	14	18	32
65+	4158	8.7	60	2	2	6	12	18	23	40
GRAND TOTAL	**10534**	**7.6**	**52**	**2**	**2**	**6**	**10**	**16**	**20**	**36**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11437	3.7	13	1	1	3	4	7	9	19
20-34	17843	4.3	17	1	1	3	5	8	11	21
35-49	14253	5.0	22	1	1	4	6	9	13	24
50-64	12372	5.8	26	1	2	4	7	11	14	26
65+	11861	7.2	37	2	2	5	9	14	18	32
2. MULTIPLE DX										
0-19 YRS	13561	4.9	36	1	1	3	6	9	13	34
20-34	23477	5.6	33	1	2	4	7	10	14	30
35-49	29521	6.6	34	2	2	5	8	12	17	30
50-64	45547	7.7	43	2	2	6	9	14	19	34
65+	82628	9.5	64	2	3	7	12	18	24	42
TOT. SINGLE DX	67766	5.1	24	1	1	4	6	10	14	26
" MULTIPLE DX	194734	7.8	52	2	2	6	10	15	21	37
TOTAL 0-19 YRS	24998	4.3	26	1	1	3	5	8	11	27
20-34	41320	5.1	27	1	1	4	6	9	13	28
35-49	43774	6.1	31	1	2	5	7	12	15	29
50-64	57919	7.3	41	2	2	6	9	14	18	32
65+	94489	9.2	61	2	3	7	11	18	23	41
GRAND TOTAL	**262500**	**7.1**	**46**	**1**	**2**	**5**	**9**	**14**	**19**	**35**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2986	5.4	39	1	2	4	6	9	16	36
20-34	2465	7.6	60	2	2	6	9	14	20	43
35-49	2755	7.5	41	2	2	6	9	14	18	35
50-64	2316	7.9	41	2	3	6	10	14	19	34
65+	2038	9.5	61	2	3	8	12	17	23	46
2. MULTIPLE DX										
0-19 YRS	3761	7.5	92	1	2	4	7	17	28	50
20-34	3462	7.9	69	2	2	6	9	15	22	45
35-49	4692	8.4	55	2	3	7	10	15	21	42
50-64	8079	9.3	59	2	3	7	11	17	23	42
65+	15800	11.6	90	3	4	9	14	22	29	52
TOT. SINGLE DX	12560	7.4	50	2	2	6	9	14	19	38
" MULTIPLE DX	35794	9.9	79	2	3	7	12	19	26	48
TOTAL 0-19 YRS	6747	6.6	70	1	2	4	7	13	24	45
20-34	5927	7.7	65	2	2	6	9	14	21	44
35-49	7447	8.1	51	2	3	6	10	15	20	39
50-64	10395	9.0	56	2	3	7	11	17	22	40
65+	17838	11.4	87	3	4	9	14	21	29	52
GRAND TOTAL	**48354**	**9.2**	**73**	**2**	**3**	**7**	**11**	**18**	**25**	**46**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9501	3.9	10	1	2	3	5	7	8	14
20-34	5409	4.7	21	1	1	4	6	8	11	26
35-49	4083	5.6	21	1	2	4	7	11	14	25
50-64	4227	6.6	31	1	2	5	8	13	16	28
65+	4752	7.8	42	2	2	6	10	15	20	35
2. MULTIPLE DX										
0-19 YRS	12009	4.9	25	1	2	4	6	8	12	27
20-34	7679	5.5	27	1	2	4	7	10	14	28
35-49	9737	6.7	34	2	2	5	8	12	16	30
50-64	18965	8.1	44	2	3	6	10	15	20	35
65+	38276	9.8	66	2	3	8	12	18	25	44
TOT. SINGLE DX	27972	5.4	25	1	2	4	6	10	14	26
" MULTIPLE DX	86666	8.0	53	2	2	6	10	15	21	38
TOTAL 0-19 YRS	21510	4.4	19	1	2	3	5	8	10	23
20-34	13088	5.2	25	1	2	4	6	9	13	27
35-49	13820	6.4	31	2	2	5	8	12	16	29
50-64	23192	7.8	43	2	2	6	10	15	19	34
65+	43028	9.6	65	2	3	7	12	18	24	43
GRAND TOTAL	**114638**	**7.4**	**47**	**2**	**2**	**5**	**9**	**14**	**19**	**36**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus – *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

OPERATION INDEX (continued)

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt – *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Length of Stay by Diagnosis, Western Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 5
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book sho that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
Cholecystdocholithiasis — *see* Choledocholithiasis
Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
Choledochitis (suppurative) 576.1
Choledocholith — *see* Choledocholithiasis
Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.4
    acute 574.3
Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

  with cholecystitis (chronic) 574.1
    acute 574.0
Cholemia *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
Cholemic gallstone — *see* Cholelithiasis
Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8
Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
Cholerine *(see also* Cholera) 001.9
Cholestasis *(see also* Disease, gallbladder) 575.8
Cholesteatoma (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175237	2.5	5	1	1	2	3	4	5	9
20-34	79433	3.1	16	<1	1	2	3	6	9	21
35-49	28234	4.6	27	1	1	3	5	9	14	27
50-64	23604	5.0	26	1	1	3	6	10	14	26
65+	25551	5.6	32	1	1	4	7	11	15	28
B. *Operated*										
0-19 YRS	55979	2.5	8	<1	<1	2	3	5	7	13
20-34	104346	3.1	8	<1	1	2	4	6	7	13
35-49	51465	3.9	15	<1	1	3	5	8	11	18
50-64	48270	4.5	19	<1	1	3	6	10	12	20
65+	49306	5.1	28	1	1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117122	3.8	22	1	1	3	4	6	9	24
20-34	86920	4.2	30	1	1	3	4	8	13	29
35-49	55567	5.8	40	1	1	4	7	12	18	31
50-64	90507	6.4	42	1	1	5	8	13	18	32
65+	187634	7.7	51	1	2	6	10	15	21	37
B. *Operated*										
0-19 YRS	48346	4.9	68	<1	1	2	5	10	17	49
20-34	142293	4.5	30	1	1	3	5	8	11	28
35-49	76086	6.4	51	1	1	5	7	12	17	39
50-64	88360	8.0	78	1	2	6	10	17	23	48
65+	124077	10.6	117	1	2	8	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	332059	3.2	14	1	1	2	4	6	9	20
B. *Operated*	309366	3.7	15	<1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	537750	5.9	41	1	1	4	7	12	17	32
B. *Operated*	479162	7.1	74	1	1	4	8	15	22	47
1. SINGLE DX	641425	3.4	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	1016912	6.4	57	1	1	4	8	14	20	40
A. NOT OPERATED	869809	4.9	33	1	1	3	6	10	15	29
B. OPERATED	788528	5.7	54	<1	1	3	7	12	18	39
TOTAL 0-19 YRS	396684	3.2	19	<1	1	2	3	5	8	21
20-34	412992	3.8	22	<1	1	3	4	7	10	24
35-49	211352	5.4	37	1	1	4	6	11	15	30
50-64	250741	6.5	50	1	1	4	8	13	19	37
65+	386568	8.2	72	1	2	6	10	17	23	45
GRAND TOTAL	**1658337**	**5.3**	**43**	**1**	**1**	**3**	**6**	**11**	**16**	**33**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45692	3.0	15	<1	1	2	3	5	8	18
20-34	79433	3.1	16	<1	1	2	3	6	9	21
35-49	28234	4.6	27	1	1	3	5	9	14	27
50-64	23604	5.0	26	1	1	3	6	10	14	26
65+	25551	5.6	32	1	1	4	7	11	15	28
B. *Operated*										
0-19 YRS	55922	2.5	8	<1	<1	2	3	5	7	13
20-34	104346	3.1	8	<1	1	2	4	6	7	13
35-49	51465	3.9	15	<1	1	3	5	8	11	18
50-64	48270	4.5	19	<1	1	3	6	10	12	20
65+	49306	5.1	28	1	1	3	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53177	3.8	29	1	1	2	4	7	11	29
20-34	86920	4.2	30	1	1	3	4	8	13	29
35-49	55567	5.8	40	1	1	4	7	12	18	31
50-64	90507	6.4	42	1	1	5	8	13	18	32
65+	187634	7.7	51	1	2	6	10	15	21	37
B. *Operated*										
0-19 YRS	45334	4.1	40	<1	1	2	4	8	13	35
20-34	142293	4.5	30	1	1	3	5	8	11	28
35-49	76086	6.4	51	1	1	5	7	12	17	39
50-64	88360	8.0	78	1	2	6	10	17	23	48
65+	124077	10.6	117	1	2	8	14	23	31	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202514	3.8	22	<1	1	2	4	8	11	24
B. *Operated*	309309	3.7	15	<1	1	2	4	8	11	18
2. MULTIPLE DX										
A. *Not Operated*	473805	6.1	44	1	1	4	8	13	18	33
B. *Operated*	476150	7.0	72	1	1	4	8	15	22	46
1. SINGLE DX	511823	3.7	18	<1	1	2	4	8	11	21
2. MULTIPLE DX	949955	6.6	58	1	1	4	8	14	20	40
A. NOT OPERATED	676319	5.4	38	1	1	3	7	12	16	31
B. OPERATED	785459	5.7	52	<1	1	3	7	12	18	38
TOTAL 0-19 YRS	200125	3.3	23	<1	1	2	4	6	9	24
20-34	412992	3.8	22	<1	1	3	4	7	10	24
35-49	211352	5.4	37	1	1	4	6	11	15	30
50-64	250741	6.5	50	1	1	4	8	13	19	37
65+	386568	8.2	72	1	2	6	10	17	23	45
GRAND TOTAL	**1461778**	**5.6**	**46**	**1**	**1**	**3**	**7**	**12**	**17**	**34**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1133	2.8	5	1	1	2	3	5	7	11
20-34	692	2.8	4	1	1	2	3	5	6	10
35-49	270	3.0	5	1	1	2	4	5	7	11
50-64	178	3.4	6	1	1	3	5	6	9	11
65+	171	3.4	7	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	20	5.2	32	1	2	4	5	8	18	28
20-34	40	5.7	24	2	2	5	7	9	11	32
35-49	13	7.8	36	2	3	5	11	18	21	22
50-64	5	4.8	5	2	2	4	7	7	7	7
65+	2	6.0	2	5	5	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1406	3.3	8	1	1	3	4	6	7	14
20-34	662	3.3	6	1	1	3	4	6	7	13
35-49	370	4.0	12	1	1	3	5	7	9	17
50-64	467	4.2	8	1	2	4	5	8	9	16
65+	804	5.3	29	1	2	4	6	10	12	23
B. *Operated*										
0-19 YRS	37	8.2	86	2	2	4	11	19	34	39
20-34	52	6.0	16	2	3	5	8	10	14	21
35-49	32	10.2	107	2	3	6	13	20	32	52
50-64	38	10.8	134	2	2	8	12	30	51	99+
65+	51	10.7	54	1	4	9	13	18	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2444	2.9	5	1	1	2	4	5	7	11
B. *Operated*	80	5.8	26	2	2	4	7	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	3709	3.9	13	1	1	3	5	7	9	16
B. *Operated*	210	9.1	75	2	3	6	11	18	26	53
1. SINGLE DX	2524	3.0	6	1	1	2	4	6	7	11
2. MULTIPLE DX	3919	4.2	18	1	1	3	5	8	11	20
A. NOT OPERATED	6153	3.5	10	1	1	3	4	6	8	15
B. OPERATED	290	8.2	64	2	2	5	10	17	23	50
TOTAL 0-19 YRS	2596	3.2	8	1	1	3	4	5	7	14
20-34	1446	3.2	6	1	1	3	4	6	8	12
35-49	685	3.9	16	1	1	3	5	7	10	21
50-64	688	4.4	17	1	1	3	5	8	10	20
65+	1028	5.2	29	1	1	4	6	10	13	23
GRAND TOTAL	**6443**	**3.7**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	8.0	32	3	3	6	13	15	15	15
20-34	25	10.3	55	2	3	8	15	17	22	36
35-49	11	6.2	28	1	2	3	9	14	19	19
50-64	13	11.1	205	1	1	7	11	38	46	48
65+	15	13.3	55	2	4	15	18	20	28	30
B. *Operated*										
0-19 YRS	3	10.0	133	1	1	6	19	23	23	23
20-34	8	8.3	55	2	2	5	14	19	21	21
35-49	9	13.6	230	1	3	8	14	37	52	52
50-64	9	5.4	11	1	1	5	9	10	10	10
65+	21	12.2	45	4	5	10	14	23	26	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.0	39	2	2	3	8	17	17	17
20-34	21	15.5	192	3	5	11	19	31	48	64
35-49	33	14.2	113	3	5	11	19	29	42	45
50-64	34	11.9	119	2	2	8	18	29	36	44
65+	59	13.8	116	3	4	10	17	27	42	49
B. *Operated*										
0-19 YRS	3	20.3	52	12	12	24	25	25	25	25
20-34	9	21.4	404	10	10	13	20	55	73	73
35-49	19	16.4	270	1	3	9	19	40	55	66
50-64	37	15.0	131	2	3	13	21	34	40	50
65+	58	22.8	334	5	6	18	26	51	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	10.3	78	1	2	8	15	19	30	46
B. *Operated*	50	10.5	80	1	2	9	13	22	24	52
2. MULTIPLE DX										
A. *Not Operated*	152	13.4	124	2	3	10	17	28	39	49
B. *Operated*	126	19.4	268	3	5	15	24	41	54	79
1. SINGLE DX	119	10.4	78	1	2	8	15	20	26	49
2. MULTIPLE DX	278	16.1	198	2	4	12	21	34	45	71
A. NOT OPERATED	221	12.5	111	2	3	9	17	26	36	48
B. OPERATED	176	16.9	230	2	4	13	21	35	51	74
TOTAL 0-19 YRS	16	10.1	72	1	2	6	16	24	25	25
20-34	63	13.4	160	2	3	10	17	24	35	72
35-49	72	13.5	160	1	3	9	17	29	44	63
50-64	93	12.4	129	1	2	9	17	29	38	49
65+	153	16.9	202	4	5	13	21	30	47	74
GRAND TOTAL	**397**	**14.4**	**168**	**2**	**3**	**10**	**18**	**28**	**43**	**66**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.8	4	2	2	5	6	6	6	6
20-34	3	23.7	186	8	8	30	32	33	33	33
35-49	1	10.0		10	10	10	10	10	10	10
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	1	15.0		15	15	15	15	15	15	15
B. *Operated*										
0-19 YRS	11	4.9	79	<1	<1	2	4	17	30	31
20-34	12	5.0	25	<1	<1	3	6	13	17	18
35-49	4	10.3	71	2	2	8	15	22	22	22
50-64	5	4.0	17	<1	<1	1	8	9	9	9
65+	7	8.3	28	2	2	10	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	22.5	265	11	11	22	34	34	34	34
20-34	4	19.5	118	4	4	23	27	28	28	28
35-49	3	23.3	132	12	12	23	32	35	35	35
50-64	10	8.4	91	1	1	3	16	24	27	27
65+	9	19.7	285	6	6	12	37	45	47	47
B. *Operated*										
0-19 YRS	7	26.3	639	3	3	15	41	67	73	73
20-34	12	14.5	750	2	2	5	14	44	91	99
35-49	7	11.1	27	5	5	12	16	18	18	18
50-64	20	16.7	183	<1	1	12	26	33	43	52
65+	16	23.4	186	6	7	19	36	42	44	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	10.4	111	<1	1	6	12	31	33	33
B. *Operated*	39	6.0	44	<1	<1	3	9	14	20	31
2. MULTIPLE DX										
A. *Not Operated*	28	16.2	184	2	2	12	26	36	42	47
B. *Operated*	62	18.5	327	2	2	12	26	39	48	96
1. SINGLE DX	51	7.0	62	<1	<1	4	9	17	30	33
2. MULTIPLE DX	90	17.8	281	2	2	12	26	37	45	89
A. NOT OPERATED	40	14.5	166	1	2	9	24	34	39	47
B. OPERATED	101	13.6	254	<1	1	9	18	33	44	86
TOTAL 0-19 YRS	24	12.6	318	<1	<1	5	15	35	53	73
20-34	31	12.4	352	<1	1	6	18	29	33	99
35-49	15	13.3	73	3	5	12	18	23	32	35
50-64	38	11.8	148	<1	<1	8	16	30	34	52
65+	33	18.9	199	3	5	12	33	42	45	47
GRAND TOTAL	**141**	**13.9**	**228**	**<1**	**1**	**9**	**19**	**34**	**42**	**75**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	2.3	2	1	1	2	3	4	6	7
20-34	61	2.8	2	1	1	3	3	5	6	6
35-49	19	3.7	6	2	2	3	4	8	10	11
50-64	10	3.0	1	2	2	3	4	5	5	5
65+	4	2.3	1	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	19	1.3		<1	<1	1	2	2	3	3
20-34	8	1.9	1	1	1	2	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	179	2.6	4	1	1	2	3	4	6	10
20-34	85	3.0	4	1	1	2	4	5	7	10
35-49	36	3.9	7	1	1	3	6	8	8	13
50-64	27	3.7	2	1	2	4	5	6	6	7
65+	15	7.5	39	2	2	5	9	20	22	23
B. *Operated*										
0-19 YRS	16	2.2	7	1	1	1	2	4	9	11
20-34	2	8.5	13	6	6	8	11	11	11	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	2.6	2	1	1	2	3	4	6	8
B. *Operated*	27	1.5		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	342	3.2	7	1	1	2	4	6	8	13
B. *Operated*	21	2.8	10	1	1	1	4	8	11	11
1. SINGLE DX	231	2.5	2	1	1	2	3	4	6	7
2. MULTIPLE DX	363	3.1	7	1	1	2	4	6	8	13
A. NOT OPERATED	546	3.0	5	1	1	2	3	5	7	11
B. OPERATED	48	2.0	5	<1	1	1	2	4	6	11
TOTAL 0-19 YRS	324	2.4	3	1	1	2	3	4	6	9
20-34	156	3.0	3	1	1	3	4	5	6	10
35-49	57	3.7	7	1	1	3	5	8	8	13
50-64	38	3.6	2	2	2	3	5	5	6	7
65+	19	6.4	36	1	2	4	8	16	22	23
GRAND TOTAL	**594**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	159	4.7	10	1	2	4	6	9	11	16
20-34	24	5.8	28	2	2	5	7	9	16	28
35-49	12	6.5	68	1	1	3	7	19	28	30
50-64	13	6.4	13	3	3	6	8	10	15	16
65+	33	8.9	29	3	4	8	11	14	16	31
B. *Operated*										
0-19 YRS	8	4.4	5	1	1	4	6	8	8	8
20-34	2	12.5	25	9	9	12	16	16	16	16
35-49										
50-64	1	27.0		27	27	27	27	27	27	27
65+	2	12.5	1	12	12	12	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	7.0	39	2	2	5	10	14	20	26
20-34	76	9.1	105	2	2	7	11	17	19	65
35-49	78	9.6	38	3	4	8	13	15	19	36
50-64	222	10.7	58	3	4	9	12	18	26	43
65+	747	12.5	83	4	5	10	15	23	29	49
B. *Operated*										
0-19 YRS	30	16.4	293	2	5	12	16	44	85	99+
20-34	37	17.4	203	3	3	14	30	43	49	99+
35-49	32	12.8	114	3	4	11	16	29	50	99+
50-64	73	19.4	200	5	6	15	28	46	67	99+
65+	196	21.2	247	5	7	18	26	40	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	5.5	19	1	2	4	7	11	14	28
B. *Operated*	13	8.6	50	1	2	7	12	18	25	27
2. MULTIPLE DX										
A. *Not Operated*	1343	10.9	74	3	3	9	13	20	27	42
B. *Operated*	368	19.4	230	4	5	15	26	43	55	99+
1. SINGLE DX	254	5.7	21	1	2	4	7	11	14	28
2. MULTIPLE DX	1711	12.8	120	3	4	10	15	26	35	64
A. NOT OPERATED	1584	10.1	70	2	3	8	12	19	26	41
B. OPERATED	381	19.0	228	4	5	15	26	41	55	99+
TOTAL 0-19 YRS	417	6.7	54	2	2	4	8	14	18	44
20-34	139	10.8	133	2	2	7	14	27	37	71
35-49	122	10.1	63	2	3	8	13	18	28	65
50-64	309	12.6	105	3	4	10	15	27	38	82
65+	978	14.1	126	4	5	11	17	27	35	62
GRAND TOTAL	**1965**	**11.8**	**112**	**2**	**3**	**9**	**14**	**24**	**33**	**62**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	6.3	25	1	2	5	9	12	13	25
20-34	41	5.3	13	1	1	4	7	10	12	14
35-49	25	4.4	9	1	2	4	5	8	10	15
50-64	18	8.6	44	3	3	5	12	19	22	24
65+	18	6.7	14	2	2	6	9	13	14	14
B. *Operated*										
0-19 YRS	8	11.4	126	<1	2	9	11	30	38	38
20-34	5	12.6	38	5	5	11	16	22	22	22
35-49	8	11.0	37	4	5	9	14	21	23	23
50-64	5	21.8	135	9	9	23	32	35	35	35
65+	2	30.0	1152	6	6	30	54	54	54	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	7.4	23	2	2	7	11	13	17	21
20-34	65	6.4	23	1	2	5	8	14	15	22
35-49	43	7.6	34	3	3	5	10	16	21	24
50-64	51	10.4	117	1	2	7	13	23	40	52
65+	91	11.3	75	3	4	9	14	22	28	48
B. *Operated*										
0-19 YRS	28	13.6	285	3	4	11	15	18	27	96
20-34	19	10.0	40	2	3	10	12	19	23	25
35-49	15	22.5	346	2	7	14	39	45	60	65
50-64	24	19.0	294	3	6	14	23	38	58	78
65+	34	23.3	424	4	6	15	32	46	73	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	6.2	23	1	2	5	8	12	14	24
B. *Operated*	28	14.7	145	4	5	10	19	34	40	54
2. MULTIPLE DX										
A. *Not Operated*	378	8.6	52	2	2	7	11	16	21	41
B. *Operated*	120	18.0	312	3	4	12	21	42	49	91
1. SINGLE DX	274	7.0	41	1	2	5	9	13	18	35
2. MULTIPLE DX	498	10.9	131	2	3	8	13	21	33	59
A. NOT OPERATED	624	7.6	42	2	2	6	10	15	20	36
B. OPERATED	148	17.4	281	3	5	11	21	39	49	89
TOTAL 0-19 YRS	308	7.6	54	1	2	6	10	13	17	28
20-34	130	6.8	26	1	2	6	10	14	17	23
35-49	91	9.5	112	2	2	6	11	20	37	57
50-64	98	12.9	163	2	3	8	16	30	39	65
65+	145	13.8	189	3	4	9	15	28	45	79
GRAND TOTAL	**772**	**9.5**	**102**	**2**	**2**	**7**	**11**	**18**	**25**	**51**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	674	2.9	2	1	1	3	4	5	5	8
20-34	464	3.5	5	1	1	3	4	6	8	11
35-49	82	4.3	6	1	2	4	5	7	9	13
50-64	19	5.1	9	1	2	4	7	10	12	12
65+	7	4.3	3	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	13	4.9	16	1	2	3	5	11	15	16
20-34	5	4.2	7	2	2	3	7	7	7	7
35-49	2	8.5	13	6	6	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	270	3.9	6	1	2	3	4	7	10	14
20-34	200	4.2	11	1	2	3	5	8	11	19
35-49	46	5.9	25	2	2	5	7	11	17	28
50-64	21	5.1	7	2	2	6	7	9	10	12
65+	15	7.7	27	2	2	7	11	17	18	18
B. *Operated*										
0-19 YRS	14	6.2	28	2	3	4	6	13	20	22
20-34	10	10.0	47	3	3	7	16	20	22	22
35-49	4	11.3	6	8	8	11	13	14	14	14
50-64	2	21.5	113	14	14	21	29	29	29	29
65+	1	17.0		17	17	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1246	3.3	4	1	1	3	4	5	7	10
B. *Operated*	20	5.1	14	1	2	4	6	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	552	4.3	11	1	2	3	5	8	11	17
B. *Operated*	31	9.4	48	3	3	7	13	20	22	29
1. SINGLE DX	1266	3.3	4	1	1	3	4	6	7	11
2. MULTIPLE DX	583	4.6	14	1	2	3	5	9	12	21
A. NOT OPERATED	1798	3.6	6	1	1	3	4	6	8	13
B. OPERATED	51	7.7	38	2	2	6	11	17	22	29
TOTAL 0-19 YRS	971	3.3	4	1	1	3	4	5	7	11
20-34	679	3.8	8	1	2	3	5	7	9	15
35-49	134	5.1	14	2	2	4	6	9	12	20
50-64	42	5.9	23	2	2	5	7	11	13	29
65+	23	7.1	25	2	2	6	10	17	18	18
GRAND TOTAL	**1849**	**3.7**	**7**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	4.0	63	1	1	3	4	6	8	38
20-34	44	4.0	6	1	1	3	5	7	8	14
35-49	33	4.1	12	<1	1	3	5	9	14	15
50-64	46	5.5	11	2	2	4	9	10	11	14
65+	90	6.0	16	1	2	5	7	12	14	20
B. *Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	5	4.8	34	<1	<1	3	7	15	15	15
35-49	2	8.5	61	3	3	8	14	14	14	14
50-64	6	3.7	6	1	1	3	6	7	7	7
65+	15	6.7	25	<1	<1	5	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	232	3.7	6	1	1	3	5	7	9	12
20-34	78	4.6	7	2	2	4	5	9	10	14
35-49	39	6.7	26	1	3	6	8	10	20	25
50-64	101	6.7	37	1	2	5	7	14	18	36
65+	477	9.0	64	2	3	7	10	18	26	41
B. *Operated*										
0-19 YRS	13	5.2	13	<1	1	4	7	11	13	13
20-34	9	17.3	761	2	2	6	25	94	99+	99+
35-49	7	14.9	285	2	2	8	28	42	44	44
50-64	16	17.4	252	2	4	14	22	29	56	68
65+	42	19.2	297	2	3	15	25	47	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	4.7	33	1	1	3	6	9	12	18
B. *Operated*	30	6.0	24	<1	1	4	8	14	15	18
2. MULTIPLE DX										
A. *Not Operated*	927	7.0	45	1	2	5	8	14	19	34
B. *Operated*	87	16.2	302	2	2	11	21	43	69	99+
1. SINGLE DX	384	4.8	33	1	1	3	6	9	13	18
2. MULTIPLE DX	1014	7.8	74	1	2	5	9	16	24	46
A. NOT OPERATED	1281	6.3	43	1	2	4	7	12	18	33
B. OPERATED	117	13.6	250	1	2	8	18	35	55	99+
TOTAL 0-19 YRS	388	3.9	27	1	1	3	4	7	9	14
20-34	136	5.3	63	1	2	4	5	9	13	90
35-49	81	6.4	48	1	2	4	8	12	19	41
50-64	169	7.3	59	1	2	5	9	14	20	40
65+	624	9.2	80	2	3	7	11	19	27	48
GRAND TOTAL	**1398**	**6.9**	**64**	**1**	**2**	**5**	**8**	**14**	**20**	**42**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	4.1	5	1	2	4	5	7	8	12
20-34	222	5.2	10	1	2	4	7	9	11	14
35-49	60	6.0	25	2	2	5	7	11	16	29
50-64	45	4.7	10	1	1	4	7	8	11	16
65+	18	6.4	16	1	2	6	7	14	16	16
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	19	4.8	48	1	1	1	7	12	21	29
35-49	11	5.5	13	1	1	6	9	10	11	11
50-64	6	1.7	1	1	1	1	2	4	4	4
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	15	2	2	5	6	10	11	22
20-34	124	6.4	26	1	2	5	8	11	16	28
35-49	70	6.6	17	1	2	6	8	12	14	20
50-64	63	8.5	47	1	2	7	10	16	20	40
65+	52	8.9	31	3	3	7	11	19	27	99+
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	14.4	229	3	3	11	19	26	54	62
35-49	14	9.6	42	1	3	8	14	17	24	26
50-64	14	8.4	42	1	2	7	13	18	20	20
65+	17	11.8	35	1	3	12	16	20	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	5.1	12	1	2	4	6	9	11	17
B. *Operated*	38	4.8	32	1	1	2	7	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	343	7.1	29	2	2	6	9	13	19	31
B. *Operated*	60	10.9	85	1	2	9	15	20	22	58
1. SINGLE DX	467	5.0	13	1	2	4	6	9	11	19
2. MULTIPLE DX	403	7.7	39	2	2	6	10	15	20	35
A. NOT OPERATED	772	6.0	20	1	2	5	7	11	14	27
B. OPERATED	98	8.5	73	1	1	7	12	18	21	46
TOTAL 0-19 YRS	120	4.5	8	1	2	4	6	8	10	16
20-34	379	5.9	28	1	2	5	7	10	14	27
35-49	155	6.5	23	1	2	6	8	12	16	26
50-64	128	6.8	36	1	1	6	8	14	18	33
65+	88	9.0	31	2	3	7	12	18	22	99+
GRAND TOTAL	**870**	**6.3**	**27**	**1**	**2**	**5**	**8**	**12**	**16**	**28**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	3.2	4	1	1	3	4	6	7	11
20-34	63	3.6	4	1	1	3	5	6	8	10
35-49	10	4.0	3	1	1	4	5	6	7	7
50-64	5	4.4	7	2	2	4	5	9	9	9
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	244	3.7	5	1	2	3	5	6	8	12
20-34	73	4.2	9	1	2	4	5	7	10	15
35-49	20	5.2	18	1	2	4	6	8	15	21
50-64	5	6.2	6	3	3	6	8	9	9	9
65+	3	8.7	12	5	5	9	11	12	12	12
B. *Operated*										
0-19 YRS	11	7.3	20	1	2	7	10	14	16	16
20-34	7	8.4	14	4	4	9	11	13	14	14
35-49										
50-64	4	4.5	27	1	1	3	8	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	3.4	4	1	1	3	4	6	7	10
B. *Operated*	3	5.3	4	3	3	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	345	3.9	7	1	2	3	5	7	8	15
B. *Operated*	23	7.0	18	1	1	7	11	13	15	16
1. SINGLE DX	229	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX	368	4.1	8	1	2	3	5	7	10	16
A. NOT OPERATED	571	3.7	6	1	1	3	5	6	8	14
B. OPERATED	26	6.8	17	1	1	6	10	12	14	16
TOTAL 0-19 YRS	403	3.6	5	1	1	3	5	6	8	12
20-34	145	4.1	8	1	2	4	5	8	10	15
35-49	30	4.8	13	1	2	4	5	8	9	21
50-64	15	4.9	11	1	1	4	7	9	11	12
65+	4	7.8	12	5	5	7	10	12	12	12
GRAND TOTAL	**597**	**3.9**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	75	1.3	1	<1	<1	1	1	2	3	4
20-34	254	1.7	1	<1	<1	1	2	3	4	6
35-49	76	1.9	2	<1	<1	1	2	4	6	8
50-64	18	1.6	1	<1	<1	1	2	3	3	3
65+	7	2.6	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	161	<1	<1	<1	17	23	23	23
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	18	3.8	66	<1	1	2	2	4	23	36
20-34	77	2.6	7	<1	<1	2	3	6	9	76
35-49	39	3.7	16	<1	<1	3	4	9	12	22
50-64	18	3.6	28	<1	1	2	4	5	16	24
65+	11	3.3	8	<1	<1	2	5	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	430	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	7	4.7	67	<1	<1	1	4	19	23	23
B. *Operated*	163	3.2	18	<1	<1	2	4	6	10	34
1. SINGLE DX	434	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	170	3.2	19	<1	<1	2	4	6	11	33
A. NOT OPERATED	11	3.5	43	<1	<1	1	2	12	22	23
B. OPERATED	593	2.1	6	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	97	2.0	18	<1	<1	1	2	3	4	30
20-34	335	1.9	3	<1	<1	1	2	4	5	10
35-49	117	2.5	8	<1	<1	2	3	5	7	15
50-64	36	2.6	15	<1	<1	2	3	4	5	24
65+	19	3.1	6	<1	<1	2	5	7	8	9
GRAND TOTAL	**604**	**2.1**	**7**	**<1**	**<1**	**1**	**2**	**4**	**5**	**13**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	813	2.6	3	1	1	2	3	4	5	9
20-34	277	2.8	2	1	1	2	4	5	6	8
35-49	122	3.4	9	1	1	3	4	6	9	15
50-64	72	3.3	8	1	1	3	4	6	8	19
65+	70	3.4	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	19	2.9	4	<1	<1	3	4	6	7	8
20-34	18	2.8	2	1	1	3	4	5	6	6
35-49	4	4.5	4	3	3	4	6	7	7	7
50-64	4	13.5	140	1	1	12	22	29	29	29
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	765	2.9	4	1	1	2	4	5	7	10
20-34	415	3.7	8	1	1	3	5	7	8	14
35-49	239	4.1	20	1	1	3	5	7	10	17
50-64	295	4.7	11	1	2	4	6	9	13	17
65+	466	5.2	15	2	2	4	6	10	12	21
B. *Operated*										
0-19 YRS	33	5.3	44	<1	1	3	5	10	18	36
20-34	25	11.1	165	2	3	7	10	28	46	52
35-49	10	10.4	180	1	1	7	11	29	47	47
50-64	28	12.9	147	2	3	8	15	35	41	43
65+	29	12.3	140	3	4	8	15	24	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1354	2.8	4	1	1	2	3	5	6	10
B. *Operated*	46	4.0	21	<1	1	3	4	7	10	29
2. MULTIPLE DX										
A. *Not Operated*	2180	3.9	11	1	1	3	5	7	9	16
B. *Operated*	125	10.2	129	1	2	6	11	26	38	54
1. SINGLE DX	1400	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	2305	4.2	19	1	1	3	5	8	11	23
A. NOT OPERATED	3534	3.5	8	1	1	3	4	6	8	14
B. OPERATED	171	8.5	108	1	1	5	9	24	31	51
TOTAL 0-19 YRS	1630	2.8	4	1	1	2	3	5	6	10
20-34	735	3.6	13	1	1	3	4	6	8	15
35-49	375	4.1	21	1	1	3	5	7	10	21
50-64	399	5.1	27	1	2	4	6	10	14	29
65+	566	5.3	23	1	2	4	6	10	13	24
GRAND TOTAL	**3705**	**3.7**	**14**	**1**	**1**	**3**	**4**	**7**	**9**	**17**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.4	1	1	1	3	3	4	4	4
20-34	15	4.0	5	2	2	3	4	8	8	8
35-49	7	2.9	2	1	1	2	4	5	5	5
50-64	3	3.7	2	2	2	4	5	5	5	5
65+	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	2	16.0	18	13	13	16	19	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.9	3	1	1	3	4	6	7	7
20-34	15	5.1	9	1	2	5	7	10	11	11
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	7	5.0	9	1	1	5	7	9	9	9
65+	4	11.8	145	1	1	8	19	29	29	29
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	8.5	25	5	5	8	12	12	12	12
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.3	3	1	2	3	4	5	8	8
B. *Operated*	4	12.3	25	8	8	11	16	19	19	19
2. MULTIPLE DX										
A. *Not Operated*	40	4.9	23	1	1	4	7	9	10	29
B. *Operated*	4	5.8	19	2	2	4	8	12	12	12
1. SINGLE DX	40	4.2	12	1	2	3	4	8	11	19
2. MULTIPLE DX	44	5.0	22	1	1	4	7	9	11	29
A. NOT OPERATED	76	4.1	14	1	1	3	5	8	9	24
B. OPERATED	8	9.0	31	2	3	8	12	17	19	19
TOTAL 0-19 YRS	22	3.0	3	1	1	3	4	5	7	8
20-34	32	4.8	8	2	2	4	7	9	11	12
35-49	12	3.2	5	1	1	2	4	6	9	9
50-64	12	6.5	27	1	1	5	8	15	18	19
65+	6	8.8	107	1	1	6	9	27	29	29
GRAND TOTAL	**84**	**4.6**	**17**	**1**	**1**	**3**	**6**	**9**	**11**	**26**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	4.3	6	1	2	4	5	8	10	12
20-34	99	4.0	5	2	2	4	5	6	7	15
35-49	16	4.6	13	1	1	3	8	10	11	12
50-64	7	6.4	36	1	1	4	9	16	18	18
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	9	5.4	13	1	2	4	7	12	12	12
20-34	42	2.8	8	<1	<1	2	3	6	10	14
35-49	7	1.9	2	<1	<1	1	3	4	4	4
50-64	3	4.7	30	1	1	2	9	11	11	11
65+	3	2.7	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.1	5	1	2	4	5	7	8	11
20-34	83	5.4	8	2	2	5	7	10	11	15
35-49	20	5.5	16	1	1	5	7	10	14	17
50-64	9	13.7	54	4	5	12	17	25	28	28
65+	17	8.2	55	1	2	6	11	22	25	25
B. *Operated*										
0-19 YRS	14	5.9	8	1	1	6	7	10	11	11
20-34	29	4.8	26	<1	1	3	6	9	21	21
35-49	12	6.4	66	<1	<1	3	8	19	27	28
50-64	5	10.4	94	<1	<1	12	16	24	24	24
65+	6	7.3	63	<1	<1	5	9	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	4.2	7	1	2	4	5	7	10	16
B. *Operated*	64	3.1	9	<1	<1	2	4	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	166	5.9	19	1	2	5	7	11	14	25
B. *Operated*	66	6.0	37	<1	1	4	8	14	21	27
1. SINGLE DX	237	3.9	8	1	1	3	5	7	10	14
2. MULTIPLE DX	232	5.9	24	1	1	5	7	11	15	26
A. NOT OPERATED	339	5.0	14	1	2	4	6	10	12	21
B. OPERATED	130	4.8	25	<1	<1	3	6	11	14	25
TOTAL 0-19 YRS	107	4.5	7	1	2	4	6	8	10	12
20-34	253	4.4	9	1	1	4	5	8	10	17
35-49	55	5.0	24	<1	1	4	7	10	14	27
50-64	24	9.8	60	<1	1	10	14	21	25	28
65+	30	6.7	47	1	1	4	9	17	25	25
GRAND TOTAL	**469**	**4.9**	**17**	**1**	**1**	**4**	**6**	**10**	**12**	**24**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	3	4	5	5
20-34	19	5.2	12	2	2	4	6	10	13	15
35-49	9	5.0	10	<1	1	4	7	10	10	10
50-64	12	4.8	10	1	1	4	7	9	10	10
65+	27	4.7	18	1	2	3	5	8	16	20
B. *Operated*										
0-19 YRS	6	3.2	3	1	1	3	5	5	5	5
20-34	12	6.5	28	<1	1	5	9	15	18	18
35-49	35	6.0	10	2	2	6	8	10	12	13
50-64	36	6.5	21	1	1	6	9	13	13	21
65+	25	9.2	37	1	1	9	14	16	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	7.8	209	1	1	3	7	17	50	66
20-34	34	9.0	79	1	3	6	9	18	29	43
35-49	26	6.5	31	1	2	4	8	15	18	26
50-64	34	9.2	106	1	2	6	11	19	24	57
65+	58	10.2	150	2	2	8	12	20	27	82
B. *Operated*										
0-19 YRS	8	15.9	42	5	7	16	22	70	99+	99+
20-34	20	14.7	149	2	4	11	20	38	77	99+
35-49	33	13.3	183	2	2	9	19	56	89	99+
50-64	57	11.2	112	2	2	8	13	22	34	62
65+	53	13.1	192	2	3	9	17	32	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	4.3	12	1	1	3	6	9	10	18
B. *Operated*	114	6.8	22	1	2	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	183	8.8	121	1	2	6	10	17	25	63
B. *Operated*	171	12.8	150	2	3	9	16	30	61	99+
1. SINGLE DX	199	5.7	19	1	2	4	8	12	15	21
2. MULTIPLE DX	354	10.8	139	1	2	8	14	23	40	99+
A. NOT OPERATED	268	7.4	90	1	2	4	8	15	21	56
B. OPERATED	285	10.4	108	1	2	8	13	22	38	99+
TOTAL 0-19 YRS	63	6.8	125	1	1	3	7	21	33	95
20-34	85	9.1	83	1	2	6	11	19	26	85
35-49	103	8.4	81	2	2	6	10	19	28	99+
50-64	139	9.0	82	1	2	7	11	16	23	58
65+	163	10.1	130	1	2	8	13	21	30	98
GRAND TOTAL	**553**	**9.0**	**101**	**1**	**2**	**6**	**11**	**19**	**26**	**98**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	4	4	4	4
20-34	6	3.7	5	1	1	3	5	7	7	7
35-49	3	4.0	9	1	1	4	6	7	7	7
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	9	6.0	57	<1	<1	3	7	19	25	25
20-34	6	4.3	19	<1	<1	3	6	11	12	12
35-49	4	6.5	4	4	4	6	8	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.2	3	1	1	4	4	5	5	5
20-34	6	3.0		2	2	3	3	4	4	4
35-49	10	6.8	26	2	2	5	9	14	19	19
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	6.6	5	4	4	7	8	10	10	10
B. *Operated*										
0-19 YRS	4	4.3	7	2	2	3	6	8	8	8
20-34	16	9.4	34	3	3	8	15	21	73	99+
35-49	9	6.6	62	<1	<1	2	9	19	25	25
50-64	2	9.0	32	5	5	9	13	13	13	13
55+	4	27.0	457	11	11	19	41	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.6	5	1	1	3	5	7	8	8
B. *Operated*	19	5.6	32	<1	<1	4	7	11	19	25
2. MULTIPLE DX										
A. *Not Operated*	28	4.9	14	1	2	4	6	10	11	19
B. *Operated*	35	10.1	112	1	2	8	15	24	48	99+
1. SINGLE DX	37	4.6	19	<1	<1	4	6	9	11	25
2. MULTIPLE DX	63	7.8	75	1	2	5	10	17	24	94
A. NOT OPERATED	46	4.4	11	1	1	4	5	8	10	19
B. OPERATED	54	8.5	88	<1	1	6	11	22	25	98
TOTAL 0-19 YRS	23	4.4	24	<1	1	3	4	8	15	25
20-34	34	6.4	28	<1	1	5	9	15	21	99+
35-49	26	6.3	31	1	1	5	9	10	20	25
50-64	7	4.0	19	1	1	2	5	11	13	13
65+	10	14.9	263	4	4	9	15	41	58	58
GRAND TOTAL	**100**	**6.6**	**56**	**<1**	**1**	**4**	**8**	**15**	**23**	**79**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.6	7	1	1	5	7	8	9	9
20-34	15	4.4	4	2	2	4	5	7	8	8
35-49	13	4.0	5	1	1	4	5	7	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
0-19 YRS	5	7.2	41	2	2	3	13	16	16	16
20-34	20	3.1	6	<1	<1	2	4	6	8	10
35-49	22	3.0	4	<1	<1	2	5	6	7	8
50-64	9	4.7	39	<1	<1	2	6	15	20	20
65+	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	4.4	9	1	2	4	5	8	12	13
20-34	50	9.1	187	2	2	5	8	18	28	70
35-49	33	6.2	56	1	2	4	6	13	18	42
50-64	21	8.0	20	2	3	7	11	14	17	19
65+	40	8.3	24	3	4	7	11	16	17	21
B. *Operated*										
0-19 YRS	7	7.6	42	<1	<1	7	12	17	18	18
20-34	46	8.8	155	1	2	5	11	14	24	77
35-49	44	8.7	123	1	1	5	9	19	39	53
50-64	34	8.9	76	1	2	7	11	17	23	46
65+	23	9.3	52	2	3	6	18	20	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.2	5	1	2	4	5	7	8	9
B. *Operated*	59	3.8	14	<1	<1	2	5	8	12	20
2. MULTIPLE DX										
A. *Not Operated*	169	7.5	77	2	2	5	8	15	18	64
B. *Operated*	154	8.8	106	1	2	5	11	18	23	76
1. SINGLE DX	102	4.0	10	<1	1	3	5	7	9	18
2. MULTIPLE DX	323	8.1	91	1	2	5	10	17	21	69
A. NOT OPERATED	212	6.8	64	1	2	5	7	13	17	52
B. OPERATED	213	7.4	86	1	1	5	9	17	21	62
TOTAL 0-19 YRS	47	5.2	17	1	1	4	7	12	14	18
20-34	131	7.5	131	1	2	4	8	14	20	71
35-49	112	6.3	70	1	1	4	6	13	18	47
50-64	66	7.8	52	1	1	7	11	16	20	42
65+	69	8.3	33	2	3	6	13	18	20	84
GRAND TOTAL	**425**	**7.1**	**75**	**1**	**2**	**5**	**8**	**15**	**19**	**57**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	1	43.0		43	43	43	43	43	43	43
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	5	8.4	69	3	3	5	11	23	23	23
50-64	7	5.6	12	1	1	5	9	10	10	10
65+	7	17.1	1095	2	2	4	8	75	92	92
B. *Operated*										
0-19 YRS	4	5.3	24	1	1	5	9	10	10	10
20-34	5	12.8	166	4	4	7	18	35	35	35
35-49	4	6.5	26	3	3	4	9	14	14	14
50-64	4	8.5	24	2	2	9	35	99+	99+	99+
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	6	11.2	251	1	1	5	9	40	43	43
2. MULTIPLE DX										
A. *Not Operated*	23	10.0	343	1	2	5	8	17	47	92
B. *Operated*	18	8.5	61	1	2	8	12	27	71	99+
1. SINGLE DX	8	9.1	194	1	1	4	8	33	43	43
2. MULTIPLE DX	41	9.4	215	1	2	6	9	18	58	99+
A. NOT OPERATED	25	9.5	319	1	2	4	8	16	40	92
B. OPERATED	24	9.2	101	1	1	7	11	35	57	99+
TOTAL 0-19 YRS	9	5.8	27	1	1	4	9	14	16	16
20-34	9	13.2	227	2	3	6	18	40	43	43
35-49	12	7.1	35	3	3	5	8	17	22	23
50-64	11	6.6	17	1	2	8	10	40	91	99+
65+	8	16.0	949	2	2	6	8	67	92	92
GRAND TOTAL	**49**	**9.3**	**208**	**1**	**2**	**5**	**9**	**19**	**43**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	10	3.5	5	<1	<1	3	6	6	6	6
50-64	30	4.6	10	<1	1	4	6	8	10	15
65+	30	6.5	51	1	1	5	9	12	22	35
B. *Operated*										
0-19 YRS	4	3.3	3	1	1	3	4	5	5	5
20-34	16	3.0	6	1	1	2	4	7	8	9
35-49	73	4.8	24	<1	1	3	6	9	14	30
50-64	192	5.4	47	1	1	3	6	13	18	39
65+	183	4.4	21	<1	1	3	5	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	15.3	170	3	3	14	25	29	29	29
35-49	25	5.7	30	<1	1	5	7	8	17	28
50-64	124	8.1	92	1	2	6	9	14	26	56
65+	140	8.8	90	1	1	6	11	20	28	49
B. *Operated*										
0-19 YRS										
20-34	17	9.4	107	1	1	6	11	27	34	37
35-49	72	11.3	129	1	2	7	17	28	37	48
50-64	277	10.8	159	1	1	6	15	27	40	79
65+	378	11.7	192	1	2	7	15	29	37	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	5.1	27	<1	1	4	6	10	13	32
B. *Operated*	468	4.8	32	<1	1	3	6	11	15	27
2. MULTIPLE DX										
A. *Not Operated*	294	8.2	86	1	2	6	10	17	28	49
B. *Operated*	744	11.3	171	1	2	7	15	28	38	77
1. SINGLE DX	541	4.9	31	<1	1	3	6	10	15	27
2. MULTIPLE DX	1038	10.4	149	1	2	6	13	25	35	71
A. NOT OPERATED	367	7.6	76	1	1	5	9	15	27	48
B. OPERATED	1212	8.8	127	1	1	5	11	21	31	65
TOTAL 0-19 YRS	7	3.0	3	1	1	3	5	5	5	5
20-34	38	6.7	75	1	1	3	8	18	29	37
35-49	180	7.5	75	<1	1	4	9	18	28	42
50-64	623	8.3	110	1	1	5	10	20	28	57
65+	731	9.1	133	1	1	5	11	21	31	69
GRAND TOTAL	**1579**	**8.5**	**115**	**1**	**1**	**5**	**10**	**20**	**30**	**59**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	6.4	20	2	3	5	6	13	18	18
65+	19	5.5	24	1	1	4	7	11	17	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	17.3	12	14	14	17	20	21	21	21
50-64	30	8.7	73	<1	<1	5	14	16	23	39
65+	37	9.8	141	1	2	5	13	23	34	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	9.2	19	4	4	8	11	16	16	16
50-64	32	7.1	40	1	1	5	10	14	25	26
65+	72	7.3	38	1	2	6	9	14	24	29
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	17	26.5	382	3	5	20	34	59	69	72
50-64	93	15.7	221	2	3	12	18	39	47	74
65+	151	17.4	249	2	3	13	23	35	50	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.8	22	1	2	5	7	11	18	21
B. *Operated*	70	9.7	108	<1	1	5	14	20	25	56
2. MULTIPLE DX										
A. *Not Operated*	109	7.3	37	1	2	6	9	14	25	28
B. *Operated*	262	17.3	251	2	3	13	21	40	51	76
1. SINGLE DX	99	8.5	85	1	1	5	12	19	24	50
2. MULTIPLE DX	371	14.4	209	2	3	10	18	30	44	72
A. NOT OPERATED	138	7.0	34	1	2	5	9	14	20	28
B. OPERATED	332	15.7	230	2	2	12	20	34	48	73
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49	25	22.0	310	4	4	17	29	45	65	72
50-64	165	12.2	162	1	2	9	15	25	40	69
65+	279	13.0	188	2	2	9	17	28	42	70
GRAND TOTAL	**470**	**13.2**	**188**	**1**	**2**	**9**	**17**	**28**	**42**	**71**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	10	3.7	7	1	1	4	5	7	9	9
65+	29	4.6	12	<1	<1	4	6	11	12	13
B. *Operated*										
0-19 YRS										
20-34	4	11.0	5	9	9	10	12	14	14	14
35-49	12	13.5	46	7	7	11	18	24	27	27
50-64	39	10.5	59	1	2	9	14	20	30	31
65+	67	11.4	52	1	2	11	16	18	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	5	2	2	5	6	9	9	9
35-49	25	6.2	17	1	1	6	9	13	14	16
50-64	73	6.8	66	1	1	5	7	14	23	49
65+	174	7.7	49	2	2	5	9	17	20	35
B. *Operated*										
0-19 YRS										
20-34	9	10.0	58	1	1	7	13	22	25	25
35-49	50	15.7	111	3	5	13	17	31	40	55
50-64	222	17.0	198	3	6	13	20	33	45	78
65+	429	18.4	150	4	7	15	23	33	41	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	4.3	11	<1	1	4	5	9	12	13
B. *Operated*	122	11.3	52	1	2	10	15	20	25	36
2. MULTIPLE DX										
A. *Not Operated*	278	7.3	49	1	2	5	9	16	20	35
B. *Operated*	710	17.7	162	4	6	14	22	33	42	71
1. SINGLE DX	163	9.6	51	1	1	9	13	17	23	34
2. MULTIPLE DX	988	14.8	152	2	3	12	19	29	38	64
A. NOT OPERATED	319	6.9	45	1	1	5	8	14	20	33
B. OPERATED	832	16.7	151	3	5	14	21	31	40	66
TOTAL 0-19 YRS										
20-34	19	8.7	34	1	2	7	11	16	22	25
35-49	89	12.5	91	2	3	10	15	23	34	49
50-64	344	13.7	169	1	3	11	17	28	38	69
65+	699	14.5	135	2	3	12	19	29	36	59
GRAND TOTAL	**1151**	**14.0**	**141**	**2**	**3**	**11**	**18**	**28**	**36**	**60**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	9.8	21	4	4	10	13	15	15	15
50-64	4	11.8	8	9	9	11	14	15	15	15
65+	3	13.0	21	9	9	12	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.8	14	1	1	4	6	11	11	11
65+	6	12.7	377	2	2	6	8	48	52	52
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	8	14.8	231	2	4	10	14	41	51	51
50-64	31	16.2	120	8	8	12	17	34	43	48
65+	58	20.9	269	5	7	17	25	41	55	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	13	11.4	13	5	8	11	14	16	18	18
2. MULTIPLE DX										
A. *Not Operated*	11	9.1	211	1	1	5	8	27	50	52
B. *Operated*	98	18.9	218	6	8	15	21	37	50	83
1. SINGLE DX	14	10.6	19	2	4	11	13	16	17	18
2. MULTIPLE DX	109	17.9	225	4	5	13	21	37	51	80
A. NOT OPERATED	12	8.4	198	1	1	4	7	23	48	52
B. OPERATED	111	18.1	200	6	8	13	20	35	48	80
TOTAL 0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	2	16.5	85	10	10	16	23	23	23	23
35-49	12	13.1	159	2	3	10	13	27	48	51
50-64	41	14.0	111	2	5	10	15	32	39	48
65+	67	19.8	270	5	6	17	23	41	55	90
GRAND TOTAL	**123**	**17.1**	**206**	**3**	**5**	**12**	**20**	**34**	**49**	**77**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	11	2.5	3	<1	<1	2	4	5	5	5
65+	27	7.4	50	2	2	5	9	17	24	33
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	11.0	14	8	8	10	13	17	17	17
35-49	36	9.4	18	2	3	9	11	14	16	23
50-64	204	10.2	20	6	7	10	12	15	16	20
65+	371	11.9	44	5	7	11	13	17	23	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	12.0	9	9	9	12	14	15	15	15
35-49	18	9.1	42	1	2	8	13	18	21	23
50-64	129	7.4	49	1	1	5	8	19	22	31
65+	352	8.5	62	1	2	6	10	18	24	40
B. *Operated*										
0-19 YRS	2	13.0	98	6	6	13	20	20	20	20
20-34	22	12.3	75	3	4	10	15	24	35	35
35-49	146	13.1	79	6	7	11	14	22	25	54
50-64	658	13.5	72	4	7	11	16	22	29	50
65+	1897	16.2	101	7	8	13	19	27	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	6.0	40	<1	1	4	7	12	20	33
B. *Operated*	617	11.2	35	5	7	10	13	17	20	35
2. MULTIPLE DX										
A. *Not Operated*	503	8.2	57	1	2	6	10	18	23	38
B. *Operated*	2725	15.3	94	6	8	13	18	26	33	53
1. SINGLE DX	657	10.9	37	3	6	10	12	17	20	35
2. MULTIPLE DX	3228	14.2	95	3	5	12	17	25	32	52
A. NOT OPERATED	543	8.1	56	1	2	6	10	18	23	36
B. OPERATED	3342	14.6	86	6	8	12	17	24	31	53
TOTAL 0-19 YRS	3	9.3	89	2	2	6	16	20	20	20
20-34	31	12.0	55	4	5	10	15	18	34	35
35-49	202	12.0	67	3	5	10	13	19	24	49
50-64	1002	11.9	63	2	4	10	14	20	25	47
65+	2647	14.4	96	4	6	12	17	25	32	56
GRAND TOTAL	**3885**	**13.7**	**87**	**3**	**5**	**11**	**16**	**24**	**30**	**51**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	7	6.7	47	<1	<1	4	8	19	21	21
50-64	25	5.9	23	1	2	4	7	13	18	20
65+	42	5.2	16	1	2	4	6	11	15	19
B. *Operated*										
0-19 YRS										
20-34	12	8.1	24	1	2	8	12	15	16	16
35-49	55	9.9	39	2	2	10	13	14	16	39
50-64	190	10.3	40	2	2	10	13	18	21	32
65+	313	11.5	53	2	3	11	14	19	22	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	5	3.0	6	<1	<1	2	4	7	7	7
35-49	13	6.8	22	<1	1	7	8	15	16	16
50-64	100	8.2	38	1	2	7	11	18	21	28
65+	208	8.6	81	1	1	6	11	21	26	49
B. *Operated*										
0-19 YRS										
20-34	18	17.1	139	4	7	13	20	38	43	46
35-49	80	14.5	105	3	6	12	16	27	33	54
50-64	421	14.6	93	3	6	12	17	24	31	51
65+	906	16.3	123	3	4	14	21	31	37	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	5.5	21	<1	2	4	7	12	17	21
B. *Operated*	570	10.9	47	2	3	11	14	18	21	35
2. MULTIPLE DX										
A. *Not Operated*	328	8.3	65	1	2	6	11	19	25	46
B. *Operated*	1425	15.7	114	3	5	13	20	28	35	55
1. SINGLE DX	645	10.3	47	2	2	10	14	18	21	34
2. MULTIPLE DX	1753	14.3	113	2	3	12	18	26	34	54
A. NOT OPERATED	403	7.8	58	1	2	5	10	18	23	40
B. OPERATED	1995	14.3	99	2	4	12	18	25	33	53
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	36	11.7	108	1	2	10	15	20	38	46
35-49	155	11.9	79	2	3	11	14	20	28	54
50-64	736	12.3	77	2	3	11	16	21	26	44
65+	1469	13.9	110	2	3	12	18	26	34	52
GRAND TOTAL	**2398**	**13.2**	**98**	**2**	**3**	**11**	**17**	**24**	**32**	**51**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	11	1.7	6	<1	<1	1	1	4	9	9
50-64	8	9.0	76	1	1	7	11	23	28	28
65+	23	6.0	13	1	2	6	8	11	13	14
B. *Operated*										
0-19 YRS	6	7.7	21	3	3	7	10	14	15	15
20-34	5	6.2	7	3	3	7	8	9	9	9
35-49	17	7.1	33	1	1	8	10	14	19	22
50-64	32	10.3	54	2	3	9	12	21	29	30
65+	44	13.7	72	2	3	12	19	24	31	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	1	2	2	3	4	4	4	4
20-34	8	9.8	71	2	3	6	12	24	28	28
35-49	24	5.5	15	1	1	5	7	11	13	17
50-64	71	7.3	44	1	1	5	10	17	21	33
65+	108	9.3	94	1	2	6	13	20	29	53
B. *Operated*										
0-19 YRS	3	9.7	65	1	1	11	15	17	17	17
20-34	9	10.1	63	5	5	7	10	24	30	30
35-49	23	14.0	133	1	3	10	17	33	37	43
50-64	140	15.9	120	4	6	13	20	30	40	51
65+	259	18.1	170	3	5	15	24	34	42	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.6	27	<1	<1	5	9	11	13	28
B. *Operated*	104	10.9	60	2	2	9	14	23	29	33
2. MULTIPLE DX										
A. *Not Operated*	217	8.1	67	1	2	5	10	18	23	41
B. *Operated*	434	16.9	151	3	5	14	22	32	41	63
1. SINGLE DX	149	9.3	56	1	1	8	12	20	26	32
2. MULTIPLE DX	651	14.0	140	2	3	11	18	29	37	57
A. NOT OPERATED	262	7.7	61	1	1	5	9	17	22	37
B. OPERATED	538	15.7	139	2	4	13	21	30	38	58
TOTAL 0-19 YRS	16	6.4	23	1	2	4	10	15	16	17
20-34	24	9.0	48	3	4	7	9	17	29	30
35-49	75	7.9	71	<1	1	6	10	17	30	41
50-64	251	12.5	103	1	3	10	17	25	34	49
65+	434	14.8	150	2	3	12	20	30	37	62
GRAND TOTAL	**800**	**13.1**	**128**	**1**	**2**	**10**	**18**	**28**	**35**	**56**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64	19	6.5	18	<1	1	6	9	14	15	16
65+	33	4.9	22	<1	1	4	6	9	13	25
B. *Operated*										
0-19 YRS										
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	9	15.6	117	2	4	13	21	33	33	33
50-64	29	11.4	53	1	2	12	15	22	25	26
65+	48	14.4	95	1	4	13	18	29	33	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	25	8.3	158	1	1	4	7	21	45	51
50-64	101	7.3	27	1	2	6	9	14	18	25
65+	221	8.6	63	1	2	6	10	19	24	38
B. *Operated*										
0-19 YRS	1	27.0		27	27	27	27	27	27	27
20-34	8	14.5	52	1	4	14	19	24	24	24
35-49	28	17.4	240	1	5	12	20	35	55	70
50-64	190	17.3	243	3	5	12	19	36	55	83
65+	388	18.4	146	4	7	16	22	32	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.5	20	<1	1	4	7	10	14	25
B. *Operated*	88	13.4	82	1	2	12	17	26	33	41
2. MULTIPLE DX										
A. *Not Operated*	350	8.2	58	1	2	6	10	18	23	43
B. *Operated*	615	18.0	179	4	6	15	22	33	44	70
1. SINGLE DX	142	10.4	73	1	2	9	14	23	29	35
2. MULTIPLE DX	965	14.4	157	2	3	11	19	28	39	65
A. NOT OPERATED	404	7.8	54	1	2	6	9	17	23	39
B. OPERATED	703	17.4	169	3	6	15	21	32	43	69
TOTAL 0-19 YRS	2	15.5	265	4	4	15	27	27	27	27
20-34	12	11.4	58	1	2	12	15	23	24	24
35-49	64	13.2	198	1	2	9	17	33	45	68
50-64	339	13.2	172	2	3	10	16	26	40	69
65+	690	14.4	134	2	3	12	19	28	35	58
GRAND TOTAL	**1107**	**13.9**	**148**	**2**	**3**	**11**	**18**	**28**	**36**	**62**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	6.8	21	2	2	6	10	12	12	12
35-49	18	7.8	140	<1	1	5	8	36	79	99+
50-64	121	5.9	63	<1	1	3	7	12	16	46
65+	185	5.4	28	<1	1	3	7	13	16	25
B. *Operated*										
0-19 YRS										
20-34	9	10.2	41	2	4	8	13	21	23	23
35-49	71	7.3	35	1	1	7	9	14	18	33
50-64	411	7.9	36	1	1	7	11	16	19	29
65+	477	7.8	47	<1	1	7	11	15	19	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	7	9.6	118	2	2	5	13	29	32	32
35-49	188	8.3	89	1	1	6	11	17	26	52
50-64	959	7.2	53	1	1	5	9	16	21	36
65+	1396	8.3	64	1	2	6	11	17	24	39
B. *Operated*										
0-19 YRS	2	11.5	25	8	8	11	15	15	15	15
20-34	23	13.2	113	3	4	10	15	29	41	45
35-49	259	10.5	66	2	3	9	14	20	24	44
50-64	1415	11.5	83	2	3	9	15	23	29	45
65+	1940	12.5	106	2	3	10	17	25	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	328	5.7	47	<1	1	4	7	12	16	44
B. *Operated*	968	7.8	41	1	1	7	11	16	19	31
2. MULTIPLE DX										
A. *Not Operated*	2553	7.9	62	1	2	6	10	17	23	38
B. *Operated*	3639	12.0	95	2	3	10	16	23	31	48
1. SINGLE DX	1296	7.3	43	1	1	6	10	15	19	32
2. MULTIPLE DX	6192	10.3	85	1	2	8	14	22	28	44
A. NOT OPERATED	2881	7.7	61	1	1	5	10	16	22	39
B. OPERATED	4607	11.1	86	1	2	9	15	22	29	45
TOTAL 0-19 YRS	5	7.2	28	1	1	8	10	15	15	15
20-34	43	11.4	90	2	3	8	14	24	34	45
35-49	536	9.2	74	1	2	7	12	18	24	47
50-64	2906	9.3	70	1	2	7	12	19	25	41
65+	3998	10.2	86	1	2	8	13	21	28	42
GRAND TOTAL	**7488**	**9.8**	**79**	**1**	**2**	**8**	**13**	**21**	**26**	**43**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	4.3	5	3	3	3	6	7	7	7
35-49	3	6.7	80	1	1	2	13	17	17	17
50-64	17	2.8	3	1	1	3	4	6	6	6
65+	11	5.4	24	1	1	2	8	13	15	15
B. *Operated*										
0-19 YRS	4	10.8	50	2	2	12	16	17	17	17
20-34	12	4.7	16	<1	<1	4	7	10	13	13
35-49	27	5.8	50	<1	<1	2	8	16	22	28
50-64	154	4.8	31	<1	<1	2	8	14	16	24
65+	170	4.8	45	<1	1	2	6	12	14	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	4	6.8	21	1	1	7	10	12	12	12
35-49	13	8.1	83	<1	1	4	15	21	28	30
50-64	42	7.5	63	1	2	5	10	17	25	37
65+	51	5.6	18	1	1	5	9	12	14	15
B. *Operated*										
0-19 YRS	8	10.5	23	5	5	9	14	17	18	18
20-34	13	11.1	112	3	3	9	13	22	39	43
35-49	42	9.8	66	1	2	8	15	20	23	38
50-64	170	12.1	116	1	1	10	16	26	36	59
65+	200	11.0	122	1	1	8	16	25	39	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.1	15	1	1	3	6	9	14	17
B. *Operated*	367	4.9	39	<1	<1	2	7	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	113	6.6	42	1	1	5	9	14	18	35
B. *Operated*	433	11.3	112	1	1	9	16	25	35	54
1. SINGLE DX	402	4.9	37	<1	<1	2	7	13	16	24
2. MULTIPLE DX	546	10.3	101	1	1	8	15	22	33	49
A. NOT OPERATED	148	6.0	37	1	1	4	7	14	17	34
B. OPERATED	800	8.4	88	<1	1	5	12	20	26	49
TOTAL 0-19 YRS	16	8.8	31	1	2	7	14	17	18	18
20-34	32	7.5	61	1	1	6	9	14	17	43
35-49	85	8.2	65	<1	1	5	14	19	23	35
50-64	383	8.3	83	<1	1	5	12	20	26	45
65+	432	7.8	86	1	1	4	11	19	25	50
GRAND TOTAL	**948**	**8.0**	**81**	**<1**	**1**	**5**	**12**	**19**	**25**	**47**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	3.1	4	1	1	2	4	5	7	9
20-34	7	3.0	3	1	1	3	4	6	6	6
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	11	5.4	45	<1	1	4	5	14	24	25
65+	7	6.1	31	1	1	3	12	14	14	14
B. *Operated*										
0-19 YRS	46	6.5	60	1	1	4	7	18	22	39
20-34	50	6.9	57	1	1	4	9	18	19	36
35-49	50	5.8	24	1	1	4	8	12	17	23
50-64	62	6.3	29	1	1	5	8	13	16	28
65+	73	6.4	27	1	1	4	9	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.3	8	1	1	2	5	5	9	14
20-34	21	6.7	37	1	1	6	8	14	20	26
35-49	15	2.7	10	1	1	1	3	5	11	13
50-64	30	6.7	95	<1	1	4	8	13	22	52
65+	41	6.8	31	1	1	4	10	16	18	19
B. *Operated*										
0-19 YRS	21	9.8	118	1	1	6	12	25	36	44
20-34	39	11.6	130	2	3	7	18	26	32	57
35-49	28	11.5	166	1	1	8	12	26	44	58
50-64	62	13.5	182	1	2	9	18	37	40	64
65+	112	13.8	133	2	3	11	20	29	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	4.0	17	1	1	3	4	6	14	25
B. *Operated*	281	6.4	37	1	1	4	8	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	142	5.5	39	1	1	4	7	13	16	28
B. *Operated*	262	12.9	146	2	3	10	18	29	40	95
1. SINGLE DX	331	6.0	35	1	1	4	8	14	18	29
2. MULTIPLE DX	404	10.3	121	1	1	7	13	23	35	66
A. NOT OPERATED	192	5.1	34	1	1	3	6	13	15	26
B. OPERATED	543	9.5	100	1	2	6	12	22	29	65
TOTAL 0-19 YRS	124	5.5	50	1	1	3	5	13	20	40
20-34	117	8.2	80	1	1	5	9	20	27	43
35-49	96	6.9	71	1	1	4	9	13	22	51
50-64	165	9.0	110	1	1	6	11	22	30	57
65+	233	10.0	91	1	2	8	14	22	29	99+
GRAND TOTAL	**735**	**8.3**	**86**	**1**	**1**	**5**	**11**	**20**	**26**	**58**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.6	3	<1	<1	3	3	5	6	6
50-64	10	4.1	14	1	1	2	6	10	13	13
65+	8	3.6	14	1	1	2	5	10	12	12
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	77	3.5	8	<1	<1	3	5	8	9	12
35-49	74	3.9	8	1	1	3	6	8	10	14
50-64	96	4.3	11	<1	1	3	6	10	11	14
65+	88	4.8	17	<1	1	3	7	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	12	3.4	6	1	1	3	4	8	9	9
35-49	20	8.0	131	<1	<1	4	7	26	39	41
50-64	30	5.7	36	1	1	4	8	11	16	30
65+	23	10.2	114	<1	1	7	13	23	33	47
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	34	5.6	12	<1	1	5	7	11	12	13
35-49	51	7.1	30	1	2	5	10	15	18	25
50-64	79	8.0	48	1	2	7	10	18	22	37
65+	83	8.7	71	1	2	6	11	21	27	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.4	10	<1	1	2	5	7	12	13
B. *Operated*	338	4.2	11	<1	1	3	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	86	7.0	77	1	1	4	8	16	26	45
B. *Operated*	248	7.7	48	1	2	6	10	16	22	35
1. SINGLE DX	365	4.1	11	<1	1	3	6	9	11	14
2. MULTIPLE DX	334	7.5	55	1	1	5	9	16	22	41
A. NOT OPERATED	113	6.2	63	1	1	3	7	13	22	43
E. OPERATED	586	5.7	30	1	1	4	8	12	15	25
TOTAL 0-19 YRS	5	3.0	12	1	1	1	4	9	9	9
20-34	123	4.1	10	<1	1	3	6	9	11	13
35-49	154	5.4	33	1	1	4	7	12	15	37
50-64	215	5.8	31	1	1	4	8	12	16	26
65+	202	7.0	54	1	1	4	8	15	22	39
GRAND TOTAL	**699**	**5.7**	**35**	**1**	**1**	**4**	**8**	**12**	**16**	**32**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	9	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	34	2.5	5	<1	<1	2	3	7	8	9
35-49	89	2.4	8	<1	<1	1	2	5	9	16
50-64	201	2.2	5	<1	<1	2	2	4	6	11
65+	411	2.9	11	<1	<1	2	3	6	9	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	9.8	39	3	3	9	14	18	18	18
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	7	4.0	35	1	1	1	4	15	17	17
65+	37	6.9	57	<1	1	5	8	14	26	35
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	16	5.6	34	<1	1	3	9	13	19	21
35-49	44	3.9	36	<1	<1	2	3	10	15	33
50-64	144	4.5	79	<1	1	2	4	9	15	37
65+	382	5.6	67	<1	1	2	7	14	18	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	2	<1	<1	2	4	4	4	4
B. *Operated*	740	2.6	9	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*	50	6.6	51	1	1	5	8	15	18	35
B. *Operated*	587	5.2	67	<1	1	2	6	12	18	42
1. SINGLE DX	754	2.6	8	<1	<1	2	3	5	8	16
2. MULTIPLE DX	637	5.3	66	<1	1	2	6	12	18	41
A. NOT OPERATED	64	5.7	44	<1	1	4	7	12	18	34
B. OPERATED	1327	3.8	36	<1	<1	2	4	9	13	25
TOTAL 0-19 YRS	7	1.9	2	<1	<1	1	2	4	5	5
20-34	55	3.9	19	<1	<1	2	5	10	12	21
35-49	137	2.9	17	<1	<1	2	3	6	10	24
50-64	353	3.2	37	<1	<1	2	3	6	10	20
65+	839	4.3	40	<1	<1	2	4	10	15	30
GRAND TOTAL	**1391**	**3.8**	**36**	**<1**	**<1**	**2**	**4**	**9**	**14**	**29**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.3	29	1	1	2	4	14	15	15
35-49	19	4.3	13	1	1	3	6	8	13	16
50-64	31	5.0	19	1	1	4	6	12	16	17
65+	23	6.7	43	1	2	6	8	12	25	28
B. *Operated*										
0-19 YRS	3	4.0	19	1	1	2	7	9	9	9
20-34	104	4.4	7	<1	1	4	6	7	9	12
35-49	567	4.9	7	<1	1	5	6	8	9	13
50-64	873	5.3	9	<1	1	5	7	9	10	14
65+	902	6.1	16	1	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	41	3	3	7	12	12	12	12
20-34	19	7.4	55	<1	1	5	11	17	24	29
35-49	120	6.8	36	1	1	5	10	15	18	29
50-64	241	7.5	76	1	1	5	9	16	21	46
65+	276	9.0	80	1	2	6	11	18	28	48
B. *Operated*										
0-19 YRS										
20-34	90	6.2	21	1	2	6	7	11	13	29
35-49	629	6.9	37	1	2	6	8	11	16	29
50-64	1088	7.2	36	2	3	6	8	11	14	38
65+	1457	8.7	50	2	4	7	10	14	20	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	5.3	25	1	1	4	7	10	16	27
B. *Operated*	2449	5.5	11	<1	1	5	7	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	658	8.0	70	1	2	6	10	16	23	45
B. *Operated*	3264	7.8	43	2	3	6	9	13	17	41
1. SINGLE DX	2528	5.5	12	<1	1	5	7	9	10	16
2. MULTIPLE DX	3922	7.8	48	2	2	6	9	13	18	42
A. NOT OPERATED	737	7.7	66	1	1	5	9	16	22	45
B. OPERATED	5713	6.8	31	1	2	6	8	11	14	30
TOTAL 0-19 YRS	5	5.4	23	1	1	3	10	12	12	12
20-34	219	5.4	18	<1	1	5	7	10	13	21
35-49	1335	6.0	25	1	2	5	7	10	13	26
50-64	2233	6.5	30	1	2	6	8	10	14	28
65+	2658	7.8	43	2	3	7	9	13	18	42
GRAND TOTAL	**6450**	**6.9**	**35**	**1**	**2**	**6**	**8**	**11**	**15**	**33**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.2	2	1	1	4	4	5	5	5
35-49	30	3.6	4	1	1	3	4	6	9	11
50-64	32	3.1	1	2	2	3	4	4	4	5
65+	27	4.6	16	1	1	3	5	12	14	17
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	74	4.2	11	<1	<1	4	6	9	11	14
35-49	91	5.2	19	<1	1	4	8	10	12	25
50-64	64	4.0	12	<1	1	3	6	8	11	16
65+	35	4.3	15	1	1	3	5	9	11	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.1	11	1	2	4	6	10	12	12
35-49	35	7.5	82	<1	1	3	8	19	24	43
50-64	46	5.5	21	1	2	4	7	13	16	22
65+	51	8.6	156	1	2	4	8	23	34	63
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	62	9.2	71	1	1	7	12	18	20	50
35-49	126	8.9	97	1	2	6	9	17	27	57
50-64	108	11.2	130	1	2	8	14	27	38	53
65+	97	11.6	232	1	2	6	13	28	48	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	3.7	6	1	2	3	4	5	10	15
B. *Operated*	265	4.5	15	<1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	140	7.1	86	1	1	4	7	17	24	55
B. *Operated*	394	10.2	135	1	2	6	12	22	36	60
1. SINGLE DX	365	4.3	12	<1	1	3	5	9	11	16
2. MULTIPLE DX	534	9.4	124	1	2	6	11	21	31	58
A. NOT OPERATED	240	5.7	55	1	2	4	5	12	18	44
B. OPERATED	659	7.9	95	<1	1	5	9	16	25	52
TOTAL 0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	155	6.2	40	<1	1	5	8	12	17	36
35-49	282	7.0	64	<1	1	5	8	13	22	47
50-64	250	7.3	75	1	1	4	9	16	25	46
65+	210	8.7	158	1	2	4	10	19	34	62
GRAND TOTAL	**899**	**7.3**	**85**	**1**	**1**	**4**	**8**	**15**	**23**	**52**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	26	4.1	13	1	2	3	4	8	11	19
65+	31	2.9	12	1	1	3	3	4	4	21
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	9	4.8	8	<1	<1	5	7	8	9	9
35-49	38	5.4	17	<1	1	6	7	9	10	24
50-64	240	5.3	8	<1	1	6	7	8	9	13
65+	282	5.4	12	<1	1	6	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.0	2	<1	<1	4	4	4	4	4
35-49	6	4.8	71	1	1	2	2	20	22	22
50-64	53	5.2	33	1	1	3	6	13	17	27
65+	111	7.2	109	1	1	3	7	17	28	56
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	29	6.9	14	<1	1	7	9	13	16	99+
35-49	103	7.2	33	1	1	6	8	14	21	30
50-64	503	6.9	18	1	2	6	8	10	14	25
65+	607	8.1	51	1	2	7	9	14	19	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	3.5	12	1	1	3	4	5	8	21
B. *Operated*	571	5.3	10	<1	1	6	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	176	6.4	82	1	1	3	7	16	23	45
B. *Operated*	1243	7.5	35	1	2	7	9	12	17	34
1. SINGLE DX	633	5.2	11	<1	1	5	7	9	10	15
2. MULTIPLE DX	1419	7.4	41	1	2	6	8	13	17	41
A. NOT OPERATED	238	5.6	65	1	1	3	5	14	21	42
B. OPERATED	1814	6.8	28	1	1	6	8	11	15	27
TOTAL 0-19 YRS	5	3.6	8	1	1	2	6	8	8	8
20-34	43	6.0	13	<1	<1	6	8	11	15	99+
35-49	151	6.6	30	<1	1	6	7	12	20	30
50-64	822	6.2	17	<1	1	6	8	10	13	23
65+	1031	7.1	47	1	1	6	8	12	16	42
GRAND TOTAL	**2052**	**6.7**	**33**	**1**	**1**	**6**	**8**	**11**	**15**	**30**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	2.1	2	<1	<1	2	3	5	5	5
35-49	31	1.3	1	<1	<1	1	1	2	4	5
50-64	49	1.7	2	<1	<1	1	2	3	4	8
65+	69	2.2	8	1	1	1	2	4	6	19
B. *Operated*										
0-19 YRS	7	7.4	20	4	4	6	8	15	17	17
20-34	22	6.2	6	3	3	6	7	9	11	13
35-49	30	8.0	22	3	4	7	9	12	19	26
50-64	68	7.9	16	1	2	8	10	14	16	19
65+	30	9.8	20	4	5	9	11	17	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	8	4.6	18	<1	<1	3	8	11	11	11
35-49	89	4.2	66	<1	<1	2	4	11	14	53
50-64	197	4.2	28	1	1	2	5	10	15	30
65+	198	5.9	62	1	1	3	7	15	21	42
B. *Operated*										
0-19 YRS	5	7.2	6	5	5	7	9	11	11	11
20-34	32	7.8	26	4	4	6	8	11	16	31
35-49	105	9.5	77	3	5	7	10	15	24	60
50-64	291	12.3	87	4	5	10	14	21	29	56
65+	293	14.3	85	6	7	12	17	24	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	1.9	4	<1	<1	1	2	4	5	8
B. *Operated*	157	8.0	17	2	4	7	10	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	494	4.9	48	<1	1	2	6	12	17	38
B. *Operated*	726	12.5	85	5	5	10	14	22	29	54
1. SINGLE DX	315	4.9	20	<1	1	4	8	10	14	20
2. MULTIPLE DX	1220	9.4	84	1	1	7	12	19	26	46
A. NOT OPERATED	652	4.2	39	<1	1	2	4	10	15	37
B. OPERATED	883	11.7	76	4	5	9	14	21	27	49
TOTAL 0-19 YRS	16	6.4	14	1	2	6	8	11	15	17
20-34	69	6.3	19	3	2	6	8	10	12	28
35-49	255	6.5	66	<1	<1	5	8	13	17	55
50-64	605	8.3	69	1	1	7	11	17	22	46
65+	590	9.8	86	1	1	8	13	21	26	43
GRAND TOTAL	**1535**	**8.5**	**74**	**1**	**1**	**7**	**11**	**18**	**23**	**44**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	4	5.5	51	1	1	3	10	16	16	16
B. *Operated*										
0-19 YRS	3	3.0	12	<1	<1	<1	5	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	11	6.3	33	1	1	4	8	17	18	18
50-64	17	5.5	26	<1	1	4	7	11	17	21
65+	29	5.3	18	1	1	4	8	12	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	3.0		3	3	3	3	3	3	3
50-64	14	3.7	8	<1	1	3	6	8	9	9
65+	20	8.8	50	1	1	7	13	19	23	26
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	7	8.0	14	3	4	7	11	14	14	14
35-49	10	8.9	49	2	2	6	15	20	21	21
50-64	30	12.2	101	1	3	9	16	29	33	38
65+	84	15.4	217	2	3	12	19	31	39	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.9	30	1	1	4	9	14	16	16
B. *Operated*	61	5.4	22	<1	1	4	7	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	36	6.4	37	1	1	4	9	16	19	26
B. *Operated*	132	13.7	170	2	3	11	18	29	37	78
1. SINGLE DX	69	5.4	23	1	1	4	8	12	16	20
2. MULTIPLE DX	168	12.1	150	1	2	9	16	27	33	69
A. NOT OPERATED	44	6.3	35	1	1	4	9	16	19	26
B. OPERATED	193	11.1	138	1	2	8	14	23	31	62
TOTAL 0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	10	6.4	17	1	1	6	8	13	14	14
35-49	23	7.0	39	1	1	5	9	18	20	21
50-64	63	8.4	70	1	1	6	11	21	29	37
65+	137	12.0	163	1	2	9	16	26	34	77
GRAND TOTAL	**237**	**10.2**	**122**	**1**	**1**	**7**	**14**	**21**	**30**	**48**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	3.1	9	<1	<1	2	4	8	10	10
65+	65	4.9	15	1	1	4	6	10	14	17
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34										
35-49	9	8.7	83	1	1	5	12	23	29	29
50-64	309	5.6	23	1	1	4	7	11	14	22
65+	1023	5.3	14	1	2	5	7	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	118	7.1	45	1	2	5	10	15	20	38
65+	656	8.3	62	1	2	6	10	19	24	42
B. *Operated*										
0-19 YRS	2	11.5	1	11	11	11	12	12	12	12
20-34										
35-49	13	7.3	18	3	4	6	9	12	18	19
50-64	519	7.7	49	2	2	6	9	14	21	38
65+	2658	8.6	50	2	3	6	11	17	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	4.7	14	1	1	4	6	10	14	17
B. *Operated*	1343	5.4	17	1	1	5	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	777	8.1	60	1	2	6	10	18	23	39
B. *Operated*	3192	8.4	50	2	2	6	10	16	22	37
1. SINGLE DX	1418	5.3	16	1	1	5	7	10	13	19
2. MULTIPLE DX	3969	8.4	52	2	2	6	10	17	22	37
A. NOT OPERATED	852	7.8	56	1	2	6	10	17	23	37
B. OPERATED	4535	7.5	42	1	2	6	9	15	20	33
TOTAL 0-19 YRS	6	6.2	18	2	2	4	11	12	12	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	22	7.9	43	1	2	6	10	15	23	29
50-64	956	6.9	41	1	2	5	8	13	19	37
65+	4402	7.7	45	1	2	6	9	15	21	34
GRAND TOTAL	**5387**	**7.6**	**44**	**1**	**2**	**6**	**9**	**15**	**20**	**35**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	12	4.5	19	1	1	3	6	11	15	16
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	5	1.4		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	3.7	5	1	1	3	5	7	8	8
20-34	137	3.9	11	1	1	3	5	9	11	15
35-49	48	3.1	6	1	1	2	4	7	9	11
50-64	13	7.4	35	<1	2	7	9	16	21	22
65+	15	5.5	17	1	1	4	8	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	32	4.3	4	1	2	5	6	7	8	9
35-49	4	3.3	7	1	1	3	5	6	6	6
50-64	4	1.3		1	1	1	2	2	2	2
65+	6	10.0	128	2	2	5	12	30	32	32
B. *Operated*										
0-19 YRS	6	7.8	6	4	4	8	9	11	11	11
20-34	78	7.9	50	2	2	7	9	14	26	39
35-49	28	9.0	109	1	1	4	11	23	34	43
50-64	16	7.5	75	2	2	4	8	17	31	36
65+	20	8.3	23	2	2	7	11	15	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	13	<1	1	2	4	7	12	16
B. *Operated*	222	4.1	12	1	1	3	5	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	51	4.6	21	1	1	4	6	7	9	32
B. *Operated*	148	8.1	57	2	2	6	10	16	25	41
1. SINGLE DX	243	4.0	12	1	1	3	5	9	11	16
2. MULTIPLE DX	199	7.2	50	1	2	5	9	14	23	39
A. NOT OPERATED	72	4.2	19	1	1	3	6	7	9	28
B. OPERATED	370	5.7	34	1	1	4	8	11	16	33
TOTAL 0-19 YRS	22	4.7	8	1	1	4	7	9	10	11
20-34	259	5.2	25	1	1	4	7	10	13	28
35-49	82	5.1	48	1	1	3	6	10	20	40
50-64	38	6.0	49	1	1	3	8	14	20	36
65+	41	7.5	36	1	2	6	10	15	17	32
GRAND TOTAL	**442**	**5.4**	**32**	**1**	**1**	**4**	**7**	**10**	**15**	**33**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	4	2.3	2	<1	<1	2	3	4	4	4
50-64	13	3.8	25	1	1	2	4	11	17	18
65+	28	4.5	21	1	1	3	6	11	17	18
B. *Operated*										
0-19 YRS	5	5.8	25	<1	<1	3	10	13	13	13
20-34	22	4.8	27	<1	1	3	5	13	17	21
35-49	88	2.8	5	1	1	2	3	5	6	14
50-64	461	3.8	12	1	1	3	4	8	11	19
65+	1027	4.2	14	1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	1	5.0		5	5	5	5	5	5	5
35-49	8	3.8	8	1	1	3	4	8	10	10
50-64	53	8.2	193	1	1	4	7	19	26	90
65+	160	6.9	51	1	1	5	9	14	21	38
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	6.7	34	1	1	4	9	16	20	20
35-49	74	6.1	38	1	2	4	9	14	22	30
50-64	439	6.4	47	1	1	4	7	15	19	34
65+	1533	8.1	79	1	2	5	10	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.0	20	<1	1	2	5	10	17	18
B. *Operated*	1603	4.0	14	1	1	3	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	225	7.0	82	1	1	4	8	14	23	42
B. *Operated*	2058	7.7	71	1	2	5	9	17	24	46
1. SINGLE DX	1650	4.0	14	1	1	3	4	8	12	19
2. MULTIPLE DX	2283	7.6	72	1	2	5	9	17	24	46
A. NOT OPERATED	272	6.5	73	1	1	4	8	14	20	39
B. OPERATED	3661	6.1	49	1	1	4	7	14	19	36
TOTAL 0-19 YRS	12	3.6	14	<1	<1	2	4	10	13	13
20-34	33	5.4	28	1	1	4	6	13	19	21
35-49	174	4.2	22	1	1	2	5	9	14	24
50-64	966	5.2	40	1	1	3	6	12	16	28
65+	2748	6.5	56	1	2	4	8	15	20	42
GRAND TOTAL	**3933**	**6.1**	**51**	**1**	**1**	**4**	**7**	**14**	**19**	**36**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	5	5.8	18	1	1	6	8	12	12	12
65+	16	6.1	22	1	2	5	8	12	16	18
B. *Operated*										
0-19 YRS	10	8.4	15	5	5	7	9	15	17	17
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	33	7.5	23	1	1	8	10	13	16	21
50-64	106	8.1	17	1	2	8	10	13	15	20
65+	121	9.2	34	1	2	9	12	17	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.4	3	1	1	2	3	5	6	6
20-34	5	4.4	6	<1	<1	5	6	7	7	7
35-49	20	7.8	47	1	2	6	12	18	22	24
50-64	80	7.5	94	1	1	5	9	17	22	61
65+	108	9.6	63	2	2	8	12	19	25	40
B. *Operated*										
0-19 YRS	15	10.9	17	7	7	9	13	17	20	21
20-34	11	9.2	13	3	4	9	11	14	16	16
35-49	56	12.2	62	4	5	10	15	24	29	39
50-64	202	13.0	100	2	5	10	16	22	31	60
65+	310	14.7	102	2	4	13	19	25	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	5.2	19	<1	1	4	7	12	13	18
B. *Operated*	272	8.5	25	1	2	8	11	15	18	24
2. MULTIPLE DX										
A. *Not Operated*	220	8.3	72	1	1	6	11	18	23	39
B. *Operated*	594	13.7	95	2	4	12	17	24	32	51
1. SINGLE DX	298	8.2	26	1	2	8	11	15	18	24
2. MULTIPLE DX	814	12.2	94	2	3	10	16	23	30	47
A. NOT OPERATED	246	8.0	67	1	1	6	10	17	22	38
B. OPERATED	866	12.1	79	2	3	10	15	21	28	44
TOTAL 0-19 YRS	34	8.0	24	1	1	7	10	15	17	21
20-34	19	7.3	16	<1	2	7	10	12	14	16
35-49	111	9.8	52	1	2	9	13	19	24	38
50-64	393	10.5	82	1	2	9	13	19	24	54
65+	555	12.3	85	2	3	10	16	23	29	44
GRAND TOTAL	**1112**	**11.2**	**79**	**1**	**2**	**9**	**14**	**21**	**25**	**43**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	11	4.9	19	<1	<1	4	7	12	14	14
20-34	5	3.8	1	3	3	4	4	5	5	5
35-49	11	3.1	1	2	2	3	3	5	5	5
50-64	17	2.9	4	<1	1	3	3	5	8	9
65+	18	3.9	4	2	2	4	4	6	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.7	126	<1	<1	1	14	27	28	28
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	6.7	26	1	1	8	10	11	11	11
B. *Operated*										
0-19 YRS	9	4.7	25	<1	<1	2	7	13	14	14
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	15	4.1	5	2	2	3	5	7	9	10
65+	13	4.8	16	1	2	4	5	10	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	38	<1	<1	3	9	14	14	14
B. *Operated*	62	3.7	6	1	1	3	4	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	12	5.9	69	<1	<1	1	9	18	27	28
B. *Operated*	40	4.4	12	1	1	4	5	9	13	16
1. SINGLE DX	66	3.8	7	<1	1	3	4	7	10	14
2. MULTIPLE DX	52	4.8	25	1	1	3	5	11	14	28
A. NOT OPERATED	16	5.8	58	<1	<1	1	9	14	24	28
B. OPERATED	102	4.0	8	1	1	3	4	7	11	15
TOTAL 0-19 YRS	28	5.1	40	<1	<1	2	6	14	16	28
20-34	6	3.8	1	3	3	4	4	5	5	5
35-49	14	3.0	2	1	2	3	3	5	5	5
50-64	35	3.4	4	1	1	3	4	6	8	10
65+	35	4.8	12	1	2	4	5	10	13	16
GRAND TOTAL	**118**	**4.2**	**15**	**<1**	**1**	**3**	**5**	**9**	**13**	**20**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	8.3	24	5	5	6	12	14	14	14
20-34	16	3.7	4	1	1	3	5	6	7	7
35-49	26	7.0	30	2	2	5	10	12	15	27
50-64	22	10.1	70	1	2	8	18	26	56	99+
65+	28	12.6	168	<1	2	8	15	29	39	58
B. *Operated*										
0-19 YRS	37	11.4	59	2	4	10	15	18	20	47
20-34	58	9.3	22	3	4	9	11	16	19	24
35-49	62	10.5	65	1	2	8	14	24	29	36
50-64	84	12.3	65	4	5	11	15	20	34	81
65+	62	13.1	64	3	5	11	18	22	30	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	6.3	32	2	2	3	8	16	19	23
20-34	26	5.5	33	1	1	3	7	13	20	22
35-49	43	8.6	57	1	2	7	12	21	25	32
50-64	70	10.3	147	1	2	7	13	22	34	68
65+	89	10.6	108	2	2	8	12	24	32	52
B. *Operated*										
0-19 YRS	44	18.7	291	1	1	15	29	62	99+	99+
20-34	37	12.3	60	2	5	11	17	24	32	99+
35-49	60	20.4	438	3	6	12	22	53	72	94
50-64	73	22.4	348	4	6	16	30	52	65	97
65+	95	24.8	353	6	8	19	29	55	67	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	8.8	83	1	2	6	12	20	29	81
B. *Operated*	303	11.4	57	2	4	10	15	20	28	43
2. MULTIPLE DX										
A. *Not Operated*	260	9.1	96	1	2	7	12	20	28	51
B. *Operated*	309	21.0	336	3	6	15	27	52	71	99+
1. SINGLE DX	398	10.8	64	2	3	9	14	20	28	47
2. MULTIPLE DX	569	15.6	261	1	2	10	20	36	55	94
A. NOT OPERATED	355	9.1	92	1	2	6	12	20	28	52
B. OPERATED	612	16.3	221	2	5	12	19	36	54	97
TOTAL 0-19 YRS	116	12.6	163	1	2	10	16	31	52	99+
20-34	137	8.7	40	1	2	8	12	18	23	40
35-49	191	12.7	202	1	2	9	14	27	36	78
50-64	249	14.5	197	2	3	11	17	36	50	99
65+	274	16.3	227	2	3	12	20	32	51	79
GRAND TOTAL	**967**	**13.6**	**185**	**2**	**2**	**10**	**16**	**29**	**47**	**86**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	3	6.0	25	1	1	6	10	11	11	11
20-34	3	7.7	2	6	6	8	9	9	9	9
35-49	3	10.3	30	4	4	13	14	14	14	14
50-64	5	11.2	14	7	7	12	14	16	16	16
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	6.5	25	3	3	6	10	10	10	10
35-49	1	42.0		42	42	42	42	42	42	42
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	8	11.5	130	2	2	8	16	31	35	35
B. *Operated*										
0-19 YRS	4	7.5	36	1	1	7	12	15	15	15
20-34	7	19.1	173	10	10	12	24	42	46	46
35-49	9	20.7	566	1	3	13	20	60	81	81
50-64	10	22.7	212	5	9	21	35	72	98	99+
65+	11	29.5	317	3	7	30	41	53	66	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	4	1	1	4	4	5	5	5
B. *Operated*	15	9.2	17	2	4	9	13	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	14	11.0	166	2	2	6	10	36	41	42
B. *Operated*	41	22.0	308	2	5	16	30	48	73	99+
1. SINGLE DX	20	7.7	21	1	1	7	11	14	15	16
2. MULTIPLE DX	55	19.2	291	2	3	13	29	43	63	99
A. NOT OPERATED	19	8.9	134	1	1	4	9	30	39	42
B. OPERATED	56	18.6	261	2	5	13	27	43	62	99
TOTAL 0-19 YRS	9	6.0	23	1	1	5	9	13	15	15
20-34	15	12.0	127	1	3	10	12	26	41	46
35-49	13	19.9	447	1	3	13	20	50	75	81
50-64	18	16.1	184	1	2	13	25	47	79	99+
65+	20	21.4	301	2	3	18	32	43	55	67
GRAND TOTAL	**75**	**16.1**	**244**	**1**	**2**	**12**	**22**	**41**	**52**	**95**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	3.2	31	<1	1	1	3	4	18	23
20-34	22	2.3	1	1	1	2	3	3	3	3
35-49	14	2.6	10	1	1	2	2	5	11	13
50-64	12	3.6	7	1	1	3	5	8	10	10
65+	5	7.2	52	3	3	4	9	20	20	20
B. *Operated*										
0-19 YRS	13	7.2	35	2	2	4	9	18	20	21
20-34	90	4.2	6	2	2	4	5	7	8	16
35-49	75	4.3	6	2	2	4	5	7	9	17
50-64	56	5.4	17	2	3	4	6	11	14	23
65+	30	5.4	9	2	3	5	6	8	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	36	1	1	2	5	17	18	18
20-34	13	2.8	4	1	1	3	3	5	8	9
35-49	15	3.1	12	1	1	2	3	6	12	14
50-64	23	6.0	37	1	1	3	7	19	20	20
65+	24	10.2	139	1	1	6	14	23	33	53
B. *Operated*										
0-19 YRS	23	6.5	20	2	3	5	8	11	18	21
20-34	81	6.1	118	2	3	4	6	9	9	74
35-49	60	6.2	31	2	3	5	7	10	13	39
50-64	64	7.5	146	2	3	5	7	12	17	86
65+	79	10.5	114	3	3	7	11	22	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.1	15	1	1	2	3	5	10	22
B. *Operated*	264	4.8	10	2	2	4	5	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	87	6.0	62	1	1	3	7	17	20	43
B. *Operated*	307	7.6	101	2	3	5	8	13	19	57
1. SINGLE DX	332	4.4	12	1	2	4	5	8	10	20
2. MULTIPLE DX	394	7.2	92	1	2	5	8	14	20	53
A. NOT OPERATED	155	4.8	43	1	1	3	4	13	19	25
B. OPERATED	571	6.3	61	2	3	4	6	11	17	35
TOTAL 0-19 YRS	63	5.6	30	1	1	4	7	16	19	23
20-34	206	4.7	51	1	2	4	5	7	9	19
35-49	164	4.7	17	1	2	4	5	8	11	19
50-64	155	6.2	73	1	2	4	6	12	17	27
65+	138	9.2	96	2	3	6	11	20	27	54
GRAND TOTAL	**726**	**5.9**	**57**	**1**	**2**	**4**	**6**	**11**	**17**	**34**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	15	<1	<1	4	7	11	12	12
20-34	8	9.4	108	<1	1	5	12	27	33	33
35-49	35	4.0	18	<1	<1	3	5	8	11	23
50-64	62	5.1	24	1	1	4	6	10	15	26
65+	111	6.8	44	1	1	5	9	15	20	34
B. *Operated*										
0-19 YRS	13	7.4	56	<1	1	6	9	17	26	28
20-34	24	5.1	57	<1	1	2	6	10	19	37
35-49	85	6.5	122	<1	1	4	7	11	16	72
50-64	158	6.8	86	<1	1	4	9	15	20	42
65+	201	6.0	32	<1	1	4	9	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	6.7	30	1	1	6	9	14	19	21
20-34	134	5.3	22	1	1	4	7	11	14	25
35-49	463	6.9	61	1	1	4	9	16	22	40
50-64	1382	7.5	59	1	1	5	10	17	21	38
65+	2233	9.1	89	1	2	6	11	19	26	49
B. *Operated*										
0-19 YRS	34	10.4	51	2	4	8	13	22	25	32
20-34	167	10.3	114	1	2	8	12	23	27	63
35-49	550	10.1	83	1	2	8	13	22	27	47
50-64	1504	11.2	116	1	2	8	14	24	32	50
65+	2056	12.4	131	1	2	9	16	26	35	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	5.9	37	1	1	4	7	13	17	31
B. *Operated*	481	6.3	67	<1	1	4	8	14	18	34
2. MULTIPLE DX										
A. *Not Operated*	4254	8.2	75	1	2	5	10	18	24	44
B. *Operated*	4311	11.6	119	1	2	9	15	25	33	54
1. SINGLE DX	706	6.2	57	<1	1	4	8	14	18	32
2. MULTIPLE DX	8565	9.9	100	1	2	7	13	22	29	49
A. NOT OPERATED	4479	8.1	73	1	2	5	10	17	24	42
B. OPERATED	4792	11.1	116	1	2	8	15	24	32	53
TOTAL 0-19 YRS	98	7.9	42	1	1	7	10	17	22	30
20-34	333	7.9	78	1	1	5	10	16	24	58
35-49	1133	8.4	78	1	1	6	11	19	26	44
50-64	3106	9.2	91	1	1	6	12	20	28	46
65+	4601	10.4	108	1	2	7	14	22	31	54
GRAND TOTAL	**9271**	**9.6**	**98**	**1**	**2**	**7**	**12**	**21**	**28**	**49**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	11	1	1	3	7	8	8	8
20-34	37	2.6	8	1	1	1	3	5	10	12
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	6	3.0	7	1	1	2	3	8	8	8
B. *Operated*										
0-19 YRS	45	5.1	10	1	1	5	7	9	10	17
20-34	142	5.1	14	<1	1	4	7	10	12	16
35-49	51	5.3	15	1	1	5	7	10	14	18
50-64	27	8.1	113	1	1	5	9	16	28	54
65+	20	8.7	37	1	2	8	12	17	22	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	4	1	1	2	4	6	7	7
20-34	81	2.6	5	1	1	2	3	6	8	10
35-49	23	3.7	8	<1	1	3	6	8	10	10
50-64	28	6.6	48	<1	1	3	11	17	20	25
65+	41	9.9	97	1	1	7	12	26	34	39
B. *Operated*										
0-19 YRS	19	7.3	18	1	2	8	10	13	15	16
20-34	71	8.4	50	1	2	7	10	17	25	36
35-49	37	10.1	79	1	2	9	12	19	30	46
50-64	35	10.3	96	1	2	8	12	21	29	49
65+	35	17.6	204	2	4	13	25	38	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	2.8	7	1	1	2	3	7	8	12
B. *Operated*	285	5.7	26	1	1	5	8	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	181	5.0	41	1	1	3	6	12	17	36
B. *Operated*	197	10.6	98	1	2	8	12	23	32	49
1. SINGLE DX	343	5.2	24	1	1	4	7	10	13	22
2. MULTIPLE DX	378	7.9	78	1	1	5	10	18	26	45
A. NOT OPERATED	239	4.5	34	1	1	2	5	11	15	32
B. OPERATED	482	7.7	61	1	1	6	9	15	22	45
TOTAL 0-19 YRS	79	5.3	13	1	1	5	8	10	12	17
20-34	331	4.9	23	1	1	3	7	10	13	25
35-49	118	6.3	40	1	1	5	8	12	16	39
50-64	91	8.5	86	1	1	6	11	19	25	52
65+	102	11.9	134	1	2	8	15	27	38	54
GRAND TOTAL	**721**	**6.6**	**54**	**1**	**1**	**5**	**8**	**14**	**20**	**39**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.1	8	<1	<1	2	4	8	10	10
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	5	7.8	130	1	1	3	11	28	28	28
65+	23	3.1	9	<1	<1	1	4	7	10	13
B. *Operated*										
0-19 YRS	50	11.0	264	2	2	5	12	26	29	90
20-34	17	17.3	439	1	2	9	27	31	67	86
35-49	7	10.0	124	1	1	5	16	28	31	31
50-64	16	6.9	70	1	1	3	10	15	28	33
65+	4	5.0	13	2	2	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.7	39	<1	1	3	6	9	12	42
20-34	17	6.9	167	1	2	3	5	11	40	56
35-49	11	5.6	6	3	3	4	8	9	11	11
50-64	46	6.1	23	1	2	5	8	13	15	27
65+	197	6.8	48	1	1	5	9	14	18	42
B. *Operated*										
0-19 YRS	41	16.8	339	3	4	10	20	45	50	95
20-34	13	14.9	104	3	6	15	30	99+	99+	99+
35-49	12	13.4	98	1	4	10	19	30	33	34
50-64	39	10.2	58	1	2	8	14	19	23	38
65+	85	12.0	127	2	3	9	14	21	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.6	16	<1	<1	2	5	8	10	25
B. *Operated*	94	11.1	246	1	2	5	14	28	31	88
2. MULTIPLE DX										
A. *Not Operated*	329	6.3	48	1	1	5	8	12	17	42
B. *Operated*	190	12.9	158	2	3	9	16	28	39	98
1. SINGLE DX	162	8.0	163	<1	1	4	10	20	29	84
2. MULTIPLE DX	519	8.7	98	1	2	6	11	18	27	59
A. NOT OPERATED	397	5.3	43	<1	1	4	7	11	17	42
B. OPERATED	284	12.3	187	2	2	9	15	28	37	93
TOTAL 0-19 YRS	183	8.8	186	<1	1	4	10	20	32	84
20-34	50	12.3	249	2	2	7	18	34	83	99+
35-49	33	9.4	71	1	2	7	11	22	31	34
50-64	106	7.8	49	1	2	6	10	16	21	35
65+	309	7.9	73	1	1	5	10	16	21	46
GRAND TOTAL	**681**	**8.6**	**113**	**1**	**1**	**5**	**10**	**18**	**25**	**67**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.9	22	<1	1	4	5	10	15	23
20-34	12	4.6	32	<1	<1	2	6	12	19	20
35-49	19	4.4	64	1	1	1	5	8	23	36
50-64	36	4.6	36	<1	<1	2	6	8	21	28
65+	61	5.2	58	1	1	2	6	13	27	33
B. *Operated*										
0-19 YRS	21	13.9	176	<1	1	9	21	36	44	45
20-34	18	7.6	137	1	1	2	8	28	39	41
35-49	20	19.3	337	<1	1	15	24	41	64	76
50-64	19	10.7	128	1	1	5	20	31	34	34
65+	30	12.2	116	2	3	7	18	33	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	6.1	20	1	1	5	9	12	16	19
20-34	32	6.6	41	1	1	5	8	15	23	28
35-49	42	7.6	93	<1	1	5	9	17	24	54
50-64	76	6.5	72	1	1	4	8	14	21	52
65+	190	6.1	47	1	1	4	7	15	21	33
B. *Operated*										
0-19 YRS	20	17.7	171	2	4	13	27	36	45	50
20-34	43	29.5	559	1	3	28	35	78	86	93
35-49	44	24.9	347	4	6	23	32	57	66	71
50-64	70	24.0	459	2	3	14	41	51	70	88
65+	136	17.1	344	2	3	9	24	44	60	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.9	43	<1	1	3	6	9	21	33
B. *Operated*	108	12.8	181	1	1	7	21	33	36	63
2. MULTIPLE DX										
A. *Not Operated*	385	6.4	53	1	1	4	8	15	21	33
B. *Operated*	313	21.5	405	2	3	13	32	49	64	87
1. SINGLE DX	273	8.0	112	<1	1	4	8	24	33	45
2. MULTIPLE DX	698	13.1	267	1	1	6	16	36	48	79
A. NOT OPERATED	550	5.9	50	1	1	4	7	14	21	33
B. OPERATED	421	19.2	362	1	2	11	29	44	59	85
TOTAL 0-19 YRS	123	8.9	94	<1	1	5	11	21	31	46
20-34	105	15.9	394	1	1	7	27	37	55	90
35-49	125	15.1	285	1	1	8	23	36	55	72
50-64	201	12.6	275	1	1	6	14	37	48	74
65+	417	10.0	177	1	1	5	10	27	38	64
GRAND TOTAL	**971**	**11.7**	**229**	**1**	**1**	**6**	**14**	**32**	**42**	**76**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	7	<1	<1	3	5	8	9	9
20-34	34	4.0	13	1	1	3	5	9	12	17
35-49	53	4.0	11	<1	1	3	6	10	10	16
50-64	112	4.8	37	<1	1	2	6	10	16	34
65+	115	5.9	90	<1	1	4	7	11	15	53
B. *Operated*										
0-19 YRS	26	10.0	96	<1	<1	7	11	26	34	36
20-34	33	7.6	56	1	2	5	11	20	23	29
35-49	75	6.2	24	<1	1	5	9	13	17	19
50-64	148	6.0	31	<1	1	4	8	14	19	24
65+	197	8.1	69	1	2	5	11	18	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.5	9	<1	1	2	6	8	10	11
20-34	33	6.7	28	1	1	6	9	15	19	20
35-49	113	5.1	27	1	1	3	7	10	16	27
50-64	365	7.3	59	1	1	5	9	18	23	37
65+	718	8.7	95	1	1	6	11	20	26	52
B. *Operated*										
0-19 YRS	15	16.4	530	2	2	7	22	38	77	90
20-34	31	12.5	127	2	3	9	16	25	28	59
35-49	93	11.9	146	1	2	8	14	27	41	58
50-64	312	14.6	203	2	3	11	20	31	43	95
65+	602	15.4	213	2	3	11	21	35	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.9	49	<1	1	3	6	10	14	27
B. *Operated*	479	7.3	52	<1	1	5	10	17	21	35
2. MULTIPLE DX										
A. *Not Operated*	1248	7.8	77	1	1	5	10	18	23	45
B. *Operated*	1053	14.8	206	2	3	10	20	32	44	90
1. SINGLE DX	801	6.3	52	<1	1	4	8	14	19	34
2. MULTIPLE DX	2301	11.0	148	1	1	7	14	25	35	59
A. NOT OPERATED	1570	7.2	72	1	1	4	9	16	23	44
B. OPERATED	1532	12.5	170	1	2	8	17	28	40	66
TOTAL 0-19 YRS	68	8.9	174	<1	1	5	9	24	33	81
20-34	131	7.6	63	1	1	5	9	18	23	35
35-49	334	7.1	66	1	1	4	9	16	22	42
50-64	937	9.2	115	1	1	6	12	21	30	50
65+	1632	10.9	147	1	1	7	14	25	35	59
GRAND TOTAL	**3102**	**9.8**	**127**	**1**	**1**	**6**	**12**	**23**	**31**	**57**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	31	2.9	6	<1	<1	2	3	6	8	13
20-34	100	2.5	2	<1	<1	2	3	4	5	8
35-49	130	2.6	2	1	1	2	3	4	5	7
50-64	151	2.7	2	1	1	3	3	4	5	8
65+	104	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	7	2.7	2	<1	<1	2	4	5	5	5
20-34	27	2.9	2	1	1	3	4	5	5	6
35-49	44	3.9	12	<1	1	3	4	7	11	20
50-64	69	3.5	4	1	2	3	4	6	7	10
65+	75	4.6	43	1	2	3	5	8	12	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	516	2.7	2	<1	1	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*	222	3.9	18	1	2	3	4	6	9	18
1. SINGLE DX	519	2.7	2	<1	1	3	3	4	5	8
2. MULTIPLE DX	224	3.9	18	1	2	3	4	6	9	18
A. NOT OPERATED	5	3.0	3	<1	<1	3	4	5	5	5
B. OPERATED	738	3.0	7	1	1	3	4	5	6	11
TOTAL 0-19 YRS	39	2.8	5	<1	<1	2	3	5	7	13
20-34	128	2.6	2	<1	1	2	3	4	5	7
35-49	175	2.9	4	<1	1	3	4	4	6	11
50-64	221	2.9	3	1	1	3	4	5	5	10
65+	180	3.7	20	1	1	3	4	6	7	16
GRAND TOTAL	**743**	**3.0**	**7**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	2.0	1	<1	<1	2	2	3	3	3
35-49	10	2.1	1	1	1	2	3	4	4	4
50-64	19	2.6	5	<1	<1	2	3	5	8	10
65+	22	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-19 YRS	15	5.1	15	<1	1	3	9	10	12	12
20-34	30	6.2	28	<1	1	5	8	14	18	21
35-49	53	3.9	19	<1	<1	2	5	9	11	20
50-64	171	3.1	10	<1	<1	2	4	8	10	14
65+	214	4.8	24	<1	1	3	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	6	5.2	9	2	2	4	9	9	9	9
35-49	12	6.9	137	<1	<1	3	6	20	40	43
50-64	40	3.7	9	<1	<1	2	6	7	10	12
65+	81	4.6	19	1	1	3	6	9	13	26
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	29	7.8	38	<1	1	5	11	14	23	26
35-49	73	7.8	83	1	1	7	9	17	26	92
50-64	293	6.8	42	<1	1	5	9	14	19	29
65+	563	6.9	50	1	1	5	9	14	18	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.1	3	<1	<1	2	3	4	5	10
B. *Operated*	483	4.2	19	<1	<1	2	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	142	4.5	25	<1	1	3	6	9	12	30
B. *Operated*	961	7.0	49	1	1	5	9	14	19	35
1. SINGLE DX	542	3.9	18	<1	<1	2	6	10	11	19
2. MULTIPLE DX	1103	6.7	47	1	1	5	9	14	18	34
A. NOT OPERATED	201	3.8	20	<1	1	2	5	8	10	23
B. OPERATED	1444	6.0	41	<1	1	4	9	13	17	29
TOTAL 0-19 YRS	24	4.0	12	<1	1	3	6	10	11	12
20-34	70	6.4	30	<1	1	5	9	13	18	25
35-49	148	6.0	62	<1	<1	3	8	11	19	66
50-64	523	5.2	31	<1	<1	3	7	12	15	24
65+	880	6.1	41	1	1	4	9	13	17	29
GRAND TOTAL	**1645**	**5.8**	**39**	**<1**	**1**	**4**	**8**	**13**	**17**	**29**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	80	1.6	3	<1	<1	1	2	2	3	11
20-34	45	2.4	7	<1	<1	1	2	7	8	11
35-49	43	2.6	5	<1	<1	2	3	6	8	8
50-64	58	3.3	7	<1	<1	2	6	7	8	10
65+	39	2.8	5	<1	<1	2	3	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-19 YRS	33	1.9	2	<1	<1	1	2	3	5	8
20-34	17	5.6	45	<1	1	3	8	13	22	27
35-49	20	9.1	68	1	2	7	10	21	28	34
50-64	46	6.1	23	1	1	5	9	13	16	20
65+	39	6.1	24	1	1	5	7	14	17	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.8	3	<1	<1	<1	2	5	5	5
B. *Operated*	265	2.4	5	<1	<1	1	2	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	7	3.7	7	1	1	3	5	8	9	9
B. *Operated*	155	5.5	31	<1	1	3	8	13	16	27
1. SINGLE DX	270	2.4	5	<1	<1	1	2	6	8	10
2. MULTIPLE DX	162	5.5	30	<1	1	3	7	12	16	26
A. NOT OPERATED	12	2.9	6	<1	<1	2	4	6	9	9
B. OPERATED	420	3.6	17	<1	<1	2	5	8	11	20
TOTAL 0-19 YRS	117	1.7	3	<1	<1	1	2	3	5	10
20-34	64	3.3	19	<1	<1	1	4	8	11	25
35-49	64	4.6	33	<1	<1	2	6	9	16	32
50-64	106	4.5	16	<1	<1	3	7	9	12	18
65+	81	4.4	16	<1	1	2	6	10	14	19
GRAND TOTAL	**432**	**3.6**	**17**	**<1**	**<1**	**2**	**5**	**8**	**11**	**20**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	1.6		<1	<1	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	5	1.4		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	416	2.4	3	<1	<1	2	3	4	5	10
20-34	454	2.6	6	<1	<1	2	3	5	6	16
35-49	441	2.2	3	<1	<1	2	2	4	6	8
50-64	415	2.7	13	<1	<1	2	3	5	8	13
65+	182	2.6	8	<1	<1	2	3	5	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	3	3.7	4	2	2	3	5	6	6	6
35-49	8	2.0	1	<1	<1	2	3	4	4	4
50-64	8	2.8	9	<1	<1	2	3	8	10	10
65+	12	5.4	17	1	1	5	7	11	15	16
B. *Operated*										
0-19 YRS	61	4.4	120	<1	1	2	4	6	8	79
20-34	143	3.0	6	<1	1	2	4	5	7	14
35-49	157	3.5	9	<1	1	2	4	7	10	17
50-64	241	4.4	21	<1	1	3	5	10	14	23
65+	162	5.3	38	1	1	3	6	11	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5		<1	<1	1	2	2	3	3
B. *Operated*	1908	2.5	6	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	35	3.5	11	<1	<1	2	5	8	10	16
B. *Operated*	764	4.1	28	<1	1	3	5	9	12	23
1. SINGLE DX	1925	2.4	6	<1	<1	2	3	5	6	11
2. MULTIPLE DX	799	4.1	27	<1	1	3	5	9	12	23
A. NOT OPERATED	52	2.8	8	<1	<1	2	4	6	9	16
B. OPERATED	2672	2.9	13	<1	<1	2	3	5	8	17
TOTAL 0-19 YRS	482	2.6	18	<1	<1	2	3	4	6	11
20-34	605	2.7	6	<1	<1	2	3	5	6	15
35-49	607	2.5	5	<1	<1	2	3	5	7	11
50-64	669	3.3	17	<1	<1	2	3	8	10	21
65+	361	3.9	23	<1	1	2	4	9	12	25
GRAND TOTAL	**2724**	**2.9**	**13**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	4	5	5	5
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	3	1.7	1	1	1	1	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	6	4.2	26	<1	<1	2	5	13	14	14
B. *Operated*										
0-19 YRS	374	1.8	3	<1	<1	1	2	3	5	9
20-34	162	2.3	6	<1	<1	2	3	4	6	13
35-49	109	3.4	20	<1	<1	2	3	8	15	24
50-64	103	2.3	5	<1	<1	2	3	4	6	12
65+	60	2.7	5	<1	<1	2	3	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5	1	<1	<1	1	1	4	4	4
20-34	3	3.7		3	3	4	4	4	4	4
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	11	10.1	59	2	3	7	16	22	25	25
B. *Operated*										
0-19 YRS	79	3.7	16	<1	<1	2	5	9	12	20
20-34	64	3.8	24	<1	<1	2	4	7	13	31
35-49	65	3.8	13	<1	<1	3	4	10	13	17
50-64	83	4.2	30	<1	1	2	5	9	14	32
65+	58	7.4	77	<1	<1	4	8	20	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.6	8	<1	<1	1	4	5	8	14
B. *Operated*	808	2.3	6	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	35	4.6	33	<1	<1	3	5	13	19	25
B. *Operated*	349	4.5	32	<1	<1	3	5	10	14	32
1. SINGLE DX	831	2.3	6	<1	<1	1	2	4	7	14
2. MULTIPLE DX	384	4.5	32	<1	<1	3	5	10	15	32
A. NOT OPERATED	58	3.8	24	<1	<1	2	4	9	16	25
B. OPERATED	1157	2.9	15	<1	<1	2	3	6	9	21
TOTAL 0-19 YRS	479	2.1	5	<1	<1	1	2	4	7	13
20-34	233	2.7	11	<1	<1	2	3	5	8	16
35-49	178	3.5	17	<1	<1	2	4	9	13	22
50-64	190	3.2	16	<1	<1	2	3	7	9	24
65+	135	5.4	48	<1	<1	3	7	13	21	34
GRAND TOTAL	**1215**	**3.0**	**15**	**<1**	**<1**	**2**	**3**	**6**	**10**	**21**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	79	1.3		<1	<1	1	2	2	2	4
20-34	219	1.4		<1	<1	1	2	2	2	3
35-49	156	1.7	1	<1	<1	1	2	2	3	7
50-64	87	1.9	2	<1	<1	2	2	3	3	9
65+	50	2.4	2	<1	<1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49										
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	85	2.0	2	<1	<1	2	3	4	5	6
35-49	107	2.3	10	<1	<1	2	2	4	5	20
50-64	86	2.7	5	<1	1	2	3	6	7	11
65+	60	3.9	22	1	1	2	4	8	12	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	591	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	5	2.4	3	1	1	2	3	5	5	5
B. *Operated*	346	2.6	9	<1	<1	2	3	4	6	14
1. SINGLE DX	591	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	351	2.6	9	<1	<1	2	3	4	6	14
A. NOT OPERATED	5	2.4	3	1	1	2	3	5	5	5
B. OPERATED	937	2.0	4	<1	<1	2	2	3	4	10
TOTAL 0-19 YRS	88	1.3		<1	<1	1	2	2	2	4
20-34	306	1.6	1	<1	<1	1	2	2	3	5
35-49	263	1.9	5	<1	<1	2	2	3	4	10
50-64	175	2.3	3	<1	1	2	2	4	6	11
65+	110	3.2	14	<1	1	2	3	6	9	22
GRAND TOTAL	**942**	**2.0**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	2.9	4	<1	<1	2	4	6	6	6
35-49	10	3.0	5	<1	<1	2	5	6	7	7
50-64	5	3.8	8	<1	<1	3	6	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	264	4.9	4	1	1	5	6	7	8	10
35-49	910	5.3	3	1	3	6	6	7	8	10
50-64	164	5.0	5	<1	1	6	7	7	8	10
65+	13	5.2	5	1	2	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	16	1.7	2	<1	<1	1	2	5	6	6
35-49	63	2.4	3	<1	<1	2	4	5	6	8
50-64	17	2.3	10	<1	<1	1	2	4	10	14
65+	7	4.4	10	<1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	8	5.9	3	4	4	6	7	8	9	9
20-34	898	5.6	6	1	3	6	7	8	9	14
35-49	4957	6.0	5	2	4	6	7	8	9	14
50-64	1071	6.3	8	2	4	6	7	8	10	17
65+	142	7.7	18	2	4	7	9	12	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.1	5	<1	<1	3	5	6	7	8
B. *Operated*	1353	5.2	4	1	2	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	103	2.4	5	<1	<1	2	3	5	6	12
B. *Operated*	7076	6.0	6	2	4	6	7	8	9	15
1. SINGLE DX	1376	5.1	4	<1	2	5	6	7	8	10
2. MULTIPLE DX	7179	6.0	6	2	4	6	7	8	9	15
A. NOT OPERATED	126	2.6	5	<1	<1	2	4	5	6	12
B. OPERATED	8429	5.9	6	2	4	6	7	8	9	14
TOTAL 0-19 YRS	10	5.9	3	4	4	6	7	8	9	9
20-34	1185	5.4	5	1	2	5	6	8	9	13
35-49	5940	5.8	5	2	4	6	7	8	9	13
50-64	1257	6.1	8	1	3	6	7	8	10	17
65+	163	7.3	18	2	3	7	8	11	17	24
GRAND TOTAL	**8555**	**5.8**	**6**	**1**	**3**	**6**	**7**	**8**	**9**	**14**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	2.6	4	<1	<1	1	5	5	6	6
35-49	18	4.4	6	<1	1	5	7	7	8	8
50-64	14	4.2	6	<1	<1	5	6	7	7	7
65+	4	6.8	26	2	2	5	10	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	38	4.8	6	<1	<1	5	6	8	9	10
35-49	111	5.5	5	1	2	6	7	8	10	11
50-64	36	5.0	6	<1	<1	5	7	7	8	12
65+	5	10.2	79	<1	<1	8	13	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	50	4.0	8	<1	<1	5	6	7	7	14
2. MULTIPLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	191	5.4	8	<1	1	6	7	8	9	12
1. SINGLE DX	50	4.0	8	<1	<1	5	6	7	7	14
2. MULTIPLE DX	194	5.3	8	<1	1	6	7	8	9	12
A. NOT OPERATED	3	1.3		<1	<1	1	2	2	2	2
B. OPERATED	241	5.1	8	<1	1	5	7	8	9	12
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	51	4.3	6	<1	<1	5	6	7	8	10
35-49	131	5.3	6	1	1	6	7	8	9	11
50-64	51	4.7	6	<1	<1	5	6	7	8	12
65+	9	8.7	53	<1	1	8	10	21	25	25
GRAND TOTAL	**244**	**5.1**	**8**	**<1**	**1**	**5**	**7**	**8**	**9**	**12**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	66	4.8	2	3	3	5	5	6	7	8
20-34	306	4.8	2	3	3	5	5	6	7	9
35-49	109	5.8	11	4	4	5	6	8	9	21
50-64	68	6.1	3	3	4	6	7	8	9	11
65+	30	7.4	5	5	5	7	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	9.0	32	5	5	9	13	13	13	13
65+										
B. *Operated*										
0-19 YRS	58	5.9	4	4	4	5	6	8	11	13
20-34	368	5.3	3	3	4	5	6	7	8	12
35-49	266	6.6	12	4	4	6	7	9	12	28
50-64	188	7.5	11	5	5	7	8	11	13	24
65+	136	9.9	28	5	5	8	12	18	21	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	1	1	1	1	2	3	3	3
B. *Operated*	579	5.3	4	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	27	1	1	1	7	13	13	13
B. *Operated*	1016	6.7	12	4	4	6	7	10	13	23
1. SINGLE DX	584	5.2	4	3	3	5	6	7	8	11
2. MULTIPLE DX	1021	6.7	12	4	4	6	7	10	13	23
A. NOT OPERATED	10	2.9	14	1	1	1	3	9	13	13
B. OPERATED	1595	6.2	10	3	4	5	7	9	12	21
TOTAL 0-19 YRS	125	5.2	3	3	4	5	6	7	8	13
20-34	678	5.0	3	3	3	5	6	7	7	10
35-49	377	6.3	11	4	4	6	7	8	10	27
50-64	259	7.1	9	4	5	6	8	10	13	22
65+	166	9.5	25	5	5	8	11	17	21	28
GRAND TOTAL	**1605**	**6.1**	**10**	**3**	**4**	**5**	**7**	**9**	**12**	**21**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	5	3.2	2	1	1	4	4	4	4	4
20-34	9	3.2	6	<1	<1	2	5	7	7	7
35-49	9	3.4	3	1	1	4	5	6	6	6
50-64	4	1.3		<1	<1	1	1	2	2	2
65+	6	2.8	1	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	9	3.7	4	<1	<1	4	5	6	7	7
35-49	12	6.4	10	1	2	6	8	10	13	13
50-64	12	4.7	6	1	2	5	7	8	8	8
65+	7	4.4	5	1	1	4	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	33	3.0	3	<1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	42	4.8	7	<1	1	5	7	8	9	13
1. SINGLE DX	34	2.9	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	42	4.8	7	<1	1	5	7	8	9	13
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	75	4.0	6	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	7	3.0	2	<1	<1	4	4	4	4	4
20-34	18	3.4	5	<1	<1	3	5	7	7	7
35-49	22	5.0	9	1	1	5	7	8	11	13
50-64	16	3.8	7	<1	<1	3	6	7	8	8
65+	13	3.7	4	1	1	3	5	7	7	7
GRAND TOTAL	**76**	**4.0**	**6**	**<1**	**1**	**4**	**6**	**7**	**8**	**12**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	16	1.3		<1	<1	1	1	2	3	3
35-49	8	1.8	1	<1	<1	1	2	3	4	4
50-64	9	4.4	22	<1	1	2	5	12	16	16
65+	7	3.4	5	1	1	3	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	7	3.9	23	<1	<1	2	5	12	14	14
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	7	2.6	1	1	1	2	4	4	4	4
65+	16	5.5	45	1	1	3	5	15	23	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	44	2.4	7	<1	<1	2	3	4	7	16
2. MULTIPLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	34	4.1	27	<1	1	2	4	10	16	26
1. SINGLE DX	44	2.4	7	<1	<1	2	3	4	7	16
2. MULTIPLE DX	35	4.1	26	<1	1	2	4	10	15	26
A. NOT OPERATED	1	3.0		3	3	3	3	3	3	3
B. OPERATED	78	3.2	16	<1	<1	2	4	6	12	23
TOTAL 0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	23	2.0	8	<1	<1	1	2	4	9	14
35-49	10	1.9	1	<1	<1	2	2	3	4	4
50-64	16	3.6	13	<1	1	2	4	6	13	16
65+	24	4.8	32	1	1	3	5	11	19	26
GRAND TOTAL	**79**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**6**	**12**	**23**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	2.1	2	<1	<1	1	3	5	5	5
35-49	10	4.8	23	<1	<1	3	7	12	16	16
50-64	16	3.4	8	<1	1	2	4	9	10	10
65+	45	2.2	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	11.0	203	2	2	4	16	36	40	40
35-49	6	6.2	57	1	1	3	7	20	21	21
50-64	14	4.6	14	<1	1	3	9	10	12	12
65+	43	5.7	47	<1	1	3	6	12	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	78	2.8	7	<1	1	2	3	6	9	14
2. MULTIPLE DX										
A. *Not Operated*	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*	71	6.1	55	1	1	3	7	13	21	38
1. SINGLE DX	78	2.8	7	<1	1	2	3	6	9	14
2. MULTIPLE DX	74	5.9	53	1	1	3	7	12	21	38
A. NOT OPERATED	3	2.7	2	1	1	3	4	4	4	4
B. OPERATED	149	4.4	32	<1	1	2	4	9	13	32
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	14	6.6	116	<1	1	3	5	22	36	40
35-49	18	5.0	31	<1	1	3	7	14	19	21
50-64	30	4.0	11	<1	1	3	5	10	10	12
65+	89	3.9	27	<1	1	2	4	9	12	31
GRAND TOTAL	**152**	**4.3**	**32**	**<1**	**1**	**2**	**4**	**9**	**13**	**32**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	3	3	3
20-34	7	1.7	1	1	1	1	2	4	4	4
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	25	1.5	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	2	5.0		5	5	5	5	5	5	5
1. SINGLE DX	27	1.6	1	<1	<1	1	2	3	4	4
2. MULTIPLE DX	3	3.7	5	<1	<1	5	5	5	5	5
A. NOT OPERATED	3	2.0	1	<1	<1	2	3	3	3	3
B. OPERATED	27	1.8	2	<1	<1	1	2	4	5	5
TOTAL 0-19 YRS	12	1.8	1	<1	<1	1	2	4	5	5
20-34	8	2.1	2	1	1	2	3	5	5	5
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	5	1.4	1	<1	<1	<1	1	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
GRAND TOTAL	**30**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**5**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	6	3.7	4	1	1	4	5	6	6	6
65+	9	6.2	45	<1	<1	3	8	17	22	22
B. *Operated*										
0-19 YRS	12	8.9	27	<1	1	9	11	17	19	19
20-34	41	14.0	287	4	5	9	14	20	53	85
35-49	61	10.0	27	2	3	9	12	18	20	25
50-64	70	10.4	25	2	3	10	13	17	19	28
65+	50	15.0	191	2	3	11	18	30	41	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	2	10.5	85	4	4	10	17	17	17	17
50-64	12	7.1	35	1	1	6	10	15	20	21
65+	39	10.0	175	2	2	6	11	19	43	65
B. *Operated*										
0-19 YRS	12	11.5	53	5	6	9	11	25	28	29
20-34	42	14.7	149	2	7	12	18	25	61	99+
35-49	83	16.2	180	4	8	11	18	34	55	90
50-64	114	18.2	211	5	7	14	22	36	57	99+
65+	101	20.4	280	3	6	16	25	44	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.4	25	<1	<1	3	6	9	17	22
B. *Operated*	234	11.8	110	2	3	10	13	19	25	81
2. MULTIPLE DX										
A. *Not Operated*	58	8.8	130	1	2	5	10	18	23	64
B. *Operated*	352	17.7	214	4	7	13	22	37	58	99+
1. SINGLE DX	253	11.3	107	2	2	9	13	19	23	80
2. MULTIPLE DX	410	16.5	212	2	4	12	20	34	57	99+
A. NOT OPERATED	77	7.7	107	1	1	5	9	17	22	63
B. OPERATED	586	15.4	181	3	6	11	18	29	50	97
TOTAL 0-19 YRS	26	9.6	42	1	2	9	10	19	25	29
20-34	86	14.0	212	2	5	10	15	23	60	94
35-49	150	13.2	124	2	4	10	14	26	34	72
50-64	202	14.4	150	2	4	11	17	27	39	93
65+	199	16.4	246	2	3	12	22	36	55	96
GRAND TOTAL	**663**	**14.5**	**178**	**2**	**3**	**11**	**17**	**28**	**46**	**92**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.2	1	1	2	3	4	4	5	5
20-34	187	3.5	1	2	2	3	4	5	5	6
35-49	190	3.5	2	2	2	3	4	5	5	8
50-64	161	3.6	1	2	2	4	4	5	6	7
65+	56	3.9	2	2	3	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	71	3.5	2	1	2	4	4	5	6	7
35-49	100	3.7	2	2	3	3	4	5	6	10
50-64	84	4.4	4	2	3	4	5	7	9	12
65+	62	5.1	10	2	3	5	6	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	609	3.5	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	2	11.5	181	2	2	11	21	21	21	21
B. *Operated*	318	4.1	4	2	2	4	5	6	8	12
1. SINGLE DX	610	3.5	1	2	2	3	4	5	5	7
2. MULTIPLE DX	320	4.2	5	2	2	4	5	6	8	14
A. NOT OPERATED	3	8.0	127	<1	<1	2	16	21	21	21
B. OPERATED	927	3.7	2	2	2	4	4	5	6	10
TOTAL 0-19 YRS	16	3.2	1	1	2	3	4	4	5	5
20-34	259	3.5	1	2	2	3	4	5	5	6
35-49	291	3.6	2	2	2	3	4	5	6	9
50-64	245	3.9	2	2	2	4	4	5	7	10
65+	119	4.7	9	2	3	4	5	7	8	20
GRAND TOTAL	**930**	**3.7**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**10**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	3.0	7	1	1	2	4	7	10	10
35-49	6	2.2	1	<1	<1	2	2	4	4	4
50-64	3	3.0	7	1	1	2	5	6	6	6
65+	6	3.3	9	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	8	7.5	10	4	4	7	10	12	12	12
20-34	31	7.2	7	3	4	7	9	11	12	14
35-49	50	6.8	9	3	3	6	9	11	12	14
50-64	44	6.3	16	2	3	6	9	9	11	26
65+	17	7.3	16	3	4	6	9	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	4.3	7	2	2	3	5	9	10	10
35-49	4	4.0	6	1	1	4	6	7	7	7
50-64	14	7.8	65	1	1	4	9	24	25	25
65+	15	8.2	68	1	1	6	10	14	30	35
B. *Operated*										
0-19 YRS	6	9.0	42	4	4	6	14	19	20	20
20-34	39	8.3	30	3	3	7	10	16	23	24
35-49	47	10.6	118	2	3	8	10	21	45	49
50-64	74	8.0	44	2	3	6	10	14	21	40
65+	64	9.0	56	3	4	6	10	20	27	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.9	6	<1	1	2	4	6	9	10
B. *Operated*	150	6.8	12	3	3	6	9	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	41	6.9	50	1	1	5	7	15	24	35
B. *Operated*	230	8.9	60	3	3	6	10	18	24	48
1. SINGLE DX	176	6.3	13	1	2	6	9	11	12	17
2. MULTIPLE DX	271	8.6	59	2	3	6	10	18	24	47
A. NOT OPERATED	67	5.3	36	1	1	4	6	11	17	33
B. OPERATED	380	8.1	42	3	3	6	9	14	21	45
TOTAL 0-19 YRS	14	8.1	22	4	4	6	11	15	19	20
20-34	89	6.9	20	2	2	6	9	12	14	24
35-49	107	8.1	62	2	3	6	10	14	19	48
50-64	135	7.3	37	2	3	6	9	12	21	34
65+	102	8.3	49	2	3	6	9	17	26	71
GRAND TOTAL	**447**	**7.7**	**42**	**2**	**3**	**6**	**9**	**14**	**20**	**44**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	7	1.6	1	<1	<1	1	2	3	3	3
20-34	473	3.1	5	<1	<1	2	5	6	7	9
35-49	212	3.8	6	<1	1	4	6	7	7	10
50-64	48	3.2	6	<1	1	2	5	7	8	9
65+	28	4.0	31	<1	<1	2	6	9	12	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.5	2	<1	<1	1	1	4	4	4
35-49	4	2.3	6	<1	<1	1	4	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	10	1.3		<1	<1	<1	1	2	3	3
20-34	385	4.4	10	<1	1	5	6	7	8	14
35-49	244	5.2	12	1	1	5	6	8	9	15
50-64	88	5.5	8	1	1	6	7	9	10	14
65+	33	5.8	10	1	1	6	7	10	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	768	3.3	6	<1	<1	2	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	11	1.8	3	<1	<1	1	2	5	6	6
B. *Operated*	760	4.8	11	<1	1	5	6	8	9	14
1. SINGLE DX	769	3.3	6	<1	<1	2	5	6	7	10
2. MULTIPLE DX	771	4.8	11	<1	1	5	6	8	9	14
A. NOT OPERATED	12	1.8	3	<1	<1	1	2	5	6	6
B. OPERATED	1528	4.0	9	<1	1	4	6	7	8	13
TOTAL 0-19 YRS	17	1.4	1	<1	<1	1	2	3	3	3
20-34	864	3.6	8	<1	1	3	5	6	7	12
35-49	460	4.5	10	<1	1	5	6	7	8	12
50-64	137	4.7	9	<1	1	5	6	8	10	13
65+	62	5.0	20	<1	1	5	7	9	11	27
GRAND TOTAL	**1540**	**4.0**	**9**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	10.8	42	5	5	9	15	20	20	20
B. *Operated*										
0-19 YRS	4	4.8	15	<1	<1	4	8	9	9	9
20-34	28	4.4	9	1	1	4	6	8	10	14
35-49	52	3.1	6	<1	<1	2	5	6	7	12
50-64	87	4.4	14	<1	1	3	6	9	12	17
65+	111	3.8	7	<1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	12	4.0	15	1	1	2	5	9	14	15
65+	4	8.8	63	<1	<1	8	15	17	17	17
B. *Operated*										
0-19 YRS										
20-34	14	4.9	24	<1	1	3	7	12	17	18
35-49	55	6.5	28	<1	2	5	8	10	16	30
50-64	135	6.3	26	<1	1	6	8	12	16	26
65+	163	8.4	50	1	2	7	12	18	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.1	43	<1	<1	4	9	17	20	20
B. *Operated*	282	3.9	9	<1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	18	4.9	25	<1	1	3	5	15	16	17
B. *Operated*	367	7.2	38	1	1	6	9	15	20	30
1. SINGLE DX	290	4.0	10	<1	1	3	5	8	10	16
2. MULTIPLE DX	385	7.1	37	1	1	6	9	15	19	30
A. NOT OPERATED	26	5.3	29	<1	1	3	6	15	18	20
B. OPERATED	649	5.8	28	<1	1	4	8	12	16	27
TOTAL 0-19 YRS	5	4.6	11	<1	<1	4	7	9	9	9
20-34	42	4.5	14	1	1	4	6	9	12	18
35-49	111	4.7	20	<1	1	4	6	9	12	27
50-64	235	5.4	21	<1	1	5	8	11	15	26
65+	282	6.6	38	1	1	4	9	14	20	30
GRAND TOTAL	**675**	**5.7**	**28**	**<1**	**1**	**4**	**8**	**12**	**16**	**27**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	5	<1	<1	2	3	7	8	9
20-34	19	3.2	7	1	1	2	4	6	10	12
35-49	35	3.0	6	<1	<1	2	4	6	9	10
50-64	41	3.5	22	<1	1	2	4	7	11	28
65+	69	4.5	20	<1	1	3	6	12	15	19
B. *Operated*										
0-19 YRS	115	2.9	6	<1	1	2	4	7	8	11
20-34	166	4.1	14	<1	1	3	5	8	12	19
35-49	144	4.0	22	<1	1	3	5	9	10	26
50-64	210	3.9	14	<1	1	2	5	9	11	18
65+	251	4.3	17	<1	1	3	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.9	8	<1	<1	2	3	8	10	11
20-34	28	2.9	11	<1	<1	2	4	7	8	16
35-49	44	6.5	122	<1	1	3	7	12	20	70
50-64	98	4.8	24	<1	1	3	6	10	17	23
65+	263	6.4	66	1	1	4	8	14	21	33
B. *Operated*										
0-19 YRS	55	7.9	77	1	1	5	9	18	29	43
20-34	138	7.4	78	1	2	5	8	18	30	65
35-49	139	7.9	128	1	1	5	9	17	24	62
50-64	240	6.8	43	1	1	5	9	14	19	43
65+	440	9.4	116	1	2	6	12	19	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.7	15	<1	1	2	5	8	12	19
B. *Operated*	886	4.0	15	<1	1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	451	5.7	57	1	1	3	7	12	19	30
B. *Operated*	1012	8.2	94	1	2	5	10	17	25	58
1. SINGLE DX	1066	3.9	15	<1	1	2	5	8	11	18
2. MULTIPLE DX	1463	7.4	84	1	1	5	9	17	23	57
A. NOT OPERATED	631	5.1	46	<1	1	3	6	11	17	30
B. OPERATED	1898	6.2	62	1	1	4	8	13	19	43
TOTAL 0-19 YRS	204	4.2	30	<1	1	2	5	9	13	32
20-34	351	5.3	42	<1	1	4	6	11	17	37
35-49	362	5.7	77	<1	1	3	6	10	17	44
50-64	589	5.2	30	<1	1	3	7	11	16	28
65+	1023	7.0	77	1	1	4	9	15	21	51
GRAND TOTAL	**2529**	**5.9**	**58**	**1**	**1**	**4**	**7**	**13**	**18**	**42**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	5	<1	<1	1	4	5	5	5
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	15	2.9	1	1	2	3	3	5	5	5
20-34	142	3.5	1	2	2	3	4	5	5	8
35-49	199	3.3	1	2	2	3	4	5	5	7
50-64	159	3.6	1	2	2	3	4	5	6	7
65+	86	4.1	2	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	1.9	1	<1	<1	1	3	3	3	3
35-49	13	2.9	9	<1	<1	1	4	8	10	10
50-64	15	2.9	8	<1	1	2	3	9	9	9
65+	15	3.5	9	1	1	3	4	6	11	13
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	37	3.8	2	2	3	3	4	6	6	8
35-49	77	4.6	6	1	2	4	5	8	9	14
50-64	128	4.5	4	3	3	4	5	7	9	11
65+	66	5.2	11	2	3	4	6	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	601	3.5	1	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	50	2.9	7	<1	1	2	3	7	9	13
B. *Operated*	311	4.6	5	2	3	4	5	7	9	13
1. SINGLE DX	611	3.5	1	2	2	3	4	5	6	7
2. MULTIPLE DX	361	4.3	6	1	2	4	5	7	9	13
A. NOT OPERATED	60	2.8	7	<1	<1	2	3	6	9	13
B. OPERATED	912	3.9	3	2	2	4	4	6	7	11
TOTAL 0-19 YRS	18	2.9	1	1	1	3	3	5	5	5
20-34	189	3.4	2	1	2	3	4	5	6	8
35-49	292	3.6	3	1	2	3	4	5	7	10
50-64	304	3.9	3	2	2	4	4	5	7	10
65+	169	4.4	6	2	3	4	5	7	8	15
GRAND TOTAL	**972**	**3.8**	**3**	**2**	**2**	**4**	**4**	**6**	**7**	**11**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	5	<1	<1	2	5	6	7	7
20-34	46	4.0	7	1	1	3	5	7	9	14
35-49	31	3.0	5	1	1	2	3	6	8	11
50-64	23	6.0	29	1	1	5	7	15	19	22
65+	14	8.6	27	1	2	9	12	15	18	19
B. *Operated*										
0-19 YRS	30	3.7	2	1	2	4	4	5	6	7
20-34	136	3.9	1	2	3	4	5	5	6	7
35-49	94	4.0	3	2	2	4	5	6	6	12
50-64	83	4.3	4	2	2	4	5	6	8	13
65+	36	5.0	13	2	3	4	5	7	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.4	2	<1	<1	2	3	5	6	6
20-34	50	5.3	80	1	1	3	5	8	10	63
35-49	74	5.3	23	1	2	4	7	9	10	32
50-64	115	6.5	81	2	2	5	7	11	15	54
65+	223	9.1	71	2	3	7	12	19	22	36
B. *Operated*										
0-19 YRS	13	6.5	19	2	3	4	8	14	16	16
20-34	62	5.7	15	2	3	4	7	9	15	22
35-49	80	5.6	33	2	2	4	5	8	17	36
50-64	70	6.9	66	2	2	4	7	16	20	50
65+	68	10.9	110	2	3	7	15	24	33	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	4.5	16	1	1	3	6	9	13	20
B. *Operated*	379	4.1	4	2	2	4	5	6	6	14
2. MULTIPLE DX										
A. *Not Operated*	474	7.3	68	1	2	5	9	16	19	38
B. *Operated*	293	7.2	58	2	2	4	7	16	22	43
1. SINGLE DX	505	4.2	7	1	2	4	5	6	9	15
2. MULTIPLE DX	767	7.3	64	2	2	5	8	16	20	40
A. NOT OPERATED	600	6.7	58	1	2	5	8	14	19	32
B. OPERATED	672	5.4	30	2	2	4	5	9	16	33
TOTAL 0-19 YRS	67	3.9	7	1	1	4	4	7	8	16
20-34	294	4.5	19	1	2	4	5	7	9	19
35-49	279	4.7	18	1	2	4	5	8	10	25
50-64	291	5.9	52	2	2	4	6	10	16	35
65+	341	9.0	73	2	3	6	12	19	22	46
GRAND TOTAL	**1272**	**6.1**	**44**	**2**	**2**	**4**	**6**	**12**	**17**	**33**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	230	4.8	7	1	2	4	6	8	10	14
20-34	127	4.5	6	1	2	4	6	7	9	12
35-49	111	4.1	3	2	2	4	5	7	8	9
50-64	129	4.5	5	1	2	4	5	8	9	11
65+	113	5.4	10	1	2	5	7	10	12	14
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	3	12.7	25	8	8	12	16	18	18	18
50-64	6	3.8	11	1	1	2	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	4.2	9	1	1	3	6	7	9	16
20-34	240	5.3	16	1	2	4	7	10	13	20
35-49	308	5.0	11	1	2	4	7	9	11	19
50-64	701	6.0	19	2	2	5	8	10	14	21
65+	1144	8.0	50	2	3	6	9	15	21	39
B. *Operated*										
0-19 YRS	5	6.0	14	3	3	4	10	10	10	10
20-34	26	10.4	132	1	1	7	10	31	38	47
35-49	34	8.6	61	1	1	7	12	19	28	29
50-64	94	9.3	90	1	1	7	12	18	27	55
65+	146	13.2	174	1	2	10	16	28	45	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	710	4.7	6	1	2	4	6	8	10	13
B. *Operated*	12	6.5	30	1	1	5	10	14	17	18
2. MULTIPLE DX										
A. *Not Operated*	2519	6.6	33	2	2	5	8	12	16	29
B. *Operated*	305	11.1	132	1	1	9	14	24	33	69
1. SINGLE DX	722	4.7	7	1	2	4	6	8	10	13
2. MULTIPLE DX	2824	7.1	46	1	2	5	9	13	18	35
A. NOT OPERATED	3229	6.2	28	2	2	5	8	11	15	26
B. OPERATED	317	10.9	129	1	1	8	14	22	32	68
TOTAL 0-19 YRS	362	4.6	8	1	2	4	6	8	10	15
20-34	395	5.3	22	1	2	4	6	10	13	25
35-49	456	5.1	14	1	2	4	7	9	12	23
50-64	930	6.1	25	1	2	5	8	11	14	25
65+	1403	8.4	63	2	3	6	10	15	22	47
GRAND TOTAL	**3546**	**6.6**	**39**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	458	3.8	6	1	1	3	5	7	9	12
20-34	311	3.7	5	1	2	3	5	7	8	11
35-49	123	4.0	5	1	2	4	5	7	8	12
50-64	90	5.8	15	2	2	5	7	11	14	20
65+	51	5.7	12	1	2	5	7	9	11	19
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	1	21.0		21	21	21	21	21	21	21
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	4.5	11	1	2	4	6	8	10	18
20-34	552	4.6	13	1	2	4	6	8	11	22
35-49	293	6.2	33	1	2	5	8	11	14	34
50-64	305	7.6	31	2	3	6	9	14	20	27
65+	414	9.1	46	2	3	7	11	17	22	33
B. *Operated*										
0-19 YRS	16	9.5	63	2	3	8	10	20	30	34
20-34	52	11.6	68	4	4	9	15	23	25	49
35-49	33	12.9	107	2	4	10	16	26	30	54
50-64	44	17.8	150	4	5	16	23	39	42	53
65+	51	19.9	150	6	7	17	28	39	55	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1033	4.1	7	1	2	3	5	7	9	13
B. *Operated*	2	14.0	98	7	7	14	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	1950	6.3	29	1	2	5	8	12	16	28
B. *Operated*	196	15.2	126	4	5	11	20	30	41	56
1. SINGLE DX	1035	4.1	7	1	2	3	5	7	9	14
2. MULTIPLE DX	2146	7.1	44	2	2	5	9	14	20	34
A. NOT OPERATED	2983	5.5	22	1	2	4	7	10	14	25
B. OPERATED	198	15.2	126	4	5	11	21	30	41	56
TOTAL 0-19 YRS	861	4.2	10	1	1	3	5	8	9	16
20-34	916	4.7	16	1	2	4	6	9	11	23
35-49	449	6.1	35	1	2	5	7	11	15	33
50-64	439	8.2	50	2	3	6	10	17	23	40
65+	516	9.8	65	2	3	8	12	19	28	47
GRAND TOTAL	**3181**	**6.1**	**34**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	4.8	9	1	2	4	6	8	9	15
20-34	151	3.9	4	1	2	4	5	7	8	11
35-49	141	4.6	7	1	2	4	6	8	9	14
50-64	208	4.9	10	2	2	4	6	8	10	18
65+	197	6.0	21	2	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	11.2	83	3	3	9	16	25	33	33
35-49	6	6.5	24	1	1	5	9	14	15	15
50-64	12	4.0	11	1	1	2	6	10	10	10
65+	22	9.9	163	1	1	5	12	25	39	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	4.5	9	1	1	4	6	8	9	17
20-34	565	5.5	25	1	2	4	7	9	12	25
35-49	742	6.3	31	2	2	5	7	11	14	26
50-64	1466	6.9	35	2	3	5	8	13	15	29
65+	2172	8.0	36	2	3	6	10	14	19	34
B. *Operated*										
0-19 YRS	15	9.3	102	1	2	6	12	21	34	38
20-34	218	9.0	113	2	2	6	10	20	29	58
35-49	383	13.0	174	2	2	9	16	29	37	77
50-64	726	14.2	197	2	2	10	19	32	42	92
65+	857	18.4	298	2	3	13	25	42	57	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	841	4.9	11	1	2	4	6	8	10	16
B. *Operated*	51	8.2	97	1	2	4	10	17	27	56
2. MULTIPLE DX										
A. *Not Operated*	5055	7.0	34	2	2	6	8	13	17	30
B. *Operated*	2199	15.0	232	2	2	10	20	35	48	85
1. SINGLE DX	892	5.1	17	1	2	4	6	9	11	20
2. MULTIPLE DX	7254	9.5	108	2	2	6	11	20	29	60
A. NOT OPERATED	5896	6.7	31	2	2	5	8	12	16	29
B. OPERATED	2250	14.9	230	2	2	10	20	34	48	84
TOTAL 0-19 YRS	270	4.9	15	1	2	4	6	9	11	21
20-34	944	6.1	45	1	2	4	7	11	16	33
35-49	1272	8.1	82	2	2	6	9	16	24	50
50-64	2412	8.9	94	2	2	6	10	18	27	57
65+	3248	10.6	127	2	3	7	12	22	34	65
GRAND TOTAL	**8146**	**9.0**	**100**	**2**	**2**	**6**	**10**	**19**	**28**	**58**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	16	3.6	5	<1	<1	4	6	6	7	7
20-34	86	3.9	5	<1	1	4	6	6	7	11
35-49	4	4.0	5	1	1	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	9	2.8	1	1	1	3	3	4	4	4
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	23	4.0	5	<1	<1	4	6	7	8	8
20-34	151	4.4	7	<1	<1	4	6	7	8	15
35-49	26	4.8	5	<1	1	5	6	8	8	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*	106	3.9	5	<1	1	4	6	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	16	2.9	2	<1	1	3	4	4	6	7
B. *Operated*	201	4.4	7	<1	<1	5	6	7	8	13
1. SINGLE DX	112	3.8	5	<1	1	4	6	6	7	11
2. MULTIPLE DX	217	4.3	6	<1	<1	4	6	7	8	13
A. NOT OPERATED	22	2.9	2	<1	1	3	4	5	6	7
B. OPERATED	307	4.2	6	<1	<1	4	6	7	8	12
TOTAL 0-19 YRS	46	3.7	4	<1	<1	4	5	6	7	8
20-34	247	4.2	6	<1	1	4	6	7	8	12
35-49	32	4.5	5	<1	1	5	6	7	8	9
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
GRAND TOTAL	**329**	**4.1**	**6**	**<1**	**<1**	**4**	**6**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.7	1	<1	<1	1	2	4	4	6
20-34	65	3.1	9	1	1	2	3	6	8	19
35-49	64	2.7	4	1	1	2	4	5	6	11
50-64	54	3.4	6	1	1	3	4	6	9	13
65+	51	3.6	8	1	1	3	4	7	12	14
B. *Operated*										
0-19 YRS	11	4.4	24	<1	<1	3	5	11	17	18
20-34	14	5.3	7	2	3	5	6	10	10	10
35-49	18	8.7	110	1	2	5	7	29	36	37
50-64	23	6.7	60	<1	1	5	8	10	21	40
65+	13	6.7	19	1	1	6	9	14	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.1	13	1	1	2	3	7	9	22
20-34	144	3.5	8	<1	1	3	5	7	9	11
35-49	176	4.6	24	1	1	4	5	8	11	31
50-64	336	5.3	45	1	1	4	7	10	13	23
65+	739	6.3	43	1	2	4	8	13	16	29
B. *Operated*										
0-19 YRS	13	6.6	35	2	2	5	7	16	22	23
20-34	28	7.2	27	2	2	7	9	11	18	27
35-49	52	7.9	67	1	2	5	9	18	27	38
50-64	87	9.3	50	2	3	7	12	20	27	75
65+	80	11.8	92	2	3	9	15	26	33	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	2.9	6	1	1	2	4	6	7	13
B. *Operated*	79	6.6	50	1	1	5	7	11	18	39
2. MULTIPLE DX										
A. *Not Operated*	1508	5.4	37	1	1	4	7	11	14	26
B. *Operated*	260	9.4	65	2	2	7	12	23	27	46
1. SINGLE DX	373	3.7	18	1	1	3	4	7	10	20
2. MULTIPLE DX	1768	6.0	43	1	1	4	7	12	17	34
A. NOT OPERATED	1802	5.0	33	1	1	4	6	10	13	25
B. OPERATED	339	8.8	63	1	2	6	10	20	27	42
TOTAL 0-19 YRS	197	3.0	13	<1	1	2	3	6	9	21
20-34	251	3.9	12	1	1	3	5	8	10	20
35-49	310	5.0	35	1	1	4	5	9	15	36
50-64	500	5.9	45	1	1	4	7	11	15	34
65+	883	6.7	48	1	2	5	9	14	18	37
GRAND TOTAL	**2141**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	6.5	26	1	1	6	8	14	19	19
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	3	9.3	44	5	5	6	14	17	17	17
65+	10	9.1	42	2	2	7	13	20	20	20
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	7.1	30	1	1	6	10	16	19	22
20-34	9	7.2	24	<1	1	6	11	15	16	16
35-49	21	7.2	31	<1	1	7	9	12	19	26
50-64	56	8.4	93	2	2	6	9	16	18	62
65+	278	10.7	80	3	3	8	13	22	27	41
B. *Operated*										
0-19 YRS	3	22.7	464	6	6	15	39	47	47	47
20-34	35	7.3	21	5	5	5	7	14	17	26
35-49	49	9.3	162	5	5	6	10	13	18	93
50-64	28	12.0	65	3	5	10	15	25	31	37
65+	54	20.4	263	4	5	15	27	49	59	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.8	33	2	2	6	9	19	20	20
B. *Operated*	6	5.2	14	1	1	4	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	392	9.8	76	2	3	7	12	19	26	42
B. *Operated*	169	13.1	180	5	5	8	15	28	43	67
1. SINGLE DX	30	7.3	30	1	2	6	9	18	20	20
2. MULTIPLE DX	561	10.8	109	2	3	7	13	22	29	60
A. NOT OPERATED	416	9.7	73	2	3	7	12	19	26	41
B. OPERATED	175	12.8	176	4	5	8	15	28	41	67
TOTAL 0-19 YRS	41	8.1	67	1	2	6	9	18	20	47
20-34	46	7.0	21	2	3	6	7	14	16	26
35-49	72	8.6	119	2	4	6	9	13	18	78
50-64	89	9.5	33	2	3	7	11	17	28	55
65+	343	12.2	119	3	4	9	15	25	31	61
GRAND TOTAL	**591**	**10.6**	**105**	**2**	**3**	**7**	**13**	**21**	**29**	**57**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	9.2	26	2	3	9	13	17	18	20
20-34	13	10.5	21	4	4	11	13	17	18	18
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	9.4	27	2	3	9	12	16	19	24
20-34	50	11.8	46	4	5	11	14	18	28	39
35-49	9	6.9	19	3	3	5	9	14	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	15	15.3	24	9	9	15	18	20	25	27
20-34	14	11.6	29	3	6	11	13	18	24	26
35-49	3	5.0	7	2	2	6	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	9.4	25	2	3	9	12	17	18	20
B. *Operated*	4	3.0	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	190	9.9	33	2	3	10	13	16	20	33
B. *Operated*	32	12.7	33	3	7	12	16	19	25	27
1. SINGLE DX	78	9.1	26	1	3	9	12	17	18	20
2. MULTIPLE DX	222	10.3	34	2	4	10	13	17	20	33
A. NOT OPERATED	264	9.8	31	2	3	10	13	17	19	31
B. OPERATED	36	11.6	39	2	3	11	16	19	24	27
TOTAL 0-19 YRS	208	9.8	29	2	3	9	13	17	19	24
20-34	78	11.4	39	4	5	11	13	17	24	38
35-49	14	5.9	16	1	2	5	8	11	15	16
50-64										
65+										
GRAND TOTAL	**300**	**10.0**	**32**	**2**	**3**	**10**	**13**	**17**	**19**	**30**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	8	2.5	2	<1	<1	2	4	4	4	4
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	6	6.8	5	3	3	7	9	9	9	9
20-34	151	7.1	3	5	5	7	8	9	10	15
35-49	122	7.3	4	5	5	7	8	9	10	15
50-64	14	8.7	9	6	6	8	10	14	16	16
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	9.7	113	2	2	5	15	28	29	29
20-34	28	4.7	33	<1	<1	3	5	10	18	28
35-49	37	4.5	11	1	1	4	6	9	10	14
50-64	36	7.7	68	1	1	6	9	14	25	43
65+	16	7.4	26	3	3	7	7	16	20	22
B. *Operated*										
0-19 YRS	9	7.0	2	5	5	7	8	9	9	9
20-34	245	8.4	33	5	6	7	9	12	14	38
35-49	270	9.8	56	5	6	8	10	15	22	53
50-64	79	8.9	44	4	5	7	10	12	14	49
65+	3	10.0	39	3	3	12	14	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	2	<1	1	2	4	4	4	4
B. *Operated*	294	7.3	4	5	5	7	8	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	123	6.1	41	1	1	5	7	12	19	33
B. *Operated*	606	9.1	44	5	6	8	9	13	16	47
1. SINGLE DX	308	7.1	5	4	5	7	8	9	10	15
2. MULTIPLE DX	729	8.6	45	2	4	7	9	13	17	43
A. NOT OPERATED	137	5.7	38	1	1	4	7	11	17	31
B. OPERATED	900	9.5	32	5	5	7	9	11	15	38
TOTAL 0-19 YRS	22	7.4	32	2	2	7	8	11	21	29
20-34	428	7.7	23	3	5	7	8	11	13	26
35-49	437	8.5	40	2	5	8	9	11	16	45
50-64	130	8.5	46	2	3	7	10	13	16	46
65+	20	8.0	26	3	3	7	10	16	19	22
GRAND TOTAL	**1037**	**8.1**	**33**	**2**	**5**	**7**	**9**	**11**	**15**	**38**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.9	5	<1	1	2	4	6	9	10
20-34	72	2.1	4	<1	<1	1	3	4	7	9
35-49	39	2.5	5	<1	<1	1	4	6	7	8
50-64	69	1.5	2	<1	<1	<1	1	3	4	10
65+	22	5.5	95	<1	<1	2	7	9	25	47
B. *Operated*										
0-19 YRS	32	3.8	11	<1	1	3	5	9	11	13
20-34	43	3.0	10	<1	1	2	4	6	8	19
35-49	28	5.4	50	<1	<1	4	6	8	14	39
50-64	35	4.7	12	<1	1	5	7	9	13	15
65+	12	7.5	62	<1	1	4	9	22	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	5.0	39	<1	1	3	5	9	15	37
20-34	59	5.5	27	1	1	4	7	12	16	29
35-49	105	5.4	22	1	2	5	7	10	12	62
50-64	131	8.7	66	1	2	6	11	18	29	40
65+	218	8.4	76	1	2	6	10	17	25	44
B. *Operated*										
0-19 YRS	21	7.0	114	1	1	4	6	15	33	49
20-34	61	7.2	38	1	2	5	10	19	22	91
35-49	101	7.3	54	<1	1	5	9	13	21	40
50-64	102	10.4	98	1	2	9	13	23	29	51
65+	103	12.0	136	2	3	9	14	28	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	237	2.4	13	<1	<1	1	3	6	8	11
B. *Operated*	150	4.4	23	<1	1	3	6	8	11	25
2. MULTIPLE DX										
A. *Not Operated*	593	7.2	57	1	2	5	9	14	24	40
B. *Operated*	388	9.3	91	1	2	6	12	21	29	56
1. SINGLE DX	387	3.2	18	<1	<1	2	4	7	9	20
2. MULTIPLE DX	981	8.0	71	1	2	5	10	18	25	46
A. NOT OPERATED	830	5.8	49	<1	<1	4	7	13	18	37
B. OPERATED	538	8.0	77	1	1	5	10	18	25	50
TOTAL 0-19 YRS	168	4.6	37	<1	1	3	5	9	13	39
20-34	235	4.4	24	<1	<1	3	5	11	16	26
35-49	273	5.7	36	<1	<1	4	7	11	15	38
50-64	337	7.4	68	<1	<1	5	10	16	25	39
65+	355	9.2	97	1	2	6	11	19	29	54
GRAND TOTAL	**1368**	**6.7**	**61**	**<1**	**1**	**4**	**8**	**14**	**22**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.0	4	1	1	2	5	6	6	6
35-49	17	3.4	2	1	1	3	5	5	6	6
50-64	25	3.7	6	1	2	3	4	7	10	12
65+	23	4.1	14	1	1	3	4	9	14	15
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	3	4.3		4	4	4	5	5	5	5
50-64	9	2.6	8	<1	<1	1	3	7	9	9
65+	11	2.4	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.9	3	1	1	4	5	6	6	6
35-49	23	4.4	10	2	2	4	5	9	12	15
50-64	50	5.4	16	2	2	4	7	10	12	24
65+	184	6.6	32	2	3	5	8	12	16	32
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	7.0	52	1	1	5	12	15	15	15
35-49	4	5.8	7	2	2	6	7	8	8	8
50-64	10	5.0	17	1	1	3	7	12	13	13
65+	35	11.8	204	1	2	6	12	33	50	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.6	7	1	1	3	4	6	9	15
B. *Operated*	24	2.9	5	<1	<1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*	264	6.1	27	2	2	5	7	11	15	30
B. *Operated*	53	9.8	147	1	2	6	10	25	41	55
1. SINGLE DX	101	3.5	7	<1	1	3	4	6	9	14
2. MULTIPLE DX	317	6.7	48	2	2	5	8	12	17	41
A. NOT OPERATED	341	5.5	23	1	2	4	7	11	14	28
B. OPERATED	77	7.6	112	<1	1	5	8	15	33	54
TOTAL 0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	22	4.0	10	1	1	4	6	7	11	15
35-49	47	4.1	7	1	2	4	5	7	9	15
50-64	94	4.6	13	1	2	3	6	9	12	20
65+	253	6.9	57	1	2	5	8	13	20	42
GRAND TOTAL	**418**	**5.9**	**40**	**1**	**2**	**4**	**7**	**11**	**15**	**35**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	3.1	17	1	1	2	3	5	10	28
20-34	34	3.1	6	1	1	2	4	6	8	10
35-49	32	3.0	4	1	1	2	4	6	7	9
50-64	46	2.7	3	<1	1	2	3	5	6	8
65+	120	4.8	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	452	3.6	13	1	1	3	4	7	10	19
20-34	287	3.9	20	1	1	3	5	7	10	23
35-49	343	4.3	17	1	1	3	5	8	10	17
50-64	710	5.7	34	1	2	4	7	11	15	35
65+	2800	8.1	63	2	2	6	10	16	22	44
B. *Operated*										
0-19 YRS	14	9.4	180	1	1	4	8	21	46	53
20-34	42	7.2	107	<1	1	4	8	13	33	51
35-49	46	8.0	39	1	2	7	9	16	23	29
50-64	83	9.9	142	1	1	6	11	28	59	99+
65+	179	15.9	229	3	4	12	19	34	42	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	3.7	11	1	1	3	5	7	10	16
B. *Operated*	5	4.8	22	1	1	2	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	4592	6.8	51	1	2	5	8	13	19	39
B. *Operated*	364	12.3	181	1	2	8	16	26	42	97
1. SINGLE DX	302	3.7	11	1	1	3	5	7	10	16
2. MULTIPLE DX	4956	7.2	62	1	2	5	8	15	21	44
A. NOT OPERATED	4889	6.6	49	1	2	5	8	13	19	39
B. OPERATED	369	12.2	180	1	2	8	15	26	41	97
TOTAL 0-19 YRS	532	3.7	19	1	1	3	4	7	10	21
20-34	364	4.2	30	1	1	3	5	8	10	36
35-49	423	4.6	20	1	1	3	6	9	12	23
50-64	840	5.9	45	1	2	4	7	11	19	45
65+	3099	8.4	74	2	2	6	10	17	23	48
GRAND TOTAL	**5258**	**7.0**	**60**	**1**	**2**	**5**	**8**	**14**	**21**	**43**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	4.4	22	<1	1	3	6	10	14	22
20-34	13	3.5	7	<1	<1	3	4	8	10	10
35-49	19	2.4	1	<1	1	2	3	4	4	4
50-64	15	3.3	4	1	1	2	5	6	8	8
65+	66	4.2	7	1	1	4	6	7	8	15
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.3	2	4	4	5	6	7	7	7
35-49	12	4.5	9	1	1	4	6	9	10	10
50-64	3	7.7	20	3	3	8	11	12	12	12
65+	21	5.7	12	<1	1	6	8	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	4.2	17	2	2	3	4	8	9	23
20-34	47	4.0	9	<1	1	4	6	8	10	13
35-49	91	3.9	15	1	1	3	5	7	8	24
50-64	161	4.8	12	1	1	4	7	9	11	14
65+	718	5.8	31	1	1	5	8	11	13	23
B. *Operated*										
0-19 YRS	6	6.7	21	3	3	5	9	14	15	15
20-34	19	5.1	6	2	2	5	7	8	10	11
35-49	50	6.8	30	2	3	6	7	11	15	32
50-64	60	7.6	25	1	1	7	11	15	17	22
65+	214	9.3	46	2	3	8	11	17	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	141	3.8	9	<1	1	3	5	7	9	17
B. *Operated*	41	5.3	11	1	1	5	8	10	11	14
2. MULTIPLE DX										
A. *Not Operated*	1049	5.4	26	1	1	4	7	10	12	23
B. *Operated*	349	8.4	39	2	3	7	10	15	20	33
1. SINGLE DX	182	4.2	10	1	1	3	6	8	10	15
2. MULTIPLE DX	1398	6.1	31	1	1	5	8	11	14	27
A. NOT OPERATED	1190	5.2	24	1	1	4	7	10	12	22
B. OPERATED	390	8.0	37	2	3	7	10	15	18	33
TOTAL 0-19 YRS	67	4.4	19	1	1	3	6	9	13	23
20-34	83	4.3	8	<1	1	4	6	8	10	13
35-49	172	4.6	19	1	1	4	6	8	10	31
50-64	239	5.4	16	1	1	5	7	11	13	19
65+	1019	6.5	34	1	2	5	8	12	15	27
GRAND TOTAL	**1580**	**5.9**	**29**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	3.5	4	1	1	3	5	6	8	10
20-34	152	5.6	12	2	2	5	7	10	12	20
35-49	35	7.1	18	1	2	6	10	14	14	16
50-64	9	4.7	24	1	1	3	5	13	16	16
65+										
B. *Operated*										
0-19 YRS										
20-34	7	11.7	147	2	2	8	12	33	38	38
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.5	12	1	2	5	7	11	12	17
20-34	166	6.7	21	2	2	6	8	12	15	26
35-49	26	7.8	17	2	3	7	11	13	15	17
50-64	9	6.7	19	1	2	6	9	13	16	16
65+	4	10.3	27	3	3	12	14	14	14	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	21.7	467	3	4	11	32	50	71	76
35-49	5	7.2	21	2	2	6	10	14	14	14
50-64										
65+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	291	5.1	12	1	2	4	7	10	12	17
B. *Operated*	7	11.7	147	2	2	8	12	33	38	38
2. MULTIPLE DX										
A. *Not Operated*	281	6.5	18	2	2	5	8	12	15	22
B. *Operated*	20	16.8	352	2	3	8	28	39	59	76
1. SINGLE DX	298	5.2	16	1	2	4	7	10	12	18
2. MULTIPLE DX	301	7.2	46	2	2	6	9	13	16	33
A. NOT OPERATED	572	5.8	16	1	2	5	8	11	14	19
B. OPERATED	27	15.4	296	2	2	8	23	37	48	76
TOTAL 0-19 YRS	172	4.4	9	1	2	4	6	8	10	14
20-34	338	6.9	44	2	2	5	8	12	17	35
35-49	66	7.4	18	2	2	6	11	14	14	17
50-64	18	5.7	22	1	1	4	9	14	16	16
65+	5	11.2	25	3	3	14	14	15	15	15
GRAND TOTAL	**599**	**6.2**	**32**	**1**	**2**	**5**	**8**	**11**	**14**	**29**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	8	<1	<1	1	3	5	8	17
20-34	37	2.9	5	<1	<1	2	4	6	7	11
35-49	28	2.8	4	<1	1	2	4	7	7	8
50-64	42	3.1	11	<1	1	2	3	7	9	19
65+	270	2.6	10	<1	<1	1	3	5	8	19
B. *Operated*										
0-19 YRS	30	5.0	17	1	1	4	6	11	13	18
20-34	12	5.2	33	1	1	3	6	14	20	21
35-49	13	6.7	43	<1	1	5	8	14	24	26
50-64	22	6.0	16	1	2	5	8	11	14	16
65+	40	6.1	22	<1	1	4	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.9	17	<1	<1	1	3	7	11	22
20-34	87	4.0	16	<1	1	3	6	9	11	21
35-49	150	3.8	13	<1	1	3	4	8	12	18
50-64	407	3.9	18	<1	1	2	5	9	12	23
65+	1510	5.0	31	1	1	3	6	11	15	26
B. *Operated*										
0-19 YRS	36	8.5	171	1	1	5	7	16	36	72
20-34	39	7.1	14	2	2	7	10	12	15	17
35-49	39	13.3	318	2	3	8	12	33	65	78
50-64	137	9.4	74	1	2	7	12	23	28	38
65+	436	10.8	100	2	3	8	14	22	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	472	2.7	9	<1	<1	1	3	6	8	19
B. *Operated*	117	5.8	22	1	1	4	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*	2323	4.6	27	<1	1	3	6	10	14	25
B. *Operated*	687	10.4	107	2	2	7	13	21	30	58
1. SINGLE DX	589	3.3	13	<1	<1	2	4	8	10	19
2. MULTIPLE DX	3010	5.9	51	<1	1	4	7	13	18	36
A. NOT OPERATED	2795	4.2	24	<1	1	3	5	9	13	24
B. OPERATED	804	9.7	97	1	2	7	12	20	28	56
TOTAL 0-19 YRS	330	3.6	34	<1	<1	2	4	8	13	24
20-34	175	4.6	16	<1	1	4	6	10	12	20
35-49	230	5.4	77	<1	1	3	7	11	15	59
50-64	608	5.2	35	<1	1	3	7	12	18	30
65+	2256	5.9	48	1	1	4	7	13	18	36
GRAND TOTAL	**3599**	**5.5**	**46**	**<1**	**1**	**3**	**7**	**12**	**17**	**33**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.2	64	<1	1	5	11	20	28	28
20-34	8	6.8	55	1	1	3	12	19	19	19
35-49	8	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.7	7	<1	1	4	4	7	10	11
20-34	39	5.0	42	1	2	4	6	14	23	30
35-49	5	3.4	2	1	1	4	4	5	5	5
50-64										
65+	6	5.7	9	1	1	6	7	10	10	10
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	2	7.0	50	2	2	7	12	12	12	12
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	7.0		7	7	7	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	6.0	44	1	1	3	6	17	21	28
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	65	5.2	28	1	1	4	6	8	19	29
B. *Operated*	7	7.0	19	2	2	7	11	12	12	12
1. SINGLE DX	27	6.2	43	1	1	4	8	17	20	28
2. MULTIPLE DX	72	5.4	27	1	1	4	7	11	17	29
A. NOT OPERATED	91	5.5	33	1	1	4	6	11	19	29
B. OPERATED	8	7.4	18	2	2	8	11	12	12	12
TOTAL 0-19 YRS	27	5.9	32	<1	1	4	8	11	15	28
20-34	49	6.2	42	1	2	4	7	18	21	30
35-49	15	3.5	6	1	1	3	4	5	9	11
50-64	1	2.0		2	2	2	2	2	2	2
65+	7	5.9	8	1	2	7	7	9	10	10
GRAND TOTAL	**99**	**5.6**	**31**	**1**	**1**	**4**	**7**	**11**	**19**	**29**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.8	4	1	1	2	3	5	6	12
20-34	24	4.4	54	<1	<1	3	4	5	16	38
35-49	19	3.7	19	<1	1	2	4	7	15	20
50-64	20	3.4	10	<1	<1	2	5	7	10	13
65+	57	3.1	16	<1	<1	1	4	8	11	19
B. *Operated*										
0-19 YRS	70	4.2	6	1	1	4	6	7	8	11
20-34	51	5.6	10	2	2	5	7	9	13	17
35-49	23	8.3	57	2	3	6	9	13	25	39
50-64	26	6.2	12	1	2	6	8	10	12	16
65+	27	6.4	13	1	2	6	9	13	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.3	7	<1	1	2	4	7	9	13
20-34	89	4.1	7	1	1	4	5	7	9	13
35-49	111	5.7	18	1	1	4	8	11	14	19
50-64	232	5.2	19	1	1	4	7	10	12	24
65+	398	6.7	38	1	1	5	9	15	20	30
B. *Operated*										
0-19 YRS	49	5.4	11	2	2	5	8	10	12	14
20-34	78	7.4	45	1	2	6	8	17	27	81
35-49	90	9.5	62	2	3	8	11	17	23	48
50-64	146	9.6	80	2	3	8	11	18	21	35
65+	251	11.4	99	2	3	8	14	22	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	3.2	14	<1	<1	2	4	6	8	19
B. *Operated*	197	5.6	16	1	2	5	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	965	5.5	25	1	1	4	7	11	15	26
B. *Operated*	614	9.7	78	2	3	7	11	19	26	45
1. SINGLE DX	420	4.3	16	<1	1	3	6	8	11	19
2. MULTIPLE DX	1579	7.2	50	1	1	5	9	15	21	35
A. NOT OPERATED	1188	5.1	24	1	1	4	7	10	15	25
B. OPERATED	811	8.7	66	2	2	7	10	17	22	44
TOTAL 0-19 YRS	357	3.6	7	1	1	3	5	7	9	13
20-34	242	5.5	26	1	1	4	7	10	14	36
35-49	243	7.2	42	1	2	6	9	13	18	39
50-64	424	6.7	44	1	1	5	9	12	17	26
65+	733	8.0	63	1	1	6	10	17	23	42
GRAND TOTAL	**1999**	**6.6**	**44**	**1**	**1**	**5**	**8**	**14**	**19**	**33**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	1.7	1	<1	1	1	2	3	3	5
20-34	80	1.8	1	<1	1	1	2	3	4	6
35-49	13	2.5	6	<1	<1	1	3	7	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	274	3.3	2	2	2	3	4	5	6	7
20-34	99	3.5	2	2	2	3	4	5	6	9
35-49	12	4.6	2	3	3	4	6	7	7	7
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	1.8	1	<1	1	2	2	3	4	6
20-34	39	2.9	4	<1	1	2	4	5	7	9
35-49	8	1.9	1	1	1	2	2	4	4	4
50-64	8	2.6	4	<1	<1	2	4	6	6	6
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	114	3.7	2	2	2	3	4	5	7	10
20-34	58	4.7	4	2	3	4	6	7	8	14
35-49	9	5.1	2	3	3	5	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	7.8	1	7	7	8	8	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	1.7	1	<1	1	1	2	3	4	6
B. *Operated*	386	3.4	2	2	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	179	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	186	4.1	3	2	2	4	5	7	7	11
1. SINGLE DX	810	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	365	3.1	4	1	1	3	4	6	7	9
A. NOT OPERATED	603	1.8	1	<1	1	1	2	3	4	6
B. OPERATED	572	3.6	2	2	2	3	4	6	7	8
TOTAL 0-19 YRS	839	2.5	2	1	1	2	3	4	5	7
20-34	276	3.2	3	1	1	3	4	5	7	9
35-49	42	3.5	5	1	1	3	5	6	7	9
50-64	10	2.5	3	<1	<1	2	3	5	6	6
65+	8	5.0	10	1	1	5	8	9	9	9
GRAND TOTAL	**1175**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**6**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.4	12	1	2	4	5	7	9	23
20-34	14	3.6	5	1	2	3	6	6	8	8
35-49	5	2.8		2	2	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	52	2.8	6	<1	<1	2	4	6	8	10
20-34	46	2.6	6	<1	<1	2	3	5	9	11
35-49	28	2.1	1	<1	1	2	3	4	4	4
50-64	19	2.7	6	<1	1	2	3	4	9	12
65+	8	1.9	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.9	5	1	2	3	5	7	8	11
20-34	12	4.2	5	2	2	4	5	8	10	10
35-49	8	4.0	3	2	2	4	5	7	7	7
50-64	3	5.0	4	3	3	5	6	7	7	7
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	32	3.2	5	<1	1	3	5	6	8	10
20-34	25	3.3	13	<1	<1	2	4	7	11	18
35-49	16	5.9	29	<1	<1	3	10	13	17	18
50-64	20	4.5	18	1	1	3	5	10	15	18
65+	12	6.2	46	1	1	3	8	16	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.2	11	1	2	3	5	7	9	20
B. *Operated*	153	2.5	5	<1	<1	2	3	5	8	11
2. MULTIPLE DX										
A. *Not Operated*	82	4.0	4	1	2	4	5	7	8	11
B. *Operated*	105	4.2	18	<1	1	3	5	10	13	21
1. SINGLE DX	254	3.2	8	<1	1	2	4	6	8	12
2. MULTIPLE DX	187	4.1	12	1	1	3	5	8	11	18
A. NOT OPERATED	183	4.1	8	1	2	4	5	7	8	12
B. OPERATED	258	3.2	11	<1	<1	2	4	7	10	18
TOTAL 0-19 YRS	222	3.7	8	<1	1	3	5	7	8	11
20-34	97	3.1	8	<1	1	2	4	7	9	15
35-49	57	3.5	11	<1	1	3	4	7	12	18
50-64	42	3.7	12	1	1	3	4	7	12	18
65+	23	4.5	28	<1	1	2	5	11	17	24
GRAND TOTAL	**441**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	27	5.6	31	<1	1	4	7	14	16	24
35-49	6	4.8	14	1	1	5	7	10	10	10
50-64	7	6.9	30	<1	1	4	13	14	14	14
65+	10	8.8	73	1	1	5	14	23	25	25
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	20	1	1	2	5	12	14	14
20-34	47	8.9	68	1	2	5	12	21	26	37
35-49	28	10.4	88	1	1	7	13	28	33	34
50-64	43	6.4	33	1	1	4	10	16	19	22
65+	85	8.6	43	1	2	7	11	17	20	35
B. *Operated*										
0-19 YRS										
20-34	2	19.0	578	2	2	19	36	36	36	36
35-49	3	28.0	469	15	15	16	44	53	53	53
50-64	2	40.0	2592	4	4	40	76	76	76	76
65+	8	15.4	128	7	7	10	20	35	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	5.9	35	<1	1	4	7	14	20	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	211	8.3	53	1	1	6	11	18	21	35
B. *Operated*	15	21.7	438	2	4	12	34	53	70	76
1. SINGLE DX	55	5.9	35	<1	1	4	7	14	20	25
2. MULTIPLE DX	226	9.2	88	1	1	7	12	20	28	42
A. NOT OPERATED	266	7.8	50	1	1	6	11	17	21	34
B. OPERATED	15	21.7	438	2	4	12	34	53	70	76
TOTAL 0-19 YRS	13	3.0	14	<1	<1	1	3	8	13	14
20-34	76	8.0	66	<1	1	5	11	20	25	37
35-49	37	10.9	125	1	1	7	14	30	34	53
50-64	52	7.8	124	1	1	4	10	16	19	75
65+	103	9.2	54	1	2	7	12	19	23	38
GRAND TOTAL	**281**	**8.5**	**79**	**1**	**1**	**6**	**11**	**19**	**24**	**39**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	1.9	5	<1	1	1	2	3	5	16
20-34	70	3.9	20	<1	1	2	4	8	18	21
35-49	47	6.4	81	1	1	3	8	13	25	48
50-64	32	8.4	55	1	2	5	14	21	21	25
65+	317	9.1	94	1	2	6	11	20	27	50
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	6	9.7	97	1	1	7	14	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	3.7	27	1	1	2	4	8	19	26
20-34	136	6.8	70	1	1	4	8	16	22	38
35-49	91	9.2	84	1	2	4	8	17	23	99+
50-64	186	9.2	75	1	2	7	12	18	26	46
65+	1758	9.6	92	2	3	7	12	20	27	85
B. *Operated*										
0-19 YRS	8	19.1	994	1	1	7	20	74	94	94
20-34	6	20.0	720	2	2	10	23	67	72	72
35-49	6	7.7	103	1	1	3	11	25	27	27
50-64	25	24.0	599	2	2	19	29	61	76	99
65+	108	16.6	201	2	4	14	21	31	40	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	7.3	77	1	1	4	9	17	23	48
B. *Operated*	9	7.8	72	1	1	6	10	22	27	27
2. MULTIPLE DX										
A. *Not Operated*	2253	9.0	86	1	2	7	11	19	26	69
B. *Operated*	153	17.7	321	2	2	14	23	35	58	94
1. SINGLE DX	536	7.3	77	1	1	4	9	17	23	48
2. MULTIPLE DX	2406	9.6	106	1	2	7	12	20	28	77
A. NOT OPERATED	2780	8.7	85	1	2	6	11	19	25	62
B. OPERATED	162	17.2	312	1	2	13	22	34	52	94
TOTAL 0-19 YRS	152	3.8	77	<1	1	2	3	7	17	29
20-34	212	6.2	76	1	1	3	6	16	20	46
35-49	144	6.3	51	1	1	4	8	16	25	99+
50-64	245	10.5	144	1	2	7	14	21	29	64
65+	2189	9.8	100	2	2	7	12	21	28	72
GRAND TOTAL	**2942**	**9.2**	**101**	**1**	**2**	**6**	**11**	**20**	**27**	**69**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	7.5	85	1	1	7	14	14	14	14
65+	10	7.0	11	2	2	7	8	11	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	22.8	266	4	5	18	41	44	44	44
65+	106	8.4	41	2	3	7	10	18	23	65
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	18.0		18	18	18	18	18	18	18
65+	7	12.9	86	3	3	10	21	25	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	7.1	17	1	2	7	9	14	14	14
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	112	9.2	61	2	3	7	10	19	28	65
B. *Operated*	8	13.5	77	3	4	14	20	24	26	26
1. SINGLE DX	12	7.1	17	1	2	7	9	14	14	14
2. MULTIPLE DX	120	9.5	63	2	3	7	11	20	27	60
A. NOT OPERATED	124	9.0	57	2	3	7	10	18	26	58
B. OPERATED	8	13.5	77	3	4	14	20	24	26	26
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	9	18.9	221	1	2	14	27	43	44	44
65+	123	8.6	41	2	3	7	10	18	24	55
GRAND TOTAL	**132**	**9.3**	**59**	**2**	**3**	**7**	**10**	**20**	**26**	**53**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	40	3.2	14	<1	<1	2	4	5	6	24
35-49	103	4.2	54	1	1	3	5	7	9	42
50-64	51	4.7	19	1	1	4	6	10	13	22
65+	13	6.7	47	1	2	5	6	14	25	28
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	136	<1	<1	2	9	28	28	28
20-34	213	6.0	50	1	1	4	6	18	25	29
35-49	388	5.7	38	1	2	3	6	13	22	29
50-64	416	7.5	56	1	2	5	9	18	23	37
65+	204	8.0	49	2	2	6	10	20	23	33
B. *Operated*										
0-19 YRS										
20-34	3	7.7	44	2	2	6	13	15	15	15
35-49	17	15.0	309	1	2	8	21	35	58	70
50-64	27	19.0	538	1	1	10	21	52	74	99
65+	25	17.4	179	3	6	13	21	36	48	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.2	37	1	1	3	5	7	10	26
B. *Operated*	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	1226	6.7	49	1	2	4	8	16	23	31
B. *Operated*	72	17.0	335	1	3	10	21	36	59	93
1. SINGLE DX	214	4.2	36	1	1	3	5	7	10	25
2. MULTIPLE DX	1298	7.3	70	1	2	4	8	19	25	37
A. NOT OPERATED	1438	6.4	48	1	1	4	7	15	22	31
B. OPERATED	74	16.6	331	1	2	10	20	36	58	92
TOTAL 0-19 YRS	10	4.2	70	<1	<1	1	2	15	28	28
20-34	256	5.6	45	1	1	3	6	15	25	28
35-49	508	5.7	53	1	1	3	6	12	21	32
50-64	495	7.8	85	1	2	5	9	20	25	39
65+	243	8.9	70	2	2	6	11	21	24	45
GRAND TOTAL	**1512**	**6.9**	**67**	**1**	**2**	**4**	**7**	**16**	**24**	**37**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	23	<1	<1	3	6	14	15	15
20-34	27	5.2	22	1	1	3	8	13	15	17
35-49	5	6.6	25	2	2	4	12	12	12	12
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	6.0	29	3	3	4	9	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	8.9	143	1	1	4	7	29	36	50
20-34	125	5.0	33	<1	1	3	6	11	15	35
35-49	40	6.0	26	1	2	5	8	11	13	30
50-64	51	8.1	51	2	2	6	10	16	20	41
65+	92	8.0	64	2	2	5	9	14	27	45
B. *Operated*										
0-19 YRS										
20-34	5	8.6	67	<1	<1	8	12	22	22	22
35-49	3	20.0	532	2	2	12	37	46	46	46
50-64	5	18.2	434	5	5	9	24	55	55	55
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	5.2	21	1	1	3	8	13	15	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	334	6.7	53	1	1	5	8	13	21	40
B. *Operated*	14	14.2	268	<1	2	8	14	47	53	55
1. SINGLE DX	52	5.2	21	1	1	3	8	13	15	17
2. MULTIPLE DX	348	7.0	63	1	1	5	8	13	23	46
A. NOT OPERATED	386	6.5	49	1	1	4	8	13	19	38
B. OPERATED	14	14.2	268	<1	2	8	14	47	53	55
TOTAL 0-19 YRS	41	7.3	102	<1	1	3	7	20	30	50
20-34	157	5.2	32	<1	1	3	6	12	15	33
35-49	48	6.9	58	1	2	5	8	12	15	46
50-64	57	8.9	85	2	2	6	10	16	25	54
65+	97	7.9	62	2	2	5	9	14	26	44
GRAND TOTAL	**400**	**6.8**	**58**	**1**	**1**	**4**	**8**	**13**	**21**	**43**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	16.2	217	2	3	12	21	37	54	95
20-34	948	10.8	93	1	2	8	15	22	27	51
35-49	432	10.7	83	1	2	8	15	22	30	45
50-64	168	11.9	89	2	3	9	17	21	26	50
65+	29	11.0	50	2	3	8	16	20	27	28
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	12.0	105	1	2	8	19	26	35	38
20-34	526	10.2	66	1	2	8	14	19	25	41
35-49	294	11.6	109	2	3	9	15	23	28	48
50-64	156	13.5	123	3	4	10	17	28	39	60
65+	49	12.3	73	3	3	10	16	27	29	36
B. *Operated*										
0-19 YRS	1	90.0		90	90	90	90	90	90	90
20-34	14	25.7	399	5	9	22	35	42	74	83
35-49	10	19.4	108	10	10	14	25	36	40	40
50-64	5	15.2	84	7	7	11	22	29	29	29
65+	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1647	11.1	95	1	2	8	15	22	28	51
B. *Operated*	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1073	11.3	89	2	3	9	15	23	28	45
B. *Operated*	31	23.6	388	7	9	15	31	39	81	90
1. SINGLE DX	1649	11.1	95	1	2	8	15	22	28	51
2. MULTIPLE DX	1104	11.6	101	2	3	9	15	24	29	47
A. NOT OPERATED	2720	11.2	93	2	2	8	15	22	28	48
B. OPERATED	33	22.4	386	4	7	14	30	38	77	90
TOTAL 0-19 YRS	119	15.1	221	2	2	11	21	34	46	93
20-34	1489	10.8	88	1	2	8	14	22	27	46
35-49	736	11.2	95	2	2	9	15	23	29	46
50-64	330	12.7	105	2	3	10	17	24	34	54
65+	79	11.8	63	2	3	10	16	25	28	34
GRAND TOTAL	**2753**	**11.3**	**98**	**2**	**2**	**9**	**15**	**23**	**29**	**49**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	10.2	59	2	2	6	18	20	22	22
20-34	49	8.8	36	2	3	8	12	17	21	28
35-49	18	9.9	37	1	2	9	13	19	21	21
50-64	6	8.8	24	1	2	8	14	14	14	14
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	18.8	528	3	3	9	24	52	79	83
20-34	34	13.2	187	3	4	10	15	25	40	73
35-49	9	11.3	33	1	2	10	13	25	33	33
50-64	12	9.3	47	2	2	9	15	19	21	21
65+	4	9.0	37	5	5	6	12	18	18	18
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	9.4	38	2	2	8	13	19	21	27
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	71	13.0	199	2	3	9	15	25	39	81
B. *Operated*	2	12.5	221	2	2	12	23	23	23	23
1. SINGLE DX	86	9.4	38	2	2	8	13	19	21	27
2. MULTIPLE DX	73	13.0	196	2	3	9	15	25	38	81
A. NOT OPERATED	157	11.0	114	2	3	9	14	21	26	71
B. OPERATED	2	12.5	221	2	2	12	23	23	23	23
TOTAL 0-19 YRS	24	14.5	300	2	3	8	18	28	52	83
20-34	84	10.8	101	2	3	8	13	20	25	62
35-49	27	10.4	50	1	2	10	13	20	23	33
50-64	19	8.8	38	1	2	9	14	17	20	21
65+	5	11.4	56	5	5	7	19	21	21	21
GRAND TOTAL	**159**	**11.0**	**114**	**2**	**3**	**9**	**14**	**21**	**26**	**70**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	16.0	229	2	3	11	21	36	43	78
20-34	1230	11.8	107	1	2	9	16	24	30	52
35-49	506	11.1	86	2	2	9	15	22	28	49
50-64	186	12.3	78	2	3	10	17	23	28	45
65+	56	13.5	145	1	2	11	20	32	34	59
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	17.8	254	2	3	14	23	44	60	99+
20-34	796	12.6	145	2	2	9	16	26	35	63
35-49	462	11.9	95	2	3	9	16	24	31	44
50-64	238	12.7	95	2	3	10	18	27	32	51
65+	86	14.1	140	2	3	11	20	28	40	56
B. *Operated*										
0-19 YRS										
20-34	24	22.6	293	2	7	20	31	61	78	99+
35-49	21	15.5	121	3	6	12	18	32	43	47
50-64	8	23.8	132	11	12	19	32	42	44	44
65+	9	19.2	221	4	5	13	25	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2140	12.1	111	2	2	9	16	24	31	52
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1683	12.8	132	2	3	10	17	26	35	62
B. *Operated*	62	19.9	206	3	7	17	27	43	52	96
1. SINGLE DX	2140	12.1	111	2	2	9	16	24	31	52
2. MULTIPLE DX	1745	13.1	136	2	3	10	17	27	36	63
A. NOT OPERATED	3823	12.4	121	2	2	9	16	25	32	57
B. OPERATED	62	19.9	206	3	7	17	27	43	52	96
TOTAL 0-19 YRS	263	16.7	238	2	3	12	22	36	47	97
20-34	2050	12.3	125	1	2	9	16	25	32	59
35-49	989	11.6	91	2	2	9	16	23	30	48
50-64	432	12.8	90	2	3	11	17	25	31	48
65+	151	14.2	146	1	3	12	20	31	39	59
GRAND TOTAL	**3885**	**12.5**	**123**	**2**	**2**	**10**	**17**	**26**	**33**	**58**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	40.6	1081	<1	6	27	72	90	97	98
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	221	10	10	20	31	31	31	31
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	40.6	1081	<1	6	27	72	90	97	98
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2	20.5	221	10	10	20	31	31	31	31
B. *Operated*										
1. SINGLE DX	11	40.6	1081	<1	6	27	72	90	97	98
2. MULTIPLE DX	2	20.5	221	10	10	20	31	31	31	31
A. NOT OPERATED	13	37.5	977	1	8	27	59	87	96	98
B. OPERATED										
TOTAL 0-19 YRS	13	37.5	977	1	8	27	59	87	96	98
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**37.5**	**977**	**1**	**8**	**27**	**59**	**87**	**96**	**98**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	12.6	179	1	3	8	17	34	41	98
20-34	545	11.5	125	1	2	8	16	24	31	61
35-49	479	11.0	100	1	2	8	15	24	30	47
50-64	376	13.9	139	2	3	11	18	28	40	59
65+	257	17.9	212	2	4	14	25	38	51	73
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	28.0	268	14	14	24	40	46	46	46
65+	1	16.0		16	16	16	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	14.2	216	1	2	9	19	34	54	99+
20-34	857	11.6	144	1	2	8	14	25	36	63
35-49	762	13.0	157	1	2	9	17	29	38	68
50-64	608	13.4	155	2	3	10	17	28	37	65
65+	576	15.9	149	3	4	13	22	33	40	60
B. *Operated*										
0-19 YRS	7	26.1	706	8	8	17	30	73	83	83
20-34	39	28.8	505	2	6	25	40	64	81	91
35-49	36	22.1	243	5	8	16	30	47	55	66
50-64	28	28.7	300	3	11	27	39	56	59	63
65+	45	26.9	311	5	7	24	38	56	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1717	12.9	141	1	2	9	17	27	37	60
B. *Operated*	4	25.0	215	14	14	20	35	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	2921	13.3	156	2	2	10	17	29	37	65
B. *Operated*	155	26.6	356	4	7	22	37	55	68	91
1. SINGLE DX	1721	12.9	142	1	2	9	17	28	37	60
2. MULTIPLE DX	3076	14.0	174	2	3	10	18	31	40	70
A. NOT OPERATED	4638	13.1	150	2	2	9	17	28	37	63
B. OPERATED	159	26.5	351	4	7	22	37	54	67	90
TOTAL 0-19 YRS	185	14.1	224	1	2	9	19	34	51	99+
20-34	1441	12.1	154	1	2	8	15	26	37	67
35-49	1277	12.5	142	1	2	9	16	27	36	60
50-64	1015	14.1	159	2	3	10	18	30	40	64
65+	879	17.0	181	3	4	14	23	36	46	68
GRAND TOTAL	**4797**	**13.6**	**163**	**2**	**2**	**10**	**18**	**30**	**39**	**66**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	11.8	142	1	2	9	14	27	39	60
20-34	633	11.6	90	1	2	9	15	23	31	43
35-49	484	10.9	78	2	3	8	14	22	29	40
50-64	252	13.4	113	2	3	11	18	27	31	47
65+	112	16.4	151	3	5	14	22	33	41	60
B. *Operated*										
0-19 YRS										
20-34	2	32.5	1105	9	9	32	56	56	56	56
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	17.8	260	2	5	14	21	29	51	88
20-34	502	12.4	107	2	3	9	17	25	32	44
35-49	404	12.7	88	2	3	11	17	24	30	51
50-64	344	13.6	113	2	3	11	18	28	35	45
65+	192	15.9	141	2	4	13	21	29	40	59
B. *Operated*										
0-19 YRS	2	50.5	25	47	47	50	54	54	54	54
20-34	14	17.4	207	1	2	15	22	38	49	52
35-49	13	20.2	240	4	5	15	31	43	51	53
50-64	12	35.1	606	6	10	33	46	67	91	95
65+	23	33.0	485	7	11	26	45	72	78	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1538	12.0	98	2	3	9	15	25	31	47
B. *Operated*	2	32.5	1105	9	9	32	56	56	56	56
2. MULTIPLE DX										
A. *Not Operated*	1480	13.3	113	2	3	11	18	27	33	52
B. *Operated*	64	27.9	436	4	6	23	39	54	72	93
1. SINGLE DX	1540	12.1	99	2	3	9	16	25	31	47
2. MULTIPLE DX	1544	13.9	134	2	3	11	18	28	36	58
A. NOT OPERATED	3018	12.7	106	2	3	10	17	26	32	49
B. OPERATED	66	28.0	441	4	6	23	40	55	72	92
TOTAL 0-19 YRS	97	15.0	219	1	2	12	17	29	51	77
20-34	1151	12.0	101	2	3	9	16	24	32	46
35-49	901	11.8	86	2	3	10	16	24	30	46
50-64	608	13.9	130	2	3	11	18	28	34	52
65+	327	17.3	185	3	4	14	22	34	47	70
GRAND TOTAL	**3084**	**13.0**	**118**	**2**	**3**	**10**	**17**	**27**	**34**	**54**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	10.2	84	1	2	7	14	23	30	41
20-34	259	8.4	89	1	1	5	11	19	25	39
35-49	160	7.7	63	1	1	6	10	16	20	35
50-64	82	10.6	108	1	2	7	13	27	32	50
65+	90	9.7	150	1	1	7	12	19	25	77
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	5	11.6	128	2	2	6	20	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	12.1	135	1	2	10	18	28	42	95
20-34	287	9.1	85	1	2	6	11	21	31	59
35-49	153	9.7	99	1	2	7	12	21	31	52
50-64	199	10.9	108	1	2	9	14	23	29	60
65+	490	9.4	70	2	2	7	12	20	28	44
B. *Operated*										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	11	24.5	374	7	8	19	30	51	74	76
35-49	8	15.5	112	2	4	14	21	32	35	35
50-64	13	11.6	126	1	2	7	16	33	33	33
65+	37	21.6	205	4	6	19	30	44	46	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	655	8.8	93	1	1	6	12	19	26	42
B. *Operated*	6	9.8	121	1	1	5	17	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	1189	9.7	87	1	2	7	12	21	30	49
B. *Operated*	71	19.3	215	3	4	16	27	41	45	71
1. SINGLE DX	661	8.9	94	1	1	6	12	19	26	42
2. MULTIPLE DX	1260	10.3	99	1	2	7	13	23	31	50
A. NOT OPERATED	1844	9.4	90	1	2	7	12	21	28	49
B. OPERATED	77	18.5	213	2	3	15	27	40	45	69
TOTAL 0-19 YRS	126	11.1	108	1	2	8	16	25	33	65
20-34	557	9.1	97	1	2	6	12	21	29	58
35-49	322	8.8	83	1	2	6	11	18	26	51
50-64	294	10.8	108	1	2	8	14	23	30	51
65+	622	10.2	97	1	2	7	13	22	30	46
GRAND TOTAL	**1921**	**9.8**	**98**	**1**	**2**	**7**	**13**	**22**	**30**	**49**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.3	2	<1	<1	2	3	4	6	7
20-34	116	4.1	13	1	1	3	5	9	13	17
35-49	116	4.6	29	1	1	2	6	11	16	29
50-64	60	5.0	37	1	1	3	6	11	17	36
65+	33	3.6	7	<1	1	3	5	8	10	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	5.7	51	<1	1	3	7	13	25	31
20-34	234	5.4	56	1	1	3	6	13	17	25
35-49	224	5.8	57	1	1	4	7	11	20	47
50-64	178	5.3	48	1	1	3	6	10	20	42
65+	201	5.5	31	1	1	4	6	10	15	30
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.0	37	1	1	2	8	14	14	14
35-49	10	4.3	13	<1	<1	3	7	10	10	10
50-64	9	8.6	39	2	2	5	13	18	19	19
65+	2	13.5	181	4	4	13	23	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	4.3	22	1	1	3	5	10	13	23
B. *Operated*	4	3.5	6	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	874	5.5	48	1	1	3	6	11	18	40
B. *Operated*	26	6.5	38	<1	1	4	10	17	20	23
1. SINGLE DX	350	4.3	21	1	1	3	5	9	13	23
2. MULTIPLE DX	900	5.5	48	1	1	3	6	12	18	39
A. NOT OPERATED	1220	5.2	41	1	1	3	6	11	16	33
B. OPERATED	30	6.1	34	1	1	4	10	15	19	23
TOTAL 0-19 YRS	59	4.4	35	<1	1	2	5	9	16	31
20-34	354	5.0	42	1	1	3	6	12	15	24
35-49	352	5.4	47	1	1	3	6	11	19	43
50-64	249	5.3	45	1	1	3	6	11	19	38
65+	236	5.3	29	1	1	4	6	10	15	30
GRAND TOTAL	**1250**	**5.2**	**41**	**1**	**1**	**3**	**6**	**11**	**17**	**33**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	9.9	210	<1	1	4	10	26	41	76
20-34	393	6.8	56	1	1	4	8	15	20	32
35-49	294	8.3	87	1	1	5	9	20	26	51
50-64	153	9.0	96	1	2	6	11	18	23	65
65+	67	13.8	174	2	2	8	20	33	41	57
B. *Operated*										
0-19 YRS										
20-34	1	11.0		11	11	11	11	11	11	11
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	13.8	312	1	1	6	18	43	62	99+
20-34	744	8.9	106	1	1	5	11	20	27	53
35-49	647	9.0	79	1	2	6	12	19	24	50
50-64	347	9.2	81	1	2	6	12	20	27	46
65+	283	9.8	84	2	2	7	12	23	30	43
B. *Operated*										
0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	33	16.6	169	2	3	14	21	35	38	66
35-49	26	15.7	242	1	2	14	22	31	82	99+
50-64	16	18.7	151	3	4	16	25	39	44	46
65+	12	21.8	592	<1	1	13	29	67	74	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	981	8.3	94	1	1	5	10	19	26	56
B. *Operated*	6	3.3	15	<1	<1	2	3	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	2142	9.4	104	1	2	6	12	21	29	53
B. *Operated*	89	17.2	236	2	3	14	22	35	64	92
1. SINGLE DX	987	8.3	94	1	1	5	10	19	26	55
2. MULTIPLE DX	2231	9.7	111	1	2	6	12	22	29	58
A. NOT OPERATED	3123	9.0	101	1	2	6	11	20	28	54
B. OPERATED	95	16.4	233	1	2	14	22	34	59	90
TOTAL 0-19 YRS	197	12.3	273	1	1	5	15	37	51	95
20-34	1171	8.4	94	1	1	5	11	19	25	52
35-49	971	8.9	87	1	2	6	11	20	25	52
50-64	517	9.4	90	1	2	6	12	21	27	48
65+	362	10.9	122	2	2	7	13	27	33	55
GRAND TOTAL	**3218**	**9.3**	**106**	**1**	**2**	**6**	**12**	**21**	**28**	**56**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	6.8	123	<1	1	3	9	31	89	99+
20-34	327	7.2	107	1	1	4	8	18	27	62
35-49	152	6.8	89	<1	1	4	8	16	24	55
50-64	49	4.6	20	<1	1	3	6	10	15	20
65+	19	5.9	22	1	1	5	8	11	16	19
B. *Operated*										
0-19 YRS	5	8.6	144	2	2	3	11	30	30	30
20-34	48	8.8	23	1	3	9	10	13	17	28
35-49	29	5.6	14	1	1	8	9	9	9	9
50-64	27	3.4	4	1	1	3	4	6	7	9
65+	19	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	8.0	149	<1	1	4	9	22	33	87
20-34	839	7.1	65	1	1	4	9	17	24	35
35-49	399	7.4	63	1	1	5	10	17	22	39
50-64	159	7.0	58	1	1	4	9	15	21	36
65+	132	7.5	80	1	2	5	9	14	19	51
B. *Operated*										
0-19 YRS	4	20.8	221	2	2	21	31	38	38	38
20-34	67	14.9	223	2	3	9	19	34	48	70
35-49	44	14.9	261	2	3	9	17	35	55	74
50-64	33	6.3	25	2	2	5	9	13	18	22
65+	22	8.3	33	2	3	7	11	14	19	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	643	6.8	96	<1	1	4	8	17	27	91
B. *Operated*	128	6.0	23	1	1	5	9	10	12	28
2. MULTIPLE DX										
A. *Not Operated*	1713	7.3	74	1	1	4	9	17	23	40
B. *Operated*	170	12.5	181	2	2	9	13	30	38	70
1. SINGLE DX	771	6.7	84	1	1	4	9	16	25	80
2. MULTIPLE DX	1883	7.7	86	1	1	5	10	18	26	47
A. NOT OPERATED	2356	7.1	80	1	1	4	9	17	25	52
B. OPERATED	298	9.7	124	1	2	7	10	22	32	66
TOTAL 0-19 YRS	289	7.8	142	<1	1	4	9	24	36	99+
20-34	1281	7.6	85	1	1	5	9	17	26	45
35-49	624	7.7	85	1	1	5	9	17	24	53
50-64	268	6.1	42	1	1	4	8	13	19	34
65+	192	6.9	63	1	2	5	8	13	18	39
GRAND TOTAL	**2654**	**7.4**	**85**	1	1	4	9	17	**26**	**54**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	8.2	134	<1	<1	1	19	28	30	42
20-34	446	13.0	130	<1	1	7	24	29	30	34
35-49	583	12.2	118	1	1	5	23	28	30	33
50-64	394	10.5	107	1	1	4	21	27	30	32
65+	136	13.0	104	1	2	10	21	27	29	34
B. *Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	1	22.0		22	22	22	22	22	22	22
50-64	2	6.0	32	2	2	6	10	10	10	10
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	16.0	208	<1	1	17	28	33	41	56
20-34	1516	15.3	132	1	1	20	26	29	31	36
35-49	1967	13.8	120	1	2	10	23	28	30	35
50-64	1812	13.2	116	1	2	8	22	29	30	36
65+	952	14.2	97	2	3	14	21	27	30	37
B. *Operated*										
0-19 YRS	3	18.7	936	<1	<1	1	41	54	54	54
20-34	44	19.8	122	1	2	23	28	32	35	36
35-49	69	19.8	202	1	3	21	28	37	42	71
50-64	75	21.0	146	1	5	21	29	39	42	51
65+	49	20.4	104	7	8	20	28	34	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	12.0	119	1	1	5	23	28	30	33
B. *Operated*	6	9.8	91	2	2	6	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	6398	14.1	121	1	2	11	23	29	30	36
B. *Operated*	240	20.3	154	1	5	21	28	35	41	54
1. SINGLE DX	1616	11.9	119	1	1	5	23	28	30	33
2. MULTIPLE DX	6638	14.3	123	1	2	12	24	29	31	38
A. NOT OPERATED	8008	13.7	121	1	2	10	23	29	30	35
B. OPERATED	246	20.0	155	2	3	21	28	35	41	54
TOTAL 0-19 YRS	205	14.1	207	<1	<1	5	26	31	37	55
20-34	2007	14.9	132	1	1	19	25	29	31	36
35-49	2620	13.6	123	1	2	9	23	28	30	35
50-64	2283	13.0	118	1	2	8	22	29	30	37
65+	1139	14.3	100	2	2	14	21	28	30	37
GRAND TOTAL	**8254**	**13.9**	**123**	1	**2**	**10**	**23**	**29**	**30**	**36**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	36	15.3	152	1	2	12	28	30	35	39
35-49	8	14.8	120	4	4	12	27	28	28	28
50-64	2	16.5	221	6	6	16	27	27	27	27
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	14.5	365	1	1	14	28	28	28	28
20-34	73	12.0	116	1	2	7	21	30	32	37
35-49	24	10.5	108	1	2	6	17	30	31	32
50-64	13	15.6	117	2	3	14	23	29	37	39
65+	4	15.0	183	5	5	10	23	35	35	35
B. *Operated*										
0-19 YRS										
20-34	5	25.8	132	13	13	30	36	36	36	36
35-49										
50-64	2	36.5	1105	13	13	36	60	60	60	60
65+	1	31.0		31	31	31	31	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	15.1	139	2	2	12	28	30	32	39
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	116	12.2	117	1	2	7	22	30	32	38
B. *Operated*	8	29.1	257	13	13	30	36	53	60	60
1. SINGLE DX	47	15.1	139	2	2	12	28	30	32	39
2. MULTIPLE DX	124	13.3	141	1	2	8	23	30	34	44
A. NOT OPERATED	163	13.1	124	1	2	8	24	30	32	39
B. OPERATED	8	29.1	257	13	13	30	36	53	60	60
TOTAL 0-19 YRS	2	14.5	365	1	1	14	28	28	28	28
20-34	114	13.6	135	1	2	8	26	30	34	38
35-49	32	11.5	111	1	2	6	21	29	30	32
50-64	17	18.2	218	2	3	14	25	37	53	60
65+	6	17.0	160	5	5	11	31	35	35	35
GRAND TOTAL	**171**	**13.8**	**140**	**1**	**2**	**9**	**26**	**30**	**34**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	18.7	205	1	1	22	30	32	41	44
20-34	44	13.0	148	1	1	5	27	29	30	32
35-49	14	14.6	168	1	1	13	27	30	37	39
50-64	2	3.0		3	3	3	3	3	3	3
65+	5	10.8	57	5	5	9	13	24	24	24
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	20.0	175	1	1	26	30	34	36	37
20-34	129	16.0	146	2	3	11	27	32	33	46
35-49	41	15.0	144	1	3	11	22	33	36	40
50-64	18	13.1	136	1	3	8	18	34	36	36
65+	13	16.4	89	2	3	18	22	29	32	33
B. *Operated*										
0-19 YRS										
20-34	2	22.0	72	16	16	22	28	28	28	28
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	1	21.0		21	21	21	21	21	21	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	13.9	155	1	1	8	28	30	30	43
B. *Operated*	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	224	16.0	145	1	2	12	27	32	34	41
B. *Operated*	5	15.4	94	4	4	16	23	28	28	28
1. SINGLE DX	80	13.9	153	1	1	8	27	30	30	42
2. MULTIPLE DX	229	16.0	143	1	2	13	27	32	34	41
A. NOT OPERATED	303	15.5	148	1	2	11	27	32	34	42
B. OPERATED	6	14.7	78	4	4	13	21	27	28	28
TOTAL 0-19 YRS	37	19.5	181	1	1	26	30	34	36	44
20-34	175	15.3	147	1	2	11	27	31	33	42
35-49	58	14.5	142	1	2	10	22	33	36	40
50-64	21	12.5	129	1	3	8	19	32	36	36
65+	18	14.8	83	2	4	13	21	27	31	33
GRAND TOTAL	**309**	**15.5**	**146**	**1**	**2**	**11**	**27**	**32**	**34**	**42**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	110	1.6	8	<1	<1	1	1	2	3	18
20-34	62	1.8	12	<1	<1	1	1	2	4	25
35-49	31	2.9	18	<1	<1	1	3	7	17	18
50-64	19	3.3	38	<1	<1	1	3	6	18	28
65+	5	1.6	1	1	1	1	2	3	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	6.4	137	<1	<1	1	4	23	34	57
20-34	168	2.9	21	<1	<1	1	2	6	10	29
35-49	87	4.7	47	<1	<1	2	5	9	23	35
50-64	84	3.5	7	<1	1	3	5	7	8	14
65+	39	3.8	23	<1	<1	2	4	7	16	24
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	4.8	33	<1	<1	2	6	15	16	16
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	7	2.7	9	<1	<1	1	5	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	2.0	13	<1	<1	1	1	3	5	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	484	4.2	50	<1	<1	2	4	8	19	36
B. *Operated*	17	3.8	16	<1	<1	2	6	8	13	16
1. SINGLE DX	227	2.0	13	<1	<1	1	1	3	5	28
2. MULTIPLE DX	501	4.1	49	<1	<1	2	4	8	18	36
A. NOT OPERATED	711	3.5	39	<1	<1	1	3	7	14	32
B. OPERATED	17	3.8	16	<1	<1	2	6	8	13	16
TOTAL 0-19 YRS	217	3.9	76	<1	<1	1	2	9	26	47
20-34	236	2.6	19	<1	<1	1	2	5	9	28
35-49	120	4.3	39	<1	<1	2	5	9	18	32
50-64	110	3.4	12	<1	<1	3	5	7	8	20
65+	45	3.6	20	<1	<1	2	4	6	16	24
GRAND TOTAL	**728**	**3.5**	**39**	**<1**	**<1**	**1**	**3**	**7**	**14**	**31**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	8.5	153	<1	<1	3	8	30	37	41
20-34	42	10.8	187	<1	<1	4	15	30	33	62
35-49	8	13.5	172	1	1	10	22	34	36	36
50-64	4	8.0	94	1	1	4	14	22	22	22
65+	2	11.5	181	2	2	11	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	23.7	365	1	1	22	40	51	57	63
20-34	208	9.7	97	1	1	5	18	27	29	35
35-49	48	10.5	116	<1	1	4	20	28	30	32
50-64	24	12.5	97	2	3	10	20	29	32	33
65+	18	6.1	29	2	2	4	8	11	19	24
B. *Operated*										
0-19 YRS	5	43.0	705	2	2	41	65	69	69	69
20-34	3	21.7	244	5	5	24	33	36	36	36
35-49	2	16.5	85	10	10	16	23	23	23	23
50-64	1	57.0		57	57	57	57	57	57	57
65+	2	9.0	2	8	8	9	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	10.3	165	<1	<1	3	15	30	35	56
B. *Operated*	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	435	14.2	222	1	1	7	24	36	44	57
B. *Operated*	13	29.8	535	2	4	24	45	65	68	69
1. SINGLE DX	79	10.2	162	<1	<1	4	15	30	35	56
2. MULTIPLE DX	448	14.6	237	1	1	7	24	37	48	58
A. NOT OPERATED	512	13.6	215	1	1	6	23	34	43	57
B. OPERATED	15	26.5	535	2	4	23	40	64	68	69
TOTAL 0-19 YRS	163	22.3	382	<1	1	21	39	50	57	66
20-34	254	10.0	113	1	1	4	18	28	30	36
35-49	58	11.1	121	<1	1	5	20	29	31	36
50-64	30	13.1	160	2	2	9	21	30	33	57
65+	22	6.8	35	2	2	4	9	15	22	24
GRAND TOTAL	**527**	**14.0**	**228**	**1**	**1**	**6**	**24**	**36**	**44**	**59**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	5	1	1	3	4	7	8	9
20-34	36	3.7	9	1	1	3	5	8	11	13
35-49	45	4.5	90	1	1	2	4	9	11	64
50-64	23	2.6	2	<1	1	2	3	4	5	7
65+	14	3.9	7	1	1	4	5	7	9	10
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	6	9.0	158	1	1	4	9	31	34	34
50-64	2	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.3	21	<1	1	2	6	9	17	18
20-34	83	4.7	22	1	1	4	5	8	13	29
35-49	88	4.0	10	1	1	3	5	7	12	18
50-64	91	4.0	12	1	1	3	5	8	11	19
65+	109	4.8	14	1	2	4	6	9	11	21
B. *Operated*										
0-19 YRS										
20-34	8	8.9	63	2	2	6	12	22	26	26
35-49	8	6.1	7	3	3	6	8	10	10	10
50-64	8	4.6	10	1	1	5	7	9	9	9
65+	5	6.6	13	3	3	7	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.7	32	1	1	2	4	7	9	17
B. *Operated*	12	5.7	84	1	1	3	4	16	31	34
2. MULTIPLE DX										
A. *Not Operated*	398	4.4	15	1	1	3	5	8	11	19
B. *Operated*	29	6.6	24	1	2	6	9	11	14	26
1. SINGLE DX	155	3.8	36	1	1	2	4	7	10	33
2. MULTIPLE DX	427	4.5	16	1	1	3	5	9	11	20
A. NOT OPERATED	541	4.2	19	1	1	3	5	8	11	18
B. OPERATED	41	6.3	40	1	1	4	8	11	19	34
TOTAL 0-19 YRS	54	3.6	13	1	1	2	4	8	9	18
20-34	129	4.7	21	1	1	3	5	9	13	28
35-49	147	4.5	40	1	1	3	5	9	12	35
50-64	124	3.7	10	1	1	3	4	8	10	17
65+	128	4.8	13	1	2	4	6	9	11	19
GRAND TOTAL	**582**	**4.3**	**21**	**1**	**1**	**3**	**5**	**9**	**11**	**21**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	8.8	206	1	1	3	8	24	38	84
20-34	276	5.3	99	<1	1	2	5	12	15	52
35-49	190	5.2	58	<1	1	3	5	12	17	34
50-64	60	4.9	27	<1	<1	3	6	11	15	27
65+	30	6.4	41	1	1	4	11	13	19	29
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	2	17.0	162	8	8	17	26	26	26	26
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	15.1	462	1	1	5	18	54	63	95
20-34	711	5.6	35	<1	1	3	7	12	18	40
35-49	397	5.5	33	1	1	3	7	13	18	26
50-64	203	6.4	71	1	1	4	8	13	17	33
65+	151	6.0	24	1	1	4	8	13	16	22
B. *Operated*										
0-19 YRS	5	16.4	656	1	1	6	21	62	62	62
20-34	15	15.3	341	<1	<1	8	18	51	52	52
35-49	16	13.1	191	1	2	9	12	31	49	57
50-64	9	13.8	215	1	2	11	13	37	51	51
65+	4	9.3	68	3	3	6	15	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	707	6.0	104	<1	1	3	6	13	21	56
B. *Operated*	3	18.7	89	8	8	22	25	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	1740	7.2	122	1	1	4	8	15	25	62
B. *Operated*	49	13.9	257	1	1	9	15	48	52	62
1. SINGLE DX	710	6.1	105	<1	1	3	6	13	22	56
2. MULTIPLE DX	1789	7.4	127	1	1	4	8	15	27	62
A. NOT OPERATED	2447	6.9	117	<1	1	3	7	14	24	62
B. OPERATED	52	14.2	247	1	1	9	16	46	52	62
TOTAL 0-19 YRS	435	13.0	382	1	1	4	13	46	61	90
20-34	1004	5.7	66	<1	1	3	6	13	18	47
35-49	603	5.6	46	1	1	3	7	13	19	31
50-64	272	6.3	68	1	1	4	8	13	16	34
65+	185	6.2	27	1	1	4	9	13	17	24
GRAND TOTAL	**2499**	**7.0**	**121**	**<1**	**1**	**4**	**7**	**15**	**25**	**62**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	232	12.5	298	1	1	5	17	48	63	99+
20-34	338	7.7	105	1	1	4	9	16	29	60
35-49	223	6.6	69	1	1	4	7	15	23	41
50-64	109	8.3	62	1	2	5	12	19	22	36
65+	60	9.8	109	1	2	6	12	22	36	52
B. *Operated*										
0-19 YRS	4	7.0	144	1	1	1	13	25	25	25
20-34	7	18.1	733	1	1	9	23	66	76	76
35-49	4	4.8	12	1	1	4	7	9	9	9
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	3	24.3	529	1	1	25	41	47	47	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	11.9	237	1	1	6	16	40	79	99+
20-34	690	7.8	74	1	1	5	10	18	24	41
35-49	520	8.0	69	1	2	5	10	18	25	41
50-64	336	8.1	61	1	2	5	10	18	26	37
65+	326	10.0	83	2	2	7	13	23	30	48
B. *Operated*										
0-19 YRS	8	14.3	141	2	2	16	29	72	99+	99+
20-34	31	14.5	192	1	2	8	18	36	49	54
35-49	30	12.6	82	2	3	12	21	26	28	31
50-64	20	12.7	259	1	1	9	15	20	49	76
65+	30	25.5	568	3	4	20	40	70	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	962	8.8	143	1	1	4	11	22	35	84
B. *Operated*	20	12.6	375	1	1	3	19	36	61	76
2. MULTIPLE DX										
A. *Not Operated*	2159	8.8	95	1	2	5	11	20	30	63
B. *Operated*	119	16.5	287	2	2	11	22	39	60	99+
1. SINGLE DX	982	8.9	147	1	1	4	11	22	35	83
2. MULTIPLE DX	2278	9.2	108	1	2	6	12	22	31	76
A. NOT OPERATED	3121	8.8	110	1	1	5	11	21	31	68
B. OPERATED	139	15.9	299	1	2	10	22	39	60	99+
TOTAL 0-19 YRS	531	12.1	260	1	1	6	17	41	69	99+
20-34	1066	8.0	93	1	1	5	10	18	26	58
35-49	777	7.8	70	1	2	5	10	18	25	40
50-64	467	8.3	70	1	2	6	11	18	26	37
65+	419	11.2	139	2	2	7	14	25	37	68
GRAND TOTAL	**3260**	**9.1**	**120**	**1**	**1**	**5**	**11**	**22**	**32**	**76**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.5	2	3	3	4	5	6	6	6
20-34	5	16.4	556	<1	<1	6	23	58	58	58
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.2	79	<1	1	5	12	21	28	36
20-34	32	10.1	152	1	2	6	14	21	32	64
35-49	13	11.5	174	2	3	6	16	32	45	48
50-64	9	4.9	15	1	1	3	7	11	13	13
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	9.4	244	<1	1	5	8	26	53	58
B. *Operated*	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	79	9.1	116	1	1	6	12	21	31	59
B. *Operated*	6	5.2	10	<1	<1	5	8	9	9	9
1. SINGLE DX	14	8.6	210	<1	1	5	6	17	49	58
2. MULTIPLE DX	85	8.8	109	1	1	6	12	21	29	58
A. NOT OPERATED	91	9.1	130	1	1	5	12	21	33	62
B. OPERATED	8	4.9	8	<1	1	5	7	9	9	9
TOTAL 0-19 YRS	31	7.3	64	<1	1	5	9	17	25	36
20-34	40	10.6	184	1	1	6	13	21	45	64
35-49	14	11.4	161	2	3	6	16	30	44	48
50-64	11	4.5	13	1	1	3	5	11	13	13
65+	3	4.3	8	1	1	6	6	6	6	6
GRAND TOTAL	**99**	**8.8**	**121**	**1**	**1**	**5**	**10**	**19**	**31**	**61**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	9.6	22	1	3	10	12	14	16	22
20-34	50	6.5	28	1	2	5	9	15	16	25
35-49	25	8.1	57	<1	1	7	9	13	27	35
50-64	15	14.0	188	1	2	9	18	43	44	45
65+	10	15.4	130	2	2	16	19	31	42	42
B. *Operated*										
0-19 YRS	33	12.4	32	3	8	11	13	19	23	33
20-34	19	9.2	167	<1	1	4	11	25	43	52
35-49	25	9.4	72	1	1	8	14	21	25	35
50-64	15	15.7	464	1	2	9	26	77	95	99+
65+	6	14.2	349	1	1	10	12	47	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	11.5	33	2	4	11	14	18	21	32
20-34	56	8.5	80	1	2	6	11	16	22	50
35-49	46	10.3	98	2	3	7	12	25	34	99+
50-64	43	12.5	121	2	3	10	15	22	39	56
65+	39	19.3	124	3	5	18	25	36	41	44
B. *Operated*										
0-19 YRS	77	16.3	77	4	9	15	20	28	32	46
20-34	42	17.9	280	2	3	14	26	38	67	99+
35-49	38	17.2	317	1	2	10	26	50	68	99+
50-64	49	22.3	363	2	2	17	31	57	70	99+
65+	43	33.1	608	4	7	27	56	73	80	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	425	9.5	35	1	2	10	12	15	17	36
B. *Operated*	98	11.6	150	1	1	10	13	23	37	91
2. MULTIPLE DX										
A. *Not Operated*	480	11.8	65	2	3	11	14	21	26	44
B. *Operated*	249	20.8	327	2	3	15	28	51	68	99+
1. SINGLE DX	523	9.9	57	1	2	10	12	16	20	44
2. MULTIPLE DX	729	14.9	172	2	3	11	17	30	44	81
A. NOT OPERATED	905	10.7	52	1	3	10	13	18	22	43
B. OPERATED	347	18.2	293	1	2	13	23	45	63	99+
TOTAL 0-19 YRS	731	11.2	36	2	3	11	13	17	21	34
20-34	167	10.4	142	1	2	6	13	22	36	84
35-49	134	11.7	158	1	2	8	14	29	45	99+
50-64	122	17.0	282	2	2	12	23	44	63	99+
65+	98	24.6	400	3	4	19	32	57	71	81
GRAND TOTAL	**1252**	**12.8**	**130**	**1**	**3**	**11**	**15**	**24**	**36**	**72**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	6	6.8	19	3	3	5	10	14	14	14
50-64	31	8.9	43	1	2	7	13	19	22	27
65+	82	8.5	34	2	3	7	11	17	22	27
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+	2	8.5	13	6	6	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	11.3	233	2	2	4	20	34	34	34
35-49	3	16.7	52	12	12	13	22	25	25	25
50-64	83	10.3	70	2	3	8	14	20	31	39
65+	608	10.3	64	2	3	8	13	19	26	38
B. *Operated*										
0-19 YRS										
20-34	1	47.0		47	47	47	47	47	47	47
35-49										
50-64	11	17.2	92	3	4	18	25	55	94	99+
65+	82	21.3	379	4	5	16	27	47	68	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	8.5	35	2	3	7	11	17	22	27
B. *Operated*	3	9.7	10	6	6	11	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	699	10.3	66	2	3	8	13	20	28	39
B. *Operated*	94	21.1	349	3	5	17	27	47	72	99
1. SINGLE DX	123	8.5	34	2	3	7	11	16	22	27
2. MULTIPLE DX	793	11.6	111	2	3	9	14	23	33	56
A. NOT OPERATED	819	10.1	61	2	3	8	13	19	25	38
B. OPERATED	97	20.8	342	4	5	16	27	47	71	99
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	5	18.4	430	2	2	6	37	47	47	47
35-49	9	10.1	49	3	3	10	13	21	25	25
50-64	126	10.6	68	2	3	8	15	22	29	53
65+	774	11.3	106	2	3	9	13	22	29	51
GRAND TOTAL	**916**	**11.2**	**102**	**2**	**3**	**9**	**14**	**22**	**30**	**49**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	32	<1	<1	3	5	15	16	16
20-34	116	6.3	24	1	1	5	10	14	16	19
35-49	90	6.9	37	1	1	5	11	14	15	35
50-64	42	7.9	58	1	2	6	10	16	20	43
65+	8	9.5	34	3	3	8	13	19	20	20
B. *Operated*										
0-19 YRS										
20-34	25	3.4	7	1	1	2	4	7	8	12
35-49	27	5.0	20	1	1	3	8	13	14	14
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	19	1	1	7	10	11	11	11
20-34	128	10.0	113	1	2	7	13	20	27	66
35-49	158	10.1	81	2	2	8	14	19	26	77
50-64	102	12.5	139	2	3	9	15	27	39	83
65+	38	10.3	47	2	3	9	14	20	23	32
B. *Operated*										
0-19 YRS										
20-34	28	17.2	314	2	2	9	27	42	52	75
35-49	45	19.2	441	2	3	13	19	54	72	87
50-64	44	14.5	299	2	3	9	16	30	59	78
65+	13	21.6	440	3	7	16	28	45	77	84
SUBTOTALS.										
1. SINGLE DX										
A. *Not Operated*	262	6.8	34	1	1	5	10	14	16	33
B. *Operated*	56	4.1	13	1	1	3	5	11	13	14
2. MULTIPLE DX										
A. *Not Operated*	430	10.6	101	2	2	8	14	22	28	68
B. *Operated*	130	17.4	362	2	3	11	21	43	70	85
1. SINGLE DX	318	6.3	32	1	1	4	10	14	16	27
2. MULTIPLE DX	560	12.2	170	2	3	9	15	25	36	78
A. NOT OPERATED	692	9.2	79	1	2	7	12	18	24	58
B. OPERATED	186	13.4	294	1	2	8	15	32	52	82
TOTAL 0-19 YRS	10	5.6	25	<1	<1	4	9	13	16	16
20-34	297	8.7	99	1	1	6	11	18	26	58
35-49	320	10.1	129	1	2	7	13	18	28	79
50-64	191	11.8	161	2	3	8	14	24	39	78
65+	60	12.5	148	2	3	10	15	22	30	79
GRAND TOTAL	**878**	**10.1**	**127**	**1**	**2**	**7**	**13**	**20**	**29**	**73**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	293	2.6	8	1	1	2	3	5	8	15
20-34	261	2.7	5	1	1	2	3	6	7	13
35-49	105	2.7	6	1	1	2	3	5	7	14
50-64	83	3.1	5	1	1	3	4	6	7	13
65+	79	3.1	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	5	13.2	404	2	2	4	17	49	49	49
20-34	6	4.2	4	2	2	4	5	7	7	7
35-49	4	2.3	6	1	1	1	4	6	6	6
50-64	4	3.8	2	2	2	4	5	5	5	5
65+	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	358	3.9	22	1	1	3	4	7	10	26
20-34	379	4.4	35	1	1	3	5	9	11	20
35-49	266	4.8	23	1	1	3	6	10	15	25
50-64	387	5.6	34	1	2	4	7	11	18	31
65+	497	6.6	54	1	2	5	8	13	18	31
B. *Operated*										
0-19 YRS	21	7.8	59	1	1	5	9	19	28	31
20-34	40	7.7	50	1	1	5	11	15	23	33
35-49	31	7.9	44	1	2	7	10	17	20	30
50-64	35	11.3	153	1	2	7	14	28	34	55
65+	34	15.6	177	3	4	11	22	31	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	821	2.7	6	1	1	2	3	5	7	14
B. *Operated*	21	5.6	103	1	1	4	5	7	26	49
2. MULTIPLE DX										
A. *Not Operated*	1887	5.2	37	1	1	4	6	11	15	29
B. *Operated*	161	10.2	106	1	2	7	13	26	31	59
1. SINGLE DX	842	2.8	9	1	1	2	3	6	7	14
2. MULTIPLE DX	2048	5.6	44	1	1	4	7	11	17	31
A. NOT OPERATED	2708	4.4	29	1	1	3	5	9	13	25
B. OPERATED	182	9.7	108	1	2	6	12	25	31	58
TOTAL 0-19 YRS	677	3.5	21	1	1	2	4	7	10	26
20-34	686	3.9	26	1	1	3	5	8	11	19
35-49	406	4.5	21	1	1	3	5	10	15	23
50-64	509	5.6	40	1	1	4	6	11	19	33
65+	612	6.6	60	1	2	4	8	14	20	45
GRAND TOTAL	**2890**	**4.8**	**35**	**1**	**1**	**3**	**5**	**10**	**14**	**29**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	9	<1	1	2	4	6	8	48
20-34	178	4.1	13	1	1	3	5	9	11	19
35-49	105	4.1	18	1	1	3	5	7	10	25
50-64	100	4.2	13	1	1	3	5	8	12	19
65+	169	7.1	51	1	2	5	9	13	17	33
B. *Operated*										
0-19 YRS	121	4.2	15	<1	1	3	5	9	11	18
20-34	148	5.2	27	1	1	3	7	13	17	25
35-49	140	4.9	24	1	1	3	7	11	14	21
50-64	138	5.0	35	1	1	3	6	9	16	34
65+	109	8.1	72	1	1	6	10	16	23	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	6.1	122	1	1	3	6	14	41	99+
20-34	271	8.6	170	1	1	4	9	25	53	99+
35-49	221	8.9	186	1	2	4	9	21	35	96
50-64	438	11.0	198	1	2	6	12	28	46	95
65+	1269	11.1	124	2	3	7	13	24	36	58
B. *Operated*										
0-19 YRS	234	10.9	217	1	2	6	11	30	52	99+
20-34	284	11.5	237	1	2	7	13	29	51	98
35-49	248	11.8	183	1	2	8	15	28	54	99+
50-64	297	12.5	221	2	2	7	15	32	47	91
65+	488	15.6	224	2	3	11	21	36	50	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	667	4.8	25	1	1	3	6	10	13	26
B. *Operated*	656	5.4	35	1	1	3	7	12	16	29
2. MULTIPLE DX										
A. *Not Operated*	2413	10.1	150	1	2	6	12	24	39	85
B. *Operated*	1551	13.0	221	1	2	8	16	32	50	99+
1. SINGLE DX	1323	5.1	30	1	1	3	6	11	14	27
2. MULTIPLE DX	3964	11.2	180	1	2	7	13	28	44	95
A. NOT OPERATED	3080	9.0	128	1	2	5	10	21	33	78
B. OPERATED	2207	10.7	178	1	2	6	13	26	41	91
TOTAL 0-19 YRS	684	6.9	126	1	1	3	7	14	32	99+
20-34	881	8.1	144	1	1	4	9	19	32	99+
35-49	714	8.4	137	1	1	4	10	21	31	99+
50-64	973	9.9	172	1	2	5	11	24	40	83
65+	2035	11.7	145	2	3	8	14	26	38	65
GRAND TOTAL	**5287**	**9.7**	**149**	**1**	**2**	**6**	**11**	**23**	**37**	**84**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.0	2	<1	1	2	3	4	4	7
20-34	302	2.8	5	1	1	2	3	5	7	11
35-49	224	3.1	5	1	1	3	4	6	7	12
50-64	70	2.9	5	1	1	2	4	5	6	14
65+	21	5.1	11	1	2	4	7	10	13	13
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	3.2	5	1	1	3	4	6	9	10
35-49	21	4.1	13	1	1	3	5	9	13	15
50-64	9	2.3	2	1	1	2	3	5	6	6
65+	3	8.3	102	2	2	3	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.5	5	1	1	2	3	6	8	9
20-34	302	4.3	23	1	1	3	5	8	11	25
35-49	280	4.5	15	1	1	3	5	9	11	23
50-64	155	4.4	15	1	1	3	5	8	12	20
65+	65	3.9	6	1	1	4	5	8	9	10
B. *Operated*										
0-19 YRS	3	3.7	2	2	2	4	5	5	5	5
20-34	31	5.5	17	1	2	5	7	11	13	21
35-49	30	5.7	25	1	2	4	7	10	22	22
50-64	17	4.4	7	2	2	4	6	8	10	11
65+	9	3.8	8	2	2	2	5	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	714	2.9	5	1	1	2	4	6	7	12
B. *Operated*	65	3.6	11	1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	860	4.2	17	1	1	3	5	8	10	20
B. *Operated*	90	5.1	16	2	2	4	6	9	11	22
1. SINGLE DX	779	2.9	5	1	1	2	4	6	7	13
2. MULTIPLE DX	950	4.3	17	1	1	3	5	8	11	22
A. NOT OPERATED	1574	3.6	12	1	1	3	4	7	9	17
B. OPERATED	155	4.5	15	1	1	3	6	8	11	22
TOTAL 0-19 YRS	159	2.2	3	<1	1	2	3	4	6	9
20-34	666	3.6	14	1	1	3	4	7	10	19
35-49	555	4.0	12	1	1	3	5	8	9	22
50-64	251	3.9	12	1	1	3	5	8	11	17
65+	98	4.3	10	1	1	3	6	8	10	17
GRAND TOTAL	**1729**	**3.7**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	1.5	1	<1	<1	1	2	3	4	4
35-49	4	1.3		1	1	1	2	2	2	2
50-64	8	2.6	5	<1	<1	2	4	6	7	7
65+										
B. *Operated*										
0-19 YRS	32	1.6	1	<1	<1	1	2	3	3	5
20-34	533	1.7	1	<1	<1	1	2	3	3	5
35-49	812	1.7	1	<1	<1	1	2	3	3	5
50-64	702	1.9	3	<1	<1	2	2	3	4	5
65+	490	2.1	1	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	6	1.5	1	<1	<1	1	2	3	3	3
35-49	14	2.3	5	<1	<1	1	3	5	8	9
50-64	31	3.1	9	<1	<1	2	5	6	7	16
65+	20	4.3	30	<1	1	2	5	11	19	22
B. *Operated*										
0-19 YRS	14	2.2	2	1	1	2	3	5	5	5
20-34	163	2.2	2	<1	<1	2	3	4	5	9
35-49	271	2.6	5	<1	<1	2	3	4	6	14
50-64	430	2.7	6	<1	1	2	3	5	6	13
65+	359	3.1	9	<1	1	2	3	6	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*	2569	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	72	3.1	14	<1	<1	2	4	6	9	21
B. *Operated*	1237	2.7	6	<1	1	2	3	5	7	14
1. SINGLE DX	2589	1.8	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	1309	2.8	6	<1	1	2	3	5	7	15
A. NOT OPERATED	92	2.9	12	<1	<1	2	3	6	7	20
B. OPERATED	3806	2.1	3	<1	<1	2	2	3	5	9
TOTAL 0-19 YRS	47	1.8	1	<1	<1	1	2	3	5	5
20-34	710	1.8	1	<1	<1	2	2	3	4	6
35-49	1101	2.0	2	<1	<1	2	2	3	4	8
50-64	1171	2.2	4	<1	<1	2	3	4	5	10
65+	869	2.6	5	<1	1	2	3	4	6	14
GRAND TOTAL	**3898**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	8.0	62	1	2	5	11	15	24	39
20-34	123	5.8	33	1	1	4	7	12	20	27
35-49	130	6.8	93	1	1	3	8	17	23	53
50-64	97	6.2	73	1	1	4	7	10	16	57
65+	101	6.7	110	1	2	4	8	13	16	69
B. *Operated*										
0-19 YRS	89	2.8	11	<1	<1	2	3	5	7	22
20-34	552	3.1	8	<1	1	2	4	6	7	13
35-49	570	3.2	12	<1	1	2	4	6	8	16
50-64	604	3.2	18	<1	1	2	3	6	9	18
65+	300	3.5	15	<1	1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	8.6	156	1	2	4	9	22	28	65
20-34	112	7.6	127	1	1	4	9	22	42	99+
35-49	186	6.2	45	1	1	4	7	13	16	43
50-64	253	7.5	69	1	2	5	9	16	22	41
65+	438	7.4	53	1	2	6	9	14	19	44
B. *Operated*										
0-19 YRS	53	7.4	213	1	1	3	4	18	51	72
20-34	312	6.2	113	1	1	3	6	12	19	88
35-49	436	5.7	76	1	1	3	6	11	17	49
50-64	447	6.8	120	1	1	4	7	14	22	69
65+	328	8.3	107	1	2	4	11	23	35	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	6.6	74	1	1	4	8	14	21	47
B. *Operated*	2115	3.2	13	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	1022	7.3	67	1	2	5	9	15	21	50
B. *Operated*	1576	6.7	108	1	1	4	7	14	25	77
1. SINGLE DX	2620	3.9	27	<1	1	2	4	8	11	24
2. MULTIPLE DX	2598	6.9	92	1	1	4	8	15	23	71
A. NOT OPERATED	1527	7.0	70	1	1	4	8	15	21	49
B. OPERATED	3691	4.7	56	<1	1	3	5	9	15	46
TOTAL 0-19 YRS	229	5.9	95	<1	1	3	5	14	20	62
20-34	1099	4.8	55	<1	1	3	5	9	14	64
35-49	1322	4.8	48	<1	1	3	5	9	14	42
50-64	1401	5.4	67	1	1	3	6	10	16	42
65+	1167	6.6	67	1	1	4	8	14	21	54
GRAND TOTAL	**5218**	**5.4**	**61**	**1**	**1**	**3**	**6**	**11**	**17**	**48**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34										
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	6	1.7	1	1	1	2	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	51	4.3	6	1	2	4	5	8	9	12
20-34	132	4.5	5	2	2	4	5	7	9	12
35-49	136	4.4	5	1	2	4	5	7	8	11
50-64	460	4.6	8	1	2	4	5	8	9	14
65+	435	4.6	7	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	6	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	34	4.8	12	1	3	4	5	7	10	22
20-34	93	4.7	9	1	2	4	6	8	12	16
35-49	90	4.8	8	1	2	4	6	8	8	16
50-64	358	5.2	9	2	2	4	6	9	11	16
65+	496	5.2	11	2	2	4	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	8	1	1	2	3	8	9	9
B. *Operated*	1214	4.5	7	1	2	4	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	14	2.1	2	1	1	2	3	4	5	5
B. *Operated*	1071	5.1	10	2	2	4	6	9	11	17
1. SINGLE DX	1224	4.5	7	1	2	4	5	7	9	14
2. MULTIPLE DX	1085	5.1	10	2	2	4	6	9	11	17
A. NOT OPERATED	24	2.6	5	1	1	2	3	5	8	9
B. OPERATED	2285	4.8	8	2	2	4	6	8	10	16
TOTAL 0-19 YRS	89	4.4	9	1	2	4	5	8	9	18
20-34	228	4.6	7	1	2	4	6	8	9	13
35-49	229	4.6	6	1	2	4	6	8	8	15
50-64	826	4.8	9	2	2	4	6	8	10	15
65+	937	4.9	9	2	2	4	6	8	10	17
GRAND TOTAL	**2309**	**4.8**	**8**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	10	2.4	3	1	1	2	3	5	6	6
65+	12	2.0	3	1	1	1	3	5	6	6
B. *Operated*										
0-19 YRS	5	2.8	1	2	2	2	4	4	4	4
20-34	11	2.3	1	1	1	2	3	3	3	3
35-49	34	2.2	1	1	1	2	3	3	5	6
50-64	118	2.7	5	<1	1	2	3	6	8	11
65+	223	2.8	6	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	3	2.3	5	1	1	1	4	5	5	5
50-64	12	2.3	1	1	1	2	3	4	4	4
65+	21	3.1	4	<1	1	3	4	6	8	9
B. *Operated*										
0-19 YRS	3	17.0	675	2	2	2	36	47	47	47
20-34	5	6.4	31	2	2	3	12	13	13	13
35-49	6	3.0	2	1	1	3	4	5	5	5
50-64	88	3.4	5	1	2	3	4	7	9	12
65+	194	3.6	11	1	1	3	4	7	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	2.0	2	<1	1	1	2	5	6	6
B. *Operated*	391	2.7	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	39	2.7	3	<1	1	2	4	5	6	9
B. *Operated*	296	3.7	16	1	1	3	4	7	9	19
1. SINGLE DX	417	2.7	5	1	1	2	3	5	6	12
2. MULTIPLE DX	335	3.6	15	1	1	3	4	7	9	18
A. NOT OPERATED	65	2.4	3	<1	1	2	3	5	6	9
B. OPERATED	687	3.2	10	1	1	2	3	6	8	14
TOTAL 0-19 YRS	14	5.1	147	<1	<1	2	2	8	38	47
20-34	17	3.5	12	1	1	2	3	10	13	13
35-49	43	2.3	2	1	1	2	3	4	5	6
50-64	228	3.0	5	1	1	2	4	6	8	11
65+	450	3.1	8	1	1	2	4	6	8	18
GRAND TOTAL	**752**	**3.1**	**10**	**1**	**1**	**2**	**3**	**6**	**8**	**14**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	5	3.6	19	1	1	1	6	11	11	11
B. *Operated*										
0-19 YRS	16	2.2	1	<1	1	2	3	4	4	4
20-34	12	3.1	4	1	1	2	4	7	8	8
35-49	29	3.0	4	1	1	3	4	5	6	10
50-64	59	2.9	13	1	1	2	3	4	5	27
65+	106	2.9	6	1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	3.0		3	3	3	3	3	3	3
35-49	6	2.3	1	<1	<1	2	3	4	4	4
50-64	7	1.6	1	1	1	1	2	3	3	3
65+	18	6.1	23	2	2	4	7	12	17	21
B. *Operated*										
0-19 YRS	8	4.1	11	2	2	2	6	10	11	11
20-34	14	2.6	3	1	1	2	3	6	6	6
35-49	15	3.7	17	1	1	2	4	10	14	16
50-64	43	3.5	6	1	1	3	4	8	9	11
65+	137	4.0	17	1	1	2	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	7	<1	1	1	2	4	9	11
B. *Operated*	222	2.9	7	1	1	2	3	5	6	14
2. MULTIPLE DX										
A. *Not Operated*	33	4.3	17	1	1	3	5	10	12	21
B. *Operated*	217	3.8	13	1	1	2	4	8	11	18
1. SINGLE DX	237	2.8	7	1	1	2	3	5	7	13
2. MULTIPLE DX	250	3.9	14	1	1	3	4	8	11	20
A. NOT OPERATED	48	3.6	14	1	1	2	4	9	11	21
B. OPERATED	439	3.3	10	1	1	2	4	7	9	16
TOTAL 0-19 YRS	25	2.8	5	1	1	2	3	5	8	11
20-34	30	2.7	3	1	1	2	3	6	6	8
35-49	52	3.1	7	1	1	2	4	5	9	16
50-64	114	2.9	9	1	1	2	3	5	7	17
65+	266	3.7	13	1	1	2	4	7	11	19
GRAND TOTAL	**487**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	14	2.1	1	<1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS										
20-34										
35-49	445	2.0	1	1	1	2	2	3	3	7
50-64	2744	2.1	1	1	1	2	2	3	3	5
65+	10819	2.2	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	12	1.8	5	<1	<1	1	1	5	8	8
50-64	61	1.8	8	<1	<1	1	2	3	4	21
65+	244	2.4	14	<1	<1	1	2	5	9	18
B. *Operated*										
0-19 YRS										
20-34										
35-49	232	2.5	3	1	1	2	3	4	5	10
50-64	1795	2.4	3	1	1	2	3	3	5	9
65+	9034	2.6	4	1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.9	1	<1	<1	2	2	4	5	5
B. *Operated*	14008	2.2	2	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	317	2.3	12	<1	<1	1	2	4	8	19
B. *Operated*	11061	2.5	4	1	1	2	3	4	5	10
1. SINGLE DX	14026	2.2	2	1	1	2	2	3	4	5
2. MULTIPLE DX	11378	2.5	4	1	1	2	3	4	5	10
A. NOT OPERATED	335	2.3	12	<1	<1	1	2	4	8	18
B. OPERATED	25069	2.3	3	1	1	2	3	3	4	8
TOTAL 0-19 YRS										
20-34										
35-49	690	2.2	2	1	1	2	2	3	4	8
50-64	4603	2.2	2	1	1	2	2	3	4	7
65+	20111	2.4	3	1	1	2	3	3	4	9
GRAND TOTAL	**25404**	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	57	1.9	1	<1	1	2	2	2	3	5
20-34	45	2.0	1	<1	1	2	2	3	4	5
35-49	59	1.8		<1	1	2	2	2	3	3
50-64	90	2.0	1	<1	<1	2	2	3	3	5
65+	177	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	4.8	38	1	1	2	8	14	14	14
65+	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	38	2.1	2	<1	1	2	2	3	6	8
20-34	52	2.8	3	<1	1	2	3	6	7	9
35-49	41	2.3	1	1	1	2	2	4	5	7
50-64	90	2.6	5	<1	1	2	3	4	6	15
65+	173	2.4	3	1	1	2	2	3	5	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	428	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.4	14	<1	<1	1	2	6	13	14
B. *Operated*	394	2.5	3	<1	1	2	3	4	6	12
1. SINGLE DX	430	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	406	2.5	4	<1	1	2	3	4	6	13
A. NOT OPERATED	14	2.3	12	<1	<1	1	2	4	12	14
B. OPERATED	822	2.2	2	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	97	2.0	1	<1	<1	2	2	3	4	8
20-34	97	2.4	2	<1	1	2	3	4	6	8
35-49	102	2.0	1	1	1	2	2	3	3	6
50-64	184	2.3	4	<1	1	2	2	3	4	14
65+	356	2.1	2	<1	<1	2	2	3	4	8
GRAND TOTAL	**836**	**2.2**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.7	3	<1	<1	3	3	5	6	7
20-34	4	2.5	2	1	1	2	3	4	4	4
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	5	3.8	10	1	1	3	5	9	9	9
65+	12	3.3	3	<1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	899	1.5	1	<1	<1	1	2	2	2	5
20-34	188	1.7		<1	1	2	2	2	3	3
35-49	95	1.8	1	<1	<1	2	2	2	3	7
50-64	49	1.9	1	1	1	2	2	3	3	6
65+	41	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.8	1	<1	<1	2	3	3	3	3
20-34	11	3.5	17	<1	<1	2	5	10	14	14
35-49	8	2.9	7	<1	<1	2	3	7	9	9
50-64	21	4.4	11	1	1	4	5	8	12	16
65+	27	4.4	8	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	186	1.6	1	<1	<1	1	2	2	3	7
20-34	67	1.8	1	<1	1	2	2	3	3	5
35-49	52	1.9		<1	1	2	2	3	3	4
50-64	43	2.4	3	1	1	2	3	4	7	9
65+	46	3.0	9	1	2	2	3	7	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.1	4	<1	<1	3	4	6	7	9
B. *Operated*	1272	1.6	1	<1	<1	1	2	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	87	3.6	9	<1	1	3	5	8	9	15
B. *Operated*	394	1.9	2	<1	<1	2	2	3	4	8
1. SINGLE DX	1312	1.6	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	481	2.2	4	<1	<1	2	2	4	7	10
A. NOT OPERATED	127	3.4	7	<1	1	3	4	7	9	14
B. OPERATED	1666	1.7	1	<1	<1	2	2	2	3	7
TOTAL 0-19 YRS	1121	1.5	1	<1	<1	1	2	2	3	7
20-34	270	1.8	1	<1	1	2	2	2	3	7
35-49	158	1.9	1	<1	<1	2	2	3	3	9
50-64	118	2.6	4	1	1	2	3	5	7	11
65+	126	3.0	6	<1	1	2	3	7	8	12
GRAND TOTAL	**1793**	**1.8**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**8**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	1.7	2	<1	<1	<1	2	4	5	9
20-34	20	2.9	3	<1	<1	3	4	6	6	6
35-49	25	2.9	6	<1	<1	2	4	6	8	12
50-64	15	6.3	82	<1	1	3	6	26	29	30
65+	33	4.7	21	<1	1	3	5	11	17	19
B. *Operated*										
0-19 YRS	125	1.6	1	<1	<1	1	2	3	3	5
20-34	179	2.3	2	<1	<1	2	3	4	5	8
35-49	202	2.0	1	<1	<1	2	3	4	4	6
50-64	308	1.9	2	<1	<1	2	2	3	4	7
65+	462	2.3	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	4	<1	1	3	4	5	6	9
20-34	38	4.4	11	1	1	4	5	8	10	19
35-49	26	4.6	11	1	1	4	6	8	12	15
50-64	29	5.3	20	<1	1	4	8	10	17	19
65+	71	5.7	32	<1	1	4	7	14	21	25
B. *Operated*										
0-19 YRS	61	2.7	4	<1	<1	2	4	6	7	7
20-34	112	2.8	4	<1	<1	2	4	5	6	11
35-49	109	3.3	45	<1	1	2	3	5	10	41
50-64	247	3.2	30	<1	1	2	3	5	8	22
65+	577	3.4	17	1	1	2	4	6	8	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.7	12	<1	<1	1	3	5	7	21
B. *Operated*	1276	2.1	2	<1	<1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	281	4.3	15	<1	1	3	5	8	11	22
B. *Operated*	1106	3.2	21	<1	1	2	4	6	8	18
1. SINGLE DX	1500	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	1387	3.5	20	<1	1	2	4	6	9	20
A. NOT OPERATED	505	3.6	15	<1	<1	3	5	7	10	21
B. OPERATED	2382	2.6	11	<1	<1	2	3	5	6	14
TOTAL 0-19 YRS	434	2.2	3	<1	<1	1	3	4	6	9
20-34	349	2.7	4	<1	<1	2	3	5	6	10
35-49	362	2.6	16	<1	<1	2	3	4	6	14
50-64	599	2.7	17	<1	<1	2	3	5	7	20
65+	1143	3.1	13	<1	1	2	4	6	8	18
GRAND TOTAL	**2887**	**2.8**	**12**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	3.3	4	1	2	3	4	6	7	11
20-34	63	4.1	24	1	1	3	4	6	8	33
35-49	23	3.3	5	1	1	3	4	6	8	10
50-64	23	2.6	2	1	1	2	3	5	5	5
65+	39	3.9	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	49	2.6	3	1	1	2	3	4	6	11
20-34	48	2.9	3	1	1	3	4	5	6	9
35-49	58	2.4	1	<1	1	2	3	4	5	7
50-64	246	2.3	3	1	1	2	2	4	5	8
65+	732	2.2	2	1	1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	229	4.0	4	2	2	3	5	7	8	11
20-34	59	4.3	9	1	1	4	6	8	9	16
35-49	48	4.1	19	1	1	3	4	8	11	25
50-64	74	5.6	33	1	1	4	8	11	13	36
65+	115	5.3	21	1	1	4	7	10	16	23
B. *Operated*										
0-19 YRS	67	5.3	17	1	2	4	8	11	13	20
20-34	111	4.1	24	1	1	3	5	7	9	29
35-49	103	3.8	10	<1	1	3	5	7	9	19
50-64	328	3.4	7	1	1	3	4	6	9	14
65+	738	3.3	11	1	1	2	4	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	3.5	7	1	1	3	4	6	7	12
B. *Operated*	1133	2.3	2	1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	525	4.5	14	1	1	4	6	8	11	19
B. *Operated*	1347	3.5	12	1	1	2	4	7	9	16
1. SINGLE DX	1567	2.6	4	1	1	2	3	5	6	10
2. MULTIPLE DX	1872	3.8	12	1	1	3	5	7	9	18
A. NOT OPERATED	959	4.0	11	1	1	3	5	7	9	18
B. OPERATED	2480	3.0	8	1	1	2	3	5	8	12
TOTAL 0-19 YRS	631	3.7	6	1	2	3	5	7	9	12
20-34	281	3.9	17	1	1	3	5	7	9	21
35-49	232	3.4	10	1	1	3	4	6	8	20
50-64	671	3.2	9	1	1	2	4	6	9	14
65+	1624	3.0	8	1	1	2	3	6	8	15
GRAND TOTAL	**3439**	**3.3**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	6	3.2	2	<1	<1	3	4	5	5	5
35-49	8	1.6		1	1	2	2	2	2	2
50-64	12	3.4	5	1	1	3	4	7	8	8
65+	11	2.5	1	1	1	2	3	4	5	5
B. *Operated*										
0-19 YRS	9	1.3		<1	<1	1	2	2	2	2
20-34	9	2.1	1	<1	<1	2	3	4	4	4
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64	16	2.3	1	<1	1	2	3	4	5	5
65+	18	2.1	1	1	1	2	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	2	<1	<1	2	2	4	5	5
20-34	17	2.7	3	1	1	2	4	5	6	7
35-49	22	3.0	4	1	1	2	4	5	8	10
50-64	25	3.5	3	<1	2	3	4	7	7	7
65+	58	6.1	46	1	2	4	7	14	17	43
B. *Operated*										
0-19 YRS	24	2.0	1	1	1	2	2	3	5	5
20-34	23	3.2	14	<1	<1	2	3	6	13	17
35-49	20	2.4	2	<1	1	2	3	5	6	7
50-64	36	3.9	14	1	1	3	4	8	15	18
65+	37	3.3	14	<1	1	2	3	6	8	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.6	3	1	1	2	3	5	6	8
B. *Operated*	60	2.1	1	<1	1	2	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	140	4.2	23	1	1	3	5	8	12	20
B. *Operated*	140	3.1	11	1	1	2	3	6	8	18
1. SINGLE DX	101	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	280	3.6	17	1	1	2	4	7	10	18
A. NOT OPERATED	181	3.8	19	1	1	3	4	7	10	17
B. OPERATED	200	2.8	8	<1	1	2	3	5	7	18
TOTAL 0-19 YRS	55	1.8	1	<1	1	2	2	3	5	5
20-34	55	2.9	7	<1	<1	2	3	5	7	17
35-49	58	2.5	3	1	1	2	3	4	6	10
50-64	89	3.4	8	1	1	3	4	6	8	18
65+	124	4.3	28	1	1	3	5	10	15	29
GRAND TOTAL	**381**	**3.3**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**17**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	269	2.4	2	1	1	2	3	4	5	10
20-34	12	3.3	5	<1	1	3	4	7	9	9
35-49	14	3.0	2	<1	1	3	4	5	6	6
50-64	5	2.0	1	1	1	2	3	3	3	3
65+	3	2.3	5	1	1	1	4	5	5	5
B. *Operated*										
0-19 YRS	3490	1.1		<1	<1	<1	1	1	2	3
20-34	310	1.8	1	1	1	2	2	3	3	5
35-49	279	1.8	1	<1	1	2	2	3	3	5
50-64	316	1.8	1	1	1	2	2	3	3	5
65+	116	1.7		<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	961	2.8	4	<1	1	2	4	5	7	10
20-34	47	3.3	6	<1	1	3	4	6	8	14
35-49	23	3.7	5	<1	1	4	5	9	36	99+
50-64	18	4.1	6	<1	1	3	5	8	10	10
65+	47	5.2	14	1	2	4	7	10	12	19
B. *Operated*										
0-19 YRS	2027	1.4	1	<1	<1	1	1	2	3	6
20-34	230	2.1	2	<1	1	2	3	3	4	9
35-49	201	2.1	1	<1	1	2	2	3	4	8
50-64	205	2.3	3	1	1	2	3	4	5	11
65+	92	3.2	12	1	1	2	3	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	2.5	3	1	1	2	3	4	5	10
B. *Operated*	4511	1.3		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	1096	3.0	5	<1	1	2	4	5	7	12
B. *Operated*	2755	1.7	2	<1	<1	1	2	3	3	8
1. SINGLE DX	4814	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX	3851	2.0	4	<1	<1	1	2	4	5	10
A. NOT OPERATED	1399	2.9	5	<1	1	2	4	5	7	11
B. OPERATED	7266	1.4	1	<1	<1	1	2	2	3	5
TOTAL 0-19 YRS	6747	1.5	2	<1	<1	<1	2	3	4	7
20-34	599	2.0	2	<1	1	2	2	3	4	8
35-49	517	2.1	3	<1	1	2	2	3	4	9
50-64	544	2.1	2	1	1	2	2	3	4	9
65+	258	2.9	9	1	1	2	3	6	9	18
GRAND TOTAL	**8665**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.9	2	1	1	3	4	5	6	8
20-34	26	4.2	7	1	2	4	5	8	10	12
35-49	18	3.9	11	1	1	3	5	8	12	14
50-64	5	2.8	2	<1	<1	3	4	5	5	5
65+	10	6.6	38	2	2	4	8	17	21	21
B. *Operated*										
0-19 YRS	245	1.6	10	<1	<1	<1	1	2	3	11
20-34	42	3.6	28	<1	<1	2	3	9	13	31
35-49	35	2.3	2	<1	<1	2	3	5	6	7
50-64	18	2.2	2	<1	<1	2	3	4	6	7
65+	18	2.9	5	<1	<1	2	3	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.4	5	<1	1	3	5	6	8	13
20-34	46	5.3	20	<1	1	4	6	10	16	21
35-49	24	5.1	20	1	1	4	5	13	16	20
50-64	26	7.8	69	1	2	6	10	13	22	44
65+	27	8.8	83	1	2	6	11	20	24	44
B. *Operated*										
0-19 YRS	202	2.1	5	<1	<1	1	2	4	7	13
20-34	72	3.5	10	1	1	2	4	8	11	17
35-49	50	3.5	17	<1	1	2	3	8	14	22
50-64	64	5.6	104	1	1	2	4	8	26	54
65+	31	10.7	195	2	2	5	10	28	41	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	3.8	9	1	1	3	4	7	9	18
B. *Operated*	358	2.0	11	<1	<1	1	2	3	6	14
2. MULTIPLE DX										
A. *Not Operated*	218	5.2	30	<1	1	4	6	10	16	28
B. *Operated*	419	3.7	41	<1	<1	2	3	7	12	39
1. SINGLE DX	459	2.4	11	<1	<1	1	3	5	7	14
2. MULTIPLE DX	637	4.2	38	<1	1	2	4	8	13	38
A. NOT OPERATED	319	4.7	24	1	1	3	5	9	14	21
B. OPERATED	777	2.9	28	<1	<1	1	3	6	9	29
TOTAL 0-19 YRS	584	2.2	7	<1	<1	1	2	4	6	13
20-34	186	4.1	17	<1	1	3	5	9	12	20
35-49	127	3.5	13	<1	1	2	4	7	13	20
50-64	113	5.4	78	1	1	3	5	10	17	53
65+	86	8.0	108	1	2	4	7	20	27	57
GRAND TOTAL	**1096**	**3.4**	**28**	**<1**	**<1**	**2**	**4**	**7**	**11**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	2	<1	1	2	3	4	7	7
20-34	74	2.9	5	1	1	2	4	5	8	13
35-49	130	3.2	18	1	1	2	4	6	7	18
50-64	184	2.7	3	1	1	2	4	5	6	10
65+	222	3.4	6	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	12	2.3	1	1	1	2	3	3	4	4
20-34	58	2.9	2	1	1	3	4	5	5	6
35-49	68	3.4	4	1	1	3	4	6	9	10
50-64	114	4.0	11	1	2	3	5	7	8	18
65+	46	3.8	7	1	1	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.3	3	1	1	2	3	4	7	7
20-34	86	3.8	10	1	1	3	5	8	9	19
35-49	138	3.7	7	1	1	3	5	7	9	13
50-64	384	3.6	7	1	1	3	5	6	8	16
65+	790	4.4	12	1	1	3	6	8	11	16
B. *Operated*										
0-19 YRS	6	3.3	3	1	1	3	4	6	6	6
20-34	27	6.6	27	2	2	5	8	14	19	22
35-49	48	3.9	5	1	1	3	5	8	9	9
50-64	69	8.0	50	2	3	7	10	14	17	42
65+	69	6.6	41	2	2	5	8	12	14	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	622	3.1	8	1	1	2	4	6	7	12
B. *Operated*	298	3.6	7	1	1	3	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	1410	4.1	10	1	1	3	5	8	10	16
B. *Operated*	219	6.4	35	2	2	5	8	12	15	39
1. SINGLE DX	920	3.2	7	1	1	3	4	6	7	11
2. MULTIPLE DX	1629	4.4	14	1	1	3	5	8	11	18
A. NOT OPERATED	2032	3.8	10	1	1	3	5	7	9	15
B. OPERATED	517	4.8	21	1	2	3	6	9	12	25
TOTAL 0-19 YRS	42	2.5	2	1	1	2	3	4	6	7
20-34	245	3.6	10	1	1	3	4	7	9	19
35-49	384	3.5	10	1	1	3	4	6	9	11
50-64	751	5.9	12	1	1	3	5	7	9	17
65+	1127	4.3	13	1	1	3	5	8	10	16
GRAND TOTAL	**2549**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	1.2		1	1	1	2	2	2	2
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	23	2.0	1	<1	1	2	3	3	4	4
20-34	188	1.7	1	1	1	1	2	3	3	4
35-49	257	1.6	1	1	1	1	2	3	3	5
50-64	325	1.6	1	1	1	1	2	3	3	4
65+	147	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	3	16.0	675	<1	<1	1	35	46	46	46
65+	6	5.0	9	1	1	4	8	9	9	9
B. *Operated*										
0-19 YRS	6	2.0	1	1	1	2	3	3	3	3
20-34	40	1.8	1	1	1	2	2	3	3	4
35-49	55	2.3	1	1	1	2	3	4	4	5
50-64	59	2.1	2	<1	1	2	3	3	5	8
65+	38	2.5	1	1	1	2	3	4	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.7	1	1	1	1	2	4	4	4
B. *Operated*	940	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	12	7.3	158	<1	<1	3	7	20	42	46
B. *Operated*	198	2.2	1	1	1	2	3	3	4	6
1. SINGLE DX	949	1.6	1	1	1	1	2	3	3	4
2. MULTIPLE DX	210	2.5	11	1	1	2	3	4	5	9
A. NOT OPERATED	21	4.9	95	<1	1	1	4	8	26	46
B. OPERATED	1138	1.7	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	29	2.0	1	1	1	2	3	3	3	4
20-34	234	1.7	1	1	1	1	2	3	3	4
35-49	316	1.8	1	1	1	2	2	3	4	5
50-64	389	1.8	6	1	1	1	2	3	3	5
65+	191	2.0	1	1	1	2	3	3	4	7
GRAND TOTAL	**1159**	**1.8**	**3**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.2	3	<1	<1	2	3	4	6	7
20-34	12	2.9	3	1	1	3	4	6	6	6
35-49	15	3.9	3	1	2	4	6	6	6	6
50-64	20	3.3	5	1	1	3	4	5	8	11
65+	11	4.0	10	<1	1	3	4	9	12	12
B. *Operated*										
0-19 YRS	537	1.6	1	<1	<1	1	2	2	3	4
20-34	394	1.7	1	<1	1	1	2	3	3	7
35-49	267	1.8	2	<1	<1	2	2	3	4	7
50-64	226	1.9	1	1	1	2	2	3	3	7
65+	92	1.9	2	<1	<1	2	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	1.8	4	<1	<1	1	2	3	4	11
20-34	18	3.5	19	1	1	2	4	5	14	20
35-49	17	2.1	4	<1	<1	1	3	5	6	7
50-64	36	3.9	15	<1	1	2	5	11	12	17
65+	49	4.3	10	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	364	1.8	2	<1	<1	2	2	3	3	7
20-34	230	1.8	1	<1	1	2	2	3	4	6
35-49	214	2.1	2	<1	1	2	2	3	5	10
50-64	214	2.6	4	1	1	2	3	4	6	13
65+	106	2.6	2	<1	1	2	3	5	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.3	5	<1	1	3	4	6	7	12
B. *Operated*	1516	1.7	1	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	151	3.4	11	<1	<1	2	4	7	11	17
B. *Operated*	1128	2.1	2	<1	1	2	2	3	5	8
1. SINGLE DX	1588	1.8	1	<1	<1	2	2	3	3	7
2. MULTIPLE DX	1279	2.2	4	<1	1	2	3	4	5	11
A. NOT OPERATED	223	3.3	9	<1	1	2	4	6	10	17
B. OPERATED	2644	1.9	2	<1	1	2	2	3	4	7
TOTAL 0-19 YRS	946	1.7	1	<1	<1	1	2	3	3	6
20-34	654	1.8	2	<1	1	2	2	3	4	7
35-49	513	2.0	2	<1	1	2	2	3	5	8
50-64	496	2.4	4	1	1	2	3	4	5	12
65+	258	2.7	5	<1	1	2	3	5	7	12
GRAND TOTAL	**2867**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**9**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.4	8	2	2	4	5	9	11	13
20-34	10	3.4	3	<1	1	3	4	6	7	7
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	2	9.0	50	4	4	9	14	14	14	14
65+	5	6.2	14	2	2	6	10	10	10	10
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.5	14	1	2	5	7	13	14	14
20-34	13	7.8	53	2	3	5	7	21	26	27
35-49	10	2.7	2	<1	<1	3	4	5	5	5
50-64	19	5.1	13	1	2	4	6	9	14	17
65+	29	9.5	84	2	3	7	11	16	28	48
B. *Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	1	45.0		45	45	45	45	45	45	45
35-49	6	8.8	44	2	2	8	13	18	19	19
50-64	10	11.6	114	2	2	10	16	27	38	38
65+	9	13.8	62	2	5	12	15	27	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.5	9	2	2	4	6	10	11	14
B. *Operated*	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	94	6.7	43	1	2	5	8	13	17	39
B. *Operated*	28	12.5	112	2	2	11	14	28	39	45
1. SINGLE DX	54	4.5	9	2	2	4	5	10	11	14
2. MULTIPLE DX	122	8.0	64	2	2	5	10	16	24	46
A. NOT OPERATED	146	5.9	32	2	2	4	7	12	15	28
B. OPERATED	30	11.9	110	2	2	11	13	26	38	45
TOTAL 0-19 YRS	57	4.9	11	2	2	4	6	10	13	14
20-34	25	7.4	93	1	2	5	6	20	31	45
35-49	19	4.7	22	<1	1	3	6	12	16	19
50-64	32	7.3	52	2	2	5	10	16	17	38
65+	43	10.0	74	2	3	8	12	17	28	48
GRAND TOTAL	**176**	**6.9**	**50**	**2**	**2**	**5**	**9**	**13**	**18**	**43**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	5.3	38	2	2	3	5	14	22	23
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	11	3.8	11	<1	<1	3	5	10	11	11
65+	8	3.8	3	2	2	3	4	7	8	8
B. *Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	26	5.7	20	1	1	3	9	13	14	14
35-49	57	5.6	24	1	1	2	10	13	15	16
50-64	103	5.8	31	1	1	2	11	13	16	23
65+	38	6.5	54	1	2	2	10	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	25	9	9	12	16	16	16	16
20-34	22	5.1	44	<1	1	3	5	11	22	30
35-49	94	4.6	17	1	1	4	6	9	15	22
50-64	174	6.5	41	1	2	4	7	14	19	36
65+	330	7.6	35	1	2	6	10	15	18	29
B. *Operated*										
0-19 YRS	7	6.9	24	2	2	7	11	13	13	13
20-34	48	8.5	45	1	1	9	12	17	20	30
35-49	172	8.5	57	1	2	8	12	18	24	34
50-64	379	11.6	134	1	2	10	16	25	31	69
65+	309	12.6	124	2	2	10	18	28	34	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	4.0	16	1	1	3	4	8	10	23
B. *Operated*	228	5.8	31	1	1	2	10	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	622	6.8	35	1	2	5	9	14	18	30
B. *Operated*	915	11.1	113	2	2	9	16	25	31	52
1. SINGLE DX	263	5.5	30	1	1	2	9	13	16	23
2. MULTIPLE DX	1537	9.4	86	1	2	7	13	21	27	42
A. NOT OPERATED	657	6.6	35	1	2	5	9	14	18	30
B. OPERATED	1143	10.1	101	1	2	9	14	22	29	46
TOTAL 0-19 YRS	14	5.6	29	1	1	2	10	13	15	16
20-34	107	6.8	40	1	1	4	10	15	18	30
35-49	327	6.8	42	1	2	4	10	15	21	29
50-64	667	9.2	99	1	2	6	13	20	27	49
65+	685	9.8	82	2	2	7	13	22	28	43
GRAND TOTAL	**1800**	**8.8**	**80**	**1**	**2**	**6**	**12**	**19**	**26**	**40**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	5	<1	<1	2	4	7	7	7
20-34	62	2.9	3	<1	1	3	4	5	6	9
35-49	153	3.1	5	1	1	3	4	6	7	13
50-64	201	3.6	8	1	1	3	4	7	9	18
65+	185	3.7	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	11	1.9	1	<1	<1	2	2	3	4	4
20-34	16	2.6	4	1	1	2	3	7	8	8
35-49	22	3.3	10	<1	1	2	5	8	10	12
50-64	28	3.9	8	1	1	3	5	7	8	13
65+	10	5.7	26	<1	<1	4	8	14	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.2	7	1	1	4	5	8	9	12
20-34	178	3.8	6	1	1	3	5	7	9	12
35-49	602	4.2	8	1	1	3	5	8	10	15
50-64	1040	4.7	15	1	1	4	6	9	12	18
65+	1656	5.6	25	1	2	4	7	10	13	26
B. *Operated*										
0-19 YRS	6	8.3	37	2	2	7	14	17	17	17
20-34	37	5.7	26	1	1	4	8	11	16	26
35-49	116	6.7	61	1	1	5	8	13	18	44
50-64	185	6.7	38	1	2	5	9	14	21	31
65+	190	10.2	111	2	2	7	12	24	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	608	3.4	7	1	1	3	4	7	9	14
B. *Operated*	87	3.5	9	1	1	2	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	3507	5.0	18	1	2	4	6	9	12	21
B. *Operated*	534	7.9	71	1	2	5	10	17	25	46
1. SINGLE DX	695	3.4	7	1	1	3	4	7	9	14
2. MULTIPLE DX	4041	5.4	26	1	2	4	7	10	14	26
A. NOT OPERATED	4115	4.7	17	1	2	4	6	9	12	20
B. OPERATED	621	7.3	65	1	1	5	9	15	23	43
TOTAL 0-19 YRS	55	4.0	11	<1	1	3	5	8	11	17
20-34	293	3.8	9	1	1	3	5	7	9	14
35-49	893	4.3	16	1	1	3	5	8	11	17
50-64	1454	4.8	17	1	1	4	6	9	12	22
65+	2041	5.8	34	1	2	4	7	11	15	28
GRAND TOTAL	**4736**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**13**	**25**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	16	<1	<1	4	8	9	9	9
35-49	13	4.9	17	1	1	5	6	12	14	15
50-64	41	4.0	3	2	2	4	5	6	8	10
65+	104	5.2	9	2	2	5	6	9	12	16
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	13.0		13	13	13	13	13	13	13
50-64	9	1.7		1	1	2	2	2	2	2
65+	5	5.2	14	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	7.9	42	2	3	5	12	18	22	23
35-49	111	5.9	21	1	2	5	7	10	15	26
50-64	438	5.8	18	2	2	4	7	11	14	22
65+	1460	7.6	42	2	3	6	9	14	19	35
B. *Operated*										
0-19 YRS										
20-34	4	7.3	31	2	2	6	11	15	15	15
35-49	25	7.1	60	1	1	4	10	20	23	31
50-64	96	7.0	44	1	2	5	10	15	17	37
65+	192	11.3	97	2	2	9	15	26	31	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	161	4.9	9	2	2	4	6	8	11	16
B. *Operated*	16	4.2	18	1	1	2	6	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	2023	7.1	36	2	2	6	9	13	17	30
B. *Operated*	317	9.6	81	2	2	7	13	22	28	45
1. SINGLE DX	177	4.8	9	1	2	4	6	9	12	16
2. MULTIPLE DX	2340	7.5	43	2	2	6	9	14	19	35
A. NOT OPERATED	2184	7.0	34	2	2	5	8	13	17	30
B. OPERATED	333	9.4	79	2	2	7	13	21	28	44
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	19	7.3	34	1	2	5	11	16	20	23
35-49	151	6.1	28	1	2	5	8	12	17	30
50-64	584	5.8	22	2	2	4	7	12	14	23
65+	1761	7.9	47	2	2	6	10	15	20	37
GRAND TOTAL	**2517**	**7.3**	**41**	**2**	**2**	**6**	**9**	**14**	**19**	**33**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	8	3.1	3	<1	<1	3	4	6	6	6
65+	13	4.5	8	1	1	4	7	8	10	10
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	11	7.4	41	1	1	7	11	16	22	22
35-49	18	4.8	14	<1	1	3	8	11	12	13
50-64	24	4.8	24	<1	1	3	6	14	15	18
65+	24	4.6	17	<1	1	3	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	8.1	101	2	2	4	8	24	34	36
20-34	18	4.1	7	2	2	3	5	8	10	12
35-49	46	5.4	10	1	1	5	7	11	13	14
50-64	91	5.7	15	1	1	5	8	12	14	16
65+	220	9.5	105	2	2	6	11	19	27	52
B. *Operated*										
0-19 YRS	16	10.5	84	2	2	7	16	21	31	35
20-34	56	8.4	70	1	1	5	13	20	25	40
35-49	73	9.5	69	1	2	7	14	21	22	41
50-64	171	10.3	119	1	2	7	14	23	30	62
65+	168	13.4	147	1	2	10	17	29	40	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.8	8	<1	1	3	5	8	10	11
B. *Operated*	80	5.0	21	<1	1	3	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	387	7.8	71	1	2	6	10	14	21	39
B. *Operated*	484	11.0	117	1	2	8	15	23	32	50
1. SINGLE DX	108	4.7	18	<1	1	3	7	11	13	20
2. MULTIPLE DX	871	9.6	99	1	2	7	12	20	28	48
A. NOT OPERATED	415	7.5	68	1	2	5	9	14	21	38
B. OPERATED	564	10.2	108	1	2	7	14	22	29	49
TOTAL 0-19 YRS	33	8.4	82	2	2	4	13	19	33	36
20-34	87	7.2	55	1	1	4	11	15	23	37
35-49	140	7.5	46	1	1	5	11	17	21	29
50-64	294	8.2	82	1	1	6	11	17	26	47
65+	425	10.6	120	1	2	8	13	23	32	52
GRAND TOTAL	**979**	**9.1**	**92**	**1**	**2**	**6**	**12**	**19**	**26**	**46**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	32	7.7	8	2	4	8	10	10	11	14
35-49	442	8.7	12	3	4	9	11	13	14	18
50-64	1088	9.2	13	3	5	9	11	13	14	21
65+	849	9.5	15	3	5	9	12	14	16	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	6.8	12	1	1	7	10	11	11	11
35-49	57	8.8	23	2	2	9	11	14	17	25
50-64	122	9.8	29	2	2	10	12	16	19	26
65+	63	10.7	41	1	2	11	14	19	24	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	10.2	22	2	3	10	14	16	17	17
20-34	74	10.1	19	4	5	10	12	15	19	25
35-49	1040	9.6	17	3	5	9	12	14	16	22
50-64	3837	10.2	22	4	6	10	12	15	18	26
65+	6228	11.4	35	4	6	10	13	18	22	33
B. *Operated*										
0-19 YRS	3	17.7	16	14	14	17	21	22	22	22
20-34	35	12.8	210	1	2	10	13	23	29	87
35-49	400	10.8	61	2	2	10	14	19	25	36
50-64	1100	12.8	69	2	2	12	16	23	28	39
65+	1095	16.3	97	4	7	14	20	29	36	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2412	9.2	13	3	5	9	11	13	15	20
B. *Operated*	253	9.6	31	1	2	10	12	16	19	27
2. MULTIPLE DX										
A. *Not Operated*	11191	10.8	29	4	6	10	13	16	20	30
B. *Operated*	2633	13.9	85	2	3	12	17	25	32	48
1. SINGLE DX	2665	9.2	15	3	5	9	11	14	15	21
2. MULTIPLE DX	13824	11.4	41	4	6	10	13	18	23	36
A. NOT OPERATED	13603	10.5	27	4	6	10	12	16	19	29
B. OPERATED	2886	13.6	82	2	3	12	17	24	31	47
TOTAL 0-19 YRS	17	11.1	31	2	3	11	15	17	20	22
20-34	151	10.0	63	2	4	9	12	15	19	30
35-49	1939	9.6	26	2	4	9	12	15	18	29
50-64	6147	10.5	30	3	5	10	12	16	20	31
65+	8235	11.8	45	4	6	11	14	19	24	38
GRAND TOTAL	**16489**	**11.1**	**38**	**3**	**5**	**10**	**13**	**17**	**22**	**35**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	31	3.2	5	<1	1	3	4	6	9	9
35-49	264	3.1	8	1	1	2	4	5	6	18
50-64	549	3.2	4	1	1	3	4	6	7	10
65+	512	3.3	5	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	2.8	3	<1	<1	2	4	5	5	5
35-49	64	3.0	5	1	1	2	4	6	7	13
50-64	130	3.2	7	1	1	2	4	7	10	13
65+	47	4.7	24	1	1	2	6	12	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	17	2	2	3	4	12	14	14
20-34	61	3.8	10	1	1	3	5	8	9	18
35-49	891	3.7	9	1	1	3	4	7	9	17
50-64	2843	4.0	8	1	1	3	5	7	9	15
65+	4947	4.9	13	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	6	11.5	33	3	3	12	16	18	18	18
20-34	38	3.9	11	<1	1	2	5	10	11	12
35-49	714	5.3	22	1	1	3	8	12	14	20
50-64	2395	6.0	34	1	1	3	9	13	16	25
65+	1570	7.9	58	1	2	6	11	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1357	3.2	5	1	1	3	4	6	7	12
B. *Operated*	247	3.4	10	1	1	2	4	7	11	16
2. MULTIPLE DX										
A. *Not Operated*	8749	4.4	11	1	2	4	6	8	11	17
B. *Operated*	4723	6.5	41	1	2	4	10	14	17	29
1. SINGLE DX	1604	3.3	6	1	1	3	4	6	8	13
2. MULTIPLE DX	13472	5.2	22	1	2	4	7	11	14	23
A. NOT OPERATED	10106	4.3	11	1	1	3	5	8	10	16
B. OPERATED	4970	6.4	40	1	1	3	10	14	17	28
TOTAL 0-19 YRS	15	6.9	36	<1	<1	4	13	16	17	18
20-34	135	3.7	9	1	1	3	5	8	9	15
35-49	1933	4.2	14	1	1	3	5	9	12	18
50-64	5917	4.7	19	1	1	3	6	10	13	21
65+	7076	5.4	24	1	2	4	7	11	15	24
GRAND TOTAL	**15076**	**5.0**	**21**	**1**	**1**	**3**	**6**	**10**	**14**	**22**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	3.0	1	2	2	3	4	4	4	4
35-49	87	3.7	7	1	2	3	5	7	9	15
50-64	247	3.8	9	1	1	3	5	6	10	17
65+	294	4.4	10	1	2	4	6	7	10	16
B. *Operated*										
0-19 YRS										
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	45	4.8	12	1	1	3	7	10	11	14
50-64	116	5.6	21	1	1	4	9	12	14	20
65+	51	5.8	32	1	1	4	8	12	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.5	7	1	1	4	5	9	9	9
20-34	12	3.6	6	1	1	3	5	8	9	9
35-49	373	4.1	8	1	2	3	5	7	9	14
50-64	1526	4.7	10	1	2	4	6	9	11	17
65+	2628	5.6	17	2	2	5	7	10	13	19
B. *Operated*										
0-19 YRS										
20-34	11	8.0	20	1	2	8	10	14	17	17
35-49	371	8.5	29	2	2	8	12	16	17	23
50-64	1223	9.8	54	2	2	9	13	17	21	37
65+	911	12.1	97	2	2	11	16	23	29	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	4.1	9	1	2	3	5	7	10	16
B. *Operated*	216	5.4	21	1	1	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	4545	5.2	14	2	2	4	6	9	12	18
B. *Operated*	2516	10.4	67	2	2	9	14	19	24	41
1. SINGLE DX	849	4.4	12	1	1	3	6	9	11	18
2. MULTIPLE DX	7061	7.0	39	2	2	5	9	14	17	30
A. NOT OPERATED	5178	5.0	14	1	2	4	6	9	12	18
B. OPERATED	2732	10.0	65	2	2	9	13	18	23	40
TOTAL 0-19 YRS	7	4.6	6	1	1	5	5	8	9	9
20-34	31	4.9	15	1	1	3	8	10	12	17
35-49	876	6.0	22	1	2	4	8	12	15	20
50-64	3112	6.7	34	1	2	5	9	14	17	27
65+	3884	7.0	43	2	2	5	9	14	18	32
GRAND TOTAL	**7910**	**6.8**	**37**	**2**	**2**	**5**	**9**	**14**	**17**	**29**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	7	2.6	3	1	1	2	3	5	6	6
35-49	43	2.9	6	<1	1	2	3	6	9	11
50-64	149	3.1	7	1	1	2	4	5	8	15
65+	161	4.6	12	1	1	4	6	9	11	21
B. *Operated*										
0-19 YRS	5	2.8	16	<1	<1	1	3	10	10	10
20-34	20	3.5	10	1	1	2	4	9	11	12
35-49	501	4.3	15	1	1	2	8	10	11	15
50-64	1548	4.9	20	1	1	2	9	11	13	18
65+	720	5.7	32	1	1	2	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	8.6	53	1	3	6	12	21	26	27
20-34	29	3.6	11	1	1	3	4	9	11	15
35-49	407	4.2	13	1	1	3	5	9	12	17
50-64	1681	4.8	16	1	1	4	6	10	12	19
65+	4104	6.5	33	2	2	5	8	13	16	30
B. *Operated*										
0-19 YRS	10	10.9	403	1	1	3	10	39	67	67
20-34	52	5.6	40	1	1	2	9	13	14	37
35-49	1247	5.7	28	1	2	3	9	12	15	23
50-64	4416	6.9	44	1	2	4	10	14	18	30
65+	3006	9.2	83	1	2	8	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	3.7	10	1	1	3	5	7	10	15
B. *Operated*	2794	5.0	23	1	1	2	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	6235	5.9	28	1	2	4	7	12	15	27
B. *Operated*	8731	7.5	57	1	2	5	11	16	20	35
1. SINGLE DX	3155	4.8	21	1	1	2	8	11	13	20
2. MULTIPLE DX	14966	6.9	45	1	2	5	10	14	18	32
A. NOT OPERATED	6596	5.8	27	1	2	4	7	11	14	26
B. OPERATED	11525	6.9	50	1	2	4	10	15	19	33
TOTAL 0-19 YRS	30	8.2	160	<1	1	4	10	16	27	67
20-34	108	4.5	25	1	1	2	6	11	13	27
35-49	2198	5.1	22	1	1	2	8	11	13	21
50-64	7794	6.0	33	1	1	3	9	13	16	26
65+	7991	7.4	53	1	2	5	10	15	20	35
GRAND TOTAL	**18121**	**6.5**	**42**	**1**	**2**	**4**	**9**	**14**	**17**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	11	5	5	6	9	12	12	12
20-34	77	7.4	8	3	4	7	10	11	12	13
35-49	83	8.3	12	3	4	8	10	12	14	20
50-64	89	9.6	13	5	6	9	12	15	17	21
65+	99	9.7	16	4	5	10	12	14	16	25
B. *Operated*										
0-19 YRS										
20-34	14	10.4	18	5	7	9	11	16	20	21
35-49	17	8.2	13	2	3	9	10	13	14	14
50-64	16	13.0	75	5	5	11	15	18	35	42
65+	15	11.1	8	7	8	11	13	15	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	12.0	9	9	9	11	15	16	16	16
20-34	86	8.7	11	3	4	8	11	13	14	16
35-49	185	9.3	16	3	4	9	12	15	17	20
50-64	358	9.9	24	4	5	9	12	15	18	30
65+	657	11.5	39	4	6	10	14	19	24	36
B. *Operated*										
0-19 YRS	2	22.5	925	1	1	22	44	44	44	44
20-34	27	14.0	92	4	4	12	17	29	36	40
35-49	56	11.0	28	4	5	10	13	16	23	29
50-64	120	14.1	125	5	7	11	16	23	37	99
65+	176	16.2	136	6	7	13	19	26	36	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	8.8	13	4	5	8	11	13	15	21
B. *Operated*	62	10.6	31	4	5	10	12	16	18	39
2. MULTIPLE DX										
A. *Not Operated*	1292	10.6	30	4	5	10	13	16	21	34
B. *Operated*	381	14.6	118	5	6	12	17	24	35	69
1. SINGLE DX	414	9.1	16	4	5	9	11	14	16	22
2. MULTIPLE DX	1673	11.5	53	4	5	10	14	18	23	40
A. NOT OPERATED	1644	10.2	27	4	5	9	12	16	19	31
B. OPERATED	443	14.1	108	5	6	12	16	23	31	68
TOTAL 0-19 YRS	12	12.2	119	1	4	10	14	24	41	44
20-34	204	9.0	25	3	4	8	11	14	16	32
35-49	341	9.3	18	3	4	9	11	15	17	22
50-64	583	10.8	47	4	5	9	12	16	20	40
65+	947	12.2	58	4	6	11	14	20	25	40
GRAND TOTAL	**2087**	**11.0**	**47**	**4**	**5**	**10**	**13**	**17**	**22**	**38**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	13.0		13	13	13	13	13	13	13
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	16.2	190	<1	<1	21	28	29	29	29
50-64	5	19.2	90	8	8	15	28	31	31	31
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	19.1	181	2	3	23	28	36	41	41
20-34	45	23.2	203	2	3	22	32	44	45	57
35-49	23	16.6	83	2	4	16	24	29	30	31
50-64	37	27.2	272	4	5	28	37	47	51	78
65+	72	28.4	171	6	12	29	36	45	49	61
B. *Operated*										
0-19 YRS	2	56.0	72	50	50	56	62	62	62	62
20-34	18	35.4	352	13	15	29	47	63	72	78
35-49	17	34.2	174	12	14	40	44	48	54	57
50-64	15	32.2	288	3	6	36	47	50	51	51
65+	27	38.2	133	17	27	39	44	49	55	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	15.5	106	<1	2	14	27	29	31	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	186	25.0	201	3	5	27	34	44	48	61
B. *Operated*	79	36.0	225	11	15	38	46	52	62	76
1. SINGLE DX	14	15.5	106	<1	2	14	27	29	31	31
2. MULTIPLE DX	265	28.3	233	4	8	29	40	47	52	69
A. NOT OPERATED	200	24.3	200	3	5	25	33	43	47	60
B. OPERATED	79	36.0	225	11	15	38	46	52	62	76
TOTAL 0-19 YRS	13	23.8	335	2	3	23	32	52	60	62
20-34	64	26.3	276	2	5	27	34	47	59	76
35-49	45	23.2	197	2	4	21	30	44	46	57
50-64	57	27.8	265	4	5	28	42	48	51	76
65+	100	30.9	180	9	13	30	40	47	50	65
GRAND TOTAL	**279**	**27.6**	**234**	**3**	**6**	**28**	**39**	**47**	**51**	**68**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	2	1	1	1	3	4	4	4
20-34	26	2.0	2	<1	<1	1	3	4	6	6
35-49	51	1.9	2	<1	<1	1	3	4	5	6
50-64	80	2.0	9	<1	<1	1	2	3	5	21
65+	94	2.7	6	1	1	2	3	6	8	13
B. *Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	3.5	4	2	2	3	5	6	6	6
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.4	36	1	1	4	9	17	18	18
20-34	46	3.2	8	<1	1	2	4	8	9	13
35-49	99	3.5	15	1	1	2	4	7	9	25
50-64	281	3.4	7	1	1	3	4	6	8	13
65+	451	4.9	20	1	1	3	6	10	14	24
B. *Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	8	10.9	122	2	2	8	14	30	35	35
50-64	16	5.3	22	1	1	4	8	12	15	17
65+	33	8.2	61	2	2	6	10	16	28	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.2	5	<1	1	2	3	4	6	12
B. *Operated*	8	2.9	2	2	2	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*	888	4.2	15	1	1	3	5	8	12	19
B. *Operated*	60	7.7	57	1	1	6	10	15	27	36
1. SINGLE DX	277	2.2	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	948	4.4	19	1	1	3	5	9	13	24
A. NOT OPERATED	1157	3.7	14	1	1	3	5	8	11	19
B. OPERATED	68	7.1	53	1	2	5	9	13	26	36
TOTAL 0-19 YRS	31	3.9	19	1	1	3	4	10	16	18
20-34	75	2.8	6	<1	<1	2	4	6	8	12
35-49	159	3.4	19	<1	1	2	4	6	9	32
50-64	381	3.2	8	1	1	2	4	6	8	16
65+	579	4.7	21	1	1	3	6	10	14	27
GRAND TOTAL	**1225**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	4	4
20-34	50	1.7	1	<1	<1	1	2	3	4	7
35-49	125	1.7	1	<1	<1	1	2	3	4	7
50-64	290	2.1	3	<1	<1	2	2	4	5	9
65+	445	2.8	5	<1	1	2	3	6	8	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.8		1	1	2	2	2	2	2
50-64	12	5.0	16	1	1	3	9	11	11	11
65+	16	4.4	15	<1	1	3	6	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.6	1	<1	<1	1	2	3	4	4
20-34	66	2.9	7	<1	1	2	3	7	9	12
35-49	255	3.0	5	<1	1	2	4	6	8	11
50-64	1171	3.7	11	1	1	3	5	8	10	16
65+	3361	5.4	28	1	1	4	7	11	14	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	8.0	76	2	2	4	14	18	18	18
35-49	23	5.8	34	<1	1	3	8	18	19	19
50-64	103	9.2	103	1	2	7	11	19	28	59
65+	379	9.9	56	2	3	8	13	19	26	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	2.3	4	<1	1	2	3	5	6	9
B. *Operated*	32	4.3	14	1	1	3	7	11	11	14
2. MULTIPLE DX										
A. *Not Operated*	4861	4.8	23	1	1	3	6	10	13	22
B. *Operated*	509	9.6	65	2	2	7	13	19	25	42
1. SINGLE DX	950	2.4	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	5370	5.3	29	1	1	4	7	11	14	26
A. NOT OPERATED	5779	4.4	21	1	1	3	6	9	12	21
B. OPERATED	541	9.2	64	1	2	7	12	19	25	40
TOTAL 0-19 YRS	17	1.6	1	<1	1	1	2	3	4	4
20-34	119	2.5	7	<1	<1	2	3	5	8	14
35-49	407	2.7	6	<1	1	2	3	5	8	12
50-64	1576	3.8	18	<1	1	3	5	8	11	19
65+	4201	5.5	30	1	1	4	7	11	15	27
GRAND TOTAL	**6320**	**4.8**	**26**	**1**	**1**	**3**	**6**	**10**	**14**	**25**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	3.5	32	<1	1	2	4	5	6	37
20-34	76	2.1	2	<1	<1	2	2	4	5	7
35-49	131	2.8	15	<1	1	2	3	5	6	15
50-64	268	2.8	6	1	1	2	3	5	6	17
65+	313	3.5	7	1	1	3	4	7	9	12
B. *Operated*										
0-19 YRS	7	3.1	4	1	1	2	4	7	7	7
20-34	16	4.3	10	<1	1	4	7	9	10	10
35-49	40	3.7	5	1	1	3	5	6	8	10
50-64	111	4.3	16	1	1	3	6	8	10	21
65+	340	5.2	13	2	2	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.0	7	1	1	2	4	6	9	12
20-34	191	3.3	8	1	1	2	4	6	8	13
35-49	526	3.6	10	1	1	3	5	7	9	15
50-64	1491	4.4	13	1	1	3	5	8	12	19
65+	3532	5.7	22	1	2	4	7	11	14	26
B. *Operated*										
0-19 YRS	10	5.0	20	1	1	3	11	12	12	12
20-34	39	6.8	20	2	2	6	9	12	15	23
35-49	125	7.8	95	1	2	5	9	14	22	51
50-64	559	7.5	66	1	2	6	9	14	20	32
65+	2244	8.7	54	2	3	7	11	16	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	828	3.0	9	<1	1	2	4	6	7	14
B. *Operated*	514	4.9	13	1	2	4	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	5805	5.0	18	1	1	4	6	10	13	23
B. *Operated*	2977	8.4	58	2	2	7	10	16	21	41
1. SINGLE DX	1342	3.7	11	1	1	3	5	7	9	15
2. MULTIPLE DX	8782	6.2	34	1	2	5	8	12	16	29
A. NOT OPERATED	6633	4.8	18	1	1	4	6	9	12	23
B. OPERATED	3491	7.9	53	2	2	6	10	15	20	38
TOTAL 0-19 YRS	122	3.4	16	1	1	2	4	6	10	19
20-34	322	3.5	10	<1	1	2	5	7	10	15
35-49	822	4.1	26	1	1	3	5	8	10	28
50-64	2429	4.9	27	1	1	3	6	10	13	23
65+	6429	6.6	34	1	2	5	8	13	17	30
GRAND TOTAL	**10124**	**5.8**	**32**	**1**	**2**	**4**	**7**	**12**	**15**	**28**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.3	5	<1	<1	3	5	7	7	7
20-34	6	7.0	54	2	2	4	9	20	21	21
35-49	18	5.4	11	1	2	5	7	10	12	14
50-64	131	4.8	8	1	2	4	6	8	9	18
65+	724	5.9	20	2	2	5	7	11	15	22
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	11	5.5	27	2	2	3	7	14	18	18
65+	18	13.8	147	2	3	12	19	22	42	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	6.1	27	1	1	5	8	14	17	25
20-34	60	6.4	61	1	2	4	7	9	20	46
35-49	317	6.6	34	2	2	5	8	12	16	33
50-64	2378	7.0	33	2	2	5	9	13	17	32
65+	12841	8.0	38	2	3	6	10	15	19	31
B. *Operated*										
0-19 YRS	13	20.2	505	2	3	11	25	59	68	70
20-34	24	7.5	76	1	1	7	8	11	24	45
35-49	84	9.9	86	1	2	8	12	20	35	45
50-64	366	11.8	92	2	3	9	15	24	33	48
65+	1251	15.1	150	3	4	12	19	29	40	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	885	5.7	18	1	2	5	7	10	15	22
B. *Operated*	31	10.2	112	2	2	7	15	20	23	55
2. MULTIPLE DX										
A. *Not Operated*	15674	7.8	38	2	3	6	10	15	19	31
B. *Operated*	1738	14.1	139	2	4	11	18	29	38	66
1. SINGLE DX	916	5.9	22	2	2	5	7	11	16	22
2. MULTIPLE DX	17412	8.4	51	2	3	7	10	16	22	37
A. NOT OPERATED	16559	7.7	37	2	3	6	10	15	19	31
B. OPERATED	1769	14.0	139	2	4	11	18	28	38	65
TOTAL 0-19 YRS	98	7.7	109	1	1	5	9	15	21	63
20-34	90	6.7	63	1	2	5	7	10	21	46
35-49	420	7.2	45	1	2	6	9	13	18	41
50-64	2886	7.5	43	2	2	6	9	14	19	35
65+	14834	8.5	51	2	3	7	10	16	22	37
GRAND TOTAL	**18328**	**8.3**	**50**	**2**	**3**	**6**	**10**	**16**	**21**	**37**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	4	<1	1	3	5	6	7	9
20-34	128	3.0	3	1	1	2	4	5	7	10
35-49	173	3.9	31	1	1	3	4	7	11	17
50-64	174	4.3	14	1	1	3	6	8	10	20
65+	99	5.8	31	1	1	4	6	13	20	27
B. *Operated*										
0-19 YRS	28	3.1	5	1	1	2	5	7	7	8
20-34	51	5.3	34	1	1	2	8	11	18	29
35-49	110	4.2	17	1	1	2	6	10	13	20
50-64	212	4.6	27	1	1	2	7	11	15	24
65+	139	5.5	35	1	1	2	10	14	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	4.4	12	1	1	3	6	9	10	17
20-34	235	5.0	21	1	2	4	6	10	13	26
35-49	422	5.4	20	1	1	4	7	11	14	23
50-64	1050	6.5	31	1	2	5	8	13	17	28
65+	1738	7.9	42	2	2	6	10	16	20	31
B. *Operated*										
0-19 YRS	41	5.5	37	1	1	2	8	14	16	31
20-34	112	9.1	71	1	1	7	13	18	21	46
35-49	348	6.8	46	1	2	4	10	16	23	29
50-64	869	8.1	81	1	2	5	11	17	24	42
65+	1045	10.7	115	2	2	8	15	23	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	594	4.1	20	1	1	3	5	7	10	23
B. *Operated*	540	4.7	27	1	1	2	7	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	3496	7.0	35	1	2	5	9	14	18	28
B. *Operated*	2415	9.0	92	1	2	6	12	20	27	46
1. SINGLE DX	1134	4.4	23	1	1	3	5	10	13	24
2. MULTIPLE DX	5911	7.8	59	1	2	6	10	16	22	36
A. NOT OPERATED	4090	6.5	34	1	2	5	8	13	17	28
B. OPERATED	2955	8.2	82	1	2	5	11	18	25	43
TOTAL 0-19 YRS	140	4.3	18	1	1	3	6	9	13	18
20-34	526	5.4	33	1	1	3	7	12	16	29
35-49	1053	5.5	31	1	1	3	7	12	16	28
50-64	2305	6.8	49	1	2	5	9	15	19	34
65+	3021	8.7	69	2	2	6	11	18	24	42
GRAND TOTAL	**7045**	**7.3**	**55**	**1**	**2**	**5**	**10**	**16**	**21**	**35**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	3.5	2	2	2	3	4	5	5	5
50-64	8	3.9	5	1	1	3	5	7	7	7
65+	11	5.9	25	1	1	3	9	13	17	17
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	11	3.5	18	1	1	2	3	11	15	15
65+	12	7.1	117	1	1	2	8	21	36	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	11	2	2	3	6	9	9	9
35-49	23	3.8	9	<1	1	3	5	9	11	11
50-64	155	5.9	61	1	1	4	7	11	15	54
65+	653	7.2	35	2	2	6	9	14	19	31
B. *Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	29	6.2	36	2	2	3	9	14	23	23
50-64	120	6.6	25	1	2	5	10	14	16	20
65+	152	9.8	88	1	2	8	13	20	24	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	4.8	14	1	1	3	7	10	13	17
B. *Operated*	24	5.3	68	1	1	2	5	13	22	39
2. MULTIPLE DX										
A. *Not Operated*	835	6.8	39	1	2	5	9	13	18	32
B. *Operated*	303	8.2	60	1	2	7	12	16	22	48
1. SINGLE DX	47	5.0	41	1	1	3	6	11	15	39
2. MULTIPLE DX	1138	7.2	45	1	2	5	9	14	19	35
A. NOT OPERATED	858	6.8	39	1	2	5	9	13	17	31
B. OPERATED	327	7.9	61	1	2	6	11	16	22	46
TOTAL 0-19 YRS										
20-34	6	3.2	9	1	1	2	3	8	9	9
35-49	57	5.0	23	1	2	3	6	11	15	23
50-64	294	6.0	43	1	2	4	8	13	15	24
65+	828	7.6	46	2	2	6	10	15	21	38
GRAND TOTAL	**1185**	**7.1**	**45**	**1**	**2**	**5**	**9**	**14**	**18**	**36**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34										
35-49	6	9.7	110	<1	<1	6	17	26	27	27
50-64	5	7.0	60	1	1	4	11	20	20	20
65+	3	11.0	169	3	3	4	20	26	26	26
B. *Operated*										
0-19 YRS	4	21.0	126	11	11	18	29	36	36	36
20-34	19	12.3	56	1	2	12	17	22	23	23
35-49	38	14.7	108	1	2	12	21	31	32	37
50-64	28	16.3	257	2	2	13	21	30	37	84
65+	11	18.8	70	10	11	16	21	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	241	2	2	4	16	39	39	39
20-34	7	9.6	40	1	2	10	15	18	19	19
35-49	9	9.6	60	1	1	10	14	21	25	25
50-64	8	7.1	109	1	1	2	11	25	28	28
65+	24	18.1	275	4	4	14	22	36	50	80
B. *Operated*										
0-19 YRS	2	37.5	2113	5	5	37	70	70	70	70
20-34	27	24.8	340	7	10	20	30	55	66	84
35-49	50	28.0	318	7	9	25	35	59	66	80
50-64	67	25.0	313	7	8	21	31	50	81	99+
65+	37	26.5	317	4	7	23	36	48	64	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	9.0	83	<1	1	4	15	26	27	27
B. *Operated*	100	15.4	136	2	2	13	21	31	32	61
2. MULTIPLE DX										
A. *Not Operated*	53	13.3	190	1	1	10	19	29	37	79
B. *Operated*	183	26.2	325	6	8	22	33	56	71	95
1. SINGLE DX	115	14.6	133	1	2	12	21	29	32	54
2. MULTIPLE DX	236	23.3	323	3	5	19	31	48	66	88
A. NOT OPERATED	68	12.3	168	1	1	9	18	27	36	73
B. OPERATED	283	22.4	285	3	6	19	29	44	64	85
TOTAL 0-19 YRS	12	18.8	412	2	3	10	29	48	67	70
20-34	53	18.3	239	1	4	16	22	37	55	83
35-49	103	20.4	259	1	3	17	29	37	58	78
50-64	108	20.5	307	2	3	17	27	47	79	99+
65+	75	22.1	275	3	5	17	28	44	59	79
GRAND TOTAL	**351**	**20.4**	**277**	**2**	**3**	**16**	**27**	**39**	**62**	**84**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	34.0	223	23	23	28	45	51	51	51
50-64	2	7.5	25	4	4	7	11	11	11	11
65+	1	35.0		35	35	35	35	35	35	35
B. *Operated*										
0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34	2	82.5	265	71	71	82	94	94	94	94
35-49	2	27.0	128	19	19	27	35	35	35	35
50-64	5	50.2	947	18	18	52	80	81	81	81
65+	5	37.6	427	24	24	29	44	74	74	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	22.4	297	4	4	23	33	48	51	51
B. *Operated*	15	48.5	725	18	19	35	73	81	91	94
1. SINGLE DX										
2. MULTIPLE DX	22	40.2	722	5	9	31	69	80	86	94
A. NOT OPERATED	7	22.4	297	4	4	23	33	48	51	51
B. OPERATED	15	48.5	725	18	19	35	73	81	91	94
TOTAL 0-19 YRS	1	69.0		69	69	69	69	69	69	69
20-34	3	56.7	2134	5	5	71	88	94	94	94
35-49	5	31.2	158	19	19	28	39	51	51	51
50-64	7	38.0	1070	4	5	20	73	81	81	81
65+	6	37.2	343	24	24	31	35	70	74	74
GRAND TOTAL	**22**	**40.2**	**722**	**5**	**9**	**31**	**69**	**80**	**86**	**94**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	13	1	1	3	6	9	9	9
20-34	4	4.5	8	2	2	4	7	7	7	7
35-49	3	5.3	16	3	3	3	8	10	10	10
50-64	12	7.8	77	<1	<1	4	13	22	25	26
65+	41	10.5	75	1	2	8	14	22	31	37
B. *Operated*										
0-19 YRS	8	12.0	85	1	2	8	21	25	25	25
20-34	10	8.7	11	5	5	8	11	13	14	14
35-49	11	8.5	38	2	3	8	10	16	24	25
50-64	40	10.4	58	2	3	8	13	21	31	32
65+	58	11.8	42	4	5	10	15	21	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.4	124	2	2	7	9	29	34	34
20-34	6	20.3	169	1	2	19	25	39	41	41
35-49	28	15.3	230	1	1	11	18	44	51	59
50-64	68	15.0	212	2	3	9	17	43	48	59
65+	182	15.8	156	3	5	12	21	31	38	63
B. *Operated*										
0-19 YRS	17	16.6	163	2	3	15	22	31	46	54
20-34	14	22.0	268	3	5	18	38	57	89	99+
35-49	28	24.1	546	4	4	14	36	47	89	97
50-64	71	21.9	328	5	6	17	30	49	64	98
65+	170	24.8	363	4	7	18	35	58	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	9.0	68	1	1	6	13	21	27	36
B. *Operated*	127	10.8	47	3	4	9	14	21	26	31
2. MULTIPLE DX										
A. *Not Operated*	291	15.5	175	2	3	12	20	32	47	62
B. *Operated*	300	23.4	356	4	6	18	33	56	71	99+
1. SINGLE DX	191	10.2	55	1	2	8	14	21	26	32
2. MULTIPLE DX	591	19.6	282	3	4	14	26	44	60	95
A. NOT OPERATED	355	14.4	162	2	3	10	19	31	43	62
B. OPERATED	427	19.7	297	3	5	14	26	43	64	99+
TOTAL 0-19 YRS	36	12.8	132	1	2	8	19	25	33	54
20-34	34	15.7	186	2	2	13	21	41	54	99+
35-49	70	17.4	349	2	3	10	21	40	50	95
50-64	191	16.2	236	2	3	10	21	42	53	82
65+	451	18.2	240	3	5	14	23	39	57	78
GRAND TOTAL	**782**	**17.3**	**242**	**2**	**4**	**13**	**22**	**39**	**55**	**85**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	15.0	153	2	2	13	21	35	35	35
50-64	19	14.5	109	2	3	14	19	31	37	39
65+	61	22.3	301	4	6	15	29	43	62	84
B. *Operated*										
0-19 YRS										
20-34	3	25.3	177	14	14	31	70	99+	99+	99+
35-49	4	31.0	143	18	18	29	38	47	47	47
50-64	10	40.4	386	13	18	44	67	99+	99+	99+
65+	47	28.6	322	9	11	24	39	49	64	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	85	20.2	258	3	4	15	26	39	61	79
B. *Operated*	64	30.4	323	10	12	28	45	72	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	149	24.6	310	4	7	21	35	52	74	99+
A. NOT OPERATED	85	20.2	258	3	4	15	26	39	61	79
B. OPERATED	64	30.4	323	10	12	28	45	72	99+	99+
TOTAL 0-19 YRS										
20-34	3	25.3	177	14	14	31	70	99+	99+	99+
35-49	9	22.1	201	2	5	18	31	42	47	47
50-64	29	23.4	351	2	4	20	38	66	99	99+
65+	108	25.1	317	5	7	20	32	48	62	88
GRAND TOTAL	**149**	**24.6**	**310**	**4**	**7**	**21**	**35**	**52**	**74**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	2	5.0	32	1	1	5	9	9	9	9
50-64	8	4.4	13	1	1	3	7	10	10	10
65+	33	3.3	7	<1	1	2	4	7	10	11
B. *Operated*										
0-19 YRS	3	7.7	44	2	2	6	13	15	15	15
20-34	5	5.8	48	1	1	4	8	18	18	18
35-49	51	5.0	12	1	1	5	7	9	11	15
50-64	419	4.6	10	1	1	4	6	8	10	15
65+	795	5.2	18	1	1	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	7	3.3	10	1	1	2	4	9	10	10
50-64	62	5.0	27	1	1	3	6	10	15	31
65+	196	5.6	25	1	1	4	7	12	15	24
B. *Operated*										
0-19 YRS	3	8.3	121	1	1	3	16	21	21	21
20-34	6	11.8	171	<1	<1	9	12	34	37	37
35-49	95	6.5	47	1	2	4	8	12	22	39
50-64	946	6.2	27	1	2	5	8	12	15	23
65+	2199	7.8	52	2	2	6	9	15	20	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	3.5	9	<1	1	2	4	9	10	11
B. *Operated*	1273	5.0	16	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	265	5.4	25	1	1	4	7	11	15	25
B. *Operated*	3249	7.3	45	2	2	6	9	14	19	36
1. SINGLE DX	1318	4.9	15	1	1	4	6	9	11	19
2. MULTIPLE DX	3514	7.2	44	1	2	5	9	14	19	35
A. NOT OPERATED	310	5.1	23	1	1	3	6	11	14	24
B. OPERATED	4522	6.7	38	1	2	5	8	12	17	32
TOTAL 0-19 YRS	8	6.4	57	<1	<1	3	10	19	21	21
20-34	11	9.1	115	<1	1	4	12	26	36	37
35-49	155	5.9	34	1	1	4	7	10	15	31
50-64	1435	5.6	22	1	2	4	7	10	14	22
65+	3223	7.0	43	1	2	5	8	13	18	34
GRAND TOTAL	**4832**	**6.6**	**37**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	11.6	119	2	2	12	13	30	34	34
65+	19	11.3	196	1	2	5	9	35	45	52
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	39.8	1411	8	8	31	69	88	88	88
35-49	4	5.3	9	2	2	5	7	9	9	9
50-64	39	12.7	173	2	3	9	13	34	47	54
65+	81	14.5	160	2	4	12	18	28	45	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	26	11.4	169	1	2	6	12	34	39	52
B. *Operated*	129	14.4	210	2	3	10	18	31	50	68
1. SINGLE DX	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX	155	13.9	203	2	3	9	17	33	49	63
A. NOT OPERATED	26	11.4	169	1	2	6	12	34	39	52
B. OPERATED	130	14.3	208	2	3	10	18	31	50	68
TOTAL 0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	39.8	1411	8	8	31	69	88	88	88
35-49	4	5.3	9	2	2	5	7	9	9	9
50-64	46	12.5	162	2	3	9	13	33	42	54
65+	101	13.9	165	2	3	9	18	30	45	61
GRAND TOTAL	**156**	**13.8**	**202**	**2**	**3**	**9**	**17**	**33**	**49**	**63**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	3.4	2	2	2	4	4	5	5	5
35-49	12	6.3	24	2	2	4	9	14	17	18
50-64	49	6.7	50	1	2	5	8	12	15	48
65+	153	9.2	56	2	3	7	12	20	24	34
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	12	5.7	46	1	1	3	6	14	24	26
35-49	7	6.4	29	2	2	5	11	15	15	15
50-64	21	5.1	17	1	1	4	7	12	14	14
65+	23	6.4	31	1	1	6	8	16	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	6	1	1	4	6	8	8	8
20-34	6	8.3	29	4	4	6	14	16	16	16
35-49	64	10.8	138	2	3	8	12	19	36	61
50-64	360	10.7	146	2	3	7	12	22	38	64
65+	1319	11.7	109	2	3	8	14	23	34	57
B. *Operated*										
0-19 YRS	4	11.0	28	6	6	10	15	18	18	18
20-34	7	7.3	20	2	2	7	10	14	15	15
35-49	37	12.9	223	1	2	8	12	37	45	72
50-64	118	12.3	200	2	3	8	14	26	50	71
65+	254	15.8	153	2	4	13	21	34	42	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	8.3	53	2	2	6	11	17	21	38
B. *Operated*	65	5.8	27	1	1	4	7	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	1756	11.4	117	2	3	8	14	23	34	59
B. *Operated*	420	14.4	171	2	3	10	18	32	42	65
1. SINGLE DX	285	7.7	48	2	2	6	10	16	20	33
2. MULTIPLE DX	2176	12.0	129	2	3	8	15	25	36	60
A. NOT OPERATED	1976	11.1	111	2	3	8	13	22	32	57
B. OPERATED	485	13.2	161	2	2	9	17	30	40	63
TOTAL 0-19 YPS	14	6.2	20	1	2	5	8	13	17	18
20-34	30	6.2	30	2	2	4	8	14	16	26
35-49	120	10.8	149	2	2	7	12	21	40	65
50-64	548	10.5	147	2	2	7	11	21	37	64
65+	1749	12.0	113	2	3	9	15	25	35	57
GRAND TOTAL	**2461**	**11.5**	**121**	**2**	**3**	**8**	**14**	**24**	**35**	**59**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	17	15.9	438	3	4	8	16	29	69	91
50-64	140	16.1	224	3	4	11	20	33	46	76
65+	553	17.0	202	3	5	12	21	35	50	69
B. *Operated*										
0-19 YRS										
20-34	4	13.0	39	5	5	13	17	20	20	20
35-49	12	20.3	558	2	2	13	38	78	96	99+
50-64	27	26.4	509	2	4	20	54	86	99+	99+
65+	81	24.6	326	4	7	20	38	53	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	711	16.8	211	3	5	12	21	34	50	75
B. *Operated*	124	24.2	377	3	5	19	40	63	99	99+
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	835	17.9	242	3	5	12	23	41	55	91
A. NOT OPERATED	712	16.7	211	3	5	12	21	34	50	75
B. OPERATED	124	24.2	377	3	5	19	40	63	99	99+
TOTAL 0-19 YRS										
20-34	5	12.2	33	5	5	12	16	20	20	20
35-49	29	17.7	475	2	3	9	20	68	91	99+
50-64	167	17.7	282	3	4	12	24	46	68	99+
65+	635	17.9	224	3	5	13	23	39	52	78
GRAND TOTAL	**836**	**17.8**	**242**	**3**	**5**	**12**	**23**	**41**	**55**	**91**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	2.4	1	1	1	2	3	4	5	5
35-49	40	2.3	2	<1	1	2	3	5	6	6
50-64	222	3.0	4	1	1	2	4	6	7	9
65+	566	3.4	8	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS										
20-34	4	3.5	3	2	2	3	5	5	5	5
35-49	41	3.4	6	1	1	3	4	6	8	15
50-64	124	3.4	11	1	1	2	4	6	8	18
65+	170	4.1	23	1	1	3	4	8	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.9	12	1	2	4	5	11	13	13
20-34	30	3.3	4	1	1	3	4	6	7	8
35-49	150	4.0	9	1	1	3	5	7	10	19
50-64	708	4.4	16	1	1	3	6	8	10	19
65+	3533	5.4	21	1	2	4	7	10	14	23
B. *Operated*										
0-19 YRS	4	13.3	221	2	2	8	22	35	35	35
20-34	8	6.5	44	1	1	5	7	18	22	22
35-49	63	5.1	13	1	1	4	7	9	12	19
50-64	446	5.9	35	1	2	4	7	12	17	30
65+	813	7.8	46	2	2	6	10	16	22	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	842	3.2	7	1	1	3	4	6	8	12
B. *Operated*	339	3.7	16	1	1	2	4	7	10	20
2. MULTIPLE DX										
A. *Not Operated*	4430	5.2	20	1	2	4	6	10	13	22
B. *Operated*	1334	7.1	42	1	2	5	9	15	20	34
1. SINGLE DX	1181	3.4	9	1	1	3	4	6	8	14
2. MULTIPLE DX	5764	5.6	25	1	2	4	7	11	15	27
A. NOT OPERATED	5272	4.9	18	1	2	4	6	9	12	21
B. OPERATED	1673	6.4	38	1	2	5	8	14	19	33
TOTAL 0-19 YRS	13	7.5	79	1	2	4	8	17	32	35
20-34	56	3.6	10	1	1	3	5	6	8	21
35-49	294	3.9	9	1	1	3	5	8	10	17
50-64	1500	4.6	20	1	1	3	6	9	12	22
65+	5082	5.5	25	1	2	4	7	11	14	26
GRAND TOTAL	**6945**	**5.2**	**23**	**1**	**2**	**4**	**6**	**10**	**14**	**25**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	15	7.1	27	2	2	6	12	13	17	18
35-49	26	6.6	12	1	2	7	9	11	12	14
50-64	165	7.3	62	1	2	5	9	14	17	48
65+	665	9.3	80	2	2	7	11	19	26	49
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	5.3	16	1	1	6	8	9	9	9
35-49	15	5.7	16	1	1	5	8	13	13	13
50-64	33	7.5	145	1	2	3	7	19	28	64
65+	58	11.7	115	1	2	9	12	28	39	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	5.3	20	1	1	3	9	12	13	13
20-34	12	7.7	75	1	2	6	8	18	31	33
35-49	104	7.5	35	2	2	7	9	13	16	34
50-64	725	10.2	138	2	2	7	11	21	35	68
65+	3816	11.7	110	2	3	9	14	24	32	57
B. *Operated*										
0-19 YRS	2	22.5	481	7	7	22	38	38	38	38
20-34	13	18.3	427	2	4	8	27	50	69	73
35-49	28	12.6	157	1	2	9	14	41	49	99+
50-64	185	14.2	185	2	3	10	18	31	43	71
65+	536	18.8	290	3	4	13	25	43	61	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	873	8.8	74	2	2	6	11	17	25	48
B. *Operated*	110	9.3	112	1	1	6	11	22	30	56
2. MULTIPLE DX										
A. *Not Operated*	4664	11.4	113	2	3	8	14	23	32	60
B. *Operated*	764	17.4	266	2	3	12	23	41	58	85
1. SINGLE DX	983	8.8	78	1	2	6	11	17	25	49
2. MULTIPLE DX	5428	12.2	139	2	3	9	15	26	36	68
A. NOT OPERATED	5537	11.0	108	2	3	8	14	22	31	57
B. OPERATED	874	16.4	254	2	3	11	22	39	56	83
TOTAL 0-19 YRS	12	7.8	103	1	2	4	8	20	35	38
20-34	43	10.5	178	1	2	7	11	27	37	73
35-49	173	8.0	53	1	2	7	10	14	23	46
50-64	1108	10.4	138	2	2	7	12	22	35	66
65+	5075	12.1	131	2	3	9	15	25	35	66
GRAND TOTAL	**6411**	**11.7**	**131**	**2**	**3**	**8**	**14**	**25**	**35**	**65**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	4	20.3	147	5	5	21	29	34	34	34
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	13.0		13	13	13	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	10.9	107	1	2	10	13	28	32	32
20-34	8	17.6	568	1	2	6	30	57	59	59
35-49	34	15.7	412	2	2	9	16	53	83	99+
50-64	293	15.2	204	2	3	10	20	35	46	68
65+	1513	16.8	197	3	4	12	22	35	49	71
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	6	11.3	175	1	1	8	11	34	37	37
35-49	9	27.2	562	10	10	15	42	67	75	75
50-64	64	24.0	565	3	5	15	32	67	92	99+
65+	190	29.6	463	6	8	25	42	62	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	17.4	151	5	5	18	26	34	34	34
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1855	16.5	203	3	4	12	22	36	49	71
B. *Operated*	270	27.7	490	4	7	20	39	64	82	99+
1. SINGLE DX	6	16.7	124	5	5	15	24	33	34	34
2. MULTIPLE DX	2125	18.0	253	3	4	13	24	40	55	84
A. NOT OPERATED	1860	16.5	203	3	4	12	22	36	49	71
B. OPERATED	271	27.7	489	4	7	20	39	64	82	99+
TOTAL 0-19 YRS	8	11.6	97	1	2	11	15	27	32	32
20-34	14	14.9	383	1	1	6	11	54	58	59
35-49	45	17.7	436	2	3	10	17	55	78	99+
50-64	357	16.8	279	2	3	11	22	39	58	91
65+	1707	18.3	242	4	5	13	25	39	54	81
GRAND TOTAL	**2131**	**18.0**	**253**	**3**	**4**	**13**	**24**	**40**	**55**	**84**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	2.5	2	<1	<1	2	4	5	5	5
35-49	26	3.5	4	1	1	3	5	6	8	10
50-64	62	3.3	7	1	1	3	4	6	7	17
65+	134	4.7	14	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS										
20-34	17	7.2	38	<1	1	5	11	18	19	20
35-49	37	6.8	46	<1	1	4	10	20	26	99+
50-64	59	4.4	19	1	1	2	7	10	14	20
65+	69	4.1	15	1	1	2	5	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.9	76	3	3	5	8	20	32	32
20-34	28	4.5	12	<1	1	3	7	11	11	13
35-49	96	5.3	36	1	1	4	6	9	11	39
50-64	313	6.4	37	1	2	4	8	14	20	43
65+	1542	8.1	64	2	2	6	10	16	23	43
B. *Operated*										
0-19 YRS	7	14.0	239	2	2	7	24	39	42	42
20-34	13	11.4	50	1	2	11	17	21	23	23
35-49	64	11.6	225	1	2	6	13	30	43	78
50-64	146	10.2	143	1	2	6	13	27	41	76
65+	320	11.4	154	1	2	8	14	25	43	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.1	11	1	1	3	5	7	10	17
B. *Operated*	182	5.0	26	1	1	3	8	12	17	26
2. MULTIPLE DX										
A. *Not Operated*	1989	7.7	58	2	2	6	9	15	22	43
B. *Operated*	550	11.1	157	1	2	7	14	27	42	63
1. SINGLE DX	416	4.5	17	1	1	3	6	10	13	21
2. MULTIPLE DX	2539	8.4	82	1	2	6	10	18	27	55
A. NOT OPERATED	2223	7.3	55	1	2	5	9	15	21	42
B. OPERATED	732	9.6	131	1	1	6	11	22	33	61
TOTAL 0-19 YRS	18	9.9	137	2	2	5	8	31	38	42
20-34	69	6.1	32	<1	1	4	9	16	18	22
35-49	223	7.2	96	1	1	4	8	16	28	64
50-64	580	6.8	63	1	2	4	8	15	22	48
65+	2065	8.3	76	2	2	6	10	17	25	53
GRAND TOTAL	**2955**	**7.9**	**74**	**1**	**2**	**5**	**9**	**17**	**24**	**51**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	3.2	2	2	2	3	4	5	5	5
65+	16	3.4	6	<1	1	2	4	7	9	10
B. *Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	25	4.2	13	<1	1	3	6	10	12	14
50-64	100	4.6	15	1	1	3	7	10	12	16
65+	121	4.8	23	1	1	2	7	11	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64	56	4.9	29	1	1	3	6	8	18	27
65+	353	7.5	42	2	2	6	9	14	20	31
B. *Operated*										
0-19 YRS	2	22.5	365	9	9	22	36	36	36	36
20-34	11	6.6	49	1	1	3	9	18	23	23
35-49	95	8.0	40	1	1	8	10	16	22	29
50-64	557	9.5	109	1	1	7	13	20	31	61
65+	1029	13.0	156	1	2	10	17	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.3	5	1	1	2	4	6	8	10
B. *Operated*	248	4.6	19	1	1	2	7	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	415	7.1	41	1	2	5	9	14	20	31
B. *Operated*	1694	11.6	137	1	2	9	15	27	36	62
1. SINGLE DX	269	4.5	18	1	1	2	7	10	13	18
2. MULTIPLE DX	2109	10.7	121	1	2	8	14	24	34	58
A. NOT OPERATED	436	6.9	40	1	2	5	8	14	19	30
B. OPERATED	1942	10.7	127	1	1	8	14	25	35	58
TOTAL 0-19 YRS	3	21.0	189	9	9	18	31	36	36	36
20-34	14	5.5	43	1	1	3	8	16	21	23
35-49	124	7.1	36	1	1	5	10	14	20	27
50-64	718	8.4	93	1	1	6	11	18	27	54
65+	1519	11.0	127	1	2	8	14	25	34	58
GRAND TOTAL	**2378**	**10.0**	**113**	**1**	**1**	**7**	**13**	**22**	**32**	**56**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	9	1.9	1	<1	<1	2	2	4	4	4
65+	27	3.9	13	<1	<1	3	5	7	13	17
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	11.2	9	7	7	11	13	15	15	15
50-64	91	8.6	25	1	2	9	10	14	15	30
65+	198	9.6	22	2	2	10	12	16	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	27	4.7	35	<1	1	3	5	8	19	29
65+	161	6.1	40	1	1	4	8	12	16	35
B. *Operated*										
0-19 YRS	3	11.7	12	8	8	12	14	15	15	15
20-34	5	19.0	122	7	7	18	28	33	33	33
35-49	18	11.0	54	1	2	10	15	22	26	28
50-64	340	11.6	66	1	2	10	14	19	28	44
65+	985	14.4	131	2	3	12	17	26	36	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.4	11	<1	<1	2	4	7	11	17
B. *Operated*	298	9.3	23	1	2	9	12	15	17	21
2. MULTIPLE DX										
A. *Not Operated*	191	5.8	39	1	1	4	7	11	16	34
B. *Operated*	1351	13.7	115	2	3	11	16	25	35	66
1. SINGLE DX	334	8.7	25	1	2	9	11	15	17	21
2. MULTIPLE DX	1542	12.7	112	1	2	11	15	23	33	58
A. NOT OPERATED	227	5.4	35	<1	1	4	7	11	16	31
B. OPERATED	1649	12.9	101	2	2	11	15	22	32	57
TOTAL 0-19 YRS	5	11.0	8	8	8	11	13	15	15	15
20-34	7	14.9	132	3	4	10	25	32	33	33
35-49	26	10.3	46	1	2	10	13	19	25	28
50-64	467	10.4	59	1	2	9	13	17	26	39
65+	1371	12.6	112	1	2	11	16	22	33	64
GRAND TOTAL	**1876**	**12.0**	**99**	**1**	**2**	**10**	**15**	**21**	**30**	**56**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	6	3.7	3	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	5	2.0	5	1	1	1	3	6	6	6
20-34	9	4.2	9	1	1	3	7	8	8	8
35-49	25	7.9	81	1	2	6	9	15	27	44
50-64	40	6.0	33	<1	1	5	8	11	19	27
65+	56	6.3	26	1	1	5	9	12	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	3.8	6	1	1	3	5	7	7	7
50-64	4	3.0	3	1	1	3	4	5	5	5
65+	8	4.9	5	1	2	5	6	8	8	8
B. *Operated*										
0-19 YRS	4	11.5	216	2	2	6	21	33	33	33
20-34	19	13.1	259	1	2	6	17	40	55	57
35-49	34	12.4	208	1	2	7	16	25	51	64
50-64	104	10.0	81	2	2	8	13	22	28	75
65+	173	12.2	179	2	2	9	13	25	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.8	3	1	1	4	5	6	6	6
B. *Operated*	135	6.2	37	1	1	5	8	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	18	3.8	5	1	1	4	5	7	8	8
B. *Operated*	334	11.6	155	1	2	8	14	24	37	70
1. SINGLE DX	143	6.1	35	1	1	5	8	11	17	28
2. MULTIPLE DX	352	11.2	150	1	2	8	13	24	36	70
A. NOT OPERATED	26	3.8	5	1	1	4	5	7	7	8
B. OPERATED	469	10.1	127	1	2	7	12	21	32	66
TOTAL 0-19 YRS	10	5.7	99	1	1	2	6	21	33	33
20-34	30	9.8	183	1	1	5	9	21	52	57
35-49	64	10.0	148	1	2	6	12	21	38	63
50-64	148	8.8	69	1	2	7	11	20	27	55
65+	243	10.4	142	1	2	7	12	20	32	70
GRAND TOTAL	**495**	**9.7**	**122**	**1**	**2**	**7**	**12**	**20**	**29**	**65**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	5	4.6	20	<1	<1	4	7	12	12	12
35-49	10	5.8	14	1	1	6	8	11	11	11
50-64	21	2.8	5	<1	<1	2	4	6	7	7
65+	30	5.6	9	1	1	5	8	10	11	11
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	24	5.8	23	<1	1	5	9	11	15	19
35-49	94	6.1	23	1	1	5	9	11	15	24
50-64	280	5.8	20	1	1	5	9	11	12	22
65+	368	6.1	27	1	1	6	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	7.5	10	2	3	8	10	11	11	11
35-49	14	7.4	29	2	3	6	8	13	22	24
50-64	56	4.8	14	<1	<1	4	7	9	12	16
65+	140	8.4	66	1	2	7	10	13	18	48
B. *Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	35	12.5	166	1	2	9	13	24	49	59
35-49	159	10.5	124	1	2	8	11	20	32	60
50-64	770	9.4	62	1	2	8	12	18	23	37
65+	1377	12.5	125	1	2	10	15	25	36	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	4.7	11	<1	1	4	7	10	11	12
B. *Operated*	768	6.0	24	1	1	5	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	219	7.4	50	1	1	6	9	13	17	40
B. *Operated*	2344	11.3	106	1	2	9	14	22	32	57
1. SINGLE DX	835	5.9	23	1	1	5	9	11	14	22
2. MULTIPLE DX	2563	11.0	103	1	2	9	13	21	30	57
A. NOT OPERATED	286	6.7	42	<1	1	6	9	11	15	36
B. OPERATED	3112	10.0	91	1	2	8	12	20	28	53
TOTAL 0-19 YRS	7	5.3	14	2	2	4	9	10	10	10
20-34	72	9.1	100	1	1	8	11	16	24	59
35-49	277	8.7	85	1	2	7	10	16	24	49
50-64	1127	8.1	52	1	1	7	11	15	20	34
65+	1915	10.9	107	1	2	9	14	22	31	56
GRAND TOTAL	**3398**	**9.7**	**88**	**1**	**1**	**8**	**12**	**19**	**27**	**52**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.8	12	1	2	4	6	9	13	16
20-34	15	4.7	13	<1	1	4	6	10	14	15
35-49	23	4.2	8	<1	1	3	6	9	10	10
50-64	37	3.2	8	<1	<1	2	4	6	9	15
65+	42	3.1	5	<1	<1	2	5	6	8	9
B. *Operated*										
0-19 YRS	9	1.9	2	1	1	1	2	5	5	5
20-34	21	4.1	48	<1	1	2	3	11	21	31
35-49	88	4.8	27	1	1	2	7	11	15	27
50-64	187	4.0	18	1	1	2	6	9	11	15
65+	217	5.7	45	1	1	3	8	13	18	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	6.3	18	2	2	6	8	12	13	19
20-34	45	6.2	71	<1	1	3	7	12	23	47
35-49	87	6.4	62	1	1	4	7	12	16	51
50-64	149	5.5	35	1	1	3	6	12	17	35
65+	333	6.7	40	1	2	5	8	14	19	33
B. *Operated*										
0-19 YRS	16	8.1	91	1	2	4	8	26	32	34
20-34	48	6.3	31	1	1	5	8	13	19	25
35-49	149	7.6	75	1	1	4	10	21	28	99
50-64	442	8.2	75	1	1	6	11	18	25	52
65+	921	11.1	128	1	2	8	15	25	33	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.0	9	<1	1	3	5	8	10	15
B. *Operated*	522	4.8	32	1	1	2	6	11	15	33
2. MULTIPLE DX										
A. *Not Operated*	644	6.3	43	1	1	4	8	13	18	35
B. *Operated*	1576	9.8	107	1	2	7	13	23	30	58
1. SINGLE DX	698	4.6	27	1	1	2	6	10	14	31
2. MULTIPLE DX	2220	8.8	91	1	2	6	11	21	28	52
A. NOT OPERATED	820	5.8	37	1	1	4	7	12	17	30
B. OPERATED	2098	8.5	93	1	1	6	11	21	28	52
TOTAL 0-19 YRS	114	5.4	25	1	1	4	7	11	14	30
20-34	129	5.7	45	1	1	4	7	12	19	34
35-49	347	6.3	56	1	1	4	8	14	24	53
50-64	815	6.5	55	1	1	4	9	14	21	40
65+	1513	9.1	100	1	1	6	12	22	30	52
GRAND TOTAL	**2918**	**7.8**	**79**	**1**	**1**	**5**	**10**	**17**	**26**	**47**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	7.3	14	3	3	7	10	12	15	16
20-34	185	6.9	14	2	3	7	9	11	13	20
35-49	235	7.1	14	2	3	7	9	12	15	19
50-64	288	7.2	11	2	3	7	9	12	13	18
65+	298	7.5	13	3	3	7	9	12	14	18
B. *Operated*										
0-19 YRS	15	7.1	29	<1	1	7	10	16	16	19
20-34	80	6.2	19	1	2	5	8	11	12	25
35-49	100	6.3	19	1	1	6	8	11	14	22
50-64	118	7.7	14	2	2	8	10	12	13	21
65+	90	8.8	22	2	3	8	11	15	17	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	7.7	6	3	4	8	10	10	11	12
20-34	175	7.9	18	2	3	7	10	13	15	24
35-49	308	8.5	26	3	4	8	10	14	16	31
50-64	599	8.7	23	3	4	8	10	14	17	26
65+	1031	9.1	21	3	4	8	11	14	18	25
B. *Operated*										
0-19 YRS	16	11.0	34	3	4	10	13	17	24	27
20-34	119	9.6	60	2	3	9	12	16	21	42
35-49	162	9.4	50	2	3	8	11	16	22	44
50-64	304	9.6	40	2	3	8	12	18	22	36
65+	450	11.1	44	4	5	10	13	19	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1023	7.2	13	2	3	7	9	12	14	18
B. *Operated*	403	7.3	19	1	2	7	10	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	2132	8.8	22	3	4	8	11	14	17	26
B. *Operated*	1051	10.3	46	2	4	9	12	16	23	37
1. SINGLE DX	1426	7.2	15	2	3	7	9	12	14	19
2. MULTIPLE DX	3183	9.3	30	3	4	8	11	15	19	30
A. NOT OPERATED	3155	8.3	20	3	4	8	10	13	16	24
B. OPERATED	1454	9.4	40	2	3	8	11	17	22	33
TOTAL 0-19 YRS	67	8.2	21	2	3	8	10	14	16	26
20-34	559	7.7	27	2	2	7	10	13	15	23
35-49	805	8.0	27	2	3	7	10	13	16	31
50-64	1309	8.5	24	2	3	8	10	14	17	28
65+	1869	9.3	26	3	4	8	11	15	19	28
GRAND TOTAL	**4609**	**8.6**	**26**	**2**	**3**	**8**	**11**	**14**	**18**	**28**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.3	33	<1	<1	1	8	11	11	11
35-49	6	4.5	4	1	1	5	6	7	7	7
50-64	15	8.3	46	<1	1	8	11	14	24	27
65+	42	9.5	47	1	3	7	11	20	26	28
B. *Operated*										
0-19 YRS	13	2.4	1	1	1	2	3	4	4	4
20-34	434	3.2	4	1	1	3	4	5	5	11
35-49	575	3.6	9	1	2	3	4	5	7	16
50-64	407	4.0	9	1	2	3	4	6	8	17
65+	174	6.7	68	1	2	4	7	14	21	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	6.3	48	<1	1	5	9	13	24	27
35-49	23	6.3	22	<1	1	4	11	13	14	14
50-64	63	8.6	102	1	2	6	11	15	22	65
65+	236	10.8	70	2	3	9	14	22	29	50
B. *Operated*										
0-19 YRS	4	5.5	2	4	4	5	6	7	7	7
20-34	92	4.0	9	2	2	3	5	6	8	20
35-49	174	5.0	23	1	2	4	5	9	14	27
50-64	241	6.5	54	2	2	4	7	15	22	41
65+	232	15.1	218	2	3	10	20	33	50	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	8.6	44	1	1	7	11	18	25	28
B. *Operated*	1603	3.9	15	1	2	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	336	9.9	74	1	2	8	13	21	28	50
B. *Operated*	743	8.5	112	2	2	4	9	20	29	54
1. SINGLE DX	1669	4.1	17	1	2	3	4	6	10	22
2. MULTIPLE DX	1079	8.9	100	2	2	5	11	20	28	53
A. NOT OPERATED	402	9.6	69	1	2	7	12	20	27	48
B. OPERATED	2346	5.4	50	1	2	3	5	10	18	42
TOTAL 0-19 YRS	17	3.1	3	1	1	3	4	6	7	7
20-34	543	3.4	6	1	1	3	4	5	6	13
35-49	778	4.0	13	1	2	3	4	6	10	22
50-64	726	5.3	35	1	2	4	5	10	15	33
65+	684	11.1	128	2	3	7	14	24	32	63
GRAND TOTAL	**2748**	**6.0**	**55**	**1**	**2**	**4**	**6**	**13**	**20**	**43**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	24	3.1	11	<1	<1	2	4	4	8	18
35-49	39	3.0	5	<1	<1	2	4	6	8	10
50-64	32	3.2	4	<1	1	3	4	6	8	8
65+	24	2.8	3	<1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	4	3.8	5	2	2	3	5	7	7	7
20-34	220	3.9	3	1	2	4	5	6	7	9
35-49	345	4.1	3	2	2	4	5	7	8	9
50-64	252	4.4	4	2	2	4	5	7	8	12
65+	121	5.2	10	2	3	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	46	2.9	7	<1	1	2	4	6	8	14
35-49	71	3.9	6	1	2	3	5	7	8	13
50-64	82	3.5	5	1	1	3	5	7	8	10
65+	130	4.6	9	1	1	4	6	9	10	13
B. *Operated*										
0-19 YRS	18	4.2	5	1	1	4	6	8	8	8
20-34	733	4.4	4	2	2	4	5	7	8	11
35-49	1228	4.7	5	2	3	4	5	7	8	12
50-64	1021	5.0	7	2	3	4	6	8	10	16
65+	497	6.2	18	3	3	5	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	3.0	5	<1	<1	3	4	5	7	12
B. *Operated*	942	4.3	5	2	2	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	332	3.9	7	1	1	3	5	8	9	12
B. *Operated*	3497	4.9	8	2	3	4	6	8	10	16
1. SINGLE DX	1063	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX	3829	4.8	8	2	2	4	6	8	10	15
A. NOT OPERATED	453	3.7	7	<1	1	3	5	7	9	12
B. OPERATED	4439	4.8	7	2	3	4	6	7	9	15
TOTAL 0-19 YRS	27	3.7	5	1	1	3	5	7	8	8
20-34	1023	4.2	4	1	2	4	5	7	8	11
35-49	1683	4.5	5	2	2	4	5	7	8	12
50-64	1387	4.8	7	2	2	4	6	7	9	15
65+	772	5.7	15	2	3	5	7	10	12	22
GRAND TOTAL	**4892**	**4.7**	**7**	**2**	**2**	**4**	**6**	**7**	**9**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.4	14	1	1	3	6	10	14	15
20-34	60	6.0	13	1	2	6	8	11	13	18
35-49	81	6.3	11	1	2	6	9	10	12	16
50-64	75	6.2	23	1	1	5	8	11	17	23
65+	137	6.3	39	1	1	5	8	12	15	29
B. *Operated*										
0-19 YRS	61	2.8	7	<1	1	2	3	6	11	12
20-34	212	3.2	9	<1	<1	2	3	7	10	15
35-49	94	5.2	22	1	1	3	8	11	12	25
50-64	101	6.1	21	<1	1	5	9	12	14	22
65+	60	8.1	62	1	2	6	11	15	23	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.3	8	1	1	2	4	8	10	13
20-34	137	5.5	17	1	1	4	7	12	14	19
35-49	199	6.1	20	1	1	5	8	12	15	21
50-64	500	6.2	24	1	2	5	8	12	15	24
65+	1114	7.0	32	1	2	5	9	13	17	29
B. *Operated*										
0-19 YRS	38	4.7	17	1	1	3	7	11	13	18
20-34	223	5.4	35	1	1	3	7	11	18	29
35-49	166	9.9	135	1	1	6	13	22	31	62
50-64	279	12.5	138	2	3	9	16	24	35	75
65+	485	12.1	119	2	3	10	15	22	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	376	6.1	24	1	1	5	8	11	15	22
B. *Operated*	528	4.6	23	<1	1	3	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	1989	6.5	28	1	2	5	9	13	16	26
B. *Operated*	1191	10.4	114	1	2	8	13	21	29	54
1. SINGLE DX	904	5.3	24	1	1	4	8	11	13	22
2. MULTIPLE DX	3180	8.0	64	1	2	6	10	16	21	38
A. NOT OPERATED	2365	6.4	27	1	2	5	8	12	15	26
B. OPERATED	1719	8.6	93	1	1	6	11	18	24	47
TOTAL 0-19 YRS	161	3.6	11	1	1	2	4	9	12	15
20-34	632	4.8	21	<1	1	3	6	10	13	22
35-49	540	7.1	58	1	1	6	9	14	18	34
50-64	955	8.0	65	1	2	6	10	16	22	37
65+	1796	8.3	62	1	2	6	11	16	21	42
GRAND TOTAL	**4084**	**7.4**	**56**	**1**	**1**	**5**	**9**	**15**	**20**	**36**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1786	2.1	2	<1	1	2	3	4	5	7
20-34	261	3.0	3	1	1	3	4	5	6	8
35-49	95	3.2	3	1	1	3	4	6	7	8
50-64	75	3.7	5	1	1	3	5	6	9	11
65+	53	3.7	4	1	2	3	4	6	7	12
B. *Operated*										
0-19 YRS	379	1.8	1	<1	<1	2	2	2	3	7
20-34	169	2.4	4	1	1	2	3	4	5	12
35-49	34	2.7	6	1	1	2	3	6	9	10
50-64	20	2.7	8	<1	<1	2	3	6	9	13
65+	10	2.6	4	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2045	2.9	5	1	1	2	4	5	6	10
20-34	502	3.4	4	1	1	3	4	6	8	11
35-49	249	3.8	10	1	1	3	5	7	8	18
50-64	326	4.8	13	1	2	4	6	8	10	20
65+	601	6.1	27	2	2	5	7	12	15	23
B. *Operated*										
0-19 YRS	188	3.5	22	<1	1	2	4	7	12	30
20-34	103	3.8	15	1	1	2	5	7	12	20
35-49	55	5.7	48	1	1	4	6	12	21	40
50-64	40	5.9	19	<1	1	5	8	13	15	16
65+	52	11.7	178	<1	1	9	14	26	37	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2270	2.4	2	<1	1	2	3	4	5	8
B. *Operated*	612	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	3723	3.7	11	1	1	3	5	7	9	16
B. *Operated*	438	5.0	48	<1	1	2	6	12	16	36
1. SINGLE DX	2882	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	4161	3.9	15	1	1	3	5	7	10	18
A. NOT OPERATED	5993	3.2	8	1	1	2	4	6	8	13
B. OPERATED	1050	3.3	24	<1	1	2	3	7	12	24
TOTAL 0-19 YRS	4398	2.5	4	<1	1	2	3	5	6	9
20-34	1035	3.1	5	1	1	3	4	6	7	12
35-49	433	3.8	13	1	1	3	5	7	8	20
50-64	461	4.6	12	1	2	4	6	8	10	16
65+	716	6.3	39	1	2	5	7	12	15	35
GRAND TOTAL	**7043**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1590	3.1	4	1	1	3	4	6	7	10
20-34	147	3.8	4	1	2	3	5	7	8	11
35-49	158	4.1	5	1	2	4	5	7	8	12
50-64	152	4.8	7	2	2	4	6	8	9	14
65+	218	5.0	8	2	2	4	6	9	10	13
B. *Operated*										
0-19 YRS	9	3.6	8	1	1	3	5	8	9	9
20-34	2	6.5	5	5	5	6	8	8	8	8
35-49	5	4.6	16	<1	<1	3	7	11	11	11
50-64	12	4.9	9	2	2	4	7	9	11	11
65+	7	5.3	23	<1	<1	3	9	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1613	3.7	5	1	1	3	5	6	8	12
20-34	295	4.4	9	1	2	4	6	8	10	16
35-49	452	5.3	14	2	2	4	7	9	11	21
50-64	1247	6.2	22	2	2	5	8	11	14	24
65+	3059	7.2	25	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	13	7.8	36	2	2	6	10	19	19	19
20-34	23	7.4	58	1	2	5	9	18	26	32
35-49	43	8.9	49	1	2	7	12	15	23	35
50-64	97	11.3	92	2	2	8	15	24	33	46
65+	178	12.8	149	2	3	10	16	24	32	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2265	3.5	5	1	1	3	4	6	8	11
B. *Operated*	35	4.7	11	<1	1	3	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	6666	5.9	20	2	2	5	7	11	14	23
B. *Operated*	354	11.4	114	2	2	9	15	23	31	53
1. SINGLE DX	2300	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	7020	6.2	26	2	2	5	8	11	15	26
A. NOT OPERATED	8931	5.3	18	1	2	4	7	10	13	21
B. OPERATED	389	10.8	108	2	2	8	14	22	29	52
TOTAL 0-19 YRS	3225	3.5	5	1	1	3	4	6	7	11
20-34	467	4.4	10	1	2	4	5	8	10	17
35-49	658	5.3	15	2	2	4	6	9	12	21
50-64	1508	6.4	26	2	2	5	8	11	15	28
65+	3462	7.3	32	2	3	6	9	13	17	29
GRAND TOTAL	**9320**	**5.6**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	9	1.2		<1	<1	1	1	2	3	3
35-49	5	1.0		<1	<1	1	1	1	1	1
50-64	5	1.4	1	1	1	1	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	327	1.5	1	<1	1	1	2	2	3	4
20-34	857	1.6	1	<1	1	1	2	3	3	4
35-49	441	1.6	1	<1	1	1	2	3	3	4
50-64	219	1.7	1	<1	1	1	2	3	3	5
65+	52	1.7	1	1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	4	4
20-34	20	1.5	1	<1	<1	1	2	3	4	4
35-49	10	2.1	3	1	1	1	2	5	6	6
50-64	8	1.5	1	<1	<1	1	2	3	3	3
65+	7	2.9	10	<1	<1	2	3	9	10	10
B. *Operated*										
0-19 YRS	608	1.9	1	<1	1	2	2	3	4	5
20-34	1508	1.9	1	<1	1	2	2	3	4	5
35-49	864	2.1	4	<1	1	2	3	3	4	7
50-64	491	2.3	2	<1	1	2	3	4	4	8
65+	136	2.4	1	1	1	2	3	4	5	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.2		<1	<1	1	1	2	3	3
B. *Operated*	1896	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	59	1.7	2	<1	<1	1	2	4	5	10
B. *Operated*	3607	2.1	2	<1	1	2	3	3	4	6
1. SINGLE DX	1923	1.6	1	<1	1	1	2	3	3	4
2. MULTIPLE DX	3666	2.0	2	<1	1	2	3	3	4	6
A. NOT OPERATED	86	1.6	2	<1	<1	1	2	3	4	9
B. OPERATED	5503	1.9	2	<1	1	2	2	3	4	5
TOTAL 0-19 YRS	957	1.8	1	<1	1	2	2	3	3	5
20-34	2394	1.8	1	<1	1	2	2	3	4	5
35-49	1320	1.9	3	<1	1	2	2	3	4	6
50-64	723	2.1	2	<1	1	2	3	3	4	7
65+	195	2.3	2	1	1	2	3	3	4	7
GRAND TOTAL	**5589**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**3**	**4**	**5**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.4		<1	<1	1	2	2	3	4
20-34	59	2.0	5	<1	<1	1	2	4	4	16
35-49	66	1.5	1	<1	<1	1	2	3	3	5
50-64	76	1.6	1	<1	<1	1	2	3	4	6
65+	43	1.8	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64	5	1.0		<1	<1	<1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	46	2.2	3	<1	1	2	3	4	5	10
20-34	102	2.2	1	1	1	2	3	4	4	6
35-49	141	2.0	1	<1	1	2	3	3	4	6
50-64	145	2.9	45	<1	1	2	3	5	5	12
65+	88	2.5	3	1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	270	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	1.3		<1	<1	1	2	2	2	2
B. *Operated*	522	2.4	14	<1	1	2	3	4	5	8
1. SINGLE DX	271	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	534	2.4	14	<1	1	2	3	4	5	8
A. NOT OPERATED	13	1.4		<1	<1	1	2	2	3	3
B. OPERATED	792	2.2	10	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	73	1.9	2	<1	<1	1	2	3	4	9
20-34	163	2.1	3	<1	1	2	3	3	4	7
35-49	211	1.8	1	<1	<1	2	2	3	4	6
50-64	226	2.4	29	<1	<1	2	3	4	5	7
65+	132	2.3	2	1	1	2	3	4	5	9
GRAND TOTAL	**805**	**2.1**	**10**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	1.4	1	<1	1	1	2	2	3	6
20-34	26	1.4		<1	1	1	2	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	10839	1.5	1	<1	<1	1	2	2	2	3
20-34	2852	1.6	1	1	1	1	2	3	3	4
35-49	267	1.9	1	1	1	2	2	3	4	4
50-64	39	1.8	1	1	1	2	2	3	4	7
65+	17	1.6	1	<1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	196	1.4	1	<1	<1	1	1	3	4	5
20-34	32	2.2	4	<1	<1	1	2	5	7	9
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	5020	1.4	1	<1	<1	1	2	2	2	4
20-34	651	1.9	2	1	1	2	2	3	4	6
35-49	87	2.2	2	1	1	2	2	3	5	10
50-64	32	2.9	41	1	1	2	2	3	4	38
65+	11	2.7	2	1	1	2	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	1.4	1	<1	1	1	2	2	3	6
B. *Operated*	14014	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	233	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	5801	1.5	1	<1	<1	1	2	2	3	4
1. SINGLE DX	14139	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	6034	1.5	1	<1	<1	1	2	2	3	4
A. NOT OPERATED	358	1.5	1	<1	<1	1	2	3	4	6
B. OPERATED	19815	1.5	1	<1	<1	1	2	2	3	4
TOTAL 0-19 YRS	16149	1.5	1	<1	<1	1	2	2	2	3
20-34	3561	1.7	1	1	1	2	2	3	3	4
35-49	361	1.9	1	1	1	2	2	3	4	6
50-64	71	2.3	19	1	1	2	2	3	4	31
65+	31	2.1	2	<1	1	2	3	4	5	6
GRAND TOTAL	**20173**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	223	2.6	2	<1	1	2	3	5	6	8
20-34	185	2.9	4	1	1	2	3	5	6	12
35-49	82	2.7	4	<1	<1	2	3	4	5	13
50-64	55	2.3	2	1	1	2	3	4	5	7
65+	24	2.8	5	<1	1	2	4	5	8	10
B. *Operated*										
0-19 YRS	376	2.2	8	<1	<1	2	2	4	5	13
20-34	613	2.0	4	<1	<1	2	2	3	4	7
35-49	498	2.0	2	<1	<1	2	2	3	4	9
50-64	456	1.9	2	<1	<1	2	2	3	4	9
65+	254	2.1	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.1	4	1	1	3	4	5	7	10
20-34	159	3.6	10	1	1	3	5	6	7	20
35-49	109	3.9	7	1	1	3	5	7	9	15
50-64	113	4.0	8	<1	1	3	6	7	9	15
65+	114	5.6	22	1	1	4	7	10	14	26
B. *Operated*										
0-19 YRS	362	2.7	11	<1	<1	2	3	5	8	17
20-34	641	2.6	9	1	1	2	3	5	6	13
35-49	592	2.8	11	1	1	2	3	4	7	17
50-64	545	3.1	12	<1	1	2	3	6	8	19
65+	376	4.0	36	1	1	2	4	9	13	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	2.7	3	<1	1	2	3	5	6	9
B. *Operated*	2197	2.0	4	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	698	3.9	10	1	1	3	5	7	9	16
B. *Operated*	2516	3.0	15	<1	1	2	3	5	8	19
1. SINGLE DX	2766	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	3214	3.2	14	<1	1	2	4	6	9	18
A. NOT OPERATED	1267	3.4	7	1	1	3	4	6	8	14
B. OPERATED	4713	2.5	10	<1	<1	2	3	4	6	16
TOTAL 0-19 YRS	1164	2.6	7	<1	<1	2	3	5	6	13
20-34	1598	2.5	7	<1	1	2	3	4	6	12
35-49	1281	2.6	7	<1	1	2	3	4	6	12
50-64	1169	2.7	8	<1	1	2	3	5	7	15
65+	768	3.6	23	<1	1	2	4	7	12	21
GRAND TOTAL	**5980**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3843	3.7	6	1	2	3	4	6	8	11
20-34	1145	4.3	6	2	2	4	5	7	9	12
35-49	793	4.8	6	2	2	4	6	8	9	13
50-64	774	5.4	10	2	2	5	7	9	11	16
65+	1274	6.7	20	2	3	6	8	12	14	22
B. *Operated*										
0-19 YRS	28	5.1	12	<1	1	5	7	10	12	14
20-34	28	8.8	21	2	2	8	13	15	16	18
35-49	39	8.7	60	1	2	8	11	17	21	43
50-64	64	8.9	37	2	3	7	12	18	21	27
65+	65	9.1	52	1	1	8	12	21	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3979	4.4	11	1	2	4	5	8	10	16
20-34	1072	5.6	15	2	2	5	7	10	12	22
35-49	1218	6.1	18	2	2	5	8	11	13	19
50-64	2614	7.5	29	2	3	6	9	13	17	28
65+	8683	9.5	49	3	4	8	11	17	22	37
B. *Operated*										
0-19 YRS	81	11.5	116	2	3	9	15	22	36	59
20-34	121	13.1	85	3	4	10	17	24	30	44
35-49	192	14.6	170	4	5	11	17	30	35	92
50-64	446	14.2	143	3	4	11	17	28	37	71
65+	980	18.0	187	4	6	14	23	34	45	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7829	4.5	10	1	2	4	6	8	10	15
B. *Operated*	224	8.4	41	1	2	7	11	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	17556	7.5	38	2	2	6	9	14	18	31
B. *Operated*	1820	16.1	169	4	5	13	20	31	41	78
1. SINGLE DX	8053	4.6	11	1	2	4	6	8	10	17
2. MULTIPLE DX	19386	8.3	56	2	3	6	10	16	21	38
A. NOT OPERATED	25395	6.6	31	2	2	5	8	12	16	28
B. OPERATED	2044	15.3	160	3	4	12	19	30	39	74
TOTAL 0-19 YRS	7931	4.1	10	1	2	3	5	7	9	15
20-34	2366	5.4	18	2	2	4	6	10	13	23
35-49	2242	6.4	34	2	2	5	8	11	15	31
50-64	3898	7.9	45	2	3	6	9	14	19	34
65+	11002	9.9	65	3	4	8	12	18	24	43
GRAND TOTAL	**27439**	**7.3**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**34**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	150	2.2	2	<1	1	2	3	4	5	7
20-34	143	2.8	3	1	1	2	4	5	6	8
35-49	86	3.2	3	1	1	3	4	5	6	8
50-64	75	3.4	3	1	1	3	4	7	7	8
65+	115	4.1	5	1	2	4	6	7	8	11
B. *Operated*										
0-19 YRS	2	8.0	72	2	2	8	14	14	14	14
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	246	3.0	6	1	1	2	4	6	7	12
20-34	286	3.2	8	1	1	3	4	6	8	12
35-49	176	4.2	9	1	2	3	5	8	10	15
50-64	241	4.5	8	1	2	4	6	8	10	15
65+	631	6.0	21	2	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	11	6.2	14	1	2	6	8	11	14	14
35-49	3	9.3	89	2	2	6	16	20	20	20
50-64	8	13.5	173	3	3	10	16	35	43	43
65+	21	15.9	194	4	5	11	17	37	49	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	569	3.1	3	1	1	3	4	6	7	9
B. *Operated*	5	6.2	25	2	2	5	9	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	1580	4.6	15	1	2	4	6	9	11	19
B. *Operated*	45	12.1	142	2	3	9	14	30	41	58
1. SINGLE DX	574	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	1625	4.8	20	1	2	4	6	9	12	20
A. NOT OPERATED	2149	4.2	12	1	1	3	5	8	10	17
B. OPERATED	50	11.5	133	2	2	8	14	25	41	58
TOTAL 0-19 YRS	400	2.8	5	1	1	2	3	5	6	11
20-34	442	3.2	6	1	1	3	4	6	7	12
35-49	265	4.0	8	1	2	3	5	7	9	15
50-64	325	4.4	13	1	2	4	6	8	10	16
65+	767	6.0	27	2	2	5	7	11	14	29
GRAND TOTAL	**2199**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**19**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	325	2.6	3	1	1	2	3	5	6	9
20-34	76	3.8	13	1	1	3	4	6	6	26
35-49	82	4.5	6	1	2	4	6	8	9	13
50-64	173	5.4	11	2	2	4	7	10	12	17
65+	314	5.9	17	2	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	7	4.7	50	<1	<1	1	6	17	20	20
20-34	8	3.8	22	<1	<1	2	4	12	15	15
35-49	10	2.5	3	1	1	2	3	5	6	6
50-64	24	4.0	22	<1	<1	2	6	10	16	18
65+	26	6.5	333	<1	<1	2	4	8	26	95
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	3.2	5	1	1	3	4	5	7	11
20-34	171	4.1	7	1	1	3	5	8	9	12
35-49	232	5.2	14	1	2	4	6	10	12	20
50-64	742	6.9	43	2	2	5	8	12	17	30
65+	1852	7.9	38	2	3	6	10	15	19	33
B. *Operated*										
0-19 YRS	10	6.0	25	2	2	5	7	13	19	19
20-34	19	5.1	29	1	2	4	6	9	19	25
35-49	35	5.3	35	<1	<1	3	6	13	22	25
50-64	107	9.7	172	1	1	7	11	17	28	81
65+	182	12.8	111	1	2	10	17	27	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	970	4.4	12	1	1	4	6	8	10	17
B. *Operated*	75	4.7	128	<1	<1	2	4	8	15	76
2. MULTIPLE DX										
A. *Not Operated*	3338	6.8	35	2	2	5	8	13	17	30
B. *Operated*	353	10.5	122	1	2	7	13	23	31	56
1. SINGLE DX	1045	4.4	20	1	1	3	5	8	11	18
2. MULTIPLE DX	3691	7.1	45	2	2	5	9	14	19	33
A. NOT OPERATED	4308	6.3	31	1	2	5	8	12	16	29
B. OPERATED	428	9.5	128	<1	1	6	12	20	28	57
TOTAL 0-19 YRS	683	2.9	5	1	1	2	4	5	6	10
20-34	274	4.1	11	1	1	3	5	7	9	17
35-49	359	4.9	14	1	2	4	6	9	12	20
50-64	1046	6.9	51	2	2	5	8	12	17	36
65+	2374	8.0	46	2	3	6	10	15	20	35
GRAND TOTAL	**4736**	**6.5**	**40**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	11	5.6	12	2	2	5	7	11	14	14
50-64	66	5.6	18	1	2	5	7	11	17	20
65+	149	7.0	28	2	2	6	8	13	18	28
B. *Operated*										
0-19 YRS	1	19.0		19	19	19	19	19	19	19
20-34	1	6.0		6	6	6	6	6	6	6
35-49	6	8.3	29	<1	<1	9	12	15	15	15
50-64	8	11.5	99	2	2	8	17	27	31	31
65+	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	6	4.5	5	3	3	4	4	9	9	9
35-49	28	9.6	49	1	3	8	13	22	24	26
50-64	290	8.5	67	2	2	6	10	18	23	42
65+	815	8.6	51	2	3	7	10	16	22	39
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	17	10.7	20	6	6	10	13	17	21	22
35-49	15	16.5	137	4	6	15	23	27	43	49
50-64	40	16.7	224	3	5	9	22	44	50	53
65+	75	18.9	221	4	5	15	25	37	59	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	6.5	25	2	2	5	8	12	17	27
B. *Operated*	18	10.8	62	1	2	9	16	20	27	31
2. MULTIPLE DX										
A. *Not Operated*	1142	8.6	55	2	3	7	10	16	23	39
B. *Operated*	148	17.0	193	4	6	12	23	37	49	81
1. SINGLE DX	245	6.8	29	2	2	5	8	14	19	28
2. MULTIPLE DX	1290	9.5	78	2	3	7	11	19	26	48
A. NOT OPERATED	1369	8.2	51	2	3	6	10	16	21	38
B. OPERATED	166	16.3	182	3	5	12	22	34	49	78
TOTAL 0-19 YRS	6	5.8	46	<1	<1	4	6	18	19	19
20-34	24	9.0	23	3	4	8	11	15	19	22
35-49	60	10.5	74	2	3	8	14	23	25	47
50-64	404	8.9	83	2	2	6	10	19	26	50
65+	1041	9.1	68	2	3	7	11	18	25	43
GRAND TOTAL	**1535**	**9.1**	**71**	**2**	**3**	**7**	**11**	**19**	**25**	**45**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3867	2.7	2	1	1	2	3	5	5	8
20-34	1113	3.4	4	1	1	3	4	6	7	10
35-49	997	4.2	7	1	2	4	5	8	9	13
50-64	995	4.7	9	1	2	4	6	8	10	15
65+	815	5.3	10	2	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	9	4.3	5	2	2	4	5	8	9	9
20-34	8	6.9	24	1	2	6	9	15	17	17
35-49	4	5.3	34	2	2	3	8	14	14	14
50-64	12	7.2	6	3	4	7	9	10	11	11
65+	7	11.0	20	5	5	12	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2229	3.2	4	1	1	3	4	6	7	10
20-34	989	4.3	9	1	2	4	5	8	9	16
35-49	1149	5.3	15	2	2	4	6	10	12	18
50-64	2047	6.1	18	2	2	5	8	11	13	22
65+	2615	7.1	30	2	3	6	9	13	16	25
B. *Operated*										
0-19 YRS	28	8.0	46	1	2	6	10	19	25	27
20-34	47	7.8	27	2	2	7	11	15	17	23
35-49	59	11.5	139	2	3	8	16	21	29	75
50-64	99	12.6	164	2	3	10	14	23	39	96
65+	141	16.1	252	3	4	11	19	36	56	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7787	3.5	6	1	1	3	4	6	8	12
B. *Operated*	40	7.0	18	2	2	6	9	13	16	17
2. MULTIPLE DX										
A. *Not Operated*	9029	5.4	19	1	2	4	7	10	13	20
B. *Operated*	374	12.8	175	2	3	9	15	25	39	78
1. SINGLE DX	7827	3.5	6	1	1	3	4	6	8	12
2. MULTIPLE DX	9403	5.7	27	1	2	4	7	11	14	24
A. NOT OPERATED	16816	4.5	14	1	2	4	6	9	11	18
B. OPERATED	414	12.2	163	2	3	9	15	23	37	78
TOTAL 0-19 YRS	6133	2.9	3	1	1	3	4	5	6	9
20-34	2157	3.9	8	1	1	3	5	7	9	14
35-49	2209	4.9	16	1	2	4	6	9	11	18
50-64	3153	5.9	22	2	2	5	7	10	13	22
65+	3578	7.1	38	2	2	6	9	13	16	30
GRAND TOTAL	**17230**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	3	1	2	3	4	7	7	7
20-34	9	4.4	11	1	1	3	8	9	9	9
35-49	56	4.9	10	1	2	4	7	8	11	15
50-64	431	5.8	16	1	2	5	7	10	14	21
65+	857	6.5	29	2	2	5	8	13	15	30
B. *Operated*										
0-19 YRS	4	3.3	7	1	1	2	5	7	7	7
20-34	4	6.8	61	<1	<1	4	12	18	18	18
35-49	10	4.8	14	1	1	4	8	10	12	12
50-64	38	8.0	87	1	2	4	8	18	30	47
65+	33	9.3	35	1	3	8	12	18	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	5.7	24	1	1	4	6	11	16	24
20-34	32	8.3	73	1	2	7	9	18	23	45
35-49	226	6.7	35	2	2	5	8	13	16	30
50-64	2121	7.6	38	2	2	6	9	14	18	32
65+	5287	8.2	44	2	3	7	10	16	21	35
B. *Operated*										
0-19 YRS	8	4.4	19	1	1	2	8	11	12	12
20-34	33	11.1	197	2	2	8	11	28	50	52
35-49	56	11.0	121	2	2	7	14	27	48	99+
50-64	216	11.7	181	1	2	8	14	30	48	99+
65+	443	15.1	189	2	4	11	19	33	45	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1371	6.2	24	1	2	5	8	11	15	24
B. *Operated*	89	7.8	56	1	1	6	10	17	22	42
2. MULTIPLE DX										
A. *Not Operated*	7696	8.0	42	2	3	6	10	15	20	34
B. *Operated*	714	13.7	185	2	3	10	17	31	46	99+
1. SINGLE DX	1460	6.3	26	1	2	5	8	12	15	27
2. MULTIPLE DX	8410	8.5	57	2	3	7	10	16	22	41
A. NOT OPERATED	9067	7.7	40	2	2	6	9	15	19	33
B. OPERATED	803	13.1	174	2	2	9	16	29	44	99+
TOTAL 0-19 YRS	60	4.7	17	1	1	3	6	9	12	23
20-34	56	8.1	86	1	2	6	10	16	22	52
35-49	328	6.8	42	1	2	5	8	13	17	42
50-64	2806	7.6	48	2	2	6	9	15	20	38
65+	6620	8.5	55	2	3	7	10	16	22	39
GRAND TOTAL	**9870**	**8.1**	**53**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	3.9	8	1	1	3	5	9	10	12
20-34	90	3.2	5	<1	1	3	4	6	8	12
35-49	28	4.3	8	1	1	4	6	8	9	13
50-64	11	4.9	5	2	2	4	7	8	9	9
65+	8	5.0	14	1	1	3	8	10	11	11
B. *Operated*										
0-19 YRS	59	6.3	20	2	2	5	8	13	17	20
20-34	342	5.4	12	2	2	4	7	10	12	18
35-49	94	4.9	8	2	2	4	6	8	10	17
50-64	50	5.9	20	1	2	4	7	11	15	23
65+	37	8.7	81	2	2	5	9	24	31	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.7	2	1	1	2	3	5	6	6
20-34	23	5.5	23	1	1	3	8	13	16	18
35-49	13	6.3	9	<1	2	6	9	10	11	11
50-64	29	6.9	38	1	2	5	8	17	21	26
65+	58	7.3	39	1	2	6	8	14	21	36
B. *Operated*										
0-19 YRS	24	8.2	18	3	4	8	11	13	16	19
20-34	97	8.0	38	2	3	6	10	16	20	31
35-49	78	8.7	58	2	3	6	11	14	22	46
50-64	113	11.5	105	2	3	8	15	22	31	55
65+	158	10.3	71	3	3	7	14	25	28	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.7	7	1	1	3	5	8	9	12
B. *Operated*	582	5.6	18	2	2	4	7	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	133	6.5	31	1	2	5	8	12	19	28
B. *Operated*	470	9.8	69	2	3	7	13	20	27	36
1. SINGLE DX	745	5.2	16	1	2	4	7	10	12	20
2. MULTIPLE DX	603	9.0	62	2	3	6	12	19	26	36
A. NOT OPERATED	296	4.9	20	1	1	4	6	9	12	24
B. OPERATED	1052	7.5	44	2	2	5	9	15	20	34
TOTAL 0-19 YRS	119	5.9	18	1	2	5	8	12	16	19
20-34	552	5.5	18	1	2	4	7	10	14	21
35-49	213	6.3	30	2	2	5	7	11	14	30
50-64	203	9.1	76	2	2	7	12	20	26	38
65+	261	9.2	65	2	3	6	12	22	28	37
GRAND TOTAL	**1348**	**6.9**	**40**	**2**	**2**	**5**	**8**	**14**	**19**	**32**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	3.4	54	1	1	2	3	6	7	13
20-34	126	3.6	10	1	1	3	4	7	9	16
35-49	106	3.5	11	1	1	3	4	6	9	18
50-64	136	4.0	20	1	1	3	5	9	11	22
65+	200	5.2	20	1	1	4	7	11	15	24
B. *Operated*										
0-19 YRS	46	3.3	17	<1	1	1	4	10	12	21
20-34	64	5.8	31	1	1	4	8	11	18	27
35-49	114	6.4	36	1	1	5	9	12	18	31
50-64	188	5.7	31	1	1	4	8	12	17	31
65+	165	6.1	90	<1	1	3	8	11	14	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	353	4.3	21	1	1	3	5	9	13	20
20-34	223	5.3	36	1	1	3	6	11	15	27
35-49	328	5.5	37	1	1	4	7	11	15	25
50-64	813	6.2	36	1	2	5	8	12	17	28
65+	2275	8.2	57	2	2	6	10	16	21	38
B. *Operated*										
0-19 YRS	88	8.5	189	<1	1	3	11	19	30	84
20-34	130	12.0	197	1	2	7	15	28	45	71
35-49	234	10.2	107	1	2	7	14	22	26	55
50-64	611	10.7	121	1	2	8	14	27	35	74
65+	993	13.2	168	1	2	9	18	31	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	730	4.1	25	1	1	3	5	8	11	20
B. *Operated*	577	5.8	48	<1	1	4	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*	3992	7.1	48	1	2	5	9	14	19	34
B. *Operated*	2056	11.9	151	1	2	8	15	28	37	71
1. SINGLE DX	1307	4.8	36	1	1	3	6	10	13	26
2. MULTIPLE DX	6048	8.7	89	1	2	6	11	19	27	51
A. NOT OPERATED	4722	6.6	46	1	1	5	8	13	18	32
B. OPERATED	2633	10.5	135	1	1	7	13	25	34	65
TOTAL 0-19 YRS	649	4.6	54	1	1	3	5	10	13	30
20-34	543	6.6	78	1	1	4	7	14	21	47
35-49	782	6.8	60	1	1	4	8	15	20	42
50-64	1748	7.6	70	1	1	5	9	16	25	44
65+	3633	9.3	93	1	2	7	11	20	28	55
GRAND TOTAL	**7355**	**8.0**	**81**	**1**	**1**	**5**	**10**	**17**	**25**	**48**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.0	5	<1	1	2	4	6	7	10
20-34	37	3.4	8	<1	1	3	4	7	11	12
35-49	23	4.0	19	<1	1	3	5	7	12	22
50-64	12	2.8	4	<1	<1	2	4	6	7	7
65+	6	4.5	3	2	2	5	5	7	7	7
B. *Operated*										
0-19 YRS	739	2.1	2	<1	<1	2	3	4	5	6
20-34	768	2.8	2	1	1	3	4	4	5	8
35-49	364	2.7	4	1	1	2	3	4	5	10
50-64	194	2.7	3	1	1	2	4	5	6	8
65+	63	3.7	26	<1	1	2	4	6	9	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	58	<1	<1	2	4	5	8	52
20-34	67	3.6	9	<1	1	3	5	8	11	13
35-49	35	3.9	26	<1	<1	3	4	7	10	30
50-64	36	3.0	4	<1	1	2	4	6	7	8
65+	37	4.6	17	1	1	4	6	12	15	16
B. *Operated*										
0-19 YRS	508	2.6	3	<1	<1	2	4	5	6	9
20-34	520	3.8	15	1	1	3	5	6	7	22
35-49	305	3.3	11	<1	1	3	4	6	7	14
50-64	266	3.4	19	1	1	2	3	5	9	24
65+	249	3.7	21	1	1	2	4	7	10	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	3.4	9	<1	1	3	4	7	8	17
B. *Operated*	2128	2.6	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	219	3.8	22	<1	1	3	4	7	11	20
B. *Operated*	1848	3.3	13	<1	1	3	4	5	7	17
1. SINGLE DX	2230	2.6	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX	2067	3.3	14	<1	1	3	4	6	8	17
A. NOT OPERATED	321	3.7	18	<1	1	3	4	7	10	18
B. OPERATED	3976	2.9	8	<1	<1	2	4	5	6	12
TOTAL 0-19 YRS	1315	2.4	4	<1	<1	2	3	4	5	7
20-34	1392	3.2	8	1	1	3	4	5	6	12
35-49	727	3.0	8	1	1	2	4	5	7	14
50-64	508	3.1	11	1	1	2	4	5	7	16
65+	355	3.8	21	1	1	2	4	7	11	28
GRAND TOTAL	**4297**	**3.0**	**9**	**<1**	**<1**	**2**	**4**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.3	3	1	2	3	4	5	7	8
20-34	49	4.2	6	1	1	4	5	8	9	11
35-49	25	3.8	6	1	1	3	5	8	9	10
50-64	20	4.2	8	1	1	3	6	8	10	11
65+	15	6.1	17	3	3	5	6	14	16	17
B. *Operated*										
0-19 YRS	109	1.9	2	<1	<1	1	2	4	4	8
20-34	115	2.5	4	<1	<1	2	3	5	6	10
35-49	85	2.6	4	<1	1	2	3	4	5	13
50-64	110	2.5	3	<1	1	2	3	5	6	8
65+	84	3.2	14	1	1	2	3	4	6	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	3.9	5	1	2	3	5	7	9	12
20-34	43	4.6	9	1	2	4	6	9	11	12
35-49	27	4.8	16	1	1	4	6	8	12	21
50-64	44	6.0	22	1	2	5	8	12	14	26
65+	99	7.4	54	1	2	6	9	12	16	50
B. *Operated*										
0-19 YRS	50	3.6	8	<1	1	3	5	7	10	14
20-34	69	3.9	17	<1	1	2	4	9	14	20
35-49	84	2.9	3	1	1	3	4	5	7	8
50-64	124	4.4	25	1	1	3	4	10	16	27
65+	155	5.1	29	1	1	3	5	9	18	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	155	4.1	7	1	1	3	5	8	9	14
B. *Operated*	503	2.5	5	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	302	5.5	27	1	2	4	7	10	12	25
B. *Operated*	482	4.2	20	<1	1	3	4	8	14	23
1. SINGLE DX	658	2.9	6	<1	1	2	4	5	7	11
2. MULTIPLE DX	784	4.7	23	1	1	3	6	9	13	25
A. NOT OPERATED	457	5.0	21	1	2	4	6	9	11	21
B. OPERATED	985	3.4	13	<1	1	2	4	6	9	20
TOTAL 0-19 YRS	294	3.0	5	<1	<1	2	4	6	7	11
20-34	276	3.5	9	<1	1	3	4	8	9	16
35-49	221	3.1	5	1	1	3	4	6	7	12
50-64	298	3.9	16	<1	1	3	4	8	12	24
65+	353	5.3	34	1	1	4	6	11	15	31
GRAND TOTAL	**1442**	**3.9**	**16**	**<1**	**1**	**3**	**5**	**7**	**11**	**21**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.4	4	<1	1	2	3	5	7	9
20-34	105	2.4	2	<1	1	2	3	5	5	8
35-49	152	2.9	5	1	1	2	4	6	7	10
50-64	129	2.9	5	<1	1	2	4	6	8	11
65+	114	3.3	8	1	1	3	4	6	8	17
B. *Operated*										
0-19 YRS	31	3.9	12	<1	<1	2	6	9	13	14
20-34	70	4.6	14	<1	1	3	7	9	14	16
35-49	71	4.7	12	<1	<1	4	7	9	11	14
50-64	120	5.1	27	<1	1	4	7	10	13	29
65+	140	4.8	18	<1	<1	3	7	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	4.3	37	1	1	3	5	9	12	41
20-34	232	3.6	8	1	1	3	5	7	8	12
35-49	380	4.0	11	1	1	3	5	8	10	16
50-64	558	4.4	13	1	1	3	6	9	12	19
65+	794	5.6	29	1	2	4	7	10	14	30
B. *Operated*										
0-19 YRS	41	9.7	227	<1	1	4	10	35	58	99+
20-34	125	8.4	127	<1	1	6	9	14	21	71
35-49	239	7.7	55	<1	1	6	9	15	22	42
50-64	420	7.5	43	1	1	6	9	14	21	34
65+	698	9.0	77	1	2	7	11	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	617	2.8	5	<1	1	2	3	5	7	11
B. *Operated*	432	4.8	18	<1	<1	3	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	2140	4.7	20	1	1	3	6	9	12	23
B. *Operated*	1523	8.4	73	1	1	6	10	17	24	47
1. SINGLE DX	1049	3.6	11	<1	1	2	5	8	10	15
2. MULTIPLE DX	3663	6.2	45	1	1	4	8	12	18	35
A. NOT OPERATED	2757	4.3	18	1	1	3	5	8	11	21
B. OPERATED	1955	7.6	63	<1	1	6	9	15	22	43
TOTAL 0-19 YRS	365	4.3	49	<1	1	2	4	8	13	45
20-34	532	4.6	40	1	1	3	5	9	11	27
35-49	842	4.9	25	1	1	4	6	10	13	25
50-64	1227	5.4	26	1	1	4	7	11	14	27
65+	1746	6.7	50	1	1	5	8	14	19	36
GRAND TOTAL	**4712**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.8	40	2	2	4	5	16	21	21
20-34	46	3.8	6	1	1	3	5	8	9	11
35-49	69	4.1	11	1	1	3	5	9	12	16
50-64	54	4.0	8	<1	1	3	6	8	9	12
65+	49	4.1	7	<1	1	4	5	8	9	12
B. *Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	32	7.3	16	<1	1	7	9	13	15	17
35-49	73	6.9	17	<1	1	7	9	12	15	18
50-64	66	7.2	19	<1	<1	7	10	11	15	22
65+	65	6.3	31	<1	<1	6	8	13	17	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	53	5.3	9	1	2	5	7	10	12	14
35-49	127	5.0	10	1	2	4	7	9	10	17
50-64	179	5.4	11	2	2	5	7	9	11	16
65+	368	6.4	20	2	2	5	8	13	16	22
B. *Operated*										
0-19 YRS	6	5.7	7	1	1	6	8	8	8	8
20-34	38	8.4	107	<1	1	6	9	15	29	58
35-49	110	8.1	31	1	3	7	10	14	17	31
50-64	201	8.2	56	1	2	7	10	14	20	46
65+	295	9.6	65	2	3	7	11	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	226	4.1	9	<1	1	3	5	8	10	15
B. *Operated*	239	6.9	21	<1	<1	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	732	5.8	15	2	2	5	7	10	14	21
B. *Operated*	650	8.8	59	1	3	7	11	16	22	45
1. SINGLE DX	465	5.5	17	<1	1	4	8	10	13	20
2. MULTIPLE DX	1382	7.2	38	2	2	6	9	13	17	34
A. NOT OPERATED	958	5.4	14	1	2	5	7	10	13	19
B. OPERATED	889	8.3	49	<1	2	7	10	15	20	41
TOTAL 0-19 YRS	22	5.0	17	1	2	4	6	8	13	21
20-34	169	6.0	34	1	1	5	8	11	13	30
35-49	379	6.1	20	1	2	5	8	12	14	21
50-64	500	6.6	32	1	2	5	9	11	15	29
65+	777	7.5	40	1	2	6	9	14	19	34
GRAND TOTAL	**1847**	**6.8**	**33**	**1**	**2**	**5**	**8**	**12**	**16**	**32**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	7	1	1	3	6	8	8	8
20-34	31	3.7	3	2	2	3	5	6	7	8
35-49	68	3.8	3	1	1	4	5	7	7	8
50-64	94	4.1	4	2	2	4	5	6	8	11
65+	120	5.2	9	2	2	5	7	9	10	16
B. *Operated*										
0-19 YRS	3	4.7	10	1	1	6	7	7	7	7
20-34	23	6.5	11	2	3	6	7	10	14	17
35-49	57	7.3	14	3	3	6	10	12	14	19
50-64	68	7.3	13	3	3	7	10	13	14	15
65+	88	8.0	26	3	3	6	11	15	17	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	7	1	1	3	6	7	7	7
20-34	44	4.9	10	2	3	4	5	9	12	17
35-49	120	4.8	5	2	2	4	6	8	9	11
50-64	230	6.0	21	2	2	5	7	10	14	27
65+	599	7.2	24	2	3	6	8	12	17	27
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	32	9.8	69	2	3	8	12	16	33	39
35-49	85	8.8	56	2	3	7	10	16	23	45
50-64	206	9.9	48	3	3	8	13	20	25	36
65+	560	12.6	118	3	4	9	15	24	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.4	6	2	2	4	6	7	9	12
B. *Operated*	239	7.4	18	3	3	6	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	998	6.5	21	2	3	5	8	11	15	26
B. *Operated*	884	11.5	96	3	4	9	14	22	32	53
1. SINGLE DX	561	5.7	13	2	2	5	7	10	13	18
2. MULTIPLE DX	1882	8.8	63	2	3	6	10	17	23	45
A. NOT OPERATED	1320	6.0	18	2	2	5	7	10	13	24
B. OPERATED	1123	10.6	82	3	3	8	13	20	28	49
TOTAL 0-19 YRS	18	3.8	7	1	1	3	6	7	8	8
20-34	130	6.1	27	2	2	5	7	12	15	36
35-49	330	6.0	23	2	2	5	7	10	14	24
50-64	598	7.2	31	2	3	5	9	14	18	32
65+	1367	9.3	69	3	3	7	11	18	24	46
GRAND TOTAL	**2443**	**8.1**	**53**	**2**	**3**	**6**	**9**	**15**	**21**	**39**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.2	4	1	1	3	4	6	8	10
20-34	213	3.0	3	1	1	3	4	5	6	10
35-49	203	3.5	5	1	1	3	5	7	8	10
50-64	153	3.6	4	1	1	3	4	6	7	10
65+	129	4.8	10	1	2	4	6	8	11	18
B. *Operated*										
0-19 YRS	3	5.0	4	3	3	5	6	7	7	7
20-34	45	8.5	18	2	3	8	10	15	18	19
35-49	73	7.7	14	2	3	8	9	13	15	20
50-64	43	8.1	13	1	3	8	10	13	15	15
65+	24	9.5	41	<1	3	9	12	16	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	3.7	4	1	2	3	4	5	9	11
20-34	264	4.1	8	1	2	3	5	7	9	15
35-49	315	4.3	8	1	2	4	5	7	10	15
50-64	474	4.7	10	2	2	4	6	8	10	18
65+	668	5.9	16	2	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	4	22.3	776	7	7	9	37	64	64	64
20-34	49	7.3	21	<1	1	8	9	12	18	23
35-49	105	8.5	28	2	3	8	10	15	20	26
50-64	136	9.9	55	2	3	8	11	20	27	36
65+	157	10.9	102	2	3	9	12	21	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	3.6	5	1	1	3	4	6	8	11
B. *Operated*	188	8.2	18	2	3	8	10	14	16	20
2. MULTIPLE DX										
A. *Not Operated*	1767	5.0	12	2	2	4	6	9	12	18
B. *Operated*	451	9.8	69	2	3	8	11	18	24	47
1. SINGLE DX	950	4.5	11	1	1	3	6	9	11	17
2. MULTIPLE DX	2218	5.9	27	2	2	5	7	11	14	26
A. NOT OPERATED	2529	4.5	10	1	2	4	6	8	11	17
B. OPERATED	639	9.3	54	2	3	8	11	17	22	45
TOTAL 0-19 YRS	117	4.1	36	1	2	3	4	7	9	28
20-34	571	4.3	11	1	1	3	5	8	10	18
35-49	696	5.0	14	1	2	4	7	9	13	19
50-64	806	5.6	22	1	2	4	7	10	14	26
65+	978	6.6	33	2	2	5	8	12	16	28
GRAND TOTAL	**3168**	**5.5**	**23**	**1**	**2**	**4**	**7**	**10**	**13**	**24**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	2	1	1	3	4	5	6	6
20-34	140	3.2	3	1	1	3	4	6	6	7
35-49	188	4.0	4	1	2	4	5	7	7	9
50-64	222	4.4	9	1	2	4	5	7	8	12
65+	243	5.1	8	2	2	4	6	9	10	15
B. *Operated*										
0-19 YRS	7	5.9	9	2	2	5	8	10	11	11
20-34	54	7.4	10	3	4	7	9	11	13	20
35-49	93	8.5	11	4	5	8	10	11	14	23
50-64	89	7.8	12	3	3	8	10	12	15	18
65+	79	12.5	53	5	6	11	15	20	30	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	4.3	13	1	1	3	5	9	14	17
20-34	138	3.9	5	1	2	4	5	6	7	14
35-49	276	4.8	8	2	2	4	6	8	10	15
50-64	454	5.3	11	2	2	5	6	9	11	18
65+	842	7.2	33	2	3	6	8	13	18	33
B. *Operated*										
0-19 YRS	3	16.3	124	8	8	12	25	29	29	29
20-34	36	7.9	12	2	4	7	9	11	15	19
35-49	99	11.7	145	2	3	9	13	22	29	92
50-64	221	12.5	95	4	4	9	15	23	32	52
65+	452	16.2	139	4	6	12	20	31	41	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	816	4.3	7	1	2	4	5	7	8	12
B. *Operated*	322	9.0	25	3	4	8	10	14	17	30
2. MULTIPLE DX										
A. *Not Operated*	1731	6.1	22	2	2	5	7	11	14	24
B. *Operated*	811	14.3	127	4	5	11	17	27	38	58
1. SINGLE DX	1138	5.6	17	2	2	5	7	10	12	20
2. MULTIPLE DX	2542	8.7	70	2	3	6	10	17	24	48
A. NOT OPERATED	2547	5.5	18	2	2	4	6	9	13	22
B. OPERATED	1133	12.8	104	4	5	10	15	24	33	56
TOTAL 0-19 YRS	54	4.6	21	1	1	3	5	8	12	29
20-34	368	4.5	8	1	2	4	6	8	10	16
35-49	656	6.1	35	2	2	5	7	11	14	25
50-64	986	7.0	39	2	3	5	8	13	17	36
65+	1616	9.7	78	2	3	7	11	19	27	49
GRAND TOTAL	**3680**	**7.7**	**56**	**2**	**2**	**6**	**9**	**15**	**21**	**42**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	3	4.7	2	3	3	5	6	6	6	6
35-49	7	4.1	3	2	2	4	5	7	7	7
50-64	11	4.8	7	2	2	4	5	9	11	11
65+	19	6.1	8	3	3	6	7	11	12	12
B. *Operated*										
0-19 YRS	3	8.7	17	4	4	10	11	12	12	12
20-34	13	8.1	27	1	1	9	11	15	17	17
35-49	28	10.5	28	4	5	10	12	16	22	28
50-64	34	12.9	91	5	6	11	16	18	22	60
65+	32	14.2	48	3	5	14	17	25	28	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	9.7	12	6	6	10	12	13	13	13
35-49	20	5.1	9	1	2	4	6	9	12	15
50-64	36	6.0	10	2	2	6	8	10	12	14
65+	64	8.0	36	2	3	7	11	13	17	38
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	14	12.4	54	4	6	9	16	24	28	29
35-49	59	12.5	61	4	5	10	15	24	26	42
50-64	77	17.6	184	5	6	15	20	33	44	79
65+	132	20.3	231	6	8	16	25	42	52	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	5.1	6	2	3	4	6	8	11	12
B. *Operated*	110	12.0	56	3	5	11	15	19	25	42
2. MULTIPLE DX										
A. *Not Operated*	125	6.9	25	2	2	6	9	13	14	26
B. *Operated*	283	17.5	182	5	6	14	21	35	46	79
1. SINGLE DX	153	10.0	51	2	3	9	14	17	22	29
2. MULTIPLE DX	408	14.3	158	3	4	11	17	28	41	64
A. NOT OPERATED	168	6.5	21	2	2	5	8	12	13	21
B. OPERATED	393	16.0	153	4	6	13	18	29	42	65
TOTAL 0-19 YRS	9	5.7	17	2	2	4	10	12	12	12
20-34	33	9.7	39	1	3	9	12	17	23	29
35-49	114	10.2	50	3	4	9	13	17	25	39
50-64	158	13.1	137	3	4	10	16	23	35	63
65+	247	15.2	173	3	4	12	18	29	43	67
GRAND TOTAL	**561**	**13.1**	**132**	**3**	**4**	**10**	**16**	**25**	**36**	**60**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	210	2.4	2	1	1	2	3	4	5	8
20-34	438	3.0	11	1	1	2	4	6	7	10
35-49	322	3.0	4	1	1	3	4	5	7	10
50-64	241	3.4	6	<1	1	3	4	6	8	13
65+	149	4.0	8	1	1	3	5	8	9	15
B. *Operated*										
0-19 YRS	5	3.4	3	1	1	3	4	6	6	6
20-34	45	4.1	21	<1	<1	3	5	9	11	28
35-49	47	5.8	20	<1	1	5	8	11	14	23
50-64	40	4.5	12	<1	<1	4	7	9	11	13
65+	26	6.3	31	<1	1	5	7	16	20	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	326	2.9	5	1	1	2	4	5	6	11
20-34	824	3.6	7	1	1	3	4	7	8	15
35-49	972	4.2	9	1	2	4	5	8	9	15
50-64	1145	4.6	11	1	2	4	6	9	11	16
65+	1502	5.7	29	2	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	7	14.9	323	<1	<1	7	32	41	42	42
20-34	136	7.1	85	<1	<1	5	8	12	16	65
35-49	190	7.4	34	1	3	6	9	13	16	33
50-64	314	7.5	42	<1	2	6	10	14	19	37
65+	414	8.9	64	1	2	7	11	18	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1360	3.1	7	1	1	2	4	6	7	11
B. *Operated*	163	5.0	20	<1	<1	4	7	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	4769	4.6	16	1	2	4	6	8	11	19
B. *Operated*	1061	8.0	57	<1	2	6	10	15	21	42
1. SINGLE DX	1523	3.3	9	1	1	3	4	6	8	13
2. MULTIPLE DX	5830	5.2	25	1	2	4	6	10	13	23
A. NOT OPERATED	6129	4.2	14	1	1	3	5	8	10	17
B. OPERATED	1224	7.6	53	<1	2	6	9	14	20	39
TOTAL 0-19 YRS	548	2.9	9	1	1	2	3	5	6	12
20-34	1443	3.8	17	1	1	3	5	7	9	17
35-49	1531	4.4	13	1	1	4	5	8	10	16
50-64	1740	4.9	17	1	2	4	6	10	12	20
65+	2091	6.2	37	1	2	5	8	11	16	27
GRAND TOTAL	**7353**	**4.8**	**22**	**1**	**1**	**4**	**6**	**9**	**12**	**22**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	2.5	2	<1	1	2	3	5	6	8
20-34	86	3.0	4	<1	1	3	4	5	6	11
35-49	74	3.2	4	1	1	3	4	6	7	9
50-64	58	3.5	6	<1	1	3	5	7	8	12
65+	57	4.1	12	<1	1	3	5	8	10	20
B. *Operated*										
0-19 YRS	54	3.8	4	1	1	3	5	7	8	9
20-34	18	8.9	40	1	3	8	11	14	24	30
35-49	31	10.0	46	3	4	9	12	17	23	37
50-64	22	9.5	56	<1	1	8	13	18	24	32
65+	14	13.8	120	1	3	12	19	32	34	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.1	3	1	1	2	5	6	7	9
20-34	153	4.2	12	1	1	3	5	8	11	16
35-49	179	4.5	13	1	1	3	5	10	14	17
50-64	248	5.2	21	1	2	4	6	10	14	22
65+	393	5.9	23	1	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	17	5.7	12	2	2	5	7	11	14	15
20-34	41	10.3	63	2	4	8	12	22	30	37
35-49	85	13.1	85	2	5	11	17	23	26	55
50-64	116	13.8	107	3	5	11	17	29	35	77
65+	168	17.1	188	3	5	13	22	36	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.2	6	<1	1	3	4	6	8	12
B. *Operated*	139	7.8	48	1	2	6	9	16	21	35
2. MULTIPLE DX										
A. *Not Operated*	1041	5.1	19	1	1	4	6	10	13	22
B. *Operated*	427	14.3	134	3	4	11	18	29	37	65
1. SINGLE DX	470	4.6	22	1	1	3	6	9	13	29
2. MULTIPLE DX	1468	7.8	70	1	2	5	10	17	23	47
A. NOT OPERATED	1372	4.6	16	1	1	4	6	9	12	21
B. OPERATED	566	12.7	121	2	3	10	17	26	35	61
TOTAL 0-19 YRS	195	3.4	5	1	1	3	5	6	7	11
20-34	298	5.0	25	1	1	3	6	10	13	30
35-49	369	6.7	45	1	1	4	8	15	19	31
50-64	444	7.4	59	1	2	5	9	17	22	45
65+	632	8.9	93	1	2	6	11	19	27	49
GRAND TOTAL	**1938**	**7.0**	**60**	**1**	**1**	**4**	**8**	**15**	**21**	**38**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.3	1	<1	<1	2	3	4	5	5
20-34	17	1.7	1	<1	1	1	2	3	4	4
35-49	7	2.1	1	<1	<1	2	3	4	4	4
50-64	3	2.3	2	<1	<1	2	3	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3655	3.2	2	2	2	3	4	5	5	8
20-34	2918	3.5	2	2	2	3	4	5	6	8
35-49	871	3.8	3	2	2	3	4	6	7	10
50-64	295	4.4	4	2	3	4	5	7	8	14
65+	109	4.9	5	2	3	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.6	2	<1	1	1	2	3	5	6
20-34	7	2.9	5	<1	<1	2	4	7	7	7
35-49	2	8.5	25	5	5	8	12	12	12	12
50-64	3	8.0	7	6	6	7	10	11	11	11
65+	6	9.7	67	2	2	8	11	24	25	25
B. *Operated*										
0-19 YRS	533	4.4	7	2	2	4	5	7	9	15
20-34	607	4.7	9	2	3	4	5	8	9	17
35-49	219	5.6	20	2	3	4	7	9	11	28
50-64	139	6.8	20	3	3	5	8	13	16	23
65+	99	7.6	33	3	3	6	8	14	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.1	1	<1	<1	2	3	4	4	5
B. *Operated*	7848	3.5	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	32	4.4	25	<1	1	2	6	11	12	25
B. *Operated*	1597	5.1	13	2	3	4	6	8	11	20
1. SINGLE DX	7896	3.4	2	2	2	3	4	5	6	9
2. MULTIPLE DX	1629	5.1	14	2	2	4	6	9	11	20
A. NOT OPERATED	80	3.0	12	<1	<1	2	3	6	9	21
B. OPERATED	9445	3.7	4	2	2	3	4	6	7	11
TOTAL 0-19 YRS	4222	3.4	3	2	2	3	4	5	6	9
20-34	3549	3.7	3	2	2	3	4	5	7	10
35-49	1099	4.2	7	2	2	4	5	6	8	12
50-64	440	5.2	11	2	3	4	6	8	12	18
65+	215	6.3	21	3	3	5	7	10	14	31
GRAND TOTAL	**9525**	**3.7**	**4**	**2**	**2**	**3**	**4**	**6**	**7**	**11**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.5	2	5	5	6	7	9	9	9
20-34	7	4.6	4	2	2	4	7	7	7	7
35-49	1	8.0		8	8	8	8	8	8	8
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	748	6.5	10	3	3	6	8	10	12	16
20-34	491	6.3	8	3	3	6	8	10	12	16
35-49	257	7.1	8	3	4	7	9	11	13	15
50-64	210	7.4	10	4	4	7	9	11	12	18
65+	99	9.4	12	5	6	9	11	14	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	48	2	2	4	11	17	17	17
20-34	3	7.0	3	6	6	6	8	9	9	9
35-49	5	9.8	20	4	4	9	13	16	16	16
50-64	1	4.0		4	4	4	4	4	4	4
65+	9	8.3	18	1	2	9	12	13	14	14
B. *Operated*										
0-19 YRS	398	9.1	26	4	4	8	11	15	20	27
20-34	271	8.9	28	4	4	8	10	15	17	23
35-49	186	9.8	26	4	5	9	11	16	19	27
50-64	209	11.7	60	5	6	9	13	20	26	44
65+	225	13.7	75	5	6	11	16	24	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.9	6	2	3	6	7	9	10	11
B. *Operated*	1805	6.8	10	3	3	6	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	22	8.0	20	2	3	7	12	15	16	17
B. *Operated*	1289	10.4	44	4	5	9	12	17	23	40
1. SINGLE DX	1821	6.8	10	3	3	6	8	11	12	17
2. MULTIPLE DX	1311	10.3	43	4	5	9	12	17	23	39
A. NOT OPERATED	38	7.1	15	2	3	6	9	12	15	17
B. OPERATED	3094	8.3	27	3	4	7	10	13	17	28
TOTAL 0-19 YRS	1156	7.4	17	3	3	7	9	12	15	23
20-34	772	7.2	17	3	3	7	9	11	14	20
35-49	449	8.3	17	4	4	7	10	13	16	24
50-64	421	9.5	39	4	4	8	11	15	21	38
65+	334	12.3	59	5	6	10	14	21	27	46
GRAND TOTAL	**3132**	**8.3**	**27**	**3**	**4**	**7**	**10**	**13**	**17**	**27**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	1.8	2	<1	1	1	2	3	4	7
20-34	37	1.8	1	<1	1	2	2	3	4	4
35-49	10	2.3	2	1	1	2	3	4	5	5
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	316	3.5	2	2	2	3	4	5	6	8
20-34	245	3.8	4	2	2	3	4	6	7	10
35-49	68	4.5	5	2	2	4	5	7	10	13
50-64	24	6.5	40	2	3	4	8	10	20	33
65+	9	4.9	7	1	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.0	2	<1	<1	1	3	4	5	6
20-34	24	2.0	2	<1	1	2	3	4	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	4	6.8	4	4	4	7	8	9	9	9
65+	5	5.0	54	<1	<1	2	7	18	18	18
B. *Operated*										
0-19 YRS	135	4.8	38	2	2	4	5	8	10	28
20-34	167	5.1	9	2	3	4	6	8	11	18
35-49	48	5.4	5	2	3	5	7	8	9	11
50-64	36	7.5	61	2	3	6	8	12	14	49
65+	16	12.1	78	3	3	8	21	26	27	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	1.8	1	<1	1	2	2	3	4	6
B. *Operated*	662	3.8	5	2	2	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	57	2.6	8	<1	1	2	3	5	7	17
B. *Operated*	402	5.5	28	2	2	4	6	9	11	25
1. SINGLE DX	748	3.6	5	1	2	3	4	6	7	11
2. MULTIPLE DX	459	5.2	26	1	2	4	6	8	11	25
A. NOT OPERATED	143	2.2	4	<1	1	2	3	4	5	10
B. OPERATED	1064	4.5	14	2	2	4	5	7	9	19
TOTAL 0-19 YRS	507	3.7	12	1	2	3	4	5	7	13
20-34	473	4.0	6	1	2	4	5	7	8	15
35-49	128	4.6	5	2	2	4	6	8	9	13
50-64	68	6.8	47	2	2	5	8	11	14	46
65+	31	8.6	62	1	2	6	10	24	26	28
GRAND TOTAL	**1207**	**4.2**	**13**	**1**	**2**	**4**	**5**	**7**	**9**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.2		<1	<1	1	1	2	2	2
20-34	11	1.5	1	<1	<1	1	2	3	3	3
35-49	5	1.6	2	<1	<1	1	2	4	4	4
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	13	3.7	11	<1	<1	2	6	9	11	11
B. *Operated*										
0-19 YRS	2077	1.7	1	<1	<1	1	2	3	4	5
20-34	2343	2.7	1	1	1	3	3	4	5	6
35-49	2180	2.9	2	1	1	3	4	4	5	6
50-64	3140	3.1	2	1	1	3	4	5	5	8
65+	2837	3.4	4	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	1.6	10	<1	<1	<1	1	2	2	23
20-34	12	1.3		<1	<1	1	2	2	3	3
35-49	26	1.7	2	<1	<1	1	1	4	6	6
50-64	33	2.6	5	<1	<1	1	4	6	8	8
65+	96	2.7	6	<1	1	2	3	6	8	12
B. *Operated*										
0-19 YRS	967	1.8	3	<1	<1	1	2	3	4	6
20-34	720	3.3	3	1	2	3	4	5	6	10
35-49	988	3.5	4	1	2	3	4	5	6	10
50-64	2072	3.9	5	1	2	3	5	6	8	13
65+	2794	4.9	13	2	2	4	6	8	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.0	4	<1	<1	1	2	4	8	11
B. *Operated*	12577	2.8	2	<1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	225	2.2	6	<1	<1	1	2	5	7	11
B. *Operated*	7541	3.9	9	1	1	3	5	6	8	15
1. SINGLE DX	12627	2.8	2	<1	1	3	4	5	5	7
2. MULTIPLE DX	7766	3.8	9	1	1	3	5	6	8	15
A. NOT OPERATED	275	2.2	6	<1	<1	1	2	5	7	11
B. OPERATED	20118	3.2	5	<1	1	3	4	5	6	11
TOTAL 0-19 YRS	3118	1.7	2	<1	<1	1	2	3	4	5
20-34	3086	2.8	2	1	1	3	3	4	5	7
35-49	3199	3.0	2	1	1	3	4	5	5	8
50-64	5250	3.4	3	1	2	3	4	5	6	10
65+	5740	4.1	9	1	2	4	5	7	9	15
GRAND TOTAL	**20393**	**3.2**	**5**	**<1**	**1**	**3**	**4**	**5**	**6**	**11**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64	4	2.8	6	<1	<1	2	4	6	6	6
65+	5	1.8	1	1	1	2	2	3	3	3
B. *Operated*										
0-19 YRS	192	1.6	1	<1	<1	1	2	3	4	7
20-34	77	3.3	5	1	1	3	4	5	7	13
35-49	59	3.4	2	2	2	3	4	5	6	8
50-64	105	3.5	3	1	2	3	4	6	7	9
65+	163	4.9	8	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	6	1	1	1	3	6	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	3	2.3	5	1	1	1	4	5	5	5
65+	20	4.0	14	<1	1	3	5	10	12	14
B. *Operated*										
0-19 YRS	93	1.8	1	<1	1	1	2	4	4	6
20-34	35	3.2	2	1	2	3	4	5	6	6
35-49	29	4.5	9	2	2	3	5	9	12	14
50-64	103	5.8	20	2	2	5	7	11	13	25
65+	315	7.8	57	2	3	6	9	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	2.0	2	<1	<1	2	3	4	5	6
B. *Operated*	596	3.3	6	1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	31	3.4	11	1	1	2	4	9	10	14
B. *Operated*	575	6.0	41	1	1	4	7	12	16	28
1. SINGLE DX	612	3.2	6	1	1	3	4	6	7	13
2. MULTIPLE DX	606	5.9	40	1	1	4	7	12	16	28
A. NOT OPERATED	47	2.9	8	<1	1	2	4	7	10	14
B. OPERATED	1171	4.6	25	1	1	3	5	9	13	22
TOTAL 0-19 YRS	297	1.7	1	<1	<1	1	2	3	4	7
20-34	115	3.2	4	1	1	3	4	5	6	12
35-49	88	3.8	5	2	2	3	4	6	8	13
50-64	215	4.6	12	1	2	4	5	8	11	15
65+	503	6.7	41	2	2	5	8	13	16	28
GRAND TOTAL	**1218**	**4.6**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**21**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	3	4.0	27	1	1	1	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	224	1.3		<1	<1	1	2	2	2	3
20-34	147	2.2	1	<1	1	2	3	4	4	6
35-49	239	2.4	2	1	1	2	3	4	5	6
50-64	159	2.7	3	<1	1	2	3	4	5	10
65+	68	2.8	2	<1	1	3	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	8	2.5	3	<1	<1	2	3	5	6	6
50-64	9	5.3	47	<1	<1	2	7	17	22	22
65+	10	3.2	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	46	1.6	1	<1	<1	1	2	3	4	5
20-34	62	3.6	3	1	1	3	5	6	6	7
35-49	143	3.7	6	1	1	3	5	6	8	12
50-64	161	4.1	6	1	2	4	5	7	8	12
65+	110	5.4	18	1	2	4	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	10	1	1	3	4	9	10	10
B. *Operated*	837	2.2	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	33	3.2	16	<1	<1	2	4	6	9	22
B. *Operated*	522	4.0	8	1	1	3	5	7	9	15
1. SINGLE DX	844	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	555	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	40	3.3	15	<1	<1	2	4	7	9	22
B. OPERATED	1359	2.9	5	<1	<1	2	4	5	7	12
TOTAL 0-19 YRS	275	1.3		<1	<1	1	2	2	2	4
20-34	214	2.6	2	<1	1	2	3	5	6	6
35-49	393	2.9	4	1	1	2	4	5	6	11
50-64	329	3.5	6	1	1	3	4	7	8	13
65+	188	4.4	13	1	1	3	5	8	11	19
GRAND TOTAL	**1399**	**2.9**	**5**	**<1**	**<1**	**2**	**4**	**5**	**7**	**12**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	6.0		6	6	6	6	6	6	6
35-49	5	2.2	1	<1	<1	3	3	3	3	3
50-64	8	2.3	2	<1	<1	2	3	5	5	5
65+	5	5.0	38	2	2	2	6	16	16	16
B. *Operated*										
0-19 YRS	74	1.8	1	<1	<1	1	2	3	4	6
20-34	245	3.2	4	1	1	3	4	6	6	9
35-49	437	3.9	4	1	2	4	5	7	7	9
50-64	508	4.6	5	2	2	4	6	8	9	12
65+	350	5.0	6	2	2	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	1.3		<1	<1	1	2	2	2	2
35-49	10	1.9	1	1	1	2	3	4	4	4
50-64	22	8.1	349	<1	<1	2	4	18	55	85
65+	46	3.6	12	<1	1	3	5	6	10	21
B. *Operated*										
0-19 YRS	20	3.1	5	<1	<1	2	4	7	8	8
20-34	136	5.2	15	1	2	4	6	9	13	23
35-49	324	6.5	38	2	3	5	7	11	15	36
50-64	510	6.8	29	2	3	6	8	11	14	24
65+	547	7.8	50	2	3	6	9	13	18	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.1	11	<1	<1	2	3	5	11	16
B. *Operated*	1614	4.2	5	1	2	4	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	87	4.3	97	<1	1	2	4	6	10	66
B. *Operated*	1537	6.9	37	2	3	6	8	11	15	30
1. SINGLE DX	1634	4.2	5	1	1	4	6	7	8	11
2. MULTIPLE DX	1624	6.8	41	2	2	5	8	11	15	30
A. NOT OPERATED	107	4.1	81	<1	1	2	4	6	10	56
B. OPERATED	3151	5.5	23	1	2	5	7	9	12	22
TOTAL 0-19 YRS	95	2.1	2	<1	<1	2	3	4	5	8
20-34	391	3.9	9	1	1	3	5	7	8	16
35-49	776	5.0	20	1	2	4	6	8	10	23
50-64	1048	5.7	25	2	2	5	7	9	12	19
65+	948	6.5	34	2	2	5	8	11	14	28
GRAND TOTAL	**3258**	**5.4**	**25**	**1**	**2**	**5**	**7**	**9**	**12**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	2.9	3	1	1	3	4	5	7	7
35-49	35	3.3	5	1	1	3	4	7	8	11
50-64	57	2.7	3	<1	1	2	4	5	6	7
65+	59	4.0	7	1	2	3	5	7	8	18
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	13	5.4	6	1	2	6	7	8	8	8
35-49	28	6.0	6	2	3	6	6	9	10	12
50-64	47	6.9	21	1	2	7	8	11	14	99+
65+	19	9.6	10	6	6	9	11	14	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	1	1	1	3	4	4	4	4
20-34	58	4.2	8	1	1	4	5	7	10	15
35-49	167	3.9	7	1	1	3	4	8	10	12
50-64	355	4.0	6	1	2	4	5	7	9	13
65+	674	4.8	11	1	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	65	8.1	13	3	4	8	9	13	14	24
35-49	151	8.9	44	2	4	8	9	15	18	33
50-64	271	8.2	31	2	2	8	10	14	18	23
65+	276	9.8	77	2	3	8	11	17	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	3.3	5	<1	1	3	4	6	7	11
B. *Operated*	108	7.0	14	2	3	7	8	11	12	60
2. MULTIPLE DX										
A. *Not Operated*	1262	4.4	9	1	2	4	6	8	10	15
B. *Operated*	765	8.9	49	2	3	8	10	15	19	37
1. SINGLE DX	271	4.7	12	1	1	4	7	8	11	19
2. MULTIPLE DX	2027	6.1	29	1	2	5	8	11	15	26
A. NOT OPERATED	1425	4.3	9	1	2	4	5	8	10	15
B. OPERATED	873	8.7	45	2	3	8	10	14	18	36
TOTAL 0-19 YRS	11	3.6	3	1	1	3	5	6	7	7
20-34	148	5.9	14	1	2	6	8	10	13	17
35-49	381	6.0	27	1	2	5	8	10	12	20
50-64	730	5.7	20	1	2	4	8	10	13	20
65+	1028	6.2	34	2	2	5	8	11	15	32
GRAND TOTAL	**2298**	**6.0**	**27**	**1**	**2**	**5**	**8**	**11**	**14**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	3	6.3	70	1	1	2	12	16	16	16
65+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	14	2.1	2	<1	1	2	3	4	5	5
20-34	62	3.0	2	<1	1	3	4	5	6	8
35-49	88	3.4	5	1	2	3	4	5	6	15
50-64	84	3.5	4	1	2	3	4	5	6	13
65+	77	4.6	40	1	2	4	5	7	8	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	7	3.7	7	1	1	3	4	8	9	9
50-64	5	2.8	2	1	1	3	4	5	5	5
65+	13	5.5	26	<1	1	5	6	12	18	20
B. *Operated*										
0-19 YRS	10	4.7	6	2	2	4	7	8	9	9
20-34	29	5.5	25	1	1	5	6	9	12	28
35-49	41	5.3	10	1	2	4	7	10	11	15
50-64	65	4.5	6	2	2	4	6	7	11	13
65+	105	7.1	38	2	3	5	8	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.7	22	1	1	5	7	13	16	16
B. *Operated*	325	3.6	13	1	1	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	16	<1	1	3	5	9	12	20
B. *Operated*	250	5.8	23	2	2	5	7	10	14	28
1. SINGLE DX	334	3.6	13	1	1	3	4	5	7	14
2. MULTIPLE DX	276	5.7	23	1	2	4	7	10	14	27
A. NOT OPERATED	35	4.7	17	1	1	4	6	9	14	20
B. OPERATED	575	4.5	19	1	2	4	5	8	10	21
TOTAL 0-19 YRS	25	3.2	5	<1	1	3	4	7	8	9
20-34	94	3.8	10	1	1	3	5	6	8	21
35-49	138	4.0	7	1	2	3	5	8	9	15
50-64	157	3.9	6	1	2	3	5	6	9	14
65+	196	6.0	39	1	2	4	7	10	16	39
GRAND TOTAL	**610**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**10**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	2	1.0		1	1	1	1	1	1	1
35-49	4	3.8	8	<1	<1	3	6	7	7	7
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	6	3.2	7	<1	<1	2	4	8	8	8
B. *Operated*										
0-19 YRS	28	2.8	4	<1	<1	2	4	5	8	8
20-34	77	3.1	4	1	1	3	4	6	7	10
35-49	146	4.2	8	1	1	3	6	8	9	16
50-64	162	4.4	6	1	2	4	6	8	9	14
65+	157	5.6	11	2	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.3	5	2	2	4	6	7	7	7
35-49	6	3.0	3	1	1	3	4	6	6	6
50-64	11	5.3	54	2	2	3	4	15	26	27
65+	39	7.4	75	2	2	4	7	19	23	46
B. *Operated*										
0-19 YRS	8	7.4	9	2	3	7	9	11	12	12
20-34	26	4.3	4	1	2	4	6	7	8	9
35-49	112	6.5	22	2	2	5	9	12	16	22
50-64	200	7.8	37	2	3	6	9	15	19	36
65+	382	11.0	70	3	4	9	13	21	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.5	4	<1	<1	2	3	6	8	8
B. *Operated*	570	4.4	8	1	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	60	6.4	61	2	2	4	6	17	23	44
B. *Operated*	728	9.1	55	2	3	7	11	17	23	42
1. SINGLE DX	589	4.4	8	1	1	4	6	8	10	15
2. MULTIPLE DX	788	8.9	56	2	3	7	11	17	23	43
A. NOT OPERATED	79	5.4	50	1	1	3	6	13	21	40
B. OPERATED	1298	7.1	40	1	2	5	9	14	19	33
TOTAL 0-19 YRS	38	3.7	8	<1	<1	3	5	8	9	12
20-34	109	3.4	4	1	1	3	5	6	7	10
35-49	268	5.1	15	1	2	4	7	10	13	20
50-64	378	6.2	27	1	2	5	8	12	16	26
65+	584	9.2	60	2	3	7	12	18	24	45
GRAND TOTAL	**1377**	**7.0**	**40**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	129	2.3	3	<1	1	2	3	5	6	9
20-34	200	3.7	6	1	1	3	5	6	8	12
35-49	267	3.9	8	1	1	3	5	6	8	13
50-64	381	3.8	7	1	1	3	5	7	9	14
65+	448	4.7	9	1	2	4	6	8	11	15
B. *Operated*										
0-19 YRS	116	6.4	23	2	3	5	7	11	14	27
20-34	121	8.7	21	4	5	8	10	14	17	28
35-49	166	9.4	30	4	5	8	11	15	19	36
50-64	204	10.9	44	5	6	9	12	18	23	37
65+	248	11.9	36	5	6	11	14	19	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.2	4	1	1	3	4	6	8	10
20-34	194	4.8	16	1	2	4	6	9	11	23
35-49	303	5.6	33	1	2	4	7	10	15	36
50-64	606	5.3	13	1	2	5	7	10	12	19
65+	1446	6.8	32	2	2	5	8	12	16	30
B. *Operated*										
0-19 YRS	98	8.0	37	2	3	6	9	16	20	36
20-34	169	11.8	76	4	5	10	14	19	26	52
35-49	298	14.8	148	5	6	10	17	29	40	67
50-64	484	15.1	122	5	7	12	18	29	36	69
65+	975	17.4	133	7	8	14	20	33	44	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1425	3.9	7	1	1	3	5	7	9	14
B. *Operated*	855	10.0	36	4	5	9	12	16	21	36
2. MULTIPLE DX										
A. *Not Operated*	2627	6.1	27	1	2	5	7	11	15	27
B. *Operated*	2024	15.5	129	5	6	12	18	29	40	66
1. SINGLE DX	2280	6.2	27	1	2	5	8	12	15	25
2. MULTIPLE DX	4651	10.2	93	2	2	8	13	20	28	56
A. NOT OPERATED	4052	5.3	21	1	2	4	7	10	13	23
B. OPERATED	2879	13.9	107	5	6	11	17	26	35	61
TOTAL 0-19 YRS	421	4.9	22	1	1	4	6	9	13	21
20-34	684	6.9	39	1	2	5	9	13	17	32
35-49	1034	8.4	79	1	2	6	10	17	24	50
50-64	1675	8.5	68	1	2	6	10	17	24	46
65+	3117	10.2	87	2	2	8	13	20	28	54
GRAND TOTAL	**6931**	**8.9**	**75**	**1**	**2**	**7**	**11**	**18**	**25**	**49**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2202	2.5	9	1	1	2	3	4	6	9
20-34	1284	2.4	3	1	1	2	3	4	5	9
35-49	590	2.7	5	1	1	2	3	5	6	9
50-64	459	2.8	3	1	1	2	4	5	6	9
65+	516	3.3	7	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	67	4.1	6	2	2	3	5	7	8	15
20-34	101	4.5	7	1	2	4	5	8	10	15
35-49	40	5.6	14	1	2	5	7	10	14	18
50-64	36	6.1	13	1	2	5	8	10	12	19
65+	21	8.3	42	3	3	7	10	16	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3286	3.2	5	1	1	3	4	5	7	11
20-34	1332	3.0	9	1	1	2	4	5	7	13
35-49	886	3.8	9	1	1	3	5	7	9	16
50-64	1247	4.4	15	1	2	3	5	8	11	18
65+	2792	5.6	23	1	2	4	7	11	14	25
B. *Operated*										
0-19 YRS	93	6.6	81	2	2	4	7	14	17	58
20-34	131	8.0	120	2	2	5	8	13	23	66
35-49	120	7.5	51	2	2	6	9	12	19	44
50-64	129	10.9	148	2	3	7	14	21	45	99+
65+	267	12.7	129	2	3	10	15	25	33	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5051	2.6	6	1	1	2	3	5	6	10
B. *Operated*	265	5.1	12	2	2	4	6	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	9543	4.1	13	1	1	3	5	8	10	17
B. *Operated*	740	9.9	117	2	2	7	12	20	29	78
1. SINGLE DX	5316	2.7	7	1	1	2	3	5	6	10
2. MULTIPLE DX	10283	4.5	23	1	1	3	5	9	12	23
A. NOT OPERATED	14594	3.6	11	1	1	3	4	7	9	16
B. OPERATED	1005	8.6	94	2	2	6	10	17	25	72
TOTAL 0-19 YRS	5648	3.0	8	1	1	2	4	5	6	11
20-34	2848	3.0	13	1	1	2	4	5	7	13
35-49	1636	3.7	12	1	1	3	5	7	9	16
50-64	1871	4.5	24	1	1	3	5	9	11	26
65+	3596	5.8	33	1	2	4	7	11	15	29
GRAND TOTAL	**15599**	**3.9**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	25	4.0	8	1	1	3	5	8	10	14
35-49	212	4.5	6	2	2	4	6	7	8	12
50-64	440	4.9	18	1	2	4	6	8	9	15
65+	598	4.6	7	1	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	20	8.1	13	3	4	7	10	13	16	17
35-49	83	9.5	22	3	5	9	11	15	19	28
50-64	182	9.9	17	3	5	10	12	14	18	24
65+	147	10.8	32	2	4	10	13	16	21	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	85	2	2	8	15	15	15	15
20-34	27	5.1	6	2	3	4	7	8	9	11
35-49	189	5.0	9	1	2	4	6	9	11	15
50-64	649	5.5	17	1	2	5	7	10	11	20
65+	2301	6.1	18	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	4	6.0	8	2	2	7	8	8	8	8
20-34	35	9.7	15	5	6	9	12	14	19	20
35-49	190	12.6	45	5	7	11	15	21	25	40
50-64	522	13.4	87	4	6	11	15	24	32	45
65+	903	14.6	95	4	5	12	18	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	4.7	11	1	2	4	6	8	9	13
B. *Operated*	434	10.0	23	3	5	10	12	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	3168	5.9	17	2	2	5	7	11	14	21
B. *Operated*	1654	13.9	86	4	6	12	16	25	32	50
1. SINGLE DX	1712	6.0	19	1	2	5	8	11	13	20
2. MULTIPLE DX	4822	8.7	55	2	3	7	11	17	22	38
A. NOT OPERATED	4446	5.6	16	2	2	5	7	10	12	20
B. OPERATED	2088	13.1	75	4	5	11	15	23	29	47
TOTAL 0-19 YRS	11	6.1	15	2	2	6	8	11	15	15
20-34	107	5.9	16	2	2	7	9	12	14	19
35-49	674	7.6	32	2	2	6	10	14	18	29
50-64	1793	8.1	51	2	2	6	10	15	20	38
65+	3949	8.0	49	2	2	6	10	16	21	36
GRAND TOTAL	**6534**	**8.0**	**47**	**2**	**2**	**6**	**10**	**15**	**20**	**35**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.4	12	<1	<1	2	5	9	10	10
20-34	19	2.6	7	<1	<1	1	3	8	9	9
35-49	21	2.0	3	<1	<1	1	2	5	6	7
50-64	16	3.6	10	<1	1	3	5	6	11	13
65+	8	3.9	5	2	2	3	5	7	8	8
B. *Operated*										
0-19 YRS	83	2.0	1	<1	<1	2	3	3	4	7
20-34	672	2.8	3	1	1	2	3	5	6	9
35-49	663	2.9	3	1	1	2	4	5	6	10
50-64	393	3.0	4	1	1	3	3	5	6	11
65+	142	3.4	4	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	11	1	1	4	7	10	11	11
20-34	21	5.0	19	<1	1	4	8	12	13	14
35-49	28	5.3	45	1	1	3	5	11	24	30
50-64	43	4.9	14	<1	1	4	7	9	13	17
65+	38	6.9	148	1	2	4	7	10	16	77
B. *Operated*										
0-19 YRS	42	4.2	26	<1	1	3	4	8	13	30
20-34	467	3.6	14	1	1	3	4	6	8	16
35-49	566	4.1	12	1	1	3	5	7	9	18
50-64	504	4.4	22	1	2	3	5	8	10	21
65+	266	6.9	68	1	2	4	8	14	18	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	2.9	7	<1	<1	2	4	6	9	12
B. *Operated*	1953	2.9	3	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	141	5.5	56	1	1	4	7	10	13	34
B. *Operated*	1845	4.5	25	1	1	3	5	8	11	21
1. SINGLE DX	2024	2.9	4	1	1	3	4	5	6	10
2. MULTIPLE DX	1986	4.5	27	1	1	3	5	8	12	21
A. NOT OPERATED	212	4.6	41	<1	1	3	6	9	12	26
B. OPERATED	3798	3.6	14	1	1	3	4	6	8	17
TOTAL 0-19 YRS	143	2.9	11	<1	1	2	3	5	8	14
20-34	1179	3.1	8	1	1	3	4	5	7	13
35-49	1278	3.5	8	1	1	3	4	6	8	15
50-64	956	3.8	15	1	1	3	4	7	9	17
65+	454	5.7	56	1	2	4	6	11	16	41
GRAND TOTAL	**4010**	**3.7**	**16**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	286	3.2	11	1	1	2	4	6	9	17
20-34	569	4.3	12	1	1	3	5	8	11	19
35-49	428	4.3	13	1	1	3	6	8	11	19
50-64	287	4.1	16	1	1	3	5	8	11	21
65+	417	4.2	17	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	129	4.9	24	<1	<1	3	6	11	16	27
20-34	356	6.8	30	1	1	6	9	13	17	28
35-49	276	6.8	36	1	1	6	9	12	18	32
50-64	249	6.6	27	<1	1	5	9	13	16	24
65+	231	7.7	39	1	2	6	11	16	19	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	3.5	11	1	1	3	5	7	9	11
20-34	720	5.2	23	1	1	4	6	10	14	22
35-49	785	5.4	22	1	2	4	7	10	15	26
50-64	919	5.4	19	1	2	4	7	10	14	22
65+	2299	6.0	34	1	2	5	7	12	16	28
B. *Operated*										
0-19 YRS	158	10.5	147	1	1	6	12	24	35	63
20-34	674	9.5	84	1	2	7	11	20	29	50
35-49	625	10.9	126	2	2	8	13	22	33	66
50-64	785	11.6	126	2	2	8	14	25	37	67
65+	1165	14.3	173	2	4	10	17	30	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1987	4.1	14	1	1	3	5	8	10	19
B. *Operated*	1241	6.8	32	<1	1	5	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	4975	5.6	27	1	2	4	7	11	15	26
B. *Operated*	3407	11.9	138	2	3	9	14	25	37	65
1. SINGLE DX	3228	5.1	23	1	1	4	7	11	14	24
2. MULTIPLE DX	8382	8.1	82	1	2	5	10	17	25	51
A. NOT OPERATED	6962	5.1	23	1	1	4	6	10	14	24
B. OPERATED	4648	10.5	115	1	2	8	13	22	33	60
TOTAL 0-19 YRS	825	4.9	47	1	1	3	5	10	16	36
20-34	2319	6.5	43	1	1	5	8	13	18	37
35-49	2114	7.0	60	1	1	5	9	14	20	40
50-64	2240	7.5	66	1	2	5	9	16	22	47
65+	4112	8.3	86	1	2	5	10	17	25	51
GRAND TOTAL	**11610**	**7.3**	**67**	**1**	**1**	**5**	**9**	**15**	**22**	**45**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	8	6.3	49	2	2	4	6	18	23	23
35-49	34	6.1	43	1	2	4	6	16	24	28
50-64	49	7.4	39	2	2	5	11	17	19	27
65+	18	9.2	83	1	2	6	12	17	31	40
B. *Operated*										
0-19 YRS										
20-34	9	9.0	270	<1	<1	4	6	36	52	52
35-49	15	5.8	32	<1	1	4	10	14	17	18
50-64	19	4.5	13	1	1	4	8	10	11	11
65+	4	3.0	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	18.2	117	1	3	21	28	29	30	30
20-34	198	14.4	124	2	3	9	25	28	30	44
35-49	476	12.4	98	2	3	9	20	28	29	39
50-64	676	11.4	104	2	3	8	15	23	28	56
65+	387	11.7	71	3	4	9	16	22	27	44
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	29	11.8	93	1	2	9	18	26	31	38
35-49	127	14.4	166	1	2	11	18	30	46	55
50-64	196	14.7	168	1	3	11	21	30	41	66
65+	96	12.4	101	2	3	10	16	27	30	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	7.1	48	1	2	5	9	16	23	33
B. *Operated*	47	5.7	65	<1	1	4	7	12	15	52
2. MULTIPLE DX										
A. *Not Operated*	1750	12.1	98	2	3	9	18	27	28	45
B. *Operated*	449	13.9	149	1	3	10	19	29	42	65
1. SINGLE DX	157	6.7	53	1	1	4	8	15	21	39
2. MULTIPLE DX	2199	12.5	109	2	3	9	18	27	30	51
A. NOT OPERATED	1860	11.8	97	2	3	8	17	26	28	45
B. OPERATED	496	13.1	146	1	2	10	18	29	41	64
TOTAL 0-19 YRS	15	16.1	133	1	1	20	27	28	30	30
20-34	244	13.6	125	2	2	8	24	28	30	45
35-49	652	12.3	111	2	2	9	19	28	30	48
50-64	940	11.7	116	2	3	8	16	24	30	62
65+	505	11.6	77	3	3	9	16	23	29	47
GRAND TOTAL	**2356**	**12.1**	**107**	**2**	**3**	**9**	**17**	**27**	**30**	**51**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	11	3.6	5	1	1	3	5	7	8	8
35-49	9	5.0	10	1	1	4	6	10	11	11
50-64	17	3.4	5	1	1	3	5	6	8	9
65+	21	6.2	32	<1	1	5	8	14	19	24
B. *Operated*										
0-19 YRS	11	1.9		1	1	2	2	3	3	3
20-34	91	2.0	4	<1	<1	1	2	4	7	12
35-49	84	2.1	6	<1	1	1	2	5	7	15
50-64	81	2.7	14	<1	1	1	2	7	12	19
65+	35	3.6	31	<1	<1	1	3	8	20	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	29	2	2	3	8	13	13	13
20-34	36	9.3	196	2	2	6	9	16	35	79
35-49	102	7.7	63	1	2	5	9	18	24	44
50-64	250	8.6	78	2	3	6	10	15	22	59
65+	241	9.0	53	2	3	7	11	17	23	35
B. *Operated*										
0-19 YRS	6	6.0	30	1	1	4	8	15	16	16
20-34	63	4.6	23	<1	1	2	6	13	15	21
35-49	106	7.2	66	1	1	4	12	17	22	40
50-64	211	8.7	105	1	1	4	12	24	28	48
65+	179	10.6	126	1	1	7	15	25	32	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	4.6	16	1	1	4	5	9	12	23
B. *Operated*	302	2.4	11	<1	1	1	2	5	8	19
2. MULTIPLE DX										
A. *Not Operated*	633	8.6	72	2	2	7	10	16	23	54
B. *Operated*	565	8.6	97	1	1	5	12	22	28	44
1. SINGLE DX	363	2.8	12	<1	1	1	3	6	9	19
2. MULTIPLE DX	1198	8.6	84	1	1	6	11	19	26	46
A. NOT OPERATED	694	8.3	69	1	2	6	10	16	22	50
B. OPERATED	867	6.4	76	1	1	2	8	18	25	40
TOTAL 0-19 YRS	24	3.5	14	1	1	2	3	8	14	16
20-34	201	4.2	51	<1	1	2	5	9	13	33
35-49	301	5.9	52	1	1	3	8	14	21	34
50-64	559	7.6	81	1	1	5	10	18	25	52
65+	476	9.1	81	1	1	7	12	21	26	42
GRAND TOTAL	**1561**	**7.2**	**73**	**1**	**1**	**4**	**9**	**16**	**24**	**43**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.7	5	1	2	3	5	7	9	10
20-34	84	4.3	7	1	1	4	5	7	9	15
35-49	41	5.3	12	2	2	5	7	9	10	19
50-64	46	4.8	13	1	2	4	6	11	13	17
65+	32	4.9	14	1	1	4	6	10	12	18
B. *Operated*										
0-19 YRS	5	4.6	21	1	1	2	7	12	12	12
20-34	28	5.1	31	<1	<1	3	7	14	17	22
35-49	34	4.9	77	<1	1	2	5	9	14	51
50-64	20	5.4	46	<1	<1	2	7	18	21	23
65+	26	6.7	45	<1	1	4	12	19	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	5.6	37	1	2	3	5	13	23	26
20-34	87	6.3	26	2	3	5	8	10	13	32
35-49	151	7.7	68	2	2	5	9	16	22	50
50-64	281	8.1	45	1	2	6	10	17	23	30
65+	307	8.4	29	2	3	7	11	15	18	28
B. *Operated*										
0-19 YRS	7	17.1	294	4	4	10	24	46	51	51
20-34	37	13.3	166	<1	1	11	17	28	46	55
35-49	56	11.6	168	1	1	8	14	26	37	69
50-64	138	11.4	91	1	1	10	17	23	33	41
65+	107	14.6	153	1	2	11	19	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	4.6	10	1	2	4	6	9	11	17
B. *Operated*	113	5.4	49	<1	1	3	7	14	19	33
2. MULTIPLE DX										
A. *Not Operated*	860	7.8	41	2	2	6	10	16	21	32
B. *Operated*	345	12.8	135	1	1	10	18	26	37	55
1. SINGLE DX	340	4.9	23	1	1	3	6	10	14	22
2. MULTIPLE DX	1205	9.2	73	1	2	7	12	20	25	42
A. NOT OPERATED	1087	7.2	37	2	2	5	9	15	19	30
B. OPERATED	458	10.9	124	1	1	8	16	23	33	54
TOTAL 0-19 YRS	70	6.0	61	1	2	3	6	12	24	46
20-34	236	6.5	51	1	1	5	8	14	18	39
35-49	282	7.8	85	1	2	5	9	16	24	53
50-64	485	8.6	59	1	2	6	11	19	24	38
65+	472	9.5	65	2	2	7	12	19	24	37
GRAND TOTAL	**1545**	**8.3**	**65**	**1**	**2**	**6**	**10**	**18**	**23**	**40**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.5	2	<1	<1	2	4	5	5	5
20-34	182	2.5	4	<1	1	2	3	5	6	8
35-49	196	2.5	3	<1	1	2	3	4	6	8
50-64	214	3.0	4	<1	1	2	4	6	7	10
65+	164	3.8	6	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	191	5.9	5	3	4	5	7	8	10	15
20-34	2081	5.9	3	4	4	6	7	8	9	12
35-49	1943	6.2	5	4	4	6	7	8	10	14
50-64	1864	6.7	5	4	5	6	7	9	11	16
65+	1081	8.0	13	5	5	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.6	4	<1	1	4	5	7	8	8
20-34	164	3.7	33	1	1	3	4	6	7	14
35-49	188	3.7	7	1	1	3	5	7	9	14
50-64	378	4.3	15	1	1	4	6	8	9	18
65+	795	5.7	18	1	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	113	7.1	8	4	4	7	8	11	12	18
20-34	1426	7.2	10	4	5	7	8	11	13	18
35-49	1870	7.7	19	4	5	7	8	11	15	24
50-64	2672	8.8	29	4	5	7	10	14	17	31
65+	3041	11.6	51	5	6	10	14	19	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	774	2.9	4	<1	1	2	4	6	7	10
B. *Operated*	7160	6.5	6	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1548	4.9	18	1	1	4	6	9	11	19
B. *Operated*	9122	9.2	34	4	5	8	11	15	19	33
1. SINGLE DX	7934	6.2	7	2	4	6	7	9	11	15
2. MULTIPLE DX	10670	8.6	34	3	4	7	10	14	18	32
A. NOT OPERATED	2322	4.2	14	1	1	3	5	8	10	16
B. OPERATED	16282	8.0	24	4	5	7	9	13	16	27
TOTAL 0-19 YRS	345	5.9	7	2	3	5	7	9	11	15
20-34	3853	6.2	8	2	4	6	7	9	11	16
35-49	4197	6.6	13	2	4	6	8	10	12	20
50-64	5128	7.5	21	3	4	7	8	11	14	23
65+	5081	9.7	43	3	4	8	11	17	21	36
GRAND TOTAL	**18604**	**7.6**	**24**	**3**	**4**	**7**	**9**	**12**	**15**	**26**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.2	2	<1	1	4	4	5	5	5
20-34	113	3.0	3	1	1	3	4	6	7	8
35-49	110	3.0	4	1	1	2	4	6	7	11
50-64	99	3.3	4	1	1	3	4	6	8	10
65+	105	4.2	8	1	1	4	5	8	10	14
B. *Operated*										
0-19 YRS	15	5.9	3	3	4	6	7	7	9	10
20-34	233	6.4	9	4	4	6	7	9	10	16
35-49	187	7.1	12	4	4	6	8	11	13	24
50-64	149	8.0	12	4	4	7	10	13	15	18
65+	147	9.2	18	5	6	8	10	13	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	6	1	1	3	6	7	8	8
20-34	91	3.7	6	1	1	3	5	7	8	12
35-49	107	4.0	8	1	1	3	5	7	9	17
50-64	156	4.5	10	1	1	4	6	8	10	17
65+	282	6.4	27	1	2	5	8	11	16	28
B. *Operated*										
0-19 YRS	18	6.8	4	4	4	7	8	9	10	11
20-34	245	7.6	14	4	5	7	8	12	14	21
35-49	300	9.2	50	4	5	7	10	15	19	39
50-64	315	9.5	34	4	5	8	11	15	20	33
65+	413	12.7	70	5	6	10	15	22	28	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	444	3.3	5	1	1	3	4	6	8	11
B. *Operated*	731	7.5	13	4	4	7	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	647	5.1	18	1	1	4	6	9	12	23
B. *Operated*	1291	10.0	49	4	5	8	11	17	22	36
1. SINGLE DX	1175	5.9	14	1	2	5	7	10	12	18
2. MULTIPLE DX	1938	8.4	44	2	3	7	10	15	20	34
A. NOT OPERATED	1091	4.4	13	1	1	4	6	8	10	19
B. OPERATED	2022	9.1	37	4	5	7	10	15	19	34
TOTAL 0-19 YRS	61	5.0	6	1	2	5	7	8	9	11
20-34	682	5.9	13	1	2	6	7	9	11	18
35-49	704	6.8	32	1	2	6	8	12	15	28
50-64	719	7.3	26	1	2	6	9	13	16	27
65+	947	9.3	53	2	3	8	11	17	22	36
GRAND TOTAL	**3113**	**7.5**	**34**	**1**	**2**	**6**	**9**	**13**	**17**	**31**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	8.8	161	<1	<1	2	13	31	33	33
20-34	19	2.8	3	<1	1	3	4	6	7	7
35-49	25	3.4	5	<1	1	2	5	6	8	9
50-64	27	3.4	6	1	1	3	4	6	7	13
65+	33	3.3	4	1	1	3	4	5	8	10
B. *Operated*										
0-19 YRS	8	7.6	1	6	6	7	8	9	10	10
20-34	91	7.6	9	4	4	7	9	12	12	16
35-49	82	7.1	12	2	3	7	9	11	13	18
50-64	101	8.2	18	2	3	8	10	14	16	21
65+	131	9.7	29	1	2	9	13	16	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.6	13	1	1	2	4	10	12	12
35-49	15	4.3	6	<1	2	4	6	8	9	9
50-64	48	5.1	12	1	1	5	6	9	12	18
65+	101	6.6	17	1	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	9	12.0	13	5	6	13	14	15	16	16
20-34	77	9.7	31	5	5	8	12	15	21	32
35-49	86	9.8	18	5	5	9	12	15	20	21
50-64	151	11.1	75	4	5	9	13	18	22	56
65+	435	15.1	99	4	7	13	18	27	34	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	3.6	13	1	1	3	4	6	8	21
B. *Operated*	413	8.3	19	2	3	8	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	174	5.8	15	1	2	5	8	11	13	18
B. *Operated*	758	13.1	82	4	6	11	16	22	29	54
1. SINGLE DX	523	7.3	21	1	2	7	9	13	15	23
2. MULTIPLE DX	932	11.8	78	2	4	10	14	21	27	51
A. NOT OPERATED	284	4.9	15	1	1	4	6	9	13	18
B. OPERATED	1171	11.4	65	3	5	10	14	20	25	48
TOTAL 0-19 YRS	23	9.7	46	1	2	8	13	15	22	33
20-34	197	7.8	22	2	3	7	10	12	15	29
35-49	208	7.5	18	1	2	7	10	13	16	21
50-64	327	8.7	49	1	3	7	11	16	18	30
65+	700	12.3	84	2	3	10	15	22	28	52
GRAND TOTAL	**1455**	**10.2**	**62**	**2**	**3**	**8**	**13**	**18**	**23**	**47**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	6	5	5	7	9	11	11	11
20-34	14	2.9	5	<1	<1	2	5	6	7	8
35-49	19	3.4	6	1	1	2	4	8	9	9
50-64	32	4.8	9	1	1	4	6	8	11	14
65+	42	4.3	9	1	1	4	5	9	11	12
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	7.9	42	1	2	7	8	19	24	24
35-49	19	6.4	36	<1	1	5	9	12	20	26
50-64	12	7.9	29	<1	1	8	10	15	20	21
65+	29	10.4	47	2	3	9	15	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	28	6.5	30	1	2	5	9	14	21	21
35-49	39	5.7	16	1	2	5	7	10	11	23
50-64	82	6.2	25	1	1	5	9	14	16	24
65+	187	7.4	30	1	2	6	9	15	18	29
B. *Operated*										
0-19 YRS	6	8.3	25	2	2	9	11	15	15	15
20-34	18	11.8	26	3	5	11	16	19	20	21
35-49	46	12.4	87	2	3	10	14	26	37	42
50-64	94	16.2	193	3	5	12	19	30	48	74
65+	169	16.7	162	3	4	13	21	32	43	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	4.2	9	1	1	4	6	8	10	13
B. *Operated*	72	8.5	41	1	2	7	11	18	22	29
2. MULTIPLE DX										
A. *Not Operated*	337	6.8	27	1	2	5	9	14	18	27
B. *Operated*	333	15.6	153	2	4	12	19	30	41	59
1. SINGLE DX	183	5.9	26	1	1	5	8	12	16	25
2. MULTIPLE DX	670	11.2	109	1	2	8	14	23	30	55
A. NOT OPERATED	448	6.2	24	1	1	5	8	12	16	24
B. OPERATED	405	14.3	141	2	3	11	18	29	38	59
TOTAL 0-19 YRS	12	7.7	15	2	3	7	11	12	15	15
20-34	71	7.4	34	1	1	5	11	16	21	23
35-49	123	7.9	56	1	1	6	10	15	24	39
50-64	220	10.4	120	1	2	8	13	20	29	59
65+	427	11.0	104	1	2	8	14	23	30	53
GRAND TOTAL	**853**	**10.1**	**96**	**1**	**2**	**7**	**12**	**21**	**29**	**53**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.1	18	2	2	4	6	10	16	21
20-34	380	5.2	24	1	1	4	6	9	14	26
35-49	378	5.4	17	2	2	4	6	9	12	22
50-64	244	5.6	16	1	2	5	7	11	14	22
65+	178	5.5	14	1	2	5	7	10	13	21
B. *Operated*										
0-19 YRS	4	15.0	215	2	2	12	26	34	34	34
20-34	30	12.3	133	1	2	10	15	21	25	64
35-49	38	11.3	121	1	2	9	14	26	29	56
50-64	50	8.8	57	1	1	7	12	19	24	36
65+	28	10.1	91	1	1	8	14	20	25	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	6.2	26	1	2	5	8	12	15	32
20-34	577	6.5	28	2	2	5	8	12	16	30
35-49	909	7.1	34	2	3	6	8	13	17	30
50-64	750	7.0	37	2	2	6	9	13	16	30
65+	632	7.6	29	2	3	6	9	14	18	30
B. *Operated*										
0-19 YRS	12	9.8	61	2	2	8	17	41	89	99+
20-34	97	15.2	155	3	5	11	19	31	44	62
35-49	201	16.6	210	3	4	12	22	35	43	86
50-64	222	17.8	254	4	5	13	21	38	56	85
65+	229	16.8	191	2	4	13	20	37	45	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	5.4	19	1	2	4	6	9	13	23
B. *Operated*	150	10.6	98	1	1	8	14	21	26	56
2. MULTIPLE DX										
A. *Not Operated*	2924	7.1	33	2	2	6	9	13	17	30
B. *Operated*	761	16.7	208	3	5	12	21	36	45	82
1. SINGLE DX	1378	5.9	30	1	2	5	7	11	16	26
2. MULTIPLE DX	3685	9.0	84	2	3	6	11	18	26	51
A. NOT OPERATED	4152	6.6	29	2	2	5	8	12	16	27
B. OPERATED	911	15.7	195	2	4	11	19	34	44	79
TOTAL 0-19 YRS	120	6.4	34	2	2	4	8	14	20	53
20-34	1084	7.0	49	1	2	5	8	13	20	40
35-49	1526	8.0	67	2	2	6	9	15	23	43
50-64	1266	8.7	90	2	2	6	10	17	24	57
65+	1067	9.3	79	2	2	7	11	18	26	47
GRAND TOTAL	**5063**	**8.2**	**71**	**2**	**2**	**6**	**9**	**16**	**23**	**45**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.9	14	<1	1	2	3	5	6	25
20-34	118	3.1	6	<1	1	2	4	6	7	15
35-49	127	3.5	13	<1	1	3	4	6	7	20
50-64	161	3.7	5	1	1	3	5	6	7	11
65+	254	4.7	14	1	2	4	6	8	11	20
B. *Operated*										
0-19 YRS	4	4.8	15	<1	<1	4	8	9	9	9
20-34	12	7.3	16	2	3	6	10	14	14	14
35-49	13	6.9	54	1	1	4	8	19	25	27
50-64	22	5.8	15	<1	1	5	9	12	13	13
65+	33	7.3	23	2	2	6	9	14	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	3.1	6	1	1	2	4	7	8	13
20-34	327	3.8	12	1	1	3	5	7	10	17
35-49	496	4.5	13	1	2	4	5	8	11	19
50-64	946	5.2	20	1	2	4	6	9	13	26
65+	2364	6.8	35	2	2	5	8	12	17	31
B. *Operated*										
0-19 YRS	13	5.2	11	1	1	6	7	10	11	11
20-34	55	6.8	35	2	2	5	9	12	16	36
35-49	104	9.1	56	2	3	7	10	20	24	40
50-64	206	8.9	63	1	3	7	11	17	24	53
65+	567	10.7	99	2	3	8	13	20	28	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	739	3.8	11	1	1	3	5	7	9	17
B. *Operated*	84	6.7	24	1	2	6	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	4250	5.9	28	1	2	5	7	11	15	27
B. *Operated*	945	9.8	83	2	3	7	12	20	25	43
1. SINGLE DX	823	4.1	13	1	1	3	5	7	10	18
2. MULTIPLE DX	5195	6.6	40	1	2	5	8	12	17	32
A. NOT OPERATED	4989	5.6	26	1	2	4	7	10	14	25
B. OPERATED	1029	9.6	78	2	3	7	12	19	25	42
TOTAL 0-19 YRS	213	3.2	9	1	1	2	4	7	8	13
20-34	512	4.1	14	1	1	3	5	8	12	18
35-49	740	5.0	22	1	2	4	6	9	14	27
50-64	1335	5.6	27	1	2	4	6	10	14	27
65+	3218	7.4	47	2	2	6	9	14	19	34
GRAND TOTAL	**6018**	**6.2**	**37**	**1**	**2**	**5**	**7**	**12**	**17**	**31**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	3.7	10	1	1	3	4	9	12	13
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	6	8.3	3	6	6	8	9	11	11	11
65+	4	5.0	14	1	1	4	7	10	10	10
B. *Operated*										
0-19 YRS	5	2.4	7	<1	<1	1	3	7	7	7
20-34										
35-49	7	7.6	41	2	2	5	11	18	20	20
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	4	7.5	22	3	3	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.4	31	1	1	4	6	11	19	27
20-34	13	4.5	8	2	2	3	5	9	11	12
35-49	20	5.7	15	<1	1	5	8	11	14	16
50-64	48	8.8	76	2	3	6	10	18	28	48
65+	62	8.4	27	2	3	7	12	16	19	24
B. *Operated*										
0-19 YRS	3	34.3	2266	2	2	12	70	89	89	89
20-34	16	15.4	115	1	2	12	26	30	32	33
35-49	17	12.1	86	1	1	10	18	28	31	31
50-64	34	19.2	446	2	4	10	26	49	77	89
65+	27	20.0	281	5	7	16	23	41	55	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.0	12	1	1	4	8	10	11	13
B. *Operated*	18	5.4	27	<1	1	3	7	12	17	20
2. MULTIPLE DX										
A. *Not Operated*	175	7.4	40	2	2	5	9	15	20	29
B. *Operated*	97	18.0	326	2	4	12	24	33	51	89
1. SINGLE DX	52	5.1	17	1	1	4	8	11	12	20
2. MULTIPLE DX	272	11.2	167	2	2	7	13	25	31	83
A. NOT OPERATED	209	7.0	36	1	2	5	9	14	19	28
B. OPERATED	115	16.0	300	1	2	11	22	31	50	89
TOTAL 0-19 YRS	61	6.0	139	1	1	3	5	11	16	82
20-34	30	10.5	92	2	2	7	13	28	30	33
35-49	46	8.3	52	1	2	7	11	19	23	31
50-64	90	12.5	234	2	3	7	14	29	48	87
65+	97	11.5	123	3	3	8	15	22	26	67
GRAND TOTAL	**324**	**10.2**	**148**	**1**	**2**	**7**	**12**	**23**	**29**	**83**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.2	13	<1	1	3	5	8	10	20
20-34	8	3.8	8	<1	<1	3	5	8	9	9
35-49	7	3.7	6	1	1	3	5	7	8	8
50-64	5	3.8	3	1	1	4	5	6	6	6
65+	5	7.6	68	2	2	4	11	22	22	22
B. *Operated*										
0-19 YRS	36	2.3	2	<1	<1	2	2	5	6	7
20-34	35	2.8	3	1	1	2	3	5	7	8
35-49	27	2.6	2	1	1	2	3	4	5	7
50-64	19	3.2	11	<1	<1	2	4	9	12	12
65+	10	9.6	74	1	1	7	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	5.4	15	1	1	4	8	10	15	17
20-34	21	3.9	9	<1	1	3	6	8	10	11
35-49	26	6.9	34	1	2	6	8	16	19	25
50-64	50	8.2	44	1	2	6	11	17	20	33
65+	87	8.5	126	2	2	6	10	16	22	99+
B. *Operated*										
0-19 YRS	31	8.1	45	1	2	6	13	15	22	29
20-34	85	6.4	39	1	2	4	9	14	18	31
35-49	65	7.1	59	1	2	4	9	17	18	44
50-64	102	8.9	103	1	2	5	11	20	29	53
65+	77	14.1	183	2	3	9	19	36	47	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.3	15	<1	1	3	5	8	9	22
B. *Operated*	127	3.2	12	<1	1	2	3	6	9	21
2. MULTIPLE DX										
A. *Not Operated*	240	7.1	65	1	2	5	9	15	19	39
B. *Operated*	360	9.0	99	1	2	5	12	20	29	48
1. SINGLE DX	197	3.6	13	<1	1	2	4	7	9	22
2. MULTIPLE DX	600	8.3	86	1	2	5	10	18	25	48
A. NOT OPERATED	310	6.5	55	1	1	5	8	13	18	30
B. OPERATED	487	7.5	83	1	2	4	9	18	25	47
TOTAL 0-19 YRS	168	4.9	21	<1	1	3	7	10	14	22
20-34	149	5.0	27	1	1	3	7	11	14	30
35-49	125	5.9	41	1	2	3	7	15	18	35
50-64	176	7.9	76	1	1	5	10	18	25	48
65+	179	10.9	152	2	3	7	14	24	37	89
GRAND TOTAL	**797**	**7.1**	**72**	**1**	**1**	**4**	**8**	**16**	**22**	**47**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	4.7	5	1	2	5	6	8	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	3	4.3	4	2	2	5	6	6	6	6
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	4.3		4	4	1	5	5	5	5
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.1	7	1	1	4	5	8	9	11
20-34	6	6.2	25	2	2	5	6	15	16	16
35-49	6	6.5	28	1	1	4	12	14	14	14
50-64	6	6.5	4	4	4	6	8	9	9	9
65+	11	9.0	58	2	2	7	11	19	28	29
B. *Operated*										
0-19 YRS	6	8.2	13	2	2	8	10	13	13	13
20-34	12	10.9	75	3	3	8	16	24	31	32
35-49	7	7.4	64	2	2	6	7	21	25	25
50-64	12	14.5	119	2	5	11	20	31	38	39
65+	7	14.4	264	2	2	12	18	42	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.7	5	1	2	5	6	8	9	9
B. *Operated*	9	3.6	2	1	1	4	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	60	5.7	21	1	1	5	7	11	13	28
B. *Operated*	44	11.5	105	2	2	8	13	27	34	48
1. SINGLE DX	35	4.4	5	1	2	4	6	8	9	9
2. MULTIPLE DX	104	8.2	65	1	2	6	10	16	27	43
A. NOT OPERATED	86	5.4	17	1	1	5	6	9	12	24
B. OPERATED	53	10.2	96	2	2	7	12	25	31	48
TOTAL 0-19 YRS	59	4.6	8	1	1	5	6	9	10	13
20-34	24	8.0	51	2	3	5	8	18	24	32
35-49	18	6.2	33	1	2	5	6	13	21	25
50-64	19	11.7	88	3	4	9	12	28	34	39
65+	19	10.7	130	2	2	7	13	25	39	48
GRAND TOTAL	**139**	**7.2**	**52**	**1**	**2**	**5**	**8**	**13**	**23**	**40**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	3	5.7	41	<1	<1	3	10	13	13	13
35-49										
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	10	4.6	10	<1	1	4	5	10	11	11
B. *Operated*										
0-19 YRS	9	9.8	92	2	2	6	16	26	29	29
20-34	54	8.6	61	1	1	6	15	20	24	30
35-49	57	5.9	45	<1	1	3	9	15	20	27
50-64	70	5.5	39	1	1	4	6	11	21	33
65+	52	4.5	18	1	1	3	6	8	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.3	4	1	1	3	4	7	8	8
20-34	45	2.8	8	<1	<1	2	4	5	9	15
35-49	42	4.2	18	<1	<1	3	6	10	11	23
50-64	101	6.3	52	<1	1	5	7	13	16	43
65+	217	9.2	66	1	2	7	12	19	26	50
B. *Operated*										
0-19 YRS	57	8.9	71	1	1	5	13	22	27	34
20-34	221	12.4	184	1	2	7	16	32	45	62
35-49	219	12.9	193	1	1	8	18	35	43	68
50-64	308	10.8	114	1	2	7	15	26	32	53
65+	335	13.6	168	2	2	9	19	35	43	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.2	12	<1	<1	3	5	10	12	13
B. *Operated*	242	6.2	44	1	1	3	8	16	22	29
2. MULTIPLE DX										
A. *Not Operated*	416	7.2	55	<1	1	5	9	15	22	41
B. *Operated*	1140	12.2	158	1	2	8	16	30	41	62
1. SINGLE DX	260	6.1	42	<1	1	3	8	16	21	29
2. MULTIPLE DX	1556	10.9	135	1	1	7	14	27	38	60
A. NOT OPERATED	434	7.1	54	<1	1	5	9	15	22	40
B. OPERATED	1382	11.2	143	1	2	7	15	27	38	61
TOTAL 0-19 YRS	80	8.0	66	1	1	4	11	21	27	33
20-34	323	10.4	149	1	1	5	14	26	41	55
35-49	318	10.5	156	<1	1	6	15	27	38	64
50-64	481	9.1	95	1	1	6	12	22	28	48
65+	614	11.1	125	1	2	7	14	26	38	64
GRAND TOTAL	**1816**	**10.2**	**125**	**1**	**1**	**6**	**14**	**25**	**35**	**57**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	10.0	162	1	1	10	19	19	19	19
65+	7	5.6	24	1	1	3	10	13	13	13
B. *Operated*										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	9	5.3	48	1	1	2	7	17	22	22
50-64	20	3.2	14	<1	<1	2	3	9	12	14
65+	17	5.1	54	<1	1	2	6	18	25	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	4.1	18	<1	<1	2	5	12	14	14
20-34	16	5.4	22	1	2	4	6	9	17	21
35-49	21	9.2	158	1	2	7	9	13	36	62
50-64	73	8.0	37	2	2	6	10	18	22	28
65+	329	11.2	89	2	3	9	14	21	28	56
B. *Operated*										
0-19 YRS	10	16.8	372	1	1	9	19	50	62	62
20-34	36	12.4	101	1	1	9	20	25	30	45
35-49	43	13.4	210	1	2	9	16	29	42	79
50-64	69	12.9	135	1	2	9	16	26	44	53
65+	161	18.7	286	2	3	14	24	40	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.6	28	<1	1	2	6	13	17	19
B. *Operated*	50	4.7	38	<1	1	2	6	12	22	27
2. MULTIPLE DX										
A. *Not Operated*	447	10.3	82	2	3	8	13	20	26	55
B. *Operated*	319	16.0	230	1	2	11	21	37	48	78
1. SINGLE DX	66	4.7	35	<1	1	2	6	13	20	26
2. MULTIPLE DX	766	12.7	152	2	3	9	16	26	38	72
A. NOT OPERATED	463	10.1	81	2	2	8	13	20	26	54
B. OPERATED	369	14.4	219	1	2	10	20	32	47	77
TOTAL 0-19 YRS	22	10.3	218	<1	1	4	14	27	48	62
20-34	58	9.5	83	1	1	6	13	21	27	44
35-49	74	11.1	178	1	2	8	13	22	38	75
50-64	164	9.5	86	1	1	7	12	20	26	50
65+	514	13.3	163	2	3	10	16	27	38	75
GRAND TOTAL	**832**	**12.0**	**147**	**1**	**2**	**9**	**15**	**25**	**35**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	3.4	2	2	2	3	4	5	6	9
20-34	297	3.8	4	2	2	4	5	6	8	11
35-49	90	4.0	4	2	2	4	5	7	7	11
50-64	51	4.6	6	2	2	4	6	8	10	14
65+	50	5.5	8	2	2	5	7	10	11	12
B. *Operated*										
0-19 YRS	6	3.0	2	<1	<1	3	4	5	5	5
20-34	9	3.9	4	1	1	4	5	7	7	7
35-49	5	8.8	31	4	4	8	11	18	18	18
50-64	5	7.8	10	4	4	9	10	11	11	11
65+	4	8.5	2	7	7	8	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	4.2	5	2	2	4	5	7	9	12
20-34	415	4.6	9	2	2	4	5	8	9	15
35-49	192	5.6	14	2	3	5	6	8	13	22
50-64	211	6.2	10	2	3	6	8	10	12	16
65+	396	8.0	32	3	3	6	10	14	18	31
B. *Operated*										
0-19 YRS	24	7.7	57	<1	1	6	10	14	22	37
20-34	51	8.8	37	3	4	7	10	17	25	30
35-49	36	10.4	42	4	4	9	12	24	26	26
50-64	39	12.0	45	4	5	10	14	20	25	35
65+	60	12.8	100	4	5	12	15	19	20	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	3.9	4	2	2	4	5	7	8	11
B. *Operated*	29	5.9	14	1	2	5	8	10	11	18
2. MULTIPLE DX										
A. *Not Operated*	1406	5.9	18	2	2	5	7	10	13	22
B. *Operated*	210	10.7	62	3	4	9	14	19	25	44
1. SINGLE DX	717	4.0	5	2	2	4	5	7	8	11
2. MULTIPLE DX	1616	6.5	26	2	2	5	8	12	16	28
A. NOT OPERATED	2094	5.2	14	2	2	4	6	9	12	21
B. OPERATED	239	10.1	58	3	4	8	13	18	23	39
TOTAL 0-19 YRS	422	4.0	7	2	2	3	5	6	8	13
20-34	772	4.6	10	2	2	4	5	8	10	19
35-49	323	5.8	18	2	2	5	7	9	14	25
50-64	306	6.7	18	2	3	6	8	11	14	21
65+	510	8.4	41	3	3	7	10	15	19	33
GRAND TOTAL	**2333**	**5.7**	**21**	**2**	**2**	**5**	**7**	**10**	**14**	**25**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.4	3	1	2	3	4	5	6	12
20-34	274	3.6	3	1	2	3	5	6	6	8
35-49	61	4.2	7	1	1	4	5	7	9	15
50-64	35	4.0	5	2	2	3	5	7	9	12
65+	53	5.4	50	1	2	4	5	8	11	41
B. *Operated*										
0-19 YRS	19	5.6	14	<1	<1	5	7	12	13	13
20-34	32	5.0	11	<1	1	5	7	10	10	12
35-49	11	5.8	6	1	3	5	8	9	10	10
50-64	14	6.4	10	<1	2	7	8	11	11	11
65+	13	7.2	57	<1	1	4	11	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	168	4.1	5	1	2	4	5	7	8	12
20-34	387	4.5	8	1	2	4	6	7	10	14
35-49	175	5.8	22	2	3	5	7	10	12	26
50-64	187	7.4	35	2	3	6	9	12	16	38
65+	344	7.8	38	3	3	6	9	14	19	34
B. *Operated*										
0-19 YRS	42	5.5	15	<1	<1	5	8	12	13	14
20-34	84	9.0	106	2	3	7	9	15	26	64
35-49	44	11.2	166	2	2	8	12	22	39	72
50-64	88	10.6	53	3	4	9	12	19	22	42
65+	97	15.1	126	4	5	12	18	28	39	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	3.8	8	1	2	3	4	6	7	12
B. *Operated*	89	5.8	17	<1	1	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	1261	6.0	24	2	2	5	7	10	13	26
B. *Operated*	355	10.9	103	2	3	8	13	21	30	55
1. SINGLE DX	694	4.0	9	1	2	3	5	7	8	14
2. MULTIPLE DX	1616	7.1	45	2	2	5	8	13	18	38
A. NOT OPERATED	1866	5.3	20	2	2	4	6	9	12	24
B. OPERATED	444	9.9	90	1	2	8	12	20	28	54
TOTAL 0-19 YRS	411	4.0	6	1	2	4	5	7	9	13
20-34	777	4.7	19	1	2	4	6	8	10	19
35-49	291	6.3	44	2	2	5	7	11	15	41
50-64	324	7.8	39	2	3	6	10	14	19	38
65+	507	8.9	66	2	3	7	10	18	24	41
GRAND TOTAL	**2310**	**6.1**	**37**	**1**	**2**	**5**	**7**	**11**	**15**	**35**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	1.9	2	<1	1	1	2	4	5	5
20-34	246	2.0	5	<1	<1	1	2	4	5	7
35-49	256	1.8	1	<1	1	1	2	3	4	6
50-64	192	1.8	2	<1	1	1	2	3	4	7
65+	72	2.3	3	1	1	2	3	5	6	8
B. *Operated*										
0-19 YRS	11	6.4	5	2	3	6	8	9	9	9
20-34	159	7.3	12	2	4	7	8	11	12	22
35-49	140	7.3	14	1	2	7	9	11	13	20
50-64	150	7.9	17	1	3	8	9	12	14	23
65+	55	8.6	25	2	3	8	10	13	16	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.7	2	1	1	3	4	5	5	5
20-34	153	2.6	4	1	1	2	3	5	6	9
35-49	163	2.7	5	1	1	2	3	5	6	11
50-64	180	2.7	5	1	1	2	3	5	7	12
65+	164	4.2	11	1	1	4	6	8	8	12
B. *Operated*										
0-19 YRS	23	12.1	226	2	3	6	11	38	54	57
20-34	154	9.3	51	2	3	8	11	16	21	43
35-49	207	9.1	40	2	3	8	11	16	19	31
50-64	220	9.2	30	2	4	8	11	15	20	31
65+	205	11.7	92	2	4	10	14	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	797	1.9	3	<1	1	1	2	4	5	6
B. *Operated*	515	7.6	15	2	3	7	9	12	14	23
2. MULTIPLE DX										
A. *Not Operated*	671	3.0	7	1	1	2	4	6	8	12
B. *Operated*	809	9.9	59	2	3	8	12	17	22	42
1. SINGLE DX	1312	4.1	15	1	1	2	7	9	11	17
2. MULTIPLE DX	1480	6.8	47	1	1	5	9	14	18	34
A. NOT OPERATED	1468	2.4	5	<1	1	2	3	5	6	10
B. OPERATED	1324	9.0	43	2	3	8	10	15	19	34
TOTAL 0-19 YRS	76	5.8	88	1	1	3	6	9	14	56
20-34	712	4.9	26	1	1	3	7	10	13	25
35-49	766	5.0	25	1	1	3	7	10	13	23
50-64	742	5.4	24	1	1	4	8	11	14	23
65+	496	7.5	60	1	1	6	10	15	20	35
GRAND TOTAL	**2792**	**5.5**	**34**	**1**	**1**	**4**	**8**	**11**	**15**	**29**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.9	2	<1	1	2	3	3	4	9
20-34	946	1.7	1	<1	1	1	2	3	4	5
35-49	1230	1.7	1	<1	1	1	2	3	4	5
50-64	749	2.0	3	<1	1	2	2	3	4	7
65+	264	2.1	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	48	4.7	8	1	2	4	6	9	11	11
20-34	553	4.9	8	1	1	4	7	9	10	13
35-49	658	5.0	9	1	2	5	7	9	11	14
50-64	553	5.6	13	1	2	5	8	10	12	17
65+	220	6.3	13	2	2	6	8	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.1	1	1	1	2	3	4	4	6
20-34	294	2.1	2	1	1	2	2	4	5	8
35-49	345	2.1	2	<1	1	2	2	4	5	8
50-64	396	2.5	3	1	1	2	3	5	6	9
65+	253	3.1	5	1	1	2	4	6	8	11
B. *Operated*										
0-19 YRS	18	5.8	10	1	2	5	8	12	60	99+
20-34	294	6.8	22	2	2	6	8	12	14	26
35-49	378	6.7	19	2	2	6	9	12	14	21
50-64	442	7.5	23	2	2	7	10	13	17	25
65+	366	9.6	61	2	3	8	12	18	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3281	1.8	2	<1	1	1	2	3	4	6
B. *Operated*	2032	5.3	10	1	2	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	1320	2.4	3	1	1	2	3	5	6	9
B. *Operated*	1498	7.7	32	2	2	7	10	13	17	30
1. SINGLE DX	5313	3.1	8	1	1	2	4	7	9	13
2. MULTIPLE DX	2818	5.2	25	1	1	4	7	11	14	25
A. NOT OPERATED	4601	2.0	2	<1	1	2	2	4	5	7
B. OPERATED	3530	6.3	21	1	2	6	8	11	14	22
TOTAL 0-19 YRS	190	3.0	6	1	1	2	4	7	9	12
20-34	2087	3.3	10	1	1	2	4	8	9	13
35-49	2611	3.3	10	1	1	2	4	8	10	14
50-64	2140	4.2	15	1	1	3	6	9	12	18
65+	1103	5.6	34	1	1	4	8	12	15	29
GRAND TOTAL	**8131**	**3.8**	**15**	**1**	**1**	**2**	**5**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	4	<1	1	2	4	6	8	8
20-34	33	2.2	2	1	1	2	3	4	6	7
35-49	24	2.9	10	<1	1	2	3	8	11	11
50-64	28	3.3	5	1	1	3	4	7	8	8
65+	27	3.7	9	1	1	3	4	6	12	13
B. *Operated*										
0-19 YRS	231	5.8	12	<1	<1	6	8	10	12	14
20-34	145	5.9	21	<1	1	6	8	11	13	24
35-49	74	6.7	30	1	1	6	9	11	15	29
50-64	116	4.6	19	<1	1	3	6	10	14	21
65+	76	4.8	34	<1	1	3	5	10	19	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.5	16	<1	1	2	4	6	9	25
20-34	74	3.6	9	1	1	3	4	7	10	17
35-49	59	4.0	10	<1	1	3	5	7	11	15
50-64	101	5.5	24	1	2	4	7	11	14	26
65+	215	7.9	38	1	2	6	11	16	22	28
B. *Operated*										
0-19 YRS	269	6.3	16	<1	1	7	9	11	12	20
20-34	200	8.1	31	2	2	7	10	14	16	33
35-49	181	8.9	58	1	2	8	10	15	21	43
50-64	287	8.8	72	1	2	7	11	19	26	51
65+	405	10.7	98	1	2	8	15	24	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.9	6	1	1	2	4	6	8	12
B. *Operated*	642	5.6	20	<1	1	5	8	11	13	22
2. MULTIPLE DX										
A. *Not Operated*	501	5.9	29	1	1	4	7	13	18	26
B. *Operated*	1342	8.8	63	1	2	7	11	18	24	40
1. SINGLE DX	777	5.1	19	<1	1	4	8	10	12	22
2. MULTIPLE DX	1843	8.0	55	1	2	6	10	16	23	36
A. NOT OPERATED	636	5.3	25	1	1	4	7	12	15	25
B. OPERATED	1984	7.8	51	1	1	7	10	15	21	35
TOTAL 0-19 YRS	575	5.7	15	<1	1	6	8	10	12	17
20-34	452	6.2	26	1	1	6	8	11	14	24
35-49	338	7.1	45	1	1	6	9	14	18	35
50-64	532	7.0	52	1	1	5	9	14	21	35
65+	723	9.0	75	1	2	6	12	21	25	39
GRAND TOTAL	**2620**	**7.1**	**46**	**1**	**1**	**6**	**9**	**14**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	2	3	4	4	4
20-34	62	1.7	1	<1	<1	1	2	3	4	4
35-49	75	1.9	1	<1	1	2	2	4	5	6
50-64	36	1.9	1	<1	<1	2	2	4	5	5
65+	15	2.3	2	1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	7	4.7	7	1	1	5	7	8	8	8
20-34	23	4.9	15	<1	1	3	7	11	13	15
35-49	41	4.5	13	<1	1	3	7	10	12	16
50-64	46	4.6	10	1	1	4	7	9	9	15
65+	61	3.5	8	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	2	1	1	2	3	4	4	4
20-34	39	2.8	7	1	1	2	4	7	8	13
35-49	31	2.6	6	<1	1	2	3	5	6	13
50-64	35	3.0	8	<1	1	2	4	7	9	14
65+	28	3.9	10	1	1	3	5	10	11	12
B. *Operated*										
0-19 YRS	7	4.6	7	<1	<1	5	7	7	7	7
20-34	35	4.0	10	1	1	3	6	8	10	14
35-49	43	5.9	19	1	2	5	8	11	15	23
50-64	81	5.5	24	1	1	4	7	11	18	22
65+	184	8.0	67	1	2	6	10	15	19	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	1.9	1	<1	1	2	2	3	4	6
B. *Operated*	178	4.3	11	1	1	3	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	137	3.1	7	1	1	2	4	6	9	13
B. *Operated*	350	6.7	46	1	2	5	8	14	16	42
1. SINGLE DX	372	3.0	7	<1	1	2	4	7	9	14
2. MULTIPLE DX	487	5.7	38	1	1	4	7	11	15	36
A. NOT OPERATED	331	2.4	4	<1	1	2	3	5	6	12
B. OPERATED	528	5.9	36	1	1	4	8	11	15	35
TOTAL 0-19 YRS	24	3.7	5	<1	1	3	5	7	8	8
20-34	159	2.9	8	<1	1	2	3	7	9	14
35-49	190	3.5	11	<1	1	2	4	8	11	16
50-64	198	4.2	16	1	1	3	5	9	11	21
65+	288	6.3	50	1	1	4	8	13	15	44
GRAND TOTAL	**859**	**4.5**	**26**	**1**	**1**	**3**	**6**	**10**	**13**	**23**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.4	1	1	1	2	3	4	5	5
20-34	36	2.2	1	<1	<1	2	3	4	4	6
35-49	16	2.8	4	<1	1	2	4	6	7	7
50-64	27	3.2	3	1	1	3	4	6	7	7
65+	19	3.3	3	1	1	3	4	6	8	8
B. *Operated*										
0-19 YRS	40	2.3	4	<1	<1	2	2	4	6	11
20-34	63	2.4	4	<1	1	2	3	5	6	11
35-49	65	2.5	6	<1	<1	1	3	6	9	12
50-64	108	2.3	3	<1	<1	2	3	5	6	9
65+	128	3.2	7	<1	1	2	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.7	3	1	1	2	3	5	7	8
20-34	79	3.9	12	1	1	3	5	7	9	21
35-49	49	5.5	22	2	2	4	6	10	18	25
50-64	68	3.9	6	1	2	3	5	7	8	12
65+	265	6.9	29	1	2	5	8	14	17	27
B. *Operated*										
0-19 YRS	57	2.3	4	<1	<1	2	3	5	7	10
20-34	130	3.9	20	<1	<1	3	5	8	10	21
35-49	155	3.8	11	1	1	3	4	8	12	15
50-64	219	4.7	21	<1	1	3	6	11	14	23
65+	489	5.8	34	1	1	4	7	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	2.7	2	<1	1	2	3	5	6	7
B. *Operated*	404	2.6	5	<1	<1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*	500	5.6	23	1	2	4	7	11	15	24
B. *Operated*	1050	4.9	25	<1	1	3	6	11	14	25
1. SINGLE DX	535	2.6	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	1550	5.1	25	1	1	4	6	11	14	25
A. NOT OPERATED	631	5.0	20	1	1	4	6	9	14	23
B. OPERATED	1454	4.2	21	<1	1	3	5	9	12	22
TOTAL 0-19 YRS	169	2.4	3	<1	<1	2	3	5	6	10
20-34	308	3.4	13	<1	1	2	4	7	9	16
35-49	285	3.7	12	<1	1	3	4	8	10	19
50-64	422	3.8	14	<1	1	2	5	8	12	20
65+	901	5.7	29	1	1	4	7	12	16	29
GRAND TOTAL	**2085**	**4.5**	**21**	**<1**	**1**	**3**	**6**	**9**	**13**	**23**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	3	4.7	6	2	2	5	6	7	7	7
35-49	5	3.8	9	1	1	4	6	8	8	8
50-64	4	3.8	4	<1	<1	4	5	6	6	6
65+	9	2.7	3	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	276	1.5	2	<1	<1	1	1	2	3	10
20-34	163	2.3	4	<1	<1	2	3	5	6	10
35-49	145	2.1	3	<1	<1	2	3	4	5	10
50-64	148	2.8	7	<1	<1	2	3	5	8	14
65+	176	2.8	4	<1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	3	4.3	4	2	2	5	6	6	6	6
35-49	6	2.5	2	1	1	2	3	5	5	5
50-64	10	4.3	26	<1	<1	3	5	12	18	18
65+	40	5.1	18	<1	1	4	6	10	13	21
B. *Operated*										
0-19 YRS	238	1.6	2	<1	<1	1	2	2	3	8
20-34	216	2.8	11	<1	<1	2	3	6	9	13
35-49	198	3.4	15	<1	1	2	4	6	9	25
50-64	280	4.1	19	<1	1	3	5	9	11	26
65+	442	5.5	33	1	2	4	6	11	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.3	4	<1	1	3	5	6	7	8
B. *Operated*	908	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	65	4.4	16	<1	1	3	5	9	13	21
B. *Operated*	1374	3.8	21	<1	<1	2	4	8	11	23
1. SINGLE DX	932	2.2	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	1439	3.8	21	<1	<1	2	4	8	11	22
A. NOT OPERATED	89	4.1	13	<1	1	3	5	8	11	20
B. OPERATED	2282	3.2	15	<1	<1	2	4	7	10	18
TOTAL 0-19 YRS	523	1.5	2	<1	<1	1	2	2	4	9
20-34	385	2.6	8	<1	<1	2	3	6	7	12
35-49	354	2.9	10	<1	<1	2	3	5	8	20
50-64	442	3.7	15	<1	<1	2	4	8	10	19
65+	667	4.7	25	1	1	3	6	10	13	23
GRAND TOTAL	**2371**	**3.2**	**15**	**<1**	**<1**	**2**	**4**	**7**	**10**	**18**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	183	2.5	2	1	1	2	3	5	6	7
20-34	137	2.7	6	1	1	2	3	4	7	14
35-49	71	3.0	6	1	1	2	4	5	7	14
50-64	93	3.5	4	<1	1	3	5	6	7	10
65+	206	4.5	13	1	1	4	6	8	10	20
B. *Operated*										
0-19 YRS	212	2.2	6	<1	<1	1	2	5	8	14
20-34	188	2.7	8	<1	<1	2	3	6	9	17
35-49	189	2.7	6	<1	<1	2	3	6	8	11
50-64	250	2.8	12	<1	<1	2	3	5	7	12
65+	361	3.6	9	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	3.4	13	1	1	3	4	6	8	12
20-34	497	4.1	21	1	1	3	5	8	10	15
35-49	380	5.7	37	1	2	4	7	10	14	32
50-64	681	5.9	36	1	2	5	7	11	14	29
65+	2800	7.8	44	2	2	6	10	14	18	32
B. *Operated*										
0-19 YRS	288	2.9	10	<1	<1	1	3	7	10	14
20-34	379	4.1	20	<1	<1	2	5	9	12	19
35-49	323	5.3	42	<1	1	4	6	11	15	34
50-64	683	6.2	54	<1	1	4	8	14	17	44
65+	1544	8.4	80	1	2	6	10	17	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	3.3	8	1	1	3	4	6	8	14
B. *Operated*	1200	2.9	9	<1	<1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	4785	6.6	39	1	2	5	8	12	16	31
B. *Operated*	3217	6.6	61	<1	1	4	8	14	19	45
1. SINGLE DX	1890	3.1	8	<1	<1	2	4	6	8	15
2. MULTIPLE DX	8002	6.6	48	1	1	5	8	13	17	35
A. NOT OPERATED	5475	6.2	37	1	2	5	8	12	16	30
B. OPERATED	4417	5.6	50	<1	1	3	7	12	17	39
TOTAL 0-19 YRS	1110	2.9	10	<1	<1	2	4	6	8	13
20-34	1201	3.7	17	<1	1	3	5	8	10	18
35-49	963	4.8	32	<1	1	3	6	9	12	29
50-64	1707	5.4	39	<1	1	4	7	11	15	31
65+	4911	7.5	53	1	2	6	9	15	19	40
GRAND TOTAL	**9892**	**5.9**	**42**	**1**	**1**	**4**	**7**	**12**	**16**	**32**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	29	2.1	3	<1	<1	1	3	5	6	7
65+										
B. *Operated*										
0-19 YRS	6	5.8	2	4	4	6	7	7	7	7
20-34	8	4.5	19	<1	<1	3	6	12	14	14
35-49	82	3.2	5	<1	1	3	5	6	7	11
50-64	1375	4.5	5	1	2	5	6	7	9	12
65+	2556	5.2	6	2	2	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	18	4	4	7	10	10	10	10
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64	70	3.9	25	<1	<1	3	5	7	8	32
65+	255	4.9	25	1	1	3	6	11	15	24
B. *Operated*										
0-19 YRS	7	4.3	4	2	2	4	5	7	8	8
20-34	7	6.1	16	2	2	6	7	13	14	14
35-49	126	5.3	16	1	2	4	7	9	12	22
50-64	1987	5.8	17	1	2	5	7	10	12	21
65+	5633	7.4	28	3	4	6	9	13	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	2.4	3	<1	<1	1	4	5	6	7
B. *Operated*	4027	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	333	4.7	25	<1	1	3	6	10	15	28
B. *Operated*	7760	7.0	25	2	3	6	8	12	16	28
1. SINGLE DX	4063	4.9	6	1	2	5	6	8	9	13
2. MULTIPLE DX	8093	6.9	26	2	3	6	8	12	15	28
A. NOT OPERATED	369	4.4	23	<1	1	3	5	10	14	27
B. OPERATED	11787	6.3	20	2	3	5	7	11	14	24
TOTAL 0-19 YRS	15	5.3	5	2	2	5	7	8	9	10
20-34	19	4.7	15	<1	1	4	6	11	14	14
35-49	214	4.5	12	<1	1	4	5	8	11	18
50-64	3435	5.3	13	1	2	5	6	8	11	18
65+	8473	6.6	22	2	3	5	8	11	15	26
GRAND TOTAL	**12156**	**6.2**	**20**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.3	21	2	2	3	8	12	12	12
20-34	26	3.4	5	<1	1	3	4	7	8	9
35-49	33	2.8	2	1	1	3	3	5	6	7
50-64	40	4.5	7	2	2	4	5	7	10	14
65+	26	3.5	4	1	1	3	5	6	7	8
B. *Operated*										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	22	2.5	5	<1	<1	2	3	5	8	9
35-49	27	2.7	4	<1	<1	2	3	6	8	8
50-64	49	2.4	2	<1	<1	2	3	5	6	7
65+	44	3.2	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	1	1	2	3	3	3	3
20-34	38	3.4	4	1	2	3	4	7	8	9
35-49	61	4.5	6	2	2	4	5	7	10	15
50-64	100	3.9	3	1	2	4	5	6	7	9
65+	130	4.9	12	1	2	4	6	9	11	18
B. *Operated*										
0-19 YRS	2	5.5	41	1	1	5	10	10	10	10
20-34	39	4.4	53	<1	<1	2	4	9	20	40
35-49	57	3.4	9	<1	<1	2	4	8	10	15
50-64	147	4.5	24	<1	1	3	6	9	10	28
65+	150	6.2	46	2	2	5	7	11	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	3.7	5	1	1	3	5	6	8	13
B. *Operated*	145	2.7	4	<1	<1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	336	4.3	8	1	2	4	5	7	10	12
B. *Operated*	395	5.0	34	<1	1	4	6	9	13	26
1. SINGLE DX	274	3.1	5	<1	1	3	4	6	7	12
2. MULTIPLE DX	731	4.7	22	1	1	4	6	9	11	22
A. NOT OPERATED	465	4.1	7	1	2	4	5	7	9	13
B. OPERATED	540	4.4	27	<1	1	3	6	9	11	23
TOTAL 0-19 YRS	16	3.4	10	<1	1	2	4	9	11	12
20-34	125	3.6	20	<1	1	2	4	7	9	26
35-49	178	3.6	7	<1	1	3	5	6	9	14
50-64	336	4.0	13	1	1	3	5	7	9	14
65+	350	5.1	26	1	2	4	6	9	11	22
GRAND TOTAL	**1005**	**4.3**	**18**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	217	1.6	2	<1	<1	1	2	3	3	4
20-34	84	2.4	1	<1	1	2	3	4	4	7
35-49	98	2.1	2	1	1	2	3	4	5	7
50-64	166	2.3	2	1	1	2	3	4	4	7
65+	122	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	3	1.0		1	1	1	1	1	1	1
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	1.7	1	<1	<1	1	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	205	1.8	2	<1	<1	1	2	3	4	6
20-34	39	3.3	10	<1	1	3	4	6	8	20
35-49	66	3.1	10	1	1	2	3	6	7	21
50-64	126	2.8	2	1	1	3	3	4	5	8
65+	137	4.0	7	1	2	3	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	687	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*	573	2.8	5	<1	<1	2	3	5	7	13
1. SINGLE DX	689	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	598	2.7	5	<1	<1	2	3	5	6	13
A. NOT OPERATED	27	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	1260	2.4	3	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	437	1.7	2	<1	<1	1	2	3	3	5
20-34	126	2.6	4	<1	1	2	3	4	5	12
35-49	165	2.5	5	1	1	2	3	4	5	12
50-64	298	2.5	2	1	1	2	3	4	4	8
65+	261	3.4	5	1	2	3	4	6	8	13
GRAND TOTAL	**1287**	**2.4**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.4	3	1	1	3	4	5	8	8
20-34	99	3.8	5	1	1	3	5	7	8	11
35-49	44	3.8	6	1	1	3	5	7	8	11
50-64	30	5.1	8	2	2	4	6	9	10	13
65+	33	5.1	7	2	3	5	6	8	11	13
B. *Operated*										
0-19 YRS	36	3.4	7	1	1	2	5	7	7	14
20-34	53	3.2	4	<1	1	3	4	7	7	9
35-49	35	3.4	5	<1	1	3	4	7	8	10
50-64	31	3.4	4	<1	1	3	5	5	6	9
65+	21	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.4	7	2	2	3	6	8	9	9
20-34	58	4.9	13	1	2	4	6	9	12	21
35-49	39	3.8	3	2	2	4	5	6	7	8
50-64	57	6.7	13	2	3	6	9	11	13	21
65+	80	6.1	15	2	2	5	7	12	15	20
B. *Operated*										
0-19 YRS	9	1.9	1	<1	<1	2	2	3	3	3
20-34	38	4.4	19	1	1	3	5	9	15	20
35-49	43	4.0	13	1	1	3	5	7	14	16
50-64	52	5.0	14	1	2	4	6	10	13	16
65+	79	7.5	38	2	2	5	10	16	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	4.1	6	1	1	4	5	7	9	12
B. *Operated*	176	3.3	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	243	5.5	13	2	2	5	7	10	13	21
B. *Operated*	221	5.5	25	1	1	4	7	12	16	24
1. SINGLE DX	428	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	464	5.5	19	1	2	4	7	11	14	22
A. NOT OPERATED	495	4.8	10	1	2	4	6	9	11	16
B. OPERATED	397	4.5	17	1	1	3	5	9	13	22
TOTAL 0-19 YRS	100	3.4	5	1	1	3	4	7	8	11
20-34	248	4.0	9	1	1	3	5	7	9	15
35-49	161	3.8	7	1	1	3	5	7	8	15
50-64	170	5.3	12	1	2	4	7	10	12	16
65+	213	6.1	23	2	2	5	7	12	16	24
GRAND TOTAL	**892**	**4.6**	**13**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	1.1		<1	<1	<1	1	1	2	3
20-34	15	1.2		<1	<1	<1	1	2	3	3
35-49	8	1.4	1	<1	<1	1	2	3	3	3
50-64	9	1.2		<1	<1	1	1	2	2	2
65+	11	2.5	5	<1	<1	2	3	7	7	7
B. *Operated*										
0-19 YRS	240	1.4	4	<1	<1	<1	1	2	2	3
20-34	64	1.6	1	<1	<1	1	2	3	3	5
35-49	42	1.5	1	<1	<1	1	2	3	3	4
50-64	41	1.6		<1	<1	2	2	2	2	4
65+	22	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	26	<1	<1	<1	1	5	17	20
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64	7	1.7	1	<1	<1	1	4	4	4	4
65+	10	11.1	309	<1	<1	4	7	42	54	54
B. *Operated*										
0-19 YRS	77	1.4	1	<1	<1	1	2	2	2	5
20-34	38	2.1	3	<1	1	2	2	3	7	8
35-49	36	1.7	1	<1	<1	2	2	2	3	5
50-64	47	2.4	5	<1	<1	2	2	4	6	15
65+	70	5.1	32	<1	1	3	6	10	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	1.2	1	<1	<1	<1	1	2	2	6
B. *Operated*	409	1.5	3	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	42	4.1	92	<1	<1	1	2	6	24	54
B. *Operated*	268	2.7	12	<1	<1	2	2	5	7	22
1. SINGLE DX	569	1.4	2	<1	<1	1	2	2	2	4
2. MULTIPLE DX	310	2.9	23	<1	<1	2	2	6	8	28
A. NOT OPERATED	202	1.8	21	<1	<1	<1	1	2	3	25
B. OPERATED	677	1.9	7	<1	<1	1	2	3	5	14
TOTAL 0-19 YRS	448	1.3	3	<1	<1	<1	1	2	2	3
20-34	121	1.7	1	<1	<1	1	2	3	4	7
35-49	93	1.6	1	<1	<1	1	2	3	3	5
50-64	104	1.9	3	<1	<1	2	2	3	4	11
65+	113	4.8	51	<1	<1	3	5	8	18	39
GRAND TOTAL	**879**	**1.9**	**10**	**<1**	**<1**	**1**	**2**	**3**	**5**	**15**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.6	1	<1	<1	1	2	4	4	4
20-34	18	2.2	2	<1	<1	2	3	4	5	6
35-49	12	3.3	17	1	1	1	4	9	14	15
50-64	8	3.0	8	<1	<1	2	4	8	9	9
65+	9	3.1	4	1	1	4	4	6	6	6
B. *Operated*										
0-19 YRS	381	1.7	2	<1	<1	1	2	3	4	8
20-34	282	2.1	4	<1	1	2	2	3	4	10
35-49	184	2.3	12	<1	<1	2	3	4	5	10
50-64	216	2.7	3	1	1	2	3	5	6	11
65+	106	3.2	6	<1	1	3	4	5	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	3	<1	<1	1	3	5	6	6
20-34	16	3.3	5	1	1	3	4	7	8	8
35-49	15	3.3	12	<1	1	3	4	6	12	14
50-64	20	3.7	11	<1	<1	3	4	9	11	12
65+	35	5.2	19	1	1	4	6	9	12	25
B. *Operated*										
0-19 YRS	143	1.9	2	<1	<1	1	2	3	5	8
20-34	177	3.0	8	<1	1	2	3	6	10	15
35-49	177	3.7	16	1	1	3	4	7	10	20
50-64	297	4.6	33	1	1	3	5	9	13	25
65+	219	4.7	19	1	2	3	5	9	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.4	5	<1	<1	1	3	4	6	14
B. *Operated*	1169	2.2	5	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	101	3.9	12	<1	1	3	5	8	10	19
B. *Operated*	1013	3.8	19	1	1	3	4	8	11	21
1. SINGLE DX	1237	2.2	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	1114	3.8	19	1	1	3	4	8	11	21
A. NOT OPERATED	169	3.3	10	<1	<1	3	4	7	9	15
B. OPERATED	2182	3.0	12	<1	1	2	3	5	8	18
TOTAL 0-19 YRS	560	1.8	2	<1	<1	1	2	3	4	8
20-34	493	2.5	5	<1	1	2	3	4	6	14
35-49	388	3.0	15	<1	1	2	3	6	9	19
50-64	541	3.8	20	1	1	3	4	7	10	17
65+	369	4.3	16	1	1	3	5	8	12	25
GRAND TOTAL	**2351**	**3.0**	**12**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	6	2.2	1	<1	<1	2	2	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	52	1.6	1	<1	<1	1	2	3	3	5
20-34	444	1.9	5	<1	<1	1	2	3	5	7
35-49	1137	2.0	2	<1	<1	2	2	4	5	8
50-64	610	2.0	2	<1	<1	2	2	3	4	6
65+	276	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	3.8	6	1	1	3	5	7	7	7
35-49	7	2.4	3	<1	<1	2	4	5	5	5
50-64	8	1.1		<1	<1	1	1	2	2	2
65+	10	2.8	6	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	24	2.3	3	<1	<1	2	3	5	6	8
20-34	199	2.7	4	<1	<1	2	4	6	7	9
35-49	621	3.0	12	<1	1	2	4	6	7	11
50-64	455	2.8	4	<1	1	2	4	5	7	10
65+	270	3.1	8	<1	1	2	3	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	2519	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	30	2.4	4	<1	<1	1	3	5	7	8
B. *Operated*	1569	2.9	8	<1	1	2	4	5	7	11
1. SINGLE DX	2534	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX	1599	2.9	8	<1	1	2	4	5	7	11
A. NOT OPERATED	45	2.3	3	<1	<1	2	3	5	6	8
B. OPERATED	4088	2.3	5	<1	<1	2	3	4	6	9
TOTAL 0-19 YRS	79	1.8	2	<1	<1	1	2	3	5	7
20-34	649	2.2	5	<1	<1	2	2	5	5	8
35-49	1771	2.4	6	<1	<1	2	3	5	6	9
50-64	1076	2.3	3	<1	<1	2	3	4	6	9
65+	558	2.6	5	<1	<1	2	3	4	6	12
GRAND TOTAL	**4133**	**2.3**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**9**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.0	2	1	1	3	4	5	5	5
20-34	42	3.1	3	<1	1	3	4	5	6	9
35-49	18	2.4	5	<1	<1	1	3	6	8	9
50-64	7	3.0	5	1	1	2	4	6	7	7
65+	3	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	249	2.5	2	<1	1	2	3	4	5	8
20-34	463	2.7	3	<1	1	2	4	4	5	10
35-49	306	2.8	7	<1	<1	2	4	5	5	9
50-64	258	2.7	7	<1	1	2	3	4	6	10
65+	158	2.3	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	7	2	2	4	6	9	10	10
20-34	32	3.8	11	<1	1	3	4	8	8	18
35-49	35	4.1	20	<1	<1	3	5	8	16	20
50-64	13	3.7	27	<1	<1	1	4	12	17	18
65+	21	3.8	14	<1	1	2	5	8	13	16
B. *Operated*										
0-19 YRS	52	3.3	5	<1	<1	3	4	5	6	16
20-34	209	3.2	4	<1	<1	3	4	5	6	10
35-49	251	3.5	5	<1	1	3	5	6	8	13
50-64	262	4.0	9	1	1	3	5	7	9	12
65+	163	4.3	20	1	1	3	5	7	11	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.9	3	<1	1	3	4	5	7	9
B. *Operated*	1434	2.6	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	108	3.9	16	<1	<1	3	5	8	11	19
B. *Operated*	937	3.7	9	<1	1	3	5	6	8	13
1. SINGLE DX	1512	2.7	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	1045	3.7	9	<1	1	3	5	7	9	16
A. NOT OPERATED	186	3.5	11	<1	<1	3	4	7	9	18
B. OPERATED	2371	3.1	6	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	316	2.7	3	<1	1	2	3	4	5	8
20-34	746	2.9	4	<1	1	3	4	5	6	10
35-49	610	3.2	7	<1	<1	3	4	6	8	13
50-64	540	3.3	8	<1	1	3	4	6	8	12
65+	345	3.3	12	<1	1	2	4	6	8	17
GRAND TOTAL	**2557**	**3.1**	**7**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	166	2.1	2	1	1	2	3	3	4	8
20-34	386	2.1	4	<1	1	2	3	4	5	7
35-49	73	2.2	2	1	1	2	3	4	5	6
50-64	8	2.0	2	<1	<1	2	2	4	5	5
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	349	3.7	5	<1	1	4	5	7	8	12
20-34	1174	3.9	5	1	1	4	5	6	7	11
35-49	276	4.7	4	1	2	5	6	7	8	10
50-64	53	5.8	3	3	4	6	7	8	10	11
65+	13	6.9	5	3	4	6	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	2.2	2	1	1	2	3	4	5	7
20-34	237	2.5	6	1	1	2	3	5	8	15
35-49	60	2.7	4	1	1	2	3	5	6	12
50-64	5	2.8	3	2	2	2	3	6	6	6
65+	4	9.3	29	2	2	10	13	15	15	15
B. *Operated*										
0-19 YRS	284	4.5	6	1	2	4	6	7	9	13
20-34	1959	4.9	7	1	2	5	6	8	9	13
35-49	811	5.9	6	3	4	6	7	8	10	15
50-64	125	6.8	10	4	5	6	8	10	11	24
65+	58	9.8	121	4	5	7	10	14	22	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	634	2.1	3	<1	1	2	3	4	5	7
B. *Operated*	1865	4.1	5	1	1	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	384	2.5	6	1	1	2	3	4	7	14
B. *Operated*	3237	5.3	9	1	2	5	6	8	10	15
1. SINGLE DX	2499	3.6	5	1	1	4	5	6	7	10
2. MULTIPLE DX	3621	5.0	10	1	1	5	6	8	10	15
A. NOT OPERATED	1018	2.3	4	1	1	2	3	4	5	11
B. OPERATED	5102	4.8	8	1	1	5	6	8	9	14
TOTAL 0-19 YRS	877	3.5	5	1	1	3	5	6	8	12
20-34	3756	4.2	7	1	1	4	5	7	8	13
35-49	1220	5.3	6	1	2	5	6	8	9	14
50-64	191	6.2	9	2	3	6	7	9	10	20
65+	76	9.3	95	3	5	7	10	14	18	70
GRAND TOTAL	**6120**	**4.4**	**8**	**1**	**1**	**4**	**6**	**7**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	468	3.8	5	1	2	3	4	6	7	13
20-34	1187	4.1	7	1	2	4	5	7	8	11
35-49	154	4.6	6	2	2	4	6	7	9	11
50-64	10	3.8	3	2	2	3	4	6	8	8
65+	4	6.8		6	6	7	7	7	7	7
B. *Operated*										
0-19 YRS	157	4.5	8	1	1	4	6	7	10	14
20-34	840	4.3	8	<1	<1	4	6	8	9	14
35-49	198	5.5	11	<1	1	5	7	9	11	18
50-64	37	5.5	7	1	2	5	7	9	10	13
65+	9	7.1	66	<1	<1	5	9	20	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.4	6	2	2	4	6	7	8	12
20-34	806	4.6	8	1	2	4	6	8	10	15
35-49	175	5.0	8	1	2	5	6	9	10	15
50-64	19	6.7	24	2	2	6	8	14	19	21
65+	12	6.0	17	2	2	5	9	12	14	14
B. *Operated*										
0-19 YRS	239	5.9	11	1	2	5	7	10	13	16
20-34	2461	5.2	11	<1	1	5	6	8	10	16
35-49	897	6.6	15	1	3	6	8	10	12	22
50-64	113	9.5	48	4	4	7	10	19	24	39
65+	46	13.6	155	3	4	9	19	32	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	4.0	7	1	2	4	5	7	8	11
B. *Operated*	1241	4.6	9	<1	<1	5	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	1250	4.7	8	1	2	4	6	8	10	15
B. *Operated*	3756	5.8	16	1	1	5	7	9	12	21
1. SINGLE DX	3064	4.3	8	1	1	4	5	7	9	13
2. MULTIPLE DX	5006	5.5	14	1	2	5	7	9	11	19
A. NOT OPERATED	3073	4.3	7	1	2	4	5	7	9	13
B. OPERATED	4997	5.5	15	<1	1	5	7	9	11	19
TOTAL 0-19 YRS	1102	4.5	8	1	2	4	6	7	9	14
20-34	5294	4.7	9	1	1	5	6	8	10	15
35-49	1424	6.0	13	1	2	6	7	10	12	19
50-64	179	8.1	38	2	3	6	9	17	21	34
65+	71	11.1	121	2	3	8	13	25	45	90
GRAND TOTAL	**8070**	**5.1**	**12**	**1**	**1**	**5**	**6**	**8**	**10**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
20-34	39	2.7	3	<1	1	2	4	5	7	7
35-49	7	1.7	1	<1	<1	2	2	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	37	2.4	3	<1	<1	2	3	5	7	7
20-34	741	3.7	5	<1	<1	4	6	6	7	9
35-49	410	5.0	4	1	2	5	6	7	7	10
50-64	28	5.6	5	<1	1	6	7	8	9	10
65+	5	4.0	8	1	1	5	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	35	3.4	6	<1	<1	3	5	7	8	10
35-49	19	3.5	8	<1	<1	3	5	7	10	12
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	34	4.0	8	<1	<1	4	6	9	10	10
20-34	2317	5.1	5	1	1	5	6	7	8	12
35-49	2404	6.0	5	3	4	6	7	8	9	13
50-64	302	6.4	7	4	4	6	7	8	9	18
65+	52	8.4	33	4	5	7	8	12	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.6	3	<1	1	2	4	5	7	7
B. *Operated*	1221	4.2	5	<1	<1	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	64	3.2	6	<1	<1	2	5	6	8	12
B. *Operated*	5109	5.6	6	1	3	6	7	8	9	13
1. SINGLE DX	1272	4.1	5	<1	<1	5	6	7	7	9
2. MULTIPLE DX	5173	5.6	6	1	2	6	7	8	9	13
A. NOT OPERATED	115	2.9	5	<1	1	2	4	6	7	11
B. OPERATED	6330	5.3	6	1	2	6	6	8	9	12
TOTAL 0-19 YRS	80	3.1	6	<1	<1	2	5	7	8	10
20-34	3132	4.7	6	<1	1	5	6	7	8	11
35-49	2840	5.8	5	2	4	6	7	8	9	13
50-64	334	6.2	7	3	4	6	7	8	9	17
65+	59	7.8	33	1	3	7	8	12	21	36
GRAND TOTAL	**6445**	**5.3**	**6**	**1**	**1**	**5**	**6**	**8**	**9**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7		4	4	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.0		1	1	1	1	1	1	1
20-34	57	2.3	3	<1	<1	1	3	6	6	6
35-49	51	2.9	8	<1	<1	2	4	6	7	16
50-64	22	1.5	1	<1	<1	1	2	3	4	4
65+	6	1.5		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.4	7	1	1	2	5	8	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	6.0	44	1	1	3	7	17	20	20
20-34	311	4.8	7	<1	1	5	6	8	9	12
35-49	310	4.9	6	<1	1	5	6	7	8	11
50-64	104	4.5	12	<1	<1	5	6	8	11	16
65+	28	5.7	28	1	1	6	7	9	16	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.7		4	4	5	5	5	5	5
B. *Operated*	141	2.3	5	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	9	3.2	6	1	1	2	5	7	8	8
B. *Operated*	760	4.8	8	<1	1	5	6	8	9	15
1. SINGLE DX	144	2.4	5	<1	<1	1	3	5	6	9
2. MULTIPLE DX	769	4.8	8	<1	1	5	6	8	9	15
A. NOT OPERATED	12	3.6	5	1	1	4	5	7	8	8
B. OPERATED	901	4.5	9	<1	<1	5	6	7	9	15
TOTAL 0-19 YRS	13	3.7	29	1	1	1	4	10	18	20
20-34	378	4.4	7	<1	1	5	6	7	9	11
35-49	362	4.6	7	<1	1	5	6	7	8	11
50-64	126	4.0	11	<1	<1	3	6	8	9	15
65+	34	4.9	25	1	1	3	7	9	14	26
GRAND TOTAL	**913**	**4.4**	**8**	**<1**	**<1**	**5**	**6**	**7**	**9**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	2	1	1	2	3	5	6	6
20-34	91	3.1	3	1	1	3	4	5	6	10
35-49	22	3.0	8	<1	<1	2	4	7	9	12
50-64	3	4.0	1	3	3	4	5	5	5	5
65+	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	43	1.5	1	<1	<1	1	2	3	4	4
20-34	294	1.7	2	<1	<1	1	2	3	4	6
35-49	143	1.5	1	<1	<1	1	2	3	3	5
50-64	51	1.5	1	<1	<1	1	2	2	3	6
65+	22	2.5	8	<1	<1	2	2	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	4.0	4	1	2	4	5	7	8	11
20-34	120	4.7	8	2	2	4	6	9	10	14
35-49	30	5.3	15	1	2	4	6	10	15	16
50-64	11	4.4	10	2	2	4	5	9	13	13
65+	19	7.7	23	2	3	7	11	15	17	18
B. *Operated*										
0-19 YRS	35	3.4	7	<1	<1	2	6	8	8	9
20-34	265	4.0	8	<1	1	4	6	8	8	14
35-49	132	4.7	24	<1	<1	3	6	9	12	23
50-64	63	6.7	201	<1	1	2	6	17	24	92
65+	32	6.9	80	1	1	3	9	16	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.0	3	1	1	3	4	5	6	10
B. *Operated*	553	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	228	4.9	10	2	2	4	6	10	11	16
B. *Operated*	527	4.6	40	<1	1	3	6	8	11	25
1. SINGLE DX	698	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	755	4.7	31	<1	1	4	6	8	11	21
A. NOT OPERATED	373	4.2	8	1	2	3	5	8	10	15
B. OPERATED	1080	3.1	23	<1	<1	2	4	7	8	17
TOTAL 0-19 YRS	153	2.9	4	<1	1	2	4	6	8	10
20-34	770	3.1	6	<1	<1	2	4	6	8	12
35-49	327	3.2	14	<1	<1	2	4	7	10	16
50-64	128	4.3	105	<1	<1	2	4	7	17	59
65+	75	5.7	47	<1	1	3	8	13	17	40
GRAND TOTAL	**1453**	**3.4**	**19**	**<1**	**<1**	**2**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	56	<1	<1	<1	11	14	14	14
50-64	3	4.3		4	4	4	5	5	5	5
65+	6	2.0	1	1	1	2	2	4	4	4
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	261	5.2	4	2	3	5	6	8	9	10
35-49	425	5.7	3	3	4	6	7	8	9	11
50-64	577	5.9	4	3	4	6	7	8	9	11
65+	500	6.4	5	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.8	2	<1	<1	3	4	5	5	5
35-49	18	2.0	3	<1	<1	1	2	5	6	6
50-64	31	2.6	4	<1	1	2	4	6	7	8
65+	39	4.1	18	<1	<1	2	6	9	11	22
B. *Operated*										
0-19 YRS	3	6.7		6	6	7	7	7	7	7
20-34	921	5.9	5	3	4	6	7	8	9	14
35-49	1874	6.3	4	4	4	6	7	9	10	15
50-64	1498	6.9	13	4	4	6	8	9	12	16
65+	1299	7.5	10	4	5	7	9	11	13	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.4	13	<1	<1	2	4	8	13	14
B. *Operated*	1764	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	97	3.1	10	<1	<1	2	4	7	8	18
B. *Operated*	5595	6.7	9	4	4	6	8	9	11	16
1. SINGLE DX	1776	5.9	4	3	4	6	7	8	9	12
2. MULTIPLE DX	5692	6.6	9	4	4	6	8	9	11	16
A. NOT OPERATED	109	3.1	10	<1	<1	2	4	7	8	17
B. OPERATED	7359	6.5	8	3	4	6	7	9	10	15
TOTAL 0-19 YRS	4	6.5		6	6	6	7	7	7	7
20-34	1191	5.7	5	3	4	6	7	8	9	13
35-49	2320	6.2	4	3	4	6	7	8	10	14
50-64	2109	6.6	11	3	4	6	8	9	11	15
65+	1844	7.1	9	3	4	7	8	10	12	17
GRAND TOTAL	**7468**	**6.5**	**8**	**3**	**4**	**6**	**7**	**9**	**10**	**15**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	3	2.0	3	1	1	1	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	70	1.4	1	<1	<1	1	1	3	3	8
35-49	84	1.5	2	<1	<1	<1	1	3	5	7
50-64	17	1.4	1	<1	<1	1	2	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	2.3	1	<1	<1	2	3	4	4	4
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	4	3.5	3	2	2	3	5	5	5	5
20-34	87	3.3	8	<1	<1	2	6	7	8	13
35-49	135	3.7	9	<1	<1	3	5	7	8	13
50-64	21	3.3	10	<1	<1	1	6	8	9	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	1	1	1	2	4	4	4
B. *Operated*	173	1.5	1	<1	<1	<1	1	2	5	7
2. MULTIPLE DX										
A. *Not Operated*	12	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*	247	3.5	8	<1	<1	2	5	7	8	11
1. SINGLE DX	180	1.5	1	<1	<1	1	1	3	5	7
2. MULTIPLE DX	259	3.4	8	<1	<1	2	5	7	8	11
A. NOT OPERATED	19	1.7	1	<1	<1	1	2	3	4	4
B. OPERATED	420	2.7	7	<1	<1	1	5	6	7	11
TOTAL 0-19 YRS	10	2.1	3	<1	<1	2	2	5	5	5
20-34	167	2.4	6	<1	<1	1	3	6	7	10
35-49	223	2.8	7	<1	<1	1	5	6	7	11
50-64	39	2.4	6	<1	<1	1	3	7	8	11
65+										
GRAND TOTAL	**439**	**2.6**	**6**	**<1**	**<1**	**1**	**4**	**6**	**7**	**11**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	1.5	1	<1	<1	1	2	3	3	4
20-34	72	1.3		<1	<1	1	2	2	2	4
35-49	38	1.4	1	<1	<1	1	1	2	3	7
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	83	1.4	1	<1	<1	1	2	2	4	6
20-34	1196	1.9	3	<1	<1	1	2	5	6	7
35-49	1384	1.8	3	<1	<1	1	2	5	6	7
50-64	161	1.6	2	<1	<1	<1	1	4	5	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.3	2	<1	1	2	3	4	5	9
20-34	116	1.9	2	<1	<1	1	2	3	4	8
35-49	113	1.9	2	<1	<1	1	2	4	5	8
50-64	19	2.1	3	<1	<1	1	3	4	6	7
65+										
B. *Operated*										
0-19 YRS	112	2.1	2	<1	<1	2	2	4	5	7
20-34	2000	4.0	8	<1	<1	4	6	7	8	12
35-49	3289	4.4	9	<1	<1	5	6	7	8	13
50-64	401	3.9	8	<1	<1	4	6	7	8	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	1.4	1	<1	<1	1	2	2	3	4
B. *Operated*	2824	1.8	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	293	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*	5802	4.2	8	<1	<1	4	6	7	8	12
1. SINGLE DX	2970	1.8	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX	6095	4.0	8	<1	<1	4	6	7	8	12
A. NOT OPERATED	439	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	8626	3.4	8	<1	<1	2	5	7	8	11
TOTAL 0-19 YRS	275	1.9	2	<1	<1	1	2	4	5	7
20-34	3384	3.1	7	<1	<1	2	5	6	7	11
35-49	4824	3.6	8	<1	<1	3	6	7	8	11
50-64	582	3.2	7	<1	<1	2	5	7	8	11
65+										
GRAND TOTAL	**9065**	**3.3**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**11**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	5	2	2	2	5	6	6	6
50-64	6	1.8	3	<1	<1	1	2	5	5	5
65+	6	1.3	1	<1	<1	1	1	3	3	3
B. *Operated*										
0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	3	2.3	5	1	1	1	4	5	5	5
35-49	118	1.3	1	<1	<1	1	1	2	3	6
50-64	532	1.4	1	<1	<1	1	1	2	2	7
65+	207	1.7	2	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	16	3.2	6	<1	<1	3	4	6	9	10
50-64	29	2.4	9	<1	<1	1	3	4	6	17
65+	19	2.6	5	<1	<1	2	4	4	7	10
B. *Operated*										
0-19 YRS										
20-34	14	4.6	5	1	1	5	6	7	8	8
35-49	134	3.1	8	<1	<1	2	5	7	8	15
50-64	673	2.6	8	<1	<1	1	3	6	7	14
65+	329	2.9	10	<1	1	2	3	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.9	3	<1	<1	1	2	5	6	6
B. *Operated*	862	1.4	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX										
A. *Not Operated*	65	2.7	7	<1	<1	2	3	4	7	16
B. *Operated*	1150	2.8	8	<1	<1	2	3	6	8	14
1. SINGLE DX	877	1.4	1	<1	<1	1	2	2	3	7
2. MULTIPLE DX	1215	2.8	8	<1	<1	2	3	6	8	14
A. NOT OPERATED	80	2.5	6	<1	<1	2	3	5	6	15
B. OPERATED	2012	2.2	6	<1	<1	1	2	6	7	11
TOTAL 0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	18	4.1	5	1	1	5	5	7	8	8
35-49	271	2.3	5	<1	<1	1	2	6	7	10
50-64	1240	2.1	5	<1	<1	1	2	5	7	11
65+	561	2.4	7	<1	<1	2	2	6	8	13
GRAND TOTAL	**2092**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**6**	**7**	**12**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.4		<1	<1	1	2	2	3	3
20-34	64	2.2	4	<1	<1	1	3	5	7	9
35-49	18	2.3	2	<1	<1	2	4	4	5	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
0-19 YRS	113	2.3	3	<1	<1	2	3	5	6	7
20-34	1066	2.5	5	<1	<1	2	4	5	6	9
35-49	752	2.5	5	<1	<1	1	4	6	6	10
50-64	450	2.5	12	<1	<1	1	2	6	7	10
65+	162	2.6	10	<1	<1	1	2	6	7	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	8	1	1	2	3	9	9	9
20-34	87	2.7	7	<1	1	2	4	6	8	13
35-49	34	2.8	7	<1	<1	2	4	7	10	11
50-64	23	3.8	9	<1	<1	2	5	9	10	10
65+	27	5.1	32	1	1	3	6	12	15	28
B. *Operated*										
0-19 YRS	80	2.7	3	<1	<1	2	4	6	6	6
20-34	1378	4.0	9	<1	<1	4	6	7	8	14
35-49	1630	4.4	10	<1	<1	5	6	7	8	14
50-64	1033	4.6	25	<1	<1	5	6	8	10	20
65+	419	5.6	28	<1	1	4	8	12	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.1	3	<1	<1	1	3	4	6	8
B. *Operated*	2543	2.5	6	<1	<1	1	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	185	3.3	11	<1	1	2	4	7	10	14
B. *Operated*	4540	4.4	15	<1	<1	4	6	8	9	17
1. SINGLE DX	2654	2.5	6	<1	<1	1	3	6	6	10
2. MULTIPLE DX	4725	4.3	15	<1	<1	4	6	8	9	17
A. NOT OPERATED	296	2.8	9	<1	<1	2	3	6	9	13
B. OPERATED	7083	3.7	12	<1	<1	3	6	7	8	15
TOTAL 0-19 YRS	230	2.4	3	<1	<1	2	3	5	6	9
20-34	2595	3.3	7	<1	<1	2	5	6	7	11
35-49	2434	3.7	9	<1	<1	3	6	7	8	12
50-64	1509	4.0	22	<1	<1	2	6	7	9	17
65+	611	4.8	25	<1	1	2	7	10	15	27
GRAND TOTAL	**7379**	**3.7**	**12**	**<1**	**<1**	**2**	**6**	**7**	**8**	**15**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	1.6	1	<1	<1	1	2	3	3	4
20-34	181	1.9	2	<1	<1	1	2	4	5	8
35-49	46	2.4	4	1	1	2	3	4	5	13
50-64	6	2.8	8	<1	<1	2	4	8	8	8
65+	4	5.8	23	2	2	5	9	12	12	12
B. *Operated*										
0-19 YRS	86	1.9	2	<1	<1	1	2	4	5	8
20-34	851	2.7	6	<1	<1	2	4	6	7	10
35-49	460	5.1	7	<1	1	5	7	8	9	10
50-64	336	6.4	5	3	4	6	8	9	10	12
65+	162	7.4	9	4	5	7	9	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.0	1	<1	1	2	2	3	4	6
20-34	220	2.2	5	<1	<1	1	3	4	6	11
35-49	52	2.8	10	<1	<1	2	4	5	8	20
50-64	22	3.0	4	<1	1	3	4	6	7	8
65+	29	4.3	10	<1	1	3	5	10	10	13
B. *Operated*										
0-19 YRS	116	2.7	4	<1	<1	2	4	6	6	10
20-34	2365	4.3	6	<1	<1	5	6	7	8	11
35-49	1521	5.9	7	1	2	6	7	9	10	13
50-64	540	7.2	10	3	4	7	8	10	12	19
65+	312	8.5	26	4	5	8	10	13	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	339	1.9	2	<1	<1	1	2	4	5	8
B. *Operated*	1895	4.3	9	<1	<1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	392	2.4	5	<1	<1	2	3	5	6	12
B. *Operated*	4854	5.4	10	<1	1	5	7	9	10	16
1. SINGLE DX	2234	4.0	9	<1	<1	4	6	8	9	12
2. MULTIPLE DX	5246	5.1	10	<1	1	5	7	8	10	15
A. NOT OPERATED	731	2.2	4	<1	<1	2	3	4	5	11
B. OPERATED	6749	5.1	10	<1	1	5	7	8	10	14
TOTAL 0-19 YRS	373	2.1	3	<1	<1	1	3	4	5	7
20-34	3617	3.7	6	<1	<1	4	5	7	8	10
35-49	2079	5.6	8	1	1	6	7	8	9	13
50-64	904	6.8	8	2	4	6	8	10	11	18
65+	507	7.9	21	3	4	7	9	12	14	23
GRAND TOTAL	**7480**	**4.8**	**10**	**<1**	**1**	**5**	**6**	**8**	**9**	**14**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	26	3.0	18	<1	<1	2	3	6	10	22
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	115	4.1	1	2	3	4	5	6	6	8
20-34	1427	4.2	2	2	3	4	5	6	6	8
35-49	150	4.4	3	3	3	4	5	6	7	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	19	1	1	2	7	9	9	9
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	84	4.4	2	2	3	4	5	6	7	10
20-34	1382	4.7	8	3	3	4	5	6	7	10
35-49	161	5.1	4	3	3	5	6	7	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.1	15	<1	<1	2	4	5	7	22
B. *Operated*	1692	4.2	2	2	3	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	4	4.3	13	1	1	3	7	9	9	9
B. *Operated*	1627	4.7	8	3	3	4	5	6	7	11
1. SINGLE DX	1723	4.2	2	2	3	4	5	6	6	8
2. MULTIPLE DX	1631	4.7	8	3	3	4	5	6	7	11
A. NOT OPERATED	35	3.2	15	<1	<1	2	4	6	8	22
B. OPERATED	3319	4.5	5	3	3	4	5	6	7	10
TOTAL 0-19 YRS	202	4.2	2	2	3	4	5	6	6	8
20-34	2838	4.4	5	3	3	4	5	6	7	10
35-49	314	4.8	3	3	3	5	5	7	8	12
50-64										
65+										
GRAND TOTAL	**3354**	**4.4**	**5**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	1.2		<1	<1	1	1	2	2	4
20-34	59	1.4	1	<1	<1	1	1	3	4	6
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	953	1.3		<1	<1	1	1	2	2	3
20-34	1583	1.3	1	<1	<1	1	1	2	2	5
35-49	131	1.4	1	<1	<1	1	1	2	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	3	1	1	2	4	5	5	5
20-34	17	2.5	5	<1	1	2	3	3	8	11
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	163	1.5	1	<1	<1	1	2	2	4	7
20-34	802	1.8	3	<1	<1	1	2	4	5	9
35-49	237	1.7	2	<1	<1	1	2	3	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	2667	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	25	2.4	4	<1	1	2	3	4	6	11
B. *Operated*	1202	1.7	3	<1	<1	1	2	3	5	8
1. SINGLE DX	2787	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1227	1.7	3	<1	<1	1	2	3	5	8
A. NOT OPERATED	145	1.5	1	<1	<1	1	2	3	4	6
B. OPERATED	3869	1.4	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	1177	1.3		<1	<1	1	1	2	2	4
20-34	2461	1.4	1	<1	<1	1	1	2	3	7
35-49	376	1.6	2	<1	<1	1	2	3	5	7
50-64										
65+										
GRAND TOTAL	**4014**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	1.0		1	1	1	1	1	1	1
1. SINGLE DX	2	5.0	32	1	1	5	9	9	9	9
2. MULTIPLE DX	3	1.0		1	1	1	1	1	1	1
A. NOT OPERATED										
B. OPERATED	5	2.6	13	1	1	1	3	9	9	9
TOTAL 0-19 YRS	3	3.7	21	1	1	1	7	9	9	9
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**5**	**2.6**	**13**	**1**	**1**	**1**	**3**	**9**	**9**	**9**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	1.4	1	<1	<1	1	2	2	3	5
20-34	463	1.3	1	<1	<1	1	1	2	3	4
35-49	53	1.4	1	<1	<1	1	1	2	3	9
50-64										
65+										
B. *Operated*										
0-19 YRS	866	1.3		<1	<1	1	1	2	2	4
20-34	4845	1.2		<1	<1	1	1	2	2	4
35-49	670	1.2		<1	<1	1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	<1	1	2	2	3	4	5
20-34	117	1.8	4	<1	<1	1	2	3	4	11
35-49	15	1.8	1	1	1	1	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	129	1.7	2	<1	<1	1	2	3	4	7
20-34	915	1.9	3	<1	<1	1	2	4	5	9
35-49	175	1.9	4	<1	<1	1	2	4	5	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	654	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	6381	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	149	1.8	3	<1	1	1	2	3	4	7
B. *Operated*	1219	1.9	3	<1	<1	1	2	4	5	10
1. SINGLE DX	7035	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	1368	1.9	3	<1	<1	1	2	4	5	10
A. NOT OPERATED	803	1.4	1	<1	<1	1	2	2	3	6
B. OPERATED	7600	1.3	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	1150	1.3	1	<1	<1	1	1	2	3	5
20-34	6340	1.3	1	<1	<1	1	1	2	3	5
35-49	913	1.3	1	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**8403**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	2.4	2	<1	<1	2	3	4	5	6
20-34	199	2.0	2	<1	<1	2	3	4	4	6
35-49	22	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	121	1.7	2	<1	<1	1	2	3	4	7
20-34	1001	1.3	1	<1	<1	1	1	2	3	5
35-49	159	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.5	4	<1	1	2	4	5	7	8
20-34	63	2.5	2	<1	1	2	3	5	6	6
35-49	5	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.5	3	<1	1	2	3	6	6	8
20-34	324	2.3	5	<1	<1	1	3	5	6	11
35-49	68	1.9	2	<1	<1	2	2	3	4	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	1281	1.3	1	<1	<1	1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	94	2.4	3	<1	1	2	3	5	6	8
B. *Operated*	445	2.3	4	<1	<1	1	3	5	6	10
1. SINGLE DX	1546	1.4	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	539	2.3	4	<1	<1	2	3	5	6	10
A. NOT OPERATED	359	2.1	2	<1	<1	2	3	4	5	7
B. OPERATED	1726	1.6	2	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	244	2.1	2	<1	<1	1	3	4	6	8
20-34	1587	1.6	2	<1	<1	1	2	3	4	7
35-49	254	1.5	1	<1	<1	1	2	2	3	6
50-64										
65+										
GRAND TOTAL	**2085**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.6	1	<1	<1	1	2	3	3	7
20-34	412	1.8	1	<1	<1	1	2	3	4	6
35-49	25	1.6	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0			1	1	1	1	1	1
20-34	18	1.9	1	<1	1	2	3	4	5	5
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.1	3	<1	<1	3	4	6	6	6
20-34	83	2.7	6	<1	1	2	3	5	8	14
35-49	11	1.8	1	1	1	2	2	3	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	12	<1	<1	1	5	7	7	7
20-34	14	2.7	5	1	1	2	4	6	8	9
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	534	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	23	1.9	1	<1	<1	1	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	112	2.7	5	<1	1	2	3	5	7	13
B. *Operated*	19	2.7	5	<1	1	2	4	6	8	9
1. SINGLE DX	557	1.8	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	131	2.7	5	<1	1	2	3	5	7	13
A. NOT OPERATED	646	1.9	2	<1	1	1	2	3	5	7
B. OPERATED	42	2.2	3	<1	1	2	3	5	6	9
TOTAL 0-19 YRS	120	1.9	2	<1	<1	1	2	3	5	8
20-34	527	2.0	2	<1	1	1	2	4	5	8
35-49	41	1.7	1	<1	<1	2	2	3	3	4
50-64										
65+										
GRAND TOTAL	**688**	**1.9**	**2**	**<1**	**1**	**1**	**2**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	50	1.7	2	<1	<1	1	2	3	3	10
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	1.4		1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	23	1	1	1	5	12	12	12
20-34	13	4.5	53	<1	1	2	4	11	25	28
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.6	2	<1	<1	1	2	3	3	9
B. *Operated*	5	1.4		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	43	<1	1	2	3	10	22	28
B. *Operated*	2	1.0		1	1	1	1	1	1	1
1. SINGLE DX	67	1.6	2	<1	<1	1	2	3	3	9
2. MULTIPLE DX	20	3.9	39	<1	1	2	3	9	20	28
A. NOT OPERATED	80	2.2	12	<1	<1	1	2	3	6	23
B. OPERATED	7	1.3		1	1	1	2	2	2	2
TOTAL 0-19 YRS	14	2.3	9	<1	<1	1	3	4	10	12
20-34	70	2.1	12	<1	<1	1	2	3	5	24
35-49	3	1.7		1	1	2	2	2	2	2
50-64										
65+										
GRAND TOTAL	**87**	**2.1**	**11**	**<1**	**<1**	**1**	**2**	**3**	**5**	**22**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.8	5	<1	1	2	3	5	7	13
20-34	643	2.7	5	<1	1	2	3	5	7	12
35-49	63	3.0	5	1	1	2	3	5	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.4	2	1	1	4	5	5	5	5
20-34	64	3.9	13	<1	1	2	5	9	13	15
35-49	11	2.8	3	<1	<1	2	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	7	<1	<1	2	3	5	8	15
20-34	215	3.2	9	<1	1	2	4	6	8	16
35-49	30	3.5	10	<1	<1	3	5	7	7	16
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.1	6	<1	<1	2	6	6	7	7
20-34	60	3.3	10	<1	<1	3	4	8	9	18
35-49	9	2.8	5	<1	<1	2	4	6	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	2.8	5	<1	1	2	3	5	7	12
B. *Operated*	82	3.7	11	<1	1	2	5	7	12	15
2. MULTIPLE DX										
A. *Not Operated*	285	3.2	9	<1	1	2	4	6	8	16
B. *Operated*	82	3.2	9	<1	<1	2	4	7	9	16
1. SINGLE DX	902	2.8	6	<1	1	2	3	5	7	13
2. MULTIPLE DX	367	3.2	9	<1	<1	2	4	6	9	16
A. NOT OPERATED	1105	2.9	6	<1	1	2	3	5	7	13
B. OPERATED	164	3.5	10	<1	<1	2	5	7	10	15
TOTAL 0-19 YRS	174	2.8	5	<1	<1	2	4	5	7	14
20-34	982	2.9	7	<1	1	2	4	5	7	14
35-49	113	3.1	6	<1	1	2	4	6	7	14
50-64										
65+										
GRAND TOTAL	**1269**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**5**	**7**	**14**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	3.1	3	1	1	3	4	5	7	10
20-34	950	3.5	5	1	1	3	4	6	8	12
35-49	35	4.0	4	2	2	3	5	7	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	3	1	1	1	3	4	4	4
20-34	3	1.0		1	1	1	1	1	1	1
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.3	10	1	1	3	4	6	7	21
20-34	338	3.9	8	1	1	3	5	7	9	17
35-49	20	4.0	5	1	1	4	5	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	25	4.4	24	<1	<1	2	5	11	17	21
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1165	3.4	5	1	1	3	4	6	8	11
B. *Operated*	8	1.8	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	415	3.8	8	1	1	3	5	7	9	17
B. *Operated*	29	4.3	21	<1	<1	3	5	9	16	21
1. SINGLE DX	1173	3.4	5	1	1	3	4	6	8	11
2. MULTIPLE DX	444	3.8	9	1	1	3	5	7	9	17
A. NOT OPERATED	1580	3.5	6	1	1	3	4	6	8	13
B. OPERATED	37	3.8	18	<1	1	2	4	7	14	21
TOTAL 0-19 YRS	244	3.1	5	1	1	3	4	5	7	10
20-34	1316	3.6	6	1	1	3	4	6	8	14
35-49	57	3.9	4	1	2	3	5	7	8	10
50-64										
65+										
GRAND TOTAL	**1617**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	844	1.1		<1	<1	<1	1	1	2	3
20-34	3677	1.1		<1	<1	<1	1	1	2	4
35-49	198	1.1		<1	<1	<1	1	1	2	5
50-64										
65+										
B. *Operated*										
0-19 YRS	67	1.5	5	<1	<1	<1	1	2	3	16
20-34	266	1.3	1	<1	<1	<1	1	2	3	6
35-49	19	1.3	1	<1	<1	<1	1	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	1.5	1	<1	<1	1	1	3	4	6
20-34	365	1.7	5	<1	<1	1	1	3	5	12
35-49	28	1.3	1	<1	<1	1	1	1	2	7
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.5	3	<1	<1	2	4	5	6	6
20-34	71	1.9	6	<1	<1	1	2	4	5	16
35-49	5	2.8	6	<1	<1	1	5	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4719	1.1		<1	<1	<1	1	1	2	4
B. *Operated*	352	1.3	2	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	482	1.6	4	<1	<1	1	1	3	4	12
B. *Operated*	93	2.0	5	<1	<1	1	2	5	6	14
1. SINGLE DX	5071	1.1		<1	<1	<1	1	1	2	4
2. MULTIPLE DX	575	1.7	4	<1	<1	1	2	3	5	12
A. NOT OPERATED	5201	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	445	1.5	2	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	1017	1.2	1	<1	<1	<1	1	1	2	4
20-34	4379	1.2	1	<1	<1	<1	1	1	2	5
35-49	250	1.2	1	<1	<1	<1	1	1	2	6
50-64										
65+										
GRAND TOTAL	**5646**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.2	1	<1	1	2	3	4	5	5
20-34	376	3.2	14	<1	1	2	3	6	10	21
35-49	45	3.3	14	<1	1	2	4	5	10	21
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	34	2.9	4	<1	1	2	4	5	7	9
35-49	11	3.3	4	1	1	3	4	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.3	4	1	1	1	4	5	5	5
20-34	143	3.7	22	<1	1	2	4	7	12	24
35-49	9	2.7	1	1	1	3	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	25	3.6	19	<1	1	2	4	8	13	21
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	439	3.2	13	<1	1	2	3	6	9	21
B. *Operated*	47	2.9	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	159	3.5	20	<1	1	2	4	7	11	23
B. *Operated*	27	3.6	17	<1	1	2	4	8	12	21
1. SINGLE DX	486	3.2	12	<1	1	2	3	6	9	21
2. MULTIPLE DX	186	3.5	20	<1	1	2	4	7	11	22
A. NOT OPERATED	598	3.3	15	<1	1	2	4	6	10	21
B. OPERATED	74	3.2	9	1	1	2	4	6	8	18
TOTAL 0-19 YRS	27	2.2	2	<1	1	2	3	5	5	5
20-34	578	3.3	15	<1	1	2	4	7	10	22
35-49	67	3.2	11	1	1	2	4	5	7	20
50-64										
65+										
GRAND TOTAL	**672**	**3.3**	**14**	**<1**	**1**	**2**	**4**	**6**	**9**	**21**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	1.6	2	<1	<1	1	2	3	4	10
20-34	397	2.0	7	<1	<1	1	2	4	5	13
35-49	35	2.0	2	<1	<1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.5	1	<1	<1	1	2	3	3	3
20-34	44	2.2	17	<1	<1	1	2	3	5	28
35-49	4	1.5		<1	<1	1	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	2.1	3	<1	<1	2	2	4	7	8
20-34	101	3.2	26	<1	1	2	3	5	8	34
35-49	9	1.9	1	<1	<1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	8	3.8	15	<1	<1	2	5	10	12	12
20-34	33	3.0	6	<1	<1	2	4	6	7	13
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	500	1.9	6	<1	<1	1	2	3	5	12
B. *Operated*	54	2.1	14	<1	<1	1	2	3	5	27
2. MULTIPLE DX										
A. *Not Operated*	127	3.0	21	<1	<1	2	3	5	8	34
B. *Operated*	44	3.0	7	<1	<1	2	4	6	9	13
1. SINGLE DX	554	1.9	6	<1	<1	1	2	3	5	13
2. MULTIPLE DX	171	3.0	18	<1	<1	2	3	5	8	31
A. NOT OPERATED	627	2.1	9	<1	<1	1	2	4	5	13
B. OPERATED	98	2.5	11	<1	<1	2	3	5	7	21
TOTAL 0-19 YRS	99	1.9	3	<1	<1	1	2	3	5	12
20-34	575	2.3	11	<1	<1	1	2	4	6	15
35-49	51	1.9	1	<1	<1	2	2	4	4	6
50-64										
65+										
GRAND TOTAL	**725**	**2.2**	**9**	**<1**	**<1**	**1**	**2**	**4**	**6**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	161	2.8	3	<1	1	3	4	5	5	9
20-34	394	2.7	2	<1	1	3	4	4	5	7
35-49	13	2.5	4	<1	<1	2	3	6	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.2	5	1	1	1	3	6	6	6
20-34	23	3.2	9	<1	1	2	4	6	10	14
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	3.6	3	1	1	3	5	6	7	9
20-34	427	3.5	5	<1	1	3	4	6	7	12
35-49	12	3.3	5	1	1	3	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.3	5	<1	1	3	4	7	8	8
20-34	32	4.1	7	1	1	4	5	8	9	13
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	2.7	2	<1	1	3	4	5	5	8
B. *Operated*	30	3.0	8	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	636	3.5	4	<1	1	3	5	6	7	11
B. *Operated*	49	3.7	6	1	1	3	5	7	9	13
1. SINGLE DX	598	2.7	3	<1	1	2	4	5	5	8
2. MULTIPLE DX	685	3.5	5	1	1	3	5	6	7	11
A. NOT OPERATED	1204	3.1	4	<1	1	3	4	5	6	9
B. OPERATED	79	3.4	7	1	1	3	4	7	9	14
TOTAL 0-19 YRS	377	3.2	3	<1	1	3	4	5	6	9
20-34	876	3.1	4	<1	1	3	4	5	6	11
35-49	30	2.7	4	<1	<1	2	4	6	7	8
50-64										
65+										
GRAND TOTAL	**1283**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	3.5	7	<1	1	2	5	8	9	10
20-34	243	3.8	9	1	1	3	5	7	10	16
35-49	42	3.8	6	1	1	3	5	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3	4.0	12	2	2	2	7	8	8	8
20-34	21	4.2	27	<1	<1	3	4	12	18	19
35-49	5	2.6	4	<1	<1	2	3	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	106	2.9	7	<1	<1	2	4	6	8	15
20-34	638	3.6	13	<1	1	3	4	7	9	15
35-49	68	4.9	45	<1	1	3	7	9	10	46
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.9	7	1	1	4	5	7	9	10
20-34	90	4.9	26	<1	1	3	6	9	17	28
35-49	7	4.7	9	1	1	5	6	9	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	3.8	8	1	1	3	5	7	9	15
B. *Operated*	29	3.9	21	<1	<1	2	4	8	18	19
2. MULTIPLE DX										
A. *Not Operated*	812	3.7	15	<1	1	3	4	7	9	16
B. *Operated*	112	4.8	22	<1	1	3	6	9	12	27
1. SINGLE DX	353	3.8	9	1	1	3	5	8	9	18
2. MULTIPLE DX	924	3.8	16	<1	1	3	5	8	9	19
A. NOT OPERATED	1136	3.7	13	<1	1	3	5	7	9	15
B. OPERATED	141	4.6	22	<1	1	3	6	9	14	25
TOTAL 0-19 YRS	163	3.2	7	<1	1	2	4	7	9	13
20-34	992	3.8	13	<1	1	3	5	8	10	19
35-49	122	4.4	28	<1	1	3	6	8	10	23
50-64										
65+										
GRAND TOTAL	**1277**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**8**	**9**	**19**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	543	1.9	3	<1	<1	1	2	4	5	9
20-34	2460	1.9	5	<1	<1	1	2	4	5	11
35-49	153	2.3	15	<1	<1	1	2	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	172	2.7	10	<1	<1	1	3	6	9	19
20-34	1177	2.2	12	<1	<1	1	2	4	5	14
35-49	74	2.2	3	<1	<1	2	2	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	234	2.8	8	<1	<1	2	3	6	8	17
20-34	1078	2.8	13	<1	<1	2	3	6	8	15
35-49	71	3.4	35	<1	<1	2	4	6	8	40
50-64										
65+										
B. *Operated*										
0-19 YRS	112	3.3	13	<1	<1	2	4	7	10	19
20-34	574	2.9	12	<1	<1	2	3	6	8	19
35-49	57	2.8	5	<1	<1	2	4	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3156	1.9	5	<1	<1	1	2	4	5	11
B. *Operated*	1423	2.2	11	<1	<1	1	2	4	6	14
2. MULTIPLE DX										
A. *Not Operated*	1383	2.8	14	<1	<1	2	3	6	8	16
B. *Operated*	743	2.9	12	<1	<1	2	3	6	8	18
1. SINGLE DX	4579	2.0	7	<1	<1	1	2	4	5	12
2. MULTIPLE DX	2126	2.9	13	<1	<1	2	3	6	8	18
A. NOT OPERATED	4539	2.2	8	<1	<1	1	2	4	6	12
B. OPERATED	2166	2.5	12	<1	<1	1	3	5	7	16
TOTAL 0-19 YRS	1061	2.3	7	<1	<1	1	3	5	7	14
20-34	5289	2.3	9	<1	<1	1	3	4	6	13
35-49	355	2.5	15	<1	<1	1	3	5	7	12
50-64										
65+										
GRAND TOTAL	**6705**	**2.3**	**9**	**<1**	**<1**	**1**	**3**	**4**	**6**	**13**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.2	1	1	1	2	3	3	3	4
20-34	204	2.5	1	1	1	2	3	3	4	7
35-49	8	1.9	1	1	1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	22	3.0	6	<1	1	3	3	5	9	12
20-34	149	3.5	7	1	2	3	4	5	6	10
35-49	23	3.9	4	2	2	3	5	7	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	2.4	1	1	1	2	3	3	4	8
20-34	468	2.7	6	1	1	2	3	4	4	13
35-49	28	4.3	78	1	1	3	3	4	9	49
50-64										
65+										
B. *Operated*										
0-19 YRS	96	4.0	16	2	2	3	5	6	7	27
20-34	1032	4.9	38	2	2	4	5	7	12	38
35-49	108	5.3	21	2	2	4	6	12	17	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	263	2.4	1	1	1	2	3	3	4	6
B. *Operated*	194	3.5	6	1	2	3	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	582	2.7	9	1	1	2	3	4	4	13
B. *Operated*	1236	4.9	35	2	2	4	5	7	12	33
1. SINGLE DX	457	2.9	4	1	1	3	3	5	5	10
2. MULTIPLE DX	1818	4.2	27	1	2	3	4	6	9	28
A. NOT OPERATED	845	2.6	7	1	1	2	3	4	4	10
B. OPERATED	1430	4.7	31	2	2	4	5	7	11	31
TOTAL 0-19 YRS	255	3.0	8	1	2	2	3	5	6	15
20-34	1853	4.0	24	1	2	3	4	6	8	26
35-49	167	4.8	27	2	2	3	5	8	14	24
50-64										
65+										
GRAND TOTAL	**2275**	**3.9**	**23**	**1**	**2**	**3**	**4**	**6**	**8**	**24**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3577	2.0	1	1	1	2	2	3	3	4
20-34	26147	2.0	1	1	1	2	3	3	3	4
35-49	1419	2.2	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	1027	2.1	1	1	1	2	2	3	3	4
20-34	5644	2.2	1	1	1	2	3	3	4	4
35-49	343	2.3	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2617	2.1	1	1	1	2	3	3	3	5
20-34	16287	2.1	1	1	1	2	3	3	3	4
35-49	803	2.0	1	1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	559	2.4	2	1	1	2	3	3	4	6
20-34	6898	2.6	1	1	1	3	3	4	4	5
35-49	820	2.9	1	1	2	3	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31143	2.0	1	1	1	2	3	3	3	4
B. *Operated*	7014	2.2	1	1	1	2	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	19707	2.1	1	1	1	2	3	3	3	4
B. *Operated*	8277	2.6	1	1	1	3	3	4	4	5
1. SINGLE DX	38157	2.1	1	1	1	2	3	3	3	4
2. MULTIPLE DX	27984	2.2	1	1	1	2	3	3	4	5
A. NOT OPERATED	50850	2.0	1	1	1	2	3	3	3	4
B. OPERATED	15291	2.4	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	7780	2.1	1	1	1	2	3	3	3	4
20-34	54976	2.1	1	1	1	2	3	3	4	5
35-49	3385	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**66141**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	18	2.2	2	<1	1	2	4	4	5	5
35-49	2	6.5	41	2	2	6	11	11	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	6	5.5	16	<1	<1	5	6	12	13	13
20-34	122	7.1	62	2	3	5	6	13	21	48
35-49	21	5.8	13	2	3	5	7	9	13	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	7	<1	<1	2	3	7	9	9
20-34	46	3.6	13	1	1	3	3	6	12	19
35-49	4	2.5	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	19	7.2	60	2	3	5	8	15	27	35
20-34	464	7.8	85	2	3	5	6	14	30	53
35-49	107	9.5	139	3	4	5	7	23	36	64
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	6	<1	1	2	4	5	8	11
B. *Operated*	149	6.9	53	2	3	5	6	12	19	45
2. MULTIPLE DX										
A. *Not Operated*	58	3.4	11	1	1	3	3	6	10	19
B. *Operated*	590	8.1	94	3	3	5	7	17	32	54
1. SINGLE DX	169	6.4	49	1	2	5	6	11	18	43
2. MULTIPLE DX	648	7.7	89	2	3	5	6	15	30	53
A. NOT OPERATED	78	3.2	10	1	1	3	3	5	10	18
B. OPERATED	739	7.8	86	2	3	5	6	16	30	53
TOTAL 0-19 YRS	33	5.8	41	<1	1	4	6	11	17	35
20-34	650	7.2	75	2	3	5	6	14	25	50
35-49	134	8.7	116	2	3	5	7	19	33	58
50-64										
65+										
GRAND TOTAL	**817**	**7.4**	**81**	**2**	**3**	**5**	**6**	**14**	**27**	**51**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.7	1	<1	<1	1	2	3	3	3
20-34	106	2.1	1	1	1	2	3	3	4	6
35-49	10	2.2	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	21	3.0	5	1	1	2	4	5	7	10
20-34	111	3.6	3	1	1	3	5	6	7	9
35-49	13	3.8	4	1	1	4	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.3	2	1	1	2	3	4	5	7
20-34	190	2.4	2	1	1	2	3	4	4	10
35-49	18	2.6	2	<1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	86	3.9	4	1	2	4	5	6	8	11
20-34	597	4.1	8	1	2	4	5	7	8	15
35-49	70	4.5	5	2	2	4	5	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.0	1	<1	1	2	3	3	4	6
B. *Operated*	145	3.5	3	1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	237	2.4	2	1	1	2	3	4	4	9
B. *Operated*	753	4.1	7	1	2	4	5	7	8	13
1. SINGLE DX	280	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX	990	3.7	6	1	1	3	5	6	7	13
A. NOT OPERATED	372	2.3	2	1	1	2	3	4	4	7
B. OPERATED	898	4.0	6	1	2	4	5	6	8	13
TOTAL 0-19 YRS	155	3.2	4	1	1	3	4	5	7	10
20-34	1004	3.5	6	1	1	3	4	6	7	13
35-49	111	3.9	4	1	1	4	5	7	8	11
50-64										
65+										
GRAND TOTAL	**1270**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	23	1.9	1	<1	1	2	2	3	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	44	1.8	1	1	1	2	3	3	3	3
20-34	331	2.2	1	<1	1	2	3	3	4	6
35-49	22	2.1	1	<1	1	2	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	34	2.4	1	<1	1	2	3	4	4	4
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	68	2.6	3	1	1	2	3	4	5	12
20-34	533	2.7	3	1	1	2	3	4	5	9
35-49	38	3.1	2	1	2	3	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.0	1	1	1	2	2	3	4	4
B. *Operated*	397	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	38	2.3	1	<1	1	2	3	4	4	4
B. *Operated*	639	2.7	3	1	1	2	3	4	5	9
1. SINGLE DX	425	2.1	1	<1	1	2	3	3	4	5
2. MULTIPLE DX	677	2.7	3	1	1	2	3	4	5	9
A. NOT OPERATED	66	2.2	1	<1	1	2	3	4	4	4
B. OPERATED	1036	2.5	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	119	2.3	2	1	1	2	3	3	4	10
20-34	921	2.5	2	1	1	2	3	4	5	7
35-49	62	2.7	2	1	1	3	3	4	5	9
50-64										
65+										
GRAND TOTAL	**1102**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.4	1	1	1	2	3	3	4	6
20-34	181	2.2	1	1	1	2	3	3	3	5
35-49	8	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.1	1	<1	1	2	2	3	4	4
20-34	109	2.4	1	1	1	2	3	4	4	5
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.4	1	1	1	2	3	4	5	5
20-34	280	2.4	1	1	1	2	3	4	4	5
35-49	13	1.7	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	45	2.7	1	1	2	3	3	4	5	6
20-34	280	2.8	2	1	1	3	3	4	5	7
35-49	23	2.7	1	<1	1	3	3	4	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	2.2	1	1	1	2	3	3	3	5
B. *Operated*	128	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	334	2.4	1	1	1	2	3	3	4	5
B. *Operated*	348	2.8	1	1	1	3	3	4	5	7
1. SINGLE DX	343	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	682	2.6	1	1	1	2	3	4	4	6
A. NOT OPERATED	549	2.3	1	1	1	2	3	3	4	5
B. OPERATED	476	2.7	1	1	1	3	3	4	5	7
TOTAL 0-19 YRS	127	2.5	1	1	1	2	3	4	4	6
20-34	850	2.5	1	1	1	2	3	4	4	6
35-49	48	2.4	1	1	1	3	3	4	4	5
50-64										
65+										
GRAND TOTAL	**1025**	**2.5**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	1	2	2	2	3	4	4	4
20-34	78	2.7	1	1	2	2	3	4	5	6
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	3.0	1	1	1	3	4	5	5	5
20-34	53	3.4	3	1	1	3	5	5	6	9
35-49	3	6.0	7	3	3	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	2	1	1	2	3	5	6	6
20-34	137	3.5	14	1	1	3	4	5	8	25
35-49	14	2.8	2	1	1	3	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	52	3.9	3	2	2	4	5	6	7	9
20-34	710	4.7	9	2	2	4	5	7	9	18
35-49	66	4.5	4	2	2	4	6	7	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.7	1	1	2	2	3	4	5	6
B. *Operated*	65	3.5	3	1	1	3	5	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	163	3.4	12	1	1	3	4	5	7	24
B. *Operated*	828	4.6	8	2	2	4	5	7	8	18
1. SINGLE DX	152	3.0	2	1	1	3	4	5	6	8
2. MULTIPLE DX	991	4.4	9	2	2	4	5	7	8	18
A. NOT OPERATED	250	3.2	8	1	1	3	4	5	6	24
B. OPERATED	893	4.5	8	2	2	4	5	7	8	17
TOTAL 0-19 YRS	77	3.5	3	1	2	3	5	6	7	9
20-34	978	4.3	9	1	2	4	5	7	8	18
35-49	88	4.2	4	2	2	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	**1143**	**4.2**	**8**	**1**	**2**	**4**	**5**	**7**	**8**	**18**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	6	<1	<1	2	2	3	9	11
20-34	116	2.1	1	1	1	2	3	3	4	5
35-49	21	2.6	1	1	1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	130	4.1	1	2	3	4	5	5	6	8
20-34	1097	4.0	2	2	2	4	5	5	6	7
35-49	59	4.5	1	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9		1	1	2	2	3	3	3
20-34	133	2.2	1	1	1	2	3	3	4	7
35-49	10	2.5	3	1	1	2	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	295	4.6	3	2	3	4	5	7	7	10
20-34	2400	4.4	3	2	3	4	5	6	7	10
35-49	249	4.7	3	2	2	5	6	7	7	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	2.2	1	<1	1	2	3	3	4	5
B. *Operated*	1286	4.1	2	2	3	4	5	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	155	2.2	1	1	1	2	3	3	4	6
B. *Operated*	2944	4.5	3	2	3	4	5	6	7	10
1. SINGLE DX	1439	3.9	2	1	2	4	5	5	6	7
2. MULTIPLE DX	3099	4.4	3	2	2	4	5	6	7	10
A. NOT OPERATED	308	2.2	1	1	1	2	3	3	4	6
B. OPERATED	4230	4.3	3	2	3	4	5	6	7	10
TOTAL 0-19 YRS	453	4.3	3	2	2	4	5	6	7	10
20-34	3746	4.2	3	2	2	4	5	6	7	9
35-49	339	4.4	3	2	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	**4538**	**4.2**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.8	1	1	1	2	2	3	3	3
20-34	412	2.2	1	1	1	2	3	3	4	4
35-49	21	1.9	1	1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	150	2.8	2	1	2	3	4	4	5	7
20-34	1013	3.0	2	1	2	3	4	5	5	6
35-49	72	3.5	3	1	2	3	4	5	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	2.4	2	1	1	2	3	3	5	9
20-34	570	2.2	1	1	1	2	3	3	4	5
35-49	54	2.4	1	1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	473	3.4	3	1	2	3	4	5	6	10
20-34	3888	3.5	3	1	2	3	4	5	6	8
35-49	376	4.0	4	1	2	4	5	6	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	2.1	1	1	1	2	3	3	4	4
B. *Operated*	1235	3.0	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	693	2.2	1	1	1	2	3	3	4	5
B. *Operated*	4737	3.5	3	1	2	3	4	5	6	9
1. SINGLE DX	1708	2.8	2	1	1	3	3	4	5	6
2. MULTIPLE DX	5430	3.3	3	1	2	3	4	5	6	8
A. NOT OPERATED	1166	2.2	1	1	1	2	3	3	4	5
B. OPERATED	5972	3.4	3	1	2	3	4	5	6	8
TOTAL 0-19 YRS	732	3.1	3	1	1	3	4	5	6	9
20-34	5883	3.2	3	1	2	3	4	5	6	8
35-49	523	3.7	4	1	2	3	5	6	7	11
50-64										
65+										
GRAND TOTAL	**7138**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	19	2.1	1	<1	1	2	2	4	5	5
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	207	4.6	2	3	3	5	5	6	6	12
20-34	1348	4.6	1	3	3	5	5	6	6	8
35-49	56	4.6	1	3	4	5	5	6	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	1	2	2	3	3	4	4	4
20-34	46	3.0	1	1	2	3	4	5	5	6
35-49	8	2.9	1	1	1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	756	5.0	4	3	3	5	5	7	8	12
20-34	4541	4.9	2	3	3	5	5	6	7	10
35-49	332	5.2	3	3	4	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.1	1	<1	1	2	3	4	5	5
B. *Operated*	1611	4.6	1	3	3	5	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	59	3.0	1	1	2	3	4	4	5	6
B. *Operated*	5629	4.9	3	3	3	5	5	6	7	11
1. SINGLE DX	1635	4.5	1	3	3	5	5	6	6	8
2. MULTIPLE DX	5688	4.9	3	3	3	5	5	6	7	11
A. NOT OPERATED	83	2.7	1	1	1	3	3	4	5	6
B. OPERATED	7240	4.8	2	3	3	5	5	6	7	10
TOTAL 0-19 YRS	971	4.9	3	3	3	5	5	6	7	12
20-34	5954	4.8	2	3	3	5	5	6	7	10
35-49	398	5.0	3	3	3	5	6	6	7	11
50-64										
65+										
GRAND TOTAL	**7323**	**4.8**	**2**	**3**	**3**	**5**	**5**	**6**	**7**	**10**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	2.4	1	1	1	2	3	3	4	6
20-34	446	2.3	1	1	1	2	3	4	4	5
35-49	18	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	136	3.1	2	1	2	3	4	5	6	7
20-34	779	3.3	2	1	2	3	4	5	6	7
35-49	52	3.5	3	1	2	3	4	6	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	157	2.4	1	1	1	2	3	3	4	6
20-34	813	2.5	1	1	1	2	3	4	4	6
35-49	45	2.6	1	1	2	3	3	4	4	7
50-64										
65+										
B. *Operated*										
0-19 YRS	569	3.4	3	1	2	3	4	6	6	9
20-34	3363	3.6	5	1	2	3	4	5	6	9
35-49	255	3.8	2	2	2	4	5	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	541	2.3	1	1	1	2	3	4	4	5
B. *Operated*	967	3.3	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1015	2.5	1	1	1	2	3	4	4	6
B. *Operated*	4187	3.6	4	1	2	3	4	6	6	9
1. SINGLE DX	1508	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX	5202	3.4	4	1	2	3	4	5	6	9
A. NOT OPERATED	1556	2.4	1	1	1	2	3	4	4	6
B. OPERATED	5154	3.5	4	1	2	3	4	5	6	9
TOTAL 0-19 YRS	939	3.1	2	1	2	3	4	5	6	8
20-34	5401	3.3	4	1	2	3	4	5	6	8
35-49	370	3.5	3	2	2	3	4	6	6	9
50-64										
65+										
GRAND TOTAL	**6710**	**3.3**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	59	2.3	1	1	1	2	3	3	4	5
35-49	6	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	52	3.2	2	1	2	3	4	5	6	6
20-34	255	3.7	3	1	2	4	5	6	6	7
35-49	27	4.5	3	2	2	5	5	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.3	4	1	1	2	2	4	8	9
20-34	82	2.6	2	1	1	2	3	4	5	8
35-49	11	2.3	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	105	4.4	5	2	2	4	5	7	8	13
20-34	876	4.3	6	2	2	4	5	6	7	10
35-49	91	4.3	3	2	2	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	2.3	1	1	1	2	3	3	4	5
B. *Operated*	334	3.7	3	1	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	107	2.5	2	1	1	2	3	4	5	8
B. *Operated*	1072	4.3	5	2	2	4	5	6	7	10
1. SINGLE DX	404	3.5	3	1	2	3	5	5	6	7
2. MULTIPLE DX	1179	4.1	5	2	2	4	5	6	7	10
A. NOT OPERATED	177	2.4	1	1	1	2	3	3	4	8
B. OPERATED	1406	4.1	5	2	2	4	5	6	7	10
TOTAL 0-19 YRS	176	3.8	4	1	2	4	5	6	7	11
20-34	1272	4.0	5	1	2	4	5	6	7	9
35-49	135	4.1	3	2	2	4	5	6	7	9
50-64										
65+										
GRAND TOTAL	**1583**	**4.0**	**5**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	69	2.3	1	1	1	2	3	3	4	5
35-49	7	2.6	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	168	4.3	1	3	3	4	5	5	6	8
20-34	3361	4.5	2	3	3	5	5	6	6	7
35-49	224	4.8	3	3	3	5	6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	4	1	1	3	5	6	6	6
20-34	88	2.7	2	1	1	2	3	4	5	9
35-49	9	2.7	4	1	1	2	3	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	336	4.7	3	3	3	4	5	6	7	11
20-34	8472	4.8	3	3	3	5	5	6	7	9
35-49	902	5.2	12	3	4	5	6	7	7	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	2.4	1	1	1	2	3	4	4	5
B. *Operated*	3753	4.5	2	3	3	5	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*	101	2.7	2	1	1	2	3	5	6	8
B. *Operated*	9710	4.8	4	3	3	5	5	6	7	9
1. SINGLE DX	3833	4.5	2	3	3	4	5	6	6	7
2. MULTIPLE DX	9811	4.8	4	3	3	5	5	6	7	9
A. NOT OPERATED	181	2.5	2	1	1	2	3	4	5	8
B. OPERATED	13463	4.7	3	3	3	5	5	6	7	9
TOTAL 0-19 YRS	512	4.5	2	3	3	4	5	6	7	9
20-34	11990	4.7	3	3	3	5	5	6	7	9
35-49	1142	5.1	10	3	3	5	6	7	7	11
50-64										
65+										
GRAND TOTAL	**13644**	**4.7**	**3**	**3**	**3**	**5**	**5**	**6**	**7**	**9**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.7	7	1	1	2	3	3	4	18
20-34	727	2.4	1	1	1	2	3	3	4	6
35-49	42	2.4	1	<1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	105	3.1	13	1	2	3	3	5	5	23
20-34	529	2.6	2	1	1	2	3	4	5	6
35-49	39	3.0	1	1	2	3	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	3.0	7	1	2	3	3	4	5	14
20-34	1200	2.6	2	1	1	2	3	4	4	7
35-49	80	2.8	1	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	503	3.5	9	1	2	3	4	5	6	12
20-34	3352	3.6	6	1	2	3	4	6	7	13
35-49	323	3.9	5	1	2	3	5	6	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	858	2.4	2	1	1	2	3	3	4	6
B. *Operated*	673	2.7	3	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1478	2.7	3	1	1	2	3	4	5	8
B. *Operated*	4178	3.6	6	1	2	3	4	6	7	13
1. SINGLE DX	1531	2.5	2	1	1	2	3	4	5	6
2. MULTIPLE DX	5656	3.4	5	1	2	3	4	5	6	12
A. NOT OPERATED	2336	2.6	2	1	1	2	3	4	4	7
B. OPERATED	4851	3.5	6	1	2	3	4	5	7	12
TOTAL 0-19 YRS	895	3.3	9	1	2	3	4	5	6	13
20-34	5808	3.2	4	1	2	3	4	5	6	10
35-49	484	3.5	4	1	2	3	4	5	7	11
50-64										
65+										
GRAND TOTAL	**7187**	**3.2**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	236	2.0	1	1	1	2	2	3	3	4
20-34	2524	2.2	2	1	1	2	3	3	4	5
35-49	146	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	199	2.1		1	1	2	2	3	3	4
20-34	1116	2.2	1	1	1	2	3	3	4	5
35-49	68	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	358	2.2	1	1	1	2	3	3	4	5
20-34	2987	2.2	1	1	1	2	3	3	4	5
35-49	169	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	404	2.4	1	1	1	2	3	4	4	6
20-34	3422	2.7	1	1	1	3	3	4	5	6
35-49	273	3.1	2	1	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2906	2.2	2	1	1	2	3	3	4	5
B. *Operated*	1383	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	3514	2.2	1	1	1	2	3	3	4	5
B. *Operated*	4099	2.7	1	1	1	3	3	4	5	6
1. SINGLE DX	4289	2.2	2	1	1	2	3	3	4	5
2. MULTIPLE DX	7613	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	6420	2.2	1	1	1	2	3	3	4	5
B. OPERATED	5482	2.6	1	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1197	2.2	1	1	1	2	3	3	4	5
20-34	10049	2.4	1	1	1	2	3	3	4	5
35-49	656	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
GRAND TOTAL	**11902**	**2.4**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.2	1	<1	1	2	3	3	3	4
20-34	568	1.9	1	<1	1	2	2	3	3	4
35-49	36	2.1	1	1	1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	621	2.0	1	1	1	2	2	3	3	4
20-34	5250	2.0	1	1	1	2	2	3	3	4
35-49	403	2.0	1	<1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	1	1	1	2	3	3	4	5
20-34	631	2.1	2	1	1	2	3	3	4	5
35-49	42	2.4	1	<1	1	2	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	839	2.2	2	1	1	2	3	3	4	6
20-34	7488	2.3	2	1	1	2	3	3	4	5
35-49	688	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	1.9	1	<1	1	2	2	3	3	4
B. *Operated*	6274	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	739	2.1	2	1	1	2	3	3	4	5
B. *Operated*	9015	2.3	2	1	1	2	3	3	4	5
1. SINGLE DX	6927	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	9754	2.3	2	1	1	2	3	3	4	5
A. NOT OPERATED	1392	2.0	1	<1	1	2	3	3	4	5
B. OPERATED	15289	2.2	2	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1575	2.1	1	1	1	2	3	3	4	5
20-34	13937	2.1	2	1	1	2	3	3	4	5
35-49	1169	2.3	1	1	1	2	3	4	4	5
50-64										
65+										
GRAND TOTAL	**16681**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.1	1	1	1	2	3	3	3	3
20-34	188	2.3	1	1	1	2	3	3	4	4
35-49	10	2.2	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	607	2.2	2	1	1	2	3	3	4	5
20-34	2470	2.3	1	1	1	2	3	3	4	5
35-49	80	2.4	1	1	1	2	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	1	1	2	2	3	4	5	7
20-34	229	2.4	1	1	1	2	3	3	4	7
35-49	7	2.4	1	<1	<1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1018	2.4	2	1	1	2	3	3	4	6
20-34	3915	2.5	1	1	1	2	3	4	4	6
35-49	180	3.0	3	1	1	3	4	4	5	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	2.3	1	1	1	2	3	3	4	4
B. *Operated*	3157	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	287	2.4	1	1	1	2	3	3	4	7
B. *Operated*	5113	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	3397	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	5400	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	527	2.4	1	1	1	2	3	3	4	6
B. OPERATED	8270	2.4	1	1	1	2	3	4	4	5
TOTAL 0-19 YRS	1718	2.3	2	1	1	2	3	3	4	6
20-34	6802	2.4	1	1	1	2	3	4	4	5
35-49	277	2.8	3	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**8797**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**5**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.4	1	1	1	2	3	3	4	5
20-34	152	2.1	1	1	1	2	3	3	3	5
35-49	9	2.3	2	<1	<1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	166	2.3	2	1	1	2	3	3	4	10
20-34	784	2.2	1	1	1	2	3	3	4	5
35-49	38	2.2	1	1	1	2	3	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	2	1	1	2	3	3	4	11
20-34	227	2.2	1	1	1	2	3	3	4	5
35-49	6	1.8		1	1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	338	2.5	9	1	1	2	3	3	4	8
20-34	1719	2.5	2	1	1	2	3	4	4	6
35-49	91	3.1	2	1	2	3	3	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	189	2.2	1	1	1	2	3	3	4	5
B. *Operated*	988	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	275	2.3	1	1	1	2	3	3	4	5
B. *Operated*	2148	2.5	3	1	1	2	3	4	4	7
1. SINGLE DX	1177	2.2	1	1	1	2	3	3	4	5
2. MULTIPLE DX	2423	2.5	3	1	1	2	3	4	4	7
A. NOT OPERATED	464	2.2	1	1	1	2	3	3	4	5
B. OPERATED	3136	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	574	2.4	6	1	1	2	3	3	4	9
20-34	2882	2.4	1	1	1	2	3	4	4	6
35-49	144	2.8	2	1	1	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**3600**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	528	2.2	1	1	1	2	3	3	4	5
20-34	3113	2.3	2	1	1	2	3	3	4	7
35-49	215	2.5	2	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	1191	2.5	2	1	1	2	3	4	5	8
20-34	6891	2.7	2	1	1	3	3	4	5	7
35-49	449	3.2	4	1	1	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	989	2.4	2	1	1	2	3	4	4	7
20-34	5579	2.4	2	1	1	2	3	4	4	7
35-49	414	2.7	3	1	1	2	3	4	5	9
50-64										
65+										
B. *Operated*										
0-19 YRS	3126	3.4	7	1	2	3	4	6	7	12
20-34	17536	3.5	7	1	2	3	4	6	7	13
35-49	1688	4.1	12	1	2	3	5	6	8	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3856	2.3	2	1	1	2	3	3	4	7
B. *Operated*	8531	2.7	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	6982	2.4	2	1	1	2	3	4	4	7
B. *Operated*	22350	3.5	8	1	2	3	4	6	7	13
1. SINGLE DX	12387	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	29332	3.3	7	1	1	3	4	5	7	12
A. NOT OPERATED	10838	2.4	2	1	1	2	3	4	4	7
B. OPERATED	30881	3.3	6	1	2	3	4	5	7	12
TOTAL 0-19 YRS	5834	3.0	5	1	1	3	3	5	6	11
20-34	33119	3.0	5	1	1	3	4	5	6	11
35-49	2766	3.6	9	1	2	3	4	6	7	14
50-64										
65+										
GRAND TOTAL	**41719**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.5	3	1	2	3	4	6	7	10
20-34	156	3.4	3	1	2	3	4	5	7	8
35-49	15	3.1	1	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	3.5	1	3	3	3	4	5	5	5
20-34	18	4.4	8	1	1	4	6	9	10	10
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.8	2	2	3	3	4	6	7	8
20-34	63	3.7	4	1	1	3	5	6	7	9
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	24	7.7	42	2	2	5	10	18	22	26
35-49	4	3.3	1	2	2	3	4	4	4	4
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	3.4	3	1	2	3	4	5	7	9
B. *Operated*	22	4.3	7	1	2	4	6	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	84	3.7	3	1	2	3	5	6	7	9
B. *Operated*	30	7.0	36	2	2	5	9	17	20	26
1. SINGLE DX	239	3.5	3	1	2	3	4	6	7	10
2. MULTIPLE DX	114	4.5	14	1	2	4	5	8	10	22
A. NOT OPERATED	301	3.5	3	1	2	3	4	6	7	9
B. OPERATED	52	5.8	25	2	2	4	7	11	18	26
TOTAL 0-19 YRS	69	3.6	3	1	2	3	4	6	7	10
20-34	261	3.9	8	1	2	3	5	7	8	18
35-49	23	3.1	1	1	2	3	4	4	5	5
50-64										
65+										
GRAND TOTAL	**353**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8		1	1	2	2	3	3	3
20-34	62	1.5	1	<1	<1	1	2	2	3	6
35-49	4	1.8	1	<1	<1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	33	1.5		<1	<1	1	2	2	3	3
20-34	242	1.8	36	<1	<1	1	2	2	3	7
35-49	13	1.8	1	<1	<1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	3	3	3	3
20-34	27	2.1	3	<1	1	2	3	4	5	8
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	18	2.0	2	1	1	2	2	4	6	6
20-34	165	2.4	4	<1	1	2	3	5	6	10
35-49	12	2.8	5	<1	1	2	3	7	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	1.5	1	<1	<1	1	2	2	3	6
B. *Operated*	288	1.7	30	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	34	2.1	2	1	1	2	3	4	5	8
B. *Operated*	195	2.4	4	<1	1	2	3	5	6	10
1. SINGLE DX	363	1.7	24	<1	<1	1	2	2	3	6
2. MULTIPLE DX	229	2.4	3	<1	1	2	3	5	6	9
A. NOT OPERATED	109	1.7	1	<1	<1	1	2	3	4	7
B. OPERATED	483	2.0	19	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	65	1.7	1	<1	1	1	2	3	3	6
20-34	496	2.0	19	<1	<1	1	2	3	5	9
35-49	31	2.1	3	<1	<1	2	3	4	6	8
50-64										
65+										
GRAND TOTAL	**592**	**2.0**	**16**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	4.0	7	1	1	4	5	7	9	12
20-34	101	3.6	6	1	1	3	5	7	9	12
35-49	9	5.9	13	2	2	4	9	11	12	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	2.2	3	<1	1	2	3	4	6	8
20-34	134	2.9	7	<1	1	2	3	7	8	13
35-49	11	3.5	11	<1	<1	2	5	8	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.5	14	1	2	3	5	10	14	15
20-34	91	5.0	16	1	1	4	7	11	12	21
35-49	10	3.6	4	<1	1	3	5	7	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	13	4.8	16	2	2	3	5	10	15	16
20-34	127	3.8	20	<1	1	2	4	8	12	20
35-49	11	3.5	6	<1	1	2	5	7	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.8	7	1	1	3	5	7	10	12
B. *Operated*	172	2.8	7	<1	1	2	3	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	115	4.8	15	1	1	4	6	11	12	19
B. *Operated*	151	3.8	19	<1	1	2	4	8	12	28
1. SINGLE DX	306	3.3	7	<1	1	2	4	7	9	12
2. MULTIPLE DX	266	4.3	17	1	1	3	5	9	12	23
A. NOT OPERATED	249	4.3	11	1	1	3	5	9	11	15
B. OPERATED	323	3.3	13	<1	1	2	4	7	9	19
TOTAL 0-19 YRS	78	3.6	9	1	1	3	4	7	10	16
20-34	453	3.7	13	1	1	3	5	8	10	19
35-49	41	4.0	9	<1	1	3	5	9	10	12
50-64										
65+										
GRAND TOTAL	**572**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.6	4	1	1	3	5	6	7	10
20-34	367	3.9	5	1	2	3	5	7	8	14
35-49	241	4.4	8	1	2	4	5	7	9	16
50-64	200	4.7	6	2	2	4	6	8	10	14
65+	201	6.1	14	2	2	6	8	11	13	19
B. *Operated*										
0-19 YRS	183	4.2	14	<1	1	3	6	9	10	19
20-34	213	5.6	17	1	1	5	8	11	13	26
35-49	129	5.3	36	<1	1	4	7	11	15	32
50-64	97	5.3	16	1	1	5	7	11	14	20
65+	83	8.9	102	1	2	6	10	18	24	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	4.2	6	2	2	4	5	7	9	14
20-34	591	4.8	12	2	2	4	6	9	11	19
35-49	535	6.0	14	2	2	5	8	11	13	18
50-64	704	7.4	36	2	3	6	9	14	18	33
65+	1034	8.4	42	2	3	7	10	15	20	32
B. *Operated*										
0-19 YRS	186	6.4	55	1	1	4	7	11	17	46
20-34	292	7.8	54	1	2	6	9	15	19	35
35-49	289	10.9	102	2	3	8	13	23	29	59
50-64	338	12.6	151	2	3	8	16	28	37	70
65+	401	15.2	174	3	4	11	20	32	44	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1398	4.3	8	1	2	4	5	7	9	16
B. *Operated*	705	5.5	31	<1	1	3	7	11	14	29
2. MULTIPLE DX										
A. *Not Operated*	3303	6.6	29	2	2	5	8	12	16	28
B. *Operated*	1506	11.3	127	2	3	8	14	24	33	62
1. SINGLE DX	2103	4.7	16	1	2	4	6	8	11	19
2. MULTIPLE DX	4809	8.1	64	2	2	6	9	16	22	44
A. NOT OPERATED	4701	5.9	23	2	2	5	7	11	14	24
B. OPERATED	2211	9.5	103	1	2	6	11	21	29	56
TOTAL 0-19 YRS	1197	4.4	15	1	1	4	5	8	10	17
20-34	1463	5.3	21	1	2	4	6	10	13	24
35-49	1194	6.8	42	2	2	5	8	13	18	33
50-64	1339	8.2	67	2	2	6	9	16	23	43
65+	1719	9.7	82	2	3	7	11	19	27	54
GRAND TOTAL	**6912**	**7.1**	**52**	**2**	**2**	**5**	**8**	**14**	**19**	**39**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.7	4	1	2	3	5	7	8	10
20-34	88	3.9	5	1	1	4	5	7	8	10
35-49	54	3.6	3	2	2	3	5	6	7	9
50-64	26	4.4	8	1	1	4	5	9	10	12
65+	20	5.1	17	<1	1	4	6	8	14	20
B. *Operated*										
0-19 YRS	91	3.2	10	<1	<1	2	4	7	9	17
20-34	109	4.4	16	<1	1	3	6	9	13	20
35-49	72	4.4	25	<1	1	3	5	9	12	28
50-64	41	4.5	26	<1	<1	3	6	10	14	27
65+	33	5.6	33	1	2	4	7	10	19	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	4.5	22	1	2	3	5	7	11	25
20-34	144	4.6	12	2	2	4	6	8	10	24
35-49	105	5.4	13	1	2	4	7	11	14	16
50-64	130	8.0	54	2	3	6	10	15	24	39
65+	192	8.0	42	2	3	6	10	16	20	35
B. *Operated*										
0-19 YRS	106	4.5	16	<1	1	3	7	9	13	19
20-34	127	8.2	81	1	1	6	9	17	30	69
35-49	111	8.0	62	1	2	5	10	15	21	48
50-64	82	9.6	92	1	2	7	12	19	25	56
65+	114	14.0	169	1	3	10	17	35	45	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	3.9	5	1	2	3	5	7	8	11
B. *Operated*	346	4.2	19	<1	<1	3	6	9	12	27
2. MULTIPLE DX										
A. *Not Operated*	743	6.2	32	2	2	5	7	12	16	30
B. *Operated*	540	8.9	94	1	1	6	11	19	30	54
1. SINGLE DX	657	4.1	13	<1	1	3	5	8	10	20
2. MULTIPLE DX	1283	7.3	60	1	2	5	9	15	22	45
A. NOT OPERATED	1054	5.5	25	1	2	4	7	10	14	27
B. OPERATED	886	7.1	70	<1	1	4	8	15	23	46
TOTAL 0-19 YRS	492	4.1	14	<1	1	3	5	8	10	17
20-34	468	5.4	33	1	1	4	7	10	13	35
35-49	342	5.8	32	1	1	4	7	12	15	28
50-64	279	7.6	60	1	2	5	10	16	24	40
65+	359	9.6	90	2	2	6	12	20	29	51
GRAND TOTAL	**1940**	**6.2**	**46**	**1**	**1**	**4**	**7**	**13**	**18**	**40**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	2	1	1	4	4	4	4	4
20-34	4	2.8	2	1	1	3	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	404	2.8	4	1	1	2	3	5	6	9
20-34	680	2.8	3	1	1	3	3	4	5	8
35-49	105	2.8	2	1	1	2	4	4	6	9
50-64	22	3.1	4	<1	1	3	4	6	7	8
65+	4	3.8	1	3	3	4	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	4	<1	<1	1	3	5	5	5
20-34	9	4.2	21	<1	<1	1	10	11	11	11
35-49	2	6.5	1	6	6	6	7	7	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	7.5	13	5	5	7	10	10	10	10
B. *Operated*										
0-19 YRS	48	3.9	8	1	2	3	5	7	8	19
20-34	127	3.6	7	1	2	3	4	5	9	16
35-49	34	5.8	65	1	1	3	6	11	25	42
50-64	15	4.9	22	<1	1	4	5	9	17	20
65+	5	4.6	18	2	2	3	6	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	2	1	1	3	4	4	4	4
B. *Operated*	1215	2.8	3	1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	15	<1	<1	2	7	10	11	11
B. *Operated*	229	4.1	17	1	2	3	4	7	10	22
1. SINGLE DX	1223	2.8	3	1	1	2	3	4	6	8
2. MULTIPLE DX	247	4.1	17	1	1	3	4	8	10	20
A. NOT OPERATED	26	3.8	11	<1	<1	3	5	10	10	11
B. OPERATED	1444	3.0	6	1	1	3	4	5	6	10
TOTAL 0-19 YRS	460	2.9	4	1	1	3	4	5	6	10
20-34	820	2.9	4	1	1	3	4	5	6	10
35-49	141	3.6	19	1	1	3	4	6	8	29
50-64	38	3.8	11	<1	1	3	4	7	9	20
65+	11	4.8	11	2	2	4	5	11	12	12
GRAND TOTAL	**1470**	**3.0**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	119	1.1		<1	<1	<1	1	2	2	3
20-34	122	1.5	1	<1	<1	1	2	2	3	7
35-49	81	1.7	10	<1	<1	1	2	2	3	21
50-64	62	1.6	2	<1	<1	<1	2	3	4	11
65+	25	2.0	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34										
35-49	4	2.8	12	<1	<1	<1	4	8	8	8
50-64	3	2.3	1	<1	<1	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	1.3		<1	<1	1	2	2	2	2
20-34	23	2.5	7	<1	<1	2	3	5	10	11
35-49	27	3.0	8	<1	<1	2	4	5	10	14
50-64	42	2.2	3	<1	<1	2	2	5	6	7
65+	24	4.1	25	<1	<1	2	5	10	17	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	9	<1	<1	1	4	7	7	7
B. *Operated*	409	1.5	3	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	10	2.1	5	<1	<1	1	3	6	8	8
B. *Operated*	123	2.8	9	<1	<1	2	3	5	9	17
1. SINGLE DX	413	1.5	3	<1	<1	1	2	2	3	7
2. MULTIPLE DX	133	2.7	9	<1	<1	2	3	5	9	16
A. NOT OPERATED	14	2.2	6	<1	<1	1	3	7	8	8
B. OPERATED	532	1.8	5	<1	<1	1	2	3	4	11
TOTAL 0-19 YRS	130	1.1		<1	<1	<1	1	2	2	3
20-34	147	1.6	2	<1	<1	1	2	3	4	10
35-49	113	2.1	10	<1	<1	1	2	4	5	20
50-64	107	1.9	3	<1	<1	1	2	4	5	9
65+	49	3.0	14	<1	<1	2	3	6	10	21
GRAND TOTAL	**546**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	3.6	9	<1	1	3	4	7	10	15
20-34	124	4.3	25	1	1	3	5	9	15	25
35-49	73	5.4	59	1	1	4	5	12	13	52
50-64	71	5.2	26	1	1	4	6	10	12	33
65+	98	7.1	40	2	2	6	8	14	18	36
B. *Operated*										
0-19 YRS	328	2.2	8	<1	<1	1	2	4	7	19
20-34	402	3.4	22	<1	<1	2	4	7	11	22
35-49	340	3.8	32	<1	<1	2	4	9	14	28
50-64	339	4.0	55	<1	<1	2	3	8	13	46
65+	263	6.1	52	<1	<1	3	8	18	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	207	3.8	9	1	1	3	5	8	9	16
20-34	221	5.5	56	<1	1	4	7	12	16	52
35-49	234	6.1	31	<1	1	4	8	12	19	26
50-64	325	8.4	77	1	2	6	11	17	25	55
65+	820	11.6	131	2	3	8	15	25	35	77
B. *Operated*										
0-19 YRS	184	5.7	88	<1	<1	2	4	21	27	43
20-34	479	11.3	254	<1	1	5	14	32	46	89
35-49	486	10.9	231	<1	1	5	15	29	43	81
50-64	593	10.3	191	<1	1	4	14	29	45	88
65+	885	19.0	392	1	2	12	27	50	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	4.9	30	1	1	3	6	10	14	30
B. *Operated*	1672	3.8	34	<1	<1	2	4	9	14	28
2. MULTIPLE DX										
A. *Not Operated*	1807	8.7	94	1	2	6	11	18	27	58
B. *Operated*	2627	13.2	289	<1	1	6	18	38	52	92
1. SINGLE DX	2179	4.1	33	<1	<1	2	4	9	14	29
2. MULTIPLE DX	4434	11.4	214	1	1	6	14	30	45	84
A. NOT OPERATED	2314	7.9	82	1	1	5	10	17	24	54
B. OPERATED	4299	9.6	211	<1	<1	3	11	27	43	81
TOTAL 0-19 YRS	860	3.5	27	<1	<1	2	4	7	11	28
20-34	1226	7.1	131	<1	1	3	7	16	29	65
35-49	1133	7.4	129	<1	<1	3	8	18	28	65
50-64	1328	7.9	126	<1	1	4	9	20	33	65
65+	2066	13.9	251	1	2	8	18	35	51	93
GRAND TOTAL	**6613**	**9.0**	**166**	**<1**	**1**	**4**	**10**	**23**	**37**	**77**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	5	3	3	5	6	9	9	9
20-34	31	4.7	8	1	1	4	6	9	10	13
35-49	26	6.7	34	2	2	5	8	15	18	27
50-64	17	5.0	10	1	2	4	7	9	12	13
65+	9	7.9	92	2	2	5	7	23	33	33
B. *Operated*										
0-19 YRS	8	15.1	204	<1	1	14	25	34	38	38
20-34	8	7.8	22	3	3	7	11	15	16	16
35-49	11	10.4	92	3	3	7	14	26	33	34
50-64	16	12.0	117	<1	1	10	18	30	33	34
65+	6	4.7	9	2	2	3	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.3	48	1	2	6	8	18	25	29
20-34	96	5.9	27	1	1	4	8	13	18	25
35-49	118	8.6	105	2	2	5	10	17	22	61
50-64	127	8.6	49	2	3	7	11	16	21	35
65+	82	9.2	55	2	3	7	11	17	25	39
B. *Operated*										
0-19 YRS	22	10.9	169	2	2	6	13	28	47	51
20-34	75	12.6	320	1	2	6	14	30	52	95
35-49	71	12.2	130	2	3	9	16	29	45	88
50-64	63	14.3	193	2	3	9	18	32	40	78
65+	64	16.6	230	2	3	13	21	36	58	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	5.7	23	1	2	4	7	10	15	30
B. *Operated*	49	10.6	100	1	2	8	14	27	34	38
2. MULTIPLE DX										
A. *Not Operated*	465	8.0	60	1	2	6	10	17	21	39
B. *Operated*	295	13.6	217	1	2	9	16	32	45	93
1. SINGLE DX	141	7.4	55	1	2	5	8	16	26	35
2. MULTIPLE DX	760	10.2	128	1	2	7	13	22	32	68
A. NOT OPERATED	557	7.6	55	1	2	5	9	15	20	38
B. OPERATED	344	13.2	201	1	2	8	16	31	45	88
TOTAL 0-19 YRS	81	8.8	93	2	2	6	9	23	28	49
20-34	210	8.2	139	1	1	5	9	17	23	73
35-49	226	9.6	106	2	2	6	11	20	32	58
50-64	223	10.2	99	2	2	8	12	21	30	49
65+	161	11.9	139	2	3	8	15	28	36	74
GRAND TOTAL	**901**	**9.7**	**118**	**1**	**2**	**6**	**12**	**21**	**31**	**59**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	4.2	8	1	1	4	6	8	10	13
20-34	28	6.0	28	1	1	4	9	12	18	24
35-49	56	6.6	19	2	3	5	9	13	16	21
50-64	112	6.3	21	1	2	5	9	12	16	23
65+	82	7.8	61	2	2	6	10	14	22	47
B. *Operated*										
0-19 YRS	13	6.1	48	<1	<1	4	7	18	23	24
20-34	51	8.3	59	1	2	5	10	19	28	34
35-49	135	7.5	48	1	2	5	10	15	24	34
50-64	279	9.2	74	2	2	6	13	20	26	42
65+	195	10.0	78	2	2	8	15	18	24	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	4.9	14	<1	1	4	7	9	12	18
20-34	42	6.5	35	1	2	5	9	12	15	35
35-49	85	7.2	37	1	2	6	9	12	20	33
50-64	290	7.3	44	1	2	5	10	14	19	30
65+	486	9.5	56	2	3	7	12	19	26	37
B. *Operated*										
0-19 YRS	6	9.3	57	1	1	9	15	19	20	20
20-34	54	12.3	333	2	2	6	14	25	37	95
35-49	107	8.5	76	1	2	5	11	21	26	41
50-64	347	11.6	140	2	3	8	15	26	36	56
65+	360	13.0	118	2	3	11	17	26	37	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	320	6.5	31	1	2	5	8	12	16	28
B. *Operated*	673	9.0	69	1	2	6	13	18	25	38
2. MULTIPLE DX										
A. *Not Operated*	930	8.3	50	2	2	6	10	17	22	34
B. *Operated*	874	11.8	136	2	2	8	15	25	36	56
1. SINGLE DX	993	8.1	58	1	2	6	11	17	23	35
2. MULTIPLE DX	1804	10.0	95	2	2	7	13	20	28	46
A. NOT OPERATED	1250	7.9	46	2	2	6	10	16	20	34
B. OPERATED	1547	10.6	109	2	2	7	14	22	30	50
TOTAL 0-19 YRS	88	5.0	19	<1	1	4	6	10	15	22
20-34	175	8.7	137	1	2	5	11	18	27	79
35-49	383	7.6	49	1	2	5	10	17	23	35
50-64	1028	9.2	86	2	2	6	12	19	27	46
65+	1123	10.6	83	2	3	8	14	20	28	45
GRAND TOTAL	**2797**	**9.4**	**82**	**2**	**2**	**7**	**12**	**19**	**27**	**43**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.0	7	3	3	6	8	9	9	9
20-34	4	5.8	57	1	1	2	10	17	17	17
35-49	16	5.1	8	1	2	5	7	9	10	11
50-64	48	4.1	9	<1	1	3	6	9	10	13
65+	114	5.7	23	1	2	5	7	11	14	25
B. *Operated*										
0-19 YRS	8	2.1	1	1	1	2	3	4	4	4
20-34	153	3.4	7	<1	1	2	4	7	9	11
35-49	369	5.0	20	<1	1	3	7	11	13	18
50-64	1224	8.1	32	1	2	8	12	15	18	26
65+	1843	12.2	35	2	4	12	15	19	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	13.0	333	1	1	4	26	34	34	34
20-34	9	5.8	27	<1	<1	5	8	14	17	17
35-49	36	5.9	26	<1	1	4	7	14	17	23
50-64	190	6.0	28	1	1	5	7	13	16	28
65+	811	7.0	32	1	2	5	9	15	18	30
B. *Operated*										
0-19 YRS	12	5.1	28	1	1	3	7	14	17	17
20-34	118	3.8	11	1	1	3	4	9	11	17
35-49	285	6.2	45	1	1	4	8	13	17	25
50-64	1089	9.2	47	1	2	8	13	17	22	30
65+	2295	14.5	79	2	4	13	18	24	30	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	5.3	18	1	1	4	7	9	13	18
B. *Operated*	3597	9.7	40	1	2	10	14	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	1049	6.8	31	1	2	5	9	14	17	30
B. *Operated*	3799	12.0	76	2	2	11	16	22	27	42
1. SINGLE DX	3783	9.4	39	1	2	9	13	17	20	28
2. MULTIPLE DX	4848	10.9	71	1	2	10	15	21	26	40
A. NOT OPERATED	1235	6.6	30	1	2	5	9	14	17	29
B. OPERATED	7396	10.9	59	1	2	10	15	20	24	36
TOTAL 0-19 YRS	27	5.2	48	1	1	3	5	12	20	34
20-34	284	3.6	10	<1	1	3	4	8	10	17
35-49	706	5.5	30	1	1	4	8	12	14	23
50-64	2551	8.3	39	1	2	8	12	16	19	28
65+	5063	12.3	62	2	3	12	16	21	26	39
GRAND TOTAL	**8631**	**10.2**	**57**	**1**	**2**	**10**	**14**	**19**	**23**	**35**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	7.7	33	1	2	7	10	16	20	25
20-34	35	4.3	7	1	1	4	6	8	10	11
35-49	35	5.2	17	1	1	4	7	13	15	17
50-64	44	5.9	29	1	1	4	7	15	19	22
65+	50	5.4	14	1	1	4	8	10	12	18
B. *Operated*										
0-19 YRS	65	9.7	69	1	2	8	14	23	28	31
20-34	161	4.4	16	1	1	3	5	10	13	20
35-49	174	5.7	27	1	1	4	8	14	16	22
50-64	178	6.0	26	1	1	4	9	13	16	23
65+	107	9.4	45	2	2	8	12	19	21	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	10.2	52	2	2	10	15	21	22	34
20-34	63	6.4	32	1	2	5	8	11	19	30
35-49	70	7.1	60	1	2	5	9	14	19	50
50-64	92	6.3	21	2	2	5	8	14	16	21
65+	235	9.5	83	2	2	7	12	20	29	51
B. *Operated*										
0-19 YRS	69	13.8	108	2	3	12	18	25	35	52
20-34	156	6.2	37	1	1	4	8	15	20	31
35-49	169	7.3	72	1	2	4	8	17	22	41
50-64	203	11.3	154	1	2	7	14	27	41	57
65+	172	16.4	198	2	3	14	23	35	48	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	6.0	24	1	2	4	8	13	17	21
B. *Operated*	685	6.4	34	1	1	4	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	505	8.2	62	2	2	6	10	16	23	45
B. *Operated*	769	10.8	133	1	2	6	15	25	34	58
1. SINGLE DX	928	6.3	32	1	1	4	9	14	17	26
2. MULTIPLE DX	1274	9.8	106	1	2	6	13	22	30	55
A. NOT OPERATED	748	7.5	50	1	2	5	10	15	21	34
B. OPERATED	1454	8.7	91	1	2	5	12	20	27	53
TOTAL 0-19 YRS	258	10.3	71	1	2	8	15	21	26	42
20-34	415	5.4	27	1	1	4	7	12	15	27
35-49	448	6.5	49	1	1	4	8	16	18	33
50-64	517	8.1	82	1	2	5	10	17	24	53
65+	564	11.2	118	2	2	8	14	24	33	59
GRAND TOTAL	**2202**	**8.3**	**77**	**1**	**2**	**5**	**11**	**18**	**25**	**48**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	26	2.5	4	<1	<1	2	4	5	7	10
35-49	8	2.1	1	1	1	2	3	4	4	4
50-64	10	2.6	3	<1	<1	2	4	5	6	6
65+	3	5.0	13	2	2	4	8	9	9	9
B. *Operated*										
0-19 YRS	928	2.3	2	<1	<1	2	3	4	5	8
20-34	2276	2.6	4	<1	<1	2	3	5	6	10
35-49	1124	2.4	3	<1	<1	2	3	5	6	8
50-64	551	2.8	5	<1	1	2	4	5	6	9
65+	169	3.3	9	1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.2		<1	<1	1	1	2	3	3
20-34	56	1.7	8	<1	<1	1	1	2	3	19
35-49	31	2.2	14	<1	<1	1	2	4	6	21
50-64	22	2.2	3	<1	<1	1	4	5	5	6
65+	15	3.9	10	1	1	4	6	9	10	11
B. *Operated*										
0-19 YRS	531	2.8	7	<1	1	2	4	5	6	10
20-34	1640	3.0	6	<1	1	2	4	6	7	12
35-49	1058	2.9	7	<1	1	2	3	6	7	13
50-64	987	3.1	7	1	1	2	4	6	8	15
65+	417	4.0	11	1	1	3	5	8	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.4	4	<1	<1	2	3	4	6	10
B. *Operated*	5048	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	142	2.1	8	<1	<1	1	2	4	6	19
B. *Operated*	4633	3.1	7	<1	1	2	4	6	8	14
1. SINGLE DX	5103	2.5	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	4775	3.0	7	<1	1	2	4	6	8	14
A. NOT OPERATED	197	2.2	7	<1	<1	1	2	4	6	16
B. OPERATED	9681	2.8	5	<1	1	2	4	5	7	12
TOTAL 0-19 YRS	1485	2.4	4	<1	<1	2	3	4	5	9
20-34	3998	2.7	5	<1	<1	2	4	5	7	11
35-49	2221	2.7	5	<1	<1	2	3	5	6	12
50-64	1570	3.0	6	<1	1	2	4	5	7	14
65+	604	3.8	11	1	1	3	5	7	9	17
GRAND TOTAL	**9878**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.8	5	<1	1	2	3	5	8	10
20-34	63	3.1	6	<1	1	3	4	6	8	12
35-49	51	4.3	18	1	1	3	5	9	12	26
50-64	49	3.9	9	<1	1	3	5	10	11	12
65+	53	5.3	16	1	1	4	7	10	12	20
B. *Operated*										
0-19 YRS	1140	3.0	5	<1	1	3	4	5	6	9
20-34	1942	3.2	7	<1	1	3	4	6	7	9
35-49	530	3.2	5	<1	1	3	4	6	7	10
50-64	261	4.0	14	<1	1	3	5	8	12	19
65+	147	6.4	76	1	1	3	7	14	21	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	63	3.6	9	<1	1	3	5	9	10	14
20-34	125	4.1	17	<1	<1	3	5	8	12	22
35-49	107	4.4	20	<1	<1	3	5	10	14	22
50-64	131	7.0	84	1	1	4	8	16	19	52
65+	282	7.1	42	1	2	5	9	13	17	34
B. *Operated*										
0-19 YRS	446	3.3	6	1	1	3	4	6	8	14
20-34	912	4.0	18	1	1	3	5	7	9	19
35-49	422	4.5	27	1	1	3	5	8	12	23
50-64	325	5.9	56	1	1	4	6	14	19	54
65+	244	10.2	121	1	2	6	14	21	27	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	336	3.6	10	<1	1	3	4	8	10	14
B. *Operated*	4020	3.3	10	<1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	708	5.8	41	<1	1	4	7	12	16	31
B. *Operated*	2349	4.9	37	1	1	3	5	10	15	29
1. SINGLE DX	4356	3.3	10	<1	1	3	4	6	7	14
2. MULTIPLE DX	3057	5.1	38	1	1	3	6	10	15	30
A. NOT OPERATED	1044	5.1	32	<1	1	3	6	11	14	26
B. OPERATED	6369	3.9	20	<1	1	3	4	7	9	21
TOTAL 0-19 YRS	1769	3.1	6	<1	1	3	4	5	7	10
20-34	3042	3.5	11	<1	1	3	4	6	8	14
35-49	1110	3.9	16	<1	1	3	5	7	10	19
50-64	766	5.3	45	<1	1	3	6	11	16	30
65+	726	7.8	76	1	2	5	10	16	23	50
GRAND TOTAL	**7413**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**7**	**11**	**22**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	5.6	4	4	4	5	7	9	9	9
35-49	9	4.3	7	1	1	5	5	8	10	10
50-64	5	10.0	46	4	4	10	13	21	21	21
65+	3	10.3	162	2	2	4	20	25	25	25
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	5.5	41	1	1	5	10	10	10	10
50-64	4	13.8	44	4	4	16	18	19	19	19
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	10	6.6	25	2	2	5	8	15	16	16
35-49	14	6.0	12	2	3	5	8	10	14	15
50-64	16	7.8	57	1	2	6	9	14	27	33
65+	19	9.3	74	2	3	8	11	17	31	40
B. *Operated*										
0-19 YRS										
20-34	5	10.0	24	3	3	11	13	16	16	16
35-49	5	14.4	318	4	4	9	18	46	46	46
50-64	6	16.3	177	6	6	14	16	39	42	42
65+	4	19.5	324	6	6	13	30	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.8	31	2	2	5	9	11	22	25
B. *Operated*	7	9.9	53	1	1	10	16	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	61	7.6	45	2	2	6	9	14	17	39
B. *Operated*	20	14.9	181	3	4	11	15	44	46	46
1. SINGLE DX	32	7.5	36	1	2	5	10	17	21	25
2. MULTIPLE DX	81	9.4	87	2	3	7	11	16	36	46
A. NOT OPERATED	86	7.3	41	2	2	6	9	14	19	37
B. OPERATED	27	13.6	150	2	3	11	16	37	46	46
TOTAL 0-19 YRS	3	6.7	20	2	2	7	10	11	11	11
20-34	23	6.9	19	2	3	5	9	15	16	16
35-49	30	6.9	65	1	2	5	9	10	15	46
50-64	31	10.6	81	2	3	8	15	20	32	42
65+	26	11.0	119	2	3	8	12	24	41	46
GRAND TOTAL	**113**	**8.8**	**73**	**2**	**2**	**6**	**10**	**16**	**24**	**46**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	13	6.3	14	2	2	5	9	12	14	14
35-49	63	5.0	20	1	1	4	6	9	13	28
50-64	93	5.5	17	1	2	5	7	10	15	23
65+	111	6.1	18	1	2	5	8	13	15	21
B. *Operated*										
0-19 YRS	4	7.3	14	2	2	8	10	11	11	11
20-34	54	6.8	25	1	2	6	8	12	17	25
35-49	222	5.4	16	1	1	5	8	11	12	18
50-64	290	5.7	29	1	1	4	8	12	13	19
65+	142	7.5	43	1	1	6	10	15	22	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	27	4.4	6	1	1	4	6	8	9	9
35-49	114	6.9	33	1	2	6	9	12	16	35
50-64	355	6.4	24	1	2	5	8	11	15	26
65+	845	7.7	37	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	47	7.5	40	1	1	6	10	17	19	30
35-49	231	8.1	47	1	2	7	10	16	20	33
50-64	455	8.2	60	1	2	7	10	16	21	35
65+	394	12.8	136	2	2	10	17	26	35	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	5.6	18	1	2	5	7	10	14	21
B. *Operated*	712	6.1	28	1	1	5	9	12	15	26
2. MULTIPLE DX										
A. *Not Operated*	1342	7.2	33	2	2	6	9	14	17	31
B. *Operated*	1128	9.7	88	1	2	8	12	20	26	46
1. SINGLE DX	994	5.9	25	1	1	5	8	12	15	24
2. MULTIPLE DX	2470	8.4	60	1	2	7	10	16	22	41
A. NOT OPERATED	1624	6.9	31	2	2	6	9	13	16	30
B. OPERATED	1840	8.3	68	1	1	7	11	17	23	42
TOTAL 0-19 YRS	8	6.4	11	2	2	6	9	11	11	11
20-34	141	6.5	26	1	2	5	9	12	17	25
35-49	630	6.6	32	1	1	5	9	12	16	30
50-64	1193	6.8	40	1	1	6	9	13	17	27
65+	1492	8.9	68	2	2	7	11	17	23	45
GRAND TOTAL	**3464**	**7.7**	**51**	**1**	**2**	**6**	**10**	**15**	**20**	**35**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	6.2	15	1	2	6	7	12	14	17
20-34	600	6.2	14	1	2	6	8	11	13	18
35-49	793	6.5	17	1	2	6	8	11	14	20
50-64	472	7.3	22	1	2	7	9	14	17	20
65+	182	7.8	21	2	3	7	10	14	17	22
B. *Operated*										
0-19 YRS	108	5.7	15	1	1	5	8	11	13	15
20-34	2455	6.6	24	1	1	6	9	13	16	23
35-49	3453	7.2	27	1	1	7	10	14	16	22
50-64	1591	7.2	28	1	1	7	10	14	17	24
65+	359	8.5	42	1	1	8	12	17	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.7	22	1	1	5	10	15	16	16
20-34	366	6.4	21	1	2	5	8	11	16	23
35-49	598	7.4	37	1	2	6	10	14	18	27
50-64	607	7.4	21	2	2	7	10	13	16	25
65+	560	8.3	39	2	3	7	10	15	19	24
B. *Operated*										
0-19 YRS	27	7.4	33	1	1	6	10	17	32	99+
20-34	813	9.4	52	1	2	8	12	19	23	36
35-49	1514	9.7	57	1	2	8	12	18	23	37
50-64	1209	10.1	51	1	2	9	14	19	24	35
65+	611	13.1	88	2	2	11	17	25	29	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2070	6.7	18	1	2	6	9	12	15	20
B. *Operated*	7966	7.0	27	1	1	6	9	14	17	23
2. MULTIPLE DX										
A. *Not Operated*	2147	7.5	31	1	2	6	10	14	17	24
B. *Operated*	4174	10.2	60	1	2	9	13	20	25	38
1. SINGLE DX	10036	7.0	25	1	1	6	9	13	16	23
2. MULTIPLE DX	6321	9.3	52	1	2	8	12	18	22	35
A. NOT OPERATED	4217	7.1	25	1	2	6	9	13	16	22
B. OPERATED	12140	8.1	41	1	1	7	11	16	20	30
TOTAL 0-19 YRS	174	6.1	18	1	1	6	9	13	14	22
20-34	4234	7.0	29	1	1	6	9	14	17	26
35-49	6358	7.7	35	1	1	7	10	15	18	26
50-64	3879	8.2	35	1	2	7	11	16	19	29
65+	1712	10.0	61	1	2	8	13	19	24	37
GRAND TOTAL	**16357**	**7.9**	**37**	**1**	**1**	**7**	**10**	**15**	**19**	**28**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	4	2	2	4	5	6	6	6
20-34	75	5.2	7	2	2	5	7	9	10	13
35-49	158	5.6	13	1	2	5	7	10	12	17
50-64	111	5.9	19	1	2	5	8	12	14	21
65+	43	7.7	30	1	2	6	11	15	17	24
B. *Operated*										
0-19 YRS	14	5.4	9	1	1	6	7	8	11	12
20-34	284	5.5	22	1	1	4	8	11	14	19
35-49	748	6.0	21	1	1	5	8	12	15	20
50-64	438	6.2	22	1	1	6	8	11	14	24
65+	80	7.4	21	1	2	7	10	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.0	32	1	1	10	13	15	15	15
20-34	54	6.4	56	1	1	5	7	11	18	50
35-49	150	6.3	21	1	2	5	9	12	16	24
50-64	154	6.6	16	1	2	6	9	13	15	16
65+	180	7.3	26	2	3	6	10	13	17	28
B. *Operated*										
0-19 YRS	4	13.5	86	2	2	15	21	22	22	22
20-34	119	8.5	49	1	2	6	11	18	23	33
35-49	413	7.8	44	1	2	6	10	17	20	37
50-64	390	7.3	35	1	2	6	10	14	17	26
65+	125	13.0	179	1	2	9	17	33	41	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	391	5.8	16	1	2	5	8	11	13	20
B. *Operated*	1564	6.0	21	1	1	5	8	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	543	6.7	25	1	2	6	9	13	15	24
B. *Operated*	1051	8.4	60	1	2	6	11	17	22	42
1. SINGLE DX	1955	6.0	20	1	1	5	8	11	14	22
2. MULTIPLE DX	1594	7.8	49	1	2	6	10	15	20	39
A. NOT OPERATED	934	6.4	21	1	2	5	8	12	15	23
B. OPERATED	2615	7.0	38	1	1	6	9	14	18	32
TOTAL 0-19 YRS	27	7.0	30	1	1	6	9	15	20	22
20-34	532	6.2	31	1	1	5	8	12	17	29
35-49	1469	6.5	27	1	1	5	9	13	17	25
50-64	1093	6.6	26	1	1	6	9	13	15	24
65+	428	9.0	77	2	2	7	11	17	25	43
GRAND TOTAL	**3549**	[illegible]	**34**	**1**	**1**	**6**	**9**	**13**	**17**	**29**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	8.1	41	1	1	8	13	18	19	19
20-34	80	6.6	11	2	2	7	8	10	13	18
35-49	101	6.6	16	2	2	6	8	11	14	22
50-64	49	7.0	12	3	3	6	9	12	14	17
65+	12	5.2	17	1	1	4	6	13	14	14
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	85	5.2	23	1	1	3	8	12	[illegible]	21
35-49	77	6.1	26	1	1	5	9	12	18	21
50-64	21	8.0	73	1	2	5	10	17	29	38
65+	4	6.3	19	2	2	5	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	1	6	6	8	8	8	8	8
20-34	65	7.6	28	2	2	7	10	13	18	29
35-49	118	7.9	41	1	2	7	9	17	20	33
50-64	68	8.2	51	2	2	7	10	14	19	49
65+	71	7.5	24	2	3	6	10	13	18	27
B. *Operated*										
0-19 YRS	3	8.3	41	1	1	11	12	13	13	13
20-34	54	8.5	43	1	1	8	13	16	23	25
35-49	75	10.3	113	1	2	8	13	20	30	59
50-64	30	9.5	70	1	1	8	12	19	30	36
65+	10	25.3	1146	1	1	10	25	88	91	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	6.6	14	2	2	6	8	11	14	19
B. *Operated*	189	5.9	29	1	1	4	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	325	7.8	36	2	2	7	10	14	18	30
B. *Operated*	172	10.5	149	1	1	8	13	20	28	80
1. SINGLE DX	438	6.3	21	1	1	5	8	12	14	22
2. MULTIPLE DX	497	8.7	77	1	2	7	11	17	21	43
A. NOT OPERATED	574	7.3	27	2	2	7	9	13	17	27
B. OPERATED	361	8.1	92	1	1	6	11	16	22	45
TOTAL 0-19 YRS	15	7.3	28	1	1	8	10	14	18	19
20-34	284	6.8	26	1	1	6	9	13	15	24
35-49	371	7.7	47	1	2	7	9	15	19	32
50-64	168	8.0	46	2	2	7	10	14	19	38
65+	97	9.0	159	2	2	6	10	14	19	88
GRAND TOTAL	**935**	**7.6**	**52**	**1**	**2**	**7**	**10**	**14**	**18**	**31**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	12.5	13	10	10	12	15	15	15	15
20-34	44	5.7	12	2	3	5	7	9	14	19
35-49	58	7.4	48	1	2	6	9	16	18	44
50-64	45	6.3	23	<1	<1	5	9	13	15	22
65+	30	8.3	19	3	4	7	9	13	16	24
B. *Operated*										
0-19 YRS	8	4.1	25	1	1	2	6	13	14	14
20-34	33	3.8	31	1	1	2	3	9	12	31
35-49	44	4.8	24	1	1	3	6	10	15	23
50-64	28	3.9	13	1	1	3	6	8	14	14
65+	9	4.2	15	1	1	2	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	39	6.1	17	1	2	6	7	10	14	23
35-49	81	7.6	23	1	2	7	10	14	17	24
50-64	77	7.1	13	2	3	7	9	12	14	15
65+	126	8.3	24	2	3	7	11	16	19	21
B. *Operated*										
0-19 YRS	2	5.0	32	1	1	5	9	9	9	9
20-34	22	8.3	48	1	1	8	11	21	22	22
35-49	40	6.2	28	1	1	5	8	13	17	25
50-64	20	8.7	55	1	2	6	13	21	24	25
65+	31	11.2	83	2	3	9	15	22	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	6.9	28	1	2	6	9	14	16	23
B. *Operated*	122	4.2	22	1	1	2	6	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	325	7.6	21	2	3	7	10	14	16	21
B. *Operated*	115	8.4	54	1	1	7	11	18	23	35
1. SINGLE DX	301	5.8	27	1	1	4	8	12	15	23
2. MULTIPLE DX	440	7.8	29	1	2	7	10	15	18	25
A. NOT OPERATED	504	7.3	23	2	2	7	9	14	16	22
B. OPERATED	237	6.2	42	1	1	4	9	15	19	30
TOTAL 0-19 YRS	14	5.6	26	1	1	3	10	14	15	15
20-34	138	5.8	25	1	1	4	7	12	16	24
35-49	223	6.8	31	1	1	6	9	14	17	25
50-64	170	6.5	22	1	1	6	9	13	15	24
65+	196	8.6	34	2	3	7	11	16	19	28
GRAND TOTAL	**741**	**7.0**	**29**	**1**	**2**	**6**	**9**	**14**	**17**	**25**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	4.1	17	1	1	3	5	6	10	24
20-34	643	5.9	22	1	1	5	7	12	17	22
35-49	804	6.0	19	1	2	5	8	11	15	21
50-64	529	6.1	22	1	2	5	8	12	15	21
65+	265	6.0	18	1	1	5	8	11	14	20
B. *Operated*										
0-19 YRS	47	4.5	19	1	1	2	6	9	14	21
20-34	681	4.1	18	1	1	2	5	10	13	20
35-49	891	4.8	21	1	1	3	7	11	13	21
50-64	688	5.8	28	1	1	4	9	12	14	23
65+	357	8.9	50	1	1	8	12	17	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	3.7	12	<1	<1	3	5	8	10	19
20-34	740	7.3	41	1	2	5	9	16	19	26
35-49	1112	7.7	35	1	2	6	10	16	19	28
50-64	987	7.6	43	1	2	6	9	16	19	33
65+	1080	8.0	35	2	2	7	10	15	19	31
B. *Operated*										
0-19 YRS	34	5.9	45	1	1	3	7	12	21	33
20-34	552	5.8	37	1	1	4	8	12	15	30
35-49	891	7.8	54	1	1	6	10	16	21	37
50-64	976	9.1	70	1	2	8	12	18	24	39
65+	766	12.5	122	1	2	10	16	25	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2292	5.9	21	1	2	5	8	11	15	22
B. *Operated*	2664	5.4	28	1	1	3	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	3976	7.6	38	1	2	6	10	16	19	30
B. *Operated*	3219	9.0	77	1	1	7	12	18	25	42
1. SINGLE DX	4956	5.7	25	1	1	4	8	12	15	24
2. MULTIPLE DX	7195	8.2	56	1	2	6	11	17	21	36
A. NOT OPERATED	6268	7.0	32	1	2	6	9	14	19	27
B. OPERATED	5883	7.4	58	1	1	5	10	15	21	37
TOTAL 0-19 YRS	189	4.4	21	1	1	3	6	9	13	23
20-34	2616	5.8	31	1	1	4	8	12	17	25
35-49	3698	6.7	34	1	1	5	9	14	18	30
50-64	3180	7.4	46	1	1	6	10	15	19	34
65+	2468	9.3	68	1	2	8	12	18	24	39
GRAND TOTAL	**12151**	**7.2**	**45**	**1**	**1**	**6**	**10**	**15**	**19**	**32**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	3.5	5	1	1	3	4	6	7	13
20-34	59	3.6	7	1	1	3	4	6	8	17
35-49	80	4.1	7	<1	1	4	6	8	9	14
50-64	75	4.0	7	1	1	3	6	8	10	13
65+	48	4.8	9	1	1	4	7	9	10	14
B. *Operated*										
0-19 YRS	283	2.2	6	<1	<1	2	3	4	6	14
20-34	644	2.5	5	<1	<1	2	3	4	5	10
35-49	803	2.5	4	<1	<1	2	3	4	5	10
50-64	725	2.6	5	<1	<1	2	3	5	7	12
65+	214	2.9	6	<1	<1	2	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	4	1	1	3	5	7	7	8
20-34	70	5.4	15	1	1	4	8	11	13	18
35-49	98	5.1	10	1	2	4	7	10	11	16
50-64	132	5.0	15	1	2	4	6	10	13	20
65+	197	6.3	20	1	2	6	8	11	15	25
B. *Operated*										
0-19 YRS	72	3.0	10	<1	1	2	3	6	8	19
20-34	343	3.8	38	<1	1	3	4	7	10	18
35-49	533	3.5	11	<1	1	3	4	6	9	16
50-64	586	3.8	9	1	1	3	4	7	9	15
65+	291	5.5	25	1	1	4	7	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	3.9	7	1	1	3	5	7	9	13
B. *Operated*	2669	2.5	5	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	542	5.4	15	1	2	4	7	10	13	19
B. *Operated*	1825	4.0	18	<1	1	3	5	8	11	18
1. SINGLE DX	3023	2.7	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	2367	4.3	18	1	1	3	5	9	11	19
A. NOT OPERATED	896	4.8	13	1	1	4	6	9	11	18
B. OPERATED	4494	3.1	11	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	492	2.7	6	<1	<1	2	3	5	7	14
20-34	1116	3.1	16	<1	<1	2	4	6	8	16
35-49	1514	3.1	8	<1	<1	2	4	6	8	14
50-64	1518	3.4	8	<1	1	3	4	6	9	15
65+	750	4.9	19	<1	1	4	7	10	13	25
GRAND TOTAL	**5390**	**3.4**	**12**	**<1**	**<1**	**3**	**4**	**7**	**9**	**16**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	6.3	84	1	1	2	11	20	20	20
35-49	2	2.0		2	2	2	2	2	2	2
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	222	2.9	2	<1	1	3	4	5	6	7
20-34	415	2.9	4	<1	1	3	4	5	5	8
35-49	439	3.0	2	<1	1	3	4	5	6	7
50-64	607	3.2	3	1	1	3	4	5	6	8
65+	365	3.2	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	10	1.0		<1	<1	<1	<1	1	1	1
35-49	9	1.6	2	<1	<1	1	2	4	5	5
50-64	20	1.5	1	<1	<1	1	1	3	4	4
65+	14	1.9	3	<1	<1	1	2	4	6	7
B. *Operated*										
0-19 YRS	212	3.3	2	1	2	3	4	5	7	8
20-34	501	3.5	12	1	1	3	4	5	6	10
35-49	726	3.5	3	1	2	3	4	6	6	9
50-64	1373	4.0	12	1	2	4	5	6	8	11
65+	962	4.3	10	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.5	21	<1	<1	1	2	3	14	20
B. *Operated*	2048	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	56	1.5	1	<1	<1	1	1	3	4	7
B. *Operated*	3774	3.9	9	1	2	3	5	6	7	11
1. SINGLE DX	2065	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	3830	3.9	9	1	2	3	5	6	7	11
A. NOT OPERATED	73	1.7	6	<1	<1	1	2	3	4	17
B. OPERATED	5822	3.6	7	1	1	3	4	6	7	10
TOTAL 0-19 YRS	439	3.1	2	1	1	3	4	5	6	7
20-34	930	3.2	9	<1	1	3	4	5	6	10
35-49	1176	3.3	3	1	1	3	4	5	6	9
50-64	2007	3.7	9	1	1	3	5	6	7	11
65+	1343	4.0	8	1	2	4	5	6	8	13
GRAND TOTAL	**5895**	**3.6**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**10**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	1.3		<1	<1	1	1	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	2.5	3	1	1	2	4	5	5	5
65+	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	281	1.4	1	<1	<1	1	2	2	3	4
20-34	535	1.5	2	<1	<1	1	2	3	3	5
35-49	363	1.6	1	<1	<1	1	2	3	4	5
50-64	242	1.8	2	<1	<1	1	2	3	4	7
65+	91	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	2.7	11	<1	<1	<1	2	9	9	9
35-49	13	2.4	3	<1	<1	2	3	5	6	6
50-64	8	3.5	6	<1	<1	3	6	6	6	6
65+	4	5.5	9	<1	<1	7	7	7	7	7
B. *Operated*										
0-19 YRS	30	1.6	1	<1	<1	1	2	3	4	4
20-34	110	2.2	2	<1	<1	2	3	4	5	8
35-49	109	2.5	4	<1	<1	2	3	4	7	11
50-64	129	2.7	3	<1	<1	2	4	5	6	9
65+	83	4.2	23	1	1	3	5	7	10	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	2	<1	<1	2	3	5	5	5
B. *Operated*	1512	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	36	3.0	7	<1	<1	2	5	7	8	9
B. *Operated*	461	2.7	7	<1	<1	2	3	5	7	11
1. SINGLE DX	1526	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	497	2.8	7	<1	<1	2	3	5	7	11
A. NOT OPERATED	50	2.8	6	<1	<1	2	5	7	7	9
B. OPERATED	1973	1.9	3	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	313	1.4	1	<1	<1	1	2	2	3	4
20-34	659	1.7	3	<1	<1	1	2	3	4	7
35-49	486	1.8	2	<1	<1	1	2	3	4	7
50-64	383	2.2	2	<1	<1	2	3	4	6	8
65+	182	3.2	13	<1	<1	2	4	6	7	11
GRAND TOTAL	**2023**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	13.4	71	3	4	10	20	26	28	36
20-34	23	9.4	65	2	3	7	11	22	27	34
35-49	22	9.1	94	2	2	5	12	22	31	43
50-64	34	11.1	69	2	3	10	14	27	29	33
65+	16	12.3	281	1	2	7	12	38	57	64
B. *Operated*										
0-19 YRS	91	15.7	146	1	2	13	23	34	42	44
20-34	92	10.4	111	1	1	7	14	23	37	44
35-49	63	13.2	134	1	2	10	18	31	44	93
50-64	55	11.5	176	<1	1	6	16	27	41	61
65+	30	10.8	92	2	2	8	15	27	45	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	14.5	119	1	2	11	22	30	35	43
20-34	45	9.4	71	<1	1	7	14	20	26	37
35-49	44	11.7	94	1	2	9	15	26	31	44
50-64	71	15.1	178	3	4	10	19	34	46	56
65+	67	14.4	184	2	3	10	20	32	45	62
B. *Operated*										
0-19 YRS	85	19.6	151	2	7	17	25	40	43	52
20-34	144	16.8	161	2	3	14	23	38	45	58
35-49	121	21.1	247	4	5	17	29	46	61	99+
50-64	186	21.8	313	3	5	17	31	52	67	99+
65+	203	22.1	364	2	4	16	31	50	65	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	11.9	91	2	3	9	17	24	29	42
B. *Operated*	331	12.6	137	1	2	9	17	30	42	54
2. MULTIPLE DX										
A. *Not Operated*	277	13.3	140	1	2	10	18	29	40	52
B. *Operated*	739	20.5	270	2	4	16	28	46	58	99+
1. SINGLE DX	518	12.3	120	1	2	9	17	28	39	52
2. MULTIPLE DX	1016	18.6	245	2	3	14	25	43	54	87
A. NOT OPERATED	464	12.8	121	2	3	9	18	28	34	51
B. OPERATED	1070	18.1	242	2	3	14	24	43	53	89
TOTAL 0-19 YRS	318	15.9	126	1	3	14	22	31	41	45
20-34	304	13.2	136	1	2	9	19	29	42	53
35-49	250	16.4	198	2	3	12	23	40	50	99
50-64	346	17.7	259	2	3	13	24	44	56	99+
65+	316	18.9	313	2	3	13	25	47	61	89
GRAND TOTAL	**1534**	**16.5**	**212**	**2**	**3**	**12**	**22**	**39**	**47**	**77**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	6.7	45	<1	<1	5	10	14	23	31
20-34	62	2.7	5	<1	1	2	4	5	6	13
35-49	91	2.8	5	<1	1	2	3	6	8	11
50-64	89	4.2	15	1	1	3	5	9	10	22
65+	176	7.0	28	2	2	6	9	14	17	26
B. *Operated*										
0-19 YRS	683	3.7	21	<1	1	3	4	7	10	20
20-34	895	4.0	13	1	1	3	5	8	10	18
35-49	428	4.9	29	1	1	3	6	10	13	23
50-64	303	5.9	20	1	1	5	9	12	15	21
65+	198	9.4	43	2	2	8	14	18	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.0	37	<1	<1	3	5	14	20	25
20-34	103	3.0	6	<1	<1	2	4	7	8	12
35-49	184	5.3	46	1	1	3	6	11	14	43
50-64	412	6.9	53	1	2	5	8	15	21	39
65+	1908	9.4	53	2	3	8	12	17	22	38
B. *Operated*										
0-19 YRS	252	4.8	42	1	1	3	5	10	16	33
20-34	465	6.5	88	1	1	4	7	13	19	50
35-49	350	7.4	75	1	1	5	9	16	21	33
50-64	509	11.3	129	1	2	8	15	25	32	59
65+	762	15.8	162	2	4	13	19	29	39	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	5.1	24	1	1	3	7	11	14	25
B. *Operated*	2507	4.7	23	1	1	3	6	10	14	22
2. MULTIPLE DX										
A. *Not Operated*	2648	8.4	53	1	2	7	11	17	21	37
B. *Operated*	2338	10.5	132	1	2	7	14	22	31	62
1. SINGLE DX	2993	4.8	23	1	1	3	6	10	14	22
2. MULTIPLE DX	4986	9.4	91	1	2	7	12	19	26	51
A. NOT OPERATED	3134	7.9	50	1	2	6	10	16	20	36
B. OPERATED	4845	7.5	84	1	1	4	10	17	23	49
TOTAL 0-19 YRS	1044	4.2	29	<1	1	3	5	9	13	25
20-34	1525	4.7	36	1	1	3	5	9	12	29
35-49	1053	5.6	47	1	1	4	7	11	16	31
50-64	1313	8.2	79	1	2	5	10	17	23	49
65+	3044	10.9	87	2	3	9	14	20	27	51
GRAND TOTAL	**7979**	**7.7**	**71**	**1**	**1**	**5**	**10**	**17**	**22**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	48	2	2	2	11	14	14	14
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	172	3.5	20	<1	<1	3	5	6	8	23
20-34	118	2.8	14	<1	<1	2	3	5	8	20
35-49	89	2.8	5	<1	<1	2	4	6	6	12
50-64	61	3.1	7	<1	<1	2	4	7	9	13
65+	19	3.6	16	<1	<1	2	4	9	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	6	1.7	1	<1	<1	1	2	4	4	4
35-49	6	5.5	54	1	1	3	5	19	20	20
50-64	6	14.0	223	2	2	6	30	35	36	36
65+	12	13.1	254	1	2	6	17	45	45	45
B. *Operated*										
0-19 YRS	138	4.2	21	1	1	3	5	7	9	34
20-34	169	4.3	11	<1	1	3	6	8	11	17
35-49	97	4.2	10	1	1	3	5	9	11	16
50-64	133	5.8	34	1	1	4	7	10	12	33
65+	62	8.8	99	1	2	7	10	17	24	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.0	20	<1	<1	1	2	10	14	14
B. *Operated*	459	3.1	13	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	36	8.1	151	<1	<1	3	7	29	42	45
B. *Operated*	599	5.1	29	1	1	4	6	10	12	27
1. SINGLE DX	467	3.1	13	<1	<1	2	4	6	8	14
2. MULTIPLE DX	635	5.2	36	1	1	4	6	10	13	33
A. NOT OPERATED	44	7.1	130	<1	<1	2	6	22	39	45
B. OPERATED	1058	4.2	23	<1	<1	3	5	8	11	24
TOTAL 0-19 YRS	319	3.8	20	<1	<1	3	5	7	8	28
20-34	294	3.6	12	<1	<1	3	4	8	10	17
35-49	194	3.6	9	<1	<1	3	4	7	10	16
50-64	201	5.2	34	<1	1	4	6	10	12	33
65+	94	8.3	106	<1	1	5	10	17	25	59
GRAND TOTAL	**1102**	**4.3**	**28**	**<1**	**<1**	**3**	**5**	**8**	**11**	**29**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	6.7	24	1	1	7	10	14	17	19
35-49	31	6.5	21	1	2	6	8	10	18	23
50-64	20	5.3	18	1	1	4	7	11	15	17
65+	4	5.0	8	3	3	4	7	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	26	4.0	14	1	1	3	7	9	11	16
35-49	42	4.5	19	1	1	3	6	9	11	26
50-64	21	5.4	19	<1	1	5	8	12	13	14
65+	5	3.2	8	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34	15	6.7	20	1	2	6	10	12	15	16
35-49	39	5.4	14	<1	1	5	7	9	12	20
50-64	48	7.0	27	1	2	5	9	16	19	20
65+	65	8.5	46	3	3	7	10	14	20	44
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	18	4.9	20	<1	1	3	5	12	16	18
35-49	33	7.8	28	1	1	8	11	15	18	19
50-64	42	10.5	89	1	2	8	14	21	29	49
65+	20	7.6	10	2	3	8	9	11	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	6.1	20	1	1	5	8	11	17	22
B. *Operated*	95	4.4	17	1	1	3	7	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	169	7.2	32	1	2	6	9	14	17	25
B. *Operated*	114	8.2	49	1	2	7	10	16	19	38
1. SINGLE DX	172	5.2	19	1	1	4	7	10	14	22
2. MULTIPLE DX	283	7.6	39	1	2	6	10	15	19	30
A. NOT OPERATED	246	6.9	28	1	2	6	9	14	17	23
B. OPERATED	209	6.5	38	1	1	5	9	14	18	29
TOTAL 0-19 YRS	5	3.8	19	<1	<1	1	6	11	11	11
20-34	80	5.4	20	1	1	4	8	11	16	19
35-49	145	5.9	22	1	1	5	8	11	15	23
50-64	131	7.6	48	1	1	6	9	16	19	35
65+	94	7.9	36	2	3	7	9	14	17	37
GRAND TOTAL	**455**	**6.7**	**33**	**1**	**1**	**6**	**9**	**14**	**18**	**26**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.8	9	<1	<1	1	4	7	8	15
20-34	133	3.9	10	1	1	3	5	8	10	19
35-49	168	4.2	12	1	1	3	5	9	12	18
50-64	120	3.8	8	1	1	3	6	8	10	13
65+	88	5.3	27	1	1	4	6	10	15	28
B. *Operated*										
0-19 YRS	460	4.2	21	<1	<1	2	7	11	13	21
20-34	555	3.1	15	<1	<1	2	4	8	10	14
35-49	423	3.3	10	<1	<1	2	4	8	11	16
50-64	545	2.9	7	<1	1	2	3	5	8	14
65+	332	3.1	11	<1	1	2	3	6	9	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	3.2	7	<1	1	3	4	7	9	13
20-34	222	4.9	29	1	1	4	5	10	15	29
35-49	307	5.6	24	1	1	4	7	12	17	24
50-64	366	5.4	25	1	1	4	7	10	15	30
65+	534	6.7	38	1	2	5	8	13	18	32
B. *Operated*										
0-19 YRS	328	3.8	17	1	1	2	4	9	13	21
20-34	621	4.0	30	<1	1	2	5	9	12	22
35-49	502	5.2	44	1	1	3	6	11	16	30
50-64	598	5.7	64	1	1	3	7	11	17	45
65+	402	8.1	92	1	1	4	11	19	27	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	4.1	13	1	1	3	5	8	11	19
B. *Operated*	2315	3.3	13	<1	<1	2	4	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	1506	5.7	30	1	1	4	7	12	16	26
B. *Operated*	2451	5.3	51	1	1	3	6	12	17	36
1. SINGLE DX	2895	3.5	13	<1	1	2	4	8	11	17
2. MULTIPLE DX	3957	5.4	43	1	1	3	7	12	17	32
A. NOT OPERATED	2086	5.3	26	1	1	4	7	11	15	24
B. OPERATED	4766	4.3	34	<1	1	2	5	10	14	27
TOTAL 0-19 YRS	936	3.9	17	<1	1	2	4	10	13	20
20-34	1531	3.8	23	<1	1	2	4	8	11	19
35-49	1400	4.6	26	<1	1	3	5	10	14	23
50-64	1629	4.5	34	1	1	3	5	9	13	27
65+	1356	6.1	50	1	1	4	8	14	19	36
GRAND TOTAL	**6852**	**4.6**	**31**	**<1**	**1**	**3**	**5**	**10**	**14**	**26**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	6.6	54	2	2	4	5	19	23	23
35-49	9	7.0	9	3	3	8	9	11	11	11
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	26	2	2	5	10	13	13	13
20-34	16	5.1	15	<1	1	4	6	11	14	16
35-49	20	5.1	7	<1	1	5	7	9	10	10
50-64	19	5.3	5	2	2	5	7	8	9	10
65+	12	4.8	11	1	2	4	7	10	11	11
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	8	6.9	19	2	2	6	10	13	14	14
35-49	8	9.5	3	7	7	9	10	12	13	13
50-64	7	4.0	2	2	2	5	5	5	5	5
65+	6	10.3	102	2	2	7	11	28	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	6.6	25	2	3	5	8	11	19	23
B. *Operated*	10	2.0		<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	71	5.2	9	1	2	5	7	9	11	15
B. *Operated*	30	7.6	29	2	2	6	10	12	14	30
1. SINGLE DX	27	4.9	21	1	2	3	6	10	13	23
2. MULTIPLE DX	101	5.9	16	1	2	5	8	10	12	23
A. NOT OPERATED	88	5.5	12	1	2	5	7	10	11	20
B. OPERATED	40	6.2	28	1	2	5	9	11	13	30
TOTAL 0-19 YRS	6	5.7	21	<1	<1	5	8	12	13	13
20-34	32	5.8	23	1	2	4	6	12	16	23
35-49	41	6.1	11	1	2	6	9	10	11	13
50-64	28	4.8	4	2	2	5	6	8	8	10
65+	21	6.1	40	1	2	4	8	11	20	30
GRAND TOTAL	**128**	**5.7**	**17**	**1**	**2**	**5**	**8**	**10**	**12**	**25**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	<1	<1	2	4	5	6	6
20-34	4	2.8	8	<1	<1	1	4	7	7	7
35-49										
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	42	6.3	25	1	2	5	9	12	13	28
20-34	13	7.3	18	1	2	7	11	12	14	14
35-49	5	7.8	31	1	1	6	13	14	14	14
50-64	4	3.0	5	1	1	2	4	6	6	6
65+	1	69.0		69	69	69	69	69	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.9	10	1	1	3	5	8	9	15
20-34	8	12.9	203	2	2	6	23	36	37	37
35-49	5	5.2	16	1	1	3	9	10	10	10
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	4	6.3	41	<1	<1	4	11	15	15	15
B. *Operated*										
0-19 YRS	66	8.0	52	1	1	7	10	15	19	43
20-34	22	12.2	161	2	3	8	15	31	41	55
35-49	12	8.7	23	1	2	9	12	15	16	16
50-64	12	13.2	105	1	2	12	18	30	31	31
65+	7	21.7	222	4	5	20	30	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.6	4	<1	<1	2	4	6	6	7
B. *Operated*	65	7.4	83	1	1	5	10	12	14	63
2. MULTIPLE DX										
A. *Not Operated*	70	5.2	39	1	1	3	7	10	15	36
B. *Operated*	119	10.2	93	1	2	7	13	20	31	50
1. SINGLE DX	85	6.2	68	1	1	4	8	12	13	55
2. MULTIPLE DX	189	8.3	78	1	1	6	10	18	30	48
A. NOT OPERATED	90	4.6	32	<1	1	3	6	9	14	35
B. OPERATED	184	9.2	91	1	2	7	11	18	29	53
TOTAL 0-19 YRS	171	6.0	33	1	1	5	8	12	15	27
20-34	47	10.1	120	1	2	7	11	28	34	55
35-49	22	7.7	23	1	1	8	11	14	15	16
50-64	21	8.9	86	1	1	5	15	23	30	31
65+	13	19.1	412	<1	1	14	27	52	66	69
GRAND TOTAL	**274**	**7.7**	**76**	**1**	**1**	**5**	**10**	**15**	**24**	**48**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	1.1		<1	<1	<1	<1	1	1	4
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	457	1.8	1	<1	<1	1	2	3	4	7
20-34	124	2.1	2	<1	<1	2	2	3	5	10
35-49	53	2.2	2	<1	<1	2	3	3	4	10
50-64	87	2.3	2	<1	1	2	3	3	4	8
65+	80	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	1.4	1	<1	<1	1	1	2	3	8
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	2	10.5	5	9	9	10	12	12	12	12
B. *Operated*										
0-19 YRS	138	2.4	4	<1	<1	2	3	4	5	13
20-34	41	2.9	5	<1	1	2	3	4	9	11
35-49	40	2.5	3	1	1	2	3	4	6	11
50-64	68	2.2	1	1	1	2	2	3	4	5
65+	120	3.0	9	1	2	2	3	5	6	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	1.1		<1	<1	<1	<1	1	1	4
B. *Operated*	801	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	57	1.7	4	<1	<1	1	1	3	7	12
B. *Operated*	407	2.6	5	1	1	2	3	4	5	12
1. SINGLE DX	934	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	464	2.5	5	<1	1	2	3	4	5	12
A. NOT OPERATED	190	1.3	2	<1	<1	<1	1	1	3	9
B. OPERATED	1208	2.2	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	776	1.8	2	<1	<1	1	2	3	4	8
20-34	168	2.3	3	<1	<1	2	3	4	5	11
35-49	94	2.3	3	<1	1	2	3	4	4	11
50-64	158	2.2	1	<1	1	2	3	3	4	7
65+	202	2.7	6	1	1	2	3	4	5	14
GRAND TOTAL	**1398**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**3**	**4**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	2.4	4	<1	<1	2	3	6	7	8
20-34	7	1.7	2	<1	<1	1	2	4	5	5
35-49	6	1.8	1	1	1	2	2	4	4	4
50-64	4	4.5	27	1	1	3	8	12	12	12
65+	2	7.5	61	2	2	7	13	13	13	13
B. *Operated*										
0-19 YRS	446	4.0	14	1	1	2	7	8	9	15
20-34	88	4.6	25	1	1	2	8	9	14	27
35-49	45	4.7	17	1	1	3	7	10	12	17
50-64	25	3.0	10	<1	1	2	3	6	12	14
65+	14	4.0	12	<1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.8	15	<1	<1	2	5	9	13	19
20-34	33	4.7	54	<1	1	3	4	9	25	35
35-49	23	4.7	40	1	1	3	4	11	21	29
50-64	21	7.6	36	1	2	7	9	17	20	22
65+	32	7.3	50	1	1	5	8	16	26	29
B. *Operated*										
0-19 YRS	617	5.6	42	1	1	3	8	11	15	30
20-34	107	6.5	41	1	1	4	9	15	24	60
35-49	67	8.4	117	1	2	6	9	21	29	64
50-64	71	7.2	42	1	1	5	11	15	20	28
65+	72	12.0	226	2	2	8	15	28	53	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.7	8	<1	1	2	3	6	10	13
B. *Operated*	618	4.1	16	1	1	2	7	9	10	17
2. MULTIPLE DX										
A. *Not Operated*	241	4.8	31	<1	1	3	6	11	16	29
B. *Operated*	934	6.5	64	1	1	4	9	13	19	50
1. SINGLE DX	658	4.0	15	1	1	2	7	8	10	17
2. MULTIPLE DX	1175	6.2	58	1	1	3	8	13	18	36
A. NOT OPERATED	281	4.5	28	<1	1	3	5	10	15	29
B. OPERATED	1552	5.6	46	1	1	2	8	11	15	31
TOTAL 0-19 YRS	1216	4.8	29	1	1	2	7	10	13	22
20-34	235	5.4	36	1	1	2	8	12	18	32
35-49	141	6.3	71	1	1	3	8	14	23	34
50-64	121	6.3	36	1	1	3	10	14	16	27
65+	120	9.8	159	1	2	5	11	22	33	66
GRAND TOTAL	**1833**	**5.4**	**44**	**1**	**1**	**2**	**8**	**11**	**15**	**30**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	285	3.5	3	1	1	3	5	6	7	8
20-34	8	3.3	2	1	1	3	4	5	5	5
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	45	<1	<1	1	1	4	21	26
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	195	3.8	4	1	2	3	5	6	7	11
20-34	12	2.3	1	1	1	2	3	4	4	4
35-49	4	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	297	3.5	3	1	1	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	14	2.8	45	<1	<1	1	1	4	21	26
B. *Operated*	211	3.7	4	1	2	3	5	6	7	11
1. SINGLE DX	299	3.5	3	1	1	3	5	6	7	8
2. MULTIPLE DX	225	3.6	7	1	1	3	5	6	7	14
A. NOT OPERATED	16	2.6	39	<1	<1	1	1	1	19	26
B. OPERATED	508	3.6	4	1	1	3	5	6	7	9
TOTAL 0-19 YRS	495	3.6	5	1	1	3	5	6	7	10
20-34	20	2.7	2	1	1	3	4	5	5	5
35-49	7	2.1	1	1	1	2	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**524**	**3.5**	**5**	**1**	**1**	**3**	**5**	**6**	**7**	**10**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	1.8	1	1	1	2	2	3	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	249	3.2	2	2	2	3	4	4	6	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	9.1	68	2	2	5	17	22	22	22
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	80	4.8	7	2	2	4	6	8	11	16
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.8	1	1	1	2	2	3	4	4
B. *Operated*	249	3.2	2	2	2	3	4	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	7	9.1	68	2	2	5	17	22	22	22
B. *Operated*	80	4.8	7	2	2	4	6	8	11	16
1. SINGLE DX	264	3.1	2	1	2	3	4	4	5	8
2. MULTIPLE DX	87	5.1	13	2	2	4	6	9	12	21
A. NOT OPERATED	22	4.1	32	1	1	2	4	11	21	22
B. OPERATED	329	3.6	3	2	2	3	4	6	7	11
TOTAL 0-19 YRS	351	3.6	5	2	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**351**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.5	28	<1	<1	1	2	4	6	37
20-34										
35-49	8	3.8	6	1	1	4	6	7	7	7
50-64										
65+	4	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*										
0-19 YRS	135	4.5	31	<1	<1	3	6	9	11	22
20-34	67	3.8	9	<1	<1	3	6	8	10	14
35-49	26	6.2	24	<1	1	6	9	13	16	17
50-64	17	4.6	18	<1	1	2	8	12	13	13
65+	10	7.4	82	<1	<1	3	13	23	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.7	14	<1	1	2	5	8	12	18
20-34	12	5.5	18	<1	1	5	7	12	15	15
35-49	7	4.1	9	1	1	2	7	8	8	8
50-64	11	5.6	37	1	1	4	7	14	21	22
65+	23	5.2	9	1	2	5	8	10	10	10
B. *Operated*										
0-19 YRS	147	7.6	65	<1	1	5	10	16	23	46
20-34	60	6.3	23	<1	1	6	9	11	15	25
35-49	48	7.2	25	1	1	7	10	14	17	20
50-64	30	9.9	41	1	2	9	13	16	20	33
65+	32	7.2	26	1	1	7	9	14	17	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	2.7	24	<1	<1	1	2	5	7	34
B. *Operated*	255	4.6	26	<1	<1	3	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*	115	4.4	15	<1	1	3	6	10	12	19
B. *Operated*	317	7.5	45	<1	1	6	10	15	20	37
1. SINGLE DX	318	4.2	26	<1	<1	2	6	9	12	22
2. MULTIPLE DX	432	6.7	39	<1	1	5	9	13	17	34
A. NOT OPERATED	178	3.8	19	<1	<1	2	5	8	11	21
B. OPERATED	572	6.2	39	<1	1	5	8	13	16	32
TOTAL 0-19 YRS	395	5.3	44	<1	<1	3	7	11	16	38
20-34	139	5.0	17	<1	<1	4	7	10	12	20
35-49	89	6.4	23	1	1	6	9	13	16	20
50-64	58	7.5	39	1	1	7	11	15	18	32
65+	69	6.2	28	1	1	5	8	13	17	25
GRAND TOTAL	**750**	**5.6**	**35**	**<1**	**<1**	**4**	**8**	**12**	**15**	**29**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	523	1.9	1	<1	1	2	2	3	4	5
20-34	49	2.6	4	1	1	2	3	5	6	12
35-49	15	2.4	3	1	1	2	3	4	6	7
50-64	3	2.3		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	385	2.2	4	<1	<1	2	3	4	5	8
20-34	56	2.7	3	1	1	2	3	5	6	8
35-49	17	3.2	5	1	1	3	4	4	9	11
50-64	6	2.0	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	590	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	29	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	465	2.3	4	<1	<1	2	3	4	5	8
1. SINGLE DX	592	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX	494	2.2	4	<1	<1	2	3	4	5	8
A. NOT OPERATED	31	1.0		<1	<1	1	1	1	1	1
B. OPERATED	1055	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	938	2.0	2	<1	<1	2	2	3	4	7
20-34	105	2.6	3	1	1	2	3	5	6	10
35-49	33	2.8	4	1	1	2	3	4	7	11
50-64	9	2.1	1	1	1	2	3	3	3	3
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**1086**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	3	<1	<1	2	4	5	6	6
20-34	7	2.7	6	<1	<1	1	4	7	7	7
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	3.0	4	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	389	4.1	11	<1	<1	3	6	8	11	16
20-34	121	3.5	6	<1	<1	3	5	7	8	11
35-49	36	3.6	7	<1	1	3	5	7	10	11
50-64	29	4.6	14	<1	1	3	7	10	12	14
65+	14	4.9	17	<1	1	4	7	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.0	7	<1	<1	2	4	7	10	11
20-34	17	3.6	5	1	1	3	5	7	8	8
35-49	18	6.2	25	1	1	4	10	13	17	19
50-64	15	3.7	9	1	1	2	6	7	11	12
65+	15	4.3	9	1	2	3	7	10	73	99+
B. *Operated*										
0-19 YRS	349	5.1	24	<1	<1	4	7	11	15	21
20-34	180	5.0	11	<1	1	5	6	9	12	16
35-49	88	6.3	40	<1	1	5	7	13	19	36
50-64	59	8.5	78	1	2	6	10	16	29	47
65+	40	7.4	26	2	2	7	9	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.8	3	<1	<1	2	4	6	6	7
B. *Operated*	589	4.0	10	<1	<1	3	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	93	4.0	12	<1	1	3	5	10	12	64
B. *Operated*	716	5.6	28	<1	1	5	7	12	15	24
1. SINGLE DX	613	3.9	10	<1	<1	3	6	8	10	14
2. MULTIPLE DX	809	5.4	27	<1	1	4	7	11	15	24
A. NOT OPERATED	117	3.8	10	<1	1	3	5	9	11	45
B. OPERATED	1305	4.9	21	<1	1	4	7	10	13	21
TOTAL 0-19 YRS	776	4.5	17	<1	<1	3	6	9	12	19
20-34	325	4.3	10	<1	<1	4	6	8	10	14
35-49	144	5.6	30	<1	1	4	7	12	15	25
50-64	104	6.6	54	1	1	5	8	12	17	43
65+	73	6.0	22	1	2	5	9	13	18	81
GRAND TOTAL	**1422**	**4.8**	**20**	**<1**	**1**	**4**	**6**	**10**	**13**	**20**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	252	2.9	2	1	1	3	4	5	6	8
20-34	19	4.4	5	1	2	4	6	8	9	9
35-49	13	2.4	2	<1	1	2	3	4	5	5
50-64	16	4.1	3	2	2	4	5	6	7	7
65+	3	3.7	5	1	1	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	1.1		<1	<1	1	1	1	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	151	3.5	2	1	2	3	4	6	6	8
20-34	48	3.6	2	2	2	3	5	5	6	9
35-49	33	3.7	2	2	2	3	4	6	7	8
50-64	41	5.5	61	1	2	4	5	8	13	51
65+	19	5.6	7	2	3	5	7	9	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	303	3.1	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	22	1.1		<1	<1	1	1	2	2	3
B. *Operated*	292	4.0	11	1	2	3	5	6	7	13
1. SINGLE DX	308	3.0	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	314	3.8	11	1	1	3	5	6	7	13
A. NOT OPERATED	27	1.1		<1	<1	1	1	1	2	3
B. OPERATED	595	3.5	7	1	1	3	4	6	7	9
TOTAL 0-19 YRS	427	3.0	2	<1	1	3	4	5	6	8
20-34	68	3.8	3	1	2	3	5	6	7	9
35-49	46	3.3	2	1	1	3	4	5	6	8
50-64	58	5.0	44	1	2	4	5	7	11	48
65+	23	5.1	8	1	2	5	6	8	11	14
GRAND TOTAL	**622**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**9**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.5	12	<1	<1	1	2	5	9	21
20-34	31	5.1	12	1	1	4	7	10	11	13
35-49	26	5.6	25	1	1	5	7	9	16	26
50-64	19	4.2	10	<1	1	4	6	9	11	12
65+	11	5.1	8	1	1	6	8	8	8	8
B. *Operated*										
0-19 YRS	892	3.7	19	<1	1	2	4	7	11	23
20-34	388	3.3	12	<1	<1	2	4	8	10	16
35-49	208	3.7	12	<1	<1	2	5	9	11	15
50-64	96	4.5	19	1	1	3	6	11	12	21
65+	34	6.6	41	1	1	4	9	18	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	3.6	42	<1	<1	2	4	8	11	27
20-34	49	5.3	37	<1	1	4	7	9	15	39
35-49	58	6.7	27	2	2	5	9	12	15	29
50-64	43	8.2	130	2	2	5	8	10	42	58
65+	57	7.3	35	2	2	6	10	15	21	27
B. *Operated*										
0-19 YRS	368	4.4	28	<1	1	3	5	9	13	35
20-34	203	5.3	22	<1	1	4	7	12	15	24
35-49	153	6.6	43	1	1	5	9	14	18	35
50-64	163	8.2	62	1	2	6	11	17	23	50
65+	91	8.6	70	1	2	5	11	19	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.7	15	<1	<1	2	6	8	11	21
B. *Operated*	1618	3.7	17	<1	<1	2	4	8	11	21
2. MULTIPLE DX										
A. *Not Operated*	335	5.6	51	<1	1	4	7	11	15	41
B. *Operated*	978	6.0	41	1	1	4	8	13	18	37
1. SINGLE DX	1799	3.7	17	<1	<1	2	4	8	11	21
2. MULTIPLE DX	1313	5.9	43	1	1	4	7	13	18	38
A. NOT OPERATED	516	5.0	39	<1	1	3	6	10	13	32
B. OPERATED	2596	4.5	27	<1	1	3	6	10	14	28
TOTAL 0-19 YRS	1482	3.8	23	<1	1	2	4	8	11	24
20-34	671	4.1	18	<1	<1	3	5	9	12	22
35-49	445	5.2	27	<1	1	3	7	11	14	26
50-64	321	6.9	58	1	1	5	9	14	20	49
65+	193	7.7	52	1	2	5	10	18	25	34
GRAND TOTAL	**3112**	**4.6**	**29**	**<1**	**1**	**3**	**6**	**10**	**14**	**28**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2999	2.6	8	1	1	2	3	4	5	13
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	41	10.4	416	<1	<1	3	8	22	64	94
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1135	5.8	69	1	1	3	6	14	22	51
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	99	11.5	220	1	2	6	13	33	47	70
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2999	2.6	8	1	1	2	3	4	5	13
B. *Operated*	41	10.4	416	<1	<1	3	8	22	64	94
2. MULTIPLE DX										
A. *Not Operated*	1135	5.8	69	1	1	3	6	14	22	51
B. *Operated*	99	11.5	220	1	2	6	13	33	47	70
1. SINGLE DX	3040	2.7	14	1	1	2	3	4	5	15
2. MULTIPLE DX	1234	6.3	84	1	1	3	6	15	24	55
A. NOT OPERATED	4134	3.5	27	1	1	2	3	6	10	26
B. OPERATED	140	11.2	275	<1	1	5	12	32	46	89
TOTAL 0-19 YRS	4274	3.7	37	1	1	2	3	6	11	31
20-34			–							
35-49										
50-64										
65+										
GRAND TOTAL	**4274**	**3.7**	**37**	**1**	**1**	**2**	**3**	**6**	**11**	**31**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	745	2.1	2	<1	1	2	3	4	5	8
20-34	424	2.5	4	<1	1	2	3	4	7	12
35-49	218	2.9	6	1	1	2	3	6	7	13
50-64	155	3.2	6	1	1	3	4	6	7	16
65+	159	3.0	4	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS	10	3.4	6	1	1	3	5	7	9	9
20-34	15	6.8	170	1	1	3	5	10	42	53
35-49	3	5.7	6	3	3	6	7	8	8	8
50-64	11	6.0	30	<1	1	4	8	14	19	20
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1009	2.8	11	1	1	2	3	5	6	15
20-34	493	3.9	17	1	1	3	4	8	11	19
35-49	449	3.8	12	1	1	3	5	7	10	16
50-64	583	5.0	27	1	1	4	6	9	14	22
65+	893	5.9	26	1	2	4	7	12	16	28
B. *Operated*										
0-19 YRS	23	8.5	66	1	2	5	13	20	24	31
20-34	37	8.3	49	2	2	7	10	21	25	26
35-49	42	6.9	23	2	2	6	9	14	20	99+
50-64	55	8.7	67	2	2	6	10	21	29	97
65+	74	13.1	211	2	3	8	16	32	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1701	2.5	4	1	1	2	3	5	6	10
B. *Operated*	41	5.5	71	1	1	3	6	9	15	53
2. MULTIPLE DX										
A. *Not Operated*	3427	4.3	20	1	1	3	5	9	12	22
B. *Operated*	231	9.7	107	2	2	7	11	21	31	82
1. SINGLE DX	1742	2.6	6	1	1	2	3	5	6	10
2. MULTIPLE DX	3658	4.6	27	1	1	3	5	9	14	28
A. NOT OPERATED	5128	3.7	15	1	1	3	4	7	10	19
B. OPERATED	272	9.0	103	2	2	6	10	20	31	77
TOTAL 0-19 YRS	1787	2.6	8	1	1	2	3	4	6	14
20-34	969	3.5	16	1	1	2	4	7	10	19
35-49	712	3.7	12	1	1	3	5	7	10	17
50-64	804	4.9	27	1	1	3	6	9	14	27
65+	1128	6.0	39	1	2	4	7	12	16	34
GRAND TOTAL	**5400**	**4.0**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	2.6	2	1	1	2	3	4	5	9
20-34	81	3.6	8	1	1	3	4	7	9	16
35-49	45	3.6	4	1	2	3	4	6	7	12
50-64	57	4.4	11	1	2	3	6	8	11	17
65+	73	4.6	7	2	2	4	6	9	10	13
B. *Operated*										
0-19 YRS	8	4.0	22	<1	<1	3	4	12	15	15
20-34	7	15.1	164	1	2	12	29	31	31	31
35-49	6	7.2	17	3	3	6	11	13	13	13
50-64	8	10.4	73	1	1	11	14	23	27	27
65+	7	8.6	24	4	4	6	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	455	3.3	8	1	1	3	4	6	7	15
20-34	240	4.2	11	1	1	3	5	8	11	18
35-49	169	4.9	14	1	2	4	6	9	12	18
50-64	283	5.7	20	2	2	4	7	11	15	22
65+	586	6.7	34	2	2	5	8	13	16	24
B. *Operated*										
0-19 YRS	23	6.4	19	<1	1	5	10	13	14	14
20-34	37	11.1	131	3	3	8	13	17	28	68
35-49	45	9.0	36	2	3	8	12	16	19	34
50-64	68	13.2	171	2	3	8	18	27	34	78
65+	88	13.7	125	4	4	10	18	26	33	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	3.3	5	1	1	3	4	6	8	13
B. *Operated*	36	9.0	68	1	1	5	13	21	30	31
2. MULTIPLE DX										
A. *Not Operated*	1733	5.1	22	1	2	4	6	10	13	21
B. *Operated*	261	11.8	117	2	3	9	15	23	31	66
1. SINGLE DX	565	3.7	11	1	1	3	4	7	10	17
2. MULTIPLE DX	1994	6.0	39	1	2	4	7	12	16	29
A. NOT OPERATED	2262	4.7	19	1	1	3	6	9	12	20
B. OPERATED	297	11.4	112	2	3	8	14	22	30	66
TOTAL 0-19 YRS	759	3.1	7	1	1	3	4	5	7	14
20-34	365	5.0	31	1	1	4	5	10	13	29
35-49	265	5.4	19	1	2	4	7	11	13	21
50-64	416	6.8	52	2	2	5	8	15	21	34
65+	754	7.3	48	2	2	5	9	14	19	33
GRAND TOTAL	**2559**	**5.5**	**34**	**1**	**2**	**4**	**7**	**11**	**15**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	2.3	2	1	1	2	3	4	5	8
20-34	260	3.0	6	1	1	2	4	6	7	16
35-49	165	3.2	8	1	1	3	4	6	8	19
50-64	87	2.9	5	1	1	2	4	6	7	12
65+	40	3.6	12	1	1	2	4	8	12	16
B. *Operated*										
0-19 YRS	4	3.0	2	1	1	3	4	4	4	4
20-34	33	5.5	239	1	1	2	4	6	8	91
35-49	34	3.3	7	2	2	2	4	6	8	16
50-64	13	2.7	2	1	1	3	3	5	5	5
65+	7	2.4	4	<1	<1	1	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	2.6	3	1	1	2	3	5	6	9
20-34	400	4.2	13	1	1	3	5	9	12	20
35-49	324	4.8	21	1	1	3	6	10	17	22
50-64	226	4.9	17	1	1	4	6	10	13	22
65+	233	4.8	18	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	5	4.8	17	2	2	4	6	12	12	12
20-34	60	5.3	22	1	1	4	7	11	15	24
35-49	37	5.4	35	1	2	4	6	10	17	33
50-64	39	7.2	59	1	1	6	8	13	27	36
65+	29	7.0	27	1	1	6	9	15	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	3.0	6	1	1	2	4	6	7	15
B. *Operated*	91	3.9	90	1	1	2	4	6	7	60
2. MULTIPLE DX										
A. *Not Operated*	1284	4.5	16	1	1	3	5	9	12	20
B. *Operated*	170	6.0	34	1	1	4	8	12	18	33
1. SINGLE DX	727	3.1	17	1	1	2	4	6	7	16
2. MULTIPLE DX	1454	4.6	18	1	1	3	6	9	12	22
A. NOT OPERATED	1920	4.0	13	1	1	3	5	8	11	19
B. OPERATED	261	5.3	54	1	1	3	7	10	15	33
TOTAL 0-19 YRS	194	2.6	3	1	1	2	3	5	5	10
20-34	753	3.9	22	1	1	3	5	7	11	19
35-49	560	4.3	17	1	1	3	5	9	12	20
50-64	365	4.6	19	1	1	3	6	9	12	23
65+	309	4.8	18	1	1	4	6	10	13	21
GRAND TOTAL	**2181**	**4.1**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.9	7	<1	1	2	4	5	9	12
20-34	38	2.8	3	<1	1	2	3	6	7	8
35-49	48	3.2	3	1	1	3	5	6	6	7
50-64	113	3.2	4	1	1	3	4	6	8	10
65+	133	2.9	3	<1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	26	1.2		<1	<1	<1	<1	2	2	3
20-34	39	3.7	5	1	1	3	5	7	8	10
35-49	42	3.6	4	<1	1	3	5	6	7	10
50-64	76	4.6	11	1	1	4	6	8	11	16
65+	50	3.7	6	1	1	3	5	7	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	3	1	1	2	4	4	7	9
20-34	32	3.6	8	1	1	3	4	7	11	12
35-49	58	4.3	7	1	1	4	5	7	10	15
50-64	162	3.9	10	<1	1	3	5	7	10	17
65+	369	4.0	12	1	1	3	5	8	11	17
B. *Operated*										
0-19 YRS	13	2.6	4	<1	<1	2	4	5	7	7
20-34	24	4.4	9	1	1	4	6	9	10	11
35-49	51	4.7	10	1	2	4	6	8	9	20
50-64	120	4.9	7	1	2	4	7	9	10	13
65+	137	5.7	15	1	2	5	7	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	3.0	4	1	1	3	4	6	7	9
B. *Operated*	233	3.7	7	<1	<1	3	5	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	657	3.9	10	1	1	3	5	7	10	16
B. *Operated*	345	5.1	11	1	2	4	7	9	10	17
1. SINGLE DX	585	3.3	5	<1	1	3	5	6	7	11
2. MULTIPLE DX	1002	4.3	11	1	1	4	6	8	10	16
A. NOT OPERATED	1009	3.6	8	1	1	3	5	7	8	15
B. OPERATED	578	4.5	10	1	1	4	6	8	10	16
TOTAL 0-19 YRS	95	2.3	4	<1	<1	2	3	4	6	11
20-34	133	3.5	6	1	1	3	5	7	9	11
35-49	199	4.0	7	1	1	4	5	7	8	14
50-64	471	4.1	8	1	1	3	5	8	9	16
65+	689	4.1	11	1	1	3	5	8	10	16
GRAND TOTAL	**1587**	**3.9**	**9**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	3.2	3	<1	<1	3	4	6	7	8
20-34	15	4.0	10	1	1	3	5	8	12	13
35-49	15	2.9	9	<1	1	2	3	4	11	13
50-64	21	3.2	13	<1	<1	2	3	5	11	18
65+	15	1.9	1	<1	<1	2	2	3	4	4
B. *Operated*										
0-19 YRS	101	1.7	2	<1	<1	1	2	3	4	9
20-34	126	2.1	2	<1	<1	2	2	4	5	8
35-49	75	2.1	5	<1	<1	2	2	4	6	14
50-64	75	2.3	5	<1	<1	2	2	4	7	13
65+	34	2.2	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	3.2	2	1	1	3	4	5	6	7
20-34	46	3.1	4	<1	1	3	4	6	6	12
35-49	49	2.7	3	1	1	2	4	5	5	7
50-64	103	4.2	17	1	1	3	5	9	15	21
65+	143	6.0	38	1	1	4	8	13	20	42
B. *Operated*										
0-19 YRS	35	2.7	7	<1	<1	2	3	6	9	14
20-34	57	4.5	25	<1	1	3	5	11	13	30
35-49	45	6.6	97	<1	1	3	7	16	26	56
50-64	62	5.0	34	<1	1	3	5	13	20	26
65+	85	9.3	124	1	2	3	15	24	29	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	3.1	7	<1	1	2	4	5	8	16
B. *Operated*	411	2.1	3	<1	<1	2	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	374	4.5	22	1	1	3	5	9	14	30
B. *Operated*	284	6.2	70	<1	1	3	6	16	24	42
1. SINGLE DX	505	2.2	4	<1	<1	2	2	4	6	11
2. MULTIPLE DX	658	5.2	43	1	1	3	5	12	19	34
A. NOT OPERATED	468	4.2	19	1	1	3	5	8	13	24
B. OPERATED	695	3.7	35	<1	<1	2	3	8	15	28
TOTAL 0-19 YRS	197	2.4	4	<1	<1	2	3	4	6	10
20-34	244	2.9	9	<1	<1	2	4	5	8	13
35-49	184	3.5	30	<1	<1	2	3	6	13	27
50-64	261	3.8	18	<1	1	2	4	9	14	22
65+	277	6.3	64	1	1	3	7	16	24	44
GRAND TOTAL	**1163**	**3.9**	**28**	**<1**	**<1**	**2**	**4**	**8**	**14**	**27**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34										
35-49										
50-64	2	7.0	50	2	2	7	12	12	12	12
65+	5	3.6	14	<1	<1	2	5	10	10	10
B. *Operated*										
0-19 YRS	10	6.3	63	<1	<1	2	13	19	22	22
20-34	13	7.2	102	<1	1	3	7	22	33	36
35-49	9	9.3	64	2	3	7	10	23	29	29
50-64	21	8.7	43	1	2	7	14	17	21	25
65+	49	13.5	154	1	2	11	19	32	49	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.0		3	3	3	3	3	3	3
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	16	10.4	60	1	1	7	16	23	25	25
65+	58	9.7	50	1	2	9	12	17	25	37
B. *Operated*										
0-19 YRS	17	7.5	61	<1	1	4	11	20	26	28
20-34	30	9.8	140	<1	1	4	15	26	28	54
35-49	50	15.1	214	1	1	9	20	45	51	99+
50-64	143	19.7	281	3	4	14	26	45	58	95
65+	429	21.2	315	4	6	16	27	42	57	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.1	17	<1	<1	2	6	11	12	12
B. *Operated*	102	10.6	113	1	1	8	16	22	35	80
2. MULTIPLE DX										
A. *Not Operated*	79	9.4	51	1	2	8	13	17	25	35
B. *Operated*	669	19.6	296	2	4	15	26	42	55	94
1. SINGLE DX	111	10.1	108	<1	1	7	14	22	34	76
2. MULTIPLE DX	748	18.5	280	2	3	14	24	40	53	92
A. NOT OPERATED	88	8.9	50	1	1	7	12	17	24	34
B. OPERATED	771	18.4	281	2	3	14	24	40	54	94
TOTAL 0-19 YRS	30	6.5	56	<1	<1	3	10	19	22	28
20-34	45	8.7	123	<1	1	3	14	26	30	54
35-49	61	13.9	191	1	2	9	18	42	49	94
50-64	182	17.5	249	2	4	13	23	36	51	88
65+	541	19.1	287	3	4	14	24	40	54	92
GRAND TOTAL	**859**	**17.4**	**265**	**2**	**3**	**13**	**23**	**38**	**51**	**92**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.3	2	<1	<1	2	3	4	5	5
20-34	347	2.3	3	<1	1	2	3	4	6	8
35-49	1196	2.4	3	1	1	2	3	4	5	8
50-64	1147	2.5	3	1	1	2	3	4	6	8
65+	576	3.0	11	1	1	2	4	5	7	12
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	51	2.2	2	1	1	2	2	4	5	8
35-49	262	2.5	3	1	1	2	3	4	6	9
50-64	333	2.4	2	1	1	2	2	4	5	7
65+	107	3.3	18	1	1	2	4	7	8	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	3.0	8	1	1	2	4	7	8	13
20-34	476	3.0	8	<1	1	2	4	6	7	14
35-49	2198	3.1	6	1	1	2	4	5	7	12
50-64	3454	3.4	8	1	1	3	4	6	8	12
65+	2959	4.1	14	1	1	3	5	7	10	16
B. *Operated*										
0-19 YRS	6	3.8	6	1	1	4	6	7	7	7
20-34	75	3.4	5	1	1	3	4	7	9	11
35-49	496	3.7	11	1	1	2	5	7	10	19
50-64	946	3.7	12	1	1	2	5	8	10	17
65+	408	5.1	30	1	2	3	7	11	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3292	2.6	5	1	1	2	3	4	6	9
B. *Operated*	758	2.5	5	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	9116	3.5	9	1	1	3	4	6	8	14
B. *Operated*	1931	4.0	16	1	1	2	5	8	11	20
1. SINGLE DX	4050	2.6	5	1	1	2	3	4	6	9
2. MULTIPLE DX	11047	3.6	11	1	1	3	4	7	9	15
A. NOT OPERATED	12408	3.3	8	1	1	3	4	6	8	13
B. OPERATED	2689	3.6	13	1	1	2	4	7	10	18
TOTAL 0-19 YRS	66	2.7	5	<1	1	2	3	6	7	12
20-34	949	2.8	6	<1	1	2	3	5	7	11
35-49	4152	2.9	6	1	1	2	3	5	7	12
50-64	5880	3.2	7	1	1	2	4	6	8	13
65+	4050	4.0	15	1	1	3	5	7	10	18
GRAND TOTAL	**15097**	**3.3**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

337: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	2.3	5	<1	1	2	3	4	6	14
20-34	28	1.9	1	<1	<1	1	3	3	4	5
35-49	27	2.2	3	1	1	1	3	5	6	8
50-64	49	2.8	6	<1	1	2	3	7	8	13
65+	55	3.5	18	<1	1	3	4	5	8	28
B. *Operated*										
0-19 YRS	17	3.0	7	<1	1	2	4	6	9	11
20-34	23	2.7	3	<1	1	2	3	6	7	7
35-49	32	2.3	3	<1	<1	2	3	5	6	8
50-64	73	3.1	6	<1	<1	2	4	7	9	12
65+	90	3.5	12	<1	<1	2	4	8	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	240	3.8	15	1	1	2	4	9	12	21
20-34	80	3.8	22	<1	1	3	4	7	10	30
35-49	128	4.9	27	1	1	3	6	9	16	27
50-64	372	5.5	25	1	2	4	7	11	15	27
65+	722	6.5	29	1	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	21	7.1	58	1	1	4	8	17	25	33
20-34	34	6.2	36	1	1	4	9	15	18	27
35-49	82	5.9	32	1	1	4	8	13	19	24
50-64	189	5.4	36	1	1	4	7	11	14	36
65+	235	7.8	115	1	1	4	9	17	21	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.5	7	<1	1	2	3	5	6	15
B. *Operated*	235	3.1	8	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1542	5.5	26	1	1	4	7	11	15	26
B. *Operated*	561	6.6	70	1	1	4	8	14	19	48
1. SINGLE DX	602	2.7	7	<1	1	2	3	5	8	15
2. MULTIPLE DX	2103	5.8	38	1	1	4	7	12	16	29
A. NOT OPERATED	1909	5.0	24	1	1	3	6	10	14	25
B. OPERATED	796	5.6	54	<1	1	3	7	12	17	38
TOTAL 0-19 YRS	486	3.3	14	1	1	2	4	8	11	19
20-34	165	3.8	20	<1	1	3	4	7	12	26
35-49	269	4.6	25	1	1	3	5	10	14	25
50-64	683	5.0	26	1	1	4	6	10	13	26
65+	1102	6.4	47	1	1	5	8	13	17	31
GRAND TOTAL	**2705**	**5.1**	**33**	**1**	**1**	**3**	**6**	**11**	**15**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.1	2	<1	<1	2	3	4	5	5
20-34	88	1.7	1	<1	1	1	2	3	4	7
35-49	90	2.0	2	<1	<1	1	2	4	4	9
50-64	70	2.1	2	<1	1	2	3	4	5	6
65+	73	3.2	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	47	1.3	1	<1	<1	1	1	2	3	6
20-34	18	3.3	4	<1	<1	3	5	7	7	7
35-49	30	3.7	7	<1	1	3	5	8	8	10
50-64	37	5.5	13	<1	1	5	8	10	13	15
65+	46	4.6	14	<1	<1	4	6	8	10	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.8	1	<1	<1	2	2	3	4	5
20-34	106	2.4	4	<1	1	2	3	5	6	11
35-49	100	2.9	7	<1	1	2	4	6	8	14
50-64	137	3.8	19	<1	1	3	5	8	11	21
65+	360	5.8	29	1	1	4	7	13	15	27
B. *Operated*										
0-19 YRS	62	2.3	10	<1	<1	1	2	4	10	20
20-34	32	5.3	17	1	1	4	7	9	14	19
35-49	54	5.0	13	1	1	4	7	9	12	18
50-64	109	7.3	32	2	3	6	9	13	17	37
65+	323	9.4	51	2	3	7	12	19	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.2	3	<1	1	2	3	4	6	8
B. *Operated*	178	3.6	10	<1	<1	2	5	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	720	4.4	22	1	1	3	6	9	13	25
B. *Operated*	580	7.6	43	1	1	6	10	15	20	34
1. SINGLE DX	515	2.7	6	<1	1	2	3	6	8	11
2. MULTIPLE DX	1300	5.8	34	1	1	4	7	12	17	29
A. NOT OPERATED	1057	3.7	17	<1	1	2	5	8	11	23
B. OPERATED	758	6.7	38	<1	1	5	9	13	19	30
TOTAL 0-19 YRS	142	1.9	5	<1	<1	1	2	3	5	11
20-34	244	2.6	6	<1	1	2	3	6	7	11
35-49	274	3.1	8	<1	1	2	4	7	8	14
50-64	353	4.7	23	1	1	3	6	9	12	20
65+	802	6.9	39	1	2	5	9	14	20	30
GRAND TOTAL	**1815**	**4.9**	**28**	**<1**	**1**	**3**	**6**	**11**	**15**	**27**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1201	1.9	2	<1	1	1	2	3	4	7
20-34	1532	2.5	5	<1	1	2	3	5	6	11
35-49	880	3.0	9	1	1	2	4	6	8	12
50-64	534	3.0	6	<1	1	2	4	6	8	14
65+	429	3.4	5	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	206	3.4	5	1	1	3	4	5	8	12
20-34	325	4.0	8	1	1	4	5	7	9	15
35-49	129	4.8	21	<1	1	3	6	10	15	23
50-64	79	4.9	11	1	1	4	7	10	11	12
65+	44	4.3	10	1	1	4	6	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	690	2.4	3	<1	1	2	3	5	6	10
20-34	1463	3.3	15	<1	1	2	4	6	9	15
35-49	1044	4.1	12	1	1	3	5	8	10	21
50-64	1129	4.3	12	1	1	3	5	8	10	19
65+	1660	5.1	19	1	2	4	6	9	12	21
B. *Operated*										
0-19 YRS	145	3.6	4	1	1	3	4	7	8	9
20-34	393	5.8	23	1	2	5	7	12	15	25
35-49	238	7.5	34	1	2	6	9	16	19	31
50-64	173	7.2	90	1	2	5	8	13	16	63
65+	212	8.7	80	1	2	7	11	18	22	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4576	2.6	5	<1	1	2	3	5	7	11
B. *Operated*	783	4.1	10	1	1	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	5986	4.0	15	1	1	3	5	8	10	18
B. *Operated*	1161	6.6	46	1	2	5	8	13	18	31
1. SINGLE DX	5359	2.8	6	<1	1	2	4	5	7	12
2. MULTIPLE DX	7147	4.4	20	1	1	3	5	9	11	21
A. NOT OPERATED	10562	3.4	11	1	1	2	4	7	9	16
B. OPERATED	1944	5.6	33	1	1	4	7	11	15	26
TOTAL 0-19 YRS	2242	2.3	3	<1	1	2	3	4	6	9
20-34	3713	3.3	12	<1	1	2	4	6	9	15
35-49	2291	4.1	15	1	1	3	5	8	10	20
50-64	1915	4.2	19	1	1	3	5	8	11	19
65+	2345	5.1	24	1	1	4	6	10	13	22
GRAND TOTAL	**12506**	**3.7**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**18**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	102	2.3	3	<1	1	2	3	5	6	10
20-34	78	2.7	4	<1	<1	2	4	5	7	9
35-49	57	2.5	4	<1	<1	2	3	6	6	11
50-64	51	3.2	11	<1	<1	2	4	7	9	17
65+	90	3.6	13	1	1	3	5	8	9	22
B. *Operated*										
0-19 YRS	5	3.4	3	1	1	3	4	6	6	6
20-34	37	3.5	5	<1	1	3	5	7	7	10
35-49	41	4.8	12	<1	1	4	6	10	12	15
50-64	33	2.8	5	<1	<1	2	5	6	7	8
65+	30	4.1	17	<1	<1	2	6	8	9	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	302	2.8	6	1	1	2	3	5	7	13
20-34	245	3.4	7	1	1	3	4	7	9	13
35-49	225	4.9	29	1	1	3	6	10	13	24
50-64	364	5.3	29	1	1	4	7	10	13	28
65+	856	5.8	26	1	2	4	7	12	16	25
B. *Operated*										
0-19 YRS	33	6.6	59	1	1	4	8	16	26	36
20-34	79	6.9	32	1	2	6	8	13	18	34
35-49	98	7.8	95	1	2	6	9	15	19	57
50-64	140	7.9	48	1	1	6	10	16	21	33
65+	198	9.7	84	1	2	7	13	20	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	2.8	7	<1	1	2	4	6	8	13
B. *Operated*	146	3.8	10	<1	<1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	1992	4.9	23	1	1	3	6	10	13	24
B. *Operated*	548	8.3	69	1	1	6	10	17	23	43
1. SINGLE DX	524	3.1	8	<1	1	2	4	7	8	14
2. MULTIPLE DX	2540	5.6	35	1	1	4	7	12	16	28
A. NOT OPERATED	2370	4.5	21	1	1	3	6	9	12	24
B. OPERATED	694	7.4	60	1	1	5	9	15	21	39
TOTAL 0-19 YRS	442	3.0	10	1	1	2	3	5	8	16
20-34	439	3.9	13	<1	1	3	5	7	10	18
35-49	421	5.2	42	1	1	4	7	10	13	21
50-64	588	5.6	33	1	1	4	7	12	15	29
65+	1174	6.3	37	1	1	4	8	13	18	30
GRAND TOTAL	**3064**	**5.2**	**31**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	713	3.2	21	<1	1	2	3	6	8	21
20-34	347	3.1	19	<1	1	2	3	5	7	18
35-49	312	2.5	4	<1	1	2	3	4	6	10
50-64	408	2.9	9	<1	1	2	3	5	7	17
65+	697	3.8	18	1	1	3	4	7	10	18
B. *Operated*										
0-19 YRS	49	2.5	16	<1	<1	1	2	4	5	28
20-34	147	2.4	6	<1	<1	2	2	6	7	10
35-49	174	2.4	3	<1	<1	2	3	5	6	10
50-64	196	2.8	16	<1	<1	2	3	6	8	18
65+	113	3.7	24	<1	<1	2	4	8	14	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	814	4.3	24	1	1	3	5	9	11	26
20-34	682	3.7	17	1	1	3	4	7	9	19
35-49	920	3.9	14	1	1	3	5	7	10	20
50-64	2074	4.9	27	1	1	3	6	10	14	27
65+	5548	6.0	38	1	2	4	7	12	16	30
B. *Operated*										
0-19 YRS	82	9.4	223	<1	1	3	9	27	48	72
20-34	182	5.1	53	<1	1	2	6	10	18	39
35-49	254	4.3	18	<1	1	3	6	10	12	22
50-64	467	7.1	105	1	1	4	8	16	26	49
65+	759	10.2	142	1	2	7	12	22	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2477	3.2	16	<1	1	2	4	6	8	17
B. *Operated*	679	2.7	12	<1	<1	2	3	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	10038	5.3	32	1	1	4	6	10	14	28
B. *Operated*	1744	7.9	114	1	1	4	9	18	28	71
1. SINGLE DX	3156	3.1	15	<1	1	2	4	6	8	18
2. MULTIPLE DX	11782	5.7	45	1	1	4	7	11	16	35
A. NOT OPERATED	12515	4.9	29	1	1	3	6	10	14	27
B. OPERATED	2423	6.5	90	<1	1	3	8	15	23	59
TOTAL 0-19 YRS	1658	4.0	34	1	1	2	4	8	11	34
20-34	1358	3.6	22	<1	1	2	4	7	9	27
35-49	1660	3.5	12	1	1	2	4	7	10	19
50-64	3145	4.9	37	1	1	3	6	10	15	31
65+	7117	6.2	49	1	2	4	7	12	17	37
GRAND TOTAL	**14938**	**5.1**	**40**	**1**	**1**	**3**	**6**	**10**	**15**	**33**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	128	2.0	2	1	1	1	2	4	5	8
20-34	13	2.6	3	1	1	2	4	5	6	6
35-49	4	2.8	2	1	1	3	4	4	4	4
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	32	3.9	7	1	1	3	5	7	9	12
20-34	13	4.8	11	<1	1	4	7	10	11	11
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	2.8	9	1	1	2	3	6	9	14
20-34	102	5.0	29	1	1	3	7	10	14	30
35-49	37	8.2	124	1	1	3	9	25	35	50
50-64	25	7.1	49	1	1	5	9	16	24	29
65+	33	9.1	82	1	1	6	11	22	29	39
B. *Operated*										
0-19 YRS	149	11.1	226	1	2	6	13	28	62	99+
20-34	122	14.6	271	1	2	9	22	44	69	99+
35-49	37	16.2	510	2	2	10	14	37	83	97
50-64	24	16.0	256	2	4	10	21	53	77	99+
65+	12	21.4	266	4	4	14	37	62	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	149	2.1	2	1	1	1	2	4	5	7
B. *Operated*	47	4.2	8	1	1	4	6	9	10	12
2. MULTIPLE DX										
A. *Not Operated*	568	4.1	30	1	1	2	4	9	13	29
B. *Operated*	344	13.6	279	1	2	8	17	40	73	99+
1. SINGLE DX	196	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	912	7.7	145	1	1	4	9	20	32	99+
A. NOT OPERATED	717	3.7	25	1	1	2	4	8	11	28
B. OPERATED	391	12.5	255	1	2	7	15	34	67	99+
TOTAL 0-19 YRS	680	4.5	67	1	1	2	5	10	15	84
20-34	250	9.5	169	1	1	5	10	26	44	99+
35-49	80	11.6	310	1	2	6	12	27	44	94
50-64	51	11.1	164	1	2	7	16	27	51	99
65+	47	11.9	154	1	1	9	15	35	42	99+
GRAND TOTAL	**1108**	**6.8**	**124**	**1**	**1**	**3**	**7**	**16**	**29**	**99**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	2.4	11	1	1	2	2	5	6	23
20-34	16	3.1	5	<1	1	2	5	6	7	8
35-49	5	4.8	19	1	1	2	9	10	10	10
50-64	6	2.5	3	1	1	2	4	5	5	5
65+	8	6.3	44	1	1	5	6	17	22	22
B. *Operated*										
0-19 YRS	12	5.4	11	1	2	5	6	12	12	12
20-34	9	5.3	17	1	1	3	9	11	12	12
35-49	5	9.6	26	4	4	9	13	17	17	17
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	262	3.8	20	1	1	2	5	8	11	20
20-34	185	4.5	15	1	1	3	6	9	13	19
35-49	63	6.3	37	1	2	4	8	13	16	32
50-64	39	7.2	43	1	1	5	9	18	19	29
65+	41	11.4	110	2	3	7	17	27	34	42
B. *Operated*										
0-19 YRS	87	10.9	168	1	2	6	11	34	47	84
20-34	123	15.1	315	1	2	9	18	36	56	90
35-49	41	11.9	231	1	1	6	12	34	48	63
50-64	22	18.4	233	2	3	16	28	47	78	99+
65+	24	16.7	338	2	3	11	20	41	64	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	3.0	13	1	1	2	3	6	8	24
B. *Operated*	27	6.4	18	1	2	5	10	12	14	17
2. MULTIPLE DX										
A. *Not Operated*	590	5.0	32	1	1	3	6	11	16	30
B. *Operated*	297	13.8	258	1	2	8	17	36	55	92
1. SINGLE DX	120	3.8	16	1	1	2	5	9	12	23
2. MULTIPLE DX	887	8.0	125	1	1	4	9	19	30	63
A. NOT OPERATED	683	4.8	30	1	1	3	6	10	15	29
B. OPERATED	324	13.2	242	1	2	8	16	34	54	89
TOTAL 0-19 YRS	419	5.2	58	1	1	3	6	10	19	51
20-34	333	8.4	152	1	1	4	9	18	30	71
35-49	114	8.4	111	1	1	5	9	17	32	62
50-64	67	10.4	132	1	1	6	16	27	34	94
65+	74	12.6	181	2	3	7	17	28	38	73
GRAND TOTAL	**1007**	**7.5**	**114**	**1**	**1**	**4**	**8**	**17**	**28**	**60**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	26	1.7	1	<1	<1	1	2	3	4	6
35-49	9	2.4	6	<1	<1	1	3	7	7	7
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	5	1.8	2	1	1	1	2	4	4	4
B. *Operated*										
0-19 YRS	350	1.7	2	<1	<1	1	2	3	4	7
20-34	419	2.1	9	<1	<1	2	2	4	5	7
35-49	114	2.1	2	<1	1	2	3	4	5	7
50-64	40	2.2	2	1	1	2	3	4	5	8
65+	22	3.3	11	<1	1	2	3	7	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	1.9	2	<1	<1	1	2	3	5	7
20-34	146	2.0	2	<1	<1	1	3	4	5	7
35-49	61	2.3	4	<1	1	2	3	4	6	11
50-64	44	3.8	14	<1	1	3	5	7	10	22
65+	95	5.2	27	1	1	4	7	9	13	32
B. *Operated*										
0-19 YRS	733	2.8	15	<1	1	2	3	5	7	12
20-34	1425	3.6	20	1	1	2	4	7	11	22
35-49	458	4.5	38	1	1	3	5	9	17	34
50-64	173	5.3	95	1	1	3	4	10	15	65
65+	125	8.3	77	1	2	6	11	16	20	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	1.8	2	<1	<1	1	2	4	6	7
B. *Operated*	945	2.0	5	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	410	3.0	11	<1	1	2	4	6	8	17
B. *Operated*	2914	3.8	30	1	1	2	4	8	12	27
1. SINGLE DX	997	2.0	5	<1	<1	1	2	4	5	7
2. MULTIPLE DX	3324	3.7	27	1	1	2	4	7	11	25
A. NOT OPERATED	462	2.8	10	<1	<1	2	3	6	8	17
B. OPERATED	3859	3.4	24	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	1157	2.4	10	<1	<1	2	3	5	6	11
20-34	2016	3.2	17	<1	1	2	3	6	9	20
35-49	642	3.9	29	1	1	2	4	7	13	30
50-64	259	4.5	67	1	1	3	4	8	14	39
65+	247	6.5	54	1	1	4	8	13	17	38
GRAND TOTAL	**4321**	**3.3**	**23**	**<1**	**1**	**2**	**4**	**7**	**10**	**22**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	4.4	8	1	1	4	6	8	11	12
20-34	138	4.5	11	1	1	4	6	10	12	15
35-49	88	6.1	63	1	1	4	8	11	14	51
50-64	74	6.6	20	1	2	6	9	11	13	24
65+	185	8.2	66	2	2	7	10	14	18	26
B. *Operated*										
0-19 YRS	15	9.2	23	1	2	10	13	14	17	18
20-34	27	10.9	43	3	3	10	15	21	22	25
35-49	15	15.9	274	1	3	10	14	45	52	55
50-64	10	9.2	32	2	3	8	14	16	18	18
65+	8	10.8	99	1	1	10	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	189	5.5	46	1	1	4	6	10	12	45
20-34	543	5.5	27	1	2	4	7	10	13	27
35-49	274	6.3	27	1	2	5	8	11	16	29
50-64	399	7.8	36	1	2	6	10	14	20	31
65+	1638	9.6	43	3	3	8	12	17	22	35
B. *Operated*										
0-19 YRS	68	13.0	107	2	3	11	16	27	36	92
20-34	240	15.4	238	3	4	11	18	33	50	87
35-49	103	14.2	127	3	4	12	17	29	46	76
50-64	71	15.3	171	3	5	13	18	29	33	84
65+	133	18.4	148	4	6	16	24	36	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	6.3	41	1	2	5	8	11	14	23
B. *Operated*	75	11.3	90	1	3	10	14	20	27	52
2. MULTIPLE DX										
A. *Not Operated*	3043	8.1	41	1	2	6	10	15	20	33
B. *Operated*	615	15.6	179	3	4	12	20	31	43	87
1. SINGLE DX	624	6.9	49	1	2	5	9	13	17	27
2. MULTIPLE DX	3658	9.3	72	2	2	7	12	18	24	45
A. NOT OPERATED	3592	7.8	41	1	2	6	10	15	19	32
B. OPERATED	690	15.1	171	3	4	12	19	31	41	86
TOTAL 0-19 YRS	336	7.0	60	1	1	5	8	14	22	56
20-34	948	8.0	98	1	2	5	9	16	24	57
35-49	480	8.2	75	1	2	6	10	16	25	51
50-64	554	8.7	57	1	2	7	11	16	23	34
65+	1964	10.0	57	2	3	8	12	19	23	40
GRAND TOTAL	**4282**	**9.0**	**70**	**1**	**2**	**7**	**11**	**18**	**23**	**44**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	22.8	875	1	1	5	45	68	68	68
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	9.0		9	9	9	9	9	9	9
65+	4	7.8	25	1	1	8	11	13	13	13
B. *Operated*										
0-19 YRS	4	9.3	35	1	1	10	13	15	15	15
20-34	7	9.1	62	4	4	5	10	23	26	26
35-49	5	16.8	72	6	6	15	23	28	28	28
50-64	2	13.0	98	6	6	13	20	20	20	20
65+	2	25.5	1	25	25	25	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.8	76	1	1	7	12	22	30	31
20-34	36	10.9	146	1	2	7	13	42	80	99+
35-49	12	9.2	474	<1	<1	3	5	28	71	78
50-64	16	8.1	100	2	2	4	8	19	35	41
65+	43	12.3	123	2	4	9	15	24	39	52
B. *Operated*										
0-19 YRS	17	38.9	702	9	11	40	73	99+	99+	99+
20-34	73	29.6	404	5	10	26	43	73	96	99+
35-49	19	23.2	483	2	3	20	46	99+	99+	99+
50-64	7	24.6	381	8	9	20	47	90	99+	99+
65+	17	35.8	676	11	14	32	67	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	14.7	396	1	1	8	17	47	65	68
B. *Operated*	20	13.1	74	2	4	11	21	26	27	28
2. MULTIPLE DX										
A. *Not Operated*	118	10.7	154	1	2	7	13	27	48	99+
B. *Operated*	133	30.4	493	6	9	26	54	93	99+	99+
1. SINGLE DX	32	13.7	186	1	1	10	20	27	37	68
2. MULTIPLE DX	251	21.1	430	2	3	15	33	71	99+	99+
A. NOT OPERATED	130	11.0	175	1	1	7	13	29	50	99+
B. OPERATED	153	28.2	472	5	8	23	44	85	99+	99+
TOTAL 0-19 YRS	33	24.2	619	1	2	16	51	84	99+	99+
20-34	121	22.6	398	2	4	18	36	65	90	99+
35-49	37	17.7	435	1	1	16	25	86	99+	99+
50-64	26	12.9	209	2	2	8	20	39	71	99+
65+	66	18.5	360	2	4	13	25	52	79	99+
GRAND TOTAL	**283**	**20.3**	**407**	**1**	**3**	**15**	**31**	**68**	**99**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	5	1	1	1	2	6	7	7
20-34	32	1.9	1	<1	<1	2	2	4	4	4
35-49	24	2.6	3	<1	1	2	3	6	6	7
50-64	30	4.7	16	1	1	3	6	11	13	16
65+	64	5.7	27	1	1	4	7	12	18	26
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	5	7.8	16	2	2	8	10	13	13	13
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	2	5.0	18	2	2	5	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.5	57	<1	1	2	4	7	19	43
20-34	251	3.3	6	1	1	3	4	6	8	13
35-49	324	4.6	17	1	1	3	6	9	12	25
50-64	393	5.8	24	1	1	5	7	12	16	26
65+	927	7.2	31	1	2	6	9	14	18	27
B. *Operated*										
0-19 YRS	21	7.5	19	2	2	7	10	14	17	17
20-34	114	8.0	53	2	2	6	9	15	19	42
35-49	94	9.3	87	2	2	7	12	18	25	57
50-64	91	10.2	64	2	3	8	13	19	25	42
65+	109	16.5	161	3	4	12	21	34	45	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	4.1	17	1	1	3	5	10	12	20
B. *Operated*	12	5.3	15	<1	1	5	8	10	13	13
2. MULTIPLE DX										
A. *Not Operated*	1954	5.9	27	1	1	4	8	12	16	26
B. *Operated*	429	10.9	99	2	3	8	13	23	29	51
1. SINGLE DX	170	4.2	17	1	1	3	5	10	13	20
2. MULTIPLE DX	2383	6.8	43	1	2	5	9	14	19	31
A. NOT OPERATED	2112	5.8	26	1	1	4	7	12	15	26
B. OPERATED	441	10.7	98	2	2	8	13	23	28	50
TOTAL 0-19 YRS	91	4.9	44	1	1	3	6	10	17	40
20-34	402	4.6	24	1	1	3	6	9	12	23
35-49	444	5.5	35	1	1	4	7	11	14	27
50-64	516	6.5	33	1	2	5	8	13	17	30
65+	1100	8.0	52	1	2	6	10	16	22	39
GRAND TOTAL	**2553**	**6.6**	**42**	**1**	**1**	**5**	**8**	**13**	**18**	**31**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	5.5	24	<1	1	4	6	10	19	21
20-34	34	5.8	28	<1	1	5	6	11	14	29
35-49	15	5.9	7	1	3	6	7	9	11	12
50-64	31	8.7	91	1	2	5	10	23	30	43
65+	133	9.3	41	2	3	8	12	18	23	28
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	4	42.5	1711	3	3	34	73	98	98	98
35-49	3	15.3	389	2	2	6	30	38	38	38
50-64										
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	7.1	51	1	2	5	9	14	21	42
20-34	227	10.2	102	2	2	7	12	20	35	53
35-49	118	10.7	103	2	3	8	12	21	30	58
50-64	187	11.7	115	2	3	9	14	22	30	50
65+	968	12.0	69	3	4	10	15	22	28	42
B. *Operated*										
0-19 YRS	72	21.1	346	2	3	14	32	47	57	84
20-34	112	24.1	388	4	5	17	33	55	67	81
35-49	53	25.7	401	6	8	18	37	57	69	99+
50-64	39	30.7	421	3	6	33	40	57	66	95
65+	97	24.5	275	6	7	20	34	52	60	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	8.1	43	1	2	6	11	16	21	31
B. *Operated*	9	27.4	944	2	2	17	40	78	98	98
2. MULTIPLE DX										
A. *Not Operated*	1649	11.2	81	2	3	9	14	21	28	46
B. *Operated*	373	24.5	358	4	6	19	35	53	63	93
1. SINGLE DX	249	8.8	85	1	2	6	11	17	23	43
2. MULTIPLE DX	2022	13.6	159	2	3	10	16	29	40	64
A. NOT OPERATED	1889	10.8	77	2	3	9	14	21	27	45
B. OPERATED	382	24.6	370	4	6	19	36	53	64	97
TOTAL 0-19 YRS	249	11.0	174	1	2	6	12	29	42	67
20-34	377	14.3	245	2	3	9	16	36	49	77
35-49	189	14.6	230	2	3	10	17	36	53	87
50-64	257	14.2	206	2	3	10	17	34	41	69
65+	1199	12.7	95	3	4	10	16	24	31	54
GRAND TOTAL	**2271**	**13.1**	**153**	**2**	**3**	**10**	**16**	**27**	**39**	**63**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	2.2	10	<1	<1	1	2	4	8	19
20-34	14	3.3	15	<1	1	2	4	9	14	15
35-49	15	4.2	9	1	1	4	5	7	11	13
50-64	48	3.6	7	1	1	3	5	8	8	11
65+	102	4.4	13	1	1	4	5	8	12	18
B. *Operated*										
0-19 YRS	434	3.3	17	1	1	2	3	8	13	20
20-34	60	3.8	10	1	1	3	5	7	9	19
35-49	43	6.2	155	<1	1	3	5	9	19	80
50-64	52	5.2	26	1	1	4	6	9	15	33
65+	99	6.0	20	1	2	5	8	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.0	34	<1	1	2	4	10	18	30
20-34	56	3.9	10	1	1	3	5	7	9	19
35-49	54	4.2	33	<1	1	2	5	8	11	38
50-64	115	5.9	34	1	1	4	7	12	17	32
65+	612	8.3	78	1	2	5	10	17	25	49
B. *Operated*										
0-19 YRS	656	4.3	27	1	1	2	5	11	16	25
20-34	198	7.2	55	1	1	5	8	16	21	40
35-49	121	7.3	105	1	1	5	8	17	21	51
50-64	192	9.0	102	1	2	6	10	21	29	54
65+	468	9.9	83	1	2	7	14	21	28	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	240	3.6	11	1	1	3	5	8	10	16
B. *Operated*	688	4.1	27	1	1	2	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*	958	6.9	64	1	1	5	8	15	21	42
B. *Operated*	1635	7.0	67	1	1	4	9	17	22	40
1. SINGLE DX	928	3.9	23	1	1	2	5	9	13	20
2. MULTIPLE DX	2593	7.0	65	1	1	4	9	16	22	41
A. NOT OPERATED	1198	6.3	55	1	1	4	8	13	19	40
B. OPERATED	2323	6.2	57	1	1	4	7	15	20	36
TOTAL 0-19 YRS	1272	3.9	24	1	1	2	4	10	15	22
20-34	328	5.8	40	1	1	4	7	12	19	36
35-49	233	6.2	93	1	1	4	7	13	19	46
50-64	407	7.0	66	1	1	5	8	14	25	39
65+	1281	8.4	73	1	2	6	10	18	25	47
GRAND TOTAL	**3521**	**6.2**	**56**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	1.2		<1	1	1	1	2	3	3
20-34	5	1.6		1	1	2	2	2	2	2
35-49	10	1.5	1	1	1	1	2	3	4	4
50-64	7	3.6	6	1	1	3	5	7	8	8
65+	19	4.1	10	1	1	3	6	9	11	12
B. *Operated*										
0-19 YRS	701	1.6	1	<1	<1	1	2	3	4	7
20-34	237	2.6	4	<1	1	2	3	5	6	9
35-49	180	2.3	3	<1	1	2	3	4	6	7
50-64	176	2.7	6	1	1	2	3	5	7	14
65+	224	3.1	8	1	1	2	4	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	1.8	1	<1	1	1	2	3	4	6
20-34	77	3.4	7	1	1	2	5	7	9	14
35-49	31	3.2	4	<1	1	3	5	6	6	9
50-64	53	4.9	16	1	1	3	8	11	13	16
65+	173	7.0	41	1	1	5	9	14	17	33
B. *Operated*										
0-19 YRS	1039	2.5	14	<1	1	1	3	4	7	20
20-34	644	4.6	44	1	1	3	5	8	14	44
35-49	372	4.8	54	1	1	3	5	10	13	39
50-64	459	4.4	30	1	1	3	5	8	14	27
65+	630	5.8	43	1	1	4	7	12	18	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	2.4	5	1	1	1	3	6	8	12
B. *Operated*	1518	2.2	4	<1	1	1	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	415	4.8	25	1	1	3	6	11	14	28
B. *Operated*	3144	4.1	35	1	1	2	4	8	13	31
1. SINGLE DX	1584	2.2	4	<1	1	1	3	4	6	10
2. MULTIPLE DX	3559	4.2	34	1	1	3	5	9	13	30
A. NOT OPERATED	481	4.4	23	1	1	3	6	10	13	25
B. OPERATED	4662	3.5	25	<1	1	2	4	7	10	25
TOTAL 0-19 YRS	1846	2.1	9	<1	1	1	2	4	5	13
20-34	963	4.0	32	1	1	3	4	7	10	35
35-49	593	3.9	36	1	1	3	4	7	11	30
50-64	695	4.0	23	1	1	3	5	8	12	21
65+	1046	5.4	36	1	1	3	6	11	17	31
GRAND TOTAL	**5143**	**3.6**	**25**	**1**	**1**	**2**	**4**	**7**	**11**	**25**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	4	4	4
20-34	7	2.0	1	1	1	2	3	3	3	3
35-49	4	3.8	5	1	1	4	5	6	6	6
50-64	7	3.3	8	<1	<1	3	4	8	9	9
65+	3	5.0	16	1	1	5	8	9	9	9
B. *Operated*										
0-19 YRS	276	1.5	1	<1	<1	1	2	2	3	5
20-34	402	1.7	2	<1	<1	1	2	3	4	7
35-49	128	1.8	2	<1	<1	1	2	3	4	10
50-64	61	2.1	3	<1	<1	2	2	4	6	11
65+	42	2.0	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.4	3	<1	<1	2	3	4	6	8
20-34	53	2.4	3	<1	1	2	3	4	6	8
35-49	21	3.0	5	<1	<1	2	5	6	7	8
50-64	24	4.3	14	1	1	3	6	10	13	14
65+	54	7.0	34	1	1	5	9	18	21	22
B. *Operated*										
0-19 YRS	375	2.1	4	<1	<1	1	2	4	6	9
20-34	669	2.6	9	<1	1	2	3	5	8	16
35-49	276	2.4	7	<1	<1	2	3	4	7	12
50-64	182	2.7	15	<1	1	2	3	6	8	21
65+	113	3.8	14	1	1	3	5	8	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.9	5	<1	1	2	4	6	9	9
B. *Operated*	909	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	184	4.1	17	<1	1	3	5	8	12	21
B. *Operated*	1615	2.6	9	<1	1	2	3	5	8	14
1. SINGLE DX	937	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1799	2.7	10	<1	1	2	3	6	8	17
A. NOT OPERATED	212	3.9	16	<1	1	3	5	8	11	21
B. OPERATED	2524	2.3	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	690	1.9	3	<1	<1	1	2	3	5	8
20-34	1131	2.3	6	<1	<1	2	3	4	6	12
35-49	429	2.3	5	<1	<1	2	3	4	6	11
50-64	274	2.7	12	<1	1	2	3	6	9	19
65+	212	4.3	20	1	1	3	6	10	13	21
GRAND TOTAL	**2736**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.9	93	1	1	3	15	27	29	29
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	5.5	25	2	2	5	9	9	9	9
50-64	16	7.8	77	1	1	5	9	24	30	32
65+	87	8.6	51	1	2	7	11	18	22	35
B. *Operated*										
0-19 YRS	26	11.4	116	2	3	8	13	26	33	52
20-34	25	7.9	28	1	4	7	8	14	20	26
35-49	31	9.0	17	4	4	8	12	15	17	18
50-64	166	11.3	28	5	6	10	13	17	19	34
65+	1106	13.9	34	7	8	13	17	21	24	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	14.9	180	2	2	14	20	28	44	68
20-34	19	11.5	203	<1	2	6	10	40	48	48
35-49	17	13.1	362	1	1	8	14	22	62	83
50-64	67	9.4	96	1	1	6	11	19	24	53
65+	440	12.4	121	1	2	10	16	24	34	60
B. *Operated*										
0-19 YRS	87	16.1	171	2	5	13	21	34	40	69
20-34	145	17.4	212	5	6	13	21	38	56	74
35-49	188	15.4	122	5	6	12	19	30	36	62
50-64	742	14.6	82	6	7	12	17	24	32	54
65+	6588	16.9	95	7	9	15	19	27	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	8.4	58	1	1	7	11	19	26	34
B. *Operated*	1354	13.3	36	6	7	13	16	20	23	36
2. MULTIPLE DX										
A. *Not Operated*	589	12.3	133	1	2	9	16	24	34	62
B. *Operated*	7750	16.6	98	7	8	14	19	27	35	62
1. SINGLE DX	1476	12.9	40	4	6	12	16	20	24	36
2. MULTIPLE DX	8339	16.3	102	6	8	14	19	27	35	62
A. NOT OPERATED	711	11.6	122	1	2	9	15	23	31	58
B. OPERATED	9104	16.1	90	7	8	14	19	26	34	58
TOTAL 0-19 YRS	175	14.4	162	2	2	11	20	28	39	65
20-34	190	15.5	198	3	5	11	18	36	48	73
35-49	238	14.3	129	4	5	11	17	28	36	65
50-64	991	13.6	77	4	6	12	16	23	30	52
65+	8221	16.2	90	6	8	14	19	26	33	57
GRAND TOTAL	**9815**	**15.8**	**94**	**6**	**7**	**14**	**18**	**26**	**34**	**58**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	16.9	162	1	2	17	23	30	36	81
20-34	15	14.6	239	1	1	7	27	41	42	42
35-49	7	22.7	343	1	3	18	36	51	54	54
50-64	7	9.9	113	1	1	5	19	26	27	27
65+	29	20.1	465	1	2	13	26	52	62	91
B. *Operated*										
0-19 YRS	149	12.2	122	1	2	9	18	27	32	54
20-34	58	11.7	80	1	2	10	14	24	31	41
35-49	14	9.9	78	<1	<1	9	11	24	28	29
50-64	21	17.7	290	3	7	11	17	42	58	75
65+	66	17.5	137	6	8	14	19	32	43	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	298	18.0	165	1	2	18	25	33	40	59
20-34	37	19.0	445	<1	1	10	32	49	59	86
35-49	20	16.9	316	2	2	9	24	50	55	56
50-64	47	21.8	409	1	1	13	35	55	58	67
65+	180	18.9	328	3	4	12	25	49	58	97
B. *Operated*										
0-19 YRS	484	17.8	231	1	3	14	25	38	47	75
20-34	391	19.1	304	2	5	14	22	47	61	92
35-49	105	18.6	300	2	4	14	24	49	69	99+
50-64	122	19.7	234	3	6	16	25	47	62	99+
65+	408	21.7	208	7	9	18	26	43	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	17.2	217	1	2	16	23	35	46	85
B. *Operated*	308	13.5	132	1	2	11	18	27	35	59
2. MULTIPLE DX										
A. *Not Operated*	582	18.6	257	1	2	16	26	40	52	82
B. *Operated*	1510	19.4	250	2	4	15	25	41	56	98
1. SINGLE DX	505	14.9	168	1	2	12	21	30	40	65
2. MULTIPLE DX	2092	19.2	252	2	3	15	25	41	55	90
A. NOT OPERATED	779	18.3	247	1	2	16	25	40	52	82
B. OPERATED	1818	18.4	235	2	4	14	24	39	54	91
TOTAL 0-19 YRS	1070	17.0	192	1	2	15	24	35	43	69
20-34	501	18.1	291	2	3	13	22	42	58	89
35-49	146	17.7	285	1	3	13	23	47	57	99+
50-64	197	19.6	279	2	3	15	27	48	60	99+
65+	683	20.5	245	4	6	16	26	43	57	99+
GRAND TOTAL	**2597**	**18.4**	**238**	**2**	**3**	**15**	**24**	**39**	**53**	**89**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.1	3	<1	1	2	3	4	5	10
20-34	55	3.2	42	<1	1	2	3	4	8	46
35-49	32	4.4	11	1	1	4	6	10	11	12
50-64	34	5.9	14	1	1	4	8	11	13	16
65+	31	7.4	36	1	2	5	10	14	18	29
B. *Operated*										
0-19 YRS	285	4.2	19	1	1	3	5	8	11	31
20-34	259	5.1	14	1	1	4	7	9	12	20
35-49	128	5.7	23	1	2	5	7	11	14	26
50-64	81	6.4	38	1	2	5	7	11	17	39
65+	56	10.4	70	2	3	8	13	20	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	3.0	35	<1	1	2	3	6	7	13
20-34	155	4.1	15	1	1	3	5	8	10	18
35-49	109	4.2	8	1	1	3	6	8	10	13
50-64	115	6.4	26	1	2	5	8	12	16	30
65+	217	9.9	65	1	2	8	13	20	27	38
B. *Operated*										
0-19 YRS	596	5.8	72	1	1	4	7	11	17	48
20-34	747	9.4	134	2	2	6	10	20	31	61
35-49	415	9.3	135	1	2	5	10	19	34	66
50-64	354	10.3	123	2	3	7	11	20	29	65
65+	228	14.0	140	3	4	12	18	27	36	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.8	21	1	1	2	4	8	12	18
B. *Operated*	809	5.4	26	1	1	4	7	10	14	27
2. MULTIPLE DX										
A. *Not Operated*	795	5.7	42	1	1	4	7	12	16	33
B. *Operated*	2340	9.1	122	1	2	6	10	19	29	64
1. SINGLE DX	1069	5.0	25	1	1	4	6	10	13	27
2. MULTIPLE DX	3135	8.2	104	1	1	5	9	17	26	59
A. NOT OPERATED	1055	5.3	37	1	1	3	7	11	15	31
B. OPERATED	3149	8.1	100	1	2	5	9	17	26	59
TOTAL 0-19 YRS	1188	4.6	49	1	1	3	5	9	12	41
20-34	1216	7.5	95	1	1	5	8	15	23	58
35-49	684	7.6	93	1	2	5	8	14	23	47
50-64	584	8.7	89	1	2	6	10	16	23	53
65+	532	11.6	100	2	3	9	15	23	30	50
GRAND TOTAL	**4204**	**7.4**	**86**	**1**	**1**	**5**	**8**	**15**	**23**	**49**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.4	4	1	1	2	3	5	7	10
20-34	42	3.5	7	<1	1	3	4	7	10	13
35-49	35	3.9	17	1	1	3	4	7	12	23
50-64	35	4.1	14	1	2	3	4	7	10	21
65+	51	5.0	10	1	1	4	7	10	11	13
B. *Operated*										
0-19 YRS	354	3.0	5	1	1	3	4	5	7	9
20-34	575	3.9	9	1	1	3	5	7	9	15
35-49	395	4.2	7	1	2	4	5	8	10	13
50-64	317	5.2	11	1	2	4	6	9	11	19
65+	196	6.2	10	2	3	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	2.5	4	<1	1	2	3	5	6	11
20-34	193	3.8	11	1	1	3	5	8	10	17
35-49	119	4.0	12	1	1	3	5	7	10	23
50-64	141	5.6	14	1	1	4	7	10	12	19
65+	354	7.6	47	1	2	6	9	15	20	39
B. *Operated*										
0-19 YRS	726	4.3	30	1	1	3	5	7	10	31
20-34	1423	5.3	37	1	2	4	6	9	13	28
35-49	815	5.3	31	1	2	4	6	9	12	28
50-64	864	6.3	35	2	2	5	7	11	14	32
65+	660	10.2	83	3	3	8	12	19	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	205	3.8	11	1	1	3	4	8	10	17
B. *Operated*	1837	4.3	9	1	1	4	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	902	5.4	28	1	1	4	7	11	15	29
B. *Operated*	4488	6.1	44	1	2	4	7	11	15	34
1. SINGLE DX	2042	4.2	9	1	1	4	5	8	10	15
2. MULTIPLE DX	5390	5.9	42	1	2	4	7	11	15	33
A. NOT OPERATED	1107	5.1	25	1	1	4	6	10	14	26
B. OPERATED	6325	5.5	35	1	2	4	6	10	14	29
TOTAL 0-19 YRS	1217	3.7	20	1	1	3	4	6	9	23
20-34	2233	4.8	27	1	1	4	5	8	11	25
35-49	1364	4.9	22	1	2	4	6	9	11	20
50-64	1357	5.9	27	1	2	5	7	11	14	25
65+	1261	8.6	61	2	3	7	10	16	22	42
GRAND TOTAL	**7432**	**5.5**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.9	1	<1	<1	2	3	4	4	4
20-34	8	1.8	1	<1	<1	2	2	3	3	3
35-49	5	2.4	1	1	1	2	3	4	4	4
50-64										
65+	6	2.0	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	10	2.0	1	<1	<1	2	2	4	4	4
20-34	25	3.4	23	<1	1	2	3	7	12	25
35-49	6	2.0	2	<1	<1	2	3	4	4	4
50-64	3	3.3		3	3	3	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	2.1	3	1	1	1	3	4	7	9
20-34	116	3.9	32	1	1	3	4	7	8	31
35-49	79	4.6	21	<1	1	3	5	11	16	22
50-64	66	6.3	38	1	2	4	8	14	17	32
65+	130	7.3	35	1	2	6	9	15	21	29
B. *Operated*										
0-19 YRS	51	4.3	26	1	1	2	5	10	15	25
20-34	82	4.3	25	1	1	3	5	9	13	29
35-49	35	7.5	36	1	2	5	12	18	20	21
50-64	21	6.3	31	1	2	4	7	15	21	22
65+	29	14.1	176	1	2	10	16	28	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	45	2.9	14	<1	1	2	3	4	7	25
2. MULTIPLE DX										
A. *Not Operated*	473	5.0	30	1	1	3	6	10	16	27
B. *Operated*	218	6.3	57	1	1	4	7	15	21	37
1. SINGLE DX	76	2.5	9	<1	1	2	3	4	5	21
2. MULTIPLE DX	691	5.4	39	1	1	3	6	12	17	29
A. NOT OPERATED	504	4.8	29	1	1	3	6	10	15	26
B. OPERATED	263	5.7	52	1	1	3	6	14	21	29
TOTAL 0-19 YRS	155	2.8	11	1	1	2	3	6	7	22
20-34	231	3.9	28	1	1	3	4	7	10	28
35-49	125	5.2	25	<1	1	3	6	14	17	21
50-64	90	6.2	35	1	2	4	7	13	18	31
65+	166	8.2	66	1	2	6	9	17	23	50
GRAND TOTAL	**767**	**5.1**	**37**	**1**	**1**	**3**	**6**	**12**	**17**	**28**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	19.3	954	1	1	2	42	55	55	55
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	6.7	6	4	4	7	8	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	2.7	4	<1	<1	2	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	7	<1	1	2	4	8	9	9
20-34	8	5.3	12	1	1	5	7	10	12	12
35-49	6	8.0	45	2	2	6	10	19	20	20
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	11	7.1	25	1	2	6	11	15	17	17
B. *Operated*										
0-19 YRS	10	12.6	135	1	2	8	15	33	38	38
20-34	19	20.3	457	2	2	11	27	53	67	78
35-49	7	18.9	292	1	1	12	32	43	45	45
50-64	4	23.0	277	9	9	18	33	47	47	47
65+	6	18.2	119	3	4	17	30	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	15.0	711	1	1	2	29	55	55	55
B. *Operated*	8	4.8	7	<1	1	5	6	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	45	5.4	20	1	1	4	7	12	14	20
B. *Operated*	46	18.3	292	2	2	12	30	45	52	78
1. SINGLE DX	12	8.2	224	<1	1	4	6	23	50	55
2. MULTIPLE DX	91	11.9	198	1	1	7	15	31	45	68
A. NOT OPERATED	49	6.2	69	1	1	4	7	12	17	55
B. OPERATED	54	16.3	272	1	2	10	20	43	50	77
TOTAL 0-19 YRS	32	7.7	138	1	1	4	8	19	37	55
20-34	30	14.9	339	2	2	7	17	47	54	78
35-49	15	12.5	181	1	2	9	18	33	42	45
50-64	9	13.0	201	<1	1	9	17	36	47	47
65+	17	11.0	83	1	2	8	15	28	31	31
GRAND TOTAL	**103**	**11.5**	**200**	**1**	**1**	**7**	**13**	**30**	**46**	**66**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	10	1.6	1	<1	<1	1	2	3	4	4
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	3	1.7	1	<1	<1	<1	2	3	3	3
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	67	2.7	2	1	1	3	3	5	5	7
20-34	291	2.8	2	1	1	3	3	4	5	7
35-49	69	2.7	2	1	1	3	3	4	5	8
50-64	36	2.1	2	<1	<1	2	3	4	5	8
65+	35	3.0	11	<1	1	1	4	7	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.6	33	<1	<1	2	5	15	17	17
20-34	20	2.0	2	<1	1	2	2	4	5	5
35-49	12	2.6	3	<1	<1	3	4	5	6	6
50-64	10	3.7	16	<1	<1	2	6	10	12	12
65+	23	4.7	21	1	1	3	5	13	16	19
B. *Operated*										
0-19 YRS	52	3.0	12	<1	1	2	4	5	6	25
20-34	242	3.0	8	1	1	2	4	5	6	19
35-49	99	3.1	5	<1	1	3	4	6	7	13
50-64	37	4.1	24	1	1	3	5	6	17	24
65+	81	5.2	39	<1	1	3	7	14	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.2	9	<1	<1	1	2	4	10	14
B. *Operated*	498	2.7	3	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	72	3.4	14	<1	1	2	4	7	13	19
B. *Operated*	511	3.5	15	1	1	3	4	6	9	24
1. SINGLE DX	516	2.7	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	583	3.5	15	1	1	2	4	6	10	23
A. NOT OPERATED	90	3.2	13	<1	<1	2	4	6	13	18
B. OPERATED	1009	3.1	9	1	1	3	4	5	7	19
TOTAL 0-19 YRS	127	3.0	9	<1	1	2	4	5	6	19
20-34	563	2.8	5	1	1	3	3	5	5	12
35-49	182	2.9	4	1	1	3	4	5	6	10
50-64	86	3.1	14	<1	1	2	4	6	8	23
65+	141	4.5	30	<1	1	2	5	12	18	27
GRAND TOTAL	**1099**	**3.1**	**9**	**1**	**1**	**2**	**4**	**5**	**7**	**19**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	7	<1	<1	2	6	7	7	7
20-34	11	1.9	2	<1	<1	1	3	4	5	5
35-49	7	3.4	10	<1	<1	3	4	9	10	10
50-64	2	2.0		2	2	2	2	2	2	2
65+	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	553	2.4	3	<1	<1	2	3	5	6	7
20-34	1277	2.4	3	<1	<1	2	3	5	6	8
35-49	639	2.5	3	<1	<1	2	3	5	6	8
50-64	348	2.7	4	<1	<1	2	4	5	6	9
65+	84	4.3	38	<1	1	3	5	6	12	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.4		<1	<1	1	2	2	2	2
20-34	31	1.7	2	<1	<1	1	2	4	5	6
35-49	13	1.2	1	<1	<1	1	1	2	4	4
50-64	15	7.7	170	<1	<1	3	5	39	40	40
65+	16	6.8	21	<1	1	5	11	14	15	16
B. *Operated*										
0-19 YRS	575	3.0	4	<1	1	2	4	5	7	11
20-34	1553	2.9	6	<1	<1	2	4	5	7	11
35-49	736	2.9	9	<1	<1	2	4	5	6	11
50-64	551	3.3	11	<1	<1	2	4	6	8	14
65+	197	4.0	18	<1	1	3	5	8	12	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.1	8	<1	<1	2	4	8	10	10
B. *Operated*	2901	2.5	4	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	88	3.5	39	<1	<1	1	4	6	12	40
B. *Operated*	3612	3.0	8	<1	<1	2	4	6	7	13
1. SINGLE DX	2930	2.5	4	<1	<1	2	3	5	6	8
2. MULTIPLE DX	3700	3.0	9	<1	<1	2	4	6	7	13
A. NOT OPERATED	117	3.4	31	<1	<1	1	4	7	11	39
B. OPERATED	6513	2.8	6	<1	<1	2	4	5	6	11
TOTAL 0-19 YRS	1148	2.7	4	<1	<1	2	4	5	6	9
20-34	2872	2.6	4	<1	<1	2	3	5	6	10
35-49	1395	2.7	6	<1	<1	2	4	5	6	10
50-64	916	3.1	11	<1	<1	2	4	6	7	14
65+	299	4.2	24	<1	1	3	5	8	13	24
GRAND TOTAL	**6630**	**2.8**	**7**	**<1**	**<1**	**2**	**4**	**5**	**6**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	3	<1	<1	1	4	5	5	5
20-34	13	2.6	6	<1	<1	1	5	6	7	7
35-49	7	7.9	66	<1	<1	4	14	21	22	22
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	5	4.4	36	1	1	2	6	15	15	15
B. *Operated*										
0-19 YRS	89	3.3	20	<1	1	2	3	8	12	25
20-34	149	3.0	10	<1	1	2	4	6	10	18
35-49	59	4.0	22	1	1	2	4	11	16	21
50-64	30	2.5	4	<1	1	2	3	6	8	8
65+	33	6.2	54	<1	1	3	8	15	26	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	5.9	46	1	1	4	7	11	22	33
20-34	48	4.8	11	<1	1	4	7	9	10	16
35-49	22	10.1	96	1	2	6	15	25	35	37
50-64	30	6.8	133	1	1	4	7	10	20	64
65+	20	4.2	10	1	1	4	5	9	11	13
B. *Operated*										
0-19 YRS	174	4.8	51	1	1	3	5	9	16	34
20-34	243	5.8	60	<1	1	3	7	15	19	43
35-49	133	6.4	68	1	1	4	8	16	22	74
50-64	84	7.6	105	<1	1	4	8	18	30	88
65+	97	6.5	58	1	1	4	9	15	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.7	22	<1	<1	1	5	8	16	22
B. *Operated*	360	3.5	19	<1	1	2	4	8	13	23
2. MULTIPLE DX										
A. *Not Operated*	149	6.1	57	1	1	4	7	11	18	37
B. *Operated*	731	6.0	65	1	1	3	7	15	20	47
1. SINGLE DX	397	3.5	19	<1	1	2	4	8	13	23
2. MULTIPLE DX	880	6.0	63	1	1	3	7	14	20	45
A. NOT OPERATED	186	5.6	51	<1	1	4	7	11	17	36
B. OPERATED	1091	5.2	51	<1	1	3	6	12	18	40
TOTAL 0-19 YRS	302	4.4	40	<1	1	3	5	9	15	32
20-34	453	4.7	39	<1	1	3	6	11	16	31
35-49	221	6.2	60	1	1	4	8	16	21	46
50-64	146	6.3	92	<1	1	3	7	13	26	67
65+	155	6.1	50	1	1	4	8	15	18	38
GRAND TOTAL	**1277**	**5.2**	**51**	**<1**	**1**	**3**	**6**	**12**	**18**	**39**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.3	5	<1	<1	2	3	5	8	10
20-34	30	1.7	1	<1	<1	1	2	3	4	5
35-49	23	2.6	2	<1	1	2	4	4	6	7
50-64	8	4.0	5	2	2	4	6	7	7	7
65+	17	4.9	16	1	1	4	5	9	15	18
B. *Operated*										
0-19 YRS	224	3.1	4	<1	<1	3	4	6	7	10
20-34	375	3.1	4	<1	<1	3	4	6	7	10
35-49	91	3.1	4	<1	<1	3	4	6	7	8
50-64	28	4.8	26	1	1	3	5	8	14	27
65+	13	8.1	51	2	3	7	9	15	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	1.9	4	<1	<1	1	2	3	6	10
20-34	58	2.2	3	<1	<1	2	2	5	6	8
35-49	36	4.2	7	1	1	4	6	8	9	10
50-64	44	4.9	23	1	1	3	6	12	17	21
65+	88	6.5	38	2	3	5	8	12	18	38
B. *Operated*										
0-19 YRS	558	3.8	6	1	1	3	5	6	7	11
20-34	1072	3.9	7	1	1	4	5	7	8	12
35-49	354	4.0	9	<1	1	4	5	7	8	16
50-64	103	5.3	17	1	1	4	7	10	13	22
65+	35	7.1	31	1	2	7	9	15	20	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.8	6	<1	<1	2	4	5	7	14
B. *Operated*	731	3.2	6	<1	<1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	260	4.4	22	<1	1	3	5	9	12	22
B. *Operated*	2122	4.0	8	1	1	4	5	7	9	13
1. SINGLE DX	828	3.2	6	<1	<1	3	4	6	7	10
2. MULTIPLE DX	2382	4.0	10	1	1	4	5	7	9	16
A. NOT OPERATED	357	3.9	18	<1	1	3	5	8	11	21
B. OPERATED	2853	3.8	8	<1	1	3	5	7	8	12
TOTAL 0-19 YRS	835	3.5	6	<1	1	3	5	6	7	11
20-34	1535	3.6	6	<1	1	3	5	6	8	11
35-49	504	3.8	7	<1	1	3	5	7	8	13
50-64	183	5.0	19	1	1	4	6	9	14	25
65+	153	6.6	35	1	2	5	8	12	18	35
GRAND TOTAL	**3210**	**3.8**	**9**	**<1**	**1**	**3**	**5**	**7**	**8**	**14**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.0	12	1	1	3	5	9	12	15
20-34	416	5.5	11	1	2	5	7	10	11	17
35-49	348	5.7	12	1	2	5	8	10	12	17
50-64	210	5.7	11	2	2	5	7	10	12	20
65+	66	5.7	19	2	2	5	6	9	16	26
B. *Operated*										
0-19 YRS	6	8.7	59	1	1	7	12	21	22	22
20-34	76	6.1	28	1	1	5	9	12	14	27
35-49	54	5.4	29	1	1	3	7	15	16	22
50-64	19	7.5	61	1	1	4	11	22	24	24
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	3.7	7	1	1	3	5	8	11	12
20-34	630	6.0	17	1	2	5	8	11	14	21
35-49	714	6.6	18	2	3	6	8	11	14	21
50-64	510	6.8	18	2	3	6	9	12	14	23
65+	534	7.5	28	2	3	6	10	14	18	27
B. *Operated*										
0-19 YRS	9	7.9	22	1	2	8	10	15	17	17
20-34	93	7.7	34	1	1	7	11	16	18	26
35-49	119	9.9	80	2	2	7	12	21	26	48
50-64	46	8.4	37	2	2	8	11	13	22	32
65+	33	13.3	96	3	4	12	19	24	29	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	5.6	12	1	2	5	7	10	12	18
B. *Operated*	156	6.2	33	1	1	4	9	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	2440	6.6	20	2	2	6	8	12	15	23
B. *Operated*	300	9.3	62	1	2	7	12	19	23	35
1. SINGLE DX	1228	5.6	15	1	2	5	7	10	13	21
2. MULTIPLE DX	2740	6.9	25	2	2	6	9	13	16	26
A. NOT OPERATED	3512	6.3	18	2	2	5	8	11	14	21
B. OPERATED	456	8.2	54	1	1	7	11	18	22	31
TOTAL 0-19 YRS	99	4.5	15	1	1	3	6	10	12	20
20-34	1215	5.9	17	1	2	5	8	11	14	21
35-49	1235	6.6	24	2	2	6	8	12	15	24
50-64	785	6.6	18	2	3	6	8	12	14	24
65+	634	7.6	33	2	3	6	10	15	18	30
GRAND TOTAL	**3968**	**6.5**	**22**	**1**	**2**	**5**	**8**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	3.0	6	<1	<1	2	4	7	9	11
20-34	327	4.8	10	1	1	4	7	9	10	14
35-49	286	5.4	16	1	2	5	7	10	12	20
50-64	112	5.9	16	1	2	5	8	11	15	19
65+	54	6.4	20	2	2	5	8	14	16	18
B. *Operated*										
0-19 YRS	4	3.8	12	1	1	3	6	8	8	8
20-34	84	5.3	18	1	1	4	8	11	14	20
35-49	65	5.3	20	1	1	4	8	11	12	24
50-64	12	6.2	32	1	1	4	10	16	17	17
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	3.0	12	<1	1	2	4	6	7	21
20-34	856	5.4	17	1	1	4	7	11	13	19
35-49	752	5.9	21	1	2	5	8	11	15	22
50-64	470	6.4	26	1	2	5	8	12	17	25
65+	473	6.8	33	2	2	5	9	13	15	31
B. *Operated*										
0-19 YRS	17	4.5	16	1	1	3	6	11	13	14
20-34	167	6.8	33	1	1	5	10	15	18	26
35-49	142	7.3	38	1	1	6	10	16	17	33
50-64	53	7.9	54	1	2	5	12	16	19	42
65+	36	16.6	185	2	4	12	20	38	44	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	842	5.1	14	1	1	4	7	10	12	18
B. *Operated*	165	5.3	19	1	1	4	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	2727	5.8	23	1	1	5	8	11	15	23
B. *Operated*	415	7.8	57	1	1	6	11	16	20	42
1. SINGLE DX	1007	5.2	15	1	1	4	7	10	12	18
2. MULTIPLE DX	3142	6.1	28	1	1	5	8	12	16	25
A. NOT OPERATED	3569	5.6	21	1	1	5	7	11	14	22
B. OPERATED	580	7.1	48	1	1	5	10	15	18	37
TOTAL 0-19 YRS	260	3.1	11	<1	1	2	4	6	8	18
20-34	1434	5.4	18	1	1	4	7	11	14	20
35-49	1245	5.9	22	1	1	5	8	11	15	22
50-64	647	6.4	27	1	2	5	8	13	17	25
65+	563	7.4	47	2	2	6	9	14	17	41
GRAND TOTAL	**4149**	**5.8**	**25**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.9	5	<1	1	2	4	5	8	11
20-34	36	1.9	2	<1	<1	1	3	3	5	8
35-49	37	2.5	4	<1	1	2	3	5	7	8
50-64	22	3.4	5	<1	1	3	5	6	7	8
65+	19	5.2	12	1	2	5	5	12	13	13
B. *Operated*										
0-19 YRS	125	2.1	4	1	1	2	3	3	4	6
20-34	338	2.5	3	<1	<1	2	3	5	5	8
35-49	231	3.0	3	<1	1	3	4	5	6	8
50-64	272	4.1	4	1	2	4	5	6	8	11
65+	77	4.8	10	1	2	4	6	8	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.3	4	<1	1	2	3	5	7	9
20-34	111	3.1	11	<1	1	2	4	6	7	17
35-49	84	4.1	12	1	1	3	5	9	11	19
50-64	92	4.8	23	1	1	4	6	10	13	27
65+	224	6.0	19	1	2	5	8	11	14	20
B. *Operated*										
0-19 YRS	146	2.6	15	1	1	2	3	4	5	10
20-34	353	2.8	4	1	1	2	3	5	6	12
35-49	254	3.4	8	1	1	3	4	6	7	15
50-64	283	4.6	24	1	2	4	5	7	10	20
65+	170	6.0	19	2	2	5	7	10	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	2.9	6	<1	1	2	4	6	8	13
B. *Operated*	1043	3.1	4	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	557	4.6	17	1	1	3	6	10	12	19
B. *Operated*	1206	3.8	14	1	1	3	4	7	9	18
1. SINGLE DX	1186	3.1	4	<1	1	3	4	6	7	11
2. MULTIPLE DX	1763	4.1	15	1	1	3	5	8	10	19
A. NOT OPERATED	700	4.3	15	1	1	3	6	9	11	18
B. OPERATED	2249	3.5	10	1	1	3	4	6	8	14
TOTAL 0-19 YRS	346	2.4	8	1	1	2	3	4	5	9
20-34	838	2.7	4	<1	1	2	3	5	6	9
35-49	606	3.3	7	1	1	3	4	6	7	13
50-64	669	4.4	15	1	2	4	5	7	10	17
65+	490	5.8	17	1	2	5	7	11	14	22
GRAND TOTAL	**2949**	**3.7**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	681	1.3	1	<1	1	1	1	2	3	5
20-34	201	1.9	2	<1	1	1	2	3	5	8
35-49	73	2.2	12	<1	<1	2	2	3	4	25
50-64	22	3.5	15	<1	<1	2	4	9	12	17
65+	23	3.2	11	1	1	1	5	8	12	12
B. *Operated*										
0-19 YRS	4	3.0	5	1	1	3	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2285	1.8	5	<1	1	1	2	3	4	10
20-34	1540	2.5	6	<1	1	2	3	5	7	11
35-49	544	3.1	11	1	1	2	4	6	9	20
50-64	362	3.5	11	1	1	2	4	7	11	19
65+	466	5.2	24	1	1	4	7	11	15	23
B. *Operated*										
0-19 YRS	353	3.9	46	<1	1	2	4	8	13	46
20-34	429	5.1	67	<1	1	3	6	12	17	52
35-49	151	6.8	129	1	1	3	9	16	24	86
50-64	105	7.0	147	<1	1	4	7	13	27	92
65+	110	6.5	52	1	1	4	8	17	24	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1000	1.6	2	<1	1	1	2	3	4	8
B. *Operated*	5	2.8	4	1	1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	5197	2.6	9	<1	1	2	3	5	8	16
B. *Operated*	1148	5.3	76	<1	1	2	6	12	21	53
1. SINGLE DX	1005	1.6	2	<1	1	1	2	3	4	8
2. MULTIPLE DX	6345	3.1	22	<1	1	2	3	6	10	23
A. NOT OPERATED	6197	2.4	8	<1	1	1	3	5	7	15
B. OPERATED	1153	5.3	75	<1	1	2	6	12	21	53
TOTAL 0-19 YRS	3323	1.9	9	<1	1	1	2	3	5	12
20-34	2170	2.9	19	<1	1	2	3	6	9	21
35-49	769	3.8	37	1	1	2	4	8	12	29
50-64	489	4.3	42	<1	1	3	5	9	12	28
65+	599	5.3	29	1	1	4	7	12	17	28
GRAND TOTAL	**7350**	**2.9**	**20**	**<1**	**1**	**1**	**3**	**6**	**9**	**22**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	206	1.6	3	<1	1	1	1	3	5	10
20-34	60	2.6	8	<1	1	2	3	6	8	17
35-49	23	7.8	389	<1	1	2	5	14	44	96
50-64	6	4.8	37	1	1	2	5	16	17	17
65+	15	5.5	33	<1	1	3	9	12	19	21
B. *Operated*										
0-19 YRS	9	5.0	6	2	2	4	7	8	9	9
20-34	17	9.6	62	3	3	8	12	18	28	34
35-49	13	7.2	12	1	3	7	10	12	12	12
50-64	11	12.1	32	5	6	10	16	21	23	23
65+	20	10.5	41	3	3	9	13	17	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	2.9	34	<1	1	1	2	6	11	26
20-34	444	4.9	62	<1	1	2	5	10	16	46
35-49	162	4.3	31	<1	1	3	5	8	14	21
50-64	113	6.8	131	1	1	4	7	15	20	71
65+	208	6.8	55	1	1	4	9	15	24	43
B. *Operated*										
0-19 YRS	183	17.2	438	1	1	9	25	51	80	99+
20-34	248	17.5	389	1	1	10	28	55	86	99+
35-49	102	18.0	451	1	1	9	27	61	90	99+
50-64	61	16.9	166	1	4	14	26	41	99+	99+
65+	163	20.7	392	2	3	15	27	51	76	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	2.5	36	<1	1	1	2	5	9	17
B. *Operated*	70	9.2	38	3	3	8	12	17	19	33
2. MULTIPLE DX										
A. *Not Operated*	1581	4.4	54	<1	1	2	5	10	15	38
B. *Operated*	757	18.1	392	1	1	11	27	54	84	99+
1. SINGLE DX	380	3.8	43	<1	1	1	4	10	13	22
2. MULTIPLE DX	2338	8.8	204	1	1	3	10	26	46	99+
A. NOT OPERATED	1891	4.1	51	<1	1	2	4	9	14	36
B. OPERATED	827	17.4	368	1	2	11	26	51	80	99+
TOTAL 0-19 YRS	1052	5.1	128	<1	1	1	4	12	25	80
20-34	769	8.9	200	<1	1	3	9	27	48	99+
35-49	300	9.4	238	1	1	4	9	24	55	99+
50-64	191	10.3	154	1	1	7	14	26	39	99+
65+	406	12.5	234	1	2	8	15	31	51	98
GRAND TOTAL	**2718**	**8.1**	**185**	**1**	**1**	**3**	**9**	**23**	**39**	**97**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	14	3.6	5	<1	1	3	4	7	9	9
35-49	11	3.2	5	<1	<1	3	5	6	8	8
50-64	7	2.7	6	1	1	2	3	7	8	8
65+	5	6.6	16	1	1	7	9	12	12	12
B. *Operated*										
0-19 YRS	14	4.5	9	1	2	4	5	9	11	12
20-34	25	4.4	5	1	2	4	6	7	10	10
35-49	5	7.8	41	4	4	5	10	19	19	19
50-64	7	4.6	5	3	3	4	6	8	9	9
65+	2	4.5	25	1	1	4	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.5	6	1	1	3	5	6	8	12
20-34	131	4.3	10	1	1	3	6	8	10	16
35-49	63	5.4	26	1	2	4	6	10	13	31
50-64	65	5.2	17	1	1	4	6	11	15	17
65+	53	7.2	53	1	1	6	9	12	14	43
B. *Operated*										
0-19 YRS	101	9.4	106	2	3	6	11	19	33	89
20-34	287	9.6	114	2	3	7	10	18	31	65
35-49	115	8.5	31	3	3	7	12	16	22	56
50-64	69	10.6	95	2	3	7	13	20	34	52
65+	66	13.3	187	2	3	10	16	25	46	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.5	6	<1	1	3	4	8	8	12
B. *Operated*	53	4.8	10	1	2	4	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	374	4.9	20	1	1	4	6	9	12	23
B. *Operated*	638	9.8	104	2	3	7	12	19	31	69
1. SINGLE DX	99	4.2	9	1	1	4	5	8	10	16
2. MULTIPLE DX	1012	8.0	79	1	2	6	9	15	22	56
A. NOT OPERATED	420	4.8	19	1	1	4	6	9	12	20
B. OPERATED	691	9.5	99	2	3	7	11	19	28	64
TOTAL 0-19 YRS	186	6.7	69	1	2	5	8	12	20	66
20-34	457	7.6	81	1	2	5	8	14	22	58
35-49	194	7.2	31	1	2	6	9	15	19	33
50-64	148	7.6	60	1	2	5	9	16	20	38
65+	126	10.3	130	1	2	8	12	19	29	62
GRAND TOTAL	**1111**	**7.7**	**74**	**1**	**2**	**5**	**9**	**15**	**22**	**55**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.3	6	1	1	2	5	8	9	9
20-34	59	2.9	6	1	1	2	3	7	9	11
35-49	17	2.7	3	1	1	2	4	6	6	6
50-64	4	2.3	2	1	1	2	3	4	4	4
65+	5	4.2	5	2	2	4	5	8	8	8
B. *Operated*										
0-19 YRS	62	6.7	12	2	4	6	8	10	15	19
20-34	51	5.9	14	1	1	6	8	9	10	24
35-49	15	7.6	18	2	4	7	9	14	17	18
50-64	4	7.3	11	5	5	6	9	12	12	12
65+	6	13.0	52	3	3	12	19	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	269	3.8	10	1	1	3	5	8	10	13
20-34	225	3.6	12	1	1	3	4	7	10	16
35-49	64	3.8	9	1	1	3	6	7	10	15
50-64	45	5.0	16	1	1	4	6	11	13	21
65+	26	5.0	17	1	1	4	7	11	15	18
B. *Operated*										
0-19 YRS	324	10.4	86	3	4	7	11	21	30	52
20-34	546	11.1	105	3	4	8	12	20	32	68
35-49	179	15.0	254	3	5	8	19	34	50	90
50-64	99	13.7	149	2	4	11	15	27	36	73
65+	65	16.3	156	3	5	13	20	29	45	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.1	5	1	1	2	4	7	8	10
B. *Operated*	138	6.8	16	1	2	6	8	10	16	23
2. MULTIPLE DX										
A. *Not Operated*	629	3.9	12	1	1	3	5	8	10	16
B. *Operated*	1213	12.0	132	3	4	8	13	23	35	70
1. SINGLE DX	294	4.8	14	1	1	4	7	9	10	19
2. MULTIPLE DX	1842	9.2	105	1	2	7	10	18	29	61
A. NOT OPERATED	785	3.7	11	1	1	3	5	8	10	14
B. OPERATED	1351	11.4	122	3	4	8	12	22	33	69
TOTAL 0-19 YRS	726	6.9	54	1	1	5	8	13	19	38
20-34	881	8.3	82	1	2	7	10	15	23	59
35-49	275	11.2	196	1	2	7	12	25	42	85
50-64	152	10.6	120	1	2	8	13	19	32	70
65+	102	12.6	133	2	2	10	17	24	38	60
GRAND TOTAL	**2136**	**8.6**	**95**	**1**	**2**	**6**	**10**	**17**	**27**	**58**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	9	1	1	1	4	8	10	10
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	73	2.2	3	<1	1	1	3	5	6	7
20-34	50	2.9	3	<1	1	3	4	5	6	8
35-49	20	2.7	2	<1	<1	3	4	4	6	7
50-64	9	2.9	2	<1	<1	3	4	5	5	5
65+	12	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.3	4	1	1	3	4	6	7	7
20-34	17	3.1	4	1	1	2	5	5	7	8
35-49	11	3.0	2	1	1	3	4	5	5	5
50-64	7	6.0	27	<1	1	5	6	15	17	17
65+	7	6.6	69	<1	<1	3	9	21	24	24
B. *Operated*										
0-19 YRS	200	3.1	9	1	1	2	4	7	8	15
20-34	185	4.2	20	1	1	3	5	8	11	27
35-49	69	3.6	7	1	1	3	5	7	10	14
50-64	41	4.5	17	1	2	3	5	11	16	17
65+	46	4.5	20	1	1	3	5	9	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.7	6	1	1	2	4	5	9	10
B. *Operated*	164	2.5	3	<1	1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	56	3.9	15	1	1	3	5	6	9	24
B. *Operated*	541	3.8	14	1	1	3	5	7	10	21
1. SINGLE DX	179	2.5	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	597	3.8	14	1	1	3	5	7	10	21
A. NOT OPERATED	71	3.7	13	1	1	3	5	6	10	23
B. OPERATED	705	3.5	12	1	1	3	4	7	9	19
TOTAL 0-19 YRS	296	2.9	7	1	1	2	4	6	7	12
20-34	257	3.8	15	1	1	3	5	8	10	25
35-49	100	3.4	6	1	1	3	4	6	7	13
50-64	58	4.4	16	1	1	3	5	7	16	17
65+	65	4.4	22	1	1	3	5	9	15	24
GRAND TOTAL	**776**	**3.5**	**12**	**1**	**1**	**3**	**4**	**7**	**9**	**19**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.2	2	<1	<1	2	3	4	5	7
20-34	25	2.8	7	<1	<1	2	4	5	8	14
35-49	18	1.9	1	<1	<1	2	3	4	4	4
50-64	4	2.5	4	1	1	2	4	5	5	5
65+	7	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	98	1.7	2	<1	<1	1	2	3	5	8
20-34	54	2.8	12	<1	<1	2	3	6	9	21
35-49	30	4.3	56	<1	1	2	4	6	24	37
50-64	15	2.7	6	<1	<1	2	4	6	8	9
65+	8	2.3	4	<1	<1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	169	2.2	4	<1	1	2	3	4	5	8
20-34	253	2.9	29	<1	<1	2	3	5	8	25
35-49	96	2.6	4	<1	1	2	3	5	7	10
50-64	89	3.4	10	1	1	2	4	7	9	17
65+	208	5.2	22	1	1	4	7	12	14	22
B. *Operated*										
0-19 YRS	465	2.7	9	<1	1	2	3	6	8	17
20-34	533	3.7	25	<1	1	2	5	8	10	26
35-49	225	3.9	23	<1	1	2	5	8	12	30
50-64	177	4.4	24	<1	1	3	5	11	14	25
65+	189	5.6	42	1	1	4	7	12	16	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	2.4	4	<1	<1	2	3	4	5	12
B. *Operated*	205	2.5	13	<1	<1	1	2	5	7	22
2. MULTIPLE DX										
A. *Not Operated*	815	3.4	18	<1	1	2	4	7	10	19
B. *Operated*	1589	3.7	23	<1	1	2	5	8	12	25
1. SINGLE DX	284	2.4	11	<1	<1	2	3	5	6	19
2. MULTIPLE DX	2404	3.6	21	<1	1	2	4	8	11	24
A. NOT OPERATED	894	3.3	17	<1	1	2	4	7	10	19
B. OPERATED	1794	3.6	22	<1	1	2	4	8	11	25
TOTAL 0-19 YRS	757	2.4	7	<1	<1	2	3	5	7	14
20-34	865	3.4	25	<1	1	2	4	7	10	25
35-49	369	3.5	20	<1	1	2	4	7	9	27
50-64	285	4.0	19	<1	1	2	5	9	12	23
65+	412	5.3	31	1	1	4	7	11	14	28
GRAND TOTAL	**2688**	**3.5**	**20**	**<1**	**1**	**2**	**4**	**8**	**11**	**23**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	1.6	1	<1	<1	1	2	3	3	3
20-34	63	2.2	3	<1	1	2	3	4	6	11
35-49	26	2.2	3	<1	<1	1	3	4	7	8
50-64	2	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	47	3.0	6	<1	<1	2	5	6	8	11
20-34	75	3.7	11	<1	<1	3	5	8	9	20
35-49	28	4.7	55	<1	1	2	6	9	12	40
50-64	6	2.8	11	<1	<1	1	4	8	9	9
65+	5	3.8	6	2	2	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	2.1	3	<1	1	1	3	4	6	10
20-34	255	2.6	8	<1	1	2	3	5	6	18
35-49	82	2.6	6	<1	1	2	3	5	7	14
50-64	32	4.1	31	<1	1	3	4	9	11	31
65+	21	5.8	24	1	2	4	8	11	17	23
B. *Operated*										
0-19 YRS	193	4.9	26	1	1	3	7	11	15	21
20-34	378	6.4	48	1	1	5	8	12	17	30
35-49	132	8.2	109	1	1	6	9	18	24	66
50-64	49	6.9	32	1	2	6	9	14	18	30
65+	22	10.5	109	1	2	8	13	20	32	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.1	3	<1	<1	2	2	4	5	9
B. *Operated*	161	3.6	16	<1	<1	3	5	8	9	21
2. MULTIPLE DX										
A. *Not Operated*	511	2.7	9	<1	1	2	3	5	7	17
B. *Operated*	774	6.5	55	1	1	5	8	13	18	37
1. SINGLE DX	282	3.0	11	<1	<1	2	4	6	8	13
2. MULTIPLE DX	1285	5.0	40	1	1	3	6	10	15	30
A. NOT OPERATED	632	2.6	8	<1	1	2	3	5	6	14
B. OPERATED	935	6.0	49	1	1	4	8	12	18	36
TOTAL 0-19 YRS	391	3.5	16	<1	1	2	5	8	11	19
20-34	771	4.5	31	<1	1	3	6	9	13	27
35-49	268	5.5	68	<1	1	3	7	11	19	46
50-64	89	5.5	32	1	1	3	8	11	18	31
65+	48	7.8	67	1	2	5	9	17	21	49
GRAND TOTAL	**1567**	**4.6**	**35**	**<1**	**1**	**3**	**6**	**9**	**14**	**28**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.4	2	<1	<1	2	3	5	5	6
20-34	62	2.1	3	<1	<1	1	3	4	6	8
35-49	22	2.8	4	<1	1	2	5	6	7	7
50-64	15	3.2	6	<1	1	3	4	6	9	10
65+	7	2.6	4	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS	359	2.3	6	<1	<1	1	2	4	8	14
20-34	489	2.3	6	<1	<1	1	3	5	7	14
35-49	204	2.1	5	<1	<1	1	2	4	7	13
50-64	99	2.3	4	<1	<1	2	3	4	7	12
65+	47	2.7	30	<1	1	1	2	4	7	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	2.7	4	<1	<1	2	3	5	6	10
20-34	259	3.8	28	<1	1	3	5	6	9	34
35-49	77	3.4	10	<1	1	3	4	6	9	18
50-64	56	4.8	24	1	1	4	5	11	14	30
65+	48	7.5	72	1	2	5	8	15	24	50
B. *Operated*										
0-19 YRS	788	2.5	9	<1	1	2	3	5	7	17
20-34	1376	3.1	14	<1	1	2	3	6	9	20
35-49	524	3.3	27	<1	1	2	4	7	11	26
50-64	310	3.7	38	<1	1	2	4	7	13	28
65+	166	3.9	27	<1	1	2	4	9	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	2.4	3	<1	<1	2	3	5	6	8
B. *Operated*	1198	2.3	7	<1	<1	1	2	4	7	14
2. MULTIPLE DX										
A. *Not Operated*	553	4.0	25	<1	1	3	5	7	10	30
B. *Operated*	3164	3.1	18	<1	1	2	3	6	10	22
1. SINGLE DX	1341	2.3	6	<1	<1	1	3	5	7	14
2. MULTIPLE DX	3717	3.2	19	<1	1	2	4	6	10	23
A. NOT OPERATED	696	3.7	21	<1	1	3	4	7	9	28
B. OPERATED	4362	2.9	15	<1	1	2	3	6	9	18
TOTAL 0-19 YRS	1297	2.5	7	<1	1	2	3	5	7	15
20-34	2186	2.9	14	<1	1	2	3	6	9	18
35-49	827	3.0	20	<1	1	2	3	6	10	19
50-64	480	3.6	29	<1	1	2	4	7	12	27
65+	268	4.3	37	1	1	2	4	10	15	34
GRAND TOTAL	**5058**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**9**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.1	2	<1	<1	1	3	4	6	7
20-34	32	3.7	13	<1	<1	3	4	7	12	18
35-49	14	3.1	5	<1	<1	3	4	6	8	9
50-64	3	1.7		1	1	2	2	2	2	2
65+	5	5.8	63	2	2	2	7	20	20	20
B. *Operated*										
0-19 YRS	179	3.0	21	<1	<1	2	3	6	8	20
20-34	168	4.3	27	1	1	3	5	8	13	29
35-49	70	4.6	26	<1	1	3	5	10	18	25
50-64	32	4.0	17	<1	1	3	5	8	13	21
65+	25	9.5	72	<1	1	5	16	22	25	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	3.2	5	1	1	3	4	7	8	11
20-34	129	4.6	88	<1	1	3	5	7	10	53
35-49	60	4.7	13	1	2	4	6	8	10	20
50-64	48	5.9	24	1	1	4	9	12	16	24
65+	56	9.3	68	1	2	7	11	20	30	39
B. *Operated*										
0-19 YRS	377	5.3	65	<1	1	3	6	10	17	45
20-34	432	6.9	81	1	1	4	8	15	24	52
35-49	142	6.6	88	1	1	4	7	13	21	55
50-64	77	8.9	90	1	1	5	13	24	27	47
65+	88	12.2	149	1	2	8	19	26	38	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	3.0	10	<1	<1	2	4	6	9	19
B. *Operated*	474	4.1	28	<1	1	2	4	8	14	26
2. MULTIPLE DX										
A. *Not Operated*	388	5.1	49	1	1	3	6	10	13	33
B. *Operated*	1116	6.9	85	1	1	4	7	17	26	50
1. SINGLE DX	562	3.9	25	<1	1	2	4	8	13	26
2. MULTIPLE DX	1504	6.4	76	1	1	4	7	14	23	48
A. NOT OPERATED	476	4.7	42	<1	1	3	5	9	13	30
B. OPERATED	1590	6.0	70	1	1	3	7	14	22	47
TOTAL 0-19 YRS	685	4.2	43	<1	1	2	4	8	12	40
20-34	761	5.8	69	1	1	3	6	12	19	46
35-49	286	5.5	54	1	1	3	7	10	18	42
50-64	160	6.9	58	1	1	4	9	17	24	32
65+	174	10.7	111	1	2	7	14	24	34	51
GRAND TOTAL	**2066**	**5.7**	**64**	**1**	**1**	**3**	**6**	**13**	**21**	**42**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34										
35-49	1	12.0		12	12	12	12	12	12	12
50-64	1	5.0		5	5	5	5	5	5	5
65+	2	20.0	338	7	7	20	33	33	33	33
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	13	5.3	19	<1	1	3	9	11	12	12
35-49	3	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.0	8	1	1	3	5	8	11	11
20-34	7	2.7	6	<1	<1	1	4	7	7	7
35-49	5	3.6	5	1	1	4	5	7	7	7
50-64	4	5.0	25	<1	<1	3	8	12	12	12
65+	4	10.0	78	4	4	6	15	23	23	23
B. *Operated*										
0-19 YRS	37	6.6	100	1	1	3	7	14	17	59
20-34	93	7.7	103	1	1	5	9	17	30	59
35-49	35	8.0	61	1	1	5	12	18	26	32
50-64	24	9.6	155	1	1	6	10	36	42	45
65+	7	19.1	318	2	2	10	37	44	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	13.8	125	5	5	12	17	33	33	33
B. *Operated*	20	3.9	16	<1	<1	2	8	10	11	12
2. MULTIPLE DX										
A. *Not Operated*	30	4.6	20	<1	<1	4	5	9	12	23
B. *Operated*	196	8.2	111	1	1	5	10	17	34	55
1. SINGLE DX	25	5.9	50	<1	<1	2	9	12	17	33
2. MULTIPLE DX	226	7.7	100	1	1	5	9	17	32	52
A. NOT OPERATED	35	5.9	43	<1	1	4	7	12	20	33
B. OPERATED	216	7.8	103	1	1	5	9	17	32	53
TOTAL 0-19 YRS	52	5.8	75	1	1	3	6	12	15	58
20-34	113	7.1	89	<1	1	4	9	14	19	56
35-49	44	7.1	54	<1	1	4	11	17	22	32
50-64	29	8.8	133	1	1	5	9	26	41	45
65+	13	16.5	227	2	3	9	25	43	45	45
GRAND TOTAL	**251**	**7.5**	**95**	**<1**	**1**	**4**	**9**	**16**	**32**	**50**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.5	790	<1	<1	1	3	58	81	81
20-34	15	5.0	25	<1	<1	3	6	12	17	19
35-49	8	2.0	1	1	1	2	3	3	3	3
50-64	9	4.3	6	1	1	5	6	7	8	8
65+	9	6.6	18	2	2	5	10	13	14	14
B. *Operated*										
0-19 YRS	129	3.9	20	<1	1	2	4	9	14	25
20-34	203	3.3	11	<1	<1	2	4	8	10	14
35-49	107	3.9	16	<1	<1	3	4	10	14	18
50-64	57	4.7	28	<1	1	3	5	11	17	25
65+	29	7.3	67	<1	<1	3	12	20	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	6.2	59	<1	1	4	7	16	27	31
20-34	90	6.6	66	1	1	4	8	14	19	48
35-49	70	8.4	174	1	1	5	10	16	21	80
50-64	51	8.8	60	1	1	7	12	19	22	40
65+	55	7.4	34	1	2	6	9	14	16	35
B. *Operated*										
0-19 YRS	165	4.0	21	<1	1	2	4	9	13	25
20-34	407	5.5	79	1	1	3	6	11	18	56
35-49	248	6.1	75	1	1	4	7	12	16	48
50-64	165	8.0	99	1	1	4	10	18	30	56
65+	94	11.9	162	1	2	8	16	28	42	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.7	135	<1	1	3	6	11	14	81
B. *Operated*	525	3.9	20	<1	1	2	4	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	291	7.5	84	1	1	5	9	16	21	54
B. *Operated*	1079	6.4	83	1	1	3	7	14	21	53
1. SINGLE DX	574	4.1	30	<1	1	2	4	10	14	24
2. MULTIPLE DX	1370	6.6	84	1	1	4	8	14	21	54
A. NOT OPERATED	340	7.3	92	1	1	5	9	15	20	65
B. OPERATED	1604	5.6	64	<1	1	3	6	12	18	41
TOTAL 0-19 YRS	327	4.3	41	<1	1	2	4	9	15	27
20-34	715	5.0	58	<1	1	3	5	10	14	39
35-49	433	5.9	77	1	1	3	7	11	16	52
50-64	282	7.4	77	1	1	4	9	17	23	39
65+	187	9.6	107	1	2	6	13	20	30	69
GRAND TOTAL	**1944**	**5.9**	**69**	**1**	**1**	**3**	**7**	**13**	**18**	**44**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.7	3	1	1	4	5	6	6	9
20-34	51	3.7	3	1	1	4	5	6	7	8
35-49	4	4.0	4	3	3	3	5	7	7	7
50-64	5	4.2	1	3	3	4	5	6	6	6
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	4	7.5	51	2	2	6	13	17	17	17
20-34	3	4.3	16	2	2	2	7	9	9	9
35-49										
50-64	2	4.0	8	2	2	4	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.8	4	1	1	4	5	6	7	10
20-34	124	3.3	7	<1	1	3	5	6	7	15
35-49	28	3.1	9	1	1	2	4	5	8	16
50-64	25	3.3	6	<1	1	2	5	6	9	9
65+	30	5.7	17	2	2	5	6	13	16	18
B. *Operated*										
0-19 YRS	25	5.6	9	<1	1	5	8	10	11	11
20-34	23	3.8	8	<1	1	3	5	7	11	12
35-49	6	3.8	12	1	1	2	6	10	10	10
50-64	8	5.1	9	1	1	5	7	9	10	10
65+	7	4.6	7	1	1	4	6	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	3.7	3	1	1	4	5	6	6	9
B. *Operated*	9	5.7	27	2	2	2	9	14	17	17
2. MULTIPLE DX										
A. *Not Operated*	385	3.7	7	1	1	3	5	6	7	16
B. *Operated*	69	4.7	9	1	1	4	6	9	11	12
1. SINGLE DX	143	3.9	5	1	1	4	5	6	7	10
2. MULTIPLE DX	454	3.9	7	1	1	4	5	7	8	16
A. NOT OPERATED	519	3.7	6	1	1	3	5	6	7	15
B. OPERATED	78	4.8	11	1	1	4	7	10	11	16
TOTAL 0-19 YRS	278	4.0	5	1	1	4	5	7	8	11
20-34	201	3.5	6	<1	1	3	5	6	8	12
35-49	38	3.3	9	1	1	2	4	7	9	16
50-64	40	3.8	6	1	1	4	5	7	9	10
65+	40	5.3	15	1	2	4	6	10	15	18
GRAND TOTAL	**597**	**3.9**	**7**	**1**	**1**	**4**	**5**	**6**	**8**	**15**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	184	2.0	2	1	1	1	2	3	5	7
20-34	152	2.4	6	<1	1	2	3	4	5	16
35-49	71	2.1	2	<1	1	1	3	4	5	7
50-64	53	3.0	8	1	1	2	4	6	7	17
65+	85	4.5	15	1	1	4	5	10	14	19
B. *Operated*										
0-19 YRS	44	2.3	6	<1	<1	1	3	5	7	14
20-34	61	3.0	6	<1	<1	2	4	7	9	12
35-49	24	3.1	9	<1	1	2	4	9	10	11
50-64	16	6.4	60	<1	1	4	7	14	27	32
65+	20	6.1	42	1	1	4	6	13	22	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	851	1.9	2	<1	1	1	2	3	5	8
20-34	1007	2.5	6	<1	<1	2	3	5	7	12
35-49	518	3.3	12	1	1	2	4	7	9	19
50-64	505	4.5	22	1	1	3	6	9	14	23
65+	1540	6.5	34	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	128	3.0	10	1	1	2	4	6	10	17
20-34	228	5.4	51	<1	1	3	6	13	21	37
35-49	92	4.9	25	<1	1	3	6	11	17	23
50-64	85	7.4	58	1	1	5	8	19	23	39
65+	139	11.0	135	1	2	8	14	22	31	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	545	2.6	7	1	1	2	3	5	7	15
B. *Operated*	165	3.5	17	<1	<1	2	4	8	10	27
2. MULTIPLE DX										
A. *Not Operated*	4421	4.1	21	<1	1	3	5	9	12	23
B. *Operated*	672	6.3	65	1	1	4	7	14	21	39
1. SINGLE DX	710	2.8	9	<1	1	2	3	6	8	16
2. MULTIPLE DX	5093	4.4	27	1	1	3	5	10	14	27
A. NOT OPERATED	4966	3.9	20	<1	1	2	5	9	12	22
B. OPERATED	837	5.7	57	<1	1	3	7	13	20	36
TOTAL 0-19 YRS	1207	2.0	3	<1	1	1	2	4	5	10
20-34	1448	3.0	14	<1	1	2	3	6	8	21
35-49	705	3.4	13	<1	1	2	4	7	10	19
50-64	659	4.8	28	1	1	3	6	10	15	28
65+	1784	6.7	42	1	2	5	8	14	18	33
GRAND TOTAL	**5803**	**4.2**	**25**	**<1**	**1**	**3**	**5**	**9**	**13**	**25**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	3	1	1	1	2	3	6	8
20-34	14	2.5	5	<1	1	2	3	4	9	10
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64	7	1.6	1	1	1	1	2	4	4	4
65+										
B. *Operated*										
0-19 YRS	13	4.2	59	<1	<1	1	3	12	26	29
20-34	26	4.0	11	<1	<1	3	5	7	13	13
35-49	15	3.1	11	<1	1	2	4	7	11	13
50-64	11	6.7	97	<1	<1	2	9	24	30	31
65+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.5	5	1	1	2	3	5	7	11
20-34	40	3.6	10	1	1	3	5	6	8	19
35-49	18	4.4	44	1	1	3	4	6	21	30
50-64	11	3.1	5	1	1	2	4	7	9	9
65+	12	11.9	254	3	4	7	10	30	57	61
B. *Operated*										
0-19 YRS	52	6.4	75	1	1	3	7	18	29	40
20-34	120	7.7	131	1	1	3	7	22	37	52
35-49	48	4.2	34	1	1	2	4	10	17	34
50-64	24	11.6	193	1	1	7	17	26	46	59
65+	8	15.6	551	1	1	7	16	57	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.0	3	1	1	2	2	3	5	10
B. *Operated*	67	4.3	33	<1	<1	2	5	10	14	31
2. MULTIPLE DX										
A. *Not Operated*	109	4.3	46	1	1	3	5	8	11	43
B. *Operated*	252	7.4	123	1	1	3	8	21	34	59
1. SINGLE DX	111	3.4	22	<1	<1	2	3	7	13	30
2. MULTIPLE DX	361	6.5	101	1	1	3	6	16	28	58
A. NOT OPERATED	153	3.6	34	1	1	2	4	7	9	30
B. OPERATED	319	6.7	106	<1	1	3	7	17	30	52
TOTAL 0-19 YRS	113	4.4	46	1	1	2	4	10	23	34
20-34	200	6.0	86	<1	1	3	6	13	25	48
35-49	84	4.0	30	1	1	2	4	7	14	33
50-64	53	7.5	122	<1	1	3	9	19	30	58
65+	22	12.5	329	1	2	6	9	35	65	71
GRAND TOTAL	**472**	**5.7**	**85**	**1**	**1**	**3**	**5**	**13**	**24**	**48**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	<1	1	3	4	4
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	3	1.0		1	1	1	1	1	1	1
50-64	3	2.3	2	1	1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	6	2.7	4	1	1	2	4	6	6	6
35-49	5	8.0	82	3	3	4	10	24	24	24
50-64	3	3.7		3	3	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	11	1.6	1	<1	<1	<1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	11	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	17	4.1	29	<1	<1	3	4	6	18	24
1. SINGLE DX	20	1.4	1	<1	<1	<1	1	3	4	4
2. MULTIPLE DX	28	3.2	19	<1	<1	2	4	5	8	24
A. NOT OPERATED	20	1.4	1	<1	<1	1	2	3	3	4
B. OPERATED	28	3.1	19	<1	<1	2	4	5	8	24
TOTAL 0-19 YRS	19	1.2	1	<1	<1	<1	1	2	3	4
20-34	13	2.3	3	<1	<1	2	3	5	6	6
35-49	10	4.5	50	<1	<1	2	4	15	24	24
50-64	6	3.0	2	1	1	3	4	4	4	4
65+										
GRAND TOTAL	**48**	**2.4**	**12**	**<1**	**<1**	**1**	**3**	**4**	**6**	**24**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	1.2	1	<1	<1	1	1	2	2	7
20-34	41	1.2		<1	<1	1	1	2	3	3
35-49	46	1.3	1	<1	<1	1	1	2	3	5
50-64	53	1.3	1	<1	<1	1	1	2	3	7
65+	67	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-19 YRS	85	1.7	2	<1	<1	1	2	4	5	7
20-34	21	2.5	6	<1	<1	1	3	6	8	10
35-49	8	2.8	7	<1	<1	1	4	7	8	8
50-64	10	1.8	2	1	1	1	2	4	5	5
65+	11	2.5	7	<1	<1	1	3	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	230	1.3	1	<1	<1	1	1	2	3	4
20-34	63	2.7	24	<1	<1	2	2	6	7	35
35-49	73	3.2	50	<1	<1	1	2	6	13	46
50-64	82	2.2	9	<1	<1	1	2	4	9	18
65+	164	3.2	15	<1	1	2	4	7	10	22
B. *Operated*										
0-19 YRS	100	2.5	10	<1	<1	1	2	5	8	18
20-34	22	4.0	13	<1	1	3	6	9	13	13
35-49	38	5.4	50	<1	<1	2	7	14	20	35
50-64	47	5.4	50	1	1	3	7	15	20	37
65+	84	7.3	97	1	1	4	9	16	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	1.3	1	<1	<1	1	1	2	3	5
B. *Operated*	135	2.0	3	<1	<1	1	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	612	2.3	14	<1	<1	1	2	4	7	19
B. *Operated*	291	4.8	50	<1	1	2	6	12	17	36
1. SINGLE DX	603	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX	903	3.1	27	<1	<1	1	3	7	12	23
A. NOT OPERATED	1080	1.9	9	<1	<1	1	2	3	5	14
B. OPERATED	426	3.9	37	<1	<1	2	4	9	15	27
TOTAL 0-19 YRS	676	1.5	2	<1	<1	1	1	2	4	8
20-34	147	2.5	14	<1	<1	1	2	6	7	14
35-49	165	3.2	36	<1	<1	1	2	7	13	34
50-64	192	2.7	19	<1	<1	1	2	6	11	22
65+	326	3.9	37	<1	1	2	4	9	14	23
GRAND TOTAL	**1506**	**2.4**	**18**	**<1**	**<1**	**1**	**2**	**5**	**8**	**19**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	8.7	90	<1	<1	6	12	23	33	33
20-34	8	6.1	20	1	1	6	10	11	11	11
35-49	2	6.5	61	<1	<1	6	12	12	12	12
50-64	3	10.3	54	2	2	13	15	16	16	16
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	33	8.0	27	1	1	8	12	15	16	21
20-34	23	7.4	29	2	2	6	11	18	45	99+
35-49	17	9.2	105	<1	<1	5	14	24	33	37
50-64	4	5.8	11	2	2	6	8	9	9	9
65+	11	11.5	75	2	2	9	15	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	7.7	206	1	1	4	7	13	30	86
20-34	30	5.6	28	<1	1	4	8	11	14	27
35-49	27	8.7	52	1	2	8	12	17	25	33
50-64	27	12.4	87	1	2	9	18	26	29	37
65+	18	10.8	97	2	2	8	15	17	34	45
B. *Operated*										
0-19 YRS	104	17.3	298	2	2	11	25	39	60	76
20-34	141	16.9	367	2	3	10	20	56	71	99+
35-49	67	20.2	384	2	3	14	32	56	87	99+
50-64	50	23.3	326	3	4	20	31	44	50	95
65+	58	23.6	328	3	5	18	35	51	56	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	7.6	49	<1	1	5	11	13	20	33
B. *Operated*	88	8.4	48	1	2	7	13	17	24	75
2. MULTIPLE DX										
A. *Not Operated*	144	8.7	107	1	1	6	11	18	27	47
B. *Operated*	420	19.2	347	2	3	13	28	50	65	99+
1. SINGLE DX	113	8.2	48	1	1	7	12	16	23	60
2. MULTIPLE DX	564	16.5	306	2	2	10	23	43	59	99+
A. NOT OPERATED	169	8.6	99	1	1	6	11	17	27	45
B. OPERATED	508	17.4	311	2	3	11	25	45	61	99+
TOTAL 0-19 YRS	189	13.1	239	1	2	7	15	33	44	79
20-34	202	13.7	287	1	2	8	17	41	65	99+
35-49	113	15.6	286	1	2	11	20	47	64	99+
50-64	84	18.5	258	2	3	15	27	42	46	83
65+	89	19.1	279	2	3	13	29	46	53	73
GRAND TOTAL	**677**	**15.2**	**273**	**1**	**2**	**9**	**19**	**39**	**56**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	4.7	16	1	1	3	6	11	13	19
20-34	60	4.6	35	<1	1	2	6	11	15	35
35-49	19	7.2	66	<1	1	4	6	22	25	26
50-64	9	6.9	41	<1	<1	8	10	16	20	20
65+	7	7.4	8	2	3	8	9	11	11	11
B. *Operated*										
0-19 YRS	14	7.4	48	<1	1	4	13	18	21	22
20-34	12	9.9	34	1	2	10	14	18	18	18
35-49	17	9.9	83	<1	<1	8	16	22	28	32
50-64	8	4.6	12	1	1	4	6	10	12	12
65+	6	8.8	106	1	1	5	10	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	415	4.7	24	1	1	3	6	11	15	25
20-34	320	4.9	33	1	1	3	7	11	14	34
35-49	132	4.7	26	1	1	3	6	12	15	23
50-64	98	6.7	59	1	1	4	8	20	24	72
65+	112	10.6	111	1	2	7	15	21	29	56
B. *Operated*										
0-19 YRS	83	10.0	93	1	1	7	13	24	32	82
20-34	123	12.9	205	1	1	9	18	26	39	79
35-49	68	15.7	218	1	2	11	22	39	44	69
50-64	42	13.8	141	1	2	9	24	28	39	45
65+	26	22.5	350	2	3	16	35	53	60	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	5.1	29	1	1	3	7	11	16	25
B. *Operated*	57	8.4	56	<1	1	6	13	18	22	32
2. MULTIPLE DX										
A. *Not Operated*	1077	5.5	42	1	1	3	7	13	18	34
B. *Operated*	342	13.6	191	1	1	9	20	34	42	73
1. SINGLE DX	239	5.9	37	1	1	4	8	14	19	29
2. MULTIPLE DX	1419	7.5	90	1	1	4	9	19	25	47
A. NOT OPERATED	1259	5.5	40	1	1	3	7	13	18	34
B. OPERATED	399	12.9	175	1	1	8	18	30	39	67
TOTAL 0-19 YRS	599	5.5	37	1	1	3	7	13	18	29
20-34	515	6.9	86	1	1	4	9	17	22	43
35-49	236	8.5	110	1	1	5	11	21	34	47
50-64	157	8.5	87	1	1	5	11	24	27	45
65+	151	12.4	166	1	2	8	16	30	40	60
GRAND TOTAL	**1658**	**7.3**	**83**	**1**	**1**	**4**	**9**	**18**	**24**	**45**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	11	2	2	3	4	10	11	11
20-34	21	5.1	15	1	2	4	5	13	14	14
35-49	7	6.4	34	1	1	4	11	15	16	16
50-64	6	4.5	7	1	1	4	6	8	8	8
65+										
B. *Operated*										
0-19 YRS	44	2.8	19	<1	<1	2	3	5	5	30
20-34	90	1.8	1	<1	<1	1	2	3	4	7
35-49	40	3.9	90	<1	<1	2	3	3	23	47
50-64	16	2.2	1	<1	<1	2	3	4	4	4
65+	6	2.2	3	1	1	2	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	7.3	182	<1	1	3	7	13	40	64
20-34	72	5.4	55	1	1	4	6	9	14	47
35-49	35	4.7	13	1	1	3	7	10	13	15
50-64	27	6.4	21	1	1	6	9	14	16	18
65+	32	7.9	88	2	3	5	8	15	23	52
B. *Operated*										
0-19 YRS	82	3.3	24	<1	1	2	3	8	11	31
20-34	215	5.0	133	<1	1	2	4	9	17	84
35-49	72	4.5	70	<1	1	2	3	12	22	91
50-64	40	7.2	142	<1	1	3	7	18	37	58
65+	22	11.5	269	1	1	6	17	22	46	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	5.2	15	1	2	4	6	12	14	16
B. *Operated*	196	2.5	24	<1	<1	2	3	4	5	36
2. MULTIPLE DX										
A. *Not Operated*	192	6.1	65	1	1	4	7	11	16	51
B. *Operated*	431	5.1	112	<1	1	2	4	11	20	77
1. SINGLE DX	236	3.0	23	<1	<1	2	3	5	7	32
2. MULTIPLE DX	623	5.4	97	<1	1	2	5	11	19	63
A. NOT OPERATED	232	5.9	56	1	1	4	7	12	15	50
B. OPERATED	627	4.3	85	<1	<1	2	3	9	17	60
TOTAL 0-19 YRS	158	3.9	49	<1	<1	2	4	8	11	34
20-34	398	4.4	84	<1	<1	2	4	8	13	56
35-49	154	4.5	60	<1	1	2	4	10	18	59
50-64	89	5.9	73	<1	1	3	7	13	18	52
65+	60	8.7	150	1	1	5	10	20	24	74
GRAND TOTAL	**859**	**4.7**	**78**	**<1**	**1**	**2**	**4**	**10**	**16**	**57**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	2.0	4	<1	1	1	2	4	6	11
20-34	83	2.5	3	<1	1	2	3	4	6	8
35-49	29	3.1	5	1	1	2	4	6	8	10
50-64	15	3.8	15	<1	<1	3	4	9	14	16
65+	19	5.0	15	<1	1	4	6	12	14	15
B. *Operated*										
0-19 YRS	49	3.4	20	<1	<1	2	3	9	12	25
20-34	58	3.4	10	<1	<1	2	5	8	10	14
35-49	21	3.9	13	1	1	2	5	9	13	14
50-64	9	2.9	18	1	1	1	2	10	14	14
65+	10	4.0	19	<1	<1	2	6	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	228	2.4	4	<1	1	2	3	5	6	11
20-34	282	3.0	7	<1	1	2	4	6	7	11
35-49	161	4.5	40	1	1	3	5	9	12	31
50-64	114	4.6	13	1	1	4	6	9	12	18
65+	181	7.1	33	1	2	5	10	15	17	29
B. *Operated*										
0-19 YRS	103	7.6	144	1	1	3	9	18	26	73
20-34	206	7.2	74	1	1	4	9	19	24	38
35-49	79	7.2	69	1	1	5	10	14	26	85
50-64	64	9.2	89	1	1	6	12	23	33	39
65+	44	15.0	194	1	2	14	21	31	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	235	2.7	6	<1	1	2	3	5	8	13
B. *Operated*	147	3.5	15	<1	<1	2	5	8	13	16
2. MULTIPLE DX										
A. *Not Operated*	966	4.1	20	1	1	3	5	9	12	21
B. *Operated*	496	8.2	104	1	1	5	10	21	30	60
1. SINGLE DX	382	3.0	9	<1	1	2	4	6	9	15
2. MULTIPLE DX	1462	5.5	53	1	1	3	6	12	18	37
A. NOT OPERATED	1201	3.8	18	<1	1	3	5	8	11	20
B. OPERATED	643	7.1	88	1	1	4	9	17	25	55
TOTAL 0-19 YRS	469	3.6	41	<1	1	2	3	8	11	27
20-34	629	4.3	32	<1	1	3	5	9	14	29
35-49	290	5.1	44	1	1	3	6	11	14	46
50-64	202	5.9	42	1	1	4	7	13	17	34
65+	254	8.2	68	1	2	5	11	17	25	55
GRAND TOTAL	**1844**	**5.0**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	276	1.5	2	<1	<1	1	2	2	3	6
20-34	154	1.9	7	<1	<1	1	2	3	4	21
35-49	71	2.3	13	<1	<1	1	3	4	5	25
50-64	23	1.8	1	<1	<1	1	2	4	4	4
65+	25	3.6	10	1	1	2	4	8	11	12
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	17.5	421	3	3	17	32	32	32	32
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2070	2.3	15	<1	<1	1	2	4	6	18
20-34	2637	3.4	28	<1	<1	2	3	7	12	28
35-49	1420	3.8	27	<1	1	2	4	8	12	27
50-64	819	4.4	22	1	1	3	5	9	14	26
65+	1215	6.3	40	1	2	5	7	12	16	30
B. *Operated*										
0-19 YRS	15	6.2	29	1	2	4	7	14	19	21
20-34	64	9.2	83	1	1	6	13	22	34	91
35-49	40	12.5	269	1	1	8	13	33	53	75
50-64	50	12.2	143	2	3	8	15	24	34	61
65+	97	13.1	93	2	3	10	16	28	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	1.8	5	<1	<1	1	2	3	4	12
B. *Operated*	3	13.7	254	3	3	6	25	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	8161	3.7	27	<1	1	2	4	8	12	27
B. *Operated*	266	11.5	125	1	2	8	14	25	34	74
1. SINGLE DX	552	1.9	7	<1	<1	1	2	3	4	16
2. MULTIPLE DX	8427	4.0	32	<1	1	2	4	9	13	29
A. NOT OPERATED	8710	3.6	26	<1	1	2	4	8	12	26
B. OPERATED	269	11.5	125	1	2	8	14	26	34	74
TOTAL 0-19 YRS	2361	2.3	14	<1	<1	1	2	4	6	17
20-34	2855	3.5	29	<1	<1	2	3	7	13	29
35-49	1531	3.9	34	<1	1	2	4	8	12	30
50-64	894	4.8	33	1	1	3	5	11	15	30
65+	1338	6.7	47	1	2	5	8	14	19	33
GRAND TOTAL	**8979**	**3.8**	**31**	**<1**	**1**	**2**	**4**	**8**	**13**	**29**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	164	1.6	7	<1	<1	1	2	3	3	7
20-34	147	1.7	2	<1	<1	1	2	3	4	7
35-49	40	1.6	1	1	1	1	2	3	4	7
50-64	23	1.9	2	<1	1	1	2	3	5	8
65+	18	1.8	1	1	1	2	2	3	4	4
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	7	2.0	2	1	1	1	3	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	545	1.7	3	<1	<1	1	2	3	4	10
20-34	440	2.6	11	<1	1	2	3	5	8	18
35-49	239	2.5	6	<1	1	2	3	5	7	13
50-64	137	3.7	19	1	1	2	4	8	13	23
65+	117	4.1	32	1	1	2	5	9	12	35
B. *Operated*										
0-19 YRS	10	10.7	67	2	2	9	17	23	26	26
20-34	21	11.9	345	1	1	5	14	54	86	99+
35-49	16	11.8	398	1	1	7	11	14	64	85
50-64	8	9.8	86	4	4	5	12	26	31	31
65+	13	16.2	335	1	1	8	29	40	59	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	1.7	4	<1	<1	1	2	3	4	7
B. *Operated*	10	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	1478	2.5	10	<1	1	1	3	5	7	17
B. *Operated*	68	12.3	274	1	1	7	13	34	64	97
1. SINGLE DX	402	1.7	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1546	2.9	26	<1	1	1	3	6	9	23
A. NOT OPERATED	1870	2.3	9	<1	1	1	2	5	7	16
B. OPERATED	78	11.0	250	1	1	6	12	33	54	96
TOTAL 0-19 YRS	721	1.9	6	<1	<1	1	2	3	5	13
20-34	615	2.7	22	<1	<1	1	3	5	8	21
35-49	296	2.9	30	<1	1	2	3	5	8	16
50-64	168	3.8	22	1	1	2	4	8	13	29
65+	148	4.9	66	1	1	2	5	10	13	49
GRAND TOTAL	**1948**	**2.7**	**21**	**<1**	**1**	**1**	**3**	**5**	**8**	**20**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	1.7	4	<1	1	1	1	2	5	11
20-34	106	2.0	8	<1	<1	1	2	3	7	17
35-49	64	3.0	19	<1	1	2	3	5	14	26
50-64	52	2.1	5	<1	<1	1	3	4	6	13
65+	33	4.1	23	1	1	2	5	8	13	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	25.5	761	6	6	25	45	45	45	45
35-49	3	6.3	34	2	2	4	11	13	13	13
50-64	3	14.0	37	7	7	17	18	18	18	18
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	329	2.6	22	1	1	1	3	5	7	18
20-34	306	2.9	10	<1	1	2	3	6	7	20
35-49	260	3.2	16	<1	1	2	4	6	9	20
50-64	325	4.2	21	1	1	3	5	9	14	20
65+	652	5.9	28	1	1	4	7	12	17	28
B. *Operated*										
0-19 YRS	13	9.5	112	1	1	6	11	30	32	33
20-34	33	6.2	81	1	1	4	7	16	20	48
35-49	39	12.3	282	1	1	6	17	35	71	99+
50-64	58	9.2	95	1	2	6	12	20	26	58
65+	84	13.0	227	2	2	8	15	31	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	2.2	9	<1	1	1	2	4	7	17
B. *Operated*	10	12.7	160	2	3	9	17	31	45	45
2. MULTIPLE DX										
A. *Not Operated*	1872	4.1	23	1	1	3	5	9	13	24
B. *Operated*	227	10.7	178	1	1	7	12	26	42	96
1. SINGLE DX	414	2.5	15	<1	1	1	2	5	8	21
2. MULTIPLE DX	2099	4.9	44	1	1	3	6	10	16	32
A. NOT OPERATED	2276	3.8	21	1	1	2	5	8	12	23
B. OPERATED	237	10.8	177	1	1	7	12	26	43	96
TOTAL 0-19 YRS	492	2.5	20	<1	1	1	2	5	7	22
20-34	447	3.0	20	<1	1	2	3	6	8	23
35-49	366	4.2	52	<1	1	2	4	8	14	41
50-64	438	4.7	33	1	1	3	5	12	15	26
65+	770	6.6	54	1	1	5	8	13	20	33
GRAND TOTAL	**2513**	**4.5**	**40**	**1**	**1**	**2**	**5**	**10**	**15**	**31**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.3	10	<1	<1	2	4	8	10	11
20-34	49	4.0	16	<1	<1	3	5	9	13	19
35-49	36	3.9	11	<1	<1	3	5	8	12	14
50-64	32	6.1	33	<1	<1	4	8	14	19	24
65+	46	4.8	18	<1	<1	4	7	11	13	20
B. *Operated*										
0-19 YRS	139	3.6	14	<1	<1	2	5	8	11	20
20-34	332	4.0	29	<1	<1	2	4	9	15	30
35-49	268	4.9	34	<1	<1	3	7	11	14	34
50-64	413	6.8	68	1	1	4	9	15	22	44
65+	686	7.5	64	1	1	4	11	16	22	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.4	11	<1	1	2	5	7	10	18
20-34	122	4.9	33	<1	1	3	6	10	14	32
35-49	113	7.6	113	<1	1	5	8	15	27	60
50-64	154	7.1	57	1	1	5	8	15	18	43
65+	241	7.3	52	1	1	5	10	15	23	35
B. *Operated*										
0-19 YRS	342	6.8	65	1	1	4	7	14	23	40
20-34	684	6.8	78	<1	1	4	8	16	25	43
35-49	801	7.5	98	1	1	4	9	17	23	58
50-64	1547	9.1	109	1	1	6	12	21	29	59
65+	2359	10.6	138	1	2	7	14	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	4.5	18	<1	<1	3	6	10	14	20
B. *Operated*	1838	6.0	53	<1	1	3	8	14	19	36
2. MULTIPLE DX										
A. *Not Operated*	681	6.6	58	1	1	4	8	14	19	43
B. *Operated*	5733	9.1	115	1	1	5	12	21	31	59
1. SINGLE DX	2019	5.9	50	<1	1	3	8	14	19	34
2. MULTIPLE DX	6414	8.8	110	1	1	5	11	21	30	57
A. NOT OPERATED	862	6.1	51	<1	1	4	8	13	18	38
B. OPERATED	7571	8.3	102	1	1	5	11	19	28	54
TOTAL 0-19 YRS	550	5.5	48	<1	1	4	6	11	18	38
20-34	1187	5.7	59	<1	1	3	6	13	21	40
35-49	1218	6.8	84	<1	1	4	8	15	21	47
50-64	2146	8.5	97	1	1	5	11	19	27	50
65+	3332	9.7	117	1	2	6	13	22	32	58
GRAND TOTAL	**8433**	**8.1**	**97**	**1**	**1**	**5**	**10**	**18**	**27**	**51**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	1.6	2	<1	<1	1	2	3	4	7
20-34	134	2.1	2	<1	1	2	3	4	6	8
35-49	76	2.5	3	1	1	2	3	5	6	8
50-64	76	2.8	2	1	1	3	4	5	6	6
65+	153	3.2	4	1	1	3	4	6	6	11
B. *Operated*										
0-19 YRS	127	1.6	1	<1	<1	1	2	3	3	6
20-34	193	2.4	3	<1	<1	2	3	5	6	10
35-49	87	2.3	5	<1	1	2	3	5	6	13
50-64	53	4.3	83	1	1	2	4	7	10	65
65+	56	4.4	16	1	1	3	6	8	10	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	1.9	2	<1	<1	1	2	4	6	8
20-34	124	3.0	7	1	1	2	4	6	8	14
35-49	82	2.9	5	<1	1	2	4	6	8	10
50-64	116	3.3	4	1	1	3	5	6	7	10
65+	234	4.2	11	1	1	4	5	7	9	18
B. *Operated*										
0-19 YRS	53	1.6	2	<1	<1	1	2	3	4	10
20-34	138	4.6	31	<1	1	3	6	10	14	24
35-49	78	4.4	26	1	1	3	4	12	19	22
50-64	85	5.4	27	1	1	4	7	12	15	27
65+	127	7.3	57	1	2	5	8	16	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	553	2.5	3	1	1	2	3	5	6	7
B. *Operated*	516	2.6	13	<1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	608	3.4	8	1	1	3	4	6	8	15
B. *Operated*	481	5.1	36	<1	1	3	6	12	17	29
1. SINGLE DX	1069	2.5	8	<1	1	2	3	5	6	10
2. MULTIPLE DX	1089	4.1	21	1	1	3	5	8	13	22
A. NOT OPERATED	1161	3.0	6	1	1	2	4	6	7	11
B. OPERATED	997	3.8	26	<1	1	2	4	8	12	23
TOTAL 0-19 YRS	346	1.7	2	<1	<1	1	2	3	4	8
20-34	589	3.0	11	<1	1	2	3	6	9	16
35-49	323	3.0	10	1	1	2	4	6	8	20
50-64	330	3.9	23	1	1	3	4	7	10	22
65+	570	4.6	22	1	1	3	6	8	13	25
GRAND TOTAL	**2158**	**3.3**	**15**	**<1**	**1**	**2**	**4**	**6**	**9**	**20**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	4.8	8	2	2	4	7	8	10	14
20-34	119	5.3	16	2	2	4	6	10	14	21
35-49	81	6.5	23	2	3	5	8	10	17	28
50-64	74	6.3	34	1	2	5	8	14	16	36
65+	54	8.5	67	2	3	6	10	13	30	45
B. *Operated*										
0-19 YRS	45	6.4	17	1	1	6	9	13	14	16
20-34	86	8.0	61	1	1	6	9	19	22	43
35-49	63	7.1	61	1	2	5	8	15	23	45
50-64	65	8.0	51	1	2	6	11	19	21	36
65+	41	9.3	62	1	2	8	12	18	25	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	6.0	23	2	2	4	7	13	15	24
20-34	183	6.2	36	2	2	5	8	11	14	32
35-49	131	6.7	17	2	2	6	9	12	13	22
50-64	167	8.2	39	2	3	6	10	17	22	31
65+	186	9.8	57	3	3	8	12	19	28	39
B. *Operated*										
0-19 YRS	73	8.6	79	1	2	7	11	15	21	58
20-34	186	11.1	99	1	2	8	15	27	30	45
35-49	169	12.2	147	1	2	8	15	28	36	54
50-64	211	13.6	178	2	3	9	19	32	40	74
65+	228	16.1	213	3	4	12	20	34	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	6.2	28	2	2	5	7	11	15	31
B. *Operated*	300	7.8	52	1	2	6	9	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	734	7.6	39	2	2	6	9	14	19	32
B. *Operated*	867	13.0	160	2	3	9	16	29	37	66
1. SINGLE DX	677	6.9	39	1	2	5	8	14	19	32
2. MULTIPLE DX	1601	10.5	112	2	3	7	13	23	32	53
A. NOT OPERATED	1111	7.1	36	2	2	5	9	13	18	32
B. OPERATED	1167	11.7	138	1	2	8	15	26	34	58
TOTAL 0-19 YRS	234	6.6	38	1	2	5	8	13	15	26
20-34	574	7.9	61	1	2	5	9	17	24	42
35-49	444	8.8	81	2	2	6	10	19	27	47
50-64	517	10.1	105	2	2	7	12	22	32	45
65+	509	12.4	139	2	3	9	15	27	34	58
GRAND TOTAL	**2278**	**9.5**	**93**	**2**	**2**	**7**	**11**	**21**	**29**	**49**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.5	14	1	1	2	4	9	12	18
20-34	81	3.5	7	<1	1	3	4	7	9	13
35-49	64	5.0	11	1	1	4	6	10	11	17
50-64	65	5.3	18	1	1	4	7	9	14	27
65+	57	4.4	16	1	1	3	6	10	12	22
B. *Operated*										
0-19 YRS	43	4.7	60	<1	<1	2	5	8	15	48
20-34	116	5.0	32	<1	<1	3	6	10	15	33
35-49	110	4.9	21	<1	1	3	7	11	13	22
50-64	105	6.6	68	1	1	4	8	14	17	48
65+	134	5.1	28	<1	1	3	7	12	17	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.5	10	1	1	3	5	7	9	17
20-34	198	4.3	24	1	1	3	6	9	10	21
35-49	206	5.4	23	1	1	4	7	12	14	24
50-64	232	6.1	44	1	1	4	8	13	16	31
65+	267	7.2	53	1	1	5	9	15	21	44
B. *Operated*										
0-19 YRS	85	6.3	100	<1	1	3	7	13	23	59
20-34	286	6.7	49	1	1	5	9	13	17	31
35-49	295	9.7	142	1	2	7	11	19	34	68
50-64	404	10.5	138	1	2	7	12	24	38	68
65+	493	11.4	128	1	2	8	15	26	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	4.4	13	1	1	4	6	9	11	18
B. *Operated*	508	5.3	39	<1	1	3	7	12	16	34
2. MULTIPLE DX										
A. *Not Operated*	961	5.7	37	1	1	4	7	12	16	32
B. *Operated*	1563	9.7	120	1	1	6	12	22	31	63
1. SINGLE DX	802	5.0	29	<1	1	3	6	11	14	25
2. MULTIPLE DX	2524	8.2	98	1	1	5	10	17	26	54
A. NOT OPERATED	1255	5.4	32	1	1	4	7	11	14	30
B. OPERATED	2071	8.6	104	1	1	6	11	19	29	57
TOTAL 0-19 YRS	213	4.9	57	<1	1	3	5	10	14	50
20-34	681	5.3	35	1	1	4	7	11	14	27
35-49	675	7.2	78	1	1	5	9	14	20	54
50-64	806	8.3	97	1	2	5	10	17	28	56
65+	951	8.9	93	1	1	6	12	20	29	51
GRAND TOTAL	**3326**	**7.4**	**79**	**1**	**1**	**5**	**9**	**16**	**23**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	5	2.2	3	1	1	2	3	5	5	5
35-49	4	2.3	2	1	1	2	3	4	4	4
50-64	3	4.3	12	1	1	4	7	8	8	8
65+	4	3.0	11	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	7.5	36	1	1	7	12	15	15	15
35-49	3	8.7	4	7	7	8	10	11	11	11
50-64	3	4.0	12	2	2	2	7	8	8	8
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	2.2	2	1	1	2	2	4	5	8
20-34	22	4.1	9	1	2	3	5	8	11	14
35-49	13	3.8	10	<1	<1	3	5	9	11	11
50-64	34	3.6	21	1	1	2	4	7	16	21
65+	40	5.2	32	1	1	3	7	12	14	31
B. *Operated*										
0-19 YRS	3	15.0	183	2	2	14	25	29	29	29
20-34	8	5.3	14	1	1	4	8	11	12	12
35-49	20	6.7	31	1	1	6	8	17	19	19
50-64	10	17.0	244	1	1	12	29	40	47	47
65+	10	18.4	690	1	1	6	16	67	71	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.5	5	<1	1	2	3	6	8	8
B. *Operated*	13	5.7	19	1	1	5	8	12	14	15
2. MULTIPLE DX										
A. *Not Operated*	135	3.9	18	1	1	3	5	8	13	22
B. *Operated*	51	11.3	221	1	1	7	13	29	46	71
1. SINGLE DX	35	3.7	12	1	1	2	5	8	10	15
2. MULTIPLE DX	186	5.9	84	1	1	3	7	13	20	58
A. NOT OPERATED	157	3.7	16	1	1	2	4	8	12	21
B. OPERATED	64	10.1	184	1	1	6	10	23	38	70
TOTAL 0-19 YRS	36	3.1	26	1	1	2	3	4	12	29
20-34	39	4.4	12	1	1	3	5	9	13	15
35-49	40	5.5	22	1	1	5	7	11	17	19
50-64	50	6.4	89	1	1	3	7	19	29	47
65+	56	7.3	164	1	1	4	8	13	26	71
GRAND TOTAL	**221**	**5.6**	**73**	**1**	**1**	**3**	**6**	**12**	**18**	**52**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	40	1.5	1	<1	<1	1	2	2	3	5
20-34	3004	1.4	1	<1	<1	1	1	2	3	4
35-49	1451	1.3		<1	<1	1	1	2	3	4
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	4	1.3		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	23	1.0		<1	<1	<1	1	1	1	1
35-49	26	1.2		<1	<1	<1	1	1	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.1	3	<1	<1	1	3	5	5	5
20-34	1118	1.9	2	<1	<1	1	2	4	5	8
35-49	612	1.8	4	<1	<1	1	2	4	5	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.3		<1	<1	1	2	2	2	2
B. *Operated*	4504	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	49	1.1		<1	<1	<1	1	1	2	3
B. *Operated*	1748	1.9	3	<1	<1	1	2	4	5	8
1. SINGLE DX	4512	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	1797	1.9	3	<1	<1	1	2	4	5	8
A. NOT OPERATED	57	1.1		<1	<1	<1	1	1	2	3
B. OPERATED	6252	1.5	1	<1	<1	1	2	3	3	6
TOTAL 0-19 YRS	57	1.7	1	<1	<1	1	2	3	5	5
20-34	4151	1.5	1	<1	<1	1	2	3	3	5
35-49	2091	1.5	1	<1	<1	1	2	3	3	6
50-64	6	1.7	1	<1	<1	1	2	4	4	4
65+	4	1.3		<1	<1	<1	1	2	2	2
GRAND TOTAL	**6309**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	16.0		16	16	16	16	16	16	16
1500-1749	4	21.8	21	17	17	21	25	27	27	27
1750-2499	1972	2.6	3	1	1	2	3	4	5	10
2500+	125835	2.3	1	1	1	2	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749	1	31.0		31	31	31	31	31	31	31
1750-2499	5	11.2	93	2	2	11	15	27	27	27
2500+	48	4.0	13	<1	1	3	5	8	9	21
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	13	68.7	768	15	26	78	95	98	99+	99+
1000-1499	160	39.8	270	14	20	40	49	60	70	85
1500-1749	272	23.9	82	10	14	23	28	34	41	58
1750-2499	4721	6.4	34	1	2	5	8	14	18	28
2500+	56931	3.3	4	1	1	3	4	5	6	10
B. *Operated*										
1-999 G	57	65.8	358	38	43	75	99+	99+	99+	99+
1000-1499	209	49.4	368	20	28	48	66	82	99	99+
1500-1749	167	34.4	238	16	20	32	42	60	88	99+
1750-2499	707	15.8	137	3	5	14	20	28	37	72
2500+	1598	7.6	81	1	2	5	9	14	22	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127812	2.3	2	1	1	2	3	4	5	6
B. *Operated*	55	6.1	82	<1	1	3	6	11	25	55
2. MULTIPLE DX										
A. *Not Operated*	62097	3.7	14	1	1	3	4	6	8	18
B. *Operated*	2738	15.8	331	2	2	9	20	44	66	99+
1. SINGLE DX	127867	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	64835	4.2	34	1	1	3	4	6	10	31
A. NOT OPERATED	189909	2.8	6	1	1	2	3	5	5	10
B. OPERATED	2793	15.6	328	2	2	8	20	43	66	99+
TOTAL 1-999 G	70	66.3	425	37	42	75	99	99+	99+	99+
1000-1499	371	45.2	348	16	22	44	57	74	86	99+
1500-1749	444	27.9	165	12	15	26	33	44	57	99+
1750-2499	7405	6.3	48	1	2	4	8	15	19	32
2500+	184412	2.7	3	1	1	2	3	5	5	8
GRAND TOTAL	**192702**	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	3	14.7	34	8	8	17	18	19	19	19
1750-2499	285	4.1	10	1	2	3	5	7	10	15
2500+	1123	3.5	3	1	2	3	5	5	6	9
B. *Operated*										
1-999 G										
1000-1499										
1500-1749	1	34.0		34	34	34	34	34	34	34
1750-2499	1	5.0		5	5	5	5	5	5	5
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	7	62.4	253	36	42	66	79	96	99+	99+
1000-1499	30	37.6	272	12	19	35	42	56	67	92
1500-1749	74	21.3	47	12	13	22	26	30	33	42
1750-2499	760	7.9	32	2	3	6	11	16	19	26
2500+	778	4.7	6	2	2	4	5	7	8	15
B. *Operated*										
1-999 G	7	60.4	396	24	36	76	99+	99+	99+	99+
1000-1499	41	47.3	284	24	27	49	57	88	99+	99+
1500-1749	33	31.2	96	19	19	30	40	43	51	55
1750-2499	122	15.7	55	5	7	14	21	27	30	53
2500+	42	8.6	39	2	3	7	10	18	22	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1411	3.7	5	1	2	3	5	6	7	11
B. *Operated*	2	19.5	421	5	5	19	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	1649	7.8	67	2	3	5	8	16	22	42
B. *Operated*	245	23.1	313	4	6	19	31	55	73	99+
1. SINGLE DX	1413	3.7	5	1	2	3	5	6	7	11
2. MULTIPLE DX	1894	9.7	125	2	3	5	11	22	31	67
A. NOT OPERATED	3060	5.9	42	2	2	4	6	11	17	33
B. OPERATED	247	23.1	312	4	6	19	31	55	73	99+
TOTAL 1-999 G	14	61.4	301	29	40	69	87	99+	99+	99+
1000-1499	71	43.2	298	19	24	42	55	71	98	99+
1500-1749	111	24.1	83	12	14	23	29	37	42	53
1750-2499	1168	7.8	38	2	2	5	11	16	20	30
2500+	1943	4.1	6	2	2	4	5	6	7	13
GRAND TOTAL	**3307**	**7.2**	**83**	**2**	**2**	**5**	**6**	**15**	**24**	**55**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	14	3.0	4	1	1	2	5	6	7	8
2500+	308	1.7	1	<1	1	2	2	3	3	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	43.0		43	43	43	43	43	43	43
1500-1749	4	27.3	280	7	7	28	40	45	45	45
1750-2499	42	6.6	34	2	2	5	8	15	20	27
2500+	152	3.2	6	1	1	2	4	5	7	13
B. *Operated*										
1-999 G	3	56.0	823	23	28	87	99+	99+	99+	99+
1000-1499	4	71.0	315	54	54	67	82	96	96	96
1500-1749	1	32.0		32	32	32	32	32	32	32
1750-2499	9	12.3	40	2	4	15	17	20	20	20
2500+	12	6.1	17	1	2	5	8	13	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	1.8	1	<1	1	2	2	3	3	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	199	4.6	36	1	1	3	5	9	14	40
B. *Operated*	29	23.0	719	2	3	15	60	97	99+	99+
1. SINGLE DX	322	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX	228	6.9	158	1	1	3	6	16	36	99+
A. NOT OPERATED	521	2.8	16	<1	1	2	3	5	7	22
B. OPERATED	29	23.0	719	2	3	15	60	97	99+	99+
TOTAL 1-999 G	3	56.0	823	23	28	87	99+	99+	99+	99+
1000-1499	5	65.4	393	43	43	67	74	96	96	96
1500-1749	5	28.2	215	7	7	32	38	45	45	45
1750-2499	65	6.6	35	1	2	5	8	16	19	26
2500+	472	2.3	4	<1	1	2	3	4	5	12
GRAND TOTAL	**550**	**3.9**	**72**	**<1**	**1**	**2**	**3**	**6**	**13**	**70**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5	1	<1	<1	1	2	3	4	4
20-34	18	1.4		<1	<1	1	2	2	3	3
35-49	5	2.2	7	<1	<1	1	3	7	7	7
50-64	5	2.2	3	<1	<1	<1	3	5	5	5
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	646	2.0	3	<1	<1	2	2	4	4	8
20-34	1119	2.0	2	<1	<1	2	2	4	5	9
35-49	487	2.2	3	<1	<1	2	3	4	5	9
50-64	318	2.4	3	<1	<1	2	3	4	6	10
65+	236	3.3	15	<1	<1	2	4	6	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	7	2.3	7	<1	<1	1	3	7	8	8
50-64	2	18.5	545	2	2	18	35	35	35	35
65+	5	3.4	9	1	1	2	6	8	8	8
B. *Operated*										
0-19 YRS	118	2.7	6	<1	<1	2	3	5	8	13
20-34	220	4.1	47	<1	1	3	4	8	12	32
35-49	104	3.9	27	<1	1	3	4	8	13	30
50-64	94	4.6	41	<1	1	3	5	10	14	37
65+	122	7.3	52	1	2	5	9	18	24	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	2806	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	32	3.1	37	<1	<1	1	3	6	8	35
B. *Operated*	658	4.5	39	<1	1	3	5	9	14	29
1. SINGLE DX	2849	2.2	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	690	4.4	39	<1	1	3	5	9	14	33
A. NOT OPERATED	75	2.3	17	<1	<1	1	2	4	7	28
B. OPERATED	3464	2.6	11	<1	<1	2	3	5	7	15
TOTAL 0-19 YRS	785	2.1	3	<1	<1	2	2	4	5	10
20-34	1367	2.4	10	<1	<1	2	3	4	6	13
35-49	603	2.5	8	<1	<1	2	3	4	6	14
50-64	419	3.0	15	<1	<1	2	3	5	8	23
65+	365	4.6	31	<1	1	3	5	10	15	29
GRAND TOTAL	**3539**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	4	3.5	4	1	1	4	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	21	2.4	13	<1	<1	<1	2	4	10	17
35-49	25	1.7	2	<1	<1	<1	2	4	5	5
50-64	48	2.9	8	<1	<1	1	4	7	8	15
65+	13	3.3	4	<1	<1	3	4	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	6	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	6	4.5	17	1	1	4	5	11	12	12
B. *Operated*	109	2.8	12	<1	<1	1	4	5	8	21
1. SINGLE DX	6	1.2		<1	<1	<1	1	2	2	2
2. MULTIPLE DX	115	2.9	12	<1	<1	1	4	5	8	20
A. NOT OPERATED	6	4.5	17	1	1	4	5	11	12	12
B. OPERATED	115	2.7	12	<1	<1	1	4	5	8	20
TOTAL 0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	22	2.8	16	<1	<1	1	3	7	14	17
35-49	33	1.8	2	<1	<1	<1	2	5	5	5
50-64	48	2.9	8	<1	<1	1	4	7	8	15
65+	16	2.9	4	<1	<1	3	4	5	7	8
GRAND TOTAL	**121**	**2.8**	**12**	**<1**	**<1**	**1**	**4**	**5**	**8**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	668	2.3	7	<1	<1	1	3	4	6	17
20-34	1291	2.2	9	<1	<1	1	2	4	6	12
35-49	446	2.2	7	<1	<1	1	3	4	6	14
50-64	441	2.6	11	<1	<1	1	3	5	7	19
65+	410	3.4	39	<1	<1	1	3	7	11	30
B. *Operated*										
0-19 YRS	427	3.1	18	<1	<1	2	3	7	10	22
20-34	1175	3.0	9	<1	<1	2	4	7	8	14
35-49	825	3.1	10	<1	<1	2	4	8	10	12
50-64	665	3.6	13	<1	1	2	5	8	10	15
65+	525	3.8	15	<1	1	2	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	891	3.4	35	<1	<1	2	4	5	9	45
20-34	1577	3.6	37	<1	1	2	4	6	11	32
35-49	1670	4.2	35	1	1	2	4	9	17	33
50-64	4055	4.0	34	1	1	2	5	7	12	33
65+	4035	5.5	60	1	1	3	6	12	20	43
B. *Operated*										
0-19 YRS	400	5.2	68	<1	<1	3	6	11	16	38
20-34	1256	4.7	54	<1	1	3	5	9	14	54
35-49	1201	4.8	36	<1	1	3	6	10	14	30
50-64	1612	5.6	52	1	1	3	7	11	17	38
65+	1486	8.2	128	1	1	5	10	18	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3256	2.4	12	<1	<1	1	2	5	7	17
B. *Operated*	3617	3.3	12	<1	<1	2	4	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	12228	4.4	44	1	1	2	5	9	16	38
B. *Operated*	5955	5.9	71	<1	1	3	7	12	19	48
1. SINGLE DX	6873	2.9	12	<1	<1	2	3	7	9	15
2. MULTIPLE DX	18183	4.9	53	<1	1	3	5	10	17	42
A. NOT OPERATED	15484	4.0	38	<1	1	2	4	8	14	34
B. OPERATED	9572	4.9	51	<1	1	3	6	10	14	40
TOTAL 0-19 YRS	2386	3.3	31	<1	<1	2	4	7	10	32
20-34	5299	3.4	29	<1	<1	2	4	7	11	25
35-49	4142	3.9	28	<1	1	2	5	8	12	27
50-64	6773	4.3	35	1	1	2	5	9	13	33
65+	6456	5.9	72	1	1	3	6	13	21	47
GRAND TOTAL	**25056**	**4.4**	**43**	**<1**	**1**	**2**	**5**	**9**	**14**	**36**

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease – *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis – *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve – *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes – *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, Western Region, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
Western Region, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	Beds U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73298	2.6	9	<1	<1	2	3	5	7	14
20-34	149187	2.9	8	<1	1	2	4	5	7	13
35-49	62667	4.0	15	<1	1	3	5	8	11	19
50-64	57134	4.6	20	<1	1	3	6	10	12	21
65+	58932	5.3	29	1	1	3	7	12	15	25
2. MULTIPLE DX										
0-19 YRS	69952	4.6	54	<1	1	3	5	9	15	43
20-34	191034	4.3	28	1	1	3	5	7	11	28
35-49	99405	6.3	48	1	1	5	7	12	17	36
50-64	127110	7.7	69	1	2	5	10	16	22	44
65+	211075	9.8	94	2	2	7	12	20	28	52
TOT. SINGLE DX	401218	3.6	15	<1	1	2	4	7	10	19
" MULTIPLE DX	698576	6.9	66	1	1	4	8	15	21	44
TOTAL 0-19 YRS	143250	3.6	32	<1	1	2	4	7	10	30
20-34	340221	3.7	19	1	1	3	4	7	9	22
35-49	162072	5.4	37	<1	1	4	7	10	15	31
50-64	184244	6.8	55	1	1	5	8	14	19	39
65+	270007	8.8	83	1	2	6	11	18	25	49
GRAND TOTAL	**1099794**	**5.7**	**50**	**1**	**1**	**3**	**7**	**12**	**18**	**37**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	8.5	47	1	1	7	11	16	21	34
20-34	86	11.7	95	4	5	9	14	19	21	67
35-49	110	11.0	49	2	3	10	14	21	26	34
50-64	147	12.0	59	3	5	11	15	19	26	57
65+	137	14.1	95	4	6	11	18	26	31	46
2. MULTIPLE DX										
0-19 YRS	156	17.5	313	1	3	13	23	55	94	99+
20-34	144	19.7	272	4	6	15	24	48	66	99+
35-49	171	20.9	343	4	7	14	27	55	78	99+
50-64	262	21.5	314	5	7	16	27	49	69	99+
65+	407	25.6	345	7	8	21	35	55	75	99+
TOT. SINGLE DX	547	11.8	73	2	4	10	15	21	27	41
" MULTIPLE DX	1140	22.1	332	4	6	16	29	53	74	99+
TOTAL 0-19 YRS	223	14.8	250	1	2	10	20	42	64	99+
20-34	230	16.7	221	4	6	12	20	34	57	99+
35-49	281	17.0	251	3	5	12	21	38	60	99+
50-64	409	18.0	243	5	6	13	22	42	56	99+
65+	544	22.7	307	5	7	17	29	49	66	99+
GRAND TOTAL	**1687**	**18.8**	**271**	**3**	**5**	**14**	**23**	**43**	**61**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	9.6	85	2	3	7	10	24	30	47
20-34	55	10.7	126	2	3	9	12	17	22	81
35-49	40	11.3	69	3	4	9	13	29	36	99+
50-64	58	12.4	59	5	6	10	15	22	31	40
65+	49	12.1	87	3	4	11	14	18	26	51
2. MULTIPLE DX										
0-19 YRS	90	15.0	275	3	4	9	17	40	68	99+
20-34	129	20.6	421	4	5	13	25	65	87	99+
35-49	107	20.1	430	3	4	11	28	59	66	98
50-64	120	22.0	250	7	8	17	30	50	66	99+
65+	190	23.3	324	5	7	17	30	50	63	96
TOT. SINGLE DX	238	11.3	86	3	4	9	13	20	30	55
" MULTIPLE DX	636	20.8	346	4	5	14	28	54	68	99+
TOTAL 0-19 YRS	126	13.5	226	3	3	8	16	32	55	99+
20-34	184	17.6	352	3	5	11	20	54	72	99+
35-49	147	17.7	347	3	4	10	21	48	64	99+
50-64	178	18.9	208	6	7	14	24	43	61	99+
65+	239	21.0	296	4	6	16	27	46	58	94
GRAND TOTAL	**874**	**18.2**	**292**	**4**	**5**	**12**	**23**	**44**	**64**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	96	5.0	8	1	2	5	6	8	8	18
20-34	44	5.4	10	2	2	5	8	10	11	13
35-49	25	6.5	10	3	3	6	8	10	12	17
50-64	18	9.1	56	3	3	7	10	22	29	31
65+	9	7.1	22	3	3	5	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	129	7.1	39	2	3	6	8	14	19	63
20-34	105	12.3	276	3	3	6	12	43	74	99+
35-49	44	11.3	213	3	3	7	13	21	35	88
50-64	41	11.0	73	3	4	7	16	25	28	35
65+	11	11.4	110	3	4	8	14	59	94	99+
TOT. SINGLE DX	192	5.8	15	2	2	5	7	10	12	24
" MULTIPLE DX	330	9.9	148	3	3	6	11	21	42	99+
TOTAL 0-19 YRS	225	6.2	27	2	2	5	7	11	16	33
20-34	149	10.2	207	2	3	6	10	24	67	99+
35-49	69	9.6	144	3	3	6	10	17	26	80
50-64	59	10.4	68	3	4	7	15	25	28	35
65+	20	9.5	72	3	3	8	13	26	67	99+
GRAND TOTAL	**522**	**8.4**	**103**	**2**	**3**	**6**	**8**	**17**	**26**	**91**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	7.0	23	2	3	6	8	12	12	28
20-34	19	9.2	14	4	4	8	13	15	15	15
35-49	10	7.9	7	5	5	7	11	12	13	13
50-64	19	8.5	29	3	4	8	9	18	21	23
65+	33	12.8	178	3	4	10	14	18	49	69
2. MULTIPLE DX										
0-19 YRS	90	19.9	452	4	5	9	27	63	78	99+
20-34	37	22.1	553	6	6	10	33	56	77	99
35-49	27	17.3	322	4	5	10	19	39	59	82
50-64	43	21.5	201	5	7	18	29	42	59	99+
65+	125	27.3	301	7	8	24	37	56	68	99+
TOT. SINGLE DX	114	9.4	70	3	4	8	11	15	18	59
" MULTIPLE DX	322	23.0	369	5	6	17	32	55	70	99+
TOTAL 0-19 YRS	123	16.4	369	3	4	9	23	45	71	99+
20-34	56	17.7	405	4	6	10	16	50	61	98
35-49	37	14.8	253	5	5	9	14	37	49	82
50-64	62	17.5	184	4	5	14	27	38	47	96
65+	158	24.3	310	5	7	21	33	52	66	99
GRAND TOTAL	**436**	**19.5**	**327**	**4**	**5**	**13**	**26**	**46**	**64**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	6.1	21	1	2	5	8	13	14	24
20-34	14	6.6	31	2	2	5	8	16	21	22
35-49	18	7.6	12	4	4	6	12	12	13	14
50-64	17	11.4	242	1	2	6	10	28	52	64
65+	20	8.5	65	1	1	5	12	23	25	27
2. MULTIPLE DX										
0-19 YRS	231	11.8	237	2	3	6	13	32	55	99+
20-34	106	19.0	381	4	5	11	27	57	91	99+
35-49	53	11.8	104	2	3	8	15	28	39	98
50-64	51	15.5	149	4	4	11	23	36	42	44
65+	87	23.7	401	3	3	16	31	60	66	80
TOT. SINGLE DX	125	7.5	59	1	2	5	9	15	22	38
" MULTIPLE DX	528	15.6	291	2	3	9	21	43	62	99+
TOTAL 0-19 YRS	287	10.7	201	2	2	6	11	27	48	99
20-34	120	17.5	356	3	4	10	25	51	89	99+
35-49	71	10.7	84	3	3	8	13	25	38	88
50-64	68	14.5	173	3	3	9	21	36	42	60
65+	107	20.9	373	2	3	15	28	55	65	79
GRAND TOTAL	**653**	**14.0**	**256**	**2**	**3**	**8**	**17**	**37**	**57**	**99+**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	9.3	16	4	4	9	12	15	17	18
20-34	183	9.4	33	4	4	8	11	15	18	32
35-49	332	9.6	34	4	5	8	11	16	19	28
50-64	358	10.2	40	5	6	9	12	15	18	30
65+	194	12.3	43	5	6	10	14	21	27	37
2. MULTIPLE DX										
0-19 YRS	16	16.6	166	3	5	13	32	83	99+	99+
20-34	192	15.3	195	4	5	11	18	30	49	86
35-49	350	12.8	90	4	5	10	15	23	30	57
50-64	601	15.7	166	5	6	12	17	32	44	73
65+	583	19.1	209	6	8	14	23	37	47	79
TOT. SINGLE DX	1085	10.2	39	4	5	9	12	16	21	31
" MULTIPLE DX	1742	16.2	174	5	6	12	19	32	45	78
TOTAL 0-19 YRS	34	12.7	98	4	5	9	17	33	83	99+
20-34	375	12.4	125	4	5	9	14	23	33	69
35-49	682	11.3	66	4	5	9	13	19	26	48
50-64	959	13.6	126	5	6	10	15	24	36	67
65+	777	17.4	177	6	7	13	21	33	44	76
GRAND TOTAL	**2827**	**13.9**	**130**	**5**	**6**	**11**	**16**	**26**	**36**	**71**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	7.5	27	<1	1	7	11	16	18	19
20-34	80	6.6	53	1	1	3	10	16	23	33
35-49	91	6.0	28	1	1	3	9	14	16	23
50-64	53	7.3	41	1	1	4	13	17	20	22
65+	34	10.0	60	1	2	9	12	23	28	29
2. MULTIPLE DX										
0-19 YRS	51	13.7	184	2	3	8	20	40	65	99+
20-34	137	13.9	199	1	2	10	19	35	45	75
35-49	128	11.4	111	2	2	8	15	24	35	54
50-64	146	13.0	133	2	2	10	18	28	34	54
65+	94	18.5	242	2	4	15	24	42	53	99+
TOT. SINGLE DX	290	7.0	42	1	1	4	11	16	20	27
" MULTIPLE DX	556	13.8	172	1	2	10	19	32	43	90
TOTAL 0-19 YRS	83	11.3	132	1	2	8	14	30	42	99+
20-34	217	11.2	157	1	1	7	15	29	37	64
35-49	219	9.1	84	1	2	7	12	20	25	51
50-64	199	11.5	115	1	2	8	16	25	30	54
65+	128	16.2	208	2	3	13	23	37	47	99+
GRAND TOTAL	**846**	**11.5**	**138**	**1**	**2**	**8**	**15**	**26**	**37**	**68**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	2.3	4	<1	<1	2	3	4	8	11
20-34	202	2.8	8	<1	<1	2	3	6	9	14
35-49	229	2.9	9	<1	<1	2	3	6	9	18
50-64	318	2.8	6	<1	<1	2	3	6	9	12
65+	161	3.1	8	<1	<1	2	3	7	10	13
2. MULTIPLE DX										
0-19 YRS	30	5.0	31	<1	<1	3	7	10	11	29
20-34	156	4.8	23	<1	1	3	6	12	15	22
35-49	216	5.8	53	<1	1	3	8	13	17	31
50-64	252	7.0	74	1	1	5	9	15	22	67
65+	136	7.2	91	1	1	4	8	15	28	44
TOT. SINGLE DX	945	2.9	8	<1	<1	2	3	6	9	14
" MULTIPLE DX	790	6.2	61	1	1	4	8	13	19	47
TOTAL 0-19 YRS	65	3.5	19	<1	<1	2	3	9	11	26
20-34	358	3.7	16	<1	<1	2	4	9	12	21
35-49	445	4.3	33	<1	<1	2	4	10	14	29
50-64	570	4.7	41	<1	1	3	6	10	14	49
65+	297	5.0	51	<1	1	3	5	10	15	38
GRAND TOTAL	**1735**	**4.4**	**35**	**<1**	**1**	**2**	**5**	**10**	**13**	**29**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	2.2	5	<1	<1	2	2	4	5	12
20-34	836	1.9	1	<1	<1	2	2	3	5	7
35-49	1071	1.9	1	<1	<1	2	2	3	4	7
50-64	947	2.1	4	<1	<1	2	2	3	5	9
65+	594	2.2	2	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
0-19 YRS	157	3.0	37	<1	1	2	3	5	7	15
20-34	540	2.7	9	<1	1	2	3	5	7	16
35-49	514	3.4	21	<1	1	2	3	6	9	25
50-64	637	3.3	13	<1	1	2	4	6	10	18
65+	496	4.6	52	1	1	2	4	9	15	54
TOT. SINGLE DX	3580	2.0	3	<1	<1	2	2	3	4	8
" MULTIPLE DX	2344	3.4	25	<1	1	2	3	6	10	23
TOTAL 0-19 YRS	289	2.6	23	<1	<1	2	3	4	6	14
20-34	1376	2.2	5	<1	<1	2	3	4	5	10
35-49	1585	2.4	8	<1	<1	2	3	4	5	12
50-64	1584	2.6	8	<1	<1	2	3	4	7	14
65+	1090	3.3	27	<1	1	2	3	6	9	23
GRAND TOTAL	**5924**	**2.6**	**12**	**<1**	**<1**	**2**	**3**	**4**	**6**	**15**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	23	4.3	6	<1	1	4	6	7	9	10
35-49	18	5.5	18	<1	1	5	7	13	15	16
50-64	16	6.8	37	<1	<1	5	10	16	21	23
65+	22	10.5	56	2	5	9	12	20	27	36
2. MULTIPLE DX										
0-19 YRS	2	4.5	13	2	2	4	7	7	7	7
20-34	19	5.1	4	2	3	5	6	8	9	10
35-49	34	11.4	119	2	3	8	12	29	39	47
50-64	45	12.6	171	5	6	9	13	25	29	87
65+	130	15.5	179	4	5	12	18	29	48	88
TOT. SINGLE DX	80	6.8	34	<1	1	5	9	13	18	32
" MULTIPLE DX	230	13.4	161	3	4	9	16	27	40	85
TOTAL 0-19 YRS	3	4.7	6	2	2	5	6	7	7	7
20-34	42	4.6	5	1	1	5	6	8	9	10
35-49	52	9.3	91	1	2	7	11	21	31	47
50-64	61	11.1	142	1	4	8	12	21	26	81
65+	152	14.8	164	4	5	11	18	28	46	85
GRAND TOTAL	**310**	**11.7**	**137**	**1**	**3**	**8**	**14**	**23**	**36**	**78**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	6.9	40	1	1	5	10	17	21	22
35-49	14	5.5	19	<1	1	3	9	11	14	15
50-64	19	5.4	63	<1	<1	3	6	8	24	37
65+	5	4.4	16	1	1	3	6	11	11	11
2. MULTIPLE DX										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	16	6.9	67	<1	1	3	9	23	23	23
35-49	39	9.2	93	<1	1	5	15	26	29	33
50-64	32	8.1	95	1	2	6	10	16	18	56
65+	36	10.4	91	2	2	8	14	23	25	49
TOT. SINGLE DX	55	5.6	38	<1	1	3	8	11	16	36
" MULTIPLE DX	130	8.6	88	1	1	5	11	23	26	50
TOTAL 0-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
20-34	31	6.9	52	1	1	3	10	21	23	23
35-49	53	8.2	76	<1	1	4	10	25	27	33
50-64	51	7.1	84	<1	1	5	8	13	18	56
65+	41	9.7	86	1	2	7	13	22	24	49
GRAND TOTAL	**185**	**7.7**	**74**	**1**	**1**	**5**	**10**	**21**	**25**	**45**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	3.3	1	1	2	3	4	5	5	7
20-34	548	3.6	1	2	2	4	4	5	6	8
35-49	548	3.6	2	2	2	3	4	5	6	8
50-64	438	3.7	1	2	2	4	4	5	6	9
65+	200	4.3	4	2	3	4	5	6	7	15
2. MULTIPLE DX										
0-19 YRS	30	5.5	10	2	3	4	6	10	14	16
20-34	238	4.9	44	2	3	4	5	7	9	19
35-49	284	4.6	7	2	3	4	5	7	9	17
50-64	311	4.8	8	2	3	4	5	8	10	18
65+	204	6.3	39	2	3	5	6	13	16	21
TOT. SINGLE DX	1803	3.7	2	2	2	4	4	5	6	8
" MULTIPLE DX	1067	5.1	22	2	3	4	5	8	11	19
TOTAL 0-19 YRS	99	3.9	5	1	2	4	4	6	8	15
20-34	786	4.0	15	2	2	4	4	5	7	10
35-49	832	3.9	4	2	2	4	4	6	7	12
50-64	749	4.2	5	2	3	4	5	6	8	13
65+	404	5.3	23	2	3	4	5	8	13	19
GRAND TOTAL	**2870**	**4.2**	**10**	**2**	**2**	**4**	**5**	**6**	**8**	**16**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	1.9	1	<1	1	2	2	3	4	6
20-34	109	2.9	2	1	1	3	4	5	6	8
35-49	75	3.7	5	1	2	3	5	6	9	13
50-64	72	3.8	3	2	2	4	4	6	7	11
65+	32	4.4	3	1	2	4	6	7	7	9
2. MULTIPLE DX										
0-19 YRS	26	3.2	9	<1	1	2	3	7	10	14
20-34	69	6.7	64	1	1	4	7	14	19	48
35-49	71	7.0	52	2	2	5	8	11	26	38
50-64	121	7.3	35	3	3	5	9	15	23	99+
65+	106	10.3	156	3	3	6	10	25	33	71
TOT. SINGLE DX	426	3.0	4	1	1	3	4	5	6	10
" MULTIPLE DX	393	7.7	77	1	2	5	9	15	27	53
TOTAL 0-19 YRS	164	2.1	3	<1	1	2	3	4	5	9
20-34	178	4.3	30	1	1	3	5	8	11	31
35-49	146	5.3	31	1	2	4	6	9	12	36
50-64	193	6.0	27	2	3	4	7	11	17	71
65+	138	9.0	127	2	3	6	9	18	30	58
GRAND TOTAL	**819**	**5.2**	**44**	**1**	**1**	**4**	**6**	**10**	**15**	**39**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.1	26	2	3	8	11	15	19	21
20-34	39	7.6	9	4	4	7	9	11	12	20
35-49	38	9.6	50	5	5	8	11	12	23	44
50-64	33	9.3	51	4	5	8	9	11	20	45
65+	14	12.1	61	3	6	9	16	19	31	35
2. MULTIPLE DX										
0-19 YRS	14	11.6	51	3	5	8	16	23	25	25
20-34	44	9.4	26	3	5	8	11	19	24	99+
35-49	56	16.8	195	5	6	11	19	40	49	67
50-64	54	13.1	48	6	7	12	15	23	30	34
65+	41	19.5	270	6	7	14	26	49	91	99+
TOT. SINGLE DX	143	9.0	38	3	4	8	10	12	18	44
" MULTIPLE DX	209	14.5	139	5	6	11	18	28	45	99+
TOTAL 0-19 YRS	33	9.5	39	2	3	8	13	20	23	25
20-34	83	8.6	19	4	5	8	10	13	20	74
35-49	94	13.9	148	5	6	9	15	28	46	64
50-64	87	11.7	52	5	6	9	13	22	28	41
65+	55	17.6	226	5	7	12	24	37	79	99+
GRAND TOTAL	**352**	**12.3**	**104**	**4**	**5**	**9**	**14**	**24**	**34**	**86**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	1.2		≤1	≤1	<1	1	2	2	5
20-34	14	1.6		≤1	≤1	1	2	3	3	3
35-49	21	1.3		≤1	≤1	1	2	2	2	2
50-64	38	2.3	3	≤1	≤1	2	2	5	7	9
65+	68	2.2	6	≤1	≤1	2	2	3	4	19
2. MULTIPLE DX										
0-19 YRS	11	2.0	9	≤1	≤1	<1	1	6	11	11
20-34	9	1.7	1	≤1	≤1	1	2	3	4	4
35-49	26	5.3	230	≤1	≤1	2	3	8	24	79
50-64	33	3.6	31	≤1	≤1	2	3	9	11	31
65+	76	4.8	62	≤1	≤1	2	5	9	19	44
TOT. SINGLE DX	247	1.7	3	≤1	≤1	1	2	3	4	9
" MULTIPLE DX	155	4.3	76	≤1	≤1	2	3	9	11	46
TOTAL 0-19 YRS	117	1.3	1	≤1	≤1	<1	1	2	2	8
20-34	23	1.6	1	≤1	≤1	1	2	3	4	4
35-49	47	3.6	129	≤1	≤1	1	2	4	8	79
50-64	71	2.9	17	≤1	≤1	2	3	6	9	27
65+	144	3.6	38	≤1	≤1	2	3	8	10	40
GRAND TOTAL	**402**	**2.7**	**33**	**≤1**	**≤1**	**1**	**2**	**4**	**8**	**30**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	123	1.5		≤1	≤1	1	2	2	3	4
20-34	49	2.2	5	≤1	≤1	1	2	5	7	13
35-49	70	1.4		≤1	≤1	1	2	2	3	4
50-64	161	1.6	1	≤1	≤1	1	2	2	3	6
65+	214	1.6		≤1	≤1	1	2	2	3	6
2. MULTIPLE DX										
0-19 YRS	154	2.3	5	≤1	1	1	3	5	7	11
20-34	184	3.4	26	1	1	2	4	7	9	27
35-49	121	3.7	32	≤1	≤1	2	4	7	11	37
50-64	169	3.1	29	≤1	≤1	2	3	5	10	35
65+	300	4.1	41	≤1	1	2	4	10	13	27
TOT. SINGLE DX	617	1.6	1	≤1	≤1	1	2	2	3	7
" MULTIPLE DX	928	3.4	29	≤1	1	2	3	7	11	26
TOTAL 0-19 YRS	277	2.0	3	≤1	≤1	1	2	4	6	10
20-34	233	3.2	22	≤1	1	2	4	6	9	26
35-49	191	2.9	22	≤1	≤1	2	3	6	8	28
50-64	330	2.4	16	≤1	≤1	1	2	4	6	19
65+	514	3.1	26	≤1	≤1	2	3	6	11	21
GRAND TOTAL	**1545**	**2.7**	**19**	**≤1**	**≤1**	**2**	**2**	**5**	**9**	**20**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	1.5		≤1	<1	1	2	3	3	3
20-34	35	2.1		≤1	1	2	2	3	4	4
35-49	36	1.9		≤1	1	2	2	3	3	3
50-64	58	2.2		1	1	2	3	3	4	5
65+	72	2.4	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	26	2.3	4	≤1	≤1	1	3	7	7	7
20-34	31	2.4	2	≤1	≤1	2	3	5	6	6
35-49	26	2.0		1	1	2	2	3	3	3
50-64	36	2.6	3	1	1	2	3	5	7	8
65+	78	3.4	66	1	1	2	3	3	5	56
TOT. SINGLE DX	228	2.1	1	<1	1	2	3	3	4	5
" MULTIPLE DX	197	2.7	28	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	53	1.9	3	≤1	<1	1	2	4	6	7
20-34	66	2.2	1	≤1	1	2	3	4	4	6
35-49	62	1.9		1	1	2	2	3	3	3
50-64	94	2.4	2	1	1	2	3	4	5	8
65+	150	2.9	35	1	1	2	3	4	5	14
GRAND TOTAL	**425**	**2.4**	**13**	**<1**	**1**	**2**	**3**	**3**	**5**	**7**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.4		≤1	≤1	1	2	2	2	2
20-34	5	1.8	1	≤1	≤1	1	2	4	4	4
35-49	11	2.5	6	≤1	≤1	2	2	7	9	9
50-64	11	1.7		≤1	≤1	2	2	3	4	4
65+	9	2.1	3	≤1	≤1	<1	3	6	6	6
2. MULTIPLE DX										
0-19 YRS	14	2.1	4	≤1	≤1	1	2	4	8	9
20-34	7	3.0	3	≤1	≤1	3	4	6	6	6
35-49	6	5.2	41	1	1	3	5	17	18	18
50-64	9	4.7	39	1	1	2	4	16	20	20
65+	20	4.6	51	≤1	1	2	5	8	21	33
TOT. SINGLE DX	47	1.9	3	≤1	≤1	1	2	4	5	9
" MULTIPLE DX	56	3.8	30	≤1	1	2	4	9	15	32
TOTAL 0-19 YRS	25	1.8	3	≤1	≤1	1	2	2	5	9
20-34	12	2.5	3	≤1	≤1	2	4	5	6	6
35-49	17	3.4	19	≤1	≤1	2	3	8	15	18
50-64	20	3.1	19	≤1	≤1	2	2	6	14	20
65+	29	3.8	37	≤1	≤1	2	5	8	10	33
GRAND TOTAL	**103**	**2.9**	**18**	**≤1**	**≤1**	**2**	**3**	**6**	**9**	**26**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.0	2	1	1	3	4	5	6	8
20-34	77	3.1	1	1	2	3	4	5	5	8
35-49	62	3.0	2	1	1	3	4	5	6	9
50-64	45	3.0	3	1	1	3	4	5	5	12
65+	151	3.3	4	1	1	3	4	5	7	15
2. MULTIPLE DX										
0-19 YRS	19	4.2	7	1	2	4	5	7	10	13
20-34	41	3.9	4	1	2	3	5	7	8	10
35-49	38	4.4	20	1	1	3	4	9	14	25
50-64	105	4.4	16	1	2	3	5	8	11	24
65+	289	3.9	5	1	2	4	5	6	8	15
TOT. SINGLE DX	362	3.2	3	1	1	3	4	5	6	9
" MULTIPLE DX	492	4.1	9	1	2	3	5	7	9	16
TOTAL 0-19 YRS	46	3.5	5	1	1	3	4	6	7	13
20-34	118	3.4	3	1	2	3	4	5	7	10
35-49	100	3.6	9	1	1	3	4	5	8	20
50-64	150	4.0	13	1	1	3	4	7	11	22
65+	440	3.7	5	1	2	3	5	6	8	15
GRAND TOTAL	**854**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**15**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.1	11	<1	<1	2	4	7	9	17
20-34	60	1.7	1	<1	<1	1	2	3	4	6
35-49	55	2.1	2	<1	<1	1	3	4	5	8
50-64	68	1.6		<1	<1	1	2	3	4	4
65+	48	1.9	2	<1	<1	2	2	3	5	10
2. MULTIPLE DX										
0-19 YRS	87	3.6	10	1	1	3	5	7	8	20
20-34	59	3.8	10	<1	1	3	5	8	9	18
35-49	41	3.4	7	<1	1	3	5	6	8	15
50-64	48	6.3	140	1	1	2	5	14	29	73
65+	72	4.0	16	<1	1	2	5	9	14	19
TOT. SINGLE DX	258	1.9	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	307	4.1	32	<1	1	3	5	8	12	27
TOTAL 0-19 YRS	114	3.5	11	<1	1	3	4	7	8	20
20-34	119	2.7	7	<1	<1	2	3	5	8	15
35-49	96	2.6	5	<1	<1	2	4	5	7	13
50-64	116	3.5	63	<1	<1	2	3	5	12	47
65+	120	3.2	12	<1	<1	2	3	8	11	17
GRAND TOTAL	**565**	**3.1**	**20**	**<1**	**<1**	**2**	**4**	**6**	**8**	**19**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	74	2.0	1	<1	1	2	3	3	4	6
20-34	22	2.9	2	1	1	3	3	5	7	8
35-49	41	2.8	2	1	1	2	3	5	6	10
50-64	119	3.1	9	1	1	2	3	6	8	19
65+	233	2.8	5	1	1	2	3	4	7	14
2. MULTIPLE DX										
0-19 YRS	38	3.9	58	<1	1	2	3	6	13	47
20-34	23	3.6	7	<1	1	3	5	7	11	12
35-49	23	4.2	16	<1	1	3	4	11	15	16
50-64	91	3.9	6	1	2	3	5	8	9	12
65+	217	4.1	17	1	1	3	5	9	12	23
TOT. SINGLE DX	489	2.8	6	1	1	2	3	5	6	13
" MULTIPLE DX	392	4.0	18	1	1	3	5	9	10	19
TOTAL 0-19 YRS	112	2.7	21	<1	1	2	3	4	5	27
20-34	45	3.2	5	1	1	3	4	6	8	12
35-49	64	3.3	8	1	1	2	4	5	10	16
50-64	210	3.4	9	1	1	2	4	7	9	13
65+	450	3.4	12	1	1	2	4	7	9	18
GRAND TOTAL	**881**	**3.3**	**12**	**1**	**1**	**2**	**4**	**6**	**9**	**16**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	2.9	4	1	1	2	4	5	7	9
20-34	27	2.7	3	<1	1	2	3	5	6	8
35-49	35	2.3	2	<1	1	2	3	5	5	6
50-64	77	2.4	3	<1	<1	2	3	5	6	10
65+	139	2.5	5	<1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	40	4.5	9	<1	1	4	6	9	11	11
20-34	42	4.1	12	<1	1	3	5	9	12	15
35-49	26	3.7	7	1	1	3	5	7	10	12
50-64	72	3.4	8	1	1	3	4	6	12	15
65+	161	3.1	6	1	1	2	4	6	9	12
TOT. SINGLE DX	300	2.5	4	<1	1	2	3	5	6	9
" MULTIPLE DX	341	3.5	8	1	1	2	4	8	10	15
TOTAL 0-19 YRS	62	3.9	8	1	1	3	5	8	10	11
20-34	69	3.6	9	1	1	3	5	8	10	15
35-49	61	2.9	5	1	1	2	4	6	7	12
50-64	149	2.9	6	<1	1	2	3	5	8	15
65+	300	2.8	6	<1	1	2	3	5	8	12
GRAND TOTAL	**641**	**3.0**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.9		<1	1	2	2	2	4	5
20-34	9	2.2		2	2	2	3	3	3	3
35-49	196	2.3	1	1	1	2	3	3	4	8
50-64	1201	2.2		1	1	2	3	3	4	6
65+	4458	2.4	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	15	3.1	5	1	1	2	4	6	9	10
20-34	22	4.3	29	<1	1	3	4	8	16	27
35-49	123	3.0	4	1	1	2	3	5	8	11
50-64	892	2.8	6	1	2	2	3	4	6	12
65+	4170	2.9	10	1	2	2	3	4	6	15
TOT. SINGLE DX	5881	2.3	2	1	1	2	3	3	4	6
" MULTIPLE DX	5222	2.9	10	1	2	2	3	4	6	14
TOTAL 0-19 YRS	32	2.5	3	1	1	2	2	5	6	10
20-34	31	3.7	22	1	1	3	4	6	9	27
35-49	319	2.5	3	1	1	2	3	4	5	10
50-64	2093	2.5	3	1	1	2	3	3	4	9
65+	8628	2.6	6	1	1	2	3	4	5	11
GRAND TOTAL	**11103**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	97	2.0	1	<1	1	2	2	3	4	9
20-34	49	1.8		<1	<1	2	2	3	3	4
35-49	311	1.8		1	1	2	2	2	3	4
50-64	1648	2.0		1	1	2	2	3	3	5
65+	6460	2.1	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	49	2.3	2	<1	1	2	3	4	7	8
20-34	62	2.5	2	<1	1	2	3	4	6	8
35-49	197	2.6	22	1	1	2	2	3	5	12
50-64	1091	2.3	2	1	1	2	2	3	4	8
65+	5186	2.5	4	1	1	2	3	3	5	11
TOT. SINGLE DX	8565	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	6585	2.5	5	1	1	2	2	3	5	10
TOTAL 0-19 YRS	146	2.1	2	<1	1	2	2	3	4	8
20-34	111	2.2	2	<1	1	2	2	3	5	8
35-49	508	2.1	9	1	1	2	2	3	3	7
50-64	2739	2.1	1	1	1	2	2	3	4	7
65+	11646	2.3	3	1	1	2	2	3	4	8
GRAND TOTAL	**15150**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	32	2.0		<1	1	2	2	3	3	6
50-64	230	2.0	3	1	1	2	2	2	3	7
65+	792	2.0		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	8	2.3	1	<1	<1	2	3	4	4	4
35-49	22	2.5	5	<1	1	2	3	4	7	12
50-64	148	2.2	2	<1	1	2	2	3	5	9
65+	635	2.5	5	1	1	2	3	3	5	13
TOT. SINGLE DX	1060	2.0	1	1	1	2	2	3	3	6
" MULTIPLE DX	817	2.5	5	1	1	2	3	3	5	12
TOTAL 0-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
20-34	10	2.3	1	<1	<1	2	3	4	4	4
35-49	54	2.2	3	<1	1	2	2	3	4	12
50-64	378	2.1	3	<1	1	2	2	3	4	8
65+	1427	2.2	3	1	1	2	2	3	4	8
GRAND TOTAL	**1877**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.1	5	1	1	4	5	8	9	11
20-34	133	4.5	4	2	2	4	5	7	9	12
35-49	129	4.4	5	1	2	4	6	8	9	13
50-64	455	4.5	7	1	2	4	5	7	9	14
65+	431	4.5	6	2	2	4	5	7	9	17
2. MULTIPLE DX										
0-19 YRS	49	5.2	14	2	2	4	6	8	11	22
20-34	101	4.7	7	1	2	4	6	8	10	15
35-49	100	5.1	8	1	2	4	6	8	12	16
50-64	385	5.3	11	2	2	4	6	10	12	17
65+	483	5.3	14	2	2	4	7	10	12	23
TOT. SINGLE DX	1196	4.5	7	1	2	4	5	7	9	14
" MULTIPLE DX	1118	5.2	12	2	2	4	6	9	12	18
TOTAL 0-19 YRS	97	4.7	10	1	2	4	5	8	9	22
20-34	234	4.6	6	2	2	4	6	8	9	12
35-49	229	4.7	7	1	2	4	6	8	9	15
50-64	840	4.8	10	1	2	4	6	9	10	17
65+	914	5.0	11	2	2	4	6	8	11	18
GRAND TOTAL	**2314**	**4.8**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	2.7	5	<1	1	2	3	4	7	12
20-34	28	3.4	3	1	1	4	5	5	6	8
35-49	22	3.4	2	1	1	3	4	6	7	7
50-64	58	3.8	8	1	1	3	5	8	10	15
65+	123	3.4	4	1	1	3	4	7	8	12
2. MULTIPLE DX										
0-19 YRS	36	3.9	7	<1	1	3	5	8	10	12
20-34	111	4.6	24	1	2	4	5	7	9	31
35-49	100	3.7	5	1	1	3	5	7	8	11
50-64	200	4.2	21	1	1	3	5	7	10	20
65+	316	4.1	13	1	1	3	5	7	9	19
TOT. SINGLE DX	254	3.4	5	1	1	3	4	6	8	13
" MULTIPLE DX	763	4.1	16	1	1	3	5	7	9	18
TOTAL 0-19 YRS	59	3.4	7	<1	1	3	4	7	10	12
20-34	139	4.3	20	1	2	4	5	7	8	23
35-49	122	3.7	5	1	1	3	5	7	8	11
50-64	258	4.1	19	1	1	3	5	7	10	15
65+	439	3.9	11	1	1	3	5	7	9	17
GRAND TOTAL	**1017**	**4.0**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	893	1.5		<1	<1	1	2	2	2	5
20-34	180	1.7		<1	1	2	2	2	3	4
35-49	86	1.6		<1	<1	2	2	2	2	3
50-64	45	1.8		<1	1	2	2	2	3	5
65+	37	1.9		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	206	1.7	1	<1	<1	1	2	2	3	7
20-34	68	2.0	2	<1	1	2	2	3	4	11
35-49	62	2.0	3	<1	1	2	2	2	3	14
50-64	45	2.3	3	1	1	2	2	3	5	13
65+	45	2.2	1	1	1	2	2	3	4	8
TOT. SINGLE DX	1241	1.6	1	<1	<1	1	2	2	2	4
" MULTIPLE DX	426	1.9	2	<1	<1	2	2	3	3	8
TOTAL 0-19 YRS	1099	1.5	1	<1	<1	1	2	2	2	7
20-34	248	1.8	1	<1	1	2	2	2	3	5
35-49	148	1.8	2	<1	<1	2	2	2	3	4
50-64	90	2.1	2	1	1	2	2	3	4	11
65+	82	2.0	1	<1	1	2	2	3	3	7
GRAND TOTAL	**1667**	**1.6**	**1**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	15.0	547	1	1	2	32	42	42	42
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	10	1.5	1	1	1	1	2	3	3	3
" MULTIPLE DX	14	4.4	118	<1	<1	1	2	7	34	42
TOTAL 0-19 YRS	7	1.6	1	1	1	1	2	3	3	3
20-34	8	1.3		<1	<1	1	2	2	2	2
35-49	4	2.3	1	1	1	2	3	3	3	3
50-64	4	11.5	414	1	1	2	22	42	42	42
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**24**	**3.2**	**69**	**<1**	**<1**	**1**	**2**	**3**	**15**	**42**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	2.6	5	<1	1	2	3	5	6	14
20-34	61	2.7	3	1	1	2	3	5	8	9
35-49	42	2.9	5	1	1	3	3	4	4	17
50-64	55	2.4	1	<1	1	2	3	4	4	10
65+	81	2.9	3	1	1	2	4	5	5	10
2. MULTIPLE DX										
0-19 YRS	59	4.3	23	1	1	3	5	9	11	32
20-34	121	4.2	21	1	1	3	5	9	12	30
35-49	48	4.5	35	1	1	3	5	8	10	41
50-64	84	5.0	45	1	2	3	5	10	15	44
65+	115	4.5	13	1	1	3	6	9	14	48
TOT. SINGLE DX	302	2.7	4	1	1	2	3	4	5	11
" MULTIPLE DX	427	4.5	26	1	1	3	5	9	12	34
TOTAL 0-19 YRS	122	3.4	15	<1	1	2	4	6	10	20
20-34	182	3.7	16	1	1	2	4	8	10	24
35-49	90	3.7	22	1	1	3	4	6	9	31
50-64	139	4.0	30	1	1	3	4	7	10	33
65+	196	3.8	10	1	1	3	4	8	11	19
GRAND TOTAL	**729**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**24**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	262	1.6		<1	<1	1	2	3	4	5
20-34	83	2.0	4	<1	<1	1	2	4	7	11
35-49	51	1.8	2	<1	<1	1	2	3	5	9
50-64	61	2.0	2	<1	<1	2	2	4	5	10
65+	79	2.8	11	<1	<1	2	3	5	10	20
2. MULTIPLE DX										
0-19 YRS	169	2.8	15	<1	1	2	3	5	7	18
20-34	76	4.9	99	<1	1	2	5	10	13	67
35-49	47	4.9	31	1	1	2	7	13	18	23
50-64	66	3.9	19	<1	1	2	4	11	13	21
65+	95	9.7	200	1	1	5	10	24	40	74
TOT. SINGLE DX	536	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	453	5.0	76	<1	1	2	5	11	17	47
TOTAL 0-19 YRS	431	2.1	7	<1	<1	1	2	4	5	8
20-34	159	3.3	51	<1	<1	2	3	7	11	15
35-49	98	3.3	19	<1	<1	2	3	9	13	23
50-64	127	3.0	12	<1	<1	2	3	7	11	19
65+	174	6.5	126	<1	<1	3	6	16	25	65
GRAND TOTAL	**989**	**3.3**	**39**	**<1**	**<1**	**2**	**3**	**7**	**11**	**27**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	1.9		1	1	2	2	3	3	4
20-34	208	1.7		1	1	1	2	3	3	4
35-49	289	1.7		1	1	1	2	3	3	5
50-64	346	1.6		1	1	1	2	3	3	4
65+	159	1.8		1	1	2	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	22	2.0		<1	1	2	3	3	4	4
20-34	64	1.8		1	1	2	2	3	4	6
35-49	86	2.2	1	1	1	2	3	3	4	5
50-64	93	2.6	13	1	1	2	2	4	6	25
65+	49	2.4	1	1	1	2	3	4	4	7
TOT. SINGLE DX	1048	1.7	1	1	1	1	2	3	3	4
" MULTIPLE DX	314	2.2	5	1	1	2	3	3	4	8
TOTAL 0-19 YRS	68	1.9	1	1	1	2	2	3	3	4
20-34	272	1.7	1	1	1	2	2	3	3	4
35-49	375	1.8	1	1	1	2	2	3	4	5
50-64	439	1.8	4	1	1	1	2	3	3	7
65+	208	1.9	1	1	1	2	2	3	3	6
GRAND TOTAL	**1362**	**1.8**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	566	1.7		<1	1	2	2	2	3	3
20-34	431	1.7		<1	1	2	2	2	3	5
35-49	303	1.7		<1	1	2	2	3	3	4
50-64	270	1.7		1	1	2	2	3	3	4
65+	113	1.7		<1	1	2	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	349	1.9	2	<1	1	2	2	3	3	6
20-34	263	2.2	26	<1	1	2	2	3	4	7
35-49	215	1.9	1	1	1	2	2	3	4	7
50-64	202	2.2	1	1	1	2	3	3	4	6
65+	97	2.6	6	1	1	2	3	4	7	16
TOT. SINGLE DX	1683	1.7	1	<1	1	2	2	2	3	4
" MULTIPLE DX	1126	2.1	8	<1	1	2	2	3	4	7
TOTAL 0-19 YRS	915	1.8	1	<1	1	2	2	3	3	4
20-34	694	1.9	10	<1	1	2	2	3	3	6
35-49	518	1.8	1	<1	1	2	2	3	3	5
50-64	472	1.9	1	1	1	2	2	3	4	5
65+	210	2.1	4	<1	1	2	2	3	4	9
GRAND TOTAL	**2809**	**1.9**	**4**	**<1**	**1**	**2**	**2**	**3**	**3**	**5**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3208	1.1		<1	<1	<1	<1	1	1	2
20-34	56	1.6	3	<1	<1	1	2	2	4	13
35-49	46	1.6	1	<1	<1	1	2	2	4	7
50-64	35	1.7	1	<1	<1	1	2	3	4	7
65+	19	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	1532	1.5	3	<1	<1	1	1	2	4	10
20-34	54	4.1	40	<1	<1	2	4	13	18	36
35-49	39	3.3	41	<1	<1	1	2	5	17	34
50-64	47	3.7	14	<1	1	2	4	9	13	18
65+	31	6.3	52	<1	1	2	9	17	26	28
TOT. SINGLE DX	3364	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	1703	1.8	7	<1	<1	1	1	3	5	14
TOTAL 0-19 YRS	4740	1.2	1	<1	<1	<1	1	1	2	6
20-34	110	2.8	23	<1	<1	1	2	5	13	26
35-49	85	2.4	20	<1	<1	1	2	4	6	31
50-64	82	2.9	10	<1	<1	2	3	7	9	16
65+	50	4.3	39	<1	<1	2	4	12	18	28
GRAND TOTAL	**5067**	**1.3**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**8**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	98	2.2	3	1	1	2	2	4	6	10
20-34	102	2.0	1	1	1	2	2	3	5	8
35-49	77	2.3	1	1	1	2	3	4	5	7
50-64	67	2.5	1	1	1	2	3	3	6	8
65+	27	3.0	4	1	1	2	3	6	9	10
2. MULTIPLE DX										
0-19 YRS	185	2.5	3	1	1	2	3	4	5	12
20-34	158	2.6	6	1	1	2	3	4	6	12
35-49	127	2.5	10	1	1	2	3	4	6	45
50-64	148	3.7	33	1	1	2	3	6	12	37
65+	65	3.8	7	1	2	3	4	7	8	17
TOT. SINGLE DX	371	2.3	2	1	1	2	3	4	6	8
" MULTIPLE DX	683	2.9	13	1	1	2	3	5	7	20
TOTAL 0-19 YRS	283	2.4	3	1	1	2	3	4	6	11
20-34	260	2.3	5	1	1	2	3	4	6	11
35-49	204	2.4	7	1	1	2	3	4	5	25
50-64	215	3.3	24	1	1	2	3	5	8	27
65+	92	3.5	7	1	1	3	4	6	9	15
GRAND TOTAL	**1054**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**15**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	253	1.6	1	<1	<1	1	2	2	3	6
20-34	198	2.2	2	1	1	2	3	4	4	10
35-49	183	2.3	4	<1	1	2	3	4	5	11
50-64	254	2.6	5	1	1	2	3	4	6	9
65+	82	2.7	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	155	2.3	5	<1	<1	2	2	4	8	14
20-34	84	3.2	10	<1	1	2	3	7	8	18
35-49	104	3.5	11	1	1	3	4	8	11	18
50-64	94	3.9	17	1	1	3	4	7	12	25
65+	41	6.6	122	1	1	3	6	14	16	70
TOT. SINGLE DX	970	2.2	4	<1	1	2	2	4	5	9
" MULTIPLE DX	478	3.4	21	<1	<1	2	3	7	11	18
TOTAL 0-19 YRS	408	1.9	3	<1	<1	1	2	3	4	11
20-34	282	2.5	5	1	1	2	3	4	7	13
35-49	287	2.8	7	1	1	2	3	5	8	17
50-64	348	2.9	9	1	1	2	3	5	7	15
65+	123	4.0	46	1	1	2	4	7	13	31
GRAND TOTAL	**1448**	**2.6**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	1.6		≤1	≤1	1	2	3	3	5
20-34	204	1.6		≤1	≤1	1	2	3	3	5
35-49	105	1.6		≤1	≤1	1	2	3	3	4
50-64	50	2.0	1	≤1	≤1	2	2	4	5	7
65+	13	2.6	4	≤1	1	2	3	4	8	9
2. MULTIPLE DX										
0-19 YRS	135	2.0	1	≤1	1	2	3	4	4	6
20-34	386	1.9	1	1	1	2	2	3	4	5
35-49	207	2.1	2	≤1	1	2	3	3	4	11
50-64	108	2.5	4	1	1	2	3	4	6	13
65+	37	3.2	12	1	1	2	3	7	13	17
TOT. SINGLE DX	435	1.7	1	≤1	≤1	1	2	3	3	5
" MULTIPLE DX	873	2.1	2	1	1	2	3	3	4	8
TOTAL 0-19 YRS	198	1.9	1	≤1	1	2	2	3	4	6
20-34	590	1.8	1	≤1	1	2	2	3	3	5
35-49	312	2.0	2	≤1	1	2	2	3	4	9
50-64	158	2.4	3	≤1	1	2	3	4	5	11
65+	50	3.1	10	1	1	2	3	6	9	17
GRAND TOTAL	**1308**	**2.0**	**2**	**≤1**	**1**	**2**	**2**	**3**	**4**	**8**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	427	1.7		≤1	1	1	2	3	3	5
20-34	966	1.7	4	≤1	1	1	2	3	3	4
35-49	473	1.7		≤1	1	1	2	3	4	5
50-64	235	1.8		≤1	1	2	2	3	3	5
65+	71	2.3	6	≤1	1	2	3	4	4	17
2. MULTIPLE DX										
0-19 YRS	754	2.2	12	≤1	1	2	2	3	4	8
20-34	1590	2.1	9	≤1	1	2	3	3	4	6
35-49	894	2.3	6	≤1	1	2	3	4	4	11
50-64	538	2.8	15	≤1	1	2	3	4	6	21
65+	174	3.1	8	≤1	1	2	3	6	8	16
TOT. SINGLE DX	2172	1.7	3	≤1	1	1	2	3	3	5
" MULTIPLE DX	3950	2.3	10	≤1	1	2	3	4	4	10
TOTAL 0-19 YRS	1181	2.0	8	≤1	1	2	2	3	4	6
20-34	2556	2.0	8	≤1	1	2	2	3	4	6
35-49	1367	2.1	4	≤1	1	2	2	3	4	8
50-64	773	2.5	12	≤1	1	2	3	4	5	14
65+	245	2.9	8	≤1	1	2	3	5	8	16
GRAND TOTAL	**6122**	**2.1**	**8**	**≤1**	**1**	**2**	**2**	**3**	**4**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	79	1.5		≤1	≤1	1	2	3	4	5
20-34	129	1.7	2	≤1	≤1	1	2	3	4	9
35-49	123	1.7	1	≤1	≤1	1	2	3	4	6
50-64	161	1.7	1	≤1	≤1	1	2	3	4	5
65+	190	2.3	4	≤1	≤1	2	2	4	7	12
2. MULTIPLE DX										
0-19 YRS	121	2.6	8	≤1	1	2	3	4	6	19
20-34	219	2.6	37	≤1	1	2	3	4	4	9
35-49	231	2.3	2	≤1	1	2	3	4	5	9
50-64	212	3.3	44	≤1	1	2	3	5	6	31
65+	226	4.5	35	≤1	1	2	5	9	16	33
TOT. SINGLE DX	682	1.8	2	≤1	≤1	1	2	3	4	8
" MULTIPLE DX	1009	3.3	28	≤1	1	2	3	5	8	21
TOTAL 0-19 YRS	200	2.2	6	≤1	≤1	2	2	4	5	14
20-34	348	2.3	25	≤1	≤1	2	2	3	4	7
35-49	354	2.1	2	≤1	≤1	2	3	3	4	8
50-64	373	2.6	27	≤1	≤1	2	3	4	5	20
65+	416	3.5	22	≤1	≤1	2	4	7	11	23
GRAND TOTAL	**1691**	**2.6**	**18**	**≤1**	**≤1**	**2**	**3**	**4**	**6**	**17**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	227	1.2		≤1	≤1	1	1	2	2	3
20-34	168	2.1	3	≤1	≤1	1	3	5	6	9
35-49	79	2.7	3	≤1	1	2	4	6	7	9
50-64	92	4.0	10	1	1	3	5	8	10	16
65+	51	3.6	7	1	1	3	5	7	8	14
2. MULTIPLE DX										
0-19 YRS	323	2.3	24	≤1	≤1	1	2	4	6	11
20-34	403	2.7	15	≤1	1	2	3	5	7	21
35-49	179	3.6	37	≤1	1	2	4	7	9	21
50-64	167	5.1	41	1	1	4	6	9	11	30
65+	172	6.3	41	1	2	5	7	12	17	29
TOT. SINGLE DX	617	2.3	5	≤1	≤1	1	3	5	7	11
" MULTIPLE DX	1244	3.5	30	≤1	1	2	4	7	10	21
TOTAL 0-19 YRS	550	1.9	15	≤1	≤1	1	2	3	5	10
20-34	571	2.5	12	≤1	≤1	2	3	5	7	18
35-49	258	3.3	27	≤1	1	2	4	6	8	20
50-64	259	4.7	31	1	1	4	6	9	11	19
65+	223	5.7	35	1	1	4	7	10	16	29
GRAND TOTAL	**1861**	**3.1**	**22**	**≤1**	**≤1**	**2**	**4**	**6**	**9**	**19**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.9	1	<1	1	2	2	3	4	6
20-34	129	2.2	2	1	1	2	3	4	5	9
35-49	142	2.3	1	1	1	2	3	4	4	7
50-64	113	2.2	2	1	1	2	3	4	5	8
65+	61	2.6	2	1	1	2	3	4	4	11
2. MULTIPLE DX										
0-19 YRS	38	2.9	3	1	1	2	4	5	7	10
20-34	173	3.0	15	1	1	2	3	5	8	23
35-49	176	3.0	11	1	1	2	3	5	6	11
50-64	159	3.5	14	1	1	3	4	6	11	21
65+	96	5.6	82	1	1	3	5	11	17	59
TOT. SINGLE DX	477	2.3	2	1	1	2	3	4	5	8
" MULTIPLE DX	642	3.5	24	1	1	2	3	6	9	21
TOTAL 0-19 YRS	70	2.4	3	1	1	2	3	4	6	10
20-34	302	2.6	10	1	1	2	3	4	6	15
35-49	318	2.7	7	1	1	2	3	4	6	9
50-64	272	3.0	10	1	1	2	3	5	8	18
65+	157	4.4	53	1	1	3	4	9	12	35
GRAND TOTAL	**1119**	**3.0**	**15**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.6	7	<1	<1	1	3	5	10	13
20-34	91	2.5	3	<1	<1	2	3	5	7	10
35-49	83	2.4	3	<1	1	2	3	4	8	10
50-64	68	2.5	3	1	1	2	3	5	6	9
65+	37	3.6	5	1	1	3	5	7	8	12
2. MULTIPLE DX										
0-19 YRS	84	5.3	54	<1	<1	2	7	12	17	41
20-34	203	3.9	25	1	1	3	4	7	9	32
35-49	194	3.5	22	1	1	2	4	7	10	27
50-64	181	4.5	25	1	1	3	5	9	15	27
65+	115	4.8	31	1	1	3	6	11	16	33
TOT. SINGLE DX	336	2.6	5	<1	<1	2	3	5	8	12
" MULTIPLE DX	777	4.2	29	<1	1	3	5	9	13	30
TOTAL 0-19 YRS	141	4.2	37	<1	<1	2	4	10	14	32
20-34	294	3.5	19	<1	1	2	4	7	8	29
35-49	277	3.2	17	1	1	2	3	7	9	25
50-64	249	3.9	20	1	1	3	5	8	11	26
65+	152	4.5	26	1	1	3	5	9	12	29
GRAND TOTAL	**1113**	**3.7**	**22**	**<1**	**1**	**2**	**4**	**8**	**11**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	203	1.3		<1	<1	1	1	2	2	6
20-34	136	1.7	2	<1	<1	1	2	3	3	9
35-49	65	2.0	2	<1	1	2	2	3	5	10
50-64	48	2.0	3	<1	1	2	2	3	3	14
65+	22	3.6	39	<1	<1	2	3	5	16	31
2. MULTIPLE DX										
0-19 YRS	141	2.4	20	<1	<1	2	3	4	5	13
20-34	167	5.5	72	<1	1	2	6	15	20	42
35-49	143	5.6	83	<1	1	2	4	14	26	52
50-64	176	4.5	45	1	1	2	4	9	16	44
65+	250	5.4	52	1	1	2	5	14	22	42
TOT. SINGLE DX	474	1.7	4	<1	<1	1	2	3	3	9
" MULTIPLE DX	877	4.8	56	<1	1	2	4	11	19	44
TOTAL 0-19 YRS	344	1.8	9	<1	<1	1	2	3	4	7
20-34	303	3.8	44	<1	1	2	3	8	16	27
35-49	208	4.5	61	<1	1	2	3	11	19	46
50-64	224	4.0	38	<1	1	2	3	8	14	34
65+	272	5.2	51	1	1	2	5	14	22	42
GRAND TOTAL	**1351**	**3.7**	**40**	**<1**	**<1**	**2**	**3**	**8**	**15**	**31**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	188	1.1		<1	<1	<1	1	1	2	2
20-34	26	1.2		<1	<1	1	1	2	2	3
35-49	13	1.9		<1	<1	2	2	3	3	3
50-64	5	3.2	3	<1	<1	3	4	6	6	6
65+	5	1.6	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	139	1.3	2	<1	<1	<1	1	2	2	8
20-34	35	2.3	3	<1	<1	2	2	5	7	10
35-49	22	1.8	1	<1	1	2	2	3	4	5
50-64	9	1.7	1	1	1	1	2	3	4	4
65+	8	9.8	331	<1	<1	2	8	41	54	54
TOT. SINGLE DX	237	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	213	1.8	16	<1	<1	1	2	2	4	13
TOTAL 0-19 YRS	327	1.1	1	<1	<1	<1	1	1	2	2
20-34	61	1.8	3	<1	<1	1	2	3	5	10
35-49	35	1.8	1	<1	<1	2	2	3	4	5
50-64	14	2.2	2	<1	1	2	3	4	6	6
65+	13	6.6	210	<1	<1	2	4	20	48	54
GRAND TOTAL	**450**	**1.5**	**8**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.0	2	<1	<1	2	2	4	4	11
20-34	58	1.7	2	1	1	1	2	3	4	10
35-49	104	1.7	1	1	1	1	2	3	4	5
50-64	90	2.6	1	1	1	3	3	4	5	6
65+	31	3.1	4	1	1	2	4	6	8	10
2. MULTIPLE DX										
0-19 YRS	39	2.6	4	<1	<1	2	3	4	7	10
20-34	44	2.8	6	1	1	2	3	6	7	14
35-49	61	3.8	16	1	1	2	4	7	10	26
50-64	79	3.4	10	1	1	3	4	5	6	23
65+	35	5.7	50	1	1	3	6	10	27	31
TOT. SINGLE DX	324	2.1	2	1	1	2	3	4	5	8
" MULTIPLE DX	258	3.6	16	1	1	3	4	6	9	28
TOTAL 0-19 YRS	80	2.3	4	<1	<1	2	3	4	5	11
20-34	102	2.1	4	1	1	2	2	4	6	12
35-49	165	2.5	8	1	1	2	3	4	6	15
50-64	169	2.9	6	1	1	3	4	4	5	11
65+	66	4.5	31	1	1	3	5	8	12	31
GRAND TOTAL	**582**	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	89	2.2	1	<1	<1	2	3	4	4	8
20-34	200	2.6	2	<1	1	2	3	4	5	10
35-49	220	2.8	1	1	1	3	3	4	5	7
50-64	254	2.8	2	1	1	3	4	4	5	8
65+	187	3.5	4	1	2	3	4	5	7	13
2. MULTIPLE DX										
0-19 YRS	23	3.3	4	<1	1	3	5	6	8	9
20-34	87	3.2	7	1	1	3	3	6	9	15
35-49	123	4.0	13	1	1	3	4	7	11	22
50-64	174	4.0	12	1	2	3	4	7	11	24
65+	221	5.5	30	2	2	4	6	11	16	24
TOT. SINGLE DX	950	2.8	3	1	1	3	4	5	5	9
" MULTIPLE DX	628	4.4	18	1	1	3	5	8	13	22
TOTAL 0-19 YRS	112	2.4	2	<1	<1	2	3	4	5	9
20-34	287	2.8	4	<1	1	2	3	5	7	11
35-49	343	3.2	6	1	1	3	4	5	6	13
50-64	428	3.3	7	1	1	3	4	5	7	17
65+	408	4.6	19	1	2	3	5	8	13	21
GRAND TOTAL	**1578**	**3.4**	**10**	**1**	**1**	**3**	**4**	**5**	**8**	**18**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	3.4	2	1	1	3	4	6	6	7
20-34	7	4.1	1	3	3	4	5	6	6	6
35-49	6	3.2	1	2	2	3	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	136	3.7	4	1	1	3	5	6	7	10
20-34	6	3.2	3	1	1	3	4	6	6	6
35-49	3	4.0	13	1	1	3	7	8	8	8
50-64	2	3.5	13	<1	<1	3	6	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	174	3.4	2	1	1	3	4	6	6	7
" MULTIPLE DX	148	3.7	4	1	1	3	5	6	7	9
TOTAL 0-19 YRS	296	3.5	3	1	1	3	5	6	6	8
20-34	13	3.7	2	1	2	4	5	6	6	6
35-49	9	3.4	4	1	1	3	4	7	8	8
50-64	3	3.3	6	<1	<1	3	5	6	6	6
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**322**	**3.5**	**3**	**1**	**1**	**3**	**5**	**6**	**6**	**8**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	299	2.9	6	<1	<1	2	4	6	7	11
20-34	113	3.4	56	<1	<1	2	3	6	8	44
35-49	95	2.8	8	<1	<1	2	3	6	10	15
50-64	175	3.8	58	<1	<1	2	4	8	12	26
65+	187	3.0	8	<1	<1	2	3	6	10	14
2. MULTIPLE DX										
0-19 YRS	237	3.7	17	<1	1	2	5	7	10	24
20-34	198	4.7	34	<1	1	3	6	9	13	31
35-49	134	6.8	76	<1	1	3	7	19	28	40
50-64	230	7.5	113	1	1	3	8	21	30	57
65+	349	8.1	112	1	1	4	10	18	28	68
TOT. SINGLE DX	869	3.1	24	<1	<1	2	4	6	9	17
" MULTIPLE DX	1148	6.3	78	<1	1	3	7	16	22	51
TOTAL 0-19 YRS	536	3.2	12	<1	<1	2	4	6	8	17
20-34	311	4.2	42	<1	<1	2	5	9	11	30
35-49	229	5.1	52	<1	<1	3	5	11	22	38
50-64	405	5.9	93	<1	1	3	6	15	24	54
65+	536	6.3	82	<1	1	3	7	15	21	53
GRAND TOTAL	**2017**	**5.0**	**57**	**<1**	**<1**	**3**	**5**	**11**	**17**	**42**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4437	1.5		<1	1	1	2	2	3	3
20-34	2859	1.7		1	1	2	2	3	3	4
35-49	288	1.9		1	1	2	2	3	4	5
50-64	41	2.8	50	1	1	2	2	3	4	47
65+	16	2.8	24	<1	<1	2	2	3	16	21
2. MULTIPLE DX										
0-19 YRS	958	1.8	2	<1	1	2	2	3	3	5
20-34	653	2.0	2	1	1	2	2	3	4	6
35-49	93	2.3	3	1	1	2	3	4	6	11
50-64	36	3.7	30	1	1	2	2	12	19	25
65+	9	8.9	356	<1	<1	3	4	38	59	59
TOT. SINGLE DX	7641	1.6	1	<1	1	1	2	2	3	4
" MULTIPLE DX	1749	2.0	5	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	5395	1.6	1	<1	1	1	2	2	3	4
20-34	3512	1.7	1	1	1	2	2	3	3	5
35-49	381	2.0	2	1	1	2	2	3	4	7
50-64	77	3.2	41	1	1	2	2	4	13	41
65+	25	5.0	143	<1	<1	2	3	7	30	59
GRAND TOTAL	**9390**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**3**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6627	1.5		<1	<1	1	2	2	2	3
20-34	176	1.7		<1	1	2	2	3	3	5
35-49	9	1.6		1	1	1	2	3	3	3
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	3874	1.4		<1	<1	1	2	2	2	4
20-34	72	2.0		1	1	2	2	3	4	5
35-49	6	2.3	2	1	1	2	3	5	5	5
50-64	3	1.7		1	1	2	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	6817	1.5	1	<1	<1	1	2	2	2	3
" MULTIPLE DX	3957	1.5	1	<1	<1	1	2	2	2	4
TOTAL 0-19 YRS	10501	1.5	1	<1	<1	1	2	2	2	3
20-34	248	1.8	1	1	1	2	2	3	3	5
35-49	15	1.9	1	1	1	2	2	3	5	5
50-64	5	1.6		1	1	2	2	2	2	2
65+	5	1.6		1	1	2	2	2	2	2
GRAND TOTAL	**10774**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	448	1.2		<1	<1	1	1	2	2	2
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	918	1.2		<1	<1	1	1	2	2	4
20-34	9	1.4	1	1	1	1	2	3	4	4
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	452	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	928	1.2	1	<1	<1	1	1	2	2	4
TOTAL 0-19 YRS	1366	1.2	1	<1	<1	1	1	2	2	3
20-34	13	1.5	1	<1	<1	1	2	3	4	4
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1380**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	312	2.1	3	<1	<1	2	3	4	5	10
20-34	224	2.3	8	<1	1	2	3	4	5	13
35-49	71	2.1	1	<1	<1	2	3	4	4	6
50-64	81	2.8	6	<1	1	2	3	6	8	15
65+	64	3.6	19	<1	<1	2	4	8	13	24
2. MULTIPLE DX										
0-19 YRS	115	2.7	8	<1	<1	2	3	6	8	17
20-34	92	3.8	54	<1	1	2	4	6	7	51
35-49	59	5.7	76	<1	1	3	5	12	24	46
50-64	85	5.8	75	<1	1	3	6	12	19	53
65+	94	9.6	182	1	1	5	12	20	40	73
TOT. SINGLE DX	752	2.4	6	<1	<1	2	3	4	6	14
" MULTIPLE DX	445	5.4	82	<1	1	2	5	12	19	56
TOTAL 0-19 YRS	427	2.3	5	<1	<1	2	3	4	6	13
20-34	316	2.7	22	<1	1	2	3	5	6	27
35-49	130	3.7	38	<1	<1	2	4	7	12	43
50-64	166	4.3	44	<1	1	2	5	8	14	38
65+	158	7.2	124	<1	1	3	8	16	23	68
GRAND TOTAL	**1197**	**3.5**	**37**	**<1**	**1**	**2**	**3**	**6**	**12**	**31**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.1	6	<1	<1	<1	2	5	8	12
20-34	17	2.4	1	<1	1	3	3	4	4	4
35-49	16	3.0	2	1	1	3	4	5	5	5
50-64	32	2.7	5	<1	1	2	4	6	8	9
65+	31	3.2	5	1	1	2	4	6	10	10
2. MULTIPLE DX										
0-19 YRS	52	2.7	2	<1	1	2	3	4	5	9
20-34	11	4.0	33	<1	<1	2	4	11	20	21
35-49	13	4.7	10	<1	1	4	8	9	10	10
50-64	50	5.0	25	<1	1	4	6	10	15	27
65+	100	5.3	28	1	1	4	7	11	15	30
TOT. SINGLE DX	137	2.6	5	<1	<1	2	4	5	7	10
" MULTIPLE DX	226	4.5	22	1	1	3	5	9	13	25
TOTAL 0-19 YRS	93	2.4	4	<1	<1	2	3	5	6	11
20-34	28	3.0	14	<1	<1	2	3	4	6	21
35-49	29	3.8	6	1	1	3	5	8	9	10
50-64	82	4.1	18	<1	1	3	5	8	11	25
65+	131	4.8	24	1	1	4	6	10	14	26
GRAND TOTAL	**363**	**3.8**	**16**	**<1**	**1**	**3**	**5**	**8**	**11**	**22**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	1.4	2	<1	<1	1	1	2	3	11
20-34	122	1.2		<1	<1	1	1	2	2	3
35-49	180	1.7	5	<1	<1	1	2	2	3	9
50-64	321	1.5		<1	<1	1	2	2	3	7
65+	240	2.0	12	<1	<1	2	2	2	3	10
2. MULTIPLE DX										
0-19 YRS	38	2.7	34	<1	<1	1	2	5	8	36
20-34	23	4.7	167	<1	<1	2	3	6	14	70
35-49	96	2.8	30	<1	<1	2	2	5	8	36
50-64	241	3.0	18	<1	<1	2	2	6	11	25
65+	230	4.1	50	<1	1	2	3	9	17	47
TOT. SINGLE DX	950	1.6	5	<1	<1	1	2	2	3	7
" MULTIPLE DX	633	3.4	40	<1	<1	2	3	7	12	35
TOTAL 0-19 YRS	125	1.8	12	<1	<1	1	1	2	4	19
20-34	150	1.8	32	<1	<1	1	1	2	3	8
35-49	276	2.1	14	<1	<1	1	2	3	5	16
50-64	562	2.1	9	<1	<1	1	2	3	6	18
65+	470	3.0	32	<1	<1	2	2	5	9	30
GRAND TOTAL	**1583**	**2.3**	**19**	**<1**	**<1**	**1**	**2**	**3**	**6**	**20**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.2	2	1	1	2	3	5	5	5
20-34	5	1.4		<1	<1	1	2	2	2	2
35-49	12	4.2	46	<1	<1	1	2	17	20	21
50-64	25	6.2	34	<1	<1	2	13	15	16	16
65+	20	6.7	21	<1	1	7	11	13	14	14
2. MULTIPLE DX										
0-19 YRS	16	6.9	306	<1	1	2	3	9	53	72
20-34	8	2.9	6	1	1	2	3	7	9	9
35-49	10	13.2	87	<1	1	13	21	25	28	28
50-64	31	13.5	199	1	1	9	19	27	52	61
65+	27	11.0	154	1	2	8	14	22	34	61
TOT. SINGLE DX	67	5.3	30	<1	<1	2	9	14	16	20
" MULTIPLE DX	92	10.7	181	1	1	6	14	23	30	67
TOTAL 0-19 YRS	21	5.8	234	<1	1	2	3	7	38	72
20-34	13	2.3	5	<1	<1	2	2	4	8	9
35-49	22	8.3	83	<1	<1	2	16	21	24	28
50-64	56	10.2	138	<1	1	7	15	22	28	61
65+	47	9.2	101	1	2	8	13	18	24	61
GRAND TOTAL	**159**	**8.4**	**124**	**<1**	**1**	**4**	**12**	**20**	**25**	**61**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	3	13.7	9	11	11	13	16	17	17	17
50-64	25	13.8	27	7	8	13	17	21	24	25
65+	17	16.2	109	8	9	13	19	28	44	51
2. MULTIPLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49	7	17.1	123	6	7	15	16	36	41	41
50-64	65	19.7	148	9	10	16	24	37	39	78
65+	53	21.0	169	8	10	18	27	42	73	99+
TOT. SINGLE DX	46	14.4	59	7	8	13	17	21	26	51
" MULTIPLE DX	126	20.0	154	8	10	17	25	38	42	99+
TOTAL 0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34										
35-49	10	16.1	87	6	8	15	16	29	41	41
50-64	90	18.0	121	8	9	15	20	32	38	67
65+	70	19.8	157	8	10	17	24	41	51	99+
GRAND TOTAL	**172**	**18.5**	**134**	**8**	**9**	**15**	**21**	**36**	**41**	**96**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	3	10.3	25	5	5	11	14	15	15	15
50-64										
65+	2	18.5	265	7	7	18	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	5	14.8	136	4	4	10	21	34	34	34
20-34	8	34.4	174	9	15	33	45	50	51	51
35-49	5	15.2	37	8	8	13	21	23	23	23
50-64	20	22.7	556	1	2	12	36	63	71	73
65+	19	27.9	446	2	4	25	47	70	90	99+
TOT. SINGLE DX	5	13.6	99	5	5	11	19	30	30	30
" MULTIPLE DX	57	24.7	402	2	4	18	37	56	72	98
TOTAL 0-19 YRS	5	14.8	137	4	4	10	21	34	34	34
20-34	8	34.4	174	9	15	33	45	50	51	51
35-49	8	13.4	35	5	6	12	17	22	23	23
50-64	20	22.7	557	1	2	12	36	63	71	73
65+	21	27.0	423	2	5	25	45	66	88	99+
GRAND TOTAL	**62**	**23.8**	**385**	**2**	**4**	**17**	**34**	**55**	**71**	**97**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	5.5	65	<1	<1	2	7	12	20	42
20-34	14	6.4	41	<1	<1	4	10	14	20	22
35-49	16	5.1	35	<1	<1	2	7	10	20	24
50-64	31	8.9	108	1	2	6	11	18	31	52
65+	22	10.0	426	<1	1	3	6	28	57	95
2. MULTIPLE DX										
0-19 YRS	65	15.9	421	1	1	9	24	67	99+	99+
20-34	65	24.2	570	1	1	15	46	77	99+	99+
35-49	51	27.2	647	2	3	23	57	99+	99+	99+
50-64	122	24.9	606	1	1	16	45	74	93	99+
65+	156	32.5	707	2	2	30	60	93	99+	99+
TOT. SINGLE DX	115	7.3	138	<1	1	4	8	18	26	67
" MULTIPLE DX	459	26.4	639	1	2	20	48	86	99+	99+
TOTAL 0-19 YRS	97	12.5	326	<1	1	6	18	44	92	99+
20-34	79	21.0	522	1	1	13	40	69	89	99+
35-49	67	21.9	589	1	2	15	47	95	99+	99+
50-64	153	21.6	546	1	1	13	40	67	91	99+
65+	178	29.7	725	1	2	27	53	92	99+	99+
GRAND TOTAL	**574**	**22.6**	**596**	**1**	**1**	**14**	**42**	**75**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	7.2	57	<1	<1	5	11	19	23	23
20-34	46	7.5	171	<1	<1	3	10	15	19	86
35-49	92	4.5	39	1	1	3	6	10	12	38
50-64	231	5.1	38	1	1	3	7	11	17	33
65+	301	5.9	49	<1	1	3	8	14	18	33
2. MULTIPLE DX										
0-19 YRS	21	9.5	112	<1	1	5	14	26	34	41
20-34	94	8.9	67	2	2	7	11	18	27	42
35-49	247	9.2	89	1	2	7	12	20	29	53
50-64	829	9.5	87	1	2	7	12	20	27	45
65+	1423	11.6	123	1	2	9	16	24	31	61
TOT. SINGLE DX	680	5.5	53	<1	1	3	7	13	17	34
" MULTIPLE DX	2614	10.6	108	1	2	8	14	23	30	55
TOTAL 0-19 YRS	31	8.8	94	<1	1	5	13	23	28	41
20-34	140	8.5	101	1	1	6	10	18	26	51
35-49	339	7.9	80	1	1	5	10	18	24	53
50-64	1060	8.5	80	1	1	6	11	18	25	45
65+	1724	10.6	115	1	2	8	14	23	30	57
GRAND TOTAL	**3294**	**9.5**	**101**	**1**	**1**	**7**	**13**	**21**	**28**	**53**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
2. MULTIPLE DX										
0-19 YRS	2	20.0	242	9	9	20	31	31	31	31
20-34	2	67.5	1625	39	39	67	96	96	96	96
35-49										
50-64	4	13.8	47	6	6	13	19	22	22	22
65+	2	13.0	242	2	2	13	24	24	24	24
TOT. SINGLE DX	2	1.5	1	<1	<1	1	2	2	2	2
" MULTIPLE DX	10	25.6	745	2	4	19	31	67	96	96
TOTAL 0-19 YRS	2	20.0	242	9	9	20	31	31	31	31
20-34	2	67.5	1625	39	39	67	96	96	96	96
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	11.2	68	<1	<1	11	17	22	22	22
65+	2	13.0	242	2	2	13	24	24	24	24
GRAND TOTAL	**12**	**21.6**	**697**	**<1**	**1**	**13**	**27**	**56**	**90**	**96**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	10.2	25	5	6	8	17	18	18	18
20-34	50	7.6	18	2	2	7	9	14	18	18
35-49	91	7.3	14	2	3	7	9	11	13	21
50-64	215	7.6	33	1	1	7	10	16	19	29
65+	197	7.9	38	1	1	7	11	14	17	31
2. MULTIPLE DX										
0-19 YRS	31	10.4	38	4	5	9	12	19	21	34
20-34	119	12.8	120	3	5	10	14	24	35	59
35-49	200	11.4	72	2	3	9	14	23	27	36
50-64	585	11.5	77	1	3	9	15	24	30	50
65+	798	12.5	98	2	2	10	17	25	31	48
TOT. SINGLE DX	563	7.7	31	1	1	7	10	14	18	27
" MULTIPLE DX	1733	12.0	89	2	3	10	16	24	31	48
TOTAL 0-19 YRS	41	10.3	34	4	5	9	12	18	20	34
20-34	169	11.2	96	2	4	9	12	21	29	51
35-49	291	10.1	58	2	3	8	13	21	25	34
50-64	800	10.4	68	1	2	9	13	21	28	44
65+	995	11.6	90	1	2	9	15	22	30	47
GRAND TOTAL	**2296**	**10.9**	**78**	**1**	**2**	**9**	**14**	**22**	**28**	**46**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	7.7	9	5	5	7	10	11	11	11
20-34	10	11.6	57	5	5	9	14	23	31	31
35-49	28	9.6	12	6	7	9	10	15	17	22
50-64	131	10.9	17	6	7	10	12	17	20	24
65+	97	11.3	29	6	7	10	13	19	22	34
2. MULTIPLE DX										
0-19 YRS	10	15.1	75	7	7	14	19	27	34	34
20-34	17	16.2	120	7	8	13	20	26	43	52
35-49	80	14.3	89	7	7	11	18	22	29	62
50-64	311	14.6	71	7	7	12	18	25	36	77
65+	361	17.3	114	8	9	15	20	28	37	67
TOT. SINGLE DX	269	10.9	23	6	7	10	12	17	21	26
" MULTIPLE DX	779	15.9	96	7	8	13	19	26	35	67
TOTAL 0-19 YRS	13	13.4	63	5	6	11	19	24	32	34
20-34	27	14.5	99	6	6	11	16	26	34	52
35-49	108	13.1	73	6	7	10	17	21	25	54
50-64	442	13.5	58	6	7	11	16	23	29	54
65+	458	16.0	103	7	8	13	19	27	34	62
GRAND TOTAL	**1048**	**14.6**	**82**	**7**	**7**	**12**	**18**	**25**	**32**	**57**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	2.2	6	<1	<1	1	2	5	7	15
20-34	54	6.1	36	<1	1	4	8	17	18	24
35-49	91	5.4	36	<1	1	3	8	13	15	34
50-64	209	5.5	43	<1	<1	3	7	11	19	44
65+	230	5.5	31	<1	<1	3	8	13	17	25
2. MULTIPLE DX										
0-19 YRS	132	6.7	143	<1	1	3	9	16	19	84
20-34	149	10.6	109	1	1	8	14	24	30	50
35-49	245	10.5	145	1	2	8	12	23	31	81
50-64	659	10.2	113	1	1	7	13	22	30	66
65+	1172	13.6	161	1	2	10	18	29	37	67
TOT. SINGLE DX	696	5.0	34	<1	<1	3	7	12	16	32
" MULTIPLE DX	2357	11.8	146	1	2	8	16	26	34	68
TOTAL 0-19 YRS	244	4.6	85	<1	1	2	4	11	17	34
20-34	203	9.4	94	1	1	7	14	22	27	44
35-49	336	9.1	121	1	1	6	11	19	28	76
50-64	868	9.0	101	<1	1	7	11	20	28	64
65+	1402	12.3	149	1	2	9	17	27	35	63
GRAND TOTAL	**3053**	**10.2**	**128**	**1**	**1**	**7**	**14**	**24**	**31**	**62**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	5.6	21	2	2	5	6	13	17	17
20-34	48	4.8	9	1	2	4	6	9	11	15
35-49	13	6.5	31	1	2	6	7	13	21	23
50-64	11	8.0	65	1	1	5	13	21	26	26
65+	11	11.4	229	<1	1	7	10	36	51	52
2. MULTIPLE DX										
0-19 YRS	20	8.6	60	1	2	7	11	18	27	32
20-34	40	9.5	142	1	2	6	11	17	25	73
35-49	25	6.7	27	2	2	5	10	13	41	99+
50-64	43	13.8	262	2	3	9	19	37	65	99+
65+	75	11.5	106	1	2	8	15	28	33	86
TOT. SINGLE DX	92	6.3	48	1	2	4	7	12	18	41
" MULTIPLE DX	203	10.7	135	2	2	7	13	26	34	99+
TOTAL 0-19 YRS	29	7.7	49	1	2	5	11	16	23	32
20-34	88	6.9	74	1	2	5	8	14	16	56
35-49	38	6.7	28	2	2	6	8	13	25	99+
50-64	54	12.6	226	1	2	7	16	34	59	99
65+	86	11.5	120	1	2	8	15	27	35	82
GRAND TOTAL	**295**	**9.3**	**112**	**1**	**2**	**6**	**11**	**23**	**31**	**88**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	5.4	11	1	2	4	7	10	12	18
20-34	296	4.9	10	2	2	4	6	9	10	22
35-49	104	5.7	18	2	2	4	7	10	15	24
50-64	102	7.8	41	1	2	5	10	17	22	30
65+	68	9.8	50	2	3	8	13	18	23	38
2. MULTIPLE DX										
0-19 YRS	203	13.3	282	2	3	8	15	28	64	85
20-34	383	8.4	76	2	3	6	9	17	24	51
35-49	309	10.2	78	2	3	8	13	18	26	50
50-64	517	12.6	112	3	4	9	16	27	34	48
65+	636	14.1	161	3	4	10	17	30	41	79
TOT. SINGLE DX	645	6.1	24	2	2	5	7	11	16	25
" MULTIPLE DX	2048	12.0	137	3	3	8	15	25	35	74
TOTAL 0-19 YRS	278	11.2	222	2	2	7	12	21	43	84
20-34	679	6.9	51	2	2	5	8	13	19	38
35-49	413	9.1	67	2	3	7	12	17	23	46
50-64	619	11.8	104	2	3	9	15	25	32	46
65+	704	13.7	153	3	4	10	17	29	39	77
GRAND TOTAL	**2693**	**10.6**	**116**	**2**	**3**	**7**	**13**	**22**	**31**	**62**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	5.7	14	<1	<1	5	7	11	14	18
20-34	81	6.5	23	1	1	6	9	13	17	22
35-49	63	4.8	19	<1	<1	3	7	9	17	19
50-64	116	5.0	19	<1	1	3	7	11	14	22
65+	82	6.6	86	1	1	3	8	13	21	56
2. MULTIPLE DX										
0-19 YRS	54	8.8	62	1	2	7	11	14	20	48
20-34	128	11.5	135	1	2	8	14	28	43	99+
35-49	151	8.8	88	1	2	6	10	21	25	58
50-64	325	9.8	77	1	2	8	14	22	27	51
65+	477	11.9	104	2	2	9	16	28	34	49
TOT. SINGLE DX	417	5.7	33	<1	1	4	7	11	16	28
" MULTIPLE DX	1135	10.7	97	1	2	8	14	23	32	55
TOTAL 0-19 YRS	129	7.0	36	<1	1	6	8	13	16	36
20-34	209	9.6	98	1	2	7	12	21	32	86
35-49	214	7.6	71	1	1	5	9	18	22	56
50-64	441	8.5	67	1	2	7	11	18	24	46
65+	559	11.2	106	1	2	8	15	26	34	49
GRAND TOTAL	**1552**	**9.4**	**85**	**1**	**2**	**7**	**12**	**21**	**29**	**49**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	92	8.1	18	6	6	8	9	10	11	31
20-34	42	10.3	18	5	7	9	12	14	19	29
35-49	48	10.4	14	6	7	10	12	15	16	21
50-64	81	12.2	23	7	8	11	13	17	19	36
65+	39	14.7	34	8	10	13	16	23	29	33
2. MULTIPLE DX										
0-19 YRS	198	10.6	63	6	7	8	11	15	19	57
20-34	97	14.6	100	7	8	12	16	24	40	58
35-49	166	13.8	53	7	8	11	16	25	30	38
50-64	462	16.8	98	8	9	14	19	27	35	64
65+	502	19.0	127	9	10	16	22	32	39	67
TOT. SINGLE DX	302	10.7	26	6	7	9	12	16	19	31
" MULTIPLE DX	1425	16.2	106	7	8	13	19	28	35	63
TOTAL 0-19 YRS	290	9.8	50	6	7	8	10	14	17	49
20-34	139	13.3	80	7	7	10	14	21	29	54
35-49	214	13.1	46	7	7	11	15	23	29	36
50-64	543	16.1	90	8	9	13	18	27	34	63
65+	541	18.6	122	9	10	15	22	31	37	66
GRAND TOTAL	**1727**	**15.2**	**97**	**7**	**8**	**12**	**18**	**27**	**33**	**62**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	9.8	4	7	7	10	11	12	12	12
35-49	159	9.6	7	6	7	9	11	13	14	20
50-64	547	10.6	14	7	8	10	12	14	16	24
65+	256	12.1	21	7	8	11	14	17	21	32
2. MULTIPLE DX										
0-19 YRS	5	13.4	15	9	9	14	16	18	18	18
20-34	35	13.8	159	7	8	10	13	19	34	78
35-49	917	11.6	24	7	7	10	13	17	21	33
50-64	3488	12.8	42	7	8	11	14	19	24	40
65+	2165	15.9	87	8	9	13	18	25	32	65
TOT. SINGLE DX	967	10.8	16	7	8	10	12	15	17	27
" MULTIPLE DX	6610	13.6	58	7	8	12	15	21	27	47
TOTAL 0-19 YRS	6	12.8	14	9	9	12	16	18	18	18
20-34	39	13.4	145	7	8	10	13	18	32	78
35-49	1076	11.3	23	7	7	10	13	17	20	32
50-64	4035	12.5	39	7	8	11	14	19	23	39
65+	2421	15.5	82	8	9	13	17	24	31	61
GRAND TOTAL	**7577**	**13.3**	**53**	**7**	**8**	**11**	**15**	**20**	**26**	**44**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	1.6	1	<1	1	1	2	2	3	8
20-34	155	2.3	2	1	1	2	2	4	6	8
35-49	902	2.6	4	1	1	2	2	5	8	12
50-64	1988	2.6	5	1	1	2	2	5	7	14
65+	816	3.1	10	1	1	2	3	7	9	19
2. MULTIPLE DX										
0-19 YRS	320	2.9	39	<1	1	1	2	5	10	27
20-34	315	4.0	17	1	1	2	5	10	12	18
35-49	2642	3.7	17	1	1	2	4	8	11	19
50-64	7320	4.0	22	1	1	2	4	9	13	23
65+	4492	5.4	43	1	2	2	7	13	17	33
TOT. SINGLE DX	4108	2.6	6	1	1	2	2	5	8	14
" MULTIPLE DX	15089	4.4	29	1	1	2	5	10	14	26
TOTAL 0-19 YRS	567	2.3	23	<1	1	1	2	3	7	15
20-34	470	3.5	13	1	1	2	4	8	11	17
35-49	3544	3.4	15	1	1	2	3	8	10	18
50-64	9308	3.7	19	1	1	2	4	8	12	22
65+	5308	5.1	39	1	1	2	6	12	16	31
GRAND TOTAL	**19197**	**4.0**	**24**	**1**	**1**	**2**	**4**	**9**	**13**	**24**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.8	3	1	1	2	3	6	6	6
20-34	13	4.0	7	1	1	3	5	9	10	10
35-49	40	4.1	9	1	1	3	5	8	11	14
50-64	146	4.9	19	1	1	3	7	10	11	20
65+	610	4.6	15	1	1	3	6	9	12	18
2. MULTIPLE DX										
0-19 YRS	14	3.3	6	1	1	3	4	6	10	11
20-34	43	6.2	27	2	2	4	8	12	15	30
35-49	151	9.2	44	2	2	8	12	18	22	25
50-64	721	9.5	57	2	2	8	12	17	24	35
65+	4127	9.8	67	2	3	8	13	19	25	42
TOT. SINGLE DX	815	4.6	15	1	1	3	6	9	12	18
" MULTIPLE DX	5056	9.7	65	2	3	8	13	19	24	40
TOTAL 0-19 YRS	20	3.2	6	1	1	3	4	6	9	11
20-34	56	5.7	24	1	2	4	8	12	13	29
35-49	191	8.1	42	1	2	6	11	16	21	25
50-64	867	8.7	54	1	2	7	12	17	23	35
65+	4737	9.1	63	2	2	7	12	18	24	40
GRAND TOTAL	**5871**	**9.0**	**61**	**2**	**2**	**7**	**12**	**18**	**24**	**39**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	6.6	1	4	5	7	7	8	8	8
20-34	7	8.0	59	1	1	6	9	21	24	24
35-49	33	6.4	21	1	2	7	8	11	16	22
50-64	53	4.9	22	1	2	3	5	13	16	23
65+	20	5.2	21	<1	1	3	4	14	15	16
2. MULTIPLE DX										
0-19 YRS	22	15.6	258	5	6	9	18	32	60	70
20-34	44	11.5	103	2	3	8	15	19	31	58
35-49	131	10.0	96	2	2	7	13	23	33	47
50-64	288	9.1	82	2	2	7	12	19	28	47
65+	179	14.2	128	2	3	11	20	31	39	88
TOT. SINGLE DX	123	5.7	22	1	2	4	7	13	16	23
" MULTIPLE DX	664	11.0	109	2	2	8	14	24	35	59
TOTAL 0-19 YRS	32	12.8	193	4	5	7	14	21	50	70
20-34	51	11.1	98	2	2	8	15	19	28	58
35-49	164	9.3	84	1	2	7	12	21	27	46
50-64	341	8.5	75	2	2	6	11	17	25	46
65+	199	13.3	125	2	3	11	19	30	37	81
GRAND TOTAL	**787**	**10.2**	**100**	**2**	**2**	**7**	**13**	**22**	**32**	**56**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	160	3.0	11	<1	<1	1	4	7	9	19
20-34	94	3.5	11	<1	<1	2	5	8	10	16
35-49	130	3.3	27	<1	<1	1	3	9	10	35
50-64	183	3.0	14	<1	<1	2	3	7	11	18
65+	168	4.7	27	<1	1	2	6	12	17	23
2. MULTIPLE DX										
0-19 YRS	227	6.6	78	<1	1	4	8	16	21	39
20-34	163	9.5	105	1	1	7	11	20	35	49
35-49	256	8.9	96	1	1	6	12	19	27	61
50-64	679	9.5	85	1	2	7	12	21	28	44
65+	1484	11.2	99	1	2	9	15	23	30	52
TOT. SINGLE DX	735	3.5	19	<1	<1	2	4	8	12	21
" MULTIPLE DX	2809	10.1	96	1	2	7	13	22	29	50
TOTAL 0-19 YRS	387	5.1	54	<1	<1	3	6	12	16	35
20-34	257	7.3	79	1	1	4	9	17	23	42
35-49	386	7.0	80	<1	1	4	10	17	22	53
50-64	862	8.1	78	<1	1	5	11	19	27	42
65+	1652	10.5	96	1	2	8	14	22	29	50
GRAND TOTAL	**3544**	**8.7**	**87**	**1**	**1**	**5**	**12**	**20**	**27**	**46**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	2.7	1	1	1	3	4	4	4	4
20-34	432	3.2	2	1	1	3	4	5	5	10
35-49	562	3.4	3	1	2	3	4	5	7	11
50-64	391	3.7	4	1	2	3	4	6	7	13
65+	138	4.5	10	1	2	4	5	8	9	17
2. MULTIPLE DX										
0-19 YRS	3	5.7	2	4	4	6	7	7	7	7
20-34	98	4.4	20	2	2	4	5	7	9	29
35-49	171	4.3	8	2	2	4	5	7	10	14
50-64	224	5.1	20	2	2	4	6	10	13	24
65+	124	8.2	102	2	2	5	8	17	25	63
TOT. SINGLE DX	1534	3.5	4	1	2	3	4	5	7	12
" MULTIPLE DX	620	5.4	35	2	2	4	6	10	15	34
TOTAL 0-19 YRS	14	3.4	3	1	1	3	4	6	7	7
20-34	530	3.4	6	1	2	3	4	5	6	12
35-49	733	3.6	5	1	2	3	4	6	8	12
50-64	615	4.2	11	1	2	3	5	7	10	18
65+	262	6.2	57	1	2	4	6	12	18	35
GRAND TOTAL	**2154**	**4.0**	**14**	**1**	**2**	**3**	**4**	**6**	**9**	**19**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	12.5	470	2	3	7	9	13	71	90
20-34	24	4.3	21	<1	1	2	7	8	12	22
35-49	91	6.5	13	1	2	7	9	11	12	17
50-64	244	7.7	15	2	2	8	10	12	14	24
65+	280	9.4	43	2	3	8	12	16	20	33
2. MULTIPLE DX										
0-19 YRS	45	12.5	154	2	3	8	14	31	44	53
20-34	127	11.5	124	2	2	8	15	24	39	68
35-49	327	12.2	120	1	2	10	15	23	30	74
50-64	1149	12.7	87	3	5	10	15	23	32	61
65+	1619	16.0	141	5	6	12	19	32	42	67
TOT. SINGLE DX	654	8.2	39	1	2	8	10	13	17	25
" MULTIPLE DX	3267	14.2	123	3	5	11	17	28	38	64
TOTAL 0-19 YRS	60	12.5	227	2	3	8	12	30	46	86
20-34	151	10.4	114	1	2	7	13	22	37	59
35-49	418	11.0	103	1	2	9	13	22	28	67
50-64	1393	11.8	79	3	4	10	14	22	29	54
65+	1899	15.0	133	4	6	12	18	30	40	65
GRAND TOTAL	**3921**	**13.2**	**114**	**2**	**4**	**10**	**16**	**26**	**36**	**63**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+										
2. MULTIPLE DX										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	15.8	128	7	7	10	21	35	35	35
50-64	3	10.0	81	1	1	10	17	19	19	19
65+	2	18.0	18	15	15	18	21	21	21	21
TOT. SINGLE DX	1	13.0		13	13	13	13	13	13	13
" MULTIPLE DX	13	12.9	77	1	3	10	17	24	33	35
TOTAL 0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	1	3.0		3	3	3	3	3	3	3
35-49	5	15.8	129	7	7	10	21	35	35	35
50-64	4	10.8	56	1	1	11	16	19	19	19
65+	2	18.0	18	15	15	18	21	21	21	21
GRAND TOTAL	**14**	**12.9**	**71**	**1**	**3**	**10**	**17**	**22**	**32**	**35**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.0	2	1	1	3	4	5	5	5
20-34	8	2.8	4	1	1	2	3	6	7	7
35-49	21	2.3	4	<1	<1	1	3	6	7	8
50-64	15	3.9	10	<1	<1	4	5	7	11	13
65+	11	5.6	5	<1	2	6	6	9	10	10
2. MULTIPLE DX										
0-19 YRS	45	4.4	13	1	1	4	5	8	15	16
20-34	350	6.2	59	<1	1	4	7	12	19	32
35-49	349	5.7	34	<1	1	4	7	12	16	34
50-64	709	6.4	47	<1	1	4	8	14	18	39
65+	682	8.2	73	1	2	5	10	17	26	51
TOT. SINGLE DX	60	3.4	7	<1	<1	3	5	7	8	13
" MULTIPLE DX	2135	6.8	56	1	1	5	8	14	20	43
TOTAL 0-19 YRS	50	4.2	12	1	1	3	5	8	15	16
20-34	358	6.1	59	<1	1	4	7	12	18	32
35-49	370	5.5	33	<1	1	4	7	11	16	34
50-64	724	6.3	47	<1	1	4	8	13	18	39
65+	693	8.1	73	1	2	5	10	17	25	51
GRAND TOTAL	**2195**	**6.7**	**55**	**1**	**1**	**4**	**8**	**14**	**20**	**43**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	181	7.7	122	<1	1	6	8	12	21	79
20-34	169	5.1	31	1	1	3	7	11	18	23
35-49	256	7.2	50	1	1	5	9	15	22	32
50-64	688	6.3	28	1	2	5	8	11	13	27
65+	1078	7.2	28	2	2	6	9	13	16	28
2. MULTIPLE DX										
0-19 YRS	2303	15.4	267	2	3	9	20	41	58	99+
20-34	605	8.7	117	1	1	5	10	20	32	64
35-49	821	10.6	155	1	2	7	12	24	36	64
50-64	2863	10.5	109	2	2	8	13	22	32	57
65+	5292	12.4	127	2	3	9	15	24	35	66
TOT. SINGLE DX	2372	6.8	39	1	2	5	9	12	16	31
" MULTIPLE DX	11884	12.2	155	2	3	9	15	26	39	75
TOTAL 0-19 YRS	2484	14.8	261	2	3	9	19	40	56	99+
20-34	774	7.9	101	1	1	5	9	18	27	63
35-49	1077	9.8	133	1	1	6	11	22	32	58
50-64	3551	9.7	97	2	2	7	12	20	29	53
65+	6370	11.5	114	2	3	9	14	23	32	62
GRAND TOTAL	**14256**	**11.3**	**140**	**2**	**2**	**8**	**14**	**24**	**36**	**71**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	230	2.6	8	<1	<1	1	3	6	7	16
20-34	277	2.9	6	<1	<1	2	3	6	9	13
35-49	199	3.1	10	<1	<1	2	4	7	9	17
50-64	251	3.8	17	<1	<1	2	4	9	11	24
65+	190	4.9	24	<1	<1	3	6	11	15	22
2. MULTIPLE DX										
0-19 YRS	120	3.8	11	<1	1	2	5	8	11	16
20-34	169	6.6	44	<1	1	4	9	16	19	32
35-49	234	6.4	49	<1	1	4	9	14	19	35
50-64	486	7.4	72	1	1	5	9	15	22	42
65+	607	9.4	112	1	2	6	12	22	29	54
TOT. SINGLE DX	1147	3.4	13	<1	<1	2	4	8	10	19
" MULTIPLE DX	1616	7.7	79	1	1	5	10	17	24	45
TOTAL 0-19 YRS	350	3.0	10	<1	<1	2	4	7	9	16
20-34	446	4.3	24	<1	<1	2	5	10	14	26
35-49	433	4.9	34	<1	<1	3	7	11	15	33
50-64	737	6.2	57	<1	1	4	8	13	19	33
65+	797	8.3	95	1	1	5	10	20	27	51
GRAND TOTAL	**2763**	**5.9**	**56**	**<1**	**1**	**3**	**7**	**13**	**20**	**34**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	2.8	4	<1	1	2	3	6	8	8
20-34	40	6.2	13	1	1	6	9	11	12	15
35-49	28	5.8	8	1	2	6	8	9	10	15
50-64	48	6.7	33	1	2	6	7	10	17	36
65+	37	7.3	47	2	2	6	8	12	21	40
2. MULTIPLE DX										
0-19 YRS	11	9.3	31	1	2	9	11	16	22	23
20-34	84	7.8	10	2	3	9	9	11	14	16
35-49	59	8.1	35	1	3	6	11	16	22	26
50-64	134	8.5	30	3	4	7	10	15	20	29
65+	175	9.7	89	3	4	7	11	19	23	44
TOT. SINGLE DX	162	6.3	26	1	2	6	8	10	14	35
" MULTIPLE DX	463	8.8	50	3	4	7	10	15	21	32
TOTAL 0-19 YRS	20	6.4	29	<1	1	5	9	11	17	23
20-34	124	7.3	12	1	2	8	9	11	13	16
35-49	87	7.3	28	1	2	6	9	14	20	26
50-64	182	8.0	32	2	3	7	9	15	19	33
65+	212	9.3	83	3	3	7	10	18	23	43
GRAND TOTAL	**625**	**8.2**	**45**	**2**	**3**	**7**	**9**	**15**	**20**	**33**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49										
50-64	4	6.3	31	1	1	6	11	12	12	12
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	18	5	5	8	11	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
TOT. SINGLE DX	5	8.8	56	1	1	10	14	19	19	19
" MULTIPLE DX	3	6.7	14	4	4	5	9	11	11	11
TOTAL 0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49										
50-64	6	6.8	23	1	1	7	11	12	12	12
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**8**	**8.0**	**37**	**1**	**1**	**7**	**11**	**17**	**19**	**19**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	31.0		31	31	31	31	31	31	31
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6	41.8	42	33	33	42	46	50	51	51
20-34	2	39.0	162	30	30	39	48	48	48	48
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
TOT. SINGLE DX	1	31.0		31	31	31	31	31	31	31
" MULTIPLE DX	9	37.1	193	5	15	40	46	50	51	51
TOTAL 0-19 YRS	6	41.8	42	33	33	42	46	50	51	51
20-34	3	36.3	102	30	30	31	44	48	48	48
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
GRAND TOTAL	**10**	**36.5**	**175**	**5**	**17**	**38**	**46**	**49**	**51**	**51**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	209	6.5	57	1	1	5	7	13	19	39
20-34	181	6.7	36	1	2	6	8	13	19	35
35-49	123	8.8	95	1	2	6	9	18	24	59
50-64	124	7.6	49	1	2	6	10	15	22	36
65+	203	8.1	48	1	2	6	10	17	24	34
2. MULTIPLE DX										
0-19 YRS	306	9.5	98	2	3	7	10	20	30	50
20-34	485	11.7	149	2	3	8	13	23	37	81
35-49	436	11.8	126	2	3	8	14	27	33	58
50-64	904	11.5	111	2	3	8	14	23	32	50
65+	2215	12.3	113	3	4	9	15	25	33	59
TOT. SINGLE DX	840	7.4	56	1	2	6	9	15	22	36
" MULTIPLE DX	4346	11.8	118	2	3	9	14	24	32	60
TOTAL 0-19 YRS	515	8.3	84	1	2	6	9	16	27	46
20-34	666	10.4	124	2	2	7	12	21	31	71
35-49	559	11.2	121	2	3	8	13	25	32	58
50-64	1028	11.0	106	2	3	8	13	22	31	49
65+	2418	11.9	109	2	3	9	14	24	31	58
GRAND TOTAL	**5186**	**11.1**	**110**	**2**	**3**	**8**	**13**	**23**	**31**	**58**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	6.3	65	1	1	3	7	13	26	44
20-34	38	10.7	199	<1	1	5	13	30	41	64
35-49	31	8.6	84	1	1	4	12	25	30	31
50-64	27	10.4	129	1	1	4	14	29	35	44
65+	35	9.3	63	2	3	7	13	19	30	34
2. MULTIPLE DX										
0-19 YRS	125	12.6	301	1	1	6	17	35	55	99+
20-34	119	13.7	174	1	2	9	25	35	44	99+
35-49	160	14.4	251	2	2	8	18	40	55	66
50-64	292	14.4	212	1	2	9	19	35	45	86
65+	297	18.0	275	2	3	13	24	38	49	85
TOT. SINGLE DX	185	8.8	106	1	1	4	12	25	30	45
" MULTIPLE DX	993	15.1	247	1	2	10	21	36	48	93
TOTAL 0-19 YRS	179	10.7	238	1	1	5	12	28	49	98
20-34	157	13.0	181	1	2	8	20	35	43	99+
35-49	191	13.4	229	1	2	8	16	35	52	66
50-64	319	14.0	206	1	2	9	19	34	43	81
65+	332	17.1	260	2	3	12	23	36	48	84
GRAND TOTAL	**1178**	**14.1**	**230**	**1**	**2**	**9**	**19**	**35**	**46**	**90**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.7	13	<1	<1	2	4	11	12	13
20-34	50	3.6	12	<1	<1	2	5	9	11	16
35-49	58	4.4	23	<1	<1	2	5	10	15	23
50-64	99	6.0	45	1	1	4	8	14	17	35
65+	139	4.9	42	<1	<1	3	6	11	15	29
2. MULTIPLE DX										
0-19 YRS	39	9.1	165	1	1	3	8	28	44	50
20-34	92	8.6	156	<1	1	5	9	18	29	93
35-49	183	9.8	119	1	2	6	11	21	29	60
50-64	407	9.1	98	1	2	6	12	19	25	55
65+	792	10.9	134	1	2	7	13	23	31	65
TOT. SINGLE DX	373	4.9	35	<1	<1	3	6	11	15	28
" MULTIPLE DX	1513	10.1	126	1	2	7	12	22	30	64
TOTAL 0-19 YRS	66	6.9	109	<1	1	3	7	18	33	50
20-34	142	6.8	111	<1	1	4	7	15	21	84
35-49	241	8.5	101	<1	1	5	10	20	27	56
50-64	506	8.5	90	1	1	6	11	18	23	50
65+	931	10.0	125	1	1	7	12	22	30	61
GRAND TOTAL	**1886**	**9.1**	**112**	**1**	**1**	**6**	**11**	**20**	**28**	**59**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	289	3.2	1	2	2	3	4	5	6	8
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49										
50-64	5	10.0	3	8	8	11	11	12	12	12
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	97	6.2	63	2	2	4	6	10	12	53
20-34	7	14.9	236	5	5	9	14	42	49	49
35-49	4	23.3	875	3	3	11	41	67	67	67
50-64	23	17.5	120	7	8	14	23	31	41	53
65+	35	23.3	197	7	8	21	31	40	54	68
TOT. SINGLE DX	299	3.4	3	2	2	3	4	5	7	11
" MULTIPLE DX	166	12.1	173	2	3	7	16	31	40	67
TOTAL 0-19 YRS	386	4.0	19	2	2	3	4	6	8	15
20-34	10	11.6	187	2	2	8	11	32	49	49
35-49	4	23.3	875	3	3	11	41	67	67	67
50-64	28	16.1	107	7	8	12	21	29	36	53
65+	37	22.6	199	5	8	20	31	39	53	68
GRAND TOTAL	**465**	**6.5**	**81**	**2**	**2**	**4**	**6**	**14**	**24**	**52**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34										
35-49	6	24.3	1264	4	4	10	19	88	96	96
50-64	12	13.3	102	2	3	10	19	28	35	36
65+	12	22.9	547	2	4	18	24	57	84	88
2. MULTIPLE DX										
0-19 YRS	35	29.9	650	4	6	19	38	84	97	99+
20-34	14	29.7	665	8	8	20	44	78	85	87
35-49	23	21.5	426	4	5	13	28	52	70	81
50-64	71	19.9	347	4	6	15	23	51	80	99+
65+	230	24.6	284	5	8	20	33	50	60	93
TOT. SINGLE DX	32	18.6	468	2	4	12	21	38	84	96
" MULTIPLE DX	373	24.2	357	5	7	18	32	56	69	99+
TOTAL 0-19 YRS	37	28.7	644	4	5	19	37	80	97	99+
20-34	14	29.7	665	8	8	20	44	78	85	87
35-49	29	22.1	562	4	5	13	27	58	82	96
50-64	83	19.0	316	4	6	14	22	44	75	99+
65+	242	24.5	296	5	7	20	32	50	61	92
GRAND TOTAL	**405**	**23.8**	**367**	**5**	**6**	**18**	**31**	**54**	**71**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	3.7	5	1	1	4	5	7	8	8
20-34	55	4.4	9	<1	1	4	6	9	10	14
35-49	89	5.4	17	<1	<1	5	7	9	12	26
50-64	111	5.5	38	<1	<1	5	7	10	12	36
65+	146	5.2	20	<1	<1	4	7	9	13	22
2. MULTIPLE DX										
0-19 YRS	19	8.9	178	1	2	6	9	14	41	62
20-34	161	7.3	51	2	2	6	8	12	20	50
35-49	337	7.0	47	2	3	6	8	12	15	35
50-64	746	8.0	56	2	3	6	10	15	21	41
65+	1490	10.4	117	2	3	7	12	19	29	65
TOT. SINGLE DX	413	5.2	23	<1	<1	4	7	9	12	22
" MULTIPLE DX	2753	9.1	91	2	3	7	11	17	25	54
TOTAL 0-19 YRS	31	6.9	116	1	1	5	8	10	15	62
20-34	216	6.5	42	1	2	5	8	11	15	36
35-49	426	6.7	42	1	2	5	8	12	15	33
50-64	857	7.6	55	1	2	6	9	14	20	41
65+	1636	9.9	111	2	3	7	11	18	28	52
GRAND TOTAL	**3166**	**8.6**	**84**	**1**	**2**	**6**	**10**	**16**	**23**	**52**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	47	10.1	12	6	7	10	12	15	17	19
35-49	105	10.3	15	6	7	9	11	16	18	27
50-64	89	11.1	17	7	7	10	13	16	20	28
65+	71	14.5	48	7	8	13	17	24	32	37
2. MULTIPLE DX										
0-19 YRS	5	14.8	85	7	7	11	21	29	29	29
20-34	54	13.2	150	6	7	10	13	20	32	73
35-49	154	14.6	126	7	8	11	17	23	30	71
50-64	314	16.8	147	7	8	13	20	31	44	97
65+	442	21.2	191	8	10	17	25	39	49	77
TOT. SINGLE DX	315	11.5	26	6	7	10	13	17	21	33
" MULTIPLE DX	969	18.2	172	7	8	14	21	35	47	82
TOTAL 0-19 YRS	8	12.5	60	7	7	9	15	26	29	29
20-34	101	11.8	88	6	7	10	12	17	21	68
35-49	259	12.8	86	6	7	10	14	21	24	62
50-64	403	15.6	124	7	8	12	18	30	39	90
65+	513	20.3	177	8	9	16	23	37	47	76
GRAND TOTAL	**1284**	**16.6**	**144**	**7**	**8**	**12**	**19**	**31**	**41**	**72**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	12.0	8	10	10	12	14	14	14	14
35-49	4	13.8	31	10	10	11	17	22	22	22
50-64	12	16.5	43	10	11	14	19	29	30	30
65+	10	16.5	16	9	11	17	19	22	24	24
2. MULTIPLE DX										
0-19 YRS										
20-34	3	18.0	39	13	13	16	23	25	25	25
35-49	15	23.1	114	11	12	20	29	40	44	45
50-64	60	20.8	153	10	11	16	25	39	50	64
65+	74	20.7	71	10	12	20	26	30	36	90
TOT. SINGLE DX	28	15.8	29	10	10	14	18	23	28	30
" MULTIPLE DX	152	20.9	106	11	12	18	26	35	40	65
TOTAL 0-19 YRS										
20-34	5	15.6	32	10	10	14	18	25	25	25
35-49	19	21.1	110	10	11	19	23	40	43	45
50-64	72	20.1	137	10	11	16	23	38	43	64
65+	84	20.2	66	10	12	19	25	30	35	86
GRAND TOTAL	**180**	**20.1**	**97**	**10**	**11**	**17**	**25**	**32**	**40**	**64**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	39	8.9	8	6	6	8	10	12	15	19
35-49	58	10.0	17	5	6	9	11	14	18	27
50-64	75	10.5	12	6	7	9	13	16	17	20
65+	44	14.5	51	7	8	12	16	29	32	32
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	31	13.0	101	5	6	9	13	31	39	42
35-49	98	12.6	48	6	6	11	15	21	26	43
50-64	131	12.9	58	7	7	11	15	20	26	74
65+	174	18.6	136	8	9	14	23	36	46	59
TOT. SINGLE DX	217	10.9	24	6	6	9	12	17	20	32
" MULTIPLE DX	435	15.1	98	6	7	12	18	27	39	54
TOTAL 0-19 YRS	2	9.0	8	7	7	9	11	11	11	11
20-34	70	10.7	53	6	6	8	11	17	29	41
35-49	156	11.6	38	6	6	10	13	20	25	41
50-64	206	12.0	43	6	7	10	15	18	22	55
65+	218	17.8	122	8	9	14	21	32	44	56
GRAND TOTAL	**652**	**13.7**	**77**	**6**	**7**	**11**	**16**	**24**	**32**	**49**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	6.5	8	2	3	6	8	10	12	14
20-34	227	7.3	6	5	5	7	8	9	11	17
35-49	227	7.7	6	5	5	7	9	10	13	17
50-64	103	8.8	14	5	5	8	10	13	16	25
65+	91	11.5	32	6	6	10	14	17	26	29
2. MULTIPLE DX										
0-19 YRS	48	18.7	360	4	5	10	25	50	75	99+
20-34	411	9.1	40	5	5	8	9	14	18	48
35-49	548	10.9	71	5	6	8	11	19	31	53
50-64	421	13.9	117	6	7	10	15	25	37	62
65+	471	18.4	153	7	8	15	23	34	46	81
TOT. SINGLE DX	683	8.2	13	5	5	7	9	12	14	26
" MULTIPLE DX	1899	13.2	115	5	6	9	15	25	36	62
TOTAL 0-19 YRS	83	13.5	247	3	4	7	14	39	55	94
20-34	638	8.5	29	5	5	7	9	12	16	32
35-49	775	10.0	55	5	6	8	10	16	25	50
50-64	524	12.9	101	5	6	10	14	22	35	59
65+	562	17.3	140	7	8	14	21	30	40	70
GRAND TOTAL	**2582**	**11.9**	**93**	**5**	**6**	**9**	**13**	**22**	**31**	**57**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	67	4.7	16	<1	<1	4	6	8	10	26
20-34	153	5.5	15	1	1	5	8	11	13	20
35-49	165	5.1	20	<1	<1	4	7	9	13	19
50-64	209	3.8	12	<1	<1	2	5	9	11	15
65+	259	5.0	27	<1	1	3	7	11	15	23
2. MULTIPLE DX										
0-19 YRS	67	8.7	189	1	2	5	8	12	37	74
20-34	252	7.2	35	1	2	5	9	14	21	34
35-49	327	7.5	46	1	1	6	9	15	21	37
50-64	740	8.3	74	1	1	6	10	17	22	46
65+	1499	9.5	100	1	2	7	12	19	28	54
TOT. SINGLE DX	853	4.8	20	<1	1	4	7	10	13	19
" MULTIPLE DX	2885	8.7	85	1	2	6	11	18	25	49
TOTAL 0-19 YRS	134	6.7	106	<1	1	5	7	10	14	66
20-34	405	6.5	28	1	2	5	8	12	17	29
35-49	492	6.7	39	<1	1	5	9	13	18	36
50-64	949	7.3	64	<1	1	5	9	15	21	41
65+	1758	8.8	92	1	1	6	11	19	26	51
GRAND TOTAL	**3738**	**7.8**	**73**	**1**	**1**	**6**	**10**	**16**	**22**	**45**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	9.0	33	3	3	7	12	18	21	21
20-34	29	10.0	45	4	4	8	11	16	22	38
35-49	30	11.3	56	6	7	9	11	18	22	45
50-64	29	13.5	134	7	8	10	12	25	44	60
65+	50	12.6	12	8	8	12	15	18	19	21
2. MULTIPLE DX										
0-19 YRS	48	14.9	115	6	6	10	24	35	51	99+
20-34	99	13.6	116	5	7	10	15	25	37	60
35-49	114	16.8	169	6	7	12	20	31	43	77
50-64	199	17.7	189	6	7	13	21	37	50	99+
65+	396	20.4	207	8	9	16	24	40	54	97
TOT. SINGLE DX	150	11.7	53	5	6	10	13	18	21	45
" MULTIPLE DX	856	18.2	187	7	8	14	22	37	51	99+
TOTAL 0-19 YRS	60	13.7	104	4	5	10	18	33	43	99+
20-34	128	12.8	102	5	6	10	14	23	37	56
35-49	144	15.7	151	6	7	11	19	29	42	73
50-64	228	17.1	184	6	7	13	20	35	48	99+
65+	446	19.5	191	8	9	15	23	38	53	95
GRAND TOTAL	**1006**	**17.2**	**173**	**6**	**7**	**13**	**20**	**35**	**47**	**97**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	7.6	10	4	4	7	10	11	14	17
20-34	83	10.0	19	6	6	9	12	16	18	29
35-49	156	10.7	19	6	7	10	12	16	19	31
50-64	433	10.6	20	7	7	10	12	15	18	24
65+	590	12.0	20	7	8	11	14	17	21	30
2. MULTIPLE DX										
0-19 YRS	47	14.4	179	5	6	10	13	29	49	67
20-34	174	15.2	91	6	7	12	18	31	36	48
35-49	444	14.3	99	7	7	11	16	24	35	69
50-64	1233	14.8	96	7	8	12	17	25	35	62
65+	2816	17.1	105	8	9	14	20	29	37	60
TOT. SINGLE DX	1288	11.1	21	6	7	10	13	17	19	28
" MULTIPLE DX	4714	16.1	104	7	8	13	19	28	36	61
TOTAL 0-19 YRS	73	12.0	129	4	5	9	11	23	33	66
20-34	257	13.5	74	6	7	10	14	27	33	40
35-49	600	13.3	81	6	7	11	15	22	29	63
50-64	1666	13.8	80	7	8	11	15	22	31	56
65+	3406	16.2	95	8	9	13	19	27	35	59
GRAND TOTAL	**6002**	**15.1**	**90**	**7**	**8**	**12**	**17**	**25**	**33**	**58**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	8.0	10	4	4	8	11	12	12	12
20-34	5	7.6	16	3	3	7	9	14	14	14
35-49	18	9.7	13	4	6	9	11	14	18	20
50-64	18	11.0	24	3	5	11	13	15	21	25
65+	30	11.0	28	6	7	9	11	19	21	28
2. MULTIPLE DX										
0-19 YRS	10	7.8	13	2	3	7	11	13	13	13
20-34	19	13.2	201	1	3	10	12	33	49	59
35-49	29	16.0	72	6	7	14	21	27	31	44
50-64	67	18.3	228	7	8	14	18	38	56	79
65+	148	20.0	176	8	8	16	23	36	44	74
TOT. SINGLE DX	77	10.2	22	4	6	10	11	16	20	27
" MULTIPLE DX	273	18.2	180	6	7	14	22	34	44	73
TOTAL 0-19 YRS	16	7.9	11	3	4	8	11	13	13	13
20-34	24	12.0	166	1	3	8	11	27	44	59
35-49	47	13.6	59	6	7	11	18	22	27	44
50-64	85	16.7	193	7	7	12	17	32	47	76
65+	178	18.5	163	7	8	15	22	33	42	73
GRAND TOTAL	**350**	**16.5**	**156**	**6**	**7**	**13**	**19**	**31**	**41**	**71**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	6.3	9	2	3	6	8	10	12	16
20-34	97	8.4	17	3	4	8	10	13	17	25
35-49	96	9.3	25	4	5	9	11	13	16	36
50-64	122	8.6	16	3	5	8	10	12	14	30
65+	168	10.3	20	5	5	10	12	16	18	25
2. MULTIPLE DX										
0-19 YRS	112	10.1	96	3	4	7	11	19	27	61
20-34	221	11.9	106	4	5	9	13	22	35	68
35-49	238	12.2	79	5	6	9	14	21	37	56
50-64	370	13.2	87	5	6	10	15	25	34	72
65+	587	15.3	123	6	7	12	17	29	41	60
TOT. SINGLE DX	576	8.8	20	3	4	8	11	13	16	27
" MULTIPLE DX	1528	13.5	106	5	6	10	15	25	37	62
TOTAL 0-19 YRS	205	8.4	60	3	3	6	9	14	21	48
20-34	318	10.9	82	4	5	9	12	19	28	59
35-49	334	11.4	65	5	5	9	12	19	29	50
50-64	492	12.1	74	5	6	10	13	23	30	65
65+	755	14.2	105	5	7	11	16	25	37	59
GRAND TOTAL	**2104**	**12.2**	**86**	**4**	**5**	**10**	**13**	**22**	**32**	**58**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.1	70	3	3	6	13	25	27	27
20-34	4	11.5	9	9	9	10	13	16	16	16
35-49	12	13.5	87	7	8	9	15	27	38	40
50-64	25	14.3	85	6	7	11	16	27	38	43
65+	40	17.6	185	6	7	13	20	34	47	73
2. MULTIPLE DX										
0-19 YRS	15	18.3	374	6	8	12	17	30	70	84
20-34	29	17.7	201	6	7	13	20	31	59	67
35-49	58	18.7	260	4	6	13	24	48	64	98
50-64	128	19.8	182	6	9	16	27	41	67	99+
65+	332	22.3	205	8	9	19	28	41	51	96
TOT. SINGLE DX	88	15.2	129	5	7	11	18	27	39	66
" MULTIPLE DX	562	21.1	211	6	9	17	27	41	55	99+
TOTAL 0-19 YRS	22	15.7	285	4	5	11	15	28	52	84
20-34	33	16.9	181	6	8	13	18	28	55	67
35-49	70	17.8	233	5	7	13	21	44	56	95
50-64	153	18.9	171	6	8	15	25	39	59	99+
65+	372	21.8	205	7	9	18	28	40	51	94
GRAND TOTAL	**650**	**20.3**	**204**	**6**	**8**	**16**	**26**	**40**	**52**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5116	3.7	4	2	2	3	4	6	8	11
20-34	3933	3.8	3	2	2	3	4	6	7	11
35-49	1228	4.5	5	2	2	4	5	8	9	12
50-64	530	5.6	8	2	3	5	7	9	11	15
65+	217	6.6	11	3	3	6	8	11	13	17
2. MULTIPLE DX										
0-19 YRS	1287	5.7	16	2	2	4	7	10	13	23
20-34	1283	5.6	16	2	3	4	7	10	13	21
35-49	496	7.3	26	3	3	6	9	12	18	27
50-64	331	8.8	36	3	3	7	10	15	20	34
65+	342	11.6	67	4	5	9	14	22	27	45
TOT. SINGLE DX	11024	4.0	5	2	2	3	5	7	8	12
" MULTIPLE DX	3789	6.7	28	2	3	5	8	12	16	27
TOTAL 0-19 YRS	6403	4.1	7	2	2	3	5	7	9	15
20-34	5216	4.3	7	2	2	4	5	7	9	15
35-49	1724	5.3	13	2	2	4	6	9	11	20
50-64	911	6.9	23	3	3	6	8	12	15	26
65+	559	9.6	52	3	4	8	11	17	23	43
GRAND TOTAL	**14813**	**4.7**	**12**	**2**	**2**	**4**	**5**	**8**	**11**	**19**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	69	3.7	3	1	2	3	4	6	8	9
20-34	51	3.8	2	2	2	4	5	5	6	9
35-49	13	3.7	3	1	1	4	5	6	7	7
50-64	5	4.4	1	3	3	4	5	6	6	6
65+	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
0-19 YRS	37	4.9	10	2	3	4	6	8	9	20
20-34	45	5.3	6	2	3	5	6	9	12	13
35-49	15	7.1	27	2	3	6	8	11	21	24
50-64	8	17.6	228	7	7	10	25	43	49	49
65+	9	14.4	84	7	7	9	21	29	33	33
TOT. SINGLE DX	140	3.8	3	2	2	4	4	5	7	9
" MULTIPLE DX	114	7.0	44	2	3	5	7	13	21	39
TOTAL 0-19 YRS	106	4.1	6	2	2	4	5	7	8	14
20-34	96	4.5	5	2	3	4	5	7	9	13
35-49	28	5.5	19	1	2	5	7	9	12	24
50-64	13	12.5	178	3	4	7	15	34	46	49
65+	11	13.3	75	6	6	9	19	27	32	33
GRAND TOTAL	**254**	**5.3**	**24**	**2**	**2**	**4**	**6**	**8**	**12**	**30**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	8.0	23	2	2	7	11	16	18	19
20-34	20	6.7	13	2	3	6	9	11	14	16
35-49	6	11.2	15	4	5	12	14	15	15	15
50-64	3	11.7	22	8	8	10	15	17	17	17
65+	5	15.8	23	8	8	17	19	21	21	21
2. MULTIPLE DX										
0-19 YRS	14	7.9	5	4	4	8	9	11	12	12
20-34	8	9.3	28	1	2	8	14	16	17	17
35-49	5	10.2	10	6	6	10	11	15	15	15
50-64	9	14.1	46	6	6	13	16	24	29	29
65+	5	16.4	128	7	7	11	27	31	31	31
TOT. SINGLE DX	57	8.7	25	2	3	8	12	17	18	21
" MULTIPLE DX	41	10.8	40	4	6	9	13	17	27	31
TOTAL 0-19 YRS	37	7.9	16	2	3	8	10	12	17	19
20-34	28	7.4	18	2	3	7	9	14	16	17
35-49	11	10.7	12	4	5	10	14	15	15	15
50-64	12	13.5	39	6	6	13	16	21	28	29
65+	10	16.1	67	7	7	16	21	28	31	31
GRAND TOTAL	**98**	**9.6**	**32**	**2**	**4**	**8**	**12**	**17**	**19**	**30**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	4.7	74	<1	<1	2	4	11	21	53
20-34	77	3.1	5	<1	<1	2	4	6	7	13
35-49	71	3.0	6	1	1	2	3	6	9	13
50-64	102	3.5	12	<1	1	2	4	7	9	22
65+	171	4.2	12	<1	1	3	5	8	11	20
2. MULTIPLE DX										
0-19 YRS	28	4.4	61	<1	1	2	4	6	29	35
20-34	73	6.7	71	1	1	4	8	12	14	55
35-49	86	6.7	78	1	2	4	6	15	28	48
50-64	173	7.4	52	1	2	5	10	15	23	38
65+	438	8.3	74	1	2	5	10	18	25	45
TOT. SINGLE DX	480	3.7	18	<1	1	3	4	7	11	22
" MULTIPLE DX	798	7.7	70	1	2	5	9	16	24	44
TOTAL 0-19 YRS	87	4.6	70	<1	<1	2	4	11	27	48
20-34	150	4.8	40	<1	1	3	6	9	12	45
35-49	157	5.1	49	1	1	3	5	11	16	39
50-64	275	6.0	41	<1	1	4	7	14	19	31
65+	609	7.1	60	1	2	5	9	15	21	43
GRAND TOTAL	**1278**	**6.2**	**54**	**1**	**1**	**4**	**7**	**13**	**20**	**42**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	30	2.4	2	1	1	2	3	4	5	7
20-34	133	2.7	2	1	1	2	3	4	6	8
35-49	135	3.2	5	1	1	2	4	7	8	11
50-64	67	2.6	1	1	1	2	3	4	5	8
65+	28	5.2	49	1	1	4	5	8	13	39
2. MULTIPLE DX										
0-19 YRS	10	8.8	82	1	1	5	14	23	30	30
20-34	59	3.9	12	1	1	3	4	10	13	15
35-49	80	5.4	37	1	1	3	6	13	17	34
50-64	70	5.7	27	1	1	4	8	13	14	26
65+	45	6.8	27	2	3	5	8	17	21	21
TOT. SINGLE DX	393	3.0	7	1	1	2	4	5	8	10
" MULTIPLE DX	264	5.5	30	1	1	4	6	13	17	26
TOTAL 0-19 YRS	40	4.0	28	1	1	3	4	7	15	30
20-34	192	3.1	6	1	1	2	4	5	8	14
35-49	215	4.0	19	1	1	3	5	8	12	21
50-64	137	4.2	17	1	1	3	5	8	13	26
65+	73	6.2	36	1	2	5	7	11	21	35
GRAND TOTAL	**657**	**4.0**	**18**	**1**	**1**	**3**	**4**	**8**	**12**	**21**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.8	2	5	5	8	9	10	10	10
20-34	11	12.4	49	6	6	11	14	23	30	31
35-49	36	11.4	28	1	5	12	13	16	22	28
50-64	110	12.3	29	5	7	12	15	18	20	32
65+	136	14.2	28	8	9	13	16	20	24	35
2. MULTIPLE DX										
0-19 YRS	19	12.2	44	6	7	10	14	17	28	36
20-34	33	17.0	155	7	8	11	19	37	45	56
35-49	71	16.3	114	7	8	12	18	30	51	90
50-64	285	16.8	119	8	9	14	19	27	35	69
65+	522	18.5	113	9	10	15	23	33	41	95
TOT. SINGLE DX	301	12.9	30	5	8	12	15	19	22	33
" MULTIPLE DX	930	17.6	117	8	9	15	21	32	40	75
TOTAL 0-19 YRS	27	10.9	36	6	6	9	12	16	21	36
20-34	44	15.9	131	6	7	11	18	34	41	56
35-49	107	14.6	90	5	8	12	15	28	40	73
50-64	395	15.5	99	7	8	13	17	23	33	60
65+	658	17.6	99	8	10	15	21	31	38	61
GRAND TOTAL	**1231**	**16.5**	**100**	**7**	**9**	**14**	**19**	**28**	**37**	**58**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	91	3.4	6	<1	<1	3	5	6	7	15
20-34	383	4.5	18	<1	1	4	6	8	10	19
35-49	409	4.8	15	<1	1	4	6	9	12	23
50-64	408	4.7	13	<1	<1	4	6	9	11	18
65+	408	5.7	29	<1	1	4	7	10	14	31
2. MULTIPLE DX										
0-19 YRS	152	6.3	58	1	1	4	7	13	19	50
20-34	1010	6.1	33	1	2	5	7	12	16	32
35-49	1427	6.5	30	2	2	5	8	12	16	30
50-64	2240	7.3	49	1	2	5	9	14	19	33
65+	3453	9.1	65	2	3	7	11	18	25	43
TOT. SINGLE DX	1699	4.8	19	<1	1	4	6	9	11	21
" MULTIPLE DX	8282	7.8	52	2	2	6	9	15	21	38
TOTAL 0-19 YRS	243	5.2	41	<1	1	4	6	9	15	43
20-34	1393	5.7	30	1	2	4	7	11	15	29
35-49	1836	6.1	27	1	2	5	7	11	15	30
50-64	2648	6.9	45	1	2	5	8	13	18	32
65+	3861	8.8	63	2	3	6	11	17	24	42
GRAND TOTAL	**9981**	**7.3**	**48**	**1**	**2**	**5**	**9**	**14**	**20**	**37**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	1.9	2	<1	<1	2	2	3	4	8
20-34	264	2.8	2	1	1	3	4	4	5	9
35-49	254	2.8	2	1	1	3	3	4	5	7
50-64	171	3.0	2	1	1	3	3	5	5	10
65+	62	3.2	1	1	2	3	4	5	5	8
2. MULTIPLE DX										
0-19 YRS	10	3.9	12	2	2	2	4	10	13	13
20-34	169	3.4	8	1	1	3	4	6	8	16
35-49	219	4.1	20	1	2	3	5	6	8	22
50-64	179	3.9	7	1	2	3	4	6	9	19
65+	79	4.9	10	1	2	4	6	9	13	14
TOT. SINGLE DX	779	2.8	3	1	1	3	3	4	5	9
" MULTIPLE DX	656	4.0	13	1	1	3	4	7	9	17
TOTAL 0-19 YRS	38	2.4	5	<1	1	2	2	4	8	13
20-34	433	3.0	5	1	1	3	4	5	6	10
35-49	473	3.4	11	1	1	3	4	5	7	14
50-64	350	3.5	6	1	2	3	4	5	7	14
65+	141	4.2	7	1	2	3	5	8	9	14
GRAND TOTAL	**1435**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**14**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	32	1.8	1	<1	<1	2	2	3	4	4
20-34	229	2.3	2	<1	<1	2	3	4	5	6
35-49	128	2.7	2	<1	1	2	3	4	6	9
50-64	67	3.2	5	1	1	3	4	5	6	14
65+	43	3.4	2	1	1	4	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	10	2.3	1	1	1	2	3	4	4	4
20-34	156	3.5	5	1	1	3	4	6	8	13
35-49	148	4.7	14	1	2	4	6	9	11	15
50-64	141	4.0	5	1	1	4	5	7	9	10
65+	92	6.2	26	2	2	5	7	13	15	30
TOT. SINGLE DX	499	2.6	3	<1	1	2	3	4	5	8
" MULTIPLE DX	547	4.4	12	1	1	4	5	8	11	15
TOTAL 0-19 YRS	42	1.9	1	<1	<1	2	3	3	4	4
20-34	385	2.8	4	<1	1	2	4	5	6	10
35-49	276	3.8	10	1	1	3	4	6	9	14
50-64	208	3.7	5	1	1	3	5	7	8	13
65+	135	5.3	21	1	2	4	6	10	14	27
GRAND TOTAL	**1046**	**3.5**	**9**	**<1**	**1**	**3**	**4**	**6**	**8**	**15**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.8	5	2	2	3	5	7	7	7
20-34	215	4.0	3	2	2	4	5	6	8	9
35-49	341	4.2	3	2	2	4	5	7	8	9
50-64	249	4.4	4	2	2	4	5	7	8	12
65+	115	5.2	8	2	3	4	6	8	10	17
2. MULTIPLE DX										
0-19 YRS	19	4.1	4	<1	1	4	6	7	8	8
20-34	745	4.5	6	2	2	4	5	7	8	14
35-49	1239	4.7	6	2	3	4	5	7	9	14
50-64	1040	5.1	7	2	3	4	6	8	10	16
65+	513	6.8	33	3	3	5	7	12	17	31
TOT. SINGLE DX	924	4.3	4	2	2	4	5	7	8	10
" MULTIPLE DX	3556	5.1	11	2	3	4	6	8	10	18
TOTAL 0-19 YRS	23	4.0	5	<1	1	3	6	7	8	8
20-34	960	4.4	6	2	2	4	5	7	8	12
35-49	1580	4.6	5	2	2	4	5	7	8	12
50-64	1289	4.9	7	2	3	4	6	8	10	16
65+	628	6.5	29	3	3	5	7	11	15	28
GRAND TOTAL	**4480**	**4.9**	**10**	**2**	**3**	**4**	**6**	**8**	**10**	**17**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	2.1	1	<1	1	2	3	4	4	7
20-34	204	2.7	3	<1	1	2	3	5	6	10
35-49	192	2.8	3	1	1	2	4	5	7	10
50-64	121	3.2	5	1	1	3	4	6	8	13
65+	76	4.0	9	1	1	3	5	7	8	18
2. MULTIPLE DX										
0-19 YRS	26	5.8	34	1	1	4	7	13	18	29
20-34	148	4.4	37	1	1	3	5	8	11	29
35-49	176	4.1	10	1	1	3	5	7	9	18
50-64	157	5.4	32	1	1	4	6	11	14	24
65+	157	8.7	86	1	2	6	11	19	25	45
TOT. SINGLE DX	624	2.9	5	1	1	2	4	6	7	12
" MULTIPLE DX	664	5.6	44	1	1	4	6	11	17	30
TOTAL 0-19 YRS	57	3.8	20	1	1	3	4	7	12	28
20-34	352	3.4	19	1	1	2	4	6	8	19
35-49	368	3.4	7	1	1	3	4	7	8	13
50-64	278	4.4	22	1	1	3	5	8	12	22
65+	233	7.2	66	1	2	5	8	16	21	43
GRAND TOTAL	**1288**	**4.3**	**27**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	13	11.4	69	2	4	9	15	24	30	32
35-49	6	3.5	10	1	1	2	6	9	9	9
50-64	7	7.7	61	<1	<1	6	11	21	23	23
65+	4	8.3	16	5	5	7	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	4	11.8	210	2	2	6	21	33	33	33
20-34	15	12.2	87	2	4	10	16	23	33	37
35-49	12	16.8	185	2	5	14	22	32	51	54
50-64	25	18.0	144	6	6	16	26	39	41	43
65+	23	16.4	151	2	4	15	19	35	43	54
TOT. SINGLE DX	31	8.5	52	1	1	6	11	19	23	32
" MULTIPLE DX	79	15.9	142	2	4	13	22	35	40	54
TOTAL 0-19 YRS	5	11.2	159	2	2	9	15	33	33	33
20-34	28	11.8	77	2	4	9	15	23	32	37
35-49	18	12.3	165	1	1	8	18	23	42	54
50-64	32	15.8	143	2	5	11	23	36	41	43
65+	27	15.2	138	2	4	13	17	33	40	54
GRAND TOTAL	**110**	**13.9**	**127**	**2**	**2**	**10**	**18**	**31**	**37**	**54**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.3	16	1	1	2	8	11	12	15
20-34	179	3.1	28	<1	1	1	3	7	11	28
35-49	206	3.7	24	<1	1	2	5	9	12	19
50-64	199	3.5	19	1	1	2	4	9	13	19
65+	128	4.8	32	1	1	2	6	14	19	23
2. MULTIPLE DX										
0-19 YRS	89	12.2	154	1	2	8	16	29	46	86
20-34	282	9.0	89	1	1	7	11	17	32	54
35-49	392	8.6	87	1	1	6	11	18	26	46
50-64	723	9.2	90	1	1	7	12	21	26	43
65+	774	10.9	95	1	1	9	15	23	29	49
TOT. SINGLE DX	748	3.7	25	<1	1	2	4	10	13	23
" MULTIPLE DX	2260	9.8	95	1	1	7	13	21	28	49
TOTAL 0-19 YRS	125	9.9	127	1	1	7	11	26	36	73
20-34	461	6.7	74	1	1	4	9	14	25	46
35-49	598	6.9	71	1	1	4	9	15	22	45
50-64	922	8.0	81	1	1	5	11	19	25	40
65+	902	10.1	91	1	1	8	14	22	28	49
GRAND TOTAL	**3008**	**8.3**	**85**	**1**	**1**	**6**	**11**	**19**	**26**	**47**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	214	6.1	8	3	4	6	7	8	10	17
20-34	2388	6.0	4	4	4	6	7	8	10	13
35-49	2186	6.4	6	4	4	6	7	9	10	15
50-64	2072	6.8	6	4	5	6	8	10	12	16
65+	1282	8.4	14	5	5	8	9	12	15	24
2. MULTIPLE DX										
0-19 YRS	153	7.5	10	4	4	7	9	12	14	19
20-34	1789	7.6	14	4	5	7	8	12	14	22
35-49	2324	8.3	33	4	5	7	9	13	17	28
50-64	3172	9.3	35	5	5	8	10	15	19	34
65+	3860	12.7	71	6	6	10	15	21	29	49
TOT. SINGLE DX	8142	6.7	8	4	4	6	8	10	11	17
" MULTIPLE DX	11298	10.0	48	5	5	8	11	17	21	40
TOTAL 0-19 YRS	367	6.7	10	4	4	6	8	10	12	17
20-34	4177	6.7	9	4	4	6	7	10	12	18
35-49	4510	7.4	22	4	4	6	8	11	14	24
50-64	5244	8.3	25	4	5	7	9	13	16	28
65+	5142	11.6	60	5	6	9	13	20	25	46
GRAND TOTAL	**19440**	**8.6**	**34**	**4**	**5**	**7**	**9**	**14**	**18**	**33**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	8.4	57	1	1	7	13	20	20	20
20-34	33	8.7	35	2	3	8	12	15	23	28
35-49	40	8.5	34	1	2	8	11	17	19	26
50-64	53	9.2	34	2	2	9	13	17	18	26
65+	98	12.4	62	1	3	11	16	23	29	36
2. MULTIPLE DX										
0-19 YRS	9	11.1	24	4	5	10	15	18	20	20
20-34	34	12.2	94	2	3	10	17	21	29	51
35-49	65	14.6	130	2	5	11	19	31	35	66
50-64	184	16.9	167	4	6	13	21	32	42	70
65+	472	18.1	162	4	7	15	22	31	43	76
TOT. SINGLE DX	229	10.4	50	1	2	9	14	20	24	33
" MULTIPLE DX	764	17.2	158	4	6	14	21	31	41	69
TOTAL 0-19 YRS	14	10.1	34	1	3	9	15	20	20	20
20-34	67	10.5	67	2	3	8	14	20	25	48
35-49	105	12.3	102	2	2	10	16	25	32	55
50-64	237	15.2	148	3	4	11	19	29	40	61
65+	570	17.1	149	3	6	14	22	30	38	65
GRAND TOTAL	**993**	**15.6**	**141**	**3**	**4**	**13**	**20**	**29**	**37**	**60**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	6.9	7	3	3	7	9	10	10	10
20-34	44	6.2	29	1	2	4	9	14	18	24
35-49	78	6.2	35	<1	1	4	10	14	17	31
50-64	87	6.2	35	<1	1	4	9	16	19	25
65+	66	10.6	98	1	1	8	14	20	35	45
2. MULTIPLE DX										
0-19 YRS	13	17.2	292	2	2	13	26	36	57	62
20-34	68	13.0	150	2	2	11	15	25	35	65
35-49	149	15.5	255	1	2	10	19	33	45	78
50-64	213	14.6	189	2	3	11	17	30	42	74
65+	289	15.0	190	1	2	11	19	34	45	68
TOT. SINGLE DX	282	7.3	51	1	1	5	10	16	19	36
" MULTIPLE DX	732	14.8	201	1	2	11	19	32	45	70
TOTAL 0-19 YRS	20	13.6	212	2	2	8	21	28	46	62
20-34	112	10.3	113	1	2	8	13	22	27	60
35-49	227	12.3	199	1	1	8	15	28	35	76
50-64	300	12.2	159	1	1	9	16	25	37	69
65+	355	14.2	176	1	2	10	18	32	44	67
GRAND TOTAL	**1014**	**12.7**	**171**	**1**	**2**	**9**	**16**	**28**	**40**	**68**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	125	4.7	27	<1	1	3	5	10	12	34
20-34	394	4.2	9	1	1	3	5	8	10	18
35-49	324	4.8	22	<1	1	4	6	9	14	28
50-64	373	4.1	12	<1	<1	3	5	8	10	22
65+	461	5.0	18	1	1	4	6	10	13	20
2. MULTIPLE DX										
0-19 YRS	115	5.4	37	1	1	4	7	10	14	39
20-34	599	6.0	25	1	2	5	7	12	16	26
35-49	803	6.5	37	1	2	5	8	12	18	34
50-64	1459	7.1	47	1	2	5	8	14	19	37
65+	3469	8.2	56	2	2	6	10	16	21	39
TOT. SINGLE DX	1677	4.6	17	<1	1	4	6	9	11	22
" MULTIPLE DX	6445	7.5	50	1	2	6	9	15	20	36
TOTAL 0-19 YRS	240	5.1	32	<1	1	4	6	10	13	34
20-34	993	5.3	20	1	2	4	6	10	14	23
35-49	1127	6.0	34	1	2	5	7	11	16	32
50-64	1832	6.4	42	1	1	5	8	13	18	34
65+	3930	7.9	53	1	2	6	10	15	20	37
GRAND TOTAL	**8122**	**6.9**	**44**	**1**	**2**	**5**	**8**	**14**	**18**	**34**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1913	1.7	1	<1	<1	1	2	3	4	5
20-34	2213	2.6	1	1	1	3	3	4	5	6
35-49	1950	2.8	1	1	1	3	4	4	5	6
50-64	2773	3.0	1	1	1	3	4	5	5	8
65+	2624	3.4	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	869	2.1	21	<1	<1	1	2	3	4	9
20-34	666	3.3	4	1	2	3	4	5	6	12
35-49	844	3.5	6	1	2	3	4	5	7	12
50-64	1824	4.0	8	1	2	3	5	6	8	15
65+	2705	5.3	19	2	2	4	6	10	13	24
TOT. SINGLE DX	11473	2.8	2	<1	1	3	4	4	5	7
" MULTIPLE DX	6908	4.1	15	1	1	3	5	7	10	19
TOTAL 0-19 YRS	2782	1.8	8	<1	<1	1	2	3	4	6
20-34	2879	2.8	2	1	1	3	3	4	5	7
35-49	2794	3.0	3	1	1	3	4	5	5	8
50-64	4597	3.4	5	1	1	3	4	5	7	11
65+	5329	4.4	12	1	2	4	5	7	10	19
GRAND TOTAL	**18381**	**3.3**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	358	1.5		<1	<1	1	2	3	3	6
20-34	206	3.2	2	1	1	3	4	5	6	7
35-49	300	3.3	1	1	2	3	4	5	5	7
50-64	468	3.6	1	1	2	4	4	5	6	8
65+	373	4.0	12	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	220	2.9	66	<1	<1	1	2	3	6	69
20-34	89	3.7	2	1	2	4	5	6	7	8
35-49	169	4.2	9	2	2	4	5	6	7	19
50-64	354	4.4	8	2	2	4	5	7	9	14
65+	455	6.1	25	2	3	5	7	10	15	32
TOT. SINGLE DX	1705	3.2	5	<1	1	3	4	5	6	8
" MULTIPLE DX	1287	4.7	25	<1	1	4	5	8	10	28
TOTAL 0-19 YRS	578	2.0	26	<1	<1	1	2	3	4	21
20-34	295	3.4	2	1	2	3	4	5	6	8
35-49	469	3.6	4	1	2	3	4	5	6	9
50-64	822	4.0	5	1	2	4	5	6	7	11
65+	828	5.2	21	2	2	4	6	8	10	25
GRAND TOTAL	**2992**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**6**	**8**	**17**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	2.4	1	<1	1	2	3	4	5	5
20-34	71	2.8	1	1	1	3	4	5	6	8
35-49	89	3.0	1	1	1	3	4	5	5	8
50-64	121	3.5	2	1	1	3	4	6	7	8
65+	139	4.2	4	1	2	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	8	3.4		2	2	3	4	5	5	5
20-34	21	3.8	3	1	1	4	5	6	7	8
35-49	48	5.0	9	2	2	4	6	10	11	14
50-64	88	4.8	14	1	2	4	6	8	14	20
65+	214	8.1	40	3	3	6	10	14	20	36
TOT. SINGLE DX	439	3.5	3	1	1	3	4	6	7	9
" MULTIPLE DX	379	6.6	30	2	2	5	8	13	18	31
TOTAL 0-19 YRS	27	2.7	1	1	1	3	3	4	5	5
20-34	92	3.1	2	1	1	3	4	5	6	8
35-49	137	3.7	5	1	2	3	4	6	9	12
50-64	209	4.0	8	1	2	3	5	7	8	18
65+	353	6.6	30	2	3	5	8	12	17	31
GRAND TOTAL	**818**	**4.9**	**18**	**1**	**2**	**4**	**6**	**9**	**13**	**21**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	1.3		<1	<1	1	2	2	2	3
20-34	174	2.2	1	<1	1	2	3	4	4	6
35-49	287	2.6	2	1	1	2	3	4	5	7
50-64	205	2.9	3	1	1	3	4	5	6	10
65+	91	2.9	2	<1	1	3	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	60	3.7	50	<1	<1	2	3	6	17	41
20-34	73	3.4	2	1	1	3	4	6	6	7
35-49	177	3.8	9	1	1	3	5	6	8	15
50-64	219	4.7	9	1	2	4	6	9	11	17
65+	182	6.9	37	2	2	5	8	13	17	32
TOT. SINGLE DX	993	2.3	2	<1	<1	2	3	4	5	8
" MULTIPLE DX	711	4.8	21	1	1	4	6	9	12	27
TOTAL 0-19 YRS	296	1.8	11	<1	<1	1	2	2	3	18
20-34	247	2.6	2	<1	1	2	3	5	6	7
35-49	464	3.1	5	1	1	3	4	5	6	11
50-64	424	3.8	7	1	1	3	5	7	9	14
65+	273	5.5	29	1	2	4	7	11	14	29
GRAND TOTAL	**1704**	**3.4**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	1.9	1	<1	<1	1	3	3	4	8
20-34	282	3.3	3	1	1	3	4	6	7	10
35-49	495	4.0	4	1	2	4	5	7	8	10
50-64	569	4.6	5	2	2	4	6	8	9	13
65+	401	5.1	5	2	2	5	6	8	10	12
2. MULTIPLE DX										
0-19 YRS	24	3.2	6	<1	<1	2	5	8	8	8
20-34	153	5.6	22	1	2	5	6	10	15	26
35-49	372	6.9	54	2	3	5	7	11	15	39
50-64	600	7.1	30	2	3	6	9	12	16	26
65+	660	8.4	51	2	3	7	10	15	21	40
TOT. SINGLE DX	1830	4.2	5	1	2	4	6	7	8	11
" MULTIPLE DX	1809	7.4	43	2	3	6	9	13	17	31
TOTAL 0-19 YRS	107	2.2	3	<1	<1	2	3	4	7	8
20-34	435	4.1	12	1	1	3	5	7	9	20
35-49	867	5.2	28	1	2	4	6	9	11	24
50-64	1169	5.9	20	2	2	5	7	10	13	21
65+	1061	7.2	37	2	3	6	8	12	17	28
GRAND TOTAL	**3639**	**5.8**	**27**	**1**	**2**	**5**	**7**	**10**	**13**	**25**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.7	75	<1	<1	2	4	11	29	34
20-34	19	4.8	5	2	2	4	7	8	9	9
35-49	38	5.7	6	2	2	5	8	9	10	12
50-64	47	7.2	21	2	3	7	8	11	14	32
65+	25	9.8	108	2	3	8	10	14	25	57
2. MULTIPLE DX										
0-19 YRS	18	13.3	155	1	1	8	20	36	41	43
20-34	48	8.8	19	4	5	8	10	14	16	25
35-49	101	9.7	58	4	5	8	10	16	20	50
50-64	148	10.3	43	5	6	9	11	16	20	39
65+	176	12.2	65	5	6	10	14	20	25	56
TOT. SINGLE DX	143	6.7	38	1	2	6	8	10	14	36
" MULTIPLE DX	491	10.8	57	4	5	9	12	18	23	47
TOTAL 0-19 YRS	32	9.5	135	<1	1	6	10	32	38	43
20-34	67	7.7	18	2	3	7	9	13	15	25
35-49	139	8.6	47	2	4	8	9	13	19	37
50-64	195	9.6	40	3	5	8	11	15	19	39
65+	201	11.9	71	4	6	10	14	19	25	58
GRAND TOTAL	**634**	**9.9**	**56**	**2**	**4**	**8**	**11**	**17**	**22**	**46**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	112	3.3	13	<1	<1	2	4	7	10	21
20-34	209	4.0	10	<1	1	3	6	8	9	14
35-49	144	4.1	16	<1	1	3	5	8	10	26
50-64	159	6.6	55	1	1	6	8	12	14	51
65+	142	8.0	42	1	2	6	11	17	21	27
2. MULTIPLE DX										
0-19 YRS	92	6.1	43	<1	1	4	8	13	15	38
20-34	311	7.7	55	1	1	6	9	17	26	42
35-49	427	9.8	106	<1	1	6	13	23	28	54
50-64	733	11.0	111	1	2	8	13	21	32	58
65+	842	13.2	123	2	3	10	18	26	34	61
TOT. SINGLE DX	766	5.2	30	<1	1	4	7	11	14	26
" MULTIPLE DX	2405	10.9	109	1	2	8	14	24	30	54
TOTAL 0-19 YRS	204	4.5	29	<1	<1	3	6	10	13	29
20-34	520	6.3	40	1	1	5	8	12	19	33
35-49	571	8.4	90	<1	1	5	10	20	27	51
50-64	892	10.2	104	1	2	7	12	21	27	56
65+	984	12.4	115	1	2	10	17	25	32	55
GRAND TOTAL	**3171**	**9.5**	**96**	**1**	**1**	**7**	**12**	**21**	**28**	**50**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	5.4	17	1	2	4	7	10	13	18
20-34	426	5.5	14	2	3	5	6	9	11	22
35-49	159	7.8	36	2	3	6	9	14	18	36
50-64	134	8.8	25	3	4	8	11	14	20	29
65+	106	11.0	47	4	5	10	13	18	21	42
2. MULTIPLE DX										
0-19 YRS	251	9.9	150	2	3	6	10	18	34	69
20-34	756	8.3	85	2	3	6	9	14	22	54
35-49	399	10.7	88	3	4	8	12	21	29	64
50-64	422	15.3	197	4	5	10	18	32	40	85
65+	562	17.7	191	5	6	14	21	34	44	85
TOT. SINGLE DX	999	6.9	27	2	3	5	8	12	16	29
" MULTIPLE DX	2390	12.3	152	3	4	8	14	25	37	71
TOTAL 0-19 YRS	425	8.1	101	2	3	5	8	14	20	61
20-34	1182	7.3	62	2	3	5	8	12	18	49
35-49	558	9.8	75	3	4	7	12	18	27	54
50-64	556	13.7	163	4	5	10	16	27	37	81
65+	668	16.7	175	5	6	13	20	31	41	74
GRAND TOTAL	**3389**	**10.7**	**121**	**3**	**3**	**7**	**12**	**21**	**31**	**63**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	310	2.3	3	<1	<1	1	3	5	6	10
20-34	1391	2.0	4	<1	<1	1	2	4	6	9
35-49	226	1.9	2	<1	<1	1	2	4	5	8
50-64	42	2.6	6	<1	<1	2	3	6	9	11
65+	11	4.3	26	1	1	2	4	13	17	17
2. MULTIPLE DX										
0-19 YRS	230	3.3	8	<1	1	2	4	7	9	12
20-34	1502	2.4	5	<1	<1	1	3	5	7	12
35-49	274	2.6	8	<1	<1	1	3	7	9	14
50-64	58	4.4	18	<1	1	2	6	10	16	19
65+	44	10.5	144	1	1	7	13	21	42	55
TOT. SINGLE DX	1980	2.1	4	<1	<1	1	2	5	6	9
" MULTIPLE DX	2108	2.7	11	<1	<1	1	3	6	8	15
TOTAL 0-19 YRS	540	2.7	6	<1	<1	2	4	6	7	11
20-34	2893	2.2	5	<1	<1	1	2	5	7	11
35-49	500	2.3	6	<1	<1	1	3	5	7	12
50-64	100	3.7	14	<1	<1	2	5	9	11	18
65+	55	9.2	126	1	1	6	11	19	39	54
GRAND TOTAL	**4088**	**2.4**	**8**	**<1**	**<1**	**1**	**3**	**5**	**7**	**13**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	6.4	17	<1	1	6	8	11	15	21
20-34	287	5.5	17	<1	<1	5	7	10	13	20
35-49	222	7.5	20	1	3	7	9	12	14	26
50-64	201	9.1	18	4	5	8	10	14	17	25
65+	170	11.2	39	4	5	10	13	17	22	38
2. MULTIPLE DX										
0-19 YRS	134	8.9	109	1	2	6	11	20	22	51
20-34	836	6.1	28	1	1	5	7	10	15	32
35-49	426	10.9	126	1	4	7	12	21	31	67
50-64	479	14.2	138	4	5	11	17	27	35	63
65+	636	17.2	165	5	7	14	20	33	45	77
TOT. SINGLE DX	961	7.8	27	1	2	7	10	13	17	26
" MULTIPLE DX	2511	11.4	125	1	3	8	14	24	32	63
TOTAL 0-19 YRS	215	8.0	76	1	2	6	9	17	21	36
20-34	1123	5.9	26	<1	1	5	7	10	14	30
35-49	648	9.7	92	1	3	7	11	18	25	65
50-64	680	12.7	108	4	5	10	15	24	31	55
65+	806	15.9	145	5	6	12	18	30	41	70
GRAND TOTAL	3472	10.4	100	1	3	8	12	20	28	57

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	7.3	12	3	3	7	9	11	16	17
20-34	50	7.1	2	5	5	7	8	9	9	11
35-49	53	8.9	8	5	6	8	10	13	15	19
50-64	94	9.4	10	6	6	9	10	14	16	22
65+	89	11.9	32	6	7	10	14	19	23	34
2. MULTIPLE DX										
0-19 YRS	66	10.6	97	3	4	8	11	17	35	60
20-34	107	12.7	135	5	6	9	13	22	36	69
35-49	111	13.4	128	6	6	9	14	24	38	70
50-64	239	13.5	82	6	7	11	16	22	31	50
65+	346	15.9	104	7	8	13	19	25	38	55
TOT. SINGLE DX	308	9.5	18	5	6	8	11	15	17	27
" MULTIPLE DX	869	14.1	107	6	6	11	16	24	35	55
TOTAL 0-19 YRS	88	9.8	78	3	4	8	10	16	27	54
20-34	157	10.9	99	5	5	8	11	18	27	64
35-49	164	11.9	94	6	6	9	12	20	31	62
50-64	333	12.3	66	6	7	10	14	20	27	48
65+	435	15.1	92	7	8	12	18	24	33	55
GRAND TOTAL	1177	12.9	88	6	6	10	15	22	29	55

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	104	5.4	19	1	1	5	8	10	13	25
20-34	263	7.8	25	2	2	7	9	13	18	28
35-49	204	7.5	22	2	2	7	9	13	15	28
50-64	207	7.8	23	1	2	8	9	13	15	27
65+	92	10.1	56	1	3	9	11	19	22	47
2. MULTIPLE DX										
0-19 YRS	157	10.3	63	2	3	8	12	20	26	48
20-34	415	12.5	136	2	2	9	15	29	39	59
35-49	369	13.0	119	2	2	10	16	26	35	59
50-64	398	11.8	108	2	2	9	14	23	32	54
65+	327	13.5	131	2	3	11	16	26	32	55
TOT. SINGLE DX	870	7.7	28	1	2	7	9	13	17	28
" MULTIPLE DX	1666	12.4	119	2	2	9	15	25	35	55
TOTAL 0-19 YRS	261	8.4	52	1	2	7	10	16	21	35
20-34	678	10.7	99	2	2	8	12	22	31	52
35-49	573	11.1	92	2	2	9	13	21	31	52
50-64	605	10.4	83	1	2	8	12	20	27	50
65+	419	12.7	116	2	3	10	16	24	30	51
GRAND TOTAL	2536	10.8	93	2	2	8	13	21	29	50

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	5.8	9	2	2	6	7	11	12	12
20-34	222	6.3	9	2	3	6	8	10	11	15
35-49	257	6.8	7	2	3	7	8	10	12	15
50-64	234	7.6	11	2	3	7	9	12	14	17
65+	93	8.2	8	3	5	8	10	12	14	16
2. MULTIPLE DX										
0-19 YRS	16	8.9	179	1	2	5	11	48	85	99+
20-34	132	8.3	21	2	4	8	10	12	16	29
35-49	198	8.2	22	3	3	8	10	12	15	31
50-64	261	9.8	38	3	4	8	12	17	21	35
65+	236	12.3	90	3	5	10	14	22	29	58
TOT. SINGLE DX	823	7.0	10	2	3	7	9	11	13	16
" MULTIPLE DX	843	9.9	52	3	4	8	11	17	23	43
TOTAL 0-19 YRS	33	7.3	91	2	2	5	9	13	48	99+
20-34	354	7.0	15	2	3	7	9	11	13	23
35-49	455	7.4	15	2	3	7	9	11	13	24
50-64	495	8.7	27	2	4	8	10	14	18	27
65+	329	11.1	70	3	5	9	12	20	27	50
GRAND TOTAL	**1666**	**8.5**	**33**	**2**	**3**	**8**	**10**	**13**	**18**	**31**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	131	7.5	6	4	5	7	9	11	12	15
20-34	21	10.3	16	6	6	9	11	18	19	20
35-49	11	9.5	11	6	6	9	11	15	16	16
50-64	10	11.9	41	3	3	12	16	21	22	22
65+	9	14.4	9	9	10	14	17	18	18	18
2. MULTIPLE DX										
0-19 YRS	160	9.0	13	4	6	8	10	13	15	24
20-34	49	11.8	90	6	7	10	12	17	19	71
35-49	28	13.0	71	5	6	11	13	25	29	40
50-64	49	15.3	87	5	6	13	18	29	37	99+
65+	74	17.8	86	5	6	15	24	29	38	46
TOT. SINGLE DX	182	8.5	13	4	5	8	10	14	16	20
" MULTIPLE DX	360	12.3	65	5	6	10	15	23	28	46
TOTAL 0-19 YRS	291	8.3	11	4	5	8	9	12	14	23
20-34	70	11.3	69	6	7	10	12	17	19	62
35-49	39	12.1	56	6	6	10	[illegible]	24	27	40
50-64	59	14.7	80	4	5	13	18	27	36	95
65+	83	17.4	79	6	8	15	22	29	37	45
GRAND TOTAL	**542**	**11.1**	**51**	**4**	**6**	**9**	**13**	**19**	**25**	**40**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	4.0	8	<1	<1	4	6	8	11	13
20-34	238	3.9	5	1	1	3	5	7	8	11
35-49	281	3.7	5	1	1	3	5	7	8	13
50-64	214	4.1	7	1	1	3	6	8	10	13
65+	101	5.1	17	1	2	4	7	9	13	22
2. MULTIPLE DX										
0-19 YRS	42	7.0	27	<1	1	6	8	15	18	23
20-34	136	5.9	28	1	2	5	8	10	12	40
35-49	165	5.5	20	1	1	4	7	12	14	21
50-64	178	5.7	16	2	2	5	8	11	13	22
65+	189	9.1	65	2	2	7	12	18	26	43
TOT. SINGLE DX	887	4.0	8	1	1	3	5	7	9	14
" MULTIPLE DX	710	6.7	36	1	2	5	8	13	17	34
TOTAL 0-19 YRS	95	5.3	19	<1	<1	4	7	11	14	21
20-34	374	4.6	15	1	1	4	6	8	10	14
35-49	446	4.4	12	1	1	3	6	9	11	16
50-64	392	4.8	13	1	1	4	6	9	11	18
65+	290	7.7	52	2	2	5	9	16	22	39
GRAND TOTAL	**1597**	**5.2**	**22**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	[illegible]th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	323	2.0	5	<1	<1	1	2	4	6	11
20-34	358	3.4	11	<1	<1	2	4	8	10	15
35-49	362	3.3	11	<1	<1	2	5	7	9	16
50-64	514	3.2	8	<1	<1	2	4	7	9	15
65+	594	3.6	12	<1	1	2	4	8	11	18
2. MULTIPLE DX										
0-19 YRS	359	2.1	5	<1	<1	1	2	5	7	11
20-34	594	5.7	58	<1	1	4	7	12	17	50
35-49	588	5.6	33	<1	1	4	7	12	16	29
50-64	1104	6.3	55	<1	1	4	8	15	19	37
65+	2318	8.9	81	1	2	6	11	20	26	47
TOT. SINGLE DX	2151	3.1	10	<1	<1	2	4	7	9	16
" MULTIPLE DX	4963	7.0	66	<1	1	5	9	16	22	42
TOTAL 0-19 YRS	682	2.0	5	<1	<1	1	2	5	7	11
20-34	952	4.8	42	<1	<1	3	6	10	14	41
35-49	950	4.7	26	<1	<1	3	6	10	14	27
50-64	1618	5.3	43	<1	1	3	7	11	17	31
65+	2912	7.8	72	1	1	5	10	17	25	43
GRAND TOTAL	**7114**	**5.9**	**52**	**<1**	**1**	**3**	**7**	**13**	**19**	**37**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.8	10	<1	1	3	4	9	11	12
20-34	57	2.6	3	<1	1	2	3	5	6	12
35-49	136	2.6	5	<1	1	2	3	5	7	12
50-64	510	2.9	4	<1	1	2	4	5	7	11
65+	1163	3.4	6	1	1	3	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	12	3.0	7	<1	<1	2	4	8	9	9
20-34	76	4.8	78	1	1	3	5	7	8	62
35-49	178	4.2	19	<1	1	3	5	10	12	21
50-64	660	4.5	26	1	1	3	5	9	13	32
65+	2011	6.4	49	1	2	4	8	14	19	37
TOT. SINGLE DX	1882	3.2	6	<1	1	3	4	6	7	12
" MULTIPLE DX	2937	5.8	44	1	1	4	7	12	17	35
TOTAL 0-19 YRS	28	3.5	9	<1	<1	2	4	9	10	12
20-34	133	3.9	48	1	1	3	4	5	7	45
35-49	314	3.5	14	<1	1	2	4	7	11	19
50-64	1170	3.8	18	1	1	3	4	7	10	20
65+	3174	5.3	36	1	1	4	6	11	15	31
GRAND TOTAL	**4819**	**4.8**	**31**	**1**	**1**	**3**	**5**	**9**	**14**	**29**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	4.6	16	<1	1	3	7	11	12	17
20-34	65	5.5	19	1	1	5	7	10	13	25
35-49	97	4.7	10	<1	1	4	7	10	11	14
50-64	178	5.1	17	1	1	4	7	11	14	19
65+	255	5.5	23	1	1	3	8	13	15	22
2. MULTIPLE DX										
0-19 YRS	109	10.3	184	2	2	6	11	21	37	98
20-34	124	8.2	91	1	1	6	10	16	26	51
35-49	174	9.8	147	1	2	6	12	19	30	78
50-64	351	9.1	86	1	2	7	12	18	25	51
65+	869	10.9	110	2	2	8	15	22	31	65
TOT. SINGLE DX	631	5.2	19	1	1	4	7	11	14	20
" MULTIPLE DX	1627	10.2	113	1	2	7	13	21	30	67
TOTAL 0-19 YRS	145	8.9	149	1	1	6	10	17	32	96
20-34	189	7.3	68	1	1	5	9	14	19	43
35-49	271	8.0	104	1	1	5	10	15	23	48
50-64	529	7.8	67	1	1	6	10	16	21	41
65+	1124	9.7	96	1	2	7	13	20	28	58
GRAND TOTAL	**2258**	**8.8**	**92**	**1**	**2**	**6**	**11**	**18**	**25**	**52**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	1.1		<1	<1	<1	1	1	2	2
20-34	6	1.7		1	1	2	2	2	2	2
35-49	6	2.8	5	<1	<1	2	4	7	7	7
50-64	3	1.3		<1	<1	<1	2	2	2	2
65+	5	2.6	4	1	1	2	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	79	1.4		<1	<1	<1	2	3	4	6
20-34	6	1.8		<1	<1	2	2	3	3	3
35-49	7	6.1	103	<1	<1	2	4	24	29	29
50-64	12	2.6	4	<1	<1	2	3	7	7	7
65+	17	7.8	105	2	2	5	9	13	34	45
TOT. SINGLE DX	108	1.3	1	<1	<1	<1	1	2	2	6
" MULTIPLE DX	121	2.7	26	<1	<1	1	2	5	8	34
TOTAL 0-19 YRS	167	1.2		<1	<1	<1	1	2	2	4
20-34	12	1.8		<1	<1	2	2	3	3	3
35-49	13	4.6	57	<1	<1	2	4	11	26	29
50-64	15	2.3	4	<1	<1	2	2	7	7	7
65+	22	6.6	86	1	1	3	8	12	26	45
GRAND TOTAL	**229**	**2.0**	**14**	**<1**	**<1**	**1**	**2**	**3**	**6**	**16**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	212	5.2	20	<1	1	5	7	10	12	17
20-34	111	2.8	8	<1	<1	2	3	7	9	13
35-49	80	4.1	11	<1	<1	3	6	8	9	18
50-64	83	3.8	8	<1	1	3	5	8	9	15
65+	89	4.5	20	1	1	3	5	8	13	25
2. MULTIPLE DX										
0-19 YRS	116	6.3	29	<1	1	5	9	13	16	27
20-34	86	4.7	23	<1	1	3	6	10	15	26
35-49	79	4.7	16	<1	<1	4	6	10	13	77
50-64	113	5.0	21	1	1	3	6	10	15	25
65+	171	8.1	93	1	2	5	9	20	26	49
TOT. SINGLE DX	575	4.3	16	<1	<1	3	6	8	10	18
" MULTIPLE DX	565	6.1	46	<1	1	4	8	13	18	35
TOTAL 0-19 YRS	328	5.6	24	<1	1	5	8	11	14	21
20-34	197	3.6	16	<1	<1	2	4	9	11	19
35-49	159	4.4	14	<1	<1	3	6	9	11	24
50-64	196	4.5	16	<1	1	3	6	9	12	22
65+	260	6.9	71	1	2	4	8	15	22	43
GRAND TOTAL	**1140**	**5.2**	**32**	**<1**	**1**	**4**	**7**	**10**	**15**	**28**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	121	1.2		<1	<1	<1	1	2	2	6
20-34	67	2.3	3	<1	<1	1	3	5	6	8
35-49	51	1.5	1	<1	<1	<1	2	3	4	7
50-64	68	2.8	9	<1	<1	2	3	8	10	14
65+	63	2.7	5	<1	1	2	4	6	7	13
2. MULTIPLE DX										
0-19 YRS	164	1.9	7	<1	<1	1	1	3	6	14
20-34	130	4.7	45	<1	<1	2	6	12	16	38
35-49	150	5.8	49	1	1	4	7	13	18	55
50-64	189	5.3	23	<1	1	3	7	12	16	22
65+	401	8.9	79	1	2	7	12	18	27	48
TOT. SINGLE DX	370	2.0	4	<1	<1	1	2	4	6	12
" MULTIPLE DX	1034	6.1	55	<1	<1	3	8	14	19	39
TOTAL 0-19 YRS	285	1.6	5	<1	<1	<1	1	2	5	12
20-34	197	3.9	32	<1	<1	2	5	8	14	34
35-49	201	4.7	41	<1	<1	2	6	11	16	46
50-64	257	4.7	21	<1	<1	3	7	11	15	21
65+	464	8.0	74	1	1	5	11	16	24	44
GRAND TOTAL	**1404**	**5.1**	**45**	**<1**	**<1**	**2**	**7**	**12**	**17**	**37**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	1.8	2	<1	<1	1	2	3	4	9
20-34	112	2.8	6	<1	1	2	3	7	9	12
35-49	93	2.8	8	1	1	2	3	6	8	17
50-64	86	3.2	5	1	1	2	4	7	8	10
65+	95	3.4	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
0-19 YRS	123	1.9	3	<1	<1	1	2	3	5	12
20-34	141	3.5	25	1	1	2	3	9	10	19
35-49	110	4.8	61	1	1	3	6	9	11	41
50-64	158	5.4	41	1	1	3	6	11	17	32
65+	283	6.5	46	1	2	4	8	15	19	31
TOT. SINGLE DX	470	2.8	6	<1	1	2	3	6	8	12
" MULTIPLE DX	815	4.8	40	1	1	3	6	11	15	30
TOTAL 0-19 YRS	207	1.9	3	<1	<1	1	2	3	5	11
20-34	253	3.2	17	<1	1	2	3	8	9	13
35-49	203	3.9	38	1	1	2	4	8	10	17
50-64	244	4.6	30	1	1	3	5	9	11	30
65+	378	5.7	38	1	2	4	7	12	18	28
GRAND TOTAL	**1285**	**4.1**	**28**	**<1**	**1**	**2**	**5**	**9**	**12**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	33	6.0	3	2	4	6	7	8	8	10
35-49	162	6.6	4	4	4	7	8	9	9	12
50-64	201	6.8	4	4	4	7	8	10	10	13
65+	104	7.7	5	5	5	7	9	10	12	15
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	59	7.5	10	4	5	7	8	10	12	24
35-49	293	7.6	7	4	5	7	9	11	12	18
50-64	293	7.9	10	5	5	7	9	11	13	22
65+	204	9.3	21	5	5	8	10	14	17	29
TOT. SINGLE DX	500	6.9	5	4	4	7	8	9	10	13
" MULTIPLE DX	850	8.1	13	5	5	7	9	12	14	23
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	92	7.0	9	4	5	7	8	9	11	22
35-49	455	7.3	7	4	5	7	8	10	11	17
50-64	494	7.4	8	4	5	7	8	10	12	21
65+	308	8.8	17	5	5	8	10	13	16	26
GRAND TOTAL	**1350**	**7.6**	**10**	**4**	**5**	**7**	**9**	**11**	**13**	**21**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	5.4	8	<1	1	5	7	10	10	10
35-49	66	6.0	3	4	4	6	7	9	9	10
50-64	90	6.4	4	3	4	6	8	9	10	12
65+	56	6.6	4	4	4	6	8	10	10	11
2. MULTIPLE DX										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	26	5.3	3	2	3	5	6	8	9	10
35-49	106	6.9	11	3	4	7	8	9	13	22
50-64	139	6.9	20	3	4	6	8	10	12	26
65+	119	8.6	40	3	4	7	9	13	17	41
TOT. SINGLE DX	224	6.3	4	3	4	6	8	9	10	11
" MULTIPLE DX	392	7.3	24	3	4	7	8	11	14	27
TOTAL 0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	38	5.3	5	2	3	5	6	8	10	10
35-49	172	6.6	8	3	4	6	8	9	10	17
50-64	229	6.7	14	3	4	6	8	9	11	23
65+	175	8.0	30	3	4	7	9	12	14	30
GRAND TOTAL	**616**	**7.0**	**17**	**3**	**4**	**6**	**8**	**10**	**12**	**23**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	2.4	4	<1	<1	<1	4	5	5	5
20-34	9	3.9	6	1	1	4	5	8	9	9
35-49	5	7.8	28	4	4	5	10	17	17	17
50-64	7	4.0	33	1	1	2	3	14	17	17
65+	8	2.9	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
0-19 YRS	13	2.8	11	<1	<1	1	3	7	12	13
20-34	20	5.9	22	1	1	4	9	13	15	16
35-49	22	9.5	133	<1	<1	7	10	18	35	55
50-64	19	8.2	32	1	1	7	13	15	18	20
65+	37	10.1	127	1	2	8	12	21	30	61
TOT. SINGLE DX	34	4.0	15	<1	1	3	6	8	15	17
" MULTIPLE DX	111	8.0	84	1	1	5	11	16	21	57
TOTAL 0-19 YRS	18	2.7	9	<1	<1	1	4	5	10	13
20-34	29	5.2	18	1	1	4	7	12	14	16
35-49	27	9.2	113	<1	<1	7	10	17	27	55
50-64	26	7.0	35	1	1	5	12	15	18	20
65+	45	8.8	112	1	2	5	10	20	28	61
GRAND TOTAL	**145**	**7.1**	**70**	**<1**	**1**	**4**	**10**	**15**	**20**	**55**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	7	5.4	10	1	1	5	8	10	10	10
35-49	5	10.2	43	5	5	9	13	21	21	21
50-64	8	5.5	6	2	2	6	7	8	8	8
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	6	15.5	665	2	2	5	8	62	68	68
20-34	19	8.5	23	3	4	8	9	17	20	22
35-49	5	9.0	6	6	6	9	10	13	13	13
50-64	21	12.1	37	4	7	9	16	22	25	25
65+	29	15.0	281	2	2	9	17	34	50	80
TOT. SINGLE DX	23	6.3	17	1	2	5	8	10	14	21
" MULTIPLE DX	80	12.4	165	2	3	9	14	24	33	76
TOTAL 0-19 YRS	8	12.8	502	2	2	5	7	50	68	68
20-34	26	7.7	21	2	3	7	8	15	18	22
35-49	10	9.6	22	5	5	9	11	17	21	21
50-64	29	10.3	37	2	3	9	14	19	25	25
65+	30	14.6	277	2	2	9	15	33	48	80
GRAND TOTAL	**103**	**11.0**	**138**	**2**	**2**	**8**	**12**	**22**	**28**	**74**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	5.5	2	4	4	5	7	7	7	7
20-34	5	5.6	22	3	3	4	7	14	14	14
35-49	47	4.7	2	3	3	5	5	7	8	8
50-64	1143	5.0	4	3	3	5	6	7	8	11
65+	2628	5.4	4	3	4	5	6	8	9	14
2. MULTIPLE DX										
0-19 YRS	8	6.5	9	4	4	5	9	11	12	12
20-34	15	7.4	14	3	4	7	8	14	16	17
35-49	114	6.9	21	2	3	5	9	13	17	26
50-64	2064	6.5	21	3	4	5	7	11	14	26
65+	7159	8.3	46	3	4	6	9	15	21	38
TOT. SINGLE DX	3831	5.3	4	3	3	5	6	7	9	13
" MULTIPLE DX	9360	7.9	41	3	4	6	9	14	19	36
TOTAL 0-19 YRS	16	6.0	6	4	4	5	7	10	11	12
20-34	20	7.0	16	3	3	6	8	14	16	17
35-49	161	6.3	17	2	3	5	7	11	14	24
50-64	3207	6.0	16	3	3	5	6	9	12	22
65+	9787	7.6	37	3	4	6	8	13	18	34
GRAND TOTAL	**13191**	**7.2**	**32**	**3**	**4**	**6**	**8**	**12**	**17**	**31**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	7	11.9	79	<1	1	12	14	26	29	29
50-64	136	9.5	14	4	6	9	12	15	17	21
65+	202	10.5	18	5	6	10	12	16	19	26
2. MULTIPLE DX										
0-19 YRS	7	2.6	1	1	1	3	3	4	4	4
20-34	2	11.5	221	<1	<1	11	22	22	22	22
35-49	6	8.7	29	<1	<1	9	12	16	16	16
50-64	175	11.3	28	5	6	10	13	19	23	27
65+	692	12.8	56	6	7	11	15	21	26	41
TOT. SINGLE DX	349	10.1	19	4	6	9	12	15	18	24
" MULTIPLE DX	882	12.4	52	5	7	11	15	21	25	40
TOTAL 0-19 YRS	9	2.3	1	1	1	2	3	4	4	4
20-34	4	9.0	82	<1	<1	6	14	22	22	22
35-49	13	10.4	55	<1	<1	11	13	19	27	29
50-64	311	10.5	23	5	6	9	13	17	20	26
65+	894	12.3	49	6	7	11	14	20	25	40
GRAND TOTAL	**1231**	**11.8**	**43**	**5**	**6**	**10**	**14**	**19**	**24**	**39**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	4	2.3	1	1	1	2	3	4	4	4
35-49	42	1.5		<1	<1	1	2	2	3	5
50-64	306	2.0	3	<1	<1	2	2	3	4	7
65+	507	2.4	4	<1	1	2	2	4	6	14
2. MULTIPLE DX										
0-19 YRS	4	5.5	16	2	2	4	8	11	11	11
20-34	3	4.7	30	<1	<1	2	9	11	11	11
35-49	45	3.6	9	<1	1	2	4	8	10	15
50-64	291	4.0	35	<1	1	2	4	9	13	37
65+	767	6.0	49	1	1	3	7	14	20	38
TOT. SINGLE DX	861	2.2	4	<1	1	2	2	3	5	10
" MULTIPLE DX	1110	5.4	45	1	1	3	6	13	18	38
TOTAL 0-19 YRS	6	4.2	14	1	1	3	6	10	11	11
20-34	7	3.3	13	<1	<1	2	4	10	11	11
35-49	87	2.6	6	<1	1	2	3	5	8	14
50-64	597	2.9	20	<1	<1	2	3	6	9	23
65+	1274	4.6	35	1	1	2	5	11	16	32
GRAND TOTAL	**1971**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**9**	**14**	**30**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	2.0	2	<1	<1	1	2	4	6	8
20-34	64	2.7	6	<1	1	2	3	5	6	17
35-49	49	3.1	37	<1	<1	2	3	4	6	44
50-64	58	2.4	1	1	1	2	3	4	5	9
65+	38	2.9	3	1	1	2	4	6	7	8
2. MULTIPLE DX										
0-19 YRS	51	2.5	5	<1	1	2	3	4	5	15
20-34	50	4.6	20	<1	1	3	6	12	14	20
35-49	44	4.9	31	1	1	3	6	10	19	28
50-64	55	6.4	69	1	1	3	8	13	17	53
65+	73	7.2	43	2	2	5	10	14	18	39
TOT. SINGLE DX	285	2.6	9	<1	1	2	3	5	6	9
" MULTIPLE DX	273	5.3	38	1	1	3	7	12	16	28
TOTAL 0-19 YRS	127	2.2	4	<1	<1	2	3	4	6	10
20-34	114	3.6	13	<1	1	2	4	7	12	19
35-49	93	4.0	35	<1	1	2	4	7	12	37
50-64	113	4.3	38	1	1	3	4	10	13	38
65+	111	5.8	34	1	2	4	7	12	16	32
GRAND TOTAL	**558**	**3.9**	**25**	**<1**	**1**	**2**	**4**	**8**	**12**	**25**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	101	2.3	1	1	1	2	3	4	5	8
20-34	197	2.8	5	1	1	2	3	5	7	14
35-49	85	2.7	3	1	1	2	3	5	6	11
50-64	66	3.5	7	1	1	3	4	6	11	15
65+	155	3.6	7	1	1	3	4	7	9	13
2. MULTIPLE DX										
0-19 YRS	88	2.2	2	<1	1	2	3	4	5	9
20-34	112	4.5	28	1	1	3	5	10	15	32
35-49	65	5.9	79	1	1	3	5	11	22	50
50-64	120	5.9	40	1	1	3	7	13	19	34
65+	446	7.7	60	2	2	5	10	17	22	39
TOT. SINGLE DX	604	3.0	6	1	1	2	3	6	8	13
" MULTIPLE DX	831	6.3	52	1	1	3	8	14	20	37
TOTAL 0-19 YRS	189	2.3	2	<1	1	2	3	4	5	8
20-34	309	3.5	14	1	1	2	4	7	10	17
35-49	150	4.1	39	1	1	3	4	7	11	43
50-64	186	5.1	30	1	1	3	5	11	15	31
65+	601	6.6	50	1	2	4	8	15	20	35
GRAND TOTAL	**1435**	**4.9**	**35**	**1**	**1**	**3**	**5**	**11**	**15**	**31**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	636	1.8	1	<1	<1	2	2	3	4	6
20-34	83	2.1	2	<1	1	2	3	4	5	10
35-49	8	1.8		<1	<1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	354	2.2	4	<1	<1	2	3	4	6	8
20-34	32	3.3	8	1	1	3	4	6	8	16
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	728	1.9	1	<1	1	2	2	3	4	6
" MULTIPLE DX	390	2.3	5	<1	<1	2	3	4	6	8
TOTAL 0-19 YRS	990	2.0	2	<1	<1	2	2	3	4	7
20-34	115	2.4	4	1	1	2	3	4	5	13
35-49	12	1.7	1	<1	<1	2	2	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**1118**	**2.0**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**7**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	107	1.8	2	1	1	1	2	3	5	10
20-34	90	1.9	1	<1	1	2	3	4	4	6
35-49	25	2.2	2	<1	1	2	3	5	6	6
50-64	8	2.3	2	<1	<1	2	3	5	5	5
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	39	2.0	3	<1	<1	1	3	4	5	10
20-34	46	3.3	14	<1	<1	2	4	8	10	21
35-49	20	3.2	2	1	2	3	4	5	6	7
50-64	10	4.5	14	1	1	3	6	10	13	13
65+	10	5.9	15	1	1	6	8	11	14	14
TOT. SINGLE DX	231	1.9	2	<1	1	1	2	4	5	7
" MULTIPLE DX	125	3.2	10	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	146	1.9	3	<1	1	1	2	3	5	10
20-34	136	2.4	6	<1	1	2	3	4	6	15
35-49	45	2.6	3	<1	1	2	3	5	6	7
50-64	18	3.5	10	<1	1	2	5	7	11	13
65+	11	5.9	14	1	1	6	8	11	14	14
GRAND TOTAL	**356**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	43	1.3	1	<1	<1	<1	1	2	3	7
35-49	37	1.3		<1	<1	<1	1	2	3	4
50-64	5	4.0	14	<1	<1	2	7	9	9	9
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	21	2.9	26	<1	<1	2	3	3	13	25
35-49	18	4.7	46	<1	<1	2	4	17	23	24
50-64	10	6.3	28	1	1	4	12	14	15	15
65+	8	12.9	213	3	3	8	14	39	47	47
TOT. SINGLE DX	87	1.5	2	<1	<1	<1	1	2	4	8
" MULTIPLE DX	59	5.3	64	<1	<1	3	5	15	23	45
TOTAL 0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	64	1.8	10	<1	<1	1	2	3	3	22
35-49	55	2.4	18	<1	<1	<1	2	4	8	24
50-64	15	5.5	23	<1	1	3	8	14	15	15
65+	10	11.0	182	2	2	7	8	33	47	47
GRAND TOTAL	**146**	**3.1**	**30**	**<1**	**<1**	**1**	**3**	**7**	**12**	**26**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	307	1.7	1	<1	<1	1	2	3	3	5
20-34	352	2.0	1	<1	1	2	3	3	4	7
35-49	297	1.9	1	<1	1	2	2	3	4	5
50-64	251	2.3	1	1	1	2	3	4	4	6
65+	133	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	227	1.8	1	<1	<1	1	2	3	4	6
20-34	207	2.3	3	<1	1	2	3	4	5	10
35-49	190	2.7	5	1	1	2	3	5	6	13
50-64	234	3.1	3	1	1	3	4	5	7	12
65+	177	4.5	17	1	2	3	5	8	13	36
TOT. SINGLE DX	1340	2.0	1	<1	<1	2	3	3	4	6
" MULTIPLE DX	1035	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	534	1.7	2	<1	<1	1	2	3	4	6
20-34	559	2.1	2	<1	1	2	3	3	4	7
35-49	487	2.2	3	<1	1	2	3	4	5	9
50-64	485	2.7	3	1	1	2	3	4	5	10
65+	310	3.7	11	1	2	3	4	6	9	17
GRAND TOTAL	**2375**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	248	1.5	8	<1	<1	1	1	2	2	15
20-34	84	1.6		<1	<1	1	2	3	4	6
35-49	59	1.5		<1	<1	1	2	3	4	6
50-64	54	1.7	1	<1	<1	2	2	2	3	7
65+	39	1.8		<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	104	2.4	21	<1	<1	1	2	3	7	32
20-34	47	1.9	1	<1	1	2	2	3	3	7
35-49	64	2.9	8	<1	<1	2	3	6	8	16
50-64	75	3.4	30	<1	<1	2	3	5	8	37
65+	95	5.5	39	<1	1	3	7	13	18	34
TOT. SINGLE DX	658	1.5	4	<1	<1	1	2	2	3	6
" MULTIPLE DX	440	3.8	35	<1	<1	2	3	8	15	38
TOTAL 0-19 YRS	484	1.7	10	<1	<1	1	1	2	2	18
20-34	152	1.7	2	<1	<1	1	2	3	3	7
35-49	143	2.1	5	<1	<1	1	2	4	6	11
50-64	150	2.6	16	<1	<1	2	2	4	6	24
65+	169	5.2	54	<1	<1	3	5	13	20	52
GRAND TOTAL	**1098**	**2.4**	**17**	**<1**	**<1**	**1**	**2**	**4**	**7**	**24**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	3.2	9	<1	<1	2	5	7	9	15
20-34	34	2.9	6	<1	<1	2	4	7	9	11
35-49	46	2.5	3	<1	<1	2	3	5	7	9
50-64	118	4.1	8	1	1	3	5	7	8	17
65+	84	3.8	7	1	1	3	5	6	10	16
2. MULTIPLE DX										
0-19 YRS	39	2.7	6	<1	<1	2	3	5	10	12
20-34	54	6.1	28	<1	2	4	8	14	17	26
35-49	86	6.6	83	1	2	4	7	14	17	61
50-64	207	5.0	20	1	2	4	6	9	12	28
65+	164	5.3	33	2	2	4	6	10	16	51
TOT. SINGLE DX	342	3.5	8	<1	1	3	5	7	9	15
" MULTIPLE DX	550	5.3	35	1	2	4	6	10	14	35
TOTAL 0-19 YRS	99	3.0	9	<1	<1	2	4	7	9	15
20-34	88	4.9	22	<1	<1	3	6	11	15	23
35-49	132	5.2	60	<1	1	3	6	10	15	44
50-64	325	4.6	16	1	2	4	5	8	12	22
65+	248	4.8	25	1	2	3	5	9	14	26
GRAND TOTAL	**892**	**4.6**	**25**	**<1**	**1**	**3**	**5**	**9**	**13**	**24**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	192	4.7	3	2	3	4	6	7	8	12
20-34	686	4.6	2	2	3	5	5	6	7	11
35-49	81	4.8	3	2	3	5	6	7	8	11
50-64	12	6.0	4	3	3	6	7	9	10	10
65+	9	6.7	6	3	3	6	9	10	10	10
2. MULTIPLE DX										
0-19 YRS	214	5.3	6	2	3	5	6	8	10	14
20-34	1244	5.0	4	2	3	5	6	7	8	14
35-49	172	6.5	30	3	4	5	7	9	12	27
50-64	37	10.3	41	5	5	9	11	19	24	36
65+	42	15.9	154	6	7	13	19	24	51	64
TOT. SINGLE DX	980	4.7	3	2	3	5	5	6	7	11
" MULTIPLE DX	1709	5.6	15	2	3	5	6	8	11	19
TOTAL 0-19 YRS	406	5.0	5	2	3	5	6	7	9	13
20-34	1930	4.9	4	2	3	5	6	7	8	13
35-49	253	6.0	22	2	3	5	6	9	12	18
50-64	49	9.3	36	4	5	7	10	18	20	36
65+	51	14.3	140	5	6	11	16	22	46	64
GRAND TOTAL	**2689**	**5.3**	**11**	**2**	**3**	**5**	**6**	**7**	**9**	**18**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	5.1	3	3	3	5	6	7	8	13
20-34	683	5.0	2	3	4	5	6	7	7	10
35-49	222	5.6	6	3	4	5	6	7	8	19
50-64	45	6.5	4	4	4	6	7	8	11	16
65+	21	8.0	6	5	5	8	9	11	13	15
2. MULTIPLE DX										
0-19 YRS	126	5.9	7	3	3	5	7	9	13	17
20-34	1393	5.6	5	3	4	5	6	8	9	16
35-49	526	6.3	7	4	4	6	7	9	12	17
50-64	103	9.4	35	4	5	8	11	15	19	38
65+	86	14.1	164	6	6	10	17	26	34	84
TOT. SINGLE DX	1077	5.2	4	3	4	5	6	7	8	14
" MULTIPLE DX	2234	6.3	16	3	4	5	7	9	12	22
TOTAL 0-19 YRS	232	5.5	6	3	3	5	6	8	9	17
20-34	2076	5.4	4	3	4	5	6	7	9	15
35-49	748	6.1	7	4	4	5	7	8	11	17
50-64	148	8.5	28	4	5	7	10	14	17	34
65+	107	12.9	139	5	6	9	14	23	30	79
GRAND TOTAL	**3311**	**5.9**	**13**	**3**	**4**	**5**	**6**	**8**	**11**	**19**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	5.5	3	4	4	5	7	8	8	8
20-34	96	5.2	3	3	3	5	6	7	8	13
35-49	133	5.8	2	4	4	5	6	8	10	13
50-64	86	6.4	7	4	4	6	7	9	11	18
65+	26	7.7	3	5	5	7	10	10	11	11
2. MULTIPLE DX										
0-19 YRS	6	6.0	10	3	3	5	7	11	12	12
20-34	314	6.0	5	4	4	5	7	8	10	18
35-49	588	6.6	10	4	4	6	7	9	12	19
50-64	216	8.9	29	5	5	7	10	14	20	31
65+	143	12.2	92	5	6	10	14	21	29	63
TOT. SINGLE DX	345	5.9	5	3	4	6	7	8	10	15
" MULTIPLE DX	1267	7.5	25	4	4	6	8	12	15	30
TOTAL 0-19 YRS	10	5.8	7	3	3	5	7	10	12	12
20-34	410	5.8	5	3	4	5	7	8	9	16
35-49	721	6.5	9	4	4	6	7	9	11	19
50-64	302	8.2	25	4	5	7	9	13	18	30
65+	169	11.5	81	5	5	9	13	19	24	60
GRAND TOTAL	**1612**	**7.2**	**21**	**4**	**4**	**6**	**8**	**11**	**14**	**28**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	3.2	5	<1	1	3	4	6	7	12
20-34	164	3.2	4	<1	<1	3	4	6	7	10
35-49	23	3.3	5	<1	<1	3	5	6	8	11
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	2	9.0	18	6	6	9	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	48	4.4	5	1	2	4	6	7	9	11
20-34	412	4.4	8	<1	1	4	5	7	8	16
35-49	75	5.7	63	<1	1	5	6	7	12	56
50-64	4	15.8	213	3	3	13	27	34	34	34
65+	7	9.3	23	5	5	9	11	17	19	19
TOT. SINGLE DX	236	3.2	5	<1	<1	3	4	6	7	12
" MULTIPLE DX	546	4.7	18	<1	1	4	6	7	9	17
TOTAL 0-19 YRS	93	3.8	5	1	1	3	5	6	9	12
20-34	576	4.0	8	<1	1	4	5	6	8	15
35-49	98	5.1	51	<1	1	5	6	7	12	44
50-64	6	11.7	170	1	1	5	21	33	34	34
65+	9	9.2	19	5	5	9	11	16	19	19
GRAND TOTAL	**782**	**4.3**	**15**	**<1**	**1**	**4**	**5**	**7**	**9**	**16**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	1.5		<1	<1	1	2	2	3	3
20-34	1637	1.1		<1	<1	<1	1	1	2	3
35-49	860	1.1		<1	<1	<1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34	651	1.8	5	<1	<1	1	2	3	4	9
35-49	368	1.4	1	<1	<1	1	1	2	3	7
50-64										
65+										
TOT. SINGLE DX	2510	1.1		<1	<1	<1	1	1	2	2
" MULTIPLE DX	1027	1.6	4	<1	<1	1	2	3	4	8
TOTAL 0-19 YRS	21	1.6	1	<1	<1	1	2	3	4	4
20-34	2288	1.3	2	<1	<1	<1	1	2	2	6
35-49	1228	1.2	1	<1	<1	<1	1	2	2	4
50-64										
65+										
GRAND TOTAL	**3537**	**1.2**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.1	2	<1	1	2	2	5	5	6
20-34	1486	1.8	1	<1	<1	1	2	3	4	5
35-49	614	1.7		<1	<1	1	2	3	3	5
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	21	2.6	1	<1	1	3	3	4	5	5
20-34	2345	2.9	2	1	1	3	4	4	5	8
35-49	712	2.9	4	<1	1	3	4	5	6	11
50-64	7	11.9	56	4	5	8	18	23	24	24
65+										
TOT. SINGLE DX	2128	1.8	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	3085	2.9	3	1	1	3	4	4	5	9
TOTAL 0-19 YRS	47	2.3	2	<1	1	2	3	5	5	6
20-34	3831	2.5	2	<1	1	2	3	4	5	7
35-49	1326	2.4	3	<1	1	2	3	4	5	8
50-64	9	9.4	65	1	1	7	15	22	24	24
65+										
GRAND TOTAL	**5213**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**5**	**5**	**7**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	117	4.2	1	3	3	4	5	6	6	7
20-34	1476	4.2	2	2	3	4	5	6	6	9
35-49	201	4.0	3	<1	1	4	5	6	6	9
50-64	2	5.5	1	5	5	5	6	6	6	6
65+	2	3.5	5	2	2	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	111	4.9	4	2	3	4	5	7	8	13
20-34	1742	4.5	7	2	3	4	5	6	7	10
35-49	233	4.7	8	1	2	5	6	7	8	11
50-64	5	5.8	11	2	2	5	8	11	11	11
65+	2	8.5	5	7	7	8	10	10	10	10
TOT. SINGLE DX	1798	4.2	2	1	3	4	5	6	6	9
" MULTIPLE DX	2093	4.6	8	2	3	4	5	6	7	11
TOTAL 0-19 YRS	228	4.5	3	2	3	4	5	6	7	12
20-34	3218	4.4	5	2	3	4	5	6	7	9
35-49	434	4.4	6	1	1	4	5	6	7	11
50-64	7	5.7	8	2	2	5	7	10	11	11
65+	4	6.0	11	2	2	6	8	10	10	10
GRAND TOTAL	**3891**	**4.4**	**5**	**2**	**3**	**4**	**5**	**6**	**7**	**10**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	21	1.3		<1	<1	1	2	2	3	3
20-34	537	1.5	1	<1	<1	1	2	2	3	7
35-49	255	1.5	1	<1	<1	1	2	2	3	6
50-64	93	1.8	1	<1	<1	1	2	3	4	8
65+	39	1.8	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
0-19 YRS	21	1.6	1	<1	<1	1	2	3	4	5
20-34	329	1.8	3	<1	<1	1	2	4	5	9
35-49	192	1.6	1	<1	<1	1	2	2	4	8
50-64	85	2.0	2	<1	<1	2	2	4	5	9
65+	38	3.0	7	1	1	2	3	8	10	13
TOT. SINGLE DX	945	1.5	1	<1	<1	1	2	2	3	7
" MULTIPLE DX	665	1.9	3	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	42	1.5	1	<1	<1	1	2	3	3	5
20-34	866	1.6	2	<1	<1	1	2	3	4	8
35-49	447	1.6	1	<1	<1	1	2	2	3	7
50-64	178	1.9	2	<1	<1	1	2	3	5	9
65+	77	2.4	5	<1	<1	2	2	5	9	12
GRAND TOTAL	**1610**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	3	3	3
20-34	106	1.4		<1	<1	1	1	2	3	6
35-49	68	1.6	1	<1	<1	1	2	3	4	6
50-64	70	2.3	6	<1	<1	1	2	5	6	15
65+	47	3.7	12	<1	<1	2	6	7	8	20
2. MULTIPLE DX										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34	159	2.4	9	<1	<1	1	3	5	7	21
35-49	164	2.6	8	<1	<1	1	3	6	8	19
50-64	133	4.2	40	<1	<1	2	5	10	18	31
65+	132	6.4	38	1	1	6	8	12	17	31
TOT. SINGLE DX	298	2.0	5	<1	<1	1	2	5	7	8
" MULTIPLE DX	596	3.8	25	<1	<1	2	5	8	13	23
TOTAL 0-19 YRS	15	1.6	1	<1	<1	1	2	3	4	4
20-34	265	2.0	6	<1	<1	1	2	4	6	13
35-49	232	2.3	7	<1	<1	1	2	5	7	14
50-64	203	3.6	30	<1	<1	2	4	8	14	27
65+	179	5.7	33	1	1	5	7	11	16	25
GRAND TOTAL	**894**	**3.2**	**19**	**<1**	**<1**	**2**	**4**	**7**	**10**	**21**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	2.3	2	<1	<1	2	3	4	6	7
20-34	517	2.1	11	<1	<1	2	3	3	4	7
35-49	48	2.3	1	1	1	2	3	5	5	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
0-19 YRS	6	2.3	2	1	1	2	4	4	4	4
20-34	148	3.3	11	1	1	2	4	6	9	23
35-49	24	2.5	2	<1	1	2	3	6	6	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	593	2.1	10	<1	<1	2	3	4	4	7
" MULTIPLE DX	180	3.1	10	1	1	2	4	6	8	21
TOTAL 0-19 YRS	33	2.3	2	<1	<1	2	3	4	6	7
20-34	665	2.4	12	<1	1	2	3	4	6	10
35-49	72	2.3	2	1	1	2	3	5	6	7
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**773**	**2.4**	**10**	**<1**	**1**	**2**	**3**	**4**	**6**	**9**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.8	86	1	1	5	7	23	30	30
20-34	183	4.4	4	<1	1	5	6	7	8	9
35-49	57	3.7	4	<1	1	4	6	6	6	7
50-64	14	2.3	7	<1	<1	1	2	8	9	9
65+	11	1.9	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
0-19 YRS	13	3.5	10	<1	<1	2	6	8	10	10
20-34	318	5.1	7	1	1	5	6	7	9	14
35-49	107	5.1	8	1	1	5	6	9	10	14
50-64	31	5.8	46	<1	<1	3	8	16	22	27
65+	23	5.8	41	1	1	4	8	13	24	25
TOT. SINGLE DX	273	4.2	7	<1	1	4	6	7	7	9
" MULTIPLE DX	492	5.1	12	<1	1	5	6	8	10	22
TOTAL 0-19 YRS	21	5.1	41	<1	<1	4	7	9	19	30
20-34	501	4.9	6	<1	1	5	6	7	8	13
35-49	164	4.6	8	<1	1	5	6	8	10	12
50-64	45	4.7	37	<1	<1	2	6	12	21	27
65+	34	4.5	32	1	1	2	4	9	21	25
GRAND TOTAL	**765**	**4.8**	**10**	**<1**	**1**	**5**	**6**	**8**	**9**	**20**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	5.2	1	4	4	5	6	7	7	7
20-34	856	5.9	2	4	4	6	6	7	8	12
35-49	1449	6.0	3	4	4	6	6	8	8	12
50-64	518	6.5	3	4	5	6	7	8	9	14
65+	242	7.6	6	5	5	7	8	11	13	17
2. MULTIPLE DX										
0-19 YRS	53	6.8	9	4	4	6	7	11	12	21
20-34	4760	6.4	5	4	5	6	7	8	10	16
35-49	9732	6.5	5	4	5	6	7	8	10	15
50-64	2884	7.2	13	5	5	6	8	9	12	21
65+	1079	9.5	41	5	6	8	10	16	20	37
TOT. SINGLE DX	3075	6.2	4	4	5	6	7	8	9	14
" MULTIPLE DX	18508	6.8	9	4	5	6	7	9	11	19
TOTAL 0-19 YRS	63	6.5	8	4	4	6	7	11	12	20
20-34	5616	6.3	5	4	5	6	7	8	10	15
35-49	11181	6.4	5	4	5	6	7	8	10	15
50-64	3402	7.1	12	5	5	6	8	9	12	20
65+	1321	9.2	35	5	5	8	10	14	19	33
GRAND TOTAL	**21583**	**6.7**	**9**	**4**	**5**	**6**	**7**	**9**	**11**	**18**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.5	4	2	2	4	6	7	7	7
20-34	615	5.0	1	3	4	5	6	6	7	9
35-49	627	5.2	2	3	4	5	6	7	8	10
50-64	196	6.5	2	4	5	6	7	8	9	12
65+	156	7.1	3	5	5	7	8	9	10	15
2. MULTIPLE DX										
0-19 YRS	3	4.3		4	4	4	5	5	5	5
20-34	2245	5.4	3	3	4	5	6	7	8	12
35-49	3769	5.7	3	3	4	5	6	8	9	12
50-64	1056	6.6	7	4	4	6	8	9	10	14
65+	646	7.7	10	5	5	7	9	11	13	20
TOT. SINGLE DX	1598	5.5	3	3	4	5	6	7	8	10
" MULTIPLE DX	7719	5.9	5	3	4	6	7	8	9	14
TOTAL 0-19 YRS	7	4.4	2	2	2	4	5	7	7	7
20-34	2860	5.3	3	3	4	5	6	7	8	11
35-49	4396	5.6	3	3	4	5	6	8	9	12
50-64	1252	6.6	7	4	4	6	7	9	10	14
65+	802	7.6	9	5	5	7	8	10	12	19
GRAND TOTAL	**9317**	**5.8**	**5**	**3**	**4**	**6**	**7**	**8**	**9**	**13**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	13	9.4	11	3	5	10	11	14	15	15
35-49	15	9.4	8	4	8	9	10	13	15	16
50-64	6	13.0	14	9	9	13	15	19	19	19
65+	6	13.8	8	10	10	13	16	18	18	18
2. MULTIPLE DX										
0-19 YRS										
20-34	30	12.1	45	4	5	11	15	18	20	38
35-49	29	14.9	96	7	8	12	16	25	32	55
50-64	40	16.8	147	6	8	12	17	36	45	60
65+	21	17.7	140	7	7	16	21	33	49	52
TOT. SINGLE DX	40	10.6	13	4	7	10	13	15	17	19
" MULTIPLE DX	120	15.3	110	6	7	12	17	25	43	56
TOTAL 0-19 YRS										
20-34	43	11.3	36	4	5	11	14	18	19	38
35-49	44	13.0	73	6	8	10	14	22	27	55
50-64	46	16.3	131	7	8	12	16	30	45	60
65+	27	16.9	112	7	7	14	20	24	47	52
GRAND TOTAL	**160**	**14.1**	**90**	**6**	**7**	**11**	**16**	**23**	**35**	**55**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	78	1.2		<1	<1	1	1	2	3	5
20-34	357	1.2		<1	<1	1	1	2	3	4
35-49	49	1.3		<1	<1	1	1	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	48	1.9	3	<1	<1	1	2	4	6	10
20-34	269	2.4	13	<1	<1	1	2	5	8	16
35-49	60	2.1	3	<1	<1	1	2	4	6	9
50-64										
65+										
TOT. SINGLE DX	484	1.2		<1	<1	1	1	2	3	4
" MULTIPLE DX	377	2.3	11	<1	<1	1	2	5	7	15
TOTAL 0-19 YRS	126	1.5	2	<1	<1	1	1	3	4	8
20-34	626	1.8	7	<1	<1	1	1	3	5	13
35-49	109	1.7	2	<1	<1	1	2	3	5	8
50-64										
65+										
GRAND TOTAL	**861**	**1.7**	**5**	**<1**	**<1**	**1**	**1**	**3**	**5**	**12**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1360	1.5	1	<1	<1	1	2	2	3	6
20-34	7189	1.3	2	<1	<1	1	1	2	3	5
35-49	2592	1.3		<1	<1	1	1	2	2	5
50-64	1076	1.3		<1	<1	1	1	2	2	5
65+	416	1.9	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX										
0-19 YRS	401	2.3	4	<1	<1	2	3	5	7	11
20-34	3471	2.1	7	<1	<1	1	2	4	6	11
35-49	2749	2.0	7	<1	<1	1	2	4	6	12
50-64	1359	2.0	6	<1	<1	1	2	3	6	15
65+	662	3.5	26	<1	<1	2	3	8	12	27
TOT. SINGLE DX	12633	1.4	2	<1	<1	1	1	2	3	5
" MULTIPLE DX	8642	2.2	9	<1	<1	1	2	4	6	13
TOTAL 0-19 YRS	1761	1.6	2	<1	<1	1	2	3	4	7
20-34	10660	1.6	4	<1	<1	1	2	3	4	7
35-49	5341	1.6	4	<1	<1	1	2	2	5	9
50-64	2435	1.7	4	<1	<1	1	2	2	4	10
65+	1078	2.9	19	<1	<1	2	2	6	10	24
GRAND TOTAL	**21275**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	363	1.1		<1	<1	1	1	1	1	3
20-34	862	1.1		<1	<1	1	1	1	2	4
35-49	98	1.2	1	<1	<1	1	1	2	2	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	56	2.1	16	<1	<1	<1	2	4	5	29
20-34	465	2.1	7	<1	<1	1	2	5	7	15
35-49	137	1.6	4	<1	<1	1	1	2	4	9
50-64										
65+										
TOT. SINGLE DX	1323	1.1		<1	<1	1	1	1	2	4
" MULTIPLE DX	658	2.0	7	<1	<1	1	2	4	7	15
TOTAL 0-19 YRS	419	1.2	2	<1	<1	1	1	1	2	4
20-34	1327	1.5	3	<1	<1	1	1	2	4	10
35-49	235	1.5	3	<1	<1	1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**1981**	**1.4**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**	**9**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	200	1.3		<1	<1	1	1	2	2	4
20-34	1019	1.3	1	<1	<1	1	1	2	2	5
35-49	124	1.1		<1	<1	1	1	1	2	4
50-64	3	3.3	16	<1	<1	1	6	8	8	8
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	37	2.8	32	<1	<1	1	2	4	10	34
20-34	325	1.9	2	<1	<1	1	2	4	5	8
35-49	89	1.7	1	<1	<1	1	2	3	4	8
50-64	4	8.5	48	2	2	7	13	18	18	18
65+	4	1.5	1	<1	<1	1	2	3	3	3
TOT. SINGLE DX	1349	1.3	1	<1	<1	1	1	2	2	4
" MULTIPLE DX	459	2.0	5	<1	<1	1	2	4	5	9
TOTAL 0-19 YRS	237	1.5	6	<1	<1	1	1	2	3	9
20-34	1344	1.4	2	<1	<1	1	1	2	3	7
35-49	213	1.4	1	<1	<1	1	1	2	3	5
50-64	7	6.3	37	<1	<1	5	9	16	18	18
65+	7	1.4	1	<1	<1	1	2	3	3	3
GRAND TOTAL	**1808**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	28	4.1	2	<1	1	4	5	6	6	7
35-49	3	4.3	9	<1	<1	5	6	7	7	7
50-64	3	6.0	3	4	4	7	7	7	7	7
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	6	4.3	6	2	2	4	5	9	9	9
20-34	82	4.4	2	2	3	4	5	6	7	9
35-49	11	5.2	6	<1	1	5	7	8	8	8
50-64	6	11.7	51	6	6	10	13	24	25	25
65+	5	9.2	43	<1	<1	8	13	19	19	19
TOT. SINGLE DX	35	4.3	3	<1	1	4	5	7	7	7
" MULTIPLE DX	110	5.1	10	1	2	5	6	8	9	21
TOTAL 0-19 YRS	6	4.3	6	2	2	4	5	9	9	9
20-34	110	4.3	2	1	2	4	5	6	7	9
35-49	14	5.0	7	<1	<1	5	7	8	8	8
50-64	9	9.8	41	4	5	7	12	20	25	25
65+	6	8.5	38	<1	<1	7	11	18	19	19
GRAND TOTAL	**145**	**4.9**	**8**	**1**	**2**	**5**	**6**	**7**	**9**	**19**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	2.2	3	<1	<1	1	3	5	6	7
20-34	104	2.6	3	<1	<1	2	4	6	6	7
35-49	26	3.1	2	<1	<1	3	4	5	5	6
50-64	11	4.2	2	3	3	3	6	7	7	7
65+	11	3.1		2	2	3	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	20	4.7	32	1	1	3	5	13	20	21
20-34	180	3.4	9	1	1	3	5	6	8	11
35-49	45	3.9	13	<1	<1	3	6	7	14	15
50-64	10	3.4	2	1	1	3	4	5	6	6
65+	29	4.2	6	2	2	3	5	8	9	14
TOT. SINGLE DX	181	2.8	3	<1	1	2	4	5	6	7
" MULTIPLE DX	284	3.6	11	<1	1	3	5	7	8	18
TOTAL 0-19 YRS	49	3.2	16	<1	1	2	4	6	8	21
20-34	284	3.1	8	<1	1	2	5	6	7	10
35-49	71	3.6	9	<1	<1	3	5	7	8	15
50-64	21	3.8	2	1	2	3	5	6	7	7
65+	40	3.9	5	2	2	3	4	6	8	14
GRAND TOTAL	**465**	**3.3**	**8**	**<1**	**1**	**3**	**5**	**6**	**7**	**15**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	65	4.2	6	1	1	4	6	8	9	11
35-49	173	5.4	3	2	3	5	7	8	8	10
50-64	325	5.5	3	2	3	5	7	8	8	11
65+	240	6.0	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	96	5.4	4	2	3	5	7	8	10	12
35-49	380	6.5	11	3	4	6	7	9	11	20
50-64	533	6.7	6	3	4	6	8	10	12	16
65+	428	6.9	9	4	4	6	8	10	12	17
TOT. SINGLE DX	804	5.5	4	2	3	5	7	8	9	11
" MULTIPLE DX	1438	6.6	9	3	4	6	8	10	11	17
TOTAL 0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	161	5.0	6	1	2	5	6	8	9	11
35-49	553	6.1	9	3	3	6	7	9	10	17
50-64	858	6.2	6	3	4	6	7	9	11	14
65+	668	6.6	8	3	4	6	8	10	11	17
GRAND TOTAL	**2242**	**6.2**	**7**	**3**	**4**	**6**	**7**	**9**	**10**	**16**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.1	12	<1	<1	3	7	9	11	11
20-34	128	3.0	5	<1	<1	3	4	5	8	12
35-49	57	3.2	4	<1	1	3	4	6	7	10
50-64	33	5.1	7	<1	1	6	7	8	8	14
65+	19	7.5	10	1	2	7	9	12	17	21
2. MULTIPLE DX										
0-19 YRS	30	4.4	96	<1	<1	1	4	6	15	54
20-34	78	3.8	16	<1	1	3	4	9	10	25
35-49	53	4.7	12	<1	1	4	7	9	12	16
50-64	50	5.7	9	1	1	6	7	9	10	15
65+	48	11.6	193	2	2	7	12	27	32	85
TOT. SINGLE DX	250	3.7	9	<1	1	3	5	7	9	14
" MULTIPLE DX	259	5.8	63	<1	1	4	7	10	16	40
TOTAL 0-19 YRS	43	4.3	70	<1	<1	2	5	8	12	54
20-34	206	3.3	10	<1	1	3	4	6	9	13
35-49	110	3.9	9	<1	1	3	6	8	10	14
50-64	83	5.5	9	1	1	6	7	9	10	15
65+	67	10.4	147	2	2	7	11	22	30	77
GRAND TOTAL	**509**	**4.8**	**37**	**<1**	**1**	**4**	**6**	**9**	**12**	**30**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	3.5	12	<1	<1	2	5	10	12	14
20-34	260	2.9	8	<1	<1	2	4	6	9	15
35-49	63	3.3	8	<1	<1	2	5	7	8	15
50-64	60	3.1	7	<1	<1	2	5	6	7	14
65+	86	4.9	42	1	1	4	6	8	10	45
2. MULTIPLE DX										
0-19 YRS	63	4.1	76	<1	1	2	5	7	8	62
20-34	245	4.2	12	<1	1	3	6	9	11	15
35-49	134	6.3	48	<1	1	5	7	11	22	40
50-64	144	6.5	32	1	2	5	7	12	18	34
65+	174	8.2	74	2	2	6	9	14	21	51
TOT. SINGLE DX	551	3.4	15	<1	<1	2	5	7	9	15
" MULTIPLE DX	760	5.9	44	<1	1	5	7	11	15	37
TOTAL 0-19 YRS	145	3.7	40	<1	<1	2	5	8	11	17
20-34	505	3.6	11	<1	<1	2	5	8	10	15
35-49	197	5.3	38	<1	<1	4	7	9	13	38
50-64	204	5.5	27	<1	1	4	7	11	16	31
65+	260	7.1	66	1	2	5	8	13	19	51
GRAND TOTAL	**1311**	**4.9**	**33**	**<1**	**<1**	**4**	**6**	**9**	**13**	**27**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	73	1.4		<1	<1	1	1	3	4	5
20-34	310	1.6	1	<1	<1	1	2	3	4	6
35-49	196	1.8	2	<1	<1	1	2	3	4	9
50-64	60	1.8	1	<1	<1	1	2	3	5	8
65+	48	2.6	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	32	2.1	1	<1	<1	2	3	4	4	5
20-34	150	2.8	7	<1	<1	2	3	5	9	16
35-49	68	3.3	16	<1	<1	2	3	7	9	27
50-64	86	4.7	69	<1	1	2	4	7	18	53
65+	61	7.9	68	1	1	5	11	17	24	44
TOT. SINGLE DX	687	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	397	4.0	34	<1	<1	2	4	9	14	30
TOTAL 0-19 YRS	105	1.6	1	<1	<1	1	2	3	4	5
20-34	460	2.0	4	<1	<1	1	2	4	5	12
35-49	264	2.2	7	<1	<1	1	2	4	6	13
50-64	146	3.5	44	<1	<1	2	3	6	8	48
65+	109	5.6	46	<1	1	3	6	14	18	37
GRAND TOTAL	**1084**	**2.6**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**18**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	11	3.0	7	<1	<1	2	4	8	8	8
35-49	10	4.8	24	<1	<1	3	6	12	18	18
50-64	19	5.1	23	<1	1	3	6	11	16	21
65+	14	7.6	21	2	3	6	11	14	16	17
2. MULTIPLE DX										
0-19 YRS										
20-34	5	5.6	27	1	1	4	9	14	14	14
35-49	8	10.6	52	2	2	10	17	20	21	21
50-64	20	9.9	68	1	2	9	12	17	28	38
65+	36	13.1	115	2	3	10	17	31	36	44
TOT. SINGLE DX	55	5.2	21	<1	1	3	7	11	16	21
" MULTIPLE DX	69	11.3	90	2	2	9	15	22	35	43
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	16	3.8	14	<1	<1	2	6	8	12	14
35-49	18	7.4	44	<1	1	5	10	19	20	21
50-64	39	7.5	51	1	1	6	11	15	20	38
65+	50	11.6	95	2	3	9	16	25	35	44
GRAND TOTAL	**124**	**8.6**	**69**	**1**	**1**	**6**	**12**	**18**	**24**	**40**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	1.7	2	<1	<1	1	2	4	5	6
20-34	35	2.6	2	1	1	2	3	5	6	7
35-49	17	3.8	5	<1	1	4	5	7	9	10
50-64	17	3.1	5	<1	1	2	4	7	8	8
65+	6	4.3	15	1	1	3	7	11	11	11
2. MULTIPLE DX										
0-19 YRS	30	2.2	11	1	1	1	2	4	6	19
20-34	38	3.6	8	1	1	3	4	7	9	17
35-49	18	4.4	13	1	1	3	6	7	13	17
50-64	6	2.5	1	1	1	3	3	4	4	4
65+	4	4.0	10	1	1	3	6	8	8	8
TOT. SINGLE DX	92	2.9	5	<1	1	2	4	6	7	11
" MULTIPLE DX	96	3.3	10	1	1	2	4	7	8	18
TOTAL 0-19 YRS	47	2.0	8	<1	1	1	2	4	6	19
20-34	73	3.1	6	1	1	3	3	6	7	15
35-49	35	4.1	10	1	1	3	6	7	9	17
50-64	23	2.9	4	<1	1	2	4	6	8	8
65+	10	4.2	12	1	1	3	7	9	11	11
GRAND TOTAL	**188**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	1.1		<1	<1	<1	1	2	2	2
20-34	4	2.8	12	1	1	1	5	8	8	8
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64										
65+	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
0-19 YRS	3	10.7	280	1	1	1	23	30	30	30
20-34	11	2.0	2	<1	<1	1	3	5	6	6
35-49	5	4.2	12	1	1	2	7	9	9	9
50-64	5	12.6	316	1	1	3	21	43	43	43
65+	2	19.5	481	4	4	19	35	35	35	35
TOT. SINGLE DX	19	2.1	6	<1	<1	1	1	7	8	8
" MULTIPLE DX	26	6.8	128	<1	1	2	6	28	37	43
TOTAL 0-19 YRS	14	3.1	60	<1	<1	1	1	5	24	30
20-34	15	2.2	5	<1	<1	1	3	6	7	8
35-49	7	3.3	11	<1	<1	2	6	9	9	9
50-64	5	12.6	316	1	1	3	21	43	43	43
65+	4	13.3	212	4	4	7	21	35	35	35
GRAND TOTAL	**45**	**4.8**	**81**	**<1**	**<1**	**1**	**4**	**9**	**31**	**43**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	857	2.3		1	1	2	3	3	4	5
20-34	5571	2.5		1	1	2	3	4	4	5
35-49	309	2.8		1	2	3	3	4	4	6
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1698	2.7	2	1	2	3	3	4	4	7
20-34	9482	2.8	2	1	2	3	3	4	5	7
35-49	619	3.2	4	2	2	3	4	4	5	10
50-64										
65+										
TOT. SINGLE DX	6737	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	11799	2.8	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	2555	2.6	2	1	1	2	3	4	4	7
20-34	15053	2.7	2	1	2	3	3	4	4	6
35-49	928	3.0	3	1	2	3	3	4	5	8
50-64										
65+										
GRAND TOTAL	**18536**	**2.7**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	2.1	1	1	1	2	3	4	4	4
20-34	109	2.0		<1	1	2	2	3	4	5
35-49	5	2.0		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	44	2.4	1	1	1	2	3	4	5	5
20-34	367	2.7	2	1	1	2	3	4	5	9
35-49	35	2.3		<1	1	2	3	3	4	4
50-64										
65+										
TOT. SINGLE DX	124	2.0	1	<1	1	2	2	3	4	5
" MULTIPLE DX	446	2.6	2	1	1	2	3	4	5	9
TOTAL 0-19 YRS	54	2.3	1	1	1	2	3	4	4	5
20-34	476	2.5	2	1	1	2	3	4	5	9
35-49	40	2.3	1	<1	1	2	3	3	4	4
50-64										
65+										
GRAND TOTAL	**570**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	185	2.4		1	1	2	3	4	4	5
20-34	1100	2.6	1	1	1	3	3	4	4	6
35-49	63	2.6	1	1	1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	555	2.8	1	1	2	3	3	4	4	6
20-34	3644	2.9	1	1	2	3	3	4	5	7
35-49	301	3.2	2	1	2	3	4	5	5	9
50-64										
65+										
TOT. SINGLE DX	1348	2.6	1	1	1	2	3	4	4	6
" MULTIPLE DX	4500	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	740	2.7	1	1	2	3	3	4	4	6
20-34	4744	2.8	2	1	2	3	3	4	5	7
35-49	364	3.1	2	1	2	3	4	4	5	8
50-64										
65+										
GRAND TOTAL	**5848**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6405	2.1		1	1	2	2	3	3	5
20-34	42787	2.1	1	1	1	2	3	3	4	5
35-49	2418	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	6943	2.4	1	1	1	2	3	3	4	7
20-34	46545	2.4	2	1	1	2	3	4	4	6
35-49	3279	2.7	2	1	1	3	3	4	5	7
50-64										
65+										
TOT. SINGLE DX	51610	2.1	1	1	1	2	3	3	4	5
" MULTIPLE DX	56767	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	13348	2.2	1	1	1	2	3	3	4	6
20-34	89332	2.3	2	1	1	2	3	3	4	5
35-49	5697	2.5	2	1	1	2	3	4	4	7
50-64										
65+										
GRAND TOTAL	**108377**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	677	4.5	1	3	3	4	5	6	6	10
20-34	6775	4.6	2	3	3	5	5	6	6	8
35-49	489	5.0	3	3	3	5	6	7	7	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2461	5.3	8	3	4	5	6	7	9	14
20-34	22744	5.2	8	3	3	5	6	7	8	15
35-49	2402	5.7	16	3	4	5	6	7	9	19
50-64										
65+										
TOT. SINGLE DX	7941	4.6	3	3	3	5	5	6	6	8
" MULTIPLE DX	27607	5.2	9	3	4	5	6	7	8	15
TOTAL 0-19 YRS	3138	5.1	7	3	3	5	5	7	8	13
20-34	29519	5.0	7	3	3	5	5	6	7	13
35-49	2891	5.5	15	3	4	5	6	7	8	19
50-64										
65+										
GRAND TOTAL	**35548**	**5.1**	**8**	**3**	**3**	**5**	**5**	**6**	**8**	**14**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	48	4.9	2	3	3	5	5	6	7	12
20-34	366	4.8	6	3	3	5	5	6	7	12
35-49	17	4.5	1	2	3	4	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	158	5.4	6	3	3	5	6	8	10	16
20-34	1196	5.3	14	3	3	5	6	7	8	17
35-49	140	5.9	17	3	4	5	6	8	12	30
50-64										
65+										
TOT. SINGLE DX	431	4.8	6	3	3	5	5	6	7	12
" MULTIPLE DX	1494	5.3	14	3	3	5	6	7	8	17
TOTAL 0-19 YRS	206	5.3	6	3	3	5	6	7	9	16
20-34	1562	5.2	13	3	3	5	6	7	8	16
35-49	157	5.7	16	3	3	5	6	8	11	28
50-64										
65+										
GRAND TOTAL	**1925**	**5.2**	**12**	**3**	**3**	**5**	**6**	**7**	**8**	**16**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	4.3	1	2	2	4	5	6	6	6
20-34	48	4.2	1	3	3	4	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	47	5.2	6	2	3	4	6	8	10	14
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64										
65+										
TOT. SINGLE DX	57	4.2	1	2	3	4	5	6	6	6
" MULTIPLE DX	53	5.1	6	2	3	4	6	8	9	14
TOTAL 0-19 YRS	10	4.2	1	2	3	4	5	6	6	6
20-34	95	4.7	4	2	3	4	5	7	8	14
35-49	5	4.0	2	3	3	3	5	6	6	6
50-64										
65+										
GRAND TOTAL	**110**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**8**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	1.2		<1	<1	1	1	2	2	2
20-34	216	1.3		<1	<1	1	1	2	2	5
35-49	23	1.3		<1	<1	1	2	2	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	70	1.3		1	1	1	1	2	2	4
20-34	117	1.7	2	<1	1	1	2	3	4	9
35-49	27	1.6	1	1	1	1	2	3	4	6
50-64										
65+										
TOT. SINGLE DX	396	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	214	1.6	2	1	1	1	2	3	4	7
TOTAL 0-19 YRS	227	1.2		<1	<1	1	1	2	2	3
20-34	333	1.4	1	<1	<1	1	1	2	3	7
35-49	50	1.5	1	<1	1	1	2	3	3	6
50-64										
65+										
GRAND TOTAL	**610**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**6**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	3.6	15	1	1	2	5	6	10	20
20-34	213	3.5	17	<1	1	2	4	7	11	28
35-49	15	2.7	4	<1	1	2	4	5	7	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	53	4.0	8	1	1	4	5	9	11	12
20-34	209	4.6	28	<1	1	3	5	10	13	28
35-49	20	3.6	9	<1	1	3	5	7	11	14
50-64										
65+										
TOT. SINGLE DX	275	3.5	17	<1	1	2	4	7	9	26
" MULTIPLE DX	282	4.4	24	<1	1	3	5	9	12	25
TOTAL 0-19 YRS	100	3.8	11	1	1	3	5	7	10	19
20-34	422	4.1	24	<1	1	3	5	8	12	28
35-49	35	3.2	7	<1	1	3	5	6	8	14
50-64										
65+										
GRAND TOTAL	**557**	**4.0**	**20**	**<1**	**1**	**3**	**5**	**8**	**12**	**25**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	364	1.9	1	<1	<1	2	2	3	4	8
20-34	1582	2.0	3	<1	<1	2	2	3	4	6
35-49	101	2.0	1	<1	<1	2	2	4	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	610	2.7	3	1	1	2	3	4	5	11
20-34	3247	2.7	3	1	1	3	3	4	5	8
35-49	245	3.1	12	1	1	3	3	4	6	17
50-64										
65+										
TOT. SINGLE DX	2047	2.0	3	<1	<1	2	2	3	4	7
" MULTIPLE DX	4102	2.7	4	1	1	3	3	4	5	9
TOTAL 0-19 YRS	974	2.4	3	<1	1	2	3	4	5	9
20-34	4829	2.5	3	<1	1	2	3	4	4	8
35-49	346	2.8	9	<1	<1	2	3	4	6	16
50-64										
65+										
GRAND TOTAL	**6149**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**4**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1017	2.0	1	1	1	2	2	3	3	5
20-34	6435	2.0		1	1	2	2	3	3	4
35-49	437	2.0		<1	1	2	2	3	3	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1824	2.4	6	1	1	2	3	3	4	6
20-34	11474	2.4	2	1	1	2	3	4	4	6
35-49	906	2.6	2	1	1	2	3	4	5	8
50-64										
65+										
TOT. SINGLE DX	7889	2.0	1	1	1	2	2	3	3	4
" MULTIPLE DX	14204	2.4	3	1	1	2	3	4	4	6
TOTAL 0-19 YRS	2841	2.2	4	1	1	2	3	3	4	6
20-34	17909	2.2	2	1	1	2	3	3	4	6
35-49	1343	2.4	2	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**22093**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	2.6	3	<1	1	2	3	5	7	9
20-34	42	2.8	5	<1	1	2	3	4	7	15
35-49	23	3.7	6	<1	1	3	5	8	9	10
50-64	32	4.1	13	1	1	3	5	9	12	16
65+	16	8.3	50	2	2	6	12	17	25	28
2. MULTIPLE DX										
0-19 YRS	9	3.9	24	<1	<1	2	4	12	16	16
20-34	25	5.1	49	1	1	3	4	13	23	31
35-49	16	5.9	23	1	2	4	10	14	15	15
50-64	45	11.2	168	2	2	7	13	27	40	64
65+	41	15.8	235	2	2	11	22	41	61	99+
TOT. SINGLE DX	155	3.7	14	1	1	2	4	9	10	17
" MULTIPLE DX	136	10.4	157	1	2	5	13	27	37	71
TOTAL 0-19 YRS	51	2.9	7	<1	1	2	3	6	9	16
20-34	67	3.7	23	1	1	2	3	7	13	29
35-49	39	4.6	14	<1	1	3	6	11	13	15
50-64	77	8.2	116	1	1	4	10	19	27	60
65+	57	13.7	193	2	2	9	17	33	55	97
GRAND TOTAL	**291**	**6.8**	**91**	**1**	**1**	**3**	**8**	**16**	**27**	**61**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	3.4		2	2	3	4	5	5	6
20-34	528	3.2	1	2	2	3	4	5	5	7
35-49	190	3.4	2	2	2	3	4	5	6	10
50-64	41	3.8	2	1	2	3	5	6	7	8
65+	13	6.0	28	2	2	4	6	15	20	21
2. MULTIPLE DX										
0-19 YRS	224	3.9	2	2	2	4	4	6	7	10
20-34	335	4.1	3	2	2	4	5	6	7	12
35-49	132	4.6	15	2	2	4	5	7	9	19
50-64	43	7.0	67	1	2	4	6	25	29	32
65+	11	9.7	128	2	2	5	19	56	94	99+
TOT. SINGLE DX	1060	3.4	2	2	2	3	4	5	5	7
" MULTIPLE DX	745	4.4	11	2	2	4	5	6	8	25
TOTAL 0-19 YRS	512	3.6	2	2	2	3	4	5	6	8
20-34	863	3.6	2	2	2	3	4	5	6	8
35-49	322	3.9	8	2	2	3	4	6	7	13
50-64	84	5.4	38	1	2	4	5	8	25	31
65+	24	7.7	75	2	2	4	11	23	53	99+
GRAND TOTAL	**1805**	**3.8**	**6**	**2**	**2**	**3**	**4**	**5**	**6**	**12**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	2.1	2	1	1	2	2	4	5	10
20-34	87	2.1	1	1	1	2	3	4	4	8
35-49	31	2.5	1	1	1	2	3	4	4	5
50-64	5	2.0	1	1	1	2	3	4	4	4
65+	3	6.7	30	3	3	4	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	182	3.5	32	1	1	2	3	6	8	43
20-34	304	3.9	17	1	1	3	5	7	10	29
35-49	78	4.1	15	1	1	3	5	8	14	20
50-64	23	6.2	32	<1	1	4	9	15	18	23
65+	17	6.5	13	2	2	6	9	12	13	13
TOT. SINGLE DX	183	2.2	2	1	1	2	3	4	4	10
" MULTIPLE DX	604	3.9	23	1	1	2	4	8	11	29
TOTAL 0-19 YRS	239	3.1	26	1	1	2	3	5	7	37
20-34	391	3.5	14	1	1	2	4	7	10	28
35-49	109	3.6	12	1	1	2	4	7	9	19
50-64	28	5.4	30	1	1	3	8	14	16	23
65+	20	6.5	15	2	2	6	9	12	13	13
GRAND TOTAL	**787**	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	72	2.6	3	1	1	2	3	4	6	12
20-34	175	2.9	21	<1	1	2	3	5	6	17
35-49	56	2.4	3	1	1	2	3	5	7	9
50-64	22	2.8	3	<1	1	2	4	5	7	8
65+	12	4.8	24	1	2	3	4	14	17	17
2. MULTIPLE DX										
0-19 YRS	254	4.3	21	1	1	3	5	9	12	24
20-34	684	5.0	43	1	1	3	5	10	15	34
35-49	249	5.1	34	1	1	3	6	12	18	36
50-64	94	7.0	132	1	1	4	6	15	26	71
65+	64	10.3	74	2	2	8	13	23	26	44
TOT. SINGLE DX	337	2.8	14	<1	1	2	3	5	6	14
" MULTIPLE DX	1345	5.3	47	1	1	3	6	11	16	36
TOTAL 0-19 YRS	326	3.9	18	1	1	3	5	8	12	24
20-34	859	4.6	39	1	1	3	5	9	13	33
35-49	305	4.6	30	1	1	3	5	11	15	33
50-64	116	6.2	110	1	1	3	5	13	19	64
65+	76	9.4	70	2	2	8	12	21	25	43
GRAND TOTAL	**1682**	**4.8**	**41**	**1**	**1**	**3**	**5**	**10**	**14**	**34**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	2.6	1	<1	1	3	3	4	5	5
20-34	23	3.9	9	1	1	3	5	9	10	12
35-49	13	4.6	8	1	1	5	6	9	10	10
50-64	15	4.4	3	2	2	4	6	7	8	8
65+	4	3.8	4	2	2	4	5	6	6	6
2. MULTIPLE DX										
0-19 YRS	13	4.2	8	1	1	4	5	8	11	12
20-34	22	6.4	73	<1	1	4	8	11	24	42
35-49	17	5.5	33	1	1	4	6	10	20	25
50-64	15	5.4	25	1	2	4	6	13	17	19
65+	7	9.3	237	1	1	4	6	36	44	44
TOT. SINGLE DX	71	3.8	6	1	1	3	5	8	9	12
" MULTIPLE DX	74	5.9	56	1	1	4	7	11	18	44
TOTAL 0-19 YRS	29	3.3	5	1	1	3	4	6	7	12
20-34	45	5.1	41	1	1	3	7	9	12	42
35-49	30	5.1	22	1	1	4	6	10	10	25
50-64	30	4.9	14	2	2	4	6	9	13	19
65+	11	7.3	151	1	1	4	6	21	42	44
GRAND TOTAL	**145**	**4.9**	**32**	**1**	**1**	**4**	**6**	**9**	**12**	**42**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	278	4.8	33	1	1	3	5	9	15	35
20-34	262	4.4	16	1	1	3	5	9	11	23
35-49	186	4.7	23	<1	1	4	6	8	10	33
50-64	217	5.0	10	1	1	4	6	9	11	17
65+	73	7.6	23	2	2	7	9	13	19	23
2. MULTIPLE DX										
0-19 YRS	179	6.8	61	1	1	4	7	16	25	40
20-34	250	6.5	80	1	1	4	7	11	27	43
35-49	236	5.6	28	1	1	4	7	11	16	33
50-64	303	7.1	75	1	2	5	8	13	20	64
65+	167	12.1	207	2	3	7	14	27	44	92
TOT. SINGLE DX	1016	4.9	22	1	1	4	6	9	12	24
" MULTIPLE DX	1135	7.4	88	1	2	4	8	15	25	55
TOTAL 0-19 YRS	457	5.6	45	1	1	4	6	12	20	39
20-34	512	5.4	49	1	1	4	6	10	17	39
35-49	422	5.2	26	1	1	4	6	10	14	33
50-64	520	6.2	50	1	2	5	7	11	16	52
65+	240	10.7	155	2	2	7	12	22	38	87
GRAND TOTAL	**2151**	**6.2**	**58**	**1**	**1**	**4**	**7**	**12**	**19**	**43**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	184	2.9	1	1	1	3	4	5	6	6
20-34	329	2.9	2	<1	1	3	4	5	5	7
35-49	325	3.2	2	1	1	3	4	5	6	8
50-64	430	3.5	3	1	1	3	4	6	7	9
65+	219	3.6	2	1	2	3	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	222	3.4	2	1	2	3	4	5	6	8
20-34	460	3.6	11	1	2	3	4	5	6	10
35-49	616	3.7	8	1	2	3	4	6	7	9
50-64	1156	4.4	20	2	2	4	5	7	9	16
65+	743	4.7	15	2	2	4	5	7	9	23
TOT. SINGLE DX	1487	3.3	3	1	1	3	4	5	6	8
" MULTIPLE DX	3197	4.1	15	1	2	4	5	6	8	14
TOTAL 0-19 YRS	406	3.2	2	1	1	3	4	5	6	7
20-34	789	3.3	8	1	1	3	4	5	6	9
35-49	941	3.5	7	1	2	3	4	5	7	9
50-64	1586	4.2	16	1	2	4	5	6	8	14
65+	962	4.4	13	2	2	4	5	7	8	19
GRAND TOTAL	**4684**	**3.9**	**11**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	999	3.2	18	<1	1	2	3	5	8	25
20-34	1366	3.3	14	<1	1	2	4	6	8	19
35-49	886	3.5	15	<1	1	3	4	7	9	21
50-64	614	3.8	18	<1	1	3	4	7	10	24
65+	320	4.7	25	<1	1	3	6	10	14	28
2. MULTIPLE DX										
0-19 YRS	565	7.1	140	1	1	3	6	14	32	65
20-34	1283	6.9	109	1	1	3	7	16	29	57
35-49	992	6.8	122	1	1	3	6	15	30	74
50-64	1039	7.4	102	1	1	4	8	17	28	60
65+	843	12.6	223	1	2	7	16	31	47	71
TOT. SINGLE DX	4185	3.5	17	<1	1	2	4	6	9	23
" MULTIPLE DX	4722	8.0	139	1	1	4	8	20	33	66
TOTAL 0-19 YRS	1564	4.6	66	<1	1	2	4	8	14	45
20-34	2649	5.0	63	<1	1	3	5	9	18	44
35-49	1878	5.2	75	1	1	3	5	10	18	48
50-64	1653	6.0	74	1	1	3	6	13	22	50
65+	1163	10.4	181	1	1	5	12	25	39	69
GRAND TOTAL	**8907**	**5.9**	**87**	**1**	**1**	**3**	**5**	**13**	**23**	**54**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	312	5.2	37	1	1	4	6	9	13	45
20-34	351	4.3	13	1	1	4	5	8	10	21
35-49	141	4.7	13	1	1	4	6	10	13	17
50-64	71	7.3	33	2	3	5	9	13	16	35
65+	113	10.7	48	2	3	10	14	19	23	41
2. MULTIPLE DX										
0-19 YRS	207	9.1	129	1	1	4	11	23	32	58
20-34	246	9.0	150	1	2	5	10	21	31	62
35-49	131	11.2	259	1	2	6	12	25	63	99+
50-64	165	13.1	167	2	3	8	16	29	42	61
65+	426	15.8	118	5	7	13	19	29	41	80
TOT. SINGLE DX	988	5.6	30	1	1	4	7	11	15	28
" MULTIPLE DX	1175	12.3	158	2	2	9	16	27	40	71
TOTAL 0-19 YRS	519	6.7	77	1	1	4	7	16	24	55
20-34	597	6.2	75	1	1	4	6	12	20	45
35-49	272	7.9	142	1	2	4	8	15	25	93
50-64	236	11.4	134	2	3	7	13	26	38	59
65+	539	14.7	108	3	6	12	18	27	39	67
GRAND TOTAL	**2163**	**9.2**	**111**	**1**	**2**	**6**	**12**	**21**	**29**	**61**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	714	2.2	7	<1	<1	2	2	4	5	16
20-34	1261	2.2	4	<1	<1	2	3	4	6	11
35-49	562	2.5	8	<1	<1	2	3	4	6	14
50-64	396	3.1	13	<1	<1	2	3	6	9	17
65+	317	4.8	37	<1	1	3	5	11	16	30
2. MULTIPLE DX										
0-19 YRS	185	4.4	48	<1	<1	2	4	9	21	34
20-34	413	5.4	62	<1	1	3	6	13	21	42
35-49	218	4.9	53	<1	1	3	5	10	16	36
50-64	241	7.7	122	1	1	4	9	15	24	62
65+	363	12.0	185	2	2	8	15	26	39	77
TOT. SINGLE DX	3250	2.6	11	<1	<1	2	3	5	7	16
" MULTIPLE DX	1420	7.3	109	<1	1	4	8	17	25	56
TOTAL 0-19 YRS	899	2.7	16	<1	<1	2	3	4	6	26
20-34	1674	3.0	21	<1	<1	2	3	6	9	23
35-49	780	3.1	22	<1	<1	2	3	6	9	22
50-64	637	4.8	59	<1	1	2	5	11	15	45
65+	680	8.6	129	<1	1	4	11	19	30	57
GRAND TOTAL	**4670**	**4.0**	**45**	**<1**	**<1**	**2**	**4**	**8**	**14**	**36**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	14.4	82	2	4	13	21	26	30	39
20-34	20	12.5	87	4	5	9	14	25	36	42
35-49	11	10.0	57	3	4	7	12	21	29	30
50-64	29	13.1	192	4	5	11	13	18	43	75
65+	99	12.6	27	5	6	12	15	19	23	29
2. MULTIPLE DX										
0-19 YRS	100	18.7	147	3	5	16	24	38	44	49
20-34	97	18.6	215	6	8	14	20	39	52	77
35-49	37	19.9	256	5	6	14	25	52	57	99+
50-64	100	15.7	137	5	6	12	20	30	47	85
65+	522	16.4	93	6	8	14	19	27	35	62
TOT. SINGLE DX	180	12.8	69	4	5	11	15	21	27	42
" MULTIPLE DX	856	17.0	127	6	7	14	20	31	45	63
TOTAL 0-19 YRS	129	17.7	135	3	5	16	23	37	42	49
20-34	117	17.5	198	6	7	13	18	38	51	71
35-49	48	17.7	226	5	5	12	20	50	53	99+
50-64	129	15.1	150	5	6	12	17	29	47	80
65+	621	15.8	85	6	8	14	18	26	33	60
GRAND TOTAL	**1044**	**16.2**	**119**	**5**	**7**	**14**	**19**	**29**	**41**	**62**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	11.1	131	2	3	8	13	20	38	58
20-34	56	10.3	39	3	3	9	13	20	24	28
35-49	35	12.7	149	3	5	9	13	22	47	59
50-64	105	10.8	20	5	6	10	13	16	18	28
65+	588	14.3	38	6	8	13	17	22	26	37
2. MULTIPLE DX										
0-19 YRS	174	14.8	121	4	5	12	18	30	36	55
20-34	308	16.4	174	5	6	12	20	32	43	77
35-49	218	15.7	131	5	6	13	20	28	35	65
50-64	554	15.3	82	6	7	13	18	27	34	61
65+	3862	17.5	107	7	9	15	20	29	38	63
TOT. SINGLE DX	843	13.3	50	5	6	12	16	21	25	38
" MULTIPLE DX	5116	17.1	111	7	8	14	20	29	38	64
TOTAL 0-19 YRS	233	13.9	126	3	4	11	17	27	36	58
20-34	364	15.4	158	5	6	12	19	30	40	73
35-49	253	15.3	134	5	6	12	20	28	35	59
50-64	659	14.6	75	6	7	13	18	25	32	60
65+	4450	17.1	99	7	9	15	20	28	37	61
GRAND TOTAL	**5959**	**16.5**	**104**	**6**	**8**	**14**	**19**	**28**	**36**	**62**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	10.1	112	1	2	6	13	26	30	53
20-34	11	17.5	781	<1	2	7	22	54	94	98
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	7	16.3	238	2	2	10	26	41	44	44
65+	29	17.0	277	5	6	12	17	49	61	65
2. MULTIPLE DX										
0-19 YRS	184	13.3	178	1	1	8	19	34	39	54
20-34	40	16.6	297	1	2	12	29	51	88	99+
35-49	17	19.9	538	3	3	9	21	62	70	74
50-64	31	19.4	400	1	2	10	27	58	61	65
65+	105	18.6	221	3	5	13	22	44	55	82
TOT. SINGLE DX	131	12.5	213	1	2	8	15	27	48	71
" MULTIPLE DX	377	15.9	241	1	2	11	22	39	55	79
TOTAL 0-19 YRS	266	12.3	160	1	2	7	17	30	37	54
20-34	51	16.8	389	1	2	11	25	51	95	99+
35-49	19	18.6	495	3	3	9	16	62	69	74
50-64	38	18.8	364	1	2	10	28	54	60	65
65+	134	18.3	232	3	5	13	20	47	55	73
GRAND TOTAL	**508**	**15.1**	**235**	**1**	**2**	**10**	**19**	**37**	**52**	**78**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	143	3.9	26	<1	1	2	3	9	18	22
20-34	144	2.6	5	<1	<1	2	3	5	7	13
35-49	78	2.6	3	<1	<1	2	4	5	6	8
50-64	74	3.7	30	<1	1	2	4	7	10	37
65+	62	3.7	32	1	1	3	4	6	8	41
2. MULTIPLE DX										
0-19 YRS	219	5.8	50	1	1	3	8	15	20	35
20-34	253	6.7	117	<1	1	3	7	14	24	64
35-49	136	5.4	67	1	1	3	6	11	15	52
50-64	157	7.3	145	1	1	4	6	17	27	68
65+	169	10.5	142	1	2	6	14	23	31	59
TOT. SINGLE DX	501	3.3	18	<1	1	2	4	6	9	21
" MULTIPLE DX	934	7.1	106	1	1	3	8	17	25	56
TOTAL 0-19 YRS	362	5.0	42	<1	1	2	5	14	19	32
20-34	397	5.2	81	<1	1	3	5	11	17	59
35-49	214	4.4	46	<1	1	3	5	9	12	51
50-64	231	6.2	111	1	1	3	6	13	25	54
65+	231	8.7	121	1	1	4	11	20	29	55
GRAND TOTAL	**1435**	**5.7**	**79**	**<1**	**1**	**3**	**6**	**13**	**20**	**51**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	838	2.9	6	<1	1	2	4	5	7	14
20-34	1181	3.4	6	<1	1	3	4	6	8	13
35-49	613	4.0	7	1	1	4	5	7	9	14
50-64	413	5.1	13	1	2	4	6	9	11	20
65+	279	6.5	21	2	2	5	8	13	15	24
2. MULTIPLE DX										
0-19 YRS	1371	4.4	35	1	1	3	5	8	13	32
20-34	2409	5.9	70	1	1	4	6	11	19	50
35-49	1287	5.9	53	1	1	4	6	10	16	36
50-64	1219	7.1	63	1	2	5	8	13	19	43
65+	1017	10.0	80	2	3	7	13	20	28	48
TOT. SINGLE DX	3324	3.9	10	1	1	3	5	7	10	17
" MULTIPLE DX	7303	6.4	64	1	1	4	7	13	19	45
TOTAL 0-19 YRS	2209	3.8	25	1	1	3	4	7	10	28
20-34	3590	5.1	51	1	1	3	5	9	14	40
35-49	1900	5.3	40	1	1	4	6	9	13	32
50-64	1632	6.6	51	1	2	5	7	12	17	40
65+	1296	9.3	70	2	3	7	12	19	26	46
GRAND TOTAL	**10627**	**5.6**	**48**	**1**	**1**	**4**	**6**	**11**	**16**	**36**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1114	2.0	6	<1	<1	1	2	4	6	14
20-34	278	3.1	9	<1	1	2	4	6	8	20
35-49	192	3.4	19	<1	1	2	4	7	9	28
50-64	185	3.2	6	1	1	2	4	6	8	13
65+	255	3.9	15	<1	1	2	5	8	11	21
2. MULTIPLE DX										
0-19 YRS	1665	3.0	31	<1	1	1	3	6	10	27
20-34	780	5.8	84	1	1	3	6	11	21	53
35-49	457	5.3	48	1	1	3	6	11	18	39
50-64	525	5.7	53	1	1	3	7	11	20	39
65+	774	7.8	82	1	1	5	10	18	25	47
TOT. SINGLE DX	2024	2.6	10	<1	1	2	3	5	8	17
" MULTIPLE DX	4201	5.0	58	1	1	3	5	11	17	40
TOTAL 0-19 YRS	2779	2.6	21	<1	1	1	2	5	8	20
20-34	1058	5.1	66	1	1	3	5	10	17	44
35-49	649	4.7	41	1	1	3	5	9	14	38
50-64	710	5.0	43	1	1	3	6	10	15	38
65+	1029	6.8	69	1	1	4	8	16	21	42
GRAND TOTAL	**6225**	**4.2**	**44**	**<1**	**1**	**2**	**5**	**9**	**14**	**36**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	114	5.2	58	<1	<1	2	7	14	21	36
20-34	104	2.6	11	<1	<1	2	3	4	6	22
35-49	63	4.0	45	<1	1	2	3	11	17	40
50-64	79	3.5	18	<1	1	2	3	8	14	22
65+	110	4.4	24	<1	1	2	5	12	14	24
2. MULTIPLE DX										
0-19 YRS	157	5.4	51	<1	1	3	7	16	22	44
20-34	189	6.2	109	<1	1	2	7	14	22	62
35-49	103	5.1	108	<1	1	2	5	11	16	59
50-64	107	8.5	156	1	1	4	9	21	32	68
65+	240	7.3	75	1	1	4	10	17	27	44
TOT. SINGLE DX	470	4.0	32	<1	<1	2	4	11	15	25
" MULTIPLE DX	796	6.5	95	1	1	3	8	15	24	62
TOTAL 0-19 YRS	271	5.3	54	<1	1	2	7	16	21	43
20-34	293	4.9	78	<1	<1	2	4	12	17	50
35-49	166	4.7	84	<1	1	2	5	11	16	40
50-64	186	6.4	104	<1	1	3	6	16	24	63
65+	350	6.4	61	1	1	4	8	14	23	41
GRAND TOTAL	**1266**	**5.6**	**73**	**<1**	**1**	**3**	**6**	**14**	**21**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	80	3.9	19	1	1	3	4	7	10	29
20-34	179	3.0	3	1	1	3	4	5	6	10
35-49	47	3.3	2	1	1	3	4	5	6	10
50-64	26	5.0	14	<1	1	4	6	10	14	16
65+	26	10.9	156	2	3	7	12	22	36	63
2. MULTIPLE DX										
0-19 YRS	75	4.1	21	1	1	3	5	9	13	29
20-34	197	4.3	35	1	1	3	4	7	13	52
35-49	85	3.8	8	1	1	3	5	7	9	16
50-64	60	9.6	325	1	1	5	8	20	66	99+
65+	59	12.7	180	1	1	10	18	25	33	80
TOT. SINGLE DX	358	3.9	22	1	1	3	4	6	10	22
" MULTIPLE DX	476	5.9	92	1	1	3	6	14	19	78
TOTAL 0-19 YRS	155	3.9	20	1	1	3	5	8	10	32
20-34	376	3.6	21	1	1	3	4	6	9	22
35-49	132	3.6	6	1	1	3	4	6	8	15
50-64	86	8.2	235	1	1	4	8	16	33	99
65+	85	12.1	172	1	2	9	17	23	31	77
GRAND TOTAL	**834**	**5.0**	**63**	**1**	**1**	**3**	**5**	**10**	**16**	**41**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	717	3.1	16	<1	1	2	3	5	8	23
20-34	754	2.8	5	<1	1	2	3	5	7	15
35-49	320	3.2	9	<1	1	2	4	6	8	16
50-64	212	5.2	66	<1	1	3	5	10	14	48
65+	97	8.6	72	1	2	6	12	19	23	48
2. MULTIPLE DX										
0-19 YRS	451	4.6	36	1	1	3	5	10	16	29
20-34	637	4.2	49	<1	1	3	4	8	12	23
35-49	358	5.2	62	1	1	3	5	10	17	41
50-64	284	8.7	140	1	1	4	9	23	38	61
65+	298	15.4	236	1	3	9	23	39	50	78
TOT. SINGLE DX	2100	3.5	21	<1	1	2	4	6	10	22
" MULTIPLE DX	2028	6.8	104	1	1	3	6	17	26	55
TOTAL 0-19 YRS	1168	3.7	25	<1	1	2	4	7	11	28
20-34	1391	3.5	26	<1	1	2	4	6	9	19
35-49	678	4.2	39	<1	1	3	4	8	12	30
50-64	496	7.2	112	1	1	4	7	18	28	57
65+	395	13.8	205	1	2	8	19	35	48	74
GRAND TOTAL	**4128**	**5.1**	**64**	**<1**	**1**	**3**	**5**	**10**	**19**	**47**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	82	7.6	17	2	3	7	10	13	14	25
20-34	1604	8.4	20	3	4	7	10	14	17	24
35-49	2581	8.8	20	4	4	8	11	15	17	23
50-64	1263	9.2	22	4	5	8	11	15	18	24
65+	305	11.3	34	4	6	10	14	19	22	32
2. MULTIPLE DX										
0-19 YRS	29	13.3	277	2	4	7	12	29	50	83
20-34	631	11.7	69	4	5	9	14	21	28	47
35-49	1282	11.3	54	4	5	9	14	20	25	43
50-64	1127	11.7	59	4	5	10	14	19	24	38
65+	646	15.6	106	6	7	13	19	28	35	65
TOT. SINGLE DX	5835	8.9	22	4	4	8	11	15	18	24
" MULTIPLE DX	3715	12.3	72	4	5	10	15	22	27	47
TOTAL 0-19 YRS	111	9.1	90	2	3	7	10	14	22	62
20-34	2235	9.3	37	4	4	8	11	16	20	35
35-49	3863	9.6	33	4	5	8	11	16	20	32
50-64	2390	10.4	42	4	5	9	12	18	21	33
65+	951	14.2	87	5	6	12	17	26	32	60
GRAND TOTAL	**9550**	**10.2**	**44**	**4**	**5**	**8**	**12**	**18**	**22**	**36**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	629	2.2	1	<1	<1	2	3	4	5	7
20-34	1909	2.4	2	<1	<1	2	3	5	5	8
35-49	1162	2.6	4	<1	<1	2	3	5	6	11
50-64	685	2.8	5	<1	1	2	4	5	6	9
65+	217	3.1	5	1	1	2	4	6	7	15
2. MULTIPLE DX										
0-19 YRS	578	2.9	5	<1	1	2	4	5	6	12
20-34	1984	2.8	5	<1	<1	2	4	5	6	12
35-49	1199	2.8	7	<1	<1	2	3	5	6	13
50-64	1235	3.0	6	<1	1	2	4	6	8	14
65+	582	3.9	14	1	1	3	5	7	10	21
TOT. SINGLE DX	4602	2.5	4	<1	<1	2	3	5	6	9
" MULTIPLE DX	5578	3.0	7	<1	1	2	4	6	7	13
TOTAL 0-19 YRS	1207	2.5	4	<1	<1	2	3	5	6	8
20-34	3893	2.6	4	<1	<1	2	3	5	6	10
35-49	2361	2.7	6	<1	<1	2	3	5	6	12
50-64	1920	3.0	6	<1	1	2	4	5	7	13
65+	799	3.7	12	1	1	3	4	7	9	19
GRAND TOTAL	**10180**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**6**	**12**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	915	2.0	7	<1	<1	1	2	3	4	12
20-34	1658	2.0	3	<1	<1	2	2	4	5	9
35-49	786	2.3	4	<1	<1	2	3	4	5	12
50-64	538	2.9	7	<1	1	2	3	6	8	16
65+	226	3.9	34	<1	1	2	4	8	12	27
2. MULTIPLE DX										
0-19 YRS	547	2.6	14	<1	1	2	3	4	6	17
20-34	1259	2.9	13	<1	<1	2	3	5	8	22
35-49	695	3.3	16	<1	<1	2	4	6	8	25
50-64	592	4.4	38	1	1	3	4	9	15	38
65+	386	7.4	105	1	1	3	8	18	28	54
TOT. SINGLE DX	4123	2.3	7	<1	<1	2	3	4	6	13
" MULTIPLE DX	3479	3.7	31	<1	1	2	4	7	11	30
TOTAL 0-19 YRS	1462	2.2	10	<1	<1	2	2	4	5	17
20-34	2917	2.4	8	<1	<1	2	3	4	6	15
35-49	1481	2.8	10	<1	<1	2	3	5	7	17
50-64	1130	3.7	25	<1	1	2	4	7	11	24
65+	612	6.1	82	1	1	3	6	15	23	50
GRAND TOTAL	**7602**	**2.9**	**19**	**<1**	**<1**	**2**	**3**	**5**	**8**	**23**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	149	10.1	18	4	5	9	12	16	18	25
20-34	170	9.4	22	4	4	8	12	15	18	25
35-49	261	8.9	24	4	4	8	11	14	17	25
50-64	131	9.1	32	4	4	8	11	17	20	36
65+	36	10.7	36	5	5	9	14	20	26	27
2. MULTIPLE DX										
0-19 YRS	92	14.4	100	5	7	11	16	26	33	63
20-34	219	16.0	185	5	6	12	18	30	40	82
35-49	310	12.0	86	4	5	9	14	21	28	54
50-64	233	12.4	122	4	5	9	14	25	29	90
65+	89	19.9	288	4	5	15	26	47	66	99+
TOT. SINGLE DX	747	9.4	25	4	4	8	11	15	18	26
" MULTIPLE DX	943	14.0	144	4	5	10	16	26	36	78
TOTAL 0-19 YRS	241	11.7	54	4	6	10	13	18	25	39
20-34	389	13.1	125	4	5	10	15	22	32	74
35-49	571	10.6	61	4	5	9	12	18	23	46
50-64	364	11.2	92	4	4	9	13	22	28	64
65+	125	17.3	233	4	5	13	20	44	61	99+
GRAND TOTAL	**1690**	**11.9**	**97**	**4**	**5**	**9**	**14**	**21**	**28**	**67**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	75	3.7	6	1	1	3	5	6	8	14
20-34	192	4.4	21	<1	1	3	5	8	10	27
35-49	197	4.2	9	<1	1	3	6	9	10	14
50-64	275	4.2	19	<1	1	3	5	8	10	27
65+	140	4.2	23	<1	<1	3	5	7	11	25
2. MULTIPLE DX										
0-19 YRS	74	4.4	5	1	2	4	6	7	10	12
20-34	198	5.3	22	1	1	4	6	11	15	25
35-49	193	5.3	28	1	1	4	6	9	15	31
50-64	246	6.2	61	1	2	4	7	12	17	60
65+	208	6.9	81	1	2	4	7	12	21	51
TOT. SINGLE DX	879	4.2	17	<1	1	3	5	8	10	23
" MULTIPLE DX	919	5.8	47	1	2	4	7	11	15	36
TOTAL 0-19 YRS	149	4.1	6	1	1	3	5	7	9	14
20-34	390	4.8	22	<1	1	4	6	9	13	25
35-49	390	4.8	19	<1	1	4	6	9	12	19
50-64	521	5.2	40	1	1	4	6	10	13	31
65+	348	5.8	60	<1	1	4	6	11	15	42
GRAND TOTAL	**1798**	**5.0**	**33**	**<1**	**1**	**4**	**6**	**9**	**13**	**31**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.5	1	9	9	9	10	10	10	10
20-34	37	13.1	57	6	7	10	15	27	33	35
35-49	107	11.9	19	7	8	11	14	16	19	30
50-64	488	12.4	28	7	8	11	14	18	20	32
65+	1048	13.7	30	8	8	13	16	20	23	30
2. MULTIPLE DX										
0-19 YRS	4	16.3	64	10	10	13	21	28	28	28
20-34	52	14.5	46	8	8	13	16	26	32	34
35-49	121	14.2	72	7	8	12	17	24	29	83
50-64	613	15.3	64	7	9	13	17	25	31	53
65+	1799	17.6	95	8	10	15	20	29	37	63
TOT. SINGLE DX	1682	13.2	30	7	8	12	15	19	22	32
" MULTIPLE DX	2589	16.8	87	8	9	14	19	27	35	58
TOTAL 0-19 YRS	6	14.0	51	9	9	12	14	27	28	28
20-34	89	13.9	51	7	8	12	16	27	32	35
35-49	228	13.1	49	7	8	11	15	20	25	48
50-64	1101	14.0	50	7	8	12	16	22	27	42
65+	2847	16.2	75	8	9	14	18	25	31	52
GRAND TOTAL	**4271**	**15.4**	**68**	**8**	**9**	**13**	**17**	**24**	**30**	**51**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	8.6	68	<1	1	6	13	24	26	26
20-34	10	8.1	7	3	5	8	9	12	14	14
35-49	19	13.4	72	3	7	11	13	29	33	36
50-64	89	11.8	20	7	8	11	14	17	20	29
65+	440	14.0	29	7	8	13	16	20	22	36
2. MULTIPLE DX										
0-19 YRS	6	15.8	65	9	9	13	22	28	29	29
20-34	13	11.4	38	2	3	13	16	19	21	21
35-49	34	15.7	42	7	7	15	18	25	28	32
50-64	216	15.4	83	6	8	13	17	24	37	52
65+	2107	17.2	96	8	9	15	20	27	34	63
TOT. SINGLE DX	572	13.4	31	7	8	13	16	19	22	35
" MULTIPLE DX	2376	17.0	94	8	9	15	20	27	35	62
TOTAL 0-19 YRS	20	10.8	75	<1	1	9	15	25	27	29
20-34	23	10.0	27	2	3	9	14	17	19	21
35-49	53	14.9	53	6	7	13	17	27	30	36
50-64	305	14.3	67	7	8	12	16	22	34	47
65+	2547	16.7	86	8	9	15	19	26	33	60
GRAND TOTAL	**2948**	**16.3**	**84**	**7**	**9**	**14**	**19**	**26**	**33**	**59**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	426	3.9	4	1	1	4	5	6	8	12
20-34	797	4.5	11	1	2	4	5	7	9	14
35-49	264	6.1	24	1	2	5	8	13	15	24
50-64	424	11.8	39	2	5	11	14	20	24	33
65+	842	14.0	35	7	8	13	16	21	24	35
2. MULTIPLE DX										
0-19 YRS	602	4.7	12	1	2	4	5	7	9	17
20-34	1208	5.0	16	2	2	4	6	8	9	16
35-49	435	5.6	22	1	2	4	6	10	14	23
50-64	501	12.2	64	2	3	11	15	22	28	40
65+	1099	16.6	76	7	9	15	19	27	33	53
TOT. SINGLE DX	2753	8.6	43	1	2	7	12	17	20	30
" MULTIPLE DX	3845	9.3	67	2	3	6	13	19	24	39
TOTAL 0-19 YRS	1028	4.4	9	1	2	4	5	7	8	15
20-34	2005	4.8	15	1	2	4	6	8	9	15
35-49	699	5.8	23	1	2	4	7	11	15	23
50-64	925	12.1	53	2	4	11	15	21	26	39
65+	1941	15.5	60	7	9	14	18	24	30	47
GRAND TOTAL	**6598**	**9.0**	**57**	**2**	**2**	**6**	**13**	**18**	**22**	**36**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	580	3.0	2	1	1	3	4	5	5	8
20-34	1224	3.2	2	1	1	3	4	5	6	8
35-49	482	3.4	5	1	1	3	4	6	7	11
50-64	449	4.0	12	1	1	3	5	7	9	26
65+	220	5.3	23	1	2	4	6	11	14	24
2. MULTIPLE DX										
0-19 YRS	266	3.1	4	1	1	3	4	6	7	10
20-34	602	3.7	22	1	1	3	4	6	7	20
35-49	390	3.8	7	1	1	3	5	7	8	14
50-64	505	4.8	15	1	2	4	5	8	12	21
65+	356	7.1	45	2	2	5	9	15	20	28
TOT. SINGLE DX	2955	3.4	7	1	1	3	4	6	7	13
" MULTIPLE DX	2119	4.5	21	1	1	3	5	8	12	22
TOTAL 0-19 YRS	846	3.0	3	1	1	3	4	5	6	9
20-34	1826	3.3	9	1	1	3	4	5	6	10
35-49	872	3.6	7	1	1	3	4	6	7	13
50-64	954	4.4	15	1	2	4	5	8	10	22
65+	576	6.4	38	2	2	4	8	14	18	28
GRAND TOTAL	**5074**	**3.9**	**13**	**1**	**1**	**3**	**4**	**6**	**9**	**18**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	282	3.4	15	<1	<1	2	4	7	11	24
20-34	259	3.1	8	<1	<1	2	4	6	8	13
35-49	250	2.7	8	<1	<1	2	3	5	8	14
50-64	199	2.3	6	<1	<1	2	3	4	6	16
65+	82	2.8	8	<1	<1	2	3	6	9	17
2. MULTIPLE DX										
0-19 YRS	195	5.6	61	1	1	3	6	11	17	49
20-34	258	6.3	69	<1	1	4	8	13	18	45
35-49	191	5.7	42	<1	1	3	8	13	18	32
50-64	186	6.4	66	1	1	3	7	17	22	38
65+	137	12.2	218	<1	1	7	15	30	48	73
TOT. SINGLE DX	1072	2.9	10	<1	<1	2	3	6	8	18
" MULTIPLE DX	967	6.9	87	1	1	4	9	15	22	54
TOTAL 0-19 YRS	477	4.3	35	<1	<1	3	5	9	14	29
20-34	517	4.7	41	<1	<1	3	5	10	14	31
35-49	441	4.0	25	<1	<1	2	5	9	14	24
50-64	385	4.3	39	<1	<1	2	4	10	17	34
65+	219	8.7	161	<1	<1	4	11	20	34	71
GRAND TOTAL	**2039**	**4.8**	**51**	**<1**	**<1**	**3**	**5**	**11**	**16**	**36**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	402	2.0	10	<1	<1	1	2	3	5	22
20-34	687	1.9	5	<1	<1	1	2	3	4	11
35-49	478	2.0	7	<1	<1	1	2	4	5	14
50-64	373	2.3	7	<1	<1	2	3	4	5	9
65+	151	2.8	6	<1	<1	2	3	6	9	12
2. MULTIPLE DX										
0-19 YRS	65	3.9	35	<1	<1	2	4	9	14	38
20-34	179	3.4	36	<1	<1	2	4	7	9	60
35-49	207	4.7	50	<1	1	3	4	10	17	35
50-64	293	6.3	101	<1	1	3	6	13	23	49
65+	228	8.6	94	1	1	5	11	23	29	57
TOT. SINGLE DX	2091	2.1	7	<1	<1	1	2	4	5	12
" MULTIPLE DX	972	5.8	76	<1	1	3	6	13	23	49
TOTAL 0-19 YRS	467	2.3	14	<1	<1	1	2	4	6	23
20-34	866	2.2	12	<1	<1	1	2	4	6	12
35-49	685	2.9	22	<1	<1	2	3	5	8	26
50-64	666	4.0	53	<1	<1	2	4	8	12	38
65+	379	6.3	67	<1	1	3	7	15	25	47
GRAND TOTAL	**3063**	**3.3**	**32**	**<1**	**<1**	**2**	**3**	**6**	**11**	**29**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	1.5		<1	<1	1	2	3	3	4
20-34	49	2.5	9	<1	<1	2	2	5	9	19
35-49	85	1.8		<1	<1	2	2	3	4	4
50-64	285	1.9		<1	<1	2	2	3	3	4
65+	217	2.1	1	<1	<1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	20	7.9	104	<1	1	3	10	21	32	40
20-34	38	3.9	18	<1	<1	2	5	9	14	20
35-49	48	2.3	2	<1	<1	2	3	4	5	7
50-64	145	2.8	8	<1	1	2	3	5	8	20
65+	107	3.1	12	1	1	2	3	5	9	21
TOT. SINGLE DX	658	2.0	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	358	3.2	16	<1	1	2	3	6	10	23
TOTAL 0-19 YRS	42	4.5	59	<1	<1	2	3	13	21	40
20-34	87	3.1	13	<1	<1	2	3	6	11	20
35-49	133	2.0	1	<1	<1	2	2	3	4	7
50-64	430	2.2	4	<1	<1	2	2	3	4	11
65+	324	2.4	6	<1	<1	2	3	4	5	13
GRAND TOTAL	**1016**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**4**	**5**	**16**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	211	1.8	4	<1	<1	1	2	3	4	15
20-34	331	2.0	5	<1	<1	1	2	3	5	12
35-49	143	1.8	1	<1	<1	1	2	3	4	8
50-64	75	1.9	2	<1	<1	2	2	3	4	10
65+	40	2.0	2	<1	<1	2	2	3	6	7
2. MULTIPLE DX										
0-19 YRS	342	2.0	3	<1	1	1	2	3	5	15
20-34	598	2.4	9	<1	1	2	3	4	6	14
35-49	220	2.5	10	<1	<1	2	3	5	6	19
50-64	161	3.0	12	<1	1	2	3	6	10	18
65+	52	2.7	12	<1	1	2	3	4	7	25
TOT. SINGLE DX	800	1.9	4	<1	<1	1	2	3	4	10
" MULTIPLE DX	1373	2.4	9	<1	1	2	3	4	6	16
TOTAL 0-19 YRS	553	1.9	4	<1	<1	1	2	3	4	15
20-34	929	2.2	8	<1	<1	2	3	4	5	13
35-49	363	2.2	7	<1	<1	2	2	4	5	15
50-64	236	2.7	10	<1	1	2	3	5	8	17
65+	92	2.4	8	<1	<1	2	3	4	7	18
GRAND TOTAL	**2173**	**2.2**	**7**	**<1**	**<1**	**2**	**2**	**4**	**5**	**15**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	116	2.2	4	<1	<1	2	3	4	6	13
20-34	248	2.7	6	<1	<1	2	3	6	7	14
35-49	245	3.1	3	<1	<1	3	4	5	6	11
50-64	355	3.7	6	<1	1	3	5	7	9	13
65+	122	5.0	30	1	2	4	6	8	12	29
2. MULTIPLE DX										
0-19 YRS	165	3.3	27	<1	1	2	4	6	8	24
20-34	344	3.8	23	1	1	2	4	8	11	33
35-49	249	4.5	19	1	1	3	5	9	12	21
50-64	351	5.3	32	1	2	4	6	9	15	27
65+	226	6.9	50	1	2	5	8	13	18	36
TOT. SINGLE DX	1086	3.3	9	<1	1	3	4	6	8	14
" MULTIPLE DX	1335	4.8	32	1	1	3	5	9	13	29
TOTAL 0-19 YRS	281	2.9	18	<1	1	2	3	5	7	21
20-34	592	3.4	17	<1	1	2	4	6	10	22
35-49	494	3.8	12	<1	1	3	5	7	11	16
50-64	706	4.5	20	1	1	4	5	8	11	23
65+	348	6.2	44	1	2	5	7	12	15	33
GRAND TOTAL	**2421**	**4.1**	**22**	**<1**	**1**	**3**	**5**	**8**	**11**	**23**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	361	3.0	3	1	1	3	4	5	6	10
20-34	327	3.6	8	1	1	3	4	6	8	14
35-49	184	3.6	14	1	1	3	4	6	8	21
50-64	132	3.6	11	1	1	3	4	6	8	20
65+	48	5.7	39	1	1	4	6	10	22	30
2. MULTIPLE DX										
0-19 YRS	321	3.7	27	1	1	3	4	6	7	16
20-34	314	4.5	42	1	1	3	5	8	12	33
35-49	172	5.1	106	1	1	3	5	7	11	76
50-64	129	5.1	42	1	1	3	5	9	15	41
65+	59	8.2	120	2	2	5	9	16	21	76
TOT. SINGLE DX	1052	3.4	10	1	1	3	4	6	7	18
" MULTIPLE DX	995	4.6	54	1	1	3	5	7	12	42
TOTAL 0-19 YRS	682	3.3	15	1	1	3	4	5	7	12
20-34	641	4.0	25	1	1	3	5	7	9	22
35-49	356	4.3	59	1	1	3	4	7	9	36
50-64	261	4.3	27	1	1	3	5	7	12	29
65+	107	7.1	85	1	2	5	7	15	22	52
GRAND TOTAL	**2047**	**4.0**	**32**	**1**	**1**	**3**	**4**	**7**	**9**	**24**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	1.6		<1	<1	1	2	3	3	4
20-34	67	2.5	7	<1	1	1	3	5	9	14
35-49	46	2.6	16	<1	<1	2	2	4	7	27
50-64	23	2.1	1	<1	1	2	3	3	4	4
65+	21	1.8		<1	<1	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	63	2.8	8	<1	1	1	3	7	10	14
20-34	167	4.3	92	<1	1	2	3	8	13	88
35-49	95	3.7	23	1	1	2	4	9	13	28
50-64	85	5.0	62	<1	1	2	4	11	27	36
65+	54	6.6	137	1	1	2	4	17	32	60
TOT. SINGLE DX	197	2.2	7	<1	<1	2	3	4	5	14
" MULTIPLE DX	464	4.4	67	<1	1	2	4	9	16	51
TOTAL 0-19 YRS	103	2.4	6	<1	<1	1	3	5	8	12
20-34	234	3.8	68	<1	1	2	3	7	13	64
35-49	141	3.4	21	<1	1	2	3	8	12	27
50-64	108	4.4	51	<1	1	2	4	9	26	35
65+	75	5.2	103	1	1	2	3	11	21	58
GRAND TOTAL	**661**	**3.8**	**50**	**<1**	**1**	**2**	**3**	**8**	**12**	**37**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	7	4.1	13	1	1	3	8	9	9	9
35-49	10	2.9	2	<1	1	3	3	5	7	7
50-64	6	3.7	4	1	1	4	4	7	7	7
65+	2	24.0	288	12	12	24	36	36	36	36
2. MULTIPLE DX										
0-19 YRS	7	8.0	34	2	2	8	13	16	17	17
20-34	19	9.5	248	1	1	3	10	28	50	65
35-49	3	30.7	632	2	2	41	47	49	49	49
50-64	13	21.6	236	4	6	20	39	54	90	99+
65+	13	8.8	41	1	1	10	12	19	21	22
TOT. SINGLE DX	28	4.8	45	1	1	3	5	9	14	36
" MULTIPLE DX	55	13.2	219	1	1	8	18	40	49	98
TOTAL 0-19 YRS	10	6.2	31	1	1	3	9	15	17	17
20-34	26	8.1	188	1	1	3	9	23	38	65
35-49	13	9.3	256	<1	1	3	5	43	48	49
50-64	19	15.9	232	1	2	9	32	44	74	99+
65+	15	10.8	85	1	1	10	13	22	32	36
GRAND TOTAL	**83**	**10.3**	**175**	**1**	**1**	**5**	**12**	**35**	**43**	**88**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.2	9	<1	<1	2	4	8	11	12
20-34	12	2.5	4	<1	<1	2	3	6	7	7
35-49	15	3.9	9	1	1	3	5	7	11	13
50-64	22	5.7	33	<1	1	3	8	15	20	22
65+	50	8.1	111	1	1	4	10	20	27	62
2. MULTIPLE DX										
0-19 YRS	26	7.2	297	<1	1	3	5	12	28	90
20-34	42	11.2	204	1	2	8	13	20	46	72
35-49	84	13.5	120	1	2	11	18	28	34	54
50-64	198	17.2	225	2	3	13	22	36	46	74
65+	296	16.9	249	2	3	12	24	38	50	73
TOT. SINGLE DX	115	5.8	62	<1	1	3	6	13	20	44
" MULTIPLE DX	646	15.8	229	1	2	11	21	35	49	73
TOTAL 0-19 YRS	42	5.6	189	<1	1	2	5	11	12	90
20-34	54	9.3	173	<1	1	6	10	16	34	72
35-49	99	12.1	115	1	2	9	16	27	34	53
50-64	220	16.0	218	2	2	12	21	35	45	74
65+	346	15.6	239	1	2	10	22	36	49	72
GRAND TOTAL	**761**	**14.3**	**217**	**1**	**2**	**9**	**19**	**33**	**45**	**72**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	8	11.0	40	5	6	10	11	22	26	26
35-49	2	11.5	25	8	8	11	15	15	15	15
50-64	13	14.7	136	4	5	9	20	34	40	41
65+	20	13.6	85	3	5	12	17	35	67	99+
2. MULTIPLE DX										
0-19 YRS										
20-34	27	21.3	339	4	5	14	39	57	64	99+
35-49	45	26.2	328	7	9	22	40	60	88	99+
50-64	188	26.6	345	7	8	21	35	58	73	99+
65+	452	27.9	367	8	10	22	36	56	75	95
TOT. SINGLE DX	44	13.2	85	4	5	10	16	31	40	99+
" MULTIPLE DX	712	27.2	359	7	9	22	36	56	75	99+
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	35	18.9	287	5	5	11	29	53	60	99+
35-49	47	23.6	324	7	8	22	38	58	87	99+
50-64	201	25.9	340	6	8	21	34	56	71	99+
65+	472	27.3	364	7	9	22	35	55	75	97
GRAND TOTAL	**756**	**26.4**	**353**	**7**	**8**	**21**	**35**	**56**	**74**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.0	61	4	4	5	15	18	18	18
20-34	3	7.3	8	4	4	9	9	9	9	9
35-49	3	11.3	56	7	7	7	17	20	20	20
50-64	6	12.7	21	7	7	12	17	18	18	18
65+	22	19.8	188	6	7	14	29	44	49	50
2. MULTIPLE DX										
0-19 YRS	5	35.6	739	6	6	48	53	67	67	67
20-34	12	20.2	182	3	4	16	33	38	41	41
35-49	18	30.1	329	8	12	26	51	64	86	99+
50-64	64	23.8	288	8	10	21	32	61	92	99+
65+	403	23.6	342	6	7	18	29	50	68	98
TOT. SINGLE DX	37	16.1	142	4	5	12	19	33	47	50
" MULTIPLE DX	502	23.9	335	6	8	18	30	51	70	99+
TOTAL 0-19 YRS	8	25.6	629	4	4	13	48	62	67	67
20-34	15	17.6	173	3	4	12	31	37	40	41
35-49	21	27.4	331	6	7	23	50	59	82	99+
50-64	70	22.9	275	7	9	17	31	55	88	99+
65+	425	23.4	335	6	7	18	29	50	67	98
GRAND TOTAL	**539**	**23.4**	**326**	**6**	**7**	**18**	**30**	**50**	**68**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.0	109	1	1	3	16	20	20	20
20-34	6	15.2	244	2	2	10	18	42	45	45
35-49	6	7.7	41	<1	<1	6	12	17	18	18
50-64	5	7.2	48	2	2	6	10	19	19	19
65+	7	10.6	23	2	3	11	12	17	18	18
2. MULTIPLE DX										
0-19 YRS	5	16.4	201	1	1	10	31	32	32	32
20-34	16	24.1	208	4	6	22	36	46	49	51
35-49	33	20.2	270	4	6	15	26	44	63	68
50-64	76	20.9	208	5	6	17	29	39	48	73
65+	107	24.5	254	6	9	21	31	51	58	88
TOT. SINGLE DX	27	10.0	86	1	2	8	12	19	24	45
" MULTIPLE DX	237	22.6	238	5	7	19	30	44	55	78
TOTAL 0-19 YRS	8	13.3	165	1	1	9	25	32	32	32
20-34	22	21.7	224	3	4	18	31	45	48	51
35-49	39	18.3	254	3	4	13	23	43	57	68
50-64	81	20.1	209	4	6	17	29	38	48	72
65+	114	23.6	251	5	8	21	30	48	57	86
GRAND TOTAL	**264**	**21.3**	**237**	**4**	**5**	**18**	**29**	**42**	**53**	**78**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	28	6.6	21	1	1	7	10	13	14	14
20-34	20	8.0	18	1	2	8	10	14	16	18
35-49	9	9.1	20	2	2	11	13	14	14	14
50-64	2	11.5	5	10	10	11	13	13	13	13
65+	4	7.0	31	2	2	5	10	15	15	15
2. MULTIPLE DX										
0-19 YRS	29	7.5	40	1	1	6	11	17	18	25
20-34	30	12.1	81	1	2	10	17	23	31	40
35-49	17	7.2	42	1	1	7	10	11	22	28
50-64	10	9.2	56	1	1	7	14	20	26	26
65+	5	5.8	4	3	3	6	7	9	9	9
TOT. SINGLE DX	63	7.6	21	1	1	8	11	14	14	18
" MULTIPLE DX	91	9.1	57	1	1	7	12	19	25	36
TOTAL 0-19 YRS	57	7.1	31	1	1	6	11	14	17	25
20-34	50	10.4	60	1	2	9	13	20	23	40
35-49	26	7.9	35	1	1	8	11	13	17	28
50-64	12	9.6	47	1	2	8	13	18	25	26
65+	9	6.3	15	2	2	6	7	13	15	15
GRAND TOTAL	**154**	**8.4**	**42**	**1**	**1**	**7**	**11**	**16**	**21**	**31**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	15	2.1	1	1	1	2	3	4	4	4
20-34	45	3.4	31	<1	<1	2	4	6	7	38
35-49	30	2.3	1	<1	<1	2	3	4	5	5
50-64	27	7.4	134	<1	<1	3	7	17	42	48
65+	34	7.3	56	1	1	5	10	21	25	25
2. MULTIPLE DX										
0-19 YRS	21	2.3	4	1	1	1	3	5	7	9
20-34	58	5.2	73	<1	<1	2	4	13	25	50
35-49	42	9.5	218	<1	1	4	9	23	50	70
50-64	59	11.3	132	<1	1	7	16	29	41	95
65+	88	14.4	159	2	3	10	20	33	55	99+
TOT. SINGLE DX	151	4.7	51	<1	<1	2	5	9	19	41
" MULTIPLE DX	268	10.0	147	1	1	5	14	27	42	93
TOTAL 0-19 YRS	36	2.2	3	1	1	2	3	4	5	9
20-34	103	4.4	56	<1	<1	2	4	7	18	45
35-49	72	6.5	140	<1	<1	3	5	14	28	67
50-64	86	10.1	135	<1	1	6	14	26	42	82
65+	122	12.5	140	1	2	8	19	30	42	99+
GRAND TOTAL	**419**	**8.1**	**119**	**<1**	**1**	**4**	**9**	**23**	**34**	**61**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	7.3	8	4	4	9	9	9	9	9
50-64	6	7.3	37	1	1	5	12	16	17	17
65+	3	4.7		4	4	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS										
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	1	9.0		9	9	9	9	9	9	9
50-64	3	16.0	243	7	7	7	27	34	34	34
65+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	14	6.4	17	1	3	5	9	12	16	17
" MULTIPLE DX	7	12.1	114	3	4	8	26	80	99+	99+
TOTAL 0-19 YRS	1	4.0		4	4	52	99+	99+	99+	99+
20-34	3	8.7	66	3	3	5	15	18	18	18
35-49	4	7.8	6	4	4	9	9	9	9	9
50-64	9	10.2	103	1	2	7	13	27	34	34
65+	4	5.3	2	4	4	5	6	7	7	7
GRAND TOTAL	**21**	**8.3**	**53**	**2**	**3**	**7**	**9**	**23**	**60**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	174	1.4		<1	<1	1	2	2	3	5
20-34	760	1.6	3	<1	<1	1	2	2	3	7
35-49	1447	1.8	2	<1	<1	1	2	3	3	8
50-64	1007	2.1	3	<1	<1	2	2	3	5	9
65+	636	2.5	11	<1	<1	2	3	4	7	13
2. MULTIPLE DX										
0-19 YRS	39	2.1	3	<1	<1	1	2	5	7	8
20-34	316	2.3	6	<1	<1	2	2	4	6	13
35-49	765	2.7	7	<1	<1	2	3	6	8	14
50-64	766	3.6	25	<1	1	2	4	8	10	22
65+	707	5.3	44	1	1	3	6	11	17	37
TOT. SINGLE DX	4024	1.9	4	<1	<1	2	2	3	4	9
" MULTIPLE DX	2593	3.6	24	<1	<1	2	4	8	11	26
TOTAL 0-19 YRS	213	1.6	1	<1	<1	1	2	2	4	6
20-34	1076	1.8	4	<1	<1	1	2	3	4	10
35-49	2212	2.1	5	<1	<1	2	2	3	6	11
50-64	1773	2.7	13	<1	<1	2	3	6	8	15
65+	1343	4.0	31	<1	1	2	4	8	13	29
GRAND TOTAL	6617	2.6	13	<1	<1	2	2	5	8	16

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	2.1	2	<1	<1	2	2	4	5	9
20-34	34	2.6	4	<1	1	2	3	5	8	10
35-49	53	3.9	5	1	1	3	6	7	9	10
50-64	64	4.5	7	1	2	4	6	8	9	16
65+	104	5.0	10	1	1	5	6	9	11	17
2. MULTIPLE DX										
0-19 YRS	5	3.2	8	<1	<1	3	4	8	8	8
20-34	12	4.0	4	1	1	4	5	7	9	9
35-49	71	5.5	20	1	2	4	6	10	14	26
50-64	129	5.0	7	2	2	5	6	9	11	15
65+	191	8.0	62	2	3	6	8	15	21	50
TOT. SINGLE DX	281	4.1	9	<1	1	4	6	8	9	17
" MULTIPLE DX	408	6.5	38	2	2	5	7	11	16	38
TOTAL 0-19 YRS	31	2.3	4	<1	<1	2	3	4	8	9
20-34	46	3.0	5	<1	1	2	4	6	8	10
35-49	124	4.8	15	1	2	4	6	9	11	22
50-64	193	4.8	8	2	2	4	6	8	10	16
65+	295	7.0	46	2	2	5	8	12	17	43
GRAND TOTAL	689	5.5	27	1	2	5	6	10	13	26

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.7	1	1	1	3	3	4	4	4
20-34	58	5.5	5	2	3	5	7	8	11	13
35-49	388	6.0	5	3	4	6	7	8	10	14
50-64	613	6.2	6	3	4	6	8	9	11	14
65+	634	6.9	8	3	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	67	6.5	6	4	4	6	7	10	13	16
35-49	458	6.6	16	3	4	6	8	10	12	26
50-64	821	7.2	23	3	4	6	8	10	13	23
65+	1058	8.4	25	4	4	7	10	13	16	28
TOT. SINGLE DX	1699	6.4	7	3	4	6	8	9	11	16
" MULTIPLE DX	2405	7.6	23	3	4	7	9	11	14	26
TOTAL 0-19 YRS	7	3.0	2	1	1	3	4	5	5	5
20-34	125	6.1	6	3	3	6	7	9	11	15
35-49	846	6.3	11	3	4	6	7	9	10	21
50-64	1434	6.8	16	3	4	6	8	10	12	19
65+	1692	7.8	20	4	4	7	9	12	15	23
GRAND TOTAL	4104	7.1	17	3	4	6	8	10	13	21

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	206	2.7	1	1	1	3	3	4	5	9
20-34	599	2.7	3	<1	<1	2	4	5	6	8
35-49	513	3.2	3	<1	<1	3	4	5	6	9
50-64	309	3.4	6	1	1	3	4	5	6	12
65+	83	3.3	3	1	1	3	4	6	7	11
2. MULTIPLE DX										
0-19 YRS	60	3.7	6	<1	2	3	4	5	8	16
20-34	359	3.5	6	<1	1	3	5	6	7	15
35-49	665	4.0	12	1	1	4	5	6	8	13
50-64	486	4.3	6	1	2	4	5	7	8	12
65+	127	4.9	16	1	2	4	6	9	12	44
TOT. SINGLE DX	1710	3.0	4	<1	<1	3	4	5	6	9
" MULTIPLE DX	1697	4.1	10	1	1	4	5	7	8	14
TOTAL 0-19 YRS	266	3.0	3	1	1	3	3	4	6	9
20-34	958	3.0	5	<1	<1	3	4	5	6	9
35-49	1178	3.7	9	<1	1	3	5	6	7	11
50-64	795	3.9	7	1	1	4	5	6	8	12
65+	210	4.3	12	1	2	4	5	7	10	25
GRAND TOTAL	**3407**	**3.5**	**7**	**<1**	**1**	**3**	**4**	**6**	**7**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	372	2.9	4	1	1	2	4	5	6	10
20-34	642	2.8	3	1	1	3	3	4	5	8
35-49	100	2.8	2	<1	1	2	4	5	6	9
50-64	23	2.8	2	<1	1	2	4	6	6	6
65+	2	4.0	2	3	3	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	45	4.0	8	1	1	4	5	7	8	19
20-34	123	3.7	8	1	2	3	4	6	9	19
35-49	32	5.2	50	1	1	4	6	8	11	42
50-64	17	6.1	27	1	2	4	7	15	18	20
65+	8	9.3	66	2	2	6	15	22	23	23
TOT. SINGLE DX	1139	2.8	4	1	1	2	3	5	6	8
" MULTIPLE DX	225	4.4	19	1	2	3	5	8	11	21
TOTAL 0-19 YRS	417	3.0	5	1	1	3	4	5	6	10
20-34	765	2.9	4	1	1	3	4	5	6	9
35-49	132	3.4	15	1	1	3	4	6	7	17
50-64	40	4.2	15	<1	1	3	4	8	14	20
65+	10	8.2	57	2	2	4	12	21	23	23
GRAND TOTAL	**1364**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	617	1.8	4	<1	<1	1	2	3	5	11
20-34	646	2.6	13	<1	<1	2	3	5	8	20
35-49	612	2.5	9	<1	<1	2	3	5	7	15
50-64	534	2.7	12	<1	<1	2	3	5	9	15
65+	371	3.4	16	<1	<1	2	3	8	13	21
2. MULTIPLE DX										
0-19 YRS	304	4.7	71	<1	<1	2	4	10	15	55
20-34	447	7.2	103	<1	1	4	8	21	29	58
35-49	493	7.3	84	<1	1	4	9	20	27	51
50-64	715	6.9	64	<1	1	4	8	17	24	44
65+	948	10.1	135	1	2	6	12	23	36	59
TOT. SINGLE DX	2780	2.5	11	<1	<1	1	3	5	8	17
" MULTIPLE DX	2907	7.8	101	<1	1	4	9	20	28	55
TOTAL 0-19 YRS	921	2.8	28	<1	<1	1	2	5	9	28
20-34	1093	4.5	55	<1	<1	2	4	10	19	49
35-49	1105	4.6	49	<1	<1	2	5	11	18	40
50-64	1249	5.1	47	<1	<1	3	6	12	18	40
65+	1319	8.2	111	<1	1	4	10	20	29	57
GRAND TOTAL	**5687**	**5.2**	**64**	**<1**	**<1**	**2**	**5**	**12**	**21**	**46**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	553	3.9	20	<1	<1	2	5	9	13	25
20-34	784	4.6	25	<1	1	3	6	10	14	27
35-49	472	5.3	51	<1	1	3	6	12	17	32
50-64	393	6.1	61	<1	1	4	7	14	20	44
65+	378	6.7	59	1	1	4	9	15	20	38
2. MULTIPLE DX										
0-19 YRS	1627	5.6	82	<1	1	3	6	13	23	53
20-34	2555	6.5	81	1	1	3	7	16	24	52
35-49	1403	8.9	127	1	1	5	11	21	31	69
50-64	1334	10.4	159	1	1	6	13	26	37	72
65+	1792	14.6	242	1	2	9	20	37	51	91
TOT. SINGLE DX	2530	5.1	41	<1	1	3	6	12	16	31
" MULTIPLE DX	8711	9.0	145	1	1	5	11	23	34	69
TOTAL 0-19 YRS	2180	5.2	67	<1	1	2	5	12	20	44
20-34	3339	6.0	69	<1	1	3	7	14	22	46
35-49	1875	8.0	111	1	1	4	10	19	29	62
50-64	1727	9.4	141	1	1	5	12	24	32	68
65+	2170	13.2	219	1	2	8	17	34	49	82
GRAND TOTAL	**11291**	**8.1**	**124**	**1**	**1**	**4**	**10**	**20**	**31**	**65**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	5.2	32	<1	1	3	7	12	15	29
20-34	147	6.1	36	<1	1	4	8	12	18	37
35-49	76	4.9	25	<1	<1	3	7	13	17	22
50-64	76	7.2	77	1	1	3	10	18	21	48
65+	95	12.0	95	1	2	10	17	24	31	47
2. MULTIPLE DX										
0-19 YRS	200	9.3	126	1	1	5	12	25	33	55
20-34	285	11.3	168	1	1	8	15	25	30	83
35-49	185	15.1	255	1	2	10	21	35	48	85
50-64	195	16.2	225	1	2	12	23	38	45	67
65+	327	21.6	321	2	4	18	29	49	62	88
TOT. SINGLE DX	526	6.9	56	<1	1	4	9	16	21	37
" MULTIPLE DX	1192	15.2	246	1	2	10	21	35	48	83
TOTAL 0-19 YRS	332	7.7	93	1	1	4	9	20	28	44
20-34	432	9.5	129	1	1	6	12	20	28	56
35-49	261	12.2	210	1	1	7	16	30	40	78
50-64	271	13.7	200	1	1	9	20	34	43	59
65+	422	19.4	287	2	3	15	26	43	56	85
GRAND TOTAL	**1718**	**12.7**	**203**	**1**	**1**	**8**	**18**	**30**	**42**	**73**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	4.5	51	<1	1	2	4	8	20	44
20-34	83	4.3	40	<1	<1	2	3	11	18	31
35-49	44	8.2	169	<1	1	2	8	26	34	66
50-64	35	3.6	15	<1	1	2	4	7	15	18
65+	20	7.8	75	<1	1	4	16	26	60	99+
2. MULTIPLE DX										
0-19 YRS	68	7.8	277	<1	1	2	4	17	45	91
20-34	104	15.9	393	1	1	9	23	47	78	99+
35-49	92	9.5	263	1	1	3	7	25	43	84
50-64	71	10.3	212	1	1	5	13	25	33	83
65+	60	21.0	544	1	1	10	36	61	82	98
TOT. SINGLE DX	239	5.3	68	<1	<1	2	4	15	25	48
" MULTIPLE DX	395	12.8	351	1	1	4	16	38	56	92
TOTAL 0-19 YRS	125	6.3	176	<1	1	2	4	15	28	76
20-34	187	10.8	269	<1	1	3	14	29	55	93
35-49	136	9.0	232	<1	1	3	8	25	39	83
50-64	106	8.1	157	1	1	4	10	18	30	75
65+	80	17.7	458	1	1	9	27	56	82	99+
GRAND TOTAL	**634**	**9.9**	**257**	**<1**	**1**	**3**	**11**	**27**	**45**	**85**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	251	1.8	1	<1	<1	1	2	3	4	9
20-34	167	2.8	6	<1	<1	2	3	5	8	14
35-49	134	2.2	2	<1	<1	2	3	5	6	8
50-64	164	2.2	3	<1	<1	2	3	4	5	10
65+	67	2.3	3	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
0-19 YRS	156	3.3	17	<1	<1	2	4	7	10	25
20-34	215	4.8	29	<1	1	3	6	10	14	28
35-49	189	4.3	38	<1	1	3	5	7	9	36
50-64	215	4.5	35	<1	1	2	5	10	14	38
65+	156	6.9	57	1	1	4	11	15	22	40
TOT. SINGLE DX	783	2.2	4	<1	<1	2	3	4	6	11
" MULTIPLE DX	931	4.7	37	<1	1	3	5	11	14	33
TOTAL 0-19 YRS	407	2.4	8	<1	<1	2	2	4	7	21
20-34	382	3.9	20	<1	<1	2	5	8	12	27
35-49	323	3.4	25	<1	<1	2	4	6	8	15
50-64	379	3.5	23	<1	<1	2	4	7	12	26
65+	223	5.5	46	<1	1	3	7	14	18	34
GRAND TOTAL	**1714**	**3.6**	**23**	**<1**	**<1**	**2**	**4**	**7**	**12**	**26**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	4.0	10	1	1	3	6	9	10	10
20-34	17	2.2	3	1	1	2	3	3	7	9
35-49	12	1.9	2	<1	<1	1	2	5	6	6
50-64	18	2.3	1	1	1	2	2	4	5	5
65+	20	6.7	36	1	1	4	10	17	19	19
2. MULTIPLE DX										
0-19 YRS	19	9.3	215	1	1	3	11	30	48	57
20-34	17	6.4	44	1	2	3	8	19	21	22
35-49	22	9.8	205	1	2	5	8	30	51	53
50-64	45	6.9	53	1	2	5	8	14	20	40
65+	83	9.1	119	2	2	6	12	15	23	72
TOT. SINGLE DX	77	3.6	15	1	1	2	4	9	12	19
" MULTIPLE DX	186	8.4	115	1	2	5	11	16	24	56
TOTAL 0-19 YRS	29	7.5	148	1	1	3	9	16	39	57
20-34	34	4.3	28	1	1	3	4	11	19	22
35-49	34	7.0	146	1	1	2	7	15	44	53
50-64	63	5.6	42	1	1	3	7	12	16	38
65+	103	8.6	104	2	2	6	12	16	22	61
GRAND TOTAL	**263**	**7.0**	**91**	**1**	**1**	**4**	**8**	**15**	**21**	**53**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.0	11	1	1	2	3	8	10	17
20-34	2104	3.4	13	1	1	2	4	8	11	17
35-49	2686	3.4	15	1	1	2	4	8	11	19
50-64	1575	3.3	13	1	1	2	4	8	10	17
65+	499	4.1	20	1	1	2	5	10	14	23
2. MULTIPLE DX										
0-19 YRS	114	4.6	22	1	1	3	6	11	14	22
20-34	1317	5.6	51	1	1	3	8	13	17	26
35-49	1912	5.7	44	1	1	3	8	12	17	30
50-64	1683	5.6	48	1	1	3	8	13	17	34
65+	1090	8.0	93	1	1	5	10	18	26	42
TOT. SINGLE DX	7002	3.4	15	1	1	2	4	8	11	18
" MULTIPLE DX	6116	6.0	56	1	1	3	8	14	18	35
TOTAL 0-19 YRS	252	3.7	17	1	1	2	4	10	14	20
20-34	3421	4.3	29	1	1	2	6	10	13	22
35-49	4598	4.3	29	1	1	2	5	10	14	24
50-64	3258	4.5	33	1	1	2	5	10	14	26
65+	1589	6.8	74	1	1	3	9	16	22	39
GRAND TOTAL	**13118**	**4.6**	**36**	**1**	**1**	**2**	**6**	**11**	**15**	**27**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	46	2.7	3	<1	1	2	3	6	7	9
20-34	186	4.3	70	1	1	2	4	8	14	46
35-49	260	3.7	15	1	1	2	4	8	13	21
50-64	510	3.0	9	1	1	2	3	5	9	16
65+	607	3.3	18	1	1	2	3	7	10	21
2. MULTIPLE DX										
0-19 YRS	52	7.5	106	1	1	3	9	17	36	49
20-34	188	7.7	108	1	1	4	9	17	29	58
35-49	347	6.2	61	1	1	3	7	12	21	39
50-64	1116	5.9	70	1	1	3	7	13	19	49
65+	1719	6.7	57	1	2	4	8	14	20	40
TOT. SINGLE DX	1609	3.4	21	1	1	2	3	7	10	20
" MULTIPLE DX	3422	6.5	66	1	1	4	8	14	20	42
TOTAL 0-19 YRS	98	5.2	63	1	1	3	5	10	17	48
20-34	374	6.0	92	1	1	3	6	14	19	52
35-49	607	5.1	43	1	1	3	6	11	15	35
50-64	1626	5.0	53	1	1	3	6	10	16	37
65+	2326	5.8	50	1	1	3	7	13	18	38
GRAND TOTAL	**5031**	**5.5**	**54**	**1**	**1**	**3**	**6**	**12**	**17**	**38**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	6	3.2	15	1	1	2	2	10	11	11
35-49	35	2.5	4	<1	1	2	2	5	6	11
50-64	66	2.8	6	1	1	2	2	6	9	12
65+	33	3.5	12	<1	1	2	3	10	12	15
2. MULTIPLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	10	3.4	12	1	1	2	4	9	13	13
35-49	126	4.6	20	1	1	2	6	10	14	21
50-64	333	4.1	13	1	1	2	5	10	11	17
65+	234	4.8	28	<1	1	3	6	10	14	30
TOT. SINGLE DX	140	2.9	8	1	1	2	2	6	10	13
" MULTIPLE DX	706	4.4	20	1	1	2	6	10	12	21
TOTAL 0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	16	3.3	13	1	1	2	3	10	12	13
35-49	161	4.1	17	1	1	2	5	9	13	18
50-64	399	3.9	12	1	1	2	5	9	11	17
65+	267	4.6	27	<1	1	2	6	10	13	29
GRAND TOTAL	**846**	**4.1**	**18**	**1**	**1**	**2**	**5**	**10**	**12**	**18**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	150	3.3	15	1	1	2	3	9	12	19
20-34	392	4.4	16	1	1	2	7	10	12	20
35-49	471	4.0	15	1	1	2	5	10	11	19
50-64	768	3.9	20	1	1	2	5	9	12	21
65+	770	3.7	20	1	1	2	4	9	12	19
2. MULTIPLE DX										
0-19 YRS	199	4.2	56	1	1	2	4	10	13	66
20-34	501	6.4	68	1	1	4	8	13	16	31
35-49	821	6.8	57	1	1	4	9	14	18	45
50-64	2053	6.3	57	1	1	4	8	13	18	35
65+	3023	7.4	63	1	1	5	10	16	21	40
TOT. SINGLE DX	2551	3.9	19	1	1	2	5	10	12	19
" MULTIPLE DX	6597	6.8	61	1	1	4	9	14	19	38
TOTAL 0-19 YRS	349	3.9	39	1	1	2	3	10	13	34
20-34	893	5.5	47	1	1	3	7	11	15	26
35-49	1292	5.8	44	1	1	3	8	12	16	34
50-64	2821	5.6	49	1	1	3	8	12	16	31
65+	3793	6.0	57	1	1	4	9	15	20	37
GRAND TOTAL	**9148**	**6.0**	**51**	**1**	**1**	**3**	**8**	**13**	**18**	**34**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4737	3.3	17	1	1	2	4	6	8	19
20-34	7982	3.7	15	1	1	3	4	7	10	20
35-49	5852	4.2	19	1	1	3	5	8	11	21
50-64	5264	4.7	21	1	1	3	6	9	13	22
65+	5504	5.9	33	1	2	4	7	12	16	30
2. MULTIPLE DX										
0-19 YRS	7574	4.7	47	1	1	3	5	9	14	40
20-34	12438	5.5	42	1	1	4	6	11	17	32
35-49	12641	6.3	44	1	2	4	7	12	19	32
50-64	21540	7.1	48	1	2	5	9	14	19	35
65+	47978	8.6	61	2	2	6	11	17	23	42
TOT. SINGLE DX	29339	4.3	22	1	1	3	5	9	12	23
" MULTIPLE DX	102171	7.3	55	1	2	5	9	15	21	38
TOTAL 0-19 YRS	12311	4.1	36	1	1	3	4	8	12	33
20-34	20420	4.8	33	1	1	3	5	9	14	29
35-49	18493	5.6	37	1	1	4	7	11	16	29
50-64	26804	6.6	44	1	2	5	8	13	18	33
65+	53482	8.3	60	2	2	6	10	16	22	41
GRAND TOTAL	**131510**	**6.7**	**49**	**1**	**2**	**5**	**8**	**14**	**19**	**36**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2937	4.1	26	1	1	3	4	7	11	27
20-34	1577	6.1	33	1	2	4	7	12	18	29
35-49	1661	6.1	24	1	2	5	8	11	15	26
50-64	1490	6.0	23	1	2	5	8	11	14	24
65+	1538	7.6	52	2	2	6	9	14	19	34
2. MULTIPLE DX										
0-19 YRS	3530	6.0	66	1	1	4	6	13	21	44
20-34	2849	7.7	79	1	2	5	9	16	25	53
35-49	3212	8.1	61	2	2	6	10	17	22	39
50-64	5322	8.6	76	2	2	6	10	17	25	49
65+	12815	9.7	68	2	3	8	12	18	24	45
TOT. SINGLE DX	9203	5.7	33	1	1	4	7	11	15	28
" MULTIPLE DX	27728	8.6	72	2	2	6	11	17	24	46
TOTAL 0-19 YRS	6467	5.1	49	1	1	3	5	10	17	38
20-34	4426	7.1	64	1	2	5	8	15	22	46
35-49	4873	7.4	50	1	2	6	9	15	20	34
50-64	6812	8.0	66	1	2	6	9	15	22	44
65+	14353	9.5	68	2	3	7	12	18	24	45
GRAND TOTAL	**36931**	**7.9**	**64**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

OPERATION INDEX (continued)

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
685	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5038	2.8	11	1	1	2	3	5	6	13
20-34	2500	3.7	16	<1	1	3	4	7	10	21
35-49	1665	4.3	21	1	1	3	5	9	12	24
50-64	1904	5.0	19	1	1	4	7	10	13	21
65+	2141	5.9	30	1	2	4	7	11	15	28
2. MULTIPLE DX										
0-19 YRS	6782	4.7	41	1	1	3	5	9	14	36
20-34	4549	5.2	39	1	1	3	6	11	16	33
35-49	4855	6.0	37	1	1	4	7	12	17	30
50-64	9863	6.9	45	1	2	5	9	14	18	35
65+	21640	8.3	60	2	2	6	10	16	22	41
TOT. SINGLE DX	13248	4.0	19	1	1	3	5	8	11	21
" MULTIPLE DX	47689	7.0	52	1	2	5	9	14	20	37
TOTAL 0-19 YRS	11820	3.9	30	1	1	3	4	7	10	29
20-34	7049	4.7	32	1	1	3	5	9	14	30
35-49	6520	5.5	34	1	1	4	7	11	16	29
50-64	11767	6.6	41	1	2	5	8	13	18	32
65+	23781	8.1	58	2	2	6	10	16	21	40
GRAND TOTAL	60937	6.3	46	1	1	4	8	13	18	35

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

OPERATION INDEX (continued)

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

OPERATION INDEX (continued)

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

OPERATION INDEX (continued)

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Length of Stay by Diagnosis, Canada, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 17
Summary of All Patients. 18
Summary of All Patients Except Newborn 19
Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	24	9.9	3,434	426	12.4
25-49	194	76	39.2	6,680	2,572	38.5
50-99	174	47	27.0	12,300	3,224	26.2
100-199	120	36	30.0	16,507	5,183	31.4
200-299	74	14	18.9	17,869	3,279	18.4
300-399	58	11	19.0	20,119	3,775	18.8
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	6,985	27.4
Total	919	220	23.9	111,371	26,411	23.7
Province or Territory						
Alberta	125	111	88.8	11,653	11,322	97.2
British Columbia	111	41	36.9	12,355	4,632	37.5
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,864	98.5
Newfoundland	35	8	22.9	2,588	1,522	58.8
Nova Scotia	48	16	33.3	4,833	3,357	69.5
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	9	6.8	6,260	1,079	17.2
Northwest Territories	3	2	66.6	151	101	66.9
Yukon	0	0	–	0	0	–
Total	919	220	23.9	111,371	26,411	23.7

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

[1]Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1982* or *Length of Stay by Operation, Canada, 1982.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	**129430**	**9.5**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**33**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99614	4.3	14	1	1	4	5	7	9	18
20-34	54852	4.4	26	<1	1	4	5	7	11	27
35-49	18786	6.0	48	1	1	4	7	13	18	35
50-64	18612	7.4	63	1	1	5	9	16	22	41
65+	22265	8.9	90	1	2	6	11	19	27	60
B. *Operated*										
0-19 YRS	33343	3.5	15	<1	1	2	4	7	9	19
20-34	63845	4.2	13	<1	1	4	5	8	9	17
35-49	25210	5.2	23	<1	1	4	7	10	13	24
50-64	20255	6.6	40	1	1	5	8	13	18	30
65+	17289	8.1	64	1	2	6	10	17	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85976	5.6	36	1	2	4	6	10	14	32
20-34	36060	5.9	61	1	1	4	6	12	19	45
35-49	22342	7.7	79	1	1	5	9	17	24	47
50-64	35679	9.3	93	1	2	7	12	19	27	56
65+	67101	12.2	156	2	3	9	15	27	39	99+
B. *Operated*										
0-19 YRS	21742	6.3	90	1	1	3	7	13	22	60
20-34	62925	6.4	46	1	2	5	7	11	16	38
35-49	29755	8.2	73	1	2	7	10	16	23	49
50-64	31860	11.0	125	1	2	8	14	24	33	65
65+	38027	14.7	208	2	3	11	19	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	214129	5.2	35	1	1	4	6	10	14	31
B. *Operated*	159942	4.9	26	<1	1	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	247158	8.2	92	1	2	5	9	17	26	61
B. *Operated*	184309	9.2	113	1	2	6	11	20	30	68
1. SINGLE DX	374071	5.1	31	1	1	4	6	10	14	28
2. MULTIPLE DX	431467	8.6	101	1	2	6	10	19	28	64
A. NOT OPERATED	461287	6.8	67	1	1	4	8	14	21	48
B. OPERATED	344251	7.2	77	1	1	5	8	15	23	52
TOTAL 0-19 YRS	240675	4.9	30	1	1	4	6	8	12	28
20-34	217682	5.1	35	<1	1	4	6	9	13	32
35-49	96093	6.9	58	1	1	5	8	14	20	41
50-64	106406	9.0	90	1	2	6	11	19	26	53
65+	144682	11.8	153	2	2	8	15	26	39	95
GRAND TOTAL	**805538**	**7.0**	**72**	**1**	**1**	**5**	**8**	**15**	**22**	**50**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58738	4.2	21	1	1	3	5	8	11	22
20-34	54852	4.4	26	<1	1	4	5	7	11	27
35-49	18786	6.0	48	1	1	4	7	13	18	35
50-64	18612	7.4	63	1	1	5	9	16	22	41
65+	22265	8.9	90	1	2	6	11	19	27	60
B. *Operated*										
0-19 YRS	33335	3.5	15	<1	1	2	4	7	9	19
20-34	63845	4.2	13	<1	1	4	5	8	9	17
35-49	25210	5.2	23	<1	1	4	7	10	13	24
50-64	20255	6.6	40	1	1	5	8	13	18	30
65+	17289	8.1	64	1	2	6	10	17	22	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43788	5.6	45	1	1	4	7	11	16	35
20-34	36060	5.9	61	1	1	4	6	12	19	45
35-49	22342	7.7	79	1	1	5	9	17	24	47
50-64	35679	9.3	93	1	2	7	12	19	27	56
65+	67101	12.2	156	2	3	9	15	27	39	99+
B. *Operated*										
0-19 YRS	21254	6.0	75	1	1	3	7	13	21	51
20-34	62925	6.4	46	1	2	5	7	11	16	38
35-49	29755	8.2	73	1	2	7	10	16	23	49
50-64	31860	11.0	125	1	2	8	14	24	33	65
65+	38027	14.7	208	2	3	11	19	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173253	5.4	42	1	1	4	6	11	16	34
B. *Operated*	159934	4.9	26	<1	1	4	6	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	204970	8.7	104	1	1	6	11	19	28	66
B. *Operated*	183821	9.1	112	1	2	6	11	20	30	67
1. SINGLE DX	333187	5.2	34	<1	1	4	6	10	15	30
2. MULTIPLE DX	388791	8.9	107	1	2	6	11	19	29	67
A. NOT OPERATED	378223	7.2	78	1	1	5	8	15	23	53
B. OPERATED	343755	7.2	76	1	1	5	8	15	23	51
TOTAL 0-19 YRS	157115	4.7	34	1	1	3	5	9	13	31
20-34	217682	5.1	35	<1	1	4	6	9	13	32
35-49	96093	6.9	58	1	1	5	8	14	20	41
50-64	106406	9.0	90	1	2	6	11	19	26	53
65+	144682	11.8	153	2	2	8	15	26	39	95
GRAND TOTAL	**721978**	**7.2**	**77**	**1**	**1**	**5**	**8**	**15**	**23**	**52**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1803	4.4	14	1	1	3	5	8	11	18
20-34	387	3.2	7	<1	1	2	4	6	9	14
35-49	168	3.8	10	<1	1	3	5	8	10	18
50-64	121	4.4	15	1	1	3	5	9	12	23
65+	128	5.4	19	1	1	4	7	12	14	21
B. *Operated*										
0-19 YRS	11	6.2	12	2	3	5	9	11	13	13
20-34	16	5.3	10	2	2	4	7	10	12	13
35-49	5	7.2	6	3	3	8	9	9	9	9
50-64	7	15.6	118	5	5	12	22	33	35	35
65+	5	9.6	9	6	6	9	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1069	6.6	37	1	2	5	8	13	17	33
20-34	197	3.8	10	1	1	3	5	7	10	20
35-49	104	4.6	10	1	2	4	6	10	12	14
50-64	118	6.5	24	1	2	5	8	13	14	26
65+	238	7.6	64	1	2	6	10	15	21	71
B. *Operated*										
0-19 YRS	28	11.6	85	3	4	9	14	24	34	42
20-34	20	7.0	40	1	2	5	10	14	21	27
35-49	15	[illegible]	23	4	6	8	11	14	21	23
50-64	7	14.9	65	4	5	9	20	25	26	26
65+	19	14.5	132	4	5	10	15	34	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2607	4.2	13	1	1	3	5	8	11	18
B. *Operated*	44	7.9	37	2	3	6	10	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	1726	6.3	36	1	2	5	8	12	17	30
B. *Operated*	89	11.0	77	3	3	9	13	24	32	41
1. SINGLE DX	2651	4.3	14	1	1	3	5	8	11	19
2. MULTIPLE DX	1815	6.5	39	1	2	5	8	13	18	33
A. NOT OPERATED	4333	5.0	23	1	1	4	6	10	14	24
B. OPERATED	133	10.0	66	2	3	8	12	21	31	40
TOTAL 0-19 YRS	2911	5.3	25	1	1	4	6	11	14	26
20-34	620	3.6	10	1	1	3	4	7	10	15
35-49	292	4.4	12	1	1	3	6	10	11	17
50-64	253	6.0	29	1	1	4	8	12	16	27
65+	390	7.2	55	1	2	5	9	14	21	38
GRAND TOTAL	**4466**	**5.2**	**25**	**1**	**1**	**4**	**6**	**11**	**14**	**25**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	19.1	386	3	3	13	22	57	63	69
20-34	19	21.7	348	3	4	18	23	52	68	75
35-49	9	16.4	203	5	5	13	20	41	47	47
50-64	12	22.4	664	3	3	16	24	53	92	99
65+	20	12.7	164	1	2	8	15	38	41	42
B. *Operated*										
0-19 YRS	2	12.0	200	2	2	12	22	22	22	22
20-34	10	12.6	87	4	5	10	13	28	36	36
35-49	5	16.0	34	10	10	13	21	24	24	24
50-64	6	18.0	83	2	3	20	25	25	25	25
65+	4	15.5	216	1	1	14	27	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	26.8	468	3	3	30	57	99+	99+	99+
20-34	14	12.9	84	2	3	13	18	25	30	32
35-49	11	31.7	635	3	5	28	48	66	82	83
50-64	24	22.1	405	5	5	18	33	82	99+	99+
65+	43	24.1	524	4	5	19	36	79	99+	99+
B. *Operated*										
0-19 YRS	2	31.0	2	30	30	31	32	32	32	32
20-34	14	27.9	365	5	7	27	48	63	91	99+
35-49	13	25.2	275	8	10	22	45	58	91	99+
50-64	23	30.5	596	4	5	34	57	99+	99+	99+
65+	15	19.8	210	3	4	16	29	52	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	16.3	339	3	3	14	21	41	59	92
B. *Operated*	27	14.8	89	2	3	13	22	25	33	36
2. MULTIPLE DX										
A. *Not Operated*	105	23.3	451	3	4	18	36	74	99+	99+
B. *Operated*	67	26.6	382	4	7	25	49	97	99+	99+
1. SINGLE DX	107	17.4	277	2	3	13	22	36	56	85
2. MULTIPLE DX	172	24.6	424	4	5	20	43	79	99+	99+
A. NOT OPERATED	185	21.1	407	3	4	15	32	60	84	99+
B. OPERATED	94	23.2	325	3	5	18	39	60	99+	99+
TOTAL 0-19 YRS	37	22.0	389	3	3	17	34	60	86	99+
20-34	57	19.5	269	3	4	15	24	48	62	98
35-49	38	23.8	349	5	6	16	42	52	70	99+
50-64	65	24.9	491	3	5	20	39	98	99+	99+
65+	82	20.1	378	3	4	14	33	61	96	99+
GRAND TOTAL	**279**	**21.8**	**379**	**3**	**4**	**16**	**33**	**60**	**99**	**99+**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	20.3	371	2	2	19	39	46	47	47
20-34	5	7.2	11	5	5	6	8	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64	4	9.5	152	3	3	4	16	28	28	28
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	8	6.5	51	1	1	3	9	18	22	22
20-34	10	7.6	48	<1	1	5	9	19	24	24
35-49	5	6.2	35	1	1	3	12	14	14	14
50-64	5	30.6	914	12	12	16	40	84	84	84
65+	3	33.7	2054	7	7	8	66	86	86	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	20.8	1001	1	1	7	38	68	68	68
20-34	5	9.0	50	3	3	6	16	18	18	18
35-49	9	12.1	69	1	3	10	16	25	28	28
50-64	8	16.1	210	3	3	15	22	40	45	45
65+	5	8.2	35	3	3	13	79	99+	99+	99+
B. *Operated*										
0-19 YRS	4	12.8	74	3	3	14	20	20	20	20
20-34	12	7.9	15	3	3	8	11	13	14	14
35-49	9	12.8	113	<1	1	12	20	29	32	32
50-64	12	18.7	429	3	4	13	26	82	97	99+
65+	7	43.6	926	2	6	41	56	91	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	12.7	202	2	3	6	19	39	46	47
B. *Operated*	31	13.3	412	1	1	8	14	24	81	86
2. MULTIPLE DX										
A. *Not Operated*	31	13.1	196	1	3	10	17	50	95	99+
B. *Operated*	44	18.0	412	2	3	12	23	44	83	99+
1. SINGLE DX	49	13.1	329	1	2	7	15	27	49	86
2. MULTIPLE DX	75	16.0	325	2	3	12	20	45	91	99+
A. NOT OPERATED	49	13.0	194	2	3	8	18	44	67	99+
B. OPERATED	75	16.0	412	1	2	9	20	40	82	99+
TOTAL 0-19 YRS	23	14.3	305	1	2	8	20	45	54	68
20-34	32	7.9	27	2	3	6	11	14	18	24
35-49	24	10.8	79	1	1	9	15	25	29	32
50-64	29	18.8	407	3	3	15	25	61	84	99+
65+	16	28.5	928	2	3	19	60	99+	99+	99+
GRAND TOTAL	**124**	**14.8**	**326**	**2**	**3**	**9**	**19**	**43**	**79**	**99+**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	178	3.4	5	1	1	3	4	6	8	14
20-34	39	3.5	2	1	2	3	5	5	6	7
35-49	7	4.1	6	1	1	3	5	8	9	9
50-64	5	5.0	12	1	1	6	7	9	9	9
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	3	8.7	97	2	2	4	16	20	20	20
20-34	4	2.8		2	2	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	4.4	13	1	2	3	6	8	11	19
20-34	32	3.6	3	1	2	3	5	5	6	9
35-49	4	4.3	2	3	3	4	5	6	6	6
50-64	5	6.8	76	3	3	5	12	24	24	24
65+	2	20.5	365	7	7	20	34	34	34	34
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	3.5	5	1	1	3	4	6	7	11
B. *Operated*	7	5.3	43	2	2	3	4	17	20	20
2. MULTIPLE DX										
A. *Not Operated*	208	4.6	17	1	2	3	6	8	11	26
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	239	3.5	6	1	1	3	4	6	8	15
2. MULTIPLE DX	209	4.6	17	1	2	3	6	8	11	26
A. NOT OPERATED	440	4.0	11	1	1	3	5	7	9	16
B. OPERATED	8	5.9	39	2	2	3	7	17	20	20
TOTAL 0-19 YRS	347	3.9	10	1	1	3	5	7	9	15
20-34	75	3.5	2	1	2	3	4	5	6	8
35-49	11	4.2	4	1	2	4	5	7	9	9
50-64	10	6.9	43	1	1	5	8	16	24	24
65+	5	11.2	165	4	4	7	14	34	34	34
GRAND TOTAL	**448**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**20**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	6.1	24	2	2	5	7	12	16	27
20-34	11	7.4	72	1	1	7	8	18	30	31
35-49	5	7.6	13	4	4	8	10	12	12	12
50-64	10	8.3	18	4	4	6	13	14	15	15
65+	11	12.2	156	3	3	7	13	32	44	45
B. *Operated*										
0-19 YRS										
20-34	1	19.0		19	19	19	19	19	19	19
35-49										
50-64	2	27.5	1105	4	4	27	51	51	51	51
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	9.2	56	1	2	7	11	18	27	36
20-34	16	9.6	69	2	2	6	15	22	28	30
35-49	16	13.8	170	4	4	8	16	41	44	44
50-64	43	12.7	91	3	4	9	14	30	34	41
65+	117	16.6	262	3	5	13	18	34	46	95
B. *Operated*										
0-19 YRS	3	11.7	2	10	10	12	13	13	13	13
20-34	5	38.4	437	8	8	34	56	61	61	61
35-49	9	16.7	170	2	4	11	24	38	42	42
50-64	13	21.9	169	9	11	16	29	44	45	45
65+	24	26.1	216	6	8	29	37	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	7.3	45	2	2	5	8	13	22	39
B. *Operated*	3	24.7	576	4	4	19	43	51	51	51
2. MULTIPLE DX										
A. *Not Operated*	257	13.4	172	2	4	9	16	29	38	83
B. *Operated*	54	23.9	231	6	8	21	35	45	56	98
1. SINGLE DX	97	7.8	65	2	2	5	8	14	24	48
2. MULTIPLE DX	311	15.3	197	3	4	11	19	35	44	88
A. NOT OPERATED	351	11.8	145	2	3	8	14	25	36	57
B. OPERATED	57	23.9	239	5	8	20	35	47	55	97
TOTAL 0-19 YRS	125	7.8	42	2	2	6	10	15	20	36
20-34	33	13.5	227	1	2	8	19	34	52	61
35-49	30	13.6	146	4	4	10	13	37	43	44
50-64	68	14.2	130	4	4	11	16	32	41	50
65+	152	17.8	259	3	5	13	22	39	49	96
GRAND TOTAL	**408**	**13.5**	**175**	**2**	**3**	**9**	**16**	**33**	**41**	**71**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	192	7.7	59	1	2	6	9	15	25	39
20-34	25	6.6	15	2	3	5	10	13	14	15
35-49	10	5.6	13	3	3	4	5	12	14	14
50-64	15	10.4	280	3	3	6	7	14	56	70
65+	13	12.4	168	3	4	8	11	38	44	45
B. *Operated*										
0-19 YRS	4	12.3	75	6	6	9	17	25	25	25
20-34	3	30.7	364	9	9	38	43	45	45	45
35-49										
50-64	2	15.5	41	11	11	15	20	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	10.2	110	2	2	8	13	16	23	69
20-34	14	7.0	21	2	2	5	11	13	16	17
35-49	7	10.3	59	1	2	7	18	21	21	21
50-64	21	10.7	206	2	3	6	10	26	50	63
65+	28	16.3	261	3	3	13	19	38	48	76
B. *Operated*										
0-19 YRS	2	16.5	265	5	5	16	28	28	28	28
20-34	5	18.2	842	3	3	6	23	70	70	70
35-49	4	13.0	35	7	7	13	18	19	19	19
50-64	3	15.7	124	3	3	20	23	24	24	24
65+	4	18.5	23	14	14	18	22	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	7.9	71	2	2	6	9	15	24	45
B. *Operated*	9	19.1	201	6	7	11	28	42	45	45
2. MULTIPLE DX										
A. *Not Operated*	147	11.1	145	2	2	8	13	20	33	76
B. *Operated*	18	16.5	243	3	3	14	21	27	53	70
1. SINGLE DX	264	8.3	79	2	2	6	9	15	27	45
2. MULTIPLE DX	165	11.7	158	2	2	8	14	21	34	75
A. NOT OPERATED	402	9.1	100	2	2	6	11	17	27	61
B. OPERATED	27	17.4	223	3	4	14	23	36	49	70
TOTAL 0-19 YRS	275	8.5	75	2	2	6	11	15	26	47
20-34	47	9.5	147	2	3	6	10	15	39	70
35-49	21	8.6	38	2	3	6	12	19	20	21
50-64	41	11.2	211	2	3	6	10	22	50	70
65+	45	15.4	212	3	4	11	19	36	45	76
GRAND TOTAL	**429**	**9.6**	**112**	**2**	**2**	**7**	**11**	**18**	**28**	**64**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	4.7	8	1	2	4	6	9	11	14
20-34	83	4.8	7	1	2	4	6	8	10	13
35-49	13	5.3	11	1	2	4	7	10	12	13
50-64	5	7.8	21	4	4	7	10	15	15	15
65+	3	12.0	169	4	4	5	21	27	27	27
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	3	5.3	4	3	3	6	7	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	4.7	9	1	2	4	6	8	12	14
20-34	23	4.9	4	2	3	5	6	7	8	9
35-49	6	5.7	10	3	3	4	8	11	11	11
50-64	2	8.5	1	8	8	8	9	9	9	9
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	4.9	10	1	2	4	6	9	11	15
B. *Operated*	4	6.5	8	3	3	6	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	69	5.0	8	2	2	4	7	9	11	14
B. *Operated*	2	10.5	1	10	10	10	11	11	11	11
1. SINGLE DX	284	4.9	10	1	2	4	6	9	11	15
2. MULTIPLE DX	71	5.2	8	2	2	4	7	9	11	14
A. NOT OPERATED	349	4.9	9	1	2	4	6	9	11	14
B. OPERATED	6	7.8	9	3	3	8	10	11	11	11
TOTAL 0-19 YRS	214	4.7	8	1	2	4	6	9	11	14
20-34	110	4.9	6	2	2	5	6	8	9	13
35-49	19	5.4	10	1	2	4	8	10	12	13
50-64	8	8.4	13	4	4	8	10	14	15	15
65+	4	12.0	113	4	4	8	19	27	27	27
GRAND TOTAL	**355**	**5.0**	**10**	**1**	**2**	**4**	**6**	**9**	**11**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	321	3.6	6	1	1	3	4	6	9	12
20-34	29	5.9	12	1	3	5	7	11	13	16
35-49	15	6.3	8	1	3	6	8	10	11	12
50-64	38	7.3	35	1	2	5	9	15	22	25
65+	102	10.6	130	2	3	8	12	20	26	70
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	3	8.0	7	5	5	9	10	10	10	10
35-49	4	20.8	1358	1	1	3	40	76	76	76
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	16.5	221	6	6	16	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.8	11	1	2	4	6	10	11	17
20-34	25	5.1	10	1	2	4	6	11	12	12
35-49	13	8.8	21	3	4	8	11	17	17	17
50-64	44	11.4	89	2	3	9	14	21	32	46
65+	186	13.6	150	2	3	10	17	26	39	75
B. *Operated*										
0-19 YRS	9	15.8	623	2	3	6	15	55	81	81
20-34	6	13.5	173	5	5	9	11	37	40	40
35-49	5	11.6	22	6	6	10	16	17	17	17
50-64	4	16.5	100	8	8	14	24	30	30	30
65+	20	24.6	434	2	5	21	34	44	69	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	505	5.5	41	1	1	4	6	11	14	26
B. *Operated*	12	13.1	438	1	2	6	9	42	71	76
2. MULTIPLE DX										
A. *Not Operated*	525	8.6	84	2	2	6	11	18	24	54
B. *Operated*	44	19.1	365	3	4	12	24	40	56	93
1. SINGLE DX	517	5.7	51	1	1	4	6	11	15	29
2. MULTIPLE DX	569	9.4	113	2	2	6	11	20	29	58
A. NOT OPERATED	1030	7.1	65	1	2	5	8	15	20	48
B. OPERATED	56	17.5	379	2	4	10	23	40	67	92
TOTAL 0-19 YRS	589	4.3	19	1	1	3	5	8	10	17
20-34	63	6.4	29	2	2	5	8	11	13	37
35-49	37	9.4	145	2	3	7	10	17	17	76
50-64	87	9.8	69	2	3	8	13	20	25	45
65+	310	13.4	170	2	3	9	17	26	39	85
GRAND TOTAL	**1086**	**7.6**	**87**	**1**	**2**	**5**	**9**	**16**	**22**	**53**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	7.2	19	2	3	6	9	13	16	21
20-34	66	7.7	23	2	3	7	9	13	14	30
35-49	17	10.1	48	2	3	9	13	19	25	28
50-64	16	10.3	27	3	4	10	14	18	20	21
65+	1	45.0		45	45	45	45	45	45	45
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	4	7.3	46	1	1	6	12	16	16	16
35-49	7	9.7	67	1	1	7	13	23	25	25
50-64	3	12.3	34	8	8	10	17	19	19	19
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.0	85	1	1	4	7	17	32	35
20-34	27	8.2	35	2	3	7	10	17	22	27
35-49	10	7.0	9	4	4	6	8	12	14	14
50-64	8	8.4	34	4	4	7	9	18	22	22
65+	9	16.9	123	6	6	17	26	69	99+	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	8	17.8	198	6	7	11	24	41	48	48
50-64	2	17.0	242	6	6	17	28	28	28	28
65+	3	10.3	70	5	5	6	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	146	8.3	35	2	3	7	10	14	18	33
B. *Operated*	16	8.6	51	1	1	7	13	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	66	9.0	58	2	3	6	10	22	28	90
B. *Operated*	16	14.6	143	2	5	10	21	28	42	48
1. SINGLE DX	162	8.4	36	2	3	7	11	15	19	32
2. MULTIPLE DX	82	10.1	78	2	3	7	12	23	30	83
A. NOT OPERATED	212	8.5	42	2	3	7	10	15	21	41
B. OPERATED	32	11.6	103	1	1	9	16	25	28	48
TOTAL 0-19 YRS	60	7.1	31	2	2	6	9	13	17	34
20-34	99	7.8	27	2	3	7	10	14	17	30
35-49	42	10.7	78	2	3	8	12	24	26	48
50-64	29	10.4	39	4	4	8	13	20	22	28
65+	14	16.4	176	2	5	13	25	45	86	99+
GRAND TOTAL	**244**	**8.9**	**51**	**2**	**3**	**7**	**11**	**18**	**23**	**45**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	241	4.6	8	1	2	4	6	8	10	17
20-34	64	5.1	8	1	2	5	7	9	10	12
35-49	6	3.8	6	1	1	3	5	8	8	8
50-64	2	5.5	25	2	2	5	9	9	9	9
65+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	3	6.7	32	2	2	5	11	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	5.5	12	1	2	5	7	9	13	17
20-34	56	4.8	10	1	2	4	6	8	11	17
35-49	11	6.5	8	2	3	6	8	11	11	11
50-64	5	5.6	14	3	3	3	9	11	11	11
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	3	9.3	10	7	7	8	12	13	13	13
20-34	4	12.0	74	1	1	12	17	22	22	22
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	314	4.8	8	1	2	4	6	9	10	15
B. *Operated*	5	6.6	16	2	2	6	8	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	196	5.4	11	1	2	5	7	9	13	17
B. *Operated*	8	10.9	36	1	3	11	13	19	22	22
1. SINGLE DX	319	4.8	9	1	2	4	6	9	10	15
2. MULTIPLE DX	204	5.6	13	1	2	5	7	11	13	18
A. NOT OPERATED	510	5.0	9	1	2	4	6	9	11	16
B. OPERATED	13	9.2	31	1	2	8	13	15	21	22
TOTAL 0-19 YRS	368	5.0	10	1	2	4	6	9	11	17
20-34	127	5.2	12	1	2	5	7	9	12	18
35-49	18	5.9	10	1	2	6	8	11	11	11
50-64	7	5.6	13	2	2	3	9	11	11	11
65+	3	8.3	26	4	4	7	12	14	14	14
GRAND TOTAL	**523**	**5.1**	**10**	**1**	**2**	**4**	**7**	**9**	**12**	**17**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	11	1	1	3	5	9	9	9
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	214	1.6	4	<1	<1	1	1	2	4	14
20-34	281	1.9	2	<1	<1	1	2	4	5	6
35-49	48	2.8	10	<1	<1	2	3	5	6	21
50-64	19	3.4	21	<1	<1	1	3	10	15	19
65+	5	7.4	109	<1	<1	1	13	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.8	8	<1	<1	2	4	8	8	8
20-34	7	4.1	45	<1	<1	<1	4	16	19	19
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	26	2.5	6	<1	<1	2	3	6	9	11
20-34	76	4.7	119	<1	<1	2	4	8	12	76
35-49	11	2.6	3	1	1	2	4	5	6	6
50-64	6	5.2	27	1	1	4	6	14	15	15
65+	4	3.0	4	2	2	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	7	1	1	3	4	8	9	9
B. *Operated*	567	2.0	5	<1	<1	1	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*	17	4.5	30	<1	<1	2	6	14	18	19
B. *Operated*	123	4.0	77	<1	<1	2	4	6	11	47
1. SINGLE DX	576	2.0	5	<1	<1	1	2	4	5	13
2. MULTIPLE DX	140	4.1	71	<1	<1	2	4	7	11	36
A. NOT OPERATED	26	4.0	22	<1	<1	2	5	9	17	19
B. OPERATED	690	2.3	18	<1	<1	1	2	5	6	14
TOTAL 0-19 YRS	251	1.8	4	<1	<1	1	2	3	4	14
20-34	367	2.5	28	<1	<1	1	3	5	6	12
35-49	62	2.8	8	<1	<1	2	3	5	6	19
50-64	26	4.3	27	<1	<1	2	5	14	17	19
65+	10	5.6	55	<1	<1	2	7	17	25	25
GRAND TOTAL	**716**	**2.4**	**18**	**<1**	**<1**	**1**	**2**	**5**	**6**	**15**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	552	3.0	5	1	1	3	4	5	7	9
20-34	129	3.8	8	1	1	3	4	8	9	14
35-49	50	4.1	10	1	2	3	5	7	13	17
50-64	31	3.9	10	1	1	2	6	7	7	17
65+	33	5.8	22	1	1	4	7	14	15	21
B. *Operated*										
0-19 YRS	23	3.6	28	<1	<1	1	5	8	15	25
20-34	8	5.5	26	<1	<1	4	6	14	17	17
35-49	4	9.5	44	5	5	7	14	19	19	19
50-64	3	8.7	58	2	2	7	14	17	17	17
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	4.4	19	1	1	3	5	8	12	21
20-34	90	5.5	60	1	2	4	6	9	11	52
35-49	60	4.4	4	2	2	4	6	7	8	12
50-64	53	6.2	23	1	2	5	8	13	16	23
65+	88	9.0	107	2	2	6	11	19	20	68
B. *Operated*										
0-19 YRS	10	10.4	79	1	2	7	12	25	30	30
20-34	10	16.6	295	3	3	11	17	46	57	57
35-49	4	9.3	21	4	4	9	13	14	14	14
50-64	7	23.9	241	9	9	24	27	49	55	55
65+	6	21.7	697	7	7	10	18	69	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	795	3.4	7	1	1	3	4	6	8	15
B. *Operated*	39	5.1	32	<1	1	4	6	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	619	5.3	38	1	2	4	6	10	16	24
B. *Operated*	37	16.3	264	3	4	11	19	35	56	75
1. SINGLE DX	834	3.4	8	1	1	3	4	6	8	17
2. MULTIPLE DX	656	6.0	57	1	2	4	7	12	17	37
A. NOT OPERATED	1414	4.2	22	1	1	3	5	8	11	20
B. OPERATED	76	10.5	175	1	1	6	13	25	34	70
TOTAL 0-19 YRS	913	3.6	12	1	1	3	4	6	9	19
20-34	237	5.0	45	1	1	3	6	9	12	39
35-49	118	4.6	10	2	2	4	5	7	12	18
50-64	94	6.8	58	1	2	4	8	15	22	43
65+	128	8.7	116	1	2	6	10	18	20	75
GRAND TOTAL	**1490**	**4.6**	**31**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	1	2	2	3	4	5	5	5
20-34	7	4.9	14	1	1	4	9	10	10	10
35-49	5	6.8	23	3	3	4	11	13	13	13
50-64	4	7.8	46	1	1	6	12	17	17	17
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.4	7	3	3	7	8	10	10	10
20-34	4	7.0	54	3	3	4	11	18	18	18
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	3.7		3	3	4	4	4	4	4
65+	5	5.8	25	1	1	3	10	13	13	13
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	18.0	237	5	5	14	30	35	35	35
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.3	16	1	2	4	6	11	14	17
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	18	5.7	19	2	3	4	7	12	16	18
B. *Operated*	3	18.0	237	5	5	14	30	35	35	35
1. SINGLE DX	25	5.3	16	1	2	4	6	11	14	17
2. MULTIPLE DX	21	7.5	59	2	3	4	9	16	26	35
A. NOT OPERATED	43	5.5	17	1	2	4	7	11	15	18
B. OPERATED	3	18.0	237	5	5	14	30	35	35	35
TOTAL 0-19 YRS	13	4.6	5	2	2	4	6	8	10	10
20-34	11	5.6	26	1	1	4	9	13	18	18
35-49	6	6.2	21	3	3	4	11	13	13	13
50-64	10	9.6	105	1	2	5	14	26	35	35
65+	6	5.8	20	1	1	5	9	13	13	13
GRAND TOTAL	**46**	**6.3**	**36**	**1**	**2**	**4**	**8**	**13**	**17**	**35**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	6.1	20	1	2	5	7	10	15	28
20-34	67	6.2	13	2	3	5	8	11	13	20
35-49	8	10.8	80	2	2	7	18	24	26	26
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	5	11.4	36	6	6	10	15	21	21	21
B. *Operated*										
0-19 YRS	9	5.4	19	<1	<1	6	9	11	12	12
20-34	36	3.2	8	<1	<1	2	5	6	10	12
35-49	6	9.7	139	<1	<1	3	21	27	28	28
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	2	17.0	392	3	3	17	31	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	6.8	40	2	2	6	8	10	20	32
20-34	52	5.6	17	1	2	4	7	11	14	21
35-49	7	5.1	6	2	2	5	7	9	9	9
50-64	3	9.0	61	4	4	5	15	18	18	18
65+	7	22.4	572	5	6	15	51	92	99+	99+
B. *Operated*										
0-19 YRS	5	5.4	5	3	3	6	7	8	8	8
20-34	14	7.6	81	<1	1	2	12	22	27	29
35-49	8	5.0	22	<1	<1	2	10	11	11	11
50-64	2	14.0	2	13	13	14	15	15	15	15
65+	4	11.5	34	3	3	13	15	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	134	6.6	22	2	3	5	8	12	16	26
B. *Operated*	55	4.9	38	<1	<1	3	6	10	19	31
2. MULTIPLE DX										
A. *Not Operated*	90	7.3	79	2	2	5	8	14	21	89
B. *Operated*	33	7.5	49	<1	1	3	12	16	20	29
1. SINGLE DX	189	6.1	27	<1	1	5	7	12	16	28
2. MULTIPLE DX	123	7.3	71	1	2	5	9	15	21	81
A. NOT OPERATED	224	6.9	45	2	3	5	8	13	18	42
B. OPERATED	88	5.9	43	<1	<1	3	9	14	21	30
TOTAL 0-19 YRS	87	6.2	23	1	2	6	7	10	12	31
20-34	169	5.5	20	<1	1	4	7	11	14	21
35-49	29	7.6	59	<1	1	5	10	21	26	28
50-64	9	8.7	30	2	3	7	13	17	18	18
65+	18	16.3	268	3	4	13	20	57	88	99+
GRAND TOTAL	**312**	**6.6**	**44**	**1**	**1**	**5**	**8**	**13**	**18**	**31**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	5.2	14	1	2	4	7	9	13	20
20-34	8	5.0	9	1	1	4	8	9	9	9
35-49	2	12.5	61	7	7	12	18	18	18	18
50-64	4	8.8	44	3	3	7	13	18	18	18
65+	9	4.4	19	1	1	1	9	11	11	11
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	3	20.7	390	3	3	17	36	42	42	42
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	14.0	242	3	3	14	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	89	7.2	21	1	2	6	10	13	15	23
20-34	8	5.0	9	1	1	5	7	9	9	9
35-49	9	6.8	18	2	2	5	10	13	14	14
50-64	16	12.7	123	2	3	8	17	27	37	42
65+	23	10.9	66	4	5	9	15	32	54	99+
B. *Operated*										
0-19 YRS	4	17.5	396	5	5	9	29	47	47	47
20-34	1	20.0		20	20	20	20	20	20	20
35-49	6	20.8	504	4	4	14	21	61	65	65
50-64	8	15.0	101	2	2	17	23	26	27	27
65+	4	23.8	235	6	7	34	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	5.4	16	1	1	4	7	10	14	20
B. *Operated*	10	11.4	177	1	1	6	17	33	42	42
2. MULTIPLE DX										
A. *Not Operated*	145	8.3	42	1	3	7	10	15	22	44
B. *Operated*	23	18.7	244	2	4	18	26	65	99+	99+
1. SINGLE DX	110	5.9	32	1	1	4	8	11	17	32
2. MULTIPLE DX	168	9.7	81	2	3	7	12	21	32	99+
A. NOT OPERATED	245	7.1	33	1	2	6	9	14	17	34
B. OPERATED	33	16.5	229	2	2	14	25	47	91	99+
TOTAL 0-19 YRS	172	6.5	28	1	2	5	8	12	15	24
20-34	19	5.9	21	1	1	5	9	10	16	20
35-49	20	13.7	231	2	3	9	16	31	53	65
50-64	29	12.6	101	2	2	9	19	26	28	42
65+	38	10.9	97	1	1	9	16	38	99+	99+
GRAND TOTAL	**278**	**8.2**	**65**	**1**	**2**	**6**	**10**	**17**	**26**	**89**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.7	32	2	2	4	6	13	21	22
20-34	4	5.8	41	1	1	3	10	15	15	15
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS	6	5.0	9	2	2	4	7	10	10	10
20-34	5	13.0	93	2	2	13	22	24	24	24
35-49										
50-64	1	17.0		17	17	17	17	17	17	17
65+	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	43	1	1	3	4	15	22	22
20-34	6	5.2	5	3	3	5	6	9	9	9
35-49										
50-64										
65+	2	7.0	50	2	2	7	12	12	12	12
B. *Operated*										
0-19 YRS	3	14.0	9	11	11	14	16	17	17	17
20-34	2	12.0	72	6	6	12	18	18	18	18
35-49	3	12.0	28	8	8	10	16	18	18	18
50-64	5	30.2	294	12	12	22	48	50	50	50
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.1	32	1	1	4	7	15	19	22
B. *Operated*	13	10.7	79	2	2	7	18	25	27	27
2. MULTIPLE DX										
A. *Not Operated*	17	5.2	27	1	2	3	6	11	18	22
B. *Operated*	13	19.5	189	6	8	17	20	48	50	50
1. SINGLE DX	33	7.9	54	1	2	5	11	21	24	27
2. MULTIPLE DX	30	11.4	145	2	2	7	17	22	47	50
A. NOT OPERATED	37	5.6	29	1	2	3	6	14	20	22
B. OPERATED	26	15.1	148	2	3	12	20	27	48	50
TOTAL 0-19 YRS	29	6.1	34	2	2	3	7	16	22	22
20-34	17	8.4	51	1	2	6	13	20	23	24
35-49	5	10.2	26	4	4	10	13	18	18	18
50-64	8	21.5	334	1	2	18	34	49	50	50
65+	4	14.3	107	2	2	14	21	27	27	27
GRAND TOTAL	**63**	**9.5**	**99**	**1**	**2**	**6**	**14**	**22**	**25**	**50**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	5.6	19	1	2	5	8	10	13	24
20-34	19	5.0	8	2	2	4	6	10	12	12
35-49	11	9.3	38	3	3	7	15	19	21	21
50-64	8	7.1	14	3	3	6	9	13	14	14
65+	2	9.0	2	8	8	9	10	10	10	10
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	30	6.0	23	1	1	4	9	13	15	20
35-49	28	7.4	49	1	1	5	11	18	22	29
50-64	5	7.6	35	1	1	5	12	16	16	16
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.3	26	1	2	5	7	9	16	31
20-34	28	7.0	23	1	2	6	9	15	16	20
35-49	14	6.6	22	1	1	6	9	14	15	15
50-64	15	7.2	17	2	2	7	9	11	16	18
65+	9	8.4	27	2	3	8	11	17	19	19
B. *Operated*										
0-19 YRS	4	15.3	232	2	2	11	26	36	36	36
20-34	38	11.2	171	2	2	6	14	22	39	68
35-49	35	9.7	37	1	3	9	14	15	23	24
50-64	22	11.2	54	1	2	10	16	19	25	32
65+	6	15.8	120	3	4	17	30	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	6.1	19	2	2	5	8	12	16	23
B. *Operated*	66	6.6	34	1	1	5	10	15	19	28
2. MULTIPLE DX										
A. *Not Operated*	116	6.8	23	1	2	6	8	13	16	25
B. *Operated*	105	11.1	99	2	2	9	14	22	31	82
1. SINGLE DX	153	6.3	25	1	2	5	8	13	17	24
2. MULTIPLE DX	221	8.8	64	1	2	7	12	17	23	54
A. NOT OPERATED	203	6.5	22	1	2	6	8	12	16	23
B. OPERATED	171	9.4	78	1	2	7	14	19	24	64
TOTAL 0-19 YRS	103	6.3	31	1	2	5	8	10	17	33
20-34	115	7.8	74	1	2	5	11	15	20	56
35-49	88	8.4	39	1	2	7	13	16	21	27
50-64	50	9.0	37	2	2	8	12	17	18	32
65+	18	10.6	65	2	3	9	16	29	69	99+
GRAND TOTAL	**374**	**7.8**	**49**	**1**	**2**	**6**	**10**	**16**	**21**	**35**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	22.0		22	22	22	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	12.5	145	4	4	12	21	21	21	21
35-49	6	32.3	694	4	4	35	63	93	99+	99+
50-64	2	16.5	25	13	13	16	20	20	20	20
65+	3	4.3	4	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	8.0	13	4	4	9	10	11	11	11
65+	2	4.5	5	3	3	4	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	10.0	108	4	4	4	18	22	22	22
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	13	20.4	453	2	4	16	35	67	93	99+
B. *Operated*	6	6.2	10	3	3	5	9	11	11	11
1. SINGLE DX	4	9.0	76	4	4	5	14	22	22	22
2. MULTIPLE DX	19	15.9	351	2	3	8	22	63	82	99+
A. NOT OPERATED	16	18.4	394	3	4	13	26	63	87	99+
B. OPERATED	7	6.1	8	3	3	6	8	11	11	11
TOTAL 0-19 YRS										
20-34	4	8.8	68	4	4	5	13	21	21	21
35-49	7	28.3	693	4	4	29	63	89	99+	99+
50-64	6	10.2	37	4	4	10	13	19	20	20
65+	6	7.3	54	2	2	5	6	20	22	22
GRAND TOTAL	**23**	**14.7**	**304**	**3**	**4**	**6**	**21**	**63**	**74**	**99+**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	5	5	5	6	8	8	8	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	6.7	10	3	3	8	9	9	9	9
50-64	30	9.5	117	2	2	6	10	23	32	52
65+	23	9.7	109	1	2	7	12	22	38	43
B. *Operated*										
0-19 YRS	2	6.5	25	3	3	6	10	10	10	10
20-34	7	4.3	3	2	2	4	5	7	7	7
35-49	25	6.8	52	<1	1	5	7	17	27	28
50-64	79	8.1	135	1	2	4	8	23	30	96
65+	61	9.2	85	2	2	7	12	22	27	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	20.5	761	1	1	20	40	40	40	40
20-34	3	18.0	325	3	3	13	32	38	38	38
35-49	22	12.1	236	2	2	5	11	33	48	61
50-64	42	13.2	236	1	2	6	17	34	45	69
65+	42	14.2	217	1	2	10	20	35	60	99+
B. *Operated*										
0-19 YRS	5	18.8	503	3	3	10	26	58	58	58
20-34	3	13.7	44	8	8	12	19	21	21	21
35-49	32	16.8	304	2	2	10	28	45	65	99+
50-64	96	18.2	381	2	2	11	23	42	59	91
65+	98	15.2	233	2	3	10	21	41	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	9.2	102	1	2	6	10	18	34	51
B. *Operated*	174	8.1	99	1	2	5	9	21	28	75
2. MULTIPLE DX										
A. *Not Operated*	111	13.6	229	1	2	7	20	38	48	83
B. *Operated*	234	16.7	304	2	2	11	22	42	58	99+
1. SINGLE DX	233	8.4	100	1	2	5	10	20	29	57
2. MULTIPLE DX	345	15.7	281	2	2	10	22	40	57	99+
A. NOT OPERATED	170	12.1	188	1	2	7	13	32	42	71
B. OPERATED	408	13.0	234	2	2	8	17	33	50	95
TOTAL 0-19 YRS	11	14.6	322	1	2	8	15	47	57	58
20-34	14	9.0	99	1	2	5	12	23	35	38
35-49	82	12.1	212	1	2	6	17	34	48	89
50-64	247	13.0	263	2	2	7	15	32	49	90
65+	224	12.8	182	2	2	8	16	33	49	99+
GRAND TOTAL	**578**	**12.8**	**221**	**2**	**2**	**7**	**15**	**33**	**49**	**91**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	5.3	5	4	4	4	7	8	8	8
50-64	8	7.9	77	<1	1	5	10	23	27	27
65+	12	15.9	277	3	3	9	22	46	51	52
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	12.3	234	3	3	4	23	30	30	30
50-64	8	10.4	76	2	2	7	16	24	26	26
65+	21	15.7	136	<1	1	14	21	29	40	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.5	113	3	3	10	18	18	18	18
35-49	3	8.3	25	3	3	9	12	13	13	13
50-64	6	10.3	194	1	1	6	9	35	38	38
65+	26	11.2	63	2	3	8	18	24	25	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	7	14.7	110	5	5	10	22	31	33	33
50-64	32	17.9	135	3	6	16	23	35	43	47
65+	43	22.4	429	2	3	15	32	54	82	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	11.7	184	1	2	6	14	30	47	52
B. *Operated*	33	13.8	124	<1	2	13	21	28	33	48
2. MULTIPLE DX										
A. *Not Operated*	37	10.8	76	1	2	8	16	24	26	38
B. *Operated*	82	20.0	290	2	5	15	27	47	54	97
1. SINGLE DX	56	12.9	147	1	2	8	20	27	41	52
2. MULTIPLE DX	119	17.1	240	2	3	12	24	37	50	94
A. NOT OPERATED	60	11.2	115	1	2	7	15	25	33	51
B. OPERATED	115	18.2	249	2	3	14	25	37	51	95
TOTAL 0-19 YRS										
20-34	3	8.7	66	3	3	5	15	18	18	18
35-49	16	11.3	94	3	3	8	14	29	32	33
50-64	54	14.5	135	2	2	11	20	33	38	47
65+	102	17.4	273	2	3	13	24	45	53	96
GRAND TOTAL	**175**	**15.8**	**213**	**2**	**3**	**12**	**23**	**34**	**49**	**88**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	5.5	27	2	2	4	9	13	13	13
50-64	15	6.0	21	<1	2	4	10	11	16	17
65+	35	11.8	162	1	2	7	15	33	42	53
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	5	16.8	16	11	11	16	20	21	21	21
50-64	32	18.9	146	1	4	19	24	34	36	58
65+	46	16.9	94	5	6	14	21	32	38	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	11	13.3	39	5	6	13	17	21	26	26
50-64	32	11.4	96	2	3	9	13	28	36	38
65+	84	11.2	164	1	2	7	13	25	34	69
B. *Operated*										
0-19 YRS										
20-34	5	23.0	572	5	5	10	38	62	62	62
35-49	20	20.2	125	9	10	17	31	45	70	99+
50-64	98	22.1	160	9	10	19	25	36	56	64
65+	190	21.6	135	8	10	20	27	38	47	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	9.7	119	1	2	6	11	21	40	53
B. *Operated*	84	17.5	110	3	5	15	22	32	36	54
2. MULTIPLE DX										
A. *Not Operated*	128	11.4	134	2	2	8	14	25	34	68
B. *Operated*	313	21.7	146	8	10	19	27	38	50	70
1. SINGLE DX	138	14.4	127	1	2	12	20	32	37	54
2. MULTIPLE DX	441	18.7	164	3	5	17	24	35	47	68
A. NOT OPERATED	182	10.9	129	1	2	8	13	24	34	63
B. OPERATED	397	20.8	142	6	9	19	25	37	47	66
TOTAL 0-19 YRS										
20-34	7	19.0	444	2	3	10	26	56	62	62
35-49	40	16.4	97	4	6	16	19	32	45	99+
50-64	177	18.2	162	3	4	16	23	34	44	60
65+	355	17.6	160	2	4	15	23	35	44	68
GRAND TOTAL	**579**	**17.7**	**159**	**2**	**4**	**15**	**23**	**35**	**44**	**66**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	6	5.7	58	<1	<1	3	4	19	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.5	61	9	9	14	20	20	20	20
65+	5	10.4	21	4	4	10	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	13	2.9	3	1	1	4	4	5	6	6
65+	3	9.7	86	2	2	7	17	20	20	20
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	17.7	2	16	16	18	19	19	19	19
50-64	10	25.9	179	3	9	26	37	44	45	45
65+	10	19.0	272	3	6	15	17	44	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	5.1	50	<1	<1	3	4	18	21	21
B. *Operated*	7	11.6	28	4	5	10	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*	16	4.2	21	1	1	4	4	7	16	20
B. *Operated*	23	21.8	198	3	8	17	27	43	51	63
1. SINGLE DX	14	8.4	47	<1	1	7	11	20	21	21
2. MULTIPLE DX	39	14.6	200	1	1	13	19	34	44	63
A. NOT OPERATED	23	4.5	28	<1	1	4	4	10	20	21
B. OPERATED	30	19.4	176	3	6	16	24	40	45	63
TOTAL 0-19 YRS										
20-34										
35-49	3	17.7	2	16	16	16	19	19	19	19
50-64	26	12.6	193	1	1	4	20	36	43	45
65+	24	12.7	163	1	2	11	17	21	36	63
GRAND TOTAL	**53**	**12.9**	**166**	**1**	**1**	**10**	**18**	**28**	**42**	**62**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	13	13.9	143	1	2	11	16	34	41	43
50-64	22	3.6	18	<1	<1	1	4	11	14	16
65+	28	9.2	123	<1	1	4	14	26	29	46
B. *Operated*										
0-19 YRS										
20-34	2	36.5	1201	12	12	36	61	61	61	61
35-49	30	15.3	33	9	9	14	18	23	26	33
50-64	93	14.0	62	5	8	13	16	20	22	54
65+	143	18.4	125	9	11	15	22	29	36	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.7	1	4	4	4	6	6	6	6
35-49	12	5.8	81	<1	1	3	5	14	31	34
50-64	65	11.0	184	<1	1	8	15	20	28	78
65+	119	11.7	137	2	3	8	15	29	38	75
B. *Operated*										
0-19 YRS										
20-34	12	20.3	37	11	12	20	23	30	31	31
35-49	61	17.5	53	10	11	15	21	28	31	41
50-64	258	21.3	177	9	11	17	25	38	52	79
65+	595	22.3	169	9	11	18	28	41	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	8.2	102	<1	<1	4	11	21	29	46
B. *Operated*	268	16.7	103	8	10	14	19	26	31	71
2. MULTIPLE DX										
A. *Not Operated*	199	11.0	148	1	2	7	15	26	37	75
B. *Operated*	926	21.7	163	9	11	18	27	39	51	86
1. SINGLE DX	331	15.1	114	1	3	13	18	26	31	63
2. MULTIPLE DX	1125	19.8	177	4	7	17	25	37	50	81
A. NOT OPERATED	262	10.4	138	<1	1	6	14	26	35	70
B. OPERATED	1194	20.5	154	9	10	17	25	36	49	80
TOTAL 0-19 YRS										
20-34	17	19.4	178	4	5	18	22	31	50	61
35-49	116	15.3	71	3	5	14	20	28	32	42
50-64	438	17.3	172	1	4	14	20	32	44	74
65+	885	19.8	173	4	7	17	26	37	50	84
GRAND TOTAL	**1456**	**18.7**	**166**	**3**	**5**	**15**	**23**	**35**	**46**	**79**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	11.5	25	8	8	11	15	15	15	15
35-49	6	7.0	33	1	1	6	7	17	18	18
50-64	47	2.5	8	<1	<1	<1	3	5	10	13
65+	27	14.0	323	1	2	7	18	44	86	99+
B. *Operated*										
0-19 YRS										
20-34	6	11.2	65	2	2	10	18	22	23	23
35-49	17	16.3	70	3	4	15	24	28	29	29
50-64	87	15.7	65	3	4	15	20	25	30	41
65+	123	17.1	180	3	4	15	23	32	39	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.0	6	<1	<1	3	6	7	7	7
35-49	14	8.4	41	<1	1	7	11	18	20	20
50-64	81	8.3	89	<1	<1	4	10	23	32	42
65+	110	11.5	113	2	2	8	17	28	32	74
B. *Operated*										
0-19 YRS										
20-34	9	15.1	43	5	5	17	20	22	23	23
35-49	40	17.1	39	5	11	17	20	25	27	34
50-64	199	21.6	186	8	10	18	25	40	48	78
65+	377	23.5	196	7	10	20	30	42	54	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	6.8	139	<1	<1	3	8	17	32	95
B. *Operated*	233	16.4	126	3	4	15	21	29	35	57
2. MULTIPLE DX										
A. *Not Operated*	210	9.9	99	<1	1	6	13	25	32	52
B. *Operated*	625	22.4	183	6	10	19	28	41	50	81
1. SINGLE DX	315	13.9	147	<1	1	13	19	27	35	71
2. MULTIPLE DX	835	19.2	191	2	4	17	25	37	48	76
A. NOT OPERATED	292	9.0	112	<1	<1	5	12	23	33	73
B. OPERATED	858	20.7	175	4	8	18	26	37	48	75
TOTAL 0-19 YRS										
20-34	22	11.2	53	1	3	10	18	22	23	23
35-49	77	14.6	59	2	3	15	19	25	27	33
50-64	414	15.6	168	<1	<1	14	21	31	41	65
65+	637	19.8	206	3	4	17	27	37	50	93
GRAND TOTAL	**1150**	**17.8**	**185**	**1**	**3**	**16**	**24**	**35**	**44**	**75**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	8.5	85	2	2	8	15	15	15	15
50-64	14	7.5	25	2	2	6	12	15	16	16
65+	18	9.2	101	<1	1	6	9	28	34	36
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49	5	7.6	24	2	2	9	11	13	13	13
50-64	15	19.3	221	3	4	17	22	48	55	57
65+	14	19.0	151	4	5	16	25	32	48	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	4.0		4	4	4	4	4	4	4
50-64	15	14.7	564	1	2	11	16	22	78	97
65+	41	10.2	81	2	3	8	13	22	37	99+
B. *Operated*										
0-19 YRS	4	30.8	364	13	13	29	47	51	51	51
20-34	9	24.7	308	9	9	18	41	52	55	55
35-49	9	19.9	155	6	8	20	23	40	48	48
50-64	44	25.3	337	6	7	22	33	58	76	99+
65+	61	24.6	206	9	11	21	30	44	60	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	8.5	63	1	2	7	9	16	29	36
B. *Operated*	35	17.3	169	3	4	13	22	30	51	57
2. MULTIPLE DX										
A. *Not Operated*	61	10.8	193	2	2	7	13	21	37	99+
B. *Operated*	127	24.7	254	7	9	21	31	48	60	92
1. SINGLE DX	70	12.9	135	2	2	10	17	25	36	56
2. MULTIPLE DX	188	20.2	275	3	4	15	27	44	58	99
A. NOT OPERATED	96	10.0	146	2	2	7	13	20	29	99
B. OPERATED	162	23.1	244	5	8	19	30	47	57	88
TOTAL 0-19 YRS	5	25.0	439	2	2	16	45	51	51	51
20-34	12	20.9	272	7	8	13	29	49	54	55
35-49	19	12.9	126	2	3	11	19	25	39	48
50-64	88	19.6	341	2	3	15	25	45	60	99
65+	134	17.5	193	3	4	14	23	33	51	75
GRAND TOTAL	**258**	**18.2**	**247**	**2**	**4**	**14**	**23**	**39**	**54**	**96**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	12	7.8	47	1	2	5	11	17	24	25
65+	25	16.6	440	1	2	12	16	28	76	92
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	12.5	221	2	2	12	23	23	23	23
50-64	11	18.8	178	2	7	16	22	36	52	54
65+	12	19.2	31	12	12	20	23	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	6.3	28	1	1	5	10	14	15	15
50-64	52	10.8	216	1	1	6	12	22	33	92
65+	63	10.9	112	2	2	8	14	24	36	94
B. *Operated*										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49	13	18.7	186	1	2	13	33	39	41	41
50-64	69	23.1	151	4	10	21	31	43	45	55
65+	123	22.7	136	7	10	21	29	39	47	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	12.9	308	1	2	8	14	26	50	92
B. *Operated*	25	18.5	101	2	11	19	23	25	35	54
2. MULTIPLE DX										
A. *Not Operated*	124	10.5	149	1	2	7	13	23	30	95
B. *Operated*	206	22.6	143	5	10	21	30	40	46	56
1. SINGLE DX	65	15.1	233	2	2	12	20	25	35	89
2. MULTIPLE DX	330	18.1	179	2	3	15	26	35	45	58
A. NOT OPERATED	164	11.1	188	1	2	8	13	24	30	93
B. OPERATED	231	22.2	140	4	10	20	29	39	46	56
TOTAL 0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49	27	12.4	146	1	1	10	15	34	39	41
50-64	144	17.1	204	2	2	14	23	35	45	59
65+	223	18.5	182	2	4	16	25	32	47	76
GRAND TOTAL	**395**	**17.6**	**189**	**2**	**3**	**15**	**24**	**34**	**45**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	14	6.3	27	1	2	4	11	14	15	15
50-64	125	6.3	61	1	1	4	7	14	26	99+
65+	172	9.5	120	1	2	6	12	21	36	67
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	16.7	64	9	9	16	23	25	25	25
35-49	35	12.0	101	1	2	10	16	27	31	50
50-64	145	13.1	85	2	2	13	18	25	30	44
65+	194	14.9	134	2	2	13	20	31	40	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	71	8.6	76	1	2	6	10	20	30	43
50-64	304	10.1	112	1	2	7	12	24	33	56
65+	446	12.2	145	2	3	8	16	28	39	78
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	7	18.0	95	5	6	17	25	33	34	34
35-49	84	17.2	130	2	5	15	23	36	42	52
50-64	441	18.6	154	4	6	16	24	36	44	61
65+	513	19.0	217	3	4	16	24	37	48	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	8.0	94	1	2	5	10	16	29	80
B. *Operated*	378	13.9	111	2	2	12	19	28	35	52
2. MULTIPLE DX										
A. *Not Operated*	822	11.1	128	2	2	7	14	26	34	65
B. *Operated*	1046	18.6	182	3	5	16	24	36	45	76
1. SINGLE DX	690	11.3	112	2	2	8	15	25	35	57
2. MULTIPLE DX	1868	15.3	172	2	3	12	21	33	42	69
A. NOT OPERATED	1134	10.2	120	1	2	7	13	24	34	67
B. OPERATED	1424	17.4	168	2	4	14	23	35	43	67
TOTAL 0-19 YRS	3	10.7	57	2	2	14	15	16	16	16
20-34	11	16.3	90	3	4	16	23	30	34	34
35-49	204	12.6	115	1	2	10	17	27	36	50
50-64	1015	13.7	141	2	2	11	19	30	39	60
65+	1325	14.8	180	2	3	11	20	32	42	81
GRAND TOTAL	**2558**	**14.2**	**159**	**2**	**2**	**11**	**19**	**31**	**40**	**67**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	26	1	1	4	9	11	11	11
20-34	3	7.7	26	2	2	9	11	12	12	12
35-49	5	11.6	259	2	2	4	17	40	40	40
50-64	19	11.3	142	1	1	7	24	30	32	32
65+	25	14.2	168	1	1	9	23	34	36	43
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	18	10.9	62	1	2	8	17	23	24	25
50-64	64	10.3	106	1	2	5	16	24	31	41
65+	62	9.0	193	1	1	3	13	23	34	81
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	1	5.0		5	5	5	5	5	5	5
35-49	10	5.1	11	<1	<1	5	8	9	9	9
50-64	27	10.0	107	1	1	4	19	27	31	33
65+	26	15.0	158	2	2	13	24	42	53	99+
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	17.0	117	5	5	17	26	28	28	28
35-49	20	17.3	209	2	2	14	24	36	49	58
50-64	66	18.3	251	2	2	15	28	44	59	94
65+	55	18.2	246	2	2	15	27	54	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	12.1	149	1	1	7	20	32	34	43
B. *Operated*	147	9.6	136	1	2	4	15	24	30	49
2. MULTIPLE DX										
A. *Not Operated*	66	11.0	119	1	2	6	17	29	36	91
B. *Operated*	146	18.0	235	2	2	15	27	43	60	99+
1. SINGLE DX	202	10.3	140	1	1	5	16	27	32	45
2. MULTIPLE DX	212	15.9	209	2	2	13	24	39	58	99+
A. NOT OPERATED	121	11.5	132	1	1	7	19	31	35	60
B. OPERATED	293	13.8	203	1	2	10	22	33	45	99+
TOTAL 0-19 YRS	7	4.9	11	1	1	4	6	10	11	11
20-34	10	9.8	89	<1	<1	7	12	26	28	28
35-49	53	12.3	139	1	2	9	17	28	39	57
50-64	176	13.4	177	1	2	8	22	31	41	64
65+	168	13.7	214	1	2	9	22	36	48	99+
GRAND TOTAL	**414**	**13.1**	**183**	**1**	**2**	**8**	**21**	**32**	**43**	**99+**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.0	21	<1	1	2	3	4	13	22
20-34	22	2.2	2	1	1	2	3	4	5	6
35-49	6	13.0	115	2	2	12	17	30	31	31
50-64	15	3.8	13	2	2	2	3	12	13	13
65+	10	8.9	125	<1	<1	4	12	25	38	38
B. *Operated*										
0-19 YRS	12	16.7	169	<1	3	16	22	31	48	51
20-34	12	12.0	108	1	2	8	19	27	34	35
35-49	17	7.1	21	1	2	5	10	14	16	16
50-64	22	17.4	440	3	4	10	18	38	73	93
65+	19	12.2	113	1	2	10	16	28	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.6	5	1	1	3	4	8	9	9
20-34	12	2.8	9	<1	<1	2	3	7	10	11
35-49	2	1.0		1	1	1	1	1	1	1
50-64	31	6.1	82	1	1	3	7	11	27	46
65+	28	16.4	381	3	4	9	18	41	56	95
B. *Operated*										
0-19 YRS	13	19.2	137	2	5	19	27	34	42	44
20-34	15	29.3	772	4	7	19	30	88	95	98
35-49	13	15.8	348	2	3	12	21	35	65	72
50-64	29	22.1	361	3	4	20	26	40	55	98
65+	36	24.0	243	4	8	22	34	53	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.5	43	1	1	2	3	12	17	36
B. *Operated*	82	13.1	196	1	2	10	16	26	36	82
2. MULTIPLE DX										
A. *Not Operated*	89	8.3	179	1	1	4	9	19	29	78
B. *Operated*	106	22.6	350	3	5	20	29	45	79	99+
1. SINGLE DX	155	9.1	142	1	1	4	13	22	30	60
2. MULTIPLE DX	195	16.1	321	1	2	10	23	38	53	99
A. NOT OPERATED	162	6.6	121	1	1	3	7	14	25	51
B. OPERATED	188	18.5	304	2	3	15	25	38	56	99
TOTAL 0-19 YRS	61	9.3	120	1	1	4	16	23	31	50
20-34	61	10.9	328	1	1	3	13	28	37	97
35-49	38	10.7	159	1	2	7	14	22	29	72
50-64	97	13.1	287	1	2	7	17	29	44	96
65+	93	17.7	270	2	3	13	26	38	55	99+
GRAND TOTAL	**350**	**13.0**	**253**	**1**	**1**	**7**	**18**	**31**	**45**	**98**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	3	5.0	16	1	1	5	8	9	9	9
50-64	3	7.0	9	4	4	7	9	10	10	10
65+	4	9.5	14	5	5	10	12	13	13	13
B. *Operated*										
0-19 YRS										
20-34	14	9.6	26	2	2	9	13	16	21	22
35-49	21	7.4	25	2	2	7	10	12	18	24
50-64	24	9.8	51	2	3	9	12	17	26	34
65+	16	13.2	132	2	2	9	20	26	39	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	11.0	25	6	6	11	15	16	16	16
35-49	16	8.0	26	1	1	7	10	17	18	19
50-64	14	8.6	84	1	2	6	8	22	31	34
65+	6	3.2	5	1	1	3	4	7	7	7
B. *Operated*										
0-19 YRS										
20-34	17	8.8	58	3	3	8	11	14	28	35
35-49	16	12.5	78	1	2	12	18	27	29	29
50-64	21	15.9	129	2	3	15	20	36	39	40
65+	23	13.9	112	2	2	14	21	29	34	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.6	13	1	3	8	10	12	13	13
B. *Operated*	75	9.8	58	2	2	8	11	22	25	41
2. MULTIPLE DX										
A. *Not Operated*	39	7.7	45	1	1	6	10	17	20	34
B. *Operated*	77	13.0	101	2	2	11	18	28	35	41
1. SINGLE DX	86	9.5	53	2	2	8	11	19	24	40
2. MULTIPLE DX	116	11.2	88	1	2	8	16	24	33	40
A. NOT OPERATED	50	7.7	38	1	1	7	10	16	19	34
B. OPERATED	152	11.4	82	2	2	9	15	24	31	41
TOTAL 0-19 YRS										
20-34	35	9.3	39	2	3	8	11	15	20	35
35-49	56	8.9	44	1	2	8	12	19	23	29
50-64	62	11.4	90	2	3	9	16	23	35	40
65+	49	12.0	107	2	2	8	17	26	31	44
GRAND TOTAL	**202**	**10.5**	**73**	**2**	**2**	**8**	**14**	**22**	**29**	**40**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	10	12.4	75	3	5	9	18	26	31	31
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	13	4.0	14	<1	1	3	4	10	13	14
35-49	34	5.1	23	<1	<1	4	6	14	17	19
50-64	41	5.7	44	<1	<1	3	7	15	19	31
65+	122	5.9	35	<1	2	4	7	14	18	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	5.9	21	2	2	5	7	14	16	16
65+	15	21.7	293	2	2	17	35	39	57	63
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	10.5	56	2	2	10	16	19	19	19
35-49	11	7.3	36	<1	1	6	10	17	21	21
50-64	58	8.3	129	1	2	4	7	22	32	58
65+	153	9.2	70	1	2	7	13	21	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	11.8	69	3	3	9	16	25	30	31
B. *Operated*	212	5.6	33	<1	1	3	7	14	17	28
2. MULTIPLE DX										
A. *Not Operated*	23	16.2	253	2	2	10	25	38	47	63
B. *Operated*	227	8.9	83	1	2	6	12	21	27	51
1. SINGLE DX	224	5.9	37	<1	1	4	7	14	18	31
2. MULTIPLE DX	250	9.5	102	2	2	6	13	23	32	59
A. NOT OPERATED	35	14.7	190	2	2	10	21	37	39	63
B. OPERATED	439	7.3	61	<1	2	4	9	17	23	43
TOTAL 0-19 YRS	4	5.3	36	1	1	3	9	14	14	14
20-34	17	5.5	29	<1	1	3	7	14	17	19
35-49	46	5.5	26	<1	<1	4	7	14	18	21
50-64	107	7.1	89	<1	1	4	7	17	27	53
65+	300	8.6	78	1	2	5	11	20	26	45
GRAND TOTAL	**474**	**7.8**	**74**	**1**	**2**	**4**	**10**	**19**	**25**	**46**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	16.7	184	4	4	15	27	31	31	31
35-49	9	5.4	14	1	2	5	6	12	13	13
50-64	21	12.4	139	<1	1	8	22	32	36	37
65+	20	14.7	318	1	2	8	22	29	56	79
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	45	6.1	15	<1	1	6	9	11	13	14
35-49	228	7.4	14	1	2	7	9	12	14	19
50-64	319	8.5	28	2	3	8	10	13	17	33
65+	280	9.2	35	2	3	8	11	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	12.3	191	1	1	6	19	36	41	41
35-49	72	12.5	179	1	2	9	15	30	33	80
50-64	130	11.0	129	1	2	8	15	28	34	81
65+	107	11.7	98	1	2	10	16	27	34	70
B. *Operated*										
0-19 YRS										
20-34	41	9.3	102	1	3	8	10	14	16	68
35-49	230	9.0	22	3	4	8	11	15	17	27
50-64	380	10.9	45	3	5	9	13	19	24	38
65+	447	12.7	107	4	5	10	15	23	29	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	12.3	187	1	2	7	16	30	35	77
B. *Operated*	873	8.3	27	2	2	8	10	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	317	11.6	130	1	2	9	16	29	34	81
B. *Operated*	1098	11.2	69	3	5	9	13	19	25	49
1. SINGLE DX	927	8.6	37	2	2	8	10	14	18	32
2. MULTIPLE DX	1415	11.3	83	2	4	9	14	21	28	50
A. NOT OPERATED	371	11.7	138	1	2	8	16	29	34	79
B. OPERATED	1971	9.9	52	2	4	9	11	17	22	39
TOTAL 0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	97	8.3	74	<1	1	7	10	14	18	55
35-49	539	8.7	42	2	3	8	10	14	18	32
50-64	850	10.1	55	2	3	8	12	18	24	40
65+	854	11.5	89	2	3	9	14	21	27	62
GRAND TOTAL	**2342**	**10.2**	**66**	**2**	**3**	**9**	**12**	**18**	**24**	**42**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	5.4	71	1	1	2	4	19	26	26
35-49	18	3.6	5	2	2	3	4	6	9	11
50-64	20	6.6	43	2	2	3	8	18	20	22
65+	10	13.7	149	2	2	11	25	31	33	33
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	88	6.5	64	2	2	4	8	11	14	55
35-49	71	6.8	60	2	2	4	8	14	25	38
50-64	37	8.2	94	1	2	5	9	14	26	54
65+	27	5.9	24	2	2	4	8	10	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	7.3	49	1	1	5	10	19	20	20
35-49	24	11.5	68	<1	1	12	17	24	28	28
50-64	23	10.2	93	1	2	7	15	30	32	32
65+	21	13.5	149	2	3	10	19	30	41	51
B. *Operated*										
0-19 YRS										
20-34	60	10.8	101	2	3	7	15	25	30	43
35-49	67	14.0	182	2	2	8	17	37	45	49
50-64	53	15.9	162	2	3	13	23	34	46	52
65+	40	16.5	188	2	2	10	30	40	46	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	6.7	62	2	2	3	7	20	26	33
B. *Operated*	225	6.8	62	2	2	4	8	12	23	44
2. MULTIPLE DX										
A. *Not Operated*	74	11.4	97	1	2	8	16	28	31	47
B. *Operated*	220	14.1	159	2	2	9	20	34	43	51
1. SINGLE DX	281	6.8	62	2	2	4	8	14	25	40
2. MULTIPLE DX	294	13.4	144	2	2	9	18	32	41	51
A. NOT OPERATED	130	9.4	86	1	2	5	14	23	29	37
B. OPERATED	445	10.4	123	2	2	7	12	27	37	51
TOTAL 0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	162	8.1	81	2	2	5	10	18	25	48
35-49	180	9.8	114	2	2	6	12	28	36	48
50-64	133	11.4	126	2	2	8	15	27	33	52
65+	98	12.7	146	2	2	9	19	33	41	76
GRAND TOTAL	**575**	**10.1**	**115**	**2**	**2**	**7**	**13**	**26**	**33**	**50**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.8	3	3	3	3	4	7	7	7
50-64	15	4.4	7	1	2	3	6	9	10	10
65+	12	3.2	7	1	1	3	3	6	10	11
B. *Operated*										
0-19 YRS										
20-34	3	5.0	12	1	1	7	7	7	7	7
35-49	11	6.3	17	1	1	7	8	11	15	15
50-64	96	7.1	56	1	2	6	8	14	20	46
65+	81	7.8	80	1	2	6	10	17	19	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	4	11.3	230	3	3	4	19	34	34	34
50-64	26	7.5	53	1	1	5	11	19	22	28
65+	36	6.4	72	1	1	3	6	20	29	32
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	32	8.9	38	2	3	8	10	12	13	39
50-64	166	9.0	44	1	2	8	11	16	22	36
65+	163	12.7	138	2	2	9	17	26	33	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.8	6	1	2	3	4	8	10	11
B. *Operated*	191	7.3	63	1	2	7	9	15	19	47
2. MULTIPLE DX										
A. *Not Operated*	67	7.1	70	1	1	3	10	20	29	34
B. *Operated*	362	10.6	89	2	2	8	13	21	29	43
1. SINGLE DX	223	6.8	56	1	2	6	8	13	18	43
2. MULTIPLE DX	429	10.1	88	1	2	8	13	21	29	43
A. NOT OPERATED	99	6.0	52	1	1	3	6	17	21	33
B. OPERATED	553	9.5	83	1	2	8	11	19	25	43
TOTAL 0-19 YRS										
20-34	5	5.2	7	1	1	7	7	7	7	7
35-49	52	8.0	44	1	2	7	9	12	15	39
50-64	303	8.0	48	1	2	7	10	15	20	36
65+	292	10.2	117	1	2	8	14	23	30	56
GRAND TOTAL	**652**	**9.0**	**79**	**1**	**2**	**7**	**11**	**19**	**25**	**43**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0		4	4	4	4	4	4	4
20-34	4	12.0	428	1	1	2	23	43	43	43
35-49	23	4.0	100	<1	<1	1	3	7	23	49
50-64	34	4.8	119	1	1	2	2	9	35	52
65+	44	3.9	75	<1	1	1	3	7	13	56
B. *Operated*										
0-19 YRS										
20-34	18	7.1	8	1	3	7	9	11	12	12
35-49	19	8.6	24	2	2	8	12	16	19	20
50-64	21	10.2	16	4	6	10	12	16	19	21
65+	22	11.7	40	3	4	11	13	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	19	1	1	2	7	12	12	12
20-34	18	7.7	174	1	1	3	3	33	41	44
35-49	41	4.8	30	<1	<1	1	6	15	17	18
50-64	126	5.1	113	<1	<1	1	4	14	21	70
65+	92	6.5	98	1	1	2	8	22	30	82
B. *Operated*										
0-19 YRS	3	11.7	9	9	9	11	14	15	15	15
20-34	12	23.6	386	6	7	16	38	53	65	67
35-49	51	12.4	53	4	5	10	16	23	28	34
50-64	90	16.2	99	3	6	15	19	33	35	49
65+	87	19.9	147	7	8	18	25	36	44	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	4.5	102	<1	<1	1	3	8	19	54
B. *Operated*	80	9.5	25	2	3	9	12	16	20	25
2. MULTIPLE DX										
A. *Not Operated*	286	5.7	97	<1	<1	2	5	15	25	64
B. *Operated*	243	17.0	127	5	7	15	22	33	39	67
1. SINGLE DX	188	6.6	75	<1	1	4	9	13	20	51
2. MULTIPLE DX	529	10.9	143	<1	1	8	16	27	35	67
A. NOT OPERATED	394	5.4	98	<1	<1	2	5	15	25	57
B. OPERATED	323	15.2	112	3	6	12	19	29	36	61
TOTAL 0-19 YRS	15	5.9	21	1	1	4	10	12	14	15
20-34	52	11.5	216	1	1	6	11	39	44	67
35-49	134	8.1	62	<1	<1	7	12	18	23	36
50-64	271	9.1	127	<1	1	5	14	21	34	52
65+	245	11.3	150	1	1	8	17	28	38	72
GRAND TOTAL	**717**	**9.8**	**128**	**<1**	**1**	**7**	**14**	**24**	**34**	**58**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	10	12.1	92	2	2	10	18	27	30	30
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	2.0		2	2	2	2	2	2	2
50-64	8	17.3	520	2	2	9	21	56	70	70
65+	18	11.9	120	2	2	11	16	31	36	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	5.0		5	5	5	5	5	5	5
65+	16	12.5	196	1	2	6	12	38	44	46
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	5	10.8	21	6	6	9	15	17	17	17
35-49	7	13.9	127	3	3	10	18	33	36	36
50-64	14	23.6	482	2	2	14	34	50	76	83
65+	37	24.0	395	2	3	17	44	54	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	7.3	74	1	1	4	11	22	28	30
B. *Operated*	30	12.4	212	2	2	7	16	28	37	70
2. MULTIPLE DX										
A. *Not Operated*	20	10.5	172	<1	1	5	9	36	42	46
B. *Operated*	64	21.7	359	2	3	14	37	49	59	97
1. SINGLE DX	49	10.4	162	1	1	4	15	24	35	70
2. MULTIPLE DX	84	19.0	335	2	2	10	34	47	56	94
A. NOT OPERATED	39	8.9	124	1	1	5	10	28	37	46
B. OPERATED	94	18.7	328	2	2	12	32	47	58	92
TOTAL 0-19 YRS	4	7.3	42	<1	<1	6	12	15	15	15
20-34	13	5.2	29	1	1	3	8	15	17	17
35-49	10	10.5	115	1	1	7	14	28	36	36
50-64	25	19.2	456	2	2	13	29	46	73	83
65+	81	17.6	286	2	2	10	32	47	54	87
GRAND TOTAL	**133**	**15.8**	**287**	**1**	**2**	**9**	**21**	**44**	**52**	**86**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	27	7.3	100	1	1	4	6	18	35	43
65+	64	12.0	163	1	2	8	15	30	44	57
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	9.5	62	3	3	7	14	21	21	21
50-64	98	9.3	49	2	3	8	11	18	23	39
65+	376	10.8	64	2	3	9	14	19	24	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	51.0	4418	4	4	51	98	98	98	98
20-34										
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	56	8.1	69	1	1	6	10	18	24	47
65+	329	12.2	156	2	2	8	15	28	42	69
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	18.3	298	5	5	13	21	48	51	51
50-64	153	14.4	140	2	3	10	18	31	40	60
65+	909	15.0	160	3	4	12	18	30	41	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	10.6	148	1	2	6	13	26	43	57
B. *Operated*	478	10.5	61	2	3	9	13	19	24	42
2. MULTIPLE DX										
A. *Not Operated*	389	11.8	164	1	2	8	15	26	42	70
B. *Operated*	1068	14.9	158	3	4	11	18	30	41	84
1. SINGLE DX	569	10.5	75	2	3	9	13	19	27	45
2. MULTIPLE DX	1457	14.1	161	2	3	11	17	29	41	83
A. NOT OPERATED	480	11.5	161	1	2	7	15	26	42	67
B. OPERATED	1546	13.5	132	2	4	10	17	27	36	65
TOTAL 0-19 YRS	2	51.0	4418	4	4	51	98	98	98	98
20-34										
35-49	12	12.8	193	1	2	7	19	30	48	51
50-64	334	11.3	106	1	2	8	13	24	33	49
65+	1678	13.4	141	2	3	10	16	27	39	69
GRAND TOTAL	**2026**	**13.1**	**139**	**2**	**3**	**10**	**16**	**27**	**38**	**66**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	3	2	2	5	5	5	5	5
20-34	20	7.2	32	4	5	6	7	7	19	31
35-49	12	5.8	6	2	3	6	7	9	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	4	7.0	11	3	3	7	9	11	11	11
20-34	41	8.8	49	2	3	6	11	17	24	33
35-49	22	7.0	24	2	3	5	8	14	19	21
50-64	10	14.1	141	4	4	9	16	35	36	36
65+	8	9.9	141	2	2	4	13	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	20	<1	<1	1	5	7	14	20
20-34	18	5.8	8	1	3	5	7	12	60	99+
35-49	16	5.1	5	1	2	5	7	8	9	9
50-64	3	11.0	300	1	1	1	24	31	31	31
65+										
B. *Operated*										
0-19 YRS	6	21.8	612	4	4	15	19	66	71	71
20-34	27	15.6	111	3	5	16	20	29	34	50
35-49	18	9.1	33	3	4	6	15	17	19	21
50-64	7	12.0	21	8	8	10	15	19	20	20
65+	7	10.0	159	2	2	6	9	32	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	6.3	20	2	3	6	7	7	10	31
B. *Operated*	85	9.0	61	2	3	6	11	18	28	36
2. MULTIPLE DX										
A. *Not Operated*	57	5.0	24	<1	<1	5	6	9	17	94
B. *Operated*	65	13.4	134	3	4	10	17	23	33	68
1. SINGLE DX	122	8.2	50	2	3	6	9	16	24	35
2. MULTIPLE DX	122	9.5	100	<1	1	6	13	20	30	79
A. NOT OPERATED	94	5.5	23	<1	1	5	6	8	12	69
B. OPERATED	150	10.9	97	3	3	8	15	21	31	50
TOTAL 0-19 YRS	35	7.1	150	<1	<1	4	7	16	20	71
20-34	106	9.7	66	3	3	7	12	21	30	71
35-49	68	6.9	20	2	3	6	8	15	17	21
50-64	20	12.9	106	1	2	9	16	33	35	36
65+	15	9.9	139	2	2	5	9	35	37	38
GRAND TOTAL	**244**	**8.8**	**75**	**1**	**2**	**6**	**10**	**19**	**28**	**51**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	7	4.1	7	1	1	3	6	8	8	8
65+	22	15.0	297	<1	1	11	21	50	84	99+
B. *Operated*										
0-19 YRS	3	3.3	4	<1	<1	4	5	5	5	5
20-34	5	6.0	7	3	3	5	8	10	10	10
35-49	43	5.0	25	<1	1	4	6	7	13	31
50-64	261	5.5	31	1	2	4	6	10	16	32
65+	482	6.0	43	1	2	4	7	12	18	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	3.5	8	1	1	3	6	6	6	6
35-49	5	1.8	2	1	1	1	2	4	4	4
50-64	41	6.2	70	1	1	2	7	19	28	34
65+	70	9.0	49	1	1	7	13	19	22	33
B. *Operated*										
0-19 YRS	4	34.3	308	10	10	39	47	49	49	49
20-34	1	20.0		20	20	20	20	20	20	20
35-49	26	9.5	240	2	2	6	9	15	39	80
50-64	246	9.6	105	1	2	6	11	25	33	49
65+	713	11.6	174	2	2	8	14	26	39	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.8	225	<1	1	7	15	25	68	99+
B. *Operated*	794	5.7	38	1	2	4	7	11	17	33
2. MULTIPLE DX										
A. *Not Operated*	120	7.6	56	1	1	5	10	18	23	34
B. *Operated*	990	11.1	161	1	2	7	14	26	37	75
1. SINGLE DX	828	5.9	46	1	2	4	7	12	18	41
2. MULTIPLE DX	1110	10.7	151	1	2	7	13	25	35	73
A. NOT OPERATED	154	8.3	94	1	1	6	10	20	25	74
B. OPERATED	1784	8.7	114	1	2	5	10	20	30	61
TOTAL 0-19 YRS	7	21.0	428	<1	1	10	42	48	49	49
20-34	14	5.0	26	<1	1	4	6	11	18	20
35-49	75	6.3	102	1	1	4	6	10	16	68
50-64	555	7.3	70	1	2	4	8	18	28	40
65+	1287	9.4	128	1	2	6	11	21	30	70
GRAND TOTAL	**1938**	**8.7**	**112**	**1**	**2**	**5**	**10**	**20**	**29**	**61**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.8	2	2	2	4	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	3	1.3		1	1	1	2	2	2	2
50-64	6	9.2	181	1	1	4	9	33	36	36
65+	8	5.5	11	2	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	2	12.0	8	10	10	12	14	14	14	14
20-34	3	15.0	7	13	13	14	17	18	18	18
35-49	15	13.1	40	2	2	14	16	17	25	28
50-64	33	12.7	39	<1	1	14	17	20	22	23
65+	44	18.0	115	3	4	17	21	33	42	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	2	<1	<1	2	3	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	9.5	134	2	2	5	11	29	36	36
50-64	31	13.5	111	3	4	10	18	32	37	41
65+	43	14.1	161	2	3	11	18	30	47	52
B. *Operated*										
0-19 YRS	5	18.6	204	6	7	16	43	94	99+	99+
20-34	5	20.0	96	10	10	19	24	36	36	36
35-49	26	21.5	283	8	9	16	23	41	57	86
50-64	92	18.7	129	4	8	16	24	36	38	59
65+	122	21.6	179	6	9	18	28	38	55	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	54	1	1	4	5	10	21	36
B. *Operated*	97	15.2	77	1	3	14	18	24	31	46
2. MULTIPLE DX										
A. *Not Operated*	86	13.0	136	2	3	8	16	30	38	52
B. *Operated*	250	20.4	169	6	9	18	26	37	45	86
1. SINGLE DX	119	13.4	86	1	2	13	18	23	31	45
2. MULTIPLE DX	336	18.5	171	3	5	15	25	37	44	71
A. NOT OPERATED	108	11.5	128	2	2	7	14	30	36	51
B. OPERATED	347	19.0	149	4	8	16	24	36	43	69
TOTAL 0-19 YRS	14	9.9	119	<1	2	6	14	43	86	99+
20-34	10	15.7	76	5	6	14	19	28	36	36
35-49	52	16.0	205	2	2	14	19	31	41	85
50-64	162	16.1	116	1	4	14	21	32	37	45
65+	217	18.8	170	3	4	16	25	37	47	68
GRAND TOTAL	**455**	**17.2**	**154**	**2**	**4**	**15**	**22**	**34**	**42**	**69**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	9.5	1	9	9	9	10	10	10	10
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	16.0		16	16	16	16	16	16	16
50-64	3	7.3	6	5	5	7	9	10	10	10
65+	13	6.2	14	2	3	6	7	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49	1	37.0		37	37	37	37	37	37	37
50-64	1	3.0		3	3	3	3	3	3	3
65+	4	9.3	128	2	2	4	16	26	26	26
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	5	7.4	9	4	4	7	9	12	12	12
65+	7	16.9	293	4	5	11	18	47	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	8.0	3	6	6	8	9	10	10	10
B. *Operated*	23	6.2	15	2	3	6	7	13	15	16
2. MULTIPLE DX										
A. *Not Operated*	8	9.9	189	<1	<1	3	16	34	37	37
B. *Operated*	16	10.6	155	2	2	7	11	19	44	54
1. SINGLE DX	27	6.5	13	2	3	6	8	12	14	16
2. MULTIPLE DX	24	10.4	159	1	2	6	11	27	42	54
A. NOT OPERATED	12	9.3	122	<1	1	6	9	29	36	37
B. OPERATED	39	8.0	74	2	2	6	9	14	18	54
TOTAL 0-19 YRS	8	3.0	3	<1	<1	3	4	5	6	6
20-34	3	8.3	4	6	6	9	10	10	10	10
35-49	5	12.8	216	2	2	7	21	37	37	37
50-64	10	6.9	7	3	3	7	8	11	12	12
65+	25	9.7	118	2	3	6	11	20	33	54
GRAND TOTAL	**51**	**8.3**	**84**	**2**	**2**	**6**	**9**	**15**	**26**	**54**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	8.9	72	1	1	6	14	22	23	23
20-34	18	7.8	213	1	1	3	6	48	81	99+
35-49	10	14.9	199	3	3	7	29	37	44	44
50-64	22	14.0	352	1	2	5	23	29	55	85
65+	10	9.7	176	3	3	3	15	67	97	99+
B. *Operated*										
0-19 YRS	11	21.8	244	3	6	19	39	66	95	99+
20-34	20	15.3	40	4	8	15	20	23	26	28
35-49	15	16.4	108	8	8	12	19	36	39	40
50-64	21	17.9	142	4	6	15	22	40	43	44
65+	8	32.0	327	13	14	30	45	59	61	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	15.4	242	3	3	11	22	42	42	42
20-34	13	7.2	53	1	2	5	8	22	24	24
35-49	10	14.2	314	3	3	6	11	47	49	49
50-64	36	11.2	105	3	3	7	16	26	30	48
65+	21	17.2	320	2	3	10	27	40	55	71
B. *Operated*										
0-19 YRS	25	31.2	594	1	5	24	51	81	86	99+
20-34	20	18.5	126	8	9	14	28	65	99+	99+
35-49	21	26.8	318	7	8	22	37	46	63	80
50-64	35	32.7	386	9	10	30	49	59	71	72
65+	20	34.3	270	11	14	34	44	55	66	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	11.2	231	1	2	5	15	35	57	99+
B. *Operated*	75	19.0	158	5	8	16	23	40	50	90
2. MULTIPLE DX										
A. *Not Operated*	85	12.7	184	2	3	7	18	31	43	63
B. *Operated*	121	29.3	373	8	9	26	43	60	78	99+
1. SINGLE DX	143	15.3	206	2	2	11	22	39	53	99+
2. MULTIPLE DX	206	22.4	361	3	3	18	36	51	71	99+
A. NOT OPERATED	153	12.0	204	2	2	6	17	35	46	99
B. OPERATED	196	25.3	315	7	9	20	36	52	72	99+
TOTAL 0-19 YRS	49	23.9	453	1	3	19	38	67	82	99+
20-34	71	12.8	129	1	2	10	21	30	56	99+
35-49	56	19.6	259	4	5	13	29	44	48	78
50-64	114	19.6	322	3	3	13	27	48	56	77
65+	59	23.7	362	3	3	18	37	52	66	97
GRAND TOTAL	**349**	**19.5**	**309**	**2**	**3**	**14**	**29**	**48**	**61**	**99+**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34	6	17.3	41	9	9	18	23	24	24	24
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	1	14.0		14	14	14	14	14	14	14
50-64	2	11.5	61	6	6	11	17	17	17	17
65+	2	7.0	8	5	5	7	9	9	9	9
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	45.3	161	38	38	38	55	60	60	60
35-49	2	18.5	113	11	11	18	26	26	26	26
50-64	1	47.0		47	47	47	47	47	47	47
65+	4	49.3	1012	13	13	47	71	90	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*	7	18.3	41	9	10	22	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	6	9.5	24	5	5	8	14	17	17	17
B. *Operated*	11	38.0	635	1	7	38	51	72	88	90
1. SINGLE DX	8	17.1	46	9	9	18	23	24	24	24
2. MULTIPLE DX	17	27.9	601	2	5	17	43	58	79	90
A. NOT OPERATED	7	9.4	20	5	5	9	13	16	17	17
B. OPERATED	18	30.3	486	4	10	24	42	58	78	90
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	24.6	276	6	7	22	38	49	60	60
35-49	3	17.0	63	11	11	14	23	26	26	26
50-64	4	23.5	300	6	6	20	35	47	47	47
65+	7	31.4	1002	5	6	13	49	82	90	90
GRAND TOTAL	**25**	**24.5**	**441**	**4**	**6**	**17**	**38**	**52**	**67**	**90**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	6	2	2	5	7	7	7	7
20-34	16	8.8	13	3	3	8	12	14	14	14
35-49	12	8.8	3	6	7	9	10	11	12	12
50-64	11	8.9	21	4	4	8	10	15	20	21
65+	4	12.8	50	7	7	10	17	23	23	23
B. *Operated*										
0-19 YRS	5	6.8	20	2	2	6	9	14	14	14
20-34	26	5.5	9	3	3	5	6	11	13	15
35-49	21	7.2	24	3	3	5	9	15	20	21
50-64	22	6.0	9	3	4	5	7	9	13	17
65+	17	8.5	25	2	3	8	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.4	31	<1	<1	6	12	15	15	15
20-34	9	6.3	17	1	1	7	10	11	11	11
35-49	9	11.4	177	2	2	7	13	33	45	45
50-64	13	9.5	36	3	3	9	11	15	25	27
65+	16	7.6	19	1	2	7	12	13	14	14
B. *Operated*										
0-19 YRS	5	11.0	103	3	3	8	16	28	28	28
20-34	26	5.9	9	3	4	5	7	9	11	18
35-49	25	8.5	43	3	4	7	10	17	22	33
50-64	30	10.2	45	3	4	8	14	19	22	30
65+	25	13.2	101	5	6	9	21	35	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	8.7	16	3	4	8	11	13	15	23
B. *Operated*	91	6.6	16	3	3	5	8	13	16	20
2. MULTIPLE DX										
A. *Not Operated*	55	8.4	49	1	2	7	11	14	15	44
B. *Operated*	111	9.5	56	3	4	7	12	21	28	66
1. SINGLE DX	140	7.4	17	3	3	6	9	13	16	21
2. MULTIPLE DX	166	9.2	53	3	3	7	11	18	24	45
A. NOT OPERATED	104	8.5	33	2	3	8	11	13	15	35
B. OPERATED	202	8.2	40	3	4	6	10	16	21	40
TOTAL 0-19 YRS	24	7.4	37	1	2	6	9	15	19	28
20-34	77	6.4	12	3	3	5	8	12	14	17
35-49	67	8.6	47	3	4	7	10	14	20	43
50-64	76	8.7	31	3	4	7	10	16	21	29
65+	62	10.4	60	3	4	8	13	22	28	93
GRAND TOTAL	**306**	**8.3**	**38**	**3**	**3**	**7**	**10**	**15**	**21**	**40**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	7	2	2	3	6	7	7	7
35-49	11	9.5	76	<1	2	7	11	24	30	31
50-64	50	8.7	53	2	2	6	12	19	25	32
65+	60	11.0	159	1	2	8	13	20	34	74
B. *Operated*										
0-19 YRS	1	24.0		24	24	24	24	24	24	24
20-34	13	7.6	34	1	2	7	11	15	20	21
35-49	27	9.1	91	1	1	4	15	22	25	41
50-64	61	10.4	67	2	2	8	14	25	27	31
65+	75	13.5	164	1	2	11	18	35	38	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.1	13	<1	<1	2	4	6	12	16
20-34	49	7.3	57	1	2	4	9	16	28	38
35-49	135	12.0	140	2	2	8	16	27	34	57
50-64	371	12.8	163	2	2	9	17	30	37	61
65+	533	14.3	226	2	3	10	19	32	51	99+
B. *Operated*										
0-19 YRS	14	16.7	370	3	5	10	18	34	69	79
20-34	69	12.6	118	2	2	9	17	26	32	50
35-49	159	15.8	254	2	3	11	19	34	46	89
50-64	418	16.5	216	2	3	13	21	34	46	76
65+	547	18.1	224	2	4	14	24	38	49	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	9.8	106	1	2	7	12	19	27	58
B. *Operated*	177	11.4	113	1	2	9	15	25	35	52
2. MULTIPLE DX										
A. *Not Operated*	1105	13.1	187	2	2	9	17	30	41	86
B. *Operated*	1207	16.9	222	2	3	13	22	36	48	83
1. SINGLE DX	301	10.7	110	1	2	8	15	23	31	52
2. MULTIPLE DX	2312	15.1	209	2	3	11	20	33	45	84
A. NOT OPERATED	1229	12.7	180	2	2	9	16	29	40	84
B. OPERATED	1384	16.2	211	2	3	12	21	35	45	78
TOTAL 0-19 YRS	32	9.7	215	<1	1	5	12	22	28	79
20-34	134	10.0	91	1	2	7	13	22	30	49
35-49	332	13.5	193	2	2	9	17	30	40	82
50-64	900	14.1	181	2	2	10	18	30	39	70
65+	1215	15.8	222	2	3	11	21	36	49	94
GRAND TOTAL	**2613**	**14.6**	**199**	**2**	**2**	**10**	**19**	**32**	**44**	**82**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	5.0	48	<1	1	2	4	19	23	24
20-34	31	2.6	2	<1	1	2	4	5	5	6
35-49	27	2.2	1	1	2	2	2	3	4	6
50-64	8	3.9	2	1	2	4	5	6	6	6
65+	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
0-19 YRS	26	7.6	38	1	2	6	10	16	22	25
20-34	55	10.0	76	2	2	7	14	25	30	34
35-49	21	11.8	130	1	2	9	18	30	36	40
50-64	14	14.1	84	1	2	14	22	26	27	27
65+	12	24.8	503	2	3	15	39	64	64	64
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	16	7.4	57	1	1	6	11	14	25	30
35-49	7	7.3	56	1	1	4	15	18	18	18
50-64	8	14.4	197	1	1	8	26	36	36	36
65+	18	13.7	125	3	4	10	16	35	40	41
B. *Operated*										
0-19 YRS	8	11.1	52	4	4	8	16	22	24	24
20-34	26	16.5	166	2	3	13	25	30	37	59
35-49	13	15.2	167	3	4	11	21	34	45	48
50-64	12	16.2	124	4	7	12	22	35	38	38
65+	18	21.5	489	1	3	17	24	55	73	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.0	10	<1	1	2	3	5	6	22
B. *Operated*	128	11.6	134	2	2	8	16	27	31	64
2. MULTIPLE DX										
A. *Not Operated*	51	10.5	107	1	1	7	14	29	36	41
B. *Operated*	77	16.8	222	3	4	12	24	32	51	78
1. SINGLE DX	214	8.2	102	1	2	4	11	22	27	56
2. MULTIPLE DX	128	14.3	185	1	2	9	19	30	39	65
A. NOT OPERATED	137	5.8	59	1	1	3	6	15	22	38
B. OPERATED	205	13.6	172	2	2	9	19	28	35	64
TOTAL 0-19 YRS	51	7.2	44	1	2	5	9	19	24	25
20-34	128	9.2	94	1	1	5	12	25	30	39
35-49	68	8.2	102	1	2	3	10	23	30	47
50-64	42	12.8	114	1	2	9	18	30	35	38
65+	53	17.8	353	1	2	11	22	52	63	84
GRAND TOTAL	**342**	**10.5**	**141**	**1**	**2**	**6**	**14**	**26**	**32**	**59**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	6.8	155	<1	1	2	5	22	35	57
20-34	4	7.5	169	1	1	1	14	27	27	27
35-49	8	4.9	35	<1	<1	2	6	15	18	18
50-64	9	5.6	24	1	1	4	7	14	16	16
65+	26	8.2	106	<1	1	4	9	31	34	35
B. *Operated*										
0-19 YRS	11	16.4	123	1	2	19	27	29	29	29
20-34	5	20.6	216	5	5	15	29	44	44	44
35-49	1	5.0		5	5	5	5	5	5	5
50-64	7	11.0	39	4	4	10	13	21	23	23
65+	6	20.7	186	7	7	21	32	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.3	157	<1	1	4	12	49	99+	99+
20-34	3	7.0	25	2	2	7	11	12	12	12
35-49	2	6.0	18	3	3	6	9	9	9	9
50-64	22	12.1	105	1	2	10	17	27	36	37
65+	57	13.2	169	2	5	8	14	32	49	60
B. *Operated*										
0-19 YRS	19	29.2	544	2	3	27	38	62	79	91
20-34	3	32.3	30	26	26	35	68	99+	99+	99+
35-49	5	23.0	304	9	9	13	37	49	49	49
50-64	14	19.2	268	3	4	15	26	51	53	54
65+	40	20.5	219	3	4	16	27	50	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	7.0	104	<1	1	3	8	21	32	52
B. *Operated*	30	16.3	131	3	4	14	24	32	35	44
2. MULTIPLE DX										
A. *Not Operated*	108	11.6	149	1	2	7	14	35	50	99+
B. *Operated*	81	22.9	307	3	4	21	31	52	61	99+
1. SINGLE DX	101	9.7	129	1	1	4	14	28	33	50
2. MULTIPLE DX	189	16.4	247	2	3	11	23	46	56	99+
A. NOT OPERATED	179	9.8	135	1	1	6	12	26	40	88
B. OPERATED	111	21.1	266	3	4	17	29	48	59	99+
TOTAL 0-19 YRS	78	14.0	320	1	1	5	24	44	61	99+
20-34	15	16.7	208	1	1	15	31	43	83	99+
35-49	16	10.7	172	<1	1	7	12	31	44	49
50-64	52	12.8	141	1	3	10	17	27	37	54
65+	129	14.8	191	2	2	10	21	34	50	69
GRAND TOTAL	**290**	**14.1**	**215**	**1**	**2**	**9**	**22**	**36**	**51**	**99+**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.6	66	<1	1	3	5	13	28	35
20-34	5	6.2	15	4	4	5	7	13	13	13
35-49	5	4.0	9	2	2	3	5	9	9	9
50-64	17	8.4	81	<1	<1	6	11	23	30	32
65+	58	6.0	103	<1	1	2	7	18	25	57
B. *Operated*										
0-19 YRS	5	9.4	56	2	2	8	12	22	22	22
20-34	10	15.8	275	1	3	10	16	42	59	59
35-49	7	6.7	4	4	4	7	8	10	10	10
50-64	23	14.9	316	1	1	9	17	53	57	61
65+	23	24.8	537	3	4	16	36	61	83	84
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.2	37	<1	<1	2	6	14	20	22
20-34	6	6.3	9	3	3	6	8	11	11	11
35-49	14	12.1	120	2	2	8	16	33	35	36
50-64	27	8.2	44	2	2	7	11	12	22	34
65+	59	10.4	94	2	2	8	13	22	28	57
B. *Operated*										
0-19 YRS	4	39.8	1613	3	3	40	74	75	75	75
20-34	21	31.0	543	5	6	27	37	67	84	93
35-49	16	20.8	181	2	3	23	31	39	41	41
50-64	34	31.1	500	4	6	32	43	58	94	99+
65+	29	17.2	177	6	7	12	25	42	47	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	6.2	83	<1	1	3	7	15	25	45
B. *Operated*	68	17.1	359	1	3	9	21	49	59	84
2. MULTIPLE DX										
A. *Not Operated*	119	9.3	77	2	2	7	11	21	28	43
B. *Operated*	104	25.9	434	3	6	24	39	51	75	98
1. SINGLE DX	176	10.4	216	1	1	5	11	26	39	77
2. MULTIPLE DX	223	17.1	311	2	3	10	25	40	53	94
A. NOT OPERATED	227	7.8	82	1	1	5	10	20	25	41
B. OPERATED	172	22.5	420	2	4	15	34	51	72	95
TOTAL 0-19 YRS	45	8.9	255	<1	1	4	7	22	45	75
20-34	42	20.9	444	3	4	12	27	52	67	93
35-49	42	13.5	146	2	2	8	23	34	38	41
50-64	101	17.5	360	1	2	10	26	48	57	98
65+	169	12.0	208	1	1	8	15	29	40	78
GRAND TOTAL	**399**	**14.1**	**280**	**1**	**1**	**8**	**19**	**36**	**50**	**85**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.0	14	1	1	3	5	10	13	13
20-34	51	2.9	10	1	1	2	2	6	10	20
35-49	92	2.9	9	1	1	2	2	6	10	17
50-64	152	3.9	23	1	1	2	4	9	12	30
65+	143	7.4	152	1	1	3	7	15	31	67
B. *Operated*										
0-19 YRS	12	11.3	77	1	3	10	16	24	30	31
20-34	19	9.8	68	1	2	7	15	23	28	29
35-49	55	11.1	82	<1	2	9	16	21	29	44
50-64	90	12.0	98	2	2	9	19	25	29	48
65+	94	15.0	173	2	2	12	20	34	44	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	5.0	21	<1	1	3	6	11	17	18
20-34	15	7.4	88	<1	1	3	11	28	28	28
35-49	21	9.5	162	<1	1	6	11	18	39	59
50-64	103	11.4	121	1	2	8	17	27	34	48
65+	158	14.5	211	2	3	10	18	35	51	87
B. *Operated*										
0-19 YRS	7	17.1	259	2	3	15	24	44	48	48
20-34	19	22.9	212	5	7	21	34	39	51	59
35-49	25	22.9	430	2	4	17	31	43	63	98
50-64	119	20.5	260	3	5	14	28	45	52	73
65+	177	22.0	249	4	5	19	30	43	56	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	449	4.7	63	1	1	2	4	10	15	51
B. *Operated*	270	12.7	120	2	2	9	18	27	34	59
2. MULTIPLE DX										
A. *Not Operated*	309	12.4	169	1	2	8	16	28	38	64
B. *Operated*	347	21.5	262	4	5	17	30	44	53	98
1. SINGLE DX	719	7.7	99	1	1	3	10	20	28	56
2. MULTIPLE DX	656	17.2	238	2	2	13	25	37	50	82
A. NOT OPERATED	758	7.8	121	1	1	3	10	20	29	59
B. OPERATED	617	17.6	218	2	3	14	25	36	49	77
TOTAL 0-19 YRS	42	8.6	92	1	1	5	13	19	29	48
20-34	104	8.5	120	1	1	3	11	26	33	49
35-49	193	8.5	142	1	1	3	11	21	30	56
50-64	464	11.4	159	1	2	7	16	28	39	54
65+	572	15.1	230	1	2	10	21	35	51	85
GRAND TOTAL	**1375**	**12.2**	**188**	**1**	**2**	**7**	**17**	**30**	**41**	**69**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.0	9	<1	1	2	3	8	11	12
20-34	54	4.2	6	1	2	4	6	8	9	13
35-49	55	4.6	20	1	2	4	5	7	9	33
50-64	55	4.5	10	2	2	3	6	8	12	17
65+	39	4.5	9	2	2	4	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	3	30.3	144	18	18	31	39	42	42	42
B. *Operated*										
0-19 YRS	3	3.3	16	<1	<1	1	6	8	8	8
20-34	9	8.4	112	2	2	5	7	25	36	36
35-49	15	4.3	28	<1	2	3	4	5	19	23
50-64	26	5.0	8	2	2	4	5	9	12	14
65+	29	8.1	51	1	2	7	9	14	28	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	218	4.4	11	1	2	4	6	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	3	30.3	144	18	18	31	39	42	42	42
B. *Operated*	82	6.3	40	1	2	4	7	12	18	35
1. SINGLE DX	219	4.4	11	1	2	4	6	8	9	17
2. MULTIPLE DX	85	7.1	62	1	2	5	8	14	29	40
A. NOT OPERATED	4	24.8	221	8	8	24	36	42	42	42
B. OPERATED	300	4.9	20	1	2	4	6	9	12	30
TOTAL 0-19 YRS	18	3.1	10	<1	<1	2	3	8	10	12
20-34	64	4.9	22	1	2	4	6	8	9	33
35-49	70	4.6	21	1	2	4	5	7	9	32
50-64	81	4.7	9	2	2	4	5	8	12	16
65+	71	7.1	57	2	2	5	8	14	27	40
GRAND TOTAL	**304**	**5.1**	**27**	**1**	**2**	**4**	**6**	**9**	**13**	**33**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	7.0	36	1	1	7	11	13	13	13
20-34	4	4.8	39	1	1	2	8	14	14	14
35-49	5	1.6	1	<1	<1	1	2	3	3	3
50-64	12	2.7	4	<1	<1	2	4	6	7	7
65+	19	2.6	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS	10	6.7	25	1	1	6	12	13	14	14
20-34	9	5.0	29	1	1	4	6	14	18	18
35-49	31	4.9	19	1	1	3	8	11	14	18
50-64	70	6.7	40	1	1	4	11	14	18	32
65+	89	6.9	51	1	1	4	10	15	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	2.0		2	2	2	2	2	2	2
50-64	8	11.6	118	2	2	7	22	26	27	27
65+	18	6.3	26	1	2	4	9	13	18	21
B. *Operated*										
0-19 YRS	5	6.8	9	5	5	5	8	12	12	12
20-34	20	13.7	150	1	2	9	19	35	41	42
35-49	31	11.7	63	2	2	11	17	24	27	29
50-64	85	11.7	50	1	3	11	15	22	24	35
65+	127	13.4	140	1	2	10	19	31	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	3.0	9	<1	<1	2	3	7	9	14
B. *Operated*	209	6.4	40	1	1	4	10	14	18	32
2. MULTIPLE DX										
A. *Not Operated*	28	7.5	55	2	2	4	10	22	23	27
B. *Operated*	268	12.6	101	1	2	10	17	26	32	42
1. SINGLE DX	252	5.9	37	<1	1	3	9	13	18	31
2. MULTIPLE DX	296	12.1	99	1	2	10	16	24	32	42
A. NOT OPERATED	71	4.8	32	<1	<1	3	6	12	21	26
B. OPERATED	477	9.9	84	1	1	8	14	22	29	41
TOTAL 0-19 YRS	18	6.8	20	1	1	6	12	13	14	14
20-34	33	10.2	119	1	1	6	16	23	39	42
35-49	69	7.6	51	1	1	5	11	19	23	29
50-64	175	9.1	54	1	1	8	13	19	23	33
65+	253	9.8	104	1	1	6	14	23	32	42
GRAND TOTAL	**548**	**9.2**	**80**	**1**	**1**	**7**	**13**	**21**	**27**	**41**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	30	3.7	16	1	1	2	3	9	11	20
20-34	34	3.7	16	2	2	2	3	9	14	19
35-49	12	5.5	30	1	1	3	8	14	17	18
50-64	17	4.2	20	1	2	2	5	8	16	20
65+	12	4.0	13	<1	1	2	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	2	13.5	181	4	4	13	23	23	23	23
20-34	11	6.2	26	<1	1	3	12	13	13	13
35-49	8	5.8	22	<1	<1	5	10	11	12	12
50-64	17	8.6	49	2	2	6	17	18	19	19
65+	7	8.4	54	1	1	10	13	19	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	105	4.0	18	1	2	2	4	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	18	4	4	7	10	10	10	10
B. *Operated*	45	7.7	42	<1	1	6	12	18	19	23
1. SINGLE DX	107	4.0	17	1	2	2	4	10	13	20
2. MULTIPLE DX	47	7.7	40	<1	1	6	12	18	19	23
A. NOT OPERATED	4	5.0	14	1	1	4	7	10	10	10
B. OPERATED	150	5.1	28	1	2	2	7	13	18	20
TOTAL 0-19 YRS	32	4.3	26	1	1	2	4	10	19	23
20-34	45	4.3	19	1	2	2	4	12	14	19
35-49	21	5.8	25	<1	1	3	10	12	15	18
50-64	34	6.4	38	2	2	4	8	18	19	20
65+	22	5.3	28	<1	1	2	10	12	16	20
GRAND TOTAL	**154**	**5.1**	**27**	**1**	**2**	**2**	**7**	**13**	**18**	**20**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.7	10	<1	<1	2	6	9	9	9
20-34	5	2.6	2	1	1	2	3	5	5	5
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	5	6.2	26	3	3	4	8	15	15	15
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	195	4.2	49	<1	1	3	4	7	9	43
20-34	199	3.3	8	<1	<1	2	4	7	9	15
35-49	194	3.4	9	<1	<1	3	4	6	9	18
50-64	168	3.2	8	<1	<1	2	4	6	9	16
65+	72	4.3	25	<1	1	3	5	8	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	8.3	18	3	3	8	11	13	13	13
65+	3	9.7	86	2	2	7	17	20	20	20
B. *Operated*										
0-19 YRS	34	6.3	47	1	2	4	7	12	26	29
20-34	59	6.7	173	<1	1	4	5	12	18	83
35-49	69	5.3	37	<1	<1	3	6	14	21	27
50-64	97	6.0	104	<1	<1	3	6	10	16	65
65+	62	8.5	91	1	2	6	10	17	22	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	4.1	11	<1	1	3	5	9	10	15
B. *Operated*	828	3.6	20	<1	<1	3	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	12	5.9	35	1	1	3	9	15	19	20
B. *Operated*	321	6.5	94	<1	1	4	7	13	20	61
1. SINGLE DX	854	3.6	19	<1	<1	3	4	7	9	19
2. MULTIPLE DX	333	6.5	92	<1	1	4	7	13	20	60
A. NOT OPERATED	38	4.7	18	1	1	3	7	10	14	20
B. OPERATED	1149	4.4	42	<1	<1	3	5	8	12	28
TOTAL 0-19 YRS	242	4.5	47	<1	1	3	5	7	10	32
20-34	265	4.0	46	<1	<1	3	4	7	10	22
35-49	266	3.9	17	<1	<1	3	4	8	11	22
50-64	274	4.3	44	<1	<1	3	5	9	12	29
65+	140	6.2	59	1	1	3	7	15	20	34
GRAND TOTAL	**1187**	**4.4**	**41**	**<1**	**<1**	**3**	**5**	**9**	**12**	**27**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.3	30	<1	1	5	11	17	18	18
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	181	3.2	15	<1	<1	2	3	7	10	24
20-34	63	2.9	8	<1	<1	2	4	6	8	16
35-49	64	4.0	20	<1	<1	2	5	9	14	25
50-64	46	4.8	41	<1	<1	3	6	9	16	39
65+	20	3.5	11	<1	<1	2	4	7	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	9.4	63	1	1	8	16	18	23	25
20-34	6	2.7	2	1	1	2	3	5	5	5
35-49	1	10.0		10	10	10	10	10	10	10
50-64	4	10.8	37	4	4	10	15	18	18	18
65+	2	10.0	18	7	7	10	13	13	13	13
B. *Operated*										
0-19 YRS	35	8.3	135	1	1	4	11	17	28	63
20-34	38	5.1	52	<1	<1	2	5	13	26	30
35-49	15	10.3	296	<1	2	4	9	21	57	69
50-64	32	8.3	100	<1	1	3	11	27	32	37
65+	24	12.3	283	<1	<1	5	17	32	56	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	6.9	27	1	2	5	9	16	17	18
B. *Operated*	374	3.5	18	<1	<1	2	4	7	11	24
2. MULTIPLE DX										
A. *Not Operated*	28	8.2	47	1	1	6	14	18	19	25
B. *Operated*	144	8.3	147	<1	<1	3	10	21	30	68
1. SINGLE DX	396	3.7	19	<1	<1	2	4	8	13	24
2. MULTIPLE DX	172	8.3	131	<1	1	4	11	20	30	67
A. NOT OPERATED	50	7.6	38	1	1	5	13	17	18	25
B. OPERATED	518	4.8	58	<1	<1	2	5	11	17	38
TOTAL 0-19 YRS	250	4.6	40	<1	<1	2	5	12	17	29
20-34	109	3.7	24	<1	<1	2	4	7	13	28
35-49	81	5.2	74	<1	<1	3	5	11	16	56
50-64	82	6.5	66	<1	<1	3	8	18	27	38
65+	46	8.4	168	<1	<1	3	7	21	34	68
GRAND TOTAL	**568**	**5.1**	**57**	**<1**	**<1**	**2**	**5**	**13**	**18**	**36**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	34	1.7	1	<1	<1	2	2	3	3	6
20-34	136	1.8	1	<1	<1	2	2	3	3	4
35-49	87	1.9	1	<1	<1	2	2	3	3	5
50-64	40	2.7	2	<1	2	2	3	5	6	8
65+	15	3.1	4	1	2	2	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	35	2.1	1	<1	<1	2	3	3	5	5
35-49	48	2.4	3	<1	<1	2	3	5	6	8
50-64	32	2.9	3	<1	1	2	4	5	5	10
65+	18	4.1	4	1	2	4	5	7	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	312	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	135	2.7	3	<1	<1	2	3	5	6	9
1. SINGLE DX	314	2.0	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	135	2.7	3	<1	<1	2	3	5	6	9
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	447	2.2	2	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	37	1.9	2	<1	<1	2	2	3	5	8
20-34	171	1.8	1	<1	<1	2	2	3	3	5
35-49	135	2.1	1	<1	<1	2	3	3	4	7
50-64	73	2.8	3	<1	2	2	3	5	5	10
65+	33	3.7	4	1	2	3	5	6	8	9
GRAND TOTAL	**449**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	9	3.2	5	<1	<1	2	5	7	7	7
50-64	4	3.3		3	3	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	104	6.2	7	1	2	6	7	9	9	14
35-49	414	6.7	7	1	2	7	8	9	10	13
50-64	87	6.7	14	1	2	7	8	10	13	20
65+	7	9.1	24	2	3	8	13	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	3.6	4	2	2	3	5	7	7	7
35-49	23	2.4	4	<1	<1	1	3	5	8	8
50-64	5	4.8	18	<1	<1	4	8	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34	253	6.9	8	1	4	7	8	9	11	15
35-49	1595	7.8	9	4	6	7	9	11	13	20
50-64	369	8.2	13	2	5	8	9	12	15	20
65+	41	10.8	28	3	7	9	13	17	26	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.8	4	<1	<1	3	4	6	7	7
B. *Operated*	613	6.6	8	1	2	7	8	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	33	2.9	7	<1	<1	2	4	7	8	11
B. *Operated*	2258	7.8	11	2	5	7	9	11	13	21
1. SINGLE DX	630	6.5	8	1	2	7	8	9	10	16
2. MULTIPLE DX	2291	7.8	11	2	5	7	9	11	13	21
A. NOT OPERATED	50	2.9	5	<1	<1	2	4	7	8	11
B. OPERATED	2871	7.6	10	2	5	7	8	11	13	19
TOTAL 0-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
20-34	365	6.6	8	1	2	7	8	9	10	15
35-49	2041	7.5	9	2	5	7	8	10	12	18
50-64	465	7.8	14	2	2	8	9	12	14	20
65+	48	10.6	27	2	7	9	13	17	26	99+
GRAND TOTAL	**2921**	**7.5**	**11**	**2**	**4**	**7**	**8**	**10**	**12**	**19**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	2.7	2	1	1	3	4	4	4	4
35-49	14	6.0	11	1	1	7	8	9	11	11
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	7	10.9	60	7	7	7	11	25	28	28
35-49	41	8.4	8	5	6	8	9	12	13	19
50-64	9	9.1	9	7	7	8	9	14	17	17
65+	3	4.7	14	2	2	3	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	20	5.3	11	1	1	5	8	9	10	11
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	61	8.5	15	3	5	8	9	12	15	27
1. SINGLE DX	21	5.0	11	1	1	4	8	9	10	11
2. MULTIPLE DX	61	8.5	15	3	5	8	9	12	15	27
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	81	7.7	16	1	2	8	9	12	13	25
TOTAL 0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	10	8.4	56	1	2	7	8	20	28	28
35-49	56	7.7	10	1	2	8	9	12	13	19
50-64	11	7.9	15	2	3	8	9	12	17	17
65+	4	5.5	12	2	2	5	8	9	9	9
GRAND TOTAL	**82**	**7.6**	**16**	**1**	**2**	**8**	**9**	**12**	**13**	**25**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	32	5.9	2	4	4	6	7	8	8	8
20-34	161	5.7	3	4	4	5	6	8	8	12
35-49	46	7.0	4	4	5	7	8	10	11	13
50-64	29	7.9	7	5	6	7	8	12	15	15
65+	14	11.6	33	7	7	9	14	21	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	6.0	2	5	5	6	7	8	9	9
20-34	127	6.8	5	4	5	6	8	9	11	14
35-49	79	8.7	15	4	5	7	10	15	17	21
50-64	62	10.8	42	5	6	9	12	17	24	42
65+	43	13.3	50	6	7	11	16	24	30	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	1	<1	<1	2	3	3	3	3
B. *Operated*	282	6.4	7	4	4	6	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*	322	8.9	26	4	5	8	9	15	18	30
1. SINGLE DX	286	6.4	7	4	4	6	7	9	10	16
2. MULTIPLE DX	324	8.8	26	4	5	7	9	15	18	30
A. NOT OPERATED	6	2.3	3	<1	<1	2	3	5	5	5
B. OPERATED	604	7.7	18	4	5	7	8	12	16	27
TOTAL 0-19 YRS	44	5.8	2	3	4	6	7	8	8	9
20-34	291	6.1	4	4	4	6	7	8	9	12
35-49	127	8.0	11	4	5	7	9	13	15	20
50-64	91	9.9	33	6	6	8	11	15	19	38
65+	57	12.9	46	7	7	10	16	24	28	34
GRAND TOTAL	**610**	**7.7**	**18**	**4**	**4**	**7**	**8**	**12**	**16**	**27**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	3.3	11	<1	<1	1	7	8	8	8
35-49	5	4.0	11	<1	<1	3	7	8	8	8
50-64	6	4.2	18	<1	<1	2	6	11	12	12
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	3	6.3	26	2	2	5	10	12	12	12
35-49	4	2.3	4	1	1	2	3	5	5	5
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	5.7	16	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	3.5	11	<1	<1	2	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	12	5.0	21	<1	1	3	8	13	14	14
1. SINGLE DX	20	3.5	11	<1	<1	2	6	8	10	12
2. MULTIPLE DX	13	5.1	19	<1	1	5	7	12	14	14
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	32	4.1	15	<1	<1	2	6	11	12	14
TOTAL 0-19 YRS	3	5.7	52	1	1	2	11	14	14	14
20-34	10	4.5	14	<1	<1	4	7	10	12	12
35-49	9	3.2	8	<1	<1	2	5	8	8	8
50-64	7	3.7	17	<1	<1	2	5	11	12	12
65+	4	4.8	14	2	2	4	7	10	10	10
GRAND TOTAL	**33**	**4.1**	**14**	**<1**	**<1**	**2**	**6**	**10**	**12**	**14**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	11	3.8	6	<1	<1	3	5	8	9	9
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	7	3.4	9	<1	<1	2	4	9	10	10
65+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	3	6.0	27	3	3	3	10	12	12	12
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	4	12.5	70	4	4	11	18	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	3.7	6	<1	<1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	11	7.5	44	<1	2	5	11	17	23	24
1. SINGLE DX	25	3.7	6	<1	<1	3	4	7	9	10
2. MULTIPLE DX	11	7.5	44	<1	2	5	11	17	23	24
A. NOT OPERATED										
B. OPERATED	36	4.9	20	<1	<1	4	6	11	12	24
TOTAL 0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	13	3.7	6	<1	<1	3	5	7	9	9
35-49	6	5.0	15	2	2	3	7	11	12	12
50-64	9	3.7	8	<1	1	3	4	8	10	10
65+	6	9.8	59	4	4	8	11	23	24	24
GRAND TOTAL	**36**	**4.9**	**20**	**<1**	**<1**	**4**	**6**	**11**	**12**	**24**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	3.8	15	<1	<1	2	6	10	10	10
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	10	10.4	62	2	3	8	17	22	26	26
65+	6	11.7	85	1	1	11	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	3	2.3	2	<1	<1	2	3	4	4	4
35-49	6	8.7	28	3	3	8	11	16	17	17
50-64	8	8.3	35	2	2	7	11	18	20	20
65+	23	5.6	14	1	2	4	8	11	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	23	8.5	61	<1	1	5	13	21	24	26
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	40	6.3	21	1	2	5	9	13	16	20
1. SINGLE DX	23	8.5	61	<1	1	5	13	21	24	26
2. MULTIPLE DX	41	6.3	21	1	2	5	9	13	15	20
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	63	7.1	36	<1	1	5	11	17	20	26
TOTAL 0-19 YRS										
20-34	8	3.3	10	<1	<1	2	4	8	10	10
35-49	8	6.9	31	<1	1	5	11	15	17	17
50-64	18	9.4	48	2	2	7	14	19	24	26
65+	30	6.7	32	1	2	5	9	14	21	23
GRAND TOTAL	**64**	**7.1**	**36**	**<1**	**2**	**5**	**10**	**17**	**20**	**26**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	14	3.0	11	1	1	2	3	6	12	14
20-34	6	2.0		<1	<1	2	2	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	17.5	13	15	15	17	20	20	20	20
50-64	1	14.0		14	14	14	14	14	14	14
65+	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	2.6	7	<1	<1	2	3	4	8	14
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	7	8.4	59	<1	<1	4	15	19	20	20
1. SINGLE DX	24	2.6	7	<1	<1	2	3	4	8	14
2. MULTIPLE DX	8	7.5	57	<1	<1	3	14	18	20	20
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	31	3.9	23	<1	<1	2	3	14	15	20
TOTAL 0-19 YRS	16	2.8	10	<1	1	2	3	5	11	14
20-34	7	2.0		<1	<1	2	2	3	3	3
35-49	4	9.8	85	<1	<1	9	17	20	20	20
50-64	2	8.5	61	3	3	8	14	14	14	14
65+	3	2.7	2	<1	<1	3	4	4	4	4
GRAND TOTAL	**32**	**3.8**	**23**	**<1**	**<1**	**2**	**3**	**14**	**15**	**20**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	3.0		3	3	3	3	3	3	3
35-49	4	7.8	68	2	2	4	12	20	20	20
50-64	1	6.0		6	6	6	6	6	6	6
65+	5	7.4	36	2	2	6	11	17	17	17
B. *Operated*										
0-19 YRS	5	10.0	41	2	2	9	14	19	19	19
20-34	6	14.2	50	10	10	11	15	27	28	28
35-49	15	11.1	33	2	4	12	15	19	20	21
50-64	18	13.4	64	2	5	13	16	19	31	39
65+	7	15.6	86	7	7	14	16	31	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	12.0	242	1	1	12	23	23	23	23
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	4	19.0	753	2	2	7	34	60	60	60
65+	7	25.4	1106	1	2	11	73	95	99+	99+
B. *Operated*										
0-19 YRS	5	31.8	262	9	9	31	44	52	52	52
20-34	9	26.3	625	8	8	16	32	67	88	88
35-49	15	17.0	33	11	11	15	20	28	28	28
50-64	29	22.7	191	9	9	20	33	56	98	99+
65+	27	26.3	338	6	10	23	47	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.3	34	2	2	4	7	18	20	20
B. *Operated*	51	12.8	53	2	5	13	16	19	28	39
2. MULTIPLE DX										
A. *Not Operated*	14	20.0	754	1	1	7	51	83	96	99+
B. *Operated*	85	23.8	261	9	10	20	33	57	99+	99+
1. SINGLE DX	64	11.5	55	2	3	10	15	19	23	38
2. MULTIPLE DX	99	23.2	325	4	7	20	34	63	99+	99+
A. NOT OPERATED	27	13.4	441	1	2	5	15	62	85	99+
B. OPERATED	136	19.6	210	6	8	16	26	49	87	99+
TOTAL 0-19 YRS	13	18.1	254	1	2	13	27	43	50	52
20-34	17	19.3	399	3	4	13	23	35	70	88
35-49	35	13.0	49	2	4	12	19	21	26	28
50-64	52	18.8	192	4	7	15	23	50	59	99+
65+	46	22.5	400	3	5	17	38	92	99+	99+
GRAND TOTAL	**163**	**18.6**	**251**	**2**	**4**	**15**	**23**	**50**	**87**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	9	4.3	3	2	2	4	5	7	7	7
20-34	89	4.8	4	3	3	4	5	6	7	16
35-49	95	4.8	2	3	3	5	5	6	7	9
50-64	50	5.7	7	3	3	5	6	8	9	19
65+	23	5.3	3	3	3	5	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64	1	12.0		12	12	12	12	12	12	12
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	25	5.0	3	3	3	5	6	6	9	10
35-49	35	5.3	1	4	4	5	6	7	7	9
50-64	54	5.8	9	2	3	5	6	9	11	20
65+	18	7.1	10	4	4	6	8	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	266	5.0	4	3	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	2	9.0	18	6	6	9	12	12	12	12
B. *Operated*	133	5.7	6	3	3	5	6	8	10	16
1. SINGLE DX	266	5.0	4	3	3	5	6	7	8	13
2. MULTIPLE DX	135	5.7	6	3	3	5	6	9	11	16
A. NOT OPERATED	2	9.0	18	6	6	9	12	12	12	12
B. OPERATED	399	5.2	5	3	3	5	6	7	9	15
TOTAL 0-19 YRS	10	4.4	2	2	2	4	5	6	7	7
20-34	115	4.8	4	3	3	4	6	6	8	13
35-49	130	4.9	2	3	4	5	6	7	7	9
50-64	105	5.8	8	3	3	5	6	9	11	19
65+	41	6.1	7	3	4	5	7	9	12	14
GRAND TOTAL	**401**	**5.2**	**5**	**3**	**3**	**5**	**6**	**7**	**9**	**15**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	2	4	4	5	6	6	6	6
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	6	17.5	115	5	5	15	26	32	33	33
35-49	10	10.1	45	4	4	6	18	19	20	20
50-64	9	6.7	4	5	5	6	9	9	9	9
65+	7	10.6	99	5	5	7	9	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	4	2	2	4	5	6	6	6
35-49	6	4.7	12	<1	<1	5	7	9	9	9
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	17	15.3	155	4	5	12	18	27	47	57
35-49	25	15.8	86	4	5	15	21	30	35	37
50-64	36	12.0	76	3	4	9	18	27	30	34
65+	18	15.0	151	5	5	10	15	34	45	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.3	5	3	3	5	7	8	8	8
B. *Operated*	33	10.6	63	4	5	7	12	21	32	33
2. MULTIPLE DX										
A. *Not Operated*	12	6.3	21	<1	1	6	9	12	16	17
B. *Operated*	98	14.1	104	4	5	11	19	28	35	54
1. SINGLE DX	37	10.1	60	4	4	7	11	20	30	33
2. MULTIPLE DX	110	13.3	101	3	4	10	17	27	34	53
A. NOT OPERATED	16	6.1	17	<1	1	6	8	10	15	17
B. OPERATED	131	13.2	96	4	5	10	18	27	33	52
TOTAL 0-19 YRS	3	11.3	42	5	5	11	16	18	18	18
20-34	28	13.8	134	3	4	11	18	27	35	57
35-49	43	12.5	79	2	4	9	18	24	32	37
50-64	47	11.1	63	4	4	8	15	24	28	34
65+	26	13.6	132	5	5	9	14	33	39	51
GRAND TOTAL	**147**	**12.4**	**92**	**4**	**4**	**9**	**17**	**26**	**33**	**51**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	3	2	2	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	10	2.7	1	1	1	3	4	4	4	4
20-34	529	4.1	6	1	2	3	6	8	8	10
35-49	149	5.2	7	2	2	5	7	8	9	12
50-64	22	5.1	10	2	2	4	8	9	10	11
65+	9	4.8	8	1	1	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	3	4.3	24	1	1	2	8	10	10	10
65+										
B. *Operated*										
0-19 YRS	6	3.2	3	2	2	3	4	6	6	6
20-34	343	5.8	14	2	2	6	8	10	12	19
35-49	168	6.6	8	2	2	7	8	10	11	17
50-64	45	8.9	41	2	3	8	10	14	24	33
65+	11	6.6	19	<1	1	7	10	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	4.0	3	2	2	5	5	5	5	5
B. *Operated*	719	4.3	6	2	2	3	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	8	2.4	10	<1	<1	1	2	8	10	10
B. *Operated*	573	6.2	15	2	2	6	8	10	12	20
1. SINGLE DX	722	4.3	6	2	2	3	6	8	9	11
2. MULTIPLE DX	581	6.2	15	1	2	6	8	10	12	20
A. NOT OPERATED	11	2.8	8	<1	<1	2	4	7	10	10
B. OPERATED	1292	5.2	11	2	2	5	7	9	10	16
TOTAL 0-19 YRS	16	2.9	2	1	2	3	4	4	6	6
20-34	877	4.7	10	1	2	4	7	8	10	15
35-49	320	5.9	8	2	2	6	8	9	10	14
50-64	70	7.5	33	2	2	7	9	12	15	33
65+	20	5.8	15	<1	1	5	8	11	13	14
GRAND TOTAL	**1303**	**5.1**	**11**	**2**	**2**	**5**	**7**	**9**	**10**	**16**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	8	5.9	11	1	2	5	8	11	11	11
65+	9	8.1	105	2	2	5	9	25	34	34
B. *Operated*										
0-19 YRS										
20-34	10	5.7	5	3	3	5	8	9	10	10
35-49	27	6.5	16	1	1	7	8	12	13	16
50-64	32	8.7	57	1	1	7	12	18	28	32
65+	48	8.5	116	1	2	5	12	16	24	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	7	6.7	24	2	2	6	9	15	16	16
65+	11	11.3	98	1	2	8	16	26	35	36
B. *Operated*										
0-19 YRS										
20-34	6	9.2	28	2	2	9	13	16	16	16
35-49	16	6.0	10	2	2	5	8	9	13	14
50-64	45	8.8	70	1	2	7	10	18	22	50
65+	51	9.9	145	2	2	6	13	18	38	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	6.6	51	1	2	5	8	11	23	34
B. *Operated*	117	7.8	67	1	1	6	10	14	19	45
2. MULTIPLE DX										
A. *Not Operated*	20	8.9	68	1	2	6	11	18	27	36
B. *Operated*	118	8.9	92	2	2	6	10	17	21	57
1. SINGLE DX	137	7.7	65	1	1	6	10	14	19	38
2. MULTIPLE DX	138	8.9	88	1	2	6	10	17	21	52
A. NOT OPERATED	40	7.8	59	1	2	6	10	16	26	36
B. OPERATED	235	8.4	80	1	2	6	10	16	21	53
TOTAL 0-19 YRS										
20-34	18	6.5	16	2	2	5	8	13	15	16
35-49	46	6.2	13	1	1	6	8	12	13	15
50-64	92	8.3	56	1	2	7	10	17	21	42
65+	119	9.3	124	1	2	5	12	17	34	68
GRAND TOTAL	**275**	**8.3**	**77**	**1**	**2**	**6**	**10**	**16**	**21**	**47**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	7.3	186	<1	<1	2	5	25	44	52
20-34	13	5.5	78	<1	<1	2	6	15	30	33
35-49	13	4.3	15	1	1	3	6	12	12	12
50-64	33	6.8	48	1	1	4	8	15	21	35
65+	40	9.2	78	<1	1	6	11	22	28	39
B. *Operated*										
0-19 YRS	27	6.7	45	1	2	4	9	15	19	32
20-34	59	5.8	14	1	1	5	8	10	15	17
35-49	54	7.2	35	<1	1	6	9	14	19	32
50-64	73	7.0	39	1	1	4	10	16	21	28
65+	70	7.4	40	1	2	5	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	6.1	46	1	1	4	7	16	24	24
20-34	12	8.3	145	<1	1	4	8	23	42	45
35-49	9	4.3	20	<1	<1	2	8	11	13	13
50-64	41	9.4	93	1	1	7	11	19	36	42
65+	100	12.5	187	1	2	8	15	30	47	91
B. *Operated*										
0-19 YRS	18	11.9	163	1	2	8	12	26	44	55
20-34	40	10.9	164	1	1	7	13	33	54	99+
35-49	33	9.2	98	1	2	7	11	22	49	99+
50-64	76	10.8	136	1	1	7	15	24	34	55
65+	124	13.2	134	2	2	12	18	26	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	7.3	77	<1	1	4	9	21	28	44
B. *Operated*	283	6.8	34	1	1	5	9	15	18	29
2. MULTIPLE DX										
A. *Not Operated*	172	10.7	149	1	1	8	12	23	41	79
B. *Operated*	291	11.7	136	1	2	8	16	25	39	86
1. SINGLE DX	398	7.0	46	1	1	5	9	15	21	33
2. MULTIPLE DX	463	11.3	141	1	2	8	15	25	39	80
A. NOT OPERATED	287	9.3	123	1	1	6	11	21	35	59
B. OPERATED	574	9.3	92	1	2	7	12	21	28	57
TOTAL 0-19 YRS	71	8.1	107	1	1	4	9	19	28	54
20-34	124	7.6	85	1	1	5	9	15	31	68
35-49	109	7.2	53	<1	1	6	9	14	21	73
50-64	223	8.7	85	1	1	6	11	21	26	46
65+	334	11.3	128	1	2	8	15	24	33	70
GRAND TOTAL	**861**	**9.3**	**102**	**1**	**1**	**6**	**12**	**21**	**30**	**57**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	4.3	2	3	3	4	5	6	6	6
35-49	2	4.0		4	4	4	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	6	5.0	1	4	4	5	5	7	7	7
20-34	37	5.1	2	3	4	5	6	7	7	8
35-49	48	5.0	2	3	3	5	6	7	7	9
50-64	62	5.8	7	3	4	5	6	8	12	16
65+	38	6.9	7	3	4	7	8	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	2.8	3	1	1	3	4	5	5	5
35-49	4	3.5		3	3	3	4	4	4	4
50-64	5	7.4	55	1	1	3	15	16	16	16
65+	5	5.4	18	2	2	3	9	11	11	11
B. *Operated*										
0-19 YRS										
20-34	12	5.8	17	3	3	4	5	14	15	15
35-49	27	5.4	7	3	4	6	8	10	11	14
50-64	65	7.1	17	3	4	6	7	11	16	25
65+	32	7.9	23	4	4	7	9	11	12	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.6	2	1	2	4	4	6	6	6
B. *Operated*	191	5.6	5	3	4	5	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	21	4.6	19	1	1	3	4	13	15	16
B. *Operated*	136	7.0	16	3	4	6	8	11	15	26
1. SINGLE DX	199	5.6	5	3	4	5	6	8	10	14
2. MULTIPLE DX	157	6.7	17	2	3	6	8	11	15	25
A. NOT OPERATED	29	4.3	14	1	1	3	4	10	15	16
B. OPERATED	327	6.2	10	3	4	6	7	10	12	18
TOTAL 0-19 YRS	7	4.6	2	2	2	5	5	7	7	7
20-34	56	4.9	5	3	3	5	6	7	8	15
35-49	82	5.3	4	3	3	5	6	8	9	13
50-64	134	6.4	13	3	4	6	7	11	15	22
65+	77	7.1	15	2	4	7	8	11	12	26
GRAND TOTAL	**356**	**6.1**	**11**	**3**	**3**	**5**	**7**	**10**	**12**	**17**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.4	27	1	1	6	8	14	19	19
20-34	25	5.7	24	1	1	4	8	13	16	17
35-49	26	7.0	37	2	3	5	8	14	20	31
50-64	31	8.4	36	2	2	7	8	19	20	26
65+	15	9.1	53	1	3	7	11	24	25	26
B. *Operated*										
0-19 YRS	20	7.6	49	3	4	6	8	10	23	36
20-34	42	4.6	2	2	3	4	5	7	8	9
35-49	44	5.2	2	3	4	5	6	7	8	10
50-64	31	5.6	11	1	2	5	7	9	11	18
65+	17	5.5	5	2	3	5	7	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.2	48	1	2	7	14	16	25	27
20-34	35	6.9	20	<1	1	6	10	13	15	20
35-49	40	8.5	49	2	3	7	10	14	25	35
50-64	76	9.7	53	2	3	7	13	19	23	37
65+	90	12.1	78	3	4	10	15	27	30	43
B. *Operated*										
0-19 YRS	4	17.0	289	4	4	11	27	42	42	42
20-34	26	8.7	52	3	4	7	10	13	24	38
35-49	29	6.3	16	2	2	5	7	13	14	19
50-64	36	9.1	66	2	4	6	11	19	26	42
65+	29	17.1	202	4	4	14	26	49	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	7.3	35	1	2	6	9	16	20	28
B. *Operated*	154	5.5	11	2	3	5	6	8	9	18
2. MULTIPLE DX										
A. *Not Operated*	255	9.9	59	2	3	8	12	20	27	38
B. *Operated*	124	10.5	103	2	4	7	12	24	39	67
1. SINGLE DX	262	6.2	22	2	2	5	7	11	15	26
2. MULTIPLE DX	379	10.1	73	2	3	7	12	21	28	47
A. NOT OPERATED	363	9.2	53	2	3	7	12	19	26	35
B. OPERATED	278	7.7	58	2	3	6	8	14	24	50
TOTAL 0-19 YRS	49	8.5	64	2	2	6	10	15	27	42
20-34	128	6.3	23	1	2	5	8	12	14	25
35-49	139	6.7	26	2	3	5	8	11	15	32
50-64	174	8.6	47	2	3	6	11	19	22	37
65+	151	12.0	100	3	4	9	15	27	31	56
GRAND TOTAL	**641**	**8.5**	**56**	**2**	**3**	**6**	**10**	**17**	**25**	**42**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	175	8.0	35	1	2	7	11	15	18	32
20-34	100	7.3	20	2	2	7	9	13	16	23
35-49	118	7.8	23	1	3	7	10	14	16	24
50-64	206	8.8	33	2	3	8	11	16	19	27
65+	323	10.0	51	2	3	8	13	18	24	38
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	18.0		18	18	18	18	18	18	18
50-64	3	11.3	114	2	2	9	19	23	23	23
65+	3	10.3	72	2	2	10	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	7.8	108	1	1	5	9	16	24	59
20-34	101	7.1	27	1	2	6	9	13	16	27
35-49	197	8.0	30	2	3	7	10	15	19	30
50-64	486	9.8	52	3	3	8	13	18	23	33
65+	973	12.5	128	3	3	10	16	26	40	99+
B. *Operated*										
0-19 YRS	4	9.0	22	3	3	9	12	14	14	14
20-34	13	18.5	570	5	6	13	17	96	99	99+
35-49	13	14.1	108	4	5	12	16	27	41	44
50-64	41	15.9	241	2	4	12	18	29	37	97
65+	59	18.6	184	6	8	15	22	38	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	922	8.8	38	2	3	7	11	16	21	31
B. *Operated*	7	11.9	70	2	2	10	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	1859	10.8	94	2	3	8	14	22	30	99+
B. *Operated*	130	17.0	226	4	6	13	20	35	44	99+
1. SINGLE DX	929	8.8	38	2	3	8	11	17	21	31
2. MULTIPLE DX	1989	11.2	105	2	3	9	14	22	31	99+
A. NOT OPERATED	2781	10.1	76	2	3	8	13	20	26	75
B. OPERATED	137	16.7	218	4	6	13	20	34	43	99+
TOTAL 0-19 YRS	281	8.0	61	1	2	6	10	15	21	32
20-34	214	7.9	61	2	2	6	10	14	17	56
35-49	329	8.2	32	2	3	7	10	15	18	30
50-64	736	9.9	59	2	3	8	12	18	23	33
65+	1358	12.1	114	2	3	9	15	24	36	99+
GRAND TOTAL	**2918**	**10.4**	**85**	**2**	**3**	**8**	**13**	**20**	**27**	**89**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	6.0	17	1	2	5	9	12	15	17
20-34	104	6.2	22	1	2	5	8	13	16	20
35-49	48	7.5	31	1	2	6	10	15	20	23
50-64	27	7.3	18	2	2	7	9	14	14	15
65+	35	14.6	134	2	3	10	17	36	40	47
B. *Operated*										
0-19 YRS	2	14.0	72	8	8	14	20	20	20	20
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	129	7.0	92	1	1	4	9	13	21	62
20-34	95	6.5	19	2	2	6	8	12	15	22
35-49	39	9.7	56	2	3	8	12	21	28	33
50-64	73	12.9	197	2	3	10	13	27	43	83
65+	120	15.6	175	3	5	12	20	32	55	99+
B. *Operated*										
0-19 YRS	3	8.3	4	6	6	9	10	10	10	10
20-34	6	13.8	54	2	3	15	21	21	21	21
35-49	5	25.6	697	9	9	14	34	72	72	72
50-64	7	23.9	370	9	9	16	37	55	58	58
65+	13	35.3	853	9	11	19	51	88	93	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	7.1	37	1	2	6	9	14	17	35
B. *Operated*	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	456	10.4	126	1	2	7	12	23	30	69
B. *Operated*	34	25.4	560	7	9	16	23	67	83	94
1. SINGLE DX	381	7.1	37	1	2	6	9	14	17	35
2. MULTIPLE DX	490	11.4	170	2	2	8	13	24	39	82
A. NOT OPERATED	835	8.9	88	1	2	6	11	17	26	56
B. OPERATED	36	24.7	537	7	9	16	22	65	82	94
TOTAL 0-19 YRS	299	6.5	50	1	2	4	9	12	16	34
20-34	205	6.6	23	1	2	5	9	13	16	21
35-49	92	9.4	86	1	2	7	11	19	23	56
50-64	107	12.2	174	2	2	9	13	25	44	72
65+	168	16.9	242	3	5	12	20	40	56	99
GRAND TOTAL	**871**	**9.5**	**116**	**1**	**2**	**7**	**11**	**18**	**27**	**67**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	7.6	24	2	2	6	11	15	16	22
20-34	162	7.9	56	2	3	6	10	13	15	31
35-49	167	7.6	20	2	3	7	10	12	15	24
50-64	315	8.0	24	2	3	7	10	14	17	24
65+	409	10.1	58	3	4	9	12	17	24	42
B. *Operated*										
0-19 YRS	2	11.0	162	2	2	11	20	20	20	20
20-34	2	4.0		4	4	4	4	4	4	4
35-49	2	21.5	85	15	15	21	28	28	28	28
50-64	10	11.3	99	2	2	9	18	26	32	32
65+	15	9.4	45	5	5	6	11	20	27	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	6.8	38	1	1	5	10	14	19	29
20-34	247	8.0	64	1	2	6	10	14	20	42
35-49	316	9.4	56	2	3	8	12	16	21	39
50-64	814	10.3	59	2	3	8	13	20	25	47
65+	1347	13.2	137	3	4	10	16	25	36	84
B. *Operated*										
0-19 YRS	9	14.9	92	4	5	12	24	29	31	31
20-34	82	15.6	192	2	4	10	24	35	45	91
35-49	91	15.0	158	2	5	12	19	38	60	99+
50-64	180	19.8	287	2	4	15	27	49	71	99+
65+	258	23.9	456	4	5	18	38	86	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1197	8.6	40	2	3	7	11	15	19	31
B. *Operated*	31	10.5	[illegible]	2	3	6	14	24	29	32
2. MULTIPLE DX										
A. *Not Operated*	2806	11.3	100	2	3	9	14	22	29	66
B. *Operated*	620	20.1	334	3	5	15	30	57	92	99+
1. SINGLE DX	1228	8.7	41	2	3	7	11	15	19	31
2. MULTIPLE DX	3426	12.9	154	2	4	9	16	27	41	99+
A. NOT OPERATED	4003	10.5	84	2	3	8	13	20	26	55
B. OPERATED	651	19.7	326	3	4	15	29	54	90	99+
TOTAL 0-19 YRS	237	7.6	34	1	2	6	11	15	19	27
20-34	493	9.2	90	2	2	7	11	18	28	60
35-49	576	9.8	68	2	3	8	12	17	26	59
50-64	1319	11.1	95	2	3	8	14	22	30	70
65+	2029	13.9	176	3	4	10	16	29	47	99+
GRAND TOTAL	**4654**	**11.8**	**128**	**2**	**3**	**9**	**14**	**24**	**35**	**91**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	7.6	40	1	1	7	10	18	18	18
20-34	8	3.9	7	1	1	3	5	8	9	9
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	8	4.0	6	<1	<1	4	6	7	7	7
20-34	58	4.3	7	<1	<1	5	6	7	9	12
35-49	11	3.7	12	<1	<1	<1	7	9	10	10
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	32	3	3	7	11	11	11	11
20-34	13	5.1	8	<1	2	4	7	9	11	11
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	10	5.0	9	1	1	5	7	9	11	11
20-34	59	4.6	7	<1	1	5	7	8	9	12
35-49	15	10.3	32	1	3	9	13	15	23	25
50-64	3	3.3	5	2	2	2	5	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	5.3	21	1	1	5	7	11	17	18
B. *Operated*	78	4.1	7	<1	<1	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	16	5.3	9	1	2	4	7	10	11	11
B. *Operated*	87	5.6	16	1	1	5	7	10	13	21
1. SINGLE DX	91	4.3	9	<1	<1	5	6	7	10	16
2. MULTIPLE DX	103	5.5	15	1	2	5	7	11	12	20
A. NOT OPERATED	29	5.3	14	1	1	4	7	10	12	18
B. OPERATED	165	4.9	12	<1	<1	5	7	9	11	15
TOTAL 0-19 YRS	25	5.4	15	<1	1	5	7	11	13	18
20-34	138	4.5	7	<1	1	5	6	7	9	12
35-49	27	7.4	33	<1	<1	8	10	14	17	25
50-64	3	3.3	5	2	2	2	5	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**194**	**4.9**	**12**	**<1**	**1**	**5**	**7**	**9**	**11**	**17**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.8	19	<1	1	2	5	8	15	22
20-34	59	5.3	23	<1	1	4	8	11	17	21
35-49	42	5.1	23	<1	1	4	7	12	15	22
50-64	51	4.8	20	1	1	3	6	10	15	23
65+	58	6.5	30	1	2	6	8	13	19	28
B. *Operated*										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	7	10.9	27	4	4	11	16	17	17	17
35-49	10	7.8	18	2	3	7	8	15	17	17
50-64	5	8.2	39	2	2	8	14	15	15	15
65+	2	8.0	32	4	4	8	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	3.7	8	1	1	3	5	8	11	79
20-34	76	5.3	23	1	1	4	7	12	14	25
35-49	85	6.9	49	1	1	4	9	17	21	36
50-64	102	8.5	86	1	1	6	10	16	22	53
65+	213	11.1	146	2	2	7	13	23	35	67
B. *Operated*										
0-19 YRS	8	15.5	107	6	7	12	18	33	38	38
20-34	13	9.3	42	1	2	7	13	20	22	22
35-49	26	15.5	120	2	3	14	21	32	38	44
50-64	22	14.6	97	3	4	12	23	33	59	99+
65+	19	15.3	116	4	6	14	21	39	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	270	5.1	24	1	1	4	7	11	16	23
B. *Operated*	28	8.1	24	2	2	7	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	549	8.2	91	1	1	5	10	18	25	58
B. *Operated*	88	14.3	101	3	4	13	19	32	38	99+
1. SINGLE DX	298	5.4	24	1	1	4	7	12	16	23
2. MULTIPLE DX	637	9.0	97	1	1	6	12	20	31	63
A. NOT OPERATED	819	7.1	71	1	1	4	9	15	22	49
B. OPERATED	116	12.8	89	2	3	11	17	28	37	99+
TOTAL 0-19 YRS	145	4.4	25	1	1	3	5	10	14	40
20-34	155	5.9	27	1	1	4	8	13	18	22
35-49	163	7.8	63	1	1	5	11	18	24	37
50-64	180	8.2	75	1	1	6	10	18	24	55
65+	292	10.4	124	2	2	7	12	23	34	67
GRAND TOTAL	**935**	**7.8**	**77**	**1**	**1**	**5**	**10**	**17**	**24**	**50**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	5.4	5	2	3	5	7	9	10	10
20-34	3	6.7	22	3	3	5	10	12	12	12
35-49	5	14.4	220	2	2	9	20	40	40	40
50-64	2	9.5	1	9	9	9	10	10	10	10
65+	17	11.4	70	2	3	7	19	23	26	28
B. *Operated*										
0-19 YRS	2	6.0	50	<1	<1	5	11	11	11	11
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	24.0		24	24	24	24	24	24	24
50-64	2	18.5	545	2	2	18	35	35	35	35
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	11.0	92	3	4	8	14	18	35	45
20-34	7	9.0	200	3	3	4	5	34	41	41
35-49	13	8.6	39	1	1	10	14	15	19	20
50-64	20	13.5	132	3	5	10	15	31	44	47
65+	58	19.7	347	3	4	13	28	50	67	99
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	1	9.0		9	9	9	9	9	9	9
35-49	5	20.6	205	4	4	18	28	43	43	43
50-64	3	13.0	97	5	5	17	62	99+	99+	99+
65+	12	30.1	275	12	13	24	39	58	61	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	9.1	62	2	3	6	10	21	25	40
B. *Operated*	7	11.3	176	<1	<1	4	21	33	35	35
2. MULTIPLE DX										
A. *Not Operated*	122	15.2	236	3	3	10	19	41	49	93
B. *Operated*	22	24.0	246	5	8	23	37	57	75	99+
1. SINGLE DX	50	9.4	75	2	2	6	11	22	28	40
2. MULTIPLE DX	144	16.5	246	3	4	11	22	42	52	99+
A. NOT OPERATED	165	13.6	197	3	3	9	16	33	45	88
B. OPERATED	29	21.0	253	2	3	17	35	49	62	99+
TOTAL 0-19 YRS	43	8.8	63	2	3	7	11	16	22	45
20-34	12	8.0	116	3	3	4	7	21	38	41
35-49	24	13.0	123	1	2	12	16	26	41	43
50-64	27	13.5	128	3	4	10	16	40	52	99+
65+	88	19.3	306	3	4	14	26	46	62	96
GRAND TOTAL	**194**	**14.7**	**211**	**2**	**3**	**10**	**19**	**38**	**48**	**96**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	11.7	67	3	4	11	14	22	27	43
20-34	15	16.0	91	2	4	14	20	33	35	36
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	33.0		33	33	33	33	33	33	33
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	95	12.2	38	2	3	13	16	20	22	27
20-34	22	16.1	412	3	5	9	16	35	75	84
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	14.8	142	2	2	21	23	27	27	27
20-34	1	37.0		37	37	37	37	37	37	37
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	12.6	74	3	4	11	15	23	32	42
B. *Operated*	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX										
A. *Not Operated*	117	12.9	108	2	3	12	16	20	23	74
B. *Operated*	6	18.5	196	2	2	21	27	36	37	37
1. SINGLE DX	74	12.9	79	3	4	12	15	25	33	42
2. MULTIPLE DX	123	13.2	112	2	3	12	16	22	24	73
A. NOT OPERATED	190	12.8	94	2	4	12	16	21	25	59
B. OPERATED	7	20.6	193	2	2	22	31	36	37	37
TOTAL 0-19 YRS	159	12.2	54	2	3	12	16	22	25	38
20-34	38	16.6	280	3	4	14	18	35	56	84
35-49										
50-64										
65+										
GRAND TOTAL	**197**	**13.1**	**99**	**2**	**3**	**12**	**16**	**22**	**27**	**57**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	9.3	28	3	3	8	14	17	17	17
20-34	3	10.0	49	3	3	10	15	17	17	17
35-49	6	26.7	973	2	2	14	45	77	81	81
50-64	3	17.7	217	<1	<1	23	27	29	29	29
65+	5	9.4	36	1	1	13	14	14	14	14
B. *Operated*										
0-19 YRS	6	11.7	67	7	7	9	11	26	28	28
20-34	113	8.8	5	6	7	8	10	11	12	20
35-49	57	8.9	6	5	6	8	11	12	13	16
50-64	11	8.7	1	7	7	9	9	10	10	10
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.8	13	2	3	6	8	11	15	17
20-34	27	6.4	22	<1	1	7	9	13	17	18
35-49	34	7.8	38	1	2	7	12	19	20	21
50-64	47	11.9	67	1	3	10	16	25	29	36
65+	22	16.5	385	2	3	9	20	31	58	94
B. *Operated*										
0-19 YRS	2	21.5	265	10	10	21	33	33	33	33
20-34	54	12.0	45	6	7	10	13	16	31	39
35-49	71	13.0	99	7	7	10	13	21	44	92
50-64	18	12.5	35	4	6	12	14	22	26	27
65+	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	14.4	285	1	2	10	17	28	52	81
B. *Operated*	188	8.9	7	6	7	8	10	11	12	21
2. MULTIPLE DX										
A. *Not Operated*	148	10.0	102	1	2	8	12	20	28	37
B. *Operated*	147	12.7	72	6	7	11	14	19	33	65
1. SINGLE DX	214	9.6	43	5	6	8	10	12	16	35
2. MULTIPLE DX	295	11.3	88	2	3	10	13	20	29	59
A. NOT OPERATED	174	10.7	130	1	2	8	13	20	29	72
B. OPERATED	335	10.6	39	6	7	9	11	14	19	47
TOTAL 0-19 YRS	35	9.1	44	3	3	7	11	17	25	33
20-34	197	9.3	22	3	6	8	10	13	16	35
35-49	168	11.1	94	2	5	9	11	17	25	78
50-64	79	11.8	56	2	4	10	14	25	29	34
65+	30	14.8	295	1	2	10	16	29	34	94
GRAND TOTAL	**509**	**10.6**	**70**	**2**	**5**	**9**	**11**	**17**	**25**	**49**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	5.5	21	<1	1	4	7	10	16	20
20-34	16	5.1	25	<1	1	4	7	8	17	21
35-49	17	5.5	18	1	2	4	6	11	16	18
50-64	23	4.9	7	1	2	5	6	9	10	12
65+	23	6.5	24	<1	1	5	8	16	18	18
B. *Operated*										
0-19 YRS	19	7.0	28	1	1	5	11	15	17	18
20-34	46	5.1	9	<1	1	4	7	8	10	15
35-49	46	4.9	28	<1	<1	4	6	8	11	35
50-64	33	8.5	55	<1	2	7	10	17	23	39
65+	9	9.0	92	1	1	4	16	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	9.1	96	2	2	6	10	17	36	49
20-34	34	8.1	45	1	3	6	10	16	24	32
35-49	46	6.8	19	2	2	6	9	14	17	18
50-64	58	9.1	66	1	3	6	11	21	30	37
65+	68	10.5	99	1	2	8	14	23	36	45
B. *Operated*										
0-19 YRS	15	10.0	86	1	1	7	14	27	28	28
20-34	59	5.9	11	2	2	5	7	10	14	17
35-49	82	5.9	12	2	3	5	7	11	14	74
50-64	49	11.0	162	1	2	7	11	32	34	71
65+	39	13.1	144	1	2	10	18	33	39	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	5.5	19	<1	1	5	7	10	16	20
B. *Operated*	153	6.2	33	<1	1	4	8	12	16	35
2. MULTIPLE DX										
A. *Not Operated*	276	8.9	72	1	2	6	11	17	29	43
B. *Operated*	244	8.3	75	2	2	5	10	17	27	55
1. SINGLE DX	276	5.9	27	<1	1	5	7	11	16	26
2. MULTIPLE DX	520	8.6	73	1	2	6	10	17	28	45
A. NOT OPERATED	399	7.9	58	1	2	6	10	16	23	41
B. OPERATED	397	7.5	60	1	2	5	9	15	22	40
TOTAL 0-19 YRS	148	7.9	66	1	2	5	10	15	27	44
20-34	155	6.0	20	1	2	5	8	10	15	26
35-49	191	5.8	18	1	2	5	7	11	15	30
50-64	163	9.0	87	1	2	6	10	20	32	39
65+	139	10.5	102	1	1	7	15	22	36	47
GRAND TOTAL	**796**	**7.7**	**59**	**1**	**2**	**5**	**9**	**15**	**22**	**40**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	6.3	36	3	3	4	7	15	23	23
35-49	18	4.4	9	1	2	4	6	8	11	12
50-64	27	5.9	23	1	2	5	6	10	15	26
65+	47	6.1	16	2	2	6	8	9	11	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	5.7	10	3	3	5	5	11	12	12
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	6.0	18	1	1	6	8	12	14	14
35-49	16	5.6	9	2	3	5	7	11	12	12
50-64	44	8.5	41	3	3	7	11	14	16	41
65+	105	8.6	41	2	3	7	11	14	18	37
B. *Operated*										
0-19 YRS										
20-34	3	18.3	137	5	5	23	26	27	27	27
35-49	1	18.0		18	18	18	18	18	18	18
50-64	11	9.3	36	3	3	7	12	19	22	22
65+	15	22.2	134	5	10	19	29	40	44	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	5.8	18	1	2	5	7	9	12	26
B. *Operated*	9	4.3	11	1	1	4	5	9	12	12
2. MULTIPLE DX										
A. *Not Operated*	174	8.1	38	2	3	7	11	14	17	39
B. *Operated*	30	16.9	123	3	4	17	23	31	40	46
1. SINGLE DX	111	5.7	18	1	2	5	7	9	12	26
2. MULTIPLE DX	204	9.4	59	2	3	7	12	18	26	42
A. NOT OPERATED	276	7.3	32	2	2	6	9	13	15	31
B. OPERATED	39	14.0	125	2	3	12	21	29	37	46
TOTAL 0-19 YRS										
20-34	22	7.8	54	1	2	5	8	23	25	27
35-49	36	5.2	14	1	2	4	7	11	12	18
50-64	88	7.6	34	2	3	6	10	13	17	35
65+	169	9.0	60	2	3	7	10	17	26	43
GRAND TOTAL	**315**	**8.1**	**48**	**2**	**3**	**6**	**10**	**14**	**23**	**40**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	3.2	6	<1	1	3	5	7	8	9
20-34	4	5.0	12	2	2	5	8	8	8	8
35-49	8	5.5	41	2	2	3	5	16	21	21
50-64	15	5.6	16	2	2	4	7	11	14	15
65+	40	8.5	59	1	2	6	12	18	27	32
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	5.1	26	1	1	4	6	9	19	25
20-34	35	3.5	9	1	1	3	5	6	11	14
35-49	47	5.8	22	1	2	4	8	11	16	24
50-64	110	8.6	57	2	2	6	10	16	27	39
65+	418	14.0	203	3	4	9	18	37	58	99+
B. *Operated*										
0-19 YRS	3	24.3	1066	4	4	7	48	62	62	62
20-34										
35-49	5	10.6	26	2	2	11	14	15	15	15
50-64	9	11.4	54	2	4	8	16	22	26	26
65+	23	27.5	417	6	7	24	38	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	5.9	36	1	1	4	8	14	18	32
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	679	11.1	153	2	2	7	13	27	46	99+
B. *Operated*	40	21.5	364	3	6	17	29	76	99+	99+
1. SINGLE DX	100	5.9	35	1	1	4	8	13	18	31
2. MULTIPLE DX	719	11.7	170	2	2	7	14	29	47	99+
A. NOT OPERATED	778	10.5	141	1	2	7	12	25	39	99+
B. OPERATED	41	21.1	363	3	5	16	29	74	99+	99+
TOTAL 0-19 YRS	104	5.1	52	1	1	3	6	9	18	43
20-34	39	3.7	9	1	1	3	5	8	13	99+
35-49	60	6.2	26	1	2	4	8	14	16	24
50-64	134	8.4	53	2	2	6	11	16	27	38
65+	482	14.2	211	2	3	9	19	37	61	99+
GRAND TOTAL	**819**	**11.0**	**157**	**1**	**2**	**7**	**13**	**27**	**46**	**99+**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	7.6	27	2	2	6	11	15	18	23
20-34	10	5.1	14	1	1	5	9	10	10	10
35-49	21	5.4	17	<1	<1	5	8	12	13	13
50-64	22	7.5	21	1	2	7	11	14	15	16
65+	91	7.5	33	1	1	6	12	15	17	26
B. *Operated*										
0-19 YRS	7	7.6	8	3	4	7	9	12	12	12
20-34	10	7.7	59	<1	<1	6	11	20	24	24
35-49	6	7.7	18	4	4	6	12	14	14	14
50-64	10	9.1	9	5	5	9	11	13	14	14
65+	27	10.7	45	3	5	9	15	20	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	7.6	28	1	2	7	11	13	16	29
20-34	27	5.0	37	<1	1	3	6	12	18	29
35-49	46	7.1	33	1	1	6	9	13	21	24
50-64	52	13.4	167	3	4	11	14	22	36	74
65+	328	11.8	101	2	3	9	15	23	32	69
B. *Operated*										
0-19 YRS	7	13.0	75	2	2	11	22	22	22	22
20-34	5	7.8	57	1	1	8	11	20	20	20
35-49	27	11.7	37	4	5	11	14	19	23	32
50-64	40	15.4	133	5	6	11	19	30	35	64
65+	142	17.0	122	5	7	15	21	30	34	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	7.2	28	1	2	6	10	15	17	23
B. *Operated*	60	9.3	34	2	3	8	12	17	21	30
2. MULTIPLE DX										
A. *Not Operated*	550	10.5	91	1	2	8	13	21	27	63
B. *Operated*	221	15.8	114	5	6	14	20	29	33	70
1. SINGLE DX	275	7.7	30	1	2	6	11	15	17	24
2. MULTIPLE DX	771	12.0	103	2	3	10	15	23	31	64
A. NOT OPERATED	765	9.6	75	1	2	8	13	19	25	49
B. OPERATED	281	14.4	104	4	5	12	18	26	32	64
TOTAL 0-19 YRS	182	7.6	29	2	2	7	11	14	19	27
20-34	52	5.8	38	1	1	4	8	13	20	29
35-49	100	8.0	35	1	1	7	12	15	20	28
50-64	124	12.7	124	3	4	10	15	23	32	67
65+	588	12.4	102	2	3	10	16	23	32	65
GRAND TOTAL	**1046**	**10.9**	**87**	**1**	**2**	**9**	**14**	**22**	**28**	**61**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	4.3	3	2	2	4	5	7	7	7
20-34	6	4.7	3	2	2	5	5	7	7	7
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	1	8.0		8	8	8	8	8	8	8
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	5	4	4	6	8	10	10	10
20-34	6	7.7	54	1	1	6	7	20	22	22
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	4.5	3	2	2	5	5	7	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	6.9	27	1	3	6	7	14	21	22
B. *Operated*	1	11.0		11	11	11	11	11	11	11
1. SINGLE DX	15	4.5	3	2	2	5	5	7	8	8
2. MULTIPLE DX	13	7.2	26	1	3	6	8	13	20	22
A. NOT OPERATED	27	5.6	15	2	2	5	7	8	12	22
B. OPERATED	1	11.0		11	11	11	11	11	11	11
TOTAL 0-19 YRS	11	5.4	5	2	3	5	7	8	10	10
20-34	12	6.2	28	1	2	5	6	12	21	22
35-49	3	3.3	1	2	2	4	4	4	4	4
50-64	2	9.5	5	8	8	9	11	11	11	11
65+										
GRAND TOTAL	**28**	**5.8**	**15**	**2**	**2**	**5**	**7**	**9**	**12**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	5.5	27	1	1	3	7	14	17	19
20-34	19	5.3	31	1	2	4	6	8	19	27
35-49	28	4.9	19	1	1	3	8	12	13	14
50-64	49	6.4	40	1	1	4	8	17	18	29
65+	168	8.0	94	1	1	5	10	17	22	51
B. *Operated*										
0-19 YRS	11	6.6	7	1	3	7	9	10	10	10
20-34	8	12.3	97	2	2	10	20	27	28	28
35-49	5	7.8	2	7	7	7	8	10	10	10
50-64	12	10.6	36	4	5	9	14	20	23	23
65+	46	11.7	88	2	3	10	14	21	35	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	7.0	52	1	1	4	10	16	21	39
20-34	36	7.0	52	<1	1	5	8	13	23	36
35-49	47	7.6	58	1	1	6	10	15	22	40
50-64	92	7.8	65	1	1	6	10	14	18	47
65+	437	12.3	133	2	2	9	16	26	35	63
B. *Operated*										
0-19 YRS	16	8.6	57	1	2	7	10	14	27	33
20-34	19	11.6	89	3	4	8	16	21	33	42
35-49	18	13.8	158	2	4	10	13	40	43	43
50-64	60	15.2	74	4	6	13	19	27	34	40
65+	190	20.8	266	5	7	17	26	39	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	6.8	63	1	1	4	9	16	18	43
B. *Operated*	82	10.7	67	2	3	9	13	21	27	43
2. MULTIPLE DX										
A. *Not Operated*	691	10.5	111	1	2	7	13	23	31	55
B. *Operated*	303	18.0	213	4	5	14	23	35	44	98
1. SINGLE DX	415	7.6	66	1	1	5	10	16	20	43
2. MULTIPLE DX	994	12.8	154	1	2	9	16	27	37	81
A. NOT OPERATED	1024	9.3	98	1	1	7	12	20	27	52
B. OPERATED	385	16.5	190	3	5	13	21	32	42	95
TOTAL 0-19 YRS	175	6.5	40	1	1	4	9	15	18	31
20-34	82	8.2	65	1	2	5	9	21	25	40
35-49	98	8.0	70	1	1	6	10	14	27	43
50-64	213	9.7	72	1	2	7	13	20	28	41
65+	841	13.3	171	1	2	10	17	27	39	85
GRAND TOTAL	**1409**	**11.2**	**133**	**1**	**2**	**8**	**15**	**24**	**33**	**66**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.2	16	1	1	3	4	11	12	12
20-34	5	3.4	5	1	1	5	5	5	5	5
35-49	4	4.3	16	1	1	4	7	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	50	1	1	3	8	18	22	23
20-34	12	6.1	16	<1	1	5	9	11	14	15
35-49	2	43.5	1013	21	21	43	66	66	66	66
50-64	2	15.0		15	15	15	15	15	15	15
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.0	12	1	1	3	5	10	12	12
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	9.2	151	1	1	5	13	19	23	66
B. *Operated*	1	1.0		1	1	50	99+	99+	99+	99+
1. SINGLE DX	19	4.0	12	1	1	3	5	10	12	12
2. MULTIPLE DX	32	8.9	148	1	1	5	15	21	60	99+
A. NOT OPERATED	50	7.2	103	1	1	4	9	15	21	66
B. OPERATED	1	1.0		1	1	50	99+	99+	99+	99+
TOTAL 0-19 YRS	25	5.4	35	1	1	3	7	15	19	23
20-34	17	5.3	14	<1	1	5	7	9	13	15
35-49	6	17.3	623	1	1	7	21	61	66	66
50-64	2	15.0		15	15	15	15	15	15	15
65+	1	2.0		2	2	51	99+	99+	99+	99+
GRAND TOTAL	**51**	**7.1**	**102**	**1**	**1**	**4**	**9**	**16**	**23**	**99**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	138	5.1	20	1	1	4	7	10	13	21
20-34	22	5.5	45	1	1	4	6	10	22	32
35-49	17	5.1	21	<1	1	4	8	9	16	19
50-64	17	7.4	51	<1	1	5	9	21	23	24
65+	33	8.4	46	1	1	7	12	17	22	30
B. *Operated*										
0-19 YRS	35	6.5	9	3	3	7	9	10	11	14
20-34	24	8.1	11	3	4	8	10	11	15	16
35-49	7	9.4	37	3	3	11	14	17	18	18
50-64	17	10.1	34	2	3	10	13	19	21	22
65+	19	14.5	187	1	2	11	16	35	46	54
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	6.2	29	1	1	5	7	15	18	25
20-34	36	5.5	15	1	1	5	7	11	13	20
35-49	38	7.2	38	1	2	6	9	13	17	35
50-64	58	8.2	38	2	2	6	11	16	21	30
65+	90	11.8	150	2	3	8	14	30	44	86
B. *Operated*										
0-19 YRS	21	16.0	303	2	3	9	18	38	62	71
20-34	36	12.6	72	3	4	12	17	19	20	50
35-49	29	15.8	174	1	3	13	22	32	51	53
50-64	46	16.7	88	4	5	16	22	31	36	99+
65+	67	17.3	216	4	5	13	21	45	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	5.8	30	1	1	4	7	12	16	30
B. *Operated*	102	9.2	55	2	3	8	11	15	20	45
2. MULTIPLE DX										
A. *Not Operated*	312	8.2	70	1	2	6	10	16	23	53
B. *Operated*	199	16.0	163	3	4	13	20	31	52	99+
1. SINGLE DX	329	6.8	40	1	1	5	9	14	18	34
2. MULTIPLE DX	511	11.2	120	2	2	8	15	23	33	73
A. NOT OPERATED	539	7.2	55	1	1	5	9	15	20	40
B. OPERATED	301	13.7	136	3	4	11	17	27	43	87
TOTAL 0-19 YRS	284	6.4	49	1	1	5	8	13	17	34
20-34	118	8.2	46	1	2	6	10	17	19	38
35-49	91	9.7	95	1	2	7	13	20	31	52
50-64	138	11.1	71	2	2	9	16	22	28	55
65+	209	13.3	166	2	3	10	16	31	49	99+
GRAND TOTAL	**840**	**9.5**	**93**	**1**	**2**	**7**	**12**	**20**	**29**	**59**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	490	2.1	1	1	1	2	3	4	4	6
20-34	53	2.4	2	1	1	2	3	4	6	8
35-49	14	2.3	2	1	1	2	3	4	6	6
50-64	4	7.3	98	1	1	3	13	22	22	22
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	146	4.2	4	2	3	4	5	6	7	14
20-34	39	5.2	11	2	3	5	5	8	10	22
35-49	5	5.4	5	2	2	6	7	8	8	8
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.7	8	1	1	2	3	4	7	18
20-34	17	3.7	19	1	2	2	3	8	15	19
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	59	5.7	10	3	3	5	7	8	11	20
20-34	23	6.2	9	2	3	6	8	11	12	12
35-49	2	5.5	5	4	4	5	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	564	2.2	2	1	1	2	3	4	5	7
B. *Operated*	191	4.5	5	2	3	4	5	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	127	2.8	9	1	1	2	3	5	8	20
B. *Operated*	85	5.8	9	2	3	5	7	9	12	19
1. SINGLE DX	755	2.8	4	1	1	2	3	5	6	9
2. MULTIPLE DX	212	4.0	11	1	1	3	5	8	9	20
A. NOT OPERATED	691	2.3	4	1	1	2	3	4	5	8
B. OPERATED	276	4.9	7	2	3	4	6	8	9	16
TOTAL 0-19 YRS	802	2.8	5	1	1	2	4	5	6	10
20-34	132	4.1	10	1	1	3	5	8	10	20
35-49	23	3.3	4	1	1	3	5	6	7	8
50-64	7	5.7	55	1	1	4	6	19	22	22
65+	3	4.0	7	2	2	3	6	7	7	7
GRAND TOTAL	**967**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	39	4.2	14	1	1	3	5	8	15	16
20-34	9	3.7	6	<1	1	3	6	7	7	7
35-49	1	14.0		14	14	14	14	14	14	14
50-64	1	5.0		5	5	5	5	5	5	5
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	31	3.7	13	<1	<1	3	5	8	14	16
20-34	20	4.5	12	<1	1	3	5	11	12	13
35-49	11	4.5	18	2	2	3	4	11	16	16
50-64	3	4.3	1	3	3	5	5	5	5	5
65+	6	3.5	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	5.1	8	1	2	5	7	8	10	14
20-34	4	4.5	6	2	2	4	6	7	7	7
35-49	2	5.5	13	3	3	5	8	8	8	8
50-64	2	4.5	1	4	4	4	5	5	5	5
65+	2	10.0	50	5	5	10	15	15	15	15
B. *Operated*										
0-19 YRS	18	6.3	28	1	2	4	9	16	17	18
20-34	14	3.9	28	<1	1	3	3	7	19	22
35-49	6	7.5	31	<1	<1	7	11	15	16	16
50-64	5	3.0	7	<1	<1	2	5	7	7	7
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	4.3	14	1	1	3	5	8	14	16
B. *Operated*	71	4.1	12	<1	1	3	5	8	13	16
2. MULTIPLE DX										
A. *Not Operated*	36	5.3	9	2	2	5	7	8	12	15
B. *Operated*	44	5.4	26	<1	1	4	6	16	17	22
1. SINGLE DX	122	4.2	12	<1	1	3	5	8	14	16
2. MULTIPLE DX	80	5.4	18	1	2	4	7	10	16	21
A. NOT OPERATED	87	4.7	12	1	1	4	6	8	14	16
B. OPERATED	115	4.6	18	<1	1	3	5	10	16	19
TOTAL 0-19 YRS	114	4.6	15	<1	1	3	6	9	15	17
20-34	47	4.2	15	<1	1	3	5	8	12	22
35-49	20	6.0	24	1	2	4	9	15	16	16
50-64	11	3.8	4	<1	1	4	5	6	7	7
65+	10	5.3	15	1	2	4	6	11	15	15
GRAND TOTAL	**202**	**4.6**	**15**	**<1**	**1**	**3**	**6**	**9**	**15**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	25	<1	<1	2	4	13	15	15
20-34	21	12.7	125	1	2	9	20	26	35	43
35-49	7	14.3	366	1	1	8	15	48	56	56
50-64	6	20.5	533	1	1	12	30	60	63	63
65+	13	7.5	59	1	1	6	11	22	23	23
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.3	34	6	6	8	15	17	17	17
20-34	11	18.4	576	1	1	11	20	58	79	81
35-49	4	7.5	14	3	3	8	10	11	11	11
50-64	25	13.0	117	1	3	8	17	29	35	40
65+	39	15.6	312	2	3	12	18	38	75	99+
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+	3	34.7	474	17	17	28	51	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	11.4	177	1	1	7	17	24	40	63
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	82	14.6	260	1	3	11	17	35	45	99+
B. *Operated*	5	24.8	420	9	9	17	36	59	59	59
1. SINGLE DX	54	11.4	177	1	1	7	17	24	40	63
2. MULTIPLE DX	87	15.2	270	1	3	11	18	37	52	99+
A. NOT OPERATED	136	13.3	228	1	1	8	17	30	43	99
B. OPERATED	5	24.8	420	9	9	17	36	59	59	59
TOTAL 0-19 YRS	10	6.0	33	<1	<1	4	8	16	17	17
20-34	33	14.5	266	1	1	9	20	32	43	81
35-49	12	11.8	214	1	2	8	11	29	52	56
50-64	31	14.5	191	1	2	11	22	32	40	63
65+	55	14.7	285	1	1	11	18	37	57	99+
GRAND TOTAL	**141**	**13.7**	**236**	**1**	**1**	**9**	**17**	**31**	**46**	**99**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.1	24	1	1	1	8	12	14	14
20-34	24	7.3	78	<1	1	3	8	24	29	30
35-49	22	8.9	123	1	2	4	10	33	65	99+
50-64	51	16.4	300	3	4	11	21	38	61	99+
65+	249	20.1	468	1	3	13	30	68	99	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	7.8	55	1	1	8	38	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	23.1	791	1	1	11	37	64	89	98
20-34	27	16.3	628	1	2	6	28	94	99+	99+
35-49	41	21.0	463	2	2	15	31	50	91	99+
50-64	67	16.1	259	3	4	12	22	46	99	99+
65+	541	22.3	439	3	4	16	36	77	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	99+	99+	99+	99+	99+
35-49	1	8.0		8	8	8	8	8	8	8
50-64	4	63.0	1503	14	14	70	94	97	97	97
65+	32	37.3	568	12	15	42	80	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	355	17.6	405	1	2	11	25	62	96	99+
B. *Operated*	4	7.8	55	1	1	8	38	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	691	21.4	433	2	4	15	33	74	99+	99+
B. *Operated*	38	38.4	718	10	13	42	90	99+	99+	99+
1. SINGLE DX	359	17.5	402	1	2	11	25	62	97	99+
2. MULTIPLE DX	729	22.3	461	2	4	16	36	84	99+	99+
A. NOT OPERATED	1046	20.2	426	2	3	14	31	67	99+	99+
B. OPERATED	42	35.5	735	6	9	41	88	99+	99+	99+
TOTAL 0-19 YRS	24	16.0	579	1	1	8	15	48	74	98
20-34	52	11.9	376	1	1	5	17	88	99+	99+
35-49	64	16.7	369	2	2	10	23	49	90	99+
50-64	122	17.8	378	3	4	12	22	49	97	99+
65+	826	22.2	455	2	4	16	36	81	99+	99+
GRAND TOTAL	**1088**	**20.7**	**446**	**2**	**3**	**14**	**33**	**72**	**99+**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	9	18.1	677	1	1	6	23	62	82	82
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	14.8	38	10	10	13	19	23	23	23
65+	39	24.8	446	2	4	19	41	69	38	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	4	16.3	42	7	7	18	20	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	18.1	677	1	1	6	23	62	82	82
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	43	23.9	415	2	4	18	36	64	84	99+
B. *Operated*	4	16.3	42	7	7	18	20	22	22	22
1. SINGLE DX	9	18.1	677	1	1	6	23	62	82	82
2. MULTIPLE DX	47	23.3	386	2	4	18	34	60	79	99+
A. NOT OPERATED	52	22.9	453	2	3	17	34	65	81	99+
B. OPERATED	4	16.3	42	7	7	18	20	22	22	22
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	4	14.8	38	10	10	13	19	23	23	23
65+	52	23.0	451	2	3	18	34	65	81	99+
GRAND TOTAL	**56**	**22.4**	**425**	**2**	**3**	**17**	**32**	**61**	**80**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	<1	1	2	2	2
20-34	62	3.7	9	1	1	3	4	7	12	14
35-49	117	5.3	32	1	1	4	7	11	14	36
50-64	94	6.8	59	1	2	5	8	11	15	49
65+	26	13.3	167	1	2	9	14	39	42	47
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	133	5.7	34	1	1	4	8	11	14	33
35-49	250	6.5	30	1	2	5	9	13	18	30
50-64	241	10.4	137	1	2	7	13	21	29	58
65+	96	15.4	269	2	4	11	21	37	57	99+
B. *Operated*										
0-19 YRS										
20-34	4	6.5	14	2	2	6	9	11	11	11
35-49	9	14.2	44	5	5	16	19	22	23	23
50-64	14	14.2	62	2	5	12	17	27	29	29
65+	8	36.8	431	11	13	45	92	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	6.1	52	1	1	4	7	12	15	42
B. *Operated*	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	721	8.8	108	1	2	6	11	19	27	66
B. *Operated*	35	18.5	232	3	5	15	27	65	99+	99+
1. SINGLE DX	304	6.1	52	1	1	4	7	12	15	42
2. MULTIPLE DX	756	9.3	118	1	2	6	11	21	29	97
A. NOT OPERATED	1024	8.0	93	1	2	5	10	17	25	52
B. OPERATED	36	18.2	229	3	5	15	26	64	99+	99+
TOTAL 0-19 YRS	5	1.6	1	<1	<1	<1	2	3	3	3
20-34	199	5.1	26	1	1	3	7	11	13	27
35-49	376	6.3	33	1	2	5	8	13	17	31
50-64	350	9.6	116	1	2	7	12	20	28	55
65+	130	16.3	282	2	3	11	24	42	87	99+
GRAND TOTAL	**1060**	**8.4**	**101**	**1**	**2**	**5**	**10**	**18**	**27**	**67**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	11.0	407	<1	<1	3	9	46	60	60
20-34	27	13.7	303	1	2	7	18	34	52	77
35-49	3	4.7	10	<1	<1	6	7	7	7	7
50-64	3	10.0	19	5	5	12	13	13	13	13
65+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	14.3	300	<1	<1	7	21	38	54	67
20-34	56	12.7	164	<1	1	7	16	36	38	47
35-49	23	13.2	213	1	1	8	21	32	42	60
50-64	21	13.0	214	2	3	7	15	26	48	68
65+	23	15.9	103	3	5	16	19	36	37	38
B. *Operated*										
0-19 YRS										
20-34	3	32.7	1850	3	3	13	65	82	82	82
35-49	2	21.0	578	4	4	21	38	38	38	38
50-64	1	33.0		33	33	33	33	33	33	33
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	12.4	270	<1	1	6	16	30	53	77
B. *Operated*	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	142	13.5	183	1	1	8	18	35	38	67
B. *Operated*	6	28.8	893	3	3	23	38	78	82	82
1. SINGLE DX	43	12.6	267	1	1	6	16	30	52	77
2. MULTIPLE DX	148	14.2	215	1	1	9	19	36	39	68
A. NOT OPERATED	184	13.3	202	1	1	8	17	35	39	68
B. OPERATED	7	28.1	747	3	3	24	37	73	82	82
TOTAL 0-19 YRS	27	13.3	319	<1	<1	5	19	38	61	67
20-34	86	13.7	256	1	1	7	17	36	43	80
35-49	28	12.8	208	1	1	7	20	32	40	60
50-64	26	13.8	194	2	3	11	16	31	40	68
65+	24	15.9	99	3	6	16	18	36	37	38
GRAND TOTAL	**191**	**13.8**	**226**	**1**	**1**	**8**	**18**	**35**	**39**	**73**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	25.4	338	3	6	18	37	54	62	65
20-34	171	18.9	327	1	2	14	26	50	72	99+
35-49	118	18.9	225	2	4	15	26	46	52	99+
50-64	68	24.1	342	1	5	20	35	49	68	97
65+	13	22.4	379	3	3	17	32	54	65	68
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	27.0		27	27	27	27	27	27	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	110	25.3	395	2	3	21	35	58	72	99+
35-49	81	24.7	444	4	6	18	32	53	78	93
50-64	53	23.7	235	4	5	20	35	46	61	99
65+	13	18.3	312	4	5	14	18	76	95	99+
B. *Operated*										
0-19 YRS	1	35.0		35	35	35	35	35	35	35
20-34	3	30.0	657	3	3	33	49	54	54	54
35-49	1	72.0		72	72	72	72	72	72	72
50-64	2	58.5	3121	19	19	98	99+	99+	99+	99+
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	20.3	303	1	3	15	29	49	66	99+
B. *Operated*	1	27.0		27	27	27	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	257	24.4	372	3	5	19	35	54	73	99+
B. *Operated*	7	44.9	1050	3	8	44	85	99	99+	99+
1. SINGLE DX	391	20.3	303	1	3	15	29	49	66	99+
2. MULTIPLE DX	264	25.0	397	3	5	19	35	57	77	99+
A. NOT OPERATED	647	21.9	334	2	3	17	32	51	69	99+
B. OPERATED	8	42.6	940	3	9	35	78	99	99+	99+
TOTAL 0-19 YRS	21	25.8	325	4	7	18	37	53	62	65
20-34	284	21.5	364	1	2	17	33	55	72	99+
35-49	201	21.5	331	2	5	16	28	50	59	97
50-64	123	24.5	333	3	5	20	36	49	70	99+
65+	26	20.3	336	3	3	14	29	65	77	99+
GRAND TOTAL	**655**	**22.2**	**345**	**2**	**3**	**17**	**32**	**52**	**71**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	11.0	19	6	6	13	14	14	14	14
20-34	20	19.2	301	1	2	13	29	45	57	66
35-49	5	37.2	537	12	12	28	52	73	73	73
50-64	3	8.7	10	5	5	10	11	11	11	11
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	25.0	32	21	21	25	29	29	29	29
20-34	9	21.8	454	<1	1	13	37	55	58	58
35-49	5	16.6	130	2	2	18	25	31	31	31
50-64	3	9.7	25	5	5	12	57	99+	99+	99+
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	20.3	335	1	4	13	29	46	65	73
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	19.0	246	1	2	18	29	54	77	99+
B. *Operated*										
1. SINGLE DX	31	20.3	335	1	4	13	29	46	65	73
2. MULTIPLE DX	20	19.0	246	1	2	18	29	54	77	99+
A. NOT OPERATED	51	19.7	295	1	2	14	29	49	65	99+
B. OPERATED										
TOTAL 0-19 YRS	5	16.6	76	6	6	14	23	29	29	29
20-34	29	20.0	336	1	1	13	30	50	58	66
35-49	10	26.9	414	2	5	25	31	59	73	73
50-64	6	9.2	15	5	5	10	14	83	99+	99+
65+	1	21.0		21	21	21	21	21	21	21
GRAND TOTAL	**51**	**19.7**	**295**	**1**	**2**	**14**	**29**	**49**	**65**	**99+**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	26.1	434	2	3	23	49	71	99+	99+
20-34	564	19.1	305	1	2	14	28	46	65	99+
35-49	298	16.3	236	1	3	12	21	37	52	71
50-64	159	18.9	215	3	5	14	26	36	46	72
65+	44	17.2	361	2	3	11	19	35	66	95
B. *Operated*										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49										
50-64	1	47.0		47	47	47	47	47	47	47
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	31.3	618	4	6	24	45	88	91	99+
20-34	364	23.6	418	2	3	18	37	63	79	99+
35-49	175	20.5	278	2	4	16	31	50	64	99+
50-64	108	23.9	446	2	3	18	33	56	86	99+
65+	44	21.8	405	4	5	15	29	73	99+	99+
B. *Operated*										
0-19 YRS	1	73.0		73	73	73	73	73	73	73
20-34	17	30.8	422	7	10	28	45	71	89	99+
35-49	4	34.8	231	20	20	32	46	55	55	55
50-64	6	47.0	521	21	25	43	79	98	99+	99+
65+	2	37.5	1861	7	7	37	68	68	68	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1149	18.8	291	1	3	14	26	45	61	99+
B. *Operated*	2	38.0	162	29	29	38	47	47	47	47
2. MULTIPLE DX										
A. *Not Operated*	731	23.2	402	2	3	18	35	59	80	99+
B. *Operated*	30	36.4	499	7	10	39	55	78	99	99+
1. SINGLE DX	1151	18.8	291	1	3	14	26	45	61	99+
2. MULTIPLE DX	761	23.8	412	2	4	18	37	62	85	99+
A. NOT OPERATED	1880	20.5	339	2	3	15	29	51	67	99+
B. OPERATED	32	36.5	472	8	10	39	55	75	98	99+
TOTAL 0-19 YRS	125	28.2	507	2	4	24	47	78	99	99+
20-34	946	21.1	356	1	3	16	32	55	71	99+
35-49	477	18.0	257	1	3	14	24	44	54	95
50-64	274	21.6	332	3	5	16	28	48	64	99
65+	90	19.9	404	3	4	13	25	63	86	99+
GRAND TOTAL	**1912**	**20.8**	**345**	**2**	**3**	**15**	**30**	**52**	**69**	**99+**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	10.3	36	6	6	8	14	19	19	19
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	20.8	333	6	6	15	38	80	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	10.3	36	6	6	8	14	19	19	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	9	20.8	333	6	6	15	38	80	99+	99+
B. *Operated*										
1. SINGLE DX	4	10.3	36	6	6	8	14	19	19	19
2. MULTIPLE DX	9	20.8	333	6	6	15	38	80	99+	99+
A. NOT OPERATED	13	17.5	257	6	6	11	25	65	92	99+
B. OPERATED										
TOTAL 0-19 YRS	13	17.5	257	6	6	11	25	65	92	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**13**	**17.5**	**257**	**6**	**6**	**11**	**25**	**65**	**92**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	15.1	426	<1	1	6	23	40	78	78
20-34	248	11.6	152	1	2	7	15	27	35	68
35-49	315	14.0	178	2	3	10	19	29	40	68
50-64	392	18.4	205	3	5	15	24	36	52	76
65+	262	20.2	214	3	5	17	27	42	52	91
B. *Operated*										
0-19 YRS										
20-34	2	16.0	50	11	11	16	21	21	21	21
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	20.5	181	11	11	20	30	30	30	30
65+	2	23.0	2	22	22	23	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	14.9	188	3	4	9	22	37	44	56
20-34	263	19.1	336	2	3	14	27	45	60	93
35-49	265	18.9	255	2	4	15	26	39	51	99
50-64	389	20.4	284	3	4	17	29	43	59	99+
65+	343	23.0	304	3	5	20	32	47	72	99+
B. *Operated*										
0-19 YRS										
20-34	11	21.5	246	1	5	15	35	44	51	52
35-49	27	42.0	456	12	15	35	59	72	74	82
50-64	35	29.5	273	6	12	30	43	59	88	99+
65+	37	40.5	618	11	14	38	72	95	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1247	16.2	205	2	3	13	22	35	46	76
B. *Operated*	7	19.1	50	11	11	21	23	29	30	30
2. MULTIPLE DX										
A. *Not Operated*	1287	20.4	294	2	4	16	29	44	60	99+
B. *Operated*	110	35.4	471	7	13	33	55	73	97	99+
1. SINGLE DX	1254	16.2	204	2	3	13	22	35	46	76
2. MULTIPLE DX	1397	21.6	324	3	4	17	31	48	70	99+
A. NOT OPERATED	2534	18.4	254	2	3	15	25	39	53	96
B. OPERATED	117	34.5	460	7	12	32	54	73	94	99+
TOTAL 0-19 YRS	57	15.0	308	1	2	7	22	38	52	78
20-34	524	15.6	260	1	2	10	21	38	50	79
35-49	608	17.4	256	2	3	13	23	39	50	86
50-64	818	19.8	250	3	5	16	27	42	57	99+
65+	644	22.9	304	3	6	19	31	48	70	99+
GRAND TOTAL	**2651**	**19.1**	**274**	**2**	**4**	**15**	**26**	**42**	**57**	**99+**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	26.3	430	1	5	26	37	58	94	99+
20-34	262	19.0	250	1	3	15	27	40	51	80
35-49	206	16.4	196	2	3	12	22	35	44	72
50-64	190	20.4	190	4	5	18	26	41	47	92
65+	80	21.8	240	3	4	20	31	44	54	93
B. *Operated*										
0-19 YRS										
20-34	1	24.0		24	24	24	24	24	24	24
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	8.0		8	8	8	8	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	19.6	206	1	5	16	28	32	50	62
20-34	224	22.9	327	2	4	21	33	52	70	99+
35-49	219	21.1	266	3	4	17	29	43	56	85
50-64	218	22.8	247	3	5	21	31	44	62	99+
65+	90	23.5	407	3	5	18	35	61	73	99+
B. *Operated*										
0-19 YRS										
20-34	4	30.3	313	7	7	43	59	99+	99+	99+
35-49	11	24.6	85	9	10	24	31	36	39	39
50-64	12	30.1	547	4	5	30	54	82	97	99+
65+	9	52.2	712	18	22	45	67	94	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	760	19.1	228	2	4	16	26	39	49	84
B. *Operated*	3	16.3	64	8	8	17	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	776	22.3	292	3	4	20	31	46	63	99+
B. *Operated*	36	34.0	506	6	9	31	45	88	98	99+
1. SINGLE DX	763	19.1	227	2	4	16	26	39	49	84
2. MULTIPLE DX	812	22.9	307	3	5	20	32	48	64	99+
A. NOT OPERATED	1536	20.8	263	3	4	18	29	43	58	99+
B. OPERATED	39	32.6	492	6	8	30	45	84	97	99+
TOTAL 0-19 YRS	47	22.7	316	1	5	22	32	48	65	99+
20-34	491	20.9	288	2	3	17	30	46	62	99+
35-49	437	19.0	233	3	4	15	26	39	49	84
50-64	421	21.9	231	4	5	20	30	43	59	99+
65+	179	24.2	385	3	5	20	34	56	71	99+
GRAND TOTAL	**1575**	**21.0**	**271**	**3**	**4**	**18**	**29**	**43**	**60**	**99+**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	21.4	305	1	1	21	36	42	43	63
20-34	130	16.9	265	1	2	12	24	41	52	93
35-49	95	13.1	150	1	2	9	17	27	34	66
50-64	82	16.1	154	3	4	14	19	35	41	64
65+	81	12.8	253	1	2	7	17	50	95	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49										
50-64										
65+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	25.4	443	<1	1	28	36	48	71	79
20-34	128	17.5	280	1	1	13	25	36	59	74
35-49	104	19.9	267	3	4	15	29	37	48	92
50-64	103	18.2	345	3	4	13	22	42	67	99
65+	209	18.3	296	3	4	12	25	47	68	99+
B. *Operated*										
0-19 YRS	1	52.0		52	52	52	52	52	52	52
20-34	5	35.2	1292	6	6	20	50	97	97	97
35-49	3	15.7	44	8	8	19	20	20	20	20
50-64	6	32.8	464	3	5	31	35	66	70	70
65+	18	29.1	311	5	7	35	56	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	417	15.4	221	1	2	11	21	37	50	99+
B. *Operated*	3	5.7	30	2	2	3	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	559	18.6	299	2	3	13	26	41	64	99+
B. *Operated*	33	30.2	442	5	7	33	50	99	99+	99+
1. SINGLE DX	420	15.3	220	1	2	11	21	37	50	99+
2. MULTIPLE DX	592	19.2	314	2	3	14	27	44	67	99+
A. NOT OPERATED	976	17.2	268	1	3	12	24	40	54	99+
B. OPERATED	36	28.1	453	3	5	31	49	98	99+	99+
TOTAL 0-19 YRS	46	23.0	359	1	1	23	37	42	54	79
20-34	263	17.5	292	1	2	12	24	39	54	90
35-49	202	16.6	218	2	3	12	23	34	40	77
50-64	191	17.8	272	3	4	14	22	36	50	95
65+	310	17.4	297	2	3	11	26	50	93	99+
GRAND TOTAL	**1012**	**17.6**	**278**	**2**	**3**	**12**	**25**	**41**	**58**	**99+**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	26	<1	<1	3	6	9	13	30
20-34	257	5.3	40	<1	1	3	6	12	17	37
35-49	246	5.5	37	<1	1	4	7	12	17	31
50-64	185	6.3	41	1	1	4	9	13	20	37
65+	159	7.1	65	1	1	5	9	16	22	41
B. *Operated*										
0-19 YRS	2	5.0	2	4	4	5	6	6	6	6
20-34	2	13.5	313	1	1	13	26	26	26	26
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	7.0	60	<1	1	4	9	16	28	32
20-34	337	6.8	63	1	1	4	8	15	21	42
35-49	309	8.0	114	1	1	5	8	18	28	55
50-64	300	9.0	84	1	1	7	10	22	28	48
65+	399	8.7	89	1	2	6	10	17	26	50
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	31	7.5	122	1	1	4	5	28	37	42
35-49	13	8.0	41	2	3	5	12	19	20	20
50-64	13	11.3	41	5	5	8	16	19	24	25
65+	12	15.3	89	4	5	12	23	28	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	928	5.8	41	1	1	4	7	13	18	37
B. *Operated*	6	8.3	82	1	1	5	9	24	26	26
2. MULTIPLE DX										
A. *Not Operated*	1405	8.1	86	1	1	5	10	17	26	49
B. *Operated*	70	9.6	91	1	2	5	14	24	33	41
1. SINGLE DX	934	5.8	41	1	1	4	7	13	19	37
2. MULTIPLE DX	1475	8.2	87	1	1	5	10	18	27	49
A. NOT OPERATED	2333	7.2	70	1	1	5	9	15	23	44
B. OPERATED	76	9.5	89	1	1	5	13	25	31	41
TOTAL 0-19 YRS	144	5.6	41	<1	1	4	7	13	18	32
20-34	627	6.3	57	1	1	4	8	14	20	41
35-49	570	6.9	80	1	1	4	8	14	23	50
50-64	498	8.0	69	1	1	6	10	19	26	44
65+	570	8.4	80	1	2	6	10	17	25	48
GRAND TOTAL	**2409**	**7.3**	**70**	**1**	**1**	**5**	**9**	**16**	**23**	**43**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	8.8	78	1	1	5	14	21	24	44
20-34	417	9.5	97	1	2	6	12	21	28	51
35-49	329	10.8	107	1	2	7	14	24	32	46
50-64	225	14.8	160	2	3	11	20	32	42	54
65+	135	12.6	94	2	4	10	16	24	30	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	7.7	30	4	4	5	12	14	14	14
50-64	2	6.5	13	4	4	6	9	9	9	9
65+	2	15.5	13	13	13	15	18	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	12.8	181	1	1	8	18	31	42	64
20-34	539	13.3	148	1	2	10	18	30	39	59
35-49	443	15.0	178	2	3	11	22	35	42	69
50-64	324	15.7	168	3	4	12	23	35	41	75
65+	276	15.9	187	3	4	12	21	34	48	93
B. *Operated*										
0-19 YRS	5	27.2	979	1	1	10	54	72	72	72
20-34	35	25.6	307	2	4	24	35	47	61	72
35-49	25	22.1	321	4	6	17	27	45	59	86
50-64	13	29.6	247	5	8	32	42	50	52	52
65+	17	20.2	152	3	5	18	33	42	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1171	11.2	114	1	2	8	14	24	32	53
B. *Operated*	7	9.6	31	4	4	9	14	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	1673	14.6	169	2	3	11	20	33	42	71
B. *Operated*	95	24.4	302	3	5	21	34	48	61	94
1. SINGLE DX	1178	11.2	113	1	2	8	14	24	32	53
2. MULTIPLE DX	1768	15.1	181	2	3	11	21	34	44	72
A. NOT OPERATED	2844	13.2	149	2	2	9	18	30	38	62
B. OPERATED	102	23.3	297	3	4	19	33	47	61	93
TOTAL 0-19 YRS	161	11.6	169	1	1	7	16	26	40	65
20-34	991	12.1	141	1	2	8	17	28	36	60
35-49	800	13.5	159	2	2	9	19	31	38	62
50-64	564	15.6	171	3	4	11	22	35	42	69
65+	430	15.0	158	3	4	11	20	31	44	81
GRAND TOTAL	**2946**	**13.6**	**158**	**2**	**2**	**10**	**18**	**31**	**39**	**64**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	9.3	155	<1	<1	4	13	26	34	54
20-34	275	10.6	153	<1	1	6	14	29	41	72
35-49	135	9.8	153	1	1	5	13	24	35	52
50-64	94	10.7	145	1	1	7	14	26	37	91
65+	51	12.2	294	1	1	6	13	33	76	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	13	9.5	60	<1	2	8	12	22	27	28
35-49	5	10.8	52	3	3	8	15	22	22	22
50-64	11	6.8	23	1	2	5	10	14	16	16
65+	3	4.0	7	1	1	5	53	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	11.6	238	<1	1	5	16	33	44	87
20-34	528	14.2	202	1	1	10	20	35	48	99+
35-49	248	14.6	197	1	2	10	22	36	46	99
50-64	135	15.4	219	1	2	11	22	38	47	84
65+	117	13.7	160	1	3	10	17	31	44	99+
B. *Operated*										
0-19 YRS	5	27.0	311	11	11	21	36	56	56	56
20-34	28	24.6	478	1	3	18	43	56	70	75
35-49	9	23.9	732	5	6	14	29	70	90	90
50-64	18	14.9	194	1	3	10	17	38	46	50
65+	8	15.6	100	7	4	14	21	31	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	695	10.3	162	<1	1	6	14	27	39	80
B. *Operated*	33	8.2	41	1	2	7	11	21	27	99+
2. MULTIPLE DX										
A. *Not Operated*	1163	14.1	203	1	2	9	20	35	47	99+
B. *Operated*	68	21.1	381	2	3	14	30	50	59	87
1. SINGLE DX	728	10.2	157	<1	1	6	13	27	38	81
2. MULTIPLE DX	1231	14.4	215	1	2	10	21	36	48	99+
A. NOT OPERATED	1858	12.6	191	1	1	8	18	32	44	91
B. OPERATED	101	16.9	305	1	3	11	22	46	57	95
TOTAL 0-19 YRS	281	10.7	201	<1	1	5	15	31	40	78
20-34	844	13.3	200	1	1	8	19	34	48	99
35-49	397	13.1	198	1	1	8	19	34	43	91
50-64	258	13.3	187	1	2	9	19	33	42	81
65+	179	13.2	193	1	2	9	17	32	49	99+
GRAND TOTAL	**1959**	**12.9**	**198**	**1**	**1**	**8**	**18**	**33**	**45**	**92**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	2.8	22	<1	<1	1	2	6	12	25
20-34	283	6.8	56	<1	1	4	8	24	25	29
35-49	434	6.5	45	1	1	4	7	15	25	30
50-64	323	6.4	37	1	1	4	7	14	22	28
65+	104	9.1	118	1	1	6	11	21	27	91
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	10.7	142	1	1	7	20	24	24	24
50-64	4	6.0	44	<1	<1	4	11	15	15	15
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.2	91	<1	<1	4	11	26	31	35
20-34	371	7.0	66	<1	1	4	8	19	25	34
35-49	660	8.4	78	1	2	5	10	21	25	41
50-64	662	9.3	91	1	2	6	11	22	31	57
65+	275	13.1	208	2	3	8	17	28	41	96
B. *Operated*										
0-19 YRS	2	20.0	450	5	5	20	35	35	35	35
20-34	12	17.9	516	<1	<1	9	24	60	69	70
35-49	18	15.6	186	3	4	13	21	28	48	60
50-64	31	15.6	81	5	6	13	18	33	36	36
65+	16	29.8	761	2	3	20	63	78	92	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1178	6.7	52	1	1	4	8	17	25	30
B. *Operated*	8	7.9	65	<1	<1	7	11	21	24	24
2. MULTIPLE DX										
A. *Not Operated*	1997	9.1	101	1	2	6	11	22	29	58
B. *Operated*	79	18.9	328	1	4	13	24	50	69	93
1. SINGLE DX	1186	6.7	52	1	1	4	8	17	25	30
2. MULTIPLE DX	2076	9.4	113	1	2	6	12	23	31	65
A. NOT OPERATED	3175	8.2	84	1	1	5	10	21	25	48
B. OPERATED	87	17.9	313	1	3	13	23	43	69	92
TOTAL 0-19 YRS	65	5.7	72	<1	<1	2	6	13	27	35
20-34	666	7.1	71	<1	1	4	8	22	25	32
35-49	1115	7.8	68	1	2	5	9	19	25	41
50-64	1020	8.6	76	1	2	6	11	20	27	50
65+	396	12.7	219	1	2	8	16	28	43	98
GRAND TOTAL	**3262**	**8.4**	**93**	**1**	**1**	**5**	**10**	**21**	**27**	**54**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	3	5.3	6	3	3	5	7	8	8	8
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	10.8	91	1	2	7	15	27	32	34
35-49	5	18.6	191	6	6	18	26	40	40	40
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	11.0	98	4	4	11	18	18	18	18
B. *Operated*										
0-19 YRS										
20-34	2	15.5	113	8	8	15	23	23	23	23
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	5	1	1	3	5	7	8	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	23	12.4	109	2	3	9	18	28	36	40
B. *Operated*	2	15.5	113	8	8	15	23	23	23	23
1. SINGLE DX	7	3.9	5	1	1	3	5	7	8	8
2. MULTIPLE DX	25	12.7	105	2	3	9	18	27	35	40
A. NOT OPERATED	30	10.4	97	1	2	6	16	24	34	40
B. OPERATED	2	15.5	113	8	8	15	23	23	23	23
TOTAL 0-19 YRS										
20-34	20	10.0	87	1	1	6	14	25	30	34
35-49	8	13.6	158	3	4	7	20	35	40	40
50-64	2	7.0	8	5	5	7	9	9	9	9
65+	2	11.0	98	4	4	11	18	18	18	18
GRAND TOTAL	**32**	**10.8**	**96**	**1**	**2**	**7**	**17**	**24**	**33**	**40**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5		2	2	2	3	3	3	3
20-34	25	7.4	62	<1	1	4	10	22	25	30
35-49	2	10.5	181	1	1	10	20	20	20	20
50-64	2	8.5	41	4	4	8	13	13	13	13
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.8	11	1	1	4	7	10	10	10
20-34	25	9.8	100	1	1	4	15	28	32	33
35-49	18	13.8	101	3	4	11	21	24	36	43
50-64	7	20.3	155	7	8	19	23	41	45	45
65+	9	12.3	64	2	2	11	19	24	24	24
B. *Operated*										
0-19 YRS										
20-34	1	29.0		29	29	29	29	29	29	29
35-49										
50-64										
65+	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	6.9	56	<1	1	4	10	20	24	30
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	65	11.9	103	1	2	10	18	24	32	45
B. *Operated*	2	28.0	2	27	27	28	29	29	29	29
1. SINGLE DX	34	6.9	56	<1	1	4	10	20	24	30
2. MULTIPLE DX	67	12.4	107	1	2	11	19	27	32	45
A. NOT OPERATED	99	10.2	92	1	2	6	15	23	29	44
B. OPERATED	2	28.0	2	27	27	28	29	29	29	29
TOTAL 0-19 YRS	10	3.9	8	1	1	3	5	8	10	10
20-34	51	9.0	88	<1	1	4	14	26	30	33
35-49	20	13.5	101	1	3	11	20	23	34	43
50-64	9	17.7	148	4	5	13	22	37	45	45
65+	11	12.7	83	2	2	11	22	25	27	27
GRAND TOTAL	**101**	**10.6**	**96**	**1**	**2**	**7**	**17**	**24**	**29**	**44**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	1.2		<1	<1	1	1	2	2	4
20-34	42	1.4	1	<1	<1	1	1	2	4	7
35-49	16	2.0	3	<1	<1	1	2	4	7	8
50-64	16	4.6	66	<1	<1	2	4	8	26	34
65+	11	2.4	4	<1	<1	2	3	6	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	2.9	29	<1	<1	1	2	6	15	29
20-34	102	4.2	44	<1	<1	1	4	11	25	29
35-49	61	6.2	67	<1	1	2	6	18	28	32
50-64	43	5.3	26	1	1	4	7	10	15	28
65+	24	5.5	33	<1	1	3	9	13	18	24
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	13.3	145	1	1	13	21	29	30	30
65+	3	11.0	7	9	9	10	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	1.6	7	<1	<1	1	1	2	4	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	281	4.7	43	<1	<1	2	5	13	23	29
B. *Operated*	15	8.1	86	<1	<1	4	13	21	28	30
1. SINGLE DX	194	1.6	7	<1	<1	1	1	2	4	8
2. MULTIPLE DX	296	4.8	46	<1	<1	2	5	14	23	29
A. NOT OPERATED	475	3.4	31	<1	<1	1	3	8	15	29
B. OPERATED	15	8.1	86	<1	<1	4	13	21	28	30
TOTAL 0-19 YRS	163	1.7	10	<1	<1	1	1	2	4	21
20-34	145	3.4	33	<1	<1	1	3	7	17	29
35-49	79	5.2	55	<1	<1	2	5	16	27	31
50-64	65	5.9	50	<1	1	3	7	15	23	33
65+	38	5.1	27	<1	1	3	9	12	15	24
GRAND TOTAL	**490**	**3.6**	**33**	**<1**	**<1**	**1**	**3**	**9**	**16**	**29**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	4	<1	<1	2	3	5	7	8
20-34	14	4.6	32	<1	1	2	8	11	19	21
35-49	8	10.6	83	1	1	9	19	22	23	23
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	3	6.3	21	1	1	9	9	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	5.7	48	<1	1	2	7	18	20	22
20-34	46	13.2	266	1	1	9	18	28	32	98
35-49	12	9.8	88	1	2	6	17	22	31	32
50-64	17	6.8	16	1	2	6	10	13	14	14
65+	21	8.6	30	2	3	7	14	17	18	20
B. *Operated*										
0-19 YRS	2	15.5	365	2	2	15	29	29	29	29
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64										
65+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	5.1	36	<1	1	3	8	15	21	23
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	117	9.7	136	1	1	6	15	20	28	57
B. *Operated*	6	9.2	104	2	2	7	24	86	99+	99+
1. SINGLE DX	42	5.1	36	<1	1	3	8	15	21	23
2. MULTIPLE DX	123	9.7	134	1	1	6	15	22	30	99
A. NOT OPERATED	159	8.5	113	1	1	5	13	19	25	37
B. OPERATED	6	9.2	104	2	2	7	24	86	99+	99+
TOTAL 0-19 YRS	38	4.9	46	<1	1	2	4	17	21	29
20-34	61	11.0	221	<1	1	6	17	26	31	91
35-49	22	9.8	75	1	2	6	17	22	27	32
50-64	19	6.5	15	1	2	6	10	13	57	99+
65+	25	8.4	27	1	3	7	12	16	18	20
GRAND TOTAL	**165**	**8.5**	**112**	**1**	**1**	**5**	**13**	**20**	**28**	**88**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.1	14	1	1	3	5	9	11	22
20-34	36	6.4	64	<1	1	4	7	11	17	47
35-49	43	4.9	25	<1	1	3	6	10	15	27
50-64	23	4.6	19	<1	1	3	5	11	16	18
65+	17	5.2	16	<1	1	4	8	12	13	14
B. *Operated*										
0-19 YRS										
20-34	8	6.3	65	<1	<1	3	9	20	23	23
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	7.2	64	1	1	4	8	20	27	33
20-34	53	6.3	104	1	1	5	7	10	16	72
35-49	40	6.2	21	1	1	5	8	13	16	21
50-64	43	7.6	40	1	2	6	10	16	24	28
65+	42	13.4	274	1	2	8	15	29	53	79
B. *Operated*										
0-19 YRS	5	17.0	169	6	6	9	28	36	36	36
20-34	8	10.6	70	<1	<1	9	16	23	25	25
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	11.0	151	1	1	7	20	28	28	28
65+	7	9.0	27	2	3	8	12	17	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	173	5.0	28	<1	1	3	6	10	14	26
B. *Operated*	11	5.5	50	<1	<1	2	7	18	23	23
2. MULTIPLE DX										
A. *Not Operated*	218	8.1	107	1	1	5	9	16	26	71
B. *Operated*	26	10.8	87	<1	<1	8	13	25	30	36
1. SINGLE DX	184	5.0	29	<1	1	3	6	10	14	26
2. MULTIPLE DX	244	8.4	105	1	1	5	10	18	27	70
A. NOT OPERATED	391	6.7	74	1	1	4	8	14	21	45
B. OPERATED	37	9.2	80	<1	<1	8	13	24	27	36
TOTAL 0-19 YRS	99	6.0	49	1	1	4	6	13	25	35
20-34	105	6.7	84	<1	1	5	8	13	19	59
35-49	87	5.4	23	1	1	4	7	12	15	25
50-64	71	6.7	40	1	1	5	8	16	23	28
65+	66	10.8	192	1	1	7	12	25	32	78
GRAND TOTAL	**428**	**6.9**	**75**	**1**	**1**	**5**	**8**	**14**	**23**	**42**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	14.1	246	1	2	9	19	33	50	74
20-34	154	5.9	40	1	1	4	8	14	17	32
35-49	97	6.6	34	1	1	4	10	17	19	22
50-64	67	7.5	52	1	1	6	10	16	22	38
65+	33	8.5	62	1	1	7	10	19	29	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	24.6	611	1	2	19	42	83	99+	99+
20-34	211	8.9	102	1	1	5	11	22	29	44
35-49	124	10.1	141	1	1	6	12	24	36	64
50-64	82	13.5	191	1	2	9	20	35	42	94
65+	67	12.9	144	1	1	9	19	30	36	56
B. *Operated*										
0-19 YRS	4	35.5	634	13	13	52	71	99+	99+	99+
20-34	3	23.7	1169	<1	<1	7	49	63	63	63
35-49	4	10.5	60	2	2	10	16	20	20	20
50-64										
65+	5	18.4	32	13	13	16	24	25	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	484	8.7	109	1	1	5	11	20	30	58
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	642	14.0	289	1	1	8	19	39	60	99+
B. *Operated*	16	21.7	392	1	3	15	32	63	87	99+
1. SINGLE DX	485	8.7	109	1	1	5	11	20	30	58
2. MULTIPLE DX	658	14.2	292	1	1	8	20	40	62	99+
A. NOT OPERATED	1126	11.7	218	1	1	7	15	30	44	99
B. OPERATED	17	20.9	378	1	3	14	25	63	85	99+
TOTAL 0-19 YRS	295	20.0	474	1	2	13	31	64	91	99+
20-34	368	7.7	86	1	1	5	10	18	27	43
35-49	225	8.6	96	1	1	5	11	20	24	49
50-64	149	10.8	137	1	1	7	14	26	39	83
65+	106	11.7	117	1	1	8	16	28	32	49
GRAND TOTAL	**1143**	**11.9**	**222**	**1**	**1**	**7**	**15**	**31**	**45**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	369	12.6	193	1	2	8	18	32	38	83
20-34	427	9.8	136	1	2	6	12	21	34	56
35-49	356	10.1	115	1	2	7	13	23	28	56
50-64	263	12.5	152	1	2	8	17	29	37	70
65+	194	14.7	181	2	3	11	20	31	38	89
B. *Operated*										
0-19 YRS	7	8.4	25	3	3	8	13	15	15	15
20-34	12	11.4	135	3	3	8	13	26	42	45
35-49	3	3.7	8	2	2	2	6	7	7	7
50-64	4	14.0	81	3	3	14	20	25	25	25
65+	4	4.3	16	1	1	3	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	372	18.0	277	1	2	12	28	43	57	99+
20-34	547	12.4	207	1	2	7	16	31	47	99+
35-49	459	11.2	139	1	2	7	14	26	38	72
50-64	374	13.9	177	2	3	10	18	30	44	68
65+	430	14.9	169	3	4	11	19	31	45	79
B. *Operated*										
0-19 YRS	20	16.4	180	1	2	16	23	39	46	46
20-34	40	26.0	455	2	4	21	36	48	72	98
35-49	25	17.4	155	5	7	12	22	36	46	51
50-64	22	24.9	803	2	3	12	35	71	89	99
65+	29	28.4	449	2	8	23	40	68	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1609	11.6	155	1	2	7	15	27	34	68
B. *Operated*	30	9.3	79	2	2	6	13	17	25	45
2. MULTIPLE DX										
A. *Not Operated*	2182	13.8	197	1	2	9	18	33	47	87
B. *Operated*	136	23.3	424	2	3	19	31	51	76	99
1. SINGLE DX	1639	11.5	154	1	2	7	15	26	34	67
2. MULTIPLE DX	2318	14.4	215	2	2	10	19	34	49	93
A. NOT OPERATED	3791	12.9	180	1	2	8	17	30	41	78
B. OPERATED	166	20.8	390	2	3	16	25	46	63	99
TOTAL 0-19 YRS	768	15.3	239	1	2	10	23	36	50	92
20-34	1026	11.9	195	1	2	7	15	28	44	88
35-49	843	10.9	130	1	2	7	14	25	35	65
50-64	663	13.7	191	2	3	9	18	30	42	71
65+	657	15.3	192	2	4	11	21	32	46	89
GRAND TOTAL	**3957**	**13.2**	**191**	**1**	**2**	**9**	**17**	**31**	**43**	**82**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	10.3	25	3	3	11	15	15	15	15
20-34	13	10.7	173	1	1	5	15	30	43	46
35-49	2	14.5	61	9	9	14	20	20	20	20
50-64	2	6.5	41	2	2	6	11	11	11	11
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	1	8.0		8	8	8	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	14.8	229	1	2	11	23	32	49	99+
20-34	30	18.7	360	2	2	13	26	37	76	78
35-49	15	28.1	718	4	5	17	48	88	97	99+
50-64	14	13.0	91	3	3	12	14	24	37	41
65+	1	4.0		4	4	52	99+	99+	99+	99+
B. *Operated*										
0-19 YRS	2	23.0	288	11	11	67	99+	99+	99+	99+
20-34	2	8.0	18	5	5	8	11	11	11	11
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	10.1	98	1	1	9	14	20	30	46
B. *Operated*	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	112	17.3	324	2	2	13	23	46	78	99+
B. *Operated*	5	15.8	133	5	7	26	99+	99+	99+	99+
1. SINGLE DX	28	10.2	92	1	1	9	14	19	28	46
2. MULTIPLE DX	117	17.2	314	2	2	13	25	50	93	99+
A. NOT OPERATED	138	16.0	288	1	2	12	22	42	76	99+
B. OPERATED	7	14.4	97	5	6	15	99+	99+	99+	99+
TOTAL 0-19 YRS	61	14.5	207	1	2	11	23	36	87	99+
20-34	46	15.9	294	1	2	12	22	34	52	78
35-49	19	25.1	602	4	5	16	45	82	94	99+
50-64	16	12.2	87	2	3	11	14	21	35	41
65+	3	4.7	4	3	3	7	99+	99+	99+	99+
GRAND TOTAL	**145**	**15.9**	**278**	**2**	**2**	**12**	**22**	**46**	**82**	**99+**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	9.7	26	1	2	10	13	16	18	35
20-34	17	9.6	106	3	3	7	11	14	36	47
35-49	11	7.4	65	<1	1	3	11	20	26	27
50-64	7	7.1	73	1	1	6	6	22	26	26
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	8	13.3	21	5	6	13	16	19	20	20
20-34	7	3.9	17	1	1	3	4	11	13	13
35-49	6	8.2	28	3	3	6	12	16	17	17
50-64	3	10.0	73	2	2	9	16	19	19	19
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	92	14.2	152	3	4	12	16	21	33	84
20-34	23	10.6	112	2	3	8	12	21	33	53
35-49	13	7.8	37	2	2	5	11	18	19	19
50-64	9	12.0	63	1	1	12	18	22	24	24
65+	7	22.4	126	11	12	17	28	41	44	44
B. *Operated*										
0-19 YRS	17	26.9	399	4	7	21	33	60	71	76
20-34	12	31.8	565	6	7	22	49	70	75	76
35-49	13	13.3	77	1	2	15	22	34	85	99+
50-64	13	22.6	359	1	1	29	43	57	90	99+
65+	3	32.7	362	13	13	34	47	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	169	9.4	37	1	2	10	13	16	18	43
B. *Operated*	25	8.8	37	1	2	9	13	18	19	20
2. MULTIPLE DX										
A. *Not Operated*	144	13.3	134	2	3	11	16	22	31	68
B. *Operated*	58	24.2	371	1	3	18	35	57	76	99+
1. SINGLE DX	194	9.4	37	1	2	10	13	16	19	38
2. MULTIPLE DX	202	16.4	226	2	3	13	19	35	52	98
A. NOT OPERATED	313	11.2	85	1	2	11	14	18	22	58
B. OPERATED	83	19.6	319	1	2	14	28	51	70	99+
TOTAL 0-19 YRS	250	12.6	115	1	3	11	15	19	28	76
20-34	59	13.8	269	2	3	8	14	42	52	75
35-49	43	9.4	59	1	2	7	16	22	26	99+
50-64	32	15.1	217	1	1	9	27	44	51	99+
65+	12	22.7	198	8	9	17	32	46	50	51
GRAND TOTAL	**396**	**13.0**	**145**	**1**	**2**	**11**	**16**	**25**	**37**	**87**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	8	12.8	205	3	3	6	18	38	42	42
50-64	23	16.3	244	4	6	12	20	33	86	99+
65+	76	12.3	72	3	4	11	16	28	43	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	6	14.3	35	6	6	14	16	23	24	24
65+	2	9.5	41	5	5	9	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	4.0	12	2	2	2	7	8	8	8
35-49	8	9.4	25	3	3	9	14	16	16	16
50-64	40	16.3	178	4	5	14	20	43	53	99+
65+	263	17.6	304	3	4	12	22	44	87	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	17.3	184	3	3	24	65	99+	99+	99+
65+	24	31.4	573	4	7	29	54	99	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	13.0	118	3	4	11	16	29	44	99+
B. *Operated*	8	13.1	36	5	5	14	15	22	24	24
2. MULTIPLE DX										
A. *Not Operated*	314	17.1	280	3	4	12	22	41	77	99+
B. *Operated*	27	29.8	541	3	5	29	54	99+	99+	99+
1. SINGLE DX	117	13.0	112	3	4	11	16	28	43	99+
2. MULTIPLE DX	341	18.1	311	3	4	13	24	52	89	99+
A. NOT OPERATED	423	16.1	241	3	4	12	20	38	74	99+
B. OPERATED	35	26.0	472	3	5	24	40	98	99+	99+
TOTAL 0-19 YRS										
20-34	5	4.2	12	<1	<1	2	8	8	8	8
35-49	16	11.1	110	3	3	7	14	27	38	42
50-64	72	16.2	181	3	5	14	21	40	73	99+
65+	365	17.4	289	3	4	13	23	45	88	99+
GRAND TOTAL	**458**	**16.8**	**265**	**3**	**4**	**12**	**22**	**42**	**87**	**99+**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	10.2	35	4	5	9	12	18	25	26
20-34	143	10.4	87	2	3	8	12	18	32	44
35-49	112	13.1	201	2	3	9	16	25	37	79
50-64	47	13.1	94	3	4	10	16	23	37	45
65+	4	24.5	387	6	6	20	39	51	51	51
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	26	8.4	69	2	2	5	10	25	29	32
35-49	13	7.6	24	2	3	6	10	16	18	18
50-64	14	9.9	51	1	2	8	13	18	27	29
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	2	7	7	8	9	9	9	9
20-34	79	13.2	237	1	3	9	14	31	60	95
35-49	109	14.0	219	2	3	9	15	29	43	78
50-64	83	14.8	164	4	6	11	18	30	64	99+
65+	14	22.6	317	2	4	22	42	51	88	99+
B. *Operated*										
0-19 YRS	2	11.5	145	3	3	11	20	20	20	20
20-34	14	23.8	392	1	4	20	33	53	70	75
35-49	29	19.4	474	1	2	11	30	62	90	99+
50-64	23	21.0	371	3	5	21	40	99+	99+	99+
65+	7	19.1	202	2	3	15	25	42	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	11.9	132	2	3	9	14	24	34	66
B. *Operated*	54	8.6	51	2	2	7	10	17	28	32
2. MULTIPLE DX										
A. *Not Operated*	287	14.4	213	2	3	10	17	34	60	99+
B. *Operated*	75	20.5	382	1	3	15	32	77	99+	99+
1. SINGLE DX	371	11.4	121	2	3	9	14	23	32	66
2. MULTIPLE DX	362	15.6	253	2	3	10	20	41	66	99+
A. NOT OPERATED	604	13.1	172	2	3	9	15	28	42	85
B. OPERATED	129	15.5	276	2	3	10	23	42	84	99+
TOTAL 0-19 YRS	16	10.0	34	3	4	9	11	19	24	26
20-34	262	11.7	155	2	3	9	13	26	36	74
35-49	263	13.9	232	2	3	9	16	29	44	86
50-64	167	14.8	168	3	4	11	19	34	66	99+
65+	25	22.0	274	2	4	18	41	50	61	99+
GRAND TOTAL	**733**	**13.5**	**191**	**2**	**3**	**9**	**16**	**31**	**46**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	494	4.1	31	1	1	3	5	9	12	23
20-34	309	4.3	30	<1	1	3	5	9	15	23
35-49	159	4.5	25	1	1	3	5	10	13	26
50-64	85	5.8	62	1	1	4	7	10	14	49
65+	80	6.6	67	1	1	4	7	15	28	41
B. *Operated*										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	5	23.2	334	3	3	20	41	44	44	44
35-49	3	7.3	33	4	4	4	12	14	14	14
50-64	3	8.7	36	3	3	8	13	15	15	15
65+	2	11.0	50	6	6	11	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	6.3	57	1	1	4	8	13	19	51
20-34	291	7.6	125	1	1	4	8	19	27	63
35-49	183	6.4	58	1	1	4	8	13	19	44
50-64	192	10.2	182	1	2	6	12	21	35	82
65+	181	11.2	204	1	2	6	12	26	42	79
B. *Operated*										
0-19 YRS	13	14.3	172	1	2	12	18	34	45	47
20-34	27	12.6	253	2	2	6	17	31	57	64
35-49	17	11.0	187	1	1	6	13	31	46	52
50-64	13	11.4	107	1	2	9	15	27	33	34
65+	22	19.5	246	4	4	17	28	55	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1127	4.5	35	1	1	3	5	9	14	30
B. *Operated*	15	13.6	165	3	3	9	16	40	43	44
2. MULTIPLE DX										
A. *Not Operated*	1177	8.0	120	1	1	5	9	18	25	67
B. *Operated*	92	14.0	209	1	2	9	20	32	52	85
1. SINGLE DX	1142	4.6	38	1	1	3	5	10	14	34
2. MULTIPLE DX	1269	8.5	129	1	1	5	9	19	29	68
A. NOT OPERATED	2304	6.3	82	1	1	4	7	13	20	52
B. OPERATED	107	14.0	201	1	2	9	19	33	52	80
TOTAL 0-19 YRS	839	5.2	46	1	1	3	6	11	15	33
20-34	632	6.3	91	1	1	3	7	14	24	55
35-49	362	5.8	51	1	1	4	7	12	18	38
50-64	293	9.0	145	1	1	5	10	20	29	69
65+	285	10.5	177	1	2	6	13	28	37	78
GRAND TOTAL	**2411**	**6.7**	**89**	**1**	**1**	**4**	**7**	**14**	**22**	**55**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	74	8.3	231	1	1	4	8	15	20	93
20-34	90	7.8	122	1	2	5	9	17	22	96
35-49	69	7.5	52	2	2	6	10	14	16	47
50-64	75	12.7	214	2	3	8	15	31	63	99+
65+	101	15.0	251	1	3	11	20	37	68	99+
B. *Operated*										
0-19 YRS	51	9.2	140	<1	2	5	10	22	26	65
20-34	56	10.1	133	2	3	6	12	20	33	67
35-49	48	7.7	54	<1	1	6	10	17	20	39
50-64	53	10.2	63	2	3	8	13	21	29	37
65+	21	8.3	54	<1	1	8	14	20	21	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	184	10.0	138	1	1	6	12	25	36	92
20-34	102	9.3	110	1	2	6	11	21	36	99+
35-49	95	9.7	70	1	2	7	14	20	34	99+
50-64	165	14.2	219	2	3	10	18	33	54	99+
65+	319	18.3	342	3	4	12	27	71	99+	99+
B. *Operated*										
0-19 YRS	102	10.6	171	2	2	6	13	20	29	85
20-34	139	13.4	184	1	2	10	18	30	41	99+
35-49	104	10.7	96	<1	1	8	14	27	34	99+
50-64	164	13.8	162	1	2	11	19	27	46	97
65+	113	20.1	364	2	3	17	30	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	409	10.5	187	1	2	6	12	22	43	99+
B. *Operated*	229	9.3	94	1	2	6	12	19	28	53
2. MULTIPLE DX										
A. *Not Operated*	865	13.8	232	2	3	9	18	39	72	99+
B. *Operated*	622	13.8	204	1	2	10	18	32	54	99+
1. SINGLE DX	638	10.1	154	1	2	6	12	21	35	95
2. MULTIPLE DX	1487	13.8	220	1	2	10	18	36	62	99+
A. NOT OPERATED	1274	12.7	220	1	2	8	16	35	62	99+
B. OPERATED	851	12.6	178	1	2	9	17	28	46	99+
TOTAL 0-19 YRS	411	9.8	162	1	2	6	12	21	32	86
20-34	387	10.5	147	1	2	6	14	24	36	99+
35-49	316	9.2	73	1	2	7	12	19	31	99+
50-64	457	13.4	180	1	3	10	18	28	46	99+
65+	554	17.7	324	2	3	13	24	62	99+	99+
GRAND TOTAL	**2125**	**12.7**	**203**	**1**	**2**	**8**	**16**	**32**	**56**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	112	2.9	5	1	1	2	4	6	8	11
20-34	319	3.2	9	<1	1	2	4	7	8	12
35-49	226	2.9	9	1	1	2	3	6	8	18
50-64	67	3.7	11	<1	<1	3	5	9	11	17
65+	14	3.6	5	1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	23	4.9	7	1	2	5	6	9	11	11
35-49	22	6.4	11	2	3	6	8	12	13	13
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.3	12	1	1	5	7	11	12	15
20-34	184	4.9	31	1	1	3	6	9	12	26
35-49	127	4.6	22	1	1	3	6	9	11	22
50-64	74	5.3	23	1	1	4	7	11	14	24
65+	18	5.7	15	1	2	5	7	12	15	16
B. *Operated*										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	18	13.4	442	1	2	6	11	51	71	74
35-49	9	5.1	5	2	2	5	7	8	8	8
50-64	9	6.6	23	2	2	4	10	14	15	15
65+	5	9.2	13	4	4	10	11	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	738	3.1	8	1	1	2	4	6	8	13
B. *Operated*	48	5.5	9	1	2	5	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*	449	4.9	25	1	1	4	6	10	12	24
B. *Operated*	44	9.3	195	2	2	6	9	15	31	74
1. SINGLE DX	786	3.3	9	1	1	2	4	7	8	13
2. MULTIPLE DX	493	5.3	41	1	1	4	7	10	13	26
A. NOT OPERATED	1187	3.8	15	1	1	3	5	8	10	18
B. OPERATED	92	7.3	100	2	2	5	8	12	15	71
TOTAL 0-19 YRS	163	3.7	8	1	1	3	5	7	10	13
20-34	544	4.2	33	1	1	3	5	8	10	24
35-49	384	3.8	15	1	1	3	5	8	10	17
50-64	150	4.6	18	<1	1	3	6	10	12	22
65+	38	5.3	14	1	1	4	7	10	14	16
GRAND TOTAL	**1279**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	5.2	21	1	1	4	7	13	13	13
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	141	2.1	1	<1	<1	2	2	3	4	7
35-49	171	2.2	1	<1	<1	2	2	3	4	7
50-64	183	2.3	3	<1	<1	2	2	4	5	11
65+	99	2.5	4	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	7	5.4	76	<1	<1	3	4	21	25	25
50-64	7	4.3	9	1	1	4	7	8	8	8
65+	5	4.0	8	1	1	3	7	7	7	7
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	31	3.6	16	1	1	2	3	8	13	19
35-49	52	3.3	8	1	1	2	4	8	9	13
50-64	108	3.9	19	<1	<1	2	4	10	13	25
65+	95	4.8	20	<1	1	3	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.9	14	1	1	3	4	10	13	13
B. *Operated*	599	2.2	2	<1	<1	2	3	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	23	4.2	26	<1	1	3	5	8	14	25
B. *Operated*	287	4.1	17	<1	1	3	4	10	13	24
1. SINGLE DX	608	2.3	3	<1	<1	2	3	4	4	10
2. MULTIPLE DX	310	4.1	18	<1	1	3	4	9	13	24
A. NOT OPERATED	32	4.1	22	1	1	3	5	8	13	25
B. OPERATED	886	2.8	8	<1	<1	2	3	5	9	15
TOTAL 0-19 YRS	8	1.8	1	<1	<1	1	2	3	3	3
20-34	180	2.4	5	<1	<1	2	3	4	5	13
35-49	230	2.5	5	<1	<1	2	3	4	6	11
50-64	299	2.9	10	<1	<1	2	3	5	10	17
65+	201	3.7	13	<1	1	3	4	8	10	19
GRAND TOTAL	**918**	**2.9**	**8**	**<1**	**<1**	**2**	**3**	**5**	**9**	**15**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.7	73	1	1	4	7	15	28	38
20-34	59	6.9	101	1	1	4	8	15	19	57
35-49	71	5.4	22	1	1	4	7	12	16	21
50-64	60	8.0	43	1	2	6	11	18	20	31
65+	65	8.6	134	1	2	6	9	15	26	75
B. *Operated*										
0-19 YRS	35	4.6	9	1	2	4	6	9	9	15
20-34	155	4.5	13	1	2	4	6	8	10	19
35-49	196	5.1	23	1	1	4	6	11	15	23
50-64	181	5.4	45	1	2	3	6	11	16	35
65+	70	4.7	22	1	2	3	6	10	14	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.7	92	3	3	4	8	26	32	33
20-34	40	6.2	24	<1	1	5	9	12	14	25
35-49	69	8.8	82	1	2	5	11	17	33	42
50-64	87	10.0	99	2	2	7	13	20	27	60
65+	134	12.5	172	2	3	9	14	24	41	63
B. *Operated*										
0-19 YRS	20	11.4	171	<1	<1	5	13	37	42	44
20-34	100	6.9	49	1	2	5	8	15	21	72
35-49	113	8.5	86	2	2	6	11	16	21	60
50-64	152	8.1	52	1	2	5	11	18	23	32
65+	98	14.8	273	1	2	10	18	41	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	7.1	74	1	1	5	8	15	20	49
B. *Operated*	637	5.0	26	1	2	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	341	10.2	119	1	2	7	12	21	32	55
B. *Operated*	483	9.4	116	1	2	6	11	20	32	62
1. SINGLE DX	917	5.6	41	1	1	4	7	11	16	34
2. MULTIPLE DX	824	9.7	117	1	2	6	11	21	32	57
A. NOT OPERATED	621	8.8	101	1	2	6	11	18	27	55
B. OPERATED	1120	6.9	69	1	2	4	8	15	20	49
TOTAL 0-19 YRS	91	7.2	76	1	1	4	8	16	33	42
20-34	354	5.7	40	1	1	4	7	11	16	46
35-49	449	6.6	50	1	1	4	8	13	18	37
50-64	480	7.4	59	1	2	5	10	17	21	35
65+	367	10.9	176	2	2	7	12	23	41	80
GRAND TOTAL	**1741**	**7.6**	**81**	**1**	**2**	**5**	**9**	**16**	**22**	**50**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	23	6.1	9	3	3	5	8	10	12	14
20-34	61	5.9	12	1	2	6	8	10	12	16
35-49	47	7.1	12	2	3	7	10	11	13	16
50-64	125	7.0	16	2	2	7	10	12	14	17
65+	104	6.9	21	2	2	6	10	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	8	<1	<1	<1	5	6	6	6
35-49	3	7.7	52	3	3	4	13	16	16	16
50-64	6	3.8	31	<1	<1	1	4	14	15	15
65+	8	4.1	28	1	1	1	6	13	16	16
B. *Operated*										
0-19 YRS	14	6.8	12	1	3	6	9	11	13	13
20-34	46	6.2	13	2	3	5	8	10	11	22
35-49	38	6.8	25	2	2	5	8	14	19	23
50-64	112	6.9	17	2	4	6	8	12	14	24
65+	149	8.2	23	3	4	7	10	15	18	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.1		1	1	1	1	2	2	2
B. *Operated*	360	6.8	16	2	2	6	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	20	4.4	27	<1	<1	1	5	15	16	16
B. *Operated*	359	7.3	20	2	3	6	9	13	16	23
1. SINGLE DX	367	6.6	16	2	2	6	9	12	14	18
2. MULTIPLE DX	379	7.2	21	2	3	6	9	13	16	23
A. NOT OPERATED	27	3.5	22	<1	<1	1	4	13	16	16
B. OPERATED	719	7.0	18	2	2	6	9	12	15	23
TOTAL 0-19 YRS	38	6.2	10	1	3	5	9	11	12	14
20-34	113	5.8	12	1	2	5	7	10	12	18
35-49	90	6.9	18	2	2	6	9	12	16	22
50-64	243	6.9	17	2	2	6	9	12	14	23
65+	262	7.5	23	2	2	6	10	14	17	23
GRAND TOTAL	**746**	**6.9**	**18**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64	5	3.6	7	1	1	4	5	7	7	7
65+	23	4.3	7	1	1	4	6	8	10	12
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	8.0	81	1	1	5	14	21	21	21
35-49	28	6.6	16	1	2	6	8	12	15	20
50-64	59	5.2	14	1	2	4	6	11	13	18
65+	117	6.7	26	2	2	6	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	5	4.8	9	2	2	4	6	10	10	10
65+	19	9.5	103	1	1	5	13	28	31	32
B. *Operated*										
0-19 YRS	2	42.0	8	40	40	42	44	44	44	44
20-34	3	12.3	146	3	3	8	21	26	26	26
35-49	11	14.3	326	3	4	7	13	44	61	63
50-64	45	10.0	43	3	3	8	12	21	24	27
65+	99	8.8	85	2	3	6	9	16	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	4.2	7	1	1	4	6	7	9	12
B. *Operated*	209	6.3	22	2	2	5	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*	24	8.5	86	1	1	4	11	25	31	32
B. *Operated*	160	10.0	102	2	3	7	11	23	35	63
1. SINGLE DX	239	6.1	21	1	2	5	8	12	15	22
2. MULTIPLE DX	184	9.8	100	2	3	7	11	23	32	62
A. NOT OPERATED	54	6.1	46	1	1	4	7	12	24	32
B. OPERATED	369	7.9	60	2	2	6	9	15	23	44
TOTAL 0-19 YRS	3	31.3	345	10	10	40	43	44	44	44
20-34	7	9.9	95	1	1	7	18	25	26	26
35-49	41	8.5	106	2	2	6	8	14	25	63
50-64	114	7.0	31	2	2	5	10	13	20	26
65+	258	7.5	54	2	2	6	9	14	23	43
GRAND TOTAL	**423**	**7.7**	**58**	**2**	**2**	**6**	**9**	**14**	**23**	**43**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	3	4.0	9	1	1	4	6	7	7	7
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64	7	3.6	4	1	1	4	5	6	6	6
65+	7	2.6	2	1	1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	8	6.8	11	2	3	6	8	12	13	13
35-49	7	8.0	12	3	3	9	10	12	13	13
50-64	22	7.6	29	2	3	6	9	15	21	23
65+	46	6.9	33	2	2	6	8	10	21	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.6	3	2	2	5	6	6	6	6
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	8	5.6	14	1	1	5	8	11	12	12
65+	22	12.3	333	1	1	6	11	30	59	81
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	6	6.0	25	1	1	5	7	14	15	15
35-49	9	8.6	21	3	4	7	10	16	17	17
50-64	29	7.7	34	2	2	6	9	17	21	22
65+	45	10.2	76	2	3	8	12	29	33	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.6	5	1	1	3	5	7	8	9
B. *Operated*	84	7.2	27	2	2	6	9	13	20	28
2. MULTIPLE DX										
A. *Not Operated*	37	9.2	213	1	1	5	10	18	37	81
B. *Operated*	91	8.9	53	2	3	7	11	18	29	74
1. SINGLE DX	105	6.5	25	2	2	6	8	10	18	27
2. MULTIPLE DX	128	9.0	98	2	2	6	10	18	29	85
A. NOT OPERATED	58	7.2	143	1	1	4	7	12	21	78
B. OPERATED	175	8.1	41	2	3	6	9	17	22	36
TOTAL 0-19 YRS	5	5.8	10	2	2	5	9	9	9	9
20-34	22	5.7	12	1	2	6	7	10	14	15
35-49	20	7.3	18	1	2	7	9	14	16	17
50-64	66	7.0	28	2	2	6	9	16	19	23
65+	120	8.9	106	2	2	6	10	20	31	86
GRAND TOTAL	**233**	**7.8**	**66**	**2**	**2**	**6**	**9**	**17**	**22**	**51**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	8	2.9	6	<1	<1	2	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	130	5.0	7	2	2	5	6	8	10	15
50-64	760	4.8	7	2	2	4	6	7	10	14
65+	2616	5.0	8	2	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.7		1	1	2	2	2	2	2
50-64	23	3.8	18	<1	<1	2	6	10	13	17
65+	109	3.8	25	<1	<1	2	4	11	14	26
B. *Operated*										
0-19 YRS										
20-34										
35-49	91	5.3	10	2	2	5	7	9	12	18
50-64	582	5.6	22	2	2	5	6	11	14	21
65+	2474	6.0	28	2	2	5	7	11	14	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	5	<1	<1	2	4	7	7	7
B. *Operated*	3506	5.0	8	2	2	4	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	135	3.8	23	<1	<1	2	4	10	14	25
B. *Operated*	3147	5.9	27	2	2	5	7	11	14	27
1. SINGLE DX	3515	5.0	8	2	2	4	6	8	11	14
2. MULTIPLE DX	3282	5.8	27	2	2	5	7	11	14	27
A. NOT OPERATED	144	3.7	22	<1	<1	2	4	10	13	24
B. OPERATED	6653	5.4	17	2	2	5	7	9	12	20
TOTAL 0-19 YRS										
20-34										
35-49	224	5.1	8	2	2	5	6	8	11	15
50-64	1366	5.1	14	2	2	4	6	9	11	16
65+	5207	5.5	18	2	2	5	7	9	13	21
GRAND TOTAL	**6797**	**5.4**	**17**	**2**	**2**	**4**	**7**	**9**	**13**	**20**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.3	12	2	2	4	5	6	12	18
20-34	34	3.9	5	2	2	3	5	7	9	11
35-49	22	4.3	7	2	2	4	6	7	10	13
50-64	11	3.9	3	2	2	4	5	6	7	7
65+	27	3.1	8	<1	1	2	4	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	15.0		15	15	15	15	15	15	15
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*										
0-19 YRS	13	7.1	38	2	3	4	7	20	22	22
20-34	33	6.5	53	2	2	5	7	10	22	40
35-49	25	5.8	9	2	3	5	6	11	13	13
50-64	24	6.0	20	1	2	5	8	11	17	18
65+	26	6.5	37	2	2	5	7	13	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	115	3.9	7	1	2	3	5	7	7	16
2. MULTIPLE DX										
A. *Not Operated*	6	4.8	28	<1	<1	3	5	14	15	15
B. *Operated*	121	6.3	31	2	2	5	7	11	18	30
1. SINGLE DX	115	3.9	7	1	2	3	5	7	7	16
2. MULTIPLE DX	127	6.2	31	2	2	5	7	12	18	29
A. NOT OPERATED	6	4.8	28	<1	<1	3	5	14	15	15
B. OPERATED	236	5.1	21	2	2	4	6	8	13	24
TOTAL 0-19 YRS	35	5.3	22	2	2	4	5	8	19	22
20-34	67	5.2	30	2	2	4	6	8	11	37
35-49	48	5.3	11	2	2	5	6	11	13	15
50-64	37	5.1	15	1	2	4	6	10	15	18
65+	55	4.7	24	<1	1	3	6	8	15	26
GRAND TOTAL	**242**	**5.1**	**21**	**2**	**2**	**4**	**6**	**9**	**14**	**24**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	4	<1	<1	1	2	6	7	7
20-34	4	6.3	26	1	1	5	10	13	13	13
35-49	2	8.0	2	7	7	8	9	9	9	9
50-64	2	14.5	145	6	6	14	23	23	23	23
65+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	833	1.9	1	<1	1	2	2	2	3	4
20-34	198	2.2		1	2	2	2	3	3	5
35-49	60	2.4	1	2	2	2	3	3	4	7
50-64	27	2.7	3	1	2	2	2	5	7	9
65+	13	2.2		2	2	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	1.6	3	<1	<1	1	1	3	8	8
20-34	8	4.8	25	<1	<1	1	9	12	13	13
35-49	5	3.4	14	<1	<1	2	5	10	10	10
50-64	10	9.3	11	5	5	9	11	14	15	15
65+	9	11.3	84	3	3	10	14	25	33	33
B. *Operated*										
0-19 YRS	153	2.0	2	<1	1	2	2	3	3	9
20-34	36	3.0	10	<1	1	2	3	8	11	16
35-49	34	3.3	15	2	2	2	3	5	7	24
50-64	18	3.2	2	2	2	3	4	6	6	6
65+	6	13.7	635	2	2	4	6	59	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	5.4	30	<1	<1	4	7	11	18	23
B. *Operated*	1131	2.0	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	62	4.8	33	<1	<1	2	8	12	14	31
B. *Operated*	247	2.7	21	<1	1	2	2	3	6	16
1. SINGLE DX	1150	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX	309	3.1	24	<1	1	2	3	6	10	19
A. NOT OPERATED	81	4.9	32	<1	<1	2	8	12	14	30
B. OPERATED	1378	2.1	4	<1	1	2	2	3	3	7
TOTAL 0-19 YRS	1024	1.9	1	<1	1	2	2	2	3	5
20-34	246	2.4	3	1	1	2	2	3	4	13
35-49	101	2.8	7	1	2	2	3	4	7	17
50-64	57	4.4	16	2	2	2	6	10	13	22
65+	31	7.4	153	2	2	3	7	14	32	65
GRAND TOTAL	**1459**	**2.3**	**6**	**<1**	**1**	**2**	**2**	**3**	**4**	**11**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	3.0	10	<1	1	2	4	6	10	17
20-34	40	4.5	26	<1	1	3	5	9	17	25
35-49	34	5.3	25	<1	1	3	8	14	16	19
50-64	29	5.6	38	1	1	3	7	16	20	25
65+	41	6.7	35	1	2	4	9	15	21	25
B. *Operated*										
0-19 YRS	77	2.1	5	<1	<1	1	2	4	7	13
20-34	114	3.5	10	<1	<1	2	5	7	9	17
35-49	149	2.5	4	<1	<1	2	3	5	6	10
50-64	195	3.4	9	<1	<1	3	4	7	8	12
65+	254	3.5	7	1	2	3	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	131	6.6	38	1	1	5	9	13	15	36
20-34	33	3.8	9	1	1	3	5	8	11	12
35-49	16	5.6	29	1	1	4	7	12	19	22
50-64	46	6.1	51	1	1	5	8	9	15	42
65+	82	11.1	102	1	2	8	14	23	33	52
B. *Operated*										
0-19 YRS	34	3.4	5	<1	1	3	5	7	7	8
20-34	50	5.5	22	1	2	4	7	11	14	27
35-49	58	3.4	8	<1	1	2	4	7	10	15
50-64	112	4.4	18	<1	1	3	5	9	12	25
65+	201	6.1	36	2	2	4	7	12	16	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	4.4	23	<1	1	3	5	11	15	24
B. *Operated*	789	3.2	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	308	7.4	59	1	1	6	9	14	20	41
B. *Operated*	455	5.1	25	1	2	3	6	11	13	27
1. SINGLE DX	1046	3.5	11	<1	<1	2	4	7	10	20
2. MULTIPLE DX	763	6.0	40	1	1	4	7	12	16	34
A. NOT OPERATED	565	6.0	44	1	1	4	8	13	18	35
B. OPERATED	1244	3.9	15	<1	<1	3	5	8	11	22
TOTAL 0-19 YRS	355	4.2	22	<1	1	2	5	10	13	18
20-34	237	4.1	16	<1	<1	3	6	9	12	23
35-49	257	3.3	10	<1	<1	2	4	7	10	16
50-64	382	4.2	19	<1	1	3	5	8	11	28
65+	578	5.7	38	1	2	3	7	12	17	34
GRAND TOTAL	**1809**	**4.5**	**25**	**<1**	**1**	**3**	**6**	**10**	**13**	**26**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	4.8	11	1	1	4	6	9	10	17
20-34	65	5.4	17	1	2	4	6	11	16	20
35-49	36	5.9	12	2	2	6	7	11	13	14
50-64	39	5.6	15	1	2	5	7	11	14	20
65+	52	7.1	39	2	2	6	9	11	17	42
B. *Operated*										
0-19 YRS	28	3.9	26	<1	<1	2	4	12	16	22
20-34	26	4.2	5	<1	<1	4	6	7	7	7
35-49	14	3.9	17	<1	1	3	4	8	15	17
50-64	63	5.5	15	2	2	4	7	11	13	21
65+	114	5.0	9	2	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	7.8	112	1	2	6	8	12	16	72
20-34	39	5.5	13	1	2	4	8	10	13	15
35-49	59	6.3	13	1	2	6	9	10	14	17
50-64	46	8.2	49	2	3	6	10	18	33	99+
65+	58	6.7	18	<1	1	6	9	12	15	22
B. *Operated*										
0-19 YRS	20	7.3	25	<1	1	6	9	15	17	18
20-34	59	6.4	16	1	2	5	8	12	13	22
35-49	48	7.5	28	2	2	7	8	16	18	25
50-64	87	6.7	26	2	2	6	7	12	14	31
65+	179	7.4	49	2	2	6	8	15	21	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	5.7	19	1	2	5	7	10	13	20
B. *Operated*	245	4.8	13	<1	1	4	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	266	6.9	44	1	2	6	9	11	16	43
B. *Operated*	393	7.1	35	2	2	6	8	14	18	29
1. SINGLE DX	506	5.3	16	1	2	4	7	10	12	20
2. MULTIPLE DX	659	7.0	39	2	2	6	8	13	17	33
A. NOT OPERATED	527	6.3	32	1	2	5	8	11	15	34
B. OPERATED	638	6.2	28	1	2	5	7	12	16	24
TOTAL 0-19 YRS	181	6.0	52	<1	1	4	7	11	15	38
20-34	189	5.6	14	1	2	5	7	11	12	19
35-49	157	6.4	19	1	2	6	8	13	16	20
50-64	235	6.5	26	2	2	5	7	12	16	34
65+	403	6.6	33	2	2	5	8	12	17	27
GRAND TOTAL	**1165**	**6.3**	**30**	**1**	**2**	**5**	**8**	**11**	**15**	**25**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	4.0	5	<1	1	3	6	7	8	8
20-34	7	2.9	2	<1	<1	2	4	5	5	5
35-49	8	4.3	17	1	1	3	6	11	12	12
50-64	9	3.7	14	1	1	2	4	10	13	13
65+	10	7.4	38	<1	1	6	10	17	21	21
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	6	4.5	7	1	1	5	7	7	7	7
35-49	4	3.5	3	2	2	3	5	6	6	6
50-64	5	5.2	7	2	2	4	8	8	8	8
65+	3	6.7	6	4	4	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.9	3	<1	<1	3	4	5	6	7
20-34	15	5.8	20	1	2	5	8	14	15	15
35-49	8	6.5	14	3	3	5	9	12	13	13
50-64	16	6.4	15	<1	1	6	9	11	14	15
65+	27	12.1	127	2	2	9	16	24	33	56
B. *Operated*										
0-19 YRS	3	4.3	16	2	2	2	7	9	9	9
20-34	7	4.7	3	2	2	5	5	7	8	8
35-49	13	5.2	21	1	1	3	6	12	16	17
50-64	8	7.4	38	1	1	7	8	17	21	21
65+	10	6.4	119	1	1	3	5	21	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	4.5	16	<1	1	3	6	10	13	21
B. *Operated*	20	4.5	6	1	1	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	81	7.6	61	1	1	6	9	15	20	48
B. *Operated*	41	5.8	42	1	1	5	7	10	19	37
1. SINGLE DX	68	4.5	13	1	1	3	6	9	12	20
2. MULTIPLE DX	122	7.0	55	1	1	5	8	14	19	42
A. NOT OPERATED	129	6.4	47	1	1	4	8	14	17	35
B. OPERATED	61	5.4	30	1	1	4	7	9	14	35
TOTAL 0-19 YRS	34	3.4	5	<1	1	3	4	7	8	9
20-34	35	4.8	11	1	2	4	7	8	13	15
35-49	33	5.1	16	1	1	4	7	11	13	17
50-64	38	5.8	19	1	1	5	8	11	14	21
65+	50	9.7	104	1	1	6	13	22	29	56
GRAND TOTAL	**190**	**6.1**	**41**	**1**	**1**	**4**	**8**	**13**	**17**	**34**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	912	4.1	12	1	1	3	5	8	10	18
20-34	33	4.2	11	1	1	4	5	8	13	14
35-49	14	4.3	11	1	1	3	6	10	11	11
50-64	3	5.7	14	3	3	4	8	10	10	10
65+	7	4.3	7	1	1	4	6	8	8	8
B. *Operated*										
0-19 YRS	748	1.8	6	<1	<1	1	2	3	5	11
20-34	148	2.7	2	<1	<1	2	3	5	5	7
35-49	102	2.7	2	<1	1	2	3	5	6	7
50-64	67	3.1	4	<1	<1	3	4	5	7	11
65+	27	2.9	7	1	1	2	2	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1450	5.0	15	1	1	4	6	10	12	20
20-34	32	4.9	11	<1	1	4	8	10	12	12
35-49	25	7.3	22	1	2	7	12	14	15	17
50-64	15	8.9	82	<1	<1	7	9	18	31	36
65+	21	5.0	7	2	2	5	6	9	10	10
B. *Operated*										
0-19 YRS	779	3.5	19	<1	<1	2	3	8	12	24
20-34	220	4.8	10	1	2	4	7	9	10	16
35-49	151	4.7	15	1	1	3	7	8	11	24
50-64	109	4.8	13	1	1	3	7	8	11	19
65+	48	6.0	28	2	2	4	8	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	969	4.1	12	1	1	3	5	8	10	18
B. *Operated*	1092	2.1	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	1543	5.0	16	1	1	4	7	10	13	20
B. *Operated*	1307	4.1	18	<1	1	2	5	8	12	22
1. SINGLE DX	2061	3.0	9	<1	<1	2	4	6	8	16
2. MULTIPLE DX	2850	4.6	17	1	1	3	6	9	12	20
A. NOT OPERATED	2512	4.7	14	1	1	4	6	9	12	19
B. OPERATED	2399	3.2	13	<1	<1	2	3	7	9	19
TOTAL 0-19 YRS	3889	3.9	15	<1	1	2	5	8	11	20
20-34	433	4.0	9	<1	1	3	5	8	10	14
35-49	292	4.2	12	1	1	3	6	8	11	17
50-64	194	4.5	17	<1	1	3	6	8	11	20
65+	103	4.9	18	1	2	3	6	10	16	19
GRAND TOTAL	**4911**	**3.9**	**14**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	118	4.7	24	1	1	3	6	10	13	27
20-34	33	4.5	6	2	2	4	6	8	10	11
35-49	22	5.7	11	2	2	5	7	12	13	13
50-64	12	5.1	8	1	1	5	7	9	10	10
65+	3	5.3	4	3	3	6	7	7	7	7
B. *Operated*										
0-19 YRS	104	2.7	14	<1	<1	1	3	6	8	22
20-34	43	4.5	5	2	3	4	5	7	9	14
35-49	23	3.9	2	1	2	4	5	6	7	7
50-64	20	4.1	3	1	2	4	5	6	8	9
65+	11	5.9	43	<1	1	4	6	16	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	194	5.6	21	1	2	4	7	11	14	25
20-34	22	3.5	4	<1	1	3	5	6	7	7
35-49	21	6.6	13	2	2	6	8	12	13	15
50-64	11	6.4	23	1	2	5	8	13	18	19
65+	14	6.4	16	1	2	5	10	12	13	13
B. *Operated*										
0-19 YRS	93	4.4	27	<1	1	3	5	10	14	31
20-34	46	4.7	10	2	2	4	5	8	12	17
35-49	27	4.0	4	1	2	3	5	7	8	9
50-64	18	6.4	16	3	3	5	8	13	16	17
65+	19	11.4	145	1	2	6	17	27	40	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	188	4.8	18	1	1	4	6	10	12	22
B. *Operated*	201	3.5	12	<1	<1	3	5	6	8	19
2. MULTIPLE DX										
A. *Not Operated*	262	5.5	19	1	2	4	7	11	14	21
B. *Operated*	203	5.2	34	1	2	3	5	10	16	32
1. SINGLE DX	389	4.2	15	<1	1	3	5	8	10	22
2. MULTIPLE DX	465	5.4	25	1	2	4	7	11	15	27
A. NOT OPERATED	450	5.2	19	1	1	4	7	10	13	21
B. OPERATED	404	4.4	23	<1	1	3	5	8	12	26
TOTAL 0-19 YRS	509	4.6	22	<1	1	3	6	9	13	26
20-34	144	4.4	7	1	2	4	5	7	9	14
35-49	93	5.0	8	2	2	5	6	9	11	14
50-64	61	5.4	12	1	2	5	6	9	12	19
65+	47	8.2	78	1	2	5	10	19	25	49
GRAND TOTAL	**854**	**4.8**	**21**	**<1**	**1**	**4**	**6**	**9**	**13**	**24**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.9	7	1	1	3	5	8	10	11
20-34	77	4.4	32	1	1	3	5	10	13	36
35-49	89	4.0	7	1	1	3	5	7	9	13
50-64	134	4.2	10	1	1	4	6	8	10	17
65+	191	5.6	26	1	2	4	7	11	13	24
B. *Operated*										
0-19 YRS										
20-34	8	4.5	6	2	2	4	7	8	8	8
35-49	9	4.7	5	2	2	4	6	8	9	9
50-64	20	4.7	7	2	3	4	5	9	11	12
65+	2	5.5	13	3	3	5	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	4	1	1	3	5	7	8	8
20-34	35	3.9	6	1	1	3	6	6	8	13
35-49	66	5.0	15	1	1	4	7	11	14	17
50-64	131	6.1	18	1	2	6	8	11	15	20
65+	242	6.7	36	2	2	6	8	12	16	29
B. *Operated*										
0-19 YRS										
20-34	2	10.0	72	4	4	10	16	16	16	16
35-49	6	6.7	35	1	1	4	14	14	14	14
50-64	14	8.0	19	3	3	7	11	15	15	15
65+	19	15.2	173	3	4	11	17	31	49	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	511	4.7	19	1	1	3	6	9	12	20
B. *Operated*	39	4.7	6	2	2	4	6	8	10	12
2. MULTIPLE DX										
A. *Not Operated*	485	6.0	26	1	2	5	8	11	15	21
B. *Operated*	41	11.2	105	2	3	10	15	20	29	58
1. SINGLE DX	550	4.7	18	1	1	4	6	9	11	19
2. MULTIPLE DX	526	6.4	34	1	2	5	8	12	16	26
A. NOT OPERATED	996	5.3	23	1	1	4	7	10	13	21
B. OPERATED	80	8.1	67	2	3	5	10	15	20	52
TOTAL 0-19 YRS	31	3.8	6	1	1	3	5	8	9	11
20-34	122	4.4	23	1	1	3	5	9	12	25
35-49	170	4.5	11	1	1	3	6	9	11	16
50-64	299	5.2	15	1	1	4	7	10	13	18
65+	454	6.6	41	1	2	5	8	12	16	36
GRAND TOTAL	**1076**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**14**	**22**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	6	2.8	1	<1	<1	3	4	4	4	4
20-34	65	3.4	1	2	2	3	4	5	6	7
35-49	107	3.4	2	2	2	3	4	5	6	7
50-64	80	3.6	2	2	2	3	4	5	6	9
65+	19	3.6	4	1	1	3	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	3.2	3	1	2	3	4	5	6	9
35-49	26	3.4	1	2	2	3	4	4	6	6
50-64	29	3.9	6	2	2	3	4	7	10	13
65+	5	2.0	1	1	1	2	2	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*	277	3.5	2	2	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	5	2.8	9	<1	<1	1	4	8	8	8
B. *Operated*	84	3.4	3	1	2	3	4	5	7	12
1. SINGLE DX	279	3.4	2	2	2	3	4	5	6	8
2. MULTIPLE DX	89	3.4	4	1	2	3	4	5	7	12
A. NOT OPERATED	7	2.7	7	<1	<1	1	4	7	8	8
B. OPERATED	361	3.4	2	2	2	3	4	5	6	9
TOTAL 0-19 YRS	7	2.9	1	<1	<1	3	4	4	4	4
20-34	88	3.4	2	2	2	3	4	5	5	8
35-49	137	3.3	2	2	2	3	4	5	6	7
50-64	110	3.6	3	2	2	3	4	6	7	11
65+	26	3.5	4	1	1	3	4	6	8	9
GRAND TOTAL	**368**	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**9**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.3	8	<1	1	2	4	8	9	10
20-34	8	6.0	33	<1	<1	4	10	14	15	15
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	10	5.8	19	1	1	4	10	12	12	12
65+	4	8.3	51	<1	<1	7	13	18	18	18
B. *Operated*										
0-19 YRS	181	2.4	3	<1	<1	2	3	4	6	11
20-34	202	2.8	2	<1	1	2	3	4	6	8
35-49	145	2.8	4	1	1	3	3	4	5	9
50-64	109	3.2	10	1	2	3	3	5	6	21
65+	18	2.9	3	<1	1	3	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.4	17	<1	<1	3	6	9	11	20
20-34	8	3.8	31	<1	<1	2	4	13	17	17
35-49	18	4.1	8	<1	<1	4	7	7	10	11
50-64	4	5.8	27	1	1	5	10	12	12	12
65+	14	8.6	52	1	2	6	16	25	81	99+
B. *Operated*										
0-19 YRS	134	3.9	15	1	1	2	5	8	12	23
20-34	163	3.1	3	1	2	3	3	5	7	9
35-49	111	3.6	9	2	2	3	4	6	9	19
50-64	99	3.6	7	2	2	3	4	6	10	14
65+	21	4.7	11	1	1	3	7	10	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.6	19	<1	<1	3	8	12	13	18
B. *Operated*	655	2.8	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	73	5.1	25	<1	1	4	7	12	18	82
B. *Operated*	528	3.6	8	1	2	3	4	7	9	15
1. SINGLE DX	701	2.9	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	601	3.8	10	1	2	3	4	7	10	19
A. NOT OPERATED	119	4.9	23	<1	<1	3	7	12	17	47
B. OPERATED	1183	3.1	6	<1	1	3	3	5	7	14
TOTAL 0-19 YRS	364	3.2	9	<1	<1	2	3	7	9	15
20-34	381	3.0	4	1	1	3	3	5	7	10
35-49	278	3.2	6	1	1	3	3	5	7	15
50-64	222	3.6	9	1	2	3	4	6	10	14
65+	57	5.4	25	1	1	4	7	14	18	94
GRAND TOTAL	**1302**	**3.3**	**8**	**<1**	**1**	**3**	**3**	**6**	**8**	**16**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	9.1	85	2	3	7	11	14	29	46
20-34	3	14.3	152	4	4	11	24	28	28	28
35-49	3	11.7	90	2	2	12	19	21	21	21
50-64	1	12.0		12	12	12	12	12	12	12
65+	6	11.7	42	4	4	9	18	21	21	21
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	20.5	113	13	13	20	28	28	28	28
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.0	8	2	2	4	8	8	8	8
20-34	1	10.0		10	10	10	10	10	10	10
35-49	5	18.0	257	3	3	12	33	38	38	38
50-64	5	11.6	17	8	8	10	15	17	17	17
65+	6	19.5	775	6	6	7	14	70	76	76
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	16.5	61	11	11	16	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	10.4	76	2	3	8	12	21	27	46
B. *Operated*	3	14.3	170	2	2	13	24	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	22	13.6	272	2	3	8	14	34	53	76
B. *Operated*	3	11.7	100	2	2	11	19	22	22	22
1. SINGLE DX	37	10.7	80	2	2	9	13	21	28	46
2. MULTIPLE DX	25	13.4	247	2	3	8	14	32	47	76
A. NOT OPERATED	56	11.6	152	2	3	8	12	21	36	74
B. OPERATED	6	13.0	110	2	2	12	22	27	28	28
TOTAL 0-19 YRS	26	8.3	72	2	2	7	10	14	21	46
20-34	4	13.3	106	4	4	10	19	28	28	28
35-49	10	16.6	159	2	2	13	28	35	38	38
50-64	8	9.3	30	2	2	9	13	16	17	17
65+	14	15.7	333	4	6	9	18	27	65	76
GRAND TOTAL	**62**	**11.8**	**146**	**2**	**3**	**8**	**13**	**24**	**34**	**72**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.5	6	3	3	4	6	8	8	8
35-49	5	4.4	7	1	1	4	6	8	8	8
50-64	6	8.8	18	3	3	10	12	13	13	13
65+	7	2.9	3	<1	<1	2	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	13	5.6	24	<1	1	3	11	13	14	14
35-49	29	6.4	23	1	1	4	11	13	13	14
50-64	39	5.8	24	<1	1	3	10	13	15	18
65+	19	6.3	34	1	1	3	13	14	16	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	9	1	1	4	6	7	7	7
20-34	13	5.4	25	1	2	4	6	10	19	21
35-49	33	8.4	49	2	2	7	11	18	23	30
50-64	78	8.6	58	2	2	7	12	15	20	47
65+	120	13.0	119	2	4	11	16	26	37	57
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	11.3	262	2	2	8	11	14	44	83
35-49	46	9.2	40	1	2	11	14	17	18	23
50-64	133	11.4	93	1	2	11	15	19	37	68
65+	63	13.4	118	1	1	12	19	28	40	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.0	13	1	2	4	7	11	12	13
B. *Operated*	100	6.0	25	1	1	3	11	13	14	17
2. MULTIPLE DX										
A. *Not Operated*	247	10.5	90	2	2	8	14	20	28	53
B. *Operated*	267	11.5	105	1	2	11	15	22	33	79
1. SINGLE DX	123	5.8	23	1	1	3	11	13	14	17
2. MULTIPLE DX	514	11.0	98	1	2	9	14	21	30	57
A. NOT OPERATED	270	10.0	86	2	2	7	13	20	27	51
B. OPERATED	367	10.0	89	1	2	10	14	19	27	59
TOTAL 0-19 YRS	5	3.4	5	1	1	3	5	7	7	7
20-34	54	8.0	134	2	2	5	10	13	20	81
35-49	113	8.1	38	1	2	7	13	16	18	26
50-64	256	9.7	74	1	2	8	13	17	24	54
65+	209	12.2	113	1	2	11	16	26	38	58
GRAND TOTAL	**637**	**10.0**	**87**	**1**	**2**	**8**	**13**	**19**	**27**	**53**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	6.1	14	2	3	5	7	13	14	14
20-34	80	4.0	12	1	1	3	5	8	11	19
35-49	139	5.0	16	1	1	4	6	11	13	17
50-64	285	5.7	17	1	2	5	7	11	15	19
65+	369	6.9	29	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	5	4.8	18	<1	<1	4	8	11	11	11
20-34	11	3.9	6	1	1	4	5	8	9	9
35-49	22	7.9	50	1	1	5	11	19	22	25
50-64	18	6.1	18	1	2	5	9	13	14	14
65+	6	6.5	7	4	4	6	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.0	92	1	2	5	9	15	33	42
20-34	88	5.4	12	2	2	4	7	10	12	18
35-49	261	7.0	40	1	2	6	8	14	18	28
50-64	713	7.4	37	2	2	6	10	14	18	36
65+	1179	10.1	92	2	3	7	12	20	30	65
B. *Operated*										
0-19 YRS	2	4.0	18	1	1	4	7	7	7	7
20-34	20	6.0	32	1	1	4	7	14	19	23
35-49	21	12.4	98	2	4	9	17	30	34	35
50-64	80	11.1	91	1	2	9	13	24	37	41
65+	61	15.1	114	2	4	15	20	30	40	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	884	5.9	22	1	2	5	8	12	15	22
B. *Operated*	62	6.3	27	1	1	5	9	13	18	24
2. MULTIPLE DX										
A. *Not Operated*	2258	8.7	68	2	2	7	11	17	24	48
B. *Operated*	184	11.9	99	1	2	9	16	25	37	52
1. SINGLE DX	946	6.0	22	1	2	5	8	12	15	22
2. MULTIPLE DX	2442	9.0	71	2	2	7	11	18	25	49
A. NOT OPERATED	3142	7.9	57	1	2	6	10	15	21	43
B. OPERATED	246	10.5	87	1	2	8	14	23	32	42
TOTAL 0-19 YRS	35	6.7	52	1	1	5	8	13	15	42
20-34	199	4.8	14	1	1	4	7	10	12	21
35-49	443	6.7	38	1	1	5	8	14	18	28
50-64	1096	7.2	37	1	2	6	9	14	18	37
65+	1615	9.6	81	2	3	7	12	19	27	58
GRAND TOTAL	**3388**	**8.1**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**43**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64	13	6.8	5	3	4	7	9	10	10	10
65+	41	9.4	78	2	3	8	10	16	21	56
B. *Operated*										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	4.3	9	<1	<1	5	6	7	7	7
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	10.0	50	5	5	10	15	15	15	15
35-49	15	9.6	49	<1	2	10	13	15	25	29
50-64	79	9.2	65	2	3	7	10	16	29	46
65+	251	12.1	152	3	3	9	14	20	32	96
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	6.2	45	1	1	3	8	18	19	19
50-64	7	8.1	124	2	2	3	7	28	33	33
65+	18	21.6	234	3	5	18	39	76	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	8.8	58	2	3	8	10	14	19	53
B. *Operated*	7	5.3	23	<1	<1	4	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*	347	11.3	129	2	3	8	13	20	29	75
B. *Operated*	31	15.6	217	2	2	11	31	48	93	99+
1. SINGLE DX	65	8.4	55	2	3	7	9	14	18	51
2. MULTIPLE DX	378	11.6	137	2	3	8	14	22	35	97
A. NOT OPERATED	405	10.9	119	2	3	8	13	19	28	72
B. OPERATED	38	13.7	196	1	2	8	20	44	76	99+
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	4	10.5	28	5	5	11	15	15	15	15
35-49	24	8.5	45	1	2	7	13	15	22	29
50-64	102	8.7	60	2	3	7	9	15	28	43
65+	312	12.2	152	2	3	9	14	22	40	98
GRAND TOTAL	**443**	**11.2**	**126**	**2**	**3**	**8**	**13**	**21**	**33**	**96**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	4	4.8	6	<1	<1	6	6	6	6	6
35-49	8	6.3	49	<1	<1	4	8	18	22	22
50-64	67	1.9	8	1	1	1	1	4	9	15
65+	10	8.2	54	1	2	5	9	21	23	23
B. *Operated*										
0-19 YRS										
20-34	11	9.8	35	3	3	10	14	19	20	20
35-49	9	6.0	21	2	2	5	7	14	17	17
50-64	14	9.6	36	<1	1	9	13	16	22	24
65+	7	12.4	82	1	1	16	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.6	31	2	2	7	13	15	15	15
20-34	10	8.1	35	1	2	5	13	17	18	18
35-49	12	10.3	70	2	2	8	14	24	28	29
50-64	95	4.9	54	1	1	1	6	14	24	34
65+	49	15.7	181	3	3	11	22	34	39	72
B. *Operated*										
0-19 YRS	4	11.3	34	5	5	11	16	18	18	18
20-34	11	15.2	79	8	9	13	15	29	39	40
35-49	31	16.0	112	2	3	14	22	30	40	44
50-64	50	21.2	228	6	7	17	24	45	56	68
65+	26	19.5	223	1	2	16	25	53	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	90	3.1	20	1	1	1	3	8	11	23
B. *Operated*	41	9.4	41	1	2	8	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*	173	8.6	110	1	1	4	12	23	29	43
B. *Operated*	122	18.6	181	3	6	15	24	38	55	77
1. SINGLE DX	131	5.1	35	1	1	1	8	15	20	23
2. MULTIPLE DX	295	12.8	163	1	1	10	18	29	38	65
A. NOT OPERATED	263	6.8	86	1	1	3	9	18	27	39
B. OPERATED	163	16.3	162	2	4	14	21	32	46	67
TOTAL 0-19 YRS	12	8.4	32	2	2	7	14	16	18	18
20-34	36	10.4	55	1	3	10	14	18	21	40
35-49	60	12.1	98	1	2	9	17	26	31	44
50-64	226	7.9	130	1	1	1	11	22	31	57
65+	92	15.7	178	1	3	13	23	34	43	88
GRAND TOTAL	**426**	**10.4**	**136**	**1**	**1**	**7**	**15**	**25**	**34**	**60**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	43	12.2	20	3	7	12	15	18	20	22
35-49	300	12.4	22	4	6	12	15	19	21	24
50-64	802	13.8	35	5	7	13	16	21	25	31
65+	795	15.0	52	5	7	14	18	24	30	44
B. *Operated*										
0-19 YRS										
20-34	4	11.8	1	11	11	12	12	13	13	13
35-49	17	11.6	119	1	1	11	17	25	37	43
50-64	34	12.9	41	1	3	13	16	22	24	26
65+	15	20.1	45	12	14	19	23	28	35	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	17.8	245	<1	<1	16	28	41	41	41
20-34	27	12.1	26	3	4	12	16	19	20	21
35-49	408	13.1	43	5	8	13	16	19	21	32
50-64	1400	14.8	64	6	8	14	17	23	28	52
65+	2185	17.1	105	6	8	15	20	29	37	62
B. *Operated*										
0-19 YRS										
20-34	8	12.5	28	3	4	13	17	18	18	18
35-49	71	15.3	135	1	2	12	21	28	36	61
50-64	189	18.0	115	4	8	17	22	30	34	65
65+	214	23.4	190	10	12	20	27	39	53	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1940	14.0	41	5	7	13	17	21	25	36
B. *Operated*	70	14.1	67	1	2	14	18	24	26	42
2. MULTIPLE DX										
A. *Not Operated*	4025	15.9	86	6	8	14	18	25	32	56
B. *Operated*	482	19.9	160	4	9	18	24	34	42	81
1. SINGLE DX	2010	14.0	42	5	7	13	17	22	26	37
2. MULTIPLE DX	4507	16.3	95	6	8	14	19	26	34	58
A. NOT OPERATED	5965	15.3	72	6	8	14	18	24	30	52
B. OPERATED	552	19.1	152	3	8	17	23	33	40	73
TOTAL 0-19 YRS	5	17.8	245	<1	<1	16	28	41	41	41
20-34	82	12.2	21	3	6	12	15	18	20	22
35-49	796	13.0	45	3	6	12	16	20	23	36
50-64	2425	14.7	59	6	8	14	17	23	27	46
65+	3209	17.0	101	6	8	15	20	28	36	61
GRAND TOTAL	**6517**	**15.6**	**80**	**6**	**8**	**14**	**18**	**25**	**31**	**54**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	11	2.3	3	1	1	1	4	5	5	5
35-49	143	4.4	10	1	1	3	5	8	12	16
50-64	400	4.8	17	1	1	4	6	9	12	23
65+	439	5.8	22	1	2	5	8	11	14	18
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	9	1.7	1	<1	<1	1	2	3	3	3
50-64	24	2.8	21	<1	<1	1	3	5	12	23
65+	8	4.5	57	<1	<1	2	3	17	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	32	2	2	6	10	10	10	10
20-34	14	3.6	6	1	1	3	6	7	8	8
35-49	220	6.1	49	1	2	4	7	11	15	41
50-64	787	6.7	25	2	2	6	9	12	16	25
65+	1280	8.3	58	2	2	6	10	16	21	45
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	17	4.8	27	<1	<1	3	5	9	18	22
35-49	196	6.3	27	<1	2	4	10	12	15	29
50-64	597	7.0	54	<1	<1	4	10	14	17	39
65+	248	8.7	85	<1	2	4	11	20	28	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	5.2	19	1	1	4	7	10	13	18
B. *Operated*	42	3.0	23	<1	<1	1	3	5	13	23
2. MULTIPLE DX										
A. *Not Operated*	2303	7.5	46	2	2	6	9	14	19	38
B. *Operated*	1059	7.2	56	<1	1	4	10	15	19	39
1. SINGLE DX	1037	5.1	19	1	1	4	7	10	13	20
2. MULTIPLE DX	3362	7.4	49	1	2	5	10	14	19	39
A. NOT OPERATED	3298	6.8	39	1	2	5	8	13	17	32
B. OPERATED	1101	7.1	56	<1	<1	4	10	15	19	38
TOTAL 0-19 YRS	5	4.4	11	2	2	3	6	10	10	10
20-34	43	3.8	14	<1	1	3	5	8	9	22
35-49	568	5.7	32	1	1	4	8	11	14	27
50-64	1808	6.3	34	1	1	4	9	12	16	26
65+	1975	7.8	54	1	2	6	10	15	20	40
GRAND TOTAL	**4399**	**6.9**	**43**	**1**	**2**	**5**	**9**	**14**	**18**	**33**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	9.0	23	2	2	11	13	13	13	13
35-49	127	7.5	20	2	2	7	10	14	16	21
50-64	378	8.1	28	2	3	7	11	14	17	28
65+	427	8.6	29	2	3	7	11	15	19	27
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	11.3	20	4	4	12	14	17	17	17
50-64	16	10.2	32	<1	1	10	13	13	21	22
65+	7	21.1	10	17	17	21	23	25	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	15	4.7	10	2	2	4	5	10	12	13
35-49	171	8.5	70	2	3	7	10	15	18	59
50-64	848	8.7	33	2	3	8	11	16	20	28
65+	1417	10.2	50	3	4	9	13	18	24	39
B. *Operated*										
0-19 YRS										
20-34	5	5.8	13	3	3	4	9	11	11	11
35-49	80	11.4	55	<1	3	10	16	20	25	38
50-64	245	13.4	90	2	4	11	17	23	28	64
65+	183	18.2	172	4	6	15	23	34	42	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	8.3	27	2	3	7	11	15	17	26
B. *Operated*	29	13.1	45	1	3	13	18	22	23	26
2. MULTIPLE DX										
A. *Not Operated*	2452	9.6	46	2	3	8	12	17	22	35
B. *Operated*	513	14.7	120	3	4	12	19	27	35	73
1. SINGLE DX	967	8.4	28	2	3	7	11	15	18	26
2. MULTIPLE DX	2965	10.5	62	2	3	9	13	19	25	41
A. NOT OPERATED	3390	9.2	41	2	3	8	12	17	21	34
B. OPERATED	542	14.7	116	3	4	12	18	26	34	71
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	26	5.9	15	2	2	4	10	13	13	13
35-49	384	8.8	51	2	3	7	11	16	19	39
50-64	1487	9.4	44	2	3	8	12	18	22	31
65+	2034	10.6	63	3	3	9	13	20	25	41
GRAND TOTAL	**3932**	**9.9**	**55**	**2**	**3**	**8**	**12**	**18**	**23**	**38**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	18	5.2	14	<1	1	4	6	11	13	14
35-49	108	6.4	22	1	2	6	8	12	15	24
50-64	290	6.7	27	1	2	5	9	14	17	24
65+	399	7.9	37	2	2	6	10	15	18	30
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.1	21	1	1	2	7	12	12	12
35-49	177	4.4	19	<1	<1	2	7	12	13	17
50-64	404	5.3	34	<1	1	2	9	13	16	28
65+	156	5.7	39	<1	1	2	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.0	77	3	3	5	14	22	22	22
20-34	15	8.0	32	1	2	8	12	17	19	20
35-49	202	6.8	22	1	2	6	9	13	15	22
50-64	936	8.4	45	2	2	7	11	16	20	34
65+	2144	11.2	103	2	3	8	14	23	32	67
B. *Operated*										
0-19 YRS	3	4.3	33	<1	<1	1	8	11	11	11
20-34	36	4.4	14	<1	<1	3	6	11	12	12
35-49	364	5.9	43	<1	<1	3	9	14	17	35
50-64	1035	7.4	79	<1	<1	3	11	17	23	41
65+	479	10.8	116	<1	1	9	15	26	34	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	817	7.2	31	1	2	6	9	14	18	27
B. *Operated*	746	5.1	31	<1	1	2	9	13	16	26
2. MULTIPLE DX										
A. *Not Operated*	3301	10.1	83	2	3	8	13	20	28	60
B. *Operated*	1917	7.9	83	<1	<1	4	12	18	25	46
1. SINGLE DX	1563	6.2	32	1	1	4	9	13	17	26
2. MULTIPLE DX	5218	9.3	84	1	1	7	12	19	27	55
A. NOT OPERATED	4118	9.5	74	2	2	7	12	19	26	54
B. OPERATED	2663	7.1	70	<1	<1	3	11	17	23	42
TOTAL 0-19 YRS	10	6.6	42	<1	<1	4	11	17	22	22
20-34	77	5.3	19	<1	1	4	8	12	13	19
35-49	851	5.9	31	<1	1	4	9	13	16	28
50-64	2665	7.3	56	<1	1	5	11	16	20	34
65+	3178	10.4	96	1	2	8	13	22	30	64
GRAND TOTAL	**6781**	**8.6**	**74**	**1**	**1**	**6**	**12**	**18**	**25**	**47**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	32	7.3	14	1	2	8	10	11	12	16
35-49	29	11.8	53	2	3	12	14	19	31	31
50-64	45	13.1	38	4	7	13	15	21	23	38
65+	46	12.0	16	7	8	12	14	17	19	24
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	12.0		12	12	12	12	12	12	12
35-49	12	11.8	24	3	4	12	16	18	18	18
50-64	12	15.6	75	4	8	13	17	30	35	36
65+	6	18.8	29	12	12	18	23	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	23	11.7	24	6	7	11	13	16	22	30
35-49	38	13.4	60	4	5	12	15	27	30	36
50-64	107	14.4	71	6	7	13	15	21	30	52
65+	177	19.0	195	7	8	16	22	34	45	97
B. *Operated*										
0-19 YRS										
20-34	9	13.9	53	7	7	12	18	25	29	29
35-49	14	17.1	103	8	9	15	20	27	43	47
50-64	27	17.3	62	6	8	17	22	25	34	39
65+	44	22.8	229	9	10	18	28	41	51	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	11.3	33	2	4	11	14	17	21	31
B. *Operated*	33	14.6	46	3	8	13	18	24	28	36
2. MULTIPLE DX										
A. *Not Operated*	346	16.4	136	6	8	13	19	28	36	76
B. *Operated*	94	19.5	152	7	9	16	23	34	42	75
1. SINGLE DX	186	11.9	37	3	4	12	14	18	23	34
2. MULTIPLE DX	440	17.1	141	7	8	14	20	30	39	76
A. NOT OPERATED	499	14.9	110	4	7	13	17	25	33	70
B. OPERATED	127	18.2	129	7	9	15	22	33	40	70
TOTAL 0-19 YRS	3	11.7	20	7	7	12	15	16	16	16
20-34	66	9.9	28	2	4	10	12	15	19	30
35-49	93	13.2	61	3	5	12	16	25	30	42
50-64	191	14.6	63	5	7	13	17	22	30	51
65+	273	18.4	176	7	8	15	21	33	42	90
GRAND TOTAL	**626**	**15.5**	**116**	**5**	**7**	**13**	**18**	**27**	**35**	**69**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34										
35-49										
50-64	3	22.0	211	8	8	21	33	37	37	37
65+	3	10.0	21	5	5	11	13	14	14	14
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	52.0		52	52	52	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	33.3	1440	6	6	20	60	87	87	87
20-34	6	27.5	32	18	19	29	30	34	34	34
35-49	3	27.3	80	17	17	32	33	33	33	33
50-64	13	31.5	225	3	13	30	37	52	62	64
65+	13	29.8	357	2	2	34	45	70	93	99+
B. *Operated*										
0-19 YRS	2	48.0	338	35	35	48	61	61	61	61
20-34	3	44.3	616	24	24	37	63	72	72	72
35-49										
50-64	4	27.0	627	5	5	20	42	63	63	63
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	13.0	128	3	4	9	17	32	37	37
B. *Operated*	1	52.0		52	52	52	52	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	39	30.2	309	2	6	30	36	56	77	99+
B. *Operated*	9	37.4	532	5	11	35	61	68	72	72
1. SINGLE DX	9	17.3	281	3	4	11	25	46	52	52
2. MULTIPLE DX	48	31.6	349	2	6	30	38	64	73	99+
A. NOT OPERATED	47	27.3	318	2	5	29	35	48	69	99+
B. OPERATED	10	38.9	494	5	12	36	61	67	72	72
TOTAL 0-19 YRS	8	29.6	957	3	4	20	48	79	87	87
20-34	9	33.1	245	18	20	30	35	58	72	72
35-49	3	27.3	80	17	17	32	33	33	33	33
50-64	20	29.2	276	3	6	29	37	56	63	64
65+	17	27.6	370	2	3	31	45	62	87	99+
GRAND TOTAL	**57**	**29.3**	**360**	**3**	**5**	**30**	**37**	**62**	**70**	**99**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	5	<1	<1	1	3	5	8	9
20-34	29	2.9	6	<1	1	2	4	7	7	10
35-49	53	2.8	10	<1	<1	2	3	6	12	13
50-64	63	2.9	5	<1	1	2	4	6	8	9
65+	64	5.3	36	1	1	4	6	11	18	33
B. *Operated*										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	2	9.0		9	9	9	9	9	9	9
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.3	1	1	1	2	3	4	4	4
20-34	21	5.0	29	<1	1	2	7	15	17	20
35-49	46	3.8	11	1	1	3	5	7	11	16
50-64	89	4.4	24	1	1	3	6	9	10	30
65+	155	7.6	63	1	2	5	10	18	26	57
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	7.7	36	2	2	7	12	14	14	14
50-64	7	9.7	103	1	1	6	15	26	28	28
65+	7	23.9	444	7	8	20	49	90	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	222	3.5	16	<1	1	2	5	8	10	21
B. *Operated*	5	6.4	17	<1	<1	9	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	319	5.8	44	1	1	4	7	13	19	34
B. *Operated*	17	15.2	266	1	1	12	24	57	87	99+
1. SINGLE DX	227	3.6	16	<1	1	2	5	8	10	21
2. MULTIPLE DX	336	6.3	58	1	1	4	7	15	23	60
A. NOT OPERATED	541	4.9	34	1	1	3	6	10	15	30
B. OPERATED	22	13.2	220	<1	1	10	16	38	79	99+
TOTAL 0-19 YRS	21	2.2	4	<1	<1	1	3	4	6	9
20-34	51	3.9	17	<1	1	2	5	9	15	20
35-49	104	3.5	12	<1	1	2	5	8	13	15
50-64	160	4.0	21	<1	1	3	5	8	10	27
65+	227	7.4	75	1	1	5	9	18	26	75
GRAND TOTAL	**563**	**5.2**	**43**	**1**	**1**	**3**	**6**	**11**	**18**	**34**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	5	1	1	2	4	6	6	6
20-34	22	2.5	4	1	1	2	3	5	7	9
35-49	55	3.1	10	<1	<1	2	4	8	11	12
50-64	139	3.6	8	<1	1	3	5	7	10	13
65+	241	5.6	21	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	3	5.3	56	1	1	1	11	14	14	14
65+	4	9.0	27	5	5	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.2	117	1	1	3	5	27	29	29
20-34	22	5.0	71	<1	1	2	4	11	28	37
35-49	97	4.6	17	1	1	3	6	11	13	20
50-64	347	6.3	48	1	1	5	8	13	17	25
65+	954	9.0	101	1	2	6	11	18	28	93
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	13.0	66	5	5	11	17	26	27	27
50-64	30	12.6	101	1	2	10	15	29	33	43
65+	79	19.1	253	3	5	14	22	42	54	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	4.5	16	<1	1	3	6	9	12	18
B. *Operated*	8	6.9	34	1	1	5	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	1426	8.0	84	1	1	5	10	16	24	60
B. *Operated*	115	17.1	210	2	4	13	21	33	47	74
1. SINGLE DX	469	4.5	16	<1	1	3	6	10	12	18
2. MULTIPLE DX	1541	8.7	99	1	2	6	11	18	27	65
A. NOT OPERATED	1887	7.1	70	1	1	5	9	15	21	50
B. OPERATED	123	16.4	205	2	4	13	19	32	47	72
TOTAL 0-19 YRS	10	5.5	71	1	1	3	5	17	29	29
20-34	45	3.7	37	1	1	2	3	6	12	37
35-49	158	4.4	19	<1	1	3	6	11	13	23
50-64	519	5.9	44	1	1	4	8	13	16	30
65+	1278	9.0	103	1	2	6	11	18	28	67
GRAND TOTAL	**2010**	**7.7**	**83**	**1**	**1**	**5**	**10**	**16**	**23**	**58**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	4.2	20	<1	1	3	5	9	14	21
20-34	65	3.6	9	<1	1	2	5	9	10	13
35-49	114	4.2	17	<1	1	3	5	10	12	22
50-64	176	4.1	11	<1	1	3	5	9	11	15
65+	248	5.9	19	1	2	5	8	11	14	21
B. *Operated*										
0-19 YRS	3	4.7	1	4	4	4	6	6	6	6
20-34	3	6.3	21	<1	<1	9	9	9	9	9
35-49	16	3.9	9	<1	<1	3	5	10	11	11
50-64	46	5.3	10	<1	2	5	6	11	12	14
65+	135	6.8	19	1	3	6	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	4.3	14	1	1	3	5	8	13	19
20-34	47	3.9	13	<1	1	2	5	9	11	17
35-49	162	5.3	37	1	1	4	6	11	14	38
50-64	422	6.6	38	1	2	5	8	13	18	32
65+	836	8.5	53	2	2	7	11	17	22	46
B. *Operated*										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34	14	14.4	249	<1	<1	6	27	36	48	52
35-49	36	8.7	84	<1	<1	6	10	19	31	40
50-64	116	10.8	106	1	3	8	14	20	24	59
65+	474	12.2	122	3	4	9	14	23	33	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	636	4.8	16	1	1	4	6	10	13	20
B. *Operated*	203	6.2	17	<1	2	5	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*	1493	7.4	47	1	2	6	9	15	21	36
B. *Operated*	643	11.8	120	3	3	9	14	23	32	67
1. SINGLE DX	839	5.1	17	1	1	4	7	10	13	21
2. MULTIPLE DX	2136	8.7	73	1	2	6	11	17	24	51
A. NOT OPERATED	2129	6.6	39	1	1	5	8	14	18	32
B. OPERATED	846	10.4	101	2	3	8	13	20	29	59
TOTAL 0-19 YRS	65	4.3	16	1	1	3	5	9	12	21
20-34	129	5.0	46	<1	1	3	6	10	15	38
35-49	328	5.2	35	<1	1	4	6	11	15	34
50-64	760	6.6	44	1	1	5	8	13	18	33
65+	1693	9.0	69	2	3	7	11	17	24	53
GRAND TOTAL	**2975**	**7.7**	**60**	**1**	**2**	**6**	**10**	**15**	**21**	**43**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.7	95	1	1	2	7	24	28	28
20-34										
35-49	17	6.1	6	3	3	6	8	9	10	11
50-64	138	8.7	66	2	3	6	10	17	24	42
65+	867	9.7	82	2	3	7	12	19	29	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	13.5	25	10	10	13	17	17	17	17
65+	8	19.6	407	6	8	13	15	53	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	9.0	75	1	2	6	11	26	29	31
20-34	15	9.1	23	3	4	8	10	15	20	22
35-49	99	9.0	57	1	2	7	11	18	25	39
50-64	795	10.8	97	2	3	8	13	20	29	59
65+	4402	13.1	149	3	4	10	16	26	37	90
B. *Operated*										
0-19 YRS	1	42.0		42	42	42	42	42	42	42
20-34	2	9.5	41	5	5	9	14	14	14	14
35-49	14	15.1	189	<1	2	10	28	34	43	45
50-64	90	19.0	165	2	5	17	27	34	46	57
65+	272	24.1	310	6	8	20	31	53	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1029	9.5	79	2	3	7	11	19	28	44
B. *Operated*	10	18.4	326	6	8	13	16	43	69	69
2. MULTIPLE DX										
A. *Not Operated*	5338	12.6	140	3	4	9	15	25	35	82
B. *Operated*	379	22.6	276	5	7	18	30	48	63	99+
1. SINGLE DX	1039	9.6	82	2	3	7	12	19	28	45
2. MULTIPLE DX	5717	13.3	155	3	4	10	16	28	38	90
A. NOT OPERATED	6367	12.1	131	2	3	9	15	24	33	78
B. OPERATED	389	22.4	277	5	7	18	29	48	64	99+
TOTAL 0-19 YRS	35	9.5	107	1	2	6	11	28	30	42
20-34	17	9.1	23	3	4	8	11	15	20	22
35-49	130	9.3	68	1	2	7	11	19	30	42
50-64	1025	11.2	105	2	3	8	14	23	31	58
65+	5549	13.1	155	3	4	10	16	27	38	92
GRAND TOTAL	**6756**	**12.7**	**146**	**3**	**3**	**9**	**16**	**26**	**36**	**85**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	5.9	19	2	2	4	8	12	14	20
20-34	88	5.2	18	1	2	4	6	9	11	27
35-49	94	6.2	20	1	2	5	9	12	16	21
50-64	93	6.9	31	1	2	5	9	15	20	24
65+	59	9.8	78	2	2	7	12	21	29	42
B. *Operated*										
0-19 YRS	16	4.1	16	1	2	2	3	11	13	14
20-34	31	5.3	18	<1	<1	3	9	12	14	15
35-49	38	5.4	27	<1	<1	3	10	12	13	23
50-64	72	5.0	25	1	1	3	8	13	14	21
65+	37	6.1	36	1	1	3	12	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	6.2	38	1	2	4	7	15	23	24
20-34	77	8.0	61	1	2	6	10	15	24	41
35-49	119	8.4	51	2	2	6	11	18	23	37
50-64	261	11.0	122	2	3	7	14	23	32	50
65+	380	12.8	109	3	4	10	16	25	32	59
B. *Operated*										
0-19 YRS	17	8.5	54	1	1	6	10	20	27	29
20-34	40	11.0	86	1	2	9	15	23	32	37
35-49	77	10.0	69	1	1	9	14	24	29	81
50-64	192	10.3	101	<1	1	9	14	23	30	58
65+	188	11.6	149	1	1	10	15	26	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	364	6.7	33	1	2	5	8	13	19	29
B. *Operated*	194	5.3	25	<1	1	3	10	13	14	22
2. MULTIPLE DX										
A. *Not Operated*	864	11.0	102	2	3	8	14	22	31	50
B. *Operated*	514	10.7	111	<1	1	9	14	24	32	63
1. SINGLE DX	558	6.2	31	1	1	4	9	13	17	25
2. MULTIPLE DX	1378	10.9	105	1	2	8	14	23	31	52
A. NOT OPERATED	1228	9.7	86	2	2	7	12	20	28	44
B. OPERATED	708	9.2	93	<1	1	7	13	21	28	53
TOTAL 0-19 YRS	90	6.2	31	1	2	4	8	13	20	27
20-34	236	7.1	47	1	2	5	9	14	21	36
35-49	328	7.8	46	1	2	6	11	17	23	34
50-64	618	9.5	94	1	1	6	13	21	26	48
65+	664	11.8	116	1	2	9	15	24	32	60
GRAND TOTAL	**1936**	**9.5**	**88**	**1**	**2**	**7**	**13**	**20**	**28**	**46**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	16.0		16	16	16	16	16	16	16
65+	13	8.8	132	1	2	6	9	19	40	45
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	8.5	52	1	1	7	11	20	22	22
65+	72	12.7	121	2	2	10	19	33	45	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	2	15.0	2	14	14	15	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	9.3	126	1	2	6	11	19	39	45
B. *Operated*	2	9.0	32	5	5	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	82	12.2	113	2	2	10	18	33	43	99+
B. *Operated*	4	11.5	18	7	7	11	15	16	16	16
1. SINGLE DX	16	9.3	111	1	2	6	12	16	36	45
2. MULTIPLE DX	86	12.1	109	2	2	10	18	31	42	99+
A. NOT OPERATED	96	11.7	115	1	2	9	16	31	44	99+
B. OPERATED	6	10.7	19	5	5	11	14	16	16	16
TOTAL 0-19 YRS										
20-34										
35-49										
50-64	13	9.0	44	1	2	8	12	20	22	22
65+	89	12.1	118	2	2	9	16	33	45	99+
GRAND TOTAL	**102**	**11.7**	**109**	**2**	**2**	**9**	**16**	**29**	**43**	**99+**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	132	<1	<1	<1	12	24	24	24
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	3	8.3	161	<1	<1	<1	17	23	23	23
50-64	1	20.0		20	20	20	20	20	20	20
65+	3	12.7	114	1	1	15	20	22	22	22
B. *Operated*										
0-19 YRS	2	12.0	162	3	3	12	21	21	21	21
20-34	11	14.9	129	2	3	10	18	33	40	41
35-49	10	16.9	119	1	3	16	23	32	40	40
50-64	7	16.9	83	3	5	15	25	29	29	29
65+	1	22.0		22	22	22	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	3.0		3	3	51	99+	99+	99+	99+
35-49	2	8.0	8	6	6	8	10	10	10	10
50-64	4	11.5	153	2	2	8	21	28	28	28
65+	5	42.0	647	10	10	42	56	79	79	79
B. *Operated*										
0-19 YRS	3	20.7	85	10	10	26	26	26	26	26
20-34	8	18.5	72	9	10	15	25	31	33	33
35-49	11	36.9	820	13	13	24	47	89	95	96
50-64	13	24.9	67	13	15	24	33	46	88	99+
65+	13	40.0	295	14	17	41	49	83	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	9.0	100	<1	<1	1	20	23	24	24
B. *Operated*	31	16.0	104	2	3	16	22	29	39	41
2. MULTIPLE DX										
A. *Not Operated*	13	21.2	557	<1	2	12	42	81	96	99+
B. *Operated*	48	30.4	355	12	12	26	38	67	96	99+
1. SINGLE DX	44	14.0	111	<1	<1	14	21	28	32	41
2. MULTIPLE DX	61	28.5	404	3	10	26	39	79	97	99+
A. NOT OPERATED	26	15.1	354	<1	<1	10	24	48	82	99+
B. OPERATED	79	24.8	304	4	9	21	33	48	82	99+
TOTAL 0-19 YRS	10	11.4	131	<1	<1	6	24	26	26	26
20-34	22	14.6	110	1	3	12	23	35	62	99+
35-49	26	23.7	527	<1	1	17	25	49	86	96
50-64	25	20.3	101	2	4	20	29	33	52	99+
65+	22	35.9	408	7	12	36	48	79	88	99+
GRAND TOTAL	**105**	**22.4**	**331**	**<1**	**2**	**20**	**31**	**48**	**81**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	5	56.2	477	38	38	51	62	94	94	94
50-64	4	27.3	418	3	3	41	60	99+	99+	99+
65+	1	24.0		24	24	24	24	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*				99+	99+	99+	99+	99+	99+	99+
B. *Operated*	11	40.0	558	4	13	43	51	96	99	99+
1. SINGLE DX										
2. MULTIPLE DX	11	40.0	558	5	15	46	62	99+	99+	99+
A. NOT OPERATED				99+	99+	99+	99+	99+	99+	99+
B. OPERATED	11	40.0	558	4	13	43	51	96	99	99+
TOTAL 0-19 YRS										
20-34	1	26.0		26	26	26	26	26	26	26
35-49	5	56.2	477	38	38	51	62	94	94	94
50-64	4	27.3	418	3	3	41	60	99+	99+	99+
65+	1	24.0		24	24	62	99+	99+	99+	99+
GRAND TOTAL	**11**	**40.0**	**558**	**5**	**15**	**46**	**62**	**99+**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.0	72	4	4	10	16	16	16	16
20-34										
35-49										
50-64	5	15.8	489	2	2	7	21	55	55	55
65+	9	13.2	129	1	2	12	20	31	33	33
B. *Operated*										
0-19 YRS	3	16.0	97	8	8	13	23	27	27	27
20-34	1	19.0		19	19	19	19	19	19	19
35-49	7	11.9	21	7	7	12	15	18	19	19
50-64	3	20.0	49	15	15	17	25	28	28	28
65+	12	12.5	37	8	8	10	15	22	27	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	12.0	18	7	7	12	15	16	16	16
20-34										
35-49	4	18.3	375	2	2	12	31	46	46	46
50-64	5	19.8	194	5	5	20	27	41	41	41
65+	26	33.3	660	2	9	21	58	73	81	82
B. *Operated*										
0-19 YRS	2	28.5	545	12	12	28	45	45	45	45
20-34	5	14.6	67	5	5	13	22	24	24	24
35-49	5	18.6	113	7	7	21	28	30	30	30
50-64	13	27.5	669	6	9	18	31	64	91	97
65+	34	26.7	326	6	11	22	36	59	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	13.6	207	1	2	9	17	32	48	55
B. *Operated*	26	13.8	41	7	8	13	17	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	39	27.8	550	2	6	20	40	69	77	82
B. *Operated*	59	25.2	362	6	8	20	32	56	76	99+
1. SINGLE DX	42	13.8	101	2	4	12	17	28	30	55
2. MULTIPLE DX	98	26.3	434	5	7	20	35	60	77	99
A. NOT OPERATED	55	23.7	487	2	3	16	35	60	72	82
B. OPERATED	85	21.8	290	6	8	17	27	45	61	99
TOTAL 0-19 YRS	11	15.7	131	4	6	13	16	34	44	45
20-34	6	15.3	57	5	5	16	22	24	24	24
35-49	16	15.6	125	3	7	12	20	30	41	46
50-64	26	22.9	458	4	5	17	24	55	64	97
65+	81	25.2	421	3	7	19	34	62	76	94
GRAND TOTAL	**140**	**22.5**	**366**	**4**	**6**	**17**	**28**	**55**	**70**	**97**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	7	27.1	610	3	3	26	58	91	99+	99+
65+	5	30.0	586	14	14	53	99+	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34	1	57.0		57	57	57	57	57	57	57
35-49	1	24.0		24	24	24	24	24	24	24
50-64	6	38.7	1377	7	7	22	79	91	92	92
65+	1	97.0		97	97	98	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	28.3	548	3	5	36	85	99+	99+	99+
B. *Operated*	9	45.6	1301	7	8	41	92	98	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	21	35.7	898	4	7	36	92	99+	99+	99+
A. NOT OPERATED	12	28.3	548	3	5	36	85	99+	99+	99+
B. OPERATED	9	45.6	1301	7	8	41	92	98	99+	99+
TOTAL 0-19 YRS										
20-34	1	57.0		57	57	57	57	57	57	57
35-49	1	24.0		24	24	24	24	24	24	24
50-64	13	32.5	914	3	4	22	70	93	98	99+
65+	6	41.2	1217	14	14	83	99+	99+	99+	99+
GRAND TOTAL	**21**	**35.7**	**898**	**4**	**7**	**36**	**92**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	14.8	364	1	1	7	25	43	43	43
65+	10	5.7	52	1	1	4	7	16	25	25
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	20	7.5	26	1	2	5	11	14	17	20
50-64	91	10.2	55	1	2	10	14	21	26	34
65+	88	8.5	42	1	1	8	11	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	11.0	128	3	3	11	19	19	19	19
50-64	16	7.9	49	1	1	6	11	18	24	26
65+	29	10.6	78	2	2	7	16	28	31	99+
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	3	4.7	22	<1	<1	3	8	10	10	10
35-49	23	16.7	389	1	3	13	16	33	66	94
50-64	241	11.2	60	1	2	9	15	22	26	38
65+	300	11.6	72	1	1	10	15	21	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.3	138	1	1	4	8	27	39	43
B. *Operated*	200	9.2	47	1	1	8	13	18	23	30
2. MULTIPLE DX										
A. *Not Operated*	47	9.7	68	1	2	7	14	25	30	99+
B. *Operated*	568	11.6	80	1	2	10	15	22	26	42
1. SINGLE DX	214	9.1	52	1	1	8	12	18	24	33
2. MULTIPLE DX	615	11.4	79	1	2	10	15	22	27	43
A. NOT OPERATED	61	9.4	82	1	1	7	12	25	30	93
B. OPERATED	768	10.9	72	1	2	10	14	21	25	39
TOTAL 0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	4	5.8	20	<1	<1	6	9	10	10	10
35-49	45	12.3	229	1	2	10	14	20	34	94
50-64	352	10.8	61	1	2	9	14	22	26	38
65+	427	10.7	68	1	1	10	15	21	25	42
GRAND TOTAL	**829**	**10.8**	**73**	**1**	**2**	**10**	**14**	**21**	**26**	**40**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	34.0	2048	2	2	34	66	66	66	66
65+	5	17.4	171	5	5	13	24	39	39	39
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	46.5	2813	9	9	84	96	99+	99+	99+
50-64	14	15.5	82	6	7	13	17	28	37	39
65+	12	22.6	495	4	5	15	41	75	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	19.9	488	2	3	12	29	58	66	66
B. *Operated*	28	20.8	410	5	6	14	27	76	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	36	20.6	414	4	5	14	27	68	93	99+
A. NOT OPERATED	8	19.9	488	2	3	12	29	58	66	66
B. OPERATED	28	20.8	410	5	6	14	27	76	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	3	32.3	2008	4	4	46	92	99+	99+	99+
50-64	16	17.8	248	3	5	13	20	38	58	66
65+	17	21.1	389	4	5	14	33	68	88	99+
GRAND TOTAL	**36**	**20.6**	**414**	**4**	**5**	**14**	**27**	**68**	**93**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	10.0	28	5	5	9	14	17	17	17
35-49	6	12.0	71	4	4	12	13	26	27	27
50-64	17	9.9	65	2	3	8	12	26	29	29
65+	57	15.8	126	3	4	13	25	34	40	96
B. *Operated*										
0-19 YRS										
20-34	3	15.7	6	13	13	16	17	18	18	18
35-49	8	9.5	29	2	2	10	14	15	15	15
50-64	5	9.4	71	3	3	7	24	92	99+	99+
65+	8	13.8	190	2	2	9	30	76	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.5	85	9	9	15	22	22	22	22
20-34	8	11.8	39	2	4	11	19	68	99+	99+
35-49	20	14.6	84	3	4	13	18	30	33	33
50-64	73	13.4	159	3	4	11	17	26	38	75
65+	264	22.0	409	4	5	15	34	68	99+	99+
B. *Operated*										
0-19 YRS										
20-34	8	19.0	415	1	2	11	27	53	63	63
35-49	23	11.5	178	2	3	9	13	17	36	69
50-64	34	13.5	94	2	5	12	18	31	41	99+
65+	50	18.2	294	2	3	13	32	54	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	14.0	110	3	3	12	19	30	36	82
B. *Operated*	24	11.7	86	2	2	10	18	39	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	367	19.6	345	4	4	13	26	59	89	99+
B. *Operated*	115	15.5	222	2	3	12	20	43	66	99+
1. SINGLE DX	108	13.5	104	2	3	12	18	30	40	99+
2. MULTIPLE DX	482	18.7	318	3	4	13	25	56	83	99+
A. NOT OPERATED	451	18.6	306	3	4	13	25	55	80	99+
B. OPERATED	139	14.9	200	2	3	12	19	42	72	99+
TOTAL 0-19 YRS	2	15.5	85	9	9	15	22	22	22	22
20-34	23	14.5	163	2	4	12	18	34	74	99+
35-49	57	12.4	112	2	3	11	15	24	31	66
50-64	129	12.8	126	3	3	10	17	27	38	99+
65+	379	20.4	352	3	5	14	30	63	99+	99+
GRAND TOTAL	**590**	**17.7**	**283**	**3**	**4**	**12**	**24**	**51**	**79**	**99+**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34										
35-49	2	17.5	85	11	11	17	24	24	24	24
50-64	25	31.2	705	6	10	17	63	93	99+	99+
65+	68	34.2	639	5	9	28	56	90	99+	99+
B. *Operated*										
0-19 YRS										
20-34	4	21.3	418	5	5	14	34	51	51	51
35-49	2	19.5	13	17	17	19	22	22	22	22
50-64	6	13.7	141	4	4	26	99+	99+	99+	99+
65+	9	21.4	165	6	10	99+	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	13.0	72	7	7	13	19	19	19	19
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	96	32.9	640	6	9	25	57	90	99+	99+
B. *Operated*	21	19.0	177	4	5	32	99+	99+	99+	99+
1. SINGLE DX	2	13.0	72	7	7	13	19	19	19	19
2. MULTIPLE DX	117	30.4	583	5	8	26	65	99+	99+	99+
A. NOT OPERATED	98	32.5	636	6	9	24	56	90	99+	99+
B. OPERATED	21	19.0	177	4	5	32	99+	99+	99+	99+
TOTAL 0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	4	21.3	418	5	5	14	34	51	51	51
35-49	4	18.5	34	11	11	19	23	24	24	24
50-64	32	27.6	619	5	6	19	65	99+	99+	99+
65+	78	32.4	599	5	8	33	68	99+	99+	99+
GRAND TOTAL	**119**	**30.1**	**579**	**5**	**8**	**25**	**64**	**99+**	**99+**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.5	6	1	1	3	4	8	8	8
35-49	26	4.8	11	1	1	4	7	10	11	12
50-64	107	4.1	10	1	1	3	6	8	9	17
65+	385	6.3	48	1	2	4	7	13	18	34
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	5	4.0	8	2	2	2	7	7	7	7
35-49	20	5.2	8	2	2	5	8	9	10	10
50-64	79	5.3	14	1	1	4	8	11	13	14
65+	43	7.6	33	1	2	6	11	15	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.0	4	2	2	4	6	6	6	6
20-34	11	6.5	29	<1	1	5	11	15	17	17
35-49	45	6.2	43	1	1	4	7	15	18	37
50-64	236	6.6	24	1	2	5	8	14	16	24
65+	1053	9.5	115	2	2	7	11	20	31	89
B. *Operated*										
0-19 YRS										
20-34	3	5.7	5	3	3	7	7	7	7	7
35-49	29	7.8	29	2	3	6	10	15	22	23
50-64	135	8.9	51	1	2	7	13	18	24	33
65+	170	13.0	180	1	2	9	17	29	50	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	5.8	39	1	1	4	7	11	16	28
B. *Operated*	148	5.9	19	1	2	5	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	1350	8.8	97	2	2	6	10	18	27	76
B. *Operated*	337	10.9	118	1	2	8	14	23	33	71
1. SINGLE DX	672	5.8	34	1	1	4	7	12	15	28
2. MULTIPLE DX	1687	9.2	102	1	2	6	11	19	28	73
A. NOT OPERATED	1874	8.0	83	1	2	5	9	16	24	61
B. OPERATED	485	9.4	93	1	2	7	12	19	27	61
TOTAL 0-19 YRS	6	4.3	4	2	2	5	6	6	6	6
20-34	25	5.2	17	1	1	4	7	12	14	17
35-49	120	6.1	28	1	1	5	8	11	16	27
50-64	557	6.5	29	1	1	5	8	14	17	26
65+	1651	9.1	107	1	2	6	11	19	28	75
GRAND TOTAL	**2359**	**8.3**	**85**	**1**	**2**	**6**	**10**	**17**	**25**	**61**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	2	1	1	3	4	5	5	5
20-34	6	2.7	4	<1	<1	2	4	6	6	6
35-49	20	8.5	96	<1	1	5	10	26	31	36
50-64	83	14.3	247	2	3	9	17	30	47	82
65+	397	18.1	359	2	3	11	25	49	83	99+
B. *Operated*										
0-19 YRS										
20-34	3	6.3	2	5	5	6	7	8	8	8
35-49	7	7.3	12	2	3	8	10	12	12	12
50-64	7	9.4	42	1	1	9	14	18	19	19
65+	12	14.7	683	2	2	4	11	54	86	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	12.3	205	1	1	8	16	33	48	54
20-34	10	7.3	17	4	4	6	8	14	17	17
35-49	28	13.8	318	2	3	8	11	36	48	88
50-64	184	17.1	269	3	4	13	22	49	78	99+
65+	1090	22.3	422	3	5	16	34	72	99+	99+
B. *Operated*										
0-19 YRS										
20-34	5	8.2	26	2	2	8	11	16	16	16
35-49	11	14.8	146	3	4	12	20	63	95	99+
50-64	47	19.9	432	3	4	12	23	55	89	99+
65+	120	30.4	581	5	8	26	63	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	513	16.7	330	2	3	10	23	42	71	99+
B. *Operated*	29	10.8	292	2	2	6	10	17	41	91
2. MULTIPLE DX										
A. *Not Operated*	1328	21.2	399	3	4	15	32	68	99+	99+
B. *Operated*	183	26.2	536	3	6	20	51	98	99+	99+
1. SINGLE DX	542	16.4	330	2	3	10	22	41	70	99+
2. MULTIPLE DX	1511	21.8	418	3	4	15	33	72	99+	99+
A. NOT OPERATED	1841	19.9	384	2	4	14	29	62	93	99+
B. OPERATED	212	24.0	529	2	4	17	42	92	99+	99+
TOTAL 0-19 YRS	23	9.5	159	1	1	4	10	24	41	54
20-34	24	6.2	17	1	1	6	8	11	16	17
35-49	66	11.7	193	1	2	9	12	28	44	98
50-64	321	16.6	284	2	3	11	21	44	72	99+
65+	1619	21.8	428	3	4	15	33	71	99+	99+
GRAND TOTAL	**2053**	**20.4**	**400**	**2**	**4**	**14**	**30**	**64**	**98**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	11.0		11	11	11	11	11	11	11
65+	4	19.5	140	8	8	22	51	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	21.0	588	7	7	7	39	49	49	49
35-49	7	34.6	715	10	11	22	62	73	73	73
50-64	60	25.8	478	4	5	22	48	99+	99+	99+
65+	303	30.6	624	4	6	26	60	99+	99+	99+
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	12.0	31	7	7	11	16	18	18	18
50-64	8	46.3	737	15	16	43	71	80	81	81
65+	22	37.6	752	7	9	55	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	17.8	120	8	8	17	35	93	99+	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	373	29.8	601	4	6	25	58	99+	99+	99+
B. *Operated*	33	37.4	737	7	9	52	90	99+	99+	99+
1. SINGLE DX	5	17.8	120	8	8	17	35	93	99+	99+
2. MULTIPLE DX	406	30.5	615	4	6	27	62	99+	99+	99+
A. NOT OPERATED	378	29.7	597	4	6	25	58	99+	99+	99+
B. OPERATED	33	37.4	737	7	9	52	90	99+	99+	99+
TOTAL 0-19 YRS										
20-34	3	21.0	588	7	7	7	39	49	49	49
35-49	10	27.8	602	7	8	19	31	72	73	73
50-64	69	28.0	538	4	6	23	56	99+	99+	99+
65+	329	31.0	629	4	6	28	63	99+	99+	99+
GRAND TOTAL	**411**	**30.3**	**610**	**4**	**6**	**26**	**62**	**99+**	**99+**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.7	50	1	1	2	4	16	23	23
35-49	9	4.4	21	1	1	2	6	12	14	14
50-64	35	7.4	43	1	1	6	10	14	31	99+
65+	163	11.3	161	2	3	7	14	25	39	98
B. *Operated*										
0-19 YRS	3	5.7	14	3	3	4	8	10	10	10
20-34	3	7.7	65	3	3	3	14	17	17	17
35-49	9	10.6	43	2	2	10	13	21	23	23
50-64	16	7.2	86	1	1	4	7	21	30	34
65+	27	8.6	219	1	1	3	9	24	34	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	6.5	35	2	2	4	10	15	15	15
20-34	4	1.5		1	1	2	27	99+	99+	99+
35-49	17	6.9	38	1	2	5	8	18	22	24
50-64	105	12.1	197	1	2	8	15	28	45	97
65+	602	16.2	304	2	3	10	23	58	99+	99+
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	4	11.3	27	8	8	9	14	19	19	19
35-49	18	14.6	345	2	2	9	16	31	63	81
50-64	48	11.3	85	1	2	10	14	25	36	38
65+	81	18.8	397	1	2	14	31	89	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	10.1	136	1	2	6	12	22	36	99+
B. *Operated*	58	8.3	133	1	1	4	10	22	26	70
2. MULTIPLE DX										
A. *Not Operated*	732	15.3	285	2	3	10	21	50	95	99+
B. *Operated*	152	15.6	289	1	2	11	21	42	90	99+
1. SINGLE DX	274	9.7	135	1	1	6	12	22	34	96
2. MULTIPLE DX	884	15.3	285	2	3	10	21	49	94	99+
A. NOT OPERATED	948	14.1	255	2	3	9	19	43	80	99+
B. OPERATED	210	13.6	256	1	1	9	18	34	78	99+
TOTAL 0-19 YRS	8	6.0	19	2	2	4	8	13	15	15
20-34	20	5.8	43	1	1	3	9	21	58	99+
35-49	53	9.7	150	1	2	6	12	20	24	80
50-64	204	10.7	138	1	1	7	14	22	38	97
65+	873	15.3	289	2	3	10	21	50	94	99+
GRAND TOTAL	**1158**	**14.0**	**255**	**2**	**2**	**9**	**19**	**40**	**80**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	3	5.3	17	2	2	4	8	10	10	10
50-64	3	9.7	42	3	3	10	14	16	16	16
65+	38	11.1	149	2	3	7	17	51	99+	99+
B. *Operated*										
0-19 YRS										
20-34	2	10.0	2	9	9	10	11	11	11	11
35-49	14	5.5	26	1	1	4	8	10	18	20
50-64	62	5.3	22	1	1	3	9	12	13	20
65+	57	7.5	63	<1	1	5	11	16	23	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34										
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	25	9.6	51	3	4	8	11	21	26	31
65+	212	15.4	252	1	3	10	25	45	99+	99+
B. *Operated*										
0-19 YRS										
20-34	5	10.0	14	5	5	11	12	15	15	15
35-49	46	11.8	130	1	1	9	15	28	30	64
50-64	247	12.5	132	1	1	12	15	26	36	99+
65+	328	16.2	219	1	2	13	21	35	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	10.4	132	2	3	7	14	45	99+	99+
B. *Operated*	135	6.3	40	1	1	4	9	14	16	34
2. MULTIPLE DX										
A. *Not Operated*	241	14.6	232	1	3	10	23	42	98	99+
B. *Operated*	626	14.4	180	1	2	12	19	31	45	99+
1. SINGLE DX	180	7.3	66	1	1	6	10	16	22	99+
2. MULTIPLE DX	867	14.4	194	1	2	11	19	34	55	99+
A. NOT OPERATED	286	13.9	218	2	3	9	21	43	99+	99+
B. OPERATED	761	12.9	164	1	1	11	17	29	40	99+
TOTAL 0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	7	10.0	10	5	6	11	11	14	15	15
35-49	65	9.9	108	1	1	8	12	23	29	59
50-64	337	10.9	112	1	1	10	14	22	31	99+
65+	635	14.8	218	1	2	11	21	39	68	99+
GRAND TOTAL	**1047**	**13.2**	**179**	**1**	**1**	**10**	**18**	**31**	**48**	**99+**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	5	6.2	21	<1	<1	7	10	11	11	11
65+	19	5.3	12	<1	1	5	7	11	13	14
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	13.0	200	3	3	13	23	23	23	23
35-49										
50-64	32	12.4	30	1	5	12	16	20	21	24
65+	56	15.8	94	3	8	15	18	24	27	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49	2	9.5	85	3	3	9	16	16	16	16
50-64	9	5.9	22	1	1	6	7	13	17	17
65+	74	13.4	200	2	3	9	17	29	41	76
B. *Operated*										
0-19 YRS	1	18.0		18	18	18	18	18	18	18
20-34	1	11.0		11	11	11	11	11	11	11
35-49	11	9.3	12	1	5	10	11	13	14	14
50-64	99	17.4	142	3	7	14	19	31	42	64
65+	277	19.0	152	6	10	15	23	37	45	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.6	13	<1	1	5	7	11	12	14
B. *Operated*	91	14.4	74	2	4	14	17	23	25	54
2. MULTIPLE DX										
A. *Not Operated*	86	12.5	181	2	2	8	16	28	36	73
B. *Operated*	389	18.3	148	4	9	15	21	34	45	88
1. SINGLE DX	116	12.5	74	1	3	12	16	21	24	43
2. MULTIPLE DX	475	17.2	158	3	5	14	21	33	44	80
A. NOT OPERATED	111	10.9	151	1	2	7	14	23	30	67
B. OPERATED	480	17.5	136	4	8	14	21	31	43	74
TOTAL 0-19 YRS	3	11.3	69	2	2	14	17	18	18	18
20-34	4	11.0	75	3	3	9	17	23	23	23
35-49	13	9.3	17	1	3	10	12	14	16	16
50-64	145	15.2	118	2	4	13	17	28	34	64
65+	426	17.0	157	3	4	14	20	32	43	85
GRAND TOTAL	**591**	**16.3**	**145**	**3**	**4**	**14**	**20**	**30**	**42**	**74**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	18	<1	<1	3	7	7	7	7
35-49										
50-64										
65+	3	5.0	21	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS										
20-34	3	5.7	30	2	2	3	10	12	12	12
35-49	3	13.3	56	6	6	13	19	21	21	21
50-64	15	10.3	23	1	2	12	13	14	17	18
65+	10	12.0	41	2	2	11	16	20	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	4	15.0	121	4	4	13	23	29	29	29
B. *Operated*										
0-19 YRS	5	13.8	84	5	5	12	18	29	29	29
20-34	4	9.3	55	1	1	8	14	19	19	19
35-49	8	7.1	16	1	2	7	9	13	14	14
50-64	40	15.9	121	1	5	13	21	34	38	47
65+	44	15.9	226	2	3	13	17	32	42	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.6	15	<1	<1	4	8	10	10	10
B. *Operated*	31	10.7	33	2	2	12	14	18	21	22
2. MULTIPLE DX										
A. *Not Operated*	7	10.3	96	2	2	5	16	27	29	29
B. *Operated*	101	14.8	157	1	3	12	17	30	36	71
1. SINGLE DX	36	9.9	34	1	2	11	13	18	20	22
2. MULTIPLE DX	108	14.5	154	1	3	12	18	29	36	69
A. NOT OPERATED	12	7.9	66	<1	1	5	9	21	28	29
B. OPERATED	132	13.8	131	1	3	12	17	26	35	62
TOTAL 0-19 YRS	5	13.8	84	5	5	12	18	29	29	29
20-34	9	6.9	36	<1	<1	7	10	16	19	19
35-49	12	8.5	29	1	3	7	11	16	20	21
50-64	57	14.0	100	1	2	12	17	28	36	46
65+	61	14.6	182	2	3	12	17	28	34	84
GRAND TOTAL	**144**	**13.3**	**128**	**1**	**2**	**11**	**16**	**26**	**34**	**58**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	2	11.0		11	11	11	11	11	11	11
35-49	9	6.6	26	1	1	7	11	13	15	15
50-64	10	8.6	80	<1	1	5	9	22	32	32
65+	22	7.2	60	<1	1	7	10	20	58	99+
B. *Operated*										
0-19 YRS										
20-34	9	6.3	14	1	2	5	9	12	13	13
35-49	37	12.0	72	2	3	12	15	22	25	44
50-64	176	8.9	41	1	2	9	13	16	20	26
65+	169	6	69	1	2	8	13	21	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	9.3	2	8	8	9	10	11	11	11
35-49	5	7.6	13	5	5	7	14	91	99+	99+
50-64	26	7.5	41	<1	1	6	10	19	22	22
65+	55	9.3	75	1	1	8	12	18	25	48
B. *Operated*										
0-19 YRS										
20-34	15	14.1	117	1	2	11	20	32	36	37
35-49	93	14.3	186	1	1	12	17	26	45	93
50-64	399	12.7	112	1	2	12	15	23	33	67
65+	557	14.4	145	1	1	13	19	30	41	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	7.4	51	1	1	6	11	15	33	99+
B. *Operated*	391	9.4	56	1	2	9	13	18	23	33
2. MULTIPLE DX										
A. *Not Operated*	90	8.8	59	1	1	7	12	19	22	79
B. *Operated*	1064	13.8	136	1	1	12	17	27	37	73
1. SINGLE DX	436	9.2	56	1	2	9	13	18	23	37
2. MULTIPLE DX	1154	13.4	132	1	1	12	17	26	36	73
A. NOT OPERATED	135	8.3	57	1	1	7	11	18	25	99+
B. OPERATED	1455	12.6	118	1	1	11	16	25	33	68
TOTAL 0-19 YRS	3	8.0	49	3	3	5	13	16	16	16
20-34	29	11.0	75	1	3	9	12	26	32	37
35-49	144	13.0	144	1	1	11	16	24	44	99+
50-64	611	11.3	91	1	1	11	14	21	27	59
65+	803	12.9	127	1	1	11	17	27	35	76
GRAND TOTAL	**1590**	**12.2**	**114**	**1**	**1**	**11**	**16**	**24**	**33**	**69**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	8.8	34	1	2	7	11	17	21	23
20-34	22	4.8	18	1	1	4	6	10	14	19
35-49	14	4.3	8	1	2	3	6	9	10	10
50-64	30	5.7	25	1	1	4	9	15	16	16
65+	53	7.4	103	1	2	6	9	12	18	99
B. *Operated*										
0-19 YRS	8	6.3	26	2	2	4	9	14	16	16
20-34	16	4.7	5	1	2	5	6	8	8	8
35-49	56	7.8	37	1	2	6	11	17	20	24
50-64	136	9.0	61	1	2	8	13	17	27	39
65+	128	10.5	98	1	2	8	16	24	35	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	10.7	54	2	3	10	15	22	24	24
20-34	10	5.4	13	1	2	4	9	11	12	12
35-49	28	5.4	21	1	1	4	8	11	17	18
50-64	75	10.4	199	1	1	7	12	21	35	86
65+	184	14.5	284	2	2	9	17	39	68	99+
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	24	14.5	148	2	3	11	21	30	38	52
35-49	57	13.4	177	1	2	10	18	39	81	99+
50-64	257	14.0	213	1	2	10	18	31	53	92
65+	373	17.3	231	2	3	14	23	42	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	6.6	54	1	1	5	9	14	17	76
B. *Operated*	344	9.1	69	1	2	7	13	20	26	49
2. MULTIPLE DX										
A. *Not Operated*	309	12.2	230	1	2	8	14	31	47	99+
B. *Operated*	713	15.7	220	1	2	12	21	39	57	99+
1. SINGLE DX	487	8.4	66	1	2	6	11	18	24	51
2. MULTIPLE DX	1022	14.6	225	1	2	10	19	37	55	99+
A. NOT OPERATED	452	10.4	181	1	2	7	12	22	39	99+
B. OPERATED	1057	13.5	180	1	2	10	18	31	49	99+
TOTAL 0-19 YRS	46	8.5	39	1	2	7	12	17	21	24
20-34	72	8.1	77	1	2	5	9	19	27	48
35-49	155	9.1	94	1	2	7	12	21	32	99+
50-64	498	11.6	164	1	2	8	15	25	38	73
65+	738	14.7	222	2	2	11	21	38	57	99+
GRAND TOTAL	**1509**	**12.6**	**182**	**1**	**2**	**9**	**16**	**30**	**46**	**99+**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	6.7	28	1	2	5	8	15	18	23
20-34	89	7.9	22	2	3	7	10	14	16	24
35-49	100	8.5	19	2	3	8	11	14	17	21
50-64	151	9.7	39	2	3	9	12	18	22	32
65+	167	9.9	48	2	3	8	12	16	22	34
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	31	8.6	29	2	2	8	13	15	18	23
35-49	42	8.3	20	2	3	8	11	14	16	21
50-64	36	8.6	30	1	2	8	11	17	18	21
65+	32	14.5	156	2	5	15	16	21	28	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	9.7	15	4	5	9	13	15	16	16
20-34	46	11.2	84	2	3	8	15	21	23	54
35-49	73	10.8	52	2	4	9	13	18	24	42
50-64	180	11.3	58	3	4	9	14	19	26	44
65+	294	14.2	150	3	5	11	17	25	37	85
B. *Operated*										
0-19 YRS	2	10.0	2	9	9	10	11	11	11	11
20-34	24	13.4	62	2	4	12	19	24	28	31
35-49	39	12.9	48	3	4	12	15	23	28	34
50-64	73	12.1	85	3	4	11	15	20	23	94
65+	85	16.7	90	4	6	15	22	29	37	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	9.1	35	2	3	8	12	16	21	29
B. *Operated*	143	9.8	60	2	3	8	14	17	20	32
2. MULTIPLE DX										
A. *Not Operated*	606	12.6	105	3	4	10	15	22	28	62
B. *Operated*	223	14.1	80	3	5	13	18	26	30	80
1. SINGLE DX	675	9.3	41	2	3	8	12	16	21	29
2. MULTIPLE DX	829	13.0	99	3	4	11	16	23	28	64
A. NOT OPERATED	1138	11.0	76	3	4	9	14	20	24	46
B. OPERATED	366	12.4	76	2	4	11	16	22	28	69
TOTAL 0-19 YRS	42	7.8	23	2	3	7	11	14	16	23
20-34	190	9.5	47	2	3	8	13	19	21	29
35-49	254	9.8	36	2	3	9	12	16	19	34
50-64	440	10.7	55	3	4	9	14	19	22	43
65+	578	13.3	117	3	4	11	16	24	30	74
GRAND TOTAL	**1504**	**11.3**	**76**	**3**	**4**	**9**	**14**	**21**	**26**	**47**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	8	6.4	25	<1	1	5	10	14	15	15
35-49	16	11.9	125	2	3	8	15	28	39	44
50-64	38	10.8	60	1	2	10	15	19	25	37
65+	95	17.7	255	2	3	15	22	46	58	99+
B. *Operated*										
0-19 YRS	18	4.1	4	1	2	4	5	7	9	10
20-34	345	4.2	5	2	2	4	5	6	8	11
35-49	677	4.9	15	2	2	4	6	8	10	19
50-64	492	5.9	30	2	2	4	7	11	14	28
65+	151	10.3	148	1	2	6	11	30	37	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	4.7	28	<1	<1	2	7	13	17	17
35-49	9	8.2	78	<1	<1	4	13	22	26	26
50-64	63	17.1	214	1	3	13	23	37	48	60
65+	202	22.6	307	3	5	18	35	54	75	99+
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	73	5.7	12	2	2	5	8	9	11	21
35-49	217	6.5	36	2	3	5	7	12	17	33
50-64	258	9.8	122	2	3	6	11	21	33	69
65+	156	23.2	475	2	3	20	37	66	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	14.8	194	2	3	12	19	30	47	99
B. *Operated*	1683	5.5	32	2	2	4	6	9	12	36
2. MULTIPLE DX										
A. *Not Operated*	283	20.3	287	1	4	16	31	46	63	99+
B. *Operated*	705	11.3	204	2	3	6	12	30	51	99+
1. SINGLE DX	1841	6.3	52	2	2	4	7	11	18	44
2. MULTIPLE DX	988	13.9	244	2	3	8	19	39	55	99+
A. NOT OPERATED	441	18.3	261	2	3	14	27	44	59	99+
B. OPERATED	2388	7.2	89	2	2	4	7	13	26	64
TOTAL 0-19 YRS	20	4.2	4	1	2	4	5	7	8	10
20-34	435	4.5	7	2	2	4	5	7	9	15
35-49	919	5.4	23	2	2	4	6	9	12	28
50-64	851	8.1	82	2	2	5	9	16	27	54
65+	604	18.9	329	2	3	13	28	50	75	99+
GRAND TOTAL	**2829**	**9.0**	**132**	**2**	**3**	**5**	**9**	**22**	**36**	**82**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	7	1	1	2	5	6	6	6
20-34	45	3.1	5	<1	<1	3	4	6	8	10
35-49	59	3.8	13	<1	1	3	5	7	9	21
50-64	36	3.5	6	<1	1	2	5	7	8	9
65+	28	4.6	7	1	1	4	6	9	10	10
B. *Operated*										
0-19 YRS	17	4.2	5	<1	<1	4	6	8	8	8
20-34	431	5.2	4	2	3	5	6	8	9	11
35-49	578	5.4	5	3	3	5	7	8	9	13
50-64	349	5.7	7	3	3	5	7	9	11	14
65+	128	6.4	12	2	3	6	8	10	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	32	3.6	8	<1	<1	3	5	8	10	11
35-49	35	5.1	13	1	1	4	7	9	13	16
50-64	50	5.7	23	1	1	4	8	12	14	23
65+	73	7.8	27	2	3	7	10	15	16	29
B. *Operated*										
0-19 YRS	7	5.9	9	3	3	5	7	11	12	12
20-34	366	5.4	7	2	3	5	6	8	9	15
35-49	474	6.1	8	3	3	6	7	9	11	18
50-64	401	6.9	18	3	4	6	8	12	15	22
65+	196	9.4	49	3	3	7	11	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.7	9	<1	1	3	5	7	9	15
B. *Operated*	1503	5.5	6	2	3	5	7	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	192	6.0	22	1	1	5	8	12	15	25
B. *Operated*	1444	6.6	18	3	3	6	7	10	14	24
1. SINGLE DX	1674	5.3	6	2	3	5	7	8	10	14
2. MULTIPLE DX	1636	6.5	18	2	3	6	7	11	14	24
A. NOT OPERATED	363	4.9	17	<1	1	4	7	10	12	22
B. OPERATED	2947	6.0	12	3	3	5	7	9	11	20
TOTAL 0-19 YRS	29	4.4	7	<1	1	4	6	8	8	12
20-34	874	5.1	6	1	2	5	6	8	9	12
35-49	1146	5.6	7	2	3	5	7	8	10	16
50-64	836	6.2	14	2	3	5	7	10	13	20
65+	425	7.9	34	2	3	7	9	15	19	31
GRAND TOTAL	**3310**	**5.9**	**13**	**2**	**3**	**5**	**7**	**9**	**12**	**20**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	8	1	1	3	5	8	9	11
20-34	79	7.3	24	1	2	6	10	13	17	23
35-49	71	9.2	48	2	2	8	11	16	20	40
50-64	132	8.7	42	1	2	8	11	16	21	31
65+	110	10.1	53	2	2	9	14	19	25	36
B. *Operated*										
0-19 YRS	26	4.3	10	1	2	3	6	8	12	15
20-34	127	4.9	21	1	1	3	7	12	14	23
35-49	62	8.5	34	1	2	7	11	17	19	25
50-64	63	9.3	32	2	2	9	13	17	19	23
65+	41	8.7	23	1	2	9	12	16	19	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.6	31	1	1	7	9	14	21	23
20-34	64	10.9	86	1	2	10	14	21	23	55
35-49	90	9.8	68	2	2	8	14	20	35	99+
50-64	162	10.9	115	1	3	9	13	22	28	80
65+	326	12.0	88	2	3	10	15	23	31	47
B. *Operated*										
0-19 YRS	10	7.2	36	2	2	4	12	17	19	19
20-34	95	6.6	37	1	2	4	9	14	17	31
35-49	53	10.0	87	2	2	7	14	20	30	43
50-64	111	13.8	150	2	3	11	16	28	37	67
65+	152	16.6	139	3	5	14	22	33	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	422	8.5	42	1	2	7	11	16	20	33
B. *Operated*	319	6.9	29	1	2	5	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	657	11.2	91	2	3	9	15	22	30	59
B. *Operated*	421	12.5	124	2	2	10	16	28	36	81
1. SINGLE DX	741	7.8	37	1	2	7	11	16	19	30
2. MULTIPLE DX	1078	11.7	104	2	2	9	15	24	32	70
A. NOT OPERATED	1079	10.2	73	2	2	8	13	20	25	46
B. OPERATED	740	10.1	91	1	2	8	14	21	29	63
TOTAL 0-19 YRS	81	5.2	18	1	1	4	7	11	14	22
20-34	365	6.9	41	1	2	4	10	14	20	30
35-49	276	9.4	59	2	2	8	13	18	25	47
50-64	468	10.7	94	1	2	9	13	20	28	60
65+	629	12.6	95	2	3	11	16	25	32	64
GRAND TOTAL	**1819**	**10.2**	**81**	**2**	**2**	**8**	**13**	**20**	**28**	**53**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6570	3.6	11	1	1	3	5	7	9	16
20-34	299	3.4	3	1	1	3	4	6	7	9
35-49	93	3.4	3	1	2	3	4	6	8	9
50-64	82	4.4	7	1	1	4	6	8	9	12
65+	147	6.1	16	2	2	5	8	11	14	19
B. *Operated*										
0-19 YRS	191	2.9	7	2	2	2	3	4	7	17
20-34	48	3.3	7	1	2	3	3	6	8	14
35-49	14	3.1	3	<1	<1	3	4	5	7	7
50-64	9	4.1	33	<1	<1	2	3	13	19	19
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5223	4.8	16	1	1	4	6	9	11	19
20-34	328	4.3	11	1	1	3	5	8	10	17
35-49	145	4.3	11	1	2	3	5	8	10	23
50-64	201	6.7	25	2	2	5	8	14	16	26
65+	458	8.7	63	2	3	7	10	16	21	62
B. *Operated*										
0-19 YRS	100	7.2	86	1	2	4	9	14	20	53
20-34	25	7.7	56	1	2	5	9	20	24	34
35-49	19	7.2	68	1	2	3	8	22	29	30
50-64	19	9.2	85	1	2	6	13	23	31	36
65+	21	7.5	47	1	1	4	10	20	23	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7191	3.7	11	1	1	3	5	7	9	16
B. *Operated*	263	3.1	8	2	2	2	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*	6355	5.1	20	1	2	4	6	9	12	21
B. *Operated*	184	7.5	74	1	2	4	9	16	24	41
1. SINGLE DX	7454	3.7	11	1	1	3	5	7	9	16
2. MULTIPLE DX	6539	5.1	22	1	2	4	6	10	13	22
A. NOT OPERATED	13546	4.3	16	1	1	3	5	8	11	19
B. OPERATED	447	4.9	40	1	2	3	5	11	16	35
TOTAL 0-19 YRS	12084	4.1	14	1	1	3	5	8	10	18
20-34	700	4.0	10	1	1	3	5	7	9	16
35-49	271	4.1	13	1	2	3	5	7	9	25
50-64	311	6.2	25	1	2	5	8	12	15	27
65+	627	8.0	52	2	3	6	10	15	20	48
GRAND TOTAL	**13993**	**4.4**	**16**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2887	5.1	15	1	2	4	6	9	12	20
20-34	104	3.9	5	1	1	4	5	7	9	11
35-49	92	5.0	11	2	2	4	7	8	11	20
50-64	120	5.6	10	2	2	5	7	10	12	15
65+	235	7.4	20	2	3	6	10	14	16	27
B. *Operated*										
0-19 YRS	4	12.3	73	1	1	13	18	21	21	21
20-34										
35-49										
50-64	2	12.5	25	9	9	12	16	16	16	16
65+	2	12.5	221	2	2	12	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1591	6.5	28	2	2	5	8	12	15	28
20-34	108	5.4	21	2	2	4	6	9	17	25
35-49	161	5.4	13	1	2	5	6	10	12	21
50-64	317	8.4	63	2	3	7	10	14	20	40
65+	832	9.8	60	3	3	8	12	18	24	45
B. *Operated*										
0-19 YRS	21	12.3	92	3	4	11	14	19	34	48
20-34	5	11.8	59	2	2	11	16	23	23	23
35-49	5	10.8	52	2	2	10	14	22	22	22
50-64	15	11.1	121	2	3	8	13	15	40	48
65+	27	14.9	43	4	6	15	21	28	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3438	5.2	15	1	2	4	7	9	12	20
B. *Operated*	8	12.4	66	1	1	13	19	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	3009	7.5	42	2	2	6	9	14	19	34
B. *Operated*	73	12.8	74	3	4	12	16	24	43	99+
1. SINGLE DX	3446	5.2	15	1	2	4	7	10	12	20
2. MULTIPLE DX	3082	7.6	43	2	2	6	9	14	19	36
A. NOT OPERATED	6447	6.3	29	2	2	5	8	12	15	28
B. OPERATED	81	12.8	72	2	4	12	16	23	35	99+
TOTAL 0-19 YRS	4503	5.6	21	1	2	4	7	10	13	23
20-34	217	4.9	15	1	2	4	6	9	11	22
35-49	258	5.4	14	1	2	5	7	10	12	22
50-64	454	7.8	52	2	3	6	9	14	17	32
65+	1096	9.4	53	3	3	8	12	18	24	46
GRAND TOTAL	**6528**	**6.4**	**30**	**2**	**2**	**5**	**8**	**12**	**15**	**28**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	305	3.0	1	2	2	3	4	4	5	6
20-34	857	2.9	1	2	2	3	3	4	4	5
35-49	319	3.0	1	2	2	3	3	4	4	6
50-64	145	3.0	1	2	2	3	4	4	5	6
65+	36	3.2	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	23	2.3	9	<1	<1	1	2	6	9	13
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	3	5.0	27	2	2	2	9	11	11	11
B. *Operated*										
0-19 YRS	235	3.2	2	2	2	3	4	5	5	8
20-34	785	3.2	3	2	2	3	4	5	5	8
35-49	326	3.3	6	2	2	3	4	4	5	16
50-64	186	3.5	3	2	2	3	4	5	7	12
65+	58	3.4	3	2	2	3	4	5	6	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	2	<1	<1	3	3	5	5	5
B. *Operated*	1662	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	48	2.1	6	<1	<1	1	2	5	7	13
B. *Operated*	1590	3.3	3	2	2	3	4	5	5	9
1. SINGLE DX	1669	2.9	1	2	2	3	3	4	5	6
2. MULTIPLE DX	1638	3.2	3	1	2	3	4	5	5	9
A. NOT OPERATED	55	2.2	6	<1	<1	1	2	5	7	13
B. OPERATED	3252	3.1	2	2	2	3	4	4	5	7
TOTAL 0-19 YRS	552	3.1	1	1	2	3	4	5	5	6
20-34	1666	3.0	2	1	2	3	4	4	5	7
35-49	653	3.1	3	2	2	3	4	4	5	7
50-64	338	3.2	2	2	2	3	4	5	6	9
65+	98	3.4	3	2	2	3	4	5	6	12
GRAND TOTAL	**3307**	**3.1**	**2**	**2**	**2**	**3**	**4**	**4**	**5**	**7**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	10	2.0		1	1	2	2	3	3	3
20-34	32	2.5	1	<1	1	2	3	4	4	4
35-49	43	2.5	1	<1	<1	2	3	4	4	5
50-64	45	2.7	1	1	2	2	3	4	5	6
65+	37	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	19	2.6	2	<1	1	2	3	4	6	7
20-34	53	2.9	3	1	1	3	3	4	6	12
35-49	88	2.8	1	1	2	3	3	4	5	6
50-64	119	3.2	3	2	2	3	3	5	6	12
65+	56	4.2	17	1	2	3	4	7	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3		2	2	2	3	3	3	3
B. *Operated*	167	2.5	1	<1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	335	3.2	5	1	2	3	3	5	7	13
1. SINGLE DX	170	2.5	1	<1	1	2	3	4	4	6
2. MULTIPLE DX	343	3.1	5	1	2	3	3	5	6	13
A. NOT OPERATED	11	2.3	1	<1	<1	2	3	4	4	4
B. OPERATED	502	3.0	4	1	2	3	3	4	6	11
TOTAL 0-19 YRS	29	2.4	1	1	1	2	3	4	4	7
20-34	87	2.7	2	1	1	3	3	4	5	10
35-49	135	2.7	1	<1	2	3	3	4	4	6
50-64	166	3.0	3	2	2	3	3	5	6	10
65+	96	3.6	11	1	2	3	4	6	8	22
GRAND TOTAL	**513**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**6**	**11**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.9	5	<1	1	2	4	6	7	12
20-34	12	3.4	4	1	1	3	5	6	7	7
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64										
65+	3	4.0	9	<1	<1	4	6	7	7	7
B. *Operated*										
0-19 YRS	8188	2.2	2	1	2	2	2	3	3	5
20-34	1609	2.9	1	2	2	3	3	4	5	6
35-49	184	3.1	3	1	2	3	3	4	5	12
50-64	28	3.3	3	2	2	3	4	5	6	11
65+	10	3.7	12	1	1	3	4	9	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	192	2.1	4	<1	<1	1	2	4	6	11
20-34	24	1.5	2	<1	<1	1	1	3	5	6
35-49	6	4.2	20	<1	<1	2	7	11	12	12
50-64	1	9.0		9	9	9	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	3004	2.3	2	1	2	2	2	3	4	9
20-34	299	3.1	3	2	2	3	3	4	6	12
35-49	50	3.2	3	2	2	3	4	4	6	10
50-64	17	3.6	6	1	1	3	5	8	9	9
65+	10	3.1	3	2	2	3	4	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	103	3.0	5	<1	1	2	4	6	7	11
B. Operated	10019	2.3	2	1	2	2	3	3	4	6
2. MULTIPLE DX										
A. Not Operated	223	2.1	4	<1	<1	1	2	4	7	11
B. Operated	3380	2.4	2	1	2	2	2	3	4	9
1. SINGLE DX	10122	2.4	2	1	2	2	3	3	4	6
2. MULTIPLE DX	3603	2.4	2	1	1	2	2	3	4	10
A. NOT OPERATED	326	2.4	5	<1	<1	1	3	5	7	11
B. OPERATED	13399	2.4	2	1	2	2	3	3	4	7
TOTAL 0-19 YRS	11469	2.2	2	1	2	2	2	3	4	6
20-34	1944	2.9	1	1	2	3	3	4	5	7
35-49	243	3.1	3	1	2	3	4	4	6	12
50-64	46	3.6	5	1	2	3	4	7	9	11
65+	23	3.5	7	1	1	3	4	7	9	13
GRAND TOTAL	**13725**	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**	**7**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	288	3.7	8	1	1	3	5	7	8	15
20-34	170	3.3	3	1	1	3	4	6	7	10
35-49	66	3.6	5	1	1	3	5	6	7	13
50-64	42	5.5	98	<1	1	3	5	8	18	61
65+	29	4.9	16	1	1	4	7	10	12	18
B. *Operated*										
0-19 YRS	172	3.0	5	1	1	2	4	5	7	14
20-34	299	2.8	3	<1	<1	2	4	4	6	10
35-49	187	2.7	3	<1	1	2	3	5	6	10
50-64	156	3.3	9	1	1	3	3	5	8	20
65+	75	3.6	13	1	2	2	3	7	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	149	5.0	15	1	2	4	6	10	13	22
20-34	71	4.3	9	<1	1	4	6	8	10	17
35-49	44	5.2	22	<1	1	4	7	11	16	19
50-64	71	5.3	19	1	1	4	7	11	12	25
65+	65	7.9	88	1	2	6	9	16	20	61
B. *Operated*										
0-19 YRS	128	4.0	28	1	1	3	4	7	9	38
20-34	302	3.0	6	<1	<1	3	3	5	7	14
35-49	184	3.9	28	<1	<1	3	4	7	10	35
50-64	217	3.8	18	<1	1	3	4	7	11	25
65+	109	6.7	63	1	2	4	8	17	30	99+
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	595	3.8	13	1	1	3	5	7	8	16
B. Operated	889	3.0	5	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. Not Operated	400	5.4	28	1	1	4	7	10	14	23
B. Operated	940	3.9	24	<1	<1	3	4	7	11	32
1. SINGLE DX	1484	3.3	9	<1	1	3	4	6	7	14
2. MULTIPLE DX	1340	4.4	26	<1	1	3	5	9	13	29
A. NOT OPERATED	995	4.5	20	1	1	3	5	8	10	21
B. OPERATED	1829	3.5	15	<1	1	3	4	6	9	22
TOTAL 0-19 YRS	737	3.9	13	1	1	3	5	7	9	18
20-34	842	3.1	5	<1	<1	3	4	5	7	12
35-49	481	3.5	15	<1	1	3	4	6	9	19
50-64	486	4.0	22	1	1	3	4	8	11	26
65+	278	6.0	53	1	2	4	7	14	19	58
GRAND TOTAL	**2824**	**3.8**	**17**	**<1**	**1**	**3**	**4**	**7**	**10**	**22**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3954	6.0	24	2	2	5	7	11	14	23
20-34	679	5.7	11	2	2	5	7	10	12	17
35-49	495	6.3	14	2	3	6	8	11	14	19
50-64	443	7.4	21	2	3	6	9	13	16	24
65+	895	9.1	41	3	3	7	11	17	22	34
B. *Operated*										
0-19 YRS	6	17.0	234	3	3	15	24	40	42	42
20-34	10	10.5	11	6	6	10	13	15	17	17
35-49	14	8.9	29	1	2	11	13	15	17	17
50-64	17	9.9	30	3	4	9	14	18	21	22
65+	30	13.0	89	<1	1	13	20	26	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2489	7.4	36	2	2	6	9	14	18	31
20-34	352	7.1	26	2	3	6	9	13	17	25
35-49	384	8.2	48	2	3	6	10	15	20	34
50-64	855	9.5	47	3	4	8	11	17	23	36
65+	2522	13.2	123	3	4	10	16	25	35	65
B. *Operated*										
0-19 YRS	43	17.2	237	4	5	12	21	37	46	81
20-34	23	14.9	63	5	7	13	21	30	54	99+
35-49	36	17.6	114	5	8	14	24	33	43	47
50-64	110	17.6	157	4	5	15	21	35	44	63
65+	207	24.3	305	7	9	20	32	56	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6466	6.5	25	2	2	5	8	12	15	25
B. *Operated*	77	11.6	67	1	2	11	15	23	26	39
2. MULTIPLE DX										
A. *Not Operated*	6602	9.9	78	2	3	8	12	19	26	48
B. *Operated*	419	20.7	241	5	7	16	26	44	59	99+
1. SINGLE DX	6543	6.6	26	2	2	5	8	12	15	25
2. MULTIPLE DX	7021	10.6	94	2	3	8	13	21	29	56
A. NOT OPERATED	13068	8.2	55	2	3	6	10	16	21	39
B. OPERATED	496	19.3	225	3	6	15	24	41	57	99+
TOTAL 0-19 YRS	6492	6.6	31	2	2	5	8	12	16	28
20-34	1064	6.4	19	2	2	5	8	11	14	23
35-49	929	7.6	37	2	3	6	9	14	18	33
50-64	1425	9.5	53	3	3	8	11	18	23	39
65+	3654	12.8	124	3	4	10	15	25	35	68
GRAND TOTAL	**13564**	**8.7**	**65**	**2**	**3**	**7**	**10**	**16**	**23**	**45**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	732	4.2	14	1	1	3	5	8	11	20
20-34	199	3.1	4	1	1	3	4	6	7	10
35-49	119	3.4	4	1	2	3	4	6	7	10
50-64	161	4.4	7	1	2	4	6	8	10	11
65+	274	6.1	16	2	2	5	8	12	15	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	22.0		22	22	22	22	22	22	22
50-64										
65+	4	8.0	18	3	3	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	4.8	19	1	1	4	6	9	12	21
20-34	181	3.8	10	1	1	3	5	7	9	18
35-49	135	4.6	11	1	1	4	6	9	11	17
50-64	222	6.0	32	1	2	5	7	11	13	20
65+	611	8.6	61	2	3	6	10	16	22	43
B. *Operated*										
0-19 YRS	2	5.5	1	5	5	5	6	6	6	6
20-34	2	19.0	98	12	12	19	26	26	26	26
35-49	3	3.3	4	1	1	4	5	5	5	5
50-64	5	10.2	18	4	4	10	13	15	15	15
65+	10	22.7	535	5	6	12	41	86	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1485	4.4	12	1	1	3	5	9	11	18
B. *Operated*	6	9.5	52	3	3	8	12	21	22	22
2. MULTIPLE DX										
A. *Not Operated*	1550	6.3	39	1	2	5	8	12	17	36
B. *Operated*	22	15.3	301	3	4	9	22	50	84	99+
1. SINGLE DX	1491	4.4	13	1	1	3	5	9	11	18
2. MULTIPLE DX	1572	6.5	44	1	2	5	8	12	17	39
A. NOT OPERATED	3035	5.4	27	1	1	4	7	10	14	26
B. OPERATED	28	14.1	250	3	3	9	17	41	77	99+
TOTAL 0-19 YRS	1136	4.4	16	1	1	3	5	9	12	20
20-34	382	3.5	8	1	1	3	4	6	9	12
35-49	258	4.1	9	1	1	3	5	8	9	17
50-64	388	5.4	22	1	2	4	7	10	12	18
65+	899	8.0	56	2	2	6	9	15	20	42
GRAND TOTAL	**3063**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**14**	**28**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1234	4.8	14	1	1	4	6	9	12	19
20-34	107	3.9	5	1	2	3	5	7	8	11
35-49	103	5.4	12	1	2	4	7	11	14	16
50-64	225	6.6	24	2	2	5	8	11	16	27
65+	399	7.8	38	2	3	6	10	14	20	34
B. *Operated*										
0-19 YRS	5	7.2	29	1	1	10	11	13	13	13
20-34	8	5.5	45	2	2	3	4	17	22	22
35-49	18	6.3	35	1	2	5	6	14	20	24
50-64	17	5.1	6	2	2	5	7	8	8	8
65+	13	7.8	40	2	2	5	12	18	21	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	843	6.5	24	1	2	5	8	12	14	23
20-34	113	6.3	84	1	2	4	6	11	17	57
35-49	131	6.3	26	1	2	5	7	12	18	28
50-64	360	8.4	55	2	3	6	10	16	21	39
65+	893	10.1	96	2	3	8	12	18	26	85
B. *Operated*										
0-19 YRS	7	13.4	145	5	5	8	16	35	39	39
20-34	13	7.2	25	<1	1	5	12	15	17	17
35-49	22	11.8	129	1	3	9	14	22	40	53
50-64	55	14.5	250	2	2	10	16	30	52	84
65+	61	17.3	129	3	4	17	23	33	39	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2068	5.5	21	1	2	4	7	11	14	24
B. *Operated*	61	6.2	28	2	2	5	7	14	19	24
2. MULTIPLE DX										
A. *Not Operated*	2340	8.2	62	2	2	6	10	15	20	48
B. *Operated*	158	14.6	169	2	3	11	19	30	38	65
1. SINGLE DX	2129	5.6	21	1	2	4	7	11	14	24
2. MULTIPLE DX	2498	8.6	71	2	2	6	10	16	22	53
A. NOT OPERATED	4408	6.9	44	1	2	5	8	13	17	35
B. OPERATED	219	12.3	143	2	2	8	17	25	34	61
TOTAL 0-19 YRS	2089	5.5	20	1	2	4	7	11	13	21
20-34	241	5.3	45	1	2	4	6	8	12	49
35-49	274	6.4	32	1	2	5	7	12	16	29
50-64	657	8.2	63	2	3	6	10	15	21	39
65+	1366	9.8	84	2	3	7	12	18	25	65
GRAND TOTAL	**4527**	**7.2**	**50**	**1**	**2**	**5**	**9**	**14**	**18**	**37**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	1	7.0		7	7	7	7	7	7	7
35-49	8	9.1	26	4	4	9	14	68	99+	99+
50-64	51	10.5	86	2	3	8	13	19	22	62
65+	117	12.6	120	2	4	10	15	29	40	99+
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	8.0	5	5	5	8	9	10	10	10
50-64	4	8.5	10	5	5	8	11	12	12	12
65+	5	7.6	6	5	5	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49	9	8.7	42	2	2	6	15	18	19	19
50-64	117	13.8	182	1	3	9	17	30	44	69
65+	336	13.2	188	3	3	9	16	30	46	99+
B. *Operated*										
0-19 YRS										
20-34	4	12.8	48	8	8	10	17	23	23	23
35-49	8	13.5	35	6	7	13	17	22	24	24
50-64	15	20.5	203	7	8	17	39	46	84	99+
65+	44	22.7	320	4	7	18	30	43	59	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	11.8	105	2	3	9	14	24	36	99+
B. *Operated*	15	8.1	5	5	5	8	10	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	464	13.2	184	2	3	9	16	30	45	99+
B. *Operated*	71	20.6	255	6	7	15	28	44	57	99
1. SINGLE DX	193	11.5	98	2	4	9	13	23	34	99+
2. MULTIPLE DX	535	14.2	199	2	3	10	17	32	46	99+
A. NOT OPERATED	642	12.8	162	2	3	9	16	28	43	99+
B. OPERATED	86	18.5	233	5	6	13	24	43	48	99
TOTAL 0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	8	9.8	35	3	4	8	10	19	23	23
35-49	29	10.0	33	2	4	9	14	19	24	99+
50-64	187	13.3	159	2	3	9	16	29	44	76
65+	502	13.8	189	3	4	10	17	32	45	99+
GRAND TOTAL	**728**	**13.5**	**173**	**2**	**3**	**10**	**17**	**30**	**44**	**99+**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4508	4.1	13	1	1	3	5	7	9	17
20-34	789	4.2	12	1	1	3	5	8	10	16
35-49	685	5.0	19	1	2	4	6	9	11	19
50-64	872	6.0	18	1	2	5	8	11	13	21
65+	688	7.7	43	1	2	6	10	14	20	37
B. *Operated*										
0-19 YRS	3	12.0	148	4	4	6	21	26	26	26
20-34	3	10.0	61	5	5	6	16	19	19	19
35-49	7	7.3	14	3	3	7	11	12	12	12
50-64	11	5.8	20	<1	1	5	8	12	17	17
65+	6	15.3	59	5	5	16	23	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1716	5.3	22	1	2	4	6	10	13	26
20-34	352	5.9	28	1	2	4	8	12	14	32
35-49	367	7.1	35	1	2	5	9	14	19	30
50-64	800	8.8	57	2	3	7	11	16	23	39
65+	1126	10.4	101	2	3	8	13	20	26	71
B. *Operated*										
0-19 YRS	20	11.0	31	4	5	10	13	20	23	25
20-34	21	14.4	86	2	3	12	21	30	31	31
35-49	24	11.0	47	1	2	9	18	22	42	99+
50-64	45	15.4	121	3	5	12	20	28	38	52
65+	59	19.7	204	5	8	16	23	48	59	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7542	4.8	18	1	1	4	6	9	11	21
B. *Operated*	30	9.1	48	2	3	6	12	21	24	26
2. MULTIPLE DX										
A. *Not Operated*	4361	7.5	55	2	2	5	9	14	20	37
B. *Operated*	169	15.6	134	2	5	13	21	30	49	92
1. SINGLE DX	7572	4.8	18	1	1	4	6	9	12	21
2. MULTIPLE DX	4530	7.8	60	2	2	6	9	15	22	43
A. NOT OPERATED	11903	5.7	33	1	2	4	7	11	15	29
B. OPERATED	199	14.6	126	2	4	12	19	27	40	82
TOTAL 0-19 YRS	6247	4.5	16	1	1	3	5	8	11	19
20-34	1165	4.9	21	1	1	4	6	9	12	24
35-49	1083	5.8	27	1	2	5	7	11	14	24
50-64	1728	7.5	42	2	2	6	9	14	19	34
65+	1879	9.8	88	2	3	7	12	19	25	56
GRAND TOTAL	**12102**	**5.9**	**36**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	6.4	30	<1	1	5	8	12	16	29
20-34	13	5.0	10	<1	1	4	8	9	11	11
35-49	63	6.7	17	2	2	6	10	12	16	89
50-64	300	10.0	108	2	3	7	11	17	28	71
65+	665	9.8	80	2	3	7	12	20	25	50
B. *Operated*										
0-19 YRS										
20-34	3	12.7	116	5	5	8	21	25	25	25
35-49	10	14.7	72	4	6	12	19	29	30	30
50-64	15	9.6	49	2	3	9	11	20	26	28
65+	12	11.1	59	2	3	9	12	24	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	8.2	30	2	3	7	9	16	22	23
20-34	23	9.3	29	2	3	9	14	17	19	20
35-49	102	9.5	41	3	4	8	12	16	23	34
50-64	677	11.4	111	3	4	9	13	22	31	68
65+	1786	13.5	143	3	4	10	17	28	37	85
B. *Operated*										
0-19 YRS	2	18.5	85	12	12	18	25	25	25	25
20-34	8	18.0	420	3	3	9	28	53	60	60
35-49	13	15.8	94	6	7	12	23	43	87	99+
50-64	87	17.5	161	3	4	15	23	36	46	54
65+	138	21.7	294	4	6	18	27	50	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	9.5	83	2	3	7	11	19	24	53
B. *Operated*	40	11.6	61	2	3	10	13	26	29	30
2. MULTIPLE DX										
A. *Not Operated*	2612	12.7	130	3	4	9	15	25	35	77
B. *Operated*	248	19.8	241	3	5	16	25	45	60	99+
1. SINGLE DX	1112	9.6	82	2	3	7	11	19	25	52
2. MULTIPLE DX	2860	13.3	144	3	4	10	16	27	38	86
A. NOT OPERATED	3684	11.8	118	3	3	9	14	23	32	71
B. OPERATED	288	18.6	224	3	5	15	24	42	56	99+
TOTAL 0-19 YRS	57	7.5	35	1	3	6	9	15	22	29
20-34	47	9.8	104	1	3	7	11	20	27	60
35-49	188	9.3	44	2	3	8	12	19	25	75
50-64	1079	11.5	117	3	3	9	13	22	33	65
65+	2601	13.0	141	3	4	10	16	26	37	85
GRAND TOTAL	**3972**	**12.3**	**129**	**3**	**3**	**9**	**15**	**25**	**35**	**75**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	6	1	1	4	6	6	10	12
20-34	72	4.8	12	1	2	4	6	8	11	19
35-49	16	5.6	34	1	2	3	7	8	21	26
50-64	7	7.0	11	<1	1	7	9	11	11	11
65+	9	10.8	208	1	1	5	16	34	46	46
B. *Operated*										
0-19 YRS	35	6.5	18	2	3	5	8	14	16	18
20-34	118	6.5	17	2	2	6	8	11	15	23
35-49	40	7.3	22	2	2	6	10	15	17	20
50-64	14	9.9	53	3	4	8	11	23	28	29
65+	7	12.7	44	6	6	11	15	24	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	6	1	1	3	5	7	8	8
20-34	11	5.9	21	1	1	6	8	14	14	14
35-49	12	5.8	17	<1	1	5	8	11	14	15
50-64	16	13.9	99	3	4	11	17	33	36	37
65+	12	17.8	412	5	6	10	19	44	73	78
B. *Operated*										
0-19 YRS	17	10.6	32	3	4	11	16	17	20	22
20-34	67	9.8	47	2	3	8	12	19	22	41
35-49	27	9.5	29	3	3	8	14	16	18	22
50-64	19	14.8	71	5	7	14	17	29	34	35
65+	35	15.1	239	4	5	9	20	32	44	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	5.2	27	1	2	4	6	9	14	29
B. *Operated*	214	7.1	23	2	3	6	9	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	59	10.2	140	1	2	7	12	19	33	74
B. *Operated*	165	11.5	90	3	4	9	14	21	26	46
1. SINGLE DX	349	6.4	25	2	2	5	8	12	16	26
2. MULTIPLE DX	224	11.2	103	2	3	8	14	21	30	54
A. NOT OPERATED	194	6.7	66	1	2	5	7	14	19	42
B. OPERATED	379	9.0	57	2	3	7	11	17	22	37
TOTAL 0-19 YRS	91	6.2	21	1	2	5	8	13	17	20
20-34	268	6.9	27	2	2	6	9	12	18	24
35-49	95	7.5	27	2	2	6	10	15	17	24
50-64	56	12.3	72	3	4	10	15	24	34	37
65+	63	14.7	240	3	4	10	18	31	46	81
GRAND TOTAL	**573**	**8.2**	**61**	**2**	**2**	**6**	**10**	**16**	**21**	**38**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	454	5.1	25	1	1	4	7	10	12	23
20-34	89	4.2	17	1	1	3	5	8	11	25
35-49	93	4.9	10	1	1	4	7	9	10	15
50-64	112	6.1	35	1	1	5	7	12	17	34
65+	189	8.2	61	1	2	6	10	17	26	46
B. *Operated*										
0-19 YRS	16	7.4	35	2	2	5	10	14	21	24
20-34	24	9.3	64	<1	1	8	12	22	28	30
35-49	36	8.5	32	2	3	8	11	15	21	26
50-64	72	11.0	135	1	2	8	14	24	34	59
65+	57	9.0	64	1	2	7	12	21	23	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	427	7.3	46	1	2	6	9	15	19	31
20-34	114	7.3	82	1	1	4	8	16	28	48
35-49	110	7.3	81	1	2	5	9	14	18	54
50-64	309	9.2	74	2	3	7	12	17	22	69
65+	713	11.6	115	2	3	9	14	23	32	93
B. *Operated*										
0-19 YRS	30	17.5	262	2	3	14	20	51	54	99+
20-34	36	15.8	224	2	2	12	20	35	40	76
35-49	63	14.8	210	2	3	9	19	41	48	58
50-64	150	17.0	213	2	3	14	23	32	47	84
65+	184	18.5	300	3	4	13	23	42	62	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	937	5.8	33	1	1	4	7	11	15	32
B. *Operated*	205	9.5	81	1	2	8	12	21	25	50
2. MULTIPLE DX										
A. *Not Operated*	1673	9.5	89	2	2	7	12	19	27	66
B. *Operated*	463	17.2	251	2	3	13	22	40	52	98
1. SINGLE DX	1142	6.4	43	1	1	5	8	13	18	36
2. MULTIPLE DX	2136	11.1	134	2	2	8	14	23	33	74
A. NOT OPERATED	2610	8.1	72	1	2	6	10	16	23	56
B. OPERATED	668	14.9	211	2	3	11	19	33	47	83
TOTAL 0-19 YRS	927	6.6	47	1	2	5	8	13	17	44
20-34	263	7.6	90	1	1	4	9	17	27	40
35-49	302	8.2	92	1	2	5	9	15	26	51
50-64	643	10.7	120	2	2	8	13	23	30	71
65+	1143	12.0	142	2	3	9	15	25	37	96
GRAND TOTAL	**3278**	**9.5**	**107**	**1**	**2**	**7**	**12**	**20**	**29**	**65**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	115	3.3	5	<1	1	3	5	6	7	11
20-34	80	3.3	3	<1	1	3	5	6	7	8
35-49	22	4.0	11	1	1	3	5	7	12	16
50-64	17	3.1	9	<1	<1	2	4	7	11	12
65+	5	3.2	3	2	2	2	4	6	6	6
B. *Operated*										
0-19 YRS	1072	1.9	3	<1	<1	1	2	4	5	7
20-34	1294	2.2	2	<1	<1	2	3	4	5	8
35-49	420	2.2	4	<1	<1	2	2	4	6	9
50-64	248	2.2	3	<1	<1	2	2	4	5	10
65+	103	2.1	4	<1	<1	2	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.3	13	1	1	3	5	9	10	22
20-34	59	3.2	6	<1	<1	2	4	7	8	13
35-49	29	3.0	6	<1	<1	2	4	7	7	10
50-64	31	5.8	64	<1	<1	4	7	13	21	41
65+	18	6.1	52	1	1	3	7	11	24	32
B. *Operated*										
0-19 YRS	422	3.3	5	1	1	3	5	6	7	12
20-34	486	3.1	12	<1	1	2	4	5	7	14
35-49	206	2.8	4	<1	1	2	3	5	8	10
50-64	219	3.5	26	<1	1	2	3	6	12	25
65+	168	3.6	14	1	1	2	4	7	10	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	239	3.3	5	<1	1	3	5	6	7	12
B. *Operated*	3137	2.1	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	258	4.2	20	<1	1	3	5	8	10	23
B. *Operated*	1501	3.2	11	<1	1	2	4	6	8	16
1. SINGLE DX	3376	2.2	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	1759	3.4	13	<1	1	2	4	6	9	17
A. NOT OPERATED	497	3.8	13	<1	1	3	5	7	9	19
B. OPERATED	4638	2.5	6	<1	<1	2	3	5	6	11
TOTAL 0-19 YRS	1730	2.5	5	<1	<1	2	3	5	6	11
20-34	1919	2.5	5	<1	<1	2	3	5	6	9
35-49	677	2.5	4	<1	<1	2	3	5	6	10
50-64	515	3.0	17	<1	<1	2	3	5	8	22
65+	294	3.2	14	<1	1	2	3	6	9	20
GRAND TOTAL	**5135**	**2.6**	**7**	**<1**	**<1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	169	4.9	9	1	2	4	7	9	10	13
20-34	28	4.1	8	1	1	4	5	7	8	16
35-49	11	5.2	15	2	2	5	5	11	16	16
50-64	12	4.7	6	1	1	5	6	8	9	9
65+	18	7.7	24	1	2	7	9	16	18	18
B. *Operated*										
0-19 YRS	73	3.2	10	<1	<1	2	4	8	9	19
20-34	65	3.8	8	1	1	3	4	8	9	16
35-49	63	3.1	5	<1	<1	3	4	6	7	13
50-64	69	4.1	8	1	1	3	5	8	11	14
65+	45	4.6	16	<1	2	3	5	9	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	165	6.2	20	1	2	5	8	12	14	21
20-34	21	5.6	9	2	2	5	7	10	12	13
35-49	10	3.2	2	1	1	3	4	5	5	5
50-64	18	7.3	38	1	1	5	9	19	21	21
65+	34	9.2	24	1	3	9	11	18	19	21
B. *Operated*										
0-19 YRS	35	3.9	4	1	2	4	5	6	8	9
20-34	38	4.2	7	2	2	4	5	8	9	13
35-49	37	4.8	10	2	2	4	6	8	12	17
50-64	57	6.1	71	2	2	4	6	11	14	60
65+	50	5.7	18	1	2	4	7	13	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	5.1	11	1	2	4	7	9	11	17
B. *Operated*	315	3.7	9	<1	<1	3	4	8	9	17
2. MULTIPLE DX										
A. *Not Operated*	248	6.5	21	1	2	5	9	12	16	21
B. *Operated*	217	5.1	27	2	2	4	6	8	13	19
1. SINGLE DX	553	4.3	10	<1	1	3	5	8	10	17
2. MULTIPLE DX	465	5.9	24	1	2	5	7	11	15	21
A. NOT OPERATED	486	5.8	17	1	2	5	8	11	14	21
B. OPERATED	532	4.3	17	<1	1	3	5	8	10	18
TOTAL 0-19 YRS	442	5.1	14	1	1	4	7	10	12	20
20-34	152	4.2	8	1	2	4	5	8	10	16
35-49	121	3.8	8	<1	1	3	5	7	8	16
50-64	156	5.2	36	1	2	4	6	10	14	21
65+	147	6.4	23	1	2	5	9	14	18	21
GRAND TOTAL	**1018**	**5.0**	**17**	**1**	**1**	**4**	**6**	**9**	**13**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.7	23	1	1	3	6	9	13	29
20-34	86	3.4	10	<1	1	2	4	7	10	17
35-49	108	4.1	17	<1	1	3	5	9	11	23
50-64	113	3.9	11	<1	<1	3	5	9	11	16
65+	98	5.6	21	<1	1	4	8	13	15	21
B. *Operated*										
0-19 YRS	7	2.9	11	1	1	1	3	9	10	10
20-34	40	6.8	16	<1	<1	7	9	11	13	19
35-49	40	8.4	20	1	2	9	12	14	16	18
50-64	65	6.9	23	<1	1	6	10	14	15	22
65+	77	7.7	61	<1	<1	5	11	15	24	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	70	6.8	60	1	1	5	8	13	18	46
20-34	95	5.1	22	1	1	4	6	11	16	25
35-49	170	6.1	32	1	1	5	8	12	16	25
50-64	237	6.9	32	1	2	5	8	13	20	29
65+	333	8.4	54	2	2	7	11	17	22	66
B. *Operated*										
0-19 YRS	33	9.5	133	1	1	4	13	24	41	44
20-34	62	10.9	120	1	2	8	13	23	29	64
35-49	107	11.4	72	2	3	9	13	23	31	43
50-64	164	11.9	82	1	2	10	16	22	27	52
65+	236	12.9	195	1	2	10	16	27	43	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	503	4.4	17	<1	1	3	5	9	12	20
B. *Operated*	229	7.3	34	<1	1	7	10	14	16	31
2. MULTIPLE DX										
A. *Not Operated*	905	7.1	42	1	2	5	9	14	19	42
B. *Operated*	602	12.0	131	1	2	9	15	25	33	83
1. SINGLE DX	732	5.3	24	<1	1	4	7	11	14	23
2. MULTIPLE DX	1507	9.0	83	1	2	7	11	19	26	58
A. NOT OPERATED	1408	6.1	35	1	1	5	8	13	17	33
B. OPERATED	831	10.7	109	<1	2	9	13	22	30	70
TOTAL 0-19 YRS	208	6.1	55	1	1	4	7	12	19	43
20-34	283	6.1	46	<1	1	4	8	12	17	31
35-49	425	7.2	45	1	1	6	9	14	18	35
50-64	579	7.7	49	<1	1	6	10	16	21	34
65+	744	9.4	101	1	2	7	12	20	28	97
GRAND TOTAL	**2239**	**7.8**	**67**	**1**	**1**	**6**	**10**	**16**	**22**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.8	16	1	2	4	5	11	15	15
20-34	33	4.9	5	<1	2	5	7	8	9	10
35-49	41	5.6	23	<1	1	5	7	11	14	26
50-64	61	5.7	16	<1	<1	5	8	11	13	18
65+	55	8.4	52	<1	<1	7	10	17	22	41
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	20	8.7	17	1	3	9	11	14	16	18
35-49	36	10.3	50	2	4	9	12	16	23	41
50-64	39	9.3	34	<1	1	9	12	15	20	30
65+	36	12.0	104	2	2	9	17	25	32	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	13	2	2	6	10	10	10	10
20-34	38	7.9	36	2	3	7	10	16	19	33
35-49	48	6.4	18	1	2	5	8	12	17	20
50-64	79	8.3	49	<1	1	7	10	16	20	41
65+	141	10.3	71	2	3	8	12	23	29	40
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	24	10.9	25	2	5	11	16	17	19	19
35-49	49	11.8	45	2	3	10	17	21	23	26
50-64	83	14.4	136	3	4	11	17	28	35	67
65+	114	15.8	152	3	4	13	21	30	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	199	6.2	27	<1	1	5	8	11	16	25
B. *Operated*	132	10.2	55	1	2	9	12	18	25	42
2. MULTIPLE DX										
A. *Not Operated*	312	8.8	54	1	3	7	10	18	24	39
B. *Operated*	271	14.2	119	2	4	12	18	25	33	65
1. SINGLE DX	331	7.8	42	<1	1	7	10	15	21	35
2. MULTIPLE DX	583	11.3	91	2	3	9	14	23	29	47
A. NOT OPERATED	511	7.8	45	<1	2	6	10	15	21	37
B. OPERATED	403	12.9	101	2	3	10	16	24	30	55
TOTAL 0-19 YRS	17	5.4	16	<1	1	4	8	11	14	15
20-34	115	7.8	26	1	3	7	10	16	18	24
35-49	174	8.5	40	1	2	7	11	18	21	26
50-64	262	9.7	78	<1	1	8	12	18	25	48
65+	346	12.0	105	2	3	9	15	24	31	47
GRAND TOTAL	**914**	**10.0**	**76**	**1**	**2**	**8**	**12**	**21**	**26**	**45**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.4	2	1	1	4	4	5	5	5
20-34	23	5.3	8	1	2	5	7	9	10	10
35-49	39	6.4	15	1	2	6	9	11	12	20
50-64	39	5.3	12	1	1	4	8	11	12	14
65+	54	7.7	25	2	3	7	10	13	16	31
B. *Operated*										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	8	8.9	14	3	4	9	12	13	14	14
35-49	14	10.5	23	5	5	9	12	18	20	20
50-64	26	13.0	104	3	4	12	15	22	29	54
65+	30	11.2	38	2	5	10	16	19	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0		6	6	6	6	6	6	6
20-34	22	5.0	9	1	2	4	7	9	10	12
35-49	31	5.5	7	2	2	5	6	9	10	14
50-64	69	7.9	21	2	3	6	10	15	16	25
65+	138	11.2	114	3	4	8	12	21	30	73
B. *Operated*										
0-19 YRS	2	4.5	5	3	3	4	6	6	6	6
20-34	14	10.8	62	2	2	10	12	19	29	32
35-49	33	16.4	197	3	5	13	19	31	42	74
50-64	72	15.7	193	4	5	13	19	30	58	95
65+	155	16.7	194	5	6	12	20	40	51	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	6.3	17	1	2	6	8	11	13	20
B. *Operated*	80	11.3	54	3	5	10	15	19	22	45
2. MULTIPLE DX										
A. *Not Operated*	262	9.1	73	2	3	7	10	17	22	36
B. *Operated*	276	16.0	187	4	5	12	19	34	50	76
1. SINGLE DX	240	8.0	35	2	2	7	11	15	18	26
2. MULTIPLE DX	538	12.6	143	3	4	9	15	26	37	73
A. NOT OPERATED	422	8.0	53	2	3	6	10	14	20	33
B. OPERATED	356	15.0	160	4	5	12	18	28	47	74
TOTAL 0-19 YRS	11	4.8	5	1	2	5	6	7	9	9
20-34	67	6.8	25	2	2	6	9	12	14	30
35-49	117	9.5	85	2	3	7	11	18	24	53
50-64	206	10.8	107	2	3	8	14	21	26	69
65+	377	12.9	138	3	4	9	15	26	38	71
GRAND TOTAL	**778**	**11.2**	**114**	**2**	**3**	**8**	**13**	**22**	**30**	**68**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.2	14	1	1	3	5	7	10	24
20-34	255	4.5	16	1	1	4	6	9	10	20
35-49	190	4.6	13	<1	1	4	6	9	11	19
50-64	159	6.0	75	<1	1	4	7	11	15	28
65+	139	6.8	27	1	1	5	9	12	19	26
B. *Operated*										
0-19 YRS	5	5.6	6	7	7	9	11	13	13	13
20-34	87	9.8	21	6	7	9	10	13	18	30
35-49	68	10.0	18	6	7	9	11	15	19	28
50-64	59	11.0	32	3	6	10	13	20	23	26
65+	19	11.8	56	2	4	10	16	21	28	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	5.2	13	1	2	4	7	9	14	15
20-34	171	5.6	21	1	2	5	7	10	13	22
35-49	173	5.9	22	1	2	5	7	12	14	27
50-64	234	7.9	56	1	2	6	9	14	24	43
65+	260	10.3	57	2	3	8	13	19	27	47
B. *Operated*										
0-19 YRS	9	15.1	321	2	4	10	13	43	62	62
20-34	70	11.8	42	4	6	10	14	20	28	35
35-49	93	12.5	73	6	7	10	15	20	31	52
50-64	101	16.2	173	5	7	12	18	31	42	72
65+	70	15.9	156	4	7	12	20	27	42	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	5.2	29	1	1	4	6	10	13	24
B. *Operated*	238	10.3	25	5	7	9	11	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	883	7.6	44	1	2	6	9	15	20	41
B. *Operated*	343	14.2	121	5	7	11	16	25	36	63
1. SINGLE DX	1067	6.3	33	1	1	5	9	12	15	26
2. MULTIPLE DX	1226	9.5	74	2	2	7	12	18	26	48
A. NOT OPERATED	1712	6.4	38	1	2	5	8	13	17	31
B. OPERATED	581	12.6	85	5	7	10	14	21	28	61
TOTAL 0-19 YRS	145	5.4	38	1	1	4	7	10	14	30
20-34	583	6.5	28	1	2	5	9	12	15	29
35-49	524	7.1	36	1	2	6	9	13	17	30
50-64	553	9.2	93	1	2	7	11	18	25	52
65+	488	10.2	70	2	3	8	13	20	27	51
GRAND TOTAL	**2293**	**8.0**	**57**	**1**	**2**	**6**	**10**	**15**	**21**	**40**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.7	6	1	2	4	6	7	9	13
20-34	114	4.6	5	1	2	4	5	8	9	13
35-49	115	5.1	7	2	2	5	7	9	11	12
50-64	106	6.4	31	2	3	5	7	10	13	35
65+	96	7.0	16	2	3	6	9	11	16	21
B. *Operated*										
0-19 YRS	8	7.6	5	5	5	7	9	11	12	12
20-34	54	10.7	41	5	6	9	13	18	24	34
35-49	32	11.0	46	4	5	9	13	19	28	34
50-64	57	10.4	23	5	6	9	12	16	19	26
65+	49	13.5	76	5	6	12	16	21	25	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	6.6	21	1	2	6	10	12	16	17
20-34	70	5.2	10	2	2	4	7	10	11	16
35-49	89	5.9	16	2	2	5	7	10	13	23
50-64	155	7.2	25	2	3	6	8	13	16	32
65+	225	11.4	133	3	3	8	13	22	33	66
B. *Operated*										
0-19 YRS	9	10.2	18	3	4	9	14	15	15	15
20-34	36	11.3	52	5	5	8	14	23	25	37
35-49	50	14.1	79	5	6	12	18	24	37	47
50-64	74	16.7	166	5	6	13	21	29	45	70
65+	152	22.6	262	6	7	18	32	48	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	456	5.6	15	2	2	5	7	9	11	21
B. *Operated*	200	11.2	45	5	6	9	14	18	24	34
2. MULTIPLE DX										
A. *Not Operated*	553	8.4	72	2	3	6	10	16	22	43
B. *Operated*	321	18.3	199	5	6	14	24	38	55	99+
1. SINGLE DX	656	7.4	31	2	3	6	9	13	17	29
2. MULTIPLE DX	874	12.1	141	2	3	8	15	25	37	73
A. NOT OPERATED	1009	7.2	48	2	3	5	8	12	17	37
B. OPERATED	521	15.6	152	5	6	12	19	33	41	82
TOTAL 0-19 YRS	56	6.5	15	1	2	6	8	13	15	17
20-34	274	6.8	28	2	2	5	8	13	17	31
35-49	286	7.6	38	2	2	6	9	15	19	36
50-64	392	9.2	67	3	3	7	10	17	24	45
65+	522	14.1	177	3	4	10	17	32	41	85
GRAND TOTAL	**1530**	**10.0**	**99**	**2**	**3**	**7**	**12**	**21**	**30**	**60**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	5.0	12	3	3	3	8	9	9	9
35-49	5	4.6	16	1	1	3	7	11	11	11
50-64	8	7.0	51	2	2	4	7	19	24	24
65+	7	6.6	14	2	2	6	9	12	13	13
B. *Operated*										
0-19 YRS										
20-34	4	10.3	16	6	6	10	13	15	15	15
35-49	6	12.5	12	8	8	12	16	17	17	17
50-64	8	12.6	15	7	7	13	15	17	18	18
65+	7	14.0	47	7	7	12	20	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	5	6.0	18	<1	<1	5	9	12	12	12
50-64	3	8.0	28	4	4	6	12	14	14	14
65+	11	11.0	59	4	4	8	14	21	30	31
B. *Operated*										
0-19 YRS										
20-34	11	14.9	94	8	8	10	21	31	35	35
35-49	22	19.4	344	8	8	13	22	32	57	94
50-64	28	18.2	67	5	8	17	22	30	33	38
65+	25	22.1	373	1	3	16	26	52	74	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	6.1	24	1	2	5	8	11	16	24
B. *Operated*	25	12.6	22	7	7	12	15	18	23	24
2. MULTIPLE DX										
A. *Not Operated*	21	8.8	43	2	4	7	12	15	22	31
B. *Operated*	86	19.2	228	5	8	15	22	32	41	87
1. SINGLE DX	49	9.4	33	2	3	8	13	17	23	24
2. MULTIPLE DX	107	17.2	208	4	5	14	22	31	37	83
A. NOT OPERATED	45	7.3	34	1	2	6	9	14	17	31
B. OPERATED	111	17.7	189	5	8	14	22	30	37	82
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	20	11.5	72	3	4	9	12	26	32	35
35-49	38	14.6	238	1	3	11	16	29	32	94
50-64	47	14.7	72	3	4	14	21	26	31	38
65+	50	16.4	240	2	4	13	19	31	52	75
GRAND TOTAL	**156**	**14.7**	**166**	**3**	**4**	**12**	**18**	**29**	**33**	**75**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	548	2.9	5	1	1	2	4	6	7	11
20-34	587	3.1	7	<1	1	2	4	6	8	14
35-49	384	3.7	10	<1	1	3	5	7	9	16
50-64	314	4.6	13	<1	1	4	6	9	12	18
65+	272	5.1	25	1	1	4	6	10	14	24
B. *Operated*										
0-19 YRS	11	1.4	1	<1	<1	<1	1	3	3	3
20-34	31	5.2	75	<1	<1	1	6	14	23	42
35-49	37	3.3	20	<1	<1	<1	4	9	10	24
50-64	27	6.6	47	<1	<1	4	9	19	23	24
65+	36	6.1	41	<1	<1	4	11	13	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	3.9	11	1	1	3	5	7	9	19
20-34	491	4.5	19	1	1	3	6	9	12	22
35-49	440	5.3	19	1	1	4	7	10	14	21
50-64	508	6.8	31	1	2	6	9	13	18	25
65+	739	8.1	56	2	2	6	10	16	20	44
B. *Operated*										
0-19 YRS	11	6.6	21	<1	<1	6	9	14	16	16
20-34	29	9.5	59	2	3	8	11	17	26	40
35-49	57	9.6	54	<1	2	8	11	21	25	34
50-64	84	12.1	86	1	2	10	16	25	29	47
65+	101	14.8	146	2	4	11	18	28	38	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2105	3.6	11	<1	1	3	5	7	9	16
B. *Operated*	142	4.9	43	<1	<1	1	7	12	18	31
2. MULTIPLE DX										
A. *Not Operated*	2505	6.1	34	1	1	5	8	12	17	28
B. *Operated*	282	12.1	100	1	2	9	16	25	31	52
1. SINGLE DX	2247	3.7	13	<1	1	3	5	7	10	18
2. MULTIPLE DX	2787	6.7	44	1	2	5	8	14	19	34
A. NOT OPERATED	4610	5.0	25	1	1	4	6	10	14	23
B. OPERATED	424	9.7	92	<1	<1	8	13	21	27	47
TOTAL 0-19 YRS	897	3.3	7	<1	1	3	4	6	8	14
20-34	1138	3.9	17	<1	1	3	5	8	11	21
35-49	918	4.8	19	<1	1	4	6	10	13	24
50-64	933	6.5	34	1	1	5	8	13	18	27
65+	1148	8.0	62	1	2	6	10	16	21	44
GRAND TOTAL	**5034**	**5.4**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	3.5	8	1	1	3	4	7	10	15
20-34	134	3.7	14	<1	<1	3	5	7	9	20
35-49	125	3.4	10	<1	<1	2	5	6	7	18
50-64	84	4.2	14	<1	<1	3	6	9	13	18
65+	95	4.9	15	1	1	4	6	10	15	18
B. *Operated*										
0-19 YRS	13	6.8	14	<1	2	7	9	12	14	14
20-34	20	6.8	25	<1	<1	7	9	10	17	23
35-49	25	8.8	21	<1	<1	9	11	15	17	21
50-64	24	11.1	38	1	6	9	14	19	23	30
65+	10	13.3	69	4	4	13	15	27	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	4.2	12	<1	1	3	6	8	12	17
20-34	117	4.7	18	<1	1	3	5	9	13	23
35-49	113	6.1	25	1	2	4	8	13	16	24
50-64	142	7.9	31	1	2	6	9	12	17	29
65+	240	9.5	81	1	2	7	12	19	27	56
B. *Operated*										
0-19 YRS	9	13.1	76	6	6	10	19	28	30	30
20-34	18	12.5	90	2	5	10	17	20	34	44
35-49	52	14.3	114	1	5	10	17	28	40	46
50-64	49	17.2	151	7	9	14	18	31	44	75
65+	62	20.8	275	5	7	16	26	46	56	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	531	3.9	12	<1	<1	3	5	7	10	17
B. *Operated*	92	9.2	34	<1	2	8	11	16	21	30
2. MULTIPLE DX										
A. *Not Operated*	667	7.1	48	1	1	5	9	14	19	40
B. *Operated*	190	17.0	178	4	6	13	20	34	45	74
1. SINGLE DX	623	4.7	19	<1	<1	3	6	10	14	21
2. MULTIPLE DX	857	9.3	93	1	2	7	12	19	27	51
A. NOT OPERATED	1198	5.7	35	<1	1	4	7	12	16	30
B. OPERATED	282	14.4	144	<1	5	10	17	27	43	68
TOTAL 0-19 YRS	170	4.5	18	<1	1	3	6	9	12	23
20-34	289	4.9	25	<1	<1	3	6	9	14	25
35-49	315	6.6	47	<1	<1	4	9	15	21	39
50-64	299	8.2	65	<1	2	6	11	17	20	42
65+	407	10.3	118	1	2	7	12	22	31	60
GRAND TOTAL	**1480**	**7.4**	**67**	**<1**	**1**	**5**	**9**	**16**	**22**	**45**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	9	<1	1	2	3	6	11	13
20-34	11	2.5	4	<1	<1	2	4	5	7	7
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64	5	2.4	3	<1	<1	2	3	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	2239	4.1	3	2	3	4	5	6	7	10
20-34	1369	4.2	3	2	3	4	5	6	7	9
35-49	306	4.7	4	3	3	4	6	7	8	11
50-64	86	5.5	8	2	3	4	7	10	11	13
65+	28	7.1	14	3	3	6	8	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	5	4.0	10	1	1	4	6	8	8	8
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	325	7.1	38	3	3	5	8	12	18	39
20-34	295	6.1	12	3	3	5	7	10	12	19
35-49	90	7.4	18	3	4	6	9	12	14	25
50-64	49	10.4	60	4	4	8	12	25	29	33
65+	26	13.3	120	3	3	9	16	33	37	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.6	6	<1	1	2	3	6	8	13
B. *Operated*	4028	4.3	3	2	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	8	<1	<1	3	6	8	8	8
B. *Operated*	785	7.1	32	3	3	5	8	12	17	33
1. SINGLE DX	4072	4.2	3	2	3	4	5	6	7	10
2. MULTIPLE DX	795	7.1	32	3	3	5	8	12	17	33
A. NOT OPERATED	54	2.8	7	<1	1	2	4	6	8	13
B. OPERATED	4813	4.7	9	2	3	4	5	7	9	17
TOTAL 0-19 YRS	2591	4.5	8	2	3	4	5	7	8	16
20-34	1680	4.5	5	2	3	4	5	7	8	13
35-49	398	5.3	8	3	3	4	6	9	11	17
50-64	141	7.1	32	2	3	5	9	12	17	32
65+	57	9.8	72	3	3	7	11	21	33	40
GRAND TOTAL	**4867**	**4.7**	**9**	**2**	**3**	**4**	**5**	**7**	**9**	**17**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	5.8	18	<1	<1	5	8	13	14	14
20-34	11	7.2	6	4	4	7	9	11	11	11
35-49	8	5.4	5	2	2	6	7	8	8	8
50-64	4	9.8	3	8	8	9	11	12	12	12
65+	3	9.0	13	6	6	8	12	13	13	13
B. *Operated*										
0-19 YRS	353	7.1	22	3	3	6	8	11	14	21
20-34	204	6.8	13	3	3	6	8	11	13	18
35-49	83	8.1	22	4	4	7	10	13	17	29
50-64	49	9.7	34	4	5	8	10	19	22	33
65+	35	10.4	21	5	5	10	13	15	17	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	30	1	1	6	10	12	12	12
20-34	1	18.0		18	18	18	18	18	18	18
35-49										
50-64	3	5.7	4	4	4	5	7	8	8	8
65+	2	9.5	13	7	7	9	12	12	12	12
B. *Operated*										
0-19 YRS	133	11.3	30	4	6	11	14	18	24	30
20-34	105	10.1	34	4	5	9	12	15	17	39
35-49	54	12.8	81	4	5	11	15	22	26	58
50-64	70	14.0	53	5	7	12	17	22	31	42
65+	70	15.7	96	6	7	13	19	28	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.7	12	1	2	6	9	12	13	14
B. *Operated*	724	7.5	21	3	3	7	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	9	8.1	26	1	2	7	12	16	18	18
B. *Operated*	432	12.3	55	5	5	11	15	20	26	44
1. SINGLE DX	767	7.5	20	3	3	7	9	12	15	22
2. MULTIPLE DX	441	12.2	55	5	5	11	15	20	26	44
A. NOT OPERATED	52	6.9	14	1	2	7	9	12	13	18
B. OPERATED	1156	9.3	39	3	4	8	11	16	20	33
TOTAL 0-19 YRS	506	8.2	27	3	3	7	10	14	17	25
20-34	321	7.9	22	3	4	7	10	13	16	26
35-49	145	9.7	49	4	4	8	12	17	22	35
50-64	126	12.0	48	5	5	10	15	20	24	36
65+	110	13.7	75	5	6	12	17	24	29	51
GRAND TOTAL	**1208**	**9.2**	**38**	**3**	**4**	**8**	**11**	**16**	**20**	**32**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.2	2	1	1	2	3	4	5	8
20-34	62	2.2	2	1	1	2	3	4	5	8
35-49	20	2.7	2	<1	1	2	3	5	6	6
50-64	4	3.0	6	<1	<1	2	5	6	6	6
65+	2	31.5	1625	3	3	31	60	60	60	60
B. *Operated*										
0-19 YRS	291	4.8	4	2	3	4	5	7	9	13
20-34	182	5.0	11	2	3	4	6	7	9	19
35-49	38	4.7	3	2	3	4	5	7	9	10
50-64	11	8.9	43	3	4	6	12	21	21	21
65+	5	7.6	6	6	6	7	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.7	14	<1	<1	2	5	9	13	13
20-34	13	1.8	1	<1	<1	2	2	3	4	4
35-49	4	4.8	9	1	1	5	7	8	8	8
50-64	3	6.7	10	3	3	8	9	9	9	9
65+	3	5.0	3	4	4	4	6	7	7	7
B. *Operated*										
0-19 YRS	125	5.9	10	3	3	5	7	10	11	18
20-34	83	6.5	15	3	3	6	7	10	12	26
35-49	18	5.8	10	2	2	5	7	11	13	14
50-64	9	7.7	9	4	4	7	10	12	13	13
65+	9	12.6	56	5	6	11	14	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	208	2.5	18	1	1	2	3	4	6	8
B. *Operated*	527	5.0	8	2	3	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	33	3.5	8	<1	1	2	5	8	9	13
B. *Operated*	244	6.4	15	3	3	5	7	10	13	23
1. SINGLE DX	735	4.3	12	1	2	4	5	7	8	14
2. MULTIPLE DX	277	6.0	15	2	3	5	7	10	12	23
A. NOT OPERATED	241	2.7	17	1	1	2	3	5	6	9
B. OPERATED	771	5.4	10	3	3	5	6	9	11	20
TOTAL 0-19 YRS	546	4.5	7	1	2	4	5	7	9	14
20-34	340	4.7	13	1	2	4	6	8	10	19
35-49	80	4.5	6	1	2	4	6	7	9	13
50-64	27	7.4	25	1	3	6	9	13	21	21
65+	19	12.1	173	3	4	7	11	26	46	60
GRAND TOTAL	**1012**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.8	1	<1	<1	1	2	4	4	4
20-34	7	3.7	8	<1	<1	4	6	7	7	7
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	6	4.3	10	1	1	4	6	9	9	9
65+	12	3.3	7	<1	<1	2	5	8	8	8
B. *Operated*										
0-19 YRS	1116	2.6	2	<1	1	2	3	4	5	8
20-34	1151	4.0	4	2	2	4	5	6	7	9
35-49	1044	4.4	8	2	3	4	5	7	8	10
50-64	1464	4.7	5	2	2	4	6	8	8	12
65+	1093	5.6	8	2	3	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	1.5	2	<1	<1	1	1	3	5	7
20-34	11	2.9	18	<1	<1	1	3	9	14	15
35-49	13	2.9	9	1	1	2	3	9	9	9
50-64	18	5.7	51	<1	<1	3	7	13	24	30
65+	52	4.3	21	<1	1	3	6	9	15	24
B. *Operated*										
0-19 YRS	471	3.4	15	<1	1	2	4	6	9	16
20-34	301	4.6	5	2	3	4	5	7	8	13
35-49	377	5.0	8	2	2	5	6	8	10	16
50-64	920	6.1	15	2	3	5	8	10	13	19
65+	1082	7.8	40	3	3	6	9	14	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.7	5	<1	<1	2	4	7	8	9
B. *Operated*	5868	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	137	3.4	19	<1	<1	1	4	8	11	25
B. *Operated*	3151	6.0	24	1	2	5	7	11	14	29
1. SINGLE DX	5915	4.3	6	1	2	4	5	7	8	12
2. MULTIPLE DX	3288	5.9	24	1	2	5	7	11	14	29
A. NOT OPERATED	184	3.2	16	<1	<1	1	4	7	9	22
B. OPERATED	9019	4.9	13	1	2	4	6	8	10	18
TOTAL 0-19 YRS	1650	2.8	6	<1	1	2	3	5	6	13
20-34	1470	4.1	4	1	2	4	5	6	7	10
35-49	1436	4.5	8	2	2	4	5	7	8	12
50-64	2408	5.2	9	2	2	5	6	8	10	17
65+	2239	6.6	25	2	3	6	8	11	14	31
GRAND TOTAL	**9203**	**4.8**	**13**	**1**	**2**	**4**	**6**	**8**	**10**	**18**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8	4	<1	<1	1	1	5	7	7
20-34										
35-49										
50-64										
65+	6	4.7	15	1	1	4	8	10	10	10
B. *Operated*										
0-19 YRS	153	2.4	3	1	1	2	3	4	6	9
20-34	44	4.4	3	2	3	4	5	6	7	10
35-49	39	6.2	40	2	3	4	6	11	21	34
50-64	65	5.4	8	2	3	5	7	8	9	19
65+	89	7.3	15	3	3	7	9	12	13	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.3	4	<1	<1	1	3	5	5	5
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	6	5.8	41	1	1	2	13	15	15	15
65+	16	10.4	121	<1	1	8	12	23	38	44
B. *Operated*										
0-19 YRS	97	3.6	5	1	1	3	5	6	8	13
20-34	25	5.2	10	1	2	5	6	10	12	14
35-49	18	5.8	8	3	3	5	7	7	13	16
50-64	50	6.3	9	3	3	6	8	10	13	16
65+	145	12.7	158	4	4	9	15	25	35	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.9	10	<1	<1	1	5	8	9	10
B. *Operated*	390	4.6	14	1	1	4	6	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	27	7.9	90	<1	<1	5	11	19	26	44
B. *Operated*	335	8.2	89	1	2	6	9	16	20	65
1. SINGLE DX	405	4.6	14	1	1	4	6	8	10	22
2. MULTIPLE DX	362	8.2	89	1	2	6	9	16	21	60
A. NOT OPERATED	42	6.1	66	<1	<1	2	9	14	21	44
B. OPERATED	725	6.3	52	1	1	5	8	12	16	35
TOTAL 0-19 YRS	263	2.8	4	1	1	2	4	5	7	12
20-34	69	4.7	5	2	2	4	5	8	10	13
35-49	58	6.0	30	2	3	4	6	9	14	34
50-64	121	5.8	10	2	3	5	7	9	12	17
65+	256	10.5	109	3	4	8	12	19	29	82
GRAND TOTAL	**767**	**6.3**	**52**	**1**	**1**	**5**	**8**	**12**	**16**	**37**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	146	2.5	4	<1	1	2	3	4	5	12
20-34	76	3.6	3	1	2	3	5	6	7	9
35-49	90	3.4	3	1	1	3	5	6	7	8
50-64	81	4.5	5	2	2	4	6	8	9	11
65+	36	5.6	14	2	2	5	7	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	10	<1	<1	1	2	8	9	9
20-34	3	4.7	10	1	1	6	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	5	2.6	7	1	1	1	4	7	7	7
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	33	3.6	7	1	1	3	4	7	10	11
20-34	29	4.3	5	1	1	4	5	8	9	9
35-49	58	5.2	13	1	2	5	6	9	11	22
50-64	66	5.8	12	1	2	5	8	11	13	15
65+	46	8.2	34	3	3	7	11	14	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.6	1	<1	<1	1	2	3	3	3
B. *Operated*	429	3.5	6	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	17	3.5	11	<1	1	2	6	9	10	11
B. *Operated*	232	5.6	17	1	2	5	7	11	12	23
1. SINGLE DX	437	3.5	6	1	1	3	4	6	8	11
2. MULTIPLE DX	249	5.5	17	1	2	5	7	11	12	23
A. NOT OPERATED	25	2.9	8	<1	<1	1	4	7	9	11
B. OPERATED	661	4.3	11	1	1	3	5	8	10	15
TOTAL 0-19 YRS	188	2.7	5	<1	1	2	3	5	7	12
20-34	109	3.8	4	1	2	4	5	6	7	10
35-49	150	4.1	7	1	1	4	5	7	8	14
50-64	155	4.9	8	1	2	4	7	9	11	14
65+	84	7.1	26	2	3	5	10	12	15	30
GRAND TOTAL	**686**	**4.2**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	5	1.8	1	1	1	1	3	3	3	3
35-49	5	3.4	7	1	1	3	4	8	8	8
50-64	4	8.8	36	3	3	7	13	17	17	17
65+	9	4.9	15	1	1	2	8	10	11	11
B. *Operated*										
0-19 YRS	60	3.2	5	<1	1	3	4	6	8	13
20-34	183	4.4	6	2	2	4	6	8	9	12
35-49	251	5.9	9	2	3	5	8	10	11	16
50-64	229	6.4	8	2	3	6	8	10	11	16
65+	181	8.1	18	3	4	8	10	14	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	1.0		1	1	1	1	1	1	1
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	20	5.2	29	<1	1	3	7	15	18	19
65+	13	7.1	21	1	2	7	9	15	16	16
B. *Operated*										
0-19 YRS	15	9.2	153	<1	<1	5	9	19	42	50
20-34	94	6.9	18	2	3	6	9	11	16	24
35-49	173	7.6	35	2	3	6	9	12	14	32
50-64	247	9.5	34	3	4	8	12	17	21	30
65+	229	11.3	86	4	4	9	13	19	23	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	4.4	16	1	1	3	7	9	12	17
B. *Operated*	904	6.0	12	2	2	5	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	50	4.6	21	1	1	3	7	11	16	19
B. *Operated*	758	9.3	52	3	4	8	11	16	20	38
1. SINGLE DX	929	5.9	12	2	2	5	8	10	12	17
2. MULTIPLE DX	808	9.0	52	2	3	6	11	16	20	38
A. NOT OPERATED	75	4.5	19	1	1	3	7	9	16	19
B. OPERATED	1662	7.5	33	2	3	6	9	13	16	27
TOTAL 0-19 YRS	78	4.4	38	<1	1	3	4	8	12	41
20-34	286	5.2	11	1	2	4	7	9	10	19
35-49	441	6.4	21	2	3	6	8	10	13	21
50-64	500	7.9	25	2	3	7	9	13	17	26
65+	432	9.7	57	3	4	8	11	16	20	39
GRAND TOTAL	**1737**	**7.4**	**33**	**2**	**3**	**6**	**9**	**13**	**16**	**26**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	12	3.6	8	<1	1	3	5	9	9	9
35-49	29	4.2	13	<1	1	3	5	8	9	19
50-64	57	5.9	17	1	2	5	8	12	14	20
65+	99	6.6	19	2	2	5	9	12	15	22
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	13	7.4	12	<1	2	8	9	12	14	15
35-49	33	9.3	11	6	6	9	11	12	14	23
50-64	32	10.4	41	5	6	9	11	14	18	41
65+	18	12.6	400	1	3	8	11	16	61	91
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	21	1	1	9	9	9	9	9
20-34	24	5.3	29	<1	<1	4	7	10	16	26
35-49	85	5.3	16	<1	<1	4	8	12	14	17
50-64	183	6.7	34	<1	2	5	8	14	16	24
65+	380	9.7	80	1	3	8	12	18	24	58
B. *Operated*										
0-19 YRS	8	8.3	8	5	5	7	10	13	13	13
20-34	46	10.3	63	3	6	9	10	14	30	44
35-49	119	10.2	18	6	7	9	11	15	19	28
50-64	165	11.6	33	5	6	10	13	19	24	32
65+	117	13.0	107	3	5	11	15	24	30	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	5.8	18	1	2	5	8	12	14	21
B. *Operated*	97	10.1	92	3	5	9	11	13	16	67
2. MULTIPLE DX										
A. *Not Operated*	675	8.1	61	1	2	6	11	16	20	37
B. *Operated*	455	11.4	52	5	6	10	13	18	25	44
1. SINGLE DX	295	7.2	46	1	2	6	9	12	15	23
2. MULTIPLE DX	1130	9.5	60	1	2	8	12	17	22	39
A. NOT OPERATED	873	7.6	52	1	2	6	10	15	19	34
B. OPERATED	552	11.2	59	4	6	9	12	17	24	44
TOTAL 0-19 YRS	13	7.8	12	1	3	8	10	12	13	13
20-34	95	7.8	47	<1	1	7	9	12	22	41
35-49	266	7.9	22	1	2	8	10	13	16	26
50-64	437	8.7	38	1	2	8	11	16	20	30
65+	614	9.9	88	2	3	8	12	18	24	64
GRAND TOTAL	**1425**	**9.0**	**58**	**1**	**2**	**8**	**11**	**16**	**21**	**37**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	3	18.7	312	7	7	10	32	39	39	39
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	10	3.2	1	2	2	3	4	5	5	5
20-34	36	3.9	3	1	1	4	5	6	7	7
35-49	50	4.9	14	1	1	4	5	9	10	21
50-64	51	4.7	6	1	2	4	6	8	10	11
65+	24	6.1	8	2	3	6	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	3.8	5	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	11	4.3	1	3	3	4	5	6	6	6
35-49	20	4.7	7	1	2	4	6	9	10	10
50-64	38	6.2	9	3	3	5	7	12	13	13
65+	35	9.6	52	3	4	8	11	18	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	7.6	119	<1	<1	4	9	22	38	39
B. *Operated*	171	4.7	8	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	10	3.7	4	2	2	3	4	7	8	8
B. *Operated*	106	6.8	26	3	3	6	8	12	14	31
1. SINGLE DX	182	4.9	15	1	2	4	6	8	10	20
2. MULTIPLE DX	116	6.5	24	2	3	5	8	11	13	29
A. NOT OPERATED	21	5.8	66	<1	1	3	7	9	23	39
B. OPERATED	277	5.5	16	1	2	5	7	10	12	20
TOTAL 0-19 YRS	12	3.3	1	2	2	3	4	5	5	5
20-34	51	4.0	3	1	2	4	5	6	7	7
35-49	76	5.4	27	1	1	4	6	9	10	34
50-64	92	5.3	8	1	2	5	7	10	11	13
65+	67	7.6	35	2	3	6	9	13	18	39
GRAND TOTAL	**298**	**5.5**	**19**	**1**	**2**	**5**	**7**	**10**	**12**	**22**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	1.8	1	<1	<1	2	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	13	4.5	13	1	1	2	6	10	12	12
B. *Operated*										
0-19 YRS	10	3.5	5	<1	<1	3	5	7	8	8
20-34	31	5.1	11	2	2	4	6	8	13	17
35-49	58	5.1	13	2	2	4	6	8	11	23
50-64	68	5.8	10	2	3	5	7	10	12	17
65+	62	8.1	23	3	3	7	11	15	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	4	2.8	6	1	1	2	4	6	6	6
50-64	7	7.7	43	2	2	5	14	18	18	18
65+	31	10.8	109	2	3	8	13	19	27	57
B. *Operated*										
0-19 YRS	9	4.7	11	1	1	4	6	10	11	11
20-34	11	5.4	10	3	3	5	6	10	14	14
35-49	43	7.4	37	2	3	7	9	12	17	37
50-64	64	11.3	71	3	4	9	14	20	25	52
65+	133	12.8	114	4	5	10	15	23	33	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	3.3	9	<1	1	2	4	9	11	12
B. *Operated*	229	6.1	16	2	2	5	7	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	43	9.4	92	2	2	7	12	17	24	57
B. *Operated*	260	10.9	88	3	4	9	13	20	27	55
1. SINGLE DX	251	5.8	16	2	2	5	7	11	14	20
2. MULTIPLE DX	303	10.7	89	3	3	9	13	19	27	56
A. NOT OPERATED	65	7.3	72	1	1	5	10	17	19	52
B. OPERATED	489	8.7	60	2	3	7	11	16	21	43
TOTAL 0-19 YRS	20	3.9	7	<1	1	3	5	8	10	11
20-34	45	5.0	10	2	2	4	6	8	13	17
35-49	110	5.8	24	1	2	4	7	10	13	29
50-64	140	8.4	46	2	3	6	10	17	20	33
65+	239	10.9	89	2	3	9	13	19	27	60
GRAND TOTAL	**554**	**8.5**	**61**	**2**	**3**	**6**	**10**	**16**	**21**	**44**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.9	5	<1	1	2	4	6	8	9
20-34	123	3.6	7	1	1	3	4	6	9	14
35-49	162	5.0	13	1	2	4	7	10	12	19
50-64	179	6.2	32	1	2	5	8	11	15	36
65+	253	7.6	43	2	2	6	10	15	18	37
B. *Operated*										
0-19 YRS	41	6.1	11	2	3	5	8	10	13	16
20-34	50	10.2	31	4	5	9	12	19	21	30
35-49	89	12.2	60	5	6	10	14	20	25	48
50-64	84	14.0	112	6	7	11	15	23	44	61
65+	63	14.7	135	6	7	12	18	22	26	86
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	5.7	89	1	1	4	6	8	12	62
20-34	90	5.6	36	1	1	4	7	10	14	37
35-49	130	7.1	33	1	2	5	10	14	20	27
50-64	225	7.3	27	2	3	6	9	13	16	24
65+	444	9.8	97	2	3	7	12	18	25	57
B. *Operated*										
0-19 YRS	37	10.6	76	4	5	8	12	16	30	50
20-34	92	13.8	154	5	6	11	15	21	32	78
35-49	107	14.5	94	6	7	12	17	28	44	99+
50-64	166	18.5	233	5	7	14	21	34	50	92
65+	234	22.6	291	7	9	17	29	45	69	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	784	5.7	28	1	1	4	7	11	15	24
B. *Operated*	327	12.1	84	4	5	10	14	20	24	50
2. MULTIPLE DX										
A. *Not Operated*	930	8.2	67	1	2	6	10	15	21	49
B. *Operated*	636	18.2	225	6	7	14	21	35	54	94
1. SINGLE DX	1111	7.6	53	1	2	6	10	15	19	40
2. MULTIPLE DX	1566	12.3	155	2	3	9	15	24	36	78
A. NOT OPERATED	1714	7.1	51	1	2	5	9	14	18	40
B. OPERATED	963	16.1	185	5	6	12	18	31	45	93
TOTAL 0-19 YRS	186	5.7	46	1	1	4	7	10	13	44
20-34	355	7.7	73	1	1	6	10	15	20	48
35-49	488	9.0	59	2	2	7	11	18	24	52
50-64	654	10.7	117	2	3	8	13	20	28	56
65+	994	12.6	165	2	3	9	15	24	36	78
GRAND TOTAL	**2677**	**10.3**	**118**	**2**	**2**	**7**	**13**	**20**	**29**	**65**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5043	3.8	8	1	1	3	5	7	9	15
20-34	902	2.7	4	1	1	2	3	5	7	10
35-49	370	3.7	9	1	1	3	5	7	9	16
50-64	324	4.3	12	1	1	3	5	8	11	18
65+	480	5.3	21	1	1	4	7	11	14	23
B. *Operated*										
0-19 YRS	39	5.2	16	1	2	4	6	9	10	24
20-34	44	6.7	33	2	2	5	9	10	17	35
35-49	26	7.9	38	2	3	7	9	10	19	35
50-64	11	10.5	86	<1	1	8	13	27	27	27
65+	18	12.2	87	<1	1	11	15	23	34	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2704	5.6	23	1	2	4	7	11	14	24
20-34	500	3.8	15	1	1	3	5	7	10	18
35-49	296	5.0	18	1	1	4	6	9	13	23
50-64	397	6.7	47	1	2	5	8	14	20	35
65+	988	8.7	95	2	2	6	10	17	26	86
B. *Operated*										
0-19 YRS	50	10.1	78	3	4	6	12	26	33	37
20-34	45	8.4	49	2	3	7	10	15	19	41
35-49	41	10.2	62	2	3	9	11	21	28	39
50-64	38	14.4	134	2	3	11	20	28	41	52
65+	70	24.5	462	3	6	18	36	58	77	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7119	3.8	9	1	1	3	5	7	9	15
B. *Operated*	138	7.5	44	1	2	6	9	14	23	36
2. MULTIPLE DX										
A. *Not Operated*	4885	6.1	41	1	2	4	7	12	16	32
B. *Operated*	244	14.6	229	2	3	9	17	36	52	84
1. SINGLE DX	7257	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX	5129	6.5	53	1	2	5	8	13	18	39
A. NOT OPERATED	12004	4.7	23	1	1	3	6	9	12	23
B. OPERATED	382	12.0	174	2	3	8	14	27	41	76
TOTAL 0-19 YRS	7836	4.5	15	1	1	3	6	8	11	19
20-34	1491	3.4	11	1	1	2	4	7	9	16
35-49	733	4.7	19	1	1	3	6	9	12	25
50-64	770	6.1	42	1	2	4	7	13	18	33
65+	1556	8.4	103	1	2	6	10	17	25	75
GRAND TOTAL	**12386**	**5.0**	**29**	**1**	**1**	**4**	**6**	**10**	**13**	**26**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	26	4.2	4	1	2	4	5	7	8	8
35-49	92	5.6	10	1	2	5	7	10	11	17
50-64	195	5.9	15	2	2	5	8	10	12	16
65+	378	6.9	22	1	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	8.2	7	1	5	9	10	11	11	11
35-49	30	12.9	42	5	6	12	15	22	29	31
50-64	57	14.8	31	6	9	14	17	23	26	29
65+	68	13.6	53	3	6	13	15	23	28	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	8	4.0	11	1	1	3	5	9	11	11
35-49	56	6.3	31	1	2	5	8	11	16	17
50-64	227	7.6	28	2	2	7	10	13	16	28
65+	765	10.2	78	2	3	8	12	20	27	64
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	8	13.8	37	5	6	12	19	22	22	22
35-49	67	14.7	43	7	9	13	17	21	26	45
50-64	140	16.8	100	4	8	15	21	30	36	49
65+	210	20.6	256	5	8	17	24	39	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	6.3	18	2	2	5	8	11	14	23
B. *Operated*	167	13.5	43	4	7	13	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	1057	9.4	64	2	3	8	11	17	25	51
B. *Operated*	426	18.3	172	5	8	15	21	32	46	94
1. SINGLE DX	859	7.7	31	2	2	6	10	15	18	29
2. MULTIPLE DX	1483	12.0	111	2	3	9	15	23	31	68
A. NOT OPERATED	1749	8.2	48	2	3	7	10	15	20	38
B. OPERATED	593	16.9	140	5	7	14	20	29	38	88
TOTAL 0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	53	6.5	22	1	2	5	8	11	17	22
35-49	245	9.1	41	2	3	8	12	17	20	31
50-64	619	9.8	59	2	3	8	12	20	25	38
65+	1421	11.0	106	2	3	8	14	22	31	67
GRAND TOTAL	**2342**	**10.4**	**86**	**2**	**3**	**8**	**13**	**20**	**28**	**53**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.4	11	<1	<1	3	4	7	11	17
20-34	62	2.8	5	<1	<1	2	4	6	8	9
35-49	48	2.8	6	<1	<1	2	4	6	6	15
50-64	31	5.3	24	<1	<1	3	7	13	17	19
65+	15	9.2	76	<1	1	6	14	24	27	28
B. *Operated*										
0-19 YRS	106	4.2	18	1	1	3	5	7	11	25
20-34	511	4.1	8	1	1	3	5	7	10	14
35-49	458	3.8	6	1	1	3	5	7	9	14
50-64	204	4.7	17	1	1	4	6	9	13	20
65+	46	5.9	23	2	2	5	7	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	6.1	70	1	1	4	6	14	23	42
20-34	24	2.8	6	<1	1	2	4	6	8	9
35-49	23	5.2	24	<1	<1	4	7	11	18	19
50-64	16	5.1	9	<1	<1	5	7	10	11	11
65+	24	7.5	96	1	2	5	7	14	25	50
B. *Operated*										
0-19 YRS	49	7.0	118	1	1	4	7	13	20	73
20-34	250	5.0	26	1	2	4	6	8	11	28
35-49	282	5.5	32	1	2	4	6	9	14	34
50-64	195	6.0	36	1	2	5	7	11	17	34
65+	97	10.9	253	2	2	6	11	23	43	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190	3.8	18	<1	<1	2	4	8	12	23
B. *Operated*	1325	4.2	10	1	1	3	5	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	113	5.3	45	<1	1	4	6	10	15	45
B. *Operated*	873	6.2	63	1	2	4	7	11	17	44
1. SINGLE DX	1515	4.1	11	1	1	3	5	7	10	17
2. MULTIPLE DX	986	6.1	61	1	2	4	7	11	16	44
A. NOT OPERATED	303	4.4	28	<1	<1	3	5	9	15	26
B. OPERATED	2198	5.0	32	1	2	4	6	9	12	28
TOTAL 0-19 YRS	215	5.0	47	1	1	3	5	9	16	32
20-34	847	4.2	13	1	1	3	5	8	9	17
35-49	811	4.4	16	1	1	4	5	8	10	19
50-64	446	5.3	26	1	1	4	6	10	15	28
65+	182	9.1	163	2	2	5	9	17	29	88
GRAND TOTAL	**2501**	**4.9**	**32**	**1**	**1**	**4**	**6**	**9**	**12**	**28**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	633	4.7	23	1	1	3	6	10	14	23
20-34	592	6.3	30	1	1	5	8	13	17	27
35-49	353	6.1	28	1	1	5	8	13	17	28
50-64	217	6.4	57	1	1	4	7	13	19	41
65+	374	6.1	36	1	1	5	8	12	16	26
B. *Operated*										
0-19 YRS	122	9.0	43	1	2	7	12	20	23	27
20-34	282	10.7	110	1	2	8	13	22	29	63
35-49	169	9.9	77	1	2	8	13	19	26	50
50-64	138	9.2	62	1	2	7	13	22	26	47
65+	151	10.5	76	1	2	8	14	21	28	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	400	5.3	26	1	1	4	7	12	16	27
20-34	503	7.2	38	1	2	6	9	16	19	29
35-49	336	7.9	49	1	2	6	10	15	19	44
50-64	419	8.7	64	2	2	7	11	17	22	41
65+	952	9.4	84	2	2	7	12	20	26	53
B. *Operated*										
0-19 YRS	139	11.9	103	2	3	9	15	23	35	60
20-34	412	16.4	243	2	3	12	20	34	49	78
35-49	285	15.3	201	2	4	12	19	30	46	74
50-64	327	17.1	216	3	4	13	22	37	49	88
65+	401	19.0	270	2	4	14	24	43	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2169	5.8	32	1	1	4	7	12	16	28
B. *Operated*	862	10.0	81	1	2	8	13	21	27	47
2. MULTIPLE DX										
A. *Not Operated*	2610	8.1	61	1	2	6	10	17	22	43
B. *Operated*	1564	16.6	228	2	4	13	20	36	50	85
1. SINGLE DX	3031	7.0	49	1	1	5	9	15	20	35
2. MULTIPLE DX	4174	11.3	140	1	2	8	14	24	34	72
A. NOT OPERATED	4779	7.0	49	1	1	5	9	15	20	36
B. OPERATED	2426	14.3	185	2	3	11	18	30	43	78
TOTAL 0-19 YRS	1294	6.1	40	1	1	4	8	14	19	31
20-34	1789	9.5	110	1	2	7	12	20	28	64
35-49	1143	9.5	97	1	2	7	12	19	26	54
50-64	1101	10.8	125	1	2	7	14	23	34	63
65+	1878	10.9	133	1	2	8	14	24	33	76
GRAND TOTAL	**7205**	**9.5**	**106**	**1**	**2**	**7**	**12**	**20**	**28**	**60**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	15	5.9	24	1	1	3	10	13	15	15
35-49	51	10.9	74	2	3	9	15	24	28	37
50-64	40	12.3	161	1	3	8	14	27	39	67
65+	6	9.2	128	<1	<1	5	11	29	31	31
B. *Operated*										
0-19 YRS										
20-34	3	8.7	82	2	2	5	15	19	19	19
35-49	10	16.4	149	2	2	15	25	33	35	35
50-64	13	8.3	49	1	1	8	14	17	22	23
65+	3	23.0	603	2	2	17	42	50	50	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	48	8.3	24	2	3	7	12	16	18	20
35-49	124	15.2	170	3	3	12	19	38	46	70
50-64	193	14.1	161	3	4	10	17	32	43	99+
65+	70	22.2	390	5	6	17	29	73	97	99+
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	7	11.0	29	1	3	10	14	17	18	18
35-49	43	17.0	198	2	3	13	22	35	41	75
50-64	75	21.3	421	1	2	15	28	59	73	99+
65+	20	17.4	181	1	4	13	18	42	46	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	10.7	102	1	2	8	13	23	30	55
B. *Operated*	29	12.7	145	1	2	10	19	29	36	50
2. MULTIPLE DX										
A. *Not Operated*	435	15.1	198	3	4	11	18	38	52	99+
B. *Operated*	146	19.0	305	1	2	14	24	42	61	98
1. SINGLE DX	142	11.1	111	1	2	8	14	25	31	51
2. MULTIPLE DX	581	16.0	227	2	4	12	19	39	57	99+
A. NOT OPERATED	548	14.2	181	2	3	10	17	33	48	99+
B. OPERATED	175	17.9	283	1	2	14	23	42	58	93
TOTAL 0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	73	8.0	27	1	2	7	13	16	18	20
35-49	228	14.6	155	2	3	11	19	34	42	63
50-64	321	15.3	228	2	3	11	17	36	57	99+
65+	99	20.5	340	2	5	16	28	55	84	99+
GRAND TOTAL	**723**	**15.1**	**208**	**2**	**3**	**11**	**18**	**35**	**50**	**99+**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.0	50	3	3	8	13	13	13	13
20-34	5	8.2	29	2	2	8	13	15	15	15
35-49	11	12.5	173	2	2	5	24	34	35	35
50-64	14	9.5	29	2	3	10	13	17	17	17
65+	15	18.6	161	3	5	16	23	31	48	53
B. *Operated*										
0-19 YRS	5	3.4	6	1	1	3	6	6	6	6
20-34	20	2.5	22	1	1	1	2	3	13	22
35-49	26	5.2	50	1	1	2	7	11	25	30
50-64	24	7.1	93	1	1	4	7	15	26	48
65+	13	11.9	335	1	1	3	17	37	60	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	10.8	241	2	2	3	19	34	34	34
20-34	11	8.1	92	2	2	4	7	25	32	33
35-49	17	12.4	112	2	2	9	13	31	35	37
50-64	77	12.6	71	3	4	11	15	21	26	48
65+	39	14.1	231	1	2	10	18	25	49	78
B. *Operated*										
0-19 YRS	3	6.0	19	1	1	8	9	9	9	9
20-34	25	10.0	50	1	1	9	16	20	21	23
35-49	30	11.9	283	1	1	8	16	22	43	86
50-64	50	13.8	89	1	2	13	20	25	27	40
65+	38	21.0	274	2	3	18	28	40	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	12.9	116	2	2	12	17	30	33	53
B. *Operated*	88	6.0	100	1	1	2	6	16	25	59
2. MULTIPLE DX										
A. *Not Operated*	148	12.6	122	2	3	10	17	24	34	53
B. *Operated*	146	14.5	183	1	1	12	20	27	38	92
1. SINGLE DX	135	8.4	115	1	1	4	12	22	31	55
2. MULTIPLE DX	294	13.5	152	1	2	11	19	27	37	82
A. NOT OPERATED	195	12.7	120	2	3	10	17	25	34	53
B. OPERATED	234	11.3	168	1	1	7	17	25	35	87
TOTAL 0-19 YRS	14	6.7	74	1	1	4	8	15	30	34
20-34	61	7.0	55	1	1	4	11	19	21	32
35-49	84	10.0	167	1	1	6	11	27	34	71
50-64	165	11.9	80	2	3	10	17	23	26	47
65+	105	17.0	255	1	2	14	23	36	52	96
GRAND TOTAL	**429**	**11.9**	**146**	**1**	**1**	**9**	**17**	**25**	**34**	**68**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.3	20	2	3	7	8	10	18	23
20-34	33	6.0	16	1	2	5	7	12	14	20
35-49	12	10.4	138	3	3	5	11	30	40	42
50-64	18	9.4	32	3	4	8	10	19	21	22
65+	11	13.6	97	2	2	11	21	27	33	34
B. *Operated*										
0-19 YRS	3	4.3	24	1	1	2	8	10	10	10
20-34	13	2.2	4	1	1	2	2	4	7	8
35-49	13	5.7	25	1	1	4	10	14	14	14
50-64	8	6.5	33	1	1	5	11	15	16	16
65+	8	10.5	92	1	1	9	18	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.2	11	5	5	6	8	13	13	13
20-34	25	12.5	109	3	3	9	17	24	33	50
35-49	45	10.1	93	1	2	8	12	22	34	44
50-64	84	15.0	241	2	3	9	18	32	43	85
65+	65	15.3	171	4	4	10	21	39	43	62
B. *Operated*										
0-19 YRS	2	10.5	13	8	8	10	13	13	13	13
20-34	16	12.2	226	1	2	9	11	36	52	58
35-49	21	15.0	495	1	1	7	17	38	67	97
50-64	32	22.0	338	4	5	16	29	47	52	90
65+	24	21.6	276	4	5	13	36	49	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	8.4	49	2	3	7	9	20	22	39
B. *Operated*	45	5.6	37	1	1	2	8	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	224	13.6	174	2	3	9	17	31	41	67
B. *Operated*	95	18.4	338	1	3	12	26	45	52	94
1. SINGLE DX	138	7.5	46	1	1	6	9	16	22	35
2. MULTIPLE DX	319	15.1	227	2	3	10	18	36	46	80
A. NOT OPERATED	317	12.1	143	2	3	8	15	26	38	55
B. OPERATED	140	14.3	277	1	1	9	16	37	49	91
TOTAL 0-19 YRS	29	7.2	18	2	2	7	8	12	14	23
20-34	87	8.4	92	1	1	6	9	17	24	55
35-49	91	10.6	184	1	1	7	12	26	36	75
50-64	142	15.4	241	2	3	10	19	35	47	90
65+	108	16.2	187	3	4	12	22	39	45	61
GRAND TOTAL	**457**	**12.8**	**184**	**1**	**2**	**8**	**15**	**31**	**41**	**64**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	5	<1	1	2	4	7	8	9
20-34	224	2.5	4	<1	1	2	3	6	7	9
35-49	163	3.0	5	<1	1	2	4	6	9	12
50-64	170	4.3	10	1	1	3	6	8	11	15
65+	125	6.0	23	1	2	5	7	13	16	23
B. *Operated*										
0-19 YRS	155	7.1	5	4	5	7	8	10	11	15
20-34	1580	7.2	5	5	5	7	8	10	11	16
35-49	1243	7.8	9	5	5	7	8	11	13	18
50-64	1052	8.5	12	5	6	8	9	12	14	22
65+	583	10.9	36	6	6	9	12	18	22	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.9	27	1	1	2	3	12	18	19
20-34	116	3.3	11	<1	1	2	4	7	10	18
35-49	105	4.7	26	1	1	3	6	9	11	29
50-64	157	6.2	35	1	2	5	8	11	15	19
65+	300	9.2	61	2	3	7	11	17	24	38
B. *Operated*										
0-19 YRS	89	9.4	23	4	5	8	10	17	21	26
20-34	923	8.7	17	5	5	8	10	13	16	23
35-49	940	9.3	28	5	6	8	10	14	17	32
50-64	1394	11.0	41	6	6	9	13	19	23	36
65+	1259	15.6	110	7	7	12	19	28	37	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	718	3.7	11	<1	1	3	5	8	9	16
B. *Operated*	4613	8.1	13	5	5	7	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	690	6.8	46	1	1	5	9	14	18	33
B. *Operated*	4605	11.4	59	5	6	9	13	20	25	44
1. SINGLE DX	5331	7.5	15	2	4	7	9	11	14	22
2. MULTIPLE DX	5295	10.8	60	4	5	9	12	19	25	42
A. NOT OPERATED	1408	5.2	30	1	1	4	7	11	15	27
B. OPERATED	9218	9.8	39	5	6	8	10	16	21	37
TOTAL 0-19 YRS	292	7.1	15	1	2	7	8	11	14	22
20-34	2843	7.1	12	2	4	7	8	11	13	18
35-49	2451	7.9	20	2	4	7	9	12	15	24
50-64	2773	9.4	31	3	5	8	10	15	20	30
65+	2267	13.0	89	4	6	10	16	24	31	52
GRAND TOTAL	**10626**	**9.2**	**40**	**3**	**5**	**8**	**10**	**15**	**20**	**35**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	3.0	6	1	1	3	4	5	5	16
20-34	253	3.1	4	<1	1	3	4	6	7	9
35-49	167	3.8	8	1	1	3	5	7	10	14
50-64	131	4.6	18	1	1	4	5	10	15	22
65+	160	6.7	24	1	2	6	9	13	16	26
B. *Operated*										
0-19 YRS	21	8.1	51	3	5	6	8	10	23	38
20-34	171	7.1	8	4	4	6	8	10	14	17
35-49	159	7.9	9	5	5	7	9	12	14	19
50-64	115	9.2	19	5	5	8	11	15	17	26
65+	70	11.5	34	5	6	10	14	19	23	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.5	10	1	1	3	4	6	11	15
20-34	90	3.8	6	1	1	3	5	7	10	12
35-49	76	5.6	11	1	2	5	8	10	12	15
50-64	100	6.3	22	1	1	5	9	13	15	21
65+	202	10.0	63	2	3	8	12	18	23	44
B. *Operated*										
0-19 YRS	11	6.9	10	4	4	6	8	12	15	15
20-34	153	9.3	58	5	6	8	11	13	15	22
35-49	177	10.4	33	5	6	8	12	18	25	29
50-64	186	12.5	59	5	6	10	15	22	27	44
65+	158	16.7	128	7	8	13	19	28	43	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	4.3	13	1	1	3	5	9	11	17
B. *Operated*	536	8.4	18	4	5	7	9	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	490	7.2	40	1	2	6	9	14	17	34
B. *Operated*	685	12.1	75	5	6	10	14	21	26	50
1. SINGLE DX	1297	6.0	19	1	1	5	8	11	14	22
2. MULTIPLE DX	1175	10.1	66	2	3	8	12	18	24	45
A. NOT OPERATED	1251	5.4	26	1	1	4	7	11	15	23
B. OPERATED	1221	10.5	53	5	5	8	12	17	23	42
TOTAL 0-19 YRS	104	4.5	20	1	1	3	5	9	11	26
20-34	667	5.6	24	1	1	5	7	10	12	17
35-49	579	7.2	23	1	2	7	9	13	15	26
50-64	532	8.7	43	1	2	7	11	16	21	34
65+	590	11.1	80	2	3	9	14	21	26	53
GRAND TOTAL	**2472**	**7.9**	**46**	**1**	**2**	**7**	**10**	**15**	**19**	**33**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	6	1	1	3	5	6	6	6
20-34	15	3.6	12	<1	1	2	6	8	12	13
35-49	16	4.4	8	<1	<1	4	6	8	10	11
50-64	18	3.4	7	<1	1	3	4	6	10	12
65+	18	6.6	14	1	1	7	10	11	12	13
B. *Operated*										
0-19 YRS	5	12.4	69	4	4	11	16	26	26	26
20-34	53	8.1	10	4	5	8	10	12	14	18
35-49	42	9.9	22	5	6	8	12	17	20	26
50-64	49	11.9	39	4	5	10	16	20	25	29
65+	61	13.6	78	1	5	11	17	30	33	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	7	5.3	16	1	1	5	8	11	12	12
35-49	16	4.8	12	<1	1	5	7	9	12	13
50-64	22	7.1	47	1	1	6	9	14	22	32
65+	42	12.5	169	2	3	9	13	27	37	73
B. *Operated*										
0-19 YRS	6	13.7	80	1	2	13	17	27	28	28
20-34	26	14.9	211	4	5	11	17	23	38	79
35-49	34	14.2	140	6	7	11	16	21	23	76
50-64	60	15.8	74	6	7	14	21	25	31	47
65+	128	20.0	134	8	9	18	25	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	4.5	11	<1	1	3	7	10	11	13
B. *Operated*	210	11.1	44	4	5	9	14	20	26	34
2. MULTIPLE DX										
A. *Not Operated*	89	9.0	105	1	1	7	10	15	27	63
B. *Operated*	254	17.6	132	6	8	15	21	28	39	79
1. SINGLE DX	280	9.4	44	1	2	8	12	18	23	33
2. MULTIPLE DX	343	15.3	139	2	4	13	20	27	34	76
A. NOT OPERATED	159	7.0	69	1	1	5	9	13	17	46
B. OPERATED	464	14.6	102	5	6	12	19	26	31	61
TOTAL 0-19 YRS	16	9.8	72	<1	1	8	14	25	27	28
20-34	101	9.0	75	1	2	8	11	14	20	53
35-49	108	9.7	69	1	2	8	12	17	20	47
50-64	149	11.7	68	1	3	10	16	23	26	41
65+	249	16.2	135	3	5	14	21	29	35	73
GRAND TOTAL	**623**	**12.7**	**105**	**1**	**3**	**10**	**17**	**25**	**29**	**60**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	2	2	4	8	9	9	9
20-34	23	5.1	13	1	2	4	7	10	13	16
35-49	19	4.9	15	1	1	4	7	8	14	18
50-64	18	5.9	12	1	1	5	9	11	12	12
65+	30	9.1	72	1	1	7	13	20	29	37
B. *Operated*										
0-19 YRS										
20-34	11	10.2	26	4	5	11	13	18	19	19
35-49	13	13.7	53	6	7	11	16	27	29	30
50-64	12	9.0	27	1	4	9	12	17	18	18
65+	6	18.5	20	12	12	20	22	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.3	978	1	1	5	36	66	66	66
20-34	13	4.0	6	1	2	4	5	8	10	10
35-49	9	8.8	32	2	3	7	14	17	19	19
50-64	29	10.6	81	3	4	8	12	19	26	48
65+	70	13.1	86	3	5	11	16	26	33	47
B. *Operated*										
0-19 YRS	1	37.0		37	37	37	37	37	37	37
20-34	8	14.6	84	2	4	13	19	29	32	32
35-49	19	18.2	95	6	8	16	24	32	38	43
50-64	34	18.6	127	4	5	16	25	37	40	47
65+	71	23.7	197	3	10	20	31	43	54	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	6.5	35	1	2	4	8	13	18	34
B. *Operated*	42	12.1	42	4	5	11	17	21	24	30
2. MULTIPLE DX										
A. *Not Operated*	125	11.5	103	2	3	8	14	21	31	53
B. *Operated*	133	21.2	164	4	8	18	28	38	46	62
1. SINGLE DX	135	8.3	43	1	2	6	11	17	21	31
2. MULTIPLE DX	258	16.5	158	2	4	13	22	34	42	60
A. NOT OPERATED	218	9.3	79	1	2	7	12	19	27	48
B. OPERATED	175	19.0	150	4	6	16	24	36	43	59
TOTAL 0-19 YRS	8	16.1	544	1	1	5	23	57	66	66
20-34	55	7.3	37	1	2	5	10	14	18	32
35-49	60	11.6	79	2	3	9	16	25	31	42
50-64	93	12.4	100	2	4	10	17	25	37	48
65+	177	16.9	160	2	4	14	22	34	42	59
GRAND TOTAL	**393**	**13.6**	**133**	**2**	**3**	**11**	**18**	**30**	**37**	**54**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	5.7	7	2	3	5	7	9	12	13
20-34	222	5.9	16	1	2	5	8	11	14	19
35-49	240	6.5	20	1	2	6	8	13	15	23
50-64	168	7.6	52	1	2	6	9	13	18	38
65+	99	8.8	32	3	3	8	10	16	19	33
B. *Operated*										
0-19 YRS	4	13.8	57	3	3	16	19	19	19	19
20-34	18	14.8	91	6	8	11	18	33	36	36
35-49	20	10.1	42	2	2	8	16	20	20	20
50-64	23	13.0	68	2	3	14	17	29	52	99+
65+	12	12.6	27	2	5	14	16	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	5.4	8	1	2	5	7	10	11	11
20-34	243	7.3	27	2	2	6	9	13	18	26
35-49	366	8.3	43	2	3	7	11	14	20	36
50-64	240	10.2	80	2	4	8	13	19	24	37
65+	221	12.6	79	3	4	10	16	27	32	39
B. *Operated*										
0-19 YRS	7	28.9	1187	2	3	10	46	88	96	96
20-34	42	28.7	499	3	9	20	46	75	78	99+
35-49	69	20.0	198	6	8	16	25	41	53	88
50-64	93	26.8	317	8	10	21	34	53	64	88
65+	67	24.1	242	6	10	20	30	38	51	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	764	6.8	27	1	2	6	9	13	16	26
B. *Operated*	77	12.6	59	2	3	13	17	22	31	82
2. MULTIPLE DX										
A. *Not Operated*	1085	9.4	58	2	3	7	11	17	24	38
B. *Operated*	298	24.5	314	6	9	20	32	49	67	97
1. SINGLE DX	841	7.4	33	2	2	6	9	14	18	31
2. MULTIPLE DX	1383	12.6	152	2	3	9	15	26	37	74
A. NOT OPERATED	1849	8.3	47	2	3	7	10	16	20	34
B. OPERATED	375	22.0	285	4	7	18	27	46	62	98
TOTAL 0-19 YRS	61	8.8	184	2	2	5	8	13	20	91
20-34	525	8.7	98	2	2	6	10	16	24	66
35-49	715	9.2	72	2	3	7	11	18	26	48
50-64	524	12.4	158	2	3	9	15	26	37	74
65+	399	13.6	117	3	4	10	17	28	34	52
GRAND TOTAL	**2224**	**10.6**	**113**	**2**	**3**	**8**	**13**	**21**	**31**	**58**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	3.3	7	1	1	3	4	7	8	14
20-34	86	3.9	6	1	1	3	5	7	9	12
35-49	88	4.7	8	1	1	4	7	9	10	13
50-64	98	5.1	12	1	2	4	7	11	12	16
65+	175	7.4	38	1	2	6	9	13	18	25
B. *Operated*										
0-19 YRS	4	8.8	54	<1	<1	9	15	15	15	15
20-34	4	9.0	43	2	2	9	14	16	16	16
35-49	2	20.5	313	8	8	20	33	33	33	33
50-64	2	8.0	2	7	7	8	9	9	9	9
65+	9	10.7	32	2	3	10	16	17	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	4.6	24	1	1	3	6	9	10	32
20-34	129	4.9	18	1	1	4	6	10	14	22
35-49	146	6.0	23	1	2	5	8	12	14	24
50-64	247	7.6	29	2	3	6	10	14	20	26
65+	578	10.8	90	3	4	8	13	20	27	55
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	10	11.5	39	2	2	12	16	19	20	20
35-49	18	11.4	25	5	6	10	15	19	21	22
50-64	63	12.1	93	2	3	9	16	24	33	48
65+	93	16.1	116	4	5	14	21	37	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	5.4	21	1	1	4	7	10	13	21
B. *Operated*	21	10.7	55	1	2	9	15	17	25	33
2. MULTIPLE DX										
A. *Not Operated*	1158	8.5	63	2	2	6	10	16	22	42
B. *Operated*	185	13.9	99	3	4	12	19	31	39	99+
1. SINGLE DX	527	5.6	23	1	1	4	8	11	13	22
2. MULTIPLE DX	1343	9.3	71	2	2	7	11	19	24	47
A. NOT OPERATED	1664	7.6	52	1	2	6	9	15	20	38
B. OPERATED	206	13.6	95	3	4	11	18	30	37	99+
TOTAL 0-19 YRS	122	4.1	17	1	1	3	6	8	10	20
20-34	229	4.8	17	1	1	4	6	10	14	20
35-49	254	6.1	23	1	2	5	8	11	15	23
50-64	410	7.7	39	2	2	6	10	15	20	33
65+	855	10.7	87	3	3	8	13	21	29	57
GRAND TOTAL	**1870**	**8.2**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**42**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	6.0	14	1	2	5	8	10	14	18
20-34	9	10.7	141	2	2	4	15	30	39	39
35-49	6	8.2	23	1	1	9	11	14	14	14
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	10.3	48	4	4	8	15	20	20	20
B. *Operated*										
0-19 YRS	15	9.0	47	1	3	8	11	22	22	22
20-34	9	7.4	30	<1	1	7	12	15	16	16
35-49	4	6.5	3	4	4	7	8	8	8	8
50-64	11	13.0	55	2	5	12	15	26	26	26
65+	5	12.4	6	10	10	11	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	7.8	41	1	2	6	9	15	19	37
20-34	7	9.1	27	1	2	9	14	16	16	16
35-49	26	14.9	325	2	4	12	14	22	62	88
50-64	18	13.7	97	3	4	11	21	29	34	36
65+	22	15.6	372	1	2	10	16	48	96	99+
B. *Operated*										
0-19 YRS	6	11.5	8	8	8	12	13	15	15	15
20-34	6	18.7	165	7	7	15	29	38	39	39
35-49	22	17.3	147	5	6	14	23	32	46	53
50-64	16	21.4	249	5	6	17	29	48	52	53
65+	5	39.2	360	20	20	37	54	65	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	6.9	31	1	2	5	9	14	17	33
B. *Operated*	44	9.8	40	2	3	9	13	19	23	26
2. MULTIPLE DX										
A. *Not Operated*	150	10.9	152	2	3	8	13	21	33	94
B. *Operated*	55	20.0	215	5	6	15	27	43	52	64
1. SINGLE DX	124	7.9	36	2	2	7	10	16	19	30
2. MULTIPLE DX	205	13.4	184	2	4	9	15	28	42	91
A. NOT OPERATED	230	9.5	113	2	2	7	12	17	25	89
B. OPERATED	99	15.5	162	3	4	12	20	30	46	59
TOTAL 0-19 YRS	158	7.4	31	1	2	6	9	14	18	32
20-34	31	10.9	95	1	2	8	15	22	38	39
35-49	58	14.5	211	3	4	11	15	26	49	85
50-64	46	16.0	149	3	5	12	21	31	44	53
65+	36	17.8	348	2	4	13	20	48	84	99+
GRAND TOTAL	**329**	**11.3**	**135**	**2**	**3**	**8**	**14**	**23**	**36**	**70**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	8.7	43	2	2	7	12	18	21	32
20-34	17	6.1	5	3	4	6	8	8	10	11
35-49	4	3.0	2	2	2	3	4	5	5	5
50-64	3	17.3	104	10	10	13	25	29	29	29
65+	8	10.3	47	4	4	7	14	21	24	24
B. *Operated*										
0-19 YRS	17	8.4	104	2	2	5	9	28	35	37
20-34	19	5.3	19	1	2	4	6	14	15	15
35-49	12	6.8	32	1	2	4	9	16	19	19
50-64	5	14.8	209	2	2	12	23	38	38	38
65+	3	19.3	190	9	9	14	30	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	9.9	47	2	3	9	13	19	27	30
20-34	26	8.4	62	1	2	5	11	20	26	33
35-49	11	7.4	29	2	3	5	11	17	18	18
50-64	31	12.2	101	1	3	9	15	30	35	37
65+	42	11.9	303	1	1	5	15	35	75	99+
B. *Operated*										
0-19 YRS	19	14.1	76	3	4	14	18	25	31	36
20-34	54	14.8	295	2	2	9	15	31	65	79
35-49	39	15.1	213	2	3	9	21	37	47	66
50-64	42	16.9	248	2	3	11	17	44	51	59
65+	26	22.2	348	2	4	19	33	50	59	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	8.4	41	2	2	7	11	16	21	31
B. *Operated*	56	8.1	79	2	2	5	10	18	34	38
2. MULTIPLE DX										
A. *Not Operated*	165	10.4	123	1	2	8	13	24	32	80
B. *Operated*	180	16.3	252	2	3	11	21	41	53	71
1. SINGLE DX	172	8.3	53	2	2	6	11	16	24	37
2. MULTIPLE DX	345	13.5	199	1	2	9	16	32	44	72
A. NOT OPERATED	281	9.6	90	1	2	7	12	19	29	61
B. OPERATED	236	14.4	223	2	2	9	17	38	48	71
TOTAL 0-19 YRS	175	9.6	55	2	2	8	13	19	27	35
20-34	116	10.5	170	2	2	7	12	22	32	74
35-49	66	11.6	154	2	2	8	16	25	39	64
50-64	81	15.0	183	2	3	10	17	38	44	58
65+	79	15.4	306	1	1	10	21	41	63	95
GRAND TOTAL	**517**	**11.8**	**156**	**2**	**2**	**8**	**14**	**26**	**38**	**71**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	11	3	3	6	9	12	14	14
20-34	8	7.3	95	2	2	4	6	24	31	31
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	2	6.0	8	4	4	6	8	8	8	8
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	8.9	43	3	4	8	10	16	25	30
20-34	4	12.0	201	3	3	6	20	33	33	33
35-49	3	9.3	24	6	6	7	13	15	15	15
50-64	3	5.7		5	5	6	6	6	6	6
65+	3	8.7	56	1	1	9	14	16	16	16
B. *Operated*										
0-19 YRS										
20-34	3	11.7	100	2	2	11	19	22	22	22
35-49	3	6.7	36	1	1	6	11	13	13	13
50-64	2	19.0	242	8	8	30	82	99+	99+	99+
65+	5	10.4	72	2	2	6	19	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	7.0	38	2	3	5	8	12	20	31
B. *Operated*	2	6.0	8	4	4	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	30	9.0	52	2	3	7	9	16	30	33
B. *Operated*	13	11.2	83	1	2	9	21	37	86	99+
1. SINGLE DX	25	6.9	35	2	3	5	8	12	18	31
2. MULTIPLE DX	43	9.7	61	2	2	7	13	23	31	99+
A. NOT OPERATED	53	8.1	46	2	3	6	9	15	28	33
B. OPERATED	15	10.5	75	1	2	8	19	29	79	99+
TOTAL 0-19 YRS	31	8.1	29	3	4	7	9	14	16	30
20-34	17	9.0	98	2	2	5	9	29	32	33
35-49	7	7.3	26	1	1	6	11	15	15	15
50-64	5	11.0	114	5	5	7	30	93	99+	99+
65+	8	9.8	58	1	1	7	17	20	21	21
GRAND TOTAL	**68**	**8.6**	**52**	**2**	**2**	**6**	**11**	**20**	**30**	**87**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	3	7.0	61	2	2	3	13	16	16	16
35-49	5	2.0		2	2	2	2	2	2	2
50-64	5	5.4	17	2	2	3	8	12	12	12
65+	14	6.6	29	1	1	7	12	17	79	99+
B. *Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	10.8	96	3	3	5	21	22	22	22
35-49	3	7.7	80	2	2	3	14	18	18	18
50-64	1	14.0		14	14	14	14	14	14	14
65+	6	13.7	205	2	2	7	20	38	40	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	12.6	228	1	1	7	16	35	51	51
20-34	13	5.5	35	<1	1	4	8	13	20	22
35-49	29	7.9	196	1	1	4	8	16	25	76
50-64	59	6.3	110	1	1	2	7	13	27	56
65+	188	8.9	162	1	1	3	12	21	33	61
B. *Operated*										
0-19 YRS	20	18.9	156	4	6	19	26	30	43	56
20-34	57	16.0	157	3	4	12	21	32	39	62
35-49	60	19.1	275	2	3	16	23	37	51	89
50-64	76	20.7	410	2	3	14	34	59	73	99+
65+	65	19.0	239	1	2	15	32	42	55	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	5.3	24	1	1	3	9	15	17	99+
B. *Operated*	16	11.7	111	2	2	7	19	22	35	40
2. MULTIPLE DX										
A. *Not Operated*	299	8.3	152	1	1	3	9	21	31	61
B. *Operated*	278	18.8	270	2	3	15	26	41	57	97
1. SINGLE DX	45	7.6	62	1	1	4	12	20	26	99+
2. MULTIPLE DX	577	13.4	237	1	1	8	19	35	50	79
A. NOT OPERATED	328	8.0	141	1	1	3	9	20	30	67
B. OPERATED	294	18.5	264	2	3	14	25	41	57	96
TOTAL 0-19 YRS	33	15.8	177	2	2	14	23	30	48	56
20-34	78	13.6	144	1	3	11	20	28	35	60
35-49	97	14.5	264	1	2	9	20	34	46	84
50-64	141	14.1	317	1	2	7	16	48	62	99+
65+	273	11.3	192	1	1	6	15	33	42	86
GRAND TOTAL	**622**	**12.9**	**226**	**1**	**1**	**8**	**18**	**34**	**50**	**83**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	3.5	6	2	2	3	5	7	7	7
35-49	7	8.4	117	<1	<1	2	12	27	30	30
50-64	4	3.3	7	<1	<1	2	5	7	7	7
65+	21	9.3	83	1	1	6	16	24	27	31
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	17.0		17	17	17	17	17	17	17
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	18.7	170	4	4	23	27	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	12.0	98	2	2	9	14	28	32	32
20-34	6	6.0	8	1	1	6	8	9	9	9
35-49	15	10.7	97	1	3	8	17	22	33	37
50-64	17	7.8	37	1	2	6	8	20	21	21
65+	104	13.4	185	2	3	9	18	29	42	94
B. *Operated*										
0-19 YRS										
20-34	4	10.5	82	2	2	9	18	21	21	21
35-49	6	20.2	79	7	8	19	24	33	34	34
50-64	24	22.1	204	4	7	17	30	43	50	56
65+	37	28.4	353	7	10	23	42	64	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	7.6	74	<1	<1	3	11	23	28	31
B. *Operated*	8	11.9	102	3	3	8	20	27	29	29
2. MULTIPLE DX										
A. *Not Operated*	149	12.1	151	2	3	8	16	25	38	89
B. *Operated*	71	24.5	280	4	8	21	33	50	65	94
1. SINGLE DX	45	8.4	79	<1	1	4	12	24	29	31
2. MULTIPLE DX	220	16.1	226	2	3	12	22	38	48	92
A. NOT OPERATED	186	11.2	139	1	2	7	15	24	36	79
B. OPERATED	79	23.3	276	3	5	19	32	48	64	92
TOTAL 0-19 YRS	8	10.6	99	1	1	9	14	27	32	32
20-34	16	6.3	28	1	2	5	8	14	19	21
35-49	29	12.3	107	<1	<1	10	19	28	34	37
50-64	47	14.7	176	1	2	10	21	32	44	56
65+	165	16.4	250	2	3	12	22	40	55	98
GRAND TOTAL	**265**	**14.8**	**209**	**1**	**2**	**10**	**21**	**35**	**48**	**86**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	4.2	4	2	2	4	5	7	8	12
20-34	122	4.0	4	1	2	4	5	7	8	10
35-49	33	4.5	5	2	2	4	6	7	7	13
50-64	26	5.4	20	1	2	4	6	12	16	21
65+	26	7.3	26	1	2	6	8	17	20	20
B. *Operated*										
0-19 YRS	6	10.7	159	3	3	6	9	33	36	36
20-34	9	5.2	8	1	2	5	6	10	10	10
35-49	3	8.3	6	6	6	8	10	11	11	11
50-64	2	10.0	32	6	6	10	14	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.9	26	2	2	5	7	9	15	33
20-34	101	5.2	10	2	2	5	6	9	10	18
35-49	34	6.4	16	2	3	5	8	12	15	18
50-64	39	8.3	73	2	3	7	10	11	15	56
65+	68	9.6	70	4	4	8	10	17	21	57
B. *Operated*										
0-19 YRS	15	10.0	35	5	5	8	10	23	23	23
20-34	12	11.0	116	3	4	7	12	24	40	43
35-49	3	8.0	61	3	3	4	14	17	17	17
50-64	6	10.8	19	5	5	11	13	17	17	17
65+	13	18.6	107	5	7	16	25	32	38	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.5	8	2	2	4	6	7	9	19
B. *Operated*	20	7.8	54	2	3	6	9	12	25	36
2. MULTIPLE DX										
A. *Not Operated*	313	6.8	38	2	3	6	8	11	16	33
B. *Operated*	49	12.5	82	4	5	9	16	24	30	43
1. SINGLE DX	335	4.7	11	2	2	4	6	8	9	20
2. MULTIPLE DX	362	7.6	47	2	3	6	9	13	18	39
A. NOT OPERATED	628	5.7	24	2	2	5	7	9	13	24
B. OPERATED	69	11.1	78	3	4	8	14	24	30	42
TOTAL 0-19 YRS	200	5.4	21	2	2	4	6	9	12	30
20-34	244	4.9	13	2	2	4	6	8	10	16
35-49	73	5.7	13	2	2	5	7	12	13	18
50-64	73	7.5	50	2	2	6	9	13	17	48
65+	107	10.2	74	3	4	7	12	20	27	49
GRAND TOTAL	**697**	**6.2**	**32**	**2**	**2**	**5**	**7**	**11**	**15**	**31**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	217	4.4	8	1	2	4	5	7	10	15
20-34	218	4.2	4	1	2	4	5	7	8	12
35-49	76	4.9	13	1	2	4	6	8	9	23
50-64	58	4.7	7	1	2	4	6	9	10	12
65+	42	8.2	54	2	3	6	9	16	25	37
B. *Operated*										
0-19 YRS	18	6.8	34	<1	<1	4	13	14	17	19
20-34	21	8.0	32	1	2	8	10	15	22	24
35-49	12	8.8	35	<1	2	8	11	19	20	20
50-64	5	19.6	239	3	3	19	29	43	43	43
65+	6	15.3	15	8	9	16	17	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	4.6	9	1	2	4	6	8	10	16
20-34	184	5.5	16	1	2	5	7	10	12	20
35-49	63	6.3	13	2	3	6	8	11	13	18
50-64	81	7.0	39	2	2	5	9	13	17	38
65+	127	11.4	139	2	4	8	12	23	33	70
B. *Operated*										
0-19 YRS	24	8.5	25	2	3	8	10	14	19	23
20-34	48	11.3	96	2	3	9	12	23	36	47
35-49	31	12.1	71	3	4	10	15	24	27	41
50-64	31	14.6	90	2	3	13	18	30	31	34
65+	35	19.4	150	5	7	19	25	45	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	611	4.7	11	1	2	4	6	8	10	17
B. *Operated*	62	9.5	58	1	1	8	13	19	22	41
2. MULTIPLE DX										
A. *Not Operated*	576	6.9	51	2	2	5	8	12	16	41
B. *Operated*	169	13.3	103	2	4	10	18	27	34	53
1. SINGLE DX	673	5.1	17	1	2	4	6	9	12	20
2. MULTIPLE DX	745	8.4	69	2	2	6	10	16	25	47
A. NOT OPERATED	1187	5.8	32	1	2	4	7	10	13	31
B. OPERATED	231	12.3	93	2	3	10	16	25	31	50
TOTAL 0-19 YRS	380	4.8	12	1	2	4	6	9	12	18
20-34	471	5.6	24	1	2	4	7	10	12	26
35-49	182	6.9	30	1	2	5	8	13	17	27
50-64	175	8.0	57	2	2	5	9	17	26	40
65+	210	12.2	132	2	3	8	15	26	36	72
GRAND TOTAL	**1418**	**6.8**	**47**	**1**	**2**	**5**	**8**	**13**	**19**	**38**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.4	2	<1	1	4	4	5	6	6
20-34	161	2.7	5	1	1	2	3	5	7	12
35-49	159	2.4	3	1	1	2	3	5	6	8
50-64	124	2.8	4	1	1	2	4	5	6	9
65+	44	3.5	5	1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	4	6.3	7	4	4	5	8	10	10	10
20-34	80	8.0	19	2	3	8	10	12	16	24
35-49	114	8.7	25	2	2	6	12	15	18	22
50-64	81	9.6	35	2	3	9	11	17	20	33
65+	42	10.9	53	2	3	10	14	21	25	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	4	1	1	3	4	5	8	9
20-34	75	4.3	30	1	1	3	5	8	14	32
35-49	75	4.0	9	1	1	3	6	8	11	13
50-64	95	4.7	24	1	1	3	6	10	14	28
65+	61	7.2	72	1	1	5	8	12	28	43
B. *Operated*										
0-19 YRS	9	25.0	419	8	8	21	32	58	72	72
20-34	77	13.9	140	3	4	11	15	28	44	55
35-49	98	11.4	69	2	2	10	15	20	29	44
50-64	131	13.3	69	3	4	11	18	23	30	40
65+	106	15.3	181	2	3	13	18	27	34	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	2.7	4	1	1	2	3	5	7	9
B. *Operated*	321	9.0	30	2	3	9	11	16	18	26
2. MULTIPLE DX										
A. *Not Operated*	320	4.8	31	1	1	3	6	9	12	33
B. *Operated*	421	13.7	121	2	3	11	17	25	35	59
1. SINGLE DX	829	5.2	23	1	1	3	8	11	15	22
2. MULTIPLE DX	741	9.9	101	1	2	8	13	20	29	48
A. NOT OPERATED	828	3.6	16	1	1	2	4	7	9	20
B. OPERATED	742	11.7	87	2	3	10	15	21	28	48
TOTAL 0-19 YRS	47	7.7	149	1	1	4	6	19	32	72
20-34	393	6.3	56	1	1	4	8	12	18	44
35-49	446	6.3	37	1	1	4	9	14	17	29
50-64	431	7.7	53	1	1	5	10	18	21	36
65+	253	10.6	123	1	2	8	14	21	29	66
GRAND TOTAL	**1570**	**7.4**	**66**	**1**	**1**	**5**	**10**	**16**	**21**	**39**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.9	2	<1	1	3	4	4	5	6
20-34	275	2.6	3	1	1	2	3	5	6	8
35-49	318	2.3	2	1	1	2	3	4	6	8
50-64	221	2.9	10	1	1	2	3	6	8	11
65+	74	3.8	8	1	1	3	5	7	9	15
B. *Operated*										
0-19 YRS	29	6.6	17	1	2	6	9	13	14	16
20-34	329	6.5	21	2	2	5	9	12	15	23
35-49	391	6.6	22	2	2	5	9	12	15	24
50-64	340	7.7	23	2	2	7	10	15	16	24
65+	100	10.0	40	2	3	9	13	20	22	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.6	5	2	2	3	4	7	9	9
20-34	81	3.2	7	1	1	3	4	7	9	14
35-49	99	2.6	4	1	1	2	3	5	6	11
50-64	104	3.8	12	1	1	3	5	7	11	20
65+	63	4.0	10	1	1	3	6	8	9	16
B. *Operated*										
0-19 YRS	14	7.7	15	2	4	8	9	11	16	18
20-34	122	8.8	46	2	3	8	11	16	18	36
35-49	172	9.9	70	2	3	9	13	17	23	73
50-64	247	11.0	49	3	3	10	14	19	26	38
65+	166	12.5	76	3	4	11	16	23	30	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	2.7	5	1	1	2	3	5	6	9
B. *Operated*	1189	7.2	24	2	2	6	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	356	3.4	8	1	1	2	4	7	9	16
B. *Operated*	721	10.7	61	2	3	9	14	19	25	41
1. SINGLE DX	2100	5.2	21	1	1	4	7	11	14	22
2. MULTIPLE DX	1077	8.3	55	1	2	6	12	17	21	37
A. NOT OPERATED	1267	2.9	6	1	1	2	4	5	7	12
B. OPERATED	1910	8.5	41	2	2	7	11	16	20	31
TOTAL 0-19 YRS	75	5.3	14	1	2	4	8	11	13	17
20-34	807	5.2	22	1	1	4	7	11	14	22
35-49	980	5.4	30	1	1	4	7	12	14	25
50-64	912	7.0	36	1	1	5	10	15	18	28
65+	403	9.0	58	1	2	7	12	18	23	40
GRAND TOTAL	**3177**	**6.2**	**34**	**1**	**1**	**4**	**9**	**13**	**17**	**28**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	4.8	57	1	1	3	5	10	22	37
20-34	19	5.1	18	1	1	4	6	9	15	20
35-49	11	4.8	24	<1	<1	3	6	14	16	16
50-64	21	4.7	17	<1	1	4	6	9	15	19
65+	21	7.1	24	1	2	6	10	15	18	18
B. *Operated*										
0-19 YRS	148	9.7	44	<1	1	10	13	20	23	24
20-34	63	9.2	49	<1	1	9	12	17	26	31
35-49	54	9.9	43	<1	2	9	14	20	21	30
50-64	60	7.9	41	<1	1	7	11	18	20	27
65+	40	10.1	63	<1	1	9	15	20	22	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	6.5	22	1	2	5	9	12	17	21
20-34	29	9.3	61	1	2	7	12	23	27	27
35-49	29	6.3	56	1	2	4	7	15	19	38
50-64	38	8.8	55	1	2	7	11	20	26	34
65+	63	10.5	46	2	3	8	15	20	24	30
B. *Operated*										
0-19 YRS	155	12.0	73	<1	1	11	16	24	27	37
20-34	120	11.8	54	1	3	11	16	22	28	55
35-49	92	11.1	66	1	2	9	16	23	28	37
50-64	142	12.8	101	1	2	11	18	26	32	40
65+	144	15.3	177	2	3	11	20	39	45	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	5.4	30	1	1	4	6	11	17	29
B. *Operated*	365	9.4	46	<1	1	9	13	20	22	29
2. MULTIPLE DX										
A. *Not Operated*	194	8.6	49	1	2	7	11	18	24	33
B. *Operated*	653	12.7	99	1	2	11	17	26	31	49
1. SINGLE DX	462	8.5	45	<1	1	8	12	19	22	30
2. MULTIPLE DX	847	11.8	91	1	2	10	16	24	29	46
A. NOT OPERATED	291	7.5	45	1	2	5	10	17	22	33
B. OPERATED	1018	11.5	83	1	2	10	16	23	28	43
TOTAL 0-19 YRS	363	10.0	59	<1	1	10	13	22	24	35
20-34	231	10.2	54	1	2	9	14	21	27	32
35-49	186	9.6	59	1	2	8	13	20	24	35
50-64	261	10.5	81	1	2	8	15	23	28	39
65+	268	12.7	125	2	3	10	18	26	40	56
GRAND TOTAL	**1309**	**10.6**	**77**	**1**	**2**	**9**	**14**	**22**	**27**	**41**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3		3	3	3	4	4	4	4
20-34	21	3.0	5	1	1	2	3	6	8	11
35-49	19	1.9	1	<1	1	2	2	4	5	5
50-64	14	3.0	3	1	1	3	5	5	6	6
65+	8	3.1	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	2	7.0	2	6	6	7	8	8	8	8
20-34	16	4.7	8	<1	1	5	7	8	9	10
35-49	7	3.3	9	1	1	2	3	9	10	10
50-64	16	6.1	23	1	2	4	10	14	15	15
65+	32	6.6	14	2	2	7	9	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	3.9	8	1	1	3	6	8	9	9
35-49	10	3.4	2	<1	1	3	5	5	5	5
50-64	13	3.4	2	1	2	3	4	5	7	7
65+	13	5.8	13	1	1	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	23	6.6	24	2	2	4	10	15	17	18
35-49	29	8.3	61	1	1	4	13	19	21	32
50-64	52	9.8	51	2	2	8	14	18	22	35
65+	113	12.4	150	2	3	10	15	25	31	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.7	3	1	1	2	4	5	6	10
B. *Operated*	73	5.7	15	1	2	5	8	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	50	4.2	7	1	1	4	5	8	10	11
B. *Operated*	219	10.6	104	2	2	9	14	19	28	47
1. SINGLE DX	138	4.3	12	1	1	3	6	9	12	15
2. MULTIPLE DX	269	9.4	92	1	2	7	12	18	26	40
A. NOT OPERATED	115	3.3	6	1	1	3	4	6	9	11
B. OPERATED	292	9.4	86	1	2	7	13	18	24	40
TOTAL 0-19 YRS	7	4.7	3	3	3	4	6	8	8	8
20-34	74	4.6	14	1	1	3	6	10	11	18
35-49	65	5.1	37	1	1	3	5	15	19	30
50-64	95	7.3	41	1	2	5	11	16	18	33
65+	166	10.3	115	1	2	8	13	18	27	59
GRAND TOTAL	**407**	**7.7**	**70**	**1**	**1**	**5**	**10**	**16**	**20**	**38**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	3.6	15	<1	1	3	4	6	9	23
20-34	61	3.1	4	1	1	3	4	6	7	11
35-49	23	4.8	11	1	2	3	7	10	11	12
50-64	29	4.2	10	1	1	3	6	9	10	14
65+	71	6.7	27	1	2	5	8	15	17	25
B. *Operated*										
0-19 YRS	47	4.0	11	<1	1	3	5	8	12	16
20-34	50	2.8	7	<1	<1	2	4	6	11	12
35-49	52	3.2	17	<1	<1	2	4	8	10	25
50-64	74	3.9	9	<1	<1	3	5	8	9	15
65+	111	5.0	25	<1	<1	3	6	10	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	5.2	48	1	1	4	6	9	13	46
20-34	57	4.1	11	1	1	3	5	7	8	21
35-49	31	6.3	11	1	2	6	9	11	13	13
50-64	63	6.4	23	1	2	5	8	13	16	24
65+	174	9.0	50	2	3	7	12	19	23	39
B. *Operated*										
0-19 YRS	49	4.9	18	<1	<1	4	7	10	15	17
20-34	63	6.2	44	<1	<1	4	9	14	20	33
35-49	58	7.4	76	<1	<1	5	9	15	23	54
50-64	115	7.4	63	<1	1	6	10	16	19	41
65+	225	9.2	132	1	2	5	11	21	26	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	4.4	16	1	1	3	5	9	13	19
B. *Operated*	334	4.0	16	<1	<1	3	5	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	407	7.0	41	1	2	5	8	14	19	31
B. *Operated*	510	7.8	90	<1	<1	5	10	17	21	58
1. SINGLE DX	627	4.2	16	<1	<1	3	5	9	12	20
2. MULTIPLE DX	917	7.4	68	<1	1	5	9	16	21	39
A. NOT OPERATED	700	5.9	32	1	2	4	7	13	17	27
B. OPERATED	844	6.3	64	<1	<1	4	8	14	19	32
TOTAL 0-19 YRS	287	4.4	25	<1	1	3	5	8	12	20
20-34	231	4.1	19	<1	<1	3	5	9	12	23
35-49	164	5.5	39	<1	<1	4	7	11	14	28
50-64	281	5.9	37	<1	1	4	8	13	16	24
65+	581	8.0	77	1	2	5	10	17	23	40
GRAND TOTAL	**1544**	**6.1**	**50**	**<1**	**1**	**4**	**8**	**13**	**18**	**30**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	6	1	1	2	5	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	3	1.7		1	1	2	2	2	2	2
65+	14	7.0	42	<1	1	6	8	14	23	26
B. *Operated*										
0-19 YRS	140	2.7	23	<1	<1	1	2	6	7	20
20-34	93	4.7	24	<1	<1	3	6	11	14	27
35-49	76	5.1	28	<1	<1	3	8	12	14	27
50-64	95	4.5	26	<1	<1	3	4	13	15	27
65+	162	4.6	17	<1	1	3	6	10	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	10	3.9	12	<1	<1	2	6	9	10	10
35-49	4	3.3	5	1	1	3	5	6	6	6
50-64	1	2.0		2	2	2	2	2	2	2
65+	34	9.5	114	1	2	6	12	21	30	56
B. *Operated*										
0-19 YRS	93	4.0	29	<1	1	2	4	11	16	30
20-34	85	4.7	25	<1	<1	3	7	11	17	21
35-49	67	5.5	44	<1	<1	4	8	13	18	34
50-64	123	8.1	98	<1	<1	5	10	18	24	48
65+	368	8.1	104	1	2	6	10	17	24	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	4.8	28	<1	1	3	7	10	15	26
B. *Operated*	566	4.2	23	<1	<1	3	5	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	52	7.4	86	1	1	5	8	14	25	55
B. *Operated*	736	7.0	81	<1	1	4	9	16	20	52
1. SINGLE DX	593	4.2	23	<1	<1	3	5	10	13	23
2. MULTIPLE DX	788	7.0	82	<1	1	4	9	16	21	54
A. NOT OPERATED	79	6.5	67	<1	1	4	7	12	24	49
B. OPERATED	1302	5.8	58	<1	<1	3	7	13	18	33
TOTAL 0-19 YRS	242	3.2	25	<1	<1	2	3	7	11	21
20-34	189	4.6	24	<1	<1	3	6	11	14	23
35-49	150	5.2	34	<1	<1	3	8	12	15	29
50-64	222	6.5	68	<1	<1	3	8	16	20	35
65+	578	7.2	81	<1	1	5	8	15	20	64
GRAND TOTAL	**1381**	**5.8**	**58**	**<1**	**<1**	**3**	**7**	**13**	**18**	**34**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	621	3.8	7	1	1	3	5	7	9	13
20-34	236	3.6	6	1	1	3	5	7	8	12
35-49	98	4.4	14	1	1	3	5	9	12	21
50-64	97	4.6	14	1	1	4	6	8	10	23
65+	219	6.8	49	1	2	5	8	12	16	33
B. *Operated*										
0-19 YRS	170	3.5	20	<1	<1	2	4	8	12	23
20-34	142	4.2	21	<1	<1	2	6	10	13	22
35-49	120	3.7	15	<1	<1	2	5	9	11	19
50-64	157	4.2	17	<1	<1	3	5	10	14	21
65+	211	5.7	25	<1	1	5	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	550	5.4	19	1	2	4	7	10	13	22
20-34	262	4.7	16	1	1	4	6	9	11	20
35-49	171	5.9	23	2	2	5	7	11	14	23
50-64	241	6.9	37	2	2	6	8	12	18	32
65+	892	10.3	102	2	3	7	12	21	30	78
B. *Operated*										
0-19 YRS	201	6.4	67	<1	1	4	8	15	21	37
20-34	167	6.7	77	<1	<1	3	9	16	22	44
35-49	197	5.9	50	<1	<1	4	8	14	19	46
50-64	333	8.5	113	<1	1	5	12	18	27	85
65+	639	10.8	129	1	2	8	14	24	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1271	4.4	16	1	1	3	6	8	11	18
B. *Operated*	800	4.4	21	<1	<1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	2116	7.6	61	1	2	6	9	15	21	45
B. *Operated*	1537	8.7	105	<1	1	5	11	20	29	84
1. SINGLE DX	2071	4.4	18	<1	1	3	6	9	12	21
2. MULTIPLE DX	3653	8.0	80	1	1	6	10	17	24	57
A. NOT OPERATED	3387	6.4	47	1	2	5	8	12	17	38
B. OPERATED	2337	7.2	81	<1	<1	4	9	17	23	56
TOTAL 0-19 YRS	1542	4.7	22	1	1	3	6	9	12	22
20-34	807	4.7	28	<1	1	3	6	9	13	26
35-49	586	5.2	30	<1	<1	4	7	11	15	28
50-64	828	6.8	64	<1	1	4	8	14	19	44
65+	1961	9.6	100	1	2	7	12	21	29	78
GRAND TOTAL	**5724**	**6.7**	**61**	**<1**	**1**	**4**	**8**	**14**	**20**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	11	4.7	13	1	1	3	7	10	12	12
65+	42	6.4	67	1	1	3	5	17	28	36
B. *Operated*										
0-19 YRS	3	4.3	9	<1	<1	5	6	7	7	7
20-34	2	4.5	25	<1	<1	4	8	8	8	8
35-49	41	6.3	39	<1	<1	5	8	13	23	27
50-64	684	7.2	19	<1	2	7	9	12	14	23
65+	1203	8.5	22	2	3	8	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	3.0		3	3	3	3	3	3	3
35-49	3	8.7	82	2	2	5	15	19	19	19
50-64	27	5.8	25	1	1	4	8	11	13	25
65+	173	9.3	118	1	2	6	11	22	37	62
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	8.6	25	2	3	7	13	16	16	16
35-49	56	7.4	34	1	1	6	10	16	19	28
50-64	938	9.1	30	2	3	8	11	16	19	30
65+	2549	12.2	78	3	5	10	15	23	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	6.0	56	1	1	3	6	14	25	36
B. *Operated*	1933	8.0	22	1	2	7	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*	205	8.7	105	1	1	5	10	20	33	60
B. *Operated*	3551	11.3	67	2	4	9	14	21	27	46
1. SINGLE DX	1986	7.9	23	1	2	7	10	14	16	25
2. MULTIPLE DX	3756	11.2	69	2	4	9	14	21	27	47
A. NOT OPERATED	258	8.2	96	1	1	5	10	20	29	57
B. OPERATED	5484	10.1	53	2	3	9	12	18	24	42
TOTAL 0-19 YRS	5	4.6	9	<1	<1	5	7	8	8	8
20-34	10	7.2	25	<1	1	6	10	15	16	16
35-49	100	7.0	37	<1	1	6	9	16	21	27
50-64	1660	8.2	26	1	2	8	10	14	17	28
65+	3967	10.9	66	2	4	9	13	20	26	47
GRAND TOTAL	**5742**	**10.1**	**55**	**2**	**3**	**8**	**12**	**18**	**24**	**42**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	16	5.4	13	2	2	5	6	8	14	17
35-49	16	3.9	3	1	2	3	5	7	8	8
50-64	16	4.0	3	1	2	5	5	6	6	6
65+	20	6.5	20	1	2	5	9	12	16	19
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	21	3.3	11	<1	<1	2	5	9	10	11
35-49	27	1.9	2	<1	<1	1	2	3	4	7
50-64	34	3.5	11	<1	<1	2	4	8	9	17
65+	40	4.6	9	1	2	4	6	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	16	4.2	7	1	1	4	6	7	10	11
35-49	15	4.7	6	<1	1	5	6	8	9	10
50-64	22	4.2	8	1	2	3	5	9	10	11
65+	37	7.5	29	2	3	6	9	16	18	26
B. *Operated*										
0-19 YRS	6	3.8	5	1	1	4	5	7	7	7
20-34	12	4.4	21	<1	<1	2	9	12	12	12
35-49	29	5.3	35	<1	1	4	7	10	13	31
50-64	56	6.1	31	<1	1	4	8	16	18	23
65+	90	8.3	52	1	1	7	11	20	23	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	5.1	11	2	2	5	6	9	11	19
B. *Operated*	123	3.4	9	<1	<1	2	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	91	5.7	18	1	2	5	7	10	16	23
B. *Operated*	193	6.9	42	<1	1	5	10	16	21	36
1. SINGLE DX	193	4.0	10	<1	1	3	5	8	10	17
2. MULTIPLE DX	284	6.5	34	1	1	5	8	15	20	30
A. NOT OPERATED	161	5.4	15	1	2	5	6	10	13	19
B. OPERATED	316	5.5	32	<1	1	4	8	13	17	29
TOTAL 0-19 YRS	10	4.5	8	<1	<1	4	7	8	9	9
20-34	65	4.3	12	<1	<1	3	6	9	11	16
35-49	87	3.9	16	<1	<1	3	5	8	10	24
50-64	128	4.8	19	<1	1	3	6	10	16	21
65+	187	7.2	37	1	2	6	9	16	20	35
GRAND TOTAL	**477**	**5.5**	**26**	**<1**	**1**	**4**	**7**	**11**	**16**	**25**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	6	<1	<1	1	2	6	7	7
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	6.3	1	5	5	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	174	2.8	3	<1	1	2	3	5	6	8
20-34	72	3.4	2	2	2	3	4	5	7	9
35-49	52	3.7	4	2	2	3	5	6	8	10
50-64	119	4.2	5	1	2	4	5	7	9	11
65+	70	4.4	7	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.9	4	<1	<1	1	2	4	7	8
20-34										
35-49	1	25.0		25	25	25	25	25	25	25
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	4	5.3	14	2	2	5	8	9	9	9
B. *Operated*										
0-19 YRS	118	3.4	7	<1	1	3	4	7	10	14
20-34	37	4.5	10	1	2	3	5	8	10	18
35-49	34	4.8	7	2	2	4	6	9	11	12
50-64	86	4.9	8	2	2	4	6	8	10	17
65+	100	6.6	30	2	3	5	8	13	17	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.6	8	<1	<1	2	7	7	7	7
B. *Operated*	487	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	25	3.6	26	<1	<1	1	4	8	13	25
B. *Operated*	375	4.9	15	1	2	4	6	9	12	19
1. SINGLE DX	499	3.5	4	1	1	3	4	6	8	11
2. MULTIPLE DX	400	4.8	16	1	1	4	6	9	12	19
A. NOT OPERATED	37	3.6	20	<1	<1	2	5	8	9	25
B. OPERATED	862	4.1	9	1	2	3	5	7	10	16
TOTAL 0-19 YRS	316	3.0	5	<1	1	2	4	6	7	11
20-34	111	3.7	5	1	2	3	4	6	8	13
35-49	88	4.4	10	2	2	3	5	8	10	20
50-64	210	4.5	6	2	2	4	5	8	10	12
65+	174	5.7	21	2	2	5	7	10	14	28
GRAND TOTAL	**899**	**4.1**	**10**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	4.1	8	1	1	3	6	7	10	14
20-34	101	4.6	7	1	2	4	6	8	9	12
35-49	35	7.2	52	2	3	6	8	10	24	39
50-64	34	7.8	29	1	2	7	10	16	20	21
65+	44	7.0	22	2	2	6	10	13	17	21
B. *Operated*										
0-19 YRS	21	5.1	24	1	1	3	7	12	16	19
20-34	31	4.0	10	<1	1	3	5	8	10	15
35-49	19	5.2	22	1	2	4	6	11	17	21
50-64	16	5.5	10	2	2	5	7	8	13	15
65+	13	7.4	13	3	3	7	9	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	4.6	8	1	1	6	6	8	9	9
20-34	30	5.5	9	1	2	5	7	9	11	13
35-49	18	6.7	15	2	3	6	8	12	14	16
50-64	35	8.7	43	3	4	7	11	13	18	39
65+	54	8.8	61	2	4	8	10	13	17	55
B. *Operated*										
0-19 YRS	6	5.3	10	2	2	5	6	10	11	11
20-34	16	5.3	10	<1	1	5	7	11	11	11
35-49	17	6.4	21	2	3	4	9	13	16	18
50-64	23	12.0	46	4	5	11	16	23	25	26
65+	21	11.0	39	2	3	11	15	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	5.6	19	1	2	5	7	10	13	21
B. *Operated*	100	5.2	16	1	1	4	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	146	7.6	39	2	2	6	9	13	15	40
B. *Operated*	83	8.8	37	2	3	7	12	18	22	26
1. SINGLE DX	380	5.5	19	1	2	4	7	10	13	21
2. MULTIPLE DX	229	8.0	38	2	3	7	10	14	19	29
A. NOT OPERATED	426	6.3	27	1	2	5	8	11	13	26
B. OPERATED	183	6.8	29	1	2	5	9	15	19	24
TOTAL 0-19 YRS	102	4.4	11	1	1	3	6	9	11	17
20-34	178	4.7	8	1	1	4	6	8	10	13
35-49	89	6.5	32	2	2	5	8	12	16	35
50-64	108	8.6	38	2	2	7	11	16	21	31
65+	132	8.4	41	2	3	7	11	15	19	31
GRAND TOTAL	**609**	**6.4**	**27**	**1**	**2**	**5**	**8**	**12**	**15**	**25**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	283	2.0	2	<1	<1	2	2	3	4	9
20-34	58	2.4	1	<1	<1	2	3	4	5	6
35-49	24	2.4	4	<1	<1	2	2	4	7	11
50-64	8	2.6	5	<1	<1	2	4	6	6	6
65+	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	467	1.8	1	<1	<1	2	2	3	4	6
20-34	81	2.1	2	<1	<1	2	3	4	4	9
35-49	27	1.7	1	<1	<1	1	2	3	3	4
50-64	22	2.6	3	<1	1	2	3	5	7	9
65+	14	3.9	7	1	1	3	5	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	7	<1	<1	2	2	6	9	14
20-34	19	2.6	7	<1	1	2	2	3	9	13
35-49	14	2.6	3	<1	<1	2	3	6	6	6
50-64	17	1.9	1	<1	<1	2	2	4	4	4
65+	19	5.9	37	1	1	4	7	17	20	21
B. *Operated*										
0-19 YRS	105	2.8	7	<1	<1	2	3	5	7	16
20-34	38	3.0	7	<1	<1	2	3	6	8	16
35-49	38	3.9	9	2	2	3	4	8	10	17
50-64	25	3.0	4	<1	<1	3	4	5	7	9
65+	53	5.2	21	2	2	3	6	13	17	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	381	2.1	2	<1	<1	2	2	4	5	9
B. *Operated*	611	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	128	2.9	11	<1	<1	2	3	6	9	19
B. *Operated*	259	3.5	11	<1	1	2	4	7	10	18
1. SINGLE DX	992	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	387	3.3	11	<1	<1	2	4	7	10	18
A. NOT OPERATED	509	2.3	5	<1	<1	2	3	4	6	14
B. OPERATED	870	2.4	5	<1	<1	2	3	4	6	14
TOTAL 0-19 YRS	914	2.0	3	<1	<1	2	2	3	5	9
20-34	196	2.4	3	<1	<1	2	3	4	5	12
35-49	103	2.8	6	<1	<1	2	3	5	8	14
50-64	72	2.6	3	<1	<1	2	3	5	6	9
65+	94	4.9	21	1	1	3	6	11	17	20
GRAND TOTAL	**1379**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**14**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	2.7	16	<1	<1	2	3	4	7	27
20-34	42	2.7	8	<1	1	2	3	5	7	17
35-49	16	3.7	5	1	1	3	6	7	8	8
50-64	9	3.2	5	1	1	3	5	7	7	7
65+	9	5.6	15	1	1	5	8	12	12	12
B. *Operated*										
0-19 YRS	270	2.6	3	<1	1	2	3	5	6	10
20-34	201	3.1	7	<1	<1	3	4	6	7	15
35-49	112	3.5	6	1	1	3	4	7	8	14
50-64	106	3.8	6	1	2	3	5	7	9	14
65+	51	4.3	8	<1	2	3	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	32	1	1	3	5	8	21	25
20-34	17	2.9	3	1	2	2	4	5	7	8
35-49	17	7.8	52	1	2	6	9	16	25	30
50-64	17	4.8	5	1	1	5	6	8	8	8
65+	23	7.7	30	1	2	7	9	15	21	22
B. *Operated*										
0-19 YRS	85	3.5	11	<1	1	2	4	7	8	20
20-34	104	4.3	12	1	2	3	5	9	12	19
35-49	87	4.8	27	<1	1	3	6	10	12	30
50-64	96	6.3	25	1	2	5	8	12	18	25
65+	72	8.2	128	2	2	6	9	15	18	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	145	3.0	12	<1	1	2	3	6	8	18
B. *Operated*	740	3.2	6	<1	1	3	4	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	110	5.5	28	1	1	4	7	11	18	27
B. *Operated*	444	5.3	39	1	1	4	6	10	14	25
1. SINGLE DX	885	3.1	7	<1	1	3	4	6	7	13
2. MULTIPLE DX	554	5.3	36	1	1	4	6	10	15	25
A. NOT OPERATED	255	4.1	20	<1	1	2	5	8	12	25
B. OPERATED	1184	4.0	19	<1	1	3	5	8	10	21
TOTAL 0-19 YRS	460	2.9	9	<1	1	2	3	5	7	18
20-34	364	3.4	9	<1	1	3	4	6	9	17
35-49	232	4.3	18	1	1	3	5	8	11	26
50-64	228	4.9	15	1	1	4	6	9	13	23
65+	155	6.7	70	1	2	5	8	12	15	24
GRAND TOTAL	**1439**	**4.0**	**19**	**<1**	**1**	**3**	**5**	**8**	**11**	**22**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	7	1.4		<1	<1	1	2	2	2	2
50-64	2	1.0		1	1	1	1	1	1	1
65+	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	31	1.9	1	<1	<1	2	2	3	4	4
20-34	271	2.3	2	<1	<1	2	3	4	5	9
35-49	592	2.5	4	<1	<1	2	3	4	5	11
50-64	242	2.8	4	<1	1	2	3	5	7	11
65+	64	3.0	9	1	1	2	3	5	6	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	3	4.3	9	<1	<1	5	6	7	7	7
35-49	4	1.8	2	1	1	1	3	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	2.7	1	2	2	3	3	4	4	4
20-34	96	3.1	6	<1	<1	2	4	6	8	14
35-49	245	3.8	20	<1	<1	2	4	8	10	20
50-64	160	4.1	13	<1	1	3	5	8	10	20
65+	94	4.7	15	1	2	3	5	9	12	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	1.7	3	<1	<1	1	2	3	6	7
B. *Operated*	1200	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	9	2.9	5	<1	<1	3	4	6	7	7
B. *Operated*	602	3.9	15	<1	<1	3	5	8	10	20
1. SINGLE DX	1214	2.5	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	611	3.9	15	<1	<1	3	5	8	10	20
A. NOT OPERATED	23	2.2	4	<1	<1	1	3	5	7	7
B. OPERATED	1802	3.0	8	<1	<1	2	3	5	8	14
TOTAL 0-19 YRS	39	2.1	1	<1	<1	2	3	4	4	4
20-34	373	2.5	3	<1	<1	2	3	5	7	9
35-49	848	2.8	9	<1	<1	2	3	5	7	13
50-64	405	3.3	8	<1	1	2	4	7	8	15
65+	160	4.0	13	1	2	3	5	8	9	22
GRAND TOTAL	**1825**	**3.0**	**8**	**<1**	**<1**	**2**	**3**	**5**	**8**	**14**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.2	12	1	1	3	5	9	12	13
20-34	44	4.0	4	1	2	4	5	7	8	9
35-49	17	2.5	4	<1	<1	2	3	5	7	8
50-64	6	7.5	26	1	1	7	11	15	15	15
65+	2	9.0	50	4	4	9	14	14	14	14
B. *Operated*										
0-19 YRS	142	3.2	3	<1	1	3	4	5	6	8
20-34	428	3.5	4	<1	1	3	5	6	7	9
35-49	197	3.2	4	<1	1	3	4	6	7	10
50-64	99	4.0	6	<1	1	3	6	7	8	13
65+	56	3.8	8	<1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	12	<1	<1	3	6	9	9	9
20-34	35	4.1	8	<1	1	4	6	9	10	11
35-49	15	5.7	27	<1	1	5	8	15	17	18
50-64	8	5.4	65	<1	<1	3	4	19	25	25
65+	11	5.5	65	<1	<1	3	5	18	27	28
B. *Operated*										
0-19 YRS	30	3.8	4	<1	1	3	5	7	8	8
20-34	172	4.1	18	1	1	3	5	7	7	26
35-49	128	4.7	29	1	1	4	6	9	10	25
50-64	101	5.3	20	1	2	4	7	9	14	25
65+	56	7.1	48	2	2	5	8	16	24	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	4.1	9	1	1	4	5	8	10	15
B. *Operated*	922	3.5	4	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	73	4.8	26	<1	1	4	6	9	15	27
B. *Operated*	487	4.8	24	1	2	4	6	9	11	28
1. SINGLE DX	1003	3.5	5	<1	1	3	5	6	7	11
2. MULTIPLE DX	560	4.8	25	1	1	4	6	9	12	28
A. NOT OPERATED	154	4.4	17	<1	1	4	5	9	12	25
B. OPERATED	1409	3.9	12	<1	1	3	5	7	8	18
TOTAL 0-19 YRS	188	3.4	4	<1	1	3	4	6	7	9
20-34	679	3.7	8	1	1	3	5	6	7	11
35-49	357	3.8	15	<1	1	3	5	7	9	15
50-64	214	4.8	16	<1	1	4	6	8	12	22
65+	125	5.5	33	1	2	4	6	12	16	31
GRAND TOTAL	**1563**	**4.0**	**12**	**<1**	**1**	**3**	**5**	**7**	**9**	**18**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	3.1	4	<1	1	3	4	6	7	10
20-34	219	2.4	3	<1	1	2	3	4	6	9
35-49	43	2.7	4	<1	1	2	4	5	7	10
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	2	10.0	128	2	2	10	18	18	18	18
B. *Operated*										
0-19 YRS	162	4.3	6	1	1	4	6	7	9	12
20-34	634	4.8	8	1	1	5	6	8	10	14
35-49	192	5.9	8	1	2	6	8	9	10	16
50-64	31	8.7	49	1	3	6	9	19	26	31
65+	7	7.9	10	2	3	9	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	2.7	5	1	1	2	3	7	7	8
20-34	109	3.1	5	<1	1	3	4	6	7	11
35-49	19	6.5	42	1	1	4	8	18	23	25
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	12.7	156	4	4	7	22	27	27	27
B. *Operated*										
0-19 YRS	93	6.1	16	2	2	5	7	10	12	25
20-34	646	6.4	15	1	2	6	8	10	12	20
35-49	282	8.0	27	3	4	7	9	13	17	26
50-64	44	9.1	14	4	6	8	10	14	17	21
65+	17	16.2	354	6	6	10	16	36	67	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	338	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	1026	5.1	10	1	1	5	7	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	160	3.6	14	1	1	3	5	7	8	24
B. *Operated*	1082	7.0	25	2	2	6	8	11	14	25
1. SINGLE DX	1364	4.5	9	1	1	4	6	8	9	14
2. MULTIPLE DX	1242	6.6	25	1	2	6	8	10	14	25
A. NOT OPERATED	498	2.9	7	<1	1	2	4	6	7	13
B. OPERATED	2108	6.1	19	1	2	6	7	10	12	21
TOTAL 0-19 YRS	353	4.4	9	1	1	4	6	8	10	13
20-34	1608	5.0	12	1	1	5	7	9	10	17
35-49	536	6.8	21	1	2	6	8	10	14	25
50-64	80	8.5	29	1	3	8	9	14	21	30
65+	29	13.4	234	2	5	9	12	24	42	82
GRAND TOTAL	**2606**	**5.5**	**18**	**1**	**1**	**5**	**7**	**9**	**11**	**20**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	545	4.5	6	1	2	4	6	7	9	13
20-34	1057	4.7	6	1	2	4	6	8	9	12
35-49	91	5.3	9	1	2	5	7	9	12	15
50-64	18	6.1	16	2	2	5	8	13	15	16
65+	5	8.8	22	3	3	10	12	14	14	14
B. *Operated*										
0-19 YRS	140	5.8	17	1	2	5	8	11	13	24
20-34	526	5.5	14	<1	1	5	7	9	12	19
35-49	144	5.7	12	<1	1	6	8	11	12	16
50-64	18	8.8	49	2	2	7	13	16	24	29
65+	2	7.0	18	4	4	7	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	208	[illegible]	9	1	2	4	6	9	11	16
20-34	468	[illegible]	13	2	2	5	6	8	10	16
35-49	55	[illegible]	10	2	3	5	7	11	11	19
50-64	13	8.5	21	2	4	8	10	14	20	21
65+	6	8.2	15	4	4	8	10	14	14	14
B. *Operated*										
0-19 YRS	132	6.7	16	1	2	6	8	11	15	21
20-34	1047	6.2	16	1	2	6	8	10	13	20
35-49	310	7.9	33	1	2	7	9	13	19	31
50-64	31	8.6	46	1	2	7	11	15	18	37
65+	5	9.4	73	2	2	5	17	21	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1716	4.7	7	1	2	4	6	8	9	13
B. *Operated*	830	5.7	15	<1	1	5	8	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	750	5.3	12	2	2	5	6	9	11	16
B. *Operated*	1525	6.7	21	1	2	6	8	11	14	23
1. SINGLE DX	2546	5.0	10	1	2	5	7	9	10	16
2. MULTIPLE DX	2275	6.2	18	1	2	6	8	10	13	21
A. NOT OPERATED	2466	4.9	8	1	2	4	6	8	10	14
B. OPERATED	2355	6.3	19	1	2	6	8	11	13	21
TOTAL 0-19 YRS	1025	5.1	10	1	2	5	7	9	11	16
20-34	3098	5.4	12	1	2	5	7	9	11	17
35-49	600	6.8	23	1	2	6	8	11	15	24
50-64	80	8.1	36	2	2	7	10	15	17	35
65+	18	8.6	28	2	3	8	12	15	19	21
GRAND TOTAL	**4821**	**5.6**	**14**	**1**	**2**	**5**	**7**	**9**	**12**	**19**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.2	5	1	1	2	6	6	6	6
20-34	37	3.3	10	<1	<1	3	4	6	7	19
35-49	6	6.7	26	1	1	6	9	14	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	21	3.0	6	<1	1	2	3	6	9	11
20-34	353	4.9	10	<1	1	5	7	8	10	15
35-49	206	6.5	8	1	2	7	8	10	11	14
50-64	13	6.6	5	2	4	7	8	9	10	10
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	4.3	15	1	1	3	6	7	9	21
35-49	8	4.4	3	2	2	4	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	16	4.0	7	2	2	2	7	8	8	8
20-34	745	6.4	10	1	2	7	8	9	11	17
35-49	784	7.7	9	3	5	7	9	11	12	18
50-64	98	8.7	11	5	6	8	9	12	16	23
65+	11	12.5	78	6	6	9	13	28	34	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.7	12	<1	1	3	5	7	9	19
B. *Operated*	594	5.4	10	1	1	6	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	36	4.3	12	1	1	4	6	7	8	21
B. *Operated*	1654	7.1	11	2	3	7	8	10	12	18
1. SINGLE DX	646	5.3	10	1	1	5	7	9	10	15
2. MULTIPLE DX	1690	7.1	11	2	2	7	8	10	12	18
A. NOT OPERATED	88	3.9	12	<1	1	3	6	7	8	20
B. OPERATED	2248	6.7	11	1	2	7	8	10	12	17
TOTAL 0-19 YRS	46	3.4	6	1	1	2	4	7	8	11
20-34	1163	5.8	11	1	2	6	7	9	11	16
35-49	1004	7.4	9	2	5	7	9	10	12	17
50-64	111	8.5	10	5	6	8	9	11	14	22
65+	12	12.3	72	6	6	9	12	27	34	35
GRAND TOTAL	**2336**	**6.6**	**11**	**1**	**2**	**7**	**8**	**10**	**12**	**17**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	82	3.1	6	<1	<1	2	5	7	8	9
35-49	44	4.7	16	<1	<1	4	7	9	11	21
50-64	10	5.3	35	1	1	3	7	14	21	21
65+	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	2.8	5	1	1	2	3	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	164	6.0	10	<1	1	7	8	9	10	17
35-49	156	6.8	8	<1	2	7	8	9	11	15
50-64	41	5.6	13	<1	1	6	8	10	11	14
65+	10	5.6	11	2	2	5	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.7	5	1	1	3	5	7	7	7
B. *Operated*	143	3.7	11	<1	<1	3	6	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	6	2.8	5	1	1	2	3	7	7	7
B. *Operated*	377	6.2	10	<1	1	7	8	9	10	16
1. SINGLE DX	149	3.7	11	<1	<1	3	6	7	8	21
2. MULTIPLE DX	383	6.1	10	<1	1	7	8	9	10	16
A. NOT OPERATED	12	3.3	4	1	1	3	4	7	7	7
B. OPERATED	520	5.5	11	<1	1	6	8	9	10	16
TOTAL 0-19 YRS	10	1.3		<1	<1	1	2	2	2	2
20-34	255	5.0	10	<1	<1	6	7	8	9	16
35-49	201	6.3	11	<1	1	7	8	9	11	16
50-64	52	5.5	16	<1	1	5	8	10	13	21
65+	14	5.2	10	1	2	5	8	9	10	10
GRAND TOTAL	**532**	**5.4**	**11**	**<1**	**1**	**6**	**8**	**9**	**10**	**16**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.6	7	<1	<1	3	5	8	10	11
20-34	95	3.5	4	<1	1	3	4	6	8	10
35-49	20	5.0	8	<1	1	5	7	9	11	11
50-64	5	4.2	25	1	1	2	5	13	13	13
65+	11	6.2	10	2	2	6	8	10	13	13
B. *Operated*										
0-19 YRS	38	1.7	1	<1	<1	1	2	3	4	5
20-34	300	2.3	2	<1	1	2	3	4	6	8
35-49	120	2.7	4	<1	1	2	3	5	8	10
50-64	33	2.2	3	<1	1	2	3	5	7	7
65+	12	3.5	5	2	2	3	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.5	158	1	1	4	6	7	30	62
20-34	61	5.0	11	1	1	4	6	10	12	17
35-49	14	4.8	34	1	1	3	6	11	20	23
50-64	9	11.7	22	6	6	11	15	19	19	19
65+	14	12.5	47	4	6	9	18	21	26	27
B. *Operated*										
0-19 YRS	22	6.0	53	<1	1	3	8	11	23	34
20-34	108	4.1	19	1	1	2	6	9	12	27
35-49	70	3.7	8	<1	1	3	5	7	10	13
50-64	21	6.6	29	<1	1	4	11	16	16	16
65+	18	12.2	121	1	2	8	18	29	37	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.9	7	<1	1	3	5	8	9	13
B. *Operated*	503	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	120	6.6	52	1	1	5	8	13	19	37
B. *Operated*	239	5.0	32	1	1	3	7	10	15	31
1. SINGLE DX	661	2.7	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	359	5.6	39	1	1	3	7	12	17	31
A. NOT OPERATED	278	5.1	28	1	1	4	6	10	13	22
B. OPERATED	742	3.2	14	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	109	4.0	47	<1	<1	2	5	8	10	45
20-34	564	3.1	8	<1	1	2	4	6	8	13
35-49	224	3.3	8	<1	1	2	4	7	9	12
50-64	68	5.0	25	<1	1	3	7	14	16	19
65+	55	9.2	67	2	2	7	11	20	26	40
GRAND TOTAL	**1020**	**3.7**	**18**	**<1**	**1**	**2**	**4**	**8**	**10**	**20**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	2.0		2	2	2	2	2	2	2
35-49	5	2.0	1	<1	<1	2	3	3	3	3
50-64	9	3.0	6	1	1	2	5	7	7	7
65+	11	5.8	20	1	1	6	7	12	16	16
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	115	6.8	15	2	3	6	8	10	12	23
35-49	279	8.1	16	4	5	7	9	12	15	26
50-64	413	8.4	10	5	5	8	10	12	15	18
65+	291	9.0	15	4	5	8	10	13	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	12	5.5	34	1	1	2	9	15	17	17
50-64	15	2.6	8	<1	<1	1	3	6	10	11
65+	35	6.1	33	1	1	4	9	14	20	21
B. *Operated*										
0-19 YRS	5	7.2	2	6	6	7	8	9	9	9
20-34	253	8.4	13	5	5	7	10	12	15	21
35-49	681	9.7	25	5	6	8	11	15	19	30
50-64	766	9.9	20	5	6	9	11	15	18	26
65+	614	11.1	38	5	6	9	13	18	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.9	12	<1	1	2	6	7	11	16
B. *Operated*	1099	8.3	13	4	5	8	9	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	63	5.2	28	<1	1	3	8	13	18	21
B. *Operated*	2319	10.0	26	5	6	8	11	16	19	30
1. SINGLE DX	1126	8.2	14	4	5	8	9	12	15	22
2. MULTIPLE DX	2382	9.9	27	5	6	8	11	16	19	30
A. NOT OPERATED	90	4.8	23	<1	1	3	7	12	16	21
B. OPERATED	3418	9.4	23	5	6	8	11	15	18	29
TOTAL 0-19 YRS	6	7.2	1	6	6	7	8	9	9	9
20-34	371	7.9	14	3	5	7	9	12	14	21
35-49	977	9.2	23	4	5	8	10	14	18	29
50-64	1203	9.2	18	5	6	8	11	15	17	24
65+	951	10.2	32	4	6	9	12	17	20	35
GRAND TOTAL	**3508**	**9.3**	**23**	**4**	**5**	**8**	**11**	**15**	**18**	**29**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	2	<1	<1	2	4	4	4	4
20-34	16	3.9	23	1	1	3	4	6	16	21
35-49										
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	13	1.9	2	<1	<1	2	2	4	6	6
20-34	79	1.7	4	<1	<1	1	2	2	5	13
35-49	67	2.5	7	<1	<1	1	2	7	10	11
50-64	10	2.2	6	<1	<1	1	2	6	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	10	1.9	2	<1	<1	1	2	4	5	5
35-49	8	4.1	9	<1	<1	3	6	9	9	9
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	3	4.3	33	1	1	1	9	11	11	11
20-34	67	4.3	15	<1	<1	2	6	10	13	15
35-49	80	5.3	25	<1	<1	4	7	11	15	26
50-64	10	2.7	5	<1	<1	2	2	6	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	3.6	17	<1	1	3	4	5	11	21
B. *Operated*	169	2.1	5	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	21	3.2	8	<1	<1	2	4	8	9	10
B. *Operated*	160	4.7	20	<1	<1	2	7	10	13	19
1. SINGLE DX	192	2.3	7	<1	<1	1	2	5	7	14
2. MULTIPLE DX	181	4.5	18	<1	<1	2	7	10	12	18
A. NOT OPERATED	44	3.4	12	<1	<1	3	4	6	9	21
B. OPERATED	329	3.3	14	<1	<1	2	5	9	11	16
TOTAL 0-19 YRS	24	2.4	5	<1	<1	2	3	4	7	11
20-34	172	2.9	11	<1	<1	2	3	6	10	16
35-49	155	4.0	18	<1	<1	2	7	10	11	19
50-64	22	2.9	7	<1	<1	2	5	8	9	10
65+										
GRAND TOTAL	**373**	**3.4**	**14**	**<1**	**<1**	**2**	**5**	**8**	**11**	**17**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	2.4	2	1	1	2	3	4	5	8
20-34	248	2.1	1	<1	1	2	3	4	4	5
35-49	67	2.0	2	<1	1	2	2	4	5	7
50-64	6	2.0		1	1	2	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	116	1.8	2	<1	<1	2	2	3	4	8
20-34	1465	2.8	7	<1	<1	2	3	7	8	10
35-49	1290	3.0	8	<1	<1	2	4	7	8	11
50-64	135	2.3	5	<1	<1	2	2	6	8	13
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.1	3	1	1	3	4	6	7	8
20-34	150	3.1	11	<1	<1	2	4	7	8	22
35-49	88	2.8	9	<1	<1	2	3	6	8	18
50-64	18	3.1	6	1	1	3	4	5	9	12
65+										
B. *Operated*										
0-19 YRS	74	2.6	4	<1	1	2	3	6	7	8
20-34	1657	5.5	13	<1	1	6	8	9	11	17
35-49	2247	6.2	16	<1	1	7	8	10	12	19
50-64	242	5.8	23	<1	1	6	8	10	13	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	415	2.1	2	<1	1	2	3	4	4	7
B. *Operated*	3006	2.8	7	<1	<1	2	3	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	298	3.0	9	<1	<1	2	4	6	8	18
B. *Operated*	4220	5.8	15	<1	1	6	8	10	12	19
1. SINGLE DX	3421	2.7	6	<1	<1	2	3	7	8	10
2. MULTIPLE DX	4518	5.6	16	<1	1	6	8	10	12	19
A. NOT OPERATED	713	2.5	5	<1	1	2	3	4	6	12
B. OPERATED	7226	4.6	14	<1	<1	3	7	9	10	16
TOTAL 0-19 YRS	326	2.3	3	<1	1	2	3	4	6	8
20-34	3520	4.0	11	<1	<1	2	7	8	10	14
35-49	3692	4.9	16	<1	1	5	7	9	11	18
50-64	401	4.4	19	<1	1	2	7	9	11	20
65+										
GRAND TOTAL	**7939**	**4.4**	**14**	**<1**	**<1**	**3**	**7**	**9**	**10**	**16**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	2.2	1	1	1	2	3	4	4	4
50-64	12	2.9	6	<1	<1	2	3	8	8	8
65+	8	5.9	12	2	2	6	7	11	13	13
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	9	4.0	11	<1	<1	2	7	9	9	9
35-49	133	2.3	7	<1	<1	2	2	4	9	14
50-64	449	1.9	3	<1	<1	2	2	3	4	11
65+	101	2.7	9	<1	1	2	3	4	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	11	2.9	2	<1	1	3	4	5	5	5
50-64	17	4.2	34	<1	1	2	4	8	19	25
65+	30	7.0	54	1	1	4	8	17	24	32
B. *Operated*										
0-19 YRS										
20-34	13	6.7	13	1	1	7	9	11	13	13
35-49	125	3.9	13	<1	<1	2	7	9	11	14
50-64	466	3.2	13	<1	1	2	3	8	10	18
65+	179	4.9	39	1	1	3	6	10	13	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	3.5	8	1	1	2	5	8	8	13
B. *Operated*	693	2.1	5	<1	<1	2	2	3	6	11
2. MULTIPLE DX										
A. *Not Operated*	59	5.4	40	<1	1	3	7	11	23	31
B. *Operated*	783	3.8	20	<1	1	2	4	9	11	22
1. SINGLE DX	722	2.2	5	<1	<1	2	2	4	6	12
2. MULTIPLE DX	842	3.9	21	<1	1	2	5	9	11	25
A. NOT OPERATED	88	4.8	30	1	1	3	6	9	14	29
B. OPERATED	1476	3.0	14	<1	<1	2	3	7	10	18
TOTAL 0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	23	5.6	13	<1	1	6	8	10	12	13
35-49	278	3.0	10	<1	<1	2	3	8	10	13
50-64	944	2.6	9	<1	<1	2	2	6	9	15
65+	318	4.4	32	1	1	2	5	9	12	29
GRAND TOTAL	**1564**	**3.1**	**15**	**<1**	**<1**	**2**	**3**	**8**	**10**	**21**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	2.6	6	<1	<1	2	3	6	7	12
20-34	67	2.4	5	<1	1	2	3	5	6	14
35-49	14	2.1	6	<1	<1	1	2	6	8	9
50-64	6	6.7	63	<1	<1	4	8	21	22	22
65+	8	5.5	19	2	2	4	7	13	15	15
B. *Operated*										
0-19 YRS	69	3.3	4	1	1	3	4	6	7	11
20-34	656	3.8	8	<1	1	3	5	8	9	14
35-49	348	3.9	10	<1	<1	3	6	8	9	13
50-64	218	3.3	14	<1	<1	2	4	8	9	19
65+	70	4.7	38	1	1	2	4	9	26	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.1	1	<1	<1	2	3	4	5	5
20-34	71	2.2	3	<1	<1	1	3	4	6	8
35-49	27	4.4	22	<1	<1	2	5	11	13	21
50-64	10	11.1	125	1	1	8	13	31	33	33
65+	16	9.4	35	1	2	9	14	18	19	20
B. *Operated*										
0-19 YRS	41	4.2	8	1	1	3	6	8	10	12
20-34	685	5.9	17	<1	1	6	8	10	12	19
35-49	675	6.3	21	1	1	7	8	10	13	22
50-64	342	6.2	38	<1	1	5	8	11	15	34
65+	127	7.6	58	1	1	4	10	18	25	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.8	9	<1	<1	2	3	6	8	17
B. *Operated*	1361	3.8	11	<1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	144	4.0	26	<1	<1	2	4	10	14	29
B. *Operated*	1870	6.2	25	<1	1	6	8	10	14	27
1. SINGLE DX	1486	3.7	11	<1	1	2	5	8	9	16
2. MULTIPLE DX	2014	6.0	25	<1	1	6	8	10	14	27
A. NOT OPERATED	269	3.5	19	<1	<1	2	4	8	12	22
B. OPERATED	3231	5.2	21	<1	1	4	7	9	12	23
TOTAL 0-19 YRS	160	3.3	6	<1	1	2	4	6	8	12
20-34	1479	4.6	13	<1	1	4	7	9	10	16
35-49	1064	5.4	19	<1	1	5	8	9	12	21
50-64	576	5.2	33	<1	<1	3	7	10	14	32
65+	221	6.7	50	1	1	3	9	17	24	32
GRAND TOTAL	**3500**	**5.0**	**21**	**<1**	**1**	**4**	**7**	**9**	**12**	**23**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	207	1.9	1	<1	1	2	2	4	5	5
20-34	231	2.2	4	<1	1	2	3	4	6	11
35-49	42	2.9	12	<1	1	2	3	5	8	21
50-64	6	3.0	2	2	2	2	5	5	5	5
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	89	2.5	3	<1	<1	2	3	5	6	10
20-34	813	3.1	8	<1	<1	2	4	7	9	12
35-49	339	6.8	23	<1	1	7	9	12	15	23
50-64	158	9.0	16	2	4	9	11	14	17	22
65+	74	10.3	30	<1	2	10	14	18	19	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	2	<1	1	2	3	4	6	9
20-34	146	3.0	5	<1	1	2	4	6	8	12
35-49	32	2.9	11	<1	<1	1	4	6	12	15
50-64	15	4.2	22	1	1	3	5	9	16	19
65+	16	7.8	70	<1	<1	5	11	17	27	32
B. *Operated*										
0-19 YRS	60	4.4	17	<1	1	3	6	9	12	20
20-34	1209	4.6	12	<1	1	4	7	8	10	15
35-49	595	8.2	28	1	2	8	10	14	17	32
50-64	260	11.3	44	2	6	9	14	20	24	34
65+	117	12.8	64	1	6	11	16	24	30	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	490	2.2	3	<1	1	2	3	4	5	10
B. *Operated*	1473	4.9	19	<1	<1	3	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	275	3.1	11	<1	1	2	4	7	9	17
B. *Operated*	2241	6.7	30	<1	1	6	9	13	16	30
1. SINGLE DX	1963	4.2	17	<1	<1	2	7	9	12	19
2. MULTIPLE DX	2516	6.3	29	<1	1	6	8	12	16	29
A. NOT OPERATED	765	2.5	6	<1	1	2	3	5	7	13
B. OPERATED	3714	6.0	27	<1	1	6	8	12	15	26
TOTAL 0-19 YRS	422	2.4	5	<1	1	2	3	5	8	10
20-34	2399	3.7	10	<1	<1	2	6	8	9	13
35-49	1008	7.4	27	1	1	7	9	13	16	28
50-64	439	10.1	36	2	3	9	13	18	22	33
65+	211	11.3	54	<1	2	10	14	20	26	34
GRAND TOTAL	**4479**	**5.4**	**25**	**<1**	**1**	**4**	**8**	**11**	**14**	**24**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	12	1.7	1	<1	<1	1	2	3	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	37	5.6	4	3	4	6	7	8	8	13
20-34	522	5.3	3	3	3	5	6	7	8	11
35-49	48	6.1	7	3	3	5	7	8	10	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	4.0	18	1	1	4	7	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	6.1	9	2	3	6	7	10	11	14
20-34	343	6.0	5	3	4	6	7	8	10	13
35-49	54	5.9	7	3	4	5	6	8	13	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.7	1	<1	<1	1	2	3	4	4
B. *Operated*	607	5.3	4	3	3	5	6	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	9	1	1	4	6	7	7	7
B. *Operated*	421	6.0	5	3	4	6	7	8	10	14
1. SINGLE DX	622	5.3	4	3	3	5	6	8	8	12
2. MULTIPLE DX	424	5.9	5	3	4	6	7	8	10	14
A. NOT OPERATED	18	2.1	3	<1	<1	2	3	4	6	7
B. OPERATED	1028	5.6	4	3	4	5	6	8	9	13
TOTAL 0-19 YRS	65	5.6	6	2	3	6	7	8	10	14
20-34	879	5.5	4	3	3	5	6	8	9	12
35-49	102	6.0	7	3	4	5	7	8	11	17
50-64										
65+										
GRAND TOTAL	**1046**	**5.5**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		1	1	1	1	1	1	1
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	846	1.3	2	<1	<1	<1	1	2	2	4
20-34	1609	1.2	1	<1	<1	<1	1	2	2	5
35-49	88	1.3	1	<1	<1	<1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	10	3.9	11	<1	<1	2	7	9	9	9
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	610	1.6	2	<1	<1	1	2	2	3	8
20-34	1450	1.9	6	<1	<1	1	2	3	5	9
35-49	254	2.2	2	<1	<1	2	3	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5	1	1	1	1	2	3	4	4
B. *Operated*	2543	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	14	3.5	10	<1	<1	2	6	9	9	9
B. *Operated*	2314	1.8	5	<1	<1	1	2	3	4	8
1. SINGLE DX	2551	1.3	1	<1	<1	<1	1	2	2	5
2. MULTIPLE DX	2328	1.8	5	<1	<1	1	2	3	4	9
A. NOT OPERATED	22	2.8	7	<1	<1	1	4	8	9	9
B. OPERATED	4857	1.5	3	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	1462	1.4	2	<1	<1	1	2	2	3	5
20-34	3074	1.5	3	<1	<1	<1	2	2	3	7
35-49	343	2.0	2	<1	<1	1	3	4	5	7
50-64										
65+										
GRAND TOTAL	**4879**	**1.5**	**3**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
1. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
A. NOT OPERATED	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	2	1.5	1	1	1	1	2	2	2	2
TOTAL 0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64										
65+										
GRAND TOTAL	**3**	**1.3**		**<1**	**<1**	**1**	**2**	**2**	**2**	**2**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	2.3	3	<1	1	2	3	4	6	10
20-34	788	2.1	3	<1	1	1	2	4	6	10
35-49	58	1.7	1	<1	1	1	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	543	2.0	2	<1	1	2	2	4	5	9
20-34	3995	1.9	2	<1	1	1	2	4	5	9
35-49	425	1.7	2	<1	1	1	2	3	4	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	3	<1	1	2	3	5	7	8
20-34	92	3.1	8	1	1	2	4	6	11	14
35-49	8	3.4	5	1	1	3	5	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	73	2.5	4	<1	1	2	3	5	8	11
20-34	621	2.6	12	<1	1	2	3	5	7	15
35-49	84	2.9	15	<1	1	2	3	6	10	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	993	2.1	3	<1	1	2	3	4	6	10
B. *Operated*	4963	1.9	2	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	116	3.0	7	1	1	2	4	6	8	14
B. *Operated*	778	2.6	11	<1	1	2	3	5	7	16
1. SINGLE DX	5956	1.9	3	<1	1	1	2	4	5	9
2. MULTIPLE DX	894	2.7	11	<1	1	2	3	5	7	15
A. NOT OPERATED	1109	2.2	3	<1	1	2	3	4	6	11
B. OPERATED	5741	2.0	4	<1	1	1	2	4	5	9
TOTAL 0-19 YRS	779	2.1	3	<1	1	2	3	4	5	9
20-34	5496	2.0	4	<1	1	1	2	4	5	9
35-49	575	1.9	4	<1	1	1	2	3	5	11
50-64										
65+										
GRAND TOTAL	**6850**	**2.0**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**	**9**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	3.2	3	1	1	3	4	5	7	10
20-34	165	3.6	34	<1	1	2	4	6	8	40
35-49	12	3.3	9	1	1	2	4	7	11	12
50-64										
65+										
B. *Operated*										
0-19 YRS	76	2.3	3	1	1	2	3	5	6	8
20-34	677	2.2	3	1	1	2	3	4	5	10
35-49	50	2.1	2	<1	<1	2	2	4	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	3.8	8	<1	1	3	6	8	10	11
20-34	52	3.2	7	<1	1	2	4	7	10	11
35-49	3	4.3	24	<1	<1	2	8	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	41	3.6	9	<1	<1	2	5	9	10	10
20-34	193	3.1	9	<1	1	2	4	7	9	14
35-49	24	3.7	10	1	1	3	5	8	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.5	25	1	1	2	4	6	8	34
B. *Operated*	803	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	73	3.4	7	<1	1	2	5	7	10	11
B. *Operated*	258	3.2	9	<1	1	2	4	8	10	13
1. SINGLE DX	1036	2.5	9	1	1	2	3	5	6	11
2. MULTIPLE DX	331	3.3	8	<1	1	2	4	8	10	13
A. NOT OPERATED	306	3.5	21	<1	1	2	4	6	8	25
B. OPERATED	1061	2.5	5	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	191	3.0	5	<1	1	2	4	6	8	10
20-34	1087	2.6	9	<1	1	2	3	5	7	13
35-49	89	2.7	6	<1	1	2	3	6	8	12
50-64										
65+										
GRAND TOTAL	**1367**	**2.7**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	193	3.0	4	1	1	3	4	5	7	10
20-34	1375	3.4	8	1	1	3	4	6	8	15
35-49	72	3.0	4	1	1	3	3	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.8	3	1	1	3	4	5	5	5
20-34	11	4.3	14	1	2	3	5	9	15	15
35-49	3	6.7	80	1	1	2	13	17	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.0	11	<1	1	3	5	9	11	15
20-34	210	4.2	15	1	1	3	5	7	11	20
35-49	14	3.0	2	1	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	11	6.5	52	1	2	4	6	18	25	26
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1640	3.3	7	1	1	3	4	6	8	14
B. *Operated*	20	4.2	18	1	1	3	4	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	259	4.1	14	1	1	3	5	7	10	19
B. *Operated*	13	6.2	46	1	1	4	6	16	24	26
1. SINGLE DX	1660	3.3	7	1	1	3	4	6	8	15
2. MULTIPLE DX	272	4.2	15	1	1	3	5	7	12	21
A. NOT OPERATED	1899	3.4	8	1	1	3	4	6	8	15
B. OPERATED	33	5.0	29	1	1	3	5	13	17	26
TOTAL 0-19 YRS	236	3.2	5	1	1	3	4	5	8	12
20-34	1607	3.5	9	1	1	3	4	6	8	15
35-49	89	3.1	6	1	1	3	4	6	7	15
50-64										
65+										
GRAND TOTAL	**1932**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.2	16	<1	1	3	5	11	14	14
20-34	53	3.5	5	1	1	3	4	6	7	14
35-49	3	4.7	1	4	4	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	6	<1	<1	2	3	7	7	7
20-34	11	4.2	5	1	1	4	6	7	7	7
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	3.6	7	1	1	3	4	6	9	14
B. *Operated*	4	3.0	3	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	16	3.7	6	<1	1	3	6	7	7	7
B. *Operated*	2	4.0	18	1	1	4	7	7	7	7
1. SINGLE DX	71	3.6	7	1	1	3	4	6	9	14
2. MULTIPLE DX	18	3.7	6	<1	1	3	7	7	7	7
A. NOT OPERATED	83	3.6	7	<1	1	3	4	7	8	14
B. OPERATED	6	3.3	6	1	1	3	5	7	7	7
TOTAL 0-19 YRS	17	3.8	12	<1	<1	2	5	9	12	14
20-34	68	3.5	5	1	1	3	4	6	7	13
35-49	4	5.3	2	4	4	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**89**	**3.6**	**6**	**1**	**1**	**3**	**4**	**7**	**7**	**14**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	109	4.6	7	1	2	4	6	8	11	14
20-34	656	4.3	10	1	2	3	5	8	10	16
35-49	28	4.4	5	1	2	4	6	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	14	5.2	23	<1	1	4	5	11	17	19
20-34	121	5.4	36	<1	1	4	6	10	14	34
35-49	7	3.3	4	2	2	2	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	4.9	12	1	2	4	6	10	12	17
20-34	149	5.4	21	1	2	4	7	11	14	23
35-49	15	6.3	21	2	2	5	6	15	18	19
50-64										
65+										
B. *Operated*										
0-19 YRS	13	6.6	30	1	2	6	8	13	20	22
20-34	95	5.9	30	<1	1	4	8	12	17	25
35-49	9	4.1	10	1	1	2	7	9	9	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	4.4	9	1	2	4	6	8	10	16
B. *Operated*	142	5.2	33	<1	1	4	6	10	14	29
2. MULTIPLE DX										
A. *Not Operated*	192	5.4	19	1	2	4	7	10	14	23
B. *Operated*	117	5.9	28	1	1	4	7	12	17	25
1. SINGLE DX	935	4.5	13	1	2	4	6	8	11	17
2. MULTIPLE DX	309	5.6	23	1	2	4	7	11	15	25
A. NOT OPERATED	985	4.6	11	1	2	4	6	8	11	17
B. OPERATED	259	5.5	31	<1	1	4	7	12	16	25
TOTAL 0-19 YRS	164	4.9	11	1	2	4	6	9	11	19
20-34	1021	4.8	16	1	1	4	6	9	12	20
35-49	59	4.7	10	1	2	4	6	8	10	19
50-64										
65+										
GRAND TOTAL	**1244**	**4.8**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**19**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.7	5	1	2	3	5	6	8	13
20-34	568	5.0	16	1	2	4	6	9	13	21
35-49	19	5.1	15	1	1	4	6	10	14	17
50-64										
65+										
B. *Operated*										
0-19 YRS	2	8.5	41	4	4	8	13	13	13	13
20-34	9	4.0	19	1	1	2	4	11	15	15
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	4.7	27	1	1	3	5	8	14	29
20-34	140	4.8	15	1	1	4	6	9	14	19
35-49	11	8.7	45	3	3	6	12	18	25	26
50-64										
65+										
B. *Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	6	6.0	30	2	2	4	5	16	17	17
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	729	4.7	14	1	2	4	6	8	12	20
B. *Operated*	11	4.8	22	1	1	3	5	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	195	5.0	20	1	1	4	6	10	15	25
B. *Operated*	9	5.0	22	1	1	4	5	12	17	17
1. SINGLE DX	740	4.7	14	1	2	4	6	8	12	20
2. MULTIPLE DX	204	5.0	20	1	1	4	6	10	15	25
A. NOT OPERATED	924	4.8	15	1	2	4	6	8	13	21
B. OPERATED	20	4.9	21	1	1	3	5	14	16	17
TOTAL 0-19 YRS	191	4.0	11	1	1	3	5	7	9	19
20-34	723	4.9	16	1	2	4	6	9	14	21
35-49	30	6.4	28	1	2	5	7	12	17	26
50-64										
65+										
GRAND TOTAL	**944**	**4.8**	**15**	**1**	**2**	**4**	**6**	**8**	**13**	**21**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	888	1.4	1	<1	<1	1	1	2	3	7
20-34	3762	1.4	2	<1	<1	1	1	2	3	7
35-49	136	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	113	1.6	3	<1	<1	1	2	2	4	11
20-34	468	1.4	1	<1	<1	1	1	2	3	8
35-49	17	1.1		<1	<1	1	1	1	2	2
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	80	1.7	2	<1	<1	1	2	3	4	7
20-34	316	2.0	6	<1	<1	1	2	4	6	11
35-49	15	1.9	4	<1	<1	1	1	5	7	8
50-64										
65+										
B. *Operated*										
0-19 YRS	22	1.4	1	<1	<1	1	2	3	3	4
20-34	107	2.3	5	<1	<1	1	3	5	7	12
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4786	1.4	2	<1	<1	1	1	2	3	7
B. *Operated*	598	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX										
A. *Not Operated*	411	1.9	5	<1	<1	1	2	4	6	10
B. *Operated*	131	2.1	4	<1	<1	1	2	4	7	11
1. SINGLE DX	5384	1.4	2	<1	<1	1	1	2	3	7
2. MULTIPLE DX	542	2.0	5	<1	<1	1	2	4	6	10
A. NOT OPERATED	5197	1.4	2	<1	<1	1	1	2	3	7
B. OPERATED	729	1.6	2	<1	<1	1	1	3	4	9
TOTAL 0-19 YRS	1103	1.5	2	<1	<1	1	1	2	4	7
20-34	4653	1.4	3	<1	<1	1	1	2	3	8
35-49	170	1.3	1	<1	<1	1	1	2	3	7
50-64										
65+										
GRAND TOTAL	**5926**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	14	<1	<1	3	5	6	12	17
20-34	134	5.8	43	1	1	3	6	17	21	31
35-49	10	8.4	162	2	2	4	6	26	44	44
50-64										
65+										
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	28	7.9	143	1	1	4	5	25	32	55
35-49	3	7.0	75	2	2	2	13	17	17	17
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.6	55	<1	<1	3	11	19	19	19
20-34	33	6.9	100	1	1	4	8	13	15	58
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	15	12.2	272	1	1	5	17	32	54	61
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	5.7	47	1	1	3	6	17	20	34
B. *Operated*	32	7.8	130	1	1	4	6	22	30	55
2. MULTIPLE DX										
A. *Not Operated*	39	6.8	90	1	1	4	8	13	17	58
B. *Operated*	15	12.2	272	1	1	5	17	32	54	61
1. SINGLE DX	195	6.0	61	1	1	3	6	17	21	40
2. MULTIPLE DX	54	8.3	142	1	1	4	9	19	31	61
A. NOT OPERATED	202	5.9	55	1	1	3	6	15	20	39
B. OPERATED	47	9.2	174	1	1	4	10	27	35	61
TOTAL 0-19 YRS	25	4.4	22	<1	<1	3	6	8	17	19
20-34	210	6.7	83	1	1	3	7	18	26	56
35-49	14	7.9	124	2	2	4	6	20	39	44
50-64										
65+										
GRAND TOTAL	**249**	**6.5**	**79**	**1**	**1**	**3**	**6**	**17**	**22**	**55**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.3	15	<1	<1	2	4	7	10	25
20-34	530	3.2	10	<1	1	2	4	6	8	15
35-49	31	3.0	21	<1	<1	1	3	6	8	26
50-64										
65+										
B. *Operated*										
0-19 YRS	32	3.7	15	<1	1	2	4	9	12	18
20-34	150	3.1	7	<1	<1	2	4	6	8	12
35-49	10	2.4	3	1	1	2	3	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	11	<1	<1	2	6	8	12	13
20-34	105	4.0	18	<1	1	3	5	8	9	27
35-49	8	2.3	2	<1	<1	2	3	4	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	20	4.0	10	<1	<1	3	5	8	11	14
20-34	71	4.5	14	<1	1	4	7	9	12	19
35-49	4	9.8	78	2	2	7	16	22	22	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	669	3.2	11	<1	1	2	4	6	8	17
B. *Operated*	192	3.1	8	<1	<1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	137	3.8	16	<1	1	3	5	8	10	25
B. *Operated*	95	4.7	16	<1	1	4	6	9	12	21
1. SINGLE DX	861	3.2	10	<1	1	2	4	6	8	17
2. MULTIPLE DX	232	4.2	16	<1	1	3	5	8	11	22
A. NOT OPERATED	806	3.3	12	<1	1	2	4	7	8	18
B. OPERATED	287	3.6	11	<1	1	3	4	8	9	19
TOTAL 0-19 YRS	184	3.5	14	<1	<1	2	4	8	11	23
20-34	856	3.4	11	<1	1	2	4	7	9	16
35-49	53	3.3	21	<1	<1	2	3	6	10	26
50-64										
65+										
GRAND TOTAL	**1093**	**3.4**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**19**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	131	3.3	5	1	1	3	4	6	7	10
20-34	318	3.3	5	1	1	3	4	6	7	9
35-49	9	2.2	3	<1	<1	2	3	5	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	18	4.1	10	1	1	3	7	8	10	11
20-34	44	4.5	27	<1	1	3	6	7	20	26
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	3.9	5	1	1	4	5	6	8	12
20-34	253	3.9	7	<1	1	3	5	7	8	13
35-49	9	5.7	16	1	1	4	9	11	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.6	5	<1	1	4	5	7	8	8
20-34	47	3.9	9	1	1	3	5	8	10	13
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	3.3	4	1	1	3	4	6	7	9
B. *Operated*	62	4.4	22	<1	1	3	6	8	14	25
2. MULTIPLE DX										
A. *Not Operated*	369	3.9	6	1	1	4	5	7	8	13
B. *Operated*	59	3.8	8	<1	1	3	5	8	10	13
1. SINGLE DX	520	3.4	7	1	1	3	4	6	7	12
2. MULTIPLE DX	428	3.9	7	1	1	4	5	7	9	13
A. NOT OPERATED	827	3.6	5	1	1	3	5	6	8	12
B. OPERATED	121	4.1	15	<1	1	3	6	8	10	22
TOTAL 0-19 YRS	268	3.6	5	1	1	3	5	7	8	11
20-34	662	3.7	7	1	1	3	5	7	8	13
35-49	18	3.9	12	<1	1	3	6	9	11	13
50-64										
65+										
GRAND TOTAL	**948**	**3.7**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	5.7	42	<1	<1	4	7	13	21	30
20-34	258	4.7	19	<1	1	4	6	8	13	26
35-49	25	5.0	16	<1	<1	4	7	11	14	15
50-64	—									
65+										
B. *Operated*										
0-19 YRS	5	6.4	21	<1	<1	8	10	11	11	11
20-34	47	3.9	7	<1	<1	3	5	8	9	12
35-49	3	16.0	211	<1	<1	17	27	30	30	30
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.4	14	<1	<1	2	4	8	9	21
20-34	599	4.8	41	<1	1	3	5	10	16	39
35-49	38	7.9	103	1	2	4	9	17	33	50
50-64										
65+										
B. *Operated*										
0-19 YRS	54	3.1	13	<1	<1	2	3	8	10	22
20-34	254	3.9	22	<1	<1	2	5	9	14	23
35-49	10	4.8	12	1	1	4	7	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.9	22	<1	1	4	6	9	14	27
B. *Operated*	55	4.8	23	<1	<1	3	6	9	12	29
2. MULTIPLE DX										
A. *Not Operated*	748	4.8	41	<1	1	3	5	10	15	39
B. *Operated*	318	3.8	20	<1	<1	2	5	9	12	22
1. SINGLE DX	378	4.8	22	<1	1	4	6	9	14	27
2. MULTIPLE DX	1066	4.5	35	<1	<1	3	5	9	15	35
A. NOT OPERATED	1071	4.8	35	<1	1	3	6	10	15	33
B. OPERATED	373	4.0	21	<1	<1	2	5	9	12	23
TOTAL 0-19 YRS	210	3.8	20	<1	<1	2	5	8	11	28
20-34	1158	4.6	31	<1	1	3	5	9	15	30
35-49	76	6.8	69	<1	1	4	8	15	21	47
50-64										
65+										
GRAND TOTAL	**1444**	**4.6**	**32**	**<1**	**1**	**3**	**5**	**9**	**15**	**30**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	2.8	8	<1	<1	2	3	6	8	14
20-34	1639	3.6	30	<1	<1	2	4	8	12	28
35-49	70	5.6	142	<1	<1	2	5	11	20	70
50-64										
65+										
B. *Operated*										
0-19 YRS	177	3.1	17	<1	<1	2	4	6	9	22
20-34	1237	3.3	23	<1	<1	2	4	7	9	23
35-49	54	3.3	9	<1	1	2	4	7	9	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	127	4.0	16	<1	<1	3	4	10	13	18
20-34	781	4.6	57	<1	1	2	5	9	13	47
35-49	39	3.5	9	<1	<1	3	4	7	11	13
50-64										
65+										
B. *Operated*										
0-19 YRS	92	4.4	18	<1	<1	3	6	11	15	19
20-34	625	4.4	41	<1	<1	2	5	10	14	33
35-49	33	3.9	18	<1	<1	3	4	10	16	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2079	3.5	30	<1	<1	2	4	7	11	27
B. *Operated*	1468	3.3	21	<1	<1	2	4	7	9	23
2. MULTIPLE DX										
A. *Not Operated*	947	4.5	49	<1	1	3	5	9	13	44
B. *Operated*	750	4.4	37	<1	<1	2	5	10	14	32
1. SINGLE DX	3547	3.4	26	<1	<1	2	4	7	11	27
2. MULTIPLE DX	1697	4.4	44	<1	<1	2	5	9	14	33
A. NOT OPERATED	3026	3.8	36	<1	<1	2	4	8	12	28
B. OPERATED	2218	3.6	27	<1	<1	2	4	8	11	27
TOTAL 0-19 YRS	766	3.2	13	<1	<1	2	4	7	10	17
20-34	4282	3.8	34	<1	<1	2	4	8	12	31
35-49	196	4.3	59	<1	<1	2	4	9	13	49
50-64										
65+										
GRAND TOTAL	**5244**	**3.7**	**32**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	1	3	3	4	5	6	7	7
20-34	95	5.7	42	2	3	4	6	7	12	44
35-49	3	8.0	28	4	4	6	12	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	10	7.0	32	3	3	5	7	16	22	22
20-34	82	7.0	24	3	4	5	7	13	19	26
35-49	2	11.0	98	4	4	11	18	18	18	18
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	5.1	6	2	3	4	6	8	11	13
20-34	152	4.6	6	2	3	4	5	7	9	11
35-49	17	5.2	3	3	3	5	6	8	9	10
50-64										
65+										
B. *Operated*										
0-19 YRS	31	12.4	216	3	4	6	10	39	42	62
20-34	361	11.0	132	3	4	7	12	24	35	58
35-49	35	12.6	154	3	3	8	17	35	43	52
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	5.6	35	2	3	4	6	7	12	37
B. *Operated*	94	7.1	25	3	4	5	7	14	21	25
2. MULTIPLE DX										
A. *Not Operated*	192	4.7	6	2	3	4	5	7	9	16
B. *Operated*	427	11.2	139	3	4	7	12	24	37	59
1. SINGLE DX	209	6.2	31	3	3	5	6	11	15	26
2. MULTIPLE DX	619	9.2	107	3	3	6	9	19	30	57
A. NOT OPERATED	307	5.0	17	2	3	4	5	7	9	20
B. OPERATED	521	10.5	121	3	4	6	11	23	35	58
TOTAL 0-19 YRS	81	8.0	99	3	3	5	7	13	33	56
20-34	690	8.4	87	3	3	5	8	17	25	57
35-49	57	10.1	109	3	3	6	10	22	36	52
50-64										
65+										
GRAND TOTAL	**828**	**8.5**	**89**	**3**	**3**	**5**	**8**	**17**	**25**	**56**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1947	4.4	3	2	3	4	5	6	7	10
20-34	13934	4.1	2	2	3	4	5	6	6	8
35-49	491	4.1	2	2	3	4	5	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	407	4.8	5	3	3	4	5	6	8	15
20-34	2757	4.7	3	3	3	4	5	7	8	12
35-49	115	4.8	4	3	3	5	5	7	8	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	511	4.7	3	3	3	4	5	7	8	10
20-34	3243	4.4	3	2	3	4	5	6	7	9
35-49	126	4.5	2	2	3	4	5	6	7	9
50-64										
65+										
B. *Operated*										
0-19 YRS	144	5.0	3	3	3	5	6	7	8	9
20-34	2365	5.0	4	3	3	5	6	7	8	11
35-49	233	5.2	3	3	4	5	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16372	4.2	2	2	3	4	5	6	6	8
B. *Operated*	3279	4.7	3	3	3	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3880	4.4	3	2	3	4	5	6	7	9
B. *Operated*	2742	5.1	4	3	3	5	6	7	8	11
1. SINGLE DX	19651	4.3	2	2	3	4	5	6	7	9
2. MULTIPLE DX	6622	4.7	3	3	3	4	5	6	7	10
A. NOT OPERATED	20252	4.2	2	2	3	4	5	6	6	9
B. OPERATED	6021	4.9	4	3	3	5	6	7	8	11
TOTAL 0-19 YRS	3009	4.5	3	2	3	4	5	6	7	10
20-34	22299	4.3	3	2	3	4	5	6	7	9
35-49	965	4.5	3	2	3	4	5	6	7	11
50-64										
65+										
GRAND TOTAL	**26273**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	22	8.2	210	1	2	4	5	16	48	65
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	6.4	6	4	4	5	8	10	10	10
20-34	38	12.6	135	4	5	7	17	30	40	53
35-49	4	10.3	62	5	5	7	15	22	22	22
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	4.2	4	1	1	5	6	91	99+	99+
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	6	11.3	38	6	6	10	14	21	22	22
20-34	146	13.3	164	4	5	8	16	28	46	62
35-49	31	13.5	168	5	5	8	13	37	46	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.7	194	1	2	4	5	10	45	65
B. *Operated*	47	11.7	117	4	5	7	14	23	37	53
2. MULTIPLE DX										
A. *Not Operated*	5	4.2	4	1	1	5	6	91	99+	99+
B. *Operated*	183	13.3	160	4	5	8	16	28	45	62
1. SINGLE DX	71	10.4	144	2	3	6	9	23	36	62
2. MULTIPLE DX	188	13.0	158	4	5	8	15	28	46	65
A. NOT OPERATED	29	7.1	162	1	1	4	5	21	65	99+
B. OPERATED	230	12.9	151	4	5	8	15	28	43	61
TOTAL 0-19 YRS	13	8.1	30	2	3	6	10	16	21	22
20-34	211	12.4	162	3	4	7	14	28	45	66
35-49	35	13.1	155	5	5	8	13	34	45	54
50-64										
65+										
GRAND TOTAL	**259**	**12.3**	**155**	**3**	**4**	**7**	**13**	**28**	**44**	**65**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.9	8	<1	1	3	6	8	9	9
20-34	82	4.3	11	1	1	3	5	8	10	18
35-49	2	6.0		6	6	6	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.4	8	3	3	6	8	10	11	11
20-34	70	6.4	11	2	3	6	8	10	12	20
35-49	3	4.3	1	3	3	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.4	4	2	2	4	5	8	9	9
20-34	92	4.9	16	2	2	4	6	7	8	27
35-49	6	3.5	3	1	1	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	32	7.5	51	2	3	6	8	13	25	36
20-34	315	7.2	42	3	3	6	8	12	17	43
35-49	21	6.9	15	3	4	6	7	13	16	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.2	10	1	1	3	6	8	9	18
B. *Operated*	81	6.3	10	2	3	6	8	10	11	20
2. MULTIPLE DX										
A. *Not Operated*	115	4.8	14	2	2	4	6	7	8	21
B. *Operated*	368	7.2	41	3	3	6	7	12	18	39
1. SINGLE DX	182	5.2	11	1	2	5	7	9	11	19
2. MULTIPLE DX	483	6.6	36	2	3	5	7	10	15	38
A. NOT OPERATED	216	4.5	12	1	2	4	6	7	9	18
B. OPERATED	449	7.0	36	3	3	6	8	11	16	38
TOTAL 0-19 YRS	74	5.8	28	1	2	5	7	9	11	33
20-34	559	6.3	31	2	2	5	7	10	14	37
35-49	32	5.9	12	2	3	5	6	10	14	19
50-64										
65+										
GRAND TOTAL	**665**	**6.2**	**30**	**2**	**2**	**5**	**7**	**10**	**14**	**36**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	5	1	1	5	6	6	6	6
20-34	27	3.7	3	1	1	4	4	5	8	9
35-49	3	2.7	4	<1	<1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	23	3.9	2	1	2	4	5	5	6	6
20-34	250	4.0	2	1	2	4	5	6	6	8
35-49	9	4.0	6	1	1	4	5	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	6.3	17	3	3	5	7	13	14	14
20-34	43	4.2	2	2	3	4	5	6	7	7
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	21	4.2	2	2	2	4	5	6	7	7
20-34	256	4.8	4	3	3	5	6	7	8	14
35-49	14	4.8	1	3	3	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.7	3	<1	1	4	5	5	8	9
B. *Operated*	282	4.0	2	1	2	4	5	6	6	9
2. MULTIPLE DX										
A. *Not Operated*	51	4.5	4	3	3	4	5	6	7	14
B. *Operated*	291	4.8	4	2	3	5	6	7	8	14
1. SINGLE DX	316	3.9	3	1	2	4	5	6	6	9
2. MULTIPLE DX	342	4.7	4	2	3	4	5	7	7	14
A. NOT OPERATED	85	4.2	4	1	2	4	5	6	7	12
B. OPERATED	573	4.4	3	2	2	4	5	6	7	10
TOTAL 0-19 YRS	54	4.3	4	1	2	4	5	6	7	14
20-34	576	4.4	3	2	3	4	5	6	7	10
35-49	28	4.3	3	1	1	4	6	6	7	9
50-64										
65+										
GRAND TOTAL	**658**	**4.3**	**3**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	4.6	3	2	3	4	5	7	7	12
20-34	202	4.3	2	2	3	4	5	6	6	8
35-49	4	3.8	1	3	3	4	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	13	5.7	6	3	4	5	6	8	12	13
20-34	67	4.8	8	2	3	4	5	7	7	20
35-49	4	4.8	2	3	3	5	6	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	5.5	2	4	4	5	6	7	9	10
20-34	106	4.7	4	2	3	5	5	7	8	12
35-49	6	5.0	7	2	2	4	5	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	17	5.5	3	3	4	5	6	7	9	10
20-34	144	5.2	3	3	3	5	6	7	8	11
35-49	7	5.0	2	3	3	5	6	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	246	4.3	2	2	3	4	5	6	6	8
B. *Operated*	84	4.9	7	2	3	5	6	7	7	19
2. MULTIPLE DX										
A. *Not Operated*	132	4.9	3	2	3	5	6	7	8	11
B. *Operated*	168	5.2	3	3	3	5	6	7	8	11
1. SINGLE DX	330	4.5	3	2	3	4	5	6	7	12
2. MULTIPLE DX	300	5.1	3	3	3	5	6	7	8	11
A. NOT OPERATED	378	4.5	3	2	3	4	5	6	7	10
B. OPERATED	252	5.1	4	3	3	5	6	7	8	13
TOTAL 0-19 YRS	90	5.1	3	3	3	5	6	7	7	13
20-34	519	4.7	3	2	3	5	5	7	7	10
35-49	21	4.7	3	2	3	4	6	7	8	10
50-64										
65+										
GRAND TOTAL	**630**	**4.8**	**3**	**2**	**3**	**5**	**5**	**7**	**7**	**11**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.3	2	4	4	5	6	7	7	7
20-34	31	6.9	22	2	3	6	9	11	15	26
35-49	4	8.3	23	4	4	7	11	15	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	3	8.7	1	8	8	8	10	10	10	10
20-34	26	8.4	46	4	5	6	8	16	29	30
35-49	2	9.5	25	6	6	9	13	13	13	13
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	9.0	93	2	2	5	16	20	20	20
20-34	59	8.5	93	2	2	5	8	19	33	48
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	18	10.6	208	5	5	7	8	11	46	68
20-34	340	11.3	133	4	4	7	12	24	33	58
35-49	21	10.3	107	1	3	8	10	26	36	44
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	6.9	20	2	3	6	8	11	15	26
B. *Operated*	31	8.5	39	4	5	6	8	14	28	30
2. MULTIPLE DX										
A. *Not Operated*	63	8.4	91	2	2	5	8	20	30	48
B. *Operated*	379	11.2	134	3	4	7	11	24	33	65
1. SINGLE DX	69	7.7	29	3	4	6	8	13	16	30
2. MULTIPLE DX	442	10.8	129	3	4	7	11	22	33	57
A. NOT OPERATED	101	7.9	64	2	3	5	8	15	22	46
B. OPERATED	410	11.0	128	3	4	7	11	23	31	61
TOTAL 0-19 YRS	27	9.6	147	4	5	7	8	12	27	68
20-34	456	10.4	117	3	4	7	11	21	30	50
35-49	28	9.8	84	2	3	7	11	21	31	44
50-64										
65+										
GRAND TOTAL	**511**	**10.4**	**116**	**3**	**4**	**7**	**10**	**21**	**30**	**52**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.5	1	2	2	3	4	5	5	5
20-34	112	4.5	5	2	3	4	5	6	8	15
35-49	3	4.0	3	3	3	3	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	47	5.8	4	3	3	6	7	8	9	14
20-34	530	5.7	4	3	4	6	7	8	9	11
35-49	16	5.8	3	3	3	6	7	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.6	15	2	2	4	7	12	14	14
20-34	82	4.6	9	2	2	4	5	6	7	23
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	93	6.8	23	2	4	6	7	9	12	35
20-34	1017	6.7	19	3	4	6	7	9	12	23
35-49	79	8.5	76	3	4	7	8	13	17	62
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	4.5	5	2	3	4	5	6	8	15
B. *Operated*	593	5.7	4	3	4	6	7	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	90	4.7	10	2	2	4	5	6	7	22
B. *Operated*	1189	6.8	23	3	4	6	7	10	12	26
1. SINGLE DX	716	5.5	4	3	3	5	7	8	9	12
2. MULTIPLE DX	1279	6.7	22	3	4	6	7	9	12	26
A. NOT OPERATED	213	4.6	7	2	2	4	5	6	8	15
B. OPERATED	1782	6.5	17	3	4	6	7	9	11	22
TOTAL 0-19 YRS	156	6.3	16	2	3	6	7	8	12	26
20-34	1741	6.2	13	3	3	6	7	9	10	20
35-49	98	7.9	63	3	4	7	8	11	16	54
50-64										
65+										
GRAND TOTAL	**1995**	**6.3**	**16**	**3**	**3**	**6**	**7**	**9**	**11**	**21**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	4.5	3	1	2	4	6	7	7	7
20-34	220	4.4	2	3	3	4	5	6	7	9
35-49	7	4.7	5	1	2	4	6	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	108	5.5	5	3	3	5	6	9	10	13
20-34	730	5.4	6	3	3	5	6	8	9	15
35-49	27	5.6	5	3	3	6	7	8	9	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.9	12	2	3	4	5	5	12	19
20-34	209	4.5	3	2	3	4	5	7	8	10
35-49	8	5.4	19	3	3	4	5	13	16	16
50-64										
65+										
B. *Operated*										
0-19 YRS	238	6.2	14	3	4	5	7	9	12	18
20-34	2211	6.0	9	3	4	6	7	8	10	17
35-49	147	6.7	11	3	4	6	8	10	13	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	250	4.4	2	2	3	4	5	6	7	8
B. *Operated*	865	5.4	6	3	3	5	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	237	4.6	4	2	3	4	5	7	8	14
B. *Operated*	2596	6.1	9	3	4	6	7	8	10	17
1. SINGLE DX	1115	5.2	5	3	3	5	6	7	8	13
2. MULTIPLE DX	2833	5.9	9	3	4	5	7	8	10	17
A. NOT OPERATED	487	4.5	3	2	3	4	5	6	7	10
B. OPERATED	3461	5.9	8	3	4	5	7	8	10	17
TOTAL 0-19 YRS	389	5.8	11	3	4	5	7	9	11	17
20-34	3370	5.7	7	3	3	5	7	8	9	16
35-49	189	6.4	10	3	3	6	7	9	12	21
50-64										
65+										
GRAND TOTAL	**3948**	**5.7**	**8**	**3**	**3**	**5**	**7**	**8**	**10**	**17**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.3	13	1	1	3	7	9	9	9
20-34	15	4.2	1	1	3	4	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	104	7.4	6	4	5	7	9	11	12	17
20-34	634	6.7	4	4	5	7	8	9	10	13
35-49	13	7.2	3	5	5	7	9	9	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	20	5.2	4	2	3	5	6	8	9	10
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	247	8.6	43	5	5	7	9	12	14	39
20-34	1759	7.5	13	4	5	7	8	10	12	22
35-49	79	8.1	12	5	5	7	9	12	15	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.2	3	1	2	4	5	5	7	9
B. *Operated*	751	6.8	4	4	5	7	8	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	22	5.0	4	2	3	5	6	8	9	10
B. *Operated*	2085	7.7	17	5	5	7	8	10	13	24
1. SINGLE DX	770	6.8	4	4	5	7	8	9	10	14
2. MULTIPLE DX	2107	7.6	17	4	5	7	8	10	13	24
A. NOT OPERATED	41	4.7	4	2	2	4	5	8	9	10
B. OPERATED	2836	7.5	13	4	5	7	8	10	12	21
TOTAL 0-19 YRS	356	8.2	32	5	5	7	9	12	14	33
20-34	2428	7.3	11	4	5	7	8	10	12	20
35-49	93	7.9	11	5	5	7	9	11	14	22
50-64										
65+										
GRAND TOTAL	**2877**	**7.4**	**13**	**4**	**5**	**7**	**8**	**10**	**12**	**21**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	4.6	2	3	3	4	5	7	8	9
20-34	319	4.8	8	3	3	5	5	6	7	9
35-49	5	4.2	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	129	5.3	5	3	3	5	6	8	9	15
20-34	827	5.0	3	3	3	5	6	7	8	10
35-49	24	5.0	3	2	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	5.1	2	3	3	5	6	7	7	8
20-34	348	5.0	3	3	3	5	6	7	8	10
35-49	9	3.4	3	1	1	4	4	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	231	6.2	7	3	4	6	7	9	11	15
20-34	1941	5.9	9	3	4	5	7	8	10	15
35-49	92	6.5	8	4	4	6	7	9	12	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	369	4.8	7	3	3	5	5	6	7	9
B. *Operated*	980	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	403	5.0	3	3	3	5	6	7	8	10
B. *Operated*	2264	6.0	8	3	4	5	7	8	10	16
1. SINGLE DX	1349	5.0	4	3	3	5	6	7	8	10
2. MULTIPLE DX	2667	5.8	8	3	4	5	7	8	10	15
A. NOT OPERATED	772	4.9	5	3	3	5	6	7	7	10
B. OPERATED	3244	5.7	7	3	4	5	7	8	9	14
TOTAL 0-19 YRS	451	5.7	6	3	3	5	7	8	9	15
20-34	3435	5.5	7	3	3	5	6	8	9	13
35-49	130	5.9	7	3	3	6	7	9	10	18
50-64										
65+										
GRAND TOTAL	**4016**	**5.5**	**7**	**3**	**3**	**5**	**6**	**8**	**9**	**14**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.3	1	3	3	4	5	6	6	6
20-34	87	4.5	2	2	3	5	5	6	7	9
35-49	6	4.3	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	12	5.0	3	3	3	5	6	7	10	10
20-34	154	6.3	53	3	3	5	7	8	11	13
35-49	4	9.3	47	3	3	7	13	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.6	1	3	4	5	5	6	7	7
20-34	181	4.9	1	4	4	5	5	6	7	8
35-49	7	3.9	1	3	3	4	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	51	7.2	14	3	4	6	8	11	16	20
20-34	384	7.3	35	3	4	6	8	11	14	24
35-49	32	10.3	248	4	4	7	9	12	17	95
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.5	2	2	3	5	5	6	7	9
B. *Operated*	170	6.3	50	3	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	208	4.9	1	3	4	5	5	6	7	8
B. *Operated*	467	7.5	47	3	4	6	8	11	15	25
1. SINGLE DX	270	5.6	33	3	3	5	6	8	9	13
2. MULTIPLE DX	675	6.7	35	3	4	6	7	10	12	22
A. NOT OPERATED	308	4.7	2	3	3	5	5	6	7	8
B. OPERATED	637	7.2	48	3	4	6	8	10	13	23
TOTAL 0-19 YRS	90	6.1	10	3	4	5	7	10	12	20
20-34	806	6.3	29	3	4	5	7	9	11	21
35-49	49	8.5	170	3	3	6	8	11	18	95
50-64										
65+										
GRAND TOTAL	**945**	**6.4**	**34**	**3**	**4**	**5**	**7**	**9**	**11**	**21**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	4.3	4	1	2	4	6	6	8	8
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	63	6.6	2	4	5	6	7	9	9	10
20-34	1791	6.7	2	5	5	7	7	8	9	11
35-49	76	6.9	2	5	5	7	8	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	4.0	3	1	1	4	5	6	7	8
35-49	3	3.7	1	3	3	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	75	7.2	8	4	5	7	8	9	12	22
20-34	2782	7.3	10	4	5	7	8	9	11	21
35-49	274	7.4	6	4	5	7	8	10	12	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.3	4	1	2	4	6	6	8	8
B. *Operated*	1930	6.7	2	5	5	7	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	25	4.0	3	1	1	4	5	6	7	8
B. *Operated*	3131	7.3	10	4	5	7	8	9	11	20
1. SINGLE DX	1946	6.7	2	5	5	7	7	8	9	11
2. MULTIPLE DX	3156	7.3	10	4	5	7	8	9	11	20
A. NOT OPERATED	41	4.1	3	1	2	4	5	6	7	8
B. OPERATED	5061	7.1	7	5	5	7	8	9	10	16
TOTAL 0-19 YRS	138	6.9	5	4	5	7	7	9	10	17
20-34	4610	7.0	7	4	5	7	8	9	10	17
35-49	354	7.2	5	4	5	7	8	9	11	15
50-64										
65+										
GRAND TOTAL	**5102**	**7.1**	**7**	**4**	**5**	**7**	**8**	**9**	**10**	**16**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	5.1	17	2	3	4	5	7	9	29
20-34	426	4.4	2	2	3	4	5	6	7	9
35-49	17	5.3	13	2	3	4	5	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	72	5.3	6	3	3	5	6	7	8	18
20-34	475	5.1	8	3	3	5	6	7	8	12
35-49	19	5.1	3	3	3	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	6.2	43	2	3	4	6	11	16	44
20-34	385	4.9	7	2	3	5	6	8	8	15
35-49	20	4.7	2	2	3	4	5	6	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	123	6.5	21	3	3	6	7	10	12	26
20-34	1335	5.9	12	3	3	5	7	9	10	20
35-49	101	6.1	8	3	3	6	7	9	11	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	4.5	4	2	3	4	5	6	7	12
B. *Operated*	566	5.2	7	3	3	5	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	455	5.1	11	2	3	4	6	8	9	17
B. *Operated*	1559	5.9	12	3	3	5	7	9	11	20
1. SINGLE DX	1051	4.8	6	3	3	4	5	7	8	12
2. MULTIPLE DX	2014	5.7	12	3	3	5	7	9	10	19
A. NOT OPERATED	940	4.8	7	2	3	4	5	7	8	14
B. OPERATED	2125	5.7	11	3	3	5	7	8	10	19
TOTAL 0-19 YRS	287	5.9	20	3	3	5	7	9	12	26
20-34	2621	5.4	9	3	3	5	6	8	9	16
35-49	157	5.7	8	3	3	5	7	9	11	17
50-64										
65+										
GRAND TOTAL	**3065**	**5.4**	**10**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	4.3	1	3	3	4	5	6	7	8
20-34	847	4.2	2	2	3	4	5	6	6	8
35-49	28	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	44	4.5	3	2	3	4	5	7	8	9
20-34	337	4.6	2	3	3	4	5	6	7	10
35-49	13	4.3	1	2	3	4	5	6	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	5.0	12	2	3	4	6	7	8	25
20-34	549	4.5	3	2	3	4	5	6	7	9
35-49	31	4.5	3	2	2	4	6	7	8	10
50-64										
65+										
B. *Operated*										
0-19 YRS	55	5.4	3	2	3	5	6	8	8	12
20-34	668	5.2	6	3	3	5	6	7	8	13
35-49	50	5.4	2	3	4	5	7	7	8	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	972	4.2	2	2	3	4	5	6	6	8
B. *Operated*	394	4.6	2	3	3	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	668	4.6	4	2	3	4	5	6	7	10
B. *Operated*	773	5.2	5	3	3	5	6	7	8	13
1. SINGLE DX	1366	4.3	2	2	3	4	5	6	6	9
2. MULTIPLE DX	1441	4.9	5	3	3	5	6	7	8	12
A. NOT OPERATED	1640	4.4	3	2	3	4	5	6	7	9
B. OPERATED	1167	5.0	4	3	3	5	6	7	8	12
TOTAL 0-19 YRS	284	4.8	5	2	3	4	5	7	8	11
20-34	2401	4.6	3	3	3	4	5	6	7	10
35-49	122	4.7	3	2	3	5	6	7	8	9
50-64										
65+										
GRAND TOTAL	**2807**	**4.6**	**3**	**3**	**3**	**4**	**5**	**6**	**7**	**10**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.4	6	2	2	4	5	6	6	18
20-34	421	4.1	2	2	2	4	5	6	7	8
35-49	19	4.5	2	2	3	4	6	6	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	343	4.3	3	2	2	4	5	6	7	10
20-34	3995	4.1	2	2	3	4	5	6	6	8
35-49	205	4.1	2	2	3	4	5	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.8	8	1	2	4	5	8	12	14
20-34	206	4.4	2	2	3	4	5	6	7	10
35-49	4	4.0	2	3	3	4	5	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	187	4.9	10	2	3	4	5	7	9	14
20-34	3117	4.8	4	2	3	4	5	7	8	12
35-49	253	5.2	5	3	3	5	6	8	10	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	481	4.2	2	2	2	4	5	6	6	8
B. *Operated*	4543	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	227	4.4	3	2	3	4	5	6	7	10
B. *Operated*	3557	4.8	5	2	3	4	6	7	8	12
1. SINGLE DX	5024	4.1	2	2	3	4	5	6	6	8
2. MULTIPLE DX	3784	4.8	5	2	3	4	5	7	8	12
A. NOT OPERATED	708	4.2	2	2	3	4	5	6	7	9
B. OPERATED	8100	4.4	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	588	4.5	6	2	3	4	5	6	8	14
20-34	7739	4.4	3	2	3	4	5	6	7	10
35-49	481	4.7	4	2	3	4	5	7	8	12
50-64										
65+										
GRAND TOTAL	**8808**	**4.4**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**11**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.5	2	1	1	4	5	5	5	5
20-34	103	5.2	15	2	3	5	5	7	9	27
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	108	4.6	3	3	3	4	5	6	8	11
20-34	672	4.5	3	3	3	4	5	6	7	9
35-49	23	4.7	7	2	3	4	6	8	10	14
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	33	5.4	7	3	3	5	6	8	12	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	83	5.1	4	2	3	5	6	7	9	13
20-34	709	5.1	3	3	3	5	6	7	8	12
35-49	39	5.2	3	3	3	5	6	8	8	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	5.0	14	2	3	4	5	7	9	25
B. *Operated*	803	4.6	3	3	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	37	5.6	7	3	3	5	7	8	12	15
B. *Operated*	831	5.1	3	3	3	5	6	7	8	12
1. SINGLE DX	917	4.6	5	3	3	4	5	6	7	9
2. MULTIPLE DX	868	5.1	4	3	3	5	6	7	8	12
A. NOT OPERATED	151	5.2	12	2	3	5	6	7	9	17
B. OPERATED	1634	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	206	4.8	3	2	3	5	6	7	8	12
20-34	1517	4.8	4	3	3	5	6	7	8	11
35-49	62	5.0	4	2	3	5	6	8	8	14
50-64										
65+										
GRAND TOTAL	**1785**	**4.8**	**4**	**3**	**3**	**5**	**6**	**7**	**8**	**11**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.7	2	2	2	5	6	6	6	6
20-34	29	4.1	2	2	2	4	5	6	6	7
35-49	1	17.0		17	17	17	17	17	17	17
50-64										
65+										
B. *Operated*										
0-19 YRS	30	4.3	2	2	2	4	5	6	6	8
20-34	158	4.2	1	2	3	4	5	6	6	7
35-49	3	6.3	4	4	4	7	8	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7		4	4	5	5	5	5	5
20-34	23	5.4	11	2	3	4	6	11	14	15
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	30	5.2	4	3	3	5	6	7	9	13
20-34	195	5.4	7	3	3	5	6	8	10	18
35-49	10	7.1	7	4	4	7	8	11	13	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.5	6	2	2	4	5	6	7	17
B. *Operated*	191	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	26	5.3	10	2	3	5	5	10	14	15
B. *Operated*	235	5.4	7	3	3	5	6	8	10	15
1. SINGLE DX	228	4.3	2	2	3	4	5	6	6	8
2. MULTIPLE DX	261	5.4	7	3	3	5	6	8	10	15
A. NOT OPERATED	63	4.9	8	2	2	4	5	6	11	17
B. OPERATED	426	4.9	5	3	3	5	6	7	8	12
TOTAL 0-19 YRS	70	4.7	3	2	3	5	6	7	7	12
20-34	405	4.9	5	2	3	4	5	7	8	13
35-49	14	7.6	13	4	4	7	8	13	16	17
50-64										
65+										
GRAND TOTAL	**489**	**4.9**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**14**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	371	4.9	8	2	2	4	5	8	10	17
20-34	2196	4.6	8	2	3	4	5	6	8	16
35-49	94	5.0	7	2	3	4	6	8	9	17
50-64										
65+										
B. *Operated*										
0-19 YRS	464	5.8	22	2	3	5	6	9	12	27
20-34	3270	5.4	11	3	3	5	6	8	10	21
35-49	134	5.8	15	3	3	5	7	9	10	25
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	327	5.0	10	2	2	4	6	7	9	20
20-34	1955	4.9	11	2	2	4	6	7	9	18
35-49	94	5.2	13	2	3	5	6	8	9	26
50-64										
65+										
B. *Operated*										
0-19 YRS	1002	6.5	31	3	3	5	7	11	14	28
20-34	7908	6.4	24	3	3	5	7	10	14	28
35-49	562	7.2	25	3	4	6	8	11	16	30
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2661	4.6	8	2	3	4	5	7	9	16
B. *Operated*	3868	5.5	12	3	3	5	6	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	2376	5.0	11	2	2	4	6	7	9	18
B. *Operated*	9472	6.5	24	3	3	5	7	10	14	29
1. SINGLE DX	6529	5.1	11	2	3	4	6	8	10	20
2. MULTIPLE DX	11848	6.2	22	3	3	5	7	10	13	27
A. NOT OPERATED	5037	4.8	9	2	2	4	5	7	9	17
B. OPERATED	13340	6.2	21	3	3	5	7	10	13	27
TOTAL 0-19 YRS	2164	5.9	22	2	3	5	6	10	12	25
20-34	15329	5.8	18	2	3	5	6	9	12	25
35-49	884	6.5	21	3	3	5	7	10	14	29
50-64										
65+										
GRAND TOTAL	**18377**	**5.8**	**18**	**2**	**3**	**5**	**6**	**9**	**12**	**25**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	4.0	5	2	2	3	5	6	9	10
20-34	92	4.0	3	1	2	4	5	7	7	9
35-49	3	5.0	1	4	4	5	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	15	3.6	8	<1	1	3	4	6	10	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	9	1	1	4	7	9	10	10
20-34	30	4.6	7	1	1	4	6	9	10	11
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	7.3	43	1	1	4	10	18	22	22
35-49	2	5.0	2	4	4	5	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	110	4.0	4	1	2	4	5	7	7	9
B. *Operated*	17	3.7	7	<1	1	4	4	6	10	12
2. MULTIPLE DX										
A. *Not Operated*	40	4.8	7	1	1	4	7	9	10	11
B. *Operated*	14	6.6	35	1	2	4	8	16	21	22
1. SINGLE DX	127	4.0	4	1	2	4	5	6	7	10
2. MULTIPLE DX	54	5.2	15	1	2	4	7	10	11	22
A. NOT OPERATED	150	4.2	5	1	2	4	6	7	8	10
B. OPERATED	31	5.0	21	1	1	4	6	11	15	22
TOTAL 0-19 YRS	26	4.4	6	1	2	4	6	8	10	10
20-34	148	4.3	8	1	2	4	5	7	9	15
35-49	7	5.1	1	4	4	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**181**	**4.3**	**7**	**1**	**2**	**4**	**6**	**7**	**9**	**14**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.0	1	<1	1	2	2	4	5	5
20-34	129	2.1	2	1	1	2	2	4	5	8
35-49	4	2.5	3	1	1	2	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	46	1.8	2	<1	<1	1	2	3	4	10
20-34	401	1.9	3	<1	<1	1	2	4	5	10
35-49	19	2.0	5	<1	<1	1	2	4	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	2	1	1	2	3	4	4	4
20-34	34	2.6	2	1	1	2	4	5	5	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.5	2	<1	1	2	3	4	6	7
20-34	157	2.5	3	<1	1	2	3	5	6	9
35-49	7	4.7	16	1	1	4	8	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	2.1	2	1	1	2	2	4	5	7
B. *Operated*	466	1.9	3	<1	<1	1	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	41	2.6	2	1	1	2	3	5	5	6
B. *Operated*	187	2.6	4	<1	1	2	3	5	6	10
1. SINGLE DX	616	2.0	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	228	2.6	3	1	1	2	3	5	6	10
A. NOT OPERATED	191	2.2	2	1	1	2	3	4	5	7
B. OPERATED	653	2.1	3	<1	1	1	2	4	6	10
TOTAL 0-19 YRS	91	2.0	2	<1	1	2	2	4	5	9
20-34	721	2.1	3	<1	1	2	2	4	5	9
35-49	32	2.7	7	<1	1	2	3	6	10	11
50-64										
65+										
GRAND TOTAL	**844**	**2.1**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	4.9	3	2	3	5	6	7	8	8
20-34	86	4.9	21	1	2	4	6	9	13	27
35-49	4	5.0	7	2	2	5	7	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	10	3.7	8	1	1	3	7	8	8	8
20-34	86	4.6	15	1	1	4	5	9	14	21
35-49	6	3.7	8	1	1	3	4	8	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	[illegible]	4.4	14	1	1	3	6	10	14	14
20-34	[illegible]	7.7	72	2	2	5	9	13	25	45
35-49	1	9.0		9	9	9	9	9	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	7	7.6	112	2	2	3	7	26	31	31
20-34	47	4.7	10	1	1	4	6	8	10	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	4.9	18	1	2	4	6	8	11	26
B. *Operated*	102	4.5	14	1	1	4	5	8	13	20
2. MULTIPLE DX										
A. *Not Operated*	53	7.0	60	1	2	5	9	13	16	45
B. *Operated*	54	5.1	22	1	2	4	6	8	12	30
1. SINGLE DX	205	4.7	16	1	1	4	6	8	12	24
2. MULTIPLE DX	107	6.0	42	1	2	4	7	11	14	40
A. NOT OPERATED	156	5.6	33	1	2	4	6	10	13	37
B. OPERATED	156	4.7	17	1	1	4	6	8	12	23
TOTAL 0-19 YRS	41	4.9	25	1	1	4	6	8	11	31
20-34	260	5.2	26	1	1	4	6	10	13	28
35-49	11	4.6	8	1	1	4	7	9	9	9
50-64										
65+										
GRAND TOTAL	**312**	**5.2**	**25**	**1**	**1**	**4**	**6**	**9**	**13**	**30**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	299	4.7	10	1	2	4	6	9	11	15
20-34	250	4.9	17	1	2	4	6	8	11	23
35-49	160	4.9	10	2	2	4	6	8	11	20
50-64	126	6.8	35	2	3	5	8	13	19	32
65+	101	10.1	113	2	3	7	13	20	35	56
B. *Operated*										
0-19 YRS	132	5.3	18	1	1	4	7	10	14	23
20-34	114	5.6	26	<1	1	4	7	12	15	29
35-49	66	5.1	28	1	1	5	6	8	10	37
50-64	35	6.5	26	1	2	5	8	16	19	21
65+	25	10.6	125	2	3	6	9	28	42	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	198	5.6	18	2	2	4	6	10	14	25
20-34	181	6.7	29	1	2	5	8	14	18	25
35-49	134	6.8	31	2	2	5	8	12	15	30
50-64	200	10.3	98	3	3	7	12	22	29	49
65+	303	12.7	134	3	4	9	15	25	40	81
B. *Operated*										
0-19 YRS	96	6.6	26	<1	2	5	9	14	19	65
20-34	78	7.8	77	1	2	6	9	15	18	56
35-49	64	12.7	225	2	2	8	15	36	53	97
50-64	80	13.1	87	2	3	11	16	25	32	45
65+	112	19.2	249	4	6	15	27	53	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	5.7	29	1	2	4	7	10	14	29
B. *Operated*	372	5.8	31	1	1	5	7	11	15	30
2. MULTIPLE DX										
A. *Not Operated*	1016	9.0	80	2	3	6	11	18	26	53
B. *Operated*	430	12.2	156	2	2	9	16	28	43	99+
1. SINGLE DX	1308	5.7	30	1	2	4	7	10	15	29
2. MULTIPLE DX	1446	10.0	105	2	3	7	12	21	31	79
A. NOT OPERATED	1952	7.4	58	2	2	5	8	15	21	41
B. OPERATED	802	9.2	109	1	2	6	11	21	32	97
TOTAL 0-19 YRS	725	5.3	16	1	2	4	7	10	13	23
20-34	623	5.9	30	1	2	4	7	11	16	28
35-49	424	6.7	58	1	2	5	7	12	19	43
50-64	441	9.5	77	2	3	7	12	21	26	39
65+	541	13.5	162	3	4	10	17	31	43	99+
GRAND TOTAL	**2754**	**7.9**	**74**	**2**	**2**	**5**	**9**	**16**	**24**	**53**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	194	5.6	16	1	2	5	7	11	13	23
20-34	69	4.6	9	1	1	4	6	8	9	17
35-49	49	5.7	29	1	1	5	7	10	14	35
50-64	35	7.6	45	1	2	5	8	20	22	26
65+	38	9.5	74	2	2	6	11	23	31	36
B. *Operated*										
0-19 YRS	81	5.1	29	<1	1	3	6	12	14	29
20-34	46	5.4	22	<1	1	4	7	13	15	23
35-49	24	6.5	99	<1	<1	3	6	13	36	41
50-64	19	9.2	52	<1	1	7	14	20	25	25
65+	16	9.2	36	<1	1	8	14	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	7.2	31	2	2	6	9	13	16	32
20-34	53	5.1	12	2	2	5	6	8	9	25
35-49	34	7.1	39	1	1	6	8	17	23	29
50-64	53	9.5	71	2	3	6	11	18	28	47
65+	92	13.8	109	3	4	11	18	30	37	51
B. *Operated*										
0-19 YRS	38	5.9	16	1	2	5	8	11	16	17
20-34	30	7.7	161	1	1	4	6	19	42	58
35-49	24	7.9	36	2	2	7	9	13	20	30
50-64	30	12.7	222	2	2	8	16	28	41	74
65+	32	13.8	271	2	2	7	16	40	41	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	385	6.0	26	1	2	5	7	11	16	28
B. *Operated*	186	6.1	40	<1	1	4	7	14	17	33
2. MULTIPLE DX										
A. *Not Operated*	453	8.6	58	2	2	6	10	17	25	37
B. *Operated*	154	9.5	147	1	2	6	10	18	37	73
1. SINGLE DX	571	6.0	31	1	1	5	7	12	16	31
2. MULTIPLE DX	607	8.8	80	2	2	6	10	17	27	42
A. NOT OPERATED	838	7.4	45	2	2	5	9	15	20	36
B. OPERATED	340	7.7	91	<1	1	5	9	16	24	44
TOTAL 0-19 YRS	534	6.2	25	1	2	5	8	12	15	26
20-34	198	5.4	36	1	2	4	6	9	12	35
35-49	131	6.6	45	1	1	5	8	12	17	36
50-64	137	9.7	96	1	2	6	12	20	27	51
65+	178	12.5	126	2	3	9	17	28	37	52
GRAND TOTAL	**1178**	**7.5**	**58**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	<1	<1	3	5	6	7	7
20-34	8	5.5	12	2	2	4	8	11	12	12
35-49	4	2.0	1	<1	<1	1	3	3	3	3
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	460	4.8	9	1	2	4	6	9	11	16
20-34	798	4.4	10	1	2	4	5	8	10	16
35-49	95	4.6	6	2	2	4	6	8	9	15
50-64	16	6.9	30	1	2	6	10	13	19	22
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	8.0	147	1	1	1	17	22	22	22
20-34	7	5.1	57	1	1	2	4	18	22	22
35-49	3	14.0	252	2	2	8	26	32	32	32
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	41	6.0	19	2	2	5	7	9	13	27
20-34	136	5.6	19	1	2	5	7	10	12	24
35-49	28	6.5	18	2	2	6	8	12	16	19
50-64	9	9.9	85	3	4	7	10	25	33	33
65+	10	15.2	163	2	2	11	32	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.8	7	<1	<1	3	5	8	9	12
B. *Operated*	1370	4.6	10	1	2	4	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	16	7.1	91	1	1	3	7	22	29	32
B. *Operated*	224	6.4	31	2	2	5	8	11	15	33
1. SINGLE DX	1394	4.6	10	1	2	4	5	8	10	16
2. MULTIPLE DX	240	6.4	35	1	2	5	8	12	16	33
A. NOT OPERATED	40	5.1	42	<1	1	3	5	10	22	32
B. OPERATED	1594	4.8	13	1	2	4	6	9	11	17
TOTAL 0-19 YRS	514	4.9	11	1	2	4	6	9	11	17
20-34	949	4.6	12	1	2	4	6	8	10	16
35-49	130	5.2	15	2	2	4	6	9	12	22
50-64	29	7.2	47	1	1	5	9	14	23	33
65+	12	13.4	152	2	2	9	23	33	33	33
GRAND TOTAL	**1634**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.8	2	<1	<1	1	2	4	4	4
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	53	2.0	3	<1	<1	1	3	4	5	10
20-34	71	2.4	30	<1	<1	1	2	3	4	39
35-49	29	1.8	1	<1	<1	1	2	4	4	5
50-64	32	2.3	3	<1	<1	2	3	5	7	8
65+	11	2.7	6	<1	<1	2	4	6	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.7	8	<1	<1	<1	5	6	6	6
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+	2	18.0	200	8	8	18	28	28	28	28
B. *Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	23	2.6	3	<1	<1	2	4	5	6	8
35-49	12	3.2	4	<1	<1	3	4	7	8	8
50-64	27	3.6	8	<1	<1	3	5	8	10	10
65+	12	8.1	55	1	1	6	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.9	2	<1	<1	1	2	5	5	5
B. *Operated*	196	2.2	13	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	7	7.3	92	<1	<1	6	8	24	28	28
B. *Operated*	78	3.8	16	<1	<1	2	5	8	11	21
1. SINGLE DX	205	2.2	12	<1	<1	1	2	4	5	9
2. MULTIPLE DX	85	4.1	22	<1	<1	2	5	8	12	26
A. NOT OPERATED	16	4.3	46	<1	<1	1	5	8	22	28
B. OPERATED	274	2.7	14	<1	<1	2	3	5	8	19
TOTAL 0-19 YRS	61	1.9	3	<1	<1	1	2	4	5	10
20-34	102	2.4	22	<1	<1	1	2	4	5	27
35-49	42	2.3	3	<1	<1	2	3	5	6	8
50-64	60	3.0	6	<1	<1	2	4	6	8	10
65+	25	6.5	55	<1	<1	3	8	20	23	28
GRAND TOTAL	**290**	**2.7**	**16**	**<1**	**<1**	**2**	**3**	**5**	**8**	**21**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	553	6.0	36	1	1	4	7	12	16	30
20-34	162	6.7	46	1	1	5	9	14	21	36
35-49	128	8.5	89	1	2	6	11	19	23	50
50-64	129	11.9	113	1	2	9	17	25	34	48
65+	164	13.7	211	2	3	8	17	35	51	79
B. *Operated*										
0-19 YRS	308	3.8	34	<1	<1	2	4	9	14	28
20-34	380	4.6	56	<1	<1	2	5	8	14	48
35-49	205	5.2	48	<1	1	3	5	11	20	44
50-64	197	6.2	96	<1	<1	3	7	16	20	80
65+	166	9.8	187	<1	1	5	10	27	41	83
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	7.7	52	1	2	6	9	17	22	41
20-34	147	9.5	152	1	1	6	11	25	35	99+
35-49	139	11.7	134	1	2	8	16	24	32	57
50-64	213	14.7	220	2	3	10	18	34	45	99
65+	423	16.1	221	3	4	11	21	34	49	83
B. *Operated*										
0-19 YRS	99	9.9	204	<1	<1	4	13	29	54	99+
20-34	236	15.0	325	1	2	7	22	43	62	99+
35-49	188	12.7	240	1	2	6	19	36	49	99+
50-64	261	15.7	318	1	2	9	23	42	71	99+
65+	331	21.4	455	2	3	16	32	62	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1136	8.2	85	1	1	5	10	18	25	51
B. *Operated*	1256	5.4	76	<1	<1	3	5	12	19	51
2. MULTIPLE DX										
A. *Not Operated*	1308	12.2	166	1	2	8	16	28	40	80
B. *Operated*	1115	16.2	350	1	2	9	24	48	70	99+
1. SINGLE DX	2392	6.7	82	<1	1	4	8	16	23	51
2. MULTIPLE DX	2423	14.0	255	1	2	8	19	36	54	99+
A. NOT OPERATED	2444	10.3	133	1	2	7	13	23	34	69
B. OPERATED	2371	10.5	234	<1	1	4	13	31	49	99+
TOTAL 0-19 YRS	1346	6.2	55	<1	1	4	8	14	19	42
20-34	925	8.4	156	<1	1	4	9	22	36	82
35-49	660	9.4	138	1	1	5	12	22	33	76
50-64	800	12.5	218	1	2	7	17	32	44	99+
65+	1084	16.4	300	2	3	10	22	44	60	99+
GRAND TOTAL	**4815**	**10.4**	**182**	**<1**	**1**	**6**	**13**	**27**	**40**	**90**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	6.9	58	<1	<1	4	10	20	22	22
20-34	20	8.8	46	2	2	7	14	19	22	25
35-49	20	10.0	83	1	2	8	10	23	35	36
50-64	9	11.1	80	2	3	6	16	25	29	29
65+	14	9.4	105	2	2	5	12	25	34	37
B. *Operated*										
0-19 YRS	2	9.5	25	6	6	9	13	13	13	13
20-34	10	8.7	22	3	3	8	12	15	18	18
35-49	7	9.6	49	1	1	9	13	20	22	22
50-64	2	14.0	200	4	4	14	24	24	24	24
65+	4	9.5	62	1	1	8	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	8.4	88	<1	1	5	10	22	35	39
20-34	49	10.1	67	2	3	8	12	25	27	40
35-49	37	12.7	169	2	2	10	16	27	36	72
50-64	49	12.1	54	4	4	9	16	23	25	31
65+	36	16.4	253	4	5	14	18	46	97	99+
B. *Operated*										
0-19 YRS	6	22.5	289	2	3	23	44	90	99+	99+
20-34	29	19.0	248	3	5	15	25	44	78	99+
35-49	14	15.8	86	3	5	14	24	36	84	99+
50-64	27	19.0	152	4	7	18	26	42	61	99+
65+	14	20.3	247	5	6	17	35	96	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	9.3	71	2	2	6	12	21	29	37
B. *Operated*	25	9.6	40	1	3	9	13	20	22	24
2. MULTIPLE DX										
A. *Not Operated*	201	11.9	123	2	3	9	15	24	31	96
B. *Operated*	90	18.9	190	3	6	16	27	52	99+	99+
1. SINGLE DX	95	9.4	62	1	2	7	12	20	25	37
2. MULTIPLE DX	291	14.1	153	2	3	11	19	30	51	99+
A. NOT OPERATED	271	11.3	110	2	3	9	14	24	31	87
B. OPERATED	115	16.9	172	3	4	15	24	43	88	99+
TOTAL 0-19 YRS	45	10.1	124	<1	1	6	12	33	41	99+
20-34	108	12.1	123	2	3	9	15	26	34	87
35-49	78	12.3	122	2	3	9	15	28	36	92
50-64	87	14.2	96	4	4	12	21	27	31	84
65+	68	15.4	218	2	4	13	20	45	99	99+
GRAND TOTAL	**386**	**12.9**	**135**	**2**	**3**	**10**	**18**	**28**	**39**	**99+**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	10.6	193	1	2	7	11	20	36	88
20-34	47	9.9	38	2	2	9	14	18	20	28
35-49	76	10.9	48	2	3	10	14	20	23	34
50-64	124	14.3	97	2	3	13	19	25	30	52
65+	138	13.6	86	2	3	12	19	28	33	48
B. *Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	31	8.7	92	1	1	4	14	21	28	42
35-49	48	10.0	87	1	2	6	16	26	28	35
50-64	80	10.1	67	1	2	8	14	20	28	39
65+	57	14.1	181	1	2	11	19	29	38	78
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	10.6	94	1	2	8	13	21	34	45
20-34	34	14.1	145	2	3	12	18	26	39	59
35-49	78	13.5	83	2	3	13	18	24	28	50
50-64	239	15.3	107	3	5	13	21	28	33	54
65+	317	17.2	227	2	4	13	22	37	62	84
B. *Operated*										
0-19 YRS	4	19.5	212	2	2	19	30	37	37	37
20-34	18	17.8	313	1	2	14	21	41	62	72
35-49	68	18.0	253	2	3	15	22	41	53	74
50-64	156	19.0	317	2	3	15	25	43	69	99+
65+	122	22.6	336	2	4	21	34	53	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	12.5	96	2	3	10	17	24	30	45
B. *Operated*	220	10.8	107	1	2	7	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*	702	15.7	162	2	4	13	20	30	43	68
B. *Operated*	368	19.9	311	2	3	16	28	45	65	99+
1. SINGLE DX	675	11.9	100	1	2	10	17	24	30	44
2. MULTIPLE DX	1070	17.1	217	2	4	13	23	36	52	98
A. NOT OPERATED	1157	14.4	138	2	3	12	19	28	36	66
B. OPERATED	588	16.5	254	2	2	13	23	38	53	99+
TOTAL 0-19 YRS	112	10.6	159	1	2	7	13	21	36	65
20-34	130	11.8	123	2	2	10	16	23	31	62
35-49	270	13.3	125	2	2	11	18	27	33	61
50-64	599	15.4	161	2	3	13	20	29	39	72
65+	634	17.2	221	2	4	13	23	38	56	99+
GRAND TOTAL	**1745**	**15.1**	**178**	**2**	**3**	**12**	**20**	**31**	**43**	**78**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	6	4	4	6	8	9	9	9
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	15	8.0	47	<1	<1	7	14	16	21	23
50-64	63	9.2	58	1	2	7	10	17	28	40
65+	193	10.4	82	2	2	8	13	23	33	43
B. *Operated*										
0-19 YRS	5	5.8	8	3	3	6	8	9	9	9
20-34	65	4.5	22	1	2	3	5	9	10	33
35-49	110	6.6	28	2	2	5	8	14	16	27
50-64	334	10.6	44	2	2	10	15	19	23	31
65+	405	14.1	56	3	6	14	18	22	26	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	9.5	84	3	3	6	15	23	23	23
20-34	8	10.8	55	1	2	10	12	22	26	26
35-49	30	6.6	24	1	2	5	8	13	17	23
50-64	138	10.5	107	1	2	8	13	21	27	56
65+	672	13.4	174	3	4	9	16	32	47	99+
B. *Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	61	7.4	70	2	2	5	8	15	24	51
35-49	94	9.8	51	2	2	8	13	19	24	71
50-64	326	13.7	81	2	4	12	20	26	30	42
65+	566	18.4	153	4	6	16	23	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	9.9	74	1	2	7	12	22	31	42
B. *Operated*	919	11.2	55	2	3	10	16	20	24	33
2. MULTIPLE DX										
A. *Not Operated*	852	12.7	159	2	3	9	15	29	44	99+
B. *Operated*	1050	15.5	128	2	4	14	21	29	37	67
1. SINGLE DX	1195	10.9	60	2	2	9	15	21	24	37
2. MULTIPLE DX	1902	14.2	144	2	3	11	19	29	40	83
A. NOT OPERATED	1128	12.0	139	2	3	9	14	27	40	99+
B. OPERATED	1969	13.5	99	2	3	12	18	25	31	55
TOTAL 0-19 YRS	15	6.3	27	2	3	5	8	9	20	23
20-34	136	6.1	48	1	2	4	7	12	17	39
35-49	249	7.9	40	2	2	6	11	17	20	36
50-64	861	11.7	71	2	3	10	16	23	28	41
65+	1836	14.8	138	3	4	12	19	29	39	83
GRAND TOTAL	**3097**	**12.9**	**114**	**2**	**3**	**11**	**17**	**25**	**34**	**67**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	7.9	31	1	2	7	11	15	20	24
20-34	47	6.0	17	1	1	5	9	12	13	17
35-49	46	6.4	40	1	2	5	8	11	15	41
50-64	65	7.1	25	1	2	6	10	16	19	87
65+	112	9.9	108	2	3	7	14	22	30	91
B. *Operated*										
0-19 YRS	11	20.6	119	9	10	16	28	38	43	43
20-34	29	6.0	13	2	2	5	9	11	14	15
35-49	29	8.6	81	2	2	6	11	18	32	41
50-64	27	8.4	45	1	2	6	11	20	23	27
65+	15	11.5	27	4	6	11	13	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	10.7	59	1	2	8	15	23	25	30
20-34	40	7.0	37	1	2	5	10	15	20	28
35-49	36	8.6	39	2	3	8	10	14	23	33
50-64	89	11.4	84	2	3	9	13	25	32	42
65+	270	13.1	164	3	3	9	16	30	48	99+
B. *Operated*										
0-19 YRS	15	16.5	105	2	3	17	24	35	80	99+
20-34	25	8.8	65	1	2	7	10	17	31	32
35-49	27	11.0	73	2	3	9	16	21	31	33
50-64	45	11.2	121	2	2	8	16	24	33	54
65+	46	21.9	329	2	4	20	33	77	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	8.0	57	1	2	6	10	17	21	49
B. *Operated*	111	9.4	66	2	2	7	12	21	27	42
2. MULTIPLE DX										
A. *Not Operated*	484	11.7	122	2	3	9	15	26	35	99+
B. *Operated*	158	14.4	186	2	2	11	20	34	55	99+
1. SINGLE DX	442	8.3	60	2	2	6	11	17	22	41
2. MULTIPLE DX	642	12.4	139	2	3	9	16	28	41	99+
A. NOT OPERATED	815	10.2	99	2	2	7	13	22	30	90
B. OPERATED	269	12.3	142	2	2	9	17	30	43	99+
TOTAL 0-19 YRS	136	10.9	70	1	2	9	15	23	29	50
20-34	141	6.8	31	1	2	5	9	14	16	31
35-49	138	8.3	56	2	2	6	10	17	24	41
50-64	226	9.8	72	2	2	7	13	20	27	47
65+	443	13.2	172	2	3	9	18	31	52	99+
GRAND TOTAL	**1084**	**10.7**	**110**	**2**	**2**	**8**	**14**	**24**	**33**	**99+**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.9	4	<1	<1	2	5	6	7	7
20-34	8	2.4	6	<1	<1	1	3	7	8	8
35-49	13	2.8	10	<1	<1	1	3	9	10	10
50-64	7	2.1	1	<1	<1	2	3	4	4	4
65+										
B. *Operated*										
0-19 YRS	348	3.5	4	1	1	3	5	6	8	10
20-34	1055	3.8	4	1	2	4	5	6	7	10
35-49	430	4.0	5	1	2	4	5	6	9	11
50-64	213	4.5	10	1	1	4	5	7	9	16
65+	42	5.0	11	1	1	4	6	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	3.6	15	1	1	2	4	11	13	13
20-34	19	2.5	6	<1	<1	1	4	6	9	10
35-49	8	3.3	7	<1	<1	2	5	7	8	8
50-64	8	1.9	3	<1	<1	1	2	5	6	6
65+	2	1.5	1	<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	142	4.4	22	1	1	4	5	7	9	24
20-34	505	3.9	8	<1	1	3	5	6	8	15
35-49	226	5.1	19	1	2	4	6	9	12	29
50-64	182	5.3	15	1	2	4	6	9	12	21
65+	42	6.7	47	1	1	4	7	19	22	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.6	6	<1	<1	2	4	6	9	10
B. *Operated*	2088	3.9	5	1	1	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	48	2.8	8	<1	<1	2	3	7	9	13
B. *Operated*	1097	4.6	15	1	1	4	5	8	10	22
1. SINGLE DX	2127	3.9	5	1	1	4	5	6	8	11
2. MULTIPLE DX	1145	4.5	15	1	1	4	5	8	10	22
A. NOT OPERATED	87	2.7	7	<1	<1	2	4	7	9	12
B. OPERATED	3185	4.1	9	1	1	4	5	7	8	16
TOTAL 0-19 YRS	512	3.8	10	1	1	3	5	7	8	12
20-34	1587	3.8	5	1	1	3	5	6	7	11
35-49	677	4.3	10	1	2	4	5	7	10	18
50-64	410	4.8	12	1	1	4	6	8	10	18
65+	86	5.7	29	1	1	4	6	12	19	27
GRAND TOTAL	**3272**	**4.1**	**9**	**1**	**1**	**4**	**5**	**7**	**8**	**16**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	4.6	19	1	1	3	6	8	10	28
20-34	64	5.0	35	<1	1	3	6	11	17	30
35-49	33	4.3	20	1	1	3	4	10	12	22
50-64	41	6.2	34	1	1	5	8	12	15	33
65+	41	7.9	39	1	2	6	11	17	21	26
B. *Operated*										
0-19 YRS	395	4.4	14	1	2	4	5	7	9	15
20-34	688	4.0	6	1	2	3	5	7	8	14
35-49	149	4.3	9	1	2	4	5	7	9	16
50-64	70	5.7	65	1	1	4	6	9	18	50
65+	30	8.1	38	1	1	6	14	16	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.9	25	1	1	4	6	11	14	29
20-34	47	5.8	33	<1	<1	4	8	13	20	22
35-49	41	5.3	21	<1	1	3	7	13	15	18
50-64	41	9.8	159	2	2	6	10	22	30	73
65+	94	11.8	149	2	3	8	16	25	33	97
B. *Operated*										
0-19 YRS	131	5.9	43	1	1	4	6	12	17	35
20-34	249	5.2	23	1	1	4	6	10	13	25
35-49	94	5.5	37	1	1	4	6	12	16	37
50-64	71	8.6	71	1	2	5	13	24	30	85
65+	34	20.7	588	1	3	12	29	68	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	5.2	23	1	1	3	7	11	14	29
B. *Operated*	1332	4.3	13	1	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	297	7.9	92	1	1	5	10	18	24	60
B. *Operated*	579	6.7	81	1	1	4	7	14	23	58
1. SINGLE DX	1654	4.5	16	1	2	4	5	8	11	19
2. MULTIPLE DX	876	7.2	85	1	1	4	8	16	24	58
A. NOT OPERATED	619	6.5	60	1	1	4	8	14	21	35
B. OPERATED	1911	5.1	35	1	2	4	5	9	13	30
TOTAL 0-19 YRS	743	4.8	22	1	1	4	6	8	11	24
20-34	1048	4.4	13	1	1	4	5	8	11	21
35-49	317	4.8	20	1	1	3	5	10	13	23
50-64	223	7.5	80	1	1	5	9	18	26	57
65+	199	11.9	200	1	2	8	15	26	38	99
GRAND TOTAL	**2530**	**5.4**	**41**	**1**	**1**	**4**	**6**	**10**	**15**	**31**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	36	1	1	5	11	15	15	15
20-34	5	11.0	8	8	8	11	13	15	15	15
35-49	13	7.5	15	2	2	8	11	12	13	13
50-64	4	7.3	28	3	3	5	10	15	15	15
65+	2	11.5	5	10	10	11	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	2	19.0	72	13	13	19	25	25	25	25
35-49	2	6.0	32	2	2	6	10	10	10	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	15.0	242	4	4	15	26	26	26	26
20-34	9	14.0	62	6	7	11	17	26	32	32
35-49	4	13.3	15	8	8	14	16	17	17	17
50-64	11	14.2	65	6	6	12	21	25	29	29
65+	7	14.1	95	1	2	14	17	29	32	32
B. *Operated*										
0-19 YRS										
20-34	5	20.8	200	13	13	15	23	46	46	46
35-49	11	16.8	140	2	3	15	26	33	36	36
50-64	1	27.0		27	27	27	27	27	27	27
65+	5	24.2	287	1	1	26	34	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	8.3	18	2	2	8	11	14	15	15
B. *Operated*	4	12.5	91	2	2	11	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	33	14.1	63	4	6	13	17	27	31	32
B. *Operated*	22	19.9	171	2	3	16	27	39	46	47
1. SINGLE DX	32	8.8	26	2	2	9	12	15	15	25
2. MULTIPLE DX	55	16.4	112	2	6	15	23	31	35	47
A. NOT OPERATED	61	11.4	50	2	4	11	15	20	27	32
B. OPERATED	26	18.7	162	2	2	16	27	35	46	47
TOTAL 0-19 YRS	6	9.5	88	1	1	6	15	25	26	26
20-34	21	15.4	84	7	8	13	16	28	38	46
35-49	30	11.6	77	2	2	10	15	26	31	36
50-64	16	13.3	72	4	5	11	20	27	28	29
65+	14	17.4	161	1	1	15	26	33	44	47
GRAND TOTAL	**87**	**13.6**	**93**	**2**	**3**	**11**	**17**	**27**	**32**	**47**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	12	7.5	18	2	3	6	10	14	17	17
35-49	29	4.6	13	2	2	4	5	10	14	15
50-64	62	7.7	22	2	3	7	10	13	17	23
65+	112	8.5	56	2	2	7	11	17	25	70
B. *Operated*										
0-19 YRS										
20-34	13	6.4	40	1	1	3	9	18	20	21
35-49	38	10.3	46	2	2	8	15	19	24	29
50-64	65	7.3	33	1	1	6	11	16	18	24
65+	29	10.5	60	1	2	8	15	22	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	8	11.0	272	1	1	4	12	39	50	50
35-49	44	8.4	47	2	3	5	11	17	23	34
50-64	140	9.6	61	2	2	8	13	18	24	41
65+	357	12.2	116	3	4	9	16	25	32	99
B. *Operated*										
0-19 YRS										
20-34	12	8.7	29	1	2	8	12	17	18	18
35-49	51	10.9	67	1	2	9	17	22	27	33
50-64	93	13.9	149	1	2	13	18	24	30	75
65+	60	18.7	253	1	5	16	23	39	59	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	7.7	39	2	2	6	10	15	19	39
B. *Operated*	145	8.6	44	1	1	7	13	18	21	27
2. MULTIPLE DX										
A. *Not Operated*	551	11.2	100	2	3	9	14	22	29	69
B. *Operated*	216	14.3	160	1	2	12	18	27	35	72
1. SINGLE DX	360	8.1	41	1	2	7	11	16	21	31
2. MULTIPLE DX	767	12.1	119	2	3	9	16	24	32	71
A. NOT OPERATED	766	10.2	85	2	3	8	13	21	27	65
B. OPERATED	361	12.0	121	1	2	10	17	23	29	67
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	45	8.1	69	1	2	6	11	17	19	50
35-49	162	9.0	51	2	2	7	13	19	24	33
50-64	360	10.0	78	1	2	8	13	19	24	40
65+	558	12.1	123	2	3	9	16	25	32	89
GRAND TOTAL	**1127**	**10.8**	**97**	**2**	**2**	**8**	**14**	**21**	**27**	**66**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	6.9	20	2	3	6	9	11	18	20
20-34	285	7.9	40	1	2	7	10	14	18	25
35-49	430	7.6	30	1	2	7	10	14	18	26
50-64	301	9.7	54	2	3	8	12	17	23	33
65+	105	10.0	48	3	3	8	13	19	26	34
B. *Operated*										
0-19 YRS	37	8.7	44	1	2	7	12	20	23	25
20-34	787	8.4	40	1	1	7	11	16	20	32
35-49	1115	9.0	43	1	2	8	12	17	21	33
50-64	466	8.8	43	1	1	8	12	17	21	31
65+	69	12.0	98	1	1	11	16	28	31	43
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.4	26	1	2	7	9	16	17	17
20-34	110	7.1	23	2	2	6	9	13	16	24
35-49	205	9.3	45	2	3	8	11	17	21	37
50-64	235	10.4	67	2	3	8	13	20	25	46
65+	215	13.7	134	3	3	11	18	27	37	62
B. *Operated*										
0-19 YRS	11	7.7	38	1	2	7	10	16	22	23
20-34	319	10.4	55	2	3	9	14	19	24	37
35-49	540	11.6	70	2	3	10	15	21	28	46
50-64	418	12.4	75	1	3	11	17	23	29	43
65+	130	16.5	246	1	3	13	19	37	41	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1135	8.5	41	2	3	7	11	16	20	30
B. *Operated*	2474	8.8	44	1	1	8	12	17	21	32
2. MULTIPLE DX										
A. *Not Operated*	772	10.5	78	2	3	8	13	20	26	48
B. *Operated*	1418	12.0	86	2	3	10	15	22	29	47
1. SINGLE DX	3609	8.7	43	1	2	8	12	17	21	32
2. MULTIPLE DX	2190	11.5	84	2	3	10	15	22	28	47
A. NOT OPERATED	1907	9.3	57	2	3	8	12	18	22	38
B. OPERATED	3892	10.0	61	1	2	9	13	19	24	38
TOTAL 0-19 YRS	69	8.0	36	1	2	6	10	17	22	25
20-34	1501	8.7	43	1	2	8	11	16	20	32
35-49	2290	9.4	49	1	2	8	12	18	22	36
50-64	1420	10.3	61	1	2	9	14	20	24	36
65+	519	13.5	144	2	3	11	17	27	36	65
GRAND TOTAL	**5799**	**9.8**	**60**	**1**	**2**	**8**	**13**	**18**	**23**	**38**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	16	2	2	5	9	12	12	12
20-34	44	6.4	18	2	3	5	8	14	17	17
35-49	70	7.5	29	2	2	6	10	14	17	27
50-64	61	9.4	56	1	2	8	12	19	26	36
65+	29	8.2	67	3	3	7	9	14	18	46
B. *Operated*										
0-19 YRS										
20-34	40	6.8	27	1	1	6	9	14	19	21
35-49	118	8.2	39	1	1	7	11	16	21	31
50-64	80	10.5	115	1	1	9	13	21	30	56
65+	11	9.5	50	1	1	9	14	20	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	23	6.1	16	<1	1	5	8	12	14	16
35-49	45	8.1	37	2	3	6	12	17	20	28
50-64	65	12.2	97	3	4	8	14	27	33	44
65+	83	12.7	132	2	3	9	15	26	37	55
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	24	9.8	39	1	1	10	14	18	20	20
35-49	92	10.0	55	1	2	9	13	23	26	36
50-64	70	10.8	55	1	2	10	15	22	27	86
65+	19	19.4	82	2	4	10	18	32	67	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	7.9	40	2	2	6	10	15	17	34
B. *Operated*	249	8.8	63	1	1	8	12	18	21	38
2. MULTIPLE DX										
A. *Not Operated*	217	10.9	94	2	3	8	13	24	31	53
B. *Operated*	206	10.5	56	1	2	9	13	22	27	66
1. SINGLE DX	459	8.4	53	1	2	7	11	16	21	36
2. MULTIPLE DX	423	10.7	75	2	3	9	13	23	29	53
A. NOT OPERATED	427	9.4	70	2	3	7	12	17	27	44
B. OPERATED	455	9.6	60	1	1	8	13	19	25	41
TOTAL 0-19 YRS	8	5.6	13	2	2	5	8	11	12	12
20-34	131	7.1	26	1	2	5	10	15	18	20
35-49	325	8.5	42	1	2	7	11	16	22	29
50-64	276	10.8	82	1	2	9	14	23	30	52
65+	142	11.6	108	2	3	9	14	25	35	58
GRAND TOTAL	**882**	**9.5**	**65**	**1**	**2**	**8**	**12**	**19**	**26**	**43**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	6.8	43	1	1	5	12	15	15	15
20-34	33	7.0	73	2	2	5	8	12	13	51
35-49	31	7.5	28	2	2	6	9	15	18	25
50-64	27	7.4	32	2	2	6	11	16	20	22
65+	7	8.7	106	2	2	5	9	27	31	31
B. *Operated*										
0-19 YRS	5	4.0	12	2	2	3	5	10	10	10
20-34	27	8.1	67	1	1	5	11	23	28	32
35-49	33	8.1	48	1	2	8	13	17	19	31
50-64	5	12.4	68	5	5	11	16	26	26	26
65+	2	23.0	72	17	17	23	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	2	1	1	2	3	5	5	5
20-34	19	7.1	42	1	2	5	10	13	22	29
35-49	19	9.5	134	2	3	7	9	15	38	55
50-64	16	7.1	22	1	2	6	10	15	16	16
65+	19	14.9	131	4	4	12	17	34	42	46
B. *Operated*										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	23	14.4	134	2	3	11	17	28	42	50
35-49	33	14.7	228	2	3	12	19	26	36	82
50-64	5	15.4	174	2	2	9	26	34	34	34
65+	4	9.5	14	5	5	10	12	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	7.4	47	2	2	5	9	14	19	41
B. *Operated*	72	8.5	60	1	2	7	12	18	27	32
2. MULTIPLE DX										
A. *Not Operated*	78	9.3	89	1	2	7	12	17	30	52
B. *Operated*	67	14.0	172	2	3	11	18	25	37	77
1. SINGLE DX	174	7.9	53	1	2	6	10	16	24	32
2. MULTIPLE DX	145	11.5	132	2	3	8	15	25	35	56
A. NOT OPERATED	180	8.2	66	2	2	6	10	16	21	49
B. OPERATED	139	11.2	121	1	2	8	15	25	31	53
TOTAL 0-19 YRS	16	4.2	15	1	1	3	4	10	13	15
20-34	102	9.0	86	1	2	6	11	18	28	50
35-49	116	10.0	114	2	2	7	13	19	25	64
50-64	53	8.6	48	2	2	7	11	17	24	34
65+	32	13.4	114	2	4	12	17	30	36	46
GRAND TOTAL	**319**	**9.5**	**92**	**1**	**2**	**7**	**12**	**19**	**28**	**50**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	57	6.3	11	2	2	6	8	11	13	14
35-49	76	8.7	61	1	2	6	11	16	22	48
50-64	48	8.4	41	2	3	6	10	16	23	31
65+	32	9.1	35	2	3	8	12	17	20	26
B. *Operated*										
0-19 YRS	4	6.0	7	4	4	5	8	10	10	10
20-34	39	2.9	5	1	1	2	4	7	8	8
35-49	30	4.5	34	1	1	2	5	11	17	27
50-64	14	3.5	26	1	1	2	3	9	18	20
65+	8	6.8	63	1	1	2	14	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	9	1	1	5	6	7	7	7
20-34	20	7.2	10	2	3	7	9	11	12	14
35-49	41	10.6	75	2	3	8	14	19	31	40
50-64	50	9.4	38	2	3	8	13	19	22	27
65+	49	12.9	111	2	3	9	21	26	33	48
B. *Operated*										
0-19 YRS										
20-34	17	10.4	111	1	1	7	11	29	35	38
35-49	18	13.3	89	1	3	11	15	28	35	38
50-64	9	7.4	22	1	1	9	11	12	12	12
65+	8	16.3	164	1	1	14	28	33	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	216	8.0	39	2	2	7	10	15	20	28
B. *Operated*	95	4.0	23	1	1	2	5	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	163	10.4	68	2	3	8	14	22	26	40
B. *Operated*	52	11.8	98	1	1	9	14	30	34	38
1. SINGLE DX	311	6.8	38	1	1	6	9	14	18	27
2. MULTIPLE DX	215	10.7	75	1	2	9	14	23	30	39
A. NOT OPERATED	379	9.0	53	2	3	7	11	18	23	38
B. OPERATED	147	6.7	63	1	1	4	9	16	25	38
TOTAL 0-19 YRS	10	5.4	6	1	2	5	7	9	10	10
20-34	133	6.0	27	1	1	5	8	11	13	31
35-49	165	8.9	68	1	1	6	12	18	24	40
50-64	121	8.2	39	1	2	7	11	17	22	28
65+	97	11.4	90	1	2	9	17	25	32	42
GRAND TOTAL	**526**	**8.4**	**57**	**1**	**1**	**7**	**11**	**18**	**24**	**38**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.8	12	<1	1	3	5	7	9	19
20-34	322	5.4	15	1	1	4	7	10	13	19
35-49	352	6.9	32	1	2	6	9	13	18	29
50-64	234	6.7	60	1	2	5	8	14	17	28
65+	112	7.2	37	1	2	6	9	13	17	38
B. *Operated*										
0-19 YRS	37	5.4	26	1	1	4	7	14	17	23
20-34	249	5.2	24	1	1	4	7	11	14	24
35-49	277	6.9	56	1	1	5	9	15	18	39
50-64	209	7.7	50	1	1	6	9	16	20	38
65+	64	11.3	85	1	2	9	15	22	31	42
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.5	12	1	1	4	6	9	10	17
20-34	230	6.0	32	1	1	4	8	12	16	30
35-49	298	8.3	49	1	2	7	11	17	22	37
50-64	274	8.8	49	2	3	7	12	16	21	39
65+	277	11.0	132	3	3	8	13	21	30	94
B. *Operated*										
0-19 YRS	18	6.4	23	2	2	4	9	14	17	18
20-34	154	8.4	51	2	2	7	11	17	24	41
35-49	233	9.2	77	1	2	7	12	19	25	43
50-64	244	11.3	92	1	2	10	15	23	27	64
65+	160	17.1	161	2	3	15	24	35	40	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1100	6.2	33	1	1	5	8	12	16	22
B. *Operated*	836	6.9	48	1	1	5	9	15	19	37
2. MULTIPLE DX										
A. *Not Operated*	1132	8.4	67	1	2	6	11	16	22	41
B. *Operated*	809	11.2	102	1	2	9	15	24	32	51
1. SINGLE DX	1936	6.5	40	1	1	5	8	14	17	31
2. MULTIPLE DX	1941	9.6	83	1	2	7	12	20	27	49
A. NOT OPERATED	2232	7.3	52	1	2	6	9	15	19	35
B. OPERATED	1645	9.0	79	1	2	7	11	19	26	47
TOTAL 0-19 YRS	188	4.5	16	1	1	3	6	9	14	19
20-34	955	6.0	28	1	1	4	8	12	16	31
35-49	1160	7.7	52	1	2	6	10	16	21	39
50-64	961	8.7	65	1	2	7	11	17	22	40
65+	613	11.9	128	2	3	9	15	25	34	61
GRAND TOTAL	**3877**	**8.0**	**64**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	4.4	9	1	2	3	6	9	11	13
20-34	59	4.6	10	2	2	4	6	9	10	17
35-49	59	6.6	94	<1	1	4	8	14	19	65
50-64	66	6.2	39	<1	1	5	8	16	19	31
65+	47	7.6	44	1	1	6	11	15	19	35
B. *Operated*										
0-19 YRS	135	2.8	4	<1	1	2	3	5	6	12
20-34	198	3.1	5	<1	1	3	4	6	8	12
35-49	248	3.1	5	<1	1	3	4	5	7	11
50-64	208	3.3	8	<1	<1	2	4	7	9	15
65+	70	3.7	16	<1	<1	2	4	8	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	5.9	17	1	1	5	8	12	14	16
20-34	29	6.3	29	1	2	5	7	13	16	27
35-49	38	8.3	98	1	2	5	8	15	37	45
50-64	69	7.7	59	2	2	5	9	14	24	41
65+	91	10.0	66	2	2	7	14	24	28	34
B. *Operated*										
0-19 YRS	28	5.9	80	<1	<1	3	5	13	33	38
20-34	89	5.0	37	1	1	3	6	10	13	40
35-49	106	4.9	25	<1	1	3	7	10	12	27
50-64	120	5.3	20	1	1	3	7	13	16	19
65+	66	5.7	37	1	1	4	7	10	14	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	334	5.7	36	1	1	4	7	11	16	28
B. *Operated*	859	3.2	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	265	8.2	59	1	2	6	10	16	26	40
B. *Operated*	409	5.2	31	1	1	3	7	10	14	35
1. SINGLE DX	1193	3.9	16	<1	1	3	4	8	10	18
2. MULTIPLE DX	674	6.4	44	1	1	4	8	14	17	39
A. NOT OPERATED	599	6.8	48	1	2	5	8	14	19	35
B. OPERATED	1268	3.8	15	<1	1	3	4	8	10	17
TOTAL 0-19 YRS	304	4.0	15	1	1	3	5	9	11	15
20-34	375	4.1	16	<1	1	3	5	8	10	17
35-49	451	4.4	31	<1	1	3	5	9	11	33
50-64	463	4.9	26	<1	1	3	6	10	16	27
65+	274	7.0	48	<1	1	5	9	16	22	34
GRAND TOTAL	**1867**	**4.8**	**28**	**<1**	**1**	**3**	**6**	**10**	**14**	**28**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	131	3.9	3	1	2	4	5	7	7	9
20-34	215	4.2	5	1	2	4	5	7	8	11
35-49	239	4.3	6	2	2	4	5	7	9	15
50-64	332	4.8	9	1	2	4	6	8	9	16
65+	182	5.2	13	1	2	4	7	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	3	3.7	6	1	1	4	5	6	6	6
50-64	9	1.7	1	1	1	1	2	3	3	3
65+	5	11.2	403	1	1	2	15	47	47	47
B. *Operated*										
0-19 YRS	70	4.1	4	1	2	4	5	7	8	10
20-34	150	4.7	9	1	2	4	6	8	10	15
35-49	200	4.8	7	1	2	4	6	8	9	13
50-64	429	5.4	14	1	2	5	6	9	11	20
65+	298	6.5	22	1	2	6	8	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.0	3	1	1	3	5	5	5	5
B. *Operated*	1099	4.5	8	1	2	4	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	21	4.1	99	1	1	1	3	5	24	47
B. *Operated*	1147	5.4	14	1	2	5	7	9	11	22
1. SINGLE DX	1105	4.5	8	1	2	4	6	8	9	15
2. MULTIPLE DX	1168	5.4	16	1	2	5	7	9	11	22
A. NOT OPERATED	27	3.9	77	1	1	2	3	5	12	47
B. OPERATED	2246	5.0	11	1	2	4	6	8	10	18
TOTAL 0-19 YRS	205	3.9	4	1	2	4	5	7	7	10
20-34	368	4.4	6	1	2	4	5	7	9	13
35-49	442	4.5	6	1	2	4	6	8	9	14
50-64	771	5.1	12	1	2	4	6	8	10	18
65+	487	6.0	22	1	2	5	7	11	14	26
GRAND TOTAL	**2273**	**5.0**	**12**	**1**	**2**	**4**	**6**	**8**	**10**	**19**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	10	1	1	2	6	7	7	7
20-34	3	1.7		1	1	2	2	2	2	2
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	3	4.3	4	2	2	5	6	6	6	6
65+	2	13.5	1	13	13	13	14	14	14	14
B. *Operated*										
0-19 YRS	184	2.0	8	<1	<1	1	2	3	4	19
20-34	281	1.7	2	<1	<1	1	2	2	3	8
35-49	134	2.1	3	<1	<1	1	3	4	6	10
50-64	72	2.7	4	<1	<1	2	3	5	7	11
65+	37	3.4	5	<1	1	3	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	7	2.4	6	<1	<1	1	4	7	7	7
35-49	3	3.0	7	1	1	2	5	6	6	6
50-64	1	10.0		10	10	10	10	10	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	15	2.1	1	<1	<1	2	3	3	4	4
20-34	48	3.8	91	<1	<1	1	3	5	15	65
35-49	39	4.1	20	<1	<1	2	6	11	12	22
50-64	35	4.3	11	<1	1	3	6	10	11	13
65+	20	6.2	40	<1	1	4	7	16	21	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.3	19	<1	1	2	6	13	14	14
B. *Operated*	708	2.0	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	16	2.8	8	<1	<1	1	5	7	9	10
B. *Operated*	157	4.1	40	<1	<1	2	4	10	13	26
1. SINGLE DX	722	2.1	5	<1	<1	1	2	4	5	11
2. MULTIPLE DX	173	4.0	38	<1	<1	2	4	10	12	25
A. NOT OPERATED	30	3.5	13	<1	<1	2	5	9	13	14
B. OPERATED	865	2.4	12	<1	<1	2	2	4	6	15
TOTAL 0-19 YRS	205	2.0	7	<1	<1	2	2	3	4	15
20-34	339	2.0	15	<1	<1	1	2	3	5	15
35-49	179	2.6	7	<1	<1	2	3	6	8	12
50-64	111	3.3	7	<1	<1	2	4	7	10	12
65+	61	4.6	20	<1	1	3	5	10	15	25
GRAND TOTAL	**895**	**2.4**	**12**	**<1**	**<1**	**2**	**2**	**5**	**7**	**15**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	52	14.1	123	2	2	11	21	30	36	47
20-34	25	11.7	76	2	3	8	15	27	31	33
35-49	18	14.1	161	3	5	10	18	31	45	53
50-64	16	13.2	126	<1	1	11	18	21	39	47
65+	4	8.5	43	2	2	10	38	99+	99+	99+
B. *Operated*										
0-19 YRS	29	17.3	164	3	4	15	25	39	43	45
20-34	61	15.1	165	3	3	12	19	35	43	54
35-49	24	20.0	465	1	2	16	25	50	69	92
50-64	14	15.2	356	3	4	7	19	34	66	75
65+	19	16.1	198	1	2	13	23	39	48	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	17.8	94	5	7	17	24	34	37	38
20-34	17	10.2	59	2	3	7	16	21	24	26
35-49	20	14.1	119	4	4	10	17	32	38	41
50-64	27	15.4	177	2	4	11	19	38	46	54
65+	32	19.3	215	4	4	14	29	40	47	64
B. *Operated*										
0-19 YRS	36	18.3	315	2	2	13	35	47	62	99+
20-34	57	23.4	503	3	5	16	31	67	86	99
35-49	41	23.8	518	2	4	15	39	59	79	82
50-64	48	27.2	374	4	10	25	35	80	99+	99+
65+	32	27.9	513	4	6	26	50	97	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	13.2	114	2	2	11	19	30	36	69
B. *Operated*	147	16.5	232	2	3	13	22	36	47	75
2. MULTIPLE DX										
A. *Not Operated*	120	16.0	149	3	4	13	21	34	40	57
B. *Operated*	214	24.2	449	3	4	17	35	72	88	99+
1. SINGLE DX	262	15.1	182	2	3	12	21	33	45	73
2. MULTIPLE DX	334	21.2	356	3	4	15	30	51	80	99+
A. NOT OPERATED	235	14.6	133	2	3	12	20	32	39	55
B. OPERATED	361	21.0	374	3	3	16	29	51	79	99+
TOTAL 0-19 YRS	141	16.5	175	2	3	14	23	38	44	66
20-34	160	17.0	283	3	3	12	21	37	53	89
35-49	103	19.3	375	2	4	13	25	43	64	87
50-64	105	20.4	315	3	4	15	29	54	79	99+
65+	87	21.3	337	3	4	17	31	52	96	99+
GRAND TOTAL	**596**	**18.5**	**288**	**2**	**3**	**14**	**26**	**44**	**60**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	9.3	69	<1	1	8	12	19	22	46
20-34	44	3.2	6	1	1	2	5	7	8	10
35-49	41	6.1	43	<1	1	4	8	13	16	38
50-64	59	8.1	50	<1	1	6	14	19	21	32
65+	90	14.1	240	2	3	9	16	30	39	91
B. *Operated*										
0-19 YRS	319	5.7	36	1	1	4	7	12	15	27
20-34	411	5.2	17	2	2	4	6	10	13	20
35-49	175	6.1	22	1	2	5	8	12	17	23
50-64	116	9.3	86	2	2	7	12	18	27	56
65+	74	13.5	130	2	2	11	18	28	35	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	9.6	83	1	1	5	14	22	29	39
20-34	26	4.7	13	1	1	4	6	10	12	16
35-49	47	6.7	31	1	1	6	10	16	30	99+
50-64	96	12.5	185	2	2	8	14	34	42	89
65+	463	16.3	252	3	4	12	21	37	63	99+
B. *Operated*										
0-19 YRS	101	7.9	121	1	2	4	8	19	32	84
20-34	192	7.9	96	2	2	5	10	15	20	68
35-49	122	14.1	209	2	3	10	18	32	61	77
50-64	136	16.7	287	2	3	12	23	42	67	99+
65+	181	23.9	409	3	5	19	34	64	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	318	9.2	114	1	1	6	12	19	27	55
B. *Operated*	1095	6.5	43	1	2	4	8	14	18	33
2. MULTIPLE DX										
A. *Not Operated*	668	14.2	220	2	3	10	18	35	57	99+
B. *Operated*	732	14.5	270	2	2	9	19	38	62	99+
1. SINGLE DX	1413	7.1	60	1	2	5	8	15	20	37
2. MULTIPLE DX	1400	14.4	246	2	2	9	18	36	61	99+
A. NOT OPERATED	986	12.6	191	1	2	9	16	29	42	99+
B. OPERATED	1827	9.7	149	1	2	5	11	22	36	87
TOTAL 0-19 YRS	540	6.9	62	1	1	4	8	15	21	41
20-34	673	5.8	41	1	2	4	7	12	15	31
35-49	385	8.7	98	1	2	6	11	19	30	68
50-64	407	12.3	181	1	2	8	16	30	42	95
65+	808	17.5	287	3	4	13	22	42	66	99+
GRAND TOTAL	**2813**	**10.7**	**166**	**1**	**2**	**7**	**13**	**25**	**38**	**94**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	14	1	1	2	5	10	10	10
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+	2	32.0	1922	<1	<1	31	63	63	63	63
B. *Operated*										
0-19 YRS	73	5.2	14	1	1	4	8	10	12	18
20-34	45	4.0	10	<1	1	3	5	8	9	18
35-49	21	4.0	13	1	1	2	5	10	13	13
50-64	25	4.5	15	1	2	3	6	11	14	16
65+	8	4.6	12	1	1	4	6	10	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	8.3	44	<1	<1	9	14	16	16	16
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	4	1.5		1	1	1	2	2	2	2
50-64										
65+	5	23.8	673	5	5	11	38	67	67	67
B. *Operated*										
0-19 YRS	60	5.9	15	2	2	5	7	12	14	18
20-34	67	7.0	55	1	2	5	9	14	21	45
35-49	28	8.8	75	1	2	5	11	24	29	31
50-64	26	8.8	80	1	2	6	10	26	32	35
65+	21	13.0	354	2	2	8	11	35	61	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	9.4	412	<1	<1	2	5	42	63	63
B. *Operated*	172	4.6	13	1	1	4	6	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	18	10.4	256	<1	1	4	13	25	52	67
B. *Operated*	202	7.8	82	2	2	5	9	15	25	46
1. SINGLE DX	181	4.9	32	1	1	4	6	10	12	18
2. MULTIPLE DX	220	8.0	95	1	2	5	9	15	27	54
A. NOT OPERATED	27	10.1	294	<1	1	3	11	26	64	67
B. OPERATED	374	6.3	53	1	2	4	8	12	17	34
TOTAL 0-19 YRS	145	5.6	16	1	2	4	8	12	14	18
20-34	116	5.6	38	1	1	4	7	12	17	33
35-49	53	6.4	51	1	1	3	7	16	25	31
50-64	51	6.7	52	1	2	5	8	12	27	35
65+	36	13.7	389	1	2	7	12	42	66	83
GRAND TOTAL	**401**	**6.6**	**69**	**1**	**1**	**4**	**8**	**13**	**18**	**46**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	6.7	17	3	3	6	9	13	14	14
35-49	11	7.5	50	1	1	6	9	19	24	25
50-64	6	6.8	18	2	2	6	10	13	13	13
65+	3	3.7	4	2	2	3	5	6	6	6
B. *Operated*										
0-19 YRS										
20-34	5	11.8	38	3	3	14	17	17	17	17
35-49	6	6.2	23	2	2	4	12	12	12	12
50-64	8	8.9	50	2	2	6	13	20	23	23
65+	2	19.5	61	14	14	19	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	5	8.8	100	1	1	6	12	26	26	26
35-49	12	9.7	100	1	1	5	15	25	30	31
50-64	10	8.7	13	2	3	9	11	13	14	14
65+	16	6.3	16	<1	1	6	8	10	15	17
B. *Operated*										
0-19 YRS										
20-34	3	19.0	721	3	3	4	38	50	50	50
35-49	13	10.6	81	3	3	8	12	20	35	38
50-64	7	15.6	207	2	3	10	20	41	45	45
65+	2	19.5	221	9	9	19	30	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	6.6	28	1	2	5	9	14	16	25
B. *Operated*	21	9.8	49	2	2	8	14	20	24	25
2. MULTIPLE DX										
A. *Not Operated*	44	8.0	45	1	1	7	9	17	24	31
B. *Operated*	25	13.7	174	2	3	9	14	38	46	50
1. SINGLE DX	49	8.0	38	2	2	6	12	16	23	25
2. MULTIPLE DX	69	10.1	97	1	2	8	10	23	31	49
A. NOT OPERATED	72	7.5	38	1	2	6	9	14	23	30
B. OPERATED	46	11.9	118	2	3	9	14	25	39	50
TOTAL 0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	20	10.4	128	2	3	7	14	22	38	50
35-49	42	8.9	68	1	2	7	11	22	27	38
50-64	31	9.9	70	2	2	9	12	18	23	45
65+	23	8.2	53	1	2	7	9	19	27	30
GRAND TOTAL	118	9.2	73	1	2	7	11	21	26	47

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	107	3.5	8	1	1	2	4	7	10	14
20-34	109	3.9	12	1	1	3	5	9	11	16
35-49	92	4.1	11	1	1	3	5	8	10	18
50-64	112	4.9	12	1	1	4	7	9	12	16
65+	66	6.3	29	<1	1	5	8	15	19	23
B. *Operated*										
0-19 YRS	182	6.6	51	<1	1	3	11	17	19	35
20-34	333	3.8	12	<1	<1	3	5	9	11	16
35-49	183	4.7	21	<1	1	3	5	11	13	24
50-64	265	3.8	18	<1	1	2	4	8	12	25
65+	146	3.8	15	1	2	3	4	7	9	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	55	3.2	6	<1	1	3	4	7	9	95
20-34	97	4.7	27	<1	1	4	6	9	10	34
35-49	105	7.0	50	1	1	5	8	13	22	35
50-64	92	7.3	66	1	2	5	10	13	20	51
65+	234	10.4	136	2	2	7	12	22	34	56
B. *Operated*										
0-19 YRS	150	7.3	88	1	1	4	9	16	26	46
20-34	291	4.8	45	<1	1	3	4	10	16	32
35-49	201	7.3	75	<1	1	4	10	19	25	53
50-64	190	6.6	65	1	1	3	9	14	21	48
65+	142	8.2	115	1	1	4	11	21	26	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	4.4	14	1	1	3	6	9	12	20
B. *Operated*	1109	4.4	23	<1	1	3	5	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	583	7.6	85	1	1	5	9	15	27	47
B. *Operated*	974	6.5	73	<1	1	3	7	15	22	49
1. SINGLE DX	1595	4.4	20	<1	1	3	5	10	14	22
2. MULTIPLE DX	1557	7.0	78	1	1	4	8	15	23	48
A. NOT OPERATED	1069	6.2	55	1	1	4	8	12	18	40
B. OPERATED	2083	5.4	47	<1	1	3	6	13	18	36
TOTAL 0-19 YRS	494	5.8	51	<1	1	3	6	15	18	38
20-34	830	4.2	25	<1	1	3	5	9	12	23
35-49	581	5.9	45	<1	1	4	7	13	19	35
50-64	659	5.3	39	1	1	3	6	11	15	27
65+	588	7.8	95	1	2	4	9	17	25	47
GRAND TOTAL	3152	5.7	50	<1	1	3	6	13	18	37

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.0	72	1	1	7	13	13	13	13
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	2	9.5	1	9	9	9	10	10	10	10
B. *Operated*										
1. SINGLE DX	3	5.3	44	1	1	2	10	13	13	13
2. MULTIPLE DX	2	9.5	1	9	9	9	10	10	10	10
A. NOT OPERATED	4	8.3	26	1	1	9	11	13	13	13
B. OPERATED	1	2.0		2	2	2	2	2	2	2
TOTAL 0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	13.0		13	13	13	13	13	13	13
GRAND TOTAL	**5**	**7.0**	**28**	**1**	**1**	**9**	**11**	**13**	**13**	**13**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.9	104	1	2	6	11	15	35	44
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	11.0	32	7	7	11	15	15	15	15
50-64	1	13.0		13	13	13	13	13	13	13
65+	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*										
0-19 YRS	11	7.5	34	2	2	5	10	18	19	19
20-34	3	16.7	137	8	8	12	25	30	30	30
35-49	2	8.0	18	5	5	8	11	11	11	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	7.4	69	1	1	6	9	14	40	99+
20-34	5	5.4	9	1	1	6	7	9	9	9
35-49	1	7.0		7	7	7	7	7	7	7
50-64	2	8.5	5	7	7	8	10	10	10	10
65+	6	4.8	10	2	2	4	5	10	11	11
B. *Operated*										
0-19 YRS	35	12.5	126	2	3	8	18	28	36	52
20-34	12	17.9	195	1	1	20	31	52	91	99+
35-49										
50-64	2	15.5	265	4	4	15	27	27	27	27
65+	2	16.5	61	11	11	16	22	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	8.8	80	1	2	7	12	15	27	44
B. *Operated*	16	9.3	56	2	2	7	12	19	27	30
2. MULTIPLE DX										
A. *Not Operated*	49	6.9	52	1	2	6	8	11	32	99+
B. *Operated*	51	14.0	141	2	3	10	21	35	40	99
1. SINGLE DX	38	9.0	68	2	2	7	12	16	26	44
2. MULTIPLE DX	100	10.5	109	1	2	7	13	28	39	99+
A. NOT OPERATED	71	7.5	60	1	2	6	9	13	30	88
B. OPERATED	67	12.9	123	2	3	9	20	30	38	91
TOTAL 0-19 YRS	97	9.5	94	1	2	7	11	21	36	77
20-34	21	14.1	157	1	1	10	28	39	64	99+
35-49	5	9.0	16	5	5	7	12	15	15	15
50-64	5	12.2	80	4	4	10	16	27	27	27
65+	10	7.3	36	2	2	5	11	17	22	22
GRAND TOTAL	**138**	**10.1**	**98**	**1**	**2**	**7**	**12**	**27**	**37**	**99+**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	1.3	1	<1	<1	1	1	2	3	6
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	310	3.0	16	<1	<1	2	3	5	8	19
20-34	81	2.9	5	<1	<1	2	3	6	8	12
35-49	23	4.2	13	<1	<1	3	5	11	12	13
50-64	19	3.7	12	<1	1	3	4	7	12	16
65+	17	5.4	7	2	2	5	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	2.6	7	<1	<1	1	3	6	9	12
20-34	5	1.4	1	1	1	1	2	3	3	3
35-49	2	3.0	8	1	1	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	48	4.0	17	1	2	3	4	9	10	26
20-34	27	5.0	14	1	1	4	7	11	13	15
35-49	12	3.8	8	2	2	3	5	7	11	12
50-64	8	5.4	6	3	3	5	7	9	9	9
65+	16	11.8	136	2	2	8	15	27	39	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	450	3.2	14	<1	<1	2	3	6	8	15
2. MULTIPLE DX										
A. *Not Operated*	29	2.4	6	<1	<1	1	3	5	7	12
B. *Operated*	111	5.5	38	1	2	3	6	11	15	34
1. SINGLE DX	500	3.0	13	<1	<1	2	3	6	8	15
2. MULTIPLE DX	140	4.8	32	<1	1	3	5	10	13	29
A. NOT OPERATED	79	1.7	3	<1	<1	1	1	4	5	11
B. OPERATED	561	3.6	19	<1	<1	2	4	7	10	26
TOTAL 0-19 YRS	429	2.9	14	<1	<1	2	3	5	8	17
20-34	114	3.3	8	<1	<1	3	4	7	9	14
35-49	37	4.0	11	<1	<1	3	5	10	12	13
50-64	27	4.2	10	<1	2	3	5	9	10	16
65+	33	8.5	78	2	2	6	10	20	27	44
GRAND TOTAL	**640**	**3.4**	**18**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.5	21	1	1	3	5	12	15	22
20-34	6	3.2	3	1	1	3	5	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	6.0	2	5	5	6	7	7	7	7
B. *Operated*										
0-19 YRS	193	6.5	42	2	2	3	9	14	17	31
20-34	48	6.5	47	1	2	4	8	14	23	37
35-49	19	4.3	15	<1	<1	3	6	11	13	13
50-64	15	6.2	27	<1	1	4	11	12	16	18
65+	5	8.4	34	1	1	8	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	7.8	99	1	1	5	10	17	25	80
20-34	18	5.1	10	1	1	5	7	10	11	11
35-49	18	9.4	82	1	1	6	16	26	28	29
50-64	7	7.3	47	1	2	5	17	76	99+	99+
65+	9	8.6	26	2	2	10	11	15	17	17
B. *Operated*										
0-19 YRS	197	9.5	143	2	2	5	13	22	30	80
20-34	42	9.5	151	1	2	5	11	19	42	56
35-49	42	10.4	58	1	2	10	15	18	24	37
50-64	23	8.3	74	<1	1	4	12	18	29	36
65+	16	11.5	60	2	2	12	15	24	26	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.4	18	1	1	3	5	10	14	22
B. *Operated*	280	6.4	40	1	2	3	9	13	17	33
2. MULTIPLE DX										
A. *Not Operated*	166	7.7	81	1	1	5	10	17	25	94
B. *Operated*	320	9.7	123	1	2	6	13	20	29	64
1. SINGLE DX	327	6.1	37	1	2	3	9	13	17	26
2. MULTIPLE DX	486	9.0	109	1	2	6	12	19	28	70
A. NOT OPERATED	213	7.0	69	1	1	5	9	16	24	80
B. OPERATED	600	8.1	87	1	2	4	11	17	24	54
TOTAL 0-19 YRS	541	7.8	91	1	2	4	10	17	24	62
20-34	114	7.2	80	1	2	4	9	15	22	55
35-49	80	8.7	58	<1	1	7	12	17	25	35
50-64	46	7.3	53	<1	1	4	11	18	27	99+
65+	32	9.8	43	2	2	10	13	18	24	27
GRAND TOTAL	**813**	**7.8**	**82**	**1**	**2**	**4**	**11**	**17**	**24**	**56**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	141	5.9	8	1	2	6	7	9	11	14
20-34	10	8.8	150	2	2	5	8	26	43	43
35-49	2	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	12.9	317	1	1	6	14	51	56	57
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	7.0		7	7	7	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	102	9.7	59	2	3	7	13	18	26	39
20-34	8	4.3	7	1	1	4	6	8	9	9
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	154	6.0	17	2	2	6	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	16	11.8	286	1	1	6	12	46	55	57
B. *Operated*	112	9.3	57	2	3	7	12	17	25	38
1. SINGLE DX	156	6.0	17	1	2	6	7	9	11	17
2. MULTIPLE DX	128	9.6	84	1	3	7	12	18	28	52
A. NOT OPERATED	18	10.7	262	1	1	5	10	39	54	57
B. OPERATED	266	7.4	36	2	3	6	8	14	17	34
TOTAL 0-19 YRS	259	7.7	49	1	3	6	8	15	18	43
20-34	19	6.5	85	1	1	4	7	9	28	43
35-49	4	5.8	12	4	4	4	8	11	11	11
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
GRAND TOTAL	**284**	**7.6**	**50**	**1**	**2**	**6**	**8**	**15**	**17**	**44**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.9	16	<1	1	3	5	7	15	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	97	6.2	10	2	4	6	7	9	11	22
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	70	1	1	2	12	16	16	16
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	11.0	48	4	4	8	16	23	24	24
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.9	16	<1	1	3	5	7	15	16
B. *Operated*	97	6.2	10	2	4	6	7	9	11	22
2. MULTIPLE DX										
A. *Not Operated*	3	6.3	70	1	1	2	12	16	16	16
B. *Operated*	24	11.0	48	4	4	8	16	23	24	24
1. SINGLE DX	122	5.8	12	1	2	5	7	9	11	19
2. MULTIPLE DX	27	10.5	50	2	3	8	16	23	24	24
A. NOT OPERATED	28	4.2	20	<1	1	3	5	13	16	16
B. OPERATED	121	7.2	21	3	4	6	8	11	18	25
TOTAL 0-19 YRS	149	6.6	22	1	2	6	8	11	16	24
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**149**	**6.6**	**22**	**1**	**2**	**6**	**8**	**11**	**16**	**24**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	10	<1	<1	2	4	9	11	14
20-34	3	5.0		5	5	5	5	5	5	5
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	4	3.8	1	3	3	4	4	5	5	5
65+	2	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	97	8.1	162	<1	<1	4	8	20	25	76
20-34	41	5.2	16	<1	1	4	7	12	14	15
35-49	13	5.5	14	<1	1	6	8	10	14	15
50-64	10	6.7	30	<1	1	5	9	16	16	16
65+	8	5.0	34	1	1	3	6	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.2	15	<1	1	5	7	12	16	99+
20-34	9	6.3	25	1	1	6	8	14	17	17
35-49	2	17.0	18	14	14	17	20	20	20	20
50-64	5	5.8	5	3	3	7	7	8	8	8
65+	11	9.6	114	1	2	5	13	25	37	38
B. *Operated*										
0-19 YRS	91	12.7	203	2	2	8	14	35	44	73
20-34	28	5.0	21	<1	1	3	7	10	13	23
35-49	10	10.7	68	2	3	9	12	24	30	30
50-64	15	9.9	49	<1	2	10	14	20	22	23
65+	13	11.4	40	3	4	10	15	18	25	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	3.4	9	<1	<1	2	5	8	10	13
B. *Operated*	169	6.9	102	<1	<1	4	8	16	21	66
2. MULTIPLE DX										
A. *Not Operated*	63	6.6	37	1	1	5	8	15	18	91
B. *Operated*	157	10.8	141	1	2	7	12	23	36	51
1. SINGLE DX	240	5.9	77	<1	<1	3	7	13	19	54
2. MULTIPLE DX	220	9.6	114	1	2	6	12	20	35	62
A. NOT OPERATED	134	4.9	25	<1	<1	3	7	11	15	47
B. OPERATED	326	8.8	124	<1	1	6	10	19	28	56
TOTAL 0-19 YRS	284	8.1	137	<1	<1	4	10	19	32	77
20-34	81	5.2	18	<1	1	4	7	11	14	21
35-49	27	8.2	44	1	2	6	10	18	21	30
50-64	34	7.6	35	1	2	6	12	16	20	23
65+	34	9.1	63	1	2	7	13	17	25	38
GRAND TOTAL	**460**	**7.7**	**98**	**<1**	**1**	**5**	**10**	**17**	**24**	**52**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	2	3	3	3
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	517	3.7	5	1	2	3	4	7	8	10
20-34	31	3.6	5	<1	1	3	4	6	7	12
35-49	13	4.1	5	2	2	4	6	8	8	8
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.3	1	<1	<1	1	1	2	4	4
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	234	4.2	8	2	2	3	5	7	10	12
20-34	33	4.3	8	1	2	3	5	9	12	12
35-49	10	3.2	1	2	2	3	4	4	4	4
50-64	4	6.8	12	5	5	5	9	12	12	12
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	563	3.7	5	1	2	3	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	16	1.4	1	<1	<1	1	2	3	4	4
B. *Operated*	282	4.2	7	2	2	3	5	7	10	12
1. SINGLE DX	574	3.6	5	1	2	3	4	6	8	11
2. MULTIPLE DX	298	4.1	8	1	2	3	5	7	10	12
A. NOT OPERATED	27	1.6	1	<1	<1	1	2	3	3	4
B. OPERATED	845	3.9	6	2	2	3	5	7	8	12
TOTAL 0-19 YRS	776	3.8	6	1	2	3	4	7	8	11
20-34	64	4.0	6	1	2	3	4	7	11	12
35-49	25	3.6	3	1	2	3	4	6	8	8
50-64	6	5.7	11	2	2	5	5	11	12	12
65+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**872**	**3.8**	**6**	**1**	**2**	**3**	**4**	**7**	**8**	**12**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.5	12	<1	1	2	4	8	12	15
20-34	8	3.3	7	<1	<1	3	6	63	99+	99+
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	3	5.0	48	1	1	1	10	13	13	13
65+	5	7.8	55	1	1	7	11	20	20	20
B. *Operated*										
0-19 YRS	183	7.9	43	<1	1	7	12	16	20	28
20-34	79	5.0	23	<1	<1	4	6	11	16	23
35-49	16	5.5	15	<1	<1	5	9	10	13	14
50-64	16	7.5	36	1	1	6	11	17	19	20
65+	7	7.3	51	2	2	3	11	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	4.7	21	<1	<1	3	8	13	15	15
20-34	11	4.2	6	<1	<1	4	6	7	8	8
35-49	11	5.2	11	1	1	5	8	9	11	11
50-64	11	8.0	50	1	1	5	13	19	24	24
65+	10	12.0	125	3	3	6	18	28	38	38
B. *Operated*										
0-19 YRS	130	12.0	198	1	2	10	14	22	34	99
20-34	88	6.6	38	<1	1	5	9	14	19	32
35-49	47	9.3	37	2	2	8	13	20	22	24
50-64	23	15.7	185	3	5	11	21	29	42	65
65+	14	11.4	156	<1	1	8	13	37	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	4.1	18	<1	1	3	6	11	17	99+
B. *Operated*	301	7.0	37	<1	1	5	10	15	19	25
2. MULTIPLE DX										
A. *Not Operated*	61	6.5	44	<1	1	5	8	15	18	36
B. *Operated*	302	10.3	129	1	2	8	13	21	27	77
1. SINGLE DX	340	6.7	36	<1	1	5	10	15	19	27
2. MULTIPLE DX	363	9.6	117	1	1	7	12	20	26	70
A. NOT OPERATED	100	5.6	35	<1	1	4	7	14	18	68
B. OPERATED	603	8.6	86	<1	1	7	11	18	23	48
TOTAL 0-19 YRS	351	9.0	103	<1	1	7	12	18	22	71
20-34	186	5.7	29	<1	1	4	7	13	17	32
35-49	77	7.7	31	1	2	7	10	15	21	24
50-64	53	11.0	118	1	1	9	14	24	28	64
65+	36	10.3	109	1	1	7	14	21	38	41
GRAND TOTAL	**703**	**8.2**	**80**	**<1**	**1**	**6**	**11**	**17**	**22**	**48**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	11.2	155	1	1	7	17	27	41	44
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	197	4.7	15	<1	2	3	6	9	13	23
20-34	15	4.1	4	1	2	4	5	7	8	8
35-49	8	4.3	2	2	2	4	5	6	6	6
50-64	3	3.7	1	3	3	3	5	5	5	5
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	10.9	323	<1	<1	2	17	41	56	60
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	70	6.3	13	2	2	6	8	11	15	16
20-34	32	4.5	6	2	2	4	5	8	10	11
35-49	21	4.0	6	1	2	3	4	6	9	13
50-64	15	3.6	4	2	2	3	4	5	9	10
65+	13	3.8	6	2	2	3	4	6	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	11.2	155	1	1	7	17	27	41	44
B. *Operated*	224	4.6	14	1	2	4	6	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	15	10.3	304	<1	<1	2	14	39	55	60
B. *Operated*	151	5.1	10	2	2	4	6	10	12	16
1. SINGLE DX	237	5.0	23	1	1	4	6	9	15	23
2. MULTIPLE DX	166	5.6	37	1	2	4	6	10	14	36
A. NOT OPERATED	28	10.8	227	<1	<1	3	16	34	46	60
B. OPERATED	375	4.8	12	1	2	4	6	9	12	18
TOTAL 0-19 YRS	294	5.6	37	<1	1	4	6	11	16	32
20-34	47	4.4	5	2	2	4	5	8	9	11
35-49	29	4.0	5	2	2	3	5	6	7	13
50-64	19	3.6	3	2	2	3	4	5	8	10
65+	14	3.9	6	2	3	3	4	6	11	12
GRAND TOTAL	**403**	**5.2**	**29**	**1**	**2**	**4**	**6**	**10**	**15**	**24**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	5.4	38	<1	1	3	6	15	18	32
20-34	14	8.3	46	1	2	7	11	19	21	22
35-49	12	6.3	17	1	1	5	9	13	13	13
50-64	8	10.1	20	4	5	9	14	16	16	16
65+	11	9.2	41	1	2	7	14	18	22	22
B. *Operated*										
0-19 YRS	404	6.1	60	1	2	4	7	14	19	39
20-34	193	4.6	17	1	1	3	5	9	12	21
35-49	98	5.7	17	2	2	4	8	13	14	18
50-64	45	6.3	28	1	3	4	7	13	17	26
65+	10	9.1	90	2	2	5	12	26	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	7.0	99	1	1	4	8	17	20	88
20-34	26	7.3	87	2	2	5	9	39	99+	99+
35-49	15	10.2	82	1	2	5	15	27	27	27
50-64	24	9.4	32	1	2	8	14	18	19	21
65+	23	15.9	285	3	5	7	20	53	75	99+
B. *Operated*										
0-19 YRS	201	11.6	143	1	2	8	14	28	41	67
20-34	94	8.0	117	2	2	5	9	17	19	72
35-49	43	10.3	97	2	3	8	12	21	29	55
50-64	38	11.0	57	1	2	9	17	21	24	31
65+	12	16.8	156	2	5	11	28	36	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	6.4	38	<1	1	5	9	16	19	26
B. *Operated*	750	5.7	42	1	2	4	7	12	17	29
2. MULTIPLE DX										
A. *Not Operated*	189	8.7	116	1	1	5	11	19	43	99+
B. *Operated*	388	10.7	126	2	2	8	13	23	33	54
1. SINGLE DX	875	5.8	42	1	1	4	7	13	17	28
2. MULTIPLE DX	577	10.0	123	1	2	7	13	22	33	87
A. NOT OPERATED	314	7.8	86	1	1	5	10	18	23	99+
B. OPERATED	1138	7.4	76	1	2	4	9	16	22	48
TOTAL 0-19 YRS	786	7.6	90	1	1	4	9	17	24	51
20-34	327	5.9	55	1	2	4	7	12	17	58
35-49	168	7.3	47	2	2	5	10	14	18	30
50-64	115	8.8	41	1	3	7	13	18	22	28
65+	56	13.6	180	2	2	8	19	35	50	98
GRAND TOTAL	**1452**	**7.5**	**78**	**1**	**2**	**4**	**9**	**17**	**22**	**51**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	547	3.4	9	1	1	3	4	6	9	17
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	7	4.0	11	1	1	3	5	10	11	11
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	8.1	81	1	2	5	10	20	27	53
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	13.5	307	2	2	7	24	71	96	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	547	3.4	9	1	1	3	4	6	9	17
B. *Operated*	7	4.0	11	1	1	3	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	320	8.1	81	1	2	5	10	20	27	53
B. *Operated*	11	13.5	307	2	2	7	24	71	96	99+
1. SINGLE DX	554	3.4	9	1	1	3	4	6	9	17
2. MULTIPLE DX	331	8.3	89	1	2	5	10	20	30	58
A. NOT OPERATED	867	5.1	41	1	1	3	5	11	18	34
B. OPERATED	18	9.8	207	1	2	5	11	49	82	99+
TOTAL 0-19 YRS	885	5.2	44	1	1	3	5	11	18	38
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**885**	**5.2**	**44**	**1**	**1**	**3**	**5**	**11**	**18**	**38**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	863	3.3	8	1	1	3	4	6	8	15
20-34	123	3.9	22	1	1	3	5	7	9	29
35-49	74	3.4	8	1	1	3	4	7	8	17
50-64	76	4.2	13	1	1	3	6	9	12	18
65+	41	6.3	41	<1	1	5	8	10	20	32
B. *Operated*										
0-19 YRS	3	3.3	2	2	2	3	4	5	5	5
20-34	3	17.7	170	3	3	22	26	28	28	28
35-49	4	11.3	24	7	7	11	15	16	16	16
50-64	2	9.0	2	8	8	9	10	10	10	10
65+	2	9.0	2	8	8	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1024	4.4	18	1	1	3	5	9	12	21
20-34	122	4.9	27	1	1	3	6	9	13	31
35-49	133	5.8	58	1	1	4	6	13	22	39
50-64	140	7.9	80	1	2	6	10	15	21	57
65+	186	9.7	93	2	2	7	12	19	33	85
B. *Operated*										
0-19 YRS	14	10.2	74	2	3	8	13	18	32	36
20-34	3	3.0	12	1	1	1	6	7	7	7
35-49	11	14.5	244	1	2	9	26	40	45	46
50-64	14	10.3	141	1	3	7	12	21	42	48
65+	11	21.5	286	10	10	18	22	48	65	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1177	3.6	11	1	1	3	4	7	9	18
B. *Operated*	14	10.3	57	2	3	8	15	23	27	28
2. MULTIPLE DX										
A. *Not Operated*	1605	5.5	39	1	1	4	7	11	16	36
B. *Operated*	53	13.1	182	1	2	9	15	36	45	66
1. SINGLE DX	1191	3.6	12	1	1	3	4	7	9	19
2. MULTIPLE DX	1658	5.7	45	1	1	4	7	12	17	39
A. NOT OPERATED	2782	4.7	28	1	1	3	6	9	13	29
B. OPERATED	67	12.5	156	1	2	9	15	30	38	64
TOTAL 0-19 YRS	1904	4.0	14	1	1	3	5	8	10	20
20-34	251	4.5	28	1	1	3	5	9	13	28
35-49	222	5.6	55	1	1	3	6	12	18	39
50-64	232	6.9	64	1	1	5	8	13	19	49
65+	240	9.6	99	1	2	7	11	19	32	70
GRAND TOTAL	**2849**	**4.9**	**32**	**1**	**1**	**3**	**6**	**10**	**14**	**32**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	728	3.1	5	1	1	3	4	6	7	13
20-34	54	4.2	9	1	1	4	6	8	9	16
35-49	40	6.3	25	2	2	5	8	13	16	25
50-64	31	6.5	17	1	2	6	9	11	13	18
65+	27	6.4	51	1	1	4	9	11	28	29
B. *Operated*										
0-19 YRS	9	13.8	145	3	5	10	14	34	44	44
20-34	6	8.3	53	3	3	5	16	19	19	19
35-49	7	15.3	185	3	3	15	20	38	42	42
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	2	20.0	8	18	18	20	22	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	612	4.0	10	1	1	3	5	7	10	14
20-34	53	5.0	13	1	1	4	7	11	12	16
35-49	47	6.8	18	2	2	5	10	12	14	18
50-64	59	6.7	23	2	3	5	8	13	16	27
65+	108	10.0	148	2	3	7	11	18	24	77
B. *Operated*										
0-19 YRS	6	9.5	46	3	3	8	15	19	20	20
20-34	11	14.5	76	5	6	12	23	53	93	99+
35-49	10	15.6	200	2	4	8	20	40	43	43
50-64	15	19.1	109	4	5	23	26	30	36	38
65+	15	16.7	315	5	5	9	16	51	62	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	880	3.5	9	1	1	3	4	7	9	15
B. *Operated*	26	12.9	117	3	3	11	18	22	42	44
2. MULTIPLE DX										
A. *Not Operated*	879	5.1	32	1	1	4	6	10	13	24
B. *Operated*	57	16.0	164	4	5	12	23	36	48	97
1. SINGLE DX	906	3.8	14	1	1	3	4	7	10	19
2. MULTIPLE DX	936	5.8	47	1	1	4	7	11	16	38
A. NOT OPERATED	1759	4.3	21	1	1	3	5	8	11	19
B. OPERATED	83	15.0	149	3	3	11	20	33	43	88
TOTAL 0-19 YRS	1355	3.6	9	1	1	3	4	7	9	14
20-34	124	5.7	26	1	1	4	7	11	16	50
35-49	104	8.0	57	2	2	6	10	16	20	42
50-64	107	8.4	51	2	3	6	10	18	25	34
65+	152	10.1	151	1	2	7	11	19	28	76
GRAND TOTAL	**1842**	**4.8**	**32**	**1**	**1**	**3**	**6**	**10**	**13**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.[illegible]	4	1	1	3	4	6	8	10
20-34	158	3.5	11	1	1	3	5	6	8	17
35-49	94	4.4	18	1	1	3	5	9	12	24
50-64	37	6.6	44	1	1	6	8	14	29	99+
65+	29	6.9	21	1	2	7	9	14	15	18
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	18	6.4	19	1	2	5	8	14	16	17
35-49	16	5.8	46	1	2	4	6	12	24	29
50-64	9	4.2	4	2	2	4	6	7	7	7
65+	2	21.0	392	7	7	21	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	4.1	20	1	1	3	5	9	10	27
20-34	120	4.8	16	1	1	4	6	10	13	21
35-49	86	4.9	16	1	1	4	6	11	12	21
50-64	88	5.4	18	1	1	4	7	11	13	22
65+	88	7.4	95	1	2	6	9	13	17	62
B. *Operated*										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	10	7.9	25	2	3	6	11	16	17	17
35-49	23	7.9	75	1	2	5	8	14	29	43
50-64	16	9.1	45	2	3	8	11	16	25	29
65+	5	12.2	32	6	6	13	17	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	426	4.1	15	1	1	3	5	8	11	23
B. *Operated*	47	6.3	42	1	2	5	7	13	19	35
2. MULTIPLE DX										
A. *Not Operated*	466	5.3	33	1	1	4	7	11	13	23
B. *Operated*	55	8.8	53	1	3	7	11	17	20	42
1. SINGLE DX	473	4.3	18	1	1	3	5	8	12	28
2. MULTIPLE DX	521	5.7	36	1	1	4	7	11	15	23
A. NOT OPERATED	892	4.7	25	1	1	3	6	9	12	23
B. OPERATED	102	7.6	49	1	2	5	9	16	20	39
TOTAL 0-19 YRS	195	3.7	12	1	1	3	4	8	9	17
20-34	306	4.3	15	1	1	3	5	8	11	19
35-49	219	5.1	26	1	1	4	6	10	13	26
50-64	150	6.0	27	1	1	5	8	12	16	35
65+	124	7.7	80	1	2	6	9	14	18	48
GRAND TOTAL	**994**	**5.0**	**28**	**1**	**1**	**4**	**6**	**10**	**14**	**24**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.3	4	<1	1	2	3	5	7	10
20-34	51	3.0	5	<1	<1	2	4	5	9	10
35-49	49	3.5	7	1	1	2	5	7	9	12
50-64	106	3.7	6	<1	1	3	5	7	8	12
65+	129	3.1	4	1	1	3	4	6	7	9
B. *Operated*										
0-19 YRS	33	2.9	3	<1	<1	2	4	5	6	9
20-34	21	4.5	18	1	1	3	6	9	14	19
35-49	19	4.2	7	1	1	4	5	9	9	9
50-64	20	3.5	4	1	1	3	5	6	7	7
65+	27	4.4	24	1	2	3	5	7	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	2.8	6	<1	<1	2	3	7	9	12
20-34	20	4.2	18	1	1	3	4	6	14	21
35-49	40	5.4	14	1	2	4	8	11	12	15
50-64	116	4.4	16	1	1	3	5	9	14	21
65+	234	6.1	65	1	2	4	7	13	19	29
B. *Operated*										
0-19 YRS	12	6.2	15	2	3	5	8	12	15	15
20-34	12	3.8	6	1	1	4	5	7	10	10
35-49	13	4.8	8	1	2	4	7	9	11	11
50-64	58	5.2	15	1	2	4	6	11	14	18
65+	84	6.8	73	1	2	5	7	14	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	3.2	5	<1	1	2	4	6	8	10
B. *Operated*	120	3.8	11	1	1	3	5	7	9	21
2. MULTIPLE DX										
A. *Not Operated*	472	5.1	40	1	1	3	6	11	14	25
B. *Operated*	179	5.9	41	1	2	4	6	11	16	33
1. SINGLE DX	518	3.3	7	<1	1	3	4	7	8	10
2. MULTIPLE DX	651	5.3	41	1	1	4	6	11	15	27
A. NOT OPERATED	870	4.2	25	1	1	3	5	8	11	22
B. OPERATED	299	5.1	30	1	1	4	6	9	14	30
TOTAL 0-19 YRS	170	2.9	6	<1	<1	2	4	6	8	12
20-34	104	3.6	10	<1	1	3	4	7	10	20
35-49	121	4.4	10	1	1	4	6	9	11	14
50-64	300	4.3	12	1	1	3	5	8	12	17
65+	474	5.3	49	1	1	3	6	10	15	31
GRAND TOTAL	**1169**	**4.4**	**27**	**1**	**1**	**3**	**5**	**9**	**11**	**23**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.3	7	1	1	3	4	6	10	12
20-34	12	3.6	10	<1	<1	2	6	8	11	11
35-49	11	1.4		<1	<1	1	2	3	3	3
50-64	24	3.6	6	1	1	3	5	8	9	10
65+	21	4.6	13	1	1	4	6	10	12	15
B. *Operated*										
0-19 YRS	47	2.6	7	<1	1	2	3	5	7	16
20-34	59	3.1	9	<1	<1	2	3	6	8	17
35-49	41	5.1	121	<1	<1	3	4	7	16	69
50-64	20	4.6	11	<1	1	4	6	9	12	14
65+	10	3.9	4	2	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	4.3	12	<1	1	3	6	10	12	13
20-34	13	4.8	29	<1	1	4	4	9	19	22
35-49	16	7.3	60	<1	1	5	9	18	27	31
50-64	30	4.9	9	<1	1	4	7	9	11	12
65+	59	11.9	213	1	1	6	16	28	36	83
B. *Operated*										
0-19 YRS	9	2.4	2	<1	<1	2	4	4	4	4
20-34	23	3.7	26	<1	<1	3	3	6	16	25
35-49	21	4.0	9	<1	1	3	5	8	11	13
50-64	33	6.1	38	1	1	4	8	17	21	26
65+	22	10.6	299	2	2	6	12	16	44	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.5	8	1	1	2	5	8	10	14
B. *Operated*	177	3.6	35	<1	<1	2	4	7	8	24
2. MULTIPLE DX										
A. *Not Operated*	149	7.8	108	1	1	5	9	18	28	55
B. *Operated*	108	5.8	84	<1	1	3	6	13	17	51
1. SINGLE DX	272	3.6	25	<1	1	2	4	7	9	17
2. MULTIPLE DX	257	7.0	99	<1	1	4	8	16	22	54
A. NOT OPERATED	244	6.1	73	1	1	4	7	12	20	42
B. OPERATED	285	4.4	54	<1	1	3	5	8	14	26
TOTAL 0-19 YRS	114	3.2	8	<1	1	2	4	7	10	14
20-34	107	3.5	15	<1	<1	2	4	7	11	23
35-49	89	4.8	70	<1	<1	3	5	8	13	54
50-64	107	4.9	18	1	1	4	7	9	12	24
65+	112	9.6	181	1	2	6	11	20	29	85
GRAND TOTAL	**529**	**5.2**	**64**	**<1**	**1**	**3**	**6**	**11**	**16**	**33**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	6.5	13	4	4	6	9	9	9	9
50-64	4	12.5	54	2	2	15	17	18	18	18
65+	5	10.0	88	2	2	6	17	24	24	24
B. *Operated*										
0-19 YRS	4	5.3	52	1	1	2	9	16	16	16
20-34	6	3.7	4	2	2	3	5	7	7	7
35-49	9	12.0	107	1	1	12	21	27	29	29
50-64	4	39.0	1518	4	4	37	72	78	78	78
65+	28	22.5	199	6	7	19	30	47	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49	2	31.0	1250	6	6	31	56	56	56	56
50-64	8	15.6	127	2	4	16	34	99+	99+	99+
65+	36	16.0	295	1	2	12	22	29	57	81
B. *Operated*										
0-19 YRS	3	15.3	46	10	10	13	20	23	23	23
20-34	8	8.1	32	1	1	9	12	15	16	16
35-49	15	36.7	652	6	7	38	47	71	91	98
50-64	38	29.7	625	2	4	24	38	68	91	97
65+	132	29.5	489	3	7	24	50	82	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	10.3	57	2	2	9	16	20	24	24
B. *Operated*	51	18.4	310	1	2	13	26	46	51	78
2. MULTIPLE DX										
A. *Not Operated*	47	16.4	284	1	2	13	25	50	82	99+
B. *Operated*	196	29.0	521	2	6	23	45	79	99+	99+
1. SINGLE DX	62	16.9	273	1	2	13	23	40	51	77
2. MULTIPLE DX	243	26.6	499	2	5	21	40	76	99	99+
A. NOT OPERATED	58	15.2	245	1	2	13	22	37	73	99+
B. OPERATED	247	26.8	495	2	4	21	40	73	97	99+
TOTAL 0-19 YRS	8	9.0	63	1	1	7	14	21	23	23
20-34	14	6.2	24	1	2	4	11	13	15	16
35-49	28	26.2	576	2	3	20	41	56	74	98
50-64	54	27.0	594	2	3	19	37	77	97	99+
65+	201	25.6	435	2	5	21	39	74	99	99+
GRAND TOTAL	**305**	**24.6**	**467**	**2**	**3**	**19**	**37**	**72**	**94**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	3.0	5	<1	1	2	4	5	7	13
20-34	204	2.8	4	1	1	2	3	5	6	12
35-49	517	3.5	9	1	1	3	4	7	9	15
50-64	594	4.3	13	1	1	3	5	8	11	18
65+	339	4.6	12	1	1	4	6	9	11	17
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	18	3.9	6	1	2	3	4	9	10	10
35-49	113	4.1	19	1	1	2	4	10	13	23
50-64	120	3.7	12	1	1	3	4	8	11	18
65+	34	4.6	23	1	1	2	6	13	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.1	12	1	1	3	4	10	12	14
20-34	221	3.7	8	1	1	3	5	7	10	13
35-49	597	4.7	23	1	1	4	6	9	12	19
50-64	995	5.3	17	1	1	4	7	11	14	21
65+	830	6.8	37	1	2	5	9	13	18	29
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	29	7.4	54	1	1	5	9	16	20	36
35-49	153	5.9	31	1	1	3	7	13	17	30
50-64	247	5.5	28	1	2	3	7	11	15	28
65+	64	8.0	33	2	2	6	12	16	18	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1718	3.9	11	1	1	3	5	8	10	16
B. *Operated*	286	4.0	16	1	1	3	4	9	13	19
2. MULTIPLE DX										
A. *Not Operated*	2673	5.5	25	1	1	4	7	11	14	23
B. *Operated*	494	6.0	32	1	2	4	8	13	17	29
1. SINGLE DX	2004	3.9	11	1	1	3	5	8	10	17
2. MULTIPLE DX	3167	5.6	26	1	1	4	7	11	15	24
A. NOT OPERATED	4391	4.9	20	1	1	4	6	10	13	21
B. OPERATED	780	5.3	27	1	1	3	7	12	16	26
TOTAL 0-19 YRS	96	3.3	8	1	1	2	4	7	10	14
20-34	472	3.5	10	1	1	3	4	7	10	14
35-49	1380	4.3	19	1	1	3	5	9	12	20
50-64	1956	4.9	17	1	1	4	7	10	13	20
65+	1267	6.2	31	1	2	5	8	13	16	28
GRAND TOTAL	**5171**	**4.9**	**21**	**1**	**1**	**3**	**6**	**10**	**13**	**22**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	182	3.8	12	<1	1	3	4	8	11	18
20-34	26	2.9	4	<1	1	2	4	7	7	8
35-49	29	4.2	9	1	1	4	6	8	9	15
50-64	24	4.6	11	<1	1	4	6	9	11	12
65+	54	5.8	35	1	1	4	6	12	19	33
B. *Operated*										
0-19 YRS	7	4.3	12	1	1	3	6	10	11	11
20-34	8	4.1	9	<1	<1	4	5	9	10	10
35-49	17	3.4	6	<1	<1	3	4	8	8	8
50-64	32	3.7	5	1	1	3	5	7	8	9
65+	24	4.5	15	<1	1	3	6	8	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	5.6	34	1	1	4	7	11	13	33
20-34	31	3.8	10	<1	<1	3	6	8	9	13
35-49	42	5.5	24	1	1	4	7	10	18	22
50-64	80	6.3	26	1	2	5	8	13	18	24
65+	161	7.1	37	1	2	6	9	12	17	34
B. *Operated*										
0-19 YRS	14	16.6	225	1	1	11	28	43	44	44
20-34	20	7.0	38	<1	1	5	12	15	19	23
35-49	25	5.6	15	<1	1	6	7	10	15	15
50-64	52	7.6	122	1	1	4	9	13	18	67
65+	67	9.5	113	1	1	7	12	19	37	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	4.2	15	1	1	3	5	9	12	20
B. *Operated*	88	3.9	9	<1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	465	6.1	32	1	1	5	8	11	15	33
B. *Operated*	178	8.7	107	1	1	6	11	18	28	66
1. SINGLE DX	403	4.1	14	<1	1	3	5	8	11	19
2. MULTIPLE DX	643	6.8	54	1	1	5	9	13	18	44
A. NOT OPERATED	780	5.3	26	1	1	4	7	10	14	26
B. OPERATED	266	7.1	79	1	1	5	9	14	21	61
TOTAL 0-19 YRS	354	5.1	35	1	1	3	6	10	15	33
20-34	85	4.3	17	<1	1	3	6	9	13	21
35-49	113	4.9	16	<1	1	4	7	9	14	21
50-64	188	6.0	48	1	1	4	8	11	16	39
65+	306	7.2	53	1	2	5	9	14	19	46
GRAND TOTAL	**1046**	**5.8**	**40**	**1**	**1**	**4**	**7**	**11**	**16**	**34**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	3.9	10	1	1	3	5	7	10	17
20-34	314	2.4	3	1	1	2	3	5	6	10
35-49	281	2.4	3	<1	1	2	3	4	6	11
50-64	217	2.6	3	<1	1	2	3	5	6	9
65+	137	4.3	37	1	1	3	5	8	12	27
B. *Operated*										
0-19 YRS	65	3.4	12	<1	<1	2	5	9	11	15
20-34	51	5.0	8	<1	1	5	7	9	11	13
35-49	58	5.4	17	<1	<1	4	9	11	12	17
50-64	54	5.8	18	<1	1	5	8	12	13	20
65+	56	6.8	35	1	1	5	10	14	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	5.7	29	1	1	4	7	11	17	30
20-34	125	3.3	10	<1	1	2	4	6	9	18
35-49	110	3.3	10	1	1	2	4	7	9	19
50-64	138	3.9	15	1	1	3	5	7	9	22
65+	291	8.4	118	1	2	5	10	18	26	72
B. *Operated*										
0-19 YRS	54	3.9	28	<1	<1	2	5	9	12	32
20-34	40	5.8	19	1	1	5	8	11	14	21
35-49	28	10.0	78	2	2	8	13	24	26	36
50-64	67	9.8	63	1	2	8	13	19	23	40
65+	159	13.3	166	2	3	10	17	32	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1046	2.8	9	1	1	2	3	5	7	13
B. *Operated*	284	5.2	19	<1	1	4	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	714	5.7	61	1	1	3	7	11	18	44
B. *Operated*	348	10.0	113	<1	1	7	13	23	33	99
1. SINGLE DX	1330	3.3	12	<1	1	2	4	7	10	15
2. MULTIPLE DX	1062	7.1	83	1	1	4	9	16	25	64
A. NOT OPERATED	1760	4.0	32	1	1	2	4	8	11	26
B. OPERATED	632	7.9	76	<1	1	5	10	18	25	58
TOTAL 0-19 YRS	266	4.1	18	<1	<1	3	5	9	12	20
20-34	530	3.1	8	1	1	2	4	7	8	15
35-49	477	3.4	14	<1	1	2	4	8	11	23
50-64	476	4.4	22	1	1	3	5	9	13	22
65+	643	8.6	114	1	1	5	10	20	30	75
GRAND TOTAL	**2392**	**5.0**	**47**	**<1**	**1**	**3**	**6**	**11**	**16**	**38**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2499	2.7	5	1	1	2	3	5	7	11
20-34	1621	3.0	6	1	1	2	4	6	8	12
35-49	796	4.0	11	1	1	3	5	8	10	16
50-64	487	4.4	15	<1	1	3	6	9	13	20
65+	448	5.5	22	1	1	4	7	11	14	26
B. *Operated*										
0-19 YRS	247	4.4	7	1	2	4	6	8	9	13
20-34	377	4.6	16	1	1	3	6	10	13	21
35-49	111	5.4	20	<1	1	4	8	11	14	24
50-64	45	8.1	49	1	2	7	11	16	21	37
65+	37	8.3	34	2	2	8	11	17	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	999	3.5	17	1	1	3	5	7	9	15
20-34	1099	3.8	15	1	1	3	5	8	10	18
35-49	496	5.3	21	1	1	4	7	10	13	22
50-64	482	6.3	27	1	2	5	8	12	18	25
65+	817	8.7	86	1	2	6	11	17	24	67
B. *Operated*										
0-19 YRS	106	6.3	23	1	2	5	8	11	16	27
20-34	275	6.6	46	1	2	5	8	13	19	40
35-49	139	8.5	70	1	2	6	10	16	31	42
50-64	103	11.4	75	2	3	9	14	24	33	69
65+	93	16.1	183	3	5	13	21	31	54	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5851	3.3	9	1	1	2	4	7	9	15
B. *Operated*	817	5.0	17	1	1	4	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*	3893	5.3	36	1	1	4	6	11	15	27
B. *Operated*	716	8.9	79	1	2	6	11	19	28	48
1. SINGLE DX	6668	3.5	10	1	1	2	4	7	9	16
2. MULTIPLE DX	4609	5.8	45	1	1	4	7	12	17	33
A. NOT OPERATED	9744	4.1	21	1	1	3	5	8	11	21
B. OPERATED	1533	6.8	50	1	2	5	8	14	20	38
TOTAL 0-19 YRS	3851	3.1	9	1	1	2	4	6	8	13
20-34	3372	3.7	14	1	1	3	5	8	10	18
35-49	1542	4.9	22	1	1	4	6	10	13	23
50-64	1117	6.0	31	1	1	4	7	12	17	28
65+	1395	8.1	77	1	2	6	10	16	23	59
GRAND TOTAL	**11277**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	312	4.2	18	1	1	3	5	9	12	25
20-34	46	3.0	6	<1	1	2	3	7	8	14
35-49	37	4.7	19	<1	1	3	6	9	12	24
50-64	53	5.8	47	<1	<1	3	6	15	24	31
65+	70	6.5	43	<1	<1	4	10	15	18	34
B. *Operated*										
0-19 YRS	7	5.3	23	1	1	3	8	13	14	14
20-34	18	7.4	25	<1	<1	7	11	13	17	19
35-49	14	3.4	8	<1	<1	2	4	7	10	11
50-64	15	7.6	34	<1	2	6	10	16	20	22
65+	19	8.6	56	2	2	6	12	21	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	5.0	23	1	1	3	6	10	16	25
20-34	77	3.9	10	<1	1	3	5	8	10	15
35-49	63	6.0	47	<1	1	3	7	16	22	32
50-64	156	6.2	23	1	1	5	9	13	15	22
65+	250	8.9	111	1	2	6	10	18	24	75
B. *Operated*										
0-19 YRS	15	13.7	184	2	2	10	16	22	49	58
20-34	15	7.5	41	1	2	6	9	11	24	28
35-49	22	5.7	12	<1	1	5	8	9	12	15
50-64	32	12.4	299	<1	2	9	12	23	37	97
65+	45	15.0	265	2	2	11	17	34	42	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	4.6	24	1	1	3	6	10	14	26
B. *Operated*	73	6.8	34	<1	1	5	10	13	19	27
2. MULTIPLE DX										
A. *Not Operated*	828	6.4	53	1	1	4	8	13	19	35
B. *Operated*	129	11.7	203	1	2	8	13	25	35	92
1. SINGLE DX	591	4.9	26	<1	1	3	6	11	14	27
2. MULTIPLE DX	957	7.1	77	1	1	5	8	15	21	41
A. NOT OPERATED	1346	5.7	43	1	1	4	7	12	17	31
B. OPERATED	202	9.9	147	1	2	7	11	20	30	74
TOTAL 0-19 YRS	616	4.8	26	1	1	3	6	10	14	26
20-34	156	4.4	16	<1	1	3	6	10	12	19
35-49	136	5.3	30	<1	1	4	7	11	16	30
50-64	256	7.0	67	1	1	5	9	14	20	31
65+	384	9.2	118	1	2	6	11	19	26	66
GRAND TOTAL	**1548**	**6.3**	**58**	**1**	**1**	**4**	**8**	**13**	**19**	**35**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1100	4.6	19	1	1	3	6	9	12	22
20-34	284	3.9	10	<1	1	3	5	8	11	15
35-49	256	4.4	18	1	1	3	6	9	13	20
50-64	328	5.2	21	1	1	4	7	11	15	25
65+	626	8.7	135	1	1	5	10	19	36	99+
B. *Operated*										
0-19 YRS	46	4.3	19	<1	1	3	5	8	14	21
20-34	115	3.7	16	<1	<1	2	4	9	13	19
35-49	62	4.7	17	<1	1	3	7	10	12	21
50-64	48	8.1	88	1	1	4	9	21	31	43
65+	47	11.5	300	1	1	3	12	35	60	67
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	763	7.3	72	1	1	4	9	16	24	44
20-34	289	4.8	29	<1	1	3	6	10	12	26
35-49	301	5.6	32	1	1	4	7	11	14	30
50-64	665	7.4	58	1	2	5	10	15	20	39
65+	1740	10.7	141	1	2	7	13	24	38	99+
B. *Operated*										
0-19 YRS	36	11.4	182	1	1	6	12	37	42	56
20-34	66	6.4	34	1	1	5	9	14	17	28
35-49	84	8.2	63	1	1	6	10	17	25	40
50-64	135	9.8	90	1	2	7	13	22	30	49
65+	177	14.8	233	1	2	12	19	34	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2594	5.6	49	1	1	4	7	11	16	46
B. *Operated*	318	5.8	76	<1	1	3	6	13	20	58
2. MULTIPLE DX										
A. *Not Operated*	3758	8.6	100	1	2	6	11	19	29	73
B. *Operated*	498	11.0	144	1	2	8	14	26	36	99+
1. SINGLE DX	2912	5.6	52	1	1	4	7	11	17	48
2. MULTIPLE DX	4256	8.9	105	1	2	6	11	20	30	77
A. NOT OPERATED	6352	7.3	81	1	1	5	9	16	24	64
B. OPERATED	816	9.0	124	1	1	5	12	21	31	73
TOTAL 0-19 YRS	1945	5.8	45	1	1	4	7	12	17	35
20-34	754	4.4	21	<1	1	3	6	9	12	21
35-49	703	5.4	31	1	1	4	7	11	15	29
50-64	1176	7.1	55	1	1	5	9	15	21	38
65+	2590	10.5	151	1	2	7	13	25	41	99+
GRAND TOTAL	**7168**	**7.5**	**86**	**1**	**1**	**5**	**9**	**16**	**25**	**67**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	2.4	8	1	1	2	3	4	6	20
20-34	11	4.3	10	<1	1	3	7	9	10	10
35-49	3	7.0	49	2	2	4	12	15	15	15
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	7	6.1	9	2	2	7	8	10	10	10
20-34	2	7.0	2	6	6	7	8	8	8	8
35-49	2	9.5	1	9	9	9	10	10	10	10
50-64	3	9.3	108	1	1	6	17	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	200	4.0	27	1	1	2	4	9	12	28
20-34	37	4.8	21	1	1	4	6	9	12	26
35-49	16	5.9	13	1	2	6	8	10	13	14
50-64	17	8.5	48	1	1	6	14	20	22	23
65+	19	11.4	313	1	1	6	15	21	53	79
B. *Operated*										
0-19 YRS	44	15.5	318	1	2	8	19	49	56	73
20-34	43	18.2	518	1	2	11	26	55	92	99+
35-49	20	13.2	154	1	2	10	23	66	99+	99+
50-64	7	21.1	1024	3	3	7	20	78	92	92
65+	10	15.4	318	3	3	7	27	44	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.9	10	1	1	2	3	6	8	19
B. *Operated*	14	7.4	24	1	2	7	9	11	19	21
2. MULTIPLE DX										
A. *Not Operated*	289	4.9	48	1	1	3	6	11	15	29
B. *Operated*	124	16.4	389	1	2	9	23	52	76	99+
1. SINGLE DX	100	3.5	14	1	1	2	4	8	10	21
2. MULTIPLE DX	413	8.4	178	1	1	4	9	22	35	92
A. NOT OPERATED	375	4.5	40	1	1	2	5	9	14	27
B. OPERATED	138	15.5	359	1	2	8	21	50	71	99+
TOTAL 0-19 YRS	322	5.3	78	1	1	2	5	11	21	54
20-34	93	11.0	292	1	1	5	11	30	52	97
35-49	41	9.7	93	1	2	8	13	26	68	99+
50-64	28	11.6	296	1	1	6	15	22	30	92
65+	29	12.8	307	1	1	6	17	29	59	79
GRAND TOTAL	**513**	**7.4**	**149**	**1**	**1**	**3**	**8**	**17**	**30**	**91**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	4.4	40	1	1	3	4	11	20	29
20-34	10	5.2	20	<1	1	3	8	12	13	13
35-49	3	2.7	8	1	1	1	5	6	6	6
50-64	6	6.0	65	1	1	3	6	20	22	22
65+										
B. *Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	4	7.5	4	5	5	7	9	10	10	10
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MU										
A. *Nc*										
RS	100	4.3	27	1	1	2	5	9	14	28
20-	59	4.6	16	<1	1	4	6	10	12	22
35-49	35	5.7	31	1	1	4	8	11	20	24
50-64	19	6.7	42	1	1	4	11	17	21	23
65+	10	7.8	22	1	1	8	11	14	14	14
B. *Operated*										
0-19 YRS	24	13.5	149	1	2	11	19	42	59	99+
20-34	34	11.4	175	1	1	8	13	24	45	63
35-49	13	17.3	243	1	2	11	32	41	47	49
50-64	10	9.3	81	<1	<1	7	11	24	30	30
65+	3	31.0	487	8	8	33	47	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.7	35	1	1	3	5	12	20	29
B. *Operated*	7	6.7	6	3	3	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	223	5.0	26	1	1	3	7	11	15	23
B. *Operated*	84	13.4	183	1	1	10	17	34	49	87
1. SINGLE DX	53	5.0	32	1	1	3	6	12	18	29
2. MULTIPLE DX	307	7.3	83	1	1	4	9	17	27	50
A. NOT OPERATED	269	4.9	28	1	1	3	6	12	15	24
B. OPERATED	91	12.9	173	1	2	9	15	33	48	84
TOTAL 0-19 YRS	153	5.8	58	1	1	3	7	14	22	46
20-34	107	7.0	75	1	1	4	8	13	20	55
35-49	52	8.4	105	1	1	5	10	21	34	49
50-64	35	7.3	55	1	1	4	10	19	23	30
65+	13	13.2	201	1	2	9	14	37	49	52
GRAND TOTAL	**360**	**6.9**	**76**	**1**	**1**	**4**	**8**	**15**	**24**	**49**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	3	<1	1	2	4	5	6	6
20-34	21	2.4	2	1	1	2	3	5	5	6
35-49	15	3.3	9	<1	1	2	5	6	11	12
50-64	9	4.6	8	1	1	5	6	9	10	10
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	140	2.9	10	<1	<1	2	4	5	7	14
20-34	247	3.0	4	<1	1	2	4	6	7	10
35-49	46	3.0	4	1	1	3	4	6	7	10
50-64	14	3.9	14	<1	1	3	4	10	13	14
65+	5	4.2	6	1	1	4	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	57	2.3	5	<1	<1	1	3	5	8	11
20-34	98	2.5	4	<1	<1	2	3	5	6	12
35-49	34	3.2	12	<1	<1	2	4	7	9	19
50-64	23	3.3	13	<1	1	2	4	7	11	17
65+	25	7.6	112	<1	1	4	7	19	33	48
B. *Operated*										
0-19 YRS	337	3.6	30	<1	1	2	4	7	9	27
20-34	696	4.0	22	1	1	3	5	8	11	25
35-49	201	5.5	47	1	1	3	6	11	15	40
50-64	70	6.6	41	1	1	5	8	13	15	37
65+	23	9.0	98	<1	1	4	12	28	33	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.0	5	1	1	2	4	6	7	12
B. *Operated*	452	3.0	7	<1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	237	3.2	20	<1	<1	2	4	6	9	20
B. *Operated*	1327	4.4	31	<1	1	3	5	9	13	31
1. SINGLE DX	515	3.0	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	1564	4.2	30	<1	1	3	5	8	12	30
A. NOT OPERATED	300	3.1	17	<1	<1	2	4	6	8	19
B. OPERATED	1779	4.0	25	<1	1	3	5	8	11	27
TOTAL 0-19 YRS	551	3.3	22	<1	1	2	4	6	9	24
20-34	1062	3.6	17	<1	1	3	4	7	9	18
35-49	296	4.7	36	1	1	3	5	10	13	32
50-64	116	5.4	31	1	1	4	7	12	15	35
65+	54	7.8	94	<1	1	4	10	20	30	48
GRAND TOTAL	**2079**	**3.9**	**24**	**<1**	**1**	**3**	**4**	**8**	**11**	**26**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	6.6	50	2	2	4	7	14	25	34
20-34	80	7.0	55	1	1	5	8	13	20	45
35-49	46	8.4	61	1	2	7	10	18	23	42
50-64	39	9.6	64	2	2	7	11	24	28	31
65+	46	15.0	140	1	3	11	21	32	41	50
B. *Operated*										
0-19 YRS	7	10.4	20	3	3	13	13	14	14	14
20-34	9	16.3	109	5	5	14	19	32	40	40
35-49	6	16.5	186	2	3	12	19	40	42	42
50-64	6	25.7	281	7	7	28	32	49	51	51
65+	2	44.5	421	30	30	44	59	59	59	59
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	117	8.1	125	1	1	5	9	13	24	62
20-34	243	8.0	56	1	2	5	10	17	24	37
35-49	124	8.9	60	1	2	7	12	18	23	38
50-64	136	12.1	111	2	3	10	15	22	30	58
65+	263	17.9	208	3	5	14	25	36	53	85
B. *Operated*										
0-19 YRS	22	21.5	451	1	3	18	28	62	86	99+
20-34	69	20.4	360	2	4	13	30	43	58	96
35-49	22	22.6	414	3	4	16	33	47	66	89
50-64	25	19.9	258	2	3	14	30	47	50	55
65+	22	21.5	240	6	7	18	33	54	70	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	9.1	80	1	2	6	11	22	30	43
B. *Operated*	30	18.7	205	3	5	13	26	41	51	59
2. MULTIPLE DX										
A. *Not Operated*	883	11.7	137	1	2	8	14	26	35	62
B. *Operated*	160	20.9	340	2	4	14	31	48	58	99+
1. SINGLE DX	281	10.1	102	1	2	7	12	24	32	50
2. MULTIPLE DX	1043	13.1	179	1	2	9	17	30	42	73
A. NOT OPERATED	1134	11.1	126	1	2	8	14	25	33	60
B. OPERATED	190	20.6	318	2	4	14	30	47	57	99+
TOTAL 0-19 YRS	186	9.4	161	1	1	6	10	22	35	85
20-34	401	10.1	132	1	2	5	12	24	33	53
35-49	198	10.5	120	1	2	8	12	22	32	53
50-64	206	13.0	135	2	3	10	16	28	40	57
65+	333	17.9	206	3	5	14	25	37	53	89
GRAND TOTAL	**1324**	**12.5**	**164**	**1**	**2**	**8**	**15**	**29**	**40**	**64**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	8	1	1	6	8	8	8	8
35-49	1	18.0		18	18	18	18	18	18	18
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	20.0		20	20	20	20	20	20	20
B. *Operated*										
0-19 YRS										
20-34	2	19.5	481	4	4	19	35	35	35	35
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.9	95	1	2	5	15	26	30	30
20-34	13	6.1	72	<1	1	3	6	17	29	32
35-49	7	21.6	884	2	2	5	50	66	66	66
50-64	8	22.3	339	3	4	20	29	52	60	60
65+	12	18.7	100	5	6	19	24	34	35	35
B. *Operated*										
0-19 YRS	9	41.2	449	15	17	48	99+	99+	99+	99+
20-34	7	20.1	311	4	10	78	99+	99+	99+	99+
35-49	4	25.0	170	14	14	26	57	99+	99+	99+
50-64	3	23.7	376	11	11	14	38	46	46	46
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	7.9	41	1	1	7	8	19	20	20
B. *Operated*	3	17.0	259	4	4	12	29	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	48	14.8	265	1	1	8	22	35	60	66
B. *Operated*	23	29.7	398	11	13	45	99+	99+	99+	99+
1. SINGLE DX	13	10.0	90	1	2	8	13	23	33	35
2. MULTIPLE DX	71	19.6	352	1	3	18	45	99+	99+	99+
A. NOT OPERATED	58	13.6	232	1	1	8	20	33	50	66
B. OPERATED	26	28.2	388	7	12	43	99+	99+	99+	99+
TOTAL 0-19 YRS	17	26.5	526	2	4	30	70	99+	99+	99+
20-34	29	10.3	161	1	1	8	33	99+	99+	99+
35-49	13	21.6	497	2	3	15	43	69	93	99+
50-64	12	20.9	320	2	3	16	29	50	59	60
65+	13	18.8	92	5	6	20	25	41	87	99+
GRAND TOTAL	**84**	**18.1**	**322**	**1**	**2**	**15**	**35**	**99+**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.8	81	1	1	2	4	22	24	24
20-34	21	3.2	7	<1	<1	2	4	7	9	10
35-49	28	4.2	8	<1	1	4	6	9	9	9
50-64	28	4.0	9	1	1	3	6	8	11	13
65+	50	8.3	62	1	2	6	9	19	24	42
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	2	5.0	8	3	3	5	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	4.3	14	<1	1	3	5	12	14	99+
20-34	105	4.3	16	1	1	3	5	9	11	23
35-49	157	5.0	16	1	1	4	6	10	12	21
50-64	199	8.1	61	1	2	6	10	15	25	44
65+	314	10.3	88	2	3	8	13	21	30	68
B. *Operated*										
0-19 YRS	9	5.4	8	<1	1	5	7	10	10	10
20-34	24	8.2	47	<1	1	6	12	18	22	25
35-49	43	11.6	191	2	3	8	11	20	38	80
50-64	36	14.3	269	2	2	9	19	26	45	89
65+	36	17.2	273	2	3	12	26	37	51	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	5.6	35	1	1	4	7	10	19	30
B. *Operated*	3	5.7	5	3	3	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	815	7.6	60	1	2	6	10	15	23	43
B. *Operated*	148	12.7	204	1	2	8	15	30	37	80
1. SINGLE DX	136	5.6	34	1	1	4	7	10	18	30
2. MULTIPLE DX	963	8.4	86	1	2	6	10	18	25	50
A. NOT OPERATED	948	7.4	57	1	1	5	9	15	22	42
B. OPERATED	151	12.5	201	1	2	8	15	29	37	80
TOTAL 0-19 YRS	55	4.6	19	<1	1	3	6	11	15	95
20-34	151	4.8	22	1	1	3	6	10	12	25
35-49	230	6.1	54	1	1	4	8	11	15	35
50-64	263	8.5	90	1	2	6	10	19	25	46
65+	400	10.6	105	2	3	8	13	22	32	64
GRAND TOTAL	**1099**	**8.1**	**80**	**1**	**2**	**6**	**10**	**17**	**24**	**48**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	10.7	145	1	1	7	12	26	39	48
20-34	13	10.0	37	4	4	6	15	20	21	21
35-49	9	12.3	147	1	1	10	15	31	41	41
50-64	9	13.2	49	5	6	12	15	25	28	28
65+	43	18.2	155	4	6	15	27	35	39	60
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	17.0		17	17	17	17	17	17	17
50-64	1	19.0		19	19	19	19	19	19	19
65+	3	30.0	571	4	4	35	47	51	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	49	9.8	46	2	3	9	12	16	30	32
20-34	74	12.3	74	1	4	11	17	21	31	43
35-49	35	15.0	235	3	3	9	20	31	44	81
50-64	64	17.6	145	2	5	15	23	32	45	56
65+	240	25.6	322	5	8	22	33	50	66	99
B. *Operated*										
0-19 YRS	28	27.0	281	5	6	25	41	48	53	62
20-34	35	34.0	415	9	9	33	49	65	84	99+
35-49	16	39.1	463	7	11	47	57	63	69	71
50-64	12	31.5	340	12	13	24	51	58	61	62
65+	15	28.9	323	10	11	21	51	61	89	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	14.5	134	2	3	11	20	31	38	55
B. *Operated*	5	25.2	329	4	4	19	39	51	51	51
2. MULTIPLE DX										
A. *Not Operated*	462	19.9	260	3	5	16	26	40	55	87
B. *Operated*	106	31.9	368	7	9	30	49	61	66	99+
1. SINGLE DX	97	15.1	146	2	3	12	20	34	39	56
2. MULTIPLE DX	568	22.1	302	3	6	18	30	47	62	96
A. NOT OPERATED	554	19.0	243	3	5	15	25	39	49	84
B. OPERATED	111	31.6	365	6	9	29	49	60	65	99+
TOTAL 0-19 YRS	95	15.0	192	2	3	9	20	40	46	57
20-34	122	18.3	265	3	4	13	23	42	55	92
35-49	61	21.0	388	2	4	14	25	56	60	80
50-64	86	19.1	183	2	6	15	24	37	50	60
65+	301	24.8	305	5	7	21	33	50	64	99
GRAND TOTAL	**665**	**21.1**	**285**	**3**	**5**	**17**	**29**	**46**	**60**	**89**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	1.7	3	<1	<1	1	2	4	5	9
20-34	6	2.2	1	<1	<1	2	3	4	4	4
35-49	6	4.7	14	<1	<1	4	8	9	9	9
50-64	12	6.1	62	<1	1	3	7	18	27	28
65+	36	12.2	144	1	1	8	16	33	36	50
B. *Operated*										
0-19 YRS	184	4.5	34	1	1	2	4	14	19	23
20-34	25	6.0	47	1	1	3	6	21	21	22
35-49	20	7.9	45	<1	1	6	11	18	23	26
50-64	23	3.9	6	1	2	3	5	8	10	10
65+	19	7.7	39	1	1	5	12	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	4.7	93	<1	1	2	4	8	16	62
20-34	36	3.5	7	1	1	3	4	7	10	12
35-49	22	5.7	41	<1	1	4	7	11	20	30
50-64	68	6.8	45	1	1	4	10	14	20	32
65+	204	15.5	232	1	3	12	21	33	53	99+
B. *Operated*										
0-19 YRS	300	4.9	37	1	1	2	6	12	19	30
20-34	77	8.9	159	1	1	4	8	25	39	64
35-49	47	8.9	177	1	2	5	9	17	25	87
50-64	71	13.4	224	1	2	9	18	32	38	77
65+	107	17.3	331	1	2	12	24	46	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	5.9	78	<1	<1	2	7	15	27	42
B. *Operated*	271	5.0	35	1	1	2	6	16	20	23
2. MULTIPLE DX										
A. *Not Operated*	411	10.3	170	1	1	6	14	27	35	90
B. *Operated*	602	8.9	159	1	1	4	11	24	33	80
1. SINGLE DX	378	5.3	47	<1	1	2	6	16	21	33
2. MULTIPLE DX	1013	9.5	164	1	1	5	12	25	34	84
A. NOT OPERATED	518	9.4	154	1	1	5	12	26	34	83
B. OPERATED	873	7.7	124	1	1	3	9	20	27	71
TOTAL 0-19 YRS	612	4.5	41	1	1	2	5	11	18	30
20-34	144	6.8	100	1	1	3	7	21	25	47
35-49	95	7.7	108	1	1	5	9	17	23	62
50-64	174	9.0	127	1	1	5	11	23	31	64
65+	366	15.3	246	1	2	11	21	35	54	99+
GRAND TOTAL	**1391**	**8.4**	**136**	**1**	**1**	**4**	**10**	**22**	**31**	**75**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	1.6	1	<1	<1	1	2	3	4	4
20-34	10	1.9	2	<1	<1	1	3	4	5	5
35-49	4	2.8	3	1	1	2	4	5	5	5
50-64	9	1.7	1	<1	<1	2	2	3	3	3
65+	23	4.8	47	<1	1	3	5	9	21	33
B. *Operated*										
0-19 YRS	724	1.7	2	1	1	1	2	3	4	7
20-34	141	2.5	4	<1	1	2	3	5	6	9
35-49	74	2.3	3	1	1	2	3	4	7	9
50-64	106	2.3	2	1	1	2	3	4	5	7
65+	125	3.7	20	<1	1	2	4	8	9	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	73	1.9	5	<1	<1	1	2	3	6	13
20-34	36	2.9	6	<1	<1	2	5	6	7	9
35-49	25	2.4	3	1	1	2	4	5	6	6
50-64	24	4.9	67	<1	1	3	5	7	19	42
65+	63	15.7	312	1	1	8	26	44	54	97
B. *Operated*										
0-19 YRS	909	2.2	9	<1	1	1	2	4	6	17
20-34	338	4.2	36	<1	1	3	5	8	13	32
35-49	194	3.8	20	1	1	3	4	7	10	22
50-64	300	3.6	21	1	1	2	4	8	13	23
65+	321	6.3	110	1	1	3	6	15	22	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	2.5	15	<1	<1	1	3	5	6	27
B. *Operated*	1170	2.1	5	<1	1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	221	6.4	133	<1	1	2	6	15	36	66
B. *Operated*	2062	3.5	34	1	1	2	4	7	12	33
1. SINGLE DX	1256	2.1	5	<1	1	1	2	4	5	10
2. MULTIPLE DX	2283	3.8	44	<1	1	2	4	7	13	39
A. NOT OPERATED	307	5.3	103	<1	1	2	5	12	33	55
B. OPERATED	3232	3.0	24	1	1	2	3	6	9	24
TOTAL 0-19 YRS	1746	1.9	6	<1	1	1	2	3	5	12
20-34	525	3.6	25	<1	1	2	4	7	9	28
35-49	297	3.3	15	1	1	2	4	7	9	16
50-64	439	3.4	19	1	1	2	4	7	11	22
65+	532	6.7	121	1	1	3	6	15	35	79
GRAND TOTAL	**3539**	**3.2**	**31**	**<1**	**1**	**2**	**3**	**6**	**10**	**34**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	4	<1	<1	1	2	6	8	8
20-34	4	1.8	1	<1	<1	1	2	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	3	5.3	24	2	2	3	9	11	11	11
B. *Operated*										
0-19 YRS	147	1.7	2	<1	<1	1	2	3	4	7
20-34	114	1.9	2	<1	1	2	2	3	4	7
35-49	43	2.3	2	<1	1	2	3	4	6	7
50-64	26	2.2	3	1	1	1	3	5	7	7
65+	14	2.6	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	4	<1	1	2	4	5	7	9
20-34	34	2.6	5	<1	<1	1	3	6	8	8
35-49	13	3.1	7	1	1	2	4	8	8	8
50-64	7	6.3	18	1	1	6	10	12	12	12
65+	13	16.3	339	<1	1	6	23	46	54	56
B. *Operated*										
0-19 YRS	247	2.9	29	<1	1	2	3	5	8	27
20-34	252	2.7	10	<1	1	2	3	5	7	13
35-49	93	4.5	63	<1	1	2	5	10	13	49
50-64	64	3.3	7	<1	1	2	4	8	9	10
65+	37	5.8	38	1	1	4	7	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.7	7	<1	<1	2	3	6	9	11
B. *Operated*	344	1.9	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	88	5.0	75	<1	<1	2	5	9	18	51
B. *Operated*	693	3.2	25	<1	1	2	3	6	9	26
1. SINGLE DX	367	2.0	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	781	3.4	31	<1	1	2	3	7	10	28
A. NOT OPERATED	111	4.5	62	<1	<1	2	5	8	16	49
B. OPERATED	1037	2.8	18	<1	1	2	3	5	8	19
TOTAL 0-19 YRS	428	2.5	18	<1	1	1	2	4	7	18
20-34	404	2.4	7	<1	1	2	3	4	6	11
35-49	150	3.8	41	<1	1	2	4	7	11	26
50-64	99	3.2	8	1	1	2	4	8	9	12
65+	67	7.1	105	1	1	3	7	18	29	54
GRAND TOTAL	**1148**	**3.0**	**22**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	9.3	108	1	1	6	17	21	21	21
50-64	5	10.0	56	<1	<1	10	15	20	20	20
65+	35	12.9	290	<1	<1	9	19	36	97	99+
B. *Operated*										
0-19 YRS	7	12.1	201	1	1	9	14	37	42	42
20-34	17	17.2	307	6	7	12	14	37	64	77
35-49	20	12.5	28	7	7	11	14	20	24	27
50-64	62	19.0	164	7	9	14	21	43	49	61
65+	312	21.5	220	7	9	17	27	41	58	89
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.9	186	2	3	8	24	37	40	40
20-34	7	13.3	160	5	5	6	20	35	38	38
35-49	5	11.6	61	2	2	14	16	22	22	22
50-64	19	15.8	300	<1	1	11	18	41	58	67
65+	149	27.5	578	1	3	23	46	83	99+	99+
B. *Operated*										
0-19 YRS	29	22.0	427	4	5	16	27	62	66	68
20-34	33	18.8	225	2	4	16	21	35	55	69
35-49	61	18.0	178	6	7	14	22	38	48	62
50-64	208	21.0	225	5	8	17	28	45	68	99+
65+	1414	28.5	433	6	9	24	42	80	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	11.3	230	<1	<1	7	18	34	92	99+
B. *Operated*	418	20.3	210	7	8	16	25	40	55	79
2. MULTIPLE DX										
A. *Not Operated*	188	24.8	527	1	3	19	41	78	99+	99+
B. *Operated*	1745	26.9	405	6	8	22	39	73	99+	99+
1. SINGLE DX	466	19.4	219	5	7	15	24	40	56	98
2. MULTIPLE DX	1933	26.7	417	5	8	22	39	73	99+	99+
A. NOT OPERATED	236	22.1	495	1	2	17	37	75	99+	99+
B. OPERATED	2163	25.7	374	6	8	20	36	68	97	99+
TOTAL 0-19 YRS	48	17.8	345	1	2	10	21	48	63	68
20-34	58	17.4	237	2	5	13	19	36	54	76
35-49	89	16.1	140	5	6	12	20	30	42	61
50-64	294	20.1	216	5	7	16	27	45	61	99+
65+	1910	27.0	417	5	8	22	39	74	99+	99+
GRAND TOTAL	**2399**	**25.3**	**387**	**5**	**7**	**20**	**36**	**68**	**98**	**99+**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	24.9	292	1	5	24	32	43	55	88
20-34	11	11.2	218	<1	1	4	17	33	49	50
35-49	1	2.0		2	2	2	2	2	2	2
50-64	3	22.0	169	7	7	29	30	30	30	30
65+	11	12.2	117	1	2	10	31	99+	99+	99+
B. *Operated*										
0-19 YRS	78	20.4	336	2	2	15	27	52	60	73
20-34	22	21.1	440	2	4	15	23	51	72	88
35-49	9	10.4	38	2	3	9	15	19	20	20
50-64	10	27.2	773	3	4	16	28	77	83	83
65+	15	21.0	336	4	6	13	40	58	88	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	25.8	279	1	3	24	35	48	59	67
20-34	11	14.5	529	<1	<1	4	16	54	72	74
35-49	6	52.8	1212	6	7	57	81	94	96	96
50-64	13	21.5	627	2	4	11	36	91	98	99+
65+	39	26.2	564	1	1	22	46	80	99+	99+
B. *Operated*										
0-19 YRS	219	31.0	480	3	5	27	48	65	85	99+
20-34	131	23.0	410	4	6	18	28	60	90	99+
35-49	27	26.1	544	4	5	19	42	94	99+	99+
50-64	34	31.8	588	5	9	28	51	99	99+	99+
65+	94	32.2	498	6	9	26	53	79	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	21.4	285	1	2	21	30	43	58	99+
B. *Operated*	134	20.4	364	2	3	14	25	53	64	90
2. MULTIPLE DX										
A. *Not Operated*	206	25.8	411	1	2	23	38	59	70	99+
B. *Operated*	505	28.9	486	4	6	23	45	71	92	99+
1. SINGLE DX	228	20.8	331	2	3	16	29	48	62	99+
2. MULTIPLE DX	711	28.0	465	2	5	23	43	65	91	99+
A. NOT OPERATED	300	24.4	375	1	2	23	35	54	69	99+
B. OPERATED	639	27.2	472	3	5	21	43	65	89	99+
TOTAL 0-19 YRS	502	27.1	390	2	4	24	39	57	67	99+
20-34	175	21.5	414	2	3	16	26	59	76	99+
35-49	43	26.0	657	3	4	17	42	88	99+	99+
50-64	60	28.3	599	4	5	21	46	92	99+	99+
65+	159	28.3	499	3	5	22	46	79	99+	99+
GRAND TOTAL	**939**	**26.3**	**442**	**2**	**4**	**22**	**39**	**62**	**83**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.3	3	1	1	2	3	5	6	9
20-34	44	3.3	9	<1	<1	2	5	7	9	13
35-49	30	6.7	48	<1	1	5	7	16	21	33
50-64	17	8.3	94	<1	1	6	8	19	34	41
65+	20	19.0	548	1	2	7	29	57	72	85
B. *Operated*										
0-19 YRS	153	5.0	38	1	1	3	5	11	16	37
20-34	127	6.8	42	1	2	5	8	14	18	34
35-49	79	7.1	32	2	2	6	9	13	18	31
50-64	46	10.0	97	2	3	6	12	22	33	48
65+	15	17.5	364	1	3	11	16	52	65	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	3.3	6	1	1	3	4	7	9	12
20-34	96	4.9	91	<1	<1	3	5	8	13	63
35-49	54	6.2	85	<1	1	3	7	14	17	60
50-64	50	11.2	301	1	1	6	12	27	45	98
65+	66	19.1	437	2	3	14	28	67	99+	99+
B. *Operated*										
0-19 YRS	363	7.0	75	1	1	4	8	16	19	56
20-34	368	9.7	174	1	2	5	11	20	39	82
35-49	198	11.8	202	1	2	7	13	28	47	84
50-64	112	15.1	212	2	3	10	21	39	48	89
65+	66	22.7	374	6	7	16	30	68	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	5.2	91	<1	1	2	5	9	21	57
B. *Operated*	420	6.9	61	1	2	5	8	15	19	48
2. MULTIPLE DX										
A. *Not Operated*	436	7.3	162	1	1	3	7	16	31	98
B. *Operated*	1107	10.5	177	1	2	6	12	24	43	83
1. SINGLE DX	630	6.4	72	1	1	4	7	13	20	50
2. MULTIPLE DX	1543	9.6	175	1	1	5	11	22	41	86
A. NOT OPERATED	646	6.6	140	1	1	3	6	14	30	85
B. OPERATED	1527	9.5	148	1	2	5	11	21	36	78
TOTAL 0-19 YRS	785	5.2	47	1	1	3	6	11	16	37
20-34	635	8.0	128	1	1	5	9	15	27	77
35-49	361	9.5	140	1	2	6	10	20	37	63
50-64	225	12.6	203	1	2	7	15	31	45	87
65+	167	20.4	415	2	3	14	28	65	86	99+
GRAND TOTAL	**2173**	**8.7**	**147**	**1**	**1**	**5**	**10**	**19**	**33**	**80**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	2.7	7	<1	1	2	3	5	7	18
20-34	70	3.2	10	<1	1	2	4	6	10	16
35-49	31	3.4	8	<1	1	2	4	7	9	13
50-64	39	7.0	62	1	1	4	9	19	25	35
65+	38	4.8	16	<1	1	4	6	11	14	15
B. *Operated*										
0-19 YRS	160	4.6	16	1	2	3	5	9	12	23
20-34	252	4.6	9	1	2	4	6	8	10	17
35-49	136	5.8	17	2	2	5	7	10	13	27
50-64	101	6.7	32	2	2	5	8	14	18	30
65+	70	7.7	22	2	3	6	10	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	103	3.7	14	1	1	3	4	8	11	21
20-34	146	4.2	29	<1	<1	3	5	8	12	52
35-49	75	5.4	34	<1	1	4	7	12	16	32
50-64	86	7.6	141	1	1	4	8	13	20	77
65+	107	13.8	282	1	2	8	17	30	57	78
B. *Operated*										
0-19 YRS	338	5.9	56	1	2	4	6	12	16	46
20-34	670	5.8	49	1	2	4	6	11	15	46
35-49	360	6.4	35	1	2	5	7	12	16	35
50-64	351	8.8	82	2	3	6	10	17	28	49
65+	166	14.6	276	3	4	9	16	33	43	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	241	4.0	20	<1	1	3	4	9	14	23
B. *Operated*	719	5.4	18	1	2	4	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	517	6.8	111	1	1	4	7	14	24	62
B. *Operated*	1885	7.3	80	1	2	5	8	14	21	56
1. SINGLE DX	960	5.0	19	1	1	4	6	10	13	22
2. MULTIPLE DX	2402	7.2	87	1	2	4	8	14	21	58
A. NOT OPERATED	758	5.9	84	<1	1	3	6	13	19	57
B. OPERATED	2604	6.8	63	1	2	5	7	13	19	41
TOTAL 0-19 YRS	664	4.9	36	1	1	3	5	10	14	24
20-34	1138	5.2	36	1	1	4	6	9	13	36
35-49	602	6.0	30	1	2	5	7	11	15	32
50-64	577	8.1	81	1	2	5	9	16	24	48
65+	381	12.1	216	1	3	8	13	26	38	90
GRAND TOTAL	**3362**	**6.6**	**68**	**1**	**2**	**4**	**7**	**13**	**19**	**49**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.0	5	<1	<1	1	2	4	8	10
20-34	22	2.1	3	<1	<1	1	2	6	7	7
35-49	5	4.6	16	1	1	2	9	9	9	9
50-64	9	3.3	6	1	1	3	4	7	9	9
65+	4	12.3	68	2	2	12	18	22	22	22
B. *Operated*										
0-19 YRS	10	2.6	2	1	1	2	4	5	5	5
20-34	14	2.3	1	1	1	2	3	4	5	5
35-49	2	3.0		3	3	3	3	3	3	3
50-64	3	4.7	8	3	3	3	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	101	2.6	5	1	1	2	4	6	7	10
20-34	86	3.5	12	1	1	2	4	8	11	17
35-49	43	4.2	12	<1	1	3	6	9	13	15
50-64	30	7.5	48	1	1	5	12	17	19	30
65+	40	14.1	340	2	3	7	13	36	64	82
B. *Operated*										
0-19 YRS	32	4.2	10	1	2	3	5	9	11	16
20-34	44	4.3	15	<1	1	3	6	9	16	99+
35-49	14	6.1	23	<1	1	5	8	12	17	19
50-64	8	9.1	160	1	1	4	11	31	38	38
65+	7	17.0	227	2	3	15	36	83	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.1	14	<1	1	2	3	9	10	21
B. *Operated*	29	2.7	2	1	1	3	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	300	5.1	70	1	1	3	6	11	15	52
B. *Operated*	105	5.7	47	1	1	4	7	14	22	99+
1. SINGLE DX	94	3.0	10	<1	1	2	3	7	9	18
2. MULTIPLE DX	405	5.3	64	1	1	3	6	11	16	63
A. NOT OPERATED	365	4.8	61	1	1	2	5	10	14	44
B. OPERATED	134	5.1	39	1	1	3	5	11	20	99+
TOTAL 0-19 YRS	168	2.8	6	1	1	2	4	6	8	11
20-34	166	3.4	11	<1	1	2	4	8	10	20
35-49	64	4.6	15	<1	1	4	6	9	13	18
50-64	50	6.9	56	1	1	4	9	16	19	38
65+	51	14.3	298	2	3	8	17	46	70	99+
GRAND TOTAL	**499**	**4.8**	**55**	**1**	**1**	**3**	**5**	**10**	**16**	**52**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	12	1	1	4	7	8	8	8
20-34	2	6.5	41	2	2	6	11	11	11	11
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	13.0		13	13	13	13	13	13	13
B. *Operated*										
0-19 YRS	3	13.3	56	6	6	13	19	21	21	21
20-34	6	26.0	694	9	9	14	32	72	77	77
35-49	3	45.3	1317	4	4	60	69	72	72	72
50-64										
65+	1	46.0		46	46	46	46	46	46	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	5.5	21	<1	<1	4	9	12	13	13
B. *Operated*	13	29.1	675	4	6	15	49	73	76	77
1. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX	21	20.1	550	1	2	11	24	65	74	77
A. NOT OPERATED	10	4.9	18	<1	<1	3	8	12	13	13
B. OPERATED	13	29.1	675	4	6	15	49	73	76	77
TOTAL 0-19 YRS	8	7.3	46	1	1	5	10	19	21	21
20-34	8	21.1	583	2	4	12	23	63	77	77
35-49	4	34.3	1370	<1	<1	32	66	72	72	72
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	29.5	545	13	13	29	46	46	46	46
GRAND TOTAL	**23**	**18.6**	**526**	**1**	**2**	**10**	**19**	**62**	**74**	**77**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	3	3	3
20-34	8	1.4	1	<1	<1	1	2	3	3	3
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	1.8	1	1	1	2	2	3	3	3
65+	4	6.5	38	1	1	5	11	14	14	14
B. *Operated*										
0-19 YRS	34	2.6	2	<1	1	2	3	5	5	5
20-34	146	2.5	3	<1	1	2	3	5	5	7
35-49	28	2.4	2	<1	<1	2	3	4	5	7
50-64	21	2.5	9	<1	<1	1	3	5	9	14
65+	15	2.1	2	<1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.3		<1	<1	1	2	2	2	2
20-34	38	1.7	2	<1	<1	1	2	4	5	7
35-49	3	5.7	20	1	1	6	9	10	10	10
50-64	4	1.0		<1	<1	1	1	1	1	1
65+	12	5.6	24	1	1	4	8	14	16	16
B. *Operated*										
0-19 YRS	63	2.7	4	<1	1	2	3	5	7	11
20-34	248	3.2	37	<1	1	2	4	5	6	19
35-49	75	3.1	8	1	1	2	4	6	8	15
50-64	45	3.4	19	<1	<1	2	4	7	15	22
65+	59	8.7	138	1	1	3	11	23	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	9	<1	<1	1	2	4	10	14
B. *Operated*	244	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	65	2.5	9	<1	<1	1	3	5	10	16
B. *Operated*	490	3.8	42	<1	1	2	4	6	12	28
1. SINGLE DX	268	2.4	3	<1	1	2	3	4	5	11
2. MULTIPLE DX	555	3.7	38	<1	1	2	4	6	12	24
A. NOT OPERATED	89	2.5	9	<1	<1	1	2	5	10	15
B. OPERATED	734	3.4	29	<1	1	2	4	5	8	22
TOTAL 0-19 YRS	111	2.5	3	<1	1	2	3	5	6	9
20-34	440	2.8	22	<1	1	2	3	5	6	15
35-49	107	3.0	7	<1	1	2	4	6	8	14
50-64	75	2.9	14	<1	<1	1	3	5	12	21
65+	90	7.1	100	1	1	3	9	18	24	54
GRAND TOTAL	**823**	**3.3**	**27**	**<1**	**1**	**2**	**4**	**5**	**9**	**21**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	4	1	1	2	4	6	6	6
20-34	9	2.9	2	<1	1	3	4	5	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	64	5.0	28	1	1	4	6	8	15	31
20-34	169	4.0	6	1	1	4	5	7	8	12
35-49	86	4.4	6	1	2	4	5	7	9	13
50-64	26	4.9	33	1	1	4	5	8	16	30
65+	4	8.8	38	5	5	6	12	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.1	5	<1	<1	3	4	5	8	10
20-34	15	2.1	2	1	1	2	2	4	5	6
35-49	4	2.0	2	1	1	2	3	4	4	4
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	5	15.8	145	5	5	9	25	34	34	34
B. *Operated*										
0-19 YRS	110	4.3	8	1	1	4	5	7	9	16
20-34	307	3.9	7	1	1	4	5	6	8	12
35-49	127	4.8	9	2	2	4	5	9	10	19
50-64	66	5.7	24	1	2	4	6	11	13	30
65+	10	8.0	39	1	1	6	9	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.8	2	<1	1	2	4	5	6	6
B. *Operated*	349	4.4	12	1	1	4	5	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	46	4.0	33	<1	1	2	4	8	12	34
B. *Operated*	620	4.4	10	1	2	4	5	7	10	19
1. SINGLE DX	368	4.3	12	1	1	4	5	7	9	19
2. MULTIPLE DX	666	4.4	12	1	1	4	5	7	10	22
A. NOT OPERATED	65	3.6	24	<1	1	2	4	6	9	32
B. OPERATED	969	4.4	11	1	2	4	5	7	10	19
TOTAL 0-19 YRS	201	4.3	14	1	1	4	5	8	9	21
20-34	500	3.9	7	1	1	3	5	6	8	12
35-49	218	4.6	8	1	2	4	5	8	10	15
50-64	96	5.4	25	1	2	4	6	11	13	31
65+	19	10.2	70	1	3	7	14	22	29	34
GRAND TOTAL	**1034**	**4.4**	**12**	**1**	**1**	**4**	**5**	**7**	**10**	**21**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	8	3.6	7	<1	<1	3	6	7	8	8
35-49	3	6.3	21	<1	<1	9	9	9	9	9
50-64	3	12.7	122	1	1	14	21	23	23	23
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	38	2.7	17	<1	<1	1	3	5	8	25
20-34	46	3.9	34	<1	1	2	3	8	16	35
35-49	21	4.3	17	<1	<1	2	7	11	13	13
50-64	7	3.4	27	<1	<1	1	3	13	15	15
65+	4	2.5	9	1	1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	4	<1	1	3	5	6	7	7
20-34	16	9.8	30	2	3	10	13	18	21	22
35-49	18	6.2	14	1	1	7	9	11	12	12
50-64	7	12.7	138	<1	1	9	15	33	37	37
65+	9	21.1	901	<1	1	11	20	72	96	96
B. *Operated*										
0-19 YRS	94	4.9	42	<1	1	2	5	14	21	29
20-34	107	6.7	65	1	1	3	10	19	22	38
35-49	50	8.5	169	<1	<1	3	11	22	32	74
50-64	37	10.6	236	<1	<1	4	12	38	46	67
65+	17	7.8	152	<1	1	3	5	25	40	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	5.4	35	<1	<1	3	8	13	20	23
B. *Operated*	116	3.5	24	<1	<1	2	4	8	13	28
2. MULTIPLE DX										
A. *Not Operated*	64	9.3	172	1	1	7	11	15	26	88
B. *Operated*	305	7.0	102	<1	1	3	9	19	25	51
1. SINGLE DX	133	3.8	26	<1	<1	2	4	9	14	27
2. MULTIPLE DX	369	7.4	114	<1	1	3	9	19	25	54
A. NOT OPERATED	81	8.4	145	<1	1	6	11	14	22	78
B. OPERATED	421	6.0	83	<1	1	3	7	16	23	47
TOTAL 0-19 YRS	148	4.2	32	<1	1	2	5	10	20	25
20-34	177	6.1	54	1	1	3	8	16	20	32
35-49	92	7.1	101	<1	1	3	9	16	24	59
50-64	54	10.1	191	<1	<1	4	14	28	43	66
65+	31	10.8	372	<1	1	4	10	30	46	96
GRAND TOTAL	**502**	**6.4**	**93**	**<1**	**1**	**3**	**8**	**16**	**23**	**47**

360: Sprains and strains of knee and leg (344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.8	15	1	1	3	3	9	15	16
20-34	25	1.8	1	<1	1	1	2	3	4	5
35-49	10	3.4	17	1	1	2	3	10	14	14
50-64	11	4.4	24	<1	1	3	5	11	17	18
65+	6	14.2	108	7	7	11	12	33	35	35
B. *Operated*										
0-19 YRS	36	3.5	4	1	1	3	4	6	8	10
20-34	57	4.0	5	1	1	4	5	7	8	11
35-49	14	4.0	2	2	2	4	5	6	6	6
50-64	10	4.4	2	2	2	5	6	6	6	6
65+	4	7.8	32	2	2	7	12	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	3.2	11	1	1	2	3	7	10	20
20-34	80	2.3	3	<1	1	2	3	5	7	9
35-49	30	3.0	5	1	1	2	4	6	9	11
50-64	16	5.4	17	1	1	4	8	12	14	15
65+	42	11.6	181	1	2	8	12	27	39	72
B. *Operated*										
0-19 YRS	106	4.3	4	2	2	4	6	7	8	11
20-34	326	4.6	18	1	2	4	5	7	8	16
35-49	86	4.7	8	2	2	4	5	8	10	17
50-64	38	6.0	19	2	3	5	7	9	16	24
65+	10	14.8	240	3	3	9	20	39	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	4.0	27	1	1	2	4	10	14	31
B. *Operated*	121	4.0	5	1	1	4	5	6	9	12
2. MULTIPLE DX										
A. *Not Operated*	230	4.6	50	1	1	2	4	10	14	36
B. *Operated*	566	4.8	19	1	2	4	5	8	9	19
1. SINGLE DX	197	4.0	14	1	1	3	5	7	10	17
2. MULTIPLE DX	796	4.7	28	1	1	4	5	8	11	24
A. NOT OPERATED	306	4.4	44	1	1	2	4	10	14	34
B. OPERATED	687	4.7	17	1	2	4	5	7	9	18
TOTAL 0-19 YRS	228	3.8	7	1	1	3	5	7	9	14
20-34	488	4.0	14	1	1	4	5	7	8	15
35-49	140	4.2	8	1	1	4	5	8	9	15
50-64	75	5.4	17	1	2	4	7	9	14	23
65+	62	12.1	170	2	2	9	12	27	39	70
GRAND TOTAL	**993**	**4.6**	**25**	**1**	**1**	**4**	**5**	**8**	**10**	**23**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	3.3	2	1	1	4	4	5	5	5
20-34	75	5.3	30	1	1	3	5	11	17	28
35-49	56	7.6	78	1	3	5	8	18	23	51
50-64	32	5.7	16	2	2	4	7	12	16	17
65+	14	8.0	13	4	4	7	11	14	15	15
B. *Operated*										
0-19 YRS										
20-34	4	2.0	2	1	1	2	3	4	4	4
35-49	2	9.0	72	3	3	9	15	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.2	3	<1	<1	1	3	5	6	7
20-34	96	5.3	28	1	1	4	6	10	12	32
35-49	78	5.6	12	2	2	5	8	9	12	18
50-64	63	8.9	51	3	3	7	11	19	21	42
65+	48	10.2	64	3	4	8	13	16	24	47
B. *Operated*										
0-19 YRS										
20-34	5	9.0	4	7	7	10	10	11	11	11
35-49	3	5.3	26	1	1	4	9	11	11	11
50-64	4	6.3	14	3	3	6	9	10	10	10
65+	1	28.0		28	28	28	28	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	186	6.2	40	1	2	4	7	12	18	34
B. *Operated*	6	4.3	29	1	1	2	4	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	300	6.8	38	1	2	5	8	13	19	35
B. *Operated*	13	8.8	45	1	2	9	10	15	25	28
1. SINGLE DX	192	6.1	40	1	2	4	7	13	18	34
2. MULTIPLE DX	313	6.8	38	1	2	5	8	13	19	34
A. NOT OPERATED	486	6.5	39	1	2	5	8	13	18	34
B. OPERATED	19	7.4	42	1	1	7	10	13	22	28
TOTAL 0-19 YRS	24	2.6	3	<1	1	2	4	5	6	7
20-34	180	5.4	28	1	1	4	7	11	14	28
35-49	139	6.5	40	2	2	5	8	11	17	39
50-64	99	7.8	40	2	3	6	9	17	20	35
65+	63	10.0	58	3	4	8	13	16	25	45
GRAND TOTAL	**505**	**6.6**	**39**	**1**	**2**	**5**	**8**	**13**	**18**	**33**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.5	5	<1	1	2	3	5	7	13
20-34	157	3.8	11	1	1	3	5	8	10	20
35-49	92	5.3	21	1	1	5	7	9	11	29
50-64	47	5.9	16	1	2	5	8	11	13	20
65+	20	4.8	7	1	2	4	6	9	10	11
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	10.4	15	4	4	12	13	14	14	14
35-49	4	6.8	5	4	4	7	8	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	2.9	7	1	1	2	4	6	7	14
20-34	348	4.3	21	1	1	3	5	8	11	20
35-49	198	5.5	20	1	1	4	7	12	15	22
50-64	144	7.0	74	1	2	5	8	12	16	34
65+	113	10.2	136	2	2	7	12	18	28	67
B. *Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	16	6.3	47	1	2	4	7	12	24	29
35-49	16	8.6	49	1	1	6	14	18	22	23
50-64	10	10.7	100	2	2	8	13	26	36	36
65+	5	9.6	22	3	4	10	16	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	375	4.3	14	1	1	3	6	8	10	20
B. *Operated*	12	8.2	14	2	3	8	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	928	5.5	45	1	1	4	7	11	16	29
B. *Operated*	52	7.8	54	1	2	6	11	18	28	98
1. SINGLE DX	387	4.4	14	1	1	3	6	9	11	20
2. MULTIPLE DX	980	5.6	46	1	1	4	7	12	16	31
A. NOT OPERATED	1303	5.2	37	1	1	4	6	10	14	28
B. OPERATED	64	7.8	46	1	2	6	11	17	24	90
TOTAL 0-19 YRS	190	2.8	6	1	1	2	3	6	7	14
20-34	526	4.3	19	1	1	3	5	9	11	21
35-49	310	5.6	22	1	1	4	7	11	15	23
50-64	202	6.9	62	1	2	6	8	12	16	33
65+	139	9.4	115	2	2	6	11	18	27	91
GRAND TOTAL	**1367**	**5.3**	**37**	**1**	**1**	**4**	**6**	**11**	**15**	**29**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.1	3	<1	<1	2	2	3	6	10
20-34	41	2.1	2	<1	<1	2	3	4	5	7
35-49	28	3.6	18	<1	1	2	4	9	11	21
50-64	23	4.2	12	1	1	3	5	9	12	16
65+	24	4.3	10	1	2	3	6	8	12	13
B. *Operated*										
0-19 YRS	35	3.1	2	1	1	3	4	5	5	6
20-34	65	3.0	3	1	1	3	4	5	6	10
35-49	49	3.5	3	1	2	3	4	7	7	8
50-64	27	3.9	6	1	1	4	5	6	9	12
65+	14	7.7	43	2	2	6	10	16	24	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	2.4	5	<1	1	2	3	5	6	13
20-34	115	3.1	9	<1	<1	2	4	7	9	17
35-49	48	3.1	9	<1	1	2	4	8	9	13
50-64	46	4.2	8	1	1	4	5	9	10	12
65+	83	8.2	56	2	2	5	10	17	23	39
B. *Operated*										
0-19 YRS	50	2.6	2	1	1	2	3	4	5	9
20-34	157	3.3	24	1	1	3	3	5	6	13
35-49	64	3.3	4	1	1	3	4	6	8	12
50-64	51	6.0	23	2	2	5	7	12	19	23
65+	26	6.2	36	1	2	4	7	9	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	3.0	8	<1	1	2	3	6	9	16
B. *Operated*	190	3.6	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	377	4.2	23	<1	1	3	5	9	14	23
B. *Operated*	348	3.8	20	1	1	3	4	7	9	21
1. SINGLE DX	354	3.3	8	1	1	3	4	6	8	15
2. MULTIPLE DX	725	4.0	21	<1	1	3	5	8	11	22
A. NOT OPERATED	541	3.8	19	<1	1	2	5	8	12	21
B. OPERATED	538	3.7	15	1	1	3	4	7	9	19
TOTAL 0-19 YRS	218	2.5	4	<1	1	2	3	4	6	10
20-34	378	3.1	14	<1	1	2	4	5	7	12
35-49	189	3.4	7	1	1	3	4	7	8	13
50-64	147	4.8	14	1	2	4	6	9	12	21
65+	147	7.1	45	2	2	5	9	16	21	31
GRAND TOTAL	**1079**	**3.8**	**17**	**1**	**1**	**3**	**4**	**7**	**10**	**21**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	558	1.5	3	1	1	1	2	2	3	8
20-34	130	1.8	2	<1	<1	1	2	3	4	9
35-49	28	1.9	2	<1	1	1	2	4	5	6
50-64	18	2.8	20	1	1	1	3	5	14	20
65+	14	2.1	4	<1	1	1	2	4	7	8
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	4	2.3	2	1	1	2	3	4	4	4
35-49	2	10.0	18	7	7	10	13	13	13	13
50-64	1	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1157	1.7	2	<1	1	1	2	3	4	8
20-34	496	2.4	9	<1	1	1	3	5	7	17
35-49	162	3.1	12	<1	1	2	3	7	10	15
50-64	95	3.0	7	<1	1	2	5	6	9	13
65+	125	8.3	134	1	1	4	9	20	39	73
B. *Operated*										
0-19 YRS	140	3.2	16	<1	1	2	3	7	9	23
20-34	174	3.0	17	<1	1	2	3	6	11	26
35-49	48	3.7	29	<1	1	2	4	7	16	29
50-64	37	4.7	22	1	1	3	6	10	17	20
65+	24	10.7	252	1	1	4	16	23	42	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	748	1.6	3	<1	1	1	2	3	4	8
B. *Operated*	10	3.6	14	1	1	2	4	10	13	13
2. MULTIPLE DX										
A. *Not Operated*	2035	2.4	16	<1	1	1	2	5	7	19
B. *Operated*	423	3.7	34	<1	1	2	4	8	14	27
1. SINGLE DX	758	1.6	3	<1	1	1	2	3	4	9
2. MULTIPLE DX	2458	2.6	19	<1	1	1	2	5	8	23
A. NOT OPERATED	2783	2.2	12	<1	1	1	2	4	6	15
B. OPERATED	433	3.7	34	<1	1	2	4	8	13	27
TOTAL 0-19 YRS	1857	1.7	4	<1	1	1	2	3	4	9
20-34	804	2.4	10	<1	1	1	3	5	7	18
35-49	240	3.1	14	<1	1	2	4	7	10	23
50-64	151	3.4	13	1	1	2	5	7	11	20
65+	164	8.0	143	1	1	4	9	22	38	72
GRAND TOTAL	**3216**	**2.4**	**15**	**<1**	**1**	**1**	**2**	**5**	**7**	**20**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	362	1.5	2	<1	1	1	2	3	3	6
20-34	87	2.1	5	<1	<1	1	2	5	8	11
35-49	15	3.1	6	<1	<1	3	5	7	8	9
50-64	10	1.8	1	<1	<1	2	2	3	4	4
65+	15	3.0	6	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	7	6.4	51	1	1	2	10	18	20	20
20-34	6	16.7	1195	<1	<1	2	8	79	87	87
35-49										
50-64	5	6.8	4	4	4	7	8	9	9	9
65+	6	8.7	24	3	3	9	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	893	2.3	15	<1	1	1	2	4	7	20
20-34	302	2.7	15	<1	<1	1	3	6	9	17
35-49	103	3.9	38	<1	<1	1	5	9	11	40
50-64	78	5.3	38	<1	<1	3	6	14	21	81
65+	99	8.1	139	1	1	4	8	22	36	90
B. *Operated*										
0-19 YRS	105	9.1	208	1	1	3	9	32	46	85
20-34	145	6.1	134	<1	1	2	6	18	40	99+
35-49	58	13.2	347	<1	1	7	16	65	99+	99+
50-64	40	13.3	260	1	1	7	22	44	60	99+
65+	48	15.6	385	1	1	7	26	58	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	489	1.7	3	<1	<1	1	2	3	5	9
B. *Operated*	24	9.6	297	<1	1	6	10	15	40	87
2. MULTIPLE DX										
A. *Not Operated*	1475	3.0	28	<1	1	1	3	7	11	32
B. *Operated*	396	9.8	237	1	1	4	12	40	63	99+
1. SINGLE DX	513	2.1	19	<1	1	1	2	4	6	13
2. MULTIPLE DX	1871	4.5	80	<1	1	1	4	10	22	77
A. NOT OPERATED	1964	2.7	22	<1	1	1	2	6	9	27
B. OPERATED	420	9.8	240	1	1	4	12	39	63	99+
TOTAL 0-19 YRS	1367	2.6	30	<1	1	1	2	5	8	33
20-34	540	3.7	60	<1	<1	1	3	8	13	72
35-49	176	6.9	155	<1	<1	3	8	15	50	99+
50-64	133	7.5	115	<1	1	4	9	22	35	99+
65+	168	9.8	207	1	1	5	10	31	51	99+
GRAND TOTAL	**2384**	**4.0**	**68**	**<1**	**1**	**1**	**3**	**9**	**16**	**70**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	21	<1	<1	1	6	12	13	13
20-34	6	4.3	9	2	2	3	5	9	10	10
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	9.5	41	5	5	9	14	14	14	14
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	6	7.2	9	5	5	6	7	12	13	13
35-49	5	7.0	13	3	3	6	10	12	12	12
50-64										
65+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.8	6	1	1	4	5	8	8	8
20-34	44	4.5	13	1	1	3	6	12	12	13
35-49	29	4.7	13	1	1	3	7	11	12	13
50-64	20	7.9	49	1	2	6	9	17	24	30
65+	13	12.4	242	1	3	7	13	31	55	60
B. *Operated*										
0-19 YRS	29	8.3	21	3	4	8	10	13	17	25
20-34	79	8.6	47	2	3	7	10	16	19	42
35-49	37	10.7	77	3	4	9	12	22	26	49
50-64	23	16.9	138	4	5	16	21	40	43	46
65+	10	19.1	459	4	5	10	35	83	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.4	17	<1	1	3	5	12	14	14
B. *Operated*	12	7.1	8	3	4	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	122	5.8	47	1	1	4	7	12	14	38
B. *Operated*	178	10.7	92	3	4	8	12	21	28	65
1. SINGLE DX	30	5.5	15	1	1	5	7	12	13	14
2. MULTIPLE DX	300	8.7	79	1	2	7	10	17	24	54
A. NOT OPERATED	140	5.7	43	1	1	4	7	12	14	33
B. OPERATED	190	10.4	87	3	4	8	12	20	27	63
TOTAL 0-19 YRS	52	6.3	21	1	1	5	9	11	14	25
20-34	135	7.0	36	1	2	6	9	13	17	32
35-49	72	7.9	54	1	2	6	10	14	22	44
50-64	45	12.6	111	2	3	9	17	23	40	46
65+	26	14.0	305	1	3	7	14	56	76	99+
GRAND TOTAL	**330**	**8.4**	**74**	**1**	**2**	**6**	**10**	**17**	**23**	**51**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	4.7	24	<1	1	3	6	12	15	24
20-34	43	4.0	7	1	1	4	6	8	10	12
35-49	4	4.3	11	<1	<1	4	7	8	8	8
50-64	8	5.1	13	2	2	4	6	11	13	13
65+	4	4.3	6	1	1	4	6	7	7	7
B. *Operated*										
0-19 YRS	22	6.3	13	<1	1	6	7	10	13	17
20-34	16	8.2	22	3	4	7	9	14	20	23
35-49	6	6.8	20	1	1	7	11	12	12	12
50-64	3	12.0	147	1	1	10	21	25	25	25
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	5.0	15	1	1	4	7	11	12	17
20-34	115	4.4	14	1	1	4	6	9	12	19
35-49	33	4.1	8	1	1	3	5	8	10	11
50-64	20	4.6	7	<1	1	4	6	8	10	11
65+	8	8.4	39	2	2	7	11	18	21	21
B. *Operated*										
0-19 YRS	107	12.9	131	4	5	9	13	30	43	54
20-34	167	14.6	186	3	5	10	16	30	45	87
35-49	49	15.9	223	4	5	11	18	31	51	79
50-64	17	18.7	194	5	7	14	22	38	53	60
65+	16	27.8	680	7	8	17	29	68	88	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	4.5	16	1	1	3	6	9	12	22
B. *Operated*	48	7.4	24	1	1	7	9	12	18	25
2. MULTIPLE DX										
A. *Not Operated*	316	4.8	14	1	1	4	6	10	12	19
B. *Operated*	356	15.0	203	4	5	10	17	31	48	80
1. SINGLE DX	170	5.3	20	1	1	4	7	10	13	24
2. MULTIPLE DX	672	10.2	140	1	2	7	12	22	32	65
A. NOT OPERATED	438	4.7	15	1	1	4	6	10	12	21
B. OPERATED	404	14.1	188	3	5	10	15	29	44	79
TOTAL 0-19 YRS	332	7.6	67	1	1	6	9	14	22	48
20-34	341	9.5	123	1	2	7	11	22	30	63
35-49	92	10.6	155	1	1	7	12	21	34	72
50-64	48	10.1	121	1	2	6	12	23	34	60
65+	29	18.4	487	2	3	11	19	51	69	97
GRAND TOTAL	**842**	**9.2**	**120**	**1**	**2**	**6**	**11**	**19**	**29**	**61**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	4	1	1	3	5	6	6	6
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	24	5.4	29	<1	1	3	8	12	17	23
20-34	29	5.6	19	1	1	5	6	13	14	19
35-49	6	3.2	2	2	2	3	5	5	5	5
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	3	11.0	84	3	3	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	5.2	20	<1	1	4	8	11	14	19
20-34	34	3.1	4	<1	1	3	5	6	7	8
35-49	14	5.6	24	<1	1	5	6	10	19	21
50-64	6	5.3	31	<1	<1	4	5	15	16	16
65+	8	3.1	3	1	1	3	4	6	6	6
B. *Operated*										
0-19 YRS	102	5.1	13	<1	1	5	7	10	13	16
20-34	101	6.3	29	1	1	5	7	14	19	27
35-49	44	6.4	29	1	2	5	7	12	20	25
50-64	19	9.8	376	1	1	4	9	15	55	88
65+	20	7.3	51	1	1	5	9	15	25	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.6	5	1	1	4	5	6	7	8
B. *Operated*	66	5.4	23	1	1	4	7	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	87	4.3	14	<1	1	4	5	8	11	20
B. *Operated*	286	6.2	48	1	1	5	7	12	16	28
1. SINGLE DX	81	5.0	20	1	1	4	6	11	14	22
2. MULTIPLE DX	373	5.8	41	1	1	5	7	11	15	26
A. NOT OPERATED	102	4.2	13	<1	1	4	5	8	10	20
B. OPERATED	352	6.0	43	1	1	5	7	12	16	26
TOTAL 0-19 YRS	159	5.1	16	1	1	4	7	10	13	19
20-34	167	5.5	23	1	1	5	7	10	15	25
35-49	67	5.8	26	1	1	5	6	11	19	25
50-64	30	7.8	247	1	1	4	6	14	16	88
65+	31	6.5	44	1	1	4	9	14	21	31
GRAND TOTAL	**454**	**5.6**	**37**	**1**	**1**	**5**	**7**	**11**	**15**	**25**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	2	1	1	3	3	5	5	5
20-34	10	3.8	16	<1	<1	2	4	11	12	12
35-49	9	3.4	9	<1	<1	3	5	8	9	9
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	84	2.2	4	<1	<1	1	3	5	6	9
20-34	47	2.8	8	<1	<1	2	3	6	7	17
35-49	17	3.5	10	<1	1	3	4	8	12	13
50-64	7	5.9	27	1	1	6	8	14	16	16
65+	8	3.9	24	1	1	2	5	12	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.8	8	<1	<1	2	4	6	8	15
20-34	93	2.8	8	<1	<1	2	3	6	9	14
35-49	45	4.0	52	<1	<1	2	4	9	12	46
50-64	40	3.8	17	<1	1	2	5	7	14	19
65+	52	6.5	63	1	1	4	8	13	21	39
B. *Operated*										
0-19 YRS	335	3.3	28	<1	<1	2	4	6	10	28
20-34	359	3.4	14	<1	<1	2	4	8	11	17
35-49	130	3.8	15	<1	<1	2	5	9	11	17
50-64	95	5.5	113	<1	1	3	6	10	18	64
65+	117	8.1	120	1	1	5	9	18	30	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	3.0	7	<1	1	2	4	6	9	12
B. *Operated*	163	2.7	8	<1	<1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	356	3.6	24	<1	<1	2	4	8	12	21
B. *Operated*	1036	4.1	42	<1	<1	2	5	9	13	31
1. SINGLE DX	203	2.8	8	<1	<1	2	3	6	8	15
2. MULTIPLE DX	1392	4.0	37	<1	<1	2	5	9	12	30
A. NOT OPERATED	396	3.5	22	<1	<1	2	4	8	11	20
B. OPERATED	1199	3.9	37	<1	<1	2	4	8	12	28
TOTAL 0-19 YRS	561	3.0	19	<1	<1	2	4	6	9	18
20-34	509	3.2	12	<1	<1	2	4	7	10	17
35-49	201	3.8	22	<1	<1	2	5	9	11	22
50-64	144	5.0	81	<1	1	3	6	9	16	31
65+	180	7.4	98	1	1	4	9	16	26	49
GRAND TOTAL	**1595**	**3.8**	**34**	**<1**	**<1**	**2**	**4**	**8**	**12**	**27**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.9	1	1	1	2	3	3	3	3
20-34	12	2.3	2	1	1	2	3	4	6	6
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	17	2.6	4	<1	1	2	4	5	7	8
20-34	12	2.8	6	1	1	2	4	7	8	8
35-49	9	3.2	9	<1	<1	2	4	8	10	10
50-64	2	11.0	200	1	1	11	21	21	21	21
65+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.5	40	<1	<1	2	4	15	22	27
20-34	39	4.4	77	<1	1	2	5	7	9	56
35-49	16	4.6	17	1	1	3	7	8	14	16
50-64	7	8.0	43	2	2	6	8	19	22	22
65+	7	5.1	22	1	1	4	6	13	15	15
B. *Operated*										
0-19 YRS	72	4.5	23	1	1	2	7	10	16	23
20-34	104	6.2	43	1	1	5	9	16	26	99+
35-49	34	6.8	52	1	1	4	9	13	27	31
50-64	11	12.6	91	2	4	10	24	52	93	99+
65+	3	13.7	158	2	2	12	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.1	1	1	1	2	3	3	4	6
B. *Operated*	42	3.5	16	<1	1	2	5	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	105	4.8	49	<1	1	3	6	8	16	40
B. *Operated*	224	6.2	44	1	1	4	9	16	25	99+
1. SINGLE DX	69	3.0	11	1	1	2	3	6	8	20
2. MULTIPLE DX	329	5.7	46	1	1	4	8	15	24	99+
A. NOT OPERATED	132	4.2	40	<1	1	2	5	8	16	32
B. OPERATED	266	5.8	40	1	1	4	8	15	24	99+
TOTAL 0-19 YRS	135	4.1	24	<1	1	2	5	9	16	25
20-34	167	5.3	47	1	1	4	6	11	17	99+
35-49	63	5.4	36	1	1	3	8	11	18	31
50-64	20	10.9	77	1	2	8	21	27	62	99+
65+	13	7.8	54	1	2	5	12	17	25	27
GRAND TOTAL	**398**	**5.2**	**41**	**1**	**1**	**3**	**7**	**12**	**21**	**77**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.4	7	1	1	3	4	7	9	11
20-34	25	3.1	5	<1	<1	3	4	6	7	9
35-49	10	3.5	7	<1	<1	3	5	7	9	9
50-64	6	3.3	15	1	1	2	4	10	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	119	2.7	17	<1	1	1	3	6	9	22
20-34	166	3.1	10	<1	1	2	4	8	10	16
35-49	67	2.6	12	<1	1	2	3	5	10	22
50-64	37	3.3	31	<1	1	2	4	5	7	35
65+	20	3.4	8	1	1	2	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.4	35	1	1	3	4	8	15	36
20-34	87	4.1	12	<1	1	3	5	7	9	22
35-49	28	6.9	91	<1	1	4	7	15	23	49
50-64	30	5.8	65	1	1	4	5	10	21	43
65+	20	6.0	56	1	1	3	6	17	25	31
B. *Operated*										
0-19 YRS	326	3.8	26	<1	1	2	4	9	12	28
20-34	543	3.8	31	<1	1	2	4	8	12	26
35-49	225	4.3	44	<1	1	2	4	10	18	36
50-64	132	4.6	24	1	1	3	6	11	13	26
65+	57	5.8	67	1	1	3	7	11	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.3	6	<1	<1	3	4	7	9	11
B. *Operated*	409	2.9	14	<1	1	2	3	6	10	17
2. MULTIPLE DX										
A. *Not Operated*	229	4.9	39	1	1	3	5	9	16	39
B. *Operated*	1283	4.1	33	<1	1	2	4	9	13	29
1. SINGLE DX	469	3.0	13	<1	1	2	4	6	10	16
2. MULTIPLE DX	1512	4.2	34	<1	1	2	5	9	13	30
A. NOT OPERATED	289	4.6	33	<1	1	3	5	9	13	35
B. OPERATED	1692	3.8	29	<1	1	2	4	8	12	27
TOTAL 0-19 YRS	527	3.6	25	<1	1	2	4	8	12	28
20-34	821	3.7	24	<1	1	2	4	8	11	25
35-49	330	4.1	41	<1	1	2	4	9	16	36
50-64	205	4.5	31	1	1	3	5	10	13	33
65+	98	5.3	52	1	1	3	6	11	21	40
GRAND TOTAL	**1981**	**3.9**	**29**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	3.6	14	<1	1	3	4	6	7	23
20-34	26	4.8	11	1	1	4	7	8	12	13
35-49	7	2.9	3	1	1	3	4	6	6	6
50-64	9	5.6	31	1	1	4	6	15	19	19
65+	5	8.0	55	2	2	5	12	20	20	20
B. *Operated*										
0-19 YRS	82	5.0	44	<1	1	3	6	10	15	41
20-34	69	5.3	32	1	1	3	7	12	20	27
35-49	26	5.6	19	1	1	5	8	12	16	16
50-64	10	9.6	44	<1	<1	9	14	19	21	21
65+	8	18.8	517	1	1	10	25	58	69	69
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	79	4.5	10	<1	1	4	6	8	10	17
20-34	64	5.7	29	<1	1	4	6	14	18	27
35-49	23	6.7	27	1	2	5	11	15	16	17
50-64	22	8.4	49	2	2	6	10	19	26	28
65+	18	12.0	119	1	1	8	19	26	35	40
B. *Operated*										
0-19 YRS	180	5.9	64	<1	1	3	6	15	24	50
20-34	173	8.0	126	1	1	5	9	16	27	58
35-49	62	8.5	89	<1	<1	5	11	23	26	46
50-64	50	10.6	147	1	1	6	13	33	43	99
65+	32	16.8	329	1	1	10	24	38	46	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.4	17	1	1	3	6	8	12	22
B. *Operated*	195	6.0	61	1	1	3	8	14	19	43
2. MULTIPLE DX										
A. *Not Operated*	206	6.2	35	1	1	4	7	14	18	28
B. *Operated*	497	8.1	120	<1	1	4	9	22	31	57
1. SINGLE DX	277	5.5	48	1	1	3	7	12	18	31
2. MULTIPLE DX	703	7.5	96	1	1	4	9	18	27	48
A. NOT OPERATED	288	5.7	31	1	1	4	7	13	18	27
B. OPERATED	692	7.5	104	<1	1	4	9	18	27	52
TOTAL 0-19 YRS	376	5.2	44	<1	1	3	6	11	17	43
20-34	332	6.7	80	1	1	4	8	15	21	47
35-49	118	7.2	59	<1	1	4	10	17	24	36
50-64	91	9.5	101	1	1	6	12	27	33	77
65+	63	15.0	269	1	1	9	21	34	42	86
GRAND TOTAL	**980**	**7.0**	**83**	**1**	**1**	**4**	**8**	**16**	**25**	**48**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	1	<1	<1	2	3	4	4	4
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	3	3.3	10	1	1	2	6	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	7.0	117	<1	<1	1	12	26	28	28
20-34	7	2.1	2	<1	<1	1	4	4	4	4
35-49	2	7.5	5	6	6	7	9	9	9	9
50-64	5	2.8	6	<1	<1	2	4	7	7	7
65+	4	6.3	28	2	2	5	10	13	13	13
B. *Operated*										
0-19 YRS	11	10.5	175	1	1	6	21	59	94	99+
20-34	24	10.8	177	1	1	6	13	31	46	52
35-49	12	7.8	34	1	1	7	12	16	19	19
50-64	6	23.2	486	2	3	17	33	59	62	62
65+	4	12.8	180	1	1	9	21	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.0	1	<1	<1	2	3	4	4	4
B. *Operated*	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	25	4.7	40	<1	<1	2	6	13	19	28
B. *Operated*	57	11.5	182	1	1	8	14	33	49	97
1. SINGLE DX	13	2.3	3	<1	<1	2	3	5	7	7
2. MULTIPLE DX	82	9.4	147	<1	1	5	12	29	43	87
A. NOT OPERATED	35	3.9	30	<1	<1	2	4	9	15	28
B. OPERATED	60	11.1	176	1	1	8	13	32	48	96
TOTAL 0-19 YRS	25	7.2	115	<1	<1	2	9	28	54	99+
20-34	37	7.8	131	1	1	4	9	16	39	52
35-49	14	7.7	29	1	1	7	10	15	18	19
50-64	11	13.9	359	<1	<1	7	20	45	61	62
65+	8	9.5	101	1	1	8	11	26	32	32
GRAND TOTAL	**95**	**8.5**	**134**	**<1**	**1**	**4**	**10**	**27**	**39**	**82**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	11	9.2	191	1	1	5	8	29	47	49
35-49	9	3.9	6	2	2	2	6	7	8	8
50-64	2	5.0	18	2	2	5	8	8	8	8
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS	42	4.1	11	1	1	3	5	10	11	14
20-34	60	5.6	83	1	1	3	6	9	18	55
35-49	27	6.2	57	1	1	3	8	10	22	38
50-64	22	5.0	18	1	2	4	5	10	17	18
65+	8	6.8	21	2	2	6	9	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	9.7	242	<1	1	3	8	29	45	67
20-34	23	8.0	68	1	2	5	10	29	54	99+
35-49	25	5.9	25	1	1	4	7	14	16	18
50-64	19	14.0	177	2	2	9	18	33	45	55
65+	27	16.2	169	1	1	17	28	43	99+	99+
B. *Operated*										
0-19 YRS	61	6.9	55	1	2	4	10	15	30	92
20-34	129	5.7	89	<1	1	3	5	14	20	76
35-49	60	7.6	50	<1	1	4	11	18	22	29
50-64	38	7.7	166	1	2	4	9	14	28	75
65+	27	14.7	186	1	1	12	24	33	45	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.8	82	1	1	3	6	8	18	49
B. *Operated*	159	5.3	47	1	1	3	6	10	16	43
2. MULTIPLE DX										
A. *Not Operated*	116	10.8	144	1	1	6	16	32	43	99+
B. *Operated*	315	7.3	97	<1	1	4	9	18	27	72
1. SINGLE DX	187	5.4	52	1	1	3	6	10	15	47
2. MULTIPLE DX	431	8.2	112	<1	1	4	10	22	33	99+
A. NOT OPERATED	144	9.8	135	1	1	6	13	30	39	99+
B. OPERATED	474	6.6	81	1	1	4	7	16	24	63
TOTAL 0-19 YRS	129	6.3	73	1	1	3	7	14	28	74
20-34	223	6.1	90	1	1	3	6	14	24	77
35-49	121	6.6	43	<1	1	4	8	16	20	32
50-64	81	8.4	133	2	2	4	9	18	32	69
65+	64	14.0	160	1	2	10	24	35	47	99+
GRAND TOTAL	**618**	**7.4**	**95**	**1**	**1**	**4**	**8**	**18**	**29**	**71**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	4.1	7	1	1	4	5	7	8	17
20-34	46	3.5	4	1	1	4	5	6	7	8
35-49	16	3.4	4	<1	<1	3	5	6	7	7
50-64	4	3.3	5	<1	<1	3	5	6	6	6
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	2	6.5	61	<1	<1	6	12	12	12	12
20-34	2	13.0	2	12	12	13	14	14	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	4.5	8	1	1	4	6	8	9	15
20-34	161	4.6	32	1	1	4	5	7	9	20
35-49	44	5.0	7	1	2	5	6	9	10	13
50-64	24	4.8	8	1	1	5	7	8	10	11
65+	11	3.2	5	1	1	3	5	6	8	8
B. *Operated*										
0-19 YRS	14	8.6	32	1	1	7	13	15	19	20
20-34	29	6.1	23	<1	1	5	7	12	15	24
35-49	5	5.2	6	2	2	5	7	8	8	8
50-64	10	6.2	22	2	3	5	6	13	19	19
65+	2	9.5	41	5	5	9	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	150	3.8	6	1	1	4	5	6	7	11
B. *Operated*	4	9.8	35	<1	<1	12	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	442	4.6	16	1	1	4	5	8	9	17
B. *Operated*	60	6.8	24	1	2	5	8	14	17	24
1. SINGLE DX	154	4.0	7	<1	1	4	5	6	8	14
2. MULTIPLE DX	502	4.8	18	1	1	4	6	8	11	19
A. NOT OPERATED	592	4.4	14	1	1	4	5	7	9	17
B. OPERATED	64	6.9	25	1	2	5	9	14	16	23
TOTAL 0-19 YRS	300	4.6	10	1	1	4	6	8	11	18
20-34	238	4.6	26	1	1	4	5	7	10	20
35-49	65	4.6	6	1	1	4	6	8	9	13
50-64	38	5.0	12	1	1	5	6	8	11	19
65+	15	4.1	11	1	1	3	5	8	12	14
GRAND TOTAL	**656**	**4.6**	**15**	**1**	**1**	**4**	**5**	**8**	**11**	**19**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	304	2.0	3	<1	1	1	2	4	5	8
20-34	201	2.3	3	<1	<1	2	3	5	6	9
35-49	82	2.9	5	<1	<1	2	4	6	8	10
50-64	49	3.9	10	1	1	3	4	9	11	14
65+	77	7.7	124	1	1	5	8	13	27	66
B. *Operated*										
0-19 YRS	44	3.8	11	<1	1	3	6	9	10	14
20-34	18	4.9	40	1	1	3	4	11	21	27
35-49	7	5.1	40	1	1	3	5	16	19	19
50-64	9	8.7	73	1	2	6	11	24	26	26
65+	7	6.7	39	1	1	4	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	800	2.4	6	<1	<1	1	3	5	7	12
20-34	761	2.6	7	<1	<1	2	3	6	7	11
35-49	326	4.0	32	<1	1	3	5	8	12	22
50-64	300	5.5	31	1	1	4	7	12	18	30
65+	571	11.3	169	1	2	7	15	26	36	84
B. *Operated*										
0-19 YRS	85	4.5	27	<1	1	2	6	10	15	28
20-34	83	5.4	35	<1	<1	3	7	15	17	30
35-49	41	5.4	22	1	1	4	8	14	15	19
50-64	26	9.5	47	1	2	8	15	20	22	24
65+	45	16.9	408	1	2	11	17	45	72	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	713	2.9	20	<1	1	2	3	6	8	14
B. *Operated*	85	4.9	29	<1	1	3	6	10	17	27
2. MULTIPLE DX										
A. *Not Operated*	2758	4.8	58	<1	1	2	5	11	17	40
B. *Operated*	280	7.4	109	<1	1	4	9	16	21	67
1. SINGLE DX	798	3.1	21	<1	1	2	4	7	9	20
2. MULTIPLE DX	3038	5.1	63	<1	1	2	6	11	18	41
A. NOT OPERATED	3471	4.4	50	<1	1	2	5	10	16	36
B. OPERATED	365	6.8	91	<1	1	4	9	16	20	55
TOTAL 0-19 YRS	1233	2.5	7	<1	<1	2	3	5	7	14
20-34	1063	2.8	10	<1	<1	2	3	6	8	16
35-49	456	3.9	26	<1	1	3	5	8	12	19
50-64	384	5.6	31	1	1	4	7	13	18	28
65+	700	11.2	181	1	2	7	14	25	39	83
GRAND TOTAL	**3836**	**4.7**	**55**	**<1**	**1**	**2**	**5**	**10**	**16**	**38**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	3.6	13	1	1	2	5	10	11	11
20-34	13	3.2	4	<1	1	3	5	6	8	8
35-49	5	2.6	1	1	1	3	3	4	4	4
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	1	39.0		39	39	39	39	39	39	39
B. *Operated*										
0-19 YRS	3	7.0	108	<1	<1	1	14	19	19	19
20-34	8	3.4	8	1	1	3	3	8	10	10
35-49	3	13.7	124	1	1	18	21	22	22	22
50-64	1	11.0		11	11	11	11	11	11	11
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.0	34	<1	1	2	5	8	15	30
20-34	21	3.8	12	<1	1	2	5	9	11	13
35-49	11	2.9	4	1	1	2	3	6	7	7
50-64	13	3.5	5	1	1	3	5	7	8	8
65+	9	17.3	218	4	4	14	21	43	48	48
B. *Operated*										
0-19 YRS	17	8.8	100	<1	1	3	15	25	31	33
20-34	28	8.1	133	1	1	3	11	31	51	99+
35-49	13	15.2	283	<1	1	10	20	38	56	60
50-64	14	13.8	78	2	4	13	23	25	26	27
65+	2	6.0	18	3	3	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	4.3	50	<1	1	2	4	8	12	39
B. *Operated*	15	6.7	55	<1	1	3	11	19	21	22
2. MULTIPLE DX										
A. *Not Operated*	84	5.2	55	1	1	3	5	11	16	44
B. *Operated*	74	10.5	141	1	1	6	17	27	35	90
1. SINGLE DX	44	5.1	52	<1	1	3	5	12	20	39
2. MULTIPLE DX	158	7.7	102	1	1	3	9	22	31	59
A. NOT OPERATED	113	4.9	53	1	1	3	5	10	16	42
B. OPERATED	89	9.9	128	1	1	5	16	26	33	84
TOTAL 0-19 YRS	58	5.5	55	<1	1	2	6	15	24	33
20-34	70	5.4	62	1	1	3	5	12	24	89
35-49	32	8.8	157	1	1	3	11	24	32	60
50-64	30	8.4	65	1	1	5	11	23	24	27
65+	12	17.3	226	3	4	12	26	42	47	48
GRAND TOTAL	**202**	**7.1**	**92**	**1**	**1**	**3**	**9**	**19**	**29**	**54**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	12	1.5		<1	<1	1	2	3	3	3
35-49	3	3.0	1	2	2	3	4	4	4	4
50-64	2	4.5	13	2	2	4	7	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	4	2.3	1	1	1	2	3	3	3	3
35-49	1	7.0		7	7	7	7	7	7	7
50-64	3	6.3	6	4	4	6	8	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.5	2	<1	<1	2	3	4	5	5
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	22	2.0	2	<1	<1	2	2	3	5	7
B. *Operated*	9	5.0	10	1	1	4	7	10	10	10
1. SINGLE DX	11	2.4	2	<1	<1	2	3	4	5	5
2. MULTIPLE DX	31	2.8	6	<1	<1	2	3	7	9	10
A. NOT OPERATED	32	2.1	2	<1	<1	2	3	4	5	7
B. OPERATED	10	4.6	10	1	1	4	7	9	10	10
TOTAL 0-19 YRS	11	2.8	8	<1	<1	2	4	7	10	10
20-34	21	1.7	1	<1	<1	2	2	3	3	3
35-49	4	4.0	5	2	2	3	5	7	7	7
50-64	6	5.2	7	2	2	5	7	9	9	9
65+										
GRAND TOTAL	**42**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**6**	**8**	**10**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	127	1.5	1	<1	<1	1	1	3	4	6
20-34	23	1.4	1	<1	<1	1	1	3	4	4
35-49	20	2.3	10	<1	<1	1	2	6	11	14
50-64	28	1.4		<1	<1	1	2	3	3	3
65+	23	1.7	1	<1	1	1	2	3	5	6
B. *Operated*										
0-19 YRS	34	3.5	11	<1	<1	2	4	8	12	14
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	4	3.3	10	1	1	2	5	8	8	8
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	3	7.3	37	2	2	6	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	182	1.9	4	<1	<1	1	2	4	6	13
20-34	59	2.7	29	<1	<1	1	2	4	10	37
35-49	40	3.8	49	<1	<1	1	3	8	21	34
50-64	49	2.6	11	1	1	1	2	6	10	19
65+	53	4.6	54	1	1	2	5	9	14	48
B. *Operated*										
0-19 YRS	58	4.8	20	1	1	3	7	11	14	20
20-34	15	6.9	76	1	1	3	9	18	29	33
35-49	10	17.3	661	1	1	7	26	56	85	85
50-64	28	8.0	95	1	1	4	9	27	33	33
65+	18	8.2	39	1	1	7	12	18	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	47	3.7	12	<1	<1	2	5	8	13	14
2. MULTIPLE DX										
A. *Not Operated*	383	2.7	21	<1	<1	1	3	5	8	27
B. *Operated*	129	7.2	99	1	1	4	9	17	26	44
1. SINGLE DX	268	2.0	4	<1	<1	1	2	4	6	14
2. MULTIPLE DX	512	3.8	45	<1	<1	1	4	9	14	33
A. NOT OPERATED	604	2.3	14	<1	<1	1	2	4	7	18
B. OPERATED	176	6.3	78	1	1	3	8	14	19	33
TOTAL 0-19 YRS	401	2.3	7	<1	<1	1	2	5	8	15
20-34	101	3.1	31	<1	<1	1	3	7	11	36
35-49	74	5.2	134	<1	<1	1	4	11	28	73
50-64	107	3.7	36	<1	1	1	3	8	15	33
65+	97	4.7	42	1	1	2	5	12	16	36
GRAND TOTAL	**780**	**3.2**	**31**	**<1**	**<1**	**1**	**3**	**7**	**11**	**31**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	5.4	9	1	1	5	7	9	9	9
20-34	4	4.0	3	2	2	4	5	6	6	6
35-49	2	16.5	41	12	12	16	21	21	21	21
50-64	1	15.0		15	15	15	15	15	15	15
65+	2	42.5	2245	9	9	42	76	76	76	76
B. *Operated*										
0-19 YRS	13	27.4	322	4	6	25	41	55	57	57
20-34	3	8.0	27	5	5	10	57	99+	99+	99+
35-49										
50-64	3	14.0	91	5	5	13	21	24	24	24
65+	2	22.0	32	18	18	22	26	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	10.0	232	<1	<1	5	11	20	47	73
20-34	17	11.9	54	2	3	11	17	21	26	29
35-49	11	16.5	310	1	2	10	29	43	54	55
50-64	5	20.6	390	5	5	11	35	51	51	51
65+	9	37.3	364	11	12	48	52	57	60	60
B. *Operated*										
0-19 YRS	55	27.6	438	3	6	23	41	58	76	99+
20-34	55	25.4	436	3	4	20	42	69	94	99+
35-49	27	23.7	309	2	4	23	35	56	74	99+
50-64	27	23.4	330	2	4	20	31	45	65	74
65+	12	30.5	322	5	7	34	50	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	12.6	362	1	2	6	12	26	65	76
B. *Operated*	21	22.2	264	4	5	19	32	55	74	99+
2. MULTIPLE DX										
A. *Not Operated*	72	15.6	292	1	1	9	19	49	53	70
B. *Operated*	176	25.9	389	3	5	22	39	62	79	99+
1. SINGLE DX	35	18.3	317	2	4	13	25	54	70	99+
2. MULTIPLE DX	248	22.9	382	2	3	18	35	58	73	99+
A. NOT OPERATED	86	15.1	300	1	1	8	18	48	53	75
B. OPERATED	197	25.5	376	3	5	22	38	61	78	99+
TOTAL 0-19 YRS	103	21.4	413	1	1	16	32	54	69	99+
20-34	79	20.7	366	3	3	16	29	61	90	99+
35-49	40	21.4	298	2	3	17	32	50	65	99+
50-64	36	22.0	303	2	5	15	31	45	60	74
65+	25	33.2	392	7	9	32	52	74	99+	99+
GRAND TOTAL	**283**	**22.3**	**375**	**2**	**3**	**17**	**33**	**57**	**73**	**99+**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	6.1	38	1	1	4	8	14	19	31
20-34	43	3.6	16	<1	<1	2	5	10	12	19
35-49	24	5.0	23	<1	1	4	7	11	17	18
50-64	15	5.3	19	<1	1	5	6	9	16	19
65+	8	15.0	167	2	3	15	28	76	99+	99+
B. *Operated*										
0-19 YRS	13	10.5	86	2	2	8	14	25	31	32
20-34	13	17.8	180	3	5	15	20	44	46	47
35-49	4	11.3	44	7	7	9	15	21	21	21
50-64	5	30.4	915	8	8	18	44	82	82	82
65+	2	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	508	7.1	50	1	1	6	10	14	19	37
20-34	293	5.6	40	1	1	3	7	14	19	30
35-49	107	7.9	47	1	1	7	11	19	21	29
50-64	74	9.1	59	1	2	7	13	18	25	36
65+	54	15.3	128	2	3	14	28	38	99+	99+
B. *Operated*										
0-19 YRS	66	18.6	317	2	3	13	25	44	61	82
20-34	61	20.4	335	1	3	16	28	46	59	84
35-49	28	21.0	357	3	4	14	31	57	71	99+
50-64	13	12.7	224	<1	1	8	13	39	50	53
65+	18	35.8	562	4	9	42	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	5.7	39	<1	1	4	7	14	19	38
B. *Operated*	37	15.4	247	2	3	10	20	32	46	82
2. MULTIPLE DX										
A. *Not Operated*	1036	7.3	56	1	1	5	10	16	21	40
B. *Operated*	186	20.8	367	2	3	15	29	53	69	99+
1. SINGLE DX	221	7.3	86	<1	1	4	9	18	24	57
2. MULTIPLE DX	1222	9.4	126	1	1	6	12	22	32	77
A. NOT OPERATED	1220	7.1	53	1	1	5	10	16	21	39
B. OPERATED	223	19.9	350	2	3	14	28	50	66	99+
TOTAL 0-19 YRS	681	8.2	87	1	1	6	10	17	23	50
20-34	410	7.9	117	1	1	4	10	20	28	56
35-49	163	9.8	122	1	1	7	12	21	30	67
50-64	107	10.0	127	1	1	6	13	20	32	65
65+	82	19.5	296	3	3	17	34	85	99+	99+
GRAND TOTAL	**1443**	**9.1**	**121**	**1**	**1**	**6**	**11**	**21**	**32**	**76**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	2.2	2	<1	<1	2	3	4	6	6
20-34	10	3.1	6	<1	<1	2	4	7	8	8
35-49	8	3.3	4	1	1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	1	26.0		26	26	26	26	26	26	26
B. *Operated*										
0-19 YRS	6	5.2	27	2	2	3	7	14	15	15
20-34	11	3.5	11	1	1	2	5	9	10	10
35-49	8	3.8	17	<1	<1	2	5	11	13	13
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.0	6	1	1	2	4	7	9	10
20-34	38	5.4	24	<1	1	4	7	11	16	24
35-49	20	8.3	107	<1	1	6	8	20	33	46
50-64	9	6.7	23	2	2	6	8	14	18	18
65+	12	10.6	66	1	2	11	15	45	90	99+
B. *Operated*										
0-19 YRS	32	5.4	59	1	1	3	5	12	30	32
20-34	64	4.6	110	<1	1	2	4	8	12	74
35-49	15	3.9	16	1	1	3	4	11	14	15
50-64	15	6.7	99	<1	<1	2	6	22	32	36
65+	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.6	21	<1	<1	2	5	7	8	26
B. *Operated*	29	3.7	14	1	1	2	4	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	101	6.2	45	1	1	4	8	15	20	72
B. *Operated*	127	4.9	83	1	1	2	4	11	16	47
1. SINGLE DX	60	3.7	18	<1	<1	2	5	8	11	25
2. MULTIPLE DX	228	5.5	67	1	1	3	6	12	19	54
A. NOT OPERATED	132	5.6	41	<1	1	4	7	13	19	55
B. OPERATED	156	4.7	70	1	1	2	4	10	14	36
TOTAL 0-19 YRS	71	4.2	32	1	1	2	5	8	15	32
20-34	123	4.6	66	<1	1	3	5	9	12	40
35-49	51	5.5	53	1	1	3	6	12	19	46
50-64	27	6.3	62	<1	1	4	7	17	24	36
65+	16	9.9	79	1	1	10	15	30	76	99+
GRAND TOTAL	**288**	**5.1**	**57**	**1**	**1**	**3**	**6**	**11**	**16**	**42**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	2.2	4	<1	<1	2	2	4	7	10
20-34	119	3.4	18	<1	1	2	4	7	10	22
35-49	45	5.6	40	1	1	3	7	16	17	33
50-64	23	6.2	24	1	2	6	8	11	16	24
65+	39	8.7	128	1	1	5	11	21	34	55
B. *Operated*										
0-19 YRS	20	5.4	19	1	1	4	7	13	15	16
20-34	16	3.7	11	<1	<1	3	5	6	12	14
35-49	10	7.4	41	<1	<1	5	14	16	18	18
50-64	3	9.3	46	4	4	7	14	17	17	17
65+	5	8.0	7	4	4	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	3.2	14	<1	<1	2	4	6	10	19
20-34	242	3.4	12	<1	<1	2	4	8	11	18
35-49	137	5.4	46	1	1	3	6	11	16	45
50-64	94	6.6	36	1	2	5	9	13	23	70
65+	215	11.1	138	1	2	8	13	24	35	97
B. *Operated*										
0-19 YRS	62	5.6	53	<1	<1	4	6	12	25	40
20-34	82	8.2	66	<1	1	6	10	17	26	42
35-49	34	10.9	220	1	2	8	13	21	44	77
50-64	15	21.7	825	1	1	10	22	79	91	95
65+	15	19.9	399	2	5	15	22	46	66	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	4.0	33	<1	1	2	4	9	12	33
B. *Operated*	54	5.7	22	<1	1	4	7	14	16	18
2. MULTIPLE DX										
A. *Not Operated*	964	5.6	57	<1	1	3	7	12	18	44
B. *Operated*	208	9.7	183	<1	1	6	10	21	35	78
1. SINGLE DX	403	4.3	32	<1	1	2	5	10	14	28
2. MULTIPLE DX	1172	6.4	82	<1	1	4	8	14	21	48
A. NOT OPERATED	1313	5.2	51	<1	1	3	6	12	16	41
B. OPERATED	262	8.9	153	<1	1	5	10	18	27	77
TOTAL 0-19 YRS	481	3.3	18	<1	<1	2	4	7	10	25
20-34	459	4.3	26	<1	1	2	5	9	14	29
35-49	226	6.4	74	1	1	4	8	14	18	48
50-64	135	8.2	139	1	2	5	9	16	28	96
65+	274	11.2	152	1	2	8	13	24	41	90
GRAND TOTAL	**1575**	**5.8**	**70**	**<1**	**1**	**3**	**7**	**13**	**19**	**46**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	469	1.6	4	<1	1	1	2	3	4	7
20-34	200	2.8	10	<1	1	2	3	6	8	18
35-49	64	3.2	10	<1	1	2	4	8	10	14
50-64	36	4.5	13	<1	1	4	6	8	13	15
65+	45	8.0	124	1	2	4	9	18	22	70
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1358	3.1	29	<1	1	2	3	6	10	32
20-34	1394	5.3	89	<1	1	2	5	12	22	52
35-49	739	5.8	75	1	1	3	6	14	23	45
50-64	441	7.6	95	1	1	4	10	18	26	59
65+	532	8.9	77	1	2	6	11	19	25	44
B. *Operated*										
0-19 YRS	11	8.2	89	1	1	4	11	24	31	32
20-34	42	12.7	225	1	2	7	17	30	50	69
35-49	25	21.6	588	2	6	12	50	98	99+	99+
50-64	21	17.1	173	1	3	14	24	37	43	51
65+	43	17.7	163	3	4	13	25	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	814	2.5	15	<1	1	1	3	5	8	19
B. *Operated*	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	4464	5.4	71	<1	1	2	6	13	20	45
B. *Operated*	142	16.1	259	1	2	12	22	48	62	99+
1. SINGLE DX	816	2.5	15	<1	1	1	3	5	8	19
2. MULTIPLE DX	4606	5.7	80	<1	1	3	6	14	22	50
A. NOT OPERATED	5278	5.0	64	<1	1	2	5	11	19	44
B. OPERATED	144	15.9	257	1	2	11	22	48	62	99+
TOTAL 0-19 YRS	1839	2.8	24	<1	1	1	3	5	8	26
20-34	1637	5.2	85	<1	1	2	5	11	22	50
35-49	828	6.1	93	1	1	3	6	14	24	62
50-64	498	7.8	97	1	1	4	10	18	27	58
65+	620	9.5	91	1	2	6	12	20	29	52
GRAND TOTAL	**5422**	**5.2**	**72**	**<1**	**1**	**2**	**5**	**12**	**20**	**48**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	1.5	1	<1	1	1	2	3	4	5
20-34	57	2.2	5	<1	<1	1	3	5	7	13
35-49	30	1.5	1	<1	<1	1	2	3	3	4
50-64	18	1.6	2	<1	1	1	2	3	5	6
65+	11	2.5	6	<1	<1	1	4	6	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	328	1.6	3	<1	<1	1	2	3	4	7
20-34	211	3.4	51	<1	<1	1	3	6	12	37
35-49	106	3.3	24	1	1	2	3	7	13	27
50-64	91	5.9	80	1	1	2	6	15	26	49
65+	44	6.3	107	1	1	3	7	10	26	57
B. *Operated*										
0-19 YRS	3	5.3	44	1	1	2	10	13	13	13
20-34	7	16.3	639	1	2	7	11	61	73	73
35-49	3	5.7	10	2	2	7	8	8	8	8
50-64	6	3.7	3	2	2	3	4	7	7	7
65+	4	14.5	214	1	1	11	25	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	1.6	2	<1	<1	1	2	3	4	9
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	780	3.1	36	<1	1	1	3	6	10	33
B. *Operated*	23	9.9	242	1	1	6	9	20	48	73
1. SINGLE DX	357	1.6	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX	803	3.3	43	<1	1	1	3	6	12	34
A. NOT OPERATED	1136	2.6	26	<1	1	1	2	5	7	27
B. OPERATED	24	9.6	233	1	1	5	9	19	46	73
TOTAL 0-19 YRS	571	1.6	2	<1	<1	1	2	3	4	7
20-34	275	3.5	59	<1	<1	1	3	6	11	40
35-49	140	3.0	19	<1	1	1	3	7	11	21
50-64	115	5.1	66	1	1	2	4	14	20	48
65+	59	6.2	99	1	1	3	6	11	27	56
GRAND TOTAL	**1160**	**2.8**	**31**	**<1**	**1**	**1**	**2**	**5**	**8**	**32**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	3.5	16	1	1	2	4	8	13	21
20-34	76	2.3	8	<1	<1	2	3	5	6	19
35-49	48	2.3	4	<1	<1	2	3	5	5	12
50-64	31	8.9	336	1	1	3	8	17	36	99
65+	21	4.6	18	1	1	3	6	10	14	20
B. *Operated*										
0-19 YRS	2	24.0	288	12	12	24	36	36	36	36
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	4	41.3	1796	8	8	29	73	99	99	99+
65+	1	41.0		41	41	70	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.6	39	<1	1	2	5	13	18	36
20-34	203	5.1	50	<1	1	3	6	12	20	39
35-49	133	5.2	30	1	1	3	7	13	15	27
50-64	128	8.7	127	1	1	5	11	19	25	98
65+	185	8.5	126	1	2	5	10	18	25	66
B. *Operated*										
0-19 YRS	8	12.5	411	1	1	6	9	46	62	62
20-34	13	24.4	719	<1	<1	27	48	99+	99+	99+
35-49	15	21.4	530	2	3	26	39	99+	99+	99+
50-64	31	18.4	185	4	4	16	28	48	92	99+
65+	33	20.2	394	1	2	16	32	53	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	341	3.7	44	<1	1	2	4	8	12	23
B. *Operated*	8	32.3	1002	4	6	36	60	99+	99+	99+
2 MULTIPLE DX										
A. *Not Operated*	906	6.2	73	1	1	3	7	14	20	41
B. *Operated*	100	19.8	383	1	2	16	34	78	99+	99+
1. SINGLE DX	349	4.4	81	<1	1	2	4	9	14	47
2. MULTIPLE DX	1006	7.5	120	1	1	4	9	19	32	97
A. NOT OPERATED	1247	5.5	66	<1	1	3	6	13	19	38
B. OPERATED	108	20.7	431	1	2	16	36	87	99+	99+
TOTAL 0-19 YRS	412	4.5	41	<1	1	2	5	11	15	36
20-34	293	5.2	85	<1	1	2	5	12	23	73
35-49	196	5.7	81	<1	1	3	6	14	29	99+
50-64	194	10.9	225	1	1	6	14	27	43	99+
65+	260	9.5	164	1	1	5	11	21	36	96
GRAND TOTAL	**1355**	**6.7**	**112**	**<1**	**1**	**3**	**7**	**16**	**27**	**96**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	4.0	17	1	1	3	4	11	13	13
20-34	31	2.4	6	<1	<1	1	3	5	7	12
35-49	6	4.3	9	2	2	3	7	9	9	9
50-64	12	7.7	30	1	2	6	12	16	17	17
65+	10	5.2	12	<1	<1	5	8	10	10	10
B. *Operated*										
0-19 YRS	32	5.8	33	<1	1	4	8	13	17	27
20-34	135	3.7	15	<1	1	2	5	10	13	17
35-49	67	6.8	128	<1	1	3	7	14	23	63
50-64	91	12.0	152	1	2	9	16	26	42	63
65+	134	10.8	139	1	2	7	14	23	31	68
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	6.9	50	<1	1	5	9	16	22	36
20-34	92	5.9	67	<1	1	4	6	11	20	51
35-49	48	8.0	57	1	2	5	11	16	21	36
50-64	67	11.6	158	1	1	7	14	32	40	55
65+	116	10.8	111	1	2	8	14	24	35	79
B. *Operated*										
0-19 YRS	188	10.3	180	1	2	6	12	22	40	99+
20-34	379	7.3	121	<1	<1	4	8	18	25	67
35-49	290	10.2	121	1	1	7	14	23	29	56
50-64	513	14.3	229	1	2	10	18	31	51	99
65+	683	15.0	197	2	2	11	21	35	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	56	4.1	16	<1	<1	3	6	10	13	17
B. *Operated*	459	8.0	107	1	1	5	10	17	25	60
2. MULTIPLE DX										
A. *Not Operated*	391	8.8	96	1	1	6	11	20	32	52
B. *Operated*	2053	12.3	187	1	2	8	17	29	41	96
1. SINGLE DX	525	7.5	97	<1	1	4	10	17	24	56
2. MULTIPLE DX	2444	11.7	174	1	2	8	16	27	38	89
A. NOT OPERATED	457	8.1	87	1	1	5	10	18	29	49
B. OPERATED	2512	11.5	175	1	1	7	15	27	38	89
TOTAL 0-19 YRS	295	8.9	133	1	1	5	11	20	28	93
20-34	637	6.1	88	<1	<1	3	7	14	21	49
35-49	411	9.3	115	1	1	6	12	21	28	60
50-64	683	13.7	209	1	2	10	18	31	47	93
65+	943	13.8	180	2	2	10	19	33	43	99+
GRAND TOTAL	**2969**	**11.0**	**163**	**1**	**1**	**7**	**14**	**26**	**37**	**84**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.2	2	<1	1	2	3	4	6	7
20-34	134	3.0	6	1	1	2	4	5	7	12
35-49	61	3.3	7	1	1	2	4	7	10	12
50-64	34	3.6	6	<1	1	3	5	6	8	13
65+	40	4.4	12	1	1	4	6	8	9	20
B. *Operated*										
0-19 YRS	28	3.0	6	1	1	2	3	6	9	12
20-34	85	3.6	7	<1	1	3	5	8	9	12
35-49	37	3.6	5	1	1	3	5	7	8	10
50-64	15	3.5	2	1	2	3	5	5	6	6
65+	13	4.8	11	1	2	4	6	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	2.4	7	1	1	2	3	5	6	17
20-34	162	2.9	6	<1	1	2	4	5	7	14
35-49	78	3.7	7	1	1	3	5	7	10	12
50-64	64	4.0	20	1	1	3	5	6	10	31
65+	103	5.4	15	1	2	4	7	10	12	21
B. *Operated*										
0-19 YRS	37	2.7	6	1	1	2	3	6	8	13
20-34	119	4.1	10	1	1	3	5	8	12	14
35-49	49	5.4	38	1	1	3	7	12	17	36
50-64	38	7.9	59	1	1	6	11	16	25	36
65+	55	10.0	99	1	2	7	12	21	39	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	3.1	6	1	1	2	4	6	8	12
B. *Operated*	178	3.6	6	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	492	3.6	11	1	1	3	4	7	10	18
B. *Operated*	298	5.7	42	1	1	3	7	12	15	38
1. SINGLE DX	540	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX	790	4.4	24	1	1	3	5	9	12	29
A. NOT OPERATED	854	3.4	9	1	1	3	4	7	9	15
B. OPERATED	476	4.9	30	1	1	3	6	10	13	36
TOTAL 0-19 YRS	243	2.4	5	1	1	2	3	5	6	12
20-34	500	3.3	7	1	1	3	4	7	9	13
35-49	225	3.9	14	1	1	3	5	8	11	18
50-64	151	4.9	28	1	1	4	6	9	13	34
65+	211	6.4	40	1	2	5	8	12	16	41
GRAND TOTAL	**1330**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	5.2	9	2	2	4	8	10	11	12
20-34	85	6.1	23	2	2	5	7	10	15	30
35-49	55	7.5	57	2	2	6	8	13	24	40
50-64	59	9.5	66	3	3	6	13	19	25	45
65+	33	10.4	67	3	3	8	12	21	30	37
B. *Operated*										
0-19 YRS	14	7.7	12	3	3	7	11	12	14	15
20-34	33	8.9	55	1	2	8	12	17	29	31
35-49	17	10.4	196	1	1	5	9	35	47	52
50-64	18	12.4	123	2	4	10	15	19	39	52
65+	10	10.5	58	2	2	9	15	21	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	87	5.9	17	1	1	5	8	12	14	19
20-34	140	7.0	36	1	2	5	9	13	18	31
35-49	114	7.6	27	2	3	6	10	14	17	26
50-64	116	10.3	64	2	3	8	14	19	23	42
65+	91	12.6	146	3	4	9	15	25	39	66
B. *Operated*										
0-19 YRS	47	13.9	215	2	3	10	17	32	45	78
20-34	96	12.3	177	2	3	8	16	25	35	76
35-49	76	10.0	95	1	2	8	14	22	30	88
50-64	75	16.5	235	2	3	10	23	40	52	95
65+	61	21.0	387	3	4	14	33	49	73	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	282	7.4	44	2	3	5	9	14	21	37
B. *Operated*	92	9.9	87	1	2	7	12	18	30	52
2. MULTIPLE DX										
A. *Not Operated*	548	8.6	60	2	2	6	11	17	21	42
B. *Operated*	355	14.4	224	2	3	9	19	36	47	97
1. SINGLE DX	374	8.0	55	2	3	6	10	16	22	40
2. MULTIPLE DX	903	10.9	133	2	3	7	13	23	36	68
A. NOT OPERATED	830	8.2	55	2	2	6	10	16	21	41
B. OPERATED	447	13.5	199	2	3	9	17	32	44	90
TOTAL 0-19 YRS	198	7.8	73	1	2	6	10	14	20	46
20-34	354	8.4	79	2	2	6	10	17	24	44
35-49	262	8.5	64	2	3	6	10	17	24	52
50-64	268	12.0	123	2	3	9	15	24	39	57
65+	195	14.8	220	3	3	9	19	36	46	86
GRAND TOTAL	**1277**	**10.0**	**112**	**2**	**3**	**7**	**12**	**21**	**32**	**57**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	4	1	1	2	3	6	7	7
20-34	25	9.3	203	1	2	5	10	16	33	73
35-49	30	6.3	23	1	2	4	9	14	16	18
50-64	25	5.6	18	1	2	5	7	12	15	18
65+	9	8.2	13	3	3	10	11	12	12	12
B. *Operated*										
0-19 YRS	10	6.2	23	<1	1	5	8	14	15	15
20-34	28	4.9	17	1	1	4	6	10	13	19
35-49	26	11.3	295	1	1	5	12	24	56	79
50-64	33	9.6	144	1	1	3	12	33	37	44
65+	23	7.6	33	1	2	6	12	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	4.7	49	<1	1	3	5	8	11	48
20-34	151	5.1	31	1	1	4	6	10	15	35
35-49	108	5.9	36	1	1	4	8	11	20	29
50-64	126	9.4	138	1	2	6	11	19	27	72
65+	146	9.9	123	1	2	6	13	24	33	83
B. *Operated*										
0-19 YRS	61	7.4	118	1	1	4	10	13	25	70
20-34	138	10.3	93	1	2	7	14	23	30	45
35-49	141	11.1	128	1	2	8	15	24	34	99+
50-64	180	14.5	202	2	3	10	20	35	45	76
65+	198	14.2	299	1	2	8	18	39	50	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	6.8	68	1	2	5	9	14	16	49
B. *Operated*	120	8.2	118	1	1	5	10	17	29	59
2. MULTIPLE DX										
A. *Not Operated*	593	7.3	84	1	1	5	9	16	24	49
B. *Operated*	718	12.3	191	1	2	8	16	29	43	88
1. SINGLE DX	216	7.6	96	1	1	5	10	15	21	58
2. MULTIPLE DX	1311	10.1	148	1	1	6	12	24	35	80
A. NOT OPERATED	689	7.2	81	1	1	5	9	16	22	49
B. OPERATED	838	11.7	182	1	2	7	15	27	41	86
TOTAL 0-19 YRS	140	5.9	77	1	1	3	7	11	14	53
20-34	342	7.5	73	1	1	5	9	16	24	43
35-49	305	8.8	104	1	1	6	11	20	25	79
50-64	364	11.7	170	1	2	7	14	29	40	70
65+	376	12.0	213	1	2	7	15	30	44	93
GRAND TOTAL	**1527**	**9.7**	**142**	**1**	**1**	**6**	**12**	**22**	**34**	**79**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.6	3	<1	1	2	3	5	7	7
20-34	5	3.2	15	1	1	2	4	10	10	10
35-49	3	4.0	27	1	1	1	8	10	10	10
50-64	2	18.5	221	8	8	18	29	29	29	29
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	5.8	119	1	1	3	5	12	23	67
20-34	8	2.9	8	1	1	2	2	8	10	10
35-49	11	4.7	41	1	1	2	5	13	22	23
50-64	12	6.0	57	<1	<1	4	7	15	26	28
65+	14	6.1	66	1	1	2	9	16	27	30
B. *Operated*										
0-19 YRS	1	50.0		50	50	50	50	50	50	50
20-34	7	6.3	4	4	4	6	8	9	9	9
35-49	2	8.0	50	3	3	8	13	13	13	13
50-64	5	18.0	397	1	1	13	30	50	50	50
65+	10	21.9	313	2	4	19	32	48	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	4.1	36	<1	1	2	4	10	16	29
B. *Operated*	2	13.5	313	1	1	26	81	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	87	5.5	80	1	1	2	6	11	23	53
B. *Operated*	25	16.8	283	2	3	9	24	50	52	59
1. SINGLE DX	26	4.8	52	<1	1	2	6	23	40	99+
2. MULTIPLE DX	112	8.0	146	1	1	3	8	23	32	62
A. NOT OPERATED	111	5.2	71	1	1	2	6	10	23	44
B. OPERATED	27	16.5	274	1	2	9	26	50	63	99+
TOTAL 0-19 YRS	56	6.3	134	1	1	3	5	14	25	66
20-34	20	4.2	10	1	1	2	7	9	10	10
35-49	16	5.0	36	1	1	3	6	13	20	23
50-64	20	10.0	167	<1	1	6	11	28	39	50
65+	26	11.8	215	1	1	8	21	37	65	99+
GRAND TOTAL	**138**	**7.4**	**129**	**1**	**1**	**3**	**8**	**23**	**31**	**71**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	14	1.9	3	<1	<1	1	3	4	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.5	3	<1	<1	2	3	5	6	8
20-34	3886	2.3	2	<1	<1	2	3	4	4	6
35-49	1195	2.2	1	<1	<1	2	3	4	4	6
50-64	10	1.7		<1	<1	2	2	3	3	3
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	4.0	27	<1	<1	1	8	10	10	10
20-34	47	1.6	2	<1	<1	1	1	3	4	7
35-49	24	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	13	3.8	4	1	2	4	4	6	8	9
20-34	1632	3.1	5	<1	1	3	4	5	7	10
35-49	702	3.0	3	<1	<1	3	4	5	7	9
50-64	8	3.3	5	1	1	3	5	7	7	7
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.9	2	<1	<1	1	3	4	5	6
B. *Operated*	5119	2.3	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	74	1.6	2	<1	<1	1	1	3	4	9
B. *Operated*	2356	3.1	4	<1	<1	3	4	5	7	10
1. SINGLE DX	5137	2.3	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX	2430	3.0	4	<1	<1	3	4	5	7	10
A. NOT OPERATED	92	1.6	2	<1	<1	1	1	3	4	9
B. OPERATED	7475	2.5	3	<1	<1	2	3	4	5	8
TOTAL 0-19 YRS	45	2.9	5	<1	<1	2	4	5	8	10
20-34	5579	2.5	3	<1	<1	2	3	4	5	8
35-49	1922	2.5	2	<1	<1	2	3	4	5	8
50-64	18	2.4	3	<1	<1	2	3	5	7	7
65+	3	2.3	2	<1	<1	2	3	4	4	4
GRAND TOTAL	**7567**	**2.5**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	3	9.3	6	7	7	9	11	12	12	12
1000-1499	1	7.0		7	7	7	7	7	7	7
1500-1749	2	20.5	13	18	18	20	23	23	23	23
1750-2499	365	5.8	11	3	3	5	7	10	13	20
2500+	39952	4.4	3	2	3	4	5	6	7	10
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	8	5.4	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	14	60.4	1139	8	9	80	89	99	99+	99+
1000-1499	131	50.1	300	21	27	51	61	74	79	95
1500-1749	137	33.4	160	16	19	33	38	49	57	84
1750-2499	2175	11.1	67	3	4	8	15	21	26	38
2500+	38759	5.0	6	3	3	5	6	7	8	14
B. *Operated*										
1-999 G	9	91.3	34	82	85	98	99+	99+	99+	99+
1000-1499	39	65.0	275	41	44	70	86	99+	99+	99+
1500-1749	21	42.2	390	21	22	41	60	99+	99+	99+
1750-2499	79	23.4	185	7	8	22	31	51	59	99+
2500+	305	8.4	56	3	4	6	9	15	23	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40323	4.4	3	2	3	4	5	6	7	10
B. *Operated*	8	5.4	3	3	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	41216	5.6	23	3	3	5	6	8	11	25
B. *Operated*	453	19.1	502	3	4	9	28	72	96	99+
1. SINGLE DX	40331	4.4	3	2	3	4	5	6	7	10
2. MULTIPLE DX	41669	5.7	30	3	3	5	6	8	11	29
A. NOT OPERATED	81539	5.0	13	2	3	4	5	7	8	18
B. OPERATED	461	18.9	496	3	4	9	27	70	96	99+
TOTAL 1-999 G	26	65.2	1237	8	9	89	99+	99+	99+	99+
1000-1499	171	53.2	343	23	30	54	68	84	96	99+
1500-1749	160	34.4	198	17	20	33	40	55	79	99+
1750-2499	2619	10.7	71	3	4	7	15	21	27	43
2500+	79024	4.7	5	2	3	4	5	7	8	12
GRAND TOTAL	**82000**	**5.1**	**17**	**2**	**3**	**4**	**6**	**7**	**9**	**20**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	29.0		29	29	29	29	29	29	29
1500-1749										
1750-2499	69	8.3	20	4	4	7	9	16	20	22
2500+	403	5.9	8	3	3	5	7	8	10	13
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	90.0	43	83	83	90	95	97	97	97
1000-1499	40	52.3	248	30	33	55	68	75	86	99+
1500-1749	41	28.7	92	16	18	26	36	41	48	53
1750-2499	379	12.8	67	5	5	10	17	24	28	40
2500+	434	7.0	9	4	4	6	8	10	13	18
B. *Operated*										
1-999 G	2	86.0	18	83	83	99+	99+	99+	99+	99+
1000-1499	12	54.3	200	32	38	63	89	99+	99+	99+
1500-1749	9	42.0	297	12	19	40	55	65	72	72
1750-2499	7	26.7	113	15	15	27	37	41	41	41
2500+	5	24.0	301	6	6	17	42	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	6.3	11	3	3	6	7	9	11	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	898	12.8	172	4	5	8	15	26	40	74
B. *Operated*	35	43.1	452	12	15	46	72	99+	99+	99+
1. SINGLE DX	473	6.3	11	3	3	6	7	9	11	20
2. MULTIPLE DX	933	14.0	215	4	5	8	16	33	52	97
A. NOT OPERATED	1371	10.6	126	4	4	7	10	21	31	69
B. OPERATED	35	43.1	452	12	15	46	72	99+	99+	99+
TOTAL 1-999 G	6	88.7	34	83	83	94	99+	99+	99+	99+
1000-1499	53	52.3	240	29	33	55	69	91	99+	99+
1500-1749	50	31.1	150	16	18	28	38	48	55	72
1750-2499	455	12.4	66	4	5	9	16	24	28	40
2500+	842	6.5	12	3	4	6	7	10	12	17
GRAND TOTAL	**1406**	**11.4**	**159**	**4**	**4**	**7**	**11**	**25**	**40**	**83**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	2	3.0	2	2	2	3	4	4	4	4
2500+	78	3.8	4	1	2	3	5	6	8	11
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	2	56.5	481	41	41	56	72	72	72	72
1500-1749	2	25.0	18	22	22	25	28	28	28	28
1750-2499	10	16.3	58	5	5	16	22	26	30	30
2500+	60	5.0	10	2	3	4	6	7	11	19
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	3.8	4	1	2	3	5	6	8	11
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	74	8.5	111	2	3	5	7	19	27	65
B. *Operated*										
1. SINGLE DX	80	3.8	4	1	2	3	5	6	8	11
2. MULTIPLE DX	74	8.5	111	2	3	5	7	19	27	65
A. NOT OPERATED	154	6.0	60	1	2	4	6	12	19	41
B. OPERATED										
TOTAL 1-999 G										
1000-1499	2	56.5	481	41	41	56	72	72	72	72
1500-1749	2	25.0	18	22	22	25	28	28	28	28
1750-2499	12	14.1	74	2	3	15	20	25	29	30
2500+	138	4.3	7	1	2	4	5	7	8	17
GRAND TOTAL	**154**	**6.0**	**60**	**1**	**2**	**4**	**6**	**12**	**19**	**41**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	5.3	17	3	3	4	5	12	15	15
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	7.5	5	6	6	7	9	9	9	9
65+										
B. *Operated*										
0-19 YRS	181	3.1	14	1	1	2	3	5	7	19
20-34	332	2.7	5	<1	1	2	3	5	5	8
35-49	112	3.4	7	<1	1	3	4	7	9	13
50-64	76	4.1	17	1	1	3	5	8	11	23
65+	59	4.7	19	1	2	3	5	10	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	3	1.3		1	1	1	2	2	2	2
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	38	5.6	42	1	2	3	5	17	22	28
20-34	60	4.8	23	<1	1	3	5	12	17	23
35-49	43	5.8	122	<1	1	4	5	9	13	74
50-64	35	3.9	5	1	2	3	5	8	9	9
65+	25	8.6	117	1	2	7	9	12	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.5	13	<1	<1	3	5	8	12	15
B. *Operated*	760	3.2	10	<1	1	2	4	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	4	<1	<1	2	3	6	7	7
B. *Operated*	201	5.5	57	1	1	3	6	10	17	42
1. SINGLE DX	779	3.2	10	<1	1	2	4	5	8	17
2. MULTIPLE DX	213	5.3	54	1	1	3	5	9	16	38
A. NOT OPERATED	31	3.0	10	<1	<1	2	4	7	9	15
B. OPERATED	961	3.7	21	<1	1	3	4	7	9	22
TOTAL 0-19 YRS	230	3.6	19	1	1	3	3	6	11	24
20-34	403	3.0	8	<1	1	2	3	5	6	17
35-49	158	4.1	39	<1	1	3	4	8	10	14
50-64	114	4.1	13	1	1	3	5	8	9	21
65+	87	5.8	49	1	2	4	7	11	17	43
GRAND TOTAL	**992**	**3.7**	**20**	**<1**	**1**	**3**	**4**	**7**	**9**	**21**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.4	1	2	2	2	3	4	4	4
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS										
20-34	2	5.0	8	3	3	5	7	7	7	7
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	1	1	1	2	3	3	3	3
20-34	11	1.8	2	1	1	1	2	4	6	6
35-49	11	3.5	13	<1	<1	2	5	9	13	13
50-64	41	1.8	8	1	1	1	1	3	6	18
65+	103	1.4	2	1	1	1	1	1	4	9
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	4	22.3	125	7	7	25	30	32	32	32
35-49	5	21.0	95	13	13	18	28	36	36	36
50-64	8	14.0	206	2	2	7	23	38	42	42
65+	10	18.9	219	<1	<1	19	24	40	50	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.2	1	1	1	2	2	4	4	4
B. *Operated*	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	169	1.6	4	1	1	1	1	3	5	12
B. *Operated*	28	17.8	171	1	2	18	26	35	43	50
1. SINGLE DX	8	2.9	4	1	1	2	3	6	7	7
2. MULTIPLE DX	197	3.9	59	1	1	1	2	12	22	39
A. NOT OPERATED	175	1.7	4	1	1	1	1	3	5	12
B. OPERATED	30	17.0	170	1	2	17	25	34	42	50
TOTAL 0-19 YRS	4	2.5	2	1	1	2	3	4	4	4
20-34	22	6.0	82	1	1	2	6	23	30	32
35-49	16	8.9	104	<1	1	4	13	24	33	36
50-64	50	3.7	57	1	1	1	2	7	18	42
65+	113	2.9	45	1	1	1	1	5	18	37
GRAND TOTAL	**205**	**3.9**	**57**	**1**	**1**	**1**	**2**	**10**	**21**	**39**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1555	3.4	15	<1	1	2	4	7	9	21
20-34	1183	2.8	20	<1	<1	2	3	5	7	16
35-49	272	3.9	48	<1	<1	2	3	10	17	43
50-64	220	5.8	55	<1	1	3	6	16	22	33
65+	251	8.4	164	1	1	4	10	26	38	99+
B. *Operated*										
0-19 YRS	308	2.9	7	<1	<1	2	3	5	8	16
20-34	1034	3.2	9	<1	<1	2	4	6	8	12
35-49	349	4.4	18	<1	<1	3	5	9	12	19
50-64	223	4.7	37	<1	1	3	5	10	13	34
65+	290	4.0	20	<1	1	2	4	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1061	5.5	74	<1	<1	3	6	13	20	46
20-34	894	4.7	48	<1	1	3	5	10	17	34
35-49	762	4.9	53	<1	1	2	5	10	17	37
50-64	1646	5.4	67	1	1	3	5	13	21	79
65+	1640	9.2	168	1	1	4	12	25	44	99+
B. *Operated*										
0-19 YRS	217	8.1	166	<1	1	4	8	19	42	74
20-34	772	5.1	47	<1	<1	4	6	10	13	38
35-49	565	6.8	72	<1	1	4	9	13	22	46
50-64	858	6.3	65	<1	1	3	8	14	20	40
65+	1015	6.5	78	<1	1	3	8	16	24	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3481	3.7	35	<1	<1	2	4	7	12	32
B. *Operated*	2204	3.6	15	<1	<1	2	4	7	10	19
2. MULTIPLE DX										
A. *Not Operated*	6003	6.3	94	<1	1	3	7	16	25	80
B. *Operated*	3427	6.3	73	<1	1	3	8	14	21	51
1. SINGLE DX	5685	3.7	27	<1	<1	2	4	7	11	27
2. MULTIPLE DX	9430	6.3	87	<1	1	3	7	15	24	69
A. NOT OPERATED	9484	5.4	74	<1	1	3	5	13	21	66
B. OPERATED	5631	5.2	52	<1	<1	3	6	11	16	40
TOTAL 0-19 YRS	3141	4.4	47	<1	<1	2	5	9	14	37
20-34	3883	3.8	30	<1	<1	2	4	7	11	26
35-49	1948	5.2	53	<1	1	3	6	11	16	37
50-64	2947	5.7	63	1	1	3	6	13	21	55
65+	3196	7.8	129	1	1	4	9	21	34	99+
GRAND TOTAL	**15115**	**5.3**	**66**	**<1**	**1**	**3**	**6**	**12**	**19**	**54**

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

Length of Stay by Operation, Canada, 1982

A Companion Volume To
Length of Stay
by Diagnosis,
Canada, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients. 16
Operation Groups 501-764 17
Appendix: *ICD-9-CM* Codes for Selected Operation Groups 83
Index to Length of Stay Tables 87

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	Canada Total[2] (2)	Number in Books (3)	Percent in Books (4)	Canada Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
Less than 25 beds	242	24	9.9	3,434	426	12.4
25-49	194	76	39.2	6,680	2,572	38.5
50-99	174	47	27.0	12,300	3,224	26.2
100-199	120	36	30.0	16,507	5,183	31.4
200-299	74	14	18.9	17,869	3,279	18.4
300-399	58	11	19.0	20,119	3,775	18.8
400-499	20	2	10.0	8,981	967	10.8
500 or more	37	10	27.0	25,481	6,985	27.4
Total	919	220	23.9	111,371	26,411	23.7
Province or Territory						
Alberta	125	111	88.8	11,653	11,322	97.2
British Columbia	111	41	36.9	12,355	4,632	37.5
Manitoba	78	0	–	5,150	0	–
New Brunswick	33	32	97.0	3,924	3,864	98.5
Newfoundland	35	8	22.9	2,588	1,522	58.8
Nova Scotia	48	16	33.3	4,833	3,357	69.5
Ontario	207	0	–	37,688	0	–
Prince Edward Island	9	0	–	644	0	–
Quebec	138	1	.7	26,125	534	2.0
Saskatchewan	132	9	6.8	6,260	1,079	17.2
Northwest Territories	3	2	66.6	151	101	66.9
Yukon	0	0	–	0	0	–
Total	919	220	23.9	111,371	26,411	23.7

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] Canadian Hospital Directory, 1980, Canadian Hospital Association, Ottawa, 1980.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1982* or *Length of Stay by Operation, Canada, 1982*.

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pregnancy, undelivered			
pre-eclampsia, during pregnancy	3		261
Criteria for admission			
1. Diastolic BP > 110			
2. Not controlled by outpatient Rx			
3.			
4.			
premature labor, threatened	1		268
premature rupture of membranes	1		268
premature separation of placenta	1		265
Pre-infarction syndrome	1		142
Prepuce, redundant or phimosis	2		239
Proctitis	4		211
Prolonged labor, excludes uterine inertia	1		280
Prostatic hyperplasia	2		235
for: Cystoscopy			636
TUR			648
Other prostatectomy			649
Prostatitis			
acute	3		236
Criteria for admission			
1. Sepsis or fever > 102°, chills			
2. Abscess formation			

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	**Transurethral approach**
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.

Procedure — *continued*
diagnostic NEC — *continued*
pleura 34.28
posterior chamber, eye 14.19
prostate 60.18
pulmonary 33.29
rectum 48.29
renal 55.29
respiratory 33.29
retina 14.19
retroperitoneum 59.29
salivary gland or duct 26.19
sclera 12.29
scrotum 61.19
seminal vesicle 60.19
sigmoid 45.28
sinus, nasal 22.19
skin 86.19
skull 01.19
soft tissue 83.29
spermatic cord 63.09
sphincter of Oddi 51.19
spine, spinal (canal) (cord) (meninges) (structure) 03.39
spleen 41.39
stomach 44.19
subcutaneous tissue 86.19
sympathetic nerve 05.19
tarsus 09.19
tendon NEC 83.29
extraocular 15.09
testicle 62.19
thalamus 01.18
thoracic duct 40.19
thorax 34.28
thymus 07.19
thyroid gland 06.19
tongue 25.09
tonsils 28.19
tooth 24.19
trachea 31.49
tunica vaginalis 61.19
ureter 56.39
urethra 58.29
uterus and supporting structures 68.19
uvula 27.29
vagina 70.29
vas deferens 63.09
vesical 57.39
vessel (blood) (any site) 38.29
vitreous 14.19
vulva 71.19
fistulizing, sclera NEC 12.69
miscellaneous (nonoperative) NEC 99.99
respiratory (nonoperative) NEC 93.99
surgical — *see* Operation
Proctectasis 96.22
Proctectomy (partial) *(see also* Resection, rectum) 48.69
abdominoperineal 48.5
Proctectomy (partial) — *continued*
complete (Miles) (Rankin) 48.5
pull-through 48.49
Proctoclysis 96.37
Proctolysis 48.99
Proctopexy (Delorme) 48.76
abdominal (Ripstein) 48.75
Proctoplasty 48.79
Proctorrhaphy 48.71
Proctoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctosigmoidectomy *(see also* Resection, rectum) 48.69
Proctosigmoidopexy 48.76
Proctosigmoidoscopy 48.23
through stoma (artificial) 48.22
transabdominal approach 48.21
Proctostomy 48.1
Proctotomy (decompression) (linear) 48.0
Production — *see also* Formation
atrial septal defect 35.42
subcutaneous tunnel for esophageal anastomosis 42.86
with anastomosis — *see* Anastomosis, esophagus, antesternal
Prognathic recession 76.64
Prophylaxis, dental (scaling) (polishing) 96.54
Prostatectomy (complete) (partial) NEC 60.69
loop 60.2
perineal 60.62
radical (any approach) 60.5
retropubic (punch) (transcapsular) 60.4
suprapubic (punch) (transvesical) 60.3
transcapsular NEC 60.69
retropubic 60.4
transurethral 60.2
transvesical punch (suprapubic) 60.3
Prostatocystotomy 60.0
Prostatolithotomy 60.0
Prostatotomy (perineal) 60.0
Prostatovesiculectomy 60.5
Protection (of)
individual from his surroundings 99.84
surroundings from individual 99.84
Psychoanalysis 94.31
Psychodrama 94.43
Psychotherapy NEC 94.39
biofeedback 94.39
exploratory verbal 94.37
group 94.44
for psychosexual dysfunctions 94.41
play 94.36
psychosexual dysfunctions 94.34
supportive verbal 94.38
Ptyalectasis 26.91
Ptyalithotomy 26.0
Ptyalolithotomy 26.0

Step 2. Find the table for group 648 in the length of stay book.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	33	6.7	12	2	3	6	8	11	15	18
20-34	39	6.4	19	2	3	6	8	11	13	27
35-49	428	6.6	9	3	4	6	8	10	13	18
50-64	7705	7.0	10	4	4	6	8	10	12	18
65+	16192	8.1	18	4	5	7	9	13	15	24
2. MULTIPLE DX										
0-19 YRS	54	9.6	33	3	4	8	13	16	23	30
20-34	78	13.3	270	2	4	8	14	27	49	94
35-49	679	8.8	45	3	4	7	10	15	20	36
50-64	13172	9.7	47	4	5	8	11	16	21	40
65+	42559	12.1	77	4	5	9	15	22	29	49
TOT. SINGLE DX	24397	7.8	17	4	4	7	9	12	15	22
" MULTIPLE DX	56542	11.5	72	4	5	9	14	21	28	47
TOTAL 0-19 YRS	87	8.5	28	2	4	7	10	15	19	29
20-34	117	11.0	197	2	3	7	11	21	32	90
35-49	1107	7.9	33	3	4	7	9	13	17	29
50-64	20877	8.7	35	4	4	7	10	14	18	34
65+	58751	11.0	65	4	5	9	13	20	26	44
GRAND TOTAL	**80939**	**10.4**	**58**	**4**	**5**	**8**	**12**	**18**	**24**	**43**

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	58886	3.9	17	1	1	3	5	7	10	20
20-34	94904	4.3	13	<1	1	4	5	7	9	18
35-49	32927	5.4	27	<1	1	4	7	11	14	25
50-64	27378	6.8	44	1	2	5	9	14	18	32
65+	26189	8.6	75	1	2	6	11	18	24	49
2. MULTIPLE DX										
0-19 YRS	45845	6.2	68	1	1	4	7	12	19	49
20-34	82193	6.2	44	1	2	5	7	10	16	38
35-49	39270	8.1	73	1	2	6	10	16	23	49
50-64	47231	10.6	114	1	2	8	13	22	31	63
65+	70988	14.0	192	2	3	10	18	32	47	99+
TOT. SINGLE DX	240284	5.1	29	1	1	4	6	10	14	27
" MULTIPLE DX	285527	9.1	111	1	2	6	11	20	30	69
TOTAL 0-19 YRS	104731	4.9	40	1	1	3	6	9	14	34
20-34	177097	5.1	29	1	1	4	6	9	12	28
35-49	72197	6.9	54	1	1	5	8	13	19	40
50-64	74609	9.2	91	1	2	7	12	19	27	54
65+	97177	12.5	166	2	2	9	16	28	41	99+
GRAND TOTAL	**525811**	**7.3**	**77**	**1**	**1**	**5**	**8**	**15**	**23**	**53**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	14.2	167	2	2	10	20	42	59	99+
20-34	34	17.5	104	6	8	15	21	31	42	44
35-49	32	16.7	200	2	6	13	20	32	40	76
50-64	47	18.9	113	6	7	17	26	38	40	44
65+	25	18.4	224	5	7	14	22	35	56	61
2. MULTIPLE DX										
0-19 YRS	41	30.6	449	8	10	24	40	66	79	82
20-34	47	25.2	305	8	9	21	34	61	71	99+
35-49	68	22.1	253	6	7	20	31	43	80	99+
50-64	92	28.5	382	7	9	22	38	56	72	97
65+	74	27.9	389	5	9	23	42	72	99+	99+
TOT. SINGLE DX	164	17.3	153	3	6	15	21	36	43	74
" MULTIPLE DX	322	26.8	358	6	9	21	37	58	81	99+
TOTAL 0-19 YRS	67	24.2	401	2	3	19	36	53	77	97
20-34	81	21.9	234	7	9	18	28	51	65	99+
35-49	100	20.3	241	5	6	16	27	40	60	99+
50-64	139	25.2	311	7	8	20	35	51	58	93
65+	99	25.5	362	5	8	21	36	68	93	99+
GRAND TOTAL	**486**	**23.6**	**308**	**5**	**8**	**19**	**34**	**52**	**71**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	10.6	6	8	8	11	13	14	14	14
20-34	9	18.2	94	7	7	19	23	33	36	36
35-49	8	7.5	18	2	2	8	10	13	14	14
50-64	8	11.4	16	6	6	11	15	17	17	17
65+	9	16.0	56	5	7	14	21	28	28	28
2. MULTIPLE DX										
0-19 YRS	22	24.1	388	5	6	19	33	49	64	81
20-34	36	20.2	279	5	6	16	29	38	78	99+
35-49	14	33.6	725	2	8	26	65	82	95	99+
50-64	21	31.6	432	9	12	24	40	60	80	89
65+	28	31.3	567	6	7	23	49	77	97	99+
TOT. SINGLE DX	41	13.0	53	4	6	11	16	23	28	36
" MULTIPLE DX	121	27.0	457	6	7	21	37	69	84	99+
TOTAL 0-19 YRS	29	20.8	327	6	7	12	30	46	53	81
20-34	45	19.8	240	5	7	17	28	36	59	99+
35-49	22	24.1	621	1	2	14	47	73	88	99+
50-64	29	26.0	398	7	8	21	32	52	73	89
65+	37	27.6	483	6	7	20	36	67	91	99+
GRAND TOTAL	**162**	**23.5**	**391**	**5**	**7**	**17**	**32**	**52**	**81**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	7.7	10	3	3	7	10	12	12	14
20-34	24	6.3	8	2	2	7	8	10	11	11
35-49	11	8.1	10	4	4	7	11	12	12	12
50-64	5	11.6	40	4	4	10	16	21	21	21
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	44	12.1	119	4	4	10	12	19	40	53
20-34	35	13.9	321	3	4	9	13	27	60	91
35-49	13	16.4	146	6	7	11	24	54	90	99+
50-64	16	13.7	109	4	5	9	18	27	39	44
65+	4	6.3	15	3	3	5	9	12	12	12
TOT. SINGLE DX	70	7.6	13	2	3	7	10	12	12	20
" MULTIPLE DX	112	13.2	179	4	5	9	13	27	47	94
TOTAL 0-19 YRS	73	10.4	80	3	4	8	12	16	33	52
20-34	59	10.8	206	2	3	8	11	16	29	89
35-49	24	12.6	98	4	5	10	13	28	62	99+
50-64	21	13.2	91	4	5	9	16	25	35	44
65+	5	6.8	13	3	3	5	10	12	12	12
GRAND TOTAL	**182**	**11.0**	**122**	**3**	**4**	**9**	**12**	**21**	**32**	**84**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	11.2	20	4	5	11	14	18	19	19
20-34	9	11.4	51	4	4	9	16	23	26	26
35-49	5	11.8	43	6	6	8	19	19	19	19
50-64	2	21.5	1	21	21	21	22	22	22	22
65+	3	19.0	37	12	12	22	23	23	23	23
2. MULTIPLE DX										
0-19 YRS	37	24.8	480	5	7	19	33	74	97	99+
20-34	14	13.6	42	5	7	13	16	23	27	28
35-49	14	20.9	182	7	7	21	27	58	89	99+
50-64	16	22.4	161	4	9	20	25	32	53	62
65+	16	29.2	358	7	10	38	62	99+	99+	99+
TOT. SINGLE DX	30	12.8	41	4	5	11	19	22	23	26
" MULTIPLE DX	97	22.9	313	6	8	19	31	63	99+	99+
TOTAL 0-19 YRS	48	21.7	406	5	6	14	28	61	93	99+
20-34	23	12.8	45	4	4	11	16	23	27	28
35-49	19	18.5	158	6	7	17	25	45	79	99+
50-64	18	22.3	142	5	11	21	24	31	50	62
65+	19	27.6	317	7	11	23	50	99+	99+	99+
GRAND TOTAL	**127**	**20.6**	**266**	**5**	**7**	**17**	**26**	**59**	**98**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	6.3	14	2	3	5	9	12	13	14
20-34	8	10.8	110	3	3	8	12	29	35	35
35-49	5	11.2	40	3	3	12	16	19	19	19
50-64	4	27.5	800	9	9	16	45	69	69	69
65+	2	20.0	200	10	10	20	30	30	30	30
2. MULTIPLE DX										
0-19 YRS	99	12.6	215	2	3	8	14	24	47	83
20-34	32	19.4	291	5	6	14	23	56	71	99+
35-49	22	15.3	107	2	3	13	25	29	36	38
50-64	15	21.0	202	5	6	17	34	42	45	46
65+	10	16.8	83	7	7	14	24	29	33	33
TOT. SINGLE DX	35	11.2	157	3	3	9	12	22	34	69
" MULTIPLE DX	178	15.1	213	2	3	10	20	34	51	85
TOTAL 0-19 YRS	115	11.7	192	2	3	8	12	22	43	82
20-34	40	17.7	263	3	5	14	22	54	65	99+
35-49	27	14.5	96	2	3	12	21	27	35	38
50-64	19	22.4	298	5	7	17	34	44	59	69
65+	12	17.3	88	7	8	14	25	31	33	33
GRAND TOTAL	**213**	**14.5**	**205**	**3**	**3**	**10**	**18**	**32**	**48**	**82**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	23.3	184	15	15	16	33	39	39	39
20-34	51	11.9	28	6	7	11	15	18	22	32
35-49	96	13.8	69	5	6	12	16	24	35	45
50-64	119	12.3	54	6	7	10	15	19	25	51
65+	48	16.5	61	8	8	15	22	26	30	42
2. MULTIPLE DX										
0-19 YRS	5	26.4	491	6	6	13	50	51	51	51
20-34	43	20.5	283	7	8	15	23	37	53	99
35-49	111	16.9	100	7	8	14	21	32	38	52
50-64	176	17.4	126	7	9	15	22	30	45	99+
65+	93	22.5	215	8	9	17	29	45	52	67
TOT. SINGLE DX	317	13.5	59	6	7	12	16	22	28	44
" MULTIPLE DX	428	18.8	162	7	8	15	23	37	50	85
TOTAL 0-19 YRS	8	25.3	336	6	8	15	44	51	51	51
20-34	94	15.8	162	7	7	13	17	30	37	82
35-49	207	15.5	88	6	7	13	18	28	37	49
50-64	295	15.4	103	7	7	13	18	26	36	91
65+	141	20.4	170	8	9	16	25	38	50	66
GRAND TOTAL	**745**	**16.5**	**125**	**7**	**7**	**13**	**19**	**30**	**39**	**66**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	7.7	52	<1	1	5	10	21	23	23
20-34	39	7.6	36	2	2	6	10	16	22	26
35-49	71	7.6	52	2	2	5	10	17	21	39
50-64	37	10.7	141	2	2	5	16	29	37	51
65+	5	7.5	96	2	2	3	8	25	27	27
2. MULTIPLE DX										
0-19 YRS	27	18.3	252	5	6	15	26	65	99+	99+
20-34	36	15.1	160	2	3	12	28	45	99+	99+
35-49	47	14.4	204	2	3	10	19	28	67	99+
50-64	39	18.8	157	4	5	15	29	41	46	99+
65+	16	19.8	236	3	4	16	32	49	82	99+
TOT. SINGLE DX	165	8.3	70	2	2	5	11	19	26	42
" MULTIPLE DX	165	16.8	194	2	4	13	25	45	77	99+
TOTAL 0-19 YRS	39	15.1	213	1	2	3	21	39	88	99+
20-34	75	11.2	109	2	2	9	14	36	45	99+
35-49	118	10.3	123	2	2	8	13	22	28	79
50-64	76	14.9	164	2	2	10	22	35	46	87
65+	22	16.5	224	2	2	13	26	47	67	99+
GRAND TOTAL	**330**	**12.5**	**150**	**2**	**2**	**9**	**17**	**32**	**46**	**99+**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	4.9	7	2	2	4	6	9	10	10
20-34	43	5.6	63	<1	1	2	6	15	20	45
35-49	43	4.9	21	1	1	3	6	11	17	19
50-64	72	4.3	30	<1	1	3	4	9	14	36
65+	34	4.9	26	2	2	3	4	8	19	25
2. MULTIPLE DX										
0-19 YRS	11	12.2	210	1	1	4	22	37	41	41
20-34	30	9.9	346	1	1	3	7	23	58	88
35-49	38	7.6	38	1	2	6	9	17	22	26
50-64	55	7.8	119	1	2	5	10	16	60	99+
65+	34	10.1	141	1	2	6	11	28	53	99+
TOT. SINGLE DX	203	4.8	33	<1	1	3	5	10	17	32
" MULTIPLE DX	168	8.9	150	1	2	5	10	22	41	99+
TOTAL 0-19 YRS	22	8.5	117	1	2	4	9	28	37	41
20-34	73	7.3	182	<1	1	3	6	16	30	81
35-49	81	6.1	31	1	2	4	8	14	18	25
50-64	127	5.8	71	<1	1	3	6	12	20	99+
65+	68	7.5	90	1	2	4	8	20	29	92
GRAND TOTAL	**371**	**6.7**	**90**	**1**	**1**	**3**	**7**	**15**	**25**	**81**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	3.7	14	<1	<1	2	4	8	15	15
20-34	209	2.6	7	<1	<1	2	3	4	7	15
35-49	272	2.8	9	<1	<1	2	3	4	7	15
50-64	273	3.1	20	<1	1	2	3	5	10	16
65+	132	3.1	9	<1	1	2	3	6	9	16
2. MULTIPLE DX										
0-19 YRS	43	3.8	12	<1	1	3	5	7	10	20
20-34	140	4.7	51	1	1	2	4	11	14	47
35-49	106	5.3	57	1	1	3	5	12	18	48
50-64	191	5.6	41	<1	1	3	6	13	21	30
65+	137	7.1	58	1	1	4	10	18	24	52
TOT. SINGLE DX	912	2.9	13	<1	<1	2	3	5	8	15
" MULTIPLE DX	617	5.6	49	<1	1	3	6	13	20	39
TOTAL 0-19 YRS	69	3.8	13	<1	<1	3	5	8	11	19
20-34	349	3.4	26	<1	<1	2	3	6	12	26
35-49	378	3.5	24	<1	<1	2	3	7	11	21
50-64	464	4.1	31	<1	1	2	4	10	13	28
65+	269	5.1	38	<1	1	3	5	12	19	34
GRAND TOTAL	**1529**	**4.0**	**29**	**<1**	**1**	**2**	**4**	**9**	**13**	**28**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	9.7	12	6	6	10	12	13	13	13
20-34	13	7.3	13	2	3	7	9	13	15	16
35-49	15	8.8	26	2	4	8	11	12	21	24
50-64	26	8.7	30	3	4	7	10	17	19	26
65+	32	13.6	67	5	6	12	16	24	36	38
2. MULTIPLE DX										
0-19 YRS	1	23.0		23	23	23	23	23	23	23
20-34	18	10.4	96	3	3	8	10	23	37	43
35-49	16	14.1	221	2	3	10	14	41	52	56
50-64	45	15.0	163	4	6	11	19	27	40	74
65+	105	17.5	139	6	8	15	21	31	48	99+
TOT. SINGLE DX	89	10.3	45	3	4	9	13	17	24	38
" MULTIPLE DX	185	15.9	150	4	6	13	20	29	44	95
TOTAL 0-19 YRS	4	13.0	53	6	6	11	18	23	23	23
20-34	31	9.1	63	3	3	7	9	14	27	43
35-49	31	11.5	130	2	3	9	13	22	42	56
50-64	71	12.7	123	3	4	9	15	24	29	69
65+	137	16.6	125	5	8	14	20	30	41	99+
GRAND TOTAL	**274**	**14.1**	**123**	**4**	**5**	**11**	**17**	**27**	**37**	**84**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	6	4.0	5	2	2	3	5	8	8	8
35-49	10	6.5	33	1	1	5	8	15	20	20
50-64	11	12.2	34	3	3	15	17	18	18	18
65+	3	5.7	41	1	1	3	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	13	13.5	303	<1	1	9	16	32	60	66
35-49	15	12.7	92	2	2	11	18	30	32	33
50-64	17	19.9	400	6	7	14	21	40	73	89
65+	21	14.0	152	2	3	10	16	33	43	52
TOT. SINGLE DX	31	7.9	36	1	2	5	13	17	18	20
" MULTIPLE DX	67	14.9	229	2	2	11	17	31	44	85
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	19	10.5	224	1	2	5	11	23	47	66
35-49	25	10.2	77	1	2	8	14	20	31	33
50-64	28	16.9	265	3	5	14	17	26	48	89
65+	24	13.0	144	2	3	10	16	31	41	52
GRAND TOTAL	**98**	**12.7**	**178**	**2**	**2**	**10**	**16**	**24**	**35**	**78**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	6.3	28	3	4	5	6	9	10	36
20-34	187	4.9	3	3	3	4	6	7	7	14
35-49	203	5.2	5	3	4	5	6	7	8	11
50-64	160	5.7	6	3	3	5	7	8	10	18
65+	81	6.5	8	2	4	6	8	10	12	16
2. MULTIPLE DX										
0-19 YRS	6	7.3	16	3	3	6	12	12	12	12
20-34	85	6.7	36	3	3	5	7	10	15	40
35-49	98	7.5	41	3	4	6	7	13	18	41
50-64	164	7.2	30	3	4	6	7	12	18	32
65+	75	9.0	48	4	4	7	10	14	28	86
TOT. SINGLE DX	668	5.4	7	3	3	5	6	8	9	16
" MULTIPLE DX	428	7.5	37	3	4	6	8	13	19	41
TOTAL 0-19 YRS	43	6.4	27	3	4	5	7	9	12	36
20-34	272	5.4	15	3	3	5	6	8	10	21
35-49	301	5.9	18	3	4	5	6	8	10	31
50-64	324	6.4	19	3	4	5	7	9	15	26
65+	156	7.7	29	3	4	7	8	13	16	46
GRAND TOTAL	**1096**	**6.2**	**20**	**3**	**4**	**5**	**7**	**9**	**13**	**31**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	2.9	3	1	1	2	4	6	7	8
20-34	41	3.4	4	<1	1	3	4	6	7	11
35-49	28	5.1	4	2	3	5	6	8	9	10
50-64	22	6.7	40	1	2	5	6	14	22	30
65+	14	6.0	8	2	2	6	7	11	12	12
2. MULTIPLE DX										
0-19 YRS	14	7.8	29	2	3	6	9	18	20	20
20-34	17	8.8	40	3	4	7	12	16	24	28
35-49	26	9.1	70	1	3	6	13	25	29	31
50-64	55	11.1	86	3	4	8	14	21	31	97
65+	40	16.0	167	5	6	12	18	36	45	59
TOT. SINGLE DX	161	4.2	11	1	1	4	5	7	9	17
" MULTIPLE DX	152	11.5	101	3	4	8	14	23	33	59
TOTAL 0-19 YRS	70	3.8	12	1	1	3	4	8	9	20
20-34	58	5.0	21	1	1	4	5	11	13	27
35-49	54	7.0	39	2	3	5	7	14	24	31
50-64	77	9.8	77	2	3	7	13	20	29	88
65+	54	13.4	145	3	5	9	15	31	39	59
GRAND TOTAL	**313**	**7.7**	**68**	**1**	**2**	**5**	**9**	**17**	**25**	**54**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	13	16.8	69	6	8	17	21	30	32	33
35-49	9	12.2	25	5	5	13	17	18	18	18
50-64	7	15.4	62	7	7	15	20	27	29	29
65+	4	12.8	191	2	2	8	21	33	33	33
2. MULTIPLE DX										
0-19 YRS	5	13.6	61	5	5	16	19	23	23	23
20-34	20	21.9	141	9	11	18	24	40	50	57
35-49	23	17.5	57	7	9	15	22	28	32	37
50-64	21	20.2	143	8	8	17	29	36	43	50
65+	14	22.8	341	9	10	19	23	33	73	84
TOT. SINGLE DX	35	14.2	68	3	5	13	18	29	32	33
" MULTIPLE DX	83	19.9	147	7	9	17	23	34	40	75
TOTAL 0-19 YRS	7	11.1	60	3	3	7	17	22	23	23
20-34	33	19.9	116	8	10	17	23	34	43	57
35-49	32	16.0	53	6	7	15	19	25	30	37
50-64	28	19.0	124	7	8	16	27	34	39	50
65+	18	20.6	313	4	7	17	23	31	64	84
GRAND TOTAL	**118**	**18.2**	**129**	**6**	**7**	**17**	**23**	**31**	**37**	**66**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	1.3		<1	<1	1	1	2	3	4
20-34	20	3.0	24	<1	<1	1	2	6	15	23
35-49	24	2.4	4	<1	<1	1	3	5	7	9
50-64	27	2.8	18	<1	<1	<1	3	6	12	21
65+	34	4.2	18	<1	1	2	5	10	13	21
2. MULTIPLE DX										
0-19 YRS	11	2.1	1	1	1	2	3	4	4	4
20-34	10	4.1	13	<1	<1	2	8	10	11	11
35-49	5	4.6	21	<1	<1	2	9	11	11	11
50-64	26	5.3	37	<1	<1	3	7	15	18	27
65+	43	9.6	74	1	2	6	16	28	30	99+
TOT. SINGLE DX	161	2.5	12	<1	<1	1	2	5	9	21
" MULTIPLE DX	95	6.7	53	<1	<1	4	9	17	28	68
TOTAL 0-19 YRS	67	1.4	1	<1	<1	1	2	2	3	4
20-34	30	3.3	21	<1	<1	2	3	9	11	23
35-49	29	2.8	7	<1	<1	2	3	7	9	11
50-64	53	4.0	29	<1	<1	2	4	11	16	27
65+	77	7.2	57	<1	2	4	10	20	29	81
GRAND TOTAL	**256**	**4.1**	**31**	**<1**	**<1**	**2**	**4**	**11**	**17**	**30**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	70	2.7	4	<1	1	2	3	6	7	11
20-34	32	2.2	3	<1	<1	2	3	4	6	9
35-49	62	2.0	3	<1	<1	1	2	4	5	11
50-64	81	3.0	4	<1	<1	2	3	6	8	11
65+	146	3.3	9	1	2	2	3	6	9	21
2. MULTIPLE DX										
0-19 YRS	110	3.8	21	<1	1	2	5	8	12	28
20-34	133	4.1	18	<1	1	3	5	9	13	27
35-49	80	5.3	38	<1	<1	3	7	11	15	39
50-64	100	4.9	126	<1	1	3	4	7	14	98
65+	151	9.0	160	1	2	4	11	24	44	99+
TOT. SINGLE DX	391	2.9	6	<1	<1	2	3	5	8	12
" MULTIPLE DX	574	5.6	82	<1	1	3	6	13	22	95
TOTAL 0-19 YRS	180	3.4	15	<1	1	2	4	7	9	23
20-34	165	3.7	16	<1	<1	2	4	8	12	25
35-49	142	3.9	26	<1	<1	2	5	8	12	21
50-64	181	4.1	73	<1	1	2	4	7	10	85
65+	297	6.2	94	1	2	3	6	14	25	99+
GRAND TOTAL	**965**	**4.5**	**53**	**<1**	**1**	**3**	**5**	**9**	**14**	**56**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.8	3	1	1	2	3	5	7	7
20-34	25	3.7	4	1	2	3	4	7	8	10
35-49	32	3.4	2	2	2	3	4	5	7	10
50-64	49	4.1	7	2	2	3	4	9	11	13
65+	63	4.1	6	2	2	3	5	7	9	13
2. MULTIPLE DX										
0-19 YRS	12	4.7	3	2	2	4	7	7	7	7
20-34	16	3.3	4	1	1	3	4	6	8	9
35-49	14	5.1	19	1	2	3	7	12	16	17
50-64	29	6.0	26	2	2	4	8	13	16	23
65+	44	6.3	32	2	2	4	8	13	18	29
TOT. SINGLE DX	183	3.8	6	2	2	3	4	7	10	13
" MULTIPLE DX	115	5.5	23	2	2	4	7	12	16	25
TOTAL 0-19 YRS	26	3.7	4	1	1	3	5	7	7	7
20-34	41	3.5	4	1	2	3	4	7	8	10
35-49	46	3.9	8	2	2	3	4	7	10	17
50-64	78	4.8	15	2	2	3	5	11	13	21
65+	107	5.0	18	2	2	3	6	11	13	24
GRAND TOTAL	**298**	**4.5**	**13**	**2**	**2**	**3**	**5**	**9**	**12**	**19**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	7	1.9		<1	<1	2	2	3	3	3
35-49	5	2.2		<1	<1	2	3	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	5	6.8	31	<1	<1	6	12	14	14	14
2. MULTIPLE DX										
0-19 YRS	4	2.3	6	<1	<1	1	4	6	6	6
20-34	7	4.3	10	<1	<1	4	7	9	9	9
35-49	2	5.0		5	5	5	5	5	5	5
50-64	5	5.8	21	1	1	5	10	12	12	12
65+	6	2.5	1	<1	<1	3	3	4	4	4
TOT. SINGLE DX	22	3.2	11	<1	<1	2	3	7	12	14
" MULTIPLE DX	24	3.9	9	<1	<1	3	6	9	10	12
TOTAL 0-19 YRS	7	2.1	3	<1	<1	2	2	5	6	6
20-34	14	3.1	6	<1	<1	2	4	7	9	9
35-49	7	3.0	2	<1	<1	3	4	5	5	5
50-64	7	5.0	17	1	1	4	8	11	12	12
65+	11	4.5	18	<1	<1	3	5	12	14	14
GRAND TOTAL	**46**	**3.5**	**10**	**<1**	**<1**	**2**	**5**	**9**	**11**	**14**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	6.2	8	1	1	7	8	8	8	8
20-34	25	6.6	4	4	5	6	7	9	11	14
35-49	13	5.2	4	1	2	6	6	8	9	9
50-64	14	7.9	45	2	4	6	8	13	26	30
65+	26	6.0	6	2	3	6	7	9	11	13
2. MULTIPLE DX										
0-19 YRS	6	6.0	3	3	3	6	7	8	8	8
20-34	18	7.9	29	2	3	7	9	11	21	27
35-49	8	7.0	14	2	3	6	8	13	15	15
50-64	21	10.1	140	2	3	6	10	21	41	55
65+	49	8.2	27	3	4	7	9	14	18	30
TOT. SINGLE DX	83	6.4	12	2	3	6	7	9	11	25
" MULTIPLE DX	102	8.3	48	3	3	7	9	14	21	42
TOTAL 0-19 YRS	11	6.1	5	1	2	7	8	8	8	8
20-34	43	7.2	15	3	4	6	8	10	13	27
35-49	21	5.9	9	1	2	6	7	9	12	15
50-64	35	9.2	101	2	3	6	9	15	30	55
65+	75	7.5	21	3	4	6	8	13	16	29
GRAND TOTAL	**185**	**7.5**	**33**	**2**	**3**	**6**	**8**	**12**	**15**	**30**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.6	6	1	1	3	5	8	9	9
20-34	38	2.3	5	<1	<1	2	2	4	5	14
35-49	50	2.0	1	<1	<1	2	2	4	5	6
50-64	54	2.3	1	<1	<1	2	3	4	5	7
65+	40	3.3	7	<1	<1	3	4	6	10	13
2. MULTIPLE DX										
0-19 YRS	30	6.3	14	1	2	6	9	11	13	17
20-34	34	5.4	13	1	2	5	7	9	14	17
35-49	15	4.1	7	1	1	3	5	6	11	12
50-64	13	6.5	25	1	2	5	11	15	15	15
65+	33	6.6	124	1	1	3	7	11	37	54
TOT. SINGLE DX	198	2.5	4	<1	<1	2	3	5	6	13
" MULTIPLE DX	125	5.9	43	1	1	5	7	11	15	44
TOTAL 0-19 YRS	46	5.4	13	1	1	5	8	10	12	17
20-34	72	3.8	12	<1	<1	3	5	7	13	16
35-49	65	2.5	4	<1	<1	2	3	5	6	11
50-64	67	3.1	9	<1	<1	2	3	6	11	15
65+	73	4.8	62	<1	1	3	4	8	13	51
GRAND TOTAL	**323**	**3.8**	**22**	**<1**	**<1**	**2**	**5**	**8**	**11**	**17**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	17.0	128	9	9	17	25	25	25	25
20-34	6	8.7	44	1	1	7	9	20	21	21
35-49	21	7.7	17	3	4	7	10	13	17	20
50-64	38	7.2	20	2	2	6	9	11	17	23
65+	99	7.6	32	2	2	6	9	15	21	31
2. MULTIPLE DX										
0-19 YRS	11	14.7	216	2	3	6	19	42	44	44
20-34	10	6.3	20	1	1	5	7	14	15	15
35-49	21	11.6	194	2	3	7	11	28	46	63
50-64	52	8.3	43	2	3	6	11	21	27	98
65+	101	9.8	92	3	3	7	11	21	35	79
TOT. SINGLE DX	166	7.7	30	2	2	7	9	14	21	30
" MULTIPLE DX	195	9.7	94	2	3	6	11	21	33	82
TOTAL 0-19 YRS	13	15.1	192	2	4	9	20	41	43	44
20-34	16	7.2	28	1	1	6	8	15	19	21
35-49	42	9.6	107	2	3	7	10	16	28	63
50-64	90	7.9	34	2	3	6	10	18	23	70
65+	200	8.7	64	2	3	7	9	17	30	51
GRAND TOTAL	**361**	**8.8**	**65**	**2**	**3**	**6**	**10**	**18**	**26**	**57**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.4	54	2	2	4	11	20	23	23
20-34	21	6.0	15	1	2	5	7	13	14	14
35-49	16	5.2	11	1	1	5	7	9	12	13
50-64	51	4.7	15	1	2	4	6	11	13	18
65+	70	5.6	18	2	2	4	7	11	16	21
2. MULTIPLE DX										
0-19 YRS	27	8.0	23	2	3	6	12	15	16	20
20-34	45	7.9	38	2	2	7	10	15	24	26
35-49	24	8.3	46	2	2	6	11	19	24	25
50-64	39	7.4	25	2	2	6	12	13	18	23
65+	72	7.3	46	2	2	6	8	13	27	87
TOT. SINGLE DX	166	5.5	18	1	2	4	7	12	14	21
" MULTIPLE DX	207	7.7	37	2	2	6	10	15	22	36
TOTAL 0-19 YRS	35	7.9	29	2	2	6	12	15	19	23
20-34	66	7.3	32	2	2	6	10	14	22	26
35-49	40	7.1	34	1	2	5	9	16	21	25
50-64	90	5.9	21	2	2	4	7	12	15	22
65+	142	6.5	33	2	2	5	8	12	18	48
GRAND TOTAL	**373**	**6.7**	**30**	**2**	**2**	**5**	**8**	**13**	**18**	**28**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	3.2	1	2	2	3	4	5	5	5
20-34	7	4.9	8	3	3	4	5	10	11	11
35-49	116	5.1	7	2	2	5	6	8	10	15
50-64	645	4.8	7	2	2	4	6	8	10	14
65+	2247	5.2	8	2	2	5	7	9	11	14
2. MULTIPLE DX										
0-19 YRS	10	6.7	32	2	2	5	7	15	22	22
20-34	19	9.4	84	2	3	6	8	22	33	40
35-49	73	5.9	12	2	2	6	7	10	13	20
50-64	455	6.4	37	2	2	5	7	12	15	27
65+	1935	6.7	47	2	2	5	7	13	17	38
TOT. SINGLE DX	3020	5.1	8	2	2	4	6	8	11	14
" MULTIPLE DX	2492	6.7	45	2	2	5	7	13	16	36
TOTAL 0-19 YRS	15	5.5	24	2	2	4	7	8	18	22
20-34	26	8.2	67	2	3	6	8	19	27	40
35-49	189	5.4	9	2	2	5	7	9	12	18
50-64	1100	5.5	20	2	2	5	6	10	13	18
65+	4182	5.9	27	2	2	5	7	11	14	26
GRAND TOTAL	**5512**	**5.8**	**26**	**2**	**2**	**5**	**7**	**10**	**14**	**24**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	44	4.4	14	2	2	3	4	7	12	22
20-34	37	4.1	5	2	2	3	5	7	9	13
35-49	35	4.7	9	2	2	4	6	10	12	14
50-64	121	4.2	5	2	2	4	5	7	11	14
65+	342	3.9	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	13	5.2	8	2	3	4	6	11	11	11
20-34	28	4.7	9	2	2	4	5	11	12	12
35-49	53	5.3	10	2	2	4	6	11	13	14
50-64	170	4.8	9	2	2	4	6	9	12	18
65+	526	5.2	24	2	2	4	6	9	14	33
TOT. SINGLE DX	579	4.1	5	2	2	4	5	7	7	13
" MULTIPLE DX	790	5.1	19	2	2	4	6	10	13	30
TOTAL 0-19 YRS	57	4.6	13	2	2	4	5	8	11	22
20-34	65	4.3	7	2	2	4	5	8	12	13
35-49	88	5.0	10	2	2	4	6	11	12	14
50-64	291	4.6	8	2	2	4	5	8	11	17
65+	868	4.7	16	2	2	4	5	7	11	28
GRAND TOTAL	**1369**	**4.7**	**14**	**2**	**2**	**4**	**5**	**8**	**11**	**23**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	9.0	72	3	3	9	15	15	15	15
20-34	3	4.7	4	3	3	4	6	7	7	7
35-49	7	3.6	4	1	1	4	5	6	6	6
50-64	46	4.4	3	2	2	4	5	7	8	11
65+	146	4.7	3	2	2	5	6	7	7	10
2. MULTIPLE DX										
0-19 YRS	4	3.0		2	2	3	4	4	4	4
20-34	3	5.0	7	3	3	4	7	8	8	8
35-49	6	4.7	11	2	2	3	9	9	9	9
50-64	47	5.9	16	3	3	4	7	11	12	26
65+	223	5.4	12	2	2	5	6	9	11	27
TOT. SINGLE DX	204	4.6	4	2	2	4	6	7	8	11
" MULTIPLE DX	283	5.4	13	2	2	5	6	9	12	26
TOTAL 0-19 YRS	6	5.0	24	2	2	3	4	14	15	15
20-34	6	4.8	5	3	3	4	7	8	8	8
35-49	13	4.1	7	1	1	3	6	9	9	9
50-64	93	5.1	11	2	2	4	6	9	11	20
65+	369	5.1	9	2	2	5	6	7	10	20
GRAND TOTAL	**487**	**5.1**	**9**	**2**	**2**	**4**	**6**	**8**	**10**	**19**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.7	9	2	2	5	8	10	12	14
20-34	60	5.9	11	1	2	6	8	10	12	16
35-49	47	7.1	11	2	3	7	10	11	13	16
50-64	126	7.0	15	2	2	7	10	12	14	17
65+	106	6.8	21	2	2	6	10	13	15	20
2. MULTIPLE DX										
0-19 YRS	17	6.9	9	1	3	7	9	11	12	13
20-34	51	6.4	12	3	3	6	8	10	11	22
35-49	42	6.5	19	2	3	5	8	10	18	23
50-64	117	6.8	16	2	4	6	8	11	14	24
65+	145	8.2	23	3	4	7	10	15	19	24
TOT. SINGLE DX	364	6.7	16	2	2	6	9	12	14	18
" MULTIPLE DX	372	7.3	19	3	3	6	9	12	17	23
TOTAL 0-19 YRS	42	6.2	10	1	3	6	8	10	12	14
20-34	111	6.1	12	2	2	6	8	10	12	18
35-49	89	6.9	15	2	3	6	9	11	14	22
50-64	243	6.9	16	2	2	6	9	11	14	23
65+	251	7.6	23	2	3	7	10	14	18	23
GRAND TOTAL	**736**	**7.0**	**17**	**2**	**2**	**6**	**9**	**12**	**15**	**23**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.6	9	<1	<1	<1	3	8	10	11
20-34	16	4.4	13	<1	<1	3	7	9	12	13
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	19	6.2	8	2	2	6	7	10	13	14
65+	27	7.3	14	2	2	7	9	12	14	19
2. MULTIPLE DX										
0-19 YRS	8	7.5	63	<1	<1	6	8	21	26	26
20-34	61	7.9	36	2	3	7	8	13	25	30
35-49	42	8.0	39	3	4	7	8	14	16	42
50-64	62	6.4	11	2	3	6	7	12	14	16
65+	84	7.2	50	2	2	5	7	12	18	46
TOT. SINGLE DX	81	5.4	15	<1	<1	5	7	11	12	17
" MULTIPLE DX	257	7.3	36	2	3	6	8	13	17	33
TOTAL 0-19 YRS	25	4.2	30	<1	<1	1	6	9	15	26
20-34	77	7.2	33	<1	2	6	8	12	21	30
35-49	44	7.8	39	2	4	7	8	14	16	42
50-64	81	6.4	11	2	3	6	7	12	14	16
65+	111	7.2	41	2	2	6	8	12	18	41
GRAND TOTAL	**338**	**6.9**	**32**	**1**	**2**	**6**	**8**	**12**	**15**	**30**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	830	1.9		<1	1	2	2	2	3	4
20-34	198	2.1		1	2	2	2	3	3	4
35-49	61	2.3		2	2	2	3	3	3	5
50-64	26	2.5	2	1	2	2	2	4	6	9
65+	17	3.1	5	2	2	2	3	7	9	10
2. MULTIPLE DX										
0-19 YRS	153	2.3	5	<1	1	2	2	3	3	16
20-34	38	3.1	9	<1	1	2	3	8	11	16
35-49	37	4.8	133	2	2	2	3	4	11	72
50-64	19	2.8	1	2	2	2	3	5	6	6
65+	5	5.4	37	2	2	2	8	16	16	16
TOT. SINGLE DX	1132	2.0	1	<1	1	2	2	3	3	4
" MULTIPLE DX	252	2.9	26	<1	1	2	2	4	8	16
TOTAL 0-19 YRS	983	1.9	1	<1	1	2	2	2	3	4
20-34	236	2.3	2	1	2	2	2	3	3	9
35-49	98	3.2	51	2	2	2	3	4	4	45
50-64	45	2.6	2	2	2	2	3	4	5	9
65+	22	3.6	12	2	2	2	3	9	12	16
GRAND TOTAL	**1384**	**2.1**	**5**	**<1**	**1**	**2**	**2**	**3**	**3**	**8**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
TOT. SINGLE DX	3	1.7		1	1	2	2	2	2	2
" MULTIPLE DX	4	2.3	2	1	1	2	3	4	4	4
TOTAL 0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
GRAND TOTAL	**7**	**2.0**	**1**	**1**	**1**	**2**	**2**	**4**	**4**	**4**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	25	5.2	21	1	1	3	8	14	14	15
20-34	23	4.7	13	<1	1	4	6	7	11	19
35-49	9	5.0	21	1	1	3	7	12	16	16
50-64	11	5.8	23	<1	1	5	7	13	18	18
65+	32	5.9	67	1	1	4	7	10	13	48
2. MULTIPLE DX										
0-19 YRS	17	9.2	69	1	2	7	12	22	28	31
20-34	38	6.5	23	1	2	5	8	13	17	23
35-49	27	7.1	35	1	2	6	8	17	20	23
50-64	22	11.9	337	2	3	7	9	25	55	88
65+	42	10.6	171	2	2	7	12	24	37	72
TOT. SINGLE DX	100	5.4	34	1	1	4	6	11	15	33
" MULTIPLE DX	146	8.9	122	2	2	6	10	19	24	73
TOTAL 0-19 YRS	42	6.8	44	1	1	4	11	14	20	31
20-34	61	5.8	20	1	1	5	7	11	17	23
35-49	36	6.6	32	1	2	5	7	16	19	23
50-64	33	9.9	237	2	2	6	9	19	31	88
65+	74	8.6	131	1	2	5	9	19	35	66
GRAND TOTAL	**246**	**7.5**	**89**	**1**	**2**	**5**	**8**	**15**	**21**	**49**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	250	2.5	13	<1	<1	2	2	4	7	13
20-34	66	2.2	2	<1	<1	2	3	5	6	8
35-49	25	3.2	6	<1	<1	3	4	6	9	11
50-64	13	3.0	5	<1	<1	3	3	6	9	10
65+	23	3.5	5	1	1	3	5	6	8	11
2. MULTIPLE DX										
0-19 YRS	108	5.1	24	1	1	4	6	10	14	29
20-34	41	6.0	66	<1	1	3	7	16	17	47
35-49	26	2.8	4	<1	1	2	3	6	7	10
50-64	30	7.6	121	1	1	4	8	16	22	59
65+	47	12.8	252	1	1	8	21	39	99+	99+
TOT. SINGLE DX	377	2.6	10	<1	<1	2	3	5	7	13
" MULTIPLE DX	252	6.7	92	1	1	4	7	17	26	99
TOTAL 0-19 YRS	358	3.3	18	<1	<1	2	4	6	10	22
20-34	107	3.7	30	<1	<1	2	4	8	13	30
35-49	51	3.0	5	<1	1	3	3	6	9	11
50-64	43	6.2	90	<1	1	3	6	13	19	59
65+	70	9.7	189	1	2	5	14	28	86	99+
GRAND TOTAL	**629**	**4.3**	**47**	**<1**	**<1**	**2**	**4**	**9**	**15**	**47**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.5	1	<1	1	3	3	4	4	4
20-34	85	3.2	1	2	2	3	4	5	5	7
35-49	125	3.3	1	1	2	3	4	5	6	7
50-64	93	3.5	1	2	2	3	4	5	6	9
65+	20	3.5	3	1	1	3	4	6	7	9
2. MULTIPLE DX										
0-19 YRS	14	2.6		2	2	2	3	4	5	5
20-34	34	3.3	2	1	2	3	4	4	7	9
35-49	36	3.0	1	1	2	3	4	4	5	6
50-64	46	3.6	4	2	2	3	4	5	8	13
65+	6	2.2		1	1	2	3	3	3	3
TOT. SINGLE DX	337	3.3	2	2	2	3	4	5	6	7
" MULTIPLE DX	136	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	28	2.6	1	1	1	3	3	4	4	5
20-34	119	3.3	2	2	2	3	4	5	5	8
35-49	161	3.2	2	1	2	3	4	5	6	7
50-64	139	3.5	3	2	2	3	4	5	6	10
65+	26	3.2	3	1	1	3	4	5	7	9
GRAND TOTAL	**473**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	2.8	2	1	2	2	3	5	6	8
20-34	230	2.8	1	1	2	3	3	4	5	6
35-49	162	2.7	1	1	2	3	3	4	5	7
50-64	104	2.6	1	2	2	2	3	4	5	7
65+	17	2.2		1	2	2	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	144	4.5	14	2	2	3	6	8	10	19
20-34	257	3.7	5	2	2	3	4	7	8	12
35-49	155	3.5	4	1	2	3	4	7	8	10
50-64	108	3.6	4	1	2	3	4	8	8	10
65+	26	4.0	11	1	2	3	6	7	11	17
TOT. SINGLE DX	717	2.7	2	1	2	2	3	4	5	7
" MULTIPLE DX	690	3.8	7	2	2	3	5	8	8	13
TOTAL 0-19 YRS	348	3.5	8	2	2	3	4	7	8	13
20-34	487	3.2	4	1	2	3	3	6	7	10
35-49	317	3.1	3	1	2	3	3	6	7	8
50-64	212	3.1	3	2	2	3	3	6	8	9
65+	43	3.3	8	1	2	2	3	7	8	17
GRAND TOTAL	**1407**	**3.3**	**5**	**1**	**2**	**3**	**3**	**6**	**8**	**10**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	693	1.6	5	<1	<1	1	1	2	4	10
20-34	58	1.6	1	<1	<1	<1	2	3	4	7
35-49	31	2.2	12	<1	<1	1	3	3	3	21
50-64	18	1.6	1	<1	<1	1	2	3	4	5
65+	9	1.9	2	<1	<1	1	2	5	6	6
2. MULTIPLE DX										
0-19 YRS	730	3.5	23	<1	<1	2	2	8	12	25
20-34	25	5.4	125	<1	<1	2	4	9	25	57
35-49	23	3.3	14	<1	<1	2	3	9	12	17
50-64	26	4.1	27	<1	<1	2	4	7	17	25
65+	15	6.3	57	1	1	3	11	24	77	99+
TOT. SINGLE DX	809	1.6	5	<1	<1	1	1	2	4	10
" MULTIPLE DX	819	3.6	27	<1	<1	2	2	8	13	28
TOTAL 0-19 YRS	1423	2.6	16	<1	<1	1	2	5	9	22
20-34	83	2.7	41	<1	<1	1	2	5	6	43
35-49	54	2.7	14	<1	<1	1	3	4	9	21
50-64	44	3.1	18	<1	<1	2	3	6	10	25
65+	24	4.6	40	<1	1	2	5	19	44	99+
GRAND TOTAL	**1628**	**2.6**	**17**	**<1**	**<1**	**1**	**2**	**5**	**9**	**23**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	39	5.5	25	1	3	4	6	9	14	31
20-34	59	4.3	3	2	2	4	5	7	9	11
35-49	36	4.0	3	2	2	4	5	7	7	9
50-64	40	4.5	4	2	3	4	5	6	8	15
65+	18	7.3	34	2	3	5	10	17	22	24
2. MULTIPLE DX										
0-19 YRS	76	6.5	25	2	2	5	9	12	17	24
20-34	99	4.9	11	2	3	4	5	9	10	20
35-49	61	5.1	6	2	2	4	7	9	10	12
50-64	56	6.4	30	2	3	5	7	13	17	34
65+	28	7.9	80	3	3	5	8	15	20	49
TOT. SINGLE DX	192	4.8	12	2	2	4	5	8	10	22
" MULTIPLE DX	320	5.8	24	2	3	4	7	10	14	24
TOTAL 0-19 YRS	115	6.2	25	2	2	5	8	12	15	27
20-34	158	4.7	8	2	3	4	5	9	10	14
35-49	97	4.7	5	2	2	4	6	8	9	11
50-64	96	5.6	21	2	3	4	6	9	15	27
65+	46	7.7	62	3	3	5	9	15	20	49
GRAND TOTAL	**512**	**5.5**	**19**	**2**	**2**	**4**	**6**	**10**	**12**	**24**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	60	1.6	1	<1	<1	1	2	4	4	5
20-34	24	3.5	4	<1	1	3	5	7	8	8
35-49	20	3.5	4	<1	1	3	4	7	8	8
50-64	31	4.4	6	2	2	3	5	9	11	12
65+	6	3.8	8	1	1	3	7	8	8	8
2. MULTIPLE DX										
0-19 YRS	59	5.6	42	<1	<1	3	8	14	15	36
20-34	42	5.1	10	2	2	4	7	9	11	16
35-49	35	5.5	23	2	2	3	7	11	15	24
50-64	31	4.4	11	<1	1	3	6	8	9	17
65+	13	8.2	38	1	2	6	12	19	19	19
TOT. SINGLE DX	141	2.9	5	<1	<1	2	4	6	8	11
" MULTIPLE DX	180	5.5	26	<1	1	4	8	11	15	26
TOTAL 0-19 YRS	119	3.6	26	<1	<1	2	4	9	14	30
20-34	66	4.5	8	1	2	3	7	8	10	15
35-49	55	4.8	18	1	2	3	6	10	12	24
50-64	62	4.4	9	1	2	3	6	8	10	16
65+	19	6.8	33	1	1	4	9	18	19	19
GRAND TOTAL	**321**	**4.3**	**18**	**<1**	**<1**	**3**	**6**	**9**	**12**	**21**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	138	3.0	1	2	2	3	4	4	5	6
20-34	412	2.7		<1	2	3	3	4	4	5
35-49	166	3.0		2	2	3	3	4	5	6
50-64	76	3.1		2	2	3	4	4	4	6
65+	21	3.4	2	2	2	3	4	4	6	9
2. MULTIPLE DX										
0-19 YRS	158	3.6	15	2	2	3	3	5	5	22
20-34	557	2.8		<1	1	3	3	4	4	5
35-49	217	3.1	4	<1	2	3	3	4	5	11
50-64	133	3.6	6	1	2	3	4	5	6	19
65+	34	4.2	8	2	2	3	4	10	12	14
TOT. SINGLE DX	813	2.9	1	1	2	3	3	4	4	6
" MULTIPLE DX	1099	3.1	5	<1	2	3	3	4	5	11
TOTAL 0-19 YRS	296	3.3	9	2	2	3	4	5	5	12
20-34	969	2.7	1	<1	1	3	3	4	4	5
35-49	383	3.1	3	1	2	3	3	4	5	8
50-64	209	3.4	5	2	2	3	4	4	5	17
65+	55	3.9	6	2	2	3	4	6	10	14
GRAND TOTAL	1912	3.0	3	<1	2	3	3	4	5	7

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	279	2.9	1	1	1	3	4	5	5	7
20-34	769	2.8	1	1	2	3	4	4	5	6
35-49	242	3.0	1	1	2	3	4	4	5	6
50-64	105	3.2	2	2	2	3	4	4	5	11
65+	30	2.9	1	1	1	3	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	219	3.2	4	<1	1	3	4	5	7	11
20-34	623	3.7	25	1	1	3	4	5	7	15
35-49	261	3.5	9	1	1	3	4	5	7	20
50-64	120	3.8	9	2	2	3	4	6	9	21
65+	41	3.6	6	1	1	3	4	6	9	13
TOT. SINGLE DX	1425	2.9	2	1	2	3	4	4	5	6
" MULTIPLE DX	1264	3.6	16	1	1	3	4	5	7	16
TOTAL 0-19 YRS	498	3.1	3	<1	1	3	4	5	6	9
20-34	1392	3.2	13	1	1	3	4	5	5	11
35-49	503	3.2	5	1	2	3	4	5	6	13
50-64	225	3.6	6	2	2	3	4	5	7	16
65+	71	3.3	5	1	1	3	4	6	7	13
GRAND TOTAL	2689	3.2	9	1	2	3	4	5	6	11

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	2.6	5	<1	<1	2	3	5	6	14
20-34	62	3.1	5	<1	1	3	4	5	9	14
35-49	61	3.0	4	<1	<1	3	4	5	7	13
50-64	79	3.3	6	1	2	2	4	6	9	16
65+	85	3.2	4	<1	1	3	4	6	8	12
2. MULTIPLE DX										
0-19 YRS	37	4.2	35	1	1	3	4	7	10	37
20-34	91	3.4	10	<1	1	2	3	6	12	18
35-49	94	2.9	2	1	2	3	3	4	5	10
50-64	154	4.2	19	1	2	3	4	7	13	24
65+	120	9.6	203	1	2	4	10	27	38	76
TOT. SINGLE DX	328	3.1	5	<1	1	2	3	6	7	14
" MULTIPLE DX	496	5.1	67	1	2	3	4	10	16	41
TOTAL 0-19 YRS	78	3.3	20	<1	1	2	3	6	8	31
20-34	153	3.3	8	<1	1	2	3	6	10	17
35-49	155	2.9	3	<1	1	3	3	5	6	13
50-64	233	3.9	16	1	2	3	4	7	11	19
65+	205	7.0	131	1	2	3	7	13	31	67
GRAND TOTAL	824	4.3	43	1	1	3	4	7	12	37

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	93	2.3	11	<1	<1	1	2	4	5	22
20-34	78	2.5	6	<1	<1	2	3	6	7	16
35-49	30	3.4	6	1	1	3	4	8	9	9
50-64	21	3.2	4	<1	1	3	5	6	7	7
65+	25	4.4	24	1	2	3	4	6	13	27
2. MULTIPLE DX										
0-19 YRS	178	2.9	16	<1	<1	2	3	6	8	23
20-34	188	3.6	59	<1	<1	2	3	7	11	20
35-49	56	3.8	23	<1	1	2	4	9	12	30
50-64	77	5.7	25	1	2	4	7	13	15	29
65+	98	6.9	56	1	1	5	9	16	21	77
TOT. SINGLE DX	247	2.8	10	<1	<1	2	3	6	7	19
" MULTIPLE DX	597	4.2	40	<1	1	2	5	10	14	32
TOTAL 0-19 YRS	271	2.7	15	<1	<1	2	3	6	8	24
20-34	266	3.3	44	<1	<1	2	3	6	10	19
35-49	86	3.7	17	<1	1	2	4	8	10	25
50-64	98	5.2	22	1	1	4	6	11	14	26
65+	123	6.4	51	1	1	4	7	14	21	65
GRAND TOTAL	844	3.8	32	<1	1	2	4	8	12	27

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.7	3	2	2	3	4	7	7	7
20-34	33	3.7	7	1	2	3	4	5	11	14
35-49	36	3.7	4	1	2	3	4	7	7	11
50-64	25	4.9	17	1	2	3	6	10	14	20
65+	9	2.8		2	2	3	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	5.2	6	2	2	4	8	9	9	9
20-34	40	4.6	33	1	2	3	4	6	14	35
35-49	41	3.9	7	1	2	3	4	7	11	14
50-64	34	3.8	7	2	2	3	4	6	8	16
65+	28	9.9	133	2	2	5	13	20	30	59
TOT. SINGLE DX	109	3.9	8	1	2	3	4	7	10	16
" MULTIPLE DX	154	5.2	41	2	2	3	5	9	15	35
TOTAL 0-19 YRS	17	4.6	6	2	2	4	6	9	9	9
20-34	73	4.2	22	1	2	3	4	5	11	32
35-49	77	3.8	6	1	2	3	4	7	8	14
50-64	59	4.2	12	1	2	3	5	8	11	20
65+	37	8.1	110	2	2	4	10	18	25	59
GRAND TOTAL	**263**	**4.7**	**28**	**1**	**2**	**3**	**4**	**8**	**14**	**26**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	3.5	23	<1	<1	2	3	7	18	21
20-34	69	2.6	4	<1	<1	2	3	5	6	13
35-49	59	2.9	7	<1	<1	2	3	5	7	17
50-64	45	5.3	34	<1	1	3	5	13	20	29
65+	10	5.7	22	1	1	4	7	13	17	17
2. MULTIPLE DX										
0-19 YRS	43	4.3	47	<1	1	2	4	8	14	42
20-34	89	4.5	28	1	1	3	5	8	15	29
35-49	72	4.9	43	1	2	3	4	9	23	38
50-64	95	4.7	23	1	2	3	5	11	18	22
65+	39	7.2	55	2	2	4	9	18	27	32
TOT. SINGLE DX	210	3.5	16	<1	<1	2	4	7	13	21
" MULTIPLE DX	338	4.9	36	1	1	3	5	10	19	31
TOTAL 0-19 YRS	70	4.0	38	<1	1	2	4	7	18	38
20-34	158	3.7	19	<1	<1	2	4	7	9	28
35-49	131	4.0	28	<1	1	3	4	7	10	32
50-64	140	4.9	27	1	1	3	5	12	18	2[illegible]
65+	49	6.9	48	2	2	4	9	17	22	[illegible]
GRAND TOTAL	**548**	**4.4**	**29**	**<1**	**1**	**3**	**4**	**9**	**17**	**30**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	678	1.4	1	<1	<1	1	2	2	3	6
20-34	899	1.5		<1	<1	1	2	2	2	5
35-49	310	1.5		<1	<1	1	2	2	2	4
50-64	191	1.8		<1	<1	2	2	2	3	6
65+	86	1.7		<1	<1	2	2	2	3	5
2. MULTIPLE DX										
0-19 YRS	213	4.1	41	<1	1	2	5	10	13	44
20-34	307	4.1	53	<1	<1	2	3	8	19	43
35-49	164	3.8	40	<1	<1	2	3	9	13	33
50-64	207	7.3	178	<1	1	2	6	18	30	77
65+	197	7.3	82	1	1	3	9	21	26	41
TOT. SINGLE DX	2164	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	1088	5.3	80	<1	1	2	5	13	22	52
TOTAL 0-19 YRS	891	2.0	12	<1	<1	1	2	3	6	14
20-34	1206	2.2	16	<1	<1	1	2	3	5	24
35-49	474	2.3	16	<1	<1	2	2	3	7	18
50-64	398	4.7	101	<1	<1	2	3	10	18	61
65+	283	5.6	64	<1	1	2	5	17	23	36
GRAND TOTAL	**3252**	**2.8**	**31**	**<1**	**<1**	**1**	**2**	**4**	**9**	**30**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	162	1.2		<1	<1	1	1	2	2	3
20-34	45	1.5		<1	1	1	2	2	3	5
35-49	9	1.8		1	1	2	2	3	3	3
50-64	6	2.0	2	<1	<1	1	2	5	5	5
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	63	2.2	4	<1	1	2	2	6	7	88
20-34	22	1.8		<1	<1	2	2	3	3	3
35-49	4	5.8	90	<1	<1	1	11	20	20	20
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	224	1.3		<1	<1	1	2	2	2	4
" MULTIPLE DX	93	2.3	7	<1	<1	2	2	5	6	65
TOTAL 0-19 YRS	225	1.5	2	<1	<1	1	2	2	4	8
20-34	67	1.6	1	<1	<1	1	2	2	3	5
35-49	13	3.0	27	<1	<1	2	2	6	17	20
50-64	9	2.3	3	<1	<1	2	3	5	5	5
65+	3	3.0	3	<1	<1	4	4	4	4	4
GRAND TOTAL	**317**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**4**	**9**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	1.6	1	<1	<1	1	2	3	4	6
20-34	27	3.1	4	<1	<1	3	5	6	7	8
35-49	34	3.6	3	<1	1	4	5	6	6	7
50-64	34	3.9	7	1	1	4	5	8	10	13
65+	11	3.5	7	1	1	2	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	27	3.4	7	1	1	2	5	7	10	12
20-34	41	4.5	52	<1	1	3	4	6	18	43
35-49	21	4.6	48	<1	1	2	4	13	24	28
50-64	52	5.4	57	1	1	2	5	14	26	35
65+	19	7.6	114	1	1	4	9	36	68	99+
TOT. SINGLE DX	157	2.9	5	<1	<1	2	4	6	7	10
" MULTIPLE DX	160	5.0	53	1	1	2	5	12	24	42
TOTAL 0-19 YRS	78	2.3	4	<1	<1	2	2	5	6	11
20-34	68	4.0	34	<1	1	3	5	6	9	39
35-49	55	4.0	20	<1	1	3	5	6	8	28
50-64	86	4.8	38	1	1	3	5	11	16	33
65+	30	6.1	78	1	1	3	7	22	37	99+
GRAND TOTAL	**317**	**4.0**	**30**	**<1**	**1**	**2**	**5**	**7**	**12**	**36**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	3.4	6	<1	<1	3	4	8	9	12
20-34	111	3.9	4	1	2	4	5	7	8	12
35-49	107	4.2	13	<1	1	4	5	6	9	23
50-64	109	4.8	7	2	2	4	6	8	11	14
65+	72	6.0	21	2	2	5	8	12	17	23
2. MULTIPLE DX										
0-19 YRS	19	4.2	2	1	3	4	5	7	8	8
20-34	35	5.3	38	1	2	4	5	9	16	36
35-49	51	5.1	21	2	2	4	5	8	20	23
50-64	70	5.7	17	3	3	4	6	10	14	26
65+	67	9.0	57	3	3	7	11	20	28	36
TOT. SINGLE DX	441	4.5	11	1	2	4	5	8	10	17
" MULTIPLE DX	242	6.3	34	2	2	4	7	13	19	34
TOTAL 0-19 YRS	61	3.7	6	<1	1	3	4	7	9	12
20-34	146	4.3	13	1	2	4	5	7	9	18
35-49	158	4.5	16	1	2	4	5	7	10	23
50-64	179	5.1	12	2	3	4	6	9	13	17
65+	139	7.5	41	2	2	5	9	16	21	34
GRAND TOTAL	**683**	**5.1**	**20**	**1**	**2**	**4**	**6**	**9**	**13**	**26**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	5.9	11	1	1	6	8	10	13	17
20-34	6	11.3	248	2	2	6	9	40	43	43
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	77	9.4	52	1	3	7	12	18	23	40
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	1	11.0		11	11	11	11	11	11	11
50-64										
65+										
TOT. SINGLE DX	71	6.3	30	1	1	6	8	10	13	38
" MULTIPLE DX	81	9.2	51	1	3	7	12	17	23	39
TOTAL 0-19 YRS	141	7.8	37	1	2	7	9	16	18	29
20-34	9	9.1	170	2	2	5	9	29	43	43
35-49	2	7.5	25	4	4	7	11	11	11	11
50-64										
65+										
GRAND TOTAL	**152**	**7.9**	**44**	**1**	**2**	**7**	**9**	**16**	**19**	**43**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	226	4.5	14	<1	<1	4	6	8	11	23
20-34	52	4.3	14	1	1	3	6	9	12	17
35-49	59	3.8	21	<1	<1	2	4	8	14	27
50-64	98	4.5	20	<1	1	3	6	10	15	66
65+	89	6.6	86	1	2	3	7	14	22	53
2. MULTIPLE DX										
0-19 YRS	189	5.2	45	<1	1	3	6	11	16	33
20-34	96	4.5	29	<1	1	3	5	8	17	30
35-49	51	8.5	158	1	2	4	7	22	39	66
50-64	107	12.4	210	2	2	8	16	30	46	94
65+	145	10.2	104	1	2	7	14	28	34	99+
TOT. SINGLE DX	524	4.7	29	<1	<1	3	6	9	13	29
" MULTIPLE DX	588	7.9	106	<1	1	4	9	20	31	65
TOTAL 0-19 YRS	415	4.8	28	<1	<1	3	6	9	13	27
20-34	148	4.5	24	<1	1	3	5	9	14	27
35-49	110	6.0	89	<1	<1	3	6	13	28	51
50-64	205	8.7	135	1	1	5	11	22	33	94
65+	234	8.8	100	1	2	5	11	21	33	65
GRAND TOTAL	**1112**	**6.4**	**72**	**<1**	**1**	**4**	**7**	**15**	**23**	**52**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2801	2.4	1	1	2	2	3	3	4	6
20-34	1572	2.9	1	2	2	3	3	4	5	6
35-49	168	3.1	2	1	2	3	4	4	5	12
50-64	25	3.4	3	2	2	3	4	5	7	11
65+	9	10.4	159	1	1	4	16	32	36	36
2. MULTIPLE DX										
0-19 YRS	532	2.9	8	1	2	2	3	4	6	12
20-34	294	3.3	3	2	2	3	4	5	7	12
35-49	47	3.0		1	2	3	4	4	5	6
50-64	16	3.4	3	1	2	3	4	6	7	8
65+	5	5.8	14	3	3	4	8	12	12	12
TOT. SINGLE DX	4575	2.6	2	1	2	2	3	4	4	6
" MULTIPLE DX	894	3.1	7	2	2	3	3	4	6	12
TOTAL 0-19 YRS	3333	2.5	2	1	2	2	3	3	4	7
20-34	1866	3.0	1	2	2	3	3	4	5	7
35-49	215	3.1	2	1	2	3	4	4	5	10
50-64	41	3.4	3	2	2	3	4	5	7	11
65+	14	8.8	108	1	2	4	12	28	34	36
GRAND TOTAL	**5469**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	**7**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5166	2.2	2	1	2	2	2	3	3	5
20-34	68	2.9	1	1	2	3	3	4	5	8
35-49	9	3.0	1	2	2	3	4	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	2.4	1	2	2	2	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	2074	2.3	1	1	2	2	2	3	4	9
20-34	13	2.8		2	2	3	3	4	4	4
35-49	3	3.3		3	3	3	4	4	4	4
50-64										
65+	3	2.3		2	2	2	3	3	3	3
TOT. SINGLE DX	5249	2.2	2	1	2	2	2	3	3	5
" MULTIPLE DX	2093	2.3	2	1	2	2	2	3	4	9
TOTAL 0-19 YRS	7240	2.2	2	1	2	2	2	3	3	6
20-34	81	2.9	1	2	2	3	3	4	5	8
35-49	12	3.1	1	2	2	3	4	4	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	8	2.4	1	2	2	2	3	4	4	4
GRAND TOTAL	**7342**	**2.2**	**2**	**1**	**2**	**2**	**2**	**3**	**3**	**6**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	455	1.8		1	1	2	2	2	2	4
20-34	5	2.4		2	2	2	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	504	1.9	2	<1	1	2	2	2	3	11
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
TOT. SINGLE DX	461	1.8		1	1	2	2	2	2	4
" MULTIPLE DX	507	1.9	2	<1	1	2	2	2	3	11
TOTAL 0-19 YRS	959	1.9	1	<1	1	2	2	2	2	8
20-34	7	2.4		2	2	2	3	3	3	3
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
GRAND TOTAL	**968**	**1.9**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**8**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	129	3.6	10	1	1	3	4	7	8	16
20-34	107	3.3	5	1	1	3	4	5	7	15
35-49	36	4.3	21	<1	1	3	4	8	12	27
50-64	38	7.3	209	1	2	3	5	14	28	86
65+	19	7.3	31	2	2	6	10	15	19	22
2. MULTIPLE DX										
0-19 YRS	59	3.7	9	1	1	3	4	8	11	16
20-34	28	3.5	5	1	1	3	5	7	8	11
35-49	25	4.8	14	1	2	3	6	11	12	13
50-64	38	9.3	138	1	2	5	10	28	49	99+
65+	38	14.4	226	2	2	10	19	40	61	99+
TOT. SINGLE DX	329	4.2	36	1	2	3	4	7	9	28
" MULTIPLE DX	188	7.1	96	1	1	4	9	16	29	88
TOTAL 0-19 YRS	188	3.7	11	1	1	3	4	7	8	15
20-34	135	3.3	6	1	1	3	4	5	7	13
35-49	61	4.5	18	1	1	3	5	10	12	25
50-64	76	8.3	173	1	2	4	9	24	40	96
65+	57	12.0	171	2	2	9	16	31	46	98
GRAND TOTAL	**517**	**5.3**	**59**	**1**	**1**	**3**	**5**	**10**	**16**	**50**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	2.1	3	<1	<1	1	3	5	7	8
20-34	24	3.4	6	<1	1	3	5	6	10	10
35-49	14	3.5	6	<1	1	3	5	7	9	9
50-64	19	4.4	11	<1	1	3	6	9	12	14
65+	45	3.0	4	1	1	3	4	6	6	13
2. MULTIPLE DX										
0-19 YRS	95	4.5	9	<1	1	4	5	7	9	20
20-34	15	2.4	1	1	1	2	3	5	5	5
35-49	15	8.3	215	1	1	4	7	13	48	60
50-64	48	3.9	10	1	1	3	5	8	9	17
65+	89	6.3	60	1	2	4	7	14	22	45
TOT. SINGLE DX	151	3.0	6	<1	<1	2	4	6	8	13
" MULTIPLE DX	262	5.1	39	1	1	4	6	9	14	36
TOTAL 0-19 YRS	144	3.7	9	<1	<1	3	5	6	8	17
20-34	39	3.0	5	<1	1	2	4	5	8	10
35-49	29	6.0	117	1	1	3	6	10	15	60
50-64	67	4.0	11	1	1	3	6	8	10	16
65+	134	5.2	44	1	1	3	5	10	20	39
GRAND TOTAL	**413**	**4.3**	**28**	**<1**	**1**	**3**	**5**	**8**	**10**	**24**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	2.3		1	1	2	3	3	4	4
20-34	59	2.2	1	<1	<1	2	2	3	4	9
35-49	68	2.3	2	<1	<1	2	2	4	6	9
50-64	108	3.6	36	1	1	2	3	5	8	44
65+	74	3.1	11	1	1	2	3	6	8	21
2. MULTIPLE DX										
0-19 YRS	8	6.9	30	1	2	4	12	14	15	15
20-34	14	3.6	16	<1	<1	2	3	10	13	14
35-49	35	4.0	45	<1	<1	2	2	10	11	39
50-64	93	5.7	72	<1	1	2	4	21	27	39
65+	75	6.8	103	1	2	2	7	14	30	55
TOT. SINGLE DX	344	2.9	15	1	1	2	3	4	7	18
" MULTIPLE DX	225	5.7	74	<1	1	2	5	14	27	40
TOTAL 0-19 YRS	43	3.1	9	1	1	2	3	4	12	15
20-34	73	2.5	5	<1	<1	2	3	3	7	13
35-49	103	2.9	17	<1	<1	2	2	6	9	24
50-64	201	4.5	54	1	1	2	3	9	23	42
65+	149	5.0	61	1	1	2	4	12	15	37
GRAND TOTAL	**569**	**4.0**	**40**	**<1**	**1**	**2**	**3**	**8**	**14**	**37**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	6	19.3	93	4	5	20	25	31	32	32
50-64	6	5.5	65	2	2	2	3	20	22	22
65+	12	14.8	128	2	2	16	22	30	36	37
2. MULTIPLE DX										
0-19 YRS	3	21.0	453	2	2	17	37	44	44	44
20-34	3	5.0	13	<1	<1	6	7	8	8	8
35-49	7	22.4	443	<1	<1	13	44	47	48	48
50-64	15	15.9	181	1	2	12	24	34	42	45
65+	8	17.4	253	2	3	10	34	38	39	39
TOT. SINGLE DX	25	13.1	123	2	2	15	22	27	33	37
" MULTIPLE DX	36	17.0	246	<1	1	11	31	44	45	48
TOTAL 0-19 YRS	3	21.0	453	2	2	17	37	44	44	44
20-34	4	4.3	11	<1	<1	4	7	8	8	8
35-49	13	21.0	263	<1	1	17	34	46	48	48
50-64	21	12.9	166	1	2	10	22	32	39	45
65+	20	15.8	170	2	2	15	25	37	38	39
GRAND TOTAL	**61**	**15.4**	**196**	**1**	**2**	**12**	**24**	**38**	**44**	**48**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	20.5	5	19	19	20	22	22	22	22
50-64	10	21.2	22	13	14	23	24	26	27	27
65+	3	44.0	1333	15	15	32	72	85	85	85
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	8	27.9	200	12	13	27	31	50	58	58
50-64	24	32.5	312	16	17	29	38	65	90	99+
65+	12	30.1	158	17	18	29	55	99+	99+	99+
TOT. SINGLE DX	15	25.7	295	13	15	22	26	32	72	85
" MULTIPLE DX	44	31.0	244	15	17	28	43	80	99+	99+
TOTAL 0-19 YRS										
20-34										
35-49	10	26.4	166	12	13	24	29	45	58	58
50-64	34	29.2	252	14	17	24	33	60	81	99+
65+	15	32.9	348	16	17	29	57	99+	99+	99+
GRAND TOTAL	**59**	**29.7**	**258**	**14**	**16**	**26**	**34**	**69**	**99+**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	59.0		59	59	59	59	59	59	59
2. MULTIPLE DX										
0-19 YRS	2	26.5	181	17	17	26	36	36	36	36
20-34	1	49.0		49	49	49	49	49	49	49
35-49	2	8.0		8	8	54	99+	99+	99+	99+
50-64	5	27.6	358	10	11	26	58	96	99+	99+
65+	3	43.0	868	9	9	60	80	99+	99+	99+
TOT. SINGLE DX	1	59.0		59	59	59	59	59	59	59
" MULTIPLE DX	13	29.6	436	8	8	36	71	99+	99+	99+
TOTAL 0-19 YRS	2	26.5	181	17	17	26	36	36	36	36
20-34	1	49.0		49	49	49	49	49	49	49
35-49	2	8.0		8	8	54	99+	99+	99+	99+
50-64	5	27.6	358	10	11	26	58	96	99+	99+
65+	4	47.0	643	9	9	59	71	99+	99+	99+
GRAND TOTAL	**14**	**31.7**	**465**	**8**	**8**	**42**	**61**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	6.8	28	1	1	7	10	13	17	18
20-34	4	5.5	16	2	2	4	8	11	11	11
35-49	8	4.1	11	2	2	3	4	10	12	12
50-64	10	10.5	186	1	1	4	13	35	41	41
65+	7	8.0	34	2	2	7	13	17	17	17
2. MULTIPLE DX										
0-19 YRS	13	31.3	393	<1	1	38	48	61	91	99+
20-34	16	29.9	797	2	3	31	74	99+	99+	99+
35-49	16	28.8	561	2	3	31	63	99+	99+	99+
50-64	35	22.8	372	1	2	23	46	61	99+	99+
65+	39	36.2	864	2	2	40	67	99+	99+	99+
TOT. SINGLE DX	43	7.2	62	1	1	4	10	15	22	41
" MULTIPLE DX	119	29.9	627	2	2	31	57	99+	99+	99+
TOTAL 0-19 YRS	27	18.6	352	1	1	11	38	52	61	99+
20-34	20	25.1	733	2	2	19	67	99+	99+	99+
35-49	24	20.5	510	2	2	13	46	94	99+	99+
50-64	45	20.1	353	1	2	13	37	57	99+	99+
65+	46	31.9	839	2	2	27	62	98	99+	99+
GRAND TOTAL	**162**	**23.9**	**576**	**1**	**2**	**16**	**48**	**91**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	15.2	69	4	4	16	22	24	24	24
20-34	10	4.9	14	1	1	3	8	10	11	11
35-49	38	7.7	44	1	1	5	12	16	18	32
50-64	80	11.2	76	2	2	9	15	22	28	44
65+	98	13.5	119	2	2	11	20	29	37	77
2. MULTIPLE DX										
0-19 YRS	4	10.5	6	8	8	10	35	99+	99+	99+
20-34	23	11.3	28	3	5	12	14	18	22	23
35-49	52	12.8	97	1	2	10	19	26	35	40
50-64	196	15.2	128	2	4	12	20	32	37	64
65+	288	16.8	169	3	4	13	22	35	44	68
TOT. SINGLE DX	231	11.4	92	2	2	9	15	23	31	53
" MULTIPLE DX	563	15.6	144	3	4	13	21	32	40	67
TOTAL 0-19 YRS	9	13.1	43	4	6	12	22	62	99+	99+
20-34	33	9.4	32	1	2	10	14	15	20	23
35-49	90	10.7	81	1	1	9	15	23	31	40
50-64	276	14.0	116	2	3	11	19	29	36	59
65+	386	16.0	159	2	3	13	21	33	43	68
GRAND TOTAL	**794**	**14.4**	**132**	**2**	**3**	**12**	**20**	**30**	**39**	**64**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	45.0		45	45	45	45	45	45	45
TOT. SINGLE DX	1	2.0		2	2	2	2	2	2	2
" MULTIPLE DX	1	45.0		45	45	45	45	45	45	45
TOTAL 0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	45.0		45	45	45	45	45	45	45
GRAND TOTAL	**2**	**23.5**	**925**	**2**	**2**	**23**	**45**	**45**	**45**	**45**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	9.9	5	7	7	10	12	13	14	14
20-34	19	9.2	18	2	4	10	11	14	18	20
35-49	32	10.3	41	2	4	9	12	21	26	28
50-64	53	14.8	90	2	4	13	20	26	29	53
65+	41	12.4	73	1	4	11	15	22	29	45
2. MULTIPLE DX										
0-19 YRS	17	17.5	277	3	5	12	18	36	59	71
20-34	47	16.3	108	7	8	14	20	29	50	99+
35-49	72	15.3	116	2	5	13	18	27	31	61
50-64	179	19.9	171	4	8	17	25	36	43	70
65+	203	19.2	199	3	5	17	24	34	46	99
TOT. SINGLE DX	154	12.2	66	2	4	11	15	22	27	45
" MULTIPLE DX	518	18.6	174	3	6	16	24	34	44	91
TOTAL 0-19 YRS	26	14.9	193	4	7	11	16	33	43	71
20-34	66	14.3	92	5	6	12	18	26	34	93
35-49	104	13.7	98	2	5	12	16	26	29	55
50-64	232	18.8	158	3	7	16	24	35	42	67
65+	244	18.0	184	2	4	16	23	32	41	98
GRAND TOTAL	**672**	**17.1**	**156**	**3**	**5**	**14**	**22**	**31**	**39**	**79**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	15.9	34	8	8	16	20	24	25	25
35-49	10	16.9	37	11	11	15	19	27	28	28
50-64	28	17.5	38	9	11	17	21	26	31	32
65+	24	26.6	153	12	13	24	35	40	53	59
2. MULTIPLE DX										
0-19 YRS	6	25.0	272	11	11	18	39	50	51	51
20-34	8	26.0	191	11	12	22	38	46	48	48
35-49	24	17.9	117	9	10	13	20	32	45	50
50-64	113	22.4	133	11	11	20	26	42	48	76
65+	99	24.1	230	11	12	20	26	39	56	95
TOT. SINGLE DX	69	20.4	96	10	11	17	25	34	39	57
" MULTIPLE DX	250	22.8	176	11	11	20	26	41	51	93
TOTAL 0-19 YRS	6	25.0	272	11	11	18	39	50	51	51
20-34	15	21.3	138	8	10	16	26	40	46	48
35-49	34	17.6	92	10	11	14	19	29	41	50
50-64	141	21.4	118	10	11	18	25	37	45	66
65+	123	24.6	215	12	12	21	28	39	55	94
GRAND TOTAL	**319**	**22.3**	**159**	**11**	**11**	**19**	**26**	**39**	**49**	**72**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	6.2	42	1	1	3	10	14	22	27
20-34	39	8.0	56	<1	1	5	11	18	24	36
35-49	74	6.3	31	<1	1	4	9	13	15	29
50-64	147	7.1	43	1	2	5	9	15	18	35
65+	145	8.8	76	1	2	6	12	20	25	43
2. MULTIPLE DX										
0-19 YRS	89	10.5	183	1	1	8	13	21	28	85
20-34	61	12.8	239	1	2	10	16	43	98	99+
35-49	114	10.5	94	1	2	8	14	22	33	69
50-64	287	12.5	116	2	2	10	16	27	34	55
65+	343	15.5	189	2	3	13	21	32	49	99+
TOT. SINGLE DX	459	7.5	53	1	1	5	10	16	23	36
" MULTIPLE DX	894	13.2	160	2	2	10	17	28	41	99+
TOTAL 0-19 YRS	143	8.9	134	1	1	5	12	18	26	81
20-34	100	10.9	172	<1	1	8	14	26	47	99+
35-49	188	8.8	74	<1	2	6	12	19	30	52
50-64	434	10.6	98	2	2	8	14	24	31	49
65+	488	13.5	165	2	2	11	19	28	42	99
GRAND TOTAL	**1353**	**11.3**	**131**	**1**	**2**	**8**	**15**	**25**	**33**	**86**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	6	5.7	9	2	2	5	7	11	11	11
35-49										
50-64	2	21.5	365	8	8	21	35	35	35	35
65+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	3	6.0	12	4	4	4	9	10	10	10
20-34	6	13.2	89	4	4	9	18	29	30	30
35-49	5	6.8	5	4	4	7	8	10	10	10
50-64	8	26.4	432	1	3	24	45	51	53	53
65+	8	16.1	55	5	6	17	22	26	26	26
TOT. SINGLE DX	10	9.3	96	2	2	6	11	24	35	35
" MULTIPLE DX	30	15.7	191	4	4	10	19	41	46	53
TOTAL 0-19 YRS	4	5.0	12	2	2	4	7	10	10	10
20-34	12	9.4	60	2	3	7	10	22	29	30
35-49	5	6.8	6	4	4	7	8	10	10	10
50-64	10	25.4	381	1	4	23	44	49	53	53
65+	9	15.9	49	5	7	16	20	26	26	26
GRAND TOTAL	**40**	**14.1**	**172**	**2**	**4**	**10**	**18**	**36**	**45**	**53**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	5.2	11	2	2	4	6	8	14	16
20-34	105	6.3	19	2	2	6	7	10	13	29
35-49	44	7.0	19	2	2	6	10	13	16	20
50-64	23	9.1	19	3	4	9	12	15	17	19
65+	18	15.1	96	6	7	11	16	26	38	46
2. MULTIPLE DX										
0-19 YRS	76	17.0	302	3	4	9	22	53	63	99+
20-34	113	8.1	49	2	3	6	10	13	17	46
35-49	101	10.8	143	2	3	7	11	27	39	91
50-64	82	14.7	126	3	3	12	19	33	38	55
65+	122	17.7	318	4	4	10	25	40	59	94
TOT. SINGLE DX	216	7.3	31	2	3	6	9	13	16	29
" MULTIPLE DX	494	13.5	200	3	4	9	16	34	47	92
TOTAL 0-19 YRS	102	14.0	254	2	3	8	16	47	59	99+
20-34	218	7.2	36	2	3	6	8	12	17	38
35-49	145	9.7	109	2	3	7	11	19	31	84
50-64	105	13.5	108	3	3	10	17	25	35	51
65+	140	17.4	290	4	5	10	24	40	56	93
GRAND TOTAL	**710**	**11.6**	**157**	**2**	**3**	**7**	**13**	**27**	**41**	**77**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	40	6.4	19	<1	1	6	10	13	14	16
20-34	35	8.1	45	<1	1	7	11	19	22	27
35-49	26	7.9	41	<1	1	6	13	19	20	21
50-64	41	13.3	155	2	3	9	16	30	37	62
65+	23	12.8	57	3	3	13	18	23	25	28
2. MULTIPLE DX										
0-19 YRS	31	11.9	66	1	3	11	16	20	2	42
20-34	67	11.8	83	2	3	9	14	24	28	47
35-49	48	16.1	214	1	3	13	21	31	47	80
50-64	129	17.6	218	2	4	14	21	34	46	74
65+	97	19.1	254	2	4	14	27	42	46	77
TOT. SINGLE DX	165	9.6	74	1	2	7	13	20	24	42
" MULTIPLE DX	372	16.3	196	2	3	13	20	34	45	74
TOTAL 0-19 YRS	71	8.8	47	1	1	8	12	16	19	38
20-34	102	10.5	73	1	2	9	13	23	26	43
35-49	74	13.2	168	1	2	10	19	23	34	74
50-64	170	16.5	205	2	3	14	20	33	46	70
65+	120	17.9	222	3	4	14	23	37	45	76
GRAND TOTAL	**537**	**14.2**	**168**	**1**	**2**	**11**	**18**	**30**	**42**	**71**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	12.2	63	8	8	10	12	17	20	54
20-34	11	10.7	2	8	8	11	12	13	13	13
35-49	26	11.2	2	8	9	11	12	13	14	14
50-64	28	12.4	9	9	9	12	13	17	20	21
65+	20	13.8	8	10	12	13	15	17	20	22
2. MULTIPLE DX										
0-19 YRS	52	17.7	182	8	9	13	20	35	47	99+
20-34	31	16.4	95	8	9	13	19	29	34	54
35-49	56	15.3	36	9	10	14	17	25	30	38
50-64	127	17.2	128	9	10	13	18	32	43	82
65+	86	18.7	85	10	11	15	23	32	39	47
TOT. SINGLE DX	121	12.2	23	8	9	12	13	16	19	31
" MULTIPLE DX	352	17.2	109	9	10	14	19	31	41	76
TOTAL 0-19 YRS	88	15.4	139	8	9	12	17	25	42	96
20-34	42	14.9	77	8	9	12	16	25	32	54
35-49	82	14.0	29	9	10	12	15	19	27	36
50-64	155	16.3	110	9	10	13	17	27	42	76
65+	106	17.8	75	10	11	14	21	32	38	46
GRAND TOTAL	**473**	**15.9**	**92**	**9**	**9**	**13**	**17**	**27**	**37**	**61**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	40	12.0	13	8	9	11	13	16	19	26
50-64	108	12.8	23	8	9	11	13	18	21	35
65+	46	12.8	11	9	9	12	14	17	19	25
2. MULTIPLE DX										
0-19 YRS										
20-34	8	10.1	1	9	9	10	11	12	12	12
35-49	164	13.1	35	9	9	11	14	19	24	41
50-64	523	15.3	95	9	9	12	16	25	32	78
65+	214	17.5	96	10	10	14	22	31	43	99+
TOT. SINGLE DX	195	12.6	19	8	9	11	14	17	20	30
" MULTIPLE DX	909	15.4	86	9	9	12	17	25	33	70
TOTAL 0-19 YRS										
20-34	9	10.3	2	9	9	10	11	12	12	12
35-49	204	12.9	31	9	9	11	14	18	24	39
50-64	631	14.9	84	9	9	12	16	24	30	66
65+	260	16.7	85	9	10	13	19	28	38	95
GRAND TOTAL	**1104**	**14.9**	**75**	**9**	**9**	**12**	**16**	**24**	**31**	**64**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	153	2.7	7	2	2	2	3	3	5	20
20-34	78	3.4	6	<1	1	3	3	7	9	13
35-49	317	3.0	10	<1	<1	2	3	6	10	18
50-64	541	2.9	11	<1	<1	2	3	6	11	19
65+	180	2.8	14	<1	<1	1	3	6	12	20
2. MULTIPLE DX										
0-19 YRS	165	5.3	77	1	2	3	4	10	19	43
20-34	136	5.7	98	<1	1	3	5	11	20	57
35-49	813	5.1	36	<1	1	3	6	12	16	33
50-64	1950	5.3	39	<1	<1	3	7	14	17	31
65+	755	6.7	66	<1	<1	3	9	17	23	37
TOT. SINGLE DX	1269	2.9	11	<1	1	2	3	6	10	19
" MULTIPLE DX	3819	5.5	48	<1	<1	3	7	14	19	35
TOTAL 0-19 YRS	318	4.1	45	1	2	2	3	6	14	41
20-34	214	4.9	66	<1	1	3	4	9	16	40
35-49	1130	4.5	30	<1	1	3	4	11	15	29
50-64	2491	4.8	34	<1	<1	3	5	12	16	29
65+	935	6.0	59	<1	<1	3	7	16	22	36
GRAND TOTAL	**5088**	**4.9**	**40**	**<1**	**<1**	**3**	**5**	**13**	**17**	**33**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	11.3	46	4	4	11	17	18	18	18
20-34	11	6.5	17	<1	2	5	10	13	13	13
35-49	16	9.8	99	1	3	7	12	17	35	43
50-64	66	7.7	29	2	3	6	11	16	18	25
65+	235	6.6	28	1	2	5	8	13	19	25
2. MULTIPLE DX										
0-19 YRS	10	4.9	5	2	2	4	5	9	9	9
20-34	23	12.3	84	4	4	11	17	28	33	37
35-49	53	15.0	154	3	4	12	19	30	38	63
50-64	210	13.7	116	3	4	11	19	25	32	54
65+	919	13.7	147	3	4	10	17	29	42	82
TOT. SINGLE DX	332	7.0	32	1	2	5	9	14	18	26
" MULTIPLE DX	1215	13.6	140	3	4	10	18	27	38	82
TOTAL 0-19 YRS	14	6.7	23	2	3	5	9	16	18	18
20-34	34	10.4	70	3	4	8	14	19	30	37
35-49	69	13.8	145	3	3	11	17	29	39	61
50-64	276	12.2	102	3	3	9	17	23	28	50
65+	1154	12.2	131	2	3	9	15	25	36	81
GRAND TOTAL	**1547**	**12.2**	**124**	**2**	**3**	**9**	**16**	**24**	**35**	**60**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	7.8	20	2	2	9	11	13	14	14
20-34	5	9.2	15	3	3	10	11	14	14	14
35-49	20	5.0	21	2	2	3	4	9	16	20
50-64	35	5.2	11	2	3	4	5	12	14	14
65+	6	8.7	48	3	3	5	16	19	19	19
2. MULTIPLE DX										
0-19 YRS	8	24.5	342	7	8	20	33	55	61	61
20-34	11	14.4	26	8	9	12	17	23	24	24
35-49	17	9.4	29	2	3	7	14	18	19	19
50-64	62	12.9	138	2	3	11	15	22	37	68
65+	27	20.3	275	4	6	12	27	42	51	78
TOT. SINGLE DX	74	5.9	19	2	3	4	8	13	14	22
" MULTIPLE DX	125	14.9	170	2	3	12	18	28	42	73
TOTAL 0-19 YRS	16	16.1	244	2	2	11	20	40	55	61
20-34	16	12.8	28	4	8	11	15	22	23	24
35-49	37	7.0	30	2	3	5	9	15	19	23
50-64	97	10.1	106	2	3	7	13	20	23	60
65+	33	18.2	252	3	4	12	23	41	45	78
GRAND TOTAL	**199**	**11.6**	**132**	**2**	**3**	**10**	**14**	**23**	**35**	**55**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	5.5	41	<1	<1	4	7	10	18	40
20-34	36	3.8	9	<1	1	3	5	10	11	11
35-49	40	4.6	34	<1	<1	2	5	11	15	31
50-64	72	6.1	80	1	1	2	7	15	21	54
65+	69	7.9	143	1	2	3	8	20	32	65
2. MULTIPLE DX										
0-19 YRS	52	13.2	290	1	1	6	18	38	47	82
20-34	38	5.6	48	<1	<1	3	6	13	16	38
35-49	48	10.6	128	1	1	6	15	27	32	53
50-64	145	13.3	179	1	2	10	18	29	42	58
65+	237	14.8	198	1	2	11	20	36	47	79
TOT. SINGLE DX	278	5.9	72	<1	1	3	7	13	20	45
" MULTIPLE DX	520	13.2	190	1	2	9	18	31	42	73
TOTAL 0-19 YRS	113	9.0	169	<1	1	5	10	22	41	70
20-34	74	4.7	30	<1	1	3	6	11	14	33
35-49	88	7.8	94	<1	1	3	11	20	29	48
50-64	217	10.9	158	1	1	7	15	25	35	58
65+	306	13.2	194	1	2	9	18	33	43	74
GRAND TOTAL	**798**	**10.6**	**161**	**1**	**1**	**6**	**14**	**26**	**37**	**68**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	3.9	2	1	3	4	5	6	7	7
20-34	345	4.2	3	2	2	4	5	6	8	10
35-49	677	4.8	12	2	2	4	6	8	9	16
50-64	482	5.6	23	2	2	4	7	10	13	23
65+	126	6.7	51	1	2	5	8	12	20	41
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	78	5.7	13	1	2	5	8	10	12	21
35-49	209	6.0	27	2	3	5	7	10	14	29
50-64	243	8.5	83	2	3	6	9	18	25	55
65+	85	12.5	224	2	2	7	12	41	47	66
TOT. SINGLE DX	1646	5.1	17	2	2	4	6	8	11	22
" MULTIPLE DX	616	7.8	79	2	3	5	8	15	22	54
TOTAL 0-19 YRS	17	3.8	2	2	3	4	4	6	7	7
20-34	423	4.5	6	2	2	4	5	7	9	13
35-49	886	5.1	16	2	3	4	6	8	10	21
50-64	725	6.6	45	2	3	5	7	12	17	34
65+	211	9.0	128	1	2	5	9	15	39	58
GRAND TOTAL	**2262**	**5.8**	**36**	**2**	**2**	**4**	**6**	**10**	**13**	**36**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	7	5.1	4	3	3	5	7	9	9	9
35-49	34	11.9	31	3	4	12	15	18	24	25
50-64	147	12.7	25	6	8	12	14	17	21	38
65+	118	14.9	50	7	8	13	18	25	32	66
2. MULTIPLE DX										
0-19 YRS	19	19.8	238	6	7	12	29	54	80	99+
20-34	38	19.7	223	4	6	16	27	46	66	99+
35-49	109	18.4	165	7	8	14	22	41	45	85
50-64	532	18.1	164	8	9	14	21	32	46	96
65+	531	19.9	138	9	10	17	23	35	47	90
TOT. SINGLE DX	307	13.3	38	6	7	12	15	21	25	40
" MULTIPLE DX	1229	19.0	157	8	9	15	22	35	48	99+
TOTAL 0-19 YRS	20	19.6	227	6	7	12	28	53	79	99+
20-34	45	17.5	217	3	4	14	22	35	60	99+
35-49	143	16.9	141	6	8	13	20	31	44	76
50-64	679	16.9	140	8	9	13	19	29	40	86
65+	649	19.0	126	8	10	16	22	34	45	89
GRAND TOTAL	**1536**	**17.9**	**138**	**7**	**9**	**14**	**21**	**32**	**44**	**89**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	3	12.0	84	4	4	10	19	22	22	22
35-49	1	19.0		19	19	19	19	19	19	19
50-64										
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	11	6.8	23	2	2	5	11	14	15	15
20-34	41	6.5	47	1	2	5	7	11	14	44
35-49	32	8.1	40	1	2	7	12	15	18	30
50-64	86	8.2	47	1	1	6	12	19	23	29
65+	56	10.6	133	<1	1	7	14	24	33	62
TOT. SINGLE DX	6	11.7	56	4	4	10	19	22	22	22
" MULTIPLE DX	226	8.4	68	1	1	6	11	18	23	38
TOTAL 0-19 YRS	12	7.2	23	2	2	5	12	14	15	15
20-34	44	6.9	50	1	2	5	8	13	17	44
35-49	33	8.4	43	1	2	7	13	16	19	30
50-64	86	8.2	48	1	1	6	12	19	23	29
65+	57	10.5	132	<1	1	7	14	24	33	62
GRAND TOTAL	**232**	**8.5**	**68**	**1**	**2**	**6**	**12**	**18**	**23**	**37**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	59	8.8	35	1	2	9	11	15	18	35
20-34	64	7.8	47	1	2	6	11	18	21	35
35-49	65	9.1	63	1	2	6	12	20	21	47
50-64	211	12.0	62	2	4	11	15	23	27	40
65+	201	12.7	52	2	5	11	17	23	26	35
2. MULTIPLE DX										
0-19 YRS	300	22.4	518	2	5	14	31	74	96	99+
20-34	172	11.8	201	1	1	7	15	30	46	71
35-49	217	15.1	284	1	2	10	16	31	51	87
50-64	763	15.3	148	3	4	12	18	31	39	71
65+	1032	17.7	176	4	6	14	22	36	47	96
TOT. SINGLE DX	600	11.2	58	2	3	10	14	21	25	37
" MULTIPLE DX	2484	16.9	227	2	4	13	21	36	52	99+
TOTAL 0-19 YRS	359	20.2	464	2	4	12	28	66	92	99+
20-34	236	10.7	162	1	1	6	13	24	37	60
35-49	282	13.7	239	1	2	10	15	26	50	84
50-64	974	14.6	132	3	4	12	17	29	37	67
65+	1233	16.9	160	4	6	14	21	33	45	93
GRAND TOTAL	**3084**	**15.8**	**199**	**2**	**4**	**12**	**19**	**32**	**47**	**95**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	126	4.5	24	<1	1	3	6	11	16	25
20-34	152	5.4	36	<1	1	3	6	14	19	30
35-49	115	6.4	81	<1	1	3	7	16	21	53
50-64	82	7.7	69	1	2	5	9	17	24	46
65+	81	9.6	153	1	1	5	14	25	35	90
2. MULTIPLE DX										
0-19 YRS	56	11.6	158	<1	1	7	17	21	30	64
20-34	90	8.5	121	<1	1	4	11	21	31	61
35-49	95	10.6	84	1	2	7	15	25	31	38
50-64	203	13.7	171	2	2	10	19	31	40	65
65+	227	15.3	218	2	2	11	20	33	46	72
TOT. SINGLE DX	556	6.4	67	<1	1	3	7	16	22	44
" MULTIPLE DX	671	12.9	172	1	2	9	18	28	38	65
TOTAL 0-19 YRS	182	6.7	76	<1	1	3	8	17	21	50
20-34	242	6.6	70	<1	1	3	8	17	22	35
35-49	210	8.3	87	<1	2	5	11	21	26	41
50-64	285	12.0	149	2	2	8	16	26	37	59
65+	308	13.8	207	1	2	9	18	31	45	73
GRAND TOTAL	**1227**	**10.0**	**135**	**1**	**2**	**6**	**14**	**24**	**32**	**63**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	6	11.5	56	3	3	10	13	24	25	25
35-49	13	8.4	48	<1	<1	7	12	20	23	24
50-64	14	12.9	232	3	4	7	13	30	53	60
65+	13	13.6	103	4	4	9	21	27	35	37
2. MULTIPLE DX										
0-19 YRS	6	8.5	16	4	4	8	11	14	14	14
20-34	26	10.5	38	3	3	10	13	21	22	23
35-49	33	12.8	68	1	4	10	17	25	31	33
50-64	52	17.2	261	3	4	13	20	34	47	91
65+	47	13.4	66	4	6	12	16	25	33	38
TOT. SINGLE DX	49	11.1	116	2	3	7	14	24	27	60
" MULTIPLE DX	164	13.8	127	3	4	11	17	25	33	64
TOTAL 0-19 YRS	9	6.6	19	2	2	5	11	13	14	14
20-34	32	10.7	40	3	3	10	13	22	23	25
35-49	46	11.6	66	<1	2	10	16	23	29	33
50-64	66	16.3	255	3	4	12	20	33	50	88
65+	60	13.4	73	4	5	12	17	25	34	38
GRAND TOTAL	**213**	**13.2**	**125**	**3**	**3**	**10**	**16**	**25**	**33**	**63**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX	2	12.5	13	10	10	12	15	15	15	15
TOTAL 0-19 YRS										
20-34	1	15.0		15	15	15	15	15	15	15
35-49	1	10.0		10	10	10	10	10	10	10
50-64										
65+										
GRAND TOTAL	**2**	**12.5**	**13**	**10**	**10**	**12**	**15**	**15**	**15**	**15**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	88	9.0	49	1	3	7	10	18	23	38
20-34	85	11.0	72	3	3	8	13	24	30	42
35-49	62	11.8	82	2	4	9	14	24	33	42
50-64	103	12.7	106	2	4	10	16	23	29	58
65+	163	14.6	146	2	4	11	20	33	38	97
2. MULTIPLE DX										
0-19 YRS	134	15.4	203	3	4	10	21	35	53	99+
20-34	173	15.3	173	3	4	12	19	35	43	75
35-49	163	17.0	217	3	5	11	23	40	49	85
50-64	424	16.9	161	4	5	14	22	34	44	92
65+	777	19.7	212	5	7	16	26	39	56	99+
TOT. SINGLE DX	501	12.3	104	2	4	9	15	26	34	55
" MULTIPLE DX	1676	17.9	198	4	5	14	23	36	50	99+
TOTAL 0-19 YRS	222	12.9	152	3	4	8	15	28	44	81
20-34	263	13.9	145	3	4	10	17	29	39	70
35-49	225	15.6	186	3	4	11	21	33	43	78
50-64	527	16.1	153	4	5	13	21	33	42	69
65+	940	18.8	204	4	6	15	25	38	54	99+
GRAND TOTAL	**2177**	**16.6**	**182**	**4**	**5**	**13**	**22**	**34**	**47**	**97**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	19.6	140	7	7	22	30	34	35	35
20-34	7	13.7	429	2	2	5	15	51	59	59
35-49	4	3.3	6	2	2	2	5	7	7	7
50-64	6	7.3	41	<1	<1	6	14	15	15	15
65+	3	23.0	388	1	1	29	36	39	39	39
2. MULTIPLE DX										
0-19 YRS	19	24.7	473	2	3	16	43	61	63	64
20-34	41	19.4	435	1	3	8	26	59	65	75
35-49	22	19.4	134	6	7	17	29	37	40	43
50-64	20	20.2	211	3	4	17	29	41	48	54
65+	31	20.3	411	2	5	14	38	92	99+	99+
TOT. SINGLE DX	27	13.3	215	1	2	7	21	34	42	59
" MULTIPLE DX	133	20.5	345	2	4	15	30	54	66	99+
TOTAL 0-19 YRS	26	23.3	380	3	4	16	35	58	62	64
20-34	48	18.5	429	1	2	7	25	58	63	75
35-49	26	16.9	149	2	3	14	28	36	39	43
50-64	26	17.2	200	1	2	14	27	39	45	54
65+	34	20.6	398	1	4	15	38	86	99+	99+
GRAND TOTAL	**160**	**19.3**	**329**	**2**	**3**	**14**	**29**	**48**	**63**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	4.2	23	1	1	2	5	10	17	18
20-34	28	6.9	27	<1	1	6	10	12	19	22
35-49	15	7.2	61	<1	1	4	10	17	27	30
50-64	52	7.6	52	<1	1	5	11	20	26	31
65+	90	8.9	76	<1	<1	6	13	19	24	44
2. MULTIPLE DX										
0-19 YRS	29	7.4	110	1	1	3	8	23	34	44
20-34	31	9.6	67	<1	1	7	16	21	28	29
35-49	44	14.5	164	2	3	10	22	33	43	55
50-64	154	14.6	208	1	2	11	18	30	44	77
65+	271	14.3	213	2	2	10	20	32	49	98
TOT. SINGLE DX	197	7.9	59	<1	1	5	11	18	23	37
" MULTIPLE DX	529	13.8	196	1	2	10	18	30	44	85
TOTAL 0-19 YRS	41	6.5	86	1	1	3	7	17	30	44
20-34	59	8.3	50	<1	1	6	11	19	22	29
35-49	59	12.6	147	1	2	8	17	29	40	54
50-64	206	12.8	178	1	2	9	16	27	37	71
65+	361	13.0	184	1	2	9	17	29	43	91
GRAND TOTAL	**726**	**12.2**	**166**	**1**	**2**	**9**	**16**	**27**	**37**	**77**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	108	6.4	12	3	3	6	8	10	11	24
20-34	2	10.0	32	6	6	10	14	14	14	14
35-49	2	10.5	41	6	6	10	15	15	15	15
50-64	1	8.0		8	8	8	8	8	8	8
65+	2	10.5	41	5	6	10	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	32	9.8	31	4	5	8	11	20	23	24
20-34	4	15.0	148	6	6	10	22	33	33	33
35-49	2	20.5	113	13	13	20	28	28	28	28
50-64	5	23.4	307	7	7	25	33	50	50	50
65+	11	19.4	206	3	6	18	32	64	95	99+
TOT. SINGLE DX	115	6.6	13	3	4	6	8	11	14	23
" MULTIPLE DX	54	13.8	117	4	6	10	20	28	47	97
TOTAL 0-19 YRS	140	7.2	18	3	4	6	8	11	17	24
20-34	6	13.3	102	6	6	10	14	31	33	33
35-49	4	15.5	84	6	6	14	21	28	28	28
50-64	6	20.8	205	7	7	17	27	48	50	50
65+	13	18.0	186	4	6	16	25	54	90	99+
GRAND TOTAL	169	8.9	57	3	4	7	10	18	25	50

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	87.0		87	87	87	87	87	87	87
35-49										
50-64	2	12.5	85	6	6	12	19	19	19	19
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	5	24.8	385	5	5	43	99+	99+	99+	99+
20-34	4	18.5	289	9	9	10	27	44	44	44
35-49	5	16.8	51	9	9	21	23	92	99+	99+
50-64	16	25.9	658	1	4	17	34	88	96	99+
65+	15	25.7	213	8	9	29	39	91	99+	99+
TOT. SINGLE DX	4	29.0	1539	4	4	12	53	87	87	87
" MULTIPLE DX	45	24.0	363	5	8	22	42	99+	99+	99+
TOTAL 0-19 YRS	5	24.8	385	5	5	43	99+	99+	99+	99+
20-34	5	32.2	1156	9	9	11	55	87	87	87
35-49	5	16.8	51	9	9	21	23	92	99+	99+
50-64	18	24.4	605	1	4	17	31	86	95	99+
65+	16	24.4	229	6	8	28	38	87	99+	99+
GRAND TOTAL	49	24.4	431	4	6	21	42	99+	99+	99+

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	4.0	22	<1	<1	2	7	11	11	11
20-34	38	8.2	68	<1	1	6	11	16	26	43
35-49	25	7.7	13	3	4	7	9	13	15	18
50-64	83	10.8	84	1	2	8	16	22	27	48
65+	92	9.5	56	1	2	7	13	20	24	40
2. MULTIPLE DX										
0-19 YRS	11	13.4	141	1	2	13	17	34	36	36
20-34	45	10.2	104	1	2	6	14	25	35	43
35-49	130	10.2	68	2	3	8	13	20	24	45
50-64	265	12.7	107	2	4	10	16	25	31	59
65+	470	15.0	169	3	4	11	18	30	46	80
TOT. SINGLE DX	242	9.5	64	<1	2	7	12	20	24	43
" MULTIPLE DX	921	13.4	136	2	4	10	17	27	36	69
TOTAL 0-19 YRS	15	10.9	124	<1	<1	6	15	33	35	36
20-34	83	9.3	88	<1	2	6	11	23	30	43
35-49	155	9.8	60	2	3	7	12	19	23	45
50-64	348	12.3	102	2	3	9	16	24	31	56
65+	562	14.1	155	2	4	11	17	29	44	75
GRAND TOTAL	1163	12.6	124	2	3	9	16	25	33	64

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	35	13.2	44	8	8	10	15	24	30	33
35-49	64	12.9	36	7	8	11	15	20	26	39
50-64	55	15.8	67	8	9	14	19	25	29	57
65+	41	16.3	70	9	10	15	19	27	36	47
2. MULTIPLE DX										
0-19 YRS	3	33.0	703	10	10	27	53	62	62	62
20-34	43	16.0	82	7	7	13	20	29	36	44
35-49	84	19.1	182	8	9	16	22	33	44	83
50-64	168	21.0	170	9	10	17	25	39	55	96
65+	180	23.3	174	11	12	20	26	42	54	75
TOT. SINGLE DX	195	14.6	56	8	8	12	17	24	30	44
" MULTIPLE DX	478	21.2	173	9	10	17	25	38	52	81
TOTAL 0-19 YRS	3	33.0	703	10	10	27	53	62	62	62
20-34	78	14.8	67	7	8	12	18	29	32	42
35-49	148	16.4	128	8	8	12	19	28	37	63
50-64	223	19.7	150	9	10	16	24	35	51	87
65+	221	22.1	161	10	11	18	25	40	52	74
GRAND TOTAL	**673**	**19.3**	**148**	**8**	**9**	**16**	**23**	**35**	**46**	**73**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	2	18.5	13	16	16	18	21	21	21	21
50-64	6	18.8	90	12	12	14	24	35	36	36
65+	6	22.7	36	14	15	22	26	31	32	32
2. MULTIPLE DX										
0-19 YRS										
20-34	2	63.0	2178	30	30	63	96	96	96	96
35-49	5	26.6	175	12	13	28	46	95	99+	99+
50-64	30	30.2	419	12	13	23	35	60	77	98
65+	29	30.4	232	14	15	27	38	55	61	69
TOT. SINGLE DX	14	20.4	54	12	13	20	24	32	35	36
" MULTIPLE DX	66	31.0	365	12	15	26	38	60	80	99+
TOTAL 0-19 YRS										
20-34	2	63.0	2178	30	30	63	96	96	96	96
35-49	7	24.3	135	12	13	22	39	84	99+	99+
50-64	36	28.3	379	12	12	22	34	59	72	98
65+	35	29.1	205	14	15	26	38	54	59	69
GRAND TOTAL	**80**	**29.2**	**326**	**12**	**14**	**23**	**35**	**57**	**73**	**99**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	10.5	5	8	8	10	12	13	13	13
20-34	73	9.7	9	6	7	9	11	13	16	23
35-49	56	10.7	20	7	7	9	12	15	19	33
50-64	59	10.7	13	6	7	10	13	16	19	22
65+	23	17.7	109	8	9	15	21	25	40	58
2. MULTIPLE DX										
0-19 YRS	6	9.8	7	8	8	9	10	14	15	15
20-34	66	12.0	37	6	7	10	14	19	24	36
35-49	103	13.6	59	7	8	11	15	25	30	42
50-64	85	15.1	104	8	8	12	17	23	32	66
65+	81	22.4	175	9	10	19	27	38	51	71
TOT. SINGLE DX	215	11.1	29	7	7	9	12	17	20	31
" MULTIPLE DX	341	15.7	108	7	8	12	18	28	37	56
TOTAL 0-19 YRS	10	10.1	6	8	8	9	12	14	15	15
20-34	139	10.8	24	6	7	9	12	17	20	35
35-49	159	12.6	48	7	8	10	14	21	29	38
50-64	144	13.3	72	7	8	11	15	20	24	51
65+	104	21.3	163	9	10	18	26	37	51	71
GRAND TOTAL	**556**	**13.9**	**82**	**7**	**7**	**11**	**16**	**24**	**31**	**52**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	19	8.6	26	3	5	7	9	14	21	26
20-34	167	8.7	5	6	7	8	10	11	12	18
35-49	120	9.6	19	5	6	9	11	14	16	29
50-64	84	11.6	65	6	7	9	12	18	25	50
65+	54	14.4	97	7	7	12	16	22	35	63
2. MULTIPLE DX										
0-19 YRS	25	15.8	175	3	5	11	22	44	60	99+
20-34	137	12.4	58	6	7	10	13	20	29	44
35-49	214	13.5	110	6	7	10	14	25	38	99+
50-64	187	16.1	106	6	8	13	21	30	34	67
65+	195	23.6	321	8	9	17	30	49	69	99
TOT. SINGLE DX	444	10.2	36	6	6	9	11	15	19	44
" MULTIPLE DX	758	16.6	174	7	8	12	20	32	47	99
TOTAL 0-19 YRS	44	12.7	122	3	5	9	14	33	45	99+
20-34	304	10.3	33	6	7	9	11	14	19	43
35-49	334	12.1	81	6	7	10	12	21	29	79
50-64	271	14.7	98	6	7	11	18	28	33	55
65+	249	21.6	287	7	8	15	28	47	62	99
GRAND TOTAL	**1202**	**14.2**	**133**	**6**	**7**	**10**	**15**	**28**	**42**	**75**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	8.6	39	1	2	7	11	19	22	31
20-34	111	9.4	66	1	2	8	12	18	22	47
35-49	73	8.2	36	1	2	8	10	17	19	27
50-64	78	7.2	54	1	1	5	10	15	26	35
65+	103	8.2	66	1	1	6	11	16	26	43
2. MULTIPLE DX										
0-19 YRS	65	10.6	63	3	4	9	13	17	24	52
20-34	144	12.0	83	2	3	10	16	20	27	49
35-49	123	12.7	106	3	5	9	16	25	31	87
50-64	190	13.9	139	2	3	10	17	26	43	55
65+	306	15.7	190	2	3	12	20	33	44	91
TOT. SINGLE DX	441	8.4	55	1	1	7	11	17	23	35
" MULTIPLE DX	828	13.8	140	2	3	10	17	27	39	64
TOTAL 0-19 YRS	141	9.5	51	2	3	8	12	18	22	35
20-34	255	10.9	78	2	3	9	14	19	25	48
35-49	196	11.0	85	2	3	8	14	22	27	64
50-64	268	12.0	123	1	2	9	16	24	38	53
65+	409	13.8	170	1	2	10	18	31	40	74
GRAND TOTAL	**1269**	**11.9**	**117**	**1**	**2**	**9**	**15**	**25**	**34**	**56**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	12.0	14	9	9	10	15	17	17	17
20-34	11	16.8	112	5	6	11	27	31	35	35
35-49	14	14.2	44	8	8	13	16	22	31	33
50-64	21	15.8	66	7	8	13	20	27	34	39
65+	20	17.0	49	9	10	15	20	28	33	35
2. MULTIPLE DX										
0-19 YRS	26	13.3	135	7	7	10	17	53	99+	99+
20-34	47	18.7	157	7	8	16	22	32	48	67
35-49	37	21.3	198	8	9	18	27	53	86	99+
50-64	78	23.7	245	9	10	18	30	45	56	79
65+	94	25.6	431	10	11	19	31	65	84	99
TOT. SINGLE DX	71	15.7	60	7	8	14	19	28	33	38
" MULTIPLE DX	282	22.2	287	8	9	17	26	47	70	99+
TOTAL 0-19 YRS	31	13.1	115	7	7	10	17	34	95	99+
20-34	58	18.4	148	6	7	15	24	32	46	66
35-49	51	19.4	165	8	9	16	22	45	68	99+
50-64	99	22.0	217	8	10	16	26	42	55	76
65+	114	24.1	374	10	11	17	28	44	83	99
GRAND TOTAL	**353**	**20.9**	**248**	**8**	**9**	**16**	**25**	**43**	**65**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	16	16.8	42	6	9	18	21	26	27	27
20-34	51	15.3	110	7	8	12	18	25	33	71
35-49	84	16.4	80	8	8	14	19	27	36	50
50-64	147	15.2	33	9	10	14	18	22	26	49
65+	193	18.7	159	10	10	15	21	29	38	87
2. MULTIPLE DX										
0-19 YRS	24	28.6	537	8	10	20	45	84	99+	99+
20-34	123	21.7	295	8	9	15	22	41	66	84
35-49	161	18.9	114	9	11	16	23	29	36	75
50-64	369	20.8	164	10	10	16	25	39	49	98
65+	728	23.3	189	11	12	19	28	42	55	99+
TOT. SINGLE DX	491	16.9	101	9	9	14	19	26	33	73
" MULTIPLE DX	1405	22.1	192	10	11	18	26	41	55	99+
TOTAL 0-19 YRS	40	23.9	367	7	9	19	27	75	90	99+
20-34	174	19.8	249	8	9	15	21	36	64	79
35-49	245	18.0	103	8	10	15	21	29	36	71
50-64	516	19.2	134	9	10	15	22	35	46	95
65+	921	22.4	186	10	11	18	26	40	52	99
GRAND TOTAL	**1896**	**20.7**	**173**	**9**	**11**	**17**	**24**	**37**	**50**	**95**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	12.3	140	5	5	6	21	26	26	26
20-34	5	12.8	20	8	8	13	16	19	19	19
35-49	7	14.6	87	7	7	11	19	31	33	33
50-64	11	12.5	19	7	8	12	14	18	24	24
65+	10	20.6	85	10	11	18	29	34	35	35
2. MULTIPLE DX										
0-19 YRS	8	9.8	42	4	5	8	14	70	99+	99+
20-34	12	14.4	73	5	6	12	18	27	34	35
35-49	16	19.5	247	7	7	17	23	59	86	99+
50-64	34	23.9	289	9	10	19	29	44	65	85
65+	54	28.9	269	10	12	26	42	71	99+	99+
TOT. SINGLE DX	36	15.2	65	6	7	13	19	29	34	35
" MULTIPLE DX	124	23.7	268	7	8	19	33	54	85	99+
TOTAL 0-19 YRS	11	10.5	59	4	5	8	18	48	93	99+
20-34	17	13.9	56	5	6	13	16	23	31	35
35-49	23	18.0	198	7	7	13	21	54	73	99+
50-64	45	21.1	246	8	9	14	25	40	51	85
65+	64	27.6	248	10	11	24	39	56	99+	99+
GRAND TOTAL	**160**	**21.8**	**234**	**7**	**8**	**17**	**29**	**48**	**78**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	35	6.5	25	1	2	5	8	14	17	24
20-34	37	9.2	13	4	4	10	11	12	17	20
35-49	42	11.8	59	4	5	9	15	20	34	35
50-64	44	12.4	131	4	6	9	11	27	30	73
65+	55	11.7	46	5	5	10	14	19	20	40
2. MULTIPLE DX										
0-19 YRS	48	13.1	138	4	5	9	14	27	54	99+
20-34	90	16.5	195	6	6	12	19	37	55	92
35-49	93	14.4	74	6	7	12	16	26	31	51
50-64	154	17.9	160	6	8	14	23	30	45	85
65+	186	18.0	175	6	8	15	21	34	48	99+
TOT. SINGLE DX	213	10.6	61	3	4	9	11	19	24	37
" MULTIPLE DX	571	16.8	157	6	7	13	20	30	45	97
TOTAL 0-19 YRS	83	10.3	100	2	3	8	12	18	35	85
20-34	127	14.4	153	4	6	10	15	29	40	84
35-49	135	13.6	71	5	6	11	16	25	32	41
50-64	198	16.7	159	6	7	13	21	30	42	80
65+	241	16.6	153	5	7	13	20	29	43	99+
GRAND TOTAL	**784**	**15.1**	**138**	**4**	**6**	**12**	**18**	**28**	**38**	**86**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	15.5	33	8	8	16	20	21	21	21
20-34	5	34.2	574	12	12	24	59	61	61	61
35-49	6	16.5	28	7	8	17	19	23	23	23
50-64	8	22.6	347	5	7	18	25	53	65	65
65+	15	20.5	169	1	3	22	26	31	48	54
2. MULTIPLE DX										
0-19 YRS	5	17.0	172	1	2	20	35	93	99+	99+
20-34	14	21.6	243	9	9	15	39	54	88	99+
35-49	16	20.9	146	7	8	17	29	36	46	51
50-64	57	24.8	230	10	10	21	30	50	64	70
65+	82	29.0	281	11	13	25	39	59	95	99+
TOT. SINGLE DX	38	21.6	229	4	7	19	25	47	60	65
" MULTIPLE DX	174	26.0	253	9	11	22	35	56	69	99+
TOTAL 0-19 YRS	9	16.3	100	1	4	19	22	67	99+	99+
20-34	19	24.9	336	9	10	15	46	60	80	99+
35-49	22	19.7	116	7	8	17	23	34	42	51
50-64	65	24.6	240	10	10	21	28	53	66	70
65+	97	27.7	272	9	11	25	36	58	84	99+
GRAND TOTAL	**212**	**25.2**	**250**	**8**	**10**	**21**	**33**	**54**	**67**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3182	4.6	6	2	3	4	5	7	8	14
20-34	1900	4.6	5	2	3	4	5	7	8	13
35-49	448	5.3	7	3	3	5	6	8	10	16
50-64	149	7.1	21	3	3	5	9	12	17	22
65+	75	9.1	19	3	5	8	12	15	16	25
2. MULTIPLE DX										
0-19 YRS	720	7.5	31	3	3	6	9	14	18	31
20-34	599	6.9	19	3	3	6	8	11	15	24
35-49	177	8.8	42	3	4	7	11	16	20	31
50-64	135	11.8	54	4	5	10	15	22	28	35
65+	100	14.9	103	4	5	12	19	29	36	52
TOT. SINGLE DX	5754	4.7	7	2	3	4	5	7	9	15
" MULTIPLE DX	1731	8.2	39	3	3	6	10	15	20	33
TOTAL 0-19 YRS	3902	5.1	12	2	3	4	6	8	11	19
20-34	2499	5.1	9	2	3	4	6	8	10	17
35-49	625	6.3	20	3	3	5	7	11	14	23
50-64	284	9.3	42	3	4	8	11	18	23	33
65+	175	12.4	75	4	5	10	15	24	31	44
GRAND TOTAL	**7485**	**5.5**	**16**	**2**	**3**	**4**	**6**	**9**	**12**	**22**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	4.8	4	2	2	5	6	8	8	10
20-34	28	5.1	5	2	2	4	6	9	10	11
35-49	9	6.0	4	3	3	5	8	9	9	9
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	2	9.5	85	3	3	9	16	16	16	16
2. MULTIPLE DX										
0-19 YRS	8	6.6	8	4	4	6	8	11	12	12
20-34	12	6.0	6	3	3	5	7	10	12	12
35-49	7	8.4	22	3	3	7	13	15	15	15
50-64										
65+	1	17.0		17	17	17	17	17	17	17
TOT. SINGLE DX	91	5.2	6	2	2	5	6	8	10	14
" MULTIPLE DX	28	7.2	15	3	4	6	9	14	15	17
TOTAL 0-19 YRS	57	5.1	5	2	2	5	6	8	10	12
20-34	40	5.4	6	2	3	5	7	9	10	12
35-49	16	7.1	13	3	3	6	8	14	15	15
50-64	3	7.0	1	6	6	7	8	8	8	8
65+	3	12.0	61	3	3	16	17	17	17	17
GRAND TOTAL	**119**	**5.6**	**9**	**2**	**3**	**5**	**7**	**9**	**11**	**16**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	8.2	34	3	3	6	12	18	20	21
20-34	9	11.4	71	5	6	8	12	26	32	32
35-49	8	12.8	19	8	9	11	16	20	20	20
50-64	4	8.8	14	5	5	8	11	14	14	14
65+										
2. MULTIPLE DX										
0-19 YRS	5	10.2	7	6	6	10	12	13	13	13
20-34	2	5.5	13	3	3	5	8	8	8	8
35-49	3	13.0	12	9	9	15	15	15	15	15
50-64	3	13.3	9	10	10	14	15	16	16	16
65+	4	16.5	41	9	9	16	21	24	24	24
TOT. SINGLE DX	34	10.2	39	3	4	9	12	19	21	32
" MULTIPLE DX	17	12.2	25	4	6	12	15	18	22	24
TOTAL 0-19 YRS	18	8.8	27	3	3	8	12	16	19	21
20-34	11	10.4	64	3	4	8	10	23	31	32
35-49	11	12.8	16	8	9	12	15	19	20	20
50-64	7	10.7	16	5	6	10	14	16	16	16
65+	4	16.5	42	9	9	16	21	24	24	24
GRAND TOTAL	**51**	**10.9**	**35**	**3**	**4**	**10**	**14**	**19**	**21**	**32**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	63	6.1	29	<1	1	4	9	15	18	21
20-34	70	7.0	40	1	1	5	10	14	21	33
35-49	60	5.7	19	<1	1	4	8	12	16	19
50-64	84	8.3	73	1	1	5	12	18	28	41
65+	127	7.0	35	1	2	6	9	13	18	32
2. MULTIPLE DX										
0-19 YRS	43	14.7	200	2	3	9	21	42	52	99+
20-34	67	8.8	109	1	1	6	9	17	25	66
35-49	71	10.4	90	2	3	7	13	20	28	52
50-64	109	10.9	73	1	2	9	16	23	26	40
65+	219	14.6	215	2	3	10	18	34	54	88
TOT. SINGLE DX	404	6.9	41	1	1	5	9	15	19	33
" MULTIPLE DX	509	12.5	157	1	2	9	16	27	42	70
TOTAL 0-19 YRS	106	9.6	116	<1	1	6	13	22	38	76
20-34	137	7.9	75	1	1	6	9	15	23	43
35-49	131	8.2	63	1	2	6	11	17	21	48
50-64	193	9.8	75	1	2	7	14	22	26	41
65+	346	11.8	162	2	2	8	15	27	40	70
GRAND TOTAL	**913**	**10.0**	**113**	**1**	**2**	**7**	**13**	**21**	**31**	**63**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.3	27	<1	<1	2	4	14	16	16
20-34	16	4.1	18	<1	<1	3	4	10	15	17
35-49	14	4.1	6	1	1	3	5	9	9	9
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	5	3.4	4	1	1	3	5	6	6	6
20-34	7	10.9	292	1	1	4	9	41	49	49
35-49	7	4.9	7	2	2	4	7	9	9	9
50-64	3	5.7	10	2	2	7	8	8	8	8
65+	8	7.0	30	2	2	5	10	16	17	17
TOT. SINGLE DX	41	3.8	14	<1	<1	3	4	9	13	17
" MULTIPLE DX	30	6.7	78	1	2	4	7	12	17	49
TOTAL 0-19 YRS	12	3.9	17	<1	1	3	4	9	15	16
20-34	23	6.1	103	<1	<1	3	6	12	28	49
35-49	21	4.3	7	1	2	3	6	9	9	9
50-64	6	3.3	11	<1	<1	1	7	8	8	8
65+	9	6.3	31	1	1	5	8	16	17	17
GRAND TOTAL	**71**	**5.0**	**42**	**<1**	**1**	**3**	**6**	**9**	**16**	**42**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	27.4	342	12	13	21	27	60	69	69
20-34	11	22.7	390	3	7	18	26	50	75	77
35-49	22	16.2	40	10	10	14	23	27	28	29
50-64	67	16.8	35	10	10	16	20	24	28	36
65+	82	20.9	100	10	11	18	25	35	39	57
2. MULTIPLE DX										
0-19 YRS	16	26.6	397	6	6	23	37	51	71	79
20-34	22	26.0	426	12	13	20	25	77	98	99+
35-49	53	18.5	69	9	11	17	21	28	34	47
50-64	194	21.3	134	10	11	18	25	39	45	61
65+	312	26.1	204	11	13	22	33	44	59	95
TOT. SINGLE DX	192	19.4	105	10	11	17	23	31	37	64
" MULTIPLE DX	597	23.9	189	11	12	20	29	42	56	89
TOTAL 0-19 YRS	26	26.9	362	6	8	22	37	52	71	79
20-34	33	24.9	404	10	11	20	25	72	93	99+
35-49	75	17.8	61	9	11	15	22	27	31	47
50-64	261	20.2	113	10	11	17	23	34	42	59
65+	394	25.1	187	11	12	21	31	42	57	90
GRAND TOTAL	**789**	**22.8**	**172**	**10**	**12**	**19**	**27**	**39**	**51**	**80**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	29	6.1	16	1	1	5	9	12	14	17
20-34	128	7.1	53	2	2	5	7	12	20	47
35-49	132	6.2	17	1	2	5	8	12	14	36
50-64	122	7.3	38	1	2	6	9	14	18	34
65+	126	8.2	36	1	2	7	11	18	21	55
2. MULTIPLE DX										
0-19 YRS	22	7.5	46	<1	1	6	9	18	24	29
20-34	199	8.0	72	2	2	5	9	14	21	52
35-49	259	9.0	77	2	3	7	10	16	22	53
50-64	313	10.9	130	2	3	8	13	20	33	74
65+	460	13.3	144	3	4	10	16	25	39	86
TOT. SINGLE DX	537	7.1	36	1	2	5	9	13	19	42
" MULTIPLE DX	1253	10.9	118	2	3	8	13	21	30	74
TOTAL 0-19 YRS	51	6.7	29	1	1	6	9	13	17	29
20-34	327	7.6	65	2	2	5	9	13	20	48
35-49	391	8.0	59	2	3	6	10	15	21	52
50-64	435	9.9	107	1	3	7	11	19	28	54
65+	586	12.2	126	2	3	9	15	23	36	86
GRAND TOTAL	**1790**	**9.7**	**96**	**2**	**3**	**7**	**11**	**19**	**26**	**64**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	4.5	31	1	2	3	4	7	18	26
20-34	154	4.5	7	1	2	4	5	8	10	15
35-49	162	4.1	7	1	2	4	5	7	10	15
50-64	88	5.0	14	1	1	4	6	10	13	18
65+	13	8.1	51	1	2	5	10	18	26	28
2. MULTIPLE DX										
0-19 YRS	9	7.4	42	3	3	5	9	19	23	23
20-34	61	6.3	63	2	2	4	6	10	19	54
35-49	87	5.7	21	2	2	4	7	10	14	27
50-64	65	6.6	40	1	2	5	7	13	19	36
65+	32	11.8	329	2	2	6	11	18	61	89
TOT. SINGLE DX	435	4.6	11	1	2	4	5	9	11	17
" MULTIPLE DX	254	6.9	78	2	2	5	7	12	19	57
TOTAL 0-19 YRS	27	5.5	36	1	2	3	6	11	23	26
20-34	215	5.0	24	1	2	4	5	9	11	21
35-49	249	4.7	13	1	2	4	5	9	11	19
50-64	153	5.7	26	1	2	4	6	12	16	28
65+	45	10.7	249	2	2	6	11	15	38	89
GRAND TOTAL	**689**	**5.4**	**37**	**1**	**2**	**4**	**6**	**10**	**13**	**28**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	3.1	4	<1	<1	3	4	6	7	9
20-34	184	3.2	4	<1	<1	3	4	6	7	12
35-49	92	3.6	3	<1	1	3	5	6	7	10
50-64	43	3.9	11	<1	1	3	5	6	9	21
65+	15	4.9	14	<1	2	4	5	13	14	14
2. MULTIPLE DX										
0-19 YRS	11	4.7	12	1	1	3	7	10	12	12
20-34	85	5.3	98	1	2	4	5	7	9	67
35-49	87	5.9	117	2	2	4	5	8	10	75
50-64	68	7.5	70	1	1	5	8	15	23	46
65+	40	12.4	199	1	2	7	17	33	57	99+
TOT. SINGLE DX	365	3.4	6	<1	<1	3	5	6	7	13
" MULTIPLE DX	291	7.0	112	1	2	4	7	12	22	83
TOTAL 0-19 YRS	42	3.5	7	<1	<1	3	5	7	9	12
20-34	269	3.9	35	<1	<1	3	5	6	7	13
35-49	179	4.7	60	1	2	4	5	7	8	31
50-64	111	6.1	50	1	1	4	6	13	21	43
65+	55	10.4	159	1	2	6	13	29	44	98
GRAND TOTAL	**656**	**5.0**	**56**	**<1**	**1**	**4**	**5**	**8**	**13**	**40**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	4	1	2	4	6	8	8	8
20-34	411	5.3	3	3	3	5	7	8	9	11
35-49	563	5.5	4	3	3	5	7	8	9	14
50-64	340	5.7	6	3	3	5	7	9	11	14
65+	120	6.5	10	2	3	6	8	10	11	19
2. MULTIPLE DX										
0-19 YRS	7	5.9	8	3	3	5	7	11	12	12
20-34	365	5.4	8	2	3	5	6	8	9	15
35-49	476	6.2	9	3	3	6	7	9	11	20
50-64	395	7.3	28	3	4	6	8	13	16	28
65+	191	10.1	68	3	4	7	12	20	29	49
TOT. SINGLE DX	1448	5.6	6	3	3	5	7	8	10	14
" MULTIPLE DX	1434	6.8	24	3	3	6	8	11	15	29
TOTAL 0-19 YRS	21	5.0	6	2	2	5	6	8	10	12
20-34	776	5.4	6	2	3	5	6	8	9	13
35-49	1039	5.8	7	3	3	5	7	8	10	16
50-64	735	6.5	19	3	3	5	7	11	14	24
65+	311	8.7	49	3	3	7	10	16	25	42
GRAND TOTAL	**2882**	**6.2**	**15**	**3**	**3**	**5**	**7**	**9**	**12**	**23**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	76	6.0	126	<1	1	4	5	7	23	74
20-34	268	3.9	8	1	1	3	5	7	10	14
35-49	205	3.6	5	1	1	3	5	7	8	12
50-64	92	4.8	14	1	1	4	6	10	15	67
65+	41	5.4	11	2	2	5	6	11	13	16
2. MULTIPLE DX										
0-19 YRS	40	6.0	33	1	1	4	7	16	20	21
20-34	149	6.4	92	1	2	4	7	11	16	65
35-49	121	5.9	34	1	1	4	7	13	16	31
50-64	93	6.7	76	1	2	4	7	12	21	55
65+	73	11.1	230	1	2	7	12	21	45	97
TOT. SINGLE DX	682	4.2	22	1	1	3	5	7	10	23
" MULTIPLE DX	476	7.0	93	1	2	4	8	14	20	69
TOTAL 0-19 YRS	116	6.0	94	1	1	4	5	13	21	62
20-34	417	4.8	40	1	1	3	6	9	12	24
35-49	326	4.4	17	1	1	3	5	8	12	22
50-64	185	5.8	47	1	2	4	7	11	16	58
65+	114	9.0	159	2	2	6	11	18	28	92
GRAND TOTAL	**1158**	**5.4**	**53**	**1**	**1**	**4**	**6**	**10**	**15**	**39**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	8.0	18	5	5	8	11	11	11	11
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	29.0	200	19	19	29	39	39	39	39
35-49	3	15.0	337	2	2	7	29	36	36	36
50-64	2	36.0	200	26	26	36	46	46	46	46
65+	2	59.0	162	50	50	59	68	68	68	68
TOT. SINGLE DX	4	11.3	94	4	4	8	18	25	25	25
" MULTIPLE DX	10	29.8	477	2	3	31	46	59	68	68
TOTAL 0-19 YRS	3	7.0	12	5	5	5	10	11	11	11
20-34	2	29.0	200	19	19	29	39	39	39	39
35-49	4	12.3	255	2	2	5	21	36	36	36
50-64	2	36.0	200	26	26	36	46	46	46	46
65+	3	47.7	466	25	25	50	63	68	68	68
GRAND TOTAL	**14**	**24.5**	**427**	**2**	**4**	**22**	**39**	**52**	**64**	**68**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	6.8	66	1	1	5	8	12	26	38
20-34	71	6.2	68	1	1	2	8	19	22	43
35-49	75	9.5	91	1	1	6	15	25	30	34
50-64	75	8.0	68	1	1	5	13	17	23	44
65+	52	12.7	203	1	1	7	18	29	51	56
2. MULTIPLE DX										
0-19 YRS	26	14.2	201	2	2	9	21	49	99+	99+
20-34	100	12.8	149	1	1	10	19	25	31	94
35-49	157	13.5	185	1	1	10	19	32	45	76
50-64	229	16.2	209	1	2	12	22	36	45	86
65+	192	19.1	221	2	3	16	25	38	47	77
TOT. SINGLE DX	293	8.7	102	1	1	5	13	22	28	51
" MULTIPLE DX	704	15.8	203	1	2	12	21	36	45	92
TOTAL 0-19 YRS	46	11.0	154	1	2	8	13	41	56	99+
20-34	171	10.1	126	1	1	7	15	22	29	82
35-49	232	12.2	158	1	1	9	18	28	36	69
50-64	304	14.2	187	1	2	10	19	31	42	81
65+	244	17.7	223	1	2	15	24	38	49	60
GRAND TOTAL	**997**	**13.7**	**184**	**1**	**1**	**10**	**19**	**30**	**42**	**81**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	176	7.3	7	4	5	7	8	10	11	18
20-34	1796	7.2	5	5	5	7	8	10	12	16
35-49	1436	7.8	9	5	5	7	9	11	13	19
50-64	1193	8.6	13	5	6	8	9	12	16	23
65+	672	11.0	33	6	6	9	12	18	22	32
2. MULTIPLE DX										
0-19 YRS	101	10.0	45	4	5	8	11	17	22	41
20-34	1114	9.1	32	5	5	8	10	14	17	29
35-49	1171	9.9	39	5	6	8	11	15	20	39
50-64	1638	11.7	53	6	6	9	13	20	25	43
65+	1508	16.5	128	7	8	13	20	30	40	70
TOT. SINGLE DX	5273	8.2	13	5	5	7	9	12	15	23
" MULTIPLE DX	5532	12.1	75	5	6	9	14	21	28	53
TOTAL 0-19 YRS	277	8.3	23	4	5	7	9	12	17	26
20-34	2910	7.9	17	5	5	7	9	12	14	20
35-49	2607	8.8	24	5	5	8	9	13	16	29
50-64	2831	10.4	39	5	6	8	12	17	22	37
65+	2180	14.8	105	6	7	11	17	27	35	64
GRAND TOTAL	**10805**	**10.2**	**49**	**5**	**6**	**8**	**11**	**17**	**23**	**41**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	14.7	100	7	7	11	22	26	26	26
20-34	16	10.3	25	1	2	10	14	17	18	18
35-49	23	11.0	27	2	4	11	14	17	20	26
50-64	34	13.8	81	4	7	12	16	21	28	54
65+	55	16.8	109	1	5	16	23	32	34	51
2. MULTIPLE DX										
0-19 YRS	5	25.8	1562	1	1	10	34	96	96	96
20-34	13	24.1	503	2	3	19	34	60	75	78
35-49	41	19.1	152	6	7	14	27	33	41	62
50-64	103	22.0	159	7	9	20	26	40	46	69
65+	199	23.0	164	8	11	20	29	41	57	99+
TOT. SINGLE DX	131	14.1	82	2	5	12	18	26	32	52
" MULTIPLE DX	361	22.4	189	6	9	20	28	41	54	99
TOTAL 0-19 YRS	8	21.6	955	1	3	10	20	75	96	96
20-34	29	16.4	278	2	3	12	18	38	56	78
35-49	64	16.2	121	5	6	13	20	32	35	59
50-64	137	20.0	153	6	8	17	24	36	45	59
65+	254	21.7	159	6	9	19	28	38	53	99+
GRAND TOTAL	**492**	**20.2**	**173**	**5**	**8**	**18**	**26**	**36**	**47**	**90**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	8.0	91	2	2	3	15	19	19	19
20-34	23	12.3	107	1	1	10	16	30	36	36
35-49	28	8.8	35	2	2	7	13	17	19	23
50-64	33	12.3	85	2	2	10	17	32	36	99+
65+	15	12.4	42	3	5	12	14	24	25	25
2. MULTIPLE DX										
0-19 YRS	8	7.8	10	2	3	8	10	11	12	12
20-34	39	21.3	340	3	5	13	33	55	70	99+
35-49	69	17.3	173	5	7	14	21	35	46	94
50-64	99	22.3	337	3	5	17	27	49	71	94
65+	93	19.9	160	5	8	17	26	35	39	68
TOT. SINGLE DX	102	11.2	71	2	2	9	16	23	32	67
" MULTIPLE DX	308	20.0	244	4	6	16	26	38	62	93
TOTAL 0-19 YRS	11	7.8	26	2	2	8	10	15	19	19
20-34	62	18.0	270	2	3	12	23	48	58	97
35-49	97	14.9	148	3	4	12	18	31	39	86
50-64	132	19.8	293	2	4	16	26	40	70	99+
65+	108	18.9	150	5	7	16	25	33	38	68
GRAND TOTAL	**410**	**17.8**	**215**	**2**	**4**	**14**	**23**	**36**	**53**	**93**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	115	7.2	36	<1	1	6	9	15	19	31
20-34	296	6.4	45	<1	1	5	8	13	16	34
35-49	241	5.7	24	<1	1	5	8	11	15	21
50-64	272	6.4	34	1	1	4	9	14	18	30
65+	363	8.0	65	1	2	6	9	16	23	45
2. MULTIPLE DX										
0-19 YRS	92	8.7	89	1	2	6	9	21	29	49
20-34	238	8.1	52	1	2	7	10	16	21	40
35-49	274	9.4	94	1	2	7	11	17	26	49
50-64	549	10.4	101	2	3	8	14	21	28	74
65+	1250	13.4	144	3	4	10	16	28	37	84
TOT. SINGLE DX	1287	6.8	45	1	1	5	8	14	18	35
" MULTIPLE DX	2403	11.5	122	2	3	9	14	23	32	74
TOTAL 0-19 YRS	207	7.9	60	1	2	6	9	16	25	39
20-34	534	7.2	49	1	1	5	9	14	19	38
35-49	515	7.7	65	1	1	6	10	15	19	43
50-64	821	9.1	83	1	2	7	12	18	25	44
65+	1613	12.2	132	2	3	9	15	25	36	76
GRAND TOTAL	**3690**	**9.9**	**100**	**1**	**2**	**7**	**12**	**20**	**28**	**61**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1168	2.6	2	<1	1	2	3	4	6	9
20-34	1128	4.0	3	2	2	4	5	6	7	9
35-49	970	4.4	9	2	2	4	5	6	8	11
50-64	1382	4.6	5	1	2	4	6	8	8	12
65+	1081	5.7	8	2	3	5	7	9	10	15
2. MULTIPLE DX										
0-19 YRS	522	4.2	36	<1	1	3	4	7	13	40
20-34	313	4.7	7	2	2	4	6	7	9	18
35-49	353	5.1	10	2	2	4	6	8	10	20
50-64	855	6.1	16	2	3	5	7	10	14	22
65+	1128	8.7	69	3	3	7	10	16	23	50
TOT. SINGLE DX	5729	4.3	7	1	2	4	5	7	8	12
" MULTIPLE DX	3171	6.5	40	1	2	5	7	12	16	36
TOTAL 0-19 YRS	1690	3.1	14	<1	1	2	3	5	7	16
20-34	1441	4.1	4	2	2	4	5	6	8	11
35-49	1323	4.6	10	2	2	4	5	7	8	14
50-64	2237	5.2	10	2	2	5	6	8	10	17
65+	2209	7.2	42	2	3	6	8	12	16	38
GRAND TOTAL	**8700**	**5.0**	**20**	**1**	**2**	**4**	**6**	**8**	**11**	**22**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	2.5	1	<1	1	2	3	4	5	7
20-34	64	4.4	2	2	3	4	5	6	7	8
35-49	111	4.9	2	3	3	5	6	7	8	9
50-64	143	5.2	3	3	3	5	6	8	9	10
65+	96	5.7	5	2	3	6	7	9	10	12
2. MULTIPLE DX										
0-19 YRS	86	5.2	128	<1	1	3	4	9	12	79
20-34	16	4.7	3	1	3	5	6	7	8	8
35-49	41	5.4	4	2	3	5	6	8	9	11
50-64	118	7.2	14	2	3	6	9	12	15	19
65+	119	9.4	64	3	4	7	10	15	29	44
TOT. SINGLE DX	520	4.6	4	1	2	4	6	7	8	10
" MULTIPLE DX	380	7.2	57	2	2	6	8	11	15	41
TOTAL 0-19 YRS	192	3.7	60	<1	1	2	3	6	9	41
20-34	80	4.5	2	1	3	4	6	7	7	8
35-49	152	5.0	3	3	3	5	6	7	8	10
50-64	261	6.1	9	3	3	6	7	10	11	17
65+	215	7.8	41	2	3	6	9	11	16	41
GRAND TOTAL	**900**	**5.7**	**28**	**2**	**2**	**5**	**7**	**9**	**11**	**26**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.1	1	2	2	3	4	5	5	5
20-34	41	4.1	3	1	2	4	5	7	7	8
35-49	63	4.9	11	1	2	4	6	8	9	21
50-64	69	4.5	3	1	2	4	6	7	8	10
65+	54	6.8	23	2	3	5	8	12	16	29
2. MULTIPLE DX										
0-19 YRS	3	6.3	17	3	3	5	9	11	11	11
20-34	11	3.9		3	3	4	5	5	5	5
35-49	25	6.9	72	1	1	4	7	16	30	37
50-64	45	6.6	20	3	3	5	7	12	16	24
65+	81	9.9	39	4	4	8	12	18	22	37
TOT. SINGLE DX	236	5.0	11	1	2	4	6	8	10	20
" MULTIPLE DX	165	8.1	39	3	3	6	10	15	21	36
TOTAL 0-19 YRS	12	3.9	6	2	2	3	5	7	10	11
20-34	52	4.1	3	1	2	4	5	6	7	8
35-49	88	5.5	29	1	1	4	6	9	16	34
50-64	114	5.3	11	2	3	5	6	8	11	23
65+	135	8.7	36	3	4	7	11	16	20	31
GRAND TOTAL	**401**	**6.3**	**25**	**2**	**3**	**5**	**7**	**11**	**16**	**27**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	164	2.6	4	<1	1	2	3	4	6	12
20-34	90	3.5	2	1	2	3	4	6	7	9
35-49	116	3.7	4	1	1	3	5	6	7	11
50-64	101	4.8	5	2	2	4	6	8	9	11
65+	51	5.8	11	2	2	5	8	10	11	16
2. MULTIPLE DX										
0-19 YRS	45	5.9	103	1	2	3	5	11	23	64
20-34	32	4.7	6	1	2	4	5	9	10	11
35-49	65	5.0	7	1	2	5	6	9	10	14
50-64	90	7.2	29	1	2	6	9	14	19	28
65+	65	8.6	34	3	3	7	11	13	20	33
TOT. SINGLE DX	522	3.7	6	1	1	3	5	7	9	11
" MULTIPLE DX	297	6.6	36	1	2	5	8	12	16	31
TOTAL 0-19 YRS	209	3.3	27	<1	1	2	3	5	9	23
20-34	122	3.8	4	1	2	3	5	6	8	10
35-49	181	4.1	6	1	1	4	5	7	9	12
50-64	191	5.9	18	2	2	5	8	10	14	23
65+	116	7.4	26	2	3	6	10	12	16	32
GRAND TOTAL	**819**	**4.7**	**19**	**1**	**2**	**4**	**6**	**9**	**11**	**21**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	56	3.2	4	<1	<1	3	4	6	7	13
20-34	190	4.5	5	2	2	4	6	8	9	12
35-49	264	5.9	10	2	3	5	8	10	11	17
50-64	251	6.4	8	2	3	6	8	10	11	17
65+	191	8.2	18	3	4	8	10	14	15	21
2. MULTIPLE DX										
0-19 YRS	18	7.9	134	<1	<1	4	8	18	38	50
20-34	98	6.9	18	2	3	6	9	11	17	24
35-49	192	7.2	15	2	3	6	9	12	14	21
50-64	276	10.5	61	3	4	9	12	19	26	44
65+	280	11.8	99	4	5	9	13	20	24	81
TOT. SINGLE DX	952	6.0	12	2	2	5	8	10	12	17
" MULTIPLE DX	864	9.7	64	3	4	8	12	17	22	44
TOTAL 0-19 YRS	74	4.3	39	<1	<1	3	4	7	12	43
20-34	288	5.3	11	2	2	4	7	9	11	19
35-49	456	6.4	13	2	3	6	8	10	13	20
50-64	527	8.5	41	3	3	7	10	14	19	38
65+	471	10.3	70	3	4	9	12	17	21	45
GRAND TOTAL	**1816**	**7.8**	**40**	**2**	**3**	**7**	**9**	**13**	**17**	**34**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	11	7.6	12	<1	2	8	9	13	15	15
35-49	26	9.3	14	4	6	9	11	13	16	23
50-64	23	11.3	52	6	6	9	12	17	26	41
65+	9	9.8	13	5	6	9	12	16	16	16
2. MULTIPLE DX										
0-19 YRS	13	13.3	169	3	5	8	13	23	48	54
20-34	23	10.5	54	5	6	8	10	17	31	37
35-49	75	10.8	71	7	7	9	11	13	18	60
50-64	92	12.9	37	7	8	11	15	20	26	36
65+	60	17.0	169	7	8	14	18	30	47	80
TOT. SINGLE DX	70	9.8	27	4	6	9	11	14	17	37
" MULTIPLE DX	263	13.0	89	6	7	10	14	20	29	54
TOTAL 0-19 YRS	14	12.3	156	3	5	9	13	19	46	54
20-34	34	9.6	42	4	6	8	10	14	25	37
35-49	101	10.4	57	6	7	9	11	13	18	57
50-64	115	12.6	40	6	7	11	15	19	26	39
65+	69	16.1	155	7	7	13	17	27	44	77
GRAND TOTAL	**333**	**12.3**	**78**	**6**	**7**	**10**	**13**	**19**	**27**	**52**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	47	5.3	83	<1	<1	3	6	9	15	61
20-34	74	5.5	17	2	2	5	7	11	13	23
35-49	63	5.3	15	1	1	5	7	11	11	22
50-64	60	9.5	60	2	2	8	12	19	22	46
65+	40	12.9	192	2	3	10	16	23	30	85
2. MULTIPLE DX										
0-19 YRS	42	7.3	61	1	2	5	11	14	34	99+
20-34	125	9.4	95	2	2	7	12	19	23	51
35-49	128	11.4	90	2	2	8	15	26	31	42
50-64	205	15.1	219	2	2	11	19	35	46	78
65+	227	18.5	257	1	3	15	24	44	65	99+
TOT. SINGLE DX	284	7.4	68	1	2	5	9	15	20	44
" MULTIPLE DX	727	14.1	192	1	2	10	18	32	44	90
TOTAL 0-19 YRS	89	6.2	73	<1	1	3	8	13	21	84
20-34	199	8.1	69	2	2	6	10	16	21	36
35-49	191	9.4	74	1	2	7	12	22	29	39
50-64	265	13.8	189	2	2	9	17	31	40	68
65+	267	17.6	251	1	3	14	23	42	63	99+
GRAND TOTAL	**1011**	**12.2**	**166**	**1**	**2**	**8**	**16**	**27**	**40**	**85**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	6.9	42	3	3	5	8	11	13	44
20-34	246	6.1	13	2	3	6	7	9	12	25
35-49	85	7.8	28	2	3	7	9	11	16	35
50-64	58	12.2	60	4	5	11	15	20	24	49
65+	44	16.3	169	5	7	13	19	24	41	71
2. MULTIPLE DX										
0-19 YRS	112	9.6	54	3	4	8	11	15	24	43
20-34	257	10.9	157	3	4	7	11	22	40	77
35-49	123	12.0	64	4	5	10	14	20	30	44
50-64	131	17.9	121	6	7	15	24	33	42	70
65+	147	22.6	234	7	8	18	30	49	60	99+
TOT. SINGLE DX	520	8.0	49	2	3	6	9	15	19	34
" MULTIPLE DX	770	14.3	159	4	4	10	17	32	44	85
TOTAL 0-19 YRS	199	8.4	51	3	4	7	10	14	17	44
20-34	503	8.5	93	2	3	6	8	14	24	68
35-49	208	10.3	54	3	4	9	12	19	22	42
50-64	189	16.1	110	5	6	13	20	32	37	58
65+	191	21.1	225	7	8	17	25	49	60	99+
GRAND TOTAL	**1290**	**11.8**	**124**	**3**	**4**	**8**	**14**	**25**	**35**	**69**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	288	3.5	7	<1	1	2	5	8	10	13
20-34	1203	2.7	7	<1	<1	2	3	6	7	14
35-49	214	2.4	4	<1	<1	2	2	4	7	13
50-64	31	4.4	19	1	1	2	6	12	16	18
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	165	4.9	23	1	1	3	6	10	14	23
20-34	996	3.3	16	<1	1	2	3	7	10	21
35-49	207	3.6	16	<1	<1	2	4	9	13	20
50-64	26	4.7	21	1	1	3	6	10	14	22
65+	15	7.9	42	1	2	8	11	17	21	23
TOT. SINGLE DX	1739	2.8	7	<1	<1	2	3	6	8	14
" MULTIPLE DX	1409	3.6	18	<1	1	2	4	8	11	22
TOTAL 0-19 YRS	453	4.0	14	<1	1	3	5	8	11	21
20-34	2199	3.0	11	<1	<1	2	3	6	9	15
35-49	421	3.0	11	<1	<1	2	3	7	10	17
50-64	57	4.5	20	1	1	2	6	11	15	22
65+	18	6.9	40	1	2	4	10	16	21	23
GRAND TOTAL	**3148**	**3.2**	**12**	**<1**	**<1**	**2**	**3**	**7**	**10**	**17**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	7.5	22	2	4	7	9	11	17	25
20-34	127	7.2	20	1	2	7	9	13	17	21
35-49	100	9.1	36	2	3	8	11	15	19	36
50-64	63	11.4	43	4	6	10	14	19	23	42
65+	51	13.8	62	5	6	11	18	25	29	40
2. MULTIPLE DX										
0-19 YRS	53	14.6	244	3	5	10	18	33	48	99+
20-34	215	9.9	120	2	2	7	10	21	31	73
35-49	170	13.0	104	2	4	9	17	26	36	62
50-64	155	17.0	199	5	6	13	22	37	53	99
65+	172	21.3	246	6	8	16	28	44	63	99+
TOT. SINGLE DX	363	9.4	40	2	3	8	11	17	21	31
" MULTIPLE DX	765	14.9	187	3	4	10	19	33	46	99
TOTAL 0-19 YRS	75	12.5	189	3	4	8	13	31	34	99+
20-34	342	8.9	85	1	2	7	10	17	25	58
35-49	270	11.6	82	2	4	9	14	23	29	53
50-64	218	15.4	160	5	6	11	18	32	45	95
65+	223	19.6	214	6	7	15	25	42	50	99+
GRAND TOTAL	**1128**	**13.1**	**146**	**2**	**4**	**9**	**16**	**28**	**39**	**93**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	9.9	10	5	6	9	13	14	14	14
20-34	21	10.6	17	8	8	9	11	13	20	27
35-49	29	12.9	22	6	9	12	16	18	20	28
50-64	46	15.5	40	8	10	15	18	23	25	43
65+	42	20.2	82	10	11	18	23	33	41	48
2. MULTIPLE DX										
0-19 YRS	28	14.3	57	6	8	12	17	24	26	43
20-34	58	15.9	128	6	8	12	16	36	43	56
35-49	62	16.8	209	8	9	13	18	28	62	98
50-64	114	19.8	106	9	9	17	24	35	38	56
65+	132	22.1	123	10	11	19	26	36	44	61
TOT. SINGLE DX	148	15.2	56	7	9	13	18	24	29	43
" MULTIPLE DX	394	19.1	134	8	9	16	23	34	42	67
TOTAL 0-19 YRS	38	13.1	48	5	7	12	14	22	24	43
20-34	79	14.5	104	7	8	11	15	29	39	55
35-49	91	15.6	152	8	9	13	17	23	32	94
50-64	160	18.5	91	9	9	16	22	31	38	51
65+	174	21.6	114	10	11	19	25	36	42	59
GRAND TOTAL	**542**	**18.1**	**115**	**8**	**9**	**15**	**22**	**31**	**40**	**60**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	11.2	74	2	2	9	15	22	30	37
20-34	122	9.4	34	2	2	9	12	17	22	27
35-49	103	11.3	26	3	5	10	15	18	21	27
50-64	95	11.6	39	3	5	10	14	18	24	37
65+	44	16.3	183	1	7	14	20	24	37	86
2. MULTIPLE DX										
0-19 YRS	73	15.8	113	2	2	14	20	27	34	64
20-34	215	15.4	148	2	3	13	20	27	40	68
35-49	170	15.5	153	2	5	12	18	30	41	86
50-64	200	16.9	117	3	6	15	21	30	38	56
65+	109	19.1	175	5	8	16	22	39	53	81
TOT. SINGLE DX	406	11.3	57	2	3	10	14	20	24	36
" MULTIPLE DX	767	16.4	143	2	4	14	20	30	40	68
TOTAL 0-19 YRS	115	14.1	104	2	2	13	20	26	32	49
20-34	337	13.2	116	2	3	11	17	25	32	63
35-49	273	13.9	110	2	5	11	17	23	36	63
50-64	295	15.2	98	3	6	12	19	28	35	53
65+	153	18.3	179	3	8	15	21	33	51	85
GRAND TOTAL	**1173**	**14.6**	**119**	**2**	**4**	**12**	**18**	**26**	**36**	**65**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	9.3	19	3	4	9	12	15	16	16
20-34	95	10.4	23	4	5	10	12	15	20	28
35-49	107	10.6	23	5	6	10	12	15	21	28
50-64	118	11.1	20	4	6	10	14	16	19	26
65+	37	13.3	36	5	7	12	16	22	24	30
2. MULTIPLE DX										
0-19 YRS	3	13.0	189	1	1	10	23	28	28	28
20-34	48	12.1	22	6	7	11	16	18	21	28
35-49	80	14.0	100	7	8	12	15	22	29	70
50-64	130	14.8	53	7	8	13	17	26	27	42
65+	80	18.7	98	7	9	16	22	32	40	55
TOT. SINGLE DX	365	11.0	24	4	6	10	13	17	21	28
" MULTIPLE DX	341	15.1	75	7	8	13	18	25	30	48
TOTAL 0-19 YRS	11	10.3	54	1	2	10	13	21	27	28
20-34	143	11.0	23	4	6	10	13	18	20	28
35-49	187	12.0	59	5	7	10	13	19	24	34
50-64	248	13.1	41	5	7	12	16	20	26	38
65+	117	17.0	85	6	8	14	21	30	34	52
GRAND TOTAL	**706**	**13.0**	**53**	**5**	**7**	**11**	**15**	**21**	**26**	**40**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	87	13.4	27	8	8	11	16	23	23	25
20-34	14	11.2	11	4	7	11	14	15	16	16
35-49	6	17.0	50	10	10	15	19	29	30	30
50-64	6	23.8	110	11	12	21	32	39	40	40
65+	4	22.0	44	13	13	23	26	29	29	29
2. MULTIPLE DX										
0-19 YRS	98	18.1	182	8	9	13	22	27	32	87
20-34	38	17.4	132	9	9	14	18	30	40	69
35-49	19	17.7	99	4	6	17	23	39	74	99+
50-64	33	22.5	237	6	10	19	26	45	81	99+
65+	27	29.1	343	7	10	25	35	71	79	99+
TOT. SINGLE DX	117	14.1	38	8	8	12	19	23	24	35
" MULTIPLE DX	215	20.0	206	8	9	17	24	33	62	99+
TOTAL 0-19 YRS	185	15.9	114	8	9	12	21	24	27	74
20-34	52	15.7	106	8	9	13	17	24	33	68
35-49	25	17.5	85	4	8	17	22	30	58	99+
50-64	39	22.7	215	7	10	20	27	42	70	99+
65+	31	28.2	308	7	11	25	30	69	76	99+
GRAND TOTAL	**332**	**17.9**	**154**	**8**	**9**	**14**	**22**	**28**	**42**	**99**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	6.9	23	1	2	6	10	14	16	19
20-34	155	4.9	10	2	2	4	7	8	11	16
35-49	159	4.9	8	2	2	4	6	9	11	15
50-64	140	5.5	18	2	2	4	6	11	14	23
65+	37	7.8	38	2	3	6	10	19	22	26
2. MULTIPLE DX										
0-19 YRS	15	14.8	108	3	5	11	17	37	37	37
20-34	62	6.9	24	2	2	5	9	16	18	20
35-49	66	7.4	39	2	2	5	9	15	20	35
50-64	92	7.7	27	2	3	6	10	15	17	26
65+	73	9.6	59	3	3	8	11	18	28	40
TOT. SINGLE DX	514	5.4	15	2	2	4	7	10	13	22
" MULTIPLE DX	308	8.3	43	2	3	6	11	16	20	37
TOTAL 0-19 YRS	38	10.0	70	1	2	9	13	19	31	37
20-34	217	5.5	15	2	2	4	7	10	14	19
35-49	225	5.6	19	2	2	4	7	11	13	23
50-64	232	6.3	23	2	2	5	8	13	16	23
65+	110	9.0	53	3	3	7	10	18	25	39
GRAND TOTAL	**822**	**6.4**	**28**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	315	3.1	17	<1	<1	2	4	7	12	15
20-34	329	4.5	22	<1	<1	3	6	9	12	21
35-49	355	4.5	23	<1	<1	3	6	11	13	25
50-64	515	4.1	21	<1	<1	2	5	9	14	24
65+	662	4.9	34	<1	<1	3	6	12	16	25
2. MULTIPLE DX										
0-19 YRS	337	5.9	88	<1	<1	3	7	13	19	45
20-34	450	7.5	96	<1	<1	5	9	18	27	63
35-49	464	7.7	94	<1	<1	5	10	17	27	57
50-64	980	8.0	105	<1	<1	4	10	18	28	55
65+	2037	11.0	199	<1	1	7	15	29	50	99+
TOT. SINGLE DX	2176	4.3	26	<1	<1	2	5	10	14	24
" MULTIPLE DX	4268	9.2	150	<1	<1	5	12	23	37	99+
TOTAL 0-19 YRS	652	4.5	56	<1	<1	2	5	10	14	42
20-34	779	6.3	68	<1	<1	4	8	13	21	49
35-49	819	6.3	66	<1	<1	3	9	14	20	38
50-64	1495	6.6	80	<1	<1	3	8	15	24	49
65+	2699	9.5	156	<1	1	5	12	24	42	99+
GRAND TOTAL	**6444**	**7.5**	**114**	**<1**	**<1**	**4**	**9**	**18**	**29**	**84**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.9	6	<1	<1	4	5	7	8	8
20-34	16	3.7	4	<1	1	4	5	5	9	10
35-49	54	4.6	8	1	2	4	6	7	10	16
50-64	261	4.7	11	2	2	4	6	9	11	18
65+	467	5.5	27	1	2	4	7	10	14	26
2. MULTIPLE DX										
0-19 YRS	10	17.3	286	3	3	12	23	47	49	49
20-34	21	6.9	29	<1	1	5	9	16	18	20
35-49	68	7.3	65	2	2	5	8	14	26	44
50-64	335	7.3	54	1	2	5	9	16	22	38
65+	938	9.1	99	2	2	6	11	18	26	73
TOT. SINGLE DX	808	5.1	20	1	2	4	6	9	12	23
" MULTIPLE DX	1372	8.6	88	2	2	6	10	18	25	56
TOTAL 0-19 YRS	20	10.6	186	<1	1	5	12	34	47	49
20-34	37	5.5	21	<1	1	4	6	12	17	20
35-49	122	6.1	41	1	2	5	7	10	15	39
50-64	596	6.1	37	1	2	4	7	12	18	33
65+	1405	7.9	79	2	2	5	9	16	23	53
GRAND TOTAL	**2180**	**7.3**	**66**	**1**	**2**	**5**	**8**	**15**	**21**	**46**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	12.5	169	2	2	8	14	39	43	44
20-34	38	9.1	127	<1	1	7	11	16	20	69
35-49	44	6.9	36	1	2	5	8	14	21	31
50-64	75	9.0	62	1	2	7	14	19	26	36
65+	132	8.4	58	1	2	6	11	16	23	44
2. MULTIPLE DX										
0-19 YRS	40	18.4	321	2	4	11	26	39	55	88
20-34	69	14.4	202	2	3	10	17	32	45	70
35-49	80	12.5	174	2	2	10	15	23	33	75
50-64	170	13.5	138	2	3	9	18	32	38	93
65+	323	16.0	238	2	2	12	22	35	57	99+
TOT. SINGLE DX	303	8.6	70	1	2	6	11	18	23	44
" MULTIPLE DX	682	14.9	208	2	3	11	20	33	49	96
TOTAL 0-19 YRS	54	16.9	285	2	2	11	22	39	48	87
20-34	107	12.5	181	1	2	9	14	30	39	70
35-49	124	10.5	132	2	2	8	12	20	30	69
50-64	245	12.1	119	2	2	8	17	29	35	69
65+	455	13.8	197	2	2	9	18	30	45	99
GRAND TOTAL	**985**	**13.0**	**174**	**2**	**2**	**9**	**17**	**30**	**40**	**88**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	42	1.6	1	<1	<1	1	2	3	4	6
20-34	5	2.4	7	<1	<1	<1	3	7	7	7
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	4	4.3	14	<1	<1	4	7	8	8	8
65+	6	3.5	2	1	1	3	4	6	6	6
2. MULTIPLE DX										
0-19 YRS	27	4.6	25	<1	1	2	8	13	16	17
20-34	3	3.0	7	1	1	2	5	6	6	6
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	6	15.7	219	6	6	11	14	42	45	45
65+	12	13.0	214	2	2	9	15	28	53	57
TOT. SINGLE DX	59	2.0	3	<1	<1	1	2	4	7	8
" MULTIPLE DX	49	7.9	108	<1	1	5	10	16	18	57
TOTAL 0-19 YRS	69	2.8	12	<1	<1	1	2	8	12	17
20-34	8	2.6	6	<1	<1	1	4	7	7	7
35-49	3	1.3		<1	<1	<1	2	2	2	2
50-64	10	11.1	161	<1	<1	7	14	30	45	45
65+	18	9.8	161	1	2	6	11	16	41	57
GRAND TOTAL	**108**	**4.7**	**59**	**<1**	**<1**	**2**	**6**	**12**	**15**	**50**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	99	9.8	31	1	2	9	14	17	20	25
20-34	50	7.4	53	<1	<1	5	11	15	23	30
35-49	31	7.7	32	<1	1	6	12	15	18	22
50-64	26	7.5	33	1	2	5	12	17	18	22
65+	42	6.2	24	<1	1	5	8	15	17	18
2. MULTIPLE DX										
0-19 YRS	62	12.1	147	1	2	11	14	19	29	79
20-34	38	10.6	172	<1	<1	6	12	29	46	55
35-49	38	9.9	67	1	2	7	11	25	28	33
50-64	60	11.4	146	1	2	8	16	21	24	78
65+	70	11.4	132	2	2	8	14	28	34	55
TOT. SINGLE DX	248	8.2	37	<1	1	7	12	17	19	27
" MULTIPLE DX	268	11.2	134	1	2	8	14	23	33	56
TOTAL 0-19 YRS	161	10.7	77	1	2	10	14	18	21	43
20-34	88	8.8	106	<1	<1	6	11	21	30	54
35-49	69	8.9	52	1	2	7	11	18	26	32
50-64	86	10.2	115	1	2	7	14	21	22	67
65+	112	9.5	98	1	2	5	13	21	29	53
GRAND TOTAL	**516**	**9.8**	**89**	**1**	**1**	**8**	**13**	**19**	**24**	**51**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	83	2.7	7	<1	1	2	3	6	7	16
20-34	49	3.2	18	<1	<1	1	4	7	8	28
35-49	50	3.5	19	<1	<1	2	4	8	8	29
50-64	62	4.2	16	<1	<1	3	5	8	12	24
65+	98	4.5	17	<1	<1	3	6	10	12	21
2. MULTIPLE DX										
0-19 YRS	107	5.4	58	1	1	4	7	11	13	43
20-34	70	6.2	66	<1	<1	4	8	15	17	51
35-49	67	6.7	118	<1	<1	4	9	14	22	72
50-64	130	9.2	116	<1	1	6	12	22	34	48
65+	361	11.7	192	1	2	7	17	29	41	99+
TOT. SINGLE DX	342	3.7	15	<1	<1	2	5	8	10	23
" MULTIPLE DX	735	9.4	147	<1	1	5	12	23	34	88
TOTAL 0-19 YRS	190	4.3	38	1	1	3	6	8	12	20
20-34	119	5.0	48	<1	<1	3	5	12	16	37
35-49	117	5.3	78	<1	<1	3	7	10	15	46
50-64	192	7.6	89	<1	1	5	10	17	25	40
65+	459	10.2	164	<1	1	6	14	26	36	99
GRAND TOTAL	**1077**	**7.6**	**112**	**<1**	**1**	**4**	**9**	**18**	**26**	**76**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	17	1	2	2	7	12	14	14
20-34	35	6.1	27	2	2	5	7	11	14	30
35-49	19	5.7	13	1	2	4	8	12	12	12
50-64	25	6.6	47	2	2	4	7	17	23	31
65+	40	5.9	7	2	2	6	8	10	11	12
2. MULTIPLE DX										
0-19 YRS	7	9.6	267	<1	<1	3	8	39	46	46
20-34	23	11.2	61	2	4	9	15	24	26	29
35-49	15	7.4	19	2	4	6	10	15	16	16
50-64	36	11.3	89	2	3	8	15	20	37	38
65+	89	9.3	49	2	3	8	12	16	19	79
TOT. SINGLE DX	133	5.9	22	2	2	5	7	11	13	30
" MULTIPLE DX	170	9.8	65	2	3	8	13	18	24	47
TOTAL 0-19 YRS	21	6.3	97	1	1	2	7	13	28	46
20-34	58	8.1	45	2	2	6	9	20	24	30
35-49	34	6.4	16	1	2	5	9	12	14	16
50-64	61	9.4	77	2	2	7	13	19	33	38
65+	129	8.2	39	2	3	7	10	15	17	58
GRAND TOTAL	**303**	**8.1**	**49**	**2**	**2**	**6**	**10**	**15**	**20**	**43**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	42	8.3	6	5	6	8	10	12	13	15
35-49	126	9.2	10	6	7	8	10	13	15	24
50-64	100	10.6	15	7	7	9	12	16	19	24
65+	41	13.7	23	7	8	12	17	19	23	28
2. MULTIPLE DX										
0-19 YRS										
20-34	30	10.5	32	6	7	9	11	14	18	37
35-49	141	11.1	37	6	6	9	12	18	30	40
50-64	139	12.0	29	6	7	10	15	20	23	29
65+	68	14.7	63	7	8	11	17	30	32	37
TOT. SINGLE DX	309	10.1	15	6	7	9	12	15	18	26
" MULTIPLE DX	378	12.0	40	6	7	10	14	20	28	35
TOTAL 0-19 YRS										
20-34	72	9.2	18	5	6	8	11	13	14	33
35-49	267	10.2	25	6	7	9	11	15	20	34
50-64	239	11.4	24	7	7	10	14	19	22	26
65+	109	14.3	48	7	8	12	17	26	31	36
GRAND TOTAL	**687**	**11.2**	**30**	**6**	**7**	**9**	**13**	**18**	**23**	**34**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	8.8	10	2	5	9	10	13	15	15
35-49	41	10.6	28	5	6	8	12	21	22	25
50-64	24	9.5	17	5	6	8	11	14	20	23
65+	13	10.3	21	6	7	9	11	19	21	21
2. MULTIPLE DX										
0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	15	11.7	44	5	6	9	15	25	26	26
35-49	40	10.9	26	6	6	9	13	19	23	25
50-64	28	13.8	40	7	7	13	18	20	28	34
65+	26	15.3	43	7	8	14	19	26	29	31
TOT. SINGLE DX	90	10.0	22	5	6	8	11	19	22	24
" MULTIPLE DX	111	12.8	39	6	7	11	16	22	26	32
TOTAL 0-19 YRS	2	12.0	128	4	4	12	20	20	20	20
20-34	27	10.4	30	5	6	9	12	17	25	26
35-49	81	10.7	27	5	6	9	13	20	23	25
50-64	52	11.8	34	6	7	10	14	19	23	34
65+	39	13.6	41	6	7	12	18	23	27	31
GRAND TOTAL	**201**	**11.5**	**33**	**6**	**6**	**9**	**14**	**20**	**24**	**29**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	4.3	17	1	1	3	7	9	9	9
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49	1	10.0		10	10	10	10	10	10	10
50-64	2	8.0		8	8	8	8	8	8	8
65+	5	6.4	31	1	1	6	11	13	13	13
2. MULTIPLE DX										
0-19 YRS	3	16.3	321	5	5	7	29	37	37	37
20-34	8	12.0	218	4	4	6	12	38	47	47
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	12.5	41	8	8	12	17	17	17	17
65+	8	13.6	37	4	6	13	17	22	24	24
TOT. SINGLE DX	13	6.5	16	1	1	7	9	11	13	13
" MULTIPLE DX	23	12.3	124	3	4	8	17	27	40	47
TOTAL 0-19 YRS	6	10.3	179	1	1	6	9	34	37	37
20-34	10	10.9	175	4	4	6	7	32	47	47
35-49	3	5.0	19	2	2	3	8	10	10	10
50-64	4	10.3	20	8	8	8	13	17	17	17
65+	13	10.8	45	1	1	11	14	20	23	24
GRAND TOTAL	**36**	**10.2**	**92**	**1**	**2**	**8**	**12**	**19**	**33**	**47**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	4	14.5	25	9	9	14	18	21	21	21
35-49	2	7.0	18	4	4	7	10	10	10	10
50-64	2	18.5	61	13	13	18	24	24	24	24
65+	3	15.0	19	10	10	17	18	18	18	18
2. MULTIPLE DX										
0-19 YRS										
20-34	6	17.5	75	8	8	16	25	29	30	30
35-49	7	18.9	291	2	3	8	37	42	42	42
50-64	16	20.1	124	7	8	17	28	39	39	39
65+	6	42.8	345	12	14	49	57	60	60	60
TOT. SINGLE DX	12	13.6	32	4	7	13	17	22	24	24
" MULTIPLE DX	35	23.3	250	7	7	19	35	49	55	60
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	10	16.3	53	8	8	15	21	27	30	30
35-49	9	16.2	248	2	3	8	29	42	42	42
50-64	18	19.9	113	7	9	17	25	38	39	39
65+	9	33.6	414	10	11	29	52	59	60	60
GRAND TOTAL	**47**	**20.8**	**211**	**6**	**7**	**16**	**28**	**42**	**51**	**60**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	1	8.0		8	8	8	8	8	8	8
35-49	19	8.1	26	3	4	7	9	14	21	25
50-64	565	8.1	12	4	5	8	10	12	14	21
65+	1152	9.3	21	4	5	8	11	14	17	26
2. MULTIPLE DX										
0-19 YRS	5	11.4	85	4	4	8	16	27	27	27
20-34	9	11.7	34	3	4	14	16	60	99+	99+
35-49	53	11.6	81	3	5	9	14	24	30	50
50-64	864	10.8	60	5	5	9	12	18	24	47
65+	2705	14.0	124	5	6	11	16	26	37	85
TOT. SINGLE DX	1739	8.9	19	4	5	8	10	14	16	25
" MULTIPLE DX	3636	13.2	110	5	6	10	15	24	34	77
TOTAL 0-19 YRS	7	9.4	68	4	4	6	11	24	27	27
20-34	10	11.3	32	3	4	14	16	53	96	99+
35-49	72	10.7	69	3	5	8	11	23	2[illegible]	47
50-64	1429	9.7	43	4	5	8	11	16	20	36
65+	3857	12.6	99	5	6	10	14	23	30	72
GRAND TOTAL	**5375**	**11.8**	**85**	**5**	**5**	**9**	**13**	**21**	**28**	**62**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	4	19.5	65	8	8	21	24	27	27	27
50-64	36	13.4	42	7	8	11	16	24	27	34
65+	116	14.9	51	7	9	13	16	23	28	43
2. MULTIPLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	18.0		18	18	18	18	18	18	18
50-64	76	16.0	56	8	9	14	20	30	33	83
65+	320	20.3	158	9	10	17	24	32	43	81
TOT. SINGLE DX	157	14.6	51	7	8	13	17	23	28	34
" MULTIPLE DX	399	19.4	141	9	9	16	23	32	40	84
TOTAL 0-19 YRS	2	6.5	1	6	6	6	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	5	19.2	50	8	8	21	23	27	27	27
50-64	112	15.2	53	8	8	13	19	28	33	60
65+	436	18.8	135	8	9	16	22	30	38	66
GRAND TOTAL	**556**	**18.0**	**120**	**8**	**9**	**15**	**22**	**30**	**34**	**64**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	17	2.7	2	<1	1	2	3	5	6	7
50-64	99	4.8	85	<1	1	2	4	9	16	58
65+	179	5.2	28	1	2	3	6	10	17	27
2. MULTIPLE DX										
0-19 YRS										
20-34	1	12.0		12	12	12	12	12	12	12
35-49	10	5.1	9	1	1	5	8	9	10	10
50-64	127	7.4	77	1	2	4	9	15	27	45
65+	342	9.9	104	2	2	6	14	23	29	71
TOT. SINGLE DX	297	4.9	46	1	1	3	5	9	17	30
" MULTIPLE DX	480	9.1	97	2	2	6	12	21	28	60
TOTAL 0-19 YRS										
20-34	3	7.7	26	2	2	9	11	12	12	12
35-49	27	3.6	6	1	1	3	5	8	9	10
50-64	226	6.2	82	1	1	3	7	14	20	45
65+	521	8.3	84	1	2	5	11	20	26	53
GRAND TOTAL	**777**	**7.5**	**82**	**1**	**2**	**4**	**9**	**19**	**25**	**50**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	65	3.5	5	1	1	3	5	6	7	13
20-34	56	4.1	10	<1	1	3	5	8	11	16
35-49	29	3.5	5	1	1	3	4	6	8	12
50-64	35	4.2	5	2	2	3	4	7	10	11
65+	23	5.1	11	1	2	5	6	10	13	15
2. MULTIPLE DX										
0-19 YRS	40	4.0	9	<1	1	3	5	9	11	12
20-34	43	5.0	11	2	2	4	6	9	10	19
35-49	28	7.4	37	1	2	4	11	18	20	24
50-64	45	7.1	35	2	3	5	8	16	23	26
65+	57	9.0	53	2	3	7	11	17	26	39
TOT. SINGLE DX	208	3.9	7	1	1	3	5	7	10	15
" MULTIPLE DX	213	6.7	34	2	2	5	9	13	18	31
TOTAL 0-19 YRS	105	3.7	7	1	1	3	5	7	10	13
20-34	99	4.5	11	<1	1	4	6	9	10	18
35-49	57	5.4	25	1	2	4	6	12	18	24
50-64	80	5.8	24	2	3	4	7	11	17	26
65+	80	7.9	44	2	3	6	10	15	17	38
GRAND TOTAL	**421**	**5.3**	**22**	**1**	**2**	**4**	**6**	**11**	**14**	**25**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	57	3.7	4	2	2	3	4	7	8	11
20-34	82	6.1	26	2	2	4	8	13	17	26
35-49	43	5.7	21	2	2	4	6	11	19	21
50-64	28	8.5	48	2	2	7	10	16	22	35
65+	55	8.4	44	3	3	6	11	20	23	34
2. MULTIPLE DX										
0-19 YRS	33	5.8	139	2	2	3	4	6	10	71
20-34	55	8.7	108	2	2	4	10	22	30	50
35-49	36	7.2	36	2	3	5	10	13	18	33
50-64	41	10.3	63	3	3	9	14	21	26	36
65+	145	12.2	127	3	3	9	15	24	34	99+
TOT. SINGLE DX	265	6.3	29	2	2	4	8	12	19	27
" MULTIPLE DX	310	10.1	111	2	3	6	13	22	29	79
TOTAL 0-19 YRS	90	4.5	54	2	2	3	4	7	8	47
20-34	137	7.1	60	2	2	4	8	18	23	46
35-49	79	6.4	28	2	2	4	8	12	19	30
50-64	69	9.6	57	2	3	7	12	20	24	36
65+	200	11.2	107	3	3	8	15	23	30	96
GRAND TOTAL	**575**	**8.3**	**77**	**2**	**2**	**5**	**10**	**19**	**23**	**49**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	576	3.5	5	1	2	3	4	6	8	11
20-34	56	3.1	3	1	1	3	4	5	7	12
35-49	7	3.1	5	1	1	2	4	7	8	8
50-64	1	7.0		7	7	7	7	7	7	7
65+										
2. MULTIPLE DX										
0-19 YRS	229	4.6	17	2	2	3	5	8	11	21
20-34	16	4.9	7	2	2	4	7	9	10	11
35-49	7	4.9	10	2	2	3	7	10	10	10
50-64	3	10.3	8	7	7	12	12	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	640	3.5	5	1	2	3	4	6	8	11
" MULTIPLE DX	256	4.7	17	2	2	4	6	9	11	20
TOTAL 0-19 YRS	805	3.8	9	1	2	3	5	7	9	12
20-34	72	3.5	5	1	1	3	4	7	8	12
35-49	14	4.0	8	1	2	3	6	8	10	10
50-64	4	9.5	8	7	7	9	12	12	12	12
65+	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**896**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**	**12**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	3.4	10	1	1	2	4	7	9	18
20-34	67	2.4	1	<1	<1	2	3	4	4	6
35-49	23	3.6	4	1	1	3	4	6	8	11
50-64	10	5.8	39	2	2	4	6	15	23	23
65+	5	10.6	65	2	2	11	18	20	20	20
2. MULTIPLE DX										
0-19 YRS	35	3.7	11	1	1	3	4	8	11	16
20-34	44	4.3	11	1	2	3	5	9	12	17
35-49	10	5.2	49	<1	1	3	4	15	25	25
50-64	10	6.6	24	2	2	4	10	14	15	15
65+	2	9.0	18	6	6	9	12	12	12	12
TOT. SINGLE DX	189	3.4	11	<1	1	3	4	6	9	20
" MULTIPLE DX	101	4.5	17	1	1	3	5	10	13	21
TOTAL 0-19 YRS	119	3.5	11	1	1	2	4	8	9	17
20-34	111	3.2	6	<1	<1	3	4	6	8	14
35-49	33	4.1	18	<1	1	3	4	6	10	25
50-64	20	6.2	30	2	2	4	7	14	19	23
65+	7	10.1	47	2	2	11	16	19	20	20
GRAND TOTAL	**290**	**3.8**	**13**	**<1**	**1**	**3**	**4**	**8**	**12**	**20**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	290	1.1		<1	<1	<1	<1	1	1	2
35-49	105	1.1		<1	<1	<1	<1	1	2	3
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
0-19 YRS										
20-34	49	2.7	14	<1	<1	1	3	6	11	23
35-49	16	2.5	4	<1	<1	2	4	5	7	8
50-64	4	5.5	21	1	1	4	8	12	12	12
65+										
TOT. SINGLE DX	402	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	69	2.8	13	<1	<1	1	3	6	11	21
TOTAL 0-19 YRS										
20-34	339	1.3	2	<1	<1	<1	1	1	3	7
35-49	121	1.3	1	<1	<1	<1	1	2	3	6
50-64	10	3.0	12	<1	<1	2	4	8	12	12
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**471**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**8**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	207	2.7	2	<1	1	2	3	5	6	8
20-34	244	3.1	3	<1	1	3	4	5	6	12
35-49	172	3.2	3	1	1	3	4	6	7	9
50-64	167	3.9	4	1	2	4	5	7	8	13
65+	79	4.0	4	1	2	4	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	108	3.5	8	<1	1	3	4	7	10	17
20-34	124	3.7	7	1	1	3	5	7	8	17
35-49	88	4.0	5	1	2	3	5	7	9	13
50-64	104	4.9	9	1	2	4	6	9	11	17
65+	101	6.7	30	1	2	5	8	15	18	28
TOT. SINGLE DX	869	3.3	4	1	1	3	4	6	7	10
" MULTIPLE DX	525	4.5	14	1	2	3	5	9	12	19
TOTAL 0-19 YRS	315	3.0	5	<1	1	2	3	5	7	11
20-34	368	3.3	5	<1	1	3	4	6	7	14
35-49	260	3.5	4	1	1	3	4	6	8	12
50-64	271	4.3	7	1	2	4	5	7	10	13
65+	180	5.5	21	1	2	4	6	11	15	20
GRAND TOTAL	**1394**	**3.7**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**16**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	498	1.8	1	<1	<1	2	2	3	4	6
20-34	102	2.1	2	<1	<1	2	3	4	4	9
35-49	38	1.8		<1	<1	2	2	3	3	4
50-64	25	2.5	2	<1	<1	2	3	4	7	9
65+	20	4.1	10	1	1	3	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	130	2.9	7	<1	<1	2	3	6	8	15
20-34	55	3.4	11	<1	<1	2	3	7	8	21
35-49	48	3.8	10	1	2	3	4	7	11	17
50-64	42	5.7	70	<1	1	3	5	14	23	48
65+	55	5.2	25	1	2	3	6	10	18	96
TOT. SINGLE DX	1107	2.0	2	<1	<1	2	2	3	4	8
" MULTIPLE DX	462	4.2	28	<1	1	2	4	9	15	29
TOTAL 0-19 YRS	975	2.2	5	<1	<1	2	2	3	5	14
20-34	258	2.6	6	<1	<1	2	3	4	6	16
35-49	131	2.8	6	<1	<1	2	3	5	8	16
50-64	93	4.0	36	<1	1	2	4	6	14	38
65+	112	5.7	40	1	2	3	6	13	21	63
GRAND TOTAL	**1569**	**2.7**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**18**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	51	3.2	14	<1	<1	2	4	8	12	20
20-34	46	2.6	6	<1	<1	1	3	6	9	12
35-49	17	6.9	56	<1	1	3	9	21	22	22
50-64	26	7.0	18	3	4	5	8	13	17	21
65+	15	8.7	82	2	2	6	9	21	31	35
2. MULTIPLE DX										
0-19 YRS	20	3.6	5	<1	1	3	5	7	8	9
20-34	26	5.7	47	<1	<1	3	6	16	21	30
35-49	20	6.3	9	2	2	6	8	10	12	14
50-64	35	7.9	31	3	4	6	9	17	20	26
65+	27	9.2	79	2	2	6	12	17	35	38
TOT. SINGLE DX	155	4.6	28	<1	<1	2	6	11	17	22
" MULTIPLE DX	128	6.8	40	1	2	5	8	15	18	35
TOTAL 0-19 YRS	71	3.3	12	<1	<1	2	4	8	10	18
20-34	72	3.7	23	<1	<1	2	4	9	14	28
35-49	37	6.6	30	1	2	6	8	14	21	22
50-64	61	7.5	26	3	4	6	8	16	19	25
65+	42	9.0	79	2	2	6	10	18	34	38
GRAND TOTAL	**283**	**5.6**	**34**	**<1**	**<1**	**4**	**7**	**12**	**18**	**33**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	86	5.2	4	2	3	5	6	8	9	12
20-34	408	5.8	5	3	4	5	7	8	10	15
35-49	75	6.5	6	3	4	6	8	9	10	19
50-64	21	10.0	45	4	5	8	11	19	28	31
65+	10	11.4	21	7	7	10	11	19	22	22
2. MULTIPLE DX										
0-19 YRS	63	6.8	18	2	3	6	7	10	15	29
20-34	457	6.7	16	3	4	6	7	9	13	22
35-49	98	7.9	17	4	4	7	9	14	17	24
50-64	30	11.3	41	4	5	10	15	19	28	30
65+	24	21.1	294	8	9	16	26	35	64	82
TOT. SINGLE DX	600	6.1	8	3	3	6	7	9	10	17
" MULTIPLE DX	672	7.6	35	3	4	6	8	12	17	30
TOTAL 0-19 YRS	149	5.9	11	2	3	5	7	8	11	19
20-34	865	6.3	12	3	4	6	7	9	11	19
35-49	173	7.3	14	3	4	7	8	10	15	23
50-64	51	10.7	43	4	5	9	12	19	28	31
65+	34	18.2	231	7	8	13	19	31	52	82
GRAND TOTAL	**1272**	**6.9**	**23**	**3**	**4**	**6**	**7**	**10**	**14**	**26**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	45	6.5	4	4	4	6	7	8	10	13
20-34	280	6.5	5	4	4	6	7	9	11	16
35-49	144	7.3	7	4	4	7	8	11	12	18
50-64	23	8.0	20	4	5	7	8	11	17	26
65+	5	13.2	150	6	6	8	16	35	35	35
2. MULTIPLE DX										
0-19 YRS	37	7.1	4	5	5	7	8	11	12	12
20-34	467	7.4	15	4	4	7	8	11	14	20
35-49	247	8.5	29	4	5	7	9	14	19	34
50-64	38	11.4	86	4	5	8	13	21	31	52
65+	24	17.5	118	6	8	13	26	35	39	40
TOT. SINGLE DX	497	6.9	9	4	4	6	8	9	12	19
" MULTIPLE DX	813	8.2	28	4	5	7	9	12	18	34
TOTAL 0-19 YRS	82	6.8	4	4	5	6	8	9	12	13
20-34	747	7.1	12	4	4	7	8	10	12	20
35-49	391	8.0	22	4	4	7	9	12	16	31
50-64	61	10.1	64	4	5	7	10	18	26	50
65+	29	16.7	122	6	7	11	26	35	39	40
GRAND TOTAL	**1310**	**7.7**	**21**	**4**	**4**	**7**	**8**	**11**	**15**	**31**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	30	8.2	5	5	5	8	9	11	12	14
35-49	32	7.3	6	4	5	7	8	12	13	13
50-64	24	8.4	27	5	5	7	8	15	21	29
65+	10	11.3	42	7	7	8	13	23	25	25
2. MULTIPLE DX										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	88	8.5	26	4	5	7	9	12	19	34
35-49	158	9.7	80	4	5	8	10	15	19	58
50-64	56	11.1	30	6	6	9	15	17	19	33
65+	28	20.1	219	6	8	18	24	31	60	71
TOT. SINGLE DX	97	8.2	15	5	5	7	9	13	15	27
" MULTIPLE DX	331	10.5	78	5	5	8	11	18	24	59
TOTAL 0-19 YRS	2	11.0	32	7	7	11	15	15	15	15
20-34	118	8.4	21	4	5	7	9	12	16	34
35-49	190	9.3	69	4	5	7	9	14	18	52
50-64	80	10.3	30	5	6	8	13	17	19	32
65+	38	17.8	186	6	7	14	24	29	48	71
GRAND TOTAL	**428**	**10.0**	**65**	**5**	**5**	**8**	**11**	**17**	**22**	**46**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	5.2	22	<1	1	4	6	10	15	24
20-34	86	4.0	7	1	1	4	5	7	8	16
35-49	19	4.9	9	<1	<1	5	7	10	11	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
2. MULTIPLE DX										
0-19 YRS	18	5.4	3	1	3	6	6	7	8	8
20-34	229	5.3	6	1	2	6	7	8	9	12
35-49	29	4.9	7	1	1	5	7	8	9	11
50-64										
65+										
TOT. SINGLE DX	133	4.5	11	<1	1	4	6	8	10	20
" MULTIPLE DX	276	5.3	6	1	2	5	7	8	9	12
TOTAL 0-19 YRS	45	5.3	15	1	1	5	6	8	11	24
20-34	315	5.0	7	1	1	5	7	8	9	12
35-49	48	4.9	8	<1	1	5	7	9	10	11
50-64	1	10.0		10	10	10	10	10	10	10
65+										
GRAND TOTAL	**409**	**5.0**	**8**	**1**	**1**	**5**	**7**	**8**	**9**	**13**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	1.5		<1	<1	1	2	3	3	3
20-34	1300	1.4		<1	<1	1	2	2	2	4
35-49	452	1.4		<1	<1	1	2	2	2	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	491	2.3	7	<1	<1	2	2	4	6	16
35-49	238	1.7	1	<1	<1	1	2	3	4	7
50-64	3	2.0		2	2	2	2	2	2	2
65+										
TOT. SINGLE DX	1761	1.4		<1	<1	1	2	2	2	4
" MULTIPLE DX	734	2.1	5	<1	<1	2	2	4	5	14
TOTAL 0-19 YRS	10	1.7	1	<1	<1	1	2	3	3	3
20-34	1791	1.7	3	<1	<1	1	2	2	3	8
35-49	690	1.5	1	<1	<1	1	2	2	3	5
50-64	4	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2495**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	2.9	1	2	2	2	4	5	5	5
20-34	2338	3.0	3	1	2	3	4	4	5	7
35-49	649	3.0	1	1	2	3	4	4	5	7
50-64	4	2.3		2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	13	5.4	27	1	2	4	5	10	20	22
20-34	1412	4.1	6	2	2	4	5	7	8	13
35-49	483	3.9	5	2	2	3	4	6	8	13
50-64	3	5.3	4	3	3	6	7	7	7	7
65+										
TOT. SINGLE DX	3008	3.0	3	1	2	3	4	4	5	7
" MULTIPLE DX	1911	4.1	6	2	2	4	5	7	8	14
TOTAL 0-19 YRS	30	4.0	14	2	2	3	4	6	7	22
20-34	3750	3.4	5	1	2	3	4	5	6	10
35-49	1132	3.4	3	1	2	3	4	5	7	10
50-64	7	3.6	4	2	2	3	5	7	7	7
65+										
GRAND TOTAL	**4919**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**7**	**10**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	5.5	3	2	4	5	6	8	8	11
20-34	756	4.9	3	2	3	5	6	7	8	10
35-49	104	5.2	7	1	2	5	7	8	10	15
50-64	3	8.0	12	6	6	6	11	12	12	12
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	36	5.9	4	3	3	6	7	9	10	10
20-34	665	5.8	10	2	3	6	7	8	10	13
35-49	117	6.5	14	2	3	6	7	11	15	22
50-64	5	13.8	147	6	6	8	18	35	35	35
65+										
TOT. SINGLE DX	906	5.0	4	2	3	5	6	7	8	11
" MULTIPLE DX	823	6.0	12	2	3	6	7	9	10	18
TOTAL 0-19 YRS	77	5.7	4	3	4	6	7	8	9	11
20-34	1421	5.4	7	2	3	5	6	8	9	12
35-49	221	5.9	12	2	3	5	7	9	12	19
50-64	8	11.6	97	6	6	7	12	28	35	35
65+	2	4.0	8	2	2	4	6	6	6	6
GRAND TOTAL	**1729**	**5.5**	**8**	**2**	**3**	**5**	**6**	**8**	**9**	**13**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	18	2.7	1	1	1	3	3	4	5	5
20-34	603	2.7	1	<1	1	2	3	4	5	8
35-49	148	3.0	3	1	2	3	4	4	5	9
50-64	50	2.9	3	<1	1	2	3	5	7	12
65+	10	3.7	4	1	1	3	5	7	8	8
2. MULTIPLE DX										
0-19 YRS	8	2.4		2	2	2	3	3	3	3
20-34	266	2.9	2	<1	1	3	4	5	6	10
35-49	107	3.8	25	<1	1	3	4	6	11	33
50-64	46	4.3	40	<1	1	2	3	7	15	32
65+	17	3.7	7	1	2	3	4	6	11	13
TOT. SINGLE DX	829	2.8	2	1	1	2	3	4	5	8
" MULTIPLE DX	444	3.3	12	<1	1	3	4	5	7	23
TOTAL 0-19 YRS	26	2.6	1	1	2	2	3	4	4	5
20-34	869	2.8	2	<1	1	2	3	4	5	9
35-49	255	3.3	13	<1	1	3	4	5	7	22
50-64	96	3.6	21	<1	1	2	3	6	9	32
65+	27	3.7	6	1	2	3	4	6	9	13
GRAND TOTAL	**1273**	**3.0**	**6**	**<1**	**1**	**2**	**3**	**5**	**6**	**11**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12	2.4	2	<1	<1	2	4	5	6	6
20-34	108	2.9	20	<1	<1	2	3	5	8	29
35-49	82	2.7	10	<1	<1	2	3	5	6	21
50-64	45	3.2	16	<1	<1	2	4	6	9	25
65+	23	4.5	28	1	1	3	5	8	15	27
2. MULTIPLE DX										
0-19 YRS	14	2.3	1	1	1	2	3	4	4	4
20-34	95	2.9	14	<1	<1	2	3	5	8	25
35-49	80	5.0	98	<1	<1	2	4	9	24	50
50-64	59	4.4	23	<1	<1	2	6	13	16	92
65+	54	10.3	224	1	1	4	13	23	47	99+
TOT. SINGLE DX	270	3.0	17	<1	<1	2	4	5	7	26
" MULTIPLE DX	302	5.0	81	<1	<1	2	5	12	20	69
TOTAL 0-19 YRS	26	2.3	2	<1	<1	2	4	4	5	6
20-34	203	2.9	18	<1	<1	2	3	5	8	26
35-49	162	3.8	55	<1	<1	2	3	7	10	49
50-64	104	3.9	20	<1	<1	2	5	10	14	59
65+	77	8.5	172	1	1	4	10	21	36	97
GRAND TOTAL	**572**	**4.1**	**52**	**<1**	**<1**	**2**	**4**	**8**	**14**	**49**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	3.1	3	1	1	3	4	6	7	7
20-34	204	3.4	4	1	1	3	4	5	8	12
35-49	25	3.0	2	1	2	3	3	4	6	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
2. MULTIPLE DX										
0-19 YRS	2	6.5	41	2	2	6	11	11	11	11
20-34	71	4.4	14	1	2	3	6	8	10	23
35-49	12	6.1	37	1	1	3	9	17	19	19
50-64	2	5.0	32	1	1	5	9	9	9	9
65+										
TOT. SINGLE DX	237	3.3	4	1	2	3	4	5	8	11
" MULTIPLE DX	87	4.7	17	1	2	3	6	10	12	23
TOTAL 0-19 YRS	9	3.9	10	1	1	3	5	9	11	11
20-34	275	3.7	7	1	2	3	4	7	9	13
35-49	37	4.0	15	1	2	3	4	8	15	19
50-64	3	5.0	16	1	1	5	8	9	9	9
65+										
GRAND TOTAL	**324**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**9**	**15**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	5	5.6	10	1	1	6	7	10	10	10
20-34	63	5.2	14	1	1	5	7	7	11	23
35-49	22	4.7	4	1	2	5	6	7	8	9
50-64	7	2.7	4	<1	<1	2	3	6	7	7
65+	3	6.7	41	2	2	4	11	14	14	14
2. MULTIPLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	90	5.9	11	2	2	6	7	9	11	21
35-49	28	5.4	9	1	1	6	7	8	10	14
50-64	15	6.9	129	<1	<1	3	9	11	37	46
65+	7	8.6	89	1	1	3	17	23	24	24
TOT. SINGLE DX	100	5.0	12	1	1	5	7	7	10	20
" MULTIPLE DX	142	6.0	26	1	1	6	7	9	12	28
TOTAL 0-19 YRS	7	5.6	11	1	1	6	8	10	10	10
20-34	153	5.6	13	1	2	6	7	9	11	24
35-49	50	5.1	7	1	1	6	7	8	9	14
50-64	22	5.5	91	<1	<1	2	7	10	25	46
65+	10	8.0	69	1	1	4	14	22	24	24
GRAND TOTAL	**242**	**5.6**	**21**	**1**	**1**	**6**	**7**	**9**	**11**	**24**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	652	7.6	3	5	6	7	8	9	11	14
35-49	890	7.8	4	6	6	7	8	10	11	17
50-64	220	9.2	23	6	6	8	9	13	18	29
65+	76	11.8	66	7	7	9	13	17	21	59
2. MULTIPLE DX										
0-19 YRS	32	7.4	5	4	5	7	9	10	12	14
20-34	2286	8.0	8	5	6	7	9	10	13	20
35-49	4136	8.4	11	6	6	8	9	11	13	22
50-64	937	9.8	28	6	7	8	10	15	18	32
65+	251	14.6	83	7	7	11	18	25	34	58
TOT. SINGLE DX	1839	8.0	10	5	6	8	9	10	12	20
" MULTIPLE DX	7642	8.6	16	5	6	8	9	12	15	25
TOTAL 0-19 YRS	33	7.4	5	4	5	7	9	10	12	14
20-34	2938	7.9	8	5	6	7	8	10	12	18
35-49	5026	8.3	10	6	6	8	9	11	13	21
50-64	1157	9.7	27	6	7	8	10	14	18	32
65+	327	13.9	81	7	7	10	17	25	30	58
GRAND TOTAL	**9481**	**8.5**	**15**	**5**	**6**	**8**	**9**	**12**	**14**	**25**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	293	6.8	2	5	5	7	7	8	10	13
35-49	300	7.4	6	5	5	7	8	9	11	19
50-64	117	9.0	7	6	6	8	10	14	15	16
65+	113	9.5	12	7	7	8	10	14	16	28
2. MULTIPLE DX										
0-19 YRS	6	7.3	8	4	4	7	9	12	12	12
20-34	729	7.5	7	5	5	7	8	10	13	18
35-49	1157	8.3	17	5	5	7	9	12	15	24
50-64	461	10.1	22	6	6	9	11	16	19	28
65+	274	11.2	28	6	7	10	14	18	21	34
TOT. SINGLE DX	823	7.7	7	5	5	7	8	10	13	17
" MULTIPLE DX	2627	8.7	18	5	6	7	9	14	17	26
TOTAL 0-19 YRS	6	7.3	9	4	4	7	9	12	12	12
20-34	1022	7.3	6	5	5	7	8	10	12	17
35-49	1457	8.1	16	5	5	7	9	12	15	23
50-64	578	9.9	20	6	6	9	11	15	18	27
65+	387	10.7	25	6	7	9	12	17	21	33
GRAND TOTAL	**3450**	**8.5**	**16**	**5**	**6**	**7**	**9**	**13**	**16**	**24**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	11.5	3	10	10	11	13	14	14	14
35-49	5	16.4	156	7	7	13	21	38	38	38
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	43.0		43	43	43	43	43	43	43
2. MULTIPLE DX										
0-19 YRS										
20-34	7	17.6	57	7	7	20	24	25	25	25
35-49	11	26.7	152	9	11	32	37	41	45	45
50-64	8	15.8	89	7	7	13	21	31	34	34
65+	2	30.5	761	11	11	30	50	50	50	50
TOT. SINGLE DX	11	17.9	151	7	8	13	23	40	43	43
" MULTIPLE DX	28	21.6	151	7	8	17	32	38	45	50
TOTAL 0-19 YRS										
20-34	11	15.4	45	7	8	14	22	25	25	25
35-49	16	23.5	167	6	9	17	36	39	43	45
50-64	9	16.9	90	7	7	16	25	31	34	34
65+	3	34.7	432	11	11	43	48	50	50	50
GRAND TOTAL	**39**	**20.5**	**150**	**7**	**8**	**16**	**30**	**39**	**44**	**50**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	54	2.0	4	<1	<1	1	2	4	6	12
20-34	120	2.0	3	<1	<1	1	2	4	5	11
35-49	8	2.1	1	<1	<1	2	3	4	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	5.5	214	<1	<1	2	4	6	30	72
20-34	104	3.0	5	<1	1	3	4	5	7	13
35-49	29	3.2	9	<1	1	3	3	4	8	17
50-64										
65+										
TOT. SINGLE DX	182	2.0	3	<1	<1	1	2	4	5	11
" MULTIPLE DX	156	3.4	36	<1	1	3	4	5	7	18
TOTAL 0-19 YRS	77	3.0	68	<1	<1	1	2	5	7	56
20-34	224	2.4	4	<1	<1	2	3	5	6	11
35-49	37	3.0	8	<1	<1	3	3	4	7	17
50-64										
65+										
GRAND TOTAL	**338**	**2.6**	**19**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	847	2.0	2	<1	1	2	2	4	5	8
20-34	6579	1.9	2	<1	<1	1	2	3	5	9
35-49	1871	1.7	1	<1	<1	1	2	3	3	7
50-64	726	1.8	2	<1	<1	2	2	3	3	8
65+	170	3.1	52	<1	1	2	3	5	6	23
2. MULTIPLE DX										
0-19 YRS	263	3.2	25	<1	1	2	3	6	8	21
20-34	2182	2.5	6	<1	<1	2	3	5	7	14
35-49	1364	2.8	22	<1	<1	2	2	5	9	20
50-64	757	2.8	14	<1	<1	2	2	5	8	21
65+	295	5.7	73	1	1	3	6	13	20	54
TOT. SINGLE DX	10193	1.9	3	<1	<1	1	2	3	5	8
" MULTIPLE DX	4861	2.9	18	<1	<1	2	3	6	8	18
TOTAL 0-19 YRS	1110	2.3	8	<1	1	2	3	4	6	10
20-34	8761	2.0	4	<1	<1	1	2	4	5	10
35-49	3235	2.2	11	<1	<1	1	2	3	6	14
50-64	1483	2.3	9	<1	<1	2	2	4	6	16
65+	465	4.8	68	1	1	2	4	9	16	50
GRAND TOTAL	**15054**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**4**	**6**	**13**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	651	1.1		<1	<1	<1	1	2	2	2
20-34	1405	1.1		<1	<1	<1	1	1	2	3
35-49	78	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	452	1.6	4	<1	<1	<1	2	2	2	13
20-34	1157	1.6	4	<1	<1	<1	2	3	3	8
35-49	201	2.0	1	<1	<1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	2134	1.1		<1	<1	<1	1	2	2	3
" MULTIPLE DX	1810	1.7	4	<1	<1	<1	2	3	4	8
TOTAL 0-19 YRS	1103	1.3	2	<1	<1	<1	1	2	2	5
20-34	2562	1.4	2	<1	<1	<1	1	2	3	6
35-49	279	1.7	1	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**3944**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	41	1.9	1	<1	<1	1	2	3	4	7
20-34	213	1.8	1	<1	1	1	2	3	5	8
35-49	19	1.6	1	<1	1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	16	2.2	1	<1	1	2	3	4	4	4
20-34	68	2.4	5	<1	<1	2	2	5	8	12
35-49	7	3.1	12	<1	<1	2	3	9	11	11
50-64										
65+										
TOT. SINGLE DX	273	1.8	2	<1	1	1	2	3	5	8
" MULTIPLE DX	91	2.4	5	<1	<1	2	2	4	8	12
TOTAL 0-19 YRS	57	2.0	1	<1	<1	2	2	4	4	7
20-34	281	1.9	3	<1	1	1	2	3	5	9
35-49	26	2.0	4	<1	1	1	2	3	6	11
50-64										
65+										
GRAND TOTAL	**364**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**9**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7	4.9	3	3	3	4	5	8	9	9
20-34	57	5.6	3	2	3	6	7	8	9	12
35-49	12	5.6	2	4	4	5	7	8	8	8
50-64	7	7.3	8	5	5	7	8	12	13	13
65+	4	8.8	4	7	7	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	4	5.5	1	4	4	5	6	7	7	7
20-34	88	6.4	4	3	4	6	7	9	10	15
35-49	13	7.5	18	3	3	6	7	16	18	18
50-64	12	11.6	81	5	5	9	13	23	36	38
65+	21	15.5	146	6	7	12	17	47	72	99+
TOT. SINGLE DX	87	5.8	5	3	4	6	7	8	9	13
" MULTIPLE DX	138	8.3	44	3	4	7	9	15	17	58
TOTAL 0-19 YRS	11	5.1	3	3	3	5	6	8	9	9
20-34	145	6.1	5	3	4	6	7	8	10	13
35-49	25	6.6	11	3	4	6	7	8	16	18
50-64	19	10.0	57	5	5	8	11	16	28	38
65+	25	14.4	129	6	7	11	15	43	62	99+
GRAND TOTAL	**225**	**7.3**	**30**	**3**	**4**	**6**	**8**	**11**	**15**	**47**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	10	3.6	9	1	1	3	5	8	11	11
20-34	83	3.8	54	<1	<1	2	4	6	11	49
35-49	20	5.1	27	<1	1	4	5	9	17	25
50-64	11	7.3	16	3	3	6	10	14	14	14
65+	6	5.2	3	2	2	5	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	9	4.0	8	1	1	3	7	8	8	8
20-34	116	5.6	70	<1	<1	3	6	11	18	50
35-49	25	8.4	172	<1	<1	3	7	37	44	46
50-64	13	11.8	254	2	2	6	10	43	51	53
65+	9	14.4	294	2	3	5	21	45	47	47
TOT. SINGLE DX	130	4.3	42	<1	1	2	5	8	14	33
" MULTIPLE DX	172	6.8	111	<1	<1	4	7	13	40	52
TOTAL 0-19 YRS	19	3.8	9	1	1	3	6	8	10	11
20-34	199	4.8	65	<1	<1	2	6	9	14	52
35-49	45	6.9	109	<1	<1	3	7	10	39	46
50-64	24	9.7	145	2	3	6	10	17	44	53
65+	15	10.7	192	2	2	5	8	41	45	47
GRAND TOTAL	**302**	**5.8**	**82**	**<1**	**<1**	**3**	**6**	**10**	**19**	**50**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	7.0		7	7	7	7	7	7	7
20-34	64	7.4	24	3	4	6	8	12	15	33
35-49	186	8.3	17	4	5	7	9	14	16	26
50-64	267	8.0	7	4	5	8	10	11	14	17
65+	133	8.9	15	5	5	8	10	14	15	21
2. MULTIPLE DX										
0-19 YRS	2	7.5	5	6	6	7	9	9	9	9
20-34	104	8.6	14	4	5	8	10	13	15	24
35-49	348	10.1	24	5	6	9	12	16	20	29
50-64	402	9.9	23	5	6	8	11	15	19	29
65+	293	11.0	48	5	6	9	13	18	22	46
TOT. SINGLE DX	652	8.2	14	4	5	8	9	12	15	23
" MULTIPLE DX	1149	10.1	29	5	6	9	12	16	20	29
TOTAL 0-19 YRS	4	7.3	2	6	6	7	8	9	9	9
20-34	168	8.2	18	3	4	7	9	13	15	26
35-49	534	9.5	23	5	5	8	11	15	18	29
50-64	669	9.1	18	5	5	8	11	14	17	26
65+	426	10.4	39	5	6	9	12	16	20	37
GRAND TOTAL	**1801**	**9.4**	**25**	**5**	**5**	**8**	**11**	**15**	**18**	**29**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	4	3.3	15	1	1	2	5	9	9	9
20-34	51	5.3	11	1	1	4	8	10	11	14
35-49	13	5.1	8	1	2	4	7	9	10	10
50-64	13	6.5	11	1	2	7	9	11	11	11
65+	13	11.5	63	2	2	10	15	26	26	26
2. MULTIPLE DX										
0-19 YRS	15	4.3	17	<1	1	2	8	11	12	12
20-34	45	5.6	29	1	1	4	7	9	14	33
35-49	30	6.6	28	1	1	5	10	15	19	19
50-64	19	7.3	24	<1	1	7	10	14	17	20
65+	9	15.9	100	3	5	16	20	32	35	35
TOT. SINGLE DX	94	6.2	22	1	1	6	9	11	13	26
" MULTIPLE DX	118	6.7	39	1	1	5	9	14	18	34
TOTAL 0-19 YRS	19	4.1	16	<1	1	2	8	11	12	12
20-34	96	5.4	20	1	1	4	8	10	13	24
35-49	43	6.2	23	1	1	5	8	14	17	19
50-64	32	7.0	18	<1	1	7	9	12	14	20
65+	22	13.3	79	2	3	10	18	26	30	35
GRAND TOTAL	**212**	**6.5**	**31**	**1**	**1**	**5**	**9**	**13**	**17**	**29**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	52	3.2	14	<1	<1	2	3	7	10	24
20-34	120	3.5	11	<1	<1	2	5	8	11	17
35-49	50	4.9	15	<1	<1	4	7	9	11	22
50-64	46	6.7	102	1	2	5	7	10	14	70
65+	51	6.6	21	2	2	6	8	10	16	29
2. MULTIPLE DX										
0-19 YRS	25	5.2	19	<1	1	3	7	12	15	15
20-34	80	5.5	36	1	1	4	7	12	20	32
35-49	56	7.1	45	<1	1	4	9	17	21	33
50-64	76	9.2	113	2	2	7	10	16	23	71
65+	68	8.8	39	2	2	7	10	19	22	31
TOT. SINGLE DX	319	4.6	29	<1	1	3	6	9	12	23
" MULTIPLE DX	305	7.4	59	1	2	6	9	15	22	34
TOTAL 0-19 YRS	77	3.8	16	<1	<1	2	5	10	12	22
20-34	200	4.3	22	<1	1	2	6	9	13	24
35-49	106	6.0	33	<1	1	4	8	12	18	29
50-64	122	8.3	110	1	2	6	9	14	21	74
65+	119	7.8	33	2	2	7	9	15	21	30
GRAND TOTAL	**624**	**6.0**	**45**	**<1**	**1**	**4**	**8**	**12**	**17**	**31**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	84	2.4	5	<1	<1	1	3	5	10	11
20-34	381	2.1	2	<1	<1	2	3	4	5	8
35-49	132	2.6	3	<1	1	2	3	5	7	10
50-64	54	3.2	16	<1	1	2	3	7	8	25
65+	25	3.9	9	2	2	3	4	8	12	14
2. MULTIPLE DX										
0-19 YRS	33	5.0	23	<1	1	4	7	12	21	99+
20-34	106	4.1	23	<1	1	3	5	8	12	31
35-49	52	4.6	62	<1	1	3	4	6	17	42
50-64	35	5.0	13	1	2	4	7	10	14	16
65+	38	13.1	280	2	2	6	12	39	51	72
TOT. SINGLE DX	676	2.4	5	<1	<1	2	3	4	6	12
" MULTIPLE DX	264	5.7	75	<1	1	3	6	11	21	52
TOTAL 0-19 YRS	117	3.1	12	<1	<1	2	4	9	11	48
20-34	487	2.6	8	<1	<1	2	3	5	7	12
35-49	184	3.2	21	<1	1	2	3	5	8	33
50-64	89	3.9	16	1	1	3	4	8	13	22
65+	63	9.4	192	2	2	4	9	29	43	70
GRAND TOTAL	**940**	**3.3**	**26**	**<1**	**1**	**2**	**3**	**6**	**9**	**31**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	3	3.7	9	1	1	3	6	7	7	7
35-49	3	6.3	1	5	5	7	7	7	7	7
50-64	8	10.8	55	<1	1	9	17	21	22	22
65+	7	17.6	96	8	8	14	21	34	37	37
2. MULTIPLE DX										
0-19 YRS										
20-34	7	15.4	76	4	5	16	17	29	32	32
35-49	4	11.3	39	5	5	10	15	20	20	20
50-64	5	23.0	138	4	4	25	32	34	34	34
65+	18	35.7	302	7	10	41	49	60	82	99+
TOT. SINGLE DX	23	10.7	73	1	2	8	14	21	27	37
" MULTIPLE DX	34	26.8	292	4	5	24	43	55	60	99+
TOTAL 0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	10	11.9	85	1	2	11	17	25	32	32
35-49	7	9.1	27	5	5	7	10	18	20	20
50-64	13	15.5	117	1	3	14	23	32	34	34
65+	25	30.6	307	7	10	33	47	59	68	99+
GRAND TOTAL	**57**	**20.3**	**264**	**3**	**4**	**16**	**32**	**47**	**57**	**97**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	9	3.4	11	<1	<1	3	4	9	12	12
20-34	32	2.7	3	<1	<1	2	4	5	6	10
35-49	7	4.1	6	<1	<1	4	6	8	8	8
50-64	6	5.0	17	2	2	4	5	12	13	13
65+	4	4.3	7	2	2	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	12	2.8	9	<1	<1	2	3	6	11	12
20-34	23	5.0	9	1	2	5	7	10	11	11
35-49	2	23.5	5	22	22	23	25	25	25	25
50-64	1	10.0		10	10	10	10	10	10	10
65+										
TOT. SINGLE DX	58	3.3	7	<1	<1	2	4	6	9	13
" MULTIPLE DX	38	5.4	29	1	1	3	7	11	18	25
TOTAL 0-19 YRS	21	3.1	10	<1	<1	2	3	7	12	12
20-34	55	3.7	7	<1	1	3	5	7	10	11
35-49	9	8.4	79	<1	1	6	11	24	25	25
50-64	7	5.7	18	2	2	5	9	12	13	13
65+	4	4.3	7	2	2	3	6	8	8	8
GRAND TOTAL	**96**	**4.2**	**17**	**<1**	**1**	**3**	**5**	**10**	**12**	**24**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	8	2.0	3	<1	<1	1	2	5	6	6
20-34	30	6.8	193	<1	<1	1	3	23	50	55
35-49	9	2.7	4	1	1	2	4	6	7	7
50-64	4	2.0	2	1	1	2	3	4	4	4
65+	3	5.0	37	<1	<1	2	9	12	12	12
2. MULTIPLE DX										
0-19 YRS	4	5.5	7	2	2	6	7	8	8	8
20-34	22	7.7	183	<1	<1	2	7	26	41	58
35-49	6	7.7	45	<1	<1	5	10	19	20	20
50-64	7	4.6	17	1	1	4	6	12	13	13
65+	6	17.2	248	<1	<1	15	30	37	38	38
TOT. SINGLE DX	54	4.9	114	<1	<1	1	3	9	29	55
" MULTIPLE DX	45	8.3	138	<1	<1	4	8	25	32	58
TOTAL 0-19 YRS	12	3.2	7	<1	<1	2	5	7	8	8
20-34	52	7.2	186	<1	<1	2	5	26	48	58
35-49	15	4.7	25	<1	1	4	6	10	17	20
50-64	11	3.6	12	1	1	3	4	9	13	13
65+	9	13.1	202	<1	<1	5	26	35	38	38
GRAND TOTAL	**99**	**6.5**	**126**	**<1**	**<1**	**2**	**6**	**18**	**32**	**57**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	438	4.9	5	3	3	5	6	7	8	14
20-34	2566	4.8	6	3	3	4	5	6	7	12
35-49	78	4.9	12	2	3	4	6	7	10	24
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	547	5.8	12	3	3	5	6	9	12	23
20-34	3914	5.5	11	3	3	5	6	8	9	18
35-49	191	5.6	6	3	4	5	6	8	9	15
50-64										
65+										
TOT. SINGLE DX	3082	4.8	6	3	3	4	5	7	7	13
" MULTIPLE DX	4652	5.5	11	3	3	5	6	8	10	19
TOTAL 0-19 YRS	985	5.4	10	3	3	5	6	8	10	20
20-34	6480	5.2	9	3	3	5	6	7	8	16
35-49	269	5.4	9	3	3	5	6	8	9	22
50-64										
65+										
GRAND TOTAL	**7734**	**5.2**	**9**	**3**	**3**	**5**	**6**	**7**	**9**	**16**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	4.2	2	2	2	4	5	6	7	7
20-34	157	4.5	2	3	3	4	5	6	8	11
35-49	4	4.0		3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	37	5.7	42	1	1	5	5	8	19	37
20-34	372	5.5	15	2	2	5	6	8	10	24
35-49	29	4.9	5	2	2	4	6	8	9	10
50-64										
65+										
TOT. SINGLE DX	174	4.5	3	3	3	4	5	6	7	11
" MULTIPLE DX	438	5.5	17	2	2	5	6	8	10	24
TOTAL 0-19 YRS	50	5.3	32	1	2	4	5	7	9	37
20-34	529	5.2	12	2	3	5	6	7	10	22
35-49	33	4.8	5	2	2	4	6	8	9	10
50-64										
65+										
GRAND TOTAL	**612**	**5.2**	**13**	**2**	**3**	**5**	**6**	**7**	**10**	**23**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	111	5.2	4	3	3	5	6	8	10	13
20-34	856	4.8	3	3	3	5	6	7	8	12
35-49	28	4.5	2	3	3	4	5	6	8	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	247	5.9	12	3	3	5	6	9	12	21
20-34	2047	5.7	9	3	4	5	6	8	10	18
35-49	100	5.7	5	3	4	5	6	8	10	16
50-64										
65+										
TOT. SINGLE DX	995	4.9	4	3	3	5	6	7	8	12
" MULTIPLE DX	2394	5.7	10	3	4	5	6	8	10	18
TOTAL 0-19 YRS	358	5.7	10	3	3	5	6	9	11	17
20-34	2903	5.4	8	3	3	5	6	8	9	17
35-49	128	5.5	5	3	3	5	6	8	10	16
50-64										
65+										
GRAND TOTAL	**3389**	**5.5**	**8**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3272	4.6	6	2	3	4	5	6	7	14
20-34	23625	4.4	4	2	3	4	5	6	7	11
35-49	854	4.5	5	2	3	4	5	6	8	14
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1701	5.3	14	2	3	5	6	8	10	20
20-34	14124	5.1	10	2	3	5	6	7	9	18
35-49	905	5.6	16	2	3	5	6	8	10	22
50-64										
65+										
TOT. SINGLE DX	27751	4.4	5	2	3	4	5	6	7	11
" MULTIPLE DX	16730	5.2	12	2	3	5	6	7	9	19
TOTAL 0-19 YRS	4973	4.9	9	2	3	4	5	7	8	16
20-34	37749	4.6	7	2	3	4	5	6	8	14
35-49	1759	5.0	12	2	3	4	6	7	9	18
50-64										
65+										
GRAND TOTAL	**44481**	**4.7**	**8**	**2**	**3**	**4**	**5**	**7**	**8**	**14**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	269	7.2	9	4	5	7	8	10	11	21
20-34	3384	6.9	5	5	5	7	8	9	10	15
35-49	142	7.1	4	5	5	7	8	9	9	16
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	710	8.7	37	5	5	7	9	12	16	41
20-34	8338	8.2	29	5	5	7	8	11	15	34
35-49	710	8.9	40	5	5	7	9	13	17	41
50-64										
65+										
TOT. SINGLE DX	3795	6.9	6	5	5	7	8	9	10	15
" MULTIPLE DX	9758	8.3	31	5	5	7	8	12	16	35
TOTAL 0-19 YRS	979	8.3	30	5	5	7	9	12	15	36
20-34	11722	7.9	23	5	5	7	8	10	14	29
35-49	852	8.6	35	5	5	7	9	12	17	38
50-64										
65+										
GRAND TOTAL	**13553**	**7.9**	**24**	**5**	**5**	**7**	**8**	**10**	**14**	**30**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	11	6.7	3	4	4	6	8	10	10	10
20-34	87	7.2	4	5	5	7	8	9	11	16
35-49	3	8.3	1	7	7	9	9	9	9	9
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	8.2	5	5	6	8	9	12	13	13
20-34	115	11.0	92	5	5	8	10	23	32	52
35-49	17	11.2	27	6	7	9	12	22	23	23
50-64										
65+										
TOT. SINGLE DX	101	7.1	5	4	5	7	8	10	11	16
" MULTIPLE DX	145	10.8	78	5	5	8	10	22	27	51
TOTAL 0-19 YRS	24	7.5	5	4	5	7	9	10	12	13
20-34	202	9.3	58	5	5	7	9	14	24	50
35-49	20	10.8	24	6	7	9	12	20	23	23
50-64										
65+										
GRAND TOTAL	**246**	**9.3**	**51**	**5**	**5**	**7**	**9**	**14**	**23**	**48**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	24	5.5	7	1	2	5	8	9	10	10
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	7.5	13	5	5	7	10	10	10	10
20-34	35	8.1	91	3	4	6	7	14	20	58
35-49	7	5.1	1	4	4	5	6	7	7	7
50-64										
65+										
TOT. SINGLE DX	28	5.3	7	1	3	5	7	9	10	10
" MULTIPLE DX	44	7.6	74	3	4	5	7	12	18	58
TOTAL 0-19 YRS	4	5.8	8	4	4	5	7	10	10	10
20-34	59	7.1	58	2	3	5	8	11	15	55
35-49	9	4.9	1	3	3	5	6	7	7	7
50-64										
65+										
GRAND TOTAL	**72**	**6.7**	**49**	**3**	**3**	**5**	**7**	**10**	**14**	**50**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	110	1.9	8	1	1	1	2	3	3	16
20-34	124	1.5		1	1	1	2	2	3	5
35-49	6	1.7		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	127	1.7		1	1	2	2	2	4	5
20-34	192	2.1	2	1	1	2	2	3	5	12
35-49	18	2.4	2	1	1	2	3	5	6	7
50-64										
65+										
TOT. SINGLE DX	240	1.7	4	1	1	1	2	3	3	6
" MULTIPLE DX	337	1.9	2	1	1	2	2	3	4	7
TOTAL 0-19 YRS	237	1.8	4	1	1	2	2	3	3	5
20-34	316	1.9	2	1	1	2	2	3	4	9
35-49	24	2.2	2	1	1	2	3	4	6	7
50-64										
65+										
GRAND TOTAL	**577**	**1.8**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**7**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	22	5.2	26	<1	1	4	8	10	16	23
20-34	213	3.1	15	<1	<1	1	3	7	11	21
35-49	12	2.4	15	<1	<1	<1	2	6	14	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	4	8.3	51	2	2	6	13	18	18	18
20-34	57	6.3	42	<1	<1	4	9	13	21	31
35-49	6	5.3	34	<1	<1	2	10	14	15	15
50-64										
65+										
TOT. SINGLE DX	247	3.2	17	<1	<1	1	4	8	11	21
" MULTIPLE DX	77	6.3	41	<1	<1	4	9	13	20	31
TOTAL 0-19 YRS	26	5.7	29	<1	1	4	9	11	19	23
20-34	280	3.8	23	<1	<1	2	5	10	13	26
35-49	18	3.4	22	<1	<1	<1	2	13	15	15
50-64										
65+										
GRAND TOTAL	**324**	**4.0**	**24**	**<1**	**<1**	**2**	**5**	**10**	**14**	**24**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	421	3.0	8	<1	<1	2	4	6	8	13
20-34	2299	3.4	14	<1	<1	3	4	6	7	19
35-49	91	3.3	7	<1	<1	3	5	6	7	15
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	400	4.2	7	<1	1	4	5	7	9	15
20-34	2568	4.7	20	1	1	4	5	7	10	25
35-49	132	5.4	18	2	2	4	6	8	10	26
50-64										
65+										
TOT. SINGLE DX	2811	3.3	13	<1	<1	3	4	6	7	18
" MULTIPLE DX	3100	4.7	19	1	1	4	5	7	9	22
TOTAL 0-19 YRS	821	3.6	8	<1	<1	3	5	6	8	15
20-34	4867	4.1	18	<1	<1	4	5	6	8	20
35-49	223	4.5	15	<1	1	4	6	7	9	18
50-64										
65+										
GRAND TOTAL	**5911**	**4.0**	**17**	**<1**	**<1**	**4**	**5**	**6**	**8**	**20**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	384	4.1	2	2	2	4	5	6	7	10
20-34	4260	4.1	2	2	3	4	5	6	6	8
35-49	217	4.2	2	2	3	4	5	6	7	10
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	360	5.2	30	2	3	5	6	7	9	14
20-34	4722	4.9	6	2	3	4	6	7	8	15
35-49	348	5.3	8	3	3	5	6	8	10	17
50-64										
65+										
TOT. SINGLE DX	4861	4.1	2	2	3	4	5	6	6	8
" MULTIPLE DX	5430	4.9	8	2	3	4	6	7	8	15
TOTAL 0-19 YRS	744	4.6	17	2	3	4	5	7	8	12
20-34	8982	4.5	5	2	3	4	5	6	7	12
35-49	565	4.9	6	2	3	5	6	7	9	14
50-64										
65+										
GRAND TOTAL	**10291**	**4.5**	**6**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	11	4.2	5	<1	1	4	5	7	10	10
35-49	11	7.6	41	2	2	4	11	17	22	22
50-64	13	16.0	654	1	2	6	21	44	84	93
65+	8	10.1	60	2	2	9	16	20	22	22
2. MULTIPLE DX										
0-19 YRS	14	8.8	185	2	2	5	6	18	47	55
20-34	11	3.9	3	<1	1	5	5	6	6	6
35-49	7	16.0	619	3	3	8	42	92	99+	99+
50-64	18	28.6	671	1	2	20	43	59	82	98
65+	12	20.3	460	3	3	8	33	55	65	67
TOT. SINGLE DX	46	9.3	218	1	2	4	10	21	32	93
" MULTIPLE DX	62	16.7	460	1	2	6	23	56	69	99+
TOTAL 0-19 YRS	17	7.7	157	1	2	5	6	13	41	55
20-34	22	4.0	4	<1	1	4	5	6	8	10
35-49	18	10.9	261	2	2	7	12	52	87	99+
50-64	31	23.3	683	1	2	13	35	58	91	98
65+	20	16.3	315	2	2	8	22	44	58	67
GRAND TOTAL	**108**	**13.6**	**367**	**1**	**2**	**5**	**14**	**42**	**59**	**99**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	186	4.1	6	2	2	4	5	6	7	9
20-34	325	4.0	2	2	2	4	5	6	7	9
35-49	58	4.3	1	2	2	4	5	6	7	8
50-64	11	3.5	2	1	1	4	5	5	5	5
65+	3	15.0	399	2	2	5	30	38	38	38
2. MULTIPLE DX										
0-19 YRS	171	4.6	7	2	3	4	5	6	7	14
20-34	154	4.3	3	2	2	4	5	6	7	13
35-49	39	6.8	227	2	3	4	5	7	10	98
50-64	8	19.8	641	2	3	5	38	60	61	61
65+	7	18.7	754	1	1	4	22	67	78	78
TOT. SINGLE DX	583	4.1	6	2	2	4	5	6	7	9
" MULTIPLE DX	379	5.3	60	2	3	4	5	6	9	51
TOTAL 0-19 YRS	357	4.4	7	2	3	4	5	6	7	12
20-34	479	4.1	3	2	2	4	5	6	7	9
35-49	97	5.3	93	2	3	4	5	7	8	57
50-64	19	10.4	318	1	2	4	5	43	60	61
65+	10	17.6	595	1	1	5	23	58	78	78
GRAND TOTAL	**962**	**4.6**	**27**	**2**	**2**	**4**	**5**	**6**	**7**	**17**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	36	2.6	4	<1	1	2	3	4	7	11
20-34	74	3.0	4	1	1	2	4	5	7	11
35-49	10	3.5	5	1	1	3	6	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	94	3.9	10	1	2	3	4	7	10	19
20-34	224	4.2	27	1	1	3	4	8	11	34
35-49	46	6.2	85	1	1	3	7	12	16	60
50-64	18	8.0	73	1	2	5	12	29	72	99+
65+	3	8.3	4	6	6	9	10	10	10	10
TOT. SINGLE DX	122	2.9	4	1	1	2	4	6	7	11
" MULTIPLE DX	385	4.6	33	1	1	3	5	9	12	40
TOTAL 0-19 YRS	130	3.5	9	1	1	3	4	6	9	18
20-34	298	3.9	22	1	1	3	4	7	10	29
35-49	56	5.7	72	1	1	3	6	12	14	58
50-64	19	7.8	70	1	2	5	12	26	69	99+
65+	4	6.5	16	1	1	7	9	10	10	10
GRAND TOTAL	**507**	**4.2**	**27**	**1**	**1**	**3**	**4**	**8**	**12**	**34**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	26	4.5	6	1	2	4	6	7	11	12
20-34	78	3.4	4	1	1	3	5	6	8	9
35-49	19	3.1	7	1	1	2	4	8	9	10
50-64	8	5.8	57	1	1	2	9	19	21	21
65+	2	11.0	18	8	8	11	14	14	14	14
2. MULTIPLE DX										
0-19 YRS	76	7.6	107	1	1	4	8	17	24	62
20-34	254	5.7	49	1	1	4	7	12	16	57
35-49	96	7.0	73	1	2	5	8	13	17	52
50-64	22	6.3	19	1	2	5	7	14	16	17
65+	12	11.8	136	1	2	7	19	30	35	36
TOT. SINGLE DX	133	3.8	9	1	1	3	5	7	9	15
" MULTIPLE DX	460	6.4	66	1	1	4	7	13	18	55
TOTAL 0-19 YRS	102	6.8	83	1	2	4	7	14	22	57
20-34	332	5.1	40	1	1	4	6	10	14	40
35-49	115	6.4	64	1	1	4	8	12	17	51
50-64	30	6.1	28	1	1	5	7	14	17	21
65+	14	11.6	117	1	2	8	14	28	34	36
GRAND TOTAL	**593**	**5.9**	**54**	**1**	**1**	**4**	**7**	**12**	**17**	**47**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	3.8	11	<1	<1	2	6	9	10	10
20-34	7	3.7	10	1	1	3	5	9	10	10
35-49	4	6.8	35	<1	<1	6	11	14	14	14
50-64	6	4.8	11	1	1	4	6	10	11	11
65+										
2. MULTIPLE DX										
0-19 YRS	7	6.6	50	1	1	4	7	19	22	22
20-34	19	12.0	183	1	2	7	16	24	44	59
35-49	6	9.3	126	2	2	5	7	29	32	32
50-64	6	13.8	115	4	4	9	27	28	28	28
65+	5	18.2	439	3	3	15	25	54	54	54
TOT. SINGLE DX	25	4.5	14	<1	1	3	6	10	12	14
" MULTIPLE DX	43	11.7	168	2	2	6	16	27	40	59
TOTAL 0-19 YRS	15	5.1	29	<1	1	4	6	10	19	22
20-34	26	9.8	149	1	1	6	14	21	33	59
35-49	10	8.3	84	<1	1	5	9	23	32	32
50-64	12	9.3	80	1	2	6	10	27	28	28
65+	5	18.2	440	3	3	15	25	54	54	54
GRAND TOTAL	**68**	**9.1**	**122**	**1**	**1**	**5**	**11**	**22**	**28**	**58**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	155	7.3	49	2	2	5	8	15	22	40
20-34	124	7.4	80	1	2	5	7	16	30	48
35-49	69	7.4	49	1	2	5	9	16	25	34
50-64	91	7.6	53	1	2	7	8	13	19	48
65+	53	10.0	32	2	3	9	14	18	20	25
2. MULTIPLE DX										
0-19 YRS	115	10.9	205	2	3	6	11	22	41	80
20-34	104	11.2	238	1	2	6	11	29	63	99+
35-49	64	12.4	199	1	3	8	14	30	48	97
50-64	117	12.0	130	2	3	8	15	29	38	79
65+	100	15.5	213	3	4	11	18	33	52	91
TOT. SINGLE DX	492	7.7	57	1	2	5	9	16	21	40
" MULTIPLE DX	500	12.3	197	2	3	8	15	29	44	92
TOTAL 0-19 YRS	270	8.9	119	2	2	5	9	18	27	66
20-34	228	9.1	155	1	2	5	10	22	38	88
35-49	133	9.8	127	1	2	6	12	25	32	84
50-64	208	10.1	101	2	2	7	12	21	31	63
65+	153	13.6	157	2	4	11	16	25	35	83
GRAND TOTAL	**992**	**10.0**	**132**	**2**	**2**	**7**	**12**	**22**	**33**	**78**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	119	3.9	3	1	2	4	5	7	8	9
20-34	167	4.4	4	1	2	4	6	7	8	10
35-49	181	4.4	5	1	2	4	5	7	9	14
50-64	234	4.9	10	1	2	4	6	8	10	18
65+	102	5.9	22	1	2	5	7	10	13	28
2. MULTIPLE DX										
0-19 YRS	73	4.5	3	2	2	4	6	7	8	9
20-34	149	4.8	7	2	2	4	6	9	10	14
35-49	162	5.4	25	2	2	4	6	8	10	38
50-64	333	5.6	17	2	2	5	7	9	11	24
65+	206	6.2	20	2	2	5	7	10	14	32
TOT. SINGLE DX	803	4.7	9	1	2	4	6	8	9	15
" MULTIPLE DX	923	5.5	17	2	2	5	7	9	11	24
TOTAL 0-19 YRS	192	4.2	4	1	2	4	5	7	8	9
20-34	316	4.6	6	2	2	4	6	7	9	13
35-49	343	4.9	15	2	2	4	6	8	9	23
50-64	567	5.3	15	2	2	4	7	9	11	21
65+	308	6.1	21	1	2	5	7	10	13	32
GRAND TOTAL	**1726**	**5.1**	**13**	**2**	**2**	**4**	**6**	**8**	**10**	**20**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	423	4.8	51	1	2	3	5	8	14	44
20-34	411	4.7	22	1	1	4	5	8	11	22
35-49	215	5.4	54	1	2	4	6	10	14	27
50-64	172	6.0	61	1	1	4	7	10	16	43
65+	93	8.0	105	1	2	5	10	16	21	61
2. MULTIPLE DX										
0-19 YRS	188	9.7	163	2	2	5	11	22	42	73
20-34	335	9.4	181	1	2	5	9	23	43	91
35-49	199	9.5	158	1	2	5	10	22	37	65
50-64	255	13.4	288	1	2	7	17	32	69	99+
65+	168	18.0	314	2	3	12	25	41	53	91
TOT. SINGLE DX	1314	5.3	48	1	2	4	5	10	15	35
" MULTIPLE DX	1145	11.6	227	1	2	6	13	30	47	90
TOTAL 0-19 YRS	611	6.3	91	1	2	3	6	12	22	60
20-34	746	6.8	99	1	2	4	7	13	23	70
35-49	414	7.4	108	1	2	4	7	15	25	55
50-64	427	10.4	210	1	2	6	11	25	43	96
65+	261	14.4	262	1	2	9	17	37	46	83
GRAND TOTAL	**2459**	**8.2**	**141**	**1**	**2**	**4**	**8**	**18**	**32**	**74**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	106	8.7	120	2	2	6	10	16	27	71
20-34	171	5.6	25	2	2	4	7	10	15	31
35-49	68	7.5	28	2	2	7	10	15	18	26
50-64	44	10.4	89	2	3	7	13	18	28	55
65+	77	15.1	96	3	5	13	19	29	39	46
2. MULTIPLE DX										
0-19 YRS	77	13.5	293	1	2	6	18	44	60	96
20-34	72	13.9	351	2	2	7	15	41	72	97
35-49	35	17.7	470	1	2	10	20	58	63	89
50-64	52	18.1	348	2	4	12	17	60	70	99
65+	138	25.2	409	6	7	20	37	70	99	99+
TOT. SINGLE DX	466	8.6	76	2	2	6	11	17	24	44
" MULTIPLE DX	374	18.9	393	2	3	12	26	57	74	99+
TOTAL 0-19 YRS	183	10.7	198	1	2	6	11	27	48	83
20-34	243	8.1	135	2	2	5	9	15	25	87
35-49	103	11.0	199	1	2	7	13	21	41	75
50-64	96	14.6	243	2	3	11	16	34	62	86
65+	215	21.6	320	5	7	16	29	55	75	99+
GRAND TOTAL	**840**	**13.2**	**243**	**2**	**2**	**8**	**16**	**34**	**56**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	202	3.4	19	1	1	2	3	5	9	28
20-34	388	3.1	9	<1	1	2	3	5	7	15
35-49	134	4.4	29	<1	1	3	4	9	13	29
50-64	98	4.9	27	1	1	3	6	9	18	26
65+	76	6.7	77	1	2	4	7	17	22	53
2. MULTIPLE DX										
0-19 YRS	79	5.9	56	1	2	3	6	17	21	42
20-34	143	7.3	110	1	1	4	7	17	26	63
35-49	87	10.7	285	1	2	4	8	29	51	79
50-64	85	6.5	90	1	2	4	7	15	18	60
65+	91	16.2	364	2	2	10	23	67	99+	99+
TOT. SINGLE DX	898	3.9	23	<1	1	3	4	7	11	25
" MULTIPLE DX	485	9.2	189	1	2	4	9	23	45	99+
TOTAL 0-19 YRS	281	4.1	31	1	1	3	4	7	14	34
20-34	531	4.2	40	<1	1	3	4	7	12	32
35-49	221	6.9	139	<1	1	3	7	13	26	73
50-64	183	5.7	57	1	2	3	6	13	18	26
65+	167	11.9	255	1	2	6	16	39	74	99+
GRAND TOTAL	**1383**	**5.7**	**88**	**1**	**1**	**3**	**5**	**13**	**21**	**70**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	22.0	109	6	9	20	27	34	44	47
20-34	6	18.0	227	6	6	13	23	44	46	46
35-49	4	9.0	3	7	7	9	10	11	11	11
50-64	10	21.6	567	7	7	12	17	62	83	83
65+	44	20.7	230	4	5	17	27	41	52	71
2. MULTIPLE DX										
0-19 YRS	37	34.6	431	5	11	34	49	59	92	99+
20-34	19	21.9	146	7	8	18	29	42	48	50
35-49	14	16.4	298	5	6	11	18	29	63	73
50-64	37	24.1	257	6	7	20	39	57	83	99+
65+	208	33.1	588	6	9	28	53	85	99+	99+
TOT. SINGLE DX	78	20.2	236	5	6	16	25	42	47	80
" MULTIPLE DX	315	30.8	512	6	8	27	45	78	95	99+
TOTAL 0-19 YRS	51	31.1	371	5	10	28	43	54	88	99+
20-34	25	21.0	160	6	6	17	28	45	47	50
35-49	18	14.7	238	5	7	10	16	23	53	73
50-64	47	23.6	314	6	7	17	38	57	84	99+
65+	252	30.9	548	5	9	26	45	80	96	99+
GRAND TOTAL	**393**	**28.7**	**475**	**5**	**7**	**23**	**42**	**73**	**92**	**99+**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	27	11.3	36	4	4	10	14	20	24	27
20-34	22	13.0	64	3	4	12	15	20	32	40
35-49	17	12.7	20	4	6	13	15	19	20	20
50-64	28	21.4	186	6	9	18	26	40	55	62
65+	90	24.5	326	8	10	18	29	59	70	99+
2. MULTIPLE DX										
0-19 YRS	79	24.1	317	7	9	18	30	58	65	97
20-34	112	19.4	220	4	7	16	23	35	58	78
35-49	64	17.9	172	6	7	14	21	42	57	99+
50-64	133	21.3	249	4	7	17	29	47	65	99+
65+	665	29.0	434	6	9	24	47	85	99+	99+
TOT. SINGLE DX	184	19.6	233	6	7	15	22	44	60	94
" MULTIPLE DX	1053	26.0	380	6	8	20	38	70	99+	99+
TOTAL 0-19 YRS	106	20.8	276	5	7	16	23	52	63	94
20-34	134	18.4	200	3	7	15	21	32	51	78
35-49	81	16.8	144	6	7	14	19	39	51	99+
50-64	161	21.4	237	5	7	17	28	45	62	99+
65+	755	28.4	423	7	9	23	45	80	99+	99+
GRAND TOTAL	**1237**	**25.0**	**363**	**6**	**8**	**19**	**36**	**66**	**99+**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	20.7	356	1	2	14	30	54	58	67
20-34	4	46.0	1250	12	12	42	75	88	88	88
35-49	3	5.3	24	2	2	3	9	11	11	11
50-64	3	6.0	9	3	3	6	8	9	9	9
65+	6	31.3	642	8	8	30	53	58	59	59
2. MULTIPLE DX										
0-19 YRS	90	33.1	580	2	4	30	50	73	83	99+
20-34	16	32.2	691	7	7	27	54	91	99	99+
35-49	9	29.0	318	4	10	31	36	84	99+	99+
50-64	9	41.7	1487	1	2	56	99	99+	99+	99+
65+	32	35.1	506	6	8	38	61	99+	99+	99+
TOT. SINGLE DX	65	21.9	447	1	2	13	32	58	62	85
" MULTIPLE DX	156	33.7	601	3	5	32	56	89	99+	99+
TOTAL 0-19 YRS	139	28.7	534	2	3	24	46	63	76	99+
20-34	20	35.0	776	7	8	27	57	91	98	99+
35-49	12	23.1	350	2	3	22	34	74	95	99+
50-64	12	32.8	1344	1	3	32	96	99+	99+	99+
65+	38	34.5	513	6	8	38	59	99+	99+	99+
GRAND TOTAL	**221**	**30.2**	**582**	**2**	**4**	**26**	**52**	**77**	**99**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	24	6.6	70	1	1	2	11	23	23	24
20-34	37	5.2	27	1	1	4	7	11	20	21
35-49	18	3.9	3	2	2	4	5	7	8	8
50-64	14	4.6	10	1	2	4	6	11	11	11
65+	5	10.0	161	1	1	8	31	93	99+	99+
2. MULTIPLE DX										
0-19 YRS	45	8.0	127	1	1	2	10	21	34	52
20-34	61	9.2	189	1	1	3	11	29	48	96
35-49	40	9.5	198	1	2	5	9	21	43	71
50-64	26	8.9	224	1	2	5	10	13	30	79
65+	19	21.0	546	1	1	17	30	56	79	88
TOT. SINGLE DX	98	5.5	37	1	1	4	6	17	22	66
" MULTIPLE DX	191	10.1	225	1	1	4	11	30	45	84
TOTAL 0-19 YRS	69	7.5	107	1	1	2	10	22	33	49
20-34	98	7.7	131	1	1	4	9	21	38	86
35-49	58	7.8	144	1	2	4	7	12	30	70
50-64	40	7.4	151	1	2	4	9	12	15	79
65+	24	18.7	477	1	1	13	31	67	91	99+
GRAND TOTAL	**289**	**8.5**	**166**	**1**	**1**	**4**	**9**	**21**	**35**	**84**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	280	4.2	15	1	1	3	5	8	11	20
20-34	412	4.5	18	1	1	4	6	8	11	19
35-49	187	5.9	21	1	2	5	8	10	14	25
50-64	119	7.1	32	2	2	5	8	15	20	30
65+	92	9.5	63	2	3	7	12	17	25	47
2. MULTIPLE DX										
0-19 YRS	512	5.8	52	1	2	4	6	12	18	47
20-34	870	6.1	67	1	2	4	6	11	17	51
35-49	467	7.8	103	1	2	5	8	16	24	56
50-64	376	9.4	87	2	3	6	11	20	28	46
65+	225	13.7	211	3	3	9	16	34	48	99+
TOT. SINGLE DX	1090	5.4	26	1	1	4	6	10	15	27
" MULTIPLE DX	2450	7.5	93	1	2	5	8	16	25	56
TOTAL 0-19 YRS	792	5.2	40	1	1	3	6	10	15	41
20-34	1282	5.6	52	1	2	4	6	10	14	47
35-49	654	7.3	81	1	2	5	8	13	20	55
50-64	495	8.8	75	2	3	6	10	19	27	45
65+	317	12.5	172	3	3	8	15	28	42	90
GRAND TOTAL	**3540**	**6.9**	**73**	**1**	**2**	**4**	**7**	**13**	**20**	**52**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1095	2.2	8	<1	1	1	2	4	6	19
20-34	282	3.4	12	<1	1	2	4	8	10	20
35-49	102	3.9	14	1	1	3	5	8	13	16
50-64	172	4.1	44	1	1	2	4	7	14	47
65+	137	4.2	54	1	1	2	4	8	12	44
2. MULTIPLE DX										
0-19 YRS	1552	3.4	32	1	1	2	3	7	12	30
20-34	665	5.4	70	<1	1	3	6	12	19	55
35-49	343	6.4	86	1	1	3	7	13	24	49
50-64	432	6.5	86	1	1	3	7	17	26	47
65+	423	10.8	261	1	1	4	13	31	54	99+
TOT. SINGLE DX	1848	2.9	17	1	1	2	3	6	9	20
" MULTIPLE DX	3415	5.4	86	1	1	2	5	13	22	60
TOTAL 0-19 YRS	2647	2.9	23	<1	1	1	3	6	10	24
20-34	947	4.8	54	<1	1	3	5	10	15	39
35-49	505	5.6	65	1	1	3	6	12	17	46
50-64	604	5.8	75	1	1	2	6	15	24	47
65+	560	9.2	219	1	1	4	10	26	41	95
GRAND TOTAL	**5263**	**4.5**	**63**	**1**	**1**	**2**	**4**	**10**	**17**	**48**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	85	3.3	31	<1	<1	1	3	7	12	35
20-34	98	2.4	16	<1	<1	1	2	4	9	25
35-49	28	2.3	7	<1	<1	1	2	5	8	13
50-64	36	2.8	19	<1	1	1	3	5	15	21
65+	32	3.6	38	<1	1	1	3	7	21	30
2. MULTIPLE DX										
0-19 YRS	121	4.2	37	<1	1	2	5	11	18	33
20-34	149	4.5	67	<1	<1	1	4	12	19	47
35-49	65	5.2	115	<1	<1	2	3	13	24	67
50-64	92	5.7	84	<1	<1	2	7	14	18	86
65+	107	13.0	329	1	1	5	19	33	60	90
TOT. SINGLE DX	279	2.8	23	<1	<1	1	3	5	12	26
" MULTIPLE DX	534	6.4	132	<1	1	2	6	18	25	68
TOTAL 0-19 YRS	206	3.8	35	<1	<1	1	4	9	16	33
20-34	247	3.6	48	<1	<1	1	3	7	19	33
35-49	93	4.3	84	<1	<1	1	3	11	23	55
50-64	128	4.9	68	<1	<1	2	5	14	18	74
65+	139	10.9	278	1	1	4	12	30	45	89
GRAND TOTAL	**813**	**5.2**	**98**	**<1**	**<1**	**2**	**4**	**14**	**21**	**61**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	37	4.4	16	1	2	3	5	9	15	20
20-34	85	3.5	7	1	1	3	4	5	8	18
35-49	25	5.2	25	2	2	4	6	8	14	27
50-64	11	5.8	26	1	1	4	7	15	17	17
65+	5	9.0	128	2	2	4	12	29	29	29
2. MULTIPLE DX										
0-19 YRS	66	5.5	55	1	1	3	5	12	23	91
20-34	209	3.4	7	1	1	3	4	6	7	17
35-49	60	4.2	23	1	1	3	4	7	10	31
50-64	22	7.0	74	1	1	3	9	17	28	38
65+	15	15.3	301	2	2	9	23	31	59	68
TOT. SINGLE DX	163	4.3	17	1	2	3	5	8	12	26
" MULTIPLE DX	372	4.6	39	1	1	3	4	9	15	37
TOTAL 0-19 YRS	103	5.1	42	1	1	3	5	12	17	73
20-34	294	3.4	8	1	1	3	4	6	8	17
35-49	85	4.5	24	1	2	3	5	8	10	30
50-64	33	6.6	57	1	1	4	8	16	20	38
65+	20	13.8	257	2	2	8	21	30	49	68
GRAND TOTAL	**535**	**4.5**	**33**	**1**	**1**	**3**	**4**	**8**	**13**	**31**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	166	4.9	30	1	2	3	5	9	14	33
20-34	207	3.8	11	1	1	3	4	6	8	23
35-49	84	3.9	7	2	2	3	4	6	8	19
50-64	59	5.9	34	2	2	5	6	10	17	32
65+	27	9.5	57	1	2	7	13	18	28	33
2. MULTIPLE DX										
0-19 YRS	109	5.7	34	1	1	4	6	12	18	35
20-34	210	5.4	75	1	2	3	5	9	14	44
35-49	74	6.6	68	1	1	4	7	14	24	48
50-64	69	11.1	167	2	3	6	12	34	50	91
65+	44	22.0	561	2	3	11	36	71	95	99+
TOT. SINGLE DX	543	4.7	23	1	2	3	5	8	12	32
" MULTIPLE DX	506	7.8	142	1	2	4	7	18	33	81
TOTAL 0-19 YRS	275	5.2	32	1	2	4	5	11	17	35
20-34	417	4.6	44	1	2	3	5	7	11	25
35-49	158	5.2	38	1	2	4	5	9	15	33
50-64	128	8.7	112	2	2	5	8	23	36	65
65+	71	17.2	404	2	3	9	21	56	72	99+
GRAND TOTAL	**1049**	**6.2**	**83**	**1**	**2**	**4**	**6**	**12**	**21**	**56**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	11.4	29	5	6	11	14	21	23	24
20-34	511	10.4	38	3	4	9	13	17	22	34
35-49	751	11.5	36	4	6	10	14	19	22	36
50-64	322	12.0	37	5	6	11	15	20	24	34
65+	50	14.3	79	3	5	12	20	29	31	40
2. MULTIPLE DX										
0-19 YRS	11	22.5	361	7	8	13	27	56	66	67
20-34	211	13.3	118	3	5	11	15	22	29	61
35-49	413	13.6	63	5	6	12	16	23	30	46
50-64	326	15.3	104	5	7	13	18	26	32	57
65+	103	21.0	180	7	9	16	25	40	47	71
TOT. SINGLE DX	1657	11.3	39	4	5	10	14	19	23	34
" MULTIPLE DX	1064	14.9	106	5	6	12	18	26	33	57
TOTAL 0-19 YRS	34	15.0	156	5	6	11	17	24	44	67
20-34	722	11.2	63	3	5	10	13	19	24	44
35-49	1164	12.2	47	5	6	11	15	21	25	39
50-64	648	13.7	74	5	6	12	16	23	29	44
65+	153	18.8	156	5	7	16	24	34	41	65
GRAND TOTAL	**2721**	**12.7**	**68**	**4**	**6**	**11**	**15**	**22**	**28**	**44**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	204	4.1	5	1	2	4	5	8	8	13
20-34	853	3.9	3	1	2	4	5	6	7	10
35-49	416	4.2	6	1	2	4	5	6	9	13
50-64	193	4.8	14	1	1	4	5	8	9	25
65+	42	6.4	54	1	1	5	6	12	18	45
2. MULTIPLE DX										
0-19 YRS	151	4.6	21	1	2	4	5	7	9	22
20-34	555	4.1	13	1	1	4	5	6	8	13
35-49	275	4.9	10	2	2	4	6	8	10	20
50-64	207	5.5	17	1	2	5	6	10	13	25
65+	44	5.1	26	1	1	4	6	9	13	30
TOT. SINGLE DX	1708	4.1	7	1	2	4	5	6	8	13
" MULTIPLE DX	1232	4.6	15	1	2	4	5	8	10	22
TOTAL 0-19 YRS	355	4.3	12	1	2	4	5	8	8	16
20-34	1408	3.9	7	1	2	4	5	6	7	11
35-49	691	4.5	8	1	2	4	5	7	10	17
50-64	400	5.2	16	1	2	4	6	9	11	25
65+	86	5.7	40	1	1	4	6	11	16	40
GRAND TOTAL	**2940**	**4.3**	**11**	**1**	**2**	**4**	**5**	**7**	**9**	**17**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	190	3.1	12	<1	<1	2	4	5	8	24
20-34	324	3.3	16	1	1	2	4	6	8	22
35-49	161	3.7	14	<1	1	3	4	8	11	20
50-64	115	4.1	20	<1	1	2	5	9	12	24
65+	40	6.5	54	1	1	3	7	18	24	30
2. MULTIPLE DX										
0-19 YRS	87	3.8	21	<1	1	2	4	8	11	29
20-34	229	4.3	50	<1	1	2	4	8	12	47
35-49	116	4.9	50	1	1	3	5	11	16	42
50-64	109	7.6	115	1	1	4	8	18	35	77
65+	64	12.4	244	1	1	6	15	37	49	67
TOT. SINGLE DX	830	3.6	18	<1	1	2	4	7	10	25
" MULTIPLE DX	605	5.8	85	1	1	3	6	12	20	59
TOTAL 0-19 YRS	277	3.3	16	<1	1	2	4	6	9	27
20-34	553	3.7	31	<1	1	2	4	6	10	32
35-49	277	4.2	30	1	1	3	4	9	12	30
50-64	224	5.8	69	1	1	3	6	12	20	58
65+	104	10.1	178	1	1	4	13	28	41	65
GRAND TOTAL	**1435**	**4.5**	**47**	**<1**	**1**	**2**	**4**	**9**	**15**	**42**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	53	15.7	26	9	10	16	17	20	22	42
20-34	73	12.1	31	5	7	11	13	19	24	34
35-49	62	12.6	21	7	8	12	15	18	19	31
50-64	23	16.5	113	7	8	12	20	26	37	57
65+	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
0-19 YRS	56	20.0	97	9	10	18	26	35	50	99+
20-34	82	17.4	129	7	8	15	21	35	57	99+
35-49	87	17.7	129	8	8	15	21	32	45	99+
50-64	45	19.9	173	7	8	17	26	46	51	99+
65+	9	25.1	78	16	17	20	31	39	42	42
TOT. SINGLE DX	212	13.6	38	7	8	12	16	19	23	38
" MULTIPLE DX	279	18.7	130	7	9	16	23	35	48	99+
TOTAL 0-19 YRS	109	17.9	67	9	10	16	21	30	42	99+
20-34	155	14.9	90	6	7	12	17	26	37	99+
35-49	149	15.6	91	7	8	14	18	27	34	99+
50-64	68	18.8	153	7	8	15	24	42	49	93
65+	10	24.1	80	15	15	20	30	38	42	42
GRAND TOTAL	**491**	**16.5**	**96**	**7**	**8**	**14**	**19**	**30**	**42**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	5.1	19	<1	1	4	7	9	13	24
20-34	101	5.2	10	1	2	4	6	10	12	16
35-49	66	6.9	57	1	2	5	7	15	21	40
50-64	85	5.7	17	1	2	5	7	10	14	23
65+	59	6.4	39	1	1	4	8	14	20	31
2. MULTIPLE DX										
0-19 YRS	23	8.1	30	1	2	7	12	15	16	23
20-34	78	7.6	31	2	2	6	9	16	19	28
35-49	79	8.9	125	1	2	6	9	17	26	68
50-64	101	8.7	127	2	2	5	10	19	26	64
65+	62	9.4	64	1	2	7	13	22	27	34
TOT. SINGLE DX	349	5.8	27	1	2	4	7	11	15	31
" MULTIPLE DX	343	8.6	87	2	2	6	11	17	24	37
TOTAL 0-19 YRS	61	6.3	26	<1	1	4	9	13	15	24
20-34	179	6.2	21	2	2	5	8	12	16	22
35-49	145	8.0	95	1	2	5	8	16	23	66
50-64	186	7.3	79	2	2	5	8	13	22	32
65+	121	7.9	54	1	2	5	11	19	26	32
GRAND TOTAL	**692**	**7.2**	**59**	**1**	**2**	**5**	**9**	**14**	**20**	**33**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	7	21.6	119	10	11	18	32	37	37	37
35-49	36	18.0	158	7	8	15	20	31	52	64
50-64	176	15.1	57	7	7	14	18	21	25	50
65+	306	16.0	57	7	8	15	19	24	27	40
2. MULTIPLE DX										
0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	16	21.6	189	9	10	16	26	40	53	59
35-49	67	19.5	177	6	9	17	23	33	41	90
50-64	245	20.4	178	7	9	17	24	35	50	97
65+	497	22.5	209	7	9	18	26	40	55	90
TOT. SINGLE DX	525	15.9	65	7	8	15	18	23	28	53
" MULTIPLE DX	826	21.7	200	7	9	18	25	39	53	95
TOTAL 0-19 YRS	1	63.0		63	63	63	63	63	63	63
20-34	23	21.6	162	9	10	17	29	38	47	59
35-49	103	19.0	170	7	9	16	22	32	41	79
50-64	421	18.2	135	7	8	16	21	29	42	82
65+	803	20.0	161	7	8	17	23	35	45	85
GRAND TOTAL	**1351**	**19.4**	**155**	**7**	**8**	**17**	**22**	**33**	**43**	**84**

723: Other arthroplasty of hip (31.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	3	5.3	10	3	3	4	8	9	9	9
20-34										
35-49	2	16.0	2	15	15	16	17	17	17	17
50-64	35	19.1	142	9	10	15	19	45	49	52
65+	146	20.8	195	7	8	17	24	35	49	74
2. MULTIPLE DX										
0-19 YRS	3	10.3	60	4	4	8	16	19	19	19
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	15	19.8	134	7	9	15	30	39	41	42
50-64	61	24.4	268	5	9	21	33	43	63	99+
65+	550	26.7	343	8	10	22	37	71	99+	99+
TOT. SINGLE DX	186	20.2	184	7	9	16	24	35	48	70
" MULTIPLE DX	631	26.1	332	7	10	22	36	69	99+	99+
TOTAL 0-19 YRS	6	7.8	36	3	3	6	9	18	19	19
20-34	2	9.0	72	3	3	9	15	15	15	15
35-49	17	19.4	119	7	9	15	29	38	41	42
50-64	96	22.5	227	7	10	18	28	44	53	99
65+	696	25.4	318	7	10	21	35	64	99	99+
GRAND TOTAL	**817**	**24.8**	**304**	**7**	**9**	**20**	**34**	**61**	**92**	**99+**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	157	5.1	7	2	2	4	6	9	11	14
20-34	200	5.3	7	2	3	5	6	8	10	16
35-49	64	8.0	46	2	3	6	8	18	23	34
50-64	66	12.9	70	3	3	12	17	25	29	41
65+	65	17.6	84	5	6	16	21	31	39	46
2. MULTIPLE DX										
0-19 YRS	121	5.1	10	2	3	5	6	8	10	47
20-34	321	5.3	13	2	2	5	6	8	11	21
35-49	97	8.5	122	2	3	5	8	18	37	83
50-64	77	15.6	94	3	4	15	23	30	33	36
65+	101	22.8	194	6	8	21	32	47	66	99+
TOT. SINGLE DX	552	7.9	47	2	3	5	9	17	22	35
" MULTIPLE DX	717	9.3	101	2	3	5	10	23	33	69
TOTAL 0-19 YRS	278	5.1	9	2	3	4	6	8	10	21
20-34	521	5.3	11	2	3	5	6	8	10	17
35-49	161	8.3	92	2	3	5	8	18	27	64
50-64	143	14.4	85	3	4	13	21	28	31	37
65+	166	20.7	157	6	7	19	26	40	49	99+
GRAND TOTAL	**1269**	**8.7**	**78**	**2**	**3**	**5**	**10**	**21**	**28**	**51**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	197	3.5	2	1	2	3	4	5	6	9
20-34	471	3.7	3	1	2	3	4	6	7	10
35-49	142	4.0	4	1	2	4	5	7	8	11
50-64	105	5.4	16	2	2	4	7	10	13	24
65+	60	8.3	57	1	2	6	10	19	24	36
2. MULTIPLE DX										
0-19 YRS	93	4.0	7	1	1	3	5	7	10	15
20-34	259	3.8	7	1	2	3	4	5	7	20
35-49	100	5.3	18	2	2	4	6	10	11	26
50-64	118	5.7	16	2	2	5	6	11	16	20
65+	78	10.0	76	2	3	7	11	23	30	43
TOT. SINGLE DX	975	4.2	9	2	2	3	5	7	9	17
" MULTIPLE DX	648	5.1	23	1	2	4	6	9	14	29
TOTAL 0-19 YRS	290	3.7	4	1	2	3	4	6	7	12
20-34	730	3.7	5	1	2	3	4	6	7	10
35-49	242	4.6	11	2	2	4	5	8	10	17
50-64	223	5.5	17	2	2	4	6	10	14	21
65+	138	9.3	69	2	2	7	11	22	28	37
GRAND TOTAL	**1623**	**4.5**	**15**	**1**	**2**	**4**	**5**	**8**	**11**	**22**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	128	6.5	71	1	1	4	7	15	19	53
20-34	98	3.8	6	<1	1	3	5	8	9	12
35-49	76	3.8	6	<1	<1	4	5	7	9	11
50-64	78	4.3	25	<1	<1	2	5	9	17	25
65+	44	5.8	113	<1	<1	3	6	8	18	67
2. MULTIPLE DX										
0-19 YRS	99	8.8	96	1	2	5	10	23	30	77
20-34	91	7.6	89	1	1	5	9	13	24	53
35-49	65	8.7	115	1	1	6	9	18	36	56
50-64	56	10.4	214	1	2	5	12	24	32	91
65+	39	10.5	134	<1	1	7	13	26	39	51
TOT. SINGLE DX	424	4.9	42	<1	<1	3	6	10	15	27
" MULTIPLE DX	350	8.9	121	1	1	6	10	21	31	55
TOTAL 0-19 YRS	227	7.5	83	1	1	4	9	18	25	56
20-34	189	5.6	50	1	1	4	6	10	12	48
35-49	141	6.1	62	<1	1	4	7	11	16	52
50-64	134	6.9	113	<1	<1	3	8	16	24	57
65+	83	8.0	127	<1	1	4	9	17	32	62
GRAND TOTAL	**774**	**6.7**	**81**	**<1**	**1**	**4**	**8**	**14**	**22**	**51**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	234	2.4	5	<1	<1	2	3	4	5	13
20-34	333	2.1	5	<1	<1	1	2	4	6	15
35-49	174	3.0	12	<1	<1	2	3	6	10	19
50-64	109	3.3	11	<1	<1	2	4	7	10	20
65+	52	4.7	19	<1	1	3	6	9	15	22
2. MULTIPLE DX										
0-19 YRS	42	5.7	72	<1	1	3	5	15	20	50
20-34	86	4.8	57	<1	<1	2	5	13	16	42
35-49	64	7.3	113	<1	<1	3	9	19	23	64
50-64	88	9.3	149	<1	1	5	12	21	47	90
65+	71	14.7	206	2	2	10	21	29	52	63
TOT. SINGLE DX	902	2.7	9	<1	<1	2	3	5	9	16
" MULTIPLE DX	351	8.5	134	<1	<1	4	11	21	29	63
TOTAL 0-19 YRS	276	2.9	17	<1	<1	2	3	5	8	21
20-34	419	2.7	17	<1	<1	2	3	5	9	18
35-49	238	4.1	43	<1	<1	2	4	10	14	29
50-64	197	6.0	82	<1	<1	3	6	13	21	66
65+	123	10.5	151	1	2	5	15	23	33	62
GRAND TOTAL	**1253**	**4.3**	**51**	**<1**	**<1**	**2**	**4**	**10**	**16**	**44**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	13	2.1	1	<1	<1	2	3	4	5	5
20-34	13	2.8	5	<1	<1	2	4	6	8	8
35-49	51	3.0	4	<1	1	2	4	6	8	9
50-64	171	2.8	4	<1	1	2	3	4	6	15
65+	112	3.0	3	1	2	3	3	5	7	12
2. MULTIPLE DX										
0-19 YRS	3	3.7	1	3	3	3	5	5	5	5
20-34	10	4.9	15	<1	<1	4	7	11	14	14
35-49	35	6.1	77	<1	2	3	6	11	22	49
50-64	78	4.8	31	1	1	3	5	12	16	30
65+	89	4.8	38	1	1	3	5	10	17	38
TOT. SINGLE DX	360	2.9	4	<1	1	2	3	5	7	12
" MULTIPLE DX	215	5.0	40	1	1	3	5	11	17	36
TOTAL 0-19 YRS	16	2.4	2	<1	<1	2	3	5	5	5
20-34	23	3.7	10	<1	<1	2	6	7	10	14
35-49	86	4.2	36	<1	1	3	4	8	10	40
50-64	249	3.5	14	<1	1	2	4	6	10	23
65+	201	3.8	20	1	1	3	4	7	10	26
GRAND TOTAL	**575**	**3.7**	**19**	**<1**	**1**	**3**	**4**	**7**	**10**	**24**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	68	3.1	15	1	1	2	3	6	12	22
20-34	128	2.3	2	<1	<1	2	3	4	5	9
35-49	58	2.2	2	<1	1	2	2	4	6	10
50-64	26	2.5	2	<1	1	2	3	4	6	8
65+	11	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	140	2.8	4	1	1	2	3	6	8	10
20-34	279	2.9	13	<1	1	2	3	5	9	15
35-49	99	3.2	21	1	1	2	3	6	12	29
50-64	79	5.1	58	<1	1	3	6	9	15	49
65+	26	4.6	24	<1	1	3	5	11	17	21
TOT. SINGLE DX	291	2.5	6	<1	1	2	3	4	6	14
" MULTIPLE DX	623	3.3	20	<1	1	2	3	7	9	19
TOTAL 0-19 YRS	208	2.9	8	1	1	2	3	6	8	16
20-34	407	2.7	10	<1	1	2	3	5	7	14
35-49	157	2.8	15	<1	1	2	3	5	8	27
50-64	105	4.5	46	<1	1	3	4	8	11	47
65+	37	3.9	19	<1	1	2	4	10	14	21
GRAND TOTAL	914	3.0	15	<1	1	2	3	6	9	17

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	64	2.9	7	1	1	2	3	5	8	18
20-34	108	3.6	13	<1	1	3	4	6	9	22
35-49	103	3.9	7	1	2	3	4	7	10	15
50-64	75	4.1	10	<1	1	3	5	9	11	16
65+	30	5.2	25	1	2	4	6	8	17	26
2. MULTIPLE DX										
0-19 YRS	54	5.5	122	<1	1	3	4	8	27	71
20-34	146	4.8	56	1	1	3	5	8	14	43
35-49	91	4.2	23	1	1	3	5	8	10	31
50-64	85	7.2	114	1	1	4	7	15	20	71
65+	43	10.3	249	2	3	6	10	27	55	99+
TOT. SINGLE DX	380	3.8	11	1	1	3	4	7	10	18
" MULTIPLE DX	419	5.8	92	1	1	3	6	11	17	72
TOTAL 0-19 YRS	118	4.1	51	1	1	2	4	6	10	44
20-34	254	4.3	38	1	1	3	5	7	13	31
35-49	194	4.0	15	1	1	3	5	8	10	16
50-64	160	5.7	68	<1	1	4	6	11	16	52
65+	73	8.2	162	2	2	5	8	17	34	99+
GRAND TOTAL	799	4.9	54	1	1	3	5	9	14	39

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	236	5.0	35	2	2	4	5	8	13	28
20-34	122	4.8	22	2	2	4	5	7	8	33
35-49	50	3.7	4	1	1	3	5	7	7	13
50-64	28	7.1	309	1	2	3	5	7	21	96
65+	16	7.5	32	1	2	5	12	15	18	19
2. MULTIPLE DX										
0-19 YRS	133	5.3	18	2	2	4	6	10	14	22
20-34	124	6.7	109	1	1	4	7	14	27	66
35-49	44	5.5	27	1	2	4	6	15	17	25
50-64	34	8.5	49	2	2	6	12	19	25	29
65+	23	10.3	149	2	3	5	10	26	45	46
TOT. SINGLE DX	452	5.0	45	2	2	4	5	8	12	29
" MULTIPLE DX	358	6.4	64	1	2	4	7	14	21	46
TOTAL 0-19 YRS	369	5.1	29	2	2	4	6	9	13	24
20-34	246	5.8	67	1	2	4	6	9	17	62
35-49	94	4.6	16	1	2	3	5	7	14	23
50-64	62	7.9	164	1	2	4	8	15	24	88
65+	39	9.2	101	1	2	5	12	19	34	46
GRAND TOTAL	810	5.6	54	1	2	4	6	10	15	44

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	4.6	37	<1	1	2	3	15	20	21
20-34	26	3.3	9	1	1	3	4	9	27	99+
35-49	19	4.6	27	1	1	3	5	15	18	18
50-64	15	2.9	5	<1	1	2	5	7	7	7
65+	8	4.6	9	2	2	3	7	9	10	10
2. MULTIPLE DX										
0-19 YRS	32	2.4	5	<1	<1	2	3	5	9	11
20-34	74	7.2	201	1	1	3	5	17	40	98
35-49	54	7.7	159	<1	1	3	7	22	38	70
50-64	47	6.4	48	1	1	4	9	18	20	32
65+	31	11.3	242	1	1	5	13	49	57	99+
TOT. SINGLE DX	82	3.9	17	1	1	2	5	10	15	74
" MULTIPLE DX	238	7.0	144	1	1	3	7	18	34	92
TOTAL 0-19 YRS	46	3.1	16	<1	1	2	3	9	12	21
20-34	100	6.2	154	1	1	3	5	15	36	99+
35-49	73	6.9	126	1	1	3	7	18	33	64
50-64	62	5.6	40	1	1	3	7	16	19	31
65+	39	9.9	201	1	1	4	10	42	54	99+
GRAND TOTAL	320	6.2	113	1	1	3	6	16	29	93

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	35.0		35	35	35	35	35	35	35
65+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
0-19 YRS	4	16.8	334	5	5	9	27	44	44	44
20-34	8	15.3	140	1	2	12	28	30	30	30
35-49	6	10.2	71	1	1	9	18	22	22	22
50-64	6	15.5	752	<1	<1	5	10	65	71	71
65+	5	20.0	319	1	1	15	34	45	45	45
TOT. SINGLE DX	5	13.8	233	1	1	5	27	35	35	35
" MULTIPLE DX	29	15.3	273	1	1	9	23	39	46	71
TOTAL 0-19 YRS	6	12.2	253	1	1	7	10	41	44	44
20-34	9	13.9	139	1	2	11	27	30	30	30
35-49	6	10.2	71	1	1	9	18	22	22	22
50-64	7	18.3	681	<1	<1	7	29	64	71	71
65+	6	20.8	259	1	2	20	31	44	45	45
GRAND TOTAL	**34**	**15.1**	**260**	**1**	**1**	**9**	**25**	**36**	**45**	**71**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	17	6.1	34	2	2	3	8	16	20	21
20-34	20	5.3	26	1	1	3	7	13	18	20
35-49	15	7.5	83	2	2	4	7	22	31	34
50-64	14	13.9	651	<1	1	5	12	31	84	99
65+	27	10.9	168	2	2	5	16	36	40	49
2. MULTIPLE DX										
0-19 YRS	16	12.1	75	2	3	10	20	25	26	27
20-34	41	17.1	359	1	2	9	26	53	67	99+
35-49	24	18.6	448	1	2	12	28	85	99+	99+
50-64	51	20.4	417	2	3	14	29	58	93	99+
65+	106	19.2	280	2	3	16	34	69	99+	99+
TOT. SINGLE DX	93	8.7	173	1	2	4	8	21	33	77
" MULTIPLE DX	238	18.5	325	2	3	14	28	57	99+	99+
TOTAL 0-19 YRS	33	9.0	62	2	2	5	14	22	25	27
20-34	61	13.2	280	1	2	7	15	42	57	97
35-49	39	14.4	332	1	2	7	24	49	93	99+
50-64	65	19.0	466	2	3	12	25	53	96	99+
65+	133	17.5	267	2	3	14	28	50	99+	99+
GRAND TOTAL	**331**	**15.8**	**301**	**2**	**2**	**10**	**23**	**48**	**86**	**99+**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	4	17.5	107	5	5	18	25	29	29	29
35-49	4	31.8	364	8	8	34	47	50	50	50
50-64	7	33.3	893	3	4	21	61	76	78	78
65+	13	32.9	289	12	15	33	52	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	3	31.0	228	17	17	29	42	47	47	47
20-34	8	36.8	212	16	20	38	51	84	99+	99+
35-49	11	39.3	738	12	13	34	66	99	99+	99+
50-64	47	35.1	432	13	14	29	52	72	95	99+
65+	114	38.1	547	11	16	36	73	99+	99+	99+
TOT. SINGLE DX	28	30.6	410	5	7	27	50	72	99+	99+
" MULTIPLE DX	183	37.2	503	12	15	35	63	99+	99+	99+
TOTAL 0-19 YRS	3	31.0	228	17	17	29	42	47	47	47
20-34	12	30.3	254	6	12	29	47	69	94	99+
35-49	15	37.3	617	9	12	34	54	95	99	99+
50-64	54	34.8	477	10	14	29	53	73	90	99+
65+	127	37.6	521	11	15	36	72	99+	99+	99+
GRAND TOTAL	**211**	**36.4**	**494**	**11**	**14**	**33**	**60**	**99+**	**99+**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	2	26.5	145	18	18	26	35	35	35	35
35-49										
50-64	1	13.0		13	13	13	13	13	13	13
65+	15	21.8	151	7	8	20	27	40	47	49
2. MULTIPLE DX										
0-19 YRS	1	17.0		17	17	17	17	17	17	17
20-34	2	57.0	2738	20	20	57	94	94	94	94
35-49	6	28.5	401	11	11	26	57	93	99+	99+
50-64	24	39.4	726	5	13	43	84	99+	99+	99+
65+	130	27.4	325	6	8	26	45	86	99+	99+
TOT. SINGLE DX	19	21.5	135	7	9	18	27	38	45	49
" MULTIPLE DX	163	29.5	420	6	9	27	50	99+	99+	99+
TOTAL 0-19 YRS	2	16.5	1	16	16	16	17	17	17	17
20-34	4	41.8	1271	18	18	27	64	94	94	94
35-49	6	28.5	402	11	11	26	57	93	99+	99+
50-64	25	38.3	724	5	13	40	84	99+	99+	99+
65+	145	26.8	310	7	8	25	43	79	99+	99+
GRAND TOTAL	**182**	**28.7**	**395**	**7**	**9**	**26**	**48**	**99+**	**99+**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	50.0		50	50	50	50	50	50	50
35-49	1	28.0		28	28	28	28	28	28	28
50-64	3	16.0	169	3	3	16	26	29	29	29
65+	3	21.7	522	7	7	29	74	99+	99+	99+
2. MULTIPLE DX										
0-19 YRS	7	25.7	376	7	7	23	41	54	57	57
20-34	6	24.3	258	4	5	25	31	47	49	49
35-49	10	20.5	299	5	7	15	23	48	64	64
50-64	10	28.7	254	7	14	24	54	99+	99+	99+
65+	24	45.3	738	12	13	49	81	90	99+	99+
TOT. SINGLE DX	10	19.8	328	2	3	16	43	70	97	99+
" MULTIPLE DX	57	33.4	566	7	9	27	54	86	99+	99+
TOTAL 0-19 YRS	9	20.8	379	2	3	10	34	52	57	57
20-34	7	28.0	309	4	6	31	45	50	50	50
35-49	11	21.2	275	5	7	16	27	45	62	64
50-64	13	25.8	250	4	6	23	51	99+	99+	99+
65+	27	42.7	751	8	11	48	81	95	99+	99+
GRAND TOTAL	**67**	**31.4**	**549**	**5**	**7**	**26**	**52**	**85**	**99+**	**99+**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	6	2.3	6	1	1	1	3	7	7	7
20-34	3	10.3	2	9	9	10	11	12	12	12
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	9	6.0	18	1	1	6	9	11	12	12
20-34	11	7.7	22	<1	1	10	12	13	13	13
35-49	5	14.4	111	4	4	12	18	32	32	32
50-64	4	7.3	25	2	2	6	10	14	14	14
65+	2	5.5	25	2	2	5	9	9	9	9
TOT. SINGLE DX	11	4.5	18	1	1	3	8	11	12	12
" MULTIPLE DX	31	8.1	39	1	1	9	11	13	14	32
TOTAL 0-19 YRS	15	4.5	16	1	1	3	8	10	11	12
20-34	14	8.3	19	<1	2	10	12	13	13	13
35-49	6	12.7	107	4	4	11	14	30	32	32
50-64	4	7.3	25	2	2	6	10	14	14	14
65+	3	4.0	19	1	1	2	7	9	9	9
GRAND TOTAL	**42**	**7.2**	**35**	**1**	**1**	**7**	**10**	**13**	**14**	**32**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	14	2.6	4	<1	1	2	3	7	7	7
20-34	8	2.6	2	<1	<1	2	3	5	6	6
35-49	5	2.4	2	1	1	2	3	5	5	5
50-64	13	13.5	146	2	3	7	20	35	37	37
65+	10	18.2	355	1	1	11	25	50	51	51
2. MULTIPLE DX										
0-19 YRS	12	4.8	16	1	1	3	7	11	13	13
20-34	24	6.2	23	<1	1	5	8	15	16	18
35-49	20	9.9	81	1	2	9	15	31	63	99+
50-64	27	16.8	249	2	3	12	26	51	60	99+
65+	28	16.2	200	1	1	14	26	35	45	50
TOT. SINGLE DX	50	8.5	148	1	1	3	7	25	37	51
" MULTIPLE DX	111	11.8	153	1	1	7	17	33	44	99+
TOTAL 0-19 YRS	26	3.6	11	<1	1	2	6	8	11	13
20-34	32	5.3	21	<1	1	4	7	12	15	18
35-49	25	8.4	74	1	2	6	11	28	46	99+
50-64	40	15.7	214	2	3	12	25	39	55	99+
65+	38	16.7	234	1	1	13	25	42	50	51
GRAND TOTAL	**161**	**10.8**	**153**	**1**	**1**	**6**	**15**	**31**	**43**	**94**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	19.0		19	19	19	19	19	19	19
65+	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	3	6.0	25	1	1	6	10	11	11	11
" MULTIPLE DX	4	8.3	57	3	3	6	13	19	19	19
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.0	32	3	3	7	11	11	11	11
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	19.0		19	19	19	19	19	19	19
65+	2	7.0	2	6	6	7	8	8	8	8
GRAND TOTAL	**7**	**7.3**	**38**	**1**	**1**	**6**	**10**	**17**	**19**	**19**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	81	1.9		<1	<1	2	2	3	4	6
20-34	535	2.1	1	<1	<1	2	2	3	4	7
35-49	831	2.5	4	<1	<1	2	3	4	6	10
50-64	427	3.3	11	<1	1	2	4	7	8	14
65+	208	4.6	27	1	2	3	5	9	12	31
2. MULTIPLE DX										
0-19 YRS	14	2.8	3	<1	<1	2	3	4	7	8
20-34	185	2.8	6	<1	<1	2	3	5	7	14
35-49	359	3.9	27	<1	<1	2	4	8	11	26
50-64	318	5.1	32	<1	1	3	6	12	17	30
65+	257	8.5	125	2	2	5	9	19	31	86
TOT. SINGLE DX	2082	2.7	8	<1	<1	2	3	5	7	12
" MULTIPLE DX	1133	5.1	51	<1	1	3	5	10	16	38
TOTAL 0-19 YRS	95	2.0	1	<1	<1	2	2	3	4	7
20-34	720	2.2	3	<1	<1	2	3	4	5	8
35-49	1190	2.9	12	<1	<1	2	3	5	8	14
50-64	745	4.1	21	<1	1	3	4	8	12	25
65+	465	6.7	85	1	2	4	8	14	22	50
GRAND TOTAL	**3215**	**3.6**	**24**	**<1**	**<1**	**2**	**4**	**7**	**10**	**25**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	38	2.7	2	<1	<1	3	4	5	5	7
20-34	25	5.3	80	<1	1	3	5	7	19	47
35-49	39	5.4	12	<1	2	5	8	10	12	14
50-64	44	7.9	40	2	2	6	10	14	17	40
65+	80	8.8	43	1	2	8	10	19	22	35
2. MULTIPLE DX										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	16	3.7	3	1	2	3	5	7	8	8
35-49	35	9.3	70	2	4	8	10	16	17	52
50-64	53	8.4	38	2	2	7	10	17	20	34
65+	97	13.2	184	3	4	10	15	27	33	85
TOT. SINGLE DX	226	6.6	39	<1	1	5	8	13	18	39
" MULTIPLE DX	203	10.4	119	2	3	8	12	19	29	66
TOTAL 0-19 YRS	40	2.7	2	<1	<1	3	4	5	5	7
20-34	41	4.7	50	1	1	3	5	7	9	47
35-49	74	7.2	43	1	2	6	9	13	16	44
50-64	97	8.2	39	2	2	7	10	16	18	37
65+	177	11.2	125	2	3	8	13	22	29	73
GRAND TOTAL	**429**	**8.4**	**80**	**1**	**2**	**6**	**10**	**16**	**22**	**48**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34	26	8.6	7	5	5	8	11	13	13	14
35-49	145	8.7	11	5	5	8	10	13	15	21
50-64	207	9.5	19	5	6	8	11	14	17	31
65+	137	10.9	20	6	6	10	13	16	20	27
2. MULTIPLE DX										
0-19 YRS										
20-34	31	9.0	10	4	6	8	11	14	14	19
35-49	163	9.4	15	5	6	9	11	15	17	22
50-64	276	11.1	50	5	6	9	12	17	22	39
65+	278	12.8	53	6	7	11	15	21	25	45
TOT. SINGLE DX	515	9.6	18	5	6	9	11	14	17	27
" MULTIPLE DX	748	11.3	44	5	6	9	13	18	22	38
TOTAL 0-19 YRS										
20-34	57	8.8	9	4	6	8	11	13	14	19
35-49	308	9.1	14	5	5	8	10	14	16	22
50-64	483	10.4	38	5	6	9	11	16	19	37
65+	415	12.2	43	6	7	10	14	20	24	36
GRAND TOTAL	**1263**	**10.6**	**34**	**5**	**6**	**9**	**12**	**17**	**21**	**32**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	132	3.5	3	1	1	3	4	6	7	9
20-34	486	3.7	4	1	1	3	5	6	7	9
35-49	190	4.1	6	1	2	4	5	7	9	15
50-64	80	4.8	7	<1	1	4	6	8	10	13
65+	22	4.1	3	1	2	4	5	7	8	9
2. MULTIPLE DX										
0-19 YRS	41	4.1	5	1	2	4	5	7	8	14
20-34	310	4.0	15	<1	1	3	4	6	8	24
35-49	235	5.3	51	<1	1	4	6	9	12	29
50-64	109	6.5	69	2	2	5	7	12	15	86
65+	32	7.3	44	1	2	5	9	16	24	30
TOT. SINGLE DX	910	3.9	5	1	1	4	5	7	8	12
" MULTIPLE DX	727	5.0	37	<1	1	4	5	8	12	30
TOTAL 0-19 YRS	173	3.6	4	1	1	3	4	6	7	11
20-34	796	3.8	8	1	1	3	5	6	7	17
35-49	425	4.8	32	1	2	4	5	9	11	20
50-64	189	5.8	44	1	2	4	7	9	13	61
65+	54	6.0	30	1	2	4	7	10	18	30
GRAND TOTAL	**1637**	**4.4**	**19**	**1**	**1**	**4**	**5**	**7**	**9**	**20**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	457	4.8	9	1	2	4	6	9	11	16
20-34	783	4.4	9	1	2	4	5	8	10	16
35-49	97	4.6	6	2	2	4	6	8	9	15
50-64	17	6.6	30	1	2	5	9	13	19	22
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	39	6.2	19	2	2	5	7	10	13	27
20-34	136	5.7	19	1	2	5	7	11	12	24
35-49	31	8.5	63	2	2	6	9	20	21	40
50-64	11	8.6	76	2	3	5	9	22	32	33
65+	12	13.7	141	2	2	11	22	33	33	33
TOT. SINGLE DX	1355	4.6	9	1	2	4	5	8	10	16
" MULTIPLE DX	229	6.7	37	2	2	5	8	12	16	35
TOTAL 0-19 YRS	496	4.9	10	1	2	4	6	9	11	16
20-34	919	4.6	11	1	2	4	6	8	10	16
35-49	128	5.6	22	2	2	5	6	9	13	25
50-64	28	7.4	47	2	2	5	9	14	23	33
65+	13	12.8	141	2	2	10	19	33	33	33
GRAND TOTAL	**1584**	**4.9**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	**20**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	493	2.9	24	<1	<1	2	3	6	9	25
20-34	421	3.5	33	<1	<1	2	4	7	11	24
35-49	269	3.6	17	<1	<1	2	4	7	11	21
50-64	225	5.7	65	<1	<1	3	6	16	20	41
65+	180	7.4	93	<1	1	3	9	19	25	54
2. MULTIPLE DX										
0-19 YRS	148	8.6	147	<1	1	4	9	18	34	69
20-34	266	9.8	158	<1	1	5	12	24	40	98
35-49	211	10.1	123	<1	1	7	14	25	35	99+
50-64	324	12.0	181	1	2	8	15	28	42	99+
65+	500	16.9	304	2	3	11	22	41	72	99+
TOT. SINGLE DX	1588	4.1	41	<1	<1	2	4	9	15	31
" MULTIPLE DX	1449	12.7	218	1	2	8	16	32	51	99+
TOTAL 0-19 YRS	641	4.2	58	<1	<1	2	4	9	16	36
20-34	687	6.0	91	<1	<1	3	7	14	22	63
35-49	480	6.5	75	<1	<1	3	8	17	24	70
50-64	549	9.4	143	<1	1	4	13	22	36	89
65+	680	14.4	267	1	2	9	19	36	57	99+
GRAND TOTAL	**3037**	**8.2**	**144**	**<1**	**<1**	**4**	**10**	**21**	**33**	**85**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	387	4.9	31	<1	1	3	6	10	15	26
20-34	327	5.3	32	<1	1	4	7	12	15	25
35-49	199	6.9	87	1	1	4	8	15	21	49
50-64	136	7.4	54	1	1	5	10	16	20	40
65+	117	9.9	116	1	2	7	11	25	34	79
2. MULTIPLE DX										
0-19 YRS	1036	5.8	80	<1	1	3	6	13	21	52
20-34	1255	6.4	117	<1	1	3	6	15	26	63
35-49	577	8.8	160	<1	1	5	11	23	39	99+
50-64	527	11.0	187	1	1	6	13	27	40	96
65+	611	17.7	378	1	2	12	27	63	96	99+
TOT. SINGLE DX	1166	6.1	55	<1	1	4	8	14	19	41
" MULTIPLE DX	4006	8.9	180	<1	1	4	10	24	40	99+
TOTAL 0-19 YRS	1423	5.5	67	<1	1	3	6	12	20	48
20-34	1582	6.2	100	<1	1	3	7	15	23	60
35-49	776	8.3	143	<1	1	5	10	20	36	95
50-64	663	10.2	162	1	1	6	12	24	38	88
65+	728	16.4	344	1	2	10	24	53	91	99+
GRAND TOTAL	**5172**	**8.3**	**153**	**<1**	**1**	**4**	**9**	**21**	**36**	**97**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	49	11.6	172	2	2	8	12	27	51	57
20-34	52	8.5	70	1	1	6	13	18	24	47
35-49	31	14.6	200	2	2	10	20	31	51	59
50-64	33	15.7	230	2	2	13	21	29	39	82
65+	43	25.0	394	3	5	20	35	53	80	99+
2. MULTIPLE DX										
0-19 YRS	95	22.0	337	1	2	18	31	56	72	99+
20-34	138	19.5	310	1	3	14	26	45	64	99+
35-49	62	17.7	263	<1	2	13	26	41	62	96
50-64	77	24.2	321	2	3	21	34	48	60	76
65+	136	34.3	510	5	8	29	54	89	99+	99+
TOT. SINGLE DX	208	14.7	236	1	2	9	19	36	50	83
" MULTIPLE DX	508	24.4	402	1	3	21	35	60	82	99+
TOTAL 0-19 YRS	144	18.4	304	1	2	14	25	50	59	99+
20-34	190	16.5	268	1	2	12	22	41	57	94
35-49	93	16.7	242	<1	2	13	23	41	58	86
50-64	110	21.7	307	2	3	18	30	44	59	80
65+	179	32.1	496	3	7	28	49	85	99+	99+
GRAND TOTAL	716	21.6	373	1	2	17	30	55	73	99+

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	20	8.9	148	<1	1	4	7	28	41	46
20-34	26	10.7	133	1	1	7	16	23	34	52
35-49	7	11.9	212	<1	<1	5	18	37	41	41
50-64	8	6.6	36	2	2	4	9	17	19	19
65+	4	26.5	853	<1	<1	24	51	57	57	57
2 MULTIPLE DX										
0-19 YRS	16	12.4	290	1	1	6	19	60	88	99+
20-34	36	14.5	165	1	2	12	23	37	49	99+
35-49	17	21.1	643	1	1	14	23	70	75	77
50-64	15	16.9	293	1	1	11	30	55	87	99+
65+	11	46.6	1017	3	13	45	93	99+	99+	99+
TOT. SINGLE DX	65	10.7	179	1	1	5	16	29	46	56
" MULTIPLE DX	95	19.4	475	1	1	14	31	69	97	99+
TOTAL 0-19 YRS	36	10.5	208	1	1	6	12	36	60	99+
20-34	62	12.9	154	1	1	8	19	31	45	94
35-49	24	18.4	521	<1	1	11	20	66	73	77
50-64	23	13.3	223	1	2	7	23	43	70	99+
65+	15	41.3	995	<1	1	45	89	99	99+	99+
GRAND TOTAL	160	15.9	372	1	1	8	23	49	80	99+

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	247	3.4	15	<1	<1	2	4	7	12	21
20-34	278	3.3	6	<1	<1	3	5	7	8	12
35-49	163	4.1	8	<1	1	4	5	7	10	14
50-64	140	4.1	11	<1	<1	3	6	8	10	20
65+	74	5.9	58	<1	1	4	7	10	15	51
2. MULTIPLE DX										
0-19 YRS	83	6.0	69	<1	<1	3	8	13	18	51
20-34	185	6.7	92	1	1	5	7	11	21	83
35-49	205	5.5	47	<1	1	4	6	9	14	30
50-64	152	6.3	30	<1	2	4	8	15	21	26
65+	154	11.8	140	2	2	9	15	28	37	99
TOT. SINGLE DX	902	3.8	15	<1	<1	3	5	8	10	19
" MULTIPLE DX	779	7.2	81	<1	1	5	8	16	24	63
TOTAL 0-19 YRS	330	4.1	31	<1	<1	2	4	10	14	26
20-34	463	4.7	43	<1	<1	4	6	8	11	35
35-49	368	4.9	31	<1	1	4	6	9	12	23
50-64	292	5.3	23	<1	1	4	6	11	16	24
65+	228	9.8	121	1	2	7	12	23	35	90
GRAND TOTAL	1681	5.4	48	<1	<1	4	6	11	16	36

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	9.0	128	1	1	9	17	17	17	17
35-49	3	3.3		3	3	3	4	4	4	4
50-64	4	5.3	22	1	1	4	8	12	12	12
65+	5	7.2	111	1	1	3	9	26	26	26
2. MULTIPLE DX										
0-19 YRS	4	16.3	333	2	2	10	27	43	43	43
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64	2	3.5	1	3	3	3	4	4	4	4
65+	2	20.5	481	5	5	20	36	36	36	36
TOT. SINGLE DX	16	5.8	47	1	1	3	4	16	23	26
" MULTIPLE DX	12	10.3	196	1	2	4	10	38	42	43
TOTAL 0-19 YRS	6	12.0	243	2	2	6	11	40	43	43
20-34	5	5.0	47	1	1	2	7	17	17	17
35-49	4	3.5		3	3	3	4	4	4	4
50-64	6	4.7	14	1	1	4	4	11	12	12
65+	7	11.0	196	1	1	3	21	34	36	36
GRAND TOTAL	**28**	**7.7**	**111**	**1**	**1**	**4**	**7**	**23**	**37**	**43**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	61	5.9	33	1	1	4	7	14	20	26
20-34	606	4.5	19	1	1	3	6	10	14	21
35-49	737	4.7	24	1	1	3	6	10	14	29
50-64	409	4.9	36	1	1	3	6	11	15	31
65+	103	7.5	92	1	1	4	9	18	27	52
2. MULTIPLE DX										
0-19 YRS	52	9.7	249	1	2	5	9	14	54	79
20-34	369	7.3	74	1	1	5	9	15	19	36
35-49	514	6.8	43	1	1	4	9	15	19	35
50-64	467	8.5	86	1	1	6	11	19	25	48
65+	210	13.3	250	1	1	9	16	30	47	82
TOT. SINGLE DX	1916	4.9	30	1	1	3	6	11	15	27
" MULTIPLE DX	1612	8.3	101	1	1	5	10	18	24	55
TOTAL 0-19 YRS	113	7.6	136	1	2	4	9	13	25	74
20-34	975	5.5	42	1	1	3	7	12	17	25
35-49	1251	5.6	33	1	1	3	7	12	16	29
50-64	876	6.8	66	1	1	4	9	16	22	46
65+	313	11.4	205	1	1	7	14	26	43	75
GRAND TOTAL	**3528**	**6.4**	**65**	**1**	**1**	**4**	**8**	**14**	**19**	**41**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	23	7.0	38	1	2	5	9	13	23	27
20-34	78	5.4	30	1	2	4	6	9	11	37
35-49	119	6.2	29	1	2	5	8	13	15	28
50-64	174	5.4	23	1	1	4	7	11	14	35
65+	112	4.8	27	1	1	3	7	11	14	27
2. MULTIPLE DX										
0-19 YRS	17	15.9	414	2	3	9	22	31	68	87
20-34	94	9.0	94	1	2	6	11	18	27	58
35-49	160	9.6	111	1	2	7	11	19	28	43
50-64	370	9.2	105	1	2	6	11	18	27	58
65+	315	10.7	145	1	1	8	13	24	37	87
TOT. SINGLE DX	506	5.5	28	1	1	4	7	11	14	32
" MULTIPLE DX	956	9.9	124	1	2	7	12	21	32	66
TOTAL 0-19 YRS	40	10.8	211	2	2	7	10	25	29	87
20-34	172	7.4	68	1	2	5	8	15	24	49
35-49	279	8.2	79	1	2	6	10	17	23	42
50-64	544	8.0	83	1	1	5	10	16	24	56
65+	427	9.2	121	1	1	6	12	20	35	75
GRAND TOTAL	**1462**	**8.4**	**95**	**1**	**1**	**5**	**10**	**17**	**26**	**61**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	6	4.2	8	1	1	4	5	9	9	9
50-64	11	9.0	78	1	1	5	12	24	28	28
65+	5	6.0	29	1	1	5	8	15	15	15
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49	11	7.6	31	1	1	7	10	15	20	21
50-64	29	9.3	55	1	1	8	14	19	22	32
65+	18	11.9	125	<1	1	8	21	29	35	37
TOT. SINGLE DX	22	7.0	50	1	1	5	9	17	24	28
" MULTIPLE DX	58	9.8	72	1	1	7	13	21	29	37
TOTAL 0-19 YRS										
20-34										
35-49	17	6.4	25	1	1	5	9	11	17	21
50-64	40	9.3	60	1	1	6	13	20	25	32
65+	23	10.7	108	<1	1	7	18	26	33	37
GRAND TOTAL	**80**	**9.1**	**67**	**1**	**1**	**6**	**13**	**21**	**26**	**35**

Appendix

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713, and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

OPERATION INDEX (continued)

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	31	5.3	17	1	1	4	7	11	15	16
20-34	187	7.0	45	1	1	5	10	15	18	36
35-49	216	7.4	40	1	1	6	11	15	19	29
50-64	352	5.3	26	1	1	3	7	13	17	22
65+	297	6.7	84	1	1	3	9	15	18	53
2. MULTIPLE DX										
0-19 YRS	26	11.0	312	2	2	6	11	19	43	91
20-34	161	8.0	54	1	2	7	10	16	23	38
35-49	295	9.6	85	1	1	8	12	19	26	44
50-64	747	8.3	78	1	1	5	12	19	27	48
65+	941	10.0	113	1	1	7	14	23	30	84
TOT. SINGLE DX	1083	6.4	49	1	1	4	9	14	17	28
" MULTIPLE DX	2170	9.2	96	1	1	7	13	21	28	54
TOTAL 0-19 YRS	57	7.9	157	1	1	5	9	16	18	87
20-34	348	7.5	50	1	1	6	10	15	20	38
35-49	511	8.7	67	1	1	7	12	17	22	40
50-64	1099	7.4	64	1	1	4	10	17	23	41
65+	1238	9.2	108	1	1	6	13	21	28	75
GRAND TOTAL	**3253**	**8.3**	**82**	**1**	**1**	**5**	**11**	**18**	**25**	**47**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	7777	4.4	20	1	1	3	5	8	11	22
20-34	7502	4.6	25	1	1	3	6	9	12	23
35-49	4277	5.6	35	1	1	4	7	11	15	27
50-64	4043	7.1	52	1	2	5	9	14	19	36
65+	4742	9.6	93	2	2	7	12	19	28	62
2. MULTIPLE DX										
0-19 YRS	7740	5.6	47	1	1	4	7	11	16	36
20-34	6644	5.8	51	1	1	4	7	12	18	42
35-49	5271	7.7	69	1	2	5	10	16	22	43
50-64	8486	10.1	91	2	2	8	13	21	28	57
65+	17964	13.5	166	2	3	10	17	29	43	99+
TOT. SINGLE DX	28341	5.9	44	1	1	4	7	12	17	34
" MULTIPLE DX	46105	9.8	116	1	2	7	12	21	31	75
TOTAL 0-19 YRS	15517	5.0	34	1	1	4	6	10	14	30
20-34	14146	5.2	38	1	1	4	6	10	15	33
35-49	9548	6.8	55	1	1	5	8	14	19	37
50-64	12529	9.1	81	1	2	7	11	19	25	52
65+	22706	12.6	153	2	3	9	16	28	40	99+
GRAND TOTAL	**74446**	**8.3**	**92**	**1**	**1**	**5**	**10**	**18**	**26**	**62**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	2246	5.7	37	1	1	4	7	11	16	34
20-34	963	7.2	57	1	2	5	9	14	20	44
35-49	853	8.5	65	1	2	6	11	17	22	42
50-64	924	10.2	82	2	2	8	13	20	29	45
65+	1092	12.1	128	2	3	9	15	28	37	99+
2. MULTIPLE DX										
0-19 YRS	2171	7.8	93	1	2	5	8	17	28	58
20-34	1234	8.7	123	1	1	5	10	19	34	72
35-49	1015	10.7	141	1	2	7	13	23	35	70
50-64	1591	12.0	153	2	3	8	15	25	37	93
65+	3463	16.5	274	3	4	11	20	39	65	99+
TOT. SINGLE DX	6078	8.2	74	1	2	6	10	17	25	50
" MULTIPLE DX	9474	12.1	192	1	2	8	14	28	44	99
TOTAL 0-19 YRS	4417	6.8	66	1	1	4	7	13	21	46
20-34	2197	8.0	95	1	1	5	9	16	25	59
35-49	1868	9.7	108	1	2	7	12	19	29	60
50-64	2515	11.3	128	2	3	8	14	23	32	78
65+	4555	15.4	243	3	4	11	19	36	58	99+
GRAND TOTAL	**15552**	**10.6**	**149**	**1**	**2**	**7**	**13**	**24**	**36**	**87**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-19 YRS	12629	4.5	16	1	1	4	6	8	11	19
20-34	4139	4.5	30	<1	1	3	5	8	12	30
35-49	1940	5.8	37	1	1	4	7	11	16	33
50-64	2073	7.3	53	1	2	5	9	15	20	37
65+	2805	8.8	86	2	2	6	11	18	27	64
2. MULTIPLE DX										
0-19 YRS	13085	6.4	48	1	2	5	7	12	17	38
20-34	3927	5.9	61	1	1	4	6	12	19	42
35-49	2779	7.8	74	1	2	5	10	16	24	46
50-64	4973	9.2	75	2	2	7	12	19	26	50
65+	10501	12.1	156	2	3	8	15	27	41	99+
TOT. SINGLE DX	23586	5.4	34	1	1	4	6	11	15	31
" MULTIPLE DX	35265	8.5	94	1	2	6	10	18	27	66
TOTAL 0-19 YRS	25714	5.5	34	1	1	4	7	10	14	30
20-34	8066	5.2	46	1	1	3	6	10	16	38
35-49	4719	7.0	60	1	1	5	9	14	21	43
50-64	7046	8.7	70	1	2	6	11	18	24	45
65+	13306	11.4	143	2	3	8	14	25	38	99+
GRAND TOTAL	58851	7.3	73	1	2	5	8	15	22	53

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

OPERATION INDEX (continued)

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage – *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

OPERATION INDEX (continued)

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

OPERATION INDEX (continued)

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

OPERATION INDEX (continued)

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction – *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
575	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

OPERATION INDEX (continued)

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

OPERATION INDEX (continued)

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula – *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

OPERATION INDEX (continued)

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

OPERATION INDEX (continued)

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Geriatric Length of Stay by Diagnosis and Operation, United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients in Diagnosis Groups 17
Diagnosis Groups 1-398 18
Summary of All Patients in Operation Groups. 218
Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals,

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g.			
a. acute myocardial infarction			
b. dissecting aortic aneurysm			
c. acute pericarditis			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	2		215
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.

Cholangitis (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
- chronic nonsuppurative destructive 571.6
- nonsuppurative destructive (chronic) 571.6

Cholecystdocholithiasis — *see* Choledocholithiasis

Cholecystitis (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

Cholemia *(see also* Jaundice) 782.4
- familial 277.4
- Gilbert's (familial nonhemolytic) 277.4

Cholemic gallstone — *see* Cholelithiasis

Choleperitoneum, choleperitonitis *(see also* Disease, gallbladder) 567.8

Cholera (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
- antimonial 985.4
- carrier (suspected) of V02.0
- classical 001.0
- contact V01.0
- due to
  - Vibrio
    - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
      - El Tor 001.1
- El Tor 001.1
- exposure to V01.0
- vaccination, prophylactic (against) V03.0

Cholerine *(see also* Cholera) 001.9

Cholestasis *(see also* Disease, gallbladder) 575.8

Cholesteatoma (ear) 385.30
- attic (primary) 385.31
- diffuse 385.35
- external ear (canal) 380.21
- marginal (middle ear) 385.32
  - with involvement of mastoid cavity 385.33
  - secondary (with middle ear involvement) 385.33
- mastoid cavity 385.30
- middle ear 385.30
  - secondary 385.32
    - with involvement of mastoid cavity 385.33
- postmastoidectomy cavity (recurrent) 383.32
- primary 385.31
- recurrent, postmastoidectomy cavity 383.32
- secondary (middle ear) 385.32
  - with involvement of mastoid cavity 385.33

Cholesteatosis (middle ear) *(see also* Cholesteatoma) 385.30
- diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1629	6.5	24	2	2	5	8	12	15	23
70-74	1688	7.0	24	2	3	6	9	13	16	22
75-79	1639	7.8	32	2	3	6	10	15	18	30
80-84	1253	8.2	35	2	3	7	10	15	18	32
85+	1294	9.1	46	3	3	8	11	16	21	34
B. *Operated*										
65-69 YRS	6320	13.1	58	6	7	11	16	22	26	44
70-74	5233	14.5	70	6	7	12	17	24	30	50
75-79	3672	16.0	86	7	8	14	19	26	32	55
80-84	2020	18.2	104	8	9	16	22	30	38	59
85+	1293	19.9	137	8	9	17	24	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*	18538	15.1	82	6	7	13	18	25	32	52
1. SINGLE DX	8859	9.5	26	3	5	8	11	16	19	28
2. MULTIPLE DX	26041	12.9	79	3	5	11	16	23	29	48
A. NOT OPERATED	8968	7.3	30	2	3	6	9	13	17	28
B. OPERATED	25932	13.7	70	6	7	11	17	23	29	47
TOTAL 65-69 YRS	11701	10.8	47	3	5	9	13	18	23	36
70-74	9438	11.8	58	3	5	10	15	20	26	41
75-79	6749	12.9	75	3	5	11	16	23	28	45
80-84	3971	13.7	91	3	5	11	17	25	31	52
85+	3041	14.0	112	3	4	12	18	26	34	57
GRAND TOTAL	**34900**	**12.1**	**68**	**3**	**5**	**10**	**15**	**21**	**27**	**44**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	492	4.7	16	1	2	4	6	9	11	16
70-74	362	4.8	9	1	2	4	6	9	10	14
75-79	264	5.7	11	2	2	5	7	10	12	15
80-84	182	6.6	25	2	2	6	8	11	14	31
85+	165	6.2	21	1	2	5	8	11	14	22
B. *Operated*										
65-69 YRS	3260	9.4	16	5	6	8	11	14	17	24
70-74	2155	10.2	19	6	6	9	12	16	19	26
75-79	1174	11.6	35	6	7	10	13	18	21	30
80-84	516	12.4	30	6	7	11	15	19	22	32
85+	289	14.0	53	6	7	13	17	23	29	39

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51972	6.8	46	1	2	5	8	14	18	35
70-74	45674	7.0	47	1	2	5	9	14	19	35
75-79	36059	7.3	50	1	2	5	9	15	19	37
80-84	25297	7.6	55	1	2	6	10	15	20	37
85+	21179	7.8	53	1	2	6	10	15	20	39
B. *Operated*										
65-69 YRS	92940	6.4	42	1	2	4	8	14	18	31
70-74	79207	6.6	44	1	2	4	9	15	19	32
75-79	59261	6.8	54	1	2	4	9	16	21	35
80-84	35049	7.2	64	1	2	4	10	17	22	38
85+	22895	8.2	79	1	2	4	11	19	25	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	277774	8.7	62	2	2	7	11	17	23	41
70-74	291835	9.2	67	2	3	7	11	18	24	44
75-79	267992	9.7	74	2	3	7	12	19	25	47
80-84	209753	10.3	83	2	3	8	13	20	27	52
85+	191740	10.8	92	2	3	8	14	21	29	59
B. *Operated*										
65-69 YRS	209992	11.6	129	2	2	8	15	24	33	64
70-74	193529	12.5	142	2	2	9	16	26	36	68
75-79	155428	13.5	160	2	2	10	18	29	39	74
80-84	101673	14.5	175	2	3	11	19	31	42	80
85+	76443	15.8	186	2	3	13	21	33	45	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180181	7.2	49	1	2	5	9	14	19	36
B. *Operated*	289352	6.8	51	1	2	4	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	1239094	9.6	75	2	3	7	12	19	25	48
B. *Operated*	737065	13.0	153	2	2	10	17	28	38	72
1. SINGLE DX	469533	6.9	50	1	2	5	9	15	20	35
2. MULTIPLE DX	1976159	10.9	107	2	3	8	14	22	30	59
A. NOT OPERATED	1419275	9.3	72	2	3	7	12	18	25	46
B. OPERATED	1026417	11.3	132	2	2	8	15	25	34	64
TOTAL 65-69 YRS	632678	9.1	83	2	2	7	12	19	26	49
70-74	610245	9.7	91	2	2	7	12	20	27	52
75-79	518740	10.4	101	2	2	8	13	21	29	56
80-84	371772	11.0	110	2	2	8	14	23	31	60
85+	312257	11.7	118	2	3	9	15	24	33	67
GRAND TOTAL	**2445692**	**10.1**	**98**	**2**	**2**	**7**	**13**	**21**	**29**	**55**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	4.7	11	1	2	4	6	10	12	16
70-74	213	4.2	9	1	1	3	5	8	10	15
75-79	170	4.4	12	1	1	3	6	8	11	17
80-84	123	4.9	10	1	2	4	7	10	11	14
85+	122	4.4	11	1	1	4	6	8	11	17
B. *Operated*										
65-69 YRS	15	8.3	34	1	1	7	11	16	21	23
70-74	9	9.8	40	4	4	7	16	19	20	20
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	2	9.5	25	6	6	9	13	13	13	13
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	939	5.7	21	1	2	5	7	10	13	21
70-74	1012	6.4	29	2	2	5	8	12	16	26
75-79	940	6.8	42	2	2	5	8	12	18	29
80-84	704	7.1	37	2	2	5	8	13	17	31
85+	656	7.7	48	2	3	6	9	14	18	36
B. *Operated*										
65-69 YRS	73	12.0	127	3	4	9	13	22	32	65
70-74	83	14.2	87	5	6	11	18	26	33	51
75-79	75	15.0	162	3	6	12	18	26	34	84
80-84	49	14.7	86	4	6	13	18	24	32	49
85+	42	14.2	213	3	4	11	17	25	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	4.5	11	1	1	4	6	9	11	17
B. *Operated*	29	8.8	31	1	4	7	12	17	20	23
2. MULTIPLE DX										
A. *Not Operated*	4251	6.6	35	2	2	5	8	12	16	29
B. *Operated*	322	14.0	129	4	4	11	17	25	33	76
1. SINGLE DX	888	4.6	12	1	1	4	6	9	12	17
2. MULTIPLE DX	4573	7.2	45	2	2	5	9	13	18	33
A. NOT OPERATED	5110	6.3	31	2	2	5	8	12	15	26
B. OPERATED	351	13.5	123	3	4	11	17	24	32	68
TOTAL 65-69 YRS	1258	5.9	28	1	2	5	7	11	13	23
70-74	1317	6.6	34	2	2	5	8	13	17	29
75-79	1187	7.0	50	2	2	5	8	13	19	32
80-84	878	7.2	40	2	2	5	9	13	18	32
85+	821	7.5	54	2	2	6	9	14	18	36
GRAND TOTAL	**5461**	**6.7**	**40**	**2**	**2**	**5**	**8**	**13**	**17**	**31**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	11.4	73	<1	1	11	15	20	27	42
70-74	26	14.8	141	3	3	12	17	34	44	45
75-79	17	10.7	37	1	2	10	16	19	20	20
80-84	16	11.9	52	3	5	10	16	21	27	30
85+	13	13.7	91	1	1	13	21	26	30	31
B. *Operated*										
65-69 YRS	26	12.9	61	2	4	12	20	23	26	27
70-74	20	16.0	118	5	7	12	21	27	41	51
75-79	24	13.0	153	2	2	8	19	30	42	46
80-84	13	13.9	55	2	4	13	19	24	25	25
85+	5	11.8	47	5	5	9	18	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	137	15.2	102	3	4	13	20	30	37	44
70-74	133	16.8	160	3	5	15	22	32	39	64
75-79	111	15.5	119	4	5	13	21	32	39	73
80-84	70	17.1	251	4	5	11	21	36	49	86
85+	50	18.7	170	4	5	16	25	46	55	99+
B. *Operated*										
65-69 YRS	135	19.0	226	3	4	15	26	38	51	90
70-74	111	22.6	317	4	5	19	29	51	59	95
75-79	92	19.6	185	6	7	16	25	33	45	78
80-84	57	24.4	228	7	9	21	29	42	55	77
85+	31	24.4	328	5	9	22	32	60	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	12.4	82	1	2	11	17	22	32	44
B. *Operated*	88	13.7	95	2	4	11	21	25	29	49
2. MULTIPLE DX										
A. *Not Operated*	501	16.3	149	3	5	13	21	32	42	77
B. *Operated*	426	21.2	251	4	6	17	28	41	54	97
1. SINGLE DX	204	13.0	88	2	3	11	18	24	31	45
2. MULTIPLE DX	927	18.5	201	4	5	15	24	37	47	93
A. NOT OPERATED	617	15.6	138	3	4	13	21	31	40	64
B. OPERATED	514	19.9	232	4	5	16	26	38	53	96
TOTAL 65-69 YRS	342	16.0	150	3	4	13	21	31	39	67
70-74	290	18.8	223	3	5	15	24	36	51	89
75-79	244	16.5	148	4	5	14	22	32	43	58
80-84	156	19.0	223	4	6	15	24	37	52	77
85+	99	19.4	214	3	5	17	26	46	69	99+
GRAND TOTAL	**1131**	**17.5**	**185**	**3**	**5**	**14**	**23**	**34**	**45**	**91**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.0	19	7	7	14	16	17	17	17
70-74	6	14.0	185	1	1	11	14	37	40	40
75-79	3	7.0	61	2	2	3	13	16	16	16
80-84										
85+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
65-69 YRS	12	14.3	124	2	2	12	20	31	37	38
70-74	9	11.3	140	1	2	7	15	31	37	37
75-79	12	8.6	32	1	2	9	13	16	17	17
80-84	3	19.3	89	12	12	16	26	30	30	30
85+	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	11.5	108	3	3	7	16	21	36	47
70-74	32	14.8	125	3	4	12	17	32	44	46
75-79	16	11.7	77	2	2	8	19	24	28	30
80-84	8	15.6	138	6	7	11	18	36	42	42
85+	7	17.9	151	5	5	15	29	35	36	36
B. *Operated*										
65-69 YRS	24	19.6	136	4	5	17	31	36	37	38
70-74	21	36.1	771	6	8	24	52	87	92	93
75-79	29	20.6	337	6	7	15	27	44	48	92
80-84	12	27.0	209	3	7	27	38	44	47	48
85+	9	40.2	632	10	14	36	50	80	94	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	11.7	95	1	2	11	15	19	35	40
B. *Operated*	38	11.7	94	1	2	10	15	27	34	38
2. MULTIPLE DX										
A. *Not Operated*	83	13.7	113	3	4	11	17	29	40	47
B. *Operated*	95	26.5	438	4	8	21	36	48	77	94
1. SINGLE DX	52	11.7	92	1	2	10	15	26	36	40
2. MULTIPLE DX	178	20.5	325	3	4	15	29	43	49	93
A. NOT OPERATED	97	13.4	110	2	3	11	17	28	40	47
B. OPERATED	133	22.2	383	2	4	15	32	45	60	93
TOTAL 65-69 YRS	60	15.4	125	2	3	12	21	34	37	46
70-74	68	20.9	425	3	3	13	24	46	63	93
75-79	60	15.2	218	2	3	10	18	32	44	87
80-84	23	22.0	186	5	8	19	36	42	45	48
85+	19	26.5	529	4	5	21	36	55	79	94
GRAND TOTAL	**230**	**18.5**	**286**	**2**	**3**	**13**	**24**	**40**	**47**	**92**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	5.6	3	4	4	6	7	8	8	8
70-74	5	4.0	4	1	1	5	5	6	6	6
75-79	4	2.8	5	1	1	2	4	6	6	6
80-84										
85+	3	4.0	3	3	3	3	5	6	6	6
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	8.0	52	2	2	6	9	18	29	30
70-74	25	6.1	10	2	3	5	7	11	12	14
75-79	14	8.1	35	3	3	6	11	17	22	23
80-84	8	7.9	12	3	4	7	11	12	13	13
85+	11	11.8	63	4	5	11	14	24	30	31
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74	2	9.0	2	8	8	9	10	10	10	10
75-79	2	13.0	2	12	12	13	14	14	14	14
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.2	4	1	1	4	6	6	7	8
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	87	7.9	36	2	3	6	11	15	20	31
B. *Operated*	5	9.8	12	5	5	10	12	14	14	14
1. SINGLE DX	17	4.2	4	1	1	4	6	6	7	8
2. MULTIPLE DX	92	8.0	35	2	3	6	11	14	20	31
A. NOT OPERATED	104	7.3	33	2	3	6	9	13	19	30
B. OPERATED	5	9.8	12	5	5	10	12	14	14	14
TOTAL 65-69 YRS	35	7.5	44	2	3	6	8	16	26	30
70-74	32	5.9	10	2	3	5	7	11	12	14
75-79	20	7.5	33	1	2	5	11	15	19	23
80-84	8	7.9	12	3	4	7	11	12	13	13
85+	14	10.1	60	3	3	8	12	21	29	31
GRAND TOTAL	**109**	**7.4**	**32**	**2**	**3**	**6**	**10**	**13**	**19**	**30**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	9.7	23	4	4	9	12	15	18	28
70-74	63	10.5	40	3	4	9	13	20	24	33
75-79	55	10.3	32	3	4	10	13	17	20	29
80-84	68	10.3	33	2	4	10	13	17	19	31
85+	74	12.3	93	3	3	9	15	25	35	48
B. *Operated*										
65-69 YRS	9	19.3	126	6	7	17	28	35	37	37
70-74	6	17.3	156	5	5	17	35	88	99+	99+
75-79	3	19.3	329	6	6	12	33	40	40	40
80-84	2	10.0	72	4	4	10	16	16	16	16
85+	5	22.0	179	10	10	19	26	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	755	13.3	99	4	5	11	15	25	32	60
70-74	974	13.8	91	4	6	12	16	25	32	55
75-79	1069	14.5	100	4	6	12	17	26	33	52
80-84	993	15.6	125	5	6	13	19	28	35	68
85+	1131	15.4	113	5	7	13	19	27	38	71
B. *Operated*										
65-69 YRS	273	23.9	292	6	8	20	31	51	70	99+
70-74	272	24.4	290	6	9	19	32	49	62	86
75-79	289	25.5	317	8	10	21	31	52	73	99+
80-84	242	25.0	258	8	10	20	33	47	59	99+
85+	185	24.0	245	7	11	20	29	44	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	308	10.7	47	3	4	9	13	19	25	36
B. *Operated*	25	18.6	144	5	6	17	27	40	56	99+
2. MULTIPLE DX										
A. *Not Operated*	4922	14.6	107	5	6	12	17	27	34	62
B. *Operated*	1261	24.6	283	7	9	20	31	49	67	99+
1. SINGLE DX	333	11.3	59	3	4	10	14	20	28	41
2. MULTIPLE DX	6183	16.7	159	5	6	13	20	32	42	81
A. NOT OPERATED	5230	14.4	104	4	6	12	17	26	34	60
B. OPERATED	1286	24.5	281	7	9	20	31	49	67	99+
TOTAL 65-69 YRS	1085	15.9	166	4	6	12	19	31	45	83
70-74	1315	15.9	149	5	6	13	19	31	42	77
75-79	1416	16.6	163	5	6	13	20	31	42	82
80-84	1305	17.1	160	5	6	14	20	32	41	77
85+	1395	16.4	139	5	6	13	20	30	40	82
GRAND TOTAL	**6516**	**16.4**	**155**	**5**	**6**	**13**	**20**	**31**	**42**	**80**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	9.1	53	3	4	7	11	16	27	36
70-74	26	7.7	25	1	2	7	9	16	19	21
75-79	24	8.2	51	2	2	5	10	19	24	30
80-84	5	9.0	53	3	3	7	13	21	21	21
85+	12	7.2	20	<1	1	6	11	14	15	15
B. *Operated*										
65-69 YRS	10	25.1	353	3	4	22	45	50	54	54
70-74	7	8.7	34	2	2	10	13	16	17	17
75-79	1	7.0		7	7	7	7	7	7	7
80-84	5	14.0	30	6	6	14	17	21	21	21
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	140	9.8	50	3	4	8	12	19	21	39
70-74	143	10.8	83	3	4	8	14	20	27	54
75-79	160	11.2	61	4	4	9	13	21	28	41
80-84	99	12.4	71	4	4	9	17	25	30	39
85+	99	10.3	40	4	5	9	12	16	21	40
B. *Operated*										
65-69 YRS	43	21.2	275	3	5	18	29	43	51	76
70-74	44	21.1	350	5	6	15	26	41	71	89
75-79	36	28.4	402	6	11	21	41	59	74	83
80-84	27	22.1	240	5	6	18	30	51	69	99+
85+	26	19.8	140	4	7	18	27	43	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	8.3	41	2	2	7	10	17	21	34
B. *Operated*	24	16.7	209	2	3	13	19	45	48	54
2. MULTIPLE DX										
A. *Not Operated*	641	10.9	62	3	4	9	13	20	27	42
B. *Operated*	176	22.6	297	4	6	19	30	45	65	97
1. SINGLE DX	128	9.9	82	2	2	7	12	19	30	48
2. MULTIPLE DX	817	13.4	136	4	4	10	16	27	37	71
A. NOT OPERATED	745	10.5	60	3	4	8	13	20	26	38
B. OPERATED	200	21.9	289	4	5	17	29	45	62	94
TOTAL 65-69 YRS	230	12.5	131	3	4	8	15	26	39	56
70-74	220	12.4	146	3	4	8	15	23	31	74
75-79	221	13.7	157	3	4	10	16	28	40	66
80-84	136	14.3	115	4	4	11	19	28	36	70
85+	138	11.8	71	4	4	10	15	23	32	52
GRAND TOTAL	**945**	**12.9**	**130**	**3**	**4**	**9**	**16**	**26**	**36**	**66**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	14	2	2	5	7	11	12	12
70-74	3	3.3		3	3	3	4	4	4	4
75-79										
80-84										
85+	4	9.0	115	2	2	4	15	25	25	25
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	24	13.8	202	3	4	10	12	26	54	62
70-74	15	14.3	62	3	7	13	17	28	31	32
75-79	11	12.4	73	3	3	10	17	25	29	29
80-84	5	12.0	32	6	6	15	16	18	18	18
85+	4	21.3	162	9	9	18	29	39	39	39
B. *Operated*										
65-69 YRS	3	13.3	100	2	2	17	20	21	21	21
70-74	2	39.0	72	33	33	39	45	45	45	45
75-79	2	55.0	1250	30	30	55	80	80	80	80
80-84										
85+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	6.1	40	2	2	4	6	15	23	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	59	14.0	123	3	4	11	17	26	36	61
B. *Operated*	8	30.3	575	2	7	30	54	92	99+	99+
1. SINGLE DX	13	6.1	40	2	2	4	6	15	23	25
2. MULTIPLE DX	67	16.0	197	3	4	12	20	33	51	96
A. NOT OPERATED	72	12.6	116	2	3	10	16	24	32	59
B. OPERATED	8	30.3	575	2	7	30	54	92	99+	99+
TOTAL 65-69 YRS	33	12.2	164	2	2	9	12	22	46	62
70-74	20	15.2	132	2	3	13	19	32	39	45
75-79	13	18.9	421	3	3	15	24	40	72	80
80-84	5	12.0	32	6	6	15	18	92	99+	99+
85+	9	15.0	142	2	3	14	21	33	39	39
GRAND TOTAL	**80**	**14.4**	**184**	**2**	**3**	**11**	**18**	**31**	**47**	**94**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	147	6.6	21	2	3	5	8	13	16	22
70-74	178	6.9	40	2	2	6	8	13	16	33
75-79	157	7.4	44	1	2	5	9	14	21	34
80-84	128	8.7	58	2	3	7	10	15	24	41
85+	83	8.1	35	1	2	7	10	17	19	28
B. *Operated*										
65-69 YRS	16	6.4	21	<1	1	6	9	12	16	18
70-74	10	6.4	46	1	1	4	6	19	20	20
75-79	15	9.0	45	<1	2	8	13	16	23	26
80-84	10	9.8	66	2	2	7	12	24	25	25
85+	5	7.6	50	3	3	4	10	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	539	8.5	49	2	3	7	10	16	22	37
70-74	679	9.9	76	3	3	7	12	20	28	47
75-79	705	10.2	72	2	3	8	12	20	27	45
80-84	612	11.4	85	3	4	9	14	23	32	57
85+	537	11.9	107	3	4	9	15	22	29	77
B. *Operated*										
65-69 YRS	76	16.3	239	2	3	11	20	38	48	78
70-74	64	17.0	176	4	5	13	23	41	58	99+
75-79	90	17.6	173	4	5	14	24	38	49	86
80-84	46	21.5	181	6	6	20	29	43	48	99+
85+	50	20.2	200	3	6	16	27	39	46	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	693	7.4	40	2	2	6	9	14	19	31
B. *Operated*	56	7.8	41	1	2	6	11	18	22	26
2. MULTIPLE DX										
A. *Not Operated*	3072	10.4	79	3	3	8	13	20	28	48
B. *Operated*	326	18.1	195	3	5	14	24	40	49	99+
1. SINGLE DX	749	7.4	40	1	2	6	9	14	20	30
2. MULTIPLE DX	3398	11.1	95	3	3	8	13	22	31	55
A. NOT OPERATED	3765	9.8	73	2	3	7	12	19	27	45
B. OPERATED	382	16.6	186	2	4	13	23	37	46	94
TOTAL 65-69 YRS	778	8.9	68	2	3	7	10	16	24	44
70-74	931	9.8	81	2	3	7	12	20	29	52
75-79	967	10.4	82	2	3	8	13	21	28	49
80-84	796	11.5	93	3	4	9	14	24	32	57
85+	675	12.1	111	3	4	9	15	22	31	71
GRAND TOTAL	**4147**	**10.5**	**87**	**2**	**3**	**8**	**13**	**21**	**29**	**51**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	46	9.9	44	3	4	8	11	17	26	34
70-74	37	11.8	85	2	4	11	14	23	32	46
75-79	18	7.1	14	2	3	7	9	12	14	16
80-84	8	12.0	17	8	8	11	15	18	19	19
85+	6	8.3	27	3	3	8	13	14	14	14
B. *Operated*										
65-69 YRS	6	10.0	56	1	1	11	13	20	21	21
70-74	7	12.3	20	4	5	14	15	16	16	16
75-79	6	10.5	8	8	8	9	13	15	15	15
80-84	1	12.0		12	12	12	12	12	12	12
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	104	11.0	74	3	4	9	12	20	26	49
70-74	91	11.0	54	3	4	9	14	20	22	44
75-79	80	13.2	188	3	4	9	15	33	52	93
80-84	44	13.6	75	3	4	13	20	26	29	41
85+	39	13.3	109	3	4	11	17	37	42	99+
B. *Operated*										
65-69 YRS	29	12.0	51	3	4	11	16	19	22	37
70-74	24	17.6	212	3	7	14	18	33	51	71
75-79	17	15.8	101	4	5	13	18	35	36	36
80-84	14	23.9	140	9	11	23	26	42	50	52
85+	5	25.8	230	10	10	20	37	48	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	10.1	51	3	4	9	13	17	25	38
B. *Operated*	21	10.9	24	2	3	12	14	16	18	21
2. MULTIPLE DX										
A. *Not Operated*	358	12.1	99	3	4	10	15	22	33	68
B. *Operated*	89	16.9	142	4	6	14	20	34	41	64
1. SINGLE DX	136	10.3	47	2	4	9	13	17	23	36
2. MULTIPLE DX	447	13.0	111	3	4	10	16	24	34	68
A. NOT OPERATED	473	11.6	88	3	4	9	14	21	32	64
B. OPERATED	110	15.7	124	4	5	13	18	31	37	60
TOTAL 65-69 YRS	185	10.8	62	3	4	9	13	19	24	36
70-74	159	12.2	87	3	4	11	15	21	30	46
75-79	121	12.5	146	3	4	9	14	25	36	85
80-84	67	15.6	97	4	5	13	22	26	34	50
85+	51	13.8	123	3	4	11	17	36	44	99
GRAND TOTAL	**583**	**12.4**	**97**	**3**	**4**	**10**	**15**	**22**	**33**	**63**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	9.0		9	9	9	9	9	9	9
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	6.0	8	3	3	5	9	9	9	9
70-74	2	17.5	181	8	8	17	27	27	27	27
75-79	1	15.0		15	15	15	15	15	15	15
80-84	3	15.3	72	9	9	12	22	25	25	25
85+										
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79	2	16.5	5	15	15	16	18	18	18	18
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	10.0		10	10	10	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	11	11.5	64	3	4	9	14	26	27	27
B. *Operated*	5	11.8	25	5	5	11	16	18	18	18
1. SINGLE DX	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX	16	11.6	49	3	4	10	15	24	26	27
A. NOT OPERATED	12	11.3	58	3	4	9	13	26	27	27
B. OPERATED	5	11.8	25	5	5	11	16	18	18	18
TOTAL 65-69 YRS	6	6.5	8	3	3	7	9	9	9	9
70-74	3	13.3	142	5	5	8	22	27	27	27
75-79	3	16.0	3	15	15	15	17	18	18	18
80-84	4	14.3	53	9	9	11	18	25	25	25
85+	1	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**17**	**11.4**	**46**	**3**	**4**	**9**	**15**	**24**	**26**	**27**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
B. *Operated*										
65-69 YRS	25	3.3	12	1	1	2	3	5	9	19
70-74	11	3.5	13	<1	<1	2	6	9	12	12
75-79	5	2.6	4	1	1	2	3	6	6	6
80-84	3	4.3	6	2	2	4	6	7	7	7
85+	5	3.2	7	<1	<1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	2	3.0	8	<1	<1	2	5	5	5	5
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	28	4.2	6	<1	1	3	6	8	9	9
70-74	16	8.8	143	<1	1	4	10	28	40	44
75-79	12	5.4	28	<1	1	4	6	13	19	20
80-84	8	7.6	29	2	2	6	10	16	18	18
85+	3	9.0	28	5	5	7	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	49	3.3	10	<1	<1	2	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*	7	3.4	11	<1	<1	3	5	9	10	10
B. *Operated*	67	6.1	48	<1	1	4	7	13	18	42
1. SINGLE DX	50	3.3	10	<1	<1	2	4	7	7	19
2. MULTIPLE DX	74	5.9	45	<1	1	4	7	12	17	41
A. NOT OPERATED	8	3.4	9	<1	<1	3	4	8	10	10
B. OPERATED	116	5.0	34	<1	1	3	6	9	15	35
TOTAL 65-69 YRS	55	3.8	9	<1	1	3	5	7	9	19
70-74	29	6.4	89	<1	<1	2	7	13	31	44
75-79	19	4.3	20	<1	1	3	5	9	15	20
80-84	12	6.3	25	1	2	5	8	14	17	18
85+	9	5.9	21	<1	<1	5	8	13	15	15
GRAND TOTAL	**124**	**4.9**	**32**	**<1**	**1**	**3**	**6**	**9**	**14**	**34**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	4.0	12	<1	1	3	4	8	10	20
70-74	94	4.8	18	1	2	4	6	8	11	26
75-79	85	5.2	39	1	2	4	6	8	10	42
80-84	50	4.7	23	<1	1	3	5	11	16	25
85+	58	4.9	13	<1	1	4	6	10	13	16
B. *Operated*										
65-69 YRS	7	15.7	179	4	4	8	26	35	37	37
70-74										
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	597	5.5	13	2	2	5	7	10	13	18
70-74	584	6.3	26	2	2	5	8	12	13	20
75-79	564	6.4	29	2	2	5	8	12	14	23
80-84	424	6.9	38	2	2	5	8	12	19	33
85+	347	7.0	30	2	2	6	9	13	16	32
B. *Operated*										
65-69 YRS	62	14.5	141	4	5	10	17	31	37	65
70-74	41	12.9	109	4	5	11	16	27	44	99+
75-79	35	17.0	226	3	5	11	21	51	53	60
80-84	16	13.1	64	5	5	12	17	26	27	27
85+	11	13.8	60	6	7	12	15	26	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	4.7	20	1	1	4	5	9	11	26
B. *Operated*	9	13.2	159	3	3	6	25	33	37	37
2. MULTIPLE DX										
A. *Not Operated*	2516	6.3	26	2	2	5	8	12	14	25
B. *Operated*	165	14.4	138	4	5	11	17	29	40	67
1. SINGLE DX	413	4.9	25	1	1	4	6	9	11	29
2. MULTIPLE DX	2681	6.8	37	2	2	5	8	13	16	32
A. NOT OPERATED	2920	6.1	26	2	2	5	7	11	14	25
B. OPERATED	174	14.4	138	4	5	11	18	29	38	66
TOTAL 65-69 YRS	783	6.1	31	2	2	4	7	11	16	30
70-74	719	6.4	32	2	2	5	8	12	15	27
75-79	686	6.8	45	2	2	5	8	12	16	42
80-84	490	6.9	39	2	2	5	8	13	20	31
85+	416	6.9	30	2	2	5	9	13	16	32
GRAND TOTAL	**3094**	**6.6**	**36**	**2**	**2**	**5**	**8**	**12**	**16**	**32**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	4.9	8	2	2	4	7	9	11	11
70-74	7	8.3	54	3	3	5	9	21	24	24
75-79	1	6.0		6	6	6	6	6	6	6
80-84	2	10.0	8	8	8	10	12	12	12	12
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	10.9	238	1	2	6	11	18	52	66
70-74	9	10.6	49	4	4	9	17	21	22	22
75-79	9	11.3	75	3	3	8	17	25	29	29
80-84	6	11.0	18	6	6	11	15	16	16	16
85+	2	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	3	11.3	56	4	4	11	17	19	19	19
70-74	3	12.0	19	7	7	14	15	15	15	15
75-79	3	22.7	82	16	16	19	29	33	33	33
80-84	1	16.0		16	16	16	16	16	16	16
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.4	23	2	2	5	8	11	16	24
B. *Operated*	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	42	10.9	114	2	3	8	14	19	25	66
B. *Operated*	10	15.4	62	4	5	15	19	26	33	33
1. SINGLE DX	25	6.3	21	2	2	5	8	11	15	24
2. MULTIPLE DX	52	11.8	105	3	4	9	16	20	28	65
A. NOT OPERATED	65	9.3	85	2	3	7	11	19	22	60
B. OPERATED	12	13.6	69	4	4	14	17	23	32	33
TOTAL 65-69 YRS	33	8.4	127	2	2	6	9	15	19	66
70-74	19	9.9	44	3	3	9	15	21	23	24
75-79	14	12.9	92	3	4	8	19	29	32	33
80-84	9	11.3	16	6	6	12	15	16	16	16
85+	2	10.0		10	10	10	10	10	10	10
GRAND TOTAL	**77**	**10.0**	**84**	**2**	**3**	**7**	**13**	**19**	**23**	**57**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.7	6	1	1	2	4	7	7	7
70-74	6	4.5	9	1	1	5	7	8	8	8
75-79	12	3.8	20	<1	1	2	4	10	16	17
80-84	5	7.6	119	1	1	3	10	27	27	27
85+	3	3.3	4	<1	<1	4	5	5	5	5
B. *Operated*										
65-69 YRS	4	5.3	15	1	1	5	8	9	9	9
70-74	7	3.3	3	<1	<1	3	4	6	6	6
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	3	4.7	8	3	3	3	7	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	8.8	47	1	3	8	12	15	18	36
70-74	41	10.1	47	2	2	10	14	20	24	25
75-79	30	9.1	71	1	1	7	12	20	26	39
80-84	20	8.2	27	2	3	7	11	16	19	21
85+	8	11.1	65	5	5	9	12	25	30	30
B. *Operated*										
65-69 YRS	13	12.7	194	1	2	8	18	29	47	51
70-74	14	18.4	132	3	4	18	24	35	41	43
75-79	9	9.4	99	<1	<1	7	14	26	27	27
80-84	9	16.9	131	9	9	14	17	35	46	46
85+	3	17.3	137	4	4	22	25	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.1	25	<1	1	3	5	7	14	27
B. *Operated*	16	3.9	6	<1	1	3	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	129	9.3	50	2	2	8	13	18	25	37
B. *Operated*	48	14.8	143	1	2	13	22	27	43	51
1. SINGLE DX	52	4.1	19	<1	1	3	5	8	9	27
2. MULTIPLE DX	177	10.8	80	2	2	9	14	23	26	45
A. NOT OPERATED	165	8.2	49	1	1	7	12	17	23	35
B. OPERATED	64	12.1	130	1	2	8	18	26	37	50
TOTAL 65-69 YRS	57	8.4	79	1	1	7	11	17	24	50
70-74	68	10.6	76	2	2	8	15	23	25	41
75-79	53	7.7	65	<1	1	6	10	19	26	39
80-84	37	9.9	74	2	3	9	14	19	25	46
85+	14	10.8	80	1	3	8	12	26	29	30
GRAND TOTAL	**229**	**9.3**	**74**	**1**	**2**	**7**	**13**	**22**	**26**	**44**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	5.8	7	2	3	5	7	9	12	12
70-74	26	4.2	12	1	2	3	4	11	12	12
75-79	8	10.5	41	3	4	8	16	19	20	20
80-84	6	7.8	20	4	4	6	11	15	15	15
85+	2	13.0	50	8	8	13	18	18	18	18
B. *Operated*										
65-69 YRS	40	7.7	35	1	2	7	10	17	19	23
70-74	23	8.6	101	1	2	5	12	17	29	47
75-79	15	9.9	70	<1	<1	9	11	27	28	29
80-84	7	14.0	280	2	2	7	17	43	49	49
85+	4	9.3	192	2	2	3	16	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	66	12.4	244	1	3	8	14	24	36	86
70-74	88	13.0	153	3	4	9	14	24	45	60
75-79	72	11.2	171	2	3	8	12	19	27	87
80-84	58	11.3	64	2	3	9	14	22	29	42
85+	37	11.7	103	2	3	9	15	17	37	50
B. *Operated*										
65-69 YRS	61	16.0	487	1	2	8	17	61	95	99+
70-74	40	20.9	517	3	5	12	26	71	87	99+
75-79	43	15.5	171	3	3	11	20	33	43	66
80-84	24	18.8	477	1	2	9	32	59	92	99+
85+	18	13.4	414	1	1	6	14	35	67	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	6.2	22	2	2	4	8	13	17	20
B. *Operated*	89	8.9	81	1	2	7	11	17	27	48
2. MULTIPLE DX										
A. *Not Operated*	321	12.0	153	2	3	9	14	22	31	66
B. *Operated*	186	17.1	409	2	3	9	21	44	85	99+
1. SINGLE DX	143	7.9	60	1	2	6	10	17	20	47
2. MULTIPLE DX	507	13.9	252	2	3	9	16	29	50	96
A. NOT OPERATED	375	11.2	138	2	3	8	13	21	29	61
B. OPERATED	275	14.4	317	2	2	9	17	38	66	99+
TOTAL 65-69 YRS	179	12.1	274	2	2	8	14	23	59	99
70-74	177	12.9	233	2	2	9	14	31	48	91
75-79	138	12.4	155	2	3	9	15	25	31	69
80-84	95	13.2	186	2	3	9	16	30	44	95
85+	61	12.1	191	2	2	8	15	22	42	81
GRAND TOTAL	**650**	**12.5**	**216**	**2**	**2**	**8**	**15**	**25**	**44**	**95**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	1.0		<1	<1	<1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	27.0		27	27	27	27	27	27	27
80-84	3	5.0	9	2	2	5	7	8	8	8
85+										
B. *Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	4	8.0	47	3	3	5	12	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	8.8	35	3	3	7	12	18	20	20
70-74	7	7.4	20	4	4	6	8	15	17	17
75-79	3	7.0	3	6	6	6	8	9	9	9
80-84	2	10.5	13	8	8	10	13	13	13	13
85+	1	25.0		25	25	25	25	25	25	25
B. *Operated*										
65-69 YRS	5	19.0	485	4	4	11	23	58	58	58
70-74	3	10.7	137	2	2	6	19	24	24	24
75-79	2	11.5	13	9	9	11	14	14	14	14
80-84	1	15.0		15	15	15	15	15	15	15
85+	6	12.3	59	3	3	10	17	24	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.7	86	<1	<1	3	7	23	27	27
B. *Operated*	5	7.0	41	3	3	4	10	18	18	18
2. MULTIPLE DX										
A. *Not Operated*	22	9.0	34	3	4	7	10	18	22	25
B. *Operated*	17	14.1	169	2	3	11	15	25	46	58
1. SINGLE DX	12	6.8	62	<1	1	4	7	21	26	27
2. MULTIPLE DX	39	11.2	96	3	4	9	14	22	25	58
A. NOT OPERATED	29	8.4	45	1	2	6	10	19	25	27
B. OPERATED	22	12.5	146	2	3	10	15	24	38	58
TOTAL 65-69 YRS	17	10.5	178	<1	1	7	11	19	45	58
70-74	15	7.9	42	2	3	6	8	18	22	24
75-79	6	11.8	64	6	6	9	14	26	27	27
80-84	6	8.5	24	2	2	8	13	15	15	15
85+	7	14.1	72	3	4	11	23	25	25	25
GRAND TOTAL	**51**	**10.2**	**90**	**2**	**3**	**8**	**13**	**22**	**25**	**58**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	8.2	9	3	3	8	10	12	12	12
70-74	2	5.0	8	3	3	5	7	7	7	7
75-79										
80-84	6	4.8	1	4	4	5	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	14	4.4	23	1	2	3	4	10	17	19
70-74	11	9.2	120	2	2	7	11	24	39	40
75-79	5	4.8	18	2	2	3	7	12	12	12
80-84										
85+	2	7.0	50	2	2	7	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	61	9.9	74	4	4	7	11	18	24	54
70-74	47	10.0	47	2	4	9	13	19	25	33
75-79	36	10.2	47	4	4	9	12	19	25	35
80-84	29	11.2	42	2	3	10	15	22	23	23
85+	24	10.5	46	2	4	8	15	20	26	27
B. *Operated*										
65-69 YRS	50	16.4	145	3	4	14	23	33	43	54
70-74	32	13.5	98	2	3	13	19	25	38	40
75-79	16	13.1	60	3	4	10	20	24	25	25
80-84	6	26.5	305	2	6	23	49	90	99+	99+
85+	8	13.4	53	3	4	15	19	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.3	7	3	3	6	8	10	12	12
B. *Operated*	32	6.3	57	2	2	3	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*	197	10.2	54	3	4	8	13	20	24	36
B. *Operated*	112	15.4	126	3	3	14	21	31	42	71
1. SINGLE DX	46	6.3	42	2	2	4	8	12	14	40
2. MULTIPLE DX	309	12.1	86	3	4	9	17	23	31	52
A. NOT OPERATED	211	10.0	52	3	4	8	13	19	23	35
B. OPERATED	144	13.4	125	2	2	9	20	26	40	56
TOTAL 65-69 YRS	131	11.7	108	2	3	8	15	24	35	54
70-74	92	11.0	74	2	3	9	15	21	29	40
75-79	57	10.5	52	2	4	9	13	21	25	34
80-84	41	12.5	107	2	3	10	18	23	46	99+
85+	34	11.0	47	2	3	9	16	20	25	27
GRAND TOTAL	**355**	**11.4**	**84**	**2**	**3**	**9**	**15**	**23**	**29**	**51**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	3	5.3	14	1	1	7	8	8	8	8
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	5.5	25	2	2	5	9	9	9	9
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	12.0	128	4	4	12	20	20	20	20
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	12.4	541	2	2	6	10	23	77	92
70-74	7	9.3	14	6	6	8	13	15	15	15
75-79	5	11.8	171	4	4	7	15	35	35	35
80-84	11	15.8	222	3	3	10	28	39	45	46
85+	3	5.7	4	4	4	5	7	8	8	8
B. *Operated*										
65-69 YRS	3	11.0	61	2	2	15	58	99+	99+	99+
70-74	4	6.3	28	2	2	4	9	14	14	14
75-79	4	18.8	383	3	3	12	31	47	47	47
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	13.5	41	9	9	13	18	18	18	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.0	10	1	1	5	7	8	8	8
B. *Operated*	5	7.4	58	2	2	4	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	40	12.2	266	2	3	8	11	33	41	92
B. *Operated*	14	12.0	133	2	2	9	16	47	87	99+
1. SINGLE DX	9	6.3	34	1	1	4	8	16	20	20
2. MULTIPLE DX	54	12.1	228	2	3	8	15	35	47	99+
A. NOT OPERATED	44	11.5	246	2	3	7	10	32	38	92
B. OPERATED	19	10.8	114	2	2	9	16	33	73	99+
TOTAL 65-69 YRS	20	11.1	385	2	2	7	12	46	96	99+
70-74	15	7.2	19	1	2	7	9	14	15	15
75-79	11	14.4	208	3	3	8	19	40	46	47
80-84	12	15.2	207	3	3	9	24	38	45	46
85+	5	8.8	31	4	4	8	11	18	18	18
GRAND TOTAL	**63**	**11.3**	**204**	**2**	**2**	**8**	**14**	**32**	**46**	**99**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	5.0	14	1	1	4	6	9	12	20
70-74	74	6.6	76	1	2	4	7	12	18	58
75-79	38	7.8	48	1	1	6	11	16	20	35
80-84	16	8.9	260	1	1	4	8	13	51	68
85+	21	10.3	205	<1	1	4	11	29	48	58
B. *Operated*										
65-69 YRS	406	7.0	74	1	1	4	8	17	24	38
70-74	323	7.1	91	1	2	4	8	17	24	55
75-79	239	7.4	91	1	2	4	9	15	22	61
80-84	134	6.2	39	1	2	4	8	13	21	33
85+	93	6.2	55	1	1	4	7	12	15	47
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	242	8.8	97	1	1	6	11	18	26	59
70-74	214	9.6	118	1	1	6	11	21	32	54
75-79	127	10.8	115	1	2	6	13	25	35	53
80-84	73	8.6	60	2	3	7	9	16	26	45
85+	70	11.8	105	2	2	9	16	29	31	47
B. *Operated*										
65-69 YRS	683	13.3	169	2	2	10	17	31	44	69
70-74	536	13.8	237	2	2	9	18	35	52	99+
75-79	398	12.9	215	2	2	9	15	31	45	90
80-84	192	13.3	233	2	2	8	16	31	54	99+
85+	150	15.1	263	2	3	9	19	35	52	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	243	6.6	72	1	1	5	7	13	18	59
B. *Operated*	1195	6.9	76	1	2	4	8	16	23	45
2. MULTIPLE DX										
A. *Not Operated*	726	9.6	104	1	2	6	12	21	30	53
B. *Operated*	1959	13.5	210	2	2	9	17	32	46	89
1. SINGLE DX	1438	6.9	76	1	2	4	8	15	22	46
2. MULTIPLE DX	2685	12.4	184	2	2	8	16	29	43	84
A. NOT OPERATED	969	8.9	97	1	2	6	11	19	28	53
B. OPERATED	3154	11.0	170	2	2	6	14	26	38	80
TOTAL 65-69 YRS	1425	10.2	129	1	2	6	13	24	33	59
70-74	1147	10.6	172	1	2	6	13	25	38	83
75-79	802	10.7	160	2	2	6	13	23	36	76
80-84	415	10.0	150	2	2	6	12	24	34	87
85+	334	11.6	181	1	2	7	14	29	37	66
GRAND TOTAL	**4123**	**10.5**	**153**	**1**	**2**	**6**	**13**	**24**	**36**	**71**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	8.5	125	<1	1	4	10	19	36	56
70-74	37	9.5	97	1	2	7	12	18	33	46
75-79	27	7.3	38	1	2	6	9	11	18	32
80-84	20	10.6	171	<1	1	6	14	18	39	61
85+	6	8.7	29	3	3	8	13	16	16	16
B. *Operated*										
65-69 YRS	108	13.7	230	1	2	10	19	33	47	97
70-74	89	11.6	109	2	2	8	18	29	33	44
75-79	66	12.5	150	2	2	10	15	28	39	61
80-84	30	12.6	113	2	3	9	20	26	37	42
85+	15	16.1	300	<1	2	11	21	34	59	68
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	161	10.0	92	2	2	7	12	25	29	43
70-74	132	9.5	115	2	3	7	11	18	27	56
75-79	97	11.9	134	2	3	7	15	30	37	52
80-84	52	12.5	232	2	3	8	14	27	43	85
85+	40	11.6	112	2	4	8	13	27	39	46
B. *Operated*										
65-69 YRS	297	20.1	254	3	5	16	26	45	57	90
70-74	240	20.8	344	2	4	17	28	47	73	99+
75-79	158	18.5	232	3	4	14	26	37	53	79
80-84	103	20.7	307	3	5	15	28	50	56	81
85+	66	18.5	318	3	4	11	27	44	48	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	8.8	102	1	2	6	11	17	30	57
B. *Operated*	308	12.9	168	2	2	9	18	30	39	65
2. MULTIPLE DX										
A. *Not Operated*	482	10.6	123	2	3	7	12	25	33	53
B. *Operated*	864	20.0	286	3	4	15	27	44	59	99
1. SINGLE DX	446	11.6	151	1	2	8	16	26	37	62
2. MULTIPLE DX	1346	16.6	247	2	3	11	23	38	52	86
A. NOT OPERATED	620	10.2	119	2	2	7	12	23	33	55
B. OPERATED	1172	18.1	264	2	3	13	25	40	55	95
TOTAL 65-69 YRS	614	15.4	219	2	2	11	22	36	48	80
70-74	498	15.3	251	2	3	10	21	35	48	96
75-79	348	14.6	187	2	3	10	21	32	46	66
80-84	205	16.5	263	2	3	11	21	39	53	81
85+	127	15.6	245	3	3	10	20	39	45	78
GRAND TOTAL	**1792**	**15.4**	**228**	**2**	**3**	**10**	**21**	**35**	**48**	**84**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	45	8.5	94	1	2	5	8	25	30	48
70-74	58	6.6	49	1	1	4	10	13	16	43
75-79	37	10.1	89	2	3	7	13	22	33	44
80-84	27	9.3	41	3	3	8	11	17	21	34
85+	28	9.6	54	2	2	8	13	21	25	31
B. *Operated*										
65-69 YRS	140	17.0	77	4	7	15	22	28	31	48
70-74	130	16.7	128	2	4	15	22	30	38	55
75-79	117	17.5	112	4	6	15	22	32	35	60
80-84	80	17.1	145	2	3	14	24	31	39	63
85+	47	19.3	219	4	5	17	22	35	43	86
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	240	9.7	83	1	2	7	13	20	28	42
70-74	207	9.4	87	2	2	7	12	18	27	44
75-79	213	10.4	124	2	2	7	14	23	34	64
80-84	167	10.4	128	2	2	7	13	19	30	71
85+	171	11.9	157	2	3	8	14	26	38	86
B. *Operated*										
65-69 YRS	584	20.4	187	5	8	18	26	36	46	87
70-74	578	20.6	185	5	8	17	25	38	49	78
75-79	516	20.9	170	4	7	18	27	39	47	77
80-84	374	23.6	247	7	9	20	29	42	60	90
85+	267	23.1	229	6	7	20	29	43	55	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	8.5	67	1	2	6	11	17	25	45
B. *Operated*	514	17.3	121	3	5	15	22	30	36	57
2. MULTIPLE DX										
A. *Not Operated*	998	10.3	113	2	2	7	13	20	31	61
B. *Operated*	2319	21.4	198	5	8	18	27	39	49	83
1. SINGLE DX	709	14.9	121	2	3	13	20	29	34	55
2. MULTIPLE DX	3317	18.1	199	3	4	15	24	35	45	79
A. NOT OPERATED	1193	10.0	106	2	2	7	13	20	30	60
B. OPERATED	2833	20.6	187	5	7	18	26	37	47	81
TOTAL 65-69 YRS	1009	16.9	165	2	4	14	22	32	39	73
70-74	973	16.9	175	2	4	14	22	33	44	68
75-79	883	17.5	169	3	4	15	24	34	43	71
80-84	648	18.8	230	3	4	15	25	37	45	83
85+	513	18.3	224	3	4	15	24	37	49	85
GRAND TOTAL	**4026**	**17.5**	**187**	**3**	**4**	**15**	**23**	**34**	**44**	**75**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	7.8	20	2	2	8	11	13	13	13
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	10.0		10	10	10	10	10	10	10
80-84										
85+										
B. *Operated*										
65-69 YRS	16	18.8	89	7	8	18	21	30	41	45
70-74	13	19.7	110	9	10	17	24	39	40	40
75-79	7	22.4	94	8	10	22	31	35	35	35
80-84	2	24.5	5	23	23	24	26	26	26	26
85+	2	13.5	25	10	10	13	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	8.0	45	4	4	6	8	14	22	36
70-74	17	7.5	48	3	3	4	10	13	25	31
75-79	15	13.5	307	2	2	8	14	30	60	70
80-84	4	21.3	431	7	7	13	33	52	52	52
85+	12	16.7	475	1	2	9	16	51	74	78
B. *Operated*										
65-69 YRS	92	22.8	314	8	9	16	28	48	55	91
70-74	90	25.2	356	7	10	20	30	49	71	94
75-79	60	22.8	192	10	10	18	26	44	55	68
80-84	49	24.5	253	5	9	21	34	46	55	78
85+	19	26.3	206	9	13	25	29	45	61	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.2	13	2	3	8	10	13	13	13
B. *Operated*	40	19.8	88	8	9	18	23	34	39	45
2. MULTIPLE DX										
A. *Not Operated*	76	11.0	189	2	3	7	11	22	38	76
B. *Operated*	310	24.0	285	8	9	19	29	47	56	89
1. SINGLE DX	46	18.2	93	7	8	17	22	34	39	45
2. MULTIPLE DX	386	21.4	292	4	5	17	27	43	55	85
A. NOT OPERATED	82	10.8	176	2	3	7	11	21	37	75
B. OPERATED	350	23.5	264	8	9	19	28	44	55	86
TOTAL 65-69 YRS	140	19.0	262	4	5	13	22	39	52	87
70-74	121	22.0	321	4	6	18	28	43	54	93
75-79	83	20.9	212	3	8	17	25	43	54	70
80-84	55	24.2	250	6	9	21	34	48	55	77
85+	33	22.0	306	2	5	17	28	41	67	78
GRAND TOTAL	**432**	**21.1**	**271**	**4**	**6**	**17**	**26**	**42**	**54**	**84**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	5.5	25	1	2	4	7	10	17	28
70-74	83	7.2	72	2	2	5	8	14	19	47
75-79	74	9.3	54	1	2	7	11	21	25	33
80-84	42	6.6	46	1	1	5	8	12	20	38
85+	45	7.5	31	2	2	6	9	16	18	27
B. *Operated*										
65-69 YRS	732	13.5	45	3	7	12	16	21	25	38
70-74	727	13.9	46	3	8	13	17	22	26	36
75-79	621	15.6	63	6	9	14	18	24	28	45
80-84	397	16.0	83	2	6	14	20	27	33	47
85+	238	18.5	96	6	9	17	23	30	35	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	686	8.7	68	2	2	6	11	19	25	43
70-74	775	9.8	94	2	3	7	12	21	28	52
75-79	611	9.6	84	2	3	7	11	19	26	54
80-84	461	11.2	110	2	3	8	14	23	34	61
85+	419	9.9	77	2	3	7	12	20	25	46
B. *Operated*										
65-69 YRS	2922	18.2	115	7	9	16	22	30	38	63
70-74	3241	19.2	138	7	9	16	23	33	41	73
75-79	2946	20.7	154	8	10	18	25	35	45	83
80-84	2146	22.5	166	9	11	19	27	39	48	81
85+	1506	23.9	183	9	11	21	29	42	54	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	354	7.1	47	1	2	5	8	14	21	38
B. *Operated*	2715	14.9	62	3	8	13	18	24	28	44
2. MULTIPLE DX										
A. *Not Operated*	2952	9.7	86	2	3	7	12	20	27	53
B. *Operated*	12761	20.4	150	8	10	17	25	35	45	76
1. SINGLE DX	3069	14.0	66	2	4	13	17	23	28	44
2. MULTIPLE DX	15713	18.4	156	4	6	16	23	33	43	72
A. NOT OPERATED	3306	9.4	83	2	2	7	11	20	27	51
B. OPERATED	15476	19.4	139	7	9	17	23	33	43	72
TOTAL 65-69 YRS	4450	15.6	109	3	5	14	19	28	35	57
70-74	4826	16.7	131	3	5	14	21	29	38	63
75-79	4252	18.1	146	4	6	16	22	32	42	75
80-84	3046	19.7	166	4	6	17	25	36	45	75
85+	2208	20.3	184	4	6	18	26	37	48	79
GRAND TOTAL	**18782**	**17.7**	**144**	**3**	**5**	**15**	**22**	**32**	**41**	**69**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	86	7.6	61	1	1	5	10	19	23	40
70-74	89	8.1	69	1	2	5	10	18	26	44
75-79	57	7.4	47	1	2	5	10	17	20	37
80-84	52	10.9	257	1	2	6	10	25	40	85
85+	47	7.4	46	1	2	5	10	16	19	36
B. *Operated*										
65-69 YRS	602	14.7	82	2	3	14	18	24	30	46
70-74	545	15.1	69	3	4	15	19	24	30	43
75-79	391	15.8	114	2	3	15	21	27	32	59
80-84	304	14.5	114	2	3	13	19	26	33	58
85+	197	14.2	144	2	3	11	19	28	37	60
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	387	10.0	112	2	2	6	12	21	30	55
70-74	381	10.5	118	2	2	7	13	23	29	56
75-79	358	10.4	117	2	2	7	13	21	29	62
80-84	272	11.4	111	1	3	8	15	28	36	52
85+	223	11.5	145	2	3	7	14	23	38	62
B. *Operated*										
65-69 YRS	1501	19.2	145	4	7	17	24	32	40	71
70-74	1582	20.1	157	4	7	17	25	36	44	72
75-79	1336	21.2	179	4	7	19	27	38	48	80
80-84	927	21.8	209	4	7	19	28	40	52	85
85+	618	20.4	184	3	6	18	26	39	47	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	8.2	89	1	2	5	10	18	24	47
B. *Operated*	2039	14.9	95	2	3	14	19	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	1621	10.7	119	2	2	7	13	23	32	57
B. *Operated*	5964	20.4	171	4	7	18	26	36	46	76
1. SINGLE DX	2370	14.0	100	2	3	13	18	25	31	49
2. MULTIPLE DX	7585	18.3	176	3	4	16	24	35	44	73
A. NOT OPERATED	1952	10.2	115	1	2	7	13	22	31	57
B. OPERATED	8003	19.0	157	3	6	17	24	34	43	71
TOTAL 65-69 YRS	2576	16.4	136	2	4	15	21	29	36	65
70-74	2597	17.2	145	3	4	15	22	31	40	61
75-79	2142	18.1	174	3	4	16	24	34	42	74
80-84	1555	18.2	195	3	4	16	24	36	45	76
85+	1085	16.9	181	2	3	14	23	35	44	70
GRAND TOTAL	**9955**	**17.3**	**161**	**3**	**4**	**15**	**23**	**32**	**41**	**69**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	57	8.9	62	2	3	6	12	19	28	37
70-74	44	6.7	45	1	2	5	8	14	20	38
75-79	41	7.4	24	2	3	6	9	13	14	29
80-84	19	7.3	43	<1	<1	7	12	14	20	25
85+	10	7.4	22	2	3	5	11	15	16	16
B. *Operated*										
65-69 YRS	82	15.7	162	2	2	13	22	32	43	61
70-74	91	13.5	146	2	2	11	18	29	42	58
75-79	66	16.9	107	2	4	16	23	30	33	50
80-84	50	15.9	92	3	4	15	22	30	34	41
85+	20	15.2	98	2	3	13	24	32	63	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	10.1	96	1	2	7	13	21	30	48
70-74	189	10.1	98	2	3	8	13	22	29	52
75-79	133	10.2	71	1	2	8	14	19	26	46
80-84	113	12.3	129	3	3	9	14	26	33	60
85+	92	10.9	59	2	3	10	14	21	29	36
B. *Operated*										
65-69 YRS	374	20.6	203	4	6	18	27	36	54	78
70-74	417	21.0	189	5	8	18	27	39	47	72
75-79	317	20.2	157	5	8	17	26	37	45	69
80-84	215	21.7	151	8	10	18	28	41	47	69
85+	149	24.2	223	8	10	20	30	47	57	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	7.7	44	1	2	6	10	15	22	36
B. *Operated*	309	15.3	130	2	3	13	22	30	37	56
2. MULTIPLE DX										
A. *Not Operated*	716	10.6	93	2	2	8	14	21	29	48
B. *Operated*	1472	21.2	184	5	8	18	27	39	50	76
1. SINGLE DX	480	12.6	113	2	2	10	18	27	33	50
2. MULTIPLE DX	2188	17.7	179	3	4	15	23	35	45	69
A. NOT OPERATED	887	10.0	84	2	2	7	13	20	28	47
B. OPERATED	1781	20.1	180	4	6	17	26	38	48	74
TOTAL 65-69 YRS	702	16.3	183	2	3	13	22	32	45	72
70-74	741	16.5	180	2	3	13	22	34	43	67
75-79	557	16.5	144	3	4	14	21	31	40	62
80-84	397	17.6	154	3	4	15	23	34	43	63
85+	271	18.4	193	3	5	15	24	38	52	82
GRAND TOTAL	**2668**	**16.8**	**171**	**2**	**4**	**14**	**22**	**33**	**43**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	7.3	32	1	2	5	9	16	19	29
70-74	61	10.6	149	1	2	5	13	30	39	53
75-79	47	8.6	47	1	1	6	12	19	22	26
80-84	23	10.3	165	2	2	7	10	25	43	58
85+	19	11.4	186	1	3	8	12	23	45	62
B. *Operated*										
65-69 YRS	108	19.2	213	3	5	16	23	36	47	88
70-74	80	17.9	81	4	8	17	23	32	35	39
75-79	89	19.0	141	3	5	16	24	33	38	58
80-84	40	17.7	76	4	5	17	22	29	33	42
85+	20	14.8	52	4	6	14	20	25	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	370	10.4	99	2	3	7	13	23	31	48
70-74	337	9.8	75	2	2	7	12	20	26	43
75-79	277	10.7	96	1	2	8	13	22	30	47
80-84	146	10.3	58	2	3	9	14	19	23	35
85+	134	13.3	125	3	3	10	18	27	34	58
B. *Operated*										
65-69 YRS	600	22.9	203	6	9	20	29	39	52	79
70-74	623	20.8	147	6	8	18	26	37	46	64
75-79	455	22.6	193	6	8	20	29	41	52	75
80-84	280	22.6	156	6	10	20	28	38	45	76
85+	157	25.2	244	7	11	21	32	46	56	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	9.2	97	1	2	6	11	19	29	56
B. *Operated*	337	18.4	137	4	6	17	23	32	39	57
2. MULTIPLE DX										
A. *Not Operated*	1264	10.6	91	2	3	8	13	22	30	47
B. *Operated*	2115	22.3	182	6	9	19	28	39	49	74
1. SINGLE DX	549	14.8	141	2	3	13	20	29	36	56
2. MULTIPLE DX	3379	17.9	180	3	4	15	24	35	44	69
A. NOT OPERATED	1476	10.4	92	2	3	7	13	21	30	48
B. OPERATED	2452	21.8	178	6	8	19	28	38	48	74
TOTAL 65-69 YRS	1140	17.6	198	3	4	14	24	35	45	74
70-74	1101	16.6	146	2	4	14	23	33	40	56
75-79	868	17.6	181	2	4	15	24	34	44	69
80-84	489	18.0	153	3	4	16	24	34	40	62
85+	330	19.0	215	3	5	16	25	39	48	79
GRAND TOTAL	**3928**	**17.5**	**176**	**3**	**4**	**15**	**23**	**34**	**43**	**67**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	654	7.0	59	1	1	4	9	16	21	39
70-74	475	8.0	80	1	1	5	10	17	26	43
75-79	254	8.2	67	1	2	5	10	19	27	39
80-84	119	8.3	58	1	2	6	12	18	24	38
85+	56	10.7	125	2	3	7	13	17	40	57
B. *Operated*										
65-69 YRS	1377	11.6	83	2	3	10	15	22	27	45
70-74	1079	11.8	89	2	2	10	16	23	29	48
75-79	636	11.9	101	1	2	10	17	23	29	55
80-84	285	10.5	84	1	2	8	14	22	27	44
85+	95	13.4	128	2	3	10	16	27	36	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3238	9.8	88	1	2	7	13	21	29	47
70-74	2665	10.1	87	2	2	7	13	21	28	44
75-79	1686	10.9	92	2	3	8	14	22	30	48
80-84	846	11.5	101	2	3	9	15	23	30	48
85+	428	12.6	101	2	4	10	16	25	31	55
B. *Operated*										
65-69 YRS	4534	16.0	150	3	4	13	20	31	39	65
70-74	3756	16.2	149	3	4	13	21	32	40	68
75-79	2263	16.3	151	3	4	13	21	31	41	64
80-84	982	17.0	172	3	4	14	22	33	42	69
85+	341	17.9	196	3	5	14	23	35	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1558	7.7	70	1	1	5	10	17	24	41
B. *Operated*	3472	11.7	89	2	2	10	16	23	29	47
2. MULTIPLE DX										
A. *Not Operated*	8863	10.4	91	2	2	8	13	22	29	47
B. *Operated*	11876	16.3	153	3	4	13	21	32	40	66
1. SINGLE DX	5030	10.5	87	1	2	8	14	22	28	45
2. MULTIPLE DX	20739	13.7	135	2	3	11	18	28	37	60
A. NOT OPERATED	10421	10.0	88	1	2	7	13	21	29	46
B. OPERATED	15348	15.2	142	2	4	12	20	30	38	63
TOTAL 65-69 YRS	9803	12.7	124	2	2	10	17	26	34	56
70-74	7975	13.1	126	2	3	10	17	27	35	58
75-79	4839	13.4	127	2	3	11	18	27	36	57
80-84	2232	13.6	137	2	3	10	18	28	36	61
85+	920	14.5	147	3	4	11	18	28	39	63
GRAND TOTAL	**25769**	**13.1**	**127**	**2**	**3**	**10**	**17**	**27**	**35**	**58**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	6.6	67	1	1	3	9	16	20	46
70-74	32	5.7	47	1	1	3	7	13	26	28
75-79	16	11.6	360	1	1	4	6	51	57	59
80-84	10	11.5	88	2	2	8	17	27	29	29
85+	4	10.0	55	2	2	9	15	20	20	20
B. *Operated*										
65-69 YRS	400	8.1	89	1	1	3	12	21	27	44
70-74	317	6.8	66	1	1	3	11	16	21	38
75-79	161	6.7	76	1	1	2	9	18	27	42
80-84	93	7.6	121	1	1	3	10	19	26	65
85+	47	6.1	100	<1	1	2	4	17	37	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	167	8.2	136	1	1	5	9	16	39	76
70-74	116	12.6	230	2	2	7	16	31	50	77
75-79	65	7.1	50	1	1	5	9	16	24	90
80-84	34	10.4	50	2	3	9	14	18	22	35
85+	24	16.7	339	3	4	10	19	57	75	99+
B. *Operated*										
65-69 YRS	489	14.8	195	2	2	12	20	32	43	82
70-74	406	15.1	219	1	2	12	21	35	45	99
75-79	244	15.9	311	1	2	11	20	36	55	84
80-84	114	17.5	266	2	2	13	25	45	57	68
85+	72	14.2	172	2	2	11	21	33	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	7.6	103	1	1	4	9	18	29	55
B. *Operated*	1018	7.3	83	1	1	3	11	19	26	43
2. MULTIPLE DX										
A. *Not Operated*	406	10.0	160	1	2	6	12	22	39	78
B. *Operated*	1325	15.3	228	1	2	12	21	34	48	90
1. SINGLE DX	1136	7.3	85	1	1	3	11	19	26	44
2. MULTIPLE DX	1731	14.1	217	1	2	10	19	32	47	87
A. NOT OPERATED	524	9.4	148	1	1	5	11	22	36	77
B. OPERATED	2343	11.8	181	1	2	7	17	28	39	72
TOTAL 65-69 YRS	1112	11.0	152	1	2	7	16	26	38	67
70-74	871	11.4	174	1	2	7	16	27	39	75
75-79	486	11.6	219	1	1	5	15	28	45	77
80-84	251	12.6	196	1	2	8	17	29	45	65
85+	147	11.9	187	1	2	6	18	33	40	99+
GRAND TOTAL	**2867**	**11.4**	**176**	**1**	**2**	**7**	**16**	**27**	**39**	**72**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	7.0	97	<1	<1	4	8	13	38	42
70-74	34	9.9	58	1	2	8	14	25	28	99+
75-79	11	9.5	66	1	2	6	14	23	26	26
80-84	8	5.0	7	2	2	5	7	9	9	9
85+	7	8.9	21	3	3	9	12	15	16	16
B. *Operated*										
65-69 YRS	121	8.5	39	1	2	7	13	18	22	25
70-74	95	11.7	137	1	2	9	15	29	37	54
75-79	84	8.3	47	1	2	7	12	18	23	30
80-84	49	11.4	102	2	2	8	17	22	29	47
85+	43	7.0	49	1	2	4	9	16	23	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	90	9.8	98	2	2	6	12	23	27	53
70-74	89	8.6	108	1	2	5	9	19	28	57
75-79	68	12.1	219	<1	1	7	16	27	46	98
80-84	45	11.0	138	2	2	7	16	34	63	99+
85+	26	10.6	122	1	1	8	15	24	60	99+
B. *Operated*										
65-69 YRS	169	15.4	216	2	3	12	18	34	53	77
70-74	172	16.6	185	2	3	14	22	38	54	99+
75-79	130	15.2	232	2	2	11	19	31	48	93
80-84	98	17.6	198	1	2	15	25	39	47	82
85+	74	15.4	160	2	3	13	20	31	40	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	8.4	65	<1	1	6	11	21	26	77
B. *Operated*	392	9.4	75	1	2	7	13	21	26	45
2. MULTIPLE DX										
A. *Not Operated*	318	10.2	134	1	2	6	14	24	38	99+
B. *Operated*	643	16.0	201	2	3	12	21	37	49	99+
1. SINGLE DX	481	9.2	74	1	2	7	13	21	26	45
2. MULTIPLE DX	961	14.1	186	2	2	10	19	31	47	99+
A. NOT OPERATED	407	9.8	119	1	2	6	12	23	36	99+
B. OPERATED	1035	13.5	164	2	2	10	18	29	41	75
TOTAL 65-69 YRS	409	11.6	140	1	2	8	15	24	35	69
70-74	390	13.0	155	1	2	9	17	30	43	99+
75-79	293	12.3	177	1	2	9	16	26	39	90
80-84	200	14.1	165	2	2	10	21	32	45	99+
85+	150	11.9	127	2	2	9	16	27	39	68
GRAND TOTAL	**1442**	**12.5**	**154**	**1**	**2**	**9**	**17**	**28**	**40**	**80**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	3.9	6	1	1	3	6	7	9	10
70-74	5	9.2	68	1	1	6	18	18	18	18
75-79	13	4.9	3	2	3	5	6	7	7	7
80-84	7	7.3	78	1	1	5	6	23	27	27
85+	4	6.3	20	1	1	6	9	12	12	12
B. *Operated*										
65-69 YRS	194	6.9	47	1	2	5	9	14	21	40
70-74	130	7.3	29	2	2	6	10	15	17	24
75-79	107	7.4	53	1	2	5	10	14	19	40
80-84	67	5.3	26	<1	1	3	7	11	14	28
85+	53	7.2	66	<1	1	3	10	18	25	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	10.1	153	1	2	5	10	27	44	58
70-74	57	8.5	75	1	2	5	11	20	27	46
75-79	47	8.4	57	1	2	7	9	17	23	41
80-84	27	12.0	104	2	3	8	13	27	30	45
85+	13	12.8	164	1	2	10	15	26	46	51
B. *Operated*										
65-69 YRS	202	10.7	112	2	2	8	14	23	29	59
70-74	135	12.1	127	2	2	9	15	26	35	58
75-79	145	11.5	116	2	2	9	16	22	29	60
80-84	85	11.7	145	1	3	8	15	25	36	67
85+	52	12.6	108	1	3	9	19	31	35	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	5.4	23	1	1	5	6	9	18	27
B. *Operated*	551	6.9	44	1	2	5	9	14	19	35
2. MULTIPLE DX										
A. *Not Operated*	227	9.7	108	1	2	7	11	22	32	51
B. *Operated*	619	11.5	120	2	2	8	15	25	31	62
1. SINGLE DX	600	6.8	42	1	2	5	9	14	18	33
2. MULTIPLE DX	846	11.0	118	1	2	8	14	25	31	56
A. NOT OPERATED	276	9.0	96	1	2	6	10	20	28	51
B. OPERATED	1170	9.3	89	1	2	7	12	21	27	46
TOTAL 65-69 YRS	499	8.9	93	1	2	6	11	20	26	48
70-74	327	9.5	82	2	2	7	13	20	26	47
75-79	312	9.3	85	2	2	7	12	19	27	53
80-84	186	9.2	102	1	2	6	11	22	29	45
85+	122	10.0	98	1	1	7	14	26	34	64
GRAND TOTAL	**1446**	**9.3**	**90**	**1**	**2**	**6**	**12**	**20**	**28**	**48**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.8	9	1	1	5	8	8	8	8
70-74	12	4.7	13	<1	1	3	8	10	11	11
75-79	16	9.6	134	<1	1	5	12	30	39	42
80-84	11	4.1	20	1	1	3	4	10	16	17
85+	10	7.6	139	1	1	3	9	25	40	40
B. *Operated*										
65-69 YRS	541	3.2	13	<1	<1	2	3	6	10	19
70-74	652	3.4	24	<1	1	2	3	7	10	20
75-79	508	3.5	19	<1	1	2	4	7	11	18
80-84	426	3.7	16	<1	1	2	4	9	13	21
85+	386	4.8	40	<1	1	3	5	11	15	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	31	9.3	199	1	1	4	9	28	45	63
70-74	22	10.1	371	<1	1	5	9	15	48	94
75-79	52	10.5	215	1	1	6	11	25	36	87
80-84	40	10.4	131	1	2	6	11	31	34	54
85+	71	10.1	102	1	1	8	13	28	32	50
B. *Operated*										
65-69 YRS	616	5.4	48	<1	1	3	6	13	19	40
70-74	644	6.6	67	1	1	3	8	15	22	40
75-79	663	7.1	74	1	1	4	10	16	24	51
80-84	532	7.6	83	1	2	4	10	17	24	47
85+	599	8.1	86	1	2	5	10	19	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	6.5	73	1	1	4	8	13	28	42
B. *Operated*	2513	3.7	22	<1	1	2	4	8	12	21
2. MULTIPLE DX										
A. *Not Operated*	216	10.1	172	1	1	6	11	25	34	71
B. *Operated*	3054	6.9	72	1	1	4	9	16	23	45
1. SINGLE DX	2568	3.7	23	<1	1	2	4	8	12	22
2. MULTIPLE DX	3270	7.2	79	1	1	4	9	17	24	46
A. NOT OPERATED	271	9.4	154	1	1	5	10	24	33	61
B. OPERATED	5567	5.5	52	<1	1	3	6	13	18	37
TOTAL 65-69 YRS	1194	4.5	37	<1	1	2	5	10	16	35
70-74	1330	5.1	53	<1	1	3	5	11	17	37
75-79	1239	5.8	62	<1	1	3	7	14	20	42
80-84	1009	6.1	60	1	1	3	7	14	20	37
85+	1066	7.0	74	1	1	4	9	17	24	44
GRAND TOTAL	**5838**	**5.6**	**57**	**<1**	**1**	**3**	**6**	**13**	**19**	**38**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	6.2	51	1	1	4	8	14	24	40
70-74	89	6.3	51	1	1	4	8	12	18	37
75-79	54	6.4	32	1	1	5	7	13	20	27
80-84	31	9.3	182	1	2	4	9	32	60	99+
85+	23	12.4	142	<1	2	9	14	29	39	52
B. *Operated*										
65-69 YRS	1768	7.7	15	2	3	7	9	12	15	19
70-74	1451	8.2	19	2	3	8	10	13	15	23
75-79	1074	8.3	20	2	3	8	10	13	16	23
80-84	614	8.0	20	2	3	7	10	13	16	23
85+	427	8.1	31	2	3	7	10	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	770	10.2	105	1	2	7	13	23	32	68
70-74	727	12.0	144	2	2	8	16	27	36	69
75-79	540	12.3	129	2	3	9	16	27	35	54
80-84	336	11.2	111	2	3	8	14	23	30	64
85+	235	13.6	151	2	3	10	18	27	47	99+
B. *Operated*										
65-69 YRS	2726	11.3	76	4	5	9	13	20	26	49
70-74	2424	11.7	79	3	5	9	13	20	28	51
75-79	1870	12.1	81	4	5	10	14	22	29	52
80-84	1267	12.5	87	3	5	10	15	22	31	55
85+	907	11.9	97	2	4	10	15	22	29	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	7.1	71	1	1	4	8	16	25	51
B. *Operated*	5334	8.0	19	2	3	8	10	13	15	22
2. MULTIPLE DX										
A. *Not Operated*	2608	11.6	127	2	2	8	15	26	35	67
B. *Operated*	9194	11.8	82	3	5	10	14	21	28	52
1. SINGLE DX	5618	8.0	22	2	3	7	10	13	16	24
2. MULTIPLE DX	11802	11.7	92	3	4	9	14	22	30	56
A. NOT OPERATED	2892	11.1	123	1	2	8	14	25	34	64
B. OPERATED	14528	10.4	62	3	4	9	12	18	24	46
TOTAL 65-69 YRS	5351	9.9	63	2	3	8	11	17	23	46
70-74	4691	10.5	73	2	4	9	12	19	26	50
75-79	3538	10.9	72	3	4	9	13	20	27	48
80-84	2248	11.0	77	2	4	9	13	20	28	54
85+	1592	11.1	91	2	3	9	13	21	28	67
GRAND TOTAL	**17420**	**10.5**	**72**	**2**	**4**	**9**	**12**	**19**	**26**	**49**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	4.6	19	2	2	4	5	7	10	28
70-74	65	5.4	37	2	2	4	5	11	18	35
75-79	60	4.7	17	2	2	4	5	8	12	27
80-84	28	4.7	19	1	1	4	4	9	11	24
85+	25	5.2	14	2	2	4	6	11	13	18
B. *Operated*										
65-69 YRS	147	7.3	100	2	2	4	8	15	24	51
70-74	99	6.4	44	1	2	4	9	12	15	44
75-79	77	6.9	143	1	2	4	7	11	20	81
80-84	38	7.1	32	2	2	5	9	13	20	28
85+	25	10.2	162	2	2	6	12	22	34	63
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	136	7.6	101	1	1	4	7	19	31	56
70-74	101	7.8	92	1	1	4	9	17	23	58
75-79	76	9.1	137	2	2	6	10	17	28	76
80-84	51	8.7	107	2	3	5	9	16	19	61
85+	45	8.8	132	1	2	5	8	17	40	58
B. *Operated*										
65-69 YRS	265	12.6	167	2	2	8	16	26	37	67
70-74	193	12.1	156	2	3	8	15	25	44	59
75-79	140	11.7	141	2	3	8	14	22	33	61
80-84	84	14.7	220	2	3	10	18	29	46	84
85+	41	9.5	49	2	2	8	12	21	25	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	4.9	22	2	2	4	5	8	13	29
B. *Operated*	386	7.2	92	2	2	4	8	14	20	52
2. MULTIPLE DX										
A. *Not Operated*	409	8.2	109	1	2	4	9	18	28	59
B. *Operated*	723	12.4	159	2	2	9	15	25	37	63
1. SINGLE DX	674	6.2	63	2	2	4	6	12	17	42
2. MULTIPLE DX	1132	10.9	145	2	2	7	14	22	34	61
A. NOT OPERATED	697	6.8	76	1	2	4	7	14	21	51
B. OPERATED	1109	10.6	141	2	2	7	13	22	32	60
TOTAL 65-69 YRS	658	9.1	123	1	2	5	10	20	31	61
70-74	458	9.0	108	2	2	5	11	18	29	57
75-79	353	8.9	125	2	2	5	11	17	29	58
80-84	201	10.3	142	2	3	7	12	21	29	59
85+	136	8.6	92	2	2	5	10	18	24	59
GRAND TOTAL	**1806**	**9.1**	**119**	**2**	**2**	**5**	**11**	**19**	**29**	**58**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	135	3.5	4	1	1	3	4	5	6	12
70-74	97	4.6	33	1	1	3	4	7	15	34
75-79	52	5.4	59	1	1	3	5	11	16	51
80-84	28	6.1	88	1	2	4	5	10	15	52
85+	21	7.4	53	2	2	5	9	18	26	31
B. *Operated*										
65-69 YRS	624	6.6	24	1	2	7	9	11	14	23
70-74	466	6.8	28	1	2	7	9	12	16	22
75-79	289	7.1	28	1	2	7	10	14	16	27
80-84	159	8.9	55	2	2	8	11	16	20	40
85+	71	8.0	30	2	2	8	11	14	16	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	223	7.9	106	1	1	5	9	19	30	52
70-74	207	7.9	74	1	1	5	10	18	28	39
75-79	132	8.6	116	1	2	5	10	20	36	99+
80-84	83	11.0	119	1	2	7	16	28	36	45
85+	66	10.6	92	2	3	8	13	29	36	90
B. *Operated*										
65-69 YRS	1171	10.0	89	2	2	8	12	18	24	55
70-74	1001	10.5	86	2	2	8	12	20	26	55
75-79	650	11.5	107	2	2	9	14	22	31	57
80-84	372	11.8	69	2	3	10	16	21	27	40
85+	222	14.5	153	2	3	11	19	30	41	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	4.6	32	1	1	3	4	7	11	33
B. *Operated*	1609	7.0	30	1	2	7	9	13	16	27
2. MULTIPLE DX										
A. *Not Operated*	711	8.6	99	1	1	5	10	22	31	58
B. *Operated*	3416	10.9	94	2	2	9	13	21	27	56
1. SINGLE DX	1942	6.6	31	1	2	6	9	12	16	27
2. MULTIPLE DX	4127	10.5	96	2	2	8	13	21	28	56
A. NOT OPERATED	1044	7.3	81	1	1	4	8	17	28	49
B. OPERATED	5025	9.7	77	2	2	8	12	18	24	51
TOTAL 65-69 YRS	2153	8.4	70	1	2	7	10	15	21	48
70-74	1771	8.9	70	1	2	7	11	17	24	46
75-79	1123	9.7	90	2	2	8	12	19	26	57
80-84	642	10.7	75	2	2	9	14	21	28	42
85+	380	12.2	121	2	3	9	15	27	36	65
GRAND TOTAL	**6069**	**9.3**	**79**	**1**	**2**	**8**	**11**	**18**	**25**	**51**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	241	2.6	11	1	1	2	3	4	6	22
70-74	181	3.5	26	1	1	2	3	8	13	27
75-79	81	4.4	27	1	1	2	6	10	12	28
80-84	35	4.0	21	1	1	2	4	9	16	22
85+	13	10.1	138	2	2	6	13	22	41	46
B. *Operated*										
65-69 YRS	121	11.8	35	4	7	10	14	20	24	30
70-74	87	14.4	90	3	6	12	18	27	33	52
75-79	35	14.0	86	4	5	11	17	27	38	41
80-84	28	14.7	87	2	3	12	19	27	34	44
85+	14	16.9	71	7	7	18	20	28	35	37
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	590	5.3	47	1	1	3	6	13	18	37
70-74	421	6.7	58	1	1	4	9	17	22	39
75-79	314	9.0	101	1	2	6	11	21	31	50
80-84	124	10.7	129	2	2	7	14	23	29	60
85+	52	13.2	162	1	2	9	18	36	50	99
B. *Operated*										
65-69 YRS	537	17.4	131	5	7	14	21	33	44	60
70-74	486	18.5	166	7	8	15	23	34	44	74
75-79	310	21.0	143	7	9	18	26	36	46	64
80-84	172	21.2	179	8	9	17	26	41	52	65
85+	97	23.4	208	9	10	18	32	45	53	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	551	3.4	23	1	1	2	3	7	11	27
B. *Operated*	285	13.4	66	4	6	11	16	24	29	41
2. MULTIPLE DX										
A. *Not Operated*	1501	7.2	76	1	1	4	9	17	24	46
B. *Operated*	1602	19.2	157	7	8	16	24	36	46	69
1. SINGLE DX	836	6.8	60	1	1	3	10	17	22	38
2. MULTIPLE DX	3103	13.4	154	1	2	10	18	29	39	59
A. NOT OPERATED	2052	6.2	65	1	1	3	7	15	22	44
B. OPERATED	1887	18.3	147	6	8	15	23	34	44	65
TOTAL 65-69 YRS	1489	9.7	108	1	1	7	14	23	30	49
70-74	1175	11.7	139	1	1	9	16	25	34	58
75-79	740	13.8	151	1	2	11	19	31	38	56
80-84	359	15.4	175	2	2	12	21	31	47	60
85+	176	18.9	203	2	4	15	24	41	50	93
GRAND TOTAL	**3939**	**12.0**	**141**	**1**	**2**	**9**	**17**	**27**	**36**	**57**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.4	12	1	2	4	5	8	13	15
70-74	29	3.0	4	1	1	3	5	6	6	7
75-79	11	5.1	15	2	2	4	7	12	13	13
80-84	16	9.1	207	1	2	4	11	17	47	60
85+	6	8.7	57	1	1	6	16	20	20	20
B. *Operated*										
65-69 YRS	65	9.7	113	1	2	6	13	20	27	62
70-74	65	8.9	99	2	2	5	12	19	31	54
75-79	38	6.8	42	1	2	4	8	15	24	28
80-84	48	7.1	33	2	2	5	9	16	18	28
85+	37	8.2	34	2	2	6	13	16	20	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	37	8.0	37	1	2	6	11	18	20	22
70-74	40	11.0	117	1	1	8	15	24	29	57
75-79	23	12.5	236	2	3	5	14	40	50	52
80-84	20	14.9	123	2	4	13	19	33	40	42
85+	29	10.7	64	2	2	9	16	21	26	32
B. *Operated*										
65-69 YRS	109	16.9	194	2	3	14	24	33	46	96
70-74	122	13.9	141	2	3	10	19	29	35	93
75-79	104	17.3	211	3	4	11	25	38	53	83
80-84	97	16.5	166	2	3	13	22	35	38	61
85+	65	15.8	198	3	3	12	22	34	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	76	5.3	57	1	1	4	5	12	16	50
B. *Operated*	253	8.4	72	2	2	5	11	17	26	34
2. MULTIPLE DX										
A. *Not Operated*	149	10.9	107	1	2	8	15	22	32	52
B. *Operated*	497	16.0	180	2	3	12	23	34	41	90
1. SINGLE DX	329	7.7	70	1	2	5	10	16	23	39
2. MULTIPLE DX	646	14.8	168	2	3	11	20	32	39	75
A. NOT OPERATED	225	9.0	97	1	1	5	13	19	28	53
B. OPERATED	750	13.4	157	2	2	10	18	30	37	70
TOTAL 65-69 YRS	225	12.6	151	2	2	9	17	28	33	73
70-74	256	10.9	123	1	2	7	15	26	31	57
75-79	176	13.6	186	2	3	9	19	34	47	68
80-84	181	13.1	145	2	2	10	18	30	37	56
85+	137	12.4	129	2	3	10	16	26	33	50
GRAND TOTAL	**975**	**12.4**	**146**	**2**	**2**	**9**	**17**	**29**	**36**	**61**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	172	5.7	44	1	2	3	7	12	18	38
70-74	182	5.9	40	1	1	4	7	13	22	33
75-79	135	8.3	88	1	2	5	10	17	26	60
80-84	95	7.7	67	1	2	6	8	13	23	49
85+	53	8.3	61	1	2	6	10	18	23	45
B. *Operated*										
65-69 YRS	1714	7.4	36	2	2	6	9	14	18	30
70-74	1757	7.3	28	2	2	6	9	13	17	26
75-79	1448	7.5	31	2	2	6	9	13	16	31
80-84	841	8.2	31	2	3	7	10	15	18	28
85+	445	9.7	45	2	3	8	12	17	22	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	794	8.8	71	1	2	6	11	19	25	41
70-74	1054	9.7	92	2	2	7	12	20	26	60
75-79	1262	10.3	98	2	2	7	13	22	31	47
80-84	817	10.9	95	2	3	8	14	22	30	60
85+	657	11.1	102	2	3	8	14	23	30	57
B. *Operated*										
65-69 YRS	3068	10.5	81	2	3	8	13	20	27	49
70-74	3812	10.6	68	2	3	8	13	21	27	44
75-79	3593	11.5	77	3	4	9	14	21	28	49
80-84	2457	12.7	95	3	4	10	16	25	32	54
85+	1641	13.5	100	4	5	11	17	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	637	6.8	58	1	1	5	8	14	22	35
B. *Operated*	6205	7.6	33	2	2	6	10	14	17	29
2. MULTIPLE DX										
A. *Not Operated*	4584	10.1	93	2	2	7	13	21	28	48
B. *Operated*	14571	11.5	82	2	4	9	14	22	29	49
1. SINGLE DX	6842	7.6	35	2	2	6	9	14	18	30
2. MULTIPLE DX	19155	11.2	85	2	3	9	14	22	29	49
A. NOT OPERATED	5221	9.7	89	1	2	7	12	21	28	48
B. OPERATED	20776	10.3	71	2	3	8	13	20	26	46
TOTAL 65-69 YRS	5748	9.2	67	2	2	7	11	18	24	43
70-74	6805	9.5	63	2	2	7	12	19	24	41
75-79	6438	10.3	74	2	3	8	13	20	26	47
80-84	4210	11.3	85	2	3	9	14	22	29	49
85+	2796	12.2	94	3	4	10	15	23	30	51
GRAND TOTAL	**25997**	**10.2**	**75**	**2**	**3**	**8**	**13**	**20**	**26**	**45**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	9.0	133	1	1	4	16	26	26	26
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	35	9.1	205	2	2	5	10	13	26	85
70-74	40	6.7	45	1	2	5	8	14	16	38
75-79	26	8.9	51	2	2	7	14	18	23	30
80-84	12	7.7	51	2	2	4	10	20	23	24
85+	10	11.6	77	2	3	8	19	25	28	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	8.8	32	3	3	11	12	16	16	16
70-74	4	5.5	20	2	2	4	8	12	12	12
75-79	5	3.6	2	2	2	3	4	6	6	6
80-84	4	5.5	8	2	2	5	7	9	9	9
85+	8	16.0	133	2	3	16	25	30	32	32
B. *Operated*										
65-69 YRS	45	9.0	54	2	3	7	10	16	26	38
70-74	26	12.6	135	2	2	9	14	36	38	40
75-79	22	11.1	76	2	3	8	12	25	31	34
80-84	20	11.7	90	2	3	8	15	28	32	35
85+	10	19.6	170	7	9	18	24	72	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.0	81	1	1	3	5	22	26	26
B. *Operated*	123	8.4	94	2	2	5	11	18	23	51
2. MULTIPLE DX										
A. *Not Operated*	26	9.0	72	2	2	5	11	24	28	32
B. *Operated*	123	11.4	95	2	3	9	14	27	36	65
1. SINGLE DX	130	8.2	93	1	2	5	10	18	24	47
2. MULTIPLE DX	149	11.0	91	2	3	8	13	26	34	53
A. NOT OPERATED	33	8.4	73	1	2	4	11	24	27	32
B. OPERATED	246	9.9	96	2	2	7	13	22	29	54
TOTAL 65-69 YRS	89	9.1	112	2	3	6	10	16	26	67
70-74	71	8.7	84	1	2	5	12	19	36	40
75-79	54	9.2	60	2	2	7	12	20	28	34
80-84	37	9.5	70	2	3	6	13	23	29	35
85+	28	15.7	129	2	4	14	23	30	55	99+
GRAND TOTAL	**279**	**9.7**	**94**	**2**	**2**	**7**	**12**	**23**	**29**	**49**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	62	4.0	28	1	1	2	4	9	16	28
70-74	74	4.9	29	<1	1	3	6	10	21	82
75-79	62	7.0	53	1	2	4	10	18	24	31
80-84	40	8.0	69	1	2	6	10	15	24	46
85+	39	8.7	159	1	1	7	9	16	19	80
B. *Operated*										
65-69 YRS	1754	5.5	34	1	2	4	6	12	17	27
70-74	1732	5.4	29	1	2	4	6	12	16	26
75-79	1553	5.6	29	1	2	4	6	11	16	27
80-84	1028	5.9	28	2	2	4	7	11	15	27
85+	695	6.4	28	1	2	5	8	13	17	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	234	8.6	97	1	2	5	11	20	27	53
70-74	238	7.9	56	1	2	5	10	18	23	40
75-79	259	9.0	88	1	2	6	11	19	30	50
80-84	212	10.5	98	2	2	8	15	23	30	59
85+	179	11.4	116	2	3	8	15	26	32	57
B. *Operated*										
65-69 YRS	2225	9.4	94	2	2	6	12	21	29	50
70-74	2503	9.7	98	2	2	6	12	22	29	51
75-79	2364	9.9	106	2	2	7	12	22	29	55
80-84	1669	10.2	100	2	2	7	12	22	29	52
85+	1396	11.3	111	2	3	8	14	24	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	6.1	61	1	1	4	7	14	23	42
B. *Operated*	6762	5.7	30	1	2	4	7	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	1122	9.3	91	1	2	6	12	20	29	50
B. *Operated*	10157	10.0	101	2	2	7	13	22	29	53
1. SINGLE DX	7039	5.7	31	1	2	4	7	12	17	27
2. MULTIPLE DX	11279	9.9	100	2	2	7	12	22	29	53
A. NOT OPERATED	1399	8.7	86	1	2	6	11	20	27	49
B. OPERATED	16919	8.2	77	2	2	5	10	18	25	46
TOTAL 65-69 YRS	4275	7.6	72	1	2	5	9	17	24	45
70-74	4547	7.9	73	1	2	5	10	18	24	45
75-79	4238	8.2	80	2	2	5	10	18	25	46
80-84	2949	8.7	79	2	2	6	10	18	26	48
85+	2309	9.8	92	2	2	7	12	20	28	54
GRAND TOTAL	**18318**	**8.3**	**78**	**2**	**2**	**5**	**10**	**18**	**25**	**46**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	6.4	111	1	1	3	5	15	29	63
70-74	28	6.0	23	1	1	5	8	12	16	21
75-79	16	13.1	314	1	2	7	15	28	60	73
80-84	14	6.9	34	1	1	5	11	16	19	20
85+	7	13.3	76	4	4	14	22	24	24	24
B. *Operated*										
65-69 YRS	247	12.4	61	2	3	11	16	22	26	47
70-74	199	11.7	57	2	2	11	15	21	25	39
75-79	138	12.7	74	2	3	11	17	21	27	45
80-84	80	13.7	57	2	4	14	17	22	27	39
85+	40	14.8	108	2	3	12	20	27	32	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	227	9.0	71	1	2	6	12	20	29	41
70-74	216	10.3	68	2	3	8	14	23	27	38
75-79	143	10.8	74	2	3	8	14	22	27	42
80-84	100	12.7	170	1	2	9	14	31	40	65
85+	75	13.2	150	2	2	8	17	29	39	62
B. *Operated*										
65-69 YRS	597	16.7	128	4	5	14	21	28	38	58
70-74	542	16.6	108	3	6	15	21	29	35	60
75-79	429	18.4	123	3	6	17	23	33	42	57
80-84	236	19.5	139	4	7	17	24	35	41	60
85+	143	17.8	155	3	4	16	23	35	46	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	7.7	110	1	1	5	8	19	24	67
B. *Operated*	704	12.5	65	2	3	12	16	22	26	43
2. MULTIPLE DX										
A. *Not Operated*	761	10.6	93	2	2	8	14	23	30	44
B. *Operated*	1947	17.5	126	3	6	16	22	31	40	60
1. SINGLE DX	817	11.9	74	2	2	11	16	22	26	44
2. MULTIPLE DX	2708	15.5	126	2	4	14	20	29	37	56
A. NOT OPERATED	874	10.2	96	1	2	7	14	23	30	51
B. OPERATED	2651	16.2	114	3	5	14	20	29	36	55
TOTAL 65-69 YRS	1119	13.8	113	2	3	12	18	26	33	53
70-74	985	13.9	96	2	3	12	19	25	32	47
75-79	726	15.7	119	3	4	14	20	29	37	56
80-84	430	16.4	139	2	4	14	21	32	39	55
85+	265	16.0	148	2	3	14	21	30	42	65
GRAND TOTAL	**3525**	**14.7**	**116**	**2**	**3**	**13**	**19**	**28**	**35**	**55**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	20.0	200	10	10	20	30	30	30	30
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	11.0		11	11	11	11	11	11	11
80-84	1	14.0		14	14	14	14	14	14	14
85+										
B. *Operated*										
65-69 YRS	23	6.0	55	1	2	4	5	12	28	31
70-74	29	6.4	50	2	2	4	7	13	19	37
75-79	17	5.0	7	2	3	4	6	10	10	10
80-84	10	3.4	2	1	1	3	4	5	6	6
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	7.0	1	6	6	7	8	8	8	8
70-74	8	4.6	8	2	2	3	8	8	8	8
75-79	5	3.8	18	1	1	2	6	11	11	11
80-84	3	12.7	30	7	7	13	17	18	18	18
85+	5	6.2	18	2	2	5	8	13	13	13
B. *Operated*										
65-69 YRS	24	5.6	19	1	2	4	7	13	15	16
70-74	25	9.2	179	1	2	5	8	18	51	52
75-79	11	9.9	80	1	2	7	13	25	30	30
80-84	12	10.0	75	<1	1	7	15	25	26	26
85+	9	8.9	143	2	2	3	10	29	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	14.2	86	6	6	11	18	30	30	30
B. *Operated*	81	5.5	36	1	2	4	5	10	15	35
2. MULTIPLE DX										
A. *Not Operated*	24	6.1	19	1	2	5	8	13	15	18
B. *Operated*	81	8.3	97	1	2	5	10	17	28	52
1. SINGLE DX	86	6.0	42	2	2	4	6	11	20	35
2. MULTIPLE DX	105	7.8	80	1	2	5	9	16	24	51
A. NOT OPERATED	29	7.5	38	1	2	7	10	14	19	30
B. OPERATED	162	6.9	68	1	2	4	8	14	25	50
TOTAL 65-69 YRS	52	6.4	44	1	2	4	7	13	25	31
70-74	63	7.3	96	1	2	4	8	14	25	52
75-79	34	6.6	36	1	2	4	10	12	20	30
80-84	26	7.9	50	1	1	5	13	18	24	26
85+	16	7.1	88	1	2	4	8	14	31	39
GRAND TOTAL	**191**	**7.0**	**63**	**1**	**2**	**4**	**8**	**14**	**24**	**46**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	82	11.4	165	1	2	7	12	30	41	62
70-74	55	15.6	400	2	3	7	17	44	68	84
75-79	34	13.7	173	3	3	10	18	26	33	71
80-84	16	8.8	27	3	3	7	12	17	19	20
85+	4	19.3	674	3	3	8	33	58	58	58
B. *Operated*										
65-69 YRS	123	17.4	154	5	7	14	20	31	44	64
70-74	76	21.5	194	4	7	18	29	41	49	63
75-79	50	24.2	344	4	7	19	29	49	65	79
80-84	13	15.6	100	3	5	14	22	30	35	36
85+	10	18.7	225	1	3	16	32	40	46	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	161	13.1	155	2	3	9	16	32	40	46
70-74	133	16.0	196	3	4	11	22	42	50	99+
75-79	72	17.0	306	2	3	11	20	41	60	99
80-84	40	13.8	160	3	3	11	17	26	41	65
85+	24	18.3	169	3	5	15	23	41	47	52
B. *Operated*										
65-69 YRS	162	27.3	331	8	9	23	43	59	79	99+
70-74	122	31.0	387	8	10	26	40	64	79	99+
75-79	74	27.7	387	4	7	23	42	63	77	99+
80-84	30	24.6	390	5	6	20	26	54	65	92
85+	4	17.8	26	12	12	18	22	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	12.9	232	2	3	7	14	30	44	78
B. *Operated*	272	19.8	205	4	6	16	24	39	49	70
2. MULTIPLE DX										
A. *Not Operated*	430	15.0	196	3	3	10	19	35	45	89
B. *Operated*	392	28.2	362	7	9	24	40	62	78	99+
1. SINGLE DX	463	16.9	227	2	4	13	21	37	48	72
2. MULTIPLE DX	822	21.3	318	3	5	16	29	50	65	99+
A. NOT OPERATED	621	14.4	207	2	3	9	18	33	45	83
B. OPERATED	664	24.8	315	5	8	20	32	53	66	99+
TOTAL 65-69 YRS	528	18.2	250	2	4	13	25	44	57	99+
70-74	386	21.8	326	4	5	17	29	49	64	96
75-79	230	21.5	346	3	4	17	28	51	68	99+
80-84	99	16.5	228	3	4	12	21	30	52	79
85+	42	18.5	195	2	4	15	23	42	48	58
GRAND TOTAL	**1285**	**19.7**	**290**	**3**	**4**	**15**	**26**	**46**	**61**	**98**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	8.5	85	2	2	8	15	15	15	15
70-74	1	7.0		7	7	7	7	7	7	7
75-79	2	9.5	5	8	8	9	11	11	11	11
80-84	1	8.0		8	8	8	8	8	8	8
85+										
B. *Operated*										
65-69 YRS	8	23.9	421	4	5	17	35	57	65	65
70-74	6	14.7	234	2	3	10	13	42	45	45
75-79	3	27.0	723	10	10	13	47	58	58	58
80-84	3	31.7	1132	7	7	18	57	70	70	70
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	14.8	303	2	3	10	16	37	62	66
70-74	9	14.7	247	3	3	11	15	40	54	54
75-79	9	16.9	384	2	3	8	26	50	61	61
80-84	5	17.0	55	8	8	21	22	24	24	24
85+	4	16.3	158	9	9	11	23	35	35	35
B. *Operated*										
65-69 YRS	17	24.4	147	6	11	20	34	47	79	99+
70-74	12	40.6	561	10	13	40	56	74	84	86
75-79	7	38.0	1006	4	5	31	81	96	99+	99+
80-84	6	38.8	573	14	15	35	43	79	83	83
85+	2	26.0	98	19	19	26	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	8.5	19	2	2	8	11	15	15	15
B. *Operated*	20	22.8	449	3	5	13	35	61	67	70
2. MULTIPLE DX										
A. *Not Operated*	39	15.7	240	2	3	10	21	35	58	66
B. *Operated*	44	33.0	464	8	10	30	43	82	89	99+
1. SINGLE DX	26	19.5	382	2	4	11	19	57	66	70
2. MULTIPLE DX	83	24.9	430	3	4	20	35	66	84	99+
A. NOT OPERATED	45	14.7	216	2	3	10	18	34	56	66
B. OPERATED	64	29.8	475	4	8	26	43	70	86	99+
TOTAL 65-69 YRS	39	20.5	256	3	4	17	31	47	65	99+
70-74	28	25.5	524	3	4	14	42	63	71	86
75-79	21	24.7	641	3	4	12	34	80	92	99+
80-84	15	28.1	507	7	8	22	35	70	80	83
85+	6	19.5	140	9	9	15	33	35	35	35
GRAND TOTAL	**109**	**23.6**	**420**	**3**	**4**	**17**	**34**	**63**	**77**	**99+**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	4.1	14	<1	<1	3	5	8	13	16
70-74	13	7.5	39	2	3	5	9	18	20	20
75-79	8	4.5	9	2	2	3	7	9	9	9
80-84	6	4.7	2	3	3	4	5	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	41	9.6	134	2	3	6	10	18	26	72
70-74	47	7.7	20	3	3	7	9	16	18	20
75-79	35	8.5	39	3	4	6	10	22	23	26
80-84	12	7.8	18	3	4	6	10	14	17	17
85+	6	7.8	13	4	4	8	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	8.6	129	2	2	6	10	15	21	79
70-74	43	9.6	85	1	2	7	13	23	31	41
75-79	48	10.9	96	3	3	8	14	23	26	53
80-84	33	10.8	126	2	3	5	15	26	40	44
85+	11	7.6	71	1	1	4	10	23	26	26
B. *Operated*										
65-69 YRS	108	14.0	262	4	4	9	15	30	39	92
70-74	83	11.9	97	3	4	9	15	22	31	56
75-79	58	12.6	200	2	3	8	15	27	31	91
80-84	38	14.0	110	3	4	11	16	33	37	43
85+	21	13.2	149	4	4	11	15	25	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	5.3	20	1	2	4	6	9	17	20
B. *Operated*	141	8.5	57	3	4	6	10	16	21	34
2. MULTIPLE DX										
A. *Not Operated*	188	9.7	106	2	2	7	13	22	26	50
B. *Operated*	308	13.1	178	3	4	9	15	27	35	84
1. SINGLE DX	186	7.7	50	2	3	6	9	16	20	29
2. MULTIPLE DX	496	11.8	153	2	3	8	14	24	33	73
A. NOT OPERATED	233	8.9	92	2	2	5	11	21	24	46
B. OPERATED	449	11.7	144	3	4	8	14	23	32	72
TOTAL 65-69 YRS	219	11.1	195	2	3	7	13	21	32	84
70-74	186	10.0	73	2	3	7	13	20	28	42
75-79	149	10.6	121	2	3	7	13	23	27	53
80-84	89	11.3	102	3	3	7	15	24	35	44
85+	39	10.6	107	1	3	8	12	23	27	58
GRAND TOTAL	**682**	**10.7**	**128**	**2**	**3**	**7**	**13**	**22**	**30**	**62**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	301	8.2	89	1	1	5	10	19	27	43
70-74	270	8.8	62	1	2	6	12	19	24	39
75-79	212	10.3	124	1	1	7	14	22	30	60
80-84	137	11.2	120	2	3	8	14	27	32	60
85+	75	9.6	98	2	2	7	12	22	31	52
B. *Operated*										
65-69 YRS	456	10.2	95	1	2	8	13	21	29	48
70-74	370	9.2	72	1	2	7	13	21	26	37
75-79	278	10.2	116	1	2	7	14	22	33	45
80-84	182	10.3	118	1	2	7	13	22	34	52
85+	124	8.1	95	1	2	5	9	18	26	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4068	10.3	99	2	2	7	13	22	30	49
70-74	3678	11.2	111	2	2	8	15	24	33	52
75-79	2889	11.3	111	2	3	8	14	24	32	57
80-84	1784	12.7	143	2	3	9	16	26	37	64
85+	1092	12.5	121	2	3	9	16	26	35	57
B. *Operated*										
65-69 YRS	3706	15.3	169	2	3	12	20	32	42	71
70-74	3215	15.3	164	2	3	12	21	32	41	67
75-79	2398	16.2	194	2	3	12	21	34	44	79
80-84	1337	15.6	168	2	3	12	21	34	44	67
85+	819	15.5	151	2	3	12	20	32	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	995	9.3	95	1	2	6	12	21	29	47
B. *Operated*	1410	9.7	96	1	2	7	13	21	29	47
2. MULTIPLE DX										
A. *Not Operated*	13511	11.3	113	2	2	8	14	24	33	55
B. *Operated*	11475	15.6	172	2	3	12	21	32	42	71
1. SINGLE DX	2405	9.6	96	1	2	7	13	21	29	47
2. MULTIPLE DX	24986	13.2	145	2	3	10	17	28	37	63
A. NOT OPERATED	14506	11.1	112	2	2	8	14	24	32	55
B. OPERATED	12885	14.9	167	2	3	11	20	32	41	70
TOTAL 65-69 YRS	8531	12.4	135	2	2	9	16	27	36	60
70-74	7533	12.8	135	2	2	9	17	28	36	59
75-79	5777	13.3	153	2	3	10	17	28	38	69
80-84	3440	13.6	153	2	3	10	18	29	40	64
85+	2110	13.3	135	2	3	10	17	28	37	62
GRAND TOTAL	**27391**	**12.9**	**141**	**2**	**3**	**9**	**17**	**28**	**37**	**62**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	4.2	18	<1	1	3	5	8	16	19
70-74	20	6.0	20	2	3	5	6	11	17	21
75-79	13	3.5	14	<1	<1	1	6	10	11	11
80-84	6	9.0	36	1	1	10	14	15	15	15
85+	5	13.2	145	5	5	8	18	34	34	34
B. *Operated*										
65-69 YRS	62	9.2	81	2	2	7	10	22	28	50
70-74	45	10.7	133	2	3	8	13	24	26	71
75-79	24	12.3	82	2	2	10	17	26	31	35
80-84	8	19.1	268	4	4	10	36	42	43	43
85+	9	9.9	89	1	1	5	15	25	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	8.7	99	1	1	5	11	19	32	48
70-74	64	9.5	83	1	1	7	12	25	29	39
75-79	52	11.1	93	<1	1	9	15	22	33	47
80-84	27	8.5	39	1	3	6	11	15	26	26
85+	19	15.1	234	2	3	9	20	42	52	56
B. *Operated*										
65-69 YRS	78	16.4	158	3	4	13	23	35	46	89
70-74	65	16.4	132	3	4	14	24	36	43	93
75-79	40	19.3	369	2	3	14	26	54	75	99+
80-84	26	20.7	185	4	6	18	25	41	50	54
85+	9	22.6	578	3	5	14	27	62	82	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	5.6	32	<1	1	4	7	13	16	31
B. *Operated*	148	10.7	109	2	2	8	13	26	29	53
2. MULTIPLE DX										
A. *Not Operated*	239	9.9	98	1	1	7	13	23	32	48
B. *Operated*	218	17.7	207	3	4	14	24	38	51	99+
1. SINGLE DX	222	9.0	89	1	2	6	11	20	28	46
2. MULTIPLE DX	457	13.6	165	1	2	10	19	31	41	80
A. NOT OPERATED	313	8.9	86	1	1	6	11	20	28	47
B. OPERATED	366	14.9	179	2	3	11	20	32	43	89
TOTAL 65-69 YRS	247	10.7	119	1	2	8	13	26	33	53
70-74	194	11.8	116	2	3	9	16	26	34	64
75-79	129	13.1	188	<1	1	9	17	30	41	93
80-84	67	14.5	151	2	4	11	19	35	41	53
85+	42	15.4	265	2	3	10	20	33	51	82
GRAND TOTAL	**679**	**12.1**	**145**	**1**	**2**	**9**	**16**	**28**	**38**	**63**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	7.0	46	<1	1	5	11	14	21	34
70-74	52	7.8	47	1	1	6	11	14	20	35
75-79	58	8.7	157	1	1	5	10	15	35	74
80-84	30	7.1	31	<1	1	6	11	16	18	19
85+	24	4.5	12	1	1	4	6	11	11	12
B. *Operated*										
65-69 YRS	33	6.5	23	2	2	5	9	15	16	21
70-74	40	9.3	69	2	3	7	11	16	29	44
75-79	23	8.2	31	1	1	7	12	16	20	21
80-84	24	8.7	37	3	3	7	12	14	19	30
85+	5	11.0	64	1	1	14	16	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	9.0	77	1	2	6	12	19	23	52
70-74	239	11.0	123	1	2	7	15	24	34	68
75-79	313	9.7	101	1	2	7	12	19	25	46
80-84	264	8.6	56	1	2	7	11	18	23	43
85+	165	11.0	108	2	3	8	13	25	35	52
B. *Operated*										
65-69 YRS	171	14.2	193	2	3	10	16	32	47	67
70-74	188	14.5	186	2	3	10	18	31	48	82
75-79	193	15.1	203	3	3	11	20	34	41	88
80-84	107	16.3	150	3	5	15	21	30	39	88
85+	74	13.2	105	4	5	11	15	25	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	7.4	70	1	1	5	10	14	20	42
B. *Operated*	125	8.3	44	2	2	7	11	15	21	34
2. MULTIPLE DX										
A. *Not Operated*	1205	9.8	93	1	2	7	12	20	28	53
B. *Operated*	733	14.7	178	3	4	11	18	31	43	74
1. SINGLE DX	342	7.7	61	1	1	6	11	15	20	39
2. MULTIPLE DX	1938	11.6	131	2	3	8	14	24	34	65
A. NOT OPERATED	1422	9.4	90	1	2	7	12	19	28	50
B. OPERATED	858	13.8	164	2	3	10	17	29	39	68
TOTAL 65-69 YRS	481	10.5	119	1	2	7	13	20	32	60
70-74	519	11.8	138	2	2	9	15	26	38	66
75-79	587	11.3	144	1	2	8	14	23	35	71
80-84	425	10.4	88	1	2	8	14	21	30	58
85+	268	11.0	102	1	3	8	13	24	32	52
GRAND TOTAL	**2280**	**11.1**	**122**	**1**	**2**	**8**	**14**	**23**	**33**	**62**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	8.5	156	1	1	3	9	25	39	62
70-74	87	5.7	66	<1	1	3	6	17	25	42
75-79	102	5.6	73	1	1	3	6	12	21	50
80-84	73	4.5	27	1	1	2	6	10	16	27
85+	44	6.0	37	1	1	5	8	10	18	33
B. *Operated*										
65-69 YRS	76	15.8	281	2	3	8	28	41	51	95
70-74	69	13.0	148	2	2	8	17	31	42	54
75-79	59	14.6	152	3	4	10	23	32	40	59
80-84	21	10.4	131	1	2	7	8	31	37	42
85+	25	9.6	74	2	2	8	9	20	30	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	250	7.3	98	1	1	4	9	16	21	60
70-74	318	7.1	78	1	1	4	9	16	26	48
75-79	324	7.9	58	1	1	5	10	18	23	38
80-84	265	7.7	71	1	1	5	10	19	26	53
85+	153	7.6	72	1	1	5	10	18	23	43
B. *Operated*										
65-69 YRS	229	22.7	403	3	4	15	34	53	63	84
70-74	209	19.8	326	3	4	12	30	49	64	88
75-79	201	18.9	327	2	3	11	28	45	55	77
80-84	119	15.5	175	3	4	11	22	36	43	58
85+	87	15.2	194	3	3	10	18	28	37	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	398	6.1	79	1	1	3	7	15	25	45
B. *Operated*	250	13.6	182	2	3	8	20	33	42	65
2. MULTIPLE DX										
A. *Not Operated*	1310	7.5	74	1	1	5	10	18	24	46
B. *Operated*	845	19.3	318	3	4	12	28	46	59	81
1. SINGLE DX	648	9.0	132	1	1	5	10	26	34	58
2. MULTIPLE DX	2155	12.1	203	1	1	7	15	31	44	69
A. NOT OPERATED	1708	7.2	76	1	1	4	9	17	24	46
B. OPERATED	1095	18.0	292	2	3	11	27	43	55	80
TOTAL 65-69 YRS	647	13.9	283	1	1	7	19	38	52	78
70-74	683	11.4	193	1	1	6	14	30	45	65
75-79	686	11.4	174	1	2	7	14	28	40	65
80-84	478	9.3	107	1	1	6	12	24	33	53
85+	309	9.7	113	1	1	6	12	21	30	51
GRAND TOTAL	**2803**	**11.4**	**188**	**1**	**1**	**6**	**14**	**30**	**42**	**67**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	336	6.6	50	1	1	4	8	17	21	33
70-74	302	7.5	86	1	1	5	9	15	26	51
75-79	238	8.4	86	1	1	5	11	20	27	49
80-84	163	9.1	121	1	1	6	11	23	27	51
85+	69	11.0	93	<1	1	8	17	27	31	36
B. *Operated*										
65-69 YRS	539	9.8	82	1	2	7	14	22	27	48
70-74	446	10.3	79	2	2	8	14	22	27	44
75-79	277	10.2	91	2	2	8	13	20	30	54
80-84	155	12.0	134	2	2	9	15	23	40	80
85+	103	13.3	117	1	2	9	19	30	37	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	996	10.2	116	1	2	7	13	24	32	58
70-74	1084	10.0	117	1	2	7	12	22	32	55
75-79	887	10.5	113	1	2	8	14	23	35	54
80-84	616	11.2	118	1	2	8	15	24	33	54
85+	349	11.1	95	1	2	9	15	24	30	49
B. *Operated*										
65-69 YRS	1053	17.0	216	3	4	13	22	36	48	70
70-74	1022	16.1	166	2	4	13	21	35	43	78
75-79	907	17.8	229	3	4	13	24	40	50	85
80-84	563	19.7	265	3	4	15	26	41	52	92
85+	337	19.7	260	3	6	16	24	41	55	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1108	7.9	82	1	1	5	10	19	26	44
B. *Operated*	1520	10.5	91	2	2	8	14	22	29	49
2. MULTIPLE DX										
A. *Not Operated*	3932	10.5	114	1	2	7	13	23	32	55
B. *Operated*	3882	17.6	218	3	4	14	23	38	48	87
1. SINGLE DX	2628	9.4	89	1	2	6	13	21	27	47
2. MULTIPLE DX	7814	14.0	178	2	2	10	18	31	42	73
A. NOT OPERATED	5040	9.9	108	1	2	7	13	22	31	53
B. OPERATED	5402	15.6	192	2	3	12	21	33	44	78
TOTAL 65-69 YRS	2924	12.2	152	1	2	8	16	27	37	60
70-74	2854	12.0	135	1	2	9	16	26	36	60
75-79	2309	13.1	167	1	2	9	17	30	41	73
80-84	1497	14.3	193	1	2	10	19	31	43	83
85+	858	14.7	178	2	3	12	19	29	42	86
GRAND TOTAL	**10442**	**12.8**	**160**	**1**	**2**	**9**	**17**	**28**	**39**	**66**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	261	3.6	3	1	2	3	4	6	7	9
70-74	168	4.1	5	1	2	4	5	7	8	15
75-79	93	4.3	7	2	2	4	5	7	9	16
80-84	39	4.5	6	2	2	4	6	7	9	13
85+	19	4.9	11	1	2	4	5	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	4.5	1	4	4	4	5	5	5	5
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	4	6.5	16	1	1	7	9	10	10	10
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	174	4.6	8	2	2	4	6	8	11	15
70-74	135	6.1	23	2	2	5	7	14	17	24
75-79	81	6.7	67	2	2	5	7	11	19	52
80-84	37	8.2	37	2	2	6	12	17	22	26
85+	24	8.1	67	2	3	6	9	13	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.0		2	2	2	2	2	2	2
B. *Operated*	580	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	8	5.3	10	1	1	5	7	10	10	10
B. *Operated*	451	5.9	30	2	2	5	7	11	15	25
1. SINGLE DX	583	3.9	5	1	2	3	5	6	8	14
2. MULTIPLE DX	459	5.9	29	2	2	5	7	11	15	25
A. NOT OPERATED	11	4.4	9	1	1	4	6	9	10	10
B. OPERATED	1031	4.8	17	2	2	4	6	8	12	20
TOTAL 65-69 YRS	438	4.0	5	1	2	3	5	7	8	13
70-74	305	5.0	14	1	2	4	6	8	14	20
75-79	174	5.4	36	2	2	4	6	9	13	41
80-84	81	6.2	23	2	2	5	7	13	16	25
85+	44	6.7	43	1	3	5	7	12	14	43
GRAND TOTAL	**1042**	**4.8**	**17**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	2.1	4	<1	<1	2	2	4	5	13
70-74	91	2.5	3	1	1	2	3	5	6	10
75-79	62	2.7	6	1	1	2	3	5	7	15
80-84	33	3.9	42	1	1	2	3	7	16	35
85+	25	3.8	28	1	1	2	4	6	12	28
B. *Operated*										
65-69 YRS	843	3.5	14	<1	1	2	3	9	12	19
70-74	780	4.1	22	1	1	2	4	10	13	22
75-79	506	3.7	21	1	1	2	3	9	12	22
80-84	246	4.5	27	1	1	2	5	11	16	26
85+	111	5.1	35	1	1	3	5	12	18	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	210	4.6	19	1	1	3	6	9	13	19
70-74	239	4.5	16	1	1	3	6	9	12	20
75-79	206	5.7	30	1	1	4	7	11	14	35
80-84	151	7.1	35	1	2	5	10	14	18	29
85+	98	8.5	59	1	2	6	10	18	22	42
B. *Operated*										
65-69 YRS	1473	7.2	57	1	1	4	10	17	22	34
70-74	1404	7.9	76	1	2	5	10	17	22	43
75-79	1114	8.3	75	1	2	6	11	18	23	44
80-84	670	8.9	75	1	2	6	12	19	25	47
85+	357	11.2	120	2	2	9	14	22	28	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	312	2.7	10	<1	1	2	3	5	7	17
B. *Operated*	2486	3.9	20	1	1	2	4	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	904	5.6	29	1	1	4	7	12	16	28
B. *Operated*	5018	8.2	74	1	2	5	11	18	23	44
1. SINGLE DX	2798	3.8	19	1	1	2	4	9	13	22
2. MULTIPLE DX	5922	7.8	68	1	1	5	10	17	22	42
A. NOT OPERATED	1216	4.9	26	1	1	3	6	11	14	27
B. OPERATED	7504	6.8	60	1	1	4	9	16	21	38
TOTAL 65-69 YRS	2627	5.6	42	1	1	3	8	13	18	29
70-74	2514	6.2	55	1	1	3	8	14	20	32
75-79	1888	6.6	58	1	1	3	9	15	20	39
80-84	1100	7.5	61	1	2	5	10	17	22	44
85+	591	9.3	97	1	2	6	12	20	26	47
GRAND TOTAL	**8720**	**6.5**	**56**	**1**	**1**	**4**	**9**	**15**	**20**	**35**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	2	5.5	25	2	2	5	9	9	9	9
80-84	2	4.0		4	4	4	4	4	4	4
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	91	5.2	32	1	1	2	7	14	18	25
70-74	72	4.6	22	1	1	3	5	12	13	27
75-79	29	4.4	38	1	2	2	4	7	19	32
80-84	18	7.4	50	1	1	4	15	17	21	23
85+	8	4.6	61	1	1	2	2	18	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	5.0	13	2	2	4	7	10	10	10
70-74	7	3.7	2	2	2	4	5	6	6	6
75-79	6	10.3	13	7	7	9	11	16	17	17
80-84	6	7.0	14	3	3	6	7	13	14	14
85+	5	14.4	113	7	7	10	18	33	33	33
B. *Operated*										
65-69 YRS	80	8.5	72	1	1	6	11	21	26	37
70-74	86	11.1	97	2	2	7	17	24	27	51
75-79	48	9.8	76	2	2	7	15	22	25	41
80-84	16	12.6	120	1	2	9	22	30	31	32
85+	10	10.5	102	1	1	6	16	27	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.0	14	1	1	4	9	10	10	10
B. *Operated*	218	5.1	32	1	1	2	6	13	17	27
2. MULTIPLE DX										
A. *Not Operated*	28	7.9	39	2	2	7	10	14	19	33
B. *Operated*	240	10.0	86	1	2	7	16	24	28	40
1. SINGLE DX	224	5.0	32	1	1	2	6	13	17	27
2. MULTIPLE DX	268	9.8	81	2	2	7	14	23	27	39
A. NOT OPERATED	34	7.4	35	2	2	6	10	13	16	33
B. OPERATED	458	7.7	67	1	2	4	10	20	25	36
TOTAL 65-69 YRS	175	6.7	52	1	1	3	10	17	23	35
70-74	166	7.9	71	1	2	5	11	20	26	38
75-79	85	7.9	63	2	2	4	10	19	23	38
80-84	42	9.2	74	1	2	5	15	24	28	32
85+	24	9.3	92	1	2	5	13	25	30	33
GRAND TOTAL	**492**	**7.7**	**64**	**1**	**2**	**4**	**10**	**19**	**25**	**35**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	1.9	1	<1	<1	1	3	4	4	4
70-74	10	3.7	11	1	1	3	4	9	11	11
75-79	8	2.6	4	<1	<1	2	3	6	7	7
80-84	2	2.5	5	<1	<1	2	4	4	4	4
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	586	3.0	8	<1	1	2	3	5	8	16
70-74	404	3.5	10	<1	1	2	4	7	10	18
75-79	201	3.7	12	<1	1	3	4	9	12	18
80-84	77	3.7	9	1	1	3	4	7	8	16
85+	32	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	23	4.3	10	<1	1	3	7	9	10	11
70-74	28	6.2	21	1	1	5	9	14	16	18
75-79	8	5.9	8	3	3	5	8	10	11	11
80-84	10	8.4	30	1	2	8	13	16	19	19
85+	12	6.2	23	1	2	5	7	14	17	18
B. *Operated*										
65-69 YRS	552	5.6	52	1	2	3	7	12	16	29
70-74	389	5.5	37	1	2	4	6	10	16	28
75-79	257	7.5	60	1	2	4	10	19	27	44
80-84	104	7.0	51	1	2	4	10	17	21	33
85+	50	7.9	54	<1	2	5	11	20	24	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	2.7	5	<1	<1	2	3	5	8	11
B. *Operated*	1300	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	81	5.9	19	1	1	5	8	12	15	19
B. *Operated*	1352	6.1	50	1	2	4	7	13	19	33
1. SINGLE DX	1332	3.3	9	<1	1	2	4	6	9	17
2. MULTIPLE DX	1433	6.1	48	1	2	4	8	13	19	33
A. NOT OPERATED	113	5.0	17	<1	1	4	7	11	13	19
B. OPERATED	2652	4.8	32	1	1	3	5	10	14	29
TOTAL 65-69 YRS	1171	4.3	30	<1	1	3	5	9	13	26
70-74	831	4.6	24	1	1	3	5	9	13	23
75-79	474	5.8	41	1	1	3	7	13	20	38
80-84	193	5.7	35	1	2	3	7	13	18	32
85+	96	6.0	37	1	1	4	8	12	21	29
GRAND TOTAL	**2765**	**4.8**	**31**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	9.4	57	3	3	5	15	21	21	21
70-74	8	4.4	30	<1	<1	2	5	14	17	17
75-79	5	6.2	37	1	1	3	11	15	15	15
80-84	3	6.0	13	2	2	7	8	9	9	9
85+	2	8.5	61	3	3	8	14	14	14	14
B. *Operated*										
65-69 YRS	171	3.5	12	<1	1	2	4	8	11	20
70-74	124	3.4	12	<1	<1	2	4	7	9	22
75-79	88	3.5	15	<1	<1	2	4	7	8	25
80-84	45	4.3	12	<1	<1	3	6	9	13	14
85+	32	4.3	13	<1	<1	3	5	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	10.9	186	<1	1	6	16	24	45	59
70-74	24	7.1	24	2	2	6	10	13	16	22
75-79	16	7.3	31	2	2	6	10	11	21	25
80-84	12	8.1	76	2	2	5	11	19	31	33
85+	10	7.5	37	2	2	5	12	17	20	20
B. *Operated*										
65-69 YRS	174	5.8	50	<1	1	3	7	14	20	40
70-74	154	7.5	79	1	1	4	10	18	26	63
75-79	110	8.0	81	1	2	4	10	19	24	46
80-84	54	10.9	240	<1	1	5	13	28	45	78
85+	35	14.3	416	1	2	6	20	45	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	6.4	34	<1	1	4	10	15	18	21
B. *Operated*	460	3.6	13	<1	<1	2	4	8	10	20
2. MULTIPLE DX										
A. *Not Operated*	82	8.3	73	2	2	6	10	17	23	51
B. *Operated*	527	7.9	112	<1	1	4	9	19	27	66
1. SINGLE DX	483	3.7	14	<1	<1	2	4	8	11	21
2. MULTIPLE DX	609	7.9	107	1	1	4	9	19	26	64
A. NOT OPERATED	105	7.9	65	1	2	5	10	17	21	45
B. OPERATED	987	5.9	70	<1	1	3	6	14	21	46
TOTAL 65-69 YRS	370	5.1	43	<1	1	3	6	12	17	33
70-74	310	5.7	50	<1	1	3	7	15	21	36
75-79	219	6.1	54	<1	1	3	8	15	21	42
80-84	114	7.9	135	<1	1	4	9	17	29	70
85+	79	9.2	214	<1	2	4	10	21	39	98
GRAND TOTAL	**1092**	**6.1**	**70**	**<1**	**1**	**3**	**7**	**15**	**21**	**46**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	151	2.4	1	<1	1	2	3	3	5	7
70-74	130	2.8	2	1	2	2	3	4	6	9
75-79	67	2.5	2	1	2	2	3	4	4	9
80-84	37	3.2	3	1	2	3	4	5	7	10
85+	22	3.2	2	1	2	3	4	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	4.7	4	3	3	4	6	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+	2	13.0		13	13	13	13	13	13	13
B. *Operated*										
65-69 YRS	179	4.5	23	1	2	3	5	10	13	30
70-74	139	3.6	5	2	2	3	4	6	9	11
75-79	100	5.0	20	2	2	3	5	11	15	23
80-84	39	4.3	7	2	2	3	5	7	11	12
85+	20	9.7	118	2	2	6	11	27	36	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0		3	3	3	3	3	3	3
B. *Operated*	407	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	7	6.0	27	<1	<1	4	11	13	13	13
B. *Operated*	477	4.6	21	2	2	3	5	9	13	27
1. SINGLE DX	411	2.7	2	1	2	2	3	4	5	8
2. MULTIPLE DX	484	4.6	21	2	2	3	5	9	13	27
A. NOT OPERATED	11	4.9	19	<1	1	3	6	13	13	13
B. OPERATED	884	3.7	13	1	2	3	4	7	10	21
TOTAL 65-69 YRS	335	3.5	14	1	2	2	3	7	10	23
70-74	271	3.2	4	1	2	3	4	5	8	10
75-79	168	4.0	14	1	2	3	4	9	12	20
80-84	76	3.8	5	2	2	3	4	7	9	12
85+	45	6.5	64	2	2	3	7	14	25	41
GRAND TOTAL	**895**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**10**	**21**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	5	3.4	3	2	2	3	4	6	6	6
75-79	2	8.5	25	5	5	8	12	12	12	12
80-84	1	2.0		2	2	2	2	2	2	2
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	57	6.9	17	1	2	7	9	11	14	23
70-74	33	7.8	11	3	3	8	10	12	13	14
75-79	14	6.7	12	2	3	6	8	11	14	15
80-84	3	5.3	44	1	1	2	10	13	13	13
85+	8	10.4	24	5	6	9	12	18	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	7.3	20	1	3	6	10	15	17	18
70-74	16	8.8	88	1	2	5	12	26	30	32
75-79	26	10.1	110	2	2	7	10	24	31	52
80-84	16	7.5	31	3	3	6	9	10	21	26
85+	13	9.3	68	1	2	6	17	22	25	26
B. *Operated*										
65-69 YRS	372	9.0	30	2	3	8	11	15	20	35
70-74	218	11.2	81	3	5	9	12	19	28	39
75-79	133	10.8	35	3	5	9	14	19	23	34
80-84	64	13.0	126	4	6	10	14	25	31	71
85+	31	11.5	52	2	4	10	15	24	26	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	4.5	8	2	2	4	5	8	11	12
B. *Operated*	115	7.4	16	2	2	7	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	93	8.7	64	2	2	6	10	18	26	43
B. *Operated*	818	10.3	54	2	4	9	12	18	23	35
1. SINGLE DX	127	7.1	16	2	2	7	9	12	13	22
2. MULTIPLE DX	911	10.1	55	2	3	8	12	18	24	35
A. NOT OPERATED	105	8.2	59	2	2	6	9	18	25	41
B. OPERATED	933	9.9	50	2	3	8	12	17	22	35
TOTAL 65-69 YRS	453	8.7	29	2	3	8	10	15	19	34
70-74	272	10.5	73	2	4	9	12	18	27	36
75-79	175	10.4	45	2	4	9	13	18	24	34
80-84	84	11.6	110	2	4	9	14	22	28	65
85+	54	10.5	50	2	3	8	15	22	26	29
GRAND TOTAL	**1038**	**9.8**	**51**	**2**	**3**	**8**	**11**	**17**	**22**	**35**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
65-69 YRS	9	4.8	11	<1	<1	5	7	10	11	11
70-74	8	4.6	20	2	2	2	6	12	14	14
75-79	2	5.5	41	1	1	5	10	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	8.0		8	8	8	8	8	8	8
80-84										
85+										
B. *Operated*										
65-69 YRS	21	7.4	24	1	1	8	9	14	18	21
70-74	14	7.9	40	<1	2	8	9	16	23	25
75-79	11	9.7	57	1	2	11	13	22	23	23
80-84	5	5.6	23	2	2	3	9	13	13	13
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	20	4.7	15	<1	1	3	7	10	12	14
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	13	1	1	3	7	8	8	8
B. *Operated*	52	7.9	34	1	2	8	10	15	21	25
1. SINGLE DX	21	4.8	15	<1	1	3	8	10	12	14
2. MULTIPLE DX	55	7.7	33	1	2	8	10	15	21	25
A. NOT OPERATED	4	5.0	13	1	1	5	8	8	8	8
B. OPERATED	72	7.0	31	1	1	7	9	14	20	25
TOTAL 65-69 YRS	31	6.4	22	<1	1	7	8	11	16	21
70-74	23	6.5	33	1	2	4	9	14	18	25
75-79	14	9.0	49	1	1	9	12	21	23	23
80-84	6	5.0	21	2	2	3	8	12	13	13
85+	2	8.5	1	8	8	8	9	9	9	9
GRAND TOTAL	**76**	**6.9**	**30**	**1**	**1**	**7**	**9**	**14**	**19**	**24**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	81	9.6	20	5	6	8	12	15	17	27
70-74	61	8.5	8	5	6	8	10	12	14	19
75-79	42	9.7	13	5	6	9	11	15	18	20
80-84	21	11.9	44	5	7	11	13	19	28	35
85+	9	12.2	31	6	7	9	18	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	11.3	66	2	2	15	16	17	17	17
70-74	4	11.5	78	3	3	11	19	21	21	21
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	15.0		15	15	15	15	15	15	15
85+										
B. *Operated*										
65-69 YRS	267	10.5	27	6	6	9	12	16	21	31
70-74	204	11.7	43	6	6	10	14	19	22	32
75-79	130	14.7	125	6	7	12	17	23	32	80
80-84	75	14.8	39	7	8	14	19	26	29	82
85+	36	16.5	73	6	7	15	19	27	33	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.0	12	1	1	7	7	7	7	7
B. *Operated*	214	9.6	18	5	6	8	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	9	11.0	54	2	2	15	17	19	21	21
B. *Operated*	712	12.4	57	6	6	10	14	21	25	39
1. SINGLE DX	217	9.6	19	5	6	8	11	15	18	25
2. MULTIPLE DX	721	12.3	56	6	6	10	15	21	25	39
A. NOT OPERATED	12	9.5	49	1	2	7	16	18	21	21
B. OPERATED	926	11.7	49	6	6	10	14	19	23	35
TOTAL 65-69 YRS	352	10.3	25	6	6	9	12	16	20	30
70-74	269	10.9	37	6	6	9	13	18	21	30
75-79	173	13.4	102	6	7	10	15	22	28	71
80-84	98	14.1	41	7	7	13	17	24	28	68
85+	46	15.3	70	6	6	15	18	24	30	47
GRAND TOTAL	**938**	**11.7**	**49**	**6**	**6**	**10**	**14**	**19**	**23**	**35**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	3.1	5	<1	1	2	4	6	9	9
70-74	6	4.3	13	1	1	3	5	10	11	11
75-79	4	4.5	32	<1	<1	2	8	13	13	13
80-84	2	1.5	1	1	1	1	2	2	2	2
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	14	7.3	61	1	2	5	8	17	28	31
70-74	10	3.1	9	1	1	2	4	8	11	11
75-79	13	6.1	36	2	2	3	7	16	21	22
80-84	7	6.9	29	2	2	4	13	14	14	14
85+	3	10.0	49	3	3	10	15	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	23	3.5	10	<1	1	2	4	9	12	13
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	47	6.2	38	1	2	4	8	15	18	31
1. SINGLE DX	23	3.5	10	<1	1	2	4	9	12	13
2. MULTIPLE DX	47	6.2	38	1	2	4	8	15	18	31
A. NOT OPERATED										
B. OPERATED	70	5.3	30	1	1	3	7	13	16	29
TOTAL 65-69 YRS	25	5.4	40	1	2	3	6	9	20	31
70-74	16	3.6	11	1	1	2	5	10	11	11
75-79	17	5.7	34	1	2	3	7	15	20	22
80-84	9	5.7	28	1	1	3	10	14	14	14
85+	3	10.0	49	3	3	10	15	17	17	17
GRAND TOTAL	**70**	**5.3**	**30**	**1**	**1**	**3**	**7**	**13**	**16**	**29**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	12	3.4	5	<1	1	3	4	8	8	8
70-74	10	3.0	8	1	1	2	3	7	11	11
75-79	5	5.6	18	2	2	3	9	12	12	12
80-84	5	3.2	1	2	2	3	4	4	4	4
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	9.0		9	9	9	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	18	5.3	12	1	2	4	6	11	12	12
70-74	19	6.3	18	2	2	5	9	13	16	16
75-79	20	4.1	9	1	1	3	5	9	11	12
80-84	8	11.5	83	2	2	11	18	24	26	26
85+	5	13.0	162	2	2	9	20	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	3.7	8	1	1	3	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*	3	7.0	12	3	3	9	9	9	9	9
B. *Operated*	70	6.5	36	2	2	4	9	14	16	32
1. SINGLE DX	33	3.7	8	1	1	3	4	8	11	12
2. MULTIPLE DX	73	6.5	35	2	2	5	9	13	16	32
A. NOT OPERATED	3	7.0	12	3	3	9	9	9	9	9
B. OPERATED	103	5.6	28	1	2	3	8	12	15	30
TOTAL 65-69 YRS	30	4.5	10	1	2	4	6	10	12	12
70-74	30	5.3	17	1	2	3	9	10	15	16
75-79	26	4.6	11	1	2	3	6	10	12	12
80-84	14	7.9	63	2	2	4	13	21	25	26
85+	6	12.0	135	2	2	8	15	32	34	34
GRAND TOTAL	**106**	**5.6**	**28**	**1**	**2**	**4**	**8**	**12**	**15**	**30**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79	2	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	83	3.6	14	1	1	3	4	6	9	25
70-74	57	3.4	10	1	1	2	4	5	10	20
75-79	39	3.0	11	<1	1	2	3	5	7	21
80-84	23	3.4	14	1	1	2	4	6	11	19
85+	15	2.5	1	2	2	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	2.0		2	2	2	2	2	2	2
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	4	8.0	55	3	3	5	12	19	19	19
85+	3	7.7	30	2	2	8	12	13	13	13
B. *Operated*										
65-69 YRS	92	5.6	33	1	1	4	7	12	19	29
70-74	67	6.9	69	1	2	4	8	15	28	40
75-79	73	6.6	56	1	1	4	9	18	23	36
80-84	35	7.0	38	2	2	5	8	14	21	30
85+	19	10.8	84	1	2	7	16	26	31	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*	217	3.3	11	1	1	2	4	5	9	21
2. MULTIPLE DX										
A. *Not Operated*	12	6.3	27	2	2	4	8	15	18	19
B. *Operated*	286	6.7	52	1	2	4	8	17	23	36
1. SINGLE DX	221	3.3	11	1	1	2	4	5	9	21
2. MULTIPLE DX	298	6.7	51	1	2	4	8	17	22	36
A. NOT OPERATED	16	5.4	24	1	1	4	7	13	17	19
B. OPERATED	503	5.2	37	1	1	3	5	11	19	32
TOTAL 65-69 YRS	177	4.6	25	1	1	3	5	10	15	29
70-74	126	5.3	44	1	1	3	5	11	20	40
75-79	116	5.3	42	1	1	3	5	13	20	33
80-84	63	5.7	32	1	2	4	7	13	19	29
85+	37	7.2	60	2	2	3	10	17	26	32
GRAND TOTAL	**519**	**5.2**	**37**	**1**	**1**	**3**	**5**	**12**	**19**	**31**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	8	2.1	1	<1	<1	2	3	3	3	3
70-74	6	2.7	7	1	1	2	2	7	8	8
75-79	3	2.0		2	2	2	2	2	2	2
80-84	3	4.0	7	2	2	3	6	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	6.0		6	6	6	6	6	6	6
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	5	4.0	12	2	2	2	5	10	10	10
70-74	2	4.5	13	2	2	4	7	7	7	7
75-79										
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	20	2.6	3	<1	1	2	3	5	7	8
2. MULTIPLE DX										
A. *Not Operated*	5	4.6	5	1	1	6	6	6	6	6
B. *Operated*	10	3.9	8	1	1	3	5	8	10	10
1. SINGLE DX	20	2.6	3	<1	1	2	3	5	7	8
2. MULTIPLE DX	15	4.1	7	1	1	4	6	7	9	10
A. NOT OPERATED	5	4.6	5	1	1	6	6	6	6	6
B. OPERATED	30	3.0	5	1	1	2	3	7	8	10
TOTAL 65-69 YRS	14	3.1	6	<1	1	2	3	6	9	10
70-74	9	3.4	8	1	1	2	6	8	8	8
75-79	4	1.8		1	1	2	2	2	2	2
80-84	6	3.8	5	1	1	3	6	7	7	7
85+	2	4.5	1	4	4	4	5	5	5	5
GRAND TOTAL	**35**	**3.2**	**5**	**1**	**1**	**2**	**4**	**7**	**8**	**10**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	21	4.4	16	<1	1	3	5	11	14	16
70-74	18	6.0	92	<1	<1	3	6	9	30	43
75-79	17	5.0	9	1	1	5	6	9	11	12
80-84	4	12.3	93	3	3	12	20	22	22	22
85+	3	3.7	8	2	2	2	6	7	7	7
B. *Operated*										
65-69 YRS	111	17.9	167	4	6	15	22	36	41	79
70-74	77	16.8	189	2	3	14	19	29	54	68
75-79	50	17.9	137	2	3	16	26	32	39	52
80-84	15	24.3	263	5	12	19	28	50	63	68
85+	5	11.8	32	5	5	11	17	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	13.7	256	2	4	8	19	23	35	94
70-74	64	10.5	127	3	4	7	12	18	25	69
75-79	76	14.3	202	2	3	10	18	28	49	71
80-84	63	13.6	134	3	3	11	20	38	67	99+
85+	42	11.2	166	2	3	8	12	27	46	99+
B. *Operated*										
65-69 YRS	204	27.2	351	5	9	23	35	55	70	96
70-74	126	24.3	281	5	8	20	34	47	63	83
75-79	95	28.0	385	7	9	24	43	70	90	99+
80-84	36	38.9	536	10	12	36	56	74	80	80
85+	13	22.4	151	5	8	18	33	39	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	5.5	41	<1	1	3	6	11	17	40
B. *Operated*	258	17.8	172	3	5	15	22	32	41	69
2. MULTIPLE DX										
A. *Not Operated*	291	12.7	174	2	3	9	16	27	48	99+
B. *Operated*	474	27.4	358	5	9	23	37	58	74	99+
1. SINGLE DX	321	15.4	170	2	3	13	20	30	40	68
2. MULTIPLE DX	765	21.8	338	3	5	16	30	52	69	99+
A. NOT OPERATED	354	11.5	158	2	2	8	14	24	41	99
B. OPERATED	732	24.0	313	4	8	19	32	52	68	99+
TOTAL 65-69 YRS	382	21.6	311	3	5	17	27	46	60	93
70-74	285	18.0	248	2	4	13	23	39	56	74
75-79	238	19.9	299	3	3	15	27	50	69	99+
80-84	118	22.6	395	3	4	16	31	61	76	99+
85+	63	13.2	166	2	3	10	16	31	40	97
GRAND TOTAL	**1086**	**19.9**	**297**	**2**	**4**	**15**	**26**	**45**	**63**	**99+**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	5.0	2	4	4	5	6	6	6	6
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	176	4.9	8	2	3	4	6	7	8	17
70-74	97	5.1	6	2	3	4	6	8	10	15
75-79	46	5.2	9	3	3	4	5	7	11	19
80-84	28	6.7	31	3	3	5	7	11	20	29
85+	5	3.0	2	<1	<1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	15.1	152	4	4	15	20	35	39	39
70-74	6	7.5	20	<1	<1	7	12	13	13	13
75-79	3	4.3	2	3	3	4	5	6	6	6
80-84	1	21.0		21	21	21	21	21	21	21
85+										
B. *Operated*										
65-69 YRS	162	6.9	42	3	3	5	7	11	19	31
70-74	116	8.5	52	4	4	6	9	17	23	42
75-79	65	8.5	49	3	3	6	9	16	26	39
80-84	20	8.8	49	2	3	7	11	19	26	30
85+	11	9.4	35	3	3	7	13	17	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	5.5	4	4	4	5	7	8	8	8
B. *Operated*	352	5.1	10	3	3	4	6	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	17	10.9	90	1	3	6	15	21	33	39
B. *Operated*	374	7.8	47	3	3	6	9	14	22	40
1. SINGLE DX	356	5.1	10	3	3	4	6	8	10	19
2. MULTIPLE DX	391	8.0	49	3	3	6	9	15	22	40
A. NOT OPERATED	21	9.9	78	2	3	6	13	21	29	39
B. OPERATED	726	6.5	31	3	3	5	7	11	16	30
TOTAL 65-69 YRS	347	6.0	29	3	3	5	6	9	15	31
70-74	220	7.0	33	3	3	5	8	12	18	39
75-79	114	7.1	34	3	3	5	8	14	18	33
80-84	50	7.7	41	3	3	5	9	17	22	30
85+	16	7.4	33	1	3	5	12	14	20	22
GRAND TOTAL	**747**	**6.6**	**32**	**3**	**3**	**5**	**7**	**12**	**17**	**31**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	6.0	28	2	2	4	10	14	15	15
70-74	5	4.0	9	1	1	3	6	8	8	8
75-79	3	5.0	16	1	1	5	8	9	9	9
80-84	1	36.0		36	36	36	36	36	36	36
85+										
B. *Operated*										
65-69 YRS	60	9.6	32	3	4	8	13	18	20	26
70-74	38	11.3	118	3	4	8	10	22	42	50
75-79	12	9.8	43	2	3	8	12	20	24	25
80-84	8	14.5	213	3	3	9	22	39	41	41
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	20	9.3	64	1	2	6	14	23	26	28
70-74	16	9.3	40	3	3	8	11	20	24	25
75-79	16	9.3	84	1	2	6	11	23	32	35
80-84	5	6.6	8	3	3	6	8	11	11	11
85+	1	16.0		16	16	16	16	16	16	16
B. *Operated*										
65-69 YRS	122	12.7	127	4	4	8	17	29	35	56
70-74	121	15.0	160	3	4	10	19	33	44	59
75-79	52	15.9	175	4	5	12	25	29	51	99
80-84	17	18.5	313	4	5	11	24	45	63	70
85+	7	10.3	45	3	3	7	15	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	7.1	76	1	1	4	8	15	30	36
B. *Operated*	118	10.5	72	3	4	8	12	19	26	45
2. MULTIPLE DX										
A. *Not Operated*	58	9.1	56	1	3	6	13	22	25	34
B. *Operated*	319	14.3	156	4	4	10	19	30	44	68
1. SINGLE DX	134	10.1	73	2	3	8	11	19	26	43
2. MULTIPLE DX	377	13.5	144	3	4	9	18	28	42	66
A. NOT OPERATED	74	8.7	60	1	2	6	12	21	25	36
B. OPERATED	437	13.3	136	4	4	9	18	27	41	65
TOTAL 65-69 YRS	209	11.2	93	3	4	8	16	22	30	50
70-74	180	13.4	142	3	4	9	18	27	42	54
75-79	83	13.3	142	2	4	9	19	28	39	89
80-84	31	16.1	250	3	4	11	22	38	49	70
85+	8	11.0	43	3	4	11	16	19	21	21
GRAND TOTAL	**511**	**12.6**	**128**	**3**	**4**	**9**	**17**	**27**	**38**	**59**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	4.0		4	4	4	4	4	4	4
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	56	5.7	21	1	2	6	8	9	13	28
70-74	43	5.1	19	<1	1	5	7	8	9	27
75-79	23	6.7	32	1	2	4	10	16	19	22
80-84	8	3.8	9	<1	1	3	5	9	10	10
85+	6	4.5	9	2	2	4	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74										
75-79	3	11.0	76	5	5	7	17	21	21	21
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	90	7.5	19	2	2	7	9	12	14	26
70-74	68	7.5	27	2	2	7	9	14	20	25
75-79	29	8.3	45	2	3	7	10	12	27	32
80-84	21	9.8	155	2	2	6	10	25	43	53
85+	5	11.0	16	6	6	12	14	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	1	2	2	4	4	4	4	4
B. *Operated*	136	5.5	21	1	1	4	8	10	13	27
2. MULTIPLE DX										
A. *Not Operated*	6	7.0	52	1	1	5	7	20	21	21
B. *Operated*	213	7.9	38	2	2	7	10	13	19	33
1. SINGLE DX	139	5.5	21	1	1	4	8	10	13	27
2. MULTIPLE DX	219	7.9	39	2	2	7	10	13	19	33
A. NOT OPERATED	9	5.8	36	1	1	4	6	15	21	21
B. OPERATED	349	7.0	33	1	2	6	9	12	16	32
TOTAL 65-69 YRS	148	6.8	21	1	2	7	9	12	14	29
70-74	113	6.5	25	1	2	6	8	11	19	26
75-79	56	7.7	40	2	2	6	10	16	22	32
80-84	30	8.1	117	2	2	4	10	15	35	53
85+	11	7.5	22	2	2	6	11	14	16	16
GRAND TOTAL	**358**	**7.0**	**33**	**1**	**2**	**6**	**9**	**12**	**17**	**32**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	9.5	54	4	4	7	14	20	20	20
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	5	3.6	4	2	2	3	5	7	7	7
80-84	3	11.3	17	8	8	10	14	16	16	16
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	210	5.0	22	1	2	3	7	10	14	25
70-74	173	5.0	28	1	1	3	6	10	15	23
75-79	111	5.0	31	1	1	3	6	11	15	29
80-84	81	5.6	39	1	1	3	7	11	17	35
85+	45	5.1	29	1	2	3	6	13	18	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	7.6	25	4	4	6	10	15	20	20
70-74	8	8.6	51	3	3	7	9	20	25	25
75-79	9	13.0	126	<1	1	10	19	31	34	34
80-84	8	15.6	112	2	4	15	18	32	38	38
85+	7	16.9	388	4	4	11	17	52	60	60
B. *Operated*										
65-69 YRS	290	8.5	66	2	2	7	11	18	23	30
70-74	271	9.4	90	2	2	7	12	19	25	56
75-79	241	11.0	133	1	2	7	16	23	32	58
80-84	138	10.1	95	2	2	8	13	20	26	56
85+	83	11.0	79	1	2	9	15	22	31	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.7	28	2	2	5	9	16	19	20
B. *Operated*	620	5.1	28	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	42	12.0	128	2	3	9	16	26	36	60
B. *Operated*	1023	9.7	94	2	2	7	13	20	26	54
1. SINGLE DX	635	5.1	28	1	1	3	7	11	15	25
2. MULTIPLE DX	1065	9.8	95	2	2	7	13	21	27	55
A. NOT OPERATED	57	10.6	107	2	3	8	14	20	32	58
B. OPERATED	1643	8.0	74	1	2	5	10	18	23	40
TOTAL 65-69 YRS	514	7.1	50	1	2	5	9	15	21	29
70-74	454	7.7	70	1	2	5	10	16	22	46
75-79	366	9.1	108	1	2	5	12	21	29	54
80-84	230	8.7	81	1	2	7	11	19	23	53
85+	136	9.3	86	1	2	6	13	21	29	41
GRAND TOTAL	**1700**	**8.1**	**75**	**1**	**2**	**5**	**10**	**18**	**23**	**41**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	138	5.2	27	1	1	4	6	11	16	28
70-74	116	5.5	23	1	1	4	6	11	15	25
75-79	98	6.0	35	1	1	5	8	11	15	34
80-84	67	7.2	70	1	1	3	9	18	25	39
85+	57	5.9	25	1	2	4	8	14	16	25
B. *Operated*										
65-69 YRS	528	5.3	31	1	1	3	7	12	16	25
70-74	463	5.9	33	1	1	4	8	13	18	28
75-79	359	5.6	37	1	1	3	7	13	16	32
80-84	203	5.7	29	1	2	3	7	14	16	25
85+	114	6.8	36	2	2	5	9	15	19	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	367	7.6	72	1	1	5	9	16	25	41
70-74	418	8.8	114	1	1	5	10	20	28	61
75-79	436	8.3	75	1	2	6	11	19	24	36
80-84	353	9.5	77	1	2	7	11	20	26	47
85+	294	11.3	129	2	2	8	15	25	30	64
B. *Operated*										
65-69 YRS	831	10.3	126	1	2	7	13	21	29	62
70-74	872	9.8	90	2	2	7	13	19	27	54
75-79	686	11.9	131	2	2	8	15	27	34	55
80-84	450	13.0	154	2	3	9	17	27	39	64
85+	304	13.9	140	2	3	11	19	27	39	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	5.8	34	1	1	4	7	12	17	32
B. *Operated*	1667	5.7	33	1	1	3	7	13	17	28
2. MULTIPLE DX										
A. *Not Operated*	1868	9.0	93	1	2	6	11	19	27	52
B. *Operated*	3143	11.3	124	2	2	8	15	24	32	58
1. SINGLE DX	2143	5.7	33	1	1	4	7	13	17	29
2. MULTIPLE DX	5011	10.4	114	1	2	7	14	22	30	57
A. NOT OPERATED	2344	8.3	83	1	1	6	10	19	25	46
B. OPERATED	4810	9.3	100	1	2	6	12	20	28	52
TOTAL 65-69 YRS	1864	8.0	86	1	1	5	10	17	24	50
70-74	1869	8.4	80	1	2	6	11	18	24	50
75-79	1579	9.1	95	1	2	6	12	20	29	50
80-84	1073	10.1	107	1	2	7	13	22	30	55
85+	769	11.2	119	2	2	8	15	24	30	59
GRAND TOTAL	**7154**	**9.0**	**94**	**1**	**2**	**6**	**12**	**19**	**27**	**51**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	5.2	20	<1	1	4	6	10	17	18
70-74	19	4.8	27	<1	<1	3	7	10	17	22
75-79	8	2.9	4	1	1	3	4	5	6	6
80-84	4	7.0	13	4	4	6	9	12	12	12
85+	2	6.0	50	1	1	6	11	11	11	11
B. *Operated*										
65-69 YRS	205	4.8	4	3	3	4	5	7	8	13
70-74	152	5.1	11	2	3	4	6	8	10	15
75-79	77	5.1	7	3	3	4	6	8	9	18
80-84	27	5.3	21	2	3	4	5	6	14	26
85+	6	6.5	10	3	3	6	7	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	63	5.4	12	1	2	4	7	10	13	17
70-74	65	7.2	92	1	2	5	8	12	19	65
75-79	41	6.7	18	2	2	6	9	12	14	22
80-84	35	9.3	52	3	3	7	11	22	24	29
85+	29	8.3	25	3	3	7	10	16	17	24
B. *Operated*										
65-69 YRS	254	7.7	35	3	3	6	9	14	20	34
70-74	167	9.4	64	3	4	6	12	16	24	49
75-79	109	8.6	40	3	3	6	12	16	20	34
80-84	47	10.4	96	3	4	8	11	22	30	54
85+	27	12.1	59	4	5	10	15	22	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.8	20	<1	1	4	6	11	13	22
B. *Operated*	467	5.0	8	3	3	4	6	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	233	7.1	44	2	2	5	8	14	17	28
B. *Operated*	604	8.7	51	3	4	6	10	16	23	40
1. SINGLE DX	513	5.0	9	2	3	4	6	8	10	16
2. MULTIPLE DX	837	8.3	49	3	3	6	10	16	22	37
A. NOT OPERATED	279	6.7	41	1	2	5	8	12	17	28
B. OPERATED	1071	7.1	35	3	3	5	8	14	17	34
TOTAL 65-69 YRS	535	6.2	22	3	3	5	7	11	16	26
70-74	403	7.2	50	2	3	5	8	14	17	40
75-79	235	6.9	27	2	3	5	8	14	16	24
80-84	113	8.7	65	3	3	6	10	20	25	46
85+	64	9.7	42	3	3	8	12	17	23	33
GRAND TOTAL	**1350**	**7.0**	**37**	**2**	**3**	**5**	**8**	**14**	**17**	**32**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	69	6.3	26	<1	1	5	8	11	14	29
70-74	58	7.9	30	2	3	7	11	15	20	25
75-79	42	7.7	17	3	3	6	10	13	15	20
80-84	27	10.7	93	2	3	8	14	20	26	51
85+	14	8.1	31	2	2	7	13	16	18	19
B. *Operated*										
65-69 YRS	79	5.3	7	3	3	5	6	8	9	19
70-74	47	5.5	11	2	3	5	6	10	14	19
75-79	31	7.7	47	3	3	5	10	14	21	36
80-84	14	6.1	13	2	3	5	7	10	15	17
85+	3	7.0	7	4	4	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	479	8.8	40	3	3	7	11	16	20	34
70-74	527	10.9	73	3	3	9	14	20	25	43
75-79	460	11.5	80	3	4	9	14	21	27	63
80-84	310	12.5	127	2	3	9	16	25	32	64
85+	202	12.4	88	3	5	10	15	23	31	59
B. *Operated*										
65-69 YRS	174	10.8	140	3	4	7	12	22	33	74
70-74	140	13.4	132	2	4	11	17	28	42	99+
75-79	87	14.8	146	4	4	12	20	30	46	99+
80-84	39	26.7	511	4	5	21	34	70	86	99+
85+	32	18.3	181	4	5	16	23	44	63	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	7.7	36	1	2	6	10	14	19	27
B. *Operated*	174	5.9	16	3	3	5	7	9	14	21
2. MULTIPLE DX										
A. *Not Operated*	1978	10.9	78	3	3	9	14	20	27	49
B. *Operated*	472	14.1	189	3	4	10	18	31	48	99+
1. SINGLE DX	384	6.9	28	2	3	5	8	13	17	25
2. MULTIPLE DX	2450	11.5	101	3	4	9	14	22	29	66
A. NOT OPERATED	2188	10.6	75	3	3	8	13	20	26	48
B. OPERATED	646	11.9	155	3	4	7	15	26	40	89
TOTAL 65-69 YRS	801	8.7	59	3	3	7	10	17	23	35
70-74	772	10.8	80	3	3	9	14	20	26	57
75-79	620	11.5	87	3	4	9	14	21	29	72
80-84	390	13.5	178	2	3	9	17	28	40	79
85+	251	12.8	101	3	4	10	16	24	34	70
GRAND TOTAL	**2834**	**10.9**	**94**	**3**	**3**	**8**	**14**	**21**	**28**	**60**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	551	6.9	21	1	2	6	9	12	15	23
70-74	440	7.4	27	1	3	6	9	13	16	23
75-79	264	7.5	28	2	3	6	9	13	16	27
80-84	207	7.2	30	<1	<1	6	9	13	17	30
85+	92	7.9	84	<1	1	6	9	14	20	61
B. *Operated*										
65-69 YRS	19	11.7	62	2	3	11	15	21	30	35
70-74	9	12.7	159	2	3	8	16	33	44	44
75-79	7	9.3	17	5	5	7	12	15	16	16
80-84	7	9.3	15	4	4	10	11	15	16	16
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3862	8.9	39	3	3	7	11	16	20	34
70-74	3527	9.2	51	3	3	8	11	16	21	40
75-79	2861	9.7	52	3	3	8	12	17	22	36
80-84	1740	10.1	69	3	3	8	12	18	24	47
85+	1187	10.8	81	3	4	8	13	20	26	53
B. *Operated*										
65-69 YRS	605	15.4	167	2	4	13	20	31	39	86
70-74	528	17.4	242	3	5	13	21	38	60	99+
75-79	369	18.8	240	4	6	14	23	40	53	90
80-84	191	18.4	256	4	5	14	22	40	63	99+
85+	119	20.2	313	3	5	16	25	42	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1554	7.2	29	<1	2	6	9	13	16	26
B. *Operated*	43	11.1	63	2	4	10	14	17	27	44
2. MULTIPLE DX										
A. *Not Operated*	13177	9.5	53	3	3	8	12	17	22	39
B. *Operated*	1812	17.3	224	3	5	13	21	36	53	96
1. SINGLE DX	1597	7.3	30	1	2	6	9	13	16	26
2. MULTIPLE DX	14989	10.4	80	3	3	8	13	19	26	53
A. NOT OPERATED	14731	9.2	51	3	3	8	11	16	21	37
B. OPERATED	1855	17.2	222	3	5	13	21	35	52	96
TOTAL 65-69 YRS	5037	9.5	58	2	3	8	12	17	23	39
70-74	4504	10.0	79	3	3	8	12	18	25	57
75-79	3501	10.4	78	3	3	8	13	19	26	49
80-84	2145	10.5	89	2	3	8	13	19	26	58
85+	1399	11.4	108	3	3	9	14	21	28	67
GRAND TOTAL	**16586**	**10.1**	**76**	**3**	**3**	**8**	**12**	**19**	**25**	**51**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	107	8.3	45	2	3	7	10	15	19	39
70-74	83	7.1	20	1	2	6	10	12	14	24
75-79	63	9.2	79	1	3	7	12	16	19	61
80-84	34	8.6	20	2	3	8	10	16	16	20
85+	19	11.5	103	2	4	9	13	21	36	46
B. *Operated*										
65-69 YRS										
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79	2	32.0	648	14	14	32	50	50	50	50
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	516	11.2	80	3	4	9	14	20	28	55
70-74	537	11.9	69	3	4	10	15	22	28	45
75-79	468	12.3	76	3	4	10	15	22	29	48
80-84	365	14.0	142	4	5	11	17	27	36	84
85+	206	13.5	72	3	5	11	16	25	31	48
B. *Operated*										
65-69 YRS	95	25.3	322	8	10	19	34	68	90	99+
70-74	79	22.5	148	6	9	20	30	38	55	99+
75-79	54	24.6	286	6	9	19	33	56	61	99
80-84	37	21.2	109	6	9	19	27	38	42	46
85+	33	27.6	468	11	11	22	31	71	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	8.4	46	1	3	7	11	15	18	38
B. *Operated*	4	21.8	364	8	8	14	32	50	50	50
2. MULTIPLE DX										
A. *Not Operated*	2092	12.3	87	3	4	10	15	23	30	54
B. *Operated*	298	24.2	259	7	10	20	31	55	72	99+
1. SINGLE DX	310	8.6	52	1	3	7	11	15	19	47
2. MULTIPLE DX	2390	13.8	124	3	4	11	17	27	36	73
A. NOT OPERATED	2398	11.8	84	3	4	10	15	22	29	51
B. OPERATED	302	24.1	259	7	10	20	31	54	72	99+
TOTAL 65-69 YRS	718	12.6	132	3	4	9	15	25	37	79
70-74	701	12.5	87	3	4	10	16	25	31	55
75-79	587	13.1	111	3	4	11	16	25	35	59
80-84	436	14.2	136	3	5	11	18	27	37	82
85+	258	15.1	146	3	5	12	19	29	39	94
GRAND TOTAL	**2700**	**13.2**	**118**	**3**	**4**	**10**	**16**	**26**	**35**	**71**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	791	7.4	17	2	3	7	9	12	15	21
70-74	666	7.6	20	3	3	7	10	12	15	24
75-79	420	8.2	31	3	4	7	10	13	17	33
80-84	230	8.8	42	2	3	7	11	16	19	32
85+	129	8.7	26	3	4	8	10	16	19	49
B. *Operated*										
65-69 YRS	72	10.9	218	2	2	4	14	27	44	77
70-74	58	8.6	92	2	2	4	12	20	25	46
75-79	41	11.6	283	1	2	4	15	37	47	82
80-84	16	10.8	79	2	2	6	22	22	24	24
85+	7	9.7	302	2	2	3	5	40	49	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6198	9.6	51	3	4	8	12	17	22	38
70-74	5674	10.1	55	3	4	8	12	18	23	38
75-79	4177	10.6	71	3	4	8	13	19	25	47
80-84	2565	11.3	87	3	4	9	14	20	27	61
85+	1476	11.9	106	3	4	9	14	22	30	82
B. *Operated*										
65-69 YRS	2311	19.9	299	2	4	15	27	47	63	99+
70-74	2085	20.4	292	3	5	15	28	46	62	99+
75-79	1431	22.2	349	3	4	17	31	52	73	99+
80-84	794	23.5	330	3	5	19	32	53	65	99+
85+	471	22.9	337	3	6	17	32	54	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2236	7.8	24	3	3	7	10	13	16	24
B. *Operated*	194	10.3	183	2	2	4	14	23	40	71
2. MULTIPLE DX										
A. *Not Operated*	20090	10.3	65	3	4	8	13	19	24	45
B. *Operated*	7092	21.1	315	3	4	16	29	49	66	99+
1. SINGLE DX	2430	8.0	37	2	3	7	10	14	18	35
2. MULTIPLE DX	27182	13.1	153	3	4	9	16	27	39	81
A. NOT OPERATED	22326	10.1	62	3	4	8	12	18	23	43
B. OPERATED	7286	20.8	314	3	4	16	29	48	65	99+
TOTAL 65-69 YRS	9372	12.0	131	3	4	9	14	24	35	74
70-74	8483	12.4	132	3	4	9	15	25	36	73
75-79	6069	13.2	161	3	4	9	16	27	40	84
80-84	3605	13.8	165	3	4	10	16	28	43	83
85+	2083	14.2	176	3	4	10	17	30	46	99+
GRAND TOTAL	**29612**	**12.7**	**145**	**3**	**4**	**9**	**15**	**26**	**37**	**79**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74										
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
65-69 YRS	3	10.3	4	8	8	11	12	12	12	12
70-74										
75-79	1	20.0		20	20	20	20	20	20	20
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*	4	12.8	26	8	8	11	16	20	20	20
1. SINGLE DX	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX	8	8.5	34	2	2	7	11	18	20	20
A. NOT OPERATED	4	4.3	5	2	2	4	6	7	7	7
B. OPERATED	5	10.6	43	2	2	11	14	20	20	20
TOTAL 65-69 YRS	5	7.2	21	2	2	8	11	12	12	12
70-74										
75-79	1	20.0		20	20	20	20	20	20	20
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.5	5	2	2	3	5	5	5	5
GRAND TOTAL	**9**	**7.8**	**34**	**2**	**2**	**7**	**11**	**17**	**20**	**20**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	108	5.2	18	1	1	4	7	10	13	23
70-74	116	5.7	27	1	1	4	7	12	19	25
75-79	95	5.5	33	<1	1	4	6	12	13	33
80-84	65	5.3	18	1	1	4	6	12	15	19
85+	37	8.3	138	1	2	5	8	15	43	53
B. *Operated*										
65-69 YRS	32	10.8	99	2	3	9	13	17	27	56
70-74	35	9.1	54	2	3	7	11	21	26	34
75-79	7	6.9	14	1	2	9	10	11	11	11
80-84	8	25.5	317	3	6	22	33	55	60	60
85+	2	6.5	1	6	6	6	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1049	7.7	48	1	2	6	10	15	19	39
70-74	1244	7.5	46	1	2	6	9	15	20	30
75-79	1107	8.1	56	2	2	6	10	15	20	40
80-84	756	9.3	81	2	3	7	12	17	23	49
85+	610	10.1	84	2	3	8	12	20	28	54
B. *Operated*										
65-69 YRS	163	13.3	142	3	4	9	18	30	40	53
70-74	159	16.1	203	3	4	12	20	39	53	99+
75-79	128	17.5	205	4	5	14	22	38	52	91
80-84	70	18.4	249	4	5	14	26	36	48	98
85+	38	22.0	344	4	8	15	28	47	66	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	5.7	34	1	1	4	7	12	15	28
B. *Operated*	84	11.0	111	2	3	8	13	23	30	59
2. MULTIPLE DX										
A. *Not Operated*	4766	8.3	60	2	2	6	10	16	21	39
B. *Operated*	558	16.3	205	3	4	12	22	36	49	92
1. SINGLE DX	505	6.6	51	1	1	5	8	13	19	42
2. MULTIPLE DX	5324	9.1	81	2	2	7	11	18	25	50
A. NOT OPERATED	5187	8.1	58	2	2	6	10	16	21	39
B. OPERATED	642	15.6	196	3	4	11	20	33	48	91
TOTAL 65-69 YRS	1352	8.2	62	1	2	6	10	16	22	47
70-74	1554	8.3	68	1	2	6	10	16	24	47
75-79	1337	8.8	77	1	2	6	11	18	24	47
80-84	899	9.8	100	2	3	7	12	19	27	58
85+	687	10.6	108	2	3	8	13	22	30	62
GRAND TOTAL	**5829**	**8.9**	**79**	**2**	**2**	**6**	**11**	**18**	**25**	**50**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	12.4	171	4	4	7	14	35	43	43
70-74	20	7.3	87	<1	<1	4	8	21	30	38
75-79	25	8.5	78	<1	<1	6	10	20	33	35
80-84	14	6.4	17	<1	2	5	9	11	15	16
85+	26	7.7	134	<1	<1	3	9	23	31	52
B. *Operated*										
65-69 YRS	3	12.7	80	7	7	8	19	23	23	23
70-74	3	4.7	2	3	3	5	6	6	6	6
75-79	2	7.5	25	4	4	7	11	11	11	11
80-84	1	32.0		32	32	32	32	32	32	32
85+	2	44.0	3042	5	5	44	83	83	83	83
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	197	14.1	120	4	5	10	18	28	39	54
70-74	301	13.2	140	3	4	9	16	26	43	58
75-79	316	13.2	105	3	4	10	17	27	32	55
80-84	321	13.9	107	4	5	11	18	28	35	61
85+	393	13.5	122	3	4	10	17	27	35	70
B. *Operated*										
65-69 YRS	59	23.2	298	5	6	19	32	47	63	99
70-74	65	23.0	292	4	5	18	33	54	62	96
75-79	88	20.8	206	6	7	17	27	39	52	72
80-84	79	22.0	178	5	8	18	30	40	49	65
85+	66	17.4	171	4	5	15	24	34	43	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	93	8.0	92	<1	<1	5	9	20	31	48
B. *Operated*	11	17.0	561	3	4	7	20	52	80	83
2. MULTIPLE DX										
A. *Not Operated*	1528	13.5	118	3	4	10	17	27	37	58
B. *Operated*	357	21.3	226	5	6	17	29	43	52	86
1. SINGLE DX	104	9.0	145	<1	<1	5	10	21	33	66
2. MULTIPLE DX	1885	15.0	148	3	4	11	19	31	41	68
A. NOT OPERATED	1621	13.2	118	3	4	10	17	27	36	58
B. OPERATED	368	21.1	235	4	6	17	29	43	53	86
TOTAL 65-69 YRS	267	16.0	173	4	5	11	22	37	44	64
70-74	389	14.5	177	2	4	9	18	35	48	68
75-79	431	14.5	135	3	4	12	18	29	37	64
80-84	415	15.3	131	4	5	12	20	31	38	61
85+	487	13.8	142	3	4	11	18	29	36	82
GRAND TOTAL	**1989**	**14.7**	**149**	**3**	**4**	**11**	**19**	**31**	**40**	**68**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	3	8.0	61	3	3	4	14	17	17	17
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	3	4.3	9	1	1	5	6	7	7	7
70-74	1	12.0		12	12	12	12	12	12	12
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	8.5	40	2	2	7	10	19	23	25
70-74	38	8.6	17	4	4	7	11	15	16	21
75-79	28	9.1	46	2	3	7	13	17	27	28
80-84	9	10.9	119	2	2	7	14	29	37	37
85+	5	6.2	12	2	2	8	9	10	10	10
B. *Operated*										
65-69 YRS	23	13.1	143	4	5	10	14	23	44	58
70-74	5	10.0	64	2	2	11	16	20	20	20
75-79	10	20.8	304	3	3	16	32	47	57	57
80-84	2	14.5	25	11	11	14	18	18	18	18
85+	3	7.0	9	4	4	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.5	32	2	2	3	4	16	17	17
B. *Operated*	4	6.3	21	1	1	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	131	8.7	38	2	3	7	11	16	22	30
B. *Operated*	43	14.2	164	3	4	10	17	33	45	58
1. SINGLE DX	10	5.8	25	1	1	4	7	14	17	17
2. MULTIPLE DX	174	10.1	74	2	3	8	12	19	26	52
A. NOT OPERATED	137	8.6	38	2	3	7	11	17	22	29
B. OPERATED	47	13.5	156	2	3	10	16	31	41	58
TOTAL 65-69 YRS	79	9.5	73	2	3	7	12	19	24	52
70-74	47	8.7	22	3	4	7	11	16	17	21
75-79	38	12.2	135	3	3	8	15	28	36	57
80-84	12	10.8	98	2	2	8	15	24	35	37
85+	8	6.5	10	2	2	7	9	10	10	10
GRAND TOTAL	**184**	**9.8**	**72**	**2**	**3**	**7**	**12**	**18**	**25**	**51**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	8.5	168	1	2	5	8	15	34	72
70-74	45	4.9	13	1	1	4	7	10	13	15
75-79	27	7.1	44	2	2	4	9	18	23	27
80-84	24	8.6	197	<1	<1	4	8	47	67	99+
85+	19	6.1	17	1	2	6	7	12	16	18
B. *Operated*										
65-69 YRS	48	6.6	74	<1	1	3	7	16	25	46
70-74	27	9.6	92	1	2	6	14	21	25	44
75-79	24	7.6	94	1	2	3	9	19	29	42
80-84	12	10.7	89	1	2	7	17	25	30	31
85+	4	4.8	10	2	2	4	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	8.8	50	2	2	7	11	18	25	40
70-74	313	9.2	73	2	3	7	11	17	24	40
75-79	274	9.7	64	2	3	7	13	21	25	43
80-84	178	10.7	99	2	3	7	15	20	31	46
85+	157	9.2	57	2	3	7	11	19	26	35
B. *Operated*										
65-69 YRS	199	11.9	120	2	3	9	15	24	33	55
70-74	188	15.0	200	2	3	11	18	35	46	61
75-79	132	13.8	182	1	2	10	17	32	47	78
80-84	62	13.5	140	2	3	10	17	30	38	58
85+	50	17.5	148	5	6	15	22	34	39	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	6.9	87	<1	1	4	8	14	21	71
B. *Operated*	115	7.9	82	1	2	4	11	21	25	45
2. MULTIPLE DX										
A. *Not Operated*	1240	9.4	67	2	3	7	12	19	25	41
B. *Operated*	631	13.8	162	2	3	10	17	31	42	61
1. SINGLE DX	269	7.3	85	1	1	4	8	17	22	54
2. MULTIPLE DX	1871	10.9	103	2	3	8	14	22	31	54
A. NOT OPERATED	1394	9.2	70	2	2	7	11	18	25	46
B. OPERATED	746	12.9	154	2	2	9	17	29	41	59
TOTAL 65-69 YRS	604	9.6	85	2	2	7	12	20	27	48
70-74	573	10.8	120	2	2	8	13	21	33	55
75-79	457	10.7	102	2	2	8	13	23	30	55
80-84	276	11.2	117	1	2	8	15	23	35	58
85+	230	10.7	86	2	3	8	13	23	30	54
GRAND TOTAL	**2140**	**10.5**	**102**	**2**	**2**	**8**	**13**	**22**	**30**	**54**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	5.9	28	<1	1	5	7	10	14	35
70-74	57	5.2	13	1	2	4	8	10	13	15
75-79	46	6.6	24	1	2	5	8	13	17	21
80-84	23	4.9	11	1	2	4	7	10	12	15
85+	27	5.9	16	1	1	5	8	13	14	14
B. *Operated*										
65-69 YRS	22	5.4	29	<1	1	3	6	15	18	19
70-74	21	4.1	10	1	1	3	5	10	12	12
75-79	13	6.8	49	<1	1	4	11	18	23	24
80-84	7	10.7	47	2	2	10	16	20	21	21
85+	3	29.7	2060	<1	<1	6	63	82	82	82
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	345	7.6	40	2	3	6	9	14	17	32
70-74	356	7.8	39	2	3	6	10	14	17	35
75-79	309	8.0	33	2	3	7	10	15	19	29
80-84	236	8.8	48	2	3	7	11	17	24	37
85+	160	8.6	26	3	4	7	11	16	20	92
B. *Operated*										
65-69 YRS	74	13.0	113	2	3	11	17	27	38	44
70-74	75	12.1	126	2	2	9	16	33	40	88
75-79	42	18.5	283	3	5	12	24	43	57	79
80-84	37	16.1	118	3	4	15	24	33	37	41
85+	23	17.0	156	4	5	16	23	38	45	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	5.7	20	1	2	5	8	12	14	21
B. *Operated*	66	6.9	118	<1	1	4	9	16	19	73
2. MULTIPLE DX										
A. *Not Operated*	1406	8.1	38	2	3	7	10	15	20	34
B. *Operated*	251	14.5	154	2	3	11	19	33	41	64
1. SINGLE DX	275	6.0	43	1	1	4	8	12	15	23
2. MULTIPLE DX	1657	9.0	61	2	3	7	11	17	24	44
A. NOT OPERATED	1615	7.8	36	2	3	6	10	14	19	32
B. OPERATED	317	12.9	155	2	2	10	17	29	40	69
TOTAL 65-69 YRS	497	8.1	53	2	2	6	10	16	22	40
70-74	509	8.0	52	2	2	6	10	15	19	43
75-79	410	8.9	68	2	3	7	11	16	24	43
80-84	303	9.4	61	2	3	7	12	20	26	40
85+	213	9.5	72	2	3	7	11	19	23	88
GRAND TOTAL	**1932**	**8.6**	**59**	**2**	**3**	**7**	**11**	**16**	**23**	**42**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	5.1	11	1	2	5	7	9	11	19
70-74	152	5.3	17	1	2	4	7	9	12	20
75-79	153	6.4	24	1	2	5	7	12	17	29
80-84	151	7.8	54	2	2	6	10	15	20	32
85+	208	7.1	28	2	2	6	9	14	18	32
B. *Operated*										
65-69 YRS	6	13.5	41	5	5	14	18	22	22	22
70-74	2	10.5	61	5	5	10	16	16	16	16
75-79	5	7.6	16	2	2	8	13	91	99+	99+
80-84	3	23.0	19	18	18	25	26	26	26	26
85+	4	11.0	12	8	8	11	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2392	8.4	61	2	2	6	10	16	22	37
70-74	3094	8.8	57	2	3	7	11	17	22	41
75-79	3540	9.9	69	2	3	8	12	19	24	41
80-84	3483	10.6	79	3	3	8	13	20	26	50
85+	4581	11.3	84	3	4	9	14	21	29	52
B. *Operated*										
65-69 YRS	249	15.4	170	2	3	11	21	34	43	99+
70-74	300	17.1	202	4	5	14	22	36	66	99+
75-79	309	19.6	227	5	6	15	25	42	55	99+
80-84	289	20.7	208	6	7	17	26	41	54	86
85+	302	22.1	259	6	8	18	29	47	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	6.5	29	1	2	5	8	12	17	29
B. *Operated*	20	12.7	46	4	5	13	18	25	59	99+
2. MULTIPLE DX										
A. *Not Operated*	17090	10.0	73	2	3	8	12	19	25	46
B. *Operated*	1449	19.1	220	4	6	15	25	40	55	99+
1. SINGLE DX	785	6.6	30	2	2	5	8	13	17	30
2. MULTIPLE DX	18539	10.7	90	2	3	8	13	21	28	55
A. NOT OPERATED	17855	9.9	72	2	3	8	12	19	25	45
B. OPERATED	1469	19.0	218	4	6	15	25	40	55	99+
TOTAL 65-69 YRS	2748	9.0	73	2	2	7	11	18	25	45
70-74	3548	9.3	74	2	3	7	11	19	25	53
75-79	4007	10.5	87	2	3	8	13	20	27	53
80-84	3926	11.2	95	3	3	8	14	22	29	57
85+	5095	11.8	99	3	4	9	15	23	31	59
GRAND TOTAL	**19324**	**10.5**	**89**	**2**	**3**	**8**	**13**	**21**	**28**	**55**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	4.9	11	1	1	5	6	9	10	17
70-74	106	5.4	13	<1	1	5	7	10	12	18
75-79	121	5.0	20	1	1	4	6	10	12	27
80-84	114	5.6	23	1	1	5	7	10	15	25
85+	115	5.2	16	1	1	4	7	11	14	18
B. *Operated*										
65-69 YRS	34	7.1	11	1	3	7	9	11	13	14
70-74	30	9.5	49	1	3	8	13	14	22	37
75-79	26	6.9	15	2	2	7	9	12	14	19
80-84	25	7.9	31	3	4	7	8	12	22	30
85+	21	7.8	14	2	3	7	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	778	7.4	26	2	3	6	9	13	18	25
70-74	1096	7.4	28	2	2	6	9	13	17	28
75-79	1227	7.9	37	2	3	6	10	14	18	37
80-84	1140	8.4	62	2	2	7	10	15	19	47
85+	1402	8.7	67	2	2	7	11	16	22	43
B. *Operated*										
65-69 YRS	433	10.9	57	3	4	9	13	19	25	45
70-74	487	12.7	101	4	5	10	15	22	28	54
75-79	491	12.1	79	4	5	10	15	21	29	58
80-84	383	13.1	104	4	5	10	15	25	34	57
85+	310	13.0	84	4	5	10	15	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	5.2	17	1	1	4	7	10	13	20
B. *Operated*	136	7.9	25	2	3	7	10	14	14	31
2. MULTIPLE DX										
A. *Not Operated*	5643	8.0	46	2	3	7	10	15	19	35
B. *Operated*	2104	12.3	85	4	5	10	15	22	29	56
1. SINGLE DX	682	5.8	19	1	1	5	8	11	14	23
2. MULTIPLE DX	7747	9.2	61	2	3	7	11	17	22	43
A. NOT OPERATED	6189	7.8	44	2	2	6	10	14	18	34
B. OPERATED	2240	12.0	83	4	4	10	14	22	29	55
TOTAL 65-69 YRS	1335	8.3	38	2	3	7	10	15	19	31
70-74	1719	8.8	54	2	3	7	11	16	21	38
75-79	1865	8.8	51	2	3	7	11	16	21	42
80-84	1662	9.3	73	2	3	7	11	17	23	54
85+	1848	9.2	69	2	2	7	11	17	24	44
GRAND TOTAL	**8429**	**8.9**	**58**	**2**	**3**	**7**	**11**	**16**	**22**	**42**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	3	6.3	2	5	5	6	7	8	8	8
75-79	2	8.0	8	6	6	8	10	10	10	10
80-84										
85+	3	3.3	10	1	1	2	6	7	7	7
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	15	7.1	23	1	3	5	9	14	18	19
70-74	5	5.4	24	2	2	3	7	14	14	14
75-79	8	9.5	41	2	3	8	14	19	20	20
80-84	2	8.5	5	7	7	8	10	10	10	10
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	5	12.2	90	4	4	14	23	92	99+	99+
70-74										
75-79										
80-84										
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	5.8	8	1	1	6	7	9	10	10
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	31	7.4	26	2	2	5	10	15	19	20
B. *Operated*	6	12.7	73	4	4	15	23	85	99+	99+
1. SINGLE DX	9	5.8	8	1	1	6	7	9	10	10
2. MULTIPLE DX	37	8.2	36	2	3	6	13	20	23	99+
A. NOT OPERATED	40	7.0	22	1	2	6	10	14	17	20
B. OPERATED	6	12.7	73	4	4	15	23	85	99+	99+
TOTAL 65-69 YRS	21	8.3	39	2	3	6	12	22	54	99+
70-74	8	5.8	15	2	2	5	7	12	14	14
75-79	10	9.2	33	2	3	8	13	18	20	20
80-84	2	8.5	5	7	7	8	10	10	10	10
85+	5	5.6	33	1	1	3	9	15	15	15
GRAND TOTAL	**46**	**7.8**	**31**	**2**	**2**	**6**	**10**	**18**	**22**	**99+**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	303	4.2	23	<1	1	3	5	10	13	27
70-74	295	3.5	17	<1	<1	2	4	8	10	20
75-79	367	3.8	14	<1	1	3	5	9	11	18
80-84	449	4.2	29	<1	1	2	5	9	13	21
85+	417	4.4	18	1	1	3	6	9	11	22
B. *Operated*										
65-69 YRS	84	8.9	38	2	3	8	12	17	19	36
70-74	109	9.0	36	2	3	8	12	15	20	34
75-79	83	8.4	33	2	2	8	11	17	20	27
80-84	77	8.1	41	1	2	6	10	15	23	32
85+	60	9.7	40	2	3	9	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1543	6.6	53	1	1	5	8	14	18	35
70-74	1967	7.0	48	1	1	5	9	14	19	34
75-79	2128	7.2	50	1	1	5	9	15	20	35
80-84	2146	7.3	50	1	1	5	10	15	20	40
85+	2425	7.8	52	1	2	6	10	16	21	38
B. *Operated*										
65-69 YRS	687	14.4	136	3	4	11	18	28	38	69
70-74	837	13.1	128	3	4	10	16	26	37	68
75-79	906	13.6	121	3	4	11	17	26	35	60
80-84	704	13.5	111	3	4	11	18	26	32	59
85+	660	14.8	112	3	5	12	19	28	36	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1831	4.0	20	<1	1	3	5	9	12	21
B. *Operated*	413	8.8	37	2	3	8	12	16	20	31
2. MULTIPLE DX										
A. *Not Operated*	10209	7.3	51	1	1	5	9	15	20	36
B. *Operated*	3794	13.6	122	3	4	11	17	27	36	63
1. SINGLE DX	2244	4.9	27	<1	1	3	7	11	14	26
2. MULTIPLE DX	14003	9.0	79	1	2	7	12	19	26	48
A. NOT OPERATED	12040	6.8	48	1	1	5	9	14	19	34
B. OPERATED	4207	13.3	116	3	4	11	17	26	35	62
TOTAL 65-69 YRS	2617	8.5	84	1	1	6	11	18	25	50
70-74	3208	8.3	75	1	1	6	11	17	24	46
75-79	3484	8.6	74	1	1	6	11	18	24	42
80-84	3376	8.2	68	1	1	6	11	18	23	45
85+	3562	8.8	68	1	2	7	11	19	25	44
GRAND TOTAL	**16247**	**8.5**	**74**	**1**	**1**	**6**	**11**	**18**	**24**	**45**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	4.0	18	1	1	4	7	7	7	7
70-74	4	9.3	19	5	5	8	12	15	15	15
75-79	4	9.8	18	4	4	10	12	14	14	14
80-84	2	13.5	265	2	2	13	25	25	25	25
85+	1	19.0		19	19	19	19	19	19	19
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84										
85+	1	16.0		16	16	16	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	13	10.0	48	1	2	10	14	20	24	25
B. *Operated*	3	9.7	30	6	6	7	14	16	16	16
1. SINGLE DX										
2. MULTIPLE DX	16	9.9	42	1	2	9	14	19	23	25
A. NOT OPERATED	13	10.0	48	1	2	10	14	20	24	25
B. OPERATED	3	9.7	30	6	6	7	14	16	16	16
TOTAL 65-69 YRS	3	4.7	10	1	1	6	7	7	7	7
70-74	4	9.3	19	5	5	8	12	15	15	15
75-79	5	9.2	15	4	4	10	12	14	14	14
80-84	2	13.5	265	2	2	13	25	25	25	25
85+	2	17.5	5	16	16	17	19	19	19	19
GRAND TOTAL	**16**	**9.9**	**42**	**1**	**2**	**9**	**14**	**19**	**23**	**25**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	88	4.1	13	<1	1	3	6	9	13	17
70-74	83	3.8	12	<1	<1	3	6	8	12	14
75-79	67	5.6	124	<1	<1	3	6	9	14	77
80-84	42	4.5	20	<1	1	3	6	11	14	22
85+	36	7.4	122	1	1	3	9	18	30	58
B. *Operated*										
65-69 YRS	81	9.8	76	2	3	8	12	16	19	59
70-74	63	10.7	132	3	3	8	12	17	21	76
75-79	41	9.0	42	2	3	7	12	18	24	26
80-84	37	10.9	56	3	4	9	16	22	25	31
85+	15	9.2	79	1	2	7	11	29	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	620	7.9	51	1	2	6	10	16	20	39
70-74	574	8.7	91	1	1	7	11	17	23	48
75-79	623	8.0	54	1	2	6	10	17	23	36
80-84	365	8.0	60	1	2	6	10	17	21	40
85+	252	8.3	54	1	2	7	10	18	22	32
B. *Operated*										
65-69 YRS	424	14.2	171	3	4	10	17	28	37	74
70-74	403	13.8	136	2	3	11	17	29	41	73
75-79	377	13.6	130	3	4	11	17	26	37	71
80-84	249	15.1	153	3	4	11	20	29	38	66
85+	150	15.5	125	3	5	13	19	30	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	4.8	50	<1	1	3	6	9	14	32
B. *Operated*	237	10.0	81	2	3	8	13	18	23	54
2. MULTIPLE DX										
A. *Not Operated*	2434	8.2	63	1	2	6	10	17	22	39
B. *Operated*	1603	14.2	146	3	4	11	18	28	39	69
1. SINGLE DX	553	7.0	70	1	1	5	9	14	19	43
2. MULTIPLE DX	4037	10.6	104	1	2	8	14	22	29	57
A. NOT OPERATED	2750	7.8	62	1	1	6	10	16	22	38
B. OPERATED	1840	13.7	139	3	4	10	17	27	38	68
TOTAL 65-69 YRS	1213	10.0	103	1	2	7	13	19	28	56
70-74	1123	10.3	113	1	2	8	13	22	30	60
75-79	1108	9.8	91	1	2	7	13	20	27	47
80-84	693	10.5	103	1	2	8	14	22	29	58
85+	453	10.6	95	1	2	8	14	22	30	58
GRAND TOTAL	**4590**	**10.1**	**102**	**1**	**2**	**7**	**13**	**21**	**29**	**56**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.0		3	3	3	3	3	3	3
70-74	3	4.0	13	<1	<1	3	7	8	8	8
75-79	2	2.5	1	2	2	2	3	3	3	3
80-84	2	2.0	2	1	1	2	3	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	3	9.7	72	1	1	10	16	18	18	18
70-74	6	9.7	18	5	5	10	12	16	16	16
75-79	2	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6	5.5	8	2	2	5	7	10	10	10
70-74	6	5.3	2	4	4	5	6	8	8	8
75-79	2	3.0	2	2	2	3	4	4	4	4
80-84	2	5.5	5	4	4	5	7	7	7	7
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	1	20.0		20	20	20	20	20	20	20
70-74	5	6.2	7	3	3	7	8	9	9	9
75-79	3	7.7	25	3	3	7	11	13	13	13
80-84	4	8.3	7	6	6	7	10	12	12	12
85+	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.9	4	<1	1	3	3	5	8	8
B. *Operated*	11	8.5	31	1	2	9	12	17	18	18
2. MULTIPLE DX										
A. *Not Operated*	17	5.2	4	2	3	5	6	8	9	10
B. *Operated*	14	8.6	22	3	3	8	12	15	19	20
1. SINGLE DX	22	5.7	24	<1	1	3	9	13	17	18
2. MULTIPLE DX	31	6.7	15	2	3	6	8	12	14	20
A. NOT OPERATED	28	4.3	5	1	2	4	6	8	8	10
B. OPERATED	25	8.6	25	2	3	8	12	16	18	20
TOTAL 65-69 YRS	13	7.0	36	1	2	4	10	18	20	20
70-74	20	6.7	13	1	3	6	9	11	14	16
75-79	9	4.4	13	2	2	3	5	11	13	13
80-84	8	6.0	11	1	2	6	8	11	12	12
85+	3	7.3	37	2	2	6	12	14	14	14
GRAND TOTAL	**53**	**6.3**	**19**	**1**	**2**	**5**	**8**	**12**	**16**	**20**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74	4	4.5	6	2	2	4	6	8	8	8
75-79	4	6.3	25	1	1	5	9	13	13	13
80-84										
85+	2	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	23	3.7	7	<1	1	3	5	7	10	11
70-74	28	3.8	12	1	1	2	4	11	11	13
75-79	12	3.3	4	<1	1	3	4	6	8	8
80-84	6	4.0	12	2	2	3	4	10	11	11
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	6.3	14	2	3	5	7	12	15	15
70-74	3	6.0	4	4	4	6	7	8	8	8
75-79	8	11.4	102	1	1	8	21	25	26	26
80-84	4	9.5	36	3	3	9	14	17	17	17
85+	2	9.5	5	8	8	9	11	11	11	11
B. *Operated*										
65-69 YRS	33	9.2	133	1	2	5	9	25	38	53
70-74	29	11.6	142	1	2	8	15	26	37	53
75-79	22	6.8	28	1	2	5	9	15	18	22
80-84	10	9.7	56	2	2	8	15	20	24	24
85+	3	14.7	212	3	3	10	26	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	5.0	10	1	2	4	6	10	13	13
B. *Operated*	70	3.6	9	<1	1	3	4	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	29	8.3	40	2	2	7	11	19	23	26
B. *Operated*	97	9.6	105	1	2	6	12	23	30	53
1. SINGLE DX	81	3.8	9	<1	1	3	4	9	11	13
2. MULTIPLE DX	126	9.3	90	2	2	6	11	22	28	53
A. NOT OPERATED	40	7.4	34	1	2	6	8	16	21	26
B. OPERATED	167	7.1	73	1	1	4	9	16	24	51
TOTAL 65-69 YRS	69	6.8	73	1	2	4	7	12	24	51
70-74	64	7.5	84	1	1	4	10	16	25	51
75-79	46	6.6	38	1	1	4	8	16	22	26
80-84	20	8.0	42	2	2	4	12	17	21	24
85+	8	9.0	91	1	2	6	10	25	31	31
GRAND TOTAL	**207**	**7.2**	**65**	**1**	**2**	**4**	**8**	**16**	**24**	**45**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	26	13.0	124	2	2	12	18	22	37	52
70-74	24	14.4	93	1	2	16	20	25	32	38
75-79	29	14.7	193	1	2	11	19	30	38	67
80-84	7	13.4	134	2	2	11	19	32	35	35
85+	10	12.2	154	2	2	6	19	32	40	40
B. *Operated*										
65-69 YRS										
70-74	1	5.0		5	5	5	5	5	5	5
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	97	14.5	161	3	4	13	17	33	51	99+
70-74	103	12.7	128	2	3	9	15	26	37	60
75-79	99	11.8	123	3	3	9	15	26	41	84
80-84	74	17.5	267	2	4	12	24	39	48	88
85+	65	10.4	73	3	3	7	14	25	29	35
B. *Operated*										
65-69 YRS	6	23.2	228	10	10	18	34	47	48	48
70-74	10	11.9	45	4	5	9	17	22	24	24
75-79	10	13.9	94	4	4	11	18	30	33	33
80-84	6	32.8	930	8	9	28	78	98	99+	99+
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	96	13.8	136	2	2	12	19	28	36	60
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	438	13.4	153	2	3	9	16	29	43	78
B. *Operated*	33	18.5	283	4	6	13	24	39	82	99+
1. SINGLE DX	97	13.7	135	2	2	12	19	28	36	60
2. MULTIPLE DX	471	13.7	163	3	3	10	17	29	44	93
A. NOT OPERATED	534	13.4	150	2	3	10	17	29	42	70
B. OPERATED	34	18.1	280	4	5	13	23	38	80	99+
TOTAL 65-69 YRS	129	14.6	158	2	3	13	17	33	49	99+
70-74	138	12.9	115	2	3	10	16	25	33	58
75-79	138	12.5	135	2	3	9	15	28	40	72
80-84	87	18.3	307	2	3	12	25	41	51	98
85+	76	10.7	81	3	3	7	15	25	29	39
GRAND TOTAL	**568**	**13.7**	**158**	**2**	**3**	**10**	**17**	**29**	**42**	**88**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	313	11.1	92	1	2	9	14	24	32	49
70-74	523	12.0	155	2	2	8	15	27	36	66
75-79	613	11.6	131	1	2	8	15	25	35	67
80-84	514	11.5	153	2	3	8	14	25	33	77
85+	477	10.1	107	1	2	7	13	22	34	75
B. *Operated*										
65-69 YRS	18	13.8	123	1	2	12	20	31	39	41
70-74	17	9.5	23	3	3	9	12	15	19	21
75-79	17	20.4	198	4	4	21	27	34	52	60
80-84	10	18.2	206	4	4	15	23	42	48	48
85+	9	10.1	105	1	1	5	15	26	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1067	13.9	161	2	3	10	18	30	44	99+
70-74	2101	13.5	164	3	4	10	17	29	43	99+
75-79	2967	13.3	159	3	4	10	16	29	44	99+
80-84	2955	13.1	161	2	4	9	16	27	43	99+
85+	3001	12.8	174	2	3	9	15	28	47	99+
B. *Operated*										
65-69 YRS	149	19.9	294	3	4	16	27	43	72	99+
70-74	222	20.4	288	4	5	17	27	50	59	99+
75-79	305	23.1	294	6	8	18	30	52	69	99+
80-84	246	21.5	331	4	7	17	30	64	99+	99+
85+	228	21.8	334	4	6	17	29	65	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2440	11.3	131	2	2	8	14	24	35	68
B. *Operated*	71	14.5	138	2	3	12	20	30	36	57
2. MULTIPLE DX										
A. *Not Operated*	12091	13.2	164	3	3	9	16	28	43	99+
B. *Operated*	1150	21.6	309	4	6	17	29	54	87	99+
1. SINGLE DX	2511	11.4	132	2	2	8	14	25	35	68
2. MULTIPLE DX	13241	13.9	182	3	4	10	17	31	48	99+
A. NOT OPERATED	14531	12.9	159	2	3	9	16	28	42	99+
B. OPERATED	1221	21.2	302	4	6	17	28	53	85	99+
TOTAL 65-69 YRS	1547	13.9	164	2	3	11	18	31	41	99+
70-74	2863	13.8	175	2	3	10	18	30	44	99+
75-79	3902	13.8	173	2	3	10	17	31	46	99+
80-84	3725	13.4	176	2	3	10	16	29	46	99+
85+	3715	13.0	181	2	3	9	16	28	49	99+
GRAND TOTAL	**15752**	**13.5**	**175**	**2**	**3**	**10**	**17**	**30**	**46**	**99+**

91: Arterioscierotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	9.9	33	3	5	9	13	20	21	21
70-74	22	11.3	40	2	3	10	16	20	22	23
75-79	27	13.1	87	3	3	13	17	28	50	99+
80-84	21	16.4	385	2	2	9	18	38	66	86
85+	25	15.9	310	2	4	8	19	41	60	73
B. *Operated*										
65-69 YRS	1	22.0		22	22	22	22	22	22	22
70-74	2	8.5	1	8	8	8	9	9	9	9
75-79	1	19.0		19	19	19	19	19	19	19
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	24.0		24	24	24	24	24	24	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	13.8	179	3	4	9	16	31	36	81
70-74	115	15.7	197	3	4	12	20	36	55	99+
75-79	179	15.1	180	3	4	11	18	33	43	86
80-84	174	12.3	95	3	5	10	16	25	41	99+
85+	164	13.5	223	3	3	9	18	34	77	99+
B. *Operated*										
65-69 YRS	7	22.3	272	8	9	17	23	51	58	58
70-74	8	16.3	140	5	5	17	29	74	99+	99+
75-79	13	13.2	128	2	3	13	26	99+	99+	99+
80-84	11	18.6	131	5	6	21	35	99+	99+	99+
85+	13	27.4	798	4	6	21	88	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	13.5	176	2	3	9	18	26	44	91
B. *Operated*	6	15.5	49	8	8	15	22	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	699	14.0	172	3	4	10	17	32	48	99+
B. *Operated*	52	19.6	323	3	5	17	34	99+	99+	99+
1. SINGLE DX	117	13.6	169	2	3	10	18	25	43	90
2. MULTIPLE DX	751	14.4	184	3	4	10	18	34	58	99+
A. NOT OPERATED	810	13.9	173	3	4	10	17	31	47	99+
B. OPERATED	58	19.2	295	3	5	17	27	99+	99+	99+
TOTAL 65-69 YRS	91	13.8	164	3	5	10	17	26	36	75
70-74	147	15.0	170	3	4	11	19	34	51	99+
75-79	220	14.7	165	3	4	11	19	33	46	99+
80-84	207	13.0	127	3	4	10	16	27	56	99+
85+	203	14.7	277	3	3	9	19	42	90	99+
GRAND TOTAL	**868**	**14.3**	**182**	**3**	**4**	**10**	**18**	**33**	**55**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	70	9.4	122	2	3	5	10	23	28	69
70-74	43	7.5	77	2	2	5	7	16	28	48
75-79	19	8.7	29	4	5	7	10	17	21	24
80-84	2	7.0	50	2	2	7	12	12	12	12
85+	2	6.5	5	5	5	6	8	8	8	8
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	482	9.7	94	2	3	7	12	20	28	53
70-74	274	11.1	116	2	3	8	14	23	29	61
75-79	143	11.7	87	2	3	9	15	23	28	49
80-84	42	9.8	62	2	3	7	12	26	31	99+
85+	10	9.6	47	2	3	7	14	21	22	22
B. *Operated*										
65-69 YRS	43	20.1	188	6	7	16	28	47	51	99+
70-74	27	20.6	161	7	8	18	26	37	48	59
75-79	12	18.2	121	3	4	16	23	32	43	45
80-84	4	9.3	18	3	3	11	12	12	12	12
85+	1	8.0		8	8	54	99+	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	8.6	91	2	2	5	9	17	26	52
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	951	10.4	98	2	3	7	13	22	28	57
B. *Operated*	87	19.4	164	5	7	15	26	45	49	99+
1. SINGLE DX	137	8.6	91	2	2	5	9	17	26	52
2. MULTIPLE DX	1038	11.2	109	2	3	8	14	24	33	59
A. NOT OPERATED	1087	10.2	97	2	3	7	13	22	28	57
B. OPERATED	88	19.2	165	5	6	15	25	45	49	99+
TOTAL 65-69 YRS	595	10.5	111	2	3	7	13	22	34	57
70-74	344	11.4	123	2	3	8	14	25	32	59
75-79	174	11.8	86	2	3	10	16	24	28	47
80-84	48	9.6	56	2	3	7	12	23	29	99+
85+	14	8.6	37	2	3	8	13	22	80	99+
GRAND TOTAL	**1175**	**10.9**	**108**	**2**	**3**	**7**	**14**	**23**	**32**	**59**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	13.0	73	1	2	13	21	23	23	23
70-74	6	7.0	16	3	3	6	9	13	14	14
75-79	4	3.0		3	3	3	3	3	3	3
80-84	3	5.0	27	2	2	2	9	11	11	11
85+	3	5.7	16	2	2	5	9	10	10	10
B. *Operated*										
65-69 YRS										
70-74										
75-79	1	15.0		15	15	15	15	15	15	15
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	84	11.7	124	2	3	8	13	25	35	54
70-74	88	9.0	50	1	2	7	12	16	28	35
75-79	84	10.6	102	2	3	8	13	20	32	57
80-84	47	8.8	98	2	3	7	9	15	20	68
85+	39	11.3	130	3	4	7	13	33	39	50
B. *Operated*										
65-69 YRS	11	12.5	116	3	4	8	15	30	39	40
70-74	2	23.5	145	15	15	23	32	32	32	32
75-79	7	20.6	162	5	6	16	28	40	43	43
80-84	2	5.0		5	5	5	76	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	7.9	45	1	2	5	11	21	22	23
B. *Operated*	1	15.0		15	15	15	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	342	10.3	97	2	3	7	12	20	31	54
B. *Operated*	22	15.4	138	4	5	14	24	41	63	99+
1. SINGLE DX	25	8.2	45	1	2	5	12	21	22	23
2. MULTIPLE DX	364	10.6	101	2	3	7	12	23	33	54
A. NOT OPERATED	366	10.1	94	2	3	7	12	21	30	53
B. OPERATED	23	15.4	132	4	5	14	24	40	60	99+
TOTAL 65-69 YRS	103	11.9	117	2	3	8	14	24	35	54
70-74	96	9.1	53	1	2	7	12	16	29	35
75-79	96	11.1	109	2	3	8	14	24	34	56
80-84	52	8.4	91	2	2	7	10	15	20	99
85+	42	10.9	124	3	4	6	12	31	38	50
GRAND TOTAL	**389**	**10.4**	**97**	**2**	**3**	**7**	**12**	**22**	**32**	**54**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	19.7	247	2	5	16	26	35	59	73
70-74	56	16.1	202	2	2	14	20	30	39	73
75-79	31	15.9	141	2	3	14	18	33	47	50
80-84	8	16.6	221	4	5	13	21	41	49	49
85+	6	24.8	554	1	2	20	23	65	70	70
B. *Operated*										
65-69 YRS										
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	145	19.6	227	4	5	16	28	47	64	99+
70-74	88	20.6	190	5	6	18	28	36	52	69
75-79	50	16.7	130	4	5	13	25	34	39	44
80-84	23	20.4	282	4	4	16	25	52	58	65
85+	11	13.4	120	1	3	10	16	33	37	37
B. *Operated*										
65-69 YRS	13	31.5	230	10	13	31	39	53	61	63
70-74	7	26.9	113	11	13	23	36	39	40	40
75-79	4	34.0	538	12	12	30	52	63	63	63
80-84	2	23.0	288	11	11	35	84	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	18.1	225	2	3	15	22	35	51	72
B. *Operated*	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	317	19.3	202	4	5	16	27	39	53	99+
B. *Operated*	26	30.0	224	10	11	31	39	60	69	99+
1. SINGLE DX	205	18.1	224	2	3	15	21	35	51	72
2. MULTIPLE DX	343	20.1	211	4	5	17	28	41	54	99+
A. NOT OPERATED	521	18.8	211	3	5	16	25	38	53	83
B. OPERATED	27	29.2	230	10	11	27	39	59	67	99+
TOTAL 65-69 YRS	261	20.2	240	3	5	16	28	44	62	99+
70-74	152	19.2	195	3	5	16	25	36	49	72
75-79	85	17.2	159	3	5	14	25	38	43	58
80-84	33	19.7	255	4	4	17	25	52	63	99+
85+	17	17.4	280	1	2	14	22	36	58	70
GRAND TOTAL	**548**	**19.3**	**217**	**3**	**5**	**16**	**26**	**39**	**54**	**99**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	13.3	51	5	5	13	19	21	21	21
70-74	1	28.0		28	28	28	28	28	28	28
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	14.0	27	7	7	13	18	20	20	20
70-74	4	10.0	50	2	2	9	15	19	19	19
75-79	6	13.7	241	1	1	5	27	38	39	39
80-84	1	5.0		5	5	5	5	5	5	5
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	16.2	82	5	5	17	23	28	28	28
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	16	12.3	104	1	2	9	18	26	35	39
B. *Operated*										
1. SINGLE DX	5	16.2	82	5	5	17	23	28	28	28
2. MULTIPLE DX	16	12.3	104	1	2	9	18	26	35	39
A. NOT OPERATED	21	13.2	97	2	3	11	19	27	33	39
B. OPERATED										
TOTAL 65-69 YRS	9	13.7	33	5	6	13	18	21	21	21
70-74	5	13.6	102	2	2	11	21	28	28	28
75-79	6	13.7	241	1	1	5	27	38	39	39
80-84	1	5.0		5	5	5	5	5	5	5
85+										
GRAND TOTAL	**21**	**13.2**	**97**	**2**	**3**	**11**	**19**	**27**	**33**	**39**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	258	16.4	170	2	3	14	22	34	38	73
70-74	112	18.4	171	2	5	17	24	33	44	86
75-79	56	16.6	221	3	4	12	20	36	44	82
80-84	24	16.3	178	1	1	15	20	39	70	99+
85+	11	10.6	43	2	2	13	17	18	18	18
B. *Operated*										
65-69 YRS	2	21.5	25	18	18	21	25	25	25	25
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	349	18.3	226	3	4	14	26	40	50	93
70-74	222	18.7	220	4	5	14	26	39	48	84
75-79	101	17.6	198	3	5	14	22	39	58	99+
80-84	61	15.9	149	3	4	13	21	34	42	53
85+	20	14.6	98	1	3	14	21	29	34	36
B. *Operated*										
65-69 YRS	27	31.2	327	11	12	35	48	67	99+	99+
70-74	22	28.9	496	3	5	24	37	64	77	94
75-79	7	19.7	56	13	13	18	23	32	34	34
80-84	3	22.7	142	13	13	27	68	99+	99+	99+
85+	1	9.0		9	9	9	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	16.8	174	2	3	14	22	34	40	81
B. *Operated*	2	21.5	25	18	18	21	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	753	18.0	211	3	4	14	24	39	50	92
B. *Operated*	60	28.2	352	6	10	24	41	64	96	99+
1. SINGLE DX	463	16.8	173	2	3	15	22	34	40	81
2. MULTIPLE DX	813	18.8	228	3	4	15	25	41	53	99+
A. NOT OPERATED	1214	17.6	197	3	4	14	23	36	48	85
B. OPERATED	62	28.0	342	6	11	24	41	64	95	99+
TOTAL 65-69 YRS	636	18.1	214	3	4	15	25	38	50	94
70-74	356	19.2	226	3	5	16	26	39	49	88
75-79	164	17.3	198	3	5	14	21	36	55	97
80-84	88	16.2	155	3	4	13	22	38	49	99+
85+	32	13.1	78	2	3	14	17	24	32	36
GRAND TOTAL	**1276**	**18.1**	**209**	**3**	**4**	**15**	**24**	**38**	**50**	**94**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	775	22.3	249	4	6	19	29	44	55	75
70-74	630	21.5	217	3	5	19	30	40	49	68
75-79	358	21.9	245	3	6	18	30	46	57	99+
80-84	148	21.0	162	4	7	20	28	37	43	61
85+	60	17.5	183	2	3	14	24	40	47	53
B. *Operated*										
65-69 YRS	2	34.5	145	26	26	34	43	43	43	43
70-74	6	35.0	195	15	16	34	49	52	52	52
75-79	5	34.0	649	4	4	39	48	70	70	70
80-84	1	5.0		5	5	5	5	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1367	21.8	253	4	5	18	29	43	55	84
70-74	1243	22.3	266	4	5	19	30	45	56	90
75-79	805	22.2	280	4	5	18	30	44	56	91
80-84	416	21.7	271	4	6	17	28	46	56	80
85+	169	18.1	226	4	5	14	24	37	59	97
B. *Operated*										
65-69 YRS	123	29.4	253	9	11	27	42	52	79	99+
70-74	146	32.0	363	6	9	28	44	57	69	95
75-79	83	32.8	405	8	10	31	45	69	92	99+
80-84	46	32.3	394	8	11	31	45	73	85	99+
85+	14	30.9	231	11	13	32	43	46	60	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1971	21.7	230	3	6	19	29	42	53	75
B. *Operated*	14	32.4	348	4	5	34	43	54	66	70
2. MULTIPLE DX										
A. *Not Operated*	4000	21.9	263	4	5	18	30	44	56	87
B. *Operated*	412	31.4	336	8	11	28	44	61	79	99+
1. SINGLE DX	1985	21.8	231	3	6	19	29	42	53	75
2. MULTIPLE DX	4412	22.7	278	4	6	19	31	46	58	92
A. NOT OPERATED	5971	21.8	252	4	5	18	30	43	55	85
B. OPERATED	426	31.4	336	7	10	28	43	61	78	99+
TOTAL 65-69 YRS	2267	22.4	254	4	6	19	30	45	55	84
70-74	2025	22.8	264	4	5	20	31	45	56	85
75-79	1251	22.8	286	4	6	19	31	47	58	98
80-84	611	22.3	261	4	7	18	30	45	56	84
85+	243	18.7	223	3	5	14	26	41	51	86
GRAND TOTAL	**6397**	**22.4**	**264**	**4**	**6**	**19**	**30**	**45**	**56**	**88**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	328	18.6	219	3	4	15	24	35	49	80
70-74	218	19.1	208	3	5	16	25	38	45	77
75-79	83	21.0	238	3	4	17	28	41	56	96
80-84	33	20.3	298	3	4	14	28	52	61	65
85+	8	12.5	116	<1	1	11	18	29	33	33
B. *Operated*										
65-69 YRS	5	29.4	291	5	5	30	37	53	53	53
70-74	1	25.0		25	25	25	25	25	25	25
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	464	21.9	254	4	6	17	30	46	54	76
70-74	339	21.2	188	5	7	19	27	38	47	76
75-79	181	20.4	215	4	6	17	25	40	54	66
80-84	67	21.5	135	7	8	20	30	40	47	99+
85+	26	15.3	132	1	2	14	24	33	35	41
B. *Operated*										
65-69 YRS	57	35.5	503	9	11	32	51	76	80	99
70-74	29	33.7	406	7	10	34	45	65	95	99+
75-79	20	29.7	283	7	11	26	37	54	67	73
80-84	9	35.6	429	15	16	28	51	67	72	72
85+	2	26.5	113	19	19	26	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	670	19.1	220	3	5	16	25	36	49	81
B. *Operated*	6	28.7	236	5	7	28	32	51	53	53
2. MULTIPLE DX										
A. *Not Operated*	1077	21.2	217	4	6	18	28	41	52	76
B. *Operated*	117	33.9	423	8	11	33	47	69	79	99+
1. SINGLE DX	676	19.1	221	3	5	16	25	36	50	81
2. MULTIPLE DX	1194	22.5	251	4	7	19	30	45	58	80
A. NOT OPERATED	1747	20.4	219	4	6	17	27	39	51	78
B. OPERATED	123	33.6	413	8	11	32	46	68	79	99+
TOTAL 65-69 YRS	854	21.6	273	3	6	17	29	46	55	80
70-74	587	21.1	214	4	6	18	28	40	48	80
75-79	284	21.2	230	4	6	17	28	42	57	80
80-84	109	22.3	219	4	7	19	30	46	59	99+
85+	36	15.3	130	1	2	14	22	33	34	41
GRAND TOTAL	**1870**	**21.3**	**242**	**4**	**6**	**18**	**28**	**42**	**54**	**81**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	190	14.6	165	2	3	11	19	30	37	61
70-74	145	11.9	101	1	2	9	17	26	32	55
75-79	143	13.3	124	2	2	10	19	29	37	49
80-84	102	12.0	179	1	1	8	17	28	37	73
85+	53	9.1	65	2	2	6	13	16	21	48
B. *Operated*										
65-69 YRS	9	8.3	63	1	1	6	14	21	24	24
70-74	4	18.3	279	4	4	17	32	36	36	36
75-79	6	9.7	125	2	2	6	8	30	32	32
80-84										
85+	3	8.7	17	4	4	10	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	575	13.2	137	2	3	10	18	28	36	59
70-74	625	12.3	140	2	3	9	15	26	36	71
75-79	600	11.4	81	2	3	9	15	22	30	56
80-84	482	11.2	84	2	3	9	15	24	31	45
85+	423	10.3	89	2	3	8	13	20	30	69
B. *Operated*										
65-69 YRS	62	19.6	285	3	4	13	25	44	63	98
70-74	86	20.4	240	4	5	16	29	45	59	89
75-79	62	22.1	323	5	6	19	26	48	70	99
80-84	43	22.9	331	3	5	21	33	51	64	99+
85+	21	17.0	135	3	7	16	19	39	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	633	12.8	137	1	2	10	18	28	35	57
B. *Operated*	22	10.5	109	1	2	6	13	30	34	36
2. MULTIPLE DX										
A. *Not Operated*	2705	11.8	109	2	3	9	15	25	33	60
B. *Operated*	274	20.7	274	3	5	16	28	47	60	99+
1. SINGLE DX	655	12.7	136	1	2	10	18	28	35	57
2. MULTIPLE DX	2979	12.6	131	2	3	9	16	27	36	72
A. NOT OPERATED	3338	12.0	114	2	3	9	15	25	33	60
B. OPERATED	296	20.0	268	3	4	16	27	45	59	99+
TOTAL 65-69 YRS	836	13.9	156	2	3	10	19	29	37	71
70-74	860	13.1	149	2	3	9	17	29	38	71
75-79	811	12.6	115	2	3	9	17	26	34	64
80-84	627	12.1	124	2	3	9	16	27	33	65
85+	500	10.4	89	2	3	8	13	20	30	77
GRAND TOTAL	**3634**	**12.6**	**132**	**2**	**3**	**9**	**16**	**27**	**36**	**70**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	5.3	18	1	1	4	7	11	13	21
70-74	96	6.6	77	<1	1	4	8	14	19	53
75-79	78	6.2	54	1	1	4	6	14	22	40
80-84	36	6.8	63	<1	2	4	7	16	24	41
85+	10	4.6	17	2	2	3	4	10	16	16
B. *Operated*										
65-69 YRS	2	9.0	2	8	8	9	10	10	10	10
70-74	2	7.5	61	2	2	7	13	13	13	13
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	610	6.7	47	1	2	5	8	14	21	36
70-74	493	7.2	45	1	2	5	8	15	21	37
75-79	372	6.3	28	1	2	5	8	13	17	31
80-84	256	7.0	49	2	2	5	8	14	21	42
85+	114	5.9	27	1	1	4	7	13	18	53
B. *Operated*										
65-69 YRS	26	15.3	168	4	4	11	18	43	48	50
70-74	24	14.3	229	3	4	9	18	30	49	71
75-79	10	8.7	24	2	2	9	10	15	19	19
80-84	9	10.8	36	3	5	10	17	61	99+	99+
85+	5	14.0	78	6	6	10	23	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	6.0	47	1	1	4	7	13	18	35
B. *Operated*	5	7.4	20	2	2	8	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1845	6.8	42	1	2	5	8	14	20	35
B. *Operated*	74	13.4	146	3	4	10	17	24	47	93
1. SINGLE DX	350	6.0	47	1	1	4	7	13	18	35
2. MULTIPLE DX	1919	7.0	47	1	2	5	8	15	21	38
A. NOT OPERATED	2190	6.6	42	1	2	5	8	14	20	35
B. OPERATED	79	13.1	140	3	4	10	17	24	46	91
TOTAL 65-69 YRS	763	6.8	49	1	2	5	8	14	20	38
70-74	615	7.4	58	1	2	5	8	16	21	38
75-79	461	6.3	32	1	2	5	8	13	18	31
80-84	301	7.1	50	1	2	5	8	15	22	43
85+	129	6.1	30	1	1	4	7	14	19	42
GRAND TOTAL	**2269**	**6.9**	**47**	**1**	**2**	**5**	**8**	**14**	**21**	**38**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	310	14.4	153	2	3	11	18	31	36	63
70-74	237	15.5	177	2	3	12	21	33	43	63
75-79	153	15.0	183	2	3	11	20	31	41	67
80-84	63	12.8	142	2	3	9	17	31	41	49
85+	30	11.0	124	2	2	6	17	30	37	40
B. *Operated*										
65-69 YRS										
70-74	2	14.5	25	11	11	14	18	18	18	18
75-79										
80-84	1	22.0		22	22	22	22	22	22	22
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	890	13.0	125	2	3	10	17	27	34	59
70-74	807	12.5	131	3	3	9	16	27	38	54
75-79	605	12.0	107	3	3	9	16	25	30	54
80-84	302	11.7	92	3	4	8	15	26	34	53
85+	132	9.4	64	2	3	8	11	20	30	99+
B. *Operated*										
65-69 YRS	74	21.4	270	4	7	16	29	43	62	78
70-74	70	21.9	261	5	7	16	30	44	61	74
75-79	40	19.5	200	6	7	18	26	51	82	99+
80-84	19	16.4	61	5	7	18	23	27	29	30
85+	8	20.1	328	8	8	12	24	51	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	793	14.6	164	2	3	11	20	31	40	64
B. *Operated*	3	17.0	31	11	11	18	21	22	22	22
2. MULTIPLE DX										
A. *Not Operated*	2736	12.3	116	3	3	9	16	26	34	55
B. *Operated*	211	20.7	236	5	7	16	27	43	62	87
1. SINGLE DX	796	14.6	163	2	3	11	20	31	40	64
2. MULTIPLE DX	2947	12.9	129	3	3	9	17	28	36	62
A. NOT OPERATED	3529	12.8	128	2	3	9	17	27	36	57
B. OPERATED	214	20.6	233	5	7	16	27	43	62	86
TOTAL 65-69 YRS	1274	13.8	144	2	3	10	18	29	36	63
70-74	1116	13.7	154	2	3	10	18	30	41	60
75-79	798	13.0	129	3	4	9	17	27	34	69
80-84	385	12.2	99	3	3	9	16	27	34	50
85+	170	10.2	89	2	3	8	12	23	32	91
GRAND TOTAL	**3743**	**13.3**	**137**	**2**	**3**	**10**	**17**	**28**	**37**	**62**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	8.5	84	1	1	6	12	19	30	45
70-74	40	10.5	100	1	1	8	14	21	34	46
75-79	33	10.8	165	1	2	7	13	20	30	71
80-84	23	9.7	125	1	2	6	14	20	36	50
85+	8	8.8	23	4	4	6	13	16	16	16
B. *Operated*										
65-69 YRS	21	3.9	6	1	2	3	5	7	10	11
70-74	13	4.6	9	1	1	4	8	9	9	9
75-79	7	7.1	16	2	2	9	11	11	11	11
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	10.6	154	1	2	6	13	27	35	81
70-74	203	11.0	114	2	2	8	14	21	34	57
75-79	157	10.5	128	2	2	7	13	23	33	64
80-84	100	10.2	64	2	2	8	14	22	28	34
85+	54	11.2	89	2	2	9	14	28	32	41
B. *Operated*										
65-69 YRS	58	15.7	229	3	3	11	23	45	67	99+
70-74	27	11.3	82	2	3	9	20	27	41	99+
75-79	19	15.2	128	4	4	14	21	40	74	99+
80-84	7	14.4	50	6	6	16	21	24	24	24
85+	2	6.5	5	5	5	6	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	9.5	103	1	1	6	13	19	32	50
B. *Operated*	42	4.6	10	1	2	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	761	10.7	121	1	2	7	14	23	33	61
B. *Operated*	113	14.3	164	3	3	10	21	34	55	99+
1. SINGLE DX	233	8.6	89	1	1	6	11	18	27	50
2. MULTIPLE DX	874	11.1	128	2	2	7	14	26	34	72
A. NOT OPERATED	952	10.4	117	1	2	7	13	22	33	57
B. OPERATED	155	11.7	140	2	2	8	17	29	47	99+
TOTAL 65-69 YRS	413	10.5	148	1	2	6	13	27	36	81
70-74	283	10.6	105	1	2	8	14	22	34	59
75-79	216	10.8	131	2	2	7	14	23	33	72
80-84	131	10.3	74	2	2	8	14	22	28	39
85+	64	10.7	79	2	3	8	14	22	31	41
GRAND TOTAL	**1107**	**10.6**	**121**	**1**	**2**	**7**	**14**	**23**	**33**	**68**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	487	11.1	102	1	2	6	20	28	29	39
70-74	255	10.4	89	1	2	5	19	26	29	34
75-79	85	10.4	88	1	2	6	19	26	28	38
80-84	26	6.9	37	1	1	5	8	19	21	22
85+	15	12.2	168	1	1	7	21	34	40	42
B. *Operated*										
65-69 YRS	4	20.8	38	13	13	21	25	28	28	28
70-74	3	3.3	5	2	2	2	5	6	6	6
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2212	12.9	105	2	3	9	21	28	30	42
70-74	1259	12.4	109	2	3	8	19	28	31	45
75-79	464	11.0	75	2	3	8	16	24	28	37
80-84	133	10.4	64	2	2	8	14	21	28	33
85+	42	11.6	122	2	3	8	14	31	45	99+
B. *Operated*										
65-69 YRS	150	20.8	154	6	8	18	28	36	43	65
70-74	98	20.7	201	5	7	15	30	43	49	87
75-79	35	18.8	334	4	6	13	23	42	86	99+
80-84	11	19.8	484	<1	1	16	22	59	70	71
85+	3	27.0	67	18	18	29	33	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	868	10.7	96	1	2	6	19	27	29	36
B. *Operated*	8	11.9	108	2	2	9	21	26	28	28
2. MULTIPLE DX										
A. *Not Operated*	4110	12.4	102	2	3	9	20	28	30	42
B. *Operated*	297	20.5	199	5	7	17	28	39	49	85
1. SINGLE DX	876	10.7	96	1	2	6	19	27	29	36
2. MULTIPLE DX	4407	13.0	113	2	3	9	21	28	32	46
A. NOT OPERATED	4978	12.1	101	2	3	8	20	28	30	42
B. OPERATED	305	20.3	199	4	7	17	28	39	49	83
TOTAL 65-69 YRS	2853	13.0	111	2	3	9	21	28	31	43
70-74	1615	12.5	116	2	3	8	20	28	32	47
75-79	585	11.3	95	2	2	8	16	25	28	43
80-84	170	10.5	92	1	2	8	14	21	28	48
85+	60	12.6	138	1	2	8	21	34	42	94
GRAND TOTAL	**5283**	**12.6**	**111**	**2**	**3**	**9**	**20**	**28**	**31**	**44**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	15.7	20	11	11	16	19	20	20	20
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	12.9	58	5	6	9	21	24	26	26
70-74	6	15.7	111	4	5	14	17	33	35	35
75-79	5	16.0	111	5	5	11	25	30	30	30
80-84	1	30.0		30	30	30	30	30	30	30
85+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
65-69 YRS	5	21.8	159	9	9	15	33	39	39	39
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	14.5	19	11	11	14	18	20	20	20
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	22	14.8	87	4	5	11	21	30	32	35
B. *Operated*	5	21.8	159	9	9	15	33	39	39	39
1. SINGLE DX	4	14.5	19	11	11	14	18	20	20	20
2. MULTIPLE DX	27	16.1	102	5	5	12	23	31	36	39
A. NOT OPERATED	26	14.8	75	5	5	11	21	29	31	35
B. OPERATED	5	21.8	159	9	9	15	33	39	39	39
TOTAL 65-69 YRS	17	16.0	88	6	7	15	21	30	36	39
70-74	7	15.0	96	4	5	12	17	31	35	35
75-79	5	16.0	111	5	5	11	25	30	30	30
80-84	1	30.0		30	30	30	30	30	30	30
85+	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**31**	**15.9**	**91**	**5**	**6**	**12**	**21**	**31**	**35**	**39**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	19.6	116	5	6	24	29	32	32	32
70-74	4	16.5	94	8	8	15	24	28	28	28
75-79	3	19.3	170	9	9	15	29	34	34	34
80-84	2	6.0	2	5	5	6	7	7	7	7
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	15.9	114	2	4	12	23	30	33	44
70-74	19	14.8	84	2	3	13	24	28	28	28
75-79	11	14.4	84	1	2	14	21	27	27	27
80-84	3	14.0	79	4	4	17	20	21	21	21
85+										
B. *Operated*										
65-69 YRS										
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	17.1	108	5	5	13	26	32	33	34
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	66	15.2	95	2	3	13	22	29	30	42
B. *Operated*	1	13.0		13	13	13	13	13	13	13
1. SINGLE DX	16	17.1	108	5	5	13	26	32	33	34
2. MULTIPLE DX	67	15.2	94	2	3	13	22	29	30	42
A. NOT OPERATED	82	15.6	97	3	4	13	24	29	31	41
B. OPERATED	1	13.0		13	13	13	13	13	13	13
TOTAL 65-69 YRS	40	16.5	114	3	4	12	26	30	32	44
70-74	24	15.0	79	3	4	13	23	28	28	28
75-79	14	15.4	95	1	3	14	22	28	33	34
80-84	5	10.8	59	4	4	7	18	21	21	21
85+										
GRAND TOTAL	**83**	**15.6**	**96**	**3**	**4**	**13**	**24**	**29**	**31**	**41**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	30	4.7	56	<1	<1	2	3	21	24	25
70-74	21	4.1	18	<1	1	3	5	10	15	18
75-79	12	2.1	1	1	1	2	3	4	4	4
80-84	6	1.3	1	<1	<1	1	1	3	3	3
85+	8	4.5	29	<1	<1	3	5	14	17	17
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	5.2	31	<1	1	4	6	11	19	31
70-74	82	6.2	36	1	1	4	9	14	20	31
75-79	43	5.3	48	<1	1	3	7	11	12	44
80-84	21	8.0	54	1	1	7	11	16	27	31
85+	15	4.2	13	<1	<1	3	6	10	11	11
B. *Operated*										
65-69 YRS	7	12.7	219	1	2	9	29	83	99+	99+
70-74	6	9.7	85	1	1	7	18	22	23	23
75-79	3	8.7	134	1	1	3	17	22	22	22
80-84	3	5.7	1	5	5	5	7	7	7	7
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.9	30	<1	<1	2	3	10	20	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	274	5.7	36	<1	1	4	7	11	18	32
B. *Operated*	20	9.7	114	1	1	7	14	32	70	99+
1. SINGLE DX	77	3.9	30	<1	<1	2	3	10	20	25
2. MULTIPLE DX	294	6.0	42	1	1	4	7	12	21	40
A. NOT OPERATED	351	5.3	36	<1	1	3	6	11	19	31
B. OPERATED	20	9.7	114	1	1	7	14	32	70	99+
TOTAL 65-69 YRS	150	5.5	46	<1	1	3	6	12	22	45
70-74	109	6.0	36	1	1	4	8	14	19	28
75-79	58	4.8	43	1	1	3	6	11	13	42
80-84	30	6.5	45	<1	<1	5	8	11	24	31
85+	24	4.3	17	<1	<1	3	5	10	13	17
GRAND TOTAL	**371**	**5.5**	**40**	**<1**	**1**	**3**	**7**	**12**	**21**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	11.0	87	2	2	9	17	24	24	24
70-74	4	12.3	91	4	4	12	20	21	21	21
75-79	1	8.0		8	8	8	8	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	9.7	93	2	2	6	11	28	33	36
70-74	23	8.3	37	2	3	7	10	20	22	24
75-79	13	6.8	15	2	3	6	10	12	14	14
80-84	16	11.1	78	2	3	8	15	26	28	29
85+	12	8.6	83	1	2	5	9	24	31	32
B. *Operated*										
65-69 YRS	3	11.3	10	9	9	10	14	15	15	15
70-74	2	25.5	181	16	16	25	35	35	35	35
75-79	4	15.5	99	7	7	13	23	28	28	28
80-84	2	18.5	221	8	8	18	29	29	29	29
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	10.3	69	2	2	8	20	22	24	24
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	93	9.1	64	2	2	6	11	22	28	35
B. *Operated*	11	16.7	97	7	7	15	26	31	35	35
1. SINGLE DX	10	10.3	69	2	2	8	20	22	24	24
2. MULTIPLE DX	104	9.9	72	2	3	7	11	25	29	35
A. NOT OPERATED	103	9.2	64	2	2	6	11	22	28	34
B. OPERATED	11	16.7	97	7	7	15	26	31	35	35
TOTAL 65-69 YRS	36	10.0	83	2	2	7	11	27	32	36
70-74	29	10.1	65	2	3	8	14	21	25	35
75-79	18	8.8	42	2	3	7	11	17	24	28
80-84	19	11.4	88	2	2	8	18	28	29	29
85+	12	8.6	83	1	2	5	9	24	31	32
GRAND TOTAL	**114**	**9.9**	**71**	**2**	**2**	**7**	**11**	**24**	**29**	**35**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	43	4.9	16	1	2	4	5	9	11	25
70-74	28	4.8	8	1	1	4	7	9	9	11
75-79	24	4.8	6	2	2	4	6	8	10	10
80-84	14	6.7	20	1	2	6	8	13	18	19
85+	9	4.0	11	1	1	3	4	9	12	12
B. *Operated*										
65-69 YRS	3	9.3	4	7	7	10	11	11	11	11
70-74	2	7.0	8	5	5	7	9	9	9	9
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	189	5.4	17	1	2	5	7	10	12	31
70-74	183	5.5	13	2	2	5	7	9	13	19
75-79	189	6.7	32	2	2	5	8	13	18	29
80-84	107	5.8	16	1	2	5	7	11	14	20
85+	72	7.0	35	2	2	5	8	13	22	29
B. *Operated*										
65-69 YRS	20	11.6	89	2	3	10	13	27	35	37
70-74	21	11.5	67	3	4	8	14	25	30	31
75-79	17	11.1	45	3	3	9	16	20	24	26
80-84	4	31.5	1161	9	9	18	54	81	81	81
85+	2	11.0	32	7	7	11	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	5.0	12	1	2	4	7	9	11	21
B. *Operated*	6	7.3	11	2	2	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	740	6.0	22	1	2	5	7	11	15	27
B. *Operated*	64	12.6	139	3	3	9	15	26	32	75
1. SINGLE DX	124	5.1	12	1	2	4	7	9	11	21
2. MULTIPLE DX	804	6.5	34	2	2	5	8	12	17	30
A. NOT OPERATED	858	5.9	21	1	2	5	7	11	14	26
B. OPERATED	70	12.2	130	3	3	9	14	24	31	72
TOTAL 65-69 YRS	255	5.9	25	1	2	5	8	11	13	37
70-74	234	6.0	20	2	2	5	7	11	14	27
75-79	231	6.8	32	2	2	5	8	14	19	28
80-84	125	6.7	64	1	2	5	8	12	16	40
85+	83	6.8	33	2	2	5	8	13	22	29
GRAND TOTAL	**928**	**6.3**	**32**	**2**	**2**	**5**	**8**	**12**	**16**	**29**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	78	11.1	139	1	2	7	16	23	30	68
70-74	56	9.3	72	<1	1	7	12	24	27	34
75-79	47	10.8	131	1	1	8	15	22	32	58
80-84	28	8.6	65	1	1	5	12	22	27	32
85+	16	5.7	22	1	2	3	9	14	15	16
B. *Operated*										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	247	9.0	84	1	1	6	13	20	24	42
70-74	203	10.6	98	2	2	7	14	23	34	48
75-79	149	9.9	127	2	2	7	12	19	23	64
80-84	101	9.7	59	2	3	8	13	22	27	33
85+	63	8.7	40	2	3	8	12	19	21	27
B. *Operated*										
65-69 YRS	14	19.9	354	3	4	16	29	38	68	76
70-74	12	22.6	234	3	5	18	37	43	45	45
75-79	16	16.8	251	4	5	12	19	38	58	66
80-84	7	26.3	383	5	6	18	45	50	51	51
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	225	9.9	104	1	1	7	14	23	28	53
B. *Operated*	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	763	9.7	90	1	2	7	13	20	26	47
B. *Operated*	49	20.4	287	4	5	15	30	44	52	76
1. SINGLE DX	226	9.9	104	1	1	7	14	23	28	53
2. MULTIPLE DX	812	10.3	108	1	2	7	13	22	30	52
A. NOT OPERATED	988	9.7	93	1	2	7	13	21	27	49
B. OPERATED	50	20.2	284	4	5	14	30	44	51	76
TOTAL 65-69 YRS	340	9.9	112	1	1	6	14	22	27	64
70-74	271	10.9	104	1	2	7	14	25	35	47
75-79	212	10.6	139	2	2	7	13	20	28	65
80-84	136	10.3	88	1	2	7	13	25	30	47
85+	79	8.1	38	1	2	7	12	17	20	27
GRAND TOTAL	**1038**	**10.2**	**107**	**1**	**2**	**7**	**14**	**22**	**29**	**52**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	252	12.0	141	1	2	7	17	29	39	53
70-74	186	12.5	143	2	2	9	16	27	41	56
75-79	94	12.8	194	1	3	8	15	32	48	66
80-84	69	9.8	61	3	3	7	14	20	27	37
85+	26	9.4	77	<1	2	6	16	23	28	34
B. *Operated*										
65-69 YRS	5	12.4	148	1	1	13	19	31	31	31
70-74	2	26.5	841	6	6	26	47	47	47	47
75-79	4	10.5	22	7	7	9	14	17	17	17
80-84	2	16.0	162	7	7	16	25	25	25	25
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	746	11.4	114	2	3	8	15	26	34	52
70-74	721	12.0	113	2	3	8	15	27	35	59
75-79	579	11.2	113	2	3	8	14	23	33	53
80-84	364	12.3	148	2	3	8	15	26	40	62
85+	194	12.3	169	2	3	8	14	27	38	61
B. *Operated*										
65-69 YRS	93	16.5	266	2	3	12	21	37	73	99+
70-74	71	22.5	365	3	4	17	33	56	67	94
75-79	72	22.0	342	4	6	18	29	52	69	96
80-84	40	25.4	348	3	5	23	37	47	51	95
85+	9	23.2	332	8	9	22	26	84	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	627	11.9	138	2	3	8	16	27	39	54
B. *Operated*	14	14.4	157	1	2	11	17	33	44	47
2. MULTIPLE DX										
A. *Not Operated*	2604	11.7	123	2	3	8	15	25	35	57
B. *Operated*	285	20.8	329	3	4	16	29	50	68	99+
1. SINGLE DX	641	12.0	139	2	3	8	16	27	39	53
2. MULTIPLE DX	2889	12.6	150	2	3	8	16	29	39	68
A. NOT OPERATED	3231	11.7	126	2	3	8	15	26	35	56
B. OPERATED	299	20.5	322	3	4	15	28	49	68	99+
TOTAL 65-69 YRS	1096	12.0	135	2	3	8	15	28	36	56
70-74	980	12.9	145	2	3	9	16	29	40	67
75-79	749	12.4	154	2	3	8	15	27	40	70
80-84	475	13.1	166	3	3	8	16	30	41	62
85+	230	12.4	168	2	3	8	15	27	39	74
GRAND TOTAL	**3530**	**12.5**	**148**	**2**	**3**	**8**	**16**	**28**	**39**	**66**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	4.0		4	4	4	4	4	4	4
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	12	10.8	111	1	2	7	14	31	32	32
70-74	10	6.8	19	3	3	6	7	14	15	15
75-79	5	14.2	74	5	5	16	20	25	25	25
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	9.0		9	9	9	9	9	9	9
75-79	1	17.0		17	17	17	17	17	17	17
80-84										
85+	1	40.0		40	40	40	40	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	28	9.8	70	2	3	6	14	23	31	32
B. *Operated*	4	18.0	237	6	6	13	28	40	40	40
1. SINGLE DX	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX	32	10.8	92	3	3	7	15	27	32	40
A. NOT OPERATED	30	9.3	69	1	3	6	14	22	31	32
B. OPERATED	4	18.0	237	6	6	13	28	40	40	40
TOTAL 65-69 YRS	13	10.5	104	1	2	6	12	31	32	32
70-74	11	7.0	17	3	3	6	9	14	15	15
75-79	7	13.1	66	4	4	16	18	24	25	25
80-84	2	3.5	13	1	1	3	6	6	6	6
85+	1	40.0		40	40	40	40	40	40	40
GRAND TOTAL	**34**	**10.4**	**90**	**2**	**3**	**6**	**15**	**26**	**32**	**40**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	13.2	59	1	2	13	17	20	28	32
70-74	16	11.5	55	2	3	11	17	20	24	26
75-79	4	11.0	33	4	4	11	15	17	17	17
80-84	8	16.0	137	3	4	15	17	35	42	42
85+	6	13.3	20	6	6	14	16	19	19	19
B. *Operated*										
65-69 YRS	23	25.0	513	1	2	15	49	61	63	65
70-74	6	13.2	102	4	4	10	12	31	33	33
75-79	4	33.5	107	24	24	31	40	48	48	48
80-84	1	15.0		15	15	15	15	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	24.0	370	3	5	18	30	55	60	89
70-74	56	14.8	113	2	3	13	20	33	38	41
75-79	47	19.1	119	4	6	18	25	36	41	44
80-84	29	21.7	226	7	8	18	25	47	59	64
85+	12	23.4	165	6	9	20	34	42	44	44
B. *Operated*										
65-69 YRS	78	26.9	347	4	5	24	39	57	72	99+
70-74	51	34.0	533	3	9	27	49	70	77	86
75-79	14	33.7	473	4	8	38	66	99+	99+	99+
80-84	8	48.1	582	15	17	56	79	99+	99+	99+
85+	5	31.8	170	20	20	27	44	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	12.9	61	2	3	14	17	20	26	42
B. *Operated*	34	23.6	402	1	3	15	35	56	62	65
2. MULTIPLE DX										
A. *Not Operated*	213	20.2	226	3	6	16	26	40	53	71
B. *Operated*	156	31.1	442	4	7	28	47	72	83	99+
1. SINGLE DX	84	17.3	224	2	3	14	19	42	54	64
2. MULTIPLE DX	369	24.8	345	4	6	20	34	57	72	99+
A. NOT OPERATED	263	18.8	202	3	4	15	24	37	48	67
B. OPERATED	190	29.7	441	3	5	27	46	69	80	99+
TOTAL 65-69 YRS	186	24.4	360	3	4	19	33	57	65	96
70-74	129	21.9	364	2	4	16	29	49	69	82
75-79	69	22.4	226	4	6	20	32	48	74	99+
80-84	46	25.2	371	6	8	18	34	65	81	99+
85+	23	22.6	161	6	9	19	33	42	46	49
GRAND TOTAL	**453**	**23.4**	**331**	**3**	**5**	**18**	**32**	**55**	**67**	**99+**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	191	10.7	70	3	3	9	14	21	25	36
70-74	221	10.8	78	2	3	9	14	20	24	38
75-79	209	11.3	93	2	3	9	14	21	32	50
80-84	107	11.4	67	4	4	9	15	22	26	45
85+	41	7.3	27	1	2	6	11	16	17	20
B. *Operated*										
65-69 YRS	12	23.7	474	6	9	15	23	62	77	80
70-74	12	15.6	247	2	3	13	22	35	55	58
75-79	9	23.8	582	4	5	16	30	64	80	80
80-84	4	10.3	24	4	4	10	13	16	16	16
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	774	12.5	100	3	4	10	16	25	34	59
70-74	1189	12.8	110	3	4	10	16	26	35	65
75-79	1249	13.2	117	3	4	10	16	27	34	67
80-84	767	13.8	135	3	4	11	17	28	41	99+
85+	352	13.0	118	3	4	10	17	29	37	99+
B. *Operated*										
65-69 YRS	123	20.1	196	5	6	19	31	42	59	99+
70-74	165	20.0	191	5	7	18	27	41	55	99+
75-79	150	23.0	287	6	8	18	29	52	76	99+
80-84	102	20.2	226	4	6	16	28	44	62	99+
85+	33	22.7	320	6	6	19	30	51	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	10.8	76	2	3	9	14	21	25	45
B. *Operated*	37	19.6	377	3	4	13	22	52	72	80
2. MULTIPLE DX										
A. *Not Operated*	4331	13.1	115	3	4	10	16	27	36	73
B. *Operated*	573	21.0	231	5	6	18	28	45	64	99+
1. SINGLE DX	806	11.2	93	2	3	9	14	21	27	51
2. MULTIPLE DX	4904	14.0	135	3	4	11	18	29	40	99+
A. NOT OPERATED	5100	12.7	110	3	4	10	16	26	35	68
B. OPERATED	610	20.9	239	5	6	17	28	45	64	99+
TOTAL 65-69 YRS	1100	13.1	117	3	4	10	17	27	36	68
70-74	1587	13.3	120	3	4	10	17	28	37	88
75-79	1617	13.9	141	3	4	11	17	29	37	77
80-84	980	14.2	141	3	4	11	17	29	43	99+
85+	426	13.2	135	3	4	10	17	29	43	99+
GRAND TOTAL	**5710**	**13.6**	**130**	**3**	**4**	**10**	**17**	**28**	**38**	**85**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	10.5	41	2	2	10	15	17	21	29
70-74	12	6.3	19	2	2	5	9	13	15	15
75-79	4	10.8	49	4	4	12	40	99+	99+	99+
80-84	1	7.0		7	7	7	7	7	7	7
85+										
B. *Operated*										
65-69 YRS	5	11.6	163	2	2	6	20	32	32	32
70-74	1	11.0		11	11	11	11	11	11	11
75-79	1	30.0		30	30	30	30	30	30	30
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	132	13.4	156	3	4	10	17	30	44	99+
70-74	50	13.2	125	3	4	9	18	32	40	45
75-79	17	18.1	239	6	7	12	20	40	57	65
80-84	10	13.3	23	6	7	14	16	19	22	22
85+	4	14.5	34	10	10	12	18	23	23	23
B. *Operated*										
65-69 YRS	48	14.5	188	2	4	11	20	31	84	99+
70-74	24	17.8	194	3	4	15	24	45	48	49
75-79	5	17.6	104	7	7	13	28	29	29	29
80-84	2	26.0	1058	3	3	49	87	99+	99+	99+
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	9.5	38	2	2	9	14	18	21	97
B. *Operated*	7	14.1	157	2	2	11	26	32	32	32
2. MULTIPLE DX										
A. *Not Operated*	213	13.7	146	3	4	10	17	31	43	99+
B. *Operated*	79	16.0	195	2	4	14	22	46	63	99+
1. SINGLE DX	60	10.1	52	2	2	9	14	20	29	92
2. MULTIPLE DX	292	14.3	160	3	4	11	18	32	47	99+
A. NOT OPERATED	266	12.9	127	2	4	10	16	28	42	99+
B. OPERATED	86	15.9	190	2	3	14	22	41	51	99+
TOTAL 65-69 YRS	221	13.1	144	2	4	10	17	29	43	99+
70-74	87	13.5	138	2	3	10	17	32	43	49
75-79	27	17.3	182	6	7	12	24	39	68	99+
80-84	13	14.8	133	4	6	14	16	54	90	99+
85+	4	14.5	34	10	10	12	18	23	23	23
GRAND TOTAL	**352**	**13.6**	**144**	**2**	**4**	**10**	**17**	**30**	**44**	**99+**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	133	4.8	12	1	2	4	6	9	12	20
70-74	110	4.3	9	1	1	3	5	8	10	16
75-79	82	4.5	12	1	2	3	6	9	11	20
80-84	50	6.3	33	1	2	4	7	15	20	26
85+	27	4.3	12	1	1	3	6	8	11	16
B. *Operated*										
65-69 YRS	3	7.3	17	4	4	6	10	12	12	12
70-74	5	2.6	3	1	1	2	4	5	5	5
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	686	7.6	58	1	2	5	9	16	22	39
70-74	656	8.2	75	2	2	6	10	16	23	46
75-79	543	8.2	49	2	2	6	10	16	22	40
80-84	309	9.4	94	2	3	7	11	19	25	52
85+	220	9.1	75	2	3	6	11	19	26	46
B. *Operated*										
65-69 YRS	71	16.1	206	3	5	12	22	32	50	77
70-74	70	15.7	176	3	4	12	22	39	58	99+
75-79	42	17.2	193	4	5	13	22	38	54	56
80-84	25	19.1	244	4	6	14	27	48	74	99+
85+	17	20.5	348	6	7	17	23	37	68	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	402	4.7	14	1	1	4	6	9	12	21
B. *Operated*	9	4.9	14	1	1	4	7	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	2414	8.3	67	2	2	6	10	16	23	44
B. *Operated*	225	16.9	207	3	5	13	22	37	54	99+
1. SINGLE DX	411	4.7	14	1	1	4	6	9	12	21
2. MULTIPLE DX	2639	9.0	85	2	2	6	11	19	26	54
A. NOT OPERATED	2816	7.8	61	1	2	6	9	15	21	42
B. OPERATED	234	16.4	205	3	4	13	22	36	53	99+
TOTAL 65-69 YRS	893	7.9	69	1	2	5	9	16	23	45
70-74	841	8.3	81	1	2	6	10	17	23	59
75-79	668	8.3	60	2	2	6	10	17	23	46
80-84	384	9.7	103	2	2	7	12	19	27	63
85+	264	9.4	96	2	2	6	11	20	29	48
GRAND TOTAL	**3050**	**8.4**	**77**	**2**	**2**	**6**	**10**	**18**	**24**	**50**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	343	8.4	63	2	2	7	10	17	25	38
70-74	311	9.4	87	2	2	7	11	18	24	49
75-79	285	8.8	69	1	2	7	11	18	24	47
80-84	155	8.7	57	2	3	7	10	17	22	41
85+	113	9.5	75	2	3	7	13	18	29	76
B. *Operated*										
65-69 YRS	216	10.1	103	1	2	7	14	23	29	61
70-74	191	9.7	101	2	2	7	12	19	28	42
75-79	138	10.9	118	2	2	7	15	23	36	49
80-84	59	11.4	118	2	3	8	13	26	36	53
85+	40	10.0	70	1	2	8	14	19	29	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1568	12.6	158	2	3	9	15	27	39	80
70-74	1848	12.7	157	2	3	9	16	29	41	90
75-79	1846	13.0	141	3	3	9	16	27	38	77
80-84	1367	13.3	147	3	4	10	17	28	42	78
85+	1034	13.9	172	3	4	10	17	30	44	89
B. *Operated*										
65-69 YRS	816	17.3	270	2	3	13	23	41	65	99+
70-74	782	18.0	287	2	3	13	24	42	63	99+
75-79	699	19.5	270	3	4	15	26	45	60	99+
80-84	402	17.9	235	3	4	14	24	40	53	99+
85+	246	17.3	200	3	4	14	24	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1207	8.9	71	2	2	7	11	18	24	48
B. *Operated*	644	10.3	105	2	2	7	14	23	31	49
2. MULTIPLE DX										
A. *Not Operated*	7663	13.0	154	3	3	9	16	28	41	81
B. *Operated*	2945	18.1	264	3	4	14	24	42	60	99+
1. SINGLE DX	1851	9.4	83	2	2	7	12	19	27	48
2. MULTIPLE DX	10608	14.4	189	3	3	10	18	33	46	99
A. NOT OPERATED	8870	12.5	145	2	3	9	15	27	38	77
B. OPERATED	3589	16.7	244	2	3	12	23	40	55	99+
TOTAL 65-69 YRS	2943	13.2	182	2	3	9	17	30	44	87
70-74	3132	13.5	187	2	3	9	17	31	44	96
75-79	2968	14.0	174	2	3	10	18	30	44	88
80-84	1983	13.8	163	3	4	10	18	29	43	85
85+	1433	14.1	170	3	4	10	17	30	44	99+
GRAND TOTAL	**12459**	**13.7**	**177**	**2**	**3**	**10**	**17**	**30**	**44**	**91**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	63	4.3	13	1	1	3	6	8	12	18
70-74	38	5.1	10	1	2	4	7	10	12	13
75-79	11	4.5	5	2	2	4	6	8	8	8
80-84	11	9.5	488	1	1	3	4	33	72	76
85+	7	2.4	1	1	1	2	3	4	4	4
B. *Operated*										
65-69 YRS	12	6.0	28	1	1	5	8	13	19	20
70-74	4	6.5	8	4	4	6	9	9	9	9
75-79	3	6.0	21	2	2	5	9	11	11	11
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	169	5.9	22	2	2	5	8	11	16	24
70-74	104	5.6	16	2	2	4	7	11	14	19
75-79	65	5.7	20	1	2	5	7	10	12	28
80-84	35	7.5	44	1	2	5	9	15	20	35
85+	18	6.7	8	2	3	6	8	11	12	13
B. *Operated*										
65-69 YRS	27	6.7	25	2	2	5	8	13	17	23
70-74	18	6.6	20	2	2	5	9	14	15	16
75-79	16	9.7	76	2	2	8	12	21	31	35
80-84	3	5.7	16	2	2	5	9	10	10	10
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	4.9	49	1	1	4	6	8	12	30
B. *Operated*	19	6.1	21	1	2	5	9	11	16	20
2. MULTIPLE DX										
A. *Not Operated*	391	6.0	21	1	2	5	8	11	14	23
B. *Operated*	64	7.4	36	2	2	6	10	14	18	33
1. SINGLE DX	149	5.0	46	1	1	4	6	9	12	21
2. MULTIPLE DX	455	6.2	24	2	2	5	8	12	15	24
A. NOT OPERATED	521	5.7	28	1	2	4	7	11	14	23
B. OPERATED	83	7.1	33	2	2	6	9	13	18	31
TOTAL 65-69 YRS	271	5.6	21	1	2	4	7	11	15	23
70-74	164	5.7	15	2	2	4	8	11	13	19
75-79	95	6.2	29	1	2	5	8	11	14	33
80-84	49	7.8	134	1	1	4	9	14	22	76
85+	25	5.5	10	1	2	5	7	10	11	13
GRAND TOTAL	**604**	**5.9**	**29**	**1**	**2**	**4**	**8**	**11**	**14**	**23**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	6	1	1	4	7	7	7	7
70-74	8	2.8	4	<1	<1	2	4	6	7	7
75-79	5	3.0	6	<1	<1	2	4	7	7	7
80-84	1	2.0		2	2	2	2	2	2	2
85+	4	3.8	5	1	1	4	5	6	6	6
B. *Operated*										
65-69 YRS	977	2.4	4	<1	1	2	3	4	5	10
70-74	727	2.4	3	<1	1	2	3	4	5	10
75-79	545	2.6	4	1	1	2	3	4	5	10
80-84	304	2.6	3	1	1	2	3	4	5	10
85+	185	2.7	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.6	13	1	1	3	6	10	13	15
70-74	50	5.4	18	1	2	4	7	10	15	22
75-79	27	4.6	14	<1	<1	4	6	10	13	16
80-84	20	6.3	32	<1	1	4	7	15	19	22
85+	6	8.0	75	1	1	5	12	22	23	23
B. *Operated*										
65-69 YRS	689	3.7	11	1	1	3	4	8	11	17
70-74	634	4.1	18	1	1	3	4	9	12	22
75-79	461	4.2	16	1	1	3	5	9	13	22
80-84	245	4.9	37	1	2	3	5	10	14	35
85+	124	4.9	23	1	2	3	5	11	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.4	5	<1	1	3	5	7	7	7
B. *Operated*	2708	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	132	5.3	20	1	1	4	6	11	15	22
B. *Operated*	2153	4.1	18	1	1	3	5	9	12	21
1. SINGLE DX	2733	2.5	3	<1	1	2	3	4	5	10
2. MULTIPLE DX	2285	4.2	18	1	1	3	5	9	12	21
A. NOT OPERATED	157	5.0	18	1	1	4	6	10	14	22
B. OPERATED	4861	3.2	10	1	1	2	3	6	9	17
TOTAL 65-69 YRS	1702	3.0	7	<1	1	2	3	5	8	15
70-74	1419	3.3	11	1	1	2	3	6	10	16
75-79	1038	3.3	10	1	1	2	4	6	9	17
80-84	570	3.7	20	1	1	2	4	7	11	22
85+	289	3.7	14	1	1	2	4	7	12	21
GRAND TOTAL	**5018**	**3.3**	**11**	**1**	**1**	**2**	**3**	**6**	**9**	**17**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	251	7.3	60	1	2	5	8	15	22	47
70-74	238	6.8	66	1	1	5	8	14	20	31
75-79	164	7.2	39	1	2	5	9	15	21	31
80-84	87	6.6	33	2	2	5	8	13	19	31
85+	58	7.8	34	1	2	6	11	15	21	25
B. *Operated*										
65-69 YRS	607	4.0	16	1	1	3	4	8	11	21
70-74	423	4.5	21	1	1	3	5	10	13	28
75-79	212	5.3	39	1	2	3	6	10	14	33
80-84	102	6.4	52	2	2	4	7	12	20	43
85+	55	4.4	13	1	1	3	6	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	967	9.2	87	2	3	7	11	17	22	54
70-74	854	9.4	64	2	3	7	12	19	25	48
75-79	705	9.5	83	2	3	7	11	18	25	54
80-84	464	10.4	115	2	3	8	13	20	24	77
85+	274	10.6	123	2	3	8	13	20	28	73
B. *Operated*										
65-69 YRS	639	9.8	119	2	2	6	12	26	36	99+
70-74	528	11.3	157	2	2	7	15	30	45	99+
75-79	352	13.4	185	2	2	9	18	32	42	99+
80-84	151	12.1	176	2	2	8	15	26	37	74
85+	82	14.9	195	2	3	11	21	33	47	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	798	7.1	53	1	2	5	9	15	20	36
B. *Operated*	1399	4.5	24	1	1	3	5	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	3264	9.6	87	2	3	7	12	18	25	54
B. *Operated*	1752	11.4	154	2	2	8	15	28	41	99+
1. SINGLE DX	2197	5.5	36	1	2	3	7	11	16	30
2. MULTIPLE DX	5016	10.3	111	2	3	7	13	21	30	85
A. NOT OPERATED	4062	9.1	81	2	2	7	11	18	24	50
B. OPERATED	3151	8.4	108	1	2	5	10	20	31	99+
TOTAL 65-69 YRS	2464	7.9	80	2	2	5	10	17	25	66
70-74	2043	8.6	85	1	2	6	11	19	26	72
75-79	1433	9.6	104	2	2	7	12	21	29	59
80-84	804	9.8	113	2	2	7	12	20	26	72
85+	469	10.3	120	2	2	8	13	21	28	73
GRAND TOTAL	**7213**	**8.8**	**93**	**2**	**2**	**6**	**11**	**19**	**26**	**68**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	6.5	1	6	6	6	7	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79	3	4.3	8	1	1	6	6	6	6	6
80-84										
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	684	4.9	8	2	2	4	6	8	10	16
70-74	489	4.9	7	2	2	4	6	8	10	16
75-79	282	5.1	7	2	3	5	6	8	10	14
80-84	140	5.3	9	2	2	5	6	9	13	17
85+	59	4.9	5	3	3	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	4.8	12	1	1	5	6	11	12	13
70-74	7	2.4	5	<1	<1	1	3	6	7	7
75-79	10	3.9	14	<1	<1	3	4	9	14	14
80-84	7	7.3	87	<1	<1	3	9	24	27	27
85+	3	5.0	37	1	1	2	9	12	12	12
B. *Operated*										
65-69 YRS	659	5.6	12	2	2	5	7	10	11	18
70-74	523	5.4	9	2	2	5	7	9	11	15
75-79	346	5.9	14	2	3	5	7	10	13	20
80-84	176	6.3	19	2	3	5	8	12	15	22
85+	62	6.3	10	2	3	6	8	10	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	7	1	1	6	6	7	7	7
B. *Operated*	1654	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	43	4.6	24	<1	<1	3	5	11	13	27
B. *Operated*	1766	5.7	12	2	2	5	7	10	12	18
1. SINGLE DX	1661	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX	1809	5.7	12	2	2	5	7	10	12	19
A. NOT OPERATED	50	4.6	21	<1	<1	3	6	10	13	27
B. OPERATED	3420	5.4	10	2	2	5	7	9	11	17
TOTAL 65-69 YRS	1361	5.2	10	2	2	5	6	9	11	17
70-74	1020	5.2	8	2	2	5	6	9	10	16
75-79	641	5.5	11	2	3	5	7	9	11	18
80-84	323	5.9	16	2	2	5	7	11	14	22
85+	125	5.6	8	2	3	5	7	9	12	16
GRAND TOTAL	**3470**	**5.3**	**10**	**2**	**2**	**5**	**7**	**9**	**11**	**17**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	2.3	3	1	1	2	2	4	6	11
70-74	27	2.3	2	<1	1	2	3	5	5	6
75-79	26	1.7	1	<1	1	1	2	3	4	4
80-84	12	2.5	2	1	1	2	3	4	5	5
85+	13	2.1	2	1	1	2	3	4	5	5
B. *Operated*										
65-69 YRS	387	2.9	5	1	1	2	3	5	6	10
70-74	372	3.1	4	1	1	3	4	5	7	12
75-79	286	3.7	9	1	2	3	4	7	9	14
80-84	160	3.9	11	1	1	3	5	7	10	20
85+	79	3.6	12	1	1	2	5	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	3.6	6	1	1	3	5	6	8	13
70-74	43	4.3	21	1	1	2	5	8	13	25
75-79	35	4.3	8	1	1	4	5	7	12	13
80-84	25	3.2	4	<1	1	3	4	5	8	8
85+	23	5.9	89	1	2	3	5	9	26	47
B. *Operated*										
65-69 YRS	273	4.1	11	1	2	3	5	8	10	17
70-74	293	4.6	18	1	2	3	5	9	13	17
75-79	306	5.1	22	1	2	4	6	10	14	26
80-84	200	4.8	17	2	2	3	6	10	13	22
85+	137	5.2	26	1	2	4	6	10	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	2.2	2	1	1	2	3	4	5	8
B. *Operated*	1284	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	161	4.2	22	1	1	3	5	7	10	24
B. *Operated*	1209	4.7	18	1	2	3	6	9	13	23
1. SINGLE DX	1398	3.2	7	1	1	2	4	6	7	13
2. MULTIPLE DX	1370	4.7	19	1	2	3	5	9	13	23
A. NOT OPERATED	275	3.4	15	1	1	2	4	6	8	17
B. OPERATED	2493	4.0	13	1	2	3	5	8	10	19
TOTAL 65-69 YRS	731	3.3	7	1	1	3	4	6	8	13
70-74	735	3.7	11	1	1	3	4	7	9	16
75-79	653	4.3	16	1	1	3	5	8	12	22
80-84	397	4.3	14	1	2	3	5	8	12	22
85+	252	4.6	27	1	1	3	5	8	11	30
GRAND TOTAL	**2768**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	2.6	6	<1	1	2	3	6	8	10
70-74	15	1.9	2	<1	1	1	3	4	5	5
75-79	12	2.7	8	1	1	2	3	6	10	11
80-84	11	2.6	4	<1	<1	2	4	6	7	7
85+	6	5.0	15	1	1	4	9	10	10	10
B. *Operated*										
65-69 YRS	205	3.0	5	1	1	2	3	5	8	13
70-74	206	3.3	9	1	1	3	4	5	9	17
75-79	178	3.3	8	1	1	3	4	6	8	19
80-84	102	3.5	12	1	1	3	4	6	10	21
85+	43	3.8	11	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.8	16	1	1	4	6	9	12	21
70-74	29	4.0	10	<1	1	3	5	7	12	14
75-79	45	6.5	43	1	1	5	7	19	21	31
80-84	34	4.9	18	1	1	4	6	13	18	99+
85+	19	7.5	44	1	1	6	10	23	63	99+
B. *Operated*										
65-69 YRS	189	4.6	18	2	2	3	6	9	11	24
70-74	214	4.9	62	1	1	3	5	8	14	42
75-79	204	4.4	15	1	2	3	5	8	12	19
80-84	125	4.4	13	2	2	3	5	9	12	18
85+	95	5.1	27	1	2	4	6	9	12	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	2.7	6	<1	1	2	4	6	9	11
B. *Operated*	734	3.3	8	1	1	2	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*	156	5.5	27	1	1	4	6	13	20	94
B. *Operated*	827	4.7	29	1	2	3	5	9	12	24
1. SINGLE DX	796	3.2	8	1	1	2	4	6	9	16
2. MULTIPLE DX	983	4.8	28	1	2	3	5	9	13	29
A. NOT OPERATED	218	4.7	23	1	1	3	6	11	16	52
B. OPERATED	1561	4.0	19	1	1	3	4	8	11	21
TOTAL 65-69 YRS	441	3.8	12	1	1	3	4	8	10	18
70-74	464	4.0	34	1	1	3	4	7	11	23
75-79	439	4.1	16	1	1	3	5	8	11	21
80-84	272	4.0	13	1	1	3	5	8	12	22
85+	163	5.0	25	1	2	4	6	10	14	40
GRAND TOTAL	**1779**	**4.1**	**20**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	40	2.2	2	<1	1	2	3	4	5	7
70-74	41	2.1	1	<1	1	2	3	3	5	6
75-79	48	2.5	5	<1	1	2	3	5	7	13
80-84	43	2.4	3	<1	1	2	3	4	5	9
85+	24	2.2	3	<1	<1	1	3	4	6	10
B. *Operated*										
65-69 YRS	12547	2.5	1	1	2	2	3	4	4	6
70-74	15569	2.5	2	1	2	2	3	4	4	7
75-79	15386	2.6	2	1	2	2	3	4	4	7
80-84	10844	2.6	2	1	2	2	3	4	4	8
85+	7104	2.7	2	2	2	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	270	2.7	17	<1	<1	1	3	5	9	20
70-74	377	2.6	10	<1	<1	1	3	6	8	18
75-79	361	3.1	26	<1	1	2	3	6	9	25
80-84	314	3.6	36	<1	1	2	3	8	11	30
85+	222	3.2	13	<1	1	2	3	8	10	18
B. *Operated*										
65-69 YRS	9613	3.1	7	2	2	3	3	5	7	14
70-74	12311	3.2	8	2	2	3	3	5	7	14
75-79	12791	3.2	7	2	2	3	3	5	7	14
80-84	9891	3.4	11	2	2	3	4	5	8	16
85+	6674	3.7	14	2	2	3	4	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	196	2.3	3	<1	1	2	3	4	5	10
B. *Operated*	61450	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	1544	3.0	21	<1	1	2	3	7	9	20
B. *Operated*	51280	3.3	9	2	2	3	3	5	7	15
1. SINGLE DX	61646	2.6	2	1	2	2	3	4	4	7
2. MULTIPLE DX	52824	3.3	9	2	2	3	3	5	7	15
A. NOT OPERATED	1740	2.9	19	<1	1	2	3	6	9	19
B. OPERATED	112730	2.9	5	1	2	2	3	4	5	11
TOTAL 65-69 YRS	22470	2.8	4	1	2	2	3	4	5	10
70-74	28298	2.8	5	1	2	2	3	4	5	11
75-79	28586	2.9	4	1	2	2	3	4	5	11
80-84	21092	3.0	7	1	2	2	3	4	6	13
85+	14024	3.2	8	2	2	3	3	5	7	14
GRAND TOTAL	**114470**	**2.9**	**5**	**1**	**2**	**2**	**3**	**4**	**6**	**12**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	198	2.2	2	<1	<1	2	3	3	4	7
70-74	199	2.1	1	<1	1	2	2	3	4	6
75-79	197	2.0	1	<1	<1	2	3	3	3	5
80-84	132	2.1	1	<1	1	2	2	3	4	6
85+	86	2.3	2	<1	<1	2	3	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	3.5	30	<1	<1	2	3	13	17	17
70-74	4	3.8	24	<1	<1	1	6	11	11	11
75-79	3	4.0	7	1	1	5	6	6	6	6
80-84	4	2.3	2	1	1	2	3	4	4	4
85+	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*										
65-69 YRS	183	3.0	3	1	2	2	3	5	6	12
70-74	179	2.9	4	1	2	2	3	5	6	12
75-79	196	3.1	4	1	2	2	3	5	7	14
80-84	139	3.1	4	<1	1	2	4	6	8	11
85+	92	3.2	4	1	1	3	4	5	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	2	1	1	2	3	4	4	4
B. *Operated*	812	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	25	3.2	13	<1	1	2	4	6	12	17
B. *Operated*	789	3.0	4	1	2	2	3	5	7	12
1. SINGLE DX	817	2.1	1	<1	1	2	3	3	4	6
2. MULTIPLE DX	814	3.0	4	1	2	2	3	5	7	12
A. NOT OPERATED	30	3.0	11	<1	1	2	4	6	11	17
B. OPERATED	1601	2.6	3	<1	1	2	3	4	5	10
TOTAL 65-69 YRS	390	2.6	3	<1	1	2	3	4	5	12
70-74	383	2.5	2	1	1	2	3	4	5	11
75-79	397	2.6	3	<1	1	2	3	4	5	10
80-84	276	2.6	3	<1	1	2	3	4	6	10
85+	185	2.8	3	<1	1	2	3	5	6	10
GRAND TOTAL	**1631**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	5.3	7	2	2	5	6	9	10	12
70-74	8	4.6	5	<1	1	4	6	8	8	8
75-79	9	3.8	3	<1	1	4	5	6	6	6
80-84	8	3.0	3	1	1	3	4	6	7	7
85+	6	5.2	8	3	3	4	7	10	10	10
B. *Operated*										
65-69 YRS	77	2.3	2	1	1	2	2	3	5	10
70-74	55	2.5	5	<1	1	2	2	4	8	13
75-79	39	2.1	1	<1	1	2	2	3	4	6
80-84	17	2.4	2	1	2	2	2	5	6	6
85+	10	2.2	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	6.0	18	1	2	5	7	12	13	24
70-74	66	6.4	21	2	2	5	9	11	13	28
75-79	53	5.8	24	1	1	4	8	10	16	28
80-84	15	5.7	22	2	2	5	7	8	18	21
85+	13	5.1	4	2	3	6	7	7	8	8
B. *Operated*										
65-69 YRS	77	3.4	7	2	2	2	4	7	10	14
70-74	65	6.0	67	1	2	3	6	17	19	45
75-79	42	4.9	14	2	2	3	7	10	14	15
80-84	18	7.8	217	1	2	2	3	32	49	54
85+	8	2.9	3	2	2	2	3	6	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.6	6	1	2	4	6	9	9	12
B. *Operated*	198	2.3	3	1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	216	6.0	19	1	2	5	8	11	13	27
B. *Operated*	210	4.8	46	2	2	2	5	10	15	43
1. SINGLE DX	252	2.8	4	1	1	2	3	5	7	10
2. MULTIPLE DX	426	5.4	33	1	2	4	7	10	14	33
A. NOT OPERATED	270	5.7	17	1	2	5	7	10	13	25
B. OPERATED	408	3.6	26	1	1	2	3	7	10	29
TOTAL 65-69 YRS	246	4.0	11	1	2	3	5	9	11	14
70-74	194	5.1	34	1	1	3	7	10	15	35
75-79	143	4.4	15	1	1	3	6	9	12	18
80-84	83	5.0	76	1	2	2	5	8	17	53
85+	37	3.8	5	1	2	3	6	7	8	10
GRAND TOTAL	**678**	**4.4**	**24**	**1**	**2**	**3**	**5**	**9**	**12**	**25**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	4.5	15	<1	1	4	6	10	13	20
70-74	55	5.0	15	<1	1	4	6	9	12	19
75-79	60	5.0	26	<1	<1	4	6	10	16	28
80-84	34	5.9	20	1	2	5	8	15	15	16
85+	35	6.9	37	1	2	5	8	12	22	30
B. *Operated*										
65-69 YRS	662	2.3	2	<1	1	2	3	4	5	8
70-74	736	2.5	4	<1	1	2	3	4	6	10
75-79	649	2.5	3	<1	1	2	3	4	5	8
80-84	445	2.6	4	<1	1	2	3	5	6	9
85+	275	2.9	5	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	95	5.8	31	1	1	4	7	14	16	29
70-74	115	6.1	25	1	1	5	8	12	17	22
75-79	106	5.9	25	<1	1	4	7	14	16	23
80-84	77	7.1	36	1	2	6	9	13	19	33
85+	91	7.7	53	1	1	6	11	16	21	76
B. *Operated*										
65-69 YRS	803	3.3	9	1	1	2	4	6	8	17
70-74	833	3.4	10	1	1	2	4	6	8	18
75-79	794	3.6	10	1	1	3	4	7	10	17
80-84	540	3.9	25	1	1	3	4	7	10	34
85+	439	4.4	28	1	1	3	5	8	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	5.3	22	<1	1	4	6	11	15	25
B. *Operated*	2767	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	484	6.5	33	1	1	5	8	14	17	32
B. *Operated*	3409	3.6	14	1	1	3	4	7	9	18
1. SINGLE DX	3001	2.7	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	3893	4.0	18	1	1	3	5	8	12	21
A. NOT OPERATED	718	6.1	30	<1	1	5	8	13	17	30
B. OPERATED	6176	3.1	10	1	1	2	4	6	7	16
TOTAL 65-69 YRS	1610	3.1	8	1	1	2	3	5	7	16
70-74	1739	3.3	9	<1	1	2	4	6	8	18
75-79	1609	3.4	9	1	1	2	4	6	9	17
80-84	1096	3.7	18	1	1	2	4	7	9	22
85+	840	4.3	26	1	1	3	5	9	13	28
GRAND TOTAL	**6894**	**3.4**	**13**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	3.9	6	1	1	3	5	7	9	12
70-74	66	5.7	13	1	2	5	7	10	13	17
75-79	63	4.1	6	1	2	4	6	8	9	10
80-84	58	4.5	13	1	1	3	5	9	14	17
85+	29	6.2	37	1	1	4	7	17	20	23
B. *Operated*										
65-69 YRS	764	2.7	3	1	1	2	3	4	6	11
70-74	889	2.7	3	1	1	2	3	4	6	12
75-79	781	2.6	4	1	1	2	3	4	5	11
80-84	502	2.7	3	1	1	2	3	4	6	11
85+	262	2.9	4	1	1	2	3	5	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	204	6.7	35	1	2	5	8	12	16	40
70-74	197	6.1	38	1	1	5	7	12	15	36
75-79	162	5.9	24	1	2	5	8	11	15	24
80-84	122	6.0	16	1	1	5	8	13	14	17
85+	87	6.9	28	1	1	6	11	14	18	23
B. *Operated*										
65-69 YRS	830	4.2	16	1	2	3	5	9	12	22
70-74	921	4.2	19	1	2	3	5	8	12	23
75-79	881	4.5	37	1	2	3	5	9	13	34
80-84	522	4.0	15	1	2	3	4	8	11	24
85+	321	4.4	30	1	2	3	4	9	13	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	309	4.7	12	1	1	4	6	9	11	18
B. *Operated*	3198	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	772	6.3	32	1	2	5	8	13	15	25
B. *Operated*	3475	4.3	23	1	2	3	5	9	12	25
1. SINGLE DX	3507	2.8	5	1	1	2	3	5	7	12
2. MULTIPLE DX	4247	4.7	26	1	2	3	5	9	13	25
A. NOT OPERATED	1081	5.8	27	1	2	5	7	11	15	23
B. OPERATED	6673	3.5	15	1	2	2	4	7	10	20
TOTAL 65-69 YRS	1891	3.9	15	1	2	3	4	6	11	19
70-74	2073	3.8	15	1	1	3	4	7	11	19
75-79	1887	3.8	23	1	2	2	4	7	10	22
80-84	1204	3.7	11	1	2	3	4	7	10	17
85+	699	4.2	22	1	1	3	4	9	13	22
GRAND TOTAL	**7754**	**3.8**	**17**	**1**	**2**	**3**	**4**	**8**	**11**	**20**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	3.9	6	2	2	3	5	8	9	10
70-74	17	4.4	13	<1	1	3	6	7	13	16
75-79	6	3.8	9	1	1	3	7	8	8	8
80-84	4	3.3	1	2	2	3	4	4	4	4
85+	7	4.7	4	2	2	4	6	8	8	8
B. *Operated*										
65-69 YRS	37	3.3	5	1	1	2	4	7	9	10
70-74	19	3.4	3	2	2	2	5	6	7	8
75-79	14	2.8	4	1	1	2	3	5	8	9
80-84	8	5.3	30	2	2	3	6	15	18	18
85+	6	2.0	1	<1	<1	2	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	5.6	20	1	1	4	8	11	14	24
70-74	85	6.5	48	1	2	5	8	13	19	40
75-79	59	6.1	16	1	2	5	7	11	14	19
80-84	60	6.3	18	2	2	5	8	12	16	20
85+	39	8.6	57	1	1	6	11	22	25	31
B. *Operated*										
65-69 YRS	77	5.2	28	1	2	3	6	13	15	29
70-74	74	5.7	27	1	2	4	8	12	16	28
75-79	46	5.7	29	2	2	4	6	15	18	24
80-84	37	4.9	44	1	1	3	5	11	31	99+
85+	10	6.5	41	1	2	4	11	53	96	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.1	7	1	2	3	6	7	8	16
B. *Operated*	84	3.3	7	1	2	2	4	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	322	6.4	31	1	2	5	8	12	17	29
B. *Operated*	244	5.5	30	1	2	3	7	13	18	38
1. SINGLE DX	137	3.6	7	1	2	3	4	7	8	16
2. MULTIPLE DX	566	6.0	31	1	2	4	8	13	17	31
A. NOT OPERATED	375	6.1	28	1	2	4	8	11	16	28
B. OPERATED	328	4.9	25	1	2	3	6	11	16	32
TOTAL 65-69 YRS	212	4.9	20	1	2	3	6	10	13	24
70-74	195	5.7	33	1	2	4	7	11	16	30
75-79	125	5.5	20	1	2	4	7	11	15	21
80-84	109	5.6	27	1	2	4	7	11	17	62
85+	62	7.2	47	1	1	5	9	20	25	91
GRAND TOTAL	**703**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**16**	**30**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	3.4	5	<1	<1	3	6	6	6	6
70-74	10	4.8	14	1	2	3	5	11	13	13
75-79	7	4.0	4	1	1	4	6	6	6	6
80-84	1	2.0		2	2	2	2	2	2	2
85+	7	5.0	5	2	2	5	7	8	8	8
B. *Operated*										
65-69 YRS	191	2.1	1	<1	1	2	2	3	4	6
70-74	107	2.2	2	<1	1	2	3	3	4	8
75-79	48	1.9	1	<1	1	2	2	3	4	5
80-84	18	2.1	2	<1	1	2	3	4	6	6
85+	19	1.8	6	<1	<1	1	2	2	8	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	58	6.6	20	2	3	5	8	12	14	26
70-74	66	6.8	45	1	1	5	7	12	21	34
75-79	54	7.4	27	1	2	6	10	14	19	24
80-84	33	6.8	16	1	2	6	9	11	14	19
85+	32	8.3	47	2	3	6	10	16	21	34
B. *Operated*										
65-69 YRS	268	3.3	8	1	1	3	4	6	8	15
70-74	159	3.8	16	1	2	3	4	7	11	24
75-79	80	6.1	94	1	1	3	5	14	19	57
80-84	26	3.3	6	<1	2	3	3	9	10	10
85+	11	5.0	24	<1	<1	3	7	12	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.3	7	1	1	4	6	7	10	13
B. *Operated*	383	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	243	7.1	31	1	2	6	9	13	18	32
B. *Operated*	544	3.9	24	1	2	3	4	8	11	24
1. SINGLE DX	415	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	787	4.9	28	1	2	3	6	10	14	26
A. NOT OPERATED	275	6.7	29	1	2	5	9	13	17	32
B. OPERATED	927	3.2	16	1	1	2	3	5	8	19
TOTAL 65-69 YRS	524	3.2	8	1	1	2	3	6	8	15
70-74	342	3.9	19	1	1	3	4	8	11	25
75-79	189	5.3	52	1	1	3	6	12	18	43
80-84	78	4.5	13	1	1	3	6	10	11	18
85+	69	5.7	35	<1	1	4	8	14	17	32
GRAND TOTAL	**1202**	**4.0**	**21**	**1**	**1**	**3**	**4**	**8**	**12**	**23**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	23	4.8	17	<1	1	4	6	8	13	21
70-74	11	6.5	13	<1	2	6	9	11	14	14
75-79	7	13.7	305	2	2	4	19	44	50	50
80-84	8	7.6	61	<1	1	4	11	21	24	24
85+	6	9.2	50	3	3	7	14	20	21	21
B. *Operated*										
65-69 YRS	37	2.9	7	<1	1	2	3	5	8	15
70-74	26	4.3	14	<1	1	3	5	11	12	15
75-79	16	6.3	25	1	2	4	10	15	17	17
80-84	9	6.1	90	1	1	2	6	23	28	28
85+	9	4.3	28	1	1	2	4	13	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	8.5	95	2	3	6	10	13	18	64
70-74	49	11.2	154	1	3	7	14	24	44	61
75-79	47	12.0	196	2	3	7	14	23	34	76
80-84	26	13.0	233	3	4	8	11	28	52	70
85+	27	10.3	47	2	3	9	15	19	21	28
B. *Operated*										
65-69 YRS	88	7.1	77	2	2	3	8	15	28	43
70-74	44	14.2	233	1	2	8	25	38	57	99+
75-79	33	10.4	191	1	2	4	10	31	50	52
80-84	21	13.3	231	1	2	8	16	39	51	58
85+	20	14.4	180	1	2	10	19	40	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	7.2	64	<1	2	4	8	14	21	49
B. *Operated*	97	4.3	22	<1	1	2	4	11	16	23
2. MULTIPLE DX										
A. *Not Operated*	204	10.8	143	2	3	7	12	20	32	67
B. *Operated*	206	10.5	161	1	2	5	13	29	42	61
1. SINGLE DX	152	5.3	39	<1	1	3	6	13	17	28
2. MULTIPLE DX	410	10.6	152	2	2	6	12	27	40	65
A. NOT OPERATED	259	10.0	128	1	3	7	11	20	29	65
B. OPERATED	303	8.5	124	1	2	4	9	25	36	56
TOTAL 65-69 YRS	203	6.5	65	1	2	4	8	13	23	43
70-74	130	10.5	153	1	1	6	12	27	42	72
75-79	103	10.7	174	1	2	6	12	23	45	69
80-84	64	11.5	192	1	2	7	14	28	46	68
85+	62	10.6	95	1	2	8	16	20	32	42
GRAND TOTAL	**562**	**9.2**	**127**	**1**	**2**	**5**	**10**	**21**	**34**	**62**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	466	3.9	10	1	1	3	5	7	9	16
70-74	386	4.0	7	1	2	3	5	7	9	14
75-79	273	4.4	11	1	1	4	5	7	10	16
80-84	179	4.3	8	1	1	4	6	8	10	13
85+	95	5.2	13	1	1	4	7	10	13	17
B. *Operated*										
65-69 YRS	92	4.5	9	2	2	3	6	8	11	16
70-74	53	4.5	8	1	2	4	6	9	10	13
75-79	15	4.8	8	2	2	4	6	9	11	12
80-84	5	6.0	10	1	1	6	8	9	9	9
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1399	5.3	14	1	2	4	7	10	12	19
70-74	1418	5.3	12	1	2	4	7	10	12	18
75-79	1194	5.9	18	2	2	5	8	11	13	20
80-84	773	6.3	21	2	2	5	8	12	14	25
85+	509	6.9	27	2	2	6	9	13	16	26
B. *Operated*										
65-69 YRS	154	8.7	58	2	3	6	10	17	24	43
70-74	106	8.1	36	2	3	7	10	16	18	35
75-79	83	9.3	35	2	3	8	13	17	21	27
80-84	50	11.7	85	2	4	10	15	17	24	52
85+	24	9.6	32	3	4	8	13	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1399	4.2	9	1	1	3	5	8	10	15
B. *Operated*	167	4.6	9	2	2	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	5293	5.7	17	2	2	5	7	11	13	20
B. *Operated*	417	9.1	50	2	3	7	12	17	21	41
1. SINGLE DX	1566	4.2	9	1	1	3	5	8	10	15
2. MULTIPLE DX	5710	6.0	20	2	2	5	8	11	14	22
A. NOT OPERATED	6692	5.4	16	1	2	4	7	10	13	19
B. OPERATED	584	7.8	43	2	2	6	10	15	18	35
TOTAL 65-69 YRS	2111	5.2	18	1	2	4	6	10	13	22
70-74	1963	5.2	13	1	2	4	7	10	12	18
75-79	1565	5.8	18	1	2	5	7	11	14	20
80-84	1007	6.2	24	2	2	5	8	12	14	25
85+	630	6.7	26	2	2	5	9	13	16	26
GRAND TOTAL	**7276**	**5.6**	**18**	**1**	**2**	**4**	**7**	**11**	**13**	**21**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	1.0		1	1	1	1	1	1	1
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
B. *Operated*										
65-69 YRS	304	2.5	1	1	1	2	3	4	4	6
70-74	182	2.6	1	1	1	2	3	4	5	8
75-79	71	2.3	1	1	1	2	3	3	3	4
80-84	16	2.3		1	2	2	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	6.3	2	5	5	6	7	8	8	8
70-74	2	2.5	5	1	1	2	4	4	4	4
75-79	1	1.0		1	1	1	1	1	1	1
80-84	1	9.0		9	9	9	9	9	9	9
85+	3	2.3	1	1	1	3	3	3	3	3
B. *Operated*										
65-69 YRS	97	3.0	2	1	2	3	3	4	5	10
70-74	69	2.9	2	2	2	2	3	4	5	11
75-79	32	3.1	5	2	2	3	3	4	5	14
80-84	13	2.9	1	1	2	3	3	4	5	5
85+	5	2.6	1	2	2	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	573	2.5	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	4.1	8	1	1	4	6	8	9	9
B. *Operated*	216	2.9	2	1	2	3	3	4	5	11
1. SINGLE DX	575	2.5	1	1	1	2	3	3	4	6
2. MULTIPLE DX	226	3.0	3	1	2	3	3	4	5	10
A. NOT OPERATED	12	3.7	8	1	1	3	5	8	9	9
B. OPERATED	789	2.6	2	1	1	2	3	4	5	7
TOTAL 65-69 YRS	404	2.6	1	1	1	2	3	4	5	7
70-74	254	2.6	2	1	1	2	3	4	5	8
75-79	105	2.5	2	1	1	3	3	3	4	9
80-84	30	2.8	2	1	2	3	3	4	5	9
85+	8	2.5	1	1	1	2	3	4	4	4
GRAND TOTAL	**801**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	3.9	8	1	1	3	6	7	8	14
70-74	21	4.3	8	<1	1	4	6	8	10	13
75-79	14	6.5	19	1	1	6	9	12	15	16
80-84	7	3.1	7	<1	<1	2	5	7	8	8
85+	7	5.1	11	2	2	4	6	11	12	12
B. *Operated*										
65-69 YRS	238	2.3	2	1	1	2	3	3	4	9
70-74	129	2.4	2	1	1	2	3	3	5	10
75-79	56	2.2	1	<1	1	2	2	4	4	8
80-84	27	2.5	4	<1	<1	2	2	5	8	10
85+	13	3.4	26	<1	1	2	3	8	18	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	5.9	18	1	2	5	8	10	17	19
70-74	76	6.2	22	2	2	5	8	12	15	27
75-79	61	6.2	29	<1	1	5	8	13	16	30
80-84	43	7.0	25	2	2	6	10	11	17	29
85+	25	7.4	29	2	3	5	9	17	19	24
B. *Operated*										
65-69 YRS	265	3.1	8	1	1	2	3	5	6	18
70-74	148	3.6	43	1	1	2	3	6	9	33
75-79	83	3.4	21	1	1	3	3	5	7	33
80-84	31	5.3	24	1	1	4	7	13	17	19
85+	9	5.3	15	2	2	3	7	12	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.5	11	<1	1	4	6	8	12	15
B. *Operated*	463	2.4	3	1	1	2	3	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	288	6.3	23	1	2	5	8	12	16	27
B. *Operated*	536	3.5	21	1	1	2	3	5	9	19
1. SINGLE DX	543	2.7	4	1	1	2	3	4	7	12
2. MULTIPLE DX	824	4.5	24	1	1	3	5	9	13	21
A. NOT OPERATED	368	5.9	21	1	2	5	8	11	16	23
B. OPERATED	999	3.0	13	1	1	2	3	4	7	17
TOTAL 65-69 YRS	617	3.2	8	1	1	2	3	6	8	18
70-74	374	3.7	25	1	1	2	4	8	10	17
75-79	214	4.1	20	1	1	3	5	8	12	24
80-84	108	5.1	21	1	1	4	8	10	16	23
85+	54	5.8	26	1	2	4	7	13	18	24
GRAND TOTAL	**1367**	**3.8**	**17**	**1**	**1**	**3**	**4**	**8**	**10**	**19**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	6.3	9	2	2	6	9	10	10	10
70-74	4	9.0	35	3	3	8	13	17	17	17
75-79	3	14.7	14	12	12	13	17	19	19	19
80-84	4	10.8	69	4	4	8	17	22	22	22
85+	2	5.0	2	4	4	5	6	6	6	6
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74	2	46.5	1013	24	24	46	69	69	69	69
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	11.1	130	2	3	8	15	20	31	71
70-74	40	10.8	102	3	3	8	13	18	32	55
75-79	39	10.5	62	2	3	9	15	24	32	99+
80-84	14	8.6	21	3	4	8	12	16	18	18
85+	9	8.6	29	3	4	7	9	18	21	21
B. *Operated*										
65-69 YRS	29	12.8	143	2	2	8	22	34	46	99+
70-74	14	21.9	396	10	11	17	21	36	76	88
75-79	7	24.9	75	12	13	24	31	36	37	37
80-84	5	13.8	23	10	10	13	15	22	22	22
85+	1	15.0		15	15	15	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	8.7	30	2	3	7	12	18	20	22
B. *Operated*	3	31.7	1166	2	2	24	58	69	69	69
2. MULTIPLE DX										
A. *Not Operated*	167	10.5	92	3	3	8	14	20	27	71
B. *Operated*	56	16.7	200	2	2	13	22	33	43	99
1. SINGLE DX	24	11.6	188	2	3	7	13	22	37	69
2. MULTIPLE DX	223	12.1	126	2	3	9	16	24	34	91
A. NOT OPERATED	188	10.3	85	3	3	8	13	20	26	67
B. OPERATED	59	17.5	241	2	2	14	23	34	57	99
TOTAL 65-69 YRS	103	11.1	125	2	2	8	15	23	34	86
70-74	60	14.4	232	3	3	10	16	24	48	86
75-79	49	12.8	85	3	3	11	19	28	37	99+
80-84	23	10.1	31	3	4	10	13	19	22	22
85+	12	8.5	28	3	4	7	11	17	20	21
GRAND TOTAL	**247**	**12.0**	**131**	**2**	**3**	**9**	**16**	**24**	**33**	**88**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	7.0	24	2	3	7	8	12	16	25
70-74	24	6.0	15	2	2	5	7	9	14	20
75-79	28	7.1	21	2	2	6	10	14	15	19
80-84	6	6.3	5	4	4	6	8	10	10	10
85+	3	7.0	9	4	4	7	9	10	10	10
B. *Operated*										
65-69 YRS	118	8.5	69	2	2	4	14	20	23	40
70-74	48	10.7	102	2	2	6	16	26	34	37
75-79	20	12.2	101	2	2	10	18	25	33	39
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	475	9.4	80	2	3	7	11	18	27	43
70-74	510	9.4	59	2	3	7	11	18	23	39
75-79	387	10.7	87	2	3	8	13	20	28	55
80-84	220	10.1	44	3	4	8	14	21	24	31
85+	115	10.8	49	3	5	9	14	20	24	40
B. *Operated*										
65-69 YRS	586	14.6	166	2	2	12	22	31	37	75
70-74	382	14.9	192	2	2	12	20	32	46	66
75-79	163	14.9	180	2	2	13	20	30	38	62
80-84	45	16.3	254	2	2	10	23	42	47	76
85+	22	13.7	99	3	4	10	21	30	35	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	6.7	18	2	3	6	8	12	14	23
B. *Operated*	186	9.4	82	2	2	5	15	20	27	38
2. MULTIPLE DX										
A. *Not Operated*	1707	9.9	69	2	3	8	12	19	25	42
B. *Operated*	1198	14.8	178	2	2	12	21	31	40	72
1. SINGLE DX	272	8.6	63	2	2	5	13	19	24	37
2. MULTIPLE DX	2905	11.9	120	2	2	9	16	25	33	57
A. NOT OPERATED	1793	9.7	67	2	3	8	12	19	24	42
B. OPERATED	1384	14.1	168	2	2	11	20	30	38	67
TOTAL 65-69 YRS	1204	11.8	127	2	2	9	16	26	34	59
70-74	964	11.6	120	2	2	8	15	24	33	57
75-79	598	11.8	113	2	3	9	15	23	32	58
80-84	271	11.0	83	3	3	8	14	22	28	44
85+	140	11.2	57	3	4	9	14	21	26	40
GRAND TOTAL	**3177**	**11.6**	**116**	**2**	**2**	**9**	**15**	**24**	**32**	**56**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	587	5.0	28	<1	1	4	6	9	12	18
70-74	498	4.6	14	<1	<1	4	6	9	11	18
75-79	380	5.5	22	<1	2	5	7	10	14	24
80-84	202	5.3	18	1	2	4	7	10	14	22
85+	113	6.2	79	1	2	4	7	12	19	90
B. *Operated*										
65-69 YRS	54	5.1	21	2	2	4	6	10	16	25
70-74	32	6.6	31	1	2	5	9	13	18	26
75-79	14	8.3	189	1	1	4	7	20	46	54
80-84	6	8.2	50	2	2	6	12	19	20	20
85+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4239	6.9	32	2	2	6	8	12	16	29
70-74	4033	7.2	34	2	2	6	9	13	18	29
75-79	3166	7.6	45	2	2	6	9	14	18	34
80-84	2096	8.1	52	2	3	6	10	15	20	37
85+	1455	8.7	58	2	3	7	10	17	24	43
B. *Operated*										
65-69 YRS	670	11.0	87	2	3	9	14	22	27	51
70-74	551	12.6	127	2	3	9	16	26	37	75
75-79	386	13.3	114	2	3	11	17	26	31	66
80-84	204	15.0	199	3	4	12	19	30	49	76
85+	109	12.9	105	3	4	10	16	27	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1780	5.1	25	<1	1	4	6	10	13	20
B. *Operated*	107	6.1	47	1	2	4	7	13	17	38
2. MULTIPLE DX										
A. *Not Operated*	14989	7.5	41	2	2	6	9	14	18	33
B. *Operated*	1920	12.5	118	2	3	10	16	25	33	70
1. SINGLE DX	1887	5.2	26	<1	1	4	6	10	13	21
2. MULTIPLE DX	16909	8.0	52	2	3	6	10	15	21	38
A. NOT OPERATED	16769	7.2	40	2	2	6	9	14	18	32
B. OPERATED	2027	12.1	116	2	3	9	15	24	32	68
TOTAL 65-69 YRS	5550	7.2	41	2	2	6	9	14	18	32
70-74	5114	7.6	46	2	2	6	9	14	20	36
75-79	3946	8.0	53	2	2	6	10	15	20	39
80-84	2508	8.5	66	2	3	6	10	16	21	50
85+	1678	8.8	63	2	3	7	11	18	25	50
GRAND TOTAL	**18796**	**7.8**	**50**	**2**	**2**	**6**	**9**	**15**	**20**	**37**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	201	6.4	16	2	2	5	8	12	15	19
70-74	222	6.9	24	2	3	6	9	12	16	28
75-79	181	6.9	17	2	3	6	9	12	14	22
80-84	130	7.6	31	2	2	6	10	14	15	29
85+	98	7.5	32	2	3	6	10	14	18	33
B. *Operated*										
65-69 YRS	22	4.0	9	1	1	3	5	8	11	13
70-74	6	4.5	10	2	2	3	6	10	10	10
75-79	6	13.5	156	2	2	9	21	34	35	35
80-84	1	4.0		4	4	4	4	4	4	4
85+	5	8.2	8	5	5	8	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2694	9.2	54	2	3	7	11	17	23	38
70-74	3071	9.7	65	3	3	8	12	18	23	41
75-79	2965	10.5	78	3	3	8	13	20	28	50
80-84	2344	10.7	80	3	3	8	13	21	28	55
85+	1761	11.2	97	3	4	9	13	21	31	59
B. *Operated*										
65-69 YRS	432	13.1	106	2	3	11	17	26	34	57
70-74	380	15.8	190	2	3	12	20	32	42	87
75-79	347	16.9	163	4	5	14	21	33	42	67
80-84	250	18.1	192	4	6	14	22	41	52	99+
85+	154	17.9	186	4	5	14	21	40	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	832	7.0	22	2	3	6	9	13	15	23
B. *Operated*	40	6.0	39	1	2	4	8	11	17	35
2. MULTIPLE DX										
A. *Not Operated*	12835	10.2	73	3	3	8	12	19	26	49
B. *Operated*	1563	15.9	164	2	4	13	20	32	43	82
1. SINGLE DX	872	6.9	23	2	2	6	9	13	15	24
2. MULTIPLE DX	14398	10.8	86	3	3	8	13	21	28	54
A. NOT OPERATED	13667	10.0	71	3	3	8	12	19	25	48
B. OPERATED	1603	15.6	163	2	4	13	20	32	42	78
TOTAL 65-69 YRS	3349	9.5	60	2	3	7	12	18	24	41
70-74	3679	10.2	79	3	3	8	12	19	25	49
75-79	3499	10.9	88	3	3	8	13	21	29	53
80-84	2725	11.3	93	3	4	9	14	22	30	62
85+	2018	11.5	105	3	4	9	14	22	32	61
GRAND TOTAL	**15270**	**10.6**	**83**	**3**	**3**	**8**	**13**	**20**	**27**	**53**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	7.5	42	1	2	5	11	15	17	36
70-74	46	7.0	29	1	1	7	9	15	17	25
75-79	36	9.0	52	2	3	6	11	22	27	29
80-84	10	12.6	62	4	4	11	17	25	28	28
85+	12	9.8	30	2	4	8	14	17	20	21
B. *Operated*										
65-69 YRS	45	9.1	124	1	2	5	11	16	30	63
70-74	38	7.7	38	1	1	6	11	17	20	24
75-79	12	6.2	20	1	2	4	9	13	15	15
80-84	5	10.0	38	4	4	10	13	20	20	20
85+	2	10.0	162	<1	<1	9	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	379	10.5	79	2	3	8	13	21	28	50
70-74	368	11.4	90	3	3	9	14	21	28	52
75-79	366	12.5	140	2	3	9	15	26	35	66
80-84	281	12.1	78	3	4	9	15	24	33	41
85+	222	13.9	166	2	4	11	18	26	39	87
B. *Operated*										
65-69 YRS	315	16.1	238	2	3	11	22	35	49	89
70-74	266	14.7	154	2	3	11	20	29	38	69
75-79	177	17.6	179	3	4	15	24	36	45	94
80-84	66	25.5	386	3	5	20	39	51	77	97
85+	47	18.4	132	4	6	16	24	35	42	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	8.3	42	1	2	7	11	16	22	29
B. *Operated*	102	8.3	74	1	2	6	11	17	21	52
2. MULTIPLE DX										
A. *Not Operated*	1616	11.9	108	2	3	9	15	24	32	55
B. *Operated*	871	16.8	212	2	3	13	23	36	46	86
1. SINGLE DX	245	8.3	55	1	2	7	11	16	22	36
2. MULTIPLE DX	2487	13.6	150	2	3	10	17	29	39	73
A. NOT OPERATED	1759	11.6	104	2	3	9	15	23	31	54
B. OPERATED	973	15.9	205	2	3	12	21	35	45	84
TOTAL 65-69 YRS	778	12.5	153	2	3	9	16	28	39	71
70-74	718	12.1	112	2	3	9	16	24	31	60
75-79	591	13.7	151	2	3	10	18	29	40	72
80-84	362	14.5	159	3	4	10	18	32	40	76
85+	283	14.4	157	2	4	12	18	27	39	82
GRAND TOTAL	**2732**	**13.1**	**144**	**2**	**3**	**10**	**17**	**28**	**38**	**69**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2387	12.1	22	5	7	12	14	18	20	26
70-74	1888	12.4	24	6	7	12	15	18	21	28
75-79	1297	12.5	24	6	7	12	15	19	21	28
80-84	739	12.9	37	5	7	12	15	19	23	31
85+	450	12.6	36	4	6	12	15	19	22	33
B. *Operated*										
65-69 YRS	206	13.2	52	2	2	13	16	22	25	36
70-74	152	14.2	52	2	5	13	18	22	26	30
75-79	54	15.9	38	7	9	15	19	26	27	30
80-84	24	18.5	80	7	10	16	22	31	37	43
85+	14	16.3	36	7	8	16	20	22	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10897	13.5	38	6	7	13	16	21	24	35
70-74	10555	14.0	50	6	7	13	16	22	26	39
75-79	8709	14.5	60	6	7	13	17	23	28	45
80-84	5960	15.3	75	6	7	13	18	24	31	51
85+	3941	15.6	80	6	7	14	19	25	32	52
B. *Operated*										
65-69 YRS	2116	17.7	121	3	7	15	22	31	40	64
70-74	1709	20.2	150	7	9	17	25	35	44	75
75-79	1222	21.5	158	8	10	18	26	38	47	88
80-84	735	22.5	167	9	11	19	27	40	52	77
85+	425	22.9	164	10	11	20	28	40	54	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6761	12.4	25	5	7	12	15	13	21	28
B. *Operated*	450	14.2	93	2	5	14	18	23	27	34
2. MULTIPLE DX										
A. *Not Operated*	40062	14.3	56	6	7	13	17	22	27	42
B. *Operated*	6207	20.1	148	6	9	17	25	35	44	76
1. SINGLE DX	7211	12.5	27	5	7	12	15	19	21	29
2. MULTIPLE DX	46269	15.1	72	6	7	13	18	24	31	49
A. NOT OPERATED	46823	14.1	52	6	7	13	16	22	27	41
B. OPERATED	6657	19.7	144	6	9	17	24	35	44	73
TOTAL 65-69 YRS	15606	13.8	50	5	7	13	16	22	26	41
70-74	14304	14.5	63	6	7	13	17	23	28	44
75-79	11282	15.1	72	6	8	13	18	24	31	50
80-84	7458	15.8	86	6	8	14	19	26	33	55
85+	4830	16.0	88	6	8	14	19	27	34	57
GRAND TOTAL	**53480**	**14.8**	**67**	**6**	**7**	**13**	**17**	**24**	**29**	**48**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	972	4.5	10	1	2	4	6	8	10	17
70-74	843	4.8	11	1	2	4	6	9	11	17
75-79	632	4.9	10	1	2	4	6	9	11	16
80-84	418	5.0	20	1	1	4	6	10	12	20
85+	252	4.7	13	<1	1	4	6	9	11	17
B. *Operated*										
65-69 YRS	157	4.6	19	1	1	3	6	10	13	20
70-74	93	5.2	52	1	2	2	6	11	16	42
75-79	20	6.1	33	1	1	4	7	16	19	20
80-84	6	10.0	30	2	2	11	14	16	16	16
85+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7665	6.1	21	2	2	5	8	11	14	22
70-74	7860	6.3	20	2	2	5	8	12	14	23
75-79	6713	6.7	26	2	2	5	8	12	15	25
80-84	4301	6.9	27	2	2	6	8	13	16	29
85+	2953	7.2	37	2	2	6	9	13	17	32
B. *Operated*										
65-69 YRS	2884	8.7	66	2	2	6	13	19	23	35
70-74	1707	9.9	88	2	2	8	14	21	27	44
75-79	762	11.6	84	2	2	10	16	23	29	51
80-84	307	13.2	85	3	4	11	16	24	32	48
85+	134	15.6	133	4	5	12	20	34	41	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3117	4.7	12	1	2	4	6	9	11	17
B. *Operated*	278	5.0	32	1	1	3	6	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	29492	6.5	24	2	2	5	8	12	15	24
B. *Operated*	5794	9.8	80	2	2	8	14	20	27	42
1. SINGLE DX	3395	4.8	13	1	2	4	6	9	11	18
2. MULTIPLE DX	35286	7.1	35	2	2	5	9	14	17	30
A. NOT OPERATED	32609	6.3	23	2	2	5	8	12	15	24
B. OPERATED	6072	9.6	78	2	2	8	14	20	26	42
TOTAL 65-69 YRS	11678	6.6	32	2	2	5	8	13	17	27
70-74	10503	6.8	33	2	2	5	8	13	17	29
75-79	8127	7.0	32	2	2	6	9	13	17	29
80-84	5032	7.1	33	2	2	6	9	13	17	31
85+	3341	7.4	42	2	2	6	9	14	18	35
GRAND TOTAL	**38681**	**6.9**	**33**	**2**	**2**	**5**	**9**	**13**	**17**	**29**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	865	5.8	14	2	2	5	7	10	13	21
70-74	727	6.3	20	2	2	5	8	11	13	21
75-79	545	6.3	16	2	3	5	8	11	13	21
80-84	338	6.4	19	2	3	5	9	12	14	23
85+	188	6.5	22	2	2	6	8	11	15	27
B. *Operated*										
65-69 YRS	132	8.7	51	2	2	8	12	17	25	33
70-74	52	9.3	52	2	2	7	14	18	24	32
75-79	26	11.0	67	2	2	9	16	22	29	31
80-84	2	9.5	25	6	6	9	13	13	13	13
85+	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6269	7.4	24	2	3	6	9	13	16	26
70-74	6443	7.8	29	2	3	7	10	14	17	27
75-79	5212	8.3	36	3	3	7	10	15	19	29
80-84	3659	8.6	40	3	3	7	11	15	19	32
85+	2264	8.7	46	3	3	7	11	16	21	37
B. *Operated*										
65-69 YRS	1764	12.9	96	2	2	11	17	24	31	50
70-74	1148	14.2	103	2	3	13	18	27	31	53
75-79	616	16.2	133	3	5	14	20	31	41	59
80-84	263	16.4	132	4	6	13	21	31	38	56
85+	113	16.2	101	6	6	14	21	29	39	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2663	6.2	17	2	2	5	8	11	14	21
B. *Operated*	214	9.2	53	2	2	8	12	19	25	33
2. MULTIPLE DX										
A. *Not Operated*	23847	8.0	33	2	3	7	10	14	18	29
B. *Operated*	3904	14.1	108	2	3	12	18	27	33	54
1. SINGLE DX	2877	6.4	20	2	2	5	8	11	14	24
2. MULTIPLE DX	27751	8.9	48	2	3	7	11	16	21	36
A. NOT OPERATED	26510	7.8	31	2	3	7	10	14	17	28
B. OPERATED	4118	13.9	107	2	3	12	18	26	33	54
TOTAL 65-69 YRS	9030	8.4	43	2	3	7	10	16	21	33
70-74	8370	8.6	44	2	3	7	11	16	20	33
75-79	6399	8.9	50	2	3	7	11	16	21	36
80-84	4262	8.9	48	3	3	7	11	16	21	37
85+	2567	8.9	50	2	3	7	11	17	22	41
GRAND TOTAL	**30628**	**8.6**	**46**	**2**	**3**	**7**	**11**	**16**	**21**	**35**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	552	5.4	19	1	2	4	7	10	13	20
70-74	478	6.0	20	2	2	5	7	11	15	24
75-79	359	5.7	15	1	2	5	7	10	14	20
80-84	274	7.3	27	2	2	6	10	14	17	22
85+	218	6.8	32	1	2	5	8	12	16	33
B. *Operated*										
65-69 YRS	2233	7.0	42	2	2	3	11	15	18	28
70-74	1028	7.9	48	2	2	6	12	17	21	28
75-79	321	8.7	63	2	2	7	13	18	25	36
80-84	52	9.9	72	1	2	9	15	20	24	43
85+	21	7.0	69	2	2	3	10	14	25	38
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7082	7.6	35	2	3	6	9	14	18	30
70-74	7810	8.1	38	2	3	7	10	15	19	34
75-79	7629	8.6	45	2	3	7	11	16	21	35
80-84	5843	9.3	51	2	3	7	12	18	22	37
85+	5260	9.8	70	2	3	8	12	19	24	48
B. *Operated*										
65-69 YRS	6907	10.0	86	2	2	9	14	20	27	46
70-74	4015	11.8	104	2	2	10	16	23	30	53
75-79	1878	13.2	130	2	2	11	17	27	34	66
80-84	793	16.1	149	3	4	13	21	31	43	65
85+	531	17.4	181	3	5	14	23	34	44	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1881	6.0	22	1	2	5	8	12	15	22
B. *Operated*	3655	7.4	46	2	2	4	11	16	20	30
2. MULTIPLE DX										
A. *Not Operated*	33624	8.6	47	2	3	7	11	16	21	36
B. *Operated*	14124	11.6	108	2	2	10	16	23	31	55
1. SINGLE DX	5536	7.0	38	2	2	5	10	15	18	28
2. MULTIPLE DX	47748	9.5	67	2	2	7	12	18	24	43
A. NOT OPERATED	35505	8.5	46	2	3	7	10	16	20	35
B. OPERATED	17779	10.7	98	2	2	9	15	22	29	51
TOTAL 65-69 YRS	16774	8.5	58	2	2	7	11	17	22	37
70-74	13331	9.1	61	2	2	7	12	18	23	40
75-79	10187	9.4	64	2	3	7	12	18	24	40
80-84	6962	10.0	66	2	3	8	12	19	25	44
85+	6030	10.4	83	2	3	8	13	20	27	53
GRAND TOTAL	**53284**	**9.2**	**64**	**2**	**2**	**7**	**12**	**18**	**24**	**41**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	191	11.4	20	5	7	11	14	17	19	27
70-74	188	11.5	21	5	6	11	14	17	20	25
75-79	135	11.4	25	4	6	11	14	18	20	27
80-84	84	12.2	32	5	6	12	14	19	25	30
85+	37	12.5	37	3	5	11	15	21	25	31
B. *Operated*										
65-69 YRS	32	12.9	10	9	9	13	15	17	18	19
70-74	32	14.8	80	7	8	13	17	22	30	54
75-79	25	13.3	51	6	7	12	16	19	28	39
80-84	9	18.4	101	7	8	18	23	34	37	37
85+	3	16.0	28	12	12	14	20	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1089	13.1	48	5	7	12	15	22	26	37
70-74	1134	13.7	42	6	7	12	17	22	26	37
75-79	991	14.8	72	6	7	13	18	24	31	51
80-84	634	15.7	79	6	8	14	18	27	33	51
85+	462	16.8	108	6	7	14	20	32	39	62
B. *Operated*										
65-69 YRS	311	18.4	111	7	9	16	23	32	41	72
70-74	274	18.9	120	8	9	16	22	34	44	62
75-79	214	23.3	262	7	9	18	28	46	63	85
80-84	143	22.4	172	8	9	19	28	41	48	64
85+	57	25.0	261	10	11	19	33	55	64	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	11.6	24	5	6	11	14	18	21	26
B. *Operated*	101	14.2	51	7	8	13	17	21	27	46
2. MULTIPLE DX										
A. *Not Operated*	4310	14.4	64	6	7	13	17	24	30	46
B. *Operated*	999	20.5	168	7	9	17	25	38	51	80
1. SINGLE DX	736	11.9	28	5	6	11	14	18	21	31
2. MULTIPLE DX	5309	15.6	89	6	7	13	18	26	34	57
A. NOT OPERATED	4945	14.1	60	5	7	12	17	23	29	44
B. OPERATED	1100	20.0	160	7	9	16	24	37	49	79
TOTAL 65-69 YRS	1623	13.9	61	5	7	12	17	23	28	45
70-74	1628	14.3	58	6	7	13	17	23	28	44
75-79	1365	15.8	108	6	7	13	18	26	3[illegible]	67
80-84	870	16.5	98	6	7	14	20	29	37	52
85+	559	17.4	125	6	7	14	21	33	41	78
GRAND TOTAL	**6045**	**15.1**	**83**	**6**	**7**	**13**	**18**	**25**	**33**	**55**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	26.5	196	11	11	26	31	48	55	55
70-74	5	34.8	47	28	28	32	38	46	46	46
75-79	6	25.7	297	7	7	26	42	44	44	44
80-84	3	25.3	230	9	9	28	36	39	39	39
85+	5	39.6	679	11	11	37	49	82	82	82
B. *Operated*										
65-69 YRS	2	39.0	648	21	21	39	57	57	57	57
70-74										
75-79	2	39.0	2	38	38	39	40	40	40	40
80-84	2	23.0		23	23	23	23	23	23	23
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	111	28.1	220	5	8	29	36	47	54	71
70-74	105	31.1	153	12	15	30	39	48	54	60
75-79	72	27.3	268	5	7	29	35	53	65	94
80-84	37	29.2	139	11	14	28	37	46	57	99+
85+	36	31.1	233	9	11	31	37	48	56	82
B. *Operated*										
65-69 YRS	41	39.2	303	8	20	36	47	65	67	85
70-74	40	35.8	253	8	12	38	46	58	66	99+
75-79	35	42.2	196	19	27	42	51	59	80	99+
80-84	17	40.7	316	12	26	34	57	63	70	74
85+	11	37.4	121	17	24	36	40	55	55	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	30.1	272	8	9	30	38	46	59	82
B. *Operated*	6	33.7	198	21	21	31	40	55	57	57
2. MULTIPLE DX										
A. *Not Operated*	361	29.2	203	6	10	30	37	48	55	81
B. *Operated*	144	39.0	250	11	17	39	49	60	67	99+
1. SINGLE DX	33	30.8	254	8	10	30	38	48	57	82
2. MULTIPLE DX	505	32.0	236	7	12	32	41	54	60	85
A. NOT OPERATED	388	29.3	208	7	10	30	37	48	55	82
B. OPERATED	150	38.8	248	11	18	38	48	60	67	99+
TOTAL 65-69 YRS	162	31.0	263	6	9	31	38	54	61	81
70-74	150	32.5	179	9	15	32	42	49	56	68
75-79	115	32.0	287	6	8	32	43	56	67	99+
80-84	59	32.1	214	10	14	30	40	57	62	97
85+	52	33.3	248	10	12	33	38	51	59	82
GRAND TOTAL	**538**	**31.9**	**237**	**7**	**12**	**31**	**41**	**54**	**60**	**85**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	182	3.5	8	1	1	3	4	8	9	14
70-74	128	3.5	8	<1	1	3	4	6	8	18
75-79	86	4.1	10	1	1	3	6	8	9	18
80-84	48	4.7	19	1	1	3	6	8	14	25
85+	32	3.8	6	1	1	3	5	8	8	10
B. *Operated*										
65-69 YRS	6	7.8	55	2	2	5	16	18	18	18
70-74	5	6.8	12	4	4	5	10	11	11	11
75-79	4	14.3	66	8	8	12	20	25	25	25
80-84	1	8.0		8	8	8	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	695	5.6	20	1	2	5	7	10	13	25
70-74	667	5.8	21	1	2	5	8	11	14	23
75-79	580	6.7	26	1	2	5	9	13	16	24
80-84	344	7.0	29	2	2	6	9	12	16	28
85+	244	7.0	26	1	2	6	9	14	17	26
B. *Operated*										
65-69 YRS	66	11.5	125	2	4	8	13	20	33	70
70-74	58	12.9	174	3	3	9	14	28	33	83
75-79	51	13.6	145	4	5	10	14	28	39	99+
80-84	30	15.1	79	3	3	13	21	28	32	37
85+	15	17.5	143	4	5	14	24	50	86	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	476	3.8	9	1	1	3	5	8	9	16
B. *Operated*	16	9.1	44	2	2	8	13	18	23	25
2. MULTIPLE DX										
A. *Not Operated*	2530	6.2	24	1	2	5	8	12	15	25
B. *Operated*	220	13.3	138	3	4	10	16	27	36	91
1. SINGLE DX	492	3.9	11	1	1	3	5	8	10	18
2. MULTIPLE DX	2750	6.8	36	1	2	5	8	13	17	30
A. NOT OPERATED	3006	5.8	22	1	2	5	8	11	14	24
B. OPERATED	236	13.0	132	3	4	10	16	27	35	89
TOTAL 65-69 YRS	949	5.6	28	1	2	4	7	11	14	25
70-74	858	6.0	34	1	2	4	7	12	15	28
75-79	721	6.9	37	1	2	5	9	14	17	32
80-84	423	7.4	36	1	2	6	9	13	19	30
85+	291	7.2	36	1	2	6	9	14	19	31
GRAND TOTAL	**3242**	**6.4**	**34**	**1**	**2**	**5**	**8**	**12**	**16**	**29**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	667	3.6	8	1	1	3	5	7	9	15
70-74	562	4.0	14	1	1	3	5	7	9	22
75-79	437	4.3	9	1	1	4	6	8	9	14
80-84	272	5.0	14	1	2	4	7	10	12	19
85+	166	5.6	24	1	1	4	7	12	16	21
B. *Operated*										
65-69 YRS	27	5.9	26	1	1	5	8	12	14	23
70-74	22	7.1	27	2	2	5	10	14	19	20
75-79	21	8.7	39	1	2	6	11	18	22	24
80-84	13	8.2	21	3	4	7	11	15	17	18
85+	8	9.3	29	2	3	11	11	17	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3939	6.3	32	1	2	5	8	12	15	25
70-74	4313	6.8	30	1	2	5	9	13	17	28
75-79	4092	7.6	44	2	2	6	9	14	19	34
80-84	3126	8.4	52	2	2	7	10	16	21	37
85+	2703	9.4	86	2	3	7	12	18	25	56
B. *Operated*										
65-69 YRS	434	11.9	111	2	2	9	15	24	30	55
70-74	477	13.3	118	3	3	11	17	27	35	68
75-79	466	15.0	136	4	5	12	18	28	39	60
80-84	412	14.6	122	3	5	12	19	27	37	78
85+	333	16.6	149	4	5	13	22	33	48	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2104	4.2	12	1	1	3	5	8	10	18
B. *Operated*	91	7.5	29	2	2	6	11	15	19	24
2. MULTIPLE DX										
A. *Not Operated*	18173	7.5	47	2	2	6	9	14	19	34
B. *Operated*	2122	14.2	128	3	4	11	18	27	37	69
1. SINGLE DX	2195	4.3	13	1	1	3	6	8	11	19
2. MULTIPLE DX	20295	8.2	59	2	2	6	10	16	21	40
A. NOT OPERATED	20277	7.2	44	1	2	6	9	14	18	33
B. OPERATED	2213	13.9	126	3	4	11	18	27	37	67
TOTAL 65-69 YRS	5067	6.4	39	1	2	5	8	12	17	29
70-74	5374	7.1	41	1	2	5	9	14	19	33
75-79	5016	8.0	55	2	2	6	10	16	21	38
80-84	3823	8.8	61	2	2	7	11	17	23	39
85+	3210	10.0	95	2	3	7	12	20	27	58
GRAND TOTAL	**22490**	**7.9**	**56**	**1**	**2**	**6**	**10**	**15**	**21**	**38**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	622	4.6	14	1	1	4	6	9	11	19
70-74	586	4.9	17	1	1	4	6	9	11	23
75-79	448	5.4	19	1	1	4	7	11	14	19
80-84	324	5.5	17	1	2	4	7	10	12	23
85+	232	6.1	18	2	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	355	7.3	23	2	2	6	10	13	17	24
70-74	465	7.4	23	2	3	6	9	13	16	25
75-79	511	7.7	23	3	3	6	10	14	17	25
80-84	417	8.2	31	3	3	7	10	14	18	24
85+	345	7.9	22	3	3	7	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5272	7.0	31	2	2	6	9	13	17	28
70-74	5511	7.5	37	2	2	6	9	14	18	31
75-79	5013	7.8	40	2	3	6	10	14	19	32
80-84	3664	8.6	54	2	3	7	10	16	21	39
85+	3040	9.1	58	2	3	7	11	17	23	41
B. *Operated*										
65-69 YRS	2181	10.7	69	2	3	9	13	20	26	41
70-74	2916	11.5	72	3	4	9	14	22	27	45
75-79	3131	12.2	91	3	4	10	15	23	29	56
80-84	2705	12.6	79	4	4	10	16	22	29	50
85+	2315	13.2	97	4	5	11	16	25	32	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2212	5.1	17	1	1	4	7	10	12	22
B. *Operated*	2093	7.7	25	2	3	7	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	22500	7.8	42	2	2	6	10	15	19	34
B. *Operated*	13248	12.1	82	3	4	10	15	22	29	50
1. SINGLE DX	4305	6.4	22	1	2	5	8	12	15	24
2. MULTIPLE DX	35748	9.4	61	2	3	7	12	18	24	41
A. NOT OPERATED	24712	7.6	41	2	2	6	9	14	19	33
B. OPERATED	15341	11.5	77	3	4	9	14	21	27	48
TOTAL 65-69 YRS	8430	7.8	42	2	2	6	10	15	19	33
70-74	9478	8.6	50	2	3	7	11	16	22	36
75-79	9103	9.2	61	2	3	7	11	18	23	41
80-84	7110	9.9	65	2	3	8	12	19	24	44
85+	5932	10.5	75	2	3	8	13	20	26	46
GRAND TOTAL	**40053**	**9.1**	**58**	**2**	**3**	**7**	**11**	**17**	**23**	**40**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	850	7.5	29	2	2	6	9	14	18	26
70-74	1156	7.6	38	2	3	6	9	14	19	33
75-79	1399	7.7	35	2	3	6	9	15	19	33
80-84	1208	8.0	40	2	3	6	10	15	18	30
85+	1459	8.2	47	2	3	7	10	15	21	38
B. *Operated*										
65-69 YRS	33	11.1	147	1	2	9	13	20	41	60
70-74	42	11.2	61	2	3	9	14	22	26	39
75-79	37	16.9	299	3	4	10	24	33	48	94
80-84	22	22.8	498	3	5	13	31	56	72	94
85+	26	12.8	41	3	4	13	16	19	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13818	9.8	56	3	3	8	12	18	23	40
70-74	18168	10.1	60	3	4	8	12	19	24	42
75-79	19901	10.4	66	3	4	8	13	19	25	45
80-84	18054	10.9	73	3	4	9	14	20	27	46
85+	18986	11.5	91	3	4	9	14	22	29	59
B. *Operated*										
65-69 YRS	1652	17.8	174	4	6	14	23	35	46	74
70-74	1922	18.0	165	4	6	15	23	34	47	71
75-79	1977	19.5	202	5	6	16	25	39	50	89
80-84	1575	19.9	215	5	7	16	25	39	53	99+
85+	1456	20.5	218	6	7	16	26	40	55	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6072	7.8	39	2	3	6	10	15	19	33
B. *Operated*	160	14.3	202	2	3	10	17	28	41	90
2. MULTIPLE DX										
A. *Not Operated*	88927	10.6	70	3	4	8	13	20	26	46
B. *Operated*	8582	19.1	194	5	6	15	24	37	49	90
1. SINGLE DX	6232	8.0	44	2	3	6	10	15	20	34
2. MULTIPLE DX	97509	11.3	87	3	4	9	14	22	29	53
A. NOT OPERATED	94999	10.4	69	3	4	8	13	19	25	45
B. OPERATED	8742	19.0	195	5	6	15	24	37	49	90
TOTAL 65-69 YRS	16353	10.5	73	3	3	8	13	20	26	45
70-74	21288	10.7	74	3	4	8	13	20	27	47
75-79	23314	11.1	84	3	4	8	14	21	28	51
80-84	20859	11.4	89	3	4	9	14	22	29	53
85+	21927	11.9	102	3	4	9	15	23	31	64
GRAND TOTAL	**103741**	**11.1**	**85**	**3**	**4**	**9**	**14**	**21**	**28**	**52**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	273	6.2	24	1	2	5	7	13	15	25
70-74	196	6.9	21	2	2	6	9	14	17	23
75-79	162	7.5	41	1	2	6	10	14	19	29
80-84	113	8.8	77	2	3	6	11	18	23	48
85+	76	8.5	39	2	3	6	11	19	22	28
B. *Operated*										
65-69 YRS	373	7.1	51	2	2	3	12	17	21	35
70-74	194	6.9	42	2	2	4	11	15	18	27
75-79	109	8.6	67	2	2	6	14	19	24	38
80-84	19	12.7	81	1	2	14	19	25	26	26
85+	8	5.1	30	2	2	2	8	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2608	9.0	43	2	3	7	11	17	21	34
70-74	2715	9.4	55	2	3	7	12	18	23	37
75-79	2321	10.0	69	3	3	8	12	19	25	40
80-84	1565	10.0	69	2	3	8	12	20	26	46
85+	1329	10.5	78	3	4	8	13	20	26	49
B. *Operated*										
65-69 YRS	1775	11.7	130	2	2	9	16	25	33	60
70-74	1460	13.6	150	2	2	11	19	28	37	66
75-79	863	15.3	169	2	2	13	20	30	42	73
80-84	345	15.5	152	2	3	13	21	30	40	67
85+	164	14.7	102	3	4	12	19	30	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	820	7.2	36	2	2	6	9	14	19	28
B. *Operated*	703	7.4	52	2	2	3	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	10538	9.7	60	2	3	8	12	18	24	40
B. *Operated*	4607	13.4	146	2	2	11	18	28	36	65
1. SINGLE DX	1523	7.3	43	2	2	5	10	16	20	29
2. MULTIPLE DX	15145	10.8	89	2	3	8	14	22	28	50
A. NOT OPERATED	11358	9.5	59	2	3	7	12	18	24	39
B. OPERATED	5310	12.6	138	2	2	10	17	27	34	62
TOTAL 65-69 YRS	5029	9.6	76	2	2	7	13	20	26	44
70-74	4565	10.5	88	2	2	8	14	21	28	46
75-79	3455	11.2	99	2	3	8	14	23	29	56
80-84	2042	10.9	88	2	3	8	14	22	29	51
85+	1577	10.8	80	3	3	8	14	21	28	52
GRAND TOTAL	**16668**	**10.5**	**86**	**2**	**2**	**8**	**14**	**21**	**28**	**48**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	39	6.4	41	1	1	5	9	12	20	34
70-74	37	7.8	57	1	2	6	10	15	19	44
75-79	39	6.9	16	2	3	6	9	13	15	18
80-84	27	9.1	98	<1	1	6	13	18	32	46
85+	25	6.3	26	1	2	5	7	15	18	23
B. *Operated*										
65-69 YRS	20	6.4	70	1	1	4	8	11	25	39
70-74	15	5.7	25	1	2	2	10	13	14	15
75-79	12	8.5	50	2	2	7	11	20	25	26
80-84	4	22.3	367	6	6	16	33	50	50	50
85+	3	5.7	10	2	2	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1030	7.8	38	2	3	6	10	14	18	31
70-74	1238	8.3	39	2	3	7	11	15	20	33
75-79	1380	9.1	61	2	3	7	11	18	24	46
80-84	1270	9.5	64	2	3	7	12	18	24	51
85+	1326	10.5	98	2	3	8	13	20	28	80
B. *Operated*										
65-69 YRS	338	9.8	61	2	2	8	14	21	25	38
70-74	263	13.4	132	2	3	10	17	28	40	62
75-79	229	15.1	124	2	4	12	19	29	42	49
80-84	159	16.8	311	3	4	11	18	37	68	98
85+	136	19.8	251	3	4	16	28	39	56	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	167	7.3	46	1	2	5	9	14	19	42
B. *Operated*	54	7.8	81	1	2	5	10	16	24	50
2. MULTIPLE DX										
A. *Not Operated*	6244	9.1	62	2	3	7	11	17	23	48
B. *Operated*	1125	13.9	159	2	3	10	18	29	40	75
1. SINGLE DX	221	7.4	54	1	2	5	9	15	19	45
2. MULTIPLE DX	7369	9.8	80	2	3	7	12	19	26	56
A. NOT OPERATED	6411	9.1	62	2	3	7	11	17	23	47
B. OPERATED	1179	13.6	157	2	2	10	17	28	39	75
TOTAL 65-69 YRS	1427	8.3	45	2	2	7	10	16	21	34
70-74	1553	9.1	59	2	3	7	12	17	23	43
75-79	1660	9.8	73	2	3	7	12	20	26	48
80-84	1460	10.3	98	2	3	8	12	20	28	67
85+	1490	11.3	118	2	3	8	14	23	32	80
GRAND TOTAL	**7590**	**9.8**	**79**	**2**	**3**	**7**	**12**	**19**	**26**	**54**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	11.4	220	<1	<1	4	18	29	49	52
70-74	7	5.0	41	<1	<1	4	5	16	19	19
75-79	5	9.2	84	<1	<1	5	16	23	23	23
80-84	2	18.5	113	11	11	18	26	26	26	26
85+	5	14.6	94	3	3	13	21	29	29	29
B. *Operated*										
65-69 YRS	26	26.5	410	8	10	18	34	52	76	89
70-74	12	17.4	90	5	5	16	23	31	35	36
75-79	8	26.1	912	7	8	18	46	99+	99+	99+
80-84	4	25.3	308	6	6	25	39	45	45	45
85+	2	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	22.1	476	2	3	16	37	79	99+	99+
70-74	29	21.6	248	2	3	21	31	39	44	70
75-79	33	17.1	137	2	4	15	22	39	45	99+
80-84	19	24.3	546	4	7	16	24	66	85	90
85+	25	22.9	195	5	7	22	32	51	65	99+
B. *Operated*										
65-69 YRS	68	28.7	372	7	8	24	37	59	75	84
70-74	56	30.8	367	6	8	29	47	61	66	98
75-79	24	32.8	428	10	14	28	42	87	94	99+
80-84	8	27.4	575	10	11	23	45	94	99+	99+
85+	4	33.3	147	18	18	36	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	10.6	131	<1	<1	5	18	24	29	52
B. *Operated*	52	23.6	384	5	8	17	30	50	87	99+
2. MULTIPLE DX										
A. *Not Operated*	134	21.2	297	2	4	17	30	46	76	99+
B. *Operated*	160	30.1	377	7	9	25	42	64	77	99+
1. SINGLE DX	83	18.8	327	<1	3	15	24	39	58	99+
2. MULTIPLE DX	294	26.1	359	4	7	22	37	57	77	99+
A. NOT OPERATED	165	19.2	282	1	3	16	27	43	65	99+
B. OPERATED	212	28.5	384	7	9	23	39	62	77	99+
TOTAL 65-69 YRS	134	25.3	405	2	4	19	35	52	76	99+
70-74	104	25.0	331	3	4	21	37	57	65	88
75-79	70	22.9	368	3	6	19	33	46	98	99+
80-84	33	24.8	469	6	7	17	26	80	89	99+
85+	36	22.3	187	4	8	22	31	43	55	99+
GRAND TOTAL	**377**	**24.4**	**360**	**3**	**5**	**20**	**34**	**52**	**76**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	29.0		29	29	29	29	29	29	29
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	20.5	94	15	15	16	26	35	35	35
70-74	1	35.0		35	35	35	35	35	35	35
75-79	6	26.2	295	10	10	21	33	55	57	57
80-84	3	31.0	441	10	10	31	47	52	52	52
85+	1	27.0		27	27	27	27	27	27	27
B. *Operated*										
65-69 YRS	8	39.4	517	15	19	31	74	90	99+	99+
70-74	2	28.5	41	24	24	66	99+	99+	99+	99+
75-79	4	55.0	1201	20	20	55	84	90	90	90
80-84	1	27.0		27	27	27	27	27	27	27
85+	1	43.0		43	43	43	43	43	43	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*	15	26.3	208	10	10	25	34	52	56	57
B. *Operated*	16	41.4	572	17	22	33	78	99+	99+	99+
1. SINGLE DX	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX	31	34.1	442	11	15	31	52	91	99+	99+
A. NOT OPERATED	15	26.3	208	10	10	25	34	52	56	57
B. OPERATED	17	40.6	545	17	22	32	77	99+	99+	99+
TOTAL 65-69 YRS	13	32.8	406	15	15	30	35	78	95	99+
70-74	3	30.7	34	24	24	35	99+	99+	99+	99+
75-79	10	37.7	786	10	12	28	57	84	90	90
80-84	4	30.0	298	10	10	29	41	52	52	52
85+	2	35.0	128	27	27	35	43	43	43	43
GRAND TOTAL	**32**	**33.9**	**429**	**11**	**15**	**31**	**50**	**90**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	14.8	248	2	3	10	17	47	66	99+
70-74	47	12.1	137	1	1	8	18	27	43	46
75-79	56	12.2	115	1	2	9	16	26	36	53
80-84	37	15.8	224	1	2	11	20	38	44	70
85+	35	13.8	93	2	3	12	20	27	31	43
B. *Operated*										
65-69 YRS	76	13.9	88	4	6	11	18	25	41	86
70-74	79	13.9	62	6	6	11	18	25	32	39
75-79	59	15.8	117	4	5	13	22	37	40	94
80-84	48	16.6	147	5	6	13	21	34	43	99+
85+	48	15.5	115	5	6	12	18	36	38	53
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	190	18.7	247	3	5	14	24	38	50	77
70-74	222	18.5	249	3	4	14	22	40	49	84
75-79	235	19.3	213	3	5	16	26	41	54	99+
80-84	186	19.9	242	4	6	17	26	45	83	99+
85+	152	19.5	231	3	5	16	25	37	58	99
B. *Operated*										
65-69 YRS	178	25.2	412	5	8	19	33	63	76	99+
70-74	175	26.7	334	6	8	23	36	58	70	99+
75-79	187	25.4	280	7	9	21	35	53	61	99+
80-84	128	25.4	345	8	9	21	33	54	83	99+
85+	87	27.1	266	9	11	24	35	50	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	13.5	157	1	2	10	18	30	43	69
B. *Operated*	310	14.9	100	5	6	12	19	30	39	82
2. MULTIPLE DX										
A. *Not Operated*	985	19.1	235	3	5	15	25	41	53	99+
B. *Operated*	755	25.8	332	7	9	21	35	57	74	99+
1. SINGLE DX	521	14.3	123	2	4	11	19	30	40	70
2. MULTIPLE DX	1740	22.0	288	4	6	18	30	48	64	99+
A. NOT OPERATED	1196	18.1	226	3	4	14	24	39	52	99+
B. OPERATED	1065	22.7	289	6	7	18	30	50	68	99+
TOTAL 65-69 YRS	480	20.0	300	4	5	14	25	47	64	99+
70-74	523	20.0	265	3	5	15	26	44	57	96
75-79	537	20.3	233	4	6	16	28	42	57	99+
80-84	399	20.9	272	5	6	16	28	45	70	99+
85+	322	20.3	228	4	6	17	27	40	54	99+
GRAND TOTAL	**2261**	**20.3**	**260**	**4**	**6**	**16**	**27**	**43**	**59**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	34.0		34	34	34	34	34	34	34
70-74	1	4.0		4	4	4	4	4	4	4
75-79	2	37.5	1105	14	14	37	61	61	61	61
80-84	1	11.0		11	11	11	11	11	11	11
85+										
B. *Operated*										
65-69 YRS										
70-74	1	36.0		36	36	36	36	36	36	36
75-79	1	9.0		9	9	9	9	9	9	9
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	60	26.2	374	6	8	22	32	60	68	95
70-74	77	25.7	251	7	11	22	32	47	61	82
75-79	81	24.3	322	5	8	20	28	54	68	96
80-84	52	28.0	334	6	11	25	36	62	92	99+
85+	54	25.4	373	6	8	20	34	61	94	99+
B. *Operated*										
65-69 YRS	36	35.6	432	11	13	35	48	91	99+	99+
70-74	41	32.5	425	10	11	27	45	71	99	99+
75-79	38	29.3	268	10	12	25	37	47	69	79
80-84	31	30.5	408	7	9	24	52	80	99+	99+
85+	14	34.4	274	10	12	34	50	55	59	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	24.8	534	4	4	14	41	61	61	61
B. *Operated*	2	22.5	365	9	9	22	36	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	324	25.8	322	6	8	22	32	55	68	99+
B. *Operated*	160	32.2	369	9	11	28	45	69	98	99+
1. SINGLE DX	7	24.1	418	4	5	14	35	56	61	61
2. MULTIPLE DX	484	27.9	346	7	9	24	37	61	79	99+
A. NOT OPERATED	329	25.7	324	6	8	22	32	56	68	99+
B. OPERATED	162	32.1	368	9	11	28	45	69	98	99+
TOTAL 65-69 YRS	97	29.8	408	7	9	27	38	65	91	99+
70-74	120	27.9	319	7	11	24	36	58	69	99+
75-79	122	25.9	314	6	9	22	34	54	68	90
80-84	84	28.7	358	7	10	24	43	65	99+	99+
85+	68	27.3	362	6	9	23	39	57	86	99+
GRAND TOTAL	**491**	**27.8**	**347**	**7**	**9**	**24**	**37**	**61**	**78**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	84	4.8	28	1	1	3	6	9	13	31
70-74	69	5.1	18	1	2	4	7	11	15	20
75-79	45	5.0	26	1	1	3	6	11	14	29
80-84	32	5.3	49	<1	1	3	5	11	22	35
85+	19	5.6	39	<1	<1	4	7	14	21	26
B. *Operated*										
65-69 YRS	1406	6.8	25	2	2	6	9	13	16	26
70-74	1166	7.5	28	2	2	6	9	14	18	28
75-79	774	7.2	31	2	2	6	9	13	17	28
80-84	257	7.7	36	2	2	6	10	15	18	38
85+	75	7.5	19	2	2	7	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	302	7.1	58	1	2	5	8	14	21	32
70-74	320	7.9	91	1	2	5	10	14	19	67
75-79	320	8.4	64	2	2	6	10	17	23	40
80-84	222	10.3	105	2	3	7	11	20	28	54
85+	156	10.5	90	2	3	8	13	21	28	44
B. *Operated*										
65-69 YRS	3164	10.0	69	2	3	8	12	19	25	44
70-74	2757	10.2	72	2	3	8	13	20	26	45
75-79	1787	11.4	90	2	3	9	14	22	28	56
80-84	733	11.8	95	2	3	9	15	24	30	49
85+	203	11.7	64	2	3	10	15	22	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	5.0	28	1	1	3	6	11	15	29
B. *Operated*	3678	7.2	28	2	2	6	9	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1320	8.5	81	2	2	6	10	17	22	48
B. *Operated*	8644	10.5	77	2	3	8	13	21	27	47
1. SINGLE DX	3927	7.0	28	2	2	6	9	13	17	27
2. MULTIPLE DX	9964	10.3	78	2	3	8	13	20	27	48
A. NOT OPERATED	1569	8.0	74	1	2	6	10	16	22	47
B. OPERATED	12322	9.5	65	2	2	7	12	19	24	41
TOTAL 65-69 YRS	4956	8.8	58	2	2	7	11	17	23	38
70-74	4312	9.2	63	2	2	7	12	18	23	40
75-79	2926	9.9	74	2	2	8	12	19	26	48
80-84	1244	10.5	86	2	2	8	13	22	28	48
85+	453	10.4	67	2	3	8	13	20	27	39
GRAND TOTAL	**13891**	**9.4**	**66**	**2**	**2**	**7**	**12**	**19**	**24**	**42**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	7.0		7	7	7	7	7	7	7
70-74	1	23.0		23	23	23	23	23	23	23
75-79										
80-84	1	17.0		17	17	17	17	17	17	17
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	21	15.7	124	3	4	12	24	35	36	37
70-74	21	18.2	350	3	4	14	23	64	84	99+
75-79	32	18.2	222	3	5	11	26	40	53	60
80-84	23	16.8	174	2	3	11	27	34	42	50
85+	14	17.3	286	3	5	12	32	52	88	99+
B. *Operated*										
65-69 YRS	123	21.1	400	3	5	15	29	57	78	99+
70-74	121	16.1	184	3	4	12	22	31	45	74
75-79	64	19.3	192	4	4	15	29	40	61	99+
80-84	38	17.8	111	4	5	15	25	33	38	39
85+	10	16.9	153	5	5	14	20	37	45	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	15.7	65	7	7	17	21	23	23	23
2. MULTIPLE DX										
A. *Not Operated*	111	17.3	218	3	4	12	26	38	54	99+
B. *Operated*	356	18.6	254	3	5	14	24	40	58	99
1. SINGLE DX	3	15.7	65	7	7	17	21	23	23	23
2. MULTIPLE DX	467	18.3	245	3	5	13	24	40	58	99+
A. NOT OPERATED	111	17.3	218	3	4	12	26	38	54	99+
B. OPERATED	359	18.6	252	3	5	14	24	40	58	98
TOTAL 65-69 YRS	145	20.2	361	3	5	14	27	50	72	99+
70-74	143	16.4	206	3	4	12	22	34	48	80
75-79	96	18.9	200	4	5	14	29	39	57	99+
80-84	62	17.4	130	3	4	14	25	33	38	49
85+	24	17.1	221	4	5	12	23	51	64	99+
GRAND TOTAL	**470**	**18.3**	**244**	**3**	**5**	**13**	**24**	**40**	**58**	**99+**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	232	10.8	120	2	3	7	13	24	31	76
70-74	246	11.8	101	2	3	9	15	22	32	54
75-79	260	12.2	87	3	4	9	15	25	33	47
80-84	185	13.7	104	3	4	10	19	29	33	50
85+	145	12.8	72	3	4	11	17	26	30	35
B. *Operated*										
65-69 YRS	81	10.5	83	2	2	8	15	23	28	47
70-74	55	11.0	125	3	4	8	12	20	31	70
75-79	36	7.7	49	1	1	5	13	20	22	26
80-84	15	17.0	467	1	2	9	25	39	73	84
85+	4	18.0	337	1	1	13	29	44	44	44
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1566	14.1	154	3	4	10	17	28	38	68
70-74	1873	14.8	162	3	4	11	19	29	41	83
75-79	2109	15.3	159	4	5	11	19	32	41	75
80-84	1683	16.2	185	4	5	12	20	33	44	90
85+	1477	16.8	191	4	5	13	21	33	47	97
B. *Operated*										
65-69 YRS	441	16.2	217	3	4	12	20	34	54	99+
70-74	442	18.9	222	4	5	15	24	40	56	99+
75-79	310	21.1	289	3	5	16	28	51	65	99+
80-84	211	21.4	246	5	7	18	31	50	78	99+
85+	116	25.6	325	6	8	21	35	57	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1068	12.2	99	3	3	9	16	25	32	51
B. *Operated*	191	10.8	125	2	2	7	14	22	29	64
2. MULTIPLE DX										
A. *Not Operated*	8708	15.4	170	3	5	11	19	31	43	80
B. *Operated*	1520	19.4	252	4	5	15	25	43	61	99+
1. SINGLE DX	1259	11.9	103	2	3	9	15	25	32	52
2. MULTIPLE DX	10228	16.0	184	3	5	12	20	33	45	91
A. NOT OPERATED	9776	15.0	163	3	4	11	19	31	41	77
B. OPERATED	1711	18.5	245	3	5	14	24	41	59	99+
TOTAL 65-69 YRS	2320	14.0	163	3	4	10	18	28	40	79
70-74	2616	15.1	169	3	4	11	19	31	43	85
75-79	2715	15.6	171	3	5	12	20	33	43	79
80-84	2094	16.5	189	4	5	13	21	35	46	96
85+	1742	17.0	196	4	5	13	22	34	49	99+
GRAND TOTAL	**11487**	**15.6**	**177**	**3**	**4**	**12**	**20**	**32**	**44**	**89**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	9.7	31	4	4	9	12	18	19	19
70-74	6	6.5	11	3	3	5	10	11	11	11
75-79	2	11.0	50	6	6	11	16	16	16	16
80-84	1	20.0		20	20	20	20	20	20	20
85+	4	18.5	247	3	3	16	31	38	38	38
B. *Operated*										
65-69 YRS	1	28.0		28	28	28	28	28	28	28
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	639	20.6	278	4	6	16	26	46	62	99+
70-74	835	20.8	252	5	6	16	28	44	55	98
75-79	846	20.7	241	5	6	17	27	43	55	92
80-84	727	21.1	222	5	7	17	27	42	52	86
85+	702	20.3	171	6	7	17	27	40	52	99+
B. *Operated*										
65-69 YRS	120	24.4	291	4	6	23	35	51	70	99+
70-74	135	25.4	310	6	8	21	35	59	74	99+
75-79	113	30.2	344	8	11	29	45	74	99+	99+
80-84	76	30.8	305	9	11	30	44	63	99+	99+
85+	52	25.7	222	5	9	25	41	88	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	11.2	80	3	3	9	15	22	32	38
B. *Operated*	1	28.0		28	28	28	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	3749	20.7	233	5	6	17	27	43	55	99+
B. *Operated*	496	27.1	308	6	8	25	40	60	99+	99+
1. SINGLE DX	20	12.1	90	3	3	9	17	26	33	38
2. MULTIPLE DX	4245	21.5	246	5	7	17	28	45	59	99+
A. NOT OPERATED	3768	20.7	232	5	6	17	27	43	54	99+
B. OPERATED	497	27.1	307	6	8	25	40	60	99+	99+
TOTAL 65-69 YRS	766	21.1	280	4	6	16	28	47	64	99+
70-74	976	21.4	262	5	6	17	28	46	58	99+
75-79	961	21.8	262	5	7	18	29	46	62	99+
80-84	804	22.0	238	6	7	18	29	45	57	99+
85+	758	20.7	176	5	7	18	28	41	55	99+
GRAND TOTAL	**4265**	**21.4**	**245**	**5**	**7**	**17**	**28**	**45**	**59**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	772	4.8	13	1	2	4	6	9	11	17
70-74	885	4.7	10	1	2	4	6	9	11	16
75-79	923	5.0	21	1	2	4	6	9	12	18
80-84	804	5.3	16	1	2	4	7	10	13	21
85+	745	5.4	18	1	2	4	7	10	14	22
B. *Operated*										
65-69 YRS	355	5.6	20	1	2	4	8	12	13	24
70-74	267	6.2	29	1	2	5	8	12	17	27
75-79	185	6.7	37	2	2	5	9	12	16	33
80-84	79	5.9	20	2	2	5	7	12	14	25
85+	33	7.1	24	2	2	6	10	15	16	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4057	6.9	33	2	2	6	8	13	16	28
70-74	5718	7.5	41	2	2	6	9	13	18	33
75-79	6371	8.0	50	2	3	6	10	15	19	37
80-84	6152	8.3	55	2	3	6	10	16	21	41
85+	6025	8.9	75	2	3	7	11	17	23	59
B. *Operated*										
65-69 YRS	1409	9.7	61	2	2	8	12	18	23	42
70-74	1434	10.4	82	2	3	8	13	21	28	47
75-79	1179	12.0	131	2	3	9	15	24	33	77
80-84	735	14.3	173	3	4	11	18	29	42	86
85+	465	16.5	213	3	4	12	22	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4129	5.1	16	1	2	4	6	9	12	19
B. *Operated*	919	6.1	26	1	2	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	28323	8.0	53	2	3	6	10	15	19	41
B. *Operated*	5222	11.6	117	2	3	9	14	23	32	73
1. SINGLE DX	5048	5.2	18	1	2	4	7	10	13	19
2. MULTIPLE DX	33545	8.6	64	2	3	7	10	16	22	47
A. NOT OPERATED	32452	7.6	49	2	2	6	9	14	19	37
B. OPERATED	6141	10.8	107	2	2	8	13	22	30	67
TOTAL 65-69 YRS	6593	7.2	38	2	2	6	9	14	18	31
70-74	8304	7.6	47	2	2	6	9	14	19	35
75-79	8658	8.2	61	2	2	6	10	15	21	41
80-84	7770	8.6	66	2	2	6	10	16	22	47
85+	7268	9.0	83	2	2	7	11	17	25	64
GRAND TOTAL	**38593**	**8.1**	**59**	**2**	**2**	**6**	**10**	**15**	**21**	**43**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	694	12.2	129	2	3	9	15	26	36	66
70-74	851	11.9	124	2	3	9	15	24	33	60
75-79	869	11.7	101	2	3	9	15	25	33	54
80-84	804	12.9	140	2	3	10	17	27	34	65
85+	779	13.3	135	3	4	10	17	27	36	77
B. *Operated*										
65-69 YRS	100	10.1	91	2	2	8	14	20	26	53
70-74	87	12.4	106	2	2	10	17	29	39	81
75-79	77	16.9	300	2	3	11	23	35	49	95
80-84	34	16.0	146	3	4	13	25	41	85	99+
85+	24	20.7	306	5	7	14	21	51	63	74
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3458	14.0	147	3	4	10	18	30	40	72
70-74	4681	14.6	154	3	4	11	19	30	42	82
75-79	5168	15.7	173	3	4	12	20	33	44	88
80-84	4861	16.1	179	3	5	13	20	33	47	99+
85+	4723	16.1	188	3	5	12	20	34	49	99+
B. *Operated*										
65-69 YRS	738	19.2	271	3	5	14	25	48	67	99+
70-74	803	22.7	350	4	6	17	31	56	76	99+
75-79	713	23.6	312	4	6	19	34	54	74	99+
80-84	537	24.6	343	5	7	20	36	56	86	99+
85+	407	28.6	387	7	10	24	43	70	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3997	12.4	125	2	3	9	16	26	34	63
B. *Operated*	322	13.8	176	2	2	10	18	30	40	99
2. MULTIPLE DX										
A. *Not Operated*	22891	15.4	170	3	4	12	20	32	44	97
B. *Operated*	3198	23.2	334	4	6	18	33	56	78	99+
1. SINGLE DX	4319	12.5	129	2	3	9	16	26	35	65
2. MULTIPLE DX	26089	16.3	197	3	4	12	21	35	50	99+
A. NOT OPERATED	26888	14.9	165	3	4	11	19	31	43	91
B. OPERATED	3520	22.3	327	4	6	17	32	54	75	99+
TOTAL 65-69 YRS	4990	14.4	166	3	4	11	18	31	43	83
70-74	6422	15.2	183	3	4	11	19	33	46	95
75-79	6827	16.0	188	3	4	12	21	35	47	99+
80-84	6236	16.4	196	3	4	13	21	35	49	99+
85+	5933	16.6	206	3	5	13	21	36	53	99+
GRAND TOTAL	**30408**	**15.8**	**189**	**3**	**4**	**12**	**20**	**34**	**48**	**99+**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	14.1	82	2	3	12	23	26	26	26
70-74	14	12.9	117	2	3	11	14	34	38	39
75-79	9	10.9	55	3	3	6	19	20	21	21
80-84	4	21.3	266	3	3	20	33	42	42	42
85+	10	14.7	138	2	3	11	18	34	35	35
B. *Operated*										
65-69 YRS	1	17.0		17	17	17	17	17	17	17
70-74										
75-79										
80-84	1	87.0		87	87	87	87	87	87	87
85+	1	32.0		32	32	32	32	32	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1489	19.5	249	4	5	15	26	42	56	99+
70-74	1992	20.1	253	4	5	15	27	42	54	92
75-79	2045	20.8	258	4	6	16	28	43	57	99+
80-84	1865	20.9	262	4	6	16	27	45	60	99+
85+	1678	20.0	225	5	7	16	25	40	54	99+
B. *Operated*										
65-69 YRS	264	29.1	408	7	9	24	46	65	91	99+
70-74	322	28.8	394	7	9	25	41	63	94	99+
75-79	287	31.7	439	7	10	28	44	73	91	99+
80-84	177	32.5	475	7	11	28	50	84	99+	99+
85+	157	33.2	385	10	14	29	47	66	87	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	13.9	112	2	3	12	19	33	36	42
B. *Operated*	3	45.3	1358	17	17	32	73	87	87	87
2. MULTIPLE DX										
A. *Not Operated*	9069	20.3	250	4	6	16	27	42	57	99+
B. *Operated*	1207	30.7	420	7	10	26	45	70	95	99+
1. SINGLE DX	47	15.9	224	2	3	12	19	34	39	87
2. MULTIPLE DX	10276	21.5	281	4	6	17	29	47	63	99+
A. NOT OPERATED	9113	20.3	250	4	6	16	27	42	57	99+
B. OPERATED	1210	30.7	422	7	10	26	45	71	95	99+
TOTAL 65-69 YRS	1761	20.9	283	4	5	16	29	48	61	99+
70-74	2328	21.3	281	4	6	17	29	46	61	99+
75-79	2341	22.1	293	5	6	17	30	48	67	99+
80-84	2047	21.9	293	4	6	17	28	49	67	99+
85+	1846	21.1	251	5	7	17	27	44	59	99+
GRAND TOTAL	**10323**	**21.5**	**281**	**4**	**6**	**17**	**29**	**47**	**63**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	6.6	59	1	2	5	8	12	17	40
70-74	258	6.8	39	1	2	5	8	13	19	30
75-79	282	7.0	36	1	2	5	9	14	17	34
80-84	233	7.6	58	2	2	6	9	15	19	51
85+	250	8.1	50	2	2	7	10	16	24	99+
B. *Operated*										
65-69 YRS	210	6.9	40	1	2	5	9	16	20	30
70-74	170	8.0	107	2	2	6	10	14	18	67
75-79	103	7.1	63	2	2	5	9	12	15	50
80-84	56	7.5	41	2	2	6	11	14	22	29
85+	11	10.1	99	2	2	8	15	26	33	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1708	9.7	94	2	3	7	11	19	27	64
70-74	2624	10.1	85	2	3	7	12	20	28	58
75-79	3232	10.9	118	2	3	8	13	21	31	84
80-84	3206	10.9	101	2	3	8	13	22	31	79
85+	3190	11.5	122	3	3	9	14	24	34	99+
B. *Operated*										
65-69 YRS	617	13.6	193	2	2	9	17	29	45	80
70-74	691	12.8	128	2	3	10	16	25	38	64
75-79	603	14.1	133	2	3	11	19	29	38	66
80-84	381	16.8	232	3	4	12	22	39	51	99+
85+	286	19.5	288	4	6	14	25	50	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1218	7.2	48	1	2	5	9	14	19	43
B. *Operated*	550	7.4	66	1	2	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*	13960	10.7	106	2	3	8	13	21	30	82
B. *Operated*	2578	14.6	182	2	3	11	19	32	45	99
1. SINGLE DX	1768	7.3	53	1	2	5	9	14	19	40
2. MULTIPLE DX	16538	11.3	120	2	3	8	14	23	34	84
A. NOT OPERATED	15178	10.4	102	2	3	8	13	21	30	81
B. OPERATED	3128	13.3	169	2	2	10	17	29	42	89
TOTAL 65-69 YRS	2730	10.1	114	2	2	7	12	21	30	67
70-74	3743	10.3	93	2	3	8	13	21	29	58
75-79	4220	11.0	116	2	3	8	13	22	32	81
80-84	3876	11.2	115	2	3	8	13	23	33	84
85+	3737	11.9	135	3	3	9	14	25	37	99+
GRAND TOTAL	**18306**	**10.9**	**115**	**2**	**3**	**8**	**13**	**23**	**32**	**82**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	4.3	9	1	2	4	5	9	11	14
70-74	36	4.5	18	1	1	3	5	10	15	20
75-79	37	7.1	86	1	2	5	7	12	24	53
80-84	28	12.3	438	2	2	6	11	17	78	92
85+	41	7.3	57	1	2	6	11	19	63	99+
B. *Operated*										
65-69 YRS	245	7.3	50	1	2	5	11	15	20	37
70-74	218	8.2	64	1	2	6	11	18	25	41
75-79	167	10.0	93	1	2	9	14	19	26	43
80-84	67	8.8	85	1	2	5	14	19	25	51
85+	50	14.1	154	1	2	10	21	31	36	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	388	7.9	48	2	2	6	10	15	20	39
70-74	572	9.5	73	2	2	7	12	19	24	56
75-79	748	10.2	98	2	3	8	12	20	28	67
80-84	756	10.7	98	2	3	8	13	21	32	58
85+	1067	10.6	90	2	3	8	13	21	30	65
B. *Operated*										
65-69 YRS	1570	15.8	220	2	2	12	21	34	45	86
70-74	1573	17.1	252	2	2	13	21	40	53	93
75-79	1203	19.2	293	2	3	14	25	43	58	99
80-84	825	20.2	266	2	4	16	27	46	60	99+
85+	661	20.5	221	4	6	17	27	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	178	6.9	110	1	2	4	7	13	20	97
B. *Operated*	747	8.8	76	1	2	6	12	19	25	43
2. MULTIPLE DX										
A. *Not Operated*	3531	10.1	87	2	3	8	12	20	28	59
B. *Operated*	5832	18.0	253	2	3	14	24	40	54	95
1. SINGLE DX	925	8.4	83	1	2	5	12	18	25	47
2. MULTIPLE DX	9363	15.0	205	2	3	11	19	34	47	86
A. NOT OPERATED	3709	9.9	88	2	3	7	12	19	28	61
B. OPERATED	6579	16.9	242	2	2	13	22	38	52	92
TOTAL 65-69 YRS	2239	13.3	183	2	2	10	17	29	41	78
70-74	2399	14.3	204	2	2	10	18	33	47	79
75-79	2155	15.1	227	2	3	10	19	35	50	94
80-84	1676	15.3	209	2	3	11	20	36	50	92
85+	1819	14.2	161	2	3	10	18	31	43	81
GRAND TOTAL	**10288**	**14.4**	**198**	**2**	**2**	**10**	**18**	**33**	**46**	**84**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	37	3.7	12	<1	<1	3	4	9	12	15
70-74	44	4.2	10	<1	1	4	6	9	11	14
75-79	44	4.4	11	<1	1	4	5	9	13	15
80-84	45	6.1	19	1	2	5	9	12	15	18
85+	25	5.6	18	2	3	4	7	11	17	19
B. *Operated*										
65-69 YRS	397	11.5	44	2	3	11	14	18	22	29
70-74	430	11.8	37	2	3	11	15	20	22	30
75-79	283	13.8	86	2	3	13	16	21	27	46
80-84	110	13.4	55	2	4	13	16	21	30	36
85+	47	12.6	53	2	3	13	16	22	27	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	184	7.0	29	1	2	6	9	14	17	29
70-74	262	7.1	41	1	2	5	9	15	20	32
75-79	306	7.4	39	1	2	6	10	15	19	34
80-84	252	8.6	66	2	2	6	11	16	22	37
85+	265	9.8	74	2	3	7	12	19	29	44
B. *Operated*										
65-69 YRS	1473	16.4	134	3	7	14	19	29	39	68
70-74	1516	17.1	149	3	5	14	21	31	44	78
75-79	1086	18.1	156	3	6	15	22	33	42	68
80-84	475	19.2	189	3	6	16	23	38	50	99+
85+	182	22.2	243	4	8	18	29	42	54	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	4.8	14	<1	1	4	6	10	14	18
B. *Operated*	1267	12.3	53	2	3	12	15	20	23	35
2. MULTIPLE DX										
A. *Not Operated*	1269	8.0	52	2	2	6	10	16	21	37
B. *Operated*	4732	17.5	155	3	6	15	21	32	44	77
1. SINGLE DX	1462	11.3	55	2	2	11	15	19	23	35
2. MULTIPLE DX	6001	15.5	148	2	3	13	19	30	40	70
A. NOT OPERATED	1464	7.6	48	1	2	6	10	15	20	36
B. OPERATED	5999	16.4	138	2	5	14	20	30	40	70
TOTAL 65-69 YRS	2091	14.4	117	2	3	12	17	25	34	61
70-74	2252	14.7	127	2	3	12	18	27	37	66
75-79	1719	15.1	140	2	3	13	19	29	37	61
80-84	882	14.8	154	2	3	12	19	30	40	91
85+	519	14.2	164	2	3	10	18	30	39	69
GRAND TOTAL	**7463**	**14.7**	**133**	**2**	**3**	**12**	**18**	**28**	**37**	**66**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.0	37	1	1	5	12	16	16	16
70-74	5	2.4	3	1	1	2	3	5	5	5
75-79	9	3.3	5	<1	<1	3	4	7	8	8
80-84	3	9.3	16	7	7	7	12	14	14	14
85+	4	6.0	19	2	2	5	9	12	12	12
B. *Operated*										
65-69 YRS	92	9.6	77	2	2	9	12	16	19	57
70-74	90	9.5	90	1	2	8	13	17	22	57
75-79	58	8.7	46	2	2	7	11	14	22	41
80-84	27	13.0	111	2	2	11	17	29	33	46
85+	12	10.3	79	1	1	8	12	26	29	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	5.4	23	<1	<1	4	9	12	15	17
70-74	20	7.2	22	2	2	6	11	14	16	17
75-79	13	5.6	65	1	1	3	5	11	28	32
80-84	18	6.6	20	2	2	6	8	13	16	18
85+	10	8.9	35	2	3	7	13	18	20	20
B. *Operated*										
65-69 YRS	263	15.1	185	2	3	12	19	29	37	91
70-74	242	15.8	157	2	4	12	21	35	43	59
75-79	146	15.3	113	2	4	12	19	28	42	61
80-84	82	19.1	257	2	4	14	27	40	51	74
85+	38	29.1	426	9	10	20	36	64	78	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.0	18	1	1	3	7	12	14	16
B. *Operated*	279	9.8	78	2	2	8	12	17	25	45
2. MULTIPLE DX										
A. *Not Operated*	78	6.6	30	1	2	5	8	14	17	29
B. *Operated*	771	16.5	190	2	4	13	20	35	46	76
1. SINGLE DX	306	9.3	75	1	2	8	12	17	24	44
2. MULTIPLE DX	849	15.6	184	2	3	12	20	32	44	76
A. NOT OPERATED	105	6.2	27	1	1	5	8	14	16	25
B. OPERATED	1050	14.7	169	2	3	11	18	30	42	74
TOTAL 65-69 YRS	378	13.2	157	2	2	11	16	25	36	75
70-74	357	13.6	141	2	2	10	17	30	41	58
75-79	226	12.6	103	2	2	11	16	25	37	55
80-84	130	15.9	208	2	3	11	22	35	42	72
85+	64	21.0	369	2	4	15	28	47	70	83
GRAND TOTAL	**1155**	**13.9**	**162**	**2**	**2**	**11**	**17**	**29**	**40**	**71**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	56	5.7	35	<1	1	3	8	14	18	30
70-74	52	5.2	16	1	1	4	8	10	11	17
75-79	42	6.6	15	1	2	6	9	11	12	20
80-84	24	7.7	23	2	2	7	11	14	16	20
85+	26	10.1	71	1	1	9	12	21	26	40
B. *Operated*										
65-69 YRS	765	9.6	54	1	2	9	13	17	21	34
70-74	582	9.4	52	1	2	9	13	18	23	38
75-79	342	9.5	68	1	2	9	13	18	23	33
80-84	165	9.8	47	2	2	9	15	20	23	29
85+	102	10.9	73	2	2	9	14	20	27	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	174	7.5	29	2	2	7	10	14	20	26
70-74	223	9.4	75	1	2	8	12	17	25	41
75-79	164	10.3	89	2	2	9	12	18	26	63
80-84	137	10.5	57	1	3	9	13	19	26	39
85+	156	10.4	79	2	3	9	13	18	28	66
B. *Operated*										
65-69 YRS	2323	15.1	162	2	3	12	18	30	40	73
70-74	1967	15.7	174	2	3	12	20	31	43	78
75-79	1456	17.2	199	2	4	14	22	36	47	91
80-84	817	17.4	217	3	4	14	22	35	51	97
85+	667	17.6	192	3	5	14	22	36	51	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	6.6	31	1	1	6	9	12	16	27
B. *Operated*	1956	9.6	56	1	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	854	9.5	67	2	2	8	12	17	24	44
B. *Operated*	7230	16.2	183	2	3	13	20	33	44	83
1. SINGLE DX	2156	9.3	55	1	2	9	13	18	22	34
2. MULTIPLE DX	8084	15.5	175	2	3	12	19	31	43	80
A. NOT OPERATED	1054	9.0	62	1	2	8	11	17	23	39
B. OPERATED	9186	14.8	163	2	3	12	18	29	41	77
TOTAL 65-69 YRS	3318	13.3	136	2	2	11	17	26	36	65
70-74	2824	13.7	148	2	2	11	17	28	37	73
75-79	2004	15.1	176	2	3	12	19	31	42	86
80-84	1143	15.3	181	2	3	12	19	31	43	80
85+	951	15.5	168	2	4	12	19	30	45	74
GRAND TOTAL	**10240**	**14.2**	**156**	**2**	**2**	**11**	**18**	**29**	**39**	**74**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	4.5	15	<1	1	3	6	10	13	18
70-74	95	6.4	30	1	1	5	9	14	19	24
75-79	93	5.6	28	1	2	4	7	13	16	28
80-84	63	5.2	17	<1	1	4	7	11	14	18
85+	49	6.9	35	1	2	5	8	13	18	31
B. *Operated*										
65-69 YRS	514	8.0	63	1	2	6	11	16	23	36
70-74	486	8.1	60	1	2	6	12	16	21	32
75-79	276	8.9	91	1	2	6	12	18	25	47
80-84	172	10.1	89	1	2	8	14	21	33	52
85+	81	12.0	133	1	2	10	16	26	36	91
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	608	8.2	69	1	2	6	10	16	23	48
70-74	640	9.0	74	2	2	7	11	17	25	51
75-79	667	9.1	78	2	3	7	11	17	23	57
80-84	472	11.2	109	2	3	8	14	24	27	60
85+	461	10.5	88	2	3	8	13	19	29	64
B. *Operated*										
65-69 YRS	1909	14.6	199	2	2	11	19	32	45	75
70-74	1840	15.5	216	2	2	12	20	35	50	98
75-79	1333	16.3	242	2	3	12	21	36	53	99+
80-84	742	20.0	329	2	4	15	26	45	61	99
85+	526	19.6	229	3	5	16	26	42	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	5.6	25	1	1	4	8	12	16	26
B. *Operated*	1529	8.6	75	1	2	7	12	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	2848	9.4	83	2	2	7	12	19	26	55
B. *Operated*	6350	16.3	234	2	3	12	21	36	52	96
1. SINGLE DX	1923	8.0	66	1	2	6	11	17	22	37
2. MULTIPLE DX	9198	14.2	197	2	2	10	18	31	45	87
A. NOT OPERATED	3242	9.0	77	2	2	7	11	18	25	52
B. OPERATED	7879	14.8	212	2	2	11	19	33	47	91
TOTAL 65-69 YRS	3125	11.9	157	2	2	8	15	26	37	67
70-74	3061	12.7	168	2	2	9	16	28	41	78
75-79	2369	13.0	184	2	2	9	17	29	41	93
80-84	1449	15.3	240	2	3	11	20	34	51	91
85+	1117	14.7	177	2	3	11	19	32	47	90
GRAND TOTAL	**11121**	**13.1**	**180**	**2**	**2**	**9**	**17**	**29**	**42**	**81**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	697	8.6	19	3	4	8	11	14	16	23
70-74	611	9.1	19	3	4	9	12	14	17	23
75-79	435	9.1	19	4	4	8	11	15	17	22
80-84	249	9.9	20	4	4	10	12	16	18	24
85+	192	10.0	25	4	4	9	13	16	19	27
B. *Operated*										
65-69 YRS	211	9.5	30	2	3	9	13	16	20	25
70-74	177	10.6	32	3	4	10	13	17	22	29
75-79	108	11.1	57	2	3	10	14	18	24	44
80-84	66	10.2	21	2	4	10	13	16	19	20
85+	40	11.1	52	3	4	10	14	17	18	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2098	10.6	37	4	5	9	13	18	21	31
70-74	1999	10.8	41	4	5	10	13	18	21	34
75-79	1649	11.2	44	4	5	10	14	18	23	36
80-84	1198	11.2	41	4	5	10	14	19	23	35
85+	844	12.5	67	4	5	11	15	22	28	49
B. *Operated*										
65-69 YRS	867	12.9	72	4	5	11	16	23	28	48
70-74	850	13.7	82	4	5	12	16	23	30	47
75-79	611	14.8	130	4	6	12	18	25	34	80
80-84	396	14.9	107	4	6	13	18	27	41	62
85+	234	15.4	125	5	6	14	18	25	36	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2184	9.1	20	3	4	8	11	15	17	23
B. *Operated*	602	10.3	36	2	3	10	13	17	21	29
2. MULTIPLE DX										
A. *Not Operated*	7788	11.1	43	4	5	10	14	18	23	36
B. *Operated*	2958	14.0	96	4	5	12	17	24	31	58
1. SINGLE DX	2786	9.4	24	3	4	9	12	15	18	25
2. MULTIPLE DX	10746	11.9	60	4	5	10	14	20	25	42
A. NOT OPERATED	9972	10.6	39	4	5	9	13	18	21	33
B. OPERATED	3560	13.4	88	4	5	11	16	23	30	55
TOTAL 65-69 YRS	3873	10.7	43	3	4	9	13	18	22	35
70-74	3637	11.2	48	4	5	10	14	19	23	37
75-79	2803	11.7	63	4	5	10	14	20	24	41
80-84	1909	11.8	54	4	5	10	14	20	25	43
85+	1310	12.6	73	4	5	11	15	21	28	51
GRAND TOTAL	**13532**	**11.4**	**53**	**4**	**5**	**10**	**14**	**19**	**24**	**40**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	85	12.4	97	1	2	10	18	28	33	79
70-74	79	11.7	53	3	4	10	15	21	27	35
75-79	82	12.0	74	2	3	10	16	26	29	38
80-84	72	14.2	141	2	3	12	18	28	44	58
85+	76	12.4	80	2	3	12	16	22	31	48
B. *Operated*										
65-69 YRS	492	7.3	67	2	3	5	8	14	24	40
70-74	297	9.8	114	2	3	5	12	25	30	60
75-79	160	13.9	187	2	3	8	22	31	39	59
80-84	85	16.0	129	3	3	14	25	30	42	81
85+	49	20.7	230	4	5	16	31	39	52	69
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	334	12.5	101	2	3	9	16	26	35	59
70-74	425	12.4	76	2	3	10	17	24	30	45
75-79	448	14.0	124	3	4	11	17	26	34	67
80-84	432	14.3	114	4	5	11	18	28	34	52
85+	482	14.5	126	3	4	11	18	28	38	65
B. *Operated*										
65-69 YRS	598	14.1	197	3	3	9	19	31	40	76
70-74	471	16.9	227	3	4	13	23	40	50	80
75-79	362	19.9	237	3	5	16	27	37	51	87
80-84	216	22.5	258	4	6	20	31	46	59	94
85+	196	23.7	229	6	8	21	33	46	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	12.5	88	2	3	10	17	25	31	49
B. *Operated*	1083	10.3	122	2	3	5	13	26	34	58
2. MULTIPLE DX										
A. *Not Operated*	2121	13.6	110	3	4	11	17	27	34	61
B. *Operated*	1843	18.0	234	3	4	14	25	39	51	85
1. SINGLE DX	1477	10.9	114	2	3	7	14	26	33	54
2. MULTIPLE DX	3964	15.6	172	3	4	12	21	33	43	75
A. NOT OPERATED	2515	13.4	106	3	4	11	17	26	34	58
B. OPERATED	2926	15.1	207	3	3	10	21	35	45	79
TOTAL 65-69 YRS	1509	11.4	136	2	3	7	14	26	35	68
70-74	1272	13.4	147	3	3	9	18	29	38	69
75-79	1052	15.8	177	3	4	12	21	32	41	79
80-84	805	16.7	169	3	4	13	22	34	43	71
85+	803	16.9	170	4	5	13	22	36	45	73
GRAND TOTAL	**5441**	**14.3**	**161**	**3**	**3**	**10**	**19**	**31**	**40**	**70**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	74	3.2	5	<1	1	3	4	6	9	11
70-74	65	3.7	9	<1	1	3	5	8	9	16
75-79	47	3.5	7	1	1	3	4	8	9	12
80-84	30	4.5	12	<1	1	3	6	9	12	16
85+	35	4.2	9	<1	1	4	5	7	9	17
B. *Operated*										
65-69 YRS	335	5.5	9	3	3	5	6	9	10	14
70-74	182	5.9	13	2	3	5	7	10	13	20
75-79	94	6.4	13	3	3	6	8	10	12	23
80-84	47	6.7	9	3	3	6	8	11	12	15
85+	26	7.8	13	3	4	7	10	13	14	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	364	4.9	18	1	2	4	6	9	11	26
70-74	356	5.4	14	1	2	4	7	10	13	19
75-79	293	5.5	14	1	2	5	7	11	13	19
80-84	196	6.6	46	2	2	5	8	13	17	41
85+	207	6.9	44	2	2	5	7	12	18	36
B. *Operated*										
65-69 YRS	1706	6.8	18	3	3	6	8	11	15	23
70-74	1043	7.3	22	3	3	6	9	13	17	26
75-79	585	7.9	25	3	4	6	10	14	17	25
80-84	266	9.7	66	3	4	7	12	18	24	44
85+	140	11.2	56	4	4	10	14	20	25	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	251	3.7	8	<1	1	3	5	7	9	16
B. *Operated*	684	5.9	11	3	3	5	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	1416	5.7	24	1	2	5	7	10	13	26
B. *Operated*	3740	7.5	26	3	3	6	9	13	17	27
1. SINGLE DX	935	5.3	11	1	2	5	7	9	11	17
2. MULTIPLE DX	5156	7.0	26	2	3	6	8	13	16	26
A. NOT OPERATED	1667	5.4	22	1	2	4	7	10	13	24
B. OPERATED	4424	7.2	24	3	3	6	9	13	16	26
TOTAL 65-69 YRS	2479	6.2	17	2	3	5	7	11	14	23
70-74	1646	6.6	20	2	3	5	8	12	15	24
75-79	1019	6.8	21	2	3	6	9	12	15	22
80-84	539	8.0	54	2	2	6	10	15	20	40
85+	408	8.2	48	2	3	6	10	16	21	43
GRAND TOTAL	**6091**	**6.7**	**24**	**2**	**3**	**5**	**8**	**12**	**16**	**26**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	235	7.0	27	1	1	6	9	14	17	26
70-74	231	7.8	51	1	2	6	10	14	19	33
75-79	195	7.7	27	1	2	7	10	14	18	27
80-84	150	7.2	44	1	2	6	10	13	16	27
85+	110	8.5	66	1	2	7	12	17	19	45
B. *Operated*										
65-69 YRS	185	9.4	61	2	2	8	13	17	23	41
70-74	149	9.7	72	2	2	8	12	19	23	56
75-79	110	10.5	100	2	2	8	14	22	29	83
80-84	56	11.3	58	2	3	10	16	21	25	41
85+	38	12.3	238	2	3	9	13	18	44	85
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1407	8.4	37	2	2	7	11	15	20	31
70-74	1519	8.7	55	2	3	7	11	17	21	41
75-79	1508	8.7	45	2	3	7	11	17	21	35
80-84	1147	9.5	65	2	3	8	12	18	24	41
85+	941	9.4	50	2	3	8	12	18	23	36
B. *Operated*										
65-69 YRS	722	13.5	122	2	3	11	18	26	32	59
70-74	749	14.1	142	2	4	11	17	26	35	79
75-79	615	15.1	150	3	4	12	19	29	38	75
80-84	347	17.1	220	3	5	13	20	33	52	99+
85+	283	16.4	181	2	4	13	21	32	43	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	921	7.6	41	1	2	6	10	14	18	27
B. *Operated*	538	10.1	84	2	2	8	13	19	25	56
2. MULTIPLE DX										
A. *Not Operated*	6522	8.9	50	2	3	7	11	17	22	36
B. *Operated*	2716	14.8	154	2	4	12	18	29	38	80
1. SINGLE DX	1459	8.5	58	1	2	7	11	16	21	36
2. MULTIPLE DX	9238	10.6	88	2	3	8	13	21	28	51
A. NOT OPERATED	7443	8.7	49	2	3	7	11	17	21	35
B. OPERATED	3254	14.0	145	2	3	11	18	28	36	79
TOTAL 65-69 YRS	2549	9.8	68	2	2	8	13	19	25	41
70-74	2648	10.2	86	2	3	8	13	19	26	52
75-79	2428	10.3	81	2	3	8	13	20	27	48
80-84	1700	10.9	105	2	3	8	14	21	29	62
85+	1372	10.9	92	2	3	9	14	21	28	55
GRAND TOTAL	**10697**	**10.3**	**84**	**2**	**3**	**8**	**13**	**20**	**27**	**51**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	125	4.4	7	<1	1	4	6	8	10	12
70-74	110	4.9	11	1	2	4	7	8	11	18
75-79	93	4.7	11	1	1	4	6	8	10	19
80-84	66	4.4	7	<1	1	4	5	8	9	14
85+	63	4.7	5	2	2	4	6	8	9	11
B. *Operated*										
65-69 YRS	28	3.3	5	1	1	2	4	7	8	9
70-74	28	2.6	4	<1	<1	2	3	7	7	8
75-79	11	3.5	7	1	1	2	4	8	10	10
80-84	6	5.2	24	2	2	4	4	14	15	15
85+	2	9.5	25	6	6	9	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1002	6.6	22	2	3	5	8	12	15	23
70-74	1022	7.1	30	2	2	6	9	13	16	29
75-79	923	7.2	30	2	3	6	9	13	15	24
80-84	673	8.1	42	2	3	6	10	15	19	37
85+	750	9.3	81	2	3	7	11	18	24	59
B. *Operated*										
65-69 YRS	111	12.0	144	2	2	9	15	26	39	62
70-74	91	11.3	148	1	2	9	13	22	31	72
75-79	73	11.3	74	2	2	10	16	25	30	35
80-84	44	14.6	141	2	3	10	21	30	36	60
85+	31	13.0	67	5	5	11	16	23	34	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	457	4.6	8	<1	2	4	6	8	10	14
B. *Operated*	75	3.4	8	1	1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	4370	7.5	40	2	3	6	9	14	17	32
B. *Operated*	350	12.1	123	2	2	9	15	26	31	52
1. SINGLE DX	532	4.4	9	<1	1	4	6	8	10	14
2. MULTIPLE DX	4720	7.9	47	2	3	6	9	14	19	37
A. NOT OPERATED	4827	7.3	37	2	3	6	9	13	17	30
B. OPERATED	425	10.6	114	1	[illegible]	3	14	24	30	45
TOTAL 65-69 YRS	1266	6.8	34	2	2	5	8	12	16	29
70-74	1251	7.1	38	2	2	6	9	13	16	31
75-79	1100	7.2	33	2	2	6	9	13	16	29
80-84	789	8.1	48	2	3	6	10	15	20	37
85+	846	9.1	77	2	3	7	11	18	24	57
GRAND TOTAL	**5252**	**7.5**	**44**	**2**	**2**	**6**	**9**	**14**	**18**	**36**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	418	5.8	12	2	3	5	7	10	12	19
70-74	369	5.7	9	2	3	5	7	10	12	15
75-79	293	6.3	20	2	3	5	7	11	14	28
80-84	189	6.0	15	2	2	5	7	10	11	20
85+	192	6.2	13	2	3	5	8	11	13	20
B. *Operated*										
65-69 YRS	19	9.3	68	1	2	6	11	23	29	32
70-74	20	7.2	46	1	1	5	9	16	22	27
75-79	12	7.1	24	2	2	6	11	13	17	18
80-84	3	11.0	12	7	7	13	13	13	13	13
85+	3	10.7	6	8	8	11	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4372	7.8	28	3	3	7	10	14	17	28
70-74	4506	8.2	32	3	3	7	10	14	18	30
75-79	3672	8.4	35	3	3	7	10	15	19	31
80-84	2628	8.9	41	3	3	7	11	16	19	32
85+	2288	9.3	52	3	4	8	11	16	21	36
B. *Operated*										
65-69 YRS	351	11.5	54	2	4	10	15	21	27	34
70-74	356	14.1	133	3	4	11	17	27	35	60
75-79	250	13.6	87	4	4	11	19	25	30	51
80-84	161	16.4	183	4	5	13	20	33	41	94
85+	113	16.2	160	4	6	14	20	29	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1461	6.0	13	2	3	5	7	10	12	20
B. *Operated*	57	8.2	44	1	2	6	11	17	24	32
2. MULTIPLE DX										
A. *Not Operated*	17466	8.4	36	3	3	7	10	15	19	31
B. *Operated*	1231	13.7	113	3	4	11	17	26	33	61
1. SINGLE DX	1518	6.0	15	2	2	5	8	11	13	20
2. MULTIPLE DX	18697	8.8	43	3	3	7	11	16	20	34
A. NOT OPERATED	18927	8.2	35	3	3	7	10	15	18	30
B. OPERATED	1288	13.5	111	3	4	11	17	26	33	61
TOTAL 65-69 YRS	5160	7.9	30	2	3	7	10	14	18	29
70-74	5251	8.4	40	3	3	7	10	15	19	33
75-79	4227	8.6	39	3	3	7	10	15	20	33
80-84	2981	9.1	51	3	3	7	11	16	21	35
85+	2596	9.4	57	3	3	7	11	17	22	41
GRAND TOTAL	**20215**	**8.6**	**41**	**3**	**3**	**7**	**10**	**15**	**19**	**33**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	179	2.4	1	1	1	2	3	4	4	7
70-74	84	2.3	1	1	1	2	3	4	4	6
75-79	37	2.5	2	1	1	2	3	4	5	7
80-84	5	2.8	3	2	2	2	3	6	6	6
85+	6	3.2	1	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	1.7	1	<1	<1	1	2	3	5	5
70-74	6	2.7	2	<1	<1	3	4	4	4	4
75-79	3	4.0	27	1	1	1	8	10	10	10
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	426	3.0	4	1	1	3	3	5	6	12
70-74	220	3.2	5	1	1	3	4	5	7	13
75-79	99	4.1	19	2	2	3	4	6	9	28
80-84	20	4.6	34	1	2	3	4	9	20	27
85+	8	5.3	14	2	2	4	8	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	311	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	22	2.3	4	<1	<1	2	3	4	7	10
B. *Operated*	773	3.3	7	1	1	3	4	5	7	17
1. SINGLE DX	312	2.4	1	1	1	2	3	4	4	6
2. MULTIPLE DX	795	3.3	7	1	1	3	4	5	7	17
A. NOT OPERATED	23	2.3	4	<1	<1	2	3	4	7	10
B. OPERATED	1084	3.0	6	1	1	3	3	5	6	13
TOTAL 65-69 YRS	617	2.8	3	1	1	3	3	4	6	11
70-74	310	3.0	4	1	1	3	3	5	6	10
75-79	139	3.7	15	1	2	3	4	5	8	27
80-84	26	4.1	27	1	2	3	3	6	16	27
85+	15	4.3	8	2	2	3	5	10	11	11
GRAND TOTAL	**1107**	**3.0**	**6**	**1**	**1**	**3**	**3**	**5**	**6**	**13**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
B. *Operated*										
65-69 YRS	148	2.3	2	1	1	2	3	4	5	6
70-74	105	2.2	1	<1	1	2	2	4	4	8
75-79	59	2.6	3	1	1	2	3	4	5	11
80-84	28	2.4	1	1	2	2	3	4	4	5
85+	7	3.3	4	1	1	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	4.6	16	1	1	4	6	11	13	13
70-74	5	3.8	6	1	1	4	5	7	7	7
75-79	5	4.0	5	1	1	4	5	7	7	7
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	258	3.3	7	1	1	3	4	6	9	15
70-74	179	3.5	10	1	1	3	4	6	8	20
75-79	92	3.4	5	1	2	3	4	6	9	13
80-84	44	4.9	69	1	2	3	4	7	16	53
85+	17	4.4	9	1	1	3	6	9	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	347	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	4.4	9	1	1	4	6	8	11	13
B. *Operated*	590	3.5	12	1	1	3	4	6	9	19
1. SINGLE DX	348	2.3	2	1	1	2	3	4	5	7
2. MULTIPLE DX	611	3.6	12	1	1	3	4	6	9	18
A. NOT OPERATED	22	4.3	9	1	1	4	6	8	11	13
B. OPERATED	937	3.1	9	1	1	2	4	5	8	15
TOTAL 65-69 YRS	414	2.9	5	1	1	2	4	5	8	13
70-74	289	3.0	7	1	1	2	3	5	7	16
75-79	156	3.1	4	1	1	3	4	5	7	12
80-84	75	4.0	42	1	2	2	4	6	11	45
85+	25	4.0	7	1	1	3	5	9	10	11
GRAND TOTAL	**959**	**3.1**	**9**	**1**	**1**	**2**	**4**	**5**	**8**	**15**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	1.0		1	1	1	1	1	1	1
75-79										
80-84	1	5.0		5	5	5	5	5	5	5
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	48	2.4	4	1	1	2	2	5	8	10
70-74	18	1.8		<1	1	2	2	3	3	3
75-79	11	1.9	1	1	1	2	2	3	3	3
80-84	5	2.4		2	2	2	3	3	3	3
85+	24	2.0	3	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	5	<1	<1	1	4	5	5	5
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79	3	6.7	17	2	2	8	9	10	10	10
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
65-69 YRS	27	3.2	3	2	2	3	3	5	7	9
70-74	23	4.6	21	<1	1	3	7	10	14	20
75-79	18	4.8	25	1	1	2	7	13	17	19
80-84	6	9.0	77	2	2	6	10	24	26	26
85+	6	2.2	1	1	1	2	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	1	1	1	3	5	5	5
B. *Operated*	106	2.2	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	11	4.3	8	<1	1	4	6	9	10	10
B. *Operated*	80	4.3	20	1	2	3	4	9	12	24
1. SINGLE DX	110	2.1	2	1	1	2	2	3	5	9
2. MULTIPLE DX	91	4.3	18	1	1	3	5	9	11	24
A. NOT OPERATED	15	3.7	8	<1	1	3	5	8	9	10
B. OPERATED	186	3.1	11	1	1	2	3	7	9	20
TOTAL 65-69 YRS	78	2.7	3	1	1	2	3	5	7	10
70-74	45	3.3	13	<1	1	2	3	9	10	20
75-79	32	4.0	18	1	1	2	4	10	14	19
80-84	13	5.8	42	2	2	4	6	13	24	26
85+	33	2.1	2	1	1	2	2	3	5	9
GRAND TOTAL	**201**	**3.1**	**11**	**1**	**1**	**2**	**3**	**7**	**9**	**19**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	81	3.7	10	1	1	3	5	8	10	15
70-74	70	3.5	7	1	1	3	4	7	9	12
75-79	45	3.6	9	<1	1	3	5	7	10	16
80-84	21	4.0	12	<1	<1	3	6	10	12	13
85+	13	3.5	5	<1	1	3	5	7	8	8
B. *Operated*										
65-69 YRS	748	2.6	8	1	1	2	3	4	6	14
70-74	439	2.5	4	1	1	2	3	4	6	13
75-79	229	3.0	12	1	1	2	3	6	8	18
80-84	99	3.0	8	1	1	2	3	5	8	17
85+	44	3.9	35	1	1	2	3	6	19	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	282	5.7	15	1	2	5	7	11	13	18
70-74	281	6.1	23	1	2	5	7	12	15	21
75-79	190	6.9	25	2	2	5	9	14	17	24
80-84	117	7.0	25	1	3	6	9	12	17	26
85+	93	7.3	39	1	2	6	10	13	18	36
B. *Operated*										
65-69 YRS	874	4.9	40	1	1	3	5	11	16	30
70-74	554	5.1	35	1	2	3	5	12	17	30
75-79	305	6.1	83	1	1	3	6	13	22	43
80-84	127	7.5	69	1	1	4	10	20	26	37
85+	53	9.9	106	2	2	6	14	27	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	3.6	8	1	1	3	5	7	9	15
B. *Operated*	1559	2.7	8	1	1	2	3	4	6	16
2. MULTIPLE DX										
A. *Not Operated*	963	6.4	23	1	2	5	8	12	16	24
B. *Operated*	1913	5.4	50	1	1	3	6	12	18	35
1. SINGLE DX	1789	2.8	8	1	1	2	3	5	7	15
2. MULTIPLE DX	2876	5.8	41	1	2	4	7	12	17	31
A. NOT OPERATED	1193	5.8	21	1	2	5	7	12	15	23
B. OPERATED	3472	4.2	33	1	1	2	4	9	14	30
TOTAL 65-69 YRS	1985	4.1	25	1	1	2	4	8	13	25
70-74	1344	4.4	23	1	1	3	5	10	13	22
75-79	769	5.2	46	1	1	3	6	11	17	36
80-84	364	5.9	39	1	1	3	7	12	19	31
85+	203	7.0	58	1	2	5	9	15	24	35
GRAND TOTAL	**4665**	**4.6**	**31**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1719	7.2	17	3	3	7	9	12	14	19
70-74	1618	7.4	20	3	3	6	9	13	16	22
75-79	1445	8.1	27	3	3	7	10	14	18	26
80-84	1306	8.3	25	3	4	7	10	14	18	25
85+	1381	8.9	27	3	4	8	11	15	19	28
B. *Operated*										
65-69 YRS	200	10.4	63	1	2	9	15	21	25	37
70-74	160	9.7	41	2	2	9	13	18	23	30
75-79	101	12.5	74	2	3	11	16	24	28	44
80-84	57	14.0	103	4	5	11	19	24	29	59
85+	37	20.8	197	2	8	17	30	45	57	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8543	9.9	49	3	4	8	12	17	22	37
70-74	9915	10.5	55	3	4	9	13	19	24	39
75-79	10358	11.4	67	4	4	9	14	20	26	44
80-84	9301	12.0	71	4	5	10	15	21	27	47
85+	11455	12.6	80	4	5	11	15	22	29	52
B. *Operated*										
65-69 YRS	1467	18.4	178	5	7	15	23	35	48	92
70-74	1553	19.1	190	5	7	15	24	36	50	97
75-79	1281	20.3	214	5	7	17	26	40	55	95
80-84	1037	20.8	193	6	8	17	26	40	54	99+
85+	896	22.5	230	7	8	18	28	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7469	7.9	23	3	3	7	10	13	17	24
B. *Operated*	555	11.6	79	2	2	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*	49572	11.3	66	3	4	9	14	20	26	44
B. *Operated*	6234	19.9	200	5	7	16	25	38	52	98
1. SINGLE DX	8024	8.2	28	3	3	7	10	14	18	27
2. MULTIPLE DX	55806	12.3	88	4	5	10	15	23	29	54
A. NOT OPERATED	57041	10.9	62	3	4	9	13	19	25	42
B. OPERATED	6789	19.3	196	5	7	16	24	37	51	96
TOTAL 65-69 YRS	11929	10.5	70	3	4	8	13	19	25	47
70-74	13246	11.1	76	3	4	9	13	21	27	48
75-79	13185	11.9	85	3	4	9	14	22	28	53
80-84	11701	12.4	85	4	5	10	15	22	29	54
85+	13769	12.9	93	4	5	11	16	23	30	58
GRAND TOTAL	**63830**	**11.8**	**83**	**3**	**4**	**9**	**14**	**22**	**28**	**52**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	143	5.0	9	1	2	4	6	9	11	15
70-74	141	4.8	9	1	2	4	6	7	9	20
75-79	74	5.4	16	1	2	4	7	10	16	20
80-84	86	5.9	18	1	2	5	7	11	14	24
85+	85	5.8	23	2	2	4	7	12	15	28
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	20.0		20	20	20	20	20	20	20
85+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	596	6.2	25	2	2	5	8	11	14	22
70-74	668	6.4	18	2	2	5	8	11	14	20
75-79	595	6.8	24	2	2	5	9	13	16	26
80-84	482	7.4	28	2	3	6	9	14	17	30
85+	468	8.0	32	2	3	7	10	15	18	25
B. *Operated*										
65-69 YRS	23	10.7	59	3	4	9	13	18	27	40
70-74	28	13.9	177	3	4	9	15	34	46	58
75-79	23	15.9	96	5	6	11	23	32	35	35
80-84	21	19.0	150	5	6	15	26	37	44	48
85+	9	16.0	30	8	8	17	19	23	25	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	529	5.3	14	2	2	4	7	9	12	19
B. *Operated*	2	14.0	72	8	8	14	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2809	6.9	25	2	3	6	9	12	16	25
B. *Operated*	104	14.8	119	4	5	11	19	32	38	53
1. SINGLE DX	531	5.3	14	2	2	4	7	9	13	20
2. MULTIPLE DX	2913	7.2	31	2	3	6	9	13	17	29
A. NOT OPERATED	3338	6.6	24	2	2	5	8	12	15	24
B. OPERATED	106	14.8	117	4	5	11	19	32	38	52
TOTAL 65-69 YRS	762	6.1	24	2	2	5	8	11	14	22
70-74	837	6.4	24	2	2	5	8	11	15	24
75-79	692	7.0	28	2	2	5	9	13	17	28
80-84	590	7.6	36	2	3	6	9	14	19	34
85+	563	7.8	32	2	3	6	10	15	18	25
GRAND TOTAL	**3444**	**6.9**	**29**	**2**	**2**	**5**	**8**	**13**	**16**	**28**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	603	6.6	21	2	2	6	8	11	14	23
70-74	510	6.5	15	2	3	6	8	12	14	20
75-79	345	7.2	38	2	2	6	9	13	16	30
80-84	200	6.4	16	1	2	5	8	12	15	20
85+	169	6.8	25	2	3	5	8	12	20	27
B. *Operated*										
65-69 YRS	89	6.5	132	1	1	4	7	12	17	78
70-74	78	4.9	16	1	1	4	6	11	14	18
75-79	37	7.1	53	1	1	4	10	14	27	30
80-84	20	6.0	12	2	2	5	8	11	13	14
85+	9	10.1	96	2	2	7	15	26	32	32
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2860	8.4	40	3	3	7	10	16	20	34
70-74	2921	8.7	42	3	3	7	11	16	21	33
75-79	2279	9.0	45	3	3	7	11	17	21	35
80-84	1538	9.0	44	3	3	7	11	17	21	33
85+	1185	9.2	52	2	3	8	11	16	20	34
B. *Operated*										
65-69 YRS	497	10.8	100	2	3	8	14	21	33	79
70-74	477	11.7	102	2	2	9	15	24	28	56
75-79	297	12.1	113	2	3	9	16	26	34	89
80-84	187	14.6	158	3	4	12	19	33	47	99+
85+	76	14.0	67	3	5	13	19	26	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1827	6.7	22	2	2	6	8	12	15	23
B. *Operated*	233	6.2	69	1	1	4	8	12	16	35
2. MULTIPLE DX										
A. *Not Operated*	10783	8.8	44	3	3	7	11	16	21	34
B. *Operated*	1534	12.0	110	2	3	9	16	25	34	79
1. SINGLE DX	2060	6.6	28	2	2	5	8	12	15	23
2. MULTIPLE DX	12317	9.2	53	2	3	7	11	17	22	39
A. NOT OPERATED	12610	8.5	41	2	3	7	11	16	20	33
B. OPERATED	1767	11.2	108	2	2	8	15	23	32	73
TOTAL 65-69 YRS	4049	8.4	48	2	3	7	10	16	21	37
70-74	3986	8.7	47	2	3	7	11	17	21	35
75-79	2958	9.1	52	2	3	7	11	17	22	39
80-84	1945	9.2	56	2	3	7	11	18	23	44
85+	1439	9.2	52	2	3	7	12	17	21	34
GRAND TOTAL	**14377**	**8.8**	**50**	**2**	**3**	**7**	**11**	**17**	**21**	**38**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	267	8.0	45	1	2	6	10	14	20	40
70-74	253	7.8	30	2	3	7	10	15	18	29
75-79	167	7.2	23	2	3	6	8	13	17	27
80-84	89	7.6	25	1	3	7	9	14	18	25
85+	35	8.3	41	2	2	7	10	19	21	28
B. *Operated*										
65-69 YRS	8	10.6	62	4	4	8	15	23	25	25
70-74	8	18.1	210	2	3	14	29	40	40	40
75-79	5	15.8	307	4	4	8	23	46	46	46
80-84	2	7.5	1	7	7	7	8	8	8	8
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1635	9.8	70	2	3	8	12	18	23	47
70-74	1608	10.4	78	3	3	8	13	20	26	50
75-79	1173	10.2	69	3	3	8	13	20	25	44
80-84	624	10.0	61	2	3	8	13	20	25	41
85+	289	10.6	73	2	3	8	14	21	27	52
B. *Operated*										
65-69 YRS	201	20.0	294	4	6	14	27	48	71	99+
70-74	191	17.7	262	3	4	14	23	38	78	99+
75-79	139	17.6	145	4	6	15	25	34	52	99+
80-84	69	18.6	335	2	3	13	24	37	74	98
85+	24	20.9	200	6	8	18	31	51	68	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	811	7.8	33	2	3	6	10	14	18	28
B. *Operated*	23	14.1	157	3	4	10	19	39	42	46
2. MULTIPLE DX										
A. *Not Operated*	5329	10.2	71	2	3	8	13	19	25	46
B. *Operated*	624	18.6	252	3	5	15	24	41	67	99+
1. SINGLE DX	834	7.9	38	2	3	7	10	15	19	32
2. MULTIPLE DX	5953	11.0	97	3	3	8	14	22	30	66
A. NOT OPERATED	6140	9.8	67	2	3	8	12	19	25	44
B. OPERATED	647	18.5	249	3	5	14	24	40	65	99+
TOTAL 65-69 YRS	2111	10.6	97	2	3	8	13	20	28	70
70-74	2060	10.8	96	3	3	8	13	21	29	64
75-79	1484	10.6	77	3	3	8	13	21	28	51
80-84	784	10.5	87	2	3	8	13	21	27	54
85+	348	11.1	85	2	3	9	14	22	31	58
GRAND TOTAL	**6787**	**10.7**	**91**	**2**	**3**	**8**	**13**	**21**	**29**	**63**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1586	6.4	16	2	2	6	8	11	14	20
70-74	1184	6.6	20	2	3	6	8	12	14	21
75-79	739	6.5	17	2	2	6	8	12	14	20
80-84	332	6.9	19	2	2	6	9	12	16	21
85+	157	6.6	16	2	3	6	9	13	15	19
B. *Operated*										
65-69 YRS	23	9.5	26	2	3	9	13	17	18	19
70-74	25	10.7	42	2	2	9	17	21	40	99+
75-79	9	12.2	39	3	5	11	16	22	24	24
80-84	2	16.0	8	14	14	16	18	18	18	18
85+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4843	8.3	34	2	3	7	10	15	19	31
70-74	4160	8.5	39	3	3	7	11	15	19	33
75-79	2938	8.8	47	3	3	7	11	15	20	34
80-84	1608	9.3	45	3	3	8	12	17	21	32
85+	907	9.8	53	3	4	8	12	17	21	40
B. *Operated*										
65-69 YRS	333	15.7	197	3	5	11	20	30	48	82
70-74	275	16.1	156	4	6	13	20	29	40	85
75-79	171	15.5	182	3	5	12	18	29	42	77
80-84	67	18.0	123	5	6	16	25	37	45	99+
85+	39	17.3	215	5	7	14	19	28	48	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3998	6.5	18	2	2	6	8	12	14	20
B. *Operated*	60	10.7	34	2	3	10	16	19	22	92
2. MULTIPLE DX										
A. *Not Operated*	14456	8.7	41	2	3	7	11	15	20	33
B. *Operated*	885	16.0	176	4	5	13	20	30	43	84
1. SINGLE DX	4058	6.6	18	2	2	6	8	12	14	21
2. MULTIPLE DX	15341	9.1	51	3	3	7	11	16	21	38
A. NOT OPERATED	18454	8.2	36	2	3	7	10	15	19	31
B. OPERATED	945	15.7	169	4	5	12	19	29	42	85
TOTAL 65-69 YRS	6785	8.2	41	2	3	7	10	15	19	34
70-74	5644	8.5	44	2	3	7	11	15	19	36
75-79	3857	8.7	50	2	3	7	11	15	20	35
80-84	2009	9.2	47	2	3	8	11	17	22	34
85+	1104	9.6	57	3	3	8	12	17	21	40
GRAND TOTAL	**19399**	**8.6**	**45**	**2**	**3**	**7**	**11**	**15**	**20**	**35**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1771	7.9	40	2	3	6	10	14	18	32
70-74	1690	7.7	31	2	3	6	10	14	18	29
75-79	1130	8.1	38	2	3	7	10	15	19	36
80-84	523	7.6	28	2	3	6	9	14	17	30
85+	234	7.9	29	2	3	6	10	15	19	27
B. *Operated*										
65-69 YRS	80	9.6	98	1	2	7	13	25	38	99+
70-74	80	10.5	106	1	2	8	13	20	29	61
75-79	46	11.9	181	2	3	8	15	22	29	86
80-84	15	13.3	139	1	2	12	16	32	42	45
85+	4	14.3	7	12	12	13	16	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9792	9.7	60	3	3	8	12	18	23	41
70-74	9696	10.0	66	3	3	8	12	18	24	43
75-79	7289	10.4	69	3	3	8	13	20	26	46
80-84	4104	10.4	71	3	3	8	13	19	25	45
85+	1943	10.2	65	3	3	8	13	20	26	44
B. *Operated*										
65-69 YRS	1229	16.4	208	3	4	12	21	35	52	99+
70-74	1158	17.5	217	4	5	13	22	37	54	99+
75-79	817	18.3	229	4	5	14	23	37	50	97
80-84	414	18.8	230	4	6	14	24	40	58	99+
85+	140	19.0	214	5	7	15	23	37	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5348	7.8	35	2	3	6	10	14	18	31
B. *Operated*	225	10.7	118	1	2	8	14	22	30	89
2. MULTIPLE DX										
A. *Not Operated*	32824	10.0	66	3	3	8	12	19	25	44
B. *Operated*	3758	17.5	219	3	5	13	22	37	53	99+
1. SINGLE DX	5573	7.9	39	2	3	6	10	15	19	32
2. MULTIPLE DX	36582	10.8	86	3	3	8	13	21	28	55
A. NOT OPERATED	38172	9.7	62	2	3	8	12	18	24	42
B. OPERATED	3983	17.1	216	3	5	13	21	36	52	99+
TOTAL 65-69 YRS	12872	10.1	77	2	3	8	12	19	26	51
70-74	12624	10.4	81	2	3	8	13	20	27	52
75-79	9282	10.8	85	3	3	8	13	21	28	53
80-84	5056	10.8	86	3	3	8	13	20	29	55
85+	2321	10.5	75	3	3	8	13	20	26	49
GRAND TOTAL	**42155**	**10.4**	**81**	**2**	**3**	**8**	**13**	**20**	**27**	**52**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	7.7	16	2	4	7	10	13	16	17
70-74	13	5.5	7	2	2	5	6	10	11	11
75-79	6	6.3	11	2	2	6	9	10	10	10
80-84	5	6.0	17	3	3	5	8	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	68	8.0	28	2	3	7	10	14	17	29
70-74	59	11.7	61	3	5	9	18	23	28	32
75-79	39	10.8	78	2	3	8	14	25	30	38
80-84	14	7.6	16	3	4	7	10	14	15	16
85+	11	11.3	109	3	3	8	11	28	38	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	86	9.8	78	2	3	7	12	18	24	53
70-74	93	9.1	36	1	3	8	12	19	21	26
75-79	67	9.7	52	3	3	7	11	22	26	31
80-84	48	10.9	57	3	4	8	14	23	29	33
85+	43	11.1	63	2	3	9	15	21	28	37
B. *Operated*										
65-69 YRS	266	14.3	156	3	4	11	18	30	38	82
70-74	272	14.7	154	3	4	11	19	30	38	62
75-79	177	15.2	121	3	4	12	22	32	36	50
80-84	108	13.2	147	3	4	10	15	26	32	74
85+	67	13.9	140	3	4	9	18	28	37	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	6.6	13	2	3	6	9	11	14	17
B. *Operated*	191	9.8	54	2	3	7	13	21	26	36
2. MULTIPLE DX										
A. *Not Operated*	337	9.9	56	2	3	8	13	20	24	34
B. *Operated*	890	14.5	146	3	4	11	19	30	37	62
1. SINGLE DX	236	9.2	47	2	3	7	11	19	24	33
2. MULTIPLE DX	1227	13.2	125	3	4	10	17	27	34	57
A. NOT OPERATED	382	9.5	52	2	3	7	12	19	24	33
B. OPERATED	1081	13.7	133	3	4	10	18	28	35	58
TOTAL 65-69 YRS	440	12.2	122	3	4	9	15	25	33	61
70-74	437	12.8	119	3	4	10	17	26	32	53
75-79	289	13.2	104	3	3	10	19	28	33	47
80-84	175	11.9	111	3	4	9	14	24	30	69
85+	122	12.6	110	3	4	9	16	25	34	57
GRAND TOTAL	**1463**	**12.6**	**115**	**3**	**4**	**9**	**16**	**26**	**32**	**53**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	374	5.4	14	1	1	5	7	10	13	18
70-74	373	6.5	42	1	2	5	8	13	18	34
75-79	292	7.6	39	1	2	6	10	15	19	30
80-84	232	8.8	88	1	2	6	11	16	22	41
85+	229	6.8	27	1	2	6	9	14	17	26
B. *Operated*										
65-69 YRS	451	7.4	45	1	2	6	10	16	20	36
70-74	308	8.0	49	1	2	6	11	17	23	35
75-79	210	8.3	53	1	1	6	12	18	25	31
80-84	120	9.1	57	1	2	7	13	21	25	31
85+	53	10.5	191	2	2	6	14	20	25	87
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3173	9.0	54	2	3	7	11	17	22	38
70-74	3665	9.4	56	2	3	7	12	18	22	43
75-79	3390	10.3	76	2	3	8	13	19	26	46
80-84	2714	11.0	84	2	3	9	14	21	27	52
85+	2643	11.7	85	3	4	9	15	22	29	50
B. *Operated*										
65-69 YRS	1662	14.0	159	2	3	11	18	29	40	70
70-74	1538	14.7	165	2	3	12	19	29	40	68
75-79	1236	16.5	195	2	3	13	22	35	47	92
80-84	706	16.6	161	2	4	14	22	34	44	78
85+	528	18.7	217	4	5	15	25	37	49	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1500	6.8	41	1	2	5	9	14	17	29
B. *Operated*	1142	8.1	56	1	2	6	11	17	23	34
2. MULTIPLE DX										
A. *Not Operated*	15585	10.2	71	2	3	8	13	19	25	46
B. *Operated*	5670	15.5	176	2	3	12	20	32	42	77
1. SINGLE DX	2642	7.4	47	1	2	6	9	15	20	31
2. MULTIPLE DX	21255	11.6	104	2	3	9	14	23	31	56
A. NOT OPERATED	17085	9.9	69	2	3	8	13	19	25	45
B. OPERATED	6812	14.2	164	2	3	11	19	30	40	73
TOTAL 65-69 YRS	5660	10.1	89	2	2	8	13	20	27	49
70-74	5884	10.5	90	2	3	8	13	21	27	51
75-79	5128	11.6	110	2	3	9	14	23	32	60
80-84	3772	11.8	103	2	3	9	15	24	31	58
85+	3453	12.4	112	3	3	9	16	24	32	59
GRAND TOTAL	**23897**	**11.1**	**100**	**2**	**3**	**8**	**14**	**22**	**30**	**54**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.3	3	1	1	2	3	5	5	5
70-74	9	4.1	7	<1	1	4	6	8	9	9
75-79	7	5.9	43	<1	<1	5	6	17	20	20
80-84	3	4.0	7	2	2	3	6	7	7	7
85+	9	5.1	19	2	2	3	5	12	16	16
B. *Operated*										
65-69 YRS	314	2.8	7	<1	1	2	3	5	6	12
70-74	176	2.8	7	1	1	2	3	5	6	13
75-79	131	2.7	4	1	1	2	3	4	5	12
80-84	71	2.7	3	1	1	2	3	5	7	10
85+	42	3.2	8	1	1	3	3	5	9	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	76	5.8	36	1	1	4	7	13	21	28
70-74	58	6.2	26	1	1	5	9	13	17	24
75-79	47	6.3	25	2	2	5	8	13	15	28
80-84	43	6.4	30	<1	1	5	8	15	18	24
85+	29	4.6	14	1	1	4	7	9	13	16
B. *Operated*										
65-69 YRS	800	3.5	15	1	2	2	3	6	9	20
70-74	680	3.7	15	1	2	2	4	7	10	21
75-79	474	3.7	18	1	2	2	4	6	9	30
80-84	275	3.9	21	1	2	3	4	8	11	19
85+	218	3.8	18	2	2	2	4	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	4.2	15	<1	1	3	5	7	14	20
B. *Operated*	734	2.8	6	1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	253	5.9	28	1	1	4	8	13	17	27
B. *Operated*	2447	3.7	17	1	2	2	4	7	9	21
1. SINGLE DX	771	2.9	6	1	1	2	3	5	6	14
2. MULTIPLE DX	2700	3.9	18	1	2	2	4	7	11	23
A. NOT OPERATED	290	5.7	27	1	1	4	7	13	16	26
B. OPERATED	3181	3.5	14	1	2	2	4	6	9	20
TOTAL 65-69 YRS	1199	3.4	15	1	1	2	3	6	9	23
70-74	923	3.7	15	1	1	2	4	7	10	20
75-79	659	3.7	17	1	2	2	4	7	10	27
80-84	392	4.0	19	1	1	3	4	8	11	21
85+	298	3.8	16	1	2	3	4	7	9	17
GRAND TOTAL	**3471**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**21**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	36	5.2	8	1	3	5	6	8	11	14
70-74	22	4.9	10	1	1	5	7	10	11	13
75-79	24	5.0	9	1	2	5	6	10	11	13
80-84	14	6.2	22	1	2	4	11	14	15	15
85+	24	6.8	23	1	2	5	9	12	18	21
B. *Operated*										
65-69 YRS	235	3.4	6	1	1	3	4	6	8	13
70-74	163	3.6	7	1	2	3	4	5	8	17
75-79	110	4.3	19	1	2	3	5	7	10	25
80-84	51	4.4	12	1	2	3	5	9	12	17
85+	32	4.7	8	2	2	4	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	142	6.8	25	1	2	6	8	14	16	27
70-74	142	6.9	25	2	2	6	9	12	15	28
75-79	109	8.6	57	2	3	7	10	16	23	47
80-84	115	8.1	21	2	3	8	10	14	16	24
85+	120	9.3	53	3	3	7	12	16	19	47
B. *Operated*										
65-69 YRS	300	5.4	29	1	2	4	6	11	15	30
70-74	224	6.2	48	1	2	4	7	14	20	34
75-79	151	7.4	76	2	2	4	9	16	22	46
80-84	95	7.4	95	1	2	5	8	18	23	58
85+	56	9.4	84	1	2	7	11	19	27	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	5.5	13	1	2	5	7	10	13	18
B. *Operated*	591	3.8	9	1	2	3	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	628	7.8	36	2	3	7	10	14	17	33
B. *Operated*	826	6.5	55	1	2	4	7	14	21	36
1. SINGLE DX	711	4.1	11	1	2	3	5	7	10	17
2. MULTIPLE DX	1454	7.1	47	1	2	5	9	14	19	35
A. NOT OPERATED	748	7.5	33	2	3	6	9	14	17	31
B. OPERATED	1417	5.3	38	1	2	3	6	11	17	31
TOTAL 65-69 YRS	713	5.0	21	1	2	4	6	10	14	26
70-74	551	5.5	30	1	2	4	6	11	16	30
75-79	394	6.7	53	1	2	5	8	13	20	41
80-84	275	7.1	46	1	2	6	9	14	17	31
85+	232	8.4	54	2	2	7	10	16	20	47
GRAND TOTAL	**2165**	**6.1**	**37**	**1**	**2**	**4**	**7**	**12**	**17**	**31**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	245	4.2	8	1	1	3	5	8	10	15
70-74	192	4.2	10	1	1	3	6	8	10	15
75-79	182	4.8	25	1	1	4	5	8	13	25
80-84	84	4.6	17	1	2	4	5	7	11	27
85+	77	4.9	17	1	2	4	6	10	13	23
B. *Operated*										
65-69 YRS	282	5.5	27	1	1	3	8	11	16	25
70-74	263	5.9	32	<1	1	4	8	12	17	29
75-79	189	6.5	42	1	1	5	9	15	18	23
80-84	140	6.0	24	1	1	4	9	13	15	24
85+	107	6.7	34	1	2	5	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1480	6.1	24	2	2	5	8	11	14	25
70-74	1441	6.4	30	2	2	5	8	11	15	29
75-79	1210	7.3	42	2	2	6	9	13	18	37
80-84	897	7.3	34	2	2	6	9	14	19	30
85+	750	7.9	37	2	2	6	10	15	21	32
B. *Operated*										
65-69 YRS	1279	9.7	96	2	2	7	12	19	27	59
70-74	1220	10.3	113	2	2	7	13	21	30	72
75-79	980	10.6	97	2	2	8	13	22	28	54
80-84	695	11.5	141	2	2	8	14	24	35	71
85+	477	11.7	103	2	3	9	15	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	780	4.4	14	1	1	3	5	8	11	19
B. *Operated*	981	6.0	32	1	1	4	8	13	17	25
2. MULTIPLE DX										
A. *Not Operated*	5778	6.8	33	2	2	5	8	13	17	29
B. *Operated*	4651	10.5	108	2	2	8	13	22	30	61
1. SINGLE DX	1761	5.3	25	1	1	4	7	11	15	24
2. MULTIPLE DX	10429	8.5	70	2	2	6	10	17	23	47
A. NOT OPERATED	6558	6.5	31	2	2	5	8	12	16	29
B. OPERATED	5632	9.8	98	1	2	7	12	20	27	57
TOTAL 65-69 YRS	3286	7.3	55	1	2	5	9	14	19	39
70-74	3116	7.7	66	1	2	6	9	15	21	46
75-79	2561	8.3	66	2	2	6	10	17	23	43
80-84	1816	8.7	79	2	2	6	10	18	24	53
85+	1411	8.9	62	2	2	7	11	18	24	44
GRAND TOTAL	**12190**	**8.0**	**65**	**1**	**2**	**6**	**10**	**16**	**22**	**44**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	145	5.6	22	1	2	5	7	10	12	30
70-74	142	5.5	15	1	2	5	6	10	14	21
75-79	91	5.6	12	1	2	4	8	11	12	17
80-84	79	6.7	41	<1	1	5	9	13	14	41
85+	64	7.2	22	1	2	6	9	14	17	21
B. *Operated*										
65-69 YRS	143	7.9	33	1	2	6	10	15	20	26
70-74	156	8.5	37	1	2	7	12	17	21	26
75-79	108	7.5	30	<1	1	6	10	15	17	29
80-84	71	9.8	61	2	3	7	13	21	23	38
85+	39	10.6	85	1	2	9	14	18	33	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	793	7.4	29	2	3	6	9	14	17	30
70-74	783	7.8	35	2	3	6	10	14	19	27
75-79	680	8.4	41	2	3	7	10	15	19	34
80-84	535	9.3	45	2	3	7	11	18	24	34
85+	445	9.5	43	2	3	8	12	18	21	35
B. *Operated*										
65-69 YRS	667	10.9	73	3	4	9	13	19	25	46
70-74	693	11.9	80	3	4	10	15	23	29	47
75-79	627	12.0	87	3	4	9	15	23	31	57
80-84	407	12.1	71	3	4	10	15	23	30	45
85+	267	13.2	102	3	4	10	16	25	30	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	521	5.9	22	1	2	5	7	11	14	22
B. *Operated*	517	8.5	42	1	2	7	11	17	21	33
2. MULTIPLE DX										
A. *Not Operated*	3236	8.3	38	2	3	7	10	15	19	32
B. *Operated*	2661	11.8	81	3	4	10	15	23	29	48
1. SINGLE DX	1038	7.2	33	1	2	6	9	14	18	30
2. MULTIPLE DX	5897	9.9	60	2	3	8	12	19	25	39
A. NOT OPERATED	3757	8.0	36	2	3	7	10	15	19	31
B. OPERATED	3178	11.3	76	2	4	9	14	22	28	46
TOTAL 65-69 YRS	1748	8.6	49	2	3	7	11	16	21	35
70-74	1774	9.3	56	2	3	7	12	18	23	36
75-79	1506	9.7	62	2	3	8	12	18	25	40
80-84	1092	10.2	58	2	3	8	13	20	26	40
85+	815	10.6	66	2	3	8	13	20	26	45
GRAND TOTAL	**6935**	**9.5**	**57**	**2**	**3**	**8**	**12**	**18**	**24**	**38**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	157	5.9	11	2	3	5	7	9	13	20
70-74	144	6.8	18	2	3	6	8	11	16	20
75-79	121	6.8	15	2	3	6	8	10	14	23
80-84	87	7.7	16	3	4	7	9	11	18	22
85+	54	9.3	38	2	5	8	11	16	17	41
B. *Operated*										
65-69 YRS	121	10.2	37	3	4	9	14	17	20	30
70-74	136	10.5	48	3	4	9	13	20	21	32
75-79	97	12.0	58	3	4	10	16	23	26	40
80-84	71	11.6	50	4	5	10	15	20	24	41
85+	54	13.0	65	4	5	11	17	22	29	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	550	8.2	32	3	3	7	10	15	19	31
70-74	634	8.9	43	3	4	7	10	15	20	34
75-79	687	9.3	40	3	4	8	12	16	19	33
80-84	507	10.5	60	3	4	9	12	19	23	40
85+	443	10.8	60	3	4	9	13	20	26	45
B. *Operated*										
65-69 YRS	645	13.5	117	4	5	11	16	25	32	57
70-74	692	14.6	146	4	5	11	17	29	39	74
75-79	630	14.5	128	4	5	11	18	28	37	62
80-84	494	17.0	178	5	6	14	21	33	45	92
85+	391	17.6	183	5	6	14	21	35	47	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	563	6.9	18	2	3	6	8	11	16	22
B. *Operated*	479	11.2	50	3	4	10	15	20	24	40
2. MULTIPLE DX										
A. *Not Operated*	2821	9.4	46	3	4	8	11	16	21	37
B. *Operated*	2852	15.2	148	4	5	12	19	29	40	75
1. SINGLE DX	1042	8.9	37	3	3	7	11	16	21	29
2. MULTIPLE DX	5673	12.3	106	3	4	9	15	23	32	60
A. NOT OPERATED	3384	9.0	43	3	4	7	11	16	20	36
B. OPERATED	3331	14.6	136	4	5	11	18	28	38	73
TOTAL 65-69 YRS	1473	10.5	76	3	4	8	13	19	26	49
70-74	1606	11.3	95	3	4	8	13	22	30	56
75-79	1535	11.4	83	3	4	9	14	21	28	52
80-84	1159	13.1	118	4	5	10	16	24	34	61
85+	942	13.7	122	4	5	11	16	26	36	74
GRAND TOTAL	**6715**	**11.8**	**97**	**3**	**4**	**9**	**14**	**22**	**30**	**56**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	381	5.2	9	2	2	5	6	9	11	17
70-74	310	4.9	7	2	2	4	6	8	10	13
75-79	192	5.3	19	2	2	4	6	9	11	20
80-84	126	6.1	15	2	2	6	8	11	12	22
85+	85	6.6	22	2	2	6	8	10	13	29
B. *Operated*										
65-69 YRS	67	10.3	35	1	3	10	13	17	22	33
70-74	51	8.6	36	1	2	7	11	17	20	29
75-79	41	10.7	40	4	4	9	13	19	24	32
80-84	17	9.5	73	1	2	7	11	24	30	32
85+	9	9.4	6	6	6	9	11	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1654	6.9	21	2	3	6	8	12	15	24
70-74	1546	7.2	23	2	3	6	9	13	16	25
75-79	1304	7.9	30	2	3	7	9	14	18	29
80-84	915	8.5	45	2	3	7	10	16	22	32
85+	682	9.2	42	3	3	8	11	16	21	42
B. *Operated*										
65-69 YRS	444	11.5	70	2	3	10	15	21	27	48
70-74	416	13.0	110	3	4	10	16	25	31	59
75-79	323	13.7	117	3	5	11	17	26	35	75
80-84	190	13.5	81	4	5	11	17	25	32	45
85+	123	15.3	127	4	6	12	19	28	44	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1094	5.4	12	2	2	5	7	9	11	17
B. *Operated*	185	9.8	38	1	3	9	12	17	23	32
2. MULTIPLE DX										
A. *Not Operated*	6101	7.7	30	2	3	6	9	14	18	29
B. *Operated*	1496	13.0	98	3	4	10	16	25	32	54
1. SINGLE DX	1279	6.0	18	2	2	5	7	10	13	24
2. MULTIPLE DX	7597	8.7	48	2	3	7	11	16	21	40
A. NOT OPERATED	7195	7.3	28	2	3	6	9	13	17	28
B. OPERATED	1681	12.6	93	3	4	10	16	24	30	52
TOTAL 65-69 YRS	2546	7.5	32	2	3	6	9	14	18	28
70-74	2323	8.0	43	2	3	6	10	15	20	34
75-79	1860	8.7	50	2	3	7	10	16	21	38
80-84	1248	9.0	52	2	3	7	11	17	23	41
85+	899	9.8	57	3	3	8	12	18	23	45
GRAND TOTAL	**8876**	**8.3**	**45**	**2**	**3**	**7**	**10**	**15**	**20**	**37**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	416	5.9	9	2	3	5	7	10	11	17
70-74	296	6.6	11	2	3	6	8	10	13	19
75-79	238	6.4	11	3	3	6	8	11	14	17
80-84	165	6.8	16	2	3	6	9	11	13	23
85+	129	8.4	27	3	4	7	10	16	18	26
B. *Operated*										
65-69 YRS	160	11.6	45	4	6	10	13	17	27	33
70-74	125	12.4	40	5	6	11	15	20	25	35
75-79	92	14.3	73	6	8	12	17	23	26	56
80-84	62	14.8	80	4	6	12	17	28	31	46
85+	80	15.5	67	6	8	14	20	25	30	50
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1054	8.0	35	3	3	7	10	14	18	38
70-74	1056	8.2	32	3	3	7	10	14	19	33
75-79	996	9.0	37	3	4	8	11	16	20	33
80-84	817	10.5	62	3	4	9	13	19	22	52
85+	733	11.3	86	3	4	9	13	20	26	54
B. *Operated*										
65-69 YRS	527	16.7	165	5	6	13	20	31	42	71
70-74	600	18.0	183	5	7	14	23	36	48	76
75-79	553	18.7	184	6	7	14	23	38	48	78
80-84	435	20.1	200	6	7	16	25	38	51	88
85+	320	20.1	218	6	7	16	24	38	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1244	6.6	13	2	3	6	8	11	13	20
B. *Operated*	519	13.2	58	5	6	11	16	23	28	42
2. MULTIPLE DX										
A. *Not Operated*	4656	9.2	49	3	4	8	11	16	21	41
B. *Operated*	2435	18.5	188	5	7	14	23	36	48	82
1. SINGLE DX	1763	8.5	36	3	3	7	10	15	20	31
2. MULTIPLE DX	7091	12.4	116	3	4	9	15	24	34	64
A. NOT OPERATED	5900	8.7	43	3	3	7	10	15	20	37
B. OPERATED	2954	17.6	169	5	7	14	22	34	45	78
TOTAL 65-69 YRS	2157	10.0	79	3	3	8	12	19	26	55
70-74	2077	11.1	94	3	4	8	13	22	29	54
75-79	1879	11.8	100	3	4	9	14	23	31	59
80-84	1479	13.1	120	3	4	10	16	25	35	66
85+	1262	13.5	129	4	5	10	16	25	34	76
GRAND TOTAL	**8854**	**11.6**	**103**	**3**	**4**	**9**	**14**	**22**	**31**	**59**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	7.2	21	2	3	6	8	13	18	22
70-74	31	8.0	19	3	3	7	10	14	19	20
75-79	19	9.6	60	2	3	8	12	19	29	35
80-84	11	10.5	16	5	6	11	12	16	19	19
85+	16	11.3	58	3	4	10	14	16	29	35
B. *Operated*										
65-69 YRS	50	16.2	68	7	8	15	17	26	37	45
70-74	44	14.3	50	4	5	14	17	24	28	35
75-79	27	14.1	67	5	6	12	17	27	30	38
80-84	21	16.9	105	8	9	12	20	29	40	50
85+	11	15.4	69	4	7	14	18	28	34	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	91	8.1	20	3	4	8	10	13	18	24
70-74	87	10.7	69	2	3	8	13	23	27	42
75-79	94	9.7	32	4	4	9	12	18	22	30
80-84	70	11.8	58	2	3	10	16	24	28	31
85+	58	13.1	67	5	5	11	17	22	32	41
B. *Operated*										
65-69 YRS	156	19.6	164	6	8	16	25	39	49	66
70-74	169	21.1	160	8	9	18	26	37	49	84
75-79	136	21.1	257	6	8	17	25	47	59	94
80-84	109	23.0	259	6	8	18	29	43	55	99
85+	62	22.7	193	7	9	20	28	38	49	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	109	8.8	33	3	3	7	11	16	19	35
B. *Operated*	153	15.3	67	5	7	14	17	26	31	45
2. MULTIPLE DX										
A. *Not Operated*	400	10.4	49	3	4	9	13	20	25	34
B. *Operated*	632	21.2	202	6	8	17	26	41	51	88
1. SINGLE DX	262	12.6	63	3	5	11	16	23	28	42
2. MULTIPLE DX	1032	17.0	170	4	5	13	22	33	44	75
A. NOT OPERATED	509	10.1	46	3	4	8	12	19	24	34
B. OPERATED	785	20.0	181	6	8	16	25	38	49	86
TOTAL 65-69 YRS	329	14.7	124	4	5	12	18	27	40	60
70-74	331	16.2	135	3	5	14	22	31	39	60
75-79	276	15.7	176	4	5	12	19	28	47	82
80-84	211	18.0	192	4	6	14	23	38	44	91
85+	147	17.1	141	5	6	14	21	34	38	57
GRAND TOTAL	**1294**	**16.1**	**152**	**4**	**5**	**13**	**20**	**31**	**42**	**65**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	411	4.5	18	1	2	4	6	8	10	17
70-74	339	4.5	9	1	2	4	6	8	10	16
75-79	258	5.3	14	1	1	4	7	10	13	18
80-84	171	5.4	21	1	2	4	7	10	13	25
85+	125	5.1	15	1	2	4	6	11	12	21
B. *Operated*										
65-69 YRS	94	6.4	24	<1	1	5	9	13	17	22
70-74	64	7.3	46	<1	1	6	9	15	23	33
75-79	62	7.3	38	<1	1	6	9	14	19	35
80-84	33	8.2	74	<1	1	6	10	23	29	37
85+	14	10.6	66	1	3	8	17	21	29	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3130	6.5	24	2	2	5	8	11	15	26
70-74	2857	6.9	30	2	2	6	8	12	16	28
75-79	2397	7.2	27	2	3	6	9	13	16	28
80-84	1715	7.9	48	2	3	6	10	14	18	36
85+	1472	8.3	50	2	3	7	10	15	20	39
B. *Operated*										
65-69 YRS	898	10.1	56	2	3	8	13	19	24	37
70-74	887	11.4	81	3	4	9	14	22	30	45
75-79	669	11.0	65	3	4	9	14	21	26	42
80-84	405	12.5	86	3	4	10	16	24	33	54
85+	263	12.3	71	3	5	10	16	22	29	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1304	4.9	15	1	2	4	6	9	11	18
B. *Operated*	267	7.3	41	<1	1	5	9	14	21	33
2. MULTIPLE DX										
A. *Not Operated*	11571	7.2	33	2	3	6	9	13	16	30
B. *Operated*	3122	11.2	71	3	4	9	14	21	28	44
1. SINGLE DX	1571	5.3	20	1	2	4	7	10	13	23
2. MULTIPLE DX	14693	8.0	44	2	3	6	10	15	20	35
A. NOT OPERATED	12875	7.0	32	2	2	6	9	13	16	29
B. OPERATED	3389	10.8	70	2	3	9	14	21	27	43
TOTAL 65-69 YRS	4533	7.1	32	2	2	6	9	13	17	28
70-74	4147	7.7	44	2	2	6	9	14	20	34
75-79	3386	7.8	36	2	3	6	10	14	19	33
80-84	2324	8.5	57	2	3	7	10	16	21	40
85+	1874	8.7	53	2	3	7	11	17	22	38
GRAND TOTAL	**16264**	**7.8**	**42**	**2**	**3**	**6**	**9**	**15**	**19**	**34**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	117	4.9	11	1	2	4	6	9	13	17
70-74	92	5.2	19	1	1	4	7	10	12	24
75-79	81	4.9	12	1	1	4	7	10	11	17
80-84	60	5.0	17	1	1	4	6	9	14	21
85+	34	5.2	8	1	2	5	7	9	11	13
B. *Operated*										
65-69 YRS	40	14.5	66	2	3	14	18	25	30	34
70-74	41	14.6	141	2	3	12	21	31	44	48
75-79	34	15.9	130	1	2	15	22	31	36	52
80-84	13	16.0	125	2	3	13	25	31	34	35
85+	14	19.0	229	2	4	17	34	38	46	49
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	672	6.2	21	2	2	5	8	12	15	24
70-74	638	6.7	32	2	2	5	8	13	17	36
75-79	551	7.2	40	2	2	6	9	13	17	29
80-84	379	7.6	37	2	2	6	10	15	19	26
85+	308	8.4	44	2	2	7	10	16	21	39
B. *Operated*										
65-69 YRS	292	17.9	194	3	4	14	23	35	42	76
70-74	275	18.6	235	3	6	15	23	37	50	90
75-79	231	19.7	230	4	6	16	26	39	50	95
80-84	138	21.6	233	4	6	18	27	38	52	79
85+	105	21.8	207	3	6	18	33	43	51	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	384	5.0	13	1	1	4	6	9	12	20
B. *Operated*	142	15.4	122	2	3	14	22	31	36	49
2. MULTIPLE DX										
A. *Not Operated*	2548	7.0	34	2	2	6	9	13	17	31
B. *Operated*	1041	19.4	220	3	5	16	25	38	49	84
1. SINGLE DX	526	7.8	64	1	2	5	10	18	24	38
2. MULTIPLE DX	3589	10.6	119	2	3	7	13	23	33	60
A. NOT OPERATED	2932	6.8	31	2	2	5	8	13	16	28
B. OPERATED	1183	18.9	210	3	5	15	25	37	48	81
TOTAL 65-69 YRS	1121	9.4	94	2	2	6	11	21	28	49
70-74	1046	10.0	117	2	2	6	12	22	31	66
75-79	897	10.6	122	2	3	7	13	23	32	66
80-84	590	10.8	120	2	2	7	14	23	32	59
85+	461	11.5	119	2	2	8	14	27	38	53
GRAND TOTAL	**4115**	**10.2**	**113**	**2**	**2**	**7**	**13**	**22**	**32**	**56**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	2	<1	<1	3	4	4	4	4
70-74	4	7.3	31	2	2	6	11	15	15	15
75-79	1	2.0		2	2	2	2	2	2	2
80-84	1	4.0		4	4	4	4	4	4	4
85+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
65-69 YRS	232	6.1	9	3	3	6	7	10	12	17
70-74	156	6.7	13	3	3	6	8	11	13	22
75-79	89	6.7	7	3	4	6	8	10	12	16
80-84	37	8.0	9	4	5	8	9	11	15	17
85+	25	6.8	20	3	3	6	9	11	14	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	7	7.6	13	3	3	7	11	12	12	12
70-74	8	6.6	12	2	2	8	9	11	11	11
75-79	1	8.0		8	8	8	8	8	8	8
80-84	7	11.1	53	2	3	10	12	23	26	26
85+	5	14.4	43	7	7	13	17	25	25	25
B. *Operated*										
65-69 YRS	204	10.1	75	3	4	8	12	18	22	45
70-74	156	9.8	44	4	4	8	12	19	22	33
75-79	112	11.6	92	4	5	9	13	19	25	60
80-84	52	12.1	53	5	6	10	15	21	29	35
85+	41	13.7	59	6	7	11	15	23	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.3	16	<1	<1	3	5	10	15	15
B. *Operated*	539	6.5	11	3	3	6	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	28	9.4	33	2	3	9	12	14	25	26
B. *Operated*	565	10.8	68	4	4	9	13	19	24	49
1. SINGLE DX	550	6.5	11	3	3	6	8	10	12	17
2. MULTIPLE DX	593	10.7	66	4	4	9	13	19	24	48
A. NOT OPERATED	39	8.0	33	1	2	8	11	14	20	25
B. OPERATED	1104	8.7	44	3	4	7	10	15	20	32
TOTAL 65-69 YRS	447	7.9	43	3	3	6	9	14	17	31
70-74	324	8.2	30	3	4	7	10	15	19	26
75-79	203	9.4	60	3	4	7	11	16	20	53
80-84	97	10.4	39	4	5	9	12	19	26	34
85+	72	11.2	55	3	4	10	14	20	26	42
GRAND TOTAL	**1143**	**8.7**	**44**	**3**	**4**	**7**	**10**	**15**	**20**	**32**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	8.3	16	1	2	8	10	14	15	15
70-74	3	13.3	21	8	8	16	16	16	16	16
75-79	5	12.2	37	4	4	11	17	20	20	20
80-84	2	9.5	5	8	8	9	11	11	11	11
85+	2	13.0	8	11	11	13	15	15	15	15
B. *Operated*										
65-69 YRS	222	10.2	24	5	6	9	12	16	17	32
70-74	141	10.2	18	5	6	10	12	15	19	25
75-79	85	11.3	24	5	6	11	14	17	18	31
80-84	47	13.7	83	6	7	10	17	22	41	44
85+	42	12.5	34	5	6	12	15	21	24	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	11	9.4	14	1	3	10	12	13	14	14
70-74	9	9.6	23	5	5	7	13	16	18	18
75-79	4	15.3	14	11	11	15	18	20	20	20
80-84	10	11.0	60	3	3	9	12	24	26	26
85+	2	7.5	1	7	7	7	8	8	8	8
B. *Operated*										
65-69 YRS	407	15.0	98	6	7	12	18	27	35	58
70-74	316	15.7	87	7	7	13	18	27	34	53
75-79	230	16.3	74	8	8	14	20	29	35	66
80-84	128	18.5	119	7	9	15	24	32	38	62
85+	116	19.8	160	7	9	15	25	38	47	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	10.6	22	2	5	10	15	16	18	20
B. *Operated*	537	10.9	29	5	6	10	13	17	20	33
2. MULTIPLE DX										
A. *Not Operated*	36	10.4	29	3	5	10	13	18	22	26
B. *Operated*	1197	16.3	101	7	8	13	20	29	37	59
1. SINGLE DX	557	10.9	29	5	6	10	13	17	20	33
2. MULTIPLE DX	1233	16.1	100	6	7	13	19	29	37	59
A. NOT OPERATED	56	10.5	26	3	5	10	13	16	20	26
B. OPERATED	1734	14.6	85	6	7	12	17	26	34	53
TOTAL 65-69 YRS	648	13.2	76	5	6	11	15	24	32	50
70-74	469	13.9	71	6	7	11	16	24	30	50
75-79	324	15.0	64	6	8	13	18	26	33	56
80-84	187	16.8	111	7	8	13	22	29	38	58
85+	162	17.7	135	6	8	14	21	36	44	64
GRAND TOTAL	**1790**	**14.5**	**84**	**6**	**7**	**12**	**17**	**26**	**33**	**53**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	5	1	1	3	4	6	6	6
70-74	2	3.0	2	2	2	3	4	4	4	4
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	5.0		5	5	5	5	5	5	5
85+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
65-69 YRS	27	7.2	18	3	4	6	9	13	19	19
70-74	15	7.3	20	1	3	6	9	14	16	17
75-79	8	7.9	8	4	5	7	9	12	13	13
80-84	3	7.3	1	6	6	8	8	8	8	8
85+	3	8.3	37	3	3	7	13	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8	5.5	9	3	3	5	6	10	12	12
70-74	7	6.1	14	3	3	5	7	13	14	14
75-79	5	3.4	9	<1	<1	2	6	8	8	8
80-84	3	15.7	10	12	12	17	18	18	18	18
85+										
B. *Operated*										
65-69 YRS	33	10.2	38	4	4	8	14	21	23	24
70-74	40	11.2	20	4	5	10	13	18	20	23
75-79	19	17.0	180	4	7	14	22	27	48	64
80-84	8	14.3	86	6	6	11	20	29	31	31
85+	8	10.6	41	3	3	10	15	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.5	4	1	1	4	5	6	7	7
B. *Operated*	56	7.4	16	3	4	6	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	23	6.6	23	1	2	5	8	15	17	18
B. *Operated*	108	12.1	64	4	5	10	15	22	25	45
1. SINGLE DX	67	6.8	16	2	3	6	8	13	15	19
2. MULTIPLE DX	131	11.1	61	3	4	10	14	20	24	37
A. NOT OPERATED	34	5.6	19	1	1	5	7	12	16	18
B. OPERATED	164	10.5	52	3	4	9	13	19	23	31
TOTAL 65-69 YRS	73	8.1	29	3	3	6	10	17	21	24
70-74	64	9.5	24	3	4	9	12	17	19	23
75-79	33	12.4	135	1	2	9	15	25	28	64
80-84	15	12.5	58	5	6	10	16	26	30	31
85+	13	8.9	38	2	3	7	13	19	20	20
GRAND TOTAL	**198**	**9.7**	**50**	**3**	**3**	**8**	**12**	**19**	**22**	**30**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.0	4	<1	1	2	4	6	7	9
70-74	16	3.5	11	1	1	2	4	10	11	12
75-79	19	5.1	36	<1	1	3	7	10	20	27
80-84	21	3.2	10	<1	<1	2	4	9	10	11
85+	18	2.8	8	<1	1	2	3	7	10	11
B. *Operated*										
65-69 YRS	5113	4.3	4	2	2	4	5	7	8	10
70-74	4034	4.5	4	2	2	4	5	7	8	11
75-79	2757	4.9	8	2	2	4	6	8	9	13
80-84	1308	5.2	7	2	3	5	6	8	10	14
85+	613	5.8	8	2	3	5	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	131	3.9	19	<1	<1	2	5	9	15	22
70-74	143	4.5	57	<1	1	3	5	9	13	44
75-79	125	4.3	11	1	1	3	6	9	11	14
80-84	90	4.9	21	1	1	3	6	13	17	68
85+	105	5.8	50	1	1	4	7	10	17	41
B. *Operated*										
65-69 YRS	5188	5.9	15	2	3	5	7	10	13	21
70-74	4586	6.6	23	2	3	5	8	11	14	24
75-79	3425	7.1	25	2	3	6	8	13	16	26
80-84	1874	8.4	47	3	3	6	10	16	20	40
85+	1031	9.1	52	3	3	7	10	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.5	14	<1	1	2	4	8	10	20
B. *Operated*	13825	4.6	5	2	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	594	4.6	32	1	1	3	6	10	13	26
B. *Operated*	16104	6.8	26	2	3	5	8	12	16	27
1. SINGLE DX	13924	4.6	6	2	2	4	6	7	9	12
2. MULTIPLE DX	16698	6.8	27	2	3	5	8	12	16	27
A. NOT OPERATED	693	4.5	30	<1	1	3	6	9	13	25
B. OPERATED	29929	5.8	18	2	3	5	7	10	13	23
TOTAL 65-69 YRS	10457	5.1	10	2	2	4	6	8	10	18
70-74	8779	5.6	16	2	3	5	7	9	12	19
75-79	6326	6.1	19	2	3	5	7	10	13	23
80-84	3293	7.0	33	2	3	6	8	13	17	31
85+	1767	7.7	39	2	3	6	9	13	19	37
GRAND TOTAL	**30622**	**5.8**	**18**	**2**	**3**	**5**	**7**	**10**	**13**	**23**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
70-74	8	2.6	3	<1	<1	2	4	5	5	5
75-79	11	5.2	18	1	1	5	8	12	14	14
80-84	5	2.6	2	1	1	2	3	5	5	5
85+	26	2.7	4	1	1	2	4	6	7	7
B. *Operated*										
65-69 YRS	219	5.1	6	3	3	5	6	8	10	13
70-74	238	5.8	13	2	3	5	7	9	13	18
75-79	236	6.5	11	2	3	6	8	10	13	18
80-84	186	7.0	16	3	3	6	8	11	15	23
85+	181	7.7	20	3	4	7	9	13	15	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	2.9	4	1	1	3	3	6	8	8
70-74	20	6.4	42	<1	1	4	9	17	21	23
75-79	19	4.7	12	1	1	4	7	10	11	11
80-84	36	5.3	39	1	1	4	6	9	13	37
85+	46	7.8	69	1	2	5	10	14	25	49
B. *Operated*										
65-69 YRS	386	9.2	90	3	3	7	11	16	21	53
70-74	474	9.4	82	3	4	7	10	17	22	55
75-79	510	10.7	97	3	4	8	12	19	30	56
80-84	428	11.7	103	3	4	9	14	22	31	70
85+	434	12.0	57	4	5	10	15	21	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.2	7	<1	1	2	5	6	8	14
B. *Operated*	1060	6.4	13	2	3	5	8	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	130	6.1	45	1	1	4	8	11	16	39
B. *Operated*	2232	10.6	87	3	4	8	12	20	27	54
1. SINGLE DX	1113	6.2	14	2	3	5	7	10	14	20
2. MULTIPLE DX	2362	10.4	86	3	4	8	12	19	26	51
A. NOT OPERATED	183	5.3	36	1	1	4	7	10	14	33
B. OPERATED	3292	9.2	67	3	3	7	11	17	22	44
TOTAL 65-69 YRS	617	7.6	62	2	3	6	9	13	18	39
70-74	740	8.1	61	2	3	6	9	15	19	46
75-79	776	9.2	72	3	4	7	10	16	22	45
80-84	655	10.0	80	3	3	8	11	20	26	62
85+	687	10.2	52	2	4	8	13	20	25	39
GRAND TOTAL	**3475**	**9.0**	**66**	**2**	**3**	**7**	**11**	**17**	**22**	**43**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	4	6.3	45	<1	<1	4	10	16	16	16
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	159	4.3	8	1	2	4	5	7	9	18
70-74	114	4.4	5	1	2	4	6	8	9	11
75-79	42	4.4	5	1	2	4	6	7	9	11
80-84	28	6.1	29	2	2	5	8	10	13	30
85+	12	6.1	18	1	2	5	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	5.1	15	<1	1	5	7	10	13	17
70-74	14	9.5	80	1	2	7	10	23	32	34
75-79	16	7.0	52	2	2	5	6	15	26	31
80-84	5	5.2	39	1	1	4	7	16	16	16
85+	10	5.3	21	1	1	4	6	13	15	15
B. *Operated*										
65-69 YRS	256	7.5	42	2	3	6	9	14	19	33
70-74	187	8.2	40	2	3	7	10	15	18	31
75-79	113	9.8	74	3	3	7	12	18	22	49
80-84	43	10.3	39	3	3	9	14	20	22	28
85+	35	9.8	69	2	3	8	12	17	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.3	29	<1	<1	4	5	15	16	16
B. *Operated*	355	4.5	9	1	2	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	70	6.5	40	1	1	5	7	15	17	33
B. *Operated*	634	8.4	49	2	3	7	10	16	21	43
1. SINGLE DX	361	4.6	9	1	2	4	5	8	10	17
2. MULTIPLE DX	704	8.2	48	2	3	6	10	15	21	40
A. NOT OPERATED	76	6.4	39	1	1	5	7	15	17	33
B. OPERATED	989	7.0	38	2	2	5	8	14	18	31
TOTAL 65-69 YRS	442	6.2	30	1	2	5	7	12	16	26
70-74	319	6.8	32	2	2	5	8	13	16	29
75-79	171	8.2	60	2	3	6	9	16	22	46
80-84	76	8.4	39	2	3	7	11	16	21	29
85+	57	8.2	53	2	2	6	11	15	19	45
GRAND TOTAL	**1065**	**7.0**	**38**	**2**	**2**	**5**	**8**	**14**	**17**	**32**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	2.8	2	<1	1	3	4	5	6	6
70-74	13	5.1	24	1	2	4	5	9	19	21
75-79	6	4.7	31	2	2	3	3	15	16	16
80-84	7	3.7	7	1	1	4	4	8	9	9
85+	10	5.9	12	2	2	5	8	11	14	14
B. *Operated*										
65-69 YRS	734	6.2	10	2	3	6	8	9	11	16
70-74	592	6.6	11	3	3	6	8	11	12	17
75-79	329	7.0	12	3	3	6	9	11	13	18
80-84	146	7.7	16	3	3	7	10	13	15	24
85+	59	7.9	26	3	3	7	9	13	18	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	98	5.2	31	1	1	4	5	12	15	33
70-74	91	5.5	23	1	1	4	8	12	18	22
75-79	86	6.8	55	1	1	5	8	13	21	42
80-84	56	6.7	26	2	2	6	8	12	17	29
85+	45	6.4	27	2	2	5	7	15	24	99+
B. *Operated*										
65-69 YRS	1138	9.4	43	3	4	8	11	17	21	36
70-74	918	9.9	50	3	4	8	12	16	21	39
75-79	576	10.7	57	3	4	9	13	19	23	37
80-84	233	11.7	73	4	4	9	15	21	25	35
85+	115	12.0	86	4	5	10	14	19	28	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.4	14	1	1	3	5	8	14	21
B. *Operated*	1860	6.6	12	3	3	6	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	376	6.0	33	1	1	4	7	12	18	33
B. *Operated*	2980	10.1	52	3	4	8	12	18	22	38
1. SINGLE DX	1909	6.6	12	2	3	6	8	11	13	18
2. MULTIPLE DX	3356	9.6	52	3	3	8	12	17	22	38
A. NOT OPERATED	425	5.8	32	1	1	4	7	12	18	31
B. OPERATED	4840	8.7	40	3	4	7	10	15	19	32
TOTAL 65-69 YRS	1983	8.0	32	2	3	7	9	14	18	30
70-74	1614	8.4	37	3	3	7	10	14	18	31
75-79	997	9.1	45	2	3	8	11	16	21	34
80-84	442	9.6	52	3	4	8	12	18	22	31
85+	229	9.6	61	3	3	8	12	17	23	60
GRAND TOTAL	**5265**	**8.5**	**40**	**2**	**3**	**7**	**10**	**15**	**19**	**32**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	212	4.2	6	1	2	4	5	7	8	14
70-74	197	4.5	7	2	2	4	5	8	9	15
75-79	137	4.8	12	2	2	4	6	8	10	20
80-84	73	5.2	10	2	2	5	7	9	12	16
85+	67	6.2	25	2	2	5	8	13	14	29
B. *Operated*										
65-69 YRS	62	9.7	25	2	3	9	12	17	19	25
70-74	47	10.7	70	2	3	8	14	22	30	38
75-79	30	9.9	25	3	3	10	14	17	18	18
80-84	20	11.3	76	1	2	10	15	24	31	33
85+	7	12.0	71	5	5	7	20	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2000	5.6	15	2	2	5	7	10	11	18
70-74	2002	5.9	15	2	2	5	7	10	13	20
75-79	1608	6.6	21	2	3	6	8	12	15	22
80-84	1300	6.8	27	2	3	6	8	12	16	27
85+	905	7.7	35	2	3	6	10	14	17	30
B. *Operated*										
65-69 YRS	713	10.5	72	2	3	9	13	19	25	44
70-74	562	10.8	64	3	4	9	13	20	26	36
75-79	403	12.0	98	2	3	10	15	24	31	48
80-84	213	11.7	95	2	4	9	15	25	33	55
85+	126	13.8	121	3	4	11	18	24	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	686	4.7	10	2	2	4	6	8	10	17
B. *Operated*	166	10.3	45	2	3	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	7815	6.3	21	2	2	5	8	11	14	23
B. *Operated*	2017	11.2	81	2	3	9	14	21	28	47
1. SINGLE DX	852	5.8	21	2	2	4	7	11	15	25
2. MULTIPLE DX	9832	7.3	37	2	3	6	9	13	18	31
A. NOT OPERATED	8501	6.2	20	2	2	5	8	11	14	22
B. OPERATED	2183	11.1	78	2	3	9	14	21	28	47
TOTAL 65-69 YRS	2987	6.7	33	2	2	5	8	12	16	28
70-74	2808	6.9	29	2	2	5	8	13	16	29
75-79	2178	7.5	40	2	3	6	9	14	18	34
80-84	1606	7.5	39	2	3	6	9	14	18	33
85+	1105	8.3	49	2	3	7	10	15	20	42
GRAND TOTAL	**10684**	**7.2**	**36**	**2**	**3**	**6**	**9**	**13**	**17**	**31**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.4	7	1	1	4	6	8	9	9
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	3	3.3	2	2	2	3	4	5	5	5
80-84	3	6.0	25	1	1	6	10	11	11	11
85+	3	5.7	1	5	5	5	7	7	7	7
B. *Operated*										
65-69 YRS	144	5.1	6	2	3	4	6	8	10	14
70-74	134	5.3	12	2	2	4	6	9	11	21
75-79	85	6.2	39	2	2	5	7	10	12	43
80-84	59	6.6	25	2	3	6	9	10	13	34
85+	35	5.7	7	2	3	5	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	5.4	13	1	1	5	7	10	14	15
70-74	24	6.1	11	2	2	5	8	11	13	13
75-79	17	4.4	4	1	2	4	6	7	8	9
80-84	20	5.2	15	1	1	4	8	11	12	13
85+	23	6.1	33	1	1	4	8	13	21	24
B. *Operated*										
65-69 YRS	167	7.9	33	3	3	6	9	15	20	30
70-74	186	8.1	32	3	3	7	10	14	21	33
75-79	124	9.6	65	3	3	7	11	20	26	43
80-84	94	10.0	40	3	4	8	12	19	22	31
85+	58	11.0	90	3	4	9	14	18	21	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.9	7	1	1	5	6	8	10	11
B. *Operated*	457	5.6	17	2	2	5	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	112	5.5	15	1	2	5	7	11	13	22
B. *Operated*	629	8.9	46	3	3	7	10	17	22	36
1. SINGLE DX	475	5.6	16	2	2	5	7	9	11	18
2. MULTIPLE DX	741	8.4	43	2	3	7	10	16	21	35
A. NOT OPERATED	130	5.4	14	1	2	5	7	10	13	21
B. OPERATED	1086	7.5	36	2	3	6	9	14	19	32
TOTAL 65-69 YRS	346	6.4	22	2	3	5	8	11	15	29
70-74	346	6.8	24	2	3	5	8	11	16	25
75-79	229	7.9	54	2	3	6	9	15	22	42
80-84	176	8.2	35	2	3	7	10	16	21	32
85+	119	8.4	58	2	3	6	10	17	20	38
GRAND TOTAL	**1216**	**7.3**	**34**	**2**	**3**	**6**	**9**	**13**	**18**	**30**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	5.0	56	2	2	3	4	8	23	35
70-74	26	5.7	20	<1	<1	4	8	13	14	16
75-79	22	3.5	2	2	2	3	4	6	7	7
80-84	10	5.7	20	2	2	4	8	13	16	16
85+	10	5.0	10	1	1	5	7	9	11	11
B. *Operated*										
65-69 YRS	297	7.4	19	3	3	6	9	13	16	23
70-74	306	7.3	18	3	3	7	9	12	15	23
75-79	214	8.3	35	3	3	7	10	14	18	28
80-84	145	9.6	29	3	4	8	12	16	22	29
85+	135	10.4	68	2	4	9	12	17	23	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	60	8.1	59	2	2	6	9	15	21	50
70-74	60	7.0	48	1	2	5	8	11	16	44
75-79	84	7.4	28	2	2	6	9	17	19	25
80-84	81	9.0	49	2	3	7	11	17	24	36
85+	89	8.2	37	2	2	7	11	16	19	33
B. *Operated*										
65-69 YRS	557	11.5	95	4	4	9	14	21	29	70
70-74	568	12.8	115	4	5	10	15	24	33	80
75-79	581	13.4	125	4	5	10	16	25	36	66
80-84	444	14.5	116	5	6	12	17	27	35	54
85+	403	15.5	143	4	6	12	18	31	39	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	4.9	22	1	2	3	6	10	13	28
B. *Operated*	1097	8.2	30	3	3	7	10	14	18	28
2. MULTIPLE DX										
A. *Not Operated*	374	8.0	43	2	2	6	10	16	21	36
B. *Operated*	2553	13.4	119	4	5	10	16	26	36	75
1. SINGLE DX	1184	8.0	30	2	3	7	10	14	18	28
2. MULTIPLE DX	2927	12.7	113	3	4	10	15	24	34	70
A. NOT OPERATED	461	7.4	41	2	2	6	9	15	19	34
B. OPERATED	3650	11.8	98	3	4	9	14	22	30	61
TOTAL 65-69 YRS	933	9.8	72	3	4	8	12	19	24	51
70-74	960	10.5	85	3	4	8	12	20	28	61
75-79	901	11.4	99	3	4	8	14	21	30	58
80-84	680	12.7	95	3	5	10	15	24	30	47
85+	637	13.2	119	3	4	10	16	26	36	78
GRAND TOTAL	**4111**	**11.3**	**93**	**3**	**4**	**9**	**14**	**21**	**30**	**57**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	671	5.6	14	1	2	5	7	10	12	20
70-74	542	5.5	15	1	2	5	7	9	12	18
75-79	437	6.0	12	2	2	5	7	11	13	18
80-84	344	6.4	21	2	2	5	8	12	14	23
85+	275	7.2	22	2	3	6	9	13	17	24
B. *Operated*										
65-69 YRS	356	13.6	75	5	7	12	16	20	29	54
70-74	308	13.5	42	6	7	12	16	22	27	38
75-79	253	14.3	62	7	7	12	18	25	29	40
80-84	167	16.2	129	7	8	13	18	24	42	84
85+	159	16.6	80	8	9	14	20	27	33	56
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1545	7.9	31	2	3	7	10	15	18	26
70-74	1671	8.1	38	2	3	7	10	15	19	32
75-79	1612	9.1	50	2	3	7	11	17	22	36
80-84	1462	9.7	56	2	3	8	12	19	24	39
85+	1545	10.3	65	2	3	8	13	19	26	47
B. *Operated*										
65-69 YRS	1255	19.2	160	7	8	16	23	36	45	77
70-74	1320	18.9	152	7	8	15	23	35	45	85
75-79	1208	20.2	166	7	9	17	24	37	48	74
80-84	929	20.8	187	7	9	17	26	40	52	98
85+	801	21.7	195	8	10	18	26	39	52	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	5.9	16	2	2	5	7	11	13	21
B. *Operated*	1243	14.5	73	6	7	12	17	24	29	54
2. MULTIPLE DX										
A. *Not Operated*	7835	9.0	49	2	3	7	11	17	22	37
B. *Operated*	5513	20.0	170	7	9	16	24	37	48	87
1. SINGLE DX	3512	9.0	53	2	3	7	12	17	22	36
2. MULTIPLE DX	13348	13.5	128	3	4	11	17	27	36	66
A. NOT OPERATED	10104	8.3	43	2	3	7	10	16	20	34
B. OPERATED	6756	19.0	157	7	8	15	23	34	45	81
TOTAL 65-69 YRS	3827	11.7	106	2	3	9	15	23	30	56
70-74	3841	11.8	103	2	3	9	15	24	32	58
75-79	3510	12.9	117	3	4	10	16	26	34	61
80-84	2902	13.3	129	3	4	10	17	27	35	66
85+	2780	13.6	129	3	4	11	17	27	35	70
GRAND TOTAL	**16860**	**12.6**	**116**	**2**	**3**	**10**	**16**	**25**	**33**	**61**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	813	3.9	7	1	1	3	5	7	9	14
70-74	778	4.1	11	1	1	3	5	8	10	14
75-79	672	4.6	16	1	1	3	5	9	11	23
80-84	432	4.5	14	1	1	4	6	8	11	16
85+	444	4.9	20	1	2	4	6	9	11	20
B. *Operated*										
65-69 YRS	78	6.7	28	1	1	6	9	13	15	30
70-74	42	7.5	27	2	3	7	8	12	19	27
75-79	43	9.0	36	2	2	7	11	19	22	23
80-84	20	7.9	23	<1	1	8	10	14	18	20
85+	14	12.3	109	2	3	9	14	24	39	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3854	6.2	24	2	2	5	8	11	15	25
70-74	4070	6.6	29	2	2	5	8	12	16	29
75-79	3901	7.1	35	2	2	6	9	13	17	30
80-84	3210	7.5	41	2	2	6	9	14	18	33
85+	3029	8.0	51	2	3	6	10	15	20	38
B. *Operated*										
65-69 YRS	494	13.4	114	3	4	11	17	25	31	61
70-74	486	13.4	119	3	4	11	16	25	34	66
75-79	398	14.4	128	3	5	11	18	30	39	77
80-84	269	15.3	141	3	5	12	19	30	39	70
85+	232	16.4	134	3	4	14	21	32	40	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3139	4.3	13	1	1	3	5	8	10	15
B. *Operated*	197	7.9	36	1	2	7	10	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	18064	7.0	36	2	2	6	9	13	17	30
B. *Operated*	1879	14.3	125	3	4	11	18	27	36	69
1. SINGLE DX	3336	4.5	15	1	1	4	6	9	11	18
2. MULTIPLE DX	19943	7.7	48	2	2	6	9	15	20	36
A. NOT OPERATED	21203	6.6	33	2	2	5	8	12	16	29
B. OPERATED	2076	13.7	120	3	4	11	17	27	35	63
TOTAL 65-69 YRS	5239	6.6	36	1	2	5	8	13	17	29
70-74	5376	6.8	40	2	2	5	8	13	17	33
75-79	5014	7.4	45	2	2	6	9	14	19	36
80-84	3931	7.7	50	2	2	6	10	15	20	38
85+	3719	8.2	58	2	2	6	10	16	21	44
GRAND TOTAL	**23279**	**7.3**	**45**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1344	5.2	11	1	2	5	7	9	11	16
70-74	1253	5.1	10	1	2	5	7	9	11	15
75-79	1030	5.3	12	1	2	5	7	10	12	16
80-84	737	6.1	22	1	2	5	8	11	14	21
85+	569	6.3	32	1	2	5	8	11	15	25
B. *Operated*										
65-69 YRS	350	12.6	52	2	5	12	15	20	26	36
70-74	305	13.2	63	2	4	12	17	23	30	38
75-79	240	12.9	54	2	4	13	17	21	25	38
80-84	91	15.9	118	2	4	13	20	31	41	81
85+	44	16.8	137	2	3	14	25	33	35	55
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3881	6.6	22	2	2	6	8	11	14	22
70-74	4072	6.8	23	2	2	6	8	12	15	25
75-79	4771	7.3	27	2	3	6	9	13	17	27
80-84	4007	8.0	38	2	3	7	10	15	20	33
85+	3624	9.0	53	2	3	7	11	17	22	41
B. *Operated*										
65-69 YRS	1710	15.5	129	3	5	13	19	28	36	61
70-74	1754	16.0	141	3	5	13	20	29	38	67
75-79	1555	17.0	151	4	6	14	21	32	43	77
80-84	1028	18.5	197	4	6	15	23	36	50	71
85+	688	17.9	176	4	5	15	23	34	48	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4933	5.5	15	1	2	5	7	10	12	18
B. *Operated*	1030	13.3	66	2	4	12	17	22	29	44
2. MULTIPLE DX										
A. *Not Operated*	20955	7.5	33	2	3	6	9	14	17	30
B. *Operated*	6735	16.7	153	3	5	14	21	31	42	70
1. SINGLE DX	5963	6.8	33	1	2	5	9	13	17	29
2. MULTIPLE DX	27690	9.7	78	2	3	7	12	19	26	49
A. NOT OPERATED	25888	7.1	30	2	2	6	9	13	16	28
B. OPERATED	7765	16.2	143	3	5	13	20	30	40	67
TOTAL 65-69 YRS	7285	8.7	62	2	2	7	11	17	22	40
70-74	7984	8.8	65	2	2	7	11	17	23	41
75-79	7596	9.2	69	2	3	7	11	18	24	44
80-84	5863	9.7	83	2	3	7	12	19	26	52
85+	4925	10.0	80	2	3	7	12	20	27	51
GRAND TOTAL	**33653**	**9.2**	**71**	**2**	**3**	**7**	**11**	**18**	**24**	**46**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	25	3.6	7	<1	1	3	5	6	10	12
70-74	18	4.3	8	1	1	4	6	8	10	11
75-79	14	6.4	58	1	1	4	7	12	27	31
80-84	10	5.5	21	2	2	5	5	12	18	18
85+	6	4.2	7	2	2	4	4	9	9	9
B. *Operated*										
65-69 YRS	373	4.3	10	1	2	4	5	7	10	16
70-74	240	4.3	8	1	2	4	5	7	10	19
75-79	106	5.1	17	2	2	4	5	8	11	26
80-84	42	7.9	84	2	3	5	8	16	27	49
85+	38	5.1	9	1	2	4	7	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	86	7.3	73	1	2	5	8	14	22	51
70-74	83	5.8	18	1	2	5	8	11	18	73
75-79	60	11.0	167	2	2	7	12	26	38	74
80-84	54	7.4	26	2	2	6	10	16	18	21
85+	38	8.7	45	2	3	8	10	16	21	36
B. *Operated*										
65-69 YRS	828	7.2	66	2	3	5	8	13	20	41
70-74	525	8.2	64	2	3	6	10	16	24	49
75-79	236	9.0	74	2	3	6	10	19	27	48
80-84	129	11.7	163	2	3	8	14	24	33	84
85+	86	10.5	79	2	3	8	14	20	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	4.6	19	1	1	4	5	9	11	28
B. *Operated*	799	4.6	14	2	2	4	5	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	321	7.8	67	2	2	6	10	15	21	49
B. *Operated*	1804	8.2	76	2	3	6	9	16	24	48
1. SINGLE DX	872	4.6	15	1	2	4	5	8	10	21
2. MULTIPLE DX	2125	8.1	74	2	3	6	9	16	24	47
A. NOT OPERATED	394	7.2	60	1	2	5	9	14	20	42
B. OPERATED	2603	7.1	60	2	2	5	8	14	20	44
TOTAL 65-69 YRS	1312	6.3	51	2	2	4	7	11	16	33
70-74	866	6.8	46	2	2	5	8	13	20	44
75-79	416	8.2	76	2	2	5	9	16	26	47
80-84	235	9.7	115	2	3	7	12	19	26	54
85+	168	8.7	58	2	3	7	10	17	22	42
GRAND TOTAL	**2997**	**7.1**	**60**	**2**	**2**	**5**	**8**	**14**	**20**	**43**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	750	4.6	16	1	1	4	6	9	11	20
70-74	718	5.1	19	1	1	4	7	10	13	23
75-79	559	5.1	24	1	1	3	6	10	14	25
80-84	426	5.4	27	1	1	4	7	11	14	23
85+	434	5.1	22	<1	1	4	6	10	14	21
B. *Operated*										
65-69 YRS	612	8.2	62	1	1	6	11	16	22	38
70-74	449	9.2	68	1	2	7	12	18	22	45
75-79	393	9.8	82	2	2	7	12	21	26	47
80-84	221	11.1	104	2	2	8	14	22	30	53
85+	156	10.5	78	2	2	9	13	21	25	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3270	6.5	29	2	2	5	8	12	16	27
70-74	3474	6.9	36	2	2	5	8	13	18	33
75-79	3518	7.3	43	2	2	5	9	14	19	35
80-84	2919	8.0	53	2	2	6	10	15	20	38
85+	3092	8.0	55	2	2	6	10	16	21	41
B. *Operated*										
65-69 YRS	2259	14.2	177	2	3	10	17	30	43	77
70-74	2078	14.9	191	2	3	11	19	32	45	81
75-79	1640	15.8	183	3	4	12	20	33	43	80
80-84	1200	16.6	185	3	4	14	21	33	44	84
85+	892	17.1	217	3	4	13	21	36	50	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2887	5.0	21	1	1	4	6	10	13	22
B. *Operated*	1833	9.3	75	1	2	7	12	19	25	44
2. MULTIPLE DX										
A. *Not Operated*	16273	7.3	43	2	2	6	9	14	19	35
B. *Operated*	8069	15.4	188	2	4	11	19	32	45	82
1. SINGLE DX	4720	6.7	46	1	1	5	9	14	19	33
2. MULTIPLE DX	24342	10.0	106	2	2	7	12	21	30	58
A. NOT OPERATED	19160	7.0	40	1	2	5	9	14	18	33
B. OPERATED	9902	14.3	173	2	3	11	18	30	42	75
TOTAL 65-69 YRS	6891	9.0	93	1	2	6	11	18	27	56
70-74	6719	9.3	99	2	2	6	11	20	28	55
75-79	6110	9.5	96	2	2	7	12	20	28	54
80-84	4766	10.1	102	2	2	7	13	21	29	56
85+	4576	9.6	99	2	2	7	12	20	29	56
GRAND TOTAL	**29062**	**9.4**	**97**	**2**	**2**	**7**	**11**	**20**	**28**	**55**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	9.0	50	2	2	7	12	18	21	37
70-74	33	7.4	24	2	2	6	11	14	15	23
75-79	17	7.9	28	2	3	7	9	18	20	20
80-84	7	7.7	17	3	3	8	10	14	15	15
85+										
B. *Operated*										
65-69 YRS	18	10.9	124	1	1	8	16	26	36	42
70-74	13	16.0	82	4	6	13	23	28	35	37
75-79	5	10.6	28	5	5	10	15	17	17	17
80-84	3	8.7	50	1	1	10	14	15	15	15
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	788	13.7	108	3	4	11	18	26	33	57
70-74	485	12.8	116	3	4	10	16	26	31	60
75-79	203	13.4	116	3	4	10	17	26	32	61
80-84	57	14.6	198	3	4	12	18	29	46	99
85+	15	8.2	21	3	4	6	10	15	18	19
B. *Operated*										
65-69 YRS	271	16.2	159	3	4	13	21	30	40	61
70-74	147	19.0	229	4	5	16	23	40	54	91
75-79	46	17.2	185	3	4	14	21	31	57	60
80-84	12	13.8	77	3	4	13	18	28	31	32
85+	5	15.2	201	4	4	11	18	40	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	8.4	38	2	2	7	11	17	19	30
B. *Operated*	39	12.4	94	1	1	11	16	25	32	42
2. MULTIPLE DX										
A. *Not Operated*	1548	13.3	114	3	4	10	17	26	32	60
B. *Operated*	481	17.1	182	3	4	14	22	31	43	77
1. SINGLE DX	167	9.3	54	1	2	7	12	18	23	39
2. MULTIPLE DX	2029	14.2	133	3	4	11	18	27	35	62
A. NOT OPERATED	1676	13.0	110	3	4	10	16	25	31	58
B. OPERATED	520	16.7	177	3	4	14	22	31	42	75
TOTAL 65-69 YRS	1148	13.9	119	3	4	11	18	27	34	58
70-74	678	13.9	144	3	4	11	18	27	35	71
75-79	271	13.6	124	3	4	10	18	26	35	60
80-84	79	13.6	161	3	4	11	17	26	34	98
85+	20	10.0	67	3	4	7	11	17	29	40
GRAND TOTAL	**2196**	**13.8**	**128**	**3**	**4**	**11**	**18**	**26**	**34**	**61**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	73	8.5	40	1	2	8	11	16	20	33
70-74	57	7.5	44	<1	1	6	9	17	23	31
75-79	43	8.3	170	<1	1	6	9	14	18	86
80-84	23	11.0	94	2	4	9	14	16	29	50
85+	7	10.1	142	1	1	6	13	31	35	35
B. *Operated*										
65-69 YRS	102	5.0	27	<1	1	3	7	12	16	23
70-74	75	8.0	102	1	1	4	11	21	23	54
75-79	34	7.9	62	1	1	5	12	18	27	31
80-84	10	8.5	71	1	1	5	16	21	24	24
85+	8	19.4	122	2	4	21	29	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	713	11.5	95	2	3	9	14	22	30	53
70-74	608	12.5	117	3	4	10	15	24	34	54
75-79	409	12.9	120	3	4	10	16	26	32	64
80-84	192	12.7	109	3	4	11	15	23	31	61
85+	102	14.4	154	3	4	11	17	25	37	71
B. *Operated*										
65-69 YRS	473	13.3	180	1	2	9	16	30	39	71
70-74	401	15.2	165	1	2	12	21	31	39	64
75-79	270	17.0	195	2	3	14	22	35	42	75
80-84	92	17.3	125	4	5	15	24	32	43	82
85+	36	19.4	158	4	7	16	26	38	42	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	203	8.5	77	1	1	7	11	16	21	42
B. *Operated*	229	7.1	68	1	1	4	9	18	23	36
2. MULTIPLE DX										
A. *Not Operated*	2024	12.4	111	3	4	9	15	24	32	56
B. *Operated*	1272	15.1	176	2	2	12	21	32	41	71
1. SINGLE DX	432	7.8	73	1	1	5	10	17	23	38
2. MULTIPLE DX	3296	13.4	138	2	3	10	17	28	36	63
A. NOT OPERATED	2227	12.0	109	2	3	9	15	23	31	55
B. OPERATED	1501	13.9	168	1	2	11	19	31	38	67
TOTAL 65-69 YRS	1361	11.5	121	2	2	8	15	24	34	54
70-74	1141	12.9	134	1	3	10	17	28	35	56
75-79	756	13.9	154	2	3	10	18	29	37	69
80-84	317	13.7	116	3	4	11	17	29	33	60
85+	153	15.7	157	3	4	12	20	32	39	58
GRAND TOTAL	**3728**	**12.8**	**134**	**2**	**3**	**10**	**16**	**27**	**35**	**61**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	87	7.4	28	1	2	6	10	15	18	27
70-74	47	8.3	34	2	3	8	10	15	22	30
75-79	44	7.7	34	1	2	6	11	17	19	26
80-84	21	9.0	29	2	2	8	13	16	18	19
85+	18	12.2	183	3	4	9	12	21	47	63
B. *Operated*										
65-69 YRS	59	8.3	50	<1	1	7	13	19	22	28
70-74	49	10.9	163	1	1	8	13	23	36	73
75-79	23	10.2	69	1	1	8	14	22	29	30
80-84	12	11.7	58	1	1	13	18	20	21	21
85+	5	12.0	171	3	3	8	15	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	638	10.4	86	3	3	8	13	20	27	54
70-74	459	11.5	96	3	4	9	14	23	29	46
75-79	317	10.5	59	3	4	8	13	20	26	37
80-84	181	12.3	83	3	4	10	16	26	31	46
85+	126	12.7	107	3	4	10	16	24	31	58
B. *Operated*										
65-69 YRS	219	15.6	160	2	3	13	21	33	46	64
70-74	171	17.2	220	2	3	13	22	33	51	72
75-79	120	15.3	131	2	3	13	19	29	41	56
80-84	67	18.0	130	3	5	16	24	38	42	91
85+	44	22.5	279	7	8	17	31	38	58	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	8.2	44	2	2	7	10	15	19	30
B. *Operated*	148	9.8	94	1	1	8	14	20	28	47
2. MULTIPLE DX										
A. *Not Operated*	1721	11.1	85	3	4	9	13	22	28	46
B. *Operated*	621	16.7	179	2	4	14	21	34	45	71
1. SINGLE DX	365	8.9	65	1	2	7	12	18	22	35
2. MULTIPLE DX	2342	12.6	116	3	4	9	16	25	33	59
A. NOT OPERATED	1938	10.8	82	3	3	8	13	21	28	46
B. OPERATED	769	15.4	170	2	3	12	20	32	42	70
TOTAL 65-69 YRS	1003	11.2	101	2	3	8	14	22	30	55
70-74	726	12.6	133	2	3	9	15	26	34	66
75-79	504	11.4	79	2	3	9	15	22	28	46
80-84	281	13.4	96	3	4	11	17	27	34	51
85+	193	14.8	169	3	4	10	19	31	38	65
GRAND TOTAL	**2707**	**12.1**	**111**	**2**	**3**	**9**	**15**	**24**	**32**	**58**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	451	4.6	10	1	1	4	6	9	11	15
70-74	324	4.9	15	1	2	4	6	9	11	19
75-79	283	5.2	13	1	2	4	7	9	13	20
80-84	216	5.9	12	2	2	5	8	11	13	17
85+	179	6.6	27	2	2	5	9	12	14	24
B. *Operated*										
65-69 YRS	2890	8.9	14	5	5	8	10	13	16	22
70-74	2062	9.7	17	5	6	9	11	15	17	24
75-79	1213	10.6	25	6	6	9	12	16	20	30
80-84	486	12.1	28	6	7	11	15	20	23	30
85+	282	13.6	54	6	7	12	17	23	26	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1603	6.2	19	2	2	5	8	11	13	21
70-74	1684	6.9	24	2	2	6	9	12	16	26
75-79	1548	7.4	29	2	3	6	9	13	17	28
80-84	1278	8.1	36	2	3	7	10	14	18	35
85+	1396	9.2	56	2	3	7	11	17	22	37
B. *Operated*										
65-69 YRS	6254	12.4	53	6	6	10	15	21	26	41
70-74	5287	13.6	63	6	7	11	16	23	28	44
75-79	3870	15.1	81	6	7	13	18	25	31	52
80-84	2175	17.0	99	7	8	15	20	29	36	60
85+	1364	19.2	120	8	9	16	23	33	41	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1453	5.2	15	1	2	4	7	10	12	18
B. *Operated*	6933	9.8	21	5	6	9	11	15	19	26
2. MULTIPLE DX										
A. *Not Operated*	7509	7.5	33	2	3	6	9	13	17	31
B. *Operated*	18956	14.3	76	6	7	12	17	24	30	49
1. SINGLE DX	8386	9.0	23	3	4	8	11	15	18	25
2. MULTIPLE DX	26465	12.4	73	3	5	10	15	22	28	46
A. NOT OPERATED	8962	7.1	31	2	2	6	9	13	17	29
B. OPERATED	25889	13.1	65	6	6	11	16	22	28	45
TOTAL 65-69 YRS	11198	10.3	43	3	5	9	12	18	22	34
70-74	9357	11.2	53	3	5	10	14	20	24	39
75-79	6920	12.1	69	3	4	10	15	21	27	43
80-84	4155	13.1	86	3	4	11	17	24	30	49
85+	3221	13.7	106	3	4	11	18	26	33	56
GRAND TOTAL	**34851**	**11.6**	**63**	**3**	**5**	**10**	**14**	**20**	**26**	**43**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	230	4.9	13	1	2	4	7	9	12	18
70-74	186	5.4	10	2	2	5	7	10	12	15
75-79	156	5.8	30	2	2	5	7	9	11	15
80-84	133	6.2	16	2	2	5	8	11	15	20
85+	100	6.9	31	2	2	5	9	14	16	32
B. *Operated*										
65-69 YRS	301	9.8	17	5	6	9	11	15	17	25
70-74	196	10.4	19	5	6	9	12	16	19	26
75-79	152	12.6	55	6	7	11	14	20	27	45
80-84	89	12.7	38	6	7	11	16	19	23	40
85+	53	12.9	28	6	6	13	17	19	22	28
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	656	6.8	23	2	2	6	8	12	15	26
70-74	669	7.6	31	2	3	6	10	14	17	28
75-79	588	8.0	29	3	3	7	10	14	17	30
80-84	549	9.0	53	2	3	7	11	16	21	33
85+	531	9.7	38	3	4	8	12	17	21	37
B. *Operated*										
65-69 YRS	915	14.0	75	6	7	12	16	24	28	47
70-74	782	15.1	84	6	7	13	18	25	32	51
75-79	591	16.4	106	6	7	14	20	29	36	57
80-84	393	18.3	141	7	8	15	22	32	47	99+
85+	272	19.5	139	8	9	16	23	36	45	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	805	5.7	18	2	2	5	7	10	13	18
B. *Operated*	791	11.0	29	6	6	10	13	17	20	30
2. MULTIPLE DX										
A. *Not Operated*	2993	8.2	35	2	3	7	10	14	18	30
B. *Operated*	2953	15.8	101	6	7	13	19	28	35	61
1. SINGLE DX	1596	8.3	31	2	3	7	11	15	18	28
2. MULTIPLE DX	5946	12.0	83	3	4	10	15	22	29	50
A. NOT OPERATED	3798	7.6	33	2	3	6	10	14	17	29
B. OPERATED	3744	14.8	90	6	7	12	18	26	32	56
TOTAL 65-69 YRS	2102	10.2	56	2	3	8	13	18	23	37
70-74	1833	10.9	64	3	4	9	14	20	25	40
75-79	1487	11.6	80	3	4	9	14	22	29	46
80-84	1164	12.1	99	3	4	10	15	23	30	63
85+	956	12.4	87	3	4	10	16	23	30	53
GRAND TOTAL	**7542**	**11.2**	**74**	**3**	**4**	**9**	**14**	**21**	**27**	**46**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	55	3.6	5	<1	2	3	5	6	7	14
70-74	46	4.8	8	1	2	4	7	9	11	12
75-79	50	6.0	27	1	1	4	8	13	19	24
80-84	28	6.9	40	1	1	6	9	12	24	28
85+	38	6.3	21	1	1	5	8	14	15	22
B. *Operated*										
65-69 YRS	209	10.9	46	2	3	10	14	18	24	32
70-74	216	11.2	48	2	3	11	14	19	25	33
75-79	165	12.7	62	2	3	12	17	24	28	37
80-84	145	12.7	62	2	2	12	16	23	28	38
85+	88	14.6	90	3	3	13	19	26	30	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	6.7	18	2	2	6	9	13	15	19
70-74	155	7.3	22	2	2	6	10	12	14	25
75-79	125	9.1	75	2	3	7	10	15	18	59
80-84	149	8.8	35	2	3	8	12	17	19	33
85+	151	9.9	59	2	3	8	13	18	25	64
B. *Operated*										
65-69 YRS	488	15.2	93	4	7	13	19	25	32	57
70-74	559	17.1	118	4	6	15	22	29	38	56
75-79	541	17.8	129	4	7	15	22	32	40	60
80-84	450	18.6	125	5	8	16	23	31	39	64
85+	345	22.2	195	7	9	19	27	40	50	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	217	5.3	19	1	1	4	7	11	14	24
B. *Operated*	823	12.0	59	2	3	11	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	693	8.4	43	2	3	7	11	15	18	33
B. *Operated*	2383	17.9	132	5	7	15	22	31	40	65
1. SINGLE DX	1040	10.6	58	2	2	10	14	20	25	33
2. MULTIPLE DX	3076	15.8	128	3	5	13	20	29	37	62
A. NOT OPERATED	910	7.7	39	2	2	6	10	14	18	33
B. OPERATED	3206	16.4	120	3	6	14	21	29	36	60
TOTAL 65-69 YRS	865	12.3	80	2	3	11	16	22	27	47
70-74	976	13.7	100	2	3	12	18	25	31	51
75-79	881	14.9	118	2	4	12	19	28	35	59
80-84	772	15.2	111	2	4	13	20	27	33	59
85+	622	17.2	171	3	5	15	22	33	42	81
GRAND TOTAL	**4116**	**14.5**	**115**	**2**	**4**	**12**	**19**	**27**	**33**	**58**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	59	4.8	8	1	1	4	7	9	10	11
70-74	60	6.3	21	1	2	5	9	13	15	22
75-79	55	6.9	16	2	3	6	9	13	15	18
80-84	51	7.2	26	1	2	6	9	14	19	24
85+	40	6.5	17	2	2	5	9	12	14	20
B. *Operated*										
65-69 YRS	43	13.3	86	1	2	12	19	27	33	37
70-74	53	12.0	62	2	2	12	16	23	27	37
75-79	38	13.9	120	1	2	13	20	22	36	54
80-84	29	13.7	120	2	2	9	23	31	34	35
85+	28	14.2	119	2	2	14	19	29	36	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	199	8.7	28	2	3	7	12	16	19	26
70-74	214	9.3	63	2	3	7	11	19	24	49
75-79	217	8.6	39	2	3	7	10	15	23	30
80-84	196	9.9	59	3	4	8	13	17	23	35
85+	268	10.6	45	3	4	9	13	18	26	33
B. *Operated*										
65-69 YRS	249	18.8	172	2	4	16	25	37	49	69
70-74	257	17.8	167	3	5	15	25	33	41	77
75-79	219	21.4	225	5	8	18	26	40	50	83
80-84	181	20.4	157	5	8	18	26	34	44	67
85+	145	22.4	200	5	9	19	29	43	50	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	6.3	18	1	2	5	9	12	15	20
B. *Operated*	191	13.3	95	2	2	12	19	27	33	42
2. MULTIPLE DX										
A. *Not Operated*	1094	9.5	47	2	3	8	12	17	23	32
B. *Operated*	1051	19.9	185	3	6	17	26	37	48	76
1. SINGLE DX	456	9.2	62	1	2	7	13	20	25	37
2. MULTIPLE DX	2145	14.6	142	3	4	11	19	30	38	64
A. NOT OPERATED	1359	8.9	43	2	3	7	11	16	21	30
B. OPERATED	1242	18.9	177	2	4	16	25	35	45	75
TOTAL 65-69 YRS	550	13.2	125	2	3	10	18	28	35	58
70-74	584	13.0	124	2	3	10	18	28	34	67
75-79	529	14.1	159	2	3	10	19	29	39	60
80-84	457	14.0	126	2	4	11	18	29	34	56
85+	481	14.0	126	3	4	11	18	28	37	53
GRAND TOTAL	**2601**	**13.7**	**132**	**2**	**3**	**11**	**18**	**28**	**36**	**57**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	381	6.7	20	2	2	6	8	12	14	23
70-74	265	7.4	21	2	3	6	10	14	16	21
75-79	182	7.7	21	2	3	7	10	14	17	24
80-84	117	7.2	15	2	3	7	9	12	15	20
85+	99	7.1	19	2	3	6	9	13	16	23
B. *Operated*										
65-69 YRS	66	11.3	94	1	2	9	14	21	32	48
70-74	53	10.8	82	2	2	10	13	23	26	50
75-79	35	13.0	113	2	3	12	17	24	39	47
80-84	17	13.8	144	3	4	11	18	28	44	52
85+	13	12.7	90	1	3	10	15	24	36	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1182	9.0	37	3	4	8	11	16	20	31
70-74	987	9.3	41	3	3	8	12	17	20	34
75-79	801	10.1	55	3	4	8	12	18	23	38
80-84	674	10.0	62	3	4	9	12	18	22	40
85+	551	11.0	69	3	4	9	14	19	25	66
B. *Operated*										
65-69 YRS	459	18.2	171	3	5	16	23	35	45	75
70-74	378	19.0	209	3	6	16	23	37	57	95
75-79	265	20.5	224	4	7	16	26	38	46	85
80-84	167	22.1	196	6	7	19	31	46	55	99+
85+	102	21.8	183	7	10	19	28	37	43	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1044	7.2	20	2	3	6	9	13	15	22
B. *Operated*	184	11.8	97	2	2	10	15	22	32	50
2. MULTIPLE DX										
A. *Not Operated*	4195	9.7	50	3	4	8	12	17	22	36
B. *Operated*	1371	19.6	197	4	7	16	24	37	50	86
1. SINGLE DX	1228	7.8	34	2	3	7	10	14	18	30
2. MULTIPLE DX	5566	12.2	104	3	4	9	15	23	31	60
A. NOT OPERATED	5239	9.2	45	3	3	8	11	16	21	34
B. OPERATED	1555	18.7	192	3	5	16	23	36	47	85
TOTAL 65-69 YRS	2088	10.7	82	2	3	8	13	21	27	49
70-74	1683	11.3	95	3	3	9	14	21	28	63
75-79	1283	12.0	106	3	4	9	14	23	30	56
80-84	975	11.8	104	3	4	9	14	22	33	59
85+	765	12.0	94	3	4	10	15	22	31	69
GRAND TOTAL	**6794**	**11.4**	**94**	**3**	**4**	**9**	**14**	**22**	**29**	**56**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	304	5.2	10	1	2	5	7	9	11	17
70-74	332	5.6	12	2	2	5	7	10	11	19
75-79	292	6.0	18	1	2	5	7	12	15	21
80-84	288	6.2	18	1	2	5	8	12	13	19
85+	302	7.6	41	2	2	6	9	13	19	29
B. *Operated*										
65-69 YRS	51	9.1	54	2	3	7	10	16	22	39
70-74	43	10.3	50	2	3	8	15	20	24	32
75-79	37	10.4	34	2	3	9	14	20	22	25
80-84	24	12.1	55	3	4	11	16	27	28	29
85+	27	11.4	78	2	3	9	16	21	28	42
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2373	7.4	33	2	3	6	9	13	17	30
70-74	2645	7.7	35	2	3	6	9	14	18	31
75-79	2699	8.4	47	2	3	7	10	15	20	37
80-84	2449	9.0	51	2	3	7	11	17	22	36
85+	2781	9.6	60	2	3	8	12	18	24	42
B. *Operated*										
65-69 YRS	755	12.8	110	3	4	10	16	25	34	63
70-74	782	14.0	134	3	4	11	18	27	36	70
75-79	726	14.1	127	3	4	11	18	29	34	73
80-84	584	15.0	148	4	5	11	19	29	40	76
85+	481	16.0	164	4	6	12	20	33	42	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1518	6.1	20	1	2	5	8	11	14	22
B. *Operated*	182	10.4	52	2	3	9	14	20	25	38
2. MULTIPLE DX										
A. *Not Operated*	12947	8.5	46	2	3	7	10	16	20	36
B. *Operated*	3328	14.2	134	3	5	11	18	28	37	68
1. SINGLE DX	1700	6.6	26	1	2	5	8	12	16	26
2. MULTIPLE DX	16275	9.6	70	2	3	7	12	18	25	46
A. NOT OPERATED	14465	8.2	44	2	3	7	10	15	20	35
B. OPERATED	3510	14.0	131	3	4	11	17	28	36	67
TOTAL 65-69 YRS	3483	8.4	54	2	3	7	10	16	21	41
70-74	3802	8.9	61	2	3	7	11	17	23	40
75-79	3754	9.3	66	2	3	7	11	18	24	45
80-84	3345	9.8	72	2	3	8	12	19	26	47
85+	3591	10.3	78	2	3	8	12	20	27	50
GRAND TOTAL	**17975**	**9.3**	**66**	**2**	**3**	**7**	**11**	**18**	**24**	**45**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	7.6	23	1	2	8	10	15	17	18
70-74	11	11.0	141	2	3	7	13	29	42	43
75-79	8	9.5	74	2	2	5	17	23	24	24
80-84	5	17.4	364	5	5	7	27	50	50	50
85+	5	7.2	24	4	4	4	10	15	15	15
B. *Operated*										
65-69 YRS	6	10.7	55	3	3	10	14	22	23	23
70-74	8	13.3	184	2	3	8	16	36	44	44
75-79	6	9.2	47	1	1	7	14	19	20	20
80-84	3	17.0	91	11	11	12	24	28	28	28
85+	2	8.5	1	8	8	8	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	101	12.4	124	3	3	9	16	27	38	83
70-74	82	13.6	121	3	4	10	19	29	40	50
75-79	76	9.8	34	4	4	8	13	16	22	30
80-84	36	9.8	39	3	4	8	12	19	22	28
85+	25	12.2	39	4	5	12	17	23	42	99+
B. *Operated*										
65-69 YRS	69	18.0	261	3	5	13	22	37	50	83
70-74	59	19.1	290	4	5	16	23	38	53	84
75-79	34	18.7	151	5	5	17	25	30	49	55
80-84	10	19.8	164	5	7	16	27	39	50	50
85+	4	22.0	406	9	9	13	33	52	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	9.9	98	2	3	6	12	20	30	50
B. *Operated*	25	11.7	89	2	3	9	14	23	32	44
2. MULTIPLE DX										
A. *Not Operated*	320	11.8	87	3	4	9	15	24	31	55
B. *Operated*	176	18.7	242	4	5	14	23	38	51	83
1. SINGLE DX	69	10.5	94	2	3	8	14	20	29	49
2. MULTIPLE DX	496	14.2	152	3	4	11	18	28	41	82
A. NOT OPERATED	364	11.6	88	3	4	9	15	24	31	50
B. OPERATED	201	17.8	228	3	5	14	23	35	50	83
TOTAL 65-69 YRS	191	14.0	172	3	3	10	17	30	44	83
70-74	160	15.4	192	3	4	11	20	33	44	80
75-79	124	12.2	83	3	4	10	16	24	28	54
80-84	54	12.7	103	3	4	10	17	27	28	50
85+	36	12.4	80	4	4	11	15	23	44	99+
GRAND TOTAL	**565**	**13.8**	**147**	**3**	**4**	**10**	**18**	**27**	**40**	**79**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	8.4	37	2	3	7	12	19	22	22
70-74	19	7.6	29	2	2	7	11	16	19	21
75-79	6	7.3	15	2	2	7	8	13	14	14
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	6	15.0	91	5	5	14	22	27	28	28
B. *Operated*										
65-69 YRS	26	8.0	96	2	2	4	10	21	28	47
70-74	21	8.3	87	1	2	4	10	20	30	40
75-79	9	8.1	88	1	1	6	10	23	31	31
80-84	4	6.5	20	3	3	5	9	13	13	13
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	162	10.2	114	2	3	8	12	19	27	53
70-74	161	11.0	90	2	3	8	13	22	32	51
75-79	171	11.3	54	3	4	9	14	23	27	34
80-84	101	13.4	116	3	4	10	16	27	35	61
85+	65	11.1	42	3	5	9	15	23	27	99+
B. *Operated*										
65-69 YRS	168	12.9	111	2	3	10	17	26	32	67
70-74	131	14.1	177	2	3	9	20	30	44	65
75-79	84	19.6	284	3	5	15	23	42	50	93
80-84	35	16.9	96	5	5	16	25	27	36	42
85+	17	27.4	182	5	11	26	36	45	53	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	8.5	40	2	2	7	11	20	22	28
B. *Operated*	60	8.0	83	2	2	4	10	20	27	46
2. MULTIPLE DX										
A. *Not Operated*	660	11.2	86	2	3	9	14	22	28	54
B. *Operated*	435	15.4	176	2	3	11	21	33	42	67
1. SINGLE DX	112	8.2	63	2	2	6	10	20	22	43
2. MULTIPLE DX	1095	12.9	126	2	3	10	16	26	35	62
A. NOT OPERATED	712	11.0	83	2	3	9	14	22	28	52
B. OPERATED	495	14.5	171	2	3	10	20	31	41	66
TOTAL 65-69 YRS	374	11.2	110	2	3	8	15	24	30	62
70-74	332	11.8	124	2	3	8	15	25	37	57
75-79	270	13.7	141	2	4	10	17	27	35	58
80-84	143	13.9	112	3	4	10	17	27	35	58
85+	88	14.5	111	3	5	11	21	30	39	99+
GRAND TOTAL	**1207**	**12.5**	**122**	**2**	**3**	**9**	**16**	**26**	**34**	**59**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	11.0		11	11	11	11	11	11	11
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	4.3	6	2	2	4	6	7	7	7
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	18	9.2	40	2	2	8	14	20	21	21
70-74	17	14.3	182	3	4	8	20	29	47	56
75-79	9	10.1	17	5	6	10	11	17	19	19
80-84	7	10.4	91	2	2	5	16	26	28	28
85+	16	12.8	146	4	4	8	13	38	40	40
B. *Operated*										
65-69 YRS	16	23.8	682	2	3	12	35	62	84	93
70-74	15	11.8	66	2	3	12	18	21	28	31
75-79	7	12.3	316	2	2	6	10	44	52	52
80-84	8	18.9	270	2	5	14	19	46	57	57
85+	6	15.3	148	2	2	16	31	87	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	8.5	13	6	6	8	11	11	11	11
B. *Operated*	5	6.2	28	2	2	4	9	15	15	15
2. MULTIPLE DX										
A. *Not Operated*	67	11.6	102	2	4	9	14	26	31	53
B. *Operated*	52	17.1	334	2	2	12	21	50	62	99+
1. SINGLE DX	7	6.9	22	2	2	6	10	14	15	15
2. MULTIPLE DX	119	14.0	209	2	3	10	18	30	50	95
A. NOT OPERATED	69	11.5	100	2	4	9	14	25	30	53
B. OPERATED	57	16.1	315	2	2	12	21	49	61	99+
TOTAL 65-69 YRS	35	16.0	374	2	2	10	20	48	59	93
70-74	36	12.3	117	2	3	8	16	26	30	56
75-79	17	10.6	132	2	2	7	11	18	40	52
80-84	16	14.4	185	2	2	13	17	27	48	57
85+	22	13.5	141	3	4	9	21	39	61	99+
GRAND TOTAL	**126**	**13.6**	**201**	**2**	**3**	**9**	**17**	**29**	**49**	**95**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	2.0	6	<1	<1	<1	2	5	6	16
70-74	100	2.7	9	<1	<1	2	2	6	10	16
75-79	67	3.9	18	1	1	2	5	9	14	19
80-84	16	8.0	36	1	2	5	12	16	20	22
85+	16	6.8	29	1	1	5	10	14	18	19
B. *Operated*										
65-69 YRS	145	6.9	65	<1	1	4	9	16	26	39
70-74	121	7.9	95	1	1	5	10	16	23	54
75-79	53	8.6	112	1	2	6	9	20	29	61
80-84	25	8.4	77	1	2	5	11	28	43	99+
85+	6	9.3	105	2	2	6	11	27	29	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	502	8.0	63	1	1	6	10	18	24	37
70-74	616	7.7	89	1	1	5	10	17	27	50
75-79	434	11.5	98	2	3	9	15	22	30	48
80-84	318	12.5	119	2	3	9	17	26	35	63
85+	302	11.5	152	1	1	8	15	26	36	66
B. *Operated*										
65-69 YRS	767	14.1	209	2	2	10	19	32	45	87
70-74	658	14.8	219	2	2	10	19	35	52	99+
75-79	430	17.3	252	2	3	13	23	40	55	99+
80-84	209	17.7	204	2	4	14	25	40	54	99+
85+	79	20.8	251	3	4	18	29	43	55	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	302	3.2	15	<1	<1	2	3	8	12	19
B. *Operated*	350	7.6	84	<1	1	5	9	17	28	49
2. MULTIPLE DX										
A. *Not Operated*	2172	9.8	102	1	1	7	13	21	29	54
B. *Operated*	2143	15.6	224	2	3	11	21	36	51	99
1. SINGLE DX	652	5.6	56	<1	<1	3	7	14	19	45
2. MULTIPLE DX	4315	12.6	171	1	2	9	17	29	40	78
A. NOT OPERATED	2474	9.0	96	1	1	6	12	20	28	52
B. OPERATED	2493	14.5	212	2	2	10	19	34	48	97
TOTAL 65-69 YRS	1517	10.6	148	<1	1	7	14	25	35	66
70-74	1495	10.5	157	1	1	7	14	26	38	77
75-79	984	13.4	176	2	2	10	17	30	42	81
80-84	558	14.1	154	2	3	11	19	31	44	72
85+	403	13.1	180	1	1	9	18	29	42	66
GRAND TOTAL	4967	**11.7**	**162**	**1**	**1**	**8**	**15**	**27**	**38**	**76**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	7.4	33	<1	1	7	9	18	19	20
70-74	35	6.4	48	1	1	4	9	15	20	31
75-79	14	7.1	47	1	1	5	9	15	24	26
80-84	18	7.4	22	<1	1	7	10	15	16	17
85+	16	13.3	166	3	4	9	12	35	46	51
B. *Operated*										
65-69 YRS	27	6.0	101	<1	<1	3	6	11	32	47
70-74	27	14.9	204	2	2	10	20	33	49	59
75-79	17	12.5	54	3	5	10	16	21	28	32
80-84	5	9.4	94	2	2	7	13	26	26	26
85+	4	20.0	157	4	4	21	29	33	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	283	11.7	74	2	4	10	15	23	31	41
70-74	413	12.2	98	2	2	9	17	26	33	47
75-79	433	13.9	131	2	4	11	17	27	38	63
80-84	413	14.1	135	3	4	11	18	27	38	75
85+	458	14.7	151	3	4	12	18	26	37	82
B. *Operated*										
65-69 YRS	230	18.8	227	2	4	15	25	37	50	72
70-74	229	20.8	237	3	5	17	28	46	55	99+
75-79	208	24.8	349	4	7	20	33	51	75	99+
80-84	128	22.5	193	4	6	20	31	41	49	60
85+	96	24.6	403	6	7	20	29	57	85	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	7.9	62	1	1	7	10	17	21	43
B. *Operated*	80	11.3	140	<1	1	7	16	28	33	55
2. MULTIPLE DX										
A. *Not Operated*	2000	13.5	122	2	4	11	17	26	35	62
B. *Operated*	891	21.9	277	3	5	18	29	46	58	96
1. SINGLE DX	183	9.4	98	1	1	7	11	21	30	50
2. MULTIPLE DX	2891	16.0	185	2	4	12	21	33	44	79
A. NOT OPERATED	2103	13.2	121	2	3	10	17	26	34	61
B. OPERATED	971	21.0	274	2	5	17	28	45	57	94
TOTAL 65-69 YRS	560	14.2	153	1	3	11	18	31	37	61
70-74	704	14.8	164	1	2	11	20	33	43	69
75-79	672	17.1	222	3	4	13	22	37	50	81
80-84	564	15.7	158	3	4	12	21	32	42	68
85+	574	16.3	206	3	5	13	20	31	43	95
GRAND TOTAL	**3074**	**15.6**	**182**	**2**	**4**	**12**	**21**	**32**	**44**	**78**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	60	5.5	6	2	3	5	7	8	9	13
70-74	69	6.2	9	2	2	6	8	10	12	15
75-79	51	6.9	30	3	3	5	7	14	21	26
80-84	33	6.8	9	3	3	7	8	11	12	15
85+	29	8.0	74	2	2	7	9	12	15	49
B. *Operated*										
65-69 YRS	11	7.9	15	2	4	7	9	14	17	17
70-74	3	16.7	229	6	6	10	28	34	34	34
75-79	6	5.0	2	3	3	5	6	6	6	6
80-84	6	9.3	22	5	5	8	14	16	16	16
85+	2	9.5	1	9	9	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	441	7.9	21	3	3	7	10	14	17	25
70-74	507	8.5	29	3	4	7	10	15	19	30
75-79	450	9.5	41	3	4	8	12	17	22	33
80-84	376	10.5	56	3	4	9	13	18	23	43
85+	365	11.1	69	3	4	9	14	19	27	46
B. *Operated*										
65-69 YRS	119	14.6	78	5	6	13	17	23	35	51
70-74	119	14.5	83	4	6	12	18	27	35	46
75-79	96	16.6	79	5	7	14	22	32	35	40
80-84	71	17.5	123	7	8	14	21	31	41	61
85+	49	15.9	115	4	6	15	18	25	40	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	6.5	21	2	3	6	8	11	13	26
B. *Operated*	28	8.6	37	3	4	7	10	15	19	34
2. MULTIPLE DX										
A. *Not Operated*	2139	9.4	42	3	4	8	11	16	21	35
B. *Operated*	454	15.6	91	5	7	13	19	28	36	50
1. SINGLE DX	270	6.7	23	2	3	6	8	11	13	26
2. MULTIPLE DX	2593	10.5	57	3	4	8	13	19	25	40
A. NOT OPERATED	2381	9.1	41	3	4	7	11	16	20	35
B. OPERATED	482	15.2	91	5	6	13	19	27	35	50
TOTAL 65-69 YRS	631	8.9	38	3	3	7	11	16	20	36
70-74	698	9.3	43	3	4	8	11	16	22	36
75-79	603	10.3	53	3	4	8	13	20	27	37
80-84	486	11.2	70	4	4	9	14	20	25	46
85+	445	11.4	77	3	4	9	14	20	27	49
GRAND TOTAL	**2863**	**10.1**	**55**	**3**	**4**	**8**	**13**	**18**	**24**	**40**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	79	5.7	10	2	2	5	7	10	11	17
70-74	84	5.3	8	1	2	5	7	10	11	14
75-79	73	8.2	49	2	3	6	9	12	18	41
80-84	43	6.1	10	2	3	6	7	11	13	15
85+	46	7.8	42	2	3	6	9	14	19	37
B. *Operated*										
65-69 YRS	41	9.5	84	1	2	7	12	20	30	45
70-74	35	8.2	33	2	2	7	11	16	19	26
75-79	22	13.0	82	2	3	11	20	26	28	29
80-84	4	8.8	69	2	2	6	15	20	20	20
85+	2	13.0	2	12	12	57	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	473	8.1	33	3	4	7	10	14	18	33
70-74	490	8.8	29	3	4	7	11	16	20	29
75-79	485	9.4	41	3	4	8	12	17	21	34
80-84	373	10.4	72	3	4	8	12	18	24	50
85+	375	10.4	43	3	4	9	13	19	23	42
B. *Operated*										
65-69 YRS	230	14.4	126	3	4	12	18	28	41	64
70-74	208	14.8	133	3	4	12	18	28	40	66
75-79	169	15.1	148	3	5	12	19	30	43	73
80-84	111	17.2	171	3	5	14	23	32	56	77
85+	85	18.7	126	6	7	16	25	35	43	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	6.5	24	2	2	6	8	11	14	32
B. *Operated*	104	9.8	65	2	2	8	13	22	27	99+
2. MULTIPLE DX										
A. *Not Operated*	2196	9.3	43	3	4	8	11	17	21	36
B. *Operated*	803	15.5	140	3	5	12	19	30	42	65
1. SINGLE DX	429	7.3	36	2	2	6	9	14	19	39
2. MULTIPLE DX	2999	11.0	76	3	4	8	14	21	27	53
A. NOT OPERATED	2521	9.0	41	3	4	7	11	16	21	35
B. OPERATED	907	14.9	134	3	4	12	19	29	41	68
TOTAL 65-69 YRS	823	9.7	68	2	3	8	11	19	26	46
70-74	817	10.0	63	3	3	8	12	18	25	41
75-79	749	10.7	73	3	4	8	13	20	26	53
80-84	531	11.5	97	3	4	9	14	22	28	60
85+	508	11.6	67	3	4	9	15	22	30	48
GRAND TOTAL	**3428**	**10.5**	**73**	**3**	**4**	**8**	**13**	**20**	**26**	**50**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	200	2.7	3	1	1	2	3	5	7	9
70-74	141	3.1	4	1	1	3	4	6	7	10
75-79	55	2.8	3	1	1	2	3	6	7	7
80-84	47	4.1	27	1	1	3	4	8	11	34
85+	17	6.0	25	1	2	4	9	14	16	17
B. *Operated*										
65-69 YRS	270	9.2	29	2	2	9	11	16	18	29
70-74	161	10.0	22	3	5	10	12	15	17	32
75-79	84	9.2	23	2	3	9	11	15	17	26
80-84	37	9.7	24	2	3	10	12	16	20	23
85+	19	12.1	75	1	1	11	18	26	28	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	409	5.0	21	1	1	4	6	9	12	25
70-74	330	5.3	18	1	2	4	7	11	14	20
75-79	244	6.2	27	2	2	5	8	13	15	32
80-84	155	6.3	24	1	2	5	8	12	16	29
85+	90	9.3	130	2	3	6	11	16	26	75
B. *Operated*										
65-69 YRS	654	11.6	86	2	3	10	14	21	28	46
70-74	527	11.8	67	2	3	10	15	23	28	45
75-79	324	12.4	72	2	3	11	16	22	27	38
80-84	167	12.8	77	2	3	11	17	25	30	46
85+	82	13.8	108	3	4	11	17	30	35	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	460	3.1	7	1	1	2	4	6	7	13
B. *Operated*	571	9.6	27	2	3	9	11	16	19	29
2. MULTIPLE DX										
A. *Not Operated*	1228	5.8	31	1	2	4	7	11	15	29
B. *Operated*	1754	12.0	78	2	3	10	15	23	29	46
1. SINGLE DX	1031	6.7	29	1	1	6	10	13	16	26
2. MULTIPLE DX	2982	9.5	68	2	2	7	12	19	25	41
A. NOT OPERATED	1688	5.1	26	1	1	4	6	10	14	25
B. OPERATED	2325	11.4	67	2	3	10	14	21	27	42
TOTAL 65-69 YRS	1533	8.3	59	1	2	7	11	16	22	36
70-74	1159	8.7	51	1	2	7	11	18	23	37
75-79	707	9.2	56	2	2	8	12	18	23	34
80-84	406	9.0	58	2	2	7	12	19	25	37
85+	208	11.0	113	2	3	8	14	23	31	52
GRAND TOTAL	**4013**	**8.8**	**59**	**1**	**2**	**7**	**11**	**18**	**23**	**36**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	672	2.5	3	1	1	2	3	4	5	8
70-74	382	2.8	4	1	1	2	4	5	7	9
75-79	199	3.2	6	1	1	3	4	6	8	14
80-84	57	2.8	4	1	1	2	3	5	7	11
85+	36	3.4	4	<1	1	3	4	7	8	9
B. *Operated*										
65-69 YRS	763	7.2	20	2	2	7	10	13	15	19
70-74	426	7.2	22	2	2	7	9	13	16	24
75-79	217	7.9	21	2	3	7	11	14	16	22
80-84	72	7.8	38	1	2	7	10	16	22	29
85+	31	7.7	17	2	3	8	10	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	649	3.7	7	1	1	3	5	7	8	11
70-74	414	4.0	9	1	1	3	5	7	9	15
75-79	264	4.2	10	1	2	3	5	8	11	16
80-84	128	4.5	9	1	2	4	6	9	11	15
85+	57	5.6	25	1	2	4	7	11	15	28
B. *Operated*										
65-69 YRS	952	10.2	50	2	3	9	13	19	24	36
70-74	691	10.2	54	2	3	9	13	19	25	38
75-79	406	11.5	76	3	4	9	15	21	27	43
80-84	194	12.4	92	2	3	10	16	23	28	49
85+	100	14.1	166	3	4	10	16	31	35	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1346	2.7	4	1	1	2	3	5	6	10
B. *Operated*	1509	7.4	22	2	2	7	10	13	16	22
2. MULTIPLE DX										
A. *Not Operated*	1512	4.0	9	1	1	3	5	7	9	15
B. *Operated*	2343	10.8	65	2	3	9	14	20	25	41
1. SINGLE DX	2855	5.2	18	1	1	4	7	11	14	19
2. MULTIPLE DX	3855	8.1	54	1	2	6	11	17	22	36
A. NOT OPERATED	2858	3.4	7	1	1	3	4	7	8	14
B. OPERATED	3852	9.4	51	2	3	8	12	17	22	36
TOTAL 65-69 YRS	3036	6.4	32	1	1	5	9	13	17	26
70-74	1913	6.7	36	1	2	5	9	14	18	29
75-79	1086	7.5	48	1	2	5	10	15	20	34
80-84	451	8.2	64	1	2	6	11	18	23	34
85+	224	9.3	103	1	2	7	11	18	30	54
GRAND TOTAL	**6710**	**6.9**	**41**	**1**	**2**	**5**	**9**	**14**	**18**	**31**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	77	5.1	54	1	1	3	6	10	15	49
70-74	48	4.9	20	1	1	3	6	11	15	19
75-79	38	5.0	15	1	1	4	6	11	13	18
80-84	27	6.5	32	2	2	4	9	12	18	28
85+	16	8.9	72	<1	1	6	12	26	28	29
B. *Operated*										
65-69 YRS	196	7.0	48	1	1	4	10	16	20	31
70-74	156	6.9	42	1	2	4	10	16	20	33
75-79	78	7.8	67	1	2	5	10	19	23	40
80-84	58	5.8	22	1	2	4	9	13	16	19
85+	33	7.6	79	1	1	6	10	15	23	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	318	7.8	52	1	2	6	10	16	21	30
70-74	390	9.9	114	2	2	7	11	20	30	55
75-79	370	9.3	77	2	3	7	11	18	26	40
80-84	309	10.7	90	2	3	8	13	21	26	56
85+	285	11.6	83	3	4	9	15	21	29	50
B. *Operated*										
65-69 YRS	836	11.4	124	1	2	9	14	23	33	61
70-74	753	11.9	109	2	2	10	15	22	31	56
75-79	564	11.8	83	2	2	10	16	24	30	47
80-84	308	14.1	147	2	3	10	19	32	40	58
85+	181	15.4	246	2	3	11	20	32	43	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	206	5.5	38	1	1	3	6	12	15	28
B. *Operated*	521	7.0	48	1	2	4	10	16	20	35
2. MULTIPLE DX										
A. *Not Operated*	1672	9.8	86	2	3	7	12	19	26	49
B. *Operated*	2642	12.2	123	2	2	9	16	25	33	60
1. SINGLE DX	727	6.6	45	1	2	4	9	15	19	33
2. MULTIPLE DX	4314	11.3	110	2	2	8	14	23	31	56
A. NOT OPERATED	1878	9.3	82	2	2	7	12	19	25	48
B. OPERATED	3163	11.4	114	2	2	9	15	23	32	56
TOTAL 65-69 YRS	1427	9.6	98	1	2	7	12	20	27	52
70-74	1347	10.5	103	2	2	8	14	21	29	55
75-79	1050	10.4	80	2	2	8	14	22	29	42
80-84	702	11.6	114	2	2	8	15	24	34	56
85+	515	12.6	144	2	3	10	15	27	34	82
GRAND TOTAL	**5041**	**10.6**	**103**	**2**	**2**	**8**	**14**	**22**	**30**	**55**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	2.6	2	1	1	2	3	5	6	6
70-74	20	3.3	5	<1	1	3	4	6	9	10
75-79	13	2.6	9	<1	<1	1	3	7	10	11
80-84	8	2.3	1	1	1	2	3	4	4	4
85+	3	4.7	16	1	1	4	8	9	9	9
B. *Operated*										
65-69 YRS	111	5.7	17	1	2	4	8	13	14	17
70-74	75	5.4	17	1	2	3	9	12	13	15
75-79	53	6.6	32	2	2	5	9	13	20	25
80-84	40	5.6	21	1	2	4	8	13	15	20
85+	27	6.4	27	1	2	6	9	15	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	67	4.9	25	1	2	4	5	9	12	30
70-74	53	6.3	49	1	1	5	7	12	20	36
75-79	37	5.5	19	1	2	4	6	12	17	18
80-84	22	7.4	28	1	2	6	10	14	19	22
85+	22	8.9	81	2	3	4	12	20	29	40
B. *Operated*										
65-69 YRS	335	9.0	49	2	3	7	11	17	21	37
70-74	302	9.5	54	2	2	8	13	18	23	34
75-79	300	9.7	60	2	3	8	14	19	23	61
80-84	190	11.6	154	2	3	9	14	23	29	91
85+	149	13.5	138	2	3	10	17	29	41	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.8	4	1	1	2	3	6	8	11
B. *Operated*	306	5.8	21	1	2	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	201	6.1	37	1	2	4	7	12	18	35
B. *Operated*	1276	10.2	80	2	3	8	13	20	26	50
1. SINGLE DX	381	5.2	19	1	1	3	8	11	14	20
2. MULTIPLE DX	1477	9.6	76	2	2	7	12	19	25	46
A. NOT OPERATED	276	5.2	31	1	1	4	6	11	16	34
B. OPERATED	1582	9.3	72	2	2	7	12	18	24	44
TOTAL 65-69 YRS	544	7.4	41	1	2	6	10	15	19	32
70-74	450	8.2	48	1	2	6	11	16	22	35
75-79	403	8.7	54	2	2	7	12	18	22	44
80-84	260	10.0	125	2	2	7	12	20	28	86
85+	201	11.9	122	2	3	9	15	27	40	64
GRAND TOTAL	**1858**	**8.7**	**68**	**2**	**2**	**7**	**11**	**17**	**23**	**42**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.2	7	1	2	4	5	8	9	14
70-74	47	4.0	7	1	1	3	5	8	9	14
75-79	53	5.3	8	2	2	5	7	9	10	15
80-84	37	6.2	25	1	1	5	8	12	16	25
85+	40	6.0	15	1	2	6	8	11	13	19
B. *Operated*										
65-69 YRS	436	3.4	7	1	1	3	4	6	8	13
70-74	387	3.8	11	1	1	3	4	7	10	15
75-79	253	4.0	10	1	2	3	5	8	11	17
80-84	153	4.9	16	1	2	4	6	11	14	19
85+	112	5.3	13	2	2	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	326	6.9	29	2	2	6	9	12	15	30
70-74	407	8.1	39	2	3	6	10	16	19	32
75-79	447	8.4	58	2	3	7	10	14	20	41
80-84	462	8.4	39	2	3	7	11	15	19	36
85+	508	9.0	46	2	3	7	11	17	22	35
B. *Operated*										
65-69 YRS	1249	6.1	30	1	2	4	8	13	17	29
70-74	1240	6.8	51	1	2	5	8	14	19	37
75-79	1059	8.1	73	2	2	6	10	16	21	49
80-84	771	8.3	48	2	2	7	11	17	21	37
85+	641	9.9	71	2	3	8	13	19	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	5.0	12	1	2	4	7	9	12	16
B. *Operated*	1341	4.0	11	1	2	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	2150	8.2	43	2	3	7	10	15	19	35
B. *Operated*	4960	7.5	54	2	2	5	9	15	20	38
1. SINGLE DX	1583	4.1	11	1	2	3	5	8	11	16
2. MULTIPLE DX	7110	7.7	51	2	2	6	10	15	20	37
A. NOT OPERATED	2392	7.9	41	2	3	6	10	14	19	34
B. OPERATED	6301	6.8	47	1	2	5	8	14	19	36
TOTAL 65-69 YRS	2076	5.6	26	1	2	4	7	12	15	25
70-74	2081	6.4	42	1	2	4	8	13	17	35
75-79	1812	7.5	61	2	2	6	9	15	19	42
80-84	1423	7.9	42	2	2	6	10	15	20	36
85+	1301	9.0	56	2	3	7	11	17	23	43
GRAND TOTAL	**8693**	**7.1**	**46**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	16	2.9	5	1	1	2	4	7	7	7
70-74	17	3.4	5	<1	<1	4	5	6	7	8
75-79	12	3.4	6	<1	1	3	4	8	9	9
80-84	12	4.6	18	1	1	4	5	9	16	17
85+	13	3.7	2	1	2	4	5	6	6	6
B. *Operated*										
65-69 YRS	402	3.8	7	1	1	3	4	7	9	15
70-74	396	4.1	15	1	1	3	5	8	11	17
75-79	319	4.6	14	1	2	4	6	8	12	18
80-84	188	4.6	15	1	1	3	6	10	13	22
85+	110	5.5	13	1	2	4	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	5.7	38	<1	1	4	7	11	16	38
70-74	80	6.0	17	1	2	5	9	12	14	20
75-79	79	6.3	19	1	1	6	8	12	16	19
80-84	53	6.6	22	2	2	6	9	11	15	25
85+	64	6.9	18	1	3	6	9	13	14	22
B. *Operated*										
65-69 YRS	1052	6.0	31	1	2	4	8	12	16	28
70-74	1102	6.5	45	1	2	5	8	13	18	31
75-79	994	7.6	55	2	2	5	10	15	21	37
80-84	653	7.9	59	2	2	6	10	16	20	41
85+	445	9.0	80	2	3	7	11	17	22	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	3.5	7	1	1	3	5	6	7	15
B. *Operated*	1415	4.3	13	1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	329	6.3	22	1	2	5	9	12	15	22
B. *Operated*	4246	7.1	51	2	2	5	9	14	20	33
1. SINGLE DX	1485	4.3	12	1	1	3	5	8	11	17
2. MULTIPLE DX	4575	7.1	48	2	2	5	9	14	19	32
A. NOT OPERATED	399	5.8	29	1	2	5	8	11	14	21
B. OPERATED	5661	6.4	43	1	2	4	8	13	17	30
TOTAL 65-69 YRS	1523	5.4	25	1	2	4	7	11	14	26
70-74	1595	5.9	37	1	2	4	7	12	16	28
75-79	1404	6.8	45	1	2	5	8	14	18	32
80-84	906	7.1	49	2	2	5	9	14	19	30
85+	632	8.0	63	2	2	6	10	15	21	38
GRAND TOTAL	**6060**	**6.4**	**41**	**1**	**2**	**4**	**8**	**13**	**17**	**30**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	351	5.3	27	1	2	4	6	9	13	21
70-74	365	5.4	19	1	2	4	7	10	13	20
75-79	392	5.7	20	1	2	5	7	10	13	19
80-84	322	6.3	22	1	2	5	8	13	16	23
85+	371	6.4	20	1	2	5	8	12	15	22
B. *Operated*										
65-69 YRS	817	4.2	13	1	1	3	5	8	11	18
70-74	785	4.6	16	1	2	3	6	8	11	20
75-79	595	4.7	18	1	1	4	6	9	12	22
80-84	301	5.4	19	1	2	4	7	11	15	20
85+	220	5.7	21	1	2	4	7	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2985	7.9	45	2	3	6	10	15	18	35
70-74	3954	8.5	46	2	3	7	10	15	20	36
75-79	4370	9.3	53	2	3	8	11	17	22	42
80-84	4300	9.8	60	3	3	8	12	18	23	40
85+	5217	10.3	74	3	4	8	12	18	24	51
B. *Operated*										
65-69 YRS	2926	8.3	74	1	2	6	10	17	24	48
70-74	3162	8.9	78	2	2	7	11	18	25	47
75-79	2758	10.3	100	2	2	7	13	21	30	53
80-84	1974	11.3	102	2	3	9	14	23	32	61
85+	1568	12.5	122	2	3	9	16	25	33	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1801	5.8	22	1	2	5	7	11	14	21
B. *Operated*	2718	4.7	16	1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	20826	9.3	58	2	3	7	11	17	22	42
B. *Operated*	12388	9.9	93	2	2	7	12	21	28	53
1. SINGLE DX	4519	5.1	19	1	2	4	6	10	13	21
2. MULTIPLE DX	33214	9.5	71	2	3	7	12	18	24	47
A. NOT OPERATED	22627	9.0	56	2	3	7	11	16	21	41
B. OPERATED	15106	9.0	83	2	2	6	11	19	26	50
TOTAL 65-69 YRS	7079	7.5	54	2	2	6	9	15	20	38
70-74	8266	8.1	56	2	2	6	10	16	21	40
75-79	8115	9.1	67	2	2	7	11	18	23	48
80-84	6897	9.9	71	2	3	8	12	19	25	44
85+	7376	10.4	82	2	3	8	13	19	26	53
GRAND TOTAL	**37733**	**9.0**	**67**	**2**	**2**	**7**	**11**	**17**	**23**	**45**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	67	3.3	7	<1	1	2	4	7	9	12
70-74	69	3.7	11	1	1	3	4	8	10	18
75-79	48	3.6	10	<1	1	2	4	8	12	14
80-84	43	4.0	10	<1	1	3	5	8	10	16
85+	33	4.0	11	1	1	3	6	8	10	16
B. *Operated*										
65-69 YRS	5275	6.4	13	2	2	6	8	11	13	18
70-74	4649	6.5	12	2	2	6	8	11	13	18
75-79	3039	7.2	17	2	3	7	9	12	14	21
80-84	1414	7.9	21	2	4	7	10	13	16	25
85+	717	8.9	30	3	4	8	11	15	19	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	395	5.2	38	1	1	4	6	11	14	26
70-74	487	5.3	32	1	1	4	6	11	16	29
75-79	448	6.6	39	1	1	5	8	13	19	33
80-84	359	7.4	52	1	2	5	9	16	22	37
85+	327	8.2	47	1	2	7	11	18	22	62
B. *Operated*										
65-69 YRS	9740	8.6	34	2	4	7	10	15	19	30
70-74	9736	9.3	42	3	4	8	11	16	20	34
75-79	7643	10.3	57	3	4	8	12	18	24	41
80-84	4336	11.6	68	4	5	9	14	21	27	45
85+	2516	13.5	92	4	5	11	17	25	31	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	3.7	10	<1	1	3	5	8	10	16
B. *Operated*	15094	6.9	16	2	3	6	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	2016	6.4	42	1	1	4	8	14	19	33
B. *Operated*	33971	9.9	52	3	4	8	12	18	23	39
1. SINGLE DX	15354	6.8	16	2	2	6	8	11	14	20
2. MULTIPLE DX	35987	9.7	52	2	4	8	12	18	23	39
A. NOT OPERATED	2276	6.1	39	1	1	4	8	13	18	32
B. OPERATED	49065	9.0	43	2	4	7	11	16	20	35
TOTAL 65-69 YRS	15477	7.7	28	2	3	7	9	13	17	27
70-74	14941	8.3	35	2	3	7	10	14	18	31
75-79	11178	9.3	48	2	4	8	11	17	21	38
80-84	6152	10.5	59	3	4	8	13	19	25	42
85+	3593	12.0	80	3	4	10	15	22	28	54
GRAND TOTAL	**51341**	**8.9**	**43**	**2**	**3**	**7**	**11**	**16**	**20**	**35**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	65	4.9	5	2	2	5	6	8	9	10
70-74	50	4.7	5	2	2	4	6	8	9	12
75-79	27	4.4	10	1	1	4	5	9	11	14
80-84	10	6.3	18	2	2	5	9	13	16	16
85+	12	4.2	6	1	2	4	6	8	9	9
B. *Operated*										
65-69 YRS	139	3.4	6	1	1	3	4	7	9	11
70-74	107	3.6	6	1	1	3	5	7	9	11
75-79	58	3.6	8	1	1	3	5	6	9	17
80-84	27	4.4	42	1	1	3	5	7	14	35
85+	17	4.6	11	1	2	3	6	11	12	12
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	262	5.9	16	2	2	5	7	10	14	22
70-74	207	6.0	18	2	2	5	7	10	12	18
75-79	134	6.2	19	2	3	5	7	11	13	26
80-84	97	6.3	14	2	2	5	8	12	13	19
85+	69	7.8	99	2	3	5	9	14	19	69
B. *Operated*										
65-69 YRS	474	6.5	26	2	2	5	8	12	16	27
70-74	419	7.1	34	2	2	6	9	13	17	26
75-79	242	7.7	37	2	2	6	10	15	19	32
80-84	123	7.9	65	2	2	6	9	15	21	42
85+	86	10.6	105	2	2	7	14	23	32	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.8	7	1	2	4	6	8	10	14
B. *Operated*	348	3.7	9	1	1	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	769	6.2	24	2	2	5	7	11	13	23
B. *Operated*	1344	7.3	40	2	2	6	9	14	18	31
1. SINGLE DX	512	4.0	9	1	1	3	5	7	9	13
2. MULTIPLE DX	2113	6.9	34	2	2	5	9	13	16	29
A. NOT OPERATED	933	5.9	22	2	2	5	7	10	13	21
B. OPERATED	1692	6.6	36	1	2	5	8	13	17	30
TOTAL 65-69 YRS	940	5.8	20	1	2	5	7	10	14	24
70-74	783	6.2	26	2	2	5	8	11	14	23
75-79	461	6.5	28	2	2	5	8	13	17	29
80-84	257	6.9	42	1	2	5	9	13	16	31
85+	184	8.6	92	1	2	6	10	16	26	55
GRAND TOTAL	**2625**	**6.3**	**31**	**1**	**2**	**5**	**8**	**12**	**15**	**27**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+										
B. *Operated*										
65-69 YRS	319	3.4	3	1	2	3	4	5	6	9
70-74	205	3.6	3	2	2	3	4	6	6	9
75-79	135	3.9	4	2	2	3	5	6	7	12
80-84	47	4.1	5	2	2	4	5	6	11	11
85+	14	4.1	3	1	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	5.4	13	<1	1	5	8	11	12	12
70-74	5	5.0	23	1	1	4	7	13	13	13
75-79	6	4.8	17	2	2	3	5	12	13	13
80-84	3	2.0		2	2	2	2	2	2	2
85+	4	3.5	2	2	2	3	4	5	5	5
B. *Operated*										
65-69 YRS	348	4.8	13	2	2	4	6	8	10	20
70-74	278	5.3	15	2	2	4	6	9	12	24
75-79	174	6.2	19	2	2	5	8	11	17	20
80-84	79	7.9	45	2	2	6	10	15	23	36
85+	40	9.4	67	2	2	7	14	18	29	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	3.0	8	<1	<1	2	5	5	5	5
B. *Operated*	720	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	27	4.6	12	1	2	3	5	11	13	13
B. *Operated*	919	5.7	21	2	2	4	6	10	15	25
1. SINGLE DX	722	3.6	3	2	2	3	4	6	7	11
2. MULTIPLE DX	946	5.7	21	2	2	4	6	10	14	25
A. NOT OPERATED	29	4.4	12	<1	1	3	5	11	13	13
B. OPERATED	1639	4.8	15	2	2	4	5	8	11	21
TOTAL 65-69 YRS	677	4.1	9	2	2	3	5	7	9	16
70-74	488	4.6	11	2	2	4	5	8	10	21
75-79	315	5.2	14	2	2	4	6	9	13	18
80-84	130	6.3	33	2	2	4	7	13	16	33
85+	58	7.7	53	2	2	5	9	16	22	36
GRAND TOTAL	**1668**	**4.8**	**14**	**2**	**2**	**4**	**5**	**8**	**11**	**21**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	6.4	13	2	3	6	8	11	13	20
70-74	81	5.9	7	2	3	6	7	9	11	14
75-79	59	5.9	9	2	3	5	7	9	12	18
80-84	25	5.4	4	2	3	5	7	8	9	9
85+	19	6.8	24	<1	1	6	9	12	18	22
B. *Operated*										
65-69 YRS	77	6.4	22	2	2	4	8	13	15	26
70-74	55	5.3	14	2	2	4	6	10	13	20
75-79	27	5.7	16	2	2	4	9	12	14	15
80-84	13	6.7	34	1	2	3	10	17	19	19
85+	9	8.7	35	2	3	8	11	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	226	7.6	27	3	4	7	9	12	14	30
70-74	182	7.7	20	3	3	7	10	13	15	26
75-79	158	8.1	18	3	3	8	10	13	16	24
80-84	86	8.9	39	3	4	7	11	15	18	38
85+	52	11.1	48	2	4	9	15	20	21	33
B. *Operated*										
65-69 YRS	161	8.4	43	2	3	7	11	15	18	34
70-74	150	9.7	40	3	3	8	12	19	23	25
75-79	110	9.5	60	2	3	8	13	17	25	41
80-84	71	10.1	38	3	4	8	13	19	22	30
85+	23	11.0	27	3	5	10	15	18	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300	6.1	11	2	3	6	7	10	12	19
B. *Operated*	181	6.1	20	2	2	4	8	12	16	20
2. MULTIPLE DX										
A. *Not Operated*	704	8.2	27	3	4	7	10	14	17	28
B. *Operated*	515	9.4	44	2	3	8	12	17	22	35
1. SINGLE DX	481	6.1	14	2	3	5	8	11	13	19
2. MULTIPLE DX	1219	8.7	35	3	3	7	11	15	19	31
A. NOT OPERATED	1004	7.5	23	3	3	6	9	13	16	25
B. OPERATED	696	8.5	40	2	3	7	11	16	20	33
TOTAL 65-69 YRS	580	7.4	29	2	3	6	9	13	16	29
70-74	468	7.8	26	3	3	6	10	14	18	25
75-79	354	8.0	31	2	3	7	10	15	17	32
80-84	195	8.7	36	3	3	7	11	16	20	30
85+	103	10.1	40	2	3	9	14	19	21	32
GRAND TOTAL	**1700**	**7.9**	**30**	**2**	**3**	**7**	**10**	**14**	**18**	**29**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	2.3	2	<1	1	2	3	4	6	7
70-74	25	2.2	1	1	1	2	3	3	4	5
75-79	10	2.2	1	<1	<1	2	3	3	3	3
80-84	10	2.2	1	1	1	2	2	3	4	4
85+	8	2.8	4	<1	<1	2	3	6	7	7
B. *Operated*										
65-69 YRS	82	2.0	1	<1	1	2	2	3	4	5
70-74	61	2.2	1	1	1	2	3	4	4	5
75-79	37	2.8	3	1	1	2	3	5	8	9
80-84	17	3.1	6	<1	1	2	3	7	9	10
85+	17	2.9	5	1	1	2	4	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	39	4.9	74	1	2	2	4	8	14	54
70-74	28	3.1	6	1	2	3	3	5	8	14
75-79	31	4.7	34	1	2	3	5	10	15	31
80-84	22	4.3	15	<1	1	3	7	11	12	13
85+	21	5.4	31	1	2	3	7	12	20	24
B. *Operated*										
65-69 YRS	194	4.2	19	1	2	3	4	9	12	22
70-74	163	4.4	20	1	2	3	4	9	13	23
75-79	128	5.5	32	2	2	4	7	11	14	27
80-84	73	7.2	70	1	2	4	8	15	20	47
85+	68	8.4	63	1	2	6	10	18	28	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	2.3	1	<1	1	2	3	4	5	7
B. *Operated*	214	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	141	4.5	36	1	2	3	4	9	14	33
B. *Operated*	626	5.3	35	1	2	3	6	11	18	32
1. SINGLE DX	299	2.4	2	1	1	2	3	4	5	9
2. MULTIPLE DX	767	5.2	35	1	2	3	6	11	15	32
A. NOT OPERATED	226	3.7	24	1	1	2	3	7	11	26
B. OPERATED	840	4.6	28	1	2	3	5	9	14	28
TOTAL 65-69 YRS	347	3.6	20	1	1	2	3	7	11	22
70-74	277	3.6	14	1	2	2	4	7	11	23
75-79	206	4.7	27	1	2	3	6	9	13	26
80-84	122	5.7	49	1	1	3	7	12	18	42
85+	114	6.6	49	1	2	4	8	13	23	37
GRAND TOTAL	**1066**	**4.4**	**27**	**1**	**1**	**3**	**4**	**9**	**13**	**27**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	3.0	10	<1	1	2	3	8	12	13
70-74	23	3.2	12	<1	1	2	4	7	12	15
75-79	10	4.9	14	1	1	5	6	10	14	14
80-84	5	3.4	4	1	1	4	5	6	6	6
85+	5	2.2	3	<1	<1	2	3	5	5	5
B. *Operated*										
65-69 YRS	278	3.9	7	1	2	3	5	7	10	13
70-74	150	3.9	14	1	1	3	4	7	8	17
75-79	82	4.5	41	<1	1	3	5	8	10	44
80-84	43	4.1	14	1	2	3	5	9	13	20
85+	11	6.7	71	1	2	3	7	20	29	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	77	4.4	25	1	1	3	5	10	13	30
70-74	64	5.6	20	1	1	4	8	13	15	20
75-79	39	7.9	71	1	2	5	9	23	34	99+
80-84	30	9.2	33	3	3	8	13	19	22	23
85+	29	8.1	48	2	3	6	10	16	20	35
B. *Operated*										
65-69 YRS	460	6.2	72	2	2	4	7	10	15	56
70-74	310	6.7	46	1	2	4	8	15	22	35
75-79	169	7.7	74	2	2	5	9	18	23	43
80-84	72	9.6	105	1	2	6	15	27	42	99+
85+	47	10.7	123	1	2	7	13	21	27	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	3.3	10	<1	1	2	5	6	12	15
B. *Operated*	564	4.1	15	1	2	3	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	239	6.3	37	1	1	4	8	14	19	37
B. *Operated*	1058	7.0	70	2	2	5	8	15	22	55
1. SINGLE DX	639	4.0	15	1	1	3	5	7	10	17
2. MULTIPLE DX	1297	6.9	64	1	2	4	8	15	22	51
A. NOT OPERATED	314	5.6	33	1	1	4	7	13	16	35
B. OPERATED	1622	6.0	53	1	2	4	7	12	18	42
TOTAL 65-69 YRS	847	5.2	45	1	2	4	6	9	12	36
70-74	547	5.7	35	1	2	4	7	12	16	32
75-79	300	6.8	64	1	2	4	7	15	23	47
80-84	150	7.8	67	1	2	5	10	20	26	99
85+	92	9.0	90	1	2	6	12	19	22	54
GRAND TOTAL	**1936**	**5.9**	**50**	**1**	**2**	**4**	**7**	**12**	**17**	**40**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.7	22	1	1	3	4	13	14	14
70-74	5	2.8	3	1	1	2	4	5	5	5
75-79	3	4.3	6	2	2	4	6	7	7	7
80-84										
85+										
B. *Operated*										
65-69 YRS	749	2.6	2	<1	1	2	3	4	5	10
70-74	506	2.6	2	1	1	2	3	4	5	8
75-79	246	2.6	2	1	1	2	3	4	5	7
80-84	107	3.1	7	1	2	2	3	6	8	16
85+	36	3.6	8	1	1	2	4	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	3.4	4	1	1	3	5	6	7	7
70-74	13	5.2	12	<1	1	5	9	9	10	10
75-79	12	4.0	15	1	1	2	6	9	13	14
80-84	4	5.8	2	4	4	6	7	7	7	7
85+	2	5.5	41	1	1	5	10	10	10	10
B. *Operated*										
65-69 YRS	660	3.8	11	1	2	3	4	7	9	18
70-74	489	4.3	17	2	2	3	5	8	11	22
75-79	291	4.5	18	2	2	3	5	8	10	26
80-84	128	4.9	13	2	2	3	6	10	12	17
85+	50	6.0	28	2	2	4	6	14	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.9	11	1	1	3	4	8	13	14
B. *Operated*	1644	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	56	4.2	9	1	1	4	6	9	10	14
B. *Operated*	1618	4.2	15	2	2	3	5	8	11	20
1. SINGLE DX	1658	2.6	2	1	1	2	3	4	6	9
2. MULTIPLE DX	1674	4.2	15	2	2	3	5	8	10	20
A. NOT OPERATED	70	4.2	9	1	1	3	6	8	10	14
B. OPERATED	3262	3.4	9	1	2	2	4	6	8	15
TOTAL 65-69 YRS	1440	3.1	7	1	2	2	3	6	7	13
70-74	1013	3.4	10	1	2	3	4	6	9	15
75-79	552	3.6	12	1	2	3	4	7	8	19
80-84	239	4.1	11	2	2	3	5	8	11	16
85+	88	5.0	21	1	2	3	6	11	15	24
GRAND TOTAL	**3332**	**3.4**	**9**	**1**	**2**	**2**	**4**	**6**	**9**	**15**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	3.7	14	<1	<1	2	5	10	12	12
70-74	10	3.9	7	<1	<1	3	7	8	8	8
75-79	4	2.0	2	<1	<1	1	3	4	4	4
80-84	4	4.0	13	<1	<1	3	7	8	8	8
85+	6	3.7	7	<1	<1	3	7	7	7	7
B. *Operated*										
65-69 YRS	358	3.0	3	<1	1	3	4	5	6	11
70-74	243	3.1	6	<1	1	2	4	6	7	12
75-79	128	3.2	8	<1	1	2	3	5	7	16
80-84	65	3.0	3	1	1	2	4	5	6	10
85+	27	3.3	10	1	2	3	4	4	7	18
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	6.4	31	1	1	5	9	14	17	29
70-74	42	7.3	199	1	1	4	8	13	17	92
75-79	31	6.7	46	1	1	5	8	18	21	30
80-84	26	7.9	55	1	1	6	10	18	23	33
85+	17	7.0	40	<1	1	5	10	12	22	27
B. *Operated*										
65-69 YRS	344	4.8	13	1	2	4	6	9	11	23
70-74	244	5.4	50	1	2	4	6	9	15	38
75-79	168	5.9	48	1	2	4	6	12	16	33
80-84	73	6.3	35	2	2	4	7	14	18	31
85+	56	7.9	171	1	2	4	7	17	26	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	8	<1	<1	2	6	8	8	12
B. *Operated*	821	3.1	5	<1	1	2	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	165	7.0	80	1	1	5	9	15	20	33
B. *Operated*	885	5.5	42	1	2	4	6	10	15	30
1. SINGLE DX	855	3.1	5	<1	1	2	4	5	7	12
2. MULTIPLE DX	1050	5.7	48	1	2	4	6	11	16	31
A. NOT OPERATED	199	6.4	69	<1	1	4	8	13	19	32
B. OPERATED	1706	4.3	26	1	2	3	5	8	11	24
TOTAL 65-69 YRS	761	4.0	11	1	1	3	5	8	10	17
70-74	539	4.5	43	1	1	3	5	8	11	30
75-79	331	4.9	34	1	1	3	5	10	15	30
80-84	168	5.2	28	1	2	3	6	11	18	31
85+	106	6.4	102	1	2	4	6	14	19	56
GRAND TOTAL	**1905**	**4.5**	**31**	**1**	**1**	**3**	**5**	**9**	**12**	**26**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	3.8	2	2	2	4	5	5	5	5
70-74	1	10.0		10	10	10	10	10	10	10
75-79	1	1.0		1	1	1	1	1	1	1
80-84										
85+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	51	7.4	8	3	4	7	8	11	14	16
70-74	33	8.4	11	3	5	8	10	13	16	18
75-79	28	9.6	22	3	3	9	12	15	18	23
80-84	11	9.4	50	2	2	8	10	21	26	26
85+	7	8.3	20	4	4	6	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	1.6		1	1	2	2	2	2	2
70-74	13	7.4	72	2	2	4	9	15	30	34
75-79	5	5.8	7	3	3	6	7	10	10	10
80-84	7	15.3	269	1	1	9	29	40	42	42
85+	11	9.3	22	4	4	9	11	17	19	19
B. *Operated*										
65-69 YRS	125	11.1	72	5	6	9	13	17	20	49
70-74	95	11.8	45	6	7	10	13	18	26	42
75-79	73	12.6	87	5	6	10	14	19	24	61
80-84	34	13.0	68	3	5	12	18	21	27	44
85+	18	14.8	65	5	6	12	22	28	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	3.5	10	1	1	2	5	9	10	10
B. *Operated*	130	8.3	16	3	4	8	10	14	16	24
2. MULTIPLE DX										
A. *Not Operated*	41	8.3	84	1	2	5	10	17	34	42
B. *Operated*	345	12.0	67	5	6	10	14	19	25	44
1. SINGLE DX	138	8.1	17	2	3	8	10	14	16	23
2. MULTIPLE DX	386	11.6	70	4	5	10	14	19	25	43
A. NOT OPERATED	49	7.6	74	1	1	4	9	15	34	42
B. OPERATED	475	11.0	56	4	6	9	13	18	23	41
TOTAL 65-69 YRS	185	9.7	56	3	5	8	11	16	18	36
70-74	142	10.6	42	4	6	9	12	17	24	35
75-79	107	11.4	69	3	5	10	14	18	23	53
80-84	52	12.5	89	2	2	10	17	23	33	44
85+	38	11.3	54	2	4	10	15	23	27	29
GRAND TOTAL	**524**	**10.7**	**58**	**3**	**5**	**9**	**13**	**18**	**23**	**42**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.5	22	1	1	4	6	14	17	18
70-74	4	5.5	7	3	3	5	7	9	9	9
75-79	5	6.8	6	4	4	7	8	10	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+	5	7.8	13	4	4	7	11	12	12	12
B. *Operated*										
65-69 YRS	40	9.5	74	<1	1	7	10	23	28	39
70-74	13	10.9	86	2	3	8	14	25	33	35
75-79	4	13.8	33	7	7	14	18	19	19	19
80-84	2	12.0	18	9	9	12	15	15	15	15
85+	5	2.8	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	30	7.8	36	2	2	7	10	15	21	28
70-74	22	10.8	74	3	4	8	14	28	31	33
75-79	13	8.5	27	4	4	6	12	16	20	21
80-84	18	9.7	60	3	4	7	11	16	29	37
85+	9	10.7	124	3	3	5	18	29	33	33
B. *Operated*										
65-69 YRS	81	13.7	92	4	5	10	17	27	36	83
70-74	76	16.0	211	3	4	10	20	34	47	99
75-79	30	16.8	98	5	6	16	24	31	43	99+
80-84	14	18.6	216	5	6	14	27	41	53	56
85+	15	17.1	186	4	5	11	20	33	51	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	6.0	15	1	2	5	7	11	14	18
B. *Operated*	64	9.6	69	1	2	8	12	22	28	38
2. MULTIPLE DX										
A. *Not Operated*	92	9.3	56	2	3	7	11	18	28	35
B. *Operated*	216	15.5	148	3	5	11	21	32	44	99+
1. SINGLE DX	94	8.4	55	1	2	7	10	18	24	37
2. MULTIPLE DX	308	13.6	129	3	4	10	18	29	37	98
A. NOT OPERATED	122	8.4	48	2	3	6	10	16	25	34
B. OPERATED	280	14.1	136	2	4	10	19	30	39	99
TOTAL 65-69 YRS	166	10.9	79	1	2	8	14	24	30	47
70-74	115	14.1	170	3	3	10	18	32	37	98
75-79	52	13.5	81	4	5	11	20	27	33	98
80-84	35	13.2	136	3	4	9	16	31	38	56
85+	34	11.9	138	2	3	8	16	27	33	57
GRAND TOTAL	**402**	**12.4**	**116**	**2**	**3**	**9**	**16**	**27**	**34**	**75**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	11	6.1	7	<1	1	7	8	8	8	8
70-74	7	4.9	13	1	1	6	8	10	10	10
75-79	4	4.8	7	1	1	5	6	7	7	7
80-84										
85+	2	7.0	2	6	6	7	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	4.3	24	1	1	2	8	10	10	10
70-74	1	9.0		9	9	9	9	9	9	9
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
B. *Operated*										
65-69 YRS	81	8.9	22	4	5	7	10	15	21	24
70-74	60	10.1	34	4	6	8	11	16	24	33
75-79	18	9.1	11	2	5	9	11	12	14	16
80-84	6	13.3	171	2	2	7	20	35	37	37
85+	9	5.8	7	1	2	6	8	9	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	24	5.6	8	<1	1	6	8	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	5	5.6	16	1	1	6	9	10	10	10
B. *Operated*	174	9.3	30	3	5	8	11	16	22	32
1. SINGLE DX	24	5.6	8	<1	1	6	8	8	9	10
2. MULTIPLE DX	179	9.2	30	3	5	8	11	16	22	32
A. NOT OPERATED	5	5.6	16	1	1	6	9	10	10	10
B. OPERATED	198	8.9	29	2	4	8	10	14	21	30
TOTAL 65-69 YRS	95	8.4	21	2	4	7	10	13	21	24
70-74	68	9.6	34	2	4	8	11	16	24	33
75-79	22	8.3	13	1	3	8	11	12	14	16
80-84	7	12.3	150	2	3	7	17	34	37	37
85+	11	6.0	6	1	2	6	8	9	10	10
GRAND TOTAL	**203**	**8.8**	**28**	**2**	**4**	**8**	**10**	**14**	**21**	**30**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	18.0		18	18	18	18	18	18	18
85+										
B. *Operated*										
65-69 YRS	29	2.5		2	2	2	3	3	4	4
70-74	20	2.5	2	<1	1	2	3	4	6	8
75-79	12	2.2	1	1	1	2	3	3	4	4
80-84	6	3.2	1	2	2	3	4	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	7.0	2	6	6	7	8	8	8	8
70-74	3	5.3	12	2	2	5	8	9	9	9
75-79										
80-84	2	5.0		5	5	5	5	5	5	5
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS	117	5.2	18	1	2	4	8	11	13	20
70-74	59	5.4	19	1	1	4	8	11	14	23
75-79	43	5.4	29	1	2	4	7	9	19	28
80-84	15	6.9	38	1	2	6	9	10	22	26
85+	14	6.4	36	1	1	5	7	16	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	18.0		18	18	18	18	18	18	18
B. *Operated*	67	2.5	1	1	2	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*	8	6.3	7	2	3	6	8	10	10	10
B. *Operated*	248	5.5	22	1	2	4	7	11	14	24
1. SINGLE DX	68	2.7	5	1	2	2	3	4	4	16
2. MULTIPLE DX	256	5.5	21	1	2	4	7	10	14	24
A. NOT OPERATED	9	7.6	21	2	3	6	9	15	18	18
B. OPERATED	315	4.8	19	1	2	3	7	10	13	24
TOTAL 65-69 YRS	148	4.7	15	1	2	3	7	10	12	19
70-74	82	4.7	16	1	1	3	6	10	12	21
75-79	55	4.7	24	1	2	3	6	8	16	28
80-84	24	6.3	32	1	2	5	8	11	20	26
85+	15	6.6	34	1	1	5	8	15	21	23
GRAND TOTAL	**324**	**4.9**	**19**	**1**	**2**	**3**	**7**	**10**	**13**	**23**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	4.5		4	4	4	5	5	5	5
70-74	6	2.0	1	<1	<1	2	3	3	3	3
75-79	7	5.9	20	<1	<1	4	9	12	13	13
80-84	3	8.3	57	3	3	5	14	17	17	17
85+	7	6.3	17	<1	1	6	8	13	14	14
B. *Operated*										
65-69 YRS	56	3.3	6	<1	1	2	4	7	8	12
70-74	44	2.5	4	1	1	2	3	4	6	12
75-79	19	3.4	14	1	2	2	3	6	13	18
80-84	8	3.6	3	2	2	3	5	6	7	7
85+	13	7.9	28	2	2	3	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	7.5	23	3	3	6	9	15	17	23
70-74	30	9.4	26	2	4	8	13	17	18	22
75-79	29	8.3	28	2	3	7	11	17	18	22
80-84	40	9.9	152	2	3	7	10	19	23	78
85+	35	8.7	30	2	3	8	11	16	21	25
B. *Operated*										
65-69 YRS	71	5.4	41	1	1	3	6	11	17	40
70-74	62	7.0	98	1	2	4	6	16	26	62
75-79	58	10.1	116	1	2	6	14	25	27	59
80-84	35	6.8	31	1	2	5	8	15	21	25
85+	24	11.7	266	3	3	6	10	28	44	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	5.2	17	<1	<1	4	7	12	14	17
B. *Operated*	140	3.5	10	1	1	2	4	7	11	17
2. MULTIPLE DX										
A. *Not Operated*	162	8.8	57	2	3	7	11	16	22	25
B. *Operated*	250	7.7	95	1	2	4	9	17	26	61
1. SINGLE DX	167	3.8	11	<1	1	2	4	8	12	17
2. MULTIPLE DX	412	8.1	81	1	2	6	10	17	23	52
A. NOT OPERATED	189	8.3	53	2	3	7	11	16	19	25
B. OPERATED	390	6.2	69	1	1	3	7	14	19	43
TOTAL 65-69 YRS	159	5.0	26	1	1	3	6	10	15	23
70-74	142	5.9	56	1	1	3	7	14	18	34
75-79	113	8.2	75	1	2	5	11	18	25	46
80-84	86	8.0	88	2	2	5	9	15	23	59
85+	79	9.3	100	2	3	7	11	17	24	65
GRAND TOTAL	**579**	**6.9**	**64**	**1**	**2**	**4**	**8**	**15**	**19**	**36**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	2.0	1	1	1	2	3	4	4	4
70-74	10	3.4	3	<1	<1	3	5	6	6	6
75-79	19	3.6	9	<1	<1	2	5	9	9	9
80-84	8	5.1	14	1	1	4	6	11	13	13
85+	7	4.4	20	<1	<1	2	8	11	12	12
B. *Operated*										
65-69 YRS	1269	7.6	8	4	5	7	9	11	13	17
70-74	1000	8.0	9	4	5	7	9	12	14	18
75-79	568	8.2	10	4	5	8	10	12	14	19
80-84	227	8.6	34	4	5	8	10	12	15	22
85+	81	8.7	13	4	5	8	10	14	15	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	89	3.6	11	<1	1	2	5	8	10	18
70-74	104	4.7	16	1	1	3	7	10	13	19
75-79	76	5.7	24	<1	1	4	8	11	12	27
80-84	70	7.7	48	1	2	6	10	14	29	33
85+	51	8.8	102	2	2	7	11	17	18	70
B. *Operated*										
65-69 YRS	2953	8.8	15	4	5	8	10	13	16	23
70-74	2323	9.3	19	5	6	8	11	14	17	27
75-79	1522	9.8	24	5	6	9	11	15	19	30
80-84	628	10.2	34	4	5	9	12	16	19	31
85+	267	11.1	54	3	5	9	14	19	22	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.6	9	<1	1	3	5	8	9	13
B. *Operated*	3145	7.9	11	4	5	7	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	390	5.7	36	1	1	4	8	11	15	30
B. *Operated*	7693	9.4	21	5	5	8	11	14	17	26
1. SINGLE DX	3198	7.9	11	4	5	7	9	12	13	18
2. MULTIPLE DX	8083	9.2	23	4	5	8	11	14	17	27
A. NOT OPERATED	443	5.5	33	1	1	4	8	11	13	29
B. OPERATED	10838	8.9	19	4	5	8	10	14	16	25
TOTAL 65-69 YRS	4320	8.3	13	4	5	8	10	12	15	22
70-74	3437	8.8	17	4	5	8	10	13	16	25
75-79	2185	9.2	22	4	5	8	11	14	17	27
80-84	933	9.6	36	3	5	9	11	15	18	31
85+	406	10.2	53	3	4	9	12	17	21	35
GRAND TOTAL	**11281**	**8.8**	**20**	**4**	**5**	**8**	**10**	**14**	**16**	**25**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	2.6	4	<1	<1	2	3	6	7	7
70-74	18	1.8	1	<1	<1	1	2	3	4	5
75-79	7	3.1	6	1	1	2	5	7	7	7
80-84	2	2.5	5	1	1	2	4	4	4	4
85+	14	2.9	3	<1	<1	3	4	5	6	6
B. *Operated*										
65-69 YRS	623	2.1	2	<1	1	2	2	3	4	11
70-74	368	2.3	4	<1	1	2	2	3	5	13
75-79	212	2.4	2	<1	1	2	3	4	5	9
80-84	104	2.8	8	<1	1	2	3	4	9	18
85+	50	3.4	8	1	1	2	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	3.7	8	<1	<1	3	4	8	10	15
70-74	57	4.0	11	1	1	3	5	8	10	19
75-79	37	6.3	38	1	1	5	8	12	23	27
80-84	37	6.6	76	1	2	5	7	10	10	56
85+	38	7.0	35	2	2	5	9	13	21	28
B. *Operated*										
65-69 YRS	1084	3.6	12	1	1	2	4	8	10	16
70-74	730	4.0	19	1	1	2	4	8	12	22
75-79	430	4.5	25	1	1	3	5	11	13	25
80-84	241	4.8	24	1	2	3	6	11	14	24
85+	129	6.0	33	2	2	4	7	14	17	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	1357	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX										
A. *Not Operated*	218	5.3	32	1	1	4	7	10	13	27
B. *Operated*	2614	4.1	18	1	1	2	5	9	12	22
1. SINGLE DX	1406	2.3	4	<1	1	2	2	3	5	11
2. MULTIPLE DX	2832	4.2	20	1	1	3	5	9	12	22
A. NOT OPERATED	267	4.8	28	<1	1	3	6	10	11	27
B. OPERATED	3971	3.5	14	1	1	2	3	8	11	19
TOTAL 65-69 YRS	1764	3.1	9	<1	1	2	3	7	9	15
70-74	1173	3.4	14	1	1	2	3	7	10	20
75-79	686	3.9	19	1	1	2	4	9	12	23
80-84	384	4.4	26	1	1	3	5	9	13	23
85+	231	5.4	28	1	2	4	7	12	16	31
GRAND TOTAL	**4238**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**11**	**19**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	2.1	2	<1	<1	1	3	4	5	5
70-74	11	3.6	5	<1	1	3	6	7	7	7
75-79	3	6.0	27	3	3	3	10	12	12	12
80-84	8	6.6	39	2	2	5	7	17	21	21
85+	8	8.0	38	<1	1	6	13	17	18	18
B. *Operated*										
65-69 YRS	461	3.4	15	<1	1	2	3	8	10	19
70-74	276	3.2	17	<1	1	2	3	7	9	19
75-79	143	3.6	12	1	1	2	4	8	11	17
80-84	69	5.2	108	1	1	3	4	10	19	70
85+	45	5.2	32	<1	1	3	6	11	23	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	51	5.5	30	1	2	4	6	13	20	27
70-74	71	5.9	23	1	1	5	8	12	15	26
75-79	59	7.9	46	2	2	6	10	16	22	34
80-84	50	8.5	46	2	2	7	11	14	22	36
85+	78	7.9	67	2	3	6	10	14	20	86
B. *Operated*										
65-69 YRS	1080	6.2	47	1	2	4	8	13	17	35
70-74	783	6.7	43	1	2	4	9	15	20	33
75-79	476	7.0	49	1	2	4	9	15	22	30
80-84	235	8.7	102	2	2	6	11	18	24	90
85+	143	10.6	111	2	2	7	14	23	35	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	4.6	21	<1	<1	3	6	10	17	21
B. *Operated*	994	3.6	23	<1	1	2	3	8	10	22
2. MULTIPLE DX										
A. *Not Operated*	309	7.2	44	1	2	5	9	14	18	41
B. *Operated*	2717	6.9	55	1	2	5	9	15	21	39
1. SINGLE DX	1038	3.6	22	<1	1	2	3	8	11	22
2. MULTIPLE DX	3026	7.0	54	1	2	5	9	15	20	39
A. NOT OPERATED	353	6.9	42	1	2	5	9	14	18	36
B. OPERATED	3711	6.0	49	1	1	3	8	13	18	36
TOTAL 65-69 YRS	1606	5.3	39	1	1	3	7	11	15	33
70-74	1141	5.8	37	1	1	3	8	13	17	31
75-79	681	6.3	43	1	2	4	8	14	20	30
80-84	362	8.0	95	1	2	5	10	17	22	77
85+	274	8.9	87	1	2	6	12	21	28	56
GRAND TOTAL	**4064**	**6.1**	**48**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	5.3	22	2	2	4	6	13	16	16
70-74	6	6.7	8	2	2	7	9	10	10	10
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	5	6.0	11	3	3	6	8	11	11	11
85+	3	6.0	28	2	2	4	10	12	12	12
B. *Operated*										
65-69 YRS	329	8.8	14	3	5	8	10	13	15	25
70-74	238	9.1	17	3	5	9	11	14	16	25
75-79	141	8.8	15	3	4	9	10	13	16	22
80-84	55	8.9	21	2	3	9	11	14	18	23
85+	19	7.8	17	1	2	8	11	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	5.7	25	1	1	5	7	12	19	21
70-74	44	6.2	27	<1	2	5	7	12	19	26
75-79	35	5.5	14	<1	2	4	9	11	12	13
80-84	23	5.1	24	1	2	3	7	10	15	23
85+	14	8.4	30	3	3	7	12	16	20	21
B. *Operated*										
65-69 YRS	553	9.9	34	3	5	9	12	16	20	32
70-74	411	10.6	39	3	5	9	13	18	22	33
75-79	270	10.6	32	2	5	10	13	18	21	31
80-84	116	12.6	64	3	5	11	15	22	29	43
85+	50	12.3	83	3	4	9	16	25	30	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.4	14	1	2	5	7	11	13	16
B. *Operated*	782	8.9	16	3	5	9	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	154	5.9	23	1	2	4	8	12	17	23
B. *Operated*	1400	10.6	40	3	5	9	13	18	22	34
1. SINGLE DX	807	8.8	16	2	4	8	10	13	15	24
2. MULTIPLE DX	1554	10.1	40	2	3	9	12	17	21	34
A. NOT OPERATED	179	5.9	22	1	2	4	8	12	16	23
B. OPERATED	2182	10.0	32	3	5	9	12	16	20	32
TOTAL 65-69 YRS	928	9.3	27	2	4	8	11	15	18	29
70-74	699	9.8	32	2	4	9	12	16	20	31
75-79	449	9.5	27	2	3	9	12	16	19	28
80-84	199	10.5	53	2	3	9	13	19	24	38
85+	86	10.4	62	2	3	8	13	21	26	42
GRAND TOTAL	**2361**	**9.6**	**32**	**2**	**4**	**9**	**12**	**16**	**20**	**31**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	382	6.6	18	2	3	6	8	12	15	24
70-74	358	7.3	23	2	3	6	9	13	16	24
75-79	293	7.8	51	2	3	6	10	14	17	31
80-84	252	8.4	34	3	3	7	10	15	19	35
85+	238	9.0	44	2	3	7	11	16	22	37
B. *Operated*										
65-69 YRS	201	8.2	49	2	2	6	10	18	21	36
70-74	140	9.3	102	2	3	6	11	16	30	56
75-79	108	10.5	104	2	2	7	13	21	26	61
80-84	68	11.5	150	2	3	8	13	20	32	75
85+	48	11.6	69	3	4	9	16	23	29	39
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1797	9.4	49	3	3	8	12	17	22	36
70-74	1712	10.0	53	3	4	8	12	18	24	38
75-79	1656	10.8	70	3	4	9	13	20	25	46
80-84	1364	11.4	68	3	4	9	14	21	27	40
85+	1542	12.3	93	3	4	10	15	23	30	55
B. *Operated*										
65-69 YRS	838	16.8	209	3	4	13	22	34	48	90
70-74	793	17.8	237	3	4	13	22	37	51	91
75-79	615	18.8	224	4	5	14	24	42	51	88
80-84	436	19.1	223	4	6	15	25	39	55	99+
85+	387	18.2	190	4	6	14	24	36	51	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1523	7.7	33	2	3	6	9	14	17	30
B. *Operated*	565	9.6	87	2	3	7	12	19	25	54
2. MULTIPLE DX										
A. *Not Operated*	8071	10.7	67	3	4	9	13	20	26	44
B. *Operated*	3069	18.0	219	3	5	14	23	37	51	93
1. SINGLE DX	2088	8.2	48	2	3	7	10	15	19	36
2. MULTIPLE DX	11140	12.7	119	3	4	9	16	25	34	64
A. NOT OPERATED	9594	10.2	63	3	4	8	13	19	25	42
B. OPERATED	3634	16.7	208	3	4	12	21	36	49	90
TOTAL 65-69 YRS	3218	10.9	100	3	3	8	13	22	29	56
70-74	3003	11.7	115	3	4	8	14	23	32	60
75-79	2672	12.3	118	3	4	9	15	24	34	60
80-84	2120	12.6	110	3	4	10	16	25	32	61
85+	2215	13.0	111	3	4	10	16	25	34	65
GRAND TOTAL	**13228**	**12.0**	**111**	**3**	**4**	**9**	**15**	**23**	**32**	**60**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	49	7.7	38	2	2	7	9	15	25	29
70-74	68	7.4	28	1	1	6	9	16	20	24
75-79	44	7.7	61	2	2	6	9	12	20	50
80-84	29	7.8	42	1	2	6	12	16	19	31
85+	28	6.4	35	<1	1	5	8	12	15	31
B. *Operated*										
65-69 YRS	90	9.2	141	1	1	5	9	21	41	58
70-74	78	7.6	50	1	2	5	11	18	23	32
75-79	46	7.5	50	1	2	5	10	17	20	39
80-84	27	8.4	67	2	2	4	10	21	29	32
85+	20	9.4	41	1	2	7	14	19	22	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	275	10.1	84	3	3	8	13	19	25	60
70-74	305	9.7	46	3	4	8	11	19	25	39
75-79	276	10.5	90	2	3	8	12	18	24	60
80-84	203	10.9	73	3	4	8	14	22	32	99+
85+	200	10.3	77	3	4	8	13	19	24	34
B. *Operated*										
65-69 YRS	274	13.7	162	2	3	10	17	30	43	70
70-74	252	14.0	161	2	3	10	18	29	44	61
75-79	199	16.0	231	2	3	11	20	43	53	99+
80-84	135	16.1	184	3	4	12	22	34	46	92
85+	105	12.9	124	3	3	9	15	28	41	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	7.4	39	1	2	6	9	14	20	31
B. *Operated*	261	8.3	82	1	2	5	11	19	24	51
2. MULTIPLE DX										
A. *Not Operated*	1259	10.3	73	3	3	8	13	19	26	55
B. *Operated*	965	14.5	175	2	3	10	19	31	45	83
1. SINGLE DX	479	7.9	63	1	2	6	9	17	22	41
2. MULTIPLE DX	2224	12.1	122	3	3	9	15	25	34	67
A. NOT OPERATED	1477	9.8	69	2	3	8	12	19	25	51
B. OPERATED	1226	13.2	162	2	3	9	17	29	43	69
TOTAL 65-69 YRS	688	11.2	123	2	3	8	14	24	31	65
70-74	703	10.8	92	2	3	8	13	23	29	54
75-79	565	11.9	144	2	3	8	14	25	43	70
80-84	394	12.3	116	3	3	9	15	28	36	95
85+	353	10.7	88	2	3	8	13	20	27	45
GRAND TOTAL	**2703**	**11.4**	**114**	**2**	**3**	**8**	**14**	**24**	**32**	**60**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79	1	7.0		7	7	7	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	19	3.8	2	2	2	3	5	6	7	7
70-74	9	6.6	35	2	2	4	10	17	17	17
75-79	1	3.0		3	3	3	3	3	3	3
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	5	7.8	55	<1	<1	5	12	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	3	12.3	94	4	4	10	20	23	23	23
70-74	3	14.0	217	5	5	6	25	31	31	31
75-79	2	11.5	145	3	3	11	20	20	20	20
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	11.0	72	5	5	11	17	17	17	17
B. *Operated*										
65-69 YRS	21	6.9	44	2	2	4	9	14	22	30
70-74	7	17.4	593	2	2	6	25	60	68	68
75-79	6	10.5	26	3	3	11	15	16	16	16
80-84	5	16.6	570	4	4	5	23	59	59	59
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	5.5	5	4	4	5	7	7	7	7
B. *Operated*	36	5.0	18	2	2	4	5	9	17	20
2. MULTIPLE DX										
A. *Not Operated*	11	11.4	97	1	2	6	19	26	31	31
B. *Operated*	40	10.4	197	2	2	5	12	23	45	68
1. SINGLE DX	38	5.1	17	2	2	4	5	9	17	20
2. MULTIPLE DX	51	10.6	174	2	2	5	12	26	31	68
A. NOT OPERATED	13	10.5	86	1	3	6	18	25	30	31
B. OPERATED	76	7.8	118	2	2	4	8	16	27	66
TOTAL 65-69 YRS	43	5.9	32	2	2	4	5	12	18	30
70-74	19	11.7	264	2	2	5	14	31	51	68
75-79	10	9.6	37	3	3	9	15	18	20	20
80-84	9	10.6	338	1	1	4	7	40	59	59
85+	8	8.0	48	<1	1	5	13	19	20	20
GRAND TOTAL	**89**	**8.2**	**113**	**2**	**2**	**4**	**9**	**17**	**30**	**64**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	2	3.5	1	3	3	3	4	4	4	4
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	1.0		1	1	1	1	1	1	1
85+										
B. *Operated*										
65-69 YRS	129	1.9	2	<1	<1	2	2	4	4	8
70-74	95	2.3	4	<1	<1	2	3	5	6	11
75-79	55	2.5	4	<1	<1	2	3	5	6	12
80-84	40	2.5	4	<1	<1	2	3	5	7	9
85+	17	2.3	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2	11.5	181	2	2	11	21	21	21	21
70-74	5	3.4	11	1	1	1	6	8	8	8
75-79	2	4.5	5	3	3	4	6	6	6	6
80-84	2	9.5	85	3	3	9	16	16	16	16
85+	4	4.3	10	<1	<1	4	7	7	7	7
B. *Operated*										
65-69 YRS	131	3.5	13	<1	<1	2	4	7	11	21
70-74	91	4.5	16	<1	<1	3	6	10	15	18
75-79	55	6.6	46	<1	<1	4	8	18	23	31
80-84	37	7.0	33	1	2	5	9	18	20	21
85+	17	7.5	34	1	1	7	9	16	21	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*	336	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	15	5.7	34	<1	1	3	7	16	20	21
B. *Operated*	331	4.9	25	<1	1	3	6	11	15	24
1. SINGLE DX	340	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	346	4.9	25	<1	1	3	6	11	16	24
A. NOT OPERATED	19	5.1	28	<1	1	3	7	13	19	21
B. OPERATED	667	3.5	15	<1	<1	2	4	8	11	21
TOTAL 65-69 YRS	262	2.7	9	<1	<1	2	3	5	7	20
70-74	193	3.4	11	<1	<1	2	4	7	10	15
75-79	113	4.5	28	<1	<1	2	5	11	17	27
80-84	80	4.7	24	<1	<1	3	6	10	17	21
85+	38	4.8	22	<1	<1	3	7	10	15	23
GRAND TOTAL	**686**	**3.6**	**16**	**<1**	**<1**	**2**	**4**	**8**	**12**	**21**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	8.2	76	1	1	5	10	20	25	50
70-74	204	10.5	95	2	2	8	13	24	30	46
75-79	189	9.9	72	2	3	8	13	21	27	42
80-84	132	11.4	111	1	2	8	14	25	37	71
85+	173	11.0	102	1	3	8	13	24	34	59
B. *Operated*										
65-69 YRS	595	7.3	111	<1	1	3	8	20	29	59
70-74	543	8.0	106	<1	1	4	10	21	30	58
75-79	350	10.6	165	1	1	5	15	25	37	64
80-84	267	13.7	268	1	1	8	20	34	42	95
85+	182	12.9	145	1	2	9	19	29	35	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1299	11.6	112	2	3	9	15	24	32	58
70-74	1274	12.4	115	3	4	9	16	25	34	60
75-79	1395	13.0	130	3	4	10	16	26	35	67
80-84	1205	14.1	153	3	4	11	17	28	41	76
85+	1324	14.8	160	3	4	11	19	30	41	78
B. *Operated*										
65-69 YRS	1606	15.9	291	1	2	11	23	42	61	99+
70-74	1447	19.2	359	2	2	14	27	47	68	99+
75-79	1246	20.9	352	2	3	16	30	48	63	99
80-84	944	23.0	353	2	4	18	34	53	73	99+
85+	909	22.1	334	3	4	18	30	54	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	929	10.0	90	1	2	7	13	22	30	49
B. *Operated*	1937	9.5	150	<1	1	4	12	25	35	64
2. MULTIPLE DX										
A. *Not Operated*	6497	13.2	135	3	4	10	17	27	36	69
B. *Operated*	6152	19.7	342	2	2	15	28	49	69	99+
1. SINGLE DX	2866	9.7	130	1	1	6	12	24	33	61
2. MULTIPLE DX	12649	16.3	246	2	3	12	21	38	54	99+
A. NOT OPERATED	7426	12.8	130	2	3	10	16	26	35	68
B. OPERATED	8089	17.3	315	1	2	12	25	44	61	99+
TOTAL 65-69 YRS	3731	12.6	197	1	2	8	17	30	45	96
70-74	3468	14.4	232	2	2	10	19	35	49	91
75-79	3180	15.6	236	2	3	11	20	35	49	86
80-84	2548	17.2	257	2	3	12	23	40	56	99+
85+	2588	17.0	231	3	4	13	22	37	54	99+
GRAND TOTAL	**15515**	**15.1**	**232**	**2**	**2**	**10**	**20**	**36**	**50**	**96**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	29	7.3	25	2	3	7	9	13	21	22
70-74	21	8.0	44	2	2	6	10	16	23	29
75-79	15	10.9	85	3	4	7	20	32	80	99+
80-84	5	16.6	57	12	12	13	19	30	30	30
85+										
B. *Operated*										
65-69 YRS	14	11.3	68	2	2	9	18	22	28	30
70-74	17	10.4	22	3	4	9	14	17	19	20
75-79	5	11.6	31	7	7	9	14	21	21	21
80-84	5	12.6	278	2	2	7	17	42	42	42
85+	3	19.3	89	12	12	16	26	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	256	11.9	94	2	3	9	15	23	29	53
70-74	218	11.2	72	3	3	9	14	21	29	44
75-79	132	12.4	99	3	3	10	15	26	35	50
80-84	49	13.2	180	3	3	9	14	32	48	61
85+	28	14.6	70	4	5	13	18	28	34	34
B. *Operated*										
65-69 YRS	161	19.7	254	4	4	15	27	42	52	81
70-74	120	19.2	272	3	4	15	26	42	58	94
75-79	85	20.1	266	4	5	15	26	46	58	96
80-84	22	17.5	119	3	4	16	22	29	39	51
85+	14	18.2	85	5	8	17	27	36	84	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	70	8.9	50	2	3	7	12	21	29	86
B. *Operated*	44	11.7	66	2	3	9	15	21	30	42
2. MULTIPLE DX										
A. *Not Operated*	683	12.0	93	2	3	9	15	23	32	51
B. *Operated*	402	19.4	247	3	4	15	26	42	56	95
1. SINGLE DX	114	10.0	57	2	3	8	13	21	29	62
2. MULTIPLE DX	1085	14.7	163	3	4	11	18	31	42	72
A. NOT OPERATED	753	11.7	90	2	3	9	15	23	31	52
B. OPERATED	446	18.7	235	3	4	15	24	40	55	91
TOTAL 65-69 YRS	460	14.3	161	2	3	10	19	29	40	71
70-74	376	13.5	147	2	3	10	17	29	38	67
75-79	237	15.0	170	3	4	11	19	33	45	90
80-84	81	14.5	160	3	3	11	17	30	46	59
85+	45	16.0	76	5	6	15	20	31	35	99+
GRAND TOTAL	**1199**	**14.3**	**155**	**3**	**4**	**11**	**18**	**30**	**40**	**71**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	266	8.8	42	3	3	7	11	15	21	36
70-74	194	9.4	44	2	3	8	12	17	23	35
75-79	148	9.4	63	2	2	8	12	20	26	34
80-84	64	9.8	66	2	3	8	13	20	26	43
85+	18	8.6	27	2	3	8	10	17	20	21
B. *Operated*										
65-69 YRS	449	11.7	77	2	3	10	17	23	28	39
70-74	293	13.4	126	2	3	11	18	25	33	61
75-79	121	15.5	162	3	3	13	21	29	33	70
80-84	34	18.1	159	2	5	15	23	39	48	51
85+	8	14.3	43	5	6	14	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1026	10.7	70	3	3	9	13	20	26	45
70-74	1009	10.3	56	3	3	8	13	20	25	38
75-79	779	11.9	87	3	4	10	15	22	30	54
80-84	410	11.0	67	3	4	9	14	22	28	45
85+	183	10.5	69	3	4	9	13	19	26	85
B. *Operated*										
65-69 YRS	889	15.5	199	3	4	12	19	32	43	80
70-74	577	16.8	197	3	4	13	21	35	46	86
75-79	364	18.1	195	3	5	16	24	35	48	77
80-84	131	17.7	171	3	4	15	23	36	43	59
85+	33	18.2	151	3	5	15	27	38	41	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	690	9.2	49	2	3	8	12	18	22	36
B. *Operated*	905	13.0	109	2	3	11	17	24	31	51
2. MULTIPLE DX										
A. *Not Operated*	3407	10.9	70	3	3	9	14	21	27	46
B. *Operated*	1994	16.6	195	3	4	13	20	34	45	79
1. SINGLE DX	1595	11.4	87	2	3	9	15	22	28	46
2. MULTIPLE DX	5401	13.0	124	3	4	10	16	25	34	64
A. NOT OPERATED	4097	10.6	67	3	3	8	13	20	26	45
B. OPERATED	2899	15.5	171	2	3	13	20	31	41	74
TOTAL 65-69 YRS	2630	12.3	118	2	3	9	16	23	32	61
70-74	2073	12.5	112	2	3	10	16	24	33	59
75-79	1412	13.5	128	3	4	10	18	27	34	65
80-84	639	12.6	102	3	4	10	16	26	34	49
85+	242	11.6	83	3	4	9	14	21	31	61
GRAND TOTAL	**6996**	**12.6**	**116**	**3**	**3**	**10**	**16**	**25**	**33**	**60**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	227	6.6	25	1	2	5	9	13	17	25
70-74	257	6.1	26	<1	1	5	8	12	14	28
75-79	256	6.8	37	1	2	5	9	13	17	25
80-84	211	8.1	42	2	2	6	11	17	23	32
85+	175	7.2	27	1	2	6	9	16	18	22
B. *Operated*										
65-69 YRS	2881	12.8	50	2	3	13	16	21	24	35
70-74	2601	14.3	54	3	5	14	17	22	26	38
75-79	2021	15.6	54	4	7	15	19	23	27	40
80-84	897	17.0	62	4	8	16	20	26	31	41
85+	281	17.1	64	5	8	16	21	26	31	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1235	7.8	37	2	2	6	10	15	19	32
70-74	1582	8.3	49	2	2	7	11	16	19	36
75-79	1748	8.9	48	2	3	7	11	16	21	37
80-84	1601	9.3	59	2	3	8	12	17	24	45
85+	1488	10.3	81	2	3	8	13	20	26	56
B. *Operated*										
65-69 YRS	3183	14.7	81	2	3	14	19	25	30	46
70-74	3235	16.6	106	3	5	15	20	29	35	56
75-79	2864	18.3	122	4	7	16	22	31	38	68
80-84	1436	19.8	131	4	8	18	24	33	42	65
85+	559	20.3	142	5	8	19	26	34	47	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1126	6.9	32	1	2	5	9	14	17	26
B. *Operated*	8681	14.5	56	3	5	14	18	23	27	38
2. MULTIPLE DX										
A. *Not Operated*	7654	9.0	56	2	3	7	11	17	22	41
B. *Operated*	11277	17.1	112	3	5	16	21	29	36	59
1. SINGLE DX	9807	13.6	59	2	4	14	17	22	26	38
2. MULTIPLE DX	18931	13.8	105	2	3	12	18	26	32	56
A. NOT OPERATED	8780	8.7	53	2	3	7	11	16	21	39
B. OPERATED	19958	16.0	89	3	5	15	19	26	32	53
TOTAL 65-69 YRS	7526	12.6	67	2	3	12	17	22	27	40
70-74	7675	13.8	86	2	3	13	18	24	30	49
75-79	6889	14.7	97	3	4	14	19	25	32	54
80-84	4145	14.5	107	3	4	13	19	27	33	57
85+	2503	13.1	109	2	4	10	17	26	32	59
GRAND TOTAL	**28738**	**13.7**	**89**	**2**	**3**	**13**	**18**	**24**	**30**	**50**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	7.4	30	1	2	6	9	15	19	27
70-74	84	6.5	24	1	1	5	9	13	15	26
75-79	90	6.3	36	<1	2	5	7	11	18	36
80-84	56	5.8	14	1	2	5	8	12	14	15
85+	61	8.6	60	1	3	7	10	17	21	49
B. *Operated*										
65-69 YRS	227	10.8	62	2	2	10	15	20	24	39
70-74	169	13.9	94	2	2	12	19	26	36	44
75-79	115	16.0	114	2	5	15	20	26	37	59
80-84	51	15.7	148	4	4	14	20	27	35	70
85+	17	13.1	53	1	3	13	17	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	398	8.8	47	2	3	7	11	16	22	41
70-74	424	9.3	74	2	3	7	11	18	24	51
75-79	417	9.9	61	2	3	8	13	19	28	40
80-84	383	10.6	122	2	3	8	12	21	34	70
85+	296	10.5	111	3	3	7	12	23	31	57
B. *Operated*										
65-69 YRS	330	17.0	240	2	3	13	22	39	58	99+
70-74	281	19.0	239	3	4	16	24	39	59	99+
75-79	197	20.2	225	3	4	17	27	39	54	96
80-84	122	24.0	360	4	6	17	30	55	66	84
85+	83	22.3	339	3	4	17	33	50	61	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	6.9	33	1	2	5	8	14	18	29
B. *Operated*	579	13.2	93	2	3	12	17	24	29	49
2. MULTIPLE DX										
A. *Not Operated*	1918	9.8	81	2	3	7	12	19	27	51
B. *Operated*	1013	19.5	264	3	4	16	25	42	60	99+
1. SINGLE DX	966	10.7	79	2	2	8	15	21	26	44
2. MULTIPLE DX	2931	13.1	165	2	3	9	16	28	40	74
A. NOT OPERATED	2305	9.3	74	2	3	7	11	18	25	50
B. OPERATED	1592	17.2	210	2	3	14	21	36	50	85
TOTAL 65-69 YRS	1051	11.7	123	2	3	9	15	23	33	70
70-74	958	12.7	142	2	3	9	17	26	37	67
75-79	819	12.9	128	2	3	10	17	27	35	62
80-84	612	13.2	194	2	3	9	15	29	44	74
85+	457	12.5	165	2	3	8	15	28	41	65
GRAND TOTAL	**3897**	**12.5**	**145**	**2**	**3**	**9**	**16**	**26**	**37**	**69**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	4.2	8	1	1	4	6	8	9	9
70-74	5	8.0	100	2	2	2	13	25	25	25
75-79	7	5.9	9	<1	1	6	9	9	9	9
80-84	1	3.0		3	3	3	3	3	3	3
85+	5	8.8	40	2	2	6	15	16	16	16
B. *Operated*										
65-69 YRS	283	3.6	8	1	1	3	4	6	8	14
70-74	162	4.2	13	1	2	3	5	9	12	19
75-79	88	4.5	13	1	2	3	6	9	10	20
80-84	33	5.4	28	2	2	3	6	13	18	24
85+	9	3.3	4	2	2	2	4	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	33	7.0	29	1	1	6	10	15	18	20
70-74	19	6.1	26	1	2	4	8	15	17	19
75-79	24	5.4	13	1	1	5	9	10	11	12
80-84	13	9.2	54	1	2	8	13	22	24	25
85+	9	8.3	18	1	3	8	10	14	16	16
B. *Operated*										
65-69 YRS	630	4.6	22	1	2	3	5	9	12	22
70-74	362	5.0	21	1	2	4	6	9	13	26
75-79	215	5.9	49	2	2	4	7	11	16	35
80-84	65	6.6	38	1	2	4	8	16	20	28
85+	19	7.2	57	2	2	4	6	22	24	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	5.9	28	1	1	4	8	12	16	25
B. *Operated*	575	4.0	12	1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	98	6.9	27	1	1	6	10	14	18	23
B. *Operated*	1291	5.1	28	1	2	4	6	10	14	27
1. SINGLE DX	605	4.1	13	1	1	3	5	8	11	20
2. MULTIPLE DX	1389	5.2	28	1	2	4	6	10	14	26
A. NOT OPERATED	128	6.6	27	1	1	5	9	14	18	25
B. OPERATED	1866	4.8	23	1	2	3	5	9	13	25
TOTAL 65-69 YRS	958	4.4	18	1	2	3	5	8	11	21
70-74	548	4.9	20	1	2	3	6	9	13	25
75-79	334	5.5	36	1	2	4	7	10	15	26
80-84	112	6.5	37	1	2	4	8	15	21	27
85+	42	6.8	37	2	2	5	8	16	22	25
GRAND TOTAL	**1994**	**4.9**	**23**	**1**	**2**	**3**	**6**	**9**	**14**	**25**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	80	5.4	16	1	2	4	7	10	14	20
70-74	79	6.1	34	<1	1	5	8	11	16	35
75-79	66	8.0	58	1	1	6	10	15	28	34
80-84	64	6.2	28	1	2	5	8	12	15	32
85+	57	6.6	26	1	2	5	9	13	18	23
B. *Operated*										
65-69 YRS	238	6.5	39	1	1	4	8	15	23	25
70-74	176	6.9	66	1	2	4	8	17	21	48
75-79	118	10.1	101	2	2	6	15	23	28	49
80-84	49	10.6	96	1	1	9	15	23	31	45
85+	26	7.0	43	1	1	5	10	14	23	27
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	313	7.9	86	1	2	6	9	15	22	39
70-74	312	7.2	29	2	2	6	9	14	19	27
75-79	347	8.6	48	2	3	7	11	16	20	45
80-84	287	9.5	60	2	3	8	12	18	24	39
85+	305	9.1	55	2	2	7	12	17	22	32
B. *Operated*										
65-69 YRS	364	9.9	111	1	2	6	13	23	32	84
70-74	283	11.6	133	2	2	8	15	25	36	62
75-79	235	13.1	170	2	2	10	16	27	36	87
80-84	92	14.8	171	2	3	11	19	36	44	99+
85+	76	17.5	168	2	4	16	23	36	48	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	6.4	32	1	1	5	8	13	17	32
B. *Operated*	607	7.7	66	1	2	5	10	18	24	38
2. MULTIPLE DX										
A. *Not Operated*	1564	8.4	56	2	2	7	11	16	21	35
B. *Operated*	1050	12.0	144	2	2	8	16	27	37	80
1. SINGLE DX	953	7.2	54	1	2	5	9	16	22	35
2. MULTIPLE DX	2614	9.9	94	2	2	7	12	20	29	53
A. NOT OPERATED	1910	8.1	52	1	2	6	10	16	20	35
B. OPERATED	1657	10.4	120	1	2	6	14	24	32	64
TOTAL 65-69 YRS	995	8.1	80	1	2	5	10	17	24	45
70-74	850	8.5	77	1	2	6	10	18	24	43
75-79	766	10.1	98	2	2	7	14	21	27	54
80-84	492	10.1	86	2	2	8	13	21	32	50
85+	464	10.0	81	1	2	7	13	20	27	53
GRAND TOTAL	**3567**	**9.2**	**85**	**1**	**2**	**6**	**12**	**19**	**26**	**49**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	10.3	162	2	2	4	20	25	25	25
70-74	5	14.8	175	3	3	7	27	32	32	32
75-79	3	4.7		4	4	5	5	5	5	5
80-84	2	8.5	1	8	8	8	9	9	9	9
85+										
B. *Operated*										
65-69 YRS	1	16.0		16	16	16	16	16	16	16
70-74	1	28.0		28	28	28	28	28	28	28
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	17	10.2	96	2	3	7	11	24	35	40
70-74	26	9.3	45	3	4	8	14	16	22	33
75-79	13	10.3	118	2	3	6	12	20	39	44
80-84	8	8.3	40	2	2	6	13	18	19	19
85+	11	12.2	52	4	5	10	14	25	26	26
B. *Operated*										
65-69 YRS	18	14.3	156	3	3	11	20	35	42	46
70-74	6	17.2	214	2	2	16	21	41	43	43
75-79	1	29.0		29	29	29	29	29	29	29
80-84	2	35.5	181	26	26	35	45	45	45	45
85+	3	7.7	66	2	2	4	14	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	10.5	102	2	3	6	13	27	31	32
B. *Operated*	2	22.0	72	16	16	22	28	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	75	10.0	67	3	3	8	13	19	26	43
B. *Operated*	30	16.1	180	2	3	13	21	39	45	46
1. SINGLE DX	15	12.0	109	2	3	7	23	28	31	32
2. MULTIPLE DX	105	11.7	106	3	3	9	14	26	37	45
A. NOT OPERATED	88	10.1	71	3	3	7	13	23	27	42
B. OPERATED	32	16.5	173	2	3	14	23	38	45	46
TOTAL 65-69 YRS	39	12.3	123	2	3	8	16	30	38	46
70-74	38	11.7	95	3	3	9	15	27	33	43
75-79	17	10.4	116	2	3	6	12	26	39	44
80-84	12	12.8	154	2	3	8	17	32	43	45
85+	14	11.2	54	2	4	10	14	25	26	26
GRAND TOTAL	**120**	**11.8**	**105**	**2**	**3**	**8**	**15**	**26**	**35**	**45**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	317	6.5	23	1	2	5	8	12	15	23
70-74	272	6.8	20	2	2	6	9	13	15	22
75-79	238	7.7	27	2	3	6	10	15	19	25
80-84	171	7.8	29	2	2	7	10	15	19	25
85+	117	7.5	33	2	3	7	10	13	14	29
B. *Operated*										
65-69 YRS	324	8.8	47	1	2	8	11	17	22	33
70-74	220	10.4	66	2	2	9	14	20	28	40
75-79	102	13.0	178	1	2	9	19	25	34	77
80-84	28	11.6	136	2	2	8	12	25	32	58
85+	11	9.5	25	3	3	10	14	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1613	8.0	31	2	3	7	10	14	18	29
70-74	1791	8.7	45	2	3	7	11	15	20	36
75-79	1689	9.3	47	3	3	8	12	17	22	35
80-84	1361	10.0	57	3	3	8	12	19	24	39
85+	1114	10.1	60	3	3	8	13	19	24	47
B. *Operated*										
65-69 YRS	823	12.9	112	2	3	10	17	25	32	57
70-74	693	14.6	138	2	3	12	19	29	39	61
75-79	493	17.0	224	3	4	13	21	36	48	99+
80-84	213	17.3	185	4	4	13	23	39	47	72
85+	107	18.3	258	4	5	14	22	45	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1115	7.1	25	2	2	6	9	13	16	24
B. *Operated*	685	10.1	78	2	2	8	13	21	27	41
2. MULTIPLE DX										
A. *Not Operated*	7568	9.1	47	2	3	7	11	17	22	36
B. *Operated*	2329	14.9	160	2	4	12	19	30	41	74
1. SINGLE DX	1800	8.3	47	2	2	7	10	15	21	32
2. MULTIPLE DX	9897	10.5	80	2	3	8	13	20	27	50
A. NOT OPERATED	8683	8.9	45	2	3	7	11	16	21	36
B. OPERATED	3014	13.8	145	2	3	11	18	27	38	68
TOTAL 65-69 YRS	3077	9.3	59	2	3	7	11	18	23	38
70-74	2976	10.0	73	2	3	8	12	19	25	47
75-79	2522	10.8	95	2	3	8	13	21	27	56
80-84	1773	10.7	77	2	3	8	13	21	28	48
85+	1349	10.5	78	3	3	8	13	19	27	56
GRAND TOTAL	**11697**	**10.2**	**76**	**2**	**3**	**8**	**12**	**19**	**26**	**48**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	430	9.2	31	2	3	8	12	16	20	29
70-74	278	9.1	32	2	3	8	12	16	20	24
75-79	162	9.0	27	3	4	8	11	16	18	29
80-84	62	9.0	26	3	4	8	11	16	19	26
85+	46	10.1	38	2	3	9	13	19	22	29
B. *Operated*										
65-69 YRS	1035	11.1	60	2	2	10	15	20	25	35
70-74	444	11.9	61	2	3	11	16	22	26	37
75-79	220	11.6	71	2	2	10	16	22	27	44
80-84	53	13.5	91	2	2	12	21	27	34	97
85+	25	16.1	155	1	1	12	23	38	39	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1013	10.0	48	3	4	8	12	18	22	31
70-74	886	10.5	51	3	4	9	13	20	23	33
75-79	716	10.5	52	3	4	9	14	19	22	42
80-84	431	11.1	79	3	3	9	14	20	25	36
85+	296	11.1	60	3	4	9	14	20	27	38
B. *Operated*										
65-69 YRS	1246	14.6	98	2	4	12	19	27	33	47
70-74	881	16.6	110	3	6	14	22	31	37	54
75-79	489	18.0	149	3	5	16	24	33	42	63
80-84	133	19.4	147	4	7	18	25	33	48	74
85+	54	18.9	203	5	7	15	23	34	40	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	978	9.2	30	2	3	8	12	16	19	28
B. *Operated*	1777	11.5	64	2	2	10	15	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	3342	10.5	55	3	4	9	13	19	23	35
B. *Operated*	2803	16.1	117	3	5	14	21	30	37	56
1. SINGLE DX	2755	10.7	54	2	3	9	14	20	24	35
2. MULTIPLE DX	6145	13.1	91	3	4	11	17	25	31	47
A. NOT OPERATED	4320	10.2	50	3	4	9	13	18	22	33
B. OPERATED	4580	14.3	102	2	3	12	19	27	33	50
TOTAL 65-69 YRS	3724	11.8	70	2	3	10	15	22	27	42
70-74	2489	12.7	80	3	4	11	16	24	30	45
75-79	1587	12.8	94	3	4	10	17	25	31	50
80-84	679	12.7	100	3	4	10	16	25	31	56
85+	421	12.3	89	3	4	10	16	23	29	43
GRAND TOTAL	**8900**	**12.3**	**81**	**2**	**4**	**10**	**16**	**23**	**29**	**45**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	122	8.0	33	1	2	7	11	15	18	30
70-74	86	7.9	23	2	3	7	11	14	16	20
75-79	42	8.1	44	1	2	6	11	18	21	33
80-84	30	7.2	16	2	3	6	9	13	16	17
85+	17	6.9	21	2	2	7	9	12	17	19
B. *Operated*										
65-69 YRS	197	9.8	53	2	2	8	13	18	23	38
70-74	97	10.7	47	2	3	10	14	20	25	33
75-79	41	10.4	123	1	2	8	12	20	29	64
80-84	8	9.1	41	1	2	9	13	18	20	20
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	421	9.3	35	3	3	8	12	17	22	30
70-74	347	9.1	43	2	3	8	11	16	19	30
75-79	275	9.6	77	2	3	7	12	17	24	41
80-84	167	9.8	53	3	3	8	13	18	23	43
85+	108	9.6	104	2	3	7	12	18	19	62
B. *Operated*										
65-69 YRS	244	13.8	144	2	3	11	18	27	36	74
70-74	155	14.2	137	2	3	12	17	24	34	64
75-79	83	18.5	307	2	3	14	26	34	64	99
80-84	28	16.0	83	3	5	13	24	33	38	99+
85+	14	24.1	389	6	9	17	33	54	72	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	297	7.9	29	2	2	7	11	14	18	29
B. *Operated*	344	10.2	59	2	2	9	13	18	24	36
2. MULTIPLE DX										
A. *Not Operated*	1318	9.4	54	2	3	8	12	17	22	34
B. *Operated*	524	15.0	175	2	3	12	19	30	38	83
1. SINGLE DX	641	9.1	47	2	2	8	12	17	21	35
2. MULTIPLE DX	1842	11.0	95	2	3	9	14	21	27	52
A. NOT OPERATED	1615	9.1	50	2	3	8	11	17	21	33
B. OPERATED	868	13.1	135	2	3	10	17	26	34	76
TOTAL 65-69 YRS	984	10.4	70	2	3	9	13	19	26	40
70-74	685	10.3	67	2	3	9	13	18	23	41
75-79	441	11.2	133	2	3	8	13	24	32	78
80-84	233	10.2	56	3	3	8	14	20	25	46
85+	140	10.8	140	2	3	8	13	19	22	79
GRAND TOTAL	**2483**	**10.5**	**83**	**2**	**3**	**9**	**13**	**20**	**26**	**45**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	53	6.5	24	1	2	5	9	14	15	27
70-74	18	7.3	23	1	1	7	12	14	16	17
75-79	16	6.3	27	<1	1	5	9	11	18	21
80-84	13	10.8	51	1	3	10	14	19	27	29
85+	7	7.1	5	3	4	8	8	10	10	10
B. *Operated*										
65-69 YRS	8	9.8	30	2	3	9	12	18	20	20
70-74	1	17.0		17	17	17	17	17	17	17
75-79	2	6.0	2	5	5	6	7	7	7	7
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	10.5	25	7	7	10	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	166	9.2	36	2	3	8	12	16	19	33
70-74	119	8.6	18	3	4	8	11	15	17	20
75-79	88	8.5	36	2	2	7	11	17	20	29
80-84	51	9.0	35	2	3	8	13	16	22	30
85+	35	6.8	20	1	3	6	9	13	15	21
B. *Operated*										
65-69 YRS	38	15.2	272	2	2	10	20	26	47	91
70-74	19	14.6	123	4	5	12	17	29	43	50
75-79	12	15.7	131	3	4	14	26	33	34	34
80-84	6	29.2	835	9	9	18	34	80	85	85
85+	7	16.1	76	5	5	17	24	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	7.2	28	1	2	6	10	14	16	28
B. *Operated*	14	9.4	27	2	4	8	13	17	19	20
2. MULTIPLE DX										
A. *Not Operated*	459	8.7	30	2	3	7	12	16	18	29
B. *Operated*	82	16.2	240	3	4	12	21	32	41	89
1. SINGLE DX	121	7.4	28	1	2	6	10	14	17	28
2. MULTIPLE DX	541	9.8	69	2	3	8	12	18	23	35
A. NOT OPERATED	566	8.4	30	2	3	7	11	15	18	29
B. OPERATED	96	15.2	214	2	4	11	19	28	35	88
TOTAL 65-69 YRS	265	9.5	73	2	2	8	12	16	22	35
70-74	157	9.2	35	2	4	8	12	16	18	34
75-79	118	8.9	48	1	2	7	11	18	24	33
80-84	71	10.9	126	2	3	8	13	20	29	74
85+	51	8.3	34	2	3	7	11	16	21	27
GRAND TOTAL	**662**	**9.4**	**62**	**2**	**3**	**8**	**12**	**17**	**22**	**34**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	91	7.5	15	2	3	7	9	12	16	21
70-74	84	8.5	24	2	3	8	11	15	19	22
75-79	57	9.4	33	2	3	8	12	19	22	24
80-84	40	8.3	25	1	2	8	12	14	15	24
85+	18	8.1	19	2	3	7	11	14	17	18
B. *Operated*										
65-69 YRS	24	6.8	21	1	1	7	11	12	14	14
70-74	23	7.3	40	1	1	5	9	17	20	25
75-79	6	9.8	51	3	3	8	12	22	23	23
80-84	4	8.3	8	5	5	8	10	11	11	11
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	295	9.0	26	3	4	8	11	17	19	25
70-74	300	10.1	40	3	4	9	13	18	23	29
75-79	235	10.5	40	3	4	9	14	19	23	30
80-84	172	10.6	42	3	4	9	14	19	23	35
85+	107	11.1	80	3	4	8	14	20	26	55
B. *Operated*										
65-69 YRS	71	16.1	93	3	5	13	22	29	31	49
70-74	45	17.1	176	5	6	13	19	37	45	65
75-79	46	13.6	75	3	5	12	19	26	30	39
80-84	21	16.8	160	2	4	12	26	35	45	47
85+	17	13.5	43	2	3	15	19	21	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	8.3	23	2	3	8	10	15	18	23
B. *Operated*	58	7.3	30	1	1	7	11	14	18	25
2. MULTIPLE DX										
A. *Not Operated*	1109	10.1	41	3	4	8	13	18	22	31
B. *Operated*	200	15.6	110	3	5	13	20	29	35	49
1. SINGLE DX	348	8.2	24	2	2	7	11	15	18	23
2. MULTIPLE DX	1309	10.9	55	3	4	9	14	20	26	37
A. NOT OPERATED	1399	9.7	38	3	4	8	12	17	21	29
B. OPERATED	258	13.7	104	1	3	11	18	27	32	47
TOTAL 65-69 YRS	481	9.6	41	2	4	8	12	18	22	31
70-74	452	10.3	55	2	4	9	13	19	25	40
75-79	344	10.8	45	3	4	9	14	21	24	32
80-84	237	10.7	53	3	4	9	13	19	25	38
85+	143	11.0	69	3	4	9	14	20	24	47
GRAND TOTAL	**1657**	**10.3**	**50**	**2**	**4**	**9**	**13**	**19**	**24**	**35**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	576	7.3	26	1	2	6	10	14	18	23
70-74	426	7.3	26	1	2	6	10	14	17	23
75-79	301	7.7	30	1	2	6	10	15	17	28
80-84	202	7.9	33	1	2	6	11	16	19	28
85+	119	7.7	28	1	2	7	11	15	18	23
B. *Operated*										
65-69 YRS	668	9.8	53	1	2	9	14	19	24	33
70-74	380	10.5	61	1	2	9	14	20	26	37
75-79	258	12.2	97	2	2	11	16	23	30	48
80-84	82	15.0	131	1	2	13	22	27	35	59
85+	30	15.9	171	2	3	12	22	39	45	46
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1793	8.6	36	2	3	7	11	16	20	30
70-74	1594	9.1	40	2	3	8	12	17	21	34
75-79	1374	9.6	45	2	3	8	12	18	22	32
80-84	951	10.3	66	2	3	8	13	20	24	42
85+	716	9.7	47	2	3	8	13	18	22	37
B. *Operated*										
65-69 YRS	1201	13.2	95	2	3	11	17	25	32	47
70-74	956	14.3	129	2	3	11	19	30	37	56
75-79	627	17.3	190	2	4	14	22	35	46	73
80-84	251	18.1	184	3	4	15	23	35	46	75
85+	109	18.5	142	5	7	16	26	33	36	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1624	7.5	28	1	2	6	10	14	18	25
B. *Operated*	1418	10.8	72	1	2	9	15	22	27	42
2. MULTIPLE DX										
A. *Not Operated*	6428	9.3	45	2	3	8	12	18	21	34
B. *Operated*	3144	14.9	136	2	3	12	19	30	37	61
1. SINGLE DX	3042	9.0	51	1	2	8	12	18	22	34
2. MULTIPLE DX	9572	11.2	82	2	3	9	14	22	28	46
A. NOT OPERATED	8052	9.0	42	2	3	8	12	17	21	32
B. OPERATED	4562	13.7	120	2	3	11	18	27	35	56
TOTAL 65-69 YRS	4238	9.9	59	2	2	8	13	19	24	37
70-74	3356	10.5	72	2	3	8	13	20	27	42
75-79	2560	11.5	96	2	3	9	15	22	29	53
80-84	1486	11.6	96	2	3	9	15	22	29	52
85+	974	10.7	69	2	3	9	14	21	28	44
GRAND TOTAL	**12614**	**10.7**	**75**	**2**	**3**	**9**	**14**	**21**	**27**	**44**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	124	5.2	11	1	1	5	7	9	11	17
70-74	95	5.4	16	<1	1	4	6	11	12	23
75-79	73	6.2	18	1	2	5	9	12	15	18
80-84	45	6.7	23	1	2	5	8	13	16	26
85+	40	6.5	13	1	2	6	8	11	14	16
B. *Operated*										
65-69 YRS	685	3.4	9	<1	1	3	4	6	8	17
70-74	349	3.7	13	<1	1	3	4	8	11	18
75-79	196	3.7	9	<1	1	3	5	7	11	16
80-84	77	4.1	15	<1	1	3	5	9	14	19
85+	29	5.1	14	<1	<1	4	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	370	7.1	22	2	2	6	9	14	17	24
70-74	367	7.7	29	2	2	6	10	15	18	28
75-79	348	8.6	44	2	3	7	11	15	19	37
80-84	202	8.3	41	2	3	7	10	15	21	28
85+	189	9.1	72	2	3	7	12	17	21	38
B. *Operated*										
65-69 YRS	612	5.7	42	1	2	4	7	11	16	33
70-74	435	6.5	48	1	2	4	8	14	18	42
75-79	280	8.0	80	2	2	5	10	19	24	47
80-84	124	8.9	126	1	2	5	11	21	29	92
85+	63	11.1	116	1	2	9	15	21	26	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	377	5.8	15	1	2	5	8	11	13	18
B. *Operated*	1336	3.6	10	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*	1476	8.0	38	2	3	7	10	15	19	29
B. *Operated*	1514	6.9	62	1	2	4	8	14	21	44
1. SINGLE DX	1713	4.1	12	<1	1	3	5	8	11	17
2. MULTIPLE DX	2990	7.4	51	1	2	6	9	15	20	35
A. NOT OPERATED	1853	7.6	34	2	2	6	10	14	18	26
B. OPERATED	2850	5.3	41	1	1	3	6	11	16	31
TOTAL 65-69 YRS	1791	5.1	25	1	1	4	6	10	14	22
70-74	1246	6.0	33	1	1	4	8	12	16	29
75-79	897	7.2	49	1	2	5	9	15	19	34
80-84	448	7.6	61	1	2	5	9	15	21	43
85+	321	8.8	71	2	2	7	11	16	21	44
GRAND TOTAL	**4703**	**6.2**	**39**	**1**	**2**	**4**	**8**	**13**	**17**	**29**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74	9	2.0	5	<1	<1	1	2	6	8	8
75-79	5	1.0		<1	<1	<1	1	1	1	1
80-84										
85+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
65-69 YRS	836	4.2	10	1	2	4	5	6	8	11
70-74	529	4.2	9	1	2	4	5	7	8	12
75-79	307	4.3	7	1	2	4	6	8	9	14
80-84	145	4.3	7	1	1	4	5	7	9	12
85+	49	4.2	10	1	1	3	5	7	13	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	3.0	17	<1	<1	1	3	8	10	23
70-74	27	3.7	17	<1	<1	1	5	10	13	17
75-79	16	3.9	16	<1	1	2	5	10	13	15
80-84	19	6.2	24	<1	1	4	9	15	16	16
85+	9	6.7	32	1	1	5	8	16	19	19
B. *Operated*										
65-69 YRS	2323	5.1	12	2	2	4	6	8	11	18
70-74	1452	5.5	20	2	2	5	6	9	12	21
75-79	769	6.1	24	2	2	5	7	10	13	30
80-84	328	6.4	28	2	2	5	8	11	15	30
85+	113	6.8	56	1	2	5	8	12	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.2	7	<1	<1	1	2	7	9	9
B. *Operated*	1866	4.2	9	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	111	4.2	20	<1	<1	3	5	11	15	21
B. *Operated*	4985	5.5	19	2	2	5	6	9	12	22
1. SINGLE DX	1883	4.2	9	1	2	4	5	7	8	13
2. MULTIPLE DX	5096	5.5	19	2	2	5	6	9	12	22
A. NOT OPERATED	128	3.9	19	<1	<1	2	5	10	14	20
B. OPERATED	6851	5.1	16	2	2	4	6	8	11	20
TOTAL 65-69 YRS	3201	4.8	12	2	2	4	6	8	10	17
70-74	2017	5.1	18	2	2	4	6	9	11	17
75-79	1097	5.5	20	2	2	5	7	10	12	25
80-84	492	5.8	23	1	2	5	7	10	14	29
85+	172	6.1	43	1	2	4	7	12	17	33
GRAND TOTAL	**6979**	**5.1**	**16**	**2**	**2**	**4**	**6**	**9**	**11**	**20**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	4.2	9	2	2	3	6	9	9	9
70-74	3	4.7	14	2	2	3	7	9	9	9
75-79	2	6.5	5	5	5	6	8	8	8	8
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	250	2.7	3	<1	<1	2	3	5	6	11
70-74	167	3.3	8	<1	<1	2	4	7	9	15
75-79	77	3.2	9	<1	<1	2	4	7	10	17
80-84	33	2.9	3	1	1	2	4	6	7	7
85+	26	3.6	13	<1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	29	4.5	15	1	1	4	5	10	13	17
70-74	16	6.6	21	<1	1	6	8	14	16	17
75-79	12	8.8	187	1	1	4	7	27	47	50
80-84	5	11.0	57	2	2	10	16	22	22	22
85+	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
65-69 YRS	219	4.6	14	1	2	3	6	9	12	19
70-74	153	5.1	23	1	2	4	6	11	15	27
75-79	88	5.4	32	<1	1	3	8	11	14	34
80-84	40	7.9	46	1	1	6	12	18	21	27
85+	16	5.4	21	1	1	4	7	12	16	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	4.1	8	1	2	3	5	9	9	9
B. *Operated*	553	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	65	6.2	52	1	1	4	7	14	17	46
B. *Operated*	516	5.2	23	1	2	4	6	11	15	27
1. SINGLE DX	567	3.0	6	<1	1	2	4	6	8	13
2. MULTIPLE DX	581	5.3	26	1	1	4	7	11	15	27
A. NOT OPERATED	79	5.9	45	1	1	4	7	13	17	42
B. OPERATED	1069	4.0	15	<1	1	3	5	8	11	19
TOTAL 65-69 YRS	503	3.6	9	<1	1	3	4	7	9	16
70-74	339	4.3	16	<1	1	3	5	9	12	21
75-79	179	4.7	33	<1	1	3	6	10	12	36
80-84	81	5.8	34	1	1	3	7	16	19	26
85+	46	4.2	16	<1	1	3	6	9	14	18
GRAND TOTAL	**1148**	**4.2**	**17**	**<1**	**1**	**3**	**5**	**8**	**12**	**20**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	31	10.5	51	2	2	10	14	19	27	31
70-74	26	15.3	181	2	4	10	22	40	46	47
75-79	24	17.3	256	3	6	11	19	44	52	64
80-84	20	15.0	256	1	3	9	18	38	56	64
85+	10	12.6	85	3	3	11	15	27	32	32
B. *Operated*										
65-69 YRS	93	14.9	174	2	3	11	21	37	47	82
70-74	89	15.9	210	2	3	11	22	41	51	99+
75-79	51	16.0	202	2	3	12	21	32	45	79
80-84	34	13.0	71	2	4	11	20	22	26	37
85+	28	17.1	261	2	3	12	25	31	49	78
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	152	17.6	204	3	4	13	23	41	45	71
70-74	148	16.5	187	3	4	12	21	37	48	58
75-79	92	19.4	256	4	5	15	21	41	52	83
80-84	73	18.0	186	5	6	13	23	38	48	64
85+	83	15.5	128	3	5	13	21	33	44	83
B. *Operated*										
65-69 YRS	389	24.2	340	3	5	20	34	56	68	99+
70-74	306	23.2	316	4	6	19	32	50	69	99+
75-79	210	25.8	351	5	6	20	38	57	71	99+
80-84	162	24.1	322	4	7	20	33	54	68	98
85+	112	23.2	314	3	4	19	32	49	58	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	14.1	166	2	3	10	16	32	46	64
B. *Operated*	295	15.4	185	2	3	12	21	34	47	90
2. MULTIPLE DX										
A. *Not Operated*	548	17.3	194	3	4	14	22	40	47	71
B. *Operated*	1179	24.1	330	4	6	19	34	53	68	99+
1. SINGLE DX	406	15.0	180	2	3	11	20	33	47	78
2. MULTIPLE DX	1727	22.0	297	4	5	17	30	48	61	99+
A. NOT OPERATED	659	16.8	191	3	4	13	21	39	46	68
B. OPERATED	1474	22.4	313	3	5	18	31	50	65	99+
TOTAL 65-69 YRS	665	20.8	290	3	4	15	29	47	60	99+
70-74	569	20.0	271	3	5	15	28	45	55	97
75-79	377	22.4	315	4	5	17	30	47	64	96
80-84	289	20.6	269	3	5	16	27	45	57	88
85+	233	19.3	244	3	4	15	25	42	52	98
GRAND TOTAL	**2133**	**20.6**	**282**	**3**	**5**	**16**	**29**	**46**	**59**	**99+**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	233	6.7	22	1	2	5	9	14	16	22
70-74	260	8.4	54	1	2	7	11	16	19	27
75-79	262	8.6	42	2	2	7	12	17	21	36
80-84	230	9.0	39	1	2	8	12	17	22	30
85+	210	9.1	34	2	3	8	13	17	19	26
B. *Operated*										
65-69 YRS	390	10.1	74	2	2	7	14	21	27	44
70-74	288	11.2	85	2	2	10	15	22	29	43
75-79	237	12.6	80	2	3	12	17	24	29	42
80-84	131	15.5	108	2	3	14	20	28	33	52
85+	101	16.4	90	3	4	17	21	26	30	54
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1500	10.0	68	2	3	8	13	19	24	38
70-74	2054	10.5	58	2	3	9	13	20	25	37
75-79	2451	11.2	79	3	4	9	14	21	26	45
80-84	2221	11.4	66	3	4	10	15	21	26	41
85+	2353	12.1	101	3	4	10	15	23	30	63
B. *Operated*										
65-69 YRS	962	16.3	198	2	3	13	21	33	47	79
70-74	917	17.1	192	3	5	14	21	32	44	88
75-79	855	19.1	171	4	6	17	24	34	42	71
80-84	610	19.9	195	4	6	17	24	37	49	74
85+	477	20.3	188	5	7	18	24	37	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1195	8.4	39	2	2	7	11	16	19	28
B. *Operated*	1147	12.1	87	2	3	10	16	24	29	44
2. MULTIPLE DX										
A. *Not Operated*	10579	11.1	76	3	3	9	14	21	26	46
B. *Operated*	3821	18.2	191	3	5	15	23	34	45	78
1. SINGLE DX	2342	10.2	66	2	2	8	14	20	25	41
2. MULTIPLE DX	14400	13.0	116	3	4	10	17	25	32	62
A. NOT OPERATED	11774	10.9	73	2	3	9	14	20	26	44
B. OPERATED	4968	16.8	174	3	4	14	22	32	42	74
TOTAL 65-69 YRS	3085	11.7	116	2	3	9	15	23	31	59
70-74	3519	12.1	104	2	3	10	15	23	30	60
75-79	3805	12.9	109	3	4	10	17	25	32	56
80-84	3192	13.0	103	3	4	11	17	24	30	58
85+	3141	13.3	119	3	4	10	17	25	34	66
GRAND TOTAL	**16742**	**12.6**	**110**	**2**	**3**	**10**	**16**	**24**	**31**	**60**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	7.2	73	2	2	3	8	22	24	24
70-74	1	10.0		10	10	10	10	10	10	10
75-79										
80-84										
85+	2	9.5	41	5	5	9	14	14	14	14
B. *Operated*										
65-69 YRS	62	4.8	14	<1	1	4	6	11	12	17
70-74	41	5.4	18	1	1	4	7	12	15	16
75-79	20	6.3	41	1	2	3	8	17	21	24
80-84	10	9.1	65	<1	1	7	12	22	26	26
85+	4	5.0	11	<1	<1	5	7	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	22	16.3	320	3	3	10	23	38	66	67
70-74	27	12.4	198	3	4	6	14	42	46	47
75-79	16	16.0	261	1	2	13	16	37	59	67
80-84	16	10.8	54	3	4	9	13	15	29	35
85+	12	14.3	144	2	2	13	25	51	91	99+
B. *Operated*										
65-69 YRS	156	7.7	79	2	2	6	9	15	18	47
70-74	109	11.3	141	2	2	7	15	23	31	68
75-79	73	12.6	203	2	2	8	16	28	35	73
80-84	22	13.4	158	3	4	9	24	54	99+	99+
85+	10	15.7	245	2	3	10	25	73	98	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	8.0	52	2	2	5	11	20	24	24
B. *Operated*	137	5.5	23	<1	1	4	7	12	16	24
2. MULTIPLE DX										
A. *Not Operated*	93	13.9	202	2	3	9	16	35	47	86
B. *Operated*	370	10.3	134	2	2	7	12	22	34	82
1. SINGLE DX	146	5.6	25	<1	1	4	7	12	16	24
2. MULTIPLE DX	463	11.0	150	2	2	7	13	25	39	83
A. NOT OPERATED	102	13.4	191	2	3	9	16	31	46	83
B. OPERATED	507	9.0	109	1	2	6	11	19	28	72
TOTAL 65-69 YRS	246	7.7	91	1	2	5	9	15	23	65
70-74	178	10.1	126	2	2	6	12	21	31	62
75-79	109	12.0	188	2	2	8	16	24	35	71
80-84	48	11.6	103	2	3	9	15	31	49	99+
85+	28	13.1	157	2	2	10	21	47	99+	99+
GRAND TOTAL	**609**	**9.7**	**125**	**2**	**2**	**6**	**11**	**21**	**31**	**72**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	32	7.1	18	2	2	7	9	14	15	16
70-74	28	9.1	40	3	3	7	12	19	21	29
75-79	10	4.4	5	1	1	4	5	8	8	8
80-84	9	6.8	64	1	1	5	7	20	27	27
85+	10	6.6	15	1	2	5	10	11	12	12
B. *Operated*										
65-69 YRS	13	6.3	27	1	2	4	12	14	16	16
70-74	12	5.3	15	1	1	4	9	11	11	11
75-79	11	13.5	107	2	3	10	22	30	33	33
80-84	2	16.5	13	14	14	16	19	19	19	19
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	125	8.3	27	2	3	7	12	16	18	23
70-74	134	8.8	33	3	3	7	11	15	19	30
75-79	103	9.4	50	2	3	8	11	17	19	45
80-84	73	9.8	50	2	3	7	13	19	25	36
85+	38	9.9	51	2	3	9	12	21	24	33
B. *Operated*										
65-69 YRS	48	11.3	51	2	3	9	15	22	26	30
70-74	38	13.3	58	5	5	11	17	24	28	37
75-79	24	13.2	173	2	2	8	19	31	44	51
80-84	7	18.0	299	2	2	12	25	47	52	52
85+	4	27.0	494	8	8	20	41	59	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	7.3	29	1	3	6	9	14	18	28
B. *Operated*	38	8.6	59	1	2	6	12	18	26	33
2. MULTIPLE DX										
A. *Not Operated*	473	9.1	39	2	3	8	12	17	21	31
B. *Operated*	121	13.2	107	2	3	10	17	25	30	54
1. SINGLE DX	127	7.7	38	1	2	6	10	15	19	30
2. MULTIPLE DX	594	9.9	56	2	3	8	13	18	24	40
A. NOT OPERATED	562	8.8	38	2	3	7	11	16	20	29
B. OPERATED	159	12.1	99	2	2	10	16	24	29	52
TOTAL 65-69 YRS	218	8.7	33	2	2	8	12	16	20	27
70-74	212	9.5	41	3	3	8	12	18	23	30
75-79	148	10.0	75	2	3	8	12	19	25	47
80-84	91	10.3	72	2	3	7	14	21	27	47
85+	52	10.6	94	2	3	9	12	22	24	58
GRAND TOTAL	**721**	**9.5**	**53**	**2**	**3**	**8**	**12**	**18**	**24**	**38**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	228	5.5	25	1	1	4	7	11	14	27
70-74	180	5.6	23	1	1	4	7	11	15	26
75-79	151	6.3	27	<1	1	5	9	13	18	25
80-84	98	6.8	26	1	1	5	9	14	17	24
85+	60	7.7	44	2	2	6	9	15	24	36
B. *Operated*										
65-69 YRS	678	3.5	12	1	1	2	4	7	11	18
70-74	411	4.2	24	1	1	3	4	8	13	27
75-79	240	4.0	21	1	1	3	4	9	12	24
80-84	80	5.0	37	1	1	3	5	11	15	36
85+	33	5.1	37	1	1	3	5	11	20	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	926	7.0	30	2	2	5	9	14	17	27
70-74	852	7.6	32	2	2	6	10	15	19	26
75-79	774	7.8	31	2	3	7	10	14	19	29
80-84	538	8.9	70	2	2	7	11	16	23	46
85+	413	9.6	81	2	2	7	12	19	25	59
B. *Operated*										
65-69 YRS	804	8.1	85	1	2	5	11	19	25	43
70-74	630	8.4	91	1	2	5	11	18	25	47
75-79	401	10.6	118	2	2	7	14	24	30	56
80-84	196	11.9	150	2	2	8	15	25	42	59
85+	93	11.2	92	3	3	9	14	22	26	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	6.1	27	1	1	5	8	13	17	25
B. *Operated*	1442	3.9	19	1	1	3	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	3503	7.9	43	2	2	6	10	15	20	35
B. *Operated*	2124	9.2	101	1	2	6	12	20	28	50
1. SINGLE DX	2159	4.6	23	1	1	3	5	10	14	24
2. MULTIPLE DX	5627	8.4	66	2	2	6	11	17	23	42
A. NOT OPERATED	4220	7.6	41	2	2	6	10	15	19	34
B. OPERATED	3566	7.0	75	1	2	4	9	16	23	43
TOTAL 65-69 YRS	2636	6.3	45	1	2	4	8	14	19	34
70-74	2073	7.0	50	1	2	5	9	15	19	34
75-79	1566	7.8	56	1	2	6	10	16	22	37
80-84	912	9.0	83	2	2	7	11	18	24	48
85+	599	9.4	78	2	2	7	12	19	25	59
GRAND TOTAL	**7786**	**7.4**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	11.0		11	11	11	11	11	11	11
70-74	3	5.7	10	2	2	7	8	8	8	8
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
65-69 YRS										
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	28	8.2	39	2	3	6	11	15	25	27
70-74	33	7.8	43	2	2	6	11	12	24	32
75-79	22	8.1	44	2	2	7	9	15	25	31
80-84	7	8.4	10	4	4	9	11	13	13	13
85+	6	7.0	20	3	3	6	9	14	14	14
B. *Operated*										
65-69 YRS	6	11.2	37	2	2	11	16	19	19	19
70-74	5	10.2	130	2	2	8	14	30	30	30
75-79	2	13.0	128	5	5	13	21	21	21	21
80-84	1	6.0		6	6	6	6	6	6	6
85+	2	14.5	1	14	14	14	15	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.0	12	2	2	7	10	11	11	11
B. *Operated*	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	96	8.0	37	2	2	7	10	13	24	32
B. *Operated*	16	11.2	60	2	2	10	15	21	27	30
1. SINGLE DX	9	5.3	14	2	2	4	8	11	11	11
2. MULTIPLE DX	112	8.5	41	2	2	7	11	15	25	31
A. NOT OPERATED	102	7.9	36	2	2	7	10	13	23	31
B. OPERATED	19	9.7	62	2	2	8	15	20	26	30
TOTAL 65-69 YRS	35	8.8	38	2	3	7	12	16	23	27
70-74	42	7.8	49	2	2	7	10	12	28	32
75-79	25	8.4	46	2	2	7	9	21	24	31
80-84	9	7.4	12	2	3	8	10	12	13	13
85+	10	8.3	25	2	2	9	14	15	15	15
GRAND TOTAL	**121**	**8.2**	**40**	**2**	**2**	**7**	**11**	**14**	**23**	**31**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.7	10	1	1	2	2	8	9	9
70-74										
75-79	1	10.0		10	10	10	10	10	10	10
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	4	10.0	39	5	5	8	14	19	19	19
70-74	3	3.0	1	2	2	3	4	4	4	4
75-79	1	69.0		69	69	69	69	69	69	69
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	10	7.7	58	1	1	5	12	20	22	22
70-74	8	6.4	23	1	1	5	9	13	15	15
75-79	11	5.5	29	<1	<1	1	11	12	14	14
80-84	6	7.0	20	2	2	6	8	14	15	15
85+	2	14.5	1	14	14	14	15	15	15	15
B. *Operated*										
65-69 YRS	5	18.0	301	4	4	14	23	48	48	48
70-74	8	22.1	223	7	7	20	34	43	45	45
75-79	5	14.6	147	1	1	11	20	34	34	34
80-84	5	18.6	147	3	3	20	29	32	32	32
85+	3	7.0	39	2	2	5	12	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.2	19	1	1	2	9	11	11	11
B. *Operated*	8	14.8	509	2	2	6	14	54	69	69
2. MULTIPLE DX										
A. *Not Operated*	37	7.0	34	1	1	6	11	15	18	22
B. *Operated*	26	17.5	183	2	3	14	28	38	46	48
1. SINGLE DX	17	9.2	262	1	1	4	9	17	51	69
2. MULTIPLE DX	63	11.3	120	1	1	9	15	29	35	48
A. NOT OPERATED	46	6.5	32	1	1	5	10	15	16	22
B. OPERATED	34	16.8	248	2	3	11	26	39	47	69
TOTAL 65-69 YRS	25	8.9	106	1	1	6	12	19	28	48
70-74	19	12.5	169	1	2	8	15	35	42	45
75-79	18	11.8	272	<1	1	10	11	29	55	69
80-84	12	12.2	96	2	3	9	17	29	32	32
85+	6	8.5	43	1	1	9	14	15	15	15
GRAND TOTAL	**80**	**10.9**	**148**	**1**	**1**	**8**	**14**	**27**	**36**	**63**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1	3.0		3	3	3	3	3	3	3
70-74	2	4.0	8	2	2	4	6	6	6	6
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	135	2.5	2	1	1	2	3	4	5	8
70-74	108	2.7	2	1	2	2	3	4	6	9
75-79	84	2.6	1	1	2	2	3	4	4	8
80-84	43	2.9	3	1	2	3	3	4	5	11
85+	28	2.6	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	2.0	1	1	1	2	3	3	3	3
70-74	4	11.8	107	2	2	9	19	26	26	26
75-79	6	3.8	9	1	1	3	7	8	8	8
80-84	5	7.0	35	<1	<1	6	11	16	16	16
85+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
65-69 YRS	158	2.8	4	2	2	2	3	4	6	13
70-74	143	3.2	27	1	2	2	3	4	6	19
75-79	124	2.8	2	1	2	2	3	4	6	9
80-84	77	3.1	12	2	2	2	3	5	6	25
85+	37	3.5	10	2	2	2	4	6	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.0	5	1	1	2	4	6	6	6
B. *Operated*	398	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	21	5.6	38	<1	1	3	7	14	20	26
B. *Operated*	539	3.0	11	2	2	2	3	4	6	16
1. SINGLE DX	402	2.6	2	1	2	2	3	4	5	9
2. MULTIPLE DX	560	3.1	12	1	2	2	3	5	7	18
A. NOT OPERATED	25	5.2	33	<1	1	3	7	12	18	26
B. OPERATED	937	2.8	7	1	2	2	3	4	5	11
TOTAL 65-69 YRS	298	2.7	3	1	2	2	3	4	5	10
70-74	257	3.1	18	1	2	2	3	4	6	16
75-79	214	2.7	2	1	2	2	3	4	5	9
80-84	125	3.2	10	1	2	2	3	5	6	21
85+	68	3.0	6	1	2	2	3	5	6	17
GRAND TOTAL	**962**	**2.9**	**8**	**1**	**2**	**2**	**3**	**4**	**6**	**13**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	15	5.6	9	2	3	4	8	11	11	11
70-74	4	3.8	2	2	2	4	5	5	5	5
75-79										
80-84	3	8.7	26	3	3	10	12	13	13	13
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	40	6.5	33	1	2	4	9	15	17	26
70-74	14	5.2	29	<1	1	3	6	15	18	19
75-79	8	8.5	59	2	2	7	13	20	23	23
80-84	2	10.0	2	9	9	10	11	11	11	11
85+	3	6.3	10	4	4	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	8.0	42	2	2	6	10	17	20	35
70-74	76	7.8	46	1	2	6	10	14	16	44
75-79	55	9.0	70	2	3	7	11	16	27	42
80-84	31	10.5	132	2	2	6	11	24	41	52
85+	30	8.5	23	1	3	8	11	15	18	20
B. *Operated*										
65-69 YRS	114	12.8	191	2	2	10	16	29	36	78
70-74	97	12.9	126	2	2	11	17	28	33	83
75-79	45	12.8	118	1	2	10	19	26	36	46
80-84	16	11.9	104	2	2	9	16	32	34	35
85+	15	14.8	217	2	2	8	22	40	47	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	5.6	11	2	3	4	8	11	12	13
B. *Operated*	67	6.6	33	1	2	4	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	261	8.5	57	2	2	6	10	15	21	42
B. *Operated*	287	12.9	152	2	2	10	17	29	36	68
1. SINGLE DX	90	6.3	27	1	2	4	9	14	17	25
2. MULTIPLE DX	548	10.8	112	2	2	8	14	23	32	53
A. NOT OPERATED	284	8.3	54	2	2	6	10	15	21	42
B. OPERATED	354	11.7	136	2	2	9	16	26	35	64
TOTAL 65-69 YRS	238	9.9	117	2	2	7	12	20	30	55
70-74	191	10.1	93	2	2	7	14	20	30	61
75-79	108	10.5	91	2	2	8	14	23	29	44
80-84	52	10.8	110	2	2	8	12	23	35	52
85+	49	10.2	88	2	3	8	11	21	30	50
GRAND TOTAL	**638**	**10.2**	**102**	**2**	**2**	**7**	**13**	**21**	**30**	**52**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84	1	4.0		4	4	4	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	1	5.0		5	5	5	5	5	5	5
70-74										
75-79										
80-84	2	9.0	98	2	2	9	16	16	16	16
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	3	7.7	54	2	2	5	13	16	16	16
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	4	6.8	40	2	2	4	10	16	16	16
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	4	6.0	47	1	1	3	10	16	16	16
TOTAL 65-69 YRS	2	3.0	8	1	1	3	5	5	5	5
70-74										
75-79										
80-84	3	7.3	57	2	2	4	13	16	16	16
85+										
GRAND TOTAL	5	5.6	36	1	1	4	8	16	16	16

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	3.3	6	<1	<1	2	5	7	9	9
70-74	8	2.5	6	1	1	2	3	7	8	8
75-79	3	1.7		1	1	2	2	2	2	2
80-84	9	5.4	15	<1	1	4	9	11	11	11
85+	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*										
65-69 YRS	37	5.8	39	<1	1	2	7	13	21	26
70-74	20	6.7	45	1	2	4	9	15	22	28
75-79	13	6.1	66	<1	1	2	6	22	24	24
80-84	7	10.0	112	2	2	4	17	27	29	29
85+	2	12.5	13	10	10	12	15	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	55	6.5	24	1	2	6	8	10	14	27
70-74	44	6.8	19	1	2	6	10	14	15	17
75-79	42	7.6	51	2	2	5	9	16	23	37
80-84	47	6.3	35	1	1	5	9	12	15	31
85+	43	7.9	55	2	2	6	10	15	23	42
B. *Operated*										
65-69 YRS	84	11.2	78	1	2	10	15	22	27	45
70-74	65	11.4	87	2	3	8	15	24	31	45
75-79	62	14.6	208	2	2	12	17	30	39	87
80-84	45	15.0	216	2	2	12	21	31	32	86
85+	20	14.0	148	2	3	10	18	28	40	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.6	9	<1	1	3	5	9	10	11
B. *Operated*	79	6.6	51	<1	1	3	10	19	23	29
2. MULTIPLE DX										
A. *Not Operated*	231	7.0	36	1	2	6	9	13	17	32
B. *Operated*	276	12.8	137	2	2	9	17	27	32	52
1. SINGLE DX	113	5.7	40	<1	1	3	8	13	21	28
2. MULTIPLE DX	507	10.2	99	1	2	7	13	23	29	46
A. NOT OPERATED	265	6.6	33	1	2	5	9	12	16	31
B. OPERATED	355	11.4	125	1	2	8	15	24	31	51
TOTAL 65-69 YRS	187	8.3	57	1	2	7	12	19	24	33
70-74	137	8.7	61	1	2	7	11	17	26	38
75-79	120	10.9	146	2	2	7	15	24	33	59
80-84	108	10.1	129	1	1	6	12	24	31	57
85+	68	9.7	86	2	2	7	11	21	27	50
GRAND TOTAL	**620**	**9.4**	**91**	**1**	**2**	**7**	**12**	**21**	**28**	**44**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	2	3.0		3	3	3	3	3	3	3
70-74	2	6.0	18	3	3	6	9	9	9	9
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
B. *Operated*										
65-69 YRS	7	5.3	17	2	2	4	6	12	14	14
70-74	3	7.3	57	2	2	4	13	16	16	16
75-79	1	22.0		22	22	22	22	22	22	22
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	4.5	9	3	3	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	2	6.0	8	4	4	6	8	8	8	8
B. *Operated*	13	7.3	38	2	2	5	9	17	21	22
1. SINGLE DX	4	4.5	9	3	3	3	6	9	9	9
2. MULTIPLE DX	15	7.1	34	2	2	5	8	16	20	22
A. NOT OPERATED	2	6.0	8	4	4	6	8	8	8	8
B. OPERATED	17	6.6	32	2	2	4	8	16	20	22
TOTAL 65-69 YRS	9	4.8	13	2	2	3	5	11	14	14
70-74	6	7.0	27	2	2	6	9	15	16	16
75-79	2	13.0	162	4	4	13	22	22	22	22
80-84	1	6.0		6	6	6	6	6	6	6
85+	1	8.0		8	8	8	8	8	8	8
GRAND TOTAL	**19**	**6.6**	**29**	**2**	**2**	**4**	**8**	**15**	**19**	**22**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	2.0	1	<1	<1	2	3	3	3	3
70-74	17	4.5	28	1	1	2	5	10	17	21
75-79	9	4.1	8	2	2	3	5	9	10	10
80-84	4	4.3	3	2	2	4	5	6	6	6
85+	3	4.7	5	2	2	6	6	6	6	6
B. *Operated*										
65-69 YRS	28	4.4	8	1	2	4	6	9	10	11
70-74	21	5.1	29	1	1	3	6	12	18	23
75-79	17	6.2	22	<1	1	5	7	13	17	19
80-84	6	10.8	127	2	2	8	10	31	33	33
85+	5	12.2	112	<1	<1	10	21	26	26	26
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	40	5.7	11	1	2	5	8	10	15	99+
70-74	49	7.2	45	2	2	5	9	14	17	42
75-79	32	9.7	93	2	2	6	10	19	36	45
80-84	18	7.1	15	2	3	7	9	12	14	16
85+	17	7.9	22	2	3	6	11	15	16	16
B. *Operated*										
65-69 YRS	135	8.3	68	<1	<1	6	11	17	26	43
70-74	106	9.0	45	2	2	7	13	18	22	31
75-79	69	9.8	67	2	2	8	12	21	28	39
80-84	23	9.1	55	1	2	8	12	18	25	33
85+	22	7.9	45	1	2	6	10	17	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	4.2	16	1	1	3	5	10	10	21
B. *Operated*	77	6.0	35	1	1	5	7	11	20	31
2. MULTIPLE DX										
A. *Not Operated*	156	7.4	41	2	2	6	9	14	17	45
B. *Operated*	355	8.8	58	1	2	7	12	18	25	35
1. SINGLE DX	113	5.4	29	1	1	4	7	10	18	29
2. MULTIPLE DX	511	8.4	53	1	2	6	11	17	22	41
A. NOT OPERATED	192	6.8	38	1	2	5	9	13	17	44
B. OPERATED	432	8.3	55	1	2	6	11	18	24	35
TOTAL 65-69 YRS	206	7.2	50	<1	1	5	9	16	20	45
70-74	193	7.7	44	1	2	6	10	16	21	32
75-79	127	8.9	65	2	2	6	11	19	26	41
80-84	51	8.2	45	2	2	7	10	16	21	33
85+	47	8.1	41	1	2	6	10	16	21	28
GRAND TOTAL	**624**	**7.9**	**50**	**1**	**2**	**6**	**10**	**16**	**21**	**38**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	10	4.3	8	1	1	4	5	8	10	10
70-74	4	4.8	6	3	3	4	6	8	8	8
75-79	2	4.0	2	3	3	4	5	5	5	5
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	3.0	8	1	1	3	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	10	<1	<1	1	5	8	8	8
70-74										
75-79										
80-84										
85+	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
65-69 YRS	41	5.4	6	3	3	5	6	8	9	16
70-74	24	6.4	16	3	3	5	8	11	16	19
75-79	11	7.1	11	3	4	6	9	12	14	14
80-84	5	6.8	5	4	4	7	9	9	9	9
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	19	4.4	6	1	1	5	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*	6	3.3	8	<1	<1	3	5	8	8	8
B. *Operated*	81	6.0	10	3	3	5	7	10	12	18
1. SINGLE DX	19	4.4	6	1	1	5	5	8	9	10
2. MULTIPLE DX	87	5.8	10	2	3	5	7	10	11	18
A. NOT OPERATED	6	3.3	8	<1	<1	3	5	8	8	8
B. OPERATED	100	5.7	9	2	3	5	7	9	11	17
TOTAL 65-69 YRS	56	5.0	7	1	2	5	6	8	10	16
70-74	28	6.1	15	3	3	5	8	10	15	19
75-79	13	6.6	11	3	3	5	8	12	14	14
80-84	6	7.0	4	4	4	7	9	9	9	9
85+	3	3.7	5	1	1	5	5	5	5	5
GRAND TOTAL	**106**	**5.6**	**10**	**1**	**3**	**5**	**7**	**9**	**11**	**17**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	19	7.7	23	2	3	7	9	15	18	19
70-74	15	4.8	13	1	1	4	8	10	11	12
75-79	9	5.7	5	3	3	5	7	9	10	10
80-84	6	6.8	15	3	3	5	10	13	13	13
85+	12	5.7	11	1	1	5	8	10	11	11
B. *Operated*										
65-69 YRS	102	6.8	37	1	1	4	10	16	20	24
70-74	59	9.2	172	2	2	5	10	18	35	81
75-79	30	9.1	192	1	1	4	9	20	45	65
80-84	13	9.2	124	1	2	4	10	24	39	42
85+	7	16.6	110	4	5	14	22	33	36	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	110	8.2	36	2	3	6	11	16	21	31
70-74	106	8.4	35	2	2	7	12	15	21	27
75-79	91	10.0	29	3	3	9	14	17	21	70
80-84	60	8.7	37	2	3	7	12	19	22	92
85+	45	11.4	66	2	3	10	16	22	25	42
B. *Operated*										
65-69 YRS	168	10.9	120	1	2	8	14	25	33	96
70-74	129	12.7	95	2	3	10	18	26	34	42
75-79	63	12.9	138	1	2	8	18	32	35	48
80-84	33	14.3	224	2	2	8	20	32	36	74
85+	6	13.2	79	2	3	11	18	27	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	6.2	15	1	1	6	8	11	14	19
B. *Operated*	211	8.3	106	1	1	5	10	18	23	53
2. MULTIPLE DX										
A. *Not Operated*	412	9.0	38	2	3	8	12	18	22	31
B. *Operated*	399	12.1	122	2	2	9	16	28	34	65
1. SINGLE DX	272	7.8	86	1	1	5	10	17	21	46
2. MULTIPLE DX	811	10.5	82	2	2	8	14	22	30	50
A. NOT OPERATED	473	8.7	36	2	3	7	12	17	21	30
B. OPERATED	610	10.8	120	1	2	8	15	25	33	60
TOTAL 65-69 YRS	399	8.9	74	1	2	6	12	19	25	53
70-74	309	10.1	90	1	2	7	14	21	26	44
75-79	193	10.6	91	1	2	8	14	22	31	58
80-84	112	10.3	105	2	2	7	13	22	31	84
85+	70	11.1	68	1	3	9	16	22	27	41
GRAND TOTAL	**1083**	**9.9**	**84**	**1**	**2**	**7**	**13**	**21**	**29**	**49**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	287	4.7	15	1	1	4	6	9	12	20
70-74	267	5.1	13	1	2	4	6	9	13	18
75-79	179	4.7	14	1	1	4	6	9	13	17
80-84	105	5.5	34	1	1	4	6	9	14	39
85+	100	4.7	12	1	1	4	6	10	13	16
B. *Operated*										
65-69 YRS	19	7.0	14	2	3	7	8	12	15	17
70-74	12	6.6	7	2	4	6	8	11	12	12
75-79	4	9.8	33	5	5	8	13	18	18	18
80-84	1	7.0		7	7	7	7	7	7	7
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1458	7.5	43	2	2	6	9	15	19	36
70-74	1381	7.9	54	2	2	6	10	15	20	43
75-79	1181	8.2	51	2	2	6	10	15	21	39
80-84	826	8.5	61	2	3	6	10	17	23	43
85+	587	8.7	59	2	3	7	10	16	23	58
B. *Operated*										
65-69 YRS	157	14.2	134	3	4	11	18	27	39	58
70-74	140	14.7	151	3	4	11	18	29	38	78
75-79	108	15.6	246	3	4	11	18	34	47	82
80-84	49	16.1	199	4	5	11	19	44	58	99+
85+	43	20.4	410	3	4	14	27	62	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	938	4.9	16	1	1	4	6	9	13	19
B. *Operated*	36	7.2	13	2	4	7	9	12	16	18
2. MULTIPLE DX										
A. *Not Operated*	5433	8.0	52	2	2	6	10	15	21	41
B. *Operated*	497	15.4	194	3	4	11	19	32	46	78
1. SINGLE DX	974	5.0	16	1	1	4	6	9	13	19
2. MULTIPLE DX	5930	8.6	68	2	2	6	10	17	23	48
A. NOT OPERATED	6371	7.6	48	2	2	6	9	15	20	39
B. OPERATED	533	14.8	186	3	4	11	18	30	45	78
TOTAL 65-69 YRS	1921	7.6	50	1	2	6	9	16	21	39
70-74	1800	8.0	60	2	2	6	10	16	20	44
75-79	1472	8.3	66	2	2	6	10	16	22	47
80-84	981	8.6	69	2	2	6	10	18	24	49
85+	730	8.8	83	2	2	6	11	17	25	70
GRAND TOTAL	**6904**	**8.1**	**62**	**2**	**2**	**6**	**10**	**16**	**22**	**45**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	110	5.2	11	2	2	4	7	9	10	21
70-74	100	6.2	11	2	2	6	9	11	13	15
75-79	94	6.3	20	2	2	5	8	11	14	25
80-84	69	5.9	25	2	2	5	7	9	14	33
85+	65	6.9	29	1	1	6	9	15	18	27
B. *Operated*										
65-69 YRS	15	14.7	106	2	5	11	19	25	39	44
70-74	18	9.7	22	3	3	10	14	16	18	19
75-79	14	13.6	99	1	2	14	16	25	36	39
80-84	5	10.0	22	4	4	10	14	15	15	15
85+	4	8.0	41	2	2	6	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	728	7.3	36	2	3	6	9	14	17	32
70-74	746	7.4	29	2	3	6	9	14	17	27
75-79	688	8.3	51	2	3	7	10	15	20	37
80-84	497	9.1	66	2	3	7	10	17	23	40
85+	501	8.3	53	2	3	6	10	16	20	31
B. *Operated*										
65-69 YRS	139	15.1	113	3	4	12	19	29	37	50
70-74	146	16.4	144	4	5	14	20	35	41	75
75-79	96	15.7	140	5	6	12	19	30	40	59
80-84	69	21.1	180	5	7	19	31	45	48	99+
85+	35	17.3	284	5	6	12	25	36	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	6.0	18	2	2	5	8	11	14	23
B. *Operated*	56	11.9	67	2	3	11	15	20	24	44
2. MULTIPLE DX										
A. *Not Operated*	3160	8.0	45	2	3	6	10	15	19	34
B. *Operated*	485	16.6	152	4	5	13	22	35	43	89
1. SINGLE DX	494	6.7	27	2	2	5	8	13	16	28
2. MULTIPLE DX	3645	9.1	68	2	3	7	11	18	24	46
A. NOT OPERATED	3598	7.7	42	2	3	6	9	15	18	32
B. OPERATED	541	16.1	145	4	5	13	20	34	41	75
TOTAL 65-69 YRS	992	8.3	54	2	3	6	10	16	22	41
70-74	1010	8.6	54	2	3	7	11	16	21	41
75-79	892	9.0	64	2	3	7	11	17	23	48
80-84	640	10.0	89	2	3	7	11	21	30	51
85+	505	8.7	68	2	2	6	11	17	21	42
GRAND TOTAL	**4139**	**8.8**	**64**	**2**	**3**	**7**	**11**	**17**	**23**	**44**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	4.4	16	<1	1	3	5	9	13	20
70-74	72	4.4	28	1	1	3	5	8	13	34
75-79	32	4.6	7	2	2	3	6	9	10	12
80-84	31	4.1	7	<1	<1	4	5	8	10	11
85+	22	6.7	31	1	2	5	14	16	17	17
B. *Operated*										
65-69 YRS	19	7.0	49	1	2	4	9	14	23	31
70-74	10	6.8	19	2	2	6	9	13	16	16
75-79	12	4.1	17	<1	<1	3	4	12	14	14
80-84	2	6.0	18	3	3	6	9	9	9	9
85+	2	8.0	18	5	5	8	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	484	5.7	23	1	2	5	7	11	14	23
70-74	402	5.8	19	2	2	5	7	10	13	23
75-79	276	6.0	26	2	2	5	7	11	14	28
80-84	216	6.4	36	2	2	5	7	12	17	26
85+	119	6.3	37	1	2	5	8	13	16	41
B. *Operated*										
65-69 YRS	85	10.0	67	2	3	8	12	19	26	47
70-74	67	10.6	36	4	5	9	13	18	23	33
75-79	42	10.9	120	1	2	7	16	24	33	51
80-84	25	12.7	51	3	5	11	15	24	29	31
85+	16	10.0	36	2	3	10	11	14	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	4.6	19	<1	1	3	6	9	14	17
B. *Operated*	45	6.2	31	<1	2	4	9	13	15	31
2. MULTIPLE DX										
A. *Not Operated*	1497	6.0	25	2	2	5	7	11	14	25
B. *Operated*	235	10.6	63	2	3	9	13	19	26	45
1. SINGLE DX	294	4.8	21	<1	1	3	6	10	14	21
2. MULTIPLE DX	1732	6.6	33	2	2	5	8	13	17	31
A. NOT OPERATED	1746	5.8	25	1	2	4	7	11	14	23
B. OPERATED	280	9.9	61	2	2	8	13	19	25	41
TOTAL 65-69 YRS	680	6.1	30	1	2	5	8	12	15	29
70-74	551	6.3	25	1	2	5	8	12	15	28
75-79	362	6.4	37	2	2	4	8	12	16	39
80-84	274	6.7	38	2	2	5	8	13	18	30
85+	159	6.8	37	1	2	5	9	14	16	39
GRAND TOTAL	**2026**	**6.3**	**32**	**1**	**2**	**5**	**8**	**12**	**16**	**30**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	229	3.8	6	<1	1	3	5	7	8	11
70-74	212	3.5	6	1	1	3	4	6	8	12
75-79	157	3.5	4	1	1	3	4	6	7	12
80-84	124	3.5	10	1	1	3	5	6	8	16
85+	118	3.1	4	<1	1	3	4	6	7	9
B. *Operated*										
65-69 YRS	146	5.2	11	1	1	5	6	9	11	16
70-74	79	5.1	11	1	2	4	7	9	11	16
75-79	72	5.2	13	1	1	5	7	10	11	21
80-84	40	4.8	11	1	1	4	7	10	12	14
85+	30	4.5	18	1	1	3	6	10	15	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	517	4.9	18	1	1	4	6	10	13	21
70-74	546	5.0	17	1	2	4	6	9	13	26
75-79	448	5.0	18	1	1	4	6	10	14	23
80-84	350	6.0	64	1	2	4	7	11	16	30
85+	333	5.5	25	1	1	4	7	11	14	23
B. *Operated*										
65-69 YRS	271	7.2	35	2	2	6	9	14	19	29
70-74	234	7.6	31	2	3	6	9	14	18	32
75-79	181	7.3	49	2	2	6	9	13	17	34
80-84	142	8.1	57	1	2	6	10	16	21	41
85+	114	8.9	91	2	2	6	10	18	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	3.5	6	1	1	3	5	6	8	12
B. *Operated*	367	5.1	12	1	1	4	7	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	2194	5.2	26	1	1	4	6	10	13	23
B. *Operated*	942	7.7	47	2	2	6	9	14	19	35
1. SINGLE DX	1207	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	3136	5.9	34	1	2	4	7	12	15	28
A. NOT OPERATED	3034	4.7	21	1	1	4	6	9	12	22
B. OPERATED	1309	6.9	38	1	2	5	8	13	17	31
TOTAL 65-69 YRS	1163	5.2	20	1	1	4	7	10	13	22
70-74	1071	5.3	19	1	2	4	7	10	13	23
75-79	858	5.2	23	1	1	4	6	10	13	23
80-84	656	5.9	51	1	1	4	7	12	16	33
85+	595	5.6	36	1	1	4	7	12	16	29
GRAND TOTAL	**4343**	**5.4**	**27**	**1**	**1**	**4**	**7**	**10**	**14**	**25**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	44	3.0	4	<1	<1	2	4	6	7	8
70-74	19	2.4	2	<1	<1	2	4	4	5	5
75-79	18	4.2	7	<1	<1	4	6	8	9	10
80-84	16	2.8	6	<1	1	2	4	5	9	10
85+	9	5.1	42	<1	<1	1	8	16	20	20
B. *Operated*										
65-69 YRS	98	3.5	10	<1	1	2	4	8	11	17
70-74	88	3.1	4	<1	1	2	4	6	8	11
75-79	43	3.7	10	<1	1	3	5	7	10	17
80-84	10	5.0	22	2	2	3	4	13	16	16
85+	6	3.7	4	2	2	3	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	236	6.4	32	1	2	5	8	13	16	32
70-74	223	7.9	76	1	2	6	10	15	22	33
75-79	215	8.6	60	1	2	6	12	19	24	43
80-84	146	9.1	101	1	2	6	12	21	27	83
85+	135	10.1	96	1	2	8	13	20	32	51
B. *Operated*										
65-69 YRS	194	9.2	117	1	2	5	12	23	28	58
70-74	185	11.0	135	2	2	7	15	25	33	57
75-79	90	11.0	100	1	2	8	15	24	29	50
80-84	72	14.5	214	2	2	10	16	36	46	73
85+	37	15.1	151	2	3	12	20	38	43	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	3.2	8	<1	<1	2	4	7	8	15
B. *Operated*	245	3.4	8	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	955	8.2	69	1	2	6	11	17	23	41
B. *Operated*	578	11.1	137	2	2	7	15	25	33	55
1. SINGLE DX	351	3.4	8	<1	1	2	4	7	9	16
2. MULTIPLE DX	1533	9.3	97	1	2	6	12	21	28	50
A. NOT OPERATED	1061	7.7	65	1	2	5	10	16	22	40
B. OPERATED	823	8.8	111	1	2	5	11	22	29	52
TOTAL 65-69 YRS	572	6.6	60	1	1	4	8	14	20	39
70-74	515	8.0	91	1	2	5	10	18	25	50
75-79	366	8.4	66	1	2	5	11	20	24	43
80-84	244	10.1	135	1	2	6	12	24	34	80
85+	187	10.6	107	1	2	8	14	22	33	48
GRAND TOTAL	**1884**	**8.2**	**86**	**1**	**2**	**5**	**10**	**18**	**25**	**47**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	11	9.3	77	1	2	6	12	25	28	28
70-74	12	6.3	43	1	1	4	8	18	21	21
75-79	19	6.7	31	<1	1	5	8	16	20	21
80-84	11	9.4	126	<1	<1	2	10	29	35	36
85+	20	9.9	38	1	3	10	14	19	20	21
B. *Operated*										
65-69 YRS	115	16.1	154	2	4	14	21	31	40	84
70-74	102	18.1	240	4	4	13	23	39	49	83
75-79	111	16.8	169	2	4	13	24	31	37	98
80-84	75	17.4	216	3	4	14	21	36	60	93
85+	125	18.6	179	3	6	15	24	35	51	73
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	79	14.9	178	2	3	12	19	30	42	75
70-74	90	12.4	75	3	4	9	17	26	29	78
75-79	83	13.8	143	2	4	10	16	27	40	65
80-84	109	11.9	91	3	4	9	15	25	30	50
85+	149	12.7	123	3	4	10	16	23	33	81
B. *Operated*										
65-69 YRS	711	24.5	325	4	7	20	33	51	65	99+
70-74	780	24.1	309	5	8	19	31	50	66	99+
75-79	712	25.5	324	6	8	21	34	51	71	99+
80-84	580	25.2	323	6	8	20	35	55	80	99+
85+	626	21.8	249	6	7	17	27	44	62	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	8.3	55	1	1	5	12	20	23	34
B. *Operated*	528	17.4	188	3	4	14	23	35	49	88
2. MULTIPLE DX										
A. *Not Operated*	510	13.0	120	2	4	10	16	27	35	67
B. *Operated*	3409	24.2	308	5	8	19	32	51	67	99+
1. SINGLE DX	601	16.3	181	2	4	13	21	32	45	83
2. MULTIPLE DX	3919	22.8	298	4	7	18	30	48	64	99+
A. NOT OPERATED	583	12.4	114	2	3	10	16	26	32	65
B. OPERATED	3937	23.3	297	5	7	19	31	49	64	99+
TOTAL 65-69 YRS	916	22.4	303	4	5	18	30	48	60	98
70-74	984	22.2	293	4	6	18	29	48	62	99+
75-79	925	23.0	305	4	7	19	30	46	64	99
80-84	775	22.3	303	4	6	17	31	49	70	99+
85+	920	19.6	228	4	6	16	24	41	56	93
GRAND TOTAL	**4520**	**21.9**	**287**	**4**	**6**	**17**	**29**	**46**	**62**	**99+**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1027	3.8	7	1	1	3	5	7	8	13
70-74	667	3.9	8	1	1	3	5	7	9	15
75-79	484	3.9	18	1	1	3	5	8	10	18
80-84	260	4.2	15	1	1	3	5	8	10	22
85+	192	4.1	10	1	1	3	5	8	11	16
B. *Operated*										
65-69 YRS	295	3.3	6	1	2	2	4	7	9	13
70-74	90	4.4	27	2	2	2	5	10	11	32
75-79	16	3.8	6	<1	2	3	5	7	9	10
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4726	4.9	13	1	2	4	6	9	11	17
70-74	3791	5.2	17	1	2	4	6	9	12	19
75-79	2710	5.5	18	2	2	4	7	10	13	22
80-84	1619	5.5	17	1	2	4	7	10	13	21
85+	1075	5.6	19	1	2	5	7	10	14	23
B. *Operated*										
65-69 YRS	905	6.2	41	2	2	4	8	13	16	29
70-74	504	7.6	58	2	2	6	10	15	22	35
75-79	211	9.4	63	2	2	7	13	19	24	39
80-84	87	11.3	77	2	3	9	14	22	28	49
85+	48	11.5	69	3	4	10	14	20	30	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2630	3.9	10	1	1	3	5	7	9	15
B. *Operated*	407	3.6	11	1	2	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	13921	5.2	16	1	2	4	6	10	12	20
B. *Operated*	1755	7.4	53	2	2	5	10	15	20	35
1. SINGLE DX	3037	3.8	10	1	1	3	5	7	9	14
2. MULTIPLE DX	15676	5.5	21	1	2	4	7	10	13	23
A. NOT OPERATED	16551	5.0	15	1	2	4	6	9	12	20
B. OPERATED	2162	6.7	48	2	2	4	9	14	19	34
TOTAL 65-69 YRS	6953	4.8	16	1	2	4	6	9	12	20
70-74	5052	5.2	21	1	2	4	6	10	13	22
75-79	3421	5.6	22	1	2	4	7	11	14	24
80-84	1969	5.6	21	1	2	4	7	11	14	23
85+	1318	5.6	21	1	2	4	7	11	14	24
GRAND TOTAL	**18713**	**5.2**	**19**	**1**	**2**	**4**	**6**	**10**	**13**	**22**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	92	4.1	9	1	1	4	5	8	9	14
70-74	81	4.8	25	<1	1	3	6	8	14	28
75-79	74	5.2	23	<1	1	4	7	11	13	26
80-84	52	5.0	13	<1	1	4	7	9	14	16
85+	48	4.1	12	<1	<1	3	5	8	12	16
B. *Operated*										
65-69 YRS	167	4.3	21	1	1	3	6	10	11	22
70-74	125	5.4	23	1	1	4	7	11	14	25
75-79	73	4.8	21	1	1	3	5	11	16	22
80-84	43	8.0	96	1	1	5	10	16	27	52
85+	20	4.9	12	1	2	4	6	10	12	14
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	940	7.6	33	2	2	6	10	15	19	27
70-74	938	7.7	38	1	2	6	10	15	19	33
75-79	774	7.5	41	2	2	6	9	14	19	32
80-84	495	7.7	39	2	3	6	9	15	22	33
85+	368	7.0	28	2	2	6	9	14	18	27
B. *Operated*										
65-69 YRS	486	8.1	67	1	2	6	10	17	24	44
70-74	442	8.8	103	1	2	6	11	18	25	65
75-79	311	9.5	84	2	2	7	12	18	25	58
80-84	199	9.6	73	2	2	8	12	20	23	38
85+	69	12.6	171	3	4	10	15	24	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	347	4.6	17	<1	1	4	6	9	12	22
B. *Operated*	428	5.1	29	1	1	3	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	3515	7.6	36	2	2	6	10	15	19	30
B. *Operated*	1507	9.0	87	2	2	7	11	18	25	58
1. SINGLE DX	775	4.9	24	1	1	3	6	10	13	25
2. MULTIPLE DX	5022	8.0	52	2	2	6	10	16	21	38
A. NOT OPERATED	3862	7.3	35	1	2	6	9	14	19	29
B. OPERATED	1935	8.1	77	1	2	6	10	17	23	47
TOTAL 65-69 YRS	1685	7.2	42	1	2	5	9	14	19	34
70-74	1586	7.7	55	1	2	6	10	15	21	39
75-79	1232	7.7	51	1	2	6	10	15	20	39
80-84	789	8.0	50	2	2	6	10	16	22	37
85+	505	7.4	50	1	2	6	9	15	18	38
GRAND TOTAL	**5797**	**7.6**	**49**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	195	3.0	3	1	1	3	4	6	6	10
70-74	127	3.0	5	1	1	2	4	5	7	13
75-79	104	4.0	13	1	1	3	5	9	12	18
80-84	55	3.7	8	<1	1	3	5	7	11	13
85+	78	5.4	46	1	1	3	7	11	15	41
B. *Operated*										
65-69 YRS	119	6.2	18	1	2	5	8	11	16	21
70-74	104	5.5	12	1	2	5	7	10	12	16
75-79	88	6.1	35	1	1	5	8	13	14	34
80-84	48	6.9	20	2	2	6	9	13	15	21
85+	39	7.1	23	2	2	6	9	15	18	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	551	5.2	27	1	1	4	6	10	13	22
70-74	585	6.0	33	1	2	4	7	12	15	24
75-79	581	6.7	47	1	2	5	8	12	16	31
80-84	433	7.4	47	1	2	5	9	15	20	46
85+	481	8.2	60	1	2	6	10	17	23	33
B. *Operated*										
65-69 YRS	564	9.9	60	2	3	8	13	19	24	42
70-74	619	10.4	55	2	3	9	13	20	24	43
75-79	573	10.7	60	2	3	9	13	21	26	39
80-84	435	11.6	93	2	4	9	14	22	29	52
85+	348	12.7	83	2	4	10	17	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	3.6	12	1	1	3	4	6	9	16
B. *Operated*	398	6.2	21	1	2	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	2631	6.6	43	1	2	5	8	13	17	32
B. *Operated*	2539	10.9	68	2	3	9	14	21	27	46
1. SINGLE DX	957	4.7	18	1	1	4	6	9	12	20
2. MULTIPLE DX	5170	8.7	60	2	2	7	11	17	23	41
A. NOT OPERATED	3190	6.1	39	1	1	4	7	12	16	31
B. OPERATED	2937	10.2	64	2	3	8	13	20	25	42
TOTAL 65-69 YRS	1429	6.9	43	1	2	5	9	14	19	35
70-74	1435	7.6	45	1	2	6	10	15	20	31
75-79	1346	8.1	54	1	2	6	11	16	22	35
80-84	971	9.1	70	2	2	7	12	18	25	49
85+	946	9.6	72	1	2	7	13	20	25	42
GRAND TOTAL	**6127**	**8.1**	**55**	**1**	**2**	**6**	**10**	**17**	**22**	**38**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	766	4.0	12	1	1	3	5	7	9	14
70-74	620	4.2	8	1	1	3	5	8	9	15
75-79	447	4.2	10	1	1	3	5	8	10	14
80-84	317	4.8	14	1	1	4	6	9	11	21
85+	237	4.7	11	1	1	4	6	9	11	15
B. *Operated*										
65-69 YRS	90	7.0	48	1	1	5	9	16	20	38
70-74	59	6.1	18	1	2	5	9	11	16	19
75-79	51	7.2	40	1	2	6	9	15	19	31
80-84	25	6.4	16	<1	2	6	9	12	14	14
85+	12	8.9	32	1	2	8	11	16	22	23
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	2327	5.8	22	1	2	5	7	11	14	21
70-74	2437	5.8	17	1	2	5	7	11	13	23
75-79	2065	6.2	25	2	2	5	8	12	15	24
80-84	1447	6.3	22	2	2	5	8	12	15	22
85+	1253	6.7	26	2	2	5	9	12	17	26
B. *Operated*										
65-69 YRS	457	9.5	47	2	3	8	13	18	21	35
70-74	364	10.8	89	3	4	9	13	19	24	55
75-79	287	12.3	100	2	3	9	16	25	36	49
80-84	158	11.9	84	3	4	10	15	23	26	60
85+	113	12.3	82	3	4	10	15	24	31	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2387	4.3	11	1	1	3	5	8	10	15
B. *Operated*	237	6.8	35	1	2	5	9	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	9529	6.1	22	2	2	5	8	11	15	24
B. *Operated*	1379	10.9	78	2	3	9	14	20	26	48
1. SINGLE DX	2624	4.5	14	1	1	4	6	9	11	18
2. MULTIPLE DX	10908	6.7	32	2	2	5	8	13	17	28
A. NOT OPERATED	11916	5.7	20	1	2	5	7	11	14	22
B. OPERATED	1616	10.3	73	2	3	8	13	19	25	46
TOTAL 65-69 YRS	3640	5.9	26	1	2	5	7	12	15	23
70-74	3480	6.0	26	1	2	5	8	11	15	25
75-79	2850	6.5	35	1	2	5	8	12	17	31
80-84	1947	6.5	28	1	2	5	8	13	16	25
85+	1615	6.8	30	1	2	5	9	13	17	27
GRAND TOTAL	**13532**	**6.3**	**29**	**1**	**2**	**5**	**8**	**12**	**16**	**26**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	149	3.9	12	1	1	3	5	8	11	18
70-74	129	4.7	14	1	1	4	6	11	13	16
75-79	109	5.1	19	1	1	4	7	10	13	24
80-84	83	5.0	24	1	1	4	6	10	12	30
85+	87	5.3	22	<1	1	4	7	13	16	71
B. *Operated*										
65-69 YRS	53	4.0	6	1	1	3	5	8	9	10
70-74	45	7.1	96	1	1	4	7	16	25	56
75-79	36	5.8	36	<1	1	4	8	11	18	31
80-84	26	5.8	36	<1	1	2	9	15	19	23
85+	9	11.0	106	1	2	6	16	28	33	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1005	6.6	29	1	2	5	8	12	16	26
70-74	1084	7.2	47	2	2	5	9	14	19	37
75-79	1010	6.9	33	2	2	5	9	13	19	30
80-84	804	7.7	50	2	2	6	9	16	21	41
85+	717	8.0	52	2	2	6	10	16	22	34
B. *Operated*										
65-69 YRS	311	11.5	106	2	2	8	15	25	34	52
70-74	298	12.5	155	2	2	10	16	23	37	82
75-79	248	12.9	116	2	3	9	18	28	37	50
80-84	144	11.9	77	2	3	10	17	25	28	41
85+	126	15.3	173	2	3	12	19	32	43	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	4.7	17	1	1	3	6	10	13	23
B. *Operated*	169	5.9	48	1	1	4	7	11	18	35
2. MULTIPLE DX										
A. *Not Operated*	4620	7.2	41	2	2	5	9	14	19	33
B. *Operated*	1127	12.6	126	2	2	9	17	27	36	55
1. SINGLE DX	726	5.0	25	1	1	4	6	10	14	24
2. MULTIPLE DX	5747	8.3	62	2	2	6	10	17	23	42
A. NOT OPERATED	5177	7.0	39	1	2	5	9	14	18	32
B. OPERATED	1296	11.7	121	2	2	9	16	25	34	54
TOTAL 65-69 YRS	1518	7.2	48	1	2	5	9	15	20	37
70-74	1556	8.0	71	1	2	5	10	16	21	46
75-79	1403	7.8	52	2	2	6	9	17	23	39
80-84	1057	8.0	54	1	2	6	10	17	23	41
85+	939	8.8	73	2	2	6	11	19	25	43
GRAND TOTAL	**6473**	**7.9**	**59**	**1**	**2**	**6**	**10**	**16**	**22**	**41**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1218	5.1	45	1	1	3	6	10	14	34
70-74	1278	5.8	47	1	1	4	7	11	17	38
75-79	1017	5.6	32	1	2	4	7	11	15	30
80-84	723	5.8	38	1	2	4	7	12	16	35
85+	608	6.3	43	1	1	5	8	13	16	32
B. *Operated*										
65-69 YRS	271	5.1	52	<1	1	3	5	11	17	51
70-74	239	6.1	80	<1	1	3	7	13	20	48
75-79	157	7.1	80	1	1	4	8	15	22	57
80-84	95	8.2	80	1	2	5	9	21	26	45
85+	31	9.8	114	1	1	6	12	24	31	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	6156	6.9	41	1	2	5	9	13	18	33
70-74	7000	7.1	41	2	2	5	9	14	18	32
75-79	6698	7.4	41	2	2	6	9	14	19	33
80-84	5572	7.7	50	2	2	6	9	15	20	34
85+	4737	8.1	57	2	2	6	10	16	21	40
B. *Operated*										
65-69 YRS	1213	11.5	141	2	2	8	14	26	36	75
70-74	1202	12.3	159	2	2	9	15	25	39	80
75-79	1050	13.1	154	2	3	9	16	28	39	80
80-84	702	13.8	193	2	3	9	17	31	43	88
85+	513	13.9	167	2	3	10	18	29	39	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4844	5.6	42	1	1	4	7	11	15	33
B. *Operated*	793	6.3	73	1	1	3	7	14	22	48
2. MULTIPLE DX										
A. *Not Operated*	30163	7.4	45	2	2	6	9	14	19	34
B. *Operated*	4680	12.7	160	2	3	9	16	27	39	82
1. SINGLE DX	5637	5.7	46	1	1	4	7	12	16	35
2. MULTIPLE DX	34843	8.1	64	2	2	6	10	16	22	43
A. NOT OPERATED	35007	7.1	45	1	2	5	9	14	19	34
B. OPERATED	5473	11.7	152	2	2	8	15	26	37	79
TOTAL 65-69 YRS	8858	7.3	59	1	2	5	9	14	20	40
70-74	9719	7.5	61	1	2	5	9	15	20	44
75-79	8922	7.8	58	2	2	6	10	16	21	40
80-84	7092	8.1	68	2	2	6	10	16	22	44
85+	5889	8.4	68	2	2	6	10	17	23	44
GRAND TOTAL	**40480**	**7.8**	**62**	**1**	**2**	**6**	**9**	**15**	**21**	**42**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	4.0	10	1	1	3	7	9	9	9
70-74	3	10.3	162	2	2	4	20	25	25	25
75-79	7	3.3	8	<1	<1	3	5	8	8	8
80-84	3	3.3	4	1	1	4	5	5	5	5
85+	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
65-69 YRS	2	8.0	18	5	5	8	11	11	11	11
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	27	7.6	49	1	2	6	10	15	27	29
70-74	20	9.4	52	<1	1	7	13	19	24	28
75-79	37	12.0	84	1	2	9	18	22	31	39
80-84	33	12.7	118	1	2	11	20	26	36	42
85+	33	13.4	191	2	4	7	18	33	45	61
B. *Operated*										
65-69 YRS	29	27.2	608	2	3	20	48	67	85	99+
70-74	19	22.8	434	4	9	16	29	71	98	99+
75-79	10	24.0	309	3	5	24	31	52	56	56
80-84	10	32.7	330	8	9	36	52	76	98	99+
85+	6	18.3	67	10	10	17	24	30	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	5.1	33	<1	1	3	6	11	19	25
B. *Operated*	3	7.7	9	5	5	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	150	11.3	107	1	2	8	16	25	31	46
B. *Operated*	74	25.7	438	3	4	21	41	60	92	99+
1. SINGLE DX	23	5.4	30	<1	1	4	7	12	18	25
2. MULTIPLE DX	224	16.1	260	2	2	10	22	41	56	99+
A. NOT OPERATED	170	10.6	102	1	2	7	15	25	29	45
B. OPERATED	77	25.0	433	3	4	20	40	59	90	99+
TOTAL 65-69 YRS	64	16.1	395	1	2	8	22	53	66	98
70-74	43	15.3	263	1	2	12	21	32	61	99+
75-79	54	13.1	147	1	2	8	20	29	38	56
80-84	46	16.4	231	1	2	14	25	41	53	99+
85+	40	14.2	169	2	4	10	20	31	42	61
GRAND TOTAL	**247**	**15.1**	**248**	**1**	**2**	**10**	**21**	**39**	**53**	**99+**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	10.0	144	1	1	7	13	31	35	35
70-74	10	9.8	95	1	2	6	9	27	33	33
75-79	7	7.9	11	2	3	8	10	12	12	12
80-84	5	12.2	281	2	2	6	16	42	42	42
85+	2	13.0	162	4	4	13	22	22	22	22
B. *Operated*										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84										
85+	1	21.0		21	21	21	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	50	11.7	103	2	2	8	15	28	32	42
70-74	57	11.6	142	1	3	8	16	25	40	98
75-79	44	10.0	82	2	3	7	12	24	32	35
80-84	34	14.8	202	1	2	10	22	36	62	99+
85+	31	12.5	67	2	3	11	19	23	26	33
B. *Operated*										
65-69 YRS	23	26.5	523	7	7	20	30	63	85	97
70-74	26	22.0	612	2	3	11	25	73	81	91
75-79	19	20.7	219	4	6	16	28	42	56	62
80-84	15	24.0	389	3	4	17	38	48	65	71
85+	13	20.2	193	2	4	20	34	39	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	10.0	105	1	2	7	11	26	35	42
B. *Operated*	3	12.0	91	2	2	13	19	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	216	11.9	119	2	2	8	17	26	35	81
B. *Operated*	96	22.9	411	3	4	17	30	48	75	94
1. SINGLE DX	34	10.2	101	1	2	7	12	23	35	42
2. MULTIPLE DX	312	15.3	234	2	3	11	21	33	43	93
A. NOT OPERATED	247	11.7	118	2	2	8	17	26	35	72
B. OPERATED	99	22.5	403	3	4	17	29	48	74	94
TOTAL 65-69 YRS	81	15.8	264	2	3	11	22	32	39	91
70-74	94	14.2	284	1	3	9	18	33	65	96
75-79	70	12.7	134	2	3	9	17	30	34	59
80-84	54	17.1	269	2	2	12	24	42	65	99
85+	47	14.8	111	2	3	13	22	32	36	40
GRAND TOTAL	**346**	**14.8**	**223**	**2**	**3**	**10**	**21**	**33**	**42**	**91**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	3.8	8	1	1	2	6	8	9	9
70-74	4	4.0	12	<1	<1	3	6	9	9	9
75-79	10	3.0	6	1	1	2	4	7	9	9
80-84	7	2.9	17	<1	<1	1	3	10	12	12
85+	5	3.6	3	1	1	4	5	5	5	5
B. *Operated*										
65-69 YRS	43	3.8	10	1	1	3	5	7	9	19
70-74	34	5.6	47	1	1	3	7	15	26	28
75-79	21	4.8	23	1	1	3	5	13	16	20
80-84	19	7.2	57	<1	1	4	11	17	24	29
85+	9	7.4	57	1	1	3	14	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	82	5.6	32	1	1	4	7	11	18	79
70-74	103	6.1	47	1	1	4	7	12	16	43
75-79	113	7.4	62	1	2	5	8	15	26	41
80-84	97	6.7	33	1	2	5	10	14	18	29
85+	174	7.6	52	1	2	5	10	17	23	36
B. *Operated*										
65-69 YRS	205	8.6	119	1	2	5	9	19	31	62
70-74	170	9.1	109	1	2	7	11	17	24	58
75-79	148	8.5	59	1	2	7	12	16	20	34
80-84	123	10.2	119	2	2	8	12	18	21	71
85+	78	9.4	54	2	2	8	12	18	21	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.4	8	<1	1	3	5	9	9	12
B. *Operated*	126	5.2	33	1	1	3	6	13	19	28
2. MULTIPLE DX										
A. *Not Operated*	569	6.8	47	1	2	5	9	14	21	38
B. *Operated*	724	9.1	97	1	2	6	11	18	24	60
1. SINGLE DX	161	4.8	28	1	1	3	5	12	19	28
2. MULTIPLE DX	1293	8.1	76	1	2	6	10	16	22	48
A. NOT OPERATED	604	6.6	46	1	1	5	8	13	20	38
B. OPERATED	850	8.5	90	1	2	6	11	17	23	56
TOTAL 65-69 YRS	339	7.2	85	1	1	4	7	17	23	62
70-74	311	7.7	83	1	2	5	10	16	22	52
75-79	292	7.6	57	1	2	5	10	15	20	39
80-84	246	8.4	81	1	2	6	11	16	20	49
85+	266	8.0	53	1	2	6	10	18	22	37
GRAND TOTAL	**1454**	**7.7**	**72**	**1**	**2**	**5**	**10**	**16**	**22**	**44**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	239	9.0	37	2	3	8	11	15	21	32
70-74	278	10.3	68	2	3	8	13	19	22	34
75-79	276	10.5	54	3	4	9	14	19	24	36
80-84	283	11.1	62	3	4	9	15	20	24	35
85+	231	11.2	104	2	3	9	14	20	25	49
B. *Operated*										
65-69 YRS	16	14.5	153	1	1	12	20	33	41	44
70-74	13	13.0	57	2	4	15	20	22	23	23
75-79	13	21.3	107	5	9	19	28	38	38	38
80-84	4	13.0	39	4	4	15	17	18	18	18
85+	1	25.0		25	25	25	25	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1341	11.2	62	3	4	9	14	21	26	41
70-74	1673	11.7	65	3	4	10	15	21	27	45
75-79	1952	11.9	59	3	4	10	15	22	27	44
80-84	1904	12.8	89	3	4	11	16	23	30	57
85+	1951	13.0	88	3	4	11	16	24	31	51
B. *Operated*										
65-69 YRS	163	18.9	176	5	7	16	24	36	43	79
70-74	212	20.3	211	5	7	17	23	38	49	87
75-79	175	22.0	247	6	8	17	29	43	59	93
80-84	163	22.4	263	6	9	17	28	44	62	91
85+	124	22.0	227	6	9	18	28	46	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1307	10.4	65	3	3	9	13	19	23	36
B. *Operated*	47	16.1	109	1	3	16	21	32	38	44
2. MULTIPLE DX										
A. *Not Operated*	8821	12.2	74	3	4	10	15	22	28	47
B. *Operated*	837	21.1	225	6	7	17	27	41	56	99+
1. SINGLE DX	1354	10.6	67	2	3	9	14	19	24	37
2. MULTIPLE DX	9658	13.0	93	3	4	11	16	24	31	56
A. NOT OPERATED	10128	12.0	73	3	4	10	15	22	28	46
B. OPERATED	884	20.8	220	5	7	17	26	40	55	99
TOTAL 65-69 YRS	1759	11.6	76	3	4	10	15	22	28	44
70-74	2176	12.4	87	3	4	10	16	22	29	50
75-79	2416	12.5	80	3	4	11	16	23	29	52
80-84	2354	13.3	104	3	4	11	17	24	32	65
85+	2307	13.3	102	3	4	11	17	25	33	59
GRAND TOTAL	**11012**	**12.7**	**91**	**3**	**4**	**10**	**16**	**23**	**30**	**54**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	5.7	65	<1	<1	1	11	15	15	15
70-74	9	9.0	11	3	4	9	11	14	14	14
75-79	3	10.3	70	5	5	6	16	20	20	20
80-84	3	11.0	31	6	6	10	15	17	17	17
85+	4	10.5	11	6	6	11	13	13	13	13
B. *Operated*										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	3	37.0	189	25	25	34	47	52	52	52
75-79	1	26.0		26	26	26	26	26	26	26
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	12.1	259	2	2	7	11	32	40	88
70-74	33	11.6	47	2	3	12	15	19	27	33
75-79	36	15.8	239	5	6	12	18	27	76	99+
80-84	43	13.8	134	3	4	11	18	25	31	68
85+	36	17.6	234	4	4	12	21	44	52	63
B. *Operated*										
65-69 YRS	11	20.6	196	8	9	20	89	99+	99+	99+
70-74	9	25.8	363	10	12	20	63	99+	99+	99+
75-79	12	24.8	390	5	8	17	34	82	97	99+
80-84	9	39.4	987	12	12	27	53	93	99	99+
85+	5	20.8	53	15	15	21	31	93	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	9.3	24	1	2	9	13	16	18	20
B. *Operated*	5	30.4	191	15	15	26	38	52	52	52
2. MULTIPLE DX										
A. *Not Operated*	186	14.2	185	2	4	11	17	28	43	90
B. *Operated*	46	26.4	430	9	11	22	43	99+	99+	99+
1. SINGLE DX	27	13.2	119	1	3	10	15	26	37	52
2. MULTIPLE DX	232	16.6	256	3	4	12	20	41	86	99+
A. NOT OPERATED	208	13.7	170	2	4	10	16	26	40	89
B. OPERATED	51	26.8	404	9	11	24	42	99+	99+	99+
TOTAL 65-69 YRS	53	13.6	240	1	2	9	19	54	99+	99+
70-74	54	15.0	152	3	5	13	18	34	65	99+
75-79	52	17.7	270	5	6	14	20	40	88	99+
80-84	55	17.8	345	3	5	12	21	31	62	98
85+	45	17.3	198	4	4	13	23	44	54	99+
GRAND TOTAL	**259**	**16.2**	**242**	**3**	**4**	**12**	**20**	**40**	**78**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	96	4.6	7	1	1	4	6	8	10	12
70-74	74	6.3	26	1	2	5	8	13	17	26
75-79	87	5.5	17	1	2	4	7	11	12	23
80-84	82	6.9	47	1	2	5	8	14	17	42
85+	89	6.4	19	2	2	5	8	12	13	25
B. *Operated*										
65-69 YRS										
70-74	1	13.0		13	13	13	13	13	13	13
75-79										
80-84	1	7.0		7	7	7	7	7	7	7
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	914	7.8	47	2	2	6	10	15	19	38
70-74	1042	8.2	44	2	2	6	10	16	22	34
75-79	1040	8.7	41	2	3	7	11	16	21	33
80-84	1041	9.9	65	2	3	8	13	19	26	42
85+	1235	10.4	88	2	3	8	13	20	25	65
B. *Operated*										
65-69 YRS	171	16.3	163	4	5	13	21	33	42	62
70-74	174	17.4	161	4	5	15	22	34	45	62
75-79	170	19.4	248	5	5	15	24	43	59	98
80-84	111	17.9	156	4	5	15	27	36	51	99+
85+	116	19.6	198	4	6	15	25	44	53	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	428	5.9	23	1	2	5	7	11	14	24
B. *Operated*	3	9.0	12	7	7	7	12	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	5272	9.1	59	2	3	7	11	17	23	39
B. *Operated*	742	18.0	187	4	5	14	23	36	49	85
1. SINGLE DX	431	5.9	23	1	2	5	7	11	14	24
2. MULTIPLE DX	6014	10.2	84	2	3	8	13	20	27	52
A. NOT OPERATED	5700	8.9	57	2	2	7	11	17	22	38
B. OPERATED	745	18.0	187	4	5	14	23	36	49	85
TOTAL 65-69 YRS	1181	8.8	71	2	2	6	11	18	24	45
70-74	1291	9.4	69	2	2	7	11	20	26	45
75-79	1297	9.9	81	2	3	8	12	19	26	51
80-84	1235	10.4	78	2	3	8	13	21	29	60
85+	1441	10.9	100	2	3	8	13	21	27	65
GRAND TOTAL	**6445**	**9.9**	**81**	**2**	**3**	**8**	**12**	**20**	**27**	**51**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	101	9.3	60	2	3	7	13	18	21	46
70-74	171	12.2	70	3	4	10	15	21	33	40
75-79	197	13.2	77	4	5	12	17	21	27	53
80-84	186	12.8	68	3	4	12	16	22	27	43
85+	271	13.6	109	3	4	11	18	26	33	83
B. *Operated*										
65-69 YRS	5	25.0	68	14	14	26	31	35	35	35
70-74	3	16.0	7	14	14	15	18	19	19	19
75-79	4	20.3	71	12	12	20	27	28	28	28
80-84	4	15.0	5	12	12	15	16	17	17	17
85+	2	12.5	25	9	9	12	16	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	571	15.1	135	3	5	12	20	28	36	57
70-74	748	15.3	101	4	5	13	19	28	35	58
75-79	1040	15.6	118	4	5	13	19	28	36	56
80-84	1225	15.6	124	4	5	13	20	29	36	68
85+	1806	15.6	129	4	5	13	20	29	37	74
B. *Operated*										
65-69 YRS	81	28.7	329	9	11	25	37	56	68	98
70-74	131	28.3	402	6	9	25	39	56	83	99+
75-79	128	26.8	253	7	10	24	34	49	57	87
80-84	133	26.0	271	8	11	21	35	59	74	99+
85+	160	27.1	255	7	10	24	39	59	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	926	12.6	83	3	4	11	16	22	31	46
B. *Operated*	18	18.8	53	10	12	16	26	29	33	35
2. MULTIPLE DX										
A. *Not Operated*	5390	15.5	122	4	5	13	20	28	36	67
B. *Operated*	633	27.3	297	7	10	24	37	55	70	99+
1. SINGLE DX	944	12.7	83	3	4	11	16	23	31	46
2. MULTIPLE DX	6023	16.7	153	4	5	14	21	32	43	77
A. NOT OPERATED	6316	15.1	117	4	5	13	19	28	36	64
B. OPERATED	651	27.0	292	7	10	24	36	55	70	99+
TOTAL 65-69 YRS	758	15.9	169	3	4	12	20	30	43	65
70-74	1053	16.4	154	4	5	13	21	31	41	73
75-79	1369	16.3	136	4	5	13	20	30	39	66
80-84	1548	16.1	139	4	5	13	20	31	41	74
85+	2239	16.2	144	4	5	13	21	32	41	89
GRAND TOTAL	**6967**	**16.2**	**146**	**4**	**5**	**13**	**21**	**31**	**41**	**74**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	137	5.0	30	1	1	4	6	10	15	28
70-74	163	5.3	26	1	1	4	7	11	15	27
75-79	172	6.0	43	1	1	4	8	12	19	34
80-84	190	7.1	46	1	2	5	9	14	16	43
85+	182	8.0	56	1	2	6	10	16	23	44
B. *Operated*										
65-69 YRS	204	6.0	34	1	1	5	7	11	14	18
70-74	182	7.0	33	1	2	5	9	14	20	28
75-79	171	7.7	32	1	2	6	11	15	18	26
80-84	109	8.1	45	2	2	6	12	17	23	31
85+	99	9.5	88	1	2	7	12	20	27	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	494	7.7	57	1	2	6	10	15	21	40
70-74	691	8.9	62	1	2	7	11	18	25	46
75-79	789	9.8	95	2	2	7	12	21	30	51
80-84	853	10.6	102	2	2	8	14	22	29	56
85+	1024	11.0	106	2	3	8	14	24	32	60
B. *Operated*										
65-69 YRS	554	11.1	135	2	2	7	13	24	35	74
70-74	629	12.8	174	2	3	8	16	28	42	78
75-79	633	13.5	150	2	3	10	18	29	38	68
80-84	515	14.4	161	2	3	11	19	31	41	87
85+	486	16.2	215	2	3	13	22	34	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	844	6.4	42	1	1	5	8	13	17	35
B. *Operated*	765	7.4	43	1	2	6	10	15	19	29
2. MULTIPLE DX										
A. *Not Operated*	3851	9.9	90	2	2	7	13	21	28	52
B. *Operated*	2817	13.5	168	2	3	10	17	30	40	80
1. SINGLE DX	1609	6.9	43	1	1	5	9	14	18	32
2. MULTIPLE DX	6668	11.4	126	2	2	8	15	25	34	68
A. NOT OPERATED	4695	9.2	83	1	2	7	12	20	27	50
B. OPERATED	3582	12.2	147	2	3	8	16	27	37	74
TOTAL 65-69 YRS	1389	8.5	87	1	2	6	10	17	25	52
70-74	1665	9.8	104	1	2	7	12	21	29	58
75-79	1765	10.6	110	1	2	7	14	23	32	55
80-84	1667	11.2	116	2	2	8	14	24	33	68
85+	1791	12.0	137	2	3	9	15	27	34	84
GRAND TOTAL	**8277**	**10.5**	**113**	**1**	**2**	**7**	**13**	**23**	**32**	**63**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	4.0	12	1	1	3	6	10	11	15
70-74	29	4.5	37	<1	1	2	4	10	24	25
75-79	38	3.9	14	1	1	3	6	9	14	16
80-84	26	4.6	19	1	1	3	5	9	14	21
85+	34	5.2	16	1	1	4	7	10	13	19
B. *Operated*										
65-69 YRS	510	3.5	9	1	1	3	4	7	9	15
70-74	400	3.6	10	1	1	3	4	7	9	16
75-79	333	3.8	12	1	1	3	5	7	10	17
80-84	220	5.1	36	1	1	3	6	10	15	33
85+	156	4.6	14	1	1	3	6	9	13	20
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	176	5.6	31	<1	1	4	7	12	16	35
70-74	182	6.4	38	1	1	4	9	15	18	31
75-79	227	8.4	61	1	2	6	11	16	21	42
80-84	220	10.0	131	1	2	7	13	22	33	77
85+	252	9.3	115	1	1	6	11	19	29	70
B. *Operated*										
65-69 YRS	967	6.0	70	1	1	4	6	13	19	46
70-74	909	6.5	56	1	1	4	8	14	21	40
75-79	850	7.7	72	1	1	5	10	18	24	48
80-84	598	8.3	93	1	1	5	10	18	28	55
85+	525	8.8	72	1	2	6	12	19	26	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.4	19	1	1	3	6	9	13	24
B. *Operated*	1619	3.9	14	1	1	3	5	8	10	19
2. MULTIPLE DX										
A. *Not Operated*	1057	8.1	82	1	1	5	10	17	24	53
B. *Operated*	3849	7.2	72	1	1	4	9	16	23	46
1. SINGLE DX	1784	4.0	15	1	1	3	5	8	11	19
2. MULTIPLE DX	4906	7.4	74	1	1	5	9	16	23	46
A. NOT OPERATED	1222	7.6	75	1	1	5	10	16	23	49
B. OPERATED	5468	6.2	57	1	1	4	7	14	20	41
TOTAL 65-69 YRS	1691	5.2	48	1	1	3	6	11	15	33
70-74	1520	5.7	43	1	1	3	7	12	18	35
75-79	1448	6.8	58	1	1	4	9	15	21	44
80-84	1064	7.9	90	1	1	5	9	17	27	55
85+	967	8.1	75	1	1	6	10	17	24	47
GRAND TOTAL	**6690**	**6.5**	**61**	**1**	**1**	**4**	**8**	**14**	**20**	**42**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	2.3	3	<1	<1	2	3	5	5	5
70-74	9	2.7	2	1	1	3	4	5	5	5
75-79	12	3.5	5	<1	1	4	5	6	9	9
80-84	12	4.6	12	<1	1	4	7	10	11	11
85+	10	6.2	19	<1	1	5	7	13	17	17
B. *Operated*										
65-69 YRS	100	2.4	7	<1	1	2	3	4	6	16
70-74	66	3.1	4	1	1	3	4	6	8	9
75-79	48	3.0	6	1	1	2	4	6	8	14
80-84	30	3.6	10	1	1	3	5	8	12	13
85+	23	4.5	19	<1	1	3	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	69	6.4	56	<1	<1	4	8	15	23	41
70-74	65	7.0	30	<1	2	6	9	16	20	24
75-79	76	7.4	49	1	1	6	9	18	21	37
80-84	87	10.3	116	2	2	7	13	21	27	64
85+	83	11.3	136	1	2	7	13	25	37	56
B. *Operated*										
65-69 YRS	210	4.8	41	1	1	3	6	10	14	40
70-74	194	5.2	54	1	1	3	6	10	16	39
75-79	128	6.5	50	1	1	4	7	16	22	36
80-84	94	7.5	44	1	1	6	11	18	22	30
85+	65	9.9	139	1	2	5	12	24	30	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	4.0	10	<1	1	4	5	8	10	17
B. *Operated*	267	3.0	8	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	380	8.7	84	<1	1	6	11	20	25	45
B. *Operated*	691	6.1	58	1	1	3	7	14	19	38
1. SINGLE DX	316	3.2	8	1	1	2	4	6	9	15
2. MULTIPLE DX	1071	7.0	69	1	1	4	8	16	22	42
A. NOT OPERATED	429	8.1	78	<1	1	5	10	19	24	44
B. OPERATED	958	5.2	46	1	1	3	6	12	17	33
TOTAL 65-69 YRS	385	4.4	36	<1	1	2	5	9	14	36
70-74	334	5.1	40	1	1	3	6	10	16	25
75-79	264	6.0	42	1	1	4	7	14	20	36
80-84	223	7.9	71	1	1	6	11	19	23	31
85+	181	9.6	120	1	2	6	12	24	31	59
GRAND TOTAL	**1387**	**6.1**	**58**	**1**	**1**	**4**	**7**	**14**	**20**	**38**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	71	10.0	85	1	1	8	13	20	23	52
70-74	89	12.1	181	1	2	8	14	23	37	79
75-79	102	10.5	60	<1	1	9	15	23	30	99+
80-84	128	14.1	196	1	1	10	19	31	38	71
85+	168	11.7	114	1	2	9	16	26	32	54
B. *Operated*										
65-69 YRS	870	15.8	60	7	9	14	18	24	29	45
70-74	1282	17.3	82	8	9	15	20	27	34	54
75-79	1681	18.2	90	8	10	16	21	28	36	58
80-84	1881	18.9	107	9	10	17	22	28	37	73
85+	2589	19.2	110	8	10	17	22	31	40	70
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	263	15.5	188	2	3	13	20	31	48	90
70-74	355	16.0	208	2	4	12	20	37	48	99
75-79	460	16.2	205	2	4	12	21	36	47	77
80-84	708	16.3	214	2	3	12	21	35	48	86
85+	1034	15.3	182	2	3	12	20	34	52	99+
B. *Operated*										
65-69 YRS	3155	19.2	134	7	9	16	23	33	42	80
70-74	5008	20.6	152	8	10	17	25	36	47	93
75-79	7089	21.1	152	9	10	18	25	36	49	94
80-84	8406	21.5	165	9	11	18	25	38	51	99+
85+	11904	21.6	169	9	11	18	26	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	11.9	131	1	2	9	16	25	33	63
B. *Operated*	8303	18.3	97	8	10	16	21	28	36	64
2. MULTIPLE DX										
A. *Not Operated*	2820	15.8	198	2	3	12	20	35	49	99+
B. *Operated*	35562	21.1	160	9	10	18	25	37	49	98
1. SINGLE DX	8861	17.9	101	7	9	16	21	28	36	64
2. MULTIPLE DX	38382	20.7	164	8	10	18	25	37	49	99
A. NOT OPERATED	3378	15.2	189	1	3	12	20	33	47	99+
B. OPERATED	43865	20.6	149	8	10	17	24	35	47	92
TOTAL 65-69 YRS	4359	18.1	125	7	8	16	21	30	40	77
70-74	6734	19.6	145	7	9	17	23	35	45	87
75-79	9332	20.2	146	8	10	17	24	35	46	88
80-84	11123	20.7	161	8	10	18	24	36	48	95
85+	15695	20.7	163	7	10	18	25	36	50	99+
GRAND TOTAL	**47243**	**20.2**	**154**	**7**	**9**	**17**	**24**	**35**	**47**	**93**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	27	24.5	457	5	6	16	40	68	73	99+
70-74	46	16.6	352	2	2	11	21	53	63	73
75-79	44	20.0	489	1	2	12	29	50	66	98
80-84	51	23.3	438	2	3	17	35	56	68	91
85+	66	15.9	303	1	2	9	25	46	63	99+
B. *Operated*										
65-69 YRS	86	23.9	322	8	9	17	31	62	78	99+
70-74	96	20.6	197	6	9	17	25	45	56	99+
75-79	96	22.3	228	5	10	18	27	43	56	77
80-84	99	21.7	271	6	7	17	23	42	59	90
85+	148	19.6	135	5	8	17	24	34	44	59
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	113	23.1	408	3	5	17	36	66	89	99+
70-74	138	23.1	399	3	4	19	30	57	85	99+
75-79	189	24.1	483	3	5	16	38	69	91	99+
80-84	218	21.7	414	3	4	14	31	57	75	99+
85+	347	20.4	394	2	3	14	28	55	76	99+
B. *Operated*										
65-69 YRS	325	24.8	280	7	10	20	35	53	85	99+
70-74	413	25.1	290	9	10	21	32	49	76	99+
75-79	477	28.2	387	8	11	22	35	65	87	99+
80-84	490	26.6	301	8	11	22	33	56	75	99+
85+	706	25.2	298	7	9	20	33	53	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	19.4	399	2	2	12	26	55	68	99+
B. *Operated*	525	21.4	220	6	9	17	25	43	58	95
2. MULTIPLE DX										
A. *Not Operated*	1005	22.0	418	3	4	15	31	58	78	99+
B. *Operated*	2411	26.0	313	8	10	21	33	55	78	99+
1. SINGLE DX	759	20.8	276	3	5	16	25	46	61	99
2. MULTIPLE DX	3416	24.8	347	5	7	20	33	57	78	99+
A. NOT OPERATED	1239	21.5	415	2	3	15	30	57	77	99+
B. OPERATED	2936	25.2	300	7	10	20	32	53	75	99+
TOTAL 65-69 YRS	551	24.3	320	5	8	19	35	59	83	99+
70-74	693	23.5	307	5	8	19	30	51	72	99+
75-79	806	26.1	402	5	8	20	35	63	83	99+
80-84	858	24.6	339	4	7	19	32	56	74	99+
85+	1267	22.8	313	4	6	18	30	50	70	99+
GRAND TOTAL	**4175**	**24.1**	**337**	**4**	**7**	**19**	**32**	**55**	**75**	**99+**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	93	8.4	97	1	2	6	10	16	31	88
70-74	83	8.6	62	2	2	6	12	17	19	46
75-79	66	11.2	107	1	2	9	13	21	45	92
80-84	61	9.2	78	2	2	7	10	18	29	48
85+	50	8.2	30	1	2	7	11	17	20	22
B. *Operated*										
65-69 YRS	167	12.8	120	2	3	9	17	25	35	55
70-74	108	12.8	108	2	3	10	17	24	32	53
75-79	88	12.1	70	3	4	11	15	21	28	49
80-84	50	18.2	325	3	4	13	22	48	81	99+
85+	31	14.1	105	2	3	13	17	27	28	52
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	276	10.9	102	2	3	8	13	21	33	58
70-74	329	11.8	87	2	4	9	15	23	31	50
75-79	272	12.6	99	3	4	11	15	24	34	48
80-84	221	13.9	145	3	4	10	17	31	41	72
85+	278	11.8	127	2	3	9	14	23	32	78
B. *Operated*										
65-69 YRS	468	15.8	220	3	4	11	19	33	49	79
70-74	375	17.8	211	4	6	13	22	36	53	99+
75-79	282	18.2	198	3	5	15	24	36	46	99+
80-84	193	20.8	286	3	5	16	28	48	64	99+
85+	155	16.9	202	3	4	13	23	41	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	9.1	78	2	2	7	12	17	28	55
B. *Operated*	444	13.3	131	2	4	11	17	25	34	58
2. MULTIPLE DX										
A. *Not Operated*	1376	12.1	110	2	3	9	15	24	33	54
B. *Operated*	1473	17.5	222	3	5	13	22	38	53	99+
1. SINGLE DX	797	11.4	112	2	3	9	14	23	32	57
2. MULTIPLE DX	2849	14.9	176	3	4	11	18	32	44	90
A. NOT OPERATED	1729	11.5	105	2	3	9	14	23	33	55
B. OPERATED	1917	16.6	204	3	4	13	21	35	50	99
TOTAL 65-69 YRS	1004	13.3	166	2	3	9	16	28	41	71
70-74	895	14.1	150	2	4	11	17	29	42	78
75-79	708	14.6	144	3	4	12	18	29	39	88
80-84	525	16.3	221	3	4	12	21	37	50	92
85+	514	13.1	146	2	3	10	17	26	42	99+
GRAND TOTAL	**3646**	**14.2**	**164**	**2**	**4**	**11**	**17**	**30**	**42**	**82**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	122	5.0	17	1	1	4	6	9	12	20
70-74	111	5.6	15	1	2	4	7	10	12	22
75-79	107	7.4	50	2	2	6	9	13	16	45
80-84	74	6.4	54	1	2	4	8	13	19	46
85+	54	8.5	55	1	2	6	11	17	23	42
B. *Operated*										
65-69 YRS	560	7.7	38	2	3	6	9	13	17	26
70-74	404	8.1	26	2	3	7	10	14	17	29
75-79	228	8.9	27	3	4	8	11	16	20	26
80-84	130	10.4	31	3	4	9	14	19	22	24
85+	67	10.8	68	2	3	9	13	24	31	36
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	430	7.0	39	1	2	5	9	14	19	35
70-74	476	8.2	45	1	2	7	10	16	19	39
75-79	440	9.0	79	2	3	7	11	17	24	47
80-84	377	10.6	88	2	3	8	13	22	28	51
85+	369	11.0	108	2	3	8	14	22	31	99
B. *Operated*										
65-69 YRS	1330	10.2	81	3	3	8	12	19	25	52
70-74	999	11.2	83	3	4	9	13	22	28	50
75-79	724	13.7	141	3	5	10	17	28	40	95
80-84	411	14.9	152	4	5	12	18	28	43	80
85+	272	17.0	171	5	6	14	20	34	47	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	468	6.3	35	1	2	5	8	12	15	33
B. *Operated*	1389	8.4	34	2	3	7	10	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	2092	9.0	72	2	2	7	11	18	25	45
B. *Operated*	3736	12.2	112	3	4	9	15	23	33	65
1. SINGLE DX	1857	7.9	35	2	3	7	10	14	18	30
2. MULTIPLE DX	5828	11.0	100	2	3	8	14	21	29	59
A. NOT OPERATED	2560	8.5	66	2	2	6	11	17	23	44
B. OPERATED	5125	11.1	93	3	4	8	13	21	29	57
TOTAL 65-69 YRS	2442	8.8	63	2	3	7	11	16	22	44
70-74	1990	9.5	61	2	3	8	12	18	24	40
75-79	1499	11.2	105	2	3	8	14	22	31	64
80-84	992	12.0	111	2	3	9	15	23	30	73
85+	762	12.9	132	2	4	10	16	26	37	80
GRAND TOTAL	**7685**	**10.3**	**86**	**2**	**3**	**8**	**13**	**20**	**27**	**53**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	12	3.3	10	<1	<1	2	6	8	9	9
70-74	12	4.6	13	1	1	4	6	9	13	14
75-79	8	4.5	15	<1	<1	3	7	11	11	11
80-84	9	5.1	16	1	1	4	7	11	14	14
85+	17	7.9	33	2	3	7	10	16	22	24
B. *Operated*										
65-69 YRS	3	8.3	57	3	3	5	14	17	17	17
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	7.0		7	7	7	7	7	7	7
80-84	3	2.3	5	1	1	1	4	5	5	5
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	149	8.1	44	1	2	7	10	16	18	41
70-74	152	9.1	55	2	3	7	11	20	25	40
75-79	154	9.7	59	2	2	8	13	20	24	42
80-84	153	10.3	66	2	2	8	13	23	28	46
85+	180	10.9	129	2	2	8	14	22	34	98
B. *Operated*										
65-69 YRS	39	9.7	56	1	2	7	14	22	27	29
70-74	35	13.4	160	1	3	8	19	25	48	53
75-79	25	12.4	70	3	5	9	18	28	44	99+
80-84	36	18.2	192	4	5	14	23	36	51	60
85+	34	13.6	91	2	3	11	21	29	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	5.4	21	<1	1	4	7	12	14	23
B. *Operated*	9	5.1	24	1	1	5	6	13	17	17
2. MULTIPLE DX										
A. *Not Operated*	788	9.7	73	2	2	7	13	20	25	45
B. *Operated*	169	13.5	121	1	3	10	20	28	33	59
1. SINGLE DX	67	5.3	21	<1	1	4	7	12	15	23
2. MULTIPLE DX	957	10.3	84	2	2	8	14	22	28	53
A. NOT OPERATED	846	9.4	71	2	2	7	12	20	24	45
B. OPERATED	178	13.0	120	1	3	9	19	28	33	59
TOTAL 65-69 YRS	203	8.1	46	1	2	7	10	16	20	37
70-74	201	9.5	74	2	2	7	13	21	25	46
75-79	188	9.8	60	2	2	8	14	21	25	44
80-84	201	11.4	97	1	2	8	15	24	31	58
85+	231	11.1	117	2	3	8	14	23	33	96
GRAND TOTAL	**1024**	**10.0**	**81**	**1**	**2**	**7**	**13**	**22**	**28**	**53**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	8.0		8	8	8	8	8	8	8
75-79										
80-84	2	3.5	1	3	3	3	4	4	4	4
85+	3	14.3	21	9	9	17	17	17	17	17
B. *Operated*										
65-69 YRS	2	14.0	72	8	8	14	20	20	20	20
70-74	1	19.0		19	19	19	19	19	19	19
75-79	1	18.0		18	18	18	18	18	18	18
80-84										
85+	1	30.0		30	30	30	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	9	8.2	25	2	3	7	12	15	16	16
70-74	6	8.5	32	3	3	8	12	16	17	17
75-79	5	14.2	284	3	3	8	18	44	44	44
80-84	3	10.0	19	5	5	12	13	13	13	13
85+	12	13.1	127	1	2	9	23	30	34	35
B. *Operated*										
65-69 YRS	4	14.0	143	3	3	11	21	31	31	31
70-74	2	46.5	1985	15	15	78	94	99+	99+	99+
75-79	2	11.0	128	3	3	11	19	19	19	19
80-84	2	24.0	162	15	15	24	33	33	33	33
85+	6	39.7	403	11	13	39	55	64	65	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	9.7	37	3	3	8	17	17	17	17
B. *Operated*	5	19.0	61	8	8	19	22	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	35	10.9	92	2	3	8	13	25	33	44
B. *Operated*	16	28.6	507	3	5	28	50	75	92	99+
1. SINGLE DX	11	13.9	67	3	4	17	19	24	29	30
2. MULTIPLE DX	51	16.5	283	2	3	11	23	45	64	99+
A. NOT OPERATED	41	10.8	83	2	3	8	13	23	31	44
B. OPERATED	21	26.3	410	3	7	20	33	69	87	99+
TOTAL 65-69 YRS	15	10.5	58	2	3	10	13	20	28	31
70-74	10	17.1	489	3	3	12	18	87	99	99+
75-79	8	13.9	186	3	3	9	18	36	44	44
80-84	7	12.1	107	3	3	12	14	29	33	33
85+	22	21.3	310	2	3	17	30	51	59	65
GRAND TOTAL	**62**	**16.0**	**244**	**2**	**3**	**11**	**20**	**37**	**58**	**97**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	1.6	2	1	1	1	2	4	4	4
70-74	6	1.7	1	1	1	2	2	3	3	3
75-79	8	1.5	1	1	1	1	2	3	3	3
80-84	8	4.3	39	<1	<1	2	4	15	19	19
85+	10	4.6	12	1	1	4	6	9	12	12
B. *Operated*										
65-69 YRS	58	2.4	4	<1	1	1	3	6	8	9
70-74	58	2.8	11	<1	1	1	3	7	12	15
75-79	45	3.0	12	<1	1	2	3	6	13	17
80-84	21	2.5	4	<1	<1	2	4	5	6	8
85+	23	3.3	23	<1	1	2	3	6	13	24
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	4.0	18	<1	<1	2	5	8	12	20
70-74	41	6.0	27	1	1	5	10	14	20	99+
75-79	47	6.9	72	1	1	4	8	13	20	50
80-84	40	8.5	48	1	2	7	12	17	19	36
85+	32	5.5	19	1	1	5	8	12	14	19
B. *Operated*										
65-69 YRS	113	5.9	84	1	1	3	6	14	23	52
70-74	133	5.7	40	<1	1	4	7	13	19	33
75-79	114	5.0	41	1	1	3	6	11	19	36
80-84	87	8.8	146	1	1	5	11	19	29	71
85+	57	9.7	114	1	1	8	12	21	23	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.0	13	1	1	2	3	6	10	19
B. *Operated*	205	2.7	10	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	185	6.4	42	1	1	5	9	14	18	45
B. *Operated*	504	6.6	79	1	1	4	8	16	23	43
1. SINGLE DX	242	2.8	10	<1	1	2	3	6	8	17
2. MULTIPLE DX	689	6.5	69	1	1	4	8	15	20	43
A. NOT OPERATED	222	5.8	39	1	1	4	8	13	18	40
B. OPERATED	709	5.5	62	1	1	3	6	13	19	40
TOTAL 65-69 YRS	201	4.5	53	<1	1	2	5	9	15	43
70-74	238	4.9	32	<1	1	3	6	12	17	32
75-79	214	4.9	42	1	1	3	6	12	17	36
80-84	156	7.6	100	1	1	4	10	17	23	48
85+	122	7.0	70	1	1	5	9	16	22	45
GRAND TOTAL	**931**	**5.5**	**56**	**1**	**1**	**3**	**7**	**13**	**19**	**39**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	6.0	15	1	1	6	9	10	10	10
70-74	6	4.7	11	1	1	4	5	10	11	11
75-79	4	2.0	1	<1	<1	2	3	3	3	3
80-84	1	14.0		14	14	14	14	14	14	14
85+	3	8.3	6	6	6	8	10	11	11	11
B. *Operated*										
65-69 YRS	196	4.3	11	1	1	3	6	8	12	16
70-74	109	5.2	37	1	1	4	6	10	13	37
75-79	59	5.5	28	1	2	4	7	11	16	32
80-84	19	6.3	53	1	2	5	6	9	23	35
85+	9	14.6	859	1	1	3	9	61	92	92
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	14	6.9	29	<1	<1	6	12	14	16	16
70-74	12	6.1	62	<1	1	4	6	15	28	30
75-79	19	7.1	42	1	1	5	8	15	23	28
80-84	12	10.8	104	2	3	7	13	25	37	39
85+	7	7.7	34	3	3	5	11	18	19	19
B. *Operated*										
65-69 YRS	438	5.2	34	1	1	3	6	10	15	29
70-74	277	5.8	40	1	2	4	7	11	18	30
75-79	143	6.8	38	1	2	4	9	15	21	28
80-84	41	7.4	102	1	2	4	8	15	20	62
85+	23	12.4	309	2	2	5	10	36	56	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	5.5	16	<1	1	4	8	11	13	14
B. *Operated*	392	5.0	43	1	1	4	6	10	13	30
2. MULTIPLE DX										
A. *Not Operated*	64	7.6	53	1	1	5	9	16	22	38
B. *Operated*	922	5.9	47	1	2	4	7	12	18	32
1. SINGLE DX	410	5.1	41	1	1	4	6	10	13	29
2. MULTIPLE DX	986	6.0	48	1	2	4	7	12	19	32
A. NOT OPERATED	82	7.2	45	<1	1	5	9	15	19	36
B. OPERATED	1314	5.6	46	1	2	4	7	11	16	32
TOTAL 65-69 YRS	652	5.0	27	1	1	3	6	10	14	27
70-74	404	5.6	39	1	2	4	7	10	16	30
75-79	225	6.4	35	1	2	4	8	14	19	29
80-84	73	7.8	88	2	2	5	8	15	21	57
85+	42	11.8	344	2	2	6	10	28	58	92
GRAND TOTAL	**1396**	**5.7**	**46**	**1**	**2**	**4**	**7**	**11**	**16**	**32**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.8	11	1	1	4	6	9	13	14
70-74	2	6.5	1	6	6	6	7	7	7	7
75-79	11	5.3	18	1	1	5	7	11	16	16
80-84	3	2.3	2	1	1	2	3	4	4	4
85+	6	8.3	37	2	2	7	15	16	16	16
B. *Operated*										
65-69 YRS	54	7.7	62	1	2	5	11	17	22	40
70-74	37	5.4	29	1	1	3	8	15	22	99+
75-79	39	9.0	97	<1	1	5	12	25	28	44
80-84	16	10.1	88	1	2	7	18	23	27	29
85+	22	10.7	125	1	1	5	19	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	46	9.1	124	1	2	5	10	21	30	64
70-74	53	12.8	202	1	2	8	13	29	42	75
75-79	36	10.6	65	2	2	8	14	25	28	32
80-84	25	15.8	414	2	3	10	18	38	69	88
85+	34	10.5	124	2	2	7	11	24	28	57
B. *Operated*										
65-69 YRS	135	10.0	133	1	2	5	12	24	37	69
70-74	119	11.4	198	1	1	6	15	34	48	81
75-79	99	10.7	119	1	2	7	14	28	36	50
80-84	52	10.7	143	1	1	5	16	30	37	48
85+	39	16.4	264	2	3	14	21	33	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	5.4	17	1	1	5	7	13	16	16
B. *Operated*	168	8.1	75	1	1	4	11	23	28	43
2. MULTIPLE DX										
A. *Not Operated*	194	11.5	172	2	2	8	13	25	35	71
B. *Operated*	444	11.2	161	1	2	7	15	29	38	74
1. SINGLE DX	204	7.6	66	1	1	5	10	21	27	42
2. MULTIPLE DX	638	11.3	164	1	2	7	15	28	38	73
A. NOT OPERATED	230	10.5	153	1	2	7	12	23	32	66
B. OPERATED	612	10.4	139	1	1	6	14	27	35	72
TOTAL 65-69 YRS	249	9.1	110	1	2	5	11	22	29	64
70-74	211	10.7	173	1	1	7	13	26	44	85
75-79	185	10.0	99	1	1	6	13	25	31	46
80-84	95	11.7	203	1	1	6	16	29	38	76
85+	101	12.7	178	1	2	9	16	29	33	98
GRAND TOTAL	**842**	**10.4**	**143**	**1**	**2**	**6**	**14**	**26**	**35**	**71**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	22	3.9	7	<1	1	3	5	8	10	11
70-74	24	6.2	34	1	1	4	7	16	19	20
75-79	18	4.9	10	1	2	5	5	8	13	15
80-84	21	10.0	68	2	2	7	15	24	28	31
85+	12	5.3	8	2	2	5	6	10	12	12
B. *Operated*										
65-69 YRS	20	6.0	17	2	2	5	7	11	15	19
70-74	24	7.6	39	2	3	6	9	14	22	30
75-79	12	7.0	9	1	2	7	8	11	12	12
80-84	5	14.6	232	2	2	10	19	41	41	41
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	103	6.2	34	1	2	5	7	12	18	33
70-74	84	7.3	31	2	2	6	10	14	20	77
75-79	101	7.8	43	2	3	6	10	16	19	37
80-84	95	8.8	38	2	2	8	12	15	21	30
85+	93	8.9	64	1	3	7	10	17	28	42
B. *Operated*										
65-69 YRS	66	8.3	92	2	2	5	9	17	28	59
70-74	44	9.4	64	2	3	8	11	17	22	48
75-79	27	10.7	48	4	5	8	14	21	27	30
80-84	12	12.1	58	2	3	9	19	23	24	24
85+	16	16.7	223	3	4	10	21	46	49	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	6.1	31	1	1	5	7	15	18	28
B. *Operated*	61	7.5	42	2	2	6	8	13	18	40
2. MULTIPLE DX										
A. *Not Operated*	476	7.8	43	1	2	6	10	15	21	38
B. *Operated*	165	10.1	91	2	3	7	12	20	28	50
1. SINGLE DX	158	6.7	36	1	2	5	8	14	18	31
2. MULTIPLE DX	641	8.4	56	2	2	6	10	17	22	43
A. NOT OPERATED	573	7.5	41	1	2	5	10	15	20	35
B. OPERATED	226	9.4	79	2	3	7	11	19	27	48
TOTAL 65-69 YRS	211	6.6	49	1	2	5	7	13	18	36
70-74	176	7.7	41	2	2	6	10	15	20	44
75-79	158	7.9	40	2	3	6	10	15	20	30
80-84	133	9.5	52	2	2	8	12	19	25	33
85+	121	9.6	87	2	3	7	11	20	31	48
GRAND TOTAL	**799**	**8.0**	**53**	**2**	**2**	**6**	**10**	**16**	**22**	**41**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	219	7.3	21	2	3	6	10	13	15	24
70-74	132	7.1	22	2	3	6	9	13	17	24
75-79	89	7.0	25	2	3	6	8	13	15	29
80-84	56	9.4	112	2	2	7	11	15	22	61
85+	52	7.7	34	2	2	5	10	14	21	29
B. *Operated*										
65-69 YRS	14	11.2	36	2	3	10	17	18	22	23
70-74	2	7.5	41	3	3	7	12	12	12	12
75-79	3	8.0	13	4	4	9	10	11	11	11
80-84	1	2.0		2	2	2	2	2	2	2
85+	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	835	8.1	27	2	3	7	10	14	17	27
70-74	763	8.3	31	2	3	7	10	14	18	30
75-79	648	8.4	27	2	3	7	10	15	18	28
80-84	477	9.6	49	3	3	8	13	18	23	33
85+	443	9.9	53	2	3	8	13	19	23	36
B. *Operated*										
65-69 YRS	75	13.2	60	4	5	11	17	24	29	38
70-74	49	14.3	93	4	5	12	16	26	38	49
75-79	42	19.2	129	7	8	16	25	32	38	64
80-84	35	16.2	100	5	7	14	18	31	41	49
85+	29	16.2	108	3	5	14	21	28	39	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	7.4	32	2	3	6	10	13	16	29
B. *Operated*	21	11.0	60	2	3	10	15	20	28	34
2. MULTIPLE DX										
A. *Not Operated*	3166	8.7	35	2	3	7	11	16	19	30
B. *Operated*	230	15.4	95	4	6	13	19	28	35	49
1. SINGLE DX	569	7.6	34	2	3	6	10	14	17	29
2. MULTIPLE DX	3396	9.1	42	2	3	8	11	17	21	34
A. NOT OPERATED	3714	8.5	35	2	3	7	11	15	19	30
B. OPERATED	251	15.0	93	4	5	13	19	27	34	49
TOTAL 65-69 YRS	1143	8.3	30	2	3	7	10	15	18	29
70-74	946	8.5	35	2	3	7	11	15	19	33
75-79	782	8.8	39	2	3	7	11	16	21	32
80-84	569	10.0	61	2	3	8	13	18	23	38
85+	525	10.1	58	2	3	8	13	19	24	37
GRAND TOTAL	**3965**	**8.9**	**41**	**2**	**3**	**7**	**11**	**16**	**20**	**33**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	123	6.6	19	2	2	6	9	13	16	20
70-74	84	6.1	12	2	2	5	8	11	12	16
75-79	61	5.6	11	1	2	5	7	10	12	15
80-84	47	7.6	18	2	3	7	10	15	16	17
85+	34	6.4	19	1	2	5	9	12	16	17
B. *Operated*										
65-69 YRS	10	10.8	56	2	3	10	13	22	28	28
70-74	5	5.8	5	3	3	6	8	8	8	8
75-79	4	17.8	173	3	3	16	26	35	35	35
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	690	7.4	28	2	2	6	9	14	17	27
70-74	537	7.1	26	1	2	6	9	13	17	25
75-79	472	8.3	39	2	3	7	11	16	21	30
80-84	367	8.3	39	2	2	7	11	15	20	29
85+	380	8.5	34	2	3	7	11	16	21	29
B. *Operated*										
65-69 YRS	54	12.9	69	2	3	11	18	25	31	33
70-74	39	13.5	91	5	6	10	16	25	29	56
75-79	36	18.0	188	2	3	14	23	39	44	64
80-84	25	16.4	115	3	4	14	19	34	39	41
85+	17	16.2	90	4	5	16	22	30	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	6.4	16	2	2	6	8	12	15	17
B. *Operated*	19	10.9	75	2	3	8	15	24	32	35
2. MULTIPLE DX										
A. *Not Operated*	2446	7.8	32	2	2	6	10	15	19	28
B. *Operated*	171	14.9	110	3	4	12	20	29	37	54
1. SINGLE DX	368	6.7	20	2	2	6	9	12	15	19
2. MULTIPLE DX	2617	8.3	40	2	2	7	11	16	21	32
A. NOT OPERATED	2795	7.7	30	2	2	6	10	14	18	28
B. OPERATED	190	14.5	107	3	4	12	19	28	35	52
TOTAL 65-69 YRS	877	7.7	31	2	2	6	10	14	19	30
70-74	665	7.4	30	2	2	6	9	14	17	26
75-79	573	8.7	53	2	2	7	11	17	23	37
80-84	439	8.7	44	2	2	7	12	16	21	35
85+	431	8.7	37	2	3	7	11	17	21	31
GRAND TOTAL	**2985**	**8.1**	**38**	**2**	**2**	**7**	**10**	**15**	**20**	**31**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	38	4.5	10	1	2	4	6	10	11	13
70-74	38	5.9	18	1	2	5	8	11	15	19
75-79	26	4.7	13	1	1	4	6	10	13	14
80-84	24	5.6	27	<1	<1	4	8	12	18	21
85+	26	5.2	11	1	2	4	8	9	13	13
B. *Operated*										
65-69 YRS	175	5.2	12	2	2	4	6	9	12	16
70-74	118	6.0	17	2	2	5	7	11	14	24
75-79	43	6.5	13	1	3	5	9	11	14	16
80-84	14	9.0	61	<1	2	7	16	21	26	27
85+	6	6.8	25	4	4	5	6	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	211	5.9	21	<1	1	5	8	12	15	22
70-74	218	6.2	27	<1	1	5	8	14	17	24
75-79	235	6.9	30	1	2	5	9	15	17	24
80-84	221	8.4	33	2	2	7	11	15	18	28
85+	276	8.5	50	1	2	7	11	16	23	36
B. *Operated*										
65-69 YRS	301	6.8	24	2	3	5	8	13	16	27
70-74	191	8.5	78	2	3	6	10	17	25	55
75-79	98	9.5	69	2	4	7	10	22	28	43
80-84	38	11.0	104	3	3	8	13	21	29	57
85+	21	11.6	110	2	3	8	14	22	35	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	5.2	15	1	1	4	7	10	13	19
B. *Operated*	356	5.8	16	2	2	5	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	1161	7.3	34	1	2	6	10	15	18	28
B. *Operated*	649	8.1	56	2	3	6	9	16	22	41
1. SINGLE DX	508	5.6	16	1	2	4	7	11	14	21
2. MULTIPLE DX	1810	7.6	42	1	2	6	10	15	19	31
A. NOT OPERATED	1313	7.0	33	1	2	5	9	14	18	27
B. OPERATED	1005	7.3	43	2	3	5	8	14	19	35
TOTAL 65-69 YRS	725	6.0	20	1	2	5	7	11	15	25
70-74	565	6.9	43	1	2	5	8	14	18	31
75-79	402	7.4	38	1	2	6	9	15	20	31
80-84	297	8.6	44	1	2	7	11	16	20	30
85+	329	8.4	52	1	2	6	11	16	22	38
GRAND TOTAL	**2318**	**7.1**	**37**	**1**	**2**	**5**	**9**	**14**	**18**	**29**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	48	2.7	6	1	1	2	3	6	8	12
70-74	47	3.3	13	<1	1	2	4	7	11	21
75-79	36	3.3	7	1	1	3	4	7	8	12
80-84	30	3.0	4	1	1	2	5	6	6	8
85+	19	5.8	141	1	1	2	4	8	34	54
B. *Operated*										
65-69 YRS										
70-74	1	20.0		20	20	20	20	20	20	20
75-79										
80-84										
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	611	5.5	27	1	1	4	7	11	14	30
70-74	543	6.0	42	1	1	4	8	12	17	30
75-79	571	6.6	44	1	1	5	8	15	20	31
80-84	470	8.2	79	1	1	6	10	17	28	60
85+	486	8.8	90	1	2	6	11	18	25	56
B. *Operated*										
65-69 YRS	167	9.0	116	1	1	5	10	24	33	53
70-74	177	9.4	139	1	1	5	12	22	37	62
75-79	153	10.5	121	1	2	7	12	24	33	46
80-84	122	12.7	184	1	2	9	16	28	46	82
85+	123	10.6	138	1	2	7	12	29	37	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	3.3	22	1	1	2	4	6	9	18
B. *Operated*	2	10.5	181	1	1	10	20	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2681	6.9	56	1	1	5	9	15	20	39
B. *Operated*	742	10.3	138	1	2	6	12	26	36	67
1. SINGLE DX	182	3.4	23	1	1	2	4	6	9	21
2. MULTIPLE DX	3423	7.6	75	1	1	5	9	17	24	48
A. NOT OPERATED	2861	6.7	54	1	1	4	8	14	20	38
B. OPERATED	744	10.3	138	1	2	6	12	26	36	67
TOTAL 65-69 YRS	826	6.0	46	1	1	4	7	12	17	37
70-74	768	6.6	65	1	1	4	8	14	20	44
75-79	760	7.3	60	1	1	5	9	17	22	41
80-84	622	8.8	100	1	1	6	11	19	30	74
85+	629	9.1	101	1	2	6	11	20	29	62
GRAND TOTAL	**3605**	**7.4**	**74**	**1**	**1**	**5**	**9**	**16**	**23**	**48**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	20	6.5	39	<1	1	4	8	17	20	22
70-74	30	6.1	52	1	1	3	10	15	34	99+
75-79	31	6.0	23	1	1	5	10	13	15	17
80-84	34	5.5	24	<1	1	5	7	12	16	22
85+	25	6.9	53	1	1	4	9	21	24	27
B. *Operated*										
65-69 YRS	43	15.5	139	4	5	13	20	31	40	59
70-74	37	10.9	47	3	4	9	14	22	26	30
75-79	40	15.3	137	3	6	12	19	31	35	64
80-84	13	17.7	301	3	5	10	18	52	57	59
85+	17	15.9	84	4	6	15	22	30	32	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	296	7.8	85	1	1	5	9	18	27	39
70-74	282	7.5	93	1	1	5	9	15	22	63
75-79	277	8.9	87	1	1	6	11	22	32	46
80-84	266	12.0	184	2	2	8	15	27	41	87
85+	332	9.5	111	1	2	7	11	20	29	71
B. *Operated*										
65-69 YRS	189	21.9	395	2	3	15	30	51	61	96
70-74	196	22.2	413	2	3	17	31	55	78	99+
75-79	200	20.1	295	2	4	16	30	47	76	99+
80-84	150	19.7	263	2	3	16	28	39	58	90
85+	157	19.1	258	2	3	16	26	50	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	6.1	36	1	1	4	9	15	20	41
B. *Operated*	155	14.6	130	3	5	11	18	30	35	59
2. MULTIPLE DX										
A. *Not Operated*	1453	9.1	113	1	1	6	11	21	30	56
B. *Operated*	892	20.7	330	2	3	16	29	49	67	99+
1. SINGLE DX	295	10.6	104	1	1	8	14	23	30	59
2. MULTIPLE DX	2345	13.5	227	1	2	8	17	33	48	97
A. NOT OPERATED	1593	8.8	107	1	1	6	11	20	29	55
B. OPERATED	1047	19.8	305	2	3	15	27	47	65	99+
TOTAL 65-69 YRS	548	13.2	237	1	1	8	17	33	48	80
70-74	545	12.9	251	1	1	8	17	33	51	99+
75-79	548	13.3	192	1	2	9	18	33	45	99+
80-84	468	14.2	219	1	2	9	19	34	46	87
85+	531	12.4	170	1	2	8	16	28	47	99+
GRAND TOTAL	**2640**	**13.2**	**214**	**1**	**2**	**8**	**17**	**33**	**47**	**95**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	3.0	9	1	1	2	4	8	8	8
70-74	3	4.3	9	1	1	5	6	7	7	7
75-79	7	5.9	15	1	1	6	8	11	12	12
80-84	2	2.5	5	1	1	2	4	4	4	4
85+										
B. *Operated*										
65-69 YRS	3	3.3	4	1	1	4	5	5	5	5
70-74	2	10.0	72	4	4	10	16	16	16	16
75-79	2	8.0		8	8	8	8	8	8	8
80-84	2	9.5	41	5	5	9	14	14	14	14
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	7.3	18	2	3	6	9	14	16	20
70-74	68	7.9	30	1	2	7	11	17	19	22
75-79	44	7.9	33	1	2	7	10	13	17	34
80-84	40	11.6	71	2	4	10	14	18	31	43
85+	35	11.7	140	1	2	8	17	25	33	59
B. *Operated*										
65-69 YRS	94	14.1	155	3	4	10	17	31	46	61
70-74	75	15.4	338	3	4	10	15	37	72	98
75-79	61	17.2	245	4	5	13	22	32	52	80
80-84	32	17.6	270	3	4	13	21	46	54	64
85+	44	18.6	360	4	5	13	21	35	57	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.4	11	1	1	4	7	9	11	12
B. *Operated*	9	7.2	24	1	2	5	10	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	270	8.8	50	2	2	7	11	17	19	38
B. *Operated*	306	16.0	258	3	4	11	19	35	49	92
1. SINGLE DX	26	5.3	17	1	1	5	8	12	14	16
2. MULTIPLE DX	576	12.6	173	2	3	9	14	26	38	79
A. NOT OPERATED	287	8.5	48	1	2	7	11	16	19	37
B. OPERATED	315	15.8	254	3	4	11	18	35	49	92
TOTAL 65-69 YRS	185	10.5	100	2	3	7	12	19	31	50
70-74	148	11.6	199	1	3	8	13	21	37	93
75-79	114	12.8	167	2	4	9	14	26	34	77
80-84	76	13.8	161	2	4	10	15	32	44	62
85+	79	15.5	272	2	3	12	18	33	40	94
GRAND TOTAL	**602**	**12.3**	**169**	**2**	**3**	**8**	**14**	**25**	**37**	**78**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	4	2.8	2	1	1	3	4	4	4	4
70-74	4	3.3	7	1	1	2	5	7	7	7
75-79	5	6.4	28	2	2	4	10	15	15	15
80-84	5	5.4	34	1	1	2	10	14	14	14
85+	4	9.0	162	1	1	3	16	28	28	28
B. *Operated*										
65-69 YRS	12	10.1	27	3	4	9	15	17	18	18
70-74	2	12.0		12	12	12	12	12	12	12
75-79	5	14.2	44	7	7	12	20	23	23	23
80-84	2	7.0	72	<1	<1	6	13	13	13	13
85+	5	11.6	133	3	3	7	17	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	53	6.8	24	1	1	6	10	13	15	28
70-74	52	8.0	57	2	2	5	11	16	20	36
75-79	50	6.7	36	2	2	5	8	15	20	29
80-84	38	12.6	171	3	3	8	15	27	43	67
85+	44	9.0	66	1	2	6	13	17	24	42
B. *Operated*										
65-69 YRS	108	16.6	181	4	7	13	20	38	47	86
70-74	79	21.3	379	3	4	16	27	54	67	90
75-79	63	17.9	251	3	4	13	22	37	51	76
80-84	41	15.4	98	3	5	14	21	29	44	99+
85+	30	16.4	286	1	3	12	19	42	51	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.4	41	1	1	3	7	14	20	28
B. *Operated*	26	11.1	47	2	3	11	13	19	25	31
2. MULTIPLE DX										
A. *Not Operated*	237	8.4	68	2	2	6	11	17	21	43
B. *Operated*	321	17.9	244	3	4	13	21	39	54	89
1. SINGLE DX	48	8.5	52	1	1	7	13	18	23	31
2. MULTIPLE DX	558	13.8	191	2	3	10	17	30	45	76
A. NOT OPERATED	259	8.1	66	1	2	6	11	16	21	41
B. OPERATED	347	17.3	232	3	4	13	21	36	53	89
TOTAL 65-69 YRS	177	13.0	141	2	3	10	15	26	43	75
70-74	137	15.6	285	2	3	11	18	35	56	89
75-79	123	12.7	175	2	2	8	16	29	37	75
80-84	86	13.4	130	2	3	10	17	27	43	88
85+	83	11.9	160	1	2	9	15	28	37	67
GRAND TOTAL	**606**	**13.4**	**182**	**2**	**2**	**10**	**17**	**29**	**44**	**75**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	4	4.0	9	1	1	4	6	7	7	7
75-79										
80-84	3	1.7	1	<1	<1	1	2	3	3	3
85+										
B. *Operated*										
65-69 YRS	16	3.8	4	1	1	4	5	6	7	8
70-74	14	3.2	13	1	1	2	4	5	13	15
75-79	7	3.9	11	1	1	2	7	9	9	9
80-84	18	5.2	52	1	1	3	5	10	24	32
85+	7	7.3	30	1	1	5	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	13	4.2	13	<1	<1	3	6	11	11	11
70-74	3	5.3	44	<1	<1	2	10	13	13	13
75-79	3	5.3	44	<1	<1	2	10	13	13	13
80-84	9	4.4	9	1	1	3	6	9	10	10
85+	8	7.3	54	1	1	5	8	19	24	24
B. *Operated*										
65-69 YRS	71	5.4	30	1	2	4	6	12	19	28
70-74	53	5.2	16	1	2	4	7	10	12	21
75-79	48	8.3	140	1	2	5	10	18	22	78
80-84	28	6.3	39	1	1	4	8	16	20	25
85+	39	7.8	79	<1	1	5	9	14	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.0	6	<1	<1	2	5	7	7	7
B. *Operated*	62	4.5	24	1	1	3	5	9	13	30
2. MULTIPLE DX										
A. *Not Operated*	36	5.1	24	<1	<1	3	8	11	13	24
B. *Operated*	239	6.4	59	1	1	4	8	14	20	31
1. SINGLE DX	69	4.3	22	1	1	3	5	9	12	29
2. MULTIPLE DX	275	6.3	54	1	1	4	8	13	20	28
A. NOT OPERATED	43	4.8	21	<1	<1	3	7	11	13	24
B. OPERATED	301	6.0	52	1	1	4	7	13	18	30
TOTAL 65-69 YRS	100	5.0	24	1	1	4	6	11	15	26
70-74	74	4.8	16	1	1	4	6	10	13	20
75-79	58	7.6	120	1	1	4	9	17	21	74
80-84	58	5.4	36	1	1	3	6	12	19	31
85+	54	7.6	67	1	1	5	9	15	23	49
GRAND TOTAL	**344**	**5.9**	**48**	**1**	**1**	**4**	**7**	**13**	**18**	**29**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	10	2.5	3	1	1	2	4	5	6	6
70-74	14	3.5	11	<1	1	2	4	10	11	11
75-79	9	2.3	3	1	1	2	4	5	5	5
80-84	6	2.8	5	1	1	3	4	6	6	6
85+	10	4.2	17	1	1	2	6	11	13	13
B. *Operated*										
65-69 YRS	16	2.6	6	<1	1	1	4	7	8	8
70-74	19	2.4	3	<1	<1	2	3	5	7	7
75-79	14	1.7	1	<1	1	2	2	3	3	3
80-84	7	6.9	30	<1	<1	5	13	14	14	14
85+	19	2.4	3	<1	1	2	4	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	177	4.9	23	<1	1	3	6	11	14	26
70-74	215	5.8	34	1	1	4	7	12	17	32
75-79	215	5.9	33	1	1	4	8	13	18	29
80-84	226	7.3	77	1	2	5	9	15	19	47
85+	335	6.7	48	1	1	4	9	14	18	36
B. *Operated*										
65-69 YRS	338	7.3	129	<1	1	4	8	15	23	83
70-74	314	6.3	60	1	1	4	7	12	18	45
75-79	273	6.7	74	<1	1	4	8	14	18	51
80-84	270	7.5	97	1	1	5	8	15	26	69
85+	327	7.7	98	1	1	5	9	18	25	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	3.1	8	1	1	2	4	6	10	13
B. *Operated*	75	2.7	7	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	1168	6.2	45	1	1	4	8	13	18	36
B. *Operated*	1522	7.1	93	1	1	4	8	14	22	62
1. SINGLE DX	124	2.9	7	<1	1	2	4	6	9	14
2. MULTIPLE DX	2690	6.7	72	1	1	4	8	14	19	48
A. NOT OPERATED	1217	6.1	44	1	1	4	8	13	18	36
B. OPERATED	1597	6.9	89	1	1	4	8	14	22	61
TOTAL 65-69 YRS	541	6.3	90	<1	1	4	7	12	19	64
70-74	562	5.9	47	1	1	4	7	12	17	38
75-79	511	6.1	54	1	1	4	8	13	18	36
80-84	509	7.4	86	1	1	5	9	14	22	57
85+	691	7.0	71	1	1	5	9	15	22	55
GRAND TOTAL	**2814**	**6.5**	**70**	**1**	**1**	**4**	**8**	**14**	**19**	**46**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	8	3.0	6	1	1	2	5	7	7	7
70-74	6	5.5	14	3	3	4	5	12	13	13
75-79	2	8.0	98	<1	<1	7	15	15	15	15
80-84	3	6.7	24	<1	<1	9	10	10	10	10
85+	3	10.0	81	1	1	10	17	19	19	19
B. *Operated*										
65-69 YRS	11	3.0	6	<1	<1	2	3	7	8	8
70-74	4	17.5	430	3	3	10	32	47	47	47
75-79	1	12.0		12	12	12	12	12	12	12
80-84										
85+	3	5.7	1	5	5	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	35	6.3	26	1	2	4	10	14	16	22
70-74	22	5.0	16	1	1	4	8	8	13	19
75-79	32	9.2	66	1	2	7	12	23	24	35
80-84	20	8.3	61	1	2	5	10	21	28	29
85+	21	10.0	91	1	1	7	13	25	32	37
B. *Operated*										
65-69 YRS	66	10.5	143	1	2	7	13	29	43	93
70-74	37	9.8	119	1	2	7	12	20	22	62
75-79	21	14.0	123	2	3	9	21	31	37	39
80-84	15	12.4	73	1	1	13	18	26	27	27
85+	12	9.3	57	<1	1	7	13	22	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	5.6	26	<1	1	4	9	14	17	19
B. *Operated*	19	6.9	111	<1	1	3	7	15	33	47
2. MULTIPLE DX										
A. *Not Operated*	130	7.7	52	1	2	6	10	17	24	35
B. *Operated*	151	10.9	120	1	2	7	15	25	36	62
1. SINGLE DX	41	6.2	64	<1	1	3	7	14	18	47
2. MULTIPLE DX	281	9.4	91	1	2	7	13	21	28	56
A. NOT OPERATED	152	7.4	48	1	1	5	10	16	23	35
B. OPERATED	170	10.5	120	1	2	7	14	23	36	61
TOTAL 65-69 YRS	120	8.1	94	1	1	5	12	18	30	71
70-74	69	8.3	99	1	2	5	9	19	21	59
75-79	56	11.0	89	1	2	8	15	24	33	39
80-84	38	9.8	65	1	2	8	14	24	28	29
85+	39	9.5	70	1	1	7	13	22	27	37
GRAND TOTAL	**322**	**9.0**	**88**	**1**	**1**	**6**	**12**	**21**	**28**	**52**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	17	3.6	5	<1	<1	3	6	7	8	8
70-74	4	3.3	5	1	1	3	5	6	6	6
75-79	10	2.7	3	1	1	2	4	5	5	5
80-84	6	5.7	21	2	2	4	7	13	14	14
85+	4	4.8	19	1	1	3	7	11	11	11
B. *Operated*										
65-69 YRS	123	2.8	15	<1	1	1	3	5	9	22
70-74	69	2.5	5	1	1	2	3	5	6	13
75-79	45	3.0	28	<1	1	2	3	5	7	36
80-84	19	4.4	35	<1	<1	3	5	11	19	25
85+	18	3.8	9	<1	1	3	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	70	5.3	20	<1	1	4	7	9	14	23
70-74	58	5.8	36	<1	<1	4	8	12	21	27
75-79	50	6.9	26	2	2	6	9	13	20	24
80-84	47	7.3	134	<1	1	5	7	13	17	80
85+	64	7.6	59	1	2	6	9	16	22	46
B. *Operated*										
65-69 YRS	356	4.0	30	<1	1	2	4	8	13	34
70-74	248	4.0	36	<1	1	2	4	9	11	31
75-79	145	4.8	36	<1	1	3	6	12	15	22
80-84	121	6.3	77	<1	1	3	7	17	22	51
85+	104	7.3	75	<1	1	4	10	16	21	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.8	8	<1	1	3	5	7	9	14
B. *Operated*	274	2.9	15	<1	1	2	3	6	9	24
2. MULTIPLE DX										
A. *Not Operated*	289	6.5	51	<1	1	5	8	13	19	27
B. *Operated*	974	4.8	44	<1	1	2	5	11	16	35
1. SINGLE DX	315	3.1	15	<1	1	2	3	6	9	22
2. MULTIPLE DX	1263	5.2	46	<1	1	3	6	11	17	34
A. NOT OPERATED	330	6.2	47	<1	1	4	8	12	17	27
B. OPERATED	1248	4.4	39	<1	1	2	5	10	15	31
TOTAL 65-69 YRS	566	3.9	25	<1	1	2	4	8	13	27
70-74	379	4.0	31	<1	1	2	5	9	12	27
75-79	250	4.8	33	1	1	3	6	11	15	24
80-84	193	6.3	84	<1	1	3	7	14	22	55
85+	190	7.0	63	<1	1	4	10	15	20	46
GRAND TOTAL	**1578**	**4.7**	**41**	**<1**	**1**	**3**	**6**	**10**	**15**	**30**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	13	3.1	5	1	1	2	3	8	8	8
70-74	11	6.7	40	1	1	5	6	19	20	20
75-79	4	5.0	6	3	3	5	7	8	8	8
80-84	10	7.2	77	<1	1	4	8	20	31	31
85+	6	8.3	17	4	4	7	11	15	15	15
B. *Operated*										
65-69 YRS	57	8.4	85	1	1	5	12	22	29	37
70-74	31	11.2	93	1	2	8	17	26	31	41
75-79	34	8.7	74	1	1	5	12	22	26	36
80-84	16	9.3	41	1	2	6	13	20	20	20
85+	12	10.5	51	4	4	9	13	19	28	29
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	65	8.2	69	<1	1	6	10	19	23	46
70-74	79	8.5	39	2	2	7	11	17	21	30
75-79	85	9.4	83	1	2	7	13	16	22	56
80-84	61	11.9	176	2	3	8	11	24	51	59
85+	67	11.4	91	1	2	9	15	25	35	39
B. *Operated*										
65-69 YRS	144	10.2	104	1	1	6	15	23	34	64
70-74	99	12.1	134	1	2	9	19	26	30	62
75-79	101	12.8	121	1	2	10	19	28	36	46
80-84	68	18.0	244	2	3	13	25	38	60	96
85+	51	16.0	181	2	4	13	19	33	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	5.8	33	1	2	4	8	11	19	31
B. *Operated*	150	9.3	76	1	1	6	13	21	28	37
2. MULTIPLE DX										
A. *Not Operated*	357	9.8	89	1	2	7	12	19	30	57
B. *Operated*	463	12.9	149	1	2	9	19	30	37	79
1. SINGLE DX	194	8.5	68	1	2	5	12	20	27	37
2. MULTIPLE DX	820	11.6	125	1	2	8	16	25	35	62
A. NOT OPERATED	401	9.4	84	1	2	7	11	19	29	53
B. OPERATED	613	12.0	134	1	2	8	18	27	36	67
TOTAL 65-69 YRS	279	9.0	89	1	1	6	13	21	29	48
70-74	220	10.4	92	1	2	8	15	23	27	42
75-79	224	10.7	100	1	2	7	15	24	31	44
80-84	155	14.0	198	2	3	9	18	35	45	80
85+	136	12.9	122	1	3	10	17	30	36	78
GRAND TOTAL	**1014**	**11.0**	**116**	**1**	**2**	**8**	**15**	**25**	**33**	**59**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	1	7.0		7	7	7	7	7	7	7
75-79										
80-84										
85+	1	33.0		33	33	33	33	33	33	33
B. *Operated*										
65-69 YRS	6	2.8	5	1	1	2	3	7	7	7
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	1	3.0		3	3	3	3	3	3	3
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	4	3.0	5	1	1	3	5	5	5	5
70-74	6	12.2	143	1	1	9	13	33	35	35
75-79	5	11.2	105	1	1	13	17	26	26	26
80-84	7	10.9	114	1	1	6	18	28	30	30
85+	10	14.2	150	2	3	8	27	31	33	33
B. *Operated*										
65-69 YRS	11	11.3	152	1	2	8	15	30	42	43
70-74	9	27.2	838	1	1	13	50	69	70	70
75-79	3	21.7	996	1	1	6	45	58	58	58
80-84	2	3.0	8	1	1	3	5	5	5	5
85+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	20.0	338	7	7	20	33	33	33	33
B. *Operated*	8	2.9	3	1	1	2	3	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	32	11.2	115	1	1	6	17	29	33	35
B. *Operated*	26	17.1	485	1	1	6	22	57	68	70
1. SINGLE DX	10	6.3	92	1	1	3	7	20	33	33
2. MULTIPLE DX	58	13.9	284	1	1	6	19	40	53	70
A. NOT OPERATED	34	11.7	122	1	1	7	19	30	33	35
B. OPERATED	34	13.8	406	1	1	5	13	46	65	70
TOTAL 65-69 YRS	21	7.3	97	1	1	4	8	19	31	43
70-74	17	19.3	544	1	1	8	37	63	69	70
75-79	8	15.1	374	1	1	9	20	48	58	58
80-84	10	8.5	92	1	1	4	14	24	30	30
85+	12	15.0	162	2	3	8	28	33	33	33
GRAND TOTAL	**68**	**12.8**	**261**	**1**	**1**	**5**	**16**	**34**	**46**	**69**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	14	4.9	27	1	2	3	6	8	19	22
70-74	10	7.6	21	2	2	7	10	14	17	17
75-79	16	12.9	207	3	4	10	13	24	51	62
80-84	10	14.6	84	2	2	14	22	27	32	32
85+	11	9.2	141	<1	2	4	10	27	41	42
B. *Operated*										
65-69 YRS	48	4.9	23	1	1	3	6	13	16	22
70-74	38	7.3	35	2	2	5	11	16	20	23
75-79	23	10.1	69	<1	1	8	17	21	27	30
80-84	17	12.9	126	<1	1	11	18	34	35	35
85+	6	14.4	191	7	7	9	13	38	48	48
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	83	10.4	136	1	2	7	13	20	44	86
70-74	82	10.1	70	2	2	8	14	21	27	40
75-79	105	10.5	78	1	2	7	15	23	27	41
80-84	91	12.1	83	3	3	9	16	24	31	46
85+	91	12.7	157	2	3	9	17	28	33	94
B. *Operated*										
65-69 YRS	132	11.8	223	2	2	7	13	24	43	87
70-74	92	13.8	194	2	3	10	16	33	51	91
75-79	105	20.2	464	2	2	14	27	52	77	97
80-84	52	15.0	168	2	2	12	21	35	41	56
85+	36	15.3	114	3	3	14	20	32	40	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	9.8	110	2	2	6	12	22	28	60
B. *Operated*	134	8.0	64	1	2	5	11	17	23	37
2. MULTIPLE DX										
A. *Not Operated*	452	11.2	104	2	2	8	15	24	32	60
B. *Operated*	417	15.1	269	2	2	10	19	36	50	93
1. SINGLE DX	195	8.6	79	1	2	5	11	19	25	45
2. MULTIPLE DX	869	13.1	187	2	2	9	16	29	42	90
A. NOT OPERATED	513	11.0	105	2	2	8	15	23	32	60
B. OPERATED	551	13.4	228	2	2	8	16	32	47	91
TOTAL 65-69 YRS	277	9.8	159	1	2	6	12	20	36	80
70-74	222	11.1	119	2	2	8	14	23	35	62
75-79	249	14.7	268	1	2	10	18	31	49	92
80-84	170	13.2	113	2	3	11	18	29	35	49
85+	146	13.2	146	2	3	10	17	28	37	86
GRAND TOTAL	**1064**	**12.2**	**170**	**2**	**2**	**8**	**16**	**27**	**38**	**83**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	7	4.6	18	1	1	3	4	12	14	14
70-74	4	3.0	1	2	2	3	4	4	4	4
75-79	4	2.3	4	<1	<1	1	3	5	5	5
80-84	3	4.3	16	2	2	2	7	9	9	9
85+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
65-69 YRS	3	2.0	1	1	1	2	3	3	3	3
70-74	2	7.0	18	4	4	7	10	10	10	10
75-79	3	3.3	6	1	1	3	5	6	6	6
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	25	4.6	8	1	1	4	6	8	10	12
70-74	31	5.5	20	1	2	4	7	11	15	22
75-79	40	5.6	20	<1	1	4	6	12	14	23
80-84	31	6.0	32	2	2	5	7	12	18	28
85+	36	7.4	50	1	1	5	9	16	18	39
B. *Operated*										
65-69 YRS	8	6.0	57	<1	<1	3	7	19	23	23
70-74	8	8.8	37	3	3	6	15	17	17	17
75-79	7	5.0	8	2	2	4	7	9	10	10
80-84	7	6.9	22	2	2	5	10	14	15	15
85+	7	12.1	89	4	4	9	19	26	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.6	10	<1	1	3	4	7	11	14
B. *Operated*	11	3.5	7	<1	<1	3	4	8	10	10
2. MULTIPLE DX										
A. *Not Operated*	163	5.9	27	1	2	5	7	12	16	27
B. *Operated*	37	7.7	45	1	2	4	11	17	22	28
1. SINGLE DX	31	3.5	8	<1	1	3	4	7	10	14
2. MULTIPLE DX	200	6.2	31	1	2	5	8	14	17	28
A. NOT OPERATED	183	5.6	26	1	1	4	7	12	15	26
B. OPERATED	48	6.8	39	1	1	4	9	17	20	28
TOTAL 65-69 YRS	43	4.7	18	<1	1	3	6	10	13	23
70-74	45	5.9	22	1	2	4	8	13	17	22
75-79	54	5.2	17	<1	1	4	6	10	14	23
80-84	42	5.9	28	1	2	4	8	12	17	28
85+	47	7.7	55	1	1	5	10	17	21	39
GRAND TOTAL	**231**	**5.9**	**29**	**1**	**1**	**4**	**7**	**13**	**17**	**28**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	127	3.9	11	1	1	3	5	8	9	18
70-74	136	4.9	20	1	1	3	7	9	14	23
75-79	151	4.9	23	1	1	3	6	12	16	21
80-84	126	5.6	21	1	1	5	7	11	15	23
85+	183	5.8	22	1	2	4	8	12	15	31
B. *Operated*										
65-69 YRS	43	6.7	67	<1	1	4	7	13	18	49
70-74	27	6.0	38	1	1	4	7	12	19	30
75-79	31	9.3	35	3	3	8	12	16	22	28
80-84	22	10.4	135	1	2	8	10	23	39	54
85+	15	7.2	59	2	3	4	8	13	28	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1404	6.3	36	1	1	5	8	13	16	30
70-74	1612	7.1	34	1	2	5	9	15	19	30
75-79	1870	7.8	51	1	2	6	10	16	21	38
80-84	1977	8.6	67	1	2	6	11	17	23	43
85+	2764	9.0	78	2	2	7	11	18	26	55
B. *Operated*										
65-69 YRS	220	10.8	108	1	2	8	14	25	31	58
70-74	217	12.0	107	1	3	9	16	26	37	52
75-79	197	14.6	129	1	4	12	19	29	34	61
80-84	194	14.8	133	2	3	12	20	30	38	69
85+	232	16.4	209	2	4	12	21	37	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	723	5.1	20	1	1	4	7	10	14	22
B. *Operated*	138	7.8	65	1	2	5	10	14	24	50
2. MULTIPLE DX										
A. *Not Operated*	9627	8.0	58	1	2	6	10	16	21	41
B. *Operated*	1060	13.7	142	2	3	11	18	30	38	71
1. SINGLE DX	861	5.5	28	1	1	4	7	11	15	28
2. MULTIPLE DX	10687	8.6	69	1	2	6	11	18	24	46
A. NOT OPERATED	10350	7.8	56	1	2	6	10	16	21	40
B. OPERATED	1198	13.0	137	2	2	10	17	28	37	69
TOTAL 65-69 YRS	1794	6.7	47	1	1	5	8	14	18	33
70-74	1992	7.5	44	1	2	6	10	16	21	35
75-79	2249	8.2	60	1	2	6	11	17	23	38
80-84	2319	9.0	74	1	2	7	11	18	25	45
85+	3194	9.4	88	2	2	7	11	19	28	61
GRAND TOTAL	**11548**	**8.3**	**67**	**1**	**2**	**6**	**11**	**17**	**23**	**44**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.7	1	1	1	1	3	3	3	3
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	2	12.0	18	9	9	12	15	15	15	15
80-84										
85+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
65-69 YRS	9	4.1	42	<1	<1	2	3	15	21	21
70-74	6	4.5	12	1	1	3	7	10	10	10
75-79	3	2.0	1	1	1	2	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	16	11.8	200	1	2	8	15	18	48	61
70-74	14	4.3	4	1	2	4	5	7	8	8
75-79	14	6.7	25	1	2	5	8	17	17	17
80-84	8	6.9	8	3	3	7	8	11	12	12
85+	12	9.3	30	3	4	8	12	17	22	23
B. *Operated*										
65-69 YRS	24	8.2	278	<1	1	4	7	14	40	83
70-74	15	13.7	352	1	1	6	19	35	62	71
75-79	10	11.8	298	1	1	3	17	38	57	57
80-84	5	20.2	365	9	9	14	25	54	54	54
85+	3	10.7	142	1	1	7	20	24	24	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.6	25	1	1	2	7	13	15	15
B. *Operated*	21	3.7	21	<1	1	2	4	8	15	21
2. MULTIPLE DX										
A. *Not Operated*	64	7.9	67	2	3	6	9	16	17	56
B. *Operated*	57	11.5	294	1	1	4	14	24	56	82
1. SINGLE DX	29	4.0	21	1	1	2	4	10	15	21
2. MULTIPLE DX	121	9.6	176	1	1	5	11	18	29	74
A. NOT OPERATED	72	7.6	63	1	2	5	9	15	17	53
B. OPERATED	78	9.4	231	1	1	4	10	21	46	80
TOTAL 65-69 YRS	52	8.2	200	1	1	4	8	17	22	83
70-74	37	8.1	162	1	1	4	7	19	30	71
75-79	29	8.3	119	1	1	5	11	17	21	57
80-84	14	11.4	163	3	4	8	12	19	46	54
85+	18	8.2	46	1	1	7	12	20	24	24
GRAND TOTAL	**150**	**8.5**	**150**	**1**	**1**	**5**	**9**	**17**	**23**	**71**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	1	4.0		4	4	4	4	4	4	4
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74	3	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
B. *Operated*										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79										
80-84										
85+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	1	2.0		2	2	2	2	2	2	2
1. SINGLE DX	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX	5	1.2		<1	<1	<1	1	2	2	2
A. NOT OPERATED	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. OPERATED	2	3.0	2	2	2	3	4	4	4	4
TOTAL 65-69 YRS	2	3.0	2	2	2	3	4	4	4	4
70-74	3	1.0		<1	<1	<1	<1	<1	<1	<1
75-79	1	1.0		<1	<1	<1	<1	<1	<1	<1
80-84										
85+										
GRAND TOTAL	**6**	**1.7**	**1**	**<1**	**<1**	**<1**	**2**	**4**	**4**	**4**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	94	2.0	2	<1	<1	1	2	3	5	10
70-74	93	2.2	21	<1	1	1	2	4	5	29
75-79	64	1.9	2	<1	1	1	2	4	5	9
80-84	50	1.7	1	<1	<1	1	2	4	4	5
85+	21	3.7	19	1	1	2	4	9	15	18
B. *Operated*										
65-69 YRS	18	2.9	8	1	1	2	5	6	9	11
70-74	26	4.5	97	<1	<1	2	3	9	18	51
75-79	13	3.1	9	<1	<1	2	4	8	10	10
80-84	7	3.4	4	1	1	4	4	6	7	7
85+	9	3.3	6	<1	<1	2	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	212	4.1	29	1	1	2	4	9	14	28
70-74	215	3.8	15	1	1	2	5	8	12	20
75-79	160	3.4	14	<1	1	2	4	8	11	20
80-84	134	4.1	19	1	1	3	5	10	14	21
85+	159	5.6	37	1	1	4	7	13	20	26
B. *Operated*										
65-69 YRS	110	8.2	146	1	1	4	10	17	36	68
70-74	130	8.6	99	1	1	4	10	22	26	50
75-79	103	6.9	52	1	1	4	8	17	21	36
80-84	85	7.4	46	1	1	5	12	18	20	31
85+	61	6.6	43	1	1	3	9	18	21	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	2.1	9	<1	1	1	2	4	5	12
B. *Operated*	73	3.6	38	<1	1	2	4	8	10	42
2. MULTIPLE DX										
A. *Not Operated*	880	4.1	23	1	1	2	5	10	14	23
B. *Operated*	489	7.7	84	1	1	4	10	18	23	47
1. SINGLE DX	395	2.4	14	<1	1	1	2	4	7	13
2. MULTIPLE DX	1369	5.4	48	1	1	3	6	14	19	31
A. NOT OPERATED	1202	3.6	20	<1	1	2	4	8	13	22
B. OPERATED	562	7.1	79	1	1	4	9	17	22	48
TOTAL 65-69 YRS	434	4.6	57	<1	1	2	5	10	15	43
70-74	464	4.8	50	<1	1	2	5	11	18	42
75-79	340	4.2	27	<1	1	2	5	10	15	23
80-84	276	4.7	28	1	1	3	5	13	17	23
85+	250	5.6	36	1	1	3	7	14	20	25
GRAND TOTAL	**1764**	**4.7**	**42**	**1**	**1**	**2**	**5**	**11**	**17**	**30**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	5	16.0	130	5	5	14	24	33	33	33
70-74	2	11.5	25	8	8	11	15	15	15	15
75-79	3	11.7	33	5	5	15	15	15	15	15
80-84	1	13.0		13	13	13	13	13	13	13
85+	1	42.0		42	42	42	42	42	42	42
B. *Operated*										
65-69 YRS	15	17.7	340	2	2	10	30	36	59	67
70-74	13	14.8	114	3	4	11	24	28	35	37
75-79	18	19.9	149	4	8	17	27	40	41	41
80-84	11	13.3	82	2	4	9	18	28	32	32
85+	7	26.1	59	11	13	29	30	34	35	35
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	32	17.2	279	3	4	11	25	33	36	90
70-74	38	15.7	140	3	4	12	21	34	42	47
75-79	23	18.9	216	2	5	16	25	45	49	57
80-84	29	16.1	95	5	5	15	23	31	33	39
85+	12	26.9	360	6	10	20	33	62	63	63
B. *Operated*										
65-69 YRS	79	29.7	582	3	6	22	43	67	81	97
70-74	86	29.1	420	4	6	21	43	67	69	90
75-79	84	30.6	372	6	9	28	41	62	79	94
80-84	51	37.8	609	5	8	36	59	77	88	99+
85+	44	37.3	486	8	11	36	52	78	95	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	16.1	127	5	5	14	18	36	41	42
B. *Operated*	64	17.9	170	2	3	14	26	36	39	63
2. MULTIPLE DX										
A. *Not Operated*	134	17.7	199	3	5	14	25	35	45	67
B. *Operated*	344	31.9	488	5	7	28	46	68	81	99+
1. SINGLE DX	76	17.6	162	2	3	14	25	36	40	60
2. MULTIPLE DX	478	27.9	448	4	6	23	39	62	76	99
A. NOT OPERATED	146	17.6	192	3	5	14	24	35	44	64
B. OPERATED	408	29.7	464	4	6	26	42	65	78	99+
TOTAL 65-69 YRS	131	24.7	494	2	3	19	32	62	78	93
70-74	139	23.9	351	3	5	18	34	56	68	76
75-79	128	26.6	334	5	7	24	36	50	64	88
80-84	92	27.7	500	5	6	21	38	66	78	98
85+	64	34.2	425	8	11	32	47	71	85	99+
GRAND TOTAL	**554**	**26.5**	**421**	**3**	**5**	**21**	**37**	**61**	**72**	**99**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	18	8.1	105	<1	1	4	11	17	33	43
70-74	23	8.6	32	1	2	8	12	17	20	21
75-79	14	8.8	73	1	1	4	18	22	24	25
80-84	15	13.1	103	1	2	11	18	33	35	36
85+	10	6.6	21	<1	1	5	11	13	14	14
B. *Operated*										
65-69 YRS	7	6.0	24	1	1	5	9	14	15	15
70-74	8	12.8	61	3	4	9	20	24	25	25
75-79	8	13.0	105	4	4	9	20	29	29	29
80-84	1	29.0		29	29	29	29	29	29	29
85+	2	15.0	32	11	11	15	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	134	9.7	105	1	2	7	12	21	25	63
70-74	157	11.3	109	1	2	9	14	23	33	51
75-79	109	14.5	235	2	2	9	18	42	54	64
80-84	125	14.3	211	2	3	10	18	33	45	72
85+	88	14.3	106	3	4	11	19	27	33	55
B. *Operated*										
65-69 YRS	73	25.2	391	3	5	19	34	54	69	86
70-74	58	20.6	286	3	4	18	29	39	47	92
75-79	47	26.4	312	4	6	23	36	59	76	99+
80-84	32	27.3	272	6	8	27	43	61	92	99+
85+	34	30.9	408	5	8	28	43	70	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	9.1	68	1	1	7	12	19	23	41
B. *Operated*	26	11.8	76	2	3	9	19	28	29	29
2. MULTIPLE DX										
A. *Not Operated*	613	12.6	154	2	2	9	16	26	40	64
B. *Operated*	244	25.4	342	4	5	23	35	57	70	99+
1. SINGLE DX	106	9.8	71	1	1	8	13	20	29	39
2. MULTIPLE DX	857	16.2	241	2	3	11	22	38	52	82
A. NOT OPERATED	693	12.2	145	1	2	9	15	25	38	63
B. OPERATED	270	24.1	332	3	5	21	33	54	69	99+
TOTAL 65-69 YRS	232	14.3	246	1	2	9	18	35	43	74
70-74	246	13.3	158	2	2	10	17	27	37	66
75-79	178	17.1	267	2	3	12	23	46	59	92
80-84	173	16.7	237	2	3	12	23	43	53	95
85+	134	17.9	234	3	4	14	23	38	55	84
GRAND TOTAL	**963**	**15.5**	**226**	**2**	**3**	**11**	**21**	**36**	**49**	**80**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	3.7	6	<1	<1	4	5	6	6	6
70-74	3	19.0	61	10	10	23	24	24	24	24
75-79	2	10.5	13	8	8	10	13	13	13	13
80-84	4	4.5	7	2	2	4	6	8	8	8
85+	4	9.3	74	2	2	8	16	19	19	19
B. *Operated*										
65-69 YRS	7	1.7	1	<1	<1	2	2	3	3	3
70-74	3	3.0	3	2	2	2	4	5	5	5
75-79	6	3.8	10	1	1	3	5	9	9	9
80-84	1	13.0		13	13	13	13	13	13	13
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	49	13.2	206	2	3	8	18	29	52	99+
70-74	33	10.5	137	1	2	8	13	22	58	99+
75-79	58	12.3	157	3	3	8	17	22	46	60
80-84	42	10.7	153	1	2	6	10	28	37	61
85+	39	13.2	172	3	3	11	15	26	32	78
B. *Operated*										
65-69 YRS	32	10.8	275	1	1	5	12	43	74	99+
70-74	20	15.6	446	1	1	6	22	47	70	78
75-79	18	9.3	318	1	1	3	7	22	55	76
80-84	14	26.1	292	3	9	23	43	62	90	99+
85+	3	13.3	69	4	4	16	19	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	9.0	57	<1	2	7	13	23	24	24
B. *Operated*	19	3.3	10	<1	1	2	4	8	11	13
2. MULTIPLE DX										
A. *Not Operated*	221	12.1	165	2	3	8	15	24	40	87
B. *Operated*	87	14.1	339	1	1	6	20	45	76	99+
1. SINGLE DX	35	5.9	39	<1	1	3	8	14	22	24
2. MULTIPLE DX	308	12.6	214	1	2	8	16	31	54	99+
A. NOT OPERATED	237	11.9	158	2	3	8	15	23	38	84
B. OPERATED	106	12.2	297	1	1	5	17	40	64	99+
TOTAL 65-69 YRS	91	11.1	216	1	2	6	14	27	51	99+
70-74	59	12.3	236	1	2	7	15	28	63	98
75-79	84	11.0	179	1	2	7	13	21	40	71
80-84	61	13.9	216	1	2	8	20	37	53	95
85+	48	12.4	153	2	3	10	16	21	30	78
GRAND TOTAL	**343**	**12.0**	**200**	**1**	**2**	**7**	**16**	**29**	**48**	**99+**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	33	6.0	36	<1	1	4	8	14	17	28
70-74	30	4.3	14	<1	<1	3	6	10	13	15
75-79	27	4.9	14	1	2	3	7	10	14	15
80-84	23	4.6	11	1	1	4	6	10	12	12
85+	25	8.4	73	2	3	5	9	21	32	34
B. *Operated*										
65-69 YRS	20	6.4	52	1	2	3	8	15	23	30
70-74	19	7.8	130	<1	1	6	8	13	35	52
75-79	6	8.0	24	<1	<1	8	12	14	14	14
80-84	8	5.6	47	1	1	3	6	17	22	22
85+	3	12.0	21	8	8	11	15	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	224	6.2	26	1	1	5	8	13	17	24
70-74	261	7.8	55	1	2	6	10	15	22	39
75-79	259	8.7	47	1	2	7	12	17	22	31
80-84	249	9.1	65	2	2	7	11	18	23	42
85+	326	9.4	75	1	2	7	12	18	24	42
B. *Operated*										
65-69 YRS	85	13.4	221	1	2	8	17	36	57	91
70-74	70	17.8	308	2	2	12	26	47	70	95
75-79	51	17.2	315	4	4	13	19	28	61	87
80-84	42	20.5	315	3	4	16	30	38	79	99+
85+	39	20.1	205	2	5	17	24	47	55	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	5.6	31	<1	1	4	7	12	15	31
B. *Operated*	56	7.2	71	<1	1	5	9	15	20	51
2. MULTIPLE DX										
A. *Not Operated*	1319	8.3	56	1	2	6	11	17	22	38
B. *Operated*	287	17.1	274	2	3	13	23	40	56	95
1. SINGLE DX	194	6.1	43	<1	1	4	8	13	16	33
2. MULTIPLE DX	1606	9.9	106	1	2	7	13	21	29	59
A. NOT OPERATED	1457	8.1	55	1	2	6	11	16	22	35
B. OPERATED	343	15.5	254	1	2	11	20	36	55	89
TOTAL 65-69 YRS	362	7.9	83	1	1	5	10	17	23	58
70-74	380	9.3	118	1	1	6	12	22	31	66
75-79	343	9.6	94	1	2	7	13	19	25	46
80-84	322	10.2	110	2	2	7	12	23	30	84
85+	393	10.4	97	1	2	8	14	22	27	54
GRAND TOTAL	**1800**	**9.5**	**101**	**1**	**2**	**7**	**12**	**20**	**27**	**56**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	51	5.3	36	1	1	4	7	9	12	41
70-74	40	4.4	10	1	1	4	7	10	10	11
75-79	44	7.1	44	1	1	5	9	16	22	32
80-84	37	5.9	15	1	1	5	8	11	14	17
85+	30	6.9	42	1	1	4	9	18	22	24
B. *Operated*										
65-69 YRS	3	4.3	10	2	2	3	7	8	8	8
70-74	4	5.5	18	1	1	5	8	11	11	11
75-79										
80-84	1	6.0		6	6	6	6	6	6	6
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	1199	7.2	46	1	2	5	9	15	20	31
70-74	1278	7.5	41	2	2	6	9	15	20	33
75-79	1199	7.9	48	1	2	6	10	15	20	36
80-84	1019	8.2	50	2	2	6	10	15	20	39
85+	923	8.7	58	2	3	7	11	17	22	40
B. *Operated*										
65-69 YRS	100	15.8	186	3	5	12	19	36	50	84
70-74	103	14.9	146	3	3	11	21	29	33	68
75-79	96	15.4	126	3	5	12	19	31	34	63
80-84	69	14.8	97	6	7	11	18	30	35	91
85+	60	17.6	155	4	7	14	21	36	44	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	5.9	30	1	1	4	8	11	16	28
B. *Operated*	8	5.1	11	1	1	5	7	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	5618	7.8	48	1	2	6	10	15	20	35
B. *Operated*	428	15.6	144	3	5	12	20	31	40	68
1. SINGLE DX	210	5.8	29	1	1	4	8	11	16	27
2. MULTIPLE DX	6046	8.4	59	1	2	6	10	17	22	40
A. NOT OPERATED	5820	7.8	48	1	2	6	10	15	20	35
B. OPERATED	436	15.4	143	3	5	12	20	31	40	68
TOTAL 65-69 YRS	1353	7.7	61	1	2	6	9	16	22	42
70-74	1425	7.9	51	2	2	6	10	16	21	35
75-79	1339	8.4	57	1	2	6	11	16	22	36
80-84	1126	8.5	55	2	2	7	10	16	21	41
85+	1013	9.1	68	2	3	7	11	18	23	46
GRAND TOTAL	**6256**	**8.3**	**58**	**1**	**2**	**6**	**10**	**16**	**22**	**40**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	50	2.4	7	1	1	1	3	5	9	13
70-74	36	2.5	9	1	1	2	3	5	7	18
75-79	21	2.3	4	<1	1	2	3	4	7	10
80-84	15	2.3	3	1	1	2	3	4	6	7
85+	3	1.3		1	1	1	2	2	2	2
B. *Operated*										
65-69 YRS	1	6.0		6	6	6	6	6	6	6
70-74	1	21.0		21	21	21	21	21	21	21
75-79										
80-84										
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	232	4.1	22	<1	1	3	5	10	12	25
70-74	193	5.5	81	<1	1	3	6	11	16	46
75-79	145	6.0	100	1	1	3	7	13	20	51
80-84	82	6.9	69	<1	1	4	9	16	22	47
85+	85	9.1	235	1	1	4	9	20	36	86
B. *Operated*										
65-69 YRS	16	9.5	57	2	3	8	11	16	29	34
70-74	22	14.7	164	2	3	11	19	35	44	49
75-79	9	13.1	143	4	4	7	22	33	35	35
80-84	9	21.8	256	1	2	24	38	73	99+	99+
85+	5	23.8	588	3	3	16	38	63	63	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	125	2.4	7	1	1	2	3	4	8	14
B. *Operated*	2	13.5	113	6	6	13	21	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	737	5.7	84	<1	1	3	7	12	18	49
B. *Operated*	61	14.9	186	2	3	9	19	36	48	96
1. SINGLE DX	127	2.6	9	1	1	2	3	5	9	19
2. MULTIPLE DX	798	6.4	98	<1	1	3	7	15	23	52
A. NOT OPERATED	862	5.3	74	<1	1	3	6	11	17	48
B. OPERATED	63	14.8	182	2	3	9	20	35	48	95
TOTAL 65-69 YRS	299	4.1	23	<1	1	2	5	10	12	28
70-74	252	5.9	86	1	1	3	7	13	19	49
75-79	175	5.9	94	1	1	3	6	13	21	45
80-84	106	7.5	95	1	1	4	9	20	31	74
85+	93	9.7	253	1	1	4	9	26	46	85
GRAND TOTAL	**925**	**5.9**	**87**	**<1**	**1**	**3**	**7**	**13**	**21**	**49**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	116	3.4	10	<1	1	3	4	7	9	18
70-74	80	3.8	16	1	1	3	5	8	12	23
75-79	76	4.0	11	1	1	3	5	8	10	18
80-84	36	3.3	5	<1	1	3	5	7	8	8
85+	29	5.1	14	2	2	4	8	11	11	16
B. *Operated*										
65-69 YRS	6	10.5	57	<1	<1	11	15	20	21	21
70-74	3	3.7	4	2	2	3	5	6	6	6
75-79	5	9.8	107	2	2	7	15	27	27	27
80-84										
85+	3	3.7	4	2	2	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	916	6.4	41	1	2	5	8	13	19	30
70-74	955	6.7	26	1	2	6	9	13	17	27
75-79	886	7.7	39	1	2	6	10	15	19	33
80-84	751	8.0	47	1	2	6	10	16	21	33
85+	590	8.9	61	2	3	7	11	17	24	37
B. *Operated*										
65-69 YRS	132	14.3	204	2	3	9	17	31	39	76
70-74	121	16.1	229	3	5	11	21	31	48	90
75-79	113	16.7	239	2	4	12	22	36	55	99+
80-84	68	16.1	127	5	5	13	23	38	58	99+
85+	69	19.2	272	3	6	14	24	48	62	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	3.8	12	1	1	3	5	8	10	19
B. *Operated*	17	7.9	56	1	2	6	11	20	25	27
2. MULTIPLE DX										
A. *Not Operated*	4098	7.4	42	1	2	6	9	15	19	32
B. *Operated*	503	16.2	217	3	4	11	21	35	53	99+
1. SINGLE DX	354	4.0	14	1	1	3	5	8	11	21
2. MULTIPLE DX	4601	8.3	68	1	2	6	10	17	24	48
A. NOT OPERATED	4435	7.1	40	1	2	6	9	14	19	31
B. OPERATED	520	15.9	214	2	4	11	21	35	53	99+
TOTAL 65-69 YRS	1170	7.0	64	1	1	5	8	15	21	38
70-74	1159	7.5	55	1	2	6	9	15	20	35
75-79	1080	8.3	67	1	2	6	10	17	24	52
80-84	855	8.4	57	1	2	7	10	17	24	44
85+	691	9.8	90	2	3	7	12	19	27	61
GRAND TOTAL	**4955**	**8.0**	**66**	**1**	**2**	**6**	**10**	**16**	**23**	**44**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	76	6.6	31	1	1	5	9	16	20	23
70-74	72	7.1	62	<1	1	4	9	19	28	33
75-79	69	8.1	76	1	1	5	10	21	31	39
80-84	65	6.5	43	1	1	4	8	13	23	31
85+	55	7.2	56	<1	1	5	8	15	19	40
B. *Operated*										
65-69 YRS	866	9.8	94	1	2	7	14	21	28	49
70-74	825	9.3	94	1	2	6	13	20	26	48
75-79	757	9.3	90	1	2	6	13	21	27	43
80-84	532	9.9	127	1	2	6	13	23	32	52
85+	410	8.8	73	1	2	6	13	20	25	43
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	296	8.5	74	1	2	6	11	19	28	40
70-74	312	9.1	89	1	2	6	11	18	27	44
75-79	302	8.6	85	1	2	6	10	16	24	47
80-84	226	10.1	146	1	2	7	13	20	28	70
85+	228	8.9	102	1	1	6	11	21	29	68
B. *Operated*										
65-69 YRS	2699	12.3	165	2	2	8	16	28	38	73
70-74	2558	12.8	174	1	2	9	17	29	39	83
75-79	2242	13.2	184	2	2	9	18	30	43	75
80-84	1419	12.7	163	2	2	9	17	30	39	76
85+	1162	12.2	141	2	2	8	16	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	7.1	53	1	1	5	8	16	23	34
B. *Operated*	3390	9.4	96	1	2	6	13	21	27	48
2. MULTIPLE DX										
A. *Not Operated*	1364	9.0	96	1	2	6	11	19	28	49
B. *Operated*	10080	12.7	169	2	2	9	17	29	39	76
1. SINGLE DX	3727	9.2	92	1	2	6	13	21	27	47
2. MULTIPLE DX	11444	12.2	161	2	2	8	16	28	38	73
A. NOT OPERATED	1701	8.6	88	1	2	6	11	18	27	44
B. OPERATED	13470	11.9	152	2	2	8	16	27	36	69
TOTAL 65-69 YRS	3937	11.3	142	1	2	8	15	26	35	62
70-74	3767	11.6	151	1	2	8	16	26	36	77
75-79	3370	11.8	156	1	2	8	16	27	37	65
80-84	2242	11.6	152	2	2	7	15	27	36	66
85+	1855	10.9	122	2	2	7	15	25	33	59
GRAND TOTAL	**15171**	**11.5**	**146**	**1**	**2**	**8**	**15**	**26**	**36**	**66**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	231	3.9	5	1	1	4	5	7	8	10
70-74	219	4.0	8	1	1	4	5	7	8	16
75-79	142	4.2	11	1	2	4	5	7	9	16
80-84	76	4.7	13	1	2	4	5	10	14	18
85+	49	3.7	4	1	2	3	5	7	7	9
B. *Operated*										
65-69 YRS	80	4.3	10	1	1	4	5	9	11	15
70-74	87	5.6	23	1	1	4	8	13	15	23
75-79	44	7.1	40	2	2	5	7	14	27	28
80-84	28	6.3	22	2	2	5	9	11	14	24
85+	16	4.1	6	1	1	3	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	325	4.9	20	1	2	4	6	8	10	22
70-74	300	4.9	14	1	1	4	6	9	11	21
75-79	222	5.0	12	1	2	4	6	9	11	19
80-84	155	5.3	13	1	2	5	7	9	12	20
85+	101	5.8	21	1	2	5	7	12	16	22
B. *Operated*										
65-69 YRS	189	7.9	50	1	2	6	10	18	22	36
70-74	151	7.3	50	1	2	5	9	15	18	42
75-79	132	8.3	61	1	2	6	10	17	23	47
80-84	75	9.3	94	1	2	6	12	19	28	54
85+	51	8.5	43	1	2	7	11	19	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	717	4.1	8	1	1	4	5	7	8	15
B. *Operated*	255	5.4	22	1	1	4	7	11	14	27
2. MULTIPLE DX										
A. *Not Operated*	1103	5.0	16	1	2	4	6	9	12	21
B. *Operated*	598	8.1	57	1	2	6	10	17	22	42
1. SINGLE DX	972	4.4	12	1	1	4	5	8	10	18
2. MULTIPLE DX	1701	6.1	33	1	2	5	7	12	17	28
A. NOT OPERATED	1820	4.7	13	1	1	4	6	8	10	19
B. OPERATED	853	7.3	48	1	2	5	9	15	20	37
TOTAL 65-69 YRS	825	5.2	24	1	1	4	6	9	14	25
70-74	757	5.2	22	1	1	4	6	10	14	23
75-79	540	5.8	29	1	2	4	7	11	15	27
80-84	334	6.2	34	2	2	5	7	12	17	28
85+	217	5.9	24	1	2	4	7	12	17	23
GRAND TOTAL	**2673**	**5.5**	**26**	**1**	**2**	**4**	**7**	**10**	**15**	**25**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113669	6.5	42	1	2	4	9	14	18	31
70-74	97427	6.7	44	1	2	4	9	15	19	32
75-79	73882	7.0	53	1	2	4	9	16	21	35
80-84	45126	7.5	63	1	2	5	10	17	22	39
85+	30857	8.3	73	2	2	5	11	19	24	42
2. MULTIPLE DX										
65-69 YRS	341737	10.7	105	2	2	8	14	22	30	57
70-74	333526	11.4	114	2	3	8	14	23	32	60
75-79	285830	12.1	125	2	3	9	15	25	34	63
80-84	203521	12.8	134	2	3	10	16	26	36	69
85+	165880	13.6	142	2	3	10	17	28	37	75
TOT. SINGLE DX	360961	7.0	51	1	2	5	9	15	20	35
" MULTIPLE DX	1330494	11.9	121	2	3	9	15	24	33	63
TOTAL 65-69 YRS	455406	9.7	92	2	2	7	12	20	27	52
70-74	430953	10.3	102	2	2	7	13	21	29	55
75-79	359712	11.1	114	2	2	8	14	23	31	59
80-84	248647	11.9	126	2	2	9	15	25	34	65
85+	196737	12.7	135	2	3	10	16	26	36	71
GRAND TOTAL	**1691455**	**10.8**	**110**	**2**	**2**	**8**	**14**	**23**	**31**	**58**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	90	9.2	67	2	3	7	10	22	24	45
70-74	91	9.2	35	2	2	8	12	18	20	30
75-79	57	9.3	64	3	3	7	10	18	27	45
80-84	35	9.3	37	3	4	7	11	17	20	32
85+	22	9.9	70	2	3	7	11	18	28	41
B. *Operated*										
65-69 YRS	95	11.1	119	1	2	8	14	21	40	54
70-74	66	11.6	115	1	2	9	16	27	36	46
75-79	52	13.0	96	3	3	10	19	27	35	46
80-84	21	10.3	85	2	3	8	12	20	32	42
85+	20	11.9	130	2	3	8	14	30	38	45
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	294	10.8	72	2	4	8	13	22	27	45
70-74	258	10.7	58	3	4	9	14	19	25	44
75-79	159	12.1	78	3	4	10	15	21	30	48
80-84	112	12.7	101	4	5	10	15	27	35	79
85+	78	14.0	226	2	3	10	17	25	38	91
B. *Operated*										
65-69 YRS	364	16.2	226	2	3	11	22	35	50	92
70-74	266	17.5	192	3	4	14	23	37	51	78
75-79	181	15.9	162	3	5	13	21	34	42	71
80-84	88	19.4	181	3	5	16	28	45	50	99+
85+	65	21.8	454	4	5	15	26	56	88	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	9.3	52	2	3	8	11	18	23	37
B. *Operated*	254	11.6	110	2	2	9	15	25	36	49
2. MULTIPLE DX										
A. *Not Operated*	901	11.5	87	3	4	9	14	22	28	49
B. *Operated*	964	17.2	217	3	4	13	23	37	51	93
1. SINGLE DX	549	10.4	80	2	3	8	12	21	30	46
2. MULTIPLE DX	1865	14.4	162	3	4	11	18	30	41	80
A. NOT OPERATED	1196	11.0	79	3	4	9	14	21	28	48
B. OPERATED	1218	16.0	200	2	4	12	21	35	48	88
TOTAL 65-69 YRS	843	13.0	151	2	3	9	16	28	38	69
70-74	681	13.3	124	2	4	10	16	28	37	61
75-79	449	13.4	117	3	4	10	17	27	38	59
80-84	256	14.4	132	3	4	11	19	31	42	97
85+	185	16.0	294	2	3	11	18	30	54	94
GRAND TOTAL	**2414**	**13.5**	**146**	**2**	**4**	**10**	**17**	**29**	**38**	**70**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	103	5.1	15	<1	1	4	6	10	13	19
70-74	62	6.2	32	1	1	5	7	11	22	26
75-79	53	7.5	42	1	2	6	11	14	16	40
80-84	30	5.1	11	1	1	4	7	10	12	14
85+	12	6.3	23	1	2	6	9	12	17	18
B. *Operated*										
65-69 YRS	204	6.8	66	1	1	4	8	16	22	35
70-74	158	7.2	52	<1	1	4	11	17	22	31
75-79	116	8.5	114	<1	1	4	11	20	32	52
80-84	64	5.9	45	1	1	3	7	14	20	36
85+	40	8.2	88	<1	1	4	12	19	31	41
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	385	9.3	79	1	2	7	12	18	24	52
70-74	345	7.9	62	1	2	6	10	16	20	49
75-79	273	8.5	60	1	2	7	11	18	26	40
80-84	162	11.5	136	1	2	8	15	27	33	71
85+	96	8.9	43	2	2	7	12	18	22	31
B. *Operated*										
65-69 YRS	734	13.7	219	2	2	9	17	33	48	88
70-74	615	13.9	211	2	2	9	18	34	47	86
75-79	413	12.6	156	1	2	9	16	29	34	65
80-84	290	13.0	167	1	2	9	19	32	42	80
85+	166	11.3	152	1	2	7	15	25	37	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	260	5.9	25	1	1	5	8	12	15	24
B. *Operated*	582	7.3	71	<1	1	4	10	17	25	40
2. MULTIPLE DX										
A. *Not Operated*	1261	9.0	76	1	2	7	11	18	25	50
B. *Operated*	2218	13.3	193	1	2	9	18	31	43	87
1. SINGLE DX	842	6.8	57	1	1	4	9	16	21	37
2. MULTIPLE DX	3479	11.7	155	1	2	8	15	27	38	74
A. NOT OPERATED	1521	8.5	69	1	2	6	11	17	23	47
B. OPERATED	2800	12.0	174	1	2	8	16	29	40	80
TOTAL 65-69 YRS	1426	10.9	154	1	2	7	14	24	36	76
70-74	1180	10.9	147	1	2	7	14	25	37	63
75-79	855	10.4	117	1	2	7	14	24	32	50
80-84	546	11.3	142	1	2	7	15	27	37	69
85+	314	10.0	107	1	2	7	13	21	28	60
GRAND TOTAL	**4321**	**10.8**	**140**	**1**	**2**	**7**	**14**	**24**	**35**	**66**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	9	5.2	32	1	1	3	6	15	19	19
70-74	6	3.3	7	1	1	3	4	8	8	8
75-79	3	5.3	9	2	2	6	7	8	8	8
80-84	2	8.0	18	5	5	8	11	11	11	11
85+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
65-69 YRS	2	1.5	1	1	1	1	2	2	2	2
70-74	2	4.5	5	3	3	4	6	6	6	6
75-79	2	7.0	50	2	2	7	12	12	12	12
80-84										
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	38	5.7	49	1	1	3	8	14	22	33
70-74	43	5.4	49	1	1	3	6	11	24	31
75-79	33	6.9	50	1	1	4	12	17	24	27
80-84	21	4.4	16	1	1	3	5	11	13	15
85+	23	3.8	8	<1	1	3	6	7	9	12
B. *Operated*										
65-69 YRS	19	19.1	344	4	6	14	18	53	68	71
70-74	12	13.3	319	1	1	7	17	34	61	66
75-79	11	8.1	58	1	1	6	11	20	26	27
80-84	3	19.7	2	18	18	20	21	21	21	21
85+	4	13.3	144	3	3	11	23	28	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.9	18	1	1	3	7	9	15	19
B. *Operated*	7	6.4	45	1	1	3	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	158	5.4	39	1	1	3	6	13	18	31
B. *Operated*	49	14.8	243	1	2	11	18	28	64	71
1. SINGLE DX	28	5.3	24	1	1	3	7	12	19	19
2. MULTIPLE DX	207	7.6	102	1	1	4	9	18	27	65
A. NOT OPERATED	179	5.4	36	1	1	3	6	13	18	31
B. OPERATED	56	13.7	225	1	2	10	18	26	56	71
TOTAL 65-69 YRS	68	9.3	162	1	1	5	13	19	33	70
70-74	63	6.7	101	1	1	3	7	18	24	61
75-79	49	7.1	47	1	1	4	11	16	25	27
80-84	26	6.5	38	1	1	4	11	18	20	21
85+	29	5.6	39	1	1	3	6	16	19	28
GRAND TOTAL	**235**	**7.3**	**93**	**1**	**1**	**4**	**9**	**18**	**24**	**64**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	4	3.5	4	<1	<1	3	5	6	6	6
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	6	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
B. *Operated*										
65-69 YRS	5	2.8	6	<1	<1	2	4	7	7	7
70-74	1	1.0		1	1	1	1	1	1	1
75-79										
80-84										
85+	3	1.7		1	1	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	16	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	9	2.2	4	<1	<1	2	2	5	7	7
1. SINGLE DX	16	2.3	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX	9	2.2	4	<1	<1	2	2	5	7	7
A. NOT OPERATED										
B. OPERATED	25	2.3	3	<1	<1	2	3	5	6	7
TOTAL 65-69 YRS	9	3.1	5	<1	<1	3	4	7	7	7
70-74	4	1.8	1	1	1	2	2	3	3	3
75-79	2	3.5	5	2	2	3	5	5	5	5
80-84	1	2.0		2	2	2	2	2	2	2
85+	9	1.4		<1	<1	1	2	2	2	2
GRAND TOTAL	**25**	**2.3**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**7**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
GRAND TOTAL										

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	6	3.0	9	<1	<1	2	3	8	9	9
70-74	3	2.7	2	1	1	3	4	4	4	4
75-79										
80-84	4	3.0	3	1	1	3	4	5	5	5
85+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
65-69 YRS	379	3.9	17	1	1	3	4	7	10	22
70-74	324	4.1	28	<1	1	3	5	7	11	32
75-79	190	5.1	23	1	1	3	6	10	15	26
80-84	125	5.5	24	1	2	4	7	12	15	27
85+	105	6.6	52	1	2	4	8	15	18	40
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	5	3.8	39	<1	<1	1	5	15	15	15
70-74	9	9.3	193	1	1	4	24	70	99+	99+
75-79	4	3.0	11	1	1	2	5	8	8	8
80-84	7	6.7	35	1	1	5	9	16	18	18
85+	5	17.0	165	2	2	25	26	28	28	28
B. *Operated*										
65-69 YRS	183	6.9	51	1	2	4	8	15	21	37
70-74	170	8.8	96	2	2	6	9	18	34	51
75-79	162	10.5	112	2	2	7	13	22	35	53
80-84	111	10.1	78	2	3	7	13	23	29	46
85+	94	12.1	95	2	3	9	16	26	33	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.0	5	<1	<1	3	4	5	8	9
B. *Operated*	1123	4.6	26	1	1	3	5	9	13	26
2. MULTIPLE DX										
A. *Not Operated*	30	8.2	111	1	1	4	14	27	40	99+
B. *Operated*	720	9.3	88	2	2	6	12	20	30	48
1. SINGLE DX	1137	4.6	26	1	1	3	5	9	13	25
2. MULTIPLE DX	750	9.3	89	2	2	6	12	21	30	49
A. NOT OPERATED	44	6.6	82	<1	1	3	7	25	31	99+
B. OPERATED	1843	6.4	55	1	2	4	7	14	20	40
TOTAL 65-69 YRS	573	4.8	30	1	1	3	5	10	15	33
70-74	506	5.8	58	1	1	3	6	12	18	50
75-79	356	7.5	71	1	2	4	9	16	22	51
80-84	247	7.6	54	1	2	5	9	16	23	35
85+	205	9.4	82	2	2	6	13	22	28	45
GRAND TOTAL	**1887**	**6.4**	**56**	**1**	**2**	**4**	**7**	**14**	**20**	**41**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	3	1.0		<1	<1	1	1	1	1	1
70-74	4	1.8		<1	<1	2	2	2	2	2
75-79										
80-84	1	2.0		2	2	2	2	2	2	2
85+										
B. *Operated*										
65-69 YRS	10	1.1		<1	<1	<1	<1	1	2	2
70-74	7	2.4	14	<1	<1	<1	<1	9	11	11
75-79										
80-84	1	1.0		1	1	1	1	1	1	1
85+										
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	253	1.8	1	1	1	2	2	3	3	7
70-74	160	1.8	2	1	1	2	2	2	4	9
75-79	115	2.2	2	1	1	2	2	3	4	11
80-84	67	1.7	4	1	1	1	2	3	3	15
85+	18	1.7	4	1	1	1	2	2	6	9
B. *Operated*										
65-69 YRS	45	3.8	35	<1	<1	<1	4	9	13	34
70-74	36	4.7	37	<1	<1	3	5	12	17	31
75-79	11	4.9	12	<1	1	4	7	10	12	12
80-84	3	4.7	9	2	2	4	7	8	8	8
85+	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.5		<1	<1	1	2	2	2	2
B. *Operated*	18	1.6	6	<1	<1	<1	<1	2	7	11
2. MULTIPLE DX										
A. *Not Operated*	613	1.9	2	1	1	2	2	3	3	9
B. *Operated*	96	4.3	32	<1	<1	2	5	9	16	33
1. SINGLE DX	26	1.6	4	<1	<1	<1	1	2	4	11
2. MULTIPLE DX	709	2.2	7	<1	1	2	2	3	5	13
A. NOT OPERATED	621	1.9	2	1	1	2	2	3	3	9
B. OPERATED	114	3.9	29	<1	<1	2	4	9	13	32
TOTAL 65-69 YRS	311	2.1	7	<1	<1	2	2	3	4	11
70-74	207	2.3	9	<1	1	2	2	4	7	17
75-79	126	2.4	3	1	1	2	2	4	6	12
80-84	72	1.8	5	1	1	1	2	3	4	14
85+	19	1.7	3	1	1	1	2	3	6	9
GRAND TOTAL	**735**	**2.2**	**7**	**<1**	**1**	**2**	**2**	**3**	**5**	**12**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
65-69 YRS	1141	3.1	17	<1	<1	2	4	6	9	23
70-74	897	3.5	26	<1	<1	2	4	7	11	28
75-79	536	5.7	120	<1	<1	2	5	13	27	79
80-84	325	6.5	138	<1	<1	3	7	17	38	99+
85+	250	8.1	220	<1	<1	3	8	22	64	99+
B. *Operated*										
65-69 YRS	1137	4.5	27	1	1	2	6	11	14	25
70-74	932	4.3	19	1	1	2	6	11	13	19
75-79	702	4.3	23	1	1	2	5	11	13	20
80-84	349	4.5	26	1	1	2	6	11	14	28
85+	206	5.0	57	<1	1	2	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*										
65-69 YRS	8674	4.9	49	1	1	3	5	9	16	39
70-74	6659	5.4	64	1	1	3	5	12	20	45
75-79	3977	6.5	79	1	1	4	7	14	24	49
80-84	1826	8.2	105	1	1	5	10	20	30	59
85+	1080	11.0	192	1	2	6	14	28	45	99+
B. *Operated*										
65-69 YRS	3685	7.0	88	1	1	3	9	15	24	55
70-74	3126	7.4	102	1	1	3	10	17	25	60
75-79	2096	7.5	109	1	1	3	9	17	25	59
80-84	1120	8.1	116	1	1	4	10	18	27	56
85+	619	8.0	107	1	1	4	11	19	28	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3149	4.4	68	<1	<1	2	4	9	16	68
B. *Operated*	3326	4.4	26	1	1	2	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	22216	5.9	73	1	1	3	6	13	21	49
B. *Operated*	10646	7.4	100	1	1	4	9	17	25	58
1. SINGLE DX	6475	4.4	46	<1	<1	2	5	10	14	42
2. MULTIPLE DX	32862	6.4	82	1	1	3	7	15	23	52
A. NOT OPERATED	25365	5.7	72	1	1	3	6	13	21	50
B. OPERATED	13972	6.7	84	1	1	3	9	15	22	53
TOTAL 65-69 YRS	14637	5.2	56	1	1	3	6	11	17	44
70-74	11614	5.7	69	1	1	3	6	13	20	48
75-79	7311	6.5	86	1	1	3	7	15	23	52
80-84	3620	7.7	105	1	1	4	9	18	28	62
85+	2155	9.3	162	1	1	5	11	22	39	99+
GRAND TOTAL	**39337**	**6.1**	**77**	**1**	**1**	**3**	**7**	**14**	**21**	**51**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	260	18.1	147	5	8	15	22	33	40	71
70-74	186	17.4	161	4	6	14	21	35	44	65
75-79	115	20.6	219	5	7	17	27	40	53	86
80-84	61	17.5	155	6	7	15	21	29	39	70
85+	46	15.5	89	5	7	12	20	32	36	38
2. MULTIPLE DX										
65-69 YRS	577	28.6	348	8	10	24	40	60	77	99+
70-74	432	29.5	361	8	10	25	38	62	77	99+
75-79	327	29.0	349	8	10	25	41	67	83	99+
80-84	183	27.9	334	8	9	23	37	55	66	96
85+	109	27.4	264	10	12	23	38	56	73	99+
TOT. SINGLE DX	668	18.1	161	5	7	14	22	35	41	70
" MULTIPLE DX	1628	28.8	345	8	10	25	39	61	77	99+
TOTAL 65-69 YRS	837	25.4	309	7	9	20	34	56	71	99+
70-74	618	25.9	332	6	8	21	35	55	70	99+
75-79	442	26.8	329	7	9	23	37	59	79	99+
80-84	244	25.3	309	7	8	20	33	52	65	93
85+	155	23.9	241	7	9	19	33	50	66	99+
GRAND TOTAL	**2296**	**25.7**	**315**	**7**	**9**	**21**	**35**	**55**	**71**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113	16.7	150	5	6	14	20	35	50	74
70-74	91	16.0	80	6	7	14	21	29	36	40
75-79	75	17.8	162	6	7	14	22	35	44	62
80-84	31	21.2	352	3	5	15	34	55	70	99+
85+	30	17.4	97	6	9	15	21	34	37	46
2. MULTIPLE DX										
65-69 YRS	249	26.3	361	6	8	21	35	53	64	98
70-74	191	27.2	351	7	8	22	39	58	69	98
75-79	211	26.1	308	7	9	22	33	52	68	98
80-84	130	25.2	288	8	9	21	33	46	65	92
85+	88	26.6	291	8	11	22	36	55	78	99+
TOT. SINGLE DX	340	17.2	148	5	6	14	21	35	45	64
" MULTIPLE DX	869	26.3	327	7	9	22	35	53	68	99+
TOTAL 65-69 YRS	362	23.3	315	5	7	18	31	50	60	98
70-74	282	23.6	290	7	8	19	30	49	64	89
75-79	286	23.9	283	7	8	19	31	49	63	92
80-84	161	24.5	301	6	8	20	33	48	66	98
85+	118	24.3	257	8	10	20	33	48	68	99+
GRAND TOTAL	**1209**	**23.8**	**293**	**6**	**8**	**19**	**31**	**49**	**63**	**98**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	14	6.8	17	2	3	5	9	14	15	15
70-74	10	9.7	46	2	2	9	12	19	26	26
75-79	4	10.0	11	5	5	11	12	12	12	12
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	25	14.4	202	4	6	9	17	54	66	99+
70-74	11	27.7	505	3	6	16	42	60	76	77
75-79	7	23.6	508	6	6	9	42	59	62	62
80-84	5	17.2	225	3	3	12	27	41	41	41
85+	3	17.7	30	12	12	18	22	23	23	23
TOT. SINGLE DX	28	8.3	28	2	3	8	12	14	16	26
" MULTIPLE DX	51	19.0	309	3	6	12	24	51	62	99+
TOTAL 65-69 YRS	39	11.7	148	3	3	8	13	25	57	99+
70-74	21	19.1	359	2	3	12	27	46	62	77
75-79	11	18.6	355	5	6	11	20	54	61	62
80-84	5	17.2	226	3	3	12	27	41	41	41
85+	3	17.7	30	12	12	18	22	23	23	23
GRAND TOTAL	**79**	**15.2**	**234**	**3**	**3**	**10**	**16**	**42**	**57**	**93**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	18.9	196	6	7	16	23	34	46	78
70-74	45	15.7	89	5	8	12	19	28	37	44
75-79	35	20.7	230	5	6	16	28	47	51	69
80-84	16	22.1	177	7	8	23	27	42	51	54
85+	4	13.0	36	8	8	12	18	20	20	20
2. MULTIPLE DX										
65-69 YRS	115	29.3	430	7	10	24	42	70	93	99+
70-74	142	29.3	319	8	11	26	39	58	70	99+
75-79	124	31.0	301	9	13	28	43	62	99	99+
80-84	57	31.2	310	8	11	29	43	56	63	79
85+	18	30.0	131	14	16	28	35	40	55	65
TOT. SINGLE DX	145	18.5	167	6	7	15	24	34	45	69
" MULTIPLE DX	456	30.0	333	8	11	26	41	61	85	99+
TOTAL 65-69 YRS	160	26.4	385	7	8	21	36	66	82	99+
70-74	187	26.0	298	7	8	23	35	50	67	99+
75-79	159	28.8	303	7	10	26	41	56	95	99+
80-84	73	29.2	293	8	9	26	40	53	60	78
85+	22	26.9	157	8	12	26	33	39	50	65
GRAND TOTAL	**601**	**27.2**	**317**	**7**	**9**	**24**	**38**	**56**	**72**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	9.5	53	1	2	8	10	23	26	27
70-74	25	11.4	97	1	1	8	15	27	30	39
75-79	12	20.9	772	2	3	8	30	56	93	99
80-84	5	20.0	90	12	12	16	25	36	36	36
85+	2	10.5	113	3	3	10	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	107	24.5	396	3	5	18	31	61	69	96
70-74	72	23.2	332	3	6	18	30	46	62	86
75-79	52	26.0	368	4	6	23	30	50	68	99
80-84	23	26.0	376	7	8	21	40	59	87	99+
85+	18	27.3	324	6	8	27	31	54	64	70
TOT. SINGLE DX	63	13.3	219	1	2	9	17	27	38	91
" MULTIPLE DX	272	24.8	364	4	7	19	31	55	68	98
TOTAL 65-69 YRS	126	22.2	373	3	4	16	28	59	68	95
70-74	97	20.2	297	2	3	15	26	42	58	84
75-79	64	25.1	437	3	4	21	30	49	72	99
80-84	28	24.9	325	7	8	20	35	56	83	99+
85+	20	25.7	323	4	6	23	30	52	63	70
GRAND TOTAL	**335**	**22.6**	**356**	**3**	**4**	**17**	**29**	**50**	**67**	**99**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	402	14.1	65	6	7	12	17	24	31	44
70-74	236	15.1	81	6	7	13	18	27	33	48
75-79	158	17.0	139	6	8	13	20	29	39	71
80-84	55	17.1	56	9	10	14	21	29	32	38
85+	17	22.2	171	10	10	16	33	44	46	46
2. MULTIPLE DX										
65-69 YRS	813	19.1	169	6	8	16	24	36	48	87
70-74	679	21.3	202	7	8	17	27	41	56	87
75-79	434	26.0	322	9	10	21	34	50	68	98
80-84	146	27.5	352	8	10	23	35	63	77	99+
85+	48	29.1	353	9	12	21	40	53	61	96
TOT. SINGLE DX	868	15.3	87	6	7	12	19	27	34	49
" MULTIPLE DX	2120	22.0	238	7	8	17	28	43	58	97
TOTAL 65-69 YRS	1215	17.5	141	6	7	14	22	33	41	76
70-74	915	19.7	179	7	8	16	25	38	51	79
75-79	592	23.6	289	8	9	18	30	46	61	97
80-84	201	24.6	292	9	10	20	32	50	75	99+
85+	65	27.3	312	9	10	20	38	52	59	93
GRAND TOTAL	**2988**	**20.1**	**203**	**7**	**8**	**16**	**25**	**39**	**52**	**91**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	65	13.5	168	2	2	12	16	24	34	75
70-74	26	15.8	114	2	5	13	20	33	38	45
75-79	24	14.4	257	1	1	11	21	32	54	68
80-84	10	17.9	106	3	3	18	28	29	30	30
85+	4	10.3	80	4	4	7	16	23	23	23
2. MULTIPLE DX										
65-69 YRS	190	22.3	394	3	4	17	30	52	63	99+
70-74	129	20.6	290	2	4	16	27	43	56	81
75-79	60	22.9	358	3	5	18	34	55	73	99+
80-84	48	28.4	279	4	7	29	38	53	74	99+
85+	16	19.4	80	4	10	19	24	32	35	37
TOT. SINGLE DX	129	14.4	164	2	2	12	19	28	36	70
" MULTIPLE DX	443	22.5	338	3	4	17	31	51	62	99+
TOTAL 65-69 YRS	255	20.1	351	2	3	14	26	48	61	98
70-74	155	19.8	264	2	5	15	26	42	51	78
75-79	84	20.5	341	2	2	14	28	52	66	99+
80-84	58	26.6	263	3	5	26	35	49	67	98
85+	20	17.6	90	3	4	18	23	31	34	37
GRAND TOTAL	**572**	**20.6**	**310**	**2**	**4**	**16**	**28**	**46**	**60**	**97**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	131	3.3	9	<1	1	3	3	5	8	19
70-74	226	4.1	24	<1	1	3	4	8	11	29
75-79	123	4.4	17	1	1	3	5	9	12	21
80-84	61	5.6	17	2	2	4	7	12	15	20
85+	39	3.8	8	1	1	3	6	9	10	12
2. MULTIPLE DX										
65-69 YRS	265	6.5	46	2	2	4	8	17	22	44
70-74	196	8.1	106	1	2	4	9	20	28	70
75-79	111	8.5	74	1	2	5	11	24	31	63
80-84	43	10.8	150	2	2	5	14	28	41	51
85+	19	10.7	76	2	3	9	13	26	31	33
TOT. SINGLE DX	780	3.9	16	1	1	3	4	8	11	20
" MULTIPLE DX	634	7.8	79	1	2	4	9	20	28	53
TOTAL 65-69 YRS	596	4.7	29	1	2	3	5	12	17	32
70-74	422	5.9	66	1	1	3	6	12	21	50
75-79	234	6.3	49	1	2	4	8	15	24	36
80-84	104	7.8	79	2	2	5	8	18	26	48
85+	58	6.1	40	1	1	4	8	12	21	33
GRAND TOTAL	**1414**	**5.6**	**48**	**1**	**2**	**3**	**6**	**13**	**20**	**39**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1155	2.6	4	<1	1	2	3	4	6	11
70-74	865	2.7	6	<1	1	2	3	4	6	13
75-79	607	2.8	7	1	1	2	3	5	6	13
80-84	335	2.8	5	1	1	2	3	4	6	12
85+	166	2.7	2	1	1	2	3	5	6	8
2. MULTIPLE DX										
65-69 YRS	913	5.2	45	1	1	3	5	11	16	33
70-74	806	5.5	47	1	1	3	6	12	16	39
75-79	567	5.2	30	1	2	3	6	13	17	25
80-84	309	6.6	67	1	2	4	8	15	25	44
85+	161	7.2	76	1	2	4	9	17	23	52
TOT. SINGLE DX	3128	2.7	6	<1	1	2	3	4	6	12
" MULTIPLE DX	2756	5.5	48	1	1	3	6	12	18	33
TOTAL 65-69 YRS	2068	3.7	24	1	1	2	4	8	11	26
70-74	1671	4.0	28	1	1	2	4	9	13	26
75-79	1174	4.0	20	1	1	2	4	9	13	23
80-84	644	4.6	39	1	1	3	4	10	15	32
85+	327	4.9	44	1	1	3	5	11	17	31
GRAND TOTAL	**5884**	**4.0**	**27**	**1**	**1**	**2**	**4**	**8**	**13**	**27**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	61	11.5	46	4	5	10	14	21	23	41
70-74	47	11.3	41	4	5	9	13	21	29	30
75-79	36	11.4	25	5	6	11	14	17	22	24
80-84	22	13.5	30	4	6	13	16	21	22	23
85+	14	19.0	203	2	6	15	22	38	54	58
2. MULTIPLE DX										
65-69 YRS	260	17.5	158	5	7	15	21	33	45	99
70-74	287	18.4	191	5	7	15	23	35	50	96
75-79	219	18.8	177	7	8	15	22	32	43	83
80-84	133	22.7	275	7	8	18	27	43	50	87
85+	65	23.5	215	6	8	21	28	51	56	96
TOT. SINGLE DX	180	12.2	54	4	5	10	15	21	24	41
" MULTIPLE DX	964	19.2	195	6	7	15	23	36	49	91
TOTAL 65-69 YRS	321	16.3	142	5	6	13	20	32	41	93
70-74	334	17.4	176	5	6	14	21	33	45	92
75-79	255	17.8	163	6	8	14	21	30	40	80
80-84	155	21.4	251	7	8	16	25	41	49	85
85+	79	22.7	213	6	8	20	27	49	56	93
GRAND TOTAL	**1144**	**18.1**	**180**	**5**	**7**	**14**	**22**	**34**	**46**	**90**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	6.1	25	1	2	5	8	10	15	26
70-74	21	6.6	21	1	1	6	10	12	15	18
75-79	13	5.6	12	<1	1	5	8	11	13	13
80-84	3	9.3	4	7	7	10	11	11	11	11
85+	4	4.5	8	1	1	4	6	8	8	8
2. MULTIPLE DX										
65-69 YRS	74	13.6	120	2	3	11	17	28	35	54
70-74	61	14.4	85	2	3	12	19	28	30	49
75-79	44	12.2	89	1	1	9	21	24	27	38
80-84	21	13.7	177	1	2	8	18	33	44	50
85+	14	11.3	69	2	3	9	18	24	25	26
TOT. SINGLE DX	65	6.2	20	1	2	5	9	11	13	25
" MULTIPLE DX	214	13.4	105	2	3	11	19	26	30	50
TOTAL 65-69 YRS	98	11.8	107	2	3	9	14	26	30	53
70-74	82	12.4	80	2	2	11	17	23	29	46
75-79	57	10.7	79	1	1	8	18	23	26	37
80-84	24	13.2	157	1	2	8	16	30	43	50
85+	18	9.8	63	1	2	7	15	23	25	26
GRAND TOTAL	**279**	**11.7**	**94**	**1**	**2**	**9**	**16**	**25**	**29**	**50**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	487	5.0	7	3	3	4	6	7	9	17
70-74	322	5.6	12	3	3	5	6	9	12	19
75-79	171	6.1	19	3	3	5	7	11	14	25
80-84	78	7.3	94	3	3	5	7	12	18	67
85+	14	7.6	60	3	3	5	8	13	29	33
2. MULTIPLE DX										
65-69 YRS	576	7.9	50	3	3	6	9	15	20	35
70-74	384	9.5	60	3	4	7	12	19	26	38
75-79	236	10.0	87	3	3	7	12	20	27	43
80-84	89	10.7	57	3	4	8	13	23	26	37
85+	46	12.3	78	3	4	10	15	23	32	44
TOT. SINGLE DX	1072	5.5	18	3	3	5	6	8	12	22
" MULTIPLE DX	1331	9.1	62	3	4	6	11	18	24	37
TOTAL 65-69 YRS	1063	6.6	33	3	3	5	7	12	16	31
70-74	706	7.7	42	3	3	5	9	15	20	35
75-79	407	8.4	62	3	3	5	10	16	22	38
80-84	167	9.1	77	3	4	6	9	19	26	39
85+	60	11.2	77	3	3	8	13	23	32	43
GRAND TOTAL	**2403**	**7.5**	**46**	**3**	**3**	**5**	**8**	**14**	**20**	**34**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	89	7.1	68	2	3	5	8	12	16	55
70-74	74	6.3	32	2	2	5	7	10	15	38
75-79	39	6.4	24	1	2	5	8	13	18	25
80-84	17	14.5	249	1	1	9	19	39	54	60
85+	9	6.6	11	3	3	6	8	12	12	12
2. MULTIPLE DX										
65-69 YRS	245	11.3	119	3	4	7	13	26	32	60
70-74	197	13.8	148	3	4	10	18	28	41	52
75-79	112	14.7	216	4	4	10	20	30	40	97
80-84	57	13.9	134	3	4	10	19	29	39	56
85+	40	13.6	166	3	4	11	17	22	30	80
TOT. SINGLE DX	228	7.2	64	2	2	5	8	13	18	48
" MULTIPLE DX	651	13.0	150	3	4	9	16	28	40	63
TOTAL 65-69 YRS	334	10.1	109	3	3	6	11	24	30	61
70-74	271	11.7	128	2	3	7	14	26	38	49
75-79	151	12.5	180	3	4	8	15	27	39	95
80-84	74	14.0	158	3	4	10	19	29	42	59
85+	49	12.3	145	3	4	10	15	21	27	80
GRAND TOTAL	**879**	**11.5**	**134**	**3**	**3**	**7**	**14**	**26**	**33**	**60**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	13.5	81	4	5	11	17	22	33	46
70-74	28	16.0	147	3	4	12	19	39	43	50
75-79	6	13.0	96	2	3	9	22	27	28	28
80-84	6	20.0	195	9	9	13	34	40	41	41
85+										
2. MULTIPLE DX										
65-69 YRS	104	20.5	203	5	8	17	27	37	48	75
70-74	67	19.6	131	6	8	17	26	37	45	92
75-79	31	23.7	252	6	9	21	27	55	67	99+
80-84	11	24.3	440	7	7	14	38	57	69	70
85+	2	24.0	162	15	15	24	33	33	33	33
TOT. SINGLE DX	76	14.9	114	4	4	11	18	33	41	49
" MULTIPLE DX	215	20.9	198	5	8	17	27	41	51	91
TOTAL 65-69 YRS	140	18.7	181	4	6	16	23	35	46	67
70-74	95	18.5	137	4	8	16	24	37	44	79
75-79	37	21.9	240	5	8	20	27	51	67	99+
80-84	17	22.8	340	7	8	14	36	47	63	70
85+	2	24.0	162	15	15	24	33	33	33	33
GRAND TOTAL	**291**	**19.3**	**182**	**4**	**7**	**16**	**25**	**38**	**48**	**80**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	135	2.1	1	<1	<1	2	2	4	4	7
70-74	142	2.0	1	<1	<1	2	2	3	5	7
75-79	110	2.3	5	<1	<1	2	2	3	5	15
80-84	83	2.1	1	<1	1	2	2	3	5	6
85+	68	2.9	10	<1	1	2	3	6	9	20
2. MULTIPLE DX										
65-69 YRS	169	4.6	18	<1	1	3	6	10	16	21
70-74	156	6.0	73	<1	1	3	7	13	20	46
75-79	133	5.9	52	<1	1	3	8	14	22	38
80-84	124	6.5	62	1	1	3	8	17	21	40
85+	90	6.3	70	1	2	3	7	15	20	80
TOT. SINGLE DX	538	2.2	4	<1	<1	2	2	3	5	10
" MULTIPLE DX	672	5.7	53	<1	1	3	7	13	19	42
TOTAL 65-69 YRS	304	3.5	13	<1	1	2	4	8	11	19
70-74	298	4.1	43	<1	<1	2	4	9	14	40
75-79	243	4.3	34	<1	1	2	4	11	16	30
80-84	207	4.7	42	<1	1	2	5	12	19	35
85+	158	4.8	47	1	1	2	5	11	18	52
GRAND TOTAL	**1210**	**4.2**	**34**	**<1**	**1**	**2**	**4**	**9**	**15**	**32**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	396	2.0	2	<1	<1	2	2	3	4	8
70-74	392	2.1	5	<1	1	2	2	3	4	6
75-79	354	2.0	1	<1	1	2	2	3	4	7
80-84	243	2.0	1	<1	<1	2	2	3	4	6
85+	165	2.2	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
65-69 YRS	615	4.1	30	1	1	2	4	9	13	32
70-74	560	4.6	50	1	1	2	4	10	17	41
75-79	512	5.2	58	1	1	2	5	13	20	35
80-84	387	5.2	59	1	1	3	5	12	19	74
85+	353	6.2	50	1	1	3	9	15	22	40
TOT. SINGLE DX	1550	2.1	3	<1	<1	2	2	3	4	7
" MULTIPLE DX	2427	4.9	49	1	1	2	5	12	18	38
TOTAL 65-69 YRS	1011	3.3	20	<1	1	2	3	6	11	28
70-74	952	3.6	33	<1	1	2	3	6	13	30
75-79	866	3.9	37	<1	1	2	3	8	14	30
80-84	630	4.0	39	<1	1	2	4	9	14	41
85+	518	4.9	39	1	1	2	6	12	20	35
GRAND TOTAL	**3977**	**3.8**	**33**	**<1**	**1**	**2**	**3**	**8**	**13**	**31**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.6	1	1	2	2	3	4	5	7
70-74	94	2.5	2	1	1	2	3	3	4	10
75-79	77	2.6	1	1	2	2	3	4	5	8
80-84	47	2.8	1	1	1	3	3	4	5	7
85+	27	3.2	2	1	2	3	4	6	6	7
2. MULTIPLE DX										
65-69 YRS	86	3.5	17	1	2	3	3	6	7	29
70-74	96	3.3	4	2	2	3	3	5	7	14
75-79	96	2.9	2	1	2	3	3	4	6	10
80-84	58	4.0	35	1	2	2	3	6	13	42
85+	48	6.2	113	2	2	3	6	12	18	73
TOT. SINGLE DX	326	2.6	2	1	2	2	3	4	5	8
" MULTIPLE DX	384	3.7	26	1	2	3	3	6	9	24
TOTAL 65-69 YRS	167	3.1	10	1	2	2	3	5	6	24
70-74	190	2.9	4	1	2	2	3	4	6	12
75-79	173	2.8	2	1	2	2	3	4	5	8
80-84	105	3.4	21	1	2	3	3	5	7	28
85+	75	5.1	75	2	2	3	4	8	13	59
GRAND TOTAL	**710**	**3.2**	**15**	**1**	**2**	**3**	**3**	**5**	**7**	**15**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	2.3	2	<1	1	2	3	4	5	6
70-74	20	3.3	17	<1	<1	2	3	7	14	19
75-79	11	1.7		<1	<1	2	2	3	3	3
80-84	7	1.9		<1	<1	2	2	3	3	3
85+	7	2.0		<1	<1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	27	5.5	48	1	2	2	6	14	20	33
70-74	17	2.6	9	<1	<1	2	3	4	11	14
75-79	22	9.0	135	1	1	4	11	31	39	40
80-84	12	4.2	11	1	1	3	8	9	9	9
85+	18	3.1	4	1	1	2	5	7	7	7
TOT. SINGLE DX	61	2.4	7	<1	<1	2	3	4	5	18
" MULTIPLE DX	96	5.2	52	1	1	2	6	11	17	40
TOTAL 65-69 YRS	43	4.3	33	1	1	2	5	9	16	33
70-74	37	3.0	14	<1	<1	2	3	5	13	19
75-79	33	6.5	101	<1	1	3	6	18	37	40
80-84	19	3.3	8	<1	1	2	4	9	9	9
85+	25	2.8	3	<1	1	2	3	6	7	7
GRAND TOTAL	**157**	**4.1**	**36**	**<1**	**1**	**2**	**4**	**9**	**15**	**39**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	120	3.4	2	1	1	3	4	5	7	9
70-74	161	4.1	7	1	2	4	5	7	8	17
75-79	161	3.8	4	1	2	4	5	6	7	9
80-84	111	3.8	2	2	2	4	5	6	6	8
85+	60	4.7	6	2	2	4	6	8	9	15
2. MULTIPLE DX										
65-69 YRS	211	4.3	6	1	2	4	5	7	8	15
70-74	265	4.6	13	1	2	4	5	7	10	20
75-79	264	4.8	15	1	2	4	5	7	11	23
80-84	158	5.7	60	2	2	4	6	8	13	57
85+	121	5.3	16	2	2	5	6	8	10	23
TOT. SINGLE DX	613	3.9	5	1	2	4	5	6	7	12
" MULTIPLE DX	1019	4.9	20	2	2	4	6	7	11	23
TOTAL 65-69 YRS	331	4.0	5	1	2	4	5	6	8	15
70-74	426	4.4	11	1	2	4	5	7	9	18
75-79	425	4.4	11	1	2	4	5	7	8	19
80-84	269	4.9	37	2	2	4	5	7	9	44
85+	181	5.1	13	2	2	4	6	8	9	16
GRAND TOTAL	**1632**	**4.5**	**15**	**1**	**2**	**4**	**5**	**7**	**8**	**18**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	2.0	1	<1	<1	2	2	4	5	8
70-74	86	2.1	2	<1	<1	2	2	3	5	9
75-79	63	2.0	1	<1	<1	2	2	3	4	8
80-84	38	3.9	29	<1	1	3	4	6	13	32
85+	21	2.8	6	<1	1	2	3	6	9	12
2. MULTIPLE DX										
65-69 YRS	96	4.1	15	1	1	3	5	11	13	19
70-74	120	4.7	31	1	1	2	5	12	18	27
75-79	100	3.9	21	1	1	2	4	8	10	27
80-84	75	4.7	41		1	2	4	11	16	37
85+	47	4.8	43	1	1	2	5	11	16	38
TOT. SINGLE DX	312	2.3	6	<1	<1	2	2	4	5	11
" MULTIPLE DX	438	4.4	28	1	1	2	5	10	15	28
TOTAL 65-69 YRS	200	3.0	9	<1	1	2	3	6	10	17
70-74	206	3.6	21	<1	1	2	3	8	14	26
75-79	163	3.2	14	<1	1	2	3	6	9	17
80-84	113	4.4	37	1	1	2	4	10	16	35
85+	68	4.2	33	1	1	2	4	9	13	35
GRAND TOTAL	**750**	**3.5**	**20**	**<1**	**1**	**2**	**3**	**8**	**11**	**25**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	361	3.0	3	1	1	3	3	5	7	11
70-74	374	3.3	6	1	2	3	4	5	7	15
75-79	299	3.5	7	1	1	3	4	6	8	15
80-84	179	3.9	12	1	1	3	5	7	10	22
85+	65	3.4	6	1	1	3	4	7	11	11
2. MULTIPLE DX										
65-69 YRS	292	4.5	13	1	2	3	6	9	11	19
70-74	304	5.0	39	1	2	3	6	9	13	31
75-79	321	4.7	16	1	2	3	5	9	14	22
80-84	180	5.1	24	2	2	3	6	11	16	27
85+	107	4.4	17	1	2	3	4	9	13	25
TOT. SINGLE DX	1278	3.3	7	1	1	3	4	6	8	14
" MULTIPLE DX	1204	4.8	23	1	2	3	5	9	13	24
TOTAL 65-69 YRS	653	3.7	9	1	2	3	4	7	9	16
70-74	678	4.1	22	1	2	3	4	7	11	22
75-79	620	4.1	13	1	2	3	5	8	11	20
80-84	359	4.5	19	1	2	3	5	9	13	23
85+	172	4.0	14	1	1	3	4	8	11	20
GRAND TOTAL	**2482**	**4.0**	**15**	**1**	**2**	**3**	**4**	**8**	**11**	**20**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	279	2.9	11	1	1	2	3	5	6	12
70-74	246	3.0	5	1	1	2	4	6	7	13
75-79	209	3.4	10	1	1	2	4	7	9	18
80-84	106	3.5	9	1	1	3	4	7	10	16
85+	73	3.8	14	<1	1	2	5	7	10	24
2. MULTIPLE DX										
65-69 YRS	256	5.0	35	1	2	3	6	9	16	35
70-74	262	5.0	65	1	1	3	5	10	13	42
75-79	235	5.5	52	1	1	3	6	11	17	32
80-84	173	5.3	43	1	1	3	5	12	15	41
85+	133	4.2	11	1	1	3	6	8	11	19
TOT. SINGLE DX	913	3.2	10	1	1	2	4	6	8	15
" MULTIPLE DX	1059	5.1	45	1	1	3	6	10	14	34
TOTAL 65-69 YRS	535	3.9	24	1	1	2	4	7	10	30
70-74	508	4.1	37	1	1	3	4	8	10	22
75-79	444	4.5	33	1	1	3	5	9	13	27
80-84	279	4.6	31	1	1	3	5	10	14	32
85+	206	4.0	13	1	1	3	5	8	10	21
GRAND TOTAL	**1972**	**4.2**	**30**	**1**	**1**	**3**	**4**	**8**	**11**	**27**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6722	2.7	1	2	2	2	3	4	4	7
70-74	8277	2.7	1	2	2	3	3	4	4	8
75-79	8344	2.8	1	2	2	3	3	4	5	8
80-84	5995	2.9	2	2	2	3	3	4	5	9
85+	4092	2.9	2	2	2	3	3	4	5	9
2. MULTIPLE DX										
65-69 YRS	6017	3.6	14	2	2	3	4	6	9	21
70-74	7633	3.7	14	2	2	3	4	6	9	18
75-79	8089	3.7	13	2	2	3	4	6	9	20
80-84	6270	4.0	21	2	2	3	4	6	10	23
85+	4344	4.6	39	2	2	3	4	8	12	35
TOT. SINGLE DX	33430	2.8	2	2	2	3	3	4	5	8
" MULTIPLE DX	32353	3.9	19	2	2	3	4	6	10	22
TOTAL 65-69 YRS	12739	3.2	8	2	2	3	3	4	6	14
70-74	15910	3.2	8	2	2	3	3	5	6	14
75-79	16433	3.2	8	2	2	3	3	5	6	15
80-84	12265	3.4	12	2	2	3	4	5	7	17
85+	8436	3.8	22	2	2	3	4	6	9	21
GRAND TOTAL	**65783**	**3.3**	**11**	**2**	**2**	**3**	**3**	**5**	**7**	**16**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5807	2.2		1	1	2	3	3	4	5
70-74	7164	2.3	1	1	1	2	3	3	4	6
75-79	6943	2.3	1	1	1	2	3	3	4	6
80-84	4749	2.3	1	1	2	2	3	3	4	6
85+	2932	2.4	1	1	2	2	3	3	4	7
2. MULTIPLE DX										
65-69 YRS	4098	2.9	10	1	2	2	3	4	6	16
70-74	5062	2.9	7	1	2	2	3	4	6	14
75-79	5057	3.0	8	1	2	2	3	4	6	15
80-84	3907	3.2	10	1	2	2	3	5	8	17
85+	2496	3.4	13	2	2	2	3	6	8	20
TOT. SINGLE DX	27595	2.3	1	1	1	2	3	3	4	6
" MULTIPLE DX	20620	3.0	10	1	2	2	3	4	7	16
TOTAL 65-69 YRS	9905	2.5	5	1	2	2	3	3	4	10
70-74	12226	2.5	4	1	2	2	3	4	4	10
75-79	12000	2.6	4	1	2	2	3	4	5	10
80-84	8656	2.7	5	1	2	2	3	4	5	12
85+	5428	2.9	7	1	2	2	3	4	6	15
GRAND TOTAL	**48215**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**	**11**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	969	2.3	1	1	1	2	3	3	4	6
70-74	1152	2.4	1	1	1	2	3	4	4	6
75-79	1048	2.4		1	1	2	3	4	4	5
80-84	688	2.5	1	1	1	2	3	4	4	8
85+	402	2.6	1	1	2	2	3	4	4	6
2. MULTIPLE DX										
65-69 YRS	666	3.1	10	1	2	2	3	4	8	19
70-74	846	3.2	9	1	2	2	3	5	8	16
75-79	824	3.2	16	1	2	2	3	5	7	16
80-84	597	3.7	16	1	2	3	4	6	9	24
85+	374	3.7	17	1	2	3	4	6	10	22
TOT. SINGLE DX	4259	2.4	1	1	1	2	3	4	4	6
" MULTIPLE DX	3307	3.3	14	1	2	2	3	5	8	21
TOTAL 65-69 YRS	1635	2.7	5	1	1	2	3	4	5	14
70-74	1998	2.7	5	1	2	2	3	4	5	12
75-79	1872	2.7	8	1	2	2	3	4	5	10
80-84	1285	3.0	9	1	2	2	3	4	6	17
85+	776	3.1	9	1	2	2	3	4	6	17
GRAND TOTAL	**7566**	**2.8**	**7**	**1**	**2**	**2**	**3**	**4**	**5**	**13**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	676	4.9	7	2	2	4	6	8	10	16
70-74	505	4.9	7	1	2	4	6	8	10	16
75-79	294	5.1	7	2	2	5	6	8	10	14
80-84	145	5.3	9	2	2	5	6	9	13	17
85+	62	4.9	4	2	3	4	6	7	9	13
2. MULTIPLE DX										
65-69 YRS	701	5.5	11	2	2	5	7	10	12	18
70-74	560	5.5	12	2	2	5	7	9	11	16
75-79	383	6.0	17	2	2	5	7	10	13	23
80-84	172	6.7	27	2	3	5	8	13	17	24
85+	71	6.3	12	2	3	5	8	11	13	18
TOT. SINGLE DX	1682	5.0	8	2	2	4	6	8	10	16
" MULTIPLE DX	1887	5.7	15	2	2	5	7	10	12	20
TOTAL 65-69 YRS	1377	5.2	10	2	2	5	6	9	11	17
70-74	1065	5.2	10	2	2	4	6	9	10	16
75-79	677	5.6	13	2	2	5	7	9	11	20
80-84	317	6.0	19	2	2	5	7	11	14	22
85+	133	5.6	9	2	3	5	7	9	12	18
GRAND TOTAL	**3569**	**5.4**	**11**	**2**	**2**	**5**	**7**	**9**	**11**	**18**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	138	3.4	4	1	1	3	4	6	7	11
70-74	173	3.5	7	1	1	3	4	6	9	16
75-79	103	3.4	8	1	1	2	4	6	8	18
80-84	97	3.2	3	1	2	3	4	6	7	11
85+	40	3.6	5	1	2	3	4	7	8	11
2. MULTIPLE DX										
65-69 YRS	284	5.1	56	1	2	3	5	8	12	44
70-74	308	4.2	8	1	2	3	5	8	9	16
75-79	281	5.3	39	1	2	4	6	10	14	35
80-84	129	4.5	15	1	2	3	5	9	11	23
85+	92	5.8	58	2	2	3	6	12	19	46
TOT. SINGLE DX	551	3.4	6	1	1	3	4	6	8	13
" MULTIPLE DX	1094	4.9	34	1	2	3	5	9	12	32
TOTAL 65-69 YRS	422	4.5	40	1	2	3	5	8	10	34
70-74	481	3.9	8	1	1	3	5	7	9	17
75-79	384	4.8	31	1	2	3	5	9	13	34
80-84	226	3.9	11	1	2	3	5	7	10	17
85+	132	5.1	43	2	2	3	5	10	14	36
GRAND TOTAL	**1645**	**4.4**	**25**	**1**	**2**	**3**	**5**	**8**	**11**	**25**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	72	2.0		1	1	2	2	3	3	5
70-74	50	1.9		<1	1	2	2	3	3	5
75-79	36	1.9		<1	1	2	2	3	3	4
80-84	19	2.2		1	1	2	2	3	4	5
85+	9	2.6	4	1	1	2	3	6	7	7
2. MULTIPLE DX										
65-69 YRS	64	2.3		1	2	2	3	3	4	5
70-74	42	2.2		<1	1	2	3	3	3	4
75-79	29	4.2	60	1	2	2	3	6	10	44
80-84	15	2.4		2	2	2	3	3	3	3
85+	11	4.5	26	2	2	2	4	12	18	19
TOT. SINGLE DX	186	2.0	1	1	1	2	2	3	3	5
" MULTIPLE DX	161	2.8	13	1	2	2	3	4	5	18
TOTAL 65-69 YRS	136	2.1		1	2	2	2	3	3	5
70-74	92	2.0	1	<1	1	2	2	3	3	5
75-79	65	2.9	28	1	1	2	3	4	5	39
80-84	34	2.3	1	1	2	2	3	3	3	5
85+	20	3.6	17	1	1	2	4	7	13	19
GRAND TOTAL	**347**	**2.4**	**7**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3	1.3		1	1	1	2	2	2	2
70-74										
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	1	1.0		1	1	1	1	1	1	1
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	2	3.5	1	3	3	3	4	4	4	4
70-74	3	6.3	21	1	1	9	9	9	9	9
75-79	2	4.0	18	<1	<1	3	7	7	7	7
80-84										
85+	1	10.0		10	10	10	10	10	10	10
TOT. SINGLE DX	7	1.4		1	1	1	2	2	2	2
" MULTIPLE DX	8	5.5	14	<1	<1	5	9	10	10	10
TOTAL 65-69 YRS	5	2.2	2	1	1	2	3	4	4	4
70-74	3	6.3	21	1	1	9	9	9	9	9
75-79	4	2.8	8	<1	<1	1	4	7	7	7
80-84	1	1.0		1	1	1	1	1	1	1
85+	2	6.0	32	2	2	6	10	10	10	10
GRAND TOTAL	**15**	**3.6**	**11**	**<1**	**1**	**2**	**6**	**9**	**10**	**10**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	114	4.0	22	1	2	2	4	8	12	28
70-74	123	3.5	11	1	1	3	4	6	10	20
75-79	114	3.6	10	1	1	2	4	7	9	20
80-84	82	3.8	8	1	1	3	4	9	11	13
85+	49	3.4	6	1	1	3	4	6	10	12
2. MULTIPLE DX										
65-69 YRS	197	5.1	38	1	2	3	5	11	16	32
70-74	211	5.9	37	1	2	4	7	13	19	37
75-79	160	6.2	51	1	1	3	7	16	22	38
80-84	129	5.6	30	2	2	4	6	13	17	31
85+	117	7.1	62	1	2	5	9	14	20	66
TOT. SINGLE DX	482	3.7	13	1	1	3	4	7	10	21
" MULTIPLE DX	814	5.9	43	1	2	4	7	14	19	38
TOTAL 65-69 YRS	311	4.7	33	1	2	3	5	10	15	29
70-74	334	5.0	29	1	2	3	6	11	16	28
75-79	274	5.1	36	1	1	3	5	12	18	35
80-84	211	4.9	22	1	2	3	6	11	15	27
85+	166	6.0	48	1	2	4	8	13	15	50
GRAND TOTAL	**1296**	**5.1**	**33**	**1**	**2**	**3**	**6**	**11**	**16**	**31**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	111	2.7	7	<1	<1	2	3	5	7	15
70-74	104	3.6	21	<1	1	2	4	8	13	26
75-79	96	3.4	21	<1	1	2	3	5	14	27
80-84	75	3.5	16	<1	1	2	4	6	13	25
85+	63	4.0	22	<1	1	2	4	8	19	21
2. MULTIPLE DX										
65-69 YRS	174	8.3	66	1	1	5	12	20	28	46
70-74	167	9.1	152	1	1	5	10	22	30	65
75-79	145	8.5	118	1	2	5	10	19	29	54
80-84	115	10.9	121	1	2	7	15	23	33	61
85+	144	9.4	120	1	2	6	12	19	30	47
TOT. SINGLE DX	449	3.4	17	<1	1	2	3	6	11	21
" MULTIPLE DX	745	9.1	115	1	2	6	12	21	29	59
TOTAL 65-69 YRS	285	6.1	51	<1	1	3	8	14	23	35
70-74	271	7.0	109	<1	1	3	8	16	27	62
75-79	241	6.5	86	1	1	3	7	15	24	44
80-84	190	8.0	93	1	1	4	10	18	26	53
85+	207	7.7	97	1	1	4	11	18	22	43
GRAND TOTAL	**1194**	**7.0**	**86**	**1**	**1**	**3**	**9**	**17**	**24**	**47**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	335	2.5	1	1	1	2	3	4	5	6
70-74	199	2.6	1	1	1	2	3	4	5	8
75-79	76	2.3		1	1	2	3	3	4	6
80-84	21	2.1		1	1	2	2	3	3	3
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	115	3.0	2	2	2	3	3	4	5	11
70-74	85	2.8	1	1	2	3	3	4	5	10
75-79	44	3.1	3	1	2	3	3	4	6	14
80-84	15	2.9		1	2	3	3	4	5	5
85+	9	2.9	1	2	2	3	3	5	5	5
TOT. SINGLE DX	632	2.5	1	1	1	2	3	4	4	7
" MULTIPLE DX	268	2.9	3	1	2	3	3	4	5	12
TOTAL 65-69 YRS	450	2.6	2	1	1	2	3	4	5	9
70-74	284	2.6	2	1	1	2	3	4	5	8
75-79	120	2.6	2	1	1	3	3	3	4	9
80-84	36	2.5	1	1	2	2	3	3	4	5
85+	10	2.8	1	2	2	3	3	4	5	5
GRAND TOTAL	**900**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	232	2.1		1	1	2	3	3	3	5
70-74	102	2.1		1	1	2	3	3	4	6
75-79	41	2.2	1	<1	1	2	3	4	4	8
80-84	18	2.5	2	<1	1	2	2	5	7	8
85+	11	1.5		<1	<1	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	271	3.0	5	1	2	3	3	4	6	16
70-74	150	3.1	11	1	2	2	3	4	7	20
75-79	74	2.7	3	1	2	2	3	4	4	14
80-84	21	5.0	57	1	1	3	4	9	22	36
85+	4	3.3	3	2	2	3	4	6	6	6
TOT. SINGLE DX	404	2.1	1	1	1	2	2	3	4	6
" MULTIPLE DX	520	3.0	9	1	2	2	3	4	7	17
TOTAL 65-69 YRS	503	2.6	4	1	1	2	3	4	5	12
70-74	252	2.7	7	1	1	2	3	4	5	16
75-79	115	2.5	3	1	1	2	3	4	4	11
80-84	39	3.8	33	1	1	2	3	8	10	36
85+	15	2.0	2	<1	1	2	2	3	5	6
GRAND TOTAL	**924**	**2.6**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**15**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	58	2.0	4	<1	<1	2	2	2	4	15
70-74	51	2.1	8	<1	<1	1	2	3	4	20
75-79	28	3.6	98	<1	<1	1	2	5	10	54
80-84	14	1.4		<1	1	1	2	2	3	3
85+	16	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
65-69 YRS	92	7.3	116	1	1	3	8	19	30	59
70-74	57	9.0	178	1	2	3	11	21	28	86
75-79	46	9.0	194	1	1	5	9	18	27	85
80-84	22	12.5	202	1	1	9	16	26	44	64
85+	9	6.0	23	<1	<1	7	10	12	13	13
TOT. SINGLE DX	167	2.2	21	<1	<1	1	2	3	4	19
" MULTIPLE DX	226	8.5	153	1	1	4	10	21	29	77
TOTAL 65-69 YRS	150	5.2	80	<1	1	2	4	13	22	38
70-74	108	5.8	109	<1	<1	2	5	17	21	55
75-79	74	6.9	163	<1	1	2	8	16	23	78
80-84	36	8.2	152	<1	1	2	11	23	28	64
85+	25	2.9	13	<1	<1	1	2	10	11	13
GRAND TOTAL	**393**	**5.8**	**106**	**<1**	**1**	**2**	**6**	**15**	**23**	**60**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	82	3.4	5	2	2	3	3	6	9	14
70-74	59	3.5	5	2	2	3	4	7	8	15
75-79	16	2.6		1	2	2	3	4	5	5
80-84	9	8.0	141	2	2	3	6	27	39	39
85+	4	3.8	1	3	3	4	4	5	5	5
2. MULTIPLE DX										
65-69 YRS	174	4.3	23	2	2	3	4	7	10	27
70-74	85	7.0	107	1	2	4	8	18	26	92
75-79	46	9.0	157	2	2	4	7	27	43	52
80-84	22	5.6	30	2	2	3	4	16	19	22
85+	11	9.5	71	2	2	5	16	21	27	28
TOT. SINGLE DX	170	3.6	13	2	2	3	3	6	9	16
" MULTIPLE DX	338	5.8	68	2	2	3	5	11	23	50
TOTAL 65-69 YRS	256	4.0	18	2	2	3	4	7	10	25
70-74	144	5.6	68	1	2	3	5	10	23	80
75-79	62	7.3	124	2	2	3	6	16	40	52
80-84	31	6.3	60	2	2	3	5	16	22	39
85+	15	8.0	59	2	3	4	14	17	25	28
GRAND TOTAL	**508**	**5.1**	**50**	**2**	**2**	**3**	**4**	**9**	**16**	**43**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	126	3.3	8	1	1	3	4	6	8	18
70-74	70	3.0	3	1	1	2	3	5	7	12
75-79	26	2.5	1	1	1	2	3	4	5	6
80-84	5	4.2	11	1	1	4	7	9	9	9
85+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	100	5.3	82	1	1	3	5	10	14	58
70-74	62	4.6	23	1	1	3	5	10	20	90
75-79	31	6.8	33	1	1	4	12	15	17	23
80-84	14	13.0	245	2	2	8	16	36	53	58
85+	5	8.2	19	1	1	10	11	12	12	12
TOT. SINGLE DX	229	3.1	7	1	1	3	4	6	8	14
" MULTIPLE DX	212	5.9	70	1	1	3	6	13	18	62
TOTAL 65-69 YRS	226	4.2	42	1	1	3	4	8	11	37
70-74	132	3.8	14	1	1	3	4	7	11	37
75-79	57	4.8	23	1	1	3	5	13	16	23
80-84	19	10.7	196	1	1	5	13	27	47	58
85+	7	6.6	22	1	1	7	11	12	12	12
GRAND TOTAL	**441**	**4.5**	**39**	**1**	**1**	**3**	**4**	**9**	**13**	**35**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	60	3.3	17	1	1	3	3	5	6	31
70-74	30	3.3	10	2	2	2	3	4	9	19
75-79	17	2.7	1	1	2	2	3	5	6	6
80-84	2	3.5	5	2	2	3	5	5	5	5
85+	2	6.5	13	4	4	6	9	9	9	9
2. MULTIPLE DX										
65-69 YRS	170	3.7	6	1	2	3	4	7	9	17
70-74	91	3.8	14	1	2	3	4	7	8	26
75-79	37	4.5	19	2	2	3	4	9	17	21
80-84	8	4.3	13	1	1	3	4	10	13	13
85+	9	6.8	24	2	2	4	11	13	15	15
TOT. SINGLE DX	111	3.3	13	1	2	3	3	5	6	25
" MULTIPLE DX	315	3.9	11	1	2	3	4	7	10	19
TOTAL 65-69 YRS	230	3.6	9	1	2	3	4	6	9	20
70-74	121	3.7	14	1	2	3	4	7	8	23
75-79	54	3.9	15	2	2	3	4	6	15	21
80-84	10	4.1	11	1	1	3	4	9	13	13
85+	11	6.7	21	2	2	4	11	13	15	15
GRAND TOTAL	**426**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	**19**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	189	2.5	1	1	1	2	3	4	4	8
70-74	95	2.4	1	1	1	2	3	4	5	7
75-79	47	3.4	12	1	1	2	4	7	9	19
80-84	14	3.7	5	<1	1	3	5	7	9	10
85+	13	6.5	42	2	2	4	7	15	24	26
2. MULTIPLE DX										
65-69 YRS	460	3.6	10	1	1	3	4	6	9	20
70-74	257	4.2	14	1	1	3	5	8	12	19
75-79	142	5.2	35	1	1	3	5	12	15	35
80-84	54	7.6	146	1	1	3	9	16	25	79
85+	39	8.5	99	2	2	5	10	20	25	56
TOT. SINGLE DX	358	2.8	5	1	1	2	3	4	6	12
" MULTIPLE DX	952	4.4	28	1	1	3	5	9	14	25
TOTAL 65-69 YRS	649	3.2	8	1	1	3	3	5	8	18
70-74	352	3.7	11	1	1	3	4	7	11	18
75-79	189	4.8	30	1	1	3	5	10	14	33
80-84	68	6.8	119	1	1	3	7	14	23	72
85+	52	8.0	85	2	2	5	9	18	25	55
GRAND TOTAL	**1310**	**4.0**	**22**	**1**	**1**	**3**	**4**	**7**	**12**	**24**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	345	2.7	6	<1	1	2	3	5	7	14
70-74	307	2.4	2	<1	1	2	3	4	6	8
75-79	216	2.7	4	<1	1	2	3	5	6	13
80-84	139	4.0	67	<1	1	2	4	7	11	56
85+	80	3.9	13	<1	1	3	5	8	12	19
2. MULTIPLE DX										
65-69 YRS	501	4.7	32	1	1	3	5	10	15	30
70-74	438	6.0	49	1	2	3	7	14	18	41
75-79	350	6.5	59	1	2	4	8	14	26	98
80-84	229	7.9	80	1	2	4	10	18	26	46
85+	195	8.9	86	1	2	7	11	20	28	63
TOT. SINGLE DX	1087	2.9	14	<1	1	2	3	5	7	15
" MULTIPLE DX	1713	6.3	57	1	2	3	8	14	22	46
TOTAL 65-69 YRS	846	3.9	23	1	1	2	4	8	12	27
70-74	745	4.5	33	1	1	3	5	10	15	31
75-79	566	5.1	42	1	1	3	5	11	20	46
80-84	368	6.5	80	1	1	3	7	15	21	51
85+	275	7.4	70	1	2	5	10	16	24	56
GRAND TOTAL	**2800**	**5.0**	**43**	**1**	**1**	**3**	**5**	**11**	**16**	**39**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	139	5.1	11	1	1	5	6	9	12	17
70-74	95	5.1	14	1	2	4	7	9	13	20
75-79	68	4.7	9	1	1	4	6	11	11	13
80-84	44	4.7	12	<1	1	4	6	11	12	14
85+	31	4.2	17	1	1	3	6	10	15	17
2. MULTIPLE DX										
65-69 YRS	315	7.1	51	1	2	5	8	14	19	51
70-74	283	7.2	32	1	2	6	9	14	18	29
75-79	251	7.3	57	1	2	5	9	13	20	49
80-84	191	8.4	84	1	2	6	10	17	23	49
85+	149	8.6	77	2	2	6	10	16	26	59
TOT. SINGLE DX	377	4.9	12	1	1	4	6	10	12	17
" MULTIPLE DX	1189	7.5	57	1	2	6	9	14	20	46
TOTAL 65-69 YRS	454	6.5	40	1	2	5	8	12	16	41
70-74	378	6.6	29	1	2	5	8	13	18	25
75-79	319	6.7	48	1	2	5	8	12	17	45
80-84	235	7.7	73	1	2	5	9	14	21	48
85+	180	7.8	70	1	2	6	9	15	22	54
GRAND TOTAL	**1566**	**6.9**	**47**	**1**	**2**	**5**	**8**	**13**	**18**	**42**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	113	3.7	10	1	2	3	4	6	8	20
70-74	90	3.8	7	1	2	3	5	7	9	17
75-79	42	4.1	5	1	2	4	5	7	9	11
80-84	17	4.8	9	2	2	4	5	10	11	12
85+	3	3.3	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	198	6.9	87	2	2	4	7	16	20	60
70-74	116	6.3	54	1	2	4	6	13	18	42
75-79	61	6.7	59	1	2	4	7	16	29	34
80-84	24	6.1	17	1	2	4	10	12	14	14
85+	10	14.3	76	3	5	13	16	29	30	30
TOT. SINGLE DX	265	3.9	9	1	2	3	4	7	9	13
" MULTIPLE DX	409	6.8	71	1	2	4	7	15	20	44
TOTAL 65-69 YRS	311	5.7	62	1	2	3	6	12	18	46
70-74	206	5.2	35	1	2	3	6	10	14	35
75-79	103	5.6	39	1	2	4	6	11	18	33
80-84	41	5.6	14	2	2	4	9	11	13	14
85+	13	11.8	81	2	3	9	15	28	30	30
GRAND TOTAL	**674**	**5.7**	**48**	**1**	**2**	**3**	**6**	**12**	**17**	**34**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	102	3.9	17	1	1	3	4	7	13	24
70-74	70	4.2	14	1	1	3	5	8	10	24
75-79	41	4.0	11	1	1	3	5	10	12	14
80-84	14	4.7	10	2	2	3	7	10	11	11
85+	7	4.6	9	1	1	4	6	9	10	10
2. MULTIPLE DX										
65-69 YRS	204	5.8	33	1	1	4	8	14	17	31
70-74	163	7.9	117	2	2	4	9	17	27	70
75-79	66	8.4	59	2	2	5	12	21	25	33
80-84	56	9.6	89	1	2	6	12	24	29	46
85+	19	9.4	53	1	2	8	14	21	25	27
TOT. SINGLE DX	234	4.1	15	1	1	3	5	9	11	24
" MULTIPLE DX	508	7.3	72	1	2	4	9	17	24	41
TOTAL 65-69 YRS	306	5.2	29	1	1	3	6	12	15	27
70-74	233	6.8	90	2	2	4	7	13	24	62
75-79	107	6.7	45	1	1	4	9	16	21	32
80-84	70	8.6	77	2	2	5	11	22	28	43
85+	26	8.1	46	1	1	6	11	19	23	27
GRAND TOTAL	**742**	**6.3**	**56**	**1**	**2**	**4**	**8**	**14**	**21**	**35**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	169	2.8	16	<1	1	2	2	3	5	30
70-74	105	2.5	3	<1	1	2	3	4	5	13
75-79	96	3.8	93	1	2	2	3	5	8	62
80-84	58	3.5	40	1	1	2	3	6	32	99+
85+	39	3.0	5	1	1	2	3	4	8	14
2. MULTIPLE DX										
65-69 YRS	883	6.1	71	1	2	3	7	15	22	51
70-74	767	6.7	82	1	2	3	8	17	25	57
75-79	592	7.7	122	1	2	3	9	20	31	62
80-84	377	8.5	137	1	2	3	11	21	34	90
85+	313	7.7	91	2	2	4	10	19	31	99+
TOT. SINGLE DX	467	3.0	31	1	1	2	3	4	7	31
" MULTIPLE DX	2932	7.0	96	1	2	3	8	18	27	72
TOTAL 65-69 YRS	1052	5.6	64	1	2	3	5	14	22	49
70-74	872	6.2	75	1	2	3	6	16	24	52
75-79	688	7.1	120	1	2	3	7	18	28	62
80-84	435	7.8	128	1	2	3	10	21	34	99+
85+	352	7.2	85	2	2	4	9	18	30	99+
GRAND TOTAL	**3399**	**6.5**	**89**	**1**	**2**	**3**	**7**	**16**	**25**	**69**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	2.4	2	1	1	2	2	5	5	5
70-74	3	2.0	1	1	1	2	3	3	3	3
75-79	6	3.3	11	<1	<1	2	3	9	10	10
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	13	5.5	63	<1	1	2	4	19	26	28
70-74	11	15.4	363	2	3	5	20	52	54	54
75-79	4	5.0	45	<1	<1	2	9	15	15	15
80-84	1	27.0		27	27	27	27	27	27	27
85+	1	20.0		20	20	20	20	20	20	20
TOT. SINGLE DX	20	2.6	4	<1	1	2	3	5	8	10
" MULTIPLE DX	30	10.3	193	<1	1	4	15	27	50	54
TOTAL 65-69 YRS	23	4.2	38	<1	1	2	3	8	21	28
70-74	14	12.5	312	1	2	4	11	50	53	54
75-79	10	4.0	22	<1	<1	2	3	12	15	15
80-84	2	14.5	313	2	2	14	27	27	27	27
85+	1	20.0		20	20	20	20	20	20	20
GRAND TOTAL	**50**	**7.2**	**130**	**<1**	**1**	**3**	**5**	**21**	**28**	**54**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	96	3.1	3	1	1	3	4	5	6	11
70-74	43	3.7	11	1	1	3	4	6	11	18
75-79	23	5.0	24	1	2	3	6	13	18	20
80-84	10	2.6	3	<1	<1	2	3	6	7	7
85+	8	4.9	6	2	2	4	7	8	9	9
2. MULTIPLE DX										
65-69 YRS	123	5.2	62	2	2	3	4	8	20	52
70-74	67	5.4	56	1	2	3	5	11	23	42
75-79	51	8.8	238	2	2	4	8	17	37	83
80-84	25	7.2	45	1	2	5	9	15	23	30
85+	23	10.9	199	1	1	4	15	31	44	56
TOT. SINGLE DX	180	3.5	8	1	1	3	4	6	8	18
" MULTIPLE DX	289	6.5	104	1	2	3	6	14	23	58
TOTAL 65-69 YRS	219	4.3	38	1	2	3	4	6	11	37
70-74	110	4.7	39	1	2	3	4	9	16	38
75-79	74	7.6	174	2	2	4	7	15	22	80
80-84	35	5.9	38	1	1	4	7	13	19	30
85+	31	9.3	155	1	1	4	9	25	38	56
GRAND TOTAL	**469**	**5.3**	**69**	**1**	**2**	**3**	**5**	**10**	**19**	**48**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	435	4.1	5	2	2	4	5	7	8	12
70-74	340	4.7	13	2	2	4	5	7	10	22
75-79	194	4.6	10	1	2	4	5	9	11	19
80-84	94	5.5	19	2	2	4	7	10	12	27
85+	56	5.6	12	1	2	5	8	11	12	14
2. MULTIPLE DX										
65-69 YRS	428	6.1	36	2	2	4	6	12	17	27
70-74	327	7.2	54	2	3	5	8	15	19	48
75-79	232	8.7	90	2	2	5	10	18	25	58
80-84	149	7.5	49	2	2	5	9	15	19	33
85+	94	10.4	83	2	3	8	12	22	33	45
TOT. SINGLE DX	1119	4.6	11	2	2	4	5	8	10	18
" MULTIPLE DX	1230	7.4	58	2	3	5	9	15	21	45
TOTAL 65-69 YRS	863	5.1	22	2	2	4	5	9	12	22
70-74	667	5.9	35	2	2	4	6	11	16	30
75-79	426	6.8	58	2	2	4	7	15	20	46
80-84	243	6.7	39	2	2	5	8	13	17	33
85+	150	8.6	62	2	2	6	11	17	27	37
GRAND TOTAL	**2349**	**6.0**	**38**	**2**	**2**	**4**	**7**	**11**	**17**	**33**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	2.0		2	2	2	2	2	2	2
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	9	10.9	192	2	2	5	13	36	42	42
70-74	1	3.0		3	3	3	3	3	3	3
75-79										
80-84	3	8.0	28	2	2	10	11	12	12	12
85+										
TOT. SINGLE DX	2	2.5	1	2	2	2	3	3	3	3
" MULTIPLE DX	13	9.6	138	2	2	5	10	29	40	42
TOTAL 65-69 YRS	10	10.0	179	2	2	4	9	34	42	42
70-74	1	3.0		3	3	3	3	3	3	3
75-79	1	3.0		3	3	3	3	3	3	3
80-84	3	8.0	28	2	2	10	11	12	12	12
85+										
GRAND TOTAL	**15**	**8.7**	**125**	**2**	**2**	**4**	**10**	**26**	**38**	**42**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	434	4.5	41	<1	1	3	4	9	15	37
70-74	313	4.7	53	<1	1	3	4	9	15	36
75-79	234	4.4	15	1	1	3	5	10	13	20
80-84	137	4.2	19	1	1	3	4	9	13	24
85+	102	5.1	23	1	1	3	7	10	13	26
2. MULTIPLE DX										
65-69 YRS	659	8.9	95	1	2	5	11	21	31	49
70-74	557	9.1	129	1	2	5	11	20	31	68
75-79	412	10.1	138	2	2	6	12	22	33	62
80-84	253	9.7	99	1	2	6	13	21	30	55
85+	192	12.0	191	2	2	7	16	26	37	84
TOT. SINGLE DX	1220	4.5	36	1	1	3	5	10	14	29
" MULTIPLE DX	2073	9.6	123	1	2	6	12	21	32	64
TOTAL 65-69 YRS	1093	7.1	79	1	1	4	9	17	28	43
70-74	870	7.5	106	1	2	4	9	17	26	64
75-79	646	8.0	101	1	2	4	10	18	27	52
80-84	390	7.7	78	1	2	4	10	18	26	48
85+	294	9.6	144	1	2	6	12	22	33	81
GRAND TOTAL	**3293**	**7.7**	**97**	**1**	**2**	**4**	**9**	**17**	**28**	**53**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	38	3.0	11	1	1	2	3	6	8	21
70-74	23	3.7	14	1	1	2	4	7	13	19
75-79	7	5.6	81	1	1	2	3	21	26	26
80-84	6	8.0	78	2	2	3	13	23	24	24
85+	15	1.9		1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	31	8.8	199	1	1	3	8	24	52	59
70-74	17	7.6	130	1	1	3	9	21	38	46
75-79	16	9.2	72	2	2	7	11	24	30	32
80-84	6	14.3	351	2	2	6	20	47	50	50
85+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	89	3.5	21	1	1	2	3	6	13	25
" MULTIPLE DX	71	9.0	160	1	2	3	10	24	45	58
TOTAL 65-69 YRS	69	5.6	103	1	1	2	4	12	22	58
70-74	40	5.4	65	1	1	3	4	11	21	46
75-79	23	8.1	75	1	2	4	11	25	28	32
80-84	12	11.2	206	2	2	4	16	32	47	50
85+	16	1.9		1	1	2	2	3	3	3
GRAND TOTAL	**160**	**6.0**	**89**	**1**	**1**	**2**	**5**	**13**	**24**	**53**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	1.8		1	1	2	2	3	3	3
70-74	5	1.8		1	1	2	2	2	2	2
75-79	2	1.5	1	1	1	1	2	2	2	2
80-84	4	3.0	4	2	2	2	4	6	6	6
85+	7	1.4		1	1	1	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	4	1.8		1	1	2	2	2	2	2
70-74	4	3.0	11	<1	<1	1	5	8	8	8
75-79	4	1.5		1	1	1	2	2	2	2
80-84	2	4.5	13	2	2	4	7	7	7	7
85+	4	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	30	1.9	1	1	1	2	2	3	3	6
" MULTIPLE DX	18	2.3	4	<1	1	2	2	6	8	8
TOTAL 65-69 YRS	16	1.8		1	1	2	2	2	3	3
70-74	9	2.3	5	<1	<1	2	2	6	8	8
75-79	6	1.5		1	1	1	2	2	2	2
80-84	6	3.5	6	2	2	2	6	7	7	7
85+	11	1.6		1	1	2	2	3	3	3
GRAND TOTAL	**48**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**6**	**8**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	1.0		1	1	1	1	1	1	1
70-74										
75-79										
80-84										
85+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	3	4.0	7	2	2	3	6	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	2	1.5	1	1	1	1	2	2	2	2
" MULTIPLE DX	6	2.8	5	<1	<1	2	3	7	7	7
TOTAL 65-69 YRS	4	3.3	7	1	1	2	5	7	7	7
70-74	1	2.0		2	2	2	2	2	2	2
75-79										
80-84	1	1.0		<1	<1	<1	<1	<1	<1	<1
85+	2	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**8**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**6**	**7**	**7**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	151	3.9	22	<1	1	2	4	7	12	29
70-74	119	5.5	70	1	1	3	6	12	17	59
75-79	56	4.2	14	1	1	3	5	11	13	18
80-84	35	5.5	17	2	2	4	8	10	12	22
85+	22	8.7	172	<1	1	4	9	24	44	55
2. MULTIPLE DX										
65-69 YRS	208	9.5	111	1	2	6	14	19	26	61
70-74	156	10.2	187	1	2	5	12	22	34	88
75-79	103	9.7	155	2	2	6	12	20	41	67
80-84	53	11.3	190	1	2	8	14	24	27	88
85+	22	16.9	453	2	2	10	19	42	74	88
TOT. SINGLE DX	383	4.9	45	1	1	3	5	10	14	36
" MULTIPLE DX	542	10.3	164	1	2	6	14	22	29	85
TOTAL 65-69 YRS	359	7.2	82	1	1	4	10	17	22	35
70-74	275	8.2	142	1	1	4	9	19	25	81
75-79	159	7.8	113	1	2	4	9	16	24	58
80-84	88	9.0	129	1	2	6	11	21	24	71
85+	44	12.8	323	1	1	6	13	32	58	88
GRAND TOTAL	**925**	**8.0**	**122**	**1**	**2**	**4**	**10**	**18**	**25**	**65**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	78	4.0	8	1	1	3	6	8	9	14
70-74	56	4.2	12	1	1	3	5	7	11	20
75-79	53	3.6	5	1	1	3	4	7	8	11
80-84	46	4.1	22	1	1	3	5	8	12	28
85+	33	3.4	6	<1	1	3	4	6	8	14
2. MULTIPLE DX										
65-69 YRS	163	6.1	40	1	1	4	7	13	15	37
70-74	167	6.1	30	1	1	5	8	13	16	26
75-79	127	7.1	59	1	2	5	8	13	23	44
80-84	103	7.4	110	2	2	4	9	15	18	96
85+	85	7.8	66	1	2	5	10	17	22	46
TOT. SINGLE DX	266	3.9	11	1	1	3	5	8	9	18
" MULTIPLE DX	645	6.7	57	1	2	5	8	14	17	42
TOTAL 65-69 YRS	241	5.4	31	1	1	4	7	11	15	22
70-74	223	5.6	27	1	1	4	7	11	15	26
75-79	180	6.0	46	1	1	4	7	11	15	40
80-84	149	6.4	86	1	2	4	7	13	17	92
85+	118	6.6	54	1	2	4	7	14	20	40
GRAND TOTAL	**911**	**5.9**	**45**	**1**	**1**	**4**	**7**	**12**	**16**	**38**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	679	2.5	17	1	1	2	2	3	5	20
70-74	428	2.4	14	<1	1	2	2	3	4	11
75-79	223	2.9	36	<1	1	2	2	4	6	18
80-84	104	2.7	11	1	1	2	2	4	6	23
85+	52	2.1		1	1	2	2	3	4	6
2. MULTIPLE DX										
65-69 YRS	588	5.9	78	1	1	2	6	14	21	54
70-74	396	6.1	87	1	1	2	7	15	21	44
75-79	271	7.6	133	1	1	2	9	20	27	65
80-84	98	10.0	171	1	1	4	16	25	32	87
85+	53	8.5	167	2	2	3	10	19	29	73
TOT. SINGLE DX	1486	2.5	19	1	1	2	2	3	5	17
" MULTIPLE DX	1406	6.7	103	1	1	2	8	17	24	60
TOTAL 65-69 YRS	1267	4.1	49	1	1	2	3	9	15	44
70-74	824	4.2	53	1	1	2	3	9	15	31
75-79	494	5.5	95	1	1	2	4	13	22	61
80-84	202	6.3	102	1	1	2	6	19	26	73
85+	105	5.3	95	1	2	2	4	11	19	62
GRAND TOTAL	**2892**	**4.5**	**64**	**1**	**1**	**2**	**3**	**10**	**18**	**47**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	8.9	69	1	1	8	13	20	23	44
70-74	41	9.1	38	2	2	9	13	16	19	28
75-79	20	10.0	158	1	2	4	12	25	40	53
80-84	5	12.6	104	1	1	18	21	21	21	21
85+	1	17.0		17	17	17	17	17	17	17
2. MULTIPLE DX										
65-69 YRS	77	15.3	190	2	2	13	22	32	42	96
70-74	66	15.7	178	2	2	13	22	32	48	94
75-79	43	21.4	435	1	2	13	40	54	62	72
80-84	9	27.7	856	5	5	17	65	94	99+	99+
85+	6	19.0	10	15	15	19	20	24	24	24
TOT. SINGLE DX	124	9.4	73	1	2	8	13	20	24	47
" MULTIPLE DX	201	17.4	267	2	2	14	24	43	61	99+
TOTAL 65-69 YRS	134	12.6	148	1	2	10	18	28	33	89
70-74	107	13.2	134	2	2	12	18	27	39	79
75-79	63	17.8	372	1	2	11	26	52	60	71
80-84	14	22.3	615	1	2	18	27	88	97	99+
85+	7	18.7	9	15	15	19	20	23	24	24
GRAND TOTAL	**325**	**14.3**	**208**	**2**	**2**	**11**	**19**	**32**	**46**	**91**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	75	19.5	83	9	12	17	25	30	37	51
70-74	40	16.9	55	9	10	15	18	26	35	43
75-79	23	19.9	94	7	10	17	24	35	41	44
80-84	5	16.8	60	8	8	16	23	27	27	27
85+	3	36.7	16	32	32	39	39	39	39	39
2. MULTIPLE DX										
65-69 YRS	173	23.9	190	10	12	20	30	46	66	99+
70-74	139	24.0	252	10	12	20	28	55	95	99+
75-79	60	30.3	475	11	13	24	36	80	95	99+
80-84	24	28.6	199	13	14	25	37	47	59	62
85+	14	28.1	88	14	17	27	35	37	46	49
TOT. SINGLE DX	146	19.1	82	9	10	16	23	31	39	50
" MULTIPLE DX	410	25.3	254	11	12	21	31	50	78	99+
TOTAL 65-69 YRS	248	22.6	162	10	12	19	28	43	55	99+
70-74	179	22.4	217	10	11	18	27	47	90	99+
75-79	83	27.4	389	11	12	22	32	71	86	99+
80-84	29	26.6	193	11	12	24	32	46	58	62
85+	17	29.6	86	14	17	32	35	39	46	49
GRAND TOTAL	**556**	**23.7**	**216**	**10**	**12**	**19**	**29**	**45**	**67**	**99+**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	16.2	295	4	4	11	42	90	99+	99+
70-74	3	18.7	52	14	14	21	63	99+	99+	99+
75-79	5	16.2	158	7	7	7	30	30	30	30
80-84	3	22.7	412	9	9	13	38	46	46	46
85+	1	20.0		20	20	20	20	20	20	20
2. MULTIPLE DX										
65-69 YRS	52	33.4	504	4	10	34	59	99+	99+	99+
70-74	45	32.1	485	5	6	30	46	82	99+	99+
75-79	22	30.0	546	8	11	38	90	99+	99+	99+
80-84	14	35.7	658	3	7	34	56	85	96	99+
85+	4	38.8	1153	14	14	27	62	87	87	87
TOT. SINGLE DX	18	17.9	185	5	6	14	30	75	99+	99+
" MULTIPLE DX	137	33.8	522	5	9	33	59	99+	99+	99+
TOTAL 65-69 YRS	58	31.6	505	4	7	31	56	99+	99+	99+
70-74	48	31.3	468	5	7	29	46	86	99+	99+
75-79	27	32.3	527	7	7	32	87	99+	99+	99+
80-84	17	33.4	613	4	8	31	51	82	94	99+
85+	5	35.0	935	14	14	20	50	87	87	87
GRAND TOTAL	**155**	**31.9**	**508**	**5**	**7**	**30**	**52**	**99+**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	66	10.5	232	1	2	5	13	25	40	90
70-74	49	8.9	218	1	1	4	11	28	86	99+
75-79	33	12.3	223	1	2	4	21	32	44	61
80-84	15	11.5	249	<1	1	2	14	38	48	52
85+	9	13.4	170	2	2	10	18	35	37	37
2. MULTIPLE DX										
65-69 YRS	346	32.4	651	2	3	32	61	99+	99+	99+
70-74	285	33.5	681	2	3	36	63	99+	99+	99+
75-79	200	39.8	726	2	4	41	67	97	99+	99+
80-84	101	39.9	773	5	8	41	76	99+	99+	99+
85+	52	36.4	526	3	10	33	58	94	99+	99+
TOT. SINGLE DX	172	10.6	222	1	1	4	14	29	44	99
" MULTIPLE DX	984	35.2	689	2	4	36	64	99+	99+	99+
TOTAL 65-69 YRS	412	28.9	649	2	2	26	55	93	99+	99+
70-74	334	29.9	688	1	2	30	59	99+	99+	99+
75-79	233	35.9	747	2	3	35	60	93	99+	99+
80-84	116	36.2	795	2	3	38	72	99	99+	99+
85+	61	33.0	538	2	4	32	55	90	99+	99+
GRAND TOTAL	**1156**	**31.6**	**696**	**2**	**2**	**30**	**59**	**95**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	817	8.2	65	1	2	6	11	17	23	42
70-74	682	8.6	65	1	2	7	11	18	23	47
75-79	455	9.1	82	1	2	7	12	19	28	38
80-84	248	9.6	81	1	2	7	12	21	25	45
85+	79	11.7	114	2	2	9	15	22	36	54
2. MULTIPLE DX										
65-69 YRS	3104	13.5	144	2	3	10	17	28	36	72
70-74	2715	14.2	135	2	3	11	19	28	38	60
75-79	1956	14.9	144	2	3	12	20	30	38	59
80-84	1084	16.0	171	2	4	13	21	33	42	84
85+	498	18.3	214	3	5	14	24	37	49	84
TOT. SINGLE DX	2281	8.8	73	1	2	7	11	19	24	45
" MULTIPLE DX	9357	14.5	150	2	3	11	19	29	39	66
TOTAL 65-69 YRS	3921	12.4	133	2	2	9	16	25	34	64
70-74	3397	13.0	126	2	3	10	17	26	36	58
75-79	2411	13.8	138	2	3	11	18	28	36	58
80-84	1332	14.8	161	2	3	12	20	30	41	78
85+	577	17.4	206	3	5	14	22	35	47	79
GRAND TOTAL	**11638**	**13.4**	**140**	**2**	**3**	**10**	**17**	**27**	**36**	**64**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	3	8.0	63	2	2	5	14	17	17	17
70-74										
75-79	1	24.0		24	24	24	24	24	24	24
80-84										
85+	2	16.5	85	10	10	16	23	23	23	23
TOT. SINGLE DX										
" MULTIPLE DX	6	13.5	86	2	2	13	23	24	24	24
TOTAL 65-69 YRS	3	8.0	63	2	2	5	14	17	17	17
70-74										
75-79	1	24.0		24	24	24	24	24	24	24
80-84										
85+	2	16.5	85	10	10	16	23	23	23	23
GRAND TOTAL	**6**	**13.5**	**86**	**2**	**2**	**13**	**23**	**24**	**24**	**24**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	473	11.5	65	2	2	10	15	20	24	37
70-74	354	11.7	87	1	2	10	16	23	30	49
75-79	213	12.1	69	1	2	11	18	24	28	40
80-84	90	10.7	75	2	2	9	14	21	24	51
85+	26	13.6	117	1	2	10	21	27	37	39
2. MULTIPLE DX										
65-69 YRS	1489	16.5	145	3	4	14	22	33	42	62
70-74	1308	16.2	139	2	4	14	21	31	38	63
75-79	820	17.0	158	2	4	15	22	33	43	72
80-84	403	15.6	110	2	4	14	21	29	35	53
85+	146	15.6	121	2	4	13	21	29	36	55
TOT. SINGLE DX	1156	11.7	75	1	2	10	16	22	27	40
" MULTIPLE DX	4166	16.4	142	3	4	14	22	31	39	63
TOTAL 65-69 YRS	1962	15.3	131	2	4	13	20	30	38	60
70-74	1662	15.3	132	2	4	13	20	30	37	62
75-79	1033	16.0	144	2	4	14	21	30	39	68
80-84	493	14.7	107	2	4	12	21	28	33	53
85+	172	15.3	120	2	3	13	21	29	36	53
GRAND TOTAL	**5322**	**15.4**	**131**	**2**	**4**	**13**	**20**	**29**	**37**	**60**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	283	14.7	47	7	8	13	18	24	29	37
70-74	196	16.5	45	8	9	15	20	24	30	38
75-79	104	17.5	77	8	9	16	21	27	31	56
80-84	25	20.8	69	10	11	18	24	33	37	42
85+	6	23.7	83	8	9	25	28	34	35	35
2. MULTIPLE DX										
65-69 YRS	818	19.8	126	8	10	17	24	33	41	63
70-74	586	21.2	149	9	10	18	26	36	49	71
75-79	263	22.7	177	10	11	19	27	38	50	89
80-84	69	23.4	129	10	11	20	29	39	44	66
85+	12	21.8	91	10	13	20	26	39	41	41
TOT. SINGLE DX	614	16.1	56	8	9	14	20	25	30	41
" MULTIPLE DX	1748	20.9	143	9	10	18	25	36	44	70
TOTAL 65-69 YRS	1101	18.5	111	8	9	16	22	31	39	57
70-74	782	20.0	127	8	10	17	24	34	42	68
75-79	367	21.2	154	9	10	18	25	36	46	85
80-84	94	22.7	114	10	11	20	28	38	43	60
85+	18	22.4	85	9	11	21	27	37	40	41
GRAND TOTAL	**2362**	**19.6**	**125**	**8**	**10**	**17**	**24**	**33**	**41**	**64**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	707	7.5	56	1	1	5	10	16	22	34
70-74	555	7.9	58	1	1	5	10	19	24	35
75-79	336	8.9	109	1	2	6	12	19	24	50
80-84	170	9.4	72	1	2	7	12	20	24	44
85+	80	10.1	97	1	2	8	14	19	30	55
2. MULTIPLE DX										
65-69 YRS	2693	13.2	135	2	3	10	18	27	36	65
70-74	2517	13.8	146	2	3	11	19	28	38	69
75-79	1760	15.1	177	2	3	11	20	31	42	82
80-84	992	14.9	131	3	4	12	20	30	38	70
85+	518	18.1	175	3	5	15	24	35	43	92
TOT. SINGLE DX	1848	8.1	71	1	2	5	11	18	23	37
" MULTIPLE DX	8480	14.3	151	2	3	11	19	29	39	71
TOTAL 65-69 YRS	3400	12.0	124	2	2	9	16	25	33	62
70-74	3072	12.8	136	2	2	9	17	27	36	64
75-79	2096	14.1	172	2	3	10	19	29	41	80
80-84	1162	14.1	126	2	3	11	19	29	38	62
85+	598	17.1	173	2	4	14	23	34	41	86
GRAND TOTAL	**10328**	**13.2**	**142**	**2**	**2**	**10**	**18**	**28**	**37**	**68**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	12.2	152	2	3	8	16	28	42	52
70-74	31	10.2	66	2	2	9	13	21	26	38
75-79	10	8.8	34	2	2	7	14	17	19	19
80-84	8	4.6	5	2	2	5	6	8	8	8
85+	3	4.3		4	4	4	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	117	17.6	249	2	3	14	24	38	51	94
70-74	98	14.1	149	2	3	10	21	34	44	99+
75-79	63	17.2	197	3	4	14	22	30	49	69
80-84	41	13.5	100	2	3	11	20	28	35	40
85+	23	14.1	63	3	3	15	20	26	27	27
TOT. SINGLE DX	71	9.6	79	2	2	7	12	20	26	49
" MULTIPLE DX	342	15.8	182	2	3	13	22	33	42	91
TOTAL 65-69 YRS	136	16.8	238	2	3	13	22	38	51	92
70-74	129	13.2	131	2	3	9	20	32	42	99+
75-79	73	16.0	183	3	3	14	20	29	39	68
80-84	49	12.1	96	2	2	9	17	27	31	40
85+	26	13.0	66	3	3	14	19	25	27	27
GRAND TOTAL	**413**	**14.7**	**170**	**2**	**3**	**11**	**20**	**31**	**40**	**88**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	178	12.1	73	3	4	10	15	23	28	58
70-74	126	13.5	78	4	5	11	19	25	32	45
75-79	70	13.6	98	3	4	11	18	28	36	45
80-84	36	12.1	69	3	4	9	16	23	29	35
85+	25	11.0	44	2	3	10	15	21	25	27
2. MULTIPLE DX										
65-69 YRS	1087	16.6	191	4	5	13	21	33	44	81
70-74	905	16.7	160	4	5	13	22	33	43	76
75-79	713	18.3	195	4	6	15	24	35	45	83
80-84	393	16.9	175	4	5	13	22	34	46	81
85+	277	19.0	188	4	6	15	25	39	46	73
TOT. SINGLE DX	435	12.7	77	3	4	10	17	24	30	44
" MULTIPLE DX	3375	17.2	183	4	5	14	22	34	44	81
TOTAL 65-69 YRS	1265	16.0	177	4	5	12	20	31	41	78
70-74	1031	16.3	152	4	5	13	22	32	41	72
75-79	783	17.9	189	4	5	14	23	35	44	82
80-84	429	16.5	168	4	5	13	22	33	45	79
85+	302	18.3	181	4	6	14	23	37	45	72
GRAND TOTAL	**3810**	**16.7**	**173**	**4**	**5**	**13**	**22**	**34**	**43**	**78**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	234	10.9	115	2	2	8	14	23	34	60
70-74	159	9.5	58	1	2	8	13	20	23	34
75-79	105	10.7	100	1	2	7	16	22	30	49
80-84	47	11.3	104	2	2	9	16	22	34	52
85+	25	12.4	149	2	2	9	14	35	40	52
2. MULTIPLE DX										
65-69 YRS	927	15.2	161	2	3	12	20	31	40	75
70-74	788	14.7	140	2	3	12	19	29	36	65
75-79	575	16.2	167	2	4	13	22	31	44	79
80-84	346	16.7	166	3	4	13	22	32	43	62
85+	236	17.3	159	4	5	14	22	34	42	61
TOT. SINGLE DX	570	10.6	97	1	2	8	14	22	30	52
" MULTIPLE DX	2872	15.6	158	2	4	12	21	31	40	69
TOTAL 65-69 YRS	1161	14.3	155	2	3	11	19	31	39	67
70-74	947	13.8	130	2	3	11	18	27	34	61
75-79	680	15.4	161	2	3	12	21	31	42	70
80-84	393	16.0	162	3	4	13	21	32	42	61
85+	261	16.8	160	3	5	13	21	34	42	61
GRAND TOTAL	**3442**	**14.8**	**151**	**2**	**3**	**12**	**19**	**31**	**39**	**64**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	152	16.0	54	9	10	14	18	23	28	49
70-74	71	16.2	48	10	10	14	18	26	34	38
75-79	41	17.3	61	9	10	15	19	25	36	46
80-84	10	16.5	44	7	7	17	23	24	25	25
85+	2	11.5	5	10	10	11	13	13	13	13
2. MULTIPLE DX										
65-69 YRS	878	21.2	151	10	11	17	25	36	47	75
70-74	649	23.0	183	10	11	19	28	41	53	79
75-79	316	23.7	191	11	12	19	28	42	57	86
80-84	73	27.1	232	10	13	23	35	43	55	90
85+	14	20.6	127	6	10	16	26	42	44	44
TOT. SINGLE DX	276	16.2	53	9	10	14	18	24	32	45
" MULTIPLE DX	1930	22.4	173	10	11	18	27	39	52	80
TOTAL 65-69 YRS	1030	20.4	140	10	11	17	24	35	43	72
70-74	720	22.3	175	10	11	18	27	39	53	78
75-79	357	23.0	181	10	12	19	27	40	56	86
80-84	83	25.8	221	9	11	22	33	42	55	87
85+	16	19.5	120	6	10	15	25	41	43	44
GRAND TOTAL	**2206**	**21.7**	**162**	**10**	**11**	**18**	**26**	**37**	**50**	**76**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	922	13.3	31	8	9	12	15	20	24	35
70-74	481	14.1	34	8	9	13	16	21	25	34
75-79	133	14.8	43	8	9	13	17	22	31	39
80-84	18	16.4	12	11	12	16	18	22	24	24
85+	5	12.2	9	7	7	13	14	15	15	15
2. MULTIPLE DX										
65-69 YRS	4610	16.9	85	9	10	14	20	28	35	58
70-74	2471	18.9	120	9	10	16	22	31	40	71
75-79	813	20.6	133	9	10	17	25	35	44	67
80-84	114	22.7	136	10	11	20	29	37	43	66
85+	18	24.7	117	10	11	28	35	73	99+	99+
TOT. SINGLE DX	1559	13.7	34	8	9	12	16	21	24	35
" MULTIPLE DX	8026	18.0	104	9	10	15	21	30	38	64
TOTAL 65-69 YRS	5532	16.3	78	9	9	14	19	27	33	54
70-74	2952	18.2	110	9	10	15	21	30	38	66
75-79	946	19.8	125	9	10	16	23	34	43	67
80-84	132	21.8	124	11	11	18	27	37	42	63
85+	23	22.0	121	9	11	20	31	46	99+	99+
GRAND TOTAL	**9585**	**17.3**	**95**	**9**	**9**	**14**	**20**	**29**	**36**	**61**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2242	3.7	15	1	2	2	3	8	12	20
70-74	948	3.9	15	1	2	2	4	10	12	20
75-79	301	5.1	29	2	2	3	6	13	17	27
80-84	42	7.0	47	1	2	3	13	16	22	26
85+	25	4.5	37	1	2	2	3	11	16	30
2. MULTIPLE DX										
65-69 YRS	9136	6.0	42	2	2	3	8	14	18	31
70-74	4906	6.9	52	2	2	4	9	15	21	34
75-79	1808	8.5	77	2	2	6	12	18	25	41
80-84	380	10.9	120	2	2	8	14	25	32	52
85+	89	13.1	142	2	2	9	17	30	45	82
TOT. SINGLE DX	3558	3.9	17	1	2	2	4	9	13	20
" MULTIPLE DX	16319	6.7	53	2	2	4	9	15	20	35
TOTAL 65-69 YRS	11378	5.6	38	2	2	3	7	13	17	30
70-74	5854	6.4	47	2	2	3	9	15	20	32
75-79	2109	8.0	72	2	2	5	11	18	24	39
80-84	422	10.5	115	2	2	7	14	24	31	51
85+	114	11.2	132	2	2	7	15	29	40	70
GRAND TOTAL	**19877**	**6.2**	**48**	**2**	**2**	**3**	**8**	**14**	**19**	**33**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	579	7.5	34	2	2	6	10	14	19	26
70-74	794	7.2	27	2	2	6	9	14	18	26
75-79	870	7.3	35	2	2	6	9	14	18	29
80-84	722	7.3	34	2	2	6	9	14	18	30
85+	629	7.2	27	2	2	6	9	14	17	24
2. MULTIPLE DX										
65-69 YRS	3630	12.6	92	3	4	10	16	24	30	49
70-74	5051	13.1	95	3	4	11	17	25	31	50
75-79	5790	13.4	106	3	4	11	17	26	33	57
80-84	5000	13.7	111	3	4	11	17	26	34	61
85+	4309	13.9	116	3	4	11	18	27	35	60
TOT. SINGLE DX	3594	7.3	32	2	2	6	9	14	18	27
" MULTIPLE DX	23780	13.4	105	3	4	11	17	26	33	55
TOTAL 65-69 YRS	4209	11.9	87	2	3	10	16	23	28	47
70-74	5845	12.3	90	3	3	10	16	24	30	48
75-79	6660	12.6	101	3	3	10	16	25	32	54
80-84	5722	12.9	106	3	4	10	17	24	33	57
85+	4938	13.1	110	3	4	10	16	26	33	57
GRAND TOTAL	**27374**	**12.6**	**100**	**3**	**4**	**10**	**16**	**24**	**31**	**52**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	90	7.9	68	2	2	4	11	17	22	45
70-74	50	7.3	32	2	2	5	11	16	18	23
75-79	16	8.9	47	1	3	7	13	18	23	25
80-84	4	16.0	55	9	9	14	21	26	26	26
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	387	14.9	206	2	3	11	19	32	45	78
70-74	256	16.4	166	2	3	14	21	35	43	64
75-79	106	18.7	234	3	5	15	26	39	47	81
80-84	40	18.7	154	4	6	15	24	39	47	52
85+	26	13.5	89	3	4	11	17	22	36	40
TOT. SINGLE DX	161	8.0	55	2	2	5	12	17	22	38
" MULTIPLE DX	815	16.0	193	3	3	12	21	34	44	73
TOTAL 65-69 YRS	477	13.6	188	2	3	10	17	30	42	74
70-74	306	14.9	156	2	3	12	20	32	41	60
75-79	122	17.5	220	3	3	13	23	36	45	76
80-84	44	18.4	145	4	7	15	24	39	47	52
85+	27	13.6	86	3	4	11	16	28	36	40
GRAND TOTAL	**976**	**14.7**	**179**	**2**	**3**	**11**	**19**	**32**	**42**	**68**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	403	5.3	47	1	1	2	7	14	20	30
70-74	364	5.3	43	1	1	2	7	13	19	35
75-79	220	5.9	47	1	1	3	8	15	19	33
80-84	129	7.2	77	1	1	4	10	15	22	66
85+	97	9.3	112	1	2	5	13	21	30	56
2. MULTIPLE DX										
65-69 YRS	1870	12.3	136	2	2	9	16	25	36	58
70-74	2017	13.0	126	2	2	10	17	27	34	55
75-79	1697	13.9	144	2	3	11	18	29	39	70
80-84	1385	15.5	149	2	3	13	20	31	40	66
85+	1341	15.9	143	3	4	13	21	30	40	75
TOT. SINGLE DX	1213	5.9	56	1	1	3	7	14	21	38
" MULTIPLE DX	8310	13.9	141	2	3	11	18	29	38	65
TOTAL 65-69 YRS	2273	11.0	128	1	2	8	15	24	34	55
70-74	2381	11.8	122	1	2	9	16	25	32	53
75-79	1917	13.0	140	2	2	10	17	28	38	68
80-84	1514	14.8	149	2	3	12	19	30	39	66
85+	1438	15.5	144	2	4	13	20	30	39	74
GRAND TOTAL	**9523**	**12.9**	**137**	**2**	**2**	**10**	**17**	**27**	**36**	**62**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	417	5.5	12	2	3	5	7	9	13	21
70-74	227	5.9	19	2	3	4	7	11	14	26
75-79	106	7.3	48	2	2	5	8	18	27	30
80-84	33	11.5	82	3	3	8	15	26	29	39
85+	8	14.0	497	4	4	6	8	51	69	69
2. MULTIPLE DX										
65-69 YRS	428	9.2	78	2	3	6	11	19	26	40
70-74	254	10.4	94	3	4	7	13	20	28	54
75-79	145	13.7	176	3	4	10	16	27	36	74
80-84	57	17.2	148	3	5	15	22	36	40	54
85+	31	17.0	147	3	5	13	23	40	43	44
TOT. SINGLE DX	791	6.2	29	2	3	5	7	11	15	29
" MULTIPLE DX	915	11.0	111	3	3	8	.14	22	32	54
TOTAL 65-69 YRS	845	7.4	49	2	3	5	9	14	20	36
70-74	481	8.3	64	3	3	5	10	17	22	48
75-79	251	11.0	132	2	3	7	13	24	31	62
80-84	90	15.1	131	3	3	13	20	34	37	51
85+	39	16.4	210	3	4	10	22	41	44	69
GRAND TOTAL	**1706**	**8.8**	**79**	**2**	**3**	**6**	**10**	**18**	**25**	**44**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	741	12.4	67	3	5	11	15	19	24	47
70-74	603	12.7	68	3	6	11	15	20	26	56
75-79	304	13.8	92	3	6	12	16	23	29	59
80-84	153	14.4	53	4	6	14	17	26	31	97
85+	56	14.3	51	3	7	14	18	26	28	30
2. MULTIPLE DX										
65-69 YRS	3040	18.6	181	5	7	15	22	36	48	86
70-74	2632	19.9	199	6	8	16	24	39	52	92
75-79	1663	21.5	204	6	9	18	27	42	52	91
80-84	746	23.7	232	8	9	20	30	46	58	99+
85+	375	25.0	265	9	11	21	32	49	65	99+
TOT. SINGLE DX	1857	12.9	71	3	6	11	15	21	27	53
" MULTIPLE DX	8456	20.3	203	6	8	16	25	40	52	92
TOTAL 65-69 YRS	3781	17.3	165	5	7	14	21	33	44	82
70-74	3235	18.5	183	6	7	15	22	36	48	82
75-79	1967	20.3	195	6	8	17	25	39	51	86
80-84	899	22.1	214	7	9	18	28	43	56	99+
85+	431	23.6	251	8	10	19	30	45	62	99+
GRAND TOTAL	**10313**	**19.0**	**187**	**5**	**7**	**15**	**23**	**37**	**49**	**87**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	15.0		15	15	15	15	15	15	15
70-74	1	18.0		18	18	18	18	18	18	18
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	16	24.3	256	4	8	20	32	39	62	71
70-74	3	16.3	44	12	12	13	21	24	24	24
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
TOT. SINGLE DX	2	16.5	5	15	15	16	18	18	18	18
" MULTIPLE DX	20	22.9	216	5	10	20	28	37	55	71
TOTAL 65-69 YRS	17	23.8	245	5	9	20	32	39	60	71
70-74	4	16.8	30	12	12	15	21	24	24	24
75-79	1	19.0		19	19	19	19	19	19	19
80-84										
85+										
GRAND TOTAL	**22**	**22.3**	**199**	**6**	**11**	**19**	**26**	**36**	**52**	**71**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	4.8	20	<1	<1	3	8	12	13	21
70-74	57	8.4	97	<1	<1	6	11	19	27	49
75-79	16	10.3	55	1	2	8	14	22	26	28
80-84	5	5.6	12	<1	<1	5	8	10	10	10
85+	1	19.0		19	19	19	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	1287	8.9	95	1	2	6	11	19	27	55
70-74	964	9.6	102	2	2	6	12	20	28	61
75-79	523	9.7	100	2	2	7	12	21	28	74
80-84	200	11.9	147	2	2	8	14	27	38	56
85+	52	10.5	102	2	3	7	13	20	31	55
TOT. SINGLE DX	147	6.9	58	<1	<1	5	9	15	20	45
" MULTIPLE DX	3026	9.5	103	1	2	6	12	20	28	57
TOTAL 65-69 YRS	1355	8.7	93	<1	2	6	11	18	27	54
70-74	1021	9.5	102	1	2	6	12	20	28	58
75-79	539	9.7	99	2	2	7	12	21	28	73
80-84	205	11.8	145	2	2	8	14	27	38	56
85+	53	10.6	102	2	3	7	13	20	31	55
GRAND TOTAL	**3173**	**9.4**	**101**	**1**	**2**	**6**	**12**	**20**	**28**	**57**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2173	9.4	49	2	3	8	12	17	22	34
70-74	1932	9.8	43	3	3	8	12	17	22	33
75-79	1252	10.6	71	3	4	9	13	19	24	42
80-84	500	10.7	58	2	3	9	14	19	25	42
85+	222	11.4	79	2	3	10	15	21	26	39
2. MULTIPLE DX										
65-69 YRS	8163	14.7	150	3	4	11	18	28	39	73
70-74	7461	15.4	158	3	4	12	19	30	41	73
75-79	5155	16.6	182	3	5	13	21	33	44	82
80-84	2540	18.0	190	4	5	14	23	36	49	86
85+	1344	19.2	223	3	6	15	25	40	52	95
TOT. SINGLE DX	6079	10.0	54	2	3	8	13	18	22	37
" MULTIPLE DX	24663	15.9	169	3	5	12	20	31	43	78
TOTAL 65-69 YRS	10336	13.6	134	3	4	11	17	26	35	70
70-74	9393	14.2	140	3	4	11	18	28	38	69
75-79	6407	15.4	166	3	4	12	19	30	41	78
80-84	3040	16.8	176	3	5	13	21	34	46	82
85+	1566	18.1	210	3	5	14	24	37	49	89
GRAND TOTAL	**30742**	**14.7**	**152**	**3**	**4**	**11**	**18**	**29**	**39**	**73**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	517	7.3	51	1	2	5	10	16	22	33
70-74	438	7.0	38	1	2	5	9	14	20	31
75-79	230	7.4	51	1	2	5	10	14	18	37
80-84	96	8.3	43	1	2	7	13	17	21	31
85+	71	12.1	119	1	3	9	16	27	41	48
2. MULTIPLE DX										
65-69 YRS	1321	11.9	113	2	2	9	16	24	32	54
70-74	1077	12.4	107	2	3	10	15	25	33	50
75-79	828	12.9	137	2	2	9	17	28	36	60
80-84	421	13.9	119	2	3	11	18	29	34	50
85+	256	15.1	240	2	3	11	19	31	44	96
TOT. SINGLE DX	1352	7.6	51	1	2	5	10	16	21	35
" MULTIPLE DX	3903	12.7	127	2	2	10	17	26	34	57
TOTAL 65-69 YRS	1838	10.6	100	2	2	8	15	23	29	49
70-74	1515	10.8	94	2	2	8	14	22	30	47
75-79	1058	11.7	124	2	2	8	15	26	34	59
80-84	517	12.9	110	2	3	10	17	26	32	49
85+	327	14.5	215	2	3	10	18	30	42	95
GRAND TOTAL	**5255**	**11.4**	**112**	**2**	**2**	**9**	**15**	**24**	**32**	**53**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	116	10.0	39	2	3	8	13	19	23	30
70-74	90	11.0	96	2	3	8	14	21	25	62
75-79	53	7.7	15	3	3	8	10	12	15	22
80-84	15	11.1	94	2	2	9	12	20	35	40
85+	11	16.6	215	2	3	10	27	40	46	47
2. MULTIPLE DX										
65-69 YRS	354	12.6	122	4	4	9	15	24	32	58
70-74	260	13.2	124	3	4	9	17	28	36	47
75-79	156	13.1	100	4	5	10	16	25	35	66
80-84	66	12.8	171	4	4	10	15	21	38	97
85+	55	14.2	235	3	4	9	18	32	57	99+
TOT. SINGLE DX	285	10.2	65	2	3	8	12	20	24	45
" MULTIPLE DX	891	12.9	129	4	4	9	16	25	35	75
TOTAL 65-69 YRS	470	11.9	103	3	4	9	14	22	30	54
70-74	350	12.6	118	3	4	9	16	26	34	53
75-79	209	11.7	84	3	4	9	14	23	32	56
80-84	81	12.5	156	4	4	10	14	21	35	95
85+	66	14.6	229	3	4	9	19	34	50	99
GRAND TOTAL	**1176**	**12.3**	**115**	**3**	**4**	**9**	**15**	**24**	**33**	**66**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	13.0		13	13	13	13	13	13	13
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	14.0	200	4	4	14	24	24	24	24
80-84	1	34.0		34	34	34	34	34	34	34
85+										
TOT. SINGLE DX	1	8.0		8	8	8	8	8	8	8
" MULTIPLE DX	5	16.8	147	4	4	13	26	34	34	34
TOTAL 65-69 YRS	2	10.5	13	8	8	10	13	13	13	13
70-74	1	9.0		9	9	9	9	9	9	9
75-79	2	14.0	200	4	4	14	24	24	24	24
80-84	1	34.0		34	34	34	34	34	34	34
85+										
GRAND TOTAL	**6**	**15.3**	**130**	**4**	**4**	**11**	**24**	**33**	**34**	**34**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
TOT. SINGLE DX										
" MULTIPLE DX	2	12.0	32	8	8	12	16	16	16	16
TOTAL 65-69 YRS	1	8.0		8	8	8	8	8	8	8
70-74										
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+										
GRAND TOTAL	**2**	**12.0**	**32**	**8**	**8**	**12**	**16**	**16**	**16**	**16**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	585	10.3	93	2	3	7	12	22	32	50
70-74	530	10.6	88	2	3	8	13	22	27	50
75-79	423	11.2	114	2	2	8	14	23	32	58
80-84	279	10.4	74	2	3	8	14	21	30	48
85+	168	10.8	77	2	3	8	13	23	30	44
2. MULTIPLE DX										
65-69 YRS	3725	14.5	149	3	4	11	18	29	39	69
70-74	4133	14.2	131	3	4	11	17	28	38	62
75-79	3997	15.2	153	3	5	12	18	30	41	76
80-84	2784	15.5	154	4	5	12	19	29	42	83
85+	2205	15.9	150	4	5	13	20	31	42	75
TOT. SINGLE DX	1985	10.6	92	2	3	8	13	22	30	50
" MULTIPLE DX	16844	14.9	147	3	4	12	18	29	40	71
TOTAL 65-69 YRS	4310	13.9	144	3	4	10	17	29	38	65
70-74	4663	13.7	128	3	4	11	17	27	37	61
75-79	4420	14.8	151	3	4	11	18	29	40	75
80-84	3063	15.0	149	3	4	12	19	29	40	81
85+	2373	15.5	147	4	5	12	19	31	41	74
GRAND TOTAL	**18829**	**14.5**	**143**	**3**	**4**	**11**	**18**	**29**	**39**	**69**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	12.7	164	2	2	7	15	33	39	61
70-74	45	12.8	173	2	2	9	17	29	40	62
75-79	32	15.3	164	3	3	14	20	27	32	70
80-84	6	19.3	320	4	4	11	33	47	49	49
85+	14	12.4	83	2	3	11	16	27	31	32
2. MULTIPLE DX										
65-69 YRS	524	19.7	314	2	3	15	28	42	55	86
70-74	393	20.1	344	2	3	14	28	48	62	97
75-79	260	21.0	266	4	5	17	29	42	51	87
80-84	172	24.8	301	4	6	20	34	50	63	92
85+	153	21.2	230	4	6	19	28	41	51	72
TOT. SINGLE DX	165	13.4	163	2	2	9	18	30	38	65
" MULTIPLE DX	1502	20.8	306	3	4	16	29	45	57	89
TOTAL 65-69 YRS	592	18.9	302	2	3	14	26	41	54	85
70-74	438	19.3	331	2	3	14	27	47	60	94
75-79	292	20.3	258	3	4	16	27	41	50	82
80-84	178	24.7	301	4	6	20	34	49	62	91
85+	167	20.5	224	3	6	18	28	39	50	71
GRAND TOTAL	**1667**	**20.0**	**296**	**2**	**4**	**15**	**28**	**43**	**56**	**88**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	300	6.5	48	1	1	4	8	16	21	36
70-74	279	7.3	68	<1	1	4	9	17	24	45
75-79	211	7.7	71	1	1	5	10	17	21	57
80-84	144	6.3	35	1	1	4	9	15	19	26
85+	97	7.7	78	<1	1	5	10	17	21	52
2. MULTIPLE DX										
65-69 YRS	1447	11.5	124	2	2	8	15	25	35	66
70-74	1465	12.0	167	2	3	8	14	25	37	78
75-79	1185	12.5	147	2	3	9	16	26	35	73
80-84	845	12.5	122	2	2	9	16	26	35	57
85+	591	12.9	136	2	3	9	17	27	39	60
TOT. SINGLE DX	1031	7.1	60	1	1	4	9	16	21	38
" MULTIPLE DX	5533	12.1	142	2	3	9	15	26	36	69
TOTAL 65-69 YRS	1747	10.6	115	1	2	7	13	23	33	63
70-74	1744	11.2	154	2	2	8	14	24	34	72
75-79	1396	11.8	139	2	2	8	15	25	33	69
80-84	989	11.6	115	2	2	9	15	24	32	55
85+	688	12.1	131	2	2	9	16	26	35	60
GRAND TOTAL	**6564**	**11.3**	**132**	**2**	**2**	**8**	**14**	**24**	**33**	**66**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	33.0	999	13	13	19	51	80	80	80
70-74	8	12.4	46	3	5	10	15	23	26	26
75-79	5	14.2	18	10	10	14	18	19	19	19
80-84	5	25.2	90	14	14	28	32	37	37	37
85+	3	20.3	672	2	2	9	40	50	50	50
2. MULTIPLE DX										
65-69 YRS	32	20.9	98	7	10	20	26	35	39	45
70-74	46	22.7	205	7	9	18	30	42	52	75
75-79	33	24.8	291	6	8	20	32	48	66	75
80-84	36	22.8	177	6	10	19	31	42	49	62
85+	16	27.5	367	6	8	26	46	71	92	99+
TOT. SINGLE DX	25	19.6	273	3	9	15	24	37	57	80
" MULTIPLE DX	163	23.3	210	7	9	19	31	45	53	77
TOTAL 65-69 YRS	36	22.2	187	8	10	20	26	37	43	80
70-74	54	21.1	194	6	9	17	26	40	50	74
75-79	38	23.4	268	6	8	18	31	44	64	75
80-84	41	23.1	165	7	10	20	31	40	48	62
85+	19	26.4	388	3	6	23	46	63	88	99+
GRAND TOTAL	**188**	**22.8**	**218**	**6**	**9**	**18**	**30**	**44**	**51**	**79**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	21.3	380	5	7	14	25	47	52	95
70-74	30	19.3	208	4	5	15	23	37	58	63
75-79	32	26.5	488	5	7	22	34	52	81	99
80-84	21	16.8	118	3	5	16	24	39	66	99+
85+	23	21.6	465	3	5	14	35	62	92	99+
2. MULTIPLE DX										
65-69 YRS	278	27.0	375	7	9	22	39	65	96	99+
70-74	370	27.0	310	6	9	23	39	60	92	99+
75-79	380	28.0	390	6	8	23	40	64	92	99+
80-84	385	27.7	355	6	8	24	38	63	84	99+
85+	491	25.8	344	5	8	22	36	59	81	99+
TOT. SINGLE DX	136	21.4	342	4	5	16	25	47	63	99+
" MULTIPLE DX	1904	27.0	354	6	8	23	38	62	88	99+
TOTAL 65-69 YRS	308	26.5	378	6	8	22	38	63	94	99+
70-74	400	26.4	306	5	9	22	38	59	88	99+
75-79	412	27.9	397	6	8	23	39	64	91	99+
80-84	406	27.2	348	6	8	23	38	61	84	99+
85+	514	25.6	350	5	7	21	36	59	84	99+
GRAND TOTAL	**2040**	**26.7**	**355**	**6**	**8**	**22**	**38**	**61**	**87**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	336	7.6	45	<1	2	6	10	16	20	28
70-74	329	6.9	24	1	2	6	9	13	16	24
75-79	263	8.4	49	<1	2	7	11	16	21	39
80-84	173	8.6	44	1	2	7	10	18	24	33
85+	115	11.1	131	1	3	8	13	22	30	67
2. MULTIPLE DX										
65-69 YRS	2617	11.1	83	3	4	9	14	21	28	50
70-74	2731	11.9	90	3	4	9	15	23	30	52
75-79	2521	12.5	94	3	4	10	15	24	31	56
80-84	1774	13.4	112	3	5	11	16	26	36	62
85+	1254	14.8	146	4	5	12	17	27	36	76
TOT. SINGLE DX	1216	8.1	50	1	2	6	10	16	21	34
" MULTIPLE DX	10897	12.4	101	3	4	10	15	24	31	56
TOTAL 65-69 YRS	2953	10.7	80	2	3	8	13	20	27	49
70-74	3060	11.4	86	2	4	9	14	22	29	51
75-79	2784	12.1	92	3	4	10	15	23	30	53
80-84	1947	13.0	108	3	4	10	16	25	35	59
85+	1369	14.5	146	4	5	12	17	27	36	76
GRAND TOTAL	**12113**	**12.0**	**98**	**3**	**4**	**9**	**15**	**23**	**31**	**55**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	202	16.1	47	8	9	14	19	25	29	39
70-74	163	16.7	60	8	9	15	20	26	29	52
75-79	117	18.0	74	8	9	17	22	27	34	49
80-84	69	19.4	84	10	11	16	23	33	39	49
85+	38	22.9	96	11	12	20	30	37	42	53
2. MULTIPLE DX										
65-69 YRS	728	22.3	201	9	10	18	27	40	52	93
70-74	665	24.3	207	10	11	20	29	45	54	85
75-79	575	24.1	206	10	11	20	29	44	58	99+
80-84	373	28.8	285	11	13	24	35	53	70	88
85+	204	28.5	245	13	14	24	34	50	60	89
TOT. SINGLE DX	589	17.5	67	8	10	15	21	27	33	48
" MULTIPLE DX	2545	24.7	225	10	11	20	30	45	58	92
TOTAL 65-69 YRS	930	21.0	175	9	10	17	25	36	49	83
70-74	828	22.8	188	10	10	19	27	41	52	83
75-79	692	23.0	189	9	11	19	28	42	57	99
80-84	442	27.3	266	11	12	23	34	48	67	86
85+	242	27.6	226	12	14	24	34	47	57	86
GRAND TOTAL	**3134**	**23.3**	**203**	**9**	**11**	**19**	**28**	**43**	**54**	**85**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	19.9	93	10	11	16	27	31	43	47
70-74	30	21.8	84	11	13	18	30	35	37	46
75-79	14	23.7	175	10	11	23	28	38	56	61
80-84	7	32.4	49	26	26	29	39	43	43	43
85+	2	18.5	1	18	18	18	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	129	25.5	256	11	12	22	31	47	70	99+
70-74	105	28.5	323	11	14	24	34	59	85	99+
75-79	87	25.2	139	12	14	23	30	40	52	68
80-84	42	29.6	249	13	15	25	33	54	67	77
85+	12	39.3	522	16	17	37	53	70	86	89
TOT. SINGLE DX	88	22.1	106	11	12	19	29	35	43	56
" MULTIPLE DX	375	27.2	260	11	13	23	32	48	69	99
TOTAL 65-69 YRS	164	24.3	226	11	12	20	30	45	55	99+
70-74	135	27.0	277	11	14	23	32	47	81	99+
75-79	101	25.0	143	12	13	23	29	39	52	67
80-84	49	30.0	220	13	16	27	34	49	62	77
85+	14	36.4	499	16	17	26	47	65	84	89
GRAND TOTAL	**463**	**26.2**	**235**	**11**	**13**	**23**	**31**	**46**	**61**	**98**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	68	13.4	40	7	8	12	16	22	27	38
70-74	53	16.0	48	8	9	14	21	26	28	35
75-79	31	18.7	71	10	10	16	22	31	39	42
80-84	25	21.5	78	9	11	22	29	32	34	39
85+	11	16.9	46	9	10	15	19	28	33	33
2. MULTIPLE DX										
65-69 YRS	224	19.4	170	8	9	16	23	34	45	86
70-74	207	23.0	224	10	10	19	27	40	55	86
75-79	131	23.0	214	9	10	19	28	46	55	82
80-84	94	25.8	254	10	11	20	34	47	56	81
85+	59	24.1	101	11	12	22	34	38	41	47
TOT. SINGLE DX	188	16.3	60	8	9	14	20	27	32	39
" MULTIPLE DX	715	22.3	203	9	10	18	27	41	52	85
TOTAL 65-69 YRS	292	18.0	146	8	9	14	21	31	41	82
70-74	260	21.6	196	9	10	18	26	37	50	85
75-79	162	22.2	190	9	10	18	27	44	53	78
80-84	119	24.9	220	10	11	20	31	44	56	76
85+	70	23.0	99	11	12	21	30	36	40	47
GRAND TOTAL	**903**	**21.1**	**179**	**9**	**10**	**17**	**26**	**38**	**47**	**82**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	143	12.5	46	6	7	10	15	22	28	38
70-74	139	14.2	71	5	7	11	17	26	31	44
75-79	98	15.4	75	7	8	13	19	28	31	49
80-84	68	15.6	116	4	7	12	19	27	35	66
85+	71	15.4	71	7	8	13	18	25	36	47
2. MULTIPLE DX										
65-69 YRS	645	19.6	179	7	8	15	25	38	50	82
70-74	642	22.3	249	8	9	18	27	44	60	99+
75-79	515	24.0	228	8	9	20	30	44	58	79
80-84	394	23.0	211	9	10	19	28	42	55	99
85+	296	23.5	236	9	10	19	29	43	59	99+
TOT. SINGLE DX	519	14.3	72	6	7	11	17	26	31	45
" MULTIPLE DX	2492	22.2	222	8	9	18	28	42	55	97
TOTAL 65-69 YRS	788	18.3	163	7	8	14	23	35	47	79
70-74	781	20.8	227	7	8	16	25	40	56	99
75-79	613	22.6	214	8	9	19	29	42	54	77
80-84	462	21.9	205	9	9	18	27	41	54	97
85+	367	21.9	215	8	10	18	27	41	54	98
GRAND TOTAL	**3011**	**20.8**	**205**	**7**	**9**	**17**	**26**	**40**	**53**	**92**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1005	4.5	35	<1	1	2	6	11	14	27
70-74	834	4.7	32	1	1	2	6	11	15	27
75-79	628	5.2	36	1	1	2	7	13	18	28
80-84	321	5.8	49	1	1	3	8	13	17	32
85+	159	6.6	47	1	2	4	9	17	21	43
2. MULTIPLE DX										
65-69 YRS	3370	9.9	86	1	2	8	13	21	28	49
70-74	3430	10.6	99	1	2	8	14	21	29	50
75-79	2847	11.9	124	2	2	9	15	24	33	63
80-84	1865	12.6	122	2	2	10	16	25	34	59
85+	1168	13.4	109	2	3	11	18	27	36	62
TOT. SINGLE DX	2947	5.0	37	1	1	2	6	11	16	28
" MULTIPLE DX	12680	11.3	107	1	2	9	15	23	31	56
TOTAL 65-69 YRS	4375	8.7	80	1	1	6	11	19	25	46
70-74	4264	9.5	92	1	2	7	13	20	27	48
75-79	3475	10.7	115	1	2	8	14	22	31	59
80-84	2186	11.6	118	1	2	9	15	24	32	57
85+	1327	12.6	107	2	2	10	17	25	35	61
GRAND TOTAL	**15627**	**10.1**	**100**	**1**	**2**	**8**	**13**	**21**	**29**	**53**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	100	16.5	66	8	9	14	19	27	37	45
70-74	78	15.8	77	8	8	15	18	26	35	89
75-79	54	17.6	112	8	8	14	21	29	34	60
80-84	49	17.9	47	9	10	17	22	29	32	35
85+	33	15.9	40	9	10	14	17	25	32	35
2. MULTIPLE DX										
65-69 YRS	559	22.8	260	8	9	18	27	46	61	94
70-74	530	22.5	254	9	10	18	27	45	60	97
75-79	491	23.7	215	8	10	20	30	46	56	95
80-84	359	23.7	214	8	10	19	30	46	56	99+
85+	264	23.5	226	9	10	20	30	39	60	94
TOT. SINGLE DX	314	16.7	71	8	9	15	19	27	34	57
" MULTIPLE DX	2203	23.2	237	8	10	19	28	45	58	97
TOTAL 65-69 YRS	659	21.8	236	8	9	17	26	43	55	94
70-74	608	21.7	237	8	9	17	25	43	58	97
75-79	545	23.1	209	8	10	19	29	44	55	90
80-84	408	23.0	198	9	10	18	28	44	55	99+
85+	297	22.6	211	9	10	18	29	39	54	92
GRAND TOTAL	**2517**	**22.4**	**221**	**8**	**10**	**18**	**27**	**43**	**56**	**95**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1147	14.3	42	8	9	13	17	21	25	38
70-74	1054	14.6	36	8	9	13	17	22	25	36
75-79	842	15.7	46	8	9	14	18	23	28	41
80-84	460	17.4	70	9	10	15	20	27	35	53
85+	301	19.8	86	9	11	18	24	31	36	58
2. MULTIPLE DX										
65-69 YRS	4138	19.2	123	9	10	16	23	33	40	65
70-74	4463	20.2	141	9	10	17	24	34	44	77
75-79	4008	21.5	157	9	11	18	25	37	48	89
80-84	2752	23.2	165	10	11	20	28	40	49	83
85+	1803	25.1	191	11	12	22	30	44	56	97
TOT. SINGLE DX	3804	15.5	51	8	9	14	18	23	29	44
" MULTIPLE DX	17164	21.3	154	9	10	18	25	37	47	81
TOTAL 65-69 YRS	5285	18.1	110	9	9	15	21	30	38	62
70-74	5517	19.1	126	9	10	16	22	32	41	73
75-79	4850	20.5	143	9	10	17	24	35	46	84
80-84	3212	22.4	156	10	11	19	27	38	48	81
85+	2104	24.4	180	11	12	21	29	42	55	92
GRAND TOTAL	**20968**	**20.2**	**140**	**9**	**10**	**17**	**24**	**35**	**45**	**77**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	44	13.6	114	5	6	11	14	22	33	68
70-74	38	16.1	140	6	7	12	19	29	37	67
75-79	33	13.4	49	7	8	11	16	22	26	40
80-84	23	16.3	48	7	8	15	22	27	28	29
85+	17	16.3	93	8	9	14	17	22	40	50
2. MULTIPLE DX										
65-69 YRS	203	22.0	225	8	9	17	26	42	55	72
70-74	242	22.7	232	7	8	20	29	41	54	88
75-79	184	23.7	211	8	10	20	31	47	58	94
80-84	149	24.9	243	9	11	20	29	46	64	87
85+	134	24.1	188	10	11	20	29	43	52	65
TOT. SINGLE DX	155	14.8	94	6	7	12	18	26	32	66
" MULTIPLE DX	912	23.3	222	8	10	19	28	43	55	87
TOTAL 65-69 YRS	247	20.5	216	7	9	16	25	40	54	71
70-74	280	21.8	225	7	8	18	27	39	52	88
75-79	217	22.1	200	8	9	18	27	45	54	89
80-84	172	23.8	226	9	10	20	28	42	56	86
85+	151	23.2	183	9	11	19	28	43	51	59
GRAND TOTAL	**1067**	**22.1**	**213**	**8**	**9**	**18**	**27**	**41**	**54**	**84**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	323	10.7	35	3	5	10	12	16	20	39
70-74	254	11.0	30	5	6	10	12	18	21	34
75-79	210	11.3	35	4	6	10	13	18	25	32
80-84	121	12.3	87	5	6	10	15	17	20	67
85+	86	14.6	176	4	4	12	17	25	28	91
2. MULTIPLE DX										
65-69 YRS	969	16.5	142	6	7	13	19	32	42	77
70-74	961	16.8	139	7	8	13	19	33	42	81
75-79	725	17.6	144	6	8	14	21	33	40	73
80-84	483	18.6	182	5	8	15	23	35	44	79
85+	286	19.2	163	6	8	16	23	36	47	76
TOT. SINGLE DX	994	11.4	54	4	5	10	13	18	22	38
" MULTIPLE DX	3424	17.3	150	6	7	14	20	33	43	76
TOTAL 65-69 YRS	1292	15.0	122	5	6	12	17	28	39	60
70-74	1215	15.6	122	6	7	12	17	29	40	74
75-79	935	16.2	127	6	7	13	19	30	38	68
80-84	604	17.4	169	5	7	14	21	32	43	76
85+	372	18.2	170	5	8	15	21	33	46	81
GRAND TOTAL	**4418**	**16.0**	**135**	**5**	**7**	**13**	**18**	**30**	**40**	**71**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	84	19.4	144	6	8	17	24	31	46	67
70-74	69	21.2	146	8	10	18	27	35	43	67
75-79	59	20.7	205	7	9	17	26	31	51	84
80-84	58	25.2	285	10	11	20	28	58	75	98
85+	33	18.8	68	8	10	17	24	33	34	37
2. MULTIPLE DX										
65-69 YRS	538	24.7	231	10	11	20	31	45	58	91
70-74	545	26.2	229	9	11	23	33	46	56	94
75-79	479	26.7	233	9	12	23	34	50	70	99+
80-84	398	26.5	232	10	12	23	35	50	61	99+
85+	341	29.0	280	10	12	25	37	53	74	99+
TOT. SINGLE DX	303	21.1	178	8	9	18	26	34	51	81
" MULTIPLE DX	2301	26.4	240	10	12	23	34	49	61	99+
TOTAL 65-69 YRS	622	24.0	222	9	10	20	30	43	56	85
70-74	614	25.6	223	9	11	22	32	45	56	89
75-79	538	26.0	233	9	11	23	33	49	69	99+
80-84	456	26.3	239	10	12	22	34	51	62	99+
85+	374	28.1	270	10	12	24	36	51	72	99+
GRAND TOTAL	**2604**	**25.8**	**236**	**9**	**11**	**22**	**32**	**48**	**60**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	470	7.8	17	3	4	7	10	13	16	21
70-74	308	8.0	15	3	4	7	10	13	15	22
75-79	186	8.6	19	3	4	8	11	14	15	24
80-84	86	10.8	57	5	6	9	11	18	22	44
85+	66	9.9	35	3	3	9	12	18	23	28
2. MULTIPLE DX										
65-69 YRS	632	12.7	90	4	5	10	15	23	30	54
70-74	493	12.9	76	4	5	11	15	23	28	50
75-79	351	15.1	111	5	6	13	18	26	35	64
80-84	191	16.3	104	6	7	13	21	29	37	53
85+	160	16.8	118	6	7	14	20	31	44	51
TOT. SINGLE DX	1116	8.4	22	3	4	7	10	14	16	24
" MULTIPLE DX	1827	14.0	97	5	6	11	17	25	32	55
TOTAL 65-69 YRS	1102	10.6	66	4	4	9	13	19	24	45
70-74	801	11.0	59	4	5	9	13	19	25	41
75-79	537	12.8	89	4	5	10	15	22	30	59
80-84	277	14.6	96	5	6	11	19	27	37	49
85+	226	14.8	104	4	6	12	17	28	37	50
GRAND TOTAL	**2943**	**11.8**	**76**	**4**	**5**	**10**	**14**	**21**	**28**	**49**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	8.4	25	4	4	7	9	17	19	19
70-74	2	10.5	1	10	10	10	11	11	11	11
75-79										
80-84	1	16.0		16	16	16	16	16	16	16
85+	2	18.0	18	15	15	18	21	21	21	21
2. MULTIPLE DX										
65-69 YRS	13	13.8	60	5	7	11	22	40	87	99+
70-74	13	13.7	51	5	6	11	18	24	27	28
75-79	5	15.2	49	8	8	16	21	23	23	23
80-84	3	18.3	105	7	7	21	25	27	27	27
85+	4	11.0	16	7	7	11	14	15	15	15
TOT. SINGLE DX	12	11.0	31	4	5	10	15	20	21	21
" MULTIPLE DX	38	14.0	52	6	7	11	21	26	31	99+
TOTAL 65-69 YRS	20	11.9	53	5	5	10	16	27	63	99+
70-74	15	13.3	46	5	7	11	17	23	27	28
75-79	5	15.2	50	8	8	16	21	23	23	23
80-84	4	17.8	72	7	7	18	24	27	27	27
85+	6	13.3	27	7	7	14	15	20	21	21
GRAND TOTAL	**50**	**13.3**	**48**	**5**	**6**	**11**	**19**	**23**	**28**	**99**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	10.0	9	8	8	8	12	15	15	15
70-74	8	15.6	94	6	6	14	21	30	34	34
75-79	1	18.0		18	18	18	18	18	18	18
80-84	2	13.5	25	10	10	13	17	17	17	17
85+	5	13.0	34	6	6	12	19	19	19	19
2. MULTIPLE DX										
65-69 YRS	14	21.9	161	7	9	17	28	40	50	53
70-74	10	20.9	158	11	12	16	21	42	53	53
75-79	6	12.8	65	2	3	13	15	25	26	26
80-84	6	24.8	475	7	7	18	28	62	66	66
85+	1	11.0		11	11	11	11	11	11	11
TOT. SINGLE DX	21	13.6	49	6	7	11	18	21	27	34
" MULTIPLE DX	37	20.4	189	7	8	15	26	38	53	66
TOTAL 65-69 YRS	19	18.8	148	7	8	15	25	36	47	53
70-74	18	18.6	130	6	7	16	21	33	45	53
75-79	7	13.6	58	2	3	15	17	24	26	26
80-84	8	22.0	371	7	8	14	26	55	66	66
85+	6	12.7	28	6	6	11	19	19	19	19
GRAND TOTAL	**58**	**17.9**	**148**	**6**	**7**	**15**	**21**	**32**	**47**	**65**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	326	5.2	37	1	1	3	6	11	16	35
70-74	310	5.5	28	1	2	4	7	12	16	27
75-79	284	5.2	19	1	2	4	6	11	15	20
80-84	213	5.9	33	1	2	4	7	12	16	32
85+	145	6.4	20	2	2	5	8	13	16	21
2. MULTIPLE DX										
65-69 YRS	881	9.6	89	2	2	7	12	19	26	47
70-74	927	10.5	108	2	2	7	13	22	30	55
75-79	788	11.1	101	2	3	8	14	24	32	63
80-84	653	11.8	102	2	3	9	15	23	34	53
85+	512	12.2	110	2	3	9	16	24	30	56
TOT. SINGLE DX	1278	5.5	29	1	2	4	7	12	16	27
" MULTIPLE DX	3761	10.9	103	2	3	8	14	22	30	54
TOTAL 65-69 YRS	1207	8.4	79	1	2	6	11	17	25	45
70-74	1237	9.3	95	2	2	6	12	20	27	49
75-79	1072	9.5	87	2	2	7	12	20	28	54
80-84	866	10.4	92	2	2	8	13	21	30	50
85+	657	10.9	96	2	3	8	14	22	29	54
GRAND TOTAL	**5039**	**9.5**	**89**	**2**	**2**	**7**	**12**	**20**	**27**	**49**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	57	4.8	10	1	1	4	6	9	11	16
70-74	50	5.2	36	1	1	4	7	10	14	39
75-79	19	5.8	34	1	2	5	7	11	20	27
80-84	11	11.6	166	2	4	7	12	29	47	49
85+	8	5.0	5	1	2	5	7	8	8	8
2. MULTIPLE DX										
65-69 YRS	140	9.2	86	2	3	6	11	19	27	52
70-74	80	11.6	186	3	3	8	14	23	26	90
75-79	55	10.7	125	3	3	5	11	25	31	58
80-84	26	15.9	251	3	3	11	22	36	57	63
85+	14	14.1	71	4	6	12	17	28	33	35
TOT. SINGLE DX	145	5.6	36	1	2	4	7	10	14	39
" MULTIPLE DX	315	10.8	134	3	3	7	13	23	29	65
TOTAL 65-69 YRS	197	7.9	68	2	2	5	9	17	24	45
70-74	130	9.1	137	2	2	6	11	17	23	79
75-79	74	9.4	106	2	3	6	11	23	29	56
80-84	37	14.6	225	2	3	8	20	35	54	63
85+	22	10.8	66	2	3	8	13	22	30	35
GRAND TOTAL	**460**	**9.2**	**108**	**2**	**2**	**6**	**11**	**20**	**27**	**59**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	335	16.8	63	8	10	15	19	25	30	51
70-74	327	17.2	52	9	10	16	20	27	30	43
75-79	204	19.5	89	9	10	18	24	29	37	59
80-84	109	19.5	106	7	11	18	24	29	37	70
85+	54	22.5	168	10	11	19	26	34	43	80
2. MULTIPLE DX										
65-69 YRS	935	21.1	126	10	11	19	25	33	42	72
70-74	920	22.6	160	10	11	20	27	39	50	78
75-79	743	24.3	187	10	12	21	30	41	52	81
80-84	429	25.9	221	10	12	22	32	48	62	90
85+	268	25.0	182	10	11	22	32	44	51	99+
TOT. SINGLE DX	1029	18.1	77	9	10	16	21	28	32	55
" MULTIPLE DX	3295	23.2	169	10	11	20	28	40	50	83
TOTAL 65-69 YRS	1270	20.0	113	10	11	18	24	31	37	70
70-74	1247	21.2	138	9	11	18	25	36	45	73
75-79	947	23.3	170	9	11	20	28	39	49	79
80-84	538	24.6	205	10	12	21	30	44	58	86
85+	322	24.6	180	10	11	21	31	43	51	99+
GRAND TOTAL	**4324**	**22.0**	**152**	**10**	**11**	**19**	**27**	**37**	**47**	**77**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	971	5.9	25	1	1	5	8	11	16	24
70-74	832	6.8	42	1	1	6	9	13	17	27
75-79	631	7.0	35	1	2	6	9	13	17	28
80-84	377	7.6	44	1	2	6	9	14	21	33
85+	241	8.0	43	1	2	6	11	17	21	32
2. MULTIPLE DX										
65-69 YRS	6111	9.5	61	2	3	8	12	18	23	43
70-74	5918	10.2	77	2	3	8	12	19	26	47
75-79	5081	10.7	77	2	3	8	13	20	28	50
80-84	3556	11.8	92	3	4	9	15	23	30	58
85+	2551	12.6	99	3	4	10	16	24	32	58
TOT. SINGLE DX	3052	6.8	37	1	1	5	9	13	17	30
" MULTIPLE DX	23217	10.6	79	2	3	8	13	20	27	49
TOTAL 65-69 YRS	7082	9.0	58	2	3	7	11	17	23	41
70-74	6750	9.8	74	2	3	8	12	18	25	46
75-79	5712	10.3	75	2	3	8	13	19	26	49
80-84	3933	11.4	90	2	3	9	14	22	29	55
85+	2792	12.2	96	2	4	10	15	23	31	57
GRAND TOTAL	**26269**	**10.2**	**76**	**2**	**3**	**8**	**13**	**20**	**26**	**47**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	144	4.0	11	2	2	3	5	6	8	14
70-74	84	4.0	3	1	2	4	5	6	7	12
75-79	38	4.1	2	2	3	4	5	5	7	9
80-84	12	5.1	14	3	3	4	5	10	15	16
85+	10	5.7	7	2	3	5	7	10	12	12
2. MULTIPLE DX										
65-69 YRS	265	5.6	16	2	3	4	7	11	14	23
70-74	160	7.5	73	2	3	5	9	13	18	49
75-79	71	8.6	68	2	3	6	11	16	23	46
80-84	33	13.2	241	2	3	8	14	28	42	81
85+	21	10.9	89	2	3	9	15	29	66	99+
TOT. SINGLE DX	288	4.1	8	2	2	4	5	6	8	13
" MULTIPLE DX	550	7.2	60	2	3	5	8	14	19	48
TOTAL 65-69 YRS	409	5.1	16	2	2	4	6	9	12	22
70-74	244	6.3	52	2	2	4	7	12	14	48
75-79	109	7.0	50	2	3	4	8	14	17	45
80-84	45	11.1	193	2	3	6	14	23	38	81
85+	31	9.2	68	2	3	7	12	21	41	99+
GRAND TOTAL	**838**	**6.2**	**44**	**2**	**2**	**4**	**7**	**12**	**15**	**43**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	104	4.1	6	1	1	4	5	7	10	14
70-74	67	5.2	24	2	2	4	6	9	11	34
75-79	41	4.3	9	1	2	3	5	8	11	16
80-84	20	5.3	11	<1	1	5	7	9	13	15
85+	15	8.3	180	2	2	4	6	21	46	54
2. MULTIPLE DX										
65-69 YRS	283	6.6	30	2	3	5	7	13	18	31
70-74	204	7.1	38	2	3	5	8	13	21	33
75-79	126	9.5	85	2	3	6	13	21	32	99+
80-84	79	10.1	81	2	3	7	13	22	28	48
85+	62	10.9	119	2	4	8	12	18	25	76
TOT. SINGLE DX	247	4.8	23	1	2	4	5	8	11	21
" MULTIPLE DX	754	8.0	56	2	3	6	9	17	23	35
TOTAL 65-69 YRS	387	5.9	25	2	2	5	7	11	16	29
70-74	271	6.7	35	2	3	5	7	12	19	33
75-79	167	8.2	72	2	2	5	10	19	26	92
80-84	99	9.1	71	2	3	6	12	20	26	44
85+	77	10.4	130	2	3	7	12	18	25	74
GRAND TOTAL	**1001**	**7.2**	**50**	**2**	**2**	**5**	**8**	**15**	**21**	**35**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	324	5.5	8	3	3	5	6	9	10	14
70-74	170	5.9	10	3	3	5	7	10	13	19
75-79	89	6.4	13	3	3	6	8	10	12	23
80-84	44	6.7	7	3	3	6	9	10	11	15
85+	25	7.3	8	3	4	7	9	11	13	13
2. MULTIPLE DX										
65-69 YRS	1742	7.1	25	3	3	6	8	12	16	29
70-74	1071	7.8	31	3	3	6	9	14	19	31
75-79	606	8.7	33	3	4	7	10	16	20	30
80-84	287	11.0	90	3	4	8	14	21	29	49
85+	149	11.7	70	4	4	10	15	21	23	54
TOT. SINGLE DX	652	5.9	10	3	3	5	7	9	11	17
" MULTIPLE DX	3855	8.0	37	3	4	6	9	15	19	33
TOTAL 65-69 YRS	2066	6.9	23	3	3	6	8	12	15	28
70-74	1241	7.6	29	3	3	6	9	14	18	29
75-79	695	8.4	31	3	4	7	10	15	20	29
80-84	331	10.4	82	3	4	7	13	19	27	46
85+	174	11.1	64	4	4	9	14	20	22	49
GRAND TOTAL	**4507**	**7.7**	**33**	**3**	**3**	**6**	**9**	**14**	**18**	**32**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	163	4.7	11	1	2	4	6	10	11	17
70-74	124	5.1	16	1	2	4	6	8	14	23
75-79	72	5.3	18	1	2	4	7	10	13	25
80-84	41	6.4	17	2	2	5	7	14	15	19
85+	39	7.1	66	1	2	4	7	15	18	49
2. MULTIPLE DX										
65-69 YRS	307	8.2	86	2	2	5	9	16	25	59
70-74	237	9.7	91	2	3	6	11	22	30	49
75-79	175	9.9	66	2	3	7	13	20	26	40
80-84	114	11.9	143	3	3	9	15	27	40	99+
85+	116	12.9	109	2	4	10	16	26	34	53
TOT. SINGLE DX	439	5.3	20	1	2	4	6	10	14	21
" MULTIPLE DX	949	9.9	96	2	3	7	12	22	30	65
TOTAL 65-69 YRS	470	7.0	63	1	2	5	8	13	20	47
70-74	361	8.1	70	2	2	5	8	18	25	44
75-79	247	8.6	56	2	2	6	11	18	24	36
80-84	155	10.4	116	2	3	7	13	20	33	98
85+	155	11.4	104	2	3	8	15	24	32	49
GRAND TOTAL	**1388**	**8.4**	**76**	**2**	**2**	**6**	**10**	**18**	**25**	**48**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	6	11.5	98	2	2	7	19	27	28	28
70-74	10	12.7	91	2	2	11	20	26	28	28
75-79	6	12.3	122	1	1	11	19	29	30	30
80-84	3	12.7	70	3	3	17	18	18	18	18
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	44	20.5	171	4	5	18	25	40	52	56
70-74	43	23.1	385	3	5	16	30	52	70	85
75-79	30	19.5	275	2	3	16	29	41	44	72
80-84	17	25.6	213	10	10	23	33	51	54	54
85+	9	29.1	664	7	7	23	36	69	90	90
TOT. SINGLE DX	26	12.3	83	1	2	10	19	27	29	30
" MULTIPLE DX	143	22.2	291	3	5	17	29	44	54	85
TOTAL 65-69 YRS	50	19.4	169	3	5	17	24	36	51	56
70-74	53	21.1	344	2	4	16	29	49	66	85
75-79	36	18.3	253	2	2	15	27	40	44	72
80-84	20	23.7	210	6	10	20	30	47	53	54
85+	10	27.4	620	7	7	19	36	63	90	90
GRAND TOTAL	**169**	**20.7**	**271**	**2**	**4**	**17**	**28**	**42**	**53**	**83**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	325	6.8	52	1	1	4	9	16	23	30
70-74	231	8.5	85	1	1	5	13	20	25	44
75-79	135	10.7	157	1	1	7	14	20	32	65
80-84	65	10.3	76	1	1	9	16	22	26	36
85+	24	11.0	69	2	3	9	15	27	29	30
2. MULTIPLE DX										
65-69 YRS	1642	12.9	110	2	2	11	17	26	32	50
70-74	1333	14.9	132	2	3	12	20	30	37	58
75-79	899	15.4	141	2	4	13	20	29	38	63
80-84	417	16.6	132	3	5	14	22	33	41	99+
85+	217	18.7	173	4	7	16	23	34	50	63
TOT. SINGLE DX	780	8.4	85	1	1	5	12	19	24	45
" MULTIPLE DX	4508	14.6	130	2	3	12	19	28	36	60
TOTAL 65-69 YRS	1967	11.9	106	1	2	10	16	25	31	49
70-74	1564	13.9	130	1	2	12	19	28	36	57
75-79	1034	14.8	146	2	3	12	19	28	37	62
80-84	482	15.7	129	2	3	14	22	32	38	89
85+	241	17.9	168	3	5	15	23	33	45	63
GRAND TOTAL	**5288**	**13.7**	**129**	**1**	**2**	**11**	**18**	**28**	**35**	**59**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	3247	9.1	17	5	6	8	10	14	16	23
70-74	2334	10.0	19	5	6	9	12	15	18	25
75-79	1417	11.1	29	6	6	10	13	17	21	32
80-84	626	12.5	30	6	7	11	15	20	23	30
85+	357	13.9	46	6	7	12	17	23	26	38
2. MULTIPLE DX										
65-69 YRS	7774	13.6	71	6	7	11	16	23	29	49
70-74	6621	14.8	82	6	7	12	18	25	32	50
75-79	4958	16.2	95	7	8	14	19	28	35	56
80-84	2897	18.3	114	8	9	16	22	31	39	69
85+	1836	20.8	143	9	10	18	25	37	47	72
TOT. SINGLE DX	7981	10.2	24	5	6	9	12	16	19	28
" MULTIPLE DX	24086	15.6	95	6	7	13	19	27	34	57
TOTAL 65-69 YRS	11021	12.2	60	5	6	10	14	21	26	45
70-74	8955	13.5	70	6	7	11	16	23	29	47
75-79	6375	15.1	86	6	7	13	18	26	33	52
80-84	3523	17.3	105	7	8	15	21	29	37	67
85+	2193	19.7	134	8	9	17	24	35	44	68
GRAND TOTAL	**32067**	**14.2**	**83**	**6**	**7**	**12**	**17**	**25**	**31**	**52**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	183	13.5	100	2	3	12	17	25	32	55
70-74	158	14.1	99	2	3	12	18	25	31	54
75-79	162	15.3	108	2	3	14	21	28	34	42
80-84	110	14.9	86	2	3	13	20	29	32	40
85+	79	16.2	122	2	3	15	22	31	34	57
2. MULTIPLE DX										
65-69 YRS	574	19.1	168	3	6	16	24	34	44	76
70-74	648	20.2	156	5	8	18	26	35	47	74
75-79	594	21.3	157	5	8	19	27	37	46	68
80-84	478	22.3	158	8	10	20	28	39	50	76
85+	376	24.1	232	7	10	21	29	43	56	94
TOT. SINGLE DX	692	14.6	103	2	3	13	19	27	33	50
" MULTIPLE DX	2670	21.1	173	5	8	18	27	37	47	77
TOTAL 65-69 YRS	757	17.8	158	3	5	15	23	32	40	74
70-74	806	19.0	151	4	7	16	24	33	44	73
75-79	756	20.1	153	3	6	18	26	35	44	68
80-84	588	20.9	153	4	9	18	27	37	45	71
85+	455	22.7	222	5	8	20	28	40	51	93
GRAND TOTAL	**3362**	**19.8**	**165**	**3**	**7**	**17**	**25**	**35**	**45**	**74**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	166	10.2	116	1	1	7	15	22	29	48
70-74	145	10.8	103	1	2	8	14	26	31	47
75-79	102	10.9	95	1	2	8	17	23	31	45
80-84	64	10.5	109	2	2	6	14	27	32	50
85+	27	9.4	42	1	2	8	14	19	21	25
2. MULTIPLE DX										
65-69 YRS	550	18.5	259	2	3	14	25	38	53	85
70-74	568	16.4	197	2	3	12	23	33	45	81
75-79	387	18.2	264	2	3	14	24	38	57	85
80-84	247	17.6	220	2	4	13	26	37	48	78
85+	132	18.3	241	3	5	15	22	35	50	88
TOT. SINGLE DX	504	10.5	103	1	2	7	15	23	30	48
" MULTIPLE DX	1884	17.6	236	2	3	14	24	36	51	85
TOTAL 65-69 YRS	716	16.6	238	2	2	12	22	36	50	83
70-74	713	15.2	183	2	2	11	22	32	41	77
75-79	489	16.7	238	2	3	12	22	35	54	81
80-84	311	16.1	205	2	3	12	22	34	45	72
85+	159	16.8	218	2	3	13	20	33	44	87
GRAND TOTAL	**2388**	**16.1**	**216**	**2**	**3**	**12**	**22**	**34**	**47**	**79**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1542	5.3	28	1	1	4	7	11	14	24
70-74	1462	5.6	31	1	1	4	7	11	14	25
75-79	1111	6.1	37	1	1	4	8	13	17	30
80-84	740	6.5	41	1	2	5	8	13	16	30
85+	532	7.4	42	1	2	6	9	14	19	31
2. MULTIPLE DX										
65-69 YRS	8222	8.5	56	2	2	7	10	16	22	42
70-74	9029	8.9	61	2	3	7	11	17	23	41
75-79	8233	9.6	70	2	3	7	12	18	25	45
80-84	6224	10.2	75	2	3	8	12	20	26	49
85+	4799	11.0	92	3	3	8	13	21	29	55
TOT. SINGLE DX	5387	5.9	35	1	1	4	8	12	16	27
" MULTIPLE DX	36507	9.4	70	2	3	7	11	18	25	46
TOTAL 65-69 YRS	9764	8.0	54	1	2	6	10	15	21	39
70-74	10491	8.4	59	2	2	7	10	16	22	40
75-79	9344	9.2	68	2	2	7	11	18	24	43
80-84	6964	9.8	73	2	3	8	12	19	26	48
85+	5331	10.6	88	2	3	8	13	20	28	53
GRAND TOTAL	**41894**	**9.0**	**66**	**2**	**2**	**7**	**11**	**17**	**24**	**44**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4704	4.2	4	2	2	4	5	7	8	11
70-74	3787	4.5	4	2	2	4	5	7	8	12
75-79	2674	5.0	6	2	2	4	6	8	9	14
80-84	1336	5.4	9	2	3	5	7	9	10	17
85+	712	6.1	11	2	3	6	8	10	12	18
2. MULTIPLE DX										
65-69 YRS	4876	6.3	24	2	3	5	7	11	15	25
70-74	4515	7.1	34	2	3	5	8	13	16	32
75-79	3565	7.8	43	2	3	6	9	14	19	37
80-84	2115	9.2	63	3	3	7	11	18	24	49
85+	1387	10.4	73	3	4	8	12	20	26	45
TOT. SINGLE DX	13213	4.7	6	2	2	4	6	7	9	13
" MULTIPLE DX	16458	7.6	42	2	3	6	9	14	19	36
TOTAL 65-69 YRS	9580	5.3	16	2	2	4	6	9	12	21
70-74	8302	5.9	23	2	3	5	7	10	13	24
75-79	6239	6.6	30	2	3	5	8	12	15	29
80-84	3451	7.7	46	2	3	6	9	14	20	40
85+	2099	8.9	57	3	3	7	10	17	22	39
GRAND TOTAL	**29671**	**6.3**	**28**	**2**	**3**	**5**	**7**	**11**	**15**	**28**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	620	4.7	4	2	3	4	6	7	8	12
70-74	475	5.0	5	2	3	5	6	8	9	13
75-79	319	5.8	16	3	3	5	7	9	10	13
80-84	157	6.1	9	2	3	5	7	10	12	18
85+	78	6.8	8	3	3	6	9	11	13	15
2. MULTIPLE DX										
65-69 YRS	802	6.7	18	3	3	5	8	12	15	25
70-74	678	7.7	32	3	3	6	9	14	18	31
75-79	504	8.4	33	3	4	7	10	14	19	31
80-84	267	11.1	104	3	4	8	13	21	26	69
85+	147	10.8	60	4	4	8	12	21	25	39
TOT. SINGLE DX	1649	5.3	8	2	3	5	6	8	10	13
" MULTIPLE DX	2398	8.1	40	3	3	6	9	14	19	33
TOTAL 65-69 YRS	1422	5.8	13	2	3	5	7	9	12	22
70-74	1153	6.6	23	3	3	5	7	12	15	26
75-79	823	7.4	28	3	3	6	9	12	16	28
80-84	424	9.3	75	3	3	7	11	17	22	50
85+	225	9.4	46	3	4	8	11	17	23	35
GRAND TOTAL	**4047**	**6.9**	**29**	**3**	**3**	**6**	**8**	**12**	**16**	**27**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	231	5.6	9	2	3	5	7	9	12	17
70-74	238	5.5	12	2	3	5	7	9	11	22
75-79	166	6.5	15	2	3	6	8	10	14	25
80-84	126	7.3	22	2	3	7	9	12	14	31
85+	96	7.5	23	2	3	7	9	14	17	28
2. MULTIPLE DX										
65-69 YRS	245	8.5	41	3	3	6	10	18	23	31
70-74	288	9.7	85	3	4	7	11	18	24	54
75-79	310	10.4	77	3	4	8	12	19	24	69
80-84	265	11.8	83	4	4	9	14	22	30	45
85+	228	13.4	122	3	5	10	17	28	36	99+
TOT. SINGLE DX	857	6.2	15	2	3	5	8	10	13	22
" MULTIPLE DX	1336	10.7	84	3	4	8	13	20	28	61
TOTAL 65-69 YRS	476	7.1	28	2	3	5	8	12	19	26
70-74	526	7.8	57	2	3	6	9	14	20	45
75-79	476	9.0	59	3	3	7	10	17	22	40
80-84	391	10.3	68	3	4	8	12	18	27	41
85+	324	11.6	101	3	4	9	14	21	32	91
GRAND TOTAL	**2193**	**8.9**	**62**	**3**	**3**	**7**	**10**	**17**	**23**	**42**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	219	4.8	8	1	2	4	6	8	10	17
70-74	165	5.0	8	1	2	4	7	8	10	15
75-79	76	4.8	5	1	2	5	6	8	10	12
80-84	46	7.0	34	2	3	5	8	11	22	30
85+	21	6.0	14	1	2	5	8	12	13	14
2. MULTIPLE DX										
65-69 YRS	407	7.7	28	2	3	6	9	15	18	31
70-74	337	9.4	57	2	3	8	11	17	23	43
75-79	199	11.0	111	3	3	8	13	21	28	50
80-84	107	13.1	96	3	4	11	17	27	31	99+
85+	88	11.6	80	3	4	10	14	24	29	83
TOT. SINGLE DX	527	5.1	11	1	2	4	6	9	11	18
" MULTIPLE DX	1138	9.6	65	3	3	7	12	18	24	48
TOTAL 65-69 YRS	626	6.7	23	2	2	5	8	12	16	26
70-74	502	8.0	46	2	3	6	10	15	19	40
75-79	275	9.3	90	2	3	7	11	18	23	47
80-84	153	11.3	86	3	3	9	14	25	29	98
85+	109	10.5	73	2	3	9	13	20	28	74
GRAND TOTAL	**1665**	**8.2**	**52**	**2**	**3**	**6**	**10**	**16**	**21**	**42**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	833	6.5	11	3	3	6	8	10	12	18
70-74	706	6.8	11	3	3	6	8	11	13	18
75-79	373	7.2	14	3	3	7	9	11	14	21
80-84	179	8.1	16	3	4	8	10	13	16	24
85+	91	9.1	53	3	3	8	11	14	18	48
2. MULTIPLE DX										
65-69 YRS	1422	10.3	63	3	4	8	12	19	25	45
70-74	1145	10.7	66	3	4	9	13	19	24	47
75-79	768	11.9	82	4	5	9	14	22	28	44
80-84	373	13.6	107	4	6	11	17	24	30	71
85+	211	14.5	136	5	6	12	17	27	34	72
TOT. SINGLE DX	2182	6.9	15	3	3	6	8	11	13	21
" MULTIPLE DX	3919	11.3	78	3	4	9	13	20	27	47
TOTAL 65-69 YRS	2255	8.9	48	3	3	7	10	16	21	39
70-74	1851	9.2	49	3	4	8	11	16	20	37
75-79	1141	10.3	65	3	4	8	12	19	26	41
80-84	552	11.8	85	3	4	10	14	21	26	50
85+	302	12.9	117	4	5	10	15	23	32	56
GRAND TOTAL	**6101**	**9.7**	**60**	**3**	**4**	**8**	**11**	**17**	**23**	**41**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	63	10.2	31	4	4	10	13	17	20	32
70-74	49	11.9	69	3	4	10	15	23	30	38
75-79	43	12.7	72	5	6	12	15	18	23	57
80-84	21	12.6	36	6	7	11	16	21	25	29
85+	14	16.4	193	3	4	13	23	28	51	57
2. MULTIPLE DX										
65-69 YRS	323	13.6	76	5	6	11	17	24	28	65
70-74	249	15.1	108	6	7	12	18	27	33	68
75-79	175	17.4	130	6	7	14	21	31	45	61
80-84	86	19.7	127	6	8	17	26	37	44	52
85+	60	20.0	169	6	8	16	25	38	45	65
TOT. SINGLE DX	190	11.9	64	4	4	10	15	20	25	49
" MULTIPLE DX	893	15.8	112	6	7	13	19	28	37	61
TOTAL 65-69 YRS	386	13.0	71	4	6	11	16	23	28	51
70-74	298	14.6	103	5	6	12	18	27	33	65
75-79	218	16.5	122	6	7	13	19	29	40	61
80-84	107	18.3	117	6	8	16	24	34	41	51
85+	74	19.3	174	4	7	16	24	38	46	65
GRAND TOTAL	**1083**	**15.1**	**105**	**5**	**6**	**12**	**18**	**27**	**36**	**60**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	340	9.9	100	1	2	7	13	21	25	48
70-74	246	10.1	78	1	2	8	13	21	27	48
75-79	176	10.5	65	1	2	8	14	23	27	36
80-84	98	10.8	78	2	2	8	16	21	31	43
85+	62	12.5	82	2	3	11	17	21	27	53
2. MULTIPLE DX										
65-69 YRS	1554	15.0	141	2	3	12	20	30	39	58
70-74	1350	16.3	186	3	4	13	21	32	42	75
75-79	1079	16.3	167	2	4	13	21	34	44	71
80-84	626	17.6	175	3	4	15	22	33	43	74
85+	357	18.6	149	3	5	16	25	35	43	71
TOT. SINGLE DX	922	10.3	84	1	2	8	14	21	27	45
" MULTIPLE DX	4966	16.2	165	2	4	13	21	32	41	70
TOTAL 65-69 YRS	1894	14.1	138	2	3	11	19	28	38	56
70-74	1596	15.3	174	2	3	12	20	31	41	72
75-79	1255	15.5	157	2	3	12	21	31	42	65
80-84	724	16.7	168	3	4	14	21	33	40	73
85+	419	17.7	144	3	5	16	24	34	41	70
GRAND TOTAL	**5888**	**15.3**	**157**	**2**	**3**	**12**	**20**	**31**	**40**	**67**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	229	12.8	54	4	6	11	16	23	27	46
70-74	185	14.5	80	5	7	12	18	24	32	52
75-79	130	14.7	79	6	7	13	18	24	29	57
80-84	86	16.6	97	7	8	13	22	27	31	60
85+	70	14.9	67	4	6	13	20	27	29	39
2. MULTIPLE DX										
65-69 YRS	932	19.2	174	6	7	16	24	36	46	88
70-74	792	21.1	210	7	8	17	27	41	50	94
75-79	655	22.1	232	7	9	18	27	41	58	92
80-84	434	22.5	228	7	9	19	28	44	54	94
85+	283	23.0	212	9	10	19	28	43	54	86
TOT. SINGLE DX	700	14.3	74	5	6	12	18	25	30	54
" MULTIPLE DX	3096	21.1	209	7	8	17	26	40	51	92
TOTAL 65-69 YRS	1161	17.9	157	6	7	15	22	33	43	87
70-74	977	19.9	192	6	8	16	25	39	48	90
75-79	785	20.9	215	7	8	17	26	38	54	90
80-84	520	21.6	211	7	9	18	26	41	52	92
85+	353	21.3	194	7	10	18	26	40	48	77
GRAND TOTAL	**3796**	**19.8**	**191**	**6**	**8**	**16**	**25**	**37**	**48**	**90**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	42	5.6	49	<1	1	2	7	17	20	35
70-74	32	7.0	48	2	2	4	10	15	20	33
75-79	12	4.3	25	1	1	2	4	13	16	17
80-84	7	8.4	54	2	2	5	11	21	23	23
85+	8	11.5	158	1	1	9	12	32	41	41
2. MULTIPLE DX										
65-69 YRS	92	11.9	172	1	2	8	15	27	38	71
70-74	82	12.5	141	2	2	9	17	23	41	60
75-79	52	12.5	126	2	2	10	17	30	36	52
80-84	19	14.3	138	1	2	12	27	32	35	37
85+	12	19.8	420	2	3	10	30	52	66	68
TOT. SINGLE DX	101	6.6	56	1	1	3	10	16	21	38
" MULTIPLE DX	257	12.7	162	2	2	9	17	30	38	62
TOTAL 65-69 YRS	134	9.9	142	1	2	5	14	22	34	59
70-74	114	10.9	120	2	2	8	15	23	32	58
75-79	64	11.0	117	1	2	7	15	26	33	50
80-84	26	12.7	120	1	2	10	20	30	34	37
85+	20	16.5	319	1	2	10	26	43	56	68
GRAND TOTAL	**358**	**11.0**	**139**	**1**	**2**	**7**	**15**	**24**	**36**	**56**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	288	12.2	73	3	4	11	15	19	28	52
70-74	267	12.6	62	4	6	11	15	20	24	47
75-79	175	14.2	70	6	7	12	18	25	30	40
80-84	111	13.7	43	5	8	13	17	20	24	43
85+	85	16.3	92	7	9	14	18	28	34	59
2. MULTIPLE DX										
65-69 YRS	1086	17.3	171	5	6	14	22	33	43	89
70-74	940	19.6	182	6	8	16	24	39	50	83
75-79	718	20.0	182	7	9	16	24	38	52	96
80-84	473	21.9	215	8	9	17	27	42	55	98
85+	361	21.7	165	8	10	19	27	40	53	99+
TOT. SINGLE DX	926	13.2	69	4	6	11	16	22	28	48
" MULTIPLE DX	3578	19.5	184	6	8	16	24	38	49	97
TOTAL 65-69 YRS	1374	16.3	156	4	6	13	20	31	42	83
70-74	1207	18.1	164	6	7	14	22	36	47	78
75-79	893	18.9	165	6	8	15	23	34	47	91
80-84	584	20.4	193	8	9	16	25	40	48	94
85+	446	20.7	156	8	10	17	25	37	49	99+
GRAND TOTAL	**4504**	**18.2**	**167**	**5**	**7**	**15**	**22**	**35**	**45**	**85**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	209	13.8	37	8	8	12	16	21	26	34
70-74	168	13.9	47	7	8	12	16	23	29	38
75-79	97	15.1	53	8	9	14	18	21	27	50
80-84	61	15.7	51	8	9	14	18	25	31	40
85+	21	16.6	37	9	10	14	24	43	99+	99+
2. MULTIPLE DX										
65-69 YRS	684	19.3	156	8	9	16	23	35	46	70
70-74	592	18.5	118	8	9	16	22	31	40	66
75-79	454	19.9	127	8	10	17	24	34	42	67
80-84	231	21.5	146	9	10	18	25	36	45	67
85+	117	21.4	120	9	10	17	28	35	42	62
TOT. SINGLE DX	556	14.4	45	8	8	12	17	23	28	44
" MULTIPLE DX	2078	19.6	137	8	9	16	23	34	43	66
TOTAL 65-69 YRS	893	18.0	134	8	9	15	21	31	42	64
70-74	760	17.5	107	8	9	15	21	30	38	61
75-79	551	19.0	117	8	9	16	22	33	42	63
80-84	292	20.3	132	9	10	17	24	34	41	61
85+	138	20.7	110	9	10	17	27	35	44	99+
GRAND TOTAL	**2634**	**18.5**	**122**	**8**	**9**	**16**	**22**	**32**	**41**	**63**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	303	10.2	42	2	2	9	13	17	21	40
70-74	190	10.0	32	2	3	9	12	16	19	33
75-79	98	10.8	46	2	3	10	12	18	25	39
80-84	32	13.2	153	<1	1	10	16	26	44	57
85+	22	13.1	115	1	1	10	19	25	35	48
2. MULTIPLE DX										
65-69 YRS	782	14.8	152	2	3	12	18	28	37	72
70-74	638	15.5	138	2	5	12	19	30	40	59
75-79	411	17.2	160	3	6	14	22	30	43	79
80-84	148	18.8	193	3	4	15	25	36	43	69
85+	92	17.5	196	2	4	15	23	36	69	99+
TOT. SINGLE DX	645	10.5	49	2	2	9	13	17	22	41
" MULTIPLE DX	2071	15.9	156	2	4	13	20	30	41	77
TOTAL 65-69 YRS	1085	13.5	126	2	3	11	16	25	34	65
70-74	828	14.3	119	2	4	11	17	27	35	52
75-79	509	16.0	145	3	5	13	20	29	41	77
80-84	180	17.8	190	2	3	14	23	35	44	68
85+	114	16.6	183	2	4	14	22	34	48	99+
GRAND TOTAL	**2716**	**14.6**	**136**	**2**	**4**	**11**	**18**	**28**	**37**	**69**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	277	10.0	22	4	5	9	12	16	17	21
70-74	168	9.6	20	3	5	9	11	15	20	26
75-79	88	10.1	17	2	4	10	13	16	16	18
80-84	28	11.1	26	4	5	10	15	18	20	22
85+	14	10.6	28	2	2	10	14	18	20	21
2. MULTIPLE DX										
65-69 YRS	481	13.8	79	4	6	11	17	24	29	51
70-74	339	14.3	98	4	6	12	18	26	34	59
75-79	239	16.4	155	3	6	13	21	32	41	63
80-84	117	14.8	76	4	5	12	20	27	31	42
85+	56	19.1	226	3	5	15	24	43	48	79
TOT. SINGLE DX	575	9.9	21	3	5	9	12	16	18	23
" MULTIPLE DX	1232	14.8	107	4	6	12	18	27	34	59
TOTAL 65-69 YRS	758	12.4	62	4	6	10	15	21	26	47
70-74	507	12.8	77	4	5	10	15	22	28	57
75-79	327	14.7	126	3	5	12	17	27	36	61
80-84	145	14.1	68	4	5	12	19	25	31	39
85+	70	17.4	198	3	5	14	21	39	48	75
GRAND TOTAL	**1807**	**13.3**	**85**	**3**	**5**	**11**	**16**	**23**	**30**	**55**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	37	15.9	32	8	10	15	20	24	28	30
70-74	16	18.3	42	10	10	18	22	30	31	31
75-79	5	20.6	50	12	12	20	25	31	34	34
80-84	5	16.2	33	12	12	13	19	26	26	26
85+	2	13.5	1	13	13	13	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	117	21.6	193	6	8	18	29	39	51	82
70-74	99	21.7	270	8	9	17	25	37	74	99+
75-79	54	22.9	185	7	10	20	29	41	49	65
80-84	28	25.8	164	7	10	25	35	45	48	52
85+	13	21.5	216	5	6	15	32	43	48	49
TOT. SINGLE DX	69	17.0	38	10	11	16	21	26	30	33
" MULTIPLE DX	311	22.2	214	6	9	18	29	41	52	99
TOTAL 65-69 YRS	154	20.2	160	6	9	16	26	37	49	73
70-74	115	21.2	239	8	9	17	24	36	62	99+
75-79	63	22.5	166	8	10	20	28	40	48	65
80-84	33	24.3	155	7	11	22	33	42	47	52
85+	15	20.4	194	5	6	14	30	41	47	49
GRAND TOTAL	**380**	**21.3**	**185**	**7**	**9**	**17**	**27**	**37**	**50**	**96**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	282	5.4	13	2	2	5	7	10	12	17
70-74	150	6.0	26	2	2	5	7	11	16	26
75-79	98	7.7	35	2	3	6	9	15	20	32
80-84	36	5.6	21	1	2	4	8	14	16	17
85+	14	11.2	169	3	4	7	12	18	47	55
2. MULTIPLE DX										
65-69 YRS	385	9.3	63	2	3	7	11	17	25	43
70-74	292	10.5	90	2	3	8	13	20	28	53
75-79	180	10.8	68	2	3	8	15	23	26	37
80-84	103	13.2	108	3	4	11	17	25	32	56
85+	54	14.6	209	3	3	10	18	30	47	69
TOT. SINGLE DX	580	6.1	26	2	2	5	8	11	15	24
" MULTIPLE DX	1014	10.6	86	2	3	8	13	21	28	46
TOTAL 65-69 YRS	667	7.7	46	2	2	6	9	15	20	39
70-74	442	9.0	73	2	2	6	11	18	25	45
75-79	278	9.7	59	2	3	7	13	21	25	37
80-84	139	11.2	97	2	3	8	15	22	29	44
85+	68	13.9	200	3	3	10	15	27	49	69
GRAND TOTAL	**1594**	**9.0**	**69**	**2**	**2**	**7**	**11**	**18**	**24**	**43**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2414	4.1	18	1	1	3	5	9	12	22
70-74	2192	4.2	18	1	1	3	5	9	12	19
75-79	1574	4.9	26	1	1	3	6	10	14	25
80-84	920	5.5	35	1	1	3	7	12	16	31
85+	582	6.3	52	1	1	4	8	13	17	34
2. MULTIPLE DX										
65-69 YRS	7580	8.5	85	1	2	6	11	18	25	50
70-74	8092	9.3	91	1	2	7	12	20	28	52
75-79	7003	10.8	112	1	2	8	14	23	32	60
80-84	4841	12.0	144	2	2	9	15	26	36	81
85+	3815	12.7	127	2	3	10	17	27	37	82
TOT. SINGLE DX	7682	4.6	25	1	1	3	6	10	13	24
" MULTIPLE DX	31331	10.3	110	1	2	7	13	22	31	61
TOTAL 65-69 YRS	9994	7.5	73	1	1	5	10	16	23	45
70-74	10284	8.2	80	1	2	5	11	18	25	48
75-79	8577	9.7	102	1	2	7	13	21	29	57
80-84	5761	11.0	133	1	2	8	14	24	34	75
85+	4397	11.9	123	2	2	9	16	25	35	73
GRAND TOTAL	**39013**	**9.2**	**98**	**1**	**2**	**6**	**12**	**20**	**28**	**57**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1870	4.3	13	1	2	3	5	8	10	17
70-74	1799	4.4	12	1	2	3	5	8	10	17
75-79	1580	4.6	12	1	2	4	6	8	11	18
80-84	1021	5.4	19	2	2	4	7	10	13	21
85+	685	5.9	21	2	2	4	7	12	15	25
2. MULTIPLE DX										
65-69 YRS	2955	6.9	52	1	2	5	8	14	19	37
70-74	3260	7.3	53	2	2	5	9	15	21	38
75-79	2973	8.3	75	2	2	6	10	17	24	46
80-84	2119	9.5	83	2	2	7	11	20	27	49
85+	1604	11.0	110	2	3	8	13	23	31	60
TOT. SINGLE DX	6955	4.7	15	1	2	4	6	9	11	20
" MULTIPLE DX	12911	8.3	72	2	2	6	10	17	24	46
TOTAL 65-69 YRS	4825	5.9	39	1	2	4	7	12	16	32
70-74	5059	6.3	41	1	2	4	8	13	18	36
75-79	4553	7.0	57	2	2	5	8	14	20	38
80-84	3140	8.1	66	2	2	6	10	17	24	44
85+	2289	9.5	90	2	2	7	12	20	28	55
GRAND TOTAL	**19866**	**7.0**	**55**	**2**	**2**	**5**	**8**	**14**	**20**	**39**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	527	7.5	53	1	2	4	11	17	21	33
70-74	497	7.4	50	1	2	5	11	16	22	31
75-79	362	8.4	72	1	2	5	11	21	26	37
80-84	193	8.1	49	2	2	5	11	19	22	31
85+	126	7.7	39	2	2	5	11	17	20	29
2. MULTIPLE DX										
65-69 YRS	1347	12.0	118	2	2	9	16	26	34	56
70-74	1444	13.6	164	2	2	10	18	29	39	74
75-79	1309	13.8	173	2	3	10	18	29	40	84
80-84	902	14.4	165	2	3	11	19	31	39	79
85+	740	15.5	181	3	3	12	20	31	44	77
TOT. SINGLE DX	1705	7.7	55	1	2	5	11	17	22	33
" MULTIPLE DX	5742	13.6	159	2	3	10	18	29	39	74
TOTAL 65-69 YRS	1874	10.7	105	2	2	8	15	24	31	52
70-74	1941	12.0	143	2	2	9	16	26	36	64
75-79	1671	12.6	156	2	2	9	17	28	37	79
80-84	1095	13.3	150	2	3	10	17	28	37	67
85+	866	14.3	168	2	3	11	19	29	41	75
GRAND TOTAL	**7447**	**12.3**	**141**	**2**	**2**	**9**	**16**	**26**	**35**	**66**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	2.9	4	1	1	2	3	7	8	8
70-74	18	3.8	8	<1	1	3	5	9	10	10
75-79	8	3.4	4	1	1	3	5	6	7	7
80-84	3	3.7	9	<1	<1	3	6	7	7	7
85+	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
65-69 YRS	56	6.1	23	2	2	5	8	12	16	28
70-74	51	7.5	38	2	2	5	10	19	22	26
75-79	37	7.5	68	2	2	5	9	16	21	45
80-84	18	6.5	19	2	2	5	8	13	16	18
85+	17	20.1	509	1	2	15	25	51	76	88
TOT. SINGLE DX	43	3.3	6	<1	1	3	4	7	9	10
" MULTIPLE DX	179	8.2	95	2	2	5	9	18	23	52
TOTAL 65-69 YRS	68	5.5	22	1	2	5	7	11	14	27
70-74	69	6.6	33	1	2	5	9	14	20	25
75-79	45	6.8	59	1	2	4	8	14	20	45
80-84	21	6.1	19	1	2	5	8	13	16	18
85+	19	18.2	487	1	1	12	22	47	73	88
GRAND TOTAL	**222**	**7.2**	**82**	**1**	**2**	**5**	**8**	**15**	**21**	**48**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	156	4.7	15	1	2	3	6	10	13	18
70-74	148	4.7	13	1	2	3	5	10	14	18
75-79	116	5.6	24	2	2	4	6	11	17	26
80-84	55	4.9	10	1	2	4	6	10	12	15
85+	37	5.4	16	1	2	4	6	9	15	20
2. MULTIPLE DX										
65-69 YRS	306	7.0	49	2	2	5	9	15	22	42
70-74	293	8.5	100	2	2	5	10	16	25	58
75-79	243	8.7	76	2	2	6	11	18	25	44
80-84	165	10.1	82	2	3	6	13	22	32	44
85+	112	12.1	181	2	3	7	14	28	39	78
TOT. SINGLE DX	512	5.0	16	1	2	4	6	10	15	20
" MULTIPLE DX	1119	8.7	89	2	2	6	10	18	27	50
TOTAL 65-69 YRS	462	6.2	39	1	2	4	8	12	19	35
70-74	441	7.2	75	2	2	4	9	15	19	50
75-79	359	7.7	62	2	2	5	9	16	22	39
80-84	220	8.8	70	2	2	6	11	18	27	42
85+	149	10.4	148	2	2	6	12	25	32	77
GRAND TOTAL	**1631**	**7.5**	**69**	**2**	**2**	**5**	**9**	**16**	**22**	**46**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	219	3.8	9	<1	1	3	5	7	10	15
70-74	196	3.7	11	1	1	2	5	7	10	17
75-79	173	3.9	8	1	1	3	5	8	10	14
80-84	107	5.1	22	1	1	3	7	10	12	28
85+	64	5.8	20	1	2	4	8	12	17	19
2. MULTIPLE DX										
65-69 YRS	1241	8.1	65	1	2	6	11	17	22	46
70-74	1289	9.1	84	1	2	7	12	19	25	46
75-79	1159	10.2	99	2	2	7	13	21	29	57
80-84	889	11.0	94	2	2	8	14	23	31	47
85+	617	12.5	130	2	3	10	16	25	35	72
TOT. SINGLE DX	759	4.1	13	1	1	3	5	9	11	18
" MULTIPLE DX	5195	9.8	92	2	2	7	13	20	28	52
TOTAL 65-69 YRS	1460	7.5	60	1	2	5	10	16	21	40
70-74	1485	8.4	78	1	2	6	11	18	24	45
75-79	1332	9.3	92	1	2	7	12	20	28	57
80-84	996	10.3	90	2	2	7	14	22	30	46
85+	681	11.9	124	2	3	9	15	25	34	71
GRAND TOTAL	**5954**	**9.1**	**86**	**1**	**2**	**7**	**12**	**19**	**27**	**48**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	195	4.6	7	1	2	4	6	9	10	14
70-74	167	5.0	10	2	2	4	6	9	12	17
75-79	131	4.7	17	1	2	4	6	8	14	23
80-84	77	4.7	9	2	2	4	6	9	11	14
85+	46	5.7	12	2	3	5	7	9	12	21
2. MULTIPLE DX										
65-69 YRS	483	7.5	55	2	2	5	9	16	20	42
70-74	481	7.9	48	2	2	6	11	16	21	36
75-79	387	8.5	82	2	3	5	10	19	24	54
80-84	242	10.3	149	2	3	7	12	19	27	75
85+	165	10.4	71	3	3	8	14	21	26	43
TOT. SINGLE DX	616	4.8	11	1	2	4	6	9	11	17
" MULTIPLE DX	1758	8.5	75	2	2	6	10	17	24	44
TOTAL 65-69 YRS	678	6.6	43	2	2	5	8	13	17	36
70-74	648	7.2	41	2	2	5	9	15	19	36
75-79	518	7.6	69	2	2	5	8	16	22	49
80-84	319	8.9	121	2	2	6	10	17	24	73
85+	211	9.3	62	2	3	7	12	19	25	39
GRAND TOTAL	**2374**	**7.5**	**61**	**2**	**2**	**5**	**9**	**15**	**21**	**39**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	240	9.2	11	5	6	9	10	13	15	21
70-74	160	10.0	13	6	7	9	11	14	16	25
75-79	92	10.0	14	6	6	9	11	15	17	24
80-84	34	10.9	18	5	6	10	13	16	20	23
85+	7	10.1	8	6	6	11	11	14	15	15
2. MULTIPLE DX										
65-69 YRS	403	11.4	40	6	6	9	13	19	23	36
70-74	300	12.0	34	6	7	10	14	19	25	30
75-79	187	13.3	70	6	7	11	15	22	29	51
80-84	63	15.5	91	7	7	13	17	31	38	49
85+	22	16.5	103	5	7	14	23	32	38	40
TOT. SINGLE DX	533	9.7	13	5	6	9	11	14	16	23
" MULTIPLE DX	975	12.3	51	6	7	10	14	21	26	40
TOTAL 65-69 YRS	643	10.5	31	6	6	9	12	16	21	30
70-74	460	11.3	28	6	7	10	13	18	22	30
75-79	279	12.2	54	6	7	10	14	21	26	47
80-84	97	13.9	71	6	7	12	15	23	35	45
85+	29	14.9	87	6	6	11	21	29	36	40
GRAND TOTAL	**1508**	**11.4**	**39**	**6**	**6**	**10**	**13**	**18**	**23**	**36**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	69	8.1	11	4	4	8	10	13	15	18
70-74	61	7.9	11	3	4	8	9	12	16	19
75-79	35	8.2	6	5	5	8	10	11	13	14
80-84	17	8.2	20	2	3	7	10	14	19	21
85+	5	8.2	21	4	4	7	10	16	16	16
2. MULTIPLE DX										
65-69 YRS	115	10.5	61	3	4	8	12	20	22	43
70-74	102	10.4	31	4	5	9	12	18	22	31
75-79	87	11.2	64	4	6	9	12	17	25	52
80-84	35	11.9	28	6	7	11	15	20	22	28
85+	9	14.9	164	5	5	10	16	35	47	47
TOT. SINGLE DX	187	8.1	11	4	5	8	10	12	15	19
" MULTIPLE DX	348	10.9	53	4	5	9	13	19	23	34
TOTAL 65-69 YRS	184	9.6	44	4	4	8	11	17	20	34
70-74	163	9.5	26	4	5	8	11	15	19	30
75-79	122	10.4	50	4	5	9	12	16	22	41
80-84	52	10.7	29	4	6	9	13	19	21	28
85+	14	12.5	119	4	5	9	16	21	41	47
GRAND TOTAL	**535**	**9.9**	**40**	**4**	**5**	**8**	**11**	**17**	**21**	**33**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	24	8.3	44	1	2	6	12	17	22	24
70-74	7	5.1	14	1	1	3	9	10	10	10
75-79	10	6.5	27	2	2	4	11	14	17	17
80-84	5	4.0	12	2	2	2	5	10	10	10
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	85	9.7	97	1	2	8	13	20	22	59
70-74	73	11.2	144	1	2	7	13	27	37	62
75-79	43	9.2	68	1	2	6	12	23	29	32
80-84	26	11.2	102	2	3	9	13	23	32	50
85+	16	10.1	146	1	2	5	15	35	38	39
TOT. SINGLE DX	47	6.9	33	1	2	4	10	16	18	24
" MULTIPLE DX	243	10.3	109	1	2	7	13	22	31	56
TOTAL 65-69 YRS	109	9.3	85	1	2	8	13	20	22	58
70-74	80	10.7	136	1	2	7	12	26	37	60
75-79	53	8.7	61	2	2	6	11	20	28	32
80-84	31	10.1	94	2	2	9	12	21	27	50
85+	17	9.8	139	1	2	5	14	33	38	39
GRAND TOTAL	**290**	**9.7**	**98**	**1**	**2**	**7**	**12**	**21**	**29**	**54**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	7.8	5	4	5	8	9	11	11	11
70-74	11	8.8	37	1	2	7	11	19	21	21
75-79	3	7.0	13	3	3	8	9	10	10	10
80-84	1	7.0		7	7	7	7	7	7	7
85+	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
65-69 YRS	42	18.0	342	2	3	13	19	37	69	84
70-74	43	16.7	168	2	3	14	20	32	43	69
75-79	24	14.8	114	3	4	10	24	31	33	36
80-84	15	15.9	111	3	5	14	20	32	39	42
85+	17	17.5	262	3	4	8	23	47	53	55
TOT. SINGLE DX	25	7.8	21	1	3	7	10	11	19	21
" MULTIPLE DX	141	16.8	212	3	3	13	21	32	46	80
TOTAL 65-69 YRS	50	16.4	302	3	4	11	18	29	62	84
70-74	54	15.1	151	2	3	12	20	29	40	68
75-79	27	14.0	108	3	3	10	24	31	33	36
80-84	16	15.3	109	4	5	14	19	31	39	42
85+	19	16.0	254	2	3	8	22	45	52	55
GRAND TOTAL	**166**	**15.4**	**193**	**3**	**3**	**11**	**20**	**31**	**43**	**78**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4650	6.9	11	4	4	6	8	10	12	19
70-74	4388	7.1	10	4	4	6	8	10	13	19
75-79	3135	7.7	17	4	4	7	9	12	14	23
80-84	1679	8.4	19	4	5	7	10	14	17	25
85+	873	9.5	26	4	5	8	11	16	20	30
2. MULTIPLE DX										
65-69 YRS	10178	9.8	52	4	5	8	11	17	23	41
70-74	11061	10.8	70	4	5	8	13	19	26	48
75-79	9559	11.9	77	4	5	9	14	22	29	50
80-84	6027	13.4	103	5	5	10	16	25	33	61
85+	3766	15.3	120	5	6	12	19	28	37	69
TOT. SINGLE DX	14725	7.4	15	4	4	7	9	11	14	21
" MULTIPLE DX	40591	11.6	80	4	5	9	14	21	28	52
TOTAL 65-69 YRS	14828	8.9	41	4	4	7	10	15	20	36
70-74	15449	9.7	56	4	5	8	11	17	23	42
75-79	12694	10.9	66	4	5	8	13	20	26	47
80-84	7706	12.3	89	4	5	9	15	23	30	56
85+	4639	14.2	108	5	6	11	17	27	34	64
GRAND TOTAL	**55316**	**10.5**	**66**	**4**	**5**	**8**	**12**	**19**	**25**	**47**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	522	12.8	28	7	8	12	15	18	22	32
70-74	400	12.1	24	6	7	11	15	18	21	29
75-79	270	12.4	24	7	7	11	15	18	22	32
80-84	99	14.1	38	6	8	13	17	23	26	36
85+	48	13.9	49	3	6	13	16	21	28	39
2. MULTIPLE DX										
65-69 YRS	1147	14.6	67	7	8	13	17	23	28	47
70-74	1140	14.9	57	7	8	13	18	24	29	45
75-79	879	16.6	91	7	8	15	19	27	35	60
80-84	445	18.5	112	8	9	16	22	31	39	60
85+	250	20.4	150	9	10	17	22	34	44	77
TOT. SINGLE DX	1339	12.6	28	6	7	12	15	19	22	32
" MULTIPLE DX	3861	16.0	83	7	8	14	19	26	32	55
TOTAL 65-69 YRS	1669	14.1	56	7	8	12	16	22	27	43
70-74	1540	14.2	51	7	8	12	17	23	27	43
75-79	1149	15.6	79	7	8	14	18	26	32	55
80-84	544	17.7	102	7	9	15	21	29	38	58
85+	298	19.3	140	7	9	17	22	33	41	75
GRAND TOTAL	**5200**	**15.1**	**71**	**7**	**8**	**13**	**17**	**24**	**30**	**49**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1015	3.1	7	1	1	2	3	6	9	15
70-74	873	3.5	11	1	1	2	4	7	9	19
75-79	563	3.7	11	1	1	3	4	7	9	18
80-84	205	4.6	25	1	2	3	6	10	12	23
85+	96	6.4	45	1	1	3	8	16	20	34
2. MULTIPLE DX										
65-69 YRS	1372	6.6	44	1	2	4	9	15	19	37
70-74	1345	7.5	58	1	2	5	10	16	23	37
75-79	1066	8.5	62	2	2	6	12	18	24	39
80-84	551	11.1	113	2	2	8	15	23	30	50
85+	347	14.3	165	2	4	10	18	29	38	81
TOT. SINGLE DX	2752	3.6	13	1	.	2	4	7	10	19
" MULTIPLE DX	4681	8.4	74	2	2	5	11	18	24	43
TOTAL 65-69 YRS	2387	5.1	32	1	1	3	6	12	16	28
70-74	2218	5.9	43	1	2	3	7	13	19	33
75-79	1629	6.8	50	1	2	4	9	15	21	36
80-84	756	9.3	98	2	2	6	12	21	28	50
85+	443	12.6	150	2	2	9	17	25	36	57
GRAND TOTAL	**7433**	**6.6**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**37**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	107	4.4	25	1	2	3	5	7	9	36
70-74	60	4.6	29	1	1	3	4	7	15	36
75-79	35	4.1	6	1	2	3	5	7	8	14
80-84	21	4.8	9	2	2	4	6	11	11	11
85+	6	9.0	38	1	2	7	13	18	19	19
2. MULTIPLE DX										
65-69 YRS	156	8.7	87	2	2	5	10	17	26	50
70-74	127	10.4	108	2	3	7	13	23	35	47
75-79	105	11.1	137	2	3	8	12	23	36	64
80-84	49	10.6	104	1	2	7	12	32	34	40
85+	37	9.9	42	2	3	7	15	20	22	25
TOT. SINGLE DX	229	4.6	23	1	2	3	5	8	12	34
" MULTIPLE DX	474	10.0	103	2	3	7	11	22	33	49
TOTAL 65-69 YRS	263	7.0	67	2	2	4	8	13	24	46
70-74	187	8.6	90	2	2	5	10	20	31	43
75-79	140	9.3	114	2	2	6	10	21	29	58
80-84	70	8.9	83	2	2	6	11	22	33	39
85+	43	9.8	41	2	3	7	14	19	22	25
GRAND TOTAL	**703**	**8.2**	**83**	**2**	**2**	**5**	**9**	**18**	**27**	**45**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	266	5.7	28	2	2	4	7	11	16	30
70-74	279	5.5	19	2	2	4	7	11	14	20
75-79	238	6.2	36	1	2	4	8	12	15	31
80-84	143	5.6	19	1	2	4	7	12	15	20
85+	62	8.6	105	1	2	6	9	18	26	66
2. MULTIPLE DX										
65-69 YRS	558	10.1	105	2	2	7	13	22	30	53
70-74	745	9.7	82	2	2	7	13	21	28	47
75-79	647	10.6	84	2	3	8	14	23	30	46
80-84	418	12.4	106	2	3	10	16	25	32	56
85+	263	14.3	161	2	3	11	19	27	36	64
TOT. SINGLE DX	988	5.9	32	2	2	4	8	12	15	29
" MULTIPLE DX	2631	10.9	102	2	3	8	14	23	31	53
TOTAL 65-69 YRS	824	8.7	85	2	2	5	11	18	26	49
70-74	1024	8.6	69	2	2	6	11	19	25	40
75-79	885	9.4	75	2	2	7	12	20	26	46
80-84	561	10.7	93	2	2	8	15	23	30	53
85+	325	13.2	156	2	3	10	18	26	34	66
GRAND TOTAL	**3619**	**9.5**	**87**	**2**	**2**	**6**	**12**	**20**	**28**	**49**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	4.3	7	2	2	3	6	8	8	8
70-74	2	5.0	32	1	1	5	9	9	9	9
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	4	4.5	6	2	2	4	6	8	8	8
70-74										
75-79	2	16.5	365	3	3	16	30	30	30	30
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	5.5	13	3	3	5	8	8	8	8
TOT. SINGLE DX	7	4.4	9	1	1	4	7	9	9	9
" MULTIPLE DX	9	7.8	75	2	2	4	8	21	30	30
TOTAL 65-69 YRS	8	4.4	6	2	2	4	6	8	8	8
70-74	2	5.0	32	1	1	5	9	9	9	9
75-79	3	12.3	234	3	3	4	23	30	30	30
80-84	1	8.0		8	8	8	8	8	8	8
85+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**16**	**6.3**	**47**	**1**	**2**	**4**	**8**	**9**	**24**	**30**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	4.0	4	1	1	3	6	7	7	7
70-74	1	6.0		6	6	6	6	6	6	6
75-79	3	4.3	10	2	2	3	7	8	8	8
80-84	3	8.7	96	3	3	3	16	20	20	20
85+	3	6.3		6	6	6	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	22	7.7	41	1	2	6	8	17	22	29
70-74	9	10.2	81	2	2	7	16	25	26	26
75-79	9	9.9	18	3	4	11	13	15	15	15
80-84	4	35.3	1419	2	2	25	61	88	88	88
85+	6	10.0	39	2	2	9	11	20	21	21
TOT. SINGLE DX	20	5.2	16	1	2	4	7	8	14	20
" MULTIPLE DX	50	11.0	178	2	2	8	14	22	29	88
TOTAL 65-69 YRS	32	6.6	33	1	2	5	8	15	18	29
70-74	10	9.8	74	2	2	6	14	24	26	26
75-79	12	8.5	21	2	3	9	12	14	15	15
80-84	7	23.9	944	2	2	16	31	77	88	88
85+	9	8.8	28	2	3	7	10	17	21	21
GRAND TOTAL	**70**	**9.4**	**138**	**2**	**2**	**6**	**11**	**19**	**26**	**77**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	10	8.1	14	2	3	8	11	12	13	13
70-74	8	6.4	7	2	3	6	8	10	11	11
75-79	7	7.4	2	6	6	7	8	10	10	10
80-84	3	16.0	181	5	5	12	26	31	31	31
85+	3	6.7	25	2	2	6	10	12	12	12
2. MULTIPLE DX										
65-69 YRS	32	10.5	38	3	3	9	14	20	22	28
70-74	42	15.7	222	4	5	11	20	30	35	90
75-79	29	10.4	32	2	4	10	12	19	21	25
80-84	21	16.2	127	6	7	13	20	34	42	47
85+	10	14.1	60	5	6	13	14	26	33	33
TOT. SINGLE DX	31	8.1	28	2	3	7	11	12	13	31
" MULTIPLE DX	134	13.3	114	3	5	11	15	26	31	54
TOTAL 65-69 YRS	42	9.9	33	2	3	9	13	17	21	28
70-74	50	14.2	199	4	5	9	15	29	34	90
75-79	36	9.8	28	3	4	9	12	18	21	25
80-84	24	16.2	126	6	6	12	22	32	41	47
85+	13	12.4	60	2	4	13	14	22	31	33
GRAND TOTAL	**165**	**12.3**	**102**	**3**	**5**	**10**	**14**	**25**	**30**	**46**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	361	3.4	3	1	2	3	4	5	6	12
70-74	229	3.5	3	2	2	3	4	5	6	13
75-79	129	3.7	3	2	2	3	4	6	7	12
80-84	47	3.4	2	1	2	3	5	5	6	9
85+	13	3.8	1	2	2	4	5	5	6	6
2. MULTIPLE DX										
65-69 YRS	444	5.2	16	2	2	4	6	9	13	20
70-74	320	6.0	26	2	2	4	6	12	20	28
75-79	188	6.5	27	2	2	5	8	14	16	27
80-84	81	8.6	72	1	2	6	10	17	23	53
85+	38	9.4	69	2	2	6	13	19	29	36
TOT. SINGLE DX	779	3.5	4	2	2	3	4	5	6	12
" MULTIPLE DX	1071	6.1	29	2	2	4	7	12	17	27
TOTAL 65-69 YRS	805	4.4	12	2	2	3	5	8	11	18
70-74	549	5.0	18	2	2	4	5	9	14	26
75-79	317	5.4	20	2	2	4	6	10	15	22
80-84	128	6.7	53	2	2	5	8	13	21	35
85+	51	7.9	58	2	2	5	11	18	20	36
GRAND TOTAL	**1850**	**5.0**	**20**	**2**	**2**	**4**	**6**	**9**	**14**	**23**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	106	2.0		<1	1	2	2	3	4	5
70-74	87	2.3	1	1	1	2	2	4	4	10
75-79	56	2.9	4	1	1	2	3	7	8	11
80-84	24	3.2	6	<1	1	2	3	8	10	10
85+	20	2.9	3	1	1	2	3	6	7	9
2. MULTIPLE DX										
65-69 YRS	268	5.2	32	1	2	3	6	13	17	29
70-74	224	5.4	43	1	2	3	6	12	18	28
75-79	176	7.1	52	2	2	5	9	14	20	42
80-84	95	8.4	78	1	2	5	10	24	29	39
85+	89	9.1	56	1	2	7	12	19	24	38
TOT. SINGLE DX	395	2.4	2	<1	1	2	3	4	5	10
" MULTIPLE DX	1071	6.5	60	1	2	3	8	15	22	39
TOTAL 65-69 YRS	476	4.5	38	1	1	2	4	10	16	31
70-74	393	4.4	32	1	1	2	4	9	15	28
75-79	288	6.0	44	1	2	3	8	12	20	39
80-84	163	7.6	106	1	2	4	9	19	28	39
85+	146	7.7	52	1	2	5	10	18	23	34
GRAND TOTAL	**1466**	**5.4**	**48**	**1**	**1**	**3**	**6**	**12**	**19**	**34**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	180	5.5	46	1	2	4	6	10	12	21
70-74	91	4.9	8	1	2	4	6	9	11	15
75-79	56	6.2	29	2	2	4	9	11	18	29
80-84	19	7.5	41	1	1	4	12	17	22	24
85+	14	7.5	38	2	3	5	10	18	21	22
2. MULTIPLE DX										
65-69 YRS	339	6.7	46	2	2	5	8	11	17	44
70-74	164	7.1	41	2	2	5	8	15	23	37
75-79	76	8.1	76	1	2	5	9	21	26	49
80-84	39	8.5	81	1	2	6	12	23	37	99+
85+	27	13.5	108	3	4	13	19	25	58	99+
TOT. SINGLE DX	360	5.6	34	1	2	4	7	10	13	22
" MULTIPLE DX	645	7.3	55	2	2	5	9	15	22	55
TOTAL 65-69 YRS	519	6.3	47	2	2	5	7	10	15	39
70-74	255	6.3	31	2	2	5	8	12	17	36
75-79	132	7.3	57	1	2	5	9	18	22	35
80-84	58	8.2	68	1	2	5	12	19	30	95
85+	41	11.4	91	2	3	9	16	23	36	99+
GRAND TOTAL	**1005**	**6.7**	**48**	**2**	**2**	**5**	**8**	**13**	**20**	**41**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	10.3	41	4	4	8	13	20	22	30
70-74	19	13.2	83	4	5	10	17	26	35	40
75-79	9	10.3	20	3	3	11	13	16	17	17
80-84	7	13.6	54	8	8	10	15	27	29	29
85+	7	19.1	111	5	6	19	24	35	37	37
2. MULTIPLE DX										
65-69 YRS	73	14.3	104	6	7	11	16	28	39	56
70-74	78	17.8	90	8	9	14	22	30	37	49
75-79	48	17.6	107	7	8	15	22	28	43	56
80-84	34	19.7	129	8	10	16	23	33	40	64
85+	35	24.0	263	7	10	19	26	46	66	76
TOT. SINGLE DX	69	12.3	62	4	5	10	17	21	30	39
" MULTIPLE DX	268	17.9	132	7	8	14	22	30	43	63
TOTAL 65-69 YRS	100	13.2	90	5	6	10	16	22	33	53
70-74	97	16.9	92	7	8	14	22	30	37	49
75-79	57	16.4	100	5	7	14	20	26	38	56
80-84	41	18.7	120	8	9	16	21	32	39	64
85+	42	23.2	238	7	9	19	26	44	62	76
GRAND TOTAL	**337**	**16.7**	**122**	**6**	**7**	**13**	**20**	**30**	**40**	**60**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	50	10.3	33	4	5	9	13	19	21	30
70-74	47	11.9	70	6	6	9	13	20	22	59
75-79	19	8.3	10	4	5	8	9	13	16	16
80-84	18	15.4	87	6	7	13	18	30	38	40
85+	8	9.1	23	4	4	8	11	17	19	19
2. MULTIPLE DX										
65-69 YRS	143	14.9	111	6	7	12	16	27	37	69
70-74	143	16.7	156	6	7	13	20	31	39	70
75-79	89	19.5	243	7	8	14	23	37	42	93
80-84	62	19.0	116	8	9	17	23	34	48	95
85+	38	20.6	168	7	8	18	25	33	48	72
TOT. SINGLE DX	142	11.2	52	5	6	9	13	19	22	42
" MULTIPLE DX	475	17.3	158	6	7	14	21	31	41	72
TOTAL 65-69 YRS	193	13.7	95	5	6	11	15	25	32	59
70-74	190	15.5	139	6	7	12	18	28	36	64
75-79	108	17.5	220	6	7	13	21	32	40	93
80-84	80	18.2	111	7	8	16	22	34	42	87
85+	46	18.6	161	6	6	15	23	32	47	72
GRAND TOTAL	**617**	**15.9**	**140**	**6**	**6**	**12**	**19**	**30**	**37**	**70**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	79	10.2	29	6	6	8	11	17	21	34
70-74	45	10.1	31	6	6	9	12	16	19	38
75-79	31	12.5	50	5	7	11	15	21	27	39
80-84	12	10.5	27	4	4	10	13	18	21	22
85+	8	12.1	57	6	6	8	16	25	27	27
2. MULTIPLE DX										
65-69 YRS	227	13.9	104	5	6	11	16	24	33	58
70-74	172	15.4	109	6	7	12	19	25	37	60
75-79	121	15.8	116	6	7	13	19	26	34	60
80-84	80	16.8	89	7	9	14	20	29	39	49
85+	36	18.7	105	6	7	18	22	35	40	44
TOT. SINGLE DX	175	10.7	35	6	6	9	13	17	22	38
" MULTIPLE DX	636	15.3	107	6	7	12	18	26	35	51
TOTAL 65-69 YRS	306	13.0	87	5	6	10	15	22	31	52
70-74	217	14.3	98	6	6	11	17	24	35	54
75-79	152	15.1	104	6	7	12	18	26	33	50
80-84	92	15.9	86	6	8	13	19	28	38	49
85+	44	17.5	102	6	7	16	22	33	38	44
GRAND TOTAL	**811**	**14.3**	**95**	**6**	**7**	**11**	**17**	**24**	**34**	**49**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	12.0	50	7	7	12	17	17	17	17
70-74	3	15.3	57	10	10	12	21	24	24	24
75-79	3	5.7	6	3	3	6	7	8	8	8
80-84	1	2.0		2	2	2	2	2	2	2
85+										
2. MULTIPLE DX										
65-69 YRS	6	10.8	17	5	5	11	14	16	16	16
70-74	5	10.4	8	6	6	11	12	14	14	14
75-79	4	13.8	63	6	6	13	20	22	22	22
80-84	2	31.0	968	9	9	31	53	53	53	53
85+	4	15.8	195	4	4	11	24	36	36	36
TOT. SINGLE DX	9	9.9	49	2	2	8	13	21	24	24
" MULTIPLE DX	21	14.1	129	5	5	11	15	28	44	53
TOTAL 65-69 YRS	8	11.1	20	5	6	11	15	17	17	17
70-74	8	12.3	28	6	7	11	13	21	24	24
75-79	7	10.3	52	3	4	8	16	21	22	22
80-84	3	21.3	764	2	2	9	42	53	53	53
85+	4	15.8	195	4	4	11	24	36	36	36
GRAND TOTAL	**30**	**12.9**	**106**	**3**	**4**	**10**	**14**	**23**	**36**	**53**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2	5.0	18	2	2	5	8	8	8	8
70-74	2	3.5	5	2	2	3	5	5	5	5
75-79	1	6.0		6	6	6	6	6	6	6
80-84										
85+	2	9.5	145	1	1	9	18	18	18	18
2. MULTIPLE DX										
65-69 YRS	5	12.4	44	7	7	11	16	23	23	23
70-74	6	24.7	155	12	12	21	34	43	44	44
75-79	2	7.5	13	5	5	7	10	10	10	10
80-84	2	11.5	1	11	11	11	12	12	12	12
85+	1	7.0		7	7	7	7	7	7	7
TOT. SINGLE DX	7	6.0	34	1	1	5	7	16	18	18
" MULTIPLE DX	16	15.9	116	5	7	12	20	33	41	44
TOTAL 65-69 YRS	7	10.3	45	2	3	8	13	21	23	23
70-74	8	19.4	207	2	3	16	30	41	44	44
75-79	3	7.0	7	5	5	6	9	10	10	10
80-84	2	11.5	1	11	11	11	12	12	12	12
85+	3	8.7	74	1	1	7	15	18	18	18
GRAND TOTAL	23	12.9	111	1	2	11	16	28	37	44

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	74	2.7	4	<1	1	2	3	4	7	13
70-74	49	3.0	4	<1	1	3	3	6	9	9
75-79	24	3.3	3	1	1	3	4	6	7	8
80-84	11	3.0	1	<1	1	3	4	5	5	5
85+	6	2.5	2	<1	<1	2	3	5	5	5
2. MULTIPLE DX										
65-69 YRS	92	4.6	24	1	1	3	5	10	17	24
70-74	73	4.9	23	1	1	3	6	12	13	25
75-79	42	7.0	35	2	2	4	9	17	19	27
80-84	25	6.7	100	1	1	3	5	25	35	37
85+	4	7.8	17	4	4	7	11	13	13	13
TOT. SINGLE DX	164	2.9	4	<1	1	2	3	5	7	10
" MULTIPLE DX	236	5.4	34	1	2	3	6	12	18	28
TOTAL 65-69 YRS	166	3.8	17	1	1	2	4	9	12	23
70-74	122	4.1	17	1	1	3	4	10	12	22
75-79	66	5.7	27	1	2	4	7	14	18	26
80-84	36	5.6	72	1	1	3	4	9	32	37
85+	10	4.6	14	<1	1	3	5	11	13	13
GRAND TOTAL	400	4.4	23	1	1	3	4	10	14	26

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	205	3.5	14	1	1	2	4	7	9	24
70-74	145	4.4	14	1	1	3	7	10	13	16
75-79	100	6.0	98	1	1	4	8	10	12	63
80-84	39	5.6	12	1	2	6	8	10	11	15
85+	22	6.9	47	1	2	5	8	21	23	24
2. MULTIPLE DX										
65-69 YRS	484	6.4	55	1	2	4	8	14	18	39
70-74	371	7.4	81	2	2	5	9	15	23	42
75-79	289	7.5	50	2	2	6	9	15	19	38
80-84	145	10.3	129	2	2	8	12	21	27	98
85+	94	10.8	95	2	2	8	15	22	36	76
TOT. SINGLE DX	511	4.6	33	1	1	2	6	9	12	24
" MULTIPLE DX	1383	7.6	73	2	2	5	9	16	22	46
TOTAL 65-69 YRS	689	5.6	45	1	2	3	7	12	16	36
70-74	516	6.5	64	1	2	4	8	13	18	36
75-79	389	7.2	63	1	2	5	9	15	18	38
80-84	184	9.3	108	2	2	7	11	19	24	86
85+	116	10.0	88	2	2	7	13	22	33	65
GRAND TOTAL	1894	6.8	64	1	2	4	8	15	20	41

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79	1	3.0		3	3	3	3	3	3	3
80-84										
85+	1	10.0		10	10	10	10	10	10	10
2. MULTIPLE DX										
65-69 YRS	3	4.0	12	2	2	2	7	8	8	8
70-74	2	8.0		8	8	8	8	8	8	8
75-79										
80-84	1	11.0		11	11	11	11	11	11	11
85+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	2	6.5	25	3	3	6	10	10	10	10
" MULTIPLE DX	7	5.7	16	1	1	8	8	10	11	11
TOTAL 65-69 YRS	3	4.0	12	2	2	2	7	8	8	8
70-74	2	8.0		8	8	8	8	8	8	8
75-79	1	3.0		3	3	3	3	3	3	3
80-84	1	11.0		11	11	11	11	11	11	11
85+	2	5.5	41	1	1	5	10	10	10	10
GRAND TOTAL	**9**	**5.9**	**15**	**1**	**1**	**8**	**9**	**11**	**11**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	33	3.5	15	1	1	2	3	9	10	21
70-74	16	2.7	1	2	2	2	3	4	5	5
75-79	11	5.5	60	<1	<1	2	6	17	26	27
80-84	8	4.3	17	2	2	2	5	12	14	14
85+	4	10.0	40	2	2	11	15	16	16	16
2. MULTIPLE DX										
65-69 YRS	62	9.4	121	1	2	7	12	20	34	96
70-74	56	8.0	66	1	2	5	11	18	23	41
75-79	45	10.6	133	1	2	4	16	23	35	55
80-84	35	14.9	276	2	2	10	21	37	49	79
85+	24	10.3	84	1	2	7	12	26	32	33
TOT. SINGLE DX	72	4.1	22	1	1	2	4	9	14	26
" MULTIPLE DX	222	10.2	133	1	2	7	14	23	34	74
TOTAL 65-69 YRS	95	7.4	92	1	1	4	10	19	22	87
70-74	72	6.8	56	1	2	4	9	16	23	40
75-79	56	9.6	122	1	1	4	15	23	33	54
80-84	43	12.9	244	2	2	6	18	29	45	79
85+	28	10.3	76	1	2	8	14	25	31	33
GRAND TOTAL	**294**	**8.7**	**112**	**1**	**2**	**4**	**11**	**23**	**30**	**64**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	632	8.9	15	5	6	8	10	12	16	23
70-74	402	9.4	15	6	6	8	10	14	16	26
75-79	222	10.5	22	6	6	9	12	16	21	27
80-84	101	10.7	19	6	7	10	12	15	19	29
85+	43	10.8	12	6	7	10	13	16	18	21
2. MULTIPLE DX										
65-69 YRS	2234	11.2	51	6	6	9	13	18	23	42
70-74	1676	12.0	58	6	6	10	14	20	26	45
75-79	930	14.1	84	6	7	11	17	24	33	55
80-84	406	14.7	87	7	7	12	17	25	31	57
85+	206	17.4	169	6	7	14	21	29	39	87
TOT. SINGLE DX	1400	9.5	17	6	6	8	10	14	17	26
" MULTIPLE DX	5452	12.4	69	6	6	10	14	21	27	47
TOTAL 65-69 YRS	2866	10.7	44	6	6	9	12	17	22	38
70-74	2078	11.5	51	6	6	9	13	19	25	41
75-79	1152	13.4	75	6	7	11	16	23	31	50
80-84	507	13.9	76	7	7	12	16	22	29	55
85+	249	16.3	149	6	7	13	18	28	35	84
GRAND TOTAL	**6852**	**11.8**	**60**	**6**	**6**	**9**	**14**	**20**	**25**	**45**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	525	8.2	7	5	6	8	9	12	13	18
70-74	397	8.6	8	6	6	8	9	12	14	18
75-79	217	8.9	9	5	6	8	10	13	15	18
80-84	77	9.1	6	5	6	9	11	13	14	16
85+	27	10.1	7	7	7	9	11	15	15	16
2. MULTIPLE DX										
65-69 YRS	1525	8.9	12	5	6	8	10	12	15	22
70-74	1157	9.6	15	6	6	9	11	14	17	25
75-79	722	10.2	26	6	6	9	11	15	19	33
80-84	290	11.3	43	6	7	9	13	18	22	39
85+	116	13.0	52	6	7	11	15	22	26	47
TOT. SINGLE DX	1243	8.5	8	5	6	8	10	12	14	18
" MULTIPLE DX	3810	9.6	21	5	6	8	11	14	18	28
TOTAL 65-69 YRS	2050	8.7	11	5	6	8	10	12	15	21
70-74	1554	9.3	14	6	6	8	10	14	17	24
75-79	939	9.9	23	6	6	9	11	15	18	31
80-84	367	10.9	37	6	7	9	12	17	20	32
85+	143	12.5	46	6	7	10	14	21	25	47
GRAND TOTAL	**5053**	**9.4**	**18**	**5**	**6**	**8**	**10**	**14**	**17**	**26**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12	19.3	162	10	11	15	22	37	52	55
70-74	13	17.1	32	10	11	14	21	27	27	27
75-79	7	17.9	45	8	9	18	24	25	25	25
80-84	3	17.7	56	10	10	18	23	25	25	25
85+										
2. MULTIPLE DX										
65-69 YRS	44	21.1	168	7	9	17	25	45	49	65
70-74	28	21.3	154	8	8	19	28	41	46	55
75-79	22	22.1	125	9	11	19	29	39	43	47
80-84	6	17.8	131	8	8	15	21	37	39	39
85+	4	21.3	31	13	13	23	24	25	25	25
TOT. SINGLE DX	35	18.1	76	10	10	16	23	27	29	55
" MULTIPLE DX	104	21.2	145	8	9	18	26	39	46	60
TOTAL 65-69 YRS	56	20.7	165	8	10	17	25	44	51	64
70-74	41	19.9	118	8	9	18	25	33	44	55
75-79	29	21.1	108	8	11	19	25	38	41	47
80-84	9	17.8	96	8	8	17	22	33	39	39
85+	4	21.3	31	13	13	23	24	25	25	25
GRAND TOTAL	139	20.4	129	8	9	18	25	37	46	56

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1077	2.5	6	<1	1	2	2	4	7	14
70-74	734	2.8	7	<1	1	2	3	5	8	16
75-79	422	3.0	7	1	1	2	3	6	8	14
80-84	217	3.8	18	1	1	2	4	8	12	26
85+	122	4.6	13	1	1	3	6	10	13	16
2. MULTIPLE DX										
65-69 YRS	1930	4.4	35	1	1	2	5	10	15	27
70-74	1426	5.2	45	1	1	3	5	12	18	36
75-79	916	6.6	86	1	2	3	8	15	23	51
80-84	523	6.6	58	1	2	4	8	15	20	44
85+	298	8.2	85	2	2	5	10	18	24	57
TOT. SINGLE DX	2572	2.9	9	<1	1	2	3	5	9	16
" MULTIPLE DX	5093	5.5	54	1	1	3	6	12	18	39
TOTAL 65-69 YRS	3007	3.8	26	<1	1	2	3	8	12	25
70-74	2160	4.4	34	1	1	2	4	10	15	32
75-79	1338	5.5	64	1	1	3	6	12	19	47
80-84	740	5.8	49	1	2	3	7	13	18	34
85+	420	7.2	67	1	2	5	9	15	22	51
GRAND TOTAL	7665	4.6	40	1	1	2	5	10	16	32

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	2.0	2	1	1	2	3	4	4	4
70-74	1	2.0		2	2	2	2	2	2	2
75-79	3	2.3		2	2	2	3	3	3	3
80-84	1	4.0		4	4	4	4	4	4	4
85+										
2. MULTIPLE DX										
65-69 YRS	11	7.8	105	<1	1	2	15	25	29	29
70-74	6	11.5	108	1	1	10	17	28	29	29
75-79	5	7.2	16	3	3	7	10	13	13	13
80-84	4	18.3	143	5	5	17	26	34	34	34
85+	3	19.7	212	6	6	18	31	35	35	35
TOT. SINGLE DX	9	2.3	1	1	1	2	3	4	4	4
" MULTIPLE DX	29	11.1	112	1	1	7	18	29	34	35
TOTAL 65-69 YRS	15	6.3	83	<1	1	2	4	22	27	29
70-74	7	10.1	103	1	1	9	15	27	29	29
75-79	8	5.4	16	2	2	4	8	12	13	13
80-84	5	15.4	148	4	4	16	22	34	34	34
85+	3	19.7	212	6	6	18	31	35	35	35
GRAND TOTAL	**38**	**9.1**	**99**	**1**	**1**	**4**	**16**	**27**	**32**	**35**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	8	9.6	5	6	6	10	11	13	13	13
70-74	6	7.0	8	4	4	6	8	12	12	12
75-79	4	11.5	3	9	9	12	13	13	13	13
80-84	2	6.0	2	5	5	6	7	7	7	7
85+										
2. MULTIPLE DX										
65-69 YRS	14	8.7	19	1	4	8	10	15	19	20
70-74	11	12.7	65	5	5	12	15	25	32	33
75-79	8	8.6	2	7	7	8	10	11	11	11
80-84	7	14.0	97	7	7	11	17	31	34	34
85+	6	20.5	485	6	6	13	15	60	65	65
TOT. SINGLE DX	20	8.9	9	4	5	9	11	13	13	13
" MULTIPLE DX	46	12.0	103	5	6	9	13	19	33	65
TOTAL 65-69 YRS	22	9.0	14	3	5	9	11	13	16	20
70-74	17	10.7	52	4	5	8	13	18	28	33
75-79	12	9.6	4	7	7	9	11	13	13	13
80-84	9	12.2	85	5	6	7	14	28	34	34
85+	6	20.5	485	6	6	13	15	60	65	65
GRAND TOTAL	**66**	**11.0**	**76**	**5**	**5**	**9**	**12**	**16**	**23**	**60**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	36	3.9	3	2	2	4	4	5	7	12
70-74	35	4.0	1	2	3	4	4	6	7	7
75-79	18	4.3	4	2	3	4	5	6	9	11
80-84	7	11.3	372	2	2	4	5	45	55	55
85+	2	20.0	512	4	4	20	36	36	36	36
2. MULTIPLE DX										
65-69 YRS	74	4.6	8	2	3	4	5	7	12	16
70-74	61	6.2	40	2	2	4	5	14	20	37
75-79	39	5.2	15	2	3	4	5	10	13	22
80-84	30	5.1	13	3	3	4	5	10	16	17
85+	20	5.6	23	2	2	4	5	14	18	19
TOT. SINGLE DX	98	4.9	39	2	3	4	4	6	7	46
" MULTIPLE DX	224	5.3	20	2	3	4	5	11	15	22
TOTAL 65-69 YRS	110	4.4	7	2	2	4	4	7	12	15
70-74	96	5.4	27	2	3	4	5	9	16	31
75-79	57	4.9	12	2	3	4	5	9	12	21
80-84	37	6.3	79	3	3	4	5	10	17	55
85+	22	6.9	63	2	2	4	5	18	26	36
GRAND TOTAL	**322**	**5.2**	**26**	**2**	**3**	**4**	**5**	**9**	**14**	**26**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	561	7.1	8	4	4	7	8	10	12	16
70-74	434	7.4	8	4	5	7	9	11	12	19
75-79	226	7.8	9	4	5	7	9	12	13	21
80-84	80	8.4	72	3	5	7	9	11	11	61
85+	21	9.5	37	3	5	9	10	15	24	32
2. MULTIPLE DX										
65-69 YRS	1015	8.7	15	4	5	8	10	14	17	22
70-74	720	9.3	24	5	5	8	11	14	17	29
75-79	487	9.9	26	5	5	8	11	17	20	34
80-84	205	10.2	23	4	5	9	12	17	20	26
85+	75	12.5	62	6	6	10	15	22	30	43
TOT. SINGLE DX	1322	7.4	13	4	4	7	9	11	12	19
" MULTIPLE DX	2502	9.4	23	4	5	8	11	15	18	28
TOTAL 65-69 YRS	1576	8.2	13	4	5	7	10	13	15	21
70-74	1154	8.6	19	4	5	8	10	13	16	26
75-79	713	9.2	22	4	5	8	10	15	18	27
80-84	285	9.7	37	4	5	9	11	15	19	26
85+	96	11.8	58	5	6	9	14	21	30	41
GRAND TOTAL	**3824**	**8.7**	**20**	**4**	**5**	**8**	**10**	**14**	**17**	**26**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	35	6.7	22	1	1	6	9	12	14	25
70-74	24	9.9	95	2	4	7	11	16	30	51
75-79	11	8.1	18	2	2	9	12	13	14	14
80-84	5	9.0	22	4	4	8	12	16	16	16
85+	6	5.3	4	3	3	5	6	9	9	9
2. MULTIPLE DX										
65-69 YRS	113	11.3	167	2	3	8	12	18	26	86
70-74	85	10.2	54	2	3	8	11	19	27	39
75-79	42	10.4	42	2	5	9	14	18	26	29
80-84	13	8.8	29	1	2	9	11	14	21	23
85+	19	19.1	276	4	5	9	29	45	52	57
TOT. SINGLE DX	81	7.9	43	1	2	7	10	13	15	43
" MULTIPLE DX	272	11.2	117	2	4	8	12	21	29	60
TOTAL 65-69 YRS	148	10.2	136	2	2	8	11	16	25	85
70-74	109	10.1	63	2	3	8	11	18	27	45
75-79	53	9.9	38	2	3	9	12	17	24	29
80-84	18	8.9	26	1	3	9	11	15	20	23
85+	25	15.8	244	4	4	6	24	45	48	57
GRAND TOTAL	**353**	**10.4**	**102**	**2**	**3**	**8**	**11**	**19**	**28**	**57**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	168	5.2	22	1	2	4	7	9	14	26
70-74	134	5.8	38	1	2	5	7	9	12	38
75-79	100	5.9	24	2	2	5	7	10	13	30
80-84	54	7.2	58	2	3	5	8	12	17	54
85+	34	7.3	16	3	4	6	10	14	15	18
2. MULTIPLE DX										
65-69 YRS	328	9.1	80	2	2	6	10	20	28	48
70-74	316	9.9	91	2	3	7	11	19	31	53
75-79	279	10.1	81	2	2	8	13	21	27	57
80-84	173	12.0	106	2	3	10	15	23	32	56
85+	90	10.2	62	3	3	7	12	21	29	38
TOT. SINGLE DX	490	5.9	31	1	2	5	7	10	14	32
" MULTIPLE DX	1186	10.0	87	2	2	7	12	21	29	53
TOTAL 65-69 YRS	496	7.8	64	1	2	6	8	16	25	44
70-74	450	8.7	79	2	2	6	10	18	27	51
75-79	379	9.0	70	2	2	7	11	18	25	49
80-84	227	10.8	99	2	3	8	13	22	32	55
85+	124	9.4	51	3	4	7	11	18	26	37
GRAND TOTAL	**1676**	**8.8**	**74**	**2**	**2**	**6**	**10**	**18**	**26**	**49**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	3.7	24	<1	1	2	4	7	11	29
70-74	123	3.4	7	<1	1	2	4	6	10	16
75-79	59	4.0	26	<1	1	2	4	9	10	34
80-84	46	6.0	158	1	2	3	6	9	12	87
85+	38	6.3	61	<1	1	4	6	16	22	41
2. MULTIPLE DX										
65-69 YRS	186	7.6	98	1	2	4	9	16	24	54
70-74	160	8.1	93	1	2	5	10	16	25	52
75-79	151	9.4	110	2	2	6	12	21	31	55
80-84	68	8.6	72	2	2	5	10	19	27	42
85+	83	11.4	97	2	3	8	16	25	31	50
TOT. SINGLE DX	402	4.2	39	<1	1	3	4	8	11	31
" MULTIPLE DX	648	8.7	98	1	2	5	11	18	28	52
TOTAL 65-69 YRS	322	5.9	71	<1	1	3	7	13	19	45
70-74	283	6.1	62	1	2	3	7	12	17	50
75-79	210	7.9	92	1	2	4	10	17	25	51
80-84	114	7.6	108	2	2	5	8	16	24	59
85+	121	9.8	91	1	2	6	14	21	29	45
GRAND TOTAL	**1050**	**7.0**	**80**	**1**	**2**	**4**	**8**	**16**	**22**	**48**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	30	12.0	69	3	3	10	16	26	29	34
70-74	33	11.0	67	3	3	10	14	21	33	34
75-79	21	8.4	68	2	2	5	11	23	26	28
80-84	22	8.6	28	3	3	7	13	17	19	21
85+	20	10.4	40	4	4	8	15	21	22	23
2. MULTIPLE DX										
65-69 YRS	42	16.2	112	4	4	15	23	31	46	99+
70-74	56	14.6	122	2	3	11	24	32	39	96
75-79	57	17.8	200	3	4	14	24	43	54	96
80-84	53	16.8	145	2	4	13	25	35	41	46
85+	37	18.3	253	3	4	14	23	35	41	90
TOT. SINGLE DX	126	10.3	57	2	3	8	14	21	27	34
" MULTIPLE DX	245	16.6	163	3	4	14	24	34	44	99+
TOTAL 65-69 YRS	72	14.5	97	3	4	13	19	29	34	88
70-74	89	13.2	104	2	3	10	19	30	34	76
75-79	78	15.2	181	2	3	11	24	36	52	87
80-84	75	14.4	124	3	3	11	20	32	37	45
85+	57	15.5	191	3	4	12	21	31	35	87
GRAND TOTAL	**371**	**14.5**	**136**	**3**	**3**	**11**	**21**	**31**	**38**	**82**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	5.6	12	1	1	5	9	10	11	11
70-74	7	5.9	9	2	2	6	8	10	11	11
75-79	10	5.0	14	1	1	3	7	11	13	13
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	12	6.8	30	1	1	5	9	15	19	20
70-74	13	8.1	20	2	2	8	10	16	16	16
75-79	8	9.6	38	2	3	10	14	18	19	19
80-84	2	34.0	1682	5	5	34	63	63	63	63
85+	3	11.7	32	7	7	10	16	18	18	18
TOT. SINGLE DX	26	5.4	12	1	2	5	8	11	12	13
" MULTIPLE DX	38	9.6	106	1	2	8	11	18	20	63
TOTAL 65-69 YRS	21	6.2	22	1	1	5	9	12	16	20
70-74	20	7.3	17	2	2	7	9	14	16	16
75-79	18	7.1	29	1	2	5	10	16	18	19
80-84	2	34.0	1682	5	5	34	63	63	63	63
85+	3	11.7	32	7	7	10	16	18	18	18
GRAND TOTAL	**64**	**7.9**	**71**	**1**	**2**	**6**	**10**	**16**	**18**	**57**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	5	2.8	6	1	1	2	4	7	7	7
70-74	2	2.0		2	2	2	2	2	2	2
75-79	1	4.0		4	4	4	4	4	4	4
80-84										
85+	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
65-69 YRS	9	10.9	338	1	1	5	9	40	59	59
70-74	7	9.6	34	4	4	10	12	18	20	20
75-79	1	10.0		10	10	10	10	10	10	10
80-84	3	25.0	292	9	9	23	38	43	43	43
85+	4	19.5	208	4	4	19	31	35	35	35
TOT. SINGLE DX	9	3.2	5	1	1	2	5	7	7	7
" MULTIPLE DX	24	13.7	211	1	2	9	16	36	48	59
TOTAL 65-69 YRS	14	8.0	226	1	1	3	7	17	50	59
70-74	9	7.9	37	2	2	5	12	17	20	20
75-79	2	7.0	18	4	4	7	10	10	10	10
80-84	3	25.0	292	9	9	23	38	43	43	43
85+	5	17.0	188	4	4	11	30	35	35	35
GRAND TOTAL	**33**	**10.8**	**175**	**1**	**2**	**7**	**12**	**29**	**42**	**59**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	56	4.9	24	1	2	3	6	11	17	26
70-74	38	7.7	68	2	2	4	9	20	28	34
75-79	23	4.2	6	1	2	3	6	9	10	10
80-84	15	7.7	21	3	4	6	8	17	17	17
85+	4	7.0	46	2	2	4	11	17	17	17
2. MULTIPLE DX										
65-69 YRS	93	10.3	119	2	2	6	15	26	32	54
70-74	75	12.2	185	2	2	6	19	39	48	99+
75-79	39	12.6	145	2	2	10	18	35	80	99+
80-84	18	16.9	292	2	3	10	25	59	83	99+
85+	22	14.9	263	2	2	9	20	34	55	69
TOT. SINGLE DX	136	5.9	35	2	2	4	7	14	18	29
" MULTIPLE DX	247	12.1	169	2	2	8	17	31	49	99+
TOTAL 65-69 YRS	149	8.3	90	2	2	4	11	19	29	50
70-74	113	10.7	150	2	2	5	15	29	42	99+
75-79	62	9.5	110	2	2	6	13	23	46	99+
80-84	33	12.7	187	2	4	8	17	31	61	99+
85+	26	13.7	235	2	2	9	17	29	51	69
GRAND TOTAL	**383**	**9.9**	**130**	**2**	**2**	**5**	**14**	**26**	**38**	**99+**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	21	5.1	40	1	2	3	4	12	22	29
70-74	16	4.8	12	1	2	4	5	11	13	14
75-79	6	3.3	2	2	2	3	4	6	6	6
80-84	5	9.6	59	1	1	7	15	21	21	21
85+	5	7.8	54	4	4	5	9	21	21	21
2. MULTIPLE DX										
65-69 YRS	39	7.6	68	2	2	4	8	23	25	37
70-74	26	7.8	39	2	2	4	7	31	46	99+
75-79	10	13.9	265	2	2	7	19	39	56	56
80-84	5	8.4	37	2	2	10	13	15	15	15
85+	2	2.5	1	2	2	2	3	3	3	3
TOT. SINGLE DX	53	5.5	31	1	2	4	5	13	20	29
" MULTIPLE DX	82	8.4	96	2	2	4	11	24	34	85
TOTAL 65-69 YRS	60	6.8	59	2	2	3	7	19	25	36
70-74	42	6.7	61	2	2	4	7	18	34	99+
75-79	16	9.9	188	2	2	5	9	23	46	56
80-84	10	9.0	43	1	1	8	13	18	21	21
85+	7	6.3	43	2	2	4	5	18	21	21
GRAND TOTAL	**135**	**7.2**	**72**	**2**	**2**	**4**	**7**	**21**	**26**	**62**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	7	4.0	2	2	2	4	5	7	7	7
70-74	4	4.5	12	1	1	4	7	8	8	8
75-79	4	6.0	22	3	3	4	9	13	13	13
80-84	5	9.4	124	3	3	4	13	29	29	29
85+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
65-69 YRS	40	10.8	107	2	2	7	13	28	34	44
70-74	27	9.3	45	2	3	7	12	20	25	26
75-79	28	9.6	76	2	2	7	11	22	33	37
80-84	19	10.2	22	2	4	10	13	16	19	20
85+	12	10.9	147	1	2	7	14	29	42	44
TOT. SINGLE DX	21	6.1	37	1	2	4	7	12	20	29
" MULTIPLE DX	126	10.1	76	2	2	7	12	22	31	44
TOTAL 65-69 YRS	47	9.7	98	2	2	6	10	25	33	44
70-74	31	8.6	43	2	2	7	11	19	25	26
75-79	32	9.1	70	2	2	6	11	19	32	37
80-84	24	10.0	39	2	3	9	13	17	23	29
85+	13	11.0	135	1	2	8	14	26	41	44
GRAND TOTAL	**147**	**9.5**	**72**	**2**	**2**	**7**	**12**	**22**	**29**	**44**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	20	5.0	16	1	1	3	6	9	14	19
70-74	13	6.4	62	1	1	3	7	19	26	28
75-79	10	7.0	42	2	2	3	13	17	20	20
80-84	11	8.5	35	2	2	6	14	17	19	19
85+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
65-69 YRS	83	9.8	145	2	2	6	10	20	37	63
70-74	69	11.6	75	3	3	10	15	22	27	45
75-79	49	11.5	58	2	4	9	15	21	24	39
80-84	32	11.7	80	2	4	9	13	22	26	48
85+	19	15.9	155	5	6	10	19	38	43	45
TOT. SINGLE DX	55	6.4	35	1	2	4	8	15	19	28
" MULTIPLE DX	252	11.3	103	2	3	9	14	23	35	48
TOTAL 65-69 YRS	103	8.9	124	1	2	6	9	18	35	62
70-74	82	10.7	76	2	2	9	15	22	27	45
75-79	59	10.7	58	2	3	9	15	20	24	38
80-84	43	10.9	70	2	3	9	14	20	25	48
85+	20	15.4	154	4	5	10	18	38	42	45
GRAND TOTAL	**307**	**10.4**	**94**	**2**	**2**	**8**	**13**	**21**	**29**	**48**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	11	3.7	4	1	1	3	6	7	7	7
70-74	11	4.1	2	2	2	4	5	6	7	7
75-79	4	4.5	3	2	2	5	6	6	6	6
80-84	2	1.0		1	1	1	1	1	1	1
85+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
65-69 YRS	20	9.7	89	2	2	5	16	21	30	38
70-74	10	9.9	162	1	1	5	13	29	44	44
75-79	8	10.9	68	2	3	12	22	69	99+	99+
80-84	7	4.7	7	1	1	5	7	9	9	9
85+	3	8.7	4	7	7	8	10	11	11	11
TOT. SINGLE DX	29	3.7	4	1	1	4	5	6	7	7
" MULTIPLE DX	48	9.1	82	2	2	5	13	22	38	99+
TOTAL 65-69 YRS	31	7.5	66	2	2	4	10	19	22	38
70-74	21	6.9	83	1	2	4	6	13	27	44
75-79	12	8.8	54	2	2	6	16	38	88	99+
80-84	9	3.9	8	1	1	3	6	8	9	9
85+	4	6.8	18	1	1	7	9	11	11	11
GRAND TOTAL	**77**	**7.1**	**59**	**1**	**2**	**5**	**8**	**17**	**23**	**84**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	247	7.4	17	3	3	7	9	12	15	18
70-74	146	8.6	38	2	3	7	10	16	20	37
75-79	79	9.6	41	2	3	8	11	21	24	28
80-84	34	12.9	108	2	2	14	16	21	38	49
85+	19	13.6	55	4	5	11	20	25	26	26
2. MULTIPLE DX										
65-69 YRS	372	9.9	112	2	3	7	12	20	33	96
70-74	247	12.8	159	2	3	9	16	30	40	96
75-79	158	16.6	223	3	4	13	21	36	51	91
80-84	68	23.8	465	3	4	19	30	65	75	99+
85+	63	27.7	454	4	8	20	36	59	83	99+
TOT. SINGLE DX	525	8.7	37	2	3	7	10	16	20	31
" MULTIPLE DX	908	14.1	222	2	3	9	18	33	51	99
TOTAL 65-69 YRS	619	8.9	76	2	3	7	10	16	24	72
70-74	393	11.2	118	2	3	8	13	24	34	63
75-79	237	14.3	173	3	3	11	18	30	42	74
80-84	102	20.2	371	2	4	15	25	50	69	99+
85+	82	24.4	396	4	5	19	30	54	74	99
GRAND TOTAL	**1433**	**12.1**	**161**	**2**	**3**	**8**	**14**	**27**	**38**	**87**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	551	4.5	4	2	2	4	5	7	8	11
70-74	325	4.6	5	2	2	4	6	8	9	11
75-79	141	5.7	19	2	2	5	7	9	11	29
80-84	64	4.8	5	1	2	4	6	9	9	12
85+	24	4.6	9	2	2	4	5	7	10	17
2. MULTIPLE DX										
65-69 YRS	1953	5.5	18	2	3	5	6	9	12	26
70-74	1115	5.9	25	2	3	5	7	10	13	27
75-79	570	6.8	38	2	3	5	7	11	17	35
80-84	224	7.6	44	2	3	6	9	14	19	36
85+	82	9.1	136	2	2	6	10	18	31	94
TOT. SINGLE DX	1105	4.7	7	2	2	4	6	8	9	13
" MULTIPLE DX	3944	6.0	28	2	3	5	7	10	13	30
TOTAL 65-69 YRS	2504	5.2	16	2	2	4	6	8	11	22
70-74	1440	5.6	21	2	2	5	6	9	12	23
75-79	711	6.6	35	2	3	5	7	10	15	35
80-84	288	7.0	38	2	2	5	8	12	16	34
85+	106	8.1	111	2	2	5	9	17	26	90
GRAND TOTAL	**5049**	**5.7**	**24**	**2**	**3**	**5**	**6**	**9**	**12**	**27**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	748	6.0	40	1	2	4	7	13	18	31
70-74	478	7.7	92	1	2	4	9	18	26	57
75-79	315	7.8	72	1	2	5	10	18	24	43
80-84	145	8.6	58	1	2	6	13	18	23	37
85+	65	11.3	98	2	2	9	15	25	34	45
2. MULTIPLE DX										
65-69 YRS	1488	12.8	212	2	2	8	16	31	49	83
70-74	1180	13.5	184	2	2	9	18	31	42	85
75-79	823	15.4	221	2	3	11	20	37	50	99+
80-84	480	17.3	265	2	3	13	23	40	56	99
85+	262	19.7	268	3	4	16	28	44	58	99+
TOT. SINGLE DX	1751	7.2	65	1	2	4	9	16	22	45
" MULTIPLE DX	4233	14.4	220	2	2	10	19	34	49	90
TOTAL 65-69 YRS	2236	10.5	165	1	2	6	13	26	38	70
70-74	1658	11.8	165	2	2	7	16	28	38	78
75-79	1138	13.3	192	2	2	9	18	32	44	85
80-84	625	15.3	231	2	3	11	20	37	50	97
85+	327	18.0	245	2	3	14	24	40	51	99+
GRAND TOTAL	**5984**	**12.3**	**186**	**2**	**2**	**8**	**16**	**30**	**42**	**81**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	132	11.7	99	2	3	10	15	21	28	54
70-74	152	14.3	101	2	3	12	19	27	35	49
75-79	130	15.3	109	3	4	14	19	27	40	65
80-84	125	19.1	204	5	8	15	22	30	48	86
85+	165	17.5	106	5	8	16	22	27	35	79
2. MULTIPLE DX										
65-69 YRS	342	17.1	196	3	4	14	22	39	53	99+
70-74	434	19.3	150	5	7	16	25	38	46	99+
75-79	461	19.9	174	6	8	17	24	38	52	84
80-84	486	19.8	169	7	9	17	24	38	49	99+
85+	620	20.7	173	7	9	18	25	41	54	99+
TOT. SINGLE DX	704	15.6	128	3	4	14	19	27	37	65
" MULTIPLE DX	2343	19.6	173	6	8	16	24	39	51	99+
TOTAL 65-69 YRS	474	15.6	175	3	4	13	19	34	46	99+
70-74	586	18.0	142	3	6	15	23	36	45	76
75-79	591	18.9	164	5	7	16	23	36	50	79
80-84	611	19.7	176	7	8	16	23	37	49	99+
85+	785	20.1	161	7	9	17	24	37	53	99+
GRAND TOTAL	**3047**	**18.7**	**165**	**4**	**7**	**16**	**23**	**36**	**49**	**99+**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	506	5.2	39	1	1	3	5	11	17	36
70-74	461	5.6	46	<1	1	3	6	12	17	39
75-79	293	7.0	50	1	2	5	9	16	21	31
80-84	223	8.1	99	1	2	5	10	16	24	49
85+	181	9.2	93	1	2	5	14	21	26	50
2. MULTIPLE DX										
65-69 YRS	480	11.4	174	2	2	6	14	28	40	71
70-74	455	13.1	200	2	2	8	16	29	40	74
75-79	476	15.4	294	2	3	10	19	36	56	96
80-84	367	15.1	192	2	3	11	19	34	42	82
85+	378	18.5	235	2	4	15	25	38	49	84
TOT. SINGLE DX	1664	6.4	59	1	2	4	8	15	21	37
" MULTIPLE DX	2156	14.5	226	2	3	10	19	33	46	84
TOTAL 65-69 YRS	986	8.2	115	1	2	4	9	21	30	55
70-74	916	9.3	137	1	2	5	11	23	34	70
75-79	769	12.2	218	2	2	8	15	27	39	93
80-84	590	12.4	169	2	2	8	16	28	39	79
85+	559	15.5	208	2	3	11	21	31	43	78
GRAND TOTAL	**3820**	**11.0**	**169**	**1**	**2**	**6**	**14**	**26**	**37**	**74**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	16.9	155	6	8	13	19	37	51	88
70-74	108	15.4	46	7	8	14	19	24	29	38
75-79	176	17.1	99	7	9	15	19	26	29	71
80-84	171	18.3	150	7	9	15	20	28	44	89
85+	214	19.1	102	8	10	17	22	30	39	63
2. MULTIPLE DX										
65-69 YRS	347	19.6	211	6	7	16	22	35	49	93
70-74	439	20.4	162	7	9	17	25	37	51	71
75-79	604	20.4	145	8	10	17	24	37	51	99+
80-84	722	21.0	150	9	10	18	25	37	52	99+
85+	1118	21.0	164	8	10	18	25	37	50	97
TOT. SINGLE DX	756	17.7	112	7	9	15	20	28	36	69
" MULTIPLE DX	3230	20.7	163	8	10	17	25	37	51	99+
TOTAL 65-69 YRS	434	19.1	201	6	8	15	22	35	50	93
70-74	547	19.4	144	7	9	16	23	34	47	68
75-79	780	19.7	137	8	10	17	23	34	48	99+
80-84	893	20.5	152	8	10	18	24	36	51	99+
85+	1332	20.7	155	8	10	18	24	35	49	91
GRAND TOTAL	**3986**	**20.1**	**154**	**8**	**10**	**17**	**24**	**35**	**49**	**98**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	505	16.0	64	7	8	15	19	25	31	70
70-74	695	18.3	95	8	9	16	22	29	38	64
75-79	870	18.9	108	8	10	16	22	31	40	63
80-84	1016	19.4	125	9	11	17	22	31	37	90
85+	1449	19.2	104	8	10	17	22	32	41	73
2. MULTIPLE DX										
65-69 YRS	1901	20.8	183	8	9	17	25	38	51	88
70-74	2893	21.7	176	9	10	18	26	39	52	99+
75-79	4011	22.3	179	9	11	19	27	40	53	91
80-84	4600	22.6	194	9	11	19	27	41	56	99+
85+	6977	22.2	187	9	11	18	26	40	57	99+
TOT. SINGLE DX	4535	18.7	105	8	10	16	22	30	39	74
" MULTIPLE DX	20382	22.1	186	9	10	18	26	40	54	99+
TOTAL 65-69 YRS	2406	19.8	162	7	9	16	23	35	46	87
70-74	3588	21.0	163	8	10	18	25	37	50	99+
75-79	4881	21.7	169	9	10	18	26	38	51	88
80-84	5616	22.0	183	9	11	18	26	39	53	99+
85+	8426	21.7	175	9	10	18	26	39	53	99+
GRAND TOTAL	**24917**	**21.5**	**173**	**9**	**10**	**18**	**25**	**38**	**52**	**99+**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	25	27.7	621	7	7	17	38	77	95	99+
70-74	30	21.5	505	2	3	13	38	54	67	87
75-79	33	16.8	299	1	3	12	18	39	48	89
80-84	35	19.1	266	5	6	15	23	28	63	75
85+	69	18.8	253	5	5	14	23	36	59	80
2. MULTIPLE DX										
65-69 YRS	89	22.0	284	3	5	17	34	54	62	99+
70-74	117	25.0	468	5	8	18	29	62	85	99+
75-79	144	24.1	355	5	7	18	34	55	79	99+
80-84	129	22.5	279	3	6	18	30	46	61	86
85+	190	20.8	304	4	5	15	27	48	67	99+
TOT. SINGLE DX	192	20.1	353	4	5	14	23	48	67	92
" MULTIPLE DX	669	22.7	337	4	6	17	31	53	72	99+
TOTAL 65-69 YRS	114	23.2	359	4	6	17	35	60	75	99+
70-74	147	24.3	475	4	6	16	29	59	82	98
75-79	177	22.8	352	4	6	17	31	54	77	99+
80-84	164	21.8	277	3	6	18	28	45	62	82
85+	259	20.3	290	4	5	15	26	44	66	99+
GRAND TOTAL	**861**	**22.1**	**341**	**4**	**6**	**17**	**29**	**52**	**70**	**99+**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	147	6.1	93	1	1	3	6	11	23	57
70-74	130	5.4	44	1	1	3	6	12	17	34
75-79	109	7.0	72	1	1	4	8	17	20	45
80-84	45	7.6	47	1	2	6	12	14	19	39
85+	32	8.8	102	1	2	6	11	14	19	58
2. MULTIPLE DX										
65-69 YRS	307	9.3	157	1	2	5	11	19	28	72
70-74	281	9.7	137	1	2	6	11	23	37	55
75-79	213	11.5	182	2	2	7	15	27	37	87
80-84	161	14.7	253	1	2	10	17	40	52	77
85+	122	14.4	159	1	2	11	21	32	38	57
TOT. SINGLE DX	463	6.4	71	1	1	4	7	13	20	49
" MULTIPLE DX	1084	11.2	176	1	2	6	14	27	42	66
TOTAL 65-69 YRS	454	8.3	139	1	1	4	9	18	28	68
70-74	411	8.3	112	1	2	4	10	19	30	51
75-79	322	10.0	149	1	2	5	13	23	34	72
80-84	206	13.2	217	1	2	8	16	28	48	71
85+	154	13.2	152	1	2	9	18	29	38	58
GRAND TOTAL	**1547**	**9.8**	**149**	**1**	**2**	**5**	**12**	**23**	**36**	**61**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	646	7.7	31	2	3	6	10	14	18	26
70-74	472	8.3	33	2	3	7	10	15	19	30
75-79	313	8.7	30	2	4	7	12	16	21	26
80-84	180	10.6	52	3	3	8	14	22	24	33
85+	107	12.0	99	2	3	10	15	25	31	54
2. MULTIPLE DX										
65-69 YRS	1611	10.5	96	2	3	8	13	21	29	53
70-74	1326	12.2	125	3	4	9	15	24	34	68
75-79	972	13.6	136	3	4	10	17	27	36	82
80-84	641	15.6	154	3	4	13	19	32	42	74
85+	463	16.8	172	3	5	14	22	34	46	99+
TOT. SINGLE DX	1718	8.6	40	2	3	7	11	16	21	30
" MULTIPLE DX	5013	12.8	130	2	3	10	16	26	35	68
TOTAL 65-69 YRS	2257	9.7	80	2	3	7	12	20	25	49
70-74	1798	11.1	104	2	3	8	13	22	29	60
75-79	1285	12.4	115	3	4	9	16	25	34	59
80-84	821	14.5	136	3	4	12	18	28	38	71
85+	570	15.9	163	3	4	13	21	32	44	99
GRAND TOTAL	**6731**	**11.7**	**111**	**2**	**3**	**9**	**15**	**24**	**32**	**59**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	634	4.7	26	1	1	3	6	11	14	27
70-74	499	5.0	32	1	1	3	6	11	16	26
75-79	417	5.4	22	1	1	4	7	12	15	22
80-84	295	6.9	68	1	1	4	8	17	23	51
85+	245	6.4	43	1	1	4	8	16	20	28
2. MULTIPLE DX										
65-69 YRS	1365	9.0	127	1	1	5	11	19	30	61
70-74	1309	9.7	142	1	1	6	12	22	33	71
75-79	1256	10.5	128	1	2	7	14	24	33	65
80-84	992	11.5	160	1	2	7	15	27	42	74
85+	854	11.8	137	1	2	8	16	25	35	70
TOT. SINGLE DX	2090	5.4	36	1	1	3	7	12	17	29
" MULTIPLE DX	5776	10.3	139	1	2	6	13	23	34	70
TOTAL 65-69 YRS	1999	7.6	100	1	1	4	9	16	24	52
70-74	1808	8.4	116	1	1	5	10	19	28	63
75-79	1673	9.2	107	1	1	6	12	21	29	55
80-84	1287	10.4	143	1	2	6	13	24	37	72
85+	1099	10.6	122	1	2	7	14	23	31	62
GRAND TOTAL	**7866**	**9.0**	**116**	**1**	**1**	**5**	**11**	**20**	**29**	**C1**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	141	5.4	87	1	1	2	6	13	19	56
70-74	143	4.9	45	<1	1	3	6	11	15	29
75-79	118	6.3	58	1	1	3	7	15	24	36
80-84	72	6.6	79	<1	1	3	7	15	24	48
85+	64	7.1	66	<1	1	3	9	21	28	32
2. MULTIPLE DX										
65-69 YRS	252	8.1	104	1	1	5	10	19	28	64
70-74	290	9.4	134	1	1	5	11	24	37	62
75-79	289	10.2	162	1	1	6	13	27	36	70
80-84	229	11.5	133	1	1	8	16	29	40	99+
85+	160	15.1	304	1	2	10	18	38	55	95
TOT. SINGLE DX	538	5.8	67	1	1	3	7	14	22	36
" MULTIPLE DX	1220	10.5	161	1	1	6	13	26	38	70
TOTAL 65-69 YRS	393	7.2	100	1	1	4	8	16	25	60
70-74	433	7.9	109	1	1	4	10	19	33	53
75-79	407	9.1	135	1	1	5	11	24	33	70
80-84	301	10.3	124	1	1	6	14	28	38	78
85+	224	12.8	249	1	1	8	16	28	46	81
GRAND TOTAL	**1758**	**9.0**	**136**	**1**	**1**	**5**	**11**	**23**	**35**	**69**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	54	7.0	11	1	3	7	9	10	15	16
70-74	32	9.8	47	2	3	7	15	19	24	29
75-79	36	12.2	121	2	4	8	16	23	26	63
80-84	19	12.5	100	3	4	10	16	21	35	46
85+	19	19.5	105	5	9	19	24	32	42	48
2. MULTIPLE DX										
65-69 YRS	102	11.9	100	2	2	9	17	26	37	70
70-74	71	16.4	281	2	2	12	20	42	60	96
75-79	84	15.1	154	2	3	12	19	30	36	70
80-84	65	27.0	338	7	9	22	38	58	84	99+
85+	56	19.6	170	9	9	16	23	31	46	78
TOT. SINGLE DX	160	10.9	78	2	3	8	15	21	26	48
" MULTIPLE DX	378	17.2	222	2	3	14	22	38	51	95
TOTAL 65-69 YRS	156	10.2	75	1	2	8	13	22	31	44
70-74	103	14.4	217	2	2	11	17	37	46	91
75-79	120	14.2	145	2	3	11	18	29	35	66
80-84	84	23.8	320	4	6	18	34	53	70	99+
85+	75	19.6	152	9	9	17	23	31	44	75
GRAND TOTAL	**538**	**15.3**	**187**	**2**	**3**	**12**	**20**	**33**	**45**	**84**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	195	9.3	115	1	2	5	12	24	33	53
70-74	109	11.8	167	2	2	7	15	33	40	92
75-79	92	13.6	201	2	2	10	18	29	43	72
80-84	63	18.6	243	2	3	15	27	43	49	72
85+	32	18.0	221	3	6	13	23	41	57	58
2. MULTIPLE DX										
65-69 YRS	394	17.2	305	2	3	11	26	46	57	99+
70-74	334	19.6	322	2	3	15	28	52	70	99+
75-79	279	20.0	303	3	4	16	29	51	68	99+
80-84	178	23.6	313	3	5	20	32	51	64	95
85+	121	21.0	234	4	5	19	29	43	53	99+
TOT. SINGLE DX	491	12.4	176	2	2	8	16	30	42	68
" MULTIPLE DX	1306	19.6	307	2	3	15	29	49	63	99+
TOTAL 65-69 YRS	589	14.6	256	2	2	8	20	39	52	94
70-74	443	17.7	295	2	3	13	24	47	63	99+
75-79	371	18.4	285	2	3	14	26	45	63	99+
80-84	241	22.3	299	3	4	18	31	49	59	86
85+	153	20.4	232	4	6	17	28	42	56	99+
GRAND TOTAL	**1797**	**17.7**	**281**	**2**	**3**	**13**	**25**	**44**	**58**	**99+**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	917	13.0	54	5	6	11	16	21	27	42
70-74	438	14.0	69	6	6	12	17	25	30	39
75-79	209	14.8	65	6	7	12	19	24	29	45
80-84	46	17.8	109	5	7	16	25	30	45	99+
85+	21	18.5	95	7	8	18	23	35	38	41
2. MULTIPLE DX										
65-69 YRS	1251	17.5	129	6	7	14	22	31	40	67
70-74	865	19.4	155	7	8	16	24	36	45	71
75-79	463	22.9	222	7	9	20	28	41	53	81
80-84	137	22.7	159	9	11	20	27	43	54	76
85+	34	25.9	287	9	12	23	31	41	61	92
TOT. SINGLE DX	1631	13.7	63	5	6	12	17	23	29	44
" MULTIPLE DX	2750	19.4	161	7	8	16	24	35	44	75
TOTAL 65-69 YRS	2168	15.6	102	6	7	13	19	28	35	56
70-74	1303	17.6	133	6	7	14	22	32	40	67
75-79	672	20.4	187	7	8	17	26	36	48	75
80-84	183	21.5	151	7	9	20	25	39	52	90
85+	55	23.1	224	8	9	19	30	40	43	91
GRAND TOTAL	**4381**	**17.3**	**132**	**6**	**7**	**14**	**21**	**31**	**40**	**68**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	394	3.9	10	1	1	3	5	7	11	17
70-74	239	4.4	13	1	2	3	5	9	13	19
75-79	106	4.3	10	1	2	3	5	8	11	17
80-84	39	4.9	14	2	2	4	5	9	15	19
85+	17	3.6	7	1	1	3	5	8	10	11
2. MULTIPLE DX										
65-69 YRS	964	4.8	22	1	1	3	5	10	14	28
70-74	590	5.5	42	1	2	4	7	10	15	31
75-79	322	5.2	21	1	2	4	6	11	14	21
80-84	82	6.2	32	2	2	4	7	14	17	32
85+	34	6.9	67	2	2	4	8	21	26	36
TOT. SINGLE DX	795	4.2	11	1	1	3	5	8	12	17
" MULTIPLE DX	1992	5.2	30	1	2	3	6	10	15	28
TOTAL 65-69 YRS	1358	4.6	19	1	1	3	5	9	14	24
70-74	829	5.2	34	1	2	3	6	10	14	27
75-79	428	4.9	19	1	2	4	6	10	14	20
80-84	121	5.8	27	2	2	4	6	13	16	26
85+	51	5.8	50	1	2	3	6	12	26	36
GRAND TOTAL	**2787**	**4.9**	**25**	**1**	**2**	**3**	**6**	**10**	**14**	**24**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	550	4.3	22	1	1	3	5	8	14	23
70-74	338	5.2	43	1	2	3	5	11	16	39
75-79	222	5.7	32	1	2	4	7	13	19	29
80-84	76	8.1	115	1	2	4	7	22	32	58
85+	25	5.5	16	1	2	4	7	12	14	16
2. MULTIPLE DX										
65-69 YRS	739	7.6	100	1	2	4	8	18	26	54
70-74	493	8.4	103	1	2	5	10	20	30	53
75-79	339	10.0	115	2	2	6	13	22	31	58
80-84	171	11.3	149	2	2	7	15	26	37	80
85+	87	14.8	291	2	3	9	22	29	50	90
TOT. SINGLE DX	1211	5.1	36	1	2	3	5	11	17	32
" MULTIPLE DX	1829	8.9	121	1	2	5	11	21	30	59
TOTAL 65-69 YRS	1289	6.2	70	1	2	3	6	14	22	44
70-74	831	7.1	81	1	2	4	8	16	25	48
75-79	561	8.3	87	1	2	5	11	19	26	52
80-84	247	10.3	141	1	2	5	15	25	34	65
85+	112	12.7	244	2	2	7	16	28	35	85
GRAND TOTAL	**3040**	**7.4**	**91**	**1**	**2**	**4**	**8**	**17**	**25**	**50**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	55	10.7	33	5	5	9	13	18	22	35
70-74	28	13.3	39	6	6	13	17	21	25	30
75-79	14	16.9	197	5	6	13	23	30	52	58
80-84	6	13.7	31	6	6	13	18	21	21	21
85+	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	123	20.7	207	6	7	16	28	46	57	99+
70-74	90	21.0	253	5	7	16	27	47	72	99+
75-79	37	27.4	385	10	10	19	32	60	73	78
80-84	20	29.5	538	5	8	20	43	68	80	85
85+	5	20.8	69	10	10	24	27	29	29	29
TOT. SINGLE DX	105	12.4	58	5	6	10	16	21	25	46
" MULTIPLE DX	275	22.3	272	6	8	17	29	49	65	99+
TOTAL 65-69 YRS	178	17.6	174	5	6	13	22	40	50	99+
70-74	118	19.2	213	5	7	16	24	44	64	99+
75-79	51	24.5	352	7	7	17	28	59	66	78
80-84	26	25.8	461	5	8	18	33	59	78	85
85+	7	18.6	61	10	10	14	26	29	29	29
GRAND TOTAL	**380**	**19.6**	**233**	**5**	**7**	**15**	**24**	**46**	**60**	**99+**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	277	5.6	32	<1	1	4	6	11	18	28
70-74	174	5.9	58	1	1	3	6	12	21	47
75-79	113	6.0	57	1	2	4	6	12	20	41
80-84	56	9.5	174	2	2	4	12	20	42	69
85+	26	13.3	231	1	1	5	18	40	49	53
2. MULTIPLE DX										
65-69 YRS	342	8.8	120	2	2	5	11	19	28	76
70-74	253	8.5	83	2	2	5	10	17	34	60
75-79	178	11.6	192	2	2	7	13	31	43	78
80-84	70	9.9	122	1	2	6	12	19	28	64
85+	36	15.1	149	2	3	11	21	33	44	48
TOT. SINGLE DX	646	6.4	67	1	1	4	7	15	21	48
" MULTIPLE DX	879	9.6	128	2	2	6	11	21	33	76
TOTAL 65-69 YRS	619	7.4	84	1	2	5	8	16	23	59
70-74	427	7.4	75	1	2	5	8	16	27	51
75-79	291	9.4	147	2	2	5	10	21	33	76
80-84	126	9.7	144	1	2	5	12	20	33	68
85+	62	14.4	182	1	2	10	20	36	47	52
GRAND TOTAL	**1525**	**8.3**	**105**	**1**	**2**	**5**	**9**	**18**	**29**	**61**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1415	15.3	34	9	10	14	17	22	25	39
70-74	1367	16.0	46	8	10	15	18	23	27	44
75-79	1060	17.0	49	9	10	16	19	25	29	43
80-84	533	18.5	53	10	11	17	21	27	33	47
85+	219	19.0	77	9	11	17	22	30	34	56
2. MULTIPLE DX										
65-69 YRS	1817	18.8	113	9	10	16	22	30	38	76
70-74	1966	19.6	109	10	11	17	22	31	39	70
75-79	1818	21.5	146	10	12	18	25	37	48	83
80-84	1108	22.3	140	11	12	19	26	37	45	70
85+	716	22.7	142	10	12	20	27	38	47	99+
TOT. SINGLE DX	4594	16.4	47	9	10	15	19	24	28	43
" MULTIPLE DX	7425	20.6	130	10	11	17	24	34	44	78
TOTAL 65-69 YRS	3232	17.3	82	9	10	15	19	26	33	62
70-74	3333	18.1	87	9	10	16	20	28	35	59
75-79	2878	19.8	116	10	11	17	22	32	41	70
80-84	1641	21.1	115	10	12	18	24	34	42	64
85+	935	21.8	129	10	12	19	26	36	45	90
GRAND TOTAL	**12019**	**19.0**	**102**	**9**	**11**	**16**	**22**	**30**	**38**	**65**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	425	16.3	60	9	10	15	18	24	29	48
70-74	560	16.8	59	8	10	15	19	25	32	50
75-79	682	17.8	67	9	10	16	20	27	32	51
80-84	650	18.6	91	10	11	17	21	27	33	55
85+	802	19.2	103	9	10	17	22	30	37	61
2. MULTIPLE DX										
65-69 YRS	1212	19.8	130	8	10	17	24	34	43	75
70-74	1872	21.0	160	9	10	17	25	37	48	93
75-79	2565	21.5	160	9	11	18	26	37	49	95
80-84	2828	21.6	151	9	11	18	25	37	49	99
85+	3534	22.0	162	9	11	19	26	37	50	91
TOT. SINGLE DX	3119	17.9	80	9	10	16	21	27	33	53
" MULTIPLE DX	12011	21.4	156	9	11	18	25	37	49	93
TOTAL 65-69 YRS	1637	18.9	115	8	10	16	22	32	40	71
70-74	2432	20.1	140	9	10	17	23	34	45	87
75-79	3247	20.7	143	9	11	18	24	35	46	89
80-84	3478	21.0	141	9	11	18	25	35	46	93
85+	4336	21.5	153	9	11	18	25	36	49	87
GRAND TOTAL	**15130**	**20.7**	**142**	**9**	**11**	**18**	**24**	**35**	**46**	**87**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1268	15.8	54	7	9	15	18	23	29	45
70-74	1217	16.5	64	6	9	16	19	24	30	45
75-79	1024	17.4	56	8	10	16	20	25	31	44
80-84	439	18.6	59	9	11	17	22	29	34	43
85+	149	17.5	80	6	10	16	21	25	30	36
2. MULTIPLE DX										
65-69 YRS	1523	17.9	91	6	9	16	21	29	36	60
70-74	1597	19.0	110	7	10	17	22	31	38	66
75-79	1453	20.1	113	9	11	18	24	33	41	67
80-84	660	21.3	123	9	11	18	25	35	46	74
85+	220	23.4	152	9	12	21	29	39	51	92
TOT. SINGLE DX	4097	16.8	60	7	9	16	20	25	30	44
" MULTIPLE DX	5453	19.4	111	8	10	17	23	31	39	66
TOTAL 65-69 YRS	2791	16.9	76	6	9	16	20	26	32	52
70-74	2814	17.9	92	7	10	16	21	28	34	59
75-79	2477	19.0	92	9	10	17	22	29	37	61
80-84	1099	20.2	100	9	11	18	24	33	41	64
85+	369	21.0	131	8	11	19	25	34	41	85
GRAND TOTAL	**9550**	**18.3**	**91**	**8**	**10**	**16**	**21**	**29**	**36**	**60**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	468	6.1	28	2	2	4	7	12	17	25
70-74	277	6.6	32	2	2	5	8	13	17	29
75-79	137	7.4	39	1	2	6	9	14	19	31
80-84	60	7.0	26	1	1	6	9	14	18	23
85+	15	7.4	46	1	1	7	10	20	23	24
2. MULTIPLE DX										
65-69 YRS	620	7.4	66	2	2	5	8	15	20	35
70-74	458	7.9	49	2	3	6	10	16	21	37
75-79	260	9.9	87	2	3	7	12	21	27	50
80-84	121	12.0	100	1	3	9	17	26	30	46
85+	54	17.9	151	3	3	15	24	36	39	52
TOT. SINGLE DX	957	6.5	31	2	2	5	8	13	17	29
" MULTIPLE DX	1513	8.8	75	2	3	6	10	18	25	41
TOTAL 65-69 YRS	1088	6.9	50	2	2	5	8	14	18	32
70-74	735	7.4	43	2	2	5	9	15	20	34
75-79	397	9.1	72	2	2	6	11	19	25	40
80-84	181	10.4	81	1	2	8	14	23	28	39
85+	69	15.6	147	2	2	13	23	35	38	52
GRAND TOTAL	**2470**	**7.9**	**59**	**2**	**2**	**5**	**10**	**17**	**22**	**38**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	233	3.3	17	<1	<1	2	3	7	12	21
70-74	118	3.3	15	<1	<1	2	4	7	11	21
75-79	71	4.1	39	<1	<1	2	4	7	16	38
80-84	32	5.5	41	<1	1	3	6	19	22	23
85+	21	6.5	50	<1	<1	3	12	16	22	27
2. MULTIPLE DX										
65-69 YRS	232	9.5	133	1	2	5	12	21	33	80
70-74	190	12.1	226	1	1	6	16	32	46	89
75-79	129	13.4	184	1	2	10	19	32	48	86
80-84	67	12.2	112	2	2	9	19	30	41	99+
85+	52	19.3	262	2	3	16	25	51	62	99
TOT. SINGLE DX	475	3.7	24	<1	<1	2	4	8	13	26
" MULTIPLE DX	670	12.0	183	1	2	7	16	30	44	99+
TOTAL 65-69 YRS	465	6.4	85	<1	<1	3	8	15	22	67
70-74	308	8.7	164	<1	1	4	11	23	36	73
75-79	200	10.1	152	<1	1	5	13	25	35	69
80-84	99	10.0	99	<1	1	5	16	28	32	99+
85+	73	15.6	234	<1	2	13	23	34	55	93
GRAND TOTAL	**1145**	**8.6**	**134**	**<1**	**1**	**4**	**11**	**22**	**33**	**71**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	385	3.8	18	<1	1	2	4	8	12	24
70-74	268	4.3	15	<1	1	3	5	10	13	19
75-79	134	5.1	26	<1	1	3	7	12	19	22
80-84	61	6.7	182	1	2	2	6	11	29	88
85+	47	5.2	17	1	1	4	7	12	13	16
2. MULTIPLE DX										
65-69 YRS	537	10.1	146	1	2	6	12	24	32	62
70-74	391	11.5	167	2	2	7	15	28	39	96
75-79	255	11.9	164	2	2	8	15	29	42	84
80-84	144	13.8	161	2	3	10	19	32	45	69
85+	91	13.9	151	2	2	12	19	31	54	99+
TOT. SINGLE DX	895	4.4	30	<1	1	3	5	9	13	23
" MULTIPLE DX	1418	11.4	158	2	2	7	15	28	38	79
TOTAL 65-69 YRS	922	7.5	103	<1	1	4	8	18	26	55
70-74	659	8.5	118	1	2	5	11	20	29	77
75-79	389	9.6	127	1	2	6	13	23	31	73
80-84	205	11.7	177	1	2	7	15	28	42	79
85+	138	10.9	123	1	2	8	14	28	31	99+
GRAND TOTAL	**2313**	**8.7**	**121**	**1**	**1**	**5**	**11**	**21**	**30**	**67**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	483	2.4	1	<1	1	2	3	4	5	8
70-74	262	2.5	2	1	1	2	3	4	5	8
75-79	158	2.6	3	1	1	2	3	4	5	12
80-84	42	2.5	2	<1	1	2	3	4	6	10
85+	13	1.9		<1	1	2	2	3	3	3
2. MULTIPLE DX										
65-69 YRS	275	4.1	17	1	2	2	4	8	14	21
70-74	190	4.1	19	1	1	3	4	8	12	23
75-79	100	5.3	38	1	1	3	5	14	18	31
80-84	33	4.6	27	1	2	3	5	9	11	30
85+	11	9.1	23	2	3	8	13	16	17	17
TOT. SINGLE DX	958	2.5	2	<1	1	2	3	4	5	10
" MULTIPLE DX	609	4.4	22	1	2	3	5	9	15	27
TOTAL 65-69 YRS	758	3.0	8	1	1	2	3	5	8	16
70-74	452	3.2	10	1	1	2	3	5	8	17
75-79	258	3.7	18	1	1	2	3	7	12	26
80-84	75	3.4	15	<1	1	2	3	6	10	25
85+	24	5.2	24	<1	1	3	7	13	16	17
GRAND TOTAL	**1567**	**3.2**	**11**	**1**	**1**	**2**	**3**	**5**	**9**	**18**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	81	2.4	3	<1	1	2	3	4	6	9
70-74	51	2.3	1	1	1	2	3	4	5	5
75-79	26	2.4	2	1	1	2	3	5	6	7
80-84	11	4.4	41	<1	<1	2	5	13	22	23
85+	3	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
65-69 YRS	120	3.9	19	1	1	3	5	8	11	24
70-74	88	4.5	58	1	1	2	4	7	16	49
75-79	44	4.1	16	1	1	3	4	9	10	25
80-84	28	4.1	20	1	1	3	5	7	14	23
85+	15	6.2	71	1	1	3	6	15	29	34
TOT. SINGLE DX	172	2.5	5	<1	1	2	3	4	5	10
" MULTIPLE DX	295	4.2	33	1	1	3	4	8	12	37
TOTAL 65-69 YRS	201	3.3	13	<1	1	2	4	7	9	15
70-74	139	3.7	39	1	1	2	4	6	8	43
75-79	70	3.5	12	1	1	3	4	7	10	22
80-84	39	4.2	25	1	1	3	5	7	18	23
85+	18	5.5	62	1	1	3	4	13	26	34
GRAND TOTAL	**467**	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**9**	**25**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	278	4.4	11	1	2	4	5	8	11	19
70-74	189	5.3	31	1	2	4	6	10	14	30
75-79	102	4.7	10	1	2	4	6	9	11	17
80-84	27	7.0	40	1	2	4	9	19	21	24
85+	19	4.9	14	<1	1	4	5	10	14	17
2. MULTIPLE DX										
65-69 YRS	381	7.3	66	1	2	5	8	14	23	41
70-74	262	8.1	82	2	2	5	10	16	22	62
75-79	159	9.6	142	2	2	6	11	21	29	79
80-84	68	11.5	130	2	2	8	12	29	36	48
85+	31	14.5	333	1	3	10	15	29	49	95
TOT. SINGLE DX	615	4.9	19	1	2	4	6	9	12	21
" MULTIPLE DX	901	8.5	101	2	2	5	10	17	27	56
TOTAL 65-69 YRS	659	6.1	45	1	2	4	7	11	17	36
70-74	451	6.9	63	1	2	5	8	14	19	55
75-79	261	7.7	96	1	2	5	9	15	24	41
80-84	95	10.2	108	2	2	7	12	27	34	48
85+	50	10.8	231	1	2	5	12	22	32	95
GRAND TOTAL	**1516**	**7.0**	**71**	**1**	**2**	**5**	**8**	**14**	**21**	**44**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	98	6.7	69	1	2	4	7	14	19	50
70-74	73	7.0	36	2	2	5	8	14	21	30
75-79	26	9.7	227	2	3	5	9	18	31	80
80-84	21	6.8	42	<1	<1	4	9	16	21	27
85+	3	7.3	10	5	5	6	10	11	11	11
2. MULTIPLE DX										
65-69 YRS	156	8.9	93	2	2	6	10	19	24	51
70-74	106	12.5	250	2	3	7	14	27	55	99
75-79	71	11.4	101	2	3	8	17	23	31	54
80-84	28	14.9	162	2	3	12	20	30	33	63
85+	17	12.5	105	3	5	7	19	24	37	43
TOT. SINGLE DX	221	7.2	73	1	2	5	8	15	19	42
" MULTIPLE DX	378	11.0	147	2	2	7	14	23	31	76
TOTAL 65-69 YRS	254	8.1	85	1	2	5	10	16	22	52
70-74	179	10.3	170	2	3	6	11	22	35	93
75-79	97	11.0	134	2	3	7	15	22	31	70
80-84	49	11.4	125	<1	1	8	15	26	30	63
85+	20	11.7	93	3	5	7	15	23	34	43
GRAND TOTAL	**599**	**9.6**	**123**	**2**	**2**	**6**	**11**	**20**	**28**	**66**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	51	3.0	17	<1	1	2	3	5	10	26
70-74	33	3.6	17	<1	1	2	4	7	12	22
75-79	21	3.0	7	1	1	2	3	[illegible]	10	13
80-84	14	3.9	8	1	1	3	5	7	11	12
85+	16	5.6	20	<1	1	4	8	13	14	15
2. MULTIPLE DX										
65-69 YRS	116	7.3	116	1	1	3	9	17	27	61
70-74	101	8.4	199	1	1	3	8	26	47	87
75-79	63	13.3	310	1	1	7	17	40	55	99
80-84	35	9.1	143	1	1	4	13	21	42	51
85+	29	8.6	146	1	1	5	10	20	26	63
TOT. SINGLE DX	135	3.5	16	<1	1	2	4	7	12	23
" MULTIPLE DX	344	9.0	184	1	1	3	10	23	42	77
TOTAL 65-69 YRS	167	6.0	90	1	1	2	6	15	22	56
70-74	134	7.2	158	1	1	2	7	21	39	80
75-79	84	10.7	254	1	1	4	13	37	53	98
80-84	49	7.6	110	1	1	4	8	20	24	51
85+	45	7.5	102	1	1	4	10	15	22	63
GRAND TOTAL	**479**	**7.5**	**142**	**1**	**1**	**3**	**8**	**18**	**35**	**71**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	7.3	40	1	1	6	9	18	21	21
70-74	2	24.0	288	12	12	24	36	36	36	36
75-79	4	8.3	81	1	1	5	14	21	21	21
80-84	2	13.0	2	12	12	13	14	14	14	14
85+	4	11.5	133	1	1	8	18	28	28	28
2. MULTIPLE DX										
65-69 YRS	23	30.7	650	3	5	26	54	72	92	99+
70-74	17	14.8	155	1	2	11	21	34	41	44
75-79	7	26.7	157	18	18	22	44	85	99+	99+
80-84	13	21.8	271	1	3	18	29	49	55	57
85+	11	20.8	231	2	5	17	27	44	54	55
TOT. SINGLE DX	21	10.4	87	1	1	8	13	24	32	36
" MULTIPLE DX	71	23.3	371	2	4	18	34	55	70	99+
TOTAL 65-69 YRS	32	24.1	586	2	2	14	36	69	86	99+
70-74	19	15.7	162	1	2	12	26	36	40	44
75-79	11	20.0	205	1	2	19	31	65	95	99+
80-84	15	20.7	242	2	4	16	26	47	54	57
85+	15	18.3	212	1	2	15	27	37	50	55
GRAND TOTAL	**92**	**20.4**	**334**	**1**	**2**	**15**	**28**	**54**	**69**	**99+**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	87	11.6	178	1	2	6	16	26	37	68
70-74	83	11.0	163	1	2	7	13	23	32	73
75-79	79	11.3	116	2	2	8	15	28	36	49
80-84	52	8.2	71	1	2	5	11	20	35	98
85+	49	11.8	152	2	3	8	15	22	43	62
2. MULTIPLE DX										
65-69 YRS	700	21.2	307	3	5	17	28	47	60	95
70-74	701	21.2	272	3	4	18	29	44	55	90
75-79	478	23.2	345	3	5	18	32	53	65	93
80-84	331	21.5	279	3	5	17	30	48	57	96
85+	271	21.9	329	3	4	18	29	48	70	99+
TOT. SINGLE DX	350	10.9	141	2	2	7	13	24	36	62
" MULTIPLE DX	2481	21.7	304	3	5	17	29	48	60	95
TOTAL 65-69 YRS	787	20.1	302	3	4	15	27	44	59	93
70-74	784	20.1	270	3	4	16	28	43	53	88
75-79	557	21.5	330	2	4	17	29	49	61	90
80-84	383	19.7	272	3	4	15	27	45	56	98
85+	320	20.3	315	3	4	16	26	45	68	99+
GRAND TOTAL	**2831**	**20.4**	**296**	**3**	**4**	**16**	**28**	**45**	**58**	**93**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	49	21.1	133	5	9	21	28	35	56	99+
70-74	57	20.7	202	6	7	17	25	50	57	97
75-79	51	21.5	257	9	10	18	28	36	77	99+
80-84	28	21.9	195	8	9	19	28	38	60	60
85+	55	19.3	165	6	7	14	26	36	48	64
2. MULTIPLE DX										
65-69 YRS	768	31.8	392	9	12	27	42	68	84	99+
70-74	827	32.4	410	9	11	28	47	70	91	99+
75-79	800	32.2	393	9	12	28	44	70	93	99+
80-84	523	32.2	411	10	12	27	45	67	86	99+
85+	490	27.2	319	8	10	22	36	58	73	99+
TOT. SINGLE DX	240	20.8	188	7	8	17	27	37	53	99+
" MULTIPLE DX	3408	31.4	392	9	11	27	43	67	88	99+
TOTAL 65-69 YRS	817	31.2	383	9	11	26	41	68	84	99+
70-74	884	31.7	405	8	11	27	46	69	90	99+
75-79	851	31.5	392	9	12	27	43	69	92	99+
80-84	551	31.6	406	9	12	26	44	66	85	99+
85+	545	26.4	309	8	9	22	35	56	71	99+
GRAND TOTAL	**3648**	**30.7**	**386**	**9**	**11**	**26**	**42**	**66**	**86**	**99+**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	45	18.2	77	7	9	16	22	32	35	46
70-74	47	19.0	120	6	7	17	24	33	39	56
75-79	37	21.4	243	6	9	17	27	33	61	74
80-84	45	17.6	139	3	6	15	24	36	42	50
85+	79	20.8	238	7	8	17	26	50	61	99+
2. MULTIPLE DX										
65-69 YRS	535	30.0	393	8	10	24	40	64	82	99+
70-74	676	27.7	364	8	10	22	39	[illegible]	90	99+
75-79	706	27.7	394	8	9	22	38	63	86	99+
80-84	708	26.2	312	8	9	22	35	58	78	99+
85+	924	22.4	259	6	8	18	29	49	69	99+
TOT. SINGLE DX	253	19.5	171	6	8	16	25	35	50	84
" MULTIPLE DX	3549	26.4	344	7	9	21	36	59	81	99+
TOTAL 65-69 YRS	580	29.1	378	8	10	24	39	62	80	99+
70-74	723	27.1	353	8	10	21	38	61	86	99+
75-79	743	27.4	388	8	9	22	37	62	86	99+
80-84	753	25.7	306	7	9	21	35	58	76	99+
85+	1003	22.3	258	6	8	18	28	50	69	99+
GRAND TOTAL	**3802**	**25.9**	**335**	**7**	**9**	**21**	**35**	**58**	**80**	**99+**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	16	21.6	249	6	7	14	32	44	54	59
70-74	13	21.3	148	4	5	18	28	39	46	48
75-79	7	20.1	156	6	7	17	32	36	37	37
80-84	8	20.4	360	2	5	15	20	52	65	65
85+	5	26.6	535	6	6	13	47	59	59	59
2. MULTIPLE DX										
65-69 YRS	205	29.5	310	8	11	27	40	61	77	99+
70-74	192	31.9	426	9	11	27	45	66	83	99+
75-79	141	31.8	418	6	11	27	45	66	81	99+
80-84	100	34.5	395	10	13	33	52	71	99+	99+
85+	79	26.9	338	5	10	23	35	65	89	99+
TOT. SINGLE DX	49	21.6	235	5	6	17	28	44	59	65
" MULTIPLE DX	717	31.0	380	9	11	27	43	65	83	99+
TOTAL 65-69 YRS	221	28.9	309	8	10	26	39	59	76	99+
70-74	205	31.2	414	9	11	26	44	65	82	99+
75-79	148	31.3	411	6	11	27	43	65	81	99+
80-84	108	33.4	403	9	12	31	52	71	98	99+
85+	84	26.9	343	5	10	23	36	65	88	99+
GRAND TOTAL	766	30.4	375	8	11	26	42	64	82	99+

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4	6.8	35	1	1	5	10	15	15	15
70-74	1	2.0		2	2	2	2	2	2	2
75-79	1	2.0		2	2	2	2	2	2	2
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS	7	9.3	88	3	3	6	9	26	30	30
70-74	5	3.8	2	2	2	5	5	5	5	5
75-79	5	10.0	65	2	2	11	14	22	22	22
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	94.0		94	94	94	94	94	94	94
TOT. SINGLE DX	6	5.2	27	1	1	4	6	14	15	15
" MULTIPLE DX	19	12.5	441	2	2	6	11	27	65	94
TOTAL 65-69 YRS	11	8.4	65	1	2	6	9	21	29	30
70-74	6	3.5	3	2	2	3	5	5	5	5
75-79	6	8.7	63	2	2	7	12	21	22	22
80-84	1	9.0		9	9	9	9	9	9	9
85+	1	94.0		94	94	94	94	94	94	94
GRAND TOTAL	25	10.7	347	1	2	5	10	22	46	94

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	43	9.9	146	1	2	6	14	24	25	72
70-74	37	11.1	101	1	1	10	16	30	31	32
75-79	28	10.8	102	2	2	9	13	26	31	45
80-84	13	12.1	116	<1	2	8	17	29	35	37
85+	14	7.3	30	<1	1	7	9	15	20	21
2. MULTIPLE DX										
65-69 YRS	159	17.9	318	2	4	11	25	39	64	99
70-74	138	15.3	187	2	3	12	20	36	53	99+
75-79	100	18.1	181	4	5	16	24	39	52	83
80-84	56	17.1	217	3	4	14	21	42	45	99
85+	42	15.5	243	3	4	10	20	27	38	94
TOT. SINGLE DX	135	10.3	109	1	1	7	14	25	30	49
" MULTIPLE DX	495	16.9	236	3	4	12	22	39	55	99+
TOTAL 65-69 YRS	202	16.2	292	2	3	10	23	39	59	98
70-74	175	14.4	172	1	3	11	20	32	48	99+
75-79	128	16.5	173	2	3	12	22	35	47	73
80-84	69	16.2	201	3	3	13	21	40	44	96
85+	56	13.5	201	2	3	9	18	25	33	91
GRAND TOTAL	630	15.5	216	2	3	11	21	35	48	99+

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	9	8.6	30	1	2	9	11	17	19	19
70-74	4	12.5	49	5	5	12	18	21	21	21
75-79	2	12.0	2	11	11	12	13	13	13	13
80-84	4	10.5	33	5	5	10	15	16	16	16
85+	1	14.0		14	14	14	14	14	14	14
2. MULTIPLE DX										
65-69 YRS	11	13.7	99	4	5	8	20	31	32	32
70-74	12	17.0	160	3	6	14	19	38	47	49
75-79	8	16.1	55	2	5	16	20	26	28	28
80-84	9	17.3	272	5	5	9	28	44	54	54
85+	3	16.7	220	4	4	13	28	33	33	33
TOT. SINGLE DX	20	10.4	30	2	4	10	14	17	20	21
" MULTIPLE DX	43	16.0	139	3	5	13	20	32	39	54
TOTAL 65-69 YRS	20	11.4	72	2	4	8	14	26	31	32
70-74	16	15.9	132	4	5	14	19	32	44	49
75-79	10	15.3	46	2	6	15	20	24	28	28
80-84	13	15.2	201	5	5	9	19	33	50	54
85+	4	16.0	149	4	4	13	23	33	33	33
GRAND TOTAL	63	14.2	111	3	5	13	17	29	33	53

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1579	3.4	11	<1	1	2	3	7	10	16
70-74	1134	3.6	10	1	1	2	4	8	10	16
75-79	689	4.1	12	1	2	3	5	9	12	17
80-84	342	4.3	14	1	2	3	5	9	12	18
85+	208	5.1	38	1	2	3	6	9	15	25
2. MULTIPLE DX										
65-69 YRS	1715	6.8	64	1	2	4	9	15	21	38
70-74	1475	7.7	72	2	2	4	10	17	24	42
75-79	1031	8.8	97	2	2	5	11	18	28	62
80-84	637	10.6	124	2	2	8	13	21	33	62
85+	488	11.0	127	2	2	8	14	24	31	83
TOT. SINGLE DX	3952	3.7	13	1	1	2	4	8	11	17
" MULTIPLE DX	5346	8.3	88	2	2	5	10	18	26	48
TOTAL 65-69 YRS	3294	5.2	42	1	2	3	6	11	16	32
70-74	2609	5.9	50	1	2	3	7	13	18	38
75-79	1720	6.9	69	2	2	4	9	15	21	47
80-84	979	8.4	95	2	2	5	11	18	27	54
85+	696	9.2	108	2	2	6	12	21	29	77
GRAND TOTAL	9298	6.4	61	1	2	3	8	14	20	41

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	155	5.6	13	2	2	5	7	10	13	18
70-74	144	7.0	24	2	2	6	9	13	16	24
75-79	116	6.0	13	1	2	5	8	10	12	19
80-84	143	7.2	20	2	3	6	9	12	14	27
85+	157	8.1	27	2	3	7	10	13	18	29
2. MULTIPLE DX										
65-69 YRS	245	10.3	99	2	3	7	12	21	30	53
70-74	222	11.2	101	3	3	8	13	22	34	63
75-79	292	10.7	57	3	4	9	14	20	22	38
80-84	256	13.3	117	3	5	10	17	26	36	71
85+	289	11.8	83	3	5	9	14	22	27	53
TOT. SINGLE DX	715	6.8	21	2	2	6	9	12	15	24
" MULTIPLE DX	1304	11.5	91	3	4	9	14	22	30	53
TOTAL 65-69 YRS	400	8.5	71	2	2	6	10	18	23	46
70-74	366	9.6	75	2	3	7	11	19	27	50
75-79	408	9.3	49	2	3	7	12	18	22	34
80-84	399	11.1	91	3	3	8	13	21	31	53
85+	446	10.5	67	3	4	8	13	19	26	44
GRAND TOTAL	2019	9.8	71	2	3	8	12	19	25	47

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1309	8.3	10	4	5	8	10	12	14	19
70-74	1036	8.6	13	4	5	8	10	13	15	21
75-79	734	9.1	17	5	5	8	10	14	16	24
80-84	343	8.9	12	5	5	8	11	13	16	20
85+	153	9.4	10	5	6	9	11	14	16	21
2. MULTIPLE DX										
65-69 YRS	1934	10.7	45	5	5	9	12	17	23	37
70-74	1709	11.2	44	5	6	10	13	18	23	39
75-79	1226	12.0	55	5	6	10	14	20	26	41
80-84	699	12.2	54	5	6	10	14	20	27	40
85+	363	12.4	54	5	6	11	15	20	26	50
TOT. SINGLE DX	3575	8.6	13	4	5	8	10	13	15	21
" MULTIPLE DX	5931	11.4	49	5	6	10	13	18	24	40
TOTAL 65-69 YRS	3243	9.7	33	5	5	8	11	15	19	32
70-74	2745	10.2	34	5	5	9	12	16	20	35
75-79	1960	10.9	44	5	6	9	12	17	23	38
80-84	1042	11.1	43	5	6	9	13	18	23	37
85+	516	11.5	43	5	6	10	14	18	24	47
GRAND TOTAL	9506	10.4	37	5	5	9	12	16	21	36

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	134	3.7	4	1	2	3	5	6	7	14
70-74	88	4.0	11	1	1	3	5	7	8	22
75-79	32	4.4	21	<1	1	3	5	7	12	26
80-84	16	3.2	1	2	2	3	4	5	5	5
85+	10	5.8	25	2	2	4	8	14	18	18
2. MULTIPLE DX										
65-69 YRS	219	5.8	29	2	2	4	7	10	14	27
70-74	129	7.0	80	1	2	5	7	13	18	62
75-79	69	6.9	44	2	2	5	8	14	22	36
80-84	36	10.4	119	2	2	7	13	35	81	99+
85+	19	8.6	81	2	2	5	15	29	68	99+
TOT. SINGLE DX	280	3.9	9	1	2	3	5	6	8	17
" MULTIPLE DX	472	6.8	55	2	2	5	7	13	20	57
TOTAL 65-69 YRS	353	5.0	21	2	2	4	6	9	12	23
70-74	217	5.8	54	1	2	4	6	10	14	37
75-79	101	6.1	38	1	2	4	7	12	21	33
80-84	52	8.2	93	2	2	5	10	28	49	99+
85+	29	7.6	62	2	2	4	10	21	36	99+
GRAND TOTAL	**752**	**5.7**	**40**	**1**	**2**	**4**	**6**	**10**	**17**	**38**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	19	3.8	1	2	2	3	5	6	7	7
70-74	13	5.9	26	1	2	4	8	16	17	17
75-79	2	9.0	72	3	3	9	15	15	15	15
80-84	3	4.3	4	2	2	5	6	6	6	6
85+	7	8.4	54	<1	1	5	15	19	20	20
2. MULTIPLE DX										
65-69 YRS	27	6.8	21	2	2	5	10	15	27	99+
70-74	17	16.1	270	2	3	10	23	32	56	68
75-79	12	12.3	119	3	4	9	14	30	39	41
80-84	7	17.9	459	4	4	6	30	54	59	59
85+	1	3.0		3	3	51	99+	99+	99+	99+
TOT. SINGLE DX	44	5.5	21	1	2	4	6	15	17	20
" MULTIPLE DX	64	11.5	163	2	3	7	14	33	61	99+
TOTAL 65-69 YRS	46	5.6	15	2	2	4	7	13	16	99+
70-74	30	11.7	187	2	2	7	16	27	33	68
75-79	14	11.9	108	3	3	9	15	27	38	41
80-84	10	13.8	350	2	3	5	11	47	59	59
85+	8	7.8	50	<1	1	5	18	68	99+	99+
GRAND TOTAL	**108**	**9.0**	**113**	**2**	**2**	**5**	**11**	**21**	**36**	**99+**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1059	3.7	20	<1	<1	2	4	8	12	25
70-74	880	4.5	37	<1	<1	3	5	10	14	31
75-79	564	5.4	49	<1	1	3	6	13	19	40
80-84	398	5.8	68	<1	1	3	7	14	20	42
85+	331	5.7	55	<1	1	3	6	13	20	37
2. MULTIPLE DX										
65-69 YRS	2546	9.9	113	1	2	7	13	22	30	60
70-74	2326	11.0	135	2	2	7	14	24	34	73
75-79	1893	11.9	152	1	2	8	15	26	36	75
80-84	1342	13.0	157	2	2	10	17	28	41	92
85+	1343	12.6	146	2	2	9	17	27	37	91
TOT. SINGLE DX	3232	4.7	41	<1	<1	3	5	10	16	34
" MULTIPLE DX	9450	11.4	139	1	2	8	15	25	35	74
TOTAL 65-69 YRS	3605	8.1	94	<1	1	5	10	18	27	53
70-74	3206	9.2	117	1	1	6	11	21	31	67
75-79	2457	10.4	136	1	2	7	13	24	33	69
80-84	1740	11.3	146	1	2	8	15	26	37	83
85+	1674	11.2	138	1	2	8	15	25	34	79
GRAND TOTAL	**12682**	**9.7**	**122**	**1**	**2**	**6**	**12**	**22**	**31**	**66**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	776	8.2	85	1	1	5	10	18	28	48
70-74	648	9.1	116	1	1	5	11	21	29	56
75-79	529	10.2	131	1	2	6	13	24	35	56
80-84	363	10.1	127	1	1	6	13	24	33	59
85+	313	9.2	94	1	2	6	13	20	29	42
2. MULTIPLE DX										
65-69 YRS	3208	14.8	234	1	2	10	20	36	51	99
70-74	3001	16.2	270	1	2	11	22	41	55	99+
75-79	2650	17.5	284	2	3	12	24	43	59	99+
80-84	2134	18.5	317	2	3	13	26	48	69	99+
85+	2248	17.1	265	2	3	13	24	46	65	99+
TOT. SINGLE DX	2629	9.2	110	1	1	5	12	21	30	55
" MULTIPLE DX	13241	16.7	273	1	2	12	23	42	59	99+
TOTAL 65-69 YRS	3984	13.5	212	1	2	9	18	33	46	95
70-74	3649	15.0	250	1	2	10	20	38	51	98
75-79	3179	16.3	266	1	2	11	22	41	55	99+
80-84	2497	17.3	299	1	2	12	24	45	65	99+
85+	2561	16.1	251	1	2	12	22	42	61	99+
GRAND TOTAL	**15870**	**15.4**	**253**	**1**	**2**	**10**	**21**	**39**	**55**	**99+**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	185	15.6	216	1	2	11	22	36	44	80
70-74	158	16.4	138	2	4	14	23	35	40	65
75-79	148	16.5	197	2	2	13	25	36	41	77
80-84	97	19.5	243	3	4	17	26	39	53	98
85+	88	19.0	193	2	4	15	29	36	43	64
2. MULTIPLE DX										
65-69 YRS	573	22.7	331	2	4	18	30	50	64	89
70-74	559	26.0	369	3	5	22	37	54	72	99+
75-79	477	27.7	392	4	8	24	38	60	81	99+
80-84	364	29.1	378	6	9	24	40	63	81	99+
85+	309	28.4	349	5	8	25	37	62	85	99+
TOT. SINGLE DX	676	17.0	196	2	2	14	25	36	42	76
" MULTIPLE DX	2282	26.4	368	3	6	23	36	58	73	99+
TOTAL 65-69 YRS	758	21.0	312	2	3	17	29	45	62	87
70-74	717	23.9	335	2	5	20	34	49	67	99+
75-79	625	25.0	369	3	5	21	35	54	74	99+
80-84	461	27.1	364	5	8	22	38	61	80	99+
85+	397	26.3	330	4	7	24	35	56	78	99+
GRAND TOTAL	**2958**	**24.2**	**344**	**2**	**5**	**20**	**33**	**52**	**69**	**99+**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	31	6.4	71	1	1	3	8	20	38	99+
70-74	24	7.4	69	1	1	3	14	19	27	28
75-79	21	10.0	85	1	1	6	20	24	26	27
80-84	12	20.2	454	2	3	19	28	84	97	99+
85+	10	14.4	129	<1	1	12	24	30	35	35
2. MULTIPLE DX										
65-69 YRS	102	18.0	392	1	2	11	28	48	84	99+
70-74	98	19.2	375	1	2	16	27	53	79	99+
75-79	79	20.9	485	2	2	14	31	50	76	89
80-84	39	27.6	614	2	3	25	48	85	99+	99+
85+	32	26.0	527	2	3	23	49	98	99+	99+
TOT. SINGLE DX	98	9.9	140	1	1	4	17	26	3.	99+
" MULTIPLE DX	350	20.8	451	1	2	15	34	60	86	99+
TOTAL 65-69 YRS	133	15.3	341	1	1	8	22	45	78	99+
70-74	122	16.9	337	1	1	14	26	44	73	99+
75-79	100	18.6	420	1	2	11	27	46	64	87
80-84	51	25.9	577	2	3	20	47	81	99+	99+
85+	42	23.2	452	2	2	20	41	85	99+	99+
GRAND TOTAL	**448**	**18.4**	**403**	**1**	**2**	**12**	**28**	**53**	**84**	**99+**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	193	2.8	5	<1	1	2	3	5	6	13
70-74	131	3.1	6	1	1	2	4	6	10	15
75-79	74	3.7	24	<1	1	3	4	6	7	35
80-84	36	5.5	44	1	2	3	6	13	16	38
85+	27	4.7	15	<1	<1	3	7	9	11	19
2. MULTIPLE DX										
65-69 YRS	550	8.1	98	1	1	5	11	19	25	51
70-74	407	9.5	88	1	2	7	13	21	29	99+
75-79	355	13.0	162	2	3	9	17	29	41	99
80-84	271	15.4	221	2	3	11	20	39	60	99+
85+	227	16.4	248	3	4	12	22	50	97	99+
TOT. SINGLE DX	461	3.4	13	<1	1	3	4	6	8	17
" MULTIPLE DX	1810	11.5	156	1	2	8	15	27	40	99+
TOTAL 65-69 YRS	743	6.8	80	1	1	4	8	16	23	45
70-74	538	8.0	76	1	2	5	11	18	25	73
75-79	429	11.4	152	1	2	8	15	27	39	97
80-84	307	14.2	211	2	3	10	19	36	50	99+
85+	254	15.2	237	2	3	11	21	43	92	99+
GRAND TOTAL	**2271**	**9.9**	**138**	**1**	**2**	**6**	**13**	**23**	**36**	**99+**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	27	5.6	20	1	2	5	6	14	16	19
70-74	23	6.7	17	1	2	6	9	11	15	19
75-79	17	5.8	30	2	2	4	8	15	19	20
80-84	12	8.5	24	1	2	7	12	16	17	17
85+	9	5.6	15	1	1	4	9	11	11	11
2. MULTIPLE DX										
65-69 YRS	178	13.1	176	3	4	9	14	27	35	82
70-74	223	12.6	88	3	4	10	17	25	30	48
75-79	191	11.7	76	2	3	9	15	25	29	41
80-84	115	13.2	158	3	4	10	16	23	33	77
85+	97	12.9	71	3	4	11	16	23	30	47
TOT. SINGLE DX	88	6.3	22	1	2	5	9	13	16	20
" MULTIPLE DX	804	12.6	113	3	4	10	16	25	31	55
TOTAL 65-69 YRS	205	12.1	162	3	3	8	14	25	33	77
70-74	246	12.1	85	3	3	10	16	24	29	48
75-79	208	11.2	75	2	3	9	15	24	28	39
80-84	127	12.8	147	3	4	10	16	23	32	74
85+	106	12.3	71	3	4	11	16	23	30	46
GRAND TOTAL	**892**	**12.0**	**107**	**2**	**3**	**9**	**15**	**24**	**29**	**53**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1073	6.1	34	1	1	4	8	14	18	27
70-74	582	6.5	36	1	1	4	9	15	20	25
75-79	300	6.5	44	1	2	4	9	15	18	31
80-84	81	8.2	105	1	2	4	10	21	25	56
85+	36	8.6	62	1	2	7	11	18	26	36
2. MULTIPLE DX										
65-69 YRS	1961	10.2	94	2	2	8	14	22	27	51
70-74	1453	11.3	110	2	2	9	15	23	31	58
75-79	882	12.7	132	2	2	10	17	27	35	56
80-84	328	14.3	165	2	3	11	19	31	40	79
85+	115	14.8	129	3	4	12	20	29	40	99+
TOT. SINGLE DX	2072	6.4	40	1	1	4	9	15	19	28
" MULTIPLE DX	4739	11.4	114	2	2	9	15	23	31	56
TOTAL 65-69 YRS	3034	8.8	77	1	2	6	12	19	24	43
70-74	2035	9.9	94	1	2	7	13	21	27	47
75-79	1182	11.1	117	1	2	8	15	24	32	55
80-84	409	13.1	159	2	2	10	18	29	40	69
85+	151	13.3	120	2	3	11	18	28	34	99
GRAND TOTAL	**6811**	**9.9**	**96**	**1**	**2**	**7**	**13**	**21**	**28**	**50**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1041	5.1	40	1	2	3	6	10	15	27
70-74	771	5.2	40	1	2	3	6	10	14	30
75-79	529	5.0	31	1	2	3	6	10	14	29
80-84	222	5.7	55	1	2	3	7	12	15	31
85+	64	6.9	44	1	2	4	9	16	20	33
2. MULTIPLE DX										
65-69 YRS	2913	8.7	80	2	2	6	11	17	25	49
70-74	2676	8.8	73	2	2	7	11	18	25	45
75-79	1706	9.4	88	2	2	7	12	19	27	50
80-84	774	9.1	62	2	2	7	12	18	23	42
85+	253	10.6	88	2	2	8	14	20	30	45
TOT. SINGLE DX	2627	5.2	40	1	2	3	6	11	15	29
" MULTIPLE DX	8322	9.0	79	2	2	7	11	18	25	47
TOTAL 65-69 YRS	3954	7.8	73	2	2	5	10	16	23	48
70-74	3447	8.0	69	2	2	6	10	16	23	42
75-79	2235	8.3	79	2	2	6	10	18	25	45
80-84	996	8.3	63	2	2	6	11	17	22	42
85+	317	9.8	82	2	2	8	13	19	28	42
GRAND TOTAL	**10949**	**8.1**	**72**	**2**	**2**	**6**	**10**	**17**	**23**	**44**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	136	3.6	10	1	2	2	4	9	12	14
70-74	66	4.0	14	1	2	3	4	7	14	21
75-79	18	5.3	13	1	2	4	8	9	13	15
80-84	3	3.0	1	2	2	3	4	4	4	4
85+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
65-69 YRS	679	5.8	31	1	2	3	8	13	17	26
70-74	310	7.2	41	1	2	5	10	15	20	32
75-79	98	7.9	69	1	2	5	11	19	23	42
80-84	19	10.5	125	2	2	7	12	28	40	44
85+	5	24.0	182	4	4	22	34	40	40	40
TOT. SINGLE DX	224	3.8	12	1	2	2	4	9	12	17
" MULTIPLE DX	1111	6.5	42	1	2	4	9	14	19	31
TOTAL 65-69 YRS	815	5.4	29	1	2	3	8	13	16	25
70-74	376	6.6	39	1	2	4	9	15	19	31
75-79	116	7.5	61	1	2	5	9	18	22	36
80-84	22	9.5	115	2	2	5	11	23	39	44
85+	6	20.7	212	4	4	22	32	39	40	40
GRAND TOTAL	**1335**	**6.1**	**38**	**1**	**2**	**3**	**8**	**14**	**19**	**29**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	1538	5.3	29	1	1	3	7	12	15	25
70-74	1255	5.6	32	1	1	3	8	13	16	28
75-79	794	5.8	30	1	2	3	8	13	17	28
80-84	373	6.6	53	1	2	4	9	14	18	29
85+	194	7.2	32	1	2	6	10	14	18	31
2. MULTIPLE DX										
65-69 YRS	5658	9.0	77	2	2	7	12	19	25	44
70-74	5189	9.6	81	2	2	7	13	20	25	45
75-79	3734	10.2	83	2	2	8	14	21	27	49
80-84	2157	11.3	98	2	2	9	15	22	30	52
85+	1200	13.0	129	2	3	11	17	25	36	77
TOT. SINGLE DX	4154	5.7	33	1	1	3	8	13	16	27
" MULTIPLE DX	17938	10.0	87	2	2	8	13	20	27	49
TOTAL 65-69 YRS	7196	8.2	70	1	2	6	11	17	23	41
70-74	6444	8.8	75	1	2	7	12	18	24	43
75-79	4528	9.5	77	2	2	7	13	20	26	46
80-84	2530	10.6	95	2	2	8	14	21	28	51
85+	1394	12.2	120	2	2	10	16	24	34	75
GRAND TOTAL	**22092**	**9.2**	**80**	**2**	**2**	**7**	**12**	**19**	**25**	**46**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	12083	6.9	38	1	2	5	9	13	18	32
70-74	10452	7.4	42	2	2	6	9	15	19	34
75-79	8463	7.7	47	2	2	6	10	15	19	36
80-84	5851	8.2	53	2	2	6	10	16	21	38
85+	4504	8.5	52	2	2	7	11	16	21	40
2. MULTIPLE DX										
65-69 YRS	75920	9.4	64	2	3	7	12	18	24	43
70-74	80207	10.0	72	2	3	8	12	19	26	46
75-79	75001	10.5	79	2	3	8	13	20	27	48
80-84	57936	11.1	88	3	3	9	14	21	28	54
85+	48951	11.5	95	3	4	9	14	22	30	59
TOT. SINGLE DX	41353	7.6	45	2	2	6	9	15	19	35
" MULTIPLE DX	338015	10.4	79	2	3	8	13	20	27	49
TOTAL 65-69 YRS	88003	9.1	62	2	3	7	11	17	23	42
70-74	90659	9.7	70	2	3	7	12	19	25	45
75-79	83464	10.2	77	2	3	8	13	20	26	47
80-84	63787	10.9	86	2	3	8	14	21	28	53
85+	53455	11.3	93	3	3	9	14	22	29	58
GRAND TOTAL	**379368**	**10.1**	**76**	**2**	**3**	**8**	**12**	**20**	**26**	**48**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	2716	9.2	72	2	3	7	11	17	24	45
70-74	2264	9.3	58	2	3	8	12	17	23	40
75-79	1834	9.9	76	2	3	8	12	19	26	50
80-84	1308	10.8	97	2	3	8	13	20	28	58
85+	1101	10.5	81	2	3	8	13	19	26	54
2. MULTIPLE DX										
65-69 YRS	14523	10.8	87	2	3	8	13	21	28	54
70-74	15675	11.4	89	3	4	9	14	22	29	53
75-79	14904	12.1	99	3	4	9	15	23	31	57
80-84	12258	12.5	102	3	4	10	16	24	32	57
85+	11794	13.2	115	3	4	10	16	25	33	67
TOT. SINGLE DX	9223	9.8	75	2	3	8	12	18	25	48
" MULTIPLE DX	69154	11.9	99	3	4	9	15	23	31	57
TOTAL 65-69 YRS	17239	10.6	86	2	3	8	13	20	27	53
70-74	17939	11.1	86	3	3	9	14	21	29	52
75-79	16738	11.8	98	3	4	9	14	23	31	56
80-84	13566	12.4	102	3	4	10	15	23	32	57
85+	12895	13.0	113	3	4	10	16	25	33	65
GRAND TOTAL	**78377**	**11.7**	**96**	**3**	**4**	**9**	**14**	**22**	**30**	**56**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
2. MULTIPLE DX										
65-69 YRS										
70-74										
75-79										
80-84										
85+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 65-69 YRS										
70-74										
75-79										
80-84										
85+										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
65-69 YRS	4576	7.3	44	1	2	6	9	14	18	33
70-74	4084	7.6	44	2	2	6	10	15	19	36
75-79	3231	8.1	52	2	2	6	10	15	21	41
80-84	2116	8.1	56	2	2	6	10	16	21	38
85+	1782	8.6	62	2	2	7	11	17	23	42
2. MULTIPLE DX										
65-69 YRS	32232	9.2	62	2	3	7	11	18	23	41
70-74	34274	9.7	68	2	3	7	12	18	24	44
75-79	31200	10.3	76	2	3	8	13	20	25	48
80-84	24201	10.9	87	2	3	8	13	21	28	53
85+	22504	11.3	89	3	3	9	14	22	29	54
TOT. SINGLE DX	15789	7.8	50	2	2	6	10	15	20	37
" MULTIPLE DX	144411	10.2	76	2	3	8	13	19	26	47
TOTAL 65-69 YRS	36808	9.0	61	2	3	7	11	17	23	40
70-74	38358	9.5	66	2	3	7	12	18	24	43
75-79	34431	10.1	74	2	3	8	13	19	26	48
80-84	26317	10.7	86	2	3	8	13	21	28	52
85+	24286	11.1	88	2	3	9	14	21	28	53
GRAND TOTAL	**160200**	**9.9**	**74**	**2**	**3**	**8**	**12**	**19**	**25**	**46**

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *IC 9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease; Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

OPERATION INDEX (continued)

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula — *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions — *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

OPERATION INDEX (continued)

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia — *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions — *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia – *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration – *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture – *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown – *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin

Pediatric Length of Stay by Diagnosis and Operation, United States, 1982

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1983

LENGTH OF STAY

Copyright 1983 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1982
. . . by Diagnosis, United States, North Central Region, 1982
. . . by Diagnosis, United States, Northeastern Region, 1982
. . . by Diagnosis, United States, Southern Region, 1982
. . . by Diagnosis, United States, Western Region, 1982
. . . by Diagnosis, Canada, 1982

. . . by Operation, United States, 1982
. . . by Operation, United States, North Central Region, 1982
. . . by Operation, United States, Northeastern Region, 1982
. . . by Operation, United States, Southern Region, 1982
. . . by Operation, United States, Western Region, 1982
. . . by Operation, Canada, 1982

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1982
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1982

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1982 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1982 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1982 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Carol A. Prevost, Research Assistant

CONTENTS

Preface iii
Discussion of the Data 1
Source of the Data. 1
Data Quality. 2
Coverage 3
Organization of Length of Stay Tables. 5
Definition of Multiple Diagnosis Patients 5
Definition of Operated Patients 6
Explanation of Statistics. 6
Defining the Extended Stay Case 7
Length of Stay Tables 15
Summary of All Patients in Diagnosis Groups 16
Summary of All Patients Except Newborn 17
Diagnosis Groups 1-398 18
Summary of All Patients in Operation Groups. 218
Operation Groups 501-764 219
Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . 285
Index to Length of Stay Tables 291

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Colorado Hospital Association, Kansas Hospital Association, Kaiser Foundation Hospitals, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1982

Hospital Class (1)	Short-Term Nonfederal Hospitals			Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	254	35	13.8	4,814	696	14.5
25-49	971	180	18.5	35,155	6,841	19.5
50-99	1,432	318	22.2	103,270	23,365	22.6
100-199	1,374	357	26.0	193,551	50,983	26.3
200-299	712	227	31.9	172,913	55,670	32.2
300-399	423	136	32.2	144,133	46,500	32.3
400-499	267	94	35.2	117,869	41,567	35.3
500 or more	328	84	25.6	226,214	55,946	24.7
Total	5,761	1,431	24.8	997,919	281,568	28.2
Region and Census Division						
Northeast	828	283	34.2	213,258	67,701	31.7
New England	244	61	25.0	49,916	13,631	27.3
Middle Atlantic	584	222	38.0	163,342	54,070	33.1
North Central	1,694	571	33.7	295,316	110,053	37.3
East North Central	897	350	39.0	195,881	77,902	39.8
West North Central	797	221	27.7	99,435	32,151	32.3
South	2,162	306	14.2	340,530	61,715	18.1
South Atlantic	815	211	25.9	160,263	42,298	26.4
East South Central	500	30	6.0	73,359	7,375	10.1
West South Central	847	65	7.7	106,908	12,042	11.3
West	1,077	271	25.2	148,815	42,099	28.3
Mountain	369	92	24.9	41,978	14,587	34.7
Pacific	708	179	25.3	106,837	27,512	25.8
Total	5,761	1,431	24.8	997,919	281,568	28.2

The Pediatric book was compiled from the data of 1,428 hospitals. The Geriatric book was compiled from the data of 1,427 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1981 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \bar{X})^2/(N-1)$, where the X_i's are the length of stay for each patient, $\bar{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Pleural effusion, excluding tuberculosis	3		186
Criteria for admission			
1. For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)			
2. Scheduled for operation other than thoracentesis			
3.			
4.			
Pleurisy, without mention of effusion or tbc *	4		186
Pneumonia			
acute interstitial	3		17
broncho-, organism not specified	3		179
chronic, interstitial	3		186
lobar	3		179
organism or type not specified	3		179
pneumococcal	3		179
viral	3		179
Criteria for admission (for above 7)			
1. Respiratory distress (cyanosis, dyspnea at rest, tachypnea > 40 resp/min, PO_2 < 50)			
2. Complicating respiratory disease e.g., emphysema, COPD, asthma			
3. Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease			
4.			
5.			

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.

Pleurodynia — *continued*
epidemic 074.1
viral 074.1
Pleurohepatitis 573.8
Pleuropericarditis *(see also* Pericarditis) 423.9
acute 420.90
Pleuropneumonia (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
chronic *(see also* Fibrosis, lung) 515
Pleurorrhea *(see also* Hydrothorax) 511.8
Plexitis, brachial 353.0
Plica
polonica 132.0
tonsil 474.8
Plicae dysphonia ventricularis 784.49
Plicated tongue 529.5
congenital 750.13
Plug
bronchus NEC 519.1
meconium (newborn) NEC 777.1
mucus — *see* Mucus, plug
Plumbism 984.9
specified type of lead — *see* Table of drugs and chemicals
Plummer's disease (toxic nodular goiter) 242.3
Plummer-Vinson syndrome (sideropenic dysphagia) 280.8
Pluricarential syndrome of infancy 260
Plurideficiency syndrome of infancy 260
Plus (and minus) hand (intrinsic) 736.09
Pneumathemia — *see* Air, embolism, by type
Pneumatic drill or hammer disease 994.9
Pneumatocele (lung) 518.8
intracranial 348.8
tension 492.0
Pneumatosis
cystoides intestinalis 569.89
peritonei 568.89
pulmonum 492.8
Pneumaturia 599.8
Pneumoblastoma (M8981/3) — *see* Neoplasm, lung, malignant
Pneumocephalus 348.8
Pneumococcemia 038.2
with pneumonia 481
Pneumococcus, pneumococcal — *see* condition
Pneumoconiosis (due to) (inhalation of) 505
aluminum 503
asbestos 501
bagasse 495.1
bauxite 503
beryllium 503
carbon electrode makers' 503
coal
miners' (simple) 500
workers' (simple) 500
cotton dust 504
Pneumoconiosis (due to) (inhalation of) — *continued*
diatomite fibrosis 502
dust NEC 504
inorganic 503
lime 502
marble 502
organic NEC 504
fumes or vapors (from silo) 506.9
graphite 503
hard metal 503
mica 502
moldy hay 495.0
rheumatoid 714.81
silica NEC 502
and carbon 500
silicate NEC 502
talc 502
Pneumocystis carinii pneumonia 136.3
Pneumocystosis 136.3
with pneumonia 136.3
Pneumoenteritis 025
Pneumohemopericardium *(see also* Pericarditis) 423.9
Pneumohemothorax *(see also* Hemothorax) 511.8
traumatic 860.4
with open wound into thorax 860.5
Pneumohydropericardium *(see also* Pericarditis) 423.9
Pneumohydrothorax *(see also* Hydrothorax) 511.8
Pneumomediastinum 518.1
congenital 770.2
fetus or newborn 770.2
Pneumomycosis 117.9
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
with influenza, flu, or grippe 487.0
adenoviral 480.0
adynamic 514
alba 090.0
allergic 518.3
alveolar — *see* Pneumonia, lobar
anthrax 022.1 *[484.5]*
apex, apical — *see* Pneumonia, lobar
ascaris 127.0
aspiration 507.0

Step 2. Find the table for group 179 in the length of stay book.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	330	7.2	17	2	3	6	9	13	16	21
1-11 MOS	7894	6.0	17	2	2	5	7	11	13	21
1-5 YRS	13395	5.1	12	2	2	4	6	9	11	17
6-12 YRS	3717	5.4	13	2	2	5	7	10	12	19
13-19 YRS	2110	6.4	20	2	3	5	8	11	14	26
B. Operated										
0-27 DYS	13	11.6	59	4	6	9	12	22	32	34
1-11 MOS	169	13.7	157	3	4	10	17	28	46	95
1-5 YRS	251	12.2	112	3	3	9	15	24	32	64
6-12 YRS	124	12.1	54	3	4	11	17	22	26	34
13-19 YRS	139	15.7	147	3	4	12	20	34	41	58
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	32232	4.7	8	2	2	4	6	8	10	14
B. Operated	221	8.1	47	2	2	6	10	17	20	33
2. MULTIPLE DX										
A. Not Operated	27446	5.5	15	2	2	5	7	10	12	19
B. Operated	696	13.2	120	3	4	10	17	25	36	69
1. SINGLE DX	32453	4.7	8	2	2	4	6	8	10	14
2. MULTIPLE DX	28142	5.7	19	2	2	5	7	10	13	22
A. NOT OPERATED	59678	5.1	11	2	2	4	6	9	11	17
B. OPERATED	917	12.0	107	2	3	9	16	23	32	63
TOTAL 0-27 DYS	822	6.5	14	2	3	6	8	11	13	20
1-11 MOS	17013	5.6	15	2	2	5	7	10	12	19
1-5 YRS	28596	4.8	11	2	2	4	6	8	10	16
6-12 YRS	9125	5.1	12	2	2	4	6	9	11	18
13-19 YRS	5039	6.0	20	2	3	5	7	10	13	25
GRAND TOTAL	**60595**	**5.2**	**13**	**2**	**2**	**4**	**6**	**9**	**11**	**18**

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. Operated										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	470	5.8	9	2	2	5	7	10	11	15
1-11 MOS	8897	5.0	8	2	2	4	6	8	10	15
1-5 YRS	14878	4.4	7	2	2	4	6	8	9	13
6-12 YRS	5241	4.6	9	2	2	4	6	8	9	14
13-19 YRS	2746	5.1	8	2	2	5	6	8	10	15
B. *Operated*										
0-27 DYS	9	5.7	6	2	2	6	7	9	10	10
1-11 MOS	53	6.5	18	2	3	5	8	12	13	27
1-5 YRS	72	8.1	61	1	2	6	10	15	24	47
6-12 YRS	43	9.2	55	1	2	7	15	19	25	29
13-19 YRS	44	9.7	54	2	2	8	14	18	23	33

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	559371	3.1	2	1	2	3	4	5	6	7
1-11 MOS	46400	3.9	10	1	1	3	5	7	9	15
1-5 YRS	90449	3.4	9	1	1	3	4	6	8	15
6-12 YRS	61535	3.7	22	1	1	3	4	7	9	22
13-19 YRS	141616	4.0	37	<1	1	3	4	7	10	35
B. Operated										
0-27 DYS	1385	5.1	38	1	2	4	6	9	12	33
1-11 MOS	11303	3.4	20	<1	<1	2	4	8	11	21
1-5 YRS	59107	2.3	9	<1	<1	2	2	4	7	15
6-12 YRS	76983	2.7	12	<1	1	2	3	5	8	16
13-19 YRS	179158	3.1	9	<1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	263545	4.8	25	2	2	4	5	7	11	27
1-11 MOS	55400	4.8	18	1	2	4	6	9	12	21
1-5 YRS	108314	3.9	15	1	1	3	5	7	10	19
6-12 YRS	56637	4.1	30	1	1	3	5	7	11	29
13-19 YRS	126995	5.0	57	1	1	3	5	9	15	44
B. Operated										
0-27 DYS	10332	18.1	400	2	3	10	25	54	75	99+
1-11 MOS	8072	7.3	102	<1	1	4	9	17	27	64
1-5 YRS	46735	3.4	35	<1	<1	2	3	7	12	31
6-12 YRS	47034	4.0	40	<1	1	2	4	8	14	34
13-19 YRS	132347	5.1	44	1	1	3	6	9	14	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	899371	3.4	10	1	1	3	4	5	7	13
B. Operated	327936	2.9	10	<1	1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated	610891	4.6	30	1	1	3	5	8	11	30
B. Operated	244520	5.2	67	1	1	3	5	10	17	49
1. SINGLE DX	1227307	3.2	10	1	1	3	4	5	7	14
2. MULTIPLE DX	855411	4.8	41	1	1	3	5	8	13	36
A. NOT OPERATED	1510262	3.9	19	1	1	3	4	6	8	21
B. OPERATED	572456	3.9	36	<1	1	2	4	7	11	32
TOTAL 0-27 DYS	834633	3.8	18	1	2	3	4	6	7	20
1-11 MOS	121175	4.5	22	1	1	3	5	8	11	22
1-5 YRS	304605	3.4	15	<1	1	2	4	7	9	19
6-12 YRS	242189	3.5	24	<1	1	2	4	7	10	26
13-19 YRS	580116	4.2	35	1	1	3	4	7	11	33
GRAND TOTAL	**2082718**	**3.9**	**23**	**1**	**1**	**3**	**4**	**6**	**9**	**25**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-27 DYS	11713	3.7	14	1	1	3	4	7	10	20
1-11 MOS	46400	3.9	10	1	1	3	5	7	9	15
1-5 YRS	90449	3.4	9	1	1	3	4	6	8	15
6-12 YRS	61535	3.7	22	1	1	3	4	7	9	22
13-19 YRS	141616	4.0	37	<1	1	3	4	7	10	35
B. Operated										
0-27 DYS	1055	5.1	33	1	1	4	6	10	13	32
1-11 MOS	11303	3.4	20	<1	<1	2	4	8	11	21
1-5 YRS	59107	2.3	9	<1	<1	2	2	4	7	15
6-12 YRS	76983	2.7	12	<1	1	2	3	5	8	16
13-19 YRS	179158	3.1	9	<1	1	2	4	6	7	14
2. MULTIPLE DX										
A. Not Operated										
0-27 DYS	7199	6.4	54	1	2	4	7	13	20	40
1-11 MOS	55400	4.8	18	1	2	4	6	9	12	21
1-5 YRS	108314	3.9	15	1	1	3	5	7	10	19
6-12 YRS	56637	4.1	30	1	1	3	5	7	11	29
13-19 YRS	126995	5.0	57	1	1	3	5	9	15	44
B. Operated										
0-27 DYS	894	11.2	197	1	2	7	13	27	44	90
1-11 MOS	8072	7.3	102	<1	1	4	9	17	27	64
1-5 YRS	46735	3.4	35	<1	<1	2	3	7	12	31
6-12 YRS	47034	4.0	40	<1	1	2	4	8	14	34
13-19 YRS	132347	5.1	44	1	1	3	6	9	14	38
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	351713	3.8	23	1	1	3	4	7	9	24
B. Operated	327606	2.9	10	<1	1	2	3	5	8	15
2. MULTIPLE DX										
A. Not Operated	354545	4.5	34	1	1	3	5	8	12	32
B. Operated	235082	4.6	45	<1	1	3	5	9	14	37
1. SINGLE DX	679319	3.4	17	<1	1	2	4	6	8	19
2. MULTIPLE DX	589627	4.6	38	1	1	3	5	9	13	34
A. NOT OPERATED	706258	4.2	29	1	1	3	5	7	11	28
B. OPERATED	562688	3.6	26	<1	1	2	4	7	10	26
TOTAL 0-27 DYS	20861	5.0	40	1	1	3	5	10	15	34
1-11 MOS	121175	4.5	22	1	1	3	5	8	11	22
1-5 YRS	304605	3.4	15	<1	1	2	4	7	9	19
6-12 YRS	242189	3.5	24	<1	1	2	4	7	10	26
13-19 YRS	580116	4.2	35	1	1	3	4	7	11	33
GRAND TOTAL	**1268946**	**3.9**	**27**	**<1**	**1**	**3**	**4**	**7**	**10**	**27**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	213	3.8	5	1	2	3	5	7	8	12
1-11 MOS	2234	3.9	7	1	2	3	5	7	8	14
1-5 YRS	3099	3.3	5	1	1	3	4	6	7	12
6-12 YRS	1792	2.8	4	1	1	2	3	5	6	10
13-19 YRS	1736	2.9	5	1	1	2	4	5	7	11
B. *Operated*										
0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	21	6.8	18	2	3	6	8	11	17	21
1-5 YRS	17	5.9	40	<1	1	4	6	11	22	28
6-12 YRS	21	4.6	16	2	2	4	5	6	13	21
13-19 YRS	66	5.7	13	2	3	5	7	10	11	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	141	5.8	22	2	2	4	6	12	15	27
1-11 MOS	2687	4.5	12	2	2	4	5	8	10	17
1-5 YRS	3688	3.7	7	1	2	3	4	6	8	13
6-12 YRS	1261	3.3	5	1	1	3	4	6	7	12
13-19 YRS	1123	3.5	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	3	25.3	1076	3	3	10	50	63	63	63
1-11 MOS	54	11.1	266	2	3	6	12	21	67	99+
1-5 YRS	46	10.4	303	2	3	6	9	16	35	98
6-12 YRS	25	7.2	51	2	3	5	8	11	19	39
13-19 YRS	61	7.5	31	2	2	6	9	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9074	3.3	5	1	1	3	4	6	7	12
B. *Operated*	127	5.7	17	2	2	5	7	9	12	26
2. MULTIPLE DX										
A. *Not Operated*	8900	3.9	8	1	2	3	5	7	9	15
B. *Operated*	189	9.5	182	2	3	6	9	17	24	96
1. SINGLE DX	9201	3.3	6	1	1	3	4	6	7	12
2. MULTIPLE DX	9089	4.0	13	1	2	3	5	7	9	16
A. NOT OPERATED	17974	3.6	7	1	1	3	4	6	8	14
B. OPERATED	316	8.0	119	2	2	5	8	14	21	83
TOTAL 0-27 DYS	359	4.8	22	1	2	4	5	9	12	21
1-11 MOS	4996	4.3	13	1	2	4	5	7	10	17
1-5 YRS	6850	3.6	8	1	1	3	4	6	8	13
6-12 YRS	3099	3.0	5	1	1	2	4	5	7	11
13-19 YRS	2986	3.3	7	1	1	3	4	6	8	14
GRAND TOTAL	**18290**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	5.8	16	1	1	5	8	12	12	12
1-5 YRS	30	5.4	21	1	2	4	7	10	13	24
6-12 YRS	18	5.4	11	<1	<1	5	8	11	11	11
13-19 YRS	18	11.0	32	3	4	10	15	18	20	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	3.5	4	1	1	3	5	6	6	6
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	10	12.1	55	1	2	11	17	22	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	5	7.8	29	4	4	5	10	17	17	17
1-5 YRS	20	8.0	53	2	3	5	8	21	26	27
6-12 YRS	5	10.4	191	3	3	5	13	35	35	35
13-19 YRS	16	12.9	203	2	3	10	17	23	49	60
B. *Operated*										
0-27 DYS										
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS	5	5.0	19	1	1	4	7	12	12	12
6-12 YRS	2	9.0	98	2	2	9	16	16	16	16
13-19 YRS	5	19.4	47	9	9	19	25	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	6.8	26	1	2	5	9	14	18	24
B. *Operated*	15	9.3	53	1	1	6	15	22	23	23
2. MULTIPLE DX										
A. *Not Operated*	47	10.7	143	3	3	5	15	25	37	60
B. *Operated*	13	12.7	89	1	2	12	20	25	27	27
1. SINGLE DX	87	7.3	31	1	1	6	10	16	19	24
2. MULTIPLE DX	60	11.2	130	2	3	6	16	25	31	59
A. NOT OPERATED	119	8.4	75	1	2	5	10	17	24	52
B. OPERATED	28	10.9	70	1	1	9	17	24	25	27
TOTAL 0-27 DYS	1	48.0		48	48	48	48	48	48	48
1-11 MOS	12	8.3	46	1	2	6	10	19	24	25
1-5 YRS	59	6.1	31	1	2	4	7	13	21	27
6-12 YRS	26	6.6	47	<1	<1	5	8	11	20	35
13-19 YRS	49	12.7	95	3	3	12	17	23	24	60
GRAND TOTAL	**147**	**8.9**	**75**	**1**	**2**	**6**	**12**	**18**	**24**	**48**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	8	11.6	112	1	1	9	17	29	32	32
6-12 YRS	4	10.5	171	2	2	5	18	30	30	30
13-19 YRS	8	8.9	34	2	3	7	12	18	20	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	5.0	49	<1	1	2	5	13	23	30
6-12 YRS	7	2.1	1	<1	<1	2	3	4	4	4
13-19 YRS	9	11.9	128	2	2	8	19	30	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	5	15.4	175	3	3	11	26	34	34	34
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS	9	6.6	31	<1	1	4	12	15	15	15
6-12 YRS	2	5.5	13	3	3	5	8	8	8	8
13-19 YRS	15	26.9	526	2	2	26	44	58	69	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	10.3	78	1	2	8	13	25	31	32
B. *Operated*	38	6.1	67	<1	1	3	7	18	30	31
2. MULTIPLE DX										
A. *Not Operated*	8	12.4	123	3	3	8	18	31	34	34
B. *Operated*	27	18.6	400	1	2	11	28	48	60	73
1. SINGLE DX	59	7.6	74	<1	1	4	10	21	30	32
2. MULTIPLE DX	35	17.1	338	2	2	11	27	45	56	73
A. NOT OPERATED	29	10.9	87	2	2	8	13	28	32	34
B. OPERATED	65	11.3	239	<1	1	4	15	31	46	71
TOTAL 0-27 DYS										
1-11 MOS	3	16.7	80	11	11	12	23	27	27	27
1-5 YRS	44	7.7	78	<1	1	4	10	22	31	34
6-12 YRS	14	5.1	55	<1	1	3	5	10	26	30
13-19 YRS	33	17.8	343	2	2	9	29	46	57	73
GRAND TOTAL	**94**	**11.2**	**191**	**1**	**1**	**5**	**15**	**30**	**42**	**66**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	5.2	9	3	3	4	7	10	10	10
1-11 MOS	30	3.3	3	1	1	3	4	5	6	8
1-5 YRS	328	2.7	3	1	1	2	3	4	6	8
6-12 YRS	394	2.8	2	1	1	2	3	5	6	8
13-19 YRS	290	3.2	3	1	1	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	19	2.2	2	<1	<1	2	2	4	6	7
6-12 YRS	56	1.7		1	1	2	2	2	3	4
13-19 YRS	30	1.9	1	1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	7	6.6	30	2	2	6	8	16	18	18
1-11 MOS	58	3.8	4	1	2	4	5	6	8	12
1-5 YRS	573	3.3	3	1	1	3	4	6	6	9
6-12 YRS	615	3.2	4	1	1	3	4	6	7	10
13-19 YRS	405	3.4	3	1	2	3	4	6	7	9
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS										
1-5 YRS	16	3.7	16	1	1	2	4	9	14	16
6-12 YRS	42	2.9	14	1	1	2	3	4	10	22
13-19 YRS	21	3.3	6	1	1	2	4	8	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1047	2.9	3	1	1	3	4	5	6	8
B. *Operated*	106	1.9	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1658	3.3	4	1	1	3	4	6	7	10
B. *Operated*	80	3.3	13	1	1	2	3	7	10	20
1. SINGLE DX	1153	2.8	3	1	1	2	3	5	6	8
2. MULTIPLE DX	1738	3.3	4	1	1	3	4	6	7	10
A. NOT OPERATED	2705	3.2	4	1	1	3	4	5	6	9
B. OPERATED	186	2.5	6	1	1	2	2	4	7	16
TOTAL 0-27 DYS	13	6.4	20	2	2	6	8	12	17	18
1-11 MOS	89	3.7	4	1	2	3	4	6	7	12
1-5 YRS	936	3.1	3	1	1	3	4	5	6	9
6-12 YRS	1107	3.0	4	1	1	3	4	5	6	9
13-19 YRS	746	3.3	3	1	1	3	4	6	7	9
GRAND TOTAL	**2891**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	200	6.3	13	2	3	6	8	11	13	18
1-11 MOS	405	5.4	10	2	2	4	7	10	11	16
1-5 YRS	367	5.1	13	1	2	4	7	9	11	16
6-12 YRS	68	4.6	9	1	2	4	5	9	11	16
13-19 YRS	48	8.0	50	2	2	6	9	18	26	30
B. *Operated*										
0-27 DYS	11	7.8	27	3	3	7	10	15	21	21
1-11 MOS	10	7.7	10	1	3	8	10	11	11	11
1-5 YRS	10	9.4	35	3	3	8	12	18	23	23
6-12 YRS	2	11.0	72	5	5	11	17	17	17	17
13-19 YRS	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	153	7.4	21	2	3	6	10	13	17	23
1-11 MOS	468	7.1	38	2	2	5	10	13	15	30
1-5 YRS	493	6.2	23	2	2	5	8	11	14	20
6-12 YRS	94	6.9	27	2	2	5	10	14	19	24
13-19 YRS	123	9.2	104	2	3	7	10	18	24	57
B. *Operated*										
0-27 DYS	13	12.5	28	6	7	11	15	18	25	27
1-11 MOS	32	12.7	124	2	3	10	15	32	42	43
1-5 YRS	32	13.4	125	4	5	10	15	25	43	55
6-12 YRS	13	13.0	29	5	7	13	16	21	23	23
13-19 YRS	31	16.5	258	3	3	12	22	32	81	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1088	5.5	14	2	2	4	7	10	12	18
B. *Operated*	34	8.3	24	3	3	7	11	13	20	23
2. MULTIPLE DX										
A. *Not Operated*	1331	7.0	37	2	2	5	9	13	16	26
B. *Operated*	121	13.9	137	3	4	11	16	28	39	91
1. SINGLE DX	1122	5.6	14	2	2	5	7	11	12	19
2. MULTIPLE DX	1452	7.5	49	2	2	6	10	14	18	32
A. NOT OPERATED	2419	6.3	27	2	2	5	8	12	14	24
B. OPERATED	155	12.6	117	3	4	10	15	23	32	85
TOTAL 0-27 DYS	377	7.0	18	2	3	6	9	12	15	21
1-11 MOS	915	6.5	30	2	2	5	8	12	14	29
1-5 YRS	902	6.1	25	1	2	5	8	11	14	23
6-12 YRS	177	6.5	25	2	2	5	9	14	17	23
13-19 YRS	203	10.0	121	2	3	7	12	21	28	90
GRAND TOTAL	**2574**	**6.7**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	31	4.6	8	2	2	3	6	9	10	14
1-11 MOS	287	7.3	31	1	2	6	10	13	15	30
1-5 YRS	281	7.2	17	2	2	7	10	12	14	17
6-12 YRS	91	5.8	20	1	1	4	8	14	14	21
13-19 YRS	173	6.5	16	2	2	5	9	12	15	18
B. *Operated*										
0-27 DYS	2	12.5	145	4	4	12	21	21	21	21
1-11 MOS	9	11.2	36	3	4	10	15	20	22	22
1-5 YRS	19	8.3	19	1	2	10	12	13	14	15
6-12 YRS	9	5.2	11	1	1	4	8	10	10	10
13-19 YRS	11	11.6	147	1	1	7	15	33	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	54	10.8	43	2	3	10	14	21	23	27
1-11 MOS	196	8.2	28	2	3	7	11	14	19	23
1-5 YRS	262	7.2	24	2	2	6	10	13	15	19
6-12 YRS	105	5.6	16	1	2	4	7	10	13	20
13-19 YRS	157	6.7	35	2	3	5	8	11	15	18
B. *Operated*										
0-27 DYS	6	16.8	89	8	8	14	17	33	35	35
1-11 MOS	25	13.3	27	2	6	13	15	21	21	22
1-5 YRS	31	14.8	170	3	4	11	17	26	53	61
6-12 YRS	7	13.0	227	1	1	5	18	38	43	43
13-19 YRS	22	16.0	371	4	5	11	18	29	56	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	863	6.8	22	2	2	6	10	13	14	21
B. *Operated*	50	9.2	53	1	2	8	12	16	22	38
2. MULTIPLE DX										
A. *Not Operated*	774	7.4	29	2	2	6	10	13	16	23
B. *Operated*	91	14.7	172	2	4	13	17	23	35	82
1. SINGLE DX	913	7.0	24	2	2	6	10	13	15	22
2. MULTIPLE DX	865	8.2	49	2	2	7	11	14	18	30
A. NOT OPERATED	1637	7.1	25	2	2	6	10	13	15	22
B. OPERATED	141	12.7	136	2	3	11	15	21	30	64
TOTAL 0-27 DYS	93	9.2	46	2	3	7	13	19	23	32
1-11 MOS	517	8.0	31	2	2	7	11	14	17	24
1-5 YRS	593	7.6	31	2	2	7	11	13	15	23
6-12 YRS	212	5.9	25	1	2	4	8	12	15	23
13-19 YRS	363	7.3	54	2	2	6	9	13	16	30
GRAND TOTAL	**1778**	**7.5**	**36**	**2**	**2**	**6**	**10**	**14**	**16**	**26**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	177	4.4	7	2	2	4	5	7	10	14
1-11 MOS	722	4.1	5	1	2	4	5	7	9	11
1-5 YRS	553	3.8	6	1	1	3	5	7	10	12
6-12 YRS	631	3.3	4	1	1	3	4	6	7	9
13-19 YRS	652	3.9	6	1	2	3	5	7	9	14
B. *Operated*										
0-27 DYS	3	6.0	3	5	5	5	7	8	8	8
1-11 MOS	31	5.3	9	2	3	4	6	9	10	16
1-5 YRS	4	4.0	6	1	1	4	6	6	6	6
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	49	5.8	19	2	2	4	8	10	13	28
1-11 MOS	327	4.7	8	2	2	4	6	8	11	15
1-5 YRS	235	4.4	8	1	2	4	5	9	10	13
6-12 YRS	166	4.0	8	1	2	3	5	7	10	15
13-19 YRS	202	5.1	15	1	2	4	6	9	12	22
B. *Operated*										
0-27 DYS	5	8.0	66	2	2	4	11	22	22	22
1-11 MOS	8	8.1	26	4	4	7	10	17	19	19
1-5 YRS	12	6.8	13	2	3	5	10	12	12	12
6-12 YRS	3	4.0	7	2	2	3	6	7	7	7
13-19 YRS	4	6.0	13	3	3	8	32	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2735	3.8	5	1	2	3	5	7	9	12
B. *Operated*	42	5.0	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	979	4.6	10	1	2	4	6	8	11	16
B. *Operated*	32	6.9	22	2	3	6	9	14	22	99+
1. SINGLE DX	2777	3.8	5	1	2	3	5	7	9	12
2. MULTIPLE DX	1011	4.7	11	1	2	4	6	9	11	19
A. NOT OPERATED	3714	4.0	7	1	2	3	5	7	9	13
B. OPERATED	74	5.9	15	2	3	5	8	11	15	80
TOTAL 0-27 DYS	234	4.8	11	2	2	4	5	8	11	21
1-11 MOS	1088	4.3	6	2	2	4	5	8	10	13
1-5 YRS	804	4.0	7	1	1	3	5	8	10	12
6-12 YRS	802	3.4	5	1	1	3	4	6	7	11
13-19 YRS	860	4.2	9	1	2	3	5	8	10	15
GRAND TOTAL	**3788**	**4.1**	**7**	**1**	**2**	**3**	**5**	**7**	**9**	**14**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	7.9	25	1	2	7	11	15	15	15
1-11 MOS	452	3.0	18	1	1	3	3	4	5	7
1-5 YRS	687	3.1	4	1	1	3	4	5	6	9
6-12 YRS	169	3.4	7	1	1	3	4	6	8	15
13-19 YRS	209	4.6	12	1	2	4	6	8	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS	5	9.4	65	3	3	5	15	22	22	22
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS										
13-19 YRS	4	6.0	13	2	2	6	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	9.4	106	<1	1	4	14	27	31	31
1-11 MOS	424	3.6	5	2	2	3	4	5	7	12
1-5 YRS	1034	3.6	5	1	2	3	4	6	8	12
6-12 YRS	312	4.0	10	1	1	3	5	7	10	19
13-19 YRS	262	5.1	13	2	2	4	7	8	11	15
B. *Operated*										
0-27 DYS	2	9.5	25	6	6	9	13	13	13	13
1-11 MOS	6	6.7	21	2	2	6	9	13	14	14
1-5 YRS	22	7.8	93	1	2	4	8	15	29	47
6-12 YRS	9	12.2	127	4	4	7	17	32	38	38
13-19 YRS	19	12.3	136	2	3	8	16	30	42	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1526	3.3	10	1	1	3	4	6	7	12
B. *Operated*	11	7.0	37	2	2	4	9	17	22	22
2. MULTIPLE DX										
A. *Not Operated*	2040	3.9	7	1	2	3	5	7	9	14
B. *Operated*	58	9.9	103	2	3	7	11	20	37	47
1. SINGLE DX	1537	3.4	10	1	1	3	4	6	7	13
2. MULTIPLE DX	2098	4.0	11	1	2	3	5	7	9	16
A. NOT OPERATED	3566	3.6	9	1	1	3	4	6	8	14
B. OPERATED	69	9.4	93	2	2	6	11	20	36	47
TOTAL 0-27 DYS	19	8.7	54	<1	2	6	12	17	25	31
1-11 MOS	887	3.3	12	1	2	3	4	5	6	13
1-5 YRS	1745	3.5	6	1	1	3	4	6	7	12
6-12 YRS	490	3.9	12	1	1	3	5	7	9	19
13-19 YRS	494	5.2	19	1	2	4	6	9	11	25
GRAND TOTAL	**3635**	**3.8**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	8.8	70	1	1	6	16	20	20	20
1-5 YRS	62	4.6	6	1	2	4	6	8	9	10
6-12 YRS	211	4.8	6	2	2	4	6	8	9	15
13-19 YRS	443	6.7	15	2	2	6	8	12	14	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	7	13.1	59	6	6	13	18	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	17.0	200	7	7	17	27	27	27	27
1-5 YRS	23	6.6	27	1	2	4	10	14	17	21
6-12 YRS	60	5.9	14	2	2	5	7	11	12	21
13-19 YRS	176	7.1	24	2	3	6	9	12	14	30
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	2	13.5	41	9	9	13	18	18	18	18
6-12 YRS	2	6.5	61	1	1	6	12	12	12	12
13-19 YRS	8	10.0	46	2	2	8	16	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	721	5.9	13	2	2	5	7	11	13	18
B. *Operated*	8	12.0	61	4	5	10	16	25	27	27
2. MULTIPLE DX										
A. *Not Operated*	261	6.9	24	2	2	6	9	12	14	26
B. *Operated*	13	9.3	46	1	1	9	14	19	20	20
1. SINGLE DX	729	6.0	14	2	2	5	7	11	13	19
2. MULTIPLE DX	274	7.0	25	2	2	6	9	13	15	26
A. NOT OPERATED	982	6.2	16	2	2	5	8	11	14	20
B. OPERATED	21	10.3	51	1	2	9	14	20	23	27
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	11.1	96	1	1	7	19	26	27	27
1-5 YRS	88	5.3	14	1	2	4	7	10	13	20
6-12 YRS	273	5.0	8	2	2	4	6	8	10	16
13-19 YRS	634	6.9	19	2	2	6	9	12	15	20
GRAND TOTAL	**1003**	**6.3**	**17**	**2**	**2**	**5**	**8**	**11**	**14**	**20**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	3.8	1	2	2	4	4	5	5	5
1-5 YRS	163	3.8	4	1	1	3	5	7	8	10
6-12 YRS	313	3.7	4	1	2	3	5	6	8	10
13-19 YRS	1610	4.3	6	2	2	4	5	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.6	1	1	1	1	2	3	3	3
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	18	7.6	20	1	2	7	11	14	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	194	4.4	12	1	2	4	5	7	9	15
6-12 YRS	307	4.4	6	2	2	4	6	8	9	12
13-19 YRS	1954	4.8	8	2	2	4	6	8	10	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	12.7	126	3	3	10	21	25	25	25
6-12 YRS	7	5.6	10	3	3	4	7	11	12	12
13-19 YRS	40	8.0	52	1	2	6	10	12	21	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2091	4.2	5	1	2	4	5	7	9	12
B. *Operated*	25	6.0	21	1	1	4	10	13	14	16
2. MULTIPLE DX										
A. *Not Operated*	2459	4.7	8	2	2	4	6	8	10	15
B. *Operated*	50	7.9	50	2	2	6	10	12	25	42
1. SINGLE DX	2116	4.2	6	1	2	4	5	7	9	12
2. MULTIPLE DX	2509	4.8	9	2	2	4	6	8	10	15
A. NOT OPERATED	4550	4.5	7	2	2	4	6	8	9	13
B. OPERATED	75	7.3	41	1	2	6	10	12	16	38
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	3.4	1	2	2	3	4	5	5	5
1-5 YRS	365	4.2	10	1	2	4	5	7	9	14
6-12 YRS	629	4.1	5	1	2	4	5	7	8	12
13-19 YRS	3622	4.6	8	2	2	4	6	8	10	15
GRAND TOTAL	**4625**	**4.5**	**8**	**2**	**2**	**4**	**6**	**8**	**9**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.7	9	<1	<1	3	6	7	7	7
6-12 YRS	5	1.2		<1	<1	<1	1	2	2	2
13-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	68	1.4	1	<1	<1	1	2	2	3	5
6-12 YRS	160	1.4		<1	<1	1	2	2	3	4
13-19 YRS	695	2.0	2	<1	<1	2	2	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.5	5	3	3	4	6	6	6	6
6-12 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	15	3.8	33	<1	<1	1	4	8	19	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	36.0		36	36	36	36	36	36	36
1-5 YRS	8	1.8	1	<1	<1	2	2	3	3	3
6-12 YRS	24	1.8	1	<1	1	2	2	3	4	4
13-19 YRS	164	3.3	24	<1	1	2	4	6	7	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	2	<1	<1	1	2	3	6	7
B. *Operated*	926	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	20	3.5	26	<1	<1	1	4	7	15	23
B. *Operated*	197	3.2	26	<1	1	2	3	5	7	28
1. SINGLE DX	943	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	217	3.2	26	<1	1	2	3	6	7	27
A. NOT OPERATED	37	2.7	15	<1	<1	1	3	6	8	23
B. OPERATED	1123	2.1	6	<1	<1	2	2	4	5	8
TOTAL 0-27 DYS										
1-11 MOS	4	9.8	306	<1	<1	1	18	36	36	36
1-5 YRS	81	1.6	1	<1	<1	1	2	3	4	7
6-12 YRS	192	1.5		<1	<1	1	2	2	3	4
13-19 YRS	883	2.3	7	<1	<1	2	3	4	5	9
GRAND TOTAL	**1160**	**2.1**	**6**	**<1**	**<1**	**2**	**2**	**4**	**5**	**8**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	437	3.5	3	1	2	3	4	5	6	9
1-11 MOS	1648	2.9	3	1	1	3	4	5	6	8
1-5 YRS	2026	2.9	3	1	1	3	4	5	6	8
6-12 YRS	1225	2.8	3	1	1	2	4	5	6	9
13-19 YRS	1084	3.3	8	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS	6	3.7	2	1	1	4	5	5	5	5
1-11 MOS	19	4.3	5	2	2	4	5	8	10	11
1-5 YRS	43	3.7	11	<1	1	3	5	7	9	19
6-12 YRS	54	4.7	47	1	1	3	6	8	12	46
13-19 YRS	50	4.5	37	1	1	3	5	8	10	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	173	3.9	7	2	2	3	4	6	8	12
1-11 MOS	1290	3.4	5	1	1	3	4	6	7	11
1-5 YRS	2360	3.2	7	1	1	3	4	5	7	12
6-12 YRS	1143	3.2	6	1	1	3	4	5	7	13
13-19 YRS	1049	3.6	6	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	8	8.4	196	2	2	4	4	31	43	43
1-11 MOS	23	5.2	15	2	2	5	7	8	12	20
1-5 YRS	37	5.5	43	1	2	3	6	8	22	34
6-12 YRS	51	4.7	13	1	1	4	7	10	12	18
13-19 YRS	72	8.5	123	1	2	5	8	17	34	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6420	3.0	4	1	1	3	4	5	6	9
B. *Operated*	172	4.3	28	1	1	3	5	8	10	38
2. MULTIPLE DX										
A. *Not Operated*	6015	3.4	6	1	1	3	4	6	7	12
B. *Operated*	191	6.5	70	1	2	4	7	11	20	42
1. SINGLE DX	6592	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	6206	3.4	8	1	1	3	4	6	7	13
A. NOT OPERATED	12435	3.2	5	1	1	3	4	5	7	11
B. OPERATED	363	5.5	51	1	1	4	6	9	15	43
TOTAL 0-27 DYS	624	3.7	7	1	2	3	4	5	7	10
1-11 MOS	2980	3.2	4	1	1	3	4	5	6	10
1-5 YRS	4466	3.1	5	1	1	3	4	5	6	10
6-12 YRS	2473	3.1	5	1	1	3	4	5	7	11
13-19 YRS	2255	3.6	12	1	1	3	4	6	8	14
GRAND TOTAL	**12798**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	12	2	2	2	7	8	8	8
1-5 YRS	69	4.9	10	2	2	4	6	10	12	15
6-12 YRS	129	4.3	6	1	2	4	5	7	9	12
13-19 YRS	80	4.3	6	2	2	4	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	6	4.3	5	2	2	4	6	8	8	8
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.0	3	2	2	4	5	6	6	6
1-5 YRS	30	4.5	9	1	1	4	6	9	10	14
6-12 YRS	29	4.9	7	2	2	5	6	8	11	12
13-19 YRS	36	5.2	9	1	2	4	7	9	11	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	6	<1	<1	3	5	6	6	6
6-12 YRS	2	7.5	61	2	2	7	13	13	13	13
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	4.4	7	2	2	4	5	8	10	15
B. *Operated*	9	4.2	6	2	2	4	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	100	4.9	8	1	2	4	6	9	11	14
B. *Operated*	6	4.8	19	<1	<1	3	6	12	13	13
1. SINGLE DX	290	4.4	7	2	2	4	5	8	10	15
2. MULTIPLE DX	106	4.8	9	1	2	4	6	9	11	14
A. NOT OPERATED	381	4.5	7	1	2	4	5	8	10	15
B. OPERATED	15	4.5	11	<1	2	4	6	8	12	13
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	4.5	7	2	2	4	7	8	8	8
1-5 YRS	108	4.7	10	1	2	4	6	9	12	15
6-12 YRS	161	4.4	7	1	2	4	5	8	9	13
13-19 YRS	118	4.5	7	1	2	4	6	8	10	15
GRAND TOTAL	**396**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	6.0	6	2	2	6	8	8	10	10
1-11 MOS	6	6.2	9	<1	<1	6	8	10	10	10
1-5 YRS	29	5.6	15	1	1	5	8	11	12	16
6-12 YRS	10	4.0	7	1	1	4	6	8	9	9
13-19 YRS	289	5.0	11	2	2	4	6	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	81	3.7	13	<1	1	2	4	7	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	7.8	1	6	6	8	9	9	9	9
1-11 MOS	7	7.3	21	2	2	7	11	13	14	14
1-5 YRS	10	11.4	93	3	3	6	18	26	31	31
6-12 YRS	13	8.3	31	1	3	6	11	18	19	19
13-19 YRS	214	5.7	13	2	2	5	7	11	12	19
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	4	3.8	24	1	1	2	6	11	11	11
6-12 YRS	4	11.0	38	2	2	13	15	16	16	16
13-19 YRS	62	5.8	18	1	2	5	7	10	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	360	5.1	11	1	2	4	7	9	11	16
B. *Operated*	83	3.8	14	<1	1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	250	6.1	19	2	2	5	7	11	14	22
B. *Operated*	72	6.0	20	1	2	5	7	12	15	23
1. SINGLE DX	443	4.9	12	1	2	4	6	9	11	16
2. MULTIPLE DX	322	6.1	19	2	2	5	7	11	14	23
A. NOT OPERATED	610	5.6	14	2	2	5	7	10	12	19
B. OPERATED	155	4.8	18	1	1	3	7	10	13	24
TOTAL 0-27 DYS	33	6.5	6	2	3	7	8	9	10	10
1-11 MOS	15	7.2	17	<1	2	7	10	14	15	15
1-5 YRS	43	6.8	39	1	1	5	9	15	19	31
6-12 YRS	28	6.9	28	1	2	6	9	16	18	19
13-19 YRS	646	5.1	13	1	2	4	6	9	12	19
GRAND TOTAL	**765**	**5.4**	**15**	**1**	**2**	**4**	**7**	**10**	**12**	**20**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	3.8	16	<1	<1	2	4	12	13	13
1-11 MOS	35	3.0	12	<1	<1	1	4	6	11	16
1-5 YRS	36	4.6	19	<1	<1	3	6	10	13	23
6-12 YRS	28	5.7	11	1	2	5	8	11	12	14
13-19 YRS	29	3.9	7	<1	<1	4	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.2	5	<1	<1	2	5	7	7	7
6-12 YRS	7	4.0	14	<1	<1	3	6	10	11	11
13-19 YRS	20	7.9	130	1	1	4	9	15	35	52
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	18	3.7	4	<1	1	3	5	7	8	8
1-11 MOS	105	4.2	11	<1	1	3	5	8	10	19
1-5 YRS	77	5.9	17	1	2	5	8	10	13	22
6-12 YRS	22	5.9	19	1	2	4	8	10	15	21
13-19 YRS	51	7.2	146	<1	1	4	6	12	34	66
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.3	42	3	3	9	14	16	16	16
1-5 YRS	3	10.7	37	4	4	12	15	16	16	16
6-12 YRS	10	9.9	60	<1	1	9	17	54	96	99+
13-19 YRS	22	14.5	113	1	2	14	24	33	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.2	13	<1	<1	3	6	9	12	16
B. *Operated*	36	6.2	85	<1	1	3	7	12	17	52
2. MULTIPLE DX										
A. *Not Operated*	273	5.3	39	1	1	4	6	9	13	32
B. *Operated*	38	12.6	88	<1	1	11	19	32	67	99+
1. SINGLE DX	176	4.6	27	<1	<1	3	6	10	13	22
2. MULTIPLE DX	311	6.2	50	1	1	4	7	13	21	57
A. NOT OPERATED	416	4.9	30	<1	1	4	6	9	12	23
B. OPERATED	71	9.6	96	<1	1	7	16	25	34	99+
TOTAL 0-27 DYS	33	3.8	9	<1	<1	3	5	8	11	13
1-11 MOS	143	4.0	12	<1	<1	3	5	8	11	17
1-5 YRS	122	5.5	18	<1	1	5	7	11	13	22
6-12 YRS	67	6.2	23	1	1	5	8	13	18	86
13-19 YRS	122	7.8	114	<1	1	4	8	21	33	75
GRAND TOTAL	**487**	**5.6**	**43**	**<1**	**1**	**4**	**7**	**11**	**17**	**45**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	4	2	2	3	5	6	6	6
1-5 YRS	21	3.0	7	<1	<1	2	4	6	9	12
6-12 YRS	16	4.1	21	<1	<1	2	4	14	15	15
13-19 YRS	15	4.7	19	1	1	5	6	11	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.6	2	2	2	3	4	6	6	6
6-12 YRS	23	3.9	3	1	2	4	5	6	8	9
13-19 YRS	14	5.9	35	<1	2	5	6	11	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	24	3.7	7	1	1	3	4	8	10	11
6-12 YRS	28	4.0	8	1	1	4	5	6	7	16
13-19 YRS	21	5.9	18	1	2	5	7	13	16	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	4.0	2	3	3	4	5	5	5	5
6-12 YRS	16	4.6	6	1	2	4	6	8	9	10
13-19 YRS	18	4.8	5	2	2	5	6	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.8	14	<1	<1	2	5	8	14	17
B. *Operated*	42	4.5	14	1	2	4	5	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	74	4.4	11	1	2	4	5	7	11	17
B. *Operated*	36	4.7	5	2	2	4	6	8	9	10
1. SINGLE DX	97	4.1	14	<1	1	3	5	7	12	21
2. MULTIPLE DX	110	4.5	9	1	2	4	5	8	10	17
A. NOT OPERATED	129	4.2	12	1	1	3	5	8	12	17
B. OPERATED	78	4.6	10	1	2	4	6	7	9	21
TOTAL 0-27 DYS										
1-11 MOS	4	3.8	3	2	2	3	5	6	6	6
1-5 YRS	52	3.4	6	<1	1	3	4	7	10	12
6-12 YRS	83	4.1	8	1	1	4	5	7	9	16
13-19 YRS	68	5.3	18	1	2	5	6	9	16	24
GRAND TOTAL	**207**	**4.3**	**11**	**1**	**1**	**4**	**5**	**7**	**11**	**17**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	9	3.0	2	1	1	3	4	5	5	5
1-5 YRS	25	3.9	4	<1	1	4	5	8	8	9
6-12 YRS	18	3.9	7	<1	1	3	6	8	10	10
13-19 YRS	50	4.2	11	<1	<1	4	6	8	11	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	2.1	2	<1	<1	2	3	4	5	5
13-19 YRS	29	7.7	75	1	1	5	11	18	21	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	40	7.7	21	1	2	8	10	13	17	22
1-5 YRS	85	7.0	21	2	2	7	9	12	15	25
6-12 YRS	41	6.3	22	1	2	6	8	13	17	22
13-19 YRS	66	5.2	18	1	1	4	6	11	15	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.7	17	1	1	5	8	12	12	12
6-12 YRS	4	9.5	31	2	2	10	13	15	15	15
13-19 YRS	38	9.4	59	1	2	8	13	17	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	3.9	8	<1	1	3	5	7	9	15
B. *Operated*	39	6.2	62	<1	1	2	9	17	19	41
2. MULTIPLE DX										
A. *Not Operated*	234	6.4	21	1	2	6	9	11	16	22
B. *Operated*	48	9.0	52	1	2	8	13	15	19	43
1. SINGLE DX	143	4.6	23	<1	1	3	5	9	13	21
2. MULTIPLE DX	282	6.9	27	1	2	6	9	14	16	22
A. NOT OPERATED	338	5.7	18	1	2	4	8	11	15	19
B. OPERATED	87	7.7	58	1	1	6	12	16	19	42
TOTAL 0-27 DYS	4	2.3		2	2	2	3	3	3	3
1-11 MOS	49	6.8	21	1	2	7	9	11	16	22
1-5 YRS	117	6.2	18	1	2	5	9	11	15	21
6-12 YRS	72	5.4	19	1	1	4	7	11	15	21
13-19 YRS	183	6.2	37	<1	1	4	8	14	18	34
GRAND TOTAL	**425**	**6.1**	**27**	**1**	**2**	**4**	**8**	**12**	**16**	**22**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	3	3.7	9	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3	6.7	66	1	1	3	13	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	5.0	19	1	1	4	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.2	13	1	1	3	6	10	10	10
B. *Operated*	4	3.0	8	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	6	4.8	32	1	1	3	4	15	16	16
B. *Operated*	6	5.2	15	1	1	5	9	10	10	10
1. SINGLE DX	9	3.7	10	1	1	3	5	9	10	10
2. MULTIPLE DX	12	5.0	21	1	1	4	7	12	15	16
A. NOT OPERATED	11	4.5	21	1	1	3	5	12	16	16
B. OPERATED	10	4.3	12	1	1	3	7	9	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.0	21	1	1	4	8	10	10	10
6-12 YRS	6	3.3	4	1	1	3	5	6	6	6
13-19 YRS	12	4.8	23	1	1	3	8	12	15	16
GRAND TOTAL	**21**	**4.4**	**16**	**1**	**1**	**3**	**6**	**10**	**13**	**16**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	5	2.8	6	1	1	1	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	7.3	8	3	3	8	10	10	10	10
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	25	5.3	16	1	2	4	7	12	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.5	145	2	2	10	19	19	19	19
1-5 YRS	4	5.0	14	<1	<1	4	7	10	10	10
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	6	6.7	12	2	2	7	10	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	3	6.3	70	1	1	2	12	16	16	16
13-19 YRS	9	9.9	155	2	2	6	11	31	40	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.7	5	1	1	1	5	6	6	6
B. *Operated*	33	5.6	14	2	2	4	8	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	13	6.6	24	<1	1	5	10	12	18	19
B. *Operated*	13	8.5	120	1	1	3	11	22	37	40
1. SINGLE DX	40	5.1	13	1	1	4	7	11	12	16
2. MULTIPLE DX	26	7.6	70	1	2	5	10	18	23	40
A. NOT OPERATED	20	5.3	20	<1	1	4	7	10	15	19
B. OPERATED	46	6.4	44	1	2	4	8	13	17	40
TOTAL 0-27 DYS										
1-11 MOS	4	6.3	73	1	1	2	11	19	19	19
1-5 YRS	10	6.4	10	<1	1	6	10	10	10	10
6-12 YRS	7	5.0	25	1	1	4	5	14	16	16
13-19 YRS	45	6.1	43	1	2	4	8	12	16	40
GRAND TOTAL	**66**	**6.1**	**37**	**1**	**1**	**4**	**8**	**12**	**17**	**37**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	11.0	50	6	6	11	16	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	11.0	50	6	6	11	16	16	16	16
1. SINGLE DX										
2. MULTIPLE DX	2	11.0	50	6	6	11	16	16	16	16
A. NOT OPERATED										
B. OPERATED	2	11.0	50	6	6	11	16	16	16	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	11.0	50	6	6	11	16	16	16	16
GRAND TOTAL	**2**	**11.0**	**50**	**6**	**6**	**11**	**16**	**16**	**16**	**16**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS	2	24.0	18	21	21	24	27	27	27	27
6-12 YRS	2	11.0	8	9	9	11	13	13	13	13
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	10.8	99	2	2	8	17	25	25	25
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	5	19.4	67	9	9	21	27	27	27	27
1. SINGLE DX	4	10.8	99	2	2	8	17	25	25	25
2. MULTIPLE DX	5	19.4	67	9	9	21	27	27	27	27
A. NOT OPERATED										
B. OPERATED	9	15.6	91	2	4	13	25	27	27	27
TOTAL 0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	2	17.0	200	7	7	17	27	27	27	27
1-5 YRS	2	24.0	18	21	21	24	27	27	27	27
6-12 YRS	2	11.0	8	9	9	11	13	13	13	13
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
GRAND TOTAL	**9**	**15.6**	**91**	**2**	**4**	**13**	**25**	**27**	**27**	**27**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	18.0	50	13	13	18	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	27.0		27	27	27	27	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	2	18.0	50	13	13	18	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	27.0		27	27	27	27	27	27	27
1. SINGLE DX	2	18.0	50	13	13	18	23	23	23	23
2. MULTIPLE DX	1	27.0		27	27	27	27	27	27	27
A. NOT OPERATED										
B. OPERATED	3	21.0	52	13	13	23	26	27	27	27
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	21.0	52	13	13	23	26	27	27	27
GRAND TOTAL	**3**	**21.0**	**52**	**13**	**13**	**23**	**26**	**27**	**27**	**27**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	35.0		35	35	35	35	35	35	35
1-5 YRS										
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	6	5.5	14	2	2	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	5	9.4	26	3	3	9	14	15	15	15
B. *Operated*										
0-27 DYS	1	31.0		31	31	31	31	31	31	31
1-11 MOS	3	17.3	14	13	13	19	20	20	20	20
1-5 YRS	2	15.0	8	13	13	15	17	17	17	17
6-12 YRS	1	11.0		11	11	55	99+	99+	99+	99+
13-19 YRS	4	22.0	480	6	6	14	36	54	54	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	8	10.5	121	2	2	7	13	29	35	35
2. MULTIPLE DX										
A. *Not Operated*	6	8.0	33	1	1	7	14	15	15	15
B. *Operated*	11	19.3	176	6	9	17	25	68	95	99+
1. SINGLE DX	8	10.5	121	2	2	7	13	29	35	35
2. MULTIPLE DX	17	15.3	151	2	4	14	19	47	82	99+
A. NOT OPERATED	6	8.0	33	1	1	7	14	15	15	15
B. OPERATED	19	15.6	165	2	3	13	19	44	77	99+
TOTAL 0-27 DYS	1	31.0		31	31	31	31	31	31	31
1-11 MOS	4	21.8	88	13	13	19	27	35	35	35
1-5 YRS	3	10.3	69	1	1	13	16	17	17	17
6-12 YRS	2	13.5	13	11	11	16	79	99+	99+	99+
13-19 YRS	15	11.2	164	2	2	8	13	18	45	54
GRAND TOTAL	**25**	**13.8**	**141**	**2**	**2**	**12**	**18**	**35**	**63**	**99+**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	14.0		14	14	14	14	14	14	14
6-12 YRS										
13-19 YRS	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	7.8	5	6	6	7	9	11	11	11
B. *Operated*										
0-27 DYS	2	30.5	85	24	24	30	37	37	37	37
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	1	11.0		11	11	11	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	4	11.0	23	4	4	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	6	6.0	10	2	2	6	7	11	11	11
B. *Operated*	5	16.2	200	3	3	11	27	37	37	37
1. SINGLE DX	5	9.4	30	3	3	12	14	14	14	14
2. MULTIPLE DX	11	10.6	113	2	2	7	11	29	36	37
A. NOT OPERATED	7	5.6	10	2	2	6	7	10	11	11
B. OPERATED	9	13.9	116	3	3	12	17	32	37	37
TOTAL 0-27 DYS	2	30.5	85	24	24	30	37	37	37	37
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	2	10.0	32	6	6	10	14	14	14	14
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	8	8.9	14	3	4	9	12	13	14	14
GRAND TOTAL	**16**	**10.3**	**84**	**2**	**3**	**7**	**13**	**23**	**33**	**37**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7	1	1	1	1	3	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	5.1	15	<1	<1	4	8	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	9	9.1	25	2	3	8	12	17	18	18
6-12 YRS	2	9.0	72	3	3	9	15	15	15	15
13-19 YRS	6	7.5	22	3	3	7	10	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	3.7	5	1	1	4	6	7	7	7
6-12 YRS	7	3.1	3	1	1	3	3	6	7	7
13-19 YRS	4	7.8	16	3	3	8	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	19.0	128	11	11	19	27	27	27	27
1-5 YRS	8	24.0	881	5	5	17	20	73	96	96
6-12 YRS	4	13.5	276	1	1	7	23	38	38	38
13-19 YRS	6	14.0	92	7	7	10	14	31	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.0	12	<1	<1	3	6	10	11	11
B. *Operated*	19	8.0	25	2	2	7	11	15	17	18
2. MULTIPLE DX										
A. *Not Operated*	23	4.0	9	1	1	3	6	8	11	11
B. *Operated*	20	18.4	424	3	5	11	20	35	67	96
1. SINGLE DX	30	6.5	23	1	1	5	10	15	15	18
2. MULTIPLE DX	43	10.7	249	1	1	6	11	22	35	96
A. NOT OPERATED	34	4.0	10	1	1	3	6	9	11	11
B. OPERATED	39	13.3	251	2	3	10	15	25	36	96
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	9.2	114	1	1	5	15	27	27	27
1-5 YRS	30	10.5	296	1	1	6	11	18	21	96
6-12 YRS	14	6.9	94	1	1	3	7	17	33	38
13-19 YRS	23	8.5	44	1	2	9	11	14	21	33
GRAND TOTAL	**73**	**9.0**	**159**	**1**	**1**	**6**	**11**	**18**	**26**	**83**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	14.3	136	4	4	12	23	27	27	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	3	4.0	4	2	2	4	5	6	6	6
B. *Operated*	3	14.3	136	4	4	12	23	27	27	27
1. SINGLE DX										
2. MULTIPLE DX	6	9.2	88	2	2	5	12	25	27	27
A. NOT OPERATED	3	4.0	4	2	2	4	5	6	6	6
B. OPERATED	3	14.3	136	4	4	12	23	27	27	27
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	12.3	108	4	4	9	19	27	27	27
GRAND TOTAL	**6**	**9.2**	**88**	**2**	**2**	**5**	**12**	**25**	**27**	**27**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS										
6-12 YRS										
13-19 YRS	4	12.8	28	5	5	14	16	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.5	2	3	3	4	5	6	6	6
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	3	8.0	93	1	1	4	15	19	19	19
13-19 YRS	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	3	9.7	20	5	5	10	13	14	14	14
1-5 YRS	3	11.0	7	8	8	12	13	13	13	13
6-12 YRS										
13-19 YRS	10	16.1	54	8	9	14	20	27	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	11.0		11	11	11	11	11	11	11
B. *Operated*	5	15.2	51	5	5	15	19	25	25	25
2. MULTIPLE DX										
A. *Not Operated*	10	5.9	26	1	1	5	7	13	19	19
B. *Operated*	17	14.1	42	6	8	13	15	20	29	34
1. SINGLE DX	6	14.5	44	5	6	14	17	24	25	25
2. MULTIPLE DX	27	11.0	51	2	3	10	15	20	22	34
A. NOT OPERATED	11	6.4	26	1	2	5	8	14	19	19
B. OPERATED	22	14.3	42	5	7	14	16	22	29	34
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	8	9.0	55	3	3	6	12	22	25	25
1-5 YRS	6	8.8	17	2	2	9	12	13	13	13
6-12 YRS	3	8.0	93	1	1	4	15	19	19	19
13-19 YRS	15	14.7	46	6	8	14	17	20	31	34
GRAND TOTAL	**33**	**11.7**	**50**	**2**	**4**	**12**	**15**	**20**	**24**	**34**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	5	5.6		5	5	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	9.0	128	1	1	9	17	17	17	17
1-5 YRS	9	15.3	214	<1	2	13	16	38	52	52
6-12 YRS										
13-19 YRS	9	15.6	116	2	2	16	21	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	5	3.4	2	1	1	4	4	5	5	5
6-12 YRS										
13-19 YRS	7	10.0	153	1	1	3	15	31	35	35
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.0	12	7	7	7	12	13	13	13
1-5 YRS	5	15.2	107	6	6	10	21	32	32	32
6-12 YRS	2	12.5	25	9	9	12	16	16	16	16
13-19 YRS	4	4.5	4	2	2	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	4.4	3	2	2	5	6	6	6	6
B. *Operated*	20	14.8	149	<1	1	14	17	31	42	52
2. MULTIPLE DX										
A. *Not Operated*	13	7.2	88	1	1	4	7	21	32	35
B. *Operated*	14	10.4	58	2	4	8	13	19	29	32
1. SINGLE DX	28	11.8	129	1	2	8	16	26	35	52
2. MULTIPLE DX	27	8.9	73	1	2	6	10	18	32	35
A. NOT OPERATED	21	6.1	56	1	1	4	6	12	25	35
B. OPERATED	34	13.0	114	1	2	11	16	29	33	52
TOTAL 0-27 DYS										
1-11 MOS	7	7.6	33	1	1	7	12	16	17	17
1-5 YRS	20	11.7	146	<1	1	9	15	25	42	52
6-12 YRS	3	9.3	42	3	3	9	14	16	16	16
13-19 YRS	25	10.2	98	1	2	6	16	29	33	35
GRAND TOTAL	**55**	**10.4**	**102**	**1**	**2**	**7**	**15**	**18**	**33**	**51**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.4	52	2	2	5	9	20	20	20
1-5 YRS	15	3.9	7	<1	1	3	6	8	9	9
6-12 YRS	50	2.4	2	<1	<1	2	4	4	5	6
13-19 YRS	90	3.0	9	<1	<1	2	4	5	7	17
B. *Operated*										
0-27 DYS	2	15.5	365	2	2	15	29	29	29	29
1-11 MOS	4	6.0	35	1	1	4	10	14	14	14
1-5 YRS	29	6.6	20	2	2	6	8	12	13	22
6-12 YRS	54	7.8	84	1	1	5	10	15	23	51
13-19 YRS	108	7.7	43	2	2	6	10	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	15	5.5	27	<1	1	3	9	14	15	15
6-12 YRS	49	3.7	8	1	1	3	5	6	7	18
13-19 YRS	110	4.2	28	<1	1	3	5	8	13	33
B. *Operated*										
0-27 DYS										
1-11 MOS	2	15.5	113	8	8	15	23	23	23	23
1-5 YRS	12	5.3	17	1	1	4	7	11	15	16
6-12 YRS	21	8.0	39	1	2	6	9	18	21	24
13-19 YRS	56	11.4	105	2	2	9	13	25	31	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	160	3.0	8	<1	<1	2	4	5	7	18
B. *Operated*	197	7.6	52	1	2	6	10	16	21	40
2. MULTIPLE DX										
A. *Not Operated*	174	4.2	22	<1	1	3	5	8	14	27
B. *Operated*	91	9.9	82	1	2	7	12	22	28	49
1. SINGLE DX	357	5.6	37	<1	1	4	7	13	17	29
2. MULTIPLE DX	265	6.2	50	1	1	4	7	14	19	37
A. NOT OPERATED	334	3.6	16	<1	1	3	4	7	11	19
B. OPERATED	288	8.3	62	1	2	6	11	18	23	43
TOTAL 0-27 DYS	2	15.5	365	2	2	15	29	29	29	29
1-11 MOS	11	8.4	55	1	1	6	12	21	23	23
1-5 YRS	71	5.6	18	1	1	5	8	12	14	21
6-12 YRS	174	5.1	39	1	1	3	6	12	16	35
13-19 YRS	364	6.1	46	<1	1	4	7	14	19	37
GRAND TOTAL	**622**	**5.8**	**43**	**<1**	**1**	**4**	**7**	**13**	**18**	**34**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.8	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	5.8	28	<1	<1	4	9	13	13	13
6-12 YRS	4	2.0	2	<1	<1	1	3	4	4	4
13-19 YRS	15	5.0	13	1	2	4	7	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	2	8.5	113	1	1	8	16	16	16	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	5	8.0	77	2	2	5	12	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.8	2	<1	<1	3	4	4	4	4
B. *Operated*	24	4.5	13	<1	1	3	6	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	5	9.0	57	1	1	9	16	17	17	17
B. *Operated*	8	7.5	49	2	2	6	9	19	23	23
1. SINGLE DX	28	4.3	12	<1	<1	3	6	10	13	13
2. MULTIPLE DX	13	8.1	48	1	1	8	11	18	22	23
A. NOT OPERATED	9	6.2	40	<1	<1	3	11	17	17	17
B. OPERATED	32	5.3	23	<1	1	4	7	12	13	23
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	4.3	16	2	2	2	7	9	9	9
1-5 YRS	4	5.8	28	<1	<1	4	9	13	13	13
6-12 YRS	7	4.0	13	<1	<1	2	8	9	9	9
13-19 YRS	26	5.5	27	1	1	4	7	13	17	23
GRAND TOTAL	**41**	**5.5**	**26**	**<1**	**1**	**4**	**8**	**13**	**16**	**23**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	1	14.0		14	14	14	14	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.5	265	<1	<1	12	24	24	24	24
1-5 YRS	4	1.5		1	1	1	2	2	2	2
6-12 YRS	8	1.5		<1	<1	1	2	2	2	2
13-19 YRS	12	3.3	11	<1	1	2	4	8	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	4.3	16	2	2	2	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	7.5	85	<1	<1	7	14	14	14	14
B. *Operated*	26	3.2	24	<1	<1	2	2	7	14	24
2. MULTIPLE DX										
A. *Not Operated*	4	1.8		1	1	2	2	2	2	2
B. *Operated*	4	3.5	14	<1	<1	2	6	9	9	9
1. SINGLE DX	28	3.5	26	<1	<1	2	2	10	15	24
2. MULTIPLE DX	8	2.6	7	<1	<1	2	2	7	9	9
A. NOT OPERATED	6	3.7	26	<1	<1	2	2	13	14	14
B. OPERATED	30	3.2	22	<1	<1	2	2	8	12	24
TOTAL 0-27 DYS										
1-11 MOS	2	12.5	265	<1	<1	12	24	24	24	24
1-5 YRS	6	1.7		1	1	2	2	2	2	2
6-12 YRS	11	1.5		<1	<1	1	2	2	2	2
13-19 YRS	17	4.0	17	<1	1	2	5	11	13	14
GRAND TOTAL	**36**	**3.3**	**22**	**<1**	**<1**	**2**	**2**	**9**	**13**	**24**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.5	61	5	5	10	16	16	16	16
1-5 YRS										
6-12 YRS	3	6.7	24	1	1	9	10	10	10	10
13-19 YRS	18	4.0	8	1	2	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS										
13-19 YRS	3	7.0	21	3	3	6	10	12	12	12
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	3	9.7	6	7	7	10	11	12	12	12
1-5 YRS	3	10.7	12	7	7	11	13	14	14	14
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	3	6.3	16	2	2	7	9	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	23	4.9	15	1	2	3	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	5	6.0	19	1	1	6	9	12	12	12
B. *Operated*	12	8.9	11	2	5	9	11	13	14	14
1. SINGLE DX	25	4.6	15	<1	1	3	6	10	12	16
2. MULTIPLE DX	17	8.1	14	1	2	8	11	12	13	14
A. NOT OPERATED	7	4.6	18	<1	<1	3	7	11	12	12
B. OPERATED	35	6.3	17	1	2	5	10	12	14	16
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	6	8.5	28	1	1	8	12	16	16	16
1-5 YRS	4	10.0	10	7	7	9	12	14	14	14
6-12 YRS	5	7.0	14	1	1	9	9	10	10	10
13-19 YRS	26	4.4	10	<1	1	3	6	10	11	12
GRAND TOTAL	**42**	**6.0**	**17**	**<1**	**1**	**5**	**9**	**12**	**13**	**16**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.7	9	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	3	3.3	5	2	2	2	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	4.7	8	1	1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	6	8.7	63	2	2	6	12	22	23	23
1. SINGLE DX	7	4.7	8	1	1	5	7	8	8	8
2. MULTIPLE DX	6	8.7	63	2	2	6	12	22	23	23
A. NOT OPERATED										
B. OPERATED	13	6.5	34	1	2	6	7	14	21	23
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	1	23.0		23	23	23	23	23	23	23
13-19 YRS	9	4.2	7	1	1	3	7	8	8	8
GRAND TOTAL	**13**	**6.5**	**34**	**1**	**2**	**6**	**7**	**14**	**21**	**23**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS	2	12.5	25	9	9	12	16	16	16	16
1-11 MOS	4	10.3	15	8	8	9	12	16	16	16
1-5 YRS	2	10.0	98	3	3	10	17	17	17	17
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	2	13.0	98	6	6	13	20	20	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	4	3.8	8	1	1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	11	11.2	28	3	5	9	16	18	20	20
1. SINGLE DX	5	3.4	6	1	1	2	5	7	7	7
2. MULTIPLE DX	12	10.4	33	2	3	9	16	18	20	20
A. NOT OPERATED	2	2.0		2	2	2	2	2	2	2
B. OPERATED	15	9.2	33	1	2	8	15	17	19	20
TOTAL 0-27 DYS	2	12.5	25	9	9	12	16	16	16	16
1-11 MOS	4	10.3	15	8	8	9	12	16	16	16
1-5 YRS	3	8.3	57	3	3	5	14	17	17	17
6-12 YRS	2	9.0	8	7	7	9	11	11	11	11
13-19 YRS	6	5.5	54	1	1	2	6	19	20	20
GRAND TOTAL	**17**	**8.4**	**35**	**1**	**2**	**8**	**12**	**17**	**19**	**20**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	16	1	1	6	8	9	9	9
6-12 YRS	3	3.0	4	<1	<1	3	4	5	5	5
13-19 YRS	15	4.4	6	1	1	5	6	6	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	3	11.0	4	9	9	11	12	13	13	13
13-19 YRS	29	7.3	14	4	4	7	8	9	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	10.3	108	2	2	7	18	22	22	22
13-19 YRS	11	4.4	2	2	2	4	5	6	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS										
6-12 YRS	2	7.5	1	7	7	7	8	8	8	8
13-19 YRS	14	9.9	18	5	5	9	12	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.3	6	<1	1	5	6	7	9	10
B. *Operated*	35	7.7	13	4	4	7	8	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	16	5.6	23	2	2	5	6	8	18	22
B. *Operated*	17	10.8	39	5	5	9	12	19	26	30
1. SINGLE DX	56	6.4	13	1	2	6	8	10	12	21
2. MULTIPLE DX	33	8.2	37	2	2	7	10	15	22	30
A. NOT OPERATED	37	4.9	13	1	1	5	6	8	10	22
B. OPERATED	52	8.7	23	4	5	8	10	13	20	30
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	20.5	181	11	11	20	30	30	30	30
1-5 YRS	6	6.0	8	1	1	6	8	9	9	9
6-12 YRS	11	8.0	35	<1	1	7	10	17	22	22
13-19 YRS	69	6.7	15	2	3	6	8	11	14	21
GRAND TOTAL	**89**	**7.1**	**23**	**2**	**2**	**6**	**8**	**12**	**17**	**27**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	2	8.5	61	3	3	8	14	14	14	14
6-12 YRS										
13-19 YRS	5	3.8	9	<1	<1	3	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	72	1	1	7	13	13	13	13
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.5	61	3	3	8	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.2	3	1	1	2	3	5	5	5
B. *Operated*	8	5.0	19	<1	<1	4	7	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	2	7.0	72	1	1	7	13	13	13	13
B. *Operated*	2	8.5	61	3	3	8	14	14	14	14
1. SINGLE DX	13	3.9	14	<1	<1	3	5	9	13	14
2. MULTIPLE DX	4	7.8	45	1	1	8	13	14	14	14
A. NOT OPERATED	7	3.6	19	1	1	2	4	11	13	13
B. OPERATED	10	5.7	23	<1	<1	4	7	14	14	14
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	5.0	34	1	1	2	10	14	14	14
6-12 YRS										
13-19 YRS	9	4.8	17	<1	<1	3	7	11	14	14
GRAND TOTAL	**17**	**4.8**	**22**	**<1**	**<1**	**3**	**7**	**14**	**14**	**14**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	3	8.0	13	4	4	9	10	11	11	11
1-5 YRS	2	7.0	8	5	5	7	9	9	9	9
6-12 YRS	2	5.5	25	2	2	5	9	9	9	9
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	32.0		32	32	32	32	32	32	32
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	3	10.0	57	2	2	11	15	17	17	17
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	4	9.0	6	6	6	9	11	11	11	11
1-5 YRS	4	9.5	3	8	8	9	11	12	12	12
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	16.3	82	8	8	15	23	26	26	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		1	1	1	1	1	1	1
B. *Operated*	8	6.9	10	2	3	7	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	7	10.3	123	2	2	5	15	29	32	32
B. *Operated*	13	10.9	33	3	5	9	13	18	24	26
1. SINGLE DX	10	5.7	14	1	1	5	9	10	11	11
2. MULTIPLE DX	20	10.7	59	2	2	9	13	21	29	32
A. NOT OPERATED	9	8.2	109	1	1	3	12	26	32	32
B. OPERATED	21	9.4	27	3	4	9	11	15	20	26
TOTAL 0-27 DYS	2	24.0	128	16	16	24	32	32	32	32
1-11 MOS	9	7.4	11	2	3	8	11	11	11	11
1-5 YRS	9	9.1	18	2	3	9	11	15	17	17
6-12 YRS	4	3.8	13	1	1	2	6	9	9	9
13-19 YRS	6	9.8	86	1	1	7	15	25	26	26
GRAND TOTAL	**30**	**9.0**	**49**	**1**	**2**	**8**	**11**	**16**	**26**	**32**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	5.5	11	1	2	5	7	9	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	61	<1	<1	6	12	12	12	12
1-5 YRS	5	5.2	31	2	2	3	7	15	15	15
6-12 YRS										
13-19 YRS	54	6.0	27	2	2	4	8	12	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	41	5.6	13	1	2	5	6	9	11	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.3	24	3	3	4	10	12	12	12
6-12 YRS										
13-19 YRS	26	11.7	70	3	4	11	13	19	25	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.5	11	1	2	5	7	9	13	16
B. *Operated*	61	6.0	27	2	2	4	8	13	15	31
2. MULTIPLE DX										
A. *Not Operated*	41	5.6	13	1	2	5	6	9	11	23
B. *Operated*	29	11.1	67	3	4	11	13	18	21	46
1. SINGLE DX	86	5.8	22	1	2	5	7	12	15	27
2. MULTIPLE DX	70	7.9	43	2	3	6	11	14	19	41
A. NOT OPERATED	66	5.5	12	1	2	5	6	9	11	22
B. OPERATED	90	7.6	45	2	2	6	11	15	19	40
TOTAL 0-27 DYS										
1-11 MOS	2	6.5	61	<1	<1	6	12	12	12	12
1-5 YRS	8	5.6	25	2	2	3	8	14	15	15
6-12 YRS										
13-19 YRS	146	6.8	33	2	2	5	8	13	16	33
GRAND TOTAL	**156**	**6.8**	**32**	**2**	**2**	**5**	**8**	**13**	**16**	**31**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	4.0	2	2	2	4	5	5	5	5
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
B. *Operated*										
0-27 DYS	2	7.0	32	3	3	7	11	11	11	11
1-11 MOS	3	6.0	7	4	4	5	8	9	9	9
1-5 YRS	11	6.3	30	1	2	4	10	15	18	18
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	7	3.9	11	1	1	2	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.0	2	1	1	4	4	4	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	32.0	1458	5	5	32	59	59	59	59
1-11 MOS	4	17.8	289	5	5	12	29	42	42	42
1-5 YRS	6	7.2	25	2	2	5	14	83	99+	99+
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	9.3	120	3	3	3	17	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	3	<1	<1	4	5	5	5	5
B. *Operated*	24	5.4	20	<1	1	4	8	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	8	3.0	2	1	1	4	4	4	4	4
B. *Operated*	16	13.3	253	2	3	6	18	56	86	99+
1. SINGLE DX	29	5.0	17	<1	1	4	7	12	13	18
2. MULTIPLE DX	24	9.8	190	1	2	5	13	42	69	99+
A. NOT OPERATED	13	3.2	2	<1	1	4	4	5	5	5
B. OPERATED	40	8.5	124	1	1	5	11	20	50	99+
TOTAL 0-27 DYS	4	19.5	705	3	3	8	35	59	59	59
1-11 MOS	7	12.7	186	4	4	7	15	37	42	42
1-5 YRS	29	5.2	19	1	1	4	5	14	18	99+
6-12 YRS	3	2.7	8	<1	<1	<1	5	6	6	6
13-19 YRS	10	5.5	41	1	1	3	7	15	22	22
GRAND TOTAL	**53**	**7.2**	**99**	**1**	**1**	**4**	**7**	**17**	**38**	**98**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	19	2.0	2	<1	<1	1	3	4	5	6
6-12 YRS	6	5.7	31	<1	<1	3	10	14	15	15
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	11	9.4	29	5	5	6	15	18	18	18
1-5 YRS	28	10.2	12	5	7	10	13	15	15	16
6-12 YRS	10	9.5	17	2	2	10	13	14	14	14
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	18	2.6	6	<1	1	2	3	5	9	11
6-12 YRS	5	2.8	4	1	1	3	4	6	6	6
13-19 YRS	2	9.0	8	7	7	9	11	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	3	11.0	13	7	7	12	13	14	14	14
1-5 YRS	29	12.8	67	7	7	10	15	18	21	50
6-12 YRS	6	15.3	63	9	9	13	15	29	31	31
13-19 YRS	7	11.1	39	3	3	12	14	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.8	10	<1	<1	1	3	6	11	15
B. *Operated*	49	9.9	16	3	5	10	13	15	17	18
2. MULTIPLE DX										
A. *Not Operated*	26	3.0	8	<1	1	2	3	7	11	11
B. *Operated*	45	12.8	57	6	7	12	15	19	23	50
1. SINGLE DX	76	7.3	25	<1	1	7	11	15	16	18
2. MULTIPLE DX	71	9.2	61	1	1	9	12	17	19	46
A. NOT OPERATED	53	2.9	9	<1	<1	2	3	6	11	15
B. OPERATED	94	11.2	37	4	5	10	14	17	19	42
TOTAL 0-27 DYS										
1-11 MOS	16	8.6	30	1	2	7	13	17	18	18
1-5 YRS	94	7.9	47	<1	1	8	12	15	17	36
6-12 YRS	27	8.7	44	1	1	9	13	15	18	31
13-19 YRS	10	9.8	35	2	2	10	13	18	21	21
GRAND TOTAL	147	**8.2**	**43**	**<1**	**1**	**8**	**12**	**15**	**17**	**32**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	15	1.8	1	<1	1	1	3	3	4	4
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	11	5.0	9	<1	1	4	6	10	11	11
1-5 YRS	16	4.4	10	<1	2	3	7	9	10	11
6-12 YRS	4	6.5	31	1	1	5	10	14	14	14
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	17	3.6	15	<1	1	2	4	11	14	14
6-12 YRS	2	16.5	265	5	5	16	28	28	28	28
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	9	14.0	411	2	2	5	15	46	66	66
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	37	4.7	11	<1	1	4	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	20	4.8	43	<1	1	2	4	13	21	28
B. *Operated*	12	10.8	333	<1	1	4	13	32	61	66
1. SINGLE DX	54	3.8	10	<1	1	3	5	9	10	14
2. MULTIPLE DX	32	7.0	153	<1	1	3	5	15	27	66
A. NOT OPERATED	37	3.4	25	<1	1	2	3	5	14	28
B. OPERATED	49	6.2	92	<1	1	4	7	12	14	66
TOTAL 0-27 DYS	2	6.5	13	4	4	6	9	9	9	9
1-11 MOS	16	3.9	9	<1	<1	3	6	9	10	11
1-5 YRS	57	5.0	82	<1	1	2	4	12	14	63
6-12 YRS	6	9.8	98	1	1	6	14	27	28	28
13-19 YRS	5	1.8	1	1	1	2	2	3	3	3
GRAND TOTAL	**86**	**5.0**	**64**	**<1**	**1**	**3**	**5**	**11**	**14**	**52**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	21.0	329	2	2	22	36	37	37	37
1-5 YRS	38	4.2	13	1	1	3	6	10	13	14
6-12 YRS	54	4.3	41	1	1	3	4	9	12	43
13-19 YRS	17	6.2	28	1	1	5	8	13	19	22
B. *Operated*										
0-27 DYS	2	10.0	2	9	9	10	11	11	11	11
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	38	13.7	67	3	5	12	19	24	28	39
6-12 YRS	58	12.8	93	2	5	10	16	20	33	54
13-19 YRS	73	12.4	104	2	4	11	15	19	21	72
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.0	19	3	3	4	9	11	11	11
1-5 YRS	38	5.3	39	1	1	3	5	13	16	34
6-12 YRS	60	5.9	48	1	1	4	6	14	17	38
13-19 YRS	46	8.9	151	2	2	5	10	21	59	99+
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	3	28.0	316	14	14	35	74	99+	99+	99+
1-5 YRS	52	21.3	452	1	2	14	29	53	67	94
6-12 YRS	76	18.7	194	2	5	17	25	43	52	90
13-19 YRS	55	19.7	352	4	6	12	31	62	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	5.1	46	1	1	3	6	10	14	40
B. *Operated*	172	12.8	90	2	5	11	16	21	26	53
2. MULTIPLE DX										
A. *Not Operated*	147	6.7	78	1	1	4	7	15	21	64
B. *Operated*	187	19.9	310	2	5	14	28	50	67	99+
1. SINGLE DX	286	9.7	86	1	2	8	13	19	23	46
2. MULTIPLE DX	334	14.1	251	1	2	9	18	40	59	99+
A. NOT OPERATED	261	6.0	65	1	1	3	7	13	19	56
B. OPERATED	359	16.5	217	2	5	12	19	36	54	99+
TOTAL 0-27 DYS	4	10.5	44	3	3	10	15	19	19	19
1-11 MOS	11	17.5	254	2	3	12	36	64	95	99+
1-5 YRS	166	12.0	219	1	1	7	15	28	43	71
6-12 YRS	248	11.1	136	1	2	7	16	27	39	60
13-19 YRS	191	13.1	199	2	2	10	15	26	57	99+
GRAND TOTAL	**620**	**12.1**	**179**	**1**	**2**	**9**	**15**	**29**	**46**	**95**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	2.8	4	1	1	3	4	5	5	5
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	18.3	20	14	14	18	22	23	23	23
6-12 YRS	3	18.3	42	12	12	18	23	25	25	25
13-19 YRS	8	14.4	249	1	2	11	15	40	51	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.7	30	1	1	2	9	11	11	11
6-12 YRS	4	2.3	1	<1	<1	2	3	3	3	3
13-19 YRS	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	12.4	70	1	2	13	18	24	25	25
6-12 YRS	15	23.6	230	2	4	24	32	47	48	48
13-19 YRS	8	26.3	273	3	5	25	38	48	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	3	1	1	3	4	5	5	5
B. *Operated*	14	16.1	148	1	3	14	18	28	46	51
2. MULTIPLE DX										
A. *Not Operated*	8	3.3	11	<1	<1	2	3	9	11	11
B. *Operated*	30	21.7	220	2	3	19	32	44	48	52
1. SINGLE DX	20	12.1	142	1	1	11	17	24	38	51
2. MULTIPLE DX	38	17.8	232	1	2	15	30	41	48	52
A. NOT OPERATED	14	3.0	7	<1	1	2	4	6	10	11
B. OPERATED	44	19.9	200	2	3	17	29	42	49	52
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	14	11.4	66	1	1	12	18	23	25	25
6-12 YRS	26	16.5	226	1	1	13	29	40	47	48
13-19 YRS	18	18.3	283	1	2	13	30	48	52	52
GRAND TOTAL	**58**	**15.8**	**206**	**1**	**1**	**13**	**24**	**39**	**48**	**52**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.5	8	1	1	4	6	8	8	8
1-5 YRS	37	3.5	14	<1	<1	2	4	9	12	18
6-12 YRS	12	4.2	37	1	1	2	4	11	21	23
13-19 YRS	10	2.9	3	1	1	2	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.3	1	6	6	8	8	8	8	8
1-5 YRS	10	10.4	26	4	5	9	12	19	21	21
6-12 YRS	9	12.9	148	3	3	7	20	33	36	36
13-19 YRS	54	6.4	40	3	3	5	6	11	14	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.0	6	<1	<1	2	5	6	6	6
1-5 YRS	30	5.3	19	1	1	4	7	11	15	18
6-12 YRS	12	5.4	36	1	1	4	6	13	22	23
13-19 YRS	17	3.9	17	<1	1	2	4	10	15	17
B. *Operated*										
0-27 DYS										
1-11 MOS	7	19.0	702	7	7	9	11	65	79	79
1-5 YRS	13	18.0	298	1	5	9	24	44	57	60
6-12 YRS	10	7.0	25	2	2	5	8	15	18	18
13-19 YRS	60	6.4	15	2	3	6	8	12	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	3.6	16	<1	1	2	4	7	12	22
B. *Operated*	76	7.8	52	3	3	5	9	14	27	36
2. MULTIPLE DX										
A. *Not Operated*	63	4.8	21	1	1	4	6	11	16	22
B. *Operated*	90	9.1	125	2	3	6	9	15	21	71
1. SINGLE DX	139	5.9	40	1	1	4	6	12	18	36
2. MULTIPLE DX	153	7.3	86	1	2	5	8	13	18	59
A. NOT OPERATED	126	4.2	18	<1	1	3	5	10	13	23
B. OPERATED	166	8.5	92	2	3	6	9	14	23	57
TOTAL 0-27 DYS										
1-11 MOS	18	10.3	304	<1	1	7	8	11	52	79
1-5 YRS	90	7.0	80	<1	1	4	9	14	20	52
6-12 YRS	43	7.0	63	1	1	4	8	19	25	36
13-19 YRS	141	5.9	25	2	2	4	6	11	14	34
GRAND TOTAL	**292**	**6.6**	**64**	**1**	**1**	**4**	**8**	**13**	**18**	**39**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	31	4.8	16	1	1	4	6	12	12	17
6-12 YRS	4	4.3	21	1	1	2	7	11	11	11
13-19 YRS	9	4.1	8	1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	3	10.0	13	6	6	11	12	13	13	13
1-5 YRS	17	8.9	42	1	2	7	13	15	23	28
6-12 YRS	12	3.8	10	<1	1	3	6	9	10	10
13-19 YRS	25	7.0	40	1	1	5	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	8.1	73	2	2	4	14	22	24	24
1-5 YRS	39	6.4	29	1	1	5	9	13	19	22
6-12 YRS	14	5.1	13	1	1	4	8	10	12	13
13-19 YRS	73	5.6	82	<1	1	3	6	11	16	61
B. *Operated*										
0-27 DYS										
1-11 MOS	9	14.8	94	5	5	11	22	30	32	32
1-5 YRS	25	11.4	55	3	4	10	15	21	29	33
6-12 YRS	18	16.4	260	2	4	12	22	27	55	73
13-19 YRS	70	9.4	52	2	3	8	11	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	4.5	14	<1	1	3	6	11	12	17
B. *Operated*	57	7.1	35	1	1	6	10	14	16	28
2. MULTIPLE DX										
A. *Not Operated*	134	5.9	58	1	1	4	8	12	18	32
B. *Operated*	122	11.3	90	2	3	9	14	22	28	48
1. SINGLE DX	103	5.9	27	1	1	5	8	13	15	28
2. MULTIPLE DX	256	8.5	80	1	1	6	10	18	23	39
A. NOT OPERATED	180	5.6	47	1	1	4	8	11	16	23
B. OPERATED	179	9.9	76	1	2	8	13	20	27	38
TOTAL 0-27 DYS										
1-11 MOS	22	10.5	80	1	1	9	13	25	29	32
1-5 YRS	112	7.5	38	1	1	6	10	15	20	30
6-12 YRS	48	8.9	135	1	1	6	10	21	26	73
13-19 YRS	177	7.3	63	1	1	6	9	15	18	38
GRAND TOTAL	**359**	**7.7**	**66**	**1**	**1**	**6**	**10**	**16**	**22**	**37**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.1	9	1	1	5	8	8	8	8
13-19 YRS	45	3.3	11	<1	<1	2	4	8	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	8.0	36	2	2	8	12	14	14	14
6-12 YRS	39	8.3	37	1	2	7	11	17	18	32
13-19 YRS	246	7.2	34	1	2	6	9	15	18	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS										
1-5 YRS										
6-12 YRS	10	3.4	7	1	1	3	4	8	9	9
13-19 YRS	52	5.2	57	<1	1	3	5	7	20	46
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	14.0	338	1	1	14	27	27	27	27
6-12 YRS	3	7.7	66	2	2	4	14	17	17	17
13-19 YRS	66	10.4	46	2	3	9	13	20	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.5	11	<1	1	2	5	8	9	18
B. *Operated*	288	7.4	34	1	2	6	9	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	63	5.0	50	<1	1	3	5	8	16	44
B. *Operated*	71	10.4	50	2	3	9	13	21	27	33
1. SINGLE DX	341	6.8	33	1	1	6	9	14	18	26
2. MULTIPLE DX	134	7.9	57	1	2	6	10	18	24	36
A. NOT OPERATED	116	4.3	32	<1	1	3	5	8	10	36
B. OPERATED	359	8.0	39	1	2	6	10	16	21	29
TOTAL 0-27 DYS	2	7.0	72	1	1	7	13	13	13	13
1-11 MOS										
1-5 YRS	5	10.4	113	1	1	8	17	27	27	27
6-12 YRS	59	7.1	33	1	1	6	9	16	17	31
13-19 YRS	409	7.0	40	1	1	6	9	15	20	30
GRAND TOTAL	**475**	**7.1**	**40**	**1**	**1**	**6**	**9**	**15**	**19**	**30**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.0	51	1	1	4	9	18	20	20
1-5 YRS	124	3.4	19	<1	<1	1	4	10	14	18
6-12 YRS	133	4.1	16	<1	<1	3	6	9	13	19
13-19 YRS	59	5.1	55	<1	<1	2	6	12	21	37
B. *Operated*										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	5	11.6	73	<1	<1	15	19	19	19	19
1-5 YRS	87	7.6	64	<1	1	5	10	19	24	40
6-12 YRS	64	8.2	126	<1	1	4	10	23	30	96
13-19 YRS	52	13.7	362	<1	1	7	19	25	68	90
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	7	6.1	7	3	3	6	8	10	10	10
1-5 YRS	92	6.2	69	<1	<1	3	7	13	17	51
6-12 YRS	119	5.0	25	<1	1	4	7	10	12	29
13-19 YRS	75	7.5	73	<1	1	5	9	21	28	41
B. *Operated*										
0-27 DYS										
1-11 MOS	7	19.4	128	5	5	21	30	32	32	32
1-5 YRS	53	20.1	290	3	4	17	27	45	57	75
6-12 YRS	56	22.3	439	1	3	17	28	51	71	94
13-19 YRS	48	18.9	265	2	3	14	25	46	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	4.1	25	<1	<1	2	5	10	14	21
B. *Operated*	210	9.4	160	<1	1	5	12	23	28	86
2. MULTIPLE DX										
A. *Not Operated*	294	6.0	51	<1	1	4	7	13	18	33
B. *Operated*	164	20.5	324	2	3	16	27	46	65	93
1. SINGLE DX	533	6.2	85	<1	<1	3	7	15	22	51
2. MULTIPLE DX	458	11.2	196	<1	1	6	14	28	41	75
A. NOT OPERATED	617	5.0	38	<1	<1	3	6	11	16	31
B. OPERATED	374	14.3	262	1	1	9	20	32	49	88
TOTAL 0-27 DYS	3	4.7	9	2	2	4	7	8	8	8
1-11 MOS	26	10.7	90	1	1	6	19	26	31	32
1-5 YRS	356	7.7	112	<1	<1	4	9	18	27	58
6-12 YRS	372	7.8	139	<1	<1	4	9	19	29	73
13-19 YRS	234	10.6	196	<1	1	5	13	26	38	85
GRAND TOTAL	**991**	**8.5**	**143**	**<1**	**<1**	**4**	**10**	**22**	**30**	**72**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	7.6	11	3	3	10	10	10	10	10
1-5 YRS	51	4.6	17	<1	<1	4	5	9	15	23
6-12 YRS	61	4.9	50	<1	1	4	5	8	11	50
13-19 YRS	65	4.5	21	<1	<1	3	6	10	13	22
B. *Operated*										
0-27 DYS										
1-11 MOS	3	23.0	343	9	9	16	37	44	44	44
1-5 YRS	22	8.7	69	<1	1	8	12	23	27	28
6-12 YRS	24	7.3	80	<1	<1	5	8	17	29	40
13-19 YRS	28	18.3	421	2	3	10	27	44	50	95
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	32	1	1	4	10	12	12	12
1-5 YRS	43	5.1	40	<1	1	3	8	12	15	35
6-12 YRS	51	7.5	46	1	1	5	10	19	22	30
13-19 YRS	70	7.2	36	1	1	5	10	15	20	26
B. *Operated*										
0-27 DYS										
1-11 MOS	1	40.0		40	40	40	40	40	40	40
1-5 YRS	28	20.0	229	1	3	13	33	41	46	53
6-12 YRS	16	19.9	606	<1	1	9	25	71	76	77
13-19 YRS	45	29.4	351	7	8	27	40	61	62	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	4.7	29	<1	<1	4	6	10	13	23
B. *Operated*	77	12.3	231	<1	1	8	13	30	43	81
2. MULTIPLE DX										
A. *Not Operated*	167	6.7	40	1	1	5	9	16	21	29
B. *Operated*	90	24.9	370	2	4	19	36	53	62	79
1. SINGLE DX	259	7.0	101	<1	<1	4	8	14	26	45
2. MULTIPLE DX	257	13.1	231	1	1	8	16	34	46	73
A. NOT OPERATED	349	5.7	35	<1	<1	4	7	13	17	27
B. OPERATED	167	19.1	344	1	2	12	29	45	58	79
TOTAL 0-27 DYS										
1-11 MOS	12	13.7	193	1	2	10	14	41	44	44
1-5 YRS	144	8.4	106	<1	1	4	10	23	34	45
6-12 YRS	152	7.7	127	<1	1	5	8	16	25	74
13-19 YRS	208	12.6	245	<1	<1	7	15	33	46	70
GRAND TOTAL	**516**	**10.0**	**174**	**<1**	**1**	**5**	**11**	**27**	**40**	**62**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	22	3.4	7	<1	<1	3	4	9	9	9
6-12 YRS	23	2.7	4	<1	<1	2	4	5	7	9
13-19 YRS	32	4.9	17	<1	1	4	5	10	15	19
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	16	9.4	107	1	2	7	10	31	35	36
6-12 YRS	24	11.2	116	1	2	7	19	28	31	36
13-19 YRS	65	7.2	42	1	1	5	9	17	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	9	2	2	4	7	8	8	8
1-5 YRS	15	3.7	9	<1	1	3	5	8	10	11
6-12 YRS	18	3.7	7	<1	1	3	5	8	9	10
13-19 YRS	49	7.5	51	1	1	6	9	13	28	33
B. *Operated*										
0-27 DYS										
1-11 MOS	3	25.3	550	5	5	20	43	51	51	51
1-5 YRS	8	16.0	924	<1	<1	3	14	67	90	90
6-12 YRS	19	13.3	144	1	2	6	23	30	37	42
13-19 YRS	40	13.4	176	2	2	9	16	31	44	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.8	11	<1	<1	3	5	9	10	18
B. *Operated*	107	8.4	69	1	1	6	11	22	28	36
2. MULTIPLE DX										
A. *Not Operated*	85	5.9	35	1	1	4	8	11	16	32
B. *Operated*	70	14.2	253	1	2	9	18	33	51	84
1. SINGLE DX	184	6.5	50	<1	1	4	8	16	23	35
2. MULTIPLE DX	155	9.7	150	1	1	6	11	25	32	60
A. NOT OPERATED	162	4.9	25	<1	1	4	6	10	12	29
B. OPERATED	177	10.7	149	1	2	7	14	27	34	58
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	13.0	321	<1	<1	5	17	45	51	51
1-5 YRS	61	6.7	159	<1	1	3	8	11	23	84
6-12 YRS	84	7.7	87	<1	1	4	9	25	29	40
13-19 YRS	186	8.2	76	1	1	6	10	18	27	46
GRAND TOTAL	**339**	**7.9**	**98**	**1**	**1**	**5**	**9**	**19**	**28**	**51**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	7	2.4	2	1	1	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	7	1.3		<1	<1	1	2	2	2	2
1-5 YRS	25	2.0	3	<1	<1	2	2	3	6	9
6-12 YRS	37	3.6	12	<1	1	2	4	8	13	15
13-19 YRS	130	3.8	11	1	1	3	4	6	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	27.3	1637	2	2	6	57	74	74	74
1-5 YRS	6	4.0	6	2	2	3	7	7	7	7
6-12 YRS	8	2.0	1	<1	<1	2	2	4	4	4
13-19 YRS	18	3.3	4	1	1	3	4	5	8	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	2.4	2	1	1	2	3	5	5	5
B. *Operated*	200	3.4	10	<1	1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	5	1.2		<1	<1	1	1	2	2	2
B. *Operated*	35	5.2	147	1	1	2	4	7	9	74
1. SINGLE DX	208	3.4	10	<1	1	3	4	6	9	17
2. MULTIPLE DX	40	4.7	130	<1	1	2	4	6	8	74
A. NOT OPERATED	13	1.9	2	<1	<1	2	2	4	5	5
B. OPERATED	235	3.7	30	<1	1	3	4	6	9	18
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	11	8.5	475	<1	<1	2	2	33	71	74
1-5 YRS	34	2.3	4	<1	<1	2	2	5	7	9
6-12 YRS	45	3.4	10	<1	1	2	4	7	12	15
13-19 YRS	157	3.6	10	1	1	3	4	6	9	17
GRAND TOTAL	**248**	**3.6**	**29**	**<1**	**1**	**2**	**4**	**6**	**9**	**17**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	3.1	4	<1	1	3	4	6	8	9
6-12 YRS	16	2.5	3	<1	1	2	4	4	6	7
13-19 YRS	18	2.2	2	<1	1	2	3	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	38	2.9	6	<1	1	2	3	7	8	11
6-12 YRS	73	2.9	9	1	1	2	3	5	7	20
13-19 YRS	74	4.4	13	1	1	3	7	10	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	8	1	1	6	6	6	6	6
1-5 YRS	7	7.6	77	2	2	4	7	23	27	27
6-12 YRS	5	2.8	6	1	1	2	4	7	7	7
13-19 YRS	14	2.6	2	1	1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	2.8	2	1	1	3	4	4	4	4
1-5 YRS	9	4.1	8	1	1	3	7	8	9	9
6-12 YRS	23	4.0	7	<1	1	3	6	8	9	9
13-19 YRS	44	7.0	24	1	2	6	11	12	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.6	3	<1	1	2	4	4	7	9
B. *Operated*	186	3.5	10	1	1	2	4	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	29	4.0	24	1	1	3	5	7	9	27
B. *Operated*	80	5.6	19	1	1	4	8	11	13	22
1. SINGLE DX	237	3.3	9	1	1	2	4	7	10	14
2. MULTIPLE DX	109	5.2	20	1	1	4	7	11	12	25
A. NOT OPERATED	80	3.1	11	1	1	2	4	6	7	22
B. OPERATED	266	4.1	14	1	1	3	6	9	11	19
TOTAL 0-27 DYS										
1-11 MOS	9	3.6	5	1	1	4	6	6	6	6
1-5 YRS	70	3.6	14	<1	1	2	4	7	9	24
6-12 YRS	117	3.1	7	1	1	2	4	7	8	14
13-19 YRS	150	4.7	17	1	1	3	7	11	12	20
GRAND TOTAL	**346**	**3.9**	**13**	**1**	**1**	**2**	**5**	**9**	**11**	**20**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	6	2.0	2	<1	<1	1	2	5	5	5
6-12 YRS	6	1.8	1	<1	<1	2	2	3	3	3
13-19 YRS	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	7	4.6	19	<1	<1	2	8	11	11	11
1-5 YRS	138	1.6	1	<1	1	1	2	2	3	6
6-12 YRS	93	1.9	3	<1	<1	2	2	2	3	11
13-19 YRS	74	2.2	3	<1	1	2	2	3	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	13	4.2	37	<1	1	2	4	10	21	24
6-12 YRS	26	2.8	18	<1	<1	1	2	10	15	17
13-19 YRS	24	2.6	7	<1	1	2	3	4	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.2	2	<1	<1	2	3	5	6	6
B. *Operated*	313	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	66	3.0	17	<1	1	2	2	6	13	23
1. SINGLE DX	328	2.0	3	<1	1	2	2	3	5	10
2. MULTIPLE DX	70	3.0	16	<1	1	2	2	5	13	23
A. NOT OPERATED	19	2.2	2	<1	<1	2	3	5	6	6
B. OPERATED	379	2.2	6	<1	1	2	2	3	7	14
TOTAL 0-27 DYS	2	10.0	128	2	2	10	18	18	18	18
1-11 MOS	10	4.5	13	<1	<1	4	7	10	11	11
1-5 YRS	159	1.9	4	<1	1	2	2	3	4	9
6-12 YRS	126	2.1	6	<1	<1	2	2	2	8	15
13-19 YRS	101	2.3	4	<1	1	2	2	4	7	11
GRAND TOTAL	**398**	**2.2**	**6**	**<1**	**1**	**2**	**2**	**3**	**6**	**14**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.8		<1	<1	2	2	2	2	2
6-12 YRS	18	1.7	1	<1	<1	2	2	3	4	4
13-19 YRS	15	2.4	9	<1	<1	1	2	5	10	12
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	41	2.7	7	<1	1	2	3	5	8	15
1-5 YRS	175	2.4	5	<1	<1	2	3	4	6	13
6-12 YRS	577	2.8	4	<1	1	2	3	5	6	11
13-19 YRS	1557	3.0	5	1	1	3	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.0		<1	<1	1	1	1	1	1
6-12 YRS	15	3.5	19	<1	<1	2	4	9	15	17
13-19 YRS	22	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	15.4	690	1	1	5	17	55	87	87
1-5 YRS	19	2.7	3	<1	<1	2	3	5	7	7
6-12 YRS	90	3.2	9	<1	1	2	3	6	9	17
13-19 YRS	229	3.5	10	1	1	3	4	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	2.0	4	<1	<1	2	2	3	5	12
B. *Operated*	2352	2.9	5	<1	1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	42	2.5	9	<1	<1	1	3	5	8	17
B. *Operated*	349	3.8	31	1	1	3	4	6	11	24
1. SINGLE DX	2391	2.9	5	<1	1	2	3	5	6	12
2. MULTIPLE DX	391	3.6	29	<1	1	2	4	6	9	22
A. NOT OPERATED	81	2.3	6	<1	<1	1	2	4	7	15
B. OPERATED	2701	3.0	8	<1	1	2	3	5	7	13
TOTAL 0-27 DYS	4	6.0	6	3	3	6	8	8	8	8
1-11 MOS	54	5.0	148	<1	1	2	4	9	17	84
1-5 YRS	201	2.4	4	<1	<1	2	3	4	6	12
6-12 YRS	700	2.8	5	<1	1	2	3	5	7	12
13-19 YRS	1823	3.0	5	1	1	3	3	5	7	13
GRAND TOTAL	**2782**	**3.0**	**8**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	18	2.8	4	<1	<1	2	4	6	6	6
1-5 YRS	20	2.5	2	<1	<1	2	4	5	5	5
6-12 YRS	7	1.4		<1	<1	1	2	2	2	2
13-19 YRS	12	2.5	3	1	1	2	3	5	7	7
B. *Operated*										
0-27 DYS	3	10.0	193	<1	<1	3	20	26	26	26
1-11 MOS	254	2.5	8	<1	<1	2	2	4	7	13
1-5 YRS	740	2.1	7	<1	<1	1	2	4	6	12
6-12 YRS	664	2.3	8	<1	<1	2	2	4	6	13
13-19 YRS	581	2.6	13	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	35	4.0	27	1	1	2	5	8	11	29
1-5 YRS	47	2.4	10	<1	<1	1	2	6	9	16
6-12 YRS	11	4.3	55	<1	<1	2	3	15	25	26
13-19 YRS	10	4.7	31	<1	<1	3	5	13	19	19
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	52	5.3	35	<1	<1	3	7	21	82	99+
1-5 YRS	122	3.8	39	<1	<1	2	3	8	15	34
6-12 YRS	116	3.2	11	<1	1	2	3	8	12	16
13-19 YRS	192	3.3	15	<1	<1	2	3	7	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	2.4	3	<1	<1	2	3	5	6	7
B. *Operated*	2242	2.3	10	<1	<1	2	2	4	7	12
2. MULTIPLE DX										
A. *Not Operated*	104	3.3	22	<1	<1	1	4	8	12	27
B. *Operated*	483	3.6	23	<1	<1	2	4	8	14	30
1. SINGLE DX	2302	2.3	9	<1	<1	2	2	4	7	12
2. MULTIPLE DX	587	3.5	23	<1	<1	2	4	8	14	29
A. NOT OPERATED	164	3.0	15	<1	<1	2	4	6	8	25
B. OPERATED	2725	2.6	12	<1	<1	2	3	5	8	16
TOTAL 0-27 DYS	8	4.8	75	<1	<1	2	3	19	26	26
1-11 MOS	359	3.1	15	<1	<1	2	3	6	11	29
1-5 YRS	929	2.3	12	<1	<1	1	2	4	7	16
6-12 YRS	798	2.4	9	<1	<1	2	2	5	8	14
13-19 YRS	795	2.8	14	<1	<1	2	3	5	8	16
GRAND TOTAL	**2889**	**2.6**	**12**	**<1**	**<1**	**2**	**3**	**5**	**8**	**17**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	25	2.1	1	<1	1	2	3	3	4	4
13-19 YRS	1031	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	125	2.3	2	1	1	2	3	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	1060	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*	126	2.3	2	1	1	2	3	3	5	8
1. SINGLE DX	1062	1.9	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX	129	2.3	2	1	1	2	3	4	5	8
A. NOT OPERATED	5	3.2	9	1	1	2	5	8	8	8
B. OPERATED	1186	1.9	1	<1	<1	2	2	3	3	5
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	26	2.1	1	<1	1	2	2	3	4	4
13-19 YRS	1161	1.9	1	<1	<1	2	2	3	3	5
GRAND TOTAL	**1191**	**1.9**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**5**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	9	6.2	8	2	2	7	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	3	6.3	6	4	4	6	8	9	9	9
1-11 MOS	6	7.5	2	6	6	7	8	10	10	10
1-5 YRS	4	8.5	6	6	6	8	10	12	12	12
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	23	5.2	10	1	2	5	7	9	12	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	13	5.8	8	1	2	7	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	38	6.1	8	1	2	6	8	10	12	13
1. SINGLE DX	14	5.4	9	1	1	6	8	8	10	10
2. MULTIPLE DX	38	6.1	8	1	2	6	8	10	12	13
A. NOT OPERATED	1	1.0		1	1	1	1	1	1	1
B. OPERATED	51	6.0	8	1	2	7	8	9	11	13
TOTAL 0-27 DYS	5	5.2	9	1	1	6	7	9	9	9
1-11 MOS	8	7.1	2	5	5	7	8	9	10	10
1-5 YRS	4	8.5	6	6	6	8	10	12	12	12
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS	33	5.4	9	1	2	6	7	9	11	13
GRAND TOTAL	**52**	**5.9**	**8**	**1**	**2**	**6**	**8**	**9**	**11**	**13**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	4	3.3	11	1	1	2	5	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.0	8	1	1	3	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	5	3.0	9	1	1	2	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	2	3.0	8	1	1	3	5	5	5	5
1. SINGLE DX	5	3.0	9	1	1	2	4	8	8	8
2. MULTIPLE DX	2	3.0	8	1	1	3	5	5	5	5
A. NOT OPERATED										
B. OPERATED	7	3.0	7	1	1	2	4	7	8	8
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.2	8	1	1	2	5	8	8	8
GRAND TOTAL	**7**	**3.0**	**7**	**1**	**1**	**2**	**4**	**7**	**8**	**8**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	4	3.3	3	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS										
1-5 YRS	2	7.0		7	7	7	7	7	7	7
6-12 YRS	35	6.3	4	3	4	6	7	10	10	11
13-19 YRS	378	5.7	3	4	4	6	7	8	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	3.8	5	1	1	3	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.7	4	8	8	9	11	12	12	12
1-5 YRS	2	4.0		4	4	4	4	4	4	4
6-12 YRS	19	7.3	14	3	4	6	10	14	16	16
13-19 YRS	234	6.3	4	4	4	6	7	9	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	2	1	1	4	4	5	5	5
B. *Operated*	416	5.8	3	4	4	6	7	8	8	12
2. MULTIPLE DX										
A. *Not Operated*	8	3.8	5	1	1	3	5	7	7	7
B. *Operated*	258	6.4	5	4	4	6	7	9	11	15
1. SINGLE DX	421	5.8	3	3	4	6	7	8	8	12
2. MULTIPLE DX	266	6.3	5	4	4	6	7	9	11	15
A. NOT OPERATED	13	3.6	3	1	1	4	5	6	7	7
B. OPERATED	674	6.0	4	4	4	6	7	8	10	13
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	9.7	4	8	8	9	11	12	12	12
1-5 YRS	4	5.5	3	4	4	5	7	7	7	7
6-12 YRS	55	6.6	8	3	4	6	7	11	11	16
13-19 YRS	624	5.9	3	4	4	6	7	8	9	12
GRAND TOTAL	**687**	**6.0**	**4**	**4**	**4**	**6**	**7**	**8**	**9**	**13**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	3.4	11	<1	<1	2	5	9	9	9
13-19 YRS	19	3.2	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	8	3.5	3	<1	1	3	5	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	3.1	5	<1	<1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	11	3.0	3	<1	1	2	5	6	6	6
1. SINGLE DX	25	3.1	5	<1	<1	3	4	6	7	9
2. MULTIPLE DX	12	2.9	3	<1	1	2	4	5	6	6
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	36	3.1	4	<1	<1	3	4	6	7	9
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	2.9	8	<1	<1	2	4	8	9	9
13-19 YRS	28	3.2	3	<1	<1	3	5	6	6	7
GRAND TOTAL	**37**	**3.1**	**4**	**<1**	**<1**	**2**	**4**	**6**	**7**	**9**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	1.3		<1	<1	1	1	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	9	2.4	1	1	1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	5	1.8	2	1	1	1	2	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	14	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	7	2.6	7	<1	<1	1	3	7	8	8
1. SINGLE DX	14	2.1	1	<1	<1	2	3	4	4	4
2. MULTIPLE DX	8	2.5	6	<1	<1	2	3	7	8	8
A. NOT OPERATED	1	2.0		2	2	2	2	2	2	2
B. OPERATED	21	2.2	3	<1	<1	2	3	4	6	8
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	2.6	9	<1	<1	1	3	8	8	8
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	14	2.2	1	1	1	2	3	4	4	4
GRAND TOTAL	**22**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**6**	**8**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.5	41	<1	<1	5	10	10	10	10
13-19 YRS	5	2.0	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	10.5	181	<1	<1	10	20	20	20	20
13-19 YRS	4	4.3	5	2	2	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	7	3.0	10	<1	<1	2	3	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	7	5.6	45	<1	<1	3	6	17	20	20
1. SINGLE DX	7	3.0	10	<1	<1	2	3	9	10	10
2. MULTIPLE DX	7	5.6	45	<1	<1	3	6	17	20	20
A. NOT OPERATED										
B. OPERATED	14	4.3	27	<1	<1	2	5	11	18	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	8.0	82	<1	<1	5	15	20	20	20
13-19 YRS	9	3.0	4	1	1	2	4	6	7	7
GRAND TOTAL	**14**	**4.3**	**27**	**<1**	**<1**	**2**	**5**	**11**	**18**	**20**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.3		1	1	1	2	2	2	2
1-5 YRS	36	1.4		<1	<1	1	2	2	2	3
6-12 YRS	26	1.6		<1	<1	1	2	2	3	3
13-19 YRS	18	2.2	2	<1	<1	2	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	10	1.8		1	1	2	2	3	3	3
6-12 YRS	5	2.0	1	1	1	2	2	3	3	3
13-19 YRS	6	2.3	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	83	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	4	1.3		<1	<1	1	2	2	2	2
B. *Operated*	22	2.1	1	1	1	2	2	4	4	5
1. SINGLE DX	85	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	26	2.0	1	<1	1	2	2	3	4	5
A. NOT OPERATED	6	1.3		<1	<1	1	2	2	2	2
B. OPERATED	105	1.7	1	<1	<1	2	2	3	3	6
TOTAL 0-27 DYS										
1-11 MOS	5	2.0	3	<1	<1	1	3	5	5	5
1-5 YRS	49	1.4		<1	<1	1	2	2	2	3
6-12 YRS	31	1.6		<1	<1	2	2	3	3	3
13-19 YRS	26	2.2	2	<1	<1	2	2	4	5	7
GRAND TOTAL	**111**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	7	7.0	29	<1	<1	6	12	14	14	14
1-5 YRS	4	7.5	14	4	4	7	10	12	12	12
6-12 YRS	8	12.3	15	8	8	11	15	18	19	19
13-19 YRS	22	12.0	63	1	6	10	15	17	27	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.8	1	<1	<1	1	2	3	3	3
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	3	3.7	2	2	2	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	12.8	67	6	6	8	20	24	24	24
6-12 YRS	11	14.4	44	8	8	12	20	24	25	25
13-19 YRS	20	15.9	122	4	5	11	23	37	72	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0		2	2	2	2	2	2	2
B. *Operated*	41	10.8	46	<1	3	10	14	16	18	42
2. MULTIPLE DX										
A. *Not Operated*	9	2.6	2	<1	<1	2	3	5	5	5
B. *Operated*	36	15.0	87	5	6	11	22	25	42	99+
1. SINGLE DX	43	10.3	47	<1	2	10	14	16	18	42
2. MULTIPLE DX	45	12.5	95	1	2	10	21	24	33	99+
A. NOT OPERATED	11	2.5	1	<1	1	2	3	4	5	5
B. OPERATED	77	12.7	69	1	5	10	16	24	27	86
TOTAL 0-27 DYS										
1-11 MOS	8	6.4	28	<1	<1	5	11	14	14	14
1-5 YRS	13	7.8	49	<1	1	6	10	20	23	24
6-12 YRS	22	12.0	42	2	3	10	16	22	24	25
13-19 YRS	45	13.2	93	2	4	10	16	24	43	99+
GRAND TOTAL	**88**	**11.4**	**72**	**1**	**2**	**10**	**16**	**23**	**25**	**80**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	9	3.1	1	2	2	3	4	5	5	5
13-19 YRS	109	3.8	1	2	3	4	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	32	<1	<1	4	9	9	9	9
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	24	4.6	11	2	3	4	5	6	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	124	3.7	1	2	2	4	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*	27	4.6	11	2	3	4	5	8	10	19
1. SINGLE DX	124	3.7	1	2	2	4	4	5	6	7
2. MULTIPLE DX	29	4.4	11	<1	2	4	5	7	9	19
A. NOT OPERATED	2	2.0	2	<1	<1	1	3	3	3	3
B. OPERATED	151	3.8	3	2	2	4	4	5	6	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	5	3.4	11	<1	<1	2	5	9	9	9
6-12 YRS	10	3.3	2	2	2	3	4	5	5	5
13-19 YRS	135	3.9	3	2	3	4	4	5	6	10
GRAND TOTAL	**153**	**3.8**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**9**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	4.4	11	3	3	3	4	10	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	9.0	8	7	7	9	11	11	11	11
13-19 YRS	25	11.0	71	4	4	9	11	24	33	39
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	4.5	1	4	4	4	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	16	9.7	41	4	4	8	11	19	26	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.4	11	3	3	3	4	10	13	13
B. *Operated*	28	10.8	63	4	4	9	11	21	32	39
2. MULTIPLE DX										
A. *Not Operated*	4	4.5	1	4	4	4	5	6	6	6
B. *Operated*	18	9.7	39	4	4	8	12	18	25	28
1. SINGLE DX	37	9.3	58	3	3	8	11	13	29	39
2. MULTIPLE DX	22	8.7	36	4	4	7	10	16	23	28
A. NOT OPERATED	13	4.5	7	3	3	4	5	7	12	13
B. OPERATED	46	10.4	53	4	4	9	11	19	29	39
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.5	13	5	5	7	10	10	10	10
6-12 YRS	3	10.7	12	7	7	11	13	14	14	14
13-19 YRS	54	9.0	52	3	3	7	10	15	27	39
GRAND TOTAL	**59**	**9.1**	**49**	**3**	**3**	**7**	**11**	**14**	**26**	**38**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	50	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS	32	2.9	8	<1	<1	2	3	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	51	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	34	3.2	9	<1	<1	2	3	7	8	15
1. SINGLE DX	52	2.3	2	<1	1	2	3	4	6	8
2. MULTIPLE DX	34	3.2	9	<1	<1	2	3	7	8	15
A. NOT OPERATED	1	6.0		6	6	6	6	6	6	6
B. OPERATED	85	2.6	5	<1	<1	2	3	6	7	13
TOTAL 0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	83	2.6	5	<1	<1	2	3	6	7	13
GRAND TOTAL	**86**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**6**	**7**	**13**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	3.7	8	2	2	2	6	7	7	7
13-19 YRS	6	6.3	11	<1	<1	7	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	5.0	39	<1	<1	2	7	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	11	4.8	11	<1	1	5	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	5	5.0	39	<1	<1	2	7	16	16	16
1. SINGLE DX	11	4.8	11	<1	1	5	8	9	10	10
2. MULTIPLE DX	7	4.4	27	<1	<1	2	4	14	16	16
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	16	4.9	17	<1	<1	3	7	10	14	16
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	3.7	8	2	2	2	6	7	7	7
13-19 YRS	12	5.4	21	<1	<1	4	8	12	15	16
GRAND TOTAL	**18**	**4.7**	**16**	**<1**	**1**	**3**	**7**	**10**	**14**	**16**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.8	1	1	1	2	2	3	3	3
1-11 MOS	8	1.3		<1	<1	1	2	2	2	2
1-5 YRS	33	3.6	12	<1	1	2	4	7	14	15
6-12 YRS	42	3.3	6	<1	<1	3	4	7	9	10
13-19 YRS	64	6.1	109	<1	1	4	7	9	13	72
B. *Operated*										
0-27 DYS	3	8.0	7	5	5	9	10	10	10	10
1-11 MOS	28	4.8	30	<1	<1	2	6	13	20	21
1-5 YRS	84	3.1	13	<1	<1	2	3	8	11	18
6-12 YRS	137	3.6	15	<1	1	2	4	8	11	24
13-19 YRS	387	4.3	13	1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	8	3.0	5	<1	<1	2	4	6	7	7
1-5 YRS	38	3.1	9	<1	<1	2	4	7	11	13
6-12 YRS	34	4.4	14	<1	1	3	6	11	13	13
13-19 YRS	82	5.4	47	<1	1	3	7	10	15	37
B. *Operated*										
0-27 DYS										
1-11 MOS	9	22.0	796	1	2	18	23	69	92	92
1-5 YRS	40	6.1	41	1	1	4	8	17	24	99+
6-12 YRS	58	11.2	298	1	2	4	10	30	57	79
13-19 YRS	127	8.9	60	2	2	6	11	20	25	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	4.4	52	<1	1	3	5	8	10	36
B. *Operated*	639	4.0	15	<1	1	3	5	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	163	4.5	30	<1	1	3	5	10	13	36
B. *Operated*	234	9.5	149	1	2	6	11	21	31	81
1. SINGLE DX	792	4.1	22	<1	1	3	5	9	12	19
2. MULTIPLE DX	397	7.5	106	1	1	4	9	17	26	71
A. NOT OPERATED	316	4.4	40	<1	1	3	5	9	12	37
B. OPERATED	873	5.5	56	1	1	3	7	12	17	34
TOTAL 0-27 DYS	10	3.8	10	1	1	3	5	9	10	10
1-11 MOS	53	6.9	188	<1	<1	2	7	18	21	90
1-5 YRS	195	3.8	19	<1	<1	2	5	10	14	26
6-12 YRS	271	5.3	83	<1	1	3	5	10	15	61
13-19 YRS	660	5.5	39	1	1	4	7	11	15	33
GRAND TOTAL	**1189**	**5.2**	**52**	**<1**	**1**	**3**	**6**	**11**	**16**	**35**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS	5	1.6	1	1	1	1	2	3	3	3
13-19 YRS	10	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	6	3.2	4	2	2	3	3	7	7	7
13-19 YRS	81	3.5	2	1	2	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	16	3.2	4	1	1	3	4	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	25	4.4	3	2	3	4	5	6	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.3	2	<1	1	2	3	4	5	5
B. *Operated*	89	3.6	2	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	20	3.1	3	1	1	3	4	5	7	8
B. *Operated*	29	4.4	2	2	3	4	5	6	8	8
1. SINGLE DX	106	3.4	2	1	1	3	4	5	6	9
2. MULTIPLE DX	49	3.9	3	1	1	4	5	6	8	8
A. NOT OPERATED	37	2.7	3	1	1	3	4	5	5	8
B. OPERATED	118	3.8	2	2	2	4	4	6	6	9
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	5	5.2	14	1	1	4	7	11	11	11
6-12 YRS	16	2.6	2	1	1	2	3	4	6	7
13-19 YRS	132	3.6	2	1	2	3	4	5	6	8
GRAND TOTAL	**155**	**3.5**	**3**	**1**	**1**	**3**	**4**	**5**	**6**	**8**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	2.3	4	1	1	1	3	6	6	6
1-11 MOS	11	4.7	28	1	1	3	5	15	16	16
1-5 YRS	15	4.9	15	1	2	3	6	9	14	16
6-12 YRS	24	5.4	17	1	2	4	7	10	17	18
13-19 YRS	120	5.1	13	1	1	4	7	10	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	7.0	32	3	3	7	11	11	11	11
6-12 YRS	15	5.9	24	2	2	4	6	14	18	20
13-19 YRS	136	5.4	30	3	3	4	5	9	11	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.3	8	1	1	4	6	8	8	8
1-11 MOS	14	5.2	27	1	2	4	5	10	19	22
1-5 YRS	7	6.4	20	2	2	4	10	13	13	13
6-12 YRS	23	5.3	13	1	2	5	7	12	13	13
13-19 YRS	103	5.4	15	1	1	4	7	11	13	19
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	4	8.8	14	4	4	9	11	13	13	13
13-19 YRS	44	6.7	28	2	3	5	8	11	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	177	5.0	15	1	1	4	7	9	13	18
B. *Operated*	153	5.5	29	2	3	4	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*	151	5.4	16	1	2	4	7	11	13	21
B. *Operated*	52	6.9	28	2	3	5	8	13	17	33
1. SINGLE DX	330	5.2	21	1	2	4	6	9	12	21
2. MULTIPLE DX	203	5.8	19	1	2	4	7	11	14	21
A. NOT OPERATED	328	5.2	15	1	1	4	7	11	13	19
B. OPERATED	205	5.8	29	2	3	4	6	9	14	27
TOTAL 0-27 DYS	12	4.3	24	1	1	3	5	11	17	18
1-11 MOS	26	4.8	26	1	1	4	5	13	17	22
1-5 YRS	26	5.5	16	1	2	4	8	11	14	16
6-12 YRS	66	5.7	17	2	2	5	7	12	14	20
13-19 YRS	403	5.5	21	1	2	4	6	10	12	21
GRAND TOTAL	**533**	**5.4**	**21**	**1**	**2**	**4**	**6**	**10**	**13**	**21**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	6.9	20	<1	1	6	11	13	14	14
1-5 YRS	164	6.6	14	2	3	6	8	10	11	19
6-12 YRS	660	6.7	21	2	3	6	8	11	13	18
13-19 YRS	731	5.9	25	1	2	5	7	10	12	19
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	8.9	10	4	5	9	11	13	14	14
1-11 MOS	9	8.8	44	1	1	10	14	18	19	19
1-5 YRS	69	6.3	16	1	2	5	9	11	15	18
6-12 YRS	290	6.0	35	1	1	5	8	11	14	40
13-19 YRS	540	6.2	39	1	2	5	8	11	15	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	8	5.5	8	2	2	5	8	9	10	10
13-19 YRS	35	8.8	39	2	3	7	10	18	22	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1567	6.3	22	2	2	6	8	11	12	19
B. *Operated*	3	8.3	30	3	3	8	12	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	916	6.2	36	1	2	5	8	11	15	33
B. *Operated*	44	8.2	34	2	3	7	9	17	21	28
1. SINGLE DX	1570	6.3	22	2	2	6	8	11	12	19
2. MULTIPLE DX	960	6.3	36	1	2	5	8	11	15	30
A. NOT OPERATED	2483	6.3	27	1	2	5	8	11	13	21
B. OPERATED	47	8.2	33	2	3	7	10	17	21	28
TOTAL 0-27 DYS	9	8.2	12	3	3	8	11	13	14	14
1-11 MOS	21	7.7	29	1	1	7	12	15	17	19
1-5 YRS	234	6.4	15	2	2	6	8	10	12	18
6-12 YRS	960	6.5	25	1	2	6	8	11	14	19
13-19 YRS	1306	6.1	31	1	2	5	8	11	14	23
GRAND TOTAL	**2530**	**6.3**	**27**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.0	26	3	3	6	6	16	17	17
1-5 YRS	72	6.8	18	1	1	7	9	13	15	19
6-12 YRS	767	5.8	23	1	2	5	8	10	13	22
13-19 YRS	1603	4.6	17	1	2	4	6	8	10	18
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	4	8.3	3	6	6	8	9	10	10	10
13-19 YRS	9	6.7	11	3	3	6	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	9.5	113	2	2	9	17	17	17	17
1-11 MOS	9	11.2	30	3	5	10	14	19	23	23
1-5 YRS	67	7.6	23	2	2	7	10	13	16	24
6-12 YRS	398	5.6	14	2	2	5	7	11	13	19
13-19 YRS	1242	5.4	20	1	2	4	7	10	13	23
B. *Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	3	13.3	1	12	12	14	14	14	14	14
6-12 YRS	6	11.0	19	7	7	9	16	17	17	17
13-19 YRS	61	10.2	38	3	4	9	13	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2449	5.0	19	1	2	4	6	9	12	19
B. *Operated*	15	7.6	9	3	4	7	10	11	13	13
2. MULTIPLE DX										
A. *Not Operated*	1718	5.6	19	1	2	4	7	10	13	22
B. *Operated*	71	10.4	34	3	4	9	14	17	21	33
1. SINGLE DX	2464	5.1	19	1	2	4	6	9	12	19
2. MULTIPLE DX	1789	5.8	21	1	2	5	7	11	14	23
A. NOT OPERATED	4167	5.3	19	1	2	4	7	10	12	20
B. OPERATED	86	9.9	31	3	4	9	13	16	18	33
TOTAL 0-27 DYS	3	7.0	75	2	2	2	13	17	17	17
1-11 MOS	17	9.5	28	3	3	9	12	16	21	23
1-5 YRS	143	7.3	21	1	2	7	10	13	15	22
6-12 YRS	1175	5.7	20	1	2	5	8	11	13	20
13-19 YRS	2915	5.1	19	1	2	4	6	9	12	20
GRAND TOTAL	**4253**	**5.3**	**20**	**1**	**2**	**4**	**7**	**10**	**13**	**20**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	5.6	10	3	3	4	9	9	9	9
1-5 YRS	79	6.3	13	1	2	6	7	11	13	19
6-12 YRS	360	7.0	28	2	2	6	8	11	14	32
13-19 YRS	702	5.7	11	1	2	5	7	10	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.3		4	4	4	5	5	5	5
13-19 YRS	9	9.9	64	1	1	7	14	23	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.8	6	2	2	4	6	8	8	8
1-5 YRS	42	6.0	22	1	2	5	8	10	17	23
6-12 YRS	200	6.0	19	1	2	5	8	11	15	21
13-19 YRS	650	6.2	28	1	2	5	8	11	15	22
B. *Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	6	18.7	289	9	9	12	16	49	53	53
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	8	7.8	33	2	2	7	10	17	19	19
13-19 YRS	69	9.6	97	2	2	8	12	20	24	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1146	6.1	17	2	2	5	8	10	13	21
B. *Operated*	12	8.5	53	1	2	6	10	21	24	25
2. MULTIPLE DX										
A. *Not Operated*	896	6.1	26	1	2	5	8	11	15	22
B. *Operated*	85	10.2	105	2	2	8	12	19	25	61
1. SINGLE DX	1158	6.1	17	1	2	5	8	10	13	22
2. MULTIPLE DX	981	6.5	34	1	2	5	8	12	15	25
A. NOT OPERATED	2042	6.1	21	1	2	5	8	11	14	22
B. OPERATED	97	10.0	98	2	2	8	12	20	25	59
TOTAL 0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	15	10.6	154	2	3	9	11	16	44	53
1-5 YRS	122	6.3	17	1	2	6	8	11	14	22
6-12 YRS	571	6.6	25	1	2	6	8	11	15	27
13-19 YRS	1430	6.1	24	1	2	5	8	11	14	22
GRAND TOTAL	**2139**	**6.3**	**25**	**1**	**2**	**5**	**8**	**11**	**14**	**23**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	24	2.9	2	<1	1	3	4	5	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	4.5	3	2	2	5	6	6	6	6
13-19 YRS	112	3.4	5	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	3.1	4	1	1	3	4	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	6.3	4	4	4	6	8	9	9	9
13-19 YRS	130	4.6	9	<1	1	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.0	2	1	1	3	4	5	5	6
B. *Operated*	118	3.5	4	1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	23	3.1	4	1	1	3	4	7	8	8
B. *Operated*	138	4.7	9	<1	1	5	7	8	10	15
1. SINGLE DX	144	3.4	4	1	1	3	5	6	7	9
2. MULTIPLE DX	161	4.5	8	1	1	4	6	8	10	14
A. NOT OPERATED	49	3.0	3	1	1	3	4	6	6	8
B. OPERATED	256	4.1	7	1	1	4	6	7	9	12
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	14	5.4	4	2	2	5	7	8	9	9
13-19 YRS	289	3.9	7	1	1	3	5	7	8	12
GRAND TOTAL	**305**	**3.9**	**7**	**1**	**1**	**3**	**6**	**7**	**8**	**12**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	4.4	12	1	1	3	6	10	10	10
1-11 MOS	23	4.0	15	<1	1	4	5	8	13	18
1-5 YRS	135	2.8	12	1	1	2	3	5	7	19
6-12 YRS	187	2.8	6	<1	1	2	3	5	7	13
13-19 YRS	225	4.1	16	1	1	3	5	8	11	21
B. *Operated*										
0-27 DYS										
1-11 MOS	5	8.6	38	1	1	7	12	18	18	18
1-5 YRS	16	4.8	12	1	1	4	6	11	12	12
6-12 YRS	14	5.1	29	1	2	4	5	8	20	23
13-19 YRS	22	5.4	37	<1	1	3	7	9	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	3.8	3	2	2	3	4	7	7	7
1-11 MOS	42	6.5	58	1	1	3	7	20	24	33
1-5 YRS	177	4.1	27	1	1	3	5	8	12	25
6-12 YRS	194	3.9	33	1	1	3	4	8	12	47
13-19 YRS	358	4.2	16	1	1	3	5	8	11	26
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	8	10.4	66	2	2	9	16	22	23	23
1-5 YRS	13	6.5	31	<1	1	6	7	12	21	23
6-12 YRS	20	5.0	7	1	2	5	6	8	10	12
13-19 YRS	34	8.5	61	2	2	7	12	17	19	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	575	3.3	12	1	1	2	4	7	9	20
B. *Operated*	57	5.4	27	1	1	4	7	10	16	30
2. MULTIPLE DX										
A. *Not Operated*	777	4.2	25	1	1	3	5	9	11	27
B. *Operated*	76	7.5	44	2	2	6	9	15	21	37
1. SINGLE DX	632	3.5	14	1	1	3	4	7	10	21
2. MULTIPLE DX	853	4.5	27	1	1	3	5	9	13	27
A. NOT OPERATED	1352	3.9	20	1	1	3	5	7	10	23
B. OPERATED	133	6.6	38	1	2	5	8	14	20	32
TOTAL 0-27 DYS	12	4.9	14	1	2	4	6	11	14	14
1-11 MOS	78	6.3	47	1	1	4	7	18	23	31
1-5 YRS	341	3.7	21	1	1	2	4	7	10	23
6-12 YRS	415	3.5	20	1	1	3	4	7	9	22
13-19 YRS	639	4.4	20	1	1	3	5	9	12	25
GRAND TOTAL	**1485**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	7.3	26	3	3	6	11	13	13	13
1-11 MOS	29	7.3	44	2	2	5	8	17	23	30
1-5 YRS	10	4.7	4	1	2	5	6	7	8	8
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	7	15.7	673	2	2	5	46	92	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	2	4.5	5	3	3	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	14	5.7	24	1	2	4	8	12	17	18
1-11 MOS	66	8.6	32	2	3	7	12	17	19	27
1-5 YRS	43	7.3	38	1	2	5	11	14	20	29
6-12 YRS	8	8.0	25	4	4	6	11	16	17	17
13-19 YRS	24	7.5	122	1	1	6	8	51	99+	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	3	42.7	1400	14	14	29	71	85	85	85
1-5 YRS	3	22.0	499	4	4	15	39	47	47	47
6-12 YRS	6	8.8	54	2	2	6	12	21	22	22
13-19 YRS	9	8.9	35	1	2	8	14	17	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	7.8	119	2	2	5	8	19	29	99+
B. *Operated*	3	4.7	2	3	3	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	155	7.8	46	1	2	6	11	17	21	97
B. *Operated*	21	15.6	367	2	3	8	16	36	64	85
1. SINGLE DX	54	7.6	113	2	2	5	8	19	28	99
2. MULTIPLE DX	176	8.7	89	1	2	6	12	18	23	96
A. NOT OPERATED	206	7.8	64	1	2	6	10	17	23	99+
B. OPERATED	24	14.2	333	2	3	8	15	31	58	85
TOTAL 0-27 DYS	17	6.0	23	1	2	5	9	13	16	18
1-11 MOS	99	9.3	98	2	2	7	11	18	23	58
1-5 YRS	56	7.6	61	1	2	5	10	15	22	46
6-12 YRS	16	7.6	34	2	2	5	10	17	20	22
13-19 YRS	42	9.0	184	1	1	6	11	54	99+	99+
GRAND TOTAL	**230**	**8.5**	**94**	**1**	**2**	**6**	**11**	**18**	**23**	**99+**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	13.7	64	6	6	13	20	22	22	22
1-11 MOS	34	7.7	32	1	2	6	10	16	19	26
1-5 YRS	58	8.7	30	2	3	7	13	17	20	21
6-12 YRS	139	9.8	33	<1	<1	10	14	17	20	23
13-19 YRS	153	12.7	53	3	5	12	15	20	22	37
B. *Operated*										
0-27 DYS	3	14.3	9	11	11	16	58	99+	99+	99+
1-11 MOS	2	52.5	3613	10	10	52	95	95	95	95
1-5 YRS	1	21.0		21	21	21	21	21	21	21
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	6.0	66	1	1	3	11	18	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	62	9.9	94	2	3	7	12	20	23	64
1-5 YRS	101	9.3	55	2	3	8	11	17	21	42
6-12 YRS	172	10.3	56	<1	1	9	14	20	22	44
13-19 YRS	229	11.7	44	3	5	11	14	19	22	31
B. *Operated*										
0-27 DYS	2	33.5	925	12	12	33	55	55	55	55
1-11 MOS	4	16.0	178	9	9	10	23	36	36	36
1-5 YRS	15	13.6	84	2	2	12	18	28	30	31
6-12 YRS	9	14.7	46	3	5	13	19	24	25	25
13-19 YRS	15	17.2	46	4	11	16	21	27	28	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	387	10.7	44	1	3	10	14	19	21	29
B. *Operated*	11	17.7	709	1	1	13	19	96	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	565	10.7	56	2	3	10	14	20	22	39
B. *Operated*	45	16.1	99	2	3	14	20	28	32	55
1. SINGLE DX	398	10.8	62	1	3	10	14	19	21	36
2. MULTIPLE DX	610	11.1	61	2	3	10	14	20	23	43
A. NOT OPERATED	952	10.7	51	2	3	10	14	19	21	32
B. OPERATED	56	16.4	209	2	2	14	20	29	48	99+
TOTAL 0-27 DYS	9	19.6	210	6	8	16	25	77	99+	99+
1-11 MOS	102	10.2	147	2	3	8	11	19	25	81
1-5 YRS	175	9.6	50	2	3	8	13	18	21	30
6-12 YRS	321	10.2	46	<1	1	10	14	19	21	30
13-19 YRS	401	12.2	49	3	5	11	15	20	22	35
GRAND TOTAL	**1008**	**11.0**	**61**	**2**	**3**	**10**	**14**	**20**	**22**	**38**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	11	3.7	21	<1	<1	3	4	9	16	17
6-12 YRS	21	5.1	28	1	2	4	7	41	99+	99+
13-19 YRS	30	4.7	18	<1	1	3	5	12	14	19
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	66	7.8	5	5	6	7	8	12	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	11	12.5	506	1	1	3	8	48	74	76
6-12 YRS	33	4.0	25	1	2	3	4	11	82	99+
13-19 YRS	41	9.5	313	1	2	4	6	50	91	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	5.8	39	2	2	4	36	99+	99+	99+
13-19 YRS	43	8.0	16	4	5	7	9	12	18	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	4.6	21	<1	1	3	5	13	20	99+
B. *Operated*	69	7.8	5	4	5	7	8	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	86	7.9	227	1	2	3	6	29	87	99+
B. *Operated*	49	7.7	17	2	4	7	9	14	21	99+
1. SINGLE DX	133	6.3	15	1	2	6	8	12	14	99+
2. MULTIPLE DX	135	7.8	150	2	2	5	8	21	73	99+
A. NOT OPERATED	150	6.5	141	1	1	3	6	19	74	99+
B. OPERATED	118	7.8	10	4	5	7	9	12	14	46
TOTAL 0-27 DYS										
1-11 MOS	5	7.4	25	<1	<1	7	9	15	15	15
1-5 YRS	24	8.2	251	<1	1	3	6	18	43	76
6-12 YRS	59	4.5	26	1	2	3	5	26	99+	99+
13-19 YRS	180	7.7	81	2	3	7	8	12	20	96
GRAND TOTAL	**268**	**7.0**	**84**	**1**	**2**	**5**	**8**	**13**	**25**	**99+**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	47	2.6	3	1	1	2	3	5	5	9
1-11 MOS	49	5.3	24	1	1	4	6	13	16	24
1-5 YRS	101	3.4	10	<1	<1	2	4	8	10	15
6-12 YRS	83	3.1	15	<1	<1	2	3	6	11	23
13-19 YRS	141	3.3	14	<1	<1	2	4	8	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS	13	3.5	9	<1	1	2	4	9	9	9
1-5 YRS	39	4.7	26	<1	1	3	6	11	13	28
6-12 YRS	37	5.3	16	1	1	4	9	11	14	16
13-19 YRS	52	4.0	10	1	1	3	5	9	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	30	5.3	24	2	2	4	6	9	13	27
1-11 MOS	87	6.5	35	2	2	5	8	14	18	78
1-5 YRS	137	5.2	49	1	1	4	6	10	16	65
6-12 YRS	112	5.4	41	<1	<1	3	7	12	21	33
13-19 YRS	153	5.4	28	1	1	4	7	11	16	25
B. *Operated*										
0-27 DYS	4	14.0	307	2	2	7	24	40	40	40
1-11 MOS	10	12.2	195	1	2	10	20	69	97	99+
1-5 YRS	32	8.2	102	1	1	5	10	41	88	99+
6-12 YRS	17	13.0	375	<1	1	5	19	65	92	99+
13-19 YRS	66	8.8	86	2	2	7	9	14	25	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	421	3.4	13	<1	<1	2	4	8	11	20
B. *Operated*	141	4.5	16	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	519	5.5	37	1	1	4	7	11	17	39
B. *Operated*	129	9.7	140	1	2	7	10	27	48	99+
1. SINGLE DX	562	3.7	14	<1	<1	2	5	9	11	19
2. MULTIPLE DX	648	6.3	60	1	1	4	8	13	22	78
A. NOT OPERATED	940	4.6	28	<1	1	3	5	10	14	28
B. OPERATED	270	6.9	81	1	1	4	9	13	27	99+
TOTAL 0-27 DYS	81	4.1	29	1	1	3	4	7	10	36
1-11 MOS	159	6.2	41	1	1	4	8	14	20	94
1-5 YRS	309	4.8	40	<1	1	3	5	10	16	75
6-12 YRS	249	5.1	56	<1	<1	3	6	11	18	39
13-19 YRS	412	5.0	33	<1	1	3	7	10	14	30
GRAND TOTAL	**1210**	**5.1**	**40**	**<1**	**1**	**3**	**6**	**11**	**16**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	2	3.5	5	2	2	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	4.4	3	3	3	4	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	5	4.4	3	3	3	4	5	7	7	7
B. *Operated*	1	10.0		10	10	10	10	10	10	10
1. SINGLE DX	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX	6	5.3	7	3	3	4	7	10	10	10
A. NOT OPERATED	8	4.0	3	2	2	4	5	6	7	7
B. OPERATED	1	10.0		10	10	10	10	10	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.5	25	3	3	6	10	10	10	10
6-12 YRS										
13-19 YRS	7	4.1	3	2	2	4	5	7	7	7
GRAND TOTAL	**9**	**4.7**	**6**	**2**	**2**	**4**	**6**	**9**	**10**	**10**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	18	3.4	3	1	1	3	5	6	7	7
1-11 MOS	115	4.8	21	1	1	4	5	9	14	25
1-5 YRS	181	2.6	2	1	1	2	3	4	5	9
6-12 YRS	64	2.5	3	1	1	2	3	4	5	12
13-19 YRS	52	2.8	18	<1	1	2	3	4	8	30
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	3	5.7	30	2	2	3	10	12	12	12
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	67	6.8	44	2	2	5	9	13	22	38
1-11 MOS	706	4.7	15	1	2	4	6	9	11	21
1-5 YRS	1104	3.5	11	1	1	3	4	6	7	15
6-12 YRS	422	3.6	10	1	1	3	4	7	9	15
13-19 YRS	415	3.7	9	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS	4	4.8	15	1	1	4	7	10	10	10
1-11 MOS	29	13.2	120	4	4	10	17	38	46	99+
1-5 YRS	19	15.2	575	<1	1	6	13	49	79	96
6-12 YRS	11	11.9	101	2	2	8	22	27	28	28
13-19 YRS	17	13.3	242	3	3	8	13	46	53	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	430	3.2	10	1	1	2	4	6	7	18
B. *Operated*	9	4.8	18	1	1	3	6	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	2714	4.0	13	1	1	3	5	7	10	18
B. *Operated*	80	13.1	241	2	3	8	16	35	52	99
1. SINGLE DX	439	3.2	10	1	1	2	4	6	8	18
2. MULTIPLE DX	2794	4.2	22	1	1	3	5	7	10	23
A. NOT OPERATED	3144	3.8	12	1	1	3	5	7	9	18
B. OPERATED	89	12.2	224	2	2	7	14	30	52	98
TOTAL 0-27 DYS	89	6.0	36	1	2	4	7	11	15	35
1-11 MOS	852	5.0	22	1	2	4	6	10	13	23
1-5 YRS	1307	3.6	20	1	1	3	4	6	7	16
6-12 YRS	499	3.7	12	1	1	3	4	7	10	20
13-19 YRS	486	4.0	21	1	1	3	5	7	9	24
GRAND TOTAL	**3233**	**4.1**	**20**	**1**	**1**	**3**	**5**	**7**	**10**	**22**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	48	3.3	4	<1	1	3	4	7	8	9
1-5 YRS	85	4.4	13	<1	1	3	5	9	12	19
6-12 YRS	7	5.1	12	2	2	4	6	11	12	12
13-19 YRS	68	4.8	16	1	1	4	5	10	11	25
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	7	3.9	2	1	1	4	5	6	6	6
6-12 YRS	5	3.8	2	3	3	3	4	6	6	6
13-19 YRS	21	5.6	5	2	2	6	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.8	14	3	3	7	10	10	10	10
1-11 MOS	64	5.5	15	1	2	5	7	11	12	21
1-5 YRS	102	5.2	12	2	2	4	6	9	11	19
6-12 YRS	24	5.0	7	1	2	4	6	7	10	14
13-19 YRS	121	4.5	13	1	1	4	6	9	11	19
B. *Operated*										
0-27 DYS										
1-11 MOS	7	8.4	22	4	4	8	9	16	18	18
1-5 YRS	11	8.5	27	2	2	8	12	16	18	18
6-12 YRS	9	11.3	157	4	4	8	10	31	44	44
13-19 YRS	36	7.8	33	2	3	6	10	14	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	4.3	12	<1	1	3	5	8	11	17
B. *Operated*	34	4.9	4	1	3	5	7	8	8	9
2. MULTIPLE DX										
A. *Not Operated*	315	5.0	13	1	2	4	6	9	11	18
B. *Operated*	63	8.5	47	2	3	6	11	15	18	42
1. SINGLE DX	243	4.3	11	1	1	4	5	8	10	15
2. MULTIPLE DX	378	5.6	20	1	2	4	7	11	14	23
A. NOT OPERATED	524	4.7	13	1	2	4	6	9	11	18
B. OPERATED	97	7.2	35	2	3	6	8	14	16	38
TOTAL 0-27 DYS	6	5.2	15	<1	<1	4	10	10	10	10
1-11 MOS	119	4.8	13	1	1	4	6	9	11	19
1-5 YRS	205	5.0	13	1	2	4	6	10	12	20
6-12 YRS	45	6.2	41	2	3	4	7	10	13	44
13-19 YRS	246	5.2	17	1	1	4	7	9	13	28
GRAND TOTAL	**621**	**5.1**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**22**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	24	4.2	8	1	1	3	6	7	9	13
1-5 YRS	220	4.0	8	<1	1	3	5	8	9	13
6-12 YRS	472	3.8	12	<1	1	3	5	8	10	13
13-19 YRS	676	5.0	13	1	1	4	7	9	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS	3	8.3	6	6	6	8	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	4.6	17	1	1	3	6	8	12	22
1-5 YRS	236	5.6	14	2	2	5	7	10	13	21
6-12 YRS	312	5.3	17	1	1	4	7	10	13	20
13-19 YRS	505	7.0	45	1	2	6	8	13	18	36
B. *Operated*										
0-27 DYS										
1-11 MOS	3	7.0	28	3	3	5	11	13	13	13
1-5 YRS	7	6.9	34	2	2	5	10	17	18	18
6-12 YRS	4	9.5	43	3	3	8	14	18	18	18
13-19 YRS	36	14.6	107	2	5	13	18	30	33	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1393	4.5	12	<1	1	4	6	9	10	15
B. *Operated*	4	9.3	8	6	6	9	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	1081	6.1	30	1	2	5	8	11	14	29
B. *Operated*	50	12.7	95	2	3	11	16	24	32	52
1. SINGLE DX	1397	4.5	12	<1	1	4	6	9	10	15
2. MULTIPLE DX	1131	6.4	34	1	2	5	8	12	16	32
A. NOT OPERATED	2474	5.2	20	1	1	4	7	10	12	22
B. OPERATED	54	12.4	89	2	3	11	15	23	32	51
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	55	4.5	14	1	1	3	6	8	12	22
1-5 YRS	464	4.9	12	1	1	4	6	9	12	18
6-12 YRS	788	4.4	15	<1	1	3	6	9	11	17
13-19 YRS	1220	6.1	32	1	2	5	8	11	14	32
GRAND TOTAL	**2528**	**5.3**	**23**	**1**	**1**	**4**	**7**	**10**	**13**	**23**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	11	3.5	18	<1	<1	2	5	10	15	15
1-11 MOS	110	2.3	7	<1	<1	1	3	5	7	14
1-5 YRS	279	2.7	14	<1	<1	1	3	6	10	21
6-12 YRS	191	1.7	3	<1	<1	<1	2	3	5	9
13-19 YRS	303	2.0	6	<1	<1	1	2	4	7	13
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	5.1	22	1	1	3	6	13	15	15
1-5 YRS	53	6.2	64	1	2	5	6	9	19	55
6-12 YRS	33	6.1	17	1	2	5	7	10	13	23
13-19 YRS	47	9.7	168	3	4	7	8	13	28	82
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	6.6	57	1	1	4	8	15	26	29
1-11 MOS	86	5.5	57	1	1	3	5	14	18	43
1-5 YRS	200	3.7	23	<1	<1	2	4	8	12	26
6-12 YRS	209	2.4	9	<1	<1	1	2	6	7	16
13-19 YRS	268	4.4	50	<1	<1	3	5	9	11	34
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	8	9.1	176	2	2	3	9	32	41	41
1-5 YRS	49	7.5	131	1	1	5	8	12	21	72
6-12 YRS	36	6.4	32	2	3	5	7	11	22	28
13-19 YRS	75	9.3	57	1	3	7	13	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	894	2.2	8	<1	<1	1	2	5	7	16
B. *Operated*	143	7.2	86	1	2	5	7	11	19	58
2. MULTIPLE DX										
A. *Not Operated*	776	3.8	34	<1	<1	2	5	8	12	29
B. *Operated*	169	8.2	79	1	2	6	9	16	23	46
1. SINGLE DX	1037	2.9	22	<1	<1	1	3	7	9	19
2. MULTIPLE DX	945	4.6	44	<1	<1	3	5	9	15	35
A. NOT OPERATED	1670	3.0	21	<1	<1	1	3	6	9	20
B. OPERATED	312	7.8	82	1	2	5	8	14	21	51
TOTAL 0-27 DYS	26	5.7	44	<1	1	3	7	15	21	29
1-11 MOS	213	4.0	36	<1	<1	2	4	9	15	37
1-5 YRS	581	3.7	33	<1	<1	2	4	8	12	29
6-12 YRS	469	2.7	11	<1	<1	1	3	6	8	19
13-19 YRS	693	4.2	46	<1	<1	2	5	9	13	30
GRAND TOTAL	**1982**	**3.7**	**33**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	12	3.1	5	<1	<1	3	4	7	8	8
1-5 YRS	14	2.7	2	<1	1	3	4	4	6	6
6-12 YRS	23	5.3	34	<1	1	4	5	12	19	28
13-19 YRS	49	2.9	6	<1	<1	2	4	6	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	12.5	13	10	10	12	15	15	15	15
6-12 YRS	1	16.0		16	16	16	16	16	16	16
13-19 YRS	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.8	3	<1	<1	2	3	6	6	6
1-5 YRS	46	3.9	12	1	1	3	4	7	14	15
6-12 YRS	43	4.5	11	<1	1	3	7	9	11	16
13-19 YRS	78	5.7	78	1	1	4	5	9	14	57
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	5	21.2	269	<1	<1	18	35	42	42	42
13-19 YRS	11	8.2	40	1	2	8	11	18	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	3.4	13	<1	<1	3	4	6	10	21
B. *Operated*	4	12.3	15	8	8	12	15	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	173	4.8	42	1	1	3	5	8	13	42
B. *Operated*	18	11.6	127	<1	1	9	14	30	38	42
1. SINGLE DX	103	3.8	16	<1	<1	3	4	8	12	22
2. MULTIPLE DX	191	5.5	53	1	1	3	6	11	15	44
A. NOT OPERATED	272	4.3	32	<1	<1	3	5	8	11	30
B. OPERATED	22	11.7	105	1	2	9	15	26	37	42
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	18	3.0	4	<1	<1	3	3	7	8	8
1-5 YRS	64	4.0	13	1	1	3	4	10	14	15
6-12 YRS	72	6.1	51	<1	1	4	7	13	18	40
13-19 YRS	139	4.9	51	<1	<1	3	5	9	13	47
GRAND TOTAL	**294**	**4.9**	**40**	**<1**	**1**	**3**	**5**	**10**	**14**	**38**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	3.1	7	1	1	2	4	8	9	9
1-11 MOS	40	4.1	46	1	1	3	4	5	7	45
1-5 YRS	380	3.7	8	1	1	3	5	6	8	14
6-12 YRS	227	4.4	18	1	1	3	5	7	11	26
13-19 YRS	132	4.1	9	<1	1	3	6	8	10	14
B. *Operated*										
0-27 DYS	2	21.5	25	18	18	21	25	25	25	25
1-11 MOS	16	6.4	16	2	2	5	9	13	14	15
1-5 YRS	152	5.0	14	1	1	4	7	10	14	17
6-12 YRS	114	5.6	38	1	1	4	6	10	14	36
13-19 YRS	151	7.0	31	1	2	6	8	12	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	58	4.0	14	1	1	3	4	9	13	19
1-5 YRS	379	4.2	14	<1	1	3	5	8	12	17
6-12 YRS	253	4.3	11	1	1	3	6	9	11	15
13-19 YRS	177	5.4	24	1	1	4	7	10	13	38
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	23	11.8	278	1	2	7	10	26	54	77
1-5 YRS	61	6.7	58	1	1	5	8	12	14	51
6-12 YRS	66	7.2	43	2	2	6	8	14	20	39
13-19 YRS	116	7.8	49	2	2	6	10	14	16	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	787	4.0	13	1	1	3	5	7	9	16
B. *Operated*	435	6.0	28	1	2	5	7	11	14	26
2. MULTIPLE DX										
A. *Not Operated*	869	4.5	16	1	1	3	6	9	12	19
B. *Operated*	267	7.7	69	2	2	6	9	14	18	52
1. SINGLE DX	1222	4.7	19	1	1	4	6	9	12	23
2. MULTIPLE DX	1136	5.2	30	1	1	4	7	10	13	26
A. NOT OPERATED	1656	4.2	14	1	1	3	5	8	11	17
B. OPERATED	702	6.7	44	1	2	5	8	12	16	35
TOTAL 0-27 DYS	13	6.3	55	1	1	3	9	19	24	25
1-11 MOS	137	5.6	74	1	1	3	5	10	16	49
1-5 YRS	972	4.3	15	1	1	3	5	8	11	17
6-12 YRS	660	4.8	22	1	1	4	6	9	13	26
13-19 YRS	576	6.0	29	1	1	5	7	11	14	29
GRAND TOTAL	**2358**	**5.0**	**24**	**1**	**1**	**4**	**6**	**10**	**13**	**25**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.0		2	2	2	2	2	2	2
1-5 YRS	197	1.8	2	<1	1	1	2	3	4	9
6-12 YRS	1634	2.1	1	1	1	2	3	4	4	6
13-19 YRS	1477	2.3	2	1	1	2	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	92	3.4	2	2	2	3	4	5	6	9
6-12 YRS	655	3.8	3	2	2	3	4	6	6	10
13-19 YRS	800	4.2	4	2	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	167	2.4	2	1	1	2	3	4	5	8
6-12 YRS	721	2.7	3	1	1	2	4	5	6	8
13-19 YRS	570	3.2	6	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	46	4.9	5	2	3	4	6	8	9	13
6-12 YRS	223	4.4	5	2	2	4	5	7	9	14
13-19 YRS	340	4.9	7	2	3	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3312	2.2	2	1	1	2	3	4	5	7
B. *Operated*	1548	4.0	4	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1460	2.9	4	1	1	2	4	5	6	9
B. *Operated*	610	4.7	6	2	3	4	5	8	9	14
1. SINGLE DX	4860	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX	2070	3.4	5	1	1	3	4	6	7	11
A. NOT OPERATED	4772	2.4	3	1	1	2	3	4	5	8
B. OPERATED	2158	4.2	4	2	2	4	5	6	8	12
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	3.4	10	1	1	2	4	9	10	10
1-5 YRS	502	2.6	3	1	1	2	3	5	6	9
6-12 YRS	3233	2.8	3	1	1	2	4	5	6	8
13-19 YRS	3187	3.2	5	1	1	3	4	6	7	11
GRAND TOTAL	**6930**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	6.3	4	4	4	7	8	8	8	8
1-11 MOS	75	5.1	9	1	2	5	7	9	10	17
1-5 YRS	336	4.5	6	2	2	4	6	8	9	12
6-12 YRS	191	4.2	8	1	2	4	5	7	9	13
13-19 YRS	84	3.7	5	1	1	3	5	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	29	7.1	17	1	2	7	10	13	14	15
1-5 YRS	109	3.6	9	<1	<1	2	5	8	9	12
6-12 YRS	132	3.1	9	<1	<1	2	4	6	9	17
13-19 YRS	177	2.6	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	43	6.9	11	3	3	7	9	11	14	16
1-5 YRS	228	4.7	7	2	2	4	6	8	10	13
6-12 YRS	124	4.4	7	1	2	4	6	8	9	13
13-19 YRS	75	4.2	6	1	2	4	6	7	9	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	26	6.5	12	2	3	5	8	12	13	14
1-5 YRS	78	3.9	8	1	1	3	6	7	9	13
6-12 YRS	63	3.2	7	<1	1	2	4	7	10	13
13-19 YRS	68	3.9	11	<1	1	3	5	9	11	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	689	4.4	7	1	2	4	5	8	9	12
B. *Operated*	447	3.3	8	<1	1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	473	4.7	8	1	2	4	6	8	10	14
B. *Operated*	236	4.0	10	<1	1	3	5	8	11	14
1. SINGLE DX	1136	4.0	8	1	1	3	5	8	9	13
2. MULTIPLE DX	709	4.5	8	1	2	4	6	8	10	14
A. NOT OPERATED	1162	4.5	7	1	2	4	6	8	9	13
B. OPERATED	683	3.6	9	<1	1	2	5	8	10	14
TOTAL 0-27 DYS	7	5.6	4	3	3	6	7	8	8	8
1-11 MOS	173	6.1	12	2	3	5	8	11	13	16
1-5 YRS	751	4.4	7	1	2	4	6	8	9	12
6-12 YRS	510	3.8	8	1	1	3	5	7	9	14
13-19 YRS	404	3.4	6	1	1	3	4	7	8	12
GRAND TOTAL	**1845**	**4.2**	**8**	**1**	**1**	**3**	**5**	**8**	**9**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	1	5	5	5	7	7	7	7
1-5 YRS										
6-12 YRS	6	1.3	1	<1	<1	1	1	3	3	3
13-19 YRS	29	8.6	207	<1	1	3	7	26	42	66
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS										
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS	37	9.0	193	1	1	5	9	25	40	69
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	7.2	164	<1	1	3	6	14	38	66
B. *Operated*	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	43	8.5	171	1	1	4	9	19	37	69
B. *Operated*										
1. SINGLE DX	39	7.2	160	<1	1	3	6	14	37	66
2. MULTIPLE DX	43	8.5	171	1	1	4	9	19	37	68
A. NOT OPERATED	81	7.9	166	1	1	4	7	16	37	68
B. OPERATED	1	4.0		4	4	4	4	4	4	4
TOTAL 0-27 DYS	1	17.0		17	17	17	17	17	17	17
1-11 MOS	3	5.7	1	5	5	5	7	7	7	7
1-5 YRS	2	3.5	13	1	1	3	6	6	6	6
6-12 YRS	9	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	67	8.8	193	1	1	4	8	25	41	68
GRAND TOTAL	**82**	**7.8**	**164**	**1**	**1**	**4**	**7**	**16**	**37**	**68**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	7	4.0	18	1	1	2	7	11	11	11
1-5 YRS	86	1.8	2	1	1	1	2	3	4	8
6-12 YRS	155	1.9	2	1	1	1	2	4	5	8
13-19 YRS	282	3.4	14	<1	1	2	4	7	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	4	3.5	10	1	1	2	5	8	8	8
13-19 YRS	6	7.0	9	4	4	6	9	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	16	4.7	18	1	1	3	7	11	14	16
1-5 YRS	68	2.5	7	<1	1	2	2	6	8	15
6-12 YRS	136	2.6	4	1	1	2	3	5	7	9
13-19 YRS	390	7.2	135	1	1	4	7	15	28	67
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.0	32	5	5	9	13	13	13	13
6-12 YRS	7	5.9	66	1	1	4	5	20	24	24
13-19 YRS	25	12.7	580	1	1	4	11	92	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	2.7	9	1	1	2	3	5	8	17
B. *Operated*	11	5.2	12	<1	1	5	8	10	12	12
2. MULTIPLE DX										
A. *Not Operated*	611	5.6	93	1	1	3	6	10	19	54
B. *Operated*	34	11.1	443	1	1	4	11	78	98	99+
1. SINGLE DX	543	2.8	10	1	1	2	3	5	8	17
2. MULTIPLE DX	645	5.9	113	1	1	3	6	11	21	74
A. NOT OPERATED	1143	4.3	56	1	1	2	4	8	13	39
B. OPERATED	45	9.6	342	1	1	4	10	28	95	99+
TOTAL 0-27 DYS	3	9.0	79	2	2	6	16	19	19	19
1-11 MOS	23	4.5	17	1	1	2	7	11	13	16
1-5 YRS	157	2.2	5	1	1	1	2	4	7	13
6-12 YRS	302	2.3	5	1	1	2	3	4	6	10
13-19 YRS	703	5.9	106	1	1	3	6	11	21	73
GRAND TOTAL	**1188**	**4.5**	**68**	**1**	**1**	**2**	**4**	**8**	**14**	**48**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	22	2.6	11	<1	1	1	3	6	11	16
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	27.0	1250	2	2	27	52	52	52	52
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	45	6.6	29	1	1	6	9	11	16	28
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.7	11	<1	1	1	3	6	10	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	48	7.5	70	1	1	6	9	11	22	52
B. *Operated*										
1. SINGLE DX	23	2.7	11	<1	1	1	3	6	10	16
2. MULTIPLE DX	48	7.5	70	1	1	6	9	11	22	52
A. NOT OPERATED	71	5.9	56	1	1	4	8	11	16	47
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS	2	27.0	1250	2	2	27	52	52	52	52
1-5 YRS										
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	67	5.3	26	1	1	4	8	11	15	27
GRAND TOTAL	**71**	**5.9**	**56**	**1**	**1**	**4**	**8**	**11**	**16**	**47**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	2	10.0	98	3	3	10	17	17	17	17
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	69	7.8	100	<1	1	3	9	20	25	55
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	5	4.0	9	<1	<1	3	6	8	8	8
13-19 YRS	118	13.3	295	1	1	7	15	38	50	94
B. *Operated*										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS										
6-12 YRS										
13-19 YRS	1	82.0		82	82	82	82	82	82	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	7.8	96	<1	1	3	10	19	25	54
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	131	12.4	275	1	1	7	13	32	49	93
B. *Operated*	2	49.5	2113	17	17	49	82	82	82	82
1. SINGLE DX	73	7.8	96	<1	1	3	10	19	25	54
2. MULTIPLE DX	133	12.9	307	1	1	7	14	34	50	93
A. NOT OPERATED	204	10.7	215	1	1	6	12	29	44	89
B. OPERATED	2	49.5	2113	17	17	49	82	82	82	82
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	3	12.0	21	8	8	11	15	17	17	17
1-5 YRS	7	4.0	33	1	1	2	3	14	17	17
6-12 YRS	6	3.7	7	<1	<1	3	6	8	8	8
13-19 YRS	188	11.7	254	1	1	6	14	31	45	90
GRAND TOTAL	**206**	**11.1**	**238**	**1**	**1**	**6**	**13**	**29**	**44**	**89**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	1	31.0		31	31	31	31	31	31	31
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	4	11.5	18	7	7	11	14	17	17	17
13-19 YRS	388	20.4	318	2	3	17	29	45	73	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	1	21.0		21	21	21	21	21	21	21
1-5 YRS										
6-12 YRS	3	25.0	624	5	5	17	44	53	53	53
13-19 YRS	200	23.0	320	2	3	21	34	50	60	75
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	47.7	1092	13	14	35	87	90	90	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	20.3	313	2	3	17	29	45	72	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	205	23.0	320	2	3	20	34	50	60	75
B. *Operated*	6	47.7	1092	13	14	35	87	90	90	90
1. SINGLE DX	395	20.3	313	2	3	17	29	45	72	99+
2. MULTIPLE DX	211	23.7	353	2	3	21	35	51	64	88
A. NOT OPERATED	600	21.2	317	2	3	17	31	48	66	99+
B. OPERATED	6	47.7	1092	13	14	35	87	90	90	90
TOTAL 0-27 DYS	2	13.0	50	8	8	13	18	18	18	18
1-11 MOS	2	26.0	50	21	21	26	31	31	31	31
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	7	17.3	269	5	5	12	17	46	53	53
13-19 YRS	594	21.6	332	2	3	17	31	48	70	99+
GRAND TOTAL	**606**	**21.5**	**329**	**2**	**3**	**17**	**31**	**48**	**70**	**99+**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	2	59.0	392	45	45	59	73	73	73	73
13-19 YRS	109	19.1	267	2	3	15	28	41	50	82
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	53.0	392	39	39	67	92	99+	99+	99+
13-19 YRS	53	24.8	543	3	4	15	35	67	75	91
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	34.0		34	34	34	34	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	19.7	293	2	3	15	28	42	51	81
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	55	25.8	559	3	5	19	39	69	81	99+
B. *Operated*	1	34.0		34	34	34	34	34	34	34
1. SINGLE DX	112	19.7	293	2	3	15	28	42	51	81
2. MULTIPLE DX	56	26.0	550	3	5	21	39	69	81	99
A. NOT OPERATED	167	21.7	386	3	3	16	30	48	69	91
B. OPERATED	1	34.0		34	34	34	34	34	34	34
TOTAL 0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS										
6-12 YRS	4	56.0	273	39	39	67	80	99+	99+	99+
13-19 YRS	163	21.1	360	2	3	15	29	43	62	90
GRAND TOTAL	**168**	**21.8**	**385**	**3**	**3**	**17**	**31**	**48**	**69**	**91**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	8.5	74	1	1	7	15	19	19	19
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	9	26.9	406	3	4	26	44	55	57	57
13-19 YRS	958	20.9	318	2	4	16	29	46	62	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	14.5	145	6	6	14	23	23	23	23
6-12 YRS	6	34.5	957	3	3	29	65	76	77	77
13-19 YRS	492	20.6	315	2	4	15	29	47	64	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS										
13-19 YRS	15	39.4	596	9	14	35	46	86	87	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	973	20.9	318	2	4	16	29	46	62	97
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	501	20.7	322	2	4	15	29	47	65	99+
B. *Operated*	16	38.6	566	9	14	34	46	84	87	88
1. SINGLE DX	973	20.9	318	2	4	16	29	46	62	97
2. MULTIPLE DX	517	21.2	338	2	4	16	29	48	66	99+
A. NOT OPERATED	1474	20.8	319	2	4	16	29	47	63	99
B. OPERATED	16	38.6	566	9	14	34	46	84	87	88
TOTAL 0-27 DYS										
1-11 MOS	5	8.4	55	1	1	8	14	19	19	19
1-5 YRS	5	13.2	119	4	4	6	24	27	27	27
6-12 YRS	15	29.9	589	3	3	27	49	65	74	77
13-19 YRS	1465	21.0	323	2	4	16	29	47	64	99
GRAND TOTAL	**1490**	**21.0**	**325**	**2**	**4**	**16**	**29**	**47**	**64**	**99**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	6.5	123	1	1	2	4	24	37	37
6-12 YRS	39	31.1	794	3	4	22	51	81	98	99+
13-19 YRS	6	22.5	322	4	4	18	36	49	51	51
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	14.9	693	1	1	3	6	63	76	76
6-12 YRS	16	25.9	641	1	2	29	86	99+	99+	99+
13-19 YRS	3	40.0	1813	12	12	19	71	89	89	89
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	11.0		11	11	55	99+	99+	99+	99+
6-12 YRS	4	23.5	254	1	1	27	34	38	38	38
13-19 YRS	1	32.0		32	32	32	32	32	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	25.7	700	1	2	18	44	70	94	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	29	23.6	755	1	1	20	69	99+	99+	99+
B. *Operated*	6	22.8	197	1	3	30	36	88	99+	99+
1. SINGLE DX	55	25.7	700	1	2	18	44	70	94	99+
2. MULTIPLE DX	35	23.5	650	1	1	25	58	99+	99+	99+
A. NOT OPERATED	84	25.0	711	1	2	18	51	86	99+	99+
B. OPERATED	6	22.8	197	1	3	30	36	88	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	21	10.7	385	1	1	3	11	58	86	99+
6-12 YRS	59	29.2	707	1	3	25	53	98	99+	99+
13-19 YRS	10	28.7	651	4	5	19	36	70	89	89
GRAND TOTAL	**90**	**24.8**	**674**	**1**	**2**	**19**	**49**	**88**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	5.0	2	4	4	5	6	6	6	6
1-11 MOS	2	22.5	481	7	7	22	38	38	38	38
1-5 YRS	3	7.7	114	<1	<1	2	15	20	20	20
6-12 YRS	14	32.4	543	3	4	28	56	60	62	62
13-19 YRS	474	18.9	360	1	3	13	25	46	64	97
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	49.0		49	49	49	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	26.5	481	11	11	26	42	42	42	42
1-5 YRS										
6-12 YRS	22	30.0	493	1	1	32	50	64	77	99+
13-19 YRS	606	18.4	284	2	2	14	28	44	60	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	2	38.0	800	18	18	38	58	58	58	58
13-19 YRS	28	28.7	592	7	9	19	37	77	86	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	495	19.2	367	1	3	13	26	48	63	97
B. *Operated*	1	49.0		49	49	49	49	49	49	49
2. MULTIPLE DX										
A. *Not Operated*	631	18.8	295	2	2	14	29	46	61	99+
B. *Operated*	31	29.0	568	7	9	20	38	70	85	93
1. SINGLE DX	496	19.2	368	1	3	13	26	48	63	97
2. MULTIPLE DX	662	19.2	312	2	3	14	29	47	63	99+
A. NOT OPERATED	1126	18.9	326	1	3	14	28	47	63	99+
B. OPERATED	32	29.7	562	7	9	20	41	68	85	93
TOTAL 0-27 DYS	3	4.3	2	3	3	4	5	6	6	6
1-11 MOS	4	24.5	326	7	7	24	40	42	42	42
1-5 YRS	4	10.8	114	<1	<1	11	20	20	20	20
6-12 YRS	38	31.3	496	1	2	32	56	61	64	99+
13-19 YRS	1109	18.9	327	1	3	14	27	46	63	99+
GRAND TOTAL	**1158**	**19.2**	**336**	**1**	**3**	**14**	**28**	**48**	**63**	**99+**

99. Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	3	6.7	66	1	1	3	13	16	16	16
6-12 YRS	19	13.0	206	3	4	7	14	39	50	52
13-19 YRS	354	17.6	210	2	4	14	23	36	47	76
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	21.0	411	5	5	10	30	55	59	59
13-19 YRS	287	22.1	389	2	4	17	29	46	68	92
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	36.9	413	9	12	35	53	62	66	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	378	17.3	210	2	3	14	23	36	47	75
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	297	22.0	389	2	4	17	29	49	68	92
B. *Operated*	8	36.9	413	9	12	35	53	62	66	66
1. SINGLE DX	378	17.3	210	2	3	14	23	36	47	75
2. MULTIPLE DX	305	22.4	394	2	4	17	29	52	68	92
A. NOT OPERATED	675	19.3	294	2	3	15	25	40	59	87
B. OPERATED	8	36.9	413	9	12	35	53	62	66	66
TOTAL 0-27 DYS										
1-11 MOS	2	4.0	18	<1	<1	3	7	7	7	7
1-5 YRS	4	6.0	46	1	1	3	10	16	16	16
6-12 YRS	28	15.6	274	3	4	8	22	49	53	59
13-19 YRS	649	19.8	299	2	4	15	26	41	59	88
GRAND TOTAL	**683**	**19.5**	**298**	**2**	**4**	**15**	**25**	**41**	**59**	**87**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	20	5.4	22	1	1	4	7	13	15	17
13-19 YRS	333	13.0	188	1	2	9	18	28	37	71
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	8.3	46	3	3	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	3	4.7	4	3	3	4	6	7	7	7
6-12 YRS	16	8.7	136	1	1	4	10	27	39	43
13-19 YRS	282	14.5	231	1	2	10	20	38	53	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	7	12.4	119	1	1	10	19	30	32	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	356	12.6	180	1	1	8	17	26	35	70
B. *Operated*	3	8.3	46	3	3	6	13	16	16	16
2. MULTIPLE DX										
A. *Not Operated*	302	14.1	225	1	2	10	20	38	52	99+
B. *Operated*	7	12.4	119	1	1	10	19	30	32	32
1. SINGLE DX	359	12.6	179	1	1	8	17	26	35	70
2. MULTIPLE DX	309	14.1	222	1	2	10	20	37	52	99+
A. NOT OPERATED	658	13.3	201	1	2	9	18	30	43	82
B. OPERATED	10	11.2	94	1	2	8	16	26	32	32
TOTAL 0-27 DYS	2	8.0	50	3	3	8	13	13	13	13
1-11 MOS	1	24.0		24	24	24	24	24	24	24
1-5 YRS	4	4.0	5	2	2	3	5	7	7	7
6-12 YRS	36	6.8	73	1	1	4	8	14	25	43
13-19 YRS	625	13.7	206	1	2	10	19	31	48	83
GRAND TOTAL	**668**	**13.3**	**199**	**1**	**2**	**9**	**18**	**30**	**43**	**81**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0	27	1	1	1	8	10	10	10
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	4	1.8	2	1	1	1	3	4	4	4
6-12 YRS	31	5.9	72	1	1	3	5	12	24	44
13-19 YRS	284	6.4	96	<1	1	3	5	15	29	52
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.5	18	1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	3	8.0	43	2	2	7	13	15	15	15
1-5 YRS	3	3.7	6	1	1	4	5	6	6	6
6-12 YRS	45	5.4	38	1	2	4	6	8	18	34
13-19 YRS	345	6.6	91	1	1	3	7	20	28	77
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	12.1	151	1	1	7	19	30	39	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	6.3	92	<1	1	3	5	14	28	48
B. *Operated*	4	5.5	18	1	1	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	397	6.4	84	1	1	3	7	18	27	74
B. *Operated*	16	12.1	151	1	1	7	19	30	39	43
1. SINGLE DX	327	6.3	91	<1	1	3	5	14	28	48
2. MULTIPLE DX	413	6.6	87	1	1	3	7	19	28	73
A. NOT OPERATED	720	6.4	87	<1	1	3	6	17	28	55
B. OPERATED	20	10.8	129	1	1	6	13	28	37	43
TOTAL 0-27 DYS	4	5.8	30	1	1	6	10	11	11	11
1-11 MOS	4	6.8	35	2	2	5	11	15	15	15
1-5 YRS	7	2.6	4	1	1	1	4	6	6	6
6-12 YRS	76	5.6	51	1	2	3	6	10	22	41
13-19 YRS	649	6.6	95	<1	1	3	6	20	29	56
GRAND TOTAL	**740**	**6.5**	**89**	**<1**	**1**	**3**	**6**	**17**	**28**	**55**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	53	26.0	600	1	2	24	50	99+	99+	99+
13-19 YRS	883	17.8	390	1	2	11	26	53	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	11.0	115	5	5	6	17	27	27	27
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	55	28.5	645	1	2	23	46	78	89	99+
13-19 YRS	971	18.3	380	1	2	12	26	50	74	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	30.0		30	30	30	30	30	30	30
13-19 YRS	57	25.4	384	4	5	20	42	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	939	18.3	404	1	2	11	27	55	81	99+
B. *Operated*	1	35.0		35	35	35	35	35	35	35
2. MULTIPLE DX										
A. *Not Operated*	1032	18.8	398	1	2	12	27	52	76	99+
B. *Operated*	58	25.4	378	4	5	20	41	52	70	99+
1. SINGLE DX	940	18.3	404	1	2	11	28	55	81	99+
2. MULTIPLE DX	1090	19.1	399	1	2	13	28	52	76	99+
A. NOT OPERATED	1971	18.5	401	1	2	12	27	53	77	99+
B. OPERATED	59	25.6	373	4	6	20	40	51	69	99
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	11.0	115	5	5	6	17	27	27	27
1-5 YRS	4	5.0	7	2	2	5	7	8	8	8
6-12 YRS	109	27.3	613	1	2	24	50	86	99+	99+
13-19 YRS	1912	18.3	386	1	2	11	27	51	73	99+
GRAND TOTAL	**2030**	**18.7**	**401**	**1**	**2**	**12**	**28**	**53**	**77**	**99+**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	12	2.6	3	1	1	2	4	5	6	6
6-12 YRS	108	8.6	285	1	1	4	6	37	79	99+
13-19 YRS	754	11.4	229	1	1	5	15	34	47	99
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS										
13-19 YRS	15	6.7	57	2	2	4	7	17	27	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	7.5	251	<1	<1	2	5	26	53	55
6-12 YRS	97	13.3	356	1	2	6	19	54	99	99+
13-19 YRS	1108	13.1	273	1	1	7	17	35	55	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	4	18.5	532	5	5	8	31	53	53	53
13-19 YRS	39	20.3	409	2	3	14	30	57	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	877	10.9	233	1	1	5	14	33	49	99+
B. *Operated*	18	5.9	50	1	2	3	7	14	25	30
2. MULTIPLE DX										
A. *Not Operated*	1216	13.1	279	1	1	7	17	35	58	99+
B. *Operated*	44	19.9	402	2	3	13	30	54	71	99+
1. SINGLE DX	895	10.8	230	1	1	5	13	33	49	99+
2. MULTIPLE DX	1260	13.3	285	1	1	7	18	36	58	99+
A. NOT OPERATED	2093	12.2	261	1	1	6	15	35	54	99+
B. OPERATED	62	15.8	338	2	2	7	21	46	63	98
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	26	4.9	109	<1	1	2	4	6	18	55
6-12 YRS	209	11.0	325	1	1	4	10	53	87	99+
13-19 YRS	1916	12.5	259	1	1	6	16	35	51	99+
GRAND TOTAL	**2155**	**12.3**	**263**	**1**	**1**	**6**	**15**	**35**	**54**	**99+**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	12.0	84	2	2	14	18	20	20	20
1-11 MOS	2	6.0	2	5	5	6	7	7	7	7
1-5 YRS	3	3.0	4	1	1	3	4	5	5	5
6-12 YRS	13	1.3		<1	<1	1	2	2	2	2
13-19 YRS	782	11.7	162	<1	<1	4	22	30	35	45
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	14.0	338	<1	<1	13	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	11.7	46	4	4	14	16	17	17	17
1-11 MOS	6	5.3	27	1	1	3	7	14	15	15
1-5 YRS	6	8.8	125	1	1	5	8	29	31	31
6-12 YRS	13	7.5	108	1	1	2	9	24	34	36
13-19 YRS	1388	19.8	236	1	1	21	34	40	44	52
B. *Operated*										
0-27 DYS										
1-11 MOS	1	43.0		43	43	43	43	43	43	43
1-5 YRS										
6-12 YRS	2	10.5	85	4	4	10	17	17	17	17
13-19 YRS	27	17.4	280	<1	<1	7	32	41	44	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	803	11.5	160	<1	<1	4	22	30	35	45
B. *Operated*	2	14.0	338	<1	<1	13	27	27	27	27
2. MULTIPLE DX										
A. *Not Operated*	1416	19.5	236	1	1	21	33	40	44	51
B. *Operated*	30	17.8	279	<1	<1	12	32	42	43	54
1. SINGLE DX	805	11.5	160	<1	<1	4	22	30	35	45
2. MULTIPLE DX	1446	19.5	237	1	1	20	33	40	44	52
A. NOT OPERATED	2219	16.6	223	<1	1	13	29	37	42	50
B. OPERATED	32	17.5	273	<1	<1	12	31	42	43	54
TOTAL 0-27 DYS	6	11.8	52	2	2	14	17	20	20	20
1-11 MOS	9	9.7	173	1	1	5	9	32	43	43
1-5 YRS	9	6.9	88	1	1	4	7	22	31	31
6-12 YRS	28	4.9	63	<1	<1	2	4	16	22	36
13-19 YRS	2199	16.9	225	<1	1	14	29	37	42	51
GRAND TOTAL	**2251**	**16.6**	**224**	**<1**	**1**	**13**	**29**	**37**	**42**	**50**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	13	13.5	85	2	4	12	14	30	35	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS										
13-19 YRS	52	14.6	104	1	4	13	16	29	36	60
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	15.7	5	13	13	17	17	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	12.7	86	2	3	11	13	29	34	36
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	54	14.6	100	1	4	13	16	28	36	59
B. *Operated*	3	15.7	5	13	13	17	17	17	17	17
1. SINGLE DX	14	12.7	86	2	3	11	13	29	34	36
2. MULTIPLE DX	57	14.6	95	2	4	13	16	27	35	58
A. NOT OPERATED	68	14.2	97	2	3	13	16	28	36	56
B. OPERATED	3	15.7	5	13	13	17	17	17	17	17
TOTAL 0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	1	15.0		15	15	15	15	15	15	15
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	68	14.4	95	2	4	13	16	28	36	56
GRAND TOTAL	**71**	**14.3**	**93**	**2**	**4**	**13**	**16**	**28**	**36**	**55**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	24.3	681	1	1	22	46	52	52	52
13-19 YRS	276	20.5	225	1	1	22	34	39	42	47
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS										
6-12 YRS	1	44.0		44	44	44	44	44	44	44
13-19 YRS	320	20.7	228	1	2	18	34	40	43	58
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	21.3	294	5	5	19	35	41	41	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	280	20.5	230	1	1	22	34	39	42	47
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	322	20.8	229	1	2	19	34	40	43	58
B. *Operated*	4	21.3	294	5	5	19	35	41	41	41
1. SINGLE DX	281	20.5	230	1	1	22	34	39	42	47
2. MULTIPLE DX	326	20.8	229	1	2	19	34	41	43	58
A. NOT OPERATED	602	20.7	229	1	1	21	34	40	43	55
B. OPERATED	5	18.2	267	5	5	9	33	41	41	41
TOTAL 0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS										
6-12 YRS	5	28.2	589	1	1	41	46	52	52	52
13-19 YRS	601	20.6	227	1	1	20	34	40	43	55
GRAND TOTAL	**607**	**20.6**	**229**	**1**	**1**	**21**	**34**	**40**	**43**	**55**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	12	1.5		<1	<1	1	2	3	3	3
6-12 YRS	94	1.4	1	<1	<1	1	2	2	3	5
13-19 YRS	865	1.5	5	<1	<1	1	1	2	3	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	27.0		27	27	27	27	27	27	27
1-5 YRS	6	1.2		<1	<1	1	1	2	2	2
6-12 YRS	22	1.2		<1	<1	1	1	2	3	3
13-19 YRS	648	3.4	51	<1	<1	1	2	6	15	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	19	6.1	174	<1	<1	1	4	19	42	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	973	1.5	5	<1	<1	1	1	2	3	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	677	3.4	50	<1	<1	1	2	6	15	36
B. *Operated*	21	5.6	158	<1	<1	1	3	15	39	55
1. SINGLE DX	973	1.5	5	<1	<1	1	1	2	3	7
2. MULTIPLE DX	698	3.5	53	<1	<1	1	2	6	16	39
A. NOT OPERATED	1650	2.3	24	<1	<1	1	2	3	6	29
B. OPERATED	21	5.6	158	<1	<1	1	3	15	39	55
TOTAL 0-27 DYS										
1-11 MOS	3	10.7	200	2	2	3	21	27	27	27
1-5 YRS	19	1.4		<1	<1	1	2	2	3	3
6-12 YRS	117	1.4	1	<1	<1	1	1	2	3	5
13-19 YRS	1532	2.4	28	<1	<1	1	2	3	7	30
GRAND TOTAL	**1671**	**2.3**	**26**	**<1**	**<1**	**1**	**2**	**3**	**6**	**30**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS	4	1.5	1	<1	<1	1	2	3	3	3
13-19 YRS	222	9.0	119	<1	1	4	14	29	32	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	14.3	30	9	9	14	18	20	20	20
13-19 YRS	396	15.2	271	<1	1	7	26	42	51	61
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	10	37.0	720	2	2	40	64	72	75	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	227	8.9	117	<1	1	3	13	28	32	43
B. *Operated*	1	34.0		34	34	34	34	34	34	34
2. MULTIPLE DX										
A. *Not Operated*	400	15.1	269	<1	1	7	26	41	51	61
B. *Operated*	10	37.0	720	2	2	40	64	72	75	75
1. SINGLE DX	228	9.0	120	<1	1	3	14	29	32	43
2. MULTIPLE DX	410	15.7	290	<1	1	7	27	42	52	67
A. NOT OPERATED	627	12.9	223	<1	1	5	22	36	44	58
B. OPERATED	11	36.7	649	2	2	39	58	71	75	75
TOTAL 0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	7	7.0	58	<1	<1	3	13	19	20	20
13-19 YRS	629	13.4	241	<1	1	6	22	37	46	63
GRAND TOTAL	**638**	**13.3**	**239**	**<1**	**1**	**6**	**22**	**37**	**46**	**63**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	20	2.9	3	1	1	3	4	5	6	7
6-12 YRS	96	3.7	6	1	1	3	5	7	7	13
13-19 YRS	157	4.0	41	1	1	3	4	7	9	41
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	8	3.3	8	<1	<1	2	5	8	8	8
6-12 YRS	4	5.3	8	3	3	5	7	9	9	9
13-19 YRS	9	5.0	14	1	1	5	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	1.7		1	1	2	2	2	2	2
1-11 MOS	3	8.0	7	6	6	7	10	11	11	11
1-5 YRS	13	3.8	6	1	1	4	5	8	10	10
6-12 YRS	88	4.2	6	1	2	4	6	7	8	12
13-19 YRS	214	5.1	50	1	1	4	6	9	14	37
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	5	5.0	7	2	2	5	7	8	8	8
13-19 YRS	9	4.9	4	1	2	5	6	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	277	3.8	25	1	1	3	4	7	8	24
B. *Operated*	21	4.4	10	<1	1	3	6	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	321	4.8	35	1	1	4	6	8	11	30
B. *Operated*	15	4.8	4	1	2	5	6	8	8	8
1. SINGLE DX	298	3.8	24	1	1	3	5	7	9	22
2. MULTIPLE DX	336	4.8	34	1	1	4	6	8	11	29
A. NOT OPERATED	598	4.3	31	1	1	3	5	7	10	28
B. OPERATED	36	4.6	8	1	1	4	6	8	10	11
TOTAL 0-27 DYS	5	2.0	1	1	1	2	2	3	3	3
1-11 MOS	5	6.2	10	3	3	6	8	11	11	11
1-5 YRS	42	3.2	5	1	1	3	4	7	8	10
6-12 YRS	193	4.0	6	1	1	3	6	7	8	12
13-19 YRS	389	4.7	44	1	1	3	5	8	11	39
GRAND TOTAL	**634**	**4.4**	**29**	**1**	**1**	**3**	**5**	**7**	**10**	**28**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	16	12.1	506	1	1	4	8	53	73	79
6-12 YRS	162	16.9	454	1	1	8	28	64	99	99+
13-19 YRS	1647	12.1	210	1	1	7	17	31	46	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	11.2	77	2	2	12	22	84	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	6.3	34	2	2	4	11	13	13	13
1-5 YRS	16	8.3	220	1	2	4	6	11	47	63
6-12 YRS	112	14.5	452	1	2	5	19	55	87	99+
13-19 YRS	1729	13.8	297	1	1	7	17	40	56	96
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	1	4.0		4	4	52	99+	99+	99+	99+
13-19 YRS	50	25.8	582	2	3	17	43	72	93	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	12.5	235	1	1	7	17	34	54	99+
B. *Operated*	8	8.8	75	1	1	7	21	69	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	1861	13.8	305	1	1	7	17	41	58	97
B. *Operated*	56	23.3	573	1	2	15	42	77	97	99+
1. SINGLE DX	1834	12.5	235	1	1	7	17	34	54	99+
2. MULTIPLE DX	1917	14.1	315	1	1	7	18	42	59	98
A. NOT OPERATED	3687	13.2	271	1	1	7	17	37	56	99+
B. OPERATED	64	21.5	532	1	2	15	42	79	99+	99+
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.8	24	2	2	4	9	13	13	13
1-5 YRS	38	8.8	307	1	1	4	6	10	61	79
6-12 YRS	276	15.9	451	1	1	6	26	63	94	99+
13-19 YRS	3432	13.2	262	1	1	7	17	37	55	99+
GRAND TOTAL	**3751**	**13.3**	**276**	**1**	**1**	**7**	**17**	**38**	**57**	**99+**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	22	5.2	61	<1	1	3	4	13	25	36
1-5 YRS	124	3.6	18	<1	1	2	4	7	13	46
6-12 YRS	507	15.2	414	1	1	6	23	55	86	99+
13-19 YRS	1895	17.5	410	1	2	9	25	53	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	10	4.9	41	1	1	3	5	15	22	22
13-19 YRS	26	16.5	493	1	2	6	20	50	73	83
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	19	6.3	33	1	2	5	7	15	21	24
1-5 YRS	129	8.8	200	1	1	4	9	22	51	99+
6-12 YRS	491	18.3	522	1	2	8	32	77	99+	99+
13-19 YRS	2010	18.4	399	1	2	11	27	53	71	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0	128	3	3	11	19	19	19	19
1-5 YRS	5	16.4	185	1	1	16	25	36	36	36
6-12 YRS	26	21.1	805	1	2	6	39	82	88	99+
13-19 YRS	84	26.1	525	2	3	22	49	81	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2549	16.2	398	1	2	7	23	52	70	99+
B. *Operated*	44	11.2	338	1	1	3	12	31	56	83
2. MULTIPLE DX										
A. *Not Operated*	2641	17.8	414	1	2	10	27	54	77	99+
B. *Operated*	117	24.3	567	2	2	19	44	79	99+	99+
1. SINGLE DX	2593	16.1	398	1	1	7	23	52	70	99+
2. MULTIPLE DX	2758	18.1	422	1	2	10	28	56	78	99+
A. NOT OPERATED	5190	17.0	407	1	2	8	25	53	74	99+
B. OPERATED	161	20.8	536	1	2	11	38	70	98	99+
TOTAL 0-27 DYS	3	4.3	24	1	1	2	8	10	10	10
1-11 MOS	44	5.9	48	1	1	4	6	17	20	36
1-5 YRS	265	6.3	117	<1	1	3	7	14	29	98
6-12 YRS	1024	16.7	474	1	2	7	28	65	91	99+
13-19 YRS	4015	18.1	409	1	2	10	27	54	71	99+
GRAND TOTAL	**5351**	**17.1**	**411**	**1**	**2**	**8**	**26**	**54**	**74**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.2	5	1	1	3	4	7	7	7
6-12 YRS	6	11.3	329	2	2	3	9	44	48	48
13-19 YRS	27	8.5	63	1	1	5	15	24	36	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	17.0	512	1	1	17	33	33	33	33
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	5	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	20	5.9	18	<1	1	5	8	11	15	19
6-12 YRS	48	7.7	198	1	1	4	7	19	45	99+
13-19 YRS	109	10.9	85	1	2	9	15	23	30	40
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	12	7.4	58	<1	1	5	7	22	25	25
13-19 YRS	15	4.9	5	2	2	5	6	7	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	8.1	93	1	1	4	12	23	38	99+
B. *Operated*	8	7.9	105	1	2	5	6	25	33	33
2. MULTIPLE DX										
A. *Not Operated*	178	9.5	110	1	2	6	12	21	29	76
B. *Operated*	27	6.0	29	1	2	5	6	10	22	25
1. SINGLE DX	47	8.1	92	1	1	4	9	24	34	99+
2. MULTIPLE DX	205	9.0	100	1	2	6	11	21	28	63
A. NOT OPERATED	217	9.2	107	1	2	6	12	21	30	92
B. OPERATED	35	6.4	44	1	2	5	6	10	24	33
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	28	6.1	43	1	1	4	7	11	20	33
6-12 YRS	67	7.9	177	1	1	4	7	21	43	98
13-19 YRS	156	9.7	74	1	2	7	14	21	29	41
GRAND TOTAL	**252**	**8.8**	**99**	**1**	**2**	**5**	**11**	**21**	**29**	**87**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	76	12.0	40	2	4	11	16	22	23	25
1-11 MOS	599	11.0	21	2	4	11	13	15	17	23
1-5 YRS	660	11.3	19	3	5	11	14	16	18	25
6-12 YRS	160	7.1	26	1	2	6	11	13	15	23
13-19 YRS	115	6.7	23	1	2	5	10	13	14	24
B. *Operated*										
0-27 DYS	7	15.3	20	10	10	14	19	21	22	22
1-11 MOS	92	13.0	31	5	9	11	14	20	26	33
1-5 YRS	57	13.3	12	10	10	12	15	16	21	26
6-12 YRS	7	19.7	196	6	6	17	30	41	43	43
13-19 YRS	12	15.0	130	3	3	15	24	31	34	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	54	14.8	58	1	6	14	19	24	30	35
1-11 MOS	598	12.8	37	3	5	12	15	19	22	34
1-5 YRS	476	12.0	30	3	5	12	14	17	20	29
6-12 YRS	95	8.8	35	1	2	9	12	15	19	27
13-19 YRS	92	9.4	45	1	2	9	13	17	22	31
B. *Operated*										
0-27 DYS	17	23.4	317	3	6	22	31	67	92	99+
1-11 MOS	147	18.1	140	8	10	15	22	29	38	86
1-5 YRS	95	16.3	95	6	10	14	18	30	44	99+
6-12 YRS	21	21.6	408	3	4	15	26	45	66	90
13-19 YRS	37	23.5	270	4	10	18	30	46	47	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1610	10.5	24	2	3	11	13	16	18	24
B. *Operated*	175	13.6	37	5	9	12	15	22	27	35
2. MULTIPLE DX										
A. *Not Operated*	1315	12.1	37	2	4	12	15	18	21	33
B. *Operated*	317	18.7	172	6	10	15	22	36	46	99+
1. SINGLE DX	1785	10.8	26	2	3	11	13	16	18	26
2. MULTIPLE DX	1632	13.4	70	3	4	12	16	21	27	48
A. NOT OPERATED	2925	11.2	31	2	3	11	14	17	20	29
B. OPERATED	492	16.9	130	6	10	14	20	29	42	88
TOTAL 0-27 DYS	154	14.4	86	2	4	13	19	24	30	79
1-11 MOS	1436	12.6	44	3	5	12	15	18	23	37
1-5 YRS	1288	12.0	30	3	6	12	14	17	20	35
6-12 YRS	283	9.1	76	1	2	7	12	16	22	44
13-19 YRS	256	10.5	103	1	2	8	13	20	29	46
GRAND TOTAL	**3417**	**12.0**	**49**	**2**	**4**	**11**	**14**	**18**	**22**	**39**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	25	2	2	5	9	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	3	16.7	281	6	6	8	29	36	36	36
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	5.3	12	2	2	5	8	9	9	9
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	4	13.0	241	2	2	7	22	36	36	36
B. *Operated*										
1. SINGLE DX	3	5.3	12	2	2	5	8	9	9	9
2. MULTIPLE DX	4	13.0	241	2	2	7	22	36	36	36
A. NOT OPERATED	7	9.7	142	2	2	6	9	31	36	36
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	5	12.2	184	2	2	8	16	36	36	36
GRAND TOTAL	**7**	**9.7**	**142**	**2**	**2**	**6**	**9**	**31**	**36**	**36**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	3	14.3	261	5	5	5	26	33	33	33
13-19 YRS	47	10.7	65	2	2	9	15	19	31	34
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	8.0	72	2	2	8	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	16.3	432	1	1	8	32	40	40	40
13-19 YRS	21	10.0	244	1	2	6	10	14	43	76
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	19.5	365	6	6	19	33	33	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	10.7	73	2	2	9	15	20	32	34
B. *Operated*	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	24	10.8	254	1	2	7	10	18	51	76
B. *Operated*	2	19.5	365	6	6	19	33	33	33	33
1. SINGLE DX	54	10.5	72	2	2	8	15	20	32	34
2. MULTIPLE DX	26	11.5	254	1	2	7	11	31	47	76
A. NOT OPERATED	75	10.8	128	1	2	8	14	19	33	67
B. OPERATED	5	11.4	170	2	2	6	19	33	33	33
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	6	15.3	279	1	1	7	33	39	40	40
13-19 YRS	72	10.7	120	2	2	8	14	19	32	67
GRAND TOTAL	**80**	**10.8**	**129**	**1**	**2**	**8**	**14**	**21**	**33**	**65**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	15	4.4	7	<1	1	4	5	8	10	11
1-11 MOS	115	5.9	42	1	1	4	8	13	16	33
1-5 YRS	592	3.3	7	1	1	3	4	6	8	16
6-12 YRS	623	3.1	7	1	1	2	4	5	7	14
13-19 YRS	807	3.4	8	1	1	3	4	6	8	16
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.5	28	2	2	8	12	15	15	15
1-5 YRS	7	5.6	10	2	2	6	7	10	11	11
6-12 YRS	7	4.4	10	<1	<1	4	5	10	11	11
13-19 YRS	22	9.7	111	2	3	6	12	20	33	49
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	6.0	14	2	2	5	8	11	11	11
1-11 MOS	150	5.9	23	1	2	5	7	12	16	24
1-5 YRS	677	4.4	25	1	1	3	5	8	11	30
6-12 YRS	517	4.5	32	1	1	3	5	9	13	24
13-19 YRS	651	5.6	45	1	1	4	6	11	16	38
B. *Operated*										
0-27 DYS										
1-11 MOS	16	12.9	115	2	3	10	16	24	39	45
1-5 YRS	21	7.9	30	2	3	5	11	16	20	21
6-12 YRS	23	10.7	194	1	2	5	11	29	42	63
13-19 YRS	47	8.6	50	2	2	7	10	18	26	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2152	3.4	10	1	1	3	4	6	9	16
B. *Operated*	40	8.0	70	2	2	5	10	16	20	49
2. MULTIPLE DX										
A. *Not Operated*	1999	4.9	34	1	1	3	6	10	14	33
B. *Operated*	107	9.5	87	2	2	7	12	20	29	53
1. SINGLE DX	2192	3.5	11	1	1	3	4	7	9	17
2. MULTIPLE DX	2106	5.2	37	1	1	3	6	10	15	34
A. NOT OPERATED	4151	4.2	22	1	1	3	5	8	11	22
B. OPERATED	147	9.1	82	2	2	7	11	19	26	49
TOTAL 0-27 DYS	19	4.7	8	<1	1	5	6	10	11	11
1-11 MOS	285	6.3	38	1	2	5	8	14	17	26
1-5 YRS	1297	4.0	18	1	1	3	5	8	10	22
6-12 YRS	1170	3.8	23	1	1	3	4	7	11	22
13-19 YRS	1527	4.6	28	1	1	3	5	9	13	29
GRAND TOTAL	**4298**	**4.3**	**25**	**1**	**1**	**3**	**5**	**8**	**12**	**25**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	10	6.5	35	1	1	5	7	16	21	21
1-11 MOS	83	3.5	16	<1	1	2	4	7	12	22
1-5 YRS	234	3.9	67	<1	1	2	4	6	9	78
6-12 YRS	211	3.5	13	1	1	3	4	6	9	23
13-19 YRS	302	5.4	34	1	1	4	7	11	16	45
B. *Operated*										
0-27 DYS	5	17.8	639	6	6	7	21	63	63	63
1-11 MOS	78	7.4	33	2	2	6	9	13	15	35
1-5 YRS	219	3.9	9	1	1	3	5	8	9	15
6-12 YRS	226	5.4	40	1	2	4	6	10	14	45
13-19 YRS	217	7.4	87	1	1	5	8	14	25	51
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	15.8	297	1	1	11	25	44	44	44
1-11 MOS	142	6.0	63	1	1	4	7	14	19	44
1-5 YRS	425	6.2	97	<1	1	4	7	14	32	99+
6-12 YRS	358	6.5	126	1	1	4	7	14	50	99+
13-19 YRS	461	8.3	139	1	2	5	9	22	51	99+
B. *Operated*										
0-27 DYS	5	20.2	398	5	5	16	28	54	54	54
1-11 MOS	98	13.6	260	2	3	8	14	29	45	84
1-5 YRS	295	8.2	164	1	1	4	8	17	36	89
6-12 YRS	350	7.2	120	1	2	4	7	15	23	83
13-19 YRS	418	11.3	203	1	2	7	13	30	60	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	4.3	36	<1	1	3	5	9	13	44
B. *Operated*	745	5.8	50	1	2	4	7	11	15	41
2. MULTIPLE DX										
A. *Not Operated*	1391	7.0	116	1	1	4	7	16	41	99+
B. *Operated*	1166	9.5	178	1	2	5	10	22	41	98
1. SINGLE DX	1585	5.0	43	1	1	3	6	10	14	42
2. MULTIPLE DX	2557	8.1	146	1	1	4	9	19	41	99+
A. NOT OPERATED	2231	6.0	88	1	1	3	7	13	23	99+
B. OPERATED	1911	8.1	131	1	2	5	9	17	30	84
TOTAL 0-27 DYS	25	13.4	270	1	2	7	17	44	56	63
1-11 MOS	401	7.6	108	1	1	4	9	15	24	58
1-5 YRS	1173	5.8	94	<1	1	3	6	11	21	99+
6-12 YRS	1145	6.0	88	1	1	4	6	12	19	99
13-19 YRS	1398	8.4	132	1	1	5	9	20	40	99+
GRAND TOTAL	**4142**	**7.0**	**109**	**1**	**1**	**4**	**7**	**15**	**28**	**99+**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	28	2.3	2	1	1	2	3	4	5	7
6-12 YRS	296	2.5	2	1	1	2	3	4	5	8
13-19 YRS	647	3.1	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	9	3.4	4	1	1	3	5	7	7	7
13-19 YRS	28	4.1	7	2	2	3	5	7	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	3.2	5	1	1	3	4	5	8	10
6-12 YRS	163	3.3	4	1	1	3	4	6	7	10
13-19 YRS	375	3.6	6	1	1	3	5	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	9	4.1	3	2	2	4	5	7	7	7
13-19 YRS	23	5.8	17	2	2	5	7	10	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	971	2.9	4	1	1	2	4	5	6	10
B. *Operated*	38	3.9	6	2	2	3	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	556	3.5	5	1	1	3	5	7	8	10
B. *Operated*	33	5.4	13	2	2	5	6	8	13	20
1. SINGLE DX	1009	3.0	4	1	1	2	4	5	6	11
2. MULTIPLE DX	589	3.6	6	1	1	3	5	7	8	12
A. NOT OPERATED	1527	3.1	5	1	1	3	4	6	7	10
B. OPERATED	71	4.6	10	2	2	4	6	8	10	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	48	2.8	3	1	1	2	4	5	6	10
6-12 YRS	477	2.8	3	1	1	2	4	5	6	8
13-19 YRS	1073	3.4	6	1	1	3	4	6	8	13
GRAND TOTAL	**1598**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	6	8.2	176	<1	<1	3	6	32	35	35
B. *Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	8	2.3	1	1	1	2	3	4	4	4
13-19 YRS	119	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	5	3.2	4	<1	<1	3	4	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS	7	3.3	4	2	2	2	4	7	7	7
13-19 YRS	46	2.6	7	<1	1	2	3	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	7.3	152	<1	<1	3	5	29	35	35
B. *Operated*	135	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	8	2.6	3	<1	<1	2	4	5	6	6
B. *Operated*	55	2.7	6	<1	1	2	3	4	7	15
1. SINGLE DX	142	2.3	9	<1	<1	2	3	3	4	11
2. MULTIPLE DX	63	2.7	6	<1	1	2	3	4	6	15
A. NOT OPERATED	15	4.8	73	<1	<1	3	4	6	28	35
B. OPERATED	190	2.2	3	<1	1	2	3	3	4	11
TOTAL 0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	5	2.0	1	1	1	2	2	3	3	3
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	18	2.5	2	1	1	2	3	5	6	7
13-19 YRS	176	2.4	9	<1	<1	2	3	3	5	14
GRAND TOTAL	**205**	**2.4**	**8**	**<1**	**1**	**2**	**3**	**4**	**5**	**13**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	5.6	28	1	1	4	9	14	15	15
1-5 YRS	44	6.7	32	<1	1	5	9	15	17	27
6-12 YRS	92	6.7	36	1	2	5	8	14	18	32
13-19 YRS	209	7.5	82	1	2	4	8	18	31	51
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	13	4.1	7	<1	<1	4	6	8	8	8
6-12 YRS	48	4.5	19	1	1	3	6	7	14	24
13-19 YRS	365	3.8	28	1	1	3	4	6	9	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	5.1	10	2	2	4	8	10	10	10
1-5 YRS	31	5.9	42	1	1	3	7	15	22	27
6-12 YRS	41	6.9	47	1	2	4	8	17	23	29
13-19 YRS	131	8.4	123	1	2	5	9	19	32	71
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	2	12.5	25	9	9	12	16	16	16	16
1-5 YRS	16	5.1	38	1	1	3	4	19	21	21
6-12 YRS	37	6.2	101	1	1	4	5	13	25	56
13-19 YRS	183	7.3	141	1	2	4	7	18	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	352	7.2	63	1	2	4	8	16	23	45
B. *Operated*	429	3.9	26	1	1	3	4	7	9	25
2. MULTIPLE DX										
A. *Not Operated*	210	7.6	93	1	2	4	9	18	26	63
B. *Operated*	239	7.0	126	1	2	4	6	16	36	99+
1. SINGLE DX	781	5.4	45	1	1	3	6	11	17	39
2. MULTIPLE DX	449	7.3	111	1	2	4	7	18	31	99
A. NOT OPERATED	562	7.3	74	1	2	4	8	17	23	51
B. OPERATED	668	5.0	64	1	1	3	5	9	17	61
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	19	5.6	22	<1	1	4	9	13	16	16
1-5 YRS	104	5.9	33	<1	1	4	8	15	19	27
6-12 YRS	218	6.2	46	1	2	4	7	14	18	34
13-19 YRS	888	6.1	82	1	1	3	6	13	23	64
GRAND TOTAL	**1230**	**6.1**	**70**	**1**	**1**	**3**	**6**	**14**	**21**	**57**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	5.0	32	<1	<1	4	9	9	9	9
13-19 YRS	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7		2	2	3	3	3	3	3
1-5 YRS	8	4.3	10	<1	1	3	5	9	11	11
6-12 YRS	68	5.0	9	2	2	4	6	9	11	15
13-19 YRS	153	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS	4	4.0	23	<1	<1	2	7	11	11	11
13-19 YRS	5	3.6	14	1	1	2	5	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.6	3	2	2	4	5	6	6	6
1-5 YRS	9	4.8	13	2	2	4	6	11	13	13
6-12 YRS	39	5.8	14	2	2	5	7	9	15	20
13-19 YRS	84	4.8	8	2	3	4	6	8	9	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.5	10	<1	<1	1	2	8	9	9
B. *Operated*	232	4.6	7	1	2	4	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	13	3.4	13	<1	<1	1	5	10	11	11
B. *Operated*	137	5.1	10	2	2	4	6	8	10	20
1. SINGLE DX	238	4.6	7	1	2	4	6	8	10	13
2. MULTIPLE DX	150	4.9	10	1	2	4	6	8	10	20
A. NOT OPERATED	19	3.1	12	<1	<1	1	4	10	11	11
B. OPERATED	369	4.8	8	2	2	4	6	8	10	15
TOTAL 0-27 DYS										
1-11 MOS	10	3.4	4	1	1	3	4	6	7	7
1-5 YRS	21	3.9	11	<1	<1	3	5	9	12	13
6-12 YRS	113	5.3	11	2	2	5	7	9	13	17
13-19 YRS	244	4.6	7	1	2	4	6	8	9	12
GRAND TOTAL	**388**	**4.7**	**8**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.0		<1	<1	1	1	1	1	1
1-5 YRS	8	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	4	5.0	37	1	1	2	8	14	14	14
13-19 YRS	8	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	5	1.8	3	<1	<1	1	2	5	5	5
6-12 YRS	3	3.0	3	2	2	2	4	5	5	5
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	2	2.0	2	<1	<1	1	3	3	3	3
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	5	12.4	377	2	2	5	16	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	1.0		<1	1	1	1	1	1	1
B. *Operated*	18	3.3	9	1	1	2	4	5	10	14
2. MULTIPLE DX										
A. *Not Operated*	12	2.1	3	<1	<1	1	3	5	5	5
B. *Operated*	11	6.8	180	<1	1	3	5	22	45	47
1. SINGLE DX	33	2.2	6	1	1	1	3	4	5	14
2. MULTIPLE DX	23	4.3	89	<1	<1	2	4	5	20	47
A. NOT OPERATED	27	1.5	1	<1	<1	1	1	4	5	5
B. OPERATED	29	4.6	73	1	1	2	4	6	16	47
TOTAL 0-27 DYS										
1-11 MOS	15	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	18	1.6	1	<1	<1	1	1	4	5	5
6-12 YRS	9	3.8	16	1	1	2	4	10	14	14
13-19 YRS	14	6.4	139	<1	1	3	5	10	39	47
GRAND TOTAL	**56**	**3.1**	**40**	**<1**	**1**	**2**	**3**	**5**	**6**	**45**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	3	2.7	8	<1	<1	1	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.3		3	3	3	4	4	4	4
6-12 YRS	10	2.0	1	<1	<1	2	2	3	4	4
13-19 YRS	30	3.2	7	<1	1	3	4	5	5	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	2.5	5	1	1	2	4	4	4	4
13-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	5	3.8	17	<1	<1	2	5	11	11	11
13-19 YRS	28	4.2	14	2	2	3	5	7	9	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.0	4	<1	<1	1	2	6	6	6
B. *Operated*	45	2.9	5	<1	1	2	4	4	5	15
2. MULTIPLE DX										
A. *Not Operated*	8	1.9	2	<1	<1	1	3	4	4	4
B. *Operated*	35	4.1	13	2	2	3	5	7	10	21
1. SINGLE DX	51	2.8	5	<1	1	2	4	4	5	15
2. MULTIPLE DX	43	3.7	12	<1	1	2	5	6	9	21
A. NOT OPERATED	14	1.9	2	<1	<1	1	3	4	6	6
B. OPERATED	80	3.4	9	<1	1	2	4	6	7	19
TOTAL 0-27 DYS										
1-11 MOS	6	1.8	1	1	1	2	2	3	3	3
1-5 YRS	8	2.3	1	<1	<1	2	3	4	4	4
6-12 YRS	17	2.6	6	<1	<1	2	3	4	9	11
13-19 YRS	63	3.6	10	<1	1	3	4	6	7	20
GRAND TOTAL	**94**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**7**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*										
1. SINGLE DX										
2. MULTIPLE DX										
A. NOT OPERATED										
B. OPERATED										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	10	1.7		<1	<1	2	2	2	2	2
1-5 YRS	43	2.3	1	<1	1	2	3	4	4	5
6-12 YRS	98	2.2	1	1	1	2	3	3	4	6
13-19 YRS	134	2.4	1	1	1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	4	<1	<1	1	3	5	5	5
6-12 YRS	7	1.9	1	<1	<1	1	3	4	4	4
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	8	1.8	1	<1	<1	1	2	4	4	4
1-5 YRS	21	2.5	1	<1	1	2	3	4	5	5
6-12 YRS	53	2.9	3	1	2	2	3	5	7	10
13-19 YRS	63	2.9	2	1	2	2	3	5	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	285	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	12	1.9	2	<1	<1	1	3	4	5	5
B. *Operated*	145	2.8	2	1	1	2	3	5	7	8
1. SINGLE DX	289	2.3	1	1	1	2	3	4	4	6
2. MULTIPLE DX	157	2.7	2	<1	1	2	3	5	6	8
A. NOT OPERATED	16	1.8	2	<1	<1	1	2	4	5	5
B. OPERATED	430	2.5	2	1	1	2	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS	18	1.7	1	<1	<1	2	2	3	4	4
1-5 YRS	70	2.3	1	<1	1	2	3	4	5	5
6-12 YRS	160	2.4	2	1	1	2	3	4	4	7
13-19 YRS	198	2.6	2	1	1	2	3	4	5	7
GRAND TOTAL	**446**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**	**7**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.9	2	<1	<1	1	2	4	5	5
1-5 YRS	70	1.5	1	<1	<1	1	2	3	3	7
6-12 YRS	21	2.0	3	<1	<1	1	2	4	6	7
13-19 YRS	22	3.4	9	<1	1	2	5	7	10	13
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	331	1.5		<1	<1	1	2	2	2	3
1-5 YRS	3087	1.6		<1	<1	2	2	2	2	3
6-12 YRS	1655	1.7		<1	<1	2	2	2	2	3
13-19 YRS	898	1.8		<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	19	1.5	1	<1	<1	1	1	3	4	4
1-5 YRS	143	1.2		<1	<1	1	1	2	2	3
6-12 YRS	50	1.7	3	<1	<1	1	1	3	8	10
13-19 YRS	25	2.5	5	<1	1	2	3	5	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	41	1.6		<1	1	2	2	2	2	2
1-5 YRS	558	1.7	1	<1	<1	2	2	2	3	5
6-12 YRS	340	1.8		<1	1	2	2	2	3	4
13-19 YRS	211	2.0	1	1	1	2	2	2	3	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	120	1.9	3	<1	<1	1	2	4	6	9
B. *Operated*	5972	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	237	1.4	2	<1	<1	1	1	3	3	8
B. *Operated*	1150	1.8	1	<1	1	2	2	2	3	5
1. SINGLE DX	6092	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX	1387	1.7	1	<1	<1	2	2	2	3	5
A. NOT OPERATED	357	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	7122	1.7		<1	<1	2	2	2	2	3
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	398	1.5		<1	<1	1	2	2	2	3
1-5 YRS	3858	1.6		<1	<1	2	2	2	2	3
6-12 YRS	2066	1.7	1	<1	<1	2	2	2	2	3
13-19 YRS	1156	1.9	1	<1	1	2	2	2	3	5
GRAND TOTAL	**7479**	**1.7**	**1**	**<1**	**<1**	**2**	**2**	**2**	**2**	**4**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	58	3.5	4	<1	1	3	4	6	8	10
1-11 MOS	264	1.5	2	<1	<1	1	1	3	4	8
1-5 YRS	340	2.1	3	<1	<1	1	2	5	6	8
6-12 YRS	56	3.0	8	<1	1	2	3	8	10	12
13-19 YRS	63	2.6	5	<1	<1	2	3	6	7	9
B. *Operated*										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	24	1.4	1	<1	<1	1	2	2	3	5
1-5 YRS	321	1.5	2	<1	<1	1	2	2	3	6
6-12 YRS	231	1.8	1	<1	<1	1	2	3	3	7
13-19 YRS	255	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	60	4.6	6	1	2	4	6	8	9	11
1-11 MOS	162	3.5	7	<1	1	3	5	7	9	13
1-5 YRS	232	3.4	6	<1	<1	3	5	6	7	13
6-12 YRS	74	4.1	7	1	1	4	5	8	9	13
13-19 YRS	70	3.1	3	<1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	19	5.1	82	<1	<1	2	5	11	27	40
1-5 YRS	86	2.2	4	<1	<1	2	2	4	6	13
6-12 YRS	95	2.5	3	<1	1	2	3	5	6	9
13-19 YRS	106	2.9	6	<1	1	2	3	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	781	2.1	4	<1	<1	1	3	5	6	9
B. *Operated*	833	1.7	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	598	3.6	6	<1	1	3	5	7	8	12
B. *Operated*	308	2.8	9	<1	1	2	3	5	7	13
1. SINGLE DX	1614	1.9	2	<1	<1	1	2	4	5	8
2. MULTIPLE DX	906	3.3	7	<1	1	3	4	6	8	12
A. NOT OPERATED	1379	2.8	5	<1	<1	2	4	6	7	10
B. OPERATED	1141	2.0	4	<1	<1	2	2	3	5	9
TOTAL 0-27 DYS	122	4.1	5	1	1	4	5	7	8	11
1-11 MOS	469	2.4	8	<1	<1	1	3	5	7	11
1-5 YRS	979	2.2	4	<1	<1	1	3	5	6	10
6-12 YRS	456	2.5	4	<1	<1	2	3	5	7	10
13-19 YRS	494	2.4	3	<1	<1	2	3	5	6	8
GRAND TOTAL	**2520**	**2.4**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	22	4.0	5	1	2	4	5	7	9	11
1-11 MOS	241	3.8	5	1	2	3	5	7	8	10
1-5 YRS	547	3.7	7	1	2	3	5	6	8	11
6-12 YRS	237	4.1	7	1	2	4	5	7	8	17
13-19 YRS	209	4.3	7	1	2	4	5	7	9	14
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	3.1	9	<1	1	2	3	6	11	13
1-5 YRS	51	2.7	4	<1	<1	2	4	5	6	11
6-12 YRS	49	2.7	5	<1	1	2	3	5	6	14
13-19 YRS	78	3.4	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	22	5.0	8	2	2	4	6	10	11	12
1-11 MOS	223	4.9	8	1	2	4	6	8	10	14
1-5 YRS	434	4.3	6	1	2	4	5	8	9	13
6-12 YRS	191	5.1	28	1	2	4	6	9	10	26
13-19 YRS	143	4.7	8	1	1	4	6	8	10	14
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	21	6.5	61	1	1	5	7	11	24	38
1-5 YRS	54	5.1	15	1	2	4	6	10	13	17
6-12 YRS	81	5.3	18	1	2	4	7	11	14	20
13-19 YRS	128	4.9	18	1	2	4	6	10	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1256	3.9	6	1	2	3	5	7	8	12
B. *Operated*	196	3.0	5	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1013	4.7	11	1	2	4	6	8	10	14
B. *Operated*	285	5.2	20	1	2	4	6	10	13	24
1. SINGLE DX	1452	3.8	6	1	1	3	5	7	8	12
2. MULTIPLE DX	1298	4.8	13	1	2	4	6	9	10	16
A. NOT OPERATED	2269	4.2	9	1	2	4	5	7	9	14
B. OPERATED	481	4.3	15	1	1	3	5	9	12	19
TOTAL 0-27 DYS	46	4.5	6	2	2	4	6	7	11	12
1-11 MOS	502	4.4	9	1	2	4	6	8	9	13
1-5 YRS	1086	4.0	7	1	2	3	5	7	9	13
6-12 YRS	558	4.5	16	1	2	4	5	8	10	17
13-19 YRS	558	4.4	10	1	2	4	5	8	10	15
GRAND TOTAL	**2750**	**4.2**	**10**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.3	3	<1	<1	2	4	5	5	5
1-5 YRS	13	1.7	2	<1	<1	1	2	3	5	6
6-12 YRS	14	2.9	3	1	1	3	5	5	6	6
13-19 YRS	32	3.1	5	1	1	3	4	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	13	1.5		<1	<1	2	2	2	2	2
6-12 YRS	12	1.5	1	<1	<1	1	2	3	4	4
13-19 YRS	16	2.7	4	<1	1	2	4	5	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	14	3.2	6	<1	1	3	4	8	9	9
1-5 YRS	28	1.6	1	<1	<1	1	2	3	4	4
6-12 YRS	24	2.6	3	1	1	2	4	5	6	7
13-19 YRS	42	3.3	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.3	10	1	1	2	6	7	7	7
1-5 YRS	19	2.0	1	1	1	2	2	4	5	5
6-12 YRS	21	2.3	2	1	1	2	2	4	6	8
13-19 YRS	29	2.8	3	1	1	2	3	5	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	2.7	4	1	1	2	4	5	7	9
B. *Operated*	42	2.0	2	<1	<1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	109	2.8	4	<1	1	2	4	6	7	10
B. *Operated*	72	2.5	3	1	1	2	3	4	7	9
1. SINGLE DX	107	2.4	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	181	2.7	4	1	1	2	3	5	7	10
A. NOT OPERATED	174	2.8	4	<1	1	2	4	6	7	10
B. OPERATED	114	2.3	2	1	1	2	2	4	5	9
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	24	3.0	5	<1	1	2	4	7	8	9
1-5 YRS	73	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	71	2.4	2	1	1	2	3	5	6	8
13-19 YRS	119	3.1	4	1	1	2	4	6	8	10
GRAND TOTAL	**288**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	**9**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	167	3.6	5	1	2	3	4	6	8	11
1-11 MOS	1338	2.8	3	<1	1	3	3	5	6	9
1-5 YRS	1516	2.8	4	<1	1	2	4	5	6	10
6-12 YRS	142	3.1	5	<1	<1	3	4	7	8	10
13-19 YRS	59	4.3	14	<1	<1	3	5	10	12	19
B. *Operated*										
0-27 DYS	20	5.3	10	1	2	4	6	10	12	13
1-11 MOS	1302	1.2	1	<1	<1	<1	1	1	2	6
1-5 YRS	8768	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	3748	1.2		<1	<1	1	1	2	2	3
13-19 YRS	927	1.7	1	<1	<1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	145	3.7	4	1	2	3	4	6	8	12
1-11 MOS	3061	3.6	5	1	2	3	4	6	8	12
1-5 YRS	4963	3.5	7	1	1	3	4	6	8	13
6-12 YRS	532	3.5	6	<1	1	3	4	6	8	13
13-19 YRS	178	4.1	9	<1	1	3	5	8	9	14
B. *Operated*										
0-27 DYS	15	4.5	15	<1	<1	4	5	11	14	15
1-11 MOS	414	2.8	12	<1	<1	1	4	7	9	17
1-5 YRS	5472	1.5	2	<1	<1	1	2	2	3	8
6-12 YRS	3201	1.6	1	<1	<1	1	2	2	3	5
13-19 YRS	853	2.3	6	1	1	2	3	3	4	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3222	2.9	4	<1	1	3	4	5	6	10
B. *Operated*	14765	1.2		<1	<1	<1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	8879	3.5	6	1	1	3	4	6	8	13
B. *Operated*	9955	1.7	2	<1	<1	1	2	2	3	8
1. SINGLE DX	17987	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	18834	2.6	5	<1	<1	2	3	5	6	11
A. NOT OPERATED	12101	3.4	6	1	1	3	4	6	7	12
B. OPERATED	24720	1.4	1	<1	<1	1	2	2	3	6
TOTAL 0-27 DYS	347	3.8	5	1	2	3	4	6	8	12
1-11 MOS	6115	2.9	5	<1	<1	2	4	5	7	11
1-5 YRS	20719	1.9	4	<1	<1	1	2	4	5	9
6-12 YRS	7623	1.6	1	<1	<1	1	2	2	3	7
13-19 YRS	2017	2.3	4	<1	<1	2	2	3	5	10
GRAND TOTAL	**36821**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	3.5	1	2	2	3	4	5	5	5
1-11 MOS	68	3.6	5	<1	<1	3	5	7	8	10
1-5 YRS	152	3.7	7	<1	1	3	5	7	9	14
6-12 YRS	92	3.6	5	1	1	3	4	7	9	12
13-19 YRS	88	3.6	10	<1	<1	3	5	7	9	19
B. *Operated*										
0-27 DYS	2	6.5	61	1	1	6	12	12	12	12
1-11 MOS	113	2.0	19	<1	<1	1	1	4	6	23
1-5 YRS	720	1.4	2	<1	<1	1	1	2	3	8
6-12 YRS	438	1.6	3	<1	<1	1	2	3	4	10
13-19 YRS	146	2.8	21	<1	1	2	3	4	6	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	6.0	10	2	2	5	8	10	11	11
1-11 MOS	164	3.8	7	1	1	3	5	7	9	14
1-5 YRS	354	3.6	7	1	1	3	5	6	8	13
6-12 YRS	136	3.9	6	<1	1	4	5	7	8	12
13-19 YRS	101	4.1	7	<1	<1	3	6	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	39	3.8	18	<1	<1	2	5	9	13	21
1-5 YRS	682	2.0	5	<1	<1	1	2	3	6	13
6-12 YRS	450	2.2	6	<1	<1	2	2	3	6	15
13-19 YRS	196	3.5	18	1	1	3	4	5	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	406	3.6	7	<1	1	3	5	7	9	12
B. *Operated*	1419	1.7	6	<1	<1	1	2	3	4	10
2. MULTIPLE DX										
A. *Not Operated*	763	3.8	7	1	1	3	5	7	8	13
B. *Operated*	1367	2.3	8	<1	<1	2	2	4	6	15
1. SINGLE DX	1825	2.1	7	<1	<1	1	2	4	7	10
2. MULTIPLE DX	2130	2.8	8	<1	<1	2	3	6	8	14
A. NOT OPERATED	1169	3.7	7	<1	1	3	5	7	8	13
B. OPERATED	2786	2.0	7	<1	<1	1	2	3	6	13
TOTAL 0-27 DYS	16	5.1	11	1	2	4	7	11	12	12
1-11 MOS	384	3.2	12	<1	<1	2	4	7	9	14
1-5 YRS	1908	2.2	5	<1	<1	1	2	5	7	11
6-12 YRS	1116	2.3	5	<1	<1	2	2	4	6	12
13-19 YRS	531	3.5	15	<1	1	3	4	6	8	17
GRAND TOTAL	**3955**	**2.5**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	2.8	2	1	1	3	4	5	5	5
6-12 YRS	18	4.6	13	1	1	4	6	8	13	17
13-19 YRS	90	3.6	5	1	1	3	4	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	4	2.3		2	2	2	3	3	3	3
13-19 YRS	15	2.7	2	1	2	2	4	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	15	3.6	4	1	1	3	5	7	8	8
6-12 YRS	11	4.7	9	1	2	4	6	9	12	12
13-19 YRS	70	3.9	6	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	7.2	177	<1	<1	1	9	31	31	31
6-12 YRS	5	3.0	3	2	2	2	4	6	6	6
13-19 YRS	12	4.3	7	2	2	3	5	8	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	3.7	6	1	1	3	4	7	8	14
B. *Operated*	20	2.6	1	1	2	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	101	3.9	6	1	1	3	5	7	8	13
B. *Operated*	22	4.6	41	<1	1	3	4	8	19	31
1. SINGLE DX	138	3.5	6	1	1	3	4	7	8	13
2. MULTIPLE DX	123	4.0	12	1	1	3	5	7	9	19
A. NOT OPERATED	219	3.8	6	1	1	3	5	7	8	14
B. OPERATED	42	3.7	22	1	1	2	4	6	9	31
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	4	2.3		2	2	2	3	3	3	3
1-5 YRS	29	3.9	30	1	1	3	4	6	9	31
6-12 YRS	38	4.2	10	1	2	3	5	7	10	17
13-19 YRS	187	3.7	6	1	2	3	5	7	8	12
GRAND TOTAL	**261**	**3.8**	**9**	**1**	**1**	**3**	**4**	**7**	**8**	**15**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.8		<1	<1	2	2	2	2	2
6-12 YRS	13	1.8		1	1	2	2	3	3	3
13-19 YRS	86	2.4	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	18	2.4	1	1	1	2	3	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	3.0		3	3	3	3	3	3	3
B. *Operated*	105	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	23	2.4	1	1	1	2	3	4	4	4
1. SINGLE DX	106	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	25	2.3	1	<1	1	2	3	4	4	4
A. NOT OPERATED	3	1.7	1	<1	<1	1	2	3	3	3
B. OPERATED	128	2.3	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	6	1.8	1	<1	<1	2	2	3	3	3
6-12 YRS	16	1.8		1	1	2	2	3	3	3
13-19 YRS	105	2.4	1	1	1	2	3	3	4	5
GRAND TOTAL	**131**	**2.3**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	3.1	4	<1	<1	3	4	6	7	7
1-5 YRS	24	1.3		<1	<1	1	1	2	3	3
6-12 YRS	22	3.6	13	<1	1	2	4	9	12	16
13-19 YRS	48	2.7	4	<1	<1	2	3	5	7	9
B. *Operated*										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	6	2.7	5	<1	<1	2	3	7	7	7
1-5 YRS	424	1.6	1	<1	<1	1	2	2	3	4
6-12 YRS	1285	1.8	1	<1	<1	2	2	3	3	5
13-19 YRS	956	2.1	3	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.0	26	1	1	5	10	14	15	15
1-5 YRS	41	2.9	8	<1	<1	2	3	6	10	12
6-12 YRS	48	2.1	6	<1	<1	1	2	4	7	14
13-19 YRS	43	3.2	7	<1	<1	2	4	7	10	11
B. *Operated*										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	10	2.5	5	1	1	2	3	6	7	7
1-5 YRS	311	1.7	1	<1	<1	1	2	2	3	7
6-12 YRS	803	1.9	1	<1	1	2	2	3	3	6
13-19 YRS	682	2.3	2	1	1	2	3	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.6	6	<1	<1	2	3	6	8	13
B. *Operated*	2673	1.9	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	139	2.9	8	<1	<1	2	3	6	10	14
B. *Operated*	1808	2.0	1	<1	1	2	2	3	3	7
1. SINGLE DX	2775	1.9	2	<1	<1	2	2	3	3	5
2. MULTIPLE DX	1947	2.1	2	<1	1	2	2	3	4	8
A. NOT OPERATED	241	2.8	7	<1	<1	2	3	6	9	14
B. OPERATED	4481	1.9	2	<1	1	2	2	3	3	6
TOTAL 0-27 DYS	5	2.8	9	<1	<1	2	4	8	8	8
1-11 MOS	30	3.5	11	<1	1	2	5	7	11	15
1-5 YRS	800	1.7	1	<1	<1	1	2	2	3	7
6-12 YRS	2158	1.9	1	<1	<1	2	2	3	3	6
13-19 YRS	1729	2.2	2	1	1	2	3	3	4	7
GRAND TOTAL	**4722**	**2.0**	**2**	**<1**	**1**	**2**	**2**	**3**	**3**	**7**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	38	5.3	15	2	2	4	6	10	13	21
6-12 YRS	116	7.2	37	2	2	6	8	14	17	38
13-19 YRS	77	5.9	15	2	2	5	8	11	14	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	4.3	12	1	2	3	5	9	14	14
6-12 YRS	55	8.2	72	2	3	6	11	14	18	57
13-19 YRS	44	8.5	56	2	2	6	12	16	22	39
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	9.0	32	5	5	9	13	13	13	13
13-19 YRS	4	8.0	21	2	2	8	11	13	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	232	6.4	26	2	2	5	8	13	15	29
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	110	7.9	60	2	2	5	11	15	19	47
B. *Operated*	6	8.3	19	2	2	8	13	13	13	13
1. SINGLE DX	232	6.4	26	2	2	5	8	13	15	29
2. MULTIPLE DX	116	7.9	58	2	2	5	11	15	19	46
A. NOT OPERATED	342	6.9	38	2	2	5	8	14	16	38
B. OPERATED	6	8.3	19	2	2	8	13	13	13	13
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	49	5.1	14	2	2	4	6	10	14	21
6-12 YRS	173	7.5	48	2	3	6	9	14	17	39
13-19 YRS	125	6.9	30	2	2	5	8	13	16	31
GRAND TOTAL	**348**	**6.9**	**37**	**2**	**2**	**5**	**8**	**14**	**16**	**38**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	20.8	711	2	2	11	39	59	59	59
13-19 YRS	20	3.3	4	1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	5	4.8	35	1	1	2	7	15	15	15
13-19 YRS	16	6.8	71	1	1	2	10	23	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	9	16.4	592	3	3	6	18	57	78	78
13-19 YRS	50	4.5	5	2	2	4	6	9	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0		2	2	2	2	2	2	2
6-12 YRS	6	9.8	160	2	2	5	9	32	35	35
13-19 YRS	24	11.6	110	2	2	9	13	23	40	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.0	135	1	1	3	4	9	29	59
B. *Operated*	26	5.4	53	1	1	2	5	19	23	25
2. MULTIPLE DX										
A. *Not Operated*	61	6.2	102	2	2	4	7	9	13	72
B. *Operated*	34	10.2	110	2	2	8	12	23	37	44
1. SINGLE DX	51	5.7	91	1	1	2	5	17	23	59
2. MULTIPLE DX	95	7.6	108	2	2	4	9	13	25	63
A. NOT OPERATED	86	6.2	110	2	2	4	6	9	17	71
B. OPERATED	60	8.1	90	1	1	3	11	21	30	43
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	11	1.8		1	1	2	2	3	3	3
6-12 YRS	24	13.1	372	1	2	5	15	37	65	78
13-19 YRS	110	6.1	46	2	2	4	8	12	21	40
GRAND TOTAL	**146**	**7.0**	**102**	**1**	**2**	**4**	**8**	**14**	**23**	**60**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	11	4.8	12	2	2	4	6	11	12	12
1-5 YRS	7	4.7	14	1	1	3	8	11	11	11
6-12 YRS	29	4.6	17	1	1	3	5	10	15	19
13-19 YRS	158	3.7	6	1	1	3	5	7	8	13
B. *Operated*										
0-27 DYS	1	41.0		41	41	41	41	41	41	41
1-11 MOS	4	3.3	10	1	1	2	5	8	8	8
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS	6	4.5	23	1	1	3	4	13	14	14
13-19 YRS	39	3.1	3	1	1	2	4	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	5	3	3	5	6	8	8	8
1-11 MOS	31	5.6	23	1	2	4	8	10	12	26
1-5 YRS	15	5.6	17	1	2	5	6	9	16	18
6-12 YRS	45	4.0	6	1	2	3	5	7	9	11
13-19 YRS	211	4.5	7	1	1	4	6	8	10	13
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	11.2	89	2	2	11	19	23	23	23
1-5 YRS	3	8.0	61	3	3	4	14	17	17	17
6-12 YRS	8	6.6	21	2	2	5	10	14	15	15
13-19 YRS	43	9.0	161	1	2	5	11	17	23	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	3.9	8	1	1	3	5	7	9	17
B. *Operated*	52	4.0	33	1	1	3	4	7	8	40
2. MULTIPLE DX										
A. *Not Operated*	307	4.6	9	1	1	4	6	8	10	14
B. *Operated*	60	8.8	126	2	2	5	11	17	22	75
1. SINGLE DX	259	3.9	13	1	1	3	5	7	9	19
2. MULTIPLE DX	367	5.3	30	1	2	4	6	9	12	23
A. NOT OPERATED	514	4.3	9	1	1	4	5	8	10	15
B. OPERATED	112	6.6	88	1	2	4	7	15	21	56
TOTAL 0-27 DYS	9	9.1	148	3	3	5	8	28	41	41
1-11 MOS	51	5.8	28	1	2	4	8	11	18	26
1-5 YRS	27	5.6	18	1	2	5	6	11	17	18
6-12 YRS	88	4.4	12	1	2	3	5	9	12	18
13-19 YRS	451	4.5	23	1	1	4	5	8	10	22
GRAND TOTAL	**626**	**4.7**	**24**	**1**	**1**	**4**	**6**	**8**	**11**	**22**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.5	6	2	2	4	5	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	14.5	181	5	5	14	24	24	24	24
1-11 MOS	5	7.6	9	4	4	8	10	11	11	11
1-5 YRS	4	4.3	5	2	2	4	6	7	7	7
6-12 YRS	3	15.3	102	9	9	10	23	27	27	27
13-19 YRS	6	7.2	55	3	3	4	7	20	22	22
B. *Operated*										
0-27 DYS	1	23.0		23	23	23	23	23	23	23
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.1	24	2	2	5	8	15	16	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	20	8.7	53	2	3	6	10	23	25	27
B. *Operated*	2	13.5	181	4	4	13	23	23	23	23
1. SINGLE DX	7	6.1	24	2	2	5	8	15	16	16
2. MULTIPLE DX	22	9.1	59	2	3	6	10	23	25	27
A. NOT OPERATED	27	8.0	46	2	3	5	10	21	24	27
B. OPERATED	2	13.5	181	4	4	13	23	23	23	23
TOTAL 0-27 DYS	4	17.0	77	5	5	19	23	24	24	24
1-11 MOS	5	7.6	9	4	4	8	10	11	11	11
1-5 YRS	4	4.3	5	2	2	4	6	7	7	7
6-12 YRS	3	15.3	102	9	9	10	23	27	27	27
13-19 YRS	13	5.7	28	2	2	4	6	12	20	22
GRAND TOTAL	**29**	**8.4**	**51**	**2**	**3**	**5**	**10**	**23**	**24**	**27**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	2.2	2	1	1	2	3	4	4	4
6-12 YRS	6	4.0	6	1	1	3	7	7	7	7
13-19 YRS	7	4.9	3	2	2	5	6	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	6.3	16	3	3	5	9	12	12	12
13-19 YRS	14	3.6	7	1	1	3	4	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	15.4	229	2	2	11	28	36	36	36
6-12 YRS	10	6.7	26	3	3	5	10	15	19	19
13-19 YRS	29	4.7	9	1	1	4	6	10	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	2	31.0	200	21	21	31	41	41	41	41
6-12 YRS	14	15.4	144	2	3	11	23	35	37	38
13-19 YRS	31	9.5	41	2	2	9	15	17	21	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.7	5	1	1	3	6	7	7	7
B. *Operated*	18	4.2	10	1	1	3	6	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	44	6.3	44	1	2	4	8	11	21	36
B. *Operated*	49	11.8	94	2	2	9	16	25	35	41
1. SINGLE DX	37	3.9	7	1	1	3	6	7	9	12
2. MULTIPLE DX	93	9.2	77	2	2	6	11	21	31	40
A. NOT OPERATED	63	5.5	33	1	1	4	6	10	14	35
B. OPERATED	67	9.8	83	2	2	7	13	21	32	40
TOTAL 0-27 DYS										
1-11 MOS	3	2.7	4	1	1	2	4	5	5	5
1-5 YRS	12	12.5	216	1	1	3	23	37	40	41
6-12 YRS	34	9.8	90	2	3	6	12	24	34	38
13-19 YRS	81	6.3	26	1	2	5	9	14	17	25
GRAND TOTAL	**130**	**7.7**	**63**	**1**	**2**	**5**	**10**	**17**	**26**	**39**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	4	7.5	9	5	5	7	10	11	11	11
6-12 YRS	4	13.0	6	11	11	13	15	16	16	16
13-19 YRS	7	8.1	21	1	2	10	12	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS										
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	5	14.8	19	10	10	15	18	20	20	20
1-11 MOS	24	14.7	58	4	7	13	17	29	29	30
1-5 YRS	7	17.9	64	10	10	17	21	31	33	33
6-12 YRS	8	14.4	56	5	7	14	21	72	99+	99+
13-19 YRS	18	11.2	28	2	4	11	13	20	21	21
B. *Operated*										
0-27 DYS	2	10.5	1	10	10	10	11	11	11	11
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	2	24.5	13	22	22	24	27	27	27	27
6-12 YRS	4	19.8	575	1	1	13	38	52	52	52
13-19 YRS	7	18.4	235	6	7	15	17	45	52	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	9.4	17	2	4	10	12	14	15	16
B. *Operated*	3	6.0	48	2	2	2	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*	62	14.0	48	4	7	13	18	27	30	91
B. *Operated*	16	17.5	241	1	2	14	23	49	52	52
1. SINGLE DX	19	8.9	21	1	2	10	12	14	15	16
2. MULTIPLE DX	78	14.7	87	3	5	13	18	28	32	86
A. NOT OPERATED	78	13.1	45	3	5	12	16	22	30	81
B. OPERATED	19	15.7	224	1	2	14	21	42	52	52
TOTAL 0-27 DYS	7	13.6	17	10	10	11	17	20	20	20
1-11 MOS	27	14.1	58	3	5	13	17	28	29	30
1-5 YRS	13	15.7	74	5	5	14	22	28	32	33
6-12 YRS	16	15.4	150	1	3	14	19	48	83	99+
13-19 YRS	34	11.5	79	2	2	11	14	18	21	52
GRAND TOTAL	**97**	**13.6**	**79**	**2**	**4**	**12**	**17**	**25**	**30**	**77**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	2	5.0	2	4	4	5	6	6	6	6
6-12 YRS										
13-19 YRS	7	4.0	15	<1	<1	3	5	11	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	17	6.0	43	2	2	3	5	14	23	28
1-5 YRS	9	7.7	25	2	2	7	11	15	17	17
6-12 YRS	9	4.8	9	1	2	4	5	9	12	12
13-19 YRS	13	5.1	25	1	2	4	5	9	19	21
B. *Operated*										
0-27 DYS	2	13.5	41	9	9	13	18	18	18	18
1-11 MOS	4	6.5	59	2	2	3	11	18	18	18
1-5 YRS	3	10.0	21	6	6	9	13	15	15	15
6-12 YRS	2	15.5	1	15	15	15	16	16	16	16
13-19 YRS	4	10.8	74	3	3	8	16	23	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.6	11	<1	<1	3	5	9	12	12
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	49	6.0	28	2	2	4	6	12	17	28
B. *Operated*	15	10.5	44	2	3	9	16	18	22	23
1. SINGLE DX	13	3.3	10	<1	<1	2	4	7	11	12
2. MULTIPLE DX	64	7.0	35	2	2	5	9	16	19	27
A. NOT OPERATED	60	5.5	26	1	1	4	6	12	15	27
B. OPERATED	17	9.4	47	1	2	9	15	18	21	23
TOTAL 0-27 DYS	3	13.0	21	9	9	12	16	18	18	18
1-11 MOS	23	5.7	42	1	2	3	5	15	21	28
1-5 YRS	14	7.8	21	2	3	7	11	15	17	17
6-12 YRS	13	5.9	26	<1	1	4	7	15	16	16
13-19 YRS	24	5.7	32	<1	1	4	6	13	22	23
GRAND TOTAL	**77**	**6.4**	**32**	**1**	**2**	**4**	**8**	**15**	**18**	**27**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	6.3	16	2	2	7	9	10	10	10
1-5 YRS	3	8.7	40	5	5	5	13	16	16	16
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	5	6.2	6	3	3	6	8	9	9	9
1-5 YRS	7	7.7	11	3	3	8	10	12	13	13
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5	3.4	3	1	1	4	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	6.6	20	2	2	5	8	14	16	16
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	19	5.9	9	1	2	5	8	10	12	13
B. *Operated*	2	11.0		11	11	11	11	11	11	11
1. SINGLE DX	8	6.6	20	2	2	5	8	14	16	16
2. MULTIPLE DX	21	6.4	10	2	2	6	9	11	12	13
A. NOT OPERATED	27	6.1	12	2	2	5	8	10	13	16
B. OPERATED	2	11.0		11	11	11	11	11	11	11
TOTAL 0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	8	6.3	8	2	2	6	8	10	10	10
1-5 YRS	12	8.5	15	3	4	8	11	14	16	16
6-12 YRS	2	5.5	1	5	5	5	6	6	6	6
13-19 YRS	5	3.4	3	1	1	4	5	5	5	5
GRAND TOTAL	**29**	**6.4**	**13**	**2**	**2**	**5**	**9**	**11**	**13**	**16**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.0	8	2	2	3	6	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	3	3.3	6	1	1	3	5	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	10.5	114	2	2	7	18	25	25	25
1-5 YRS	7	9.4	41	<1	<1	10	12	18	20	20
6-12 YRS	8	1.6		<1	<1	2	2	2	2	2
13-19 YRS	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	4	3	3	6	7	7	7	7
1-11 MOS	22	8.4	24	3	4	6	12	16	19	20
1-5 YRS	13	8.2	73	1	2	4	10	25	27	27
6-12 YRS	3	4.3	17	1	1	3	7	9	9	9
13-19 YRS	9	4.6	14	2	2	4	5	11	14	14
B. *Operated*										
0-27 DYS	4	18.0	685	2	2	6	33	57	57	57
1-11 MOS	11	9.8	94	1	1	9	11	26	32	33
1-5 YRS	11	10.8	385	<1	<1	2	10	39	65	67
6-12 YRS	4	1.8		1	1	2	2	2	2	2
13-19 YRS	5	5.8	15	2	2	6	9	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.7	6	1	1	3	5	8	8	8
B. *Operated*	21	6.0	47	<1	1	2	10	15	22	25
2. MULTIPLE DX										
A. *Not Operated*	50	7.2	34	2	2	5	9	15	20	27
B. *Operated*	35	9.6	221	1	1	3	10	21	51	67
1. SINGLE DX	28	5.4	37	<1	1	2	9	12	20	25
2. MULTIPLE DX	85	8.2	111	1	2	5	9	18	25	63
A. NOT OPERATED	57	6.8	32	1	2	5	8	14	19	27
B. OPERATED	56	8.2	157	<1	1	2	10	21	31	66
TOTAL 0-27 DYS	7	12.6	390	2	2	6	8	47	57	57
1-11 MOS	41	8.5	48	2	2	6	11	19	23	33
1-5 YRS	31	9.4	167	<1	1	4	11	23	27	67
6-12 YRS	15	2.2	4	<1	1	2	2	3	7	9
13-19 YRS	19	4.4	12	1	2	3	6	10	13	14
GRAND TOTAL	**113**	**7.5**	**94**	**1**	**1**	**4**	**9**	**16**	**24**	**61**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS										
13-19 YRS	31	9.4	15	3	5	9	12	14	15	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	11.5	11	7	7	11	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	18	7	7	10	13	13	13	13
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	11.7	105	3	3	9	19	23	23	23
13-19 YRS	40	11.9	41	2	3	12	15	18	25	30
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	14.4	115	2	5	12	17	30	41	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	9.5	15	3	5	10	12	14	15	21
B. *Operated*	6	11.5	11	7	7	11	12	17	17	17
2. MULTIPLE DX										
A. *Not Operated*	46	11.8	41	2	3	12	15	20	24	30
B. *Operated*	14	14.4	115	2	5	12	17	30	41	44
1. SINGLE DX	38	9.8	15	4	5	10	12	14	16	21
2. MULTIPLE DX	60	12.4	58	2	4	12	15	21	29	43
A. NOT OPERATED	78	10.8	31	2	4	10	13	16	22	30
B. OPERATED	20	13.5	84	3	6	12	15	23	36	44
TOTAL 0-27 DYS										
1-11 MOS	3	10.7	10	7	7	12	13	13	13	13
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	3	11.7	105	3	3	9	19	23	23	23
13-19 YRS	91	11.4	43	2	5	11	14	17	22	38
GRAND TOTAL	**98**	**11.4**	**42**	**2**	**5**	**11**	**13**	**17**	**23**	**37**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.0	50	3	3	8	13	13	13	13
6-12 YRS	3	9.7	44	2	2	13	14	14	14	14
13-19 YRS	9	15.1	126	1	2	13	25	31	31	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	43.0		43	43	43	43	43	43	43
13-19 YRS	1	43.0		43	43	43	43	43	43	43
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	22.5	113	15	15	22	30	30	30	30
1-5 YRS	10	29.7	268	2	3	31	41	48	54	54
6-12 YRS	12	26.8	273	3	4	25	42	48	52	53
13-19 YRS	13	23.3	162	2	4	28	29	42	43	43
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	57.0		57	57	57	57	57	57	57
6-12 YRS										
13-19 YRS	6	46.8	89	35	35	47	50	61	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	12.9	98	1	2	13	18	30	31	31
B. *Operated*	2	43.0		43	43	43	43	43	43	43
2. MULTIPLE DX										
A. *Not Operated*	37	26.1	215	3	4	28	38	43	51	54
B. *Operated*	7	48.3	89	35	36	50	55	61	62	62
1. SINGLE DX	16	16.7	190	1	2	13	27	42	43	43
2. MULTIPLE DX	44	29.6	260	3	4	29	42	51	55	62
A. NOT OPERATED	51	22.5	216	2	3	23	31	43	46	54
B. OPERATED	9	47.1	72	35	37	44	52	60	62	62
TOTAL 0-27 DYS										
1-11 MOS	2	22.5	113	15	15	22	30	30	30	30
1-5 YRS	13	28.5	344	2	3	31	41	55	57	57
6-12 YRS	16	24.6	277	2	3	22	42	46	51	53
13-19 YRS	29	26.3	266	2	4	28	40	47	51	62
GRAND TOTAL	**60**	**26.2**	**271**	**2**	**3**	**28**	**41**	**48**	**53**	**61**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	14	3.9	8	<1	1	3	5	9	10	10
1-11 MOS	17	2.7	4	<1	<1	2	4	5	7	8
1-5 YRS	22	2.2	1	1	1	2	2	4	4	4
6-12 YRS	27	2.7	3	1	1	2	4	6	6	7
13-19 YRS	41	2.2	3	<1	<1	2	3	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.0	9	3	3	7	9	10	10	10
1-11 MOS	23	5.3	18	1	2	4	6	10	17	18
1-5 YRS	25	3.8	52	1	1	2	3	5	16	37
6-12 YRS	16	3.7	13	<1	1	3	4	6	13	16
13-19 YRS	40	2.5	2	1	1	2	4	5	6	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	5.5	12	1	1	5	7	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	121	2.6	3	<1	1	2	3	5	6	9
B. *Operated*	4	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	108	3.7	20	1	1	3	4	7	9	26
B. *Operated*	7	5.3	10	1	2	4	7	10	11	11
1. SINGLE DX	125	2.6	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	115	3.8	19	1	1	3	5	7	10	25
A. NOT OPERATED	229	3.1	11	1	1	2	4	6	8	17
B. OPERATED	11	4.5	8	1	1	4	6	9	11	11
TOTAL 0-27 DYS	19	4.6	9	<1	1	4	7	9	10	10
1-11 MOS	40	4.2	13	<1	1	3	5	8	12	18
1-5 YRS	49	3.0	27	1	1	2	3	5	6	37
6-12 YRS	44	3.1	7	1	1	2	4	6	7	16
13-19 YRS	88	2.5	4	<1	1	2	3	6	6	10
GRAND TOTAL	**240**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	23	1.9	1	<1	1	2	3	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	14	7.6	25	1	2	7	10	14	19	20
1-5 YRS	8	6.4	18	1	1	7	10	11	12	12
6-12 YRS	4	2.8	4	1	1	3	4	5	5	5
13-19 YRS	32	3.8	16	<1	<1	2	5	11	14	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	36.5	265	25	25	36	48	48	48	48
6-12 YRS	2	10.5	25	7	7	10	14	14	14	14
13-19 YRS	5	13.8	359	2	2	4	21	47	47	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.1	3	<1	1	2	3	4	5	9
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	58	5.0	20	<1	1	3	8	12	14	20
B. *Operated*	10	17.5	294	2	3	12	25	47	48	48
1. SINGLE DX	30	2.2	3	1	1	2	3	4	6	9
2. MULTIPLE DX	68	6.9	76	1	1	4	9	14	20	48
A. NOT OPERATED	86	4.1	16	<1	1	2	5	10	12	18
B. OPERATED	12	15.2	271	1	2	9	19	47	48	48
TOTAL 0-27 DYS										
1-11 MOS	17	7.1	27	1	1	7	10	13	18	20
1-5 YRS	11	12.1	185	1	1	9	11	34	47	48
6-12 YRS	8	4.5	19	1	1	3	6	12	14	14
13-19 YRS	62	3.9	42	<1	1	2	4	8	13	43
GRAND TOTAL	**98**	**5.4**	**58**	**1**	**1**	**3**	**7**	**12**	**15**	**48**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	5.0	13	1	1	4	7	12	13	13
1-11 MOS	40	4.0	38	<1	1	3	4	5	14	37
1-5 YRS	36	3.2	7	1	1	3	4	6	11	12
6-12 YRS	51	2.6	4	<1	<1	2	3	6	7	10
13-19 YRS	129	3.2	5	<1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	8	5.5	55	1	1	2	7	19	22	22
6-12 YRS	9	2.7	1	1	1	3	3	4	4	4
13-19 YRS	14	4.3	9	1	1	4	6	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	17	4.1	7	1	2	3	4	9	10	11
1-11 MOS	60	4.6	19	1	1	3	6	9	14	23
1-5 YRS	74	4.7	19	1	1	4	6	10	14	24
6-12 YRS	50	3.6	6	1	1	3	5	8	9	99
13-19 YRS	206	4.4	18	1	1	3	5	8	12	16
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	7	16.0	149	8	8	11	15	38	43	43
1-5 YRS	12	16.6	272	1	2	7	35	40	42	42
6-12 YRS	17	7.1	31	1	1	6	11	15	18	20
13-19 YRS	38	7.0	20	2	2	6	10	13	16	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	3.4	11	<1	1	3	4	6	9	13
B. *Operated*	33	4.6	26	1	1	3	5	11	20	22
2. MULTIPLE DX										
A. *Not Operated*	407	4.3	16	1	1	3	5	9	12	21
B. *Operated*	75	9.5	86	1	2	7	12	17	36	43
1. SINGLE DX	312	3.5	13	<1	1	3	4	7	10	20
2. MULTIPLE DX	482	5.1	30	1	1	4	6	11	15	38
A. NOT OPERATED	686	4.0	14	1	1	3	5	8	11	18
B. OPERATED	108	8.0	72	1	2	5	11	17	23	42
TOTAL 0-27 DYS	42	5.2	18	1	2	4	7	12	13	21
1-11 MOS	108	5.1	41	1	1	3	5	10	16	40
1-5 YRS	130	5.4	52	1	1	3	6	11	18	40
6-12 YRS	127	3.6	10	<1	1	3	4	8	11	38
13-19 YRS	387	4.2	14	1	1	3	5	8	12	16
GRAND TOTAL	**794**	**4.5**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**30**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	3.7	9	<1	<1	2	6	9	10	11
1-5 YRS	14	6.2	28	1	2	3	10	14	17	18
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	7	6.1	23	1	1	5	9	14	15	15
B. *Operated*										
0-27 DYS										
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	2	13.5	313	<1	<1	13	26	26	26	26
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	21	5.3	23	<1	<1	4	8	10	15	21
1-11 MOS	158	7.0	51	1	1	5	9	14	18	44
1-5 YRS	104	7.1	37	1	2	6	9	15	17	33
6-12 YRS	56	6.9	49	<1	1	4	9	17	22	32
13-19 YRS	49	7.6	23	1	2	7	10	14	18	20
B. *Operated*										
0-27 DYS	3	23.7	796	4	4	33	78	99+	99+	99+
1-11 MOS	32	14.5	260	3	3	9	17	32	38	82
1-5 YRS	18	19.7	279	2	4	17	26	61	86	99+
6-12 YRS	10	12.1	160	1	2	8	16	33	43	43
13-19 YRS	7	16.4	304	4	4	8	28	45	48	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	4.9	18	<1	1	3	7	11	14	18
B. *Operated*	5	8.2	108	<1	<1	5	12	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	388	7.0	42	1	1	5	9	15	18	37
B. *Operated*	70	16.1	265	3	3	10	24	44	69	99+
1. SINGLE DX	47	5.2	27	<1	1	3	7	12	15	26
2. MULTIPLE DX	458	8.4	86	1	1	6	10	17	27	55
A. NOT OPERATED	430	6.8	40	1	1	5	9	14	18	36
B. OPERATED	75	15.5	257	2	3	9	24	42	65	99+
TOTAL 0-27 DYS	25	7.3	124	<1	1	4	9	20	65	99+
1-11 MOS	211	7.8	87	1	1	5	9	15	28	44
1-5 YRS	138	8.7	86	1	2	6	11	18	26	73
6-12 YRS	68	7.5	66	<1	1	5	9	19	23	41
13-19 YRS	63	8.4	58	1	2	7	10	16	19	46
GRAND TOTAL	**505**	**8.1**	**82**	**1**	**1**	**6**	**10**	**17**	**26**	**52**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	10	6.4	24	2	2	4	8	15	17	17
1-5 YRS	19	5.2	16	1	1	4	7	11	14	16
6-12 YRS	48	5.6	31	1	1	4	7	14	18	28
13-19 YRS	208	4.8	11	1	2	4	6	8	10	20
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	14	7.0	56	1	1	5	9	16	25	28
1-5 YRS	37	3.4	8	1	1	2	5	8	9	12
6-12 YRS	57	4.0	32	1	1	2	3	10	15	29
13-19 YRS	80	4.7	48	1	2	2	6	10	14	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.5	25	5	5	8	12	12	12	12
1-11 MOS	40	7.0	37	1	2	5	9	16	19	31
1-5 YRS	58	5.8	17	1	1	5	8	11	15	17
6-12 YRS	52	7.7	153	1	1	4	7	17	34	64
13-19 YRS	238	5.6	21	1	2	4	7	11	13	18
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	19	8.5	68	1	1	5	13	21	26	30
1-5 YRS	40	6.3	46	1	1	2	10	14	20	31
6-12 YRS	37	4.7	24	1	2	2	7	10	15	24
13-19 YRS	69	8.4	82	2	2	6	11	17	29	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	286	5.0	15	1	2	4	6	9	12	21
B. *Operated*	189	4.4	36	1	1	2	5	9	13	29
2. MULTIPLE DX										
A. *Not Operated*	390	6.1	40	1	2	4	7	11	15	33
B. *Operated*	166	7.1	60	1	2	4	10	15	22	34
1. SINGLE DX	475	4.8	24	1	1	3	6	9	12	27
2. MULTIPLE DX	556	6.4	46	1	2	4	8	13	16	35
A. NOT OPERATED	676	5.6	30	1	2	4	7	11	14	25
B. OPERATED	355	5.7	49	1	1	2	8	12	17	31
TOTAL 0-27 DYS	5	7.6	13	4	4	6	11	12	12	12
1-11 MOS	83	7.3	45	1	2	5	10	16	21	31
1-5 YRS	154	5.3	23	1	1	3	8	11	15	22
6-12 YRS	194	5.5	64	1	1	3	6	12	18	48
13-19 YRS	595	5.5	30	1	2	4	7	11	13	27
GRAND TOTAL	**1031**	**5.6**	**36**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	8.0	25	3	3	7	11	16	17	17
1-5 YRS	3	7.7	30	4	4	5	12	14	14	14
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	12	7.3	22	2	3	6	10	15	17	17
B. *Operated*										
1. SINGLE DX	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX	12	7.3	22	2	3	6	10	15	17	17
A. NOT OPERATED	13	7.2	21	2	3	6	9	15	17	17
B. OPERATED										
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	8.0	25	3	3	7	11	16	17	17
1-5 YRS	4	7.3	21	4	4	5	10	14	14	14
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**13**	**7.2**	**21**	**2**	**3**	**6**	**9**	**15**	**17**	**17**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	6.7	25	2	2	6	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	19.7	206	9	9	14	30	36	36	36
13-19 YRS	9	14.4	36	5	7	14	18	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	5	11.2	250	<1	<1	4	16	39	39	39
B. *Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS										
6-12 YRS	1	70.0		70	70	70	70	70	70	70
13-19 YRS	8	17.4	580	5	5	8	15	59	76	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	5.8	15	<1	1	6	8	11	12	12
B. *Operated*	12	15.8	69	5	8	14	20	27	35	36
2. MULTIPLE DX										
A. *Not Operated*	8	8.1	161	<1	1	3	7	30	39	39
B. *Operated*	10	22.2	735	5	5	10	18	73	76	76
1. SINGLE DX	20	11.8	71	1	2	10	15	23	30	36
2. MULTIPLE DX	18	15.9	507	1	2	7	13	61	74	76
A. NOT OPERATED	16	6.9	84	<1	<1	4	8	12	31	39
B. OPERATED	22	18.7	362	5	5	12	18	46	72	76
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	3	8.7	20	4	4	9	12	13	13	13
1-5 YRS	2	5.0	18	2	2	5	8	8	8	8
6-12 YRS	6	22.0	715	<1	<1	11	36	67	70	70
13-19 YRS	25	13.8	237	1	3	10	16	23	48	76
GRAND TOTAL	**38**	**13.7**	**274**	**1**	**2**	**9**	**14**	**32**	**58**	**76**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	36.5	2113	4	4	36	69	69	69	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	3	26.7	1346	4	4	7	53	69	69	69
1. SINGLE DX										
2. MULTIPLE DX	3	26.7	1346	4	4	7	53	69	69	69
A. NOT OPERATED										
B. OPERATED	3	26.7	1346	4	4	7	53	69	69	69
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	2	36.5	2113	4	4	36	69	69	69	69
GRAND TOTAL	**3**	**26.7**	**1346**	**4**	**4**	**7**	**53**	**69**	**69**	**69**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	4.2	41	<1	<1	1	4	16	17	17
1-5 YRS										
6-12 YRS	3	4.7	10	1	1	6	7	7	7	7
13-19 YRS	8	2.8	8	1	1	2	3	7	9	9
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	12.9	138	1	1	10	18	32	35	35
1-5 YRS	4	15.8	62	7	7	15	22	25	25	25
6-12 YRS	4	17.8	358	7	7	9	28	46	46	46
13-19 YRS	20	11.1	36	3	4	9	16	20	23	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	4.5	3	3	3	4	6	7	7	7
1-11 MOS	9	10.3	102	1	2	7	13	27	34	34
1-5 YRS	6	9.7	161	<1	<1	5	8	32	35	35
6-12 YRS	2	8.0	50	3	3	8	13	13	13	13
13-19 YRS	6	7.2	33	2	2	6	9	16	17	17
B. *Operated*										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS	16	22.5	373	2	3	17	33	51	64	69
1-5 YRS	9	24.2	806	1	3	9	32	74	87	87
6-12 YRS	7	26.7	925	5	6	12	36	80	90	90
13-19 YRS	25	17.9	253	2	3	12	25	36	55	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.6	18	<1	<1	1	5	9	14	17
B. *Operated*	36	12.5	86	3	4	10	16	24	32	46
2. MULTIPLE DX										
A. *Not Operated*	27	8.4	75	1	2	7	9	17	34	35
B. *Operated*	58	21.3	426	2	3	14	30	53	65	90
1. SINGLE DX	53	9.7	81	1	1	7	14	20	25	46
2. MULTIPLE DX	85	17.2	348	2	3	10	22	42	56	89
A. NOT OPERATED	44	6.6	58	<1	1	4	8	17	22	35
B. OPERATED	94	17.9	312	2	3	12	22	42	54	89
TOTAL 0-27 DYS	6	7.3	47	3	3	5	7	20	21	21
1-11 MOS	38	14.9	251	<1	1	10	19	36	48	69
1-5 YRS	19	17.8	457	<1	2	8	23	46	72	87
6-12 YRS	16	18.0	531	2	3	10	15	46	77	90
13-19 YRS	59	12.5	150	1	2	9	17	29	35	59
GRAND TOTAL	**138**	**14.3**	**258**	**1**	**2**	**9**	**18**	**35**	**50**	**87**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	16.0	39	9	9	19	60	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	4	13.5	51	6	6	18	41	99+	99+	99+
1. SINGLE DX										
2. MULTIPLE DX	4	13.5	51	6	6	18	41	99+	99+	99+
A. NOT OPERATED										
B. OPERATED	4	13.5	51	6	6	18	41	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	3	16.0	39	9	9	19	60	99+	99+	99+
GRAND TOTAL	**4**	**13.5**	**51**	**6**	**6**	**18**	**41**	**99+**	**99+**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	4	3.8	4	1	1	4	5	5	5	5
B. *Operated*										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	2	4.0	2	3	3	4	5	5	5	5
1-5 YRS										
6-12 YRS	2	4.5	5	3	3	4	6	5	6	6
13-19 YRS	3	10.0	49	2	2	13	14	15	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	1	72.0		72	72	72	72	72	72	72
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.0	12	3	3	3	8	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	6	10.3	149	1	1	4	21	29	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	4	<1	<1	4	5	6	6	6
B. *Operated*	9	6.2	23	2	2	5	8	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	2	46.5	1301	21	21	46	72	72	72	72
B. *Operated*	10	8.2	93	1	1	4	9	25	30	30
1. SINGLE DX	16	5.0	16	<1	1	4	6	12	14	15
2. MULTIPLE DX	12	14.6	417	1	2	5	21	43	68	72
A. NOT OPERATED	9	13.0	527	<1	<1	5	10	52	72	72
B. OPERATED	19	7.3	58	1	2	5	8	19	26	30
TOTAL 0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	6	4.0	8	<1	<1	3	5	9	9	9
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	7.6	59	2	2	6	10	21	21	21
13-19 YRS	14	12.8	365	1	1	5	15	34	64	72
GRAND TOTAL	**28**	**9.1**	**202**	**1**	**1**	**5**	**8**	**21**	**34**	**72**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	3.0		3	3	3	3	3	3	3
1. SINGLE DX										
2. MULTIPLE DX	1	3.0		3	3	3	3	3	3	3
A. NOT OPERATED										
B. OPERATED	1	3.0		3	3	3	3	3	3	3
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**1**	**3.0**		**3**	**3**	**3**	**3**	**3**	**3**	**3**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	9.5	61	4	4	9	15	15	15	15
13-19 YRS	6	6.0	8	2	2	6	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	7	8.6	28	2	3	7	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	5.3	14	1	1	5	8	11	11	11
1-5 YRS	6	4.7	15	1	1	4	7	11	11	11
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	7	10.1	43	3	3	8	17	19	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	1	14	14	14	15	15	15	15
1-5 YRS	3	15.3	76	8	8	13	22	25	25	25
6-12 YRS										
13-19 YRS	6	16.7	126	6	6	15	19	35	37	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.7	16	2	3	5	8	13	15	15
B. *Operated*	9	8.0	24	2	2	7	12	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	23	6.5	25	1	1	5	8	14	18	19
B. *Operated*	11	15.9	79	6	7	14	19	30	36	37
1. SINGLE DX	18	7.3	19	2	2	6	10	14	16	17
2. MULTIPLE DX	34	9.5	61	1	2	7	13	19	24	37
A. NOT OPERATED	32	6.5	22	1	2	5	8	14	18	19
B. OPERATED	20	12.4	68	2	4	12	16	22	31	37
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	9	7.3	25	1	1	5	12	15	15	15
1-5 YRS	10	7.7	53	1	1	6	11	19	25	25
6-12 YRS	6	6.7	22	2	2	5	9	14	15	15
13-19 YRS	26	10.3	59	2	3	8	13	19	23	37
GRAND TOTAL	**52**	**8.8**	**47**	**1**	**2**	**7**	**12**	**18**	**19**	**37**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.8	29	1	1	3	11	13	13	13
6-12 YRS										
13-19 YRS	2	52.0	72	46	46	52	58	58	58	58
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	3	17.3	224	5	5	13	29	34	34	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	7	19.0	539	1	1	10	38	56	58	58
B. *Operated*	4	13.5	208	2	2	9	23	34	34	34
1. SINGLE DX										
2. MULTIPLE DX	11	17.0	394	1	1	10	29	51	57	58
A. NOT OPERATED	7	19.0	539	1	1	10	38	56	58	58
B. OPERATED	4	13.5	208	2	2	9	23	34	34	34
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	5	5.8	29	1	1	3	11	13	13	13
6-12 YRS										
13-19 YRS	5	31.2	491	5	5	34	49	58	58	58
GRAND TOTAL	**11**	**17.0**	**394**	**1**	**1**	**10**	**29**	**51**	**57**	**58**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	3	4.7	8	3	3	3	7	8	8	8
6-12 YRS	3	10.7	180	1	1	5	21	26	26	26
13-19 YRS	8	4.0	7	1	1	4	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	3.0	3	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	10.7	154	3	3	4	20	25	25	25
1-11 MOS	13	6.6	25	1	2	7	9	14	16	17
1-5 YRS	12	7.8	27	3	3	6	10	16	19	20
6-12 YRS	10	4.8	18	1	1	4	5	12	14	14
13-19 YRS	19	3.8	12	1	1	3	4	10	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	4	15.5	170	8	8	9	22	35	35	35
1-5 YRS	1	29.0		29	29	29	29	29	29	29
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	6.5	17	2	2	6	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	5.3	36	1	1	4	6	8	21	26
B. *Operated*	4	2.8	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	57	5.8	26	1	1	4	8	13	16	25
B. *Operated*	10	11.9	124	2	2	8	12	32	35	35
1. SINGLE DX	20	4.8	30	1	1	3	5	8	17	26
2. MULTIPLE DX	67	6.7	44	1	2	4	9	14	21	34
A. NOT OPERATED	73	5.7	28	1	1	4	7	13	17	26
B. OPERATED	14	9.3	105	2	2	6	10	30	34	35
TOTAL 0-27 DYS	3	10.7	154	3	3	4	20	25	25	25
1-11 MOS	19	8.2	61	1	2	7	10	15	27	35
1-5 YRS	16	8.5	52	3	3	6	10	19	26	29
6-12 YRS	15	5.6	45	1	1	4	5	14	23	26
13-19 YRS	34	4.1	10	1	1	3	5	8	12	13
GRAND TOTAL	**87**	**6.3**	**41**	**1**	**1**	**4**	**8**	**13**	**21**	**33**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	8	77	99+	99+	99+
1-5 YRS	4	6.0	47	1	1	3	10	16	16	16
6-12 YRS	4	6.5	43	<1	<1	4	10	16	16	16
13-19 YRS	9	6.3	26	2	2	4	7	14	19	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	7.8	41	2	2	6	13	17	17	17
13-19 YRS	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	11	9.8	32	1	2	10	13	17	21	21
1-5 YRS	12	10.9	138	<1	2	7	12	28	42	44
6-12 YRS	9	14.0	184	3	3	10	20	36	45	45
13-19 YRS	12	8.3	40	2	2	6	14	16	19	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	53.0		53	53	53	53	53	53	53
1-5 YRS	2	2.5	5	1	1	2	4	4	4	4
6-12 YRS										
13-19 YRS	5	15.0	177	7	7	8	21	38	38	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	6.2	28	<1	1	5	8	18	59	99+
B. *Operated*	9	6.8	34	2	2	3	11	15	17	17
2. MULTIPLE DX										
A. *Not Operated*	46	10.7	89	2	2	8	14	21	26	45
B. *Operated*	8	16.6	349	1	2	8	26	48	53	53
1. SINGLE DX	28	6.4	29	1	2	4	10	17	23	99+
2. MULTIPLE DX	54	11.6	126	1	2	8	14	21	43	53
A. NOT OPERATED	65	9.4	75	1	2	7	14	20	26	91
B. OPERATED	17	11.4	195	1	2	7	13	34	48	53
TOTAL 0-27 DYS	2	14.0	50	9	9	14	19	19	19	19
1-11 MOS	14	12.2	167	1	2	10	14	53	88	99+
1-5 YRS	19	8.5	104	<1	1	5	10	19	34	44
6-12 YRS	19	10.5	112	1	2	6	15	21	35	45
13-19 YRS	28	8.7	61	2	2	7	13	18	22	38
GRAND TOTAL	**82**	**9.8**	**98**	**1**	**2**	**7**	**14**	**20**	**40**	**84**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	33.0		33	33	33	33	33	33	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	17.3	70	4	6	18	24	28	28	28
1-5 YRS	4	27.8	450	10	10	22	44	56	56	56
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	4	23.0	402	4	4	19	38	49	49	49
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	16.0		16	16	16	16	16	16	16
6-12 YRS	4	9.8	37	3	3	12	38	99+	99+	99+
13-19 YRS	1	14.0		14	14	14	14	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	33.0		33	33	33	33	33	33	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	17	19.4	245	2	4	13	28	46	54	56
B. *Operated*	6	11.5	30	3	4	14	17	83	99+	99+
1. SINGLE DX	1	33.0		33	33	33	33	33	33	33
2. MULTIPLE DX	23	17.3	197	2	4	14	27	50	69	99+
A. NOT OPERATED	18	20.1	241	2	4	16	28	44	53	56
B. OPERATED	6	11.5	30	3	4	14	17	83	99+	99+
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	17.3	70	4	6	18	24	28	28	28
1-5 YRS	5	25.4	365	10	10	16	38	56	56	56
6-12 YRS	5	8.0	43	1	1	9	17	92	99+	99+
13-19 YRS	6	23.2	277	4	5	21	33	47	49	49
GRAND TOTAL	**24**	**18.0**	**199**	**2**	**4**	**14**	**28**	**49**	**67**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	7.0	29	1	1	7	11	12	12	12
13-19 YRS	5	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7	1	<1	<1	1	2	3	3	3
6-12 YRS	5	10.6	68	4	4	6	16	24	24	24
13-19 YRS	6	11.5	44	5	5	10	12	23	24	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	9.4	119	3	3	6	8	28	36	36
1-5 YRS	10	7.8	24	2	2	7	8	16	18	18
6-12 YRS	7	3.0	4	1	1	2	4	6	7	7
13-19 YRS	20	9.1	132	1	2	4	12	37	69	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	6	9.2	108	1	1	7	24	86	99+	99+
6-12 YRS	3	13.7	180	4	4	8	24	29	29	29
13-19 YRS	11	8.9	135	1	2	6	11	59	94	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.4	13	1	1	3	4	11	12	12
B. *Operated*	14	9.1	54	<1	1	7	12	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	45	7.9	86	1	2	5	8	24	38	99+
B. *Operated*	21	9.8	115	1	2	7	15	53	99+	99+
1. SINGLE DX	25	7.0	41	1	1	4	11	13	24	24
2. MULTIPLE DX	66	8.5	95	1	2	6	9	31	47	99+
A. NOT OPERATED	56	7.2	73	1	2	4	8	17	35	96
B. OPERATED	35	9.5	89	1	1	7	13	29	79	99+
TOTAL 0-27 DYS										
1-11 MOS	10	8.8	99	2	2	6	9	23	36	36
1-5 YRS	20	7.1	47	<1	1	7	10	22	60	99+
6-12 YRS	19	7.5	58	1	1	4	10	20	27	29
13-19 YRS	42	8.6	105	1	2	5	11	33	61	99+
GRAND TOTAL	**91**	**8.1**	**80**	**1**	**2**	**5**	**11**	**25**	**41**	**99+**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	46.0		46	46	46	46	46	46	46
1-5 YRS	4	16.0	46	6	6	18	20	21	21	21
6-12 YRS	1	13.0		13	13	13	13	13	13	13
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	2	34.5	1625	6	6	34	63	63	63	63
1-5 YRS	2	10.5	41	6	6	10	15	15	15	15
6-12 YRS	1	22.0		22	22	22	22	22	22	22
13-19 YRS	7	20.7	476	2	2	9	35	54	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	6	20.5	185	6	7	18	21	43	46	46
B. *Operated*	12	21.4	464	2	3	12	34	59	62	63
1. SINGLE DX	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX	18	21.1	355	2	3	16	33	54	61	63
A. NOT OPERATED	6	20.5	185	6	7	18	21	43	46	46
B. OPERATED	15	17.9	420	2	2	7	30	58	62	63
TOTAL 0-27 DYS										
1-11 MOS	4	30.5	816	6	6	26	54	63	63	63
1-5 YRS	6	14.2	44	6	6	16	19	21	21	21
6-12 YRS	3	12.3	100	2	2	13	20	22	22	22
13-19 YRS	8	18.4	452	2	2	6	34	51	58	58
GRAND TOTAL	**21**	**18.6**	**342**	**2**	**2**	**13**	**25**	**51**	**60**	**63**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS										
B. *Operated*										
0-27 DYS	1	.0		8	8	8	8	8	8	8
1-11 MOS	2	13.0	8	11	11	13	15	15	15	15
1-5 YRS										
6-12 YRS										
13-19 YRS	4	11.0	9	7	7	11	13	14	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	2	10.0	2	9	9	10	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*	7	11.1	8	7	7	11	13	15	15	15
1. SINGLE DX	3	7.0	28	1	1	9	10	11	11	11
2. MULTIPLE DX	9	9.6	17	3	4	11	12	15	15	15
A. NOT OPERATED	3	3.0	4	1	1	3	4	5	5	5
B. OPERATED	9	10.9	7	7	7	11	12	15	15	15
TOTAL 0-27 DYS	3	6.0	19	1	1	8	9	9	9	9
1-11 MOS	3	10.3	25	5	5	11	14	15	15	15
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	4	11.0	9	7	7	11	13	14	14	14
GRAND TOTAL	**12**	**8.9**	**18**	**1**	**2**	**10**	**12**	**14**	**15**	**15**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	1.8	1	1	1	2	2	3	3	3
6-12 YRS	3	5.7	25	1	1	5	9	11	11	11
13-19 YRS	18	2.9	6	<1	1	2	4	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	9.0		9	9	9	9	9	9	9
13-19 YRS	6	15.3	165	2	2	15	24	32	33	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	7.0		7	7	7	7	7	7	7
B. *Operated*	26	3.0	7	<1	1	2	4	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*	9	11.7	138	2	2	9	22	29	33	33
1. SINGLE DX	27	3.1	8	<1	1	2	4	8	9	11
2. MULTIPLE DX	13	8.7	114	1	1	2	12	26	32	33
A. NOT OPERATED	5	3.0	7	1	1	2	5	7	7	7
B. OPERATED	35	5.2	53	1	1	2	6	11	23	33
TOTAL 0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	5	1.8	1	1	1	2	2	3	3	3
6-12 YRS	4	6.5	20	1	1	7	10	11	11	11
13-19 YRS	29	5.5	60	1	1	2	6	17	24	33
GRAND TOTAL	**40**	**5.0**	**47**	**1**	**1**	**2**	**5**	**10**	**23**	**33**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS										
6-12 YRS										
13-19 YRS	8	6.1	12	2	2	5	10	10	10	10
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	7	4.4	11	2	2	2	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	9.5	5	8	8	9	11	11	11	11
1-5 YRS	1	9.0		9	9	9	9	9	9	9
6-12 YRS										
13-19 YRS	7	5.0	13	1	1	5	7	10	11	11
B. *Operated*										
0-27 DYS	2	15.5	13	13	13	15	18	18	18	18
1-11 MOS	3	6.3	16	2	2	7	9	10	10	10
1-5 YRS	2	12.0		12	12	12	12	12	12	12
6-12 YRS	2	9.5	61	4	4	9	15	15	15	15
13-19 YRS	12	9.5	51	2	2	7	13	22	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	6.6	12	2	2	6	10	10	10	10
B. *Operated*	9	4.6	11	2	2	2	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	10	6.3	14	1	1	7	9	11	11	11
B. *Operated*	21	9.9	39	2	2	10	13	19	22	23
1. SINGLE DX	18	5.6	12	2	2	5	10	10	10	10
2. MULTIPLE DX	31	8.7	33	2	2	8	12	16	21	23
A. NOT OPERATED	19	6.4	12	1	2	7	10	11	11	11
B. OPERATED	30	8.3	36	2	2	7	12	17	21	23
TOTAL 0-27 DYS	3	13.0	25	8	8	13	17	18	18	18
1-11 MOS	6	8.0	11	2	2	9	10	11	11	11
1-5 YRS	3	11.0	3	9	9	12	12	12	12	12
6-12 YRS	3	7.0	49	2	2	4	12	15	15	15
13-19 YRS	34	6.7	29	2	2	5	10	12	20	23
GRAND TOTAL	**49**	**7.6**	**27**	**2**	**2**	**7**	**10**	**14**	**18**	**23**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	41	8.5	49	1	2	7	11	18	25	32
1-5 YRS	197	7.4	35	2	2	6	9	14	18	33
6-12 YRS	40	5.9	16	1	2	5	8	12	14	18
13-19 YRS	45	5.8	55	1	1	4	7	12	14	48
B. *Operated*										
0-27 DYS										
1-11 MOS	4	6.5	94	1	1	2	12	21	21	21
1-5 YRS	13	4.2	28	1	1	2	5	10	18	20
6-12 YRS	16	3.8	12	1	1	2	7	9	10	10
13-19 YRS	40	4.5	11	1	1	3	7	10	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	28	7.1	33	1	2	6	9	15	20	27
1-5 YRS	104	7.3	40	1	2	5	10	16	23	29
6-12 YRS	29	5.2	14	2	2	4	6	10	13	18
13-19 YRS	38	6.8	34	1	2	6	8	12	20	31
B. *Operated*										
0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	9	8.1	21	2	2	7	12	14	14	14
1-5 YRS	14	12.2	97	1	2	10	24	26	27	27
6-12 YRS	12	8.4	98	<1	1	4	10	26	33	34
13-19 YRS	36	11.1	266	1	2	5	12	27	34	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	7.1	38	1	2	6	9	14	18	33
B. *Operated*	73	4.4	18	1	1	2	7	10	11	21
2. MULTIPLE DX										
A. *Not Operated*	199	6.9	34	1	2	5	8	14	20	29
B. *Operated*	73	10.4	167	1	2	5	13	25	28	78
1. SINGLE DX	396	6.6	35	1	2	5	9	13	17	31
2. MULTIPLE DX	272	7.8	72	1	2	5	9	17	25	33
A. NOT OPERATED	522	7.0	36	1	2	5	9	14	19	31
B. OPERATED	146	7.4	101	1	1	4	9	20	25	38
TOTAL 0-27 DYS	2	6.0	18	3	3	6	9	9	9	9
1-11 MOS	82	7.9	41	1	2	7	10	17	22	30
1-5 YRS	328	7.5	40	1	2	6	10	15	20	30
6-12 YRS	97	5.6	25	1	1	4	7	11	15	28
13-19 YRS	159	6.9	91	1	2	4	8	13	24	47
GRAND TOTAL	**668**	**7.1**	**50**	**1**	**2**	**5**	**9**	**14**	**20**	**32**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	12	7.3	16	1	2	7	9	12	15	16
13-19 YRS	188	7.5	19	1	3	7	10	13	15	22
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS										
6-12 YRS	2	14.5	25	11	11	14	18	18	18	18
13-19 YRS	78	8.7	43	2	2	8	11	17	19	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	5	7.2	5	5	5	7	9	10	10	10
1-5 YRS	4	6.0	12	1	1	7	8	9	9	9
6-12 YRS	8	4.6	3	2	2	5	6	7	7	7
13-19 YRS	129	8.0	21	2	3	7	10	13	17	22
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	3	12.0	12	10	10	10	15	16	16	16
6-12 YRS	5	7.4	16	2	2	8	10	12	12	12
13-19 YRS	62	10.0	58	2	3	9	12	16	20	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	7.5	20	1	3	7	10	13	16	21
B. *Operated*	82	8.7	43	1	2	8	11	18	19	37
2. MULTIPLE DX										
A. *Not Operated*	147	7.7	19	2	3	7	10	12	17	20
B. *Operated*	71	9.9	53	2	3	10	12	16	17	48
1. SINGLE DX	286	7.9	26	1	2	7	10	14	18	25
2. MULTIPLE DX	218	8.4	31	2	3	7	11	14	17	28
A. NOT OPERATED	351	7.6	19	2	3	7	10	13	16	21
B. OPERATED	153	9.3	47	2	2	8	12	16	19	41
TOTAL 0-27 DYS	4	9.3	40	3	3	8	13	18	18	18
1-11 MOS	8	5.8	9	<1	1	5	8	10	10	10
1-5 YRS	8	7.9	21	1	2	8	10	14	16	16
6-12 YRS	27	7.1	17	2	2	6	10	12	16	18
13-19 YRS	457	8.2	29	2	3	7	11	14	18	27
GRAND TOTAL	**504**	**8.1**	**28**	**2**	**3**	**7**	**11**	**14**	**17**	**27**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	1	3	3	4	5	5	5	5
6-12 YRS	4	3.0	5	1	1	2	4	6	6	6
13-19 YRS	101	3.4	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	3	4.0	7	1	1	5	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	4	19.5	279	4	4	15	30	43	43	43
1-5 YRS	3	9.7	52	5	5	6	15	18	18	18
6-12 YRS	2	8.5	13	6	6	8	11	11	11	11
13-19 YRS	16	6.3	27	2	3	5	6	16	20	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	108	3.4	3	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	6	8.8	94	1	1	5	12	25	27	27
B. *Operated*	25	9.0	80	2	3	5	11	18	26	43
1. SINGLE DX	108	3.4	3	1	1	3	4	6	7	8
2. MULTIPLE DX	31	8.9	80	2	2	5	12	19	27	43
A. NOT OPERATED	6	8.8	94	1	1	5	12	25	27	27
B. OPERATED	133	4.4	22	1	1	3	5	7	11	25
TOTAL 0-27 DYS	1	27.0		27	27	27	27	27	27	27
1-11 MOS	5	18.0	221	4	4	13	24	43	43	43
1-5 YRS	6	6.8	31	3	3	5	6	17	18	18
6-12 YRS	7	4.4	12	1	1	3	6	10	11	11
13-19 YRS	120	3.8	7	1	1	3	5	6	7	18
GRAND TOTAL	**139**	**4.6**	**25**	**1**	**1**	**3**	**5**	**7**	**13**	**29**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	3.0	1	2	2	3	4	4	4	4
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	32	2.4	1	<1	1	2	3	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.8	2	<1	<1	1	3	4	4	4
1-5 YRS	5	3.2	6	1	1	2	5	7	7	7
6-12 YRS	4	2.8	5	<1	<1	2	4	6	6	6
13-19 YRS	74	4.2	3	2	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	12	1	1	1	6	7	7	7
6-12 YRS	2	3.0	2	2	2	3	4	4	4	4
13-19 YRS	47	3.1	5	1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	6.4	7	3	3	6	8	10	10	10
1-5 YRS	9	2.3	4	<1	<1	1	4	5	6	6
6-12 YRS	7	2.9	4	1	1	3	3	6	7	7
13-19 YRS	223	4.8	4	2	3	5	6	7	9	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.5	1	<1	1	2	3	4	5	5
B. *Operated*	87	4.0	4	1	2	4	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	52	3.1	5	1	1	3	4	6	8	11
B. *Operated*	245	4.7	5	1	2	5	6	7	9	11
1. SINGLE DX	124	3.5	3	1	2	3	5	6	7	9
2. MULTIPLE DX	297	4.4	5	1	2	4	6	7	8	11
A. NOT OPERATED	89	2.8	3	1	1	2	4	5	7	10
B. OPERATED	332	4.5	4	1	2	4	6	7	8	11
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	4.1	10	<1	<1	3	6	9	10	10
1-5 YRS	20	2.8	4	<1	1	2	4	6	7	7
6-12 YRS	14	3.0	4	<1	1	3	4	6	7	7
13-19 YRS	376	4.3	5	1	2	4	5	7	8	11
GRAND TOTAL	**421**	**4.1**	**5**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	4.2	6	<1	<1	5	6	6	6	6
1-5 YRS	16	2.9	6	1	1	2	4	6	9	10
6-12 YRS	24	3.3	5	1	1	3	4	7	8	10
13-19 YRS	92	5.1	16	1	1	3	7	12	13	16
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	40	1	1	1	9	12	12	12
1-5 YRS	12	7.5	86	<1	<1	2	13	21	28	29
6-12 YRS	65	2.8	6	<1	1	2	3	5	7	15
13-19 YRS	421	3.1	7	1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	7.0	49	2	2	4	12	15	15	15
1-11 MOS	8	4.6	24	1	1	3	5	13	16	16
1-5 YRS	35	4.8	25	1	1	3	6	8	15	26
6-12 YRS	27	4.3	21	1	1	3	5	7	11	25
13-19 YRS	152	5.2	25	1	1	4	7	10	14	26
B. *Operated*										
0-27 DYS										
1-11 MOS	6	17.7	153	6	6	13	28	36	37	37
1-5 YRS	8	10.0	51	2	2	10	14	20	23	23
6-12 YRS	43	5.8	167	1	1	3	4	10	17	85
13-19 YRS	172	6.0	42	1	2	4	8	13	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	4.5	13	1	1	3	6	10	12	16
B. *Operated*	501	3.2	9	1	1	2	3	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	225	5.0	24	1	1	4	6	10	14	26
B. *Operated*	229	6.4	71	1	2	4	8	14	18	42
1. SINGLE DX	640	3.5	10	1	1	2	4	7	11	16
2. MULTIPLE DX	454	5.7	48	1	1	4	7	12	16	28
A. NOT OPERATED	364	4.8	20	1	1	3	6	10	13	25
B. OPERATED	730	4.2	31	1	1	3	4	9	13	23
TOTAL 0-27 DYS	4	5.8	39	2	2	3	9	15	15	15
1-11 MOS	23	7.9	83	<1	1	6	9	19	31	37
1-5 YRS	71	5.4	37	1	1	3	7	14	18	28
6-12 YRS	159	4.0	53	1	1	3	4	6	10	25
13-19 YRS	837	4.3	20	1	1	3	5	10	13	20
GRAND TOTAL	**1094**	**4.4**	**27**	**1**	**1**	**3**	**5**	**10**	**13**	**23**

173: Acute uri except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	230	2.9	4	1	1	3	4	5	6	9
1-11 MOS	3023	2.9	4	1	1	3	4	5	6	10
1-5 YRS	6834	2.6	3	<1	1	2	3	5	6	8
6-12 YRS	1497	2.6	2	1	1	2	3	5	5	8
13-19 YRS	1322	3.1	3	1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS	4	1.8		1	1	2	2	2	2	2
1-11 MOS	16	6.6	51	1	2	4	8	15	25	29
1-5 YRS	423	2.2	3	<1	1	2	2	4	7	9
6-12 YRS	847	1.8	1	<1	1	2	2	2	3	5
13-19 YRS	1071	2.0	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	270	3.9	6	1	1	3	5	7	9	13
1-11 MOS	4265	3.8	8	1	1	3	5	7	9	14
1-5 YRS	9153	3.3	5	1	1	3	4	6	7	11
6-12 YRS	2822	3.4	5	1	1	3	4	6	7	11
13-19 YRS	2452	3.8	7	1	2	3	5	6	8	12
B. *Operated*										
0-27 DYS	4	6.8	3	5	5	6	8	9	9	9
1-11 MOS	51	7.2	44	2	3	6	7	13	18	39
1-5 YRS	500	3.5	22	1	1	2	4	8	11	23
6-12 YRS	480	2.4	5	1	1	2	2	4	6	10
13-19 YRS	366	4.1	21	1	1	2	4	9	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12906	2.7	3	1	1	2	3	5	6	9
B. *Operated*	2361	2.0	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	18962	3.5	6	1	1	3	4	6	8	12
B. *Operated*	1401	3.4	18	1	1	2	3	7	10	23
1. SINGLE DX	15267	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	20363	3.5	6	1	1	3	4	6	8	12
A. NOT OPERATED	31868	3.2	5	1	1	3	4	6	7	11
B. OPERATED	3762	2.5	8	1	1	2	2	4	7	15
TOTAL 0-27 DYS	508	3.5	5	1	1	3	4	6	8	12
1-11 MOS	7355	3.5	7	1	1	3	4	6	8	13
1-5 YRS	16910	3.0	5	1	1	3	4	5	7	10
6-12 YRS	5646	2.8	4	1	1	2	4	5	6	9
13-19 YRS	5211	3.3	6	1	1	3	4	6	7	12
GRAND TOTAL	**35630**	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	152	4.5	10	2	2	4	6	8	9	12
1-11 MOS	7182	4.2	5	1	2	4	5	7	8	11
1-5 YRS	6094	3.5	4	1	1	3	4	6	7	10
6-12 YRS	837	3.4	3	1	1	3	4	6	6	8
13-19 YRS	471	3.9	3	2	2	4	5	6	7	10
B. *Operated*										
0-27 DYS	3	6.3	12	3	3	6	9	10	10	10
1-11 MOS	11	8.2	12	1	3	8	11	12	13	13
1-5 YRS	14	3.8	4	1	1	4	5	7	7	7
6-12 YRS	3	7.7	37	1	1	9	12	13	13	13
13-19 YRS	12	4.7	21	<1	<1	3	6	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	147	5.0	7	2	2	4	6	9	10	14
1-11 MOS	6479	4.8	7	2	2	4	6	8	10	14
1-5 YRS	5108	4.1	7	1	2	4	5	7	8	13
6-12 YRS	783	4.1	6	1	2	4	5	7	8	14
13-19 YRS	699	4.6	8	2	2	4	5	8	10	15
B. *Operated*										
0-27 DYS	4	10.3	52	6	6	7	14	21	21	21
1-11 MOS	68	9.5	65	3	3	7	12	19	24	42
1-5 YRS	45	6.9	25	2	3	6	8	14	16	28
6-12 YRS	10	6.2	15	1	1	6	10	11	11	11
13-19 YRS	27	6.0	14	2	2	5	8	12	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14736	3.8	5	1	2	3	5	7	8	11
B. *Operated*	43	5.6	15	1	1	5	8	12	13	15
2. MULTIPLE DX										
A. *Not Operated*	13216	4.5	7	2	2	4	6	8	9	14
B. *Operated*	154	7.9	42	2	3	6	10	15	20	40
1. SINGLE DX	14779	3.8	5	1	2	3	5	7	8	11
2. MULTIPLE DX	13370	4.5	8	2	2	4	6	8	9	14
A. NOT OPERATED	27952	4.1	6	1	2	4	5	7	8	12
B. OPERATED	197	7.4	37	1	2	6	9	14	19	35
TOTAL 0-27 DYS	306	4.8	9	2	2	4	6	8	10	14
1-11 MOS	13740	4.5	7	2	2	4	6	8	9	13
1-5 YRS	11261	3.8	6	1	2	3	5	6	8	12
6-12 YRS	1633	3.7	5	1	2	3	5	6	7	12
13-19 YRS	1209	4.3	7	2	2	4	5	7	9	14
GRAND TOTAL	**28149**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**9**	**13**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	22	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	1	1	1	2	3	3	3	3
1-5 YRS	10	1.8		1	1	2	2	3	3	3
6-12 YRS	147	2.1	1	1	1	2	3	3	4	5
13-19 YRS	2625	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS										
6-12 YRS	6	2.2	2	<1	<1	2	4	4	4	4
13-19 YRS	63	1.5	2	<1	<1	1	1	3	3	10
B. *Operated*										
0-27 DYS	3	3.3	6	1	1	3	5	6	6	6
1-11 MOS	5	2.6	1	1	1	3	3	4	4	4
1-5 YRS	17	2.0	1	<1	<1	2	2	4	5	5
6-12 YRS	215	2.3	1	1	1	2	3	3	4	7
13-19 YRS	3413	2.5	1	1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.7	1	<1	<1	1	2	3	5	5
B. *Operated*	2788	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	70	1.5	2	<1	<1	1	1	3	4	10
B. *Operated*	3653	2.5	1	1	1	2	3	4	4	6
1. SINGLE DX	2813	2.3	1	1	1	2	3	3	4	5
2. MULTIPLE DX	3723	2.5	1	1	1	2	3	4	4	6
A. NOT OPERATED	95	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	6441	2.4	1	1	1	2	3	4	4	6
TOTAL 0-27 DYS	4	2.8	6	1	1	2	4	6	6	6
1-11 MOS	11	2.4	1	1	1	2	3	4	4	4
1-5 YRS	28	1.9	1	<1	<1	2	2	3	4	5
6-12 YRS	370	2.2	1	1	1	2	3	3	4	6
13-19 YRS	6123	2.4	1	1	1	2	3	4	4	6
GRAND TOTAL	**6536**	**2.4**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.0		<1	<1	<1	1	1	1	1
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.3		<1	<1	1	2	2	2	2
6-12 YRS	43	1.9	1	<1	<1	2	2	3	4	4
13-19 YRS	87	2.2	4	<1	1	2	2	4	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	8	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	9	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	74	2.7	3	<1	1	2	4	4	6	78
13-19 YRS	157	3.0	6	1	1	3	3	5	7	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*	137	2.1	3	<1	<1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*	11	1.6	2	<1	<1	1	2	4	5	5
B. *Operated*	241	2.8	5	1	1	2	3	5	6	15
1. SINGLE DX	140	2.1	3	<1	<1	2	2	4	4	9
2. MULTIPLE DX	252	2.8	5	<1	1	2	3	5	6	15
A. NOT OPERATED	14	1.8	2	<1	<1	1	2	5	5	5
B. OPERATED	378	2.6	4	<1	1	2	3	4	6	14
TOTAL 0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	19	1.4		<1	<1	1	2	3	3	3
6-12 YRS	119	2.3	2	<1	<1	2	3	4	5	38
13-19 YRS	253	2.7	5	<1	1	2	3	5	6	15
GRAND TOTAL	**392**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**6**	**14**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	2	2	3	4	6	6	6
1-5 YRS	124	1.8	2	<1	<1	1	2	4	5	9
6-12 YRS	123	1.7	2	<1	<1	1	2	3	5	7
13-19 YRS	98	2.0	2	<1	<1	2	2	4	5	8
B. *Operated*										
0-27 DYS	8	2.1	1	<1	<1	2	2	4	4	4
1-11 MOS	38	1.7	1	<1	<1	2	2	2	3	5
1-5 YRS	14231	1.6	1	<1	<1	2	2	2	2	3
6-12 YRS	25222	1.7		<1	1	2	2	2	2	3
13-19 YRS	20173	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.6	7	<1	<1	4	5	7	9	9
1-5 YRS	525	1.5	2	<1	<1	1	1	3	4	7
6-12 YRS	456	1.5	1	<1	<1	1	1	3	4	6
13-19 YRS	224	2.0	4	<1	<1	1	2	4	6	10
B. *Operated*										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	59	1.5		<1	<1	1	2	2	3	3
1-5 YRS	14155	1.6	1	<1	<1	2	2	2	2	4
6-12 YRS	11770	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	3982	2.1	1	1	1	2	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*	59672	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1216	1.6	2	<1	<1	1	1	3	4	8
B. *Operated*	29968	1.7	1	<1	1	2	2	2	3	4
1. SINGLE DX	60021	1.7	1	<1	1	2	2	2	3	4
2. MULTIPLE DX	31184	1.7	1	<1	1	2	2	2	3	5
A. NOT OPERATED	1565	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	89640	1.7	1	<1	1	2	2	2	3	4
TOTAL 0-27 DYS	10	2.2	1	<1	1	2	2	3	4	4
1-11 MOS	112	1.9	2	<1	<1	2	2	3	5	7
1-5 YRS	29035	1.6	1	<1	<1	2	2	2	2	4
6-12 YRS	37571	1.7		<1	1	2	2	2	2	3
13-19 YRS	24477	1.9	1	1	1	2	2	3	3	5
GRAND TOTAL	**91205**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	16	2.8	5	<1	<1	2	4	4	8	10
1-11 MOS	113	2.7	3	<1	1	2	3	4	5	10
1-5 YRS	421	2.7	4	<1	1	2	3	5	6	10
6-12 YRS	411	3.2	4	1	1	3	4	6	7	9
13-19 YRS	829	3.4	3	1	2	3	4	6	6	8
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	42	5.3	65	<1	<1	2	6	14	22	42
1-5 YRS	241	2.4	5	<1	<1	2	3	5	7	11
6-12 YRS	513	2.2	3	<1	<1	2	2	4	5	9
13-19 YRS	1437	2.6	4	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	3.6	7	1	1	3	4	6	10	13
1-11 MOS	165	3.9	7	1	1	3	5	7	9	13
1-5 YRS	363	3.9	7	1	1	3	5	7	9	14
6-12 YRS	417	3.7	6	1	1	3	5	7	8	12
13-19 YRS	538	4.0	6	1	2	4	5	7	8	13
B. *Operated*										
0-27 DYS	2	17.5	1	17	17	17	18	18	18	18
1-11 MOS	40	9.5	103	1	1	6	14	24	31	46
1-5 YRS	273	2.8	14	<1	<1	2	3	6	9	24
6-12 YRS	428	2.8	9	<1	<1	2	3	6	8	15
13-19 YRS	1033	3.1	7	1	1	2	4	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1790	3.1	4	1	1	3	4	5	6	9
B. *Operated*	2235	2.5	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	1509	3.9	6	1	1	3	5	7	9	13
B. *Operated*	1776	3.2	12	<1	1	2	4	6	9	17
1. SINGLE DX	4025	2.8	5	<1	1	2	3	5	6	10
2. MULTIPLE DX	3285	3.5	9	1	1	3	4	7	9	15
A. NOT OPERATED	3299	3.5	5	1	1	3	4	6	7	11
B. OPERATED	4011	2.8	8	<1	1	2	3	5	7	15
TOTAL 0-27 DYS	46	3.8	15	<1	1	3	4	9	14	18
1-11 MOS	360	4.3	27	1	1	3	5	9	13	29
1-5 YRS	1298	3.0	8	<1	<1	2	4	6	8	15
6-12 YRS	1769	2.9	6	<1	1	2	4	6	7	12
13-19 YRS	3837	3.1	5	1	1	3	4	5	7	12
GRAND TOTAL	**7310**	**3.1**	**7**	**<1**	**1**	**2**	**4**	**6**	**7**	**13**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	459	5.3	8	2	2	5	7	9	11	13
1-11 MOS	7337	4.6	7	2	2	4	6	8	9	13
1-5 YRS	15173	4.2	6	2	2	4	5	7	8	12
6-12 YRS	7037	4.6	7	2	2	4	6	8	9	13
13-19 YRS	3381	4.9	8	2	2	4	6	8	10	14
B. *Operated*										
0-27 DYS	4	8.0	9	5	5	7	10	12	12	12
1-11 MOS	24	10.2	75	4	4	7	11	20	33	41
1-5 YRS	71	7.3	47	<1	1	6	9	15	19	38
6-12 YRS	36	8.3	24	2	2	9	12	14	17	22
13-19 YRS	36	7.3	19	1	2	7	11	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	306	6.7	14	2	3	6	9	11	13	20
1-11 MOS	6849	5.5	14	2	2	5	7	10	12	18
1-5 YRS	13679	4.7	10	2	2	4	6	8	10	16
6-12 YRS	4440	5.1	10	2	2	4	6	9	11	16
13-19 YRS	2302	6.0	17	2	2	5	7	11	14	22
B. *Operated*										
0-27 DYS	11	7.6	9	3	3	9	10	11	11	11
1-11 MOS	133	11.6	94	3	3	9	15	23	32	51
1-5 YRS	208	11.6	142	2	3	8	14	25	38	97
6-12 YRS	97	13.5	100	3	4	12	16	27	35	55
13-19 YRS	115	14.8	111	4	6	11	20	29	36	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33387	4.5	7	2	2	4	6	7	9	13
B. *Operated*	171	7.9	39	1	2	7	10	14	18	38
2. MULTIPLE DX										
A. *Not Operated*	27576	5.1	12	2	2	4	6	9	11	17
B. *Operated*	564	12.5	116	3	4	10	16	25	36	57
1. SINGLE DX	33558	4.5	7	2	2	4	6	8	9	13
2. MULTIPLE DX	28140	5.2	15	2	2	4	6	9	12	19
A. NOT OPERATED	60963	4.7	9	2	2	4	6	8	10	15
B. OPERATED	735	11.4	102	2	3	9	14	23	34	53
TOTAL 0-27 DYS	780	5.9	11	2	2	5	8	10	12	17
1-11 MOS	14343	5.1	12	2	2	4	6	9	11	16
1-5 YRS	29131	4.5	9	2	2	4	6	8	9	15
6-12 YRS	11610	4.9	10	2	2	4	6	8	10	15
13-19 YRS	5834	5.6	15	2	2	5	7	10	12	20
GRAND TOTAL	**61698**	**4.8**	**11**	**2**	**2**	**4**	**6**	**8**	**10**	**16**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	2.4	2	1	1	2	4	4	4	4
1-11 MOS	97	3.1	4	1	1	3	4	6	8	10
1-5 YRS	238	3.1	3	1	1	3	4	5	6	10
6-12 YRS	306	2.8	2	1	1	2	3	5	6	7
13-19 YRS	306	2.8	3	1	1	3	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	5	5.8	16	2	2	4	9	11	11	11
13-19 YRS	2	4.5	1	4	4	4	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	4.8	9	1	2	4	6	9	12	12
1-11 MOS	166	4.1	10	1	1	3	5	7	9	15
1-5 YRS	471	3.5	4	1	1	3	4	6	7	11
6-12 YRS	364	3.3	4	1	1	3	4	5	7	11
13-19 YRS	344	3.4	3	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	72	4	4	10	16	16	16	16
1-5 YRS	5	13.4	360	2	2	6	18	47	47	47
6-12 YRS	6	12.8	181	6	6	7	11	37	40	40
13-19 YRS	6	6.0	3	3	3	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	952	2.9	3	1	1	3	4	5	6	9
B. *Operated*	9	6.0	19	2	2	4	9	13	14	14
2. MULTIPLE DX										
A. *Not Operated*	1357	3.5	5	1	1	3	4	6	7	12
B. *Operated*	19	10.5	146	2	3	7	9	30	44	47
1. SINGLE DX	961	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX	1376	3.6	7	1	1	3	4	6	7	12
A. NOT OPERATED	2309	3.3	4	1	1	3	4	6	7	10
B. OPERATED	28	9.1	107	2	2	6	9	15	41	47
TOTAL 0-27 DYS	17	4.1	8	1	1	4	5	8	11	12
1-11 MOS	266	3.9	9	1	1	3	5	7	9	15
1-5 YRS	715	3.4	7	1	1	3	4	6	7	11
6-12 YRS	681	3.2	5	1	1	3	4	5	6	11
13-19 YRS	658	3.2	3	1	1	3	4	6	7	9
GRAND TOTAL	**2337**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	39	3.8	5	1	2	3	4	7	9	11
1-11 MOS	1224	4.1	6	1	2	4	5	7	8	13
1-5 YRS	1964	3.3	5	1	1	3	4	6	7	11
6-12 YRS	444	3.5	3	1	2	3	5	6	7	9
13-19 YRS	239	3.8	4	1	2	3	5	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.2	268	<1	<1	7	17	42	42	42
1-5 YRS	17	5.0	30	<1	1	2	7	13	18	20
6-12 YRS	9	4.4	20	1	1	2	7	11	14	14
13-19 YRS	17	3.5	5	<1	1	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	4.3	6	2	2	3	6	8	9	11
1-11 MOS	1143	4.5	8	1	2	4	6	8	10	15
1-5 YRS	1756	3.7	5	1	2	3	5	7	8	11
6-12 YRS	412	4.0	7	1	2	3	5	7	9	13
13-19 YRS	337	4.7	15	1	2	4	6	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS	24	8.3	24	2	3	7	12	16	18	19
1-5 YRS	21	8.0	17	3	4	7	10	13	18	21
6-12 YRS	9	5.9	25	1	1	4	10	13	14	14
13-19 YRS	21	7.4	68	1	2	6	8	11	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3910	3.6	5	1	1	3	5	6	7	11
B. *Operated*	48	5.2	46	<1	1	3	7	11	15	42
2. MULTIPLE DX										
A. *Not Operated*	3675	4.1	7	1	2	4	5	7	9	13
B. *Operated*	75	7.7	34	1	2	7	10	14	17	36
1. SINGLE DX	3958	3.6	5	1	1	3	5	6	7	12
2. MULTIPLE DX	3750	4.2	8	1	2	4	5	7	9	14
A. NOT OPERATED	7585	3.8	6	1	2	3	5	7	8	12
B. OPERATED	123	6.7	40	1	1	6	9	13	17	41
TOTAL 0-27 DYS	66	4.0	5	2	2	3	4	8	9	11
1-11 MOS	2396	4.4	8	1	2	4	5	7	9	15
1-5 YRS	3758	3.5	5	1	1	3	4	6	7	11
6-12 YRS	874	3.8	6	1	2	3	5	7	8	12
13-19 YRS	614	4.4	13	1	2	4	5	8	9	15
GRAND TOTAL	**7708**	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**8**	**13**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS										
13-19 YRS	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	7.0	50	2	2	7	12	12	12	12
6-12 YRS										
13-19 YRS	5	16.0	180	5	5	11	24	38	38	38
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0		5	5	5	5	5	5	5
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	6	12.8	383	<1	<1	5	11	48	52	52
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	5	14.4	163	4	4	12	19	36	36	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	5	1	1	4	4	7	7	7
B. *Operated*	9	12.3	116	2	3	10	14	30	38	38
2. MULTIPLE DX										
A. *Not Operated*	11	10.6	217	<1	1	5	11	32	50	52
B. *Operated*	8	10.4	125	2	3	5	13	29	36	36
1. SINGLE DX	15	8.8	88	1	1	7	11	19	33	38
2. MULTIPLE DX	19	10.5	169	<1	1	5	12	29	45	52
A. NOT OPERATED	17	8.1	150	<1	1	4	8	17	40	52
B. OPERATED	17	11.4	114	2	3	7	13	33	37	38
TOTAL 0-27 DYS	2	8.5	5	7	7	8	10	10	10	10
1-11 MOS	5	5.2	1	4	4	5	6	7	7	7
1-5 YRS	5	5.4	27	1	1	2	10	12	12	12
6-12 YRS	2	10.0	162	1	1	10	19	19	19	19
13-19 YRS	20	12.1	195	<1	1	6	13	37	45	52
GRAND TOTAL	**34**	**9.8**	**130**	**1**	**1**	**6**	**11**	**21**	**38**	**52**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	4.4	10	2	2	3	6	10	11	11
1-11 MOS	1578	4.4	6	1	2	4	6	8	9	13
1-5 YRS	11908	3.4	4	1	1	3	4	6	7	9
6-12 YRS	8803	3.4	4	1	2	3	4	6	7	9
13-19 YRS	5451	3.7	5	1	2	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	11	6.8	14	1	2	7	10	12	12	12
1-5 YRS	21	5.1	10	<1	1	5	6	10	12	13
6-12 YRS	16	5.6	6	3	3	5	7	9	10	11
13-19 YRS	22	4.9	20	1	1	3	6	11	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	7.0	50	2	2	5	12	17	17	17
1-11 MOS	1461	5.1	11	2	2	4	6	9	11	20
1-5 YRS	7434	4.0	7	1	2	3	5	7	8	13
6-12 YRS	3754	4.0	7	1	2	3	5	7	8	12
13-19 YRS	2397	4.5	12	1	2	4	5	7	9	16
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	27	9.7	48	3	3	7	13	22	25	27
1-5 YRS	69	8.2	70	2	3	7	9	12	17	60
6-12 YRS	42	7.2	17	1	2	6	9	13	15	19
13-19 YRS	56	8.2	38	1	2	7	10	16	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27752	3.5	4	1	2	3	4	6	7	10
B. *Operated*	70	5.4	13	1	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	15050	4.2	8	1	2	4	5	7	9	14
B. *Operated*	195	8.2	46	2	3	7	10	14	19	33
1. SINGLE DX	27822	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX	15245	4.2	9	1	2	4	5	7	9	14
A. NOT OPERATED	42802	3.8	6	1	2	3	5	6	8	11
B. OPERATED	265	7.5	39	2	2	6	9	13	17	27
TOTAL 0-27 DYS	17	5.4	19	2	2	3	8	11	15	17
1-11 MOS	3077	4.8	9	1	2	4	6	8	10	15
1-5 YRS	19432	3.6	5	1	2	3	4	6	7	11
6-12 YRS	12615	3.6	5	1	2	3	4	6	7	10
13-19 YRS	7926	4.0	8	1	2	3	5	7	8	12
GRAND TOTAL	**43067**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**8**	**12**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	21	4.2	4	2	2	4	5	7	8	10
1-5 YRS	20	4.2	3	2	2	4	5	7	7	8
6-12 YRS	21	4.1	7	1	1	4	5	8	9	10
13-19 YRS	17	4.4	11	2	2	3	6	7	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.8	3	2	2	2	3	6	6	6
6-12 YRS	8	2.8	3	1	1	2	3	6	7	7
13-19 YRS	7	11.3	41	2	3	11	16	20	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	4.5	2	3	3	4	6	6	6	6
1-11 MOS	41	5.9	14	1	2	5	8	12	15	99+
1-5 YRS	36	5.5	21	<1	1	4	7	12	14	23
6-12 YRS	24	7.2	44	2	3	5	7	12	26	30
13-19 YRS	38	7.2	40	1	2	5	8	18	23	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	5.1	16	1	1	3	9	11	11	11
6-12 YRS	9	8.9	281	1	1	4	7	35	53	53
13-19 YRS	9	10.1	78	2	2	8	14	24	28	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	80	4.3	6	2	2	4	6	7	9	14
B. *Operated*	21	5.6	31	1	2	3	7	15	19	21
2. MULTIPLE DX										
A. *Not Operated*	147	6.3	27	1	2	5	8	13	19	31
B. *Operated*	25	8.3	128	1	1	4	9	19	34	53
1. SINGLE DX	101	4.5	11	2	2	4	6	8	11	19
2. MULTIPLE DX	172	6.6	41	1	2	5	8	13	21	48
A. NOT OPERATED	227	5.6	20	1	2	4	7	10	15	26
B. OPERATED	46	7.1	84	1	1	3	8	17	22	53
TOTAL 0-27 DYS	9	4.8	2	3	3	5	6	7	7	7
1-11 MOS	62	5.3	11	2	2	5	7	11	13	89
1-5 YRS	69	4.9	14	1	2	4	6	9	13	21
6-12 YRS	62	5.8	60	1	1	4	7	9	16	50
13-19 YRS	71	7.3	41	2	2	5	10	18	21	27
GRAND TOTAL	**273**	**5.8**	**31**	**1**	**2**	**4**	**7**	**12**	**16**	**30**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	5	4.2	8	1	1	4	6	8	8	8
13-19 YRS	249	3.6	7	1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	388	6.8	21	2	3	6	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	11	5.6	42	1	1	3	6	17	21	21
13-19 YRS	73	3.5	4	1	1	3	4	7	7	11
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	5.5	1	5	5	5	6	6	6	6
1-5 YRS	3	13.7	156	5	5	8	23	28	28	28
6-12 YRS	10	15.0	78	6	6	12	22	28	34	34
13-19 YRS	123	10.6	53	3	4	9	14	19	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	3.6	7	1	1	3	5	7	9	12
B. *Operated*	393	6.8	21	2	3	6	8	12	17	24
2. MULTIPLE DX										
A. *Not Operated*	86	3.8	9	1	1	3	4	7	8	19
B. *Operated*	139	10.9	56	4	4	9	14	20	24	38
1. SINGLE DX	650	5.5	18	1	2	4	7	11	13	20
2. MULTIPLE DX	225	8.2	50	1	2	6	12	16	21	34
A. NOT OPERATED	343	3.6	7	1	1	3	5	7	9	13
B. OPERATED	532	7.9	33	3	3	6	10	14	18	33
TOTAL 0-27 DYS	5	5.2	15	1	1	4	8	11	11	11
1-11 MOS	4	4.0	3	2	2	4	5	6	6	6
1-5 YRS	6	8.0	102	<1	<1	4	8	26	28	28
6-12 YRS	27	8.8	68	1	1	6	13	22	25	34
13-19 YRS	833	6.1	26	1	2	5	8	12	16	25
GRAND TOTAL	**875**	**6.2**	**27**	**1**	**2**	**5**	**8**	**12**	**16**	**27**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	44	3.8	6	1	2	3	5	7	9	13
1-11 MOS	295	3.9	8	1	1	3	5	7	9	15
1-5 YRS	567	3.5	7	1	1	3	4	6	8	14
6-12 YRS	182	3.9	8	1	1	3	5	7	10	15
13-19 YRS	270	4.0	40	<1	1	3	4	7	11	18
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	11	9.1	72	2	2	7	11	21	31	32
1-5 YRS	51	4.2	21	<1	1	2	5	11	14	25
6-12 YRS	42	5.9	48	<1	1	3	8	16	20	33
13-19 YRS	89	6.8	143	1	1	4	7	12	15	77
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	34	5.5	32	1	2	4	6	9	12	34
1-11 MOS	577	5.4	31	1	2	4	6	10	13	24
1-5 YRS	911	4.7	24	1	1	3	5	9	12	24
6-12 YRS	347	5.1	26	1	2	4	6	10	14	20
13-19 YRS	415	5.0	24	1	1	4	6	9	13	28
B. *Operated*										
0-27 DYS	2	9.0	2	8	8	9	10	10	10	10
1-11 MOS	44	19.7	398	1	2	13	29	48	72	99+
1-5 YRS	121	7.2	65	1	1	4	9	19	27	38
6-12 YRS	73	9.4	144	<1	1	5	11	29	37	60
13-19 YRS	171	10.7	142	1	2	8	15	24	33	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1358	3.8	14	1	1	3	4	7	9	15
B. *Operated*	194	6.0	86	<1	1	3	7	13	17	51
2. MULTIPLE DX										
A. *Not Operated*	2284	5.0	26	1	1	4	6	10	13	24
B. *Operated*	411	10.4	157	1	1	7	13	27	37	71
1. SINGLE DX	1552	4.0	23	1	1	3	5	7	11	18
2. MULTIPLE DX	2695	5.8	50	1	1	4	7	11	17	40
A. NOT OPERATED	3642	4.5	22	1	1	3	5	9	12	20
B. OPERATED	605	9.0	138	1	1	5	11	21	32	65
TOTAL 0-27 DYS	81	4.6	18	1	2	4	6	8	11	27
1-11 MOS	927	5.6	51	1	2	4	6	11	14	46
1-5 YRS	1650	4.4	22	1	1	3	5	9	12	24
6-12 YRS	644	5.3	38	1	1	3	6	10	15	36
13-19 YRS	945	5.9	66	1	1	4	7	13	18	47
GRAND TOTAL	**4247**	**5.2**	**41**	**1**	**1**	**3**	**6**	**10**	**14**	**34**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	2.3	3	<1	<1	1	4	5	5	5
1-5 YRS	84	2.9	3	<1	<1	3	4	5	6	8
6-12 YRS	40	4.0	7	1	1	3	5	8	9	14
13-19 YRS	90	2.7	3	<1	<1	2	4	5	6	8
B. *Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	13	2.2	2	<1	<1	2	2	4	6	7
1-5 YRS	1102	1.2	1	<1	<1	1	1	2	2	4
6-12 YRS	715	1.7	1	<1	<1	1	2	3	4	6
13-19 YRS	8190	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	15.0		15	15	15	15	15	15	15
1-11 MOS	12	4.2	11	<1	1	3	6	10	11	11
1-5 YRS	196	3.3	5	<1	<1	3	5	6	7	11
6-12 YRS	87	3.3	7	<1	<1	3	4	6	10	14
13-19 YRS	166	2.9	19	<1	<1	2	4	5	7	11
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	6.3	72	<1	1	3	7	20	28	28
1-5 YRS	689	1.5	2	<1	<1	1	2	2	3	7
6-12 YRS	573	2.1	13	<1	<1	2	2	3	5	10
13-19 YRS	3027	2.7	5	<1	1	2	3	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.0	4	<1	<1	3	4	5	7	9
B. *Operated*	10023	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	462	3.2	11	<1	<1	2	4	6	8	11
B. *Operated*	4299	2.4	6	<1	<1	2	3	4	5	9
1. SINGLE DX	10244	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	4761	2.5	7	<1	<1	2	3	5	6	10
A. NOT OPERATED	683	3.1	9	<1	<1	2	4	6	7	11
B. OPERATED	14322	2.0	3	<1	<1	2	2	4	4	7
TOTAL 0-27 DYS	6	5.2	25	1	1	4	5	14	15	15
1-11 MOS	40	3.7	22	<1	<1	2	4	8	10	28
1-5 YRS	2071	1.5	2	<1	<1	1	2	3	4	7
6-12 YRS	1415	2.0	7	<1	<1	1	2	4	5	10
13-19 YRS	11473	2.2	3	<1	<1	2	2	4	5	7
GRAND TOTAL	**15005**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**7**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	6.5	41	2	2	6	11	11	11	11
1-11 MOS	39	3.2	4	<1	1	3	4	6	7	8
1-5 YRS	192	3.7	5	1	2	3	5	6	7	10
6-12 YRS	91	4.3	6	1	2	4	5	7	9	14
13-19 YRS	90	3.9	4	<1	2	3	5	6	8	10
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	20	2.5	3	<1	<1	2	4	5	6	6
1-5 YRS	119	2.6	5	<1	<1	2	3	6	9	11
6-12 YRS	241	2.3	2	<1	<1	2	3	4	5	8
13-19 YRS	250	2.7	4	<1	1	2	3	5	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	6.0	3	5	5	5	7	8	8	8
1-11 MOS	74	4.1	4	2	2	4	5	7	7	10
1-5 YRS	333	4.2	6	1	2	4	5	7	9	12
6-12 YRS	122	4.3	6	1	2	4	6	7	9	13
13-19 YRS	117	4.6	7	2	2	4	6	9	10	13
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	7	4.7	5	2	2	5	6	8	8	8
1-5 YRS	75	3.2	8	<1	1	2	5	7	9	13
6-12 YRS	96	3.8	9	1	1	3	5	8	9	16
13-19 YRS	111	4.1	33	<1	1	3	4	7	8	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	3.8	5	1	2	3	5	6	8	11
B. *Operated*	631	2.5	3	<1	<1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	649	4.3	6	1	2	4	5	7	9	13
B. *Operated*	290	3.7	18	<1	1	3	5	7	9	17
1. SINGLE DX	1045	3.0	4	<1	1	2	4	6	7	10
2. MULTIPLE DX	939	4.1	10	1	2	3	5	7	9	13
A. NOT OPERATED	1063	4.1	5	1	2	4	5	7	9	12
B. OPERATED	921	2.9	8	<1	<1	2	3	6	8	11
TOTAL 0-27 DYS	7	5.7	9	2	2	5	7	10	11	11
1-11 MOS	140	3.7	4	<1	1	3	5	6	7	9
1-5 YRS	719	3.7	6	1	1	3	5	7	9	11
6-12 YRS	550	3.3	6	<1	1	3	4	6	8	12
13-19 YRS	568	3.5	11	<1	1	3	4	7	8	13
GRAND TOTAL	**1984**	**3.5**	**7**	**<1**	**1**	**3**	**5**	**7**	**8**	**12**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	125	3.8	14	1	1	3	4	7	10	22
1-11 MOS	422	3.7	11	1	1	3	5	7	9	16
1-5 YRS	77	3.1	8	<1	1	2	4	6	8	17
6-12 YRS	22	2.5	3	<1	1	2	3	5	6	7
13-19 YRS	150	3.1	5	1	1	2	4	6	8	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	56	6.8	74	1	1	4	7	18	27	46
1-5 YRS	105	4.6	99	<1	1	2	4	9	16	58
6-12 YRS	38	5.3	34	1	1	3	7	12	20	26
13-19 YRS	75	4.3	12	<1	1	3	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	87	5.5	48	2	2	4	6	9	14	46
1-11 MOS	394	5.7	35	1	2	4	7	11	16	40
1-5 YRS	117	5.1	25	1	1	3	6	13	16	50
6-12 YRS	63	4.2	14	1	1	3	6	9	13	19
13-19 YRS	255	4.5	16	1	1	4	5	8	12	18
B. *Operated*										
0-27 DYS	4	14.5	251	5	5	8	24	38	38	38
1-11 MOS	58	13.3	244	2	2	8	18	37	60	98
1-5 YRS	81	8.7	73	1	1	6	14	21	24	83
6-12 YRS	58	13.6	329	1	2	8	12	37	60	83
13-19 YRS	112	6.3	37	1	1	5	8	13	23	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	796	3.5	10	1	1	3	4	7	9	16
B. *Operated*	275	5.0	61	<1	1	2	6	10	17	30
2. MULTIPLE DX										
A. *Not Operated*	916	5.2	28	1	1	4	6	10	14	33
B. *Operated*	313	9.7	149	1	2	6	12	21	37	89
1. SINGLE DX	1071	3.9	23	1	1	3	4	8	10	21
2. MULTIPLE DX	1229	6.3	63	1	1	4	7	13	20	49
A. NOT OPERATED	1712	4.4	21	1	1	3	5	8	12	26
B. OPERATED	588	7.5	113	1	1	4	9	18	25	75
TOTAL 0-27 DYS	217	4.6	33	1	1	3	5	8	11	39
1-11 MOS	930	5.3	44	1	1	3	6	10	16	40
1-5 YRS	380	5.3	55	1	1	3	6	14	19	42
6-12 YRS	181	7.2	136	1	1	3	8	14	23	72
13-19 YRS	592	4.5	18	1	1	3	6	9	12	25
GRAND TOTAL	**2300**	**5.2**	**46**	**1**	**1**	**3**	**6**	**10**	**16**	**39**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	10	4.4	10	<1	<1	4	7	8	9	9
6-12 YRS	18	4.7	18	1	1	4	5	8	15	20
13-19 YRS	71	4.6	11	2	2	4	6	8	9	20
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	7.0	4	5	5	7	8	9	9	9
13-19 YRS	19	5.6	10	1	2	5	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	11.0	73	3	3	10	17	20	20	20
1-5 YRS	9	8.3	74	1	1	4	13	22	26	26
6-12 YRS	11	5.7	39	1	2	3	5	18	20	20
13-19 YRS	57	4.9	8	2	2	4	6	8	10	16
B. *Operated*										
0-27 DYS										
1-11 MOS	2	12.0	32	8	8	12	16	16	16	16
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	4	6.0	3	4	4	6	7	8	8	8
13-19 YRS	20	7.5	20	1	2	7	11	13	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	101	4.5	12	1	2	4	6	8	9	20
B. *Operated*	22	5.8	9	2	2	5	8	10	12	13
2. MULTIPLE DX										
A. *Not Operated*	81	5.6	22	2	2	4	6	11	17	24
B. *Operated*	27	7.4	19	2	2	7	11	13	16	17
1. SINGLE DX	123	4.7	12	1	2	4	6	8	10	20
2. MULTIPLE DX	108	6.1	21	2	2	4	8	13	16	23
A. NOT OPERATED	182	5.0	16	1	2	4	6	9	14	21
B. OPERATED	49	6.7	15	2	2	6	9	12	13	17
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	8.6	53	<1	<1	8	14	19	20	20
1-5 YRS	20	6.1	40	<1	1	4	8	14	21	26
6-12 YRS	36	5.3	21	1	2	4	6	9	19	20
13-19 YRS	167	5.2	11	2	2	4	7	9	12	17
GRAND TOTAL	**231**	**5.4**	**17**	**1**	**2**	**4**	**7**	**10**	**13**	**20**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	3.0	2	1	1	3	3	5	5	5
6-12 YRS	8	5.5	10	1	1	6	8	9	10	10
13-19 YRS	39	4.7	7	1	2	4	6	9	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS										
13-19 YRS	12	6.3	7	1	3	7	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS	7	4.0	4	1	1	4	6	6	6	6
13-19 YRS	21	5.7	3	3	3	6	7	8	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	1	1	3	5	5	5	5
6-12 YRS	2	15.0	200	5	5	15	25	25	25	25
13-19 YRS	18	9.2	59	2	3	8	10	20	29	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	4.6	7	1	2	4	6	9	10	11
B. *Operated*	13	6.2	6	1	3	7	8	9	11	11
2. MULTIPLE DX										
A. *Not Operated*	31	5.1	4	2	2	6	6	8	8	9
B. *Operated*	22	9.2	65	2	3	7	10	24	28	33
1. SINGLE DX	66	4.9	7	1	2	4	7	9	10	11
2. MULTIPLE DX	53	6.8	32	2	3	6	8	10	22	33
A. NOT OPERATED	84	4.8	6	1	2	5	6	8	9	11
B. OPERATED	35	8.1	44	1	3	7	9	14	24	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	12	3.3	3	1	1	3	4	6	7	7
6-12 YRS	17	6.0	31	1	1	6	7	10	20	25
13-19 YRS	90	6.1	19	2	2	6	8	9	11	29
GRAND TOTAL	**119**	**5.8**	**19**	**1**	**2**	**5**	**7**	**9**	**11**	**27**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	7.0	8	5	5	7	9	9	9	9
1-5 YRS	12	2.7	4	<1	<1	2	4	5	6	6
6-12 YRS	116	3.6	6	1	1	3	4	6	8	16
13-19 YRS	495	3.8	6	1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS										
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	19	6.1	9	<1	2	6	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	4	4.0	1	3	3	4	5	5	5	5
1-5 YRS	9	6.7	17	2	2	6	10	13	14	14
6-12 YRS	73	4.4	10	2	2	4	5	8	12	17
13-19 YRS	403	4.9	10	1	2	4	6	9	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	34	9.9	133	3	3	6	12	21	30	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	3.7	6	1	1	3	5	7	8	12
B. *Operated*	23	5.6	8	1	2	6	8	9	11	13
2. MULTIPLE DX										
A. *Not Operated*	491	4.8	10	1	2	4	6	9	12	17
B. *Operated*	35	9.9	129	3	3	6	12	21	29	64
1. SINGLE DX	648	3.8	7	1	1	3	5	7	8	13
2. MULTIPLE DX	526	5.1	19	2	2	4	6	9	12	21
A. NOT OPERATED	1116	4.2	8	1	2	4	5	7	9	15
B. OPERATED	58	8.2	85	2	3	6	9	14	21	61
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	7	4.7	4	3	3	4	5	8	9	9
1-5 YRS	21	4.4	13	<1	1	3	6	10	12	14
6-12 YRS	193	3.9	8	1	2	3	5	7	9	16
13-19 YRS	951	4.5	14	1	2	4	6	8	10	17
GRAND TOTAL	**1174**	**4.4**	**13**	**1**	**2**	**4**	**5**	**8**	**10**	**17**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.3	2	1	1	2	3	4	4	4
6-12 YRS	8	4.0	5	1	1	4	6	6	6	6
13-19 YRS	143	4.3	5	1	2	4	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	4	5.3	34	2	2	3	8	14	14	14
13-19 YRS	35	6.7	8	2	3	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	7	8.4	14	4	4	8	11	13	14	14
1-5 YRS	4	2.8		2	2	3	3	3	3	3
6-12 YRS	16	6.9	15	2	3	6	8	12	15	17
13-19 YRS	95	5.4	13	2	2	5	7	10	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	6	7.3	33	1	1	6	8	17	18	18
6-12 YRS	1	42.0		42	42	42	42	42	42	42
13-19 YRS	30	13.3	176	4	5	10	14	25	29	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	154	4.2	5	1	2	4	5	7	8	13
B. *Operated*	41	6.3	11	2	2	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*	123	5.7	14	2	2	5	7	11	12	19
B. *Operated*	38	13.0	170	3	4	9	14	25	37	75
1. SINGLE DX	195	4.7	7	1	2	4	6	8	10	14
2. MULTIPLE DX	161	7.5	60	2	3	6	9	13	18	41
A. NOT OPERATED	277	4.9	9	1	2	4	6	8	11	17
B. OPERATED	79	9.6	98	2	3	8	11	16	25	65
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	8	8.6	12	4	4	9	11	13	14	14
1-5 YRS	15	4.3	19	<1	1	3	6	8	15	18
6-12 YRS	29	7.1	59	1	2	5	7	13	18	42
13-19 YRS	303	5.8	31	1	2	5	7	10	13	25
GRAND TOTAL	**356**	**5.9**	**33**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	10	3.9	3	1	1	4	6	6	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	12.0		12	12	12	12	12	12	12
13-19 YRS	6	7.5	33	<1	<1	7	10	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	7.5	61	2	2	7	13	13	13	13
13-19 YRS	4	6.3	30	2	2	4	10	14	14	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS										
6-12 YRS	1	20.0		20	20	20	20	20	20	20
13-19 YRS	2	10.5	1	10	10	10	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.6	3	1	2	3	5	6	6	6
B. *Operated*	7	8.1	30	<1	1	9	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	7	6.0	28	2	2	3	11	14	14	14
B. *Operated*	4	14.0	21	10	10	13	17	20	20	20
1. SINGLE DX	20	5.2	16	<1	1	4	6	11	14	17
2. MULTIPLE DX	11	8.9	40	2	2	10	14	17	20	20
A. NOT OPERATED	20	4.5	12	1	2	3	6	10	13	14
B. OPERATED	11	10.3	33	<1	2	10	14	18	20	20
TOTAL 0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	7	7.9	51	2	2	4	13	19	20	20
13-19 YRS	22	5.9	18	1	2	5	9	12	15	17
GRAND TOTAL	**31**	**6.5**	**27**	**1**	**2**	**4**	**10**	**14**	**17**	**20**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	3.8	4	<1	1	4	5	7	8	8
1-11 MOS	133	3.2	3	1	1	3	4	5	6	10
1-5 YRS	435	2.4	2	1	1	2	3	4	5	6
6-12 YRS	787	2.6	2	1	1	2	3	4	5	8
13-19 YRS	1480	3.1	4	1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	8	3.8	6	2	2	3	5	8	8	8
13-19 YRS	61	5.1	11	1	2	5	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	26	3.6	4	1	2	3	4	7	8	9
1-11 MOS	235	4.0	6	1	2	3	5	7	8	13
1-5 YRS	918	3.0	4	1	1	3	4	5	6	10
6-12 YRS	916	3.2	5	1	1	3	4	6	7	11
13-19 YRS	1820	3.7	6	1	1	3	5	7	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	5	13.0	240	1	1	9	20	39	39	39
1-5 YRS	4	10.0	133	2	2	5	17	27	27	27
6-12 YRS	21	6.3	7	3	3	6	8	11	11	11
13-19 YRS	143	6.8	25	2	2	6	9	12	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2854	2.8	3	1	1	2	4	5	6	9
B. *Operated*	72	4.9	10	1	2	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	3915	3.5	5	1	1	3	4	6	8	11
B. *Operated*	173	7.0	31	2	2	6	9	12	16	36
1. SINGLE DX	2926	2.9	3	1	1	2	4	5	6	9
2. MULTIPLE DX	4088	3.6	7	1	1	3	4	6	8	13
A. NOT OPERATED	6769	3.2	5	1	1	3	4	6	7	10
B. OPERATED	245	6.4	25	2	2	5	8	11	15	28
TOTAL 0-27 DYS	45	3.7	4	1	2	3	5	7	8	9
1-11 MOS	373	3.8	9	1	1	3	4	7	8	14
1-5 YRS	1360	2.8	4	1	1	2	3	5	6	9
6-12 YRS	1732	3.0	4	1	1	2	4	5	7	10
13-19 YRS	3504	3.6	7	1	1	3	4	6	8	13
GRAND TOTAL	**7014**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	3.5	5	<1	1	3	5	7	8	9
1-11 MOS	54	3.0	4	1	1	2	4	5	7	10
1-5 YRS	67	3.0	5	1	1	2	4	6	7	13
6-12 YRS	155	3.0	3	1	1	3	4	5	6	10
13-19 YRS	323	3.4	5	1	1	3	4	6	7	13
B. *Operated*										
0-27 DYS	75	4.8	5	2	3	4	6	9	10	11
1-11 MOS	204	4.0	4	2	2	4	5	6	8	10
1-5 YRS	18	4.6	4	2	2	4	6	7	9	9
6-12 YRS	4	14.3	213	5	5	8	22	36	36	36
13-19 YRS	21	6.4	16	1	2	6	9	10	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	3.4	8	1	1	3	4	8	11	11
1-11 MOS	70	3.5	8	1	1	3	4	7	10	14
1-5 YRS	104	3.6	12	1	1	3	4	6	8	22
6-12 YRS	179	3.2	3	1	1	3	4	5	7	10
13-19 YRS	362	3.9	7	1	1	3	5	7	9	13
B. *Operated*										
0-27 DYS	23	6.9	33	2	3	5	10	13	19	27
1-11 MOS	39	5.7	9	2	2	5	7	10	12	14
1-5 YRS	11	9.9	31	2	3	11	15	17	18	18
6-12 YRS	16	10.1	118	3	5	7	10	14	39	49
13-19 YRS	34	10.5	90	2	4	7	12	19	30	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	618	3.2	5	1	1	3	4	6	7	11
B. *Operated*	322	4.5	8	2	2	4	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	725	3.6	7	1	1	3	4	7	8	13
B. *Operated*	123	8.2	55	2	3	6	10	14	19	49
1. SINGLE DX	940	3.7	6	1	1	3	5	6	8	11
2. MULTIPLE DX	848	4.3	17	1	1	3	5	8	11	18
A. NOT OPERATED	1343	3.4	6	1	1	3	4	6	7	13
B. OPERATED	445	5.5	24	2	2	4	6	10	13	27
TOTAL 0-27 DYS	127	4.9	12	2	2	4	6	10	11	17
1-11 MOS	367	4.0	6	1	2	4	5	7	9	14
1-5 YRS	200	3.8	12	1	1	3	5	7	11	17
6-12 YRS	354	3.5	13	1	1	3	4	6	7	14
13-19 YRS	740	4.1	12	1	1	3	5	7	9	18
GRAND TOTAL	**1788**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	5	2.8	9	<1	<1	1	4	8	8	8
6-12 YRS	55	3.5	15	<1	1	3	4	6	7	26
13-19 YRS	133	2.7	3	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	5	2.8	1	2	2	3	3	4	4	4
1-11 MOS	4	5.8	2	4	4	6	7	7	7	7
1-5 YRS	489	4.1	5	2	2	4	5	7	9	12
6-12 YRS	6890	3.6	3	2	2	3	4	5	6	10
13-19 YRS	11310	3.8	2	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	3.2	5	1	1	3	5	6	6	6
6-12 YRS	33	3.1	8	1	1	2	4	6	10	14
13-19 YRS	54	2.6	2	1	1	2	4	5	6	6
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	5.0	13	2	2	4	7	10	10	10
1-5 YRS	113	6.2	15	2	3	5	7	11	15	22
6-12 YRS	958	5.3	13	2	3	4	6	10	12	21
13-19 YRS	1664	5.3	10	2	3	4	6	9	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.9	7	<1	1	2	4	5	7	13
B. *Operated*	18698	3.7	3	2	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	92	2.8	5	1	1	2	4	5	6	13
B. *Operated*	2740	5.3	11	2	3	4	6	9	12	19
1. SINGLE DX	18892	3.7	3	2	2	3	4	5	7	10
2. MULTIPLE DX	2832	5.2	11	2	3	4	6	9	11	18
A. NOT OPERATED	286	2.9	6	<1	1	2	4	5	6	13
B. OPERATED	21438	3.9	4	2	2	4	5	6	7	12
TOTAL 0-27 DYS	7	2.9		2	2	3	3	4	4	4
1-11 MOS	8	5.4	7	2	2	5	7	9	10	10
1-5 YRS	612	4.5	8	2	2	4	5	8	10	15
6-12 YRS	7936	3.8	4	2	2	3	4	6	7	12
13-19 YRS	13161	3.9	4	2	2	4	5	6	7	11
GRAND TOTAL	**21724**	**3.9**	**4**	**2**	**2**	**4**	**4**	**6**	**7**	**12**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	7	7.7	11	3	3	9	9	12	13	13
6-12 YRS	30	7.6	19	1	2	7	12	13	15	15
13-19 YRS	35	7.3	20	2	2	6	10	13	14	21
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	2	7.5	13	5	5	7	10	10	10	10
1-5 YRS	375	8.3	16	3	4	8	10	13	15	22
6-12 YRS	1605	7.4	13	3	3	7	9	12	14	18
13-19 YRS	1715	7.0	13	3	3	7	9	11	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.5	50	3	3	11	16	17	17	17
6-12 YRS	10	9.3	21	2	3	9	13	15	16	16
13-19 YRS	9	7.8	43	2	2	5	12	18	21	21
B. *Operated*										
0-27 DYS										
1-11 MOS	7	17.1	94	9	9	11	27	30	30	30
1-5 YRS	201	10.3	34	4	5	9	13	17	21	35
6-12 YRS	616	10.4	43	4	5	9	13	18	22	31
13-19 YRS	742	10.2	40	4	5	9	12	17	22	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	7.4	18	2	2	7	11	13	14	20
B. *Operated*	3698	7.3	14	3	3	7	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	23	8.9	32	2	2	8	14	16	18	21
B. *Operated*	1566	10.3	41	4	5	9	12	17	22	33
1. SINGLE DX	3771	7.3	14	3	3	7	9	12	14	20
2. MULTIPLE DX	1589	10.3	41	4	5	9	12	17	22	33
A. NOT OPERATED	96	7.8	22	2	2	7	11	14	16	21
B. OPERATED	5264	8.2	24	3	4	7	10	13	16	26
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	10	13.8	95	3	4	10	24	29	30	30
1-5 YRS	587	9.0	23	4	4	8	11	15	18	24
6-12 YRS	2261	8.2	23	3	4	7	10	13	16	25
13-19 YRS	2501	8.0	24	3	3	7	10	13	16	27
GRAND TOTAL	**5360**	**8.2**	**23**	**3**	**4**	**7**	**10**	**13**	**16**	**26**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.5	6	1	1	2	3	7	7	7
6-12 YRS	91	2.2	2	1	1	2	3	4	5	7
13-19 YRS	213	2.4	2	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	49	4.5	15	1	2	4	5	8	12	25
6-12 YRS	578	3.9	3	2	2	4	5	6	7	10
13-19 YRS	1131	4.3	5	2	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.6	29	<1	<1	2	5	14	16	16
6-12 YRS	53	3.2	5	1	1	2	4	6	8	10
13-19 YRS	128	2.6	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	4.0	12	2	2	2	7	8	8	8
1-5 YRS	31	5.6	14	1	2	4	7	10	14	19
6-12 YRS	242	4.8	9	2	2	4	5	9	10	14
13-19 YRS	644	5.4	14	2	3	5	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	311	2.3	2	1	1	2	3	4	5	7
B. *Operated*	1761	4.2	4	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	188	2.8	4	1	1	2	4	5	7	10
B. *Operated*	921	5.3	13	2	3	4	6	9	11	17
1. SINGLE DX	2072	3.9	5	1	2	4	5	6	8	12
2. MULTIPLE DX	1109	4.8	12	1	2	4	6	8	10	16
A. NOT OPERATED	499	2.5	3	1	1	2	3	5	6	8
B. OPERATED	2682	4.6	8	2	2	4	5	7	9	14
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	6	3.5	10	1	1	2	7	8	8	8
1-5 YRS	93	4.8	15	1	1	4	5	9	13	22
6-12 YRS	964	3.9	5	1	2	4	5	6	8	12
13-19 YRS	2116	4.4	8	1	2	4	5	7	9	14
GRAND TOTAL	**3181**	**4.2**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	1.8	2	<1	<1	<1	2	4	4	4
1-11 MOS	51	1.4	1	<1	<1	1	2	2	3	5
1-5 YRS	58	1.3		<1	<1	1	1	2	3	4
6-12 YRS	20	1.3		1	1	1	2	2	2	2
13-19 YRS	39	1.7	1	<1	<1	1	2	4	4	5
B. *Operated*										
0-27 DYS	68	2.2	3	<1	<1	2	3	4	5	11
1-11 MOS	2363	1.6	1	<1	<1	1	2	2	3	5
1-5 YRS	4671	1.6	1	<1	<1	1	2	2	3	4
6-12 YRS	2768	1.9	1	<1	<1	2	2	3	3	5
13-19 YRS	3829	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	1.3		<1	<1	1	1	2	2	2
1-11 MOS	191	1.9	11	<1	<1	1	1	3	5	23
1-5 YRS	295	1.3	1	<1	<1	1	1	2	3	6
6-12 YRS	56	1.3		<1	<1	1	1	2	3	4
13-19 YRS	45	1.4	1	<1	<1	1	1	2	4	5
B. *Operated*										
0-27 DYS	39	2.3	4	<1	1	2	2	4	5	13
1-11 MOS	1561	2.1	4	<1	<1	2	2	4	5	10
1-5 YRS	3139	1.8	2	<1	<1	2	2	3	4	7
6-12 YRS	1108	2.3	3	<1	1	2	3	4	5	8
13-19 YRS	1018	3.5	3	1	2	3	4	5	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	13699	2.0	2	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	591	1.5	4	<1	<1	1	1	2	4	11
B. *Operated*	6865	2.2	3	<1	<1	2	3	4	5	9
1. SINGLE DX	13871	2.0	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX	7456	2.1	3	<1	<1	2	2	4	5	9
A. NOT OPERATED	763	1.5	4	<1	<1	1	1	2	4	7
B. OPERATED	20564	2.1	2	<1	<1	2	3	4	4	7
TOTAL 0-27 DYS	115	2.2	3	<1	<1	2	3	4	5	12
1-11 MOS	4166	1.8	3	<1	<1	1	2	3	4	8
1-5 YRS	8163	1.6	1	<1	<1	1	2	2	3	5
6-12 YRS	3952	2.0	2	<1	<1	2	2	3	4	6
13-19 YRS	4931	3.0	2	1	2	3	4	5	5	7
GRAND TOTAL	**21327**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**4**	**4**	**7**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.2		<1	<1	1	1	2	2	2
1-11 MOS	16	2.8	20	<1	1	2	2	4	14	19
1-5 YRS	11	1.6	1	<1	<1	1	2	4	4	4
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	6	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS	57	2.4	5	<1	1	2	3	4	7	12
1-11 MOS	423	2.0	2	<1	1	2	2	4	5	8
1-5 YRS	330	1.9	1	<1	1	2	2	3	4	6
6-12 YRS	58	2.1	1	<1	1	2	2	3	4	6
13-19 YRS	133	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	16	2.3	2	<1	1	2	3	5	5	5
1-5 YRS	20	2.1	3	<1	<1	2	3	4	6	8
6-12 YRS										
13-19 YRS	3	3.7	9	1	1	3	6	7	7	7
B. *Operated*										
0-27 DYS	41	2.4	2	<1	1	2	3	5	5	7
1-11 MOS	260	3.0	13	1	1	2	4	5	9	17
1-5 YRS	202	2.8	7	<1	1	2	3	5	7	12
6-12 YRS	22	2.3	1	<1	1	2	3	4	5	5
13-19 YRS	54	4.5	9	2	2	4	5	9	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	1.9	8	<1	<1	1	2	3	4	19
B. *Operated*	1001	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	39	2.3	3	<1	<1	2	3	5	6	8
B. *Operated*	579	3.0	10	1	1	2	4	6	8	16
1. SINGLE DX	1043	2.1	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	618	2.9	9	<1	1	2	4	5	7	16
A. NOT OPERATED	81	2.1	6	<1	<1	1	2	4	5	16
B. OPERATED	1580	2.5	5	<1	1	2	3	5	6	10
TOTAL 0-27 DYS	104	2.3	4	<1	1	2	3	4	6	11
1-11 MOS	715	2.4	7	<1	1	2	3	4	6	15
1-5 YRS	563	2.2	4	<1	1	2	3	4	5	8
6-12 YRS	83	2.1	1	<1	1	2	2	4	4	6
13-19 YRS	196	3.5	5	1	1	3	4	6	7	14
GRAND TOTAL	**1661**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**6**	**10**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	4	1.5	1	1	1	1	2	3	3	3
1-5 YRS	10	1.3		<1	<1	1	1	2	3	3
6-12 YRS	3	2.3	2	1	1	2	3	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	243	2.1	2	<1	<1	2	2	3	5	8
1-5 YRS	1236	1.9	1	<1	<1	2	2	3	3	5
6-12 YRS	500	2.0	1	<1	1	2	2	3	4	5
13-19 YRS	217	2.8	2	1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	20	2.8	8	<1	<1	1	4	7	9	10
1-5 YRS	66	1.5	2	<1	<1	1	1	3	3	8
6-12 YRS	15	1.7	3	<1	1	1	1	5	6	6
13-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-27 DYS	2	9.0	72	3	3	9	15	15	15	15
1-11 MOS	68	2.4	2	<1	<1	2	3	4	5	9
1-5 YRS	236	2.5	3	<1	<1	2	3	4	6	10
6-12 YRS	93	2.5	3	<1	1	2	3	5	7	9
13-19 YRS	53	3.2	4	1	2	3	4	6	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.0	5	<1	<1	1	2	4	8	10
B. *Operated*	2197	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	103	1.7	3	<1	<1	1	1	4	5	10
B. *Operated*	452	2.6	4	<1	1	2	3	5	7	10
1. SINGLE DX	2215	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	555	2.4	4	<1	<1	2	3	4	6	10
A. NOT OPERATED	121	1.8	3	<1	<1	1	2	4	6	10
B. OPERATED	2649	2.1	2	<1	1	2	2	3	4	7
TOTAL 0-27 DYS	4	8.0	31	3	3	7	12	15	15	15
1-11 MOS	335	2.2	2	<1	<1	2	3	4	5	9
1-5 YRS	1548	2.0	2	<1	<1	2	2	3	4	7
6-12 YRS	611	2.1	1	<1	1	2	2	3	4	6
13-19 YRS	272	2.9	3	1	1	2	4	5	6	10
GRAND TOTAL	**2770**	**2.1**	**2**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	2.0	3	1	1	1	3	4	4	4
6-12 YRS										
13-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.2	8	<1	<1	2	4	9	10	10
1-5 YRS	126	2.0	2	<1	<1	2	2	3	5	8
6-12 YRS	115	2.1	1	<1	1	2	2	3	4	6
13-19 YRS	218	2.8	2	1	1	3	3	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	4	3.5	7	1	1	3	5	7	7	7
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	3	2.0	1	1	1	2	3	3	3	3
B. *Operated*										
0-27 DYS	2	11.0	128	3	3	11	19	19	19	19
1-11 MOS	7	4.3	12	<1	<1	3	7	10	10	10
1-5 YRS	44	4.1	18	<1	<1	2	5	9	15	18
6-12 YRS	28	3.4	15	1	1	2	3	9	14	16
13-19 YRS	43	4.1	7	2	2	4	5	6	12	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.6	2	<1	<1	1	2	4	4	4
B. *Operated*	475	2.4	2	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*	10	3.2	9	<1	<1	2	4	8	10	10
B. *Operated*	124	4.0	15	<1	1	3	5	8	14	18
1. SINGLE DX	480	2.4	2	<1	1	2	3	4	6	7
2. MULTIPLE DX	134	4.0	14	<1	1	3	5	8	14	18
A. NOT OPERATED	15	2.7	7	<1	<1	1	4	7	9	10
B. OPERATED	599	2.8	5	<1	1	2	3	5	6	14
TOTAL 0-27 DYS	2	11.0	128	3	3	11	19	19	19	19
1-11 MOS	24	3.8	10	<1	<1	2	5	10	10	10
1-5 YRS	177	2.5	7	<1	<1	2	2	5	7	16
6-12 YRS	145	2.3	4	<1	1	2	2	4	5	14
13-19 YRS	266	3.0	3	1	1	3	4	5	6	11
GRAND TOTAL	**614**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**	**14**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	3.0	1	2	2	3	4	4	4	4
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	3	3.3		3	3	3	4	4	4	4
13-19 YRS	17	3.4	3	1	2	3	4	6	7	8
B. *Operated*										
0-27 DYS	2	5.5	1	5	5	5	6	6	6	6
1-11 MOS	7	6.1	20	1	1	6	8	13	14	14
1-5 YRS	10	1.2		<1	<1	1	1	2	2	2
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	10	4.0	5	1	1	4	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	4.4	2	2	2	5	6	6	6	6
1-5 YRS	4	5.5	14	2	2	5	8	10	10	10
6-12 YRS	6	4.5	10	2	2	3	6	10	10	10
13-19 YRS	56	4.3	6	1	2	4	6	7	9	14
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	8	10.8	28	6	6	8	14	19	21	21
1-5 YRS	6	4.5	10	2	2	4	6	10	10	10
6-12 YRS	5	10.0	67	<1	<1	10	13	23	23	23
13-19 YRS	14	7.9	38	3	4	6	9	15	24	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.3	3	1	2	3	4	5	6	8
B. *Operated*	33	3.5	9	<1	1	2	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	76	4.5	6	2	2	4	6	9	10	13
B. *Operated*	34	8.3	35	2	2	7	10	16	23	26
1. SINGLE DX	58	3.4	6	<1	1	3	5	6	8	14
2. MULTIPLE DX	110	5.7	18	2	2	5	7	10	14	24
A. NOT OPERATED	101	4.2	6	1	2	3	5	7	9	12
B. OPERATED	67	5.9	28	<1	1	5	8	12	17	25
TOTAL 0-27 DYS	5	5.8	10	1	1	6	8	9	9	9
1-11 MOS	27	6.6	21	2	2	6	8	14	17	21
1-5 YRS	21	3.1	8	<1	<1	2	5	8	10	10
6-12 YRS	18	5.3	28	1	2	3	6	10	18	23
13-19 YRS	97	4.6	12	1	2	4	6	8	10	20
GRAND TOTAL	**168**	**4.9**	**15**	**1**	**2**	**4**	**6**	**9**	**12**	**23**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	6	3.3	10	<1	<1	2	5	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	20	2.1	4	<1	1	2	2	3	7	10
6-12 YRS	28	2.2	1	<1	1	2	3	4	4	5
13-19 YRS	37	3.4	2	1	2	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	3	2.3		2	2	2	3	3	3	3
1-5 YRS	13	6.8	296	1	1	2	3	15	55	64
6-12 YRS	6	3.0	4	1	1	2	3	7	7	7
13-19 YRS	25	4.5	7	2	2	4	5	8	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.8	7	<1	<1	2	3	7	9	9
B. *Operated*	86	2.7	2	1	1	2	4	5	5	9
2. MULTIPLE DX										
A. *Not Operated*	8	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	49	5.0	80	1	2	3	4	8	10	64
1. SINGLE DX	95	2.7	3	<1	1	2	4	5	5	10
2. MULTIPLE DX	57	4.6	70	1	1	3	4	8	10	60
A. NOT OPERATED	17	2.5	4	<1	<1	2	3	5	8	9
B. OPERATED	135	3.5	31	1	1	3	4	5	8	21
TOTAL 0-27 DYS	2	8.5	1	8	8	8	9	9	9	9
1-11 MOS	7	2.3	1	<1	<1	2	3	3	3	3
1-5 YRS	35	3.8	112	<1	1	2	2	3	8	64
6-12 YRS	38	2.3	2	<1	1	2	3	4	5	7
13-19 YRS	70	3.8	4	1	1	3	4	5	8	12
GRAND TOTAL	**152**	**3.4**	**28**	**<1**	**1**	**3**	**4**	**5**	**8**	**13**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS										
13-19 YRS	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	21	2.3	2	<1	<1	2	3	4	5	6
1-5 YRS	65	2.5	5	<1	<1	2	3	4	7	14
6-12 YRS	31	2.6	3	<1	1	2	3	4	5	10
13-19 YRS	62	3.8	5	1	2	3	4	6	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.7		<1	<1	2	2	2	2	2
1-5 YRS	6	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	3	3.7		3	3	4	4	4	4	4
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	7.7	50	1	1	6	13	17	18	18
1-5 YRS	16	5.0	13	<1	1	5	7	9	12	13
6-12 YRS	12	6.8	37	2	2	5	9	15	22	23
13-19 YRS	20	8.5	85	2	2	6	9	19	33	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.6	1	1	1	1	2	3	3	3
B. *Operated*	179	2.9	4	<1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	13	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*	55	7.0	48	1	2	5	9	13	22	39
1. SINGLE DX	186	2.9	4	<1	1	2	3	5	7	12
2. MULTIPLE DX	68	6.1	42	<1	1	4	7	12	18	37
A. NOT OPERATED	20	2.1	1	<1	<1	2	3	4	4	4
B. OPERATED	234	3.9	17	<1	1	3	4	8	11	23
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	32	3.2	14	<1	<1	2	3	7	13	18
1-5 YRS	90	2.9	7	<1	<1	2	3	7	8	14
6-12 YRS	44	3.7	15	<1	1	2	4	9	11	23
13-19 YRS	87	4.8	26	2	2	3	5	8	12	35
GRAND TOTAL	**254**	**3.7**	**16**	**<1**	**1**	**3**	**4**	**7**	**10**	**23**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	2.4	3	<1	<1	2	3	5	6	6
1-11 MOS	116	2.2	3	<1	1	2	2	4	6	9
1-5 YRS	157	2.2	3	<1	1	2	3	4	6	10
6-12 YRS	110	3.2	6	<1	1	2	4	7	8	12
13-19 YRS	198	4.0	7	1	1	3	5	8	9	13
B. *Operated*										
0-27 DYS	2	9.5	1	9	9	9	10	10	10	10
1-11 MOS	151	5.3	7	2	2	5	6	9	10	14
1-5 YRS	115	6.0	10	2	3	5	7	10	12	18
6-12 YRS	79	7.3	24	3	4	6	8	11	16	34
13-19 YRS	151	9.4	25	4	5	8	11	14	18	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	5.2	15	<1	<1	6	7	10	12	12
1-11 MOS	65	4.3	21	<1	1	3	5	8	9	31
1-5 YRS	100	4.1	38	1	1	3	5	8	10	36
6-12 YRS	74	4.6	32	<1	1	3	5	9	11	37
13-19 YRS	142	4.9	13	1	1	4	6	9	12	20
B. *Operated*										
0-27 DYS	2	12.5	5	11	11	12	14	14	14	14
1-11 MOS	101	8.8	77	2	3	7	10	15	22	55
1-5 YRS	98	9.1	80	3	4	7	10	15	27	83
6-12 YRS	70	9.8	42	4	4	8	11	18	25	35
13-19 YRS	187	11.2	45	4	5	10	14	19	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	589	3.0	6	1	1	2	4	6	8	12
B. *Operated*	498	7.0	19	2	3	6	9	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	391	4.6	24	1	1	3	6	9	11	23
B. *Operated*	458	10.0	60	3	4	8	12	18	24	45
1. SINGLE DX	1087	4.8	16	1	1	4	7	10	12	18
2. MULTIPLE DX	849	7.5	51	1	2	6	9	14	19	39
A. NOT OPERATED	980	3.6	14	1	1	3	5	7	9	14
B. OPERATED	956	8.4	40	3	4	7	10	14	19	38
TOTAL 0-27 DYS	22	5.2	18	<1	<1	4	9	11	13	14
1-11 MOS	433	5.1	30	1	1	4	6	9	12	28
1-5 YRS	470	5.0	35	1	1	4	6	9	12	29
6-12 YRS	333	5.9	30	1	1	5	7	10	15	31
13-19 YRS	678	7.4	32	1	2	6	10	14	18	32
GRAND TOTAL	**1936**	**6.0**	**33**	**1**	**1**	**5**	**8**	**11**	**15**	**30**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	535	4.1	15	1	2	3	5	7	9	20
1-11 MOS	5556	3.8	7	1	2	3	5	6	8	12
1-5 YRS	7298	3.1	3	1	1	3	4	5	6	9
6-12 YRS	3942	2.4	2	1	1	2	3	4	5	7
13-19 YRS	4494	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS	7	7.4	16	3	4	7	12	74	99+	99+
1-11 MOS	32	11.7	179	3	4	7	12	41	47	51
1-5 YRS	54	3.8	8	<1	1	3	5	8	10	12
6-12 YRS	68	4.1	17	1	2	3	5	6	7	30
13-19 YRS	232	4.7	7	2	2	4	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	520	5.4	18	2	2	4	6	10	12	19
1-11 MOS	8750	4.5	10	2	2	4	5	8	9	15
1-5 YRS	12275	3.6	6	1	2	3	4	6	7	13
6-12 YRS	3295	3.1	3	1	1	3	4	5	6	10
13-19 YRS	3219	3.3	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	19	15.8	423	2	3	7	16	49	72	77
1-11 MOS	179	11.2	209	3	3	7	12	31	70	99+
1-5 YRS	152	6.6	36	2	2	5	7	12	19	97
6-12 YRS	80	6.8	91	2	2	5	7	11	15	66
13-19 YRS	177	7.2	44	2	3	5	8	14	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21825	3.1	5	1	1	3	4	5	6	10
B. *Operated*	393	5.1	26	1	2	4	6	8	12	42
2. MULTIPLE DX										
A. *Not Operated*	28059	3.8	7	1	2	3	5	6	8	13
B. *Operated*	607	8.4	113	2	3	6	9	17	31	99+
1. SINGLE DX	22218	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	28666	3.9	10	1	2	3	5	7	8	14
A. NOT OPERATED	49884	3.5	6	1	1	3	4	6	7	12
B. OPERATED	1000	7.1	82	2	2	5	7	13	21	84
TOTAL 0-27 DYS	1081	4.9	26	1	2	4	6	9	12	23
1-11 MOS	14517	4.3	13	1	2	4	5	7	9	15
1-5 YRS	19779	3.5	5	1	2	3	4	6	7	12
6-12 YRS	7385	2.8	4	1	1	2	3	5	6	9
13-19 YRS	8122	3.0	6	1	1	2	4	5	7	11
GRAND TOTAL	**50884**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**13**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	3	3.0	3	2	2	2	4	5	5	5
13-19 YRS	6	4.7	7	2	2	4	6	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	6.0	18	3	3	6	9	9	9	9
13-19 YRS	4	6.3	12	2	2	6	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	7	5.7	9	2	2	5	9	9	9	9
1-5 YRS	10	6.9	24	1	1	7	10	14	15	15
6-12 YRS	7	5.4	11	2	2	5	9	10	10	10
13-19 YRS	7	5.1	9	2	2	4	6	10	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0	32	7	7	11	15	15	15	15
1-5 YRS	3	3.3	10	1	1	2	6	7	7	7
6-12 YRS										
13-19 YRS	10	12.1	79	6	6	8	14	26	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	4.4	6	2	2	4	6	8	9	9
B. *Operated*	7	6.0	9	2	2	5	9	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	32	6.1	14	1	2	5	9	11	13	15
B. *Operated*	15	10.2	68	1	2	8	13	18	31	35
1. SINGLE DX	20	5.0	7	2	2	5	7	9	10	10
2. MULTIPLE DX	47	7.4	34	1	2	7	10	14	16	35
A. NOT OPERATED	45	5.6	12	1	2	5	8	10	12	15
B. OPERATED	22	8.9	52	1	2	7	10	16	25	35
TOTAL 0-27 DYS	2	9.0	18	6	6	9	12	12	12	12
1-11 MOS	12	6.1	14	2	2	5	8	11	14	15
1-5 YRS	14	6.2	21	1	1	7	8	13	15	15
6-12 YRS	12	4.9	10	2	2	4	7	10	10	10
13-19 YRS	27	7.8	44	2	2	6	9	13	21	35
GRAND TOTAL	**67**	**6.7**	**27**	**2**	**2**	**6**	**9**	**12**	**15**	**32**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	12	3.0	3	1	1	3	4	5	7	7
1-11 MOS	18	3.9	8	1	1	3	5	9	11	12
1-5 YRS	26	2.7	3	<1	1	2	3	6	7	8
6-12 YRS	20	2.8	2	1	1	3	3	5	6	6
13-19 YRS	50	3.6	5	1	1	3	5	6	7	10
B. *Operated*										
0-27 DYS	4	1.5		1	1	1	2	2	2	2
1-11 MOS	105	2.0	2	<1	1	2	2	4	5	7
1-5 YRS	72	2.3	5	<1	<1	2	2	4	5	16
6-12 YRS	53	3.0	6	1	1	2	3	8	9	11
13-19 YRS	422	3.4	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	4.1	6	<1	1	3	6	7	8	8
1-11 MOS	20	4.3	8	<1	<1	4	6	8	10	11
1-5 YRS	32	4.2	12	1	1	3	6	9	11	15
6-12 YRS	15	2.6	1	<1	1	3	3	4	5	5
13-19 YRS	46	4.4	15	<1	1	3	6	9	13	20
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	27	3.5	6	<1	<1	3	5	7	8	8
1-5 YRS	35	4.6	31	<1	<1	3	5	12	13	30
6-12 YRS	27	3.0	2	1	1	3	4	5	6	7
13-19 YRS	221	5.0	40	1	2	4	5	7	10	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.3	4	1	1	3	4	6	7	11
B. *Operated*	656	3.0	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	124	4.1	11	<1	1	3	5	8	10	16
B. *Operated*	311	4.6	33	1	1	3	5	7	10	31
1. SINGLE DX	782	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	435	4.5	26	1	1	3	5	8	10	28
A. NOT OPERATED	250	3.7	8	1	1	3	5	7	9	15
B. OPERATED	967	3.5	14	1	1	3	4	6	8	15
TOTAL 0-27 DYS	28	3.2	4	1	1	3	4	7	7	8
1-11 MOS	170	2.7	5	<1	1	2	4	6	7	11
1-5 YRS	165	3.2	12	<1	1	2	3	7	9	18
6-12 YRS	115	2.9	4	1	1	3	3	5	8	10
13-19 YRS	739	4.0	16	1	1	3	5	6	8	16
GRAND TOTAL	**1217**	**3.6**	**12**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	40	4.0	25	1	1	3	4	8	17	26
1-11 MOS	124	3.2	9	1	1	3	4	6	7	20
1-5 YRS	487	2.7	6	1	1	2	3	5	6	14
6-12 YRS	921	3.1	6	1	1	3	4	6	7	14
13-19 YRS	1640	4.3	13	1	1	3	5	8	10	18
B. *Operated*										
0-27 DYS	5	7.4	99	<1	<1	3	10	25	25	25
1-11 MOS	24	4.6	26	<1	1	2	7	11	15	21
1-5 YRS	154	3.8	15	<1	1	2	5	8	10	20
6-12 YRS	201	5.0	23	<1	1	4	6	10	15	26
13-19 YRS	616	8.5	71	1	2	6	10	18	26	44
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	38	3.9	14	1	1	3	5	7	14	17
1-11 MOS	137	4.0	11	1	1	3	5	8	10	17
1-5 YRS	415	3.7	11	1	1	3	5	7	9	19
6-12 YRS	657	3.7	24	1	1	3	4	7	9	14
13-19 YRS	1352	4.8	16	1	2	4	6	9	11	21
B. *Operated*										
0-27 DYS	7	17.4	574	1	1	6	32	58	62	62
1-11 MOS	43	15.8	366	1	2	8	23	71	82	99+
1-5 YRS	117	6.1	77	1	1	4	7	14	19	53
6-12 YRS	200	9.7	115	1	2	6	11	21	35	52
13-19 YRS	711	11.7	128	2	3	8	14	25	36	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3212	3.7	11	1	1	3	5	7	9	17
B. *Operated*	1000	7.0	56	1	1	5	9	14	21	38
2. MULTIPLE DX										
A. *Not Operated*	2599	4.3	17	1	1	3	5	8	10	20
B. *Operated*	1078	10.9	135	1	2	7	13	24	36	63
1. SINGLE DX	4212	4.5	23	1	1	3	5	9	12	26
2. MULTIPLE DX	3677	6.2	61	1	1	4	7	12	19	44
A. NOT OPERATED	5811	4.0	14	1	1	3	5	8	10	18
B. OPERATED	2078	9.0	101	1	2	6	11	19	30	54
TOTAL 0-27 DYS	90	5.2	73	1	1	3	4	10	17	53
1-11 MOS	328	5.3	74	1	1	3	5	10	17	72
1-5 YRS	1173	3.5	17	1	1	2	4	7	9	20
6-12 YRS	1979	4.2	28	1	1	3	5	8	11	27
13-19 YRS	4319	6.3	49	1	2	4	7	12	18	38
GRAND TOTAL	**7889**	**5.3**	**42**	**1**	**1**	**3**	**6**	**10**	**15**	**35**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	13.0	288	1	1	13	25	25	25	25
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	20	15.9	144	2	4	11	27	29	36	42
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS										
13-19 YRS	2	3.5	1	3	3	3	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	13.0	288	1	1	13	25	25	25	25
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	21	15.4	141	3	4	11	27	29	35	42
B. *Operated*	3	11.0	169	3	3	4	20	26	26	26
1. SINGLE DX	2	13.0	288	1	1	13	25	25	25	25
2. MULTIPLE DX	24	14.8	140	2	4	9	27	28	34	42
A. NOT OPERATED	23	15.2	142	1	3	11	27	29	34	42
B. OPERATED	3	11.0	169	3	3	4	20	26	26	26
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	1	26.0		26	26	26	26	26	26	26
6-12 YRS										
13-19 YRS	24	14.6	144	1	3	9	26	28	34	42
GRAND TOTAL	**26**	**14.7**	**140**	**1**	**3**	**9**	**26**	**28**	**32**	**42**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	4.3	16	1	1	3	7	10	10	10
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	4.0	3	2	2	5	5	5	5	5
13-19 YRS	17	5.6	9	2	3	5	8	10	11	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.6	2	2	2	4	5	5	5	5
1-5 YRS	7	2.4	2	1	1	2	3	5	5	5
6-12 YRS	18	6.4	67	2	2	2	8	21	27	29
13-19 YRS	49	3.0	6	1	1	2	3	6	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.3	10	2	2	3	7	8	8	8
1-11 MOS	3	13.0	333	1	1	4	26	34	34	34
1-5 YRS	19	4.6	19	<1	1	4	6	8	15	20
6-12 YRS	8	4.1	5	1	1	4	6	7	8	8
13-19 YRS	23	7.6	31	1	2	7	10	16	20	21
B. *Operated*										
0-27 DYS										
1-11 MOS	3	9.0	9	6	6	9	11	12	12	12
1-5 YRS	8	10.6	116	2	2	8	14	29	34	34
6-12 YRS	9	4.8	11	<1	1	5	6	10	11	11
13-19 YRS	34	5.9	24	1	2	4	9	14	16	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	5.0	10	1	1	4	7	10	11	12
B. *Operated*	79	3.8	21	1	1	2	4	8	12	27
2. MULTIPLE DX										
A. *Not Operated*	56	6.2	37	1	1	4	8	13	20	33
B. *Operated*	54	6.6	36	1	2	5	9	14	16	33
1. SINGLE DX	104	4.1	18	1	1	2	5	9	11	26
2. MULTIPLE DX	110	6.4	36	1	1	4	9	13	19	34
A. NOT OPERATED	81	5.8	29	1	1	4	8	11	17	30
B. OPERATED	133	4.9	29	1	1	2	6	11	16	30
TOTAL 0-27 DYS	3	4.3	10	2	2	3	7	8	8	8
1-11 MOS	15	6.7	68	1	1	4	8	12	28	34
1-5 YRS	35	5.4	44	1	1	3	6	12	19	34
6-12 YRS	38	5.4	35	1	2	3	5	10	21	29
13-19 YRS	123	5.0	19	1	1	3	8	11	14	20
GRAND TOTAL	**214**	**5.2**	**29**	**1**	**1**	**3**	**7**	**11**	**16**	**31**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	3	11.7	116	4	4	7	20	24	24	24
1-5 YRS	30	3.3	4	1	1	3	4	7	8	8
6-12 YRS	82	4.2	8	1	2	3	5	7	9	17
13-19 YRS	199	5.5	11	2	2	5	7	9	12	19
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	9.7	57	2	2	9	16	20	20	20
6-12 YRS	4	4.5	8	2	2	4	7	7	7	7
13-19 YRS	17	6.5	64	1	2	3	8	15	27	33
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	19	6.9	22	2	2	5	11	13	16	19
1-5 YRS	36	6.4	32	1	2	5	9	12	19	26
6-12 YRS	52	5.2	12	1	2	5	7	9	13	16
13-19 YRS	104	6.1	22	2	2	5	8	11	16	27
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	12.0	62	3	3	11	17	22	22	22
1-5 YRS	10	12.0	242	1	1	4	21	36	51	51
6-12 YRS	9	14.7	311	1	1	4	27	44	50	50
13-19 YRS	20	10.9	129	1	2	6	18	25	38	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	5.0	11	2	2	4	6	9	11	19
B. *Operated*	29	6.6	51	1	2	3	8	16	21	33
2. MULTIPLE DX										
A. *Not Operated*	213	6.0	21	1	2	5	8	11	15	25
B. *Operated*	44	11.8	173	1	2	5	19	31	46	51
1. SINGLE DX	344	5.1	15	2	2	4	6	9	12	20
2. MULTIPLE DX	257	7.0	51	1	2	5	8	13	20	44
A. NOT OPERATED	528	5.4	15	2	2	4	7	10	12	22
B. OPERATED	73	9.8	130	1	2	4	12	23	34	51
TOTAL 0-27 DYS	5	5.0	11	1	1	4	7	10	10	10
1-11 MOS	27	8.1	37	2	2	6	11	18	22	24
1-5 YRS	82	6.2	54	1	1	4	8	13	21	43
6-12 YRS	147	5.2	32	1	2	4	6	8	14	34
13-19 YRS	340	6.0	25	2	2	5	7	11	14	31
GRAND TOTAL	**601**	**5.9**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	**31**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	6	3.8	3	2	2	3	6	6	6	6
13-19 YRS	199	3.4	5	<1	1	3	4	6	8	11
B. *Operated*										
0-27 DYS	2	10.0	18	7	7	10	13	13	13	13
1-11 MOS	12	8.1	11	4	4	8	11	13	14	14
1-5 YRS	12	6.7	14	2	2	7	9	12	14	14
6-12 YRS	29	5.8	12	1	1	5	7	11	13	13
13-19 YRS	1096	7.0	8	4	4	6	8	10	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	6.0	8	4	4	4	8	10	10	10
1-5 YRS	6	4.3	6	1	1	5	5	8	8	8
6-12 YRS	2	4.0		4	4	4	4	4	4	4
13-19 YRS	155	4.3	8	1	1	4	5	8	9	14
B. *Operated*										
0-27 DYS	2	14.5	1	14	14	14	15	15	15	15
1-11 MOS	4	13.0	57	5	5	12	19	22	22	22
1-5 YRS	6	19.3	461	2	2	8	35	54	56	56
6-12 YRS	18	12.2	84	2	5	9	17	26	34	37
13-19 YRS	611	8.7	15	4	5	8	10	14	16	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	209	3.4	5	<1	1	3	4	6	8	11
B. *Operated*	1151	7.0	8	4	4	6	8	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	168	4.3	8	1	1	4	5	8	9	14
B. *Operated*	641	8.9	22	4	5	8	10	14	17	25
1. SINGLE DX	1360	6.4	10	2	3	6	8	10	12	17
2. MULTIPLE DX	809	8.0	22	2	4	7	9	14	16	24
A. NOT OPERATED	377	3.8	6	1	1	3	5	7	9	14
B. OPERATED	1792	7.7	14	4	4	7	9	12	15	20
TOTAL 0-27 DYS	4	12.3	13	7	7	13	14	15	15	15
1-11 MOS	22	8.3	22	3	4	7	10	15	18	22
1-5 YRS	27	8.6	132	1	2	5	8	13	38	56
6-12 YRS	55	7.6	44	1	2	6	9	17	18	37
13-19 YRS	2061	7.0	13	2	3	6	8	11	14	19
GRAND TOTAL	**2169**	**7.0**	**15**	**2**	**3**	**6**	**8**	**12**	**14**	**20**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	6	3.8	3	2	2	4	5	6	6	6
13-19 YRS	163	3.8	6	1	1	3	5	7	7	15
B. *Operated*										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	2	4.5	13	2	2	4	7	7	7	7
1-5 YRS										
6-12 YRS	5	5.8	1	4	4	6	6	7	7	7
13-19 YRS	132	7.9	19	3	4	7	9	13	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.5	5	3	3	4	6	6	6	6
1-5 YRS	4	8.8	48	4	4	6	13	19	19	19
6-12 YRS	5	5.0	9	1	1	6	7	8	8	8
13-19 YRS	139	4.8	13	1	2	4	6	8	10	20
B. *Operated*										
0-27 DYS										
1-11 MOS	2	14.5	113	7	7	14	22	22	22	22
1-5 YRS	5	7.8	11	3	3	9	10	11	11	11
6-12 YRS	3	13.3	69	4	4	16	19	20	20	20
13-19 YRS	108	9.4	22	4	5	8	11	16	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	3.9	6	1	1	3	5	7	7	15
B. *Operated*	140	7.8	18	3	4	7	9	13	16	21
2. MULTIPLE DX										
A. *Not Operated*	150	4.9	13	1	2	4	6	8	11	19
B. *Operated*	118	9.5	24	4	5	8	11	17	20	26
1. SINGLE DX	311	5.7	15	1	2	5	7	10	14	18
2. MULTIPLE DX	268	6.9	23	2	2	6	9	13	17	25
A. NOT OPERATED	321	4.3	9	1	2	4	5	7	9	18
B. OPERATED	258	8.6	21	4	4	7	10	15	17	26
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	7	7.3	46	2	2	6	7	19	22	22
1-5 YRS	10	8.4	21	3	3	8	10	15	19	19
6-12 YRS	19	6.2	21	1	2	6	7	13	18	20
13-19 YRS	542	6.2	19	1	2	5	8	12	15	21
GRAND TOTAL	**579**	**6.2**	**19**	**1**	**2**	**5**	**8**	**12**	**15**	**22**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS										
6-12 YRS										
13-19 YRS	12	7.3	77	<1	1	4	8	19	31	33
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.0	8	8	8	10	12	12	12	12
1-5 YRS	2	6.0	2	5	5	6	7	7	7	7
6-12 YRS	1	10.0		10	10	10	10	10	10	10
13-19 YRS	38	9.1	13	5	5	8	10	13	18	19
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	3	4.7	9	2	2	4	7	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS	2	13.0	2	12	12	13	14	14	14	14
1-5 YRS										
6-12 YRS	4	15.3	8	11	11	16	17	17	17	17
13-19 YRS	32	11.4	35	5	6	10	14	18	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	6.4	70	<1	1	3	8	15	29	33
B. *Operated*	43	9.0	12	5	5	8	10	13	18	19
2. MULTIPLE DX										
A. *Not Operated*	5	5.2	6	2	2	5	7	8	8	8
B. *Operated*	38	11.9	32	5	6	11	14	18	19	35
1. SINGLE DX	57	8.4	26	2	3	8	10	13	18	32
2. MULTIPLE DX	43	11.1	33	4	5	10	14	17	19	35
A. NOT OPERATED	19	6.1	52	<1	1	4	8	11	24	33
B. OPERATED	81	10.3	23	5	6	9	12	17	18	30
TOTAL 0-27 DYS										
1-11 MOS	7	7.7	27	1	1	8	12	14	14	14
1-5 YRS	3	6.3	1	5	5	7	7	7	7	7
6-12 YRS	5	14.2	12	10	10	16	17	17	17	17
13-19 YRS	85	9.5	32	3	4	8	12	16	19	34
GRAND TOTAL	**100**	**9.5**	**31**	**2**	**4**	**8**	**12**	**16**	**18**	**34**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.3	9	1	1	5	6	7	7	7
1-5 YRS	4	13.5	64	8	8	11	19	25	25	25
6-12 YRS	1	11.0		11	11	11	11	11	11	11
13-19 YRS	9	5.2	7	1	2	5	7	9	9	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS										
13-19 YRS	1	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	6	17.2	318	4	4	11	21	48	51	51
1-5 YRS	6	9.7	62	4	4	7	10	23	25	25
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	13	5.7	13	1	2	5	8	11	12	12
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	23.4	284	3	3	21	29	50	55	55
1-5 YRS	3	8.3	42	2	2	8	13	15	15	15
6-12 YRS	1	21.0		21	21	21	21	21	21	21
13-19 YRS	18	14.4	140	2	3	11	16	25	44	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	7.4	31	1	2	7	8	13	21	25
B. *Operated*	2	7.0		7	7	7	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*	29	8.6	97	2	2	5	10	19	26	51
B. *Operated*	33	16.5	186	2	3	13	19	32	53	55
1. SINGLE DX	19	7.3	28	1	2	7	8	12	20	25
2. MULTIPLE DX	62	12.8	158	2	3	10	16	27	48	55
A. NOT OPERATED	46	8.2	72	1	2	6	9	15	25	51
B. OPERATED	35	15.9	180	2	3	12	19	29	53	55
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	20	17.9	271	2	3	14	25	48	53	55
1-5 YRS	13	10.5	53	2	3	8	13	25	25	25
6-12 YRS	5	8.0	66	2	2	3	13	21	21	21
13-19 YRS	41	9.5	85	1	2	7	11	17	23	55
GRAND TOTAL	**81**	**11.5**	**132**	**2**	**2**	**8**	**15**	**25**	**37**	**55**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	6.7	14	2	2	8	10	11	11	11
1-5 YRS	12	4.3	4	2	2	4	5	8	9	9
6-12 YRS	52	5.5	9	2	3	5	7	9	10	19
13-19 YRS	278	5.5	13	2	2	5	7	10	12	21
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	5	3.8	6	2	2	3	5	8	8	8
6-12 YRS	7	8.4	109	2	2	3	9	27	31	31
13-19 YRS	26	11.0	78	1	2	8	13	23	34	35
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	9.0	25	4	4	7	12	17	18	18
1-5 YRS	10	9.7	108	2	2	5	12	28	33	33
6-12 YRS	33	8.7	141	2	3	5	9	14	37	62
13-19 YRS	238	6.2	15	2	2	5	8	11	13	20
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	50.0		50	50	50	50	50	50	50
1-5 YRS	4	13.3	325	2	2	5	24	40	40	40
6-12 YRS	10	10.7	96	2	2	9	11	62	97	99+
13-19 YRS	51	17.3	215	2	3	14	23	32	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	349	5.5	12	2	2	5	7	10	12	21
B. *Operated*	39	9.5	76	2	2	7	11	22	33	35
2. MULTIPLE DX										
A. *Not Operated*	289	6.6	33	2	2	5	8	12	14	32
B. *Operated*	67	16.4	216	2	3	11	23	38	50	97
1. SINGLE DX	388	5.9	20	2	2	5	7	10	13	25
2. MULTIPLE DX	356	8.5	82	2	2	6	10	16	23	55
A. NOT OPERATED	638	6.0	22	2	2	5	7	11	13	23
B. OPERATED	106	13.9	175	2	2	10	19	33	40	91
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	17	10.3	122	2	3	8	10	17	39	50
1-5 YRS	31	7.1	80	2	2	4	8	16	32	40
6-12 YRS	102	7.3	68	2	2	6	8	12	23	80
13-19 YRS	593	7.0	45	2	2	5	8	12	19	34
GRAND TOTAL	**744**	**7.1**	**51**	**2**	**2**	**5**	**8**	**12**	**19**	**40**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.0	3	1	1	3	4	5	7	9
1-11 MOS	62	2.6	16	<1	1	2	3	4	6	29
1-5 YRS	103	3.0	3	<1	1	3	4	5	6	10
6-12 YRS	76	3.2	5	1	1	3	4	6	7	12
13-19 YRS	177	3.4	5	1	1	3	4	7	8	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0	32	4	4	8	12	12	12	12
1-5 YRS	8	3.4	5	1	1	2	5	7	7	7
6-12 YRS	5	3.8	11	<1	<1	2	6	9	9	9
13-19 YRS	17	6.5	17	<1	1	5	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	27	4.2	8	1	1	3	6	8	10	13
1-11 MOS	57	4.8	25	1	1	3	6	9	11	34
1-5 YRS	108	3.9	8	1	1	3	5	8	10	14
6-12 YRS	119	4.1	12	1	1	3	5	7	8	22
13-19 YRS	327	4.1	10	1	1	3	5	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	6	8.7	51	1	1	8	14	18	19	19
1-5 YRS	13	10.4	171	1	2	5	10	30	45	49
6-12 YRS	11	8.0	27	1	2	7	11	15	19	19
13-19 YRS	36	7.7	43	1	2	6	11	15	19	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	3.1	6	1	1	3	4	6	7	11
B. *Operated*	32	5.4	15	<1	1	5	7	11	14	15
2. MULTIPLE DX										
A. *Not Operated*	638	4.2	11	1	1	3	5	8	10	16
B. *Operated*	66	8.4	64	1	2	6	11	18	21	46
1. SINGLE DX	475	3.3	7	1	1	3	4	6	8	12
2. MULTIPLE DX	704	4.5	17	1	1	3	6	8	11	20
A. NOT OPERATED	1081	3.7	9	1	1	3	5	7	9	13
B. OPERATED	98	7.4	50	1	1	5	10	14	19	41
TOTAL 0-27 DYS	52	3.7	6	1	1	3	4	7	9	13
1-11 MOS	127	3.9	24	1	1	2	4	8	11	33
1-5 YRS	232	3.9	17	1	1	3	5	7	10	17
6-12 YRS	211	4.0	11	1	1	3	5	7	9	19
13-19 YRS	557	4.2	12	1	1	3	5	8	11	16
GRAND TOTAL	**1179**	**4.0**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**19**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	49	3.6	10	1	1	3	4	6	8	20
1-11 MOS	173	4.0	9	1	1	3	5	7	8	15
1-5 YRS	50	5.0	22	1	1	3	6	10	13	26
6-12 YRS	9	3.0	1	1	1	3	4	4	4	4
13-19 YRS	6	6.5	18	2	2	5	10	13	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS	7	4.7	15	1	1	3	7	11	12	12
1-5 YRS	19	3.9	14	1	1	2	6	9	12	14
6-12 YRS	5	3.0	8	<1	<1	1	5	7	7	7
13-19 YRS	4	4.0	6	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	37	3.9	5	1	1	4	5	7	9	11
1-11 MOS	200	5.4	19	1	2	4	7	11	14	21
1-5 YRS	66	5.8	11	2	3	5	7	10	13	17
6-12 YRS	12	6.8	49	2	2	4	8	21	22	22
13-19 YRS	12	7.1	48	2	2	4	8	16	25	27
B. *Operated*										
0-27 DYS										
1-11 MOS	10	11.0	70	2	2	14	22	99+	99+	99+
1-5 YRS	15	12.1	157	2	2	10	22	43	83	99+
6-12 YRS	5	10.0	50	4	4	7	13	22	22	22
13-19 YRS	7	36.1	1566	1	3	13	75	94	95	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	287	4.1	11	1	1	3	5	7	10	19
B. *Operated*	35	3.9	12	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*	327	5.4	18	1	2	4	7	11	13	22
B. *Operated*	37	16.1	442	2	2	11	22	92	99+	99+
1. SINGLE DX	322	4.1	11	1	1	3	5	7	10	19
2. MULTIPLE DX	364	6.5	71	2	2	4	7	13	20	94
A. NOT OPERATED	614	4.8	15	1	2	4	6	9	12	21
B. OPERATED	72	10.2	267	1	1	5	12	27	93	99+
TOTAL 0-27 DYS	86	3.7	8	1	1	3	4	6	8	17
1-11 MOS	390	4.9	17	1	2	4	6	9	13	25
1-5 YRS	150	5.9	33	1	2	5	7	12	17	45
6-12 YRS	31	5.6	33	1	1	4	6	14	22	22
13-19 YRS	29	13.6	528	2	2	6	11	32	89	95
GRAND TOTAL	**686**	**5.4**	**44**	**1**	**2**	**4**	**6**	**11**	**14**	**35**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	7.0	1	6	6	7	8	8	8	8
1-5 YRS	191	5.8	27	1	1	4	9	12	14	19
6-12 YRS	180	4.9	18	<1	<1	4	6	11	14	19
13-19 YRS	98	4.9	15	<1	<1	3	7	11	12	17
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	27	4.4	18	1	2	2	5	8	16	19
6-12 YRS	68	4.3	20	1	1	2	4	10	14	24
13-19 YRS	91	3.8	10	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	112	7.1	23	1	2	6	11	14	17	52
6-12 YRS	116	6.2	41	1	2	4	8	12	17	32
13-19 YRS	109	6.5	23	1	2	5	8	13	16	26
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	20	11.2	108	2	2	8	16	25	35	42
6-12 YRS	27	7.6	66	2	2	4	8	19	24	38
13-19 YRS	95	8.9	80	1	2	5	12	23	30	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	473	5.2	21	<1	<1	4	7	11	13	19
B. *Operated*	188	4.1	15	1	2	3	5	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	338	6.6	29	1	2	5	9	13	17	25
B. *Operated*	142	9.0	81	2	2	5	12	22	29	39
1. SINGLE DX	661	4.9	20	<1	1	3	7	11	13	19
2. MULTIPLE DX	480	7.3	46	1	2	5	9	16	21	37
A. NOT OPERATED	811	5.8	25	<1	1	4	8	12	15	21
B. OPERATED	330	6.2	49	1	2	3	7	15	22	36
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	6	7.3	4	5	5	7	8	11	11	11
1-5 YRS	350	6.4	32	1	1	5	9	13	16	28
6-12 YRS	391	5.3	29	<1	1	4	7	12	15	24
13-19 YRS	393	6.0	35	1	1	4	8	13	19	31
GRAND TOTAL	**1141**	**5.9**	**32**	**<1**	**1**	**4**	**8**	**12**	**16**	**28**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	54	5.2	12	1	2	4	8	9	11	18
6-12 YRS	96	5.4	10	2	2	5	7	11	11	15
13-19 YRS	46	5.0	7	2	2	4	7	8	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.0	21	2	2	6	10	10	10	10
6-12 YRS	5	6.6	37	2	2	4	9	17	17	17
13-19 YRS	10	4.5	17	1	1	3	5	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	37	8.3	36	2	3	7	10	17	22	29
6-12 YRS	72	6.5	15	1	2	6	9	12	14	18
13-19 YRS	39	6.1	24	1	1	5	8	14	18	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.3	22	1	1	8	9	10	10	10
6-12 YRS	12	8.1	18	2	3	7	10	13	17	18
13-19 YRS	17	11.6	37	3	4	11	15	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	197	5.2	10	1	2	4	7	10	11	15
B. *Operated*	19	5.4	21	1	2	3	7	13	16	17
2. MULTIPLE DX										
A. *Not Operated*	148	6.8	23	1	2	6	9	13	17	23
B. *Operated*	32	9.8	31	2	3	9	12	19	22	22
1. SINGLE DX	216	5.3	11	1	2	4	7	10	11	16
2. MULTIPLE DX	180	7.4	26	1	2	6	10	14	18	23
A. NOT OPERATED	345	5.9	16	1	2	5	8	11	14	19
B. OPERATED	51	8.2	32	2	2	7	11	16	21	22
TOTAL 0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	98	6.4	23	1	2	5	8	11	17	26
6-12 YRS	185	6.0	15	2	2	5	8	11	14	18
13-19 YRS	112	6.3	23	1	2	5	8	13	18	22
GRAND TOTAL	**396**	**6.2**	**19**	**1**	**2**	**5**	**8**	**11**	**15**	**21**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	3.0	8	1	1	2	3	8	10	10
6-12 YRS	6	2.7	10	1	1	1	3	8	9	9
13-19 YRS	23	1.4	1	<1	1	1	1	3	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS	1	22.0		22	22	22	22	22	22	22
1-5 YRS	4	13.5	122	4	4	11	22	27	27	27
6-12 YRS	20	14.7	322	<1	1	7	19	44	56	66
13-19 YRS	47	8.5	68	1	2	5	12	21	26	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	12.4	629	1	1	3	8	55	74	74
1-5 YRS	10	5.6	20	1	1	4	8	13	14	14
6-12 YRS	14	4.9	15	1	2	3	6	10	15	16
13-19 YRS	52	4.2	25	<1	1	3	5	9	10	33
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	15.5	1	15	15	15	16	16	16	16
1-5 YRS	24	26.1	814	1	1	14	46	87	91	99+
6-12 YRS	38	13.4	265	<1	<1	7	21	42	63	99+
13-19 YRS	142	10.7	168	1	1	7	13	24	41	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.0	4	1	1	1	2	4	7	10
B. *Operated*	72	10.7	145	1	2	5	16	25	35	62
2. MULTIPLE DX										
A. *Not Operated*	84	5.3	79	<1	1	3	6	10	13	60
B. *Operated*	207	13.0	278	1	1	7	15	32	68	99+
1. SINGLE DX	110	7.7	113	1	1	3	10	21	27	55
2. MULTIPLE DX	291	10.7	232	<1	1	5	12	27	52	95
A. NOT OPERATED	122	4.3	58	<1	1	2	5	9	11	44
B. OPERATED	279	12.4	244	1	1	7	15	29	54	96
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	13.8	450	1	1	6	16	43	71	74
1-5 YRS	47	16.3	531	1	1	6	20	67	87	99+
6-12 YRS	78	11.4	229	<1	<1	5	16	32	51	92
13-19 YRS	264	8.2	117	1	1	5	10	20	27	72
GRAND TOTAL	**401**	**9.9**	**201**	**1**	**1**	**5**	**12**	**25**	**43**	**87**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	5.0	2	4	4	5	6	6	6	6
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	2	2.5	5	<1	<1	2	4	4	4	4
13-19 YRS	15	2.1	3	<1	<1	1	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	3	8.7	134	1	1	3	17	22	22	22
13-19 YRS	8	9.5	83	2	2	6	15	25	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.0	4	<1	<1	1	3	5	5	5
1-5 YRS	12	4.1	16	<1	1	3	4	11	14	14
6-12 YRS	9	4.2	8	<1	1	3	6	9	10	10
13-19 YRS	22	5.2	22	<1	<1	4	8	12	15	17
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	5	8.8	52	2	2	6	16	17	17	17
6-12 YRS	12	7.5	75	<1	<1	4	11	22	27	28
13-19 YRS	22	16.0	234	2	3	10	19	41	54	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.4	3	<1	<1	1	4	5	6	6
B. *Operated*	12	9.1	78	1	2	6	15	23	26	27
2. MULTIPLE DX										
A. *Not Operated*	48	4.4	16	<1	<1	3	6	11	13	17
B. *Operated*	40	12.2	171	<1	1	8	16	25	43	62
1. SINGLE DX	35	4.7	38	<1	1	3	5	11	21	27
2. MULTIPLE DX	88	8.0	101	<1	1	5	10	18	23	57
A. NOT OPERATED	71	3.8	13	<1	<1	3	5	9	12	16
B. OPERATED	52	11.5	149	<1	1	8	16	24	37	62
TOTAL 0-27 DYS	3	2.0	1	1	1	2	3	3	3	3
1-11 MOS	7	3.6	7	<1	<1	4	6	7	7	7
1-5 YRS	20	5.1	26	<1	1	3	6	15	16	17
6-12 YRS	26	6.1	51	<1	<1	3	7	18	23	28
13-19 YRS	67	8.6	123	<1	1	5	11	19	29	60
GRAND TOTAL	**123**	**7.0**	**85**	**<1**	**1**	**4**	**9**	**17**	**22**	**52**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	5.5	19	3	3	4	8	12	12	12
1-11 MOS	18	4.4	2	2	2	4	6	6	7	7
1-5 YRS	175	4.1	3	2	2	4	5	6	7	10
6-12 YRS	247	4.0	3	2	2	4	5	6	7	10
13-19 YRS	760	4.2	3	2	2	4	5	7	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	19	4.7	4	1	2	5	6	7	8	9
6-12 YRS	24	5.2	8	1	2	5	7	9	10	12
13-19 YRS	43	5.7	6	2	3	6	7	8	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	11.0	7	9	9	10	13	14	14	14
1-11 MOS	25	5.1	7	2	2	5	6	8	11	12
1-5 YRS	152	4.9	4	2	3	5	6	8	9	11
6-12 YRS	187	4.8	8	2	2	4	6	8	10	15
13-19 YRS	669	5.0	5	2	2	5	6	8	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	14	6.7	12	3	4	6	8	11	15	16
1-5 YRS	23	6.0	9	1	2	6	8	10	12	13
6-12 YRS	51	6.2	16	<1	1	6	8	11	13	22
13-19 YRS	99	7.5	22	3	3	6	9	12	15	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1204	4.1	3	2	2	4	5	6	7	10
B. *Operated*	87	5.3	6	2	2	5	7	9	9	14
2. MULTIPLE DX										
A. *Not Operated*	1036	5.0	6	2	2	5	6	8	9	13
B. *Operated*	187	6.9	18	2	3	6	8	11	14	25
1. SINGLE DX	1291	4.2	4	2	2	4	5	7	8	10
2. MULTIPLE DX	1223	5.3	8	2	2	5	6	9	10	15
A. NOT OPERATED	2240	4.5	5	2	2	4	6	7	8	12
B. OPERATED	274	6.4	15	2	2	6	8	10	12	21
TOTAL 0-27 DYS	7	7.9	20	3	3	9	11	14	14	14
1-11 MOS	58	5.3	7	2	3	5	6	8	11	16
1-5 YRS	369	4.6	4	2	2	4	5	7	9	11
6-12 YRS	509	4.5	7	2	2	4	6	8	9	14
13-19 YRS	1571	4.8	6	2	2	4	6	7	9	13
GRAND TOTAL	**2514**	**4.7**	**6**	**2**	**2**	**4**	**6**	**7**	**9**	**13**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	5.0	9	2	2	4	6	10	10	10
1-11 MOS	27	4.2	6	1	2	4	5	7	10	12
1-5 YRS	214	4.0	4	2	2	4	5	6	7	11
6-12 YRS	295	4.0	4	2	2	4	5	6	7	11
13-19 YRS	802	4.1	4	1	2	4	5	7	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	4	<1	<1	3	5	6	6	6
1-5 YRS	24	4.4	6	1	2	4	6	7	9	12
6-12 YRS	53	4.9	13	<1	1	5	6	11	13	14
13-19 YRS	80	5.6	11	2	2	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	6.2	25	3	3	4	6	15	16	16
1-11 MOS	30	5.1	7	3	3	4	6	9	10	14
1-5 YRS	156	4.9	12	2	2	4	6	9	10	16
6-12 YRS	186	4.9	9	2	2	4	6	8	9	21
13-19 YRS	648	4.6	5	2	2	4	6	7	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS	8	4.9	5	2	2	5	6	8	9	9
1-5 YRS	64	7.5	44	1	2	6	8	13	20	40
6-12 YRS	84	5.9	17	<1	1	5	7	12	15	17
13-19 YRS	155	8.9	70	2	3	7	10	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1344	4.1	4	2	2	4	5	7	7	10
B. *Operated*	161	5.1	11	1	1	5	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	1026	4.7	7	2	2	4	6	8	9	14
B. *Operated*	311	7.7	50	1	2	6	9	14	18	38
1. SINGLE DX	1505	4.2	5	2	2	4	5	7	8	12
2. MULTIPLE DX	1337	5.4	19	2	2	4	6	9	12	24
A. NOT OPERATED	2370	4.4	5	2	2	4	5	7	8	12
B. OPERATED	472	6.8	38	1	2	6	8	12	17	30
TOTAL 0-27 DYS	12	5.6	16	2	2	4	6	12	15	16
1-11 MOS	69	4.6	6	2	2	4	6	8	10	14
1-5 YRS	458	4.8	14	2	2	4	6	8	10	22
6-12 YRS	618	4.6	8	1	2	4	6	8	10	15
13-19 YRS	1685	4.8	13	2	2	4	6	8	9	17
GRAND TOTAL	**2842**	**4.8**	**12**	**2**	**2**	**4**	**6**	**8**	**10**	**17**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	2.3	3	1	1	2	2	5	6	6
6-12 YRS	35	2.5	2	<1	1	2	3	5	5	6
13-19 YRS	181	2.5	3	1	1	2	3	5	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	8.0	16	6	6	6	9	15	15	15
6-12 YRS	15	9.5	77	1	2	8	11	15	32	38
13-19 YRS	68	6.8	20	2	3	6	9	12	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	3	5.7	14	3	3	4	8	10	10	10
6-12 YRS	15	3.3	5	<1	1	2	4	6	8	9
13-19 YRS	108	3.4	6	1	1	3	4	6	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	10	5.5	16	1	1	5	10	11	11	11
6-12 YRS	20	7.2	29	1	1	6	9	15	19	22
13-19 YRS	73	12.5	144	3	3	8	14	28	43	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	223	2.5	3	1	1	2	3	5	5	9
B. *Operated*	88	7.3	30	2	3	6	9	12	15	35
2. MULTIPLE DX										
A. *Not Operated*	127	3.5	7	1	1	3	4	7	9	14
B. *Operated*	104	10.7	115	2	3	8	13	22	35	55
1. SINGLE DX	311	3.8	15	1	1	3	5	8	11	16
2. MULTIPLE DX	231	6.8	68	1	1	4	8	14	17	51
A. NOT OPERATED	350	2.8	4	1	1	2	4	5	6	11
B. OPERATED	192	9.2	79	2	3	7	11	15	27	52
TOTAL 0-27 DYS										
1-11 MOS	2	10.5	41	6	6	10	15	15	15	15
1-5 YRS	25	5.1	15	1	1	5	7	11	12	15
6-12 YRS	85	5.0	29	1	1	3	6	10	14	32
13-19 YRS	430	5.1	43	1	1	3	6	11	14	40
GRAND TOTAL	**542**	**5.1**	**40**	**1**	**1**	**3**	**6**	**11**	**14**	**38**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	6	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	4	2.0	1	1	1	2	3	3	3	3
6-12 YRS	59	2.5	2	1	1	2	3	4	6	7
13-19 YRS	652	2.3	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	17	3	3	5	9	11	11	11
1-5 YRS	3	2.7	4	1	1	2	4	5	5	5
6-12 YRS	41	5.9	17	1	2	5	8	11	14	20
13-19 YRS	360	5.2	10	2	2	4	7	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	3.0	1	2	2	3	4	4	4	4
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	17	2.9	4	1	1	2	4	7	8	8
13-19 YRS	178	2.9	3	1	1	2	4	6	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	2	8.0		8	8	8	8	8	8	8
1-5 YRS	3	7.3	8	4	4	9	9	9	9	9
6-12 YRS	14	9.6	53	1	2	9	12	22	25	26
13-19 YRS	125	6.9	14	2	3	6	9	12	15	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	722	2.3	2	1	1	2	3	4	5	7
B. *Operated*	407	5.3	10	2	2	5	7	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	204	2.9	3	1	1	2	4	6	6	7
B. *Operated*	144	7.2	18	2	3	6	10	12	16	30
1. SINGLE DX	1129	3.4	7	1	1	3	4	7	9	13
2. MULTIPLE DX	348	4.7	13	1	1	4	6	10	12	19
A. NOT OPERATED	926	2.4	2	1	1	2	3	4	5	7
B. OPERATED	551	5.8	13	2	2	5	8	11	12	19
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	17	3.6	8	<1	1	3	4	8	10	11
1-5 YRS	12	3.6	8	1	1	3	4	9	9	9
6-12 YRS	131	4.4	18	1	1	3	5	10	12	23
13-19 YRS	1315	3.6	8	1	1	3	5	7	9	13
GRAND TOTAL	**1477**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**10**	**15**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	25	5.4	14	1	2	4	6	10	14	18
1-5 YRS	41	3.0	7	1	1	2	4	7	10	11
6-12 YRS	40	2.9	4	<1	<1	2	4	5	7	9
13-19 YRS	58	3.3	8	1	1	3	4	6	8	18
B. *Operated*										
0-27 DYS	2	10.5	41	6	6	10	15	15	15	15
1-11 MOS	28	6.4	29	1	1	6	9	13	15	23
1-5 YRS	491	5.6	16	<1	1	6	8	10	12	18
6-12 YRS	447	6.8	20	<1	1	7	9	12	15	19
13-19 YRS	258	7.0	24	1	1	7	10	13	16	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	10.1	56	1	1	8	16	21	25	25
1-11 MOS	45	6.4	25	1	2	5	8	16	17	22
1-5 YRS	75	4.3	20	<1	<1	3	6	9	11	27
6-12 YRS	60	3.4	10	<1	1	3	4	6	8	19
13-19 YRS	106	3.3	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS	6	8.8	39	2	2	8	13	17	18	18
1-11 MOS	67	8.6	68	1	1	7	11	16	24	50
1-5 YRS	487	6.7	28	<1	1	7	9	13	15	25
6-12 YRS	455	7.0	29	1	1	7	10	12	16	26
13-19 YRS	364	8.8	45	1	2	8	11	16	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	3.5	8	1	1	3	4	7	9	17
B. *Operated*	1226	6.4	20	<1	1	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*	296	4.3	16	<1	1	3	5	8	12	21
B. *Operated*	1379	7.5	35	1	1	7	10	14	17	28
1. SINGLE DX	1391	6.0	19	<1	1	6	9	11	14	19
2. MULTIPLE DX	1675	6.9	33	1	1	6	10	13	16	28
A. NOT OPERATED	461	4.0	14	1	1	3	5	8	11	19
B. OPERATED	2605	6.9	28	<1	1	7	10	13	16	25
TOTAL 0-27 DYS	19	9.6	42	1	2	8	14	18	22	25
1-11 MOS	165	7.2	43	1	1	6	9	16	17	26
1-5 YRS	1094	5.9	22	<1	1	6	9	11	14	21
6-12 YRS	1002	6.5	24	<1	1	6	9	12	15	24
13-19 YRS	786	7.0	34	1	1	6	10	14	17	28
GRAND TOTAL	**3066**	**6.5**	**27**	**<1**	**1**	**6**	**9**	**12**	**15**	**25**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.6	7	1	1	1	4	7	7	7
13-19 YRS	47	2.2	2	1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	8	<1	<1	2	5	5	5	5
6-12 YRS	5	11.2	62	2	2	11	18	20	20	20
13-19 YRS	26	5.1	17	1	1	4	7	8	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	22	2.9	4	<1	1	2	3	6	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	6	3.2	5	<1	<1	2	5	7	7	7
13-19 YRS	31	6.4	18	<1	1	6	8	13	14	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	2.2	2	1	1	2	3	4	6	7
B. *Operated*	33	5.9	26	1	1	5	8	13	19	20
2. MULTIPLE DX										
A. *Not Operated*	25	2.7	4	<1	1	2	3	6	7	9
B. *Operated*	40	5.7	16	<1	1	6	7	12	14	18
1. SINGLE DX	85	3.6	15	1	1	2	4	8	11	20
2. MULTIPLE DX	65	4.6	14	<1	1	3	6	9	13	17
A. NOT OPERATED	77	2.4	3	1	1	2	3	5	6	9
B. OPERATED	73	5.8	21	<1	1	5	7	12	17	20
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	4	3.5	6	<1	<1	3	5	6	6	6
6-12 YRS	18	5.1	33	<1	1	2	7	16	19	20
13-19 YRS	126	3.9	12	1	1	3	6	8	11	18
GRAND TOTAL	**150**	**4.0**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**20**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	3.5	1	2	2	3	4	5	6	6
1-5 YRS	114	2.8	2	1	1	3	3	5	6	8
6-12 YRS	130	3.4	3	1	1	3	4	6	7	9
13-19 YRS	159	3.2	9	<1	1	3	4	5	7	9
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	118	2.2	3	<1	1	2	3	5	6	9
6-12 YRS	189	2.3	3	<1	1	2	3	4	6	10
13-19 YRS	223	2.7	4	<1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	14	5.8	6	2	3	6	8	9	9	9
1-5 YRS	103	3.5	4	1	1	3	4	6	8	10
6-12 YRS	117	3.6	5	1	1	3	4	7	8	12
13-19 YRS	287	3.9	5	1	2	3	5	7	8	13
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	194	2.6	4	<1	<1	2	3	5	7	11
6-12 YRS	280	2.7	4	<1	<1	2	4	5	7	10
13-19 YRS	395	3.6	8	<1	1	3	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	413	3.1	5	1	1	3	4	5	6	9
B. *Operated*	531	2.4	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	522	3.8	5	1	1	3	5	7	8	12
B. *Operated*	874	3.1	6	<1	1	2	4	6	8	12
1. SINGLE DX	944	2.7	4	<1	1	2	4	5	6	9
2. MULTIPLE DX	1396	3.3	6	<1	1	3	4	6	8	12
A. NOT OPERATED	935	3.5	5	1	1	3	4	6	7	11
B. OPERATED	1405	2.8	5	<1	1	2	4	6	7	11
TOTAL 0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	29	4.4	5	2	2	4	6	8	9	9
1-5 YRS	529	2.7	4	<1	1	2	4	5	6	10
6-12 YRS	716	2.8	4	<1	1	2	4	5	7	10
13-19 YRS	1064	3.4	7	<1	1	3	4	6	8	14
GRAND TOTAL	**2340**	**3.1**	**5**	**<1**	**1**	**2**	**4**	**6**	**7**	**11**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	13	2.2	4	<1	<1	1	3	5	7	8
6-12 YRS	11	2.1	2	1	1	2	3	4	4	4
13-19 YRS	7	1.9	1	<1	<1	1	3	3	3	3
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	1.3	1	<1	<1	1	1	3	3	3
1-5 YRS	1076	1.5	1	<1	<1	1	2	2	3	6
6-12 YRS	968	1.7	3	<1	<1	1	2	3	4	7
13-19 YRS	416	2.8	10	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	30	1.1		<1	<1	1	1	2	2	3
6-12 YRS	23	1.7	1	<1	<1	1	2	3	4	4
13-19 YRS	15	2.4	5	<1	<1	2	3	3	8	10
B. *Operated*										
0-27 DYS										
1-11 MOS	22	3.2	14	<1	<1	2	3	11	12	13
1-5 YRS	822	1.8	7	<1	<1	1	2	3	4	7
6-12 YRS	871	1.9	3	<1	<1	1	2	3	5	9
13-19 YRS	454	2.8	4	<1	1	2	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	2.0	2	<1	<1	1	3	4	4	8
B. *Operated*	2476	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	68	1.6	2	<1	<1	1	2	3	3	9
B. *Operated*	2169	2.1	5	<1	<1	1	2	4	5	9
1. SINGLE DX	2509	1.8	3	<1	<1	1	2	3	4	8
2. MULTIPLE DX	2237	2.1	5	<1	<1	1	2	4	5	9
A. NOT OPERATED	101	1.7	2	<1	<1	1	2	3	4	9
B. OPERATED	4645	1.9	4	<1	<1	1	2	3	5	9
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	39	2.4	9	<1	<1	1	3	4	12	13
1-5 YRS	1941	1.6	4	<1	<1	1	2	3	4	7
6-12 YRS	1873	1.8	3	<1	<1	1	2	3	4	8
13-19 YRS	892	2.8	7	<1	1	2	3	5	7	12
GRAND TOTAL	**4746**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	40	5.5	9	2	2	5	7	10	11	13
1-11 MOS	277	3.7	4	1	1	3	5	6	8	10
1-5 YRS	843	3.2	4	1	1	3	4	6	7	10
6-12 YRS	667	3.0	4	1	1	3	4	5	7	11
13-19 YRS	865	3.2	4	<1	1	3	4	6	7	9
B. *Operated*										
0-27 DYS	8	4.8	7	2	2	4	6	9	10	10
1-11 MOS	27	4.5	15	<1	1	3	7	11	12	14
1-5 YRS	620	2.4	5	<1	<1	1	2	6	8	11
6-12 YRS	704	2.3	5	<1	<1	2	3	5	7	11
13-19 YRS	641	2.8	6	<1	<1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	87	6.2	19	1	2	5	8	11	15	22
1-11 MOS	584	4.8	12	1	2	4	6	9	12	17
1-5 YRS	1197	4.2	9	1	2	4	5	7	9	16
6-12 YRS	831	3.7	6	1	1	3	5	7	8	11
13-19 YRS	1400	4.1	9	1	2	4	5	7	9	15
B. *Operated*										
0-27 DYS	9	6.6	11	2	2	7	9	11	11	11
1-11 MOS	68	5.9	57	1	1	4	7	11	13	52
1-5 YRS	912	3.0	9	<1	<1	2	4	7	9	15
6-12 YRS	934	3.0	10	<1	<1	2	4	7	9	14
13-19 YRS	786	4.3	31	<1	1	3	5	8	12	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2692	3.3	4	1	1	3	4	6	7	10
B. *Operated*	2000	2.5	6	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	4099	4.2	9	1	2	4	5	7	9	15
B. *Operated*	2708	3.5	18	<1	1	2	4	8	10	18
1. SINGLE DX	4692	3.0	5	<1	1	2	4	6	7	11
2. MULTIPLE DX	6808	3.9	13	1	1	3	5	7	10	16
A. NOT OPERATED	6791	3.8	8	1	1	3	5	7	8	14
B. OPERATED	4709	3.1	13	<1	<1	2	4	7	9	15
TOTAL 0-27 DYS	144	6.0	15	2	2	5	8	11	13	19
1-11 MOS	956	4.5	14	1	2	4	6	8	11	17
1-5 YRS	3572	3.3	8	<1	1	3	4	7	8	14
6-12 YRS	3136	3.0	7	<1	1	2	4	6	8	12
13-19 YRS	3692	3.7	13	<1	1	3	5	7	9	16
GRAND TOTAL	**11500**	**3.5**	**10**	**<1**	**1**	**3**	**4**	**7**	**9**	**14**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	9	6.3	2	4	4	6	7	8	9	9
1-5 YRS	5	7.6	7	5	5	7	9	12	12	12
6-12 YRS	2	4.0	8	2	2	4	6	6	6	6
13-19 YRS	9	4.2	8	1	1	4	5	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	16	8.9	21	5	5	8	10	15	20	22
1-5 YRS	7	7.7	57	1	1	5	10	21	23	23
6-12 YRS	4	4.5	4	2	2	4	6	7	7	7
13-19 YRS	9	5.9	39	<1	<1	4	7	16	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	5.6	7	2	2	6	7	9	11	12
2. MULTIPLE DX										
A. *Not Operated*	3	5.3	17	2	2	4	8	10	10	10
B. *Operated*	36	7.4	31	1	2	6	9	15	22	23
1. SINGLE DX	25	5.6	7	2	2	6	7	9	11	12
2. MULTIPLE DX	39	7.3	29	1	2	6	9	14	22	23
A. NOT OPERATED	3	5.3	17	2	2	4	8	10	10	10
B. OPERATED	61	6.7	21	1	2	6	8	12	18	23
TOTAL 0-27 DYS										
1-11 MOS	26	8.0	15	4	5	7	9	13	16	22
1-5 YRS	13	7.2	34	1	2	6	9	14	21	23
6-12 YRS	7	4.3	4	2	2	4	6	7	7	7
13-19 YRS	18	5.1	23	<1	1	4	6	10	17	21
GRAND TOTAL	**64**	**6.6**	**21**	**1**	**2**	**6**	**8**	**11**	**17**	**23**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	35	3.6	5	1	2	3	4	5	10	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	6	1.8	1	1	1	2	2	3	3	3
13-19 YRS	71	2.6	4	<1	1	2	4	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS										
6-12 YRS										
13-19 YRS	31	3.6	7	1	1	3	4	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	5	2	2	2	5	6	6	6
6-12 YRS	4	5.3	9	2	2	5	7	9	9	9
13-19 YRS	70	4.2	14	1	1	3	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	3.7	6	1	2	3	4	6	10	12
B. *Operated*	80	2.6	4	<1	1	2	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	33	3.6	6	1	2	3	4	6	8	14
B. *Operated*	77	4.2	14	1	1	3	6	9	12	19
1. SINGLE DX	117	2.9	5	<1	1	2	4	5	6	11
2. MULTIPLE DX	110	4.0	11	1	1	3	6	8	11	17
A. NOT OPERATED	70	3.6	6	1	2	3	4	6	8	14
B. OPERATED	157	3.4	9	1	1	2	4	7	10	14
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	5.0	6	2	2	5	7	8	8	8
1-5 YRS	4	3.0	4	2	2	2	4	6	6	6
6-12 YRS	11	3.1	6	1	1	2	4	7	9	9
13-19 YRS	207	3.5	8	1	1	3	4	7	10	14
GRAND TOTAL	**227**	**3.5**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	9	1.4	1	<1	<1	1	2	3	3	3
1-5 YRS	10	1.3		<1	<1	1	2	2	2	2
6-12 YRS	6	3.0	8	1	1	2	4	8	8	8
13-19 YRS	6	1.3	1	<1	<1	<1	<1	3	3	3
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	169	1.8	2	<1	<1	2	2	3	3	7
1-5 YRS	631	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	217	2.2	2	<1	1	2	3	3	4	7
13-19 YRS	370	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	30	1.7	1	<1	<1	1	2	3	5	6
1-5 YRS	57	1.3	1	<1	<1	1	1	2	3	7
6-12 YRS	11	1.5		<1	<1	1	2	3	3	3
13-19 YRS	9	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	173	2.1	2	<1	<1	2	2	4	5	8
1-5 YRS	560	2.0	2	<1	<1	2	2	3	4	6
6-12 YRS	199	2.3	2	<1	1	2	3	3	4	8
13-19 YRS	186	3.7	4	1	2	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	33	1.6	2	<1	<1	1	2	3	4	8
B. *Operated*	1388	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	107	1.4	1	<1	<1	1	2	2	3	6
B. *Operated*	1120	2.3	2	<1	1	2	3	4	5	8
1. SINGLE DX	1421	2.2	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX	1227	2.3	2	<1	<1	2	3	4	5	8
A. NOT OPERATED	140	1.5	1	<1	<1	1	2	3	4	7
B. OPERATED	2508	2.3	2	<1	1	2	3	4	5	7
TOTAL 0-27 DYS	5	1.8	1	<1	<1	<1	3	3	3	3
1-11 MOS	381	1.9	2	<1	<1	2	2	3	4	7
1-5 YRS	1258	1.9	2	<1	<1	2	2	3	4	6
6-12 YRS	433	2.2	2	<1	1	2	3	3	4	8
13-19 YRS	571	3.1	3	1	1	3	4	5	6	9
GRAND TOTAL	**2648**	**2.2**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	3.7	14	1	1	2	6	8	8	8
1-5 YRS	11	4.1	6	1	1	4	6	8	8	8
6-12 YRS	94	3.3	5	1	1	3	4	6	7	12
13-19 YRS	407	4.3	8	1	1	4	6	8	9	12
B. *Operated*										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	2.4	1	<1	<1	2	3	4	4	4
6-12 YRS	38	3.1	8	1	1	2	4	6	9	14
13-19 YRS	134	3.6	5	1	2	3	5	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	2	4.5	25	1	1	4	8	8	8	8
6-12 YRS	27	4.2	29	1	1	3	4	7	11	29
13-19 YRS	116	4.6	6	1	2	4	6	8	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.3		3	3	3	4	4	4	4
1-5 YRS	5	4.0	4	2	2	5	5	6	6	6
6-12 YRS	16	2.8	3	1	1	2	4	5	7	8
13-19 YRS	77	4.7	13	1	1	4	6	9	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	515	4.1	7	1	1	4	5	7	9	12
B. *Operated*	185	3.5	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	146	4.5	10	1	2	4	6	8	9	13
B. *Operated*	101	4.3	11	1	1	3	5	8	10	19
1. SINGLE DX	700	4.0	7	1	1	3	5	7	9	12
2. MULTIPLE DX	247	4.4	11	1	2	4	6	8	9	16
A. NOT OPERATED	661	4.2	8	1	1	4	5	7	9	12
B. OPERATED	286	3.8	8	1	1	3	5	7	9	14
TOTAL 0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	8	4.0	9	1	1	3	6	9	9	9
1-5 YRS	28	3.5	5	1	1	3	5	7	8	8
6-12 YRS	175	3.3	9	1	1	3	4	6	8	14
13-19 YRS	734	4.3	8	1	2	4	6	8	9	12
GRAND TOTAL	**947**	**4.1**	**8**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	9	1.4	1	<1	<1	1	2	3	3	3
1-11 MOS	55	1.3		<1	<1	1	1	2	2	3
1-5 YRS	503	1.5	1	<1	<1	1	2	2	3	4
6-12 YRS	297	1.6	1	<1	<1	1	2	2	3	4
13-19 YRS	203	1.8	1	<1	<1	2	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS	237	1.5	1	<1	<1	1	2	2	3	7
1-5 YRS	972	1.6	1	<1	<1	1	2	2	2	4
6-12 YRS	552	1.8	2	<1	<1	2	2	2	3	4
13-19 YRS	401	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	11.5	181	2	2	11	21	21	21	21
1-11 MOS	18	2.4	9	<1	<1	1	2	9	10	10
1-5 YRS	118	1.6	4	<1	<1	1	2	3	3	11
6-12 YRS	48	1.9	3	<1	<1	1	2	3	5	11
13-19 YRS	21	1.9	2	<1	<1	2	2	3	5	8
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	66	1.8	2	<1	<1	1	2	3	4	10
1-5 YRS	308	1.9	1	<1	<1	2	2	3	4	7
6-12 YRS	167	1.8	1	<1	1	2	2	3	3	5
13-19 YRS	142	2.4	2	<1	1	2	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1067	1.6	1	<1	<1	1	2	2	3	4
B. *Operated*	2162	1.7	2	<1	<1	2	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	207	1.9	6	<1	<1	1	2	3	5	15
B. *Operated*	684	2.0	1	<1	<1	2	2	3	4	7
1. SINGLE DX	3229	1.6	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	891	1.9	2	<1	<1	2	2	3	4	8
A. NOT OPERATED	1274	1.6	2	<1	<1	1	2	2	3	7
B. OPERATED	2846	1.7	2	<1	<1	2	2	2	3	5
TOTAL 0-27 DYS	12	3.1	32	<1	<1	1	2	8	19	21
1-11 MOS	376	1.5	2	<1	<1	1	2	2	3	8
1-5 YRS	1901	1.6	2	<1	<1	1	2	2	3	5
6-12 YRS	1064	1.7	2	<1	<1	2	2	2	3	5
13-19 YRS	767	2.0	1	<1	<1	2	2	3	4	6
GRAND TOTAL	**4120**	**1.7**	**2**	**<1**	**<1**	**2**	**2**	**2**	**3**	**6**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	8	2.9	3	<1	<1	3	4	5	6	6
1-11 MOS	7	2.9	5	<1	<1	3	4	6	7	7
1-5 YRS	59	2.0	2	<1	<1	1	2	4	6	8
6-12 YRS	90	1.9	2	<1	<1	1	2	4	4	8
13-19 YRS	105	2.0	2	<1	<1	1	2	4	6	8
B. *Operated*										
0-27 DYS	6	1.7	1	<1	<1	1	2	4	4	4
1-11 MOS	38	2.0	1	<1	<1	2	2	4	5	5
1-5 YRS	250	2.0	2	<1	1	2	2	4	5	7
6-12 YRS	740	2.0	2	<1	1	2	2	3	4	7
13-19 YRS	1459	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	10.3	32	4	4	12	14	15	15	15
1-11 MOS	5	2.0	5	<1	<1	1	2	6	6	6
1-5 YRS	54	2.8	5	<1	<1	2	4	6	7	11
6-12 YRS	34	2.0	1	1	1	2	2	3	4	5
13-19 YRS	44	3.6	7	<1	1	3	6	7	9	11
B. *Operated*										
0-27 DYS	7	2.4	3	<1	<1	2	3	5	6	6
1-11 MOS	27	2.3	2	<1	1	2	3	4	5	5
1-5 YRS	159	2.4	3	<1	<1	2	3	4	6	10
6-12 YRS	261	2.6	8	1	1	2	3	4	6	11
13-19 YRS	412	3.1	5	1	1	2	4	6	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.0	2	<1	<1	1	2	4	5	8
B. *Operated*	2493	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	140	3.0	6	<1	1	2	4	6	8	12
B. *Operated*	866	2.8	5	1	1	2	3	5	7	10
1. SINGLE DX	2762	2.2	2	<1	1	2	3	4	5	8
2. MULTIPLE DX	1006	2.8	5	1	1	2	3	5	7	11
A. NOT OPERATED	409	2.3	4	<1	<1	2	3	5	7	10
B. OPERATED	3359	2.4	3	1	1	2	3	4	5	9
TOTAL 0-27 DYS	24	3.4	12	<1	<1	2	4	7	13	15
1-11 MOS	77	2.2	2	<1	<1	2	3	4	5	7
1-5 YRS	522	2.2	3	<1	<1	2	3	4	6	9
6-12 YRS	1125	2.1	3	<1	1	2	3	4	5	8
13-19 YRS	2020	2.5	3	1	1	2	3	5	6	9
GRAND TOTAL	**3768**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	7	2.1	1	<1	<1	2	3	4	4	4
1-5 YRS	3	4.7	16	1	1	4	8	9	9	9
6-12 YRS	14	1.9	1	<1	<1	2	2	3	4	4
13-19 YRS	422	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	11	3.3	6	<1	<1	3	5	7	9	9
B. *Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	4.7	12	1	1	4	7	10	10	10
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS	4	3.0	8	<1	<1	2	5	7	7	7
13-19 YRS	125	2.5	3	<1	1	2	3	4	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	446	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	12	3.4	6	<1	<1	3	5	7	9	9
B. *Operated*	139	2.6	4	<1	1	2	3	5	7	11
1. SINGLE DX	454	2.0	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	151	2.7	4	<1	<1	2	3	5	7	10
A. NOT OPERATED	20	2.6	5	<1	<1	2	3	6	7	9
B. OPERATED	585	2.2	2	<1	<1	2	2	3	4	7
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	13	3.3	7	<1	1	2	4	8	10	10
1-5 YRS	6	4.3	9	1	1	3	7	9	9	9
6-12 YRS	19	2.3	2	<1	<1	2	2	5	6	7
13-19 YRS	566	2.1	2	<1	<1	2	2	3	4	7
GRAND TOTAL	**605**	**2.2**	**2**	**<1**	**<1**	**2**	**2**	**3**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	19	3.7	4	<1	1	4	5	5	8	10
1-11 MOS	19	3.3	3	<1	1	3	4	6	7	8
1-5 YRS	8	3.1	5	1	1	3	4	7	8	8
6-12 YRS	13	4.1	5	1	1	4	5	8	8	8
13-19 YRS	60	3.4	3	1	1	3	4	7	7	8
B. *Operated*										
0-27 DYS	7	3.1	5	1	1	3	5	7	7	7
1-11 MOS	6	3.2	1	1	1	3	4	4	4	4
1-5 YRS	11	3.3	4	<1	<1	4	5	6	6	6
6-12 YRS	72	2.3	1	<1	1	2	3	4	5	7
13-19 YRS	1465	2.9	4	1	1	3	4	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	4.4	4	2	2	4	6	7	8	8
1-11 MOS	6	5.2	6	3	3	4	5	10	10	10
1-5 YRS	4	4.5	2	3	3	4	5	6	6	6
6-12 YRS	4	3.5	9	1	1	3	6	7	7	7
13-19 YRS	43	3.8	9	<1	1	3	5	8	10	12
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	4	4.0	5	2	2	3	5	7	7	7
1-5 YRS	4	6.5	6	4	4	6	8	10	10	10
6-12 YRS	9	2.2	1	<1	<1	2	3	4	4	4
13-19 YRS	316	3.8	6	1	2	3	4	6	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.5	4	1	1	3	4	7	8	9
B. *Operated*	1561	2.9	4	1	1	3	4	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	69	4.0	7	<1	1	4	5	8	9	12
B. *Operated*	334	3.8	6	1	2	3	4	6	8	14
1. SINGLE DX	1680	2.9	4	1	1	3	4	5	6	8
2. MULTIPLE DX	403	3.8	6	1	1	3	5	7	9	13
A. NOT OPERATED	188	3.7	5	1	1	3	5	7	8	11
B. OPERATED	1895	3.0	4	1	1	3	4	5	6	10
TOTAL 0-27 DYS	39	3.9	4	1	1	4	5	7	8	10
1-11 MOS	35	3.7	4	1	1	3	4	6	8	10
1-5 YRS	27	3.9	5	1	1	4	6	6	8	10
6-12 YRS	98	2.6	2	<1	1	2	3	5	6	8
13-19 YRS	1884	3.1	4	1	1	3	4	5	6	11
GRAND TOTAL	**2083**	**3.1**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	71	2.9	5	<1	1	2	4	6	7	10
13-19 YRS	1300	2.6	3	1	1	2	3	5	6	8
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	56	4.4	4	1	2	4	6	7	7	11
13-19 YRS	1934	4.4	6	1	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	29	3.2	3	1	2	3	4	6	6	8
13-19 YRS	666	3.2	5	1	1	3	4	6	8	10
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	7.0	25	2	2	6	10	14	14	14
1-5 YRS	4	6.0	3	4	4	6	7	8	8	8
6-12 YRS	41	5.8	8	2	2	5	7	10	12	13
13-19 YRS	1613	5.3	9	1	2	5	7	9	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1372	2.6	3	1	1	2	3	5	6	8
B. *Operated*	1994	4.4	6	1	2	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	695	3.2	4	1	1	3	4	6	8	10
B. *Operated*	1663	5.3	9	1	2	5	7	9	10	15
1. SINGLE DX	3366	3.7	5	1	1	3	5	7	8	11
2. MULTIPLE DX	2358	4.7	9	1	2	4	6	8	10	14
A. NOT OPERATED	2067	2.8	4	1	1	2	4	5	7	9
B. OPERATED	3657	4.8	7	1	2	5	6	8	9	14
TOTAL 0-27 DYS	3	4.7	8	3	3	3	7	8	8	8
1-11 MOS	5	6.0	24	2	2	6	8	14	14	14
1-5 YRS	6	5.0	4	2	2	5	6	8	8	8
6-12 YRS	197	4.0	6	1	1	4	5	7	9	12
13-19 YRS	5513	4.1	7	1	1	4	5	7	9	13
GRAND TOTAL	**5724**	**4.1**	**7**	**1**	**1**	**4**	**5**	**7**	**9**	**13**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	7	2	2	3	6	7	7	7
1-5 YRS	3	6.0	27	3	3	3	10	12	12	12
6-12 YRS	26	4.4	8	2	2	3	5	8	10	15
13-19 YRS	3438	4.3	6	1	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	3	5.0	21	1	1	4	8	10	10	10
6-12 YRS	14	5.9	14	1	1	6	9	10	13	14
13-19 YRS	972	5.4	12	1	2	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	2	5	5	6	7	7	7	7
1-11 MOS	3	5.0	3	4	4	4	6	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	19	8.2	30	1	2	9	10	17	19	20
13-19 YRS	1911	5.1	8	2	2	5	6	8	10	14
B. *Operated*										
0-27 DYS	2	4.5	13	2	2	4	7	7	7	7
1-11 MOS	3	4.7	10	1	1	6	7	7	7	7
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	23	8.3	22	2	3	7	10	16	18	19
13-19 YRS	1479	6.4	19	1	2	6	8	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3470	4.3	6	2	2	4	5	7	8	12
B. *Operated*	991	5.4	12	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	1936	5.1	8	2	2	5	6	8	10	15
B. *Operated*	1508	6.4	19	1	2	6	8	11	14	20
1. SINGLE DX	4461	4.5	7	1	2	4	6	8	9	14
2. MULTIPLE DX	3444	5.7	13	2	2	5	7	10	12	18
A. NOT OPERATED	5406	4.6	7	2	2	4	6	7	9	13
B. OPERATED	2499	6.0	16	1	2	6	8	11	13	19
TOTAL 0-27 DYS	5	4.8	5	2	2	5	7	7	7	7
1-11 MOS	10	4.3	5	1	1	4	7	7	7	7
1-5 YRS	8	6.4	21	1	2	4	11	13	13	13
6-12 YRS	82	6.6	21	1	2	6	9	14	16	20
13-19 YRS	7800	5.0	10	1	2	4	6	8	10	16
GRAND TOTAL	**7905**	**5.0**	**10**	**1**	**2**	**4**	**6**	**9**	**11**	**16**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS										
6-12 YRS										
13-19 YRS	47	3.3	4	<1	1	3	4	5	6	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	229	3.2	5	1	1	2	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	2	4.0	2	3	3	4	5	5	5	5
13-19 YRS	41	3.9	5	<1	1	3	5	7	8	11
B. *Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	4	7.3	7	5	5	6	9	11	11	11
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	273	4.3	9	1	1	4	6	8	10	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	3.4	4	<1	1	3	4	5	6	13
B. *Operated*	232	3.2	5	1	1	2	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	44	3.8	5	1	1	3	5	7	8	11
B. *Operated*	283	4.3	9	1	1	4	6	8	10	12
1. SINGLE DX	280	3.2	5	<1	1	2	4	6	8	11
2. MULTIPLE DX	327	4.3	8	1	1	4	6	8	9	12
A. NOT OPERATED	92	3.6	5	<1	1	3	4	6	8	12
B. OPERATED	515	3.8	8	1	1	3	6	7	9	12
TOTAL 0-27 DYS	4	4.5	4	3	3	4	6	7	7	7
1-11 MOS	6	6.3	11	<1	<1	6	8	11	11	11
1-5 YRS	3	3.7	8	2	2	2	6	7	7	7
6-12 YRS	4	5.0	5	3	3	4	6	8	8	8
13-19 YRS	590	3.7	7	1	1	3	5	7	9	12
GRAND TOTAL	**607**	**3.8**	**7**	**1**	**1**	**3**	**5**	**7**	**9**	**12**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS										
13-19 YRS	3	3.7	1	3	3	3	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	57	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	18	4.7	6	1	2	5	6	8	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	96	3.5	11	1	1	2	4	8	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.4	1	2	2	3	4	5	5	5
B. *Operated*	59	2.3	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	21	4.6	7	1	2	5	6	8	10	11
B. *Operated*	101	3.5	10	1	1	2	4	8	10	18
1. SINGLE DX	64	2.4	2	1	1	2	3	4	5	8
2. MULTIPLE DX	122	3.7	10	1	1	3	4	8	10	17
A. NOT OPERATED	26	4.4	6	1	2	4	5	8	9	11
B. OPERATED	160	3.1	8	1	1	2	3	7	8	16
TOTAL 0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	5	2.4	1	<1	<1	2	3	4	4	4
6-12 YRS	5	4.4	8	2	2	3	7	8	8	8
13-19 YRS	174	3.2	8	1	1	2	4	7	8	16
GRAND TOTAL	**186**	**3.3**	**7**	**1**	**1**	**2**	**4**	**7**	**8**	**15**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	17	2.6	3	<1	1	2	3	6	6	6
6-12 YRS	27	3.1	4	<1	1	3	4	6	7	8
13-19 YRS	221	3.4	5	1	1	3	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	2.5	6	<1	<1	1	4	6	6	6
6-12 YRS	13	3.2	3	<1	1	3	5	5	6	6
13-19 YRS	387	2.4	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	3.5	2	2	2	3	4	5	5	5
1-5 YRS	26	3.7	5	1	1	3	4	8	8	8
6-12 YRS	37	4.4	8	1	2	4	5	8	10	14
13-19 YRS	235	4.2	6	1	1	4	6	7	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	7	1.6	2	<1	<1	1	1	4	5	5
6-12 YRS	12	1.8	1	<1	<1	2	2	3	3	3
13-19 YRS	211	3.8	9	1	1	3	5	7	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	3.3	5	1	1	3	4	6	7	10
B. *Operated*	405	2.5	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	303	4.2	6	1	1	4	6	7	9	12
B. *Operated*	231	3.6	9	1	1	3	5	7	9	15
1. SINGLE DX	671	2.8	4	<1	1	2	4	5	6	9
2. MULTIPLE DX	534	3.9	7	1	1	3	5	7	9	13
A. NOT OPERATED	569	3.8	6	1	1	3	5	7	8	11
B. OPERATED	636	2.9	5	<1	1	2	4	5	7	10
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	7	3.6	6	1	1	3	5	7	8	8
1-5 YRS	54	3.0	4	<1	1	3	4	6	8	8
6-12 YRS	89	3.5	6	<1	1	3	5	6	8	13
13-19 YRS	1054	3.3	6	1	1	3	4	6	7	11
GRAND TOTAL	**1205**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**11**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	2	4.5	1	4	4	4	5	5	5	5
6-12 YRS										
13-19 YRS	8	4.5	8	1	1	4	6	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	9.2	35	5	5	7	9	20	21	21
1-5 YRS	4	7.0	18	1	1	8	10	11	11	11
6-12 YRS	6	8.8	24	1	1	9	13	14	14	14
13-19 YRS	23	6.0	7	1	2	6	7	9	11	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	8.0		8	8	8	8	8	8	8
B. *Operated*	11	4.6	6	1	2	4	6	8	10	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	40	7.0	15	1	2	7	9	12	13	21
1. SINGLE DX	12	4.9	6	1	2	5	6	9	10	10
2. MULTIPLE DX	40	7.0	15	1	2	7	9	12	13	21
A. NOT OPERATED	1	8.0		8	8	8	8	8	8	8
B. OPERATED	51	6.5	14	1	2	6	8	11	13	21
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	8.7	31	5	5	7	9	19	21	21
1-5 YRS	6	6.2	13	1	1	6	8	11	11	11
6-12 YRS	7	8.7	20	1	2	8	12	14	14	14
13-19 YRS	31	5.6	8	1	2	6	7	9	10	12
GRAND TOTAL	**52**	**6.5**	**14**	**1**	**2**	**6**	**8**	**11**	**13**	**21**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	28	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	42	1.7	1	<1	1	2	2	2	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	14	2.5	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	36	2.9	6	1	1	2	3	6	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	29	1.9	2	<1	<1	2	2	3	4	7
B. *Operated*	44	1.7	1	<1	1	2	2	2	4	5
2. MULTIPLE DX										
A. *Not Operated*	15	2.5	2	<1	<1	2	3	5	6	6
B. *Operated*	37	3.0	6	1	1	2	3	6	7	14
1. SINGLE DX	73	1.8	1	<1	<1	2	2	3	4	7
2. MULTIPLE DX	52	2.8	5	<1	1	2	3	5	7	14
A. NOT OPERATED	44	2.1	2	<1	<1	2	3	4	5	7
B. OPERATED	81	2.3	4	1	1	2	2	5	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.8	2	1	1	3	4	5	5	5
13-19 YRS	120	2.2	3	<1	<1	2	2	4	6	9
GRAND TOTAL	**125**	**2.2**	**3**	**<1**	**1**	**2**	**2**	**4**	**5**	**9**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	27	2.7	1	<1	<1	3	4	4	5	5
13-19 YRS	465	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	23	2.2	1	1	1	2	3	3	4	4
13-19 YRS	1084	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	32	3.6	5	1	1	3	5	6	9	11
13-19 YRS	396	3.1	7	1	1	2	4	6	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	31	3.4	4	1	1	3	4	7	7	10
13-19 YRS	959	2.9	7	<1	1	2	3	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	492	2.2	2	<1	<1	2	3	4	5	7
B. *Operated*	1107	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	428	3.1	6	1	1	2	4	6	7	14
B. *Operated*	990	2.9	7	1	1	2	3	6	7	12
1. SINGLE DX	1599	2.0	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	1418	3.0	6	1	1	2	4	6	7	13
A. NOT OPERATED	920	2.6	4	<1	1	2	3	5	6	10
B. OPERATED	2097	2.4	4	<1	1	2	3	4	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	113	3.0	3	1	1	3	4	5	7	10
13-19 YRS	2904	2.5	4	<1	1	2	3	5	6	10
GRAND TOTAL	**3017**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	3.5	13	<1	<1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.0	1	1	1	2	3	3	3	3
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	5.0		5	5	5	5	5	5	5
B. *Operated*	2	3.5	13	<1	<1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	4	2.0	1	1	1	2	3	3	3	3
1. SINGLE DX	3	4.0	7	<1	<1	5	6	6	6	6
2. MULTIPLE DX	5	2.0	1	1	1	2	2	3	3	3
A. NOT OPERATED	2	3.5	5	2	2	3	5	5	5	5
B. OPERATED	6	2.5	4	<1	<1	2	3	6	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	8	2.8	3	<1	<1	2	4	6	6	6
GRAND TOTAL	**8**	**2.8**	**3**	**<1**	**<1**	**2**	**4**	**6**	**6**	**6**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	15	1.4		<1	<1	1	2	2	3	3
6-12 YRS	24	1.6	2	<1	<1	1	2	3	5	6
13-19 YRS	142	2.3	2	<1	<1	2	3	4	6	7
B. *Operated*										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	10	3.2	6	1	1	2	5	7	8	8
1-5 YRS	17	2.3	2	<1	1	2	4	5	5	5
6-12 YRS	41	3.6	4	<1	1	3	5	6	8	9
13-19 YRS	555	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.0	19	1	1	2	7	9	9	9
1-5 YRS	9	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	11	3.1	4	1	1	3	4	6	7	7
13-19 YRS	125	3.2	12	1	1	2	4	6	8	18
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	8	4.5	14	<1	<1	4	8	9	9	9
1-5 YRS	14	2.4	4	<1	<1	2	3	5	7	7
6-12 YRS	44	4.7	8	1	2	4	6	9	11	12
13-19 YRS	508	3.9	12	<1	1	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	2.1	2	<1	<1	2	3	4	5	7
B. *Operated*	625	2.8	4	<1	<1	2	4	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	148	3.1	11	<1	1	2	4	6	8	14
B. *Operated*	575	3.9	11	<1	1	3	5	7	9	16
1. SINGLE DX	808	2.7	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	723	3.8	11	<1	1	3	5	7	9	15
A. NOT OPERATED	331	2.6	6	<1	<1	2	3	5	7	10
B. OPERATED	1200	3.4	8	<1	1	2	5	7	8	13
TOTAL 0-27 DYS	4	3.3	10	1	1	2	5	8	8	8
1-11 MOS	22	3.8	9	<1	1	2	7	8	9	9
1-5 YRS	55	2.0	2	<1	<1	1	2	4	5	7
6-12 YRS	120	3.6	6	<1	<1	3	5	7	8	12
13-19 YRS	1330	3.2	8	<1	1	2	4	6	8	14
GRAND TOTAL	**1531**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	6	2.5	8	<1	<1	1	2	7	8	8
6-12 YRS	88	2.1	3	<1	1	2	2	4	5	8
13-19 YRS	865	2.1	2	<1	1	2	3	4	5	6
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	2	8.5	5	7	7	8	10	10	10	10
1-5 YRS	4	2.3	2	1	1	2	3	4	4	4
6-12 YRS	16	2.8	4	<1	<1	2	4	6	7	7
13-19 YRS	540	2.5	4	<1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	30	<1	<1	2	9	11	11	11
1-5 YRS										
6-12 YRS	30	2.4	2	1	1	2	3	4	5	6
13-19 YRS	549	2.6	4	<1	1	2	3	5	7	9
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	6	6.7	60	<1	<1	4	6	20	22	22
1-5 YRS	10	2.5	5	<1	<1	2	3	6	8	8
6-12 YRS	14	3.4	4	1	2	3	4	7	8	8
13-19 YRS	603	3.5	8	<1	1	2	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	960	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	564	2.5	4	<1	1	2	3	5	7	10
2. MULTIPLE DX										
A. *Not Operated*	582	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	635	3.5	8	<1	1	2	5	7	9	13
1. SINGLE DX	1524	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	1217	3.1	6	<1	1	2	4	6	8	12
A. NOT OPERATED	1542	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	1199	3.1	7	<1	1	2	4	6	8	12
TOTAL 0-27 DYS	5	4.0	6	2	2	3	6	7	7	7
1-11 MOS	11	6.5	38	<1	<1	5	9	15	21	22
1-5 YRS	20	2.5	4	<1	<1	2	3	6	8	8
6-12 YRS	148	2.4	3	1	1	2	3	5	6	8
13-19 YRS	2557	2.6	4	<1	1	2	3	5	7	11
GRAND TOTAL	**2741**	**2.6**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.1	4	<1	<1	1	2	5	7	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	471	4.9	2	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	3.0	2	1	1	3	4	5	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	379	5.5	5	3	4	5	6	8	9	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	4	<1	<1	1	2	5	7	8
B. *Operated*	471	4.9	2	3	3	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	6	3.0	2	1	1	3	4	5	5	5
B. *Operated*	380	5.5	5	3	4	5	6	8	9	14
1. SINGLE DX	486	4.9	3	2	3	5	6	7	8	9
2. MULTIPLE DX	386	5.4	5	3	3	5	6	8	9	14
A. NOT OPERATED	21	2.4	3	<1	<1	2	3	5	6	8
B. OPERATED	851	5.2	4	3	3	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	871	5.1	4	2	3	5	6	7	8	12
GRAND TOTAL	**872**	**5.1**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	217	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	31	1.3		<1	<1	1	2	2	2	3
13-19 YRS	6943	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	63	1.8	2	<1	<1	1	2	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	1631	1.7	3	<1	<1	1	2	3	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	6974	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	63	1.8	2	<1	<1	1	2	4	6	7
B. *Operated*	1640	1.7	3	<1	<1	1	2	3	5	8
1. SINGLE DX	7192	1.4		<1	<1	1	2	2	3	4
2. MULTIPLE DX	1703	1.7	3	<1	<1	1	2	3	5	8
A. NOT OPERATED	281	1.4	1	<1	<1	1	2	2	3	7
B. OPERATED	8614	1.4	1	<1	<1	1	2	2	3	5
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	41	1.4		<1	<1	1	2	2	3	3
13-19 YRS	8854	1.4	1	<1	<1	1	2	2	3	6
GRAND TOTAL	**8895**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	2.5	9	1	1	1	4	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	4	2.5	9	1	1	1	4	7	7	7
1. SINGLE DX	4	3.5	14	1	1	2	6	9	9	9
2. MULTIPLE DX	5	2.8	7	1	1	1	5	7	7	7
A. NOT OPERATED	1	4.0		4	4	4	4	4	4	4
B. OPERATED	8	3.0	10	1	1	2	5	8	9	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	3.1	9	1	1	2	5	8	9	9
GRAND TOTAL	**9**	**3.1**	**9**	**1**	**1**	**2**	**5**	**8**	**9**	**9**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	988	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	14	2.1	1	<1	1	2	3	3	4	4
13-19 YRS	6809	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	150	2.7	5	1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	5	1	1	5	5	5	5	5
13-19 YRS	916	2.4	4	<1	1	2	3	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	989	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	6823	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	150	2.7	5	1	1	2	3	5	7	10
B. *Operated*	919	2.4	4	<1	1	2	3	5	6	10
1. SINGLE DX	7812	1.6	1	<1	<1	1	2	3	3	6
2. MULTIPLE DX	1069	2.4	4	<1	1	2	3	5	6	10
A. NOT OPERATED	1139	1.8	2	<1	<1	1	2	3	4	7
B. OPERATED	7742	1.6	1	<1	<1	1	2	3	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	2.3	2	<1	1	2	3	5	5	5
13-19 YRS	8863	1.7	1	<1	<1	1	2	3	4	7
GRAND TOTAL	**8881**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	230	2.9	4	<1	1	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	750	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	88	3.2	6	1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	225	3.4	11	<1	1	3	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	3.0	4	<1	1	3	4	5	6	8
B. *Operated*	750	2.0	2	<1	1	2	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	88	3.2	6	1	1	2	4	7	8	12
B. *Operated*	225	3.4	11	<1	1	3	4	6	9	16
1. SINGLE DX	981	2.2	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	313	3.3	10	<1	1	3	4	6	8	13
A. NOT OPERATED	319	3.0	5	<1	1	3	4	5	7	10
B. OPERATED	975	2.3	4	<1	1	2	3	4	6	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	1293	2.5	4	<1	1	2	3	5	6	10
GRAND TOTAL	**1294**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	**10**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	982	2.2	2	<1	1	2	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	204	3.2	5	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	3.3	5	<1	1	3	5	7	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	983	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	16	1.8	1	<1	<1	1	3	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	204	3.2	5	1	1	3	4	6	7	10
B. *Operated*	13	3.3	5	<1	1	3	5	7	8	8
1. SINGLE DX	999	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	217	3.2	5	1	1	3	4	6	7	10
A. NOT OPERATED	1187	2.4	2	<1	1	2	3	4	5	8
B. OPERATED	29	2.5	3	<1	<1	2	3	5	7	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	1215	2.4	2	<1	1	2	3	4	5	8
GRAND TOTAL	**1216**	**2.4**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	61	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	3.2	7	<1	1	3	4	5	9	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	61	2.0	2	<1	<1	1	3	4	5	6
B. *Operated*	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	18	3.2	7	<1	1	3	4	5	9	12
B. *Operated*										
1. SINGLE DX	65	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	18	3.2	7	<1	1	3	4	5	9	12
A. NOT OPERATED	79	2.3	3	<1	<1	2	3	4	5	10
B. OPERATED	4	1.8	2	1	1	1	3	4	4	4
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	83	2.2	3	<1	<1	2	3	4	5	10
GRAND TOTAL	**83**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**4**	**5**	**10**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	960	3.4	5	1	1	3	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	4.3	10	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	234	3.5	6	<1	1	3	4	6	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	43	4.5	17	<1	1	4	6	8	11	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	960	3.4	5	1	1	3	4	6	7	11
B. *Operated*	82	4.3	10	1	1	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	234	3.5	6	<1	1	3	4	6	9	13
B. *Operated*	43	4.5	17	<1	1	4	6	8	11	23
1. SINGLE DX	1042	3.5	5	1	1	3	4	6	8	12
2. MULTIPLE DX	277	3.7	8	<1	1	3	4	7	10	14
A. NOT OPERATED	1194	3.4	5	1	1	3	4	6	7	12
B. OPERATED	125	4.4	12	1	1	4	6	9	10	19
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1319	3.5	6	1	1	3	4	6	8	12
GRAND TOTAL	**1319**	**3.5**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1117	3.3	3	1	1	3	4	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	414	3.7	6	1	2	3	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	5.4	21	1	1	3	8	12	17	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1117	3.3	3	1	1	3	4	6	7	10
B. *Operated*	9	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	414	3.7	6	1	2	3	5	6	8	13
B. *Operated*	23	5.4	21	1	1	3	8	12	17	18
1. SINGLE DX	1126	3.3	3	1	1	3	4	6	7	10
2. MULTIPLE DX	437	3.8	7	1	1	3	5	6	8	16
A. NOT OPERATED	1531	3.4	4	1	1	3	4	6	7	11
B. OPERATED	32	4.7	17	1	1	3	6	10	15	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1563	3.4	5	1	1	3	4	6	7	11
GRAND TOTAL	**1563**	**3.4**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	1.0		<1	<1	1	1	1	1	1
13-19 YRS	6154	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	562	1.2	1	<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	500	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	81	2.4	16	<1	<1	1	3	4	6	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6158	1.2	1	<1	<1	<1	1	1	2	4
B. *Operated*	563	1.2	1	<1	<1	<1	1	1	2	6
2. MULTIPLE DX										
A. *Not Operated*	500	1.6	2	<1	<1	1	2	3	4	7
B. *Operated*	81	2.4	16	<1	<1	1	3	4	6	27
1. SINGLE DX	6721	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	581	1.7	4	<1	<1	1	2	3	4	8
A. NOT OPERATED	6658	1.2	1	<1	<1	1	1	2	2	4
B. OPERATED	644	1.3	3	<1	<1	<1	1	2	3	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.0		<1	<1	1	1	1	1	1
13-19 YRS	7297	1.2	1	<1	<1	1	1	2	2	5
GRAND TOTAL	**7302**	**1.2**	**1**	**<1**	**<1**	**1**	**1**	**2**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	153	3.1	7	<1	1	2	4	7	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	13	3.3	12	<1	1	2	4	7	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	53	3.5	11	<1	1	3	5	6	9	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	5.0	54	1	1	2	9	16	16	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	153	3.1	7	<1	1	2	4	7	9	13
B. *Operated*	13	3.3	12	<1	1	2	4	7	13	14
2. MULTIPLE DX										
A. *Not Operated*	53	3.5	11	<1	1	3	5	6	9	19
B. *Operated*	4	5.0	54	1	1	2	9	16	16	16
1. SINGLE DX	166	3.1	7	<1	1	2	4	7	9	14
2. MULTIPLE DX	57	3.6	13	<1	1	3	5	6	13	19
A. NOT OPERATED	206	3.2	8	<1	1	2	4	6	9	15
B. OPERATED	17	3.7	20	<1	1	2	4	12	15	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	223	3.2	8	<1	1	2	4	6	9	15
GRAND TOTAL	**223**	**3.2**	**8**	**<1**	**1**	**2**	**4**	**6**	**9**	**15**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	495	2.0	4	<1	<1	1	2	4	5	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	50	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	145	3.2	14	<1	<1	2	4	7	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	4.6	18	<1	<1	3	6	12	13	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	496	2.0	4	<1	<1	1	2	4	5	10
B. *Operated*	50	2.3	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	145	3.2	14	<1	<1	2	4	7	10	21
B. *Operated*	26	4.6	18	<1	<1	3	6	12	13	17
1. SINGLE DX	546	2.1	4	<1	<1	1	2	4	5	10
2. MULTIPLE DX	171	3.5	15	<1	<1	2	4	8	11	19
A. NOT OPERATED	641	2.3	7	<1	<1	2	3	4	6	12
B. OPERATED	76	3.1	9	<1	<1	2	4	6	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	716	2.4	7	<1	<1	2	3	5	7	13
GRAND TOTAL	**717**	**2.4**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**13**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1132	3.2	4	<1	1	3	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	104	2.2	5	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	1070	3.7	6	<1	1	3	5	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	82	3.6	7	<1	<1	3	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1132	3.2	4	<1	1	3	4	5	7	10
B. *Operated*	105	2.2	4	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	1072	3.7	6	<1	1	3	5	6	7	11
B. *Operated*	82	3.6	7	<1	<1	3	5	7	8	12
1. SINGLE DX	1237	3.1	5	<1	<1	3	4	5	7	10
2. MULTIPLE DX	1154	3.7	6	<1	1	3	5	6	7	11
A. NOT OPERATED	2204	3.4	5	<1	1	3	4	6	7	10
B. OPERATED	187	2.8	6	<1	<1	2	4	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7	6	1	1	4	5	6	6	6
13-19 YRS	2388	3.4	5	<1	1	3	4	6	7	10
GRAND TOTAL	**2391**	**3.4**	**5**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	361	4.0	14	<1	1	3	5	8	10	21
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	41	3.6	8	<1	<1	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	825	3.7	13	<1	1	3	5	8	11	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	109	4.2	12	<1	1	3	6	8	11	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	4.0	14	<1	1	3	5	8	10	21
B. *Operated*	41	3.6	8	<1	<1	3	5	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	826	3.7	13	<1	1	3	5	8	11	17
B. *Operated*	109	4.2	12	<1	1	3	6	8	11	18
1. SINGLE DX	403	3.9	14	<1	1	3	5	8	10	20
2. MULTIPLE DX	935	3.8	13	<1	1	3	5	8	11	17
A. NOT OPERATED	1188	3.8	13	<1	1	3	5	8	10	18
B. OPERATED	150	4.1	11	<1	1	3	6	8	10	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1336	3.8	13	<1	1	3	5	8	10	18
GRAND TOTAL	**1338**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**8**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.7	14	2	2	3	7	9	9	9
13-19 YRS	2625	2.3	8	<1	<1	1	3	4	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	688	2.6	9	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	1124	3.1	10	<1	<1	2	4	6	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	334	3.6	15	<1	<1	2	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2628	2.3	8	<1	<1	1	3	4	6	11
B. *Operated*	688	2.6	9	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	1126	3.1	10	<1	<1	2	4	6	8	17
B. *Operated*	334	3.6	15	<1	<1	2	5	8	10	21
1. SINGLE DX	3316	2.4	8	<1	<1	1	3	5	6	13
2. MULTIPLE DX	1460	3.2	11	<1	<1	2	4	6	9	18
A. NOT OPERATED	3754	2.5	9	<1	<1	2	3	5	7	14
B. OPERATED	1022	3.0	11	<1	<1	2	4	6	9	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	4.8	9	2	2	3	7	9	9	9
13-19 YRS	4771	2.6	9	<1	<1	2	3	5	7	15
GRAND TOTAL	**4776**	**2.6**	**9**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	331	3.0	1	2	2	3	3	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	142	4.7	27	2	2	3	4	7	12	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	494	3.2	4	2	2	3	4	4	5	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	510	5.6	40	2	2	4	5	10	16	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	331	3.0	1	2	2	3	3	4	5	6
B. *Operated*	143	4.7	27	2	2	3	4	7	12	37
2. MULTIPLE DX										
A. *Not Operated*	495	3.2	4	2	2	3	4	4	5	12
B. *Operated*	511	5.5	40	2	2	4	5	10	16	39
1. SINGLE DX	474	3.5	9	2	2	3	4	5	6	14
2. MULTIPLE DX	1006	4.4	24	2	2	3	4	6	11	28
A. NOT OPERATED	826	3.1	3	2	2	3	4	4	5	9
B. OPERATED	654	5.4	37	2	2	4	5	9	15	37
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.0	1	2	2	3	4	4	4	4
13-19 YRS	1477	4.1	19	2	2	3	4	6	9	26
GRAND TOTAL	**1480**	**4.1**	**19**	**2**	**2**	**3**	**4**	**6**	**9**	**25**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	21	3.0	1	1	2	3	3	4	5	6
13-19 YRS	25128	2.8	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.3		2	2	2	3	3	3	3
13-19 YRS	4581	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.0	2	1	1	2	3	4	4	4
13-19 YRS	9722	2.7	1	1	1	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	2570	2.9	2	1	2	3	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25149	2.8	1	1	2	3	3	4	4	5
B. *Operated*	4585	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	9727	2.7	1	1	1	3	3	4	4	6
B. *Operated*	2573	2.9	2	1	2	3	3	4	5	7
1. SINGLE DX	29734	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	12300	2.8	2	1	2	3	3	4	4	6
A. NOT OPERATED	34876	2.8	1	1	2	3	3	4	4	5
B. OPERATED	7158	2.8	2	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	33	2.7	1	1	1	3	3	4	4	6
13-19 YRS	42001	2.8	1	1	2	3	3	4	4	5
GRAND TOTAL	**42034**	**2.8**	**1**	**1**	**2**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	2.9	3	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	46	6.9	29	2	3	5	7	14	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.3	4	<1	1	3	4	6	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	117	6.4	31	2	3	5	6	9	16	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.9	3	1	1	3	4	5	6	7
B. *Operated*	46	6.9	29	2	3	5	7	14	22	25
2. MULTIPLE DX										
A. *Not Operated*	19	3.3	4	<1	1	3	4	6	8	9
B. *Operated*	118	6.3	31	2	3	5	6	9	16	34
1. SINGLE DX	61	5.9	25	1	2	5	6	13	18	25
2. MULTIPLE DX	137	5.9	29	2	3	5	6	9	13	34
A. NOT OPERATED	34	3.1	3	1	1	3	4	5	7	9
B. OPERATED	164	6.5	30	2	3	5	6	10	18	34
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	197	5.9	27	2	2	5	6	9	15	33
GRAND TOTAL	**198**	**5.9**	**27**	**2**	**2**	**5**	**6**	**9**	**15**	**33**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	108	2.5	1	1	1	2	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	126	4.2	4	1	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	167	2.8	2	1	1	3	3	4	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	431	5.0	10	2	2	4	6	8	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	2.5	1	1	1	2	3	4	4	6
B. *Operated*	126	4.2	4	1	2	4	5	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	167	2.8	2	1	1	3	3	4	5	8
B. *Operated*	431	5.0	10	2	2	4	6	8	10	15
1. SINGLE DX	234	3.4	3	1	1	3	5	6	7	8
2. MULTIPLE DX	598	4.4	9	1	2	4	5	7	9	15
A. NOT OPERATED	275	2.7	2	1	1	3	3	4	5	7
B. OPERATED	557	4.8	9	2	2	4	6	7	9	15
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	832	4.1	7	1	2	4	5	7	8	14
GRAND TOTAL	**832**	**4.1**	**7**	**1**	**2**	**4**	**5**	**7**	**8**	**14**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	22	2.9	2	1	1	3	4	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	228	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	3.4	2	<1	2	3	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	214	3.2	3	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.9	2	1	1	3	4	5	6	7
B. *Operated*	228	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	16	3.4	2	<1	2	3	4	5	6	6
B. *Operated*	214	3.2	3	1	1	3	4	5	6	10
1. SINGLE DX	250	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	230	3.2	3	1	1	3	4	5	6	10
A. NOT OPERATED	38	3.1	2	1	1	3	4	5	6	7
B. OPERATED	442	2.9	2	1	1	3	4	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	480	2.9	2	1	1	3	4	4	5	8
GRAND TOTAL	**480**	**2.9**	**2**	**1**	**1**	**3**	**4**	**4**	**5**	**8**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	148	3.0	1	1	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	72	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	146	3.2	2	1	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	145	3.4	4	2	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	3.0	1	1	2	3	4	4	5	6
B. *Operated*	72	3.1	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	146	3.2	2	1	2	3	4	5	6	9
B. *Operated*	146	3.4	4	2	2	3	4	5	6	9
1. SINGLE DX	220	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX	292	3.3	3	2	2	3	4	5	6	9
A. NOT OPERATED	294	3.1	2	1	2	3	4	4	5	8
B. OPERATED	218	3.3	3	1	2	3	4	5	6	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	511	3.2	2	1	2	3	4	5	6	8
GRAND TOTAL	**512**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**6**	**8**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	39	3.5	2	2	2	3	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	4.1	3	2	2	4	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	74	4.1	10	1	2	3	4	8	12	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	254	5.5	17	2	3	5	6	8	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	39	3.5	2	2	2	3	4	5	6	8
B. *Operated*	32	4.1	3	2	2	4	5	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	74	4.1	10	1	2	3	4	8	12	18
B. *Operated*	254	5.5	17	2	3	5	6	8	12	25
1. SINGLE DX	71	3.8	2	2	2	3	4	6	7	8
2. MULTIPLE DX	328	5.2	16	2	2	4	6	8	12	23
A. NOT OPERATED	113	3.8	7	1	2	3	4	7	9	16
B. OPERATED	286	5.4	15	2	3	4	6	8	11	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	399	4.9	13	2	2	4	6	8	10	22
GRAND TOTAL	**399**	**4.9**	**13**	**2**	**2**	**4**	**6**	**8**	**10**	**22**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	84	2.9	2	1	1	3	4	4	4	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	789	4.9	2	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	77	2.6	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	1327	5.3	7	2	3	5	6	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	2.9	2	1	1	3	4	4	4	9
B. *Operated*	789	4.9	2	2	3	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	78	2.6	2	1	1	2	3	5	5	7
B. *Operated*	1328	5.3	7	2	3	5	6	7	9	13
1. SINGLE DX	873	4.7	3	2	3	5	6	7	7	9
2. MULTIPLE DX	1406	5.2	7	2	3	5	6	7	9	13
A. NOT OPERATED	162	2.7	2	1	1	3	3	4	5	7
B. OPERATED	2117	5.2	5	2	3	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	2277	5.0	5	2	3	5	6	7	8	12
GRAND TOTAL	**2279**	**5.0**	**5**	**2**	**3**	**5**	**6**	**7**	**8**	**12**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	163	2.7	1	1	1	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	619	3.8	2	2	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	206	2.8	1	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	1773	4.3	4	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	163	2.7	1	1	1	3	3	4	4	5
B. *Operated*	619	3.8	2	2	2	3	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	206	2.8	1	1	2	3	3	4	5	7
B. *Operated*	1775	4.3	4	2	2	4	5	7	8	12
1. SINGLE DX	782	3.5	2	2	2	3	4	6	6	8
2. MULTIPLE DX	1981	4.1	4	2	2	4	5	7	8	11
A. NOT OPERATED	369	2.8	1	1	2	3	3	4	5	7
B. OPERATED	2394	4.2	4	2	2	4	5	6	7	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.0	8	1	1	3	5	5	5	5
13-19 YRS	2761	4.0	4	2	2	4	5	6	7	10
GRAND TOTAL	**2763**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	19	3.7	5	1	2	3	4	6	9	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	5.2	1	4	4	5	6	6	6	6
13-19 YRS	1578	5.5	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	26	5.5	27	2	2	4	6	11	16	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	6.0	1	5	5	6	7	7	7	7
13-19 YRS	4040	6.0	5	4	4	6	7	8	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	3.7	5	1	2	3	4	6	9	11
B. *Operated*	1583	5.5	2	3	4	5	6	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	26	5.5	27	2	2	4	6	11	16	27
B. *Operated*	4044	6.0	5	4	4	6	7	8	10	14
1. SINGLE DX	1602	5.5	2	3	4	5	6	7	8	11
2. MULTIPLE DX	4070	6.0	5	4	4	6	7	8	10	14
A. NOT OPERATED	45	4.8	18	2	2	3	5	8	12	27
B. OPERATED	5627	5.9	5	4	4	6	7	8	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	5.6	1	4	4	6	6	7	7	7
13-19 YRS	5663	5.8	5	3	4	6	7	8	9	13
GRAND TOTAL	**5672**	**5.8**	**5**	**3**	**4**	**6**	**7**	**8**	**9**	**13**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	329	3.1	1	2	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	522	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	448	3.1	4	1	2	3	4	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	1748	4.3	5	2	2	4	5	7	8	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	329	3.1	1	2	2	3	4	4	5	6
B. *Operated*	522	4.0	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	448	3.1	4	1	2	3	4	4	5	6
B. *Operated*	1749	4.3	5	2	2	4	5	7	8	11
1. SINGLE DX	851	3.6	2	2	2	3	4	6	6	8
2. MULTIPLE DX	2197	4.1	5	2	2	4	5	7	8	11
A. NOT OPERATED	777	3.1	3	1	2	3	4	4	5	6
B. OPERATED	2271	4.3	4	2	2	4	5	7	8	11
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	3047	4.0	4	2	2	4	5	6	7	10
GRAND TOTAL	**3048**	**4.0**	**4**	**2**	**2**	**4**	**5**	**6**	**7**	**10**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	32	3.0	1	1	2	3	4	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	179	4.3	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	44	2.7	2	1	1	2	4	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	441	5.3	8	2	3	5	6	8	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	3.0	1	1	2	3	4	4	4	5
B. *Operated*	179	4.3	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	44	2.7	2	1	1	2	4	4	5	9
B. *Operated*	442	5.3	8	2	3	5	6	8	9	16
1. SINGLE DX	211	4.1	3	2	2	4	5	6	7	9
2. MULTIPLE DX	486	5.0	8	2	2	5	6	8	9	15
A. NOT OPERATED	76	2.8	2	1	1	3	4	4	5	8
B. OPERATED	621	5.0	7	2	2	5	6	7	9	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	696	4.7	7	2	2	5	6	7	8	14
GRAND TOTAL	**697**	**4.7**	**7**	**2**	**2**	**5**	**6**	**7**	**8**	**14**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	17	3.2	2	1	1	3	4	5	6	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1183	5.4	2	3	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	18	4.2	4	1	1	4	6	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	1545	5.6	5	3	4	5	6	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.2	2	1	1	3	4	5	6	6
B. *Operated*	1183	5.4	2	3	4	5	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	18	4.2	4	1	1	4	6	7	8	8
B. *Operated*	1547	5.6	5	3	4	5	6	7	8	15
1. SINGLE DX	1200	5.4	2	3	4	5	6	7	8	9
2. MULTIPLE DX	1565	5.6	5	3	4	5	6	7	8	15
A. NOT OPERATED	35	3.7	3	1	1	3	5	6	7	8
B. OPERATED	2730	5.6	4	3	4	5	6	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	2763	5.5	4	3	4	5	6	7	8	12
GRAND TOTAL	**2765**	**5.5**	**4**	**3**	**4**	**5**	**6**	**7**	**8**	**12**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	693	3.3	3	2	2	3	4	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	533	3.6	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	731	3.5	5	2	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1993	4.3	6	2	2	4	5	7	8	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	694	3.3	3	2	2	3	4	4	5	9
B. *Operated*	534	3.6	4	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	732	3.5	5	2	2	3	4	5	6	9
B. *Operated*	1995	4.3	6	2	2	4	5	7	8	12
1. SINGLE DX	1228	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX	2727	4.1	6	2	2	4	5	7	8	12
A. NOT OPERATED	1426	3.4	4	2	2	3	4	5	6	9
B. OPERATED	2529	4.2	6	2	2	4	5	7	8	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	2.4	1	1	1	2	3	4	4	4
13-19 YRS	3950	3.9	5	2	2	3	4	6	7	12
GRAND TOTAL	**3955**	**3.9**	**5**	**2**	**2**	**3**	**4**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1796	2.9	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	942	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1387	2.8	2	1	2	3	3	4	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	1737	3.2	2	1	2	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1796	2.9	1	1	2	3	3	4	4	5
B. *Operated*	942	2.9	1	1	2	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	1387	2.8	2	1	2	3	3	4	5	7
B. *Operated*	1738	3.2	2	1	2	3	4	5	6	10
1. SINGLE DX	2738	2.9	1	1	2	3	3	4	4	6
2. MULTIPLE DX	3125	3.0	2	1	2	3	4	4	5	8
A. NOT OPERATED	3183	2.9	1	1	2	3	3	4	4	6
B. OPERATED	2680	3.1	2	1	2	3	4	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	5862	3.0	2	1	2	3	3	4	5	7
GRAND TOTAL	**5863**	**3.0**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	343	2.7	1	1	2	3	3	4	4	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	3.7		3	3	4	4	4	4	4
13-19 YRS	3243	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	274	2.8	1	1	2	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.3	1	1	1	3	3	3	3	3
13-19 YRS	2958	2.9	3	1	2	3	3	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	2.7	1	1	2	3	3	4	4	5
B. *Operated*	3246	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	275	2.8	1	1	2	3	3	4	4	6
B. *Operated*	2961	2.9	3	1	2	3	3	4	5	8
1. SINGLE DX	3589	2.7	1	1	2	3	3	4	4	5
2. MULTIPLE DX	3236	2.9	3	1	2	3	3	4	5	7
A. NOT OPERATED	618	2.8	1	1	2	3	3	4	4	6
B. OPERATED	6207	2.8	2	1	2	3	3	4	4	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	2.9	1	1	1	3	4	4	4	4
13-19 YRS	6818	2.8	2	1	2	3	3	4	4	6
GRAND TOTAL	**6825**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	267	2.9	1	1	2	3	3	4	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.7	1	2	2	2	4	4	4	4
13-19 YRS	3412	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	201	2.9	1	1	2	3	3	5	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	3918	3.1	2	2	2	3	4	4	5	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.9	1	1	2	3	3	4	4	7
B. *Operated*	3415	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	201	2.9	1	1	2	3	3	5	6	7
B. *Operated*	3921	3.1	2	2	2	3	4	4	5	8
1. SINGLE DX	3684	3.0	1	2	2	3	3	4	4	6
2. MULTIPLE DX	4122	3.1	2	2	2	3	4	4	5	8
A. NOT OPERATED	470	2.9	1	1	2	3	3	4	5	7
B. OPERATED	7336	3.0	2	2	2	3	3	4	5	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	2.4	1	1	1	2	3	4	4	4
13-19 YRS	7798	3.0	2	2	2	3	3	4	5	7
GRAND TOTAL	**7806**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**	**7**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	231	2.8	1	1	2	3	3	4	4	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	1336	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	164	3.0	2	2	2	3	3	4	4	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	1612	3.3	4	2	2	3	4	5	6	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.8	1	1	2	3	3	4	4	6
B. *Operated*	1338	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	164	3.0	2	2	2	3	3	4	4	10
B. *Operated*	1614	3.2	4	2	2	3	4	5	6	9
1. SINGLE DX	1569	2.9	1	2	2	3	3	4	4	6
2. MULTIPLE DX	1778	3.2	4	2	2	3	4	5	6	9
A. NOT OPERATED	395	2.9	1	2	2	3	3	4	4	7
B. OPERATED	2952	3.1	3	2	2	3	3	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.0	1	1	1	2	3	3	3	3
13-19 YRS	3343	3.1	3	2	2	3	3	4	5	8
GRAND TOTAL	**3347**	**3.1**	**3**	**2**	**2**	**3**	**3**	**4**	**5**	**8**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	3522	3.1	3	1	2	3	4	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	3.7	3	2	2	3	5	7	7	7
13-19 YRS	8566	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	3.0	3	1	1	3	4	5	6	6
13-19 YRS	3934	3.2	5	1	1	3	4	5	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	24	5.8	20	2	2	4	7	15	16	16
13-19 YRS	14519	4.3	10	2	2	3	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3525	3.1	3	1	2	3	4	5	6	9
B. *Operated*	8575	3.3	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3942	3.2	5	1	1	3	4	5	6	10
B. *Operated*	14543	4.3	10	2	2	3	5	7	9	17
1. SINGLE DX	12100	3.3	3	1	2	3	4	5	6	9
2. MULTIPLE DX	18485	4.0	9	2	2	3	5	7	9	15
A. NOT OPERATED	7467	3.1	4	1	1	3	4	5	6	10
B. OPERATED	23118	3.9	8	2	2	3	4	6	8	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	44	4.5	14	1	2	3	5	10	15	16
13-19 YRS	30541	3.7	7	1	2	3	4	6	8	13
GRAND TOTAL	**30585**	**3.7**	**7**	**1**	**2**	**3**	**4**	**6**	**8**	**13**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	212	4.0	4	1	2	4	5	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	14	6.3	22	2	3	5	7	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	68	4.7	11	2	2	4	5	8	9	23
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	15	7.4	33	3	4	5	8	14	22	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	4.0	4	1	2	4	5	6	7	12
B. *Operated*	14	6.3	22	2	3	5	7	16	17	17
2. MULTIPLE DX										
A. *Not Operated*	68	4.7	11	2	2	4	5	8	9	23
B. *Operated*	16	7.4	31	3	4	5	8	14	22	25
1. SINGLE DX	226	4.1	5	1	2	4	5	6	8	14
2. MULTIPLE DX	84	5.2	16	2	2	4	6	9	13	25
A. NOT OPERATED	280	4.1	6	1	2	4	5	6	8	14
B. OPERATED	30	6.9	26	3	3	5	7	15	17	25
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	309	4.4	8	2	2	4	5	7	9	16
GRAND TOTAL	**310**	**4.4**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**16**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	79	1.7	1	<1	1	2	2	3	3	5
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	210	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	33	2.4	2	1	1	2	3	5	5	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	100	2.4	3	1	1	2	3	5	5	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	79	1.7	1	<1	1	2	2	3	3	5
B. *Operated*	210	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	33	2.4	2	1	1	2	3	5	5	7
B. *Operated*	100	2.4	3	1	1	2	3	5	5	10
1. SINGLE DX	289	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	133	2.4	3	1	1	2	3	5	5	9
A. NOT OPERATED	112	1.9	1	<1	1	2	2	3	4	6
B. OPERATED	310	1.9	2	<1	1	1	2	4	5	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	422	1.9	2	<1	1	2	2	4	5	7
GRAND TOTAL	**422**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**4**	**5**	**7**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	89	3.7	7	<1	<1	3	4	7	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	121	3.0	7	1	1	3	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	62	4.6	17	1	2	3	6	9	14	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	83	4.5	13	2	2	3	5	10	12	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	3.7	7	<1	<1	3	4	7	10	14
B. *Operated*	121	3.0	7	1	1	3	3	5	7	17
2. MULTIPLE DX										
A. *Not Operated*	62	4.6	17	1	2	3	6	9	14	22
B. *Operated*	83	4.5	13	2	2	3	5	10	12	17
1. SINGLE DX	210	3.3	7	<1	1	3	4	7	8	15
2. MULTIPLE DX	145	4.5	15	1	2	3	6	10	13	20
A. NOT OPERATED	151	4.1	12	<1	1	3	5	8	10	20
B. OPERATED	204	3.6	10	1	1	3	4	7	11	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	355	3.8	11	1	1	3	4	7	11	18
GRAND TOTAL	**355**	**3.8**	**11**	**1**	**1**	**3**	**4**	**7**	**11**	**18**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	3.8	4	1	2	3	5	7	8	8
1-11 MOS	217	4.6	8	1	2	4	6	6	11	14
1-5 YRS	773	4.1	6	1	2	4	5	7	8	13
6-12 YRS	770	4.4	17	2	2	4	5	7	9	15
13-19 YRS	969	4.2	5	2	2	4	5	7	8	12
B. *Operated*										
0-27 DYS	8	6.5	11	2	2	7	9	10	10	10
1-11 MOS	130	5.0	13	1	1	4	7	10	11	15
1-5 YRS	428	4.2	10	<1	1	3	6	8	10	15
6-12 YRS	307	5.3	19	1	1	4	7	10	12	28
13-19 YRS	497	5.3	28	1	2	4	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	20	7.8	63	1	2	5	8	18	29	33
1-11 MOS	257	5.8	15	2	2	5	7	10	12	21
1-5 YRS	764	4.5	11	2	2	4	5	7	9	15
6-12 YRS	687	4.5	7	2	2	4	5	8	10	15
13-19 YRS	837	5.0	14	2	2	4	6	9	11	20
B. *Operated*										
0-27 DYS	6	9.7	27	5	5	7	14	18	18	18
1-11 MOS	75	6.2	17	2	2	5	8	13	15	19
1-5 YRS	277	6.3	32	1	2	5	7	11	18	30
6-12 YRS	243	6.4	29	1	2	5	8	11	16	27
13-19 YRS	433	7.4	54	2	2	5	9	15	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2754	4.3	9	1	2	4	5	7	9	13
B. *Operated*	1370	4.9	19	1	1	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	2565	4.8	12	2	2	4	6	8	11	18
B. *Operated*	1034	6.8	39	1	2	5	8	13	17	36
1. SINGLE DX	4124	4.5	12	1	2	4	6	8	10	15
2. MULTIPLE DX	3599	5.4	21	2	2	4	6	10	13	25
A. NOT OPERATED	5319	4.5	10	2	2	4	5	8	10	15
B. OPERATED	2404	5.7	29	1	1	4	7	11	14	28
TOTAL 0-27 DYS	59	6.1	30	2	2	5	7	10	16	32
1-11 MOS	679	5.3	13	1	2	4	7	10	12	18
1-5 YRS	2242	4.5	12	1	2	4	6	8	10	18
6-12 YRS	2007	4.8	16	1	2	4	6	8	11	18
13-19 YRS	2736	5.2	21	2	2	4	6	9	12	23
GRAND TOTAL	**7723**	**4.9**	**16**	**1**	**2**	**4**	**6**	**9**	**11**	**19**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	138	3.7	4	1	2	3	5	6	7	11
1-11 MOS	81	4.7	7	<1	1	4	6	8	10	13
1-5 YRS	371	4.0	5	1	1	4	5	7	8	11
6-12 YRS	162	4.4	10	1	2	4	5	8	10	16
13-19 YRS	254	4.2	7	1	2	4	5	7	9	16
B. *Operated*										
0-27 DYS										
1-11 MOS	42	4.3	11	<1	1	4	6	8	11	15
1-5 YRS	181	3.3	8	<1	<1	2	5	7	9	12
6-12 YRS	197	3.9	16	<1	1	2	5	9	12	18
13-19 YRS	259	4.0	16	<1	1	3	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	114	4.4	5	2	2	4	5	8	9	12
1-11 MOS	111	5.0	12	1	1	4	6	10	11	18
1-5 YRS	380	5.0	14	1	2	4	6	8	11	18
6-12 YRS	222	4.2	6	2	2	3	5	8	9	13
13-19 YRS	241	5.1	33	2	2	4	6	8	11	42
B. *Operated*										
0-27 DYS	6	7.5	16	4	4	6	12	13	13	13
1-11 MOS	40	7.7	38	1	2	7	10	15	16	34
1-5 YRS	146	5.2	20	<1	1	4	7	12	16	18
6-12 YRS	121	5.5	25	<1	1	4	7	12	16	24
13-19 YRS	204	5.8	30	1	2	4	7	12	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1006	4.1	7	1	2	4	5	7	9	12
B. *Operated*	679	3.8	14	<1	<1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	1068	4.8	16	2	2	4	6	8	10	18
B. *Operated*	517	5.7	27	1	1	4	7	13	16	27
1. SINGLE DX	1685	4.0	9	<1	1	3	5	8	9	14
2. MULTIPLE DX	1585	5.1	19	1	2	4	6	9	13	23
A. NOT OPERATED	2074	4.5	11	1	2	4	5	8	10	15
B. OPERATED	1196	4.6	20	<1	1	3	6	10	13	23
TOTAL 0-27 DYS	258	4.1	5	1	2	4	5	7	8	12
1-11 MOS	274	5.2	15	1	1	4	7	10	13	17
1-5 YRS	1078	4.4	11	<1	1	4	6	8	10	17
6-12 YRS	702	4.4	13	1	1	3	5	9	11	19
13-19 YRS	958	4.7	21	1	1	4	6	8	11	27
GRAND TOTAL	**3270**	**4.5**	**15**	**1**	**1**	**4**	**6**	**8**	**11**	**18**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	52	3.8	32	<1	1	3	4	5	7	41
B. *Operated*										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	11	3.6	11	1	1	2	7	9	9	9
1-5 YRS	14	2.9	4	<1	1	2	5	6	6	6
6-12 YRS	38	3.2	3	1	1	3	4	6	7	7
13-19 YRS	3355	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	46	2.7	5	<1	<1	2	4	5	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.5	6	1	1	3	4	8	8	8
1-5 YRS	3	3.3	5	2	2	2	5	6	6	6
6-12 YRS	4	3.0	1	2	2	3	4	4	4	4
13-19 YRS	406	4.8	10	2	2	4	6	8	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.8	31	<1	1	3	4	5	7	41
B. *Operated*	3420	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	50	2.6	5	<1	<1	2	4	5	7	10
B. *Operated*	419	4.8	10	2	2	4	6	8	11	19
1. SINGLE DX	3473	3.6	4	1	2	3	4	6	7	11
2. MULTIPLE DX	469	4.6	10	1	2	4	5	8	10	18
A. NOT OPERATED	103	3.2	19	<1	<1	3	4	5	7	25
B. OPERATED	3839	3.8	5	1	2	3	5	6	7	11
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	20	3.2	8	<1	<1	2	4	8	9	9
1-5 YRS	18	2.9	3	<1	1	2	5	6	6	6
6-12 YRS	43	3.2	3	1	1	3	4	6	7	7
13-19 YRS	3859	3.8	5	1	2	3	5	6	7	11
GRAND TOTAL	**3942**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.5	6	<1	<1	1	4	6	6	6
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	2.0	1	1	1	2	3	3	3	3
13-19 YRS	2	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	60	1.5	1	<1	<1	1	2	3	3	8
1-5 YRS	254	1.4		<1	<1	1	2	2	2	4
6-12 YRS	185	1.7	1	<1	<1	1	2	2	3	7
13-19 YRS	269	1.9	2	<1	<1	2	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	13	1.8	2	<1	<1	1	2	4	5	5
6-12 YRS	5	1.2		<1	<1	1	1	2	2	2
13-19 YRS	9	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	29	3.1	13	<1	<1	2	4	6	13	17
6-12 YRS	25	2.1	2	<1	<1	2	2	3	5	7
13-19 YRS	51	2.9	8	<1	<1	2	3	6	10	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	2.3	2	<1	<1	2	3	5	6	6
B. *Operated*	770	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	29	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	109	2.7	8	<1	<1	2	3	6	8	16
1. SINGLE DX	780	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	138	2.5	6	<1	<1	2	3	5	7	15
A. NOT OPERATED	39	1.7	1	<1	<1	1	2	3	4	6
B. OPERATED	879	1.8	2	<1	<1	1	2	3	4	8
TOTAL 0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	70	1.5	1	<1	<1	1	2	3	3	8
1-5 YRS	297	1.6	2	<1	<1	1	2	2	3	6
6-12 YRS	218	1.7	1	<1	<1	1	2	3	3	7
13-19 YRS	331	2.0	3	<1	<1	2	2	4	5	9
GRAND TOTAL	**918**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	55	4.0	8	1	1	4	5	6	9	18
1-11 MOS	256	3.6	8	<1	1	3	5	6	8	13
1-5 YRS	566	3.2	8	<1	1	3	4	6	8	12
6-12 YRS	401	4.0	12	1	1	3	5	8	11	19
13-19 YRS	467	4.9	28	<1	1	3	6	11	15	28
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	25	2.4	3	<1	<1	2	3	6	6	7
1-5 YRS	330	2.6	9	<1	<1	2	2	6	8	16
6-12 YRS	727	2.4	6	<1	<1	2	2	4	7	13
13-19 YRS	1579	2.8	15	<1	<1	2	3	5	8	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	58	4.6	10	1	2	4	6	8	11	17
1-11 MOS	310	4.8	14	1	2	4	6	8	11	18
1-5 YRS	620	3.9	11	1	1	3	5	7	9	17
6-12 YRS	320	4.4	19	1	1	3	5	9	12	20
13-19 YRS	450	5.9	44	1	1	4	7	13	18	36
B. *Operated*										
0-27 DYS	1	90.0		90	90	90	90	90	90	90
1-11 MOS	21	11.1	245	1	2	8	12	20	45	75
1-5 YRS	183	4.3	28	<1	1	2	5	9	13	28
6-12 YRS	369	4.2	37	<1	1	2	4	8	15	34
13-19 YRS	754	6.7	97	1	1	3	7	20	28	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1745	3.9	15	<1	1	3	5	8	11	22
B. *Operated*	2662	2.7	12	<1	<1	2	3	5	8	17
2. MULTIPLE DX										
A. *Not Operated*	1758	4.7	22	1	1	3	5	9	13	26
B. *Operated*	1328	5.8	80	<1	1	3	6	15	25	48
1. SINGLE DX	4407	3.2	13	<1	<1	2	3	6	9	20
2. MULTIPLE DX	3086	5.2	47	1	1	3	6	10	17	38
A. NOT OPERATED	3503	4.3	18	1	1	3	5	8	11	23
B. OPERATED	3990	3.7	37	<1	<1	2	3	8	12	33
TOTAL 0-27 DYS	115	5.0	72	1	2	4	5	8	11	43
1-11 MOS	612	4.4	21	1	1	4	5	8	11	19
1-5 YRS	1699	3.5	12	<1	1	2	4	7	9	18
6-12 YRS	1817	3.5	17	<1	1	2	4	7	10	22
13-19 YRS	3250	4.4	43	<1	<1	2	4	9	17	35
GRAND TOTAL	**7493**	**4.0**	**28**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	8.3	38	2	2	6	14	17	17	17
6-12 YRS	23	4.9	15	1	2	3	8	11	12	13
13-19 YRS	85	7.0	35	1	2	6	9	13	19	33
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	21	12.1	471	<1	<1	5	13	26	65	99
13-19 YRS	31	9.2	108	2	2	4	9	24	26	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS										
1-5 YRS	8	3.9	6	1	1	4	5	7	8	8
6-12 YRS	34	9.9	109	2	3	7	13	18	26	59
13-19 YRS	141	8.2	50	2	2	6	10	18	24	57
B. *Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS										
6-12 YRS	11	5.5	24	1	1	4	7	13	18	18
13-19 YRS	83	14.7	272	2	2	8	19	41	51	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.7	32	1	2	5	9	13	17	33
B. *Operated*	54	10.0	244	<1	2	4	10	23	36	97
2. MULTIPLE DX										
A. *Not Operated*	184	8.3	60	2	2	6	10	18	23	57
B. *Operated*	95	13.6	249	2	2	7	17	40	51	93
1. SINGLE DX	169	7.8	101	1	2	5	9	16	23	45
2. MULTIPLE DX	279	10.1	130	2	2	7	12	22	37	79
A. NOT OPERATED	299	7.7	49	2	2	6	10	16	21	43
B. OPERATED	149	12.3	248	1	2	7	15	35	47	99
TOTAL 0-27 DYS	2	8.0	8	6	6	8	10	10	10	10
1-11 MOS										
1-5 YRS	17	5.4	24	1	1	4	6	15	17	17
6-12 YRS	89	8.6	163	1	2	5	10	15	21	83
13-19 YRS	340	9.6	114	2	2	7	11	22	33	67
GRAND TOTAL	**448**	**9.2**	**120**	**2**	**2**	**6**	**10**	**20**	**30**	**65**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	9	4.6	10	1	1	4	7	9	10	10
1-5 YRS	127	5.8	20	1	2	5	7	11	16	46
6-12 YRS	144	5.9	15	2	2	5	7	10	12	22
13-19 YRS	136	7.7	78	1	2	5	9	15	23	38
B. *Operated*										
0-27 DYS										
1-11 MOS	2	7.0	32	3	3	7	11	11	11	11
1-5 YRS	20	4.8	35	<1	<1	2	6	13	19	24
6-12 YRS	22	5.2	29	1	1	3	8	11	16	24
13-19 YRS	45	9.9	216	1	2	4	12	23	38	85
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	10.4	37	5	5	7	16	18	18	18
1-5 YRS	53	6.0	13	2	3	5	8	11	14	17
6-12 YRS	71	9.9	163	2	2	6	12	25	56	99+
13-19 YRS	86	6.4	25	2	2	5	8	15	21	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	2	10.5	5	9	9	10	12	12	12	12
1-5 YRS	12	9.0	93	1	1	4	13	23	32	34
6-12 YRS	20	16.2	251	2	3	12	18	44	55	60
13-19 YRS	50	8.8	84	1	2	5	12	25	37	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	417	6.4	38	1	2	5	8	12	17	31
B. *Operated*	89	7.5	129	1	1	4	9	16	24	70
2. MULTIPLE DX										
A. *Not Operated*	215	7.6	70	2	2	5	9	16	24	99+
B. *Operated*	84	10.6	129	1	2	6	14	27	39	86
1. SINGLE DX	506	6.6	54	1	2	5	8	13	17	33
2. MULTIPLE DX	299	8.4	88	2	2	6	10	18	30	99+
A. NOT OPERATED	632	6.8	49	2	2	5	8	13	18	74
B. OPERATED	173	9.0	131	1	1	5	12	21	35	79
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	18	7.1	23	1	2	6	10	15	17	18
1-5 YRS	212	5.9	24	1	2	5	8	12	16	32
6-12 YRS	257	7.7	84	1	2	5	9	14	24	72
13-19 YRS	317	7.9	84	1	2	5	9	17	25	89
GRAND TOTAL	**805**	**7.3**	**67**	**1**	**2**	**5**	**9**	**15**	**23**	**76**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	20.0		20	20	20	20	20	20	20
1-5 YRS	5	3.0	12	<1	<1	1	4	9	9	9
6-12 YRS	5	4.6	5	3	3	3	7	7	7	7
13-19 YRS	7	3.7	3	2	2	3	5	7	7	7
B. *Operated*										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	1	42.0		42	42	42	42	42	42	42
13-19 YRS	58	3.6	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	6	9.0	155	1	1	4	8	31	34	34
6-12 YRS	6	4.8	16	<1	<1	4	8	11	11	11
13-19 YRS	9	5.2	20	1	1	3	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS	6	10.2	108	2	2	8	14	27	28	28
1-5 YRS	6	13.2	163	1	1	12	19	32	34	34
6-12 YRS	2	4.5	25	1	1	4	8	8	8	8
13-19 YRS	48	6.3	94	1	2	3	7	13	19	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.7	20	<1	1	3	7	8	16	20
B. *Operated*	62	4.3	29	1	1	3	5	7	9	38
2. MULTIPLE DX										
A. *Not Operated*	24	6.0	48	<1	1	4	8	11	19	34
B. *Operated*	62	7.3	100	1	1	3	9	18	23	60
1. SINGLE DX	80	4.4	27	1	1	3	5	7	10	35
2. MULTIPLE DX	86	6.9	85	1	1	3	9	16	22	53
A. NOT OPERATED	42	5.4	36	<1	1	3	7	11	15	34
B. OPERATED	124	5.8	66	1	1	3	6	12	19	48
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	9.6	81	2	2	6	14	24	28	28
1-5 YRS	19	8.2	110	<1	1	4	9	28	34	34
6-12 YRS	14	7.4	109	<1	1	4	8	14	36	42
13-19 YRS	122	4.8	42	1	1	3	5	10	12	32
GRAND TOTAL	**166**	**5.7**	**58**	**1**	**1**	**3**	**6**	**12**	**19**	**41**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	42	11.1	53	2	2	10	17	22	23	26
1-5 YRS	174	7.7	34	2	2	6	11	15	20	24
6-12 YRS	140	7.0	33	1	2	5	10	15	19	27
13-19 YRS	154	7.2	29	2	2	6	10	15	19	23
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	21	15.3	41	6	7	14	20	24	26	29
1-5 YRS	68	13.3	56	2	3	12	18	23	29	33
6-12 YRS	80	14.0	132	1	2	12	20	29	34	59
13-19 YRS	139	6.8	60	1	1	4	9	15	20	47
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	45.0		45	45	45	45	45	45	45
1-11 MOS	32	13.5	51	4	6	12	15	26	27	31
1-5 YRS	98	10.0	49	1	2	9	15	20	22	31
6-12 YRS	86	8.5	54	2	2	6	13	19	24	34
13-19 YRS	112	8.0	51	1	2	5	10	21	23	34
B. *Operated*										
0-27 DYS										
1-11 MOS	30	17.5	88	8	8	15	22	32	36	45
1-5 YRS	54	18.1	56	7	10	17	22	29	31	43
6-12 YRS	67	17.2	95	4	6	16	22	28	35	51
13-19 YRS	97	11.7	141	1	2	7	17	29	40	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	510	7.6	35	2	2	6	11	16	21	25
B. *Operated*	309	10.7	89	1	2	9	15	22	29	42
2. MULTIPLE DX										
A. *Not Operated*	329	9.4	57	1	2	7	13	21	24	35
B. *Operated*	248	15.3	111	2	3	14	21	29	36	45
1. SINGLE DX	819	8.8	57	1	2	6	12	19	23	32
2. MULTIPLE DX	577	11.9	89	2	2	9	17	24	30	44
A. NOT OPERATED	839	8.3	44	2	2	6	12	18	22	28
B. OPERATED	557	12.7	104	2	2	11	18	26	31	45
TOTAL 0-27 DYS	2	24.5	841	4	4	24	45	45	45	45
1-11 MOS	125	14.0	63	3	4	13	19	24	28	38
1-5 YRS	394	10.6	57	2	2	10	15	21	24	33
6-12 YRS	373	10.7	86	2	2	7	15	22	28	40
13-19 YRS	502	8.1	67	1	2	5	11	19	23	43
GRAND TOTAL	**1396**	**10.1**	**72**	**2**	**2**	**8**	**14**	**21**	**26**	**40**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		1	1	1	2	2	2	2
6-12 YRS	12	3.2	3	1	1	3	5	5	5	5
13-19 YRS	73	2.3	3	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	5	3.0	5	<1	<1	3	4	6	6	6
1-5 YRS	12	2.6	1	1	1	2	3	4	5	5
6-12 YRS	157	2.4	2	<1	1	2	3	4	6	8
13-19 YRS	4065	2.7	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	15	2.7	4	<1	<1	3	4	4	7	8
13-19 YRS	102	2.2	9	<1	<1	1	3	4	7	18
B. *Operated*										
0-27 DYS	3	3.7	2	2	2	4	5	5	5	5
1-11 MOS	5	2.4		2	2	2	3	3	3	3
1-5 YRS										
6-12 YRS	59	2.8	2	1	1	2	4	5	6	8
13-19 YRS	2294	3.2	6	1	1	3	4	6	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	88	2.4	3	<1	1	2	3	5	5	10
B. *Operated*	4241	2.7	3	<1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	118	2.3	8	<1	<1	1	3	4	7	15
B. *Operated*	2361	3.2	5	1	1	3	4	6	7	11
1. SINGLE DX	4329	2.7	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	2479	3.2	6	1	1	3	4	6	7	11
A. NOT OPERATED	206	2.3	6	<1	<1	1	3	5	6	10
B. OPERATED	6602	2.9	4	1	1	2	4	5	6	10
TOTAL 0-27 DYS	5	3.4	1	2	2	3	4	5	5	5
1-11 MOS	10	2.7	2	<1	<1	2	3	5	6	6
1-5 YRS	16	2.3	1	1	1	2	3	4	5	5
6-12 YRS	243	2.6	2	<1	1	2	3	4	6	8
13-19 YRS	6534	2.9	4	<1	1	2	4	5	6	10
GRAND TOTAL	**6808**	**2.9**	**4**	**<1**	**1**	**2**	**4**	**5**	**6**	**10**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	15	3.7	16	1	1	3	4	9	14	16
1-5 YRS	259	3.4	7	1	1	3	4	7	9	14
6-12 YRS	260	3.8	7	1	1	3	4	7	9	16
13-19 YRS	202	3.7	9	<1	1	3	5	7	10	14
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	15	2.7	4	<1	1	2	3	4	8	9
1-5 YRS	77	3.5	5	<1	1	3	5	7	8	10
6-12 YRS	313	3.5	14	1	1	3	4	6	8	16
13-19 YRS	4341	3.3	4	1	1	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	14	7.6	55	<1	1	5	10	16	26	29
1-5 YRS	134	3.8	11	1	1	3	5	8	10	17
6-12 YRS	155	4.7	22	1	1	3	6	9	13	27
13-19 YRS	247	4.1	16	<1	1	3	5	10	12	19
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	4	6.0	10	2	2	6	8	9	9	9
1-5 YRS	84	3.8	4	1	2	3	5	6	8	10
6-12 YRS	206	4.8	15	1	2	4	6	8	12	22
13-19 YRS	1498	3.9	14	1	1	3	5	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	737	3.6	8	1	1	3	4	7	9	15
B. *Operated*	4747	3.3	5	1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	553	4.3	17	1	1	3	5	9	12	23
B. *Operated*	1793	4.0	14	1	1	3	5	7	10	20
1. SINGLE DX	5484	3.4	5	1	1	3	4	6	7	11
2. MULTIPLE DX	2346	4.1	14	1	1	3	5	8	10	21
A. NOT OPERATED	1290	3.9	12	1	1	3	5	8	10	17
B. OPERATED	6540	3.5	7	1	1	3	4	6	8	14
TOTAL 0-27 DYS	6	2.3	1	1	1	2	3	4	4	4
1-11 MOS	48	4.7	26	1	1	3	5	10	15	29
1-5 YRS	554	3.6	7	1	1	3	4	7	9	14
6-12 YRS	934	4.0	14	1	1	3	5	8	10	19
13-19 YRS	6288	3.5	7	1	1	3	4	6	8	14
GRAND TOTAL	**7830**	**3.6**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	6	4.7	13	2	2	3	7	11	11	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	3	17.0	433	4	4	6	32	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.3	11	2	2	6	8	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	6.5	13	4	4	6	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.7	13	2	2	3	7	11	11	11
B. *Operated*	3	17.0	433	4	4	6	32	41	41	41
2. MULTIPLE DX										
A. *Not Operated*	4	6.3	11	2	2	6	8	10	10	10
B. *Operated*	2	6.5	13	4	4	6	9	9	9	9
1. SINGLE DX	9	8.8	155	2	2	4	8	29	41	41
2. MULTIPLE DX	6	6.3	9	2	2	6	9	10	10	10
A. NOT OPERATED	10	5.3	12	2	2	5	7	10	11	11
B. OPERATED	5	12.8	253	4	4	6	17	41	41	41
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	15	7.8	93	2	2	6	9	11	33	41
GRAND TOTAL	**15**	**7.8**	**93**	**2**	**2**	**6**	**9**	**11**	**33**	**41**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	15.0		15	15	15	15	15	15	15
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	3	2.3		2	2	2	3	3	3	3
13-19 YRS	14	4.6	7	2	2	4	6	8	10	11
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	18	6.4	16	1	2	5	9	11	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	2	9.5	13	7	7	9	12	12	12	12
1-5 YRS	3	4.3	2	3	3	4	5	6	6	6
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	12	4.8	6	1	2	4	7	8	8	8
B. *Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	1	25.0		25	25	25	25	25	25	25
1-5 YRS										
6-12 YRS										
13-19 YRS	15	8.3	27	2	3	7	12	15	19	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	4.6	12	2	2	3	6	10	13	15
B. *Operated*	21	6.7	14	2	2	8	9	11	13	16
2. MULTIPLE DX										
A. *Not Operated*	19	5.4	8	1	2	4	7	9	11	12
B. *Operated*	17	9.5	40	2	3	9	12	19	23	25
1. SINGLE DX	40	5.7	14	2	2	5	8	11	13	16
2. MULTIPLE DX	36	7.3	27	2	3	6	10	13	18	25
A. NOT OPERATED	38	5.0	10	2	2	4	6	10	12	15
B. OPERATED	38	7.9	27	2	3	8	11	14	18	25
TOTAL 0-27 DYS	3	9.7	2	8	8	10	11	11	11	11
1-11 MOS	4	14.8	58	7	7	13	20	25	25	25
1-5 YRS	5	4.6	6	2	2	4	6	8	8	8
6-12 YRS	5	3.6	6	2	2	3	4	8	8	8
13-19 YRS	59	6.1	16	2	2	5	8	12	14	20
GRAND TOTAL	**76**	**6.5**	**20**	**2**	**2**	**5**	**9**	**12**	**15**	**24**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	4.3	10	2	2	3	6	9	9	9
1-5 YRS	7	9.9	49	1	2	9	15	20	21	21
6-12 YRS	9	14.3	246	2	3	9	17	39	54	54
13-19 YRS	149	6.6	16	2	2	6	9	12	15	18
B. *Operated*										
0-27 DYS	4	6.5	2	5	5	6	7	8	8	8
1-11 MOS	6	9.5	10	6	6	9	10	15	15	15
1-5 YRS	3	5.0	19	2	2	3	8	10	10	10
6-12 YRS	7	6.6	11	3	3	7	9	11	12	12
13-19 YRS	495	7.0	23	1	2	6	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	13	5	5	7	10	10	10	10
1-11 MOS	2	13.0	8	11	11	13	15	15	15	15
1-5 YRS	8	6.6	25	1	1	5	10	14	15	15
6-12 YRS	6	6.3	27	1	1	5	7	15	16	16
13-19 YRS	76	7.9	27	2	3	7	10	12	17	29
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	21.5	481	6	6	21	37	37	37	37
1-5 YRS	2	15.5	113	8	8	15	23	23	23	23
6-12 YRS	7	10.7	53	2	2	10	15	22	23	23
13-19 YRS	104	10.5	53	2	3	9	14	21	28	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	7.1	31	2	2	6	9	13	16	21
B. *Operated*	515	7.0	22	1	2	6	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	94	7.8	26	2	2	7	10	13	16	28
B. *Operated*	116	10.7	59	2	3	9	14	23	28	58
1. SINGLE DX	685	7.0	24	1	2	6	9	13	15	23
2. MULTIPLE DX	210	9.4	46	2	3	8	11	18	24	37
A. NOT OPERATED	264	7.3	29	2	2	6	10	13	16	26
B. OPERATED	631	7.6	31	1	2	7	10	14	18	29
TOTAL 0-27 DYS	8	5.9	7	1	2	6	7	9	10	10
1-11 MOS	14	10.2	76	2	3	9	11	17	33	37
1-5 YRS	20	8.4	42	1	1	7	11	18	22	23
6-12 YRS	29	9.9	101	2	2	7	12	17	25	54
13-19 YRS	824	7.4	27	1	2	7	10	14	17	27
GRAND TOTAL	**895**	**7.5**	**30**	**1**	**2**	**7**	**10**	**14**	**17**	**28**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	7	5.6	19	2	2	4	7	13	14	14
6-12 YRS	8	7.0	32	2	2	6	9	16	19	19
13-19 YRS	27	6.4	12	2	3	6	10	12	12	13
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	2	4.5	13	2	2	4	7	7	7	7
6-12 YRS	4	10.5	34	2	2	12	14	15	15	15
13-19 YRS	52	7.1	33	1	2	6	8	15	22	26
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	16	6.1	19	1	1	6	9	13	14	15
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	2	16.5	313	4	4	16	29	29	29	29
6-12 YRS	2	21.0	450	6	6	21	36	36	36	36
13-19 YRS	14	16.0	415	1	2	10	22	36	69	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	6.5	16	2	2	6	9	12	13	19
B. *Operated*	60	7.4	32	1	2	7	9	15	20	26
2. MULTIPLE DX										
A. *Not Operated*	20	6.4	16	1	1	6	9	12	14	15
B. *Operated*	20	15.6	337	1	2	10	22	33	57	79
1. SINGLE DX	103	7.0	25	1	2	6	9	13	18	25
2. MULTIPLE DX	40	11.0	194	1	2	7	11	26	33	79
A. NOT OPERATED	63	6.5	16	1	2	6	9	12	14	18
B. OPERATED	80	9.5	118	1	2	7	11	22	27	66
TOTAL 0-27 DYS	2	8.5	61	3	3	8	14	14	14	14
1-11 MOS	4	9.8	2	8	8	10	11	11	11	11
1-5 YRS	12	7.3	58	2	2	5	8	18	27	29
6-12 YRS	16	9.6	74	2	2	7	12	19	31	36
13-19 YRS	109	7.9	81	1	2	6	10	15	22	51
GRAND TOTAL	**143**	**8.1**	**75**	**1**	**2**	**6**	**10**	**15**	**22**	**39**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	20.3	50	14	14	19	26	28	28	28
6-12 YRS	8	4.5	5	1	1	5	6	7	7	7
13-19 YRS	56	6.6	19	1	3	5	8	13	16	22
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	25	4.9	21	1	2	3	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.3	8	3	3	8	8	8	8	8
13-19 YRS	44	7.0	27	1	1	6	8	12	18	27
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	59.0		59	59	59	59	59	59	59
6-12 YRS										
13-19 YRS	17	9.7	68	<1	1	9	13	19	29	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	67	6.9	26	1	2	5	8	14	19	27
B. *Operated*	26	4.8	20	1	2	3	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*	48	7.1	25	1	1	6	8	12	18	27
B. *Operated*	18	12.4	199	<1	2	9	13	29	49	59
1. SINGLE DX	93	6.3	25	1	2	5	8	13	18	25
2. MULTIPLE DX	66	8.5	76	1	1	7	10	18	21	55
A. NOT OPERATED	115	7.0	26	1	2	6	8	13	18	27
B. OPERATED	44	8.0	105	1	2	5	10	18	25	59
TOTAL 0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	4	30.0	407	14	14	23	43	59	59	59
6-12 YRS	12	4.9	5	1	2	5	7	8	8	8
13-19 YRS	142	6.8	28	1	2	5	9	13	18	28
GRAND TOTAL	**159**	**7.3**	**47**	**1**	**2**	**5**	**9**	**14**	**19**	**33**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	22	6.5	23	2	2	4	10	14	16	18
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	1	1	1	2	2	2	2
13-19 YRS	29	4.3	15	1	1	2	7	11	12	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	7.3	20	3	3	7	11	12	12	12
1-5 YRS										
6-12 YRS	2	3.5	5	2	2	3	5	5	5	5
13-19 YRS	10	6.2	6	2	3	6	9	10	10	10
B. *Operated*										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS										
13-19 YRS	7	7.7	45	1	1	5	10	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	6.4	21	2	2	5	9	14	16	18
B. *Operated*	32	4.1	14	1	1	2	6	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	16	6.0	8	2	2	5	8	10	11	12
B. *Operated*	8	7.9	39	1	2	7	10	18	21	21
1. SINGLE DX	57	5.1	18	1	1	3	8	12	14	18
2. MULTIPLE DX	24	6.6	18	2	2	5	9	11	15	21
A. NOT OPERATED	41	6.2	15	2	2	5	8	12	14	18
B. OPERATED	40	4.9	21	1	1	3	8	11	13	21
TOTAL 0-27 DYS	2	4.5	1	4	4	4	5	5	5	5
1-11 MOS	5	7.2	12	3	3	7	10	12	12	12
1-5 YRS										
6-12 YRS	6	3.3	3	1	1	3	5	5	5	5
13-19 YRS	68	5.6	20	1	1	4	8	12	14	20
GRAND TOTAL	**81**	**5.5**	**18**	**1**	**1**	**5**	**8**	**12**	**14**	**20**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	5.4	60	1	1	3	5	18	24	24
1-5 YRS	44	3.2	14	<1	1	2	3	6	11	22
6-12 YRS	100	3.4	4	1	1	3	4	7	8	10
13-19 YRS	396	4.9	13	1	1	4	6	9	11	19
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	4.6	14	2	2	2	8	10	10	10
1-5 YRS	7	3.9	9	<1	<1	3	6	9	9	9
6-12 YRS	24	6.1	22	1	2	5	8	16	16	16
13-19 YRS	256	4.8	16	1	2	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	32	2	2	6	10	10	10	10
1-11 MOS	7	4.3	14	<1	<1	3	5	11	12	12
1-5 YRS	27	3.7	11	1	1	3	4	8	11	16
6-12 YRS	72	3.6	6	1	1	3	4	8	9	10
13-19 YRS	384	5.4	18	1	1	5	7	10	13	20
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.0	45	2	2	7	13	16	16	16
1-5 YRS	3	4.3	24	1	1	2	8	10	10	10
6-12 YRS	7	9.0	78	2	2	7	12	24	27	27
13-19 YRS	147	6.7	44	1	2	4	6	14	21	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	548	4.5	13	1	1	4	6	9	10	19
B. *Operated*	293	4.9	17	1	2	3	6	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	492	5.0	16	1	1	4	7	10	13	19
B. *Operated*	161	6.8	45	1	2	4	9	14	22	32
1. SINGLE DX	841	4.6	14	1	1	4	6	9	12	20
2. MULTIPLE DX	653	5.4	24	1	1	4	7	11	14	25
A. NOT OPERATED	1040	4.7	14	1	1	4	6	9	12	19
B. OPERATED	454	5.5	27	1	2	4	7	12	16	25
TOTAL 0-27 DYS	3	4.3	24	1	1	2	8	10	10	10
1-11 MOS	24	5.3	32	<1	1	3	6	12	18	24
1-5 YRS	81	3.5	13	<1	1	2	4	8	10	20
6-12 YRS	203	4.0	11	1	1	3	5	8	10	16
13-19 YRS	1183	5.3	19	1	1	4	7	10	13	22
GRAND TOTAL	**1494**	**5.0**	**18**	**1**	**1**	**4**	**7**	**10**	**13**	**22**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	3.4	7	1	1	2	5	7	8	8
1-5 YRS	292	3.4	5	1	1	3	4	7	8	10
6-12 YRS	253	4.3	10	1	2	4	5	7	10	16
13-19 YRS	144	4.4	8	1	1	4	6	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	5	1.6	2	<1	<1	<1	2	4	4	4
1-5 YRS	126	1.6	3	<1	<1	1	2	2	4	12
6-12 YRS	184	2.7	9	<1	1	2	3	5	6	20
13-19 YRS	1096	2.6	5	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	3.9	8	1	1	3	5	8	11	11
1-5 YRS	110	3.8	9	1	1	3	5	7	9	16
6-12 YRS	82	4.6	9	1	1	4	6	8	10	15
13-19 YRS	88	5.4	22	<1	1	5	7	9	13	29
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	26	4.1	10	1	1	3	6	10	11	12
6-12 YRS	57	4.1	18	<1	1	2	4	12	14	19
13-19 YRS	376	3.1	4	1	1	3	4	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	697	3.9	8	1	1	3	5	7	9	14
B. *Operated*	1411	2.5	5	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	291	4.5	13	1	1	4	6	8	11	19
B. *Operated*	460	3.3	7	1	1	3	4	6	9	14
1. SINGLE DX	2108	3.0	6	<1	1	2	4	6	7	13
2. MULTIPLE DX	751	3.8	9	1	1	3	5	7	9	15
A. NOT OPERATED	988	4.1	9	1	1	3	5	7	9	15
B. OPERATED	1871	2.7	6	<1	1	2	3	5	6	12
TOTAL 0-27 DYS										
1-11 MOS	25	3.3	6	<1	<1	3	4	6	9	11
1-5 YRS	554	3.1	6	<1	1	2	4	6	8	12
6-12 YRS	576	3.8	11	1	1	3	5	7	10	16
13-19 YRS	1704	3.0	6	<1	1	2	4	6	7	13
GRAND TOTAL	**2859**	**3.2**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	10	3.0	4	1	1	3	4	6	8	8
B. *Operated*										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	12	2.6	3	1	1	2	3	5	6	6
6-12 YRS	106	3.2	2	1	2	3	4	5	5	7
13-19 YRS	1100	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	29	1.1		<1	<1	1	1	2	2	2
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	9	4.3	2	3	3	4	5	7	7	7
1-5 YRS	6	3.5	3	1	1	4	5	5	5	5
6-12 YRS	94	3.6	3	1	2	3	4	6	7	11
13-19 YRS	870	3.8	3	2	2	4	5	6	7	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.4	4	<1	1	2	3	4	7	8
B. *Operated*	1222	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	33	1.1		<1	<1	1	1	2	2	2
B. *Operated*	981	3.8	3	2	2	4	5	6	7	9
1. SINGLE DX	1237	3.4	3	1	2	3	4	5	6	8
2. MULTIPLE DX	1014	3.7	3	1	2	3	5	6	7	9
A. NOT OPERATED	48	1.5	2	<1	<1	1	2	3	4	8
B. OPERATED	2203	3.5	3	1	2	3	4	6	6	9
TOTAL 0-27 DYS	4	2.8	3	<1	<1	2	4	5	5	5
1-11 MOS	11	3.9	3	1	2	4	5	6	7	7
1-5 YRS	22	2.6	3	<1	1	2	4	5	6	6
6-12 YRS	205	3.3	3	1	2	3	4	5	6	9
13-19 YRS	2009	3.5	3	1	2	3	4	6	6	8
GRAND TOTAL	**2251**	**3.5**	**3**	**1**	**2**	**3**	**4**	**6**	**6**	**8**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	1.5		<1	<1	1	2	2	2	2
6-12 YRS	6	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	13	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	12	1.9	1	<1	<1	2	2	3	4	4
1-5 YRS	248	1.8	1	<1	<1	2	2	3	3	5
6-12 YRS	553	1.8	1	<1	<1	2	2	3	3	5
13-19 YRS	1275	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.1		1	1	1	1	2	2	2
6-12 YRS	14	1.4	1	<1	<1	1	1	2	4	4
13-19 YRS	18	2.3	8	<1	<1	1	2	6	9	11
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	3	3.3	2	2	2	3	4	5	5	5
1-5 YRS	18	3.0	5	1	1	2	4	6	8	10
6-12 YRS	48	2.0	1	<1	<1	2	2	3	4	6
13-19 YRS	156	2.3	2	<1	<1	2	3	4	5	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.6	1	<1	<1	1	2	3	3	4
B. *Operated*	2090	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	39	1.7	4	<1	<1	1	1	4	6	11
B. *Operated*	226	2.3	2	<1	<1	2	3	4	5	8
1. SINGLE DX	2115	1.8	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX	265	2.3	2	<1	<1	2	3	4	5	9
A. NOT OPERATED	64	1.7	3	<1	<1	1	2	3	4	10
B. OPERATED	2316	1.9	1	<1	<1	2	2	3	4	5
TOTAL 0-27 DYS	3	2.7	2	1	1	3	4	4	4	4
1-11 MOS	15	2.2	1	<1	<1	2	3	4	5	5
1-5 YRS	279	1.9	1	<1	<1	2	2	3	4	8
6-12 YRS	621	1.8	1	<1	<1	2	2	3	4	5
13-19 YRS	1462	1.8	1	<1	<1	2	2	3	4	5
GRAND TOTAL	**2380**	**1.8**	**1**	**<1**	**<1**	**2**	**2**	**3**	**4**	**5**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	19.2	315	<1	<1	19	28	47	47	47
1-11 MOS	33	12.8	75	1	3	10	19	24	28	34
1-5 YRS	120	12.7	71	2	3	11	18	24	29	37
6-12 YRS	177	14.4	81	2	5	13	20	27	30	44
13-19 YRS	108	15.2	123	2	3	12	21	31	39	48
B. *Operated*										
0-27 DYS										
1-11 MOS	12	21.1	197	1	4	22	33	41	42	42
1-5 YRS	73	16.7	102	2	5	16	22	29	41	47
6-12 YRS	140	18.7	162	3	4	17	27	37	43	49
13-19 YRS	170	15.1	164	1	2	12	22	33	42	53
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	13.3	92	3	3	15	20	22	22	22
1-11 MOS	16	19.4	70	7	8	21	27	28	30	31
1-5 YRS	59	16.5	105	2	4	14	26	30	35	39
6-12 YRS	65	17.2	98	2	5	16	24	29	33	40
13-19 YRS	75	16.1	135	2	2	14	25	32	37	43
B. *Operated*										
0-27 DYS	1	19.0		19	19	19	19	19	19	19
1-11 MOS	22	28.4	389	7	11	25	34	49	72	98
1-5 YRS	36	24.6	218	7	8	21	30	48	57	60
6-12 YRS	95	23.3	179	3	6	22	30	40	46	69
13-19 YRS	154	22.2	282	2	5	19	32	45	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	443	14.1	91	2	4	12	20	27	32	45
B. *Operated*	395	16.8	155	2	3	14	24	35	42	49
2. MULTIPLE DX										
A. *Not Operated*	218	16.7	110	2	3	15	25	30	35	41
B. *Operated*	308	23.3	250	3	6	21	31	44	53	81
1. SINGLE DX	838	15.4	123	2	3	13	21	30	39	48
2. MULTIPLE DX	526	20.6	202	2	4	20	28	39	45	75
A. NOT OPERATED	661	14.9	98	2	3	13	21	28	32	43
B. OPERATED	703	19.6	206	2	4	17	28	40	46	68
TOTAL 0-27 DYS	9	17.2	189	<1	1	19	22	37	47	47
1-11 MOS	83	19.4	208	2	5	18	25	34	41	84
1-5 YRS	288	16.0	117	3	4	14	21	29	37	51
6-12 YRS	477	17.8	137	3	5	16	24	33	40	49
13-19 YRS	507	17.4	196	2	3	14	25	38	44	68
GRAND TOTAL	**1364**	**17.4**	**159**	**2**	**4**	**15**	**24**	**34**	**42**	**55**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	4.7	16	1	1	4	8	9	9	9
1-5 YRS	82	6.9	46	<1	1	4	9	15	21	80
6-12 YRS	237	6.9	56	1	1	4	9	16	22	39
13-19 YRS	208	3.9	33	<1	1	3	4	6	10	25
B. *Operated*										
0-27 DYS										
1-11 MOS	6	3.0	3	1	1	3	3	6	6	6
1-5 YRS	138	3.9	15	<1	1	2	5	9	12	18
6-12 YRS	969	5.3	24	1	1	4	7	11	15	24
13-19 YRS	2659	4.2	22	1	1	3	5	8	11	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	9	9.4	53	2	2	7	12	22	25	25
1-5 YRS	35	5.0	23	<1	1	3	7	11	15	22
6-12 YRS	102	5.9	55	<1	1	3	7	16	23	37
13-19 YRS	190	4.8	22	1	1	3	6	10	14	30
B. *Operated*										
0-27 DYS										
1-11 MOS	6	6.2	30	2	2	3	14	83	99+	99+
1-5 YRS	42	5.1	47	1	1	2	6	12	17	39
6-12 YRS	232	7.2	62	1	1	5	9	18	23	36
13-19 YRS	946	5.1	38	1	1	3	5	10	14	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	530	5.7	47	<1	1	4	7	13	18	39
B. *Operated*	3772	4.5	23	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	337	5.3	33	1	1	3	7	11	17	32
B. *Operated*	1226	5.5	44	1	1	3	6	11	17	40
1. SINGLE DX	4302	4.6	26	1	1	3	5	9	13	24
2. MULTIPLE DX	1563	5.4	41	1	1	3	6	11	17	35
A. NOT OPERATED	867	5.6	42	<1	1	4	7	12	18	33
B. OPERATED	4998	4.7	28	1	1	3	5	9	13	26
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	24	6.4	34	1	2	4	9	17	44	99+
1-5 YRS	297	5.0	30	<1	1	3	7	11	16	36
6-12 YRS	1540	5.9	38	1	1	4	7	13	18	31
13-19 YRS	4003	4.4	27	1	1	3	5	8	11	25
GRAND TOTAL	**5865**	**4.8**	**30**	**1**	**1**	**3**	**5**	**10**	**14**	**28**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	11	1.6	1	<1	<1	<1	2	3	3	3
6-12 YRS	6	4.5	22	2	2	3	4	13	14	14
13-19 YRS	9	2.4	5	<1	<1	1	4	6	6	6
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	2.7	2	1	1	2	4	4	5	5
1-5 YRS	66	3.3	3	1	1	3	4	6	7	8
6-12 YRS	243	4.5	25	1	2	4	5	7	9	22
13-19 YRS	540	4.0	10	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	1.2		<1	<1	1	1	2	2	2
6-12 YRS	13	2.3	3	<1	<1	1	4	5	6	6
13-19 YRS	22	2.1	6	<1	<1	1	1	6	9	11
B. *Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	3.8	2	2	2	4	5	5	5	5
1-5 YRS	72	3.2	4	1	1	3	4	5	8	11
6-12 YRS	226	5.8	44	1	2	4	6	10	13	41
13-19 YRS	394	5.3	45	1	2	4	6	9	12	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.6	7	<1	<1	2	3	5	7	14
B. *Operated*	865	4.1	14	<1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	45	2.0	4	<1	<1	1	2	5	6	11
B. *Operated*	697	5.2	41	1	2	4	6	9	12	39
1. SINGLE DX	892	4.0	14	<1	1	3	5	7	9	14
2. MULTIPLE DX	742	5.0	39	1	1	4	6	9	12	38
A. NOT OPERATED	72	2.2	5	<1	<1	1	3	5	6	13
B. OPERATED	1562	4.6	26	1	1	4	5	8	10	23
TOTAL 0-27 DYS	3	3.7		3	3	4	4	4	4	4
1-11 MOS	20	2.8	2	1	1	2	4	5	5	5
1-5 YRS	158	3.0	3	<1	1	2	4	5	7	10
6-12 YRS	488	5.0	34	1	2	4	5	8	11	41
13-19 YRS	965	4.5	25	<1	1	4	5	8	10	20
GRAND TOTAL	**1634**	**4.5**	**25**	**<1**	**1**	**4**	**5**	**8**	**10**	**23**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	14	4.4	16	<1	1	3	6	9	14	16
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS										
13-19 YRS	8	3.0	7	<1	<1	2	3	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS										
1-5 YRS	2	16.5	221	6	6	16	27	27	27	27
6-12 YRS	2	3.0		3	3	3	3	3	3	3
13-19 YRS	12	4.3	12	1	1	3	5	10	13	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	5.5	41	1	1	5	10	10	10	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	4.1	15	<1	1	3	5	8	14	16
B. *Operated*	10	3.3	7	<1	<1	2	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*	18	5.9	39	1	1	4	6	12	21	27
B. *Operated*	2	5.5	41	1	1	5	10	10	10	10
1. SINGLE DX	26	3.8	12	<1	1	3	4	8	10	16
2. MULTIPLE DX	20	5.9	37	1	1	4	7	12	20	27
A. NOT OPERATED	34	5.0	27	1	1	3	6	11	15	27
B. OPERATED	12	3.7	10	<1	1	2	5	9	10	10
TOTAL 0-27 DYS	2	7.5	25	4	4	7	11	11	11	11
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	4	10.3	132	1	1	6	17	27	27	27
6-12 YRS	3	3.0		3	3	3	3	3	3	3
13-19 YRS	36	4.1	13	<1	1	3	5	9	12	16
GRAND TOTAL	**46**	**4.7**	**23**	**1**	**1**	**3**	**6**	**10**	**14**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	5.3	33	2	2	2	10	12	12	12
1-11 MOS	11	2.3	2	<1	<1	2	4	5	5	5
1-5 YRS	87	2.2	3	<1	1	2	3	4	5	10
6-12 YRS	190	3.2	6	1	1	3	4	6	8	14
13-19 YRS	375	3.9	10	<1	1	3	5	8	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.4	28	<1	<1	2	3	4	17	23
1-5 YRS	174	2.6	3	<1	1	2	3	5	6	8
6-12 YRS	390	5.6	33	<1	1	3	8	14	16	28
13-19 YRS	1873	4.7	23	1	1	3	5	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	16	3.3	6	1	1	3	4	8	9	10
1-5 YRS	55	2.9	6	1	1	2	3	7	9	12
6-12 YRS	149	3.9	12	1	1	3	4	8	12	19
13-19 YRS	375	4.5	11	<1	1	4	6	9	11	15
B. *Operated*										
0-27 DYS	2	3.0	2	2	2	3	4	4	4	4
1-11 MOS	15	4.0	9	1	1	3	6	9	10	11
1-5 YRS	168	3.6	7	1	2	3	4	7	8	13
6-12 YRS	303	5.4	41	1	2	3	6	12	16	43
13-19 YRS	1316	4.2	30	1	1	3	4	9	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	666	3.5	8	<1	1	3	4	7	10	14
B. *Operated*	2453	4.7	24	<1	1	3	5	12	15	23
2. MULTIPLE DX										
A. *Not Operated*	597	4.2	11	1	1	3	5	9	11	16
B. *Operated*	1804	4.4	29	1	1	3	4	10	14	28
1. SINGLE DX	3119	4.4	21	<1	1	3	5	11	14	22
2. MULTIPLE DX	2401	4.3	25	1	1	3	5	9	13	25
A. NOT OPERATED	1263	3.8	10	<1	1	3	5	8	11	14
B. OPERATED	4257	4.6	26	1	1	3	5	11	14	25
TOTAL 0-27 DYS	7	4.3	14	2	2	2	5	11	12	12
1-11 MOS	58	3.3	12	<1	1	2	4	7	10	22
1-5 YRS	484	2.9	5	<1	1	2	4	6	7	10
6-12 YRS	1032	4.9	28	1	1	3	5	12	15	25
13-19 YRS	3939	4.4	23	1	1	3	5	10	14	24
GRAND TOTAL	**5520**	**4.4**	**22**	**1**	**1**	**3**	**5**	**10**	**14**	**23**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	6	5.0	6	<1	<1	5	6	8	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	5	5.6	19	2	2	5	7	13	13	13
13-19 YRS	26	4.7	8	1	1	4	6	10	10	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	7.0		7	7	7	7	7	7	7
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.4	5	<1	1	5	6	7	8	8
B. *Operated*	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	32	4.8	9	1	1	4	6	10	11	13
B. *Operated*	3	6.0	1	5	5	6	7	7	7	7
1. SINGLE DX	11	3.9	5	<1	<1	4	6	7	8	8
2. MULTIPLE DX	35	4.9	8	1	1	5	6	10	11	13
A. NOT OPERATED	41	4.7	8	<1	1	4	6	9	11	13
B. OPERATED	5	4.2	7	<1	<1	5	6	7	7	7
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.7	1	5	5	5	7	7	7	7
6-12 YRS	9	4.4	12	2	2	3	5	10	13	13
13-19 YRS	34	4.6	8	<1	1	4	6	8	10	11
GRAND TOTAL	**46**	**4.7**	**8**	**<1**	**1**	**4**	**6**	**8**	**10**	**13**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	13	3.5	12	<1	<1	3	3	9	12	13
1-11 MOS	50	3.7	28	<1	<1	2	4	7	18	26
1-5 YRS	54	1.8	3	<1	<1	1	2	4	5	10
6-12 YRS	13	2.6	4	<1	<1	2	3	6	7	7
13-19 YRS	14	4.1	19	1	1	3	4	8	16	18
B. *Operated*										
0-27 DYS	19	8.2	19	2	3	8	12	13	15	17
1-11 MOS	96	7.9	38	2	3	7	10	12	14	40
1-5 YRS	67	6.9	66	2	2	4	8	14	18	50
6-12 YRS	35	7.2	43	1	2	4	10	15	25	28
13-19 YRS	45	5.8	20	1	2	5	9	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	6.5	41	1	2	5	10	38	88	99+
1-11 MOS	99	4.5	16	1	1	3	6	8	14	21
1-5 YRS	160	5.1	83	<1	1	3	5	8	13	64
6-12 YRS	64	9.4	212	<1	1	5	10	24	29	85
13-19 YRS	63	11.7	476	1	1	4	8	36	81	99
B. *Operated*										
0-27 DYS	21	19.9	207	5	7	16	22	39	52	66
1-11 MOS	86	13.0	95	2	4	10	17	28	34	44
1-5 YRS	131	10.2	156	1	2	6	12	25	43	75
6-12 YRS	103	9.5	89	1	2	7	10	23	32	47
13-19 YRS	68	11.9	87	2	3	10	15	23	31	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	144	2.9	15	<1	<1	2	3	6	9	24
B. *Operated*	262	7.2	42	2	2	6	9	12	17	38
2. MULTIPLE DX										
A. *Not Operated*	398	6.7	154	1	1	3	6	14	23	84
B. *Operated*	409	11.4	122	2	2	8	15	27	36	61
1. SINGLE DX	406	5.7	36	<1	1	4	8	12	15	31
2. MULTIPLE DX	807	9.1	143	1	1	5	10	22	32	81
A. NOT OPERATED	542	5.7	119	<1	1	3	5	11	18	81
B. OPERATED	671	9.8	95	2	2	7	12	21	32	53
TOTAL 0-27 DYS	65	10.7	123	1	2	8	15	23	38	95
1-11 MOS	331	7.6	57	1	1	5	9	16	24	37
1-5 YRS	412	6.6	100	<1	1	4	7	15	23	61
6-12 YRS	215	8.7	115	1	1	5	10	19	28	56
13-19 YRS	190	9.8	202	1	2	6	12	19	31	97
GRAND TOTAL	**1213**	**7.9**	**110**	**1**	**1**	**5**	**9**	**18**	**27**	**70**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		<1	<1	1	1	1	1	1
1-11 MOS	206	1.1	1	<1	<1	<1	1	1	2	5
1-5 YRS	216	1.4	2	<1	<1	1	1	2	3	10
6-12 YRS	17	2.4	6	<1	<1	1	3	7	8	8
13-19 YRS	16	4.2	19	<1	<1	3	4	12	15	16
B. *Operated*										
0-27 DYS	11	3.6	8	1	1	3	5	8	9	9
1-11 MOS	206	2.2	4	<1	<1	2	2	4	5	14
1-5 YRS	682	2.0	2	<1	<1	2	2	3	4	8
6-12 YRS	695	2.1	2	<1	1	2	2	3	4	7
13-19 YRS	468	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.0	91	2	2	3	15	19	19	19
1-11 MOS	53	2.1	8	<1	<1	1	2	5	7	19
1-5 YRS	81	1.3	1	<1	<1	1	1	2	4	6
6-12 YRS	26	2.0	3	<1	1	1	2	4	7	8
13-19 YRS	11	2.1	5	<1	<1	1	3	5	8	8
B. *Operated*										
0-27 DYS	6	2.5	1	2	2	2	3	4	4	4
1-11 MOS	89	3.0	9	<1	1	2	3	6	7	17
1-5 YRS	173	2.4	4	<1	1	2	3	4	5	12
6-12 YRS	176	2.6	6	<1	1	2	3	4	6	16
13-19 YRS	107	3.5	11	1	1	3	4	6	9	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	458	1.4	3	<1	<1	1	1	2	3	10
B. *Operated*	2062	2.2	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	174	1.8	6	<1	<1	1	1	4	5	16
B. *Operated*	551	2.8	7	<1	1	2	3	5	7	17
1. SINGLE DX	2520	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	725	2.5	6	<1	<1	2	3	5	6	17
A. NOT OPERATED	632	1.5	3	<1	<1	1	1	2	5	10
B. OPERATED	2613	2.3	3	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	23	3.6	16	<1	1	2	3	8	12	19
1-11 MOS	554	1.9	4	<1	<1	1	2	3	5	13
1-5 YRS	1152	1.9	2	<1	<1	2	2	3	4	8
6-12 YRS	914	2.2	3	<1	1	2	2	4	5	8
13-19 YRS	602	2.6	4	<1	1	2	3	4	6	12
GRAND TOTAL	**3245**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**5**	**9**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	44	4.0	17	<1	<1	2	6	8	12	23
1-11 MOS	76	3.1	7	<1	<1	2	4	7	8	13
1-5 YRS	59	2.5	7	<1	<1	2	3	5	9	15
6-12 YRS	16	2.5	3	<1	1	2	3	4	6	7
13-19 YRS	26	3.1	5	<1	1	2	5	7	8	8
B. *Operated*										
0-27 DYS	29	8.8	168	1	1	6	10	15	25	70
1-11 MOS	340	5.6	49	1	1	3	8	11	15	33
1-5 YRS	1034	4.7	19	1	1	2	7	10	12	21
6-12 YRS	417	4.9	21	1	1	2	8	10	13	23
13-19 YRS	308	5.4	31	1	1	3	8	11	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	65	6.6	71	1	1	4	8	12	17	53
1-11 MOS	294	5.8	40	1	1	4	7	14	20	33
1-5 YRS	251	4.3	21	<1	1	3	5	9	13	33
6-12 YRS	50	3.2	8	<1	<1	2	4	7	10	15
13-19 YRS	80	4.6	39	1	1	3	5	9	12	39
B. *Operated*										
0-27 DYS	64	12.5	217	1	2	9	16	35	88	99+
1-11 MOS	683	8.5	99	1	1	6	11	18	26	52
1-5 YRS	1098	6.9	70	1	1	3	9	15	22	49
6-12 YRS	458	6.5	68	1	1	3	9	14	19	47
13-19 YRS	314	6.7	68	1	1	3	9	13	19	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	3.1	9	<1	<1	2	4	7	8	14
B. *Operated*	2128	5.1	28	1	1	2	8	10	13	24
2. MULTIPLE DX										
A. *Not Operated*	740	5.1	35	<1	1	3	6	10	15	34
B. *Operated*	2617	7.4	82	1	1	4	10	16	23	56
1. SINGLE DX	2349	4.9	27	1	1	2	7	10	13	23
2. MULTIPLE DX	3357	6.9	72	1	1	4	9	15	21	50
A. NOT OPERATED	961	4.6	30	<1	1	3	6	9	14	31
B. OPERATED	4745	6.3	59	1	1	3	9	13	18	42
TOTAL 0-27 DYS	202	8.2	128	1	1	5	9	20	29	99+
1-11 MOS	1393	7.0	72	1	1	4	9	15	21	46
1-5 YRS	2442	5.6	43	1	1	2	8	12	16	35
6-12 YRS	941	5.6	44	1	1	2	8	11	15	28
13-19 YRS	728	5.8	48	1	1	3	8	12	16	35
GRAND TOTAL	**5706**	**6.0**	**54**	**1**	**1**	**3**	**8**	**13**	**18**	**39**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	5.0	9	3	3	4	6	10	10	10
1-11 MOS	7	1.7	2	1	1	1	2	4	5	5
1-5 YRS	10	2.0	4	<1	<1	1	3	5	7	7
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS	19	4.3	11	1	1	4	6	8	12	15
1-11 MOS	476	4.7	7	2	2	4	6	8	8	11
1-5 YRS	503	4.1	4	1	2	4	5	7	7	9
6-12 YRS	158	3.2	2	1	2	3	4	5	6	9
13-19 YRS	158	3.2	3	1	2	3	4	5	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	6	7.5	19	2	2	7	8	14	15	15
1-11 MOS	37	3.6	42	<1	<1	1	3	7	21	31
1-5 YRS	51	1.7	4	<1	<1	1	1	4	8	9
6-12 YRS	6	1.5	2	<1	<1	1	1	4	4	4
13-19 YRS	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-27 DYS	14	6.4	83	2	2	3	7	11	31	37
1-11 MOS	211	4.9	6	2	2	5	6	8	8	13
1-5 YRS	373	4.5	6	2	2	4	6	7	8	14
6-12 YRS	147	3.5	3	1	2	3	4	6	7	8
13-19 YRS	173	3.4	4	1	2	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.5	6	<1	1	1	3	6	8	10
B. *Operated*	1314	4.1	5	1	2	4	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	105	2.7	20	<1	<1	1	2	7	9	28
B. *Operated*	918	4.3	7	2	2	4	6	7	8	13
1. SINGLE DX	1337	4.1	5	1	2	4	5	7	8	10
2. MULTIPLE DX	1023	4.1	8	1	1	4	5	7	8	13
A. NOT OPERATED	128	2.6	17	<1	<1	1	3	7	9	27
B. OPERATED	2232	4.2	6	1	2	4	6	7	8	10
TOTAL 0-27 DYS	44	5.5	34	1	2	4	7	9	15	37
1-11 MOS	731	4.7	8	1	2	4	6	8	8	12
1-5 YRS	937	4.1	5	1	1	4	6	7	8	10
6-12 YRS	312	3.3	3	1	1	3	4	5	6	9
13-19 YRS	336	3.3	4	1	2	3	4	6	7	10
GRAND TOTAL	**2360**	**4.1**	**6**	**1**	**2**	**4**	**5**	**7**	**8**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	30	2.6	4	1	1	2	3	5	6	9
1-11 MOS	68	2.8	4	1	1	2	4	6	7	10
1-5 YRS	14	3.2	5	1	1	2	5	7	7	7
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	363	4.0	3	2	2	4	5	6	7	10
1-11 MOS	824	3.9	3	2	2	4	5	6	7	11
1-5 YRS	121	4.4	4	2	2	4	5	7	8	10
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	16	5.2	30	2	2	3	5	12	19	22
1-11 MOS	37	5.6	15	2	2	5	7	10	13	20
1-5 YRS	12	4.9	17	1	1	4	6	13	13	13
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	76	6.1	13	2	3	5	8	11	14	17
1-11 MOS	178	5.9	27	2	3	5	7	10	12	30
1-5 YRS	40	7.8	32	3	4	6	8	17	21	27
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	2.8	4	1	1	2	4	6	7	10
B. *Operated*	1308	4.0	3	2	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	65	5.4	18	1	2	4	7	11	13	22
B. *Operated*	294	6.2	25	2	3	5	7	11	13	25
1. SINGLE DX	1420	3.9	4	2	2	4	5	6	7	10
2. MULTIPLE DX	359	6.1	23	2	3	5	7	11	13	22
A. NOT OPERATED	177	3.7	11	1	1	3	5	7	10	18
B. OPERATED	1602	4.4	8	2	2	4	5	7	9	14
TOTAL 0-27 DYS	485	4.3	6	2	2	4	5	7	9	14
1-11 MOS	1107	4.2	8	2	2	4	5	7	9	13
1-5 YRS	187	5.1	13	2	2	4	6	8	11	22
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**1779**	**4.3**	**8**	**2**	**2**	**4**	**5**	**7**	**9**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	26	3.7	14	1	1	2	3	7	12	18
1-11 MOS	129	3.6	21	<1	1	2	4	7	12	24
1-5 YRS	157	2.2	18	<1	<1	1	2	3	5	30
6-12 YRS	45	2.8	5	<1	<1	2	4	7	8	9
13-19 YRS	32	3.9	21	<1	1	3	4	7	15	23
B. *Operated*										
0-27 DYS	38	9.0	84	1	2	8	11	15	18	56
1-11 MOS	181	7.8	72	1	1	5	10	15	21	51
1-5 YRS	344	3.8	20	<1	<1	2	5	10	12	18
6-12 YRS	190	3.8	10	<1	1	3	5	8	9	14
13-19 YRS	219	4.0	9	1	2	3	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	24	6.5	74	<1	1	4	8	11	22	43
1-11 MOS	136	5.8	47	1	1	4	7	12	17	43
1-5 YRS	122	6.8	162	<1	<1	4	6	13	29	92
6-12 YRS	32	4.8	28	1	1	3	6	12	26	99+
13-19 YRS	35	3.5	3	1	1	3	5	7	7	7
B. *Operated*										
0-27 DYS	46	14.2	136	3	3	11	14	32	44	49
1-11 MOS	150	13.2	216	2	2	10	16	26	54	99+
1-5 YRS	203	9.6	155	<1	1	6	11	22	31	68
6-12 YRS	132	5.2	21	1	2	4	7	9	12	24
13-19 YRS	216	5.4	24	1	2	4	7	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	389	3.0	18	<1	<1	2	3	6	8	22
B. *Operated*	972	4.8	31	<1	1	3	6	10	13	28
2. MULTIPLE DX										
A. *Not Operated*	349	5.9	83	<1	1	4	6	11	19	85
B. *Operated*	747	8.6	115	1	2	5	10	18	26	70
1. SINGLE DX	1361	4.3	28	<1	<1	2	5	9	12	27
2. MULTIPLE DX	1096	7.7	107	1	1	5	9	16	25	71
A. NOT OPERATED	738	4.3	51	<1	<1	2	5	8	13	42
B. OPERATED	1719	6.4	71	<1	1	4	8	13	19	49
TOTAL 0-27 DYS	134	9.3	101	1	2	7	11	18	32	50
1-11 MOS	596	7.8	103	1	1	5	10	17	24	70
1-5 YRS	826	5.3	81	<1	<1	2	6	11	18	51
6-12 YRS	399	4.2	15	<1	1	3	5	8	10	24
13-19 YRS	502	4.5	16	1	2	3	6	9	11	22
GRAND TOTAL	**2457**	**5.8**	**66**	**<1**	**1**	**3**	**7**	**12**	**18**	**49**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	24	1.4	1	<1	<1	1	1	3	4	4
6-12 YRS	19	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-27 DYS										
1-11 MOS	10	2.5	3	1	1	2	3	5	6	6
1-5 YRS	1200	2.3	2	<1	1	2	3	4	5	7
6-12 YRS	1207	2.7	2	1	1	2	3	4	5	8
13-19 YRS	386	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	83	1.1		<1	<1	1	1	2	2	4
6-12 YRS	36	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	8	1.8	1	<1	<1	1	2	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	37	2.0	2	<1	<1	2	2	3	5	8
1-5 YRS	1075	2.5	2	<1	1	2	3	4	5	8
6-12 YRS	779	3.2	5	1	1	3	4	6	7	10
13-19 YRS	250	3.2	3	1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	2803	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	131	1.2		<1	<1	1	1	2	2	4
B. *Operated*	2141	2.8	3	<1	1	2	3	5	6	9
1. SINGLE DX	2854	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	2272	2.7	3	<1	1	2	3	5	6	9
A. NOT OPERATED	182	1.3	1	<1	<1	1	1	2	3	4
B. OPERATED	4944	2.7	3	1	1	2	3	4	6	8
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	54	1.9	2	<1	<1	2	2	3	5	8
1-5 YRS	2382	2.3	2	<1	1	2	3	4	5	7
6-12 YRS	2041	2.8	3	1	1	2	3	5	6	8
13-19 YRS	648	3.1	3	1	1	3	4	5	6	9
GRAND TOTAL	**5126**	**2.6**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**	**8**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	2.7	1	1	1	3	4	4	4	4
1-11 MOS	11	2.6	1	1	1	2	3	4	5	5
1-5 YRS	41	2.2	4	<1	<1	1	3	4	7	9
6-12 YRS	10	2.5	3	1	1	2	3	5	6	6
13-19 YRS	29	2.9	4	1	1	2	4	6	7	9
B. *Operated*										
0-27 DYS	11	8.5	146	2	2	5	6	25	42	44
1-11 MOS	89	5.9	17	1	1	5	9	12	13	17
1-5 YRS	1244	5.2	17	<1	1	4	8	10	12	16
6-12 YRS	432	4.4	12	<1	1	3	7	10	12	14
13-19 YRS	467	4.3	12	<1	1	3	6	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	11	3.5	4	1	1	4	5	6	6	6
1-11 MOS	23	4.0	8	1	2	3	6	8	10	11
1-5 YRS	79	1.9	4	<1	<1	1	2	4	7	10
6-12 YRS	30	3.5	14	<1	<1	2	4	10	14	15
13-19 YRS	50	3.4	10	1	1	3	4	6	9	19
B. *Operated*										
0-27 DYS	15	14.4	154	1	3	9	19	35	42	45
1-11 MOS	83	8.0	49	1	2	7	10	16	20	39
1-5 YRS	619	5.5	29	<1	1	4	8	11	15	26
6-12 YRS	340	5.4	24	1	1	4	8	11	15	25
13-19 YRS	416	5.5	26	1	1	4	7	11	15	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	2.5	3	<1	1	2	3	5	6	9
B. *Operated*	2243	4.9	16	<1	1	4	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	193	2.9	8	<1	<1	2	4	6	9	15
B. *Operated*	1473	5.7	30	1	1	4	8	11	16	27
1. SINGLE DX	2340	4.8	16	<1	1	4	7	10	12	16
2. MULTIPLE DX	1666	5.4	29	<1	1	4	8	11	15	26
A. NOT OPERATED	290	2.8	6	<1	<1	2	4	6	8	13
B. OPERATED	3716	5.2	22	<1	1	4	8	11	13	21
TOTAL 0-27 DYS	43	8.4	111	1	1	5	9	22	38	45
1-11 MOS	206	6.4	31	1	1	5	9	13	15	29
1-5 YRS	1983	5.1	21	<1	1	4	8	10	13	19
6-12 YRS	812	4.8	17	<1	1	3	7	10	13	18
13-19 YRS	962	4.7	18	1	1	4	6	9	12	22
GRAND TOTAL	**4006**	**5.0**	**21**	**<1**	**1**	**4**	**7**	**10**	**13**	**21**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	21	1.8	8	<1	<1	1	1	3	8	14
1-5 YRS	17	1.4	2	<1	<1	<1	1	3	5	6
6-12 YRS	3	30.0	2353	<1	<1	3	65	86	86	86
13-19 YRS	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	404	3.0	2	1	1	3	4	5	6	9
1-5 YRS	498	3.4	4	1	1	3	4	6	7	11
6-12 YRS	241	4.0	4	2	2	4	5	7	8	10
13-19 YRS	177	4.3	5	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	29	1.3	1	<1	<1	1	1	2	2	7
1-5 YRS	43	1.3	1	<1	<1	1	1	2	4	5
6-12 YRS	9	1.7	1	<1	<1	1	2	4	4	4
13-19 YRS	5	1.2		1	1	1	2	2	2	2
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	63	5.5	41	1	2	4	6	9	13	37
1-5 YRS	213	4.1	24	1	1	3	4	7	8	36
6-12 YRS	167	4.6	9	2	2	4	5	8	10	16
13-19 YRS	265	4.6	5	2	2	4	6	8	9	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	3.5	159	<1	<1	1	1	4	8	86
B. *Operated*	1322	3.5	4	1	2	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	87	1.3	1	<1	<1	1	1	2	4	6
B. *Operated*	709	4.5	15	1	2	4	5	7	9	16
1. SINGLE DX	1368	3.5	9	1	1	3	4	6	7	11
2. MULTIPLE DX	796	4.2	14	1	1	4	5	7	9	16
A. NOT OPERATED	133	2.1	56	<1	<1	1	1	3	4	26
B. OPERATED	2031	3.9	8	1	2	3	5	6	8	12
TOTAL 0-27 DYS	6	4.8	11	2	2	3	9	9	9	9
1-11 MOS	517	3.2	8	<1	1	3	4	5	7	12
1-5 YRS	771	3.4	10	1	1	3	4	6	7	11
6-12 YRS	420	4.4	22	1	2	4	5	7	9	13
13-19 YRS	450	4.4	5	2	2	4	5	7	9	11
GRAND TOTAL	**2164**	**3.8**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**12**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	23	4.8	38	<1	1	2	5	15	21	22
1-11 MOS	226	3.3	24	<1	<1	2	3	8	12	29
1-5 YRS	258	2.6	9	<1	<1	1	3	6	9	18
6-12 YRS	54	3.7	30	<1	1	2	4	8	13	97
13-19 YRS	88	4.9	95	1	1	3	5	8	11	64
B. *Operated*										
0-27 DYS	16	7.4	57	2	2	6	8	11	27	34
1-11 MOS	619	6.4	40	1	1	4	8	15	20	29
1-5 YRS	1406	4.0	21	1	1	2	5	8	13	24
6-12 YRS	1071	4.0	17	1	1	3	5	7	10	20
13-19 YRS	1624	4.1	14	1	1	3	5	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	42	7.0	46	1	2	5	8	16	23	31
1-11 MOS	241	5.5	71	<1	<1	3	7	12	19	44
1-5 YRS	293	5.3	95	<1	1	2	6	11	17	82
6-12 YRS	103	3.9	26	<1	<1	2	5	8	11	30
13-19 YRS	137	5.7	97	<1	1	3	5	11	22	89
B. *Operated*										
0-27 DYS	11	12.7	204	<1	<1	9	13	37	47	48
1-11 MOS	231	8.3	106	1	1	5	10	18	29	55
1-5 YRS	503	5.8	50	1	1	4	7	12	18	40
6-12 YRS	410	5.9	47	1	2	4	7	13	16	35
13-19 YRS	655	6.3	58	1	2	4	7	13	18	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	649	3.3	29	<1	<1	2	3	7	11	29
B. *Operated*	4736	4.3	21	1	1	3	5	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	816	5.3	77	<1	1	3	6	11	18	61
B. *Operated*	1810	6.4	61	1	1	4	7	14	18	43
1. SINGLE DX	5385	4.2	22	1	1	3	5	8	12	24
2. MULTIPLE DX	2626	6.1	66	1	1	4	7	13	18	44
A. NOT OPERATED	1465	4.4	57	<1	<1	2	5	9	14	45
B. OPERATED	6546	4.9	33	1	1	3	6	10	14	29
TOTAL 0-27 DYS	92	7.2	67	1	1	5	9	16	26	42
1-11 MOS	1317	6.0	57	<1	1	4	8	14	20	40
1-5 YRS	2460	4.3	35	<1	1	2	5	9	14	32
6-12 YRS	1638	4.4	26	1	1	3	5	9	12	24
13-19 YRS	2504	4.8	34	1	1	3	6	9	13	29
GRAND TOTAL	**8011**	**4.8**	**37**	**1**	**1**	**3**	**6**	**10**	**14**	**32**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6063	3.3	16	1	1	2	3	5	10	22
1-11 MOS	594	5.1	49	1	1	3	6	12	17	35
1-5 YRS	641	5.4	37	1	1	3	6	12	18	29
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	64	6.7	57	1	2	4	7	12	21	42
1-11 MOS	62	10.1	269	<1	1	6	12	19	25	93
1-5 YRS	31	5.2	18	<1	<1	4	7	12	14	15
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2668	8.0	99	1	2	4	10	20	28	52
1-11 MOS	729	10.7	153	1	1	6	15	27	37	74
1-5 YRS	634	12.0	157	2	2	8	16	28	37	67
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	165	16.9	378	2	2	10	21	46	70	99
1-11 MOS	100	16.2	272	1	1	12	27	39	54	99+
1-5 YRS	96	21.2	482	1	2	13	33	60	72	99+
6-12 YRS										
13-19 YRS										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7298	3.6	21	1	1	2	3	7	11	24
B. *Operated*	157	7.7	136	<1	1	5	9	15	21	86
2. MULTIPLE DX										
A. *Not Operated*	4031	9.1	121	1	2	5	11	23	32	58
B. *Operated*	361	17.9	378	1	2	11	25	48	70	99+
1. SINGLE DX	7455	3.7	24	1	1	2	4	7	12	24
2. MULTIPLE DX	4392	9.8	147	1	2	5	12	25	35	67
A. NOT OPERATED	11329	5.6	63	1	1	3	5	13	21	41
B. OPERATED	518	14.8	326	1	1	8	18	43	63	99+
TOTAL 0-27 DYS	8960	5.0	55	1	1	3	4	11	18	39
1-11 MOS	1485	8.8	135	1	1	4	11	23	32	71
1-5 YRS	1402	9.5	141	1	2	5	11	22	33	67
6-12 YRS										
13-19 YRS										
GRAND TOTAL	**11847**	**6.0**	**78**	**1**	**1**	**3**	**6**	**14**	**23**	**46**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	96	3.9	17	1	1	3	5	7	9	26
1-11 MOS	795	3.3	8	1	1	3	4	6	8	15
1-5 YRS	2925	2.8	6	1	1	2	3	5	6	11
6-12 YRS	1458	3.0	9	1	1	2	4	5	7	12
13-19 YRS	1639	3.3	6	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS	3	4.0	1	3	3	4	5	5	5	5
1-11 MOS	5	3.2	3	2	2	3	4	6	6	6
1-5 YRS	20	3.3	4	<1	1	3	5	5	7	8
6-12 YRS	14	7.6	31	2	2	5	11	16	18	19
13-19 YRS	27	4.3	4	2	2	4	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	56	6.6	21	2	2	5	9	12	17	26
1-11 MOS	1207	3.8	16	1	1	3	4	7	9	17
1-5 YRS	4541	3.2	7	1	1	3	4	6	7	13
6-12 YRS	973	4.0	20	1	1	3	5	8	10	18
13-19 YRS	1061	4.6	25	1	1	3	5	9	11	24
B. *Operated*										
0-27 DYS										
1-11 MOS	30	8.8	48	2	2	7	12	21	23	25
1-5 YRS	70	6.8	59	1	1	4	8	14	19	43
6-12 YRS	30	7.5	32	2	2	6	8	18	20	21
13-19 YRS	81	7.8	51	1	2	6	10	14	19	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6913	3.0	7	1	1	2	4	5	7	13
B. *Operated*	69	4.6	12	1	2	4	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	7838	3.6	13	1	1	3	4	7	9	16
B. *Operated*	211	7.6	50	1	2	6	9	17	21	41
1. SINGLE DX	6982	3.0	7	1	1	2	4	5	7	13
2. MULTIPLE DX	8049	3.7	14	1	1	3	4	7	9	18
A. NOT OPERATED	14751	3.3	10	1	1	3	4	6	8	14
B. OPERATED	280	6.9	42	1	2	5	8	14	19	38
TOTAL 0-27 DYS	155	4.9	19	1	1	4	6	9	12	26
1-11 MOS	2037	3.7	14	1	1	3	4	7	9	18
1-5 YRS	7556	3.0	7	1	1	2	4	5	7	13
6-12 YRS	2475	3.5	14	1	1	3	4	7	9	18
13-19 YRS	2808	3.9	15	1	1	3	5	7	10	17
GRAND TOTAL	**15031**	**3.4**	**11**	**1**	**1**	**3**	**4**	**6**	**8**	**15**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	183	3.4	4	1	1	3	4	5	7	10
1-11 MOS	714	2.9	2	1	1	3	4	5	6	8
1-5 YRS	915	2.9	7	1	1	2	4	5	6	9
6-12 YRS	353	3.4	4	1	1	3	4	6	8	10
13-19 YRS	222	4.2	9	1	2	3	5	7	10	16
B. *Operated*										
0-27 DYS	5	3.6		3	3	4	4	4	4	4
1-11 MOS	5	4.8	9	2	2	3	8	8	8	8
1-5 YRS	13	4.1	7	<1	1	3	6	8	8	8
6-12 YRS	16	5.1	7	2	3	4	7	9	10	11
13-19 YRS	12	12.0	112	1	1	10	14	26	39	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	162	4.1	5	2	2	4	5	7	8	12
1-11 MOS	972	3.3	5	1	1	3	4	5	7	12
1-5 YRS	1503	3.2	5	1	1	3	4	5	7	12
6-12 YRS	548	3.6	5	1	1	3	5	6	8	11
13-19 YRS	415	4.6	10	1	2	4	6	8	10	16
B. *Operated*										
0-27 DYS	4	4.8	3	3	3	4	6	7	7	7
1-11 MOS	20	8.7	34	1	2	7	12	18	19	20
1-5 YRS	31	8.2	28	2	2	7	13	16	19	19
6-12 YRS	20	9.8	39	2	3	8	13	21	22	23
13-19 YRS	47	11.2	164	2	3	7	13	23	35	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2387	3.1	5	1	1	3	4	5	6	10
B. *Operated*	51	6.3	40	1	2	4	8	12	15	41
2. MULTIPLE DX										
A. *Not Operated*	3600	3.5	6	1	1	3	4	6	8	13
B. *Operated*	122	9.6	83	2	3	7	13	19	22	56
1. SINGLE DX	2438	3.2	6	1	1	3	4	5	7	11
2. MULTIPLE DX	3722	3.7	9	1	1	3	4	6	8	15
A. NOT OPERATED	5987	3.3	6	1	1	3	4	6	7	12
B. OPERATED	173	8.6	72	1	2	6	11	17	21	43
TOTAL 0-27 DYS	354	3.7	4	1	2	3	5	6	7	12
1-11 MOS	1711	3.2	5	1	1	3	4	5	7	12
1-5 YRS	2462	3.1	6	1	1	3	4	5	7	12
6-12 YRS	937	3.7	6	1	1	3	5	7	8	13
13-19 YRS	696	5.0	25	1	2	4	6	9	13	24
GRAND TOTAL	**6160**	**3.5**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	48	2.3	3	1	1	2	3	4	5	11
6-12 YRS	308	2.6	3	1	1	2	3	5	6	9
13-19 YRS	753	3.3	6	1	1	3	4	6	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	7	2.6	1	1	1	2	4	4	4	4
13-19 YRS	40	3.8	6	1	1	3	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	3.5	13	1	1	3	6	6	6	6
1-5 YRS	40	2.1	1	<1	1	2	3	4	4	6
6-12 YRS	301	3.0	4	1	1	3	4	6	7	11
13-19 YRS	785	3.7	7	1	1	3	5	7	8	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	6.3	24	3	3	4	10	12	12	12
6-12 YRS	9	3.9	6	1	1	4	5	8	9	9
13-19 YRS	38	5.5	12	2	2	4	8	10	14	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1110	3.0	5	1	1	2	4	5	7	11
B. *Operated*	49	3.5	5	1	1	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1129	3.5	6	1	1	3	4	6	8	13
B. *Operated*	50	5.2	11	2	2	4	8	10	12	99
1. SINGLE DX	1159	3.1	5	1	1	2	4	6	7	11
2. MULTIPLE DX	1179	3.6	7	1	1	3	4	7	8	14
A. NOT OPERATED	2239	3.3	6	1	1	3	4	6	8	12
B. OPERATED	99	4.4	9	1	2	4	6	9	10	58
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.0	7	1	1	5	6	6	6	6
1-5 YRS	93	2.4	3	1	1	2	3	4	5	12
6-12 YRS	625	2.8	3	1	1	2	3	5	7	10
13-19 YRS	1616	3.6	7	1	1	3	4	6	8	13
GRAND TOTAL	**2338**	**3.3**	**6**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	30	1.7	3	<1	<1	1	2	3	3	10
6-12 YRS	43	2.0	1	<1	<1	2	2	4	5	5
13-19 YRS	64	2.9	5	<1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	42	1.5	2	<1	<1	1	2	3	5	6
6-12 YRS	68	1.8	3	<1	<1	1	2	5	6	9
13-19 YRS	51	3.2	4	<1	<1	2	5	6	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.5	9	<1	<1	1	4	7	7	7
1-5 YRS	54	2.4	2	1	1	2	4	4	5	7
6-12 YRS	67	3.1	4	<1	1	3	4	6	7	9
13-19 YRS	61	3.0	4	<1	1	2	4	6	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	5.5	5	4	4	5	7	7	7	7
1-5 YRS	26	3.0	12	<1	1	2	4	8	11	16
6-12 YRS	35	2.8	6	<1	1	2	4	7	9	9
13-19 YRS	36	3.8	6	1	1	3	5	8	9	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.4	3	<1	<1	2	3	5	6	10
B. *Operated*	161	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	187	2.9	4	<1	1	2	4	6	7	9
B. *Operated*	99	3.3	8	1	1	2	5	8	9	13
1. SINGLE DX	300	2.3	3	<1	<1	1	3	5	6	9
2. MULTIPLE DX	286	3.0	5	<1	1	2	4	6	7	10
A. NOT OPERATED	326	2.7	4	<1	1	2	4	5	6	9
B. OPERATED	260	2.6	5	<1	<1	2	4	6	7	9
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	7	3.1	8	<1	<1	1	6	7	7	7
1-5 YRS	152	2.2	4	<1	<1	1	2	4	5	10
6-12 YRS	213	2.4	4	<1	<1	2	3	6	7	9
13-19 YRS	212	3.2	5	<1	1	3	4	6	7	10
GRAND TOTAL	**586**	**2.6**	**4**	**<1**	**<1**	**2**	**4**	**6**	**7**	**9**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	5	1.8	1	1	1	2	2	3	3	3
1-11 MOS	27	2.7	23	<1	<1	1	3	4	8	26
1-5 YRS	69	3.2	5	<1	<1	3	5	6	8	9
6-12 YRS	58	3.3	4	<1	1	3	4	6	7	11
13-19 YRS	89	3.9	8	1	1	3	5	7	8	17
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	2.4	2	1	1	2	3	5	5	5
1-5 YRS	148	1.9	2	<1	<1	1	2	3	4	9
6-12 YRS	218	2.0	2	<1	<1	2	2	4	5	8
13-19 YRS	414	2.5	5	<1	1	2	3	4	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	7.0	62	1	1	3	11	20	22	22
1-11 MOS	22	4.7	20	<1	1	3	7	12	15	18
1-5 YRS	70	3.9	8	1	1	3	5	7	9	15
6-12 YRS	62	4.3	9	1	2	4	5	7	8	20
13-19 YRS	108	3.3	6	<1	1	3	5	6	8	13
B. *Operated*										
0-27 DYS										
1-11 MOS	6	5.5	26	1	1	4	6	14	15	15
1-5 YRS	57	3.8	13	1	1	3	4	8	13	19
6-12 YRS	53	3.4	7	<1	1	2	4	7	8	14
13-19 YRS	107	3.9	7	1	1	3	5	8	10	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	248	3.4	8	<1	<1	3	4	6	8	12
B. *Operated*	786	2.2	3	<1	<1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	270	3.9	10	1	1	3	5	7	9	18
B. *Operated*	223	3.8	9	1	1	3	5	7	10	15
1. SINGLE DX	1034	2.5	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	493	3.9	10	1	1	3	5	7	9	17
A. NOT OPERATED	518	3.7	9	<1	1	3	5	7	8	18
B. OPERATED	1009	2.6	5	<1	<1	2	3	5	7	12
TOTAL 0-27 DYS	14	4.7	41	<1	1	2	4	17	21	22
1-11 MOS	60	3.7	21	<1	<1	2	4	8	14	25
1-5 YRS	344	2.9	7	<1	<1	2	4	6	8	14
6-12 YRS	391	2.7	5	<1	1	2	4	6	7	10
13-19 YRS	718	3.0	6	<1	1	2	4	6	8	12
GRAND TOTAL	**1527**	**2.9**	**7**	**<1**	**1**	**2**	**4**	**6**	**8**	**13**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS										
1-5 YRS	2	3.5	13	<1	<1	3	6	6	6	6
6-12 YRS	2	6.0	2	5	5	6	7	7	7	7
13-19 YRS	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	20	5.1	28	<1	1	3	6	14	16	17
6-12 YRS	15	3.9	27	<1	1	2	4	8	18	21
13-19 YRS	32	6.2	58	<1	<1	3	7	17	26	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	6	5.5	46	1	1	3	5	18	19	19
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS	8	11.5	42	3	4	10	15	22	24	24
1-5 YRS	9	6.3	51	<1	<1	4	8	18	23	23
6-12 YRS	12	6.8	50	1	1	3	10	20	21	21
13-19 YRS	30	9.4	53	2	2	7	14	21	23	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	4.5	4	<1	<1	5	6	7	7	7
B. *Operated*	68	5.4	41	<1	1	3	7	15	21	29
2. MULTIPLE DX										
A. *Not Operated*	8	4.8	35	1	1	3	5	15	19	19
B. *Operated*	59	8.7	51	1	2	7	13	21	23	28
1. SINGLE DX	74	5.4	38	<1	1	3	7	15	20	29
2. MULTIPLE DX	67	8.2	50	1	1	7	12	20	23	27
A. NOT OPERATED	14	4.6	21	<1	1	4	5	8	17	19
B. OPERATED	127	7.0	48	<1	1	4	10	18	22	28
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	10	10.6	38	3	3	10	14	20	24	24
1-5 YRS	37	5.4	33	<1	<1	3	7	15	18	23
6-12 YRS	30	5.1	35	1	1	2	7	15	21	21
13-19 YRS	63	7.7	56	<1	1	5	11	20	24	30
GRAND TOTAL	**141**	**6.7**	**46**	**<1**	**1**	**4**	**9**	**18**	**22**	**28**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.0	23	<1	<1	2	7	11	11	11
1-11 MOS	6	4.2	1	3	3	4	5	5	5	5
1-5 YRS	7	4.3	9	1	1	3	7	8	8	8
6-12 YRS	85	2.6	2	1	1	2	3	5	5	8
13-19 YRS	269	2.7	3	<1	1	2	4	5	6	8
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	2.2	1	1	1	2	3	3	3	3
6-12 YRS										
13-19 YRS	11	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	15	5.3	17	2	2	4	6	14	15	15
1-5 YRS	9	4.0	4	2	2	4	6	7	7	7
6-12 YRS	78	3.0	2	1	2	2	4	5	6	9
13-19 YRS	350	3.7	7	1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	2	6.5	1	6	6	6	7	7	7	7
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS	1	6.0		6	6	6	6	6	6	6
6-12 YRS	5	6.4	45	2	2	4	9	18	18	18
13-19 YRS	16	4.3	10	1	1	3	6	8	11	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	2.8	3	1	1	2	4	5	6	9
B. *Operated*	18	1.9	1	<1	1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	454	3.6	6	1	1	3	5	7	8	13
B. *Operated*	26	5.5	18	1	2	5	7	13	15	18
1. SINGLE DX	389	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	480	3.7	7	1	1	3	5	7	9	14
A. NOT OPERATED	825	3.2	5	1	1	3	4	6	7	11
B. OPERATED	44	4.0	14	1	1	3	6	8	13	18
TOTAL 0-27 DYS	8	5.1	12	<1	<1	5	7	10	11	11
1-11 MOS	24	5.3	15	2	2	4	6	14	14	15
1-5 YRS	23	3.7	5	1	1	3	6	7	8	8
6-12 YRS	168	2.9	4	1	1	2	4	5	6	9
13-19 YRS	646	3.3	5	1	1	3	4	6	7	11
GRAND TOTAL	**869**	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	162	3.9	13	1	1	3	5	8	12	18
1-11 MOS	832	3.6	18	1	1	2	4	7	9	18
1-5 YRS	300	2.8	5	1	1	2	3	6	8	12
6-12 YRS	58	2.2	3	<1	1	2	2	4	6	12
13-19 YRS	99	2.7	3	<1	1	2	4	5	6	9
B. *Operated*										
0-27 DYS	4	2.8	2	1	1	3	4	4	4	4
1-11 MOS	28	3.8	13	1	1	3	4	10	12	15
1-5 YRS	22	2.4	5	<1	<1	2	2	5	8	11
6-12 YRS	12	3.3	2	1	1	3	4	5	6	6
13-19 YRS	41	4.7	23	<1	1	3	6	12	14	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	83	5.2	23	1	1	4	6	11	17	24
1-11 MOS	628	5.3	42	1	1	4	6	11	12	27
1-5 YRS	381	3.7	11	1	1	3	4	7	10	16
6-12 YRS	131	5.0	30	1	1	3	5	15	17	25
13-19 YRS	187	4.8	29	1	1	3	5	11	13	31
B. *Operated*										
0-27 DYS	5	5.8	13	2	2	4	9	11	11	11
1-11 MOS	37	7.8	32	2	2	6	11	18	21	99+
1-5 YRS	42	7.1	52	<1	1	4	10	19	22	33
6-12 YRS	17	9.5	140	1	1	5	10	34	37	37
13-19 YRS	37	6.1	53	1	1	4	8	11	15	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1451	3.3	13	1	1	2	4	7	9	16
B. *Operated*	107	3.8	14	<1	1	2	5	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	1410	4.7	30	1	1	3	6	10	13	25
B. *Operated*	138	7.3	56	1	1	4	9	17	23	49
1. SINGLE DX	1558	3.4	13	1	1	2	4	7	9	16
2. MULTIPLE DX	1548	5.0	33	1	1	3	6	11	14	28
A. NOT OPERATED	2861	4.0	22	1	1	3	5	8	11	21
B. OPERATED	245	5.7	41	1	1	4	7	13	19	37
TOTAL 0-27 DYS	254	4.3	17	1	1	3	6	9	13	19
1-11 MOS	1525	4.4	29	1	1	3	5	9	12	23
1-5 YRS	745	3.5	12	1	1	2	4	7	10	18
6-12 YRS	218	4.5	33	1	1	3	5	11	17	29
13-19 YRS	364	4.3	25	<1	1	3	5	9	12	28
GRAND TOTAL	**3106**	**4.2**	**24**	**1**	**1**	**3**	**5**	**8**	**12**	**23**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	1	<1	<1	3	3	3	3	3
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	54	1.9	1	1	1	2	3	3	4	4
6-12 YRS	72	2.1	1	1	1	2	3	4	4	7
13-19 YRS	191	2.5	4	1	1	2	3	4	5	13
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	119	1.6	1	<1	<1	1	2	3	3	6
6-12 YRS	261	1.6	1	<1	<1	1	2	3	3	7
13-19 YRS	109	2.2	3	<1	<1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	3.0	8	1	1	2	5	7	7	7
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS	64	2.7	3	<1	1	2	4	5	6	8
6-12 YRS	74	2.7	5	<1	1	2	4	5	7	78
13-19 YRS	154	3.5	30	<1	1	3	4	6	9	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	6.3	8	3	3	8	8	8	8	8
1-5 YRS	139	2.3	5	<1	1	2	3	4	6	13
6-12 YRS	275	2.5	8	<1	1	2	2	5	7	15
13-19 YRS	117	3.7	13	<1	1	3	5	8	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	2.3	3	1	1	2	3	4	5	9
B. *Operated*	489	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	299	3.1	18	<1	1	2	4	6	7	13
B. *Operated*	534	2.7	9	<1	1	2	3	6	8	16
1. SINGLE DX	814	2.0	2	<1	1	2	2	3	5	8
2. MULTIPLE DX	833	2.9	12	<1	1	2	3	6	8	15
A. NOT OPERATED	624	2.7	10	1	1	2	3	5	6	12
B. OPERATED	1023	2.3	6	<1	<1	1	2	4	6	14
TOTAL 0-27 DYS	7	2.7	5	<1	<1	3	3	6	7	7
1-11 MOS	11	3.4	7	1	1	2	5	8	8	8
1-5 YRS	376	2.1	3	<1	1	1	2	4	5	8
6-12 YRS	682	2.1	5	<1	<1	2	2	4	6	14
13-19 YRS	571	3.0	13	<1	1	2	3	5	8	14
GRAND TOTAL	**1647**	**2.4**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**13**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	33	2.4	2	<1	1	2	3	4	5	7
1-11 MOS	138	2.5	2	<1	1	2	3	5	6	7
1-5 YRS	504	2.0	2	<1	1	2	3	4	5	7
6-12 YRS	3180	2.3	3	1	1	2	3	4	5	9
13-19 YRS	5312	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS	3	3.7	2	2	2	4	5	5	5	5
1-5 YRS	19	3.5	5	1	1	3	4	8	9	9
6-12 YRS	267	3.7	7	1	1	3	4	6	7	13
13-19 YRS	807	4.1	6	1	2	4	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	25	2.8	1	1	1	3	3	4	5	6
1-11 MOS	98	3.5	5	1	1	3	4	6	8	13
1-5 YRS	345	2.6	3	1	1	2	3	5	6	9
6-12 YRS	1604	2.9	4	1	1	2	4	5	7	9
13-19 YRS	3343	3.3	9	1	1	3	4	6	8	13
B. *Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	3	7.0	9	4	4	7	9	10	10	10
1-5 YRS	20	3.1	3	1	1	3	4	5	6	6
6-12 YRS	161	4.3	5	1	2	4	5	8	9	12
13-19 YRS	581	5.2	16	1	2	4	6	10	12	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9167	2.5	3	1	1	2	3	5	6	8
B. *Operated*	1096	4.0	6	1	2	3	5	7	9	12
2. MULTIPLE DX										
A. *Not Operated*	5415	3.1	7	1	1	3	4	6	7	12
B. *Operated*	766	5.0	13	1	2	4	6	9	11	19
1. SINGLE DX	10263	2.6	4	1	1	2	3	5	6	9
2. MULTIPLE DX	6181	3.4	8	1	1	3	4	6	8	13
A. NOT OPERATED	14582	2.7	5	1	1	2	3	5	6	10
B. OPERATED	1862	4.4	9	1	2	4	5	8	10	15
TOTAL 0-27 DYS	59	2.6	2	1	1	2	3	4	6	7
1-11 MOS	242	2.9	4	1	1	2	4	5	6	11
1-5 YRS	888	2.3	3	<1	1	2	3	4	5	8
6-12 YRS	5212	2.6	3	1	1	2	3	5	6	9
13-19 YRS	10043	3.1	7	1	1	2	4	6	7	12
GRAND TOTAL	**16444**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	**11**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	52	2.6	3	1	1	2	3	5	6	8
1-11 MOS	227	2.8	4	1	1	2	3	5	7	10
1-5 YRS	185	2.4	3	<1	1	2	3	4	6	9
6-12 YRS	213	3.0	5	1	1	2	4	6	8	12
13-19 YRS	201	3.2	6	<1	1	2	4	7	8	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.8	5	1	1	2	4	6	6	6
1-5 YRS	11	3.4	3	1	1	3	5	6	6	6
6-12 YRS	15	4.9	41	1	1	3	5	10	22	26
13-19 YRS	31	4.3	14	1	1	3	6	9	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	71	4.4	52	1	1	3	4	7	10	47
1-11 MOS	392	4.0	8	1	1	3	5	7	10	15
1-5 YRS	565	3.0	6	1	1	2	4	5	7	12
6-12 YRS	391	3.3	13	1	1	3	4	6	8	43
13-19 YRS	417	3.7	12	1	1	3	4	7	9	21
B. *Operated*										
0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	18	5.0	8	<1	1	5	7	9	11	12
1-5 YRS	24	9.9	200	1	1	4	9	37	46	54
6-12 YRS	25	6.8	67	1	2	4	8	11	22	42
13-19 YRS	80	7.3	43	1	2	5	9	16	22	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	878	2.8	5	1	1	2	3	5	7	12
B. *Operated*	62	4.1	18	1	1	3	5	7	13	25
2. MULTIPLE DX										
A. *Not Operated*	1836	3.5	11	1	1	3	4	6	8	16
B. *Operated*	149	7.3	68	1	2	5	8	16	25	42
1. SINGLE DX	940	2.9	6	1	1	2	4	6	7	12
2. MULTIPLE DX	1985	3.8	16	1	1	3	4	7	9	22
A. NOT OPERATED	2714	3.3	9	1	1	3	4	6	8	14
B. OPERATED	211	6.4	55	1	1	4	7	13	19	42
TOTAL 0-27 DYS	125	3.6	31	1	1	2	4	6	7	42
1-11 MOS	642	3.6	7	1	1	3	4	7	9	14
1-5 YRS	785	3.1	12	1	1	2	4	5	7	13
6-12 YRS	644	3.4	13	1	1	3	4	6	9	41
13-19 YRS	729	4.0	15	1	1	3	5	8	11	22
GRAND TOTAL	**2925**	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**9**	**18**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	694	3.5	18	1	1	3	4	6	8	25
1-11 MOS	1506	4.7	21	1	1	4	6	9	12	25
1-5 YRS	1184	3.7	20	1	1	3	4	7	10	18
6-12 YRS	792	2.9	21	1	1	2	3	5	6	14
13-19 YRS	1691	3.9	34	1	1	3	4	6	9	33
B. *Operated*										
0-27 DYS	9	3.7	5	1	1	3	4	7	9	9
1-11 MOS	48	6.6	63	1	1	4	9	12	23	43
1-5 YRS	125	3.3	16	<1	<1	2	3	7	10	27
6-12 YRS	93	3.0	11	<1	1	2	3	6	13	16
13-19 YRS	220	3.7	16	<1	1	2	4	8	10	24
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	399	5.3	39	1	2	4	6	10	14	24
1-11 MOS	1835	6.6	36	1	2	5	8	13	17	30
1-5 YRS	1392	5.0	37	1	1	3	6	10	14	30
6-12 YRS	807	3.7	10	1	1	3	4	7	9	17
13-19 YRS	1688	3.9	14	1	1	3	5	7	9	16
B. *Operated*										
0-27 DYS	18	9.8	61	1	2	7	13	22	25	26
1-11 MOS	98	17.3	306	2	4	11	24	52	67	99+
1-5 YRS	108	8.1	104	1	1	4	10	19	25	57
6-12 YRS	81	3.9	20	<1	1	2	5	7	13	27
13-19 YRS	188	6.6	99	1	1	3	7	12	28	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5867	3.9	25	1	1	3	4	7	10	23
B. *Operated*	495	3.7	20	<1	1	2	4	8	11	27
2. MULTIPLE DX										
A. *Not Operated*	6121	5.0	28	1	1	4	6	10	14	27
B. *Operated*	493	8.7	146	1	1	4	10	23	36	76
1. SINGLE DX	6362	3.8	24	1	1	3	4	7	10	23
2. MULTIPLE DX	6614	5.3	38	1	1	4	6	10	15	32
A. NOT OPERATED	11988	4.4	27	1	1	3	5	8	12	26
B. OPERATED	988	6.2	89	<1	1	3	7	14	24	56
TOTAL 0-27 DYS	1120	4.2	27	1	1	3	5	8	12	25
1-11 MOS	3487	6.1	42	1	2	4	7	12	17	34
1-5 YRS	2809	4.5	33	1	1	3	5	9	13	27
6-12 YRS	1773	3.3	16	1	1	2	4	6	8	16
13-19 YRS	3787	4.0	27	1	1	3	4	7	9	27
GRAND TOTAL	**12976**	**4.6**	**32**	**1**	**1**	**3**	**5**	**9**	**13**	**28**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	25	2.4	3	<1	1	2	3	5	7	7
1-11 MOS	335	1.9	2	1	1	2	2	3	5	7
1-5 YRS	323	2.1	5	1	1	2	2	3	5	11
6-12 YRS	141	2.7	4	1	1	2	3	5	7	10
13-19 YRS	67	3.9	10	1	1	3	5	7	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS	16	3.8	7	1	1	3	6	8	9	9
1-5 YRS	51	6.9	58	2	2	5	8	11	14	54
6-12 YRS	53	5.4	10	1	2	5	7	9	14	97
13-19 YRS	48	6.4	17	1	2	6	8	11	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	35	2.8	5	1	1	2	3	6	8	10
1-11 MOS	609	2.5	6	1	1	2	3	5	7	13
1-5 YRS	603	2.8	8	1	1	2	3	6	7	16
6-12 YRS	311	3.9	30	1	1	3	4	8	10	19
13-19 YRS	249	5.9	76	1	1	4	7	11	16	36
B. *Operated*										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	50	6.9	41	1	2	5	8	13	19	32
1-5 YRS	126	6.9	45	1	2	5	8	14	19	36
6-12 YRS	166	9.1	157	1	1	6	9	24	41	97
13-19 YRS	203	15.8	323	1	2	9	19	44	61	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	891	2.3	4	1	1	2	3	4	6	10
B. *Operated*	168	6.0	27	1	2	5	8	10	14	48
2. MULTIPLE DX										
A. *Not Operated*	1807	3.3	21	1	1	2	4	7	9	19
B. *Operated*	546	10.9	196	1	2	6	11	30	45	99+
1. SINGLE DX	1059	2.9	10	1	1	2	3	6	8	15
2. MULTIPLE DX	2353	5.1	72	1	1	3	5	10	17	54
A. NOT OPERATED	2698	3.0	16	1	1	2	3	6	8	17
B. OPERATED	714	9.7	161	1	2	6	10	24	40	99
TOTAL 0-27 DYS	61	2.7	5	1	1	2	3	6	8	10
1-11 MOS	1010	2.6	7	1	1	2	3	5	7	13
1-5 YRS	1103	3.3	16	1	1	2	4	7	9	19
6-12 YRS	671	5.1	60	1	1	3	6	9	15	56
13-19 YRS	567	9.3	176	1	1	5	10	22	40	94
GRAND TOTAL	**3412**	**4.4**	**54**	**1**	**1**	**2**	**5**	**9**	**13**	**44**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	41	1.9	2	1	1	1	2	4	4	7
1-5 YRS	147	2.2	3	1	1	2	3	4	6	8
6-12 YRS	91	3.2	11	1	1	2	4	6	8	20
13-19 YRS	82	4.0	11	1	1	3	5	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	6.4	18	1	2	5	11	12	12	12
6-12 YRS	18	5.3	4	3	3	5	7	8	10	10
13-19 YRS	30	5.2	18	1	1	4	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	70	2.4	5	1	1	1	2	6	7	10
1-5 YRS	294	3.5	14	1	1	2	4	7	11	21
6-12 YRS	289	4.0	19	1	1	3	5	8	11	20
13-19 YRS	294	5.7	21	1	2	4	8	11	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS	10	12.6	293	<1	1	8	12	36	60	60
1-5 YRS	46	8.0	90	1	1	5	10	21	23	54
6-12 YRS	62	7.8	50	1	1	6	10	17	25	33
13-19 YRS	189	16.8	403	2	2	9	22	59	80	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	2.8	7	1	1	2	3	6	8	14
B. *Operated*	57	5.4	13	1	1	5	7	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	949	4.2	18	1	1	3	5	9	12	22
B. *Operated*	307	13.5	297	1	2	7	15	43	67	99+
1. SINGLE DX	418	3.2	9	1	1	2	4	7	9	15
2. MULTIPLE DX	1256	6.5	102	1	1	4	7	13	23	74
A. NOT OPERATED	1310	3.9	15	1	1	3	5	8	11	20
B. OPERATED	364	12.2	261	1	2	7	13	38	60	99+
TOTAL 0-27 DYS	2	3.5	13	<1	<1	3	6	6	6	6
1-11 MOS	121	3.0	34	1	1	2	3	7	9	27
1-5 YRS	496	3.6	20	1	1	2	4	8	11	23
6-12 YRS	460	4.4	23	1	1	3	5	9	12	27
13-19 YRS	595	8.9	169	1	2	5	10	19	43	99+
GRAND TOTAL	**1674**	**5.7**	**81**	**1**	**1**	**3**	**6**	**11**	**19**	**64**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	10	2.0	1	1	1	2	2	3	4	4
6-12 YRS	22	2.0	2	<1	1	2	3	4	5	5
13-19 YRS	75	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	5	1.8	1	<1	<1	2	2	3	3	3
1-5 YRS	64	1.9	2	<1	<1	1	2	4	5	7
6-12 YRS	526	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	1801	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.0	9	1	1	4	7	8	8	8
1-5 YRS	41	2.4	8	<1	1	2	3	4	7	17
6-12 YRS	83	2.2	2	<1	1	2	3	4	5	6
13-19 YRS	357	2.1	2	<1	<1	1	3	4	5	8
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	120	3.0	6	<1	1	2	4	6	8	12
6-12 YRS	640	2.9	18	<1	<1	2	3	5	7	15
13-19 YRS	3039	3.6	16	1	1	3	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	2397	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	488	2.2	3	<1	<1	2	3	4	5	8
B. *Operated*	3804	3.5	16	1	1	2	4	7	9	18
1. SINGLE DX	2505	2.1	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	4292	3.3	15	<1	1	2	4	6	9	18
A. NOT OPERATED	596	2.1	3	<1	<1	1	3	4	5	8
B. OPERATED	6201	3.0	12	<1	1	2	3	6	8	15
TOTAL 0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	17	2.8	5	<1	1	2	4	7	8	8
1-5 YRS	235	2.5	5	<1	1	2	3	5	7	12
6-12 YRS	1271	2.3	10	<1	<1	2	3	4	6	12
13-19 YRS	5272	3.0	11	<1	1	2	4	6	8	16
GRAND TOTAL	**6797**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	4.2	10	1	1	3	6	9	11	11
6-12 YRS	73	4.6	40	1	1	3	5	9	11	43
13-19 YRS	424	5.1	14	1	2	4	7	10	13	18
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	6.8	12	3	3	6	9	11	11	11
6-12 YRS	4	17.5	510	3	3	8	31	51	51	51
13-19 YRS	61	13.0	142	2	3	10	18	25	39	62
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	19	7.2	63	<1	1	4	10	17	25	31
6-12 YRS	126	4.6	21	1	1	3	5	9	13	24
13-19 YRS	890	6.0	40	1	2	5	7	11	15	37
B. *Operated*										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	6	13.7	224	2	2	7	23	38	40	40
6-12 YRS	5	8.8	21	1	1	10	11	13	13	13
13-19 YRS	295	15.9	196	3	4	13	21	34	45	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	507	5.0	17	1	1	4	6	10	13	18
B. *Operated*	69	12.9	151	2	3	10	16	25	45	62
2. MULTIPLE DX										
A. *Not Operated*	1037	5.9	38	1	1	4	7	11	15	36
B. *Operated*	307	15.8	194	3	4	12	21	34	45	99+
1. SINGLE DX	576	6.0	40	1	2	4	7	12	16	34
2. MULTIPLE DX	1344	8.1	91	1	2	5	9	17	25	58
A. NOT OPERATED	1544	5.6	32	1	1	4	7	11	14	25
B. OPERATED	376	15.2	187	3	4	12	20	33	45	97
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	10.0	50	5	5	10	15	15	15	15
1-5 YRS	39	7.4	71	1	1	4	9	17	27	40
6-12 YRS	208	4.9	38	1	1	3	5	10	13	35
13-19 YRS	1670	7.8	81	1	2	5	9	16	23	56
GRAND TOTAL	**1920**	**7.5**	**77**	**1**	**2**	**5**	**9**	**16**	**23**	**50**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	12	12.2	251	1	2	5	11	40	52	54
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	16	18.3	271	2	4	13	20	46	58	63
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	36	11.1	211	<1	1	5	13	36	57	99+
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS										
13-19 YRS	66	37.5	569	9	11	40	69	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	12.2	251	1	2	5	11	40	52	54
B. *Operated*	16	18.3	271	2	4	13	20	46	58	63
2. MULTIPLE DX										
A. *Not Operated*	37	10.9	207	<1	1	5	13	35	57	99+
B. *Operated*	67	37.3	565	9	11	40	73	99+	99+	99+
1. SINGLE DX	28	15.7	263	1	3	11	15	43	55	63
2. MULTIPLE DX	104	27.9	595	2	3	28	62	99+	99+	99+
A. NOT OPERATED	49	11.2	213	1	1	5	13	35	54	99+
B. OPERATED	83	33.6	561	8	10	33	68	99+	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	20.0		20	20	20	20	20	20	20
6-12 YRS	1	3.0		3	3	99+	99+	99+	99+	99+
13-19 YRS	130	25.5	551	1	3	20	49	88	99+	99+
GRAND TOTAL	**132**	**25.3**	**547**	**1**	**3**	**20**	**51**	**99**	**99+**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.6	1	1	1	1	2	3	3	3
6-12 YRS	8	2.5	1	1	1	2	3	4	4	4
13-19 YRS	44	3.0	9	1	1	2	4	7	9	15
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	8.0	28	4	4	6	12	14	14	14
13-19 YRS	10	5.3	18	1	1	5	7	11	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	12	7.3	41	2	2	4	11	16	23	24
1-5 YRS	16	4.0	7	1	1	4	5	7	10	11
6-12 YRS	50	3.8	31	1	1	2	4	7	9	35
13-19 YRS	267	3.8	16	1	1	3	5	7	8	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	6.5	14	2	2	5	10	12	12	12
6-12 YRS	14	6.1	10	2	2	6	8	9	13	14
13-19 YRS	112	9.0	68	1	2	7	11	17	22	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	2.8	7	1	1	2	3	6	8	15
B. *Operated*	13	5.9	20	1	1	6	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*	346	3.9	19	1	1	3	5	7	9	24
B. *Operated*	132	8.6	60	1	2	7	11	17	21	44
1. SINGLE DX	72	3.3	11	1	1	2	4	7	12	15
2. MULTIPLE DX	478	5.2	34	1	1	4	6	10	15	33
A. NOT OPERATED	405	3.7	17	1	1	3	5	7	9	23
B. OPERATED	145	8.3	57	1	2	7	10	17	19	42
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	12	7.3	41	2	2	4	11	16	23	24
1-5 YRS	29	3.9	9	1	1	3	5	9	11	12
6-12 YRS	75	4.3	25	1	1	3	5	8	13	32
13-19 YRS	433	5.1	34	1	1	3	6	10	15	30
GRAND TOTAL	**550**	**5.0**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**28**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	8.5	25	5	5	8	12	12	12	12
1-5 YRS	8	4.0	6	1	1	4	6	7	7	7
6-12 YRS	40	6.0	44	1	2	5	7	9	17	39
13-19 YRS	171	7.0	34	1	2	5	9	14	18	31
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	11.0	72	5	5	11	17	17	17	17
13-19 YRS	15	21.6	518	2	4	15	27	52	79	88
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	3	22.0	291	8	8	17	35	41	41	41
1-5 YRS	51	6.6	38	1	2	5	8	17	22	26
6-12 YRS	101	6.3	28	1	2	4	8	12	15	28
13-19 YRS	521	8.8	80	2	2	6	10	18	25	43
B. *Operated*										
0-27 DYS										
1-11 MOS	1	26.0		26	26	26	26	26	26	26
1-5 YRS	8	15.8	341	2	2	8	20	48	57	57
6-12 YRS	41	18.4	336	2	3	11	24	49	63	68
13-19 YRS	241	21.8	309	4	6	16	30	47	57	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	221	6.7	35	1	2	5	8	13	18	33
B. *Operated*	18	19.4	459	2	3	13	22	47	74	88
2. MULTIPLE DX										
A. *Not Operated*	678	8.3	71	2	2	6	10	17	22	42
B. *Operated*	291	21.2	313	3	5	14	30	47	57	78
1. SINGLE DX	239	7.6	76	1	2	5	9	16	19	46
2. MULTIPLE DX	969	12.2	178	2	2	8	14	29	42	67
A. NOT OPERATED	899	7.9	63	1	2	6	10	16	21	42
B. OPERATED	309	21.1	320	3	5	14	30	47	57	82
TOTAL 0-27 DYS	2	8.0	2	7	7	8	9	9	9	9
1-11 MOS	6	18.2	180	5	5	14	26	39	41	41
1-5 YRS	68	7.4	75	1	2	5	8	19	23	52
6-12 YRS	184	9.0	124	1	2	6	10	20	32	65
13-19 YRS	948	11.9	172	2	3	8	14	28	42	67
GRAND TOTAL	**1208**	**11.3**	**161**	**2**	**2**	**7**	**13**	**27**	**39**	**66**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	4.0		4	4	4	4	4	4	4
1-11 MOS	16	2.4	3	1	1	2	4	5	5	5
1-5 YRS	138	3.3	21	<1	1	1	3	9	15	22
6-12 YRS	201	3.2	21	1	1	2	3	7	15	23
13-19 YRS	97	3.9	36	<1	1	2	4	9	16	34
B. *Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	6	2.2	1	<1	<1	2	3	3	3	3
1-5 YRS	612	4.5	27	1	1	2	5	13	17	22
6-12 YRS	1103	4.5	31	1	1	2	4	13	18	24
13-19 YRS	523	3.6	17	1	1	3	4	7	10	25
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	33	3.7	14	1	1	2	4	7	13	19
1-5 YRS	151	3.5	20	<1	1	2	4	7	13	25
6-12 YRS	194	5.1	48	1	1	2	5	17	21	32
13-19 YRS	163	4.2	27	1	1	2	4	9	17	27
B. *Operated*										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	15	6.4	9	1	1	7	8	9	11	12
1-5 YRS	651	4.6	31	1	1	2	5	12	18	25
6-12 YRS	1232	4.6	31	1	1	2	5	13	17	25
13-19 YRS	772	6.0	51	1	1	3	7	14	21	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	455	3.4	23	<1	1	2	3	7	15	24
B. *Operated*	2245	4.3	27	1	1	2	4	12	17	23
2. MULTIPLE DX										
A. *Not Operated*	543	4.3	32	1	1	2	4	11	19	26
B. *Operated*	2671	5.0	37	1	1	3	5	13	18	28
1. SINGLE DX	2700	4.1	26	1	1	2	4	11	17	23
2. MULTIPLE DX	3214	4.9	36	1	1	3	5	13	18	28
A. NOT OPERATED	998	3.9	28	1	1	2	4	10	17	25
B. OPERATED	4916	4.7	32	1	1	2	5	12	17	25
TOTAL 0-27 DYS	7	5.1	17	1	2	4	5	12	14	14
1-11 MOS	70	3.9	11	1	1	3	5	8	9	18
1-5 YRS	1552	4.3	28	1	1	2	4	12	17	23
6-12 YRS	2730	4.5	31	1	1	2	4	13	18	24
13-19 YRS	1555	4.9	37	1	1	3	5	11	17	34
GRAND TOTAL	**5914**	**4.5**	**32**	**1**	**1**	**2**	**5**	**12**	**17**	**25**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	49	1.6	1	<1	1	1	2	3	4	6
6-12 YRS	146	1.5	1	<1	1	1	2	3	4	10
13-19 YRS	65	2.1	2	<1	1	2	2	4	5	9
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	4	4.5	4	2	2	5	6	6	6	6
1-5 YRS	563	1.4	1	<1	<1	1	1	2	3	5
6-12 YRS	2633	1.6	1	<1	1	1	2	3	4	6
13-19 YRS	1299	2.4	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	10	3.0	10	<1	<1	2	3	8	11	11
1-5 YRS	46	2.4	16	<1	1	1	2	4	6	27
6-12 YRS	162	1.8	2	<1	1	1	2	3	5	6
13-19 YRS	175	3.2	24	<1	<1	2	4	6	8	28
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	3.5	10	1	1	3	5	9	9	9
1-5 YRS	576	1.7	5	<1	1	1	2	3	4	9
6-12 YRS	2459	2.1	11	1	1	1	2	4	5	15
13-19 YRS	1716	4.1	38	1	1	3	4	8	11	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	261	1.7	1	<1	1	1	2	3	4	7
B. *Operated*	4500	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	394	2.5	14	<1	1	2	3	5	6	19
B. *Operated*	4758	2.8	21	1	1	2	3	5	8	24
1. SINGLE DX	4761	1.8	2	<1	1	1	2	3	5	8
2. MULTIPLE DX	5152	2.7	20	1	1	2	3	5	8	24
A. NOT OPERATED	655	2.2	9	<1	1	1	2	4	6	11
B. OPERATED	9258	2.3	12	<1	1	1	2	4	6	14
TOTAL 0-27 DYS	3	3.3	10	1	1	2	6	7	7	7
1-11 MOS	21	3.3	8	<1	<1	2	5	7	10	11
1-5 YRS	1234	1.6	3	<1	1	1	2	2	4	8
6-12 YRS	5400	1.8	6	<1	1	1	2	3	4	9
13-19 YRS	3255	3.3	23	1	1	2	4	6	9	24
GRAND TOTAL	**9913**	**2.3**	**12**	**<1**	**1**	**1**	**2**	**4**	**6**	**14**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	9	2.4	3	<1	<1	2	4	5	6	6
6-12 YRS	20	2.5	4	<1	<1	2	3	6	7	7
13-19 YRS	43	2.5	5	<1	<1	1	4	6	8	9
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	91	1.9	2	<1	1	2	2	4	5	8
6-12 YRS	303	1.7	1	<1	<1	1	2	3	4	7
13-19 YRS	1128	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	6.3	57	1	1	3	12	15	15	15
1-5 YRS	21	3.9	17	1	1	2	4	12	14	15
6-12 YRS	50	3.7	65	1	1	2	3	5	8	46
13-19 YRS	148	2.3	6	<1	<1	1	3	4	5	9
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	15	<1	<1	1	5	9	9	9
1-5 YRS	123	2.1	5	1	1	1	2	4	6	13
6-12 YRS	320	2.3	4	<1	1	2	3	5	7	10
13-19 YRS	1215	2.5	8	<1	1	2	3	4	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	2.5	4	<1	<1	2	3	6	7	9
B. *Operated*	1524	1.8	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	222	2.8	21	<1	<1	2	3	5	7	29
B. *Operated*	1662	2.4	7	<1	1	2	3	4	6	13
1. SINGLE DX	1597	1.8	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	1884	2.5	9	<1	1	2	3	5	6	14
A. NOT OPERATED	295	2.7	17	<1	<1	2	3	5	7	21
B. OPERATED	3186	2.1	4	<1	1	2	2	4	5	9
TOTAL 0-27 DYS										
1-11 MOS	10	3.7	22	<1	<1	2	3	12	15	15
1-5 YRS	244	2.2	5	<1	1	1	2	4	6	13
6-12 YRS	693	2.1	7	<1	<1	1	2	4	6	9
13-19 YRS	2534	2.2	5	<1	<1	2	2	4	5	9
GRAND TOTAL	**3481**	**2.2**	**5**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	8	11.4	99	1	1	11	20	24	24	24
1-5 YRS	29	12.0	140	1	1	6	22	28	32	45
6-12 YRS	47	20.0	180	1	2	19	29	40	42	52
13-19 YRS	16	15.3	395	1	2	5	29	62	87	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	7	15.1	23	9	9	15	18	22	23	23
1-5 YRS	20	12.4	125	1	2	7	21	29	33	37
6-12 YRS	99	11.2	117	2	3	8	12	28	35	56
13-19 YRS	113	10.6	72	2	3	8	12	23	28	42
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	4.5	9	1	2	4	5	9	12	12
1-5 YRS	60	15.3	116	2	2	15	22	30	36	41
6-12 YRS	46	22.0	202	2	3	23	30	43	44	55
13-19 YRS	51	13.7	322	1	1	5	12	45	58	68
B. *Operated*										
0-27 DYS	3	23.3	65	14	14	28	28	28	28	28
1-11 MOS	20	15.4	38	8	9	14	18	25	29	30
1-5 YRS	69	19.8	185	2	4	19	27	31	33	87
6-12 YRS	103	17.8	186	3	5	14	25	34	48	65
13-19 YRS	264	18.6	235	4	5	13	24	42	50	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	16.2	204	1	1	15	26	39	43	82
B. *Operated*	239	11.2	93	2	3	8	13	26	31	50
2. MULTIPLE DX										
A. *Not Operated*	169	15.9	213	1	2	10	25	38	43	59
B. *Operated*	459	18.5	207	4	5	14	25	36	48	76
1. SINGLE DX	339	12.6	131	1	2	9	17	29	36	54
2. MULTIPLE DX	628	17.8	209	2	4	14	25	36	47	70
A. NOT OPERATED	269	16.0	209	1	2	12	26	38	43	63
B. OPERATED	698	16.0	180	3	4	11	22	32	43	62
TOTAL 0-27 DYS	3	23.3	65	14	14	28	28	28	28	28
1-11 MOS	47	11.9	57	1	2	12	17	22	25	30
1-5 YRS	178	16.2	155	1	2	16	25	31	34	44
6-12 YRS	295	16.6	179	2	3	12	25	35	43	56
13-19 YRS	444	15.9	220	2	4	10	21	39	49	76
GRAND TOTAL	**967**	**16.0**	**188**	**2**	**3**	**12**	**23**	**34**	**43**	**62**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	86	9.2	58	1	1	7	15	21	22	29
1-5 YRS	398	15.8	98	1	2	17	23	28	32	42
6-12 YRS	262	24.8	161	3	5	25	31	39	48	62
13-19 YRS	124	22.2	422	1	2	18	35	54	58	77
B. *Operated*										
0-27 DYS										
1-11 MOS	25	7.0	41	1	1	4	13	16	19	20
1-5 YRS	239	13.5	122	1	1	13	22	27	32	46
6-12 YRS	313	22.4	231	2	4	23	32	41	48	63
13-19 YRS	419	15.2	251	2	2	10	18	40	51	78
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	4.7	8	3	3	3	7	8	8	8
1-11 MOS	119	8.4	66	<1	1	5	13	20	24	32
1-5 YRS	504	17.2	103	1	2	18	23	29	35	46
6-12 YRS	424	23.4	171	2	4	24	30	40	47	58
13-19 YRS	204	23.7	379	1	2	25	40	50	59	85
B. *Operated*										
0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	41	5.9	34	1	1	3	9	13	20	23
1-5 YRS	399	15.6	122	1	2	16	24	30	34	43
6-12 YRS	514	22.8	232	2	3	24	33	41	48	66
13-19 YRS	1218	21.3	345	2	4	15	29	49	64	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	871	18.8	184	1	2	19	27	35	43	62
B. *Operated*	996	16.8	224	1	2	13	25	36	46	66
2. MULTIPLE DX										
A. *Not Operated*	1254	19.5	189	1	2	19	27	38	45	60
B. *Operated*	2174	20.3	281	2	3	17	28	43	55	87
1. SINGLE DX	1867	17.7	206	1	2	16	26	35	45	64
2. MULTIPLE DX	3428	20.0	247	2	3	18	28	41	50	79
A. NOT OPERATED	2125	19.2	187	1	2	19	27	36	45	60
B. OPERATED	3170	19.2	266	2	3	16	27	41	53	82
TOTAL 0-27 DYS	6	9.2	76	3	3	6	13	24	25	25
1-11 MOS	271	8.1	57	1	1	5	13	20	22	29
1-5 YRS	1540	15.9	111	1	2	17	23	28	33	44
6-12 YRS	1513	23.2	203	2	4	24	32	41	48	61
13-19 YRS	1965	20.3	341	2	3	14	30	48	59	90
GRAND TOTAL	**5295**	**19.2**	**234**	**1**	**2**	**17**	**27**	**39**	**49**	**74**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	2.1	2	<1	<1	2	3	5	5	5
1-5 YRS	141	2.3	9	1	1	1	2	4	6	14
6-12 YRS	272	2.9	10	1	1	2	3	5	8	12
13-19 YRS	340	3.1	6	1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.6	3	3	3	4	6	7	7	7
1-5 YRS	156	2.6	6	<1	1	2	3	6	7	13
6-12 YRS	678	4.1	24	1	1	3	5	7	10	26
13-19 YRS	1061	5.0	30	1	1	4	6	9	12	30
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	9	6.7	47	<1	<1	6	8	17	23	23
1-5 YRS	192	2.8	9	1	1	2	4	5	7	15
6-12 YRS	329	3.0	8	1	1	2	4	6	8	13
13-19 YRS	428	3.9	27	1	1	3	4	7	9	25
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	8	9.0	59	1	1	6	15	20	22	22
1-5 YRS	224	3.7	22	1	1	2	4	8	13	27
6-12 YRS	832	5.5	58	1	1	3	6	11	19	43
13-19 YRS	1757	[illegible]	103	1	2	5	10	17	26	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	765	2.9	8	1	1	2	4	5	7	12
B. *Operated*	1900	4.5	26	1	1	3	5	9	11	27
2. MULTIPLE DX										
A. *Not Operated*	958	3.4	17	1	1	2	4	7	9	16
B. *Operated*	2822	7.1	85	1	1	4	8	15	23	51
1. SINGLE DX	2665	4.0	21	1	1	3	5	8	10	23
2. MULTIPLE DX	3780	6.2	71	1	1	4	7	13	20	47
A. NOT OPERATED	1723	3.2	13	1	1	2	4	6	8	15
B. OPERATED	4722	6.1	63	1	1	4	7	12	19	44
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	34	5.3	33	<1	1	3	7	15	21	23
1-5 YRS	713	3.0	13	1	1	2	3	6	9	18
6-12 YRS	2111	4.3	34	1	1	3	5	8	12	32
13-19 YRS	3586	6.3	67	1	1	4	7	13	19	45
GRAND TOTAL	**6445**	**5.3**	**51**	**1**	**1**	**3**	**6**	**11**	**16**	**40**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	35	2.6	5	<1	<1	2	3	6	9	10
6-12 YRS	118	2.6	5	<1	1	2	3	5	6	12
13-19 YRS	212	2.7	8	<1	1	2	3	5	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.0	19	4	4	7	11	14	14	14
1-5 YRS	55	3.6	17	1	1	2	5	8	11	21
6-12 YRS	409	3.4	10	1	1	3	4	7	8	15
13-19 YRS	1652	3.9	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	6.5	25	3	3	6	10	10	10	10
1-5 YRS	54	2.8	4	1	1	2	3	5	7	11
6-12 YRS	155	3.4	16	1	1	2	4	7	10	21
13-19 YRS	389	3.0	6	<1	<1	2	4	6	8	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	8	7.1	62	1	1	5	8	20	25	25
1-5 YRS	83	4.9	37	1	1	3	6	13	20	30
6-12 YRS	553	4.6	35	1	1	3	5	8	13	37
13-19 YRS	2428	5.4	39	1	2	4	6	10	14	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	367	2.7	7	<1	1	2	3	5	7	10
B. *Operated*	2120	3.8	8	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	600	3.1	9	<1	1	2	4	6	8	15
B. *Operated*	3073	5.2	38	1	1	4	6	9	14	35
1. SINGLE DX	2487	3.6	8	1	1	3	5	7	8	14
2. MULTIPLE DX	3673	4.9	34	1	1	3	5	9	13	33
A. NOT OPERATED	967	2.9	8	<1	1	2	4	6	8	14
B. OPERATED	5193	4.6	26	1	1	3	5	8	11	28
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	6.7	37	1	1	5	9	14	22	25
1-5 YRS	227	3.7	20	1	1	2	4	8	13	24
6-12 YRS	1235	3.9	22	1	1	3	4	7	9	30
13-19 YRS	4681	4.5	25	1	1	3	5	8	11	27
GRAND TOTAL	**6160**	**4.4**	**24**	**1**	**1**	**3**	**5**	**8**	**11**	**27**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	1.5		1	1	1	2	2	2	2
1-5 YRS	13	2.8	5	1	1	2	4	6	8	9
6-12 YRS	20	2.0	2	<1	1	1	3	4	5	5
13-19 YRS	65	2.0	2	1	1	1	2	4	5	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	2.1	2	1	1	2	3	3	6	7
13-19 YRS	102	2.9	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	12	5.8	35	1	2	4	7	13	22	23
1-5 YRS	48	1.7	1	1	1	1	2	3	3	5
6-12 YRS	81	2.5	4	1	1	2	3	5	7	8
13-19 YRS	305	3.1	17	1	1	2	4	6	8	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	13	5.1	27	1	1	3	7	10	19	21
6-12 YRS	45	3.8	22	1	1	2	4	7	14	25
13-19 YRS	246	5.0	37	1	1	3	6	10	15	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	2.1	2	1	1	1	3	4	5	8
B. *Operated*	118	2.8	4	1	1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	447	2.9	14	1	1	2	3	6	8	15
B. *Operated*	304	4.8	34	1	1	3	5	10	15	32
1. SINGLE DX	220	2.5	3	1	1	2	3	5	6	10
2. MULTIPLE DX	751	3.7	23	1	1	2	4	7	11	24
A. NOT OPERATED	549	2.8	12	1	1	2	3	5	7	12
B. OPERATED	422	4.2	27	1	1	3	5	8	13	25
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	16	4.8	29	1	1	3	5	9	19	23
1-5 YRS	74	2.5	8	1	1	2	3	5	7	18
6-12 YRS	162	2.8	9	1	1	2	3	5	7	17
13-19 YRS	718	3.6	22	1	1	2	4	7	11	23
GRAND TOTAL	**971**	**3.4**	**19**	**1**	**1**	**2**	**4**	**7**	**9**	**23**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	4.6	18	1	1	2	8	11	12	12
1-5 YRS	13	3.2	5	1	1	3	4	6	8	9
6-12 YRS	9	4.8	69	1	1	1	4	19	26	26
13-19 YRS	5	14.8	507	3	3	5	19	55	55	55
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	7.3	111	1	1	2	13	23	23	23
6-12 YRS	5	2.4	2	1	1	2	4	4	4	4
13-19 YRS	4	17.0	317	3	3	12	30	41	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	4.3	31	1	1	2	3	15	18	18
1-5 YRS	22	6.2	172	<1	1	3	5	10	34	63
6-12 YRS	20	5.1	50	1	1	3	4	9	22	33
13-19 YRS	16	9.1	97	1	2	6	11	19	35	41
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	10.8	185	2	2	4	17	34	34	34
6-12 YRS	12	21.9	517	1	1	9	36	61	65	66
13-19 YRS	26	15.5	150	3	4	11	22	39	41	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	5.6	98	1	1	3	5	10	23	55
B. *Operated*	13	8.4	148	1	1	3	8	27	38	41
2. MULTIPLE DX										
A. *Not Operated*	78	6.0	89	1	1	3	7	13	19	57
B. *Operated*	43	16.7	255	2	3	9	28	40	48	66
1. SINGLE DX	47	6.4	111	1	1	3	5	18	28	55
2. MULTIPLE DX	121	9.8	173	1	1	4	11	30	40	64
A. NOT OPERATED	112	5.9	91	1	1	3	6	12	20	58
B. OPERATED	56	14.8	240	1	2	8	22	40	42	66
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	26	4.3	26	1	1	2	4	12	18	18
1-5 YRS	44	6.0	115	1	1	3	5	12	26	63
6-12 YRS	46	9.1	220	1	1	3	8	32	42	66
13-19 YRS	51	13.5	173	3	3	8	16	40	41	55
GRAND TOTAL	**168**	**8.8**	**157**	**1**	**1**	**4**	**9**	**27**	**40**	**62**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS										
6-12 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
13-19 YRS	18	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	5	1.8	2	<1	<1	1	2	4	4	4
6-12 YRS	6	5.8	41	2	2	3	8	17	18	18
13-19 YRS	350	3.0	3	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	17.0		17	17	17	17	17	17	17
6-12 YRS	4	2.3	4	1	1	2	3	5	5	5
13-19 YRS	40	2.5	6	<1	<1	2	4	5	5	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	6	5.5	48	<1	<1	3	6	18	19	19
6-12 YRS	10	2.9	7	1	1	2	3	7	9	9
13-19 YRS	226	3.3	7	1	1	3	4	5	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.0	8	<1	<1	1	2	2	8	14
B. *Operated*	362	3.0	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	45	2.8	11	<1	<1	2	4	5	8	17
B. *Operated*	243	3.3	8	<1	1	3	4	5	8	17
1. SINGLE DX	382	2.9	4	<1	1	3	4	5	6	12
2. MULTIPLE DX	288	3.3	8	<1	1	3	4	5	8	17
A. NOT OPERATED	65	2.5	10	<1	<1	1	2	5	8	17
B. OPERATED	605	3.1	5	1	1	3	4	5	6	14
TOTAL 0-27 DYS										
1-11 MOS	3	5.7	52	<1	<1	2	11	14	14	14
1-5 YRS	12	4.9	40	<1	<1	2	5	18	19	19
6-12 YRS	21	3.5	16	<1	1	2	4	8	13	18
13-19 YRS	634	3.0	5	<1	1	3	4	5	6	11
GRAND TOTAL	**670**	**3.1**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**15**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	4.3	9	1	1	3	7	8	8	8
13-19 YRS	70	2.0	3	<1	<1	1	2	4	6	7
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.8	23	<1	<1	1	6	12	12	12
1-5 YRS	3	3.3	4	1	1	4	5	5	5	5
6-12 YRS	119	3.0	4	<1	1	3	4	5	6	12
13-19 YRS	3024	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	7	3.9	8	1	1	3	7	8	8	8
13-19 YRS	103	2.5	7	<1	<1	2	3	5	7	15
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	5	2.4	1	1	1	2	3	4	4	4
6-12 YRS	72	4.1	12	1	1	3	5	8	9	22
13-19 YRS	2592	3.4	6	1	1	3	4	6	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.2	4	<1	<1	1	3	6	7	8
B. *Operated*	3151	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	111	2.6	7	<1	<1	2	3	5	8	14
B. *Operated*	2672	3.4	6	1	1	3	4	6	7	12
1. SINGLE DX	3228	3.0	4	1	1	3	4	5	6	9
2. MULTIPLE DX	2783	3.3	7	1	1	3	4	6	7	12
A. NOT OPERATED	188	2.4	6	<1	<1	2	3	6	7	9
B. OPERATED	5823	3.2	5	1	1	3	4	6	7	11
TOTAL 0-27 DYS										
1-11 MOS	8	3.4	14	<1	<1	2	4	10	12	12
1-5 YRS	9	2.9	2	1	1	3	4	5	5	5
6-12 YRS	205	3.4	8	1	1	3	4	6	8	12
13-19 YRS	5789	3.1	5	1	1	3	4	6	7	11
GRAND TOTAL	**6011**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	2.8	8	<1	<1	3	3	4	10	13
6-12 YRS	22	4.5	23	<1	<1	3	6	11	16	19
13-19 YRS	61	4.7	27	<1	1	3	7	10	18	24
B. *Operated*										
0-27 DYS										
1-11 MOS	5	3.0	7	1	1	2	5	7	7	7
1-5 YRS	38	2.9	11	<1	<1	2	4	6	7	19
6-12 YRS	192	2.8	15	<1	1	1	3	7	11	20
13-19 YRS	321	3.4	18	<1	1	2	4	8	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS										
1-5 YRS	20	3.7	9	1	1	3	4	8	11	12
6-12 YRS	32	4.6	18	1	1	3	7	10	14	17
13-19 YRS	137	5.4	38	<1	1	4	7	12	20	34
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	5.0	16	1	1	4	7	11	12	12
1-5 YRS	54	5.6	38	1	1	3	8	12	18	32
6-12 YRS	186	4.0	34	<1	1	2	4	10	15	34
13-19 YRS	518	5.9	74	1	1	3	7	15	20	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	100	4.3	23	<1	1	3	6	10	15	22
B. *Operated*	556	3.2	16	<1	1	2	3	7	11	21
2. MULTIPLE DX										
A. *Not Operated*	190	5.1	31	1	1	3	7	11	17	30
B. *Operated*	765	5.4	62	1	1	3	6	14	20	36
1. SINGLE DX	656	3.4	17	<1	1	2	4	8	12	21
2. MULTIPLE DX	955	5.3	56	1	1	3	6	13	20	35
A. NOT OPERATED	290	4.8	28	<1	1	3	6	10	17	25
B. OPERATED	1321	4.5	44	<1	1	2	5	10	17	33
TOTAL 0-27 DYS	2	1.0		1	1	1	1	1	1	1
1-11 MOS	11	4.1	12	1	1	3	6	9	12	12
1-5 YRS	129	4.1	23	<1	1	3	4	9	13	26
6-12 YRS	432	3.6	24	<1	1	2	4	9	14	26
13-19 YRS	1037	5.0	50	<1	1	3	5	12	18	35
GRAND TOTAL	**1611**	**4.5**	**41**	**<1**	**1**	**2**	**5**	**10**	**17**	**32**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	10	3.4	13	<1	<1	2	3	9	13	13
6-12 YRS	32	3.1	4	1	1	3	4	6	6	9
13-19 YRS	116	2.5	3	<1	1	2	3	5	7	10
B. *Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS										
1-5 YRS	3	2.3		2	2	2	3	3	3	3
6-12 YRS	53	3.7	7	1	2	3	4	6	9	15
13-19 YRS	968	3.3	5	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	5.7	40	2	2	2	10	13	13	13
1-5 YRS	9	2.2	2	1	1	2	3	5	5	5
6-12 YRS	34	2.7	4	1	1	2	3	6	7	8
13-19 YRS	170	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	2	1.5	1	<1	<1	1	2	2	2	2
6-12 YRS	66	3.5	10	1	1	3	4	7	10	17
13-19 YRS	1924	4.2	8	1	1	4	5	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	159	2.6	4	<1	1	2	3	5	7	10
B. *Operated*	1026	3.3	5	<1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	216	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*	1994	4.2	8	1	1	4	5	7	9	14
1. SINGLE DX	1185	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	2210	4.0	8	1	1	4	5	7	8	13
A. NOT OPERATED	375	2.6	4	<1	<1	2	3	5	7	11
B. OPERATED	3020	3.9	7	1	1	3	5	7	8	13
TOTAL 0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	6	4.5	18	2	2	3	4	12	13	13
1-5 YRS	24	2.7	6	<1	1	2	3	5	8	13
6-12 YRS	185	3.4	7	1	1	3	4	6	8	15
13-19 YRS	3178	3.8	7	<1	1	3	5	7	8	12
GRAND TOTAL	**3395**	**3.7**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	**13**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	4	8.0	23	5	5	6	11	15	15	15
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS	24	3.2	5	1	1	3	4	6	8	11
13-19 YRS	343	5.0	11	1	2	4	7	10	12	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	1	11.0		11	11	11	11	11	11	11
6-12 YRS	1	5.0		5	5	5	5	5	5	5
13-19 YRS	32	6.0	30	1	1	4	9	14	19	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	8.7	25	4	4	8	12	14	14	14
1-11 MOS	6	7.8	24	2	2	8	11	14	14	14
1-5 YRS	4	4.3	11	1	1	4	7	8	8	8
6-12 YRS	36	3.7	6	1	1	3	5	7	7	11
13-19 YRS	430	5.3	13	1	1	5	7	10	12	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.3	6	1	1	3	5	6	6	6
6-12 YRS	2	5.0	8	3	3	5	7	7	7	7
13-19 YRS	45	9.0	29	2	3	8	11	17	19	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	373	4.9	11	1	2	4	7	10	12	15
B. *Operated*	35	6.2	29	1	1	5	10	12	18	22
2. MULTIPLE DX										
A. *Not Operated*	479	5.2	13	1	1	5	7	10	12	17
B. *Operated*	50	8.5	29	2	3	7	11	16	18	25
1. SINGLE DX	408	5.0	13	1	2	4	7	10	12	17
2. MULTIPLE DX	529	5.5	15	1	1	5	7	11	14	18
A. NOT OPERATED	852	5.1	12	1	1	4	7	10	12	17
B. OPERATED	85	7.6	30	1	2	6	10	16	18	24
TOTAL 0-27 DYS	4	9.3	18	4	4	9	12	14	14	14
1-11 MOS	11	8.1	19	2	3	7	11	14	15	15
1-5 YRS	9	5.6	17	1	1	6	9	12	12	12
6-12 YRS	63	3.6	5	1	1	3	5	7	7	11
13-19 YRS	850	5.4	15	1	2	4	7	10	13	18
GRAND TOTAL	**937**	**5.3**	**14**	**1**	**2**	**4**	**7**	**10**	**13**	**18**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	13.0	32	9	9	13	17	17	17	17
1-11 MOS										
1-5 YRS	34	1.7	1	1	1	2	2	3	4	4
6-12 YRS	86	2.7	6	1	1	2	3	6	8	12
13-19 YRS	443	3.6	9	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	27	5.4	29	1	1	3	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	3	5.0	12	1	1	7	7	7	7	7
1-5 YRS	39	2.8	4	1	1	2	4	6	7	10
6-12 YRS	170	3.0	8	1	1	2	4	6	7	14
13-19 YRS	1262	4.2	14	<1	1	3	6	8	10	17
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	5	7.2	76	1	1	3	11	22	22	22
13-19 YRS	71	5.3	18	1	1	4	7	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	565	3.4	8	1	1	3	4	7	9	14
B. *Operated*	27	5.4	29	1	1	3	7	10	15	27
2. MULTIPLE DX										
A. *Not Operated*	1475	4.0	13	<1	1	3	5	7	10	16
B. *Operated*	77	5.4	21	1	1	4	7	12	15	22
1. SINGLE DX	592	3.5	9	1	1	3	4	7	10	15
2. MULTIPLE DX	1552	4.1	14	<1	1	3	5	8	10	18
A. NOT OPERATED	2040	3.9	12	1	1	3	5	7	10	16
B. OPERATED	104	5.4	23	1	1	4	7	11	15	24
TOTAL 0-27 DYS	3	9.0	64	1	1	9	15	17	17	17
1-11 MOS	3	5.0	12	1	1	7	7	7	7	7
1-5 YRS	74	2.3	3	1	1	2	3	4	6	9
6-12 YRS	261	3.0	8	1	1	2	3	6	8	15
13-19 YRS	1803	4.1	13	<1	1	3	5	8	10	17
GRAND TOTAL	**2144**	**3.9**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	3.0	2	2	2	3	4	4	4	4
1-5 YRS	17	2.3	2	<1	<1	2	3	4	5	6
6-12 YRS	61	3.0	5	<1	1	2	3	6	8	11
13-19 YRS	199	2.7	4	<1	1	2	3	5	6	12
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	10	1.9	1	1	1	2	2	3	4	4
6-12 YRS	42	2.6	4	<1	1	2	3	5	6	11
13-19 YRS	501	2.9	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	7	1.9	2	1	1	1	2	4	5	5
1-5 YRS	36	2.6	5	<1	1	2	3	6	7	12
6-12 YRS	71	3.2	9	<1	1	2	4	6	8	17
13-19 YRS	385	2.2	4	<1	<1	1	3	5	7	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	13	2.7	15	<1	<1	1	2	7	13	15
6-12 YRS	31	2.9	12	1	1	2	3	4	8	20
13-19 YRS	510	3.0	8	1	1	3	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	279	2.7	4	<1	1	2	3	5	6	12
B. *Operated*	555	2.8	3	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	499	2.4	5	<1	<1	1	3	5	7	10
B. *Operated*	557	3.0	9	1	1	3	4	5	6	14
1. SINGLE DX	834	2.8	3	1	1	2	4	5	6	11
2. MULTIPLE DX	1056	2.7	7	<1	<1	2	3	5	6	12
A. NOT OPERATED	778	2.5	5	<1	<1	2	3	5	7	11
B. OPERATED	1112	2.9	6	1	1	3	4	5	6	10
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	12	2.3	2	1	1	2	3	5	5	5
1-5 YRS	76	2.5	5	<1	1	2	3	5	6	14
6-12 YRS	205	3.0	7	<1	1	2	3	6	8	16
13-19 YRS	1595	2.7	5	<1	<1	2	3	5	6	10
GRAND TOTAL	**1890**	**2.7**	**5**	**<1**	**<1**	**2**	**3**	**5**	**6**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	101	1.4		<1	1	1	2	2	3	4
1-5 YRS	1238	1.4	2	<1	1	1	2	2	3	5
6-12 YRS	2233	1.5	1	1	1	1	2	2	3	5
13-19 YRS	2191	1.8	2	<1	1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	5	1.6	1	1	1	1	2	3	3	3
13-19 YRS	24	3.4	45	<1	1	2	2	5	14	34
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	2.6	8	<1	<1	1	3	7	9	9
1-11 MOS	203	1.9	3	1	1	1	2	3	5	10
1-5 YRS	2064	1.8	4	1	1	1	2	3	4	9
6-12 YRS	4158	1.9	4	1	1	1	2	3	4	8
13-19 YRS	6544	2.4	6	<1	1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	6	1.8	1	1	1	2	2	4	4	4
1-5 YRS	148	4.2	76	1	1	2	4	8	15	40
6-12 YRS	386	4.1	46	1	1	2	4	8	14	42
13-19 YRS	1462	4.0	34	<1	1	2	4	8	13	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5763	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	33	3.0	33	<1	1	2	2	5	6	34
2. MULTIPLE DX										
A. *Not Operated*	12979	2.1	5	1	1	1	2	4	6	10
B. *Operated*	2002	4.0	39	1	1	2	4	8	13	34
1. SINGLE DX	5796	1.6	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	14981	2.4	10	1	1	2	3	4	6	14
A. NOT OPERATED	18742	2.0	4	1	1	1	2	4	5	9
B. OPERATED	2035	4.0	39	1	1	2	4	8	13	34
TOTAL 0-27 DYS	10	2.6	8	<1	<1	1	3	7	9	9
1-11 MOS	310	1.7	2	1	1	1	2	3	4	9
1-5 YRS	3454	1.8	6	1	1	1	2	3	4	9
6-12 YRS	6782	1.9	6	1	1	1	2	3	4	9
13-19 YRS	10221	2.5	10	<1	1	2	3	5	7	14
GRAND TOTAL	**20777**	**2.2**	**8**	**1**	**1**	**1**	**2**	**4**	**6**	**12**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	1.6	1	1	1	1	2	3	3	3
1-11 MOS	90	1.6	2	<1	1	1	1	3	5	9
1-5 YRS	541	1.6	2	<1	1	1	2	3	4	8
6-12 YRS	709	1.8	7	1	1	1	2	3	4	9
13-19 YRS	564	2.5	10	<1	1	2	3	5	7	19
B. *Operated*										
0-27 DYS										
1-11 MOS	3	5.7	1	5	5	5	7	7	7	7
1-5 YRS	9	10.3	232	1	1	4	12	35	49	49
6-12 YRS	29	8.5	158	1	1	5	9	20	34	63
13-19 YRS	41	10.8	76	2	2	9	13	24	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	8	1.9	1	1	1	2	3	4	4	4
1-11 MOS	243	2.9	14	<1	1	2	3	6	11	20
1-5 YRS	1176	2.3	13	<1	1	1	2	4	7	16
6-12 YRS	1430	2.5	19	1	1	1	2	4	7	21
13-19 YRS	1720	3.7	37	<1	1	2	4	7	13	30
B. *Operated*										
0-27 DYS	1	29.0		29	29	29	29	29	29	29
1-11 MOS	21	19.8	134	1	2	20	26	32	42	50
1-5 YRS	118	9.5	233	1	1	4	8	30	44	75
6-12 YRS	195	9.9	234	1	1	5	12	30	76	99+
13-19 YRS	606	16.1	433	1	1	8	23	64	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1911	1.9	6	<1	1	1	2	3	5	12
B. *Operated*	82	9.7	117	1	1	7	10	22	33	59
2. MULTIPLE DX										
A. *Not Operated*	4577	2.9	24	<1	1	1	3	6	9	25
B. *Operated*	941	14.1	369	1	1	7	20	55	81	99+
1. SINGLE DX	1993	2.2	13	<1	1	1	2	4	6	18
2. MULTIPLE DX	5518	4.8	101	<1	1	2	4	11	22	79
A. NOT OPERATED	6488	2.6	19	<1	1	1	2	5	8	23
B. OPERATED	1023	13.7	350	1	1	7	19	51	78	99+
TOTAL 0-27 DYS	16	3.4	47	1	1	2	3	4	21	29
1-11 MOS	357	3.6	35	<1	1	1	3	9	16	29
1-5 YRS	1844	2.6	28	<1	1	1	2	4	7	29
6-12 YRS	2363	2.9	39	1	1	1	2	5	10	39
13-19 YRS	2931	6.1	141	<1	1	2	5	16	32	97
GRAND TOTAL	**7511**	**4.1**	**79**	**<1**	**1**	**2**	**3**	**8**	**17**	**66**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	3.0	6	<1	<1	3	4	7	7	7
6-12 YRS	10	2.8	8	1	1	2	3	7	10	10
13-19 YRS	38	3.3	10	1	1	2	4	7	12	14
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	5.3	4	4	4	5	6	9	9	9
13-19 YRS	63	5.9	16	2	2	5	7	11	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	2.0	4	1	1	1	3	5	5	5
1-5 YRS	18	3.7	7	1	1	3	6	8	9	9
6-12 YRS	44	3.1	5	1	1	2	4	6	8	11
13-19 YRS	201	4.3	15	1	1	3	5	7	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	17	6.8	20	1	2	6	8	15	17	18
6-12 YRS	42	11.3	98	3	3	7	12	29	34	43
13-19 YRS	364	10.1	108	3	3	7	11	19	27	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	3.2	9	1	1	2	4	7	11	14
B. *Operated*	70	5.8	15	2	2	5	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	267	4.0	13	1	1	3	5	7	11	18
B. *Operated*	423	10.1	104	3	3	7	11	19	29	65
1. SINGLE DX	124	4.7	14	1	1	4	6	9	12	19
2. MULTIPLE DX	690	7.7	77	1	2	5	9	16	21	55
A. NOT OPERATED	321	3.9	12	1	1	3	5	7	11	18
B. OPERATED	493	9.5	93	2	3	7	11	18	26	61
TOTAL 0-27 DYS										
1-11 MOS	5	2.4	4	1	1	1	4	5	5	5
1-5 YRS	41	4.9	14	1	1	4	7	9	12	18
6-12 YRS	102	6.6	58	1	1	4	7	13	24	39
13-19 YRS	666	7.6	74	1	2	5	9	15	20	55
GRAND TOTAL	**814**	**7.3**	**69**	**1**	**2**	**5**	**9**	**15**	**20**	**49**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0	2	1	1	2	3	3	3	3
1-5 YRS	39	2.4	4	1	1	2	3	6	7	7
6-12 YRS	201	3.4	11	1	1	2	4	8	11	16
13-19 YRS	393	3.8	8	1	1	3	5	7	9	14
B. *Operated*										
0-27 DYS										
1-11 MOS	1	10.0		10	10	10	10	10	10	10
1-5 YRS	24	6.5	21	2	2	5	7	13	16	23
6-12 YRS	78	7.2	14	2	3	7	8	12	15	19
13-19 YRS	202	7.4	16	3	4	7	8	12	16	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	4.3	21	1	1	2	7	11	11	11
1-5 YRS	96	4.0	20	1	1	3	5	8	11	27
6-12 YRS	418	4.2	17	1	1	3	5	10	12	19
13-19 YRS	952	4.0	10	1	1	3	5	8	10	14
B. *Operated*										
0-27 DYS										
1-11 MOS	3	13.0	76	7	7	9	19	23	23	23
1-5 YRS	82	11.0	89	3	4	8	13	22	27	56
6-12 YRS	292	10.7	100	2	4	7	11	25	30	57
13-19 YRS	980	11.6	128	3	5	8	13	21	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	635	3.6	9	1	1	3	5	7	9	14
B. *Operated*	305	7.3	16	2	4	7	8	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	1471	4.1	13	1	1	3	5	8	11	16
B. *Operated*	1357	11.4	119	3	4	8	12	22	32	60
1. SINGLE DX	940	4.8	14	1	1	4	7	9	12	18
2. MULTIPLE DX	2828	7.6	77	1	1	6	9	15	22	48
A. NOT OPERATED	2106	3.9	12	1	1	3	5	8	10	15
B. OPERATED	1662	10.6	103	3	4	8	11	20	30	58
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	7.0	46	1	1	5	10	17	23	23
1-5 YRS	241	6.3	53	1	1	5	7	13	20	38
6-12 YRS	989	6.2	49	1	1	4	8	12	19	35
13-19 YRS	2527	7.2	69	1	1	5	8	13	19	47
GRAND TOTAL	**3768**	**6.9**	**63**	**1**	**1**	**5**	**8**	**13**	**19**	**42**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	16	2.8	15	<1	<1	1	3	5	13	16
6-12 YRS	15	2.5	5	<1	<1	2	3	4	8	9
13-19 YRS	17	3.1	6	<1	<1	3	4	6	9	10
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.6	1	<1	<1	3	3	4	4	4
1-5 YRS	157	2.2	3	<1	1	1	3	4	6	8
6-12 YRS	186	2.7	4	1	1	2	4	6	7	10
13-19 YRS	131	2.9	4	1	1	2	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	<1	<1	1	3	4	4	4
1-5 YRS	19	2.6	3	1	1	2	4	5	6	6
6-12 YRS	36	3.5	7	1	1	3	4	7	10	12
13-19 YRS	61	3.0	5	<1	1	2	4	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS	8	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	304	2.9	10	1	1	2	4	6	8	15
6-12 YRS	317	3.8	11	1	1	3	5	8	10	18
13-19 YRS	455	4.3	23	1	1	3	5	8	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	48	2.8	8	<1	<1	2	4	5	9	16
B. *Operated*	479	2.6	4	<1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	119	3.1	5	<1	1	2	4	6	7	12
B. *Operated*	1084	3.7	16	1	1	3	5	7	10	19
1. SINGLE DX	527	2.6	4	<1	1	2	4	5	7	10
2. MULTIPLE DX	1203	3.7	15	1	1	3	5	7	9	18
A. NOT OPERATED	167	3.0	6	<1	1	2	4	6	7	13
B. OPERATED	1563	3.4	12	1	1	2	4	7	9	16
TOTAL 0-27 DYS										
1-11 MOS	16	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	496	2.7	8	<1	1	2	3	6	7	14
6-12 YRS	554	3.4	9	1	1	2	5	7	8	15
13-19 YRS	664	3.8	17	1	1	3	5	7	10	19
GRAND TOTAL	**1730**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**8**	**16**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	2.4	1	1	1	2	3	4	4	4
1-5 YRS	104	2.5	8	<1	<1	2	3	4	7	18
6-12 YRS	49	2.2	2	<1	<1	2	3	4	5	7
13-19 YRS	97	2.1	4	<1	1	1	2	4	5	14
B. *Operated*										
0-27 DYS										
1-11 MOS	15	1.4	2	<1	<1	1	1	2	5	6
1-5 YRS	412	1.6	2	<1	<1	1	2	3	5	8
6-12 YRS	163	2.2	4	<1	1	2	3	4	6	12
13-19 YRS	248	2.9	17	<1	1	2	3	5	7	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	2	4.0	2	3	3	4	5	5	5	5
1-11 MOS	17	2.6	4	1	1	2	3	6	7	8
1-5 YRS	244	2.5	6	<1	1	2	3	5	6	11
6-12 YRS	217	2.5	4	1	1	2	3	5	7	10
13-19 YRS	571	2.5	5	<1	<1	2	3	5	7	11
B. *Operated*										
0-27 DYS	4	5.5	51	<1	<1	2	10	16	16	16
1-11 MOS	39	2.0	3	<1	1	1	2	4	5	9
1-5 YRS	809	2.2	5	<1	1	1	3	5	6	11
6-12 YRS	578	2.8	12	1	1	2	3	5	8	18
13-19 YRS	1529	3.2	14	<1	1	2	4	6	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	255	2.3	5	<1	<1	2	3	4	5	15
B. *Operated*	838	2.1	7	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1051	2.5	5	<1	1	2	3	5	6	11
B. *Operated*	2959	2.8	11	<1	1	2	3	6	8	17
1. SINGLE DX	1093	2.1	7	<1	<1	1	2	4	5	11
2. MULTIPLE DX	4010	2.7	10	<1	1	2	3	6	8	16
A. NOT OPERATED	1306	2.4	5	<1	1	2	3	5	6	11
B. OPERATED	3797	2.7	10	<1	1	2	3	5	8	16
TOTAL 0-27 DYS	6	5.0	32	<1	<1	3	5	15	16	16
1-11 MOS	76	2.0	3	<1	1	1	3	4	6	9
1-5 YRS	1569	2.1	4	<1	<1	1	2	4	6	10
6-12 YRS	1007	2.6	8	1	1	2	3	5	7	13
13-19 YRS	2445	3.0	12	<1	1	2	3	6	8	18
GRAND TOTAL	**5103**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**7**	**15**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	25	2.3	3	<1	1	2	4	5	5	6
6-12 YRS	54	2.4	4	<1	1	2	3	4	5	12
13-19 YRS	257	2.3	4	<1	1	2	3	4	6	9
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	69	2.9	13	<1	<1	1	3	7	12	19
6-12 YRS	116	2.3	3	<1	1	2	3	5	5	10
13-19 YRS	220	4.2	12	<1	1	3	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	6	2.2	3	<1	<1	2	3	5	5	5
1-5 YRS	55	3.4	14	<1	1	2	3	8	13	16
6-12 YRS	90	2.4	4	<1	1	2	3	6	7	9
13-19 YRS	458	2.7	6	<1	1	2	3	5	7	13
B. *Operated*										
0-27 DYS										
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	141	3.8	17	<1	1	2	5	9	13	20
6-12 YRS	207	4.1	59	1	1	2	5	7	11	30
13-19 YRS	738	6.5	51	1	1	5	8	12	16	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	2.3	4	<1	1	2	3	4	6	10
B. *Operated*	405	3.4	10	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	609	2.7	6	<1	1	2	3	6	7	14
B. *Operated*	1089	5.7	49	1	1	4	7	11	15	34
1. SINGLE DX	742	2.9	8	<1	1	2	4	6	9	14
2. MULTIPLE DX	1698	4.6	36	<1	1	3	6	10	13	26
A. NOT OPERATED	946	2.6	5	<1	1	2	3	5	7	13
B. OPERATED	1494	5.1	40	1	1	3	7	10	14	29
TOTAL 0-27 DYS										
1-11 MOS	10	2.2	2	<1	<1	2	3	4	5	5
1-5 YRS	290	3.4	14	<1	1	2	4	8	13	18
6-12 YRS	467	3.1	29	<1	1	2	4	6	8	19
13-19 YRS	1673	4.5	30	<1	1	3	6	9	12	25
GRAND TOTAL	**2440**	**4.1**	**28**	**<1**	**1**	**2**	**5**	**9**	**12**	**23**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	3	2.0	3	1	1	1	3	4	4	4
1-5 YRS	39	3.1	8	<1	1	2	5	7	8	13
6-12 YRS	66	2.7	3	<1	1	2	4	5	6	7
13-19 YRS	193	2.9	4	<1	1	2	4	6	7	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	2.7	20	<1	1	2	2	4	13	21
1-5 YRS	311	2.0	4	<1	<1	1	2	4	5	11
6-12 YRS	488	2.3	5	<1	1	2	2	4	6	14
13-19 YRS	1300	2.3	4	<1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0		4	4	4	4	4	4	4
1-5 YRS	76	3.0	5	<1	<1	3	4	5	7	11
6-12 YRS	112	3.6	6	1	1	3	4	6	8	14
13-19 YRS	521	3.4	16	<1	<1	2	4	6	9	24
B. *Operated*										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	25	2.7	6	<1	1	2	3	8	8	9
1-5 YRS	505	2.2	6	1	1	1	2	4	6	12
6-12 YRS	800	2.7	14	1	1	2	3	5	7	17
13-19 YRS	2676	3.0	12	<1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	301	2.9	4	<1	1	2	4	6	7	10
B. *Operated*	2119	2.2	5	<1	1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	711	3.4	13	<1	<1	2	4	6	9	23
B. *Operated*	4009	2.8	12	<1	1	2	3	6	8	18
1. SINGLE DX	2420	2.3	5	<1	1	2	3	5	6	11
2. MULTIPLE DX	4720	2.9	12	<1	1	2	3	6	8	18
A. NOT OPERATED	1012	3.2	11	<1	<1	2	4	6	8	18
B. OPERATED	6128	2.6	9	<1	1	2	3	5	7	16
TOTAL 0-27 DYS	4	2.0	1	1	1	2	3	3	3	3
1-11 MOS	49	2.7	11	<1	1	2	3	5	8	21
1-5 YRS	931	2.2	5	<1	1	1	2	5	6	12
6-12 YRS	1466	2.6	10	<1	1	2	3	5	7	15
13-19 YRS	4690	2.8	10	<1	1	2	3	5	8	17
GRAND TOTAL	**7140**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**5**	**7**	**16**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.4		1	1	1	2	2	2	2
1-5 YRS	44	2.5	6	<1	<1	2	3	5	6	15
6-12 YRS	113	2.8	4	<1	1	2	4	6	7	9
13-19 YRS	230	3.0	6	1	1	2	4	5	6	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	175	3.2	25	<1	1	2	3	6	8	29
6-12 YRS	466	3.5	13	<1	1	2	4	7	10	19
13-19 YRS	654	4.0	18	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	4.0	8	2	2	4	6	6	6	6
1-5 YRS	63	4.2	21	<1	<1	3	6	8	12	25
6-12 YRS	222	3.9	10	<1	1	3	5	8	10	16
13-19 YRS	362	3.5	7	<1	1	3	5	7	9	12
B. *Operated*										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	249	5.6	65	1	1	3	6	13	21	42
6-12 YRS	607	5.5	51	1	1	3	6	12	21	40
13-19 YRS	1069	6.0	67	<1	1	4	7	12	19	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	392	2.9	5	<1	1	2	4	5	6	13
B. *Operated*	1296	3.7	17	<1	1	2	4	7	11	22
2. MULTIPLE DX										
A. *Not Operated*	649	3.7	9	<1	1	3	5	7	9	16
B. *Operated*	1928	5.8	62	1	1	3	6	12	20	43
1. SINGLE DX	1688	3.5	15	<1	1	2	4	7	10	19
2. MULTIPLE DX	2577	5.3	49	<1	1	3	6	11	17	41
A. NOT OPERATED	1041	3.4	8	<1	1	3	4	7	8	15
B. OPERATED	3224	4.9	45	1	1	3	5	10	16	38
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	10	2.9	6	<1	<1	2	5	7	8	8
1-5 YRS	531	4.4	43	<1	1	2	5	8	16	40
6-12 YRS	1408	4.3	29	1	1	3	5	9	13	32
13-19 YRS	2315	4.7	39	<1	1	3	5	9	13	36
GRAND TOTAL	**4265**	**4.6**	**36**	**<1**	**1**	**3**	**5**	**9**	**14**	**34**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.6		1	1	2	2	2	2	2
6-12 YRS	4	2.0	4	1	1	1	3	5	5	5
13-19 YRS	7	5.4	21	1	1	4	10	12	12	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	2.7	5	<1	<1	2	3	7	7	7
6-12 YRS	15	3.1	12	1	1	2	3	5	12	15
13-19 YRS	17	4.1	13	1	1	3	5	10	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	1.8	2	1	1	1	2	4	4	4
1-5 YRS	11	2.5	1	1	1	2	3	4	5	5
6-12 YRS	10	3.1	10	1	1	2	5	8	11	11
13-19 YRS	32	3.3	12	<1	1	2	4	6	7	20
B. *Operated*										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	11	5.9	35	1	1	4	10	44	92	99+
6-12 YRS	26	3.5	25	<1	1	2	3	7	15	25
13-19 YRS	132	9.7	188	1	1	5	11	26	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16	3.4	13	1	1	2	4	11	12	12
B. *Operated*	38	3.5	11	1	1	2	4	8	12	15
2. MULTIPLE DX										
A. *Not Operated*	58	3.0	9	1	1	2	4	5	7	19
B. *Operated*	170	8.4	157	1	1	4	10	22	31	78
1. SINGLE DX	54	3.5	11	1	1	2	4	8	12	15
2. MULTIPLE DX	228	7.1	125	1	1	3	8	17	28	72
A. NOT OPERATED	74	3.1	10	1	1	2	4	5	10	18
B. OPERATED	208	7.5	134	1	1	3	8	18	29	74
TOTAL 0-27 DYS										
1-11 MOS	6	2.2	2	1	1	2	4	4	4	4
1-5 YRS	33	3.5	15	1	1	2	4	9	18	99+
6-12 YRS	55	3.2	17	1	1	2	3	5	12	24
13-19 YRS	188	7.9	143	1	1	3	9	18	29	67
GRAND TOTAL	**282**	**6.4**	**105**	**1**	**1**	**3**	**7**	**15**	**26**	**68**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	16	20.6	1107	<1	1	4	71	96	99+	99+
6-12 YRS	22	31.0	1463	1	1	5	74	89	92	93
13-19 YRS	46	7.2	243	1	1	3	5	10	70	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	4	8.0	129	2	2	3	14	25	25	25
1-5 YRS	52	4.1	26	<1	1	2	4	10	14	28
6-12 YRS	165	3.6	12	1	1	2	4	8	10	19
13-19 YRS	464	3.7	16	1	1	3	4	7	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	5	10.4	91	2	2	8	15	26	26	26
1-5 YRS	23	5.3	42	<1	1	5	8	99+	99+	99+
6-12 YRS	41	15.3	711	<1	1	4	16	81	91	99+
13-19 YRS	126	9.5	285	<1	1	4	8	41	86	99+
B. *Operated*										
0-27 DYS										
1-11 MOS	4	13.3	422	2	2	4	24	44	44	44
1-5 YRS	82	4.5	36	<1	1	2	5	10	16	35
6-12 YRS	154	4.2	24	1	1	2	4	9	15	28
13-19 YRS	579	4.5	42	1	1	3	4	8	13	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	15.7	795	1	1	4	6	83	91	99+
B. *Operated*	685	3.8	16	1	1	2	4	8	10	23
2. MULTIPLE DX										
A. *Not Operated*	195	10.2	345	<1	1	4	9	63	99+	99+
B. *Operated*	819	4.5	40	1	1	3	5	9	14	34
1. SINGLE DX	771	5.1	116	1	1	3	4	8	15	85
2. MULTIPLE DX	1014	5.6	103	1	1	3	5	11	22	99+
A. NOT OPERATED	281	11.9	487	<1	1	4	8	77	92	99+
B. OPERATED	1504	4.2	29	1	1	3	4	8	13	29
TOTAL 0-27 DYS										
1-11 MOS	15	9.4	157	2	2	3	11	26	39	44
1-5 YRS	173	6.0	148	<1	1	2	6	14	66	99+
6-12 YRS	382	6.7	219	1	1	3	5	11	25	90
13-19 YRS	1215	4.8	68	1	1	3	5	9	15	77
GRAND TOTAL	**1785**	**5.4**	**109**	**1**	**1**	**3**	**5**	**9**	**19**	**90**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	1.7	1	1	1	1	3	3	3	3
1-5 YRS	80	4.0	5	1	2	4	5	6	8	12
6-12 YRS	310	4.2	4	1	2	4	5	6	7	12
13-19 YRS	277	4.0	4	1	2	4	5	6	7	12
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	4.3	11	1	1	3	6	10	10	10
6-12 YRS	8	5.8	7	2	2	6	8	9	9	9
13-19 YRS	8	7.8	27	2	2	7	11	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	12	4.1	8	1	1	4	6	9	9	9
1-5 YRS	118	4.1	9	1	1	4	5	8	10	17
6-12 YRS	438	4.2	6	1	1	4	5	7	8	14
13-19 YRS	474	3.7	5	1	1	3	5	6	7	10
B. *Operated*										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	16	6.1	25	1	1	5	8	14	18	19
6-12 YRS	40	6.2	18	<1	1	5	8	12	14	21
13-19 YRS	58	5.0	13	<1	1	4	7	11	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	671	4.0	4	1	2	4	5	6	7	12
B. *Operated*	22	6.1	16	1	2	6	8	11	15	17
2. MULTIPLE DX										
A. *Not Operated*	1042	3.9	6	1	1	4	5	7	8	13
B. *Operated*	116	5.5	17	1	1	5	7	12	14	20
1. SINGLE DX	693	4.1	5	1	2	4	5	6	8	13
2. MULTIPLE DX	1158	4.1	7	1	1	4	5	7	9	15
A. NOT OPERATED	1713	4.0	5	1	1	4	5	6	8	13
B. OPERATED	138	5.6	16	1	1	5	7	12	14	19
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	17	3.5	7	1	1	3	5	8	9	9
1-5 YRS	220	4.2	9	1	1	4	5	8	10	16
6-12 YRS	796	4.3	6	1	2	4	5	7	8	14
13-19 YRS	817	3.9	6	1	1	4	5	6	8	13
GRAND TOTAL	**1851**	**4.1**	**6**	**1**	**1**	**4**	**5**	**7**	**8**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	3	1.0		1	1	1	1	1	1	1
1-11 MOS	66	1.7	1	<1	1	1	2	3	4	5
1-5 YRS	329	1.9	4	<1	1	1	2	4	5	8
6-12 YRS	510	1.9	2	1	1	2	2	3	5	8
13-19 YRS	915	2.3	6	<1	1	2	3	5	6	10
B. *Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	5	2.2	5	1	1	1	3	6	6	6
1-5 YRS	42	2.5	6	<1	1	1	3	7	8	11
6-12 YRS	102	2.8	13	<1	<1	2	3	5	7	24
13-19 YRS	149	2.7	4	<1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	13	1.4	1	1	1	1	2	3	4	4
1-11 MOS	170	2.7	7	1	1	2	3	6	8	13
1-5 YRS	1060	2.3	5	1	1	2	3	5	6	11
6-12 YRS	1339	2.2	4	1	1	2	3	4	5	10
13-19 YRS	3548	2.4	5	<1	<1	2	3	5	6	11
B. *Operated*										
0-27 DYS										
1-11 MOS	5	4.0	14	1	1	4	6	10	10	10
1-5 YRS	101	4.1	39	1	1	2	4	8	13	39
6-12 YRS	186	4.1	28	1	1	2	5	8	13	31
13-19 YRS	552	4.2	25	<1	1	3	5	9	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1823	2.1	4	<1	1	1	2	4	5	9
B. *Operated*	299	2.7	7	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	6130	2.3	5	<1	1	2	3	5	6	11
B. *Operated*	844	4.2	27	<1	1	2	5	9	13	26
1. SINGLE DX	2122	2.2	5	<1	1	2	2	4	6	9
2. MULTIPLE DX	6974	2.5	8	<1	1	2	3	5	7	13
A. NOT OPERATED	7953	2.3	5	<1	1	2	3	4	6	10
B. OPERATED	1143	3.8	22	<1	1	2	4	8	12	25
TOTAL 0-27 DYS	17	1.3	1	1	1	1	1	2	3	4
1-11 MOS	246	2.4	6	1	1	1	3	5	7	13
1-5 YRS	1532	2.3	7	1	1	2	3	5	6	12
6-12 YRS	2137	2.3	7	1	1	2	3	4	6	12
13-19 YRS	5164	2.6	7	<1	<1	2	3	5	7	13
GRAND TOTAL	**9096**	**2.5**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	5.0	18	2	2	5	8	8	8	8
1-5 YRS	38	2.5	3	1	1	2	3	5	6	7
6-12 YRS	19	2.3	3	1	1	2	3	5	6	6
13-19 YRS	35	2.1	2	1	1	2	2	3	5	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	21	5.1	59	1	1	2	4	18	26	27
6-12 YRS	15	6.7	54	<1	1	5	9	13	25	29
13-19 YRS	39	4.6	32	<1	1	2	4	11	14	31
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	58	2.4	4	1	1	2	3	5	7	10
6-12 YRS	34	2.7	4	1	1	2	3	5	7	11
13-19 YRS	64	3.4	8	<1	1	2	5	7	8	15
B. *Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	50	7.7	142	1	1	3	8	18	40	54
6-12 YRS	52	6.1	76	1	1	3	7	14	14	55
13-19 YRS	151	7.8	106	1	1	4	9	21	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	94	2.4	3	1	1	2	3	5	6	8
B. *Operated*	75	5.2	43	1	1	3	5	13	22	30
2. MULTIPLE DX										
A. *Not Operated*	156	2.8	6	1	1	2	3	6	7	11
B. *Operated*	254	7.4	106	1	1	3	8	19	29	54
1. SINGLE DX	169	3.6	22	1	1	2	4	8	12	29
2. MULTIPLE DX	410	5.7	73	1	1	3	6	14	22	51
A. NOT OPERATED	250	2.7	5	1	1	2	3	6	7	11
B. OPERATED	329	6.9	92	1	1	3	7	17	27	52
TOTAL 0-27 DYS										
1-11 MOS	3	3.7	14	1	1	2	6	8	8	8
1-5 YRS	167	4.3	57	1	1	2	4	10	17	49
6-12 YRS	120	4.6	44	1	1	2	5	10	14	37
13-19 YRS	289	5.7	66	1	1	3	6	14	24	38
GRAND TOTAL	**579**	**5.1**	**59**	**1**	**1**	**2**	**5**	**12**	**19**	**40**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	18	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	9	1.0		<1	<1	1	1	1	1	1
13-19 YRS	7	1.9	2	<1	<1	1	2	4	5	5
B. *Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	12	1.0		<1	<1	<1	1	1	1	1
6-12 YRS	13	1.8	1	<1	<1	1	2	3	5	5
13-19 YRS	6	2.5	6	<1	<1	1	4	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.0		<1	<1	1	1	1	1	1
6-12 YRS	3	1.7	1	<1	<1	1	2	3	3	3
13-19 YRS	22	1.5	1	<1	<1	<1	2	3	4	4
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	12	1.1		<1	<1	1	1	2	2	2
6-12 YRS	13	1.6	1	<1	<1	1	2	3	4	4
13-19 YRS	8	5.6	16	1	1	5	7	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.2	1	<1	<1	1	1	1	2	5
B. *Operated*	33	1.6	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	36	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	33	2.4	7	<1	<1	1	3	6	7	14
1. SINGLE DX	67	1.4	1	<1	<1	1	1	2	4	7
2. MULTIPLE DX	69	1.9	4	<1	<1	1	2	4	6	13
A. NOT OPERATED	70	1.3	1	<1	<1	1	1	2	3	5
B. OPERATED	66	2.0	5	<1	<1	1	2	5	6	13
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	53	1.0		<1	<1	<1	1	1	1	2
6-12 YRS	38	1.5	1	<1	<1	1	2	3	4	5
13-19 YRS	43	2.5	7	<1	<1	1	4	6	7	14
GRAND TOTAL	**136**	**1.6**	**3**	**<1**	**<1**	**1**	**1**	**3**	**5**	**8**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	35	1.7	1	1	1	1	2	3	4	6
1-11 MOS	153	1.5	2	<1	<1	1	2	3	4	8
1-5 YRS	748	1.3	1	<1	<1	1	1	2	3	5
6-12 YRS	316	1.3	1	<1	<1	1	1	2	3	5
13-19 YRS	163	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*										
0-27 DYS										
1-11 MOS	33	2.8	13	<1	<1	2	2	7	14	15
1-5 YRS	182	1.9	3	<1	<1	1	2	4	5	9
6-12 YRS	62	2.4	4	<1	1	1	3	5	7	9
13-19 YRS	59	3.2	12	<1	<1	1	5	7	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	39	2.4	4	1	1	2	3	4	7	10
1-11 MOS	184	2.2	5	<1	1	1	3	4	7	12
1-5 YRS	537	1.6	2	<1	<1	1	2	3	4	9
6-12 YRS	197	1.7	2	<1	<1	1	2	3	5	9
13-19 YRS	152	2.3	8	<1	<1	1	2	5	7	14
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	35	3.4	12	1	1	3	3	7	10	19
1-5 YRS	203	2.7	10	<1	1	2	3	5	7	20
6-12 YRS	71	3.2	21	<1	<1	1	3	7	14	27
13-19 YRS	57	4.2	21	<1	1	2	6	8	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1415	1.4	1	<1	<1	1	1	2	3	6
B. *Operated*	336	2.3	6	<1	<1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	1109	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	367	3.1	15	<1	1	2	3	7	10	20
1. SINGLE DX	1751	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1476	2.2	6	<1	<1	1	2	4	7	14
A. NOT OPERATED	2524	1.6	2	<1	<1	1	2	3	4	8
B. OPERATED	703	2.7	11	<1	<1	1	3	6	8	18
TOTAL 0-27 DYS	75	2.0	3	1	1	1	2	4	5	10
1-11 MOS	405	2.1	5	<1	1	1	2	4	7	13
1-5 YRS	1670	1.6	3	<1	<1	1	2	3	4	9
6-12 YRS	646	1.7	4	<1	<1	1	2	3	5	10
13-19 YRS	431	2.4	8	<1	<1	1	2	6	8	15
GRAND TOTAL	**3227**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**10**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	4	8.3	28	2	2	8	12	14	14	14
1-5 YRS	33	7.1	51	1	1	5	10	14	21	33
6-12 YRS	29	6.5	36	1	2	4	8	16	18	27
13-19 YRS	25	5.9	32	<1	1	4	7	12	18	27
B. *Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	4.7	10	1	2	4	5	10	12	12
1-5 YRS	49	11.6	133	1	2	8	14	25	45	47
6-12 YRS	49	13.7	141	1	2	9	17	37	38	42
13-19 YRS	66	11.5	94	2	3	9	14	22	33	46
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	24	5.8	13	1	2	5	8	11	14	15
1-5 YRS	151	9.3	65	1	2	7	12	21	26	35
6-12 YRS	44	8.0	55	1	1	6	12	16	28	31
13-19 YRS	84	7.9	135	1	1	5	9	16	21	76
B. *Operated*										
0-27 DYS										
1-11 MOS	30	17.2	181	2	3	14	28	34	41	52
1-5 YRS	172	17.3	211	1	2	14	24	37	43	82
6-12 YRS	141	18.1	253	2	2	13	26	38	48	81
13-19 YRS	174	19.0	360	2	3	13	24	44	63	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	6.6	39	1	1	4	10	14	20	31
B. *Operated*	176	11.7	115	1	2	8	14	27	38	46
2. MULTIPLE DX										
A. *Not Operated*	303	8.4	79	1	1	6	11	18	25	39
B. *Operated*	517	18.1	270	2	3	14	25	40	51	84
1. SINGLE DX	267	9.9	95	1	2	7	.	22	33	46
2. MULTIPLE DX	820	14.5	221	1	2	10	19	33	43	76
A. NOT OPERATED	394	8.0	70	1	1	6	11	17	24	35
B. OPERATED	693	16.4	238	2	2	12	23	37	45	78
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	69	10.7	117	2	2	6	14	29	32	50
1-5 YRS	405	12.8	149	1	2	9	18	28	38	64
6-12 YRS	263	14.3	195	1	2	10	19	33	40	64
13-19 YRS	349	14.0	258	1	2	9	17	33	45	86
GRAND TOTAL	**1087**	**13.4**	**194**	**1**	**2**	**9**	**17**	**32**	**41**	**68**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	7.0	8	5	5	7	9	9	9	9
1-11 MOS	96	3.9	10	<1	1	3	6	8	12	14
1-5 YRS	489	4.9	20	1	1	3	7	10	13	21
6-12 YRS	132	5.9	33	1	1	4	7	12	19	29
13-19 YRS	192	4.9	20	1	1	3	6	11	14	23
B. *Operated*										
0-27 DYS										
1-11 MOS	12	6.4	46	<1	<1	4	8	18	23	24
1-5 YRS	62	8.0	97	1	1	5	10	16	23	63
6-12 YRS	42	11.1	89	1	2	9	15	27	32	37
13-19 YRS	45	8.9	72	1	2	6	11	22	29	36
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	5.9	30	2	2	3	12	14	16	16
1-11 MOS	344	5.8	27	1	1	4	8	12	16	27
1-5 YRS	1540	6.2	31	1	1	5	8	13	17	27
6-12 YRS	441	6.2	49	1	1	4	8	14	17	27
13-19 YRS	768	4.7	22	<1	1	3	6	10	14	23
B. *Operated*										
0-27 DYS	1	30.0		30	30	30	30	30	30	30
1-11 MOS	37	14.1	248	1	2	8	18	33	42	79
1-5 YRS	260	11.8	118	1	2	8	17	26	37	57
6-12 YRS	116	12.6	142	1	2	9	16	28	35	57
13-19 YRS	173	10.3	123	1	1	7	13	22	28	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	911	5.0	21	1	1	3	7	10	13	23
B. *Operated*	161	8.9	85	1	1	6	11	21	28	37
2. MULTIPLE DX										
A. *Not Operated*	3103	5.8	31	1	1	4	8	12	16	26
B. *Operated*	587	11.7	133	1	2	8	15	26	36	59
1. SINGLE DX	1072	5.5	32	1	1	4	7	12	15	29
2. MULTIPLE DX	3690	6.7	52	1	1	5	9	15	20	35
A. NOT OPERATED	4014	5.6	29	1	1	4	7	12	16	25
B. OPERATED	748	11.1	124	1	2	7	15	25	34	57
TOTAL 0-27 DYS	13	7.9	67	2	2	4	12	19	28	30
1-11 MOS	489	6.1	46	1	1	4	7	13	17	32
1-5 YRS	2351	6.6	44	1	1	5	8	14	19	34
6-12 YRS	731	7.4	69	1	1	5	10	16	23	37
13-19 YRS	1178	5.7	42	<1	1	4	7	13	18	29
GRAND TOTAL	**4762**	**6.5**	**48**	**1**	**1**	**4**	**8**	**14**	**19**	**34**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	6	2.2	2	1	1	2	4	4	4	4
6-12 YRS	16	2.3	4	<1	1	2	3	6	7	7
13-19 YRS	64	3.4	14	<1	1	2	4	6	10	22
B. *Operated*										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	9	1.7		1	1	2	2	2	2	2
6-12 YRS	35	2.3	2	<1	1	2	3	4	5	6
13-19 YRS	130	2.7	10	<1	<1	2	3	4	5	20
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	13.0		13	13	13	13	13	13	13
1-5 YRS	9	2.2	4	1	1	2	2	5	7	7
6-12 YRS	30	2.6	5	1	1	2	3	5	6	12
13-19 YRS	150	4.0	39	1	1	3	4	7	11	34
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	41	2.0	2	1	1	2	2	4	5	6
6-12 YRS	87	2.7	19	1	1	2	3	4	6	30
13-19 YRS	276	4.1	53	<1	1	2	4	9	14	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	3.1	11	<1	1	2	4	6	8	21
B. *Operated*	175	2.5	8	<1	1	2	3	4	5	16
2. MULTIPLE DX										
A. *Not Operated*	190	3.8	32	1	1	2	4	7	11	27
B. *Operated*	404	3.6	41	1	1	2	3	6	11	45
1. SINGLE DX	262	2.7	9	<1	1	2	3	4	6	17
2. MULTIPLE DX	594	3.7	38	1	1	2	4	7	11	38
A. NOT OPERATED	277	3.5	26	<1	1	2	4	7	10	21
B. OPERATED	579	3.3	31	<1	1	2	3	5	10	34
TOTAL 0-27 DYS										
1-11 MOS	3	5.3	44	1	1	2	10	13	13	13
1-5 YRS	65	2.0	2	1	1	2	2	4	5	7
6-12 YRS	168	2.6	11	1	1	2	3	4	6	22
13-19 YRS	620	3.7	37	<1	1	2	4	7	11	36
GRAND TOTAL	**856**	**3.4**	**29**	**<1**	**1**	**2**	**3**	**6**	**10**	**34**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	11	2.7	4	<1	<1	2	3	6	7	7
1-5 YRS	127	2.6	14	<1	1	2	3	5	6	17
6-12 YRS	225	2.2	3	1	1	2	3	4	6	10
13-19 YRS	381	2.9	13	<1	1	2	3	5	7	17
B. *Operated*										
0-27 DYS										
1-11 MOS	3	1.7	1	<1	<1	1	2	3	3	3
1-5 YRS	38	4.9	19	<1	1	3	8	12	14	15
6-12 YRS	42	4.5	23	<1	1	3	5	10	14	25
13-19 YRS	125	3.6	18	1	1	2	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	21	2.9	6	<1	<1	2	4	6	8	10
1-5 YRS	243	2.8	7	<1	1	2	3	6	7	16
6-12 YRS	382	2.8	10	1	1	2	3	5	7	15
13-19 YRS	850	2.9	9	<1	<1	2	4	6	8	14
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	64	6.1	83	<1	1	3	7	12	23	52
6-12 YRS	96	7.2	104	1	1	4	8	15	32	82
13-19 YRS	387	6.7	90	1	1	4	8	14	20	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	744	2.6	10	<1	1	2	3	5	6	12
B. *Operated*	208	4.0	19	<1	1	2	5	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1497	2.9	8	<1	1	2	3	6	8	14
B. *Operated*	549	6.7	91	1	1	4	8	14	22	59
1. SINGLE DX	952	2.9	12	<1	1	2	3	6	8	15
2. MULTIPLE DX	2046	3.9	34	<1	1	2	4	8	11	30
A. NOT OPERATED	2241	2.8	9	<1	1	2	3	5	7	13
B. OPERATED	757	6.0	73	1	1	3	7	13	19	52
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	36	2.8	5	<1	<1	2	4	6	7	10
1-5 YRS	472	3.4	21	<1	1	2	4	7	10	22
6-12 YRS	745	3.3	23	1	1	2	3	6	9	28
13-19 YRS	1743	3.8	31	<1	1	2	4	8	11	27
GRAND TOTAL	**2998**	**3.6**	**27**	**<1**	**1**	**2**	**4**	**7**	**11**	**25**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	49	1.5	1	<1	<1	1	2	3	3	3
1-5 YRS	1124	1.5	1	<1	1	1	2	2	3	6
6-12 YRS	148	2.5	4	1	1	2	3	5	6	9
13-19 YRS	1279	2.3	7	<1	1	2	3	4	6	10
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	12	3.3	8	<1	<1	2	5	7	10	10
1-11 MOS	195	2.6	8	1	1	2	3	6	8	15
1-5 YRS	2672	1.6	2	<1	1	1	2	3	4	7
6-12 YRS	595	2.7	8	1	1	2	3	5	8	16
13-19 YRS	6806	3.6	33	<1	1	2	4	6	10	30
B. *Operated*										
0-27 DYS										
1-11 MOS	4	3.3	2	1	1	4	4	4	4	4
1-5 YRS	13	6.4	106	1	1	2	3	29	31	31
6-12 YRS	8	4.1	7	1	1	4	5	8	9	9
13-19 YRS	75	8.5	100	1	1	6	10	19	26	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2601	1.9	4	<1	1	1	2	4	5	9
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	10480	3.0	23	<1	1	2	3	5	8	26
B. *Operated*	100	7.7	91	1	1	5	9	18	28	82
1. SINGLE DX	2602	1.9	4	<1	1	1	2	4	5	9
2. MULTIPLE DX	10580	3.0	24	<1	1	2	3	5	9	26
A. NOT OPERATED	13081	2.8	20	<1	1	2	3	5	7	22
B. OPERATED	101	7.7	90	1	1	5	9	18	28	81
TOTAL 0-27 DYS	13	3.2	7	<1	<1	2	5	7	9	10
1-11 MOS	248	2.4	7	<1	1	2	3	5	7	12
1-5 YRS	4010	1.6	2	<1	1	1	2	3	4	6
6-12 YRS	751	2.7	7	1	1	2	3	5	7	14
13-19 YRS	8160	3.4	30	<1	1	2	3	6	10	29
GRAND TOTAL	**13182**	**2.8**	**20**	**<1**	**1**	**2**	**3**	**5**	**8**	**23**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	1.0		<1	<1	<1	1	1	1	1
1-11 MOS	51	1.8	3	<1	1	1	2	3	6	10
1-5 YRS	892	2.3	8	<1	1	1	2	6	7	11
6-12 YRS	237	1.9	2	<1	1	1	2	4	5	7
13-19 YRS	353	1.7	4	<1	<1	1	2	3	4	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	5.8	38	1	1	3	9	16	16	16
6-12 YRS	3	7.0	3	5	5	8	8	8	8	8
13-19 YRS	9	4.8	13	1	1	3	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	10	2.9	7	<1	<1	1	6	7	7	7
1-11 MOS	138	2.1	10	1	1	1	2	3	5	21
1-5 YRS	1872	2.3	6	<1	1	1	2	5	7	13
6-12 YRS	347	2.1	12	<1	1	1	2	4	5	10
13-19 YRS	914	2.2	7	<1	<1	1	2	4	6	13
B. *Operated*										
0-27 DYS										
1-11 MOS	1	78.0		78	78	78	78	78	78	78
1-5 YRS	17	11.9	244	1	2	7	14	21	52	68
6-12 YRS	12	10.7	205	1	1	8	11	28	49	53
13-19 YRS	24	6.6	74	1	1	3	6	26	28	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1535	2.1	6	<1	1	1	2	5	6	10
B. *Operated*	17	5.5	17	1	1	3	8	11	14	16
2. MULTIPLE DX										
A. *Not Operated*	3281	2.2	7	<1	1	1	2	5	6	13
B. *Operated*	54	10.5	242	1	1	6	11	26	49	78
1. SINGLE DX	1552	2.1	6	<1	1	1	2	5	6	11
2. MULTIPLE DX	3335	2.3	12	<1	1	1	2	5	6	15
A. NOT OPERATED	4816	2.2	7	<1	1	1	2	5	6	12
B. OPERATED	71	9.3	192	1	1	5	10	20	32	76
TOTAL 0-27 DYS	12	2.6	6	<1	<1	1	4	7	7	7
1-11 MOS	190	2.4	39	<1	1	1	2	3	5	27
1-5 YRS	2786	2.3	9	<1	1	1	2	5	7	13
6-12 YRS	599	2.2	13	<1	1	1	2	4	6	11
13-19 YRS	1300	2.1	8	<1	<1	1	2	4	6	13
GRAND TOTAL	**4887**	**2.3**	**10**	**<1**	**1**	**1**	**2**	**5**	**6**	**13**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	7	4.6	23	<1	<1	4	4	13	15	15
1-11 MOS	103	3.2	13	1	1	2	3	7	10	22
1-5 YRS	513	2.5	5	<1	1	2	3	5	7	11
6-12 YRS	300	3.2	18	1	1	2	4	7	8	12
13-19 YRS	360	2.5	7	<1	1	2	3	5	7	11
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	5.2	17	<1	<1	4	8	12	12	12
6-12 YRS	2	6.0	8	4	4	6	8	8	8	8
13-19 YRS	9	6.7	7	4	4	6	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	19	3.2	3	1	1	4	5	5	6	7
1-11 MOS	211	4.9	25	1	1	3	7	12	16	23
1-5 YRS	748	3.7	23	1	1	2	4	8	11	24
6-12 YRS	440	3.1	9	1	1	2	4	6	8	14
13-19 YRS	642	3.3	23	<1	1	2	4	6	9	18
B. *Operated*										
0-27 DYS										
1-11 MOS	7	16.4	319	3	4	9	21	48	54	54
1-5 YRS	25	12.0	176	<1	1	6	19	33	42	44
6-12 YRS	11	8.4	227	<1	<1	2	8	29	50	52
13-19 YRS	44	8.9	217	1	1	5	9	17	25	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1283	2.7	9	<1	1	2	3	6	8	13
B. *Operated*	17	6.1	10	1	2	5	8	11	12	12
2. MULTIPLE DX										
A. *Not Operated*	2060	3.5	20	1	1	2	4	7	10	20
B. *Operated*	87	10.3	212	1	1	5	11	25	42	79
1. SINGLE DX	1300	2.8	10	<1	1	2	3	6	8	12
2. MULTIPLE DX	2147	3.8	30	1	1	2	4	8	11	24
A. NOT OPERATED	3343	3.2	16	1	1	2	4	7	9	19
B. OPERATED	104	9.6	181	1	1	5	9	22	41	72
TOTAL 0-27 DYS	26	3.6	8	<1	1	4	4	5	9	15
1-11 MOS	321	4.6	31	1	1	3	6	11	15	24
1-5 YRS	1292	3.4	21	1	1	2	4	7	10	24
6-12 YRS	753	3.2	16	1	1	2	4	6	8	14
13-19 YRS	1055	3.3	27	<1	1	2	4	7	9	19
GRAND TOTAL	**3447**	**3.4**	**22**	**1**	**1**	**2**	**4**	**7**	**10**	**20**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	2	3.5	5	2	2	3	5	5	5	5
1-11 MOS	19	3.3	15	<1	<1	2	2	11	13	13
1-5 YRS	36	3.4	25	<1	<1	1	3	10	12	27
6-12 YRS	34	3.6	20	<1	1	2	4	7	14	23
13-19 YRS	46	5.4	35	<1	1	4	7	12	18	30
B. *Operated*										
0-27 DYS	2	36.0	1352	10	10	36	62	62	62	62
1-11 MOS	75	6.2	22	2	2	5	8	10	14	29
1-5 YRS	177	5.2	25	<1	<1	4	7	11	15	23
6-12 YRS	202	4.9	26	<1	<1	4	6	9	13	31
13-19 YRS	375	4.5	24	<1	1	3	6	10	15	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	4	2.8	2	2	2	2	4	5	5	5
1-11 MOS	37	5.1	74	1	1	2	4	11	15	51
1-5 YRS	100	4.6	41	<1	<1	2	5	10	18	35
6-12 YRS	78	4.7	42	1	1	3	5	9	14	42
13-19 YRS	98	6.1	44	1	1	4	7	16	22	31
B. *Operated*										
0-27 DYS	16	10.7	148	<1	1	5	17	29	38	42
1-11 MOS	256	12.2	166	2	2	7	15	30	37	75
1-5 YRS	438	8.2	117	<1	1	5	9	18	29	75
6-12 YRS	406	7.4	71	1	2	5	9	15	22	48
13-19 YRS	658	7.7	78	1	2	5	10	16	24	45
SUBTOTALS:										
1. SINGLE DX	137	4.1	26	<1	<1	2	5	11	13	27
A. *Not Operated*	831	5.0	29	<1	<1	3	6	10	14	27
B. *Operated*										
2. MULTIPLE DX	317	5.1	45	<1	1	3	6	11	18	34
A. *Not Operated*	1774	8.4	101	1	2	5	10	19	29	52
B. *Operated*	968	4.8	28	<1	<1	3	6	10	14	27
1. SINGLE DX	2091	7.9	94	1	1	5	9	18	27	51
2. MULTIPLE DX	454	4.8	40	<1	1	3	5	11	17	30
A. NOT OPERATED	2605	7.3	81	1	1	5	8	16	24	48
B. OPERATED										
TOTAL 0-27 DYS	24	10.9	227	<1	1	5	12	30	48	62
1-11 MOS	387	9.9	132	1	2	6	12	25	34	61
1-5 YRS	751	6.8	84	<1	<1	4	7	14	24	52
6-12 YRS	720	6.2	55	<1	1	4	8	13	19	43
13-19 YRS	1177	6.5	58	1	1	4	8	14	20	41
GRAND TOTAL	**3059**	**7.0**	**76**	**<1**	**1**	**4**	**8**	**15**	**23**	**47**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	6	1.3	1	1	1	1	1	3	3	3
1-11 MOS	9	2.2	3	<1	<1	1	3	5	5	5
1-5 YRS	152	1.4		<1	1	1	2	2	3	4
6-12 YRS	211	1.6	1	<1	<1	1	2	3	4	6
13-19 YRS	302	2.1	3	<1	1	2	2	4	5	9
B. *Operated*										
0-27 DYS	9	2.1	2	<1	<1	2	3	4	5	5
1-11 MOS	119	1.9	3	<1	<1	1	2	4	5	9
1-5 YRS	156	1.6	2	<1	<1	1	2	2	4	5
6-12 YRS	286	2.2	6	<1	1	1	3	4	6	13
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	2.3	1	<1	<1	3	3	3	3	3
1-11 MOS	7	2.7	4	1	1	2	3	6	7	7
1-5 YRS	89	1.8	2	<1	<1	1	2	4	5	8
6-12 YRS	100	2.2	4	1	1	2	2	4	6	13
13-19 YRS	131	2.8	7	1	1	2	3	6	8	13
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	5	1.6		1	1	2	2	2	2	2
1-5 YRS	68	2.1	4	<1	<1	1	2	4	5	13
6-12 YRS	72	2.3	4	<1	1	1	3	5	8	10
13-19 YRS	138	3.3	15	<1	1	2	4	7	10	23
SUBTOTALS:										
1. SINGLE DX	680	1.8	2	<1	1	1	2	3	4	6
A. *Not Operated*	570	2.0	4	<1	<1	1	2	3	5	12
B. *Operated*										
2. MULTIPLE DX	330	2.3	5	<1	1	2	3	5	6	10
A. *Not Operated*	284	2.7	10	<1	1	2	3	6	8	18
B. *Operated*	1250	1.9	3	<1	1	1	2	3	5	8
1. SINGLE DX	614	2.5	7	<1	1	2	3	5	7	15
2. MULTIPLE DX	1010	2.0	3	<1	1	1	2	4	5	9
A. NOT OPERATED	854	2.2	6	<1	1	1	2	4	6	14
B. OPERATED										
TOTAL 0-27 DYS	10	1.7	1	<1	<1	1	3	3	3	3
1-11 MOS	30	2.2	2	<1	1	2	3	5	5	7
1-5 YRS	428	1.7	2	<1	<1	1	2	3	4	8
6-12 YRS	539	1.8	2	<1	1	1	2	3	5	8
13-19 YRS	857	2.4	7	<1	1	2	3	5	7	14
GRAND TOTAL	**1864**	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**	**11**

Length of Stay Tables
Operation Groups

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11162	3.6	10	1	1	3	4	6	7	14
1-11 MOS	24149	3.9	16	<1	1	3	5	8	10	18
1-5 YRS	82977	2.7	10	<1	<1	2	3	5	8	16
6-12 YRS	96399	3.0	15	<1	1	2	3	6	8	19
13-19 YRS	242875	3.4	15	1	1	3	4	6	8	17
2. MULTIPLE DX										
0-27 DYS	25238	11.5	237	2	2	6	12	31	51	97
1-11 MOS	25129	5.9	48	1	1	4	7	13	16	38
1-5 YRS	76600	3.8	29	<1	1	2	4	8	12	27
6-12 YRS	67156	4.2	39	1	1	2	4	8	14	34
13-19 YRS	189988	5.0	45	1	1	3	5	9	14	39
TOT. SINGLE DX	457562	3.2	14	<1	1	2	4	6	8	17
" MULTIPLE DX	384111	5.1	57	1	1	3	5	10	16	44
TOTAL 0-27 DYS	36400	9.1	181	1	2	4	8	23	41	86
1-11 MOS	49278	4.9	33	1	1	3	6	10	13	29
1-5 YRS	159577	3.2	19	<1	<1	2	4	7	9	22
6-12 YRS	163555	3.5	25	<1	1	2	4	7	10	27
13-19 YRS	432863	4.1	29	1	1	3	4	7	10	28
GRAND TOTAL	**841673**	**4.1**	**35**	**<1**	**1**	**3**	**4**	**7**	**11**	**31**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	4	4.3	9	1	1	4	6	8	8	8
1-11 MOS	8	2.6	3	1	1	2	3	5	6	6
1-5 YRS	38	5.4	9	2	2	5	8	11	11	12
6-12 YRS	86	5.8	9	2	3	5	7	10	11	16
13-19 YRS	148	5.5	11	2	2	5	7	10	12	19
B. *Operated*										
0-27 DYS										
1-11 MOS	3	4.7	21	2	2	2	8	10	10	10
1-5 YRS	33	4.2	10	<1	1	3	6	9	10	14
6-12 YRS	70	8.1	142	1	2	6	10	12	15	84
13-19 YRS	144	7.2	21	1	2	7	10	13	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	15	6.0	19	2	2	5	9	12	15	16
1-11 MOS	24	6.7	21	1	2	5	9	13	17	19
1-5 YRS	35	6.0	21	1	2	5	8	13	15	21
6-12 YRS	63	6.2	26	1	2	5	7	12	19	25
13-19 YRS	146	6.7	21	2	2	6	8	12	14	25
B. *Operated*										
0-27 DYS										
1-11 MOS	18	12.8	201	1	1	8	15	37	48	52
1-5 YRS	36	12.0	215	1	2	6	12	30	46	67
6-12 YRS	69	9.3	47	2	2	8	12	18	23	34
13-19 YRS	162	11.1	112	2	2	8	14	24	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	5.5	10	2	2	5	7	10	11	17
B. *Operated*	250	7.0	54	1	2	6	9	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	283	6.5	22	2	2	5	8	12	15	25
B. *Operated*	285	10.9	114	2	2	8	13	24	32	62
1. SINGLE DX	534	6.2	31	1	2	5	8	11	14	20
2. MULTIPLE DX	568	8.7	73	2	2	6	11	18	25	52
A. NOT OPERATED	567	6.0	16	2	2	5	7	11	14	22
B. OPERATED	535	9.1	90	1	2	7	11	18	25	53
TOTAL 0-27 DYS	19	5.6	17	1	2	5	8	12	14	16
1-11 MOS	53	8.0	90	1	2	5	10	16	27	52
1-5 YRS	142	6.9	72	1	2	5	8	13	22	53
6-12 YRS	288	7.3	56	2	2	6	9	13	18	28
13-19 YRS	600	7.7	47	2	2	6	10	14	20	36
GRAND TOTAL	**1102**	**7.3**	**54**	**2**	**2**	**6**	**9**	**14**	**20**	**37**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	10	2.7	7	1	1	2	3	7	10	10
1-5 YRS	29	2.8	6	1	1	2	4	5	7	12
6-12 YRS	30	4.0	25	1	1	2	5	7	11	27
13-19 YRS	74	3.4	11	1	1	2	4	6	11	18
B. *Operated*										
0-27 DYS	2	5.5	13	3	3	5	8	8	8	8
1-11 MOS	9	6.0	15	1	1	6	8	11	13	13
1-5 YRS	45	4.1	50	≤1	≤1	2	5	7	9	48
6-12 YRS	52	3.9	27	≤1	≤1	2	4	8	21	24
13-19 YRS	116	5.0	29	≤1	1	3	6	9	14	32
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	3	3.0	4	1	1	3	4	5	5	5
1-11 MOS	26	4.3	16	<1	1	3	5	7	16	17
1-5 YRS	81	2.8	8	1	1	2	3	6	8	16
6-12 YRS	78	3.8	16	1	1	2	5	9	11	22
13-19 YRS	147	4.6	34	1	1	3	5	10	13	35
B. *Operated*										
0-27 DYS										
1-11 MOS	18	19.0	476	1	2	8	31	57	61	63
1-5 YRS	74	5.8	53	1	1	3	8	13	15	44
6-12 YRS	78	6.6	96	1	1	4	8	15	24	61
13-19 YRS	166	8.1	95	1	1	4	10	22	28	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	3.3	13	1	1	2	4	6	10	19
B. *Operated*	224	4.6	32	<1	1	3	6	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	335	3.9	22	1	1	2	5	8	11	25
B. *Operated*	336	7.8	113	1	1	4	9	18	29	60
1. SINGLE DX	367	4.1	25	<1	1	3	5	8	11	26
2. MULTIPLE DX	671	5.9	71	1	1	3	7	13	22	51
A. NOT OPERATED	478	3.7	19	1	1	2	5	8	11	24
B. OPERATED	560	6.5	83	<1	1	3	7	15	24	53
TOTAL 0-27 DYS	5	4.0	7	1	1	3	6	8	8	8
1-11 MOS	63	8.5	186	1	1	5	8	16	52	62
1-5 YRS	229	4.0	32	<1	1	2	5	8	12	35
6-12 YRS	238	4.8	47	1	1	3	5	10	19	27
13-19 YRS	503	5.6	53	1	1	3	7	13	21	34
GRAND TOTAL	**1038**	**5.2**	**55**	**1**	**1**	**3**	**6**	**11**	**18**	**39**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	1.4	1	1	1	1	2	3	4	4
1-5 YRS	51	2.6	3	1	1	2	3	5	6	9
6-12 YRS	20	2.8	3	1	1	2	4	5	6	6
13-19 YRS	14	3.1	6	1	1	2	5	7	8	8
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	26	2.2	2	1	1	2	3	4	5	7
1-5 YRS	87	2.8	3	1	1	2	4	5	6	9
6-12 YRS	26	3.7	4	1	1	3	5	6	8	10
13-19 YRS	30	4.8	15	<1	<1	4	8	10	13	15
B. *Operated*										
0-27 DYS										
1-11 MOS	2	11.0	18	8	8	11	14	14	14	14
1-5 YRS										
6-12 YRS	2	15.5	365	2	2	15	29	29	29	29
13-19 YRS	5	9.8	122	2	2	7	13	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	2.6	3	1	1	2	3	5	6	9
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	170	3.2	6	1	1	3	4	6	8	13
B. *Operated*	9	11.3	115	2	2	8	18	29	29	29
1. SINGLE DX	96	2.6	3	1	1	2	3	5	6	9
2. MULTIPLE DX	179	3.6	14	1	1	3	4	7	9	25
A. NOT OPERATED	265	3.0	5	1	1	2	4	6	7	11
B. OPERATED	10	10.3	112	1	1	7	14	29	29	29
TOTAL 0-27 DYS	2	5.0	8	3	3	5	7	7	7	7
1-11 MOS	37	2.5	6	1	1	2	3	4	8	14
1-5 YRS	138	2.7	3	1	1	2	3	5	6	9
6-12 YRS	49	3.8	17	1	1	3	5	6	7	29
13-19 YRS	49	4.8	24	<1	1	3	7	9	13	29
GRAND TOTAL	**275**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
B. *Operated*										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	13	1.2		<1	<1	1	1	2	2	2
1-5 YRS	3	1.3		<1	<1	1	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	149	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	9	1.1		<1	<1	<1	1	2	2	2
B. *Operated*										
0-27 DYS										
1-11 MOS	5	2.6	4	<1	<1	2	4	6	6	6
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	11	4.0	8	1	1	4	6	8	9	9
13-19 YRS	85	2.9	4	<1	<1	2	4	6	7	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	168	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	9	1.1		<1	<1	<1	1	2	2	2
B. *Operated*	102	3.0	4	<1	<1	2	4	6	8	9
1. SINGLE DX	169	1.8	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX	111	2.8	4	<1	<1	2	4	6	8	9
A. NOT OPERATED	10	1.2		<1	<1	1	1	2	2	2
B. OPERATED	270	2.3	3	<1	<1	2	3	5	6	8
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	18	1.6	2	<1	<1	1	2	3	5	6
1-5 YRS	4	2.0	2	<1	<1	1	3	4	4	4
6-12 YRS	13	3.7	7	1	1	2	5	8	9	9
13-19 YRS	243	2.2	2	<1	<1	2	3	5	5	8
GRAND TOTAL	**280**	**2.2**	**3**	**<1**	**<1**	**2**	**3**	**5**	**6**	**8**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	6	25.5	162	12	12	23	30	46	48	48
1000-1499	29	17.9	42	8	9	18	22	25	27	37
1500-1749	8797	3.5	5	1	2	3	4	6	7	12
1750-2499	531348	3.1	2	1	2	3	4	5	6	7
2500+										
B. *Operated*										
1-999 G	1	99.0		99	99	99	99	99	99+	99+
1000-1499	1	56.0		56	56	56	56	56	56	56
1500-1749	2	26.0	50	21	21	26	31	31	31	31
1750-2499	12	9.8	102	<1	1	7	11	29	32	33
2500+	306	4.4	8	2	2	4	5	7	9	17
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	132	65.2	485	16	37	72	88	99+	99+	99+
1000-1499	983	42.0	260	18	24	41	52	64	71	93
1500-1749	1415	25.4	100	12	14	24	30	38	44	59
1750-2499	21582	7.8	45	2	2	5	10	16	21	32
2500+	224338	4.0	5	2	2	4	5	6	7	11
B. *Operated*										
1-999 G	220	68.9	469	35	46	87	99+	99+	99+	99+
1000-1499	813	52.4	335	26	32	52	68	85	99+	99+
1500-1749	556	35.2	208	18	21	33	43	55	75	99+
1750-2499	1945	17.3	158	3	6	15	22	31	42	84
2500+	5099	8.4	85	2	3	6	9	16	23	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	540180	3.1	2	1	2	3	4	5	6	7
B. *Operated*	322	5.2	51	2	2	4	6	8	11	32
2. MULTIPLE DX										
A. *Not Operated*	248450	4.6	21	2	2	4	5	7	9	24
B. *Operated*	8633	17.8	395	2	3	10	25	52	75	99+
1. SINGLE DX	540502	3.1	2	1	2	3	4	5	6	7
2. MULTIPLE DX	257083	5.0	40	2	2	4	5	7	11	37
A. NOT OPERATED	788630	3.5	9	1	2	3	4	5	7	13
B. OPERATED	8955	17.3	388	2	3	9	24	52	74	99+
TOTAL 1-999 G	353	67.6	478	28	45	80	99+	99+	99+	99+
1000-1499	1803	46.7	322	21	26	46	59	75	88	99+
1500-1749	2002	28.0	150	12	15	26	34	44	52	87
1750-2499	32336	7.2	51	2	2	5	9	16	21	34
2500+	761091	3.4	4	1	2	3	4	5	6	9
GRAND TOTAL	**797585**	**3.7**	**15**	**1**	**2**	**3**	**4**	**6**	**7**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	27.0	162	18	18	27	36	36	36	36
1000-1499	11	19.6	63	8	9	20	24	30	36	37
1500-1749	1240	5.0	10	2	2	4	6	8	11	17
1750-2499	4834	4.5	4	2	2	4	6	7	7	10
2500+										
B. *Operated*										
1-999 G										
1000-1499	2	29.5	41	25	25	29	34	34	34	34
1500-1749	3	8.0	63	2	2	5	14	17	17	17
1750-2499	2	6.0	8	4	4	6	8	8	8	8
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	20	69.3	314	32	53	76	88	99+	99+	99+
1000-1499	232	38.9	238	17	20	37	47	59	67	93
1500-1749	375	25.3	93	12	14	24	31	37	44	53
1750-2499	3415	9.4	43	3	3	7	13	18	22	30
2500+	2958	5.5	8	2	3	5	6	8	10	16
B. *Operated*										
1-999 G	37	67.9	358	27	52	80	99+	99+	99+	99+
1000-1499	174	52.4	278	25	30	52	63	81	88	99+
1500-1749	104	34.1	132	19	21	31	40	52	56	65
1750-2499	307	17.0	91	5	7	16	22	29	32	70
2500+	103	9.2	52	3	4	7	10	19	27	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6087	4.6	6	2	2	4	6	7	8	13
B. *Operated*	7	13.6	148	2	2	8	23	32	34	34
2. MULTIPLE DX										
A. *Not Operated*	7000	9.8	97	3	3	6	11	21	29	52
B. *Operated*	725	29.4	478	5	7	25	45	68	87	99+
1. SINGLE DX	6094	4.6	6	2	2	4	6	7	8	13
2. MULTIPLE DX	7725	11.6	166	3	3	7	14	26	40	77
A. NOT OPERATED	13087	7.4	61	2	3	5	7	15	22	43
B. OPERATED	732	29.3	477	5	6	24	45	68	87	99+
TOTAL 1-999 G	57	68.4	337	29	53	79	99+	99+	99+	99+
1000-1499	408	44.6	299	19	24	43	57	72	83	99+
1500-1749	492	27.0	114	12	15	25	33	41	47	57
1750-2499	4965	8.8	46	2	3	6	12	18	22	31
2500+	7897	4.9	7	2	3	5	6	7	8	14
GRAND TOTAL	**13819**	**8.5**	**107**	**2**	**3**	**5**	**8**	**18**	**29**	**62**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	76	4.3	16	1	1	3	5	8	13	22
2500+	1315	2.5	2	1	1	2	3	4	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	2	45.5	1861	15	15	76	94	99+	99+	99+
1000-1499	17	42.7	252	18	22	43	55	67	68	68
1500-1749	26	23.6	88	8	10	25	32	35	38	45
1750-2499	231	8.9	63	2	2	6	12	19	24	35
2500+	620	4.1	18	1	2	3	5	7	9	15
B. *Operated*										
1-999 G	6	66.2	640	23	39	87	99+	99+	99+	99+
1000-1499	15	66.0	209	40	54	65	71	90	94	96
1500-1749	8	41.1	326	15	18	40	53	67	70	70
1750-2499	25	16.7	154	1	2	15	20	40	45	50
2500+	26	9.0	63	2	3	5	14	25	42	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1391	2.6	3	1	1	2	3	4	5	9
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	896	6.7	80	1	2	4	7	15	24	51
B. *Operated*	80	29.6	731	2	3	20	60	76	99+	99+
1. SINGLE DX	1392	2.6	3	1	1	2	3	4	5	9
2. MULTIPLE DX	976	8.6	172	1	2	4	8	21	39	80
A. NOT OPERATED	2287	4.2	37	1	1	3	4	7	13	32
B. OPERATED	81	29.3	732	2	3	19	60	76	99+	99+
TOTAL 1-999 G	8	61.0	814	16	21	76	99+	99+	99+	99+
1000-1499	32	53.6	364	21	26	56	67	72	89	96
1500-1749	34	27.7	193	8	14	26	32	45	58	70
1750-2499	332	8.4	68	1	2	5	12	19	24	42
2500+	1962	3.1	9	1	1	3	3	5	7	13
GRAND TOTAL	**2368**	**5.1**	**81**	**1**	**1**	**3**	**4**	**9**	**17**	**64**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	13	2.3	5	<1	<1	1	3	5	8	9
6-12 YRS	15	3.2	13	<1	<1	2	4	7	12	14
13-19 YRS	43	2.3	6	<1	<1	1	3	4	6	15
B. *Operated*										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	17	1.6	2	<1	<1	1	2	4	6	6
1-5 YRS	122	2.1	7	<1	<1	1	2	4	5	16
6-12 YRS	377	2.4	5	<1	<1	2	3	4	5	12
13-19 YRS	2260	2.4	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	2	1.0		1	1	1	1	1	1	1
1-5 YRS	2	2.0	2	1	1	2	3	3	3	3
6-12 YRS	13	2.5	8	<1	<1	1	2	7	10	11
13-19 YRS	25	1.2		<1	<1	1	1	2	3	4
B. *Operated*										
0-27 DYS										
1-11 MOS	8	1.5	1	<1	<1	1	2	3	4	4
1-5 YRS	69	2.1	2	<1	<1	2	3	4	4	8
6-12 YRS	136	4.3	23	1	2	3	5	8	11	24
13-19 YRS	425	3.9	25	1	1	3	4	7	10	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	73	2.5	7	<1	<1	1	3	5	9	15
B. *Operated*	2777	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	42	1.6	3	<1	<1	1	2	3	5	11
B. *Operated*	638	3.8	22	1	1	3	4	7	10	29
1. SINGLE DX	2850	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	680	3.6	21	<1	1	2	4	6	9	27
A. NOT OPERATED	115	2.2	6	<1	<1	1	2	4	7	14
B. OPERATED	3415	2.7	7	<1	1	2	3	4	6	12
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	29	1.6	2	<1	<1	1	2	3	5	6
1-5 YRS	206	2.1	5	<1	<1	1	2	4	5	10
6-12 YRS	541	2.9	11	<1	<1	2	3	5	8	16
13-19 YRS	2753	2.6	7	<1	1	2	3	4	6	11
GRAND TOTAL	**3530**	**2.6**	**7**	**<1**	**1**	**2**	**3**	**4**	**6**	**12**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	4.5	32	1	1	2	8	13	13	13
6-12 YRS	8	1.3		1	1	1	2	2	2	2
13-19 YRS	68	1.4	1	<1	1	1	1	2	3	6
B. *Operated*										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	26.0		26	26	26	26	26	26	26
13-19 YRS	4	7.5	16	4	4	7	11	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	81	1.5	2	<1	1	1	1	2	3	11
B. *Operated*	5	11.2	81	4	4	11	15	26	26	26
1. SINGLE DX	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX	86	2.1	11	<1	1	1	2	4	7	21
A. NOT OPERATED	82	1.5	2	<1	1	1	1	2	3	11
B. OPERATED	5	11.2	81	4	4	11	15	26	26	26
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	4	4.5	32	1	1	2	8	13	13	13
6-12 YRS	10	3.7	62	1	1	1	2	14	26	26
13-19 YRS	72	1.7	3	<1	1	1	2	3	4	11
GRAND TOTAL	**87**	**2.0**	**11**	**<1**	**1**	**1**	**2**	**4**	**7**	**21**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-27 DYS	370	3.2	12	<1	<1	2	4	6	10	17
1-11 MOS	1088	1.6	4	<1	<1	<1	1	3	4	9
1-5 YRS	1263	1.8	5	<1	<1	1	2	4	5	13
6-12 YRS	682	2.9	21	<1	<1	2	3	6	8	17
13-19 YRS	2864	1.9	12	<1	<1	<1	2	3	5	13
B. *Operated*										
0-27 DYS	3	3.0	1	2	2	3	4	4	4	4
1-11 MOS	72	5.1	26	<1	<1	3	8	13	16	22
1-5 YRS	362	3.3	27	<1	<1	2	3	9	11	24
6-12 YRS	399	3.0	23	<1	<1	2	3	5	10	23
13-19 YRS	1254	2.9	13	<1	<1	2	3	6	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-27 DYS	197	5.8	40	<1	1	4	7	14	19	31
1-11 MOS	462	3.0	19	<1	<1	1	4	7	9	21
1-5 YRS	1250	3.1	21	<1	<1	2	4	6	9	19
6-12 YRS	1117	3.2	13	<1	1	2	4	6	8	20
13-19 YRS	2394	4.1	41	<1	<1	2	4	8	16	35
B. *Operated*										
0-27 DYS	8	18.4	891	<1	1	7	18	70	90	90
1-11 MOS	104	6.1	35	1	1	3	9	15	16	28
1-5 YRS	475	3.9	37	<1	1	2	4	9	11	37
6-12 YRS	406	4.4	57	<1	1	2	4	10	13	39
13-19 YRS	855	5.6	82	<1	1	3	5	11	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6267	2.0	11	<1	<1	1	2	4	6	14
B. *Operated*	2090	3.1	18	<1	<1	2	3	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	5420	3.7	29	<1	<1	2	4	7	12	28
B. *Operated*	1848	5.0	67	<1	1	2	5	10	17	40
1. SINGLE DX	8357	2.3	13	<1	<1	1	2	4	7	16
2. MULTIPLE DX	7268	4.0	39	<1	<1	2	4	8	13	34
A. NOT OPERATED	11687	2.8	20	<1	<1	1	3	5	8	27
B. OPERATED	3938	4.0	42	<1	<1	2	4	9	13	35
TOTAL 0-27 DYS	578	4.3	36	<1	<1	3	4	10	15	23
1-11 MOS	1726	2.4	12	<1	<1	1	2	5	9	17
1-5 YRS	3350	2.8	19	<1	<1	1	3	6	9	18
6-12 YRS	2604	3.3	24	<1	<1	2	4	6	10	23
13-19 YRS	7367	3.2	31	<1	<1	2	3	6	10	31
GRAND TOTAL	**15625**	**3.1**	**26**	**<1**	**<1**	**2**	**3**	**6**	**10**	**28**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	16.3	121	9	9	11	24	29	29	29
1-11 MOS	41	7.0	74	1	1	4	7	19	31	35
1-5 YRS	56	11.1	89	1	2	8	15	23	25	48
6-12 YRS	87	11.8	106	1	2	10	15	22	43	83
13-19 YRS	126	11.8	80	2	4	10	14	21	27	54
2. MULTIPLE DX										
0-27 DYS	12	19.9	522	3	4	15	26	90	98	99+
1-11 MOS	81	14.8	198	1	2	11	22	29	41	72
1-5 YRS	129	16.2	264	1	2	11	22	43	60	78
6-12 YRS	114	16.2	206	2	3	12	21	34	50	99+
13-19 YRS	184	21.0	365	3	5	16	33	72	99+	99+
TOT. SINGLE DX	313	11.1	90	1	2	9	14	22	32	54
" MULTIPLE DX	520	17.7	287	2	3	13	24	48	73	99+
TOTAL 0-27 DYS	15	19.2	430	3	4	14	26	82	96	99+
1-11 MOS	122	12.1	169	1	2	7	19	29	34	70
1-5 YRS	185	14.7	216	1	2	10	20	35	50	70
6-12 YRS	201	14.3	167	1	2	10	18	32	46	99+
13-19 YRS	310	17.2	269	3	4	12	22	52	88	99+
GRAND TOTAL	**833**	**15.2**	**223**	**2**	**2**	**11**	**20**	**37**	**59**	**99+**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.5	1	3	3	3	4	4	4	4
1-11 MOS	44	7.2	28	3	4	6	8	11	19	29
1-5 YRS	40	10.0	79	2	3	9	12	16	22	54
6-12 YRS	55	10.3	80	2	3	8	11	24	31	46
13-19 YRS	81	11.7	57	4	5	10	15	20	29	40
2. MULTIPLE DX										
0-27 DYS	5	36.2	937	6	8	29	88	99	99+	99+
1-11 MOS	34	13.1	114	2	4	9	23	28	42	99+
1-5 YRS	64	16.6	343	2	3	9	18	46	61	85
6-12 YRS	108	16.6	359	3	4	9	18	45	83	99+
13-19 YRS	165	22.1	423	4	6	14	33	68	99	99+
TOT. SINGLE DX	222	10.1	63	3	3	8	12	18	28	43
" MULTIPLE DX	376	19.0	380	3	5	11	27	59	86	99+
TOTAL 0-27 DYS	7	26.9	880	3	3	29	59	96	99+	99+
1-11 MOS	78	9.8	74	3	4	7	10	26	29	83
1-5 YRS	104	14.0	251	2	3	9	15	34	54	78
6-12 YRS	163	14.5	273	3	4	9	17	33	57	98
13-19 YRS	246	18.7	326	4	5	12	26	56	75	99+
GRAND TOTAL	**598**	**15.7**	**280**	**3**	**4**	**9**	**18**	**42**	**68**	**99+**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	5.0	2	3	3	5	7	7	7	7
1-11 MOS	172	5.6	5	3	3	5	7	9	10	14
1-5 YRS	82	6.3	13	2	2	6	8	10	12	22
6-12 YRS	102	5.9	39	2	2	5	7	9	11	38
13-19 YRS	117	6.0	13	2	2	5	8	10	13	20
2. MULTIPLE DX										
0-27 DYS	14	9.1	53	3	3	8	10	18	28	31
1-11 MOS	52	6.5	12	2	2	6	8	12	13	18
1-5 YRS	105	8.5	70	2	2	6	9	19	25	43
6-12 YRS	128	7.4	62	2	2	6	8	13	19	55
13-19 YRS	162	11.7	181	3	3	7	12	28	43	98
TOT. SINGLE DX	484	5.9	16	2	3	5	7	9	11	19
" MULTIPLE DX	461	9.1	104	2	3	6	10	17	32	60
TOTAL 0-27 DYS	25	7.3	34	3	3	6	8	10	20	31
1-11 MOS	224	5.8	8	2	3	5	8	9	11	15
1-5 YRS	187	7.5	46	2	2	6	9	13	22	35
6-12 YRS	230	6.8	53	2	2	5	8	11	14	55
13-19 YRS	279	9.3	119	2	3	7	10	18	37	85
GRAND TOTAL	**945**	**7.5**	**61**	**2**	**3**	**6**	**8**	**12**	**18**	**52**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	10.4	175	2	3	7	10	15	42	63
1-11 MOS	125	7.5	23	2	3	7	9	12	14	29
1-5 YRS	47	6.9	18	2	3	6	9	13	17	18
6-12 YRS	40	9.0	48	2	3	7	11	19	26	29
13-19 YRS	44	8.5	14	3	4	8	10	13	16	20
2. MULTIPLE DX										
0-27 DYS	92	35.2	593	7	10	31	55	91	99+	99+
1-11 MOS	121	18.6	311	4	5	11	25	38	61	82
1-5 YRS	80	13.9	198	3	3	8	16	44	55	99+
6-12 YRS	65	13.1	257	2	3	7	14	29	46	86
13-19 YRS	59	16.4	325	4	5	10	18	47	88	99+
TOT. SINGLE DX	275	8.0	35	2	3	7	10	13	18	29
" MULTIPLE DX	417	20.2	410	3	4	12	28	56	81	99+
TOTAL 0-27 DYS	111	30.9	607	5	7	24	53	84	99+	99+
1-11 MOS	246	13.0	196	2	4	8	13	31	38	78
1-5 YRS	127	11.3	142	3	3	8	14	25	45	99+
6-12 YRS	105	11.5	181	2	3	7	13	26	31	83
13-19 YRS	103	13.1	207	3	5	9	13	28	59	99+
GRAND TOTAL	**692**	**15.3**	**297**	**3**	**4**	**9**	**17**	**43**	**64**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	36.5	1301	11	11	36	62	62	62	62
1-11 MOS	71	6.9	13	2	3	6	9	12	14	18
1-5 YRS	144	6.1	25	2	2	5	7	13	15	25
6-12 YRS	97	7.1	67	2	2	5	8	11	17	54
13-19 YRS	70	9.2	106	2	2	7	9	16	27	66
2. MULTIPLE DX										
0-27 DYS	33	34.1	1020	4	5	22	75	98	99+	99+
1-11 MOS	251	12.6	169	2	3	8	15	30	37	67
1-5 YRS	372	10.5	175	2	2	6	11	23	37	70
6-12 YRS	273	9.6	140	2	2	6	11	21	38	73
13-19 YRS	248	15.6	281	2	3	10	20	45	74	99+
TOT. SINGLE DX	384	7.2	57	2	2	6	8	13	17	46
" MULTIPLE DX	1177	12.5	229	2	3	7	14	32	50	99
TOTAL 0-27 DYS	35	34.2	999	4	5	22	68	97	99+	99+
1-11 MOS	322	11.4	141	2	3	7	13	28	35	55
1-5 YRS	516	9.3	137	2	2	6	10	19	29	63
6-12 YRS	370	8.9	122	2	2	5	9	18	34	72
13-19 YRS	318	14.2	250	2	3	9	17	38	64	99+
GRAND TOTAL	**1561**	**11.2**	**192**	**2**	**3**	**6**	**12**	**27**	**45**	**91**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.0	18	2	2	5	8	8	8	8
1-11 MOS	2	15.0		15	15	15	15	15	15	15
1-5 YRS	4	11.5	45	4	4	11	17	19	19	19
6-12 YRS	8	15.1	91	4	5	13	24	27	28	28
13-19 YRS	42	12.6	160	4	5	9	13	22	49	64
2. MULTIPLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	2	17.5	113	10	10	17	25	25	25	25
1-5 YRS	7	11.6	29	7	7	10	19	76	95	99+
6-12 YRS	15	13.6	68	2	4	13	19	24	29	31
13-19 YRS	50	19.5	191	5	6	19	30	57	99+	99+
TOT. SINGLE DX	58	12.7	132	4	5	9	15	25	39	63
" MULTIPLE DX	75	17.4	154	4	6	15	26	48	99+	99+
TOTAL 0-27 DYS	3	7.0	21	2	2	8	10	11	11	11
1-11 MOS	4	16.3	40	10	10	15	20	25	25	25
1-5 YRS	11	11.5	31	4	6	10	18	45	92	99+
6-12 YRS	23	14.1	73	3	4	13	22	26	29	31
13-19 YRS	92	16.4	187	5	5	12	23	47	63	99+
GRAND TOTAL	**133**	**15.4**	**149**	**4**	**5**	**12**	**21**	**33**	**60**	**99+**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	8.2	35	3	3	5	13	17	18	18
1-11 MOS	28	10.0	94	3	3	7	10	21	35	46
1-5 YRS	27	9.0	94	2	2	6	11	17	23	52
6-12 YRS	27	14.5	116	2	2	11	17	31	41	41
13-19 YRS	70	10.4	85	<1	1	8	15	22	34	38
2. MULTIPLE DX										
0-27 DYS	77	22.8	200	7	10	19	27	44	64	91
1-11 MOS	27	20.7	127	6	8	20	29	40	53	99+
1-5 YRS	36	13.7	177	2	3	8	16	36	46	52
6-12 YRS	44	21.0	461	3	4	13	36	47	93	99+
13-19 YRS	116	19.6	229	3	4	15	30	42	51	99+
TOT. SINGLE DX	158	10.7	93	1	2	8	14	22	34	46
" MULTIPLE DX	300	20.0	244	3	5	16	29	43	52	99+
TOTAL 0-27 DYS	83	21.7	202	5	7	19	25	44	63	89
1-11 MOS	55	15.3	138	3	4	11	24	34	45	97
1-5 YRS	63	11.7	145	2	3	8	13	29	43	52
6-12 YRS	71	18.5	337	2	4	12	28	41	48	99
13-19 YRS	186	16.1	194	1	3	13	22	36	44	95
GRAND TOTAL	**458**	**16.8**	**211**	**2**	**3**	**13**	**23**	**37**	**48**	**99**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	4.0	11	2	2	3	6	9	9	9
1-5 YRS	6	3.3	4	1	1	3	5	6	6	6
6-12 YRS	24	3.5	9	<1	1	3	4	6	10	16
13-19 YRS	149	3.6	21	<1	1	2	3	6	15	18
2. MULTIPLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS										
1-5 YRS	10	2.8	3	1	1	2	3	5	7	7
6-12 YRS	24	5.3	87	<1	1	2	4	9	30	43
13-19 YRS	80	4.4	20	1	1	3	6	10	11	27
TOT. SINGLE DX	183	3.6	19	<1	1	2	4	6	12	18
" MULTIPLE DX	115	4.4	33	<1	1	3	4	9	11	34
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	4	4.0	11	2	2	3	6	9	9	9
1-5 YRS	16	3.0	3	1	1	3	4	6	7	7
6-12 YRS	48	4.4	48	<1	1	3	4	7	17	43
13-19 YRS	229	3.9	21	<1	1	2	4	9	11	25
GRAND TOTAL	**298**	**3.9**	**24**	**<1**	**1**	**2**	**4**	**8**	**11**	**27**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	5.5	25	2	2	5	9	9	9	9
1-11 MOS	6	2.5		2	2	2	3	4	4	4
1-5 YRS	20	4.0	53	<1	1	2	3	7	21	34
6-12 YRS	72	2.6	4	<1	1	2	3	5	6	13
13-19 YRS	438	2.4	2	<1	1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS	2	3.5	13	1	1	3	6	6	6	6
1-11 MOS	6	2.7	5	1	1	2	3	7	7	7
1-5 YRS	76	2.9	38	1	1	2	3	4	6	43
6-12 YRS	171	2.4	3	1	1	2	3	4	6	12
13-19 YRS	510	3.1	17	1	1	2	3	5	8	16
TOT. SINGLE DX	538	2.5	5	<1	1	2	3	4	5	9
" MULTIPLE DX	765	2.9	16	1	1	2	3	5	7	15
TOTAL 0-27 DYS	4	4.5	14	1	1	4	7	9	9	9
1-11 MOS	12	2.6	3	1	1	2	3	5	7	7
1-5 YRS	96	3.1	41	1	1	2	3	5	6	45
6-12 YRS	243	2.5	4	1	1	2	3	4	6	13
13-19 YRS	948	2.7	11	<1	1	2	3	4	6	14
GRAND TOTAL	**1303**	**2.7**	**12**	**1**	**1**	**2**	**3**	**4**	**6**	**14**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS										
13-19 YRS	15	6.8	20	2	3	5	9	12	18	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS										
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	7	14.0	549	2	3	5	7	55	67	67
TOT. SINGLE DX	16	6.6	20	2	3	5	9	12	18	20
" MULTIPLE DX	10	12.6	384	2	3	6	7	42	67	67
TOTAL 0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	2	5.0	2	4	4	5	6	6	6	6
13-19 YRS	22	9.1	182	2	3	5	9	14	39	67
GRAND TOTAL	**26**	**8.9**	**159**	**2**	**3**	**5**	**9**	**17**	**29**	**67**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	5.5	21	1	1	5	6	13	14	14
13-19 YRS	20	5.6	28	1	2	3	7	13	17	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	3	1	1	4	4	4	4	4
6-12 YRS	5	4.6	11	1	1	4	6	10	10	10
13-19 YRS	25	3.8	20	<1	1	2	4	8	12	22
TOT. SINGLE DX	26	5.5	26	1	2	4	6	13	16	22
" MULTIPLE DX	33	3.8	17	1	1	3	4	8	10	22
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	3.0	3	1	1	4	4	4	4	4
6-12 YRS	11	5.1	16	1	1	4	6	12	14	14
13-19 YRS	45	4.6	24	1	1	3	5	12	15	22
GRAND TOTAL	**59**	**4.6**	**21**	**1**	**1**	**3**	**5**	**11**	**14**	**22**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	3	5.0	7	3	3	4	7	8	8	8
1-5 YRS	10	2.6	1	1	1	3	4	4	4	4
6-12 YRS	39	4.1	12	1	1	4	4	6	11	20
13-19 YRS	371	4.5	12	2	3	4	5	6	8	17
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	1	14.0		14	14	14	14	14	14	14
1-5 YRS	5	5.8	8	2	2	6	8	9	9	9
6-12 YRS	14	5.6	10	2	2	5	8	10	12	13
13-19 YRS	142	6.2	39	3	3	5	6	10	13	36
TOT. SINGLE DX	425	4.4	13	2	2	4	5	6	8	18
" MULTIPLE DX	163	6.2	36	2	3	5	7	10	13	31
TOTAL 0-27 DYS	3	7.7	82	1	1	4	14	18	18	18
1-11 MOS	4	7.3	25	3	3	6	11	14	14	14
1-5 YRS	15	3.7	6	1	1	3	4	8	9	9
6-12 YRS	53	4.5	12	1	2	4	5	8	12	20
13-19 YRS	513	4.9	21	2	3	4	5	7	10	19
GRAND TOTAL	**588**	**4.9**	**20**	**2**	**3**	**4**	**5**	**8**	**10**	**19**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	13	2.4		2	2	2	3	3	4	4
1-5 YRS	322	2.1	1	<1	1	2	3	3	4	6
6-12 YRS	225	2.4	1	1	1	2	3	4	5	6
13-19 YRS	213	2.9	5	1	1	2	3	4	6	10
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	7.0	26	3	3	5	8	16	16	16
1-5 YRS	27	2.7	3	1	1	2	3	6	7	8
6-12 YRS	27	3.9	6	<1	<1	4	6	7	8	9
13-19 YRS	48	5.3	24	1	1	3	7	12	19	21
TOT. SINGLE DX	773	2.4	3	1	1	2	3	4	5	8
" MULTIPLE DX	107	4.4	16	1	1	3	6	8	12	20
TOTAL 0-27 DYS										
1-11 MOS	18	3.7	11	2	2	3	4	6	12	16
1-5 YRS	349	2.1	2	<1	1	2	3	4	4	7
6-12 YRS	252	2.5	2	1	1	2	3	4	6	8
13-19 YRS	261	3.3	10	1	1	3	4	6	8	20
GRAND TOTAL	**880**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.5	5	1	1	2	4	4	4	4
1-5 YRS	7	10.9	35	1	3	10	13	19	21	21
6-12 YRS	8	7.9	31	2	2	7	12	16	17	17
13-19 YRS	41	10.0	59	3	3	8	11	19	29	39
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	8.7	4	7	7	8	10	11	11	11
1-5 YRS	3	25.7	174	14	14	23	36	40	40	40
6-12 YRS	9	8.1	48	1	1	7	10	20	21	21
13-19 YRS	25	12.6	57	5	6	10	15	25	29	33
TOT. SINGLE DX	58	9.6	52	1	3	9	11	17	26	38
" MULTIPLE DX	40	12.3	73	2	4	9	15	24	30	40
TOTAL 0-27 DYS										
1-11 MOS	5	6.2	15	1	1	7	9	11	11	11
1-5 YRS	10	15.3	113	1	5	12	21	31	40	40
6-12 YRS	17	8.0	38	1	2	7	11	18	20	21
13-19 YRS	66	11.0	59	3	4	9	13	23	29	38
GRAND TOTAL	**98**	**10.7**	**62**	**2**	**3**	**9**	**13**	**21**	**28**	**40**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	60	1.4		<1	<1	1	2	2	2	3
1-5 YRS	301	1.2		<1	<1	1	1	2	2	3
6-12 YRS	147	1.3		<1	<1	1	2	2	2	3
13-19 YRS	142	1.6	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
0-27 DYS	5	3.4	1	3	3	3	4	5	5	5
1-11 MOS	9	1.2		<1	<1	<1	1	2	2	2
1-5 YRS	42	1.5		<1	<1	1	2	3	3	3
6-12 YRS	27	1.9	2	<1	1	2	2	3	5	8
13-19 YRS	36	3.4	28	<1	<1	2	3	7	10	32
TOT. SINGLE DX	650	1.3	1	<1	<1	1	2	2	2	5
" MULTIPLE DX	119	2.2	10	<1	<1	2	2	3	6	17
TOTAL 0-27 DYS	5	3.4	1	3	3	3	4	5	5	5
1-11 MOS	69	1.4		<1	<1	1	2	2	2	3
1-5 YRS	343	1.3		<1	<1	1	1	2	2	3
6-12 YRS	174	1.4	1	<1	<1	1	2	2	2	5
13-19 YRS	178	1.9	7	<1	<1	1	2	3	5	11
GRAND TOTAL	**769**	**1.5**	**2**	**<1**	**<1**	**1**	**2**	**2**	**3**	**7**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	20	1.8	1	<1	<1	1	2	3	4	5
1-5 YRS	318	1.7		<1	<1	2	2	3	3	5
6-12 YRS	240	1.8		<1	1	2	2	3	4	6
13-19 YRS	190	2.0	1	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	15	4.6	10	2	2	4	5	6	13	15
1-11 MOS	12	1.8		<1	<1	2	2	3	4	4
1-5 YRS	249	2.1	5	<1	1	1	2	3	5	11
6-12 YRS	216	2.9	10	1	1	2	3	6	8	18
13-19 YRS	496	3.5	31	<1	1	2	4	7	9	17
TOT. SINGLE DX	769	1.8	1	<1	<1	2	2	3	3	5
" MULTIPLE DX	988	3.0	20	<1	1	2	3	6	8	17
TOTAL 0-27 DYS	16	4.4	11	<1	2	4	5	6	12	15
1-11 MOS	32	1.8	1	<1	<1	1	2	3	4	5
1-5 YRS	567	1.9	3	<1	<1	2	2	3	4	9
6-12 YRS	456	2.3	6	<1	1	2	2	4	6	13
13-19 YRS	686	3.0	23	<1	1	2	3	6	8	16
GRAND TOTAL	**1757**	**2.5**	**12**	**<1**	**1**	**2**	**3**	**4**	**6**	**13**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	3.7	22	1	1	2	4	12	13	13
1-5 YRS	68	1.6		<1	<1	2	2	2	3	4
6-12 YRS	46	1.9		<1	1	2	2	3	4	5
13-19 YRS	37	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
0-27 DYS	2	5.5	5	4	4	5	7	7	7	7
1-11 MOS	4	9.0	196	<1	<1	2	16	30	30	30
1-5 YRS	40	3.2	66	1	1	2	2	4	5	53
6-12 YRS	32	2.4	4	<1	1	2	3	6	7	8
13-19 YRS	41	3.5	17	1	1	2	3	7	13	21
TOT. SINGLE DX	158	1.9	2	<1	<1	2	2	3	4	6
" MULTIPLE DX	119	3.3	35	1	1	2	3	6	8	37
TOTAL 0-27 DYS	3	5.7	2	4	4	6	7	7	7	7
1-11 MOS	10	5.8	86	<1	<1	2	4	21	30	30
1-5 YRS	108	2.2	25	<1	<1	2	2	3	3	26
6-12 YRS	78	2.1	2	<1	1	2	2	4	5	8
13-19 YRS	78	2.8	10	1	1	2	3	5	7	20
GRAND TOTAL	**277**	**2.5**	**17**	**<1**	**1**	**2**	**2**	**4**	**6**	**20**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	35	1.5		<1	<1	1	2	2	3	3
6-12 YRS	25	1.4		<1	<1	1	2	2	3	3
13-19 YRS	23	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS	3	1.0		1	1	1	1	1	1	1
1-5 YRS	22	1.9	1	<1	<1	2	2	4	5	6
6-12 YRS	18	2.4	3	<1	1	2	3	4	7	9
13-19 YRS	14	2.6	3	1	1	2	4	5	7	7
TOT. SINGLE DX	85	1.5	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	58	2.3	4	<1	1	2	3	4	7	10
TOTAL 0-27 DYS	2	7.0	18	4	4	7	10	10	10	10
1-11 MOS	4	1.3		1	1	1	2	2	2	2
1-5 YRS	57	1.6	1	<1	<1	1	2	3	4	6
6-12 YRS	43	1.9	2	<1	<1	1	2	3	4	9
13-19 YRS	37	2.0	2	<1	<1	2	2	5	5	7
GRAND TOTAL	**143**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	8	7.1	123	<1	<1	3	6	26	34	34
1-5 YRS	10	5.8	15	2	2	5	8	12	15	15
6-12 YRS	10	3.2	1	2	2	3	3	5	5	5
13-19 YRS	29	3.2	2	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	5	5.6	21	<1	<1	5	8	13	13	13
1-5 YRS	8	3.4	4	1	1	3	5	7	7	7
6-12 YRS	11	3.8	4	2	2	4	4	7	9	9
13-19 YRS	23	5.7	15	2	3	5	6	9	16	20
TOT. SINGLE DX	57	4.2	22	1	2	3	4	7	9	33
" MULTIPLE DX	48	4.9	12	1	2	4	6	9	13	20
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	13	6.5	80	<1	<1	4	6	17	31	34
1-5 YRS	18	4.7	12	1	1	4	6	8	12	15
6-12 YRS	21	3.5	3	2	2	3	4	6	7	9
13-19 YRS	52	4.3	10	2	2	4	5	7	9	20
GRAND TOTAL	**105**	**4.5**	**17**	**1**	**2**	**3**	**5**	**8**	**10**	**26**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	2.3	2	1	1	2	3	4	4	4
1-5 YRS	65	2.9	7	<1	<1	2	3	6	7	16
6-12 YRS	94	3.2	4	<1	1	3	4	6	7	11
13-19 YRS	66	3.1	5	1	1	2	4	5	7	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	3.4	2	1	1	4	4	5	5	5
1-5 YRS	95	3.9	17	<1	1	3	5	6	8	28
6-12 YRS	126	4.1	7	1	1	4	6	8	10	12
13-19 YRS	140	5.4	56	1	1	4	6	9	14	50
TOT. SINGLE DX	229	3.1	6	<1	1	2	4	6	7	14
" MULTIPLE DX	366	4.5	29	1	1	4	5	8	11	25
TOTAL 0-27 DYS										
1-11 MOS	9	2.9	2	1	1	3	4	5	5	5
1-5 YRS	160	3.5	13	<1	1	3	4	6	8	24
6-12 YRS	220	3.7	6	1	1	3	5	7	8	12
13-19 YRS	206	4.7	41	1	1	3	5	7	11	34
GRAND TOTAL	**595**	**4.0**	**21**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	3.2	2	2	2	3	4	6	6	6
1-11 MOS	70	2.3	3	1	1	2	3	3	4	14
1-5 YRS	22	2.4	1	<1	1	2	3	4	5	5
6-12 YRS	36	2.1		1	1	2	3	3	4	4
13-19 YRS	42	3.2	5	<1	1	3	4	5	6	15
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	21	2.8	9	<1	<1	2	3	4	9	15
1-5 YRS	22	3.3	8	1	1	3	3	6	11	13
6-12 YRS	18	2.3	4	<1	<1	2	2	3	7	10
13-19 YRS	34	4.8	59	1	2	3	5	6	8	47
TOT. SINGLE DX	175	2.5	3	1	1	2	3	4	5	13
" MULTIPLE DX	97	3.5	26	1	1	2	4	6	9	32
TOTAL 0-27 DYS	7	3.0	2	2	2	3	3	5	6	6
1-11 MOS	91	2.4	5	<1	1	2	3	4	4	16
1-5 YRS	44	2.8	5	1	1	2	3	4	7	13
6-12 YRS	54	2.2	2	<1	1	2	2	3	4	10
13-19 YRS	76	3.9	30	1	1	3	5	6	6	39
GRAND TOTAL	**272**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**6**	**15**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	1.8		1	1	2	2	2	2	2
1-5 YRS	16	2.8	4	1	1	2	4	7	8	8
6-12 YRS	29	3.8	4	1	1	4	6	6	7	8
13-19 YRS	46	3.9	6	1	1	3	6	8	9	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	3.2	11	<1	<1	2	4	9	9	9
1-5 YRS	35	5.1	14	<1	1	4	8	9	14	15
6-12 YRS	82	5.5	17	1	1	5	7	10	13	22
13-19 YRS	82	5.4	16	1	2	4	7	12	13	19
TOT. SINGLE DX	96	3.6	6	1	1	3	5	7	9	10
" MULTIPLE DX	204	5.3	16	1	1	4	7	11	13	21
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	9	2.6	6	<1	<1	2	3	7	9	9
1-5 YRS	51	4.4	12	1	1	3	7	9	12	15
6-12 YRS	111	5.0	14	1	1	4	6	10	11	22
13-19 YRS	128	4.8	13	1	2	4	7	10	12	17
GRAND TOTAL	**300**	**4.8**	**13**	**1**	**1**	**4**	**6**	**9**	**12**	**18**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	2.0		<1	<1	2	2	3	3	3
1-5 YRS	16	2.5	1	1	1	2	3	5	5	5
6-12 YRS	25	2.8	6	1	1	2	3	4	7	14
13-19 YRS	26	2.9	1	1	1	3	3	5	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	10	3.9	25	1	1	2	3	11	18	18
1-5 YRS	13	3.7	13	1	1	2	3	11	13	13
6-12 YRS	23	4.6	17	1	2	3	5	9	14	20
13-19 YRS	24	3.8	5	1	2	3	5	7	9	10
TOT. SINGLE DX	76	2.7	3	1	1	2	3	4	5	12
" MULTIPLE DX	70	4.1	13	1	1	3	4	9	11	20
TOTAL 0-27 DYS										
1-11 MOS	19	3.0	14	<1	1	2	3	4	12	18
1-5 YRS	29	3.0	7	1	1	2	3	5	10	13
6-12 YRS	48	3.6	12	1	1	3	4	7	11	20
13-19 YRS	50	3.4	4	1	1	3	4	6	7	10
GRAND TOTAL	**146**	**3.3**	**8**	**1**	**1**	**3**	**4**	**5**	**9**	**18**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	1.8	1	1	1	2	2	3	3	3
1-11 MOS	56	2.3	1	<1	1	2	3	3	5	9
1-5 YRS	85	2.5	3	1	1	2	3	4	5	13
6-12 YRS	116	2.2		1	1	2	2	3	4	6
13-19 YRS	137	2.3	1	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-27 DYS	3	4.3	6	2	2	5	53	99+	99+	99+
1-11 MOS	29	3.6	19	<1	<1	2	3	10	15	19
1-5 YRS	35	2.2		<1	1	2	3	4	4	4
6-12 YRS	68	2.9	2	1	1	2	4	5	7	8
13-19 YRS	69	2.8	3	1	1	2	3	4	6	13
TOT. SINGLE DX	398	2.3	2	1	1	2	3	3	4	8
" MULTIPLE DX	204	2.8	5	1	1	2	3	5	7	17
TOTAL 0-27 DYS	7	2.9	4	1	1	3	5	72	99+	99+
1-11 MOS	85	2.7	8	<1	1	2	3	4	7	18
1-5 YRS	120	2.4	3	1	1	2	3	4	4	10
6-12 YRS	184	2.4	2	1	1	2	3	4	5	7
13-19 YRS	206	2.5	2	1	1	2	3	4	5	10
GRAND TOTAL	**602**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	5	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	6	2.7	7	1	1	2	2	7	8	8
13-19 YRS	4	1.8		1	1	2	2	2	2	2
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	3	3.0	4	1	1	3	4	5	5	5
13-19 YRS	3	2.3	2	1	1	2	3	4	4	4
TOT. SINGLE DX	16	2.0	3	<1	<1	2	2	3	6	8
" MULTIPLE DX	9	2.2	2	<1	<1	2	3	5	5	5
TOTAL 0-27 DYS										
1-11 MOS	2	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	7	1.6	1	<1	<1	1	2	3	3	3
6-12 YRS	9	2.8	5	1	1	2	3	7	8	8
13-19 YRS	7	2.0	1	1	1	2	2	4	4	4
GRAND TOTAL	**25**	**2.1**	**3**	**<1**	**<1**	**2**	**2**	**4**	**6**	**8**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	3.6	3	2	2	3	5	6	6	6
1-5 YRS	10	2.7	3	<1	<1	2	4	5	6	6
6-12 YRS	67	4.9	8	2	2	4	6	9	11	15
13-19 YRS	147	4.5	5	1	2	4	6	8	9	11
2. MULTIPLE DX										
0-27 DYS	1	68.0		68	68	68	68	68	68	68
1-11 MOS	12	4.5	4	2	2	4	6	8	9	9
1-5 YRS	12	4.1	5	<1	1	4	6	7	8	8
6-12 YRS	50	5.7	13	2	2	5	7	9	15	21
13-19 YRS	112	4.8	7	2	2	4	6	8	9	15
TOT. SINGLE DX	229	4.5	6	1	2	4	6	8	9	14
" MULTIPLE DX	187	5.3	30	2	2	4	6	8	10	22
TOTAL 0-27 DYS	1	68.0		68	68	68	68	68	68	68
1-11 MOS	17	4.2	4	2	2	4	5	7	8	9
1-5 YRS	22	3.5	5	<1	1	3	5	7	7	8
6-12 YRS	117	5.3	11	2	2	5	6	9	12	17
13-19 YRS	259	4.6	6	1	2	4	6	8	9	11
GRAND TOTAL	**416**	**4.9**	**17**	**1**	**2**	**4**	**6**	**8**	**9**	**15**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	6.0	8	4	4	6	8	8	8	8
1-11 MOS	9	2.4	2	<1	<1	2	3	5	6	6
1-5 YRS	15	2.9	7	<1	<1	2	4	6	10	11
6-12 YRS	25	2.9	4	1	1	2	3	6	7	10
13-19 YRS	38	3.1	4	1	1	3	4	4	7	12
2. MULTIPLE DX										
0-27 DYS	2	41.0	2888	3	3	89	99+	99+	99+	99+
1-11 MOS	7	2.6	11	<1	<1	1	3	9	10	10
1-5 YRS	13	5.2	27	<1	1	3	7	13	18	19
6-12 YRS	33	3.7	5	2	2	3	5	6	9	13
13-19 YRS	71	4.1	5	1	1	3	5	8	9	11
TOT. SINGLE DX	89	3.0	5	<1	1	2	4	5	8	12
" MULTIPLE DX	126	4.6	53	1	1	3	5	9	11	99+
TOTAL 0-27 DYS	4	23.5	1374	3	3	43	99+	99+	99+	99+
1-11 MOS	16	2.5	6	<1	<1	1	3	6	9	10
1-5 YRS	28	4.0	17	<1	<1	2	5	10	13	19
6-12 YRS	58	3.4	5	1	2	3	4	6	8	13
13-19 YRS	109	3.7	6	1	1	3	5	7	9	11
GRAND TOTAL	**215**	**3.9**	**33**	**1**	**1**	**3**	**5**	**7**	**10**	**86**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	335	1.5		<1	<1	1	2	2	2	3
1-5 YRS	3081	1.6		<1	<1	2	2	2	2	3
6-12 YRS	1646	1.7		<1	<1	2	2	2	2	3
13-19 YRS	885	1.8		<1	1	2	2	2	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	45	1.9	3	<1	1	2	2	2	2	14
1-5 YRS	579	1.9	16	<1	1	2	2	2	3	5
6-12 YRS	355	1.9	1	1	1	2	2	2	3	5
13-19 YRS	221	2.1	4	1	1	2	2	2	3	10
TOT. SINGLE DX	5948	1.6		<1	<1	2	2	2	2	3
" MULTIPLE DX	1200	1.9	9	<1	1	2	2	2	3	6
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	380	1.5	1	<1	<1	1	2	2	2	3
1-5 YRS	3660	1.6	3	<1	<1	2	2	2	2	3
6-12 YRS	2001	1.7	1	<1	1	2	2	2	2	3
13-19 YRS	1106	1.9	1	<1	1	2	2	2	3	4
GRAND TOTAL	**7148**	**1.7**	**2**	**<1**	**<1**	**2**	**2**	**2**	**2**	**3**

531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	10	2.1	1	<1	<1	2	2	4	5	5
6-12 YRS	6	2.3	1	1	1	2	3	4	4	4
13-19 YRS	6	2.0		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	9	2.0		1	1	2	3	3	3	3
13-19 YRS	8	8.8	380	1	1	2	3	41	57	57
TOT. SINGLE DX	24	2.1	1	<1	<1	2	3	3	4	5
" MULTIPLE DX	19	4.9	160	1	1	2	3	4	33	57
TOTAL 0-27 DYS										
1-11 MOS	3	2.3	2	<1	<1	2	3	4	4	4
1-5 YRS	11	2.1	1	<1	<1	2	2	4	5	5
6-12 YRS	15	2.1	1	1	1	2	3	3	4	4
13-19 YRS	14	5.9	217	1	1	2	3	9	46	57
GRAND TOTAL	**43**	**3.3**	**71**	**<1**	**1**	**2**	**3**	**3**	**5**	**57**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	19	3.5	8	1	1	2	5	8	10	11
1-5 YRS	114	2.4	4	<1	<1	2	3	5	8	11
6-12 YRS	90	3.0	6	1	1	2	3	6	8	14
13-19 YRS	111	3.0	4	<1	1	2	4	6	7	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	6	2.0	1	1	1	2	2	4	4	4
1-5 YRS	75	4.2	14	1	1	3	5	9	14	16
6-12 YRS	86	4.2	16	1	1	3	5	9	11	24
13-19 YRS	169	4.7	27	1	2	3	5	9	14	33
TOT. SINGLE DX	334	2.8	5	<1	1	2	3	6	8	12
" MULTIPLE DX	337	4.4	21	1	1	3	5	9	13	27
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	25	3.2	7	1	1	2	4	6	9	11
1-5 YRS	189	3.1	9	<1	1	2	4	7	10	16
6-12 YRS	176	3.6	12	1	1	2	4	7	11	18
13-19 YRS	280	4.0	19	1	1	3	4	7	11	24
GRAND TOTAL	**671**	**3.6**	**14**	**1**	**1**	**2**	**4**	**7**	**11**	**17**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	22	3.2		1	2	3	4	5	5	5
1-11 MOS	46	1.7	1	<1	<1	1	2	2	5	7
1-5 YRS	388	1.8	1	<1	<1	1	2	3	4	7
6-12 YRS	584	2.0	1	<1	<1	2	2	3	4	8
13-19 YRS	381	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
0-27 DYS	270	3.8	11	1	2	3	4	6	7	16
1-11 MOS	15	2.1	2	<1	1	2	3	4	5	6
1-5 YRS	136	3.2	18	<1	<1	2	3	7	11	22
6-12 YRS	202	2.4	5	<1	<1	2	3	4	6	13
13-19 YRS	243	3.9	27	<1	1	2	4	8	11	30
TOT. SINGLE DX	1421	2.0	2	<1	<1	2	2	3	4	7
" MULTIPLE DX	866	3.4	16	<1	1	2	4	6	8	25
TOTAL 0-27 DYS	292	3.8	11	1	2	3	4	6	7	16
1-11 MOS	61	1.8	2	<1	<1	1	2	3	5	7
1-5 YRS	524	2.2	6	<1	<1	2	2	4	6	13
6-12 YRS	786	2.1	3	<1	<1	2	2	4	5	8
13-19 YRS	624	2.8	13	<1	<1	2	3	5	7	25
GRAND TOTAL	**2287**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**4**	**6**	**13**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	7	1.7		1	1	2	2	2	2	2
6-12 YRS	70	1.8		1	1	2	2	3	3	5
13-19 YRS	151	2.3		1	1	2	3	3	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	7	2.1	1	<1	<1	2	3	4	4	4
6-12 YRS	30	2.0		1	1	2	3	3	3	3
13-19 YRS	70	2.4		1	1	2	3	3	4	5
TOT. SINGLE DX	231	2.1	1	1	1	2	3	3	3	5
" MULTIPLE DX	108	2.3	1	1	1	2	3	3	4	5
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	14	1.9	1	<1	1	2	2	3	4	4
6-12 YRS	100	1.9	1	1	1	2	2	3	3	5
13-19 YRS	221	2.3	1	1	1	2	3	3	4	5
GRAND TOTAL	**339**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	246	1.7		<1	<1	2	2	2	3	4
6-12 YRS	1196	1.8		1	1	2	2	2	3	3
13-19 YRS	930	2.0		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	139	1.8	1	<1	1	2	2	3	3	8
6-12 YRS	857	2.0		1	1	2	2	3	3	4
13-19 YRS	747	2.2	1	1	1	2	2	3	3	6
TOT. SINGLE DX	2374	1.9	1	1	1	2	2	3	3	4
" MULTIPLE DX	1748	2.1	1	1	1	2	2	3	3	6
TOTAL 0-27 DYS	2	1.5	1	1	1	1	2	2	2	2
1-11 MOS	5	2.2	1	1	1	2	3	4	4	4
1-5 YRS	385	1.8	1	<1	<1	2	2	2	3	4
6-12 YRS	2053	1.9	1	1	1	2	2	3	3	4
13-19 YRS	1677	2.1	1	1	1	2	2	3	3	5
GRAND TOTAL	**4122**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	19	5.8	12	1	2	5	8	12	13	13
1-11 MOS	1404	1.3	1	<1	<1	<1	1	1	3	7
1-5 YRS	8485	1.1		<1	<1	<1	1	1	2	3
6-12 YRS	3294	1.1		<1	<1	<1	1	1	2	3
13-19 YRS	505	1.3		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS	21	5.0	13	<1	1	4	6	10	12	15
1-11 MOS	551	4.0	20	<1	<1	2	6	10	13	22
1-5 YRS	4521	1.8	5	<1	<1	1	2	2	4	11
6-12 YRS	2236	1.6	6	<1	<1	1	2	2	2	6
13-19 YRS	296	1.9	2	<1	<1	2	2	3	5	9
TOT. SINGLE DX	13707	1.1	1	<1	<1	<1	1	1	2	4
" MULTIPLE DX	7625	1.9	7	<1	<1	1	2	3	5	12
TOTAL 0-27 DYS	40	5.4	13	<1	1	4	7	11	12	15
1-11 MOS	1955	2.0	8	<1	<1	1	1	5	8	15
1-5 YRS	13006	1.3	2	<1	<1	<1	1	2	2	7
6-12 YRS	5530	1.3	3	<1	<1	1	1	2	2	5
13-19 YRS	801	1.5	1	<1	<1	1	2	2	3	7
GRAND TOTAL	**21332**	**1.4**	**3**	**<1**	**<1**	**1**	**1**	**2**	**2**	**8**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	97	2.9	4	1	1	2	3	5	8	13
6-12 YRS	301	2.5	2	1	1	2	3	4	5	10
13-19 YRS	289	2.6	9	1	1	2	3	3	4	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	6.9	18	2	2	6	10	13	14	14
1-5 YRS	104	3.3	5	1	2	2	4	6	9	12
6-12 YRS	425	2.7	4	1	1	2	3	4	5	13
13-19 YRS	442	3.4	19	1	1	3	3	5	7	23
TOT. SINGLE DX	688	2.6	6	1	1	2	3	4	5	8
" MULTIPLE DX	979	3.1	11	1	1	2	3	4	6	15
TOTAL 0-27 DYS										
1-11 MOS	9	6.2	20	<1	1	6	9	13	14	14
1-5 YRS	201	3.1	5	1	1	2	3	6	8	12
6-12 YRS	726	2.6	3	1	1	2	3	4	5	12
13-19 YRS	731	3.1	15	1	1	2	3	4	6	16
GRAND TOTAL	**1667**	**2.9**	**9**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	9	2.9	2	<1	<1	3	4	5	5	5
1-5 YRS	246	1.5	2	<1	<1	1	1	2	3	11
6-12 YRS	361	1.6	1	<1	<1	1	2	2	3	8
13-19 YRS	255	2.2	8	<1	1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	3	3.3	16	<1	<1	1	6	8	8	8
1-11 MOS	6	4.5	13	<1	<1	4	8	9	9	9
1-5 YRS	202	2.1	16	<1	<1	1	2	3	7	15
6-12 YRS	280	1.9	3	<1	<1	1	2	3	4	13
13-19 YRS	200	2.9	10	1	1	2	3	4	6	19
TOT. SINGLE DX	871	1.8	4	<1	<1	1	2	3	3	9
" MULTIPLE DX	691	2.3	10	<1	<1	2	2	3	6	16
TOTAL 0-27 DYS	3	3.3	16	<1	<1	1	6	8	8	8
1-11 MOS	15	3.5	7	<1	<1	3	5	8	9	9
1-5 YRS	448	1.8	9	<1	<1	1	2	2	6	14
6-12 YRS	641	1.8	3	<1	<1	1	2	3	3	11
13-19 YRS	455	2.5	9	<1	1	2	3	3	5	16
GRAND TOTAL	**1562**	**2.0**	**7**	**<1**	**<1**	**1**	**2**	**3**	**5**	**12**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	1.9		<1	<1	2	2	3	3	3
6-12 YRS	47	2.1		1	1	2	3	3	4	4
13-19 YRS	969	2.5		1	1	2	3	4	4	5
2. MULTIPLE DX										
0-27 DYS	4	2.8		2	2	3	3	3	3	3
1-11 MOS										
1-5 YRS	9	1.4		<1	<1	1	2	2	2	2
6-12 YRS	97	2.5	1	1	1	2	3	4	5	7
13-19 YRS	1382	2.6	1	1	1	3	3	4	5	7
TOT. SINGLE DX	1023	2.5	1	1	1	2	3	4	4	5
" MULTIPLE DX	1492	2.6	1	1	1	3	3	4	5	7
TOTAL 0-27 DYS	4	2.8		2	2	3	3	3	3	3
1-11 MOS										
1-5 YRS	16	1.6		<1	<1	2	2	2	3	3
6-12 YRS	144	2.3	1	1	1	2	3	3	4	6
13-19 YRS	2351	2.6	1	1	1	2	3	4	4	6
GRAND TOTAL	**2515**	**2.6**	**1**	**1**	**1**	**2**	**3**	**4**	**4**	**6**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	14	3.1	6	1	1	2	4	8	8	8
1-5 YRS	58	2.2	2	1	1	2	3	4	5	8
6-12 YRS	195	2.3	2	1	1	2	3	4	5	8
13-19 YRS	2780	2.4	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
0-27 DYS	20	5.5	50	1	2	4	5	7	21	35
1-11 MOS	15	5.4	24	<1	1	3	8	11	17	19
1-5 YRS	88	2.4	4	<1	1	2	3	5	7	12
6-12 YRS	270	2.5	2	1	1	2	3	4	6	8
13-19 YRS	3671	2.6	5	1	1	2	3	4	5	8
TOT. SINGLE DX	3048	2.4	1	1	1	2	3	4	5	6
" MULTIPLE DX	4064	2.6	5	1	1	2	3	4	5	9
TOTAL 0-27 DYS	21	5.2	49	1	2	4	5	7	20	35
1-11 MOS	29	4.3	16	1	1	3	7	8	11	19
1-5 YRS	146	2.3	4	<1	1	2	3	5	6	9
6-12 YRS	465	2.4	2	1	1	2	3	4	5	8
13-19 YRS	6451	2.5	4	1	1	2	3	4	5	7
GRAND TOTAL	**7112**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	8.5	41	4	4	8	13	13	13	13
1-11 MOS	21	4.3	81	<1	<1	2	3	6	24	43
1-5 YRS	66	1.8	1	<1	<1	1	2	3	4	5
6-12 YRS	122	2.0	1	<1	<1	2	2	4	5	7
13-19 YRS	218	2.4	5	<1	<1	2	3	4	5	13
2. MULTIPLE DX										
0-27 DYS	4	8.3	101	<1	<1	4	14	23	23	23
1-11 MOS	7	7.7	41	2	2	4	14	17	17	17
1-5 YRS	36	3.4	60	<1	1	2	3	4	7	48
6-12 YRS	148	2.5	3	<1	1	2	3	5	6	13
13-19 YRS	321	2.7	4	1	1	2	3	5	6	11
TOT. SINGLE DX	429	2.3	8	<1	<1	2	2	4	5	12
" MULTIPLE DX	516	2.8	10	<1	1	2	3	5	7	16
TOTAL 0-27 DYS	6	8.3	69	<1	<1	5	13	22	23	23
1-11 MOS	28	5.1	72	<1	<1	2	4	14	20	43
1-5 YRS	102	2.4	22	<1	<1	2	2	4	4	27
6-12 YRS	270	2.3	3	<1	<1	2	3	4	6	10
13-19 YRS	539	2.6	5	<1	1	2	3	4	6	12
GRAND TOTAL	**945**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**4**	**6**	**15**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	3	3.3	10	<1	<1	2	6	7	7	7
1-5 YRS	81	1.6	1	<1	<1	1	2	3	5	8
6-12 YRS	471	1.4		<1	<1	1	2	2	3	6
13-19 YRS	1154	1.7	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-27 DYS	33	4.2	10	1	2	3	5	7	9	19
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	70	2.5	4	<1	<1	2	3	5	7	11
6-12 YRS	383	2.3	22	<1	<1	2	2	4	5	11
13-19 YRS	1353	2.8	10	<1	1	2	3	5	7	15
TOT. SINGLE DX	1711	1.6	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	1840	2.7	13	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	35	4.0	10	1	1	3	5	7	9	19
1-11 MOS	4	3.5	7	<1	<1	3	5	7	7	7
1-5 YRS	151	2.0	3	<1	<1	1	2	4	6	9
6-12 YRS	854	1.8	11	<1	<1	1	2	3	4	8
13-19 YRS	2507	2.3	7	<1	<1	2	3	4	6	10
GRAND TOTAL	**3551**	**2.2**	**8**	**<1**	**<1**	**2**	**2**	**4**	**5**	**10**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	7	2.9	4	1	1	2	4	6	7	7
6-12 YRS	40	2.2	1	1	1	2	3	4	5	6
13-19 YRS	132	2.7	3	1	1	2	3	4	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	2.5	1	2	2	2	3	3	3	3
6-12 YRS	28	4.4	16	1	1	3	4	13	13	14
13-19 YRS	143	4.3	21	1	2	3	5	9	12	26
TOT. SINGLE DX	181	2.6	3	1	1	2	3	4	6	9
" MULTIPLE DX	173	4.3	21	1	2	3	5	10	13	23
TOTAL 0-27 DYS										
1-11 MOS	2	2.0		2	2	2	2	2	2	2
1-5 YRS	9	2.8	3	1	1	2	3	6	7	7
6-12 YRS	68	3.1	9	1	1	2	3	6	12	14
13-19 YRS	275	3.5	14	1	1	3	4	7	10	18
GRAND TOTAL	**354**	**3.4**	**12**	**1**	**1**	**2**	**4**	**6**	**10**	**17**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	13.0		13	13	13	13	13	13	13
1-11 MOS	6	3.0	7	<1	<1	2	6	7	7	7
1-5 YRS	23	2.0	3	<1	<1	1	2	5	6	7
6-12 YRS	89	2.3	5	<1	<1	1	2	5	7	13
13-19 YRS	177	3.3	11	1	1	2	4	7	11	16
2. MULTIPLE DX										
0-27 DYS	3	9.0	57	2	2	8	15	17	17	17
1-11 MOS	3	6.0	7	3	3	7	8	8	8	8
1-5 YRS	48	4.5	61	<1	<1	2	4	9	28	40
6-12 YRS	107	4.8	24	<1	1	2	7	11	14	25
13-19 YRS	241	6.3	49	1	1	3	8	16	22	32
TOT. SINGLE DX	296	2.9	9	<1	1	2	3	6	9	15
" MULTIPLE DX	402	5.7	44	<1	1	3	7	14	21	31
TOTAL 0-27 DYS	4	10.0	42	2	2	10	15	17	17	17
1-11 MOS	9	4.0	9	<1	<1	3	7	8	8	8
1-5 YRS	71	3.7	44	<1	<1	1	3	7	12	38
6-12 YRS	196	3.6	17	<1	<1	2	4	10	12	19
13-19 YRS	418	5.1	35	1	1	3	6	12	18	27
GRAND TOTAL	**698**	**4.5**	**31**	**<1**	**1**	**2**	**5**	**10**	**16**	**28**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	2.7	1	1	1	3	3	4	4	4
1-11 MOS	7	2.1		1	1	2	2	4	4	4
1-5 YRS	287	1.3	2	<1	<1	1	1	2	2	6
6-12 YRS	506	1.5		<1	<1	1	2	2	2	5
13-19 YRS	6650	1.6		<1	<1	2	2	2	2	3
2. MULTIPLE DX										
0-27 DYS	30	7.7	68	2	3	5	6	21	25	38
1-11 MOS	8	5.3	19	1	1	3	8	12	14	14
1-5 YRS	252	2.0	5	<1	<1	1	2	4	5	12
6-12 YRS	347	2.7	26	<1	<1	2	2	4	7	30
13-19 YRS	1950	2.5	16	<1	1	2	2	3	5	17
TOT. SINGLE DX	7456	1.6	1	<1	<1	2	2	2	2	3
" MULTIPLE DX	2587	2.5	18	<1	1	2	2	4	6	21
TOTAL 0-27 DYS	36	6.9	61	2	2	4	6	20	24	38
1-11 MOS	15	3.8	13	1	1	2	4	8	13	14
1-5 YRS	539	1.6	4	<1	<1	1	2	2	4	8
6-12 YRS	853	2.0	12	<1	<1	1	2	2	4	14
13-19 YRS	8600	1.8	4	<1	<1	2	2	2	3	6
GRAND TOTAL	**10043**	**1.8**	**5**	**<1**	**<1**	**2**	**2**	**2**	**3**	**7**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	1.3		<1	<1	1	2	2	2	2
1-5 YRS	742	1.1		<1	<1	1	1	1	2	2
6-12 YRS	91	1.2		<1	<1	1	1	2	2	4
13-19 YRS	83	1.5	1	<1	<1	1	2	2	4	8
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-5 YRS	450	1.2		<1	<1	1	1	2	2	2
6-12 YRS	142	1.8	16	<1	<1	1	2	2	3	50
13-19 YRS	115	3.0	56	<1	<1	2	2	4	8	56
TOT. SINGLE DX	920	1.1		<1	<1	1	1	2	2	3
" MULTIPLE DX	709	1.6	13	<1	<1	1	2	2	2	11
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	1.2		<1	<1	1	1	2	2	2
1-5 YRS	1192	1.1		<1	<1	1	1	2	2	2
6-12 YRS	233	1.6	10	<1	<1	1	2	2	3	23
13-19 YRS	198	2.4	34	<1	<1	1	2	3	7	33
GRAND TOTAL	**1629**	**1.4**	**6**	**<1**	**<1**	**1**	**1**	**2**	**2**	**6**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.5	1	<1	<1	1	2	2	2	2
1-5 YRS	65	1.3		<1	<1	1	1	2	3	4
6-12 YRS	90	2.3	1	<1	1	2	3	4	4	7
13-19 YRS	109	2.5	2	<1	1	2	3	4	5	11
2. MULTIPLE DX										
0-27 DYS	12	3.8	3	1	2	3	5	7	8	8
1-11 MOS	2	3.0		3	3	3	3	3	3	3
1-5 YRS	38	1.8	1	<1	<1	1	2	4	5	6
6-12 YRS	91	2.4	2	1	1	2	3	4	6	9
13-19 YRS	190	2.8	8	1	1	2	3	5	6	19
TOT. SINGLE DX	267	2.1	2	<1	<1	2	3	4	4	8
" MULTIPLE DX	333	2.6	6	1	1	2	3	4	6	11
TOTAL 0-27 DYS	13	3.7	3	1	2	3	4	6	8	8
1-11 MOS	4	2.3	1	<1	<1	2	3	3	3	3
1-5 YRS	103	1.5	1	<1	<1	1	2	3	4	5
6-12 YRS	181	2.3	2	<1	1	2	3	4	5	8
13-19 YRS	299	2.7	7	1	1	2	3	4	5	15
GRAND TOTAL	**600**	**2.4**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.8	3	1	1	2	4	5	5	5
1-11 MOS	7	3.7	6	1	1	3	5	8	8	8
1-5 YRS	50	2.8	5	<1	<1	2	3	6	9	10
6-12 YRS	125	2.4	1	1	1	2	3	4	5	6
13-19 YRS	264	3.0	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	4	4.0	4	1	1	4	5	6	6	6
1-11 MOS	3	3.7	8	2	2	2	6	7	7	7
1-5 YRS	18	4.4	5	2	2	4	6	8	9	9
6-12 YRS	42	3.7	9	1	1	3	5	9	9	17
13-19 YRS	76	3.9	14	<1	1	3	4	8	9	25
TOT. SINGLE DX	450	2.8	3	1	1	2	3	5	6	9
" MULTIPLE DX	143	3.9	11	1	1	3	5	8	9	18
TOTAL 0-27 DYS	8	3.4	4	1	1	3	5	6	6	6
1-11 MOS	10	3.7	6	1	1	3	6	7	8	8
1-5 YRS	68	3.2	6	<1	1	2	4	7	9	10
6-12 YRS	167	2.7	4	1	1	2	3	5	6	9
13-19 YRS	340	3.2	5	1	1	3	4	5	7	11
GRAND TOTAL	**593**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**10**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	92	3.7	3	1	2	3	5	6	7	9
1-5 YRS	481	3.9	3	1	1	4	5	6	7	9
6-12 YRS	142	3.6	3	1	1	3	5	6	7	9
13-19 YRS	86	3.5	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	84	4.1	2	1	2	4	5	6	7	9
1-5 YRS	374	4.4	6	1	2	4	6	7	8	13
6-12 YRS	106	3.9	3	2	2	4	5	6	7	12
13-19 YRS	48	3.3	2	2	2	3	4	5	6	7
TOT. SINGLE DX	801	3.8	4	1	1	4	5	6	7	9
" MULTIPLE DX	614	4.2	5	1	2	4	5	7	8	12
TOTAL 0-27 DYS	2	11.5	5	10	10	11	13	13	13	13
1-11 MOS	176	3.9	3	1	2	4	5	6	7	9
1-5 YRS	855	4.1	5	1	1	4	5	7	8	10
6-12 YRS	248	3.7	3	1	2	4	5	6	7	9
13-19 YRS	134	3.5	3	2	2	3	4	5	7	10
GRAND TOTAL	**1415**	**4.0**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**10**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	40	4.6	9	1	2	4	6	9	11	15
1-11 MOS	440	4.7	8	1	1	4	6	8	9	11
1-5 YRS	576	2.5	10	<1	<1	1	3	6	7	11
6-12 YRS	373	2.4	3	<1	<1	2	3	4	6	10
13-19 YRS	356	2.8	4	<1	1	2	3	6	7	11
2. MULTIPLE DX										
0-27 DYS	101	6.1	52	2	2	4	7	12	16	79
1-11 MOS	161	5.2	14	1	2	5	6	8	10	23
1-5 YRS	394	2.9	10	<1	1	2	3	6	8	15
6-12 YRS	327	2.8	6	1	1	2	4	6	7	12
13-19 YRS	531	3.5	16	<1	1	2	4	7	9	18
TOT. SINGLE DX	1785	3.1	8	<1	<1	2	4	7	8	11
" MULTIPLE DX	1514	3.5	16	<1	1	2	4	7	9	17
TOTAL 0-27 DYS	141	5.7	40	2	2	4	7	11	15	63
1-11 MOS	601	4.8	10	1	2	5	6	8	9	13
1-5 YRS	970	2.6	10	<1	<1	2	3	6	8	13
6-12 YRS	700	2.6	5	<1	<1	2	3	5	7	11
13-19 YRS	887	3.2	12	<1	1	2	4	6	8	16
GRAND TOTAL	**3299**	**3.3**	**12**	**<1**	**1**	**2**	**4**	**7**	**8**	**15**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.4	1	2	2	2	3	4	4	4
1-11 MOS	7	2.3	2	1	1	2	3	5	5	5
1-5 YRS	1340	1.7		<1	1	2	2	2	2	4
6-12 YRS	5474	1.7		<1	1	2	2	2	2	3
13-19 YRS	16504	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	2.0		1	1	2	2	3	3	3
1-5 YRS	720	1.8	1	<1	1	2	2	2	3	6
6-12 YRS	1257	1.9	5	1	1	2	2	2	3	5
13-19 YRS	2640	2.3	5	1	1	2	2	3	4	9
TOT. SINGLE DX	23330	1.8	1	1	1	2	2	2	3	4
" MULTIPLE DX	4622	2.1	5	1	1	2	2	3	4	8
TOTAL 0-27 DYS	5	2.4	1	2	2	2	3	4	4	4
1-11 MOS	12	2.2	1	1	1	2	3	4	5	5
1-5 YRS	2060	1.7	1	<1	1	2	2	2	3	5
6-12 YRS	6731	1.7	1	<1	1	2	2	2	3	4
13-19 YRS	19144	2.0	2	1	1	2	2	3	3	5
GRAND TOTAL	**27952**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	1.8		<1	<1	2	2	2	2	2
1-11 MOS	27	1.6		<1	<1	2	2	2	3	3
1-5 YRS	12645	1.6		<1	1	2	2	2	2	3
6-12 YRS	19617	1.7		<1	1	2	2	2	2	3
13-19 YRS	4716	1.9		1	1	2	2	3	3	4
2. MULTIPLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	19	1.6		<1	1	2	2	2	3	3
1-5 YRS	11196	1.7	1	<1	1	2	2	2	3	5
6-12 YRS	9625	1.8		1	1	2	2	2	3	4
13-19 YRS	1557	2.0	1	1	1	2	2	3	4	7
TOT. SINGLE DX	37011	1.7		<1	1	2	2	2	2	3
" MULTIPLE DX	22399	1.8	1	<1	1	2	2	2	3	5
TOTAL 0-27 DYS	8	2.0		<1	<1	2	2	3	3	3
1-11 MOS	46	1.6		<1	<1	2	2	2	3	3
1-5 YRS	23841	1.7	1	<1	1	2	2	2	2	4
6-12 YRS	29242	1.7	1	<1	1	2	2	2	2	4
13-19 YRS	6273	1.9	1	1	1	2	2	3	3	5
GRAND TOTAL	**59410**	**1.7**	**1**	**<1**	**1**	**2**	**2**	**2**	**3**	**4**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	19	1.4		<1	<1	1	2	2	2	2
1-5 YRS	1620	1.4		<1	<1	1	2	2	2	2
6-12 YRS	1463	1.4		<1	<1	1	2	2	2	3
13-19 YRS	225	1.6		<1	<1	2	2	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	81	1.7	2	<1	<1	1	2	2	5	11
1-5 YRS	4573	1.4		<1	<1	1	2	2	2	3
6-12 YRS	2271	1.4		<1	<1	1	2	2	2	3
13-19 YRS	247	1.9	1	<1	1	2	2	3	3	7
TOT. SINGLE DX	3328	1.4		<1	<1	1	2	2	2	3
" MULTIPLE DX	7172	1.4	1	<1	<1	1	2	2	2	3
TOTAL 0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	100	1.6	2	<1	<1	1	2	2	4	10
1-5 YRS	6193	1.4	1	<1	<1	1	2	2	2	3
6-12 YRS	3734	1.4		<1	<1	1	2	2	2	3
13-19 YRS	472	1.8	1	<1	1	2	2	2	3	6
GRAND TOTAL	**10500**	**1.4**	**1**	**<1**	**<1**	**1**	**2**	**2**	**2**	**3**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	32	2.9	11	<1	<1	2	3	6	12	15
1-5 YRS	283	2.3	3	<1	<1	2	3	4	6	11
6-12 YRS	380	2.2	2	<1	1	2	3	4	5	9
13-19 YRS	925	2.7	4	1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS	5	7.0	8	5	5	6	8	12	12	12
1-11 MOS	18	6.3	28	1	1	4	9	14	17	19
1-5 YRS	135	3.0	25	<1	<1	2	3	6	11	31
6-12 YRS	142	2.5	3	<1	1	2	3	5	7	9
13-19 YRS	292	3.3	5	1	1	3	4	6	8	12
TOT. SINGLE DX	1620	2.5	4	<1	1	2	3	5	6	12
" MULTIPLE DX	592	3.1	11	<1	1	2	4	6	8	15
TOTAL 0-27 DYS	5	7.0	9	5	5	6	8	12	12	12
1-11 MOS	50	4.1	20	<1	<1	2	4	12	15	19
1-5 YRS	418	2.6	11	<1	<1	2	3	5	7	15
6-12 YRS	522	2.3	3	<1	1	2	3	4	6	9
13-19 YRS	1217	2.8	5	1	1	2	3	5	6	12
GRAND TOTAL	**2212**	**2.7**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	43	3.1	1	1	2	3	4	4	6	7
1-11 MOS	19	1.5	1	<1	<1	1	1	4	5	5
1-5 YRS	110	1.4	1	<1	<1	1	1	2	2	8
6-12 YRS	34	2.0	7	<1	<1	1	2	4	8	14
13-19 YRS	42	3.2	5	<1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	344	3.6	2	2	2	3	4	6	7	9
1-11 MOS	4	1.0		1	1	1	1	1	1	1
1-5 YRS	35	3.0	11	<1	<1	2	3	7	8	18
6-12 YRS	25	3.8	17	<1	1	2	5	7	11	21
13-19 YRS	34	5.1	96	1	1	3	4	7	11	59
TOT. SINGLE DX	248	2.1	4	<1	<1	1	3	4	6	9
" MULTIPLE DX	442	3.7	11	1	1	3	4	6	7	10
TOTAL 0-27 DYS	387	3.6	2	2	2	3	4	5	7	9
1-11 MOS	23	1.4	1	<1	<1	1	1	3	4	5
1-5 YRS	145	1.8	4	<1	<1	1	2	3	7	9
6-12 YRS	59	2.8	12	<1	<1	1	3	6	9	20
13-19 YRS	76	4.0	46	<1	1	3	4	7	9	47
GRAND TOTAL	**690**	**3.1**	**9**	**<1**	**<1**	**3**	**4**	**5**	**7**	**10**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	12	4.6	36	1	1	2	4	16	19	20
1-5 YRS	147	1.6		<1	<1	1	2	2	3	4
6-12 YRS	174	1.7	1	<1	<1	2	2	2	2	6
13-19 YRS	156	1.7		<1	<1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	11.6	111	2	3	8	13	29	36	36
1-5 YRS	38	4.1	105	<1	<1	2	2	6	11	64
6-12 YRS	49	1.5		<1	<1	1	2	2	2	6
13-19 YRS	32	1.7		<1	<1	2	2	2	2	3
TOT. SINGLE DX	489	1.7	2	<1	<1	2	2	2	3	6
" MULTIPLE DX	127	3.0	44	<1	<1	2	2	5	8	42
TOTAL 0-27 DYS										
1-11 MOS	20	7.4	75	1	1	4	10	17	28	36
1-5 YRS	185	2.1	23	<1	<1	1	2	2	4	11
6-12 YRS	223	1.6	1	<1	<1	2	2	2	2	6
13-19 YRS	188	1.7		<1	<1	2	2	2	3	4
GRAND TOTAL	**616**	**2.0**	**11**	**<1**	**<1**	**2**	**2**	**2**	**3**	**13**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS	7	2.7	2	1	1	2	4	5	5	5
6-12 YRS	9	1.6		<1	<1	1	2	3	3	3
13-19 YRS	8	6.5	46	1	1	4	10	18	19	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	6.2	17	1	1	5	10	11	11	11
1-5 YRS	7	9.4	322	1	1	2	5	41	50	50
6-12 YRS	6	14.0	893	<1	<1	2	2	68	75	75
13-19 YRS	15	11.8	391	2	2	4	14	69	92	99+
TOT. SINGLE DX	25	3.8	20	<1	1	2	5	9	16	19
" MULTIPLE DX	33	10.8	379	1	2	3	10	52	74	99+
TOTAL 0-27 DYS										
1-11 MOS	6	6.7	15	1	1	7	10	11	11	11
1-5 YRS	14	6.1	162	1	1	2	5	10	41	50
6-12 YRS	15	6.5	359	<1	<1	2	2	3	57	75
13-19 YRS	23	10.0	270	1	2	4	13	46	80	99+
GRAND TOTAL	**58**	**7.8**	**234**	**<1**	**1**	**2**	**5**	**18**	**62**	**98**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.0	2	2	2	3	4	4	4	4
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	10.0		10	10	10	10	10	10	10
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	5.0		5	5	5	5	5	5	5
TOT. SINGLE DX	2	3.0	2	2	2	3	4	4	4	4
" MULTIPLE DX	3	5.7	16	2	2	5	9	10	10	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	5.3	17	2	2	4	8	10	10	10
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	1	5.0		5	5	5	5	5	5	5
GRAND TOTAL	**5**	**4.6**	**11**	**2**	**2**	**4**	**6**	**10**	**10**	**10**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	5	11.6	208	2	2	6	16	37	37	37
6-12 YRS	3	4.0	7	1	1	5	6	6	6	6
13-19 YRS	10	34.0	616	4	4	34	61	86	99	99+
TOT. SINGLE DX	1	4.0		4	4	4	4	4	4	4
" MULTIPLE DX	19	22.5	521	1	3	13	38	69	88	99+
TOTAL 0-27 DYS										
1-11 MOS	1	17.0		17	17	17	17	17	17	17
1-5 YRS	5	11.6	208	2	2	6	16	37	37	37
6-12 YRS	3	4.0	7	1	1	5	6	6	6	6
13-19 YRS	11	31.3	637	4	4	34	58	83	98	99+
GRAND TOTAL	**20**	**21.6**	**510**	**2**	**3**	**10**	**37**	**68**	**87**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	14	10.5	143	<1	1	6	15	29	39	42
1-5 YRS	64	5.0	18	<1	1	4	7	9	10	24
6-12 YRS	33	7.0	128	<1	<1	3	8	15	23	63
13-19 YRS	42	9.2	204	<1	1	4	7	29	44	66
2. MULTIPLE DX										
0-27 DYS	19	23.9	324	9	11	28	99+	99+	99+	99+
1-11 MOS	27	23.1	760	1	1	14	33	84	98	99+
1-5 YRS	97	11.5	237	1	2	6	12	25	47	96
6-12 YRS	38	12.7	270	1	1	7	30	77	99+	99+
13-19 YRS	94	24.8	553	1	2	20	52	99+	99+	99+
TOT. SINGLE DX	154	7.0	106	<1	<1	4	7	15	27	63
" MULTIPLE DX	275	18.2	441	1	2	11	36	90	99+	99+
TOTAL 0-27 DYS	20	22.8	331	4	10	28	99+	99+	99+	99+
1-11 MOS	41	18.8	578	<1	1	11	27	67	91	99+
1-5 YRS	161	8.9	160	1	1	6	9	21	28	90
6-12 YRS	71	10.1	210	<1	1	5	13	46	91	99+
13-19 YRS	136	20.0	496	1	1	12	42	81	99+	99+
GRAND TOTAL	**429**	**14.2**	**349**	**1**	**1**	**7**	**21**	**65**	**99+**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	25.7	225	11	11	25	37	41	41	41
1-5 YRS	17	4.9	16	1	1	2	8	11	13	14
6-12 YRS	17	4.5	8	1	1	4	6	9	10	10
13-19 YRS	47	6.0	25	<1	1	5	9	14	16	23
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	19.0	253	5	5	13	28	45	47	47
1-5 YRS	19	5.5	28	<1	<1	3	10	14	17	17
6-12 YRS	12	8.4	96	1	2	6	9	22	35	37
13-19 YRS	68	9.0	103	1	2	6	12	20	35	49
TOT. SINGLE DX	84	6.2	39	1	1	4	9	13	16	36
" MULTIPLE DX	106	8.8	101	1	1	5	12	19	35	49
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	9	21.2	226	5	6	14	31	45	47	47
1-5 YRS	36	5.2	22	<1	1	3	9	12	15	17
6-12 YRS	29	6.1	47	1	1	4	8	10	16	37
13-19 YRS	115	7.8	73	1	1	5	9	15	24	45
GRAND TOTAL	**190**	**7.6**	**75**	**1**	**1**	**5**	**10**	**15**	**24**	**45**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	2	16.5	421	2	2	16	31	31	31	31
TOT. SINGLE DX	2	1.0		1	1	1	1	1	1	1
" MULTIPLE DX	3	14.0	229	2	2	9	25	31	31	31
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	2	16.5	421	2	2	16	31	31	31	31
GRAND TOTAL	**5**	**8.8**	**165**	**1**	**1**	**2**	**14**	**31**	**31**	**31**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	6.3	1	5	5	7	7	7	7	7
1-5 YRS	5	6.0	5	2	2	7	7	8	8	8
6-12 YRS	7	8.6	11	6	6	7	10	14	15	15
13-19 YRS	46	13.7	72	5	7	11	17	24	36	41
2. MULTIPLE DX										
0-27 DYS	8	39.5	549	9	10	50	54	66	70	70
1-11 MOS	3	8.3	9	5	5	10	55	99+	99+	99+
1-5 YRS	18	17.7	339	3	6	10	19	54	63	63
6-12 YRS	27	15.0	171	6	6	10	14	36	50	53
13-19 YRS	108	14.0	87	5	6	11	18	30	34	46
TOT. SINGLE DX	61	12.1	64	5	6	9	16	19	32	41
" MULTIPLE DX	164	15.7	175	5	6	11	18	34	51	69
TOTAL 0-27 DYS	8	39.5	549	9	10	50	54	66	70	70
1-11 MOS	6	7.3	5	5	5	7	10	82	99+	99+
1-5 YRS	23	15.1	287	2	5	8	14	42	62	63
6-12 YRS	34	13.6	144	6	6	9	14	34	47	53
13-19 YRS	154	13.9	83	5	6	11	17	29	34	41
GRAND TOTAL	**225**	**14.7**	**147**	**5**	**6**	**10**	**17**	**33**	**43**	**65**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	2	10.0	2	9	9	10	11	11	11	11
1-5 YRS	3	22.0	300	12	12	12	35	42	42	42
6-12 YRS	4	13.8	23	9	9	13	17	20	20	20
13-19 YRS	8	10.0	23	5	5	9	13	18	18	18
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS										
1-5 YRS	5	16.8	126	7	7	11	28	30	30	30
6-12 YRS	5	11.6	23	9	9	9	13	20	20	20
13-19 YRS	15	15.3	51	7	8	13	20	21	31	34
TOT. SINGLE DX	18	13.3	70	5	6	11	17	19	33	42
" MULTIPLE DX	26	14.9	56	7	8	12	20	27	31	34
TOTAL 0-27 DYS	2	17.0	2	16	16	17	18	18	18	18
1-11 MOS	2	10.0	2	9	9	10	11	11	11	11
1-5 YRS	8	18.8	165	7	7	12	29	38	42	42
6-12 YRS	9	12.6	22	9	9	11	16	20	20	20
13-19 YRS	23	13.5	47	6	7	11	19	20	26	34
GRAND TOTAL	**44**	**14.3**	**61**	**6**	**7**	**11**	**18**	**22**	**31**	**42**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.6	24	1	1	3	5	10	18	21
1-11 MOS	101	4.4	36	<1	1	2	5	10	14	37
1-5 YRS	238	3.2	13	<1	1	2	3	8	12	18
6-12 YRS	78	4.6	20	1	1	3	7	11	14	21
13-19 YRS	136	4.9	20	1	1	3	7	13	15	19
2. MULTIPLE DX										
0-27 DYS	19	29.7	1172	3	4	20	80	99	99+	99+
1-11 MOS	114	9.5	128	1	1	5	13	23	27	91
1-5 YRS	263	6.1	76	1	1	3	7	14	20	54
6-12 YRS	99	9.0	71	1	1	7	13	19	26	42
13-19 YRS	214	11.3	153	1	2	8	15	23	32	88
TOT. SINGLE DX	569	4.1	21	<1	1	2	5	10	14	20
" MULTIPLE DX	709	9.2	151	1	1	6	11	21	30	89
TOTAL 0-27 DYS	35	18.2	794	1	2	6	22	96	99+	99+
1-11 MOS	215	7.1	92	<1	1	4	9	18	25	63
1-5 YRS	501	4.7	49	<1	1	2	5	11	17	34
6-12 YRS	177	7.1	54	1	1	5	10	17	21	38
13-19 YRS	350	8.8	111	1	1	6	12	19	24	81
GRAND TOTAL	**1278**	**6.9**	**100**	**1**	**1**	**3**	**9**	**16**	**23**	**67**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	3.7	4	2	2	3	5	6	6	6
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS										
13-19 YRS	34	6.6	30	2	2	5	7	12	22	27
2. MULTIPLE DX										
0-27 DYS	34	20.4	559	3	4	10	26	65	75	83
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	10	9.6	140	1	1	5	11	31	35	35
6-12 YRS	10	12.4	112	1	2	10	14	31	32	32
13-19 YRS	33	9.5	88	3	3	7	11	17	29	51
TOT. SINGLE DX	41	6.1	27	2	2	5	7	10	20	27
" MULTIPLE DX	88	14.0	298	2	3	7	14	32	55	80
TOTAL 0-27 DYS	35	20.0	549	3	4	10	25	64	75	83
1-11 MOS	4	4.0	3	2	2	4	5	6	6	6
1-5 YRS	13	8.2	113	1	1	5	7	29	34	35
6-12 YRS	10	12.4	112	1	2	10	14	31	32	32
13-19 YRS	67	8.0	60	2	3	6	9	16	24	48
GRAND TOTAL	**129**	**11.5**	**225**	**2**	**2**	**6**	**11**	**29**	**51**	**77**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	5.4	4	3	3	5	7	8	9	9
1-11 MOS	5	14.0	119	1	1	18	21	28	28	28
1-5 YRS	17	5.7	36	<1	1	4	7	12	20	25
6-12 YRS	21	7.4	55	<1	<1	5	10	15	24	33
13-19 YRS	421	6.3	18	2	3	5	8	11	13	21
2. MULTIPLE DX										
0-27 DYS	315	21.2	440	3	4	12	29	60	79	99+
1-11 MOS	15	15.2	92	5	5	13	17	28	39	43
1-5 YRS	65	10.5	55	3	4	8	13	19	27	40
6-12 YRS	77	10.8	63	2	3	8	13	21	28	41
13-19 YRS	546	9.5	63	3	3	8	12	18	22	45
TOT. SINGLE DX	476	6.4	22	2	3	5	8	11	14	24
" MULTIPLE DX	1018	13.4	208	3	4	9	15	29	49	86
TOTAL 0-27 DYS	327	20.6	434	3	4	12	28	59	78	99+
1-11 MOS	20	14.9	93	3	5	14	18	28	36	43
1-5 YRS	82	9.5	55	1	3	8	12	18	26	38
6-12 YRS	98	10.1	63	1	3	8	13	20	28	40
13-19 YRS	967	8.1	46	2	3	6	10	15	20	41
GRAND TOTAL	**1494**	**11.2**	**159**	**2**	**3**	**7**	**12**	**22**	**39**	**81**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	17	4.8	21	<1	<1	3	7	11	15	17
1-5 YRS	166	5.4	11	<1	1	5	7	8	9	18
6-12 YRS	112	6.1	5	1	2	6	7	9	9	13
13-19 YRS	270	7.1	48	2	2	6	8	11	14	24
2. MULTIPLE DX										
0-27 DYS	2	6.5	5	5	5	6	8	8	8	8
1-11 MOS	7	7.1	13	1	2	7	9	12	13	13
1-5 YRS	35	11.2	91	1	2	7	19	25	31	35
6-12 YRS	43	8.6	62	1	2	7	11	17	25	38
13-19 YRS	168	10.2	120	2	2	7	12	20	27	54
TOT. SINGLE DX	566	6.3	29	1	2	6	7	9	12	22
" MULTIPLE DX	255	10.0	103	1	2	7	13	21	28	51
TOTAL 0-27 DYS	3	12.7	116	5	5	8	21	25	25	25
1-11 MOS	24	5.5	20	<1	<1	5	8	12	14	17
1-5 YRS	201	6.4	30	<1	1	6	7	10	19	30
6-12 YRS	155	6.8	23	1	2	6	8	11	14	31
13-19 YRS	438	8.3	78	2	2	6	9	15	20	51
GRAND TOTAL	**821**	**7.5**	**55**	**1**	**2**	**6**	**8**	**13**	**19**	**35**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	8	9.0	22	1	2	8	12	15	16	16
1-11 MOS	60	11.1	42	6	7	9	12	17	19	45
1-5 YRS	248	9.4	17	6	7	8	10	13	15	27
6-12 YRS	96	10.1	21	6	7	9	11	15	21	29
13-19 YRS	68	11.5	51	6	7	9	12	18	23	51
2. MULTIPLE DX										
0-27 DYS	8	9.9	37	2	3	10	16	69	99+	99+
1-11 MOS	190	15.7	150	7	8	11	16	31	39	81
1-5 YRS	333	13.3	85	7	7	10	14	24	34	61
6-12 YRS	146	11.5	37	6	7	9	13	19	24	50
13-19 YRS	129	13.5	105	7	8	11	13	20	35	68
TOT. SINGLE DX	480	10.0	27	6	7	9	11	15	19	31
" MULTIPLE DX	806	13.5	96	7	7	10	14	25	35	69
TOTAL 0-27 DYS	16	9.4	28	1	3	9	14	21	73	99+
1-11 MOS	250	14.6	128	7	8	10	15	29	38	73
1-5 YRS	581	11.6	60	7	7	9	12	19	27	57
6-12 YRS	242	11.0	32	6	7	9	12	18	23	36
13-19 YRS	197	12.8	87	7	7	10	13	19	30	62
GRAND TOTAL	**1286**	**12.2**	**73**	**7**	**7**	**10**	**13**	**20**	**30**	**58**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	15.0	79	8	8	12	22	25	25	25
1-5 YRS	3	13.7	30	10	10	11	18	20	20	20
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS	2	10.0	2	9	9	10	11	11	11	11
1-11 MOS	4	13.3	13	10	10	12	16	18	18	18
1-5 YRS	2	11.0		11	11	11	11	11	11	11
6-12 YRS	3	26.0	516	10	10	16	43	52	52	52
13-19 YRS	2	17.0	72	11	11	17	23	23	23	23
TOT. SINGLE DX	6	14.3	44	8	8	11	20	24	25	25
" MULTIPLE DX	13	15.9	133	9	10	11	16	29	48	52
TOTAL 0-27 DYS	2	10.0	2	9	9	10	11	11	11	11
1-11 MOS	7	14.0	34	8	8	12	17	24	25	25
1-5 YRS	5	12.6	17	10	10	11	13	20	20	20
6-12 YRS	3	26.0	516	10	10	16	43	52	52	52
13-19 YRS	2	17.0	72	11	11	17	23	23	23	23
GRAND TOTAL	**19**	**15.4**	**102**	**8**	**9**	**11**	**17**	**24**	**40**	**52**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	16	4.1	11	<1	1	3	6	9	12	13
1-11 MOS	194	2.3	4	1	1	2	2	4	7	12
1-5 YRS	660	1.9	2	1	1	2	2	2	3	9
6-12 YRS	291	2.1	5	1	1	2	2	2	4	8
13-19 YRS	232	2.2	2	1	1	2	2	3	5	9
2. MULTIPLE DX										
0-27 DYS	69	11.4	274	1	1	6	10	25	43	88
1-11 MOS	422	3.7	20	1	1	2	3	8	12	23
1-5 YRS	762	2.4	14	1	1	2	2	3	7	15
6-12 YRS	378	2.4	19	1	1	2	2	3	5	21
13-19 YRS	284	3.4	25	1	1	2	3	7	11	26
TOT. SINGLE DX	1393	2.1	3	1	1	2	2	2	5	11
" MULTIPLE DX	1915	3.2	30	1	1	2	2	6	10	25
TOTAL 0-27 DYS	85	10.1	232	1	1	6	10	22	38	87
1-11 MOS	616	3.2	15	1	1	2	3	7	11	19
1-5 YRS	1422	2.2	9	1	1	2	2	2	5	13
6-12 YRS	669	2.3	13	1	1	2	2	3	4	14
13-19 YRS	516	2.9	16	1	1	2	2	5	8	20
GRAND TOTAL	**3308**	**2.7**	**19**	**1**	**1**	**2**	**2**	**4**	**8**	**19**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	21.0		21	21	21	21	21	21	21
1-11 MOS										
1-5 YRS	7	7.7	42	3	3	6	7	19	22	22
6-12 YRS	10	3.9	1	2	2	4	5	5	5	5
13-19 YRS	17	4.4	10	1	1	3	6	10	11	11
2. MULTIPLE DX										
0-27 DYS	2	12.0	242	1	1	12	23	23	23	23
1-11 MOS	6	7.5	19	3	3	7	11	13	13	13
1-5 YRS	17	10.4	132	2	3	4	13	32	37	39
6-12 YRS	27	6.3	22	2	2	5	8	11	17	24
13-19 YRS	40	8.4	55	1	2	6	10	16	18	44
TOT. SINGLE DX	35	5.4	22	1	2	4	6	10	18	22
" MULTIPLE DX	92	8.2	60	2	2	6	10	17	24	42
TOTAL 0-27 DYS	3	15.0	148	1	1	21	22	23	23	23
1-11 MOS	6	7.5	19	3	3	7	11	13	13	13
1-5 YRS	24	9.6	105	2	3	5	10	25	35	39
6-12 YRS	37	5.6	18	2	2	4	6	9	14	24
13-19 YRS	57	7.2	45	1	2	6	9	15	18	42
GRAND TOTAL	**127**	**7.4**	**51**	**1**	**2**	**5**	**9**	**16**	**22**	**40**

575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	13	9.4	9	6	6	9	11	15	15	15
1-5 YRS	19	8.1	18	3	6	8	8	10	18	24
6-12 YRS	11	13.9	306	7	7	8	9	37	64	66
13-19 YRS	16	8.3	22	2	3	8	11	15	18	19
2. MULTIPLE DX										
0-27 DYS	6	18.5	84	7	7	19	22	32	33	33
1-11 MOS	17	13.5	143	2	3	12	19	22	42	53
1-5 YRS	26	13.6	168	4	6	10	16	22	38	70
6-12 YRS	14	12.6	35	4	6	11	16	23	23	23
13-19 YRS	46	12.6	96	4	5	9	16	23	36	55
TOT. SINGLE DX	59	9.5	71	3	6	8	9	15	18	62
" MULTIPLE DX	109	13.3	111	4	5	10	16	23	33	61
TOTAL 0-27 DYS	6	18.5	84	7	7	19	22	32	33	33
1-11 MOS	30	11.7	87	3	5	9	14	20	23	53
1-5 YRS	45	11.2	111	3	6	8	12	18	25	70
6-12 YRS	25	13.2	148	5	7	9	14	23	34	66
13-19 YRS	62	11.5	81	3	4	9	14	20	29	53
GRAND TOTAL	**168**	**12.0**	**99**	**3**	**5**	**9**	**14**	**21**	**25**	**64**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs and heart (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	73	3.6	3	1	2	3	5	6	6	10
1-11 MOS	141	3.7	19	<1	1	2	4	9	13	23
1-5 YRS	337	3.0	7	<1	<1	2	4	7	8	14
6-12 YRS	153	3.0	13	<1	<1	2	3	8	11	21
13-19 YRS	150	4.0	20	<1	1	2	5	10	14	21
2. MULTIPLE DX										
0-27 DYS	811	5.2	43	2	2	4	5	8	13	46
1-11 MOS	127	10.2	177	1	2	7	12	21	30	94
1-5 YRS	305	5.8	39	<1	1	4	7	14	17	35
6-12 YRS	144	7.2	54	<1	1	4	11	16	23	37
13-19 YRS	189	8.8	125	1	1	5	12	17	26	51
TOT. SINGLE DX	854	3.3	13	<1	<1	2	4	7	11	18
" MULTIPLE DX	1576	6.3	67	1	2	4	7	14	19	47
TOTAL 0-27 DYS	884	5.1	40	2	2	4	5	8	12	44
1-11 MOS	268	6.8	105	<1	1	3	9	15	22	77
1-5 YRS	642	4.3	25	<1	<1	2	5	10	14	23
6-12 YRS	297	5.0	38	<1	<1	2	7	13	17	27
13-19 YRS	339	6.7	84	<1	1	3	9	14	20	47
GRAND TOTAL	**2430**	**5.3**	**50**	**<1**	**1**	**3**	**6**	**12**	**16**	**39**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	3.5	1	3	3	3	4	4	4	4
6-12 YRS	4	2.8	1	2	2	3	3	4	4	4
13-19 YRS	100	3.4	2	1	1	3	4	6	7	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	3	9.7	52	5	5	6	15	18	18	18
6-12 YRS	2	8.5	13	6	6	8	11	11	11	11
13-19 YRS	14	5.2	20	2	3	4	5	8	17	20
TOT. SINGLE DX	106	3.4	2	1	2	3	4	6	7	8
" MULTIPLE DX	20	6.2	23	2	3	5	6	14	19	20
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	7.2	38	3	3	5	9	18	18	18
6-12 YRS	6	4.7	12	2	2	3	6	10	11	11
13-19 YRS	114	3.6	5	1	2	3	4	6	7	12
GRAND TOTAL	**126**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**18**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	7.0	2	6	6	7	8	8	8	8
1-11 MOS	14	10.9	32	6	6	9	13	21	24	25
1-5 YRS	28	12.6	94	6	6	10	14	20	28	56
6-12 YRS	8	6.5	12	2	2	7	9	11	12	12
13-19 YRS	35	10.9	382	1	2	5	10	21	68	90
2. MULTIPLE DX										
0-27 DYS	24	23.3	426	4	5	18	32	72	89	99+
1-11 MOS	44	15.4	143	6	7	11	17	37	45	53
1-5 YRS	53	14.8	195	5	6	9	19	38	60	99
6-12 YRS	26	15.5	251	4	5	11	18	40	83	99+
13-19 YRS	75	13.9	182	2	3	11	16	30	48	69
TOT. SINGLE DX	87	11.0	190	2	2	8	12	20	25	87
" MULTIPLE DX	222	15.6	215	3	5	11	18	38	53	99+
TOTAL 0-27 DYS	26	22.0	412	4	5	14	30	66	88	99+
1-11 MOS	58	14.3	120	6	6	10	15	28	42	53
1-5 YRS	81	14.1	160	5	6	9	15	30	48	90
6-12 YRS	34	13.4	208	3	3	10	14	36	70	99+
13-19 YRS	110	13.0	245	2	2	9	14	27	51	85
GRAND TOTAL	**309**	**14.3**	**212**	**2**	**3**	**10**	**16**	**32**	**52**	**94**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	11.3	3	10	10	11	12	14	14	14
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
TOT. SINGLE DX	1	28.0		28	28	28	28	28	28	28
" MULTIPLE DX	5	11.4	3	10	10	11	12	14	14	14
TOTAL 0-27 DYS										
1-11 MOS	1	28.0		28	28	28	28	28	28	28
1-5 YRS	4	11.3	4	10	10	11	12	14	14	14
6-12 YRS										
13-19 YRS	1	12.0		12	12	12	12	12	12	12
GRAND TOTAL	**6**	**14.2**	**48**	**10**	**10**	**11**	**14**	**27**	**28**	**28**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	13	4.5	15	<1	1	3	6	11	12	12
13-19 YRS	23	4.7	16	<1	1	3	5	10	13	19
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	2	27.5	1301	2	2	27	53	53	53	53
1-5 YRS	5	4.2	25	1	1	2	6	13	13	13
6-12 YRS	37	6.2	104	<1	<1	2	5	16	32	47
13-19 YRS	155	5.9	37	1	1	4	7	12	16	36
TOT. SINGLE DX	37	4.6	15	<1	1	3	5	10	12	19
" MULTIPLE DX	201	6.1	59	<1	1	4	7	14	16	49
TOTAL 0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	2	27.5	1301	2	2	27	53	53	53	53
1-5 YRS	6	4.3	21	1	1	3	5	12	13	13
6-12 YRS	50	5.7	81	<1	<1	3	5	14	16	47
13-19 YRS	178	5.7	35	1	1	4	7	12	16	32
GRAND TOTAL	**238**	**5.9**	**53**	**<1**	**1**	**4**	**7**	**13**	**16**	**47**

581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	91	10.0	203	<1	2	6	9	19	33	87
1-11 MOS	173	10.6	141	3	4	7	11	19	29	83
1-5 YRS	306	7.6	27	1	2	7	10	13	16	23
6-12 YRS	132	7.3	89	1	1	6	8	11	15	44
13-19 YRS	215	6.7	86	<1	1	4	8	13	19	52
2. MULTIPLE DX										
0-27 DYS	5403	21.1	424	3	4	13	31	57	77	99+
1-11 MOS	393	11.5	111	3	4	9	15	22	30	65
1-5 YRS	457	12.0	173	2	3	8	14	27	45	99
6-12 YRS	166	9.3	137	1	1	6	11	23	35	88
13-19 YRS	569	10.6	165	1	2	6	12	26	36	76
TOT. SINGLE DX	917	8.2	91	1	1	6	10	14	21	53
" MULTIPLE DX	6988	18.8	380	2	3	11	26	52	72	99+
TOTAL 0-27 DYS	5494	20.9	422	3	4	13	30	57	76	99+
1-11 MOS	566	11.2	121	3	4	8	13	21	29	71
1-5 YRS	763	10.2	119	1	2	7	12	19	33	72
6-12 YRS	298	8.4	117	1	1	6	9	17	26	76
13-19 YRS	784	9.5	147	1	1	6	11	23	33	71
GRAND TOTAL	**7905**	**17.6**	**358**	**2**	**3**	**10**	**23**	**49**	**68**	**99+**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	8.8	134	<1	<1	4	15	26	26	26
1-11 MOS	45	4.0	9	1	1	3	5	9	11	14
1-5 YRS	367	2.9	11	<1	<1	2	3	7	9	17
6-12 YRS	456	2.7	6	<1	<1	2	3	6	7	14
13-19 YRS	813	3.4	18	<1	1	2	3	8	10	17
2. MULTIPLE DX										
0-27 DYS	2	31.0	288	19	19	31	43	43	43	43
1-11 MOS	30	8.8	138	2	2	6	10	13	29	64
1-5 YRS	173	4.7	18	1	1	3	6	9	16	20
6-12 YRS	162	4.2	17	<1	1	3	5	9	13	17
13-19 YRS	300	6.3	47	1	1	4	8	14	19	38
TOT. SINGLE DX	1685	3.1	14	<1	1	2	3	7	10	17
" MULTIPLE DX	667	5.6	40	1	1	3	7	12	16	36
TOTAL 0-27 DYS	6	16.2	270	<1	<1	12	26	41	43	43
1-11 MOS	75	5.9	65	1	2	4	7	12	14	55
1-5 YRS	540	3.5	14	<1	<1	2	4	8	10	19
6-12 YRS	618	3.1	10	<1	1	2	4	6	9	16
13-19 YRS	1113	4.2	28	<1	1	2	5	9	13	28
GRAND TOTAL	**2352**	**3.8**	**22**	**<1**	**1**	**2**	**4**	**8**	**12**	**23**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	13	2.8	3	<1	<1	2	4	6	7	7
6-12 YRS	10	3.0	4	<1	<1	2	4	6	8	8
13-19 YRS	31	5.3	18	1	2	4	7	10	13	21
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	6	15.3	354	3	3	10	12	49	53	53
6-12 YRS	6	3.5	9	<1	<1	2	5	9	9	9
13-19 YRS	31	8.9	32	2	2	9	11	17	23	23
TOT. SINGLE DX	56	4.3	13	<1	1	3	6	8	11	21
" MULTIPLE DX	43	9.0	77	1	2	9	11	17	23	53
TOTAL 0-27 DYS										
1-11 MOS	2	4.0	18	1	1	4	7	7	7	7
1-5 YRS	19	6.8	136	<1	<1	3	7	12	35	53
6-12 YRS	16	3.2	6	<1	<1	2	4	8	9	9
13-19 YRS	62	7.1	29	1	2	6	9	13	20	23
GRAND TOTAL	**99**	**6.3**	**46**	**<1**	**1**	**4**	**9**	**12**	**18**	**38**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.8	16	2	2	9	10	11	11	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	4	7.8	16	2	2	9	10	11	11	11
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	4	7.8	16	2	2	9	10	11	11	11
GRAND TOTAL	**4**	**7.8**	**16**	**2**	**2**	**9**	**10**	**11**	**11**	**11**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	5	5	5	6	8	8	8	8
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	42.0	8	40	40	44	86	99+	99+	99+
6-12 YRS	4	50.0	433	33	33	44	65	79	79	79
13-19 YRS	1	46.0		46	46	46	46	46	46	46
TOT. SINGLE DX	2	6.5	5	5	5	6	8	8	8	8
" MULTIPLE DX	7	47.1	232	33	34	45	65	94	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	42.0	8	40	40	44	86	99+	99+	99+
6-12 YRS	6	35.5	766	5	5	35	51	76	79	79
13-19 YRS	1	46.0		46	46	46	46	46	46	46
GRAND TOTAL	**9**	**38.1**	**496**	**5**	**6**	**42**	**51**	**89**	**99+**	**99+**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.0	52	4	4	8	15	18	18	18
1-11 MOS	38	6.7	22	1	2	5	10	15	16	19
1-5 YRS	332	5.5	23	1	1	4	7	11	15	26
6-12 YRS	305	7.1	60	1	1	5	8	14	23	48
13-19 YRS	506	7.7	49	2	2	6	8	13	19	35
2. MULTIPLE DX										
0-27 DYS	12	17.9	177	3	6	13	24	35	50	53
1-11 MOS	71	12.2	187	2	2	8	13	31	40	79
1-5 YRS	297	9.6	121	<1	2	6	11	22	31	57
6-12 YRS	345	9.9	110	1	2	7	11	22	29	74
13-19 YRS	822	11.2	109	3	4	8	13	22	31	61
TOT. SINGLE DX	1184	6.9	45	1	2	5	8	13	18	31
" MULTIPLE DX	1547	10.7	117	2	3	7	12	22	31	61
TOTAL 0-27 DYS	15	16.3	158	3	4	12	21	27	46	53
1-11 MOS	109	10.3	136	2	2	7	11	22	33	61
1-5 YRS	629	7.4	74	1	1	5	9	16	25	40
6-12 YRS	650	8.6	89	1	2	6	10	19	28	60
13-19 YRS	1328	9.9	89	2	3	7	11	19	28	56
GRAND TOTAL	**2731**	**9.1**	**89**	**1**	**2**	**7**	**10**	**19**	**27**	**54**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	18	7.4	41	2	3	5	9	23	66	99+
1-11 MOS	27	9.8	97	2	2	8	12	21	31	47
1-5 YRS	41	9.2	84	1	1	7	12	20	28	47
6-12 YRS	24	7.8	85	<1	1	4	8	19	35	36
13-19 YRS	56	16.0	292	1	2	8	27	44	50	71
2. MULTIPLE DX										
0-27 DYS	159	17.9	455	2	4	8	26	53	85	99+
1-11 MOS	57	22.0	548	2	3	15	48	90	99+	99+
1-5 YRS	80	13.6	236	1	2	7	20	46	56	99+
6-12 YRS	55	17.6	449	1	1	9	27	50	64	94
13-19 YRS	115	19.9	387	3	3	13	27	48	62	84
TOT. SINGLE DX	166	11.2	162	1	2	7	13	30	45	69
" MULTIPLE DX	466	18.1	414	2	3	9	27	55	80	99+
TOTAL 0-27 DYS	177	16.9	423	2	3	8	24	51	85	99+
1-11 MOS	84	18.1	434	2	2	10	25	75	99+	99+
1-5 YRS	121	12.1	188	1	2	7	14	40	52	99+
6-12 YRS	79	14.6	357	1	1	7	17	40	57	89
13-19 YRS	171	18.6	358	2	3	11	27	46	60	81
GRAND TOTAL	**632**	**16.3**	**357**	**2**	**2**	**8**	**23**	**48**	**71**	**99+**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	13.5	13	11	11	13	16	16	16	16
1-11 MOS	46	5.5	42	1	1	3	7	14	19	33
1-5 YRS	113	2.8	9	<1	1	2	2	7	10	16
6-12 YRS	38	3.8	24	<1	1	2	4	7	17	24
13-19 YRS	77	3.6	10	<1	1	2	5	8	11	14
2. MULTIPLE DX										
0-27 DYS	5	26.0	329	5	5	31	37	50	50	50
1-11 MOS	32	6.2	52	1	2	4	7	16	36	99+
1-5 YRS	72	10.0	167	1	1	5	16	25	46	93
6-12 YRS	47	5.3	37	1	1	3	7	12	17	34
13-19 YRS	88	6.3	33	1	2	5	8	12	18	32
TOT. SINGLE DX	276	3.7	18	<1	1	2	4	9	13	22
" MULTIPLE DX	244	7.6	90	1	1	4	9	18	32	69
TOTAL 0-27 DYS	7	22.4	259	5	6	16	32	47	50	50
1-11 MOS	78	5.8	46	1	1	4	7	15	21	82
1-5 YRS	185	5.6	82	<1	1	2	6	16	23	61
6-12 YRS	85	4.6	32	<1	1	2	6	11	17	30
13-19 YRS	165	5.0	24	1	1	3	7	10	13	29
GRAND TOTAL	**520**	**5.5**	**56**	**<1**	**1**	**3**	**7**	**13**	**20**	**47**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	432	4.1	3	2	2	4	5	7	8	10
1-11 MOS	989	3.9	3	2	2	4	5	6	7	10
1-5 YRS	132	4.3	3	2	2	4	5	6	8	10
6-12 YRS	7	5.4		5	5	5	6	7	7	7
13-19 YRS	9	10.3	13	4	5	11	13	15	15	15
2. MULTIPLE DX										
0-27 DYS	106	7.8	82	2	3	5	8	12	27	52
1-11 MOS	230	6.0	24	2	3	5	7	10	12	23
1-5 YRS	43	7.7	30	3	4	6	8	16	21	27
6-12 YRS	3	7.3	10	5	5	6	10	11	11	11
13-19 YRS	7	10.7	101	4	4	8	10	28	33	33
TOT. SINGLE DX	1569	4.0	4	2	2	4	5	6	8	11
" MULTIPLE DX	389	6.8	43	2	3	5	7	11	15	39
TOTAL 0-27 DYS	538	4.9	21	2	2	4	5	8	10	27
1-11 MOS	1219	4.3	8	2	2	4	5	7	9	13
1-5 YRS	175	5.1	12	2	3	5	6	8	10	22
6-12 YRS	10	6.0	4	5	5	5	6	9	11	11
13-19 YRS	16	10.5	47	4	4	9	12	15	28	33
GRAND TOTAL	**1958**	**4.6**	**13**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	27.0	968	5	5	27	49	49	49	49
1-5 YRS	5	6.4	8	3	3	7	9	9	9	9
6-12 YRS	8	6.5	6	3	3	6	8	10	11	11
13-19 YRS	4	6.5	19	4	4	5	9	13	13	13
2. MULTIPLE DX										
0-27 DYS	15	40.4	655	9	10	39	51	74	93	99
1-11 MOS	33	24.2	358	4	4	20	30	58	81	99+
1-5 YRS	44	20.4	349	3	4	14	27	48	60	86
6-12 YRS	21	19.0	444	4	5	10	21	51	72	85
13-19 YRS	24	20.4	582	5	6	17	95	99+	99+	99+
TOT. SINGLE DX	19	8.6	103	3	3	6	9	12	33	49
" MULTIPLE DX	137	23.3	466	4	5	18	37	74	99+	99+
TOTAL 0-27 DYS	15	40.4	656	9	10	39	51	74	93	99
1-11 MOS	35	24.3	366	4	4	20	31	57	79	99+
1-5 YRS	49	19.0	332	3	4	11	27	45	59	86
6-12 YRS	29	15.5	351	4	4	8	14	41	62	85
13-19 YRS	28	18.4	523	4	5	16	80	99+	99+	99+
GRAND TOTAL	**156**	**21.5**	**444**	**4**	**4**	**16**	**30**	**66**	**99**	**99+**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	8	8.4	69	1	1	6	10	22	27	27
6-12 YRS	11	4.1	10	1	1	3	5	9	12	12
13-19 YRS	65	6.5	74	1	2	5	7	9	12	63
2. MULTIPLE DX										
0-27 DYS	2	19.5	5	18	18	19	21	21	21	21
1-11 MOS	3	7.0	21	2	2	8	10	11	11	11
1-5 YRS	12	5.7	23	1	1	4	9	14	15	15
6-12 YRS	21	6.2	21	<1	1	5	8	12	17	20
13-19 YRS	148	8.6	91	2	3	6	9	14	22	62
TOT. SINGLE DX	86	6.3	64	1	2	5	7	9	12	55
" MULTIPLE DX	186	8.2	79	2	2	6	9	14	20	55
TOTAL 0-27 DYS	2	19.5	5	18	18	19	21	21	21	21
1-11 MOS	5	6.2	14	2	2	7	9	11	11	11
1-5 YRS	20	6.8	41	1	1	4	10	14	21	27
6-12 YRS	32	5.5	18	<1	1	4	7	11	14	20
13-19 YRS	213	8.0	87	2	3	6	9	13	17	65
GRAND TOTAL	**272**	**7.6**	**75**	**1**	**2**	**6**	**9**	**13**	**18**	**58**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS										
6-12 YRS										
13-19 YRS	11	9.5	13	5	6	9	11	16	17	17
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS	3	16.3	57	11	11	13	22	25	25	25
13-19 YRS	16	18.6	262	7	8	13	20	28	61	75
TOT. SINGLE DX	13	10.3	33	4	5	9	12	19	24	25
" MULTIPLE DX	20	18.7	218	7	9	13	22	28	52	75
TOTAL 0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	27.0		27	27	27	27	27	27	27
6-12 YRS	3	16.3	57	11	11	13	22	25	25	25
13-19 YRS	27	14.9	177	6	7	11	17	23	36	75
GRAND TOTAL	**33**	**15.4**	**159**	**5**	**7**	**11**	**18**	**26**	**29**	**75**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	14.0		14	14	14	14	14	14	14
13-19 YRS	11	9.4	17	6	6	8	10	17	19	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.0	32	5	5	9	13	13	13	13
6-12 YRS	1	8.0		8	8	8	8	8	8	8
13-19 YRS	9	20.3	294	4	6	12	25	49	60	60
TOT. SINGLE DX	12	9.8	17	6	6	8	12	16	19	19
" MULTIPLE DX	12	17.4	245	4	5	12	22	40	57	60
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.0	32	5	5	9	13	13	13	13
6-12 YRS	2	11.0	18	8	8	11	14	14	14	14
13-19 YRS	20	14.3	164	5	6	10	17	27	46	60
GRAND TOTAL	**24**	**13.6**	**141**	**5**	**6**	**10**	**14**	**24**	**40**	**60**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	7	4.1	2	3	3	3	5	7	7	7
1-11 MOS	50	7.2	66	1	2	5	7	13	29	47
1-5 YRS	28	12.2	291	2	3	8	12	19	35	94
6-12 YRS	10	9.4	100	1	1	7	11	24	36	36
13-19 YRS	119	7.9	11	4	5	7	9	11	13	22
2. MULTIPLE DX										
0-27 DYS	18	31.8	642	5	7	18	59	78	92	99+
1-11 MOS	57	22.8	286	6	7	20	35	56	87	99+
1-5 YRS	62	14.5	229	2	3	11	18	27	46	91
6-12 YRS	45	24.1	419	6	7	15	34	55	67	84
13-19 YRS	118	10.7	49	5	5	8	12	19	31	59
TOT. SINGLE DX	214	8.2	66	2	3	7	9	12	17	40
" MULTIPLE DX	300	17.1	262	4	5	11	21	45	62	99+
TOTAL 0-27 DYS	25	24.1	616	3	3	14	41	70	86	99+
1-11 MOS	107	15.5	243	3	3	9	22	45	58	99+
1-5 YRS	90	13.8	247	2	3	9	17	24	45	95
6-12 YRS	55	21.4	391	2	6	12	31	49	64	84
13-19 YRS	237	9.3	32	4	5	8	10	13	21	40
GRAND TOTAL	**514**	**13.4**	**199**	**3**	**4**	**8**	**15**	**32**	**47**	**97**

45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	6.7	12	3	3	7	9	10	10	10
1-11 MOS	27	10.3	121	2	2	8	12	16	42	51
1-5 YRS	121	4.6	19	<1	1	3	6	9	12	27
6-12 YRS	140	4.3	14	<1	1	3	6	8	10	23
13-19 YRS	339	5.7	16	1	2	5	8	10	12	21
2. MULTIPLE DX										
0-27 DYS	9	17.0	168	5	6	14	23	39	42	42
1-11 MOS	40	18.6	617	1	2	10	26	81	97	99+
1-5 YRS	98	9.0	205	2	2	6	9	15	25	96
6-12 YRS	103	6.2	12	2	2	6	8	10	13	58
13-19 YRS	360	8.2	52	2	3	6	9	15	21	39
TOT. SINGLE DX	630	5.4	22	1	1	4	7	10	12	26
" MULTIPLE DX	610	8.8	116	2	2	6	9	16	24	94
TOTAL 0-27 DYS	12	14.4	146	3	4	9	17	36	41	42
1-11 MOS	67	15.2	430	2	2	8	16	51	94	99+
1-5 YRS	219	6.5	107	1	1	4	7	11	19	63
6-12 YRS	243	5.1	14	1	1	5	7	9	11	23
13-19 YRS	699	7.0	36	1	2	6	8	12	17	34
GRAND TOTAL	**1240**	**7.1**	**71**	**1**	**2**	**5**	**8**	**12**	**18**	**50**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	11.5	13	9	9	14	78	99+	99+	99+
1-11 MOS	12	10.9	80	3	4	8	11	23	35	37
1-5 YRS	14	9.1	22	5	5	8	10	14	21	23
6-12 YRS	10	8.6	5	5	5	8	10	12	12	12
13-19 YRS	45	11.8	56	5	6	9	12	22	30	36
2. MULTIPLE DX										
0-27 DYS	32	37.2	642	9	10	44	89	99+	99+	99+
1-11 MOS	14	21.3	531	4	6	11	18	70	71	71
1-5 YRS	37	12.9	195	4	5	8	13	28	66	99+
6-12 YRS	46	10.7	26	6	6	9	13	18	22	28
13-19 YRS	123	14.5	124	6	7	10	17	25	36	60
TOT. SINGLE DX	83	10.8	47	5	6	9	12	21	30	79
" MULTIPLE DX	252	16.8	266	5	6	11	19	50	81	99+
TOTAL 0-27 DYS	34	35.7	642	9	9	43	90	99+	99+	99+
1-11 MOS	26	16.5	339	4	5	10	13	44	70	71
1-5 YRS	51	11.8	149	4	5	8	12	25	51	99+
6-12 YRS	56	10.3	24	6	6	9	12	17	20	28
13-19 YRS	168	13.8	108	6	7	10	16	25	35	50
GRAND TOTAL	**335**	**15.3**	**219**	**5**	**6**	**10**	**18**	**41**	**70**	**99+**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	20	10.2	55	4	5	8	10	20	29	35
1-5 YRS	10	8.5	13	4	4	8	9	14	16	16
6-12 YRS	13	10.8	33	4	5	9	16	18	22	23
13-19 YRS	98	14.8	130	6	7	11	14	29	42	61
2. MULTIPLE DX										
0-27 DYS	30	46.6	536	9	12	52	73	99+	99+	99+
1-11 MOS	35	11.8	53	5	6	10	13	20	29	38
1-5 YRS	21	12.2	53	4	5	10	17	22	26	29
6-12 YRS	17	13.3	116	5	6	9	16	28	41	47
13-19 YRS	173	16.7	155	7	7	13	20	33	41	84
TOT. SINGLE DX	141	13.3	107	5	6	10	14	25	38	55
" MULTIPLE DX	276	18.8	270	6	7	13	24	47	67	99+
TOTAL 0-27 DYS	30	46.6	536	9	12	52	73	99+	99+	99+
1-11 MOS	55	11.2	54	5	5	9	12	20	29	38
1-5 YRS	31	11.0	43	4	5	9	16	21	24	29
6-12 YRS	30	12.2	80	4	5	9	16	21	30	47
13-19 YRS	271	16.0	147	6	7	11	19	32	42	67
GRAND TOTAL	**417**	**16.9**	**221**	**5**	**6**	**11**	**20**	**39**	**56**	**99+**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	11.7		11	11	12	12	12	12	12
1-11 MOS	9	7.7	32	2	2	6	10	17	20	20
1-5 YRS	8	6.9	7	4	4	6	8	11	12	12
6-12 YRS	5	7.0	10	4	4	6	9	12	12	12
13-19 YRS	6	15.3	48	5	6	16	20	24	24	24
2. MULTIPLE DX										
0-27 DYS	9	44.8	879	13	14	49	78	95	99+	99+
1-11 MOS	7	15.7	580	2	2	5	15	59	69	69
1-5 YRS	11	14.8	306	2	4	10	13	40	63	65
6-12 YRS	9	14.1	114	5	5	8	20	32	38	38
13-19 YRS	28	13.8	114	3	4	12	17	27	58	99+
TOT. SINGLE DX	31	9.2	31	3	4	8	12	19	20	24
" MULTIPLE DX	64	18.6	394	3	5	12	21	64	80	99+
TOTAL 0-27 DYS	12	36.5	864	11	12	20	70	92	98	99+
1-11 MOS	16	11.2	267	2	2	6	11	20	54	69
1-5 YRS	19	11.5	189	3	4	8	11	19	46	65
6-12 YRS	14	11.6	86	4	5	8	13	24	35	38
13-19 YRS	34	14.1	101	3	5	12	20	27	49	99+
GRAND TOTAL	**95**	**15.5**	**293**	**3**	**4**	**11**	**19**	**40**	**69**	**99+**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	147	5.6	8	2	3	5	7	10	11	16
1-5 YRS	116	7.0	29	2	3	6	9	11	14	30
6-12 YRS	21	7.0	9	3	4	7	8	11	14	16
13-19 YRS	111	8.9	14	4	5	8	10	13	17	24
2. MULTIPLE DX										
0-27 DYS	42	24.6	331	5	9	16	38	53	67	99+
1-11 MOS	120	10.5	92	3	3	8	14	20	39	99+
1-5 YRS	100	9.3	52	3	4	8	10	14	22	79
6-12 YRS	70	9.6	57	2	4	7	11	17	28	44
13-19 YRS	231	11.8	64	5	6	9	14	20	26	46
TOT. SINGLE DX	396	7.0	18	2	3	6	9	11	14	18
" MULTIPLE DX	563	11.7	101	4	4	9	13	23	38	67
TOTAL 0-27 DYS	43	24.3	329	5	9	15	38	52	67	99+
1-11 MOS	267	7.8	52	2	3	6	9	15	18	57
1-5 YRS	216	8.1	41	3	3	7	9	13	16	55
6-12 YRS	91	9.0	47	2	4	7	10	16	20	41
13-19 YRS	342	10.8	50	5	6	9	12	18	24	43
GRAND TOTAL	**959**	**9.8**	**72**	**3**	**4**	**8**	**11**	**16**	**26**	**57**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	12.1	52	3	4	10	16	23	27	27
1-11 MOS	11	9.2	14	5	5	8	12	15	15	15
1-5 YRS	10	9.1	11	6	6	8	10	14	16	16
6-12 YRS	4	4.0	8	1	1	4	6	7	7	7
13-19 YRS	10	10.8	46	5	5	8	12	23	24	24
2. MULTIPLE DX										
0-27 DYS	26	26.8	473	8	10	20	34	83	99+	99+
1-11 MOS	10	15.5	27	5	10	15	21	54	96	99+
1-5 YRS	13	15.1	81	6	6	13	17	28	37	39
6-12 YRS	8	15.0	125	8	8	11	14	34	42	42
13-19 YRS	22	18.0	241	6	8	11	23	54	82	99+
TOT. SINGLE DX	44	9.7	30	3	5	8	12	16	23	27
" MULTIPLE DX	79	19.8	269	6	8	14	25	59	89	99+
TOTAL 0-27 DYS	35	23.0	403	5	8	16	30	79	94	99+
1-11 MOS	21	12.2	30	5	5	13	15	22	54	99+
1-5 YRS	23	12.5	58	6	6	11	13	23	30	39
6-12 YRS	12	11.3	112	1	2	9	13	23	39	42
13-19 YRS	32	15.7	188	5	6	11	22	31	69	99+
GRAND TOTAL	**123**	**16.2**	**207**	**5**	**6**	**13**	**21**	**35**	**73**	**99+**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	5.2	17	2	2	4	6	12	15	15
1-11 MOS	10	5.1	6	1	2	5	7	9	10	10
1-5 YRS	1004	5.5	13	2	2	4	7	10	12	19
6-12 YRS	9832	4.3	6	2	2	4	5	7	9	14
13-19 YRS	15499	4.2	4	2	2	4	5	7	8	13
2. MULTIPLE DX										
0-27 DYS	3	35.3	3040	3	3	4	75	99	99	99+
1-11 MOS	14	11.2	86	2	2	9	11	28	30	30
1-5 YRS	392	7.7	23	2	3	7	10	14	17	24
6-12 YRS	2154	6.6	25	2	3	5	8	12	15	25
13-19 YRS	3742	6.2	20	2	3	5	7	11	14	24
TOT. SINGLE DX	26354	4.3	6	2	2	4	5	7	9	13
" MULTIPLE DX	6305	6.5	24	2	3	5	8	12	15	24
TOTAL 0-27 DYS	12	12.8	751	2	2	4	7	40	91	99
1-11 MOS	24	8.7	60	2	2	7	10	24	29	30
1-5 YRS	1396	6.1	17	2	2	5	8	11	14	21
6-12 YRS	11986	4.7	10	2	2	4	5	8	11	17
13-19 YRS	19241	4.6	9	2	2	4	5	8	10	16
GRAND TOTAL	**32659**	**4.7**	**10**	**2**	**2**	**4**	**5**	**8**	**10**	**17**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	9	4.2	4	2	2	4	5	8	9	9
6-12 YRS	124	4.2	5	1	2	4	5	7	9	12
13-19 YRS	198	4.6	4	2	2	4	6	7	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	9.2	20	3	3	8	13	15	15	15
6-12 YRS	45	6.0	27	2	2	5	7	9	18	30
13-19 YRS	106	6.0	13	3	3	5	7	10	14	20
TOT. SINGLE DX	331	4.4	5	2	2	4	5	7	9	12
" MULTIPLE DX	156	6.1	18	2	3	5	7	10	15	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	14	6.0	15	2	2	4	8	12	14	15
6-12 YRS	169	4.7	12	1	2	4	5	8	10	19
13-19 YRS	304	5.1	8	2	3	4	6	8	10	17
GRAND TOTAL	**487**	**5.0**	**10**	**2**	**2**	**4**	**6**	**8**	**10**	**18**

605: Operations on appendix, except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	8.5	11	3	4	8	11	13	14	14
6-12 YRS	28	8.3	25	2	3	7	11	14	20	25
13-19 YRS	48	9.4	36	2	3	8	11	17	26	28
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	4	10.3	56	3	3	9	16	20	20	20
6-12 YRS	13	9.6	32	4	4	8	13	19	21	22
13-19 YRS	24	11.1	41	4	6	9	13	20	25	33
TOT. SINGLE DX	87	8.9	30	2	3	8	11	15	20	28
" MULTIPLE DX	41	10.5	38	4	4	8	13	20	22	33
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	15	8.9	21	3	3	8	12	14	18	20
6-12 YRS	41	8.7	28	3	3	7	11	16	20	25
13-19 YRS	72	9.9	38	2	4	8	12	17	26	32
GRAND TOTAL	**128**	**9.4**	**33**	**3**	**4**	**8**	**11**	**17**	**22**	**29**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	19.5	378	<1	1	12	25	53	56	56
1-11 MOS	27	7.9	328	<1	1	2	7	17	31	95
1-5 YRS	113	3.1	23	<1	<1	2	3	7	8	33
6-12 YRS	93	3.2	8	<1	1	2	4	6	9	16
13-19 YRS	191	5.0	23	1	1	4	6	11	13	25
2. MULTIPLE DX										
0-27 DYS	20	14.4	127	2	4	12	25	36	67	99+
1-11 MOS	16	10.0	72	3	3	7	11	22	31	35
1-5 YRS	66	6.5	130	1	1	3	6	16	21	75
6-12 YRS	65	5.6	38	1	1	4	8	10	14	40
13-19 YRS	109	6.0	22	1	2	5	8	12	15	24
TOT. SINGLE DX	430	4.5	47	<1	1	3	5	10	12	29
" MULTIPLE DX	276	6.9	67	1	1	4	8	15	23	43
TOTAL 0-27 DYS	26	15.5	177	1	3	12	25	39	63	99+
1-11 MOS	43	8.7	230	1	1	5	8	19	27	95
1-5 YRS	179	4.3	65	<1	1	2	4	8	15	40
6-12 YRS	158	4.2	22	1	1	3	5	9	11	18
13-19 YRS	300	5.4	23	1	1	4	7	11	14	24
GRAND TOTAL	**706**	**5.4**	**56**	**<1**	**1**	**3**	**6**	**11**	**17**	**38**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	29	2.6	3	1	1	2	3	6	7	7
1-5 YRS	19	2.2	1	<1	<1	2	3	4	5	5
6-12 YRS	20	3.4	7	1	1	2	5	7	9	11
13-19 YRS	117	3.2	3	1	1	3	4	6	8	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	8	4.9	8	1	1	5	7	8	8	8
1-5 YRS	10	7.1	80	1	1	4	10	21	30	30
6-12 YRS	9	4.2	16	1	1	3	5	11	14	14
13-19 YRS	47	8.3	53	2	2	6	11	17	23	37
TOT. SINGLE DX	187	3.0	4	1	1	2	4	6	7	9
" MULTIPLE DX	74	7.3	48	1	1	5	9	15	22	35
TOTAL 0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	37	3.1	5	1	1	2	5	7	8	8
1-5 YRS	29	3.9	33	<1	<1	2	4	8	14	30
6-12 YRS	29	3.7	10	1	1	2	5	8	11	14
13-19 YRS	164	4.6	23	1	1	3	5	8	13	27
GRAND TOTAL	**261**	**4.2**	**20**	**1**	**1**	**3**	**5**	**8**	**12**	**27**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	6	2	2	5	6	7	7	7
1-11 MOS	20	9.4	5	5	6	9	11	12	13	14
1-5 YRS	27	10.4	8	6	7	11	12	14	15	16
6-12 YRS	7	11.4	72	2	3	10	15	26	28	28
13-19 YRS	15	16.8	184	2	3	14	19	28	51	59
2. MULTIPLE DX										
0-27 DYS	5	30.6	514	7	7	30	44	65	65	65
1-11 MOS	21	10.3	15	5	6	10	12	17	18	18
1-5 YRS	31	13.4	74	6	7	11	15	21	23	53
6-12 YRS	3	17.3	82	9	9	16	24	27	27	27
13-19 YRS	20	18.5	262	2	3	11	35	40	49	56
TOT. SINGLE DX	72	11.3	57	3	6	10	13	16	23	52
" MULTIPLE DX	80	15.1	149	4	6	11	17	35	40	62
TOTAL 0-27 DYS	8	20.9	476	2	3	11	33	57	65	65
1-11 MOS	41	9.9	10	5	6	10	11	14	17	18
1-5 YRS	58	12.0	45	6	7	11	14	16	21	51
6-12 YRS	10	13.2	75	2	4	10	16	27	28	28
13-19 YRS	35	17.7	224	2	3	12	23	38	52	59
GRAND TOTAL	**152**	**13.3**	**108**	**3**	**6**	**11**	**15**	**23**	**36**	**59**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	21	5.1	26	<1	1	4	6	11	18	23
1-5 YRS	61	3.5	9	<1	1	2	4	8	11	14
6-12 YRS	147	4.0	10	1	1	3	5	7	9	16
13-19 YRS	622	5.2	35	1	2	4	6	9	12	23
2. MULTIPLE DX										
0-27 DYS	9	12.7	138	3	5	10	11	31	43	43
1-11 MOS	29	7.2	33	<1	1	6	9	18	19	22
1-5 YRS	80	5.2	25	1	1	4	7	10	14	27
6-12 YRS	157	5.3	21	1	2	4	6	10	15	33
13-19 YRS	956	6.6	34	2	2	5	8	12	16	34
TOT. SINGLE DX	852	4.8	29	1	1	4	6	9	12	21
" MULTIPLE DX	1231	6.4	33	1	2	5	8	12	16	33
TOTAL 0-27 DYS	10	11.7	132	3	3	9	10	28	43	43
1-11 MOS	50	6.4	31	<1	1	5	8	15	19	23
1-5 YRS	141	4.4	19	<1	1	3	6	9	13	26
6-12 YRS	304	4.7	17	1	1	4	5	9	13	26
13-19 YRS	1578	6.0	35	1	2	5	7	11	15	28
GRAND TOTAL	**2083**	**5.8**	**32**	**1**	**2**	**4**	**7**	**10**	**14**	**28**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	42	1.5		<1	<1	1	2	2	2	2
1-5 YRS	23	1.6		<1	<1	2	2	2	3	3
6-12 YRS	13	3.4	6	<1	1	2	4	8	9	9
13-19 YRS	94	3.5	4	1	2	3	4	6	7	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	4.6	2	3	3	4	6	6	6	6
1-5 YRS	5	6.0	25	<1	<1	5	10	13	13	13
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	49	4.3	11	1	2	3	5	7	9	23
TOT. SINGLE DX	172	2.7	4	<1	1	2	3	5	6	10
" MULTIPLE DX	61	4.4	12	1	2	4	5	8	10	22
TOTAL 0-27 DYS										
1-11 MOS	47	1.8	1	<1	<1	2	2	3	4	6
1-5 YRS	28	2.4	7	<1	<1	2	2	4	9	13
6-12 YRS	15	3.3	6	<1	1	2	4	8	9	9
13-19 YRS	143	3.8	7	1	2	3	4	6	8	16
GRAND TOTAL	**233**	**3.2**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	**14**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS	9	1.4	1	<1	<1	1	2	3	4	4
1-5 YRS	25	1.9	2	<1	<1	1	2	3	5	8
6-12 YRS	14	2.3	3	<1	<1	2	3	5	6	7
13-19 YRS	202	3.0	2	1	1	3	4	5	6	10
2. MULTIPLE DX										
0-27 DYS	6	8.0	37	1	1	6	10	18	19	19
1-11 MOS	2	3.0	8	<1	<1	2	5	5	5	5
1-5 YRS	13	2.5	3	<1	<1	1	4	5	6	6
6-12 YRS	8	2.6	1	1	1	2	3	4	5	5
13-19 YRS	102	3.9	5	1	2	4	5	6	8	13
TOT. SINGLE DX	251	2.8	3	<1	1	3	4	5	6	10
" MULTIPLE DX	131	3.8	7	1	1	3	5	6	8	15
TOTAL 0-27 DYS	7	7.9	31	1	2	7	9	17	19	19
1-11 MOS	11	1.7	2	<1	<1	1	2	4	5	5
1-5 YRS	38	2.1	3	<1	<1	1	3	4	5	8
6-12 YRS	22	2.4	2	<1	<1	2	3	4	6	7
13-19 YRS	304	3.3	4	1	1	3	4	5	6	11
GRAND TOTAL	**382**	**3.1**	**4**	**<1**	**1**	**3**	**4**	**5**	**7**	**11**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	4	3.5	7	1	1	3	5	7	7	7
6-12 YRS	5	3.0	3	2	2	2	4	6	6	6
13-19 YRS	64	4.2	3	2	2	4	5	7	8	9
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	4	6.0	8	3	3	5	8	10	10	10
1-5 YRS	5	2.8	4	<1	<1	2	4	6	6	6
6-12 YRS	7	2.9	4	1	1	3	3	6	7	7
13-19 YRS	236	4.8	5	2	3	5	6	7	8	16
TOT. SINGLE DX	74	4.1	4	2	2	4	5	7	8	9
" MULTIPLE DX	253	4.7	6	2	2	5	6	7	8	14
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	5	5.6	7	3	3	5	7	10	10	10
1-5 YRS	9	3.1	5	<1	<1	2	5	7	7	7
6-12 YRS	12	2.9	3	1	1	2	3	6	7	7
13-19 YRS	300	4.7	5	2	3	4	6	7	8	13
GRAND TOTAL	**327**	**4.6**	**5**	**2**	**2**	**4**	**6**	**7**	**8**	**12**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	11	3.7	9	1	1	3	5	9	11	11
1-11 MOS	40	2.8	5	1	1	2	3	5	8	13
1-5 YRS	40	3.3	11	1	1	2	3	8	9	18
6-12 YRS	24	3.6	7	1	1	3	4	9	10	11
13-19 YRS	172	3.5	3	1	1	3	5	6	7	10
2. MULTIPLE DX										
0-27 DYS	25	9.2	90	2	3	6	12	16	28	48
1-11 MOS	23	5.2	35	1	1	3	7	9	17	29
1-5 YRS	31	7.8	172	1	2	4	8	13	24	73
6-12 YRS	18	4.8	28	<1	1	3	5	11	19	23
13-19 YRS	78	5.1	17	1	2	4	6	8	12	25
TOT. SINGLE DX	287	3.4	6	1	1	3	4	6	8	11
" MULTIPLE DX	175	6.1	60	1	2	4	7	12	18	43
TOTAL 0-27 DYS	36	7.5	71	1	2	5	9	15	19	48
1-11 MOS	63	3.7	17	1	1	2	4	8	10	27
1-5 YRS	71	5.2	85	1	1	2	7	10	13	63
6-12 YRS	42	4.1	16	1	1	3	4	9	12	23
13-19 YRS	250	4.0	9	1	1	3	5	7	8	19
GRAND TOTAL	**462**	**4.4**	**28**	**1**	**1**	**3**	**5**	**8**	**11**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	18.0	8	16	16	18	20	20	20	20
6-12 YRS	2	10.5	61	5	5	10	16	16	16	16
13-19 YRS	5	16.6	154	2	2	14	27	33	33	33
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS										
6-12 YRS	4	19.5	449	1	1	13	32	50	50	50
13-19 YRS	10	14.2	207	2	2	9	13	40	47	47
TOT. SINGLE DX	9	15.6	94	2	3	16	21	30	33	33
" MULTIPLE DX	15	16.9	255	1	2	11	28	47	49	50
TOTAL 0-27 DYS										
1-11 MOS	1	33.0		33	33	33	33	33	33	33
1-5 YRS	2	18.0	8	16	16	18	20	20	20	20
6-12 YRS	6	16.5	304	1	1	13	16	47	50	50
13-19 YRS	15	15.0	179	2	2	10	22	33	44	47
GRAND TOTAL	**24**	**16.4**	**189**	**2**	**2**	**12**	**22**	**35**	**48**	**50**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	6.3	37	1	1	6	11	12	12	12
1-11 MOS	23	7.4	32	1	2	7	10	15	18	23
1-5 YRS	26	4.0	10	1	1	3	6	10	11	12
6-12 YRS	27	6.0	46	1	2	2	8	15	24	29
13-19 YRS	115	5.9	44	1	1	3	8	15	18	33
2. MULTIPLE DX										
0-27 DYS	7	17.9	258	1	2	12	31	42	44	44
1-11 MOS	29	13.0	226	2	2	9	15	52	56	99+
1-5 YRS	54	10.5	107	2	2	7	16	26	30	51
6-12 YRS	45	13.3	206	1	2	8	20	30	47	99+
13-19 YRS	220	12.6	142	2	2	9	15	30	40	65
TOT. SINGLE DX	195	5.9	39	1	1	3	8	14	17	31
" MULTIPLE DX	355	12.5	154	2	2	8	16	30	42	80
TOTAL 0-27 DYS	11	13.6	200	1	1	11	17	39	44	44
1-11 MOS	52	10.5	146	2	2	8	12	22	54	99
1-5 YRS	80	8.4	85	1	2	5	10	19	27	48
6-12 YRS	72	10.6	158	1	2	7	12	29	37	96
13-19 YRS	335	10.3	119	1	2	7	13	25	34	61
GRAND TOTAL	**550**	**10.1**	**123**	**1**	**2**	**7**	**12**	**25**	**35**	**64**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	10.7	10	7	7	12	13	13	13	13
1-11 MOS	16	8.4	16	3	4	8	11	14	16	17
1-5 YRS	11	7.5	11	1	3	8	9	12	14	14
6-12 YRS	29	6.8	7	3	4	6	8	11	13	13
13-19 YRS	1246	7.2	10	4	4	6	8	11	13	18
2. MULTIPLE DX										
0-27 DYS	2	14.5	1	14	14	14	15	15	15	15
1-11 MOS	10	14.4	51	5	6	13	22	24	25	25
1-5 YRS	13	18.5	640	1	1	9	17	62	81	85
6-12 YRS	29	12.6	84	4	4	9	17	25	37	37
13-19 YRS	784	9.3	23	4	5	8	11	15	18	27
TOT. SINGLE DX	1305	7.2	10	4	4	7	8	11	13	18
" MULTIPLE DX	838	9.6	36	4	5	8	11	16	19	31
TOTAL 0-27 DYS	5	12.2	10	7	7	13	14	15	15	15
1-11 MOS	26	10.7	37	4	5	10	14	21	24	25
1-5 YRS	24	13.4	371	1	1	8	10	37	65	85
6-12 YRS	58	9.7	54	3	4	7	11	18	25	37
13-19 YRS	2030	8.0	16	4	5	7	9	13	16	22
GRAND TOTAL	**2143**	**8.2**	**22**	**4**	**5**	**7**	**9**	**13**	**16**	**25**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	8	20.5	229	2	3	19	25	44	52	52
1-5 YRS	3	3.0	7	1	1	2	5	6	6	6
6-12 YRS										
13-19 YRS	21	5.8	26	<1	1	4	9	13	17	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	13	23.1	490	2	4	16	26	56	80	85
1-5 YRS	3	13.0	19	8	8	15	16	16	16	16
6-12 YRS	4	9.3	47	1	1	9	14	17	17	17
13-19 YRS	23	11.3	87	3	3	9	12	23	37	39
TOT. SINGLE DX	33	9.2	110	1	1	5	13	21	26	52
" MULTIPLE DX	43	14.8	221	2	3	10	17	30	42	85
TOTAL 0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	21	22.1	377	2	3	17	26	50	67	85
1-5 YRS	6	8.0	40	1	1	7	15	16	16	16
6-12 YRS	4	9.3	47	1	1	9	14	17	17	17
13-19 YRS	44	8.6	65	1	2	7	11	17	25	39
GRAND TOTAL	**76**	**12.4**	**179**	**1**	**2**	**9**	**16**	**26**	**38**	**76**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	4.5	25	<1	<1	4	8	8	8	8
1-5 YRS	4	4.5	9	2	2	3	6	9	9	9
6-12 YRS	8	7.8	101	1	1	3	10	25	31	31
13-19 YRS	33	8.0	33	1	2	7	10	16	19	28
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	23.0		23	23	23	23	23	23	23
1-5 YRS	8	12.5	109	3	3	10	14	30	36	36
6-12 YRS	13	14.6	95	2	2	12	22	30	31	31
13-19 YRS	55	16.2	211	2	2	11	22	39	51	62
TOT. SINGLE DX	47	7.5	41	1	2	7	10	15	20	31
" MULTIPLE DX	78	15.5	177	2	2	11	22	33	41	60
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	10.7	126	<1	<1	8	19	23	23	23
1-5 YRS	12	9.8	88	2	3	8	13	21	34	36
6-12 YRS	21	12.0	104	1	2	10	18	30	31	31
13-19 YRS	88	13.1	160	2	2	9	18	31	40	59
GRAND TOTAL	**125**	**12.5**	**140**	**1**	**2**	**9**	**17**	**30**	**37**	**57**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	9	3.9	12	2	2	3	4	9	13	13
1-11 MOS	45	4.5	34*	1	1	3	4	10	14	36
1-5 YRS	151	3.5	8	<1	1	3	4	7	9	12
6-12 YRS	282	3.7	9	1	1	3	5	7	9	13
13-19 YRS	885	4.8	13	1	2	4	6	9	11	19
2. MULTIPLE DX										
0-27 DYS	22	9.9	128	1	2	6	10	24	36	50
1-11 MOS	54	7.9	74	1	1	5	8	20	24	45
1-5 YRS	108	5.2	30	1	1	4	6	10	13	35
6-12 YRS	211	4.8	15	1	1	4	6	9	11	20
13-19 YRS	803	6.2	39	2	2	5	7	11	14	34
TOT. SINGLE DX	1372	4.4	13	1	1	4	6	8	11	18
" MULTIPLE DX	1198	6.0	38	1	2	4	7	11	14	34
TOTAL 0-27 DYS	31	8.2	101	2	2	4	8	21	27	50
1-11 MOS	99	6.4	59	1	1	4	7	14	22	41
1-5 YRS	259	4.2	18	1	1	3	5	8	11	23
6-12 YRS	493	4.2	12	1	1	3	5	8	10	16
13-19 YRS	1688	5.5	26	1	2	4	7	10	12	25
GRAND TOTAL	**2570**	**5.2**	**25**	**1**	**2**	**4**	**6**	**9**	**12**	**25**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	96	2.7	22	<1	1	2	3	4	8	29
1-11 MOS	1863	1.7	1	<1	<1	1	2	3	3	6
1-5 YRS	3963	1.6		<1	<1	1	2	2	3	4
6-12 YRS	2518	1.9	1	<1	<1	2	2	3	3	5
13-19 YRS	3769	3.0	1	1	2	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS	75	11.0	465	<1	1	3	10	99+	99+	99+
1-11 MOS	1199	2.5	9	<1	<1	2	3	4	6	15
1-5 YRS	2665	2.0	3	<1	<1	2	2	3	4	8
6-12 YRS	1046	2.3	2	<1	1	2	3	4	5	8
13-19 YRS	1034	3.5	3	1	2	3	4	5	7	10
TOT. SINGLE DX	12209	2.1	2	<1	<1	2	3	4	4	6
" MULTIPLE DX	6019	2.5	12	<1	<1	2	3	4	6	12
TOTAL 0-27 DYS	171	6.3	232	<1	1	2	4	46	91	99+
1-11 MOS	3062	2.0	5	<1	<1	2	2	3	5	10
1-5 YRS	6628	1.7	2	<1	<1	2	2	3	3	6
6-12 YRS	3564	2.0	2	<1	<1	2	2	3	4	6
13-19 YRS	4803	3.1	2	1	2	3	4	5	5	8
GRAND TOTAL	**18228**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**5**	**8**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	27	2.4	2	<1	<1	2	3	5	5	6
1-11 MOS	917	1.6	1	<1	<1	1	2	2	3	6
1-5 YRS	1071	1.5		<1	<1	1	2	2	3	4
6-12 YRS	317	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	190	3.5	1	1	2	3	4	5	6	7
2. MULTIPLE DX										
0-27 DYS	56	27.3	948	1	1	9	59	93	99+	99+
1-11 MOS	685	2.9	21	<1	<1	2	2	5	9	28
1-5 YRS	759	1.9	9	<1	<1	1	2	3	4	12
6-12 YRS	135	2.0	1	<1	<1	2	2	3	4	7
13-19 YRS	57	3.9	2	2	2	4	5	6	7	9
TOT. SINGLE DX	2522	1.7	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	1692	3.2	64	<1	<1	2	2	4	8	59
TOTAL 0-27 DYS	83	19.2	775	<1	1	3	45	74	99	99+
1-11 MOS	1602	2.1	10	<1	<1	1	2	3	5	16
1-5 YRS	1830	1.7	4	<1	<1	1	2	2	3	8
6-12 YRS	452	1.9	1	<1	<1	2	2	3	4	5
13-19 YRS	247	3.6	2	1	2	3	4	5	6	7
GRAND TOTAL	**4214**	**2.3**	**27**	**<1**	**<1**	**2**	**2**	**3**	**5**	**21**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	18	2.4	10	<1	1	2	2	4	11	15
6-12 YRS	23	2.2	1	<1	1	2	2	4	5	5
13-19 YRS	40	3.5	1	1	2	3	4	5	6	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	11.3	58	3	3	13	17	18	18	18
1-5 YRS	5	3.2	5	1	1	2	5	7	7	7
6-12 YRS	4	2.5		2	2	2	3	3	3	3
13-19 YRS	17	4.8	31	1	1	4	4	5	19	26
TOT. SINGLE DX	82	2.9	4	1	1	3	4	5	5	12
" MULTIPLE DX	29	4.9	29	1	1	3	4	11	18	26
TOTAL 0-27 DYS										
1-11 MOS	4	9.3	56	3	3	8	15	18	18	18
1-5 YRS	23	2.6	9	<1	1	2	2	5	10	15
6-12 YRS	27	2.2	1	<1	1	2	3	4	4	5
13-19 YRS	57	3.8	10	1	2	3	4	5	6	25
GRAND TOTAL	**111**	**3.4**	**11**	**1**	**1**	**3**	**4**	**5**	**7**	**21**

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	264	2.2	2	<1	<1	2	2	4	5	9
1-5 YRS	1293	1.9	1	<1	<1	2	2	3	4	5
6-12 YRS	519	2.0		<1	1	2	2	3	4	5
13-19 YRS	245	2.8	1	1	1	3	3	5	5	7
2. MULTIPLE DX										
0-27 DYS	28	11.8	89	4	5	8	14	27	31	42
1-11 MOS	68	2.9	5	<1	<1	2	4	6	9	10
1-5 YRS	262	2.9	11	<1	<1	2	3	5	8	13
6-12 YRS	96	2.6	3	<1	1	2	3	5	7	9
13-19 YRS	60	3.3	4	1	2	3	4	6	8	10
TOT. SINGLE DX	2322	2.1	1	<1	1	2	2	3	4	6
" MULTIPLE DX	514	3.4	16	<1	1	2	4	7	9	23
TOTAL 0-27 DYS	29	11.5	88	4	4	8	14	27	31	42
1-11 MOS	332	2.3	3	<1	<1	2	3	4	6	9
1-5 YRS	1555	2.1	3	<1	<1	2	2	3	4	9
6-12 YRS	615	2.1	1	<1	1	2	3	3	4	6
13-19 YRS	305	2.9	2	1	1	3	4	5	6	9
GRAND TOTAL	**2836**	**2.3**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	18	3.2	7	<1	<1	2	5	8	10	10
1-5 YRS	134	1.9	1	<1	<1	2	2	3	4	8
6-12 YRS	122	2.1	1	<1	1	2	2	3	4	6
13-19 YRS	238	2.9	2	1	1	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	2	11.0	128	3	3	11	19	19	19	19
1-11 MOS	8	3.9	11	<1	<1	3	6	9	10	10
1-5 YRS	51	4.3	30	<1	<1	2	6	8	14	35
6-12 YRS	33	3.6	18	1	1	2	3	11	16	17
13-19 YRS	55	4.7	10	2	2	4	5	12	12	14
TOT. SINGLE DX	512	2.5	2	<1	1	2	3	4	6	8
" MULTIPLE DX	149	4.4	21	<1	1	3	5	11	14	19
TOTAL 0-27 DYS	2	11.0	128	3	3	11	19	19	19	19
1-11 MOS	26	3.4	8	<1	<1	2	5	9	10	10
1-5 YRS	185	2.6	11	<1	<1	2	2	5	7	15
6-12 YRS	155	2.4	5	<1	1	2	2	4	5	16
13-19 YRS	293	3.2	4	1	1	3	4	5	7	12
GRAND TOTAL	**661**	**2.9**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**14**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	11.2	172	1	1	6	16	34	34	34
1-11 MOS	12	4.8	19	<1	<1	3	8	11	14	14
1-5 YRS	17	3.1	19	<1	<1	2	2	9	15	18
6-12 YRS	15	3.3	5	1	2	2	4	6	9	10
13-19 YRS	21	3.9	5	1	2	3	5	6	10	12
2. MULTIPLE DX										
0-27 DYS	19	21.1	203	4	6	20	31	43	44	44
1-11 MOS	13	9.5	56	1	2	7	13	22	25	26
1-5 YRS	22	4.7	33	<1	1	2	6	17	52	99+
6-12 YRS	14	7.4	57	1	1	3	10	23	23	23
13-19 YRS	18	7.3	15	2	2	7	8	13	15	15
TOT. SINGLE DX	70	4.2	25	1	1	3	5	10	12	31
" MULTIPLE DX	86	10.0	108	1	2	7	12	28	39	79
TOTAL 0-27 DYS	24	19.0	206	2	5	12	31	42	43	44
1-11 MOS	25	7.2	42	<1	1	7	9	16	22	26
1-5 YRS	39	4.0	27	<1	1	2	6	12	22	99+
6-12 YRS	29	5.2	34	1	1	2	7	11	23	23
13-19 YRS	39	5.5	13	2	2	4	7	12	13	15
GRAND TOTAL	**156**	**7.4**	**79**	**1**	**1**	**4**	**9**	**21**	**30**	**44**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	6.4	9	2	2	6	8	10	10	10
1-11 MOS	57	3.5	16	<1	<1	2	4	8	10	22
1-5 YRS	257	3.1	11	<1	1	2	3	7	9	18
6-12 YRS	190	4.2	21	<1	1	3	5	9	13	23
13-19 YRS	261	4.6	13	1	1	3	6	10	12	16
2. MULTIPLE DX										
0-27 DYS	20	11.5	79	2	3	[illegible]	18	26	30	30
1-11 MOS	39	5.5	35	1	1	4	7	13	24	99+
1-5 YRS	169	6.1	79	1	1	3	7	13	21	72
6-12 YRS	126	6.7	56	1	2	4	8	13	23	39
13-19 YRS	230	8.2	92	1	2	5	9	15	28	56
TOT. SINGLE DX	770	4.0	15	<1	1	3	5	8	12	20
" MULTIPLE DX	584	7.2	78	1	1	5	8	15	26	55
TOTAL 0-27 DYS	25	10.4	69	2	3	7	14	22	30	30
1-11 MOS	96	4.3	25	<1	1	3	6	10	14	69
1-5 YRS	426	4.3	40	<1	1	2	5	9	13	39
6-12 YRS	316	5.2	37	1	1	3	6	11	15	33
13-19 YRS	491	6.3	54	1	2	4	7	12	16	43
GRAND TOTAL	**1354**	**5.4**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**38**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	17.7	409	5	5	7	32	41	41	41
1-11 MOS	18	6.4	13	2	3	5	8	13	15	15
1-5 YRS	78	5.8	23	1	2	5	7	12	13	30
6-12 YRS	146	6.4	19	2	3	5	7	11	14	25
13-19 YRS	657	5.8	13	2	3	5	7	10	12	19
2. MULTIPLE DX										
0-27 DYS	16	36.1	1047	3	8	28	85	99	99+	99+
1-11 MOS	18	11.8	184	2	3	8	12	19	46	63
1-5 YRS	78	9.7	84	2	3	7	12	19	24	90
6-12 YRS	179	8.9	45	3	3	7	10	17	22	35
13-19 YRS	858	9.4	86	3	4	7	10	16	25	60
TOT. SINGLE DX	902	6.0	17	2	3	5	7	10	13	21
" MULTIPLE DX	1149	9.8	104	3	4	7	10	17	26	85
TOTAL 0-27 DYS	19	33.2	966	3	6	20	63	99	99+	99+
1-11 MOS	36	9.1	104	2	3	7	10	15	19	63
1-5 YRS	156	7.7	58	1	2	6	9	15	20	63
6-12 YRS	325	7.8	36	2	3	6	9	14	19	30
13-19 YRS	1515	7.9	58	2	3	6	9	14	18	48
GRAND TOTAL	**2051**	**8.1**	**69**	**2**	**3**	**6**	**9**	**14**	**19**	**55**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	2.2		1	1	2	3	3	3	3
1-11 MOS	4	3.8	17	<1	<1	2	6	10	10	10
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS	42	4.4	29	<1	<1	2	6	10	13	32
13-19 YRS	1656	3.3	6	<1	1	2	4	7	8	12
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	4.7	40	1	1	1	9	12	12	12
1-5 YRS										
6-12 YRS	29	3.9	5	1	2	3	6	8	8	10
13-19 YRS	1340	4.3	20	1	1	3	6	9	11	19
TOT. SINGLE DX	1710	3.3	7	<1	1	2	4	7	9	13
" MULTIPLE DX	1373	4.3	21	1	1	3	6	9	11	19
TOTAL 0-27 DYS	6	2.2	1	1	1	2	3	3	3	3
1-11 MOS	7	4.1	22	<1	<1	2	8	12	12	12
1-5 YRS	3	4.0	7	2	2	3	6	7	7	7
6-12 YRS	71	4.2	20	<1	1	3	6	8	11	28
13-19 YRS	2996	3.7	13	<1	1	3	5	8	9	15
GRAND TOTAL	**3083**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	7.0	6	3	3	7	9	10	10	10
1-11 MOS	13	7.9	32	<1	2	8	11	15	21	22
1-5 YRS	31	7.9	26	1	3	7	10	16	18	22
6-12 YRS	62	6.4	12	2	3	6	8	10	13	21
13-19 YRS	251	6.9	18	1	2	6	9	12	13	21
2. MULTIPLE DX										
0-27 DYS	43	27.9	450	2	9	23	37	67	97	99+
1-11 MOS	29	17.4	354	3	4	11	18	41	67	85
1-5 YRS	60	9.3	103	1	2	6	10	15	34	52
6-12 YRS	75	9.8	72	2	2	7	12	22	34	84
13-19 YRS	422	7.8	40	1	2	6	10	14	19	35
TOT. SINGLE DX	363	7.0	18	1	2	6	9	12	14	22
" MULTIPLE DX	629	10.0	119	1	2	7	11	20	31	70
TOTAL 0-27 DYS	49	25.4	443	3	6	21	31	65	95	99+
1-11 MOS	42	14.5	271	2	3	9	16	29	52	85
1-5 YRS	91	8.8	77	1	2	6	10	15	22	52
6-12 YRS	137	8.2	48	2	2	7	9	18	22	47
13-19 YRS	673	7.5	32	1	2	6	9	13	17	33
GRAND TOTAL	992	8.9	84	1	2	7	10	16	23	55

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	5	5.6	7	3	3	5	7	10	10	10
1-11 MOS	16	7.9	32	3	3	6	9	18	20	21
1-5 YRS	28	9.5	11	5	6	9	11	15	16	18
6-12 YRS	25	8.7	10	3	3	9	11	13	14	14
13-19 YRS	37	8.8	12	4	5	8	11	14	16	18
2. MULTIPLE DX										
0-27 DYS	9	21.0	359	3	3	15	32	50	61	61
1-11 MOS	23	10.7	58	4	5	9	12	19	27	39
1-5 YRS	69	11.8	130	4	5	9	14	19	21	80
6-12 YRS	76	11.2	133	4	5	8	11	15	27	75
13-19 YRS	127	13.7	171	5	5	9	15	26	36	76
TOT. SINGLE DX	111	8.7	15	3	4	8	11	14	17	19
" MULTIPLE DX	304	12.7	151	4	5	9	14	21	34	75
TOTAL 0-27 DYS	14	15.5	282	3	3	8	23	37	56	61
1-11 MOS	39	9.5	49	3	4	8	12	19	21	39
1-5 YRS	97	11.2	97	4	5	9	12	18	20	70
6-12 YRS	101	10.6	104	4	5	8	11	15	24	74
13-19 YRS	164	12.6	140	5	5	9	13	21	34	73
GRAND TOTAL	415	11.6	118	4	5	9	12	19	28	72

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6	7.8	13	3	3	8	11	12	12	12
1-11 MOS	29	8.5	22	2	3	8	13	14	17	22
1-5 YRS	92	8.0	63	2	2	6	10	16	19	49
6-12 YRS	178	7.6	47	2	2	6	10	15	18	41
13-19 YRS	288	7.4	30	2	2	6	10	15	17	28
2. MULTIPLE DX										
0-27 DYS	12	14.5	48	3	6	14	19	24	27	28
1-11 MOS	26	11.0	38	3	4	10	16	17	24	26
1-5 YRS	108	12.9	126	4	5	9	14	29	33	83
6-12 YRS	171	10.1	60	2	3	8	13	20	26	35
13-19 YRS	340	11.5	91	2	2	9	15	23	30	50
TOT. SINGLE DX	593	7.6	40	2	2	6	10	15	18	29
" MULTIPLE DX	657	11.4	87	2	3	9	14	23	29	51
TOTAL 0-27 DYS	18	12.3	46	3	4	11	16	21	26	28
1-11 MOS	55	9.7	31	2	4	9	13	16	21	26
1-5 YRS	200	10.6	104	2	2	8	12	21	30	68
6-12 YRS	349	8.8	55	2	2	7	12	17	22	38
13-19 YRS	628	9.6	68	2	2	8	12	19	25	46
GRAND TOTAL	1250	9.6	68	2	2	8	12	19	25	46

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	5	5.0	7	1	1	5	7	8	8	8
6-12 YRS	23	7.7	35	2	2	8	10	15	23	26
13-19 YRS	72	7.4	11	2	3	7	10	12	13	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	6.5	23	2	2	5	10	13	13	13
1-5 YRS	9	5.8	20	<1	<1	4	9	12	13	13
6-12 YRS	9	8.0	41	2	2	7	10	18	22	22
13-19 YRS	46	10.1	69	2	3	10	12	16	25	99+
TOT. SINGLE DX	101	7.4	17	2	2	7	10	12	13	23
" MULTIPLE DX	68	9.0	58	2	2	9	12	15	19	92
TOTAL 0-27 DYS										
1-11 MOS	5	7.4	21	2	2	7	11	13	13	13
1-5 YRS	14	5.5	15	<1	<1	5	9	10	12	13
6-12 YRS	32	7.8	36	2	2	7	10	16	22	26
13-19 YRS	118	8.5	35	2	3	8	11	13	16	70
GRAND TOTAL	**169**	**8.1**	**33**	**2**	**2**	**8**	**11**	**13**	**16**	**51**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	44.0		44	44	44	44	44	44	44
1-11 MOS	14	9.0	10	5	5	8	12	14	14	14
1-5 YRS	263	8.1	8	4	5	8	9	12	14	16
6-12 YRS	234	8.3	9	4	5	8	10	12	14	17
13-19 YRS	59	9.6	15	6	6	9	11	15	16	26
2. MULTIPLE DX										
0-27 DYS	3	26.3	277	13	13	21	39	45	45	45
1-11 MOS	23	10.2	22	6	6	8	13	20	45	99+
1-5 YRS	272	10.0	41	5	6	9	11	15	18	35
6-12 YRS	204	9.7	19	4	6	9	11	15	18	26
13-19 YRS	112	13.3	67	6	7	11	15	22	28	49
TOT. SINGLE DX	571	8.5	12	4	5	8	10	12	15	18
" MULTIPLE DX	614	10.6	42	5	6	9	12	16	21	39
TOTAL 0-27 DYS	4	30.8	263	13	13	32	44	45	45	45
1-11 MOS	37	9.7	18	5	6	8	12	18	21	99+
1-5 YRS	535	9.1	26	4	6	8	10	13	16	24
6-12 YRS	438	9.0	14	4	5	8	10	13	16	25
13-19 YRS	171	12.0	53	6	7	10	14	19	27	43
GRAND TOTAL	**1185**	**9.6**	**28**	**4**	**6**	**8**	**11**	**15**	**17**	**29**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	4.7	4	3	3	4	6	7	7	7
1-11 MOS	7	7.7	15	3	3	6	11	13	13	13
1-5 YRS	47	4.8	13	<1	1	4	7	10	13	13
6-12 YRS	49	4.3	17	<1	<1	2	6	12	13	19
13-19 YRS	177	4.6	10	1	2	4	6	8	10	19
2. MULTIPLE DX										
0-27 DYS	3	5.0	7	3	3	4	7	8	8	8
1-11 MOS	10	12.2	35	4	4	15	16	18	19	19
1-5 YRS	53	7.7	29	1	1	7	11	16	18	20
6-12 YRS	52	7.5	57	<1	<1	5	11	19	27	28
13-19 YRS	86	7.5	32	2	3	6	10	15	18	32
TOT. SINGLE DX	283	4.6	13	<1	1	4	6	9	12	19
" MULTIPLE DX	204	7.8	38	<1	1	6	11	16	19	28
TOTAL 0-27 DYS	6	4.8	5	3	3	4	7	8	8	8
1-11 MOS	17	10.4	31	3	4	12	15	18	19	19
1-5 YRS	100	6.4	24	<1	1	6	9	13	16	20
6-12 YRS	101	6.0	40	<1	<1	4	8	14	19	28
13-19 YRS	263	5.5	20	1	2	4	7	10	13	24
GRAND TOTAL	**487**	**5.9**	**26**	**<1**	**1**	**4**	**8**	**12**	**16**	**26**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	9.0	72	3	3	9	15	15	15	15
1-11 MOS	19	3.1	10	<1	1	2	3	9	12	12
1-5 YRS	991	1.9	3	<1	<1	1	2	3	5	10
6-12 YRS	1264	2.1	5	<1	<1	1	2	4	6	12
13-19 YRS	1202	3.1	7	<1	1	2	4	6	8	13
2. MULTIPLE DX										
0-27 DYS	8	32.4	974	5	6	19	54	82	90	90
1-11 MOS	62	5.4	34	1	1	4	8	11	12	38
1-5 YRS	1101	2.6	9	<1	<1	2	3	6	8	16
6-12 YRS	1388	2.8	12	<1	1	2	3	6	8	16
13-19 YRS	1486	4.9	32	1	1	3	6	10	14	25
TOT. SINGLE DX	3478	2.4	6	<1	<1	2	3	5	7	12
" MULTIPLE DX	4045	3.6	24	<1	1	2	4	8	10	21
TOTAL 0-27 DYS	10	27.7	863	3	4	13	46	75	90	90
1-11 MOS	81	4.9	30	1	1	3	7	11	12	33
1-5 YRS	2092	2.3	7	<1	<1	1	2	5	7	13
6-12 YRS	2652	2.5	10	<1	<1	2	3	5	7	14
13-19 YRS	2688	4.1	22	<1	1	3	5	8	11	20
GRAND TOTAL	**7523**	**3.0**	**16**	**<1**	**1**	**2**	**4**	**7**	**9**	**17**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	6.8	7	4	4	7	9	9	9	9
1-5 YRS	10	2.8	2	<1	<1	3	4	5	6	6
6-12 YRS	12	4.0	7	<1	1	3	6	8	9	9
13-19 YRS	36	3.8	7	1	1	3	5	7	10	12
2. MULTIPLE DX										
0-27 DYS	3	14.3	354	2	2	5	28	36	36	36
1-11 MOS	4	8.3	27	5	5	6	11	16	16	16
1-5 YRS	9	5.7	14	2	2	5	7	12	14	14
6-12 YRS	18	4.0	10	<1	<1	3	8	8	10	11
13-19 YRS	41	4.2	14	<1	1	3	5	8	10	22
TOT. SINGLE DX	62	3.9	7	1	1	3	5	8	9	12
" MULTIPLE DX	75	4.9	27	<1	1	3	6	8	13	32
TOTAL 0-27 DYS	3	14.3	354	2	2	5	28	36	36	36
1-11 MOS	8	7.5	15	4	4	6	9	14	16	16
1-5 YRS	19	4.2	10	<1	1	4	5	8	12	14
6-12 YRS	30	4.0	9	<1	<1	3	7	8	9	11
13-19 YRS	77	4.0	11	1	1	3	5	8	10	19
GRAND TOTAL	**137**	**4.4**	**18**	**1**	**1**	**3**	**6**	**8**	**11**	**24**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	39	5.1	7	2	2	4	6	10	12	12
1-11 MOS	38	5.1	10	1	2	4	7	10	12	14
1-5 YRS	87	6.2	19	1	1	5	8	12	14	20
6-12 YRS	56	7.6	35	<1	2	6	10	15	19	31
13-19 YRS	71	6.2	43	1	1	4	8	12	19	38
2. MULTIPLE DX										
0-27 DYS	175	11.0	170	3	4	7	12	22	32	95
1-11 MOS	68	8.2	62	2	2	6	11	16	22	92
1-5 YRS	125	9.6	89	1	2	7	12	18	23	55
6-12 YRS	115	8.5	35	2	2	7	11	18	23	25
13-19 YRS	145	12.7	184	2	2	9	14	29	47	61
TOT. SINGLE DX	291	6.2	26	1	1	5	8	12	15	25
" MULTIPLE DX	628	10.4	123	2	3	7	12	21	29	65
TOTAL 0-27 DYS	214	9.9	146	3	3	6	11	18	28	93
1-11 MOS	106	7.1	46	2	2	5	10	14	18	75
1-5 YRS	212	8.2	63	1	2	6	11	16	20	53
6-12 YRS	171	8.2	36	1	2	7	11	16	22	26
13-19 YRS	216	10.6	147	1	2	7	12	24	38	57
GRAND TOTAL	**919**	**9.0**	**96**	**1**	**2**	**6**	**11**	**18**	**25**	**57**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	1.1		<1	<1	1	1	2	2	2
1-5 YRS	461	1.4		<1	<1	1	2	2	3	5
6-12 YRS	311	1.5		<1	<1	1	2	2	3	6
13-19 YRS	38	2.8	38	<1	<1	1	2	3	7	39
2. MULTIPLE DX										
0-27 DYS	7	3.1		2	2	3	4	4	4	4
1-11 MOS	11	2.4	11	<1	<1	1	2	7	12	12
1-5 YRS	252	2.2	4	<1	<1	1	2	5	6	11
6-12 YRS	292	2.1	3	<1	<1	1	2	5	6	10
13-19 YRS	65	2.7	4	<1	<1	2	3	5	6	13
TOT. SINGLE DX	820	1.5	3	<1	<1	1	2	2	3	6
" MULTIPLE DX	627	2.2	4	<1	<1	2	2	5	6	11
TOTAL 0-27 DYS	7	3.1		2	2	3	4	4	4	4
1-11 MOS	21	1.8	6	<1	<1	1	1	3	8	12
1-5 YRS	713	1.7	2	<1	<1	1	2	3	5	8
6-12 YRS	603	1.8	2	<1	<1	1	2	3	5	8
13-19 YRS	103	2.7	17	<1	<1	2	3	5	7	26
GRAND TOTAL	**1447**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	32	5.7	13	1	1	5	9	10	12	13
1-5 YRS	844	6.2	15	1	2	6	8	11	12	18
6-12 YRS	283	5.3	13	<1	1	4	8	11	12	14
13-19 YRS	181	4.5	12	1	1	3	6	10	12	16
2. MULTIPLE DX										
0-27 DYS	10	10.3	129	1	2	5	13	30	35	35
1-11 MOS	15	6.9	32	1	1	5	10	13	20	22
1-5 YRS	327	5.6	21	1	1	4	8	11	14	20
6-12 YRS	202	4.8	18	<1	1	4	7	10	13	19
13-19 YRS	128	7.3	56	1	1	5	9	17	24	36
TOT. SINGLE DX	1341	5.8	15	1	1	5	8	11	12	16
" MULTIPLE DX	682	5.8	30	1	1	4	8	12	16	28
TOTAL 0-27 DYS	11	9.9	118	1	2	5	12	30	35	35
1-11 MOS	47	6.1	19	1	1	5	9	11	13	22
1-5 YRS	1171	6.0	17	1	1	6	8	11	13	19
6-12 YRS	485	5.1	16	<1	1	4	8	10	12	17
13-19 YRS	309	5.6	32	1	1	4	8	12	16	29
GRAND TOTAL	**2023**	**5.8**	**20**	**1**	**1**	**5**	**8**	**11**	**13**	**21**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	6	2.2	4	<1	<1	1	3	6	6	6
1-5 YRS	385	1.5		<1	<1	1	2	2	3	6
6-12 YRS	432	1.7	2	<1	<1	1	2	3	4	9
13-19 YRS	240	2.5	4	<1	<1	2	3	5	7	10
2. MULTIPLE DX										
0-27 DYS	3	4.7	1	4	4	4	6	6	6	6
1-11 MOS	17	10.2	153	<1	1	7	11	34	42	43
1-5 YRS	642	2.0	3	<1	<1	1	2	4	6	10
6-12 YRS	600	2.4	6	<1	<1	1	2	5	7	12
13-19 YRS	464	3.6	19	<1	1	2	5	7	10	26
TOT. SINGLE DX	1064	1.8	2	<1	<1	1	2	3	5	9
" MULTIPLE DX	1726	2.6	11	<1	<1	2	3	6	8	15
TOTAL 0-27 DYS	4	3.8	4	1	1	4	5	6	6	6
1-11 MOS	23	8.1	125	<1	1	6	9	21	40	43
1-5 YRS	1027	1.8	3	<1	<1	1	2	3	5	9
6-12 YRS	1032	2.1	5	<1	<1	1	2	4	6	10
13-19 YRS	704	3.3	15	<1	1	2	4	7	9	20
GRAND TOTAL	**2790**	**2.3**	**8**	**<1**	**<1**	**1**	**2**	**5**	**7**	**12**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	199	1.9	2	<1	<1	2	2	3	5	9
6-12 YRS	161	2.0	1	<1	<1	2	3	4	4	9
13-19 YRS	158	3.2	6	<1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	7	4.0	7	1	1	3	6	8	8	8
1-11 MOS	8	2.0	1	1	1	2	3	4	4	4
1-5 YRS	203	2.6	26	<1	<1	2	2	4	7	13
6-12 YRS	169	2.6	9	<1	<1	2	3	5	7	13
13-19 YRS	147	3.5	8	1	1	3	4	7	11	15
TOT. SINGLE DX	521	2.4	4	<1	<1	2	3	4	6	10
" MULTIPLE DX	534	2.9	16	<1	1	2	3	5	7	14
TOTAL 0-27 DYS	9	3.7	6	1	1	3	6	7	8	8
1-11 MOS	9	2.0	1	1	1	2	3	4	4	4
1-5 YRS	402	2.3	14	<1	<1	2	2	4	6	11
6-12 YRS	330	2.4	6	<1	<1	2	3	4	5	11
13-19 YRS	305	3.3	8	<1	1	3	4	6	9	14
GRAND TOTAL	**1055**	**2.6**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	6	5.2	6	2	2	5	7	8	8	8
2. MULTIPLE DX										
0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS	1	7.0		7	7	7	7	7	7	7
13-19 YRS	3	6.3	12	3	3	6	9	10	10	10
TOT. SINGLE DX	7	5.3	5	2	2	6	7	8	8	8
" MULTIPLE DX	5	6.6	6	3	3	7	8	10	10	10
TOTAL 0-27 DYS	1	7.0		7	7	7	7	7	7	7
1-11 MOS										
1-5 YRS										
6-12 YRS	2	6.5	1	6	6	6	7	7	7	7
13-19 YRS	9	5.6	7	2	2	6	7	9	10	10
GRAND TOTAL	**12**	**5.8**	**6**	**2**	**3**	**6**	**7**	**9**	**10**	**10**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	10.8	30	6	6	10	11	20	21	21
13-19 YRS	7	8.6	18	3	3	9	13	13	13	13
TOT. SINGLE DX										
" MULTIPLE DX	14	9.2	24	3	4	9	12	14	19	21
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	6	10.8	30	6	6	10	11	20	21	21
13-19 YRS	7	8.6	18	3	3	9	13	13	13	13
GRAND TOTAL	**14**	**9.2**	**24**	**3**	**4**	**9**	**12**	**14**	**19**	**21**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	5	3.4	3	<1	<1	4	5	5	5	5
6-12 YRS	7	1.3		<1	<1	1	2	2	2	2
13-19 YRS	10	4.0	5	1	1	4	5	7	9	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	12	4.1	8	<1	<1	4	6	9	10	10
6-12 YRS	19	3.8	21	<1	1	2	4	11	16	18
13-19 YRS	7	6.0	16	2	2	5	9	12	13	13
TOT. SINGLE DX	23	3.0	4	<1	<1	2	5	5	7	9
" MULTIPLE DX	39	4.3	16	<1	1	3	5	10	13	18
TOTAL 0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	17	3.9	7	<1	<1	4	5	8	9	10
6-12 YRS	26	3.2	17	<1	<1	2	3	8	14	18
13-19 YRS	17	4.8	10	1	2	5	5	10	12	13
GRAND TOTAL	**62**	**3.8**	**12**	**<1**	**<1**	**3**	**5**	**8**	**11**	**17**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	2	2.5	5	<1	<1	2	4	4	4	4
6-12 YRS	2	4.5	13	2	2	4	7	7	7	7
13-19 YRS	7	8.0	31	2	2	8	10	17	19	19
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	9.0	2	8	8	9	10	10	10	10
6-12 YRS	7	7.1	8	2	3	8	10	10	10	10
13-19 YRS	10	14.5	399	2	2	8	10	47	68	68
TOT. SINGLE DX	12	7.3	35	<1	1	6	9	18	19	19
" MULTIPLE DX	19	11.2	216	2	3	8	10	20	49	68
TOTAL 0-27 DYS										
1-11 MOS	1	18.0		18	18	18	18	18	18	18
1-5 YRS	4	5.8	16	<1	<1	6	9	10	10	10
6-12 YRS	9	6.6	10	2	2	7	9	10	10	10
13-19 YRS	17	11.8	247	2	2	8	10	25	53	68
GRAND TOTAL	**31**	**9.7**	**146**	**2**	**2**	**8**	**10**	**18**	**26**	**68**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	10	5.7	1	4	4	6	7	7	7	7
1-5 YRS	6	6.2	11	2	2	6	7	11	12	12
6-12 YRS	2	7.5	5	6	6	7	9	9	9	9
13-19 YRS	4	4.8	1	4	4	5	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	2	12.5	25	9	9	12	16	16	16	16
1-11 MOS	14	11.6	58	5	5	9	13	23	29	31
1-5 YRS	9	9.8	39	3	3	9	12	19	23	23
6-12 YRS	5	10.6	68	4	4	7	16	24	24	24
13-19 YRS	9	9.7	27	4	5	8	11	19	21	21
TOT. SINGLE DX	23	5.8	4	3	4	6	7	8	10	12
" MULTIPLE DX	39	10.7	43	4	4	9	13	22	24	31
TOTAL 0-27 DYS	3	10.3	26	6	6	9	14	16	16	16
1-11 MOS	24	9.2	42	4	5	7	10	20	25	31
1-5 YRS	15	8.3	30	2	3	7	12	14	21	23
6-12 YRS	7	9.7	49	4	4	7	12	22	24	24
13-19 YRS	13	8.2	24	4	4	7	9	16	20	21
GRAND TOTAL	**62**	**8.9**	**34**	**4**	**4**	**7**	**10**	**17**	**22**	**30**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	2	1	1	2	3	4	4	4
1-11 MOS	2	5.0	32	1	1	5	9	9	9	9
1-5 YRS	3	4.0	12	2	2	2	7	8	8	8
6-12 YRS										
13-19 YRS	2	6.5	41	2	2	6	11	11	11	11
2. MULTIPLE DX										
0-27 DYS	5	3.4	2	2	2	3	4	6	6	6
1-11 MOS	2	8.0	98	1	1	8	15	15	15	15
1-5 YRS	3	3.3	10	1	1	2	6	7	7	7
6-12 YRS										
13-19 YRS	3	11.0	169	3	3	4	20	26	26	26
TOT. SINGLE DX	10	4.2	14	1	1	2	8	10	11	11
" MULTIPLE DX	13	5.8	50	1	1	3	6	17	24	26
TOTAL 0-27 DYS	8	3.0	2	1	1	3	4	5	6	6
1-11 MOS	4	6.5	46	1	1	5	12	15	15	15
1-5 YRS	6	3.7	9	1	1	2	7	8	8	8
6-12 YRS										
13-19 YRS	5	9.2	10	2	2	4	15	26	26	26
GRAND TOTAL	**23**	**5.1**	**34**	**1**	**1**	**3**	**7**	**12**	**19**	**26**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		1	1	2	2	2	2	2
13-19 YRS	3	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	6	9.5	23	3	3	10	11	16	17	17
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	2	2.5	1	2	2	2	3	3	3	3
13-19 YRS	4	3.5	6	<1	<1	3	5	7	7	7
TOT. SINGLE DX	7	2.7	2	1	1	2	4	4	4	4
" MULTIPLE DX	15	6.3	21	<1	2	6	10	11	16	17
TOTAL 0-27 DYS	2	4.0	8	2	2	4	6	6	6	6
1-11 MOS	6	9.5	23	3	3	10	11	16	17	17
1-5 YRS	2	6.0	32	2	2	6	10	10	10	10
6-12 YRS	5	2.0	1	1	1	2	2	3	3	3
13-19 YRS	7	3.7	3	<1	1	4	4	6	7	7
GRAND TOTAL	**22**	**5.1**	**17**	**1**	**1**	**4**	**7**	**11**	**14**	**17**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	3.0	12	1	1	1	6	7	7	7
1-11 MOS	38	2.0	2	<1	<1	2	2	3	5	10
1-5 YRS	128	2.4	6	<1	<1	2	2	5	7	14
6-12 YRS	108	2.1	1	<1	1	2	3	4	5	7
13-19 YRS	223	3.2	4	1	1	3	4	6	7	10
2. MULTIPLE DX										
0-27 DYS	8	5.9	43	3	3	4	5	17	22	22
1-11 MOS	37	2.2	2	<1	1	2	3	4	6	7
1-5 YRS	118	2.7	5	<1	1	2	3	5	7	16
6-12 YRS	60	2.4	3	1	1	2	3	4	5	12
13-19 YRS	106	4.2	12	1	1	3	5	9	12	18
TOT. SINGLE DX	500	2.7	5	<1	1	2	3	5	6	10
" MULTIPLE DX	329	3.1	8	1	1	2	3	6	9	16
TOTAL 0-27 DYS	11	5.1	34	1	1	3	5	13	21	22
1-11 MOS	75	2.1	2	<1	<1	2	2	4	5	9
1-5 YRS	246	2.5	6	<1	1	2	3	5	7	15
6-12 YRS	168	2.2	2	<1	1	2	3	4	5	8
13-19 YRS	329	3.5	7	1	1	3	4	6	9	14
GRAND TOTAL	**829**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	1.5	1	<1	<1	1	2	2	2	2
1-11 MOS	11	4.1	14	1	1	2	4	11	12	12
1-5 YRS	110	2.2	1	1	1	2	3	4	4	6
6-12 YRS	146	2.5	1	1	1	2	3	4	5	7
13-19 YRS	394	3.5	6	1	2	3	4	6	8	13
2. MULTIPLE DX										
0-27 DYS	20	4.0	4	1	1	4	5	7	8	9
1-11 MOS	16	3.1	5	1	1	2	4	8	8	8
1-5 YRS	114	2.3	2	<1	1	2	3	4	5	9
6-12 YRS	101	2.8	3	1	1	2	3	4	7	11
13-19 YRS	286	3.9	15	1	2	3	4	7	9	19
TOT. SINGLE DX	663	3.0	5	1	1	3	4	5	7	12
" MULTIPLE DX	537	3.3	10	1	1	3	4	6	8	16
TOTAL 0-27 DYS	22	3.7	4	<1	1	3	4	7	8	9
1-11 MOS	27	3.5	9	1	1	2	4	8	11	12
1-5 YRS	224	2.2	2	<1	1	2	3	4	5	7
6-12 YRS	247	2.6	2	1	1	2	3	4	6	8
13-19 YRS	680	3.6	10	1	2	3	4	6	8	16
GRAND TOTAL	**1200**	**3.2**	**7**	**1**	**1**	**3**	**4**	**5**	**7**	**13**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	15	1.9		<1	1	2	2	3	3	3
1-5 YRS	1143	2.3	1	<1	1	2	3	4	5	7
6-12 YRS	1320	2.6	2	1	1	2	3	4	5	8
13-19 YRS	959	2.4	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	7	4.9	16	1	1	3	6	12	13	13
1-11 MOS	38	2.0	2	<1	<1	2	2	3	6	8
1-5 YRS	940	2.5	2	<1	1	2	3	4	5	8
6-12 YRS	719	3.2	4	1	1	3	4	6	7	10
13-19 YRS	242	3.1	4	1	1	3	4	5	7	10
TOT. SINGLE DX	3438	2.4	2	1	1	2	3	4	5	7
" MULTIPLE DX	1946	2.8	4	<1	1	2	3	5	7	9
TOTAL 0-27 DYS	8	4.8	15	1	1	4	6	11	13	13
1-11 MOS	53	2.0	2	<1	<1	2	2	3	5	8
1-5 YRS	2083	2.4	2	<1	1	2	3	4	5	8
6-12 YRS	2039	2.8	3	1	1	2	3	5	6	8
13-19 YRS	1201	2.6	2	1	1	2	3	5	5	8
GRAND TOTAL	**5384**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.5	3	1	1	2	4	4	4	4
1-11 MOS	5	1.2		1	1	1	2	2	2	2
1-5 YRS	69	1.9		1	1	2	2	3	4	4
6-12 YRS	308	2.0	3	<1	1	2	2	3	4	7
13-19 YRS	279	2.7	3	1	1	2	3	5	5	8
2. MULTIPLE DX										
0-27 DYS	2	2.0	2	<1	<1	1	3	3	3	3
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	38	2.2	1	1	1	2	3	3	5	7
6-12 YRS	128	3.0	11	<1	1	2	3	5	7	25
13-19 YRS	104	3.3	4	1	1	3	4	6	8	10
TOT. SINGLE DX	665	2.3	3	1	1	2	3	4	5	7
" MULTIPLE DX	274	3.0	7	1	1	2	3	5	7	11
TOTAL 0-27 DYS	6	2.3	2	<1	<1	2	4	4	4	4
1-11 MOS	7	1.6	1	1	1	1	2	3	3	3
1-5 YRS	107	2.0	1	1	1	2	3	3	4	6
6-12 YRS	436	2.3	6	<1	1	2	3	4	5	11
13-19 YRS	383	2.8	4	1	1	2	4	5	6	9
GRAND TOTAL	**939**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	4	3.5	4	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	1	8.0		8	8	8	8	8	8	8
TOT. SINGLE DX	7	2.9	3	1	1	2	4	6	6	6
" MULTIPLE DX	5	3.0	8	1	1	2	4	8	8	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	3	1.7		1	1	2	2	2	2	2
6-12 YRS	4	2.0		2	2	2	2	2	2	2
13-19 YRS	5	4.4	7	1	1	4	6	8	8	8
GRAND TOTAL	**12**	**2.9**	**4**	**1**	**1**	**2**	**3**	**7**	**8**	**8**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0	2	1	1	2	3	3	3	3
1-11 MOS	149	1.9	2	<1	<1	2	2	3	4	7
1-5 YRS	570	1.9	1	<1	<1	2	2	3	4	6
6-12 YRS	351	2.2	1	<1	1	2	3	4	5	8
13-19 YRS	932	2.6	1	1	1	2	3	4	5	7
2. MULTIPLE DX										
0-27 DYS	3	29.7	2137	<1	<1	5	63	83	83	83
1-11 MOS	143	2.2	4	<1	<1	2	2	3	5	9
1-5 YRS	486	2.0	1	<1	<1	2	2	3	4	6
6-12 YRS	222	2.3	1	<1	1	2	3	4	5	7
13-19 YRS	314	3.6	8	1	1	3	4	6	8	13
TOT. SINGLE DX	2004	2.3	2	<1	1	2	3	4	5	7
" MULTIPLE DX	1168	2.6	10	<1	1	2	3	4	5	9
TOTAL 0-27 DYS	5	18.6	1299	<1	<1	3	24	83	83	83
1-11 MOS	292	2.0	3	<1	<1	2	2	3	5	8
1-5 YRS	1056	1.9	1	<1	<1	2	2	3	4	6
6-12 YRS	573	2.2	2	<1	1	2	3	4	5	8
13-19 YRS	1246	2.8	4	1	1	2	3	5	6	9
GRAND TOTAL	**3172**	**2.4**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	270	2.3	12	<1	<1	1	2	4	10	20
1-5 YRS	1029	1.6	1	<1	<1	1	2	2	2	4
6-12 YRS	568	1.8	2	<1	<1	2	2	2	3	6
13-19 YRS	448	1.9		<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	129	7.7	100	<1	1	2	10	24	31	43
1-5 YRS	349	2.0	1	<1	<1	2	2	3	4	8
6-12 YRS	186	2.0	1	<1	1	2	2	3	3	9
13-19 YRS	181	2.8	4	1	1	2	3	5	7	13
TOT. SINGLE DX	3437	1.8	5	<1	<1	2	2	2	3	10
" MULTIPLE DX	1068	4.1	41	<1	1	2	3	10	18	34
TOTAL 0-27 DYS										
1-11 MOS	479	4.2	50	<1	<1	1	2	13	20	35
1-5 YRS	2070	2.4	17	<1	<1	2	2	3	7	25
6-12 YRS	1094	1.8	2	<1	<1	2	2	2	3	7
13-19 YRS	862	2.1	2	<1	1	2	2	3	4	8
GRAND TOTAL	**4505**	**2.4**	**14**	**<1**	**<1**	**2**	**2**	**3**	**6**	**22**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	31	3.5	2	1	2	3	4	6	7	7
1-11 MOS	20	1.9	1	<1	<1	2	2	3	4	5
1-5 YRS	179	3.3	6	<1	<1	2	5	7	8	15
6-12 YRS	54	2.5	4	<1	<1	2	3	5	7	9
13-19 YRS	56	3.2	6	<1	<1	2	4	8	9	12
2. MULTIPLE DX										
0-27 DYS	67	4.2	5	2	2	3	5	6	8	17
1-11 MOS	12	2.6	4	<1	<1	2	3	6	8	8
1-5 YRS	111	3.8	14	<1	<1	2	5	9	12	20
6-12 YRS	41	3.4	5	<1	1	3	4	6	7	12
13-19 YRS	55	4.6	20	<1	1	3	6	11	13	24
TOT. SINGLE DX	340	3.1	6	<1	<1	2	4	7	8	12
" MULTIPLE DX	286	3.9	12	<1	1	3	5	8	11	17
TOTAL 0-27 DYS	98	3.9	5	2	2	3	5	6	7	14
1-11 MOS	32	2.1	2	<1	<1	2	3	4	5	8
1-5 YRS	290	3.5	10	<1	<1	2	5	7	9	15
6-12 YRS	95	2.9	5	<1	<1	2	4	6	7	11
13-19 YRS	111	3.9	14	<1	1	2	6	8	12	19
GRAND TOTAL	**626**	**3.5**	**9**	**<1**	**<1**	**3**	**5**	**7**	**8**	**15**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	6.0		6	6	6	6	6	6	6
1-5 YRS	3	3.7		3	3	4	4	4	4	4
6-12 YRS	42	5.0	4	2	3	5	6	7	9	11
13-19 YRS	1083	5.5	4	3	3	5	6	8	9	13
2. MULTIPLE DX										
0-27 DYS	3	7.0	3	6	6	6	8	9	9	9
1-11 MOS	3	12.3	240	<1	<1	6	24	30	30	30
1-5 YRS	2	4.0	8	2	2	4	6	6	6	6
6-12 YRS	30	5.7	7	2	3	5	6	9	13	15
13-19 YRS	1056	6.2	8	3	4	6	7	9	11	15
TOT. SINGLE DX	1130	5.5	4	3	3	5	6	8	9	13
" MULTIPLE DX	1094	6.2	9	3	4	6	7	9	11	16
TOTAL 0-27 DYS	4	6.5	3	5	5	6	8	9	9	9
1-11 MOS	4	10.8	170	<1	<1	6	18	30	30	30
1-5 YRS	5	3.8	2	2	2	4	5	6	6	6
6-12 YRS	72	5.3	6	2	3	5	6	8	10	15
13-19 YRS	2139	5.8	7	3	3	5	7	9	10	14
GRAND TOTAL	**2224**	**5.8**	**7**	**3**	**3**	**5**	**7**	**8**	**10**	**14**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	6	5.2	2	4	4	5	7	7	7	7
6-12 YRS	47	5.4	4	3	3	5	7	9	9	11
13-19 YRS	539	6.0	4	4	4	6	7	8	10	15
2. MULTIPLE DX										
0-27 DYS	1	25.0		25	25	25	25	25	25	25
1-11 MOS	5	4.4	7	1	1	6	6	7	7	7
1-5 YRS	7	4.6	7	1	1	4	5	9	10	10
6-12 YRS	44	6.7	7	3	4	6	8	11	12	16
13-19 YRS	575	6.8	9	4	4	6	8	10	13	16
TOT. SINGLE DX	593	6.0	5	3	4	6	7	8	9	15
" MULTIPLE DX	632	6.8	10	4	4	6	8	10	13	17
TOTAL 0-27 DYS	2	14.0	242	3	3	14	25	25	25	25
1-11 MOS	5	4.4	7	1	1	6	6	7	7	7
1-5 YRS	13	4.8	5	1	3	4	6	8	10	10
6-12 YRS	91	6.1	7	3	3	6	7	10	11	15
13-19 YRS	1114	6.4	7	4	4	6	7	9	11	16
GRAND TOTAL	**1225**	**6.4**	**7**	**4**	**4**	**6**	**7**	**9**	**11**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS										
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	15	6.9	22	3	4	6	8	9	19	23
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	3	9.7	34	3	3	12	13	14	14	14
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	2	5.5	5	4	4	5	7	7	7	7
13-19 YRS	28	7.7	23	4	5	6	8	13	16	28
TOT. SINGLE DX	18	6.9	20	3	4	6	8	10	18	23
" MULTIPLE DX	36	7.7	21	3	4	6	8	13	15	28
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS	4	10.0	23	3	3	11	13	14	14	14
1-5 YRS	2	7.0	2	6	6	7	8	8	8	8
6-12 YRS	4	5.5	3	4	4	5	7	7	7	7
13-19 YRS	43	7.4	23	3	4	6	8	12	18	28
GRAND TOTAL	**54**	**7.4**	**20**	**3**	**4**	**6**	**8**	**12**	**15**	**28**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	5.5	2	4	4	5	6	8	8	8
13-19 YRS	242	4.0	10	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	8	6.5	25	1	1	6	10	14	15	15
13-19 YRS	246	5.1	14	1	2	4	6	9	11	24
TOT. SINGLE DX	248	4.0	11	1	1	3	5	7	9	14
" MULTIPLE DX	256	5.1	14	1	2	4	6	9	12	24
TOTAL 0-27 DYS										
1-11 MOS	1	1.0		1	1	1	1	1	1	1
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	14	6.1	15	1	2	6	8	12	14	15
13-19 YRS	488	4.5	13	1	1	4	6	8	10	22
GRAND TOTAL	**504**	**4.5**	**13**	**1**	**1**	**4**	**6**	**8**	**10**	**21**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0		2	2	2	2	2	2	2
13-19 YRS	74	1.6	1	<1	<1	1	2	2	3	8
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	13	1	1	3	6	6	6	6
13-19 YRS	48	2.2	1	<1	<1	2	3	4	5	6
TOT. SINGLE DX	76	1.6	1	<1	<1	1	2	2	3	8
" MULTIPLE DX	50	2.2	2	<1	<1	2	3	5	6	6
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.8	5	1	1	2	4	6	6	6
13-19 YRS	122	1.8	2	<1	<1	1	2	3	5	8
GRAND TOTAL	**126**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**5**	**8**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	101	3.0	4	<1	1	2	4	6	7	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0		2	2	3	4	4	4	4
13-19 YRS	138	3.9	5	1	2	3	5	7	9	13
TOT. SINGLE DX	101	3.0	4	<1	1	2	4	6	7	11
" MULTIPLE DX	144	3.9	5	1	2	3	5	7	8	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0	1	2	2	3	4	4	4	4
13-19 YRS	239	3.5	5	1	1	3	5	6	8	12
GRAND TOTAL	**245**	**3.5**	**5**	**1**	**1**	**3**	**4**	**6**	**8**	**12**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	3	2.7		2	2	3	3	3	3	3
13-19 YRS	457	5.0	3	3	3	5	6	7	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	5.6	7	2	2	5	7	10	10	10
13-19 YRS	482	5.9	9	3	3	5	7	8	11	20
TOT. SINGLE DX	461	5.0	3	3	3	5	6	7	8	11
" MULTIPLE DX	491	5.9	9	3	3	5	7	8	11	20
TOTAL 0-27 DYS										
1-11 MOS	1	7.0		7	7	7	7	7	7	7
1-5 YRS										
6-12 YRS	12	4.8	7	2	2	5	6	9	10	10
13-19 YRS	939	5.4	6	3	3	5	6	8	9	17
GRAND TOTAL	**952**	**5.4**	**6**	**3**	**3**	**5**	**6**	**8**	**9**	**17**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	132	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	94	2.2	1	<1	<1	2	3	3	4	8
TOT. SINGLE DX	133	2.0	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	95	2.2	2	<1	<1	2	3	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		1	1	1	1	1	1	1
13-19 YRS	226	2.1	1	<1	<1	2	3	3	4	6
GRAND TOTAL	**228**	**2.1**	**1**	**<1**	**<1**	**2**	**3**	**3**	**4**	**6**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	3.5	1	3	3	3	4	4	4	4
13-19 YRS	107	1.9	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	3	7.0	91	1	1	2	14	18	18	18
13-19 YRS	122	3.1	23	<1	1	2	3	5	8	34
TOT. SINGLE DX	109	2.0	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	126	3.3	25	<1	1	2	3	6	9	34
TOTAL 0-27 DYS										
1-11 MOS	1	9.0		9	9	9	9	9	9	9
1-5 YRS										
6-12 YRS	5	5.6	49	1	1	3	7	18	18	18
13-19 YRS	229	2.6	13	<1	<1	2	3	4	6	16
GRAND TOTAL	**235**	**2.7**	**14**	**<1**	**<1**	**2**	**3**	**4**	**7**	**20**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	141	3.2	4	1	1	3	4	5	8	14
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	47	4.5	7	1	2	4	7	9	9	13
TOT. SINGLE DX	141	3.2	5	1	1	3	4	5	8	14
" MULTIPLE DX	47	4.5	7	1	2	4	7	9	9	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	188	3.5	6	1	1	3	4	7	9	14
GRAND TOTAL	**188**	**3.5**	**6**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS										
6-12 YRS	2	5.0		5	5	5	5	5	5	5
13-19 YRS	42	4.7	23	1	1	3	7	8	9	30
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	4.0		4	4	4	4	4	4	4
13-19 YRS	59	4.8	12	<1	1	5	7	8	11	19
TOT. SINGLE DX	45	4.7	22	1	1	3	7	8	9	30
" MULTIPLE DX	62	4.7	12	<1	1	5	6	8	11	19
TOTAL 0-27 DYS										
1-11 MOS	2	4.5	1	4	4	4	5	5	5	5
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	3	4.7		4	4	5	5	5	5	5
13-19 YRS	101	4.8	17	1	1	4	7	8	10	25
GRAND TOTAL	**107**	**4.7**	**16**	**1**	**1**	**4**	**7**	**8**	**10**	**24**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	7.0	1	6	6	7	8	8	8	8
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	4	8.5	19	3	3	9	12	13	13	13
13-19 YRS	54	7.0	7	4	4	6	8	9	13	19
2. MULTIPLE DX										
0-27 DYS	6	8.2	16	5	5	7	9	15	16	16
1-11 MOS	17	8.1	5	6	6	7	8	11	14	16
1-5 YRS	6	7.2	1	6	6	7	8	8	8	8
6-12 YRS	26	7.2	14	4	4	6	8	11	14	23
13-19 YRS	174	8.5	18	4	5	7	10	14	17	27
TOT. SINGLE DX	64	7.0	8	4	4	6	8	10	13	18
" MULTIPLE DX	229	8.2	17	4	5	7	9	14	16	25
TOTAL 0-27 DYS	9	7.8	11	5	5	7	8	13	16	16
1-11 MOS	19	7.9	6	5	6	7	8	10	14	16
1-5 YRS	7	6.9	1	5	5	7	8	8	8	8
6-12 YRS	30	7.3	15	3	4	7	8	11	13	23
13-19 YRS	228	8.1	16	4	5	7	9	14	15	25
GRAND TOTAL	**293**	**8.0**	**15**	**4**	**5**	**7**	**9**	**13**	**15**	**24**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	4	5.3	5	2	2	6	7	7	7	7
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	6	5.2		4	4	5	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	4	6.8	4	5	5	7	8	9	9	9
1-5 YRS	3	8.7	4	7	7	8	10	11	11	11
6-12 YRS	3	9.3	52	1	1	13	14	14	14	14
13-19 YRS	19	6.5	6	3	4	6	7	11	12	12
TOT. SINGLE DX	11	5.2	2	2	3	5	6	7	7	7
" MULTIPLE DX	30	7.0	10	2	4	6	9	12	13	14
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	8	6.0	5	2	3	6	7	9	9	9
1-5 YRS	4	7.8	6	5	5	7	9	11	11	11
6-12 YRS	3	9.3	52	1	1	13	14	14	14	14
13-19 YRS	25	6.2	5	3	4	6	7	10	11	12
GRAND TOTAL	**41**	**6.5**	**8**	**2**	**4**	**6**	**7**	**11**	**12**	**14**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	1	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX	2	9.0	18	6	6	[illegible]	12	12	12	12
" MULTIPLE DX	2	10.5	5	9	9	[illegible]	12	12	12	12
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS										
1-5 YRS	2	12.0		12	12	12	12	12	12	12
6-12 YRS										
13-19 YRS	1	6.0		6	6	6	6	6	6	6
GRAND TOTAL	**4**	**9.8**	**8**	**6**	**6**	**10**	**12**	**12**	**12**	**12**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	1.1		<1	<1	1	1	2	2	2
13-19 YRS	820	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	168	3.1	9	<1	<1	2	4	8	10	16
TOT. SINGLE DX	827	1.2	1	<1	<1	<1	1	2	2	4
" MULTIPLE DX	169	3.1	10	<1	<1	2	4	8	10	16
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	8	1.3		<1	<1	1	2	2	2	2
13-19 YRS	988	1.5	3	<1	<1	<1	1	2	4	10
GRAND TOTAL	**996**	**1.5**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**4**	**10**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	2.5	1	2	2	2	3	3	3	3
1-5 YRS	4	2.8	2	2	2	2	4	5	5	5
6-12 YRS	40	1.9		1	1	2	2	3	4	4
13-19 YRS	9080	1.8	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-27 DYS	1	1.0		1	1	1	1	1	1	1
1-11 MOS	9	3.8	8	1	1	2	6	8	8	8
1-5 YRS	1	3.0		3	3	3	3	3	3	3
6-12 YRS	39	3.5	4	1	1	3	5	7	8	10
13-19 YRS	3236	3.2	11	1	1	2	4	6	8	15
TOT. SINGLE DX	9127	1.8	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	3286	3.2	12	1	1	2	4	6	8	15
TOTAL 0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	11	3.5	7	1	1	2	5	8	8	8
1-5 YRS	5	2.8	2	2	2	2	3	5	5	5
6-12 YRS	79	2.7	3	1	1	2	3	5	7	9
13-19 YRS	12316	2.2	5	<1	1	2	2	4	6	10
GRAND TOTAL	**12413**	**2.2**	**5**	**<1**	**1**	**2**	**2**	**4**	**6**	**10**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	10	1.1		<1	<1	1	1	2	2	2
13-19 YRS	3125	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.3		<1	<1	1	2	2	2	2
13-19 YRS	1011	1.8	9	<1	<1	<1	1	3	6	12
TOT. SINGLE DX	3135	1.1		<1	<1	1	1	1	2	3
" MULTIPLE DX	1014	1.8	10	<1	<1	<1	1	3	6	12
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.2		<1	<1	1	1	2	2	2
13-19 YRS	4136	1.3	3	<1	<1	<1	1	2	2	7
GRAND TOTAL	**4149**	**1.3**	**3**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**7**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.0		<1	<1	<1	1	1	1	1
13-19 YRS	1197	1.5		<1	<1	1	2	2	3	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	183	2.6	11	<1	<1	2	3	5	7	20
TOT. SINGLE DX	1199	1.4	1	<1	<1	1	2	2	3	5
" MULTIPLE DX	184	2.6	12	<1	<1	2	3	5	7	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.0		<1	<1	1	1	1	1	1
13-19 YRS	1380	1.6	3	<1	<1	1	2	3	4	7
GRAND TOTAL	**1383**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	7	3.1	3	1	1	3	5	6	6	6
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	25	4.9	3	1	3	5	6	7	9	9
TOT. SINGLE DX	8	3.5	4	1	1	3	5	6	6	6
" MULTIPLE DX	26	4.8	3	2	3	5	6	7	9	9
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS										
6-12 YRS	1	6.0		6	6	6	6	6	6	6
13-19 YRS	32	4.5	4	1	2	5	6	7	9	9
GRAND TOTAL	**34**	**4.5**	**4**	**1**	**2**	**5**	**6**	**6**	**8**	**9**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	6	2.8	5	<1	<1	2	3	7	7	7
13-19 YRS	130	2.9	5	<1	1	2	5	6	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	5	1.4	1	<1	<1	1	2	3	3	3
6-12 YRS	6	3.5	2	2	2	3	4	6	6	6
13-19 YRS	77	4.6	13	1	1	4	6	8	9	21
TOT. SINGLE DX	139	2.9	5	<1	1	2	5	6	7	12
" MULTIPLE DX	88	4.4	13	1	1	4	6	7	9	21
TOTAL 0-27 DYS										
1-11 MOS	2	3.0	8	1	1	3	5	5	5	5
1-5 YRS	6	1.3	1	<1	<1	1	1	3	3	3
6-12 YRS	12	3.2	3	<1	1	3	4	6	7	7
13-19 YRS	207	3.6	9	<1	1	3	5	7	8	18
GRAND TOTAL	**227**	**3.5**	**9**	**<1**	**1**	**3**	**5**	**7**	**8**	**17**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	2	4.5	13	2	2	4	7	7	7	7
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	11.8	43	7	7	10	16	21	21	21
1-5 YRS										
6-12 YRS										
13-19 YRS	4	6.5	14	1	1	8	9	9	9	9
TOT. SINGLE DX	3	4.7	6	2	2	5	6	7	7	7
" MULTIPLE DX	9	8.7	31	1	3	7	10	17	21	21
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	4	11.8	44	7	7	10	16	21	21	21
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS										
13-19 YRS	6	5.8	12	1	1	7	9	9	9	9
GRAND TOTAL	**12**	**7.7**	**27**	**1**	**2**	**7**	**9**	**15**	**20**	**21**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	8.0		8	8	8	8	8	8	8
1-5 YRS	15	3.8	15	<1	1	2	6	8	13	15
6-12 YRS	16	2.4	2	1	1	2	4	5	5	5
13-19 YRS	90	3.6	10	<1	1	3	5	9	11	13
2. MULTIPLE DX										
0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	1	5.0		5	5	5	5	5	5	5
1-5 YRS	20	4.8	46	<1	<1	3	5	8	20	32
6-12 YRS	44	5.0	205	<1	1	2	5	6	13	96
13-19 YRS	108	3.6	34	<1	1	2	4	7	12	32
TOT. SINGLE DX	122	3.5	10	<1	1	2	5	8	11	14
" MULTIPLE DX	174	4.2	78	<1	1	2	4	7	14	49
TOTAL 0-27 DYS	1	16.0		16	16	16	16	16	16	16
1-11 MOS	2	6.5	5	5	5	6	8	8	8	8
1-5 YRS	35	4.4	32	<1	<1	2	6	8	13	32
6-12 YRS	60	4.3	152	1	1	2	4	6	9	88
13-19 YRS	198	3.6	23	<1	1	2	4	8	11	16
GRAND TOTAL	**296**	**3.9**	**50**	**<1**	**1**	**2**	**5**	**8**	**12**	**25**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3		2	2	2	3	3	3	3
1-11 MOS	3	4.3	33	<1	<1	1	8	11	11	11
1-5 YRS	24	2.3	9	<1	<1	1	2	5	11	14
6-12 YRS	39	2.8	5	<1	<1	2	4	6	9	10
13-19 YRS	445	3.0	8	<1	<1	2	4	6	9	17
2. MULTIPLE DX										
0-27 DYS	29	5.7	154	2	2	3	4	6	10	70
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	14	3.9	25	<1	1	2	2	12	16	17
6-12 YRS	32	4.4	19	<1	1	2	6	11	14	18
13-19 YRS	326	4.2	12	1	1	3	6	10	11	16
TOT. SINGLE DX	514	3.0	9	<1	<1	2	4	6	9	15
" MULTIPLE DX	402	4.3	24	1	1	3	5	10	12	18
TOTAL 0-27 DYS	32	5.4	141	2	2	3	4	5	7	70
1-11 MOS	4	3.8	24	<1	<1	1	6	11	11	11
1-5 YRS	38	2.9	16	<1	<1	1	2	10	13	17
6-12 YRS	71	3.5	13	<1	<1	2	4	9	11	17
13-19 YRS	771	3.5	11	<1	1	2	5	7	10	17
GRAND TOTAL	**916**	**3.6**	**16**	**<1**	**1**	**2**	**4**	**8**	**11**	**17**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	10	3.7	10	<1	<1	2	7	9	10	10
1-5 YRS	39	2.1	3	<1	<1	1	2	6	7	8
6-12 YRS	35	2.5	2	<1	1	2	4	5	5	6
13-19 YRS	631	2.3	2	<1	1	2	3	4	5	8
2. MULTIPLE DX										
0-27 DYS	4	13.0	456	1	1	3	24	45	45	45
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	25	2.0	1	<1	<1	1	3	4	5	6
6-12 YRS	23	3.7	5	1	1	3	6	7	8	8
13-19 YRS	226	4.4	32	1	1	3	5	9	11	27
TOT. SINGLE DX	716	2.3	3	<1	<1	2	3	4	5	9
" MULTIPLE DX	281	4.2	33	1	1	3	5	8	11	38
TOTAL 0-27 DYS	5	11.0	363	1	1	3	14	45	45	45
1-11 MOS	13	3.3	9	<1	<1	2	5	8	10	10
1-5 YRS	64	2.1	3	<1	<1	1	3	5	6	8
6-12 YRS	58	2.9	4	<1	1	2	4	6	7	8
13-19 YRS	857	2.9	11	<1	1	2	3	5	7	14
GRAND TOTAL	**997**	**2.9**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	10	2.7	2	<1	<1	2	4	5	5	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	5	10.0	33	2	2	9	15	17	17	17
TOT. SINGLE DX	11	2.6	2	<1	<1	2	4	5	5	5
" MULTIPLE DX	5	10.0	34	2	2	9	15	17	17	17
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	15	5.1	24	<1	1	3	7	14	16	17
GRAND TOTAL	**16**	**4.9**	**23**	**<1**	**1**	**3**	**7**	**13**	**16**	**17**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	29	1.6	2	<1	<1	1	1	4	5	7
6-12 YRS	43	2.0	5	<1	<1	1	2	4	7	13
13-19 YRS	39	3.1	5	1	1	3	4	6	8	12
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	2.0	2	<1	<1	1	3	3	3	3
1-5 YRS	36	2.3	11	<1	<1	1	2	6	7	19
6-12 YRS	59	2.6	26	1	1	1	2	4	6	31
13-19 YRS	29	4.0	28	1	1	3	4	8	12	29
TOT. SINGLE DX	112	2.3	5	<1	<1	1	3	5	6	12
" MULTIPLE DX	127	2.9	22	<1	1	1	3	5	8	30
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.0	1	<1	<1	2	3	3	3	3
1-5 YRS	65	2.0	7	<1	<1	1	2	5	6	17
6-12 YRS	102	2.4	18	<1	<1	1	2	4	6	29
13-19 YRS	68	3.5	15	1	1	3	4	6	9	26
GRAND TOTAL	**239**	**2.6**	**14**	**<1**	**1**	**1**	**3**	**5**	**7**	**26**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	16	1.9	1	<1	<1	1	3	5	5	5
6-12 YRS	12	1.7	1	<1	<1	1	2	4	5	5
13-19 YRS	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	1	30.0		30	30	30	30	30	30	30
1-5 YRS	10	2.9	11	1	1	2	3	8	12	12
6-12 YRS	16	3.5	43	<1	<1	2	3	4	21	28
13-19 YRS	8	3.1	7	<1	<1	2	4	8	9	9
TOT. SINGLE DX	36	1.7	2	<1	<1	1	2	4	5	5
" MULTIPLE DX	36	4.1	43	<1	1	2	4	9	23	30
TOTAL 0-27 DYS	1	6.0		6	6	6	6	6	6	6
1-11 MOS	2	16.0	392	2	2	16	30	30	30	30
1-5 YRS	26	2.3	6	<1	<1	1	3	5	7	12
6-12 YRS	28	2.7	26	<1	<1	1	3	4	7	28
13-19 YRS	15	2.2	5	<1	<1	1	3	5	8	9
GRAND TOTAL	**72**	**2.9**	**24**	**<1**	**<1**	**1**	**3**	**5**	**9**	**30**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	6	3.0		2	2	3	4	4	4	4
13-19 YRS	7305	3.1	1	2	2	3	4	4	5	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	2.9		2	2	3	3	4	4	4
13-19 YRS	9056	3.4	3	2	2	3	4	5	6	9
TOT. SINGLE DX	7311	3.1	1	2	2	3	4	4	5	6
" MULTIPLE DX	9065	3.4	4	2	2	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	15	2.9	1	2	2	3	3	4	4	4
13-19 YRS	16361	3.3	3	2	2	3	4	4	5	8
GRAND TOTAL	**16376**	**3.3**	**3**	**2**	**2**	**3**	**4**	**4**	**5**	**8**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	96	2.9		1	2	3	4	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	303	3.0	4	1	1	3	4	4	6	14
TOT. SINGLE DX	96	2.9	1	1	2	3	4	4	4	5
" MULTIPLE DX	304	3.0	4	1	1	3	4	4	6	14
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	399	3.0	3	1	1	3	4	4	5	11
GRAND TOTAL	**400**	**3.0**	**3**	**1**	**1**	**3**	**4**	**4**	**5**	**11**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	1066	3.1	1	2	2	3	4	4	5	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	1922	3.4	2	2	2	3	4	5	6	9
TOT. SINGLE DX	1066	3.1	1	2	2	3	4	4	5	7
" MULTIPLE DX	1924	3.4	3	2	2	3	4	5	6	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	2.0	2	1	1	2	3	3	3	3
13-19 YRS	2988	3.3	2	2	2	3	4	5	5	8
GRAND TOTAL	**2990**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**	**8**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	31	2.8	1	2	2	3	4	4	4	6
13-19 YRS	38083	2.8	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	26	3.3	9	1	1	3	4	6	10	16
13-19 YRS	25889	3.0	3	1	2	3	3	4	5	9
TOT. SINGLE DX	38114	2.8	1	1	2	3	3	4	4	6
" MULTIPLE DX	25915	3.0	4	1	2	3	3	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	57	3.1	5	1	1	3	4	4	6	15
13-19 YRS	63972	2.9	2	1	2	3	3	4	5	7
GRAND TOTAL	**64029**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**7**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	7	5.6	1	4	4	6	6	7	7	7
13-19 YRS	4533	5.6	3	3	4	5	6	7	8	11
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	16	7.1	14	4	4	5	8	15	16	16
13-19 YRS	11998	6.3	10	4	4	6	7	9	11	18
TOT. SINGLE DX	4540	5.6	4	3	4	5	6	7	8	11
" MULTIPLE DX	12014	6.3	10	4	4	6	7	9	11	18
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	23	6.6	10	4	4	5	7	11	15	16
13-19 YRS	16531	6.1	8	4	4	6	7	8	10	16
GRAND TOTAL	**16554**	**6.1**	**8**	**4**	**4**	**6**	**7**	**8**	**10**	**16**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	345	5.6	2	4	4	5	6	7	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	1	5	5	6	7	7	7	7
13-19 YRS	781	6.2	8	4	4	6	7	9	11	20
TOT. SINGLE DX	345	5.6	3	4	4	5	6	7	8	12
" MULTIPLE DX	784	6.2	9	4	4	6	7	9	11	20
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	6.0	1	5	5	6	7	7	7	7
13-19 YRS	1126	6.0	7	4	4	5	7	8	10	17
GRAND TOTAL	**1129**	**6.0**	**7**	**4**	**4**	**5**	**7**	**8**	**10**	**17**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	25	4.9	1	3	4	5	6	7	7	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	23	5.6	4	3	4	5	6	7	10	13
TOT. SINGLE DX	26	4.8	1	3	4	5	6	7	7	7
" MULTIPLE DX	23	5.6	4	3	4	5	6	7	10	13
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	3.0		3	3	3	3	3	3	3
13-19 YRS	48	5.2	3	3	4	5	6	7	7	13
GRAND TOTAL	**49**	**5.2**	**3**	**3**	**4**	**5**	**6**	**7**	**7**	**13**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	1.6		1	1	2	2	3	3	3
13-19 YRS	2532	1.7		1	1	2	2	2	3	4
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	5	1.8	1	<1	<1	1	3	3	3	3
13-19 YRS	498	2.1	1	1	1	2	2	3	4	8
TOT. SINGLE DX	2545	1.7	1	1	1	2	2	2	3	4
" MULTIPLE DX	503	2.1	2	1	1	2	2	3	4	8
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	18	1.7	1	<1	1	2	2	3	3	3
13-19 YRS	3030	1.8	1	1	1	2	2	3	3	5
GRAND TOTAL	**3048**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	190	4.2	17	<1	1	3	6	8	14	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	140	5.1	26	1	1	4	6	10	14	34
TOT. SINGLE DX	190	4.2	18	<1	1	3	6	8	14	22
" MULTIPLE DX	140	5.1	27	1	1	4	6	10	14	34
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS	330	4.6	22	<1	1	3	6	9	14	25
GRAND TOTAL	**330**	**4.6**	**22**	**<1**	**1**	**3**	**6**	**9**	**14**	**25**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	2	1.5	1	<1	<1	1	2	2	2	2
13-19 YRS	2639	2.4	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	2073	3.0	3	<1	1	3	4	4	5	9
TOT. SINGLE DX	2641	2.4	2	<1	<1	2	3	4	4	7
" MULTIPLE DX	2074	3.0	4	<1	1	3	4	4	5	9
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	1.7		<1	<1	2	2	2	2	2
13-19 YRS	4712	2.6	3	<1	<1	3	3	4	5	8
GRAND TOTAL	**4715**	**2.6**	**3**	**<1**	**<1**	**3**	**3**	**4**	**5**	**8**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	4	2.5	1	<1	<1	2	3	4	4	4
13-19 YRS	5438	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	9	1.9		1	1	2	2	3	3	3
13-19 YRS	7229	3.1	4	1	2	3	3	4	5	10
TOT. SINGLE DX	5442	2.8	1	1	2	3	3	4	4	5
" MULTIPLE DX	7238	3.1	5	1	2	3	3	4	5	10
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	13	2.1	1	<1	1	2	3	3	4	4
13-19 YRS	12667	3.0	3	1	2	3	3	4	5	8
GRAND TOTAL	**12680**	**3.0**	**3**	**1**	**2**	**3**	**3**	**4**	**5**	**8**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	7.0		7	7	7	7	7	7	7
1-5 YRS	10	2.7	4	<1	<1	2	3	6	7	7
6-12 YRS	53	2.9	8	<1	1	2	3	6	9	19
13-19 YRS	96	3.0	5	1	1	2	4	5	6	15
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	2	10.5	85	4	4	10	17	17	17	17
1-5 YRS	3	9.0	84	1	1	7	16	19	19	19
6-12 YRS	17	8.4	179	<1	1	2	9	23	43	53
13-19 YRS	73	5.2	33	2	2	4	5	10	16	37
TOT. SINGLE DX	161	3.0	7	<1	1	2	3	5	7	18
" MULTIPLE DX	95	6.0	61	1	2	4	6	16	19	48
TOTAL 0-27 DYS										
1-11 MOS	4	8.8	32	4	4	7	12	17	17	17
1-5 YRS	13	4.2	25	<1	<1	3	5	10	17	19
6-12 YRS	70	4.2	54	<1	1	2	3	9	18	47
13-19 YRS	169	4.0	19	1	1	3	4	7	9	21
GRAND TOTAL	**256**	**4.1**	**29**	**1**	**1**	**3**	**4**	**7**	**15**	**24**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	5.0	8	3	3	5	7	7	7	7
1-5 YRS	9	7.2	41	2	2	5	9	18	22	22
6-12 YRS	16	5.6	18	2	2	4	6	11	17	19
13-19 YRS	1313	3.8	1	2	3	4	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	5	10.2	60	2	2	9	13	23	23	23
1-5 YRS	14	13.9	41	7	8	13	17	19	29	32
6-12 YRS	26	5.9	21	2	2	4	7	13	18	19
13-19 YRS	942	4.3	6	2	3	4	5	6	7	14
TOT. SINGLE DX	1340	3.8	2	2	3	4	4	5	6	8
" MULTIPLE DX	988	4.5	9	2	3	4	5	6	8	18
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	8.7	48	2	2	7	10	20	23	23
1-5 YRS	23	11.3	50	2	3	9	16	19	25	32
6-12 YRS	42	5.8	20	2	2	4	7	12	18	19
13-19 YRS	2255	4.0	4	2	3	4	4	5	6	10
GRAND TOTAL	**2328**	**4.1**	**5**	**2**	**3**	**4**	**4**	**6**	**7**	**13**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	21	3.3	6	<1	1	2	4	6	9	12
6-12 YRS	80	2.5	1	1	1	2	3	5	6	7
13-19 YRS	338	2.9	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	50	4.7	41	1	1	3	6	9	12	39
6-12 YRS	194	3.8	14	1	1	3	4	6	10	22
13-19 YRS	768	4.4	38	1	1	3	5	8	11	35
TOT. SINGLE DX	441	2.8	3	1	1	2	3	5	6	10
" MULTIPLE DX	1014	4.3	34	1	1	3	5	8	11	33
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.0	1	1	1	2	3	3	3	3
1-5 YRS	71	4.3	31	1	1	2	4	8	12	36
6-12 YRS	274	3.4	12	1	1	2	4	6	7	19
13-19 YRS	1106	3.9	28	1	1	3	4	7	9	24
GRAND TOTAL	**1455**	**3.8**	**25**	**1**	**1**	**3**	**4**	**7**	**9**	**24**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	2.8	3	1	1	2	5	5	5	5
6-12 YRS	23	3.1	3	1	2	3	3	5	7	10
13-19 YRS	295	3.6	8	1	1	3	4	6	8	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	2.3	2	1	1	2	3	4	4	4
1-5 YRS	17	4.7	11	<1	1	4	6	9	13	14
6-12 YRS	103	7.0	58	1	2	5	8	14	24	42
13-19 YRS	961	6.0	57	1	2	4	7	12	17	40
TOT. SINGLE DX	325	3.5	8	1	1	3	4	6	8	15
" MULTIPLE DX	1084	6.0	56	1	2	4	7	12	17	41
TOTAL 0-27 DYS										
1-11 MOS	4	2.5	2	1	1	2	3	4	4	4
1-5 YRS	23	4.2	10	<1	1	4	5	8	11	14
6-12 YRS	126	6.3	51	1	2	4	8	13	23	41
13-19 YRS	1256	5.4	47	1	2	4	6	10	15	30
GRAND TOTAL	**1409**	**5.5**	**46**	**1**	**2**	**4**	**6**	**11**	**15**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	1	1.0		1	1	1	1	1	1	1
6-12 YRS	25	4.4	8	1	2	3	5	9	11	13
13-19 YRS	47	4.2	10	1	1	3	5	9	11	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	4.4	9	1	1	4	7	9	9	9
6-12 YRS	20	7.6	186	2	3	4	5	13	39	64
13-19 YRS	55	6.1	22	1	2	5	8	13	17	23
TOT. SINGLE DX	74	4.2	9	1	1	3	5	9	10	15
" MULTIPLE DX	82	6.3	60	1	2	4	7	12	16	51
TOTAL 0-27 DYS										
1-11 MOS	1	4.0		4	4	4	4	4	4	4
1-5 YRS	8	4.0	9	1	1	3	6	8	9	9
6-12 YRS	45	5.8	88	2	2	3	5	10	13	64
13-19 YRS	102	5.2	18	1	2	4	6	11	15	20
GRAND TOTAL	**156**	**5.3**	**37**	**1**	**2**	**4**	**6**	**10**	**14**	**23**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	11.3	156	1	1	3	20	32	36	36
1-5 YRS	197	5.7	29	2	2	4	6	10	17	33
6-12 YRS	455	6.8	60	1	2	5	8	13	19	45
13-19 YRS	903	5.0	36	1	1	4	5	10	14	34
2. MULTIPLE DX										
0-27 DYS	2	4.5	5	3	3	4	6	6	6	6
1-11 MOS	12	22.8	658	2	4	17	25	53	92	98
1-5 YRS	130	7.5	67	2	2	5	8	15	29	46
6-12 YRS	289	8.7	81	2	3	6	9	19	29	47
13-19 YRS	545	7.0	70	1	2	5	7	14	23	44
TOT. SINGLE DX	1567	5.7	44	1	2	4	6	11	16	36
" MULTIPLE DX	978	7.8	83	2	2	5	8	17	27	47
TOTAL 0-27 DYS	3	4.0	3	3	3	3	5	6	6	6
1-11 MOS	23	17.3	435	1	2	13	25	34	58	98
1-5 YRS	327	6.4	45	2	2	4	7	11	20	42
6-12 YRS	744	7.5	69	1	2	5	8	15	23	46
13-19 YRS	1448	5.8	51	1	2	4	6	11	17	42
GRAND TOTAL	**2545**	**6.5**	**60**	**1**	**2**	**4**	**7**	**13**	**20**	**43**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.7	2	<1	<1	3	4	4	4	4
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	3	3.3	2	2	2	3	4	5	5	5
6-12 YRS	77	3.5	1	2	2	3	4	5	6	8
13-19 YRS	894	3.6	2	1	2	3	4	6	7	8
2. MULTIPLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	5.1	10	3	3	4	6	11	12	12
1-5 YRS	1	5.0		5	5	5	5	5	5	5
6-12 YRS	94	3.7	3	2	2	3	4	6	7	13
13-19 YRS	911	3.9	2	2	2	4	5	6	7	10
TOT. SINGLE DX	978	3.6	3	1	2	3	4	6	6	8
" MULTIPLE DX	1014	3.9	3	2	2	4	5	6	7	10
TOTAL 0-27 DYS	4	3.3	3	<1	<1	3	4	5	5	5
1-11 MOS	8	4.9	9	3	3	4	5	10	12	12
1-5 YRS	4	3.8	2	2	2	4	5	5	5	5
6-12 YRS	171	3.6	3	2	2	3	4	5	6	11
13-19 YRS	1805	3.8	3	2	2	4	5	6	7	9
GRAND TOTAL	**1992**	**3.8**	**3**	**2**	**2**	**4**	**5**	**6**	**7**	**9**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	13	2.8	4	<1	<1	2	3	7	8	8
1-5 YRS	215	6.1	71	1	1	3	6	15	23	45
6-12 YRS	1083	4.1	25	1	1	3	4	7	10	31
13-19 YRS	3675	3.6	17	1	1	3	4	6	8	22
2. MULTIPLE DX										
0-27 DYS	11	12.5	198	2	2	4	18	37	42	43
1-11 MOS	16	16.2	213	2	2	9	27	38	45	47
1-5 YRS	96	7.3	100	1	1	4	8	16	24	56
6-12 YRS	436	8.4	142	1	1	4	7	25	37	51
13-19 YRS	1787	7.5	134	1	1	4	7	17	31	66
TOT. SINGLE DX	4986	3.8	22	1	1	3	4	6	9	28
" MULTIPLE DX	2346	7.7	136	1	1	4	7	19	34	66
TOTAL 0-27 DYS	11	12.5	199	2	2	4	18	37	42	43
1-11 MOS	29	10.2	162	<1	1	3	12	32	39	47
1-5 YRS	311	6.5	81	1	1	3	7	16	23	45
6-12 YRS	1519	5.3	63	1	1	3	5	9	21	43
13-19 YRS	5462	4.9	59	1	1	3	4	8	14	45
GRAND TOTAL	**7332**	**5.1**	**62**	**1**	**1**	**3**	**5**	**9**	**17**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	7	6.6	45	1	1	4	9	18	20	20
1-5 YRS	61	8.3	80	1	1	4	11	24	30	92
6-12 YRS	497	7.1	59	2	2	5	7	14	24	41
13-19 YRS	1017	5.4	29	1	2	4	6	9	13	28
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	6	8.0	14	2	2	9	10	12	12	12
1-5 YRS	48	11.0	110	1	1	6	18	26	34	39
6-12 YRS	220	10.9	117	1	2	6	14	29	34	46
13-19 YRS	543	9.4	160	1	2	5	10	21	40	70
TOT. SINGLE DX	1583	6.0	42	1	2	4	7	11	18	37
" MULTIPLE DX	818	9.9	145	1	2	5	11	24	36	64
TOTAL 0-27 DYS	2	4.0		4	4	4	4	4	4	4
1-11 MOS	13	7.2	29	1	2	7	10	14	19	20
1-5 YRS	109	9.5	95	1	1	5	16	25	32	63
6-12 YRS	717	8.2	80	2	2	5	9	20	29	43
13-19 YRS	1560	6.8	79	1	2	4	7	13	21	56
GRAND TOTAL	**2401**	**7.3**	**80**	**1**	**2**	**4**	**8**	**15**	**25**	**54**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	19	1.7	2	<1	<1	1	2	4	6	6
1-5 YRS	156	2.8	17	<1	<1	2	3	4	9	25
6-12 YRS	467	3.2	19	<1	<1	2	3	5	9	27
13-19 YRS	2597	2.6	6	<1	1	2	3	4	6	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	16	2.1	6	<1	<1	1	2	4	9	11
1-5 YRS	121	3.6	24	<1	1	2	3	8	16	26
6-12 YRS	199	6.0	65	1	1	3	6	13	28	37
13-19 YRS	731	4.7	41	1	1	3	5	9	15	42
TOT. SINGLE DX	3240	2.7	9	<1	<1	2	3	4	6	18
" MULTIPLE DX	1067	4.8	44	1	1	3	5	9	17	37
TOTAL 0-27 DYS	1	1.0		<1	<1	<1	<1	<1	<1	<1
1-11 MOS	35	1.9	4	<1	<1	1	2	4	6	11
1-5 YRS	277	3.1	21	<1	<1	2	3	5	14	25
6-12 YRS	666	4.1	34	<1	1	2	4	7	16	34
13-19 YRS	3328	3.1	15	<1	1	2	3	5	7	21
GRAND TOTAL	**4307**	**3.2**	**19**	**<1**	**1**	**2**	**3**	**5**	**8**	**26**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	2.0		2	2	2	2	2	2	2
1-5 YRS	27	20.7	168	3	4	20	24	35	46	65
6-12 YRS	98	23.9	248	3	5	25	35	44	52	67
13-19 YRS	92	15.9	217	2	3	12	18	35	43	78
2. MULTIPLE DX										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	5	16.2	14	12	12	16	20	20	20	20
1-5 YRS	77	19.9	110	2	4	21	26	33	37	42
6-12 YRS	134	25.4	233	3	4	25	36	46	52	66
13-19 YRS	211	21.5	319	5	6	15	26	48	65	90
TOT. SINGLE DX	218	20.1	238	3	4	17	30	41	47	67
" MULTIPLE DX	428	22.4	255	3	5	19	30	44	53	76
TOTAL 0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	6	13.8	45	2	3	14	20	20	20	20
1-5 YRS	104	20.1	124	2	3	20	26	33	38	53
6-12 YRS	232	24.8	239	3	5	25	35	45	52	66
13-19 YRS	303	19.8	294	4	5	14	24	45	61	87
GRAND TOTAL	**646**	**21.6**	**250**	**3**	**5**	**18**	**30**	**43**	**52**	**73**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	7	16.1	108	4	5	15	18	33	37	37
1-5 YRS	8	19.4	74	8	9	17	25	33	34	34
6-12 YRS	94	10.1	54	2	4	9	12	16	29	38
13-19 YRS	280	11.5	101	3	4	9	14	20	24	58
2. MULTIPLE DX										
0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	5	14.8	2	13	13	15	16	17	17	17
1-5 YRS	27	13.0	83	2	2	11	21	26	27	28
6-12 YRS	82	14.6	168	3	4	10	18	33	43	62
13-19 YRS	723	18.6	196	5	7	15	23	35	48	76
TOT. SINGLE DX	389	11.4	92	3	4	9	14	20	28	54
" MULTIPLE DX	838	18.0	191	5	6	14	22	34	47	71
TOTAL 0-27 DYS	1	28.0		28	28	28	28	28	28	28
1-11 MOS	12	15.6	60	4	7	15	17	24	35	37
1-5 YRS	35	14.5	86	2	3	13	21	27	29	34
6-12 YRS	176	12.2	112	3	4	9	14	26	35	55
13-19 YRS	1003	16.6	180	4	5	13	19	32	44	73
GRAND TOTAL	**1227**	**15.9**	**169**	**4**	**5**	**12**	**19**	**31**	**42**	**69**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	41	6.5	27	<1	1	4	10	15	16	19
1-5 YRS	205	10.4	92	1	1	7	17	24	27	39
6-12 YRS	211	16.7	236	2	3	11	26	36	45	63
13-19 YRS	160	14.6	299	1	2	8	16	44	53	81
2. MULTIPLE DX										
0-27 DYS	5	18.4	182	3	3	21	28	36	36	36
1-11 MOS	45	7.4	63	1	1	5	10	21	31	99+
1-5 YRS	287	13.0	141	1	2	10	20	28	32	47
6-12 YRS	273	18.5	228	2	3	17	27	37	45	66
13-19 YRS	267	19.2	378	2	2	12	31	46	57	95
TOT. SINGLE DX	617	13.4	201	1	2	8	19	32	44	63
" MULTIPLE DX	877	16.4	248	1	2	12	25	36	46	84
TOTAL 0-27 DYS	5	18.4	182	3	3	21	28	36	36	36
1-11 MOS	86	7.0	46	1	1	4	10	16	21	76
1-5 YRS	492	11.9	123	1	1	9	19	26	30	45
6-12 YRS	484	17.7	232	2	3	14	27	36	45	64
13-19 YRS	427	17.5	353	2	2	10	28	46	56	86
GRAND TOTAL	**1494**	**15.1**	**230**	**1**	**2**	**10**	**24**	**34**	**45**	**78**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	138	6.8	50	1	1	3	12	19	21	24
6-12 YRS	290	6.0	63	1	1	2	6	18	23	32
13-19 YRS	436	3.1	12	<1	<1	2	4	6	8	17
2. MULTIPLE DX										
0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	4	9.3	139	1	1	5	17	26	26	26
1-5 YRS	134	7.0	54	1	1	3	11	19	22	28
6-12 YRS	340	7.0	83	1	1	3	10	19	25	47
13-19 YRS	520	7.0	107	<1	1	3	7	19	28	52
TOT. SINGLE DX	864	4.7	38	<1	1	2	5	13	19	27
" MULTIPLE DX	1000	7.0	92	1	1	3	9	19	25	48
TOTAL 0-27 DYS	2	8.0	72	2	2	8	14	14	14	14
1-11 MOS	4	9.3	139	1	1	5	17	26	26	26
1-5 YRS	272	6.9	53	1	1	3	12	19	22	26
6-12 YRS	630	6.6	74	1	1	3	8	19	24	38
13-19 YRS	956	5.2	67	<1	1	2	5	11	22	44
GRAND TOTAL	**1864**	**5.9**	**68**	**1**	**1**	**3**	**6**	**17**	**22**	**40**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	10	4.2	3	2	2	4	6	7	8	8
1-5 YRS	234	2.9	5	1	1	2	3	5	7	14
6-12 YRS	798	3.4	13	1	1	3	4	6	8	18
13-19 YRS	2746	3.7	11	1	1	3	5	7	9	15
2. MULTIPLE DX										
0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	14	9.9	69	1	2	8	9	23	30	32
1-5 YRS	321	3.8	26	1	1	2	4	7	11	29
6-12 YRS	969	4.2	32	1	1	3	4	8	11	32
13-19 YRS	3695	5.9	57	1	1	4	6	11	18	46
TOT. SINGLE DX	3788	3.6	12	1	1	3	4	7	9	15
" MULTIPLE DX	5000	5.4	52	1	1	3	6	10	16	43
TOTAL 0-27 DYS	1	18.0		18	18	18	18	18	18	18
1-11 MOS	24	7.5	49	1	2	5	9	17	25	32
1-5 YRS	555	3.4	18	1	1	2	4	6	9	19
6-12 YRS	1767	3.8	24	1	1	3	4	7	10	26
13-19 YRS	6441	5.0	39	1	1	3	5	9	14	35
GRAND TOTAL	**8788**	**4.6**	**35**	**1**	**1**	**3**	**5**	**9**	**13**	**33**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	3.0	8	1	1	3	5	5	5	5
1-11 MOS	11	4.4	14	<1	1	3	6	10	14	14
1-5 YRS	1112	2.3	9	<1	1	1	2	4	9	18
6-12 YRS	4110	2.3	9	<1	1	1	2	4	6	18
13-19 YRS	2495	2.9	12	1	1	2	3	5	7	15
2. MULTIPLE DX										
0-27 DYS	9	6.6	32	2	3	5	6	16	21	21
1-11 MOS	25	5.6	31	<1	1	4	7	15	18	23
1-5 YRS	1190	2.8	17	1	1	1	3	5	11	22
6-12 YRS	3957	2.9	23	1	1	2	3	6	9	24
13-19 YRS	3196	5.0	71	1	1	3	5	10	17	52
TOT. SINGLE DX	7730	2.5	11	<1	1	2	3	5	7	17
" MULTIPLE DX	8377	3.7	42	1	1	2	4	7	13	33
TOTAL 0-27 DYS	11	5.9	29	1	2	5	6	13	20	21
1-11 MOS	36	5.3	26	<1	1	4	7	14	16	23
1-5 YRS	2302	2.6	14	<1	1	1	2	5	10	20
6-12 YRS	8067	2.6	17	<1	1	1	3	5	8	20
13-19 YRS	5691	4.1	47	1	1	2	4	8	12	37
GRAND TOTAL	**16107**	**3.1**	**27**	**1**	**1**	**2**	**3**	**6**	**10**	**25**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	5.0	9	2	2	5	7	8	8	8
1-11 MOS	119	9.5	81	1	1	8	14	22	24	42
1-5 YRS	107	6.7	59	<1	1	3	9	17	22	39
6-12 YRS	171	3.0	16	<1	1	1	3	7	11	21
13-19 YRS	324	2.9	12	<1	<1	1	3	6	10	16
2. MULTIPLE DX										
0-27 DYS	46	6.4	98	2	2	4	6	7	45	99+
1-11 MOS	40	11.2	93	1	2	10	14	19	33	47
1-5 YRS	56	6.3	62	1	1	3	8	21	25	32
6-12 YRS	181	4.0	36	<1	1	2	4	10	16	31
13-19 YRS	436	6.4	108	<1	1	3	7	16	26	56
TOT. SINGLE DX	724	4.6	38	<1	1	2	5	13	17	29
" MULTIPLE DX	759	6.1	89	<1	1	3	7	15	24	47
TOTAL 0-27 DYS	49	6.3	93	2	2	4	6	7	43	99+
1-11 MOS	159	9.9	84	1	1	8	14	21	24	47
1-5 YRS	163	6.5	60	<1	1	3	9	18	24	35
6-12 YRS	352	3.5	27	<1	1	1	3	8	13	25
13-19 YRS	760	4.9	71	<1	1	2	5	11	19	43
GRAND TOTAL	**1483**	**5.3**	**65**	**<1**	**1**	**2**	**6**	**14**	**21**	**43**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	35	7.4	39	1	3	5	10	15	19	30
1-5 YRS	55	10.2	100	<1	2	6	15	23	34	46
6-12 YRS	68	3.6	10	1	1	3	5	6	11	17
13-19 YRS	293	3.2	7	1	1	3	4	5	7	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	14	15.8	226	2	3	10	18	42	44	45
1-5 YRS	27	7.1	33	1	1	6	9	13	17	29
6-12 YRS	68	3.3	7	1	1	3	4	7	9	14
13-19 YRS	284	4.6	23	1	1	3	5	9	15	25
TOT. SINGLE DX	451	4.4	27	1	1	3	5	8	15	33
" MULTIPLE DX	393	4.9	33	1	1	3	5	10	15	36
TOTAL 0-27 DYS										
1-11 MOS	49	9.8	104	2	3	6	12	19	38	45
1-5 YRS	82	9.2	80	1	2	6	11	20	31	43
6-12 YRS	136	3.5	9	1	1	3	4	7	10	15
13-19 YRS	577	3.9	16	1	1	3	4	7	11	20
GRAND TOTAL	**844**	**4.7**	**30**	**1**	**1**	**3**	**5**	**9**	**15**	**33**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	11.0		11	11	11	11	11	11	11
1-11 MOS	103	5.4	26	1	2	4	6	14	17	24
1-5 YRS	244	5.6	31	1	2	4	6	13	18	29
6-12 YRS	358	5.8	70	1	1	3	5	15	24	42
13-19 YRS	2316	3.1	6	1	1	3	4	5	6	14
2. MULTIPLE DX										
0-27 DYS	3	45.7	1304	4	4	65	67	68	68	68
1-11 MOS	51	13.1	139	3	3	9	16	31	37	55
1-5 YRS	150	9.5	105	1	2	5	13	24	30	48
6-12 YRS	241	8.3	67	1	2	5	11	20	24	38
13-19 YRS	1361	4.0	18	1	1	3	4	7	10	25
TOT. SINGLE DX	3022	3.7	18	1	1	3	4	6	10	22
" MULTIPLE DX	1806	5.4	45	1	1	3	5	11	19	36
TOTAL 0-27 DYS	4	37.0	1170	4	4	38	66	68	68	68
1-11 MOS	154	8.0	76	1	2	4	9	18	25	45
1-5 YRS	394	7.1	63	1	2	4	8	18	23	37
6-12 YRS	599	6.8	70	1	1	3	8	17	24	41
13-19 YRS	3677	3.4	11	1	1	3	4	6	8	17
GRAND TOTAL	**4828**	**4.3**	**29**	**1**	**1**	**3**	**4**	**8**	**14**	**29**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	7.5	20	4	4	6	10	14	14	14
1-11 MOS	9	8.6	3	6	6	8	10	11	12	12
1-5 YRS	2	8.5	5	7	7	8	10	10	10	10
6-12 YRS	11	10.5	11	5	6	12	13	15	15	15
13-19 YRS	350	8.8	21	3	4	8	11	14	17	25
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	17.7	284	6	6	10	30	37	37	37
1-5 YRS	1	8.0		8	8	8	8	8	8	8
6-12 YRS	5	10.2	5	7	7	10	12	13	13	13
13-19 YRS	115	15.1	243	3	4	9	18	35	58	99+
TOT. SINGLE DX	376	8.8	21	3	4	8	11	14	17	25
" MULTIPLE DX	124	14.9	232	3	4	9	17	35	51	99+
TOTAL 0-27 DYS	4	7.5	20	4	4	6	10	14	14	14
1-11 MOS	12	10.8	71	6	6	9	10	19	34	37
1-5 YRS	3	8.3	2	7	7	8	9	10	10	10
6-12 YRS	16	10.4	9	5	7	11	13	15	15	15
13-19 YRS	465	10.3	84	3	4	8	12	17	25	76
GRAND TOTAL	**500**	**10.3**	**80**	**3**	**4**	**8**	**12**	**17**	**25**	**71**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	3	2.7	8	1	1	1	5	6	6	6
1-5 YRS	6	3.2	1	2	2	3	4	5	5	5
6-12 YRS	81	2.8	3	<1	1	2	3	5	6	10
13-19 YRS	2918	2.9	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	2.7	1	2	2	2	4	4	4	4
1-5 YRS	2	1.5	1	1	1	1	2	2	2	2
6-12 YRS	44	3.0	2	1	1	3	4	5	7	9
13-19 YRS	2522	3.2	5	1	1	3	4	6	7	12
TOT. SINGLE DX	3009	2.9	3	1	1	2	4	5	6	8
" MULTIPLE DX	2572	3.2	6	1	1	3	4	6	7	12
TOTAL 0-27 DYS	2	2.5	1	2	2	2	3	3	3	3
1-11 MOS	6	2.7	4	1	1	2	4	6	6	6
1-5 YRS	8	2.8	2	1	1	3	4	5	5	5
6-12 YRS	125	2.9	3	<1	1	2	4	5	7	9
13-19 YRS	5440	3.1	5	1	1	3	4	5	6	10
GRAND TOTAL	**5581**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	2.3	1	1	1	2	3	3	3	3
1-11 MOS	16	5.8	121	<1	<1	2	3	21	36	42
1-5 YRS	100	4.4	33	<1	1	2	4	11	20	27
6-12 YRS	481	2.9	12	<1	1	2	3	5	8	21
13-19 YRS	4800	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS	4	9.8	50	5	5	7	14	20	20	20
1-11 MOS	9	12.3	146	2	2	9	20	31	37	37
1-5 YRS	23	6.7	77	<1	1	2	11	20	29	29
6-12 YRS	184	4.3	42	1	1	2	4	9	14	39
13-19 YRS	2644	3.0	14	1	1	2	3	5	7	17
TOT. SINGLE DX	5401	2.4	6	<1	1	2	3	4	5	11
" MULTIPLE DX	2864	3.2	18	1	1	2	3	5	8	21
TOTAL 0-27 DYS	8	6.0	38	1	1	4	7	17	20	20
1-11 MOS	25	8.1	135	<1	<1	2	10	23	38	42
1-5 YRS	123	4.8	42	<1	1	2	5	15	21	29
6-12 YRS	665	3.3	21	<1	1	2	3	6	9	24
13-19 YRS	7444	2.6	8	<1	1	2	3	4	6	12
GRAND TOTAL	**8265**	**2.7**	**10**	**<1**	**1**	**2**	**3**	**5**	**6**	**15**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	1	3	3	3	4	4	4	4
1-5 YRS	15	8.5	23	3	4	8	10	14	20	22
6-12 YRS	129	13.0	38	6	7	12	15	19	26	38
13-19 YRS	493	12.2	39	6	7	11	14	18	23	34
2. MULTIPLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	2	8.0	2	7	7	8	9	9	9	9
1-5 YRS	15	15.2	277	4	4	9	13	49	56	59
6-12 YRS	91	17.1	112	6	8	14	21	32	43	84
13-19 YRS	309	18.4	218	7	8	14	21	38	63	99+
TOT. SINGLE DX	639	12.2	39	6	7	11	14	18	24	35
" MULTIPLE DX	418	17.9	196	6	8	14	21	35	56	99+
TOTAL 0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	4	5.8	8	3	3	5	8	9	9	9
1-5 YRS	30	11.9	157	4	4	8	12	23	49	59
6-12 YRS	220	14.7	73	6	8	13	17	26	32	57
13-19 YRS	802	14.6	117	6	7	12	16	25	35	81
GRAND TOTAL	**1057**	**14.5**	**109**	**6**	**7**	**12**	**16**	**25**	**34**	**73**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	2.7	2	1	1	3	4	4	4	4
1-5 YRS	18	4.3	8	1	2	3	5	9	11	11
6-12 YRS	85	4.7	10	1	2	4	6	9	10	18
13-19 YRS	361	4.1	6	1	2	3	5	7	9	14
2. MULTIPLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	3	11.7	137	3	3	7	20	25	25	25
1-5 YRS	29	3.8	5	2	2	3	4	8	10	10
6-12 YRS	90	5.5	14	2	2	5	6	9	11	23
13-19 YRS	267	5.7	23	1	2	5	7	10	12	21
TOT. SINGLE DX	467	4.2	7	1	2	4	5	8	9	14
" MULTIPLE DX	390	5.5	21	2	2	4	7	10	11	23
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	6	7.2	80	1	1	4	7	23	25	25
1-5 YRS	47	4.0	6	1	2	3	5	9	10	11
6-12 YRS	175	5.1	12	1	2	4	6	9	11	22
13-19 YRS	628	4.8	14	1	2	4	6	8	11	18
GRAND TOTAL	**857**	**4.8**	**14**	**1**	**2**	**4**	**6**	**8**	**11**	**20**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	10.0		10	10	10	10	10	10	10
1-11 MOS										
1-5 YRS	1	13.0		13	13	13	13	13	13	13
6-12 YRS	1	52.0		52	52	52	52	52	52	52
13-19 YRS	17	15.1	97	5	6	13	16	33	39	41
2. MULTIPLE DX										
0-27 DYS	1	14.0		14	14	14	14	14	14	14
1-11 MOS	2	29.0	450	14	14	29	44	44	44	44
1-5 YRS	3	27.7	60	19	19	30	33	34	34	34
6-12 YRS	5	19.2	209	2	2	16	25	42	42	42
13-19 YRS	23	17.2	186	6	8	13	19	30	49	69
TOT. SINGLE DX	20	16.6	154	5	6	13	17	38	46	52
" MULTIPLE DX	34	19.0	183	4	8	14	21	39	44	69
TOTAL 0-27 DYS	2	12.0	8	10	10	12	14	14	14	14
1-11 MOS	2	29.0	450	14	14	29	44	44	44	44
1-5 YRS	4	24.0	94	13	13	24	32	34	34	34
6-12 YRS	6	24.7	347	2	3	18	42	51	52	52
13-19 YRS	40	16.3	146	5	7	13	18	31	40	69
GRAND TOTAL	**54**	**18.1**	**170**	**4**	**8**	**14**	**20**	**39**	**44**	**68**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	13.5	181	4	4	13	23	23	23	23
1-5 YRS	5	18.2	167	7	7	13	29	37	37	37
6-12 YRS	17	7.4	17	3	3	6	10	14	15	16
13-19 YRS	33	10.1	93	1	2	8	12	24	26	46
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	15.4	57	8	8	15	20	27	29	29
1-5 YRS	15	20.8	78	4	6	21	28	31	33	33
6-12 YRS	5	16.2	49	5	5	17	21	23	23	23
13-19 YRS	23	16.1	135	6	7	12	17	32	47	50
TOT. SINGLE DX	57	10.1	82	2	3	8	12	24	26	45
" MULTIPLE DX	51	17.2	101	5	6	15	23	30	33	50
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	9	15.0	66	4	6	15	21	27	29	29
1-5 YRS	20	20.2	95	4	6	20	27	32	35	37
6-12 YRS	22	9.4	37	3	3	8	14	18	22	23
13-19 YRS	56	12.6	117	2	3	10	15	26	40	50
GRAND TOTAL	**108**	**13.4**	**103**	**3**	**3**	**10**	**19**	**27**	**31**	**48**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	1	11.0		11	11	11	11	11	11	11
1-5 YRS	4	2.5	1	1	1	2	3	4	4	4
6-12 YRS	83	4.1	4	1	2	4	5	6	8	12
13-19 YRS	1714	4.4	5	1	2	4	5	7	8	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	9.0	102	2	2	4	13	26	28	28
1-5 YRS	5	8.8	71	2	2	4	17	19	19	19
6-12 YRS	71	4.6	14	1	1	4	5	7	9	27
13-19 YRS	1960	5.2	12	2	2	5	6	8	10	19
TOT. SINGLE DX	1803	4.4	5	1	2	4	5	7	8	12
" MULTIPLE DX	2042	5.2	13	2	2	5	6	8	10	20
TOTAL 0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	7	9.3	86	2	2	4	12	25	28	28
1-5 YRS	9	6.0	48	1	1	3	7	18	19	19
6-12 YRS	154	4.4	9	1	2	4	5	7	9	13
13-19 YRS	3674	4.8	9	2	2	4	6	8	9	15
GRAND TOTAL	**3845**	**4.8**	**9**	**2**	**2**	**4**	**6**	**8**	**9**	**16**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	11	2.2		<1	1	2	3	3	3	3
1-5 YRS	30	3.6	9	<1	1	3	4	8	9	15
6-12 YRS	88	3.4	7	1	2	3	4	6	8	19
13-19 YRS	2143	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	2	6.5	13	4	4	6	9	9	9	9
1-5 YRS	31	4.5	21	1	1	3	5	8	18	22
6-12 YRS	64	3.2	4	1	1	3	4	5	7	13
13-19 YRS	827	3.6	6	1	1	3	4	6	7	13
TOT. SINGLE DX	2272	3.4	3	1	2	3	4	5	6	9
" MULTIPLE DX	925	3.6	7	1	1	3	4	6	7	15
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	13	2.8	4	<1	1	2	3	5	8	9
1-5 YRS	61	4.0	15	<1	1	3	5	8	12	22
6-12 YRS	152	3.3	6	1	1	3	4	5	8	15
13-19 YRS	2970	3.4	3	1	2	3	4	5	6	9
GRAND TOTAL	**3197**	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.8	13	2	2	3	7	10	10	10
1-11 MOS	109	7.0	50	<1	1	4	9	18	21	31
1-5 YRS	324	3.8	25	<1	<1	2	4	10	16	25
6-12 YRS	225	3.8	22	<1	1	2	5	7	10	29
13-19 YRS	569	3.4	11	<1	1	3	4	6	8	15
2. MULTIPLE DX										
0-27 DYS	2	11.0	32	7	7	11	15	15	15	15
1-11 MOS	28	8.0	57	1	2	3	17	19	22	24
1-5 YRS	209	4.6	27	1	1	3	5	8	12	35
6-12 YRS	242	5.7	37	1	1	4	6	11	17	38
13-19 YRS	433	7.1	94	1	1	4	8	15	24	59
TOT. SINGLE DX	1231	3.9	22	<1	<1	2	4	8	13	25
" MULTIPLE DX	914	6.2	63	1	1	4	7	13	20	45
TOTAL 0-27 DYS	6	6.8	25	2	2	5	10	14	15	15
1-11 MOS	137	7.2	52	1	1	4	10	18	21	28
1-5 YRS	533	4.1	27	<1	<1	2	4	8	15	27
6-12 YRS	467	4.8	31	1	1	3	5	9	14	37
13-19 YRS	1002	5.0	50	<1	1	3	5	10	15	44
GRAND TOTAL	**2145**	**4.9**	**41**	**<1**	**1**	**3**	**5**	**10**	**16**	**33**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	3	2.3	1	1	1	3	3	3	3	3
1-11 MOS	51	2.6	5	<1	1	2	3	4	5	14
1-5 YRS	350	2.1	5	<1	<1	2	2	3	5	10
6-12 YRS	693	2.2	5	<1	<1	2	2	3	4	12
13-19 YRS	1549	2.2	6	<1	<1	2	2	3	4	11
2. MULTIPLE DX										
0-27 DYS	12	7.5	26	3	3	5	13	15	16	16
1-11 MOS	17	5.9	15	2	2	5	9	10	15	17
1-5 YRS	62	4.8	37	1	1	2	5	11	18	32
6-12 YRS	79	3.6	33	<1	1	2	3	6	14	37
13-19 YRS	259	4.1	43	<1	1	2	4	8	12	42
TOT. SINGLE DX	2646	2.2	6	<1	<1	2	2	3	4	11
" MULTIPLE DX	429	4.3	39	<1	1	2	4	9	13	41
TOTAL 0-27 DYS	15	6.5	25	1	3	4	11	15	16	16
1-11 MOS	68	3.5	10	1	1	2	4	8	10	16
1-5 YRS	412	2.5	11	<1	<1	2	2	4	7	21
6-12 YRS	772	2.3	9	<1	<1	2	2	3	5	15
13-19 YRS	1808	2.4	13	<1	<1	2	2	4	6	15
GRAND TOTAL	**3075**	**2.5**	**12**	**<1**	**<1**	**2**	**2**	**4**	**6**	**16**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	1.4		<1	<1	1	2	2	2	2
1-5 YRS	29	1.4		<1	<1	1	2	2	2	2
6-12 YRS	24	2.3	3	<1	<1	2	3	3	6	10
13-19 YRS	55	2.0		<1	1	2	2	4	4	4
2. MULTIPLE DX										
0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	2	8.5	85	2	2	8	15	15	15	15
1-5 YRS	10	5.6	146	<1	<1	2	3	22	40	40
6-12 YRS	18	4.5	25	1	1	3	4	14	18	19
13-19 YRS	44	5.1	27	1	1	3	7	12	17	24
TOT. SINGLE DX	113	1.8	1	<1	<1	2	2	3	4	6
" MULTIPLE DX	78	5.0	40	1	1	2	5	14	17	36
TOTAL 0-27 DYS	4	3.3	1	2	2	3	4	4	4	4
1-11 MOS	7	3.4	26	<1	<1	2	2	12	15	15
1-5 YRS	39	2.5	38	<1	<1	1	2	2	3	40
6-12 YRS	42	3.2	14	<1	1	2	3	6	12	19
13-19 YRS	99	3.4	15	<1	1	2	4	8	11	21
GRAND TOTAL	**191**	**3.2**	**19**	**<1**	**1**	**2**	**3**	**6**	**11**	**22**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	11	1.8		1	1	2	2	3	3	3
1-5 YRS	154	1.8		<1	1	2	2	3	4	4
6-12 YRS	227	2.1	3	<1	1	2	2	3	4	14
13-19 YRS	770	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	7	1.7		1	1	2	2	3	3	3
1-5 YRS	198	1.9	2	<1	1	2	2	3	4	9
6-12 YRS	310	2.2	3	1	1	2	3	4	5	9
13-19 YRS	1098	2.5	7	<1	1	2	3	4	6	15
TOT. SINGLE DX	1163	2.1	3	<1	1	2	2	3	5	8
" MULTIPLE DX	1614	2.3	6	<1	1	2	3	4	6	14
TOTAL 0-27 DYS	2	3.0		3	3	3	3	3	3	3
1-11 MOS	18	1.8		1	1	2	2	3	3	3
1-5 YRS	352	1.9	2	<1	1	2	2	3	4	6
6-12 YRS	537	2.1	3	1	1	2	2	4	5	11
13-19 YRS	1868	2.3	6	<1	1	2	3	4	5	13
GRAND TOTAL	**2777**	**2.2**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	4	1.8	1	<1	<1	1	2	3	3	3
1-5 YRS	54	1.7	1	<1	<1	1	2	3	4	6
6-12 YRS	143	2.6	2	<1	1	2	3	5	5	8
13-19 YRS	439	2.7	4	<1	1	2	3	5	6	12
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	5.0	22	2	2	3	6	13	14	14
1-5 YRS	67	2.8	7	<1	1	2	3	5	7	15
6-12 YRS	171	3.2	13	1	1	2	3	6	10	21
13-19 YRS	478	3.4	15	1	1	2	4	7	9	21
TOT. SINGLE DX	641	2.5	4	<1	1	2	3	5	6	12
" MULTIPLE DX	722	3.3	14	1	1	2	4	6	9	21
TOTAL 0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	10	3.7	15	<1	<1	2	4	10	14	14
1-5 YRS	121	2.3	5	<1	<1	2	3	4	6	15
6-12 YRS	314	2.9	9	1	1	2	3	5	6	15
13-19 YRS	917	3.0	11	<1	1	2	4	6	8	16
GRAND TOTAL	**1363**	**2.9**	**10**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	9.0		9	9	9	9	9	9	9
1-11 MOS	315	3.0	2	1	1	3	4	4	6	9
1-5 YRS	510	3.2	4	1	1	3	4	5	6	10
6-12 YRS	382	3.7	7	1	2	3	4	6	8	15
13-19 YRS	715	3.7	7	1	1	3	5	6	8	13
2. MULTIPLE DX										
0-27 DYS	2	2.5	5	1	1	2	4	4	4	4
1-11 MOS	52	4.6	26	1	2	4	5	7	10	36
1-5 YRS	414	3.3	6	1	1	3	4	6	8	12
6-12 YRS	498	4.2	28	1	2	3	5	7	9	36
13-19 YRS	582	5.0	40	1	1	4	6	8	12	27
TOT. SINGLE DX	1923	3.4	6	1	1	3	4	6	7	13
" MULTIPLE DX	1548	4.2	27	1	2	3	5	7	9	26
TOTAL 0-27 DYS	3	4.7	16	1	1	4	8	9	9	9
1-11 MOS	367	3.2	6	1	1	3	4	5	6	11
1-5 YRS	924	3.2	5	1	1	3	4	5	7	10
6-12 YRS	880	3.9	19	1	2	3	4	6	8	18
13-19 YRS	1297	4.3	23	1	1	3	5	7	9	21
GRAND TOTAL	**3471**	**3.8**	**16**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	14	1.6		<1	1	2	2	2	2	2
1-5 YRS	42	1.8	2	<1	1	1	2	3	5	9
6-12 YRS	35	2.4	6	<1	<1	1	3	4	7	14
13-19 YRS	91	1.9	2	<1	<1	1	2	3	4	9
2. MULTIPLE DX										
0-27 DYS	13	4.7	9	2	2	3	5	10	12	12
1-11 MOS	11	2.7	5	<1	<1	2	4	7	8	8
1-5 YRS	50	2.8	20	1	1	2	2	5	8	31
6-12 YRS	34	3.1	11	1	1	2	4	7	10	17
13-19 YRS	172	3.9	27	1	1	2	4	9	13	29
TOT. SINGLE DX	182	2.0	3	<1	1	1	2	3	5	9
" MULTIPLE DX	280	3.6	23	1	1	2	4	8	11	29
TOTAL 0-27 DYS	13	4.7	9	2	2	3	5	10	12	12
1-11 MOS	25	2.1	3	<1	1	2	2	4	6	8
1-5 YRS	92	2.3	12	1	1	2	2	4	8	22
6-12 YRS	69	2.8	9	<1	1	2	3	6	8	16
13-19 YRS	263	3.2	20	<1	1	2	3	7	10	27
GRAND TOTAL	**462**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**7**	**10**	**21**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
6-12 YRS	1	1.0		1	1	1	1	1	1	1
13-19 YRS	11	5.5	20	1	1	4	9	12	13	13
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	5	13.6	447	1	1	5	19	51	51	51
6-12 YRS	7	11.4	209	1	1	4	19	36	39	39
13-19 YRS	15	9.1	82	1	2	8	9	17	33	38
TOT. SINGLE DX	14	4.6	18	<1	1	3	9	11	13	13
" MULTIPLE DX	28	10.3	161	1	1	6	11	33	40	51
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	1	3.0		3	3	3	3	3	3	3
1-5 YRS	6	11.5	384	<1	<1	3	9	47	51	51
6-12 YRS	8	10.1	193	1	1	3	17	34	39	39
13-19 YRS	26	7.6	58	1	1	7	9	14	21	38
GRAND TOTAL	**42**	**8.4**	**119**	**1**	**1**	**5**	**9**	**18**	**38**	**51**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	11	1.6		<1	<1	2	2	3	3	3
1-5 YRS	27	2.6	3	1	1	2	2	6	7	7
6-12 YRS	13	3.8	13	<1	1	3	4	11	12	12
13-19 YRS	50	3.3	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	6	12.0	624	1	1	2	3	57	63	63
1-5 YRS	21	9.6	229	1	1	4	13	37	81	99+
6-12 YRS	32	9.5	175	1	1	5	10	21	51	55
13-19 YRS	83	8.1	160	1	2	4	9	15	24	81
TOT. SINGLE DX	102	3.0	4	1	1	2	3	6	7	11
" MULTIPLE DX	142	8.8	187	1	1	4	9	19	45	91
TOTAL 0-27 DYS	1	4.0		4	4	4	4	4	4	4
1-11 MOS	17	5.3	222	<1	1	2	2	3	42	63
1-5 YRS	48	5.7	112	1	1	2	5	17	25	99+
6-12 YRS	45	7.8	134	<1	1	3	9	17	32	55
13-19 YRS	133	6.3	106	1	2	3	6	11	17	68
GRAND TOTAL	**244**	**6.4**	**119**	**1**	**1**	**3**	**6**	**13**	**22**	**69**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	9.7	14	5	5	10	12	15	15	15
6-12 YRS	4	11.5	113	3	3	8	19	26	26	26
13-19 YRS	3	10.7	21	8	8	8	14	16	16	16
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	5	10.4	2	9	9	10	11	13	13	13
1-5 YRS	3	14.0	67	5	5	16	20	21	21	21
6-12 YRS	5	19.0	249	6	6	13	26	46	46	46
13-19 YRS	14	36.6	657	9	9	32	48	82	89	91
TOT. SINGLE DX	14	10.4	37	3	4	9	13	17	24	26
" MULTIPLE DX	27	26.0	506	6	9	16	34	57	82	91
TOTAL 0-27 DYS										
1-11 MOS	5	10.4	2	9	9	10	11	13	13	13
1-5 YRS	10	11.0	29	5	5	10	15	18	21	21
6-12 YRS	9	15.7	183	3	3	13	21	38	46	46
13-19 YRS	17	32.1	641	8	8	26	43	77	87	91
GRAND TOTAL	**41**	**20.7**	**397**	**4**	**5**	**13**	**26**	**47**	**69**	**91**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	7	7.6	25	3	3	7	8	16	18	18
6-12 YRS	1	15.0		15	15	15	15	15	15	15
13-19 YRS	8	11.9	37	5	5	11	16	21	22	22
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	4	10.3	88	3	3	7	16	24	24	24
1-5 YRS	3	10.7	14	8	8	9	13	15	15	15
6-12 YRS	3	6.3	2	5	5	6	7	8	8	8
13-19 YRS	17	28.4	478	7	8	20	48	65	67	67
TOT. SINGLE DX	16	10.2	34	3	4	8	15	18	21	22
" MULTIPLE DX	27	21.3	396	5	6	12	25	56	67	67
TOTAL 0-27 DYS										
1-11 MOS	4	10.3	88	3	3	7	16	24	24	24
1-5 YRS	10	8.5	22	3	3	8	9	16	18	18
6-12 YRS	4	8.5	20	5	5	7	11	15	15	15
13-19 YRS	25	23.1	391	6	6	14	29	58	67	67
GRAND TOTAL	**43**	**17.1**	**286**	**4**	**5**	**9**	**20**	**48**	**61**	**67**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	3.5	5	2	2	3	5	5	5	5
1-5 YRS	5	4.2	2	2	2	5	5	6	6	6
6-12 YRS	4	8.3	39	1	1	9	13	14	14	14
13-19 YRS	8	9.4	38	1	2	9	13	18	20	20
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	25.0	567	7	7	16	43	52	52	52
1-5 YRS	10	8.8	70	1	2	6	8	23	29	29
6-12 YRS	5	21.6	272	2	2	22	35	42	42	42
13-19 YRS	12	27.0	397	3	6	27	36	60	64	65
TOT. SINGLE DX	19	7.2	29	1	1	5	12	14	17	20
" MULTIPLE DX	30	19.8	316	2	3	11	32	47	58	65
TOTAL 0-27 DYS										
1-11 MOS	5	16.4	423	2	2	7	25	52	52	52
1-5 YRS	15	7.3	51	1	2	5	7	18	26	29
6-12 YRS	9	15.7	201	1	1	13	25	38	42	42
13-19 YRS	20	20.0	323	2	3	12	31	48	61	65
GRAND TOTAL	**49**	**14.9**	**240**	**1**	**2**	**8**	**20**	**36**	**52**	**65**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	26	2.8	5	<1	1	2	4	5	8	11
6-12 YRS	17	6.0	17	<1	1	6	9	11	13	14
13-19 YRS	27	6.5	42	<1	1	5	9	13	17	32
2. MULTIPLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS										
1-5 YRS	34	5.4	89	1	1	3	5	11	13	56
6-12 YRS	17	7.4	45	1	1	5	10	17	22	25
13-19 YRS	34	7.5	23	1	2	7	10	16	17	18
TOT. SINGLE DX	72	4.9	25	<1	1	3	7	11	13	28
" MULTIPLE DX	86	6.6	54	1	1	5	9	15	17	45
TOTAL 0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	2	1.5	1	1	1	1	2	2	2	2
1-5 YRS	60	4.3	54	<1	1	3	5	6	12	52
6-12 YRS	34	6.7	31	1	1	5	10	14	17	25
13-19 YRS	61	7.1	32	1	1	6	10	14	17	30
GRAND TOTAL	**158**	**5.8**	**41**	**1**	**1**	**4**	**8**	**13**	**16**	**31**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	10	1.4		<1	<1	1	2	2	2	2
6-12 YRS	29	3.3	25	1	1	2	3	5	18	24
13-19 YRS	63	3.1	6	<1	1	2	4	5	9	13
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	11	1.9	1	1	1	1	3	4	4	4
6-12 YRS	21	2.7	3	<1	1	2	4	6	7	8
13-19 YRS	67	4.1	28	1	1	2	4	9	22	24
TOT. SINGLE DX	102	3.0	11	1	1	2	4	5	9	21
" MULTIPLE DX	99	3.6	21	1	1	2	4	7	12	24
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	21	1.7	1	<1	1	1	2	3	4	4
6-12 YRS	50	3.1	16	1	1	2	3	5	8	24
13-19 YRS	130	3.6	18	1	1	2	4	7	12	23
GRAND TOTAL	**201**	**3.3**	**16**	**1**	**1**	**2**	**4**	**6**	**10**	**23**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	32.0		32	32	32	32	32	32	32
13-19 YRS	4	16.8	686	2	2	4	30	56	56	56
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	31.0		31	31	31	31	31	31	31
6-12 YRS	3	8.0	31	2	2	9	12	13	13	13
13-19 YRS	1	2.0		2	2	2	2	2	2	2
TOT. SINGLE DX	5	19.8	561	2	2	5	38	56	56	56
" MULTIPLE DX	5	11.4	142	2	2	11	31	93	99+	99+
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS	1	31.0		31	31	31	31	31	31	31
6-12 YRS	4	14.0	165	2	2	11	22	32	32	32
13-19 YRS	5	13.8	558	2	2	4	18	56	56	56
GRAND TOTAL	**10**	**15.6**	**332**	**2**	**2**	**9**	**32**	**74**	**98**	**99+**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	11	3.6	17	<1	1	2	4	9	15	16
1-5 YRS	5	2.2	1	<1	<1	2	3	4	4	4
6-12 YRS	74	2.0		<1	<1	2	2	3	4	5
13-19 YRS	1787	2.0	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
0-27 DYS	5	4.8	1	3	3	5	6	6	6	6
1-11 MOS	7	5.4	14	1	1	5	9	10	10	10
1-5 YRS	4	4.3	5	2	2	4	6	7	7	7
6-12 YRS	9	2.8	3	<1	<1	2	3	6	7	7
13-19 YRS	328	3.0	17	<1	1	2	3	5	7	16
TOT. SINGLE DX	1878	2.0	1	<1	<1	2	2	3	4	5
" MULTIPLE DX	353	3.1	17	<1	1	2	3	6	8	13
TOTAL 0-27 DYS	6	4.3	3	2	2	4	6	6	6	6
1-11 MOS	18	4.3	16	<1	1	3	5	10	14	16
1-5 YRS	9	3.1	4	<1	<1	3	4	6	7	7
6-12 YRS	83	2.1	1	<1	<1	2	2	3	4	6
13-19 YRS	2115	2.1	4	<1	<1	2	2	3	4	8
GRAND TOTAL	**2231**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**4**	**8**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	3	3.0	3	<1	<1	4	4	4	4	4
6-12 YRS	15	1.8		<1	1	2	2	3	3	3
13-19 YRS	215	2.6	2	<1	1	2	3	4	5	9
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	3	4.0	13	1	1	3	7	8	8	8
13-19 YRS	28	4.5	59	<1	<1	3	3	8	15	42
TOT. SINGLE DX	236	2.5	2	<1	1	2	3	4	5	9
" MULTIPLE DX	31	4.4	55	<1	1	3	3	8	12	42
TOTAL 0-27 DYS										
1-11 MOS	3	3.7	1	3	3	3	5	5	5	5
1-5 YRS	3	3.0	3	<1	<1	4	4	4	4	4
6-12 YRS	18	2.2	3	<1	1	2	2	3	6	8
13-19 YRS	243	2.8	9	<1	1	2	3	4	5	10
GRAND TOTAL	**267**	**2.8**	**8**	**<1**	**1**	**2**	**3**	**4**	**5**	**10**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS	1	4.0		4	4	4	4	4	4	4
6-12 YRS	4	6.3	15	2	2	6	9	10	10	10
13-19 YRS	14	2.9	1	1	1	3	3	5	5	5
2. MULTIPLE DX										
0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	2	10.5	25	7	7	10	14	14	14	14
6-12 YRS	3	5.3	16	1	1	6	8	9	9	9
13-19 YRS	6	5.5	7	2	2	5	7	10	10	10
TOT. SINGLE DX	19	3.7	5	1	1	3	4	7	10	10
" MULTIPLE DX	13	7.2	16	1	2	7	10	13	14	14
TOTAL 0-27 DYS	1	12.0		12	12	12	12	12	12	12
1-11 MOS	1	12.0		12	12	12	12	12	12	12
1-5 YRS	3	8.3	26	4	4	7	12	14	14	14
6-12 YRS	7	5.9	13	1	1	6	9	10	10	10
13-19 YRS	20	3.7	4	1	1	3	5	6	8	10
GRAND TOTAL	**32**	**5.1**	**12**	**1**	**2**	**4**	**7**	**11**	**12**	**14**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	12	4.1	3	1	2	4	5	6	7	7
1-11 MOS	5	3.4	2	1	1	4	4	5	5	5
1-5 YRS	9	3.7	8	<1	<1	3	5	8	9	9
6-12 YRS	36	2.8	1	<1	1	3	3	5	6	7
13-19 YRS	1094	3.2	4	1	2	3	4	5	6	9
2. MULTIPLE DX										
0-27 DYS	6	4.2	3	2	2	4	5	7	7	7
1-11 MOS	8	5.5	11	2	2	5	6	11	13	13
1-5 YRS	5	7.4	21	3	3	6	11	14	14	14
6-12 YRS	8	2.1		<1	<1	2	3	3	3	3
13-19 YRS	342	4.0	7	1	2	3	5	6	9	16
TOT. SINGLE DX	1156	3.2	4	1	1	3	4	5	6	9
" MULTIPLE DX	369	4.1	8	1	2	3	5	7	10	16
TOTAL 0-27 DYS	18	4.1	3	1	2	4	5	7	7	7
1-11 MOS	13	4.7	9	1	2	4	5	8	12	13
1-5 YRS	14	5.0	15	<1	1	4	7	10	13	14
6-12 YRS	44	2.7	2	<1	1	2	3	4	5	7
13-19 YRS	1436	3.4	5	1	2	3	4	5	6	12
GRAND TOTAL	**1525**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**6**	**12**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	2	2.0		2	2	2	2	2	2	2
1-11 MOS	8	3.3	10	1	1	2	5	9	9	9
1-5 YRS	13	2.8	3	<1	<1	2	5	6	6	6
6-12 YRS	39	3.6	5	1	2	3	5	6	7	13
13-19 YRS	3239	3.6	3	1	2	3	4	6	7	11
2. MULTIPLE DX										
0-27 DYS	3	5.3	16	3	3	3	8	10	10	10
1-11 MOS	4	2.8	1	1	1	3	4	4	4	4
1-5 YRS	2	2.0		2	2	2	2	2	2	2
6-12 YRS	5	2.8	1	2	2	2	4	4	4	4
13-19 YRS	401	4.9	13	1	2	4	6	8	11	19
TOT. SINGLE DX	3301	3.6	4	1	2	3	4	6	7	11
" MULTIPLE DX	415	4.8	13	1	2	4	6	8	11	19
TOTAL 0-27 DYS	5	4.0	12	2	2	3	5	10	10	10
1-11 MOS	12	3.1	7	1	1	2	4	8	9	9
1-5 YRS	15	2.7	3	<1	<1	2	4	6	6	6
6-12 YRS	44	3.5	5	1	2	3	4	6	7	13
13-19 YRS	3640	3.8	5	1	2	3	5	6	7	11
GRAND TOTAL	**3716**	**3.8**	**5**	**1**	**2**	**3**	**5**	**6**	**7**	**12**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	20	4.0	5	<1	1	4	5	7	9	9
1-11 MOS	245	2.6	7	<1	<1	2	3	5	9	15
1-5 YRS	1085	2.0	4	<1	<1	1	2	3	5	11
6-12 YRS	1294	2.1	5	<1	<1	2	2	3	5	11
13-19 YRS	1896	2.5	8	<1	<1	2	3	4	7	15
2. MULTIPLE DX										
0-27 DYS	185	5.2	59	2	2	4	5	7	10	58
1-11 MOS	64	5.8	31	1	1	4	8	12	17	32
1-5 YRS	269	3.5	18	<1	1	2	4	8	10	22
6-12 YRS	453	3.8	38	<1	1	2	4	8	12	36
13-19 YRS	846	6.6	145	<1	1	3	5	14	29	72
TOT. SINGLE DX	4540	2.3	7	<1	<1	2	2	4	6	13
" MULTIPLE DX	1817	5.3	89	<1	1	2	5	10	17	55
TOTAL 0-27 DYS	205	5.1	54	2	2	4	5	7	10	57
1-11 MOS	309	3.2	14	<1	<1	2	4	8	11	17
1-5 YRS	1354	2.3	7	<1	<1	1	2	4	7	15
6-12 YRS	1747	2.5	14	<1	<1	2	2	5	7	14
13-19 YRS	2742	3.8	54	<1	<1	2	3	6	11	42
GRAND TOTAL	**6357**	**3.1**	**32**	**<1**	**<1**	**2**	**3**	**6**	**9**	**28**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	26	4.5	10	1	2	4	5	8	11	17
1-11 MOS	205	4.6	13	<1	1	4	6	9	12	16
1-5 YRS	1034	3.7	14	<1	<1	2	5	8	11	20
6-12 YRS	1254	4.4	28	<1	1	2	5	10	14	31
13-19 YRS	1993	4.4	28	<1	1	3	5	9	13	29
2. MULTIPLE DX										
0-27 DYS	161	7.7	120	2	3	5	6	14	22	70
1-11 MOS	205	7.4	62	1	1	5	9	16	24	42
1-5 YRS	1769	5.7	61	1	1	3	6	14	21	40
6-12 YRS	2005	5.4	54	1	1	3	6	12	21	37
13-19 YRS	5746	5.3	68	<1	1	3	6	12	19	48
TOT. SINGLE DX	4512	4.3	25	<1	1	3	5	9	13	27
" MULTIPLE DX	9886	5.5	65	<1	1	3	6	12	20	43
TOTAL 0-27 DYS	187	7.3	107	2	2	5	6	13	21	66
1-11 MOS	410	6.0	40	1	1	4	8	13	16	33
1-5 YRS	2803	4.9	45	<1	1	3	6	11	17	37
6-12 YRS	3259	5.0	45	1	1	3	5	11	18	35
13-19 YRS	7739	5.1	58	<1	1	3	6	11	17	44
GRAND TOTAL	**14398**	**5.1**	**53**	**<1**	**1**	**3**	**6**	**11**	**17**	**39**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	21	6.1	46	1	1	4	6	17	24	24
1-5 YRS	141	6.2	94	<1	1	3	6	13	25	49
6-12 YRS	188	7.1	68	1	1	4	9	18	27	38
13-19 YRS	321	6.4	44	1	1	4	8	15	21	34
2. MULTIPLE DX										
0-27 DYS	3	19.7	214	4	4	22	30	33	33	33
1-11 MOS	31	22.6	342	2	3	20	32	43	63	79
1-5 YRS	244	12.8	158	1	1	8	20	32	39	56
6-12 YRS	274	12.1	172	1	2	7	16	31	38	63
13-19 YRS	404	11.9	203	1	1	8	15	27	42	78
TOT. SINGLE DX	672	6.6	61	1	1	4	8	15	23	38
" MULTIPLE DX	956	12.6	190	1	1	8	17	32	41	67
TOTAL 0-27 DYS	4	15.5	212	3	3	13	27	33	33	33
1-11 MOS	52	16.0	287	1	1	10	24	41	45	79
1-5 YRS	385	10.4	145	1	1	5	14	27	37	55
6-12 YRS	462	10.1	136	1	1	6	13	26	35	56
13-19 YRS	725	9.5	141	1	1	5	12	22	32	67
GRAND TOTAL	**1628**	**10.1**	**146**	**1**	**1**	**6**	**13**	**26**	**34**	**62**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	6	5.5	58	2	2	3	3	19	21	21
1-5 YRS	52	4.3	52	1	1	2	4	6	12	46
6-12 YRS	67	4.1	46	<1	<1	2	4	8	20	38
13-19 YRS	160	5.2	73	<1	1	2	4	13	24	46
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS	3	1.0		<1	<1	<1	1	1	1	1
1-5 YRS	42	4.6	57	<1	1	2	4	16	20	40
6-12 YRS	79	5.6	104	1	1	2	4	16	25	61
13-19 YRS	144	9.5	218	1	1	3	10	27	45	72
TOT. SINGLE DX	285	4.8	63	<1	1	2	4	9	21	45
" MULTIPLE DX	268	7.5	162	1	1	2	6	21	37	67
TOTAL 0-27 DYS										
1-11 MOS	9	4.0	41	<1	<1	2	3	14	21	21
1-5 YRS	94	4.4	54	1	1	2	4	10	18	43
6-12 YRS	146	4.9	78	<1	1	2	4	8	22	43
13-19 YRS	304	7.2	147	<1	1	3	6	21	33	56
GRAND TOTAL	**553**	**6.1**	**112**	**<1**	**1**	**2**	**5**	**16**	**28**	**50**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	2.0		2	2	2	2	2	2	2
1-11 MOS	45	1.8		<1	1	2	2	2	3	6
1-5 YRS	405	2.4	4	<1	1	2	3	4	6	10
6-12 YRS	438	2.2	2	<1	<1	2	2	4	5	10
13-19 YRS	859	2.3	3	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
0-27 DYS	16	2.8	1	1	1	3	4	5	5	5
1-11 MOS	40	3.0	9	<1	<1	2	3	6	12	14
1-5 YRS	235	3.3	15	1	1	2	3	7	9	27
6-12 YRS	184	3.2	25	<1	1	2	3	5	7	24
13-19 YRS	503	3.9	39	<1	1	2	4	7	12	36
TOT. SINGLE DX	1748	2.3	4	<1	<1	2	2	4	6	10
" MULTIPLE DX	978	3.5	29	<1	1	2	4	7	10	29
TOTAL 0-27 DYS	17	2.8	1	1	1	3	3	5	5	5
1-11 MOS	85	2.4	5	<1	1	2	2	4	6	14
1-5 YRS	640	2.7	9	<1	1	2	3	5	8	16
6-12 YRS	622	2.5	9	<1	<1	2	3	4	6	11
13-19 YRS	1362	2.9	18	<1	<1	2	3	5	8	21
GRAND TOTAL	**2726**	**2.7**	**13**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02;

		673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5
552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19

713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	5.0		5	5	5	5	5	5	5
1-11 MOS	3	1.3		<1	<1	1	2	2	2	2
1-5 YRS	14	3.0	2	<1	1	2	5	5	6	6
6-12 YRS	27	3.0	2	1	1	3	4	4	6	9
13-19 YRS	41	4.2	8	1	1	4	5	7	9	17
2. MULTIPLE DX										
0-27 DYS	7	21.0	380	4	4	15	33	53	57	57
1-11 MOS	10	10.8	64	1	1	9	16	22	23	23
1-5 YRS	20	4.9	19	1	1	3	8	11	14	16
6-12 YRS	47	5.9	36	1	1	5	7	10	15	38
13-19 YRS	74	6.7	118	1	1	4	8	9	19	74
TOT. SINGLE DX	86	3.5	6	1	1	3	4	6	7	14
" MULTIPLE DX	158	7.1	97	1	1	5	8	14	22	55
TOTAL 0-27 DYS	8	19.0	358	4	4	13	27	51	57	57
1-11 MOS	13	8.6	65	<1	1	6	15	22	23	23
1-5 YRS	34	4.1	13	1	1	2	6	10	11	16
6-12 YRS	74	4.8	26	1	1	4	5	9	10	33
13-19 YRS	115	5.8	80	1	1	4	7	8	10	54
GRAND TOTAL	**244**	**5.9**	**68**	**1**	**1**	**4**	**7**	**10**	**16**	**39**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	4	4.5	9	2	2	4	7	8	8	8
1-11 MOS	9	3.2	7	2	2	2	3	8	10	10
1-5 YRS	43	3.4	7	1	2	2	4	6	10	14
6-12 YRS	73	4.1	17	1	1	3	5	8	15	22
13-19 YRS	670	4.3	15	1	1	3	5	9	12	19
2. MULTIPLE DX										
0-27 DYS	4	6.5	27	1	1	7	11	11	11	11
1-11 MOS	13	5.3	27	1	1	3	7	15	16	16
1-5 YRS	35	4.7	18	1	1	3	6	10	11	23
6-12 YRS	61	4.9	29	1	1	3	5	12	18	28
13-19 YRS	374	6.8	48	1	2	4	9	15	20	33
TOT. SINGLE DX	799	4.2	15	1	1	3	5	9	12	20
" MULTIPLE DX	487	6.3	44	1	1	4	8	14	19	30
TOTAL 0-27 DYS	8	5.5	17	1	1	4	9	11	11	11
1-11 MOS	22	4.5	19	1	1	3	5	12	15	16
1-5 YRS	78	4.0	12	1	2	3	5	8	11	20
6-12 YRS	134	4.4	23	1	1	3	5	9	16	23
13-19 YRS	1044	5.2	29	1	1	3	7	12	15	25
GRAND TOTAL	**1286**	**5.0**	**27**	**1**	**1**	**3**	**6**	**11**	**15**	**24**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS	5	4.0	11	2	2	3	5	10	10	10
1-5 YRS	23	6.8	63	<1	1	3	8	18	29	29
6-12 YRS	61	4.9	13	1	1	4	7	10	13	16
13-19 YRS	209	5.3	54	1	2	3	6	11	15	28
2. MULTIPLE DX										
0-27 DYS	2	16.0	98	9	9	23	81	99+	99+	99+
1-11 MOS	8	8.6	17	3	3	8	12	14	14	14
1-5 YRS	23	7.6	101	1	1	4	7	18	32	46
6-12 YRS	34	7.2	69	2	2	4	9	18	23	42
13-19 YRS	169	8.3	120	2	2	5	9	18	34	74
TOT. SINGLE DX	298	5.3	46	1	2	3	6	11	15	29
" MULTIPLE DX	236	8.2	107	2	2	5	9	18	34	78
TOTAL 0-27 DYS	2	16.0	98	9	9	23	81	99+	99+	99+
1-11 MOS	13	6.8	19	2	2	6	10	13	14	14
1-5 YRS	46	7.2	81	1	1	4	8	16	29	46
6-12 YRS	95	5.7	34	1	2	4	8	13	16	34
13-19 YRS	378	6.7	86	1	2	4	8	13	22	63
GRAND TOTAL	**534**	**6.6**	**75**	**1**	**2**	**4**	**8**	**14**	**22**	**52**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	4	6.5	17	2	2	6	9	12	12	12
2. MULTIPLE DX										
0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS										
13-19 YRS	5	2.6	1	2	2	2	3	4	4	4
TOT. SINGLE DX	5	5.6	17	2	2	5	8	12	12	12
" MULTIPLE DX	7	3.3	5	2	2	2	4	7	8	8
TOTAL 0-27 DYS	1	8.0		8	8	8	8	8	8	8
1-11 MOS										
1-5 YRS	1	2.0		2	2	2	2	2	2	2
6-12 YRS	1	2.0		2	2	2	2	2	2	2
13-19 YRS	9	4.3	11	2	2	3	5	10	12	12
GRAND TOTAL	**12**	**4.3**	**10**	**2**	**2**	**3**	**6**	**9**	**12**	**12**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1	3.0		3	3	3	3	3	3	3
1-11 MOS	27	5.3	143	1	1	2	2	8	24	63
1-5 YRS	48	2.8	7	1	1	2	3	5	7	17
6-12 YRS	61	3.6	13	1	1	2	4	10	14	90
13-19 YRS	408	5.3	29	1	1	3	7	12	16	26
2. MULTIPLE DX										
0-27 DYS	13	12.1	328	2	2	7	13	28	62	70
1-11 MOS	40	4.8	32	1	2	2	5	11	20	26
1-5 YRS	69	3.8	16	1	2	2	4	10	15	20
6-12 YRS	82	4.7	51	1	1	2	4	12	19	43
13-19 YRS	447	7.1	58	1	2	5	10	15	19	41
TOT. SINGLE DX	545	4.9	32	1	1	3	6	11	16	27
" MULTIPLE DX	651	6.4	58	1	1	4	8	14	18	41
TOTAL 0-27 DYS	14	11.4	309	2	2	6	13	23	60	70
1-11 MOS	67	5.0	76	1	1	2	5	10	19	57
1-5 YRS	117	3.4	13	1	2	2	3	7	13	18
6-12 YRS	143	4.2	36	1	1	2	4	10	17	50
13-19 YRS	855	6.3	45	1	1	4	8	14	17	35
GRAND TOTAL	**1196**	**5.7**	**47**	**1**	**1**	**3**	**7**	**13**	**17**	**36**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1995	3.8	9	1	2	3	4	6	8	13
1-11 MOS	4426	4.4	15	1	1	3	5	8	11	19
1-5 YRS	8312	3.5	9	1	1	3	4	6	8	15
6-12 YRS	9878	3.6	14	1	1	3	4	7	9	18
13-19 YRS	21183	4.2	26	1	1	3	5	7	10	26
2. MULTIPLE DX										
0-27 DYS	4805	9.5	156	2	2	5	9	22	37	65
1-11 MOS	6111	5.7	32	1	2	4	7	11	15	28
1-5 YRS	11210	4.2	18	1	1	3	5	8	11	21
6-12 YRS	11281	4.1	22	1	1	3	5	8	10	23
13-19 YRS	25408	5.0	37	1	1	4	6	9	13	35
TOT. SINGLE DX	45794	4.0	19	1	1	3	5	7	9	20
" MULTIPLE DX	58815	5.1	42	1	1	4	6	9	14	36
TOTAL 0-27 DYS	6800	7.8	120	2	2	4	7	17	30	60
1-11 MOS	10537	5.2	26	1	1	4	6	10	13	25
1-5 YRS	19522	3.9	15	1	1	3	5	7	10	19
6-12 YRS	21159	3.9	19	1	1	3	5	7	10	20
13-19 YRS	46591	4.7	33	1	1	3	5	8	12	31
GRAND TOTAL	**104609**	**4.6**	**33**	**1**	**1**	**3**	**5**	**8**	**12**	**30**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	1190	3.5	3	1	1	3	4	6	7	11
1-11 MOS	2483	4.6	11	1	2	4	6	8	10	17
1-5 YRS	5207	4.5	23	1	1	3	5	8	14	27
6-12 YRS	3510	6.2	67	1	2	4	6	13	25	42
13-19 YRS	3850	10.5	214	1	2	5	10	30	45	76
2. MULTIPLE DX										
0-27 DYS	2669	7.2	97	1	2	4	7	15	25	64
1-11 MOS	2858	5.8	22	2	2	5	7	10	14	25
1-5 YRS	5103	5.9	39	1	2	4	6	13	20	32
6-12 YRS	3024	8.4	107	1	1	4	9	23	31	53
13-19 YRS	5314	10.5	198	1	2	5	11	28	44	76
TOT. SINGLE DX	16240	6.2	81	1	1	4	6	12	23	52
" MULTIPLE DX	18968	7.8	104	1	2	4	8	18	28	59
TOTAL 0-27 DYS	3859	6.1	71	1	2	4	6	11	20	50
1-11 MOS	5341	5.2	17	1	2	4	6	9	12	23
1-5 YRS	10310	5.2	32	1	1	3	6	10	17	29
6-12 YRS	6534	7.2	87	1	1	4	7	20	28	49
13-19 YRS	9164	10.5	205	1	2	5	11	29	44	76
GRAND TOTAL	**35208**	**7.1**	**94**	**1**	**2**	**4**	**7**	**15**	**26**	**56**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
2. MULTIPLE DX										
0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-27 DYS										
1-11 MOS										
1-5 YRS										
6-12 YRS										
13-19 YRS										
GRAND TOTAL										

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
0-27 DYS	6631	3.3	5	1	1	3	4	6	7	11
1-11 MOS	5969	4.1	9	1	2	3	5	7	9	14
1-5 YRS	9851	3.6	6	1	1	3	4	6	8	12
6-12 YRS	5727	4.1	23	1	1	3	5	7	9	19
13-19 YRS	7680	4.8	48	1	1	3	5	8	12	39
2. MULTIPLE DX										
0-27 DYS	8131	7.8	98	2	2	5	8	17	26	62
1-11 MOS	8345	5.0	17	1	2	4	6	9	11	20
1-5 YRS	13749	4.0	11	1	1	3	5	7	9	16
6-12 YRS	6099	4.6	31	1	1	3	5	8	10	30
13-19 YRS	9456	5.6	55	1	1	4	6	10	17	42
TOT. SINGLE DX	35858	4.0	19	1	1	3	5	7	9	19
" MULTIPLE DX	45780	5.3	41	1	2	4	6	9	14	36
TOTAL 0-27 DYS	14762	5.8	61	1	2	4	6	11	18	46
1-11 MOS	14314	4.6	14	1	2	4	6	8	10	17
1-5 YRS	23600	3.8	9	1	1	3	5	7	8	14
6-12 YRS	11826	4.4	28	1	1	3	5	8	10	25
13-19 YRS	17136	5.2	53	1	1	3	5	9	15	42
GRAND TOTAL	81638	4.7	32	1	1	3	5	8	11	30

Index

Part 1: Diagnosis Index
Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer – *see Neoplasm, malignant*
	Carcinoma – *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs — *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

Group Number	Title
73	Diabetes mellitus, uncontrolled
72	Diabetic acidosis
73	Diabetic cataract
72	Diabetic coma
73	Diabetic gangrene
73	Diabetic nephropathy
73	Diabetic neuropathy
73	Diabetic retinopathy
73	Diabetic ulcer
397	Dialysis, peritoneal
397	Dialysis, renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Diarrhea, functional
1	Diarrhea, infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotic cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

Group Number	Title
555	Adenoidectomy, except with tonsillectomy
554	With tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	For termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography

OPERATION INDEX (continued)

Group Number	Title
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artificial
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous

Group Number	Title
	Augmentation
745	Breast
699	Chin
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix
597	Colon
597	Duodenum
668	Endocervical
588	Esophagus
532	Eyeball
517	Eyelid
666	Fallopian tubes
597	Intestine (large) (small)
719	Joint structure
632	Kidney
597	Large intestine
558	Larynx
552	Lip
615	Liver
565	Lung
582	Lymph nodes
570	Mediastinum
	Meninges
501	Cerebral
507	Spinal
727	Muscle
543	Nose
532	Orbit
660	Ovary, except by aspiration
663	Aspiration

Group Number	Title
	Biopsy (continued)
618	Pancreas
658	Penis
508	Peripheral nerve
626	Peritoneum
556	Pharynx
570	Pleura
650	Prostate
606	Rectum
651	Scrotum
747	Skin
597	Small intestine
507	Spinal meninges
654	Testes
514	Thyroid
552	Tongue
559	Trachea
670	Uterus
682	Vagina
558	Vocal cord
683	Vulva
518	Blepharorrhaphy
763	Blood transfusion, except intrauterine exchange
696	Intrauterine exchange
585	Bone marrow transplant
745	Breast augmentation
688	Breech extraction for delivery
567	Bronchoscopy
704	Bunionectomy
730	Bursectomy, except of hand
728	Hand
726	Bursotomy
	Bypass, graft or shunt
572	Aortocoronary
578	Blood vessels (systemic)
572	Coronary
596	Gastric
572	Heart
579	Heart-lung
601	Intestine
596	Stomach
634	Urinary

Group Number	Title
763	Cancer chemotherapy
	Cardiac
573	Catheterization
764	Function tests
	Massage
763	Closed
575	Open
574	Pacemaker insertion or replacement
575	Revascularization, except coronary bypass
572	Coronary bypass
764	Stress tests
509	Carpal tunnel decompression or release
760	Cast application
758	C.A.T. scan
526	Cataract extraction, except intracapsular
525	Intracapsular
	Catheterization
647	Bladder, except suprapubic approach
638	Suprapubic approach
581	Blood vessel
573	Cardiac
645	Ureteral
647	Urethral, indwelling
587	Vein, except umbilical
581	Umbilical
669	Cerclage, cervix
692	Cesarean section, except low cervical
691	Low cervical
763	Chemotherapy
758	Cholangiogram (intravenous) (percutaneous)
616	Cholecystectomy
758	Cholecystogram
617	Cholecystotomy
764	Circulatory monitoring
657	Circumcision, except newborn
	Closure
617	Cholecystostomy
601	Colostomy
	Fistula – *see Fistulectomy*
596	Gastric anastomosis
601	Sigmoidostomy
570	Thoracostomy

Group Number	Title
	Closure (continued)
635	Ureterostomy
640	Urethrostomy
599	Colectomy
568	Collapse of lung, surgical
619	Colonoscopy, except surgical approach
609	Surgical approach (transabdominal)
602	Colostomy, except loop
600	Loop
681	Colporrhaphy, except for cystocele or rectocele repair
680	Cystocele or rectocele repair
758	Computerized axial tomography (C.A.T. scan)
667	Conization of cervix
520	Conjunctivoplasty
764	Consultation
	Control of hemorrhage
638	Bladder
581	Blood vessel
569	Chest
627	Laparotomy site
544	Nose, except by anterior packing
557	Anterior packing
569	Pleura
581	Postoperative, not elsewhere classified
650	Prostate
590	Stomach
556	Tonsil
521	Corneal transplant
572	Coronary bypass
503	Cranioplasty
502	Craniotomy
668	Cryoconization, cervix
682	Culdocentesis
682	Culdoscopy, except for tubal ligation
664	Tubal ligation
523	Cyclocryotherapy (eye)
523	Cyclodialysis
638	Cystectomy (bladder)
680	Cystocele repair
636	Cystoscopy
638	Cystostomy
638	Cystotomy

Group Number	Title
675	D and C (uterus), except for termination of pregnancy
674	Termination of pregnancy
519	Dacryocystorhinostomy
	Debridement
748	Burn (skin)
705	Fracture, except of skull
503	Skull
748	Skin (infection) (wound)
	Decompression
509	Carpal tunnel
502	Cranial
506	Laminectomy
506	Spinal
	Delivery
690	Artificial rupture of membranes
688	Breech extraction
692	Cesarean section, except low cervical
691	Low cervical
689	Forceps, except low forceps
687	Low forceps
689	Internal and combined version
751	Dermabrasion
601	Derotation, intestine
580	Dialysis, except peritoneal
629	Peritoneal
	Dilation
638	Bladder (neck)
635	Ureteral meatus
645	Ureterovesical orifice
641	Urethra, urethrovesical junction
675	Dilation and curettage (D and C), uterus, except for termination of pregnancy
674	Termination of pregnancy
	Dislocation-reduction, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Division
	Adhesions – *see Lysis, adhesions*
613	Anal sphincter
726	Fascia, exept of hand
728	Hand

Group Number	Title
	Division (continued)
508	Peripheral nerve
511	Sympathetic nerve or ganglion
659	Dorsal or lateral slit of prepuce
	Drainage — *see also Incision (and drainage)*
647	Bladder, except surgical approach
638	Surgical approach (suprapubic)
569	Chest
537	Middle ear
763	Drug therapy
598	Duodenectomy
764	ECG (electrocardiogram)
758	Echoencephalography
764	EEG (electroencephalogram)
764	EKG (electrocardiogram)
764	Electrocardiogram (ECG) (EKG)
764	Electroencephalogram (EEG)
752	Electrolysis, skin
753	Encephalography
	Endoscopy
636	Bladder
567	Bronchus
619	Colon, except surgical approach
609	Surgical approach (transabdominal)
682	Cul-de-sac, except for tubal ligation
664	Tubal ligation
589	Esophagus
589	Gastric, except surgical approach
596	Surgical approach (transabdominal)
576	Larynx
628	Peritoneum
557	Pharynx
609	Small intestine
589	Stomach, except surgical approach
596	Surgical approach (transabdominal)
570	Thorax, transpleural
636	Urethra
679	Uterus
686	Vagina
602	Enterostomy
532	Enucleation, eyeball

Group Number	Title
533	Epilation, eyelid
697	Episioperinorrhaphy
697	Episiorrhaphy
690	Episiotomy, except with forceps delivery
687	With low forceps delivery
689	With other forceps delivery
544	Epistaxis control, except by anterior packing
557	Anterior packing
588	Esophagectomy
589	Esophagoscopy, except surgical approach
619	Surgical approach
588	Esophagotomy
613	Evacuation, hemorrhoids
	Evisceration
532	Eyeball
673	Pelvic
	Examination
764	Eye
764	General physical
764	Gynecologic
764	Pelvic
761	Psychiatric
763	Exchange transfusion, except intrauterine
696	Intrauterine
	Excision — *see also Excision of lesion (and destruction of tissue)*
610	Anal fistula
727	Baker's cyst
705	Bone, except facial
699	Facial, except partial
698	Partial
556	Branchial cleft cyst
704	Bunion
517	Chalazion, eyelid
599	Colon
665	Fallopian tubes, bilateral, except endoscopic approach
664	Endoscopic approach
670	Fibroid, uterine
616	Gallbladder
508	Ganglion, except of tendon
727	Tendon (of hand)
612	Hemorrhoids

Group Number	Title
	Excision (continued)
	Hydrocele
679	Round ligament
656	Spermatic cord
651	Tunica vaginalis
717	Intervertebral disc or cartilage
719	Joint, except intervertebral disc and cartilage of knee
717	Intervertebral disc
718	Knee cartilage
631	Kidney, except partial
632	Partial
718	Knee cartilage (semilunar)
582	Lymph nodes, except radical
583	Radical
508	Neuroma, peripheral nerve
	Ovary
662	Bilateral
661	Unilateral
550	Parotid gland
746	Pilonidal cyst or sinus
515	Pituitary gland
649	Prostate, except transurethral approach
648	Transurethral approach
522	Pterygium
747	Sebaceous cyst, except of eyelid
517	Eyelid, eyebrow
718	Semilunar cartilage, knee
586	Spleen
514	Thyroglossal duct or tract
513	Thyroid
751	Toenail
552	Tongue
553	Tonsil, except with adenoids
554	With adenoids
556	Tonsil tag
	Tubes and ovaries
662	Bilateral
661	Unilateral
670	Uterine fibroid
577	Varicocele, except of spermatic cord
656	Spermatic cord

Group Number	Title
	Excision of lesion (and destruction of tissue)
626	Abdominal wall
611	Anus
617	Bile duct
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
501	Brain
742	Breast
563	Bronchus
501	Cerebral meninges
668	Cervix, except by conization
667	Conization
597	Colon
520	Conjunctiva
522	Cornea
597	Duodenum
534	Ear, external
588	Esophagus
532	Eye
517	Eyelid
666	Fallopian tube
549	Gingiva, gums
597	Intestine
524	Iris
632	Kidney
597	Large intestine
558	Larynx
552	Lip
565	Lung
	Meninges
501	Cerebral
507	Spinal
727	Muscle
	Nerve
508	Peripheral
511	Sympathetic
543	Nose, except submucous resection
541	Submucous resection

Group Number	Title
	Excision of lesion (continued)
660	Ovary
550	Parotid gland
658	Penis
	Perineum
683	Female
747	Male
508	Peripheral nerve
607	Perirectal tissue
626	Peritoneum
606	Rectum
550	Salivary gland
524	Sclera
651	Scrotum
747	Skin, except radical and of pilonidal cyst or sinus
746	Pilonidal cyst or sinus
748	Radical
501	Skull
597	Small intestine
507	Spinal meninges
592	Stomach
727	Tendon
654	Testis
552	Tongue
559	Trachea
635	Ureter
640	Urethra
679	Uterine ligament
670	Uterus
682	Vagina
559	Vocal cord
683	Vulva
	Exenteration
532	Eyeball, orbit
673	Pelvic
	Exploration
627	Abdominal cavity
617	Bile duct
632	Kidney
627	Exploratory laparotomy
600	Exteriorization, intestine
579	Extracorporeal circulation

Group Number	Title
	Extraction
688	Breech, for delivery
547	Dental
686	Menstrual
547	Teeth
689	Vacuum, for delivery
751	Face lift
730	Fasciectomy, except of hand
728	Hand
726	Fasciotomy, except of hand
728	Hand
	Fistulectomy
610	Anal
638	Bladder
556	Branchial cleft
564	Bronchus
601	Intestine
542	Nasal
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	With fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation

Group Number	Title
	Fracture-reduction, except facial bone, femur, and nose (continued)
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin

OPERATION INDEX (continued)

Group Number	Title
	Graft (continued)
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy
	Implant, implantation
745	Breast
740	Limb prosthesis

Group Number	Title
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum

Group Number	Title
	Incision (and drainage) (continued)
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artificial
	Insertion
574	Cardiac pacemaker
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy

OPERATION INDEX (continued)

Group Number	Title
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids
577	Varicose veins
655	Vas deferens
577	Ligation and stripping, varicose veins
	Lobectomy
501	Brain
615	Liver
566	Lung, except partial
565	Partial
687	Low forceps delivery
512	Lumbar puncture
	Lysis, adhesions
630	Abdominal
741	Hand
524	Iris
716	Joint
731	Muscle, except of hand
741	Hand
630	Pelvis
630	Peritoneum
731	Tendon, except of hand
741	Hand
745	Mammary augmentation
745	Mammectomy
758	Mammography
745	Mammoplasty, reduction
699	Mandibulectomy, except partial
698	Partial
699	Mandibulotomy
	Mastectomy
743	Complete
743	Simple, except extended
744	Extended

Group Number	Title
	Mastectomy (continued)
742	Subtotal
744	Radical
743	Partial
538	Mastoidectomy, except revision
539	Revision
745	Mastotomy
	Meatotomy
635	Ureteral
639	Urethral
690	Medical induction of labor
718	Meniscectomy, knee
686	Menstrual extraction or regulation
699	Mentoplasty
764	Monitoring, circulatory (CVP) (PCW)
754	Myelography
670	Myomectomy, uterus
537	Myringotomy
631	Nephrectomy (complete)
632	Nephropexy
682	Obliteration, vagina or vaginal vault
751	Onychectomy
751	Onychoplasty
	Oophorectomy
662	Bilateral
661	Unilateral
533	Ophthalmoscopy
652	Orchiectomy
653	Orchiopexy
654	Orchioplasty, except suspension
653	Suspension
705	Ostectomy, except facial bone
699	Facial bone, except partial
698	Partial
706	Osteoplasty, except facial bone
699	Facial bone
703	Osteotomy, except facial bone
699	Facial bone
540	Otoscopy

OPERATION INDEX (continued)

Group Number	Title
551	Palatoplasty
618	Pancreatectomy
618	Pancreatotomy
	Paracentesis
626	Abdominal
524	Anterior chamber (eye)
576	Thoracic
514	Parathyroidectomy
550	Parotidectomy
673	Pelvic exenteration
575	Pericardiocentesis
629	Peritoneal dialysis
628	Peritoneoscopy
557	Pharyngoscopy
556	Pharyngotomy
757	Phlebography
540	Piercing, ear
576	Pleurocentesis
	Plication
644	Urethral, urethrovesical
581	Vena cava
753	Pneumoencephalography
566	Pneumonectomy
659	Preputiotomy
608	Proctectomy
609	Proctopexy
619	Proctosigmoidoscopy, except surgical approach
609	Surgical approach (transabdominal)
607	Proctotomy
649	Prostatectomy, except transurethral approach
648	Transurethral approach
761	Psychiatric testing and evaluation
761	Psychotherapy
	Puncture
501	Cranial
512	Lumbar
501	Skull, for drainage
512	Spinal
758	Pyelogram (intravenous) (retrograde)
636	Pyeloscopy
632	Pyelotomy
590	Pyloromyotomy
596	Pyloroplasty

Group Number	Title
759	Radiation therapy
	Radiography
757	Arteries, except cerebral and coronary
755	Cerebral
756	Coronary
758	Breast
755	Cerebral
755	Arteries
753	Ventricles
758	Chest
758	Gallbladder
758	Kidney
758	Skeletal
758	Spine, except myelogram
754	Myelogram
757	Veins
	Reattachment
738	Extremity
528	Retina
731	Tendon, except of hand
729	Hand
530	Recession, ocular muscle
	Reconstruction
535	Ear ossicles
699	Mandible
729	Thumb
680	Rectocele repair
	Reduction
	Dislocation, except temporomandibular
714	Closed
715	Open
702	Temporomandibular (joint)
	Fracture, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	With internal fixation
713	Open, except with internal fixation
712	With internal fixation
701	Facial bone, except closed reduction
700	Closed reduction

Group Number	Title
	Reduction (continued)
	Femur
710	Closed, except with internal fixation
708	With internal fixation
710	Open, except with internal fixation
709	With internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
619	Hemorrhoids
	Hernia – *see also Herniorrhaphy*
764	Manual
601	Intestinal torsion
601	Intussusception, intestine
745	Mammoplasty
601	Volvulus, intestine
	Release
	Adhesions – *see Lysis, adhesions*
728	Dupuytren's contracture
749	Scar contracture, skin
642	Urethral stricture
	Removal
	Calculus
617	Biliary tract
638	Bladder
632	Kidney, except transurethral approach
635	Transurethral approach
519	Lacrimal tract (by incision)
533	Without incision
633	Ureter, except transurethral approach
635	Transurethral approach
764	Catheter, nonoperatively
764	Cholecystotomy tube
693	Ectopic fetus
707	Fixation device, internal
	Foreign body
762	Bronchus, except with incision
563	With incision
532	Eye, except as below
524	Anterior chamber
520	Conjunctiva

Group Number	Title
	Removal (continued)
524	Iris
527	Lens
	Prosthesis
745	Breast
716	Joint
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand

Group Number	Title
	Repair (continued)
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand

Group Number	Title
	Repair (continued)
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis

Group Number	Title
	Revision (continued)
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Scleral buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus

Group Number	Title
	Sphincterotomy (continued)
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
	Stress incontinence repair, except by
644	urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	With bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage

Group Number	Title
	Termination of pregnancy (continued)
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation
760	Rehabilitation
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney

Group Number	Title
	Transplant, transplantation (continued)
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin